U. S. DEPARTMENT OF COMMERCE
HENRY A. WALLACE, SECRETARY

BUREAU OF THE CENSUS
J. C. CAPT, DIRECTOR

VITAL STATISTICS OF THE UNITED STATES

1943

PART II

NATALITY AND MORTALITY DATA FOR THE UNITED STATES TABULATED BY PLACE OF RESIDENCE

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, Vital Statistics Division
Bureau of the Census

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1945

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - Price $2.50

BUREAU OF THE CENSUS

J. C. CAPT, *Director*

PHILIP M. HAUSER, *Assistant Director*

MORRIS H. HANSEN, *Statistical Assistant to the Director*

RALPH E. GALLOWAY, *Executive Assistant to the Director*

Vital Statistics Division—HALBERT L. DUNN, M. D., *Chief*

FRANK S. MORRISON, *Acting Assistant Chief*

MARY B. MANN, *Statistical Operations*

IWAO M. MORIYAMA, *Mortality Statistics*

THOMAS N. E. GREVILLE, *Life Table Studies*

CONTENTS

INTRODUCTION

	Page
The value of vital statistics tabulated by place of residence	1
Previous tabulations by place of residence	2
Nonresident tabulations by State offices	2
Definitions of nonresidents and rules for coding	3
Relation of geographic code to the identification of nonresidents	4
Rules for the allocation of deaths	4
Rules for determining place of residence for deaths	4
Special residence instructions for military personnel	5
Rules for the allocation of births	5
Rules for determining place of residence for births	5
Birth and death rates by place of residence	6
Comparison of resident and recorded rates by States	6
Deaths allocated to place of residence	6
Summary	6
Number of nonresident deaths	7
Effect of residence reallocation on urban and rural death statistics	7
Infant mortality statistics	8
Infant mortality rates for urban and rural areas	8
Infant mortality rates by States	9
Deaths in hospitals and institutions	9
Births allocated to place of residence	9
Summary	9
Number of nonresident births	10
Effect of residence reallocation on urban and rural birth statistics	10
Births in hospitals	11
Illegitimate births	12
Stillbirth statistics	14
Reporting of stillbirths	14
Stillbirths by period of gestation	14

RATE TABLE

Table I.—Death rates for selected causes: United States, each division and State, 1943 16

GENERAL NATALITY AND MORTALITY TABLES

Live Births

Table 1.—Live births by State of occurrence distributed according to State of residence: United States and each State, 1943 21

Table 2.—Births, deaths, deaths under 1 year, and stillbirths, urban and rural, by States and counties, and by urban places of 10,000 or more: United States, 1943 23

Table 3.—Live births by sex, age of mother, race, and nativity of white parents: United States and each State, 1943 69

Table 4.—Live births by age of mother, race, and nativity of white mother, urban and rural: United States and each State, 1943 82

Table 5.—Live births by age of mother, race, and order of birth: United States and each State, 1943 105

Table 6.—Live births by age of parents: United States and each State, 1943 121

Table 7.—Live births by order of birth, race, and nativity of white mother: United States and each State, 1943 128

Table 8.—Live births by specified race: United States and each State, 1943 134

Table 9.—Live births by month, sex, and race: United States and each State, 1943 135

Table 10.—Cases of plural births by race, classified by number of children born alive and stillborn: United States and each State, 1943 .. 140

Table 11.—Live births by person in attendance, urban and rural, by States and counties, and by urban places of 10,000 or more in 1940: United States, 1943 142

Stillbirths

Table 12.—Stillbirths by State of occurrence distributed according to State of residence: United States and each State, 1943 175

Table 13.—Stillbirths by age of mother, race, nativity of white mother, and sex, urban and rural: United States, 1943 177

Table 14.—Stillbirths by sex, age of mother, order of birth, race, and nativity of white mother: United States, 1943 179

Table 15.—Stillbirths by race, urban and rural: United States and each State, 1943 181

Table 16.—Stillbirths by person in attendance and by race: United States and each State, 1943 183

CONTENTS — Continued

GENERAL NATALITY AND MORTALITY TABLES—Continued

Total Deaths

Page

Table 17.—Deaths by State of occurrence distributed according to State of residence: United States and each State, 1943 184
Table 18.—Deaths by specified race: United States and each State, 1943 186
Table 19.—Deaths by month, sex, and race: United States and each State, 1943 187
Table 20.—Deaths from selected causes, by month: United States and each State, 1943 192
Table 21.—Deaths from selected causes, by age, race, and sex: each State, 1943 226
Table 22.—Deaths from selected causes, by sex and race, urban and rural: United States and each State, 1943 422
Table 23.—Deaths from selected causes: urban places having, in 1940, populations of 10,000 or more, 1943 470
Table 24.—Deaths from each cause, by race and sex: United States and each State, 1943 498

Infant Deaths

Table 25.—Deaths under 1 year, by age and month: United States and each State, 1943 562
Table 26.—Deaths under 1 year and under 1 month of age, by race and sex: United States and each State, 1943 567
Table 27.—Deaths under 1 year, in institutions, by age and race: United States and each State, 1943 568
Table 28.—Deaths under 1 year of age, from selected causes, by month: United States, 1943 573
Table 29.—Deaths under 1 year, from selected causes, by age, sex, and race: United States, 1943 574
Table 30.—Deaths under 1 year of age, from selected causes, by race, urban and rural: United States, 1943 580

SYMBOLS USED IN VITAL STATISTICS REPORTS

	Symbols
Class or item not applicable (three dots)	...
Data not available (series of leaders)	-----
Quantity is zero, in frequency tables (one dash)	-
Quantity is zero, in rate (or percent) tables (one cipher)	0
If rate (or percent) is more than 0 but less than 0.05	0.0
If both frequency and population base are zero in rate (or percent) tables (one dash)	-
If the population is reported to be zero, but one or more births (or deaths) are reported, a footnote "Rate not computed" is used.	

VITAL STATISTICS OF THE UNITED STATES

PART II. GEOGRAPHIC CLASSIFICATION BY PLACE OF RESIDENCE

Introduction

Data compiled on a place-of-occurrence basis are published in a volume entitled "Vital Statistics of the United States, Part I." This volume—Vital Statistics of the United States, Part II—contains official natality and mortality statistics tabulated according to the place of residence of the mother of the child, or the place of residence of the decedent. These tabulations are compiled from the same source material as the tables published in part I, both being derived from transcripts of original birth and death certificates received from registration officials of States and cities, and of the outlying territory and possessions of the United States.

The tables given in this volume should be interpreted with some caution since several factors enter into the determination of the place of residence. The place of birth or death, in most cases, is clear-cut and definitely determinable. To determine the place of residence is much more difficult because it is dependent upon the definitions of residence and the completeness of the information given on the certificate. It has, therefore, been necessary to adopt a set of arbitrary rules for the proper coding in each instance. The data obtained by a reallocation of nonresidents are obviously dependent upon these rules and cannot be correctly interpreted unless the rules are exactly and clearly stated.

THE VALUE OF VITAL STATISTICS TABULATED BY PLACE OF RESIDENCE

Tabulated vital statistics may be used for many purposes, each requiring data classified by different groupings or according to different definitions. Many of these uses relate to public health work, such as an evaluation of the problems confronting public health agencies or the measurement of the results of public health programs. Other uses relate to maternal- and infant-welfare activities, problems of population research, analysis of fertility trends, actuarial investigations, medical research, et cetera. For some purposes, such as a study of the hospital load carried by a given community, the proportion of births attended by physicians, or the simple ranking of causes of death, it is possible to use tabulated natality and mortality data without relating them to other statistical data. But for the most part, vital statistics take on their full value only when related to population figures by the computation of birth or death rates. For deaths, these rates, in their simplest form, consist of ratios of the number of deaths occurring in a specified place during a specified time to the number of persons exposed to the risk of death at that place and time. It is obvious that such a rate can be correctly computed and interpreted only when the population figure in the denominator and the mortality figure in the numerator are compiled on a comparable basis. In other words, the population figure must represent a certain group that is exposed to the risk of death, and the death figure must include all of this group that died. Although the birth rate is interpreted in a different manner, similar considerations apply to it.

For the United States, as a unit, there is little difficulty in securing adequate comparability between vital statistics and population figures. However, for individual cities or counties or for population-size groups, there are several disturbing factors. In the population census, each person is counted as a part of the population of the geographic unit in which he has his "usual place of residence." Therefore, the enumerated population of a city is a count of all the persons who usually live in that city, excluding persons who are temporarily in the city at the time of the census and including residents of the city who are at some other place during the time of the population enumeration.

The crude death rate for the residents of any area must be based on the total resident population of that area and the total number of deaths occurring in this total resident population. It is essential to include the deaths of residents no matter where the deaths occurred, and to exclude deaths of nonresidents occurring in that area.

The occurrence of a large number of births and deaths "away from home" results from the movement of the people, facilitated by convenient methods of transportation, and from the increasing use of hospitals during confinement and illness. Seasonal movement to and from resort States, seasonal migration in search of employment, and the movement of people to some other area for hospital facilities not available in their usual place of residence, are several of the factors that contribute to the number of nonresident births and deaths.

Inasmuch as the registration laws of each State specify that births and deaths be registered at the place of birth or death, the compilation of vital statistics according to place of occurrence is the most direct and usual method. Rates computed on this basis may be called recorded rates, since all the births or deaths recorded in each area are included in the computation. The compilation of natality and mortality data on the same geographic basis as the population census requires a complete reallocation of births and deaths to the place of residence. When this reallocation has been made, it is then possible to compute resident rates. Since resident death rates are ratios of the number of deaths to the number of persons exposed to the risk of death, they indicate more accurately the force of mortality affecting a given population and can therefore be interpreted in terms of relative health conditions. Resident birth rates are interpreted somewhat differently, but similar considerations apply to them. Of course, in such interpretations, cognizance must be taken of other factors, such as the age, sex, and race distributions of the exposed populations.

From some points of view it may seem incorrect to allocate deaths purely on a place-of-residence basis without taking into account the city or county responsible for the causes resulting in death. For example, a resident of one city may be killed in an automobile accident in another city. In such a case it may seem unreasonable to allocate that death to the city of residence if the accident was caused by traffic hazards of the city where the death occurred. However, even if desirable, the

reallocation of deaths from most causes to the area responsible for the conditions resulting in death would be a highly speculative and difficult task. Furthermore, admitting the possibility of making such an assignment of deaths, it then becomes necessary to devise an "exposed-to-risk" figure quite different from an enumerated population.

Tabulations of vital statistics by place of occurrence are valuable and necessary for certain purposes. Tabulations by place of residence and the computation of resident birth and death rates provide data of greater value and meaning for many uses. However, resident data cannot be directly interpreted for every purpose. No single method of tabulation could be devised that would provide statistics compiled in the manner necessary for all possible problems.

PREVIOUS TABULATIONS BY PLACE OF RESIDENCE[1]

The first nonresident tabulations made by the Bureau of the Census were published in the volume of "Mortality Statistics" for 1914. These tabulations included deaths, but not births, and consisted merely of a separation of the nonresident deaths from the total deaths for each area. However, discovery of serious deficiencies in the place-of-residence information given on the death certificates resulted in the omission of nonresident tabulations from the published volumes from 1915 to 1917, inclusive. By 1918 it was believed that sufficient progress had been made with the basic data to resume publication of nonresident statistics.

In 1918 the nonresident mortality tabulations were revised so as to provide a complete allocation of deaths by place of residence within the limits of the then incomplete registration area. A decedent in the registration area whose place of residence was outside the registration area could not be reallocated to his place of residence. Similarly, deaths of residents of the registration area could not be included in the figures for this area if the deaths had occurred outside the registration area.

Tables showing the number of deaths by place of residence were published for each year from 1918 to 1930, inclusive. The rules for residence allocation remained essentially unchanged during this period. In 1931 the tabulation of nonresident deaths was discontinued as an economy measure, and for the years 1931 to 1934, inclusive, no data on this important subject are available.

The completion of the birth- and death-registration areas in 1933 made possible, for the first time, a Nation-wide reallocation of nonresidents to the place of residence. When the nonresident reallocation was resumed in 1935, the definition of a nonresident was revised and more detailed rules for allocation were formulated. In addition, compilation by place of residence was extended to birth statistics. Previous to 1935, no reallocation of births to place of residence of the child's mother had been made by the Bureau of the Census.

Resident tabulations for 1935 and 1936 were made but were not published in the annual volumes—"Birth, Stillbirth, and Infant Mortality Statistics" or "Mortality Statistics." However, they were released in the series of "Vital Statistics—Special Reports."[2]

The publication in 1937 of a combined volume of natality and mortality data tabulated by place of residence marked an important change in the compilation of vital statistics by the Bureau of the Census. Since then, the tabulations by place of residence have been expanded considerably.

NONRESIDENT TABULATIONS BY STATE OFFICES

Since vital statistics tabulations by place of residence are important in public health administration, many State departments of health compile natality and mortality data on this basis. A survey by the Bureau of the Census in 1935 revealed that 11 States were making rather complete resident reallocations and 8 States were publishing tables showing the number of deaths for cities and counties including and excluding deaths of nonresidents. A survey was made in 1938 by a Committee on Residence Allocation under the auspices of the Vital Statistics Section of the American Public Health Association. This survey indicated that 24 States were making regular tabulations involving the reallocation of nonresidents.

Answers to a questionnaire sent to all the States by the Bureau of the Census in 1941 indicated that 35 States and the District of Columbia were making some resident tabulations. In 4 States, these tabulations were limited to the separation of residents and nonresidents with no allocation to place of residence. In 13 States, the tabulations excluded nonresidents from other areas within the State and included residents who were born or who died elsewhere within the State; however, the tabulations in these States did not exclude nonresidents from other States or include residents of the State who were born or who died in another State. Nineteen States made complete place-of-residence tabulations excluding all nonresidents and including all residents within and outside the State.

In many States the resident tabulations are based solely on a reallocation of nonresidents within the State. In other words, these States do not include in their tabulations the deaths (or births) of residents of that State occurring in other States. For State totals, the allocation of interstate nonresidents is, in most cases, numerically unimportant. However, for areas near a State border, interstate reallocation may be very important since many deaths (or births) of residents of the area may occur in the adjacent State.

To assist the States in obtaining records of births or deaths of their residents in other States, the Vital Statistics Section of the American Public Health Association adopted, in 1931, a resolution requesting the Bureau of the Census to act as a clearing house in the exchange of such records. Since 1933, most States have sent to the Bureau of the Census copies of birth and death certificates for out-of-State nonresidents and these have been forwarded to the State of residence. Although this interstate exchange has been of considerable value to the individual States, it has not solved all of the difficulties met by State agencies in making a complete reallocation.

Differences of opinion exist regarding the principles on which the definition of a nonresident and the rules used for coding should be based. For this reason the interstate transfer is not on a strictly uniform basis for all States. Some indication of the amount of variation among States can be seen in table A. In this table the number of nonresidents of each State, according to the Bureau of the Census definitions, is compared with those identified by the separate State offices. Table A shows for both births and deaths the number of nonresident transcripts to be subtracted from the tabulations of each State, and the number of resident transcripts to be added. A study of the figures in this table, and particularly of the ratios between Federal and State figures, will indicate the existence of many differences in State procedures. While State tabulations fulfill an important need, it is obviously desirable for some central agency, operating with a uniform although arbitrary set of rules, to make Nation-wide tabulations.

One significant comment should be made regarding the differences between resident tabulations made by State agencies and those made by the Bureau of the Census. Because of the large number of transcripts involved in national tabulations, the coding rules used by the Bureau of the Census must be designed and simplified to facilitate mass production. Furthermore, the Bureau of the Census does not have access to the detailed local information necessary for certain types of allocation. For these reasons, it is not practicable to introduce all possible coding refinements or to use different sets of rules for various causes of death. Many State offices, having special local problems or interests to meet, wish to use special coding rules for certain groups of data. For example, some States either allocate deaths in custodial institutions to the place of prior residence or consider these institutions as separate tabulation areas. Some States prefer to allocate deaths from infectious diseases to the area where the infection presumably originated; deaths from accidents, to the place of accident; deaths from homicide, to the place of homicide; et cetera.

[1] For a more detailed account of previous resident tabulations, see "Vital Statistics of the United States, 1937, Part II," p. 2, Bureau of the Census, Washington, D. C., 1939.

[2] For a list of these reports containing resident tabulations for 1935 and 1936, see "Vital Statistics of the United States, 1937, Part II," p. 2, Bureau of the Census, Washington, D. C., 1939.

TABLE A.—FEDERAL AND STATE INTERCHANGE OF BIRTH AND DEATH NONRESIDENT TRANSCRIPTS BETWEEN STATES: 1943

(Exclusive of stillbirths)

AREA	BIRTHS						DEATHS					
	Nonresident transcripts to be subtracted			Resident transcripts to be added			Nonresident transcripts to be subtracted			Resident transcripts to be added		
	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation	By Federal allocation	By State interchange	Ratio of State interchange to Federal allocation
UNITED STATES	64,357	[1] 39,459	0.61	64,357	[1] 39,459	0.61	38,477	[1] 31,587	0.82	38,477	[1] 31,587	0.82
Alabama	888	898	1.01	1,381	1,287	0.93	602	--------	0	657	582	0.89
Arizona	1,920	1,926	1.00	301	180	0.60	1,146	1,311	1.14	229	101	0.44
Arkansas	1,392	--------	0	998	763	0.76	595	--------	0	821	726	0.88
California	762	--------	0	2,707	1,905	0.70	1,711	--------	0	1,328	1,354	1.02
Colorado	937	--------	0	520	402	0.77	613	689	1.12	391	317	0.81
Connecticut	533	423	0.79	1,309	887	0.68	444	343	0.77	659	670	1.02
Delaware	340	1	0.00	240	98	0.41	152	135	0.89	162	102	0.63
District of Columbia	7,828	119	0.02	589	231	0.39	1,251	309	0.25	512	252	0.49
Florida	2,282	1,987	0.87	725	679	0.94	1,559	1,341	0.86	766	551	0.72
Georgia	1,848	1,623	0.88	1,020	895	0.88	774	983	1.27	686	539	0.79
Idaho	767	758	0.99	692	393	0.57	302	447	1.48	350	258	0.74
Illinois	1,401	1,388	0.99	3,845	1,769	0.46	1,465	1,600	1.09	2,648	1,964	0.74
Indiana	1,659	--------	0	1,598	1,388	0.87	868	11	0.01	1,043	1,014	0.97
Iowa	1,631	--------	0	1,051	720	0.69	954	717	0.75	791	531	0.67
Kansas	1,302	1,279	0.98	2,100	1,637	0.78	1,073	1,171	1.09	903	760	0.84
Kentucky	1,059	875	0.83	1,262	1,008	0.80	528	728	1.38	994	864	0.87
Louisiana	633	483	0.76	685	454	0.66	789	733	0.93	421	243	0.58
Maine	200	210	1.05	575	432	0.75	232	241	1.04	324	366	1.13
Maryland	1,225	188	0.15	4,827	621	0.13	994	135	0.14	992	370	0.37
Massachusetts	1,526	490	0.32	1,051	909	0.86	1,088	846	0.78	1,045	1,026	0.98
Michigan	820	731	0.89	1,150	776	0.67	729	669	0.92	968	819	0.85
Minnesota	1,129	2	0.00	1,310	1,028	0.78	1,145	--------	0	723	682	0.94
Mississippi	650	497	0.76	826	766	0.93	412	464	1.13	702	527	0.75
Missouri	3,421	2,880	0.84	1,561	1,023	0.66	1,679	1,694	1.01	1,503	1,225	0.82
Montana	202	170	0.84	341	283	0.83	200	191	0.96	218	179	0.82
Nebraska	825	812	0.98	776	396	0.51	387	391	1.01	492	388	0.79
Nevada	292	281	0.96	163	121	0.74	211	207	0.98	126	41	0.33
New Hampshire	984	856	0.87	563	407	0.72	354	296	0.84	326	294	0.90
New Jersey	832	629	0.76	3,046	2,434	0.80	1,285	1,111	0.86	2,061	2,125	1.03
New Mexico	1,014	897	0.88	531	209	0.39	501	702	1.40	312	164	0.53
New York	2,916	2,622	0.90	2,163	1,656	0.77	2,566	2,656	1.04	2,524	2,319	0.92
North Carolina	1,171	1,148	0.98	923	612	0.66	862	1,047	1.21	629	547	0.87
North Dakota	565	732	1.30	718	316	0.44	242	277	1.14	300	152	0.51
Ohio	2,253	2,084	0.90	2,491	1,503	0.60	1,380	1,398	1.01	1,629	1,448	0.89
Oklahoma	1,543	--------	0	1,385	737	0.53	355	381	1.07	916	535	0.58
Oregon	1,163	941	0.81	719	384	0.53	628	651	1.04	411	292	0.71
Pennsylvania	3,078	2,261	0.73	2,810	2,012	0.72	1,597	1,686	1.02	2,052	1,926	0.94
Rhode Island	606	605	1.00	600	294	0.49	333	347	1.04	327	338	1.03
South Carolina	326	--------	0	675	622	0.92	320	--------	0	465	409	0.88
South Dakota	441	404	0.92	642	286	0.45	236	267	1.13	317	182	0.58
Tennessee	2,893	3,445	1.19	1,201	1,033	0.86	1,523	1,817	1.19	627	534	0.85
Texas	919	--------	0	2,256	1,242	0.55	767	--------	0	1,271	1,010	0.79
Utah	966	883	0.91	248	183	0.74	380	414	1.09	149	112	0.75
Vermont	288	290	1.01	535	450	0.84	152	184	1.21	245	210	0.86
Virginia	1,348	1,593	1.18	5,098	900	0.18	900	1,061	1.18	1,107	552	0.50
Washington	983	248	0.25	1,145	902	0.79	708	558	0.79	657	519	0.79
West Virginia	1,328	678	0.51	1,530	1,192	0.78	664	612	0.92	666	570	0.86
Wisconsin	1,040	885	0.85	1,113	648	0.58	595	565	0.95	815	477	0.59
Wyoming	228	229	1.00	362	264	0.73	226	251	1.11	217	185	0.85

[1] Includes allocations outside of continental United States.

The desirability of these special types of tabulation should be emphasized, but they often require detailed information available only in local offices and involve operating rules feasible only for a relatively small volume of work. Therefore, while it is desirable for a central agency to make national tabulations, these national uniform tabulations do not replace those made by the separate State agencies.

DEFINITIONS OF NONRESIDENTS AND RULES FOR CODING

The reallocation of births and deaths to place of residence is based on information somewhat different and collected in a manner different from that obtained in the enumerated population census. It is obviously not possible to use identical rules for both compilations. The tabulation of vital statistics on a place-of-residence basis requires that the information given on the certificate be interpreted in such a way as to result in classifications compatable with the population census figures. The necessity for such interpretation introduces arbitrary and controversial factors into the procedure of allocation. It can hardly be expected that the geographic classification by place of residence can be as direct and simple as the classification by place of occurrence.

In addition to difficulties in the definition of residence, there are several factors in the original collection of birth and death information that may produce errors or discrepancies in residence tabulations. The place of birth or death is usually obvious or easily learned by the person filling out the original certificate. On the other hand, the original informant or the State office may have to make an inquiry to determine the place of residence, particularly in the case of nonresident births or deaths. Since it is sometimes difficult to ascertain the precise geographic location of the place of residence, errors may be made occasionally. Because of these difficulties of residence designation and because of incomplete

understanding of the importance of residence data, the residence information may be omitted or incompletely reported on birth and death certificates for certain areas.

In view of these considerations, errors in the residence tabulations for certain areas may be expected. It is believed that errors of a significant size are restricted to a small number of areas and will decrease as the meaning and importance of residence data become more widely understood.

Relation of geographic code to the identification of nonresidents.—Whether or not a person is classified as a nonresident depends somewhat upon the size of the area under consideration. A resident of Maine may die in California, yet this fact may be ignored when only totals for the United States are concerned. For State totals, only those persons who cross State lines need be considered in a reallocation by place of residence, since any movement within the State is irrelevant. On the other hand, for the study of mortality conditions within a city (for individual census tracts or wards), it is necessary to use a much finer definition of a nonresident. In such cases it may be necessary, for example, to define as a nonresident a person who lived on one side of a street and died in a hospital on the other side of the same street.

In whatever way the place of residence may be defined, the size of the tabulation or coding unit will partially determine the number of identified nonresidents. If the coding unit—assuming the use of a punch-card system in which geographic areas are given numerical codes—is a whole county, obviously it is impossible to determine, from a tabulation of the cards, the number of persons who moved about within the county. If the coding unit is a single registration district, it will be possible to identify persons moving from one district to another within the county, but it will not be possible to measure the movement within districts.

The tabulations given in this volume are based on a geographic code that identifies each city or other urban place having a population of over 10,000 in 1940 and each county excluding these cities or urban places. The code for the county (exclusive of the cities or urban places of 10,000 or more) is subdivided into two codes, one for all urban places of 2,500 to 10,000 as a group, and another for all villages under 2,500 and rural areas as a group. In coding the place of residence, movement from an urban place or city of 2,500 or more to another place or city of 2,500 or more, in the same or a different county, is identified. Similarly, any population movement from one county to another is identified, including movement to or from rural areas in different counties. However, movement from a village under 2,500 or from a rural area to another village under 2,500 or rural area within the same county is not identified.

Another limitation should be mentioned. If, for example, the nonresident deaths for each urban place and county within a State are tabulated, it is not possible to add these figures together and obtain the number of nonresidents of the whole State. Such addition will give the number of persons in the State who died in a tabulation-unit area other than the area of their residence, but it will not give the number of nonresidents of the State since a nonresident in an urban place may be a resident of some rural area or some other urban place in the same State. Therefore, the term "nonresident" may have one or two meanings. In reference to the smallest unit of tabulation (in this report an urban place or county), a nonresident is a person who died within that unit but whose usual place of residence was in some other unit. In reference to a consolidation of separate geographic units (for example, a whole State), the term refers to the number of persons dying therein who are nonresidents of the particular place of death but are not necessarily nonresidents of the consolidated area. Furthermore, since the nonresidents of one area are necessarily residents of some other area, it is necessary to apply both terms to the same data when considered in different aspects. In order to avoid confusion, the tables given in this volume include headnotes or footnotes when additional explanation seems necessary.

Rules for the allocation of deaths.—The allocation of deaths to the place of residence is based on the following main rules:

1. General principle: Mortality data should be compiled so as to correspond with enumerated populations on which rates are to be based. Each death should be assigned to the area in which the decedent had his "usual place of residence."
2. With certain exceptions and qualifications, a decedent is defined as a nonresident if the place of residence stated on the certificate is different from the place of death.
3. Decedents who at the time of death had been living more than 1 year in a community are considered residents of that community even though some other place of residence is stated.
4. Decedents in general hospitals, tuberculosis sanatoriums, et cetera, are reallocated to the usual place of residence.
5. Decedents in mental institutions, et cetera, are not reallocated to the place of prior residence.

For the purpose of coding mortality transcripts, these rules have been expanded into definite coding instructions that state the procedure followed in each case. These coding instructions have been published in the Instruction Manual of the Vital Statistics Division and are reprinted here with slight changes.

Rules for determining place of residence for deaths.—The following rules are to be observed in determining residence:

1. There should be a complete entry on every transcript for place of residence. If no entry is made, the transcript is coded as resident and queried. The practices of State transcribers may differ. If inconsistencies occur in transcribing this item, consult the verifier and, if necessary, the supervisor, before querying.
2. If the county of residence as stated is different from the county of death, and the city or town is omitted, allocate the residence to the rural part of the stated county, and query for the missing city or town.
3. If the county of residence is the same as the county of death, and the city or town has been omitted, code as resident of place of death, and query for additional information.
4. If the county of residence is given, and the city or town of residence is stated or indicated to be unknown (X) or (-), etc., allocate the residence to the rural part of the stated county.
5. If the place of residence is given as a foreign country, or as a United States possession outside the United States, the transcript is considered a resident transcript. In such cases, make a copy of the transcript for interchange with the other country. The word "Copy" should be written on the copy that is given to the supervisor, and the word "Copied" should be written on the original transcript.
6. If a city or town followed by R. F. D., or Rural Route or R#, etc., is given as the place of residence, and no county of residence is stated, code as resident of the county in which the R. F. D. post office is located, and query. If the county is stated to be unknown, do not query. If an unincorporated place is given as the place of residence, and the county of residence is not stated and cannot be determined, code as resident of place of death, and query for additional information. If the place of residence is a rural route of a city that is coextensive with a county, and the county of residence is not stated, consult the supervisor, and query for additional information.
7. Whenever the place of residence is a community or postal substation within an incorporated city, but the county of residence is not given, code as resident,

if place of occurrence is given as that city, even though the community name may appear elsewhere as an incorporated place. If the place of occurrence is other than the city containing the community name, consult the supervisor, and query.

8. Deaths are coded according to the place of residence of the deceased, except the death of a newborn infant. When infants are born at other than the place of residence of the mother, and die before return to mother's residence, the residence of the mother is considered the residence of the child.

9. If the place of residence as stated is different from the place of death, and if the "Length of stay" in the place of death is less than 1 year, the place of residence as stated is coded. If the "Length of stay" is not stated, code place of residence as given. If the "Length of stay" is more than 1 year, the decedent is coded as a resident of the place of death. This rule applies in all cases except those provided for in rule 10. Where "Length of stay" is stated to be 1 year or more, the item should be edited, to determine whether it applies to the place of death or the place of residence. If it appears to be reasonably certain that the stated length of stay refers to the place of residence, consult the supervisor. If it appears to be reasonably certain that the stated length of stay refers to the place of death, the above rule should be followed.

10. The inmates and employees of penitentiaries; prisons; reformatories; hospitals for the insane, epileptic, and feeble-minded; orphanages; homes for the blind, the deaf, the indigent, or aged; are considered residents of the city, town, or county in which the institution is located. This rule applies even when some other place of residence is stated, and applies regardless of the "Length of stay." The rule applies to inmates of institutions coded as 8 or 9 for type of service.

11. Patients or inmates and employees of surgical or medical hospitals, tuberculosis sanatoriums, convalescent homes, and jails, are usually only temporary inmates and are considered nonresident of the place in which the institution is located, if residence at some other city, town, or county is stated. Rule 9 applies to these cases. This rule applies to inmates of institutions coded 1, 2, 3, 4, 5, 6, and 7 for type of service.

12. In general, a transcript is a nonresident transcript if the completed geographic code for place of residence differs in any respect from the completed geographic code for place of death. Under this definition:

(a) A transcript for a death occurring in an urban place of 10,000 or more is a nonresident transcript if the place of residence is in any other urban place, in any other county, or in any other part of the same county.

(b) A transcript for a death occurring in an urban place of 2,500 to 10,000 is a nonresident transcript if the place of residence is in any other urban place of 10,000 or more, in any other county, or in the rural part of the same county.

(c) A transcript for a death occurring in the rural part (under 2,500) of a county is a nonresident transcript if the place of residence is in any urban place of 2,500 or more, or in the rural part of any other county.

In addition, if a death occurs in an urban place of 2,500 to 10,000, and the place of residence is in another urban place of 2,500 to 10,000 in the same county, the transcript is to be coded as a nonresident, even though the geographic code is the same for both place of death and place of residence.

Special residence instructions for military personnel. — On all death certificates having indications that the deceased was a member of the Army, Navy, or Marine Corps, the usual place of residence is the post or port at which the deceased was stationed.

In cases where the death occurred while the person was in the process of being transferred from one post to another, the person is to be considered a resident of the post from which he was being transferred.

In cases where the death occurred while on land maneuver or leave, the usual place of residence is the post at which the deceased was stationed.

If the death occurred aboard a naval vessel at sea, the place of death will be the vessel and the death certificate should have been filed at the first port of call. If a permanent station is not indicated, the place of residence of the deceased is assumed to be the place of residence of the nearest relative to the deceased.

Rules for the allocation of births.—The allocation of births is made according to the same general principles as the allocation of deaths. In the case of births, however, the residence of the mother is considered to be the place of residence of the child.

Rules for determining place of residence for births.— The following rules are to be observed in determining residence of child:

1. The residence of the mother is considered the residence of the child.

2. There should be a complete entry on every transcript for a place of residence. If no entry is made, the transcript is coded as resident, and queried. The practices of State transcribers may differ. If inconsistencies occur in transcribing this item, consult the verifier and, if necessary, the supervisor, before querying.

3. If the county of residence as stated is different from the county of birth, and the city or town is omitted, allocate the residence to the rural part of the stated county, and query for the missing city or town.

4. If the county of residence is the same as the county of birth, and the city or town has been omitted, code as resident of place of birth, and query for additional information.

5. If the county of residence is given, and the city or town of residence is stated or indicated to be unknown (X) or (-), etc., allocate the residence to the rural part of the stated county.

6. If the place of residence is given as a foreign country, or as a United States possession outside the United States, the transcript is considered a resident transcript. In such cases make a copy of the transcript for interchange with the other country. The word "Copy" should be written on the copy that is given to the supervisor, and the word "Copied" should be written on the original transcript.

7. If a city or town followed by R.F.D., or Rural Route, or R#, etc., is given as the place of residence, and no county of residence is stated, code as resident of the county in which the R. F. D. post office is located, and query. If the county is stated to be unknown, do not query. If an unincorporated place is given as the place of residence, and the county of residence is not stated and cannot be determined, code as resident of place of birth, and query for additional information. If the place of residence is a rural route of a city that is coextensive with a county, and the county of residence is not stated, consult the supervisor, and query for additional information.

8. Whenever the place of residence is a community or postal substation within an incorporated city, but the county of residence is not given, code as resident, if place of occurrence is given as that city, even though the community name may appear elsewhere as an incorporated place. If the place of occurrence is other than the city containing the community name, consult the supervisor, and query.

9. In general, a transcript is a nonresident transcript if the completed geographic code for place of residence differs in any respect from the completed geographic code for place of birth. Under this definition:

(a) A transcript for a birth occurring in an urban place of 10,000 or more is a nonresident transcript if the place of residence is in any other urban place, in any other county, or in any other part of the same county.

(b) A transcript for a birth occurring in an urban place of 2,500 to 10,000 is a nonresident transcript if the place of residence is in any other urban place of 10,000 or more, in any other county, or in the rural part of the same county.

(c) A transcript for a birth occurring in the rural part (under 2,500) of a county is a nonresident transcript if the place of residence is in any urban place of 2,500 or more, or in the rural part of any other county.

In addition, if a birth occurs in an urban place of 2,500 to 10,000, and the place of residence is in another urban place of 2,500 to 10,000 in the same county, the transcript is to be coded as a nonresident, even though the geographic code is the same for both place of birth and place of residence.

BIRTH AND DEATH RATES BY PLACE OF RESIDENCE

In table K of part I of this report, birth and death rates for 1943 are presented for each State and geographic division by place of occurrence. The corresponding figures on a place-of-residence basis are given in table B. The rates computed for States on a residence basis differ somewhat from those on a recorded, or occurrence basis, although for many of the States the differences are not large. For certain States, however, the difference between the residence and recorded rates is sufficiently large to warrant the use of rates by place of residence in State-to-State comparisons of natality and mortality rates relating to residents of the respective States. For individual counties and cities, the differences between the residence and recorded rates may be very large. Careful consideration, therefore, should be given to the desired basis of comparison in selecting data for studying intercounty and intercity differences in natality and mortality.

TABLE B.—CRUDE BIRTH AND DEATH RATES: UNITED STATES, EACH DIVISION AND STATE, 1943

(Exclusive of stillbirths. By place of residence. Birth rates for the United States are based on the total population including the armed forces overseas, and on the civilian population for comparison with birth rates for States which are based on the civilian population; death rates for the United States and each State are based on the total population present in the respective areas, i.e., excluding the armed forces overseas. For a discussion of the population base, see text on p. 5, part I)

DIVISION AND STATE	RATE PER 1,000 ESTIMATED POPULATION	
	Birth	Death
UNITED STATES:		
Based on total population	21.5	10.9
Based on civilian population	23.0	
Geographic Divisions:		
New England	21.6	12.6
Middle Atlantic	20.4	12.4
East North Central	21.7	11.6
West North Central	21.4	11.0
South Atlantic	26.0	9.6
East South Central	26.9	9.7
West South Central	25.6	9.0
Mountain	26.0	9.8
Pacific	23.1	10.7
New England:		
Maine	23.8	13.3
New Hampshire	20.7	13.6
Vermont	22.9	14.0
Massachusetts	20.9	12.8
Rhode Island	21.1	11.9
Connecticut	22.3	11.2
Middle Atlantic:		
New York	19.7	12.6
New Jersey	20.2	11.9
Pennsylvania	21.3	12.2
East North Central:		
Ohio	21.1	12.0
Indiana	22.4	12.1
Illinois	20.7	12.0
Michigan	23.5	10.5
Wisconsin	21.8	10.8
West North Central:		
Minnesota	22.9	10.5
Iowa	20.8	11.3
Missouri	20.1	11.8
North Dakota	24.9	9.5
South Dakota	23.4	9.8
Nebraska	21.1	10.6
Kansas	21.3	10.7
South Atlantic:		
Delaware	23.0	12.4
Maryland	23.9	11.5
Dist. of Columbia	19.5	9.9
Virginia	26.2	9.4
West Virginia	24.8	9.8
North Carolina	28.1	8.2
South Carolina	30.1	9.5
Georgia	26.4	9.3
Florida	23.8	9.9
East South Central:		
Kentucky	25.3	10.6
Tennessee	24.9	9.4
Alabama	28.2	9.1
Mississippi	30.2	9.5
West South Central:		
Arkansas	23.7	8.3
Louisiana	26.7	9.4
Oklahoma	23.9	9.3
Texas	26.3	8.9
Mountain:		
Montana	24.0	11.6
Idaho	26.5	9.5
Wyoming	25.2	8.7
Colorado	22.9	11.0
New Mexico	31.1	10.3
Arizona	25.5	8.4
Utah	29.6	8.0
Nevada	23.7	11.3
Pacific:		
Washington	24.0	11.1
Oregon	21.9	11.1
California	23.0	10.5

Comparison of resident and recorded rates by States.—The recorded crude birth rates in 1943 for 6 States did not differ from the corresponding rates by place of residence; for 28 States the difference was less than 2 percent; for 8 States the recorded rates were from 2.4 to 11.4 percent higher than the corresponding resident rates; and for 6 States the recorded crude birth rates were from 2.1 to 7.5 percent lower than the rates on a residence basis. The State for which the recorded birth rate was in excess by 11.4 percent in 1943 was Arizona, and the State for which the recorded rate showed the greatest deficit of 7.5 percent was Maryland. In the District of Columbia, the recorded birth rate was 45.1 percent higher than the resident birth rate in 1943.

The recorded crude death rates in 1943 for 14 States were the same as the corresponding rates on a residence basis; for 24 States the difference was less than 2 percent; for 6 States the crude death rates by place of occurrence were higher than the corresponding resident rates by 2.9 to 15.5 percent; and for 4 States the recorded crude death rates were lower than the resident rates by 2.0 to 6.3 percent. The State for which the recorded crude death rate was higher by 15.5 percent in 1943 was Arizona, and the State for which the recorded rate was lower than the corresponding resident rate by 6.3 percent was Mississippi. In the District of Columbia, the recorded death rate exceeded the resident death rate by 8.1 percent in 1943.

DEATHS ALLOCATED TO PLACE OF RESIDENCE

Summary.—A total of 1,459,544 deaths were registered in the continental United States in 1943. Of this total, 266,739, or 18.3 percent, were nonresidents of the city or county in which death occurred. Most of the nonresidents in any State are residents of some other part of the same State and do not, therefore, represent population movement between States. Of the 266,739 nonresident deaths in 1943, 38,477 were interstate nonresident deaths. These comprised 14.4 percent of all nonresident deaths and only 2.6 percent of all deaths.

A summary of the reallocation of deaths in 1943 to place of residence is given in table C. This table shows the total number of deaths that occurred in each State, the number of these that were of nonresidents, the number of deaths of residents that occurred in other areas (exclusive of deaths among the armed forces overseas), and the total number of deaths of residents. For example, 89,492 deaths were recorded in California in 1943. Of this total number of recorded deaths, 22,134 occurred in a city or county of which the decedent was not a resident. In 20,423 instances the decedent was a resident of some other area of California, and in 1,711 instances the decedent was a resident of some other State. The table also shows that of the 89,109 residents of California that died in 1943, 20,423 deaths occurred in some area of California other than their city or county of residence, and 1,328 deaths of residents occurred in some other State.

An inspection of table C indicates a relatively small difference between the total number of deaths occurring in a State and the total number of deaths of residents of the State. In general, interstate nonresident deaths are a small proportion of the total deaths and, in most cases, the number of residents leaving a State and dying in other States approximately balances the number of residents of other States dying within the State. Except in States where a large number of out-of-State nonresidents are to be expected, reallocation does not greatly change the State totals. The greatest difference between the number of recorded and resident deaths was reported in 1943 for Arizona where the recorded total exceeded the number of resident deaths by 15.5 percent. The corresponding figures for the other State with a relatively high difference was Nevada, where the recorded total was 5.3 percent greater than the resident total. For Florida the number of deaths by place of occurrence was 3.4 percent greater than the corresponding figure by place of residence, and for California the difference was only 0.4 percent. These figures are probably affected to

some extent by the practice during the war years of including deaths among members of the armed forces stationed in the area in the residence totals of States in which the camp or station is located. However, the effect of this practice cannot be evaluated.

Generally speaking, it is not necessary to reallocate deaths to the place of residence in order to obtain fairly comparable State totals. In the case of individual areas within the State, however, reallocation is very important because of the relatively large intrastate movement of population. To obtain correct figures for areas near State borders, it is probably necessary that the reallocation be on an interstate as well as on an intrastate basis.

TABLE C.—DEATHS OF NONRESIDENTS IN EACH STATE AND DEATHS OF RESIDENTS IN OTHER STATES: 1943

(Exclusive of stillbirths)

AREA	Total deaths in area	DEATHS						Total deaths of residents
		Of nonresidents in area			Of residents in other areas			
		Total	From same State	From other States	Total	From same State	From other States	
UNITED STATES	1,459,544	266,739	228,262	38,477	266,739	228,262	38,477	1,459,544
Alabama	26,318	4,137	3,535	602	4,192	3,535	657	26,373
Arizona	6,844	2,154	1,008	1,146	1,237	1,008	229	5,927
Arkansas	15,313	2,834	2,239	595	3,060	2,239	821	15,539
California	89,492	22,134	20,423	1,711	21,751	20,423	1,328	89,109
Colorado	12,983	3,011	2,398	613	2,789	2,398	391	12,761
Connecticut	19,799	3,782	3,338	444	3,997	3,338	659	20,014
Delaware	3,487	674	522	152	684	522	162	3,497
Dist. of Col.	9,526	1,251	...	1,251	512	...	512	8,787
Florida	24,255	5,657	4,098	1,559	4,864	4,098	766	23,462
Georgia	30,189	4,826	4,052	774	4,738	4,052	686	30,101
Idaho	4,664	1,424	1,122	302	1,472	1,122	350	4,712
Illinois	90,875	14,248	12,783	1,465	15,431	12,783	2,648	92,058
Indiana	41,082	7,554	6,686	868	7,729	6,686	1,043	41,257
Iowa	26,352	5,856	4,902	954	5,693	4,902	791	26,189
Kansas	19,191	4,699	3,626	1,073	4,529	3,626	903	19,021
Kentucky	28,585	3,578	3,050	528	4,044	3,050	994	29,051
Louisiana	24,375	5,110	4,321	789	4,742	4,321	421	24,007
Maine	10,810	2,388	2,156	232	2,480	2,156	324	10,902
Maryland	24,115	3,465	2,471	994	3,463	2,471	992	24,113
Massachusetts	54,696	8,672	7,584	1,088	8,629	7,584	1,045	54,653
Michigan	56,807	10,478	9,749	729	10,717	9,749	968	57,046
Minnesota	27,413	6,078	4,933	1,145	5,656	4,933	723	26,991
Mississippi	20,903	3,066	2,654	412	3,356	2,654	702	21,193
Missouri	44,465	8,070	6,391	1,679	7,894	6,391	1,503	44,289
Montana	5,583	1,484	1,284	200	1,502	1,284	218	5,601
Nebraska	12,957	2,506	2,119	387	2,611	2,119	492	13,062
Nevada	1,700	590	379	211	505	379	126	1,615
New Hampshire	6,274	1,139	785	354	1,111	785	326	6,246
New Jersey	49,505	11,863	10,578	1,285	12,689	10,578	2,061	50,281
New Mexico	5,677	1,401	900	501	1,212	900	312	5,488
New York	162,228	17,739	15,173	2,566	17,697	15,173	2,524	162,186
North Carolina	30,204	5,938	5,076	862	5,705	5,076	629	29,971
North Dakota	5,112	1,452	1,210	242	1,510	1,210	300	5,170
Ohio	82,215	12,936	11,556	1,380	13,185	11,556	1,629	82,464
Oklahoma	19,710	3,631	3,276	355	4,192	3,276	916	20,271
Oregon	13,921	3,484	2,856	628	3,267	2,856	411	13,704
Pennsylvania	115,452	21,392	19,795	1,597	21,847	19,795	2,052	115,907
Rhode Island	8,928	1,970	1,637	333	1,964	1,637	327	8,922
South Carolina	18,407	3,174	2,854	320	3,319	2,854	465	18,552
South Dakota	5,560	1,199	963	236	1,280	963	317	5,641
Tennessee	28,831	5,028	3,505	1,523	4,132	3,505	627	27,935
Texas	61,712	10,376	9,609	767	10,880	9,609	1,271	62,216
Utah	5,285	1,349	969	380	1,118	969	149	5,054
Vermont	4,508	940	788	152	1,033	788	245	4,601
Virginia	28,708	5,100	4,200	900	5,307	4,200	1,107	28,915
Washington	22,617	5,383	4,675	708	5,382	4,675	657	22,566
West Virginia	17,237	3,688	3,024	664	3,690	3,024	666	17,239
Wisconsin	32,448	7,307	6,712	595	7,527	6,712	815	32,668
Wyoming	2,226	524	298	226	515	298	217	2,217

Number of nonresident deaths.—The proportion of nonresident deaths to all deaths in 1943 is given for each State in table D. This table shows the total number of deaths occurring in each State and the number and percent of these that were deaths of nonresidents of the particular area in which death occurred. For the entire United States the nonresident deaths constituted 18.3 percent of all deaths, but in individual States this proportion ranged from 10.9 percent in New York to 34.7 percent in Nevada. A frequency distribution of States showing the percent of total recorded deaths that are of nonresidents is given in table E.

TABLE D.—DEATHS OF NONRESIDENTS AND PERCENT OF TOTAL RECORDED DEATHS: EACH STATE, 1943

(Exclusive of stillbirths)

AREA	Total deaths in area	DEATHS OF NONRESIDENTS IN AREA		AREA	Total deaths in area	DEATHS OF NONRESIDENTS IN AREA	
		Number	Percent of total			Number	Percent of total
UNITED STATES	1,459,544	266,739	18.3	Missouri	44,465	8,070	18.1
				Montana	5,583	1,484	26.6
				Nebraska	12,957	2,506	19.3
Alabama	26,318	4,137	15.7	Nevada	1,700	590	34.7
Arizona	6,844	2,154	31.5	New Hampshire	6,274	1,139	18.2
Arkansas	15,313	2,834	18.5	New Jersey	49,505	11,863	24.0
California	89,492	22,134	24.7	New Mexico	5,677	1,401	24.7
Colorado	12,983	3,011	23.2				
Connecticut	19,799	3,782	19.1	New York	162,228	17,739	10.9
				North Carolina	30,204	5,938	19.7
Delaware	3,487	674	19.3	North Dakota	5,112	1,452	28.4
Dist. of Col.	9,526	1,251	13.1	Ohio	82,215	12,936	15.7
Florida	24,255	5,657	23.3	Oklahoma	19,710	3,631	18.4
Georgia	30,189	4,826	16.0	Oregon	13,921	3,484	25.0
Idaho	4,664	1,424	30.5				
Illinois	90,875	14,248	15.7	Pennsylvania	115,452	21,392	18.5
				Rhode Island	8,928	1,970	22.1
Indiana	41,082	7,554	18.4	South Carolina	18,407	3,174	17.2
Iowa	26,352	5,856	22.2	South Dakota	5,560	1,199	21.6
Kansas	19,191	4,699	24.5	Tennessee	28,831	5,028	17.4
Kentucky	28,585	3,578	12.5	Texas	61,712	10,376	16.8
Louisiana	24,375	5,110	21.0	Utah	5,285	1,349	25.5
Maine	10,810	2,388	22.1				
				Vermont	4,508	940	20.9
Maryland	24,115	3,465	14.4	Virginia	28,708	5,100	17.8
Massachusetts	54,696	8,672	15.9	Washington	22,617	5,383	23.8
Michigan	56,807	10,478	18.4	West Virginia	17,237	3,688	21.4
Minnesota	27,413	6,078	22.2	Wisconsin	32,448	7,307	22.5
Mississippi	20,903	3,066	14.7	Wyoming	2,226	524	23.5

TABLE E.—FREQUENCY DISTRIBUTION OF STATES BY PERCENT OF NONRESIDENTS AMONG TOTAL RECORDED DEATHS: 1943

(Exclusive of stillbirths)

PERCENT NONRESIDENTS	Number of States
10-14	5
15-19	20
20-24	17
25-29	4
30-34	3

Effect of residence reallocation on urban and rural death statistics.—The reallocation of deaths to the place of residence of the decedent affects mortality data for urban places of various population sizes. Table F shows, for places classified according to population size, the total number of deaths of residents in 1943, wherever occurring, except among the armed forces overseas, and the total number of deaths occurring in each area. From these data it is apparent that the number of recorded deaths for urban places is considerably higher than the number of resident deaths. The converse is true of deaths for rural areas. These comparisons again illustrate the effect of the movement of people on mortality statistics.

TABLE F.—RESIDENT AND RECORDED DEATHS AND PERCENTAGE DIFFERENCE, URBAN AND RURAL: UNITED STATES, 1943

(Exclusive of stillbirths)

AREA	Deaths of residents	Deaths in area	Difference	Percentage difference
UNITED STATES	1,459,544	1,459,544	0	0
Urban	909,078	990,280	+81,202	+8.9
Places of 100,000 or more	464,170	492,588	+28,418	+6.1
Places of 25,000 to 100,000	181,340	205,789	+24,449	+13.5
Places of 10,000 to 25,000	117,812	133,521	+15,709	+13.3
Places of 2,500 to 10,000	145,756	158,382	+12,626	+8.7
Rural	550,466	469,264	-81,202	-14.8

The number of resident and recorded deaths in 1943 and the percentage differences between these figures are shown in table G for 92 individual cities having populations of 100,000 or more in 1940. In all except 7 of these large cities, the number of recorded deaths was higher than the number of resident deaths. Most of the 7 cities are located near other urban places with large hospital facilities.

TABLE G.—RESIDENT AND RECORDED DEATHS AND PERCENTAGE DIFFERENCE: CITIES HAVING, IN 1940, POPULATIONS OF 100,000 OR MORE, 1943

(Exclusive of stillbirths)

AREA	Deaths of residents	Deaths in area	Difference	Percentage difference
Akron	2,293	2,428	+135	+5.9
Albany	1,842	2,075	+233	+12.6
Atlanta	3,901	4,143	+242	+6.2
Baltimore	12,195	12,926	+731	+6.0
Birmingham	3,279	3,581	+302	+9.2
Boston	10,545	12,269	+1,724	+16.3
Bridgeport	1,574	1,760	+186	+11.8
Buffalo	7,238	7,960	+722	+10.0
Cambridge	1,535	1,589	+54	+3.5
Camden	1,469	1,790	+321	+21.9
Canton	1,251	1,307	+76	+6.2
Charlotte	968	1,217	+249	+25.7
Chattanooga	1,613	1,762	+149	+9.2
Chicago	38,940	38,150	-790	-2.0
Cincinnati	6,579	7,541	+962	+14.6
Cleveland	10,462	10,812	+350	+3.3
Columbus	4,155	4,877	+722	+17.4
Dallas	3,269	3,792	+523	+16.0
Dayton	2,983	3,129	+146	+4.9
Denver	4,267	4,789	+522	+12.2
Des Moines	1,762	2,094	+332	+18.8
Detroit	15,293	15,485	+192	+1.3
Duluth	1,180	1,336	+156	+13.2
Elizabeth	1,163	1,344	+181	+15.6
Erie	1,362	1,486	+124	+9.1
Fall River	1,628	1,730	+102	+6.3
Flint	1,374	1,503	+129	+9.4
Fort Wayne	1,361	1,503	+142	+10.4
Fort Worth	2,071	2,230	+159	+7.7
Gary	1,132	1,190	+58	+5.1
Grand Rapids	1,800	1,868	+68	+3.8
Hartford	1,847	2,343	+496	+26.9
Houston	4,701	4,911	+210	+4.5
Indianapolis	5,507	6,019	+512	+9.3
Jacksonville, Fla.	2,388	2,493	+105	+4.4
Jersey City	3,590	4,028	+438	+12.2
Kansas City, Kans.	1,457	1,800	+343	+23.5
Kansas City, Mo.	5,411	5,729	+318	+5.9
Knoxville	1,185	1,475	+290	+24.5
Long Beach	2,222	2,078	-144	-6.5
Los Angeles	18,825	19,558	+733	+3.9
Louisville	4,780	5,159	+379	+7.9
Lowell	1,402	1,526	+124	+8.8
Memphis	3,418	4,472	+1,054	+30.8
Miami	1,973	2,087	+114	+5.8
Milwaukee	6,465	5,995	-470	-7.3
Minneapolis	5,098	5,697	+599	+11.7
Nashville	2,180	2,560	+380	+17.4
Newark, N. J.	5,315	5,550	+235	+4.4
New Bedford	1,340	1,315	-25	-1.9
New Haven	2,000	2,431	+431	+21.6
New Orleans	6,746	7,965	+1,219	+18.1
New York	83,236	83,337	+101	+0.1
Norfolk	2,103	2,201	+98	+4.7
Oakland	4,168	4,337	+169	+4.1
Oklahoma City	1,929	2,528	+599	+31.1
Omaha	2,645	3,018	+371	+14.0
Paterson	1,690	1,973	+283	+16.7
Peoria	1,127	1,423	+296	+26.3
Philadelphia	26,589	27,438	+849	+3.2
Pittsburgh	8,614	9,731	+1,117	+13.0
Portland, Oreg.	4,744	5,155	+411	+8.7
Providence	3,207	3,575	+368	+11.5
Reading	1,387	1,291	-96	-6.9
Richmond	2,549	3,038	+489	+19.2
Rochester	3,868	4,152	+284	+7.3
Sacramento	1,705	2,016	+311	+18.2
St. Louis	11,183	12,047	+864	+7.7
St. Paul	2,940	3,217	+277	+9.4
Salt Lake City	1,591	2,049	+458	+28.8
San Antonio	3,682	3,874	+192	+5.2
San Diego	2,779	3,035	+256	+9.2
San Francisco	9,436	9,879	+443	+4.7
Scranton	1,560	1,797	+237	+15.2
Seattle	5,972	6,178	+206	+3.4
Somerville	1,169	950	-219	-18.7
South Bend	1,008	1,086	+78	+7.7
Spokane	1,755	1,928	+173	+9.9
Springfield, Mass.	1,802	1,985	+183	+10.2
Syracuse	2,481	2,663	+182	+7.3
Tacoma	1,568	1,922	+354	+22.6
Tampa	1,412	1,515	+103	+7.3
Toledo	3,867	4,180	+313	+8.1
Trenton	1,691	2,027	+336	+19.9
Tulsa	1,553	1,720	+167	+10.8
Utica	1,557	1,664	+107	+6.9
Washington, D. C.	8,787	9,526	+739	+8.4
Wichita	1,329	1,370	+41	+3.1
Wilmington, Del.	1,509	1,799	+290	+19.2
Worcester	2,537	2,840	+303	+11.9
Yonkers	1,428	1,337	-91	-6.4
Youngstown	1,699	1,932	+233	+13.7

INFANT MORTALITY STATISTICS

Infant mortality rates for urban and rural areas.—Table H shows the urban and rural infant mortality rates by race for the continental United States on a place-of-residence basis. The rates for all races in 1943 ranged from 36.3 deaths under 1 year per 1,000 live births for cities of 100,000 or more to 44.5 for urban places of 2,500 to 10,000. The differences in rates between areas are greater for nonwhite than for white infants. In comparison with the corresponding figures for 1942, the rates for rural areas, all races, showed a decrease of 4.4 percent, whereas for urban areas the 1943 rates were 3.4 percent higher than the 1942 rates. In interpreting these comparative figures, it should be noted that they are based on rates not adjusted for annual changes in the number of births. Therefore, they indicate the year-to-year difference in the infant mortality experience less accurately than if the rates were adjusted for changes in the number of births. Adjusted infant mortality rates are discussed in the introduction to part I of this volume.

TABLE H.—INFANT MORTALITY BY RACE, URBAN AND RURAL: UNITED STATES, 1943

(Exclusive of stillbirths. By place of residence)

AREA	DEATHS UNDER 1 YEAR					
	Total		White		Nonwhite	
	Number	Rate per 1,000 live births	Number	Rate per 1,000 live births	Number	Rate per 1,000 live births
UNITED STATES	118,484	40.4	97,229	37.5	21,255	62.5
Urban	67,939	39.6	57,456	36.9	10,483	66.1
Places of 100,000 or more	29,800	36.3	24,367	33.2	5,433	61.4
Places of 25,000 to 100,000	14,676	41.2	12,610	38.6	2,066	69.3
Places of 10,000 to 25,000	10,337	42.9	8,981	40.2	1,356	75.5
Places of 2,500 to 10,000	13,126	44.5	11,498	42.1	1,628	73.2
Rural	50,545	41.4	39,773	38.3	10,772	59.3

TABLE J.—INFANT MORTALITY RATES BY RACE: UNITED STATES, EACH DIVISION AND STATE, 1943

(Exclusive of stillbirths. By place of residence)

DIVISION AND STATE	DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS			DIVISION AND STATE	DEATHS UNDER 1 YEAR PER 1,000 LIVE BIRTHS		
	Total	White	Nonwhite		Total	White	Nonwhite
UNITED STATES	40.4	37.5	62.5	SOUTH ATLANTIC:			
				Delaware	46.7	40.5	82.4
GEOGRAPHIC DIVISIONS:				Maryland	43.0	36.8	70.6
New England	36.7	36.5	47.4	Dist. of Col.	47.6	33.3	77.1
Middle Atlantic	34.8	33.2	62.2	Virginia	47.1	40.0	69.1
E. North Central	36.9	35.8	59.6	West Virginia	52.1	51.2	68.0
W. North Central	35.2	33.9	75.4	North Carolina	46.7	41.6	58.7
South Atlantic	47.9	41.2	65.3	South Carolina	55.1	45.7	66.7
E. South Central	46.5	42.6	56.9	Georgia	46.6	38.0	62.0
W. South Central	46.9	43.8	60.1	Florida	46.7	38.9	68.9
Mountain	52.8	49.1	128.0				
Pacific	34.0	33.4	50.5	EAST SOUTH CENTRAL:			
				Kentucky	50.0	48.3	81.1
NEW ENGLAND:				Tennessee	44.8	41.4	63.1
Maine	51.3	51.3	66.7	Alabama	44.8	37.4	58.4
New Hampshire	46.1	46.1	66.7	Mississippi	46.8	42.0	50.9
Vermont	39.0	39.0	0				
Massachusetts	34.2	34.0	51.0	WEST SOUTH CENTRAL:			
Rhode Island	43.5	43.1	59.3	Arkansas	37.4	34.7	46.2
Connecticut	29.8	29.6	36.9	Louisiana	44.7	34.7	61.0
				Oklahoma	42.5	39.6	66.5
MIDDLE ATLANTIC:				Texas	51.4	49.6	64.4
New York	32.7	31.6	55.4				
New Jersey	33.7	31.5	63.3	MOUNTAIN:			
Pennsylvania	37.9	36.0	68.4	Montana	38.7	35.2	96.5
				Idaho	52.0	31.1	122.0
EAST NORTH CENTRAL:				Wyoming	37.1	36.1	52.9
Ohio	39.1	38.0	60.4	Colorado	50.4	50.9	33.3
Indiana	39.6	38.3	76.5	New Mexico	91.6	86.3	173.1
Illinois	33.3	31.9	55.8	Arizona	76.7	62.8	181.9
Michigan	38.3	37.4	55.6	Utah	31.4	31.0	63.9
Wisconsin	35.0	34.6	70.8	Nevada	52.2	48.3	105.3
WEST NORTH CENTRAL:				PACIFIC:			
Minnesota	30.9	30.2	119.5	Washington	34.8	33.4	100.8
Iowa	34.0	33.8	52.8	Oregon	30.0	29.7	52.2
Missouri	40.3	38.0	69.9	California	34.4	33.9	44.3
North Dakota	34.9	33.6	86.8				
South Dakota	35.7	30.9	123.3				
Nebraska	35.5	34.8	76.0				
Kansas	33.6	32.7	59.0				

Infant mortality rates by States.—A comparison of the infant mortality rates for the various States and geographic divisions is given in table J. The lowest rate, for all races, 29.8 per 1,000 live births, was reported for Connecticut; and the highest rate, 91.6, for New Mexico. Although the rates for the individual States within the specific geographic divisions varied considerably, they tended to be highest in the Mountain and South Atlantic States and lowest in the Pacific and Middle Atlantic States. The comparability of infant mortality rates between States is affected by incomplete birth and death registration in some States. However, the indicated differences in infant mortality are much too large to be explained solely on this basis.

DEATHS IN HOSPITALS AND INSTITUTIONS

Of the 1,459,544 deaths registered in the continental United States in 1943, 643,061 were reported as having occurred in hospitals and institutions. The reported number of deaths in hospitals and institutions in 1943 was 9.7 percent greater than the 585,949 reported in 1942, and 16.2 percent greater than that recorded in 1940. Not only has the number of deaths in hospitals and institutions increased but also the proportion of such deaths to total deaths. In 1940, the deaths in hospitals and institutions represented 39.0 percent of total deaths, in comparison with 40.8 percent in 1941, 42.3 percent in 1942, and 44.1 percent in 1943.

Table K shows for each State the proportion of resident deaths in institutions. The proportion ranged from 24.1 percent for residents of Mississippi to 59.2 for Nevada residents. In general, the proportion was low for residents of Southern States, and relatively high for those of Mountain, Pacific, and New England States.

TABLE K.—PERCENTAGE OF RESIDENT DEATHS OCCURRING IN INSTITUTIONS: EACH STATE, 1943

(Exclusive of stillbirths)

AREA	DEATHS OF RESIDENTS (WHEREVER OCCURRING)			AREA	DEATHS OF RESIDENTS (WHEREVER OCCURRING)		
	Total	In institution	Not in institution		Total	In institution	Not in institution
UNITED STATES	100.0	44.1	55.9	Montana	100.0	55.4	44.6
				Nebraska	100.0	42.4	57.6
				Nevada	100.0	59.2	40.8
Alabama	100.0	26.2	73.8	New Hampshire	100.0	47.4	52.6
Arizona	100.0	49.1	50.9	New Jersey	100.0	48.7	51.3
Arkansas	100.0	26.9	73.1	New Mexico	100.0	36.5	63.5
California	100.0	56.2	43.8				
Colorado	100.0	53.0	47.0				
Connecticut	100.0	53.0	47.0	New York	100.0	54.7	45.3
				North Carolina	100.0	32.5	67.5
Delaware	100.0	49.3	50.7	North Dakota	100.0	47.4	52.6
Dist. of Columbia	100.0	58.8	41.2	Ohio	100.0	39.7	60.3
Florida	100.0	39.9	60.1	Oklahoma	100.0	36.1	63.9
Georgia	100.0	28.1	71.9	Oregon	100.0	52.3	47.7
Idaho	100.0	48.2	51.8				
Illinois	100.0	50.1	49.9	Pennsylvania	100.0	44.4	55.6
				Rhode Island	100.0	45.1	54.9
Indiana	100.0	37.9	62.1	South Carolina	100.0	28.1	71.9
Iowa	100.0	43.8	56.2	South Dakota	100.0	43.4	56.6
Kansas	100.0	42.7	57.3	Tennessee	100.0	31.2	68.8
Kentucky	100.0	27.9	72.1	Texas	100.0	33.6	66.4
Louisiana	100.0	38.0	62.0				
Maine	100.0	37.8	62.2	Utah	100.0	43.4	56.6
				Vermont	100.0	40.8	59.2
Maryland	100.0	40.8	59.2	Virginia	100.0	34.4	65.6
Massachusetts	100.0	51.5	48.5	Washington	100.0	57.2	42.8
Michigan	100.0	46.6	53.4	West Virginia	100.0	31.3	68.7
Minnesota	100.0	52.6	47.4	Wisconsin	100.0	48.7	51.3
Mississippi	100.0	24.1	75.9	Wyoming	100.0	57.9	42.1
Missouri	100.0	42.0	58.0				

The "institutional" grouping in table K is based on the institution code. Under this code, all types of hospitals, sanatoriums, nursing homes, and convalescent homes, and also resident institutions, such as homes for the aged and penal establishments, are included within the broad term "institution." For the most part, deaths classified as occurring in institutions take place in general hospitals. Table L shows, for 1943, the number of deaths in the continental United States and the proportion of these deaths occurring in each broad class of institution. Of the total number of deaths, 55.9 percent did not occur in an institution, 34.6 occurred in general hospitals, and 9.5 percent occurred in other types of hospitals and institutions.

TABLE L.—RESIDENT DEATHS IN INSTITUTIONS: UNITED STATES, 1943

(Exclusive of stillbirths)

TYPE OF INSTITUTION	Total deaths	Percent of total deaths
TOTAL DEATHS	1,459,544	100.0
No institution	816,483	55.9
Total institution	643,061	44.1
Type of service:		
General hospital	505,402	34.6
Maternity hospital	1,978	0.1
Children's hospital	4,150	0.3
Tuberculosis hospital	16,415	1.1
Special hospital	8,875	0.6
Other nonresident hospital	13,958	1.0
Convalescent, etc., home	8,845	0.6
Nonresident institution	523	0.0
Mental institution	48,401	3.3
Other resident institution	34,514	2.4

BIRTHS ALLOCATED TO PLACE OF RESIDENCE

Summary.—Of the 2,934,860 live births registered in the United States in 1943, 2,096,251 occurred in the city or county in which the mother of the child usually resided; and 838,609, or 28.6 percent, were nonresident births as compared with 734,328, or 26.1 percent, in 1942. A large proportion of the nonresident births are to mothers who lived in rural areas or small cities and gave birth in more populous areas. Only a small percentage of the mothers who give birth elsewhere than in their usual place of residence cross State lines. In 1940 only 6.3 percent of all nonresident births were to mothers from States other than the one in which the birth occurred. With the increased interstate population movement of the war period, however, the proportion increased slightly from year to year and was 7.7 percent in 1943.

A summary of births in 1943, by place of occurrence and by place of residence is given by States in table M. This table shows, for each State, the number of births registered as occurring within the State; the total number of nonresident births within the State, that is, the number of births occurring in cities or counties of which the mother was not a resident; the number of these occurring to nonresident mothers who lived in some other part of the same State; and the number to mothers living in other States. This table also shows the number of births to residents of each State occurring in other areas, and the total number of births to residents wherever occurring. For each of 32 States the number of births occurring in the State in 1943 differed from the number of births to residents of the State by less than 2 percent of the total births to residents, and for 13 other States the differences equaled 2 to 5 percent of total births to residents. Births occurring in Virginia and Maryland were 5.2 and 7.6 percent, respectively, less than births to residents of the State. In the case of Arizona, on the other hand, the number of births occurring in the State was 11.3 percent greater than the total number of births to residents; and in the District of Columbia the number of recorded births was 45.0 percent higher than the number of births to residents of the District of Columbia.

TABLE M.—BIRTHS OF NONRESIDENTS IN EACH STATE AND BIRTHS OF RESIDENTS IN OTHER STATES: 1943

(Exclusive of stillbirths)

AREA	Total births in area	BIRTHS						Total births of residents
		Of nonresidents in area			Of residents in other areas			
		Total	From same State	From other States	Total	From same State	From other States	
UNITED STATES	2,934,860	838,609	774,252	64,357	838,609	774,252	64,357	2,934,860
Alabama	77,042	12,532	11,644	888	13,025	11,644	1,381	77,535
Arizona	15,916	5,200	3,280	1,920	3,581	3,280	301	14,297
Arkansas	42,983	8,086	6,694	1,392	7,692	6,694	998	42,589
California	172,475	67,175	66,413	762	69,120	66,413	2,707	174,420
Colorado	24,784	7,642	6,705	937	7,225	6,705	520	24,367
Connecticut	38,229	14,929	14,396	533	15,705	14,396	1,309	39,005
Delaware	6,329	2,419	2,079	340	2,319	2,079	240	6,229
Dist. of Col.	23,319	7,828	...	7,828	589	...	589	16,080
Florida	48,301	13,187	10,905	2,282	11,530	10,905	725	46,744
Georgia	79,215	16,938	15,090	1,848	16,110	15,090	1,020	78,387
Idaho	12,466	5,543	4,776	767	5,468	4,776	692	12,391
Illinois	153,291	45,640	44,239	1,401	48,084	44,239	3,845	155,735
Indiana	74,733	24,091	22,432	1,659	24,030	22,432	1,598	74,672
Iowa	48,197	19,015	17,384	1,631	18,435	17,384	1,051	47,617
Kansas	35,223	11,551	10,249	1,302	12,349	10,249	2,100	36,021
Kentucky	65,363	7,962	6,903	1,059	8,165	6,903	1,262	65,566
Louisiana	61,953	14,696	14,063	633	14,748	14,063	685	62,005
Maine	18,569	6,096	5,896	200	6,471	5,896	575	18,944
Maryland	43,769	9,922	8,697	1,225	13,524	8,697	4,827	47,371
Massachusetts	86,392	30,640	29,114	1,526	30,165	29,114	1,051	85,917
Michigan	125,448	42,256	41,436	820	42,586	41,436	1,150	125,778
Minnesota	58,327	19,366	18,237	1,129	19,547	18,237	1,310	58,508
Mississippi	59,670	7,632	6,982	650	7,808	6,982	826	59,846
Missouri	74,318	20,475	17,054	3,421	18,615	17,054	1,561	72,458
Montana	11,268	3,662	3,460	202	3,801	3,460	341	11,407
Nebraska	25,097	7,706	6,881	825	7,657	6,881	776	25,048
Nevada	3,155	1,273	981	292	1,144	981	163	3,026
New Hampshire	9,788	3,196	2,212	984	2,775	2,212	563	9,367
New Jersey	80,818	40,407	39,575	832	42,621	39,575	3,046	83,032
New Mexico	15,694	3,550	2,536	1,014	3,067	2,536	531	15,211
New York	249,380	50,495	47,579	2,916	49,742	47,579	2,163	248,627
North Carolina	94,816	22,856	21,685	1,171	22,608	21,685	923	94,568
North Dakota	13,269	5,317	4,752	565	5,470	4,752	718	13,422
Ohio	143,849	45,275	43,022	2,253	45,513	43,022	2,491	144,087
Oklahoma	48,797	12,782	11,239	1,543	12,624	11,239	1,385	48,639
Oregon	25,894	10,569	9,406	1,163	10,125	9,406	719	25,450
Pennsylvania	199,634	71,274	68,196	3,078	71,006	68,196	2,810	199,366
Rhode Island	14,673	5,785	5,179	606	5,779	5,179	600	14,667
South Carolina	53,795	9,342	9,016	326	9,691	9,016	675	54,144
South Dakota	12,615	4,273	3,832	441	4,474	3,832	642	12,816
Tennessee	71,895	13,032	10,139	2,893	11,340	10,139	1,201	70,203
Texas	163,176	32,760	31,841	919	34,097	31,841	2,256	164,513
Utah	17,879	6,682	5,716	966	5,964	5,716	248	17,161
Vermont	7,056	2,550	2,262	288	2,797	2,262	535	7,303
Virginia	68,407	16,181	14,833	1,348	19,931	14,833	5,098	72,157
Washington	44,358	15,697	14,714	983	15,859	14,714	1,145	44,520
West Virginia	43,170	8,467	7,139	1,328	8,669	7,139	1,530	43,372
Wisconsin	64,377	23,275	22,235	1,040	23,348	22,235	1,113	64,450
Wyoming	6,688	1,382	1,154	228	1,516	1,154	362	5,822

Number of nonresident births.—Although for the entire continental United States the nonresident births in 1943 were 28.6 percent of all births, this proportion varied widely among States. It ranged from 12.2 percent in Kentucky to 50.0 percent in New Jersey. Table N gives the total number of births occurring in each State and the number and percent that occurred in a city or county of which the mother was not a resident. The frequency distribution of these percentages by States is given in table O. In 2 States less than 15 percent of the births were to nonresidents, while in 16 States 35 percent or more of the births were to nonresidents.

TABLE N.—BIRTHS OF NONRESIDENTS AND PERCENT OF TOTAL RECORDED BIRTHS: EACH STATE, 1943

(Exclusive of stillbirths)

AREA	Total births in area	BIRTHS OF NONRESIDENTS IN AREA		AREA	Total births in area	BIRTHS OF NONRESIDENTS IN AREA	
		Number	Percent of total			Number	Percent of total
UNITED STATES	2,934,860	838,609	28.6	Colorado	24,784	7,642	30.8
				Connecticut	38,229	14,929	39.1
Alabama	77,042	12,532	16.3	Delaware	6,329	2,419	38.2
Arizona	15,916	5,200	32.7	Dist. of Col.	23,319	7,828	33.6
Arkansas	42,983	8,086	18.8	Florida	48,301	13,187	27.3
California	172,475	67,175	38.9	Georgia	79,215	16,938	21.4
				Idaho	12,466	5,543	44.5

TABLE N.—BIRTHS OF NONRESIDENTS AND PERCENT OF TOTAL RECORDED BIRTHS: EACH STATE, 1943—Continued

(Exclusive of stillbirths)

AREA	Total births in area	BIRTHS OF NONRESIDENTS IN AREA		AREA	Total births in area	BIRTHS OF NONRESIDENTS IN AREA	
		Number	Percent of total			Number	Percent of total
Illinois	153,291	45,640	29.8	New York	249,380	50,495	20.2
Indiana	74,733	24,091	32.2	North Carolina	94,816	22,856	24.1
Iowa	48,197	19,015	39.5	North Dakota	13,269	5,317	40.1
Kansas	35,223	11,551	32.8	Ohio	143,849	45,275	31.5
Kentucky	65,363	7,962	12.2	Oklahoma	48,797	12,782	26.2
Louisiana	61,953	14,696	23.7	Oregon	25,894	10,569	40.8
Maine	18,569	6,096	32.8	Pennsylvania	199,634	71,274	35.7
Maryland	43,769	9,922	22.7	Rhode Island	14,673	5,785	39.4
Massachusetts	86,392	30,640	35.5	South Carolina	53,795	9,342	17.4
Michigan	125,448	42,256	33.7	South Dakota	12,615	4,273	33.9
Minnesota	58,327	19,366	33.2	Tennessee	71,895	13,032	18.1
Mississippi	59,670	7,632	12.8	Texas	163,176	32,760	20.1
Missouri	74,318	20,475	27.6	Utah	17,879	6,682	37.4
Montana	11,268	3,662	32.5	Vermont	7,056	2,550	36.1
Nebraska	25,097	7,706	30.7	Virginia	68,407	16,181	23.7
Nevada	3,155	1,273	40.3	Washington	44,358	15,697	35.4
New Hampshire	9,788	3,196	32.7	West Virginia	43,170	8,467	19.6
New Jersey	80,818	40,407	50.0	Wisconsin	64,377	23,275	36.2
New Mexico	15,694	3,550	22.6	Wyoming	5,688	1,382	24.3

TABLE O.—FREQUENCY DISTRIBUTION OF STATES BY PERCENT OF NONRESIDENTS AMONG TOTAL RECORDED BIRTHS: 1943

(Exclusive of stillbirths)

PERCENT NONRESIDENTS	Number of States
10 - 14	2
15 - 19	5
20 - 24	9
25 - 29	4
30 - 34	18
35 - 39	11
40 - 44	4
50 - 54	1

Effect of residence reallocation on urban and rural birth statistics.—Table P shows the difference between the number of births to residents of urban and rural areas and the number of births occurring in the corresponding areas. The place-of-occurrence figures are much higher than those by place of residence in the urban areas, whereas the contrary is true of the rural areas. In comparing the birth figures for urban and rural areas, differences in completeness of birth registration should be taken into account.[3]

TABLE P.—RESIDENT AND RECORDED BIRTHS AND PERCENTAGE DIFFERENCE, URBAN AND RURAL: UNITED STATES, 1943

(Exclusive of stillbirths)

AREA	Births of residents	Births in area	Difference	Percentage difference
UNITED STATES	2,934,860	2,934,860	0	0
Urban	1,714,164	2,137,941	+423,777	+24.7
Places of 100,000 or more	821,715	962,937	+141,222	+17.2
Places of 25,000 to 100,000	356,269	467,802	+111,533	+31.3
Places of 10,000 to 25,000	241,117	319,295	+78,178	+32.4
Places of 2,500 to 10,000	295,063	387,907	+92,844	+31.5
Rural	1,220,696	796,919	-423,777	-34.7

The number of births in 1943, by place of residence and by place of occurrence, is given in table Q for each of the 92 cities having, in 1940, populations of 100,000 or more. The place-of-residence figures are lower than those by place of occurrence for every city except Chicago, Indianapolis, Kansas City (Kansas), Los Angeles, New Bedford, Reading, and Somerville. Since many factors contribute to the number of nonresident births occurring in a community, a careful study of local

[3] See Vital-Statistics—Special Reports, vol. 17, No. 18, Bureau of the Census, Washington, D. C., 1943.

conditions is necessary to explain the varying differences observed between residence and occurrence statistics. Among the important factors are: the number and location of hospitals in suburbs surrounding a given city, the density of population in adjacent rural areas and the distance to other cities, and the extent to which hospital facilities are available within the given city.

TABLE Q.—RESIDENT AND RECORDED BIRTHS AND PERCENTAGE DIFFERENCE: CITIES HAVING, IN 1940, POPULATIONS OF 100,000 OR MORE, 1943

(Exclusive of stillbirths)

AREA	Births of residents	Births in area	Difference	Percentage difference
Akron	5,513	6,615	+1,102	+20.0
Albany	2,430	3,649	+1,219	+50.2
Atlanta	7,212	8,503	+1,291	+17.9
Baltimore	21,572	25,941	+4,369	+20.3
Birmingham	7,217	8,019	+802	+11.1
Boston	15,393	19,142	+3,749	+24.4
Bridgeport	3,505	5,011	+1,506	+43.0
Buffalo	12,164	15,308	+3,144	+25.8
Cambridge	2,528	3,845	+1,317	+52.1
Camden	2,450	4,656	+2,206	+90.0
Canton	2,713	3,793	+1,080	+39.8
Charlotte	2,670	3,869	+1,199	+44.9
Chattanooga	3,551	4,170	+619	+17.4
Chicago	67,685	66,972	-713	-1.1
Cincinnati	9,162	12,403	+3,241	+35.4
Cleveland	18,647	21,916	+3,269	+17.5
Columbus	6,772	8,793	+2,021	+29.8
Dallas	7,205	9,533	+2,328	+32.3
Dayton	6,167	7,583	+1,416	+23.0
Denver	7,645	9,013	+1,368	+17.9
Des Moines	3,387	4,079	+692	+20.4
Detroit	37,750	41,790	+4,040	+10.7
Duluth	2,191	2,755	+564	+25.7
Elizabeth	2,190	3,321	+1,131	+51.6
Erie	3,066	3,783	+717	+23.4
Fall River	2,603	3,177	+574	+22.1
Flint	3,609	5,276	+1,667	+46.2
Fort Wayne	2,667	3,376	+709	+26.6
Fort Worth	4,903	5,758	+855	+17.4
Gary	2,905	3,612	+707	+24.3
Grand Rapids	3,496	4,020	+524	+15.0
Hartford	3,909	7,327	+3,418	+87.4
Houston	12,140	12,962	+822	+6.8
Indianapolis	9,500	9,344	-156	-1.6
Jacksonville, Fla	4,954	6,075	+1,121	+22.6
Jersey City	5,918	9,180	+3,262	+55.1
Kansas City, Kans	2,823	2,753	-70	-2.5
Kansas City, Mo	7,921	9,970	+2,049	+25.9
Knoxville	2,990	4,023	+1,033	+34.5
Long Beach	4,456	6,629	+2,173	+48.8
Los Angeles	34,831	30,385	-4,446	-12.8
Louisville	8,720	9,834	+1,114	+12.8
Lowell	1,758	2,235	+477	+27.1
Memphis	6,413	8,581	+2,168	+33.8
Miami	3,870	4,013	+143	+3.7
Milwaukee	11,730	15,116	+3,386	+28.9
Minneapolis	10,300	12,510	+2,210	+21.5
Nashville	4,815	5,550	+735	+15.3
Newark, N. J.	8,646	11,860	+3,214	+37.2
New Bedford	1,863	1,680	-183	-9.8
New Haven	3,326	5,282	+1,956	+58.8
New Orleans	12,331	15,239	+2,908	+23.6
New York	130,917	133,798	+2,881	+2.2
Norfolk	4,465	5,605	+1,140	+25.5
Oakland	7,307	8,579	+1,272	+17.4
Oklahoma City	5,069	5,858	+789	+15.6
Omaha	4,998	5,770	+772	+15.4
Paterson	2,354	4,342	+1,988	+84.5
Peoria	2,084	3,593	+1,509	+72.4
Philadelphia	39,900	43,493	+3,593	+9.0
Pittsburgh	13,883	18,650	+4,767	+34.3
Portland, Oreg	8,243	10,336	+2,093	+25.4
Providence	4,883	8,571	+3,688	+75.5
Reading	1,687	1,581	-106	-6.3
Richmond	4,387	6,101	+1,714	+39.1
Rochester	5,924	8,451	+2,527	+42.7
Sacramento	2,742	4,645	+1,903	+69.4
St. Louis	16,421	20,854	+4,433	+27.0
St. Paul	6,477	7,762	+1,285	+19.8
Salt Lake City	4,657	6,388	+1,731	+37.2
San Antonio	10,426	10,804	+378	+3.6
San Diego	7,566	7,638	+72	+1.0
San Francisco	13,311	14,726	+1,415	+10.6
Scranton	2,015	2,828	+813	+40.3
Seattle	11,012	12,458	+1,446	+13.1

TABLE Q.—RESIDENT AND RECORDED BIRTHS AND PERCENTAGE DIFFERENCE: CITIES HAVING, IN 1940, POPULATIONS OF 100,000 OR MORE, 1943—Con.

(Exclusive of stillbirths)

AREA	Births of residents	Births in area	Difference	Percentage difference
Somerville	2,148	1,381	-767	-35.7
South Bend	2,252	2,742	+490	+21.8
Spokane	2,884	3,845	+961	+33.3
Springfield, Mass	3,210	4,214	+1,004	+31.3
Syracuse	3,809	5,953	+2,144	+56.3
Tacoma	3,339	4,904	+1,565	+46.9
Tampa	2,859	3,615	+756	+26.4
Toledo	5,544	7,292	+1,748	+31.5
Trenton	2,196	4,016	+1,820	+82.9
Tulsa	3,921	4,423	+502	+12.8
Utica	2,045	2,860	+815	+39.9
Washington, D. C	16,080	23,319	+7,239	+45.0
Wichita	4,446	4,913	+467	+10.5
Wilmington, Del	2,611	4,328	+1,717	+65.8
Worcester	3,886	4,946	+1,060	+27.3
Yonkers	2,308	2,440	+132	+5.7
Youngstown	3,267	4,686	+1,419	+43.4

BIRTHS IN HOSPITALS

The use of hospitals for confinements by the inhabitants of any area is more correctly indicated by data reallocated to place of residence than by data based on place of birth. This information for States, by urban and rural areas, is given for 1943 in table R, which shows the proportion of resident births of each area occurring in hospitals.

In the entire United States, 2,115,582 or 72.1 percent of all live births occurred in hospitals. Of the 1,714,164 births to urban residents, 1,490,429, or 86.9 percent, occurred in hospitals. Live births to rural residents numbered 1,220,696, and of these, 625,153 or 51.2 percent, occurred in hospitals.

By States, the proportion of resident births occurring in hospitals ranged from 26.6 percent for Mississippi to 97.3 for Connecticut. For residents of rural areas, the proportion varied from 16.6 percent for Kentucky to 96.5 for Connecticut. For urban residents, the proportion ranged from 60.9 percent for Alabama to 98.4 for Washington.

Considerable variation in the urban-rural differential is also apparent in the data for each State. For example, only 16.6 percent of the births among rural residents of Kentucky occurred in hospitals, whereas 68.4 percent of births to urban residents were in hospitals. For residents of Washington, on the other hand, the percentage of births among rural and urban residents occurring in hospitals was 93.2 and 98.4 percent, respectively.

TABLE R.—PERCENTAGE OF RESIDENT BIRTHS OCCURRING IN HOSPITALS, URBAN AND RURAL: EACH STATE, 1943

(Exclusive of stillbirths)

AREA	BIRTHS OF RESIDENTS			AREA	BIRTHS OF RESIDENTS		
	Total	In hospital	Not in hospital		Total	In hospital	Not in hospital
United States	100.0	72.1	27.9	Connecticut	100.0	97.3	2.7
				Urban	100.0	97.7	2.3
				Rural	100.0	96.5	3.5
Urban	100.0	86.9	13.1				
Rural	100.0	51.2	48.8	Delaware	100.0	81.1	18.9
				Urban	100.0	91.5	8.5
Alabama	100.0	34.5	65.5	Rural	100.0	69.5	30.5
Urban	100.0	60.9	39.1				
Rural	100.0	21.6	78.4	Dist. of Col.	100.0	92.9	7.1
Arizona	100.0	77.5	22.5	Florida	100.0	61.8	38.2
Urban	100.0	83.5	16.5	Urban	100.0	74.5	25.5
Rural	100.0	70.8	29.2	Rural	100.0	45.0	55.0
Arkansas	100.0	35.0	65.0	Georgia	100.0	45.5	54.5
Urban	100.0	68.2	31.8	Urban	100.0	69.8	30.2
Rural	100.0	21.9	78.1	Rural	100.0	29.4	70.6
California	100.0	93.8	6.2	Idaho	100.0	87.6	12.4
Urban	100.0	94.9	5.1	Urban	100.0	91.7	8.3
Rural	100.0	90.4	9.6	Rural	100.0	84.6	15.4
Colorado	100.0	77.5	22.5	Illinois	100.0	87.6	12.4
Urban	100.0	84.4	15.6	Urban	100.0	92.8	7.2
Rural	100.0	66.8	33.2	Rural	100.0	71.0	29.0

TABLE R.—PERCENTAGE OF RESIDENT BIRTHS OCCURRING IN HOSPITALS, URBAN AND RURAL: EACH STATE, 1943—Continued

(Exclusive of stillbirths)

AREA	BIRTHS OF RESIDENTS			AREA	BIRTHS OF RESIDENTS		
	Total	In hospital	Not in hospital		Total	In hospital	Not in hospital
Indiana	100.0	75.7	24.3	North Carolina	100.0	45.7	54.3
Urban	100.0	84.3	15.7	Urban	100.0	73.8	26.2
Rural	100.0	62.4	37.6	Rural	100.0	35.2	64.8
Iowa	100.0	79.0	21.0	North Dakota	100.0	81.2	18.8
Urban	100.0	90.4	9.6	Urban	100.0	96.2	3.8
Rural	100.0	69.6	30.4	Rural	100.0	77.1	22.9
Kansas	100.0	78.2	21.8	Ohio	100.0	80.4	19.6
Urban	100.0	87.4	12.6	Urban	100.0	88.4	11.6
Rural	100.0	67.8	32.2	Rural	100.0	62.9	37.1
Kentucky	100.0	33.3	66.7	Oklahoma	100.0	61.3	38.7
Urban	100.0	68.4	31.6	Urban	100.0	78.7	21.3
Rural	100.0	16.6	83.4	Rural	100.0	46.0	54.0
Louisiana	100.0	54.5	45.5	Oregon	100.0	95.6	4.4
Urban	100.0	76.9	23.1	Urban	100.0	98.3	1.7
Rural	100.0	36.2	63.8	Rural	100.0	92.3	7.7
Maine	100.0	75.9	24.1	Pennsylvania	100.0	77.9	22.1
Urban	100.0	88.0	12.0	Urban	100.0	87.0	13.0
Rural	100.0	67.6	32.4	Rural	100.0	59.1	40.9
Maryland	100.0	70.7	29.3	Rhode Island	100.0	89.2	10.8
Urban	100.0	77.0	23.0	Urban	100.0	89.1	10.9
Rural	100.0	61.5	38.5	Rural	100.0	90.1	9.9
Massachusetts	100.0	93.8	6.2	South Carolina	100.0	35.7	64.3
Urban	100.0	94.2	5.8	Urban	100.0	61.6	38.4
Rural	100.0	90.1	9.9	Rural	100.0	23.9	76.1
Michigan	100.0	84.3	15.7	South Dakota	100.0	77.0	23.0
Urban	100.0	90.1	9.9	Urban	100.0	93.4	6.6
Rural	100.0	71.4	28.6	Rural	100.0	69.9	30.1
Minnesota	100.0	85.6	14.4	Tennessee	100.0	42.2	57.8
Urban	100.0	94.3	5.7	Urban	100.0	70.9	29.1
Rural	100.0	76.2	23.8	Rural	100.0	24.4	75.6
Mississippi	100.0	26.6	73.4	Texas	100.0	61.7	38.3
Urban	100.0	61.6	38.4	Urban	100.0	73.1	26.9
Rural	100.0	17.8	82.2	Rural	100.0	45.4	54.6
Missouri	100.0	64.3	35.7	Utah	100.0	87.5	12.5
Urban	100.0	84.1	15.9	Urban	100.0	94.4	5.6
Rural	100.0	39.4	60.6	Rural	100.0	77.0	23.0
Montana	100.0	91.4	8.6	Vermont	100.0	75.0	25.0
Urban	100.0	96.3	3.7	Urban	100.0	87.9	12.1
Rural	100.0	87.2	12.8	Rural	100.0	67.0	33.0
Nebraska	100.0	78.8	21.2	Virginia	100.0	50.7	49.3
Urban	100.0	91.5	8.5	Urban	100.0	77.5	22.5
Rural	100.0	68.8	31.2	Rural	100.0	34.3	65.7
Nevada	100.0	92.5	7.5	Washington	100.0	96.3	3.7
Urban	100.0	96.7	3.3	Urban	100.0	98.4	1.6
Rural	100.0	89.1	10.9	Rural	100.0	93.2	6.8
New Hampshire	100.0	89.9	10.1	West Virginia	100.0	38.1	61.9
Urban	100.0	93.1	6.9	Urban	100.0	73.8	26.2
Rural	100.0	85.0	15.0	Rural	100.0	23.3	76.7
New Jersey	100.0	91.0	9.0	Wisconsin	100.0	83.3	16.7
Urban	100.0	92.5	7.5	Urban	100.0	91.4	8.6
Rural	100.0	84.4	15.6	Rural	100.0	73.5	26.5
New Mexico	100.0	50.2	49.8	Wyoming	100.0	87.9	12.1
Urban	100.0	69.5	30.5	Urban	100.0	92.2	7.8
Rural	100.0	36.7	63.3	Rural	100.0	84.0	16.0
New York	100.0	93.7	6.3				
Urban	100.0	95.8	4.2				
Rural	100.0	84.0	16.0				

Table S gives a frequency distribution of the States according to the proportion of resident births occurring in hospitals. In 1 State, less than 30 percent of the resident births occurred in hospitals; but, at the upper end of the scale, there were 22 States in which resident births in hospitals were 80 percent or more of all resident births.

The hospital coding and classification for birth statistics is not based on the institution code used for mortality. The births are coded with a simple code that indicates only whether or not the birth took place in a hospital or other institution. However, almost all births in institutions actually occur in general or maternity hospitals.

Detailed statistics of births by type of attendance are given in table 11. The total number of births by place of residence is shown for each urban place and county of each State. Four types of attendants are distinguished in these tabulations, namely, physician not in a hospital, physician in a hospital, midwife, and other or unspecified attendant.

TABLE S.—FREQUENCY DISTRIBUTION OF STATES BY PERCENT OF RESIDENT BIRTHS IN HOSPITALS: 1943

(Exclusive of stillbirths)

PERCENT OF BIRTHS IN HOSPITALS	Number of States
10-19	0
20-29	1
30-39	5
40-49	3
50-59	3
60-69	4
70-79	11
80-89	12
90+	10

ILLEGITIMATE BIRTHS

The number of reported illegitimate live births and the ratio per 1,000 live births for each year since 1917 are given in table T. In 1943, there were 82,586 births in the continental United States (exclusive of California, Colorado, Connecticut, Maryland, Massachusetts, Nebraska, New Hampshire, New Mexico, New York, and Wyoming) reported as illegitimate, and the ratio was 36.5 per 1,000 live births, as compared with 37.2 in 1942.

Data relating to illegitimacy were first made available in 1917. For that year the ratio was 20.2, but from that point the ratio rose fairly steadily to the highest point, 41.9 in 1939. The tendency then was downward and the ratio for 1943 was 12.9 percent lower than the ratio for 1939.

The trend in the ratio for all races prior to the completion of the birth-registration area in 1933 was somewhat influenced by the addition of States to the area and the changing racial composition of the population in the area. The ratio for nonwhite races has always been very high in comparison with that for the white race. Therefore, the addition to the registration area of States with a high proportion of Negroes accelerated the upward trend of the ratio for all races. Nevertheless, the proportion of recorded illegitimate births for the white group, alone, increased markedly and fairly regularly to 1933.

TABLE T.—ILLEGITIMATE LIVE BIRTHS BY RACE: BIRTH-REGISTRATION AREA,[1] UNITED STATES

YEAR	ILLEGITIMATE LIVE BIRTHS[2]					
	Number			Ratio per 1,000 total live births		
	Total	White	Nonwhite	Total	White	Nonwhite
1943	82,586	31,755	50,831	36.5	16.3	165.2
1942	83,459	33,117	50,342	37.2	17.0	170.6
1941	83,067	33,220	49,847	40.8	19.0	176.0
1940	77,558	32,032	45,526	40.4	19.4	169.3
1939	74,941	31,330	43,611	41.9	20.4	172.7
1938	74,462	32,043	42,419	41.1	20.5	169.1
1937	74,938	32,231	42,707	40.2	20.1	163.9
1936	72,338	31,850	40,488	39.8	20.3	162.4
1935	75,141	33,685	41,456	41.1	21.4	163.6
1934	75,352	32,682	42,670	41.0	20.9	154.0
1933	73,389	31,742	41,647	41.8	21.3	158.9
1932	70,811	31,607	39,204	41.0	21.3	160.9
1931	65,952	30,137	35,815	37.5	19.8	150.5
1930	63,567	29,490	34,077	34.7	18.6	141.1
1929	60,921	27,780	33,141	33.9	17.7	143.5
1928	60,661	27,745	32,916	32.8	17.2	139.5
1927	52,022	26,124	25,898	29.0	16.9	131.6
1926	37,576	21,316	16,260	25.6	16.0	121.3
1925	37,414	21,564	15,850	25.3	16.0	120.6
1924	39,332	20,523	18,809	25.9	15.0	123.5
1923	35,040	18,139	16,901	25.2	14.4	126.2
1922	35,605	18,471	17,134	25.8	14.8	130.0
1921	34,824	17,440	17,384	26.6	14.8	128.5
1920	27,749	15,170	12,579	24.9	15.0	125.0
1919	25,660	12,360	11,300	25.6	13.6	121.9
1918	19,906	12,000	7,906	19.4	12.5	113.8
1917	20,464	12,238	8,226	20.2	13.0	120.1

[1] Exclusive of California, Massachusetts, and New York for each year; Texas for 1938 and 1939; Maryland, Nebraska, New Hampshire, and Wyoming for 1940-1943; Colorado, Connecticut, and New Mexico for 1943. These States do not require a statement of legitimacy of child.

[2] For 1939-1943, by place of residence; for 1917-1938, by place of occurrence.

Note.—Data not available for the years 1915 and 1916.

The lowest ratio for the white race, 12.5, was recorded in 1918 and the highest, 21.4, in 1935. From 1936 through 1939, the ratio for the white race varied only from 20.1 to 20.5, but since 1939 the tendency has been consistently downward. The ratio of 16.3 for illegitimate white infants in 1943 was 16.0 percent lower than the corresponding ratio of 19.4 for 1940.

Data on illegitimate live births reported in 1941, 1942, and 1943 are given for individual States in table U. The table shows the number of illegitimate births, reallocated to the State of the mother's usual residence, for all races and for the white and nonwhite groups separately; also the number of illegitimate births per 1,000 total live births. California, Maryland, Massachusetts, Nebraska, New Hampsnire, New York, and Wyoming were entirely excluded from the tabulation because these States did not require a statement concerning legitimacy in any of the 3 years. Three others, Colorado, Connecticut, and New Mexico, which are listed in the table did not require the statement in 1943. It must be recognized also that the reporting of the fact of illegitimacy in the States included in the tabulation probably is incomplete and inaccurate.

TABLE U.—ILLEGITIMATE LIVE BIRTHS BY RACE: UNITED STATES[1] AND EACH STATE

(By place of residence)

AREA AND RACE	ILLEGITIMATE LIVE BIRTHS					
	Number			Ratio per 1,000 total live births		
	1943	1942	1941	1943	1942	1941
Total	82,586	83,459	83,067	36.5	37.8	41.5
White	31,755	33,117	33,220	16.3	16.9	18.9
Nonwhite	50,831	50,342	49,847	165.2	171.2	176.9
Alabama	6,076	5,732	5,751	78.4	80.6	89.3
White	706	747	673	14.1	16.5	16.9
Nonwhite	5,370	4,985	5,078	195.6	192.4	207.8
Arizona	325	308	288	22.7	23.9	25.2
White	214	216	198	17.0	19.1	19.8
Nonwhite	111	87	90	66.2	62.9	62.2
Arkansas	1,890	1,874	1,747	44.4	43.9	43.1
White	418	461	439	12.9	14.1	14.3
Nonwhite	1,472	1,413	1,308	145.5	140.4	133.8
Colorado[2]	------	(519)	(547)	------	(22.0)	(25.6)
White	------	(485)	(522)	------	(20.9)	(24.7)
Nonwhite	------	(34)	(25)	------	(86.3)	(94.3)
Connecticut[2]	------	(373)	(398)	------	(10.0)	(13.7)
White	------	(319)	(346)	------	(8.8)	(12.2)
Nonwhite	------	(54)	(52)	------	(62.2)	(76.5)
Delaware	339	322	346	54.4	56.9	68.0
White	95	86	86	17.9	18.1	20.2
Nonwhite	244	236	260	264.6	263.4	311.4
District of Columbia	1,392	1,269	1,252	86.6	83.6	97.1
White	304	240	195	28.1	23.8	23.7
Nonwhite	1,088	1,029	1,057	207.0	202.2	227.3
Florida	2,418	2,302	2,322	51.7	56.3	61.9
White	367	343	389	10.6	11.6	14.5
Nonwhite	2,051	1,959	1,933	170.2	172.0	179.7
Georgia	4,941	4,974	5,092	63.0	68.6	75.0
White	560	599	621	11.2	13.2	15.0
Nonwhite	4,381	4,375	4,471	155.4	162.1	168.7
Idaho	101	116	125	8.2	10.1	10.7
White	95	101	118	7.7	8.9	10.2
Nonwhite	6	15	7	48.8	118.1	69.3
Illinois	3,901	3,719	3,493	25.0	23.8	25.7
White	2,502	2,259	2,109	17.1	15.3	16.4
Nonwhite	1,399	1,460	1,384	151.1	171.6	180.4
Indiana	1,323	1,464	1,317	17.7	19.9	20.1
White	1,022	1,087	988	14.2	15.3	15.6
Nonwhite	301	377	329	116.3	151.6	140.2
Iowa	731	736	779	15.4	15.2	16.9
White	690	695	728	14.6	14.4	15.9
Nonwhite	41	41	51	120.2	131.0	178.9
Kansas	573	586	581	15.9	17.3	19.1
White	419	438	420	12.1	13.4	14.4
Nonwhite	154	148	161	116.5	126.7	139.3
Kentucky	1,725	1,573	2,118	26.3	23.7	33.4
White	1,202	1,083	1,509	19.3	17.3	25.1
Nonwhite	523	490	609	152.6	134.3	180.1
Louisiana	4,493	4,582	4,526	72.5	78.9	82.9
White	449	473	486	11.7	13.5	15.1
Nonwhite	4,044	4,109	4,040	171.3	178.6	180.3
Maine	620	557	477	32.7	31.4	29.8
White	610	553	473	32.3	31.3	29.7
Nonwhite	10	4	4	222.2	87.0	100.0
Michigan	2,556	2,501	2,345	20.3	20.2	21.8
White	1,823	1,821	1,744	15.2	15.3	16.9
Nonwhite	733	680	601	128.1	133.3	133.0
Minnesota	1,121	1,202	1,165	19.2	20.5	21.4
White	1,028	1,105	1,064	17.7	19.0	19.8
Nonwhite	93	97	101	185.3	169.6	148.7
Mississippi	5,445	5,260	5,237	91.0	92.8	95.7
White	277	300	301	10.0	11.7	12.3
Nonwhite	5,168	4,960	4,936	161.4	159.5	162.8
Missouri	1,595	1,496	1,630	22.0	21.2	25.0
White	899	895	990	13.3	13.6	16.3
Nonwhite	696	601	640	137.4	125.0	142.5
Montana	139	172	228	12.2	14.7	19.7
White	98	115	172	9.1	10.4	15.8
Nonwhite	41	57	56	62.8	80.4	81.2
Nevada	33	25	24	10.9	9.0	10.9
White	18	15	12	6.4	5.8	5.8
Nonwhite	15	10	12	71.8	56.5	84.5
New Jersey	1,571	1,614	1,585	18.9	19.8	23.6
White	820	815	843	10.6	10.7	13.5
Nonwhite	751	799	742	133.8	146.5	149.1
New Mexico[2]	------	(613)	(634)	------	(43.4)	(43.0)
White	------	(550)	(576)	------	(40.7)	(40.6)
Nonwhite	------	(63)	(58)	------	(99.7)	(105.1)
North Carolina	6,861	7,158	7,150	72.6	79.7	84.5
White	1,487	1,517	1,575	22.4	24.4	27.4
Nonwhite	5,374	5,641	5,575	190.3	203.1	204.9
North Dakota	261	256	256	19.4	19.2	19.3
White	221	216	211	16.9	16.6	16.5
Nonwhite	40	40	45	128.6	110.2	103.7
Ohio	2,800	2,830	2,628	19.4	19.6	20.9
White	1,889	1,970	1,762	13.8	14.3	14.8
Nonwhite	911	860	866	119.0	137.8	130.1
Oklahoma	1,265	1,318	1,482	26.0	28.6	32.3
White	565	603	713	12.9	14.7	17.4
Nonwhite	700	715	769	139.8	143.1	156.3
Oregon	314	267	284	12.3	11.9	15.1
White	284	245	262	11.3	11.0	14.1
Nonwhite	30	22	22	87.0	69.8	83.7
Pennsylvania	6,057	6,265	6,077	30.4	31.8	34.9
White	3,897	4,077	4,051	20.8	21.9	24.7
Nonwhite	2,160	2,188	2,026	183.7	202.1	200.9
Rhode Island	328	314	271	22.4	22.1	23.3
White	285	272	242	19.9	19.6	21.3
Nonwhite	43	42	29	121.5	146.9	113.7
South Carolina	4,921	4,964	4,995	90.9	101.6	105.4
White	519	524	524	17.4	20.3	21.6
Nonwhite	4,402	4,440	4,471	181.2	193.3	193.3
South Dakota	276	277	238	21.5	22.3	19.6
White	195	193	172	16.0	16.6	15.1
Nonwhite	81	84	66	121.8	105.4	88.5
Tennessee	2,984	2,799	2,771	42.5	43.0	46.3
White	1,129	1,076	1,038	19.0	19.6	20.5
Nonwhite	1,855	1,723	1,733	170.9	168.1	185.9
Texas	4,697	4,353	4,345	28.6	30.1	31.8
White	1,966	1,876	1,980	13.6	14.8	16.6
Nonwhite	2,731	2,477	2,365	135.0	135.2	133.7
Utah	117	106	93	6.8	6.7	6.9
White	104	99	91	6.1	6.3	6.8
Nonwhite	13	7	2	59.4	37.0	17.2
Vermont	182	154	180	24.9	21.5	25.8
White	180	154	180	24.7	21.5	25.9
Nonwhite	2	-	-	500.0	0	0
Virginia	4,424	4,671	4,606	61.3	68.7	75.4
White	1,144	1,220	1,219	20.9	24.0	27.1
Nonwhite	3,280	3,451	3,387	187.5	202.5	209.9
Washington	492	477	424	11.1	12.2	13.9
White	431	424	379	9.9	11.1	12.7
Nonwhite	61	53	45	66.1	69.5	68.8
West Virginia	2,040	2,253	2,164	47.0	51.3	49.2
White	1,682	1,822	1,811	41.0	44.0	42.9
Nonwhite	358	431	353	149.4	171.7	197.9
Wisconsin	1,259	1,113	1,096	19.5	17.4	19.2
White	1,161	1,028	1,008	18.2	16.2	17.8
Nonwhite	98	85	88	138.8	130.2	129.0

[1] Exclusive of California, Colorado, Connecticut, Maryland, Massachusetts, Nebraska, New Hampshire, New Mexico, New York, and Wyoming. These States do not require a statement of legitimacy of child.

[2] This State legislated during 1943 to omit statement of legitimacy of child. Figures in parentheses are not included in total to maintain a comparable area.

STILLBIRTH STATISTICS

Reporting of stillbirths.—Information on stillbirths was first collected by the Bureau of the Census in 1918. No data were collected or published for the years 1919 to 1921, inclusive, but since 1922 stillbirth tables have been compiled annually for the birth-registration area.

In some States stillbirths are reported on a special stillbirth certificate, whereas in others, State laws require the physician or attendant at a stillbirth to file both a birth and a death certificate. Such basic differences in reporting procedure introduce some variation in the completeness of registration and in the information reported. More important, from a statistical standpoint, are differences in the legal definitions of a stillbirth used in the States. Variations in the definition make it difficult to compile strictly comparable data for all States, and confuse the interpretation of consolidated national figures. A list showing the various definitions used in reporting stillbirths has been published each year previous to 1937 in the volume entitled "Birth, Stillbirth, and Infant Mortality Statistics." More recent data on stillbirth definitions for the States are given in Vital Statistics—Special Reports, vol. 3, No. 2, table 13. Neither of these sources of definitions can be considered up to date since changes may occasionally be made in State procedures.

TABLE W.—RATIO OF STILLBIRTHS TO LIVE BIRTHS: BIRTH-REGISTRATION AREA, UNITED STATES

YEAR	Live births	STILLBIRTHS	
		Number	Ratio per 1,000 live births
1943	2,934,860	78,485	26.7
1942	2,808,996	79,174	28.2
1941	2,513,427	75,133	29.9
1940	2,360,399	73,802	31.3
1939	2,265,588	72,598	32.0
1938	2,286,962	73,467	32.1
1937	2,203,837	73,609	33.4
1936	2,144,790	73,735	34.4
1935	2,155,105	77,119	35.8
1934	2,167,636	78,503	36.2
1933	2,081,232	77,059	37.0
1932	2,074,042	78,351	37.8
1931	2,112,760	80,616	38.2
1930	2,203,958	86,466	39.2
1929	2,169,920	85,678	39.5
1928	2,233,149	89,765	40.2
1927	2,137,836	82,931	38.8
1926	1,856,068	70,716	38.1
1925	1,878,880	71,519	38.1
1924	1,930,614	75,817	39.3
1923	1,792,646	69,757	38.9
1922	1,774,911	70,010	39.4
1918	[1] 1,211,685	[1] 48,634	[1] 40.1

[1] Exclusive of Massachusetts, Rhode Island, Washington, and Baltimore, Md. No transcripts of stillbirths were received from these areas.

Note.—Data relating to stillbirths were not collected for the years 1919 to 1921, inclusive.

Detailed tables classifying stillbirths by area, race, age of mother, nativity of mother, and other subjects, are given in tables 12 through 16 in the section containing general natality and mortality tables.

The total number of stillbirths and the ratio of stillbirths to 1,000 live births are given in table W for the birth-registration area for a series of years. The ratio of stillbirths to live births for 1918, the first year for which these data are available, was 40.1. For the years 1922 to 1930, inclusive, the ratio varied around 38, 39, and 40, without demonstrating any appreciable trend. However, since 1930 the ratio has been consistently decreasing; for 1943 the ratio was 26.7 stillbirths per 1,000 live births, or 31.9 percent below the ratio of 39.2 for 1930 and 27.8 percent below the ratio of 37.0 for 1933. As the registration area has included the entire United States since 1933, the decrease in the stillbirth ratio in the last 10 years is clearly due to factors other than changes in the area.

Stillbirths by period of gestation.—Until 1936 stillbirths were tabulated according to the period of gestation. This tabulation was discontinued in 1937 because it was thought that the differences in definition of a stillbirth and the frequent failure to report the period of gestation made such a tabulation of limited value. The same limitations apply to the 1943 tabulations of stillbirths by period of gestation, but it is hoped that information of some value may be presented by grouping data for States with approximately the same legal requirements for the reporting of stillbirths.

In table Y is shown the number of reported stillbirths by period of gestation for each State, tabulated on a residence basis. Of the 78,485 stillbirth transcripts received in 1943, 12,396, or 15.8 percent, did not give information on the period of gestation. This item is incompletely reported by some States, and in others the relatively large proportion of unknown or unstated period of gestation makes the data of little use.

It seems apparent from the distribution of stillbirths by period of gestation that stillbirths are occasionally reported without regard to the period-of-gestation requirement for the registration of stillbirths. However, more frequent are the cases in which the reportable stillbirths are not registered. The securing of completeness in stillbirth reporting and the obtaining of uniformity in the definition of a stillbirth are problems which need to be solved before stillbirth statistics will be of much value for studies relating to pregnancy wastage.

TABLE Y.—STILLBIRTHS BY PERIOD OF GESTATION: EACH STATE, 1943

AREA AND MINIMUM PERIOD OF GESTATION	Total	PERIOD OF GESTATION										
		Under 1 month	1 to 2 months	2 to 3 months	3 to 4 months	4 to 5 months	5 to 6 months	6 to 7 months	7 to 8 months	8 to 9 months	9 months and over	Not stated
UNITED STATES	78,485	71	1,085	2,261	1,473	1,722	4,481	6,449	8,169	7,673	32,705	12,396
Any product of gestation	10,669	56	987	2,080	1,271	1,035	705	628	574	520	2,528	285
Maryland	1,583	-	5	51	94	117	151	153	152	135	618	107
New York City	9,086	56	982	2,029	1,177	918	554	475	422	385	1,910	178
20 weeks, advanced to 5th month, 5th month	43,777	7	57	105	74	382	2,800	4,190	5,257	4,875	19,903	6,127
Alabama	2,361	-	1	2	8	16	119	177	267	197	1,114	460
Arizona	361	-	-	-	-	3	21	39	43	39	167	49
Arkansas	990	-	-	-	-	2	55	95	100	87	565	86
California	3,210	1	1	1	3	14	291	390	436	438	1,444	191
Florida	1,623	-	-	2	-	2	114	174	219	168	893	51
Georgia	2,673	-	-	1	3	12	117	226	311	227	1,226	550
Idaho [1]	238	-	-	-	-	11	8	30	20	33	113	18
Illinois	3,470	-	4	5	4	18	245	413	462	477	1,809	33
Iowa	949	-	-	-	-	1	58	93	138	136	506	17
Michigan	3,196	1	-	1	4	12	225	307	372	323	1,738	213
Minnesota	1,193	3	-	4	-	3	73	110	141	114	409	336
Nebraska	496	-	-	-	-	8	40	36	63	70	240	39
Nevada	58	-	-	-	-	-	1	8	7	8	31	3
New York [2]	2,921	2	43	78	32	47	196	301	396	495	1,267	64
North Carolina	2,567	-	1	3	1	11	135	240	372	350	1,275	179
Ohio	3,407	-	1	-	1	34	288	322	430	373	1,396	562
Oklahoma	1,020	-	-	-	-	-	49	106	116	94	645	10
Oregon	422	-	-	-	-	6	26	45	44	55	164	82
Pennsylvania	4,580	-	4	6	12	134	391	478	575	483	2,371	126
South Dakota	212	-	-	1	-	3	9	21	23	30	91	34
Texas	4,611	-	1	-	4	20	140	259	286	261	999	2,641
Utah	275	-	-	-	-	4	23	27	35	48	121	17
West Virginia [3]	1,530	-	-	-	2	19	77	132	167	121	657	355
Wisconsin	1,301	-	-	-	-	1	91	149	222	231	604	3
Wyoming	118	-	1	1	-	1	8	12	12	17	58	8
22 weeks, 5½ months, 6 months	21,005	6	31	71	116	285	901	1,482	1,939	1,868	8,621	5,685
Colorado	538	-	-	1	1	8	31	54	43	48	151	201
Delaware	182	-	-	-	-	1	9	23	25	17	100	7
District of Columbia	463	1	1	2	1	2	37	47	62	58	219	33
Kansas	652	-	-	-	-	3	23	46	67	84	318	111
Kentucky	1,619	-	-	1	-	3	9	35	73	65	766	667
Louisiana	1,865	-	1	-	-	4	71	105	159	162	681	682
Maine	324	-	-	1	-	-	-	1	43	48	219	12
Massachusetts	2,014	-	1	2	2	-	-	3	1	-	15	1,990
Mississippi	2,180	1	1	7	9	28	109	199	246	232	982	366
Missouri	1,889	-	5	22	72	138	157	192	197	188	892	26
Montana	212	-	-	-	-	-	5	19	28	21	124	15
New Jersey	2,081	1	19	26	18	52	126	144	253	231	852	359
New Mexico	357	1	-	-	-	-	22	45	46	36	191	16
North Dakota	240	-	-	-	-	3	10	10	18	15	136	48
Rhode Island [4]	348	-	1	2	-	-	-	39	59	51	130	66
South Carolina	2,019	-	1	3	2	11	57	139	163	153	929	561
Tennessee	1,575	-	-	-	-	3	80	137	209	207	918	21
Vermont	191	-	-	-	2	2	4	13	21	28	104	17
Virginia	2,256	2	1	4	9	27	151	231	226	224	894	467
28 weeks, 7 months	3,084	2	10	5	12	20	75	149	399	410	1,653	299
Connecticut [5]	774	2	10	4	8	9	33	49	105	111	323	120
Indiana	1,514	-	-	1	3	11	35	76	193	191	889	115
New Hampshire	168	-	-	-	1	-	6	12	16	18	64	51
Washington	578	-	-	-	-	-	1	12	85	90	377	13

[1] Period not specified. Requires reporting of foetus developed "sufficient to give chance of life."
[2] Exclusive of New York City.
[3] Also includes "or total length of 10 inches."
[4] All products of conception must be registered but only certificates for 6 completed months of gestation are used for statistical purposes.
[5] Also includes "or measuring at least 13.8 inches."

TABLE I.—DEATH RATES[1] FOR SELECTED CAUSES:

(Exclusive of stillbirths. By place of residence. Numbers under causes

DIVISION AND STATE	Total	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61	63b
UNITED STATES	1,089.5	0.5	2.2	0.3	2.5	0.9	42.6	1.4	0.5	12.1	1.0	0.9	124.5	1.1	27.1	2.1
GEOGRAPHIC DIVISIONS:																
New England	1,255.0	0.2	3.3	0.4	1.2	0.3	38.9	0.2	0.0	8.3	0.6	0.7	168.4	0.8	37.7	1.3
Middle Atlantic	1,236.2	0.2	2.8	0.3	1.5	0.2	46.5	0.3	0.0	13.2	0.7	0.3	159.6	1.6	41.1	2.6
East North Central	1,156.5	0.3	1.9	0.4	1.9	0.7	38.0	0.4	0.1	11.7	1.2	0.9	142.6	1.1	31.7	3.4
West North Central	1,098.6	0.3	1.5	0.6	1.8	0.8	28.4	0.5	0.2	9.9	1.4	1.2	138.8	0.9	28.3	2.7
South Atlantic	957.6	0.7	2.5	0.3	4.0	1.3	43.5	2.1	0.9	13.5	0.5	0.3	82.0	1.2	17.7	1.3
East South Central	966.4	1.1	2.1	0.3	4.8	1.4	55.3	3.6	1.4	12.4	1.7	0.4	78.4	1.2	13.7	1.2
West South Central	899.5	1.3	1.0	0.1	4.2	1.8	47.9	4.3	1.8	12.9	0.7	1.6	81.2	0.8	14.7	0.9
Mountain	982.8	0.9	2.0	0.5	2.8	1.3	45.5	3.5	0.1	9.7	2.1	2.1	95.7	1.6	16.3	2.3
Pacific	1,068.2	0.2	2.4	0.2	1.2	1.1	41.4	0.8	0.1	13.4	0.9	1.9	130.9	0.6	22.4	1.9
NEW ENGLAND:																
Maine	1,332.6	0.5	6.1	0.5	2.7	0.7	33.6	0.4	0	6.6	0.6	0.1	161.1	0.9	30.1	0.9
New Hampshire	1,355.1	0.4	3.0	0.2	1.7	0	29.5	0	0.2	9.3	0	0.4	160.1	0.2	38.4	1.5
Vermont	1,404.8	0	1.2	0.6	2.7	0	36.3	0.3	0	6.7	5.2	0.6	168.5	1.2	38.5	1.5
Massachusetts	1,284.1	0.2	2.9	0.5	0.9	0.3	42.7	0.1	0.0	8.4	0.5	0.4	174.7	0.8	38.2	1.2
Rhode Island	1,188.3	0	5.9	0.4	1.9	0.4	39.4	0.1	0.1	8.7	0.1	0.9	152.8	0.4	43.2	1.5
Connecticut	1,124.3	0.2	2.6	0.1	0.6	0.1	34.9	0.4	0	8.8	0.4	1.3	165.5	1.0	37.1	1.5
MIDDLE ATLANTIC:																
New York	1,261.1	0.1	3.0	0.3	1.2	0.2	49.3	0.3	0.0	14.6	0.7	0.3	172.4	1.3	44.0	2.4
New Jersey	1,187.2	0.2	3.0	0.3	0.9	0.3	45.6	0.2	0.0	11.4	0.6	0.3	153.9	2.1	37.8	2.3
Pennsylvania	1,224.3	0.4	2.6	0.3	2.3	0.3	43.1	0.4	0.0	12.1	0.7	0.2	144.8	1.7	38.6	2.9
EAST NORTH CENTRAL:																
Ohio	1,197.3	0.6	1.6	0.5	1.9	0.7	40.6	0.4	0.1	13.8	0.9	0.2	142.8	1.1	34.5	4.1
Indiana	1,214.0	0.4	2.1	0.6	3.4	0.8	36.7	0.7	0.1	13.1	2.1	0.6	132.7	1.2	28.3	3.4
Illinois	1,196.3	0.2	2.1	0.4	1.3	1.0	43.5	0.4	0.1	11.8	0.7	2.0	157.4	1.0	34.1	3.3
Michigan	1,051.9	0.2	2.3	0.2	1.8	0.4	34.5	0.5	0.1	11.0	1.6	0.5	124.8	0.9	26.5	2.5
Wisconsin	1,085.0	0.2	1.3	0.6	1.6	0.2	25.8	0.2	0.1	6.6	1.3	0.7	148.1	1.5	32.6	3.8
WEST NORTH CENTRAL:																
Minnesota	1,047.0	0	1.1	0.4	1.2	0.8	27.9	0.1	0.1	8.5	0.8	0.4	145.1	0.9	30.1	3.2
Iowa	1,128.4	0.0	0.9	0.7	1.5	0.6	17.0	0.4	0.0	7.7	1.1	0.8	155.2	0.6	29.9	2.2
Missouri	1,180.9	0.9	2.1	0.5	2.5	1.0	44.2	1.0	0.5	14.6	1.6	1.0	136.5	0.9	26.4	2.8
North Dakota	952.6	0	2.0	0	0.9	1.1	22.7	0.4	0.2	4.6	3.1	0.4	120.7	1.1	27.6	1.7
South Dakota	978.0	0.3	1.4	0.7	2.6	1.2	30.5	0.3	0	5.7	4.7	0.2	117.5	1.4	21.8	2.3
Nebraska	1,063.3	0.2	1.3	0.7	2.0	0.9	16.9	0.3	0	8.0	1.4	2.0	137.8	1.1	31.2	3.0
Kansas	1,067.8	0.1	1.2	0.9	1.8	0.8	19.4	0.6	0.2	9.0	0.4	3.8	126.5	0.9	28.1	2.5
SOUTH ATLANTIC:																
Delaware	1,243.5	0.4	7.1	0.4	3.9	0	39.5	0.7	0	14.6	0.4	0	122.0	0.4	38.0	1.4
Maryland	1,152.6	0.3	4.6	0.1	2.8	0.4	61.0	1.2	0.0	15.6	0.3	0.0	124.6	1.2	30.3	1.7
District of Columbia	987.1	0.1	2.9	0.3	4.0	0.1	59.9	0.1	0	14.9	0.3	0.2	120.5	0.9	25.3	1.6
Virginia	939.4	0.6	3.3	0.3	4.3	0.8	47.1	2.4	0.9	12.5	0.4	0.3	78.9	1.4	16.6	1.6
West Virginia	982.6	0.9	1.7	0.5	5.1	1.9	43.8	3.6	0.1	14.6	0.7	0.2	89.6	0.9	19.1	1.5
North Carolina	823.7	0.4	2.0	0.3	3.2	1.5	37.5	1.6	0.6	8.6	0.7	0.4	65.7	1.5	13.3	1.1
South Carolina	950.8	1.7	2.6	0.1	4.3	2.3	35.3	3.0	3.3	15.0	0.7	0.4	60.4	1.2	14.1	0.9
Georgia	933.1	0.7	1.4	0.2	5.2	1.5	41.3	2.4	1.3	14.5	0.8	0.3	66.6	1.0	13.6	1.1
Florida	990.1	0.8	1.5	0.2	3.0	1.1	36.1	1.6	1.9	16.8	0.3	0.3	87.5	1.0	17.1	0.8
EAST SOUTH CENTRAL:																
Kentucky	1,062.7	1.7	3.2	0.5	4.6	1.6	65.3	6.0	0.4	10.8	3.7	0.5	95.3	1.0	15.7	1.9
Tennessee	944.0	1.1	1.7	0.3	6.1	1.3	66.9	3.1	0.7	11.9	1.3	0.2	83.3	1.2	13.8	0.8
Alabama	911.1	0.5	1.8	0.1	4.2	1.6	45.0	1.8	1.9	10.0	0.8	0.3	62.2	1.6	11.2	0.9
Mississippi	949.6	0.9	1.7	0.3	4.0	1.0	40.9	3.5	3.0	18.0	0.9	0.4	72.1	1.0	14.3	1.2
WEST SOUTH CENTRAL:																
Arkansas	831.0	1.4	0.6	0.1	5.5	2.1	50.2	3.4	5.7	10.9	2.4	0.4	67.7	0.5	10.2	0.7
Louisiana	939.0	1.6	0.9	0	4.5	1.1	50.5	1.7	1.4	19.4	0.5	0.3	85.0	0.8	16.4	1.1
Oklahoma	934.8	1.1	1.5	0.2	4.1	1.4	43.0	2.7	1.4	10.8	0.2	1.6	93.2	0.9	18.4	1.2
Texas	892.4	1.1	0.9	0.1	3.8	2.0	47.9	6.1	1.0	11.6	0.6	2.4	79.7	0.8	14.2	0.8
MOUNTAIN:																
Montana	1,156.3	0.8	1.0	0.6	3.7	1.0	42.5	2.1	0	9.9	1.2	2.1	126.6	1.2	23.9	3.5
Idaho	945.8	1.0	2.0	1.0	1.0	0.6	18.7	0.8	0	3.2	3.0	0.4	105.2	1.6	21.3	3.8
Wyoming	871.3	0	0.8	0.8	1.2	1.2	14.5	0.8	0	12.6	2.0	2.0	96.3	1.6	15.3	2.4
Colorado	1,097.2	0.2	2.4	0.8	2.0	1.8	40.5	1.7	0.1	12.0	2.9	2.6	122.4	1.4	18.1	2.0
New Mexico	1,027.6	2.2	1.7	0.6	6.7	2.4	66.1	15.4	0.2	14.2	2.4	1.5	66.1	1.9	9.5	2.1
Arizona	843.5	2.0	1.4	0.1	4.3	1.9	98.2	4.0	0	8.5	0.9	1.3	59.5	1.9	8.5	0.7
Utah	797.5	0.3	3.2	0.2	0.9	0	11.2	0.6	0	5.0	2.1	4.1	80.6	2.1	18.6	3.5
Nevada	1,126.7	0.7	2.8	0	2.1	0	62.1	2.1	0.7	18.8	0.7	2.8	96.3	1.4	14.0	0
PACIFIC:																
Washington	1,109.8	0.2	2.3	0.4	1.0	1.3	35.4	0.9	0	11.4	2.2	1.4	127.8	0.9	24.4	2.0
Oregon	1,109.0	0.3	4.0	0.6	1.4	1.1	21.9	0.6	0	9.6	2.5	1.6	135.7	0.8	21.0	2.2
California	1,052.3	0.2	2.2	0.2	1.3	1.1	45.7	0.9	0.1	14.5	0.3	2.0	131.0	0.5	22.2	1.8

[1] Per 100,000 estimated population, excluding the armed forces overseas.

UNITED STATES, EACH DIVISION AND STATE, 1943

of death are those of the 1938 revision of the detailed International List)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1.0	1.6	95.0	318.3	67.3	7.0	9.6	6.1	9.4	74.1	5.4	53.9	10.2	5.0	17.8	56.1	23.3	108.7
0.1	3.0	113.7	429.1	70.9	8.5	6.9	5.5	12.6	72.7	4.2	53.0	11.6	1.2	12.8	57.3	9.0	120.8
0.1	2.3	92.1	434.3	67.2	8.3	5.6	6.1	12.6	76.2	4.4	49.2	12.0	2.4	15.4	53.3	6.2	117.5
0.1	1.0	108.3	363.3	65.0	7.3	7.1	6.3	10.1	78.0	4.3	52.8	11.1	3.5	18.4	53.3	13.2	116.9
0.2	1.0	109.4	318.8	68.0	6.7	5.6	6.7	8.1	75.4	4.1	50.8	10.7	2.6	14.5	59.3	17.6	121.8
2.4	1.7	91.1	218.4	68.9	5.4	13.7	5.0	5.8	87.1	7.8	62.6	8.0	9.6	19.1	55.3	34.1	90.0
3.1	0.8	90.0	197.0	77.9	5.1	13.4	6.4	5.1	75.0	8.0	57.1	6.2	10.3	16.3	50.1	74.6	91.1
3.3	0.9	75.4	198.7	62.4	4.5	17.8	6.7	5.6	62.3	6.7	56.2	6.4	8.0	17.1	58.7	39.2	94.1
0.3	2.4	66.0	229.9	70.0	7.4	20.1	7.4	6.3	56.5	6.0	62.9	10.3	4.3	20.5	80.7	43.6	101.5
0.2	2.5	87.4	322.1	61.1	9.3	6.6	5.2	14.5	58.2	4.0	48.3	14.7	3.9	28.0	59.6	9.8	113.4
0	1.8	139.3	389.9	85.4	4.8	11.2	4.8	8.8	96.2	5.1	72.1	13.1	1.7	14.4	66.3	31.5	141.3
0	3.7	136.0	440.8	93.1	11.1	8.2	6.7	9.5	82.9	5.4	63.4	15.8	0.9	12.1	57.7	18.0	144.5
0.3	2.7	134.0	439.4	91.9	10.1	6.1	9.2	5.2	83.1	4.9	60.2	17.1	0.6	15.6	64.7	18.9	177.4
0.1	3.4	116.2	454.9	74.2	8.2	6.1	5.3	13.8	67.3	4.1	48.8	10.7	0.9	12.4	60.1	4.6	121.2
0	0.8	93.9	409.7	64.3	12.3	9.3	4.5	12.9	91.8	4.4	54.1	6.3	1.5	10.0	50.7	3.1	103.1
0.1	3.3	94.7	388.5	49.6	8.5	5.6	5.7	13.2	62.0	3.5	49.9	13.1	1.6	14.0	47.5	7.6	101.2
0.1	3.0	83.8	471.5	61.5	9.8	5.0	6.3	13.7	62.4	4.1	46.7	13.2	2.4	14.4	53.3	3.0	116.9
0.1	1.8	101.1	407.6	61.6	8.1	5.5	6.7	13.0	75.9	3.8	46.0	11.8	2.3	16.5	49.7	8.8	108.1
0.1	1.7	99.4	395.6	77.5	6.5	6.4	5.5	11.0	95.0	5.2	54.1	10.5	2.5	16.2	54.7	9.3	122.7
0.2	1.0	121.4	359.3	72.4	7.5	9.4	5.7	10.2	78.4	4.7	52.6	11.7	4.4	20.1	58.6	16.2	119.8
0.2	1.2	128.1	342.9	85.2	6.6	9.8	6.7	7.2	103.2	4.4	53.7	11.7	2.8	21.2	61.8	12.9	128.2
0.2	0.8	93.7	412.8	50.9	8.1	5.5	7.0	12.0	89.8	4.2	48.4	10.8	4.1	17.3	50.1	6.8	114.5
0.1	0.9	100.6	327.5	65.9	6.2	6.2	5.8	9.4	53.0	4.2	57.9	10.1	3.3	18.5	46.2	18.1	110.5
0.1	1.4	107.1	333.1	59.6	7.5	4.9	6.4	9.6	63.3	4.2	54.1	11.6	1.1	14.1	52.7	14.2	115.5
0.1	1.3	108.0	310.8	66.0	6.9	3.5	6.3	7.8	40.8	3.3	53.2	10.7	1.2	11.9	58.1	10.0	126.8
0.1	1.2	124.4	341.2	59.8	7.4	4.2	6.9	5.9	68.2	3.5	51.5	11.7	1.0	14.1	59.1	20.0	130.8
0.4	1.0	105.4	347.9	87.0	6.3	8.7	7.0	11.7	105.5	4.9	47.7	10.3	5.0	14.6	55.9	12.2	112.9
0	1.1	89.0	257.8	56.7	6.1	5.0	5.7	6.1	55.3	7.2	61.0	10.3	0.6	16.0	53.6	30.4	104.3
0	1.4	86.2	239.9	62.1	5.4	4.7	8.1	3.8	52.5	3.5	48.7	10.1	1.4	13.0	68.7	53.6	124.3
0	1.1	106.1	294.3	60.3	7.1	4.7	6.0	8.1	76.9	3.4	55.0	12.7	2.4	15.7	59.7	21.1	122.0
0.2	0.4	116.2	301.2	52.0	6.6	5.3	6.9	5.7	84.1	4.3	47.4	9.4	2.8	17.3	66.8	18.8	126.3
0	0.7	112.0	367.3	89.6	6.8	15.3	5.3	8.2	127.7	5.3	57.3	9.2	3.6	22.0	68.6	8.2	107.8
0.1	2.3	91.1	351.7	73.9	6.1	14.0	4.1	8.8	107.4	4.1	56.7	11.9	7.4	19.2	52.1	3.9	93.8
0.2	3.5	58.8	278.2	58.0	5.6	11.6	5.5	12.7	92.5	3.9	54.5	11.6	9.1	9.4	39.0	3.1	98.8
1.2	1.6	95.9	224.7	68.2	6.0	11.1	4.6	4.4	81.5	6.8	64.0	9.5	8.8	19.0	47.1	24.5	90.3
0.5	1.3	87.7	218.2	75.4	5.1	17.1	4.2	5.5	67.9	7.2	68.6	8.5	4.3	14.6	74.6	44.5	93.4
2.9	1.2	85.6	169.9	59.4	4.0	14.0	4.6	3.9	81.7	8.4	65.8	6.9	7.2	20.0	40.5	31.2	78.2
4.5	1.3	97.7	181.4	76.2	4.5	21.2	4.7	3.2	97.7	12.3	67.6	4.8	10.1	19.6	50.1	62.8	85.8
5.5	1.8	97.8	178.8	73.7	5.5	11.9	6.0	4.7	97.6	9.5	63.7	5.5	13.8	20.1	49.2	48.6	87.3
1.6	2.0	90.9	211.1	64.6	6.7	10.5	6.3	8.9	69.3	7.3	55.1	8.2	15.0	22.4	94.7	41.2	104.4
1.4	0.8	102.4	261.5	88.1	6.0	17.5	7.4	6.5	76.1	6.0	65.6	8.5	7.6	18.2	58.0	18.5	100.5
3.1	1.1	92.4	193.4	77.6	5.6	12.3	5.7	4.7	64.5	6.9	53.7	6.1	9.1	15.1	47.5	58.8	92.6
4.4	0.9	81.6	174.6	79.1	4.1	11.4	5.7	4.3	69.5	9.0	54.4	5.2	10.9	16.3	47.5	100.0	88.7
3.7	0.4	82.8	151.9	64.3	4.8	12.4	7.2	4.8	94.8	10.6	54.8	4.8	14.2	15.5	47.2	131.4	80.7
3.6	0.7	76.7	166.0	66.9	4.1	14.0	7.3	4.4	70.3	9.0	36.7	5.9	8.7	12.9	52.3	47.9	81.6
2.0	0.9	72.7	245.2	71.1	4.0	9.2	6.2	7.3	72.3	7.8	60.3	5.5	7.7	16.9	52.1	21.8	90.9
2.5	0.8	94.4	202.6	62.0	5.7	10.3	8.3	5.6	61.5	5.6	57.9	7.2	5.0	15.4	55.7	50.1	102.7
3.9	0.9	70.2	189.2	58.2	4.4	24.3	6.3	5.3	56.8	6.0	59.6	6.7	8.8	18.8	63.8	39.9	96.4
0	2.5	93.5	322.9	63.2	7.6	6.0	6.4	6.2	55.9	4.1	60.9	14.0	3.1	18.0	101.8	38.8	131.1
0.4	0.8	80.5	247.5	54.8	8.2	2.4	9.0	4.8	66.5	5.8	54.0	8.2	1.8	24.3	90.3	23.3	99.6
0	2.4	59.3	254.2	60.1	7.1	3.5	7.9	4.3	70.0	3.5	54.6	13.8	6.7	17.7	75.1	9.8	90.0
0.1	2.6	83.1	274.3	86.2	11.3	16.1	8.5	7.9	75.5	5.4	60.6	13.1	4.6	18.5	75.1	20.8	123.0
1.3	1.7	40.6	125.5	86.3	2.1	50.9	6.2	5.1	42.1	13.3	82.0	7.5	3.0	22.7	98.5	165.5	80.3
0.6	2.8	36.6	149.3	73.2	4.3	48.4	5.7	7.0	35.6	5.4	62.2	8.0	6.0	21.5	67.2	37.0	79.9
0.2	0.8	59.5	229.1	41.5	6.2	3.8	6.2	5.2	44.5	4.3	62.0	5.5	3.3	18.0	64.7	25.9	84.6
0	15.3	63.5	273.5	82.3	12.6	9.8	12.6	9.8	53.7	4.2	68.4	18.8	11.9	37.0	103.2	51.4	114.4
0.1	5.2	101.7	359.5	64.6	9.3	4.9	4.6	8.1	59.1	3.5	51.4	14.4	2.5	19.8	72.0	19.1	118.1
0.2	2.3	107.7	303.0	78.6	8.3	3.4	5.1	6.5	94.3	3.1	42.6	14.9	3.0	20.9	71.1	22.1	118.7
0.2	1.9	81.0	320.7	57.7	9.5	7.4	5.4	17.2	52.7	4.2	48.4	14.7	4.3	31.0	54.9	5.8	111.5

GENERAL NATALITY AND MORTALITY TABLES

TABLE 1.—LIVE BIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1943

STATE OF OCCURRENCE	Total births occurring in State	Births to residents occurring in place of residence	BIRTHS TO NONRESIDENTS[1]														
			Total	Intrastate nonresidents	Interstate nonresidents												
					Total	State of residence											
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	2,934,860	2,096,251	838,609	774,252	64,357	1,381	301	998	2,707	520	1,309	240	589	725	1,020	692	3,845
Alabama	77,042	64,510	12,532	11,644	888	...	4	11	28	5	10	2	9	181	104	1	25
Arizona	15,916	10,716	5,200	3,280	1,920	7	...	50	831	42	5	1	5	10	8	9	47
Arkansas	42,983	34,897	8,086	6,694	1,392	12	3	...	367	10	2	-	1	4	6	1	20
California	172,475	105,300	67,175	66,413	762	16	60	23	...	31	6	-	4	14	8	9	31
Colorado	24,784	17,142	7,642	6,705	937	7	12	11	84	...	5	-	3	7	7	14	37
Connecticut	38,229	23,300	14,929	14,396	533	-	-	1	13	2	...	-	5	5	-	-	6
Delaware	6,529	3,910	2,619	2,079	340	1	-	-	-	-	5	...	-	3	-	-	1
District of Columbia	23,319	15,491	7,828	...	7,828	1	-	1	1	-	2	-	...	3	7	-	3
Florida	48,301	35,114	13,187	10,905	2,282	184	5	30	94	18	21	6	20	...	229	8	107
Georgia	79,215	62,277	16,938	15,090	1,848	702	-	6	16	-	8	1	7	219	...	2	26
Idaho	12,466	6,923	5,543	4,776	767	2	-	-	37	4	4	-	1	3	2	...	17
Illinois	153,291	107,651	45,640	44,239	1,401	6	2	2	7	2	3	-	4	2	4	1	...
Indiana	74,733	50,642	24,091	22,432	1,659	8	1	13	6	-	-	-	5	1	4	1	914
Iowa	48,197	29,182	19,015	17,384	1,631	1	1	2	21	6	-	1	2	2	4	1	680
Kansas	35,223	23,672	11,551	10,249	1,302	7	6	20	33	70	2	1	3	3	10	3	32
Kentucky	65,363	57,401	7,962	6,903	1,059	7	2	4	10	4	5	-	8	8	12	-	47
Louisiana	61,953	47,257	14,696	14,063	633	15	-	42	11	2	2	1	5	13	8	1	32
Maine	18,569	12,473	6,096	5,896	200	2	-	-	1	-	22	-	1	1	-	-	2
Maryland	43,769	33,847	9,922	8,697	1,225	6	-	-	12	2	4	157	271	6	8	-	12
Massachusetts	86,392	55,752	30,640	29,114	1,526	1	1	-	4	-	373	-	4	4	-	-	7
Michigan	125,448	83,192	42,256	41,436	820	1	-	2	5	-	3	-	2	3	4	-	33
Minnesota	58,327	38,961	19,366	18,237	1,129	2	1	-	18	2	1	-	4	1	1	2	33
Mississippi	59,670	52,038	7,632	6,982	650	138	-	11	9	2	3	-	6	10	8	-	17
Missouri	74,518	53,843	20,475	17,054	3,421	20	4	124	36	17	5	1	6	7	14	6	889
Montana	11,268	7,806	3,462	3,260	202	-	-	-	11	3	1	-	1	-	-	27	1
Nebraska	25,097	17,391	7,706	6,881	825	1	2	1	26	41	-	-	3	2	-	1	26
Nevada	3,155	1,882	1,273	981	292	1	7	3	112	13	-	-	-	1	-	9	12
New Hampshire	9,788	6,592	3,196	2,212	984	-	-	1	1	-	30	-	-	2	-	-	1
New Jersey	80,818	40,411	40,407	39,575	832	1	-	-	2	-	10	4	2	4	2	-	2
New Mexico	15,694	12,144	3,550	2,536	1,014	6	121	6	126	53	2	1	1	6	5	2	35
New York	249,380	198,885	50,495	47,579	2,916	2	3	1	13	1	433	4	36	21	8	-	19
North Carolina	94,816	71,960	22,856	21,685	1,171	12	1	8	30	2	4	1	19	18	81	-	29
North Dakota	13,269	7,952	5,317	4,752	565	1	1	-	8	-	-	-	-	-	1	1	6
Ohio	143,849	98,574	45,275	43,022	2,253	5	-	1	12	1	3	-	5	3	5	1	15
Oklahoma	48,797	36,015	12,782	11,239	1,543	19	14	55	102	36	6	1	4	16	20	7	70
Oregon	25,894	15,325	10,569	9,406	1,163	7	3	8	158	19	3	-	2	3	3	175	19
Pennsylvania	199,834	128,560	71,274	68,196	3,078	7	1	1	10	1	25	70	36	17	6	1	15
Rhode Island	14,673	8,888	5,785	5,179	606	-	-	-	1	-	230	1	1	-	-	-	1
South Carolina	53,795	44,453	9,342	9,016	326	1	-	1	1	-	2	-	7	18	59	-	1
South Dakota	12,615	8,342	4,273	3,832	441	-	-	-	4	1	-	-	-	-	-	-	3
Tennessee	71,895	58,863	13,032	10,139	2,893	148	4	417	62	16	15	5	18	51	357	6	94
Texas	165,176	130,416	32,760	31,841	919	1	10	124	34	7	1	-	3	3	3	2	10
Utah	17,879	11,197	6,682	5,716	966	3	29	10	257	57	2	-	7	8	2	131	21
Vermont	7,056	4,506	2,550	2,262	288	-	-	-	2	-	40	-	1	-	1	-	1
Virginia	68,407	52,226	16,181	14,833	1,348	10	-	4	23	3	7	3	51	32	17	-	27
Washington	44,358	28,661	15,697	14,714	983	3	1	-	45	5	-	-	2	3	1	258	24
West Virginia	43,170	34,703	8,467	7,139	1,328	5	-	1	1	-	2	1	12	3	1	1	4
Wisconsin	64,377	41,102	23,275	22,235	1,040	2	2	3	15	3	4	-	2	3	4	1	384
Wyoming	5,688	4,306	1,382	1,154	228	-	-	-	9	39	-	-	-	1	-	10	9

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS[1]—Continued																
	Interstate nonresidents—Continued																
	State of residence—Continued																
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,598	1,051	2,100	1,262	685	575	4,827	1,051	1,150	1,310	826	1,561	341	776	163	563	3,046	531	2,163
Alabama	12	12	6	17	26	4	7	9	16	10	101	6	1	5	1	-	12	2	21
Arizona	15	19	27	7	7	1	3	7	21	28	13	45	15	16	8	1	8	155	34
Arkansas	3	6	11	4	36	3	2	6	14	7	20	118	-	3	-	1	1	-	15
California	11	14	14	9	10	2	8	7	21	25	4	34	7	7	27	2	11	11	23
Colorado	20	29	51	9	5	2	6	16	21	27	3	31	7	105	4	3	11	53	36
Connecticut	1	1	1	1	2	6	1	101	1	2	-	1	-	1	-	4	15	-	291
Delaware	-	1	-	-	-	-	96	3	-	-	-	-	-	-	-	-	59	-	21
District of Columbia	1	1	1	2	2	1	3,746	5	-	1	-	3	-	-	-	1	10	-	11
Florida	51	34	22	55	55	20	29	71	52	35	40	57	4	13	2	3	66	9	174
Georgia	13	3	2	18	18	1	6	27	18	9	16	10	1	6	-	2	28	-	54
Idaho	2	5	3	-	3	-	1	8	3	9	1	3	30	6	12	-	4	-	4
Illinois	599	107	7	84	5	1	3	2	86	8	4	255	-	3	-	-	1	1	24
Indiana	...	6	4	120	1	-	1	6	169	2	3	11	-	-	1	1	1	1	3
Iowa	7	...	11	1	5	1	1	-	7	178	1	205	1	264	1	-	-	-	2
Kansas	11	29	...	11	9	3	-	7	28	18	2	447	3	58	1	-	4	6	21
Kentucky	175	7	6	...	6	1	15	2	19	5	7	9	2	2	-	1	5	1	25
Louisiana	15	10	12	10	...	3	2	10	9	5	112	8	1	11	-	1	9	1	20
Maine	3	-	-	1	2	...	2	47	1	-	-	-	-	-	1	74	8	-	11
Maryland	2	4	2	9	3	3	...	12	7	2	2	-	-	3	-	1	19	-	36
Massachusetts	3	-	1	-	-	74	6	...	4	3	1	-	-	1	2	292	21	-	145
Michigan	175	5	1	9	3	-	6	7	...	10	3	10	5	3	1	3	6	-	16

[1] See discussion on p. 3 for definition of nonresident.

TABLE 1.—LIVE BIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1943—Continued

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS[1]—Continued																	
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
Minnesota	2	132	6	1	-	-	-	1	30	...	-	8	3	6	2	-	3	1	9
Mississippi	12	6	2	6	230	-	1	6	9	4	...	14	-	-	-	1	7	-	14
Missouri	44	150	1,500	22	8	4	12	7	45	53	12	...	3	53	2	2	16	3	40
Montana	1	-	-	-	-	-	-	-	2	8	-	3	...	3	1	-	-	-	-
Nebraska	6	216	183	1	4	-	2	3	2	17	-	20	3	...	1	-	1	4	8
Nevada	3	2	4	1	9	-	-	2	4	3	2	3	8	1	...	-	2	7	6
New Hampshire	-	1	-	1	-	402	-	126	3	1	1	-	-	-	-	...	9	-	10
New Jersey	2	1	1	-	1	-	19	9	4	2	2	2	-	-	1	1	...	-	299
New Mexico	10	12	17	7	17	1	5	3	10	13	7	14	10	8	3	1	6	...	18
New York	9	4	4	3	8	13	28	54	21	5	-	5	1	4	-	4	1,252	1	...
North Carolina	14	2	8	13	9	5	38	22	17	4	10	19	2	5	-	3	25	-	57
North Dakota	1	2	-	-	1	-	1	-	2	358	-	-	92	2	-	-	-	-	1
Ohio	237	3	3	412	3	-	14	2	244	5	2	7	-	-	1	-	3	1	31
Oklahoma	33	31	126	11	28	1	6	13	39	43	17	50	3	26	-	-	21	15	61
Oregon	9	8	17	7	3	1	1	7	11	22	1	17	11	20	2	-	6	9	17
Pennsylvania	11	3	-	22	3	2	515	19	22	5	2	2	-	2	-	-	1,301	2	366
Rhode Island	-	-	-	-	-	-	-	337	-	-	-	1	-	-	-	3	5	-	6
South Carolina	2	1	-	-	-	-	12	2	4	-	1	-	1	-	-	1	5	-	7
South Dakota	2	51	-	-	-	-	-	-	3	42	1	3	20	73	-	-	1	1	1
Tennessee	43	21	20	214	29	4	23	27	44	21	423	81	3	15	-	4	35	6	90
Texas	4	4	5	2	113	-	-	2	6	5	3	10	1	2	-	-	2	227	9
Utah	6	7	5	5	7	-	-	5	7	13	4	17	18	12	88	1	9	9	10
Vermont	1	-	-	1	-	5	1	32	1	-	1	-	-	-	-	150	3	-	40
Virginia	9	5	2	12	5	4	66	11	18	9	3	9	1	-	-	1	27	2	52
Washington	4	12	6	3	3	1	1	6	4	16	-	13	43	7	2	-	3	3	12
West Virginia	2	-	-	147	1	-	141	2	9	-	-	-	-	-	-	-	2	-	4
Wisconsin	10	79	5	4	3	6	-	-	89	276	1	7	2	5	-	-	2	-	9
Wyoming	2	5	4	-	2	-	-	-	3	1	-	3	41	27	1	1	1	-	1

STATE OF OCCURRENCE	BIRTHS TO NONRESIDENTS[1]—Continued																	Total births to residents
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	923	718	2,491	1,385	719	2,810	600	675	642	1,201	2,256	248	535	5,098	1,145	1,530	1,113	382	2,934,860
Alabama	15	3	24	10	3	22	-	19	-	93	23	3	1	10	4	3	7	-	77,535
Arizona	4	5	23	152	11	25	-	7	9	11	176	12	-	6	15	5	13	3	14,297
Arkansas	5	-	9	262	2	7	-	2	1	27	395	1	-	1	2	-	4	-	42,589
California	7	9	27	39	52	22	-	-	5	8	51	6	-	5	69	4	6	5	174,420
Colorado	4	9	25	20	13	25	-	-	13	5	47	40	2	3	22	7	11	65	24,367
Connecticut	3	-	2	-	-	15	28	1	-	2	1	-	8	9	3	-	-	-	39,005
Delaware	2	-	-	-	-	136	-	-	-	1	2	-	-	7	-	1	1	-	6,229
District of Columbia	13	-	3	2	1	23	1	18	-	3	4	-	-	3,950	-	6	1	-	16,080
Florida	89	6	96	30	14	140	20	48	9	52	105	9	9	60	25	18	34	4	46,744
Georgia	53	1	35	3	2	34	2	285	3	155	13	1	2	20	5	4	10	1	78,387
Idaho	2	2	7	3	106	5	-	1	6	2	12	66	-	1	361	1	4	24	12,391
Illinois	4	2	22	1	-	11	-	2	2	3	8	-	-	10	6	1	106	-	155,735
Indiana	5	2	309	5	-	11	-	2	1	8	14	-	-	6	2	1	10	-	74,672
Iowa	-	2	2	3	1	4	-	-	127	2	5	1	-	1	6	-	89	2	47,617
Kansas	-	3	30	270	3	9	1	6	8	9	66	9	2	8	9	3	17	5	38,021
Kentucky	6	1	253	9	3	17	-	4	1	237	11	2	1	51	1	60	6	1	65,566
Louisiana	13	-	16	7	4	20	2	2	3	14	165	-	-	4	2	-	6	4	62,005
Maine	1	-	2	1	-	5	3	-	-	-	-	-	3	3	1	1	1	-	18,944
Maryland	29	2	16	3	5	192	4	8	1	10	5	-	1	146	6	227	5	2	47,371
Massachusetts	1	-	5	1	1	27	489	1	-	-	1	-	46	4	1	1	1	-	85,917
Michigan	2	-	98	4	-	12	1	-	-	4	40	-	-	3	2	3	335	-	125,778
Minnesota	1	333	3	2	2	4	-	1	186	-	15	2	-	-	11	1	297	2	58,508
Mississippi	3	1	10	3	7	12	-	5	-	71	8	1	-	6	4	2	3	-	59,846
Missouri	10	10	49	84	4	13	-	9	12	19	49	-	1	10	5	7	34	2	72,458
Montana	-	68	-	1	6	-	-	-	6	1	9	2	-	-	30	-	1	16	11,407
Nebraska	4	3	4	2	4	4	-	1	114	2	8	2	-	1	10	1	6	85	25,048
Nevada	-	1	-	12	3	5	-	-	3	2	14	27	1	-	3	3	3	-	3,026
New Hampshire	3	-	-	-	-	1	2	-	-	-	1	-	383	2	-	2	1	-	9,367
New Jersey	2	-	2	-	-	437	4	2	1	-	2	-	-	7	-	2	2	-	83,032
New Mexico	4	3	32	73	9	10	-	2	7	4	313	4	-	4	9	1	8	5	15,211
New York	9	-	31	3	2	778	14	2	-	1	16	-	55	36	3	6	3	-	248,627
North Carolina	...	-	43	8	5	46	5	177	3	89	26	5	1	271	3	22	9	-	94,568
North Dakota	-	...	2	1	1	3	-	-	62	-	6	2	-	-	11	-	-	1	13,422
Ohio	12	2	...	16	1	364	1	3	-	10	12	1	1	11	2	792	5	1	144,087
Oklahoma	41	14	48	...	11	54	1	15	5	19	387	5	3	12	22	8	21	3	48,639
Oregon	4	11	15	19	...	24	1	1	7	7	39	5	3	5	432	2	14	5	25,450
Pennsylvania	16	3	417	4	6	...	8	17	4	-	6	-	1	42	3	79	7	-	199,366
Rhode Island	-	-	1	-	-	12	...	1	-	1	1	-	2	2	-	-	-	-	14,667
South Carolina	170	-	-	-	1	12	-	...	2	-	3	-	-	11	-	-	1	-	54,144
South Dakota	-	185	1	1	-	-	-	-	...	-	-	-	-	4	-	-	2	42	12,816
Tennessee	108	8	64	34	5	64	3	20	9	...	59	7	2	169	10	18	19	-	70,203
Texas	2	1	9	265	2	9	-	-	2	2	...	3	3	19	3	1	4	1	184,513
Utah	2	8	16	6	19	6	-	2	8	3	28	...	-	7	26	3	8	76	17,161
Vermont	1	-	1	-	-	1	1	-	-	-	1	1	...	2	-	-	-	-	7,303
Virginia	255	1	28	8	4	57	7	9	1	310	32	3	4	...	5	204	7	-	72,157
Washington	4	15	5	6	399	-	1	1	2	5	9	6	-	3	...	29	10	7	44,520
West Virginia	9	-	688	2	1	121	-	1	-	4	4	-	-	157	1	...	1	-	43,372
Wisconsin	5	1	16	6	3	9	1	-	6	4	54	-	-	10	3	1	...	-	64,450
Wyoming	-	3	2	4	3	2	-	-	13	1	10	22	-	1	7	-	-	...	5,822

[1] See discussion on p. 6 for definition of nonresident.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943

(Births, deaths, and deaths under 1 year, exclusive of stillbirths. By place of residence. White and nonwhite are shown separately for those counties and urban places in which the 1940 populations for nonwhite races formed 10 percent or more of the total, or numbered 10,000 or more)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
UNITED STATES	2,934,860	1,459,544	118,484	40.4	78,485
White	2,594,763	1,280,887	97,229	37.5	62,776
Nonwhite	340,097	178,657	21,255	62.5	15,709
Urban	1,714,164	909,078	67,939	39.6	48,312
White	1,555,684	805,695	57,456	36.9	40,309
Nonwhite	158,480	103,383	10,483	66.1	8,003
Places of 100,000 or more	821,715	464,170	29,800	36.3	26,198
White	733,214	405,910	24,367	33.2	21,803
Nonwhite	88,501	58,260	5,433	61.4	4,395
Places of 25,000 to 100,000	356,269	181,340	14,676	41.2	8,775
White	326,473	162,301	12,610	38.6	7,192
Nonwhite	29,796	19,039	2,066	69.3	1,583
Places of 10,000 to 25,000	241,117	117,812	10,337	42.9	5,851
White	223,167	106,069	8,981	40.2	4,905
Nonwhite	17,950	11,743	1,356	75.5	946
Places of 2,500 to 10,000	295,063	145,756	13,126	44.5	7,488
White	272,830	131,415	11,498	42.1	6,409
Nonwhite	22,233	14,341	1,628	73.2	1,079
Rural	1,220,696	550,466	50,545	41.4	30,173
White	1,039,079	475,192	39,773	38.3	22,467
Nonwhite	181,617	75,274	10,772	59.3	7,706
Section A (States)					
ALABAMA	77,535	26,373	3,477	44.8	2,361
White	50,083	14,812	1,874	37.4	1,136
Nonwhite	27,452	11,561	1,603	58.4	1,225
Urban	25,378	10,778	1,259	49.6	841
White	16,457	5,880	638	38.8	372
Nonwhite	8,921	4,898	621	69.6	469
Places of 10,000 or more	18,836	8,474	961	51.0	661
White	11,785	4,469	456	38.7	265
Nonwhite	7,051	4,005	505	71.6	396
Places of 2,500 to 10,000	6,542	2,304	298	45.6	180
White	4,672	1,411	182	39.0	107
Nonwhite	1,870	893	116	62.0	73
Rural	52,157	15,595	2,218	42.5	1,520
White	33,626	8,932	1,236	36.8	764
Nonwhite	18,531	6,663	982	53.0	756
ARIZONA	14,297	5,927	1,097	76.7	361
White	12,620	4,803	792	62.8	311
Nonwhite	1,677	1,124	305	181.9	50
Urban	7,611	3,477	543	71.3	192
White	7,218	3,229	495	68.6	181
Nonwhite	393	248	48	122.1	11
Places of 10,000 or more	4,548	2,307	306	67.3	118
White	4,240	2,116	272	64.2	110
Nonwhite	308	191	34	110.4	8
Places of 2,500 to 10,000	3,063	1,170	237	77.4	74
White	2,978	1,113	223	74.9	71
Nonwhite	85	57	14	164.7	3
Rural	6,686	2,450	554	82.9	169
White	5,402	1,574	297	55.0	130
Nonwhite	1,284	876	257	200.2	39
ARKANSAS	42,589	15,539	1,594	37.4	990
White	32,469	10,750	1,126	34.7	661
Nonwhite	10,120	4,789	468	46.2	329
Urban	12,107	5,832	466	38.5	289
White	9,828	4,068	349	35.5	211
Nonwhite	2,279	1,764	117	51.3	78
Places of 10,000 or more	6,809	3,412	243	35.7	172
White	5,542	2,341	174	31.4	126
Nonwhite	1,267	1,071	69	54.5	46
Places of 2,500 to 10,000	5,298	2,420	223	42.1	117
White	4,286	1,727	175	40.8	85
Nonwhite	1,012	693	48	47.4	32
Rural	30,482	9,707	1,128	37.0	701
White	22,641	6,682	777	34.3	450
Nonwhite	7,841	3,025	351	44.8	251
CALIFORNIA	174,420	89,109	5,999	34.4	3,210
White	166,880	85,166	5,665	33.9	3,006
Nonwhite	7,540	3,943	334	44.3	204
Urban	132,084	65,627	4,364	33.0	2,403
White	126,148	62,777	4,120	32.7	2,248
Nonwhite	5,936	2,850	244	41.1	155
Section A (States)—Continued					
CALIFORNIA—Continued					
Places of 10,000 or more	112,141	57,667	3,607	32.2	2,017
White	106,666	54,974	3,378	31.7	1,873
Nonwhite	5,475	2,693	229	41.8	144
Places of 2,500 to 10,000	19,943	7,960	757	38.0	386
White	19,482	7,803	742	38.1	375
Nonwhite	461	157	15	32.5	11
Rural	42,336	23,482	1,635	38.6	807
White	40,732	22,389	1,545	37.9	758
Nonwhite	1,604	1,093	90	56.1	49
COLORADO	24,367	12,761	1,228	50.4	538
White	23,676	12,382	1,205	50.9	524
Nonwhite	691	379	23	33.3	14
Urban	14,744	8,259	715	48.5	318
White	14,367	7,990	699	48.7	307
Nonwhite	377	269	16	42.4	11
Places of 10,000 or more	11,626	6,616	494	42.5	248
White	11,290	6,361	478	42.3	238
Nonwhite	336	255	16	47.6	10
Places of 2,500 to 10,000	3,118	1,643	221	70.9	70
White	3,077	1,629	221	71.8	69
Nonwhite	41	14	-	0	1
Rural	9,623	4,502	513	53.3	220
White	9,309	4,392	506	54.4	217
Nonwhite	314	110	7	22.3	3
CONNECTICUT	39,005	20,014	1,162	29.8	774
White	38,083	19,498	1,128	29.6	750
Nonwhite	922	516	34	36.9	24
Urban	26,922	13,666	849	31.5	592
White	26,087	13,239	819	31.4	570
Nonwhite	835	427	30	35.9	22
Places of 10,000 or more	25,682	13,013	796	31.0	567
White	24,850	12,591	766	30.8	545
Nonwhite	832	422	30	36.1	22
Places of 2,500 to 10,000	1,240	653	53	42.7	25
White	1,237	648	53	42.8	25
Nonwhite	3	5	-	0	-
Rural	12,083	6,348	313	25.9	182
White	11,996	6,259	309	25.8	180
Nonwhite	87	89	4	46.0	2
DELAWARE	6,229	3,497	291	46.7	182
White	5,307	2,851	215	40.5	133
Nonwhite	922	646	76	82.4	49
Urban	3,289	1,901	169	51.4	94
White	2,792	1,527	123	44.1	72
Nonwhite	497	374	46	92.6	22
Places of 10,000 or more	2,611	1,509	139	53.2	73
White	2,226	1,229	102	45.8	57
Nonwhite	385	280	37	96.1	16
Places of 2,500 to 10,000	678	392	30	44.2	21
White	566	298	21	37.1	15
Nonwhite	112	94	9	80.4	6
Rural	2,940	1,596	122	41.5	88
White	2,515	1,324	92	36.6	61
Nonwhite	425	272	30	70.6	27
DISTRICT OF COLUMBIA	16,080	8,787	765	47.6	463
White	10,825	5,600	360	33.3	237
Nonwhite	5,255	3,187	405	77.1	226
FLORIDA	46,744	23,462	2,181	46.7	1,623
White	34,691	16,187	1,351	38.9	925
Nonwhite	12,053	7,275	830	68.9	698
Urban	26,614	14,230	1,242	46.7	880
White	19,926	9,616	749	37.6	492
Nonwhite	6,688	4,614	493	73.7	388
Places of 10,000 or more	20,886	10,835	968	46.3	697
White	15,960	7,453	601	37.7	387
Nonwhite	4,926	3,382	367	74.5	310
Places of 2,500 to 10,000	5,728	3,395	274	47.8	183
White	3,966	2,163	148	37.3	105
Nonwhite	1,762	1,232	126	71.5	78
Rural	20,130	9,232	939	46.6	743
White	14,765	6,571	602	40.8	433
Nonwhite	5,365	2,661	337	62.8	310

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section A (States)—Continued					
GEORGIA	78,387	30,101	3,656	46.6	2,673
White	50,187	16,917	1,909	38.0	1,254
Nonwhite	28,200	13,184	1,747	62.0	1,419
Urban	31,235	13,839	1,559	49.9	1,107
White	21,421	7,350	829	38.7	554
Nonwhite	9,814	6,489	730	74.4	553
Places of 10,000 or more	23,365	10,605	1,153	49.3	830
White	16,068	5,554	617	38.4	407
Nonwhite	7,297	5,051	536	73.5	423
Places of 2,500 to 10,000	7,870	3,234	406	51.6	277
White	5,353	1,796	212	39.6	147
Nonwhite	2,517	1,438	194	77.1	130
Rural	47,152	16,262	2,097	44.5	1,566
White	28,766	9,567	1,080	37.5	700
Nonwhite	18,386	6,695	1,017	55.3	866
IDAHO	12,391	4,712	396	32.0	233
White	12,268	4,648	381	31.1	225
Nonwhite	123	64	15	122.0	8
Urban	5,288	2,074	213	40.3	88
White	5,266	2,066	211	40.1	87
Nonwhite	22	8	2	90.9	1
Places of 10,000 or more	3,133	1,200	130	41.5	56
White	3,123	1,193	129	41.3	55
Nonwhite	10	7	1	100.0	1
Places of 2,500 to 10,000	2,155	874	83	38.5	32
White	2,143	873	82	38.3	32
Nonwhite	12	1	1	83.3	-
Rural	7,103	2,638	183	25.8	145
White	7,002	2,582	170	24.3	138
Nonwhite	101	56	13	128.7	7
ILLINOIS	155,735	92,058	5,184	33.3	3,470
White	146,475	85,276	4,667	31.9	3,161
Nonwhite	9,260	6,782	517	55.8	309
Urban	118,829	67,682	3,609	32.1	2,702
White	109,989	61,749	3,543	30.4	2,413
Nonwhite	8,840	5,933	466	52.7	289
Places of 10,000 or more	102,785	58,743	3,242	31.5	2,323
White	94,174	53,008	2,788	29.6	2,040
Nonwhite	8,611	5,735	454	52.7	283
Places of 2,500 to 10,000	16,044	8,939	567	35.3	379
White	15,815	8,741	555	35.1	373
Nonwhite	229	198	12	52.4	6
Rural	36,906	24,376	1,375	37.3	768
White	36,486	23,527	1,324	36.3	748
Nonwhite	420	849	51	121.4	20
INDIANA	74,672	41,257	2,960	39.6	1,514
White	72,084	39,028	2,762	38.3	1,416
Nonwhite	2,588	2,229	198	76.5	98
Urban	45,155	23,867	1,871	41.4	952
White	42,638	21,837	1,681	39.4	854
Nonwhite	2,517	2,030	190	75.5	98
Places of 10,000 or more	37,826	19,475	1,572	41.6	828
White	35,348	17,498	1,383	39.1	733
Nonwhite	2,478	1,977	189	76.3	95
Places of 2,500 to 10,000	7,329	4,392	299	40.8	124
White	7,290	4,339	298	40.9	121
Nonwhite	39	53	1	25.6	3
Rural	29,517	17,390	1,089	36.9	562
White	29,446	17,191	1,081	36.7	562
Nonwhite	71	199	8	112.7	-
IOWA	47,617	26,189	1,618	34.0	949
White	47,276	25,906	1,600	33.8	939
Nonwhite	341	283	18	52.8	10
Urban	21,488	13,175	838	39.0	424
White	21,174	12,931	822	38.8	415
Nonwhite	314	244	16	51.0	9
Places of 10,000 or more	16,123	8,758	618	38.3	307
White	15,827	8,542	603	38.1	298
Nonwhite	296	216	15	50.7	9
Places of 2,500 to 10,000	5,365	4,417	220	41.0	117
White	5,347	4,389	219	41.0	117
Nonwhite	18	28	1	55.6	-
Rural	26,129	13,014	780	29.9	525
White	26,102	12,975	778	29.8	524
Nonwhite	27	39	2	74.1	1
Section A (States)—Continued					
KANSAS	36,021	19,021	1,212	33.6	652
White	34,699	17,959	1,134	32.7	609
Nonwhite	1,322	1,062	78	59.0	43
Urban	19,120	9,341	745	39.0	353
White	17,955	8,493	679	37.8	317
Nonwhite	1,165	848	66	56.7	36
Places of 10,000 or more	14,428	6,724	539	37.4	268
White	13,387	5,951	481	35.9	235
Nonwhite	1,041	773	58	55.7	33
Places of 2,500 to 10,000	4,692	2,617	206	43.9	85
White	4,568	2,542	198	43.3	82
Nonwhite	124	75	8	64.5	3
Rural	16,901	9,680	467	27.6	299
White	16,744	9,466	455	27.2	292
Nonwhite	157	214	12	76.4	7
KENTUCKY	65,566	29,051	3,280	50.0	1,619
White	62,138	25,291	3,002	48.3	1,495
Nonwhite	3,428	3,760	278	81.1	124
Urban	21,125	12,106	1,156	54.7	559
White	19,117	9,687	992	51.9	492
Nonwhite	2,008	2,419	164	81.7	67
Places of 10,000 or more	15,775	9,190	836	53.0	387
White	14,215	7,336	705	49.6	334
Nonwhite	1,560	1,854	131	84.0	53
Places of 2,500 to 10,000	5,350	2,916	320	59.8	172
White	4,902	2,351	287	58.5	158
Nonwhite	448	565	33	73.7	14
Rural	44,441	16,945	2,124	47.8	1,060
White	43,021	15,604	2,010	46.7	1,003
Nonwhite	1,420	1,341	114	80.3	57
LOUISIANA	62,005	24,007	2,773	44.7	1,865
White	38,392	13,494	1,333	34.7	844
Nonwhite	23,613	10,513	1,440	61.0	1,021
Urban	27,888	12,923	1,341	48.1	916
White	18,855	7,783	718	38.1	455
Nonwhite	9,033	5,140	623	69.0	461
Places of 10,000 or more	20,518	10,023	966	47.1	662
White	13,563	6,123	501	36.9	330
Nonwhite	6,955	3,900	465	66.9	332
Places of 2,500 to 10,000	7,370	2,900	375	50.9	254
White	5,292	1,660	217	41.0	125
Nonwhite	2,078	1,240	158	76.0	129
Rural	34,117	11,084	1,432	42.0	949
White	19,537	5,711	615	31.5	389
Nonwhite	14,580	5,373	817	56.0	560
MAINE	18,944	10,902	972	51.3	324
White	18,899	10,869	969	51.3	323
Nonwhite	45	33	3	66.7	1
Urban	7,704	4,493	436	56.6	137
White	7,681	4,473	433	56.4	137
Nonwhite	23	20	3	130.4	-
Places of 10,000 or more	5,999	3,398	319	53.2	101
White	5,982	3,378	316	52.8	101
Nonwhite	17	20	3	176.5	-
Places of 2,500 to 10,000	1,705	1,095	117	68.6	36
White	1,699	1,095	117	68.9	36
Nonwhite	6	-	-	0	-
Rural	11,240	6,409	536	47.7	187
White	11,218	6,396	536	47.8	186
Nonwhite	22	13	-	0	1
MARYLAND	47,371	24,113	2,037	43.0	1,583
White	38,770	18,782	1,428	36.8	1,085
Nonwhite	8,601	5,331	609	70.8	498
Urban	28,089	15,010	1,208	43.0	955
White	22,552	11,524	825	36.6	645
Nonwhite	5,537	3,486	383	69.2	310
Places of 10,000 or more	25,451	14,066	1,128	44.3	875
White	20,106	10,713	756	37.6	570
Nonwhite	5,345	3,353	372	69.6	305
Places of 2,500 to 10,000	2,638	944	80	30.3	80
White	2,446	811	69	28.2	75
Nonwhite	192	133	11	57.3	5
Rural	19,282	9,103	829	43.0	628
White	16,218	7,258	603	37.2	440
Nonwhite	3,064	1,845	226	73.8	188

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section A (States)—Continued					
MASSACHUSETTS	85,917	54,653	2,939	34.2	2,014
White	84,682	53,661	2,876	34.0	1,966
Nonwhite	1,235	992	63	51.0	48
Urban	77,021	48,210	2,650	34.4	1,814
White	75,910	47,306	2,592	34.1	1,774
Nonwhite	1,111	904	58	52.2	40
Places of 10,000 or more	71,430	44,906	2,470	34.6	1,684
White	70,372	44,028	2,416	34.3	1,647
Nonwhite	1,058	878	54	51.0	37
Places of 2,500 to 10,000	5,591	3,304	180	32.2	130
White	5,538	3,278	176	31.8	127
Nonwhite	53	26	4	75.5	3
Rural	8,896	6,443	289	32.5	200
White	8,772	6,355	284	32.4	192
Nonwhite	124	88	5	40.3	8
MICHIGAN	125,778	57,046	4,813	38.3	3,196
White	120,055	53,706	4,495	37.4	2,927
Nonwhite	5,723	3,340	318	55.6	269
Urban	86,974	35,261	3,232	37.2	2,307
White	81,549	32,557	2,932	36.0	2,050
Nonwhite	5,425	2,704	300	55.3	257
Places of 10,000 or more	75,683	30,604	2,793	36.9	2,018
White	70,428	27,967	2,504	35.6	1,766
Nonwhite	5,255	2,637	289	55.0	252
Places of 2,500 to 10,000	11,291	4,657	439	38.9	289
White	11,121	4,590	428	38.5	284
Nonwhite	170	67	11	64.7	5
Rural	38,804	21,785	1,581	40.7	889
White	38,506	21,149	1,563	40.6	877
Nonwhite	298	636	18	60.4	12
MINNESOTA	58,508	26,991	1,809	30.9	1,193
White	58,006	26,598	1,749	30.2	1,173
Nonwhite	502	393	60	119.5	20
Urban	30,398	15,266	1,008	33.2	626
White	30,302	15,069	994	32.8	616
Nonwhite	96	197	14	145.8	10
Places of 10,000 or more	23,318	11,595	693	29.7	480
White	23,239	11,415	680	29.3	471
Nonwhite	79	180	13	164.6	9
Places of 2,500 to 10,000	7,080	3,671	315	44.5	146
White	7,063	3,654	314	44.5	145
Nonwhite	17	17	1	58.8	1
Rural	28,110	11,725	801	28.5	567
White	27,704	11,529	755	27.3	557
Nonwhite	406	196	46	113.3	10
MISSISSIPPI	59,846	21,193	2,800	46.8	2,180
White	27,820	9,390	1,169	42.0	675
Nonwhite	32,026	11,803	1,631	50.9	1,505
Urban	12,102	5,573	730	60.3	453
White	7,954	2,880	430	54.2	219
Nonwhite	4,148	2,693	300	72.0	234
Places of 10,000 or more	7,803	3,492	437	56.0	288
White	5,126	1,760	258	50.3	130
Nonwhite	2,677	1,732	179	66.9	158
Places of 2,500 to 10,000	4,299	2,081	293	68.2	165
White	2,828	1,120	172	61.3	89
Nonwhite	1,491	961	121	81.2	76
Rural	47,744	15,620	2,070	43.4	1,727
White	19,886	6,510	739	37.2	456
Nonwhite	27,858	9,110	1,331	47.8	1,271
MISSOURI	72,458	44,289	2,918	40.3	1,889
White	67,391	39,779	2,564	38.0	1,589
Nonwhite	5,067	4,510	354	69.9	300
Urban	40,432	26,259	1,629	40.3	1,185
White	36,366	22,543	1,378	37.9	916
Nonwhite	4,066	3,716	251	61.7	269
Places of 10,000 or more	33,532	22,320	1,355	40.4	989
White	29,796	18,922	1,117	37.5	730
Nonwhite	3,736	3,398	238	63.7	259
Places of 2,500 to 10,000	6,900	3,939	274	39.7	196
White	6,570	3,621	261	39.7	186
Nonwhite	330	318	13	39.4	10
Rural	32,026	18,030	1,289	40.2	704
White	31,025	17,236	1,186	38.2	673
Nonwhite	1,001	794	103	102.9	31
Section A (States)—Continued					
MONTANA	11,407	5,601	442	38.7	212
White	10,754	5,277	379	35.2	203
Nonwhite	653	324	63	96.5	9
Urban	5,315	2,567	203	38.2	92
White	5,272	2,542	202	38.3	90
Nonwhite	43	25	1	23.3	2
Places of 10,000 or more	3,623	1,731	141	38.9	65
White	3,597	1,710	141	39.2	63
Nonwhite	26	21	-	0	2
Places of 2,500 to 10,000	1,692	836	62	36.6	27
White	1,675	832	61	36.4	27
Nonwhite	17	4	1	58.8	-
Rural	6,092	3,034	239	39.2	120
White	5,482	2,735	177	32.3	113
Nonwhite	610	299	62	101.6	7
NEBRASKA	25,048	13,062	889	35.5	496
White	24,614	12,723	856	34.8	481
Nonwhite	434	339	33	76.0	15
Urban	11,040	6,075	440	39.9	239
White	10,732	5,824	422	39.3	227
Nonwhite	308	251	18	58.4	12
Places of 10,000 or more	8,722	4,656	337	38.6	181
White	8,437	4,417	320	37.9	171
Nonwhite	285	239	17	59.6	10
Places of 2,500 to 10,000	2,318	1,419	103	44.4	58
White	2,295	1,407	102	44.4	56
Nonwhite	23	12	1	43.5	2
Rural	14,008	6,987	449	32.1	257
White	13,882	6,899	434	31.3	254
Nonwhite	126	88	15	119.0	3
NEVADA	3,026	1,615	158	52.2	58
White	2,817	1,460	136	48.3	51
Nonwhite	209	155	22	105.3	7
Urban	1,357	754	64	47.2	23
White	1,315	704	59	44.9	22
Nonwhite	42	50	5	119.0	1
Places of 10,000 or more	545	332	23	42.2	10
White	535	323	21	39.3	10
Nonwhite	10	9	2	200.0	-
Places of 2,500 to 10,000	812	422	41	50.5	13
White	780	381	38	48.7	12
Nonwhite	32	41	3	93.8	1
Rural	1,669	861	94	56.3	35
White	1,502	756	77	51.3	29
Nonwhite	167	105	17	101.8	6
NEW HAMPSHIRE	9,367	6,246	432	46.1	168
White	9,352	6,238	431	46.1	168
Nonwhite	15	8	1	66.7	-
Urban	5,628	3,567	283	50.3	104
White	5,615	3,566	283	50.4	104
Nonwhite	13	1	-	0	-
Places of 10,000 or more	4,823	3,126	254	52.7	91
White	4,811	3,125	254	52.8	91
Nonwhite	12	1	-	0	-
Places of 2,500 to 10,000	805	441	29	36.0	13
White	804	441	29	36.1	13
Nonwhite	1	-	-	0	-
Rural	3,739	2,679	149	39.9	64
White	3,737	2,672	148	39.6	64
Nonwhite	2	7	1	500.0	-
NEW JERSEY	83,032	50,281	2,796	33.7	2,081
White	77,421	46,569	2,441	31.5	1,845
Nonwhite	5,611	3,712	355	63.3	236
Urban	67,607	39,561	2,235	33.1	1,695
White	62,872	36,559	1,948	31.0	1,497
Nonwhite	4,735	3,002	287	60.6	198
Places of 10,000 or more	54,868	32,445	1,858	33.9	1,420
White	50,586	29,783	1,607	31.8	1,238
Nonwhite	4,282	2,662	251	58.6	182
Places of 2,500 to 10,000	12,739	7,116	377	29.6	275
White	12,286	6,776	341	27.8	259
Nonwhite	453	340	36	79.5	16
Rural	15,425	10,720	561	36.4	386
White	14,549	10,010	493	33.9	348
Nonwhite	876	710	68	77.6	38

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section A (States)—Continued					
NEW MEXICO	15,211	5,488	1,394	91.6	357
White	14,275	4,950	1,232	86.3	326
Nonwhite	936	538	162	173.1	31
Urban	6,254	2,106	507	81.1	131
White	6,091	2,029	493	80.9	124
Nonwhite	163	77	14	85.9	7
Places of 10,000 or more	3,002	951	212	70.6	52
White	2,897	907	202	69.7	49
Nonwhite	105	44	10	95.2	3
Places of 2,500 to 10,000	3,252	1,155	295	90.7	79
White	3,194	1,122	291	91.1	75
Nonwhite	58	33	4	69.0	4
Rural	8,957	3,382	887	99.0	226
White	8,184	2,921	739	90.3	202
Nonwhite	773	461	148	191.5	24
NEW YORK	248,627	162,186	8,126	32.7	12,007
White	236,922	153,757	7,477	31.6	10,953
Nonwhite	11,705	8,429	649	55.4	1,054
Urban	204,505	129,507	6,622	32.4	10,964
White	193,442	121,880	6,024	31.1	9,931
Nonwhite	11,063	7,627	598	54.1	1,033
Places of 10,000 or more	191,557	121,631	6,173	32.2	10,619
White	180,693	114,141	5,585	30.9	9,593
Nonwhite	10,864	7,490	588	54.1	1,026
Places of 2,500 to 10,000	12,948	7,876	449	34.7	345
White	12,749	7,739	439	34.4	338
Nonwhite	199	137	10	50.3	7
Rural	44,122	32,679	1,504	34.1	1,043
White	43,480	31,877	1,453	33.4	1,022
Nonwhite	642	802	51	79.4	21
NORTH CAROLINA	94,568	29,971	4,416	46.7	2,567
White	66,327	19,551	2,757	41.6	1,402
Nonwhite	28,241	10,420	1,659	58.7	1,165
Urban	25,733	9,784	1,308	50.8	1,078
White	18,639	5,904	820	44.0	613
Nonwhite	7,094	3,880	488	68.8	465
Places of 10,000 or more	19,424	7,678	1,002	51.6	810
White	13,661	4,413	603	44.1	443
Nonwhite	5,763	3,265	399	69.2	367
Places of 2,500 to 10,000	6,309	2,106	306	48.5	268
White	4,978	1,491	217	43.6	170
Nonwhite	1,331	615	89	66.9	98
Rural	68,835	20,187	3,108	45.2	1,489
White	47,688	13,647	1,937	40.6	789
Nonwhite	21,147	6,540	1,171	55.4	700
NORTH DAKOTA	15,422	5,170	468	34.9	240
White	13,111	5,024	441	33.6	230
Nonwhite	311	146	27	86.8	10
Urban	2,893	1,254	114	39.4	56
White	2,880	1,249	113	39.2	56
Nonwhite	13	5	1	76.9	-
Places of 10,000 or more	1,870	749	74	39.6	33
White	1,864	747	73	39.2	33
Nonwhite	6	2	1	166.7	-
Places of 2,500 to 10,000	1,023	505	40	39.1	23
White	1,016	502	40	39.4	23
Nonwhite	7	3	-	0	-
Rural	10,529	3,916	354	33.6	184
White	10,231	3,775	328	32.1	174
Nonwhite	298	141	26	87.2	10
OHIO	144,087	82,464	5,640	39.1	3,407
White	136,434	76,863	5,178	38.0	3,117
Nonwhite	7,653	5,601	462	60.4	290
Urban	98,978	56,534	3,818	38.6	2,411
White	91,867	51,549	3,394	36.9	2,152
Nonwhite	7,111	4,985	424	59.6	259
Places of 10,000 or more	84,853	48,185	3,260	38.4	2,083
White	78,099	43,453	2,864	36.7	1,834
Nonwhite	6,754	4,732	396	58.6	249
Places of 2,500 to 10,000	14,125	8,349	558	39.5	328
White	13,768	8,096	530	38.5	318
Nonwhite	357	253	28	78.4	10
Rural	45,109	25,930	1,822	40.4	996
White	44,567	25,314	1,784	40.0	965
Nonwhite	542	616	38	70.1	31
Section A (States)—Continued					
OKLAHOMA	48,639	20,271	2,068	42.5	1,020
White	43,631	17,587	1,735	39.8	847
Nonwhite	5,008	2,684	333	66.5	173
Urban	22,682	10,478	1,103	48.6	498
White	20,432	9,165	932	45.6	397
Nonwhite	2,250	1,313	171	76.0	101
Places of 10,000 or more	16,229	7,241	801	49.4	350
White	14,614	6,280	675	46.2	278
Nonwhite	1,615	961	126	78.0	72
Places of 2,500 to 10,000	6,453	3,237	302	46.8	148
White	5,818	2,885	257	44.2	119
Nonwhite	635	352	45	70.9	29
Rural	25,957	9,793	965	37.2	522
White	23,199	8,422	803	34.6	450
Nonwhite	2,758	1,371	162	58.7	72
OREGON	25,450	13,704	763	30.0	422
White	25,105	13,492	745	29.7	417
Nonwhite	345	212	18	52.2	5
Urban	14,032	8,377	471	33.6	240
White	13,883	8,263	466	33.6	238
Nonwhite	149	114	5	33.6	2
Places of 10,000 or more	10,810	6,370	314	29.0	178
White	10,680	6,268	311	29.1	176
Nonwhite	130	102	3	23.1	2
Places of 2,500 to 10,000	3,222	2,007	157	48.7	62
White	3,203	1,995	155	48.4	62
Nonwhite	19	12	2	105.3	-
Rural	11,418	5,327	292	25.6	182
White	11,222	5,229	279	24.9	179
Nonwhite	196	98	13	66.3	3
PENNSYLVANIA	199,366	115,907	7,551	37.9	4,580
White	187,607	107,934	6,747	36.0	4,148
Nonwhite	11,759	7,973	804	68.4	437
Urban	134,352	79,848	5,227	38.9	3,104
White	123,579	72,790	4,506	36.5	2,710
Nonwhite	10,773	7,058	721	66.9	394
Places of 10,000 or more	108,936	65,984	4,287	39.4	2,488
White	98,594	59,176	3,599	36.5	2,115
Nonwhite	10,342	6,808	688	66.5	373
Places of 2,500 to 10,000	25,416	13,864	940	37.0	616
White	24,985	13,614	907	36.3	595
Nonwhite	431	250	33	76.6	21
Rural	65,014	36,059	2,324	35.7	1,476
White	64,028	35,144	2,241	35.0	1,433
Nonwhite	986	915	83	84.2	43
RHODE ISLAND	14,667	8,922	638	43.5	348
White	14,313	8,713	617	43.1	344
Nonwhite	354	209	21	59.3	4
Urban	13,111	8,030	580	44.2	317
White	12,792	7,835	562	43.9	313
Nonwhite	319	195	18	56.4	4
Places of 10,000 or more	12,588	7,746	562	44.6	305
White	12,274	7,552	545	44.4	302
Nonwhite	314	194	17	54.1	3
Places of 2,500 to 10,000	523	284	18	34.4	12
White	518	283	17	32.8	11
Nonwhite	5	1	1	200.0	1
Rural	1,556	892	58	37.3	31
White	1,521	878	55	36.2	31
Nonwhite	35	14	3	85.7	-
SOUTH CAROLINA	54,144	18,552	2,985	55.1	2,019
White	29,844	9,190	1,363	45.7	737
Nonwhite	24,300	9,362	1,622	66.7	1,282
Urban	16,863	6,506	1,005	59.6	555
White	11,655	3,653	567	48.6	278
Nonwhite	5,208	2,853	438	84.1	277
Places of 10,000 or more	10,611	4,311	625	58.9	347
White	7,196	2,393	353	49.1	163
Nonwhite	3,415	1,918	272	79.6	184
Places of 2,500 to 10,000	6,252	2,195	380	60.8	208
White	4,459	1,260	214	48.0	115
Nonwhite	1,793	935	166	92.6	93
Rural	37,281	12,046	1,980	53.1	1,464
White	18,189	5,537	796	43.8	459
Nonwhite	19,092	6,509	1,184	62.0	1,005

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section A (States)—Continued					
SOUTH DAKOTA	12,816	5,641	457	35.7	212
White	12,151	5,292	375	30.9	198
Nonwhite	665	349	82	123.3	14
Urban	3,870	1,947	152	39.3	74
White	3,819	1,914	145	38.0	71
Nonwhite	51	33	7	137.3	3
Places of 10,000 or more	2,698	1,158	97	36.0	54
White	2,675	1,143	94	35.1	52
Nonwhite	23	15	3	130.4	2
Places of 2,500 to 10,000	1,172	789	55	46.9	20
White	1,144	771	51	44.6	19
Nonwhite	28	18	4	142.9	1
Rural	8,946	3,694	305	34.1	138
White	8,332	3,378	230	27.6	127
Nonwhite	614	316	75	122.1	11
TENNESSEE	70,203	27,935	3,143	44.8	1,575
White	59,348	20,823	2,458	41.4	1,222
Nonwhite	10,855	7,112	685	63.1	353
Urban	26,869	12,121	1,278	47.6	669
White	21,069	7,738	877	41.6	449
Nonwhite	5,800	4,383	401	69.1	220
Places of 10,000 or more	21,225	9,750	1,015	46.9	543
White	16,074	5,947	651	40.5	345
Nonwhite	5,151	3,803	364	70.7	198
Places of 2,500 to 10,000	5,644	2,371	263	46.6	126
White	4,995	1,791	226	45.2	104
Nonwhite	649	580	37	57.0	22
Rural	43,334	15,814	1,865	43.0	906
White	38,279	13,085	1,581	41.3	773
Nonwhite	5,055	2,729	284	56.2	133
TEXAS	164,513	62,216	8,454	51.4	4,611
White	144,278	51,113	7,151	49.6	3,589
Nonwhite	20,235	11,103	1,303	64.4	1,022
Urban	97,058	36,302	5,239	54.0	2,755
White	86,724	29,406	4,460	51.4	2,196
Nonwhite	10,334	6,896	779	75.4	559
Places of 10,000 or more	70,983	26,457	3,731	52.6	2,016
White	62,852	21,358	3,145	50.0	1,591
Nonwhite	8,131	5,099	586	72.1	425
Places of 2,500 to 10,000	26,075	9,845	1,508	57.8	739
White	23,872	8,048	1,315	55.1	605
Nonwhite	2,203	1,797	193	87.6	134
Rural	67,455	25,914	3,215	47.7	1,856
White	57,554	21,707	2,691	46.8	1,393
Nonwhite	9,901	4,207	524	52.9	463
UTAH	17,161	5,054	539	31.4	275
White	16,942	4,922	525	31.0	269
Nonwhite	219	132	14	63.9	6
Urban	10,355	3,158	323	31.2	160
White	10,291	3,109	321	31.2	159
Nonwhite	64	49	2	31.3	1
Places of 10,000 or more	7,402	2,350	224	30.3	117
White	7,352	2,309	223	30.3	116
Nonwhite	50	41	1	20.0	1
Places of 2,500 to 10,000	2,953	808	99	33.5	43
White	2,939	800	98	33.3	43
Nonwhite	14	8	1	71.4	-
Rural	6,806	1,896	216	31.7	115
White	6,651	1,813	204	30.7	110
Nonwhite	155	83	12	77.4	5
VERMONT	7,303	4,601	285	39.0	191
White	7,299	4,599	285	39.0	191
Nonwhite	4	2	-	0	-
Urban	2,805	1,793	129	46.0	77
White	2,805	1,792	129	46.0	77
Nonwhite	-	1	-	-	-
Places of 10,000 or more	1,211	734	59	48.7	39
White	1,211	734	59	48.7	39
Nonwhite	-	-	-	-	-
Places of 2,500 to 10,000	1,594	1,059	70	43.9	38
White	1,594	1,058	70	43.9	38
Nonwhite	-	1	-	-	-
Rural	4,498	2,808	156	34.7	114
White	4,494	2,807	156	34.7	114
Nonwhite	4	1	-	0	-
Section A (States)—Continued					
VIRGINIA	72,157	28,915	3,395	47.1	2,256
White	54,663	19,300	2,187	40.0	1,299
Nonwhite	17,494	9,615	1,208	69.1	957
Urban	27,528	11,858	1,170	42.5	874
White	21,288	7,799	730	34.3	476
Nonwhite	6,240	4,059	440	70.5	398
Places of 10,000 or more	22,349	9,749	934	41.8	720
White	16,765	6,141	549	32.7	358
Nonwhite	5,584	3,608	385	68.9	362
Places of 2,500 to 10,000	5,179	2,109	236	45.6	154
White	4,523	1,658	181	40.0	118
Nonwhite	656	451	55	83.8	36
Rural	44,629	17,057	2,225	49.9	1,382
White	33,375	11,501	1,457	43.7	825
Nonwhite	11,254	5,556	768	68.2	559
WASHINGTON	44,520	22,566	1,550	34.8	578
White	43,597	21,949	1,457	33.4	561
Nonwhite	923	617	93	100.8	17
Urban	26,868	13,713	910	33.7	335
White	26,510	13,407	881	33.2	323
Nonwhite	458	306	29	63.3	12
Places of 10,000 or more	23,976	12,207	795	33.2	284
White	23,565	11,928	772	32.8	274
Nonwhite	411	279	23	56.0	10
Places of 2,500 to 10,000	2,992	1,506	115	38.4	51
White	2,945	1,479	109	37.0	49
Nonwhite	47	27	6	127.7	2
Rural	17,552	8,853	640	36.5	243
White	17,087	8,542	576	33.7	238
Nonwhite	465	311	64	137.6	5
WEST VIRGINIA	43,372	17,239	2,261	52.1	1,530
White	40,975	15,752	2,098	51.2	1,420
Nonwhite	2,397	1,487	163	68.0	110
Urban	12,691	6,367	607	47.8	464
White	12,109	5,811	567	46.8	434
Nonwhite	582	556	40	68.7	30
Places of 10,000 or more	8,740	4,357	414	47.4	288
White	8,338	3,988	387	46.4	270
Nonwhite	402	369	27	67.2	18
Places of 2,500 to 10,000	3,951	2,010	193	48.8	176
White	3,771	1,823	180	47.7	164
Nonwhite	180	187	13	72.2	12
Rural	30,681	10,872	1,654	53.9	1,066
White	28,866	9,941	1,531	53.0	986
Nonwhite	1,815	931	123	67.8	80
WISCONSIN	64,450	32,668	2,257	35.0	1,301
White	63,744	32,327	2,207	34.6	1,285
Nonwhite	706	341	50	70.8	16
Urban	35,257	18,188	1,254	35.6	695
White	34,942	18,013	1,246	35.7	686
Nonwhite	315	175	8	25.4	9
Places of 10,000 or more	29,813	15,055	1,030	34.5	587
White	29,509	14,888	1,024	34.7	579
Nonwhite	304	167	6	19.7	8
Places of 2,500 to 10,000	5,444	3,133	224	41.1	108
White	5,433	3,125	222	40.9	107
Nonwhite	11	8	2	181.8	1
Rural	29,193	14,480	1,003	34.4	606
White	28,802	14,314	961	33.4	599
Nonwhite	391	166	42	107.4	7
WYOMING	5,822	2,217	216	37.1	118
White	5,463	2,129	197	36.1	114
Nonwhite	359	88	19	52.9	4
Urban	2,736	1,047	100	36.5	52
White	2,704	1,020	98	36.2	52
Nonwhite	32	27	2	62.5	-
Places of 10,000 or more	1,855	650	61	32.9	32
White	1,837	634	60	32.7	32
Nonwhite	18	16	1	55.6	-
Places of 2,500 to 10,000	881	397	39	45.3	20
White	867	386	38	43.8	20
Nonwhite	14	11	1	71.4	-
Rural	3,086	1,170	116	37.6	66
White	2,759	1,109	99	35.9	62
Nonwhite	327	61	17	52.0	4

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)					
ALABAMA (total)	77,535	26,373	3,477	44.8	2,361
Autauga	540	193	22	40.7	19
White	257	86	11	42.8	5
Nonwhite	283	107	11	38.9	14
Baldwin	1,140	294	44	38.6	31
White	863	227	26	30.1	17
Nonwhite	277	67	18	65.0	14
Barbour	877	290	40	45.6	24
White	327	119	13	39.8	2
Nonwhite	550	171	27	49.1	22
Bibb	486	149	30	61.7	16
White	298	86	17	57.0	4
Nonwhite	188	63	13	69.1	12
Blount	687	184	30	43.7	17
Bullock	514	217	18	35.0	22
White	79	48	-	0	4
Nonwhite	435	169	18	41.4	18
Butler	795	217	33	41.5	25
White	335	121	19	56.7	12
Nonwhite	460	96	14	30.4	13
Calhoun	2,169	563	111	51.2	56
Anniston	1,014	287	58	57.2	28
White	734	170	40	54.5	16
Nonwhite	280	117	18	64.3	12
Balance of county	1,155	276	53	45.9	28
White	1,004	239	51	50.8	26
Nonwhite	151	37	2	13.2	2
Chambers	952	340	45	47.3	34
White	540	173	21	38.9	18
Nonwhite	412	167	24	58.3	16
Cherokee	418	110	18	43.1	15
Chilton	667	194	31	46.5	18
White	547	160	27	49.4	16
Nonwhite	120	34	4	33.3	2
Choctaw	442	147	26	58.8	13
White	159	53	6	37.7	1
Nonwhite	283	94	20	70.7	12
Clarke	597	244	27	45.2	20
White	242	82	11	45.5	2
Nonwhite	355	162	16	45.1	18
Clay	403	137	27	67.0	10
White	319	111	17	53.3	6
Nonwhite	84	26	10	119.0	4
Cleburne	348	86	11	31.6	5
Coffee	767	154	19	24.8	13
White	612	120	18	29.4	11
Nonwhite	155	34	1	6.5	2
Colbert	1,111	271	37	33.3	23
White	896	189	33	36.8	13
Nonwhite	215	102	4	18.6	10
Conecuh	677	176	28	41.4	24
White	295	90	13	44.1	5
Nonwhite	382	86	15	39.3	19
Coosa	323	104	16	49.5	15
White	171	68	6	35.1	8
Nonwhite	152	36	10	65.8	7
Covington	1,012	284	32	31.6	22
White	831	233	27	32.5	17
Nonwhite	181	51	5	27.6	5
Crenshaw	458	149	15	32.8	14
White	291	98	9	30.9	10
Nonwhite	167	51	6	35.9	4
Cullman	1,287	258	36	28.0	23
Dale	672	200	22	32.7	18
White	514	163	14	27.2	15
Nonwhite	158	37	8	50.6	3
Dallas	1,505	683	98	65.1	69
Selma	573	306	39	68.1	26
White	272	107	13	47.8	7
Nonwhite	301	199	26	86.4	19
Balance of county	932	377	59	63.3	43
White	137	68	7	51.1	4
Nonwhite	795	309	52	65.4	39
De Kalb	1,016	286	38	37.4	24
Elmore	736	306	33	44.8	25
White	382	153	13	34.0	10
Nonwhite	354	153	20	56.5	15
Escambia	866	273	38	43.9	30
White	574	172	24	41.8	18
Nonwhite	292	101	14	47.9	12
Etowah	2,193	617	85	38.8	42
Gadsden	1,125	355	48	42.7	22
White	928	242	38	40.9	16
Nonwhite	197	113	10	50.8	6
Balance of county	1,068	262	37	34.6	20
Fayette	510	163	20	39.2	17
White	446	128	17	38.1	7
Nonwhite	64	35	3	46.9	10
Franklin	763	169	28	36.7	28
Geneva	707	198	35	49.5	17
White	600	168	28	46.7	16
Nonwhite	107	30	7	65.4	1
Greene	472	210	29	61.4	15
White	46	33	3	65.2	2
Nonwhite	426	177	26	61.0	13
Hale	673	234	33	49.0	17
White	148	62	8	54.1	3
Nonwhite	525	172	25	47.6	14
Henry	604	164	26	43.0	13
White	251	87	12	47.8	2
Nonwhite	353	77	14	39.7	11
Houston	1,186	366	38	32.0	44
Dothan	434	167	16	36.9	20
White	316	90	9	28.5	9
Nonwhite	118	77	7	59.3	11
Balance of county	752	199	22	29.3	24
White	536	144	12	22.4	19
Nonwhite	216	55	10	46.3	5
Jackson	1,161	233	43	37.0	25
Jefferson	12,362	5,321	602	48.7	406
Bessemer	692	364	54	78.0	20
White	272	125	18	66.2	4
Nonwhite	420	239	36	85.7	16
Birmingham	7,217	3,279	349	48.4	260
White	4,140	1,632	142	34.3	94
Nonwhite	3,077	1,647	207	67.3	166
Fairfield	255	112	11	43.1	14
White	76	30	1	13.2	2
Nonwhite	179	82	10	55.9	12
Balance of county	4,198	1,566	188	44.8	112
White	2,821	848	105	37.2	55
Nonwhite	1,377	718	83	60.3	57
Lamar	434	79	15	34.6	12
White	364	59	8	22.0	9
Nonwhite	70	20	7	100.0	3
Lauderdale	1,227	327	39	31.8	21
Florence	419	158	19	45.3	9
White	354	107	14	39.5	9
Nonwhite	65	51	5	76.9	-
Balance of county	808	169	20	24.8	12
White	731	144	16	21.9	10
Nonwhite	77	25	4	51.9	2
Lawrence	790	168	24	30.4	14
White	666	117	21	31.5	11
Nonwhite	124	51	3	24.2	3
Lee	952	346	59	62.0	42
White	347	127	17	49.0	8
Nonwhite	605	219	42	69.4	34
Limestone	977	278	34	34.8	26
White	756	199	25	33.1	20
Nonwhite	221	79	9	40.7	6
Lowndes	576	217	36	62.5	22
White	43	37	1	23.3	-
Nonwhite	533	180	35	65.7	22
Macon	787	298	35	44.5	22
White	96	38	4	41.7	1
Nonwhite	691	260	31	44.9	21
Madison	1,886	643	92	48.8	56
Huntsville	552	239	35	63.4	22
White	423	140	15	35.5	15
Nonwhite	129	99	20	155.0	7
Balance of county	1,334	404	57	42.7	34
White	940	275	34	36.2	20
Nonwhite	394	129	23	58.4	14
Marengo	783	309	29	37.0	27
White	190	79	8	42.1	6
Nonwhite	593	230	21	35.4	21
Marion	724	157	17	23.5	16
Marshall	1,169	296	48	41.1	36
Mobile	6,532	2,445	323	49.4	234
Mobile	3,039	1,240	146	48.0	116
White	1,980	695	74	37.4	33
Nonwhite	1,059	545	72	68.0	83
Balance of county	3,493	1,205	177	50.7	118
White	2,594	574	110	42.4	61
Nonwhite	899	631	67	74.5	57
Monroe	790	258	54	68.4	20
White	312	102	19	60.9	4
Nonwhite	478	154	35	73.2	16
Montgomery	2,770	1,389	153	55.2	101
Montgomery	1,987	1,045	127	63.9	81
White	1,187	445	47	39.6	33
Nonwhite	800	600	80	100.0	48
Balance of county	783	344	26	33.2	20
White	219	110	4	18.3	10
Nonwhite	564	234	22	39.0	10
Morgan	1,124	321	36	32.0	17
Decatur	420	130	14	33.3	8
White	357	98	13	36.4	8
Nonwhite	65	32	1	15.9	-
Balance of county	704	191	22	31.3	9
White	625	167	20	32.0	8
Nonwhite	79	24	2	25.3	1

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
ALABAMA—Continued					
Perry	633	220	31	49.0	26
White	143	49	8	55.9	4
Nonwhite	490	171	23	46.9	22
Pickens	713	219	31	43.5	30
White	308	103	9	29.2	9
Nonwhite	405	116	22	54.3	21
Pike	824	285	33	40.0	23
White	439	128	12	27.3	9
Nonwhite	385	157	21	54.5	14
Randolph	543	207	31	57.1	15
White	361	133	14	38.8	10
Nonwhite	182	74	17	93.4	5
Russell	1,088	391	54	49.6	46
Phenix City	507	186	23	45.4	23
White	355	128	19	53.5	13
Nonwhite	152	58	4	26.3	10
Balance of county	581	205	31	53.4	23
White	127	58	3	23.6	2
Nonwhite	454	147	28	61.7	21
St. Clair	703	216	37	52.6	17
White	544	161	23	42.3	10
Nonwhite	159	55	14	88.1	7
Shelby	699	238	27	38.6	24
White	532	156	16	30.1	12
Nonwhite	167	82	11	65.9	12
Sumter	868	276	41	61.4	45
White	100	58	4	40.0	1
Nonwhite	768	218	37	65.1	44
Talladega	1,910	485	91	47.6	41
White	1,303	274	52	39.9	28
Nonwhite	607	191	39	64.3	13
Tallapoosa	948	258	37	39.0	24
White	665	169	22	33.1	16
Nonwhite	283	89	15	53.0	8
Tuscaloosa	1,618	972	60	37.1	40
Tuscaloosa	602	606	22	36.5	12
White	391	460	13	33.2	6
Nonwhite	211	146	9	42.7	6
Balance of county	1,016	366	38	37.4	28
White	643	200	19	29.5	10
Nonwhite	373	166	19	50.9	18
Walker	1,673	410	57	34.1	52
White	1,540	350	52	33.8	41
Nonwhite	133	60	5	37.6	11
Washington	471	142	29	62.6	18
White	283	90	18	63.6	10
Nonwhite	188	52	11	58.5	8
Wilcox	895	263	44	49.2	34
White	126	70	9	71.4	5
Nonwhite	769	193	35	45.5	29
Winston	532	98	16	30.1	11
ARIZONA (total)	14,297	5,927	1,097	76.7	361
Apache	461	218	60	130.2	8
White	198	34	6	30.3	2
Nonwhite	263	184	54	205.3	6
Cochise	1,076	382	49	45.5	30
Coconino	388	165	51	131.4	7
White	322	110	27	83.9	4
Nonwhite	66	55	24	363.6	3
Gila	793	273	58	74.1	10
White	684	223	48	70.2	7
Nonwhite	109	50	10	91.7	3
Graham	358	93	22	61.8	1
Greenlee	444	91	22	49.5	14
Maricopa	5,618	2,347	364	64.8	132
Phoenix	2,925	1,534	193	66.0	68
Balance of county	2,693	813	171	63.5	64
Mohave	184	84	11	59.8	11
Navajo	364	361	121	182.2	19
White	373	121	36	96.5	12
Nonwhite	291	240	85	292.1	7
Pima	2,057	979	161	78.3	58
Tucson	1,623	773	113	69.6	50
Balance of county	434	206	48	110.6	8
White	292	85	17	58.2	8
Nonwhite	142	121	31	218.3	-
Pinal	907	348	90	99.2	31
White	741	240	58	78.3	22
Nonwhite	166	108	32	192.8	9
Santa Cruz	192	89	22	114.6	3
Yavapai	591	294	30	50.8	19
Yuma	566	225	36	63.6	18
White	505	192	26	51.5	15
Nonwhite	61	33	10	163.9	3
ARKANSAS (total)	42,589	15,539	1,594	37.4	990
Arkansas	503	177	15	29.8	13
White	428	133	11	25.7	8
Nonwhite	75	44	4	53.3	5
Ashley	651	208	31	47.6	7
White	381	104	19	49.9	6
Nonwhite	270	104	12	44.4	1

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
ARKANSAS—Continued					
Baxter	183	77	6	32.8	1
Benton	626	339	29	46.3	11
Boone	294	134	7	23.8	10
Bradley	364	121	5	13.7	11
White	247	94	4	16.2	10
Nonwhite	117	27	1	8.5	1
Calhoun	186	57	4	21.5	2
White	130	33	3	23.1	2
Nonwhite	56	24	1	17.9	-
Carroll	287	144	7	26.2	2
Chicot	617	204	17	27.6	12
White	280	62	8	28.6	7
Nonwhite	337	142	9	26.7	5
Clark	532	193	14	26.3	10
White	354	133	11	31.1	7
Nonwhite	178	60	3	16.9	3
Clay	559	215	32	57.2	10
Cleburne	304	82	8	26.3	4
Cleveland	201	88	6	29.9	5
White	150	66	5	33.3	5
Nonwhite	51	22	1	19.6	-
Columbia	447	159	14	31.3	11
White	245	80	3	12.2	5
Nonwhite	202	79	11	54.5	6
Conway	480	178	26	54.2	6
White	368	124	23	62.5	5
Nonwhite	112	52	3	26.8	1
Craighead	1,069	341	50	46.8	20
Jonesboro	301	117	5	16.6	6
White	284	101	4	14.1	6
Nonwhite	17	16	1	58.8	-
Balance of county	768	224	45	58.6	14
Crawford	591	183	16	27.1	15
Crittenden	1,044	458	70	67.0	43
White	261	109	20	76.6	5
Nonwhite	783	347	50	63.9	38
Cross	546	157	27	49.5	8
White	374	71	14	37.4	4
Nonwhite	172	86	13	75.6	4
Dallas	290	95	5	17.2	4
White	155	62	4	25.8	2
Nonwhite	135	33	1	7.4	2
Desha	586	221	32	54.6	22
White	269	82	11	40.9	4
Nonwhite	317	139	21	66.2	18
Drew	458	157	23	50.2	6
White	264	59	6	22.7	-
Nonwhite	194	98	17	87.6	6
Faulkner	576	202	24	41.7	14
White	502	163	17	33.9	12
Nonwhite	74	39	7	94.6	2
Franklin	293	109	14	47.8	5
Fulton	175	54	1	5.7	1
Garland	873	480	41	47.0	25
Hot Springs	613	388	25	40.8	14
White	545	308	21	38.5	11
Nonwhite	68	80	4	58.8	3
Balance of county	260	92	16	61.5	11
Grant	202	81	7	34.7	2
Greene	616	201	28	45.5	14
Hempstead	593	212	22	37.1	12
White	353	101	10	28.3	8
Nonwhite	240	111	12	46.5	4
Hot Spring	462	139	13	28.1	10
White	387	117	11	28.4	10
Nonwhite	75	22	2	26.7	-
Howard	279	78	2	7.2	4
White	184	53	1	5.4	-
Nonwhite	95	25	1	10.5	4
Independence	588	169	22	37.4	5
Izard	234	64	7	29.9	7
Jackson	712	211	28	39.3	13
White	627	164	25	39.9	10
Nonwhite	85	47	3	35.3	3
Jefferson	1,667	643	47	28.2	50
Pine Bluff	661	349	26	39.3	19
White	523	194	17	32.5	12
Nonwhite	138	155	9	65.2	7
Balance of county	1,006	294	21	20.9	31
White	349	75	5	14.3	7
Nonwhite	657	219	16	24.4	24
Johnson	351	150	6	17.1	9
Lafayette	293	108	4	13.7	2
White	120	55	2	16.7	-
Nonwhite	173	53	2	11.6	2
Lawrence	548	159	26	47.4	8
Lee	578	186	15	26.0	11
White	205	51	2	9.8	5
Nonwhite	373	135	13	34.9	6
Lincoln	328	152	12	36.8	17
White	132	37	2	15.2	5
Nonwhite	194	115	10	51.5	12

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
ARKANSAS—Continued					
Little River	324	81	7	21.6	10
White	228	44	4	17.5	7
Nonwhite	96	37	3	31.3	3
Logan	426	141	8	18.8	8
Lonoke	744	191	29	39.0	22
White	522	128	16	30.7	9
Nonwhite	222	63	13	58.6	13
Madison	206	69	1	4.9	6
Marion	163	49	4	24.5	5
Miller	711	277	37	52.0	20
Texarkana[1]	343	171	15	43.7	8
White	258	100	4	15.5	4
Nonwhite	85	71	11	129.4	4
Balance of county	368	106	22	59.8	12
White	280	54	12	42.9	7
Nonwhite	88	52	10	113.6	5
Mississippi	2,231	612	133	59.6	58
Blytheville	360	165	26	72.2	9
White	286	115	17	59.4	4
Nonwhite	74	50	9	121.6	5
Balance of county	1,871	447	107	57.2	49
White	1,383	262	68	49.2	30
Nonwhite	488	185	39	79.9	19
Monroe	409	167	9	22.0	12
White	188	70	5	26.6	6
Nonwhite	221	97	4	18.1	6
Montgomery	148	25	4	27.0	4
Nevada	367	115	6	16.3	6
White	220	79	4	18.2	2
Nonwhite	147	36	2	13.6	4
Newton	172	35	3	17.4	1
Ouachita	677	254	33	48.7	20
White	363	114	14	38.6	3
Nonwhite	314	140	19	60.5	17
Perry	175	41	-	0	2
Phillips	1,157	480	35	30.3	38
White	389	123	17	43.7	6
Nonwhite	768	357	18	23.4	32
Pike	170	30	1	5.9	6
Poinsett	1,149	261	64	55.7	29
White	1,040	216	54	51.9	27
Nonwhite	109	45	10	91.7	2
Polk	360	111	15	41.7	7
Pope	500	158	19	38.0	11
Prairie	270	93	8	29.6	4
White	228	75	8	35.1	3
Nonwhite	42	18	-	0	1
Pulaski	4,085	2,196	142	34.8	119
Little Rock	2,278	1,428	65	28.5	65
White	1,735	942	46	26.5	52
Nonwhite	543	486	19	35.0	13
North Little Rock	674	256	24	35.6	21
White	499	146	16	32.1	11
Nonwhite	175	110	8	45.7	10
Balance of county	1,133	512	53	46.8	33
White	820	315	32	39.0	23
Nonwhite	313	197	21	67.1	10
Randolph	342	118	10	29.2	1
St. Francis	736	293	40	54.3	20
White	316	106	20	63.3	9
Nonwhite	420	187	20	47.8	11
Saline	547	210	24	43.9	9
Scott	250	56	5	20.0	2
Searcy	233	73	7	30.0	4
Sebastian	1,664	547	55	33.1	29
Fort Smith	1,181	387	43	36.4	19
White	1,097	321	37	33.7	19
Nonwhite	84	66	6	71.4	-
Balance of county	483	160	12	24.8	10
Sevier	276	106	10	36.2	2
White	246	98	8	32.5	2
Nonwhite	30	8	2	66.7	-
Sharp	163	68	4	24.5	4
Stone	130	47	4	30.8	1
Union	981	358	29	29.6	30
El Dorado	398	151	14	35.2	11
White	315	114	12	38.1	7
Nonwhite	83	37	2	24.1	4
Balance of county	583	207	15	25.7	19
White	383	126	12	31.3	12
Nonwhite	200	81	3	15.0	7
Van Buren	209	73	4	19.1	5
Washington	786	359	22	28.0	14
White	761	260	25	32.9	20
Woodruff	543	124	23	42.3	7
White	310	52	14	45.2	4
Nonwhite	233	72	9	38.6	3
Yell	360	119	11	30.6	12

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
CALIFORNIA (total)	174,420	89,109	5,999	34.4	3,210
Alameda	12,814	6,942	391	30.5	237
Alameda	1,015	468	30	29.6	16
Albany	297	116	13	43.8	6
Berkeley	2,038	973	45	22.1	27
Oakland	7,307	4,168	227	31.1	148
White	6,787	3,853	198	29.2	127
Nonwhite	520	315	29	55.8	21
San Leandro	660	235	28	42.4	15
Balance of county	1,497	982	49	32.1	25
Alpine	17	7	1	58.8	2
White	13	5	-	0	2
Nonwhite	4	2	1	250.0	-
Amador	72	109	2	27.8	3
Butte	919	586	42	45.7	30
Calaveras	97	103	5	51.5	2
Colusa	187	114	1	5.3	5
Contra Costa	4,997	1,418	187	37.4	93
Richmond	2,438	572	88	36.1	40
Balance of county	2,559	846	99	38.7	53
Del Norte	81	69	4	49.4	-
El Dorado	167	134	8	47.9	4
Fresno	4,355	1,882	166	38.1	84
Fresno	1,547	881	57	36.8	35
Balance of county	2,808	1,001	109	38.8	49
Glenn	196	120	4	20.4	8
Humboldt	895	546	29	32.4	24
Eureka	410	268	14	34.1	11
Balance of county	485	278	15	30.9	13
Imperial	1,463	510	96	65.6	38
Brawley	370	113	30	81.1	10
El Centro	309	105	20	64.7	8
White	266	89	18	67.7	7
Nonwhite	43	16	2	46.5	1
Balance of county	784	292	46	58.7	20
White	699	256	43	61.5	19
Nonwhite	85	36	3	35.3	1
Inyo	248	126	12	48.4	8
White	162	82	8	49.4	5
Nonwhite	86	44	4	46.5	3
Kern	4,007	1,323	177	44.2	64
Bakersfield	1,713	569	71	41.4	24
Balance of county	2,294	754	106	46.2	40
Kings	1,005	324	50	49.8	16
Lake	101	113	3	29.7	1
Lassen	355	148	11	31.0	10
Los Angeles	67,302	34,602	2,031	30.8	1,266
Alhambra	756	412	26	34.4	13
Bell	296	119	9	30.4	6
Belvedere (twp.)[2]	612	259	30	49.0	22
Beverly Hills	86	259	7	81.4	2
Burbank	1,450	320	27	18.6	28
Compton	661	228	24	36.3	16
Glendale	1,776	898	43	24.2	34
Huntington Park	590	279	21	35.6	9
Inglewood	1,016	349	32	31.5	21
Long Beach	4,456	2,222	132	29.6	67
Los Angeles	34,631	18,825	1,057	30.3	694
White	32,454	17,701	966	29.8	627
Nonwhite	2,377	1,124	91	38.3	67
Lynwood	397	103	13	32.7	7
Maywood	264	79	6	22.7	3
Monrovia	310	184	9	29.0	4
Pasadena	1,555	1,249	29	18.6	24
Pomona	565	302	22	38.9	8
Redondo Beach	392	182	11	28.1	6
San Gabriel	410	147	10	24.4	8
Santa Monica	1,333	722	42	31.5	11
South Gate	988	259	30	30.4	12
South Pasadena	206	175	2	9.7	2
Whittier	416	201	9	21.8	3
Balance of county	13,936	6,830	440	31.6	266
White	13,736	6,666	438	31.9	259
Nonwhite	200	164	2	10.0	7
Madera	679	201	23	33.9	19
Marin	1,342	620	28	20.9	20
Mariposa	39	43	2	51.3	-
Mendocino	402	448	18	44.8	6
Merced	1,324	493	66	49.8	27
Merced	393	138	30	76.3	12
Balance of county	931	355	36	38.7	15
Modoc	220	128	12	54.5	4
Mono	18	19	-	0	1
White	10	16	-	0	1
Nonwhite	8	3	-	0	-
Monterey	2,199	846	87	39.6	35
Monterey	340	106	12	35.3	6
Salinas	740	148	19	25.7	13
White	681	141	18	26.4	13
Nonwhite	59	7	1	16.9	-
Balance of county	1,119	592	56	50.0	16

[1] Includes data for Texarkana, Ark., only.
[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
CALIFORNIA—Continued					
Napa	709	904	31	43.7	13
Nevada	287	190	11	38.3	8
Orange	3,692	1,768	175	47.4	61
Anaheim	354	144	21	59.3	4
Fullerton	244	116	13	53.3	2
Santa Ana	975	472	43	44.1	15
Balance of county	2,119	1,036	98	46.2	40
Placer	552	340	15	27.2	14
Plumas	205	111	7	34.1	4
Riverside	2,928	1,457	135	46.1	55
Riverside	1,094	450	39	35.6	16
Balance of county	1,834	1,007	96	52.3	39
Sacramento	4,425	2,374	170	38.4	70
Sacramento	2,742	1,705	120	43.8	44
Balance of county	1,683	669	50	29.7	26
White	1,560	619	47	30.1	23
Nonwhite	123	50	3	24.4	3
San Benito	266	115	9	33.8	4
San Bernardino	4,287	2,273	202	47.1	59
Ontario	429	177	18	42.0	3
Redlands	385	209	14	36.4	5
San Bernardino	1,476	682	66	44.7	21
Balance of county	1,997	1,205	104	52.1	30
San Diego	10,688	4,173	361	33.8	195
National City	477	138	22	46.1	10
San Diego	7,566	2,779	232	30.7	128
Balance of county	2,645	1,256	107	40.5	57
San Francisco, coextensive with San Fransicso (city)	13,511	9,436	428	32.2	246
White	12,575	8,990	394	31.3	227
Nonwhite	736	446	34	46.2	19
San Joaquin	3,182	2,148	133	41.8	55
Lodi	255	150	13	51.0	5
Stockton	1,765	989	71	40.2	26
Balance of county	1,162	1,009	49	42.2	24
White	1,089	947	45	41.3	22
Nonwhite	73	62	4	54.8	2
San Luis Obispo	1,212	475	40	33.0	23
San Mateo	2,885	1,287	62	21.5	44
Burlingame	365	166	10	27.4	2
Redwood City	407	195	7	17.2	10
San Mateo	582	206	15	25.8	6
Balance of county	1,531	720	30	19.6	26
Santa Barbara	1,846	806	59	32.0	22
Santa Barbara	778	423	23	29.6	9
Balance of county	1,068	383	36	33.7	13
Santa Clara	4,103	2,465	140	34.1	77
Palo Alto	364	217	10	27.5	5
San Jose	1,866	1,004	70	37.5	36
Balance of county	1,873	1,244	60	32.0	36
Santa Cruz	835	717	24	28.7	15
Santa Cruz	287	333	10	34.8	4
Balance of county	548	384	14	25.5	11
Shasta	680	311	36	52.9	16
Sierra	35	27	1	28.6	-
Siskiyou	484	293	18	37.2	5
Solano	2,522	688	79	31.3	46
Vallejo	1,889	343	48	25.4	33
Balance of county	633	345	31	49.0	13
Sonoma	1,398	1,040	46	32.9	18
Santa Rosa	495	256	11	22.2	2
Balance of county	903	784	35	38.8	16
Stanislaus	2,009	821	72	35.8	43
Modesto	674	272	20	29.7	12
Balance of county	1,335	549	52	39.0	31
Sutter	496	180	19	38.3	9
Tehama	256	176	6	23.4	7
Trinity	18	40	-	0	-
Tulare	2,634	936	138	52.4	47
Tuolumne	132	137	7	53.0	-
Ventura	1,766	876	74	41.9	25
San Buenaventura	418	173	8	19.1	2
Balance of county	1,348	703	66	49.0	23
Yolo	578	341	25	43.3	10
Yuba	498	230	20	40.2	12
COLORADO (total)	24,367	12,761	1,228	50.4	538
Adams	549	221	24	43.7	9
Alamosa	225	104	20	88.9	10
Arapahoe	877	349	31	35.3	16
Archuleta	69	35	7	101.4	1
Baca	167	55	10	60.0	2
Bent	181	108	12	66.3	4
Boulder	636	411	29	45.6	9
Boulder	248	187	9	36.3	2
Balance of county	388	224	20	51.5	7
Chaffee	144	114	8	55.6	1
Cheyenne	55	29	3	54.5	2
Clear Creek	49	42	3	61.2	-
Section B (Counties)—Continued					
COLORADO—Continued					
Conejos	236	98	29	122.9	17
Costilla	160	52	5	31.3	-
Crowley	97	47	8	82.5	4
Custer	24	19	1	41.7	1
Delta	291	165	17	58.4	7
Denver, coextensive with Denver (city)	7,645	4,267	286	37.4	179
Dolores	56	12	2	35.7	-
Douglas	48	35	2	41.7	1
Eagle	124	59	12	96.8	7
Elbert	88	30	3	34.1	1
El Paso	1,445	881	60	41.5	30
Colorado Springs	1,230	746	50	40.7	25
Balance of county	215	135	10	46.5	5
Fremont	348	232	22	63.2	4
Garfield	178	102	10	56.2	5
Gilpin	7	20	2	285.7	-
Grand	67	28	4	59.7	3
Gunnison	89	40	5	56.2	1
Hinsdale	3	5	-	0	-
Huerfano	251	172	35	139.4	4
Jackson	28	14	1	35.7	-
Jefferson	664	329	28	42.2	15
Kiowa	74	18	5	67.6	1
Kit Carson	145	64	3	20.7	2
Lake	199	73	13	65.3	6
La Plata	274	161	12	43.8	4
Larimer	636	293	27	42.5	14
Fort Collins	262	131	8	30.5	7
Balance of county	374	162	19	50.8	7
Las Animas	669	365	66	98.7	26
Trinidad	343	213	35	102.0	8
Balance of county	326	152	31	95.1	18
Lincoln	151	53	6	45.8	3
Logan	391	126	15	38.4	13
Mesa	609	363	40	65.7	11
Grand Junction	281	195	22	78.3	3
Balance of county	328	168	18	54.9	8
Mineral	20	5	1	50.0	-
Moffat	96	47	3	31.3	1
Montezuma	184	92	12	65.2	7
Montrose	297	120	13	43.8	6
Morgan	340	172	23	67.6	8
Otero	644	308	41	63.7	15
Ouray	31	27	1	32.3	1
Park	30	10	-	0	1
Phillips	92	44	5	54.3	1
Pitkin	15	25	2	133.3	1
Prowers	447	148	19	42.5	5
Pueblo	1,664	1,071	93	55.9	25
Pueblo	1,287	670	64	49.7	19
Balance of county	377	401	29	76.9	6
Rio Blanco	54	28	-	0	2
Rio Grande	294	111	40	136.1	8
Routt	203	76	3	14.8	1
Saguache	123	69	20	162.6	1
San Juan	25	11	-	0	-
San Miguel	65	27	2	30.8	-
Sedgwick	114	41	6	52.6	2
Summit	14	10	-	0	-
Teller	46	45	2	43.5	-
Washington	142	59	5	35.2	4
Weld	1,334	515	68	51.0	31
Greeley	330	207	20	60.6	5
Balance of county	1,004	308	48	47.8	26
Yuma	164	109	3	18.3	5
CONNECTICUT (total)	39,005	20,014	1,162	29.8	774
Fairfield	9,413	4,805	252	26.8	266
Bridgeport	3,505	1,574	100	28.5	115
Danbury	517	320	19	36.8	12
Norwalk	892	497	28	31.4	29
Shelton	218	132	5	22.9	4
Stamford	1,271	651	33	26.0	39
Stratford (town)	647	219	16	24.7	10
Balance of county	2,363	1,432	51	21.6	57
Hartford	10,937	4,718	332	30.4	193
Bristol	784	274	27	34.4	12
East Hartford (town)	767	161	25	32.6	14
Hartford	3,909	1,847	119	30.4	78
New Britain	1,491	636	45	30.2	25
West Hartford (town)	592	356	24	40.5	9
Balance of county	3,394	1,444	92	27.1	57
Litchfield	1,879	967	54	28.7	29
Torrington	577	265	19	32.9	14
Balance of county	1,302	702	35	26.9	15
Middlesex	1,200	967	30	25.0	9
Middletown	536	578	21	39.2	7
Balance of county	664	389	9	13.6	2

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
CONNECTICUT—Continued					
New Haven	10,650	5,642	328	30.8	206
Ansonia	410	194	10	24.4	5
Derby	211	83	3	14.2	8
Meriden	856	467	23	26.9	15
Naugatuck	332	179	16	48.2	2
New Haven	3,328	2,000	109	32.8	77
Wallingford	244	176	6	24.6	5
Waterbury	2,294	1,139	91	39.7	58
West Haven (town)	631	310	7	11.1	9
Balance of county	2,346	1,094	63	26.9	27
New London	3,007	1,856	92	30.6	43
New London	698	399	27	38.7	7
Norwich	690	423	11	15.9	13
Balance of county	1,619	1,034	54	33.4	23
Tolland	743	378	21	28.3	9
Windham	1,176	681	53	45.1	19
Willimantic	284	153	12	42.3	2
Balance of county	892	528	41	46.0	17
DELAWARE (total)	6,229	3,497	291	46.7	182
Kent	673	513	28	41.6	19
White	530	396	21	39.6	12
Nonwhite	143	117	7	49.0	7
New Castle	4,315	2,347	202	46.8	127
Wilmington	2,611	1,509	139	53.2	73
White	2,226	1,229	102	45.8	57
Nonwhite	385	280	37	96.1	16
Balance of county	1,704	838	63	37.0	54
Sussex	1,241	637	61	49.2	36
White	998	504	40	40.1	20
Nonwhite	243	133	21	86.4	16
DISTRICT OF COLUMBIA	16,080	8,787	765	47.6	463
Washington	16,080	8,787	765	47.6	463
White	10,825	5,600	360	33.3	237
Nonwhite	5,255	3,187	405	77.1	226
FLORIDA (total)	46,744	23,462	2,181	46.7	1,623
Alachua	943	479	54	57.3	38
Gainesville	386	198	26	67.4	14
White	250	103	11	44.0	8
Nonwhite	136	95	15	110.3	6
Balance of county	557	281	28	50.3	24
White	286	126	8	28.0	1
Nonwhite	271	155	20	73.8	23
Baker	179	57	5	27.9	8
White	133	37	1	7.5	3
Nonwhite	46	20	4	87.0	5
Bay	1,014	293	63	62.1	32
Panama City	445	157	40	89.9	12
White	369	113	29	78.6	6
Nonwhite	76	44	11	144.7	6
Balance of county	569	136	23	40.4	20
White	507	111	16	31.6	13
Nonwhite	62	25	7	112.9	7
Bradford	303	109	20	66.0	11
White	230	85	14	60.9	6
Nonwhite	73	24	6	82.2	5
Brevard	339	228	17	50.1	13
White	233	164	13	55.8	8
Nonwhite	106	64	4	37.7	5
Broward	899	475	43	47.8	33
Fort Lauderdale	448	230	27	60.5	18
White	323	162	14	43.3	15
Nonwhite	123	68	13	105.7	3
Balance of county	453	245	16	35.3	15
White	251	147	6	23.9	6
Nonwhite	202	98	10	49.5	9
Calhoun	238	58	6	25.2	6
White	211	53	6	28.4	3
Nonwhite	27	5	-	0	3
Charlotte	55	38	-	0	1
White	48	31	-	0	1
Nonwhite	7	7	-	0	-
Citrus	103	78	6	58.3	6
White	67	48	4	59.7	3
Nonwhite	36	30	2	55.6	3
Clay	192	218	11	57.3	8
White	146	177	9	61.6	6
Nonwhite	46	41	2	43.5	2
Collier	71	38	5	70.4	4
White	53	21	2	37.7	2
Nonwhite	18	17	3	166.7	2
Columbia	500	199	20	40.0	15
White	311	100	8	25.7	5
Nonwhite	189	99	12	63.5	10
Section B (Counties)—Continued					
FLORIDA—Continued					
Dade	5,799	2,963	236	40.7	174
Miami	3,870	1,973	153	39.5	118
White	3,131	1,538	100	31.9	70
Nonwhite	739	435	53	71.7	48
Miami Beach	525	224	23	43.8	10
Balance of county	1,404	766	60	42.7	46
White	1,085	628	42	38.7	31
Nonwhite	319	138	18	56.4	15
De Soto	215	97	10	46.5	5
White	166	72	8	48.2	5
Nonwhite	49	25	2	40.8	-
Dixie	190	69	11	57.9	10
White	139	36	8	57.6	8
Nonwhite	51	33	3	58.8	2
Duval	5,971	2,847	298	49.9	222
Jacksonville	4,954	2,388	262	52.9	188
White	3,496	1,314	153	43.8	95
Nonwhite	1,458	1,074	109	74.8	93
Balance of county	1,017	459	36	35.4	34
White	849	369	24	28.3	30
Nonwhite	168	90	12	71.4	4
Escambia	2,927	1,023	148	50.6	112
Pensacola	1,499	562	69	46.0	64
White	1,124	325	46	40.9	31
Nonwhite	375	237	23	61.3	33
Balance of county	1,428	461	79	55.3	48
White	1,272	384	70	55.0	32
Nonwhite	156	77	9	57.7	16
Flagler	49	31	2	40.8	1
White	10	13	-	0	-
Nonwhite	39	18	2	51.3	1
Franklin	171	74	6	35.0	10
White	119	46	4	33.6	6
Nonwhite	52	28	2	38.5	4
Gadsden	675	702	35	51.9	31
White	237	352	8	33.8	5
Nonwhite	438	350	27	61.6	26
Gilchrist	118	34	3	25.4	4
White	105	29	3	28.6	2
Nonwhite	13	5	-	0	2
Glades	50	14	2	40.0	1
White	36	9	2	55.6	1
Nonwhite	14	5	-	0	-
Gulf	215	60	9	41.9	7
White	158	33	5	31.6	5
Nonwhite	57	27	4	70.2	2
Hamilton	249	82	15	60.2	5
White	133	37	5	37.6	5
Nonwhite	116	45	10	86.2	-
Hardee	229	70	5	21.8	5
Hendry	118	39	7	59.3	-
White	96	23	3	31.3	-
Nonwhite	22	16	4	181.8	-
Hernando	129	68	7	54.3	1
White	91	51	6	65.9	-
Nonwhite	38	17	1	26.3	1
Highlands	317	205	19	59.9	5
White	242	167	14	57.9	1
Nonwhite	75	38	5	66.7	4
Hillsborough	4,977	2,321	219	44.0	156
Tampa	2,859	1,412	115	40.2	96
White	2,309	992	73	31.6	60
Nonwhite	550	420	42	76.4	36
Balance of county	2,118	909	104	49.1	60
White	1,907	771	89	46.7	49
Nonwhite	211	138	15	71.1	11
Holmes	385	117	9	23.4	9
Indian River	192	113	9	46.9	7
White	136	84	6	44.1	3
Nonwhite	56	29	3	53.6	4
Jackson	1,037	309	49	47.3	36
White	702	182	23	32.8	21
Nonwhite	335	127	26	77.6	15
Jefferson	285	124	17	59.6	16
White	83	33	4	48.2	2
Nonwhite	202	91	13	64.4	14
Lafayette	91	30	4	44.0	4
Lake	487	279	15	32.1	17
White	342	193	10	29.2	9
Nonwhite	125	86	5	40.0	8
Lee	470	292	23	48.9	18
Fort Myers	314	149	16	51.0	13
White	235	96	8	34.0	8
Nonwhite	79	53	8	101.3	5
Balance of county	156	143	7	44.9	5
White	134	126	5	37.3	4
Nonwhite	22	17	2	91.0	1

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 25)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
FLORIDA—Continued					
Leon	943	389	51	54.1	28
Tallahassee	561	179	26	46.3	14
White	377	89	14	37.1	6
Nonwhite	184	90	12	65.2	8
Balance of county	382	210	25	65.4	14
White	125	102	7	56.0	3
Nonwhite	257	108	18	70.0	11
Levy	247	116	6	24.3	7
White	164	63	5	30.5	5
Nonwhite	83	53	1	12.0	2
Liberty	73	39	3	41.1	7
White	57	35	3	52.6	3
Nonwhite	16	4	-	0	4
Madison	386	169	32	82.9	21
White	175	60	15	85.7	7
Nonwhite	211	109	17	80.6	14
Manatee	484	241	15	31.0	15
White	324	187	8	24.7	11
Nonwhite	160	54	7	43.8	4
Marion	695	384	30	43.2	32
White	360	165	13	36.1	15
Nonwhite	335	219	17	50.7	17
Martin	114	68	8	70.2	2
White	71	39	4	56.3	-
Nonwhite	43	29	4	93.0	2
Monroe	383	245	25	65.3	20
Key West	375	227	25	66.7	18
White	299	161	17	56.9	10
Nonwhite	76	66	8	105.3	8
Balance of county	8	18	-	0	2
White	7	15	-	0	2
Nonwhite	1	3	-	0	-
Nassau	305	105	12	39.3	11
White	204	45	6	29.4	3
Nonwhite	101	60	6	59.4	8
Okaloosa	406	186	27	66.5	17
Okeechobee	63	26	1	15.9	-
White	53	22	1	18.9	-
Nonwhite	10	4	-	0	-
Orange	1,799	957	76	42.2	53
Orlando	1,144	550	45	39.3	28
White	940	404	32	34.0	16
Nonwhite	204	146	13	63.7	12
Balance of county	655	407	31	47.3	25
White	509	324	19	37.3	16
Nonwhite	146	83	12	82.2	9
Osceola	137	196	9	65.7	6
White	103	158	3	29.1	3
Nonwhite	34	38	6	176.5	3
Palm Beach	1,513	829	73	48.2	52
West Palm Beach	663	369	18	27.1	17
White	468	233	11	23.5	8
Nonwhite	195	136	7	35.9	9
Balance of county	850	460	55	64.7	35
White	476	276	19	39.9	12
Nonwhite	374	184	36	96.3	23
Pasco	302	198	18	59.6	14
White	241	161	12	49.8	10
Nonwhite	61	37	6	98.4	4
Pinellas	1,590	1,429	63	39.6	35
Clearwater	236	128	6	25.4	6
White	189	102	4	21.2	6
Nonwhite	47	26	2	42.6	-
St. Petersburg	1,036	1,022	39	37.6	22
White	819	880	25	30.5	12
Nonwhite	217	142	14	64.5	10
Balance of county	318	279	18	56.6	7
Polk	2,061	950	106	51.4	71
Lakeland	504	302	32	63.5	15
White	394	225	24	60.9	8
Nonwhite	110	77	8	72.7	7
Balance of county	1,557	648	74	47.5	56
White	1,210	474	51	42.1	41
Nonwhite	347	174	23	66.3	15
Putnam	408	247	25	61.3	10
White	263	151	12	45.6	1
Nonwhite	145	116	13	89.7	9
St. Johns	389	230	15	38.6	14
St. Augustine	259	156	10	38.6	8
White	173	103	5	28.9	3
Nonwhite	86	53	5	58.1	5
Balance of county	130	74	5	38.5	6
White	59	34	2	33.9	2
Nonwhite	71	40	3	42.3	4
St. Lucie	297	128	13	43.8	18
White	158	90	6	38.0	6
Nonwhite	139	38	7	50.4	12
Santa Rosa	450	149	21	46.7	10
White	393	121	18	45.8	9
Nonwhite	57	28	3	52.6	1
Sarasota	353	279	21	59.5	15
Sarasota	252	179	15	59.5	10
White	178	131	6	33.7	6
Nonwhite	74	48	9	121.6	4
Balance of county	101	100	6	59.4	5
White	86	85	5	58.1	5
Nonwhite	15	15	1	66.7	-
Seminole	418	233	13	31.1	18
Sanford	206	120	8	38.8	7
White	124	46	3	24.2	3
Nonwhite	82	74	5	61.0	4
Balance of county	212	113	5	23.6	11
White	97	62	1	10.3	4
Nonwhite	115	51	4	34.8	7
Sumter	230	103	10	43.5	9
White	156	63	6	38.5	5
Nonwhite	74	40	4	54.1	4
Suwannee	462	201	22	47.6	18
White	303	99	9	29.7	11
Nonwhite	159	102	13	81.8	7
Taylor	216	93	5	23.1	3
White	173	60	5	28.9	2
Nonwhite	43	33	-	0	1
Union	149	71	5	33.6	9
White	111	37	3	27.0	5
Nonwhite	38	34	2	52.6	4
Volusia	861	717	44	51.1	34
Daytona Beach	352	310	13	36.9	19
White	237	213	3	12.7	6
Nonwhite	115	97	10	87.0	13
Balance of county	509	407	31	60.9	15
White	346	307	18	52.0	13
Nonwhite	163	100	13	79.8	2
Wakulla	158	45	3	19.0	5
White	101	19	1	9.9	3
Nonwhite	57	26	2	35.1	2
Walton	346	104	11	31.8	11
White	300	84	9	30.0	12
Nonwhite	46	20	2	43.5	3
Washington	344	102	10	29.1	23
White	275	84	6	21.8	15
Nonwhite	69	18	4	58.0	8
GEORGIA (total)	78,387	30,101	3,656	46.6	2,673
Appling	411	70	11	26.8	18
White	322	46	9	28.0	12
Nonwhite	89	24	2	22.5	6
Atkinson	197	41	6	30.5	6
White	155	25	3	19.4	5
Nonwhite	42	16	3	71.4	1
Bacon	232	71	13	56.0	7
White	200	62	11	55.0	5
Nonwhite	32	9	2	62.5	2
Baker	154	39	4	26.0	7
White	55	13	2	36.4	1
Nonwhite	99	26	2	20.2	6
Baldwin	397	758	14	35.3	10
White	167	375	3	18.0	3
Nonwhite	230	383	11	47.8	7
Banks	199	50	9	45.2	6
Barrow	293	123	23	78.5	7
White	212	98	18	84.9	6
Nonwhite	81	25	5	61.7	1
Bartow	584	193	37	63.4	19
White	501	142	27	53.9	15
Nonwhite	83	51	10	120.5	4
Ben Hill	337	171	23	68.2	18
White	215	89	8	37.2	10
Nonwhite	122	82	15	123.0	6
Berrien	342	84	8	23.4	11
White	302	68	7	23.2	9
Nonwhite	40	16	1	25.0	2
Bibb	2,731	1,176	147	53.8	104
Macon	2,246	897	114	50.8	83
White	1,483	439	69	46.5	29
Nonwhite	763	458	45	59.0	54
Balance of county	485	279	33	68.0	21
White	306	178	24	78.4	8
Nonwhite	179	101	9	50.3	13
Bleckley	256	85	10	39.1	12
White	160	51	6	37.5	5
Nonwhite	96	34	4	41.7	7
Brantley	190	72	15	78.9	5
White	174	54	13	74.7	4
Nonwhite	16	18	2	125.0	1
Brooks	528	180	20	38.0	25
White	239	80	10	41.8	5
Nonwhite	287	100	10	34.8	18

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
SECTION B (Counties)—Continued					
GEORGIA—Continued					
Bryan	140	66	6	42.9	7
White	75	35	2	26.7	4
Nonwhite	65	31	4	61.5	3
Bulloch	582	178	25	43.0	26
White	302	92	7	23.2	9
Nonwhite	280	86	18	64.3	17
Burke	637	226	30	47.1	26
White	125	62	5	40.0	5
Nonwhite	512	164	25	48.8	21
Butts	226	97	9	39.8	8
White	98	44	2	20.4	3
Nonwhite	128	53	7	54.7	5
Calhoun	253	93	19	75.1	15
White	59	28	2	33.9	2
Nonwhite	194	65	17	87.6	13
Camden	176	79	13	73.9	11
White	63	24	3	47.6	2
Nonwhite	113	55	10	88.5	9
Candler	191	54	6	31.4	6
White	120	36	2	16.7	5
Nonwhite	71	18	4	56.3	1
Carroll	723	260	24	33.2	26
White	561	194	17	30.3	17
Nonwhite	162	66	7	43.2	9
Catoosa	276	77	16	58.0	6
Charlton	115	34	12	104.3	4
White	73	24	6	82.2	2
Nonwhite	42	10	6	142.9	2
Chatham	3,652	2,002	243	66.5	160
Savannah	3,020	1,598	188	62.3	130
White	1,873	721	95	50.7	50
Nonwhite	1,147	877	93	81.1	80
Balance of county	632	404	55	87.0	30
White	415	216	19	45.8	14
Nonwhite	217	188	36	165.9	16
Chattahoochee	120	136	5	41.7	4
White	89	110	4	44.9	1
Nonwhite	31	26	1	32.2	3
Chattooga	480	96	12	25.0	4
Cherokee	459	138	16	34.9	12
Clarke	610	324	41	67.2	25
Athens	459	244	33	71.9	21
White	311	133	22	70.7	11
Nonwhite	148	111	11	74.3	10
Balance of county	151	80	8	53.0	4
White	75	44	6	80.0	3
Nonwhite	76	36	2	26.3	1
Clay	180	68	10	55.6	6
White	39	21	4	102.6	-
Nonwhite	141	47	6	42.6	6
Clayton	269	96	10	37.2	7
White	173	62	6	34.7	6
Nonwhite	96	34	4	41.7	1
Clinch	137	36	6	43.8	4
White	87	19	4	46.0	2
Nonwhite	50	17	2	40.0	2
Cobb	959	379	36	37.5	27
White	845	296	30	35.5	23
Nonwhite	114	83	6	52.6	4
Coffee	703	191	39	55.5	24
White	519	132	31	59.7	15
Nonwhite	184	59	8	43.5	9
Colquitt	995	302	53	53.3	33
Moultrie	375	121	22	58.7	13
White	290	77	13	44.8	9
Nonwhite	85	44	9	105.9	4
Balance of county	620	181	31	50.0	20
White	492	151	20	40.7	13
Nonwhite	128	30	11	85.9	7
Columbia	229	80	12	52.4	5
White	90	35	4	44.4	1
Nonwhite	139	45	8	57.6	4
Cook	284	86	6	21.1	9
White	206	50	2	9.7	5
Nonwhite	78	36	4	51.3	4
Coweta	570	163	18	31.6	12
White	277	81	9	32.5	4
Nonwhite	293	82	9	30.7	8
Crawford	181	70	10	55.2	10
White	56	19	3	53.6	2
Nonwhite	125	51	7	56.0	8
Crisp	435	187	21	48.3	18
White	205	82	8	39.0	7
Nonwhite	230	105	13	56.5	11
Dade	166	45	4	24.1	1
Dawson	93	15	-	0	2
Decatur	703	253	29	41.3	37
White	387	98	10	25.8	15
Nonwhite	316	155	19	60.1	22
Section B (Counties)—Continued					
GEORGIA—Continued					
De Kalb	2,101	782	67	31.9	48
Atlanta (part)	774	276	18	(3)	16
White	714	236	14	(3)	12
Nonwhite	60	40	4	(3)	3
Decatur	431	158	14	32.5	8
White	323	113	5	15.5	5
Nonwhite	108	45	9	83.3	3
Balance of county	896	348	35	39.1	25
White	679	268	23	33.9	9
Nonwhite	217	80	12	55.3	16
Dodge	450	129	17	37.8	22
White	294	87	14	47.6	9
Nonwhite	156	42	3	19.2	13
Dooly	364	152	12	33.0	9
White	145	72	6	41.4	1
Nonwhite	219	80	6	27.4	8
Dougherty	860	376	30	34.9	35
Albany	678	296	20	29.5	30
White	401	102	9	22.4	11
Nonwhite	277	194	11	39.7	19
Balance of county	182	80	10	54.9	5
White	78	27	2	25.6	-
Nonwhite	104	53	8	76.9	5
Douglas	200	53	6	30.0	7
White	138	36	5	36.2	5
Nonwhite	62	17	1	16.1	2
Early	484	148	28	57.9	17
White	217	49	5	23.0	3
Nonwhite	267	99	23	86.1	14
Echols	43	11	4	93.0	-
White	23	9	2	87.0	-
Nonwhite	20	2	2	100.0	-
Effingham	254	86	11	43.3	8
White	144	53	5	34.7	3
Nonwhite	110	33	6	54.5	5
Elbert	449	146	15	33.4	10
White	230	72	3	13.0	2
Nonwhite	219	74	12	54.8	8
Emanuel	479	168	25	52.2	15
White	277	102	10	36.1	7
Nonwhite	202	66	15	74.3	8
Evans	165	64	14	84.8	8
White	90	30	4	44.4	3
Nonwhite	75	34	10	133.3	5
Fannin	427	109	17	39.8	10
Fayette	193	62	11	57.0	1
White	98	40	5	51.0	1
Nonwhite	95	22	6	63.2	-
Floyd	1,269	402	40	31.5	29
Rome	701	237	23	32.8	15
White	585	171	19	32.5	14
Nonwhite	116	66	4	34.5	1
Balance of county	568	165	17	29.9	14
White	506	133	12	23.7	11
Nonwhite	62	32	5	80.6	3
Forsyth	259	27	2	7.7	6
Franklin	367	124	24	65.4	16
White	313	101	18	57.5	8
Nonwhite	54	23	6	111.1	8
Fulton	8,736	4,602	420	48.1	295
Atlanta (part)[4]	6,438	3,625	315	(3)	233
White[4]	4,220	1,902	152	(3)	116
Nonwhite[4]	2,218	1,723	163	(3)	117
Atlanta (total)[4]	7,212	3,901	333	46.2	248
White[4]	4,934	2,138	166	33.6	128
Nonwhite[4]	2,278	1,763	167	73.3	120
District 1511, Center Hill[4]	———	———	———	———	———
White[4]	———	———	———	———	———
Nonwhite[4]	———	———	———	———	———
East Point	323	103	14	43.3	6
White	262	74	10	38.2	4
Nonwhite	61	29	4	65.6	2
Balance of county	1,975	874	91	46.1	56
White	1,590	660	66	41.5	46
Nonwhite	385	214	25	64.9	10
Gilmer	287	73	18	87.4	7
Glascock	104	26	2	19.2	4
White	75	20	2	26.7	2
Nonwhite	29	6	-	0	2
Glynn	924	342	87	94.2	44
Brunswick	677	240	65	96.0	35
White	493	102	24	48.7	18
Nonwhite	184	138	41	222.8	17
Balance of county	247	102	22	89.1	9
White	185	49	12	64.9	5
Nonwhite	62	53	10	161.3	4
Gordon	453	135	21	46.4	10
Grady	487	120	21	43.1	16
White	309	87	12	38.8	8
Nonwhite	178	53	9	50.6	8

[3]Rate not computed for part of an area.
[4]Figures for District 1511, Center Hill are included in those for Atlanta.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
GEORGIA—Continued					
Greene	339	150	26	76.7	15
White	142	64	6	42.3	4
Nonwhite	197	86	20	101.5	11
Gwinnett	540	220	25	46.3	11
White	473	198	21	44.4	8
Nonwhite	67	22	4	59.7	3
Habersham	354	97	9	25.4	10
Hall	820	239	32	39.0	14
Gainesville	290	123	17	58.6	4
White	256	96	15	63.6	4
Nonwhite	54	27	2	37.0	-
Balance of county	530	116	15	28.3	10
Hancock	313	94	10	31.9	13
White	65	26	2	30.8	-
Nonwhite	248	68	8	32.3	13
Haralson	325	89	18	55.4	9
White	289	80	16	55.4	7
Nonwhite	36	9	2	55.6	2
Harris	275	120	15	54.5	7
White	90	53	4	44.4	2
Nonwhite	185	67	11	59.5	5
Hart	282	94	14	49.6	5
White	213	60	5	23.5	2
Nonwhite	69	34	9	130.4	3
Heard	123	55	6	48.8	6
White	72	33	4	55.6	3
Nonwhite	51	22	2	39.2	3
Henry	369	146	18	48.8	12
White	148	62	6	40.5	5
Nonwhite	221	84	12	54.3	7
Houston	422	133	18	42.7	14
White	169	57	10	59.2	10
Nonwhite	253	76	8	31.6	4
Irwin	357	64	9	25.2	10
White	200	39	7	35.0	4
Nonwhite	157	25	2	12.7	6
Jackson	499	127	21	42.1	10
White	428	102	20	46.7	5
Nonwhite	71	25	1	14.1	5
Jasper	198	98	13	65.7	10
White	58	38	1	17.2	-
Nonwhite	140	60	12	85.7	10
Jeff Davis	240	57	6	25.0	5
White	200	44	5	25.0	4
Nonwhite	40	13	1	25.0	1
Jefferson	521	152	17	32.6	17
White	165	68	5	30.3	5
Nonwhite	356	84	12	33.7	12
Jenkins	300	108	16	53.3	5
White	113	48	8	70.8	3
Nonwhite	187	60	8	42.9	2
Johnson	258	77	7	27.1	7
White	139	46	3	21.6	1
Nonwhite	119	31	4	33.6	6
Jones	199	74	8	40.2	9
White	63	37	2	31.7	2
Nonwhite	136	37	6	44.1	7
Lamar	241	88	9	37.3	8
White	106	48	2	18.9	3
Nonwhite	135	40	7	51.9	5
Lanier	85	23	4	47.1	3
White	68	16	2	29.4	3
Nonwhite	17	7	2	117.6	-
Laurens	761	304	36	47.3	31
White	422	149	13	30.8	9
Nonwhite	339	155	23	67.8	22
Lee	221	70	12	54.3	12
White	44	15	2	45.5	3
Nonwhite	177	55	10	56.5	9
Liberty	246	147	12	48.8	8
White	108	72	4	37.0	2
Nonwhite	138	75	8	58.0	6
Lincoln	187	21	3	16.0	3
White	81	10	-	0	2
Nonwhite	106	11	3	28.3	1
Long	88	32	6	68.2	2
White	60	10	2	33.3	-
Nonwhite	28	22	4	142.9	2
Lowndes	904	349	31	34.3	31
Valdosta	519	189	18	34.7	16
White	309	77	6	19.4	6
Nonwhite	210	112	12	57.1	10
Balance of county	385	160	13	33.8	15
White	187	97	5	26.7	9
Nonwhite	198	63	8	40.4	6
Lumpkin	163	38	5	30.7	5
McDuffie	266	85	11	41.4	18
White	119	43	1	8.4	7
Nonwhite	147	42	10	68.0	11
Section B (Counties)—Continued					
GEORGIA—Continued					
McIntosh	165	63	8	48.5	5
White	51	19	5	98.0	1
Nonwhite	114	44	3	26.3	4
Macon	459	167	28	61.0	15
White	113	42	4	35.4	2
Nonwhite	346	125	24	69.4	13
Madison	294	86	14	47.6	8
White	232	83	11	47.4	5
Nonwhite	62	23	3	48.4	3
Marion	201	66	14	69.7	12
White	69	25	7	101.4	3
Nonwhite	132	41	7	53.0	9
Meriwether	530	191	16	30.2	21
White	210	89	6	28.6	8
Nonwhite	320	102	10	31.3	13
Miller	221	63	8	36.2	6
White	115	37	5	43.5	3
Nonwhite	106	26	3	28.3	3
Mitchell	601	187	22	36.6	21
White	249	69	1	4.0	2
Nonwhite	352	118	21	59.7	19
Monroe	282	108	9	31.9	10
White	112	51	2	17.9	3
Nonwhite	170	57	7	41.2	7
Montgomery	167	59	8	47.9	5
White	85	33	5	58.8	1
Nonwhite	82	26	3	36.6	4
Morgan	307	132	14	45.6	14
White	125	47	9	72.0	3
Nonwhite	182	85	5	27.5	11
Murray	292	58	3	10.3	3
Muscogee	3,045	819	107	35.1	79
Columbus	2,484	680	97	39.0	74
White	1,939	353	57	29.4	51
Nonwhite	545	327	40	73.4	23
Balance of county	561	139	10	17.8	5
White	412	99	8	19.4	4
Nonwhite	149	40	2	13.4	1
Newton	498	154	15	30.1	23
White	305	79	5	16.4	3
Nonwhite	193	75	10	51.8	20
Oconee	132	60	11	83.3	2
White	81	39	7	86.4	1
Nonwhite	51	21	4	78.4	1
Oglethorpe	267	93	13	48.7	16
White	113	50	4	35.4	5
Nonwhite	154	43	9	58.4	11
Paulding	287	82	15	52.3	8
White	256	70	13	50.8	4
Nonwhite	31	12	2	64.5	4
Peach	281	128	27	96.1	9
White	109	45	7	64.2	4
Nonwhite	172	83	20	116.3	5
Pickens	206	67	8	38.8	5
Pierce	311	88	18	57.9	15
White	251	64	15	59.8	9
Nonwhite	60	24	3	50.0	6
Pike	243	109	10	41.2	11
White	91	48	4	44.0	2
Nonwhite	152	61	6	39.5	9
Polk	705	224	40	56.7	25
White	610	177	38	62.3	20
Nonwhite	95	47	2	21.1	5
Pulaski	237	88	10	42.2	13
White	83	48	4	48.2	1
Nonwhite	154	40	6	39.0	12
Putnam	214	90	10	46.7	9
White	64	23	1	15.6	-
Nonwhite	150	67	9	60.0	9
Quitman	77	23	5	64.9	5
White	18	6	1	55.6	1
Nonwhite	59	17	4	67.8	4
Rabun	179	23	4	22.3	2
Randolph	377	177	24	63.7	18
White	91	56	4	44.0	5
Nonwhite	286	121	20	69.9	13
Richmond	2,259	1,176	111	49.1	69
Augusta	1,775	929	86	48.5	55
White	1,095	469	45	41.1	15
Nonwhite	680	460	41	60.3	40
Balance of county	484	247	25	51.7	14
White	333	164	15	45.0	5
Nonwhite	151	83	10	66.2	9
Rockdale	152	70	10	65.8	7
White	82	39	5	61.0	3
Nonwhite	70	31	5	71.4	4
Schley	129	42	9	69.8	4
White	36	17	2	55.6	1
Nonwhite	93	25	7	75.3	3

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
GEORGIA—Continued					
Screven	414	142	29	70.0	17
White	148	40	6	40.5	4
Nonwhite	266	102	23	86.5	13
Seminole	174	63	5	28.7	6
White	82	39	4	48.8	5
Nonwhite	92	24	1	10.9	1
Spalding	715	285	45	62.9	23
Griffin	415	189	27	65.1	15
White	282	98	11	39.0	7
Nonwhite	133	91	16	120.3	8
Balance of county	300	96	18	60.0	8
White	196	67	12	61.2	7
Nonwhite	104	29	6	57.7	1
Stephens	460	57	5	10.9	7
White	410	38	4	9.8	5
Nonwhite	50	19	1	20.0	2
Stewart	288	88	10	34.7	7
White	65	28	1	15.4	1
Nonwhite	223	60	9	40.4	6
Sumter	575	305	35	60.9	31
White	227	105	6	26.4	4
Nonwhite	348	200	29	83.3	27
Talbot	211	104	21	99.5	5
White	42	30	1	23.8	-
Nonwhite	169	74	20	118.3	5
Taliaferro	128	42	8	62.5	8
White	17	11	-	0	-
Nonwhite	111	31	8	72.1	8
Tattnall	349	135	15	43.0	12
White	253	71	5	19.8	7
Nonwhite	96	64	10	104.2	5
Taylor	269	44	3	11.2	9
White	150	20	2	13.3	1
Nonwhite	119	24	1	8.4	8
Telfair	291	94	4	13.7	12
White	163	48	1	6.1	7
Nonwhite	128	46	3	23.4	5
Terrell	497	175	25	50.3	24
White	78	45	-	0	1
Nonwhite	419	130	25	59.7	23
Thomas	745	344	39	52.3	33
Thomasville	299	175	9	30.1	12
White	154	88	4	26.0	5
Nonwhite	145	107	5	34.5	7
Balance of county	446	169	30	67.3	21
White	224	79	9	40.2	9
Nonwhite	222	90	21	94.6	12
Tift	520	182	30	57.7	23
White	352	99	16	45.5	9
Nonwhite	168	83	14	83.3	14
Toombs	367	142	15	40.9	9
White	246	102	11	44.7	3
Nonwhite	121	40	4	33.1	6
Towns	123	28	7	56.9	4
Treutlen	128	46	6	46.9	3
White	98	31	6	61.2	3
Nonwhite	30	15	-	0	-
Troup	1,139	411	68	59.7	41
La Grange	556	195	26	46.8	24
White	399	107	14	35.1	16
Nonwhite	157	88	12	76.4	8
Balance of county	583	216	42	72.0	17
White	311	107	22	70.7	10
Nonwhite	272	109	20	73.5	7
Turner	206	67	16	77.7	17
White	115	35	3	26.1	10
Nonwhite	91	32	13	142.9	7
Twiggs	257	70	10	38.9	9
White	73	21	-	0	-
Nonwhite	184	49	10	54.3	9
Union	203	49	10	49.3	10
Upson	613	184	23	37.5	13
White	414	114	18	43.5	9
Nonwhite	199	70	5	25.1	4
Walker	815	205	28	34.4	13
Walton	455	199	29	63.7	15
White	263	124	15	57.0	7
Nonwhite	192	75	14	72.9	8
Ware	771	319	38	49.3	35
Waycross	540	220	29	53.7	28
White	364	123	16	44.0	13
Nonwhite	176	97	13	73.9	15
Balance of county	231	99	9	39.0	7
White	204	86	9	44.1	6
Nonwhite	27	13	-	0	1
Warren	239	80	15	62.8	8
White	65	27	2	30.8	1
Nonwhite	174	53	13	74.7	7
Washington	628	203	27	43.0	28
White	204	84	9	44.1	2
Nonwhite	424	119	18	42.5	24
Wayne	393	102	15	38.2	11
White	304	75	8	26.3	8
Nonwhite	89	27	7	78.7	3
Webster	133	58	5	37.6	2
White	53	14	1	18.9	1
Nonwhite	80	24	4	50.0	1
Wheeler	177	41	4	22.6	6
White	111	24	2	18.0	1
Nonwhite	66	17	2	30.3	5
White	175	45	10	57.1	5
Whitfield	744	209	30	40.3	19
Dalton	365	110	18	49.3	15
White	335	93	17	50.7	11
Nonwhite	30	17	1	33.3	2
Balance of county	379	99	12	31.7	6
Wilcox	253	73	8	31.6	6
White	147	45	3	20.4	4
Nonwhite	106	28	5	47.2	2
Wilkes	358	148	13	36.3	14
White	127	50	2	15.7	5
Nonwhite	231	98	11	47.6	9
Wilkinson	255	76	8	31.4	11
White	119	28	-	0	2
Nonwhite	136	48	8	58.8	9
Worth	577	181	26	45.1	26
White	254	74	7	27.6	9
Nonwhite	323	107	19	58.8	17
IDAHO (total)	12,391	4,712	396	32.0	253
Ada	1,147	582	44	38.4	16
Boise City	782	360	29	37.1	12
Balance of county	365	222	15	41.1	4
Adams	79	27	1	12.7	-
Bannock	1,035	346	32	30.9	18
Pocatello	703	203	23	32.7	13
Balance of county	332	143	9	27.1	5
Bear Lake	191	60	7	36.6	2
Benewah	119	71	4	33.6	5
Bingham	580	211	19	32.8	18
Blaine	104	39	2	19.2	4
Boise	26	14	-	0	-
Bonner	341	151	7	20.5	4
Bonneville	705	195	40	56.7	15
Idaho Falls	420	142	39	92.9	7
Balance of county	285	53	1	3.5	8
Boundary	98	56	3	30.6	3
Butte	49	24	2	40.8	-
Camas	17	5	1	58.8	1
Canyon	1,014	412	35	34.5	22
Nampa	333	144	14	42.0	7
Balance of county	681	268	21	30.8	15
Caribou	42	19	3	71.4	-
Cassia	393	72	6	15.3	9
Clark	17	6	-	0	-
Clearwater	162	110	3	18.5	1
Custer	59	31	-	0	-
Elmore	158	78	8	50.6	6
Franklin	301	64	9	29.9	6
Fremont	214	67	4	18.7	4
Gem	204	68	3	14.7	2
Gooding	205	76	9	43.9	4
Idaho	190	106	7	36.8	2
Jefferson	256	63	3	11.7	8
Jerome	296	87	17	57.4	4
Kootenai	560	272	11	19.6	13
Coeur d'Alene	312	128	4	12.8	7
Balance of county	248	144	7	28.2	6
Latah	361	190	11	30.5	7
Lemhi	138	59	5	36.2	-
Lewis	70	51	3	42.9	-
Lincoln	97	27	3	30.9	1
Madison	223	58	9	40.4	13
Minidoka	201	67	3	14.9	-
Nez Perce	360	190	15	41.7	8
Lewiston	228	117	13	57.0	6
Balance of county	132	73	2	15.2	2
Oneida	146	41	2	13.7	2
Owyhee	101	19	3	29.7	2
Payette	201	71	5	24.9	3
Power	80	23	2	25.0	1
Shoshone	589	208	25	42.4	14
Teton	104	20	4	38.5	4
Twin Falls	870	272	24	27.6	8
Twin Falls	355	108	8	22.5	4
Balance of county	515	166	16	31.1	4
Valley	115	38	-	0	1
Washington	173	68	2	11.6	2
Yellowstone National Park (part)	-	-	-	(3)	-

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
ILLINOIS (total)	155,735	92,058	5,184	33.3	3,470
Adams	1,120	896	39	34.8	20
Quincy	753	633	29	38.5	15
Balance of county	367	263	10	27.2	5
Alexander	479	321	44	91.9	13
Cairo	272	217	28	102.9	8
White	171	111	13	76.0	3
Nonwhite	101	106	15	148.5	5
Balance of county	207	104	16	77.3	5
White	140	71	11	78.6	4
Nonwhite	67	33	5	74.6	1
Bond	243	151	9	37.0	4
Boone	276	204	11	39.9	13
Brown	128	107	6	47.6	6
Bureau	643	444	20	31.1	8
Calhoun	144	68	1	6.9	1
Carroll	381	251	13	34.1	8
Cass	281	219	12	42.7	4
Champaign	1,685	718	64	38.0	26
Champaign	571	258	20	35.0	13
Urbana	387	160	16	41.3	5
Balance of county	727	300	28	38.5	8
Christian	874	418	28	41.5	14
Clark	286	223	10	35.0	7
Clay	343	179	17	49.6	7
Clinton	405	227	21	51.9	10
Centralia (part)	20	3	-	(3)	-
Balance of county	385	224	21	54.5	10
Coles	739	402	23	31.1	14
Mattoon	347	168	9	25.9	6
Balance of county	392	234	14	35.7	8
Cook	61,121	46,722	2,369	29.2	1,827
Berwyn	904	411	18	19.9	21
Blue Island	397	164	17	42.8	12
Brookfield	201	86	9	44.8	1
Calumet City	277	128	10	36.1	9
Chicago	67,685	38,940	1,989	29.4	1,538
White	60,647	34,293	1,654	27.3	1,328
Nonwhite	7,038	4,647	335	47.6	210
Chicago Heights	515	215	16	31.1	11
Cicero	1,149	577	23	20.0	29
Elgin (part)	10	6	1	(3)	-
Elmwood Park	348	101	5	14.5	3
Evanston	1,141	673	40	35.1	25
Forest Park	276	175	7	25.4	5
Harvey	528	170	14	26.5	10
La Grange	252	122	9	35.7	3
Maywood	499	253	10	20.0	9
Melrose Park	354	107	12	33.9	8
Oak Park	978	703	25	25.6	20
Park Ridge	182	129	7	38.5	4
Wilmette	264	158	6	22.7	8
Winnetka	180	82	4	22.2	2
Balance of county	4,983	3,524	147	29.5	109
Crawford	358	242	9	25.3	8
Cumberland	177	103	5	28.2	1
De Kalb	647	427	23	35.5	14
De Witt	289	215	6	20.8	5
Douglas	308	182	14	45.8	6
Du Page	2,141	997	51	23.8	38
Elmhurst	285	145	10	35.1	3
Balance of county	1,856	852	41	22.1	35
Edgar	430	288	19	44.2	13
Edwards	138	108	4	29.0	3
Effingham	372	180	17	45.7	5
Fayette	473	298	23	48.6	12
Ford	267	163	8	30.0	3
Franklin	920	524	32	34.8	17
West Frankfort	202	126	8	39.6	6
Balance of county	718	398	24	33.4	11
Fulton	857	504	28	33.5	17
Canton	242	149	8	33.1	7
Balance of county	595	355	20	33.6	10
Gallatin	211	155	15	71.1	9
Greene	379	228	16	42.2	8
Grundy	464	230	14	30.2	7
Hamilton	272	151	8	29.4	4
Hancock	459	358	17	38.7	12
Hardin	185	73	8	43.2	5
Henderson	190	102	7	36.8	3
Henry	797	512	20	25.1	14
Kewanee	312	209	6	19.2	6
Balance of county	485	303	14	28.9	8
Iroquois	608	371	27	44.4	10
Jackson	703	406	31	44.1	20
Jasper	238	147	11	46.2	6
Jefferson	629	355	25	39.7	18
Mount Vernon	314	169	11	35.0	10
Balance of county	315	186	14	44.4	8
Section B (Counties)—Continued					
ILLINOIS—Continued					
Jersey	275	163	15	54.5	12
Jo Daviess	449	257	14	31.2	5
Johnson	195	126	12	61.5	10
Kane	2,519	1,814	86	34.1	49
Aurora	1,008	584	37	36.7	22
Elgin (part)	670	767	23	(3)	13
Elgin (total)	680	773	24	35.3	13
Balance of county	841	463	26	30.9	14
Kankakee	1,209	1,541	38	31.4	26
Kankakee	566	250	19	33.6	11
Balance of county	643	1,291	19	29.5	15
Kendall	210	116	3	14.3	3
Knox	992	582	32	32.3	16
Galesburg	574	338	20	34.8	11
Balance of county	418	244	12	28.7	5
Lake	2,767	1,292	85	30.7	59
Highland Park	254	134	8	31.5	5
Waukegan	849	320	24	28.3	21
Balance of county	1,664	838	53	31.9	33
La Salle	2,094	1,143	84	40.1	45
La Salle	233	137	8	34.3	8
Ottawa	384	208	25	65.1	11
Streator	409	194	17	41.6	5
Balance of county	1,068	604	34	31.8	21
Lawrence	356	229	16	44.9	5
Lee	658	487	40	61.0	10
Dixon	253	138	11	43.5	5
Balance of county	405	349	29	72.0	5
Livingston	679	369	18	26.5	7
Logan	451	387	24	53.7	8
Lincoln	184	227	19	103.3	2
Balance of county	247	160	5	20.2	6
McDonough	515	328	15	29.1	12
McHenry	841	469	28	33.3	14
McLean	1,272	854	47	36.9	10
Bloomington	583	456	30	51.5	5
Balance of county	689	398	17	24.7	5
Macon	1,854	915	67	36.1	44
Decatur	1,328	687	48	36.1	36
Balance of county	526	228	19	36.1	8
Macoupin	633	512	20	31.6	13
Madison	3,550	1,951	185	52.1	75
Alton	934	404	65	69.6	23
Granite City	579	242	36	62.2	13
Balance of county	2,037	1,285	84	41.2	39
Marion	889	472	47	52.9	24
Centralia (part)	322	160	14	(3)	9
Centralia (total)	342	163	14	40.9	9
Balance of county	567	312	33	58.2	15
Marshall	219	130	9	41.1	2
Mason	246	178	15	61.0	9
Massac	266	185	16	60.2	9
White	247	154	14	56.7	8
Nonwhite	19	31	2	105.3	1
Menard	151	100	6	39.7	3
Mercer	341	163	4	11.7	9
Monroe	199	132	10	50.3	3
Montgomery	535	346	13	24.3	11
Morgan	498	715	12	24.1	18
Jacksonville	240	537	6	25.0	12
Balance of county	258	176	6	25.3	6
Moultrie	232	172	3	12.9	6
Ogle	573	359	26	45.4	13
Peoria	2,974	1,847	94	31.6	57
Peoria	2,084	1,127	62	29.8	45
Balance of county	890	720	32	36.0	14
Perry	430	241	14	32.6	16
Piatt	276	162	7	25.4	10
Pike	406	275	19	46.8	8
Pope	118	88	10	84.7	3
Pulaski	269	196	24	89.2	14
White	175	103	7	40.0	8
Nonwhite	94	93	17	180.9	6
Putnam	94	69	2	21.3	1
Randolph	543	341	22	40.5	8
Richland	316	183	10	31.6	8
Rock Island	2,609	1,419	73	28.0	45
East Moline	243	348	5	20.6	4
Moline	780	361	18	23.1	8
Rock Island	971	503	34	35.0	23
Balance of county	615	207	16	26.0	10
St. Clair	3,485	1,982	182	52.5	119
Belleville	649	358	11	16.9	22
East St. Louis	1,672	963	112	67.0	70
White	1,207	709	74	61.3	46
Nonwhite	465	254	38	81.7	24
Balance of county	1,144	661	59	51.6	27

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
ILLINOIS—Continued					
Saline	654	397	32	48.9	19
Harrisburg	220	136	13	59.1	7
Balance of county	434	261	19	43.8	12
Sangamon	2,202	1,380	82	37.2	50
Springfield	1,636	1,010	57	34.8	38
Balance of county	566	370	25	44.2	12
Schuyler	145	134	9	62.1	5
Scott	119	116	3	25.2	1
Shelby	417	285	15	36.0	13
Stark	161	91	5	31.1	2
Stephenson	753	503	29	38.5	14
Freeport	476	296	19	39.9	6
Balance of county	277	207	10	36.1	8
Tazewell	1,251	495	27	21.6	32
Pekin	356	179	1	2.8	7
Balance of county	895	316	26	29.1	25
Union	356	496	23	64.6	12
Vermilion	1,570	1,195	50	31.8	40
Danville	704	550	24	34.1	10
Balance of county	866	645	26	30.0	30
Wabash	253	152	11	43.5	6
Warren	408	261	9	22.1	9
Washington	236	181	9	38.1	5
Wayne	427	240	23	53.9	16
White	419	254	24	57.3	5
Whiteside	979	481	37	37.8	19
Sterling	273	143	10	36.6	5
Balance of county	706	338	27	38.2	14
Will	2,465	1,282	59	23.9	47
Joliet	1,480	669	36	24.3	27
Balance of county	985	613	23	23.4	20
Williamson	913	557	50	54.8	36
Winnebago	3,077	1,265	108	35.1	72
Rockford	2,028	882	63	31.1	44
Balance of county	1,049	383	45	42.9	28
Woodford	370	196	7	18.9	8
INDIANA (total)	74,872	41,257	2,960	39.6	1,514
Adams	485	211	17	35.1	8
Allen	3,517	1,702	104	29.6	61
Fort Wayne	2,667	1,361	86	32.2	51
Balance of county	850	341	18	21.2	10
Bartholomew	717	376	41	57.2	9
Columbus	343	179	12	35.0	3
Balance of county	374	197	29	77.5	6
Benton	231	121	5	21.6	4
Blackford	281	147	5	17.8	4
Boone	378	281	12	31.7	8
Brown	95	65	2	21.1	2
Carroll	263	185	7	26.6	5
Cass	713	638	23	32.3	14
Logansport	445	252	15	33.7	9
Balance of county	268	386	8	29.9	5
Clark	907	421	44	48.5	25
Jeffersonville	383	191	22	57.4	10
White	366	166	21	57.4	10
Nonwhite	17	25	1	58.8	-
Balance of county	524	230	22	42.0	15
Clay	387	309	11	28.4	7
Clinton	585	321	20	34.2	5
Frankfort	312	172	15	48.1	5
Balance of county	273	149	5	18.3	-
Crawford	193	116	14	72.5	3
Daviess	596	336	33	55.4	12
Dearborn	451	227	14	31.0	9
Decatur	324	272	9	27.8	11
De Kalb	464	291	11	23.7	11
Delaware	1,777	842	77	43.3	43
Muncie	1,305	570	57	43.7	31
Balance of county	472	272	20	42.4	12
Dubois	516	218	22	42.6	7
Elkhart	1,723	754	51	29.6	28
Elkhart	722	335	21	29.1	15
Goshen	293	122	8	27.3	3
Balance of county	708	297	22	31.1	10
Fayette	473	248	25	52.9	10
Connersville	337	140	14	41.5	9
Balance of county	136	108	11	80.9	1
Floyd	850	503	39	45.9	19
New Albany	659	367	28	42.5	14
Balance of county	191	136	11	57.6	5
Fountain	359	245	12	33.4	3
Franklin	254	158	9	35.4	5
Fulton	257	199	13	50.6	5
Gibson	590	359	31	52.5	8
Grant	1,230	736	59	48.0	25
Marion	683	361	34	49.8	14
Balance of county	547	375	25	45.7	11
Greene	539	370	13	24.1	12
Section B (Counties)—Continued					
INDIANA—Continued					
Hamilton	517	321	11	21.3	7
Hancock	333	222	19	57.1	7
Harrison	386	175	9	23.3	4
Hendricks	409	222	11	26.9	5
Henry	884	536	41	46.4	18
New Castle	413	182	18	43.6	7
Balance of county	471	374	23	48.8	11
Howard	1,121	587	46	41.0	33
Kokomo	865	433	34	39.3	24
Balance of county	256	154	12	46.9	9
Huntington	579	372	21	36.3	9
Huntington	307	194	17	55.4	8
Balance of county	272	178	4	14.7	3
Jackson	617	303	24	38.9	8
Jasper	355	163	17	47.9	1
Jay	434	303	19	43.8	11
Jefferson	405	393	9	22.2	6
Jennings	259	197	11	42.5	2
Johnson	577	352	22	38.1	20
Knox	858	548	31	36.1	17
Vincennes	391	260	12	30.7	8
Balance of county	467	288	19	40.7	9
Kosciusko	553	375	24	43.4	5
Lagrange	319	171	10	31.3	6
Lake	7,318	2,872	313	42.8	187
East Chicago	1,216	536	61	50.2	42
White	1,043	437	45	43.1	34
Nonwhite	173	99	16	92.5	8
Gary	2,905	1,132	117	40.3	79
White	2,405	819	86	35.8	57
Nonwhite	500	313	31	62.0	22
Hammond	1,487	616	74	49.8	31
Whiting	411	90	9	21.9	4
Balance of county	1,299	498	52	40.0	31
La Porte	1,492	772	55	36.9	36
La Porte	435	238	17	39.1	17
Michigan City	559	319	24	42.9	10
Balance of county	498	215	14	28.1	9
Lawrence	793	338	37	46.7	11
Bedford	310	138	11	35.5	3
Balance of county	483	200	26	53.8	8
Madison	2,170	975	97	44.7	43
Anderson	1,096	465	59	53.8	24
Elwood	262	146	14	53.4	4
Balance of county	812	364	24	29.6	15
Marion	10,552	6,083	455	43.1	234
Indianapolis	9,500	5,507	413	43.5	216
White	8,340	4,561	321	38.5	184
Nonwhite	1,160	946	92	79.3	32
Balance of county	1,052	576	42	39.9	18
Marshall	564	295	20	35.5	13
Martin	223	115	9	40.4	5
Miami	571	329	17	29.8	12
Peru	289	162	9	31.1	4
Balance of county	282	167	8	28.4	8
Monroe	765	374	37	48.4	16
Bloomington	402	208	17	42.3	8
Balance of county	363	166	20	55.1	8
Montgomery	454	341	18	39.6	8
Crawfordsville	219	151	12	54.8	4
Balance of county	235	190	6	25.5	4
Morgan	408	276	17	41.7	7
Newton	213	116	9	42.3	5
Noble	453	320	14	30.9	8
Ohio	71	47	8	112.7	1
Orange	319	193	14	43.9	8
Owen	183	155	9	49.2	6
Parke	299	226	6	20.1	6
Perry	361	179	13	36.0	8
Pike	287	181	15	52.3	9
Porter	643	302	18	28.0	9
Posey	396	252	15	37.9	7
Pulaski	290	129	11	37.9	7
Putnam	347	219	7	20.2	6
Randolph	514	332	16	31.1	5
Ripley	383	228	18	47.0	2
Rush	332	225	14	42.2	12
St. Joseph	3,789	1,603	119	31.4	77
Mishawaka	685	251	18	26.3	10
South Bend	2,252	1,008	66	29.3	50
Balance of county	852	344	35	41.1	17
Scott	231	87	10	43.3	3
Shelby	472	315	14	29.7	7
Shelbyville	237	144	6	25.3	2
Balance of county	235	171	8	34.0	5
Spencer	322	197	14	43.5	8
Starke	325	166	17	52.3	2
Steuben	210	195	5	23.8	6
Sullivan	435	320	22	50.6	13

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
INDIANA—Continued					
Switzerland	113	101	3	26.5	1
Tippecanoe	1,229	663	46	37.4	22
Lafayette	733	385	27	36.8	15
Balance of county	496	278	19	38.3	7
Tipton	323	178	10	31.0	5
Union	117	73	6	51.3	3
Vanderburgh	3,090	1,715	146	47.2	65
Evansville	2,576	1,485	119	46.2	57
Balance of county	514	230	27	52.5	8
Vermillion	388	262	12	30.9	6
Vigo	1,814	1,288	85	46.9	32
Terre Haute	1,303	958	67	51.4	22
Balance of county	511	330	18	35.2	10
Wabash	493	288	14	28.4	13
Warren	162	112	12	74.1	-
Warrick	368	228	21	57.1	12
Washington	337	195	14	41.5	6
Wayne	1,303	874	57	43.7	23
Richmond	824	437	39	47.3	17
Balance of county	479	437	18	37.6	6
Wells	331	232	11	33.2	9
White	308	199	4	13.1	3
Whitley	352	203	8	22.7	5
IOWA (total)	47,617	26,189	1,618	34.0	949
Adair	270	105	8	29.6	2
Adams	195	105	9	46.2	4
Allamakee	334	180	17	50.9	6
Appanoose	381	283	8	21.0	6
Audubon	245	99	9	36.7	9
Benton	394	253	13	33.0	12
Black Hawk	1,766	758	58	32.8	33
Waterloo	1,153	462	36	31.2	23
Balance of county	613	296	22	35.9	10
Boone	522	329	22	42.1	11
Boone	198	135	8	40.4	3
Balance of county	324	194	14	43.2	8
Bremer	300	188	9	30.0	1
Buchanan	342	335	9	26.3	7
Buena Vista	341	169	11	32.3	7
Butler	309	155	7	22.7	3
Calhoun	340	142	6	17.6	7
Carroll	496	192	13	26.2	16
Cass	381	187	17	44.6	5
Cedar	292	169	9	30.8	8
Cerro Gordo	793	424	34	42.9	15
Mason City	463	291	26	56.2	10
Balance of county	330	133	8	24.2	5
Cherokee	340	295	9	26.5	4
Chickasaw	268	151	13	48.5	3
Clarke	187	109	8	42.8	7
Clay	314	143	11	35.0	4
Clayton	424	253	15	35.4	8
Clinton	949	524	41	43.2	23
Clinton	589	348	30	50.9	13
Balance of county	360	176	11	30.6	10
Crawford	352	189	13	36.9	11
Dallas	391	263	15	38.4	13
Davis	185	125	10	54.1	2
Decatur	243	151	5	20.6	8
Delaware	396	193	16	40.4	10
Des Moines	949	464	23	24.2	19
Burlington	665	374	20	30.1	12
Balance of county	284	90	3	10.6	7
Dickinson	205	105	4	19.5	3
Dubuque	1,394	794	60	43.0	26
Dubuque	950	617	47	49.5	20
Balance of county	444	177	13	29.3	6
Emmet	330	113	9	27.3	6
Fayette	507	324	15	29.6	14
Floyd	368	208	12	32.6	5
Franklin	316	122	10	31.6	7
Fremont	240	165	14	58.3	7
Greene	313	118	11	35.1	1
Grundy	213	117	6	28.2	7
Guthrie	301	181	12	39.9	4
Hamilton	362	148	7	19.3	2
Hancock	341	131	5	14.7	5
Hardin	352	216	11	31.3	11
Harrison	401	214	14	34.9	7
Henry	378	335	7	18.5	10
Howard	243	114	7	28.8	5
Humboldt	253	122	5	19.8	5
Ida	176	102	6	34.1	7
Iowa	333	156	7	21.0	5
Jackson	382	223	24	62.8	5
Jasper	608	289	17	28.1	12
Newton	218	102	8	36.7	3
Balance of county	388	187	9	23.2	9
Section B (Counties)—Continued					
IOWA—Continued					
Jefferson	244	148	6	24.6	5
Johnson	644	322	20	31.1	15
Iowa City	388	180	14	36.1	7
Balance of county	256	142	6	23.4	8
Jones	349	211	11	31.5	9
Keokuk	279	193	7	25.1	5
Kossuth	583	216	27	46.3	12
Lee	823	466	43	52.2	26
Fort Madison	258	161	20	77.5	9
Keokuk	340	205	19	55.9	10
Balance of county	225	100	4	17.8	7
Linn	1,697	989	64	37.7	24
Cedar Rapids	1,258	691	51	40.5	14
Balance of county	439	298	13	29.6	10
Louisa	176	120	3	17.0	1
Lucas	189	150	8	42.3	5
Lyon	278	121	4	14.4	7
Madison	230	132	9	39.1	6
Mahaska	411	311	17	41.4	9
Oskaloosa	175	133	7	40.0	6
Balance of county	236	158	10	42.4	3
Marion	439	311	15	34.2	10
Marshall	639	397	16	25.0	11
Marshalltown	368	220	10	27.2	5
Balance of county	271	177	6	22.1	6
Mills	227	188	13	57.3	10
Mitchell	244	124	8	32.8	7
Monona	269	135	6	22.3	5
Monroe	258	156	8	31.0	5
Montgomery	251	163	4	15.9	4
Muscatine	600	404	25	41.7	15
Muscatine	383	262	18	47.0	9
Balance of county	217	142	7	32.3	6
O'Brien	357	158	9	25.2	5
Osceola	203	82	7	34.5	4
Page	399	364	13	32.6	7
Palo Alto	320	165	18	56.3	6
Plymouth	436	189	6	13.8	14
Pocahontas	289	107	10	34.6	3
Polk	3,871	2,042	109	28.2	78
Des Moines	3,387	1,782	97	28.6	69
Balance of county	484	280	12	24.8	9
Pottawattamie	1,271	699	54	42.5	20
Council Bluffs	888	479	39	43.9	12
Balance of county	383	220	15	39.2	8
Poweshiek	300	215	14	46.7	2
Ringgold	167	105	7	41.9	8
Sac	292	137	9	30.8	6
Scott	1,869	1,069	63	33.7	38
Davenport	1,447	833	48	33.2	30
Balance of county	422	236	15	35.5	8
Shelby	318	139	10	31.6	6
Sioux	576	199	9	15.6	9
Story	659	319	28	42.5	5
Ames	278	105	13	46.8	1
Balance of county	381	216	15	39.4	4
Tama	352	220	6	17.0	2
Taylor	250	132	4	16.0	3
Union	252	172	11	43.7	9
Van Buren	164	160	5	30.5	3
Wapello	879	517	31	35.3	28
Ottumwa	697	352	27	38.7	21
Balance of county	182	165	4	22.0	7
Warren	305	169	12	39.3	4
Washington	367	206	14	38.1	8
Wayne	197	138	11	55.8	4
Webster	813	380	25	30.8	16
Fort Dodge	478	231	19	39.7	10
Balance of county	335	149	6	17.9	6
Winnebago	267	133	8	30.0	6
Winneshiek	406	256	14	34.5	10
Woodbury	1,920	985	74	38.5	24
Sioux City	1,542	797	61	39.6	20
Balance of county	378	188	13	34.4	4
Worth	192	100	8	41.7	5
Wright	385	206	14	36.4	9
KANSAS (total)	36,021	19,021	1,212	33.6	652
Allen	337	260	14	41.5	11
Anderson	193	136	9	46.6	2
Atchison	364	274	14	38.5	5
Atchison	244	177	12	49.2	4
White	231	147	9	39.0	4
Nonwhite	13	30	3	230.8	-
Balance of county	120	97	2	16.7	1
Barber	142	81	6	42.3	3
Barton	544	168	14	25.7	8
Bourbon	334	260	11	32.9	9
Fort Scott	153	145	8	52.3	3
Balance of county	181	115	3	16.6	6

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
KANSAS—Continued					
Brown	225	215	5	22.2	6
Butler	573	305	26	45.4	6
El Dorado	200	140	11	55.0	1
Balance of county	373	165	15	40.2	5
Chase	94	71	1	10.6	3
Chautauqua	138	93	2	14.5	4
Cherokee	611	321	23	37.6	13
Cheyenne	120	45	4	33.3	3
Clark	71	30	3	42.3	1
Clay	233	158	8	34.3	7
Cloud	296	180	3	10.1	2
Coffey	163	130	5	30.7	4
Comanche	69	38	4	58.0	1
Cowley	733	437	24	32.7	10
Arkansas City	301	141	11	36.5	4
Balance of county	432	296	13	30.1	6
Crawford	789	551	31	39.3	20
Pittsburg	371	224	21	56.6	8
Balance of county	418	327	10	23.9	12
Decatur	116	73	2	17.2	2
Dickinson	368	229	12	32.6	9
Doniphan	184	126	5	27.2	2
Douglas	575	297	17	29.6	7
Lawrence	360	198	14	38.9	5
Balance of county	215	99	3	14.0	2
Edwards	118	67	2	16.9	3
Elk	119	68	3	25.2	2
Ellis	371	114	13	35.0	5
Ellsworth	147	101	2	13.6	2
Finney	295	108	11	37.3	8
Ford	446	217	26	58.3	7
Franklin	343	224	17	49.6	4
Ottawa	176	135	13	73.9	-
Balance of county	167	89	4	24.0	4
Geary	537	189	22	41.0	5
Gove	113	30	7	61.9	2
Graham	105	56	4	38.1	-
Grant	49	14	1	20.4	2
Gray	88	33	2	22.7	1
Greeley	32	11	-	0	-
Greenwood	217	157	9	41.5	7
Hamilton	81	23	4	49.4	-
Harper	208	116	8	38.5	3
Harvey	422	220	14	33.2	8
Newton	216	117	8	37.0	4
Balance of county	206	103	6	29.1	2
Haskell	37	13	2	54.1	2
Hodgeman	52	23	2	38.5	3
Jackson	244	163	7	28.7	7
Jefferson	166	116	2	12.0	4
Jewell	179	108	9	50.3	2
Johnson	800	322	19	23.8	10
Kearny	45	15	-	0	1
Kingman	228	102	5	21.9	8
Kiowa	76	41	6	78.9	3
Labette	674	425	24	35.6	12
Parsons	350	232	19	54.3	9
Balance of county	324	193	5	15.4	3
Lane	67	21	3	44.8	1
Leavenworth	655	439	26	39.7	10
Leavenworth	457	256	14	30.6	7
White	400	217	12	30.0	4
Nonwhite	57	39	2	35.1	3
Balance of county	198	183	12	60.6	3
Lincoln	101	81	2	19.8	1
Linn	151	150	6	39.7	2
Logan	75	31	2	26.7	-
Lyon	447	282	9	20.1	10
Emporia	264	164	7	26.5	8
Balance of county	183	118	2	10.9	2
McPherson	447	234	10	22.4	9
Marion	313	167	9	28.8	4
Marshall	313	206	8	25.6	3
Meade	127	40	1	7.9	1
Miami	319	348	17	53.3	8
Mitchell	168	122	6	35.7	3
Montgomery	1,009	566	33	32.7	25
Coffeyville	418	206	20	47.8	6
White	365	171	15	41.1	6
Nonwhite	53	35	5	94.3	-
Independence	231	139	7	30.3	7
White	218	118	6	27.5	3
Nonwhite	13	21	1	76.9	4
Balance of county	360	221	6	16.7	12
Morris	163	121	8	49.1	1
Morton	48	26	2	41.7	2
Nemaha	506	152	11	55.9	5
Neosho	406	235	5	12.3	12
Chanute	213	124	4	18.8	5
Balance of county	193	111	1	5.2	7
Ness	133	51	3	22.6	3
Norton	158	102	5	31.6	1
Osage	213	189	8	37.6	6
Osborne	133	87	9	67.7	3
Ottawa	119	96	5	42.0	-
Pawnee	175	217	3	17.1	3
Phillips	182	91	6	37.0	5
Pottawatomie	223	133	6	26.9	1
Pratt	240	110	4	16.7	6
Rawlins	114	42	6	52.6	-
Reno	1,158	488	37	32.0	23
Hutchinson	789	338	30	38.0	18
Balance of county	369	150	7	19.0	5
Republic	190	119	5	26.3	4
Rice	302	125	7	23.2	3
Riley	542	199	8	14.8	5
Manhattan	392	119	5	12.8	4
Balance of county	150	80	3	20.0	1
Rooks	142	63	2	14.1	5
Rush	121	48	3	24.8	3
Russell	282	81	4	14.2	4
Saline	621	319	38	61.2	9
Salina	480	230	34	70.8	9
Balance of county	141	89	4	28.4	-
Scott	108	39	9	83.3	1
Sedgwick	4,953	1,523	147	29.7	88
Wichita	4,446	1,329	135	30.4	82
Balance of county	507	194	12	23.7	6
Seward	160	81	7	43.8	2
Shawnee	1,785	1,131	71	39.8	30
Topeka	1,544	853	66	42.7	28
Balance of county	241	278	5	20.7	4
Sheridan	101	30	1	9.9	6
Sherman	138	49	3	21.7	-
Smith	145	113	5	34.5	3
Stafford	164	85	6	36.6	4
Stanton	32	11	2	62.5	1
Stevens	70	30	1	14.3	2
Sumner	469	269	22	46.9	8
Thomas	158	70	7	44.9	2
Trego	92	29	3	32.6	1
Wabaunsee	120	70	5	41.7	2
Wallace	50	12	1	20.0	1
Washington	241	144	7	29.0	3
Wichita	56	28	6	107.1	-
Wilson	302	224	10	33.1	1
Woodson	103	88	5	48.5	7
Wyandotte	3,169	1,662	113	35.7	62
Kansas City	2,823	1,457	100	35.4	58
White	2,346	1,093	78	32.4	41
Nonwhite	477	364	24	50.3	17
Balance of county	346	205	13	37.6	4
KENTUCKY (total)	65,566	29,051	3,280	50.0	1,619
Adair	419	159	19	45.3	10
Allen	294	142	19	64.6	5
Anderson	175	68	4	22.9	5
Ballard	178	108	7	39.1	3
Barren	584	281	35	59.9	13
Bath	233	95	13	55.8	4
Bell	1,302	386	104	79.9	38
Middlesborough	285	129	25	87.7	11
Balance of county	1,017	257	79	77.7	27
Boone	202	136	7	34.7	4
Bourbon	338	218	16	47.3	6
White	286	160	15	52.4	3
Nonwhite	52	58	1	19.2	3
Boyd	1,055	384	50	47.4	24
Ashland	733	242	27	36.8	12
Balance of county	322	142	23	71.4	12
Boyle	310	183	14	45.2	6
White	281	141	11	39.1	6
Nonwhite	29	42	3	103.4	-
Bracken	157	119	10	63.7	3
Breathitt	603	118	12	19.9	20
Breckinridge	377	188	21	55.7	6
Bullitt	194	112	12	61.9	3
Butler	312	117	16	51.3	4
Caldwell	296	146	9	30.4	13
White	278	131	9	32.4	12
Nonwhite	18	15	-	0	1
Calloway	347	187	15	43.2	6
Campbell	1,305	950	72	55.2	31
Fort Thomas	113	120	3	26.5	2
Newport	484	467	45	93.0	14
Balance of county	708	363	24	33.9	15
Carlisle	131	91	4	30.5	2
Carroll	159	94	6	37.7	3
Carter	700	189	35	50.0	33

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
KENTUCKY—Continued					
Casey	517	97	17	32.9	9
Christian	716	735	56	78.2	20
Hopkinsville	286	210	24	83.9	8
White	238	131	19	79.8	7
Nonwhite	48	79	5	104.2	1
Balance of county	430	525	32	74.4	12
White	323	374	15	46.4	9
Nonwhite	107	151	17	158.9	3
Clark	555	228	26	75.2	11
White	332	170	22	66.3	11
Nonwhite	23	58	4	173.9	-
Clay	733	88	19	25.9	15
Clinton	286	80	12	42.0	3
Crittenden	187	101	8	42.8	2
Cumberland	227	104	10	44.1	4
Daviess	1,271	545	79	62.2	30
Owensboro	821	365	51	62.1	24
Balance of county	450	180	28	62.2	6
Edmonson	289	95	19	65.7	3
Elliott	187	37	3	16.0	6
Estill	428	144	29	67.8	2
Fayette	1,488	1,272	60	40.3	40
Lexington	1,508	1,025	52	59.8	41
White	1,085	744	34	31.4	33
Nonwhite	225	281	18	80.0	8
Balance of county	180	247	8	44.4	5
White	157	209	5	31.8	3
Nonwhite	23	38	3	130.4	2
Fleming	290	139	20	69.0	1
Floyd	1,563	357	87	55.7	26
Franklin	409	275	18	44.0	14
Frankfort	237	155	8	33.8	9
White	218	132	8	36.7	9
Nonwhite	19	21	-	0	-
Balance of county	172	122	10	58.1	5
Fulton	360	158	24	66.7	7
White	301	122	24	79.7	3
Nonwhite	59	36	-	0	4
Gallatin	74	61	3	40.5	-
Garrard	221	102	11	49.8	8
White	204	80	10	49.0	8
Nonwhite	17	22	1	58.8	2
Grant	192	94	6	31.3	4
Graves	602	342	27	44.9	8
Grayson	407	152	17	41.8	5
Green	234	109	15	64.1	9
Greenup	586	205	38	64.8	20
Hancock	152	66	6	39.5	-
Hardin	733	326	22	30.0	25
Harlan	1,979	542	142	71.8	58
White	1,834	473	134	73.0	51
Nonwhite	145	69	8	55.2	7
Harrison	256	181	6	23.4	10
Hart	388	140	19	51.6	6
Henderson	780	405	34	43.6	30
Henderson	430	238	16	37.2	21
White	382	173	14	36.6	20
Nonwhite	48	65	2	41.7	1
Balance of county	350	167	18	51.4	9
White	311	142	15	48.2	8
Nonwhite	39	25	3	76.9	1
Henry	233	165	12	51.5	4
Hickman	137	88	3	21.9	9
White	115	69	1	8.8	9
Nonwhite	24	19	2	83.3	-
Hopkins	783	391	37	47.3	34
White	721	318	30	41.6	31
Nonwhite	62	73	7	112.9	3
Jackson	413	66	9	21.8	8
Jefferson	9,878	5,774	523	52.9	212
Louisville	8,720	4,780	464	53.2	186
White	7,752	3,693	378	48.8	155
Nonwhite	968	1,087	86	88.8	31
Balance of county	1,158	994	59	50.9	26
Jessamine	184	142	17	92.4	4
White	168	118	15	89.3	4
Nonwhite	16	24	2	125.0	-
Johnson	642	216	32	49.8	21
Kenton	1,987	1,129	87	43.8	38
Covington	1,326	829	63	47.5	31
Balance of county	661	300	24	36.3	7
Knott	546	33	6	11.0	12
Knox	834	244	48	57.6	23
Larue	203	101	11	54.2	7
Laurel	657	128	16	25.1	14
Lawrence	362	146	22	60.8	10
Lee	188	63	3	16.0	8
Leslie	436	48	13	29.8	7
Letcher	1,239	270	56	45.2	55
Lewis	359	179	24	66.9	8
Lincoln	441	171	13	29.5	6
Livingston	179	78	9	50.3	7
Logan	457	253	20	43.8	8
White	403	206	18	44.7	7
Nonwhite	54	47	2	37.0	1
Lyon	151	95	9	68.7	2
White	128	78	9	70.3	2
Nonwhite	3	17	-	0	-
McCracken	959	562	36	37.5	27
Paducah	708	420	32	45.2	22
White	615	312	26	42.3	20
Nonwhite	93	108	6	64.5	2
Balance of county	251	142	4	15.9	5
McCreary	471	106	24	51.0	25
McLean	199	100	9	45.2	5
Madison	652	304	35	53.7	12
White	616	247	33	53.6	10
Nonwhite	36	57	2	55.6	2
Magoffin	398	74	6	15.1	11
Marion	493	156	22	44.6	11
Marshall	336	134	15	44.6	10
Martin	310	66	16	51.6	9
Mason	359	203	25	69.6	7
White	330	180	22	66.7	6
Nonwhite	29	23	3	103.4	1
Meade	235	86	10	42.6	5
Menifee	148	36	4	27.0	3
Mercer	260	174	13	50.0	8
Metcalfe	226	101	10	44.2	6
Monroe	344	128	23	66.9	8
Montgomery	285	148	9	31.6	10
White	261	107	5	19.2	9
Nonwhite	24	41	4	166.7	1
Morgan	383	77	14	36.6	7
Muhlenberg	944	327	55	58.3	25
Nelson	462	191	33	71.4	17
Nicholas	113	101	6	53.1	6
Ohio	451	246	30	66.5	7
Oldham	143	110	10	69.9	2
White	129	92	10	77.5	2
Nonwhite	14	18	-	0	-
Owen	187	109	6	32.1	1
Owsley	184	45	6	32.6	2
Pendleton	132	114	3	22.7	6
Perry	1,466	292	62	42.3	49
Pike	2,128	484	119	55.9	42
Powell	179	54	13	72.6	6
Pulaski	934	305	41	43.9	27
Robertson	62	39	2	32.3	1
Rockcastle	457	89	20	45.8	8
Rowan	304	86	13	42.8	10
Russell	248	89	9	36.3	8
Scott	232	165	6	25.9	7
White	202	127	6	29.7	4
Nonwhite	30	38	-	0	3
Shelby	321	226	17	53.0	5
White	286	188	15	52.4	5
Nonwhite	35	38	2	57.1	-
Simpson	232	112	11	47.4	7
White	207	96	10	48.3	5
Nonwhite	25	16	1	40.0	2
Spencer	163	67	7	42.9	4
Taylor	311	151	22	70.7	12
Todd	278	130	15	54.0	5
White	218	99	12	55.0	5
Nonwhite	60	31	3	50.0	-
Trigg	225	100	6	26.7	1
White	198	75	3	15.2	1
Nonwhite	27	25	3	111.1	-
Trimble	87	51	3	34.5	2
Union	412	200	24	58.3	10
White	381	177	21	55.1	9
Nonwhite	31	23	3	96.8	1
Warren	728	415	45	61.8	22
Bowling Green	324	214	26	80.2	6
White	289	163	18	62.3	3
Nonwhite	35	51	8	228.6	3
Balance of county	404	201	19	47.0	16
Washington	327	123	20	61.2	12
Wayne	477	154	22	46.1	13
Webster	303	205	20	66.0	-
White	269	172	20	74.3	-
Nonwhite	34	33	-	0	-
Whitley	749	267	40	53.4	26
Wolfe	260	68	14	53.8	11
Woodford	198	112	6	30.3	4
White	179	85	5	27.9	4
Nonwhite	19	27	1	52.6	-

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
LOUISIANA (total)	62,005	24,007	2,773	44.7	1,865
Acadia	1,172	356	61	52.0	25
White	900	249	41	45.6	16
Nonwhite	272	107	20	73.5	9
Allen	480	155	30	62.5	12
White	360	100	21	58.3	7
Nonwhite	120	55	9	75.0	5
Ascension	538	197	19	35.3	15
White	341	86	6	17.6	6
Nonwhite	197	111	13	65.0	9
Assumption	489	184	27	55.2	23
White	263	75	12	45.6	10
Nonwhite	226	89	15	66.4	13
Avoyelles	957	266	31	32.4	27
White	632	170	19	30.1	10
Nonwhite	325	96	12	36.9	17
Beauregard	482	124	19	39.4	16
White	406	103	17	41.9	14
Nonwhite	76	21	2	26.3	2
Bienville	525	184	15	28.6	12
White	214	90	4	18.7	3
Nonwhite	311	94	11	35.4	9
Bossier	917	317	44	48.0	25
White	443	152	15	33.9	8
Nonwhite	474	185	29	61.2	17
Caddo	3,739	1,528	178	47.6	125
Shreveport	2,549	1,040	113	44.3	81
White	1,563	556	51	32.6	31
Nonwhite	986	484	62	62.9	50
Balance of parish	1,190	488	65	54.6	44
White	391	173	11	28.1	9
Nonwhite	799	315	54	67.6	35
Calcasieu	1,879	561	84	44.7	59
Lake Charles	898	308	43	48.0	25
White	651	178	23	35.3	10
Nonwhite	245	130	20	81.6	15
Balance of parish	983	253	41	41.7	34
White	817	183	28	34.3	23
Nonwhite	166	70	13	78.3	11
Caldwell	290	72	13	44.8	10
White	198	45	6	30.3	6
Nonwhite	92	27	7	76.1	4
Cameron	116	42	3	25.9	4
Catahoula	339	86	11	32.4	11
White	204	44	5	24.5	4
Nonwhite	135	42	6	44.4	7
Claiborne	539	192	20	37.1	15
White	186	84	4	24.1	1
Nonwhite	373	108	16	42.9	14
Concordia	348	126	10	28.7	9
White	111	33	5	45.0	2
Nonwhite	237	93	5	21.1	7
De Soto	752	265	26	34.6	34
White	194	98	3	15.5	6
Nonwhite	558	167	23	41.2	28
East Baton Rouge	2,875	949	120	41.7	79
Baton Rouge	1,457	500	54	37.1	54
White	1,067	260	29	27.2	29
Nonwhite	390	240	25	64.1	25
Balance of parish	1,418	449	66	46.5	25
White	846	195	25	29.6	6
Nonwhite	572	254	41	71.7	19
East Carroll	498	194	33	66.3	12
White	193	38	8	41.5	-
Nonwhite	305	156	25	82.0	12
East Feliciana	366	436	17	46.4	16
White	71	189	3	42.3	-
Nonwhite	295	247	14	47.5	16
Evangeline	559	156	25	44.7	9
White	391	107	12	30.7	5
Nonwhite	168	49	13	77.4	4
Franklin	851	234	28	32.9	37
White	476	107	12	25.2	19
Nonwhite	375	127	16	42.7	18
Grant	400	158	14	35.0	9
White	295	95	10	33.9	6
Nonwhite	105	63	4	38.1	3
Iberia	871	348	54	62.0	24
New Iberia	341	166	23	67.4	15
White	236	94	14	59.3	10
Nonwhite	105	72	9	85.7	5
Balance of parish	530	182	31	58.5	9
White	289	96	10	34.6	3
Nonwhite	241	86	21	87.1	6
Iberville	726	327	31	42.7	34
White	327	129	6	18.3	7
Nonwhite	399	198	25	62.7	27
Jackson	396	122	22	55.6	9
White	251	75	11	43.8	6
Nonwhite	145	47	11	75.9	3

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
LOUISIANA—Continued					
Jefferson	1,691	577	71	42.0	39
Gretna	246	126	10	40.7	7
White	182	86	8	44.0	5
Nonwhite	64	40	2	31.3	2
Balance of parish	1,445	451	61	42.2	32
White	1,217	342	43	35.3	24
Nonwhite	228	109	18	78.9	8
Jefferson Davis	700	181	34	48.6	15
White	537	128	21	39.1	9
Nonwhite	163	53	13	79.8	6
Lafayette	1,100	427	67	60.9	34
Lafayette	554	221	36	65.0	10
White	384	128	17	44.3	4
Nonwhite	170	93	19	111.8	6
Balance of parish	546	206	31	56.8	24
White	284	113	9	31.7	10
Nonwhite	262	93	22	84.0	14
Lafourche	1,020	290	48	47.1	34
White	868	203	33	38.0	23
Nonwhite	152	87	15	98.7	11
La Salle	294	88	6	20.4	1
White	253	68	4	15.8	1
Nonwhite	41	20	2	48.8	-
Lincoln	508	137	7	13.8	23
White	235	60	2	8.5	11
Nonwhite	273	77	5	18.3	12
Livingston	466	126	16	34.3	12
White	401	107	13	32.4	12
Nonwhite	65	19	3	46.2	-
Madison	460	195	25	54.3	16
White	123	36	1	8.1	1
Nonwhite	337	159	24	71.2	15
Morehouse	630	259	37	58.7	27
White	261	84	10	38.3	9
Nonwhite	369	175	27	73.2	18
Natchitoches	1,015	348	50	49.3	48
White	495	166	24	48.5	19
Nonwhite	520	182	26	50.0	29
Orleans, coextensive with New Orleans	12,331	6,746	566	45.9	394
White	8,089	4,334	290	35.9	220
Nonwhite	4,242	2,412	276	65.1	174
Ouachita	1,495	630	76	50.8	40
Monroe	721	387	48	66.6	22
White	463	204	23	49.7	6
Nonwhite	258	183	25	96.9	16
Balance of parish	774	243	28	36.2	18
White	514	135	14	27.2	10
Nonwhite	260	108	14	53.8	8
Plaquemines	308	100	12	39.0	15
White	149	52	4	26.8	7
Nonwhite	159	48	8	50.3	8
Pointe Coupee	582	224	24	41.2	10
White	191	75	5	26.2	2
Nonwhite	391	149	19	48.6	8
Rapides	2,529	1,080	108	42.7	70
Alexandria	1,003	349	50	50.0	37
White	637	186	32	50.2	11
Nonwhite	366	163	18	49.2	26
Balance of parish	1,526	731	58	38.0	33
White	1,115	431	33	29.6	17
Nonwhite	411	300	25	60.8	16
Red River	401	112	16	39.9	4
White	169	55	7	41.4	3
Nonwhite	232	57	9	38.8	1
Richland	680	252	26	38.2	19
White	390	80	6	15.4	9
Nonwhite	290	172	20	69.0	10
Sabine	577	164	19	32.9	9
White	466	126	18	34.3	5
Nonwhite	111	38	3	27.0	4
St. Bernard	213	67	9	42.3	4
White	162	52	7	43.2	4
Nonwhite	51	15	2	39.2	-
St. Charles	322	107	13	40.4	13
White	216	53	8	37.0	2
Nonwhite	106	54	5	47.2	5
St. Helena	186	64	6	32.3	5
White	63	30	3	47.6	1
Nonwhite	123	34	3	24.4	4
St. James	440	163	34	77.3	11
White	161	67	9	55.9	4
Nonwhite	279	96	25	89.6	7
St. John the Baptist	383	147	26	67.9	10
White	151	54	8	53.0	2
Nonwhite	232	93	18	77.6	8
St. Landry	2,161	609	100	46.3	58
White	1,018	285	26	25.5	16
Nonwhite	1,143	324	74	64.7	42

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
LOUISIANA—Continued					
St. Martin	722	181	38	52.6	15
White	409	97	17	41.6	7
Nonwhite	313	84	21	67.1	8
St. Mary	1,029	341	44	42.8	31
White	620	158	24	38.7	10
Nonwhite	409	183	20	48.9	21
St. Tammany	568	209	17	29.9	16
White	348	132	9	25.9	8
Nonwhite	220	77	8	36.4	8
Tangipahoa	1,196	398	64	53.5	34
White	747	219	36	48.2	14
Nonwhite	449	179	28	62.4	20
Tensas	380	147	8	21.1	19
White	135	32	5	37.0	3
Nonwhite	245	115	3	12.2	16
Terrebonne	1,199	307	50	41.7	38
White	901	192	32	35.5	18
Nonwhite	298	115	18	60.4	20
Union	459	131	4	8.7	8
White	264	82	3	11.4	3
Nonwhite	195	49	1	5.1	5
Vermilion	902	293	43	47.7	23
White	766	241	31	40.5	14
Nonwhite	136	52	12	88.2	9
Vernon	732	276	26	35.5	16
White	659	232	20	30.3	13
Nonwhite	73	44	6	82.2	3
Washington	988	318	39	39.5	28
Bogalusa	420	180	23	54.8	17
White	291	97	14	48.1	4
Nonwhite	129	83	9	69.8	13
Balance of parish	568	138	16	28.2	11
White	374	89	8	21.4	7
Nonwhite	194	49	8	41.2	4
Webster	932	295	43	46.1	25
White	540	160	23	42.6	11
Nonwhite	392	133	20	51.0	14
West Baton Rouge	240	131	17	70.8	7
White	94	38	3	31.9	1
Nonwhite	146	93	14	95.9	6
West Carroll	482	93	17	35.3	14
White	369	60	10	27.1	10
Nonwhite	113	33	7	61.9	4
West Feliciana	222	116	23	103.6	16
White	29	16	3	103.4	-
Nonwhite	193	100	20	103.6	16
Winn	358	121	9	25.1	13
White	249	88	5	20.1	8
Nonwhite	109	33	4	36.7	5
MAINE (total)	18,944	10,902	972	51.3	324
Androscoggin	1,755	995	90	51.3	36
Auburn	385	216	14	36.4	6
Lewiston	878	465	51	58.1	21
Balance of county	492	314	25	50.8	9
Aroostook	2,249	817	142	63.1	40
Cumberland	4,168	2,232	236	56.6	58
Portland	2,007	1,147	119	59.3	28
South Portland	495	194	19	38.4	12
Westbrook	246	134	18	73.2	-
Balance of county	1,420	757	80	56.3	18
Franklin	379	214	21	55.4	11
Hancock	512	382	21	41.0	4
Kennebec	1,557	1,010	76	48.8	31
Augusta	304	262	17	55.9	7
Waterville	354	184	19	53.7	4
Balance of county	899	584	40	44.5	20
Knox	510	448	27	52.9	11
Lincoln	391	260	13	33.2	5
Oxford	826	495	43	52.1	15
Penobscot	1,908	1,221	81	42.5	36
Bangor	530	489	21	39.6	11
Balance of county	1,378	732	60	43.5	25
Piscataquis	320	221	8	25.0	3
Sagadahoc	609	294	21	34.5	11
Bath	290	130	6	20.7	4
Balance of county	319	164	15	47.0	7
Somerset	741	445	39	52.6	19
Waldo	378	281	9	23.9	5
Washington	495	462	32	64.6	10
York	2,148	1,125	113	52.6	31
Biddeford	510	197	35	68.6	8
Balance of county	1,638	928	78	47.6	23
Section B (Counties)—Continued					
MARYLAND (total)	47,371	24,113	2,037	43.0	1,583
Allegany	1,947	935	96	49.3	70
Cumberland	788	480	43	54.6	28
Balance of county	1,159	455	53	45.7	42
Anne Arundel	1,855	1,005	76	41.0	80
Annapolis	346	161	8	23.1	19
White	240	82	5	20.8	6
Nonwhite	106	79	3	28.3	13
Balance of county	1,509	844	68	45.1	61
White	1,180	474	40	33.9	35
Nonwhite	329	370	28	85.1	26
Baltimore	5,010	1,878	147	29.3	123
District 12[2]	814	143	19	23.3	19
District 13[2]	286	106	16	55.9	10
Balance of county	3,910	1,629	112	28.6	94
White	3,652	1,507	103	28.2	84
Nonwhite	258	122	9	34.9	10
Baltimore (city)	21,572	12,195	987	45.8	729
White	16,605	9,132	636	38.3	456
Nonwhite	4,967	3,063	351	70.7	273
Calvert	317	132	21	66.2	17
White	144	79	9	62.5	8
Nonwhite	173	53	12	69.4	9
Caroline	377	239	22	58.4	9
White	281	171	13	46.3	7
Nonwhite	98	68	9	93.8	2
Carroll	763	697	27	35.4	21
Cecil	762	433	43	56.4	42
Charles	664	208	40	60.2	26
White	382	114	20	52.4	11
Nonwhite	282	94	20	70.9	15
Dorchester	492	366	28	56.9	30
Cambridge	198	140	7	35.4	14
White	145	89	5	34.5	4
Nonwhite	53	51	2	37.7	10
Balance of county	294	226	21	71.4	16
White	177	158	9	50.8	4
Nonwhite	117	68	12	102.6	12
Frederick	1,171	656	43	36.7	35
Frederick	349	223	16	45.8	9
White	295	183	13	44.1	8
Nonwhite	54	40	3	55.6	1
Balance of county	822	433	27	32.8	26
Garrett	495	179	23	46.5	14
Harford	1,152	425	45	39.1	29
White	1,065	370	42	39.4	22
Nonwhite	87	55	3	34.5	7
Howard	455	221	35	76.9	16
White	369	171	26	70.5	13
Nonwhite	86	50	9	104.7	3
Kent	271	214	14	51.7	18
White	169	144	5	29.6	8
Nonwhite	102	70	9	88.2	10
Montgomery	2,686	912	71	26.4	63
White	2,453	799	62	25.3	56
Nonwhite	233	113	9	38.6	7
Prince Georges	3,256	928	120	36.9	95
White	2,785	709	82	21.7	61
Nonwhite	471	217	38	80.7	34
Queen Annes	235	203	14	59.6	15
White	165	141	9	54.5	9
Nonwhite	70	62	5	71.4	6
St. Marys	535	205	37	69.2	26
White	332	116	21	63.3	15
Nonwhite	203	89	16	78.8	11
Somerset	403	252	24	59.6	15
White	225	140	8	35.6	5
Nonwhite	178	112	16	89.9	10
Talbot	330	251	11	33.3	20
White	220	168	4	18.2	12
Nonwhite	110	83	7	63.6	8
Washington	1,577	822	58	36.8	54
Hagerstown	783	438	24	30.7	36
Balance of county	794	384	34	42.8	18
Wicomico	653	464	33	50.5	19
Salisbury	315	180	8	25.4	11
White	265	133	5	18.9	10
Nonwhite	50	47	3	60.0	1
Balance of county	338	284	25	74.0	8
White	226	221	18	79.6	5
Nonwhite	112	63	7	62.5	3
Worcester	393	295	22	56.0	17
White	231	185	10	43.3	8
Nonwhite	162	110	12	74.1	9

[2]Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
MASSACHUSETTS (total)	85,917	54,653	2,939	34.2	2,014
Barnstable	800	540	26	32.5	17
Berkshire	2,440	1,421	75	30.7	66
Adams (town)	260	115	4	15.4	12
North Adams	401	268	12	29.9	7
Pittsfield	1,056	555	39	36.9	22
Balance of county	723	483	20	27.7	25
Bristol	7,259	4,875	291	40.1	202
Attleboro	523	301	22	42.1	12
Fairhaven (town)	187	123	7	37.4	3
Fall River	2,603	1,628	108	41.5	82
New Bedford	1,863	1,340	91	48.8	56
North Attleborough (town)	214	116	5	23.4	2
Taunton	758	684	21	27.7	24
Balance of county	1,111	683	37	33.3	23
Dukes	88	71	-	0	1
Essex	9,184	6,448	332	36.1	221
Amesbury (town)	195	132	8	41.0	5
Andover (town)	197	117	3	15.2	6
Beverly	503	304	19	37.8	13
Danvers (town)	201	484	6	29.9	5
Gloucester	441	297	16	36.3	11
Haverhill	784	668	39	49.7	14
Lawrence	1,584	1,011	56	35.4	57
Lynn	1,872	1,261	75	40.1	44
Marblehead (town)	221	139	5	22.6	4
Methuen (town)	364	242	14	38.5	14
Newburyport	293	187	14	47.8	6
Peabody	363	213	11	30.3	4
Salem	814	482	28	34.4	12
Saugus (town)	305	144	11	36.1	1
Swampscott (town)	168	118	3	17.9	2
Balance of county	879	649	24	27.3	23
Franklin	937	618	32	34.2	20
Greenfield (town)	333	210	8	24.0	8
Balance of county	604	408	24	39.7	12
Hampden	6,845	3,841	227	33.2	156
Chicopee	856	379	30	35.0	20
Holyoke	1,144	707	37	32.3	23
Springfield	3,210	1,802	103	32.1	80
Westfield	344	229	17	49.4	7
West Springfield (town)	338	152	7	20.7	3
Balance of county	953	572	33	34.6	23
Hampshire	1,312	1,058	36	27.4	25
Easthampton (town)	206	99	9	43.7	5
Northampton	404	529	10	24.8	4
Balance of county	702	430	17	24.2	16
Middlesex	19,444	11,480	637	32.8	417
Arlington (town)	782	443	16	20.5	12
Belmont (town)	461	238	16	34.7	11
Cambridge	2,528	1,535	76	30.1	60
Everett	1,000	407	21	21.0	24
Framingham (town)	433	236	14	32.3	4
Lexington (town)	209	196	10	47.8	4
Lowell	1,758	1,402	111	63.1	48
Malden	1,182	677	37	31.3	24
Marlborough	288	199	8	27.8	9
Medford	1,263	607	27	21.4	35
Melrose	410	356	20	48.8	10
Natick (town)	326	162	9	27.6	4
Newton	1,351	733	31	23.6	15
Reading (town)	223	128	10	44.8	7
Somerville	2,148	1,169	75	34.9	61
Stoneham (town)	218	125	6	27.5	4
Wakefield (town)	340	182	12	35.3	5
Waltham	933	486	26	27.9	16
Watertown (town)	673	338	15	22.3	8
Winchester (town)	290	132	7	24.1	7
Woburn	397	221	17	42.8	7
Balance of county	2,251	1,508	73	32.4	42
Nantucket	43	41	1	23.3	3
Norfolk	6,763	4,012	191	28.2	126
Braintree (town)	416	199	9	21.6	12
Brookline (town)	728	764	21	28.8	13
Dedham (town)	324	163	8	24.7	10
Milton (town)	367	214	10	27.2	8
Needham (town)	268	130	2	7.5	2
Norwood (town)	349	157	11	31.5	8
Quincy	1,782	815	59	33.1	23
Wellesley (town)	295	108	5	16.9	6
Weymouth (town)	664	281	20	30.1	11
Balance of county	1,570	1,181	46	29.3	33
Plymouth	3,565	2,288	127	35.6	84
Brockton	1,341	836	52	38.8	26
Plymouth (town)	266	160	8	30.1	4
Balance of county	1,958	1,292	67	34.2	54
Suffolk	17,225	11,704	617	35.8	460
Boston	15,393	10,545	552	35.9	416
White	14,846	10,066	523	35.2	398
Nonwhite	547	479	29	53.0	18
Chelsea	760	582	33	43.4	16
Revere	722	358	28	36.0	24
Winthrop (town)	350	219	6	17.1	4
Worcester	10,012	6,256	347	34.7	216
Athol (town)	244	140	13	53.3	5
Clinton (town)	245	178	20	81.6	3
Fitchburg	819	446	28	34.2	25
Gardner	331	277	9	27.2	10
Leominster	554	253	19	34.3	14
Milford (town)	271	165	7	25.8	2
Northbridge (town)	211	97	7	33.2	2
Southbridge (town)	381	139	11	28.9	10
Webster (town)	265	135	8	30.2	1
Worcester	3,886	2,537	124	31.9	86
Balance of county	2,805	1,869	101	36.0	58
MICHIGAN (total)	125,778	57,046	4,813	38.3	3,196
Alcona	87	58	3	34.5	3
Alger	204	76	9	44.1	5
Allegan	844	455	33	39.1	16
Alpena	508	213	15	29.5	4
Alpena	321	141	13	40.5	2
Balance of county	187	72	2	10.7	2
Antrim	194	121	8	41.2	9
Arenac	173	82	7	40.5	2
Baraga	148	90	3	20.3	6
Barry	422	314	19	45.0	15
Bay	2,045	872	88	43.0	51
Bay City	1,333	594	58	43.5	32
Balance of county	712	278	30	42.1	19
Benzie	145	101	4	27.6	4
Berrien	2,181	1,067	84	38.5	43
Benton Harbor	547	203	24	43.9	13
Niles	269	133	13	48.3	8
Balance of county	1,365	731	47	34.4	22
Branch	491	370	23	46.8	11
Calhoun	2,354	1,265	109	46.3	55
Battle Creek	1,312	606	66	50.3	34
Balance of county	1,042	659	43	41.3	21
Cass	407	286	16	39.3	6
Charlevoix	255	158	14	54.9	8
Cheboygan	262	144	6	22.9	7
Chippewa	842	288	38	45.1	24
Sault Ste. Marie	582	169	24	41.2	17
Balance of county	260	119	14	53.8	7
Clare	213	106	9	42.3	4
Clinton	574	325	22	38.3	13
Crawford	50	27	3	60.0	2
Delta	667	361	32	48.0	20
Escanaba	300	170	19	63.3	7
Balance of county	367	191	13	35.4	13
Dickinson	424	242	18	42.5	10
Iron Mountain	197	103	5	25.4	6
Balance of county	227	139	13	57.3	4
Eaton	757	454	34	44.9	21
Emmet	312	201	11	35.3	6
Genesee	5,713	2,086	249	43.6	130
Flint	3,609	1,374	168	46.6	82
Balance of county	2,104	712	81	38.5	48
Gladwin	208	107	14	67.3	4
Gogebic	529	321	22	41.6	12
Ironwood	200	111	5	25.0	5
Balance of county	329	210	17	51.7	7
Grand Traverse	459	503	16	34.9	9
Traverse City	260	143	6	23.1	7
Balance of county	199	360	10	50.3	2
Gratiot	704	406	35	49.7	15
Hillsdale	608	374	32	52.6	13
Houghton	747	574	44	58.9	21
Huron	711	353	38	53.4	12
Ingham	3,616	1,385	137	37.9	80
Lansing	2,003	865	84	41.9	41
Balance of county	1,613	520	53	32.9	39
Ionia	717	450	20	27.9	11
Iosco	158	105	6	38.0	6
Iron	351	192	18	51.3	11
Isabella	578	263	27	46.7	19
Jackson	2,150	1,113	89	41.4	55
Jackson	1,471	659	55	37.4	37
Balance of county	679	454	34	50.1	18
Kalamazoo	2,375	1,332	66	27.8	51
Kalamazoo	1,705	913	42	24.6	42
Balance of county	670	419	24	35.8	9
Kalkaska	96	40	7	72.9	2
Kent	5,199	2,632	164	31.5	116
Grand Rapids	3,496	1,800	112	32.0	83
Balance of county	1,703	832	52	30.5	33
Keweenaw	37	51	2	54.1	4
Lake	63	68	5	79.4	1
White	60	51	5	83.3	1
Nonwhite	3	17	-	0	-
Lapeer	577	411	43	74.5	18

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
MICHIGAN—Continued					
Leelanau	156	93	14	89.7	5
Lenawee	1,210	698	66	54.5	25
Adrian	368	206	22	59.8	7
Balance of county	842	490	44	52.3	18
Livingston	470	273	13	27.7	13
Luce	136	215	14	102.9	6
Mackinac	174	88	6	34.5	3
Macomb	3,597	1,082	147	40.9	95
Mount Clemens	567	212	30	52.9	24
St. Clair Shores	325	76	4	12.3	6
Balance of county	2,705	794	113	41.8	65
Manistee	347	201	13	37.5	5
Marquette	962	477	35	36.4	27
Marquette	319	164	13	40.8	4
Balance of county	643	313	22	34.2	23
Mason	404	209	8	19.8	5
Mecosta	315	209	8	25.4	8
Menominee	471	257	7	14.9	15
Menominee	237	105	4	16.9	7
Balance of county	234	152	3	12.8	8
Midland	861	212	24	27.9	26
Midland	353	74	11	31.2	15
Balance of county	508	138	13	25.6	11
Missaukee	185	73	6	32.8	4
Monroe	1,472	673	82	55.7	32
Monroe	615	223	35	56.9	11
Balance of county	857	450	47	54.8	21
Montcalm	575	374	28	48.7	12
Montmorency	84	50	2	23.8	1
Muskegon	3,015	1,084	156	51.8	59
Muskegon	1,567	564	101	64.5	37
Muskegon Heights	446	135	19	42.6	3
Balance of county	1,000	385	36	36.0	19
Newaygo	408	229	20	49.0	16
Oakland	7,618	2,526	263	34.5	169
Birmingham	348	103	14	40.5	10
Ferndale	639	162	14	21.9	12
Pontiac	1,835	814	64	34.9	48
Royal Oak	984	223	21	21.3	20
Balance of county	3,812	1,224	150	39.3	81
Oceana	258	192	15	58.1	3
Ogemaw	169	105	7	41.4	4
Ontonagon	169	136	8	47.3	8
Osceola	278	168	14	50.4	7
Oscoda	43	15	3	69.8	4
Otsego	99	54	2	20.2	2
Ottawa	1,418	588	36	25.4	37
Holland	320	150	4	12.5	7
Balance of county	1,098	438	32	29.1	30
Presque Isle	268	104	13	48.5	3
Roscommon	61	34	4	65.6	2
Saginaw	3,252	1,458	158	48.6	82
Saginaw	2,033	1,034	116	57.1	53
Balance of county	1,219	424	42	34.5	29
St. Clair	1,907	941	70	36.7	55
Port Huron	1,001	408	35	35.0	32
Balance of county	906	533	35	38.6	23
St. Joseph	674	464	15	22.3	12
Sanilac	521	314	24	46.1	12
Schoolcraft	192	96	7	36.5	3
Shiawassee	948	509	45	47.5	24
Owosso	372	188	21	56.5	16
Balance of county	576	321	24	41.7	8
Tuscola	742	486	30	40.4	24
Van Buren	620	528	22	35.5	19
Washtenaw	2,457	1,166	64	26.0	65
Ann Arbor	885	341	25	28.2	20
Ypsilanti	677	184	18	26.6	26
White	634	158	16	25.2	24
Nonwhite	43	26	2	46.5	2
Balance of county	895	641	21	23.5	19
Wayne	48,728	20,042	1,707	35.0	1,357
Dearborn	2,205	462	72	32.7	58
Detroit	37,750	15,293	1,289	34.1	1,070
White	33,582	13,275	1,085	32.3	870
Nonwhite	4,168	2,018	204	48.9	200
Ecorse	324	88	13	40.1	8
White	279	68	10	35.8	6
Nonwhite	45	20	3	66.7	2
Grosse Pointe Park	133	91	4	30.1	4
Hamtramck	1,045	392	58	55.6	35
Highland Park	834	431	35	42.0	24
Lincoln Park	546	102	16	29.3	13
River Rouge	402	133	15	37.3	17
White	343	102	10	29.2	13
Nonwhite	59	31	5	84.7	4
Wyandotte	952	262	28	29.4	17
Balance of county	4,539	2,788	179	39.4	111
Wexford	365	183	15	41.1	12
Section B (Counties)—Continued					
MINNESOTA (total)	58,508	26,991	1,809	30.9	1,193
Aitkin	276	132	2	7.2	7
Anoka	560	247	17	30.4	11
Becker	594	256	36	60.6	6
Beltrami	557	250	26	46.7	17
Benton	335	109	14	41.8	7
St. Cloud (part)	37	12	2	(3)	5
Balance of county	298	97	12	40.3	2
Big Stone	208	82	11	53.4	5
Blue Earth	768	366	21	27.3	15
Mankato	545	187	12	34.8	5
Balance of county	423	179	9	21.3	10
Brown	547	227	20	36.6	13
Carlton	481	342	16	33.3	7
Carver	337	144	6	17.8	6
Cass	388	205	14	36.1	9
Chippewa	334	129	6	18.0	5
Chisago	207	153	5	24.2	7
Clay	516	198	12	23.3	11
Clearwater	243	90	6	24.7	5
Cook	49	19	1	20.4	1
White	45	17	1	22.2	-
Nonwhite	4	2	-	0	1
Cottonwood	346	134	14	40.5	7
Crow Wing	619	287	32	51.7	18
Brainerd	286	136	18	62.9	7
Balance of county	333	151	14	42.0	11
Dakota	1,000	365	29	29.0	17
South St. Paul	364	84	14	38.5	9
Balance of county	636	281	15	23.6	8
Dodge	240	100	7	29.2	2
Douglas	404	210	18	44.6	12
Faribault	511	180	17	33.3	6
Fillmore	456	258	9	19.7	14
Freeborn	673	251	17	25.3	14
Albert Lea	310	101	9	29.0	5
Balance of county	363	150	8	22.0	9
Goodhue	562	303	13	23.1	11
Grant	187	76	2	10.7	1
Hennepin	12,241	5,808	309	25.2	269
Minneapolis	10,300	5,098	265	25.7	222
Balance of county	1,941	710	44	22.7	47
Houston	281	161	9	32.0	6
Hubbard	210	110	9	42.9	6
Isanti	196	143	6	30.6	2
Itasca	728	245	31	42.6	18
Jackson	354	115	11	31.1	8
Kanabec	185	74	4	21.6	2
Kandiyohi	559	277	14	25.0	11
Kittson	215	98	9	41.9	6
Koochiching	327	155	12	36.7	8
Lac qui Parle	325	116	13	40.2	4
Lake	136	75	7	51.5	3
Lake of the Woods	108	28	6	56.6	2
Le Sueur	376	169	9	23.9	6
Lincoln	214	82	10	46.7	2
Lyon	488	178	13	26.6	8
McLeod	399	183	10	25.1	8
Mahnomen	205	51	8	39.0	1
White	159	35	5	31.4	1
Nonwhite	46	16	3	65.2	-
Marshall	355	153	11	31.0	4
Martin	510	212	18	35.3	8
Meeker	364	179	13	35.7	9
Mille Lacs	300	143	11	36.7	6
Morrison	597	228	24	40.2	10
Mower	944	296	33	35.0	17
Austin	558	163	22	39.4	13
Balance of county	386	133	11	28.5	4
Murray	382	113	14	36.6	9
Nicollet	515	378	7	22.2	8
Nobles	501	158	10	20.0	9
Norman	265	126	10	37.7	13
Olmsted	860	586	24	27.9	8
Rochester	540	469	17	31.5	4
Balance of county	320	117	7	21.9	4
Otter Tail	1,011	708	32	31.7	23
Fergus Falls	172	337	6	34.9	1
Balance of county	839	371	26	31.0	22
Pennington	258	129	14	54.3	9
Pine	348	174	9	25.9	7
Pipestone	308	102	11	35.7	7
Polk	685	344	25	36.5	18
Pope	266	118	17	63.9	2
Ramsey	7,094	3,164	204	28.8	139
St. Paul	6,477	2,940	188	29.0	133
Balance of county	617	224	16	25.9	6
Red Lake	167	62	9	53.9	5
Redwood	498	179	15	30.2	5

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
MINNESOTA—Continued					
Renville	533	198	16	30.0	15
Rice	617	360	25	40.5	7
Faribault	224	187	15	67.0	4
Balance of county	393	173	10	25.4	3
Rock	231	88	7	30.3	3
Roseau	358	128	17	47.5	6
St. Louis	4,271	2,137	135	31.6	87
Duluth	2,191	1,180	69	31.5	41
Hibbing	392	144	14	35.7	13
Virginia	255	103	12	47.1	6
Balance of county	1,433	710	40	27.9	27
Scott	306	162	4	13.1	8
Sherburne	180	91	9	50.0	1
St. Cloud (part)	15	24	-	(3)	1
Balance of county	165	67	9	54.5	-
Sibley	279	126	7	25.1	2
Stearns	1,498	534	45	30.0	27
St. Cloud (part)	420	167	18	(3)	-
St. Cloud (total)	472	203	20	42.4	6
Balance of county	1,078	367	27	25.0	27
Steele	327	183	12	37.0	8
Stevens	286	91	16	55.9	9
Swift	355	123	14	39.4	11
Todd	511	203	14	27.4	7
Traverse	174	67	3	17.2	2
Wabasha	350	171	7	20.0	9
Wadena	317	104	10	31.5	3
Waseca	298	134	10	33.6	12
Washington	558	281	11	19.7	13
Watonwan	271	140	13	48.0	7
Wilkin	231	91	12	51.9	7
Winona	700	427	22	31.4	16
Winona	432	263	12	27.8	11
Balance of county	268	164	10	37.3	5
Wright	541	284	15	27.7	11
Yellow Medicine	351	139	13	37.0	6
MISSISSIPPI (total)	59,846	21,193	2,800	46.8	2,180
Adams	679	364	40	58.9	22
Natchez	412	241	31	75.2	7
White	222	86	14	63.1	3
Nonwhite	190	155	17	89.5	4
Balance of county	267	123	9	33.7	15
White	44	21	4	90.9	2
Nonwhite	223	102	5	22.4	13
Alcorn	649	205	35	53.9	13
White	543	170	29	53.4	12
Nonwhite	106	35	6	56.6	1
Amite	630	169	21	33.3	29
White	234	72	4	17.1	7
Nonwhite	396	97	17	42.9	22
Attala	809	271	41	50.7	22
White	386	132	16	41.5	10
Nonwhite	423	139	25	59.1	12
Benton	253	79	7	27.7	8
White	109	35	3	27.5	1
Nonwhite	144	44	4	27.8	7
Bolivar	2,019	781	102	50.5	68
White	467	138	29	62.1	10
Nonwhite	1,552	643	73	47.0	58
Calhoun	493	162	22	44.6	7
White	385	123	12	31.2	4
Nonwhite	108	39	10	92.6	3
Carroll	521	125	23	44.1	24
White	159	58	6	37.7	6
Nonwhite	362	67	17	47.0	18
Chickasaw	801	187	21	34.9	15
White	283	93	13	45.9	4
Nonwhite	518	94	8	25.2	11
Choctaw	339	104	10	29.5	13
White	208	67	4	19.2	5
Nonwhite	131	37	6	45.8	8
Claiborne	301	135	12	39.9	26
White	49	29	2	40.8	2
Nonwhite	252	106	10	39.7	24
Clarke	536	163	20	37.3	15
White	293	98	12	41.0	6
Nonwhite	243	65	8	32.9	9
Clay	508	167	26	51.2	20
White	180	64	6	33.3	4
Nonwhite	328	103	20	61.0	16
Coahoma	1,224	521	49	40.0	55
Clarksdale	256	140	14	54.7	11
White	107	41	6	56.1	4
Nonwhite	149	99	8	53.7	7
Balance of county	968	381	35	36.2	44
White	110	44	6	54.5	4
Nonwhite	858	337	29	33.8	40
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Copiah	879	313	47	53.5	36
White	310	138	11	35.5	13
Nonwhite	569	175	36	63.3	23
Covington	498	120	14	28.1	17
White	324	79	6	18.5	6
Nonwhite	174	41	8	46.0	11
De Soto	777	257	34	43.8	29
White	182	60	6	33.0	3
Nonwhite	595	197	28	47.1	26
Forrest	1,308	426	58	44.3	36
Hattiesburg	881	255	39	44.3	30
White	598	144	26	43.5	12
Nonwhite	283	111	13	45.9	18
Balance of county	427	171	19	44.5	6
White	329	115	8	24.3	5
Nonwhite	98	56	11	112.2	1
Franklin	255	100	9	35.3	16
White	129	59	4	31.0	4
Nonwhite	126	41	5	39.7	12
George	332	91	18	54.2	11
White	293	72	16	54.6	8
Nonwhite	39	19	2	51.3	3
Greene	293	68	15	51.2	2
White	230	51	14	60.9	-
Nonwhite	63	17	1	15.9	2
Grenada	589	261	28	47.5	14
White	253	129	12	47.4	4
Nonwhite	336	132	16	47.6	10
Hancock	263	114	13	49.4	11
White	203	82	10	49.3	7
Nonwhite	60	32	3	50.0	4
Harrison	1,877	668	96	51.1	54
Biloxi	837	244	44	52.6	17
White	759	202	41	54.0	10
Nonwhite	78	42	3	38.5	7
Gulfport	514	200	27	52.5	20
White	411	143	24	58.4	16
Nonwhite	103	57	3	29.1	4
Balance of county	526	224	25	47.5	17
White	432	175	23	53.2	14
Nonwhite	94	49	2	21.3	3
Hinds	2,769	1,107	149	53.8	114
Jackson	1,550	676	102	65.8	70
White	957	357	54	56.4	28
Nonwhite	593	319	48	80.9	42
Balance of county	1,219	431	47	38.6	44
White	273	126	10	36.6	5
Nonwhite	946	305	37	39.1	39
Holmes	1,138	373	37	32.5	40
White	190	71	3	15.8	3
Nonwhite	948	302	34	35.9	37
Humphreys	697	215	28	40.2	35
White	155	51	6	38.7	4
Nonwhite	542	164	22	40.6	31
Issaquena	173	48	4	23.1	10
White	29	10	-	0	1
Nonwhite	144	38	4	27.8	9
Itawamba	471	106	6	12.7	11
Jackson	1,035	230	54	52.2	27
White	862	149	39	45.2	18
Nonwhite	173	81	15	86.7	9
Jasper	522	139	12	23.0	11
White	208	69	3	14.4	2
Nonwhite	314	70	9	28.7	9
Jefferson	297	142	10	33.7	13
White	66	25	-	0	1
Nonwhite	231	117	10	43.3	12
Jefferson Davis	503	128	13	25.8	13
White	182	54	7	38.5	4
Nonwhite	321	74	6	18.7	9
Jones	1,429	439	59	41.3	60
Laurel	561	236	31	55.3	29
White	339	127	14	41.3	8
Nonwhite	222	109	17	76.6	21
Balance of county	868	203	28	32.3	31
White	660	138	15	22.7	19
Nonwhite	208	65	13	62.5	12
Kemper	537	158	25	46.6	20
White	152	62	6	39.5	4
Nonwhite	385	96	19	49.4	16
Lafayette	510	198	29	56.9	25
White	248	97	9	36.3	15
Nonwhite	262	101	20	76.3	10
Lamar	354	107	15	42.4	12
White	295	80	11	37.3	7
Nonwhite	59	27	4	67.8	5

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
MISSISSIPPI—Continued					
Lauderdale	1,501	730	74	49.3	51
Meridian	892	499	55	61.7	34
White	644	298	39	60.6	19
Nonwhite	248	201	16	64.5	15
Balance of county	609	231	19	31.2	17
White	294	119	7	23.8	4
Nonwhite	315	112	12	38.1	13
Lawrence	391	112	18	46.0	11
White	219	57	8	36.5	2
Nonwhite	172	55	10	58.1	9
Leake	615	144	26	42.3	22
White	303	89	12	39.6	10
Nonwhite	312	55	14	44.9	12
Lee	910	339	40	44.0	23
White	615	221	32	52.0	12
Nonwhite	295	118	8	27.1	11
Leflore	1,641	536	71	43.3	64
Greenwood	315	186	15	47.6	14
White	163	76	6	36.8	4
Nonwhite	152	110	9	59.2	10
Balance of county	1,326	350	56	42.2	50
White	169	53	8	47.3	3
Nonwhite	1,157	297	48	41.5	47
Lincoln	712	272	39	54.8	28
White	419	153	16	38.2	16
Nonwhite	293	119	23	78.5	12
Lowndes	1,016	337	38	37.4	41
Columbus	485	163	15	30.9	19
White	316	71	10	31.6	8
Nonwhite	169	92	5	29.6	11
Balance of county	531	174	23	43.3	22
White	176	64	6	34.1	2
Nonwhite	355	110	17	47.9	20
Madison	1,124	365	60	53.4	51
White	185	72	9	48.6	4
Nonwhite	939	293	51	54.3	47
Marion	631	206	32	50.7	27
White	357	128	25	70.0	10
Nonwhite	274	78	7	25.5	17
Marshall	814	232	33	40.5	23
White	188	74	9	47.9	1
Nonwhite	626	158	24	38.3	22
Monroe	939	310	51	54.3	23
White	491	189	26	53.0	11
Nonwhite	448	121	25	55.8	12
Montgomery	454	151	24	55.3	17
White	242	81	12	49.6	6
Nonwhite	192	70	12	62.5	11
Neshoba	736	216	40	54.3	23
White	519	145	23	44.3	6
Nonwhite	217	71	17	78.3	17
Newton	592	217	35	59.1	27
White	326	120	16	49.1	5
Nonwhite	266	97	19	71.4	22
Noxubee	843	287	50	77.8	53
White	96	66	5	52.1	5
Nonwhite	547	221	45	82.3	48
Oktibbeha	552	229	27	48.9	11
White	201	69	5	24.9	5
Nonwhite	351	160	22	62.7	6
Panola	910	308	36	39.6	35
White	273	112	10	36.6	8
Nonwhite	637	196	26	40.8	27
Pearl River	585	159	26	44.4	29
White	462	123	20	43.3	23
Nonwhite	123	36	6	48.8	6
Perry	242	74	9	37.2	10
White	170	52	6	35.3	7
Nonwhite	72	22	3	41.7	3
Pike	947	379	64	67.6	35
White	450	188	27	60.0	16
Nonwhite	497	191	37	74.4	19
Pontotoc	486	156	16	32.9	9
White	385	113	9	23.4	5
Nonwhite	101	43	7	69.3	4
Prentiss	529	186	17	32.1	10
White	455	135	14	30.8	10
Nonwhite	74	31	3	40.5	-
Quitman	812	274	44	54.2	47
White	278	78	16	57.6	12
Nonwhite	534	196	28	52.4	35
Rankin	627	663	31	49.4	34
White	197	278	12	60.9	8
Nonwhite	430	385	19	44.2	26
Scott	582	173	28	48.1	32
White	293	91	11	37.5	12
Nonwhite	289	82	17	58.8	20
Sharkey	453	154	16	35.3	14
White	94	39	1	10.6	4
Nonwhite	359	115	15	41.8	10
Simpson	577	169	20	34.7	18
White	335	99	10	29.9	8
Nonwhite	242	70	10	41.3	10
Smith	463	121	19	41.0	14
White	343	101	15	43.7	11
Nonwhite	120	20	4	33.3	3
Stone	136	49	5	36.8	5
White	111	35	3	27.0	3
Nonwhite	25	14	2	80.0	2
Sunflower	1,758	521	79	44.9	69
White	384	110	16	41.7	9
Nonwhite	1,374	411	63	45.9	60
Tallahatchie	983	315	44	44.8	44
White	257	90	15	58.4	3
Nonwhite	726	223	29	39.9	41
Tate	559	166	29	51.9	14
White	203	58	6	29.6	3
Nonwhite	356	110	23	64.6	11
Tippah	498	159	23	46.2	6
White	389	132	19	48.8	3
Nonwhite	109	27	4	36.7	3
Tishomingo	404	118	15	37.1	7
Tunica	648	246	25	38.6	44
White	72	20	-	0	8
Nonwhite	576	226	25	43.4	36
Union	508	167	23	45.3	9
White	388	116	15	38.7	8
Nonwhite	120	51	8	66.7	1
Walthall	522	148	31	59.4	4
White	243	75	9	37.0	1
Nonwhite	279	73	22	78.9	3
Warren	860	499	37	43.0	32
Vicksburg	483	312	21	43.5	15
White	282	124	9	31.9	8
Nonwhite	201	188	12	59.7	7
Balance of county	377	187	16	42.4	17
White	116	38	4	34.5	4
Nonwhite	261	149	12	46.0	13
Washington	1,913	859	108	56.5	98
Greenville	617	340	43	69.7	22
White	328	91	15	45.7	10
Nonwhite	289	249	28	96.9	12
Balance of county	1,296	519	65	50.2	76
White	232	79	8	34.5	6
Nonwhite	1,064	440	57	53.6	70
Wayne	458	142	21	45.9	15
White	258	93	6	23.3	7
Nonwhite	200	49	15	75.0	8
Webster	298	86	12	40.3	6
White	213	65	10	46.9	3
Nonwhite	85	21	2	23.5	3
Wilkinson	602	200	53	88.0	21
White	156	51	2	12.8	6
Nonwhite	446	149	51	114.3	15
Winston	545	190	33	60.6	22
White	284	105	17	59.9	5
Nonwhite	261	85	16	61.3	17
Yalobusha	496	184	21	42.3	11
White	227	93	10	44.1	2
Nonwhite	269	91	11	40.9	9
Yazoo	1,126	426	55	48.8	37
White	347	127	16	46.1	6
Nonwhite	779	299	39	50.1	31
MISSOURI (total)	72,458	44,289	2,918	40.3	1,889
Adair	345	218	10	29.0	5
Kirksville	186	130	4	21.5	1
Balance of county	159	88	6	37.7	4
Andrew	165	138	5	30.3	3
Atchison	225	117	9	40.0	4
Audrain	503	248	23	45.7	14
Barry	405	177	18	44.4	8
Barton	193	147	6	31.1	6
Bates	279	221	5	17.9	11
Benton	162	111	3	18.5	5
Bollinger	150	89	7	46.7	-
Boone	577	362	22	38.1	19
Columbia	346	200	16	46.2	14
White	305	160	15	49.2	12
Nonwhite	41	40	1	24.4	2
Balance of county	231	162	6	26.0	5
Buchanan	1,446	1,429	65	45.0	40
St. Joseph	1,173	1,266	63	53.7	33
Balance of county	273	163	2	7.3	7
Butler	902	319	50	55.4	17
Poplar Bluff	279	123	24	86.0	6
Balance of county	623	196	26	41.7	11
Caldwell	147	139	7	47.6	8

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
MISSOURI—Continued					
Callaway	543	503	18	52.5	16
White	505	417	14	45.9	12
Nonwhite	38	86	4	105.3	4
Camden	140	78	8	57.1	1
Cape Girardeau	731	392	43	58.8	26
Cape Girardeau	402	217	29	72.1	16
Balance of county	329	175	14	42.6	10
Carroll	295	216	15	50.8	5
Carter	103	53	5	48.5	3
Cass	308	245	12	39.0	4
Cedar	159	139	7	44.0	7
Chariton	260	168	4	15.4	7
Christian	237	116	10	42.2	9
Clark	165	129	4	24.2	1
Clay	652	375	28	42.9	13
Clinton	176	161	8	45.5	7
Cole	595	295	19	31.9	9
Jefferson City	427	214	17	39.8	8
Balance of county	168	81	2	11.9	1
Cooper	284	176	8	28.2	6
White	262	150	8	30.5	5
Nonwhite	22	26	-	0	1
Crawford	175	95	7	40.0	4
Dade	133	120	3	22.6	1
Dallas	176	93	6	34.1	3
Daviess	170	144	4	23.5	5
De Kalb	114	109	1	8.8	3
Dent	191	112	4	20.9	2
Douglas	329	118	6	18.2	5
Dunklin	1,088	337	66	60.7	31
Franklin	695	352	25	36.0	19
Gasconade	207	145	11	53.1	10
Gentry	206	156	9	43.7	-
Greene	1,741	1,008	71	40.8	32
Springfield	1,261	708	53	42.0	22
Balance of county	480	300	18	37.5	10
Grundy	226	206	11	48.7	13
Harrison	242	186	8	33.1	6
Henry	312	264	12	38.5	8
Hickory	92	75	3	32.6	4
Holt	199	122	4	20.1	8
Howard	176	139	6	34.1	6
White	145	108	5	34.5	5
Nonwhite	31	31	1	32.3	1
Howell	427	217	20	46.8	8
Iron	184	88	11	60.0	3
Jackson	9,232	6,205	361	39.1	203
Independence	597	209	13	21.8	15
Kansas City	7,921	5,411	313	39.5	167
White	7,153	4,543	264	36.9	143
Nonwhite	768	868	49	63.8	24
Balance of county	714	585	35	49.0	21
Jasper	1,824	1,076	107	58.7	41
Carthage	235	130	12	51.1	5
Joplin (part)	939	561	66	(3)	27
Joplin (total)	961	578	71	73.9	27
Balance of county	650	385	29	44.6	9
Jefferson	550	298	19	34.5	13
Johnson	292	266	10	34.2	12
Knox	131	98	5	38.2	5
Laclede	476	185	18	37.8	9
Lafayette	439	300	14	31.9	12
Lawrence	394	332	15	38.1	10
Lewis	182	154	12	65.9	2
Lincoln	247	171	7	28.3	1
Linn	340	253	14	41.2	5
Livingston	254	195	10	38.4	11
McDonald	331	162	9	27.2	7
Macon	283	265	12	42.4	8
Madison	212	94	7	33.0	7
Maries	169	75	9	53.3	2
Marion	550	369	24	43.6	13
Hannibal	385	253	19	49.4	10
Balance of county	165	116	5	30.3	3
Mercer	138	100	7	50.7	4
Miller	288	142	7	24.3	16
Mississippi	703	238	37	52.6	11
White	584	137	21	36.0	11
Nonwhite	119	101	16	134.5	-
Moniteau	209	156	8	38.3	6
Monroe	173	182	10	57.8	5
Montgomery	200	132	6	30.0	2
Morgan	208	88	8	38.5	6
New Madrid	1,122	374	92	82.0	37
White	954	265	68	71.3	34
Nonwhite	168	109	24	142.9	3
Newton	783	312	35	44.7	18
Joplin (part)	22	17	5	(3)	-
Balance of county	761	295	30	39.4	18
Nodaway	432	267	10	23.1	5
Oregon	235	112	10	42.6	3
Osage	220	113	7	31.8	8
Ozark	239	73	4	16.7	4
Pemiscot	1,140	352	70	61.4	25
White	953	258	54	56.7	17
Nonwhite	187	94	16	85.6	8
Perry	340	134	12	35.3	10
Pettis	578	400	30	51.9	15
Sedalia	384	282	22	57.3	10
Balance of county	194	118	8	41.2	5
Phelps	428	211	22	51.4	11
Pike	284	220	13	45.8	10
White	258	185	11	42.6	8
Nonwhite	26	35	2	76.9	2
Platte	228	134	7	30.7	2
Polk	258	175	14	54.3	4
Pulaski	339	154	17	50.1	2
Putnam	182	130	9	49.5	2
Ralls	153	112	9	58.8	3
Randolph	553	331	22	62.3	7
Moberly	203	201	12	59.1	5
Balance of county	150	130	10	66.7	2
Ray	266	199	10	37.6	6
Reynolds	174	75	3	17.2	1
Ripley	228	106	10	43.9	4
St. Charles	557	313	12	21.5	11
St. Charles	280	153	5	17.9	9
Balance of county	277	160	7	25.3	2
St. Clair	179	113	-	0	8
St. Francois	752	425	27	35.9	21
St. Louis	6,228	2,887	154	24.7	128
Clayton	281	139	6	21.4	6
Kirkwood	336	167	10	29.8	12
Maplewood	232	157	5	21.6	7
Richmond Heights	315	115	4	12.7	3
University City	525	293	10	19.0	12
Webster Groves	382	191	11	28.8	6
Balance of county	4,157	1,825	108	26.0	82
St. Louis (city)	16,421	11,183	636	38.7	595
White	13,829	9,070	472	34.1	381
Nonwhite	2,592	2,113	164	63.3	214
Ste. Genevieve	231	79	7	30.3	6
Saline	430	362	12	27.9	7
Schuyler	112	88	8	71.4	2
Scotland	124	77	6	48.4	1
Scott	784	256	21	26.8	23
Shannon	221	85	13	58.8	2
Shelby	123	144	8	65.0	1
Stoddard	774	267	51	65.9	23
Stone	199	68	11	55.3	7
Sullivan	219	150	7	32.0	4
Taney	188	80	10	59.5	2
Texas	403	185	16	39.7	6
Vernon	330	426	11	33.3	6
Warren	108	94	5	46.3	3
Washington	285	164	23	80.7	8
Wayne	208	106	7	33.7	5
Webster	335	144	12	35.8	2
Worth	100	88	2	20.0	1
Wright	330	162	10	30.3	4
MONTANA (total)	11,407	5,601	442	38.7	212
Beaverhead	100	67	4	40.0	-
Big Horn	284	116	17	59.9	7
White	173	62	10	57.8	5
Nonwhite	111	54	7	63.1	2
Blaine	213	87	8	37.6	4
White	141	59	5	35.5	3
Nonwhite	72	28	3	41.7	1
Broadwater	39	38	3	76.9	-
Carbon	209	161	2	9.6	11
Carter	78	33	6	76.9	1
Cascade	1,089	437	36	33.1	20
Great Falls	850	342	29	34.1	12
Balance of county	239	95	7	29.3	8
Chouteau	95	45	1	10.5	4
Custer	200	100	8	40.0	2
Daniels	87	40	6	69.0	4
Dawson	219	52	1	4.6	-
Deer Lodge	362	309	15	41.4	5
Anaconda	316	133	13	41.1	5
Balance of county	46	176	2	43.5	-
Fallon	81	25	2	24.7	-
Fergus	259	139	16	61.8	6
Flathead	392	195	16	40.8	8
Gallatin	299	155	8	26.8	8

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
MONTANA—Continued					
Garfield	48	19	2	41.7	-
Glacier	277	90	16	57.8	1
White	141	44	2	14.2	1
Nonwhite	136	46	14	102.9	-
Golden Valley	29	17	-	0	2
Granite	57	33	2	35.1	-
Hill	288	113	9	31.3	3
Jefferson	49	46	1	20.4	-
Judith Basin	78	28	1	12.8	1
Lake	250	123	10	40.0	2
White	203	96	4	19.7	2
Nonwhite	47	27	6	127.7	-
Lewis and Clark	434	236	12	27.6	13
Helena	315	160	11	34.9	11
Balance of county	119	76	1	8.4	2
Liberty	41	18	1	24.4	1
Lincoln	152	81	5	32.9	3
McCone	71	24	-	0	2
Madison	95	66	6	63.2	4
Meagher	23	22	-	0	-
Mineral	38	25	1	26.3	-
Missoula	559	283	16	28.6	11
Missoula	434	226	11	25.3	7
Balance of county	125	57	5	40.0	4
Musselshell	110	46	4	36.4	4
Park	192	129	8	41.7	4
Petroleum	19	10	-	0	-
Phillips	120	53	2	16.7	6
Pondera	146	63	8	54.8	3
Powder River	52	28	1	19.2	2
Powell	94	71	1	10.6	-
Prairie	65	16	1	15.4	-
Ravalli	213	121	4	18.8	4
Richland	260	87	14	53.8	5
Roosevelt	252	101	14	55.6	6
White	164	59	4	24.4	3
Nonwhite	88	42	10	113.6	3
Rosebud	162	90	14	86.4	4
White	116	43	2	17.2	3
Nonwhite	46	47	12	260.9	1
Sanders	107	48	1	9.3	2
Sheridan	118	55	7	59.3	1
Silver Bow	1,075	738	59	54.9	22
Butte	1,003	638	51	50.8	19
Balance of county	72	100	8	111.1	3
Stillwater	143	55	6	42.0	3
Sweet Grass	67	36	2	29.9	-
Teton	131	53	5	38.2	2
Toole	130	59	9	69.2	2
Treasure	26	9	1	38.5	1
Valley	274	93	7	25.5	5
Wheatland	69	33	1	14.5	-
Wibaux	40	13	-	0	-
Yellowstone	1,047	371	42	40.1	13
Billings	705	232	26	36.9	11
Balance of county	342	139	16	46.8	2
Yellowstone National Park (part)	-	-	-	(3)	-
NEBRASKA (total)	25,048	13,062	889	35.5	496
Adams	504	366	17	33.7	7
Hastings	384	177	14	36.5	4
Balance of county	120	189	3	25.0	3
Antelope	246	97	5	20.3	3
Arthur	19	7	-	0	-
Banner	19	5	-	0	-
Blaine	22	12	-	0	-
Boone	231	98	7	30.3	6
Box Butte	299	148	10	33.4	6
Boyd	126	53	2	15.9	1
Brown	119	49	3	25.2	3
Buffalo	455	284	20	44.0	14
Burt	217	114	4	18.4	-
Butler	238	111	5	21.0	3
Cass	290	191	6	20.7	7
Cedar	282	120	5	17.7	-
Chase	127	42	4	31.5	-
Cherry	201	77	6	29.9	3
Cheyenne	239	80	15	62.8	4
Clay	159	144	8	50.3	4
Colfax	154	96	3	19.5	3
Cuming	275	123	5	18.2	5
Custer	405	195	17	42.0	8
Dakota	228	90	6	26.3	5
Dawes	202	97	11	54.5	1
Dawson	376	162	19	50.5	8
Deuel	68	23	1	14.7	2
Dixon	183	88	10	54.6	3
Dodge	476	294	26	54.6	10
Fremont	241	178	20	83.0	8
Balance of county	235	116	6	25.5	2
Douglas	5,224	2,791	167	32.0	108
Omaha	4,998	2,645	163	32.6	106
White	4,737	2,430	148	31.2	97
Nonwhite	261	215	15	57.5	9
Balance of county	226	146	4	17.7	2
Dundy	105	32	2	19.0	3
Fillmore	176	142	14	79.5	3
Franklin	104	75	5	48.1	2
Frontier	99	53	3	30.3	3
Furnas	137	116	6	43.8	4
Gage	448	343	23	51.3	12
Beatrice	195	146	10	51.3	6
Balance of county	253	197	13	51.4	6
Garden	79	22	2	25.3	2
Garfield	70	33	2	28.6	1
Gosper	50	19	3	60.0	1
Grant	19	7	1	52.6	-
Greeley	110	63	6	54.5	4
Hall	619	319	34	54.9	12
Grand Island	481	247	31	64.4	10
Balance of county	138	72	3	21.7	2
Hamilton	187	87	6	32.1	-
Harlan	111	53	4	36.0	3
Hayes	54	18	4	74.1	3
Hitchcock	127	47	4	31.5	2
Holt	309	149	13	42.1	9
Hooker	32	13	3	93.8	-
Howard	157	86	5	31.8	3
Jefferson	270	139	8	29.6	4
Johnson	140	77	9	64.3	2
Kearney	110	81	5	45.5	1
Keith	153	45	5	32.7	6
Keya Paha	48	23	3	62.5	-
Kimball	97	32	3	30.9	-
Knox	305	166	12	39.3	7
Lancaster	1,883	1,145	67	35.6	34
Lincoln	1,642	924	65	39.6	28
Balance of county	241	221	2	8.3	6
Lincoln	558	185	20	35.8	10
North Platte	351	119	14	39.9	6
Balance of county	207	66	6	29.0	4
Logan	40	9	2	50.0	1
Loup	26	14	-	0	-
McPherson	19	6	-	0	-
Madison	380	298	17	44.7	10
Norfolk	173	118	10	57.8	3
Balance of county	207	180	7	33.8	7
Merrick	174	99	7	40.2	5
Morrill	205	60	6	29.3	8
Nance	118	81	5	42.4	2
Nemaha	183	113	3	16.4	7
Nuckolls	180	88	4	22.2	5
Otoe	327	150	8	24.5	10
Pawnee	104	73	3	28.8	4
Perkins	124	28	2	16.1	-
Phelps	143	86	4	28.0	2
Pierce	198	64	5	25.5	3
Platte	425	178	19	44.7	7
Polk	144	77	5	34.7	1
Red Willow	223	127	10	44.8	4
Richardson	358	205	14	39.1	5
Rock	75	32	2	26.7	-
Saline	221	165	4	18.1	6
Sarpy	229	101	6	26.2	5
Saunders	309	143	11	35.6	3
Scotts Bluff	839	263	29	34.6	21
Scottsbluff	257	102	10	38.9	10
Balance of county	582	161	19	32.6	11
Seward	226	123	8	35.4	5
Sheridan	175	87	8	45.7	2
Sherman	140	59	8	57.1	1
Sioux	31	28	4	129.0	1
Stanton	120	54	1	8.3	3
Thayer	207	112	2	9.7	10
Thomas	33	11	-	0	-
Thurston	240	109	14	58.3	7
White	163	61	6	36.8	4
Nonwhite	77	48	8	103.9	3
Valley	132	81	5	37.9	2
Washington	190	119	1	5.3	1
Wayne	156	68	5	32.1	3
Webster	136	78	3	22.1	1
Wheeler	28	18	4	142.9	-
York	251	148	6	23.9	6

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
NEVADA (total)	3,026	1,615	158	52.2	58
Churchill	111	75	9	81.1	3
Clark	927	317	49	52.9	10
Douglas	29	17	-	0	1
White	20	11	-	0	1
Nonwhite	9	6	-	0	-
Elko	224	136	15	67.0	7
White	181	102	8	44.2	4
Nonwhite	43	34	7	162.8	3
Esmeralda	5	15	1	200.0	-
Eureka	11	13	1	90.9	1
Humboldt	97	54	6	61.9	3
Lander	22	21	-	0	1
White	22	20	-	0	1
Nonwhite	-	1	-	-	-
Lincoln	120	32	4	33.3	2
Lyon	69	44	4	58.0	-
Mineral	197	65	6	30.5	11
White	170	55	6	35.3	10
Nonwhite	27	10	-	0	1
Nye	90	87	8	88.9	2
White	73	81	7	95.9	1
Nonwhite	17	6	1	58.8	1
Ormsby	45	42	4	88.9	-
Pershing	51	37	1	19.6	1
Storey	9	10	-	0	-
Washoe	741	518	31	41.8	13
Reno	545	332	23	42.2	10
Balance of county	196	186	8	40.8	3
White Pine	278	132	19	68.3	3
NEW HAMPSHIRE (total)	9,367	6,246	432	46.1	168
Belknap	426	341	23	54.0	9
Laconia	272	183	16	58.8	6
Balance of county	154	158	7	45.5	3
Carroll	231	231	13	56.3	8
Cheshire	719	468	33	45.9	12
Keene	302	191	17	56.3	4
Balance of county	417	277	16	22.9	8
Coos	699	379	48	68.7	10
Berlin	319	165	24	75.2	5
Balance of county	380	214	24	63.2	5
Grafton	782	435	24	30.7	11
Hillsborough	2,820	1,791	128	45.4	53
Manchester	1,606	979	83	51.7	24
Nashua	625	362	24	38.4	17
Balance of county	589	450	21	35.7	12
Merrimack	876	999	43	49.1	15
Concord	375	566	22	58.7	9
Balance of county	501	433	21	41.9	6
Rockingham	1,353	761	53	39.2	28
Portsmouth	490	204	21	42.9	11
Balance of county	863	557	32	37.1	17
Strafford	924	541	45	48.7	16
Dover	319	198	14	43.9	9
Rochester	233	146	22	94.4	3
Balance of county	372	197	9	24.2	4
Sullivan	537	300	22	41.0	6
Claremont (town)	282	132	11	39.0	3
Balance of county	255	168	11	43.1	3
NEW JERSEY (total)	83,032	50,281	2,796	33.7	2,081
Atlantic	1,841	1,782	64	34.8	46
Atlantic City	901	930	33	36.6	21
White	690	664	24	34.8	11
Nonwhite	211	266	9	42.7	10
Pleasantville	200	138	6	30.0	4
White	160	112	5	31.3	3
Nonwhite	40	26	1	25.0	1
Balance of county	740	714	25	33.8	21
Bergen	8,412	4,117	240	28.5	189
Bergenfield	211	95	4	19.0	2
Cliffside Park	310	155	11	35.5	6
Englewood	366	217	13	35.5	12
White	297	184	10	33.7	10
Nonwhite	69	33	3	43.5	2
Garfield	572	196	14	24.5	14
Hackensack	524	308	26	49.6	7
White	449	260	13	29.0	4
Nonwhite	75	48	13	173.3	3
Lodi	286	93	11	38.5	3
Lyndhurst (twp.)[2]	366	145	9	24.6	14
Ridgefield Park	212	114	5	23.8	3
Ridgewood	237	157	7	29.5	8
Rutherford	253	202	5	19.8	8
Teaneck (twp.)[2]	469	232	11	23.5	13
Balance of county	4,606	2,203	124	26.9	99

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
NEW JERSEY—Continued					
Burlington	2,046	1,334	86	42.0	51
Burlington	249	143	17	68.3	13
White	213	121	12	56.3	9
Nonwhite	36	22	5	138.9	4
Balance of county	1,797	1,191	69	38.4	38
Camden	5,512	3,243	204	37.0	140
Camden	2,450	1,469	108	44.1	77
White	2,107	1,247	83	39.4	62
Nonwhite	343	222	25	72.9	15
Collingswood	235	146	5	21.3	1
Gloucester City	274	193	14	51.1	5
Pennsauken (twp.)[2]	253	164	14	55.3	4
Balance of county	2,300	1,271	63	27.4	53
Cape May	472	434	18	38.1	13
Cumberland	1,526	1,022	69	45.2	29
Bridgeton	399	248	17	42.6	7
White	334	223	11	32.9	6
Nonwhite	65	25	6	92.3	1
Millville	280	215	15	53.6	6
Balance of county	847	559	37	43.7	16
Essex	16,538	10,000	487	29.4	409
Belleville	632	242	24	38.0	12
Bloomfield	891	421	26	29.2	17
East Orange	1,318	894	28	21.2	21
Irvington	1,053	544	25	23.7	19
Maplewood (twp.)[2]	324	238	8	24.7	3
Millburn (twp.)[2]	171	87	1	5.8	2
Montclair	715	501	23	32.2	25
White	590	422	18	30.5	16
Nonwhite	125	79	5	40.0	9
Newark	8,646	5,315	278	32.2	259
White	7,393	4,564	204	27.6	209
Nonwhite	1,253	751	74	59.1	50
Nutley	498	237	7	14.4	8
Orange	780	409	31	39.7	15
White	650	340	27	41.5	12
Nonwhite	130	69	4	30.8	3
South Orange	173	128	5	28.9	1
West Orange	490	261	8	16.3	12
Balance of county	859	723	23	26.8	15
Gloucester	1,598	865	65	40.7	43
Hudson	12,224	7,711	398	32.6	290
Bayonne	1,482	731	44	29.7	29
Harrison	270	138	2	7.4	14
Hoboken	890	645	30	33.7	19
Jersey City	5,918	3,590	206	34.8	138
White	5,515	3,378	186	33.7	125
Nonwhite	403	212	20	49.6	13
Kearny	772	445	32	41.5	18
North Bergen (twp.)[2]	722	411	21	29.1	14
Union City	958	699	30	31.3	26
Weehawken (twp.)[2]	209	176	5	23.9	2
West New York	743	362	21	28.3	22
Balance of county	260	514	7	26.9	8
Hunterdon	617	509	25	40.5	16
Mercer	3,758	2,572	200	53.2	107
Trenton	2,196	1,691	128	58.3	76
Balance of county	1,562	881	72	46.1	31
Middlesex	4,584	2,291	145	31.8	117
Carteret	221	102	7	31.7	13
New Brunswick	756	409	27	35.7	22
Perth Amboy	822	433	31	37.7	14
South River	216	95	6	27.8	3
Woodbridge (twp.)[2]	718	281	17	23.7	17
Balance of county	1,851	971	57	30.8	48
Monmouth	3,551	2,595	119	33.5	96
Asbury Park	299	259	9	30.1	9
White	205	180	5	24.4	8
Nonwhite	94	79	4	42.6	3
Long Branch	412	227	14	34.0	11
Neptune (twp.)[2]	243	194	7	28.8	4
White	184	172	5	27.2	3
Nonwhite	59	22	2	33.9	1
Red Bank	281	158	7	24.9	14
White	244	126	7	28.7	11
Nonwhite	37	30	-	0	3
Balance of county	2,316	1,759	82	35.4	58
Morris	2,647	1,974	70	26.4	49
Dover	241	143	9	37.3	6
Morristown	325	195	10	30.8	9
Balance of county	2,081	1,636	51	24.5	34
Ocean	715	610	32	44.8	27
Passaic	5,701	3,475	211	37.0	165
Clifton	1,053	449	22	20.9	27
Hawthorne	221	134	7	31.7	3
Passaic	1,034	592	35	33.8	31
Paterson	2,354	1,690	98	41.6	82
Balance of county	1,039	610	49	47.2	22

[2] Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
NEW JERSEY—Continued					
Salem	1,002	490	49	48.9	34
White	858	413	35	40.8	27
Nonwhite	144	77	14	97.2	7
Somerset	1,600	870	39	24.4	45
North Plainfield	208	123	2	9.7	8
Balance of county	1,392	747	37	26.6	37
Sussex	609	382	21	34.5	11
Union	7,037	3,367	224	31.8	184
Cranford (twp.)[2]	298	155	9	30.2	7
Elizabeth	2,190	1,163	77	35.2	58
Hillside (twp.)[2]	311	136	9	28.9	11
Linden	604	206	17	28.1	20
Plainfield	797	446	36	45.2	15
White	684	374	27	39.5	12
Nonwhite	113	72	9	79.6	3
Rahway	385	211	12	31.2	15
Roselle	321	142	9	28.0	8
White	290	123	6	20.7	6
Nonwhite	31	19	3	96.8	2
Summit	326	158	13	39.9	3
Union (twp.)[2]	556	209	16	28.8	16
Westfield	366	177	9	24.6	9
Balance of county	883	364	17	19.3	22
Warren	1,042	638	30	28.8	20
Phillipsburg	424	235	15	35.4	5
Balance of county	618	403	15	24.3	15
NEW MEXICO (total)	15,211	5,488	1,394	91.6	357
Bernalillo	2,199	828	190	86.4	38
Albuquerque	1,311	448	85	64.8	13
Balance of county	888	378	105	118.2	25
Catron	108	41	14	129.6	2
Chaves	791	285	53	67.0	20
Roswell	534	161	41	76.8	14
Balance of county	257	104	12	46.7	6
Colfax	502	169	44	87.6	4
Curry	550	204	31	56.4	11
Clovis	393	137	28	71.2	8
Balance of county	157	67	3	19.1	3
De Baca	110	46	13	118.2	5
Dona Ana	915	302	77	84.2	31
Eddy	885	239	72	81.4	29
Grant	628	235	81	129.0	10
Guadalupe	201	83	19	94.5	5
Harding	105	45	9	85.7	3
Hidalgo	149	47	13	87.2	3
Lea	443	99	23	53.1	4
Hobbs	257	43	19	73.9	3
Balance of county	178	56	4	22.7	1
Lincoln	219	69	17	77.6	10
Luna	242	99	29	119.8	6
McKinley	696	355	112	160.9	20
White	351	124	29	82.6	9
Nonwhite	345	211	83	240.6	11
Mora	320	100	42	131.3	9
Otero	330	217	24	72.7	8
Quay	305	95	16	52.5	7
Rio Arriba	807	233	84	104.1	16
Roosevelt	355	98	15	42.3	8
Sandoval	321	118	37	115.3	10
White	270	95	27	100.0	8
Nonwhite	51	23	10	196.1	2
San Juan	286	149	49	171.3	3
White	156	49	15	96.2	2
Nonwhite	130	100	34	261.5	1
San Miguel	912	418	100	109.6	19
Santa Fe	774	260	64	82.7	22
Santa Fe	507	162	39	76.9	14
Balance of county	267	98	25	93.6	8
Sierra	110	68	10	90.9	2
Socorro	330	117	29	87.9	9
Taos	526	118	31	58.9	12
Torrance	327	100	20	61.2	4
Union	195	86	17	87.2	8
Valencia	580	207	59	101.7	19
White	510	162	53	103.9	15
Nonwhite	70	45	6	85.7	6
NEW YORK (total)	248,627	162,186	8,126	32.7	12,007
Albany	4,126	3,079	151	36.6	86
Albany	2,430	1,842	89	36.6	58
Cohoes	423	305	24	56.7	8
Watervliet	298	197	11	36.9	4
Balance of county	975	735	27	27.7	16
Allegany	829	490	30	36.2	20

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
NEW YORK—Continued					
Broome	3,528	1,934	119	33.7	80
Binghamton	1,647	1,162	53	32.2	36
Endicott	471	167	19	40.3	7
Johnson City	368	141	15	40.8	8
Balance of county	1,042	464	32	30.7	29
Cattaraugus	1,388	881	50	36.0	27
Olean	438	251	18	41.1	9
Balance of county	950	630	32	33.7	18
Cayuga	1,221	855	34	27.8	19
Auburn	681	404	16	23.5	15
Balance of county	540	451	18	33.3	4
Chautauqua	2,078	1,540	69	33.2	47
Dunkirk	326	211	13	39.9	7
Jamestown	693	523	23	33.2	17
Balance of county	1,059	806	33	31.2	23
Chemung	1,738	978	60	34.6	29
Elmira	1,047	623	42	40.1	20
Balance of county	689	355	18	26.1	9
Chenango	708	487	21	29.7	19
Clinton	1,052	559	49	46.6	32
Plattsburgh	333	164	13	39.0	11
Balance of county	719	395	36	50.1	21
Columbia	611	601	37	60.6	13
Hudson	164	182	8	48.8	-
Balance of county	447	419	29	64.9	13
Cortland	644	496	24	37.3	14
Cortland	296	246	13	43.9	9
Balance of county	348	250	11	31.6	5
Delaware	892	523	28	31.4	19
Dutchess	1,888	2,373	59	31.3	50
Beacon	202	173	4	19.8	6
Poughkeepsie	859	597	26	30.3	19
Balance of county	827	1,603	29	35.1	25
Erie	17,726	10,019	676	38.1	483
Buffalo	12,164	7,238	462	38.0	333
White	11,584	6,884	431	37.2	313
Nonwhite	580	354	31	53.4	20
Kenmore	413	160	12	29.1	14
Lackawanna	634	242	43	67.8	24
Tonawanda	299	161	10	33.4	14
Balance of county	4,216	2,218	149	35.3	98
Essex	669	450	34	50.8	11
Franklin	969	566	46	47.5	21
Fulton	868	655	24	27.6	16
Gloversville	411	285	10	24.3	7
Johnstown	164	175	9	54.9	5
Balance of county	293	195	5	17.1	4
Genesee	850	521	27	31.8	22
Batavia	339	221	11	32.4	12
Balance of county	511	300	16	31.3	10
Greene	413	435	12	29.1	10
Hamilton	59	40	-	0	1
Herkimer	1,165	807	44	37.8	26
Little Falls	160	147	12	75.0	5
Balance of county	1,005	660	32	31.8	21
Jefferson	1,845	1,149	75	40.7	54
Watertown	779	486	38	48.8	24
Balance of county	1,066	683	37	34.7	30
Lewis	436	320	22	50.5	15
Livingston	650	572	22	33.8	12
Madison	855	538	38	44.4	19
Oneida	242	144	9	37.2	5
Balance of county	613	394	29	47.3	14
Monroe	8,539	5,323	219	25.6	194
Irondequoit (town)	533	159	8	15.0	11
Rochester	5,924	3,868	161	27.2	140
Balance of county	2,082	1,296	50	24.0	43
Montgomery	1,037	794	38	36.6	21
Amsterdam	581	409	20	34.4	10
Balance of county	456	385	18	39.5	11
Nassau	8,726	4,213	235	26.9	274
Floral Park	268	129	6	22.4	6
Freeport	425	226	8	18.8	8
Garden City	189	99	1	5.3	3
Glen Cove	218	127	3	13.8	5
Hempstead	614	227	12	19.5	19
Lynbrook	321	159	9	28.0	11
Mineola	216	92	7	32.4	4
Rockville Centre	300	201	8	26.7	11
Valley Stream	426	187	16	37.6	17
Balance of county	5,749	2,766	165	28.7	190
New York City[5]	130,917	83,236	3,999	30.5	9,086
White	121,753	76,832	3,501	28.8	8,132
Nonwhite	9,164	6,404	498	54.3	954
Niagara	3,908	1,923	172	44.0	80
Lockport	495	357	24	48.5	7
Niagara Falls	2,021	845	81	40.1	47
North Tonawanda	468	207	30	64.1	12
Balance of county	924	514	37	40.0	14

[2]Since this area is difficult to identify from the information given on the birth and death transcipts, data may be understated or overstated.
[5]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
NEW YORK—Continued					
Oneida	4,261	3,199	162	37.8	112
Rome	840	492	33	39.3	22
Utica	2,045	1,557	88	43.0	56
Balance of county	1,396	1,150	41	29.4	34
Onondaga	5,744	3,572	181	31.5	137
Syracuse	3,809	2,481	120	31.5	93
Balance of county	1,935	1,091	61	31.5	44
Ontario	1,074	777	45	41.9	25
Geneva	346	223	20	57.8	8
Balance of county	728	554	25	34.3	17
Orange	2,339	1,988	83	35.5	65
Middletown	292	486	8	27.4	8
Newburgh	585	467	17	29.1	17
Balance of county	1,462	1,035	58	39.7	40
Orleans	461	382	20	43.4	10
Oswego	1,507	1,023	59	39.2	43
Fulton	323	161	15	46.4	11
Oswego	442	315	20	45.2	14
Balance of county	742	547	24	32.3	18
Otsego	898	654	26	29.0	15
Oneonta	254	153	11	43.3	5
Balance of county	644	501	15	23.3	10
Putnam	241	196	11	45.6	5
Rensselaer	2,135	1,848	86	40.3	46
Rensselaer	218	108	9	41.3	4
Troy	1,196	1,209	52	43.5	26
Balance of county	721	531	25	34.7	16
Rockland	1,189	1,185	52	43.7	37
St. Lawrence	2,225	1,335	103	46.3	71
Massena	379	102	17	44.9	11
Ogdensburg	316	355	13	41.1	10
Balance of county	1,530	878	73	47.7	50
Saratoga	1,447	959	44	30.4	35
Saratoga Springs	282	239	7	24.8	6
Balance of county	1,165	720	37	31.8	29
Schenectady	2,629	1,475	89	33.9	52
Schenectady	1,837	1,047	72	39.2	43
Balance of county	792	428	17	21.5	9
Schoharie	372	297	16	43.0	9
Schuyler	242	162	7	28.9	5
Seneca	498	889	18	36.1	18
Steuben	1,901	1,105	77	40.5	34
Corning	383	181	13	33.9	9
Hornell	315	172	18	57.1	6
Balance of county	1,203	752	46	38.2	19
Suffolk	3,482	3,908	114	32.7	84
Sullivan	509	508	25	49.1	18
Tioga	598	395	26	43.5	11
Tompkins	910	552	34	37.4	17
Ithaca	439	275	19	43.3	9
Balance of county	471	277	15	31.8	8
Ulster	1,259	1,225	58	46.1	21
Kingston	459	421	24	52.3	9
Balance of county	800	804	34	42.5	12
Warren	693	515	22	31.7	21
Glens Falls	367	268	11	30.0	10
Balance of county	326	247	11	33.7	11
Washington	856	599	37	43.2	18
Wayne	922	769	41	44.5	20
Westchester	9,033	5,838	248	27.5	261
Mamaroneck	241	123	5	20.7	7
Mount Vernon	1,027	651	28	27.3	31
New Rochelle	880	613	34	38.6	11
White	788	550	30	38.1	9
Nonwhite	92	63	4	43.5	2
Ossining	203	205	10	49.3	2
White	190	192	7	36.8	-
Nonwhite	13	13	3	230.8	2
Peekskill	264	206	9	34.1	14
Port Chester	431	199	10	23.2	16
Scarsdale	215	106	1	4.7	8
White Plains	664	433	25	37.7	23
Yonkers	2,308	1,428	68	29.5	56
Balance of county	2,800	1,874	58	20.7	93
Wyoming	529	401	20	37.8	12
Yates	320	273	8	25.0	5
NORTH CAROLINA (total)	94,588	29,971	4,416	46.7	2,567
Alamance	1,491	405	60	40.2	36
Burlington	322	98	18	55.9	6
Balance of county	1,169	309	42	35.9	30
White	904	228	34	37.6	19
Nonwhite	265	81	8	30.2	11
Alexander	317	95	12	37.9	8
Alleghany	138	45	1	7.2	-
Anson	736	198	21	28.5	19
White	328	103	6	18.3	6
Nonwhite	408	95	15	36.8	13
Ashe	521	133	30	57.6	9
Avery	402	87	24	59.7	6
Beaufort	972	380	68	70.0	30
White	594	228	37	62.3	14
Nonwhite	378	152	31	82.0	16
Bertie	760	255	53	69.7	19
White	250	100	11	44.0	3
Nonwhite	510	155	42	82.4	16
Bladen	885	227	49	55.4	20
White	497	115	21	42.3	7
Nonwhite	388	112	28	72.2	13
Brunswick	546	166	23	42.1	16
White	318	98	17	53.5	6
Nonwhite	228	68	6	26.3	10
Buncombe	2,338	1,085	113	48.3	49
Asheville	972	593	55	56.6	34
White	786	395	43	54.7	18
Nonwhite	186	198	12	64.5	16
Balance of county	1,366	492	58	42.5	15
Burke	984	397	25	25.4	16
Cabarrus	1,498	387	61	40.8	31
Concord	320	127	16	50.0	1
White	277	100	14	50.5	-
Nonwhite	43	27	2	46.5	1
Balance of county	1,178	260	45	38.3	30
White	981	212	34	34.7	16
Nonwhite	195	48	11	56.4	14
Caldwell	1,189	252	52	43.7	18
Camden	132	51	7	53.0	4
White	80	24	2	25.0	1
Nonwhite	52	27	5	96.2	3
Carteret	535	185	26	48.6	11
White	460	154	17	37.0	9
Nonwhite	75	31	9	120.0	2
Caswell	490	147	20	40.8	17
White	217	77	6	27.6	4
Nonwhite	273	70	14	51.3	13
Catawba	1,405	357	65	46.3	38
Hickory	390	100	16	41.0	18
White	342	73	13	38.0	17
Nonwhite	48	27	3	62.5	1
Balance of county	1,015	257	49	48.3	20
Chatham	542	184	24	44.3	21
White	336	122	16	47.6	13
Nonwhite	206	62	8	38.8	8
Cherokee	558	136	29	52.0	11
Chowan	285	110	14	49.1	6
White	145	61	5	34.5	2
Nonwhite	140	49	9	64.3	4
Clay	183	43	11	60.1	3
Cleveland	1,505	340	47	31.2	39
Shelby	371	104	15	40.4	19
White	314	80	13	41.4	15
Nonwhite	57	24	2	35.1	4
Balance of county	1,134	236	32	28.2	20
White	787	195	22	28.0	13
Nonwhite	347	41	10	28.8	7
Columbus	1,330	409	71	53.4	37
White	824	248	40	48.5	14
Nonwhite	506	161	31	61.3	23
Craven	931	385	61	65.5	45
New Bern	356	177	25	70.2	21
White	203	63	8	39.4	6
Nonwhite	153	114	17	111.1	15
Balance of county	575	208	36	62.6	24
White	328	99	8	24.4	8
Nonwhite	247	109	28	113.4	16
Cumberland	2,341	673	114	48.7	67
Fayetteville	1,147	248	40	34.9	30
White	870	145	26	30.0	17
Nonwhite	277	103	14	50.5	13
Balance of county	1,194	425	74	62.0	37
White	804	293	52	64.7	24
Nonwhite	390	132	22	56.4	13
Currituck	124	69	8	64.5	5
White	78	44	5	64.1	4
Nonwhite	46	25	3	65.2	1
Dare	119	57	6	50.4	2
Davidson	1,307	377	60	45.9	32
Lexington	332	84	13	39.2	15
White	293	68	13	44.4	15
Nonwhite	39	16	-	0	-
Thomasville	255	81	17	66.7	3
White	220	60	14	63.6	2
Nonwhite	35	21	3	85.7	1
Balance of county	720	212	30	41.7	14
Davie	307	115	16	52.1	5
White	261	101	16	61.3	5
Nonwhite	46	14	-	0	-
Duplin	1,130	319	52	46.0	24
White	694	185	29	41.8	11
Nonwhite	436	134	23	52.8	13

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Durham	2,226	766	96	43.1	74
Durham	1,730	593	75	43.4	68
White	1,117	297	33	29.5	36
Nonwhite	613	296	42	68.5	32
Balance of county	496	173	21	42.3	6
White	354	103	13	36.7	2
Nonwhite	142	70	8	56.3	4
Edgecombe	1,259	396	53	42.1	47
Rocky Mount (part)	306	116	16	(3)	13
White	178	44	7	(3)	-
Nonwhite	128	72	9	(3)	13
Balance of county	953	280	37	38.8	34
White	362	111	17	47.0	6
Nonwhite	591	169	20	33.8	28
Forsyth	2,764	1,076	123	44.5	85
Winston-Salem	1,667	749	82	49.2	73
White	921	344	36	39.1	37
Nonwhite	746	405	46	61.7	36
Balance of county	1,097	327	41	37.4	12
White	979	272	35	35.8	9
Nonwhite	118	55	6	50.8	3
Franklin	704	235	35	49.7	22
White	333	124	9	27.0	7
Nonwhite	371	111	26	70.1	15
Gaston	2,336	648	114	48.8	60
Gastonia	561	229	47	83.8	32
White	495	169	39	78.8	25
Nonwhite	66	60	8	121.2	7
Balance of county	1,775	419	67	37.7	28
White	1,580	344	58	36.7	20
Nonwhite	195	75	9	46.2	8
Gates	257	104	25	97.3	7
White	98	50	11	112.2	2
Nonwhite	159	54	14	88.1	5
Graham	287	30	5	17.4	2
Granville	723	244	25	34.6	20
White	310	121	10	32.3	6
Nonwhite	413	123	15	36.3	14
Greene	546	89	15	27.5	11
White	282	36	6	21.3	2
Nonwhite	264	53	9	34.1	9
Guilford	3,425	1,256	152	44.4	119
Greensboro	1,315	592	77	58.6	73
White	1,049	383	49	46.7	43
Nonwhite	266	209	28	105.3	30
High Point	817	280	30	36.7	29
White	642	184	19	29.6	25
Nonwhite	175	96	11	62.9	4
Balance of county	1,293	394	45	34.8	17
White	1,102	307	35	31.8	9
Nonwhite	191	77	10	52.4	8
Halifax	1,496	422	65	43.4	58
White	533	171	15	28.1	15
Nonwhite	963	251	50	51.9	43
Harnett	1,253	323	58	46.3	43
White	907	222	39	43.0	20
Nonwhite	348	101	19	54.9	23
Haywood	906	251	41	45.3	27
Henderson	579	223	26	44.9	19
Hertford	473	163	25	52.9	7
White	150	59	5	33.3	1
Nonwhite	323	104	20	61.9	6
Hoke	435	144	32	73.6	16
White	136	45	4	29.4	5
Nonwhite	299	99	28	93.6	11
Hyde	154	64	7	45.5	5
White	63	41	1	15.9	1
Nonwhite	91	23	6	65.9	4
Iredell	1,109	414	54	48.7	27
Statesville	243	115	18	74.1	7
White	208	86	15	72.1	4
Nonwhite	35	29	3	85.7	3
Balance of county	866	299	36	41.6	20
White	677	211	16	23.6	13
Nonwhite	189	88	20	105.8	7
Jackson	471	134	24	51.0	15
Johnston	1,702	453	62	36.4	35
White	1,341	351	45	33.6	21
Nonwhite	361	122	17	47.1	14
Jones	282	71	11	37.7	15
White	163	45	4	24.5	6
Nonwhite	129	26	7	54.3	7
Lee	576	157	22	38.2	21
White	440	89	12	27.3	13
Nonwhite	136	48	10	73.5	8
Lenoir	1,167	409	66	56.6	18
Kinston	417	205	27	64.7	15
White	252	98	14	55.6	8
Nonwhite	165	107	13	78.8	7
Balance of county	750	204	39	52.0	3
White	371	107	17	45.8	1
Nonwhite	379	97	22	58.0	2
Lincoln	604	187	33	54.6	15
White	513	156	28	54.6	15
Nonwhite	91	31	5	54.9	-
McDowell	576	189	37	64.2	5
Macon	459	112	17	37.0	10
Madison	463	148	25	54.0	15
Martin	784	178	23	29.3	18
White	372	98	11	29.6	8
Nonwhite	412	80	12	29.1	10
Mecklenburg	3,860	1,373	180	46.6	118
Charlotte	2,670	988	132	49.4	107
White	1,844	552	75	40.7	43
Nonwhite	826	436	57	69.0	64
Balance of county	1,190	385	48	40.3	11
White	858	258	24	28.0	9
Nonwhite	332	147	24	72.3	2
Mitchell	481	95	16	33.3	13
Montgomery	429	121	16	37.3	12
White	316	93	13	41.1	9
Nonwhite	113	28	3	26.5	3
Moore	696	225	28	40.2	15
White	491	162	23	46.8	10
Nonwhite	205	65	5	24.4	5
Nash	1,549	441	67	43.3	55
Rocky Mount (part)	358	119	17	(3)	24
White	255	72	13	(3)	9
Nonwhite	103	47	4	(3)	15
Rocky Mount (total)	664	235	33	49.7	37
White	453	116	20	46.2	9
Nonwhite	231	119	13	56.3	28
Balance of county	1,191	322	50	42.0	31
White	534	153	19	35.6	5
Nonwhite	657	169	31	47.2	26
New Hanover	2,594	753	119	45.9	59
Wilmington	1,532	533	90	58.7	59
White	939	263	48	51.1	30
Nonwhite	593	270	42	70.8	29
Balance of county	1,062	220	29	27.3	-
White	941	147	20	21.3	-
Nonwhite	121	73	9	74.4	-
Northampton	766	184	27	35.2	15
White	214	71	5	23.4	1
Nonwhite	552	113	22	39.9	14
Onslow	835	240	52	62.3	16
White	654	174	37	56.6	10
Nonwhite	181	66	15	82.9	6
Orange	544	180	23	42.3	12
White	328	116	13	39.6	5
Nonwhite	216	64	10	46.3	7
Pamlico	224	95	15	67.0	9
White	124	60	6	48.4	4
Nonwhite	100	35	9	90.0	5
Pasquotank	678	243	32	47.2	26
Elizabeth City	378	165	25	66.1	21
White	254	85	13	51.2	12
Nonwhite	124	80	12	96.8	9
Balance of county	300	78	7	23.3	5
White	165	36	1	6.1	1
Nonwhite	135	42	6	44.4	4
Pender	549	171	24	43.7	20
White	271	75	7	25.8	8
Nonwhite	278	96	17	61.2	12
Perquimans	222	111	7	31.5	7
White	101	67	2	19.8	2
Nonwhite	121	44	5	41.3	5
Person	677	164	26	38.4	16
White	371	126	18	48.5	7
Nonwhite	306	38	8	26.1	9
Pitt	1,578	459	64	40.6	63
Greenville	309	124	21	68.0	16
White	169	56	9	53.3	10
Nonwhite	140	68	12	85.7	6
Balance of county	1,269	335	43	33.9	47
White	566	173	16	28.3	14
Nonwhite	703	162	27	38.4	33
Polk	299	93	14	46.8	6
White	268	83	13	48.5	6
Nonwhite	31	10	1	32.3	-
Randolph	1,117	320	36	32.2	33
Richmond	954	371	53	55.6	40
White	684	234	32	46.8	25
Nonwhite	270	137	21	77.8	15

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Robeson	2,564	784	158	61.6	71
White	982	359	41	41.8	23
Nonwhite	1,582	425	117	74.0	48
Rockingham	1,260	410	65	51.6	31
Reidsville	190	96	14	73.7	12
White	133	53	8	60.2	6
Nonwhite	57	43	6	105.3	6
Balance of county	1,070	314	51	47.7	19
White	864	240	37	42.8	13
Nonwhite	206	74	14	68.0	6
Rowan	1,496	537	78	52.1	47
Salisbury	372	160	24	64.5	25
White	286	101	19	66.4	18
Nonwhite	86	59	5	58.1	7
Balance of county	1,124	377	54	48.0	22
White	934	301	46	49.3	16
Nonwhite	190	76	8	42.1	6
Rutherford	1,103	282	41	37.2	22
White	953	240	34	35.7	14
Nonwhite	150	42	7	46.7	8
Sampson	1,278	332	58	45.4	33
White	778	206	28	36.0	15
Nonwhite	500	126	30	60.0	18
Scotland	634	245	40	63.1	20
White	296	128	18	60.8	8
Nonwhite	338	117	22	65.1	12
Stanly	861	252	41	47.6	19
White	740	222	37	50.0	15
Nonwhite	121	30	4	33.1	4
Stokes	531	131	20	37.7	10
White	476	115	17	35.7	9
Nonwhite	55	16	3	54.5	1
Surry	1,130	327	65	57.5	30
Swain	374	63	15	40.1	12
White	311	48	9	28.9	9
Nonwhite	63	15	6	95.2	3
Transylvania	402	98	22	54.7	4
Tyrrell	139	44	7	50.4	8
White	75	30	2	26.7	6
Nonwhite	64	14	5	78.1	2
Union	1,153	333	48	41.6	34
White	864	238	36	41.7	19
Nonwhite	289	95	12	41.5	15
Vance	794	257	40	50.4	18
White	413	124	19	46.0	11
Nonwhite	381	133	21	55.1	7
Wake	2,544	1,074	106	41.7	60
Raleigh	1,119	645	39	34.9	37
White	759	421	26	34.3	17
Nonwhite	360	224	13	36.1	20
Balance of county	1,425	429	67	47.0	23
White	819	268	40	48.8	9
Nonwhite	606	161	27	44.6	14
Warren	637	218	37	58.1	21
White	168	74	9	53.6	1
Nonwhite	469	144	28	59.7	20
Washington	370	133	24	64.9	9
White	184	63	10	54.3	4
Nonwhite	186	70	14	75.3	5
Watauga	441	84	14	31.7	7
Wayne	1,375	801	73	53.1	37
Goldsboro	478	172	21	43.9	22
White	273	66	3	11.0	13
Nonwhite	205	106	18	87.8	9
Balance of county	897	629	52	58.0	15
White	550	172	26	47.3	5
Nonwhite	347	457	26	74.9	10
Wilkes	1,101	314	61	55.4	14
Wilson	1,369	460	78	57.0	50
Wilson	497	207	32	64.4	30
White	274	95	17	62.0	12
Nonwhite	223	112	15	67.3	18
Balance of county	872	253	46	52.8	20
White	488	142	23	47.1	7
Nonwhite	384	111	23	59.9	13
Yadkin	484	135	17	35.1	11
Yancey	451	83	15	33.3	6
NORTH DAKOTA (total)	13,422	5,170	468	34.9	240
Adams	102	27	3	29.4	4
Barnes	327	133	5	15.3	6
Benson	258	105	9	34.9	8
White	216	94	7	32.4	7
Nonwhite	42	11	2	47.6	1
Billings	40	17	1	25.0	1
Bottineau	274	128	10	36.5	7
Bowman	92	31	3	32.6	2
Burke	160	75	4	25.0	1
Section B (Counties)—Continued					
NORTH DAKOTA—Continued					
Burleigh	451	147	16	35.5	7
Bismarck	330	106	12	36.4	6
Balance of county	121	41	4	33.1	1
Cass	1,054	447	28	26.6	13
Fargo	666	303	18	27.0	9
Balance of county	388	144	10	25.8	4
Cavalier	298	121	11	36.9	8
Dickey	202	77	5	24.8	-
Divide	140	48	4	28.6	2
Dunn	200	40	3	15.0	2
Eddy	111	43	4	36.0	5
Emmons	278	58	8	28.8	4
Foster	86	52	7	81.4	5
Golden Valley	72	27	3	41.7	2
Grand Forks	723	296	33	45.6	18
Grand Forks	476	156	20	42.0	11
Balance of county	247	140	13	52.6	7
Grant	219	63	10	45.7	-
Griggs	111	50	6	54.1	-
Hettinger	182	45	5	27.5	6
Kidder	148	35	5	33.8	2
La Moure	235	87	9	38.3	4
Logan	182	53	6	33.0	4
McHenry	309	119	10	32.4	3
McIntosh	201	56	10	49.8	6
McKenzie	164	48	2	12.2	3
McLean	366	131	16	43.7	8
Mercer	234	66	12	51.3	4
Morton	439	199	18	41.0	10
Mountrail	229	82	4	17.5	3
Nelson	154	93	6	39.0	4
Oliver	95	17	2	21.1	2
Pembina	436	126	6	17.9	4
Pierce	271	65	16	59.0	5
Ramsey	321	120	14	43.6	3
Ransom	179	93	2	11.2	2
Renville	119	41	5	42.0	3
Richland	387	130	6	15.5	5
Rolette	519	134	22	69.0	11
White	197	73	10	50.8	5
Nonwhite	122	61	12	98.4	6
Sargent	163	71	3	18.4	4
Sheridan	156	33	4	25.6	1
Sioux	88	36	4	45.5	2
White	45	8	-	0	2
Nonwhite	43	28	4	93.0	-
Slope	55	17	1	18.2	2
Stark	380	114	7	18.4	9
Steele	93	37	3	32.3	2
Stutsman	432	319	12	27.8	4
Towner	151	50	4	26.5	1
Traill	218	94	12	55.0	2
Walsh	383	158	6	15.7	10
Ward	681	305	32	47.0	8
Minot	398	184	24	60.3	7
Balance of county	283	121	8	28.3	1
Wells	245	77	14	57.1	4
Williams	309	136	17	55.0	4
OHIO (total)	144,087	82,464	5,840	39.1	5,407
Adams	384	240	27	70.3	9
Allen	1,708	960	88	50.4	38
Lima	1,092	561	60	54.9	28
Balance of county	616	399	26	42.2	10
Ashland	574	362	13	22.8	8
Ashland	268	162	3	11.2	5
Balance of county	306	200	10	32.7	3
Ashtabula	1,333	871	47	35.3	23
Ashtabula	469	256	16	34.1	8
Balance of county	864	615	31	35.9	15
Athens	738	586	42	56.9	22
Auglaize	541	345	14	25.9	8
Belmont	1,641	1,055	79	48.1	58
Bellaire	282	148	15	57.3	13
Martins Ferry	251	184	9	35.9	9
Balance of county	1,128	723	55	48.8	36
Brown	294	286	12	40.8	7
Butler	2,791	1,393	136	48.7	86
Hamilton	1,187	657	62	52.2	42
Middletown	849	331	38	44.8	27
Balance of county	755	405	36	47.7	17
Carroll	280	183	12	42.9	8
Champaign	577	379	45	78.0	8
Clark	2,113	1,201	92	43.5	52
Springfield	1,541	913	69	44.8	46
White	1,378	769	58	42.1	38
Nonwhite	163	144	11	67.5	8
Balance of county	572	288	23	40.2	6
Clermont	607	436	28	46.1	21

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
OHIO—Continued					
Clinton	454	311	24	52.9	10
Columbiana	1,928	1,064	101	52.4	51
East Liverpool	510	314	34	66.7	17
Salem	238	135	11	46.2	10
Balance of county	1,180	615	56	47.5	24
Coshocton	530	371	27	50.9	12
Coshocton	197	145	12	60.9	8
Balance of county	333	226	15	45.0	4
Crawford	738	460	28	37.9	27
Cuyahoga	25,109	13,714	801	31.9	574
Cleveland	18,647	10,462	647	34.7	455
White	16,675	9,142	535	32.1	393
Nonwhite	1,972	1,320	112	56.8	62
Cleveland Heights	692	515	16	23.1	6
East Cleveland	753	453	35	46.5	15
Euclid	481	172	8	16.6	13
Garfield Heights	290	111	5	17.2	4
Lakewood	1,218	636	22	18.1	16
Parma	341	128	4	11.7	4
Shaker Heights	387	154	8	20.7	5
Balance of county	2,300	1,083	56	24.3	56
Darke	787	463	22	28.7	29
Defiance	485	276	17	35.1	9
Delaware	490	379	22	44.9	7
Erie	996	680	39	39.2	31
Sandusky	634	376	25	39.4	17
Balance of county	362	304	14	38.7	14
Fairfield	923	526	33	35.8	24
Lancaster	491	256	23	46.8	13
Balance of county	432	270	10	23.1	11
Fayette	464	291	29	62.5	8
Franklin	8,495	5,048	330	38.8	169
Columbus	6,772	4,155	257	38.0	137
White	6,060	3,565	219	36.1	119
Nonwhite	712	590	38	53.4	18
Balance of county	1,723	893	73	42.4	32
Fulton	529	298	25	47.3	9
Gallia	429	372	18	42.0	5
Geauga	422	191	14	33.2	9
Greene	937	456	43	45.9	13
Xenia	269	147	18	66.9	7
White	223	112	18	80.7	6
Nonwhite	46	35	-	0	1
Balance of county	668	309	25	37.4	6
Guernsey	573	477	24	41.9	15
Cambridge	253	213	7	27.7	6
Balance of county	320	264	17	53.1	9
Hamilton	12,945	8,471	471	36.4	342
Cincinnati	9,162	6,579	349	38.1	250
White	7,890	5,588	276	35.0	198
Nonwhite	1,272	991	73	57.4	52
Norwood	635	348	17	26.8	13
Balance of county	3,148	1,544	105	33.4	79
Hancock	868	557	27	31.1	8
Findlay	416	307	17	40.9	5
Fostoria (part)	103	47	4	(3)	-
Balance of county	349	203	6	17.2	3
Hardin	566	371	27	47.7	12
Harrison	333	233	16	48.0	8
Henry	439	249	13	29.6	14
Highland	479	372	15	31.3	5
Hocking	334	239	24	71.9	6
Holmes	391	217	21	53.7	10
Huron	786	482	29	36.9	19
Jackson	530	299	31	58.5	9
Jefferson	1,764	941	78	44.2	61
Steubenville	646	404	25	38.7	21
Balance of county	1,118	537	53	47.4	40
Knox	585	387	27	46.2	10
Mount Vernon	246	153	17	69.1	2
Balance of county	339	234	10	29.5	8
Lake	1,171	589	50	42.7	29
Painesville	314	148	15	47.8	10
Balance of county	857	441	35	40.8	19
Lawrence	941	448	46	48.9	23
Ironton	307	161	11	35.8	9
Balance of county	634	287	35	55.2	14
Licking	1,192	900	57	47.8	28
Newark	669	484	32	47.8	17
Balance of county	523	416	25	47.8	11
Logan	601	399	31	51.6	17
Lorain	2,481	1,262	94	37.9	44
Elyria	590	292	15	25.4	13
Lorain	917	467	52	56.7	15
Balance of county	974	503	27	27.7	16
Lucas	6,997	4,377	245	35.0	202
Toledo	5,544	3,867	211	38.1	175
White	5,152	3,589	194	37.7	158
Nonwhite	392	278	17	43.4	17
Balance of county	1,453	510	34	23.4	27
Madison	458	282	24	52.4	7
Mahoning	4,506	2,372	151	33.5	135
Campbell	208	115	11	52.9	2
White	186	91	8	43.0	1
Nonwhite	22	24	3	136.4	1
Struthers	172	72	9	52.3	4
Youngstown (part)	3,259	1,698	103	(3)	105
White	2,956	1,472	80	(3)	90
Nonwhite	303	226	23	(3)	15
Youngstown (total)	3,267	1,699	103	31.5	105
White	2,964	1,473	80	27.0	90
Nonwhite	303	226	23	75.9	15
Balance of county	867	487	28	32.3	24
Marion	1,072	563	48	44.8	21
Marion	750	413	42	56.0	15
Balance of county	322	150	6	18.6	6
Medina	670	400	28	41.8	15
Meigs	433	287	21	48.5	15
Mercer	524	282	19	36.3	4
Miami	1,279	696	36	28.1	23
Piqua	344	213	11	32.0	7
Balance of county	935	483	25	26.7	16
Monroe	300	223	14	46.7	4
Montgomery	7,541	3,826	359	47.6	170
Dayton	6,167	2,983	284	46.1	131
White	5,581	2,622	250	44.8	111
Nonwhite	586	361	34	58.0	20
Balance of county	1,374	843	75	54.6	39
Morgan	198	165	8	40.4	6
Morrow	256	165	9	35.2	7
Muskingum	1,353	894	58	42.9	29
Zanesville	797	530	36	45.2	16
Balance of county	556	364	22	39.6	13
Noble	172	163	2	11.6	2
Ottawa	521	291	14	26.9	14
Paulding	282	204	14	49.6	3
Perry	463	358	21	45.4	10
Pickaway	487	372	20	41.1	15
Pike	327	169	20	61.2	9
Portage	1,144	582	32	28.0	25
Preble	412	312	15	36.4	4
Putnam	512	292	20	39.1	9
Richland	1,444	860	69	47.8	29
Mansfield	751	445	37	49.3	15
Balance of county	693	415	32	46.2	14
Ross	1,145	560	52	45.4	22
Chillicothe	503	240	22	43.7	12
Balance of county	642	320	30	46.7	10
Sandusky	808	481	27	33.4	18
Fremont	333	162	7	21.0	5
Balance of county	475	319	20	42.1	13
Scioto	1,716	784	104	60.6	58
Portsmouth	712	415	36	50.6	28
Balance of county	1,004	369	68	67.7	30
Seneca	1,041	551	42	40.3	24
Fostoria (part)	222	111	9	(3)	8
Fostoria (total)	325	158	13	40.0	8
Tiffin	367	207	19	51.8	9
Balance of county	452	233	14	31.0	7
Shelby	557	288	20	35.9	16
Stark	5,704	2,895	207	36.3	122
Alliance	538	296	20	37.2	9
Canton	2,713	1,231	109	40.2	58
Massillon	685	329	22	32.1	9
Balance of county	1,768	1,039	56	31.7	46
Summit	7,758	3,307	273	35.2	160
Akron	5,513	2,293	188	34.1	122
White	5,183	2,118	172	33.2	111
Nonwhite	330	175	16	48.5	11
Barberton	616	244	21	34.1	13
Cuyahoga Falls	453	183	17	37.5	8
Balance of county	1,176	587	47	40.0	17
Trumbull	3,046	1,365	116	38.1	94
Niles	315	162	13	41.3	8
Warren	1,046	496	41	39.2	41
Youngstown (part)	8	1	-	(3)	-
White	8	1	-	(3)	-
Nonwhite	-	-	-	(3)	-
Balance of county	1,677	706	62	37.0	45
Tuscarawas	1,381	750	62	44.9	31
New Philadelphia	245	156	9	36.7	4
Balance of county	1,136	594	53	46.7	27
Union	347	233	9	25.9	9
Van Wert	496	342	17	34.3	5
Vinton	207	101	9	43.5	3
Warren	724	394	35	48.3	13
Washington	715	521	41	57.3	21
Marietta	263	205	16	60.8	9
Balance of county	452	316	25	55.3	12

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
OHIO—Continued					
Wayne	1,126	589	38	33.7	19
Wooster	232	144	9	38.8	4
Balance of county	894	445	29	32.4	15
Williams	462	319	16	34.6	12
Wood	904	535	21	23.2	17
Wyandot	343	244	17	49.6	10
OKLAHOMA (total)	48,639	20,271	2,068	42.5	1,020
Adair	381	154	14	36.7	12
White	271	96	5	18.5	11
Nonwhite	110	58	9	81.8	1
Alfalfa	223	103	4	17.9	6
Atoka	445	150	23	51.7	15
Beaver	156	91	9	57.7	2
Beckham	451	179	16	35.5	10
Blaine	377	149	16	42.4	9
White	317	119	13	41.0	8
Nonwhite	60	30	3	50.0	1
Bryan	879	267	36	41.0	22
Durant	268	102	16	59.7	7
Balance of county	611	165	20	32.7	15
Caddo	1,065	337	52	48.8	33
White	889	268	38	42.7	30
Nonwhite	176	71	14	79.5	3
Canadian	553	258	31	56.1	15
El Reno	268	141	19	70.9	10
Balance of county	285	115	12	42.1	5
Carter	710	364	37	52.1	21
Ardmore	322	202	16	49.7	7
White	279	170	12	43.0	5
Nonwhite	43	32	4	93.0	2
Balance of county	388	162	21	54.1	14
Cherokee	472	148	14	29.7	13
White	363	110	11	30.3	12
Nonwhite	109	38	3	27.5	1
Choctaw	595	232	27	45.4	11
White	465	166	22	47.3	8
Nonwhite	130	66	5	38.5	3
Cimarron	76	28	1	13.2	2
Cleveland	553	453	32	57.9	16
Norman	321	375	23	71.7	9
Balance of county	232	78	9	38.8	4
Coal	226	76	4	17.7	7
Comanche	1,150	409	97	85.8	24
Lawton	695	242	69	99.3	18
Balance of county	435	167	28	64.4	6
Cotton	283	98	8	28.3	3
Craig	392	341	22	56.1	4
Creek	958	453	53	56.5	30
Sapulpa	247	137	19	76.9	6
White	215	113	16	74.4	4
Nonwhite	32	24	3	93.8	2
Balance of county	691	316	34	49.2	24
White	595	263	27	45.4	16
Nonwhite	96	53	7	72.9	8
Custer	458	205	20	45.7	7
Delaware	332	139	11	33.1	2
White	284	120	8	28.2	1
Nonwhite	48	19	3	62.5	1
Dewey	220	108	5	22.7	5
Ellis	143	71	1	7.0	1
Garfield	934	512	38	40.7	13
Enid	732	374	27	36.9	9
Balance of county	202	138	11	54.5	4
Garvin	690	229	30	43.5	16
Grady	881	316	33	37.5	19
Chickasha	403	166	16	39.7	13
White	353	140	11	31.2	12
Nonwhite	50	26	5	100.0	1
Balance of county	478	150	17	35.6	6
Grant	155	107	1	6.5	5
Greer	253	98	5	19.8	10
Harmon	226	62	8	35.4	5
Harper	126	48	10	79.4	3
Haskell	343	87	7	20.4	2
Hughes	588	222	24	40.8	5
White	516	177	14	27.1	4
Nonwhite	72	45	10	138.9	1
Jackson	529	181	7	13.2	12
Jefferson	248	95	6	24.2	10
Johnston	281	88	12	42.7	4
Kay	917	433	37	40.3	18
Ponca City	381	142	13	34.1	7
Balance of county	536	291	24	44.8	9
Kingfisher	242	119	7	28.9	4
White	214	108	7	32.7	1
Nonwhite	28	11	-	0	3
Kiowa	509	167	8	15.7	6
Latimer	250	91	9	36.0	2
Le Flore	830	275	28	33.7	20
Lincoln	438	215	11	25.1	6
Logan	452	295	20	44.2	9
Guthrie	225	168	13	57.8	5
White	184	124	7	42.7	4
Nonwhite	41	44	6	98.4	1
Balance of county	227	127	7	30.8	4
White	170	99	3	17.6	4
Nonwhite	57	28	4	70.2	-
Love	217	70	6	27.6	5
McClain	344	93	15	43.6	6
McCurtain	725	277	33	45.5	15
White	559	203	25	44.7	10
Nonwhite	168	74	8	48.2	5
McIntosh	531	197	40	75.3	14
White	393	127	27	68.7	12
Nonwhite	138	70	13	94.2	2
Major	241	92	9	37.3	5
Marshall	273	79	10	36.6	4
Mayes	606	190	28	46.2	8
Murray	240	119	16	66.7	5
Muskogee	1,507	908	84	55.7	53
Muskogee	870	487	52	59.8	33
White	673	334	38	56.5	22
Nonwhite	197	153	14	71.1	11
Balance of county	637	421	32	50.2	20
White	507	220	26	51.3	13
Nonwhite	130	201	6	46.2	7
Noble	223	116	3	13.5	10
Nowata	287	123	6	20.9	3
White	266	105	4	15.0	3
Nonwhite	21	18	2	95.2	-
Okfuskee	471	206	30	63.7	11
White	354	126	20	56.5	7
Nonwhite	117	80	10	85.5	4
Oklahoma	5,900	2,292	272	46.1	100
Oklahoma City	5,089	1,929	233	46.0	90
White	4,838	1,709	207	44.8	75
Nonwhite	431	220	26	60.3	15
Balance of county	831	363	39	46.9	10
Okmulgee	938	424	38	40.5	16
Okmulgee	316	155	18	57.0	4
White	238	106	11	46.2	3
Nonwhite	78	49	7	89.7	1
Balance of county	622	269	20	32.2	12
White	482	217	15	31.1	7
Nonwhite	140	52	5	35.7	5
Osage	621	291	17	27.4	10
Ottawa	950	385	49	51.6	10
Pawnee	325	145	11	33.8	4
Payne	676	288	24	35.5	12
Stillwater	244	94	8	32.8	3
Balance of county	432	194	16	37.0	9
Pittsburg	1,199	500	65	54.2	34
McAlester	399	238	25	62.7	14
White	352	205	21	59.7	11
Nonwhite	47	33	4	85.1	3
Balance of county	800	262	40	50.0	20
White	745	232	35	47.0	17
Nonwhite	55	30	5	90.9	3
Pontotoc	760	289	26	34.2	12
Ada	364	169	18	49.5	7
Balance of county	396	120	8	20.2	5
Pottawatomie	995	450	36	36.2	17
Shawnee	480	237	26	54.2	11
Balance of county	515	213	10	19.4	6
Pushmataha	307	108	11	35.8	10
Roger Mills	163	57	3	18.4	5
Rogers	485	188	18	38.7	7
Seminole	845	334	31	36.7	15
Seminole	229	93	11	48.0	4
Wewoka	134	78	3	22.4	5
White	97	50	2	20.6	2
Nonwhite	37	28	1	27.0	3
Balance of county	482	163	17	35.3	6
White	383	115	14	36.6	4
Nonwhite	99	48	3	30.3	2
Sequoyah	590	159	18	30.5	18
White	520	123	15	28.8	15
Nonwhite	70	36	3	42.9	3
Stephens	697	240	20	28.7	13
Texas	213	100	12	56.3	3
Tillman	421	173	19	45.1	9
White	356	141	14	39.3	7
Nonwhite	65	32	5	76.9	2
Tulsa	4,954	1,920	200	40.4	118
Tulsa	3,921	1,553	163	41.6	86
White	3,572	1,337	134	37.5	69
Nonwhite	349	216	29	83.1	17
Balance of county	1,033	367	37	35.8	32

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
OKLAHOMA—Continued					
Wagoner	479	189	30	62.6	11
White	351	112	19	54.1	9
Nonwhite	128	77	11	85.9	2
Washington	550	258	21	38.2	4
Bartlesville	341	159	13	38.1	2
Balance of county	209	99	8	38.3	2
Washita	405	154	9	22.2	8
Woods	302	127	12	39.7	6
Woodward	289	319	12	41.5	5
OREGON (total)	25,450	13,704	765	30.0	422
Baker	271	196	7	25.8	7
Benton	547	214	18	32.9	12
Clackamas	1,305	700	36	27.6	23
Clatsop	599	271	9	15.0	10
Astoria	273	143	8	29.3	5
Balance of county	326	128	1	3.1	5
Columbia	425	200	12	28.2	6
Coos	601	346	23	38.3	12
Crook	143	41	6	42.0	1
Curry	54	45	1	18.5	2
Deschutes	456	185	19	45.6	9
Bend	245	107	11	44.9	5
Balance of county	191	78	8	41.9	4
Douglas	489	357	18	36.8	7
Gilliam	35	20	-	0	2
Grant	140	69	6	42.9	4
Harney	85	46	3	36.1	1
Hood River	184	119	4	21.7	1
Jackson	844	499	30	35.5	14
Medford	526	147	13	39.9	3
Balance of county	318	352	17	32.8	11
Jefferson	45	20	2	44.4	-
White	24	10	-	0	-
Nonwhite	21	10	2	95.2	-
Josephine	292	199	16	54.8	2
Klamath	837	297	28	33.5	9
Klamath Falls	513	160	15	29.2	4
Balance of county	324	137	13	40.1	5
Lake	130	54	2	15.4	1
Lane	1,684	748	59	35.0	33
Eugene	592	327	28	47.3	12
Balance of county	1,092	421	31	28.4	21
Lincoln	285	168	17	59.6	6
Linn	841	383	29	34.5	13
Malheur	383	115	11	28.7	5
Marion	1,466	1,153	49	33.4	22
Salem	618	742	27	43.7	13
Balance of county	848	411	22	25.9	9
Morrow	90	47	-	0	2
Multnomah	9,598	5,246	250	26.1	161
Portland	8,243	4,744	212	25.7	136
Balance of county	1,345	502	38	28.3	25
Polk	411	200	11	26.8	8
Sherman	41	28	3	73.2	-
Tillamook	301	137	13	43.2	2
Umatilla	655	381	23	35.1	10
Union	310	198	10	32.3	10
Wallowa	114	62	3	26.3	1
Wasco	215	148	7	32.6	5
Washington	871	496	24	27.6	11
Wheeler	58	23	1	17.0	-
Yamhill	679	317	13	19.1	10
PENNSYLVANIA (total)	199,368	115,907	7,551	37.9	4,580
Adams	862	365	31	36.0	16
Allegheny	28,471	16,423	1,100	38.6	711
Bellevue	186	135	4	21.5	2
Braddock	350	237	33	94.3	9
White	295	198	24	81.4	8
Nonwhite	55	39	9	163.6	1
Carnegie	358	140	16	44.7	8
Clairton	457	144	18	39.4	5
White	394	112	14	35.5	4
Nonwhite	63	32	4	63.5	1
Coraopolis	265	115	4	15.1	9
Dormont	155	126	6	38.7	2
Duquesne	430	166	16	37.2	11
Harrison (twp.)[2]	219	71	9	41.1	8
Homestead	272	146	11	40.4	9
White	246	130	7	28.5	8
Nonwhite	26	26	4	153.8	1
McKeesport	1,228	604	52	42.3	29
McKees Rocks	626	248	27	43.1	9
Mount Lebanon (twp.)[2]	206	128	2	9.7	6
Munhall	214	126	8	37.4	5
North Braddock	311	125	11	35.4	8
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Allegheny—Continued					
Pittsburgh	13,883	8,614	557	40.1	355
White	12,355	7,490	453	36.7	290
Nonwhite	1,528	1,124	104	68.1	65
Shaler (twp.)[2]	144	29	2	13.9	3
Stowe (twp.)[2]	18	1	-	0	-
Swissvale	315	169	9	28.6	3
Wilkinsburg	725	379	26	36.0	15
Balance of county	8,111	4,724	289	35.6	215
White	7,852	4,480	272	34.6	204
Nonwhite	259	244	17	65.6	11
Armstrong	1,680	786	65	38.7	36
Beaver	3,712	1,529	128	34.5	85
Aliquippa	640	252	23	35.9	13
White	543	185	16	29.5	9
Nonwhite	97	47	7	72.2	4
Ambridge	425	154	13	30.6	7
Beaver Falls	506	188	22	43.5	14
Ellwood City (part)	25	7	-	(3)	-
Balance of county	2,116	948	70	33.1	51
Bedford	918	465	46	50.1	17
Berks	5,872	3,073	139	35.9	115
Reading	1,687	1,387	57	33.8	60
Balance of county	2,185	1,686	82	37.5	55
Blair	2,743	1,610	105	38.3	78
Altoona	1,566	891	62	39.6	37
Balance of county	1,177	719	43	36.5	41
Bradford	1,110	643	39	35.1	22
Bucks	2,389	1,250	82	34.3	48
Bristol	335	119	14	41.8	4
Balance of county	2,054	1,131	68	33.1	44
Butler	1,844	919	72	39.0	44
Butler	522	256	18	34.5	11
Balance of county	1,322	663	54	40.8	33
Cambria	4,684	2,138	197	42.1	97
Johnstown	1,708	859	58	34.0	35
Balance of county	2,976	1,299	139	46.7	62
Cameron	167	59	5	29.9	8
Carbon	988	685	51	51.6	28
Centre	1,073	468	37	34.5	20
Chester	2,921	1,781	114	39.0	65
Coatesville	340	147	12	35.3	8
White	264	121	8	30.3	1
Nonwhite	76	26	4	52.6	7
Phoenixville	247	154	5	20.2	5
West Chester	264	245	31	117.4	3
White	213	187	17	79.8	2
Nonwhite	51	58	14	274.5	1
Balance of county	2,070	1,255	66	31.9	49
Clarion	749	367	29	38.7	20
Clearfield	1,817	847	53	29.2	45
Du Bois	266	145	9	33.8	4
Balance of county	1,551	704	44	28.4	41
Clinton	758	387	35	46.2	17
Lock Haven	277	163	22	79.4	5
Balance of county	481	224	13	27.0	12
Columbia	1,093	582	37	33.9	29
Berwick	366	144	12	32.8	11
Balance of county	727	438	25	34.4	18
Crawford	1,844	947	74	40.1	34
Meadville	476	249	27	56.7	11
Balance of county	1,368	698	47	34.4	23
Cumberland	1,713	851	50	29.2	38
Carlisle	332	176	21	63.3	6
Balance of county	1,381	675	29	21.0	32
Dauphin	3,699	2,385	158	42.7	88
Harrisburg	1,796	1,146	91	50.7	44
Steelton	275	132	12	43.6	9
White	206	95	8	38.8	5
Nonwhite	69	37	4	58.0	4
Balance of county	1,628	1,107	55	33.8	35
Delaware	7,350	3,374	241	32.8	134
Chester	1,760	791	85	48.3	42
White	1,410	568	60	42.6	28
Nonwhite	350	223	25	71.4	14
Darby	220	125	21	95.5	6
White	191	104	19	99.5	6
Nonwhite	29	21	2	69.0	-
Haverford (twp.)[2]	356	184	6	16.9	4
Lansdowne	304	115	4	13.2	2
Upper Darby (twp.)[2]	1,393	555	31	22.3	29
Balance of county	3,317	1,604	94	28.3	51
Elk	670	314	23	34.3	12
Erie	4,479	2,113	159	35.5	105
Erie	3,066	1,362	111	36.2	65
Balance of county	1,413	751	48	34.0	40
Fayette	4,029	1,919	160	39.7	116
Connellsville	314	182	11	35.0	19
Uniontown	535	267	18	33.6	8
Balance of county	3,180	1,470	131	41.2	89

[2]Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
[3]Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	Deaths under 1 year		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Forest	116	75	6	51.7	3
Franklin	1,611	794	44	27.3	30
Chambersburg	299	201	10	33.4	9
Waynesboro	225	135	13	57.8	5
Balance of county	1,087	458	21	19.3	16
Fulton	271	118	8	29.5	5
Greene	801	420	37	46.2	19
Huntingdon	678	457	40	45.6	31
Indiana	1,658	793	80	48.3	45
Indiana	196	117	8	40.8	5
Balance of county	1,462	676	72	49.2	40
Jefferson	946	528	33	34.9	21
Juniata	326	177	14	42.9	7
Lackawanna	4,242	3,259	174	41.0	142
Carbondale	336	217	17	50.6	16
Dickson City	143	101	1	7.0	3
Dunmore	303	245	8	26.4	10
Old Forge	226	90	5	22.1	5
Scranton	2,015	1,560	91	45.2	58
Balance of county	1,219	1,046	52	42.7	50
Lancaster	4,666	2,413	165	35.4	80
Columbia	227	149	13	57.3	4
Lancaster	1,298	811	67	51.6	32
Balance of county	3,141	1,453	85	27.1	44
Lawrence	2,160	984	67	31.0	59
Ellwood City (part)	295	102	10	(3)	6
Ellwood City (total)	320	109	10	31.3	8
New Castle	1,074	522	37	34.5	36
Balance of county	791	360	20	25.3	17
Lebanon	1,625	805	57	35.1	31
Lebanon	689	352	28	40.6	12
Balance of county	936	453	29	31.0	19
Lehigh	3,447	2,173	116	33.7	76
Allentown	1,798	1,308	69	38.4	34
Bethlehem (part)	328	152	9	(3)	6
Balance of county	1,321	713	38	28.8	36
Luzerne	6,981	4,449	269	38.5	145
Hanover (twp.)[2]	81	26	1	12.3	1
Hazleton	604	360	39	64.6	7
Kingston	319	253	20	62.7	7
Nanticoke	372	228	12	32.3	5
Pittston	376	199	14	37.2	9
Plains (twp.)[2]	153	78	5	32.7	6
Plymouth	257	163	10	38.9	6
Wilkes-Barre	1,475	1,063	48	32.5	37
Balance of county	3,344	2,079	120	35.9	67
Lycoming	1,989	1,164	81	40.7	47
Williamsport	1,030	561	40	38.8	18
Balance of county	959	603	41	42.8	29
McKean	1,032	573	42	40.7	26
Bradford	349	222	18	51.6	6
Balance of county	683	351	24	35.1	20
Mercer	2,299	1,170	92	40.0	53
Farrell	295	136	12	40.7	5
White	262	116	11	42.0	3
Nonwhite	33	20	1	30.3	2
Sharon	606	276	31	51.2	14
Balance of county	1,398	758	49	35.1	34
Mifflin	1,006	475	56	55.7	22
Lewistown	350	203	15	42.9	6
Balance of county	656	272	41	62.5	16
Monroe	586	344	20	34.1	14
Montgomery	5,906	3,517	178	30.1	111
Abington (twp.)[2]	352	167	12	34.1	9
Cheltenham (twp.)[2]	269	173	2	7.4	4
Conshohocken	281	129	8	28.5	7
Lower Merion (twp.)[2]	724	369	22	30.4	8
Norristown	750	768	26	34.7	18
Pottstown	392	266	18	45.9	14
Balance of county	3,138	1,845	90	28.7	51
Montour	292	344	15	51.4	7
Northampton	3,515	1,859	105	29.9	59
Bethlehem (part)	1,099	433	37	(3)	18
Bethlehem (total)	1,427	585	46	32.2	24
Easton	751	542	25	33.3	19
Balance of county	1,665	884	43	25.8	22
Northumberland	2,250	1,350	78	34.7	44
Mount Carmel	257	148	5	19.5	3
Shamokin	576	317	17	29.5	3
Sunbury	283	203	9	31.8	5
Balance of county	1,134	682	47	41.4	33
Perry	567	257	20	35.9	11
Philadelphia, coextensive with Philadelphia (city)	59,900	26,689	1,557	39.0	861
White	53,278	22,267	1,132	34.0	645
Nonwhite	6,622	4,322	425	64.2	216
Pike	105	119	4	38.1	-
Potter	294	250	17	57.8	6
Schuylkill	3,438	2,563	156	45.4	84
Mahanoy City	163	176	8	49.1	5
Pottsville	419	358	33	78.8	8
Shenandoah	286	234	8	28.0	8
Tamaqua	202	152	8	39.6	4
Balance of county	2,368	1,645	99	41.8	61
Snyder	452	231	12	26.5	9
Somerset	1,690	782	61	36.1	36
Sullivan	134	79	7	52.2	-
Susquehanna	573	451	23	40.1	9
Tioga	748	404	30	40.1	19
Union	371	237	21	56.6	8
Venango	1,215	836	41	33.7	31
Oil City	407	252	11	27.0	12
Balance of county	808	604	30	37.1	19
Warren	795	824	30	37.7	21
Warren	280	189	13	46.4	9
Balance of county	515	635	17	33.0	12
Washington	4,162	2,098	189	45.4	100
Canonsburg	276	129	15	54.3	8
Charleroi	199	98	5	25.1	4
Donora	231	101	8	34.6	8
Washington	709	336	30	42.3	17
Balance of county	2,747	1,436	131	47.7	65
Wayne	394	404	15	38.1	11
Westmoreland	6,101	3,098	235	38.5	165
Arnold	110	78	-	0	5
Greensburg	434	218	14	32.3	10
Jeannette	333	151	12	36.0	8
Latrobe	252	110	10	39.7	9
Monessen	386	144	13	33.7	8
New Kensington	636	259	33	51.9	25
Vandergrift	158	99	4	25.3	4
Balance of county	3,792	2,039	149	39.3	96
Wyoming	272	193	4	14.7	3
York	3,927	1,993	122	31.1	101
Hanover	316	198	17	53.8	12
York	1,425	760	49	34.4	33
Balance of county	2,186	1,035	56	25.6	56
RHODE ISLAND (total)	14,667	8,922	638	43.5	348
Bristol	544	278	22	40.4	15
Bristol (town)	243	145	13	53.5	8
Balance of county	301	133	9	29.9	7
Kent	1,319	700	59	44.7	36
Warwick	630	368	30	47.6	15
West Warwick (town)	428	193	18	42.1	17
Balance of county	261	139	11	42.1	6
Newport	1,248	847	54	43.3	18
Newport	803	429	36	44.8	12
Balance of county	445	218	18	40.4	6
Providence	10,676	6,845	466	43.6	257
Central Falls	530	247	24	45.3	11
Cranston	889	819	48	54.0	16
Cumberland (town)	194	110	9	46.4	5
East Providence (town)	631	361	20	31.7	17
Johnston (town)	252	91	9	35.7	3
Lincoln (town)	147	122	7	47.6	4
North Providence (town)	258	94	1	3.9	4
Pawtucket	1,504	958	75	49.9	42
Providence	4,883	3,207	211	43.2	112
Woonsocket	923	489	50	54.2	31
Balance of county	467	347	12	25.7	12
Washington	880	452	37	42.0	22
Westerly (town)	275	113	11	40.0	10
Balance of county	605	339	26	43.0	12
SOUTH CAROLINA (total)	54,144	18,552	2,985	55.1	2,019
Abbeville	509	198	25	49.1	12
White	292	103	14	47.9	3
Nonwhite	217	95	11	50.7	9
Aiken	1,299	540	69	53.1	58
White	793	278	36	45.4	28
Nonwhite	506	262	33	65.2	30
Allendale	349	122	22	63.0	28
White	57	44	5	87.7	3
Nonwhite	292	78	17	58.2	25
Anderson	2,128	724	104	48.9	58
Anderson	677	284	40	59.1	10
White	552	198	28	50.7	5
Nonwhite	125	86	12	96.0	5
Balance of county	1,451	440	64	44.1	48
White	1,040	280	46	44.2	16
Nonwhite	411	160	18	43.8	32
Bamberg	405	161	23	56.8	23
White	122	61	6	49.2	4
Nonwhite	285	100	17	60.1	19

[2]Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
[3]Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
SOUTH CAROLINA—Continued					
Barnwell	510	160	22	43.1	23
White	128	47	5	39.1	2
Nonwhite	382	113	17	44.5	21
Beaufort	637	279	26	40.8	33
White	233	60	9	38.6	7
Nonwhite	404	219	17	42.1	26
Berkeley	862	254	58	67.3	38
White	249	62	16	64.3	5
Nonwhite	613	192	42	68.5	33
Calhoun	446	159	30	67.3	20
White	92	41	3	32.6	-
Nonwhite	354	118	27	76.3	20
Charleston	5,283	1,776	278	52.6	219
Charleston	2,681	1,100	161	60.1	121
White	1,522	550	70	46.0	48
Nonwhite	1,159	550	91	78.5	73
Balance of county	2,602	676	117	45.0	98
White	1,429	219	33	23.1	31
Nonwhite	1,173	457	84	71.6	67
Cherokee	827	271	47	56.8	29
White	637	186	38	59.7	17
Nonwhite	190	85	9	47.4	12
Chester	765	256	24	31.4	27
White	395	117	7	17.8	6
Nonwhite	372	139	17	45.7	21
Chesterfield	1,038	247	41	39.5	45
White	567	128	14	24.7	22
Nonwhite	471	121	27	57.3	23
Clarendon	807	295	63	78.1	30
White	208	61	8	38.5	2
Nonwhite	599	234	55	91.8	28
Colleton	834	247	41	49.2	37
White	305	96	11	36.1	6
Nonwhite	529	151	30	56.7	31
Darlington	1,300	451	100	76.9	51
White	619	201	46	74.3	17
Nonwhite	681	250	54	79.3	34
Dillon	838	261	55	65.6	36
White	430	112	20	46.5	21
Nonwhite	408	149	35	85.8	15
Dorchester	735	202	41	55.8	26
White	333	81	17	51.1	8
Nonwhite	402	121	24	59.7	18
Edgefield	501	157	25	49.9	15
White	137	51	5	36.5	-
Nonwhite	364	106	20	54.9	15
Fairfield	625	182	27	43.2	26
White	212	71	9	42.5	9
Nonwhite	413	111	18	43.6	17
Florence	2,068	781	142	68.7	81
Florence	650	309	57	87.7	21
White	373	153	33	88.5	5
Nonwhite	277	156	24	86.6	16
Balance of county	1,418	472	85	59.9	60
White	708	207	31	43.8	25
Nonwhite	710	265	54	76.1	35
Georgetown	820	233	41	50.0	25
White	313	72	13	41.5	8
Nonwhite	507	161	28	55.2	17
Greenville	3,583	1,286	160	44.7	107
Greenville	1,308	531	70	53.5	49
White	964	288	50	51.9	24
Nonwhite	344	243	20	58.1	25
Balance of county	2,275	755	90	39.6	58
White	1,849	625	73	39.5	40
Nonwhite	426	130	17	39.9	18
Greenwood	985	395	57	57.9	24
Greenwood	380	182	24	63.2	9
White	301	101	19	63.1	6
Nonwhite	79	81	5	63.3	3
Balance of county	605	213	33	54.5	15
White	354	117	16	45.2	10
Nonwhite	251	96	17	67.7	5
Hampton	466	185	29	62.2	35
White	154	75	5	32.5	4
Nonwhite	312	110	24	76.9	31
Horry	1,596	440	123	77.1	67
White	1,144	292	79	69.1	35
Nonwhite	452	148	44	97.3	32
Jasper	344	101	17	49.4	20
White	93	33	6	64.5	2
Nonwhite	251	68	11	43.8	18
Kershaw	899	267	48	53.4	21
White	392	110	20	51.0	10
Nonwhite	507	157	28	55.2	11
Lancaster	983	276	55	57.1	31
White	658	173	38	57.8	19
Nonwhite	305	103	17	55.7	12
Laurens	874	309	37	42.5	26
White	537	171	23	42.8	14
Nonwhite	337	138	14	41.5	12
Lee	661	185	29	43.9	34
White	163	55	4	24.5	5
Nonwhite	498	130	25	50.2	29
Lexington	1,109	340	60	54.1	38
White	804	221	39	48.5	23
Nonwhite	305	119	21	68.9	15
McCormick	312	105	27	86.5	13
White	68	28	1	14.7	-
Nonwhite	244	77	26	106.6	13
Marion	859	324	59	68.7	55
White	382	135	19	49.7	13
Nonwhite	477	189	40	83.9	42
Marlboro	926	338	97	104.8	28
White	385	130	31	80.5	10
Nonwhite	541	208	66	122.0	18
Newberry	859	212	18	21.0	18
White	485	128	8	16.5	7
Nonwhite	374	84	10	26.7	11
Oconee	813	236	55	45.1	24
White	713	188	51	43.5	19
Nonwhite	100	48	4	40.0	5
Orangeburg	1,976	673	144	72.9	114
Orangeburg	404	149	38	94.1	16
White	230	63	17	73.9	7
Nonwhite	174	86	21	120.7	9
Balance of county	1,572	524	106	67.4	98
White	372	130	13	34.9	14
Nonwhite	1,200	394	93	77.5	84
Pickens	968	251	21	21.7	25
White	834	184	18	21.6	17
Nonwhite	134	47	3	22.4	8
Richland	5,493	1,723	169	48.4	99
Columbia	2,480	982	125	49.6	64
White	1,784	614	77	43.2	37
Nonwhite	696	368	46	68.1	27
Balance of county	1,013	741	46	45.4	35
White	452	263	14	31.0	8
Nonwhite	561	478	32	57.0	27
Saluda	341	122	6	17.6	13
White	183	69	4	21.9	3
Nonwhite	158	53	2	12.7	10
Spartanburg	3,323	1,135	181	54.5	86
Spartanburg	1,045	417	62	59.3	28
White	726	230	34	46.8	14
Nonwhite	319	187	28	87.8	14
Balance of county	2,278	716	119	52.2	58
White	1,708	539	93	54.4	38
Nonwhite	570	177	26	45.6	22
Sumter	1,451	593	111	76.5	55
Sumter	484	210	26	53.7	18
White	330	102	10	30.3	8
Nonwhite	154	108	16	103.9	10
Balance of county	967	383	85	87.9	37
White	154	115	11	71.4	-
Nonwhite	813	268	74	91.0	37
Union	791	253	33	41.7	19
White	507	149	23	45.4	9
Nonwhite	284	104	10	35.2	10
Williamsburg	1,387	374	83	59.8	82
White	380	99	12	31.6	17
Nonwhite	1,007	275	71	70.5	65
York	1,579	495	82	51.9	45
Rock Hill	502	147	24	47.8	11
White	414	96	15	36.2	9
Nonwhite	88	51	9	102.3	2
Balance of county	1,077	348	58	53.9	34
White	580	190	37	63.8	19
Nonwhite	497	158	21	42.3	15
SOUTH DAKOTA (total)	12,816	5,641	457	35.7	212
Armstrong	-	-	-	-	-
White	-	-	-	-	-
Nonwhite	-	-	-	-	-
Aurora	103	50	4	38.8	3
Beadle	392	168	13	33.2	6
Huron	237	121	9	38.0	3
Balance of county	155	47	4	25.8	3
Bennett	66	23	5	75.8	3
White	55	15	2	36.4	2
Nonwhite	11	8	3	272.7	1
Bon Homme	177	77	5	28.2	3
Brookings	299	125	8	26.8	9
Brown	553	214	8	14.5	6
Aberdeen	324	143	-	0	6
Balance of county	229	71	8	34.9	-
Brule	120	57	6	50.0	1

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
SOUTH DAKOTA—Continued					
Buffalo	50	11	1	20.0	1
White	23	2	-	0	1
Nonwhite	27	9	1	37.0	-
Butte	169	69	4	23.7	6
Campbell	91	20	2	22.0	1
Charles Mix	284	108	13	45.8	6
White	227	82	7	30.8	4
Nonwhite	57	26	6	105.3	2
Clark	174	78	5	28.7	1
Clay	168	63	6	35.7	3
Codington	374	151	15	40.1	5
Watertown	253	116	11	43.5	2
Balance of county	121	35	4	33.1	3
Corson	189	53	6	35.5	1
White	115	32	1	8.7	1
Nonwhite	54	21	5	92.6	-
Custer	109	52	2	18.3	-
Davison	278	177	23	82.7	4
Mitchell	228	148	20	87.7	2
Balance of county	50	29	3	60.0	2
Day	232	105	1	4.3	5
Deuel	145	62	8	55.2	-
Dewey	158	46	9	57.0	1
White	92	29	6	65.2	-
Nonwhite	66	17	3	45.5	1
Douglas	134	51	-	0	1
Edmunds	168	48	3	17.9	2
Fall River	171	106	6	35.1	1
Faulk	111	35	5	45.0	1
Grant	180	84	5	27.8	4
Gregory	187	85	9	48.1	3
Haakon	68	36	6	88.2	1
Hamlin	125	62	3	24.0	-
Hand	126	59	8	63.5	3
Hanson	88	49	2	22.7	1
Harding	56	29	2	35.7	2
Hughes	151	68	5	33.1	1
Hutchinson	279	87	8	28.7	1
Hyde	51	23	4	78.4	1
Jackson	33	14	2	60.6	1
Jerauld	79	51	1	12.7	1
Jones	63	13	4	63.5	-
Kingsbury	188	104	1	5.3	4
Lake	216	88	9	41.7	2
Lawrence	229	126	4	17.5	5
Lincoln	230	120	3	13.0	3
Lyman	117	51	5	42.7	5
McCook	160	73	9	56.3	2
McPherson	176	58	4	22.7	3
Marshall	184	88	8	43.5	2
Meade	203	88	6	29.6	6
Mellette	89	42	14	157.3	2
White	44	15	1	22.7	2
Nonwhite	45	27	13	288.9	-
Miner	132	61	4	30.3	3
Minnehaha	1,544	577	52	33.7	37
Sioux Falls	1,234	427	42	34.0	32
Balance of county	310	150	10	32.3	5
Moody	187	88	2	10.7	2
Pennington	587	261	16	27.3	11
Rapid City	422	203	15	35.5	9
Balance of county	165	58	1	6.1	2
Perkins	120	49	11	91.7	2
Potter	98	39	-	0	1
Roberts	344	155	15	43.6	4
Sanborn	68	54	-	0	1
Shannon	125	52	16	128.0	1
White	20	6	2	100.0	-
Nonwhite	105	46	14	133.3	1
Spink	214	120	5	23.4	2
Stanley	31	17	1	32.3	1
Sully	57	15	1	17.5	1
Todd	116	89	17	146.6	3
White	31	9	-	0	1
Nonwhite	85	80	17	200.0	2
Tripp	228	81	9	39.8	7
Turner	222	111	2	9.0	1
Union	209	88	5	23.9	6
Walworth	133	63	8	60.2	2
Washabaugh	39	7	1	25.6	-
White	20	4	1	50.0	-
Nonwhite	19	3	-	0	-
Washington	29	16	2	69.0	-
White	3	9	-	0	-
Nonwhite	26	7	2	76.9	-
Yankton	278	216	5	18.0	4
Ziebach	84	37	5	59.5	-
White	54	18	3	55.6	-
Nonwhite	30	19	2	66.7	-

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
TENNESSEE (total)	70,203	27,955	3,143	44.8	1,575
Anderson	710	186	25	35.2	12
Bedford	551	248	32	58.1	15
White	488	196	28	57.4	13
Nonwhite	63	52	4	63.5	2
Benton	279	129	16	57.3	-
Bledsoe	257	55	6	23.3	3
Blount	1,451	298	57	39.3	25
Bradley	789	269	45	56.3	21
Cleveland	370	130	17	45.9	8
White	336	116	16	47.6	6
Nonwhite	34	14	1	29.4	2
Balance of county	429	139	28	65.3	13
Campbell	980	225	43	43.9	14
Cannon	190	68	6	31.6	4
Carroll	595	268	21	35.3	16
White	541	214	17	31.4	15
Nonwhite	54	54	4	74.1	1
Carter	990	237	49	49.5	18
Cheatham	187	80	6	32.1	5
Chester	288	85	8	29.9	2
White	253	69	8	34.3	1
Nonwhite	35	16	-	0	1
Claiborne	605	126	15	24.8	3
Clay	216	48	1	4.6	2
Cocke	594	210	32	53.9	19
Coffee	531	263	37	69.7	11
Crockett	428	127	11	26.7	7
White	335	83	7	20.9	5
Nonwhite	93	44	4	43.0	2
Cumberland	441	103	16	36.3	6
Davidson	6,022	3,110	299	49.7	140
Nashville	4,815	2,180	234	48.6	113
White	3,860	1,341	154	39.9	80
Nonwhite	955	839	80	83.8	33
Balance of county	1,207	930	65	53.9	27
White	1,078	736	51	47.3	26
Nonwhite	129	194	14	108.5	1
Decatur	231	57	5	21.6	3
De Kalb	284	104	12	42.3	6
Dickson	419	149	17	40.6	9
Dyer	869	327	43	49.5	28
Dyersburg	230	125	13	56.5	9
White	177	74	6	33.9	8
Nonwhite	53	51	7	132.1	1
Balance of county	639	202	30	46.9	19
Fayette	865	250	29	33.5	21
White	203	64	1	4.9	3
Nonwhite	662	186	28	42.3	18
Fentress	391	38	3	7.7	1
Franklin	613	186	23	37.5	1
White	576	161	21	36.5	1
Nonwhite	37	25	2	54.1	-
Gibson	1,026	405	49	47.8	27
White	845	308	41	48.5	24
Nonwhite	181	97	8	44.2	3
Giles	579	253	15	25.9	15
White	458	177	8	17.5	10
Nonwhite	121	76	7	57.9	5
Grainger	285	121	9	31.8	7
Greene	901	367	51	56.6	21
Grundy	380	78	9	23.7	8
Hamblen	499	226	34	68.1	18
Hamilton	4,642	2,037	234	50.4	123
Chattanooga	3,551	1,813	160	45.1	100
White	2,660	949	100	37.6	66
Nonwhite	891	864	60	67.3	34
Balance of county	1,091	424	74	67.8	23
Hancock	237	40	1	4.2	1
Hardeman	539	464	18	33.4	11
White	311	258	10	32.2	4
Nonwhite	228	206	8	35.1	7
Hardin	391	121	16	40.9	13
Hawkins	742	230	29	39.1	14
Haywood	695	254	34	48.9	20
White	216	89	9	41.7	5
Nonwhite	479	165	25	52.2	15
Henderson	404	137	9	22.5	10
Henry	507	275	33	65.1	15
White	426	202	27	63.4	10
Nonwhite	81	71	6	74.1	5
Hickman	505	105	6	19.7	3
Houston	148	70	6	40.5	6
Humphreys	233	122	18	77.3	6
Jackson	337	67	5	14.8	12
Jefferson	426	130	15	35.2	6
Johnson	291	104	32	110.0	13
Knox	4,374	1,924	195	44.6	90
Knoxville	2,990	1,185	131	43.8	62
White	2,662	943	118	44.3	52
Nonwhite	328	242	13	39.6	10
Balance of county	1,384	739	64	46.2	28

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	Deaths under 1 year		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
TENNESSEE—Continued					
Lake	357	91	15	42.0	10
White	286	59	12	42.0	7
Nonwhite	71	32	3	42.3	3
Lauderdale	605	229	37	61.2	19
White	383	118	18	47.0	12
Nonwhite	222	111	19	85.6	7
Lawrence	745	205	29	38.9	16
Lewis	118	40	2	16.9	1
Lincoln	624	267	27	43.3	13
White	538	212	21	39.0	11
Nonwhite	86	55	6	69.8	2
Loudon	571	150	27	47.3	14
McMinn	768	256	39	50.8	17
McNairy	519	154	21	40.5	8
Macon	295	130	7	23.7	5
Madison	1,251	580	59	47.2	32
Jackson	594	332	29	48.8	20
White	406	183	16	39.4	8
Nonwhite	188	149	13	69.1	12
Balance of county	657	248	30	45.7	12
White	342	141	12	35.1	6
Nonwhite	315	107	18	57.1	6
Marion	544	172	29	53.3	18
Marshall	318	189	8	25.2	13
White	277	159	5	18.1	9
Nonwhite	41	30	3	73.2	4
Maury	905	448	30	33.1	14
Columbia	264	162	11	41.7	5
White	218	107	7	32.1	5
Nonwhite	46	55	4	87.0	-
Balance of county	641	286	19	29.6	9
White	498	200	14	28.2	7
Nonwhite	145	86	5	34.5	2
Meigs	146	37	6	41.1	2
Monroe	710	219	31	45.7	16
Montgomery	706	360	43	60.9	25
Clarksville	283	142	19	67.1	9
White	213	74	12	56.3	5
Nonwhite	70	68	7	100.0	4
Balance of county	423	218	24	56.7	16
White	310	165	19	61.3	7
Nonwhite	113	55	5	44.2	9
Moore	94	38	6	63.8	3
Morgan	345	52	6	17.5	1
Obion	581	316	24	41.3	15
White	540	255	21	38.9	14
Nonwhite	41	61	3	73.2	1
Overton	398	79	3	7.5	8
Perry	175	55	2	11.4	2
Pickett	125	12	1	8.0	1
Polk	440	104	14	31.8	3
Putnam	599	189	16	26.7	13
Rhea	422	142	20	47.4	10
Roane	711	245	32	45.0	15
Robertson	494	245	18	36.4	10
White	409	189	14	34.2	8
Nonwhite	85	56	4	47.1	2
Rutherford	723	421	34	47.0	19
White	601	331	28	46.6	16
Nonwhite	122	90	6	49.2	3
Scott	430	94	12	27.9	4
Sequatchie	154	46	13	84.4	5
Sevier	702	194	40	57.0	22
Shelby	8,074	4,340	431	53.4	221
Memphis	6,413	3,418	333	51.9	188
White	3,913	1,746	157	40.1	88
Nonwhite	2,500	1,672	176	70.4	98
Balance of county	1,661	922	98	59.0	35
White	793	382	44	55.5	16
Nonwhite	868	540	54	62.2	19
Smith	283	141	13	45.9	7
Stewart	288	89	13	45.1	5
Sullivan	2,144	542	102	47.6	43
Bristol[6]	379	131	22	58.0	15
Kingsport	715	118	26	36.4	9
Balance of county	1,050	293	54	51.4	19
Sumner	640	299	26	40.6	11
White	570	255	25	43.9	10
Nonwhite	70	44	1	14.3	1
Tipton	799	222	47	58.8	18
White	505	121	27	53.5	9
Nonwhite	294	101	20	68.0	9
Trousdale	142	52	6	42.3	6
White	123	41	5	40.7	3
Nonwhite	19	11	1	52.6	3
Unicoi	355	92	10	28.2	11
Union	139	59	8	57.6	3
Van Buren	105	34	4	38.1	5
Warren	437	149	17	38.9	5
Washington	1,303	442	60	46.0	19
Johnson City	621	214	20	32.2	7
White	569	191	20	35.1	5
Nonwhite	52	23	-	0	2
Balance of county	682	228	40	58.7	12
Wayne	332	85	9	27.1	5
Weakley	490	277	21	42.9	13
White	379	130	14	36.9	4
Williamson	522	220	21	40.2	7
White	406	155	15	36.9	6
Nonwhite	116	65	6	51.7	1
Wilson	493	228	15	30.4	7
White	406	179	10	24.6	5
Nonwhite	87	49	5	57.5	2
TEXAS (total)	164,513	62,216	8,454	51.4	4,611
Anderson	643	286	30	46.7	21
Palestine	249	128	15	60.2	13
White	174	74	5	28.7	8
Nonwhite	75	54	10	133.3	5
Balance of county	394	158	15	38.1	8
White	236	93	8	33.9	4
Nonwhite	158	65	7	44.3	4
Andrews	26	5	3	115.4	2
Angelina	682	293	35	51.3	26
White	594	210	24	40.4	16
Nonwhite	88	83	11	125.0	10
Aransas	82	17	4	48.8	1
Archer	113	30	4	35.4	6
Armstrong	45	19	-	0	-
Atascosa	569	182	43	75.6	11
Austin	297	148	14	47.1	9
White	194	109	5	25.8	5
Nonwhite	103	39	9	87.4	4
Bailey	185	42	6	32.4	2
Bandera	73	49	5	68.5	1
Bastrop	572	289	40	69.9	16
White	411	185	28	68.1	13
Nonwhite	161	104	12	74.5	3
Baylor	139	47	6	43.2	5
Bee	379	189	36	95.0	8
Bell	1,488	555	57	38.3	45
Temple	608	175	29	47.7	18
White	539	138	22	40.8	14
Nonwhite	69	37	7	101.4	4
Balance of county	880	380	28	31.8	27
Bexar	11,992	4,550	768	64.0	329
San Antonio	10,426	3,682	665	63.8	292
White	9,824	3,321	633	64.4	272
Nonwhite	602	361	32	53.2	20
Balance of county	1,566	868	103	65.8	37
Blanco	84	38	8	95.2	1
Borden	6	3	1	166.7	-
Bosque	260	135	15	57.7	6
Bowie	1,579	509	60	38.0	57
Texarkana[7]	650	240	34	52.3	21
White	493	151	12	24.3	13
Nonwhite	157	89	22	140.1	8
Balance of county	929	269	26	28.0	36
White	628	166	13	20.7	20
Nonwhite	301	103	13	43.2	16
Brazoria	1,174	312	35	29.8	28
White	1,038	236	29	27.9	21
Nonwhite	136	76	6	44.1	7
Brazos	760	253	35	46.1	25
Bryan	431	142	22	51.0	16
White	318	84	17	53.5	11
Nonwhite	113	58	5	44.2	5
Balance of county	329	111	13	39.5	9
White	203	63	9	44.3	5
Nonwhite	126	48	4	31.7	4
Brewster	251	68	21	83.7	6
Briscoe	91	13	1	11.0	1
Brooks	231	70	16	69.3	2
Brown	1,039	320	47	45.2	18
Brownwood	745	195	42	56.4	17
Balance of county	294	125	5	17.0	1
Burleson	315	144	19	60.3	17
White	193	76	7	36.3	9
Nonwhite	122	68	12	98.4	8
Burnet	199	93	6	30.2	9
Caldwell	566	242	30	53.0	16
White	503	202	29	57.7	15
Nonwhite	63	40	1	15.9	1
Calhoun	167	38	3	18.0	3
Callahan	194	89	5	25.8	2

[6] Includes data for Bristol, Tenn., only.
[7] Includes data for Texarkana, Tex., only.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
TEXAS—Continued					
Cameron	3,131	971	327	104.4	116
Brownsville	951	348	131	137.7	45
Harlingen	490	153	52	106.1	14
Balance of county	1,690	470	144	85.2	57
Camp	223	87	6	26.9	5
White	140	54	4	28.6	1
Nonwhite	83	33	2	24.1	4
Carson	126	46	5	39.7	3
Cass	734	259	23	31.3	14
White	449	156	14	31.2	6
Nonwhite	285	103	9	31.6	8
Castro	73	14	1	13.7	2
Chambers	138	48	6	43.5	4
White	103	37	3	29.1	1
Nonwhite	35	11	3	85.7	3
Cherokee	717	584	35	48.8	30
White	526	321	22	41.8	12
Nonwhite	191	263	13	68.1	18
Childress	350	106	14	40.0	7
Clay	211	76	6	28.4	6
Cochran	123	26	6	48.8	1
Coke	59	23	3	50.8	-
Coleman	398	158	17	42.7	13
Collin	894	352	21	23.5	21
Collingsworth	193	60	8	41.5	2
Colorado	293	144	15	51.2	12
White	184	94	8	43.5	6
Nonwhite	109	50	7	64.2	6
Comal	365	144	20	54.8	9
Comanche	285	140	8	28.1	7
Concho	126	47	6	47.6	6
Cooke	634	248	30	47.3	15
Coryell	410	169	17	41.5	7
Cottle	187	55	10	53.5	2
Crane	45	11	1	22.2	-
Crockett	83	21	5	60.2	-
Crosby	195	65	7	35.9	4
Culberson	26	10	-	0	2
Dallam	206	46	3	14.6	6
Dallas	10,041	4,124	373	37.1	232
Dallas	7,205	3,269	287	39.8	175
White	5,983	2,486	201	33.6	131
Nonwhite	1,222	783	86	70.4	44
Highland Park	135	74	1	7.4	-
White	132	67	1	7.6	-
Nonwhite	3	7	-	0	-
University Park	345	90	4	11.6	6
Balance of county	2,356	691	81	34.4	51
White	2,104	586	64	30.4	38
Nonwhite	252	105	17	67.5	13
Dawson	509	108	28	55.0	3
Deaf Smith	155	32	6	38.7	7
Delta	236	77	13	55.1	10
Denton	634	325	37	58.4	13
Denton	282	139	20	70.9	7
White	256	123	15	58.6	4
Nonwhite	26	16	5	192.3	3
Balance of county	352	186	17	48.3	6
De Witt	545	284	31	56.9	19
White	483	205	24	49.7	12
Nonwhite	62	59	7	112.9	7
Dickens	199	50	6	30.2	3
Dimmit	298	115	37	124.2	18
Donley	155	55	7	45.2	1
Duval	466	147	29	62.2	17
Eastland	564	280	23	40.8	13
Ector	418	94	21	50.2	7
Edwards	53	23	3	56.6	3
Ellis	788	488	27	34.3	17
White	621	343	15	24.2	10
Nonwhite	167	145	12	71.9	7
El Paso	4,882	1,775	320	65.5	134
El Paso	3,754	1,221	215	57.3	108
Balance of county	1,128	554	105	93.1	26
Erath	374	185	14	37.4	8
Falls	625	343	45	72.0	21
White	403	219	22	54.6	9
Nonwhite	222	124	23	103.6	12
Fannin	747	352	35	46.9	23
White	663	306	27	40.7	21
Nonwhite	84	46	8	95.2	2
Fayette	500	259	23	46.0	11
White	381	171	13	34.1	5
Nonwhite	119	88	10	84.0	6
Fisher	239	59	9	37.7	7
Floyd	235	64	6	25.5	6
Foard	93	26	6	64.5	2
Fort Bend	668	312	47	70.4	19
White	515	177	32	62.1	12
Nonwhite	153	135	15	98.0	7
Franklin	115	77	5	43.5	4
Freestone	396	160	12	30.3	13
White	188	87	2	10.6	4
Nonwhite	208	73	10	48.1	9
Frio	379	123	33	87.1	7
Gaines	187	45	6	32.1	2
Galveston	2,537	1,004	100	39.4	59
Galveston	1,772	773	73	41.2	41
White	1,412	543	56	39.7	32
Nonwhite	360	230	17	47.2	9
Balance of county	765	231	27	35.3	18
White	690	195	25	36.2	14
Nonwhite	75	36	2	26.7	4
Garza	147	35	10	68.0	3
Gillespie	206	81	5	24.3	2
Glasscock	10	5	-	0	-
Goliad	187	69	11	58.8	6
White	174	60	10	57.5	6
Nonwhite	13	9	1	76.9	-
Gonzales	605	263	39	64.5	13
White	508	208	36	70.9	10
Nonwhite	97	55	3	30.9	3
Gray	602	171	22	36.5	22
Pampa	467	114	21	45.0	19
Balance of county	135	57	1	7.4	3
Grayson	1,624	675	54	33.3	40
Denison	483	237	28	58.0	14
White	433	203	24	55.4	11
Nonwhite	50	34	4	80.0	3
Sherman	487	191	13	26.7	10
White	442	155	11	24.9	6
Nonwhite	45	36	2	44.4	4
Balance of county	654	247	13	19.9	16
Gregg	1,107	468	50	45.2	33
Longview	389	196	30	77.1	10
White	281	123	18	64.1	7
Nonwhite	108	73	12	111.1	3
Balance of county	718	272	20	27.9	23
White	562	186	12	21.4	20
Nonwhite	156	86	8	51.3	3
Grimes	314	163	10	31.8	8
White	173	75	6	34.7	2
Nonwhite	141	88	4	28.4	6
Guadalupe	582	266	42	72.2	9
White	506	204	35	69.2	4
Nonwhite	76	62	7	92.1	5
Hale	492	146	7	14.2	7
Hall	315	88	17	54.0	9
Hamilton	231	101	5	21.6	-
Hansford	59	13	-	0	-
Hardeman	226	95	10	44.2	5
Hardin	386	147	23	59.6	14
White	308	108	16	51.9	9
Nonwhite	78	39	7	89.7	5
Harris	14,839	5,523	698	46.9	438
Houston	12,140	4,701	570	47.0	362
White	9,921	3,411	424	42.7	236
Nonwhite	2,219	1,290	146	65.8	126
Balance of county	2,699	822	126	46.7	76
White	2,415	667	104	43.1	56
Nonwhite	284	155	22	77.5	20
Harrison	1,214	415	40	32.9	59
Marshall	484	212	17	35.1	26
White	296	128	12	40.5	8
Nonwhite	188	84	5	26.6	18
Balance of county	730	203	23	31.5	33
White	170	63	1	5.9	5
Nonwhite	560	140	22	39.3	28
Hartley	45	69	1	22.2	3
Haskell	274	91	8	29.2	9
Hays	376	201	28	74.5	13
Hemphill	97	31	-	0	3
Henderson	510	190	20	39.2	15
White	384	139	13	33.9	5
Nonwhite	126	51	7	55.6	10
Hidalgo	4,005	1,121	361	90.1	147
McAllen	546	161	45	82.4	26
Balance of county	3,459	960	316	91.4	121
Hill	602	299	28	46.5	23
White	509	235	16	31.4	18
Nonwhite	93	64	12	129.0	5
Hockley	393	68	17	43.3	11
Hood	111	47	3	27.0	4
Hopkins	495	269	28	56.6	11
White	440	236	23	52.3	8
Nonwhite	55	33	5	90.9	3
Houston	555	229	22	39.6	16
White	304	127	10	32.9	3
Nonwhite	251	102	12	47.8	13

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
TEXAS—Continued					
Howard	718	230	31	43.2	18
Big Spring	588	131	25	42.5	15
Balance of county	130	99	6	46.2	3
Hudspeth	109	14	5	45.9	1
Hunt	878	411	37	42.1	24
Greenville	318	168	18	56.6	9
White	260	130	14	53.8	5
Nonwhite	58	38	4	69.0	4
Balance of county	560	243	19	33.9	15
White	501	215	14	27.9	11
Nonwhite	59	28	5	84.7	4
Hutchinson	598	106	23	38.5	9
Borger	388	75	20	51.5	9
Balance of county	210	31	3	14.3	-
Irion	36	9	1	27.8	1
Jack	158	59	2	12.7	2
Jackson	317	101	11	34.7	6
White	279	86	10	35.8	4
Nonwhite	38	15	1	26.3	2
Jasper	422	183	20	47.4	13
White	323	126	15	46.4	9
Nonwhite	99	57	5	50.5	4
Jeff Davis	76	19	5	65.8	3
Jefferson	4,368	1,446	198	44.9	149
Beaumont	2,096	788	96	45.8	86
White	1,559	504	54	34.6	41
Nonwhite	537	284	42	78.2	45
Port Arthur	1,417	457	69	48.7	43
White	1,212	327	48	39.6	32
Nonwhite	205	130	21	102.4	11
Balance of county	855	201	31	36.3	20
White	688	164	28	40.7	16
Nonwhite	167	37	3	18.0	4
Jim Hogg	143	54	17	118.9	4
Jim Wells	603	158	30	49.8	11
Johnson	557	324	35	62.8	24
Cleburne	254	159	13	51.2	10
Balance of county	303	165	22	72.6	14
Jones	513	198	26	50.7	9
Karnes	502	180	43	85.7	12
Kaufman	629	454	22	35.0	16
Terrell	153	255	6	39.2	2
White	111	205	4	36.0	2
Nonwhite	42	50	2	47.6	-
Balance of county	476	199	16	33.6	14
White	322	148	8	24.8	6
Nonwhite	154	53	8	51.9	8
Kendall	105	77	11	104.8	2
Kenedy	11	4	1	90.9	1
Kent	48	20	-	0	-
Kerr	232	134	12	51.7	5
Kimble	90	27	2	22.2	1
King	13	5	1	76.9	-
Kinney	145	38	4	27.6	3
Kleberg	510	141	43	84.3	13
Knox	254	75	12	47.2	8
Lamar	1,317	545	66	50.1	43
Paris	653	256	31	47.5	22
White	584	192	23	39.4	17
Nonwhite	69	64	8	115.9	5
Balance of county	664	289	35	52.7	21
White	538	242	26	48.3	13
Nonwhite	126	47	9	71.4	8
Lamb	417	109	13	31.2	12
Lampasas	245	110	22	89.8	8
La Salle	244	85	24	98.4	6
Lavaca	515	205	17	33.0	10
White	457	165	15	32.8	10
Nonwhite	58	40	2	34.5	-
Lee	220	118	12	54.5	5
White	150	85	6	40.0	3
Nonwhite	70	53	6	85.7	2
Leon	311	145	8	25.7	17
White	152	79	5	32.9	9
Nonwhite	159	56	3	18.9	8
Liberty	559	210	33	59.0	20
White	443	159	24	54.2	9
Nonwhite	116	51	9	77.6	11
Limestone	561	259	23	41.0	14
White	377	164	14	37.1	8
Nonwhite	184	95	9	48.9	8
Lipscomb	87	36	1	11.5	2
Live Oak	194	63	13	67.0	2
Llano	89	51	3	33.7	3
Loving	3	-	-	0	-
Lubbock	1,636	435	80	48.9	34
Lubbock	1,089	291	59	54.2	25
Balance of county	547	144	21	38.4	9
Section B (Counties)—Continued					
TEXAS—Continued					
Lynn	303	72	21	69.3	5
McCulloch	366	123	14	38.3	8
McLennan	2,470	1,156	111	44.9	78
Waco	1,645	684	71	43.2	55
White	1,331	495	49	36.8	29
Nonwhite	314	189	22	70.1	26
Balance of county	825	472	40	48.5	23
White	649	369	24	37.0	13
Nonwhite	176	103	16	90.9	10
McMullen	28	12	-	0	-
Madison	203	72	8	39.4	6
White	107	48	3	28.0	4
Nonwhite	96	24	5	52.1	2
Marion	230	103	18	78.3	10
White	92	34	4	43.5	5
Nonwhite	138	69	14	101.4	5
Martin	112	35	7	62.5	2
Mason	83	46	5	60.2	4
Matagorda	657	227	40	60.9	24
White	520	163	30	57.7	16
Nonwhite	137	64	10	73.0	8
Maverick	429	173	47	109.6	8
Medina	540	207	31	57.4	17
Menard	94	39	2	21.3	1
Midland	384	99	21	54.7	7
Milam	582	281	28	48.1	14
White	419	200	21	50.1	12
Nonwhite	163	81	7	42.9	2
Mills	126	59	5	39.7	1
Mitchell	273	97	17	62.3	7
Montague	346	165	9	26.0	8
Montgomery	388	192	28	72.2	13
White	279	117	13	46.6	10
Nonwhite	109	75	15	137.6	3
Moore	250	41	7	28.0	6
Morris	205	91	5	24.4	1
White	136	53	4	29.4	1
Nonwhite	69	38	1	14.5	-
Motley	106	24	3	28.3	-
Nacogdoches	596	269	23	38.6	29
White	396	190	17	42.9	16
Nonwhite	200	79	6	30.0	13
Navarro	917	475	58	63.2	35
Corsicana	372	238	34	91.4	10
White	311	176	24	77.2	5
Nonwhite	61	60	10	163.9	5
Balance of county	545	239	24	44.0	25
White	414	171	16	38.6	21
Nonwhite	131	68	8	61.1	4
Newton	273	94	13	47.6	14
White	152	56	10	65.8	4
Nonwhite	121	38	3	24.8	10
Nolan	395	135	22	55.7	4
Sweetwater	253	92	16	63.2	4
Balance of county	142	43	6	42.3	-
Nueces	4,214	1,161	297	70.5	136
Corpus Christi	2,881	680	172	59.7	85
Balance of county	1,333	481	125	93.8	51
Ochiltree	80	23	2	25.0	7
Oldham	35	15	1	28.6	2
Orange	1,098	254	45	41.0	30
White	1,029	211	34	33.0	27
Nonwhite	69	43	11	159.4	3
Palo Pinto	585	195	25	42.7	15
Panola	354	99	11	31.1	12
White	207	53	4	19.3	5
Nonwhite	147	46	7	47.8	7
Parker	406	196	9	22.2	8
Parmer	120	36	1	8.3	1
Pecos	262	64	13	49.6	4
Polk	393	138	16	40.7	12
White	247	83	10	40.5	4
Nonwhite	146	55	6	41.1	8
Potter	1,587	479	65	41.0	34
Amarillo (part)	1,488	448	65	(3)	33
Amarillo (total)	1,498	453	65	43.4	33
Balance of county	99	31	-	0	1
Presidio	345	107	35	101.4	10
Rains	104	48	4	38.5	3
Randall	97	40	-	0	2
Amarillo (part)	8	5	-	(3)	-
Balance of county	89	35	-	0	2
Reagan	40	7	-	0	1
Real	39	25	2	51.3	-
Red River	613	255	33	53.8	17
White	471	177	29	61.6	10
Nonwhite	142	78	4	28.2	7
Reeves	345	134	30	87.0	8

[3] Rate not computed for part of an area.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
TEXAS—Continued					
Refugio	223	77	10	44.8	8
White	197	65	8	40.6	6
Nonwhite	26	12	2	76.9	2
Roberts	20	17	-	0	1
Robertson	490	233	29	59.2	17
White	242	126	14	57.9	6
Nonwhite	248	107	15	60.5	11
Rockwall	124	66	6	48.4	3
White	91	50	3	33.0	-
Nonwhite	33	16	3	90.9	3
Runnels	508	163	21	41.3	14
Rusk	712	310	32	44.9	22
White	469	188	19	40.5	11
Nonwhite	243	122	13	53.5	11
Sabine	210	76	3	14.3	5
White	154	52	2	13.0	2
Nonwhite	56	24	1	17.9	3
San Augustine	256	86	7	27.3	6
White	162	52	5	30.9	4
Nonwhite	94	34	2	21.3	2
San Jacinto	126	63	3	23.8	8
White	46	23	-	0	1
Nonwhite	80	40	3	37.5	7
San Patricio	946	274	86	90.9	38
San Saba	193	73	7	36.3	5
Schleicher	61	19	3	49.2	1
Scurry	239	70	3	12.6	6
Shackelford	90	31	3	33.3	1
Shelby	579	221	17	29.4	15
White	431	159	10	23.2	9
Nonwhite	148	62	7	47.3	6
Sherman	33	13	-	0	-
Smith	1,411	516	49	34.7	34
Tyler	653	258	30	45.9	14
White	526	173	22	41.8	10
Nonwhite	127	85	8	63.0	4
Balance of county	758	258	19	25.1	20
White	407	156	9	22.1	9
Nonwhite	351	102	10	28.5	11
Somervell	48	22	-	0	-
Starr	423	107	24	56.7	9
Stephens	173	76	6	34.7	10
Sterling	35	12	2	57.1	-
Stonewall	72	33	9	125.0	1
Sutton	114	24	5	43.9	5
Swisher	152	53	5	32.9	4
Tarrant	5,954	2,511	234	39.3	125
Fort Worth	4,903	2,071	202	41.2	111
White	4,365	1,658	157	36.0	87
Nonwhite	538	413	45	83.6	24
Balance of county	1,051	440	32	30.4	14
Taylor	1,556	458	49	31.5	35
Abilene	1,161	245	38	32.7	22
Balance of county	395	213	11	27.8	13
Terrell	76	32	8	105.3	3
Terry	313	94	18	57.5	6
Throckmorton	65	25	1	15.4	5
Titus	369	142	13	35.2	8
White	327	110	11	33.6	6
Nonwhite	42	32	2	47.6	2
Tom Green	1,261	408	62	49.2	42
San Angelo	1,042	329	54	51.8	33
Balance of county	219	79	8	36.5	9
Travis	2,715	1,276	134	49.4	85
Austin	2,344	1,108	109	46.5	70
White	2,013	862	81	40.2	52
Nonwhite	331	246	28	84.6	18
Balance of county	371	168	25	67.4	15
White	288	130	19	66.0	9
Nonwhite	83	38	6	72.3	6
Trinity	172	77	8	46.5	9
White	119	52	5	42.0	6
Nonwhite	53	25	3	56.6	3
Tyler	210	75	8	38.1	7
White	160	60	5	31.3	5
Nonwhite	50	15	3	60.0	2
Upshur	458	146	12	26.2	17
White	316	85	5	15.8	10
Nonwhite	142	61	7	49.3	7
Upton	54	20	1	18.5	2
Uvalde	430	186	36	83.7	5
Val Verde	581	235	68	117.0	13
Del Rio	561	196	64	114.1	13
Balance of county	20	39	4	200.0	-
Van Zandt	504	221	18	35.7	14
Victoria	800	318	57	71.3	22
Victoria	570	199	38	66.7	17
White	539	173	37	68.6	13
Nonwhite	31	26	1	32.3	4
Balance of county	230	119	19	82.6	5
White	213	110	17	79.8	4
Nonwhite	17	9	2	117.6	1
Walker	322	133	7	21.7	7
White	175	85	2	11.4	1
Nonwhite	147	68	5	34.0	6
Waller	228	104	9	39.5	4
White	116	41	5	43.1	1
Nonwhite	112	63	4	35.7	3
Ward	294	100	10	34.0	2
Washington	453	246	19	41.9	18
White	249	117	8	32.1	3
Nonwhite	204	129	11	53.9	15
Webb	1,649	541	127	77.0	82
Laredo	1,541	479	115	74.6	53
Balance of county	108	62	12	111.1	9
Wharton	900	293	57	63.3	28
White	699	188	41	58.7	13
Nonwhite	201	105	16	79.6	15
Wheeler	307	71	11	35.8	10
Wichita	2,070	721	80	38.6	49
Wichita Falls	1,566	406	72	46.0	35
Balance of county	504	315	8	15.9	14
Wilbarger	451	153	17	37.7	18
Willacy	474	148	56	118.1	21
Williamson	913	397	43	47.1	34
White	722	312	32	44.3	23
Nonwhite	191	85	11	57.6	11
Wilson	358	157	22	61.5	13
Winkler	122	26	4	32.8	-
Wise	337	160	4	11.9	9
Wood	461	173	17	36.9	14
White	391	143	15	38.4	13
Nonwhite	70	30	2	28.6	1
Yoakum	50	10	1	20.0	1
Young	350	126	4	11.4	10
Zapata	91	35	10	109.9	1
Zavala	348	129	50	143.7	17
UTAH (total)	17,161	5,054	539	31.4	275
Beaver	145	27	-	0	1
Box Elder	553	138	20	36.2	9
Cache	850	213	27	31.8	16
Logan	388	94	14	36.1	8
Balance of county	462	119	13	28.1	8
Carbon	516	144	28	54.3	6
Daggett	13	1	-	0	-
Davis	649	140	12	18.5	7
Duchesne	210	62	13	61.9	4
Emery	154	55	8	51.9	4
Garfield	99	23	2	20.2	-
Grand	51	13	1	19.6	-
Iron	256	55	6	23.4	5
Juab	144	51	6	41.7	4
Kane	53	22	5	94.3	1
Millard	304	77	10	32.9	8
Morgan	81	22	-	0	-
Piute	69	16	1	14.5	-
Rich	38	16	1	26.3	1
Salt Lake	8,783	2,090	180	26.5	102
Salt Lake City	4,657	1,591	125	26.8	69
Balance of county	2,126	499	55	25.9	33
San Juan	95	28	6	63.2	5
White	93	18	3	32.3	4
Nonwhite	2	10	3	1500.0	1
Sanpete	367	150	13	35.4	5
Sevier	305	95	9	29.5	5
Summit	209	82	8	38.3	6
Tooele	330	152	11	33.3	4
Uintah	258	71	13	50.4	4
White	215	49	9	41.9	2
Nonwhite	43	22	4	93.0	2
Utah	1,941	644	75	38.6	37
Provo	708	247	33	46.6	11
Balance of county	1,233	397	42	34.1	26
Wasatch	201	40	5	24.9	1
Washington	266	59	10	37.6	4
Wayne	61	12	2	32.8	-
Weber	2,160	556	67	31.0	38
Ogden	1,649	418	52	31.5	29
Balance of county	511	138	15	29.4	9
VERMONT (total)	7,303	4,601	285	39.0	191
Addison	360	206	10	27.8	8
Bennington	427	261	10	23.4	13
Caledonia	462	309	20	43.3	7
Chittenden	1,226	626	47	38.3	32
Burlington	673	381	31	46.1	17
Balance of county	553	245	16	28.9	15
Essex	135	82	6	44.4	2
Franklin	607	333	32	52.7	17
Grand Isle	66	38	2	30.3	1

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
VERMONT—Continued					
Lamoille	231	135	8	34.6	6
Orange	294	226	11	37.4	8
Orleans	452	285	19	42.0	17
Rutland	818	612	33	40.3	25
Rutland	316	244	18	57.0	19
Balance of county	502	368	15	29.9	6
Washington	719	607	33	45.9	14
Barre	222	129	10	45.0	3
Balance of county	497	478	23	46.3	11
Windham	525	407	19	36.2	16
Windsor	981	476	35	35.7	25
VIRGINIA[8] (total)	72,157	28,915	3,395	47.1	2,256
Accomack	528	406	36	68.2	24
White	305	237	14	45.9	7
Nonwhite	223	169	22	98.7	17
Albemarle	411	237	27	65.7	15
White	300	173	19	63.3	12
Nonwhite	111	64	8	72.1	3
Alexandria (city)	1,522	398	36	23.7	34
White	1,356	304	24	17.7	26
Nonwhite	166	94	12	72.3	8
Alleghany	524	181	25	47.7	12
Amelia	189	81	7	37.0	9
White	86	30	1	11.6	3
Nonwhite	103	51	6	58.3	6
Amherst	444	237	25	56.3	15
White	280	168	12	42.9	8
Nonwhite	164	69	13	79.3	7
Appomattox	199	111	17	85.4	5
White	138	74	12	87.0	3
Nonwhite	61	37	5	82.0	2
Arlington	2,741	486	63	23.0	43
Augusta	998	402	45	45.1	29
Bath	131	66	8	61.1	6
White	121	58	8	66.1	4
Nonwhite	10	8	-	0	2
Bedford	576	339	14	24.3	17
White	425	262	8	18.8	12
Nonwhite	151	77	6	39.7	5
Bland	151	57	8	53.0	5
Botetourt	328	129	12	36.6	5
White	289	104	11	38.1	5
Nonwhite	39	25	1	25.6	-
Bristol (city)[10]	331	114	9	27.2	13
White	311	97	9	28.9	12
Nonwhite	20	17	-	0	1
Brunswick	488	191	25	51.2	16
White	159	84	11	69.2	4
Nonwhite	329	107	14	42.6	12
Buchanan	1,242	196	57	45.9	30
Buckingham	305	122	11	36.1	11
White	135	64	4	29.6	1
Nonwhite	170	58	7	41.2	10
Buena Vista (city)	127	39	3	23.6	3
Campbell	617	243	28	45.4	21
White	438	152	14	32.0	10
Nonwhite	179	91	14	78.2	11
Caroline	315	175	16	50.8	10
White	126	89	6	47.6	1
Nonwhite	189	86	10	52.9	9
Carroll	629	176	35	55.6	12
Charles City	151	59	11	72.8	9
White	11	9	-	0	-
Nonwhite	140	50	11	78.6	9
Charlotte	354	124	12	33.9	9
White	183	58	7	38.3	2
Nonwhite	171	66	5	29.2	7
Charlottesville (city)	495	230	29	59.8	15
White	385	164	23	59.7	12
Nonwhite	100	66	6	60.0	3
Chesterfield	678	256	26	38.3	18
White	504	180	18	35.7	7
Nonwhite	174	76	8	46.0	11
Clarke	150	93	9	60.0	3
White	122	78	7	57.4	2
Nonwhite	28	15	2	71.4	1
Clifton Forge (city)	111	60	5	45.0	1
White	94	45	3	31.9	1
Nonwhite	17	15	2	117.6	-
Craig	67	33	2	29.9	5
Culpeper	282	105	10	35.5	10
White	172	71	4	23.3	4
Nonwhite	110	34	6	54.5	6
Section B (Counties)—Continued					
VIRGINIA[8]—Continued					
Cumberland	166	78	15	90.4	12
White	64	24	3	46.9	4
Nonwhite	102	54	12	117.6	8
Danville (city)	623	351	41	65.8	30
White	419	193	22	52.5	12
Nonwhite	204	158	19	93.1	18
Dickenson	762	155	46	60.4	23
Dinwiddie	360	547	19	52.8	12
White	129	57	4	31.0	3
Nonwhite	231	490	15	64.9	9
Elizabeth City	791	350	49	61.9	27
White	595	214	36	60.5	16
Nonwhite	196	136	13	66.3	11
Essex	144	89	9	62.5	8
White	68	33	3	44.1	3
Nonwhite	76	56	6	78.9	5
Fairfax	1,468	405	46	31.3	35
White	1,325	345	38	28.7	34
Nonwhite	143	60	8	55.9	1
Fauquier	413	241	30	72.6	17
White	277	161	16	57.8	8
Nonwhite	136	80	14	102.9	9
Floyd	285	108	12	42.1	10
Fluvanna	121	84	7	57.9	3
White	58	57	5	86.2	-
Nonwhite	63	27	2	31.7	3
Franklin	572	196	25	43.7	20
White	476	160	22	46.2	17
Nonwhite	96	36	3	31.3	3
Frederick	283	154	16	56.5	6
Fredericksburg (city)	253	117	14	55.3	6
White	210	92	12	57.1	2
Nonwhite	43	25	2	46.5	4
Giles	480	142	34	70.8	13
Gloucester	197	134	11	55.8	8
White	128	67	4	31.3	5
Nonwhite	69	67	7	101.4	3
Goochland	151	106	9	59.6	6
White	53	42	4	75.5	1
Nonwhite	98	64	5	51.0	5
Grayson	496	166	23	46.4	12
Greene	122	56	13	106.6	7
White	107	49	13	121.5	7
Nonwhite	15	7	-	0	-
Greensville	436	141	22	50.5	23
White	125	36	3	24.0	2
Nonwhite	311	105	19	61.1	21
Halifax	1,045	385	44	42.1	40
White	508	194	18	35.4	15
Nonwhite	537	189	26	48.4	25
Hampton (city)	476	121	18	37.8	10
White	391	78	13	33.2	7
Nonwhite	85	43	5	58.8	3
Hanover	377	189	19	50.4	13
White	230	124	8	34.8	4
Nonwhite	147	65	11	74.8	9
Harrisonburg (city)	179	95	17	95.0	5
Henrico	641	261	20	31.2	10
White	524	202	12	22.9	8
Nonwhite	117	59	8	68.4	2
Henry	864	194	45	52.1	17
White	570	120	25	43.9	12
Nonwhite	294	74	20	68.0	5
Highland	91	46	7	76.9	6
Hopewell (city)	268	78	11	41.0	5
White	229	63	8	34.9	4
Nonwhite	39	15	3	76.9	1
Isle of Wight	351	171	19	52.6	11
White	137	81	8	58.4	1
Nonwhite	224	90	11	49.1	10
James City	130	41	5	38.5	3
White	49	19	2	40.8	-
Nonwhite	81	22	3	37.0	3
King and Queen	165	83	16	96.2	10
White	76	38	6	78.9	2
Nonwhite	87	45	10	114.9	8
King George	166	55	3	18.1	8
White	119	34	1	8.4	1
Nonwhite	47	21	2	42.6	7
King William	179	103	10	55.9	7
White	73	43	5	68.5	2
Nonwhite	106	60	5	47.2	5
Lancaster	140	111	7	50.0	4
White	78	57	2	25.6	1
Nonwhite	62	54	5	80.6	3

[8]Cities of Virginia are independent, each having the same status as a county. Urban places having populations of 10,000 or more include: Alexandria, Arlington County,[9] Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.
[9]Classified as urban under a special rule in the 1940 census.
[10]Includes data for Bristol, Va., only.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
VIRGINIA[8]—Continued					
Lee	1,050	287	61	58.1	31
Loudoun	460	240	16	34.8	12
White	344	185	11	32.0	6
Nonwhite	116	55	5	43.1	6
Louisa	288	141	19	66.0	8
White	157	73	8	51.0	2
Nonwhite	131	68	11	84.0	6
Lunenburg	340	144	13	38.2	12
White	156	76	4	25.6	4
Nonwhite	184	68	9	48.9	8
Lynchburg (city)	936	404	38	40.6	17
White	708	264	25	35.3	9
Nonwhite	228	140	13	57.0	8
Madison	147	77	3	20.4	2
White	112	53	3	26.8	2
Nonwhite	35	24	-	0	-
Martinsville (city)	260	92	14	53.8	8
White	196	63	11	56.1	4
Nonwhite	64	29	3	46.9	4
Mathews	113	90	5	44.2	4
White	81	63	2	24.7	-
Nonwhite	32	27	3	93.8	4
Mecklenburg	816	282	40	49.0	18
White	343	117	11	32.1	1
Nonwhite	473	165	29	61.3	17
Middlesex	113	76	6	53.1	2
White	54	32	2	37.0	1
Nonwhite	59	44	4	67.8	1
Montgomery	753	216	28	37.2	29
Nansemond	650	269	44	67.7	39
White	192	72	8	41.7	6
Nonwhite	458	197	36	78.6	33
Nelson	337	130	15	44.5	9
White	234	91	11	47.0	6
Nonwhite	103	39	4	38.8	3
New Kent	82	50	3	36.6	6
White	28	21	-	0	1
Nonwhite	54	29	3	55.6	5
Newport News (city)	1,829	537	81	44.3	60
White	1,250	249	30	24.0	24
Nonwhite	579	288	51	88.1	36
Norfolk	2,521	541	97	38.5	87
White	2,037	320	63	30.9	43
Nonwhite	484	221	34	70.2	44
Norfolk (city)	4,465	2,103	171	38.3	192
White	3,164	1,215	105	33.2	78
Nonwhite	1,301	888	66	50.7	114
Northampton	354	220	27	76.3	14
White	153	97	6	39.2	6
Nonwhite	201	123	21	104.5	8
Northumberland	165	100	8	48.5	3
White	86	66	3	34.9	-
Nonwhite	79	34	5	63.3	3
Nottoway	378	204	20	52.9	8
White	211	97	5	23.7	6
Nonwhite	167	107	15	89.8	2
Orange	252	146	19	75.4	4
White	175	81	9	51.4	3
Nonwhite	77	65	10	129.9	1
Page	358	160	16	44.9	16
Patrick	408	125	17	41.7	7
Petersburg (city)	856	418	58	67.8	29
White	506	187	20	39.5	14
Nonwhite	350	231	38	108.6	15
Pittsylvania	1,689	516	72	42.6	59
White	1,083	320	42	38.8	31
Nonwhite	606	196	30	49.5	28
Portsmouth (city)	1,744	756	99	56.8	97
White	1,095	363	50	45.7	43
Nonwhite	649	393	49	75.5	54
Powhatan	108	66	5	46.3	4
White	46	29	1	21.7	1
Nonwhite	62	37	4	64.5	3
Prince Edward	339	138	14	41.3	20
White	167	66	7	41.9	6
Nonwhite	172	72	7	40.7	14
Prince George	329	134	17	51.7	6
White	183	70	5	27.3	1
Nonwhite	146	64	12	82.2	5
Prince William	582	153	19	32.6	17
White	511	122	17	33.3	13
Nonwhite	71	31	2	28.2	4
Princess Anne	724	348	37	51.1	23
White	481	206	18	37.4	10
Nonwhite	243	142	19	78.2	13
Pulaski	730	150	29	39.7	22
Radford (city)	234	70	8	34.2	6
Rappahannock	144	75	6	41.7	6
White	115	59	6	52.2	3
Nonwhite	29	16	-	0	3
Richmond	139	63	8	57.6	6
White	73	36	1	13.7	3
Nonwhite	66	27	7	106.1	3
Richmond (city)	4,387	2,549	166	37.8	133
White	3,035	1,606	93	30.6	60
Nonwhite	1,352	943	73	54.0	73
Roanoke	988	414	46	46.6	23
Roanoke (city)	1,421	688	71	50.0	39
White	1,166	516	49	42.0	27
Nonwhite	255	170	22	86.3	12
Rockbridge	439	207	16	36.4	15
White	386	178	12	31.1	13
Nonwhite	53	29	4	75.5	2
Rockingham	720	323	28	38.9	21
Russell	728	182	29	39.8	16
Scott	742	222	42	56.6	20
Shenandoah	418	225	20	47.8	11
Smyth	761	266	42	55.2	18
Southampton	669	280	48	71.7	34
White	215	86	4	18.6	9
Nonwhite	454	194	44	98.9	25
South Norfolk (city)	205	80	8	39.0	7
White	157	44	3	19.1	1
Nonwhite	48	36	5	104.2	6
Spotsylvania	229	115	7	30.6	8
White	166	67	4	24.1	2
Nonwhite	63	48	3	47.6	4
Stafford	204	93	12	58.8	3
White	172	65	5	29.1	2
Nonwhite	32	28	7	218.8	1
Staunton (city)	249	346	12	48.2	6
White	219	315	10	45.7	5
Nonwhite	30	31	2	66.7	1
Suffolk (city)	291	155	24	82.5	4
White	185	84	11	59.5	-
Nonwhite	106	71	13	122.6	4
Surry	136	62	10	73.5	5
White	55	17	-	0	-
Nonwhite	101	45	10	99.0	5
Sussex	351	148	29	82.6	13
White	78	42	3	38.5	5
Nonwhite	273	106	26	95.2	8
Tazewell	1,332	387	83	62.3	31
Warren	261	107	17	65.1	5
Warwick	714	171	25	35.0	16
White	576	115	16	27.8	12
Nonwhite	138	56	9	65.2	4
Washington	902	308	48	53.2	30
Westmoreland	222	119	23	103.6	12
White	89	53	2	22.5	-
Nonwhite	133	66	21	157.9	12
Williamsburg (city)	104	184	4	38.5	7
White	75	173	2	26.7	6
Nonwhite	29	11	2	69.0	1
Winchester (city)	287	121	17	59.2	7
Wise	1,564	447	106	67.8	37
Wythe	612	178	25	40.8	15
York	253	122	11	43.5	7
White	173	73	4	23.1	3
Nonwhite	80	49	7	87.5	4
WASHINGTON (total)	44,520	22,566	1,550	34.8	578
Adams	101	47	4	39.6	-
Asotin	129	97	2	15.5	7
Benton	288	109	7	24.3	10
Chelan	665	322	28	42.1	9
Wenatchee	238	183	13	55.1	5
Balance of county	429	159	15	35.0	4
Clallam	532	210	15	28.2	10
Clark	2,130	833	83	39.0	27
Vancouver	1,135	411	46	40.5	12
Balance of county	995	422	37	37.2	15
Columbia	86	52	1	11.6	2
Cowlitz	949	321	33	34.8	13
Longview	384	108	16	41.7	6
Balance of county	565	215	17	30.1	7
Douglas	109	62	3	27.5	1
Ferry	83	45	4	48.2	-
White	64	35	3	46.9	-
Nonwhite	19	10	1	52.6	-
Franklin	208	96	12	58.3	2
Garfield	59	28	1	16.9	5
Grant	222	97	8	36.0	5

[8]See footnote on p. 35

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
WASHINGTON—Continued					
Grays Harbor	979	536	34	34.7	7
Aberdeen	371	216	12	32.3	3
Hoquiam	184	104	4	21.7	-
Balance of county	424	216	18	42.5	4
Island	164	80	3	18.3	1
Jefferson	264	104	7	26.5	3
King	13,996	7,327	456	32.6	183
Seattle	11,012	5,972	340	30.9	142
White	10,713	5,802	328	30.6	132
Nonwhite	299	170	12	40.1	10
Balance of county	2,984	1,355	116	38.9	41
Kitsap	2,756	622	89	32.3	31
Bremerton	1,245	209	39	31.3	10
Balance of county	1,511	413	50	33.1	21
Kittitas	357	164	11	30.8	7
Klickitat	208	91	6	28.8	3
Lewis	798	442	24	30.1	10
Lincoln	197	137	11	55.8	3
Mason	324	129	16	49.4	6
Okanogan	555	211	27	48.6	10
Pacific	256	160	10	39.1	7
Pend Oreille	139	75	9	64.7	2
Pierce	5,544	2,891	162	29.2	70
Tacoma	3,339	1,568	102	30.5	46
Balance of county	2,205	1,323	60	27.2	24
San Juan	39	28	-	0	-
Skagit	720	675	34	47.2	6
Skamania	55	43	3	54.5	-
Snohomish	1,908	1,057	65	34.1	25
Everett	779	416	23	29.5	8
Balance of county	1,127	641	42	37.3	17
Spokane	3,652	2,413	126	34.5	42
Spokane	2,884	1,755	103	35.7	31
Balance of county	768	658	23	29.9	11
Stevens	390	200	13	33.5	6
Thurston	1,059	401	34	32.1	12
Olympia	540	177	22	40.7	5
Balance of county	519	224	12	23.1	7
Wahkiakum	72	35	1	13.9	-
Walla Walla	649	388	19	29.3	2
Walla Walla	425	253	14	32.9	1
Balance of county	224	135	5	22.3	1
Whatcom	1,252	735	39	31.2	16
Bellingham	686	466	22	33.0	6
Balance of county	586	269	17	29.0	10
Whitman	419	260	16	38.2	5
Yakima	2,211	1,042	134	60.6	30
Yakima	776	391	39	50.3	9
Balance of county	1,435	651	95	66.2	21
WEST VIRGINIA (total)	43,372	17,239	2,261	52.1	1,530
Barbour	422	198	26	61.6	15
Berkeley	581	305	28	49.9	22
Martinsburg	307	191	22	71.7	14
Balance of county	254	114	6	25.6	8
Boone	761	194	49	64.4	19
Braxton	381	176	19	49.9	9
Brooke	494	204	13	26.3	12
Cabell	2,226	1,039	107	48.1	90
Huntington (part)	1,708	876	78	(3)	57
Huntington (total)	1,772	902	79	44.6	58
Balance of county	518	163	29	56.0	33
Calhoun	250	91	13	52.0	5
Clay	384	100	24	62.5	11
Doddridge	148	90	7	47.3	4
Fayette	1,908	668	115	60.3	98
White	1,685	519	97	57.6	85
Nonwhite	223	149	18	80.7	13
Gilmer	157	95	11	70.1	5
Grant	162	71	4	24.7	6
Greenbrier	849	340	44	51.8	36
Hampshire	235	125	10	42.6	7
Hancock	694	225	29	41.8	17
Hardy	222	95	7	31.5	12
Harrison	1,599	750	63	39.4	59
Clarksburg	665	309	23	34.6	24
Balance of county	934	441	40	42.8	35
Jackson	338	172	16	47.3	8
Jefferson	328	190	20	61.0	12
White	259	152	15	57.9	6
Nonwhite	69	38	5	72.5	6
Kanawha	5,449	1,872	291	53.4	188
Charleston	1,767	782	90	50.9	64
White	1,651	668	80	48.5	58
Nonwhite	116	114	10	86.2	6
South Charleston	370	98	16	43.2	10
Balance of county	3,312	982	185	55.9	114
Lewis	347	372	18	46.1	9
Lincoln	443	162	17	38.4	16
Logan	1,978	508	107	54.1	77
White	1,811	447	104	57.4	73
Nonwhite	167	61	3	18.0	4
Mcdowell	2,821	780	165	58.5	118
White	2,208	500	123	55.7	96
Nonwhite	613	280	42	68.5	22
Marion	1,432	708	76	53.1	51
Fairmont	514	297	23	44.7	15
Balance of county	918	411	53	57.7	36
Marshall	666	417	35	52.6	29
Moundsville	281	172	19	67.6	14
Balance of county	385	245	16	41.6	15
Mason	619	234	19	30.7	16
Mercer	1,615	581	89	55.1	64
Bluefield[11]	435	187	20	46.0	10
White	379	144	18	47.5	9
Nonwhite	56	43	2	35.7	1
Balance of county	1,180	394	69	58.5	54
Mineral	511	204	28	54.8	22
Mingo	1,110	310	78	70.3	33
Monongalia	1,263	479	63	49.9	36
Morgantown	499	173	15	28.1	10
Balance of county	764	306	50	65.4	26
Monroe	292	108	12	41.1	13
Morgan	169	89	10	59.2	8
Nicholas	534	174	32	59.9	12
Ohio	1,303	859	70	53.7	39
Wheeling	1,070	734	63	58.9	33
Balance of county	233	125	7	30.0	6
Pendleton	194	80	13	67.0	9
Pleasants	106	71	6	56.6	4
Pocahontas	263	133	17	64.6	2
Preston	552	245	36	65.2	15
Putnam	439	140	20	45.6	10
Raleigh	2,431	614	123	50.6	86
Beckley	310	125	14	45.2	15
White	268	95	10	37.3	10
Nonwhite	42	30	4	95.2	5
Balance of county	2,121	489	109	51.4	71
White	1,853	386	92	49.6	61
Nonwhite	268	103	17	63.4	10
Randolph	744	315	55	73.9	40
Ritchie	217	148	8	36.9	6
Roane	344	253	15	43.6	13
Summers	403	182	23	57.1	21
Taylor	388	216	21	54.1	23
Tucker	258	116	20	77.5	5
Tyler	197	131	12	60.9	6
Upshur	342	177	26	76.0	12
Wayne	693	251	24	34.6	13
Huntington (part)	64	26	1	(3)	1
Balance of county	629	225	23	36.6	12
Webster	453	107	14	30.9	4
Wetzel	401	200	11	27.4	18
Wirt	95	62	5	52.6	1
Wood	1,269	632	53	41.8	28
Parkersburg	750	387	32	42.7	21
Balance of county	519	245	21	40.5	7
Wyoming	912	181	46	50.4	36
WISCONSIN (total)	64,450	32,668	2,257	35.0	1,301
Adams	134	76	5	37.3	4
Ashland	415	227	15	36.1	5
Ashland	193	145	7	36.3	2
Balance of county	222	82	8	36.0	3
White	191	74	7	36.6	2
Nonwhite	31	8	1	32.3	1
Barron	699	328	23	32.9	14
Bayfield	268	162	13	48.5	7
Brown	1,894	827	90	47.5	46
Green Bay	1,141	479	50	43.8	25
Balance of county	753	348	40	53.1	21
Buffalo	310	154	14	45.2	6
Burnett	241	115	3	12.4	6
Calumet	329	136	4	12.2	9
Chippewa	862	438	44	51.0	19
Chippewa Falls	216	113	11	50.9	5
Balance of county	646	325	33	51.1	14
Clark	630	318	21	33.3	9
Columbia	589	380	23	39.0	11
Crawford	406	166	16	39.4	14
Dane	3,131	1,404	89	28.4	59
Madison	1,912	651	51	26.7	33
Balance of county	1,219	753	38	31.2	26

[3] Rate not computed for part of an area.
[11] Includes data for Bluefield, W. Va., only.

TABLE 2.—BIRTHS, DEATHS, DEATHS UNDER 1 YEAR, AND STILLBIRTHS, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE: UNITED STATES, 1943—Continued

(See headnote on p. 23)

AREA	Births	Deaths	DEATHS UNDER 1 YEAR		Still-births
			Number	Rate per 1,000 live births	
Section B (Counties)—Continued					
WISCONSIN—Continued					
Dodge	939	565	27	28.8	18
Beaver Dam	189	118	5	26.5	4
Watertown (part)	44	40	-	(3)	-
Balance of county	706	407	22	31.2	14
Door	555	213	23	41.4	11
Douglas	1,051	615	44	41.9	25
Superior	827	429	34	41.1	20
Balance of county	224	186	10	44.6	5
Dunn	540	261	14	25.9	12
Eau Claire	1,001	443	45	45.0	18
Eau Claire	681	311	36	52.9	11
Balance of county	320	132	9	28.1	7
Florence	52	29	2	38.5	1
Fond du Lac	1,208	711	36	29.8	23
Fond du Lac	552	312	17	32.0	8
Balance of county	676	399	19	28.1	15
Forest	241	83	13	53.9	1
Grant	844	436	14	16.6	24
Green	411	246	13	31.6	6
Green Lake	229	178	9	39.3	4
Iowa	375	230	18	48.0	5
Iron	184	85	5	27.2	4
Jackson	369	193	15	40.7	2
Jefferson	703	454	17	24.2	12
Watertown (part)	136	112	3	(3)	2
Watertown (total)	180	152	3	16.7	2
Balance of county	567	342	14	24.7	10
Juneau	386	226	20	51.8	12
Kenosha	1,398	649	39	28.0	38
Kenosha	1,167	508	31	26.6	32
Balance of county	231	141	8	34.6	4
Kewaunee	340	189	13	38.2	11
La Crosse	1,332	656	57	42.8	19
La Crosse	959	457	41	42.8	16
Balance of county	373	199	16	42.9	3
Lafayette	356	205	10	28.1	8
Langlade	500	220	23	46.0	8
Lincoln	438	195	19	43.4	11
Manitowoc	1,429	629	51	35.7	31
Manitowoc	582	256	20	34.4	12
Two Rivers	223	80	7	31.4	8
Balance of county	624	293	24	38.5	11
Marathon	1,582	641	56	35.4	31
Wausau	607	309	23	37.9	14
Balance of county	975	332	33	33.8	17
Marinette	669	351	17	25.4	17
Marinette	270	170	6	22.2	6
Balance of county	399	181	11	27.6	11
Marquette	144	107	6	41.7	-
Milwaukee	15,717	8,150	510	32.4	279
Cudahy	215	66	6	27.9	5
Milwaukee	11,730	6,465	406	34.6	204
Shorewood	258	118	9	35.2	3
South Milwaukee	208	98	6	28.8	5
Wauwatosa	511	265	15	29.4	9
West Allis	866	287	23	26.6	24
Balance of county	1,931	851	45	23.3	29
Monroe	686	343	31	45.2	18
Oconto	489	220	22	45.0	20
Oneida	339	185	15	44.2	6
Outagamie	1,699	687	54	31.8	28
Appleton	647	329	15	23.2	15
Balance of county	1,052	358	39	37.1	13
Ozaukee	370	176	17	45.9	2
Pepin	176	76	5	28.4	4
Pierce	400	256	17	42.5	7
Polk	525	237	14	26.7	11
Portage	701	296	28	39.9	9
Stevens Point	341	138	16	46.9	5
Balance of county	360	158	12	33.3	4
Price	308	146	10	32.5	6
Racine	1,875	981	49	26.1	57
Racine	1,350	682	37	27.4	41
Balance of county	525	299	12	22.9	16
Richland	478	176	16	33.5	5
Rock	1,710	884	61	35.7	40
Beloit	688	281	26	37.8	13
Janesville	495	271	18	36.4	11
Balance of county	527	332	17	32.3	16
Rusk	401	155	18	44.9	6
St. Croix	454	262	11	24.2	13
Sauk	755	383	30	39.7	12
Sawyer	171	120	4	23.4	3
White	141	109	1	7.1	3
Nonwhite	30	11	3	100.0	-
Shawano	755	359	46	60.9	15
Sheboygan	1,390	783	35	25.2	30
Sheboygan	703	453	22	31.3	21
Balance of county	687	330	13	18.9	9
Taylor	418	152	14	33.5	12
Trempealeau	448	237	14	31.3	12
Vernon	595	288	35	58.8	14
Vilas	159	86	8	50.3	6
White	121	71	5	41.3	5
Nonwhite	38	15	3	78.9	1
Walworth	548	437	17	31.0	18
Washburn	229	114	7	30.6	3
Washington	592	302	20	33.8	6
Waukesha	1,397	672	41	29.3	32
Waukesha	406	193	11	27.1	3
Balance of county	991	479	30	30.3	29
Waupaca	639	378	23	36.0	20
Waushara	233	150	8	34.3	2
Winnebago	1,581	1,021	66	41.7	29
Menasha	252	91	11	43.7	4
Neenah	261	109	9	34.5	5
Oshkosh	707	497	32	45.3	15
Balance of county	361	324	14	38.8	5
Wood	1,028	415	45	43.8	17
Marshfield	240	124	15	62.5	3
Wisconsin Rapids	258	98	11	42.6	3
Balance of county	530	193	19	35.8	11
WYOMING (total)	5,822	2,217	216	37.1	118
Albany	315	122	11	34.9	7
Laramie	282	105	9	31.9	5
Balance of county	33	17	2	60.6	2
Big Horn	320	86	6	18.8	3
Campbell	96	37	3	31.3	5
Carbon	278	133	17	61.2	13
Converse	127	42	3	23.6	4
Crook	112	43	2	17.9	-
Fremont	340	150	19	55.9	6
White	234	114	8	34.2	4
Nonwhite	106	36	11	103.8	2
Goshen	247	71	7	28.3	6
Hot Springs	79	45	3	38.0	2
Johnson	74	47	-	0	2
Laramie	1,019	308	45	44.2	16
Cheyenne	910	238	33	36.3	14
Balance of county	109	72	12	110.1	2
Lincoln	253	83	11	43.5	7
Natrona	487	234	14	28.7	12
Casper	434	187	12	27.6	12
Balance of county	53	47	2	37.7	-
Niobrara	108	40	10	92.6	-
Park	458	121	19	41.5	7
Platte	187	70	5	26.7	3
Sheridan	343	195	8	23.3	4
Sheridan	229	122	7	30.6	1
Balance of county	114	73	1	8.8	3
Sublette	46	17	2	43.5	-
Sweetwater	485	168	17	35.1	10
Teton	54	16	2	37.0	2
Uinta	164	98	2	12.2	6
Washakie	127	37	5	39.4	2
Weston	98	55	5	51.0	1
Yellowstone National Park (part)	5	1	-	(3)	-
Yellowstone National Park (total)	5	1	-	0	-

[3] Rate not computed for part of an area.

Note.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
UNITED STATES	2,934,860	2,594,763	2,354,563	100,639	34,571	55,290	47,338	685	1,004	46	627	324,865	15,232
Male	1,506,959	1,334,583	1,211,309	51,692	17,737	28,247	24,340	360	528	24	326	164,672	7,724
Female	1,427,901	1,260,200	1,143,254	48,947	16,834	27,043	22,998	325	476	22	301	160,193	7,508
10 to 14 years M.	1,851	677	415	8	252	-	1	1	-	-	-	1,154	20
F.	1,886	651	405	10	229	2	1	-	-	-	4	1,218	17
15 to 19 years M.	176,604	135,582	125,986	1,948	6,693	651	159	33	66	1	45	40,087	935
F.	166,946	127,381	118,304	1,803	6,373	630	129	35	49	-	58	38,627	938
20 to 24 years M.	477,582	423,178	397,440	10,276	6,544	6,755	1,795	118	172	7	73	51,939	2,465
F.	452,433	399,137	374,727	9,870	6,115	6,379	1,741	77	150	5	73	50,962	2,334
25 to 29 years M.	423,667	388,472	357,375	18,602	2,347	7,787	4,127	68	107	2	57	33,172	2,023
F.	398,582	364,646	335,599	15,364	2,199	7,442	3,835	66	98	3	40	31,986	1,950
30 to 34 years M.	261,577	239,124	207,787	13,897	1,071	7,991	8,200	58	84	4	32	21,226	1,227
F.	248,836	227,016	196,957	13,385	1,100	7,732	7,676	60	71	5	30	20,643	1,177
35 to 39 years M.	126,963	113,706	94,749	7,172	580	3,994	7,086	62	37	7	19	12,521	736
F.	121,907	108,908	90,743	6,780	594	3,864	6,799	61	41	3	23	12,227	772
40 to 44 years M.	33,781	29,863	24,361	1,605	174	968	2,700	21	22	2	10	3,653	265
F.	32,625	28,760	23,498	1,573	171	924	2,541	24	14	4	11	3,600	265
45 to 49 years M.	2,444	2,083	1,633	133	19	60	238	1	-	1	-	324	37
F.	2,368	1,984	1,592	108	9	46	225	2	3	1	-	352	32
50 to 54 years M.	75	53	42	5	-	1	5	-	-	-	-	19	3
F.	78	56	41	4	-	1	10	-	-	-	-	20	2
55 years and over M.	26	22	16	4	-	1	1	-	-	-	-	4	-
F.	29	24	16	4	-	1	3	-	-	-	-	5	-
Not stated M.	2,389	1,803	1,505	42	57	39	30	-	40	-	90	573	13
F.	2,211	1,637	1,372	48	44	22	38	-	50	1	62	553	21
ALABAMA	77,535	50,083	48,603	165	879	67	28	-	249	1	91	27,433	19
Male	39,845	25,894	25,168	73	436	30	13	-	127	1	46	13,945	6
Female	37,690	24,189	23,435	92	443	37	15	-	122	-	45	13,488	13
10 to 14 years M.	132	18	18	-	-	-	-	-	-	-	-	114	-
F.	134	24	17	-	6	-	-	-	-	-	1	110	-
15 to 19 years M.	7,816	3,937	3,715	6	185	1	-	-	22	-	8	3,879	-
F.	6,818	3,631	3,435	5	168	3	-	-	13	-	7	3,186	1
20 to 24 years M.	12,557	8,445	8,222	21	134	7	-	-	48	-	13	4,111	1
F.	11,836	7,924	7,704	14	147	7	1	-	37	-	14	3,906	6
25 to 29 years M.	8,987	6,282	6,142	18	58	9	4	-	18	-	13	2,703	2
F.	8,680	5,869	5,757	25	63	9	1	-	30	-	4	2,806	5
30 to 34 years M.	6,047	4,132	4,042	21	35	9	4	-	17	-	4	1,912	3
F.	5,611	3,826	3,723	26	35	13	6	-	16	-	7	1,784	1
35 to 39 years M.	3,431	2,233	2,200	7	10	3	3	-	8	1	1	1,198	-
F.	3,293	2,102	2,041	19	18	5	2	-	12	-	5	1,191	-
40 to 44 years M.	1,011	661	640	-	5	1	2	-	10	-	3	350	-
F.	937	609	594	2	3	-	5	-	4	-	1	328	-
45 to 49 years M.	75	47	47	-	-	-	-	-	-	-	-	28	-
F.	77	39	37	-	-	-	-	-	2	-	-	38	-
50 to 54 years M.	4	1	1	-	-	-	-	-	-	-	-	3	-
F.	3	-	-	-	-	-	-	-	-	-	-	3	-
55 years and over M.	1	1	1	-	-	-	-	-	-	-	-	-	-
F.	2	1	1	-	-	-	-	-	-	-	-	1	-
Not stated M.	304	157	140	-	9	-	-	-	4	-	4	147	-
F.	299	164	146	1	3	-	-	-	8	-	6	135	-
ARIZONA	14,297	12,620	10,344	939	144	560	618	13	1	1	-	370	1,307
Male	7,460	6,619	5,489	457	65	289	314	5	-	-	-	178	663
Female	6,837	6,001	4,855	482	79	271	304	8	1	1	-	192	644
10 to 14 years M.	12	6	4	-	2	-	-	-	-	-	-	4	2
F.	10	4	4	-	-	-	-	-	-	-	-	3	3
15 to 19 years M.	1,218	1,061	989	44	23	17	7	1	-	-	-	51	106
F.	999	856	752	53	27	15	7	1	1	-	-	52	91
20 to 24 years M.	2,501	2,265	2,001	127	24	66	46	1	-	-	-	84	182
F.	2,307	2,084	1,793	133	30	72	34	1	-	1	-	59	184
25 to 29 years M.	1,821	1,638	1,368	129	8	77	54	2	-	-	-	36	147
F.	1,691	1,505	1,209	140	11	73	69	3	-	-	-	41	145
30 to 34 years M.	1,112	973	710	97	4	67	95	-	-	-	-	17	122
F.	1,062	926	684	88	7	66	81	-	-	-	-	23	113
35 to 39 years M.	612	526	347	48	2	48	80	1	-	-	-	16	70
F.	593	503	326	52	2	37	85	1	-	-	-	13	77
40 to 44 years M.	164	138	80	12	2	13	31	-	-	-	-	-	26
F.	162	134	83	13	2	8	26	2	-	-	-	1	27
45 to 49 years M.	9	6	4	-	-	1	1	-	-	-	-	-	3
F.	7	5	2	2	-	-	1	-	-	-	-	-	2
50 to 54 years M.	1	-	-	-	-	-	-	-	-	-	-	-	1
F.	1	-	-	-	-	-	-	-	-	-	-	-	1
Not stated M.	10	6	6	-	-	-	-	-	-	-	-	-	4
F.	5	4	2	1	-	-	1	-	-	-	-	-	1
ARKANSAS	42,589	32,469	31,963	79	333	44	14	1	25	-	10	10,077	43
Male	21,805	16,668	16,413	39	163	20	10	1	17	-	5	5,117	20
Female	20,784	15,801	15,550	40	170	24	4	-	8	-	5	4,960	23
10 to 14 years M.	49	10	8	-	2	-	-	-	-	-	-	39	-
F.	73	20	14	-	6	-	-	-	-	-	-	53	-
15 to 19 years M.	4,198	2,848	2,763	3	73	3	-	-	5	-	1	1,350	-
F.	4,106	2,778	2,690	2	85	-	-	-	-	-	1	1,323	5
20 to 24 years M.	6,893	5,486	5,394	13	61	9	2	-	6	-	1	1,401	6
F.	6,493	5,120	5,045	14	53	4	1	-	2	-	1	1,368	5
25 to 29 years M.	4,742	3,783	3,754	9	10	6	2	-	2	-	-	955	4
F.	4,424	3,518	3,484	8	15	8	1	-	1	-	1	901	5
30 to 34 years M.	3,225	2,491	2,468	7	8	1	3	-	4	-	-	727	7
F.	3,062	2,385	2,358	11	3	10	-	-	2	-	1	672	5

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
ARKANSAS—Continued													
35 to 39 years...M..	1,911	1,468	1,447	7	8	1	2	1	-	-	2	440	3
F..	1,916	1,451	1,436	4	5	2	1	-	2	-	1	462	3
40 to 44 years...M..	613	458	454	-	-	-	1	-	-	-	1	157	-
F..	547	412	407	1	2	-	1	-	1	-	-	135	-
45 to 49 years...M..	33	26	26	-	-	-	-	-	-	-	-	7	-
F..	34	24	23	-	1	-	-	-	-	-	-	10	-
50 to 54 years...M..	2	2	2	-	-	-	-	-	-	-	-	-	-
F..	1	-	-	-	-	-	-	-	-	-	-	1	-
55 years and over...M..	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated...M..	138	98	97	-	1	-	-	-	-	-	-	40	-
F..	128	93	93	-	-	-	-	-	-	-	-	35	-
CALIFORNIA	174,420	166,880	144,319	10,400	800	5,976	5,297	42	20	3	23	4,028	3,512
Male	89,440	85,589	73,993	5,438	391	3,013	2,706	24	10	2	12	2,052	1,799
Female	84,980	81,291	70,326	4,962	409	2,963	2,591	18	10	1	11	1,976	1,713
10 to 14 years...M..	34	25	17	1	7	-	-	-	-	-	-	7	2
F..	39	30	19	2	8	-	-	-	-	-	1	7	2
15 to 19 years...M..	10,775	10,192	9,498	410	139	101	34	4	3	-	3	442	141
F..	10,528	9,700	9,107	312	148	103	25	1	2	-	2	473	155
20 to 24 years...M..	31,845	30,439	27,575	1,566	152	832	295	13	3	1	2	805	601
F..	30,219	28,958	26,238	1,437	159	835	278	5	4	-	2	705	556
25 to 29 years...M..	25,448	24,456	21,210	1,654	52	969	562	4	2	1	2	423	569
F..	23,998	23,050	19,971	1,496	60	961	553	4	4	-	1	434	514
30 to 34 years...M..	14,040	13,534	10,780	1,161	32	712	845	1	2	-	1	244	262
F..	13,444	12,973	10,354	1,130	17	675	793	1	-	-	3	223	248
35 to 39 years...M..	5,880	5,610	4,037	557	8	327	681	-	-	-	-	110	160
F..	5,576	5,299	3,807	485	13	323	665	6	-	-	-	107	170
40 to 44 years...M..	1,282	1,207	798	81	1	67	258	2	-	-	-	19	56
F..	1,251	1,173	761	94	4	60	253	1	-	-	-	22	56
45 to 49 years...M..	99	89	56	5	-	2	26	-	-	-	-	2	8
F..	69	56	32	4	-	3	16	-	-	1	-	5	8
50 to 54 years...M..	1	1	1	-	-	-	-	-	-	-	-	-	-
F..	4	4	1	1	-	-	2	-	-	-	-	-	-
55 years and over...M..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated...M..	35	35	20	3	-	3	5	-	-	-	4	-	-
F..	52	48	36	1	-	3	6	-	-	-	2	-	4
COLORADO	24,367	23,676	21,984	757	309	289	317	6	8	2	4	300	391
Male	12,407	12,058	11,207	371	159	151	156	4	7	1	2	139	210
Female	11,960	11,618	10,777	386	150	138	161	2	1	1	2	161	181
10 to 14 years...M..	8	6	3	-	3	-	-	-	-	-	-	-	2
F..	4	4	3	-	1	-	-	-	-	-	-	-	-
15 to 19 years...M..	1,498	1,454	1,363	25	62	3	1	-	-	-	-	35	9
F..	1,482	1,435	1,351	23	58	2	-	-	-	-	1	42	5
20 to 24 years...M..	4,251	4,131	3,950	78	51	36	11	1	2	1	1	46	74
F..	4,027	3,935	3,765	82	51	33	3	-	1	-	-	35	57
25 to 29 years...M..	3,383	3,284	3,079	113	22	45	23	-	2	-	-	28	71
F..	3,268	3,154	2,967	112	14	37	22	-	-	1	1	44	70
30 to 34 years...M..	1,956	1,912	1,732	85	10	31	49	2	2	-	1	17	27
F..	1,914	1,866	1,664	90	16	45	49	2	-	-	-	26	22
35 to 39 years...M..	982	957	828	53	9	20	46	1	-	-	-	10	15
F..	967	938	797	62	7	15	57	-	-	-	-	9	20
40 to 44 years...M..	304	289	232	17	1	15	24	-	-	-	-	3	12
F..	273	263	212	16	2	6	27	-	-	-	-	4	6
45 to 49 years...M..	15	15	13	-	-	1	1	-	-	-	-	-	-
F..	16	15	11	1	-	-	3	-	-	-	-	-	1
50 to 54 years...M..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated...M..	9	9	6	-	1	-	1	-	1	-	-	-	-
F..	9	8	7	-	1	-	-	-	-	-	-	1	-
CONNECTICUT	39,005	38,083	31,748	2,803	378	1,803	1,316	17	10	-	8	913	9
Male	20,197	19,703	16,339	1,526	199	939	682	8	6	-	4	489	5
Female	18,808	18,380	15,409	1,277	179	864	634	9	4	-	4	424	4
10 to 14 years...M..	8	5	-	-	5	-	-	-	-	-	-	1	-
F..	3	2	-	-	2	-	-	-	-	-	-	1	-
15 to 19 years...M..	908	822	731	24	55	11	-	-	1	-	-	85	1
F..	930	841	766	22	41	7	2	2	-	-	1	89	-
20 to 24 years...M..	5,657	5,467	4,909	247	89	181	35	4	-	-	2	187	3
F..	5,304	5,138	4,621	200	72	190	52	-	-	-	3	163	3
25 to 29 years...M..	7,180	7,054	6,129	513	28	263	118	1	2	-	-	105	1
F..	6,601	6,508	5,711	422	36	227	106	5	1	-	-	92	1
30 to 34 years...M..	4,240	4,179	3,177	433	13	327	227	-	2	-	-	61	-
F..	3,903	3,853	2,936	414	15	275	211	1	1	-	-	50	-
35 to 39 years...M..	1,808	1,772	1,159	257	7	133	212	3	-	-	1	36	-
F..	1,653	1,628	1,146	178	9	124	168	1	2	-	-	25	-
40 to 44 years...M..	366	355	202	47	2	19	85	-	-	-	-	11	-
F..	370	366	204	38	3	37	84	-	-	-	-	4	-
45 to 49 years...M..	18	18	8	3	-	3	4	-	-	-	-	-	-
F..	17	17	5	1	-	2	9	-	-	-	-	-	-
50 to 54 years...F..	1	1	-	-	-	1	-	-	-	-	-	-	-
Not stated...M..	34	31	24	2	-	2	1	-	1	-	1	3	-
F..	28	26	20	2	1	1	2	-	-	-	-	-	-
DELAWARE	6,229	5,307	4,971	117	95	69	55	-	-	-	-	917	5
Male	3,171	2,706	2,540	63	52	28	23	-	-	-	-	464	1
Female	3,058	2,601	2,431	54	43	41	32	-	-	-	-	453	4
10 to 14 years...M..	7	-	-	-	-	-	-	-	-	-	-	7	-
F..	5	2	-	-	2	-	-	-	-	-	-	3	-
15 to 19 years...M..	409	287	261	2	23	-	1	-	-	-	-	121	1
F..	376	248	230	1	17	-	-	-	-	-	-	127	1
20 to 24 years...M..	1,017	877	833	14	22	7	1	-	-	-	-	140	-
F..	972	826	786	9	13	15	3	-	-	-	-	144	2
25 to 29 years...M..	893	804	771	24	2	5	2	-	-	-	-	89	-
F..	866	795	765	9	7	10	2	-	-	-	-	72	1

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE									Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
DELAWARE—Continued													
30 to 34 years...M..	536	479	444	16	2	9	8	-	-	-	-	57	-
F..	512	458	413	18	4	10	13	-	-	-	-	54	-
35 to 39 years...M..	241	204	187	5	3	5	4	-	-	-	-	37	-
F..	247	215	190	10	-	6	9	-	-	-	-	32	-
40 to 44 years...M..	60	51	41	1	-	2	7	-	-	-	-	9	-
F..	70	53	44	5	-	-	4	-	-	-	-	17	-
45 to 49 years...M..	4	2	1	1	-	-	-	-	-	-	-	2	-
F..	6	3	2	-	-	-	1	-	-	-	-	3	-
Not stated...M..	4	2	2	-	-	-	-	-	-	-	-	2	-
F..	4	3	1	2	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA	16,080	10,825	9,643	391	273	235	214	8	3	-	58	5,227	28
Male	8,094	5,484	4,879	192	141	111	125	5	3	-	28	2,595	15
Female	7,986	5,341	4,764	199	132	124	89	3	-	-	30	2,632	13
10 to 14 years...M..	20	1	1	-	-	-	-	-	-	-	-	19	-
F..	28	4	1	-	3	-	-	-	-	-	-	24	-
15 to 19 years...M..	1,097	451	418	2	29	-	2	-	-	-	-	646	-
F..	1,060	406	359	9	32	3	2	-	-	-	1	653	1
20 to 24 years...M..	2,678	1,775	1,638	35	62	21	11	3	-	-	5	897	6
F..	2,687	1,824	1,666	53	61	25	11	-	-	-	8	857	6
25 to 29 years...M..	2,265	1,732	1,558	65	33	37	33	-	1	-	5	529	4
F..	2,233	1,651	1,497	70	20	37	21	1	-	-	5	578	4
30 to 34 years...M..	1,310	1,005	866	51	9	35	41	2	-	-	1	300	5
F..	1,260	949	833	37	15	32	31	2	-	-	1	311	-
35 to 39 years...M..	547	401	320	32	5	11	32	-	1	-	-	146	-
F..	565	402	335	24	3	20	20	-	-	-	-	161	2
40 to 44 years...M..	129	92	74	7	1	5	5	-	-	-	-	37	-
F..	110	80	64	6	-	5	4	-	-	-	1	30	-
45 to 49 years...M..	3	2	1	-	-	-	1	-	-	-	-	1	-
F..	5	3	3	-	-	-	-	-	-	-	-	2	-
50 to 54 years...M..	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated...M..	44	25	3	-	2	2	-	-	1	-	17	19	-
F..	38	22	6	-	-	2	-	-	-	-	14	16	-
FLORIDA	46,744	34,691	33,108	606	398	399	156	2	11	-	11	12,026	27
Male	23,968	17,926	17,111	317	204	204	77	2	6	-	5	6,030	12
Female	22,776	16,765	15,997	289	194	195	79	-	5	-	6	5,996	15
10 to 14 years...M..	85	18	14	-	4	-	-	-	-	-	-	67	-
F..	75	16	12	-	4	-	-	-	-	-	-	59	-
15 to 19 years...M..	4,160	2,591	2,492	15	71	12	-	-	-	-	1	1,568	1
F..	4,011	2,475	2,360	15	90	7	2	-	1	-	-	1,531	5
20 to 24 years...M..	8,194	6,348	6,114	74	83	68	8	-	2	-	1	1,844	2
F..	7,739	5,902	5,707	71	61	53	9	-	-	-	1	1,831	6
25 to 29 years...M..	5,923	4,742	4,538	101	21	61	19	1	-	-	1	1,178	3
F..	5,598	4,428	4,223	95	28	84	18	-	-	-	-	1,169	1
30 to 34 years...M..	3,481	2,714	2,539	76	15	49	31	1	3	-	-	765	2
F..	3,508	2,505	2,347	69	7	51	25	-	3	-	3	805	-
35 to 39 years...M..	1,596	1,133	1,060	41	8	14	9	-	1	-	-	462	1
F..	1,550	1,106	1,037	32	3	17	17	-	-	-	-	441	3
40 to 44 years...M..	412	311	289	8	1	2	10	-	-	-	1	99	2
F..	398	271	255	6	-	3	7	-	-	-	-	125	-
45 to 49 years...M..	38	21	19	2	-	-	-	-	-	-	-	14	1
F..	26	21	19	1	-	-	1	-	-	-	-	5	-
50 to 54 years...F..	2	2	2	-	-	-	-	-	-	-	-	-	-
55 years and over...M..	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated...M..	80	48	46	-	1	-	-	-	-	-	1	32	-
F..	71	39	35	-	1	-	-	-	1	-	2	32	-
GEORGIA	78,387	50,187	49,113	214	666	125	37	-	22	-	10	28,191	9
Male	40,122	25,906	25,351	106	346	69	19	-	10	-	5	14,212	4
Female	38,265	24,281	23,762	108	320	56	18	-	12	-	5	13,979	5
10 to 14 years...M..	134	39	24	-	15	-	-	-	-	-	-	95	-
F..	144	30	21	-	9	-	-	-	-	-	-	114	-
15 to 19 years...M..	7,383	3,857	3,702	4	147	1	-	-	2	-	1	3,526	-
F..	6,894	3,607	3,448	11	145	2	-	-	2	-	1	3,287	-
20 to 24 years...M..	15,182	8,738	8,568	25	114	27	1	-	2	-	1	4,445	1
F..	12,582	8,054	7,900	24	102	20	4	-	2	-	2	4,528	-
25 to 29 years...M..	9,224	6,335	6,239	31	40	20	3	-	1	-	1	2,888	1
F..	8,936	6,132	6,047	29	36	16	2	-	1	-	1	2,799	5
30 to 34 years...M..	5,916	4,099	4,024	31	18	15	9	-	2	-	-	1,816	1
F..	5,654	3,816	3,752	29	14	11	7	-	2	-	1	1,838	-
35 to 39 years...M..	3,244	2,164	2,137	11	9	3	4	-	-	-	-	1,080	-
F..	3,015	1,978	1,940	13	10	7	5	-	3	-	-	1,037	-
40 to 44 years...M..	856	564	553	4	2	3	2	-	-	-	-	291	1
F..	868	565	558	1	6	-	-	-	-	-	-	303	-
45 to 49 years...M..	82	50	49	-	1	-	-	-	-	-	-	32	-
F..	78	41	40	1	-	-	-	-	-	-	-	37	-
50 to 54 years...M..	4	2	2	-	-	-	-	-	-	-	-	2	-
F..	3	1	1	-	-	-	-	-	-	-	-	2	-
Not stated...M..	97	58	53	-	-	-	-	-	3	-	2	39	-
F..	91	57	55	-	-	-	-	-	2	-	-	34	-
IDAHO	12,391	12,268	11,649	291	76	217	31	-	3	-	1	1	122
Male	6,455	6,393	6,065	152	39	115	19	-	2	-	1	1	61
Female	5,936	5,875	5,584	139	37	102	12	-	1	-	-	-	61
10 to 14 years...M..	3	3	3	-	-	-	-	-	-	-	-	-	-
F..	6	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years...M..	812	803	769	9	18	7	-	-	-	-	-	-	9
F..	708	703	671	12	14	6	-	-	-	-	-	-	5
20 to 24 years...M..	2,218	2,197	2,105	33	14	42	2	-	1	-	-	-	21
F..	2,095	2,073	1,997	28	14	34	2	-	-	-	-	-	22

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
IDAHO—Continued..													
25 to 29 years.....M..	1,694	1,678	1,600	46	3	26	3	-	-	-	-	-	16
F..	1,605	1,587	1,512	43	5	26	1	-	-	-	-	-	18
30 to 34 years.....M..	1,082	1,027	987	35	2	20	3	-	-	-	-	-	5
F..	910	905	851	32	2	17	3	-	-	-	-	-	5
35 to 39 years.....M..	513	507	468	17	-	12	8	-	1	-	1	-	6
F..	465	459	418	19	1	15	5	-	1	-	-	-	6
40 to 44 years.....M..	148	145	126	9	-	8	2	-	-	-	-	-	3
F..	126	122	111	6	1	3	1	-	-	-	-	-	3
45 to 49 years.....M..	16	16	13	3	-	-	-	-	-	-	-	-	-
F..	11	9	8	1	-	-	-	-	-	-	-	-	2
50 to 54 years.....M..	1	-	-	-	-	-	-	-	-	-	-	-	1
Not stated.....M..	18	17	14	-	2	-	1	-	-	-	-	1	-
F..	11	11	10	-	-	1	-	-	-	-	-	-	-
ILLINOIS.....	155,735	146,475	131,012	6,959	2,373	3,125	2,890	54	23	2	57	9,118	142
Male.....	79,715	75,013	67,150	3,600	1,205	1,540	1,447	28	11	-	32	4,628	74
Female.....	76,020	71,462	63,862	3,339	1,168	1,585	1,443	26	12	2	25	4,490	68
10 to 14 years.....M..	41	20	9	-	10	-	-	1	-	-	-	21	-
F..	52	36	13	1	22	-	-	-	-	-	-	16	-
15 to 19 years.....M..	7,237	6,011	5,454	81	439	21	8	2	2	-	4	1,223	3
F..	6,622	5,483	4,938	91	404	31	4	2	2	-	11	1,137	2
20 to 24 years.....M..	24,158	22,618	21,098	585	450	379	79	8	4	-	15	1,511	29
F..	23,047	21,488	19,980	573	446	377	98	6	2	1	5	1,534	25
25 to 29 years.....M..	24,734	23,796	21,759	1,252	184	386	207	3	3	-	2	911	27
F..	23,564	22,663	20,795	1,100	161	404	189	6	5	-	3	881	20
30 to 34 years.....M..	15,119	14,538	12,436	1,087	72	457	496	6	2	-	2	571	10
F..	14,508	13,930	11,829	1,014	80	496	505	2	2	-	2	567	11
35 to 39 years.....M..	6,633	6,305	5,078	489	35	232	465	6	-	-	-	325	3
F..	6,534	6,245	5,046	466	42	226	456	7	-	1	1	281	8
40 to 44 years.....M..	1,681	1,615	1,232	117	14	61	189	2	-	-	-	64	2
F..	1,585	1,513	1,182	89	12	49	178	3	-	-	-	70	2
45 to 49 years.....M..	83	81	68	6	1	3	3	-	-	-	-	2	-
F..	89	87	67	4	1	2	13	-	-	-	-	2	-
50 to 54 years.....M..	3	3	2	1	-	-	-	-	-	-	-	-	-
F..	3	2	2	-	-	-	-	-	-	-	-	1	-
55 years and over.....M..	1	1	-	1	-	-	-	-	-	-	-	-	-
Not stated.....M..	25	25	14	1	-	1	-	-	-	-	9	-	-
F..	16	15	10	1	-	-	-	-	1	-	3	1	-
INDIANA.....	74,672	72,084	69,397	927	872	439	324	1	82	8	34	2,577	11
Male.....	38,196	36,884	35,553	443	448	222	160	1	39	4	14	1,306	6
Female.....	36,476	35,200	33,844	484	424	217	164	-	43	4	20	1,271	5
10 to 14 years.....M..	20	18	11	-	7	-	-	-	-	-	-	2	-
F..	34	26	15	-	11	-	-	-	-	-	-	8	-
15 to 19 years.....M..	4,827	4,509	4,308	24	163	7	2	-	3	-	2	318	-
F..	4,491	4,166	3,966	16	171	5	2	-	5	-	1	325	-
20 to 24 years.....M..	12,873	12,409	12,046	91	174	73	7	-	12	2	4	463	1
F..	12,158	11,753	11,405	104	144	66	14	-	12	-	8	404	1
25 to 29 years.....M..	10,379	10,122	9,836	148	54	41	32	-	7	-	4	254	3
F..	10,004	9,756	9,482	145	45	50	23	-	7	-	4	245	3
30 to 34 years.....M..	6,032	5,876	5,620	116	32	61	40	-	6	-	1	154	2
F..	5,900	5,737	5,470	121	28	59	48	-	6	2	3	162	1
35 to 39 years.....M..	3,002	2,914	2,763	53	11	30	50	-	5	1	1	88	-
F..	2,846	2,758	2,580	69	16	29	58	-	3	-	3	88	-
40 to 44 years.....M..	871	851	806	8	3	9	23	1	-	1	-	20	-
F..	878	844	781	26	7	6	19	-	2	2	1	34	-
45 to 49 years.....M..	71	70	61	2	1	1	5	-	-	-	-	1	-
F..	59	59	55	2	-	2	-	-	-	-	-	-	-
50 to 54 years.....F..	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated.....M..	121	115	102	1	3	-	1	-	6	-	2	8	-
F..	104	99	88	1	2	-	-	-	8	-	-	5	-
IOWA.....	47,617	47,276	45,198	802	742	348	180	4	20	2	2	301	40
Male.....	24,563	24,374	23,319	407	380	181	74	1	9	1	2	168	21
Female.....	23,054	22,902	21,877	395	362	167	86	3	11	1	-	133	19
10 to 14 years.....M..	12	11	3	-	8	-	-	-	-	-	-	1	-
F..	6	6	2	-	4	-	-	-	-	-	-	-	-
15 to 19 years.....M..	2,328	2,295	2,089	13	183	7	-	-	2	-	1	31	-
F..	2,067	2,031	1,883	12	148	8	-	-	-	-	-	35	1
20 to 24 years.....M..	7,795	7,732	7,497	55	124	48	3	1	4	-	-	58	7
F..	7,393	7,347	7,096	58	138	43	6	1	5	-	-	40	6
25 to 29 years.....M..	7,103	7,056	6,832	132	34	48	9	-	1	-	-	40	7
F..	6,555	6,515	6,311	113	35	35	19	-	1	1	-	31	9
30 to 34 years.....M..	4,428	4,403	4,217	103	15	40	26	-	1	-	1	21	4
F..	4,163	4,147	3,935	119	22	43	25	1	2	-	-	14	2
35 to 39 years.....M..	2,172	2,154	2,024	78	8	20	23	-	1	-	-	16	2
F..	2,135	2,123	1,995	63	13	30	21	1	-	-	-	11	1
40 to 44 years.....M..	645	641	581	24	7	17	11	-	-	1	-	3	1
F..	657	655	609	24	2	7	13	-	-	-	-	2	-
45 to 49 years.....M..	56	56	50	2	1	1	2	-	-	-	-	-	-
F..	54	54	48	4	-	1	1	-	-	-	-	-	-
50 to 54 years.....F..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....M..	26	26	26	-	-	-	-	-	-	-	-	-	-
F..	23	23	17	2	-	-	1	-	3	-	-	-	-
KANSAS.....	36,021	34,699	33,409	396	492	193	179	5	21	1	5	1,239	83
Male.....	18,577	17,898	17,227	191	265	110	94	-	11	-	-	636	43
Female.....	17,444	16,801	16,182	205	227	83	85	5	10	1	5	603	40
10 to 14 years.....M..	11	8	5	-	3	-	-	-	-	-	-	3	-
F..	16	8	3	-	5	-	-	-	-	-	-	8	-
15 to 19 years.....M..	2,090	1,908	1,778	12	111	8	-	-	1	-	-	176	6
F..	2,075	1,906	1,802	8	90	4	1	-	1	-	-	159	10

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
KANSAS—Continued													
20 to 24 years.....M..	8,273	6,070	5,875	50	94	34	10	-	7	-	-	190	13
F..	5,779	5,584	5,413	49	89	23	4	1	4	-	1	184	11
25 to 29 years.....M..	5,069	4,943	4,825	52	30	27	8	-	1	-	-	121	5
F..	4,757	4,644	4,542	43	25	16	15	1	-	-	2	104	9
30 to 34 years.....M..	3,062	2,975	2,868	43	14	16	33	-	1	-	-	74	13
F..	2,802	2,713	2,607	49	12	23	21	-	1	-	-	83	6
35 to 39 years.....M..	1,541	1,479	1,411	18	7	16	27	-	-	-	-	60	2
F..	1,434	1,388	1,311	39	4	11	19	1	3	-	-	43	3
40 to 44 years.....M..	435	423	382	13	4	11	13	-	-	-	-	8	4
F..	485	468	421	16	2	4	23	-	-	1	1	16	1
45 to 49 years.....M..	37	34	30	1	-	-	3	-	-	-	-	3	-
F..	38	38	35	1	-	1	1	-	-	-	-	-	-
50 to 54 years.....M..	1	1	1	-	-	-	-	-	-	-	-	-	-
F..	1	1	1	-	-	-	-	-	-	-	-	-	-
55 years and over.....F..	1	1	-	-	-	-	1	-	-	-	-	-	-
Not stated.....M..	58	57	52	2	2	-	-	-	1	-	-	1	-
F..	58	50	47	-	-	1	-	-	1	-	1	6	-
KENTUCKY.....	65,566	62,138	61,225	170	597	70	30	2	23	-	21	3,426	2
Male.....	34,091	32,291	31,805	87	322	42	10	2	12	-	11	1,798	2
Female.....	31,475	29,847	29,420	83	275	28	20	-	11	-	10	1,628	-
10 to 14 years.....M..	60	43	37	-	6	-	-	-	-	-	-	17	-
F..	48	28	24	-	4	-	-	-	-	-	-	20	-
15 to 19 years.....M..	5,054	4,582	4,443	5	130	1	-	-	2	-	1	472	-
F..	4,714	4,283	4,150	5	123	1	-	-	-	-	4	431	-
20 to 24 years.....M..	10,773	10,213	10,056	20	118	10	2	1	5	-	1	558	2
F..	9,944	9,429	9,305	17	95	7	-	-	4	-	1	515	-
25 to 29 years.....M..	8,187	7,865	7,783	24	37	12	2	1	2	-	4	322	-
F..	7,504	7,190	7,125	18	28	9	7	-	2	-	1	314	-
30 to 34 years.....M..	5,436	5,219	5,158	23	16	13	4	-	1	-	4	217	-
F..	5,008	4,818	4,763	26	10	8	6	-	4	-	1	190	-
35 to 39 years.....M..	3,301	3,151	3,117	11	13	6	2	-	1	-	1	150	-
F..	3,088	2,975	2,936	13	14	3	6	-	1	-	2	113	-
40 to 44 years.....M..	1,161	1,106	1,100	4	2	-	-	-	-	-	-	55	-
F..	1,060	1,022	1,016	4	1	-	1	-	-	-	-	38	-
45 to 49 years.....M..	92	87	87	-	-	-	-	-	-	-	-	5	-
F..	92	85	85	-	-	-	-	-	-	-	-	7	-
50 to 54 years.....M..	7	6	6	-	-	-	-	-	-	-	-	1	-
F..	2	2	2	-	-	-	-	-	-	-	-	-	-
55 years and over.....M..	1	1	1	-	-	-	-	-	-	-	-	-	-
F..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....M..	19	18	17	-	-	-	-	-	1	-	-	1	-
F..	14	14	13	-	-	-	-	-	-	-	1	-	-
LOUISIANA.....	62,005	38,392	37,544	290	324	153	53	3	12	1	12	23,524	89
Male.....	31,442	19,534	19,106	137	163	77	32	2	8	1	8	11,862	46
Female.....	30,565	18,858	18,438	153	161	76	21	1	4	-	4	11,662	43
10 to 14 years.....M..	94	22	19	-	3	-	-	-	-	-	-	72	-
F..	78	13	13	-	-	-	-	-	-	-	-	65	-
15 to 19 years.....M..	5,317	2,589	2,530	2	51	3	-	-	-	-	3	2,722	6
F..	5,154	2,498	2,434	9	53	1	-	-	-	-	1	2,639	17
20 to 24 years.....M..	10,290	6,660	6,540	35	54	24	5	1	1	-	-	3,620	10
F..	10,030	6,410	6,299	31	56	18	3	-	3	-	-	3,613	7
25 to 29 years.....M..	7,594	5,049	4,950	44	25	19	8	-	-	1	2	2,531	14
F..	7,292	4,846	4,752	45	26	16	7	-	-	-	-	2,438	8
30 to 34 years.....M..	4,761	3,141	3,060	29	18	19	10	-	2	-	3	1,611	9
F..	4,647	3,059	2,976	37	15	25	4	-	1	-	1	1,582	6
35 to 39 years.....M..	2,492	1,525	1,478	23	7	9	5	1	2	-	-	960	7
F..	2,512	1,551	1,501	23	6	14	6	1	-	-	-	957	4
40 to 44 years.....M..	733	463	450	3	4	2	3	-	1	-	-	270	-
F..	697	408	396	7	2	2	1	-	-	-	-	288	1
45 to 49 years.....M..	64	29	28	-	-	-	1	-	-	-	-	35	-
F..	57	22	22	-	-	-	-	-	-	-	-	35	-
50 to 54 years.....M..	5	-	-	-	-	-	-	-	-	-	-	5	-
F..	5	2	2	-	-	-	-	-	-	-	-	3	-
55 years and over.....M..	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated.....M..	91	55	50	1	1	1	-	-	2	-	-	36	-
F..	91	49	43	1	3	-	-	-	-	-	2	42	-
MAINE.....	18,944	18,899	15,956	1,125	409	1,015	380	13	-	-	1	18	27
Male.....	9,722	9,702	8,201	564	222	525	184	5	-	-	1	8	12
Female.....	9,222	9,197	7,755	561	187	490	196	8	-	-	-	10	15
10 to 14 years.....M..	7	7	3	-	4	-	-	-	-	-	-	-	-
F..	7	7	5	-	2	-	-	-	-	-	-	-	-
15 to 19 years.....M..	1,131	1,128	985	38	93	26	5	-	-	-	1	1	2
F..	1,076	1,067	933	33	79	16	3	3	-	-	-	4	5
20 to 24 years.....M..	3,281	3,272	2,893	134	83	141	20	1	-	-	-	4	5
F..	3,066	3,059	2,698	143	70	123	24	1	-	-	-	2	5
25 to 29 years.....M..	2,655	2,652	2,283	172	21	153	41	2	-	-	-	1	2
F..	2,510	2,506	2,150	157	20	129	49	1	-	-	-	1	3
30 to 34 years.....M..	1,590	1,587	1,296	118	13	115	44	1	-	-	-	1	2
F..	1,587	1,585	1,263	126	9	130	54	3	-	-	-	2	-
35 to 39 years.....M..	820	819	615	78	6	68	51	1	-	-	-	-	1
F..	739	737	538	75	7	71	46	-	-	-	-	1	1
40 to 44 years.....M..	218	217	152	22	2	19	22	-	-	-	-	1	-
F..	216	216	150	26	-	21	19	-	-	-	-	-	-
45 to 49 years.....M..	18	18	13	2	-	2	1	-	-	-	-	-	-
F..	19	18	16	1	-	-	1	-	-	-	-	-	1
Not stated.....M..	2	2	1	-	-	1	-	-	-	-	-	-	-
F..	2	2	2	-	-	-	-	-	-	-	-	-	-

TABLE 3.—LIVE BIRTHS, BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
MARYLAND	47,371	38,770	36,855	817	300	462	312	2	14	-	8	8,582	19
Male	24,307	19,880	18,895	421	158	234	160	1	10	-	1	4,417	10
Female	23,064	18,890	17,960	396	142	228	152	1	4	-	7	4,165	9
10 to 14 years M	65	10	7	-	3	-	-	-	-	-	-	55	-
F	49	7	6	-	1	-	-	-	-	-	-	42	-
15 to 19 years M	3,416	2,192	2,118	8	60	5	1	-	-	-	-	1,223	1
F	3,165	1,999	1,928	20	48	1	1	-	-	-	1	1,165	1
20 to 24 years M	8,110	6,701	6,471	92	55	61	16	-	6	-	-	1,405	4
F	7,825	6,486	6,281	77	57	56	12	-	1	-	2	1,336	3
25 to 29 years M	6,535	5,753	5,513	125	20	60	34	-	-	-	1	780	2
F	6,211	5,456	5,220	127	13	69	25	-	1	-	1	751	4
30 to 34 years M	3,903	3,356	3,111	119	8	66	50	-	2	-	-	546	1
F	3,618	3,141	2,914	94	14	63	53	1	2	-	-	477	-
35 to 39 years M	1,761	1,461	1,317	61	6	31	44	1	1	-	-	299	1
F	1,698	1,407	1,266	63	8	27	44	-	-	-	1	290	1
40 to 44 years M	450	358	317	14	3	11	13	-	-	-	-	91	1
F	435	350	304	15	3	12	16	-	-	-	-	85	-
45 to 49 years M	27	21	16	1	2	-	2	-	-	-	-	6	-
F	30	22	21	-	-	-	1	-	-	-	-	8	-
Not stated M	40	28	25	1	1	-	-	-	1	-	-	12	-
F	33	22	20	-	-	-	-	-	-	-	2	11	-
MASSACHUSETTS	85,917	84,682	68,649	6,493	1,548	4,620	3,260	80	24	3	5	1,169	66
Male	44,417	43,796	35,594	3,252	813	2,388	1,688	42	14	2	3	585	36
Female	41,500	40,886	33,055	3,241	735	2,232	1,572	38	10	1	2	584	30
10 to 14 years M	9	8	1	-	5	-	-	-	-	-	-	3	-
F	10	8	-	-	7	1	-	-	-	-	-	2	-
15 to 19 years M	2,089	1,998	1,656	73	235	25	6	2	-	-	1	86	5
F	1,925	1,844	1,560	61	196	22	3	2	-	-	-	78	3
20 to 24 years M	12,333	12,103	10,659	568	318	461	79	13	3	1	1	225	5
F	11,351	11,074	9,733	562	280	405	76	13	4	-	1	247	10
25 to 29 years M	14,693	14,548	12,473	1,020	153	640	244	12	6	-	-	137	8
F	13,566	13,418	11,437	1,020	143	599	205	9	4	-	1	140	8
30 to 34 years M	9,672	9,580	7,191	983	51	748	597	6	3	1	-	83	9
F	9,174	9,099	6,806	978	68	689	552	5	1	-	-	69	6
35 to 39 years M	4,520	4,476	2,970	504	39	418	540	5	-	-	-	38	6
F	4,378	4,343	2,889	489	32	415	511	7	-	-	-	32	3
40 to 44 years M	964	950	562	94	8	82	198	4	2	-	-	12	2
F	1,004	990	559	118	7	94	208	2	1	1	-	14	-
45 to 49 years M	53	52	25	4	-	4	19	-	-	-	-	1	-
F	44	44	24	4	-	4	12	-	-	-	-	-	-
50 to 54 years M	3	3	-	1	-	-	2	-	-	-	-	-	-
F	3	2	1	1	-	-	-	-	-	-	-	1	-
55 years and over M	1	1	-	1	-	-	-	-	-	-	-	-	-
F	1	1	-	1	-	-	-	-	-	-	-	-	-
Not stated M	80	79	57	4	4	10	3	-	-	-	1	-	1
F	64	63	46	7	2	3	5	-	-	-	-	1	-
MICHIGAN	125,778	120,055	104,190	7,180	1,386	4,427	2,772	39	44	3	14	5,512	211
Male	64,483	61,554	53,447	3,687	696	2,308	1,387	22	18	3	6	2,813	118
Female	61,295	58,501	50,743	3,513	690	2,119	1,385	17	26	-	8	2,699	95
10 to 14 years M	37	26	12	1	13	-	-	-	-	-	-	11	-
F	30	18	10	-	8	-	-	-	-	-	-	12	-
15 to 19 years M	6,160	5,459	4,942	189	265	68	8	6	2	1	-	687	14
F	5,774	5,158	4,646	154	268	73	8	5	3	-	1	603	13
20 to 24 years M	21,289	20,241	18,341	830	258	646	151	10	4	1	-	1,009	39
F	20,338	19,317	17,449	854	261	591	142	7	10	-	3	992	29
25 to 29 years M	19,492	18,906	16,612	1,243	102	659	282	3	4	-	1	559	27
F	18,281	17,700	15,612	1,102	89	600	288	3	4	-	2	549	32
30 to 34 years M	10,977	10,614	8,728	856	38	566	418	2	4	1	1	344	19
F	10,472	10,139	8,302	863	31	526	409	2	6	-	-	321	12
35 to 39 years M	5,042	4,880	3,763	454	10	288	363	1	1	-	-	150	12
F	4,958	4,758	3,698	413	21	255	371	-	1	-	1	171	9
40 to 44 years M	1,310	1,265	934	100	5	75	149	-	-	-	2	40	5
F	1,305	1,262	918	115	7	72	150	-	-	-	-	43	-
45 to 49 years M	92	86	60	11	-	3	14	-	-	-	-	4	-
F	77	75	54	8	1	2	12	-	-	-	-	2	-
50 to 54 years M	3	3	2	-	-	1	-	-	-	-	-	-	-
F	6	6	4	1	-	-	1	-	-	-	-	-	-
55 years and over M	2	2	1	-	-	1	-	-	-	-	-	-	-
F	4	4	2	1	-	-	1	-	-	-	-	-	-
Not stated M	79	70	52	3	5	1	4	-	3	-	2	9	-
F	70	64	50	4	4	-	3	-	2	-	1	6	-
MINNESOTA	58,508	58,006	53,766	1,951	1,016	902	347	12	6	1	5	52	450
Male	30,029	29,793	27,601	1,018	508	470	181	9	3	-	3	26	210
Female	28,479	28,213	26,165	933	508	432	166	3	3	1	2	26	240
10 to 14 years M	10	10	1	-	9	-	-	-	-	-	-	-	-
F	5	4	-	-	4	-	-	-	-	-	-	-	1
15 to 19 years M	1,807	1,782	1,569	22	181	9	-	1	-	-	-	3	22
F	1,698	1,664	1,448	28	173	11	3	-	-	-	1	7	27
20 to 24 years M	8,313	8,232	7,775	160	208	78	8	2	-	-	1	11	70
F	7,998	7,917	7,449	157	205	89	15	1	1	-	-	8	73
25 to 29 years M	9,577	9,512	8,996	291	68	133	21	1	2	-	-	8	57
F	8,897	8,856	8,339	267	81	125	22	-	1	1	-	5	56
30 to 34 years M	6,214	6,179	5,691	281	25	130	51	1	-	-	-	2	33
F	5,880	5,831	5,404	242	29	117	38	-	1	-	-	3	46
35 to 39 years M	3,107	3,081	2,748	185	9	83	53	3	-	-	-	1	25
F	3,011	2,983	2,685	163	15	64	54	2	-	-	-	3	25
40 to 44 years M	903	899	745	89	7	34	43	1	-	-	-	1	3
F	890	880	754	89	1	25	31	-	-	-	-	-	10
45 to 49 years M	82	82	63	10	1	3	5	-	-	-	-	-	-
F	87	86	75	7	-	1	3	-	-	-	-	-	1
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
55 years and over F	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated M	15	15	12	-	-	-	-	-	1	-	2	-	-
F	11	10	9	-	-	-	-	-	-	-	1	-	1

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
MISSISSIPPI	59,846	27,820	27,317	102	297	54	33	-	5	-	12	31,892	134
Male	30,647	14,348	14,094	44	154	30	19	-	2	-	5	16,240	59
Female	29,199	13,472	13,223	58	143	24	14	-	3	-	7	15,652	75
10 to 14 years M	154	16	14	-	2	-	-	-	-	-	-	136	2
F	159	9	6	-	3	-	-	-	-	-	-	150	-
15 to 19 years M	6,239	2,237	2,157	4	73	1	1	-	1	-	-	3,993	9
F	5,813	1,926	1,855	4	66	1	-	-	-	-	-	3,875	12
20 to 24 years M	9,402	4,784	4,697	19	53	9	5	-	1	-	-	4,597	21
F	9,225	4,401	4,328	17	43	11	1	-	1	-	-	4,802	22
25 to 29 years M	6,705	3,481	3,445	8	10	12	6	-	-	-	-	3,212	12
F	6,121	3,275	3,227	15	15	10	4	-	1	-	3	2,830	16
30 to 34 years M	4,498	2,176	2,154	8	9	3	2	-	-	-	-	2,314	8
F	4,421	2,246	2,212	15	11	2	6	-	-	-	-	2,163	12
35 to 39 years M	2,706	1,254	1,239	4	5	2	4	-	-	-	-	1,451	1
F	2,590	1,216	1,206	6	2	-	2	-	-	-	-	1,367	7
40 to 44 years M	806	344	338	1	2	2	1	-	-	-	-	457	5
F	745	344	339	1	3	-	1	-	-	-	-	396	5
45 to 49 years M	75	30	29	-	-	1	-	-	-	-	-	44	1
F	75	33	33	-	-	-	-	-	-	-	-	42	-
50 to 54 years M	3	-	-	-	-	-	-	-	-	-	-	3	-
F	3	2	2	-	-	-	-	-	-	-	-	1	-
55 years and over M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	57	24	19	-	-	-	-	-	-	-	5	33	-
F	48	19	14	-	-	-	-	-	1	-	4	26	1
MISSOURI	72,458	67,391	64,975	814	1,027	331	222	5	14	-	5	5,043	24
Male	37,309	34,714	33,454	420	557	162	110	2	6	-	3	2,583	12
Female	35,149	32,677	31,521	394	470	169	112	1	8	-	2	2,460	12
10 to 14 years M	42	21	15	-	6	-	-	-	-	-	-	21	-
F	34	13	7	-	6	-	-	-	-	-	-	21	-
15 to 19 years M	5,211	4,509	4,239	18	250	2	-	-	-	-	-	700	2
F	4,989	4,274	4,026	17	226	1	-	1	2	-	1	712	3
20 to 24 years M	12,056	11,283	10,953	75	200	42	5	1	6	-	1	770	3
F	11,170	10,456	10,182	65	156	37	14	-	2	-	-	711	3
25 to 29 years M	9,778	9,254	9,002	136	62	39	15	-	-	-	-	520	4
F	9,073	8,601	8,380	117	41	50	13	-	-	-	-	469	3
30 to 34 years M	6,134	5,794	5,553	115	19	55	51	1	-	-	-	338	2
F	5,834	5,543	5,307	128	23	51	36	-	-	-	-	290	1
35 to 39 years M	3,086	2,915	2,800	62	10	15	28	-	-	-	-	170	1
F	3,077	2,887	2,764	54	9	23	34	-	2	-	1	189	1
40 to 44 years M	924	867	829	15	9	8	8	-	-	-	-	57	-
F	888	828	787	15	8	6	11	-	1	-	-	59	1
45 to 49 years M	53	48	44	1	-	1	2	-	-	-	-	5	-
F	62	56	51	-	1	1	3	-	-	-	-	6	-
50 to 54 years F	1	1	-	-	-	-	1	-	-	-	-	-	-
55 years and over M	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	24	22	18	-	1	-	1	-	-	-	2	2	-
F	21	18	17	-	-	-	-	-	1	-	-	3	-
MONTANA	11,407	10,754	9,742	554	64	283	105	1	1	-	4	11	642
Male	5,788	5,480	4,961	283	32	150	52	1	1	-	-	5	303
Female	5,619	5,274	4,781	271	32	133	53	-	-	-	4	6	339
10 to 14 years M	3	2	-	1	1	-	-	-	-	-	-	-	1
F	3	2	2	-	-	-	-	-	-	-	-	1	-
15 to 19 years M	565	523	482	24	12	5	-	-	-	-	-	1	41
F	547	504	460	20	15	6	1	-	-	-	2	2	41
20 to 24 years M	1,916	1,813	1,702	58	12	37	3	-	1	-	-	1	102
F	1,819	1,712	1,604	57	12	35	4	-	-	-	-	-	107
25 to 29 years M	1,697	1,622	1,485	81	6	40	10	-	-	-	-	2	73
F	1,745	1,647	1,522	74	3	37	11	-	-	-	-	-	98
30 to 34 years M	1,004	959	840	84	-	40	14	1	-	-	-	1	44
F	915	859	758	59	1	31	10	-	-	-	-	3	53
35 to 39 years M	466	434	364	37	-	21	12	-	-	-	-	-	32
F	456	431	347	44	1	20	19	-	-	-	-	-	25
40 to 44 years M	121	112	77	18	-	7	12	-	-	-	-	-	9
F	119	107	81	16	-	4	6	-	-	-	-	-	12
45 to 49 years M	14	13	10	2	-	-	1	-	-	-	-	-	1
F	10	7	5	1	-	-	1	-	-	-	-	-	3
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	1	1	-	-	1	-	-	-	-	-	-	-	-
F	5	5	2	-	-	-	1	-	-	-	2	-	-
NEBRASKA	25,048	24,614	23,433	551	252	216	153	-	5	-	4	281	153
Male	12,929	12,712	12,089	299	132	108	80	-	3	-	1	140	77
Female	12,119	11,902	11,344	252	120	108	73	-	2	-	3	141	76
10 to 14 years M	2	1	-	-	1	-	-	-	-	-	-	1	-
F	6	4	1	-	3	-	-	-	-	-	-	1	1
15 to 19 years M	1,096	1,040	973	10	55	2	-	-	-	-	-	38	18
F	1,060	1,014	951	11	50	2	-	-	-	-	-	33	13
20 to 24 years M	4,190	4,126	3,986	53	50	28	5	-	3	-	1	47	17
F	3,862	3,784	3,682	40	36	19	5	-	-	-	2	57	21
25 to 29 years M	3,790	3,747	3,615	79	16	24	13	-	-	-	-	26	17
F	3,558	3,515	3,397	67	18	24	9	-	-	-	-	26	17
30 to 34 years M	2,360	2,331	2,189	88	6	28	20	-	-	-	-	16	13
F	2,176	2,151	2,011	68	9	34	28	-	1	-	-	16	9
35 to 39 years M	1,120	1,103	1,005	49	3	20	26	-	-	-	-	10	7
F	1,100	1,083	994	47	2	22	18	-	-	-	-	7	10
40 to 44 years M	356	332	296	18	1	5	12	-	-	-	-	1	3
F	320	314	277	17	2	5	12	-	-	-	1	1	5
45 to 49 years M	22	20	14	1	-	1	4	-	-	-	-	-	2
F	23	23	19	2	-	1	1	-	-	-	-	-	-
55 years and over M	1	1	-	1	-	-	-	-	-	-	-	-	-
Not stated M	12	11	11	-	-	-	-	-	-	-	-	1	-
F	14	14	12	-	-	1	-	-	1	-	-	-	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
NEVADA	3,026	2,817	2,572	111	22	63	46	-	2	-	1	31	178
Male	1,535	1,420	1,303	49	12	34	20	-	2	-	-	19	96
Female	1,491	1,397	1,269	62	10	29	26	-	-	-	1	12	82
10 to 14 years M.	2	2	1	-	1	-	-	-	-	-	-	-	-
F.	1	-	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years M.	171	163	158	1	2	2	-	-	-	-	-	-	8
F.	173	162	154	-	4	3	1	-	-	-	-	2	9
20 to 24 years M.	500	459	439	9	5	4	2	-	-	-	-	7	34
F.	548	514	473	24	2	10	4	-	-	-	1	4	30
25 to 29 years M.	442	410	373	24	2	8	2	-	1	-	-	7	25
F.	409	386	350	18	1	9	8	-	-	-	-	5	18
30 to 34 years M.	288	268	232	8	1	15	12	-	-	-	-	5	15
F.	217	205	184	9	1	5	6	-	-	-	-	1	11
35 to 39 years M.	98	88	76	5	1	3	2	-	1	-	-	-	10
F.	112	104	86	10	2	2	4	-	-	-	-	-	8
40 to 44 years M.	30	26	21	2	-	2	1	-	-	-	-	-	4
F.	27	25	21	1	-	-	3	-	-	-	-	-	2
45 to 49 years M.	2	2	1	-	-	-	1	-	-	-	-	-	-
F.	3	-	-	-	-	-	-	-	-	-	-	-	3
Not stated M.	2	2	2	-	-	-	-	-	-	-	-	-	-
F.	1	1	1	-	-	-	-	-	-	-	-	-	-
NEW HAMPSHIRE	9,367	9,352	7,864	601	216	468	197	5	1	-	-	11	4
Male	4,870	4,861	4,090	318	110	231	108	3	1	-	-	6	3
Female	4,497	4,491	3,774	283	106	237	89	2	-	-	-	5	1
10 to 14 years F.	2	2	-	-	2	-	-	-	-	-	-	-	-
15 to 19 years M.	397	395	344	15	32	2	2	-	-	-	-	1	1
F.	341	341	286	8	39	7	1	-	-	-	-	-	-
20 to 24 years M.	1,587	1,584	1,403	67	39	63	11	-	1	-	-	3	-
F.	1,351	1,348	1,195	65	34	46	8	-	-	-	-	2	1
25 to 29 years M.	1,423	1,422	1,220	98	21	64	19	-	-	-	-	1	-
F.	1,340	1,338	1,168	87	11	59	13	-	-	-	-	2	-
30 to 34 years M.	884	882	711	81	12	57	21	-	-	-	-	1	1
F.	886	886	706	78	11	66	24	1	-	-	-	-	-
35 to 39 years M.	436	435	324	46	3	27	33	2	-	-	-	-	1
F.	450	449	333	33	8	42	32	1	-	-	-	1	-
40 to 44 years M.	131	131	82	9	3	15	21	1	-	-	-	-	-
F.	110	110	74	10	1	16	9	-	-	-	-	-	-
45 to 49 years M.	9	9	3	2	-	3	1	-	-	-	-	-	-
F.	10	10	6	1	-	1	2	-	-	-	-	-	-
55 years and over F.	1	1	-	1	-	-	-	-	-	-	-	-	-
Not stated M.	3	3	3	-	-	-	-	-	-	-	-	-	-
F.	6	6	6	-	-	-	-	-	-	-	-	-	-
NEW JERSEY	83,032	77,421	65,980	5,491	519	2,824	2,557	16	21	9	4	5,587	24
Male	42,469	39,687	33,759	2,822	274	1,431	1,357	7	13	3	1	2,790	12
Female	40,563	37,754	32,221	2,669	245	1,393	1,200	9	8	6	3	2,797	12
10 to 14 years M.	34	6	2	-	4	-	-	-	-	-	-	28	-
F.	15	5	3	-	2	-	-	-	-	-	-	10	-
15 to 19 years M.	2,548	1,872	1,707	53	95	13	2	1	1	-	-	676	-
F.	2,515	1,823	1,680	37	80	20	4	1	-	-	1	691	1
20 to 24 years M.	12,046	11,056	10,080	443	112	322	89	3	6	1	-	988	2
F.	11,593	10,601	9,687	414	94	325	72	3	5	1	-	990	2
25 to 29 years M.	14,331	13,786	12,200	954	39	384	204	-	4	-	1	544	1
F.	13,657	13,094	11,595	903	38	397	160	-	1	-	-	560	3
30 to 34 years M.	8,880	8,546	6,761	866	15	445	456	1	1	1	-	329	5
F.	8,419	8,109	6,441	845	18	415	382	2	2	3	1	308	4
35 to 39 years M.	3,746	3,581	2,532	408	7	226	406	1	-	1	-	164	1
F.	3,518	3,342	2,353	390	11	184	399	2	-	2	1	174	2
40 to 44 years M.	819	763	440	93	2	39	188	1	-	-	-	54	2
F.	793	732	434	73	1	51	172	1	-	-	-	61	-
45 to 49 years M.	44	38	21	4	-	2	11	-	-	-	-	6	-
F.	40	37	19	5	1	1	11	-	-	-	-	3	-
50 to 54 years M.	2	1	-	-	-	-	1	-	-	-	-	-	1
Not stated M.	19	18	16	1	-	-	-	-	1	-	-	1	-
F.	13	11	9	2	-	-	-	-	-	-	-	2	-
NEW MEXICO	15,211	14,275	12,924	441	482	194	218	10	2	-	4	112	824
Male	7,769	7,293	6,620	222	247	92	105	4	2	-	1	58	418
Female	7,442	6,982	6,304	219	235	102	113	6	-	-	3	54	406
10 to 14 years M.	12	8	3	-	5	-	-	-	-	-	-	-	4
F.	8	6	2	1	3	-	-	-	-	-	-	2	-
15 to 19 years M.	1,101	1,028	927	23	75	2	-	-	1	-	-	14	59
F.	994	932	839	15	75	2	1	-	-	-	-	10	52
20 to 24 years M.	2,411	2,265	2,082	54	96	21	8	2	1	-	1	18	128
F.	2,266	2,128	1,957	54	83	26	4	2	-	-	-	20	120
25 to 29 years M.	1,868	1,779	1,645	62	28	24	19	1	-	-	-	11	78
F.	1,827	1,730	1,597	55	37	19	21	1	-	-	-	8	89
30 to 34 years M.	1,322	1,240	1,110	52	19	26	33	-	-	-	-	7	75
F.	1,277	1,195	1,073	45	16	21	39	1	-	-	-	9	73
35 to 39 years M.	803	749	667	27	17	11	27	-	-	-	-	7	47
F.	816	764	652	31	16	26	38	1	-	-	-	4	48
40 to 44 years M.	215	200	169	2	7	7	15	-	-	-	-	-	15
F.	217	199	161	16	2	8	9	1	-	-	2	1	17
45 to 49 years M.	25	14	10	1	-	-	2	1	-	-	-	-	11
F.	18	16	12	2	1	-	1	-	-	-	-	-	2
Not stated M.	12	10	7	1	-	1	1	-	-	-	-	1	1
F.	19	14	11	-	2	-	-	-	-	-	1	-	5

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
NEW YORK	248,627	236,922	187,772	20,703	2,650	11,102	14,544	129	8	3	11	11,250	455
Male	127,645	121,761	96,551	10,599	1,362	5,671	7,513	71	4	3	7	5,662	222
Female	120,982	115,161	91,241	10,104	1,288	5,431	7,031	58	4	–	4	5,588	233
10 to 14 years M	47	28	9	1	17	–	1	–	–	–	–	19	–
10 to 14 years F	55	28	9	–	18	–	1	–	–	–	–	27	–
15 to 19 years M	6,955	5,769	4,994	206	445	87	29	8	–	–	–	1,157	29
15 to 19 years F	6,850	5,476	4,750	212	403	79	22	9	1	–	–	1,155	19
20 to 24 years M	34,680	32,564	28,612	1,700	531	1,229	464	26	1	–	1	2,045	71
20 to 24 years F	33,032	31,004	27,214	1,650	517	1,156	456	10	1	–	–	1,953	75
25 to 29 years M	42,408	41,121	34,395	3,656	199	1,577	1,279	14	1	–	–	1,236	51
25 to 29 years F	39,687	38,374	32,112	3,408	201	1,500	1,146	6	1	–	–	1,243	70
30 to 34 years M	28,621	27,853	19,855	3,251	108	1,821	2,814	10	1	–	–	731	37
30 to 34 years F	27,007	26,244	18,654	3,148	95	1,725	2,607	15	–	–	–	724	39
35 to 39 years M	12,203	11,795	7,181	1,524	51	802	2,226	9	–	2	–	384	24
35 to 39 years F	11,929	11,506	7,037	1,462	38	807	2,150	12	–	–	–	400	23
40 to 44 years M	2,542	2,451	1,395	238	14	150	649	4	1	–	–	82	9
40 to 44 years F	2,437	2,347	1,372	209	14	155	591	6	–	–	–	85	5
45 to 49 years M	160	152	77	20	2	3	49	–	–	1	–	7	1
45 to 49 years F	149	147	73	13	1	6	54	–	–	–	–	1	1
50 to 54 years M	1	1	1	–	–	–	–	–	–	–	–	–	–
50 to 54 years F	5	4	2	–	–	–	2	–	–	–	–	–	1
55 years and over M	1	1	–	1	–	–	–	–	–	–	–	–	–
55 years and over F	2	2	2	–	–	–	–	–	–	–	–	–	–
Not stated M	27	26	14	2	–	2	2	–	–	–	6	1	–
Not stated F	29	29	16	2	1	3	2	–	1	–	4	–	–
NORTH CAROLINA	94,568	66,327	64,979	165	1,018	99	51	1	15	–	19	27,232	1,009
Male	48,715	34,320	33,643	82	512	49	16	–	9	–	9	13,886	509
Female	45,853	32,007	31,336	83	506	50	15	1	6	–	10	13,346	500
10 to 14 years M	106	33	25	–	8	–	–	–	–	–	–	72	1
10 to 14 years F	160	40	26	–	13	–	–	–	–	–	1	118	2
15 to 19 years M	8,197	4,836	4,615	4	210	2	1	–	2	–	2	3,278	83
15 to 19 years F	7,548	4,385	4,166	9	207	–	1	–	–	–	2	3,082	81
20 to 24 years M	15,852	11,350	11,142	20	170	12	4	–	1	–	1	4,341	161
20 to 24 years F	15,090	10,747	10,530	30	168	15	3	–	1	–	–	4,176	167
25 to 29 years M	11,782	8,735	8,618	26	66	18	4	–	3	–	–	2,939	108
25 to 29 years F	10,798	7,910	7,814	22	55	15	1	–	2	–	1	2,786	102
30 to 34 years M	7,381	5,495	5,426	23	34	8	2	–	1	–	1	1,802	84
30 to 34 years F	6,989	5,169	5,099	15	34	13	6	–	1	–	1	1,741	79
35 to 39 years M	4,053	2,924	2,886	6	20	8	3	–	1	–	–	1,073	56
35 to 39 years F	3,921	2,831	2,792	6	22	5	3	1	2	–	–	1,038	52
40 to 44 years M	1,205	852	847	2	1	1	1	–	–	–	–	339	14
40 to 44 years F	1,193	825	814	1	7	2	1	–	–	–	–	352	16
45 to 49 years M	89	62	59	1	1	–	1	–	–	–	–	25	2
45 to 49 years F	106	73	73	–	–	–	–	–	–	–	–	32	1
50 to 54 years M	2	1	1	–	–	–	–	–	–	–	–	1	–
50 to 54 years F	7	2	2	–	–	–	–	–	–	–	–	5	–
55 years and over M	1	1	1	–	–	–	–	–	–	–	–	–	–
55 years and over F	1	1	1	–	–	–	–	–	–	–	–	–	–
Not stated M	47	31	23	–	2	–	–	–	1	–	5	16	–
Not stated F	40	24	19	–	–	–	–	–	–	–	5	16	–
NORTH DAKOTA	15,422	15,111	11,839	678	186	307	95	4	2	–	–	3	308
Male	6,976	6,818	6,159	355	87	163	51	2	1	–	–	2	156
Female	6,446	6,293	5,680	323	99	144	44	2	1	–	–	1	152
10 to 14 years M	1	–	–	–	–	–	–	–	–	–	–	–	1
10 to 14 years F	2	2	–	–	2	–	–	–	–	–	–	–	–
15 to 19 years M	465	445	399	5	39	1	–	1	–	–	–	–	20
15 to 19 years F	399	379	337	7	32	3	–	–	–	–	–	–	20
20 to 24 years M	1,918	1,870	1,773	39	28	29	–	1	–	–	–	1	47
20 to 24 years F	1,811	1,768	1,657	35	46	27	2	–	1	–	–	–	43
25 to 29 years M	2,051	2,018	1,902	69	12	30	4	–	1	–	–	–	33
25 to 29 years F	1,822	1,796	1,678	70	13	32	2	1	–	–	–	–	26
30 to 34 years M	1,437	1,404	1,246	102	4	44	8	–	–	–	–	–	33
30 to 34 years F	1,405	1,377	1,255	81	3	34	4	–	–	–	–	–	28
35 to 39 years M	801	782	627	94	4	36	21	–	–	–	–	1	18
35 to 39 years F	705	682	560	76	3	28	14	1	–	–	–	–	23
40 to 44 years M	266	263	189	39	–	18	17	–	–	–	–	–	3
40 to 44 years F	274	262	179	45	–	19	19	–	–	–	–	1	11
45 to 49 years M	32	31	18	7	–	5	1	–	–	–	–	–	1
45 to 49 years F	27	26	13	9	–	1	3	–	–	–	–	–	1
Not stated M	5	5	5	–	–	–	–	–	–	–	–	–	–
Not stated F	1	1	1	–	–	–	–	–	–	–	–	–	–
OHIO	144,087	136,434	127,146	4,003	1,951	1,928	1,339	11	31	1	26	7,616	37
Male	74,081	70,185	65,402	2,088	985	985	685	9	15	1	15	3,883	13
Female	70,006	66,249	61,744	1,915	966	941	654	2	16	–	11	3,733	24
10 to 14 years M	45	24	8	–	16	–	–	–	–	–	–	21	–
10 to 14 years F	51	27	16	–	11	–	–	–	–	–	–	24	–
15 to 19 years M	7,423	6,474	6,020	48	388	15	3	–	–	–	–	949	–
15 to 19 years F	7,053	6,124	5,659	41	396	21	4	–	1	–	2	928	1
20 to 24 years M	23,634	22,284	21,227	376	401	234	36	2	2	–	6	1,344	6
20 to 24 years F	22,267	20,964	19,980	350	374	210	41	–	6	–	3	1,291	12
25 to 29 years M	22,283	21,493	20,329	715	99	252	90	4	4	–	2	784	6
25 to 29 years F	20,878	20,149	19,083	644	114	217	86	1	4	–	–	721	8
30 to 34 years M	12,957	12,497	11,286	576	52	326	251	2	2	–	2	460	–
30 to 34 years F	12,226	11,796	10,698	540	35	293	228	–	2	–	–	429	1
35 to 39 years M	6,049	5,821	5,144	306	21	132	211	1	3	1	2	227	1
35 to 39 years F	5,810	5,561	4,894	284	26	160	193	1	1	–	2	247	2
40 to 44 years M	1,550	1,438	1,257	63	4	24	88	–	2	–	–	92	–
40 to 44 years F	1,544	1,462	1,272	51	9	37	90	–	1	–	2	82	–
45 to 49 years M	98	94	76	6	4	2	6	–	–	–	–	4	–
45 to 49 years F	116	108	92	4	–	2	10	–	–	–	–	8	–
50 to 54 years M	1	1	1	–	–	–	–	–	–	–	–	–	–
50 to 54 years F	1	1	1	–	–	–	–	–	–	–	–	–	–
Not stated M	61	59	54	–	–	–	–	–	2	–	3	2	–
Not stated F	60	57	49	1	1	1	2	–	1	–	2	3	–

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
OKLAHOMA	48,639	43,631	42,59-	183	639	100	56	1	38	-	21	3,065	1,943
Male	24,889	22,356	21,823	96	318	55	31	-	20	-	13	1,509	1,024
Female	23,750	21,275	20,770	87	321	45	25	1	18	-	8	1,556	919
10 to 14 years M	26	16	12	-	4	-	-	-	-	-	-	9	1
F	32	14	11	-	3	-	-	-	-	-	-	17	1
15 to 19 years M	4,294	3,711	3,566	7	134	-	-	-	1	-	3	421	162
F	4,177	3,593	3,444	6	133	-	1	-	6	-	3	406	178
20 to 24 years M	8,445	7,617	7,450	25	114	10	3	-	11	-	4	472	356
F	8,019	7,266	7,108	27	109	11	2	-	6	-	3	476	277
25 to 29 years M	5,770	5,282	5,195	22	36	19	7	-	2	-	1	265	223
F	5,301	4,822	4,747	16	34	17	2	1	3	-	2	292	187
30 to 34 years M	3,597	3,256	3,184	13	15	8	10	-	4	-	2	202	139
F	3,669	3,300	3,234	16	29	8	11	-	2	-	-	210	159
35 to 39 years M	2,055	1,860	1,804	23	11	15	6	-	-	-	1	105	90
F	1,940	1,741	1,699	16	12	8	6	-	-	-	-	112	87
40 to 44 years M	629	568	548	6	3	3	4	-	2	-	2	31	30
F	555	490	481	4	1	1	3	-	-	-	-	39	26
45 to 49 years M	37	35	34	-	-	-	1	-	-	-	-	2	-
F	36	34	32	2	-	-	-	-	-	-	-	1	1
50 to 54 years M	1	-	-	-	-	-	-	-	-	-	-	1	-
55 years and over F	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated M	35	31	30	-	1	-	-	-	-	-	-	1	3
F	20	15	14	-	-	-	-	-	1	-	-	2	3
OREGON	25,450	25,105	23,203	930	142	673	145	1	6	-	5	68	277
Male	13,036	12,863	11,884	488	75	340	72	-	1	-	3	35	138
Female	12,414	12,242	11,319	442	67	333	73	1	5	-	2	33	139
10 to 14 years M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	3	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	1,456	1,430	1,362	26	30	11	1	-	-	-	-	3	23
F	1,389	1,368	1,301	26	30	10	-	-	-	-	1	4	17
20 to 24 years M	4,547	4,489	4,229	122	27	100	11	-	-	-	-	16	42
F	4,339	4,276	4,049	109	26	79	11	-	2	-	-	15	48
25 to 29 years M	3,727	3,680	3,403	156	10	96	14	-	1	-	-	6	41
F	3,612	3,576	3,300	135	5	112	21	1	2	-	-	1	35
30 to 34 years M	2,137	2,119	1,903	110	3	79	24	-	-	-	-	5	13
F	2,013	1,988	1,772	100	6	91	19	-	-	-	-	7	18
35 to 39 years M	902	889	770	59	3	44	12	-	-	-	1	2	11
F	810	792	669	53	-	35	14	-	1	-	-	5	13
40 to 44 years M	235	226	191	15	-	10	10	-	-	-	-	3	6
F	206	199	172	15	-	6	6	-	-	-	-	-	7
45 to 49 years M	11	11	11	-	-	-	-	-	-	-	-	-	-
F	17	17	13	2	-	-	2	-	-	-	-	-	-
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	18	16	12	-	2	-	-	-	-	-	2	-	2
F	24	22	19	2	-	-	-	-	-	-	1	1	1
PENNSYLVANIA	199,366	187,607	172,691	7,175	1,843	3,113	2,745	23	14	-	3	11,727	32
Male	102,372	96,391	88,685	3,698	935	1,595	1,457	12	7	-	2	5,967	14
Female	96,994	91,216	84,006	3,477	908	1,518	1,288	11	7	-	1	5,760	18
10 to 14 years M	71	30	15	2	13	-	-	-	-	-	-	41	-
F	67	33	23	1	9	-	-	-	-	-	-	34	-
15 to 19 years M	8,987	7,553	7,098	64	352	33	6	-	-	-	-	1,414	-
F	8,528	7,122	6,661	69	365	18	6	-	2	-	1	1,403	3
20 to 24 years M	31,791	29,703	28,332	591	350	348	77	2	2	-	1	2,081	7
F	30,286	28,275	27,019	540	331	319	61	3	2	-	-	2,006	5
25 to 29 years M	31,717	30,530	28,727	1,129	140	372	158	2	1	-	1	1,186	1
F	29,493	28,383	26,641	1,106	114	373	145	3	1	-	-	1,107	3
30 to 34 years M	18,494	17,786	15,666	1,079	42	521	472	3	3	-	-	704	4
F	17,854	17,151	15,172	992	55	522	406	2	2	-	-	701	2
35 to 39 years M	8,793	8,379	6,995	645	28	242	464	4	1	-	-	413	1
F	8,373	7,987	6,712	600	25	236	414	-	-	-	-	382	4
40 to 44 years M	2,357	2,237	1,730	177	10	74	245	1	-	-	-	119	1
F	2,214	2,095	1,660	155	9	47	222	2	-	-	-	118	1
45 to 49 years M	157	149	103	9	-	5	32	-	-	-	-	8	-
F	152	148	101	13	-	3	30	1	-	-	-	4	-
50 to 54 years M	5	5	2	1	-	-	2	-	-	-	-	-	-
F	6	6	4	-	-	-	2	-	-	-	-	-	-
55 years and over M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	18	17	15	1	-	-	1	-	-	-	-	1	-
F	20	15	12	1	-	-	2	-	-	-	-	5	-
RHODE ISLAND	14,667	14,313	11,723	1,084	293	762	429	11	1	-	-	341	13
Male	7,482	7,301	6,015	547	147	380	204	7	1	-	-	171	10
Female	7,185	7,012	5,708	547	146	382	225	4	-	-	-	170	3
10 to 14 years M	1	1	-	-	1	-	-	-	-	-	-	-	-
F	2	2	-	-	2	-	-	-	-	-	-	-	-
15 to 19 years M	433	393	340	7	41	3	1	1	-	-	-	39	1
F	386	354	315	3	31	4	-	1	-	-	-	32	-
20 to 24 years M	2,107	2,048	1,815	91	60	74	7	1	-	-	-	54	5
F	2,059	1,992	1,769	85	59	66	11	2	-	-	-	66	1
25 to 29 years M	2,458	2,419	2,091	181	19	104	23	-	1	-	-	38	1
F	2,336	2,301	1,987	169	23	95	27	-	-	-	-	35	-
30 to 34 years M	1,589	1,562	1,186	170	16	121	68	1	-	-	-	24	3
F	1,549	1,530	1,135	164	15	143	72	1	-	-	-	17	2
35 to 39 years M	720	710	482	75	9	69	72	3	-	-	-	10	-
F	687	673	426	97	12	56	82	-	-	-	-	14	-
40 to 44 years M	162	156	92	21	1	9	32	1	-	-	-	6	-
F	156	150	71	29	3	15	32	-	-	-	-	6	-
45 to 49 years M	9	9	7	1	-	-	1	-	-	-	-	-	-
F	7	7	2	-	1	3	1	-	-	-	-	-	-
Not stated M	3	3	2	1	-	-	-	-	-	-	-	-	-
F	3	3	3	-	-	-	-	-	-	-	-	-	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
SOUTH CAROLINA	54,144	29,844	28,916	103	654	54	22	1	52	-	42	24,280	20
Male	27,517	15,279	14,783	59	345	26	9	-	30	-	27	12,229	9
Female	26,627	14,565	14,133	44	309	28	13	1	22	-	15	12,051	11
10 to 14 years M	82	21	11	-	10	-	-	-	-	-	-	61	-
F	63	16	12	-	4	-	-	-	-	-	-	47	-
15 to 19 years M	5,076	2,279	2,147	2	120	-	-	-	3	-	7	2,794	3
F	4,951	2,167	2,037	1	122	1	-	-	2	-	4	2,763	1
20 to 24 years M	9,425	5,281	5,131	15	118	6	2	-	8	-	3	4,144	-
F	9,104	5,055	4,924	10	100	10	3	-	6	-	2	4,045	4
25 to 29 years M	6,311	3,794	3,690	23	52	11	3	-	9	-	6	2,514	3
F	6,027	3,539	3,456	14	42	11	4	-	8	-	4	2,487	1
30 to 34 years M	3,757	2,327	2,277	13	19	5	2	-	6	-	5	1,428	2
F	3,751	2,318	2,273	12	19	4	3	1	3	-	3	1,429	4
35 to 39 years M	2,111	1,176	1,138	5	21	3	2	-	3	-	4	935	-
F	2,028	1,093	1,068	7	13	1	3	-	-	-	1	932	1
40 to 44 years M	593	325	319	1	3	1	-	-	1	-	-	267	1
F	543	304	297	-	6	1	-	-	-	-	-	239	-
45 to 49 years M	51	22	22	-	-	-	-	-	-	-	-	29	-
F	63	22	22	-	-	-	-	-	-	-	-	41	-
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	1	-	-	-	-	-	-	-	-	-	-	1	-
Not stated M	110	53	47	-	2	-	-	-	2	-	2	57	-
F	118	51	44	-	3	-	-	-	3	-	1	67	-
SOUTH DAKOTA	12,816	12,151	11,394	317	251	125	43	5	9	-	7	8	657
Male	6,471	6,160	5,790	160	121	57	23	1	3	-	5	4	307
Female	6,345	5,991	5,604	157	130	68	20	4	6	-	2	4	350
10 to 14 years F	2	1	-	-	1	-	-	-	-	-	-	1	-
15 to 19 years M	490	450	407	6	36	-	-	1	-	-	-	1	39
F	474	442	395	2	41	-	2	1	1	-	-	-	32
20 to 24 years M	1,941	1,847	1,765	20	55	7	-	-	-	-	-	2	92
F	1,892	1,795	1,711	18	49	10	4	1	2	-	-	-	97
25 to 29 years M	1,847	1,771	1,699	35	19	15	1	-	-	-	2	1	75
F	1,824	1,732	1,645	47	21	17	-	1	-	-	1	2	90
30 to 34 years M	1,260	1,208	1,139	33	9	19	6	-	1	-	1	-	52
F	1,248	1,184	1,111	40	13	15	3	-	2	-	-	1	63
35 to 39 years M	630	600	540	41	2	7	9	-	1	-	-	-	30
F	597	553	497	27	2	18	7	1	-	-	1	-	44
40 to 44 years M	247	233	199	18	-	9	6	-	-	-	1	-	14
F	248	229	199	21	1	7	1	-	-	-	-	-	19
45 to 49 years M	19	15	10	4	-	-	1	-	-	-	-	-	4
F	21	20	18	-	-	-	1	-	1	-	-	-	1
55 years and over F	1	1	-	-	-	1	-	-	-	-	-	-	-
Not stated M	37	36	31	3	-	-	-	-	1	-	1	-	1
F	38	34	28	2	2	-	2	-	-	-	-	-	4
TENNESSEE	70,203	59,348	57,852	142	1,229	65	36	2	15	-	7	10,849	6
Male	36,317	30,740	29,999	61	621	28	19	1	8	-	3	5,574	3
Female	33,886	28,608	27,853	81	608	37	17	1	7	-	4	5,275	3
10 to 14 years M	99	28	22	-	6	-	-	-	-	-	-	71	-
F	82	31	24	-	7	-	-	-	-	-	-	51	-
15 to 19 years M	5,884	4,430	4,156	4	269	-	-	-	1	-	-	1,453	1
F	5,460	4,145	3,881	1	259	3	-	-	-	-	1	1,315	-
20 to 24 years M	11,528	9,899	9,663	17	204	10	3	-	2	-	-	1,629	-
F	10,614	9,091	8,882	16	179	9	1	1	2	-	1	1,522	1
25 to 29 years M	8,698	7,532	7,432	15	70	7	6	1	-	-	1	1,163	1
F	8,278	7,181	7,066	25	79	10	1	-	-	-	-	1,095	2
30 to 34 years M	5,820	5,086	5,013	17	39	7	8	-	2	-	-	734	-
F	5,381	4,663	4,574	28	42	8	10	-	-	-	1	718	-
35 to 39 years M	3,233	2,834	2,801	4	25	2	2	-	-	-	-	399	-
F	3,020	2,612	2,570	7	24	6	4	-	1	-	-	408	-
40 to 44 years M	915	810	799	2	7	2	-	-	-	-	-	105	-
F	933	787	769	4	12	1	1	-	-	-	-	146	-
45 to 49 years M	75	67	65	1	1	-	-	-	-	-	-	8	-
F	61	50	49	-	1	-	-	-	-	-	-	11	-
50 to 54 years M	6	6	5	1	-	-	-	-	-	-	-	-	-
F	3	3	3	-	-	-	-	-	-	-	-	-	-
55 years and over M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	3	2	2	-	-	-	-	-	-	-	-	1	-
Not stated M	59	46	41	-	-	-	-	-	3	-	2	12	1
F	51	43	33	-	5	-	-	-	4	-	1	8	-
TEXAS	164,513	144,278	128,102	6,632	2,084	3,282	3,969	124	68	4	13	20,140	95
Male	84,530	74,308	66,005	3,394	1,052	1,698	2,051	57	43	1	9	10,171	51
Female	79,983	69,970	62,097	3,238	1,032	1,586	1,918	67	25	3	4	9,969	44
10 to 14 years M	143	72	51	2	19	-	-	-	-	-	-	70	1
F	158	72	53	4	14	1	-	-	-	-	-	86	-
15 to 19 years M	13,553	10,893	10,101	294	388	67	31	3	9	-	2	2,651	9
F	13,015	10,448	9,663	280	399	81	18	4	1	-	2	2,561	6
20 to 24 years M	28,278	25,207	23,283	955	569	399	181	12	10	-	-	3,053	18
F	26,608	23,541	21,690	928	356	374	164	13	13	2	1	3,053	14
25 to 29 years M	20,586	18,568	16,618	956	145	443	384	11	10	-	1	2,014	4
F	19,423	17,492	15,697	860	130	391	390	17	7	-	-	1,920	11
30 to 34 years M	12,969	11,652	9,811	708	67	419	626	16	5	-	-	1,312	5
F	12,216	10,914	9,120	691	73	421	594	15	-	-	-	1,295	7
35 to 39 years M	6,801	6,021	4,720	363	44	289	585	12	3	1	4	768	12
F	6,459	5,676	4,471	364	49	247	530	13	1	-	1	779	4
40 to 44 years M	1,738	1,514	1,132	99	11	55	212	3	2	-	-	222	2
F	1,700	1,489	1,131	93	9	62	190	4	-	-	-	209	2
45 to 49 years M	119	101	62	6	2	9	22	-	-	-	-	18	-
F	125	110	81	4	-	5	19	1	-	-	-	15	-
50 to 54 years M	7	6	5	1	-	-	-	-	-	-	-	1	-
F	4	4	1	1	-	-	2	-	-	-	-	-	-
55 years and over M	5	3	2	-	-	-	1	-	-	-	-	2	-
F	7	5	3	1	-	-	1	-	-	-	-	2	-
Not stated M	331	271	220	12	9	15	9	-	4	-	2	60	-
F	288	219	187	12	2	4	10	-	3	1	-	49	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
UTAH	17,161	16,942	16,020	445	51	314	108	2	1	-	1	24	195
Male	8,829	8,704	8,220	250	24	153	54	2	-	-	1	14	111
Female	8,332	8,238	7,800	195	27	161	54	-	1	-	-	10	84
10 to 14 years M	2	2	1	-	1	-	-	-	-	-	-	-	-
F	2	-	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years M	906	893	877	6	8	2	-	-	-	-	-	1	12
F	848	837	813	7	8	8	-	-	1	-	-	2	9
20 to 24 years M	2,941	2,905	2,813	43	11	34	4	-	-	-	-	8	28
F	2,764	2,730	2,634	42	13	39	2	-	-	-	-	4	30
25 to 29 years M	2,451	2,411	2,288	78	2	35	7	-	-	-	1	2	38
F	2,370	2,342	2,228	71	2	39	2	-	-	-	-	2	26
30 to 34 years M	1,474	1,455	1,336	70	2	36	11	-	-	-	-	-	19
F	1,439	1,430	1,327	39	3	38	23	-	-	-	-	1	8
35 to 39 years M	787	774	681	36	-	34	21	2	-	-	-	2	11
F	669	665	593	28	1	30	13	-	-	-	-	-	4
40 to 44 years M	243	239	205	15	-	12	7	-	-	-	-	1	3
F	221	216	188	7	-	7	14	-	-	-	-	-	5
45 to 49 years M	23	23	17	2	-	-	4	-	-	-	-	-	-
F	17	17	16	1	-	-	-	-	-	-	-	-	-
Not stated M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	2	1	1	-	-	-	-	-	-	-	-	1	-
VERMONT	7,603	7,299	6,218	424	142	299	211	3	1	-	1	4	-
Male	3,849	3,847	3,278	232	81	138	115	2	1	-	-	2	-
Female	3,454	3,452	2,940	192	61	161	96	1	-	-	1	2	-
10 to 14 years M	2	2	1	-	1	-	-	-	-	-	-	-	-
F	3	3	-	-	2	-	-	-	-	-	1	-	-
15 to 19 years M	419	418	355	17	36	7	3	-	-	-	-	1	-
F	307	307	263	12	27	4	1	-	-	-	-	-	-
20 to 24 years M	1,174	1,173	1,049	52	29	29	13	-	1	-	-	1	-
F	1,076	1,075	946	59	23	32	15	-	-	-	-	1	-
25 to 29 years M	1,052	1,052	908	72	4	43	23	2	-	-	-	-	-
F	1,000	1,000	874	55	3	51	17	-	-	-	-	-	-
30 to 34 years M	720	720	601	48	6	34	31	-	-	-	-	-	-
F	608	607	494	35	2	39	37	-	-	-	-	1	-
35 to 39 years M	379	379	289	31	5	23	31	-	-	-	-	-	-
F	358	358	284	24	3	28	19	-	-	-	-	-	-
40 to 44 years M	93	93	68	12	-	1	12	-	-	-	-	-	-
F	99	99	76	7	1	7	7	1	-	-	-	-	-
45 to 49 years M	8	8	5	-	-	1	2	-	-	-	-	-	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	2	2	2	-	-	-	-	-	-	-	-	-	-
VIRGINIA	72,157	54,663	52,982	415	858	279	105	-	12	-	12	17,467	27
Male	36,893	28,077	27,209	214	458	130	50	-	8	-	8	8,800	16
Female	35,264	26,586	25,773	201	400	149	55	-	4	-	4	8,667	11
10 to 14 years M	82	19	13	-	6	-	-	-	-	-	-	63	-
F	87	16	11	-	5	-	-	-	-	-	-	71	-
15 to 19 years M	5,418	3,390	3,206	13	169	1	1	-	-	-	-	2,027	1
F	5,186	3,196	3,022	7	162	3	-	-	-	-	2	1,990	-
20 to 24 years M	12,172	9,314	9,054	55	162	33	6	-	2	-	2	2,854	4
F	11,538	8,688	8,466	50	123	43	4	-	1	-	1	2,847	3
25 to 29 years M	9,278	7,465	7,278	61	62	46	14	-	2	-	2	1,808	5
F	8,872	7,155	6,983	65	58	33	14	-	1	-	1	1,714	3
30 to 34 years M	5,828	4,736	4,592	58	36	29	19	-	2	-	-	1,088	4
F	5,688	4,535	4,388	52	28	45	21	-	1	-	-	1,151	2
35 to 39 years M	3,016	2,348	2,284	22	16	17	8	-	1	-	-	667	1
F	2,839	2,227	2,148	25	18	23	13	-	-	-	-	609	3
40 to 44 years M	932	696	679	4	6	4	2	-	1	-	-	235	1
F	884	672	661	2	4	2	3	-	-	-	-	212	-
45 to 49 years M	87	64	62	1	1	-	-	-	-	-	-	23	-
F	81	50	50	-	-	-	-	-	-	-	-	31	-
50 to 54 years M	2	2	2	-	-	-	-	-	-	-	-	-	-
F	2	1	1	-	-	-	-	-	-	-	-	1	-
Not stated M	78	43	39	-	-	-	-	-	-	-	4	35	-
F	87	46	43	-	2	-	-	-	1	-	-	41	-
WASHINGTON	44,520	43,597	38,759	2,229	306	1,839	436	13	11	-	4	133	790
Male	22,973	22,496	20,012	1,128	160	961	223	7	4	-	1	72	405
Female	21,547	21,101	18,747	1,101	146	878	213	6	7	-	3	61	385
10 to 14 years M	5	4	1	-	3	-	-	-	-	-	-	-	1
F	6	3	1	-	2	-	-	-	-	-	-	-	3
15 to 19 years M	2,393	2,329	2,138	72	66	49	3	1	-	-	-	14	50
F	2,311	2,250	2,084	71	67	25	2	1	-	-	-	12	49
20 to 24 years M	8,268	8,105	7,394	307	56	308	38	2	-	-	-	32	131
F	7,791	7,636	6,970	296	45	286	35	4	-	-	-	25	130
25 to 29 years M	6,778	6,642	5,885	360	20	311	62	1	3	-	-	8	128
F	6,267	6,142	5,428	344	20	302	48	-	-	-	-	15	110
30 to 34 years M	3,636	3,572	3,087	250	9	192	53	1	-	-	-	11	53
F	3,334	3,281	2,826	219	9	168	57	-	2	-	-	6	47
35 to 39 years M	1,487	1,454	1,210	108	5	78	51	2	-	-	-	4	29
F	1,461	1,426	1,171	132	2	73	46	1	1	-	-	2	33
40 to 44 years M	364	350	284	30	-	23	13	-	-	-	-	3	11
F	331	321	243	33	-	21	22	-	1	-	1	-	10
45 to 49 years M	28	26	22	1	-	-	3	-	-	-	-	-	2
F	25	22	18	3	-	1	2	-	-	-	-	-	3
50 to 54 years F	3	2	2	-	-	-	-	-	-	-	-	1	-
Not stated M	14	14	11	-	1	-	-	-	1	-	1	-	-
F	18	18	6	3	1	2	1	-	3	-	2	-	-

TABLE 3.—LIVE BIRTHS BY SEX, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX OF CHILD, AND AGE OF MOTHER	Total births	WHITE										Negro	Other
		Total	Mother native			Mother foreign			Nativity of mother not stated				
			Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated	Father native	Father foreign	Nativity of father not stated		
WEST VIRGINIA	43,372	40,975	38,447	425	1,783	112	129	1	40	-	38	2,396	1
Male	22,357	21,132	19,816	228	943	51	55	-	17	-	22	1,225	-
Female	21,015	19,843	18,631	197	840	61	74	1	23	-	16	1,171	1
10 to 14 years M	25	22	8	-	14	-	-	-	-	-	-	3	-
F	18	10	4	-	6	-	-	-	-	-	-	8	-
15 to 19 years M	3,262	2,977	2,543	12	415	2	-	-	1	-	4	285	-
F	3,028	2,750	2,373	10	362	1	-	-	2	-	2	278	-
20 to 24 years M	7,409	7,007	6,628	43	308	17	6	-	4	-	3	402	-
F	6,813	6,441	6,081	33	282	18	5	-	6	-	6	371	1
25 to 29 years M	5,550	5,298	5,080	76	108	11	10	-	10	-	3	252	-
F	5,202	4,957	4,782	62	85	9	13	1	4	-	1	245	-
30 to 34 years M	3,383	3,229	3,081	62	53	11	19	-	1	-	2	154	-
F	3,350	3,198	3,057	43	56	23	17	-	2	-	-	152	-
35 to 39 years M	1,942	1,851	1,775	26	30	7	12	-	1	-	-	91	-
F	1,793	1,710	1,618	37	22	5	23	-	3	-	2	83	-
40 to 44 years M	647	614	587	6	10	3	8	-	-	-	-	33	-
F	675	646	604	12	9	5	13	-	2	-	1	29	-
45 to 49 years M	61	59	57	1	1	-	-	-	-	-	-	2	-
F	54	52	49	-	-	-	3	-	-	-	-	2	-
50 to 54 years M	3	2	2	-	-	-	-	-	-	-	-	1	-
F	1	1	1	-	-	-	-	-	-	-	-	-	-
55 years and over M	1	1	1	-	-	-	-	-	-	-	-	-	-
Not stated M	74	72	54	2	6	-	-	-	-	-	10	2	-
F	81	78	62	-	8	-	-	-	4	-	4	3	-
WISCONSIN	64,450	63,744	59,395	1,865	1,146	810	507	14	6	1	-	271	435
Male	33,216	32,855	30,610	936	595	434	268	8	3	1	-	146	215
Female	31,234	30,889	28,785	929	551	376	239	6	3	-	-	125	220
10 to 14 years M	7	5	1	-	4	-	-	-	-	-	-	-	2
F	8	5	2	1	2	-	-	-	-	-	-	2	1
15 to 19 years M	2,121	2,066	1,833	11	213	8	-	-	1	-	-	31	24
F	2,035	1,984	1,774	19	184	6	-	1	-	-	-	24	27
20 to 24 years M	9,847	9,732	9,221	157	234	96	18	5	1	-	-	45	70
F	9,357	9,253	8,781	147	230	77	16	2	-	-	-	49	55
25 to 29 years M	10,503	10,420	9,899	293	91	101	35	1	-	-	-	32	51
F	9,857	9,757	9,265	308	71	87	27	-	1	-	-	22	58
30 to 34 years M	6,609	6,554	6,057	263	31	125	76	-	1	1	-	20	35
F	6,094	6,032	5,497	287	38	125	82	2	1	-	-	18	44
35 to 39 years M	3,139	3,101	2,752	156	18	77	96	2	-	-	-	13	25
F	3,010	2,982	2,688	132	24	56	82	-	-	-	-	4	24
40 to 44 years M	922	909	794	47	4	24	40	-	-	-	-	5	8
F	816	802	716	33	2	23	26	1	1	-	-	5	9
45 to 49 years M	67	67	52	9	-	3	3	-	-	-	-	-	-
F	72	70	58	4	-	2	6	-	-	-	-	1	1
50 to 54 years M	1	1	1	-	-	-	-	-	-	-	-	-	-
F	2	2	2	-	-	-	-	-	-	-	-	-	-
Not stated F	3	2	2	-	-	-	-	-	-	-	-	-	1
WYOMING	5,822	5,463	5,081	194	56	58	67	2	2	-	3	22	337
Male	2,989	2,810	2,622	98	23	31	32	2	-	-	1	10	169
Female	2,833	2,653	2,459	95	33	27	35	-	2	-	2	12	168
10 to 14 years F	1	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years M	336	323	309	5	6	-	2	1	-	-	-	-	13
F	316	299	278	6	14	-	1	-	-	-	-	1	16
20 to 24 years M	1,036	994	957	19	10	5	2	-	-	-	1	4	38
F	969	918	878	21	11	3	1	-	1	-	1	5	48
25 to 29 years M	847	770	723	33	4	5	4	1	-	-	-	3	74
F	784	727	689	23	4	6	5	-	-	-	-	4	53
30 to 34 years M	449	424	388	18	-	11	7	-	-	-	-	-	25
F	471	444	395	25	4	8	11	-	-	-	1	-	27
35 to 39 years M	245	229	189	21	1	6	12	-	-	-	-	3	13
F	228	208	175	14	-	7	11	-	1	-	-	2	18
40 to 44 years M	63	57	44	2	2	4	5	-	-	-	-	-	6
F	56	50	36	6	-	2	6	-	-	-	-	-	6
45 to 49 years M	4	4	4	-	-	-	-	-	-	-	-	-	-
F	5	5	4	-	-	1	-	-	-	-	-	-	-
Not stated M	9	9	8	1	-	-	-	-	-	-	-	-	-
F	3	3	3	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	2,934,860	3,737	343,550	930,015	822,249	510,413	248,870	66,406	4,812	153	55	4,600
White, mother native	2,489,773	1,319	261,107	804,972	729,486	434,197	200,618	51,382	3,492	92	40	3,068
White, mother foreign	106,316	5	1,637	16,863	23,325	31,717	21,866	7,178	570	17	6	129
White, nativity of mother not stated	1,677	4	219	480	307	226	130	63	5	-	-	243
Negro	324,865	2,372	78,714	102,801	65,158	41,869	24,748	7,253	676	39	9	1,126
Other	15,232	37	1,873	4,799	3,973	2,404	1,508	530	69	5	-	34
Urban	1,714,164	1,714	178,705	551,676	510,817	304,848	132,862	29,810	1,772	66	26	1,868
White, mother native	1,471,455	572	137,590	485,189	459,165	259,095	105,286	21,823	1,204	40	18	1,273
White, mother foreign	83,673	5	1,218	13,585	19,132	26,264	17,554	5,427	391	13	2	82
White, nativity of mother not stated	756	2	90	205	155	96	49	26	1	-	-	135
Negro	155,644	1,129	39,330	51,075	30,937	18,870	9,556	2,402	156	12	6	371
Other	4,836	6	477	1,622	1,428	726	417	132	20	1	-	7
Places of 100,000 or more	821,715	834	77,110	258,086	253,727	152,340	64,488	13,702	753	34	11	630
White, mother native	680,662	225	54,400	220,236	223,883	124,360	47,685	9,043	450	23	8	369
White, mother foreign	52,288	3	653	7,893	11,823	17,180	11,238	3,231	221	7	-	41
White, nativity of mother not stated	264	1	21	61	54	32	13	9	1	-	-	72
Negro	85,872	602	21,835	29,029	17,162	10,355	5,320	1,345	71	4	3	146
Other	2,629	3	201	867	825	413	234	74	10	-	-	2
Places of 25,000 to 100,000	356,269	314	38,754	117,511	105,223	61,036	26,669	5,940	401	8	4	409
White, mother native	311,405	120	30,806	104,850	95,489	53,032	21,969	4,557	288	4	4	286
White, mother foreign	14,883	-	255	2,615	3,516	4,458	2,979	977	79	1	-	23
White, nativity of mother not stated	185	-	26	56	39	23	13	3	-	-	-	25
Negro	29,147	194	7,620	9,780	5,978	3,444	1,651	382	31	2	-	75
Other	849	-	47	210	201	109	57	21	3	1	-	-
Places of 10,000 to 25,000	241,117	229	26,372	79,537	70,056	41,658	18,377	4,329	245	8	3	305
White, mother native	214,861	86	21,651	72,048	64,486	37,106	15,645	3,447	167	3	3	219
White, mother foreign	8,185	1	126	1,601	1,865	2,344	1,614	574	51	3	-	6
White, nativity of mother not stated	121	-	15	37	26	12	7	8	-	-	-	16
Negro	17,393	142	4,503	5,645	3,540	2,124	1,068	283	25	2	-	61
Other	557	-	77	206	139	70	43	17	2	-	-	3
Places of 2,500 to 10,000	295,063	337	36,469	96,542	81,811	49,816	23,328	5,839	373	16	8	524
White, mother native	264,327	141	30,733	88,055	75,327	44,597	19,937	4,776	299	10	3	399
White, mother foreign	8,317	1	184	1,476	1,928	2,302	1,725	645	40	2	2	12
White, nativity of mother not stated	186	1	28	51	36	26	16	6	-	-	-	22
Negro	21,232	191	5,372	6,621	4,257	2,757	1,517	392	29	4	3	89
Other	1,001	3	152	339	263	134	83	20	5	-	-	2
Rural	1,220,696	2,023	164,845	378,339	311,432	205,565	116,008	36,596	3,040	87	29	2,732
White, mother native	1,018,518	747	123,517	319,783	270,321	175,102	95,332	29,559	2,288	52	22	1,795
White, mother foreign	19,640	-	419	3,278	4,193	5,453	4,312	1,751	179	4	4	47
White, nativity of mother not stated	921	2	129	275	152	133	81	37	4	-	-	108
Negro	171,221	1,243	39,384	51,826	34,221	23,199	15,192	4,851	520	27	3	755
Other	10,396	31	1,396	3,177	2,545	1,678	1,091	398	49	4	-	27
ALABAMA	77,535	266	14,134	24,393	17,647	11,658	6,724	1,948	152	7	3	603
White, mother native	49,647	41	7,514	16,242	12,043	7,882	4,295	1,244	84	1	2	299
White, mother foreign	95	-	4	15	23	32	13	8	-	-	-	-
White, nativity of mother not stated	341	1	50	112	65	44	27	18	2	-	-	22
Negro	27,433	224	6,565	8,017	5,509	3,698	2,389	678	66	6	1	282
Other	19	-	1	7	7	4	-	-	-	-	-	-
Urban	25,378	83	4,717	8,677	6,154	3,591	1,655	334	20	1	1	145
White, mother native	16,323	9	2,340	5,907	4,295	2,386	1,080	221	12	-	-	73
White, mother foreign	73	-	2	13	18	26	8	6	-	-	-	-
White, nativity of mother not stated	61	-	7	15	21	10	3	1	-	-	-	4
Negro	8,917	74	2,368	2,739	1,819	1,169	564	106	8	1	1	68
Other	4	-	-	3	1	-	-	-	-	-	-	-
Places of 100,000 or more	7,217	25	1,277	2,425	1,819	1,052	489	88	5	1	-	36
White, mother native	4,113	2	477	1,466	1,172	639	289	48	3	-	-	17
White, mother foreign	27	-	-	5	7	7	5	3	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	3,076	23	800	954	639	406	195	37	2	1	-	19
Other	1	-	-	-	1	-	-	-	-	-	-	-
Places of 25,000 to 100,000	7,767	30	1,438	2,739	1,864	1,096	475	91	4	-	-	30
White, mother native	5,180	1	732	1,933	1,338	767	326	63	3	-	-	19
White, mother foreign	26	-	2	1	7	11	3	2	-	-	-	-
White, nativity of mother not stated	14	-	-	3	4	4	1	-	-	-	-	2
Negro	2,545	29	704	800	517	314	145	26	1	-	-	9
Other	2	-	-	2	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,852	10	766	1,366	903	519	212	53	3	-	-	20
White, mother native	2,408	-	391	944	606	302	126	34	2	-	-	3
White, mother foreign	7	-	-	4	1	2	-	-	-	-	-	-
White, nativity of mother not stated	10	-	1	3	4	2	-	-	-	-	-	-
Negro	1,427	10	374	415	292	213	86	19	1	-	-	17
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,542	18	1,236	2,147	1,568	924	479	102	8	-	1	59
White, mother native	4,622	6	740	1,564	1,181	678	339	76	4	-	-	34
White, mother foreign	13	-	-	3	3	6	-	1	-	-	-	-
White, nativity of mother not stated	37	-	6	9	13	4	2	1	-	-	-	2
Negro	1,869	12	490	570	371	236	138	24	4	-	1	23
Other	1	-	-	1	-	-	-	-	-	-	-	-
Rural	52,157	183	9,417	15,716	11,493	8,067	5,069	1,614	132	6	2	458
White, mother native	33,324	32	5,174	10,335	7,748	5,496	3,215	1,023	72	1	2	226
White, mother foreign	22	-	2	2	5	6	5	2	-	-	-	-
White, nativity of mother not stated	280	1	43	97	44	34	24	17	2	-	-	18
Negro	18,516	150	4,197	5,278	3,690	2,527	1,825	572	58	5	-	214
Other	15	-	1	4	6	4	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
ARIZONA	14,297	22	2,217	4,808	3,512	2,174	1,205	326	16	2	-	15
White, mother native	11,427	10	1,868	4,108	2,865	1,590	777	192	8	-	-	9
White, mother foreign	1,191	-	48	220	278	309	252	80	3	-	-	1
White, nativity of mother not stated	2	-	1	1	-	-	-	-	-	-	-	-
Negro	370	7	103	113	77	40	29	1	-	-	-	-
Other	1,307	5	197	366	292	235	147	53	5	2	-	5
Urban	7,611	10	1,114	2,688	1,935	1,130	586	143	5	-	-	2
White, mother native	6,505	5	1,007	2,427	1,674	882	411	93	4	-	-	2
White, mother foreign	712	-	24	141	171	185	146	44	1	-	-	-
White, nativity of mother not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	268	5	70	84	58	34	16	1	-	-	-	-
Other	125	-	12	34	32	29	13	5	-	-	-	-
Places of 25,000 to 100,000	4,548	7	650	1,556	1,213	677	353	87	4	-	-	1
White, mother native	3,915	3	573	1,407	1,059	547	261	61	3	-	-	1
White, mother foreign	324	-	9	60	80	86	67	21	1	-	-	-
White, nativity of mother not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	222	4	60	70	50	23	14	1	-	-	-	-
Other	86	-	7	19	24	21	11	4	-	-	-	-
Places of 2,500 to 10,000	3,063	3	464	1,130	722	453	235	56	1	-	-	1
White, mother native	2,590	2	434	1,020	615	335	150	32	1	-	-	1
White, mother foreign	388	-	15	81	91	99	79	23	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	46	1	10	14	8	11	2	-	-	-	-	-
Other	39	-	5	15	8	8	2	1	-	-	-	-
Rural	6,686	12	1,103	2,122	1,577	1,044	619	183	11	2	-	13
White, mother native	4,922	5	861	1,681	1,191	708	366	99	4	-	-	7
White, mother foreign	479	-	24	79	107	124	106	36	2	-	-	1
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	102	2	33	29	19	6	13	-	-	-	-	-
Other	1,182	5	185	332	260	206	134	48	5	2	-	5
ARKANSAS	42,589	122	8,304	13,586	9,166	6,287	3,827	1,160	67	3	1	266
White, mother native	32,375	30	5,616	10,580	7,280	4,855	2,907	864	50	2	-	191
White, mother foreign	59	-	3	18	17	14	7	2	-	-	-	-
White, nativity of mother not stated	35	-	7	10	4	7	5	2	-	-	-	-
Negro	10,077	92	2,673	2,769	1,856	1,399	902	292	17	1	1	75
Other	43	-	5	11	9	12	6	-	-	-	-	-
Urban	12,107	29	2,170	4,223	2,880	1,688	808	234	13	-	-	62
White, mother native	9,783	7	1,550	3,554	2,415	1,369	652	178	8	-	-	50
White, mother foreign	33	-	1	11	12	7	2	-	-	-	-	-
White, nativity of mother not stated	12	-	5	4	-	2	1	-	-	-	-	-
Negro	2,285	22	612	650	450	307	151	56	5	-	-	12
Other	14	-	2	4	3	3	2	-	-	-	-	-
Places of 25,000 to 100,000	3,459	5	590	1,250	885	450	203	55	6	-	-	15
White, mother native	2,811	1	417	1,052	750	372	161	43	3	-	-	12
White, mother foreign	20	-	-	8	6	5	1	-	-	-	-	-
White, nativity of mother not stated	1	-	-	-	-	1	-	-	-	-	-	-
Negro	624	4	172	189	128	72	41	12	3	-	-	3
Other	3	-	1	1	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,350	8	601	1,158	835	463	207	62	2	-	-	14
White, mother native	2,705	2	420	980	690	377	174	50	1	-	-	9
White, mother foreign	5	-	1	1	1	1	1	-	-	-	-	-
White, nativity of mother not stated	2	-	2	-	-	-	-	-	-	-	-	-
Negro	637	6	178	176	144	84	31	12	1	-	-	5
Other	3	-	-	1	-	1	1	-	-	-	-	-
Places of 2,500 to 10,000	5,298	16	979	1,815	1,160	775	398	117	5	-	-	33
White, mother native	4,269	4	713	1,522	975	620	317	85	4	-	-	29
White, mother foreign	8	-	-	2	5	1	-	-	-	-	-	-
White, nativity of mother not stated	9	-	3	4	-	1	1	-	-	-	-	-
Negro	1,004	12	262	285	178	151	79	32	1	-	-	4
Other	8	-	1	2	2	2	1	-	-	-	-	-
Rural	30,482	93	6,134	9,163	6,286	4,599	3,019	926	54	3	1	204
White, mother native	22,592	23	4,066	7,026	4,865	3,486	2,255	696	42	2	-	141
White, mother foreign	26	-	2	5	5	7	5	2	-	-	-	-
White, nativity of mother not stated	23	-	2	6	4	5	4	2	-	-	-	-
Negro	7,812	70	2,081	2,119	1,408	1,092	751	236	12	1	1	65
Other	29	-	3	7	6	9	4	-	-	-	-	-
CALIFORNIA	174,420	73	21,103	62,064	49,446	27,484	11,456	2,533	168	5	1	87
White, mother native	155,519	54	19,614	57,127	44,443	23,474	8,907	1,739	97	3	1	60
White, mother foreign	11,315	-	268	2,258	3,053	3,027	2,002	641	47	2	-	17
White, nativity of mother not stated	46	1	10	12	10	6	-	-	1	-	-	6
Negro	4,028	14	915	1,510	857	467	217	41	7	-	-	-
Other	3,512	4	296	1,157	1,083	510	330	112	16	-	-	4
Urban	132,084	53	15,302	47,333	38,303	20,808	8,309	1,713	104	3	-	56
White, mother native	117,552	37	14,076	43,486	34,407	17,830	6,478	1,158	59	1	-	40
White, mother foreign	8,560	-	207	1,735	2,395	2,303	1,429	456	26	2	-	7
White, nativity of mother not stated	36	1	8	9	9	3	-	-	-	-	-	6
Negro	3,673	13	841	1,388	780	420	191	34	6	-	-	-
Other	2,263	2	170	755	712	352	211	65	13	-	-	3
Places of 100,000 or more	70,213	28	7,761	25,068	20,745	11,300	4,399	841	54	1	-	16
White, mother native	61,257	17	6,929	22,627	18,290	9,416	3,573	561	33	1	-	10
White, mother foreign	4,838	-	120	982	1,407	1,543	755	217	11	-	-	3
White, nativity of mother not stated	18	1	5	1	4	2	-	-	-	-	-	5
Negro	2,682	7	611	1,018	583	300	157	22	4	-	-	-
Other	1,418	1	96	440	461	239	134	41	6	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
CALIFORNIA—Continued												
Places of 25,000 to 100,000	24,429	8	2,820	8,784	7,131	3,809	1,510	340	21	-	-	6
White, mother native	22,134	4	2,648	8,177	6,526	3,354	1,186	242	13	-	-	4
White, mother foreign	1,439	-	29	311	396	359	257	80	5	-	-	2
White, nativity of mother not stated	8	-	2	3	3	-	-	-	-	-	-	-
Negro	545	4	128	193	104	68	42	6	-	-	-	-
Other	303	-	13	100	102	48	25	12	3	-	-	-
Places of 10,000 to 25,000	17,499	6	2,095	6,349	4,974	2,751	1,083	229	14	2	-	16
White, mother native	16,077	4	1,979	5,952	4,614	2,459	889	162	5	-	-	13
White, mother foreign	892	-	21	186	245	232	144	56	5	2	-	1
White, nativity of mother not stated	3	-	-	3	-	-	-	-	-	-	-	-
Negro	319	2	75	136	57	36	7	4	2	-	-	-
Other	208	-	20	72	58	24	23	7	2	-	-	2
Places of 2,500 to 10,000	19,943	13	2,626	7,132	5,453	3,048	1,337	303	15	-	-	16
White, mother native	18,084	12	2,520	6,710	4,977	2,621	1,030	193	8	-	-	13
White, mother foreign	1,391	-	37	256	347	389	273	103	5	-	-	1
White, nativity of mother not stated	7	-	1	2	2	1	-	-	-	-	-	1
Negro	127	-	27	41	36	16	5	2	-	-	-	-
Other	334	1	41	123	91	41	29	5	2	-	-	1
Rural	42,336	20	5,801	14,731	11,143	6,576	3,147	820	64	2	1	31
White, mother native	37,967	17	5,538	13,661	10,036	5,644	2,429	581	38	2	1	20
White, mother foreign	2,755	-	61	523	658	724	573	185	21	-	-	10
White, nativity of mother not stated	10	-	2	3	1	3	-	-	1	-	-	-
Negro	355	1	74	122	77	47	26	7	1	-	-	-
Other	1,249	2	126	422	371	158	119	47	3	-	-	1
COLORADO	24,367	12	2,980	8,278	6,651	3,870	1,949	577	31	1	-	18
White, mother native	23,050	10	2,882	7,977	6,307	3,597	1,756	480	25	1	-	15
White, mother foreign	612	-	6	84	127	178	139	72	5	-	-	1
White, nativity of mother not stated	14	-	1	5	4	3	-	-	-	-	-	1
Negro	300	-	77	81	72	43	19	7	-	-	-	1
Other	391	2	14	131	141	49	35	18	1	-	-	-
Urban	14,744	6	1,870	5,145	4,100	2,274	1,044	277	17	1	-	10
White, mother native	14,013	5	1,785	4,975	3,918	2,119	958	234	12	1	-	8
White, mother foreign	345	-	5	57	81	100	62	34	5	-	-	1
White, nativity of mother not stated	9	-	-	3	3	3	-	-	-	-	-	-
Negro	283	-	74	76	67	39	19	7	-	-	-	1
Other	94	1	6	34	33	13	5	2	-	-	-	-
Places of 100,000 or more	7,645	5	937	2,614	2,192	1,231	523	129	7	-	-	7
White, mother native	7,194	5	880	2,520	2,070	1,131	471	107	4	-	-	6
White, mother foreign	193	-	2	29	50	60	35	14	3	-	-	-
White, nativity of mother not stated	2	-	-	2	-	-	-	-	-	-	-	-
Negro	203	-	53	47	49	33	14	6	-	-	-	1
Other	53	-	2	16	23	7	3	2	-	-	-	-
Places of 25,000 to 100,000	2,517	-	325	942	694	360	156	37	2	-	-	1
White, mother native	2,398	-	308	910	662	338	148	30	1	-	-	1
White, mother foreign	58	-	2	8	16	19	5	7	1	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	54	-	15	19	14	3	3	-	-	-	-	-
Other	7	-	-	5	2	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,464	-	182	503	428	212	104	31	4	-	-	-
White, mother native	1,415	-	176	491	417	203	96	29	3	-	-	-
White, mother foreign	28	-	-	8	6	4	7	2	1	-	-	-
White, nativity of mother not stated	2	-	-	-	2	-	-	-	-	-	-	-
Negro	6	-	4	-	1	1	-	-	-	-	-	-
Other	13	-	2	4	2	4	1	-	-	-	-	-
Places of 2,500 to 10,000	3,118	1	426	1,086	786	471	261	80	4	1	-	2
White, mother native	3,006	-	421	1,054	767	447	243	68	4	1	-	1
White, mother foreign	66	-	1	12	9	17	15	11	-	-	-	1
White, nativity of mother not stated	5	-	-	1	1	3	-	-	-	-	-	-
Negro	20	-	2	10	3	2	2	1	-	-	-	-
Other	21	1	2	9	6	2	1	-	-	-	-	-
Rural	9,623	6	1,110	3,133	2,551	1,596	905	300	14	-	-	8
White, mother native	9,037	5	1,097	3,002	2,391	1,478	798	246	13	-	-	7
White, mother foreign	267	-	1	27	46	78	77	38	-	-	-	-
White, nativity of mother not stated	5	-	1	2	1	-	-	-	-	-	-	1
Negro	17	-	3	5	5	4	-	-	-	-	-	-
Other	297	1	8	97	108	38	30	16	1	-	-	-
CONNECTICUT	39,005	9	1,838	10,961	13,761	8,143	3,461	736	35	1	-	60
White, mother native	34,929	7	1,639	10,138	12,839	6,988	2,756	496	17	-	-	49
White, mother foreign	3,136	-	22	462	720	1,041	841	225	18	1	-	6
White, nativity of mother not stated	18	-	2	5	3	3	3	-	-	-	-	2
Negro	913	2	174	350	197	111	61	15	-	-	-	3
Other	9	-	1	6	2	-	-	-	-	-	-	-
Urban	26,922	6	1,284	7,686	9,576	5,549	2,277	489	23	1	-	31
White, mother native	23,741	4	1,100	7,002	8,858	4,674	1,758	312	11	-	-	24
White, mother foreign	2,331	-	16	352	539	775	468	165	12	1	-	3
White, nativity of mother not stated	15	-	1	5	3	2	3	-	-	-	-	1
Negro	831	2	167	324	177	98	48	12	-	-	-	3
Other	4	-	-	3	1	-	-	-	-	-	-	-
Places of 100,000 or more	10,740	3	537	3,177	3,768	2,187	854	191	8	-	-	15
White, mother native	9,245	1	425	2,829	3,436	1,803	626	112	1	-	-	12
White, mother foreign	974	-	3	140	225	326	200	72	7	-	-	1
White, nativity of mother not stated	11	-	1	4	2	2	2	-	-	-	-	-
Negro	506	2	108	201	104	56	26	7	-	-	-	2
Other	4	-	-	3	1	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
CONNECTICUT—Continued												
Places of 25,000 to 100,000	10,622	-	462	2,908	3,860	2,223	948	198	13	-	-	10
White, mother native	9,397	-	401	2,665	3,574	1,873	742	125	8	-	-	9
White, mother foreign	967	-	10	148	227	317	190	69	5	-	-	1
White, nativity of mother not stated	3	-	-	1	1	-	1	-	-	-	-	-
Negro	255	-	51	94	58	33	15	4	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	4,320	2	193	1,225	1,541	893	383	75	1	1	-	6
White, mother native	3,958	2	184	1,149	1,457	788	316	58	1	-	-	3
White, mother foreign	294	-	1	49	70	96	60	16	-	1	-	1
White, nativity of mother not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	67	-	8	27	14	9	7	1	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,240	1	92	376	407	248	92	25	1	-	-	-
White, mother native	1,141	1	90	359	389	210	74	17	1	-	-	-
White, mother foreign	96	-	2	15	17	36	18	8	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	-	2	1	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	12,083	3	554	3,275	4,185	2,594	1,184	247	12	-	-	29
White, mother native	11,188	3	539	3,136	3,983	2,314	998	184	6	-	-	25
White, mother foreign	805	-	6	110	181	266	173	60	6	-	-	3
White, nativity of mother not stated	3	-	1	-	-	1	-	-	-	-	-	1
Negro	82	-	7	26	20	13	13	3	-	-	-	-
Other	5	-	1	3	1	-	-	-	-	-	-	-
DELAWARE	6,229	12	765	1,989	1,759	1,048	488	130	10	-	-	8
White, mother native	5,183	2	534	1,677	1,578	897	395	91	4	-	-	5
White, mother foreign	124	-	1	26	19	40	24	13	1	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	917	10	248	284	161	111	69	26	5	-	-	3
Other	5	-	2	2	1	-	-	-	-	-	-	-
Urban	3,289	5	401	1,070	957	544	248	58	4	-	-	4
White, mother native	2,701	1	257	893	858	460	192	35	2	-	-	3
White, mother foreign	91	-	-	17	10	34	19	10	1	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	497	4	144	160	89	50	35	13	1	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 100,000 or more	2,611	3	302	858	765	431	202	45	3	-	-	2
White, mother native	2,146	-	190	719	684	367	155	28	1	-	-	2
White, mother foreign	80	-	-	13	8	31	19	8	1	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	385	3	112	126	73	33	28	9	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	678	2	99	212	192	113	44	13	1	-	-	2
White, mother native	555	1	67	174	174	93	37	7	1	-	-	1
White, mother foreign	11	-	-	4	2	3	-	2	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	112	1	32	34	16	17	7	4	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	2,940	7	384	919	802	504	242	72	6	-	-	4
White, mother native	2,482	1	277	784	720	457	205	56	2	-	-	2
White, mother foreign	33	-	1	9	9	6	5	3	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	420	6	104	124	72	61	34	13	4	-	-	2
Other	5	-	2	2	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	16,080	48	2,157	5,365	4,498	2,570	1,112	239	8	1	-	82
White, mother native	10,307	5	849	3,515	3,243	1,809	719	152	4	-	-	11
White, mother foreign	457	-	7	71	129	143	83	19	1	-	-	4
White, nativity of mother not stated	61	-	1	13	11	2	1	1	-	-	-	32
Negro	5,227	43	1,299	1,754	1,107	611	307	67	3	1	-	35
Other	28	-	1	12	8	5	2	-	-	-	-	-
FLORIDA	46,744	160	8,171	15,933	11,521	6,789	3,146	808	62	2	1	151
White, mother native	34,112	34	5,043	12,110	9,006	5,053	2,181	559	41	2	-	83
White, mother foreign	557	-	21	136	163	157	57	22	1	-	-	-
White, nativity of mother not stated	22	-	2	4	1	9	1	1	-	-	-	4
Negro	12,026	126	3,099	3,675	2,347	1,568	903	224	19	-	1	64
Other	27	-	6	8	4	2	4	2	1	-	-	-
Urban	26,614	84	4,505	9,408	6,820	3,739	1,536	348	16	-	1	57
White, mother native	19,472	10	2,709	7,211	5,439	2,768	1,089	227	11	-	-	28
White, mother foreign	444	-	17	113	130	119	44	20	1	-	-	-
White, nativity of mother not stated	10	-	-	3	-	4	-	1	-	-	-	2
Negro	6,678	74	1,777	2,078	1,350	847	422	98	4	-	1	27
Other	10	-	2	3	1	1	1	2	-	-	-	-
Places of 100,000 or more	11,683	25	1,955	4,137	3,132	1,651	622	148	5	-	-	28
White, mother native	8,689	3	1,245	3,168	2,508	1,222	425	99	4	-	-	15
White, mother foreign	242	-	8	60	67	62	35	9	1	-	-	-
White, nativity of mother not stated	5	-	-	2	-	2	-	1	-	-	-	-
Negro	2,740	22	701	905	557	344	161	37	-	-	-	13
Other	7	-	1	2	-	1	1	2	-	-	-	-
Places of 25,000 to 100,000	4,867	6	767	1,823	1,270	630	301	67	2	-	-	1
White, mother native	3,784	2	484	1,470	1,040	502	257	48	-	-	-	1
White, mother foreign	91	-	6	27	26	22	5	5	-	-	-	-
White, nativity of mother not stated	1	-	-	-	-	1	-	-	-	-	-	-
Negro	990	4	277	325	204	105	59	14	2	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
FLORIDA—Continued												
Places of 10,000 to 25,000	4,336	19	742	1,515	1,097	642	254	52	4	-	-	11
White, mother native	3,089	3	417	1,140	844	470	173	33	4	-	-	5
White, mother foreign	55	-	2	11	21	19	2	-	-	-	-	-
White, nativity of mother not stated	4	-	-	1	-	1	-	-	-	-	-	2
Negro	1,187	16	323	363	251	152	79	19	-	-	-	4
Other	1	-	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,728	34	1,041	1,933	1,421	836	359	81	5	-	1	17
White, mother native	3,910	2	563	1,433	1,047	574	234	47	3	-	-	7
White, mother foreign	56	-	1	15	16	16	2	6	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1,761	32	476	485	358	246	123	28	2	-	1	10
Other	1	-	1	-	-	-	-	-	-	-	-	-
Rural	20,130	76	3,666	6,525	4,601	3,050	1,610	460	48	2	-	94
White, mother native	14,640	24	2,534	4,899	3,567	2,285	1,112	332	30	2	-	55
White, mother foreign	113	-	4	23	33	38	13	2	-	-	-	-
White, nativity of mother not stated	12	-	2	1	1	5	1	-	-	-	-	2
Negro	5,348	52	1,322	1,597	997	721	481	126	15	-	-	37
Other	17	-	4	5	3	1	3	-	1	-	-	-
GEORGIA	78,587	278	14,277	25,764	18,160	11,570	6,259	1,724	160	7	-	188
White, mother native	49,993	69	7,455	16,733	12,422	7,868	4,120	1,124	91	3	-	108
White, mother foreign	162	-	3	52	41	42	19	5	-	-	-	-
White, nativity of mother not stated	32	-	6	7	4	5	3	-	-	-	-	7
Negro	28,191	209	6,813	8,971	5,687	3,654	2,117	594	69	4	-	73
Other	9	-	-	1	6	1	-	1	-	-	-	-
Urban	31,235	110	5,612	11,041	7,537	4,481	1,955	407	33	2	-	57
White, mother native	21,278	28	3,105	7,756	5,491	3,222	1,358	268	20	1	-	33
White, mother foreign	133	-	2	43	33	35	17	3	-	-	-	-
White, nativity of mother not stated	10	-	2	1	2	-	3	-	-	-	-	2
Negro	9,807	82	2,505	3,240	2,007	1,223	579	135	13	1	-	22
Other	7	-	-	1	4	1	-	1	-	-	-	-
Places of 100,000 or more	7,212	27	1,236	2,408	1,783	1,152	503	82	6	1	-	16
White, mother native	4,878	3	648	1,670	1,304	835	353	58	3	1	-	5
White, mother foreign	53	-	1	14	13	19	6	-	-	-	-	-
White, nativity of mother not stated	3	-	-	-	-	-	1	-	-	-	-	2
Negro	2,278	24	589	722	466	298	143	24	3	-	-	9
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	10,226	34	1,970	3,820	2,425	1,299	552	104	7	-	-	15
White, mother native	6,926	9	1,101	2,711	1,750	901	370	68	6	-	-	10
White, mother foreign	47	-	-	16	11	9	9	2	-	-	-	-
White, nativity of mother not stated	2	-	1	-	-	-	1	-	-	-	-	-
Negro	3,244	25	868	1,092	660	388	172	33	1	-	-	5
Other	7	-	-	1	4	1	-	1	-	-	-	-
Places of 10,000 to 25,000	5,927	17	1,086	2,109	1,405	833	374	88	8	-	-	7
White, mother native	4,138	5	624	1,505	1,053	605	278	55	5	-	-	6
White, mother foreign	23	-	1	9	6	4	2	1	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1,768	12	461	595	346	224	94	32	3	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	7,870	32	1,320	2,706	1,924	1,197	526	133	12	1	-	19
White, mother native	5,338	11	732	1,870	1,384	881	355	87	6	-	-	12
White, mother foreign	10	-	-	4	3	3	-	-	-	-	-	-
White, nativity of mother not stated	5	-	1	1	2	-	1	-	-	-	-	-
Negro	2,517	21	587	831	535	313	170	46	6	1	-	7
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	47,152	168	8,665	14,723	10,623	7,089	4,304	1,317	127	5	-	131
White, mother native	28,715	41	4,352	8,977	6,931	4,646	2,764	858	71	2	-	75
White, mother foreign	29	-	1	9	8	7	2	2	-	-	-	-
White, nativity of mother not stated	22	-	4	6	2	5	-	-	-	-	-	5
Negro	18,384	127	4,308	5,731	3,680	2,431	1,538	459	56	3	-	51
Other	2	-	-	-	2	-	-	-	-	-	-	-
IDAHO	12,391	9	1,520	4,313	3,299	1,942	978	273	27	1	-	29
White, mother native	12,016	9	1,493	4,189	3,209	1,889	923	253	25	-	-	26
White, mother foreign	248	-	13	80	56	43	40	14	-	-	-	2
White, nativity of mother not stated	4	-	-	1	-	-	3	-	-	-	-	-
Negro	1	-	-	-	-	-	-	-	-	-	-	1
Other	122	-	14	43	34	10	12	6	2	1	-	-
Urban	5,288	4	662	1,844	1,408	848	404	101	6	-	-	13
White, mother native	5,132	4	655	1,789	1,378	815	382	94	6	-	-	11
White, mother foreign	134	-	7	44	25	29	22	6	-	-	-	1
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	-	-	-	-	-	-	-	1
Other	21	-	-	11	7	2	-	1	-	-	-	-
Places of 25,000 to 100,000	782	2	92	252	240	130	56	7	1	-	-	2
White, mother native	767	2	92	248	236	127	54	7	1	-	-	2
White, mother foreign	13	-	-	5	3	3	2	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	2	-	-	1	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,351	2	290	856	618	358	178	42	1	-	-	8
White, mother native	2,285	2	286	834	609	344	166	37	1	-	-	6
White, mother foreign	58	-	4	17	8	12	12	4	-	-	-	1
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	-	-	-	-	-	-	-	1
Other	7	-	-	5	1	-	-	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
IDAHO—Continued												
Places of 2,500 to 10,000	2,155	-	280	736	550	360	170	52	4	-	-	3
White, mother native	2,080	-	277	709	531	344	162	50	4	-	-	3
White, mother foreign	63	-	3	22	14	14	8	2	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	12	-	-	5	5	2	-	-	-	-	-	-
Rural	7,103	5	858	2,469	1,891	1,096	574	172	21	1	-	16
White, mother native	6,884	5	838	2,400	1,833	1,074	541	159	19	-	-	15
White, mother foreign	114	-	6	36	31	14	18	8	-	-	-	1
White, nativity of mother not stated	4	-	-	1	-	-	3	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	101	-	14	32	27	8	12	5	2	1	-	-
ILLINOIS	155,735	93	13,859	47,205	48,298	29,627	15,167	3,266	172	8	1	41
White, mother native	140,324	55	11,407	43,132	45,251	26,498	11,156	2,646	147	5	1	26
White, mother foreign	6,069	1	68	947	1,195	1,962	1,392	482	21	-	-	1
White, nativity of mother not stated	82	-	19	27	13	8	2	-	-	-	-	13
Negro	9,118	37	2,360	3,045	1,792	1,138	606	134	4	1	-	1
Other	142	-	5	54	47	21	11	4	-	-	-	-
Urban	118,829	77	9,858	35,900	37,971	23,100	9,664	2,127	96	5	1	30
White, mother native	104,281	40	7,511	32,025	35,088	20,151	7,796	1,577	73	4	1	17
White, mother foreign	5,642	1	57	881	1,127	1,839	1,286	430	20	-	-	1
White, nativity of mother not stated	66	-	11	23	12	7	2	-	-	-	-	11
Negro	8,701	36	2,274	2,919	1,700	1,082	569	116	3	1	-	1
Other	139	-	5	52	46	21	11	4	-	-	-	-
Places of 100,000 or more	69,769	56	5,060	20,310	23,298	14,138	5,656	1,179	55	3	-	14
White, mother native	58,128	24	3,180	17,251	20,980	11,759	4,171	737	36	2	-	8
White, mother foreign	4,510	1	46	680	909	1,490	1,023	344	16	-	-	1
White, nativity of mother not stated	23	-	2	5	7	3	1	-	-	-	-	5
Negro	6,990	31	1,827	2,350	1,366	868	450	94	3	1	-	-
Other	118	-	5	44	36	18	11	4	-	-	-	-
Places of 25,000 to 100,000	21,300	11	1,993	6,738	6,571	3,880	1,695	397	21	1	-	5
White, mother native	19,651	8	1,689	6,259	6,253	3,590	1,493	338	19	1	-	1
White, mother foreign	493	-	3	94	84	149	124	37	2	-	-	-
White, nativity of mother not stated	26	-	6	13	3	1	-	-	-	-	-	3
Negro	1,113	3	295	366	223	137	76	12	-	-	-	1
Other	17	-	-	6	8	3	-	-	-	-	-	-
Places of 10,000 to 25,000	11,716	6	1,132	3,759	3,463	2,159	957	232	7	-	1	-
White, mother native	11,055	4	1,033	3,572	3,328	2,013	875	203	6	-	1	-
White, mother foreign	304	-	4	51	68	101	58	21	1	-	-	-
White, nativity of mother not stated	4	-	2	1	1	-	-	-	-	-	-	-
Negro	370	2	93	133	65	45	24	8	-	-	-	-
Other	3	-	-	2	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	16,044	4	1,673	5,093	4,639	2,923	1,358	329	13	1	-	11
White, mother native	15,467	4	1,609	4,963	4,525	2,789	1,257	299	12	1	-	8
White, mother foreign	355	-	4	56	66	99	81	28	1	-	-	-
White, nativity of mother not stated	13	-	1	4	1	3	1	-	-	-	-	3
Negro	228	-	59	70	46	32	19	2	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-	-
Rural	36,908	16	4,001	11,305	10,327	6,527	3,503	1,139	78	1	-	11
White, mother native	36,043	15	3,896	11,107	10,165	6,347	3,360	1,069	74	1	-	9
White, mother foreign	427	-	11	66	68	123	106	52	1	-	-	-
White, nativity of mother not stated	16	-	8	4	1	1	-	-	-	-	-	2
Negro	417	1	86	126	92	56	37	18	1	-	-	-
Other	3	-	-	2	1	-	-	-	-	-	-	-
INDIANA	74,672	54	9,318	25,031	20,383	11,932	5,848	1,749	130	2	-	225
White, mother native	71,196	44	8,648	23,964	19,710	11,387	5,492	1,651	121	2	-	197
White, mother foreign	784	-	16	160	146	208	167	58	8	-	-	1
White, nativity of mother not stated	124	-	11	38	22	18	13	6	-	-	-	16
Negro	2,577	10	643	887	499	316	176	54	1	-	-	11
Other	11	-	-	2	6	3	-	-	-	-	-	-
Urban	45,155	26	5,876	15,651	12,606	6,901	3,104	846	50	2	-	93
White, mother native	41,943	16	5,221	14,651	11,977	6,421	2,798	741	44	2	-	74
White, mother foreign	821	-	15	131	123	166	135	46	5	-	-	-
White, nativity of mother not stated	274	-	10	18	17	8	7	5	-	-	-	9
Negro	2,510	10	630	850	484	305	166	54	1	-	-	10
Other	7	-	-	1	5	1	-	-	-	-	-	-
Places of 100,000 or more	17,324	13	2,082	5,894	4,995	2,770	1,220	317	13	2	-	18
White, mother native	15,185	5	1,614	5,202	4,583	2,471	1,028	258	10	2	-	12
White, mother foreign	313	-	5	82	61	79	69	15	2	-	-	-
White, nativity of mother not stated	9	-	1	1	1	3	1	2	-	-	-	-
Negro	1,813	8	462	608	348	216	122	42	1	-	-	6
Other	4	-	-	1	2	1	-	-	-	-	-	-
Places of 25,000 to 100,000	14,713	8	1,949	5,177	4,118	2,153	982	282	19	-	-	25
White, mother native	13,855	6	1,785	4,931	3,948	2,011	891	250	16	-	-	17
White, mother foreign	224	-	7	31	43	65	52	25	3	-	-	-
White, nativity of mother not stated	24	-	4	6	5	3	1	-	-	-	-	5
Negro	607	2	153	209	119	74	38	9	-	-	-	3
Other	3	-	-	-	3	-	-	-	-	-	-	-
Places of 10,000 to 25,000	5,789	2	794	2,001	1,588	869	399	114	7	-	-	15
White, mother native	5,673	2	784	1,962	1,563	851	386	105	7	-	-	13
White, mother foreign	44	-	2	10	10	11	7	4	-	-	-	-
White, nativity of mother not stated	21	-	3	8	6	-	1	2	-	-	-	1
Negro	51	-	5	21	9	7	5	3	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
INDIANA—Continued												
Places of 2,500 to 10,000	7,329	3	1,051	2,579	1,805	1,109	503	133	11	-	-	35
White, mother native	7,230	3	1,038	2,556	1,883	1,088	491	128	11	-	-	32
White, mother foreign	40	-	1	8	9	11	7	4	-	-	-	-
White, nativity of mother not stated	20	-	2	3	5	2	4	1	-	-	-	3
Negro	39	-	10	12	8	8	1	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	29,517	28	3,442	9,380	7,777	5,031	2,744	903	80	-	-	132
White, mother native	29,253	28	3,427	9,313	7,733	4,966	2,696	890	77	-	-	123
White, mother foreign	143	-	1	29	23	42	32	12	3	-	-	1
White, nativity of mother not stated	50	-	1	20	5	10	6	1	-	-	-	7
Negro	67	-	13	17	15	11	10	-	-	-	-	1
Other	4	-	-	1	1	2	-	-	-	-	-	-
IOWA	47,617	18	4,396	15,188	13,658	8,591	4,307	1,302	110	1	-	49
White, mother native	46,740	17	4,308	14,988	13,457	8,411	4,181	1,247	105	1	-	45
White, mother foreign	512	-	15	102	111	135	95	48	5	-	-	1
White, nativity of mother not stated	24	-	3	9	3	4	1	1	-	-	-	3
Negro	301	1	66	96	71	35	27	5	-	-	-	-
Other	40	-	1	13	16	6	3	1	-	-	-	-
Urban	21,488	7	2,293	7,127	6,133	3,689	1,736	439	39	-	-	25
White, mother native	20,916	6	2,219	6,967	5,990	3,596	1,660	418	36	-	-	24
White, mother foreign	251	-	7	54	64	58	49	16	3	-	-	-
White, nativity of mother not stated	7	-	1	3	-	1	1	-	-	-	-	1
Negro	288	1	65	94	67	32	25	4	-	-	-	-
Other	26	-	1	9	12	2	1	1	-	-	-	-
Places of 100,000 or more	3,387	1	362	1,162	981	545	280	49	4	-	-	3
White, mother native	3,188	-	329	1,103	933	514	256	46	4	-	-	3
White, mother foreign	47	-	1	9	13	11	10	3	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	147	1	32	48	32	20	14	-	-	-	-	-
Other	5	-	-	2	3	-	-	-	-	-	-	-
Places of 25,000 to 100,000	9,652	4	978	3,270	2,748	1,687	748	191	13	-	-	13
White, mother native	9,443	4	952	3,216	2,694	1,652	719	183	10	-	-	13
White, mother foreign	103	-	5	23	23	24	20	5	3	-	-	-
White, nativity of mother not stated	2	-	-	1	-	-	1	-	-	-	-	-
Negro	89	-	20	26	25	9	7	2	-	-	-	-
Other	15	-	1	4	6	2	1	1	-	-	-	-
Places of 10,000 to 25,000	3,084	-	381	1,019	877	511	224	65	4	-	-	3
White, mother native	2,995	-	370	988	858	498	213	62	4	-	-	2
White, mother foreign	48	-	1	14	12	11	8	2	-	-	-	-
White, nativity of mother not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	39	-	10	16	7	2	3	1	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,365	2	572	1,676	1,527	946	484	134	18	-	-	6
White, mother native	5,290	2	568	1,660	1,505	932	472	127	18	-	-	6
White, mother foreign	53	-	-	8	16	12	11	6	-	-	-	-
White, nativity of mother not stated	4	-	1	2	-	1	-	-	-	-	-	-
Negro	13	-	3	4	3	1	1	1	-	-	-	-
Other	5	-	-	2	3	-	-	-	-	-	-	-
Rural	26,129	11	2,100	8,061	7,525	4,902	2,571	863	71	1	-	24
White, mother native	25,844	11	2,089	8,001	7,467	4,815	2,521	829	69	1	-	21
White, mother foreign	261	-	8	48	47	77	46	32	2	-	-	1
White, nativity of mother not stated	17	-	2	6	3	3	-	1	-	-	-	2
Negro	13	-	1	2	4	3	2	1	-	-	-	-
Other	14	-	-	4	4	4	2	-	-	-	-	-
KANSAS	36,021	27	4,165	12,052	9,826	5,864	2,975	920	75	2	1	114
White, mother native	34,297	16	3,801	11,570	9,517	5,593	2,780	838	67	2	-	103
White, mother foreign	375	-	11	72	67	93	74	51	5	-	1	1
White, nativity of mother not stated	27	-	2	12	3	2	3	2	-	-	-	3
Negro	1,239	11	335	374	225	157	103	24	3	-	-	7
Other	83	-	16	24	14	19	5	5	-	-	-	-
Urban	19,120	22	2,572	6,929	5,164	2,798	1,240	318	19	1	-	57
White, mother native	17,719	11	2,249	6,516	4,909	2,584	1,112	274	15	1	-	48
White, mother foreign	222	-	8	49	45	58	37	22	2	-	-	1
White, nativity of mother not stated	14	-	2	5	1	2	1	2	-	-	-	1
Negro	1,129	11	305	344	204	149	87	20	2	-	-	7
Other	36	-	8	15	5	5	3	-	-	-	-	-
Places of 100,000 or more	7,269	6	972	2,708	2,011	1,012	429	109	7	-	-	15
White, mother native	6,566	4	785	2,512	1,889	906	364	89	5	-	-	12
White, mother foreign	94	-	4	20	14	30	12	12	1	-	-	1
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	599	2	179	174	104	76	53	8	1	-	-	2
Other	10	-	4	2	4	-	-	-	-	-	-	-
Places of 25,000 to 100,000	2,333	4	291	858	612	347	170	41	5	-	-	5
White, mother native	2,140	2	264	786	581	312	154	34	3	-	-	4
White, mother foreign	47	-	1	11	10	14	8	2	1	-	-	-
White, nativity of mother not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	133	2	26	53	20	18	7	5	1	-	-	1
Other	11	-	-	7	-	3	1	-	-	-	-	-
Places of 10,000 to 25,000	4,826	8	656	1,734	1,301	713	317	72	3	-	-	22
White, mother native	4,486	3	582	1,654	1,236	660	288	62	3	-	-	18
White, mother foreign	45	-	2	11	9	9	9	5	-	-	-	-
White, nativity of mother not stated	7	-	2	1	-	2	-	1	-	-	-	1
Negro	279	5	66	86	55	41	19	4	-	-	-	3
Other	9	-	4	2	1	1	1	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KANSAS—Continued												
Places of 2,500 to 10,000	4,692	4	653	1,629	1,240	726	324	98	4	1	-	15
White, mother native	4,527	2	618	1,584	1,203	706	306	89	4	1	-	14
White, mother foreign	36	-	1	7	12	5	8	3	-	-	-	-
White, nativity of mother not stated	5	-	-	3	-	-	1	1	-	-	-	-
Negro	118	2	34	31	25	14	8	3	-	-	-	1
Other	6	-	-	4	-	1	1	-	-	-	-	-
Rural	16,901	5	1,593	5,123	4,662	3,066	1,735	602	56	1	1	57
White, mother native	16,578	5	1,552	5,054	4,608	3,009	1,678	564	52	1	-	55
White, mother foreign	153	-	3	23	22	35	37	29	3	-	1	-
White, nativity of mother not stated	15	-	-	7	2	-	2	-	-	-	-	2
Negro	110	-	30	30	21	8	16	4	1	-	-	-
Other	47	-	8	9	9	14	2	5	-	-	-	-
KENTUCKY	65,566	108	9,768	20,717	15,691	10,444	6,389	2,221	184	9	2	33
White, mother native	61,992	71	8,856	19,611	15,015	9,996	6,104	2,127	172	8	2	30
White, mother foreign	102	-	2	20	31	31	17	1	-	-	-	-
White, nativity of mother not stated	44	-	7	11	9	10	5	-	-	-	-	2
Negro	3,426	37	903	1,073	636	407	263	93	12	1	-	1
Other	2	-	-	2	-	-	-	-	-	-	-	-
Urban	21,125	38	3,159	7,259	5,331	3,259	1,593	436	38	3	1	8
White, mother native	19,026	14	2,576	6,601	4,937	3,023	1,443	390	33	2	1	6
White, mother foreign	78	-	-	17	27	21	12	1	-	-	-	-
White, nativity of mother not stated	13	-	1	4	2	2	3	-	-	-	-	1
Negro	2,006	24	582	635	365	213	135	45	5	1	-	1
Other	2	-	-	2	-	-	-	-	-	-	-	-
Places of 100,000 or more	8,720	18	1,206	3,025	2,284	1,397	634	141	10	1	-	4
White, mother native	7,698	5	937	2,684	2,089	1,280	584	125	9	1	-	2
White, mother foreign	47	-	-	12	11	14	10	-	-	-	-	-
White, nativity of mother not stated	9	-	1	2	1	2	2	-	-	-	-	1
Negro	966	13	268	325	183	101	58	16	1	-	-	1
Other	2	-	-	2	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	5,380	9	812	1,825	1,378	826	395	123	10	1	-	1
White, mother native	4,936	4	674	1,699	1,303	770	366	108	10	1	-	1
White, mother foreign	14	-	-	1	7	5	-	1	-	-	-	-
White, nativity of mother not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	428	5	138	124	67	51	29	14	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,675	2	271	626	394	225	116	35	5	-	-	1
White, mother native	1,508	1	228	565	360	210	106	32	3	-	-	1
White, mother foreign	5	-	-	3	2	-	-	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	164	1	43	58	32	15	10	3	2	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,350	9	870	1,783	1,275	811	448	137	13	1	1	2
White, mother native	4,888	4	737	1,653	1,185	763	407	125	11	-	1	2
White, mother foreign	12	-	-	1	7	2	2	-	-	-	-	-
White, nativity of mother not stated	2	-	-	1	-	-	1	-	-	-	-	-
Negro	448	5	133	128	83	46	38	12	2	1	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	44,441	70	6,609	13,458	10,360	7,185	4,796	1,785	146	6	1	25
White, mother native	42,966	57	6,280	13,010	10,078	6,973	4,661	1,737	139	6	1	24
White, mother foreign	24	-	2	3	4	10	5	-	-	-	-	-
White, nativity of mother not stated	31	-	6	7	7	8	2	-	-	-	-	1
Negro	1,420	13	321	438	271	194	128	48	7	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA	62,005	172	10,471	20,320	14,886	9,408	5,004	1,430	121	10	1	182
White, mother native	38,158	35	5,079	13,015	9,842	6,135	3,038	862	50	2	1	99
White, mother foreign	209	-	4	51	50	58	36	8	1	-	-	1
White, nativity of mother not stated	25	-	4	4	3	7	2	1	-	-	-	4
Negro	23,524	137	5,361	7,233	4,969	3,193	1,917	558	70	8	-	78
Other	89	-	23	17	22	15	11	1	-	-	-	-
Urban	27,888	68	4,518	9,723	7,111	4,107	1,817	441	32	4	-	67
White, mother native	18,673	11	2,227	6,771	5,134	2,938	1,235	292	16	2	-	47
White, mother foreign	174	-	3	42	45	48	28	7	1	-	-	-
White, nativity of mother not stated	8	-	-	1	2	3	-	-	-	-	-	2
Negro	9,011	57	2,282	2,904	1,924	1,114	553	142	15	2	-	18
Other	22	-	6	5	6	4	1	-	-	-	-	-
Places of 100,000 or more	12,331	26	1,878	4,288	3,220	1,871	833	192	9	1	-	13
White, mother native	7,965	3	818	2,885	2,293	1,310	538	106	2	1	-	11
White, mother foreign	122	-	3	28	34	33	18	6	-	-	-	-
White, nativity of mother not stated	2	-	-	-	-	2	-	-	-	-	-	-
Negro	4,225	23	1,053	1,372	888	523	277	80	7	-	-	2
Other	17	-	6	3	5	3	-	-	-	-	-	-
Places of 25,000 to 100,000	5,730	19	995	2,076	1,402	788	353	77	6	1	-	13
White, mother native	3,701	1	448	1,426	982	550	236	51	2	-	-	5
White, mother foreign	27	-	-	9	3	6	8	-	1	-	-	-
White, nativity of mother not stated	2	-	-	-	1	-	-	-	-	-	-	1
Negro	1,999	18	547	640	416	232	109	26	3	1	-	7
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,457	6	374	903	638	344	140	40	3	-	-	9
White, mother native	1,733	2	211	650	471	260	103	25	2	-	-	9
White, mother foreign	11	-	-	1	3	5	2	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	713	4	163	252	164	79	35	15	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
LOUISIANA—Continued												
Places of 2,500 to 10,000	7,370	17	1,271	2,456	1,851	1,104	491	132	14	2	-	32
White, mother native	5,274	5	752	1,810	1,388	818	358	110	10	1	-	22
White, mother foreign	14	-	-	4	5	4	-	1	-	-	-	-
White, nativity of mother not stated	4	-	-	1	1	1	-	-	-	-	-	1
Negro	2,074	12	519	640	456	280	132	21	4	1	-	9
Other	4	-	-	1	1	1	1	-	-	-	-	-
Rural	34,117	104	5,953	10,597	7,775	5,301	3,187	989	89	8	1	115
White, mother native	19,485	24	2,852	6,244	4,708	3,197	1,803	570	34	-	1	52
White, mother foreign	35	-	1	9	5	10	8	1	-	-	-	1
White, nativity of mother not stated	17	-	4	3	1	4	2	1	-	-	-	2
Negro	14,513	80	3,079	4,329	3,045	2,079	1,364	416	55	6	-	60
Other	67	-	17	12	16	11	10	1	-	-	-	-
MAINE	18,944	14	2,207	6,347	5,165	3,177	1,559	434	37	-	-	4
White, mother native	17,490	14	2,141	6,021	4,783	2,825	1,319	352	32	-	-	3
White, mother foreign	1,408	-	53	310	375	347	237	81	4	-	-	1
White, nativity of mother not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	18	-	5	6	2	3	1	1	-	-	-	-
Other	27	-	7	10	5	2	2	-	1	-	-	-
Urban	7,704	3	788	2,682	2,209	1,295	589	128	7	-	-	3
White, mother native	6,953	3	754	2,507	2,019	1,111	463	90	4	-	-	2
White, mother foreign	728	-	27	165	188	182	125	37	3	-	-	1
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	16	-	5	5	2	2	1	1	-	-	-	-
Other	7	-	2	5	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	3,415	1	345	1,166	1,010	570	264	54	4	-	-	1
White, mother native	3,061	1	330	1,097	918	471	207	34	3	-	-	-
White, mother foreign	339	-	10	65	90	97	56	19	1	-	-	1
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	14	-	5	3	2	2	1	1	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,584	2	244	903	755	431	203	43	2	-	-	1
White, mother native	2,334	2	239	841	698	372	151	30	-	-	-	1
White, mother foreign	248	-	5	60	57	59	52	13	2	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	2	-	-	2	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,705	-	199	613	444	294	122	31	1	-	-	1
White, mother native	1,558	-	185	569	403	288	105	26	1	-	-	1
White, mother foreign	141	-	12	40	41	26	17	5	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-	-
Other	4	-	2	2	-	-	-	-	-	-	-	-
Rural	11,240	11	1,419	3,665	2,956	1,882	970	306	30	-	-	1
White, mother native	10,537	11	1,387	3,514	2,764	1,714	856	282	28	-	-	1
White, mother foreign	680	-	26	145	187	165	112	44	1	-	-	-
White, nativity of mother not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	-	1	-	-	-	-	-	-
Other	20	-	5	5	5	2	2	-	1	-	-	-
MARYLAND	47,371	114	8,581	15,935	12,746	7,521	3,459	885	57	-	-	73
White, mother native	37,972	17	4,182	13,033	11,018	6,260	2,719	656	40	-	-	47
White, mother foreign	776	-	8	145	188	233	147	52	3	-	-	-
White, nativity of mother not stated	22	-	1	9	3	4	2	-	-	-	-	3
Negro	8,582	97	2,388	2,741	1,531	1,023	589	176	14	-	-	23
Other	19	-	2	7	6	1	2	1	-	-	-	-
Urban	28,089	76	3,993	9,835	7,668	4,226	1,802	430	25	-	-	34
White, mother native	21,992	8	2,346	7,926	6,561	3,438	1,373	303	17	-	-	20
White, mother foreign	551	-	4	105	132	172	104	33	1	-	-	-
White, nativity of mother not stated	9	-	-	4	1	1	1	-	-	-	-	2
Negro	5,524	68	1,641	1,796	970	614	323	93	7	-	-	12
Other	13	-	2	4	4	1	1	1	-	-	-	-
Places of 100,000 or more	21,572	70	3,170	7,572	5,772	3,241	1,377	330	18	-	-	22
White, mother native	16,149	7	1,705	5,869	4,800	2,535	997	216	10	-	-	10
White, mother foreign	450	-	3	84	96	144	92	30	1	-	-	-
White, nativity of mother not stated	6	-	-	3	-	-	1	-	-	-	-	2
Negro	4,957	63	1,460	1,613	874	561	286	83	7	-	-	10
Other	10	-	2	3	2	1	1	1	-	-	-	-
Places of 25,000 to 100,000	1,571	-	221	552	423	232	107	30	4	-	-	2
White, mother native	1,507	-	207	534	400	229	102	29	4	-	-	2
White, mother foreign	11	-	1	-	6	1	2	1	-	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	52	-	13	17	17	2	3	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,308	5	307	844	653	312	146	35	2	-	-	4
White, mother native	1,954	1	202	725	599	271	123	28	2	-	-	3
White, mother foreign	25	-	-	4	4	13	6	1	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	326	4	105	115	50	28	17	6	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	2,638	1	295	867	820	441	172	35	1	-	-	6
White, mother native	2,382	-	232	798	782	403	151	30	1	-	-	5
White, mother foreign	62	-	-	17	26	14	4	1	-	-	-	-
White, nativity of mother not stated	2	-	-	-	1	1	-	-	-	-	-	-
Negro	189	1	63	51	29	23	17	4	-	-	-	1
Other	3	-	-	1	2	-	-	-	-	-	-	-
Rural	19,282	38	2,588	6,100	5,078	3,295	1,657	455	32	-	-	39
White, mother native	15,980	9	1,838	5,107	4,457	2,822	1,346	353	23	-	-	27
White, mother foreign	225	-	4	40	56	61	43	19	2	-	-	-
White, nativity of mother not stated	13	-	1	5	2	3	1	-	-	-	-	1
Negro	3,058	29	747	945	561	409	266	83	7	-	-	11
Other	6	-	-	3	2	-	1	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA; RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MASSACHUSETTS	85,917	19	4,014	23,664	28,259	18,846	8,898	1,968	97	6	2	144
White, mother native	76,690	13	3,781	22,120	26,246	16,077	6,923	1,348	57	3	2	120
White, mother foreign	7,960	1	60	1,047	1,709	2,597	1,896	588	39	2	-	21
White, nativity of mother not stated	32	-	1	10	11	5	-	4	-	-	-	1
Negro	1,169	5	164	472	277	152	70	26	1	1	-	1
Other	66	-	8	15	16	15	9	2	-	-	-	1
Urban	77,021	13	3,529	21,216	25,392	16,952	7,952	1,750	90	3	1	123
White, mother native	68,475	7	3,320	19,800	23,531	14,375	6,118	1,170	53	1	1	99
White, mother foreign	7,407	1	51	975	1,586	2,424	1,761	550	36	2	-	21
White, nativity of mother not stated	28	-	1	6	11	5	-	4	-	-	-	1
Negro	1,055	5	153	421	252	133	65	24	1	-	-	1
Other	56	-	4	14	12	15	8	2	-	-	-	1
Places of 100,000 or more	33,389	7	1,649	9,401	10,806	7,157	3,451	826	42	2	-	48
White, mother native	28,798	3	1,494	8,595	9,844	5,837	2,461	503	24	-	-	37
White, mother foreign	3,679	-	24	441	745	1,207	931	301	18	2	-	10
White, nativity of mother not stated	11	-	-	3	5	3	-	-	-	-	-	-
Negro	861	4	128	353	203	99	54	20	-	-	-	-
Other	40	-	3	9	9	11	5	2	-	-	-	1
Places of 25,000 to 100,000	23,558	4	931	6,323	7,997	5,323	2,410	481	29	1	1	58
White, mother native	21,174	3	906	5,967	7,449	4,531	1,919	332	17	1	1	48
White, mother foreign	2,253	-	15	313	514	763	481	146	12	-	-	9
White, nativity of mother not stated	7	-	-	2	3	1	-	1	-	-	-	-
Negro	115	1	10	37	30	25	9	2	-	-	-	1
Other	9	-	-	4	1	3	1	-	-	-	-	-
Places of 10,000 to 25,000	14,483	1	3	3,932	4,754	3,255	1,554	316	14	-	-	11
White, mother native	13,291	1		3,739	4,479	2,907	1,279	238	8	-	-	10
White, mother foreign	1,151	-		180	265	343	271	74	6	-	-	-
White, nativity of mother not stated	8	-		1	3	1	-	2	-	-	-	1
Negro	28	-		11	6	3	2	2	-	-	-	-
Other	5	-	-	1	1	1	2	-	-	-	-	-
Places of 2,500 to 10,000	5,591	1	303	1,560	1,835	1,217	537	127	5	-	-	6
White, mother native	5,212	-	290	1,499	1,759	1,100	459	97	4	-	-	4
White, mother foreign	324	1	-	41	62	111	78	29	-	-	-	2
White, nativity of mother not stated	2	-	1	-	-	-	-	1	-	-	-	-
Negro	51	-	11	20	13	6	-	-	1	-	-	-
Other	2	-	1	-	1	-	-	-	-	-	-	-
Rural	8,896	6	485	2,448	2,867	1,894	946	218	7	3	1	21
White, mother native	8,215	6	461	2,320	2,715	1,702	805	178	4	2	1	21
White, mother foreign	553	-	9	72	123	173	135	38	3	-	-	-
White, nativity of mother not stated	4	-	-	4	-	-	-	-	-	-	-	-
Negro	114	-	11	51	25	19	5	2	-	1	-	-
Other	10	-	4	1	4	-	1	-	-	-	-	-
MICHIGAN	125,778	67	11,934	41,627	37,773	21,449	9,980	2,615	169	9	6	149
White, mother native	112,756	44	10,444	37,993	34,760	18,818	8,357	2,079	132	7	4	118
White, mother foreign	7,238	-	166	1,547	1,835	1,923	1,278	446	31	2	2	8
White, nativity of mother not stated	61	-	7	18	11	12	3	2	-	-	-	8
Negro	5,512	23	1,290	2,001	1,108	665	321	83	6	-	-	15
Other	211	-	27	68	59	31	21	5	-	-	-	-
Urban	86,974	51	8,128	29,123	26,761	14,775	6,422	1,520	90	4	4	96
White, mother native	75,505	28	6,712	25,803	24,135	12,489	5,109	1,093	62	2	3	69
White, mother foreign	6,011	-	136	1,332	1,539	1,623	1,001	347	23	2	1	7
White, nativity of mother not stated	33	-	4	8	9	5	1	1	-	-	-	5
Negro	5,335	23	1,266	1,952	1,054	639	303	78	5	-	-	15
Other	90	-	10	28	24	19	8	1	-	-	-	-
Places of 100,000 or more	44,855	36	4,055	14,851	15,979	7,774	3,283	763	51	3	2	58
White, mother native	36,398	16	2,898	12,361	12,072	6,131	2,362	486	33	2	2	35
White, mother foreign	4,032	-	85	886	1,027	1,116	681	216	13	1	-	7
White, nativity of mother not stated	10	-	1	1	4	1	-	-	-	-	-	3
Negro	4,388	20	1,070	1,594	866	522	237	61	5	-	-	13
Other	27	-	1	9	10	4	3	-	-	-	-	-
Places of 25,000 to 100,000	21,163	3	2,070	7,284	6,518	3,418	1,518	312	17	-	1	22
White, mother native	19,575	3	1,927	6,845	6,132	3,087	1,505	244	11	-	1	20
White, mother foreign	1,036	-	28	223	277	262	180	60	6	-	-	-
White, nativity of mother not stated	13	-	-	5	3	2	1	-	-	-	-	2
Negro	516	-	110	204	100	62	32	8	-	-	-	-
Other	23	-	5	7	6	5	-	-	-	-	-	-
Places of 10,000 to 25,000	9,665	9	968	3,296	2,878	1,595	690	214	8	-	-	7
White, mother native	8,901	7	900	3,065	2,688	1,441	615	173	6	-	-	6
White, mother foreign	458	-	10	118	125	116	52	35	2	-	-	-
White, nativity of mother not stated	5	-	2	1	1	1	-	-	-	-	-	-
Negro	286	2	56	107	61	33	21	5	-	-	-	1
Other	15	-	-	5	3	4	2	1	-	-	-	-
Places of 2,500 to 10,000	11,291	3	1,035	3,692	3,386	1,988	931	231	14	1	1	9
White, mother native	10,631	2	987	3,532	3,243	1,830	827	190	12	-	-	8
White, mother foreign	485	-	13	105	110	129	88	36	2	1	1	-
White, nativity of mother not stated	5	-	1	1	1	1	-	1	-	-	-	-
Negro	145	1	30	47	27	22	13	4	-	-	-	1
Other	25	-	4	7	5	6	3	-	-	-	-	-
Rural	38,804	16	3,806	12,504	11,012	6,674	3,558	1,095	79	5	2	53
White, mother native	37,251	16	3,732	12,190	10,625	6,329	3,248	986	70	5	1	49
White, mother foreign	1,227	-	30	215	296	300	277	99	8	-	1	1
White, nativity of mother not stated	28	-	3	10	2	7	2	1	-	-	-	3
Negro	177	-	24	49	54	26	18	5	1	-	-	-
Other	121	-	17	40	35	12	13	4	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MINNESOTA	58,508	15	3,505	16,311	18,474	12,094	6,118	1,793	169	1	2	26
White, mother native	56,733	14	3,421	15,954	18,042	11,672	5,805	1,645	156	1	2	21
White, mother foreign	1,261	-	24	193	302	337	259	134	12	-	-	-
White, nativity of mother not stated	12	-	1	2	4	1	-	-	-	-	-	4
Negro	52	-	10	19	13	5	4	1	-	-	-	-
Other	450	1	49	143	113	79	50	13	1	-	-	1
Urban	30,398	8	1,780	8,662	10,085	6,270	2,807	723	49	-	1	13
White, mother native	29,491	8	1,750	8,499	9,845	6,044	2,638	654	43	-	1	11
White, mother foreign	804	-	17	133	203	215	163	67	6	-	-	-
White, nativity of mother not stated	7	-	1	1	2	1	-	-	-	-	-	2
Negro	50	-	9	18	13	5	4	1	-	-	-	-
Other	46	-	3	11	22	5	4	1	-	-	-	-
Places of 100,000 or more	18,968	5	1,114	5,467	6,357	3,869	1,704	418	25	-	-	9
White, mother native	18,312	5	1,097	5,350	6,185	3,698	1,583	363	22	-	-	9
White, mother foreign	580	-	6	91	146	163	118	53	3	-	-	-
White, nativity of mother not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	47	-	9	17	12	5	3	1	-	-	-	-
Other	27	-	2	8	13	3	-	1	-	-	-	-
Places of 25,000 to 100,000	540	-	28	167	196	96	46	7	-	-	-	-
White, mother native	517	-	27	159	190	92	42	7	-	-	-	-
White, mother foreign	22	-	1	7	6	4	4	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,810	1	223	1,099	1,249	785	355	91	6	-	-	1
White, mother native	3,745	1	223	1,090	1,229	770	340	87	4	-	-	1
White, mother foreign	60	-	-	9	16	14	15	4	2	-	-	-
White, nativity of mother not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	1	-	-	-	1	-	-	-	-	-	-	-
Other	3	-	-	-	2	1	-	-	-	-	-	-
Places of 2,500 to 10,000	7,080	2	415	1,929	2,283	1,520	702	207	18	-	1	3
White, mother native	6,917	2	403	1,900	2,241	1,484	671	197	17	-	1	1
White, mother foreign	142	-	10	26	35	34	26	10	1	-	-	-
White, nativity of mother not stated	4	-	1	-	-	1	-	-	-	-	-	2
Negro	1	-	-	-	-	-	1	-	-	-	-	-
Other	16	-	1	3	7	1	4	-	-	-	-	-
Rural	28,110	7	1,725	7,649	8,389	5,824	3,311	1,070	120	1	1	13
White, mother native	27,242	6	1,671	7,455	8,197	5,628	3,189	991	113	1	1	10
White, mother foreign	457	-	7	60	99	122	96	67	6	-	-	-
White, nativity of mother not stated	5	-	-	1	2	-	-	-	-	-	-	2
Negro	2	-	1	1	-	-	-	-	-	-	-	-
Other	404	1	46	132	91	74	46	12	1	-	-	1
MISSISSIPPI	59,846	313	12,052	18,627	12,826	8,919	5,296	1,551	150	6	3	103
White, mother native	27,716	25	4,159	9,157	6,720	4,409	2,462	684	62	2	3	33
White, mother foreign	87	-	3	26	32	13	8	4	1	-	-	-
White, nativity of mother not stated	17	-	1	2	4	-	-	-	-	-	-	10
Negro	31,892	286	7,868	9,399	6,042	4,477	2,818	853	86	4	-	59
Other	134	2	21	43	28	20	8	10	1	-	-	1
Urban	12,104	44	2,151	4,294	2,846	1,769	818	167	14	1	-	18
White, mother native	7,866	6	1,108	2,961	2,018	1,171	496	90	10	-	-	8
White, mother foreign	62	-	2	20	23	9	5	2	1	-	-	-
White, nativity of mother not stated	6	-	-	1	1	-	-	-	-	-	-	4
Negro	4,146	38	1,040	1,305	795	587	317	74	3	1	-	6
Other	22	-	3	7	9	2	-	1	-	-	-	-
Places of 25,000 to 100,000	2,442	5	416	890	572	350	175	29	3	-	-	2
White, mother native	1,583	-	216	597	399	241	109	17	3	-	-	1
White, mother foreign	17	-	-	8	8	1	-	-	-	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	839	5	199	284	164	108	66	12	-	-	-	1
Other	2	-	1	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	5,361	23	980	1,924	1,282	750	330	74	8	1	-	11
White, mother native	3,494	4	508	1,347	904	488	198	40	3	-	-	4
White, mother foreign	28	-	1	8	8	5	3	2	1	-	-	-
White, nativity of mother not stated	3	-	-	-	1	-	-	-	-	-	-	2
Negro	1,822	19	450	563	364	256	131	31	2	1	-	5
Other	14	-	1	6	5	1	-	1	-	-	-	-
Places of 2,500 to 10,000	4,299	16	755	1,480	992	669	313	64	5	-	-	5
White, mother native	2,789	2	382	1,017	715	442	191	33	4	-	-	3
White, mother foreign	17	-	1	4	7	3	2	-	-	-	-	-
White, nativity of mother not stated	2	-	-	-	-	-	-	-	-	-	-	2
Negro	1,485	14	371	458	267	223	120	31	1	-	-	-
Other	6	-	1	1	3	1	-	-	-	-	-	-
Rural	47,744	269	9,921	14,333	9,980	7,150	4,478	1,384	136	5	3	85
White, mother native	19,850	19	3,053	6,196	4,702	3,238	1,966	594	52	2	3	25
White, mother foreign	25	-	1	6	9	4	3	2	-	-	-	-
White, nativity of mother not stated	11	-	1	1	3	-	-	-	-	-	-	6
Negro	27,746	248	6,848	8,094	5,247	3,890	2,501	779	83	3	-	53
Other	112	2	18	36	19	18	8	9	1	-	-	1
MISSOURI	72,458	76	10,200	23,226	18,851	11,968	6,163	1,812	115	1	1	45
White, mother native	66,816	54	8,776	21,631	17,738	11,143	5,699	1,661	97	-	1	36
White, mother foreign	556	-	4	99	117	194	100	33	7	1	-	1
White, nativity of mother not stated	19	-	3	9	-	-	3	1	-	-	-	3
Negro	5,043	42	1,412	1,481	989	628	359	116	11	-	-	5
Other	24	-	5	6	7	3	2	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MISSOURI—Continued												
Urban	40,432	46	5,598	13,432	11,033	6,562	2,997	705	43	1	-	15
White, mother native	35,884	17	4,431	12,121	10,133	5,902	2,644	598	30	-	-	8
White, mother foreign	476	-	2	88	104	167	83	24	6	1	-	1
White, nativity of mother not stated	6	-	1	2	-	-	-	-	-	-	-	3
Negro	4,050	29	1,163	1,216	790	490	270	82	7	-	-	3
Other	16	-	1	5	6	3	-	1	-	-	-	-
Places of 100,000 or more	24,342	35	3,320	8,084	6,769	3,914	1,789	393	29	1	-	8
White, mother native	20,618	10	2,339	7,001	6,056	3,371	1,509	310	18	-	-	4
White, mother foreign	361	-	2	62	73	130	67	19	6	1	-	1
White, nativity of mother not stated	3	-	-	1	-	-	-	-	-	-	-	2
Negro	3,345	25	978	1,016	634	410	213	63	5	-	-	1
Other	15	-	1	4	6	3	-	1	-	-	-	-
Places of 25,000 to 100,000	3,920	2	607	1,394	971	616	262	65	2	-	-	1
White, mother native	3,787	2	581	1,357	939	588	254	63	2	-	-	1
White, mother foreign	49	-	-	12	11	19	6	1	-	-	-	-
White, nativity of mother not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	83	-	25	25	21	9	2	1	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	5,270	2	682	1,676	1,508	933	394	89	5	-	-	1
White, mother native	4,937	1	585	1,592	1,431	884	362	79	4	-	-	1
White, mother foreign	40	-	-	8	14	11	4	3	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	293	1	79	76	63	38	28	7	1	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,900	7	1,009	2,278	1,785	1,099	552	158	7	-	-	5
White, mother native	6,542	4	928	2,171	1,707	1,059	519	146	6	-	-	2
White, mother foreign	26	-	-	6	6	7	6	1	-	-	-	-
White, nativity of mother not stated	2	-	-	1	-	-	-	-	-	-	-	1
Negro	329	3	81	99	72	33	27	11	1	-	-	2
Other	1	-	-	1	-	-	-	-	-	-	-	-
Rural	32,026	30	4,602	9,794	7,818	5,406	3,186	1,107	72	-	1	30
White, mother native	30,932	17	4,345	9,510	7,605	5,241	3,055	1,063	67	-	1	28
White, mother foreign	80	-	2	11	13	27	17	9	1	-	-	-
White, nativity of mother not stated	13	-	2	7	-	-	3	1	-	-	-	-
Negro	993	13	249	265	199	138	89	34	4	-	-	2
Other	8	-	4	1	1	-	2	-	-	-	-	-
MONTANA	11,407	6	1,112	3,735	3,442	1,919	922	240	24	1	-	6
White, mother native	10,360	4	1,013	3,445	3,171	1,722	793	190	18	1	-	3
White, mother foreign	389	-	12	79	98	96	72	29	2	-	-	1
White, nativity of mother not stated	5	-	2	1	-	-	-	-	-	-	-	2
Negro	11	1	3	1	2	4	-	-	-	-	-	-
Other	642	1	82	209	171	97	57	21	4	-	-	-
Urban	5,515	3	519	1,813	1,668	874	347	83	6	-	-	4
White, mother native	5,110	2	509	1,765	1,597	829	322	79	5	-	-	2
White, mother foreign	160	-	4	36	53	39	23	4	-	-	-	1
White, nativity of mother not stated	2	-	1	-	-	-	-	-	-	-	-	1
Negro	8	1	1	1	2	3	-	-	-	-	-	-
Other	35	-	4	11	14	3	2	-	1	-	-	-
Places of 25,000 to 100,000	1,853	2	191	611	636	287	105	21	-	-	-	-
White, mother native	1,783	1	185	599	607	273	97	21	-	-	-	-
White, mother foreign	57	-	3	11	24	12	7	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	5	1	1	-	1	2	-	-	-	-	-	-
Other	8	-	2	1	4	-	1	-	-	-	-	-
Places of 10,000 to 25,000	1,770	-	157	593	526	341	119	31	2	-	-	1
White, mother native	1,710	-	154	575	511	326	112	29	2	-	-	1
White, mother foreign	46	-	1	14	9	13	7	2	-	-	-	-
White, nativity of mother not stated	1	-	1	-	-	-	-	-	-	-	-	-
Negro	3	-	-	1	1	1	-	-	-	-	-	-
Other	10	-	1	3	5	1	-	-	-	-	-	-
Places of 2,500 to 10,000	1,892	1	171	609	504	246	123	31	4	-	-	3
White, mother native	1,817	1	170	591	479	230	113	29	3	-	-	1
White, mother foreign	57	-	-	11	20	14	9	2	-	-	-	1
White, nativity of mother not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	17	-	1	7	5	2	1	-	1	-	-	-
Rural	6,092	3	593	1,922	1,776	1,045	575	157	18	1	-	2
White, mother native	5,250	2	504	1,680	1,574	893	471	111	13	1	-	1
White, mother foreign	229	-	8	43	45	57	49	25	2	-	-	-
White, nativity of mother not stated	3	-	1	1	-	-	-	-	-	-	-	1
Negro	3	-	2	-	-	1	-	-	-	-	-	-
Other	607	1	78	198	157	94	55	21	3	-	-	-
NEBRASKA	25,048	8	2,156	8,052	7,348	4,536	2,220	656	45	-	1	26
White, mother native	24,236	5	2,050	7,847	7,192	4,371	2,100	611	38	-	1	23
White, mother foreign	389	-	4	57	70	110	86	34	7	-	-	1
White, nativity of mother not stated	9	-	-	6	-	1	-	1	-	-	-	1
Negro	281	2	71	104	52	32	17	2	-	-	-	1
Other	153	1	31	38	34	22	17	8	2	-	-	-
Urban	11,040	4	1,108	3,782	3,282	1,884	784	193	13	-	-	10
White, mother native	10,529	2	1,028	3,633	3,164	1,791	717	174	11	-	-	9
White, mother foreign	198	-	4	31	40	57	49	15	2	-	-	-
White, nativity of mother not stated	5	-	-	3	-	1	-	1	-	-	-	-
Negro	277	2	69	104	51	32	16	2	-	-	-	1
Other	31	-	7	11	7	3	2	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEBRASKA—Continued												
Places of 100,000 or more	4,998	4	473	1,717	1,512	858	359	66	3	-	-	6
White, mother native	4,625	2	407	1,597	1,448	793	318	54	1	-	-	5
White, mother foreign	110	-	2	19	18	35	25	9	2	-	-	-
White, nativity of mother not stated	2	-	-	1	-	-	-	1	-	-	-	-
Negro	248	2	62	97	42	27	15	2	-	-	-	1
Other	13	-	2	3	4	3	1	-	-	-	-	-
Places of 25,000 to 100,000	1,642	-	177	586	490	283	97	24	4	-	-	1
White, mother native	1,593	-	173	555	479	272	87	22	4	-	-	1
White, mother foreign	31	-	1	2	8	9	9	2	-	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	14	-	3	5	3	2	1	-	-	-	-	-
Other	3	-	-	3	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,082	-	200	728	613	343	150	44	2	-	-	2
White, mother native	2,040	-	198	720	602	334	141	41	2	-	-	2
White, mother foreign	34	-	1	7	8	7	8	3	-	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	5	-	1	-	2	2	-	-	-	-	-	-
Other	2	-	-	-	1	-	1	-	-	-	-	-
Places of 2,500 to 10,000	2,518	-	258	771	647	400	178	59	4	-	-	1
White, mother native	2,271	-	250	761	635	392	171	57	4	-	-	1
White, mother foreign	23	-	-	3	6	8	7	1	-	-	-	-
White, nativity of mother not stated	1	-	-	-	-	1	-	-	-	-	-	-
Negro	10	-	3	2	4	1	-	-	-	-	-	-
Other	13	-	5	5	2	-	-	1	-	-	-	-
Rural	14,008	4	1,048	4,270	4,086	2,852	1,436	463	32	-	1	16
White, mother native	13,707	3	1,022	4,214	4,0[illegible]	2,580	1,383	437	25	-	1	14
White, mother foreign	171	-	-	26	[illegible]0	53	37	19	5	-	-	1
White, nativity of mother not stated	4	-	-	3	-	-	-	-	-	-	-	1
Negro	4	-	2	-	1	-	1	-	-	-	-	-
Other	122	1	24	27	27	19	15	7	2	-	-	-
NEVADA	3,026	3	344	1,048	851	505	210	57	5	-	-	3
White, mother native	2,705	2	319	952	768	435	180	45	1	-	-	3
White, mother foreign	109	-	6	20	27	38	11	6	1	-	-	-
White, nativity of mother not stated	3	-	-	1	1	-	1	-	-	-	-	-
Negro	31	-	2	11	12	6	-	-	-	-	-	-
Other	178	1	17	64	43	26	18	6	3	-	-	-
Urban	1,357	2	147	478	401	226	79	21	1	-	-	2
White, mother native	1,263	2	138	457	370	200	74	20	-	-	-	2
White, mother foreign	52	-	5	8	15	19	4	1	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	24	-	2	6	10	6	-	-	-	-	-	-
Other	18	-	2	7	6	1	1	-	1	-	-	-
Places of 10,000 to 25,000	545	1	50	183	166	107	30	7	-	-	-	1
White, mother native	509	1	46	177	152	99	28	7	-	-	-	1
White, mother foreign	26	-	3	4	10	6	3	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	1	-	-	1	-	-	-	-	-	-
Other	8	-	-	2	4	1	1	-	-	-	-	-
Places of 2,500 to 10,000	812	1	97	295	235	119	49	14	1	-	-	1
White, mother native	754	1	92	280	218	101	48	13	-	-	-	1
White, mother foreign	26	-	2	4	5	13	1	1	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	22	-	1	6	10	5	-	-	-	-	-	-
Other	10	-	2	5	2	-	-	-	1	-	-	-
Rural	1,669	1	197	570	450	279	131	36	4	-	-	1
White, mother native	1,442	-	181	495	398	235	106	25	1	-	-	1
White, mother foreign	57	-	1	12	12	19	7	5	1	-	-	-
White, nativity of mother not stated	3	-	-	1	1	-	1	-	-	-	-	-
Negro	7	-	-	5	2	-	-	-	-	-	-	-
Other	160	1	15	57	37	25	17	6	2	-	-	-
NEW HAMPSHIRE	9,367	2	738	2,938	2,763	1,770	886	241	19	-	1	9
White, mother native	8,881	2	724	2,803	2,605	1,599	747	179	12	-	1	9
White, mother foreign	670	-	12	128	155	169	137	62	7	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	11	-	1	5	3	1	1	-	-	-	-	-
Other	4	-	1	1	-	1	1	-	-	-	-	-
Urban	5,628	1	376	1,814	1,714	1,054	519	135	13	-	1	1
White, mother native	5,160	1	365	1,719	1,606	939	429	91	8	-	1	1
White, mother foreign	454	-	9	89	105	113	89	44	5	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	10	-	1	4	3	1	1	-	-	-	-	-
Other	3	-	1	1	-	1	-	-	-	-	-	-
Places of 25,000 to 100,000	2,606	-	148	816	792	528	255	60	6	-	1	-
White, mother native	2,372	-	144	775	739	471	196	42	4	-	1	-
White, mother foreign	228	-	3	37	53	56	59	18	2	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	5	-	1	4	-	-	-	-	-	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000	2,217	1	167	743	685	378	182	55	5	-	-	1
White, mother native	2,031	1	163	699	639	329	160	36	3	-	-	1
White, mother foreign	179	-	4	42	43	48	21	19	2	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	5	-	-	-	3	1	1	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEW HAMPSHIRE—Continued												
Places of 2,500 to 10,000	805	-	61	255	237	148	82	20	2	-	-	-
White, mother native	757	-	58	245	228	139	73	13	1	-	-	-
White, mother foreign	47	-	2	10	9	9	9	7	1	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	1	-	-	-	-	-	-	-	-	-
Rural	3,739	1	362	1,124	1,049	716	387	106	6	-	-	8
White, mother native	3,521	1	359	1,084	999	660	318	88	4	-	-	8
White, mother foreign	216	-	3	39	50	56	48	18	2	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-	-
Other	1	-	-	-	-	-	1	-	-	-	-	-
NEW JERSEY	83,032	49	5,063	23,639	27,988	17,299	7,264	1,612	84	2	-	32
White, mother native	71,990	11	3,652	20,830	25,729	14,946	5,701	1,043	50	-	-	28
White, mother foreign	5,397	-	41	814	1,145	1,701	1,218	452	25	1	-	-
White, nativity of mother not stated	34	-	2	13	6	8	4	-	-	-	-	1
Negro	5,587	38	1,367	1,978	1,104	635	338	115	9	-	-	3
Other	24	-	1	4	4	9	3	2	-	1	-	-
Urban	67,607	37	3,846	19,098	23,119	14,259	5,900	1,257	62	2	-	27
White, mother native	58,151	9	2,836	16,673	21,178	12,238	4,568	790	35	-	-	24
White, mother foreign	4,695	-	34	719	1,001	1,483	1,050	387	20	1	-	-
White, nativity of mother not stated	26	-	1	10	4	7	3	-	-	-	-	1
Negro	4,715	28	1,174	1,694	933	523	276	78	7	-	-	2
Other	20	-	1	2	3	8	3	2	-	1	-	-
Places of 100,000 or more	23,754	17	1,747	7,029	7,880	4,686	1,938	443	19	1	-	14
White, mother native	19,588	4	1,040	5,895	7,046	3,882	1,425	251	11	-	-	14
White, mother foreign	1,628	-	15	232	340	521	369	144	6	1	-	-
White, nativity of mother not stated	10	-	1	4	1	4	-	-	-	-	-	-
Negro	2,539	13	690	898	471	275	144	46	2	-	-	-
Other	9	-	1	-	2	4	-	2	-	-	-	-
Places of 25,000 to 100,000	19,092	10	805	5,247	6,904	4,104	1,650	344	21	1	-	6
White, mother native	16,486	3	587	4,608	6,323	3,499	1,242	209	11	-	-	4
White, mother foreign	1,575	-	8	260	359	474	343	122	9	-	-	-
White, nativity of mother not stated	9	-	-	2	3	1	2	-	-	-	-	1
Negro	1,014	7	210	375	219	128	60	13	1	-	-	1
Other	8	-	-	2	-	2	3	-	-	1	-	-
Places of 10,000 to 25,000	12,022	7	636	3,307	4,060	2,642	1,131	227	8	-	-	4
White, mother native	10,549	2	467	2,942	3,758	2,303	907	161	5	-	-	4
White, mother foreign	756	-	4	113	142	263	180	54	-	-	-	-
White, nativity of mother not stated	5	-	-	4	-	1	-	-	-	-	-	-
Negro	712	5	165	248	160	75	44	12	3	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	12,739	3	658	3,515	4,295	2,827	1,181	243	14	-	-	3
White, mother native	11,548	-	542	3,228	4,051	2,554	994	169	8	-	-	2
White, mother foreign	736	-	7	114	160	225	158	67	5	-	-	-
White, nativity of mother not stated	2	-	-	-	-	1	1	-	-	-	-	-
Negro	450	3	109	173	83	45	28	7	1	-	-	1
Other	3	-	-	-	1	2	-	-	-	-	-	-
Rural	15,425	12	1,217	4,541	4,869	3,040	1,364	355	22	-	-	5
White, mother native	13,839	2	1,016	4,157	4,551	2,708	1,133	253	15	-	-	4
White, mother foreign	702	-	7	95	144	218	168	65	5	-	-	-
White, nativity of mother not stated	8	-	1	3	2	1	1	-	-	-	-	-
Negro	872	10	193	284	171	112	62	37	2	-	-	1
Other	4	-	-	2	1	1	-	-	-	-	-	-
NEW MEXICO	15,211	20	2,095	4,677	3,695	2,599	1,619	432	43	-	-	31
White, mother native	13,847	14	1,954	4,326	3,424	2,315	1,410	357	26	-	-	21
White, mother foreign	422	-	5	63	85	120	103	40	4	-	-	2
White, nativity of mother not stated	6	-	1	2	-	-	-	2	-	-	-	1
Negro	112	2	24	38	19	16	11	1	-	-	-	1
Other	824	4	111	248	167	148	95	32	13	-	-	6
Urban	6,254	10	969	2,058	1,541	978	544	139	8	-	-	7
White, mother native	5,929	8	935	1,980	1,475	910	489	122	7	-	-	5
White, mother foreign	159	-	2	25	35	45	39	11	1	-	-	1
White, nativity of mother not stated	3	-	-	-	-	-	-	2	-	-	-	1
Negro	88	2	19	31	17	10	8	1	-	-	-	-
Other	75	-	13	22	16	13	8	3	-	-	-	-
Places of 25,000 to 100,000	1,311	2	201	445	344	180	110	29	-	-	-	-
White, mother native	1,242	1	198	424	328	166	99	28	-	-	-	-
White, mother foreign	25	-	-	8	4	7	5	1	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	15	1	2	7	2	1	2	-	-	-	-	-
Other	29	-	3	6	10	6	4	-	-	-	-	-
Places of 10,000 to 25,000	1,691	1	273	576	405	274	124	33	3	-	-	2
White, mother native	1,609	-	257	554	387	259	118	29	3	-	-	2
White, mother foreign	19	-	-	4	5	6	4	-	-	-	-	-
White, nativity of mother not stated	2	-	-	-	-	-	-	2	-	-	-	-
Negro	45	1	14	10	12	5	2	1	-	-	-	-
Other	16	-	2	8	1	4	-	1	-	-	-	-
Places of 2,500 to 10,000	3,252	7	495	1,037	792	524	310	77	5	-	-	5
White, mother native	3,078	7	482	1,002	758	485	272	65	4	-	-	3
White, mother foreign	115	-	2	13	26	32	30	10	1	-	-	1
White, nativity of mother not stated	1	-	-	-	-	-	-	-	-	-	-	1
Negro	28	-	3	14	3	4	4	-	-	-	-	-
Other	30	-	8	8	5	3	4	2	-	-	-	-
Rural	8,957	10	1,128	2,619	2,154	1,621	1,075	293	35	-	-	24
White, mother native	7,918	6	1,019	2,346	1,951	1,405	921	255	19	-	-	16
White, mother foreign	263	-	3	38	50	75	64	29	3	-	-	1
White, nativity of mother not stated	3	-	1	2	-	-	-	-	-	-	-	-
Negro	24	-	5	7	2	6	3	-	-	-	-	1
Other	749	4	98	226	151	135	87	29	13	-	-	6

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEW YORK	248,627	102	13,605	67,712	82,095	55,628	24,132	4,979	309	6	3	56
White, mother native	211,125	54	11,010	60,224	73,971	45,104	17,293	3,242	186	3	3	35
White, mother foreign	25,775	2	234	3,341	5,522	8,992	6,006	1,555	112	2	-	9
White, nativity of mother not stated	22	-	1	3	2	1	2	1	1	-	-	11
Negro	11,250	46	2,312	3,998	2,479	1,455	784	167	8	-	-	1
Other	455	-	48	146	121	76	47	14	2	1	-	-
Urban	204,505	73	10,248	54,899	68,880	46,574	19,737	3,821	221	4	3	45
White, mother native	169,836	26	7,799	47,958	61,339	36,857	13,459	2,255	113	2	3	25
White, mother foreign	23,586	2	194	3,011	5,095	8,275	5,500	1,401	97	2	-	9
White, nativity of mother not stated	20	-	1	2	2	1	2	1	1	-	-	10
Negro	10,785	45	2,223	3,843	2,370	1,394	746	155	8	-	-	1
Other	278	-	31	85	74	47	30	9	2	-	-	-
Places of 100,000 or more	159,597	69	7,360	41,587	54,456	37,434	15,585	2,902	164	4	3	33
White, mother native	128,852	25	5,165	35,541	47,811	28,672	9,998	1,570	70	2	3	15
White, mother foreign	20,677	2	156	2,495	4,439	7,437	4,876	1,178	85	2	-	7
White, nativity of mother not stated	20	-	1	2	2	1	2	1	1	-	-	10
Negro	9,796	42	2,013	3,491	2,139	1,280	680	144	6	-	-	1
Other	252	-	25	78	65	44	29	9	2	-	-	-
Places of 25,000 to 100,000	15,796	2	1,016	4,791	5,180	3,113	1,373	296	21	-	-	4
White, mother native	14,234	1	890	4,445	4,802	2,758	1,111	209	16	-	-	2
White, mother foreign	1,095	-	22	183	258	311	233	82	4	-	-	2
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	459	1	103	160	117	43	29	5	1	-	-	-
Other	8	-	1	3	3	1	-	-	-	-	-	-
Places of 10,000 to 25,000	16,164	1	1,036	4,750	5,148	3,338	1,513	356	18	-	-	4
White, mother native	14,761	-	949	4,414	4,845	3,000	1,273	263	13	-	-	4
White, mother foreign	1,054	-	10	213	229	289	220	89	4	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	340	1	75	122	70	47	20	4	1	-	-	-
Other	9	-	2	1	4	2	-	-	-	-	-	-
Places of 2,500 to 10,000	12,948	1	836	3,771	4,096	2,689	1,266	267	18	-	-	4
White, mother native	11,989	-	795	3,578	3,881	2,427	1,077	213	14	-	-	4
White, mother foreign	760	-	6	120	169	238	171	52	4	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	190	1	32	70	44	24	17	2	-	-	-	-
Other	9	-	3	3	2	-	1	-	-	-	-	-
Rural	44,122	29	3,357	12,813	13,215	9,054	4,395	1,158	88	2	-	11
White, mother native	41,289	28	3,211	12,266	12,632	8,247	3,834	987	73	1	-	10
White, mother foreign	2,189	-	40	330	427	717	506	154	15	-	-	-
White, nativity of mother not stated	2	-	-	1	-	-	-	-	-	-	-	1
Negro	465	1	89	155	109	61	38	12	-	-	-	-
Other	177	-	17	61	47	29	17	5	-	1	-	-
NORTH CAROLINA	94,568	266	15,745	30,942	22,580	14,370	7,974	2,398	195	9	2	87
White, mother native	66,162	72	9,211	22,060	16,601	10,631	5,732	1,672	134	3	2	44
White, mother foreign	131	-	4	34	38	29	20	5	1	-	-	-
White, nativity of mother not stated	34	1	6	3	6	4	3	-	-	-	-	11
Negro	27,232	190	6,360	8,517	5,725	3,543	2,111	691	57	6	-	32
Other	1,009	3	164	328	210	163	108	30	3	-	-	-
Urban	25,733	69	4,406	9,038	6,458	3,720	1,643	354	23	3	1	18
White, mother native	18,550	13	2,530	6,742	4,940	2,831	1,213	253	15	2	1	10
White, mother foreign	83	-	1	25	22	18	13	3	1	-	-	-
White, nativity of mother not stated	6	-	2	1	1	-	1	-	-	-	-	1
Negro	7,075	56	1,866	2,262	1,491	871	416	98	7	1	-	7
Other	19	-	7	8	4	-	-	-	-	-	-	-
Places of 100,000 or more	2,670	15	441	876	672	439	183	44	-	-	-	-
White, mother native	1,831	-	205	621	499	339	134	33	-	-	-	-
White, mother foreign	13	-	-	1	3	3	4	2	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	826	15	236	254	170	97	45	9	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	9,816	18	1,694	3,423	2,508	1,405	615	137	10	-	-	6
White, mother native	6,609	6	865	2,390	1,814	1,004	430	95	3	-	-	2
White, mother foreign	31	-	1	4	11	9	5	-	1	-	-	-
White, nativity of mother not stated	6	-	2	1	1	-	1	-	-	-	-	1
Negro	3,169	12	826	1,028	681	392	179	42	6	-	-	3
Other	1	-	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	6,938	21	1,191	2,598	1,690	961	388	74	7	1	1	6
White, mother native	5,143	4	721	2,004	1,313	748	288	55	6	-	1	3
White, mother foreign	28	-	-	18	5	3	2	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1,763	17	470	572	372	210	98	19	1	1	-	3
Other	4	-	-	4	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,309	15	1,080	2,141	1,588	915	457	99	6	2	-	6
White, mother native	4,967	3	739	1,727	1,314	740	381	70	6	2	-	5
White, mother foreign	11	-	-	2	3	3	2	1	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1,317	12	334	408	268	172	94	28	-	-	-	1
Other	14	-	7	4	3	-	-	-	-	-	-	-
Rural	68,835	197	11,339	21,904	16,122	10,650	6,331	2,044	172	6	1	69
White, mother native	47,612	59	6,681	15,318	11,661	7,800	4,519	1,419	119	1	1	34
White, mother foreign	48	-	3	9	16	11	7	2	-	-	-	-
White, nativity of mother not stated	28	1	4	2	5	4	2	-	-	-	-	10
Negro	20,157	134	4,494	6,255	4,234	2,672	1,695	593	50	5	-	25
Other	990	3	157	320	206	163	108	30	3	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NORTH DAKOTA	13,422	3	864	3,729	3,873	2,842	1,506	540	59	-	-	6
White, mother native	12,703	2	819	3,578	3,744	2,691	1,364	452	47	-	-	6
White, mother foreign	406	-	5	59	69	90	100	73	10	-	-	-
White, nativity of mother not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	3	-	-	1	-	-	1	1	-	-	-	-
Other	308	1	40	90	59	61	41	14	2	-	-	-
Urban	2,893	-	183	823	890	638	260	92	7	-	-	-
White, mother native	2,814	-	181	805	878	614	245	85	6	-	-	-
White, mother foreign	66	-	2	12	8	24	13	6	1	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	-	-	-	1	1	-	-	-	-
Other	11	-	-	6	4	-	1	-	-	-	-	-
Places of 25,000 to 100,000	666	-	33	198	207	140	65	23	-	-	-	-
White, mother native	653	-	33	197	204	135	61	23	-	-	-	-
White, mother foreign	13	-	-	1	3	5	4	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,204	-	80	358	364	269	97	32	4	-	-	-
White, mother native	1,167	-	80	347	359	258	93	27	3	-	-	-
White, mother foreign	31	-	-	8	3	11	4	4	1	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	-	-	-	1	-	-	-	-
Other	5	-	-	3	2	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,023	-	70	267	319	229	98	37	3	-	-	-
White, mother native	994	-	68	261	315	221	91	35	3	-	-	-
White, mother foreign	22	-	2	3	2	8	5	2	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	-	-	-	1	-	-	-	-	-
Other	6	-	-	3	2	-	1	-	-	-	-	-
Rural	10,529	3	681	2,906	2,983	2,204	1,246	448	52	-	-	6
White, mother native	9,889	2	638	2,773	2,868	2,077	1,119	367	41	-	-	6
White, mother foreign	340	-	3	47	61	66	87	67	9	-	-	-
White, nativity of mother not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-	-
Other	297	1	40	84	55	61	40	14	2	-	-	-
OHIO	144,087	96	14,476	45,901	43,161	25,183	11,859	3,074	214	2	-	121
White, mother native	133,100	51	12,552	42,708	40,982	23,187	10,675	2,658	182	2	-	105
White, mother foreign	3,276	-	43	523	650	1,100	698	239	20	-	-	3
White, nativity of mother not stated	58	-	3	17	10	6	9	5	-	-	-	8
Negro	7,616	45	1,877	2,635	1,505	889	474	174	12	-	-	5
Other	37	-	1	18	14	1	3	-	-	-	-	-
Urban	98,978	72	9,857	32,199	30,310	17,173	7,499	1,708	103	1	-	56
White, mother native	88,979	28	8,050	29,235	28,321	15,389	6,474	1,361	77	1	-	43
White, mother foreign	2,860	-	36	465	587	971	592	193	14	-	-	2
White, nativity of mother not stated	28	-	1	8	3	3	4	3	-	-	-	6
Negro	7,078	44	1,769	2,474	1,387	810	426	151	12	-	-	5
Other	33	-	1	17	12	-	3	-	-	-	-	-
Places of 100,000 or more	57,785	55	5,803	18,982	17,919	9,817	4,191	934	63	-	-	23
White, mother native	50,104	17	4,332	16,664	16,425	8,478	3,442	685	44	-	-	17
White, mother foreign	1,974	-	28	319	403	682	407	126	9	-	-	-
White, nativity of mother not stated	16	-	-	5	2	1	2	2	-	-	-	4
Negro	5,667	36	1,443	1,979	1,082	656	338	121	10	-	-	2
Other	24	-	-	15	7	-	2	-	-	-	-	-
Places of 25,000 to 100,000	15,530	10	1,605	4,984	4,734	2,685	1,215	269	22	1	-	5
White, mother native	14,428	4	1,448	4,647	4,496	2,475	1,103	232	19	1	-	3
White, mother foreign	379	-	5	65	75	151	76	25	3	-	-	1
White, nativity of mother not stated	4	-	1	1	-	1	1	-	-	-	-	-
Negro	713	6	150	269	160	78	35	14	-	-	-	1
Other	6	-	1	2	3	-	-	-	-	-	-	-
Places of 10,000 to 25,000	11,538	2	1,115	3,693	3,456	2,083	949	223	7	-	-	10
White, mother native	10,917	2	1,018	3,537	3,324	1,985	861	198	6	-	-	6
White, mother foreign	271	-	1	43	60	81	66	19	-	-	-	1
White, nativity of mother not stated	6	-	-	1	-	1	1	1	-	-	-	2
Negro	343	-	96	112	71	36	21	5	1	-	-	1
Other	1	-	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	14,125	7	1,334	4,540	4,201	2,588	1,144	282	11	-	-	18
White, mother native	13,530	5	1,252	4,387	4,076	2,471	1,068	246	8	-	-	17
White, mother foreign	236	-	2	38	49	77	43	25	2	-	-	-
White, nativity of mother not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	355	2	80	114	74	40	32	11	1	-	-	1
Other	2	-	-	-	1	-	1	-	-	-	-	-
Rural	45,109	24	4,619	13,702	12,851	8,010	4,360	1,366	111	1	-	65
White, mother native	44,121	23	4,502	13,473	12,661	7,798	4,201	1,295	105	1	-	62
White, mother foreign	416	-	7	58	63	129	106	46	6	-	-	1
White, nativity of mother not stated	30	-	2	9	7	3	5	2	-	-	-	2
Negro	538	1	108	161	118	79	48	23	-	-	-	-
Other	4	-	-	1	2	1	-	-	-	-	-	-
OKLAHOMA	48,639	58	8,471	16,464	11,071	7,266	3,995	1,184	73	1	1	55
White, mother native	43,415	30	7,290	14,833	10,050	6,491	3,565	1,043	68	-	-	45
White, mother foreign	157	-	1	26	46	37	35	11	1	-	-	-
White, nativity of mother not stated	59	-	13	24	8	8	1	4	-	-	-	1
Negro	3,065	26	827	948	557	412	217	70	3	1	1	3
Other	1,943	2	340	633	410	318	177	56	1	-	-	6

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
OKLAHOMA—Continued												
Urban	22,682	30	3,934	8,311	5,470	3,094	1,476	338	15	-	-	14
White, mother native	20,305	15	3,351	7,537	4,977	2,781	1,320	298	14	-	-	12
White, mother foreign	108	-	-	23	38	27	16	4	-	-	-	-
White, nativity of mother not stated	19	-	4	12	2	1	-	-	-	-	-	-
Negro	1,715	14	484	541	332	209	104	30	1	-	-	-
Other	535	1	95	198	121	76	36	6	-	-	-	2
Places of 100,000 or more	8,990	11	1,418	3,351	2,272	1,240	579	108	5	-	-	6
White, mother native	8,142	7	1,226	3,065	2,094	1,122	520	98	5	-	-	5
White, mother foreign	62	-	-	12	20	18	10	2	-	-	-	-
White, nativity of mother not stated	6	-	1	4	1	-	-	-	-	-	-	-
Negro	683	4	177	232	135	87	40	8	-	-	-	-
Other	97	-	14	38	22	13	9	-	-	-	-	1
Places of 25,000 to 100,000	1,602	2	289	610	358	219	96	28	-	-	-	-
White, mother native	1,362	2	231	528	313	182	85	21	-	-	-	-
White, mother foreign	6	-	-	2	2	1	1	-	-	-	-	-
White, nativity of mother not stated	3	-	1	1	1	-	-	-	-	-	-	-
Negro	210	-	53	69	39	34	9	6	-	-	-	-
Other	21	-	4	10	3	2	1	1	-	-	-	-
Places of 10,000 to 25,000	5,637	7	1,013	2,100	1,322	751	353	84	2	-	-	5
White, mother native	4,995	1	841	1,894	1,187	682	315	70	1	-	-	4
White, mother foreign	31	-	-	6	12	8	3	2	-	-	-	-
White, nativity of mother not stated	7	-	-	6	-	1	-	-	-	-	-	-
Negro	463	6	139	142	95	42	29	9	1	-	-	-
Other	141	-	33	52	28	18	6	3	-	-	-	1
Places of 2,500 to 10,000	6,453	10	1,214	2,250	1,518	884	448	118	8	-	-	3
White, mother native	5,806	5	1,053	2,050	1,383	795	400	109	8	-	-	3
White, mother foreign	9	-	-	3	4	-	2	-	-	-	-	-
White, nativity of mother not stated	3	-	2	1	-	-	-	-	-	-	-	-
Negro	359	4	115	98	63	46	26	7	-	-	-	-
Other	276	1	44	98	68	43	20	2	-	-	-	-
Rural	25,957	28	4,537	8,153	5,601	4,172	2,519	846	58	1	1	41
White, mother native	23,110	15	3,939	7,296	5,073	3,710	2,245	745	54	-	-	33
White, mother foreign	49	-	1	3	8	10	19	7	1	-	-	-
White, nativity of mother not stated	40	-	9	12	6	7	1	4	-	-	-	1
Negro	1,350	12	343	407	225	203	113	40	2	1	1	3
Other	1,408	1	245	435	289	242	141	50	1	-	-	4
OREGON	25,450	5	2,845	8,886	7,339	4,150	1,712	441	28	2	-	42
White, mother native	24,275	5	2,775	8,562	7,009	3,894	1,574	393	28	2	-	35
White, mother foreign	819	-	22	201	244	213	105	32	2	-	-	-
White, nativity of mother not stated	11	-	1	2	3	-	2	-	-	-	-	3
Negro	68	-	7	31	7	12	7	3	-	-	-	1
Other	277	-	40	90	76	31	24	13	-	-	-	3
Urban	14,032	1	1,416	4,945	4,276	2,334	858	174	12	2	-	16
White, mother native	13,345	1	1,383	4,762	4,076	2,184	779	155	10	2	-	13
White, mother foreign	531	-	16	126	163	149	62	13	2	-	-	-
White, nativity of mother not stated	7	-	1	-	3	-	1	-	-	-	-	2
Negro	45	-	3	20	3	9	6	3	-	-	-	1
Other	104	-	13	37	31	12	8	3	-	-	-	-
Places of 100,000 or more	8,243	-	685	2,794	2,663	1,483	506	102	4	1	-	5
White, mother native	7,744	-	665	2,657	2,509	1,359	457	90	3	1	-	3
White, mother foreign	377	-	11	86	125	106	40	8	1	-	-	-
White, nativity of mother not stated	5	-	1	-	3	-	-	-	-	-	-	1
Negro	42	-	3	19	3	9	4	3	-	-	-	1
Other	75	-	5	32	23	9	5	1	-	-	-	-
Places of 25,000 to 100,000	618	-	74	203	183	103	44	6	3	-	-	2
White, mother native	594	-	73	196	178	93	43	6	3	-	-	2
White, mother foreign	22	-	1	6	4	10	1	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	2	-	-	1	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,949	-	223	720	565	281	125	29	2	-	-	4
White, mother native	1,881	-	217	704	553	265	113	25	1	-	-	3
White, mother foreign	55	-	1	14	10	16	10	3	1	-	-	-
White, nativity of mother not stated	2	-	-	-	-	-	1	-	-	-	-	1
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	11	-	5	2	2	-	1	1	-	-	-	-
Places of 2,500 to 10,000	3,222	1	434	1,228	865	467	181	37	3	1	-	5
White, mother native	3,126	1	428	1,205	836	447	166	34	3	1	-	5
White, mother foreign	77	-	3	20	24	17	11	2	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	-	1	-	-	2	-	-	-	-	-
Other	16	-	3	2	5	3	2	1	-	-	-	-
Rural	11,418	4	1,429	3,941	3,063	1,816	858	267	16	-	-	26
White, mother native	10,930	4	1,392	3,800	2,933	1,730	795	238	16	-	-	22
White, mother foreign	288	-	6	75	81	64	43	19	-	-	-	-
White, nativity of mother not stated	4	-	-	2	-	-	1	-	-	-	-	1
Negro	23	-	4	11	4	3	1	-	-	-	-	-
Other	173	-	27	53	45	19	16	10	-	-	-	3
PENNSYLVANIA	199,366	138	17,495	62,077	61,210	36,348	17,166	4,571	309	11	3	38
White, mother native	181,709	63	14,609	57,163	57,857	33,006	15,005	3,741	226	7	3	29
White, mother foreign	5,881	-	63	810	1,053	1,926	1,380	591	71	4	-	3
White, nativity of mother not stated	17	-	3	5	3	5	1	-	-	-	-	-
Negro	11,727	75	2,817	4,087	2,293	1,405	795	237	12	-	-	6
Other	32	-	3	12	4	6	5	2	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER									
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
PENNSYLVANIA—Continued												
Urban	134,352	92	10,825	42,028	42,660	24,941	11,005	2,607	157	5	2	30
White, mother native	118,738	23	8,116	37,584	39,679	22,046	9,184	1,974	102	4	2	24
White, mother foreign	4,851	-	56	670	890	1,626	1,108	434	46	1	-	2
White, nativity of mother not stated	10	-	3	2	-	4	1	-	-	-	-	-
Negro	10,748	69	2,648	3,761	2,089	1,261	709	198	9	-	-	4
Other	25	-	2	11	2	4	5	1	-	-	-	-
Places of 100,000 or more	60,551	59	4,988	18,700	19,246	11,370	4,969	1,140	59	2	1	17
White, mother native	49,466	5	2,892	15,452	17,119	9,412	3,774	762	33	2	1	14
White, mother foreign	2,807	-	32	357	543	981	640	233	20	-	-	1
White, nativity of mother not stated	5	-	2	1	-	2	-	-	-	-	-	-
Negro	8,251	54	2,061	2,880	1,582	971	551	144	6	-	-	2
Other	22	-	1	10	2	4	4	1	-	-	-	-
Places of 25,000 to 100,000	25,530	14	2,191	8,215	7,921	4,669	2,023	460	36	-	-	1
White, mother native	23,572	5	1,886	7,695	7,537	4,258	1,783	380	27	-	-	1
White, mother foreign	731	-	6	106	129	258	164	62	6	-	-	-
White, nativity of mother not stated	4	-	1	-	-	2	1	-	-	-	-	-
Negro	1,221	9	298	413	255	151	74	18	3	-	-	-
Other	2	-	-	1	-	-	1	-	-	-	-	-
Places of 10,000 to 25,000	22,855	11	1,700	7,185	7,342	4,287	1,847	444	28	1	1	9
White, mother native	21,312	6	1,495	6,748	7,060	3,979	1,644	352	18	1	1	8
White, mother foreign	697	-	8	118	117	220	152	71	10	-	-	1
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	846	5	197	319	165	88	51	21	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	25,416	8	1,946	7,928	8,151	4,615	2,166	563	34	2	-	3
White, mother native	24,388	7	1,843	7,669	7,963	4,397	1,983	480	24	1	-	1
White, mother foreign	596	-	10	89	101	167	150	68	10	1	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	430	1	92	149	87	51	33	15	-	-	-	2
Other	1	-	1	-	-	-	-	-	-	-	-	-
Rural	65,014	46	6,670	20,049	18,550	11,407	6,161	1,964	152	6	1	8
White, mother native	62,971	40	6,493	19,579	18,178	10,960	5,821	1,767	124	3	1	5
White, mother foreign	1,050	-	7	140	163	300	254	157	25	3	-	1
White, nativity of mother not stated	7	-	-	3	3	1	-	-	-	-	-	-
Negro	979	6	169	326	204	144	86	39	3	-	-	2
Other	7	-	1	1	2	2	-	1	-	-	-	-
RHODE ISLAND	14,687	3	819	4,166	4,794	3,138	1,407	318	18	-	-	6
White, mother native	13,110	3	737	3,879	4,470	2,686	1,101	217	11	-	-	6
White, mother foreign	1,202	-	10	161	249	406	282	89	5	-	-	-
White, nativity of mother not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	341	-	71	120	73	41	24	12	-	-	-	-
Other	13	-	1	6	1	5	-	-	-	-	-	-
Urban	13,111	3	719	3,665	4,322	2,831	1,264	286	16	-	-	5
White, mother native	11,675	3	647	3,389	4,026	2,412	980	192	11	-	-	5
White, mother foreign	1,116	-	10	148	229	379	263	82	5	-	-	-
White, nativity of mother not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	312	-	62	115	66	36	21	12	-	-	-	-
Other	7	-	-	3	-	4	-	-	-	-	-	-
Places of 100,000 or more	4,883	2	288	1,323	1,646	1,042	470	103	7	-	-	2
White, mother native	4,289	2	240	1,207	1,534	880	355	64	5	-	-	2
White, mother foreign	393	-	5	42	76	135	102	31	2	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	198	-	43	72	36	24	13	8	-	-	-	-
Other	5	-	-	2	-	3	-	-	-	-	-	-
Places of 25,000 to 100,000	5,910	1	319	1,694	1,890	1,286	582	131	5	-	-	2
White, mother native	5,274	1	298	1,575	1,748	1,096	457	94	3	-	-	2
White, mother foreign	542	-	4	84	116	182	120	34	2	-	-	-
White, nativity of mother not stated	1	-	-	-	1	-	-	-	-	-	-	-
Negro	92	-	17	35	25	7	5	3	-	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000	1,795	-	90	502	609	391	162	39	2	-	-	-
White, mother native	1,629	-	88	475	582	332	125	26	1	-	-	-
White, mother foreign	146	-	1	20	24	54	34	12	1	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	19	-	1	6	3	5	3	1	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	523	-	22	146	177	112	50	13	2	-	-	1
White, mother native	483	-	21	142	162	104	43	8	2	-	-	1
White, mother foreign	35	-	-	2	13	8	7	5	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	5	-	1	2	2	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	1,556	-	100	501	472	307	143	32	-	-	-	1
White, mother native	1,435	-	90	480	444	274	121	25	-	-	-	1
White, mother foreign	86	-	-	13	20	27	19	7	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	29	-	9	5	7	5	3	-	-	-	-	-
Other	6	-	1	3	1	1	-	-	-	-	-	-
SOUTH CAROLINA	54,144	145	10,007	18,529	12,338	7,508	4,137	1,158	114	2	-	228
White, mother native	29,673	37	4,429	10,298	7,277	4,613	2,252	626	44	1	-	96
White, mother foreign	77	-	1	21	29	15	9	2	-	-	-	-
White, nativity of mother not stated	94	-	16	17	27	17	8	1	-	-	-	8
Negro	24,280	108	5,557	8,189	5,001	2,857	1,867	506	70	1	-	124
Other	20	-	4	4	4	6	1	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
SOUTH CAROLINA—Continued												
Urban	16,863	49	3,129	6,116	4,092	2,249	988	174	9	-	-	57
White, mother native	11,565	19	1,718	4,339	2,947	1,695	694	119	6	-	-	28
White, mother foreign	58	-	1	15	22	12	8	-	-	-	-	-
White, nativity of mother not stated	32	-	7	6	10	5	1	-	-	-	-	3
Negro	5,202	30	1,402	1,754	1,113	535	284	55	3	-	-	26
Other	6	-	1	2	-	2	1	-	-	-	-	-
Places of 25,000 to 100,000	7,514	18	1,420	2,784	1,856	976	379	56	4	-	-	21
White, mother native	4,943	6	677	1,912	1,322	716	264	34	4	-	-	8
White, mother foreign	46	-	1	11	16	12	6	-	-	-	-	-
White, nativity of mother not stated	7	-	-	1	2	3	-	-	-	-	-	1
Negro	2,516	12	742	859	516	244	109	22	-	-	-	12
Other	2	-	-	1	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000	3,097	7	534	1,167	747	427	175	27	1	-	-	12
White, mother native	2,193	2	314	876	537	323	116	19	-	-	-	6
White, mother foreign	2	-	-	-	2	-	-	-	-	-	-	-
White, nativity of mother not stated	5	-	1	-	3	-	1	-	-	-	-	-
Negro	895	5	218	291	205	103	58	8	1	-	-	6
Other	2	-	1	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	6,252	24	1,175	2,165	1,489	846	434	91	4	-	-	24
White, mother native	4,429	11	727	1,551	1,088	656	314	66	2	-	-	14
White, mother foreign	10	-	-	4	4	-	2	-	-	-	-	-
White, nativity of mother not stated	20	-	6	5	5	2	-	-	-	-	-	2
Negro	1,791	13	442	604	392	188	117	25	2	-	-	8
Other	2	-	-	1	-	-	1	-	-	-	-	-
Rural	37,281	96	6,878	12,413	8,246	5,259	3,149	962	105	2	-	171
White, mother native	18,108	18	2,711	5,959	4,330	2,918	1,558	507	38	1	-	68
White, mother foreign	19	-	-	6	7	3	1	2	-	-	-	-
White, nativity of mother not stated	62	-	9	11	17	12	7	1	-	-	-	5
Negro	19,078	78	4,155	6,435	3,888	2,322	1,583	451	67	1	-	98
Other	14	-	3	2	4	4	-	1	-	-	-	-
SOUTH DAKOTA	12,816	2	984	3,833	3,671	2,508	1,227	495	40	-	1	75
White, mother native	11,962	1	887	3,618	3,466	2,345	1,109	438	32	-	-	66
White, mother foreign	173	-	4	22	34	43	42	23	2	-	1	2
White, nativity of mother not stated	16	-	1	2	3	4	2	1	1	-	-	2
Negro	8	1	1	2	3	1	-	-	-	-	-	-
Other	657	-	71	189	165	115	74	33	5	-	-	5
Urban	3,870	1	341	1,256	1,132	715	295	105	7	-	-	18
White, mother native	3,768	-	336	1,231	1,106	690	281	99	7	-	-	18
White, mother foreign	48	-	1	5	14	16	9	3	-	-	-	-
White, nativity of mother not stated	3	-	-	1	-	1	1	-	-	-	-	-
Negro	6	1	1	2	1	1	-	-	-	-	-	-
Other	45	-	3	17	11	7	4	3	-	-	-	-
Places of 25,000 to 100,000	1,234	1	114	438	370	212	77	20	1	-	-	1
White, mother native	1,207	-	113	434	362	204	73	19	1	-	-	1
White, mother foreign	21	-	-	3	6	7	4	1	-	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	4	1	1	-	1	1	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,464	-	121	488	400	274	125	44	2	-	-	10
White, mother native	1,453	-	120	477	394	267	120	43	2	-	-	10
White, mother foreign	13	-	1	1	3	4	3	1	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	18	-	-	10	3	3	2	-	-	-	-	-
Places of 2,500 to 10,000	1,172	-	106	330	362	229	93	41	4	-	-	7
White, mother native	1,128	-	103	320	350	219	88	37	4	-	-	7
White, mother foreign	14	-	-	1	5	5	2	1	-	-	-	-
White, nativity of mother not stated	2	-	-	-	-	1	1	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-	-
Other	26	-	3	7	7	4	2	3	-	-	-	-
Rural	8,946	1	623	2,577	2,539	1,793	932	390	33	-	1	57
White, mother native	8,194	1	551	2,387	2,360	1,655	828	339	25	-	-	48
White, mother foreign	125	-	3	17	20	27	33	20	2	-	1	2
White, nativity of mother not stated	13	-	1	1	3	3	1	1	1	-	-	2
Negro	2	-	-	-	2	-	-	-	-	-	-	-
Other	612	-	68	172	154	108	70	30	5	-	-	5
TENNESSEE	70,203	181	11,344	22,142	16,974	11,201	6,253	1,848	136	9	5	110
White, mother native	59,223	59	8,570	18,961	14,687	9,713	5,431	1,593	117	9	4	79
White, mother foreign	103	-	3	24	25	33	14	4	-	-	-	-
White, nativity of mother not stated	22	-	2	5	1	3	1	-	-	-	-	10
Negro	10,849	122	2,768	3,151	2,258	1,452	807	251	19	-	1	20
Other	6	-	1	1	3	-	-	-	-	-	-	1
Urban	28,869	91	4,654	9,112	6,801	3,887	1,838	426	24	3	2	31
White, mother native	20,980	19	3,041	7,386	5,568	3,138	1,457	327	19	3	1	21
White, mother foreign	83	-	2	18	19	28	12	4	-	-	-	-
White, nativity of mother not stated	6	-	-	3	1	-	-	-	-	-	-	2
Negro	5,797	72	1,611	1,704	1,212	721	369	95	5	-	1	7
Other	3	-	-	1	1	-	-	-	-	-	-	1
Places of 100,000 or more	17,769	71	3,219	5,996	4,481	2,498	1,207	266	9	3	2	17
White, mother native	13,026	12	1,921	4,617	3,471	1,898	894	190	9	3	1	10
White, mother foreign	66	-	1	14	15	25	10	1	-	-	-	-
White, nativity of mother not stated	3	-	-	1	-	-	-	-	-	-	-	2
Negro	4,673	59	1,297	1,363	995	575	303	75	-	-	1	5
Other	1	-	-	1	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
TENNESSEE—Continued												
Places of 25,000 to 100,000	621	-	73	215	171	115	33	10	4	-	-	-
White, mother native	565	-	66	199	153	109	29	7	2	-	-	-
White, mother foreign	4	-	-	-	2	-	-	2	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	52	-	7	16	16	6	4	1	2	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,835	7	463	946	759	419	195	39	4	-	-	3
White, mother native	2,403	2	335	815	671	375	167	33	3	-	-	2
White, mother foreign	6	-	-	2	-	2	1	1	-	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	425	5	128	128	88	42	27	5	1	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,644	13	899	1,955	1,390	855	403	111	7	-	-	11
White, mother native	4,986	5	719	1,755	1,273	756	367	97	5	-	-	9
White, mother foreign	7	-	1	2	2	1	1	-	-	-	-	-
White, nativity of mother not stated	2	-	-	1	1	-	-	-	-	-	-	-
Negro	647	8	179	197	113	98	35	14	2	-	-	1
Other	2	-	-	-	1	-	-	-	-	-	-	1
Rural	43,334	90	6,690	13,030	10,173	7,314	4,415	1,422	112	6	3	79
White, mother native	38,243	40	5,529	11,575	9,119	6,575	3,974	1,266	98	6	3	58
White, mother foreign	20	-	1	6	6	5	2	-	-	-	-	-
White, nativity of mother not stated	16	-	2	2	-	3	1	-	-	-	-	8
Negro	5,052	50	1,157	1,447	1,046	731	438	156	14	-	-	13
Other	3	-	1	-	2	-	-	-	-	-	-	-
TEXAS	164,513	301	26,568	54,886	40,009	25,185	13,260	3,438	244	11	12	599
White, mother native	136,818	143	21,123	47,579	34,408	20,470	10,011	2,475	155	8	6	442
White, mother foreign	7,375	1	204	1,143	1,636	2,091	1,676	526	56	2	2	38
White, nativity of mother not stated	85	-	14	26	18	5	10	2	-	-	-	10
Negro	20,140	156	5,212	6,108	3,934	2,607	1,547	431	33	1	4	109
Other	95	1	15	32	15	12	16	4	-	-	-	-
Urban	97,058	166	16,196	34,261	23,869	14,067	6,583	1,492	93	6	7	298
White, mother native	81,830	84	13,098	30,134	20,809	11,463	4,903	1,041	60	4	3	231
White, mother foreign	4,852	1	154	796	1,141	1,353	1,052	307	29	1	1	17
White, nativity of mother not stated	42	-	5	13	13	2	5	-	-	-	-	4
Negro	10,277	80	2,930	3,298	1,917	1,243	614	141	4	1	3	46
Other	57	1	9	20	9	6	9	3	-	-	-	-
Places of 100,000 or more	34,674	57	5,662	12,403	8,786	5,043	2,165	487	19	2	3	67
White, mother native	28,744	27	4,322	10,660	7,602	4,120	1,618	329	11	2	1	52
White, mother foreign	1,335	-	45	202	320	388	291	79	7	-	-	3
White, nativity of mother not stated	14	-	2	4	6	-	-	-	-	-	-	2
Negro	4,554	29	1,290	1,527	855	531	251	58	1	-	2	10
Other	27	1	3	10	3	4	5	1	-	-	-	-
Places of 25,000 to 100,000	24,457	40	4,081	8,885	5,953	3,473	1,593	330	33	1	1	87
White, mother native	20,443	26	3,374	7,772	5,120	2,711	1,149	207	21	-	1	62
White, mother foreign	1,660	-	56	291	402	473	324	95	11	1	-	7
White, nativity of mother not stated	11	-	-	4	3	1	2	-	-	-	-	1
Negro	2,324	14	648	792	424	286	115	27	1	-	-	17
Other	19	-	3	6	4	2	3	1	-	-	-	-
Places of 10,000 to 25,000	11,852	22	2,048	4,182	2,943	1,615	811	186	11	-	-	34
White, mother native	10,103	12	1,650	3,728	2,593	1,341	615	135	5	-	-	24
White, mother foreign	537	1	20	102	113	144	116	35	5	-	-	1
White, nativity of mother not stated	5	-	1	1	2	-	1	-	-	-	-	-
Negro	1,203	9	375	351	234	130	79	15	1	-	-	9
Other	4	-	2	-	1	-	-	1	-	-	-	-
Places of 2,500 to 10,000	26,075	47	4,405	8,811	6,207	3,936	2,014	509	30	3	3	110
White, mother native	22,540	19	3,752	7,974	5,494	3,291	1,521	370	23	2	1	93
White, mother foreign	1,320	-	33	201	306	348	321	98	6	-	1	6
White, nativity of mother not stated	12	-	2	4	2	1	2	-	-	-	-	1
Negro	2,196	28	617	628	404	296	169	41	1	1	1	10
Other	7	-	1	4	1	-	1	-	-	-	-	-
Rural	67,455	135	10,372	20,625	16,120	11,118	6,677	1,946	151	5	5	301
White, mother native	54,988	59	8,025	17,445	13,597	9,007	5,108	1,434	95	4	3	211
White, mother foreign	2,523	-	50	347	495	738	624	219	27	1	1	21
White, nativity of mother not stated	43	-	9	13	5	3	5	2	-	-	-	6
Negro	9,863	76	2,282	2,808	2,017	1,364	933	290	29	-	1	63
Other	38	-	6	12	6	6	7	1	-	-	-	-
UTAH	17,161	4	1,754	5,705	4,821	2,913	1,456	464	40	-	-	4
White, mother native	16,516	2	1,719	5,556	4,669	2,777	1,339	415	36	-	-	3
White, mother foreign	424	-	10	79	83	108	100	40	4	-	-	-
White, nativity of mother not stated	2	-	1	-	1	-	-	-	-	-	-	-
Negro	24	-	3	12	4	1	2	1	-	-	-	1
Other	195	2	21	58	64	27	15	8	-	-	-	-
Urban	10,355	-	1,030	3,508	2,998	1,758	793	247	21	-	-	-
White, mother native	9,989	-	1,016	3,426	2,924	1,671	716	218	18	-	-	-
White, mother foreign	300	-	6	56	52	80	76	27	3	-	-	-
White, nativity of mother not stated	2	-	1	-	1	-	-	-	-	-	-	-
Negro	17	-	2	9	4	1	1	-	-	-	-	-
Other	47	-	5	17	17	6	-	2	-	-	-	-
Places of 100,000 or more	4,657	-	427	1,564	1,398	808	360	91	9	-	-	-
White, mother native	4,432	-	420	1,516	1,356	749	313	70	8	-	-	-
White, mother foreign	189	-	3	34	30	54	46	21	1	-	-	-
White, nativity of mother not stated	2	-	1	-	1	-	-	-	-	-	-	-
Negro	11	-	1	5	3	1	1	-	-	-	-	-
Other	23	-	2	9	8	4	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UTAH—Continued												
Places of 25,000 to 100,000	1,649	-	179	586	473	241	129	38	3	-	-	-
White, mother native	1,605	-	177	576	457	235	121	36	3	-	-	-
White, mother foreign	32	-	1	5	10	6	8	2	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	1	2	-	-	-	-	-	-	-	-
Other	9	-	-	3	6	-	-	-	-	-	-	-
Places of 10,000 to 25,000	1,096	-	83	381	320	201	74	33	4	-	-	-
White, mother native	1,088	-	82	377	314	194	67	32	2	-	-	-
White, mother foreign	24	-	-	2	5	7	7	1	2	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-	-
Other	3	-	1	1	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	2,953	-	341	977	807	508	230	85	5	-	-	-
White, mother native	2,884	-	337	957	797	493	215	80	5	-	-	-
White, mother foreign	55	-	2	15	7	13	15	3	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	1	-	-	-	-	-	-	-
Other	12	-	2	4	2	2	-	2	-	-	-	-
Rural	6,806	4	724	2,197	1,823	1,155	663	217	19	-	-	4
White, mother native	6,527	2	706	2,130	1,745	1,106	623	197	18	-	-	3
White, mother foreign	124	-	4	23	31	28	24	13	1	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	7	-	1	3	-	-	1	1	-	-	-	1
Other	148	2	16	41	47	21	15	6	-	-	-	-
VERMONT	7,303	5	726	2,250	2,052	1,328	737	192	9	-	-	4
White, mother native	6,784	4	710	2,158	1,916	1,186	636	164	6	-	-	4
White, mother foreign	513	-	15	89	136	141	101	28	3	-	-	-
White, nativity of mother not stated	2	1	-	1	-	-	-	-	-	-	-	-
Negro	4	-	1	2	-	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Urban	2,805	3	233	868	845	540	256	56	3	-	-	1
White, mother native	2,638	2	228	839	795	490	231	50	2	-	-	1
White, mother foreign	166	-	5	29	50	50	25	6	1	-	-	-
White, nativity of mother not stated	1	1	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	673	-	57	237	178	126	61	14	-	-	-	-
White, mother native	631	-	56	231	166	111	54	13	-	-	-	-
White, mother foreign	42	-	1	6	12	15	7	1	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	538	-	39	150	170	115	56	7	1	-	-	-
White, mother native	501	-	39	143	158	105	49	7	-	-	-	-
White, mother foreign	37	-	-	7	12	10	7	-	1	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,594	3	137	481	497	299	139	35	2	-	-	1
White, mother native	1,508	2	133	465	471	274	128	30	2	-	-	1
White, mother foreign	87	-	4	16	26	25	11	5	-	-	-	-
White, nativity of mother not stated	1	1	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	4,498	2	493	1,382	1,207	788	481	136	6	-	-	3
White, mother native	4,146	2	482	1,319	1,121	696	405	114	4	-	-	3
White, mother foreign	347	-	10	60	86	91	76	22	2	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	4	-	1	2	-	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	72,157	169	10,604	23,710	18,150	11,516	5,855	1,816	168	4	-	165
White, mother native	54,255	35	6,579	17,910	14,507	9,154	4,513	1,356	114	3	-	84
White, mother foreign	384	-	5	86	107	114	61	11	-	-	-	-
White, nativity of mother not stated	24	-	2	6	6	3	1	1	-	-	-	5
Negro	17,467	134	4,017	5,701	3,522	2,239	1,278	447	54	1	-	76
Other	27	-	1	7	8	6	4	1	-	-	-	-
Urban	27,528	71	3,922	9,505	7,394	4,411	1,781	376	22	2	-	44
White, mother native	21,010	9	2,321	7,288	6,097	3,808	1,384	273	14	1	-	15
White, mother foreign	268	-	1	59	76	82	42	8	-	-	-	-
White, nativity of mother not stated	10	-	1	2	1	2	-	1	-	-	-	3
Negro	6,226	62	1,599	2,152	1,217	716	352	93	8	1	-	26
Other	14	-	-	4	3	3	3	1	-	-	-	-
Places of 100,000 or more	8,852	36	1,439	3,102	2,257	1,324	552	119	5	1	-	17
White, mother native	6,118	3	717	2,189	1,731	1,001	392	75	2	1	-	7
White, mother foreign	81	-	1	19	21	22	14	4	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	2,645	33	721	891	503	299	146	39	3	-	-	10
Other	8	-	-	3	2	2	-	1	-	-	-	-
Places of 25,000 to 100,000	11,672	27	1,518	3,957	3,248	1,986	755	150	13	1	-	17
White, mother native	8,961	3	860	3,046	2,688	1,649	591	111	8	-	-	5
White, mother foreign	137	-	-	28	39	47	19	4	-	-	-	-
White, nativity of mother not stated	10	-	1	2	1	2	-	1	-	-	-	3
Negro	2,559	24	657	880	519	287	145	34	5	1	-	9
Other	5	-	-	1	1	1	2	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
VIRGINIA—Continued												
Places of 10,000 to 25,000	1,825	5	291	618	487	289	111	22	1	-	-	1
White, mother native	1,446	2	197	482	419	239	89	17	1	-	-	-
White, mother foreign	12	-	-	4	3	4	1	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	367	3	94	132	65	46	21	5	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,179	3	674	1,828	1,402	812	363	85	3	-	-	9
White, mother native	4,485	1	547	1,571	1,259	719	312	70	3	-	-	3
White, mother foreign	38	-	-	8	13	9	8	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	655	2	127	249	130	84	42	15	-	-	-	6
Other	1	-	-	-	-	-	1	-	-	-	-	-
Rural	44,629	98	6,682	14,205	10,756	7,105	4,074	1,440	146	2	-	121
White, mother native	33,245	28	4,258	10,622	8,410	5,546	3,129	1,083	100	2	-	69
White, mother foreign	116	-	4	27	31	32	19	3	-	-	-	-
White, nativity of mother not stated	14	-	1	4	5	1	1	-	-	-	-	2
Negro	11,241	72	2,418	3,549	2,305	1,523	924	354	46	-	-	50
Other	13	-	1	3	5	3	1	-	-	-	-	-
WASHINGTON	44,520	11	4,704	16,059	13,045	6,970	2,948	695	53	3	-	32
White, mother native	41,294	7	4,498	15,068	12,057	6,380	2,628	590	42	2	-	22
White, mother foreign	2,288	-	81	673	724	471	251	79	6	-	-	3
White, nativity of mother not stated	15	-	-	-	3	2	1	2	-	-	-	7
Negro	133	-	26	57	23	17	6	3	-	1	-	-
Other	790	4	99	261	238	100	62	21	5	-	-	-
Urban	26,968	6	2,672	9,870	8,113	4,237	1,664	360	28	2	-	16
White, mother native	25,001	5	2,576	9,268	7,466	3,875	1,470	306	23	1	-	11
White, mother foreign	1,499	-	43	434	502	310	164	41	3	-	-	2
White, nativity of mother not stated	10	-	-	-	2	2	1	2	-	-	-	3
Negro	117	-	23	48	22	16	4	3	-	1	-	-
Other	341	1	30	120	121	34	25	8	2	-	-	-
Places of 100,000 or more	17,235	3	1,564	6,248	5,284	2,801	1,075	235	16	2	-	7
White, mother native	15,844	2	1,494	5,834	4,819	2,546	951	200	13	1	-	4
White, mother foreign	1,021	-	31	273	349	216	122	26	2	-	-	2
White, nativity of mother not stated	4	-	-	-	1	1	-	1	-	-	-	1
Negro	92	-	17	41	15	11	4	3	-	1	-	-
Other	274	1	22	100	100	27	18	5	1	-	-	-
Places of 25,000 to 100,000	2,221	-	233	776	674	355	147	34	2	-	-	-
White, mother native	2,041	-	224	724	615	318	133	25	2	-	-	-
White, mother foreign	165	-	6	48	55	35	13	8	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	8	-	2	1	4	1	-	-	-	-	-	-
Other	7	-	1	3	-	1	1	1	-	-	-	-
Places of 10,000 to 25,000	4,520	1	481	1,735	1,329	651	264	50	3	-	-	6
White, mother native	4,297	1	478	1,650	1,262	608	244	47	3	-	-	4
White, mother foreign	188	-	1	70	58	37	19	3	-	-	-	-
White, nativity of mother not stated	5	-	-	-	1	1	1	-	-	-	-	2
Negro	14	-	2	6	3	3	-	-	-	-	-	-
Other	16	-	-	9	5	2	-	-	-	-	-	-
Places of 2,500 to 10,000	2,992	2	394	1,111	826	430	178	41	7	-	-	3
White, mother native	2,819	2	380	1,060	770	403	162	34	5	-	-	3
White, mother foreign	125	-	5	43	40	22	10	4	1	-	-	-
White, nativity of mother not stated	1	-	-	-	-	-	-	1	-	-	-	-
Negro	3	-	2	-	-	1	-	-	-	-	-	-
Other	44	-	7	8	16	4	6	2	1	-	-	-
Rural	17,552	5	2,032	6,189	4,932	2,733	1,284	335	25	1	-	16
White, mother native	16,293	2	1,922	5,800	4,591	2,505	1,158	284	19	1	-	11
White, mother foreign	789	-	38	239	222	161	87	38	3	-	-	1
White, nativity of mother not stated	5	-	-	-	1	-	-	-	-	-	-	4
Negro	16	-	3	9	1	1	2	-	-	-	-	-
Other	449	3	69	141	117	66	37	13	3	-	-	-
WEST VIRGINIA	43,372	43	8,290	14,222	10,752	6,733	3,735	1,322	115	4	1	155
White, mother native	40,655	32	5,715	13,383	10,193	6,352	3,508	1,228	108	3	1	132
White, mother foreign	242	-	3	46	44	70	47	29	3	-	-	-
White, nativity of mother not stated	78	-	9	19	18	5	6	3	-	-	-	18
Negro	2,396	11	563	773	497	306	174	62	4	1	-	6
Other	1	-	-	1	-	-	-	-	-	-	-	-
Urban	12,691	9	1,725	4,388	3,405	1,995	862	233	15	1	-	58
White, mother native	11,961	8	1,582	4,152	3,261	1,881	805	210	13	1	-	48
White, mother foreign	119	-	1	25	27	39	18	9	-	-	-	-
White, nativity of mother not stated	29	-	5	9	3	1	2	-	-	-	-	9
Negro	582	1	137	202	114	74	37	14	2	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000	6,024	5	839	2,104	1,610	945	388	102	6	-	-	27
White, mother native	5,694	5	761	2,003	1,549	892	388	89	6	-	-	21
White, mother foreign	57	-	1	11	11	19	10	5	-	-	-	-
White, nativity of mother not stated	16	-	5	4	2	-	-	-	-	-	-	5
Negro	257	-	72	86	48	32	10	8	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,716	2	349	947	725	423	196	51	4	1	-	18
White, mother native	2,537	1	329	889	691	396	178	44	2	1	-	16
White, mother foreign	28	-	-	7	9	7	3	2	-	-	-	-
White, nativity of mother not stated	6	-	-	2	1	-	1	-	-	-	-	2
Negro	145	1	30	49	24	20	14	5	2	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, RACE, AND NATIVITY OF WHITE MOTHER	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
WEST VIRGINIA—Continued												
Places of 2,500 to 10,000	3,951	2	537	1,337	1,070	629	278	80	5	-	-	13
White, mother native	3,730	2	502	1,280	1,021	593	259	77	5	-	-	11
White, mother foreign	34	-	-	7	7	13	5	2	-	-	-	-
White, nativity of mother not stated	7	-	-	3	-	1	1	-	-	-	-	2
Negro	180	-	35	67	42	22	13	1	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	30,681	34	4,565	9,834	7,347	4,738	2,873	1,089	100	3	1	97
White, mother native	28,694	24	4,133	9,231	6,932	4,471	2,703	1,018	95	2	1	84
White, mother foreign	123	-	2	21	17	31	29	20	3	-	-	-
White, nativity of mother not stated	49	-	4	10	15	4	4	3	-	-	-	9
Negro	1,814	10	426	571	383	232	137	48	2	1	-	4
Other	1	-	-	1	-	-	-	-	-	-	-	-
WISCONSIN	64,450	15	4,156	19,204	20,340	12,703	6,149	1,738	139	3	-	3
White, mother native	62,408	10	4,034	18,770	19,925	12,173	5,770	1,596	123	3	-	2
White, mother foreign	1,331	-	15	214	251	410	313	114	14	-	-	-
White, nativity of mother not stated	7	-	1	1	1	3	-	1	-	-	-	-
Negro	271	2	55	94	54	38	17	10	1	-	-	-
Other	435	3	51	125	109	79	49	17	1	-	-	1
Urban	35,257	3	1,944	10,534	11,824	6,973	3,218	708	51	2	-	-
White, mother native	33,961	2	1,869	10,255	11,587	6,613	2,981	630	42	2	-	-
White, mother foreign	976	-	13	165	191	313	220	67	7	-	-	-
White, nativity of mother not stated	5	-	-	1	1	2	-	1	-	-	-	-
Negro	255	1	52	92	52	35	13	9	1	-	-	-
Other	60	-	10	21	13	10	4	1	1	-	-	-
Places of 100,000 or more	11,730	2	566	3,602	4,101	2,255	989	202	12	1	-	-
White, mother native	11,045	1	519	3,434	3,968	2,075	870	168	9	1	-	-
White, mother foreign	456	-	3	79	86	149	111	26	2	-	-	-
White, nativity of mother not stated	2	-	-	-	1	1	-	-	-	-	-	-
Negro	214	1	42	83	43	30	7	8	-	-	-	-
Other	13	-	2	6	3	-	1	-	1	-	-	-
Places of 25,000 to 100,000	13,298	-	747	3,952	4,445	2,647	1,200	293	14	-	-	-
White, mother native	12,871	-	727	3,875	4,368	2,520	1,111	257	13	-	-	-
White, mother foreign	364	-	8	62	63	118	81	34	-	-	-	-
White, nativity of mother not stated	1	-	-	-	-	-	-	1	-	-	-	-
Negro	39	-	10	8	9	4	6	1	1	-	-	-
Other	23	-	4	7	5	5	2	-	-	-	-	-
Places of 10,000 to 25,000	4,785	1	289	1,403	1,560	954	477	105	15	1	-	-
White, mother native	4,674	1	284	1,380	1,532	926	459	100	11	1	-	-
White, mother foreign	95	-	3	17	24	25	17	5	4	-	-	-
White, nativity of mother not stated	1	-	-	-	-	1	-	-	-	-	-	-
Negro	2	-	-	1	-	1	-	-	-	-	-	-
Other	13	-	2	5	4	1	1	-	-	-	-	-
Places of 2,500 to 10,000	5,444	-	362	1,577	1,718	1,117	552	108	10	-	-	-
White, mother native	5,371	-	359	1,566	1,699	1,092	541	105	9	-	-	-
White, mother foreign	61	-	1	7	18	21	11	2	1	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-	-
Other	11	-	2	3	1	4	-	1	-	-	-	-
Rural	29,193	12	2,212	8,670	8,516	5,730	2,931	1,030	88	1	-	3
White, mother native	28,445	8	2,165	8,515	8,358	5,580	2,789	966	81	1	-	2
White, mother foreign	355	-	2	49	60	97	93	47	7	-	-	-
White, nativity of mother not stated	2	-	1	-	-	1	-	-	-	-	-	-
Negro	16	1	3	2	2	3	4	1	-	-	-	-
Other	375	3	41	104	96	69	45	16	-	-	-	1
WYOMING	5,822	1	652	2,005	1,631	920	473	119	9	-	-	12
White, mother native	5,331	1	618	1,896	1,476	830	400	90	8	-	-	12
White, mother foreign	127	-	4	11	21	37	36	17	1	-	-	-
White, nativity of mother not stated	5	-	-	3	-	1	1	-	-	-	-	-
Negro	22	-	1	9	7	-	5	-	-	-	-	-
Other	337	-	29	86	127	52	31	12	-	-	-	-
Urban	2,736	1	289	996	777	413	198	52	1	-	-	9
White, mother native	2,637	1	284	979	756	393	175	39	1	-	-	9
White, mother foreign	65	-	1	8	8	18	20	12	-	-	-	-
White, nativity of mother not stated	2	-	-	2	-	-	-	-	-	-	-	-
Negro	15	-	-	6	7	-	2	-	-	-	-	-
Other	17	-	4	3	6	2	1	1	-	-	-	-
Places of 10,000 to 25,000	1,855	1	190	687	524	291	123	35	-	-	-	4
White, mother native	1,798	1	189	676	509	280	110	29	-	-	-	4
White, mother foreign	38	-	-	3	8	11	11	5	-	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	10	-	-	4	5	-	1	-	-	-	-	-
Other	8	-	1	3	2	-	1	1	-	-	-	-
Places of 2,500 to 10,000	881	-	99	309	253	142	75	17	1	-	-	5
White, mother native	839	-	95	303	247	113	65	10	1	-	-	5
White, mother foreign	27	-	1	3	-	7	9	7	-	-	-	-
White, nativity of mother not stated	1	-	-	1	-	-	-	-	-	-	-	-
Negro	5	-	-	2	2	-	1	-	-	-	-	-
Other	9	-	3	-	4	2	-	-	-	-	-	-
Rural	3,086	-	383	1,009	854	507	275	67	8	-	-	3
White, mother native	2,694	-	334	917	720	437	225	51	7	-	-	3
White, mother foreign	62	-	3	5	13	19	16	5	1	-	-	-
White, nativity of mother not stated	3	-	-	1	-	1	1	-	-	-	-	-
Negro	7	-	1	3	-	-	3	-	-	-	-	-
Other	320	-	25	83	121	50	30	11	-	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943

(By place of residence. Figures for Massachusetts are included in the "total" and "not stated" classifications; they are not given by order of birth because this State does not require the reporting of such information)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	2,954,860	3,737	343,550	930,015	822,249	510,413	248,870	66,406	4,812	153	55	4,600
White	2,594,763	1,328	262,963	822,315	753,118	466,140	222,614	58,623	4,067	109	46	3,440
First	945,312	1,309	201,617	398,086	224,945	87,747	26,700	3,887	151	15	8	847
Second	694,414	5	46,030	245,998	235,742	125,240	37,659	4,811	177	8	3	741
Third	355,288	-	7,080	97,250	125,203	84,754	34,595	5,674	246	14	7	465
Fourth	184,064	-	890	33,646	65,671	51,134	26,432	5,759	245	11	3	273
Fifth	104,074	-	108	9,786	34,670	33,718	19,985	5,335	291	8	4	169
Sixth	63,833	-	30	2,451	16,615	23,292	16,061	4,976	307	5	1	115
Seventh	41,834	-	-	661	7,062	15,603	13,537	4,587	297	6	3	78
Eighth	28,264	-	-	174	2,712	9,621	11,043	4,324	318	4	6	62
Ninth	19,406	-	-	68	982	5,318	8,573	4,073	336	5	3	48
Tenth	12,884	-	-	32	331	2,537	6,072	3,549	326	5	1	31
Eleventh	8,083	-	-	31	128	1,116	3,576	2,890	323	7	-	12
Twelfth	4,904	-	-	-	64	503	1,978	2,062	282	5	1	9
Thirteenth	2,798	-	-	-	24	215	1,061	1,293	201	2	-	2
Fourteenth	1,523	-	-	-	12	67	555	751	134	1	-	3
Fifteenth	799	-	-	-	7	42	223	422	100	-	1	4
Sixteenth	399	-	-	-	1	12	116	219	50	1	-	-
Seventeenth	192	-	-	-	-	6	57	107	21	-	-	1
Eighteenth	88	-	-	-	-	6	20	47	15	-	-	-
Nineteenth	53	-	-	-	-	2	11	28	11	-	-	1
Twentieth	25	-	-	-	-	4	9	9	3	-	-	-
Twenty-first	19	-	-	-	-	-	8	10	1	-	-	-
Twenty-second and over	18	-	-	-	-	-	6	9	3	-	-	-
Not stated	126,489	14	7,208	34,152	38,949	27,203	14,337	3,801	229	12	5	579
Male	1,334,563	677	135,582	423,178	388,472	239,124	113,706	29,863	2,083	53	22	1,803
First	487,690	667	104,160	205,440	116,081	45,118	13,681	2,005	84	8	3	443
Second	357,566	4	23,625	126,233	122,137	63,332	19,271	2,483	87	3	2	389
Third	182,350	-	3,602	49,846	64,562	43,390	17,709	2,870	124	6	5	236
Fourth	94,426	-	443	17,212	33,597	26,352	13,593	2,954	118	2	1	154
Fifth	52,992	-	58	4,941	17,673	17,134	10,205	2,733	139	6	3	100
Sixth	32,714	-	18	1,262	8,519	11,974	8,136	2,574	168	4	-	59
Seventh	21,337	-	-	342	3,593	7,978	6,950	2,294	135	5	1	39
Eighth	14,272	-	-	100	1,342	4,847	5,666	2,123	154	1	4	35
Ninth	9,880	-	-	39	521	2,686	4,351	2,086	172	3	1	21
Tenth	6,554	-	-	11	163	1,328	3,012	1,841	184	2	-	13
Eleventh	4,190	-	-	21	72	583	1,842	1,491	171	4	-	6
Twelfth	2,471	-	-	-	34	271	985	1,033	145	3	-	-
Thirteenth	1,436	-	-	-	13	103	555	655	109	-	-	1
Fourteenth	815	-	-	-	4	36	304	396	73	-	-	2
Fifteenth	373	-	-	-	3	17	112	196	42	-	1	2
Sixteenth	205	-	-	-	1	8	56	115	25	-	-	-
Seventeenth	95	-	-	-	-	3	26	54	12	-	-	-
Eighteenth	46	-	-	-	-	2	9	27	8	-	-	-
Nineteenth	32	-	-	-	-	1	6	20	5	-	-	-
Twentieth	12	-	-	-	-	2	4	3	3	-	-	-
Twenty-first	7	-	-	-	-	-	1	5	1	-	-	-
Twenty-second and over	7	-	-	-	-	-	2	4	1	-	-	-
Not stated	65,093	6	3,676	17,731	20,157	13,959	7,230	1,901	123	6	1	303
Female	1,260,200	651	127,381	399,137	364,646	227,016	108,908	28,760	1,984	56	24	1,637
First	457,622	642	97,457	192,646	108,864	42,629	13,019	1,882	67	7	5	404
Second	336,848	1	22,405	119,765	113,605	59,908	18,388	2,328	90	5	1	352
Third	172,938	-	3,478	47,404	60,641	41,364	16,886	2,804	122	8	2	229
Fourth	89,638	-	447	16,434	32,074	24,782	12,839	2,805	127	9	2	119
Fifth	51,082	-	50	4,845	16,997	16,584	9,780	2,602	152	2	1	69
Sixth	31,119	-	12	1,169	8,096	11,318	7,925	2,402	139	1	1	56
Seventh	20,497	-	-	319	3,469	7,625	6,587	2,293	162	1	2	39
Eighth	13,992	-	-	74	1,370	4,774	5,377	2,201	164	3	2	27
Ninth	9,526	-	-	29	461	2,632	4,222	1,987	164	2	2	27
Tenth	6,330	-	-	21	168	1,209	3,080	1,708	142	3	1	18
Eleventh	3,893	-	-	10	56	535	1,734	1,399	152	3	-	8
Twelfth	2,433	-	-	-	30	232	993	1,029	137	2	1	9
Thirteenth	1,362	-	-	-	11	112	506	638	92	2	-	1
Fourteenth	708	-	-	-	8	31	251	355	61	1	-	1
Fifteenth	426	-	-	-	4	25	111	226	58	-	-	2
Sixteenth	194	-	-	-	-	4	60	104	25	1	-	-
Seventeenth	97	-	-	-	-	3	31	53	9	-	-	1
Eighteenth	42	-	-	-	-	4	11	20	7	-	-	-
Nineteenth	21	-	-	-	-	1	5	8	6	-	-	1
Twentieth	13	-	-	-	-	2	5	6	-	-	-	-
Twenty-first	12	-	-	-	-	-	7	5	-	-	-	-
Twenty-second and over	11	-	-	-	-	-	4	5	2	-	-	-
Not stated	61,396	8	3,532	16,421	18,792	13,244	7,107	1,900	106	6	4	276
Nonwhite	340,097	2,409	80,587	107,700	69,131	44,273	26,256	7,783	745	44	9	1,160
First	93,328	2,391	49,846	27,843	8,457	3,280	1,105	152	11	2	-	241
Second	66,348	13	20,976	29,211	10,310	4,050	1,413	197	14	3	1	160
Third	45,667	-	5,671	22,726	10,751	4,438	1,664	249	10	1	-	157
Fourth	33,174	-	1,187	13,863	11,130	4,861	1,851	360	22	-	-	100
Fifth	24,311	-	232	6,392	9,958	5,102	2,156	358	29	-	1	83
Sixth	18,037	-	64	2,511	7,176	5,326	2,371	480	33	4	-	72
Seventh	13,326	-	-	902	4,369	4,859	2,544	559	44	3	2	44
Eighth	10,056	-	-	288	2,238	4,051	2,762	646	56	6	-	29
Ninth	7,312	-	-	118	1,017	2,755	2,578	725	79	2	2	36
Tenth	5,355	-	-	33	442	1,695	2,254	819	76	5	2	27
Eleventh	3,890	-	-	27	189	936	1,705	747	65	6	-	15
Twelfth	2,395	-	-	-	82	469	1,094	658	74	1	-	17
Thirteenth	1,505	-	-	-	27	213	660	531	69	2	-	3
Fourteenth	873	-	-	-	10	99	335	391	31	4	-	3
Fifteenth	501	-	-	-	11	40	199	214	33	2	-	2
Sixteenth	257	-	-	-	2	24	92	114	22	1	-	2
Seventeenth	132	-	-	-	-	9	44	59	20	-	-	-
Eighteenth	67	-	-	-	-	2	17	37	11	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES—Continued												
Nonwhite—Continued												
Nineteenth	38	-	-	-	-	3	9	19	7	-	-	-
Twentieth	24	-	-	-	-	1	6	16	1	-	-	-
Twenty-first	15	-	-	-	-	1	3	11	-	-	-	-
Twenty-second and over	20	-	-	-	-	-	6	11	3	-	-	-
Not stated	13,666	5	2,611	4,008	2,962	2,059	1,388	430	33	2	1	169
Male	172,396	1,174	41,022	54,404	35,195	22,453	13,257	3,918	361	22	4	586
First	47,431	1,164	25,385	14,207	4,261	1,656	550	83	7	-	-	118
Second	33,780	7	10,718	14,801	5,273	2,082	721	91	7	1	1	78
Third	23,068	-	2,836	11,502	5,464	2,232	827	118	3	-	-	86
Fourth	16,930	-	597	6,913	5,726	2,509	952	171	7	-	-	55
Fifth	12,199	-	130	3,157	5,014	2,581	1,071	188	15	-	-	43
Sixth	9,110	-	34	1,220	3,667	2,698	1,191	246	17	1	-	36
Seventh	6,843	-	-	439	2,257	2,487	1,331	286	15	2	2	24
Eighth	5,130	-	-	128	1,152	2,082	1,404	319	25	3	-	17
Ninth	3,562	-	-	60	487	1,334	1,265	354	43	2	1	16
Tenth	2,677	-	-	17	228	815	1,121	440	41	4	-	11
Eleventh	1,880	-	-	15	94	480	882	367	30	3	-	9
Twelfth	1,185	-	-	-	42	243	530	328	32	1	-	9
Thirteenth	746	-	-	-	13	117	324	252	38	2	-	-
Fourteenth	441	-	-	-	7	50	173	190	17	2	-	2
Fifteenth	240	-	-	-	4	20	96	104	15	1	-	-
Sixteenth	156	-	-	-	1	17	56	70	10	-	-	2
Seventeenth	78	-	-	-	-	5	29	31	13	-	-	-
Eighteenth	34	-	-	-	-	1	9	22	2	-	-	-
Nineteenth	23	-	-	-	-	2	5	13	3	-	-	-
Twentieth	14	-	-	-	-	1	5	7	1	-	-	-
Twenty-first	7	-	-	-	-	1	1	5	-	-	-	-
Twenty-second and over	10	-	-	-	-	-	2	6	2	-	-	-
Not stated	6,852	3	1,322	1,945	1,505	1,040	712	227	18	-	-	80
Female	167,701	1,235	39,565	53,296	33,936	21,820	12,999	3,865	384	22	5	574
First	45,897	1,227	24,461	13,636	4,198	1,624	555	69	4	2	-	123
Second	32,568	6	10,258	14,410	5,037	1,968	692	108	7	2	-	82
Third	22,599	-	2,835	11,224	5,287	2,206	837	131	7	1	-	71
Fourth	16,244	-	590	6,750	5,404	2,352	899	189	15	-	-	45
Fifth	12,112	-	102	3,235	4,944	2,521	1,085	170	14	-	1	40
Sixth	8,927	-	30	1,291	3,509	2,628	1,180	234	16	3	-	36
Seventh	6,483	-	-	463	2,112	2,372	1,213	273	29	1	-	20
Eighth	4,926	-	-	140	1,086	1,969	1,358	327	31	3	-	12
Ninth	3,750	-	-	58	530	1,421	1,313	371	36	-	1	20
Tenth	2,678	-	-	16	214	880	1,133	379	37	1	2	16
Eleventh	1,810	-	-	12	95	456	823	380	35	3	-	6
Twelfth	1,210	-	-	-	40	226	564	330	42	-	-	8
Thirteenth	759	-	-	-	14	96	336	279	31	-	-	3
Fourteenth	432	-	-	-	3	49	162	201	14	2	-	1
Fifteenth	261	-	-	-	7	20	103	110	18	1	-	2
Sixteenth	101	-	-	-	1	7	36	44	12	1	-	-
Seventeenth	54	-	-	-	-	4	15	28	7	-	-	-
Eighteenth	33	-	-	-	-	1	8	15	9	-	-	-
Nineteenth	15	-	-	-	-	1	4	6	4	-	-	-
Twentieth	10	-	-	-	-	-	1	9	-	-	-	-
Twenty-first	8	-	-	-	-	-	2	6	-	-	-	-
Twenty-second and over	10	-	-	-	-	-	4	5	1	-	-	-
Not stated	6,814	2	1,289	2,061	1,457	1,019	676	203	15	2	1	89
ALABAMA	77,535	266	14,134	24,393	17,647	11,658	6,724	1,948	152	7	3	603
White	50,063	42	7,568	16,369	12,131	7,958	4,335	1,270	86	1	2	321
First	15,873	42	5,120	6,589	2,646	1,046	315	41	-	-	-	74
Second	11,650	-	1,701	4,996	3,076	1,340	404	54	2	1	-	76
Third	7,099	-	306	2,570	2,407	1,270	451	55	2	-	-	38
Fourth	4,371	-	44	1,030	1,606	1,099	478	78	2	-	-	34
Fifth	2,944	-	4	337	1,052	986	454	80	5	-	1	25
Sixth	1,938	-	1	79	530	733	458	120	2	-	-	15
Seventh	1,359	-	-	22	204	545	449	124	6	-	-	9
Eighth	1,027	-	-	10	89	350	418	133	13	-	1	13
Ninth	659	-	-	5	29	162	304	147	8	-	-	4
Tenth and over	997	-	-	4	16	122	415	389	42	-	-	9
Not stated	2,166	-	392	727	476	305	189	49	4	-	-	24
Nonwhite	27,452	224	6,566	8,024	5,516	3,700	2,389	678	66	6	1	282
First	6,319	223	3,640	1,672	459	190	74	7	1	-	-	53
Second	4,871	1	1,852	1,966	630	276	84	11	-	1	-	50
Third	3,461	-	517	1,727	754	307	107	17	-	-	-	32
Fourth	2,679	-	115	1,149	863	362	146	22	2	-	-	20
Fifth	2,086	-	27	612	846	401	146	30	3	-	1	20
Sixth	1,712	-	5	252	752	450	188	36	5	-	-	24
Seventh	1,259	-	-	87	457	418	237	49	1	-	-	10
Eighth	1,023	-	-	37	235	426	269	44	4	-	-	8
Ninth	763	-	-	10	109	311	260	59	3	1	-	10
Tenth and over	1,635	-	-	3	90	377	735	360	46	4	-	20
Not stated	1,644	-	410	509	321	182	143	43	1	-	-	35
ARIZONA	14,297	22	2,217	4,808	3,512	2,174	1,205	326	16	2	-	15
White	12,620	10	1,917	4,329	3,143	1,899	1,029	272	11	-	-	10
First	4,201	10	1,429	1,762	681	234	73	12	-	-	-	-
Second	3,061	-	398	1,343	819	353	129	16	-	-	-	3
Third	1,935	-	68	733	666	313	135	17	-	-	-	3
Fourth	1,196	-	12	319	452	280	114	18	-	-	-	1
Fifth	701	-	3	120	244	204	107	20	2	-	-	1
Sixth	453	-	-	26	155	164	80	27	1	-	-	-
Seventh	338	-	-	12	70	142	92	22	-	-	-	-
Eighth	213	-	-	-	22	74	90	26	-	-	-	1
Ninth	189	-	-	1	18	67	76	27	-	-	-	-
Tenth and over	296	-	-	-	9	60	132	87	8	-	-	-
Not stated	37	-	7	13	7	8	1	-	-	-	-	1

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
ARIZONA—Continued												
Nonwhite	1,677	12	300	479	369	275	176	54	5	2	-	5
First	409	12	201	131	46	13	5	-	-	-	-	1
Second	310	-	76	138	67	24	4	-	-	-	-	1
Third	231	-	20	102	72	32	5	-	-	-	-	-
Fourth	193	-	2	61	73	39	15	2	-	-	-	1
Fifth	124	-	-	29	44	35	14	2	-	-	-	-
Sixth	127	-	-	9	43	49	21	4	-	1	-	-
Seventh	88	-	-	3	17	33	29	4	1	-	-	1
Eighth	57	-	-	1	2	27	21	6	-	-	-	-
Ninth	45	-	-	-	-	12	21	11	1	-	-	-
Tenth and over	65	-	-	-	2	8	30	21	3	1	-	-
Not stated	28	-	1	5	3	3	11	4	-	-	-	1
ARKANSAS	42,589	122	8,304	13,386	9,166	6,287	3,827	1,160	67	3	1	266
White	32,469	30	5,626	10,606	7,301	4,876	2,919	868	50	2	-	191
First	10,206	30	3,927	4,105	1,405	503	161	29	-	-	-	46
Second	7,547	-	1,174	3,299	1,778	753	270	32	3	-	-	38
Third	4,515	-	195	1,675	1,489	790	303	38	3	-	-	22
Fourth	2,835	-	30	726	1,071	649	286	53	3	-	-	17
Fifth	1,968	-	10	232	653	658	329	75	2	-	-	9
Sixth	1,319	-	-	56	328	524	327	68	3	1	-	12
Seventh	940	-	-	19	164	376	297	73	2	-	-	9
Eighth	673	-	-	5	61	236	253	111	3	-	-	4
Ninth	467	-	-	4	23	105	246	82	4	-	-	3
Tenth and over	725	-	-	-	15	79	326	271	27	1	-	6
Not stated	1,474	-	290	485	314	203	121	36	-	-	-	25
Nonwhite	10,120	92	2,678	2,780	1,865	1,411	908	292	17	1	1	75
First	2,003	92	1,205	466	152	53	15	3	-	-	-	17
Second	1,713	-	821	585	189	81	30	4	-	-	-	3
Third	1,341	-	303	595	258	122	44	7	-	1	-	11
Fourth	1,012	-	84	453	272	134	53	11	1	-	-	4
Fifth	798	-	15	274	282	142	67	12	-	-	-	6
Sixth	619	-	4	131	227	162	77	11	1	-	-	6
Seventh	495	-	-	48	175	152	85	30	-	-	-	5
Eighth	400	-	-	9	99	171	93	23	3	-	-	2
Ninth	280	-	-	8	43	124	78	20	4	-	1	2
Tenth and over	732	-	-	4	52	179	329	153	8	-	-	7
Not stated	727	-	246	207	116	91	37	18	-	-	-	12
CALIFORNIA	174,420	73	21,103	62,064	49,446	27,484	11,456	2,533	168	5	1	87
White	166,860	55	19,892	59,397	47,506	26,507	10,909	2,380	145	5	1	83
First	74,187	55	15,902	32,058	17,081	6,742	2,003	305	10	-	-	31
Second	49,113	-	3,323	17,945	16,557	8,397	2,561	302	11	1	-	16
Third	21,335	-	483	6,196	7,404	4,957	1,934	340	11	-	1	9
Fourth	9,121	-	57	1,995	3,194	2,402	1,198	258	10	-	-	7
Fifth	4,488	-	5	561	1,595	1,351	756	204	16	-	-	-
Sixth	2,523	-	3	163	729	876	573	166	10	-	-	3
Seventh	1,661	-	-	43	350	643	480	126	14	1	-	4
Eighth	1,071	-	-	7	172	393	363	123	10	-	-	3
Ninth	742	-	-	3	57	262	295	110	10	-	-	5
Tenth and over	1,477	-	-	4	50	293	654	430	43	3	-	-
Not stated	1,182	-	119	422	317	191	92	16	-	-	-	5
Nonwhite	7,540	18	1,211	2,667	1,940	977	547	153	23	-	-	4
First	2,670	17	851	1,121	496	141	35	7	2	-	-	-
Second	1,824	1	264	811	511	165	63	7	1	-	-	1
Third	1,085	-	67	404	361	174	64	13	-	-	-	2
Fourth	685	-	9	196	251	145	65	17	2	-	-	-
Fifth	432	-	2	70	154	112	76	15	3	-	-	-
Sixth	251	-	-	21	73	77	67	13	-	-	-	-
Seventh	196	-	-	8	56	62	46	21	3	-	-	-
Eighth	114	-	-	1	7	36	45	20	5	-	-	-
Ninth	70	-	-	-	7	25	29	8	1	-	-	-
Tenth and over	118	-	-	-	6	25	50	31	6	-	-	-
Not stated	95	-	18	35	18	15	7	1	-	-	-	1
COLORADO	24,367	12	2,980	8,278	6,551	3,870	1,949	577	31	1	-	18
White	23,676	10	2,889	8,066	6,438	3,778	1,895	552	30	1	-	17
First	8,708	10	2,290	3,770	1,747	648	207	27	2	1	-	6
Second	6,180	-	477	2,505	1,966	899	299	29	-	-	-	5
Third	3,482	-	87	1,146	1,222	703	272	50	-	-	-	2
Fourth	1,857	-	20	438	661	460	223	53	-	-	-	2
Fifth	1,155	-	1	131	411	352	189	69	2	-	-	-
Sixth	691	-	2	37	230	221	144	53	4	-	-	-
Seventh	477	-	-	11	115	185	120	42	3	-	-	1
Eighth	337	-	-	6	48	125	113	43	1	-	-	1
Ninth	248	-	-	4	14	90	88	48	4	-	-	-
Tenth and over	480	-	-	-	13	87	231	135	14	-	-	-
Not stated	61	-	12	18	11	8	9	3	-	-	-	-
Nonwhite	691	2	91	212	213	92	54	25	1	-	-	1
First	258	2	71	108	63	12	2	-	-	-	-	-
Second	153	-	17	59	54	17	4	1	-	-	-	1
Third	94	-	3	25	42	17	7	-	-	-	-	-
Fourth	62	-	-	13	28	12	5	4	-	-	-	-
Fifth	37	-	-	3	16	4	11	3	-	-	-	-
Sixth	30	-	-	2	6	16	1	5	-	-	-	-
Seventh	18	-	-	1	3	3	9	2	-	-	-	-
Eighth	13	-	-	-	-	5	4	3	1	-	-	-
Ninth	5	-	-	-	-	4	-	1	-	-	-	-
Tenth and over	19	-	-	-	-	2	11	6	-	-	-	-
Not stated	2	-	-	1	1	-	-	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
CONNECTICUT	39,005	9	1,838	10,961	15,761	8,143	3,461	736	35	1	-	60
White	38,083	7	1,663	10,605	13,562	8,032	3,400	721	35	1	-	57
First	18,213	7	1,398	6,459	5,498	2,068	686	83	4	-	-	28
Second	12,153	-	219	3,001	4,961	2,918	921	115	4	1	-	13
Third	5,007	-	20	748	1,852	1,542	721	115	3	-	-	6
Fourth	2,050	-	1	160	650	707	419	106	5	-	-	2
Fifth	926	-	-	42	248	325	230	73	6	-	-	2
Sixth	449	-	-	16	91	161	128	52	1	-	-	-
Seventh	264	-	-	2	30	93	95	42	2	-	-	-
Eighth	166	-	-	-	15	53	55	41	2	-	-	-
Ninth	103	-	-	-	7	27	46	22	-	-	-	1
Tenth and over	162	-	-	-	-	35	62	57	8	-	-	-
Not stated	590	-	25	177	210	103	55	15	-	-	-	5
Nonwhite	922	2	175	356	199	111	61	15	-	-	-	3
First	308	2	129	120	39	13	4	-	-	-	-	1
Second	222	-	31	128	41	11	10	1	-	-	-	-
Third	125	-	10	54	40	18	2	-	-	-	-	1
Fourth	80	-	1	31	30	10	6	1	-	-	-	1
Fifth	43	-	-	9	14	9	10	1	-	-	-	-
Sixth	40	-	-	4	18	11	6	1	-	-	-	-
Seventh	35	-	-	4	12	11	4	4	-	-	-	-
Eighth	11	-	-	-	1	4	6	-	-	-	-	-
Ninth	13	-	-	-	2	7	3	1	-	-	-	-
Tenth and over	32	-	-	-	1	15	10	6	-	-	-	-
Not stated	13	-	4	6	1	2	-	-	-	-	-	-
DELAWARE	6,229	12	785	1,989	1,759	1,048	488	130	10	-	-	8
White	5,307	2	535	1,703	1,597	937	419	104	5	-	-	5
First	2,202	2	427	909	579	215	58	12	-	-	-	-
Second	1,478	-	97	490	529	269	84	8	-	-	-	1
Third	716	-	10	206	256	162	66	12	1	-	-	3
Fourth	382	-	1	69	120	118	63	11	-	-	-	-
Fifth	186	-	-	17	60	58	36	14	-	-	-	1
Sixth	108	-	-	6	28	35	30	8	1	-	-	-
Seventh	80	-	-	4	16	27	28	7	-	-	-	-
Eighth	50	-	-	-	5	21	18	5	1	-	-	-
Ninth	42	-	-	-	1	17	13	10	1	-	-	-
Tenth and over	60	-	-	1	3	13	25	17	1	-	-	-
Not stated	3	-	-	1	-	2	-	-	-	-	-	-
Nonwhite	922	10	250	286	162	111	69	26	5	-	-	3
First	271	9	161	68	21	8	3	-	-	-	-	1
Second	172	1	63	72	22	9	3	1	-	-	-	1
Third	136	-	23	81	18	6	6	2	-	-	-	-
Fourth	78	-	2	34	24	12	4	2	-	-	-	-
Fifth	74	-	-	20	23	20	8	3	-	-	-	-
Sixth	53	-	-	6	27	10	9	1	-	-	-	-
Seventh	28	-	-	3	11	6	6	1	1	-	-	-
Eighth	34	-	-	1	11	12	6	2	1	-	-	1
Ninth	22	-	-	-	4	10	8	-	-	-	-	-
Tenth and over	50	-	-	-	1	16	16	14	3	-	-	-
Not stated	4	-	1	1	-	2	-	-	-	-	-	-
DISTRICT OF COLUMBIA	16,080	48	2,157	5,365	4,498	2,570	1,112	239	8	1	-	82
White	10,825	5	857	3,599	3,383	1,954	803	172	5	-	-	47
First	5,583	5	672	2,287	1,621	727	225	32	-	-	-	14
Second	2,745	-	111	777	994	608	208	38	1	-	-	8
Third	1,097	-	16	226	370	296	161	27	1	-	-	-
Fourth	411	-	2	53	137	121	76	22	-	-	-	-
Fifth	161	-	-	17	47	51	34	12	-	-	-	-
Sixth	95	-	-	5	26	32	23	8	1	-	-	-
Seventh	57	-	-	1	10	14	21	10	1	-	-	-
Eighth	26	-	-	-	4	8	10	4	-	-	-	-
Ninth	13	-	-	-	-	5	4	3	1	-	-	-
Tenth and over	13	-	-	-	-	2	2	9	-	-	-	-
Not stated	624	-	58	233	174	90	39	7	-	-	-	25
Nonwhite	5,255	43	1,300	1,766	1,115	616	309	67	3	1	-	35
First	1,403	42	587	449	210	77	28	2	-	-	-	10
Second	1,133	1	376	435	195	87	31	6	1	-	-	1
Third	677	-	116	309	137	79	29	3	-	-	-	4
Fourth	475	-	25	214	141	61	29	1	-	-	-	4
Fifth	279	-	8	82	101	62	17	7	-	-	-	2
Sixth	185	-	2	31	77	45	24	4	-	-	-	2
Seventh	123	-	-	11	45	37	22	7	-	-	-	1
Eighth	89	-	-	1	22	39	23	4	-	-	-	-
Ninth	61	-	-	-	10	20	26	5	-	-	-	-
Tenth and over	106	-	-	-	4	33	46	20	2	1	-	-
Not stated	724	-	186	234	173	76	36	8	-	-	-	11
FLORIDA	46,744	160	8,171	15,933	11,521	6,789	3,146	808	62	2	1	151
White	34,691	34	5,066	12,250	9,170	5,219	2,239	582	42	2	-	87
First	14,917	34	3,937	6,413	3,069	1,075	321	42	3	1	-	22
Second	8,620	-	898	3,455	2,611	1,256	336	47	1	-	-	16
Third	4,580	-	141	1,530	1,551	948	329	65	-	-	-	16
Fourth	2,457	-	19	528	926	641	261	68	5	-	-	9
Fifth	1,372	-	4	143	511	438	218	54	1	-	-	3
Sixth	887	-	-	38	245	359	187	52	3	1	-	2
Seventh	555	-	-	6	93	207	180	63	3	-	-	3
Eighth	305	-	-	3	20	105	123	48	4	-	-	2
Ninth	218	-	-	1	7	62	103	40	4	-	-	1
Tenth and over	296	-	-	1	6	49	131	92	17	-	-	-
Not stated	484	-	67	132	131	79	50	11	1	-	-	13

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
FLORIDA—Continued												
Nonwhite	12,053	126	3,105	3,683	2,351	1,570	907	226	20	-	1	64
First	3,217	126	1,824	849	245	114	44	4	-	-	-	11
Second	2,391	-	847	991	313	177	47	9	-	-	-	7
Third	1,646	-	263	793	382	150	60	8	-	-	-	10
Fourth	1,248	-	56	521	420	155	80	8	-	-	-	8
Fifth	908	-	13	268	352	178	74	13	2	-	-	8
Sixth	652	-	1	100	253	193	89	12	-	-	-	4
Seventh	451	-	-	42	149	169	69	19	-	-	1	2
Eighth	380	-	-	12	103	152	94	17	1	-	-	1
Ninth	255	-	-	6	44	90	87	25	1	-	-	2
Tenth and over	528	-	-	3	33	137	229	105	15	-	-	6
Not stated	377	-	101	98	77	55	34	6	1	-	-	5
GEORGIA	78,387	278	14,277	25,764	18,160	11,570	6,259	1,724	160	7	-	188
White	50,187	69	7,464	16,792	12,467	7,915	4,142	1,129	91	3	-	115
First	19,081	69	5,940	7,933	3,387	1,282	391	52	1	2	-	24
Second	12,582	-	1,307	5,385	3,537	1,775	505	57	3	-	-	15
Third	7,008	-	188	2,374	2,405	1,418	536	75	5	-	-	7
Fourth	4,043	-	25	812	1,587	1,044	482	84	4	-	-	5
Fifth	2,465	-	-	221	901	828	425	78	4	-	-	8
Sixth	1,687	-	-	42	406	662	439	131	5	-	-	2
Seventh	1,203	-	-	14	167	474	422	121	4	-	-	1
Eighth	749	-	-	1	42	248	341	105	12	-	-	-
Ninth	551	-	-	-	14	114	282	131	10	-	-	-
Tenth and over	720	-	-	-	5	62	316	292	42	1	-	2
Not stated	98	-	4	10	16	10	3	3	1	-	-	51
Nonwhite	28,200	209	6,813	8,972	5,693	3,655	2,117	595	69	4	-	73
First	7,927	208	4,557	2,224	609	222	79	10	1	-	-	17
Second	5,520	1	1,775	2,571	782	282	86	11	2	-	-	10
Third	4,018	-	403	2,191	948	318	130	15	1	-	-	12
Fourth	2,824	-	59	1,150	1,007	428	144	28	4	-	-	4
Fifth	2,121	-	9	533	881	474	201	22	1	-	-	1
Sixth	1,698	-	6	193	704	540	210	42	1	-	-	2
Seventh	1,216	-	-	62	379	473	258	40	4	-	-	-
Eighth	881	-	-	22	204	365	236	45	6	2	-	1
Ninth	658	-	-	9	87	251	234	66	8	-	-	3
Tenth and over	1,270	-	-	5	76	295	534	315	40	2	-	3
Not stated	67	-	4	12	16	7	5	2	1	-	-	20
IDAHO	12,391	9	1,520	4,313	3,299	1,942	978	273	27	1	-	29
White	12,268	9	1,506	4,270	3,265	1,932	966	267	25	-	-	28
First	4,033	9	1,188	1,810	700	229	78	11	1	-	-	7
Second	3,392	-	274	1,518	1,040	430	115	10	-	-	-	5
Third	2,080	-	34	843	753	460	160	22	2	-	-	6
Fourth	1,128	-	5	207	426	309	148	27	3	-	-	3
Fifth	611	-	-	51	181	221	128	27	-	-	-	3
Sixth	346	-	-	15	89	115	95	23	7	-	-	2
Seventh	230	-	-	-	38	76	78	38	2	-	-	-
Eighth	142	-	-	2	13	46	56	24	1	-	-	-
Ninth	87	-	-	-	4	19	37	21	5	-	-	1
Tenth and over	144	-	-	-	-	9	68	62	4	-	-	1
Not stated	75	-	5	24	23	18	3	2	-	-	-	-
Nonwhite	123	-	14	43	34	10	12	6	2	1	-	1
First	50	-	9	24	14	3	-	-	-	-	-	-
Second	15	-	3	11	1	-	-	-	-	-	-	-
Third	14	-	1	6	7	-	-	-	-	-	-	-
Fourth	9	-	-	-	6	2	-	-	-	-	-	1
Fifth	6	-	-	1	1	2	1	1	-	-	-	-
Sixth	9	-	-	-	2	2	5	-	-	-	-	-
Seventh	6	-	-	-	1	1	2	2	-	-	-	-
Eighth	1	-	-	-	1	-	-	-	-	-	-	-
Ninth	5	-	-	-	-	-	3	-	1	1	-	-
Tenth and over	5	-	-	-	-	-	1	3	1	-	-	-
Not stated	3	-	1	1	1	-	-	-	-	-	-	-
ILLINOIS	155,735	93	13,859	47,205	48,298	29,627	13,167	3,266	172	6	1	41
White	146,475	56	11,494	44,106	46,459	28,468	12,550	3,128	168	5	1	40
First	58,414	55	9,311	24,198	16,200	6,421	1,917	280	14	1	-	17
Second	45,715	1	1,873	13,771	17,279	9,493	2,901	375	14	-	-	8
Third	20,809	-	251	4,333	7,349	5,892	2,526	439	12	1	1	5
Fourth	9,575	-	15	1,331	3,189	2,938	1,673	415	12	-	-	2
Fifth	4,752	-	3	331	1,446	1,580	1,041	328	22	-	-	1
Sixth	2,656	-	1	79	605	948	743	270	9	-	-	1
Seventh	1,643	-	-	18	241	565	563	239	17	-	-	-
Eighth	1,031	-	-	4	91	310	415	201	10	-	-	-
Ninth	689	-	-	-	28	174	306	171	10	-	-	-
Tenth and over	1,070	-	-	3	15	136	462	403	47	3	-	1
Not stated	121	-	40	38	16	11	3	7	1	-	-	5
Nonwhite	9,260	37	2,365	3,099	1,839	1,159	617	138	4	1	-	1
First	3,258	37	1,597	1,050	358	155	57	3	-	-	-	1
Second	2,236	-	615	955	409	178	70	8	1	-	-	-
Third	1,339	-	122	621	331	184	69	12	-	-	-	-
Fourth	803	-	21	302	278	140	49	13	-	-	-	-
Fifth	584	-	2	124	235	148	63	12	-	-	-	-
Sixth	333	-	-	34	115	109	65	10	-	-	-	-
Seventh	209	-	-	7	58	85	46	12	1	-	-	-
Eighth	180	-	-	2	34	70	63	11	-	-	-	-
Ninth	120	-	-	-	13	47	48	11	1	-	-	-
Tenth and over	179	-	-	1	3	43	84	46	1	1	-	-
Not stated	19	-	8	3	5	-	3	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
INDIANA	74,672	54	9,318	25,031	20,383	11,932	5,848	1,749	130	2	-	225
White	72,084	44	8,675	24,162	19,878	11,613	5,672	1,695	129	2	-	214
First	25,415	44	6,628	10,840	5,224	1,926	586	103	6	1	-	57
Second	19,708	-	1,549	7,839	6,380	2,910	836	133	6	1	-	54
Third	10,706	-	262	3,320	3,759	2,228	923	174	9	-	-	31
Fourth	5,791	-	39	1,217	2,101	1,523	714	166	7	-	-	24
Fifth	3,225	-	4	383	1,121	995	527	174	10	-	-	11
Sixth	2,032	-	-	91	565	729	482	147	8	-	-	10
Seventh	1,351	-	-	25	251	487	432	141	11	-	-	4
Eighth	904	-	-	3	83	321	352	130	15	-	-	-
Ninth	621	-	-	2	48	161	273	120	14	-	-	3
Tenth and over	1,029	-	-	5	28	141	442	372	39	-	-	2
Not stated	1,302	-	193	437	318	192	105	35	4	-	-	18
Nonwhite	2,588	10	643	869	505	319	176	54	1	-	-	11
First	811	10	425	270	69	29	6	-	-	-	-	2
Second	565	-	147	247	116	34	16	3	-	-	-	2
Third	349	-	43	173	84	32	13	2	-	-	-	2
Fourth	233	-	13	89	72	45	12	2	-	-	-	-
Fifth	161	-	-	43	63	37	10	6	-	-	-	2
Sixth	126	-	-	16	40	40	24	6	-	-	-	-
Seventh	75	-	-	7	23	28	13	4	-	-	-	-
Eighth	47	-	-	-	12	19	14	2	-	-	-	-
Ninth	53	-	-	-	8	18	23	3	1	-	-	-
Tenth and over	102	-	-	-	5	29	40	25	-	-	-	3
Not stated	66	-	15	24	13	8	5	1	-	-	-	-
IOWA	47,617	18	4,393	15,188	13,658	8,591	4,307	1,302	110	1	-	49
White	47,276	17	4,326	15,079	13,571	8,550	4,277	1,296	110	1	-	49
First	16,134	17	3,543	7,238	3,503	1,318	432	65	-	-	-	18
Second	13,378	-	684	5,073	4,587	2,228	671	124	1	-	-	10
Third	7,552	-	81	1,940	2,762	1,878	752	124	8	-	-	7
Fourth	4,137	-	8	588	1,492	1,260	613	166	6	-	-	4
Fifth	2,291	-	1	169	725	765	482	139	8	-	-	2
Sixth	1,309	-	-	38	282	465	385	125	10	-	-	4
Seventh	875	-	-	5	130	284	310	130	14	-	-	2
Eighth	556	-	-	1	40	173	219	110	11	1	-	1
Ninth	363	-	-	-	13	82	161	88	19	-	-	-
Tenth and over	570	-	-	2	3	78	235	219	33	-	-	-
Not stated	111	-	9	25	34	19	17	6	-	-	-	1
Nonwhite	341	1	67	109	87	41	30	6	-	-	-	-
First	98	1	46	37	11	2	1	-	-	-	-	-
Second	65	-	14	30	15	3	3	-	-	-	-	-
Third	58	-	6	25	15	8	2	2	-	-	-	-
Fourth	41	-	1	10	22	5	3	-	-	-	-	-
Fifth	27	-	-	4	10	7	6	-	-	-	-	-
Sixth	15	-	-	2	7	3	2	1	-	-	-	-
Seventh	13	-	-	-	5	5	3	-	-	-	-	-
Eighth	8	-	-	-	-	4	4	-	-	-	-	-
Ninth	5	-	-	-	1	1	2	1	-	-	-	-
Tenth and over	10	-	-	-	1	3	4	2	-	-	-	-
Not stated	1	-	-	1	-	-	-	-	-	-	-	-
KANSAS	36,021	27	4,165	12,052	9,828	5,864	2,975	920	75	2	1	114
White	34,699	16	3,814	11,654	9,587	5,688	2,867	891	72	2	1	107
First	13,093	16	3,064	5,853	2,772	992	313	49	5	1	-	28
Second	9,373	-	592	3,638	3,103	1,501	459	57	1	-	-	22
Third	5,135	-	102	1,427	1,890	1,153	455	88	6	-	-	14
Fourth	2,645	-	12	452	914	736	417	95	2	-	-	17
Fifth	1,480	-	3	114	478	492	287	92	8	-	-	6
Sixth	937	-	-	38	204	332	255	101	3	-	-	4
Seventh	548	-	-	12	69	191	198	71	3	1	-	3
Eighth	335	-	-	-	26	98	139	65	5	-	-	2
Ninth	268	-	-	-	15	66	116	60	5	-	1	3
Tenth and over	493	-	-	1	10	57	187	202	33	-	-	3
Not stated	394	-	41	119	106	70	41	11	1	-	-	5
Nonwhite	1,322	11	351	398	239	176	108	29	3	-	-	7
First	473	11	257	138	43	17	4	1	-	-	-	2
Second	257	-	64	117	43	21	10	2	-	-	-	-
Third	165	-	20	73	42	22	5	1	-	-	-	2
Fourth	119	-	4	43	39	18	10	4	-	-	-	1
Fifth	85	-	1	9	33	28	12	2	-	-	-	-
Sixth	62	-	-	5	17	26	11	3	-	-	-	-
Seventh	38	-	-	4	8	16	8	2	-	-	-	-
Eighth	34	-	-	-	6	12	12	2	1	-	-	1
Ninth	24	-	-	1	1	7	9	5	1	-	-	-
Tenth and over	41	-	-	1	2	6	23	7	1	-	-	1
Not stated	24	-	5	7	5	3	4	-	-	-	-	-
KENTUCKY	65,566	108	9,788	20,717	15,691	10,444	6,389	2,221	194	9	2	33
White	62,138	71	8,865	19,642	15,055	10,037	6,126	2,128	172	8	2	32
First	22,275	69	7,070	9,062	3,812	1,607	536	101	4	2	-	12
Second	12,595	2	1,517	5,571	3,352	1,522	530	91	5	1	1	3
Third	8,406	-	243	3,213	2,847	1,489	515	86	3	1	1	8
Fourth	5,457	-	27	1,278	2,201	1,254	567	125	5	-	-	-
Fifth	3,946	-	3	386	1,512	1,196	628	136	3	1	-	1
Sixth	2,898	-	1	100	774	1,129	695	187	10	-	-	2
Seventh	2,131	-	-	29	334	822	709	218	17	1	-	1
Eighth	1,612	-	-	8	138	535	680	231	18	-	-	2
Ninth	1,129	-	-	2	55	274	536	246	14	2	-	-
Tenth and over	1,764	-	-	5	25	206	726	707	93	-	-	2
Not stated	25	-	4	8	5	3	4	-	-	-	-	1

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KENTUCKY—Continued												
Nonwhite	3,428	37	903	1,075	636	407	263	93	12	1	-	1
First	1,290	37	654	392	123	55	25	3	-	-	-	1
Second	653	-	191	308	104	33	15	2	-	-	-	-
Third	425	-	42	206	102	50	21	4	-	-	-	-
Fourth	319	-	13	103	104	62	27	10	-	-	-	-
Fifth	239	-	1	51	102	58	23	4	-	-	-	-
Sixth	146	-	-	12	56	41	26	10	1	-	-	-
Seventh	109	-	-	2	26	40	32	9	-	-	-	-
Eighth	77	-	-	-	12	27	26	8	4	-	-	-
Ninth	59	-	-	-	6	19	20	11	3	-	-	-
Tenth and over	105	-	-	1	1	21	45	32	4	1	-	-
Not stated	6	-	2	-	-	1	3	-	-	-	-	-
LOUISIANA	62,005	172	10,471	20,320	14,886	9,408	5,004	1,430	121	10	1	182
White	43,392	35	5,087	13,070	9,895	6,200	3,076	871	51	2	1	104
First	13,427	35	3,833	5,837	2,400	973	280	45	-	-	-	24
Second	9,757	-	915	4,119	2,905	1,362	370	58	-	-	1	27
Third	5,500	-	144	1,774	1,963	1,119	447	41	2	-	-	10
Fourth	3,052	-	19	624	1,122	851	372	72	-	1	-	11
Fifth	1,781	-	1	189	634	562	304	85	1	-	-	5
Sixth	1,155	-	-	48	291	428	303	80	3	-	-	2
Seventh	725	-	-	6	118	295	223	76	3	-	-	4
Eighth	543	-	-	5	49	183	210	88	7	1	-	-
Ninth	337	-	-	1	18	93	146	67	8	-	-	4
Tenth and over	527	-	-	1	11	74	219	195	23	-	-	4
Not stated	1,588	-	175	466	384	280	202	64	4	-	-	13
Nonwhite	25,613	137	5,384	7,250	4,991	3,208	1,928	559	70	8	-	78
First	5,454	137	3,089	1,503	465	185	62	5	-	1	-	7
Second	4,239	-	1,378	1,853	648	244	91	12	1	-	-	12
Third	3,168	-	417	1,568	750	287	113	16	2	-	-	15
Fourth	2,467	-	88	1,072	834	315	131	18	2	-	-	7
Fifth	1,835	-	11	456	777	395	160	25	4	-	-	7
Sixth	1,336	-	2	177	529	419	171	30	5	-	-	3
Seventh	1,002	-	-	60	342	357	198	36	4	1	-	4
Eighth	799	-	-	26	171	333	205	56	2	2	-	4
Ninth	517	-	-	7	72	190	188	51	8	-	-	1
Tenth and over	1,071	-	-	5	43	263	445	266	40	4	-	5
Not stated	1,725	-	399	523	360	220	164	44	2	-	-	13
MAINE	18,944	14	2,207	6,347	5,165	3,177	1,559	434	37	-	-	4
White	18,899	14	2,195	6,331	5,158	3,172	1,556	433	36	-	-	4
First	6,519	14	1,652	2,817	1,311	525	171	26	1	-	-	2
Second	5,133	-	445	2,103	1,583	719	248	31	4	-	-	-
Third	2,865	-	82	881	993	650	210	47	1	-	-	1
Fourth	1,514	-	8	341	526	419	178	41	1	-	-	-
Fifth	914	-	1	111	325	253	192	32	-	-	-	-
Sixth	588	-	1	35	220	178	118	32	4	-	-	-
Seventh	373	-	-	13	92	147	89	30	2	-	-	-
Eighth	274	-	-	1	53	99	89	30	2	-	-	-
Ninth	191	-	-	2	20	77	63	27	2	-	-	-
Tenth and over	450	-	-	-	11	91	193	136	19	-	-	-
Not stated	78	-	6	27	24	14	5	1	-	-	-	1
Nonwhite	45	-	12	16	7	5	3	1	1	-	-	-
First	16	-	8	6	1	1	-	-	-	-	-	-
Second	5	-	1	3	1	-	-	-	-	-	-	-
Third	7	-	2	4	1	-	-	-	-	-	-	-
Fourth	2	-	-	1	-	-	1	-	-	-	-	-
Fifth	3	-	-	1	2	-	-	-	-	-	-	-
Sixth	6	-	-	1	1	3	-	1	-	-	-	-
Seventh	1	-	-	-	-	-	1	-	-	-	-	-
Eighth	2	-	-	-	1	1	-	-	-	-	-	-
Ninth	-	-	-	-	-	-	-	-	-	-	-	-
Tenth and over	2	-	-	-	-	-	1	-	1	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
MARYLAND	47,371	114	6,581	15,935	12,746	7,521	3,459	885	57	-	-	73
White	38,770	17	4,191	13,187	11,209	6,497	2,868	708	43	-	-	50
First	16,039	17	3,270	6,917	3,866	1,472	422	60	1	-	-	14
Second	10,802	-	739	3,859	3,632	1,882	601	72	2	-	-	15
Third	5,189	-	113	1,511	1,813	1,172	484	87	1	-	-	8
Fourth	2,514	-	15	513	865	669	365	81	5	-	-	3
Fifth	1,321	-	2	148	472	412	230	55	2	-	-	-
Sixth	856	-	-	49	232	333	186	53	-	-	-	3
Seventh	534	-	-	10	117	171	166	60	8	-	-	2
Eighth	355	-	-	3	44	124	125	54	4	-	-	1
Ninth	246	-	-	2	21	71	96	56	-	-	-	-
Tenth and over	368	-	-	-	8	74	147	119	20	-	-	-
Not stated	546	-	54	175	139	117	46	11	-	-	-	4
Nonwhite	8,601	97	2,390	2,748	1,537	1,024	591	177	14	-	-	23
First	2,576	98	1,484	659	187	102	40	3	-	-	-	5
Second	1,765	1	622	766	211	108	43	7	1	-	-	4
Third	1,141	-	168	574	241	106	42	7	-	-	-	3
Fourth	803	-	36	378	238	90	46	9	1	-	-	5
Fifth	614	-	14	192	242	115	37	12	1	-	-	1
Sixth	397	-	1	67	154	115	50	10	-	-	-	-
Seventh	351	-	-	25	118	128	45	13	1	-	-	1
Eighth	218	-	-	3	56	84	57	16	-	-	-	2
Ninth	170	-	-	3	38	54	54	20	1	-	-	-
Tenth and over	377	-	-	1	21	97	170	78	9	-	-	1
Not stated	211	-	65	80	31	25	7	2	-	-	-	1

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MASSACHUSETTS [1]	85,917	19	4,014	23,864	28,259	18,846	8,898	1,968	97	6	2	144
Not stated	85,917	19	4,014	23,864	28,259	18,846	8,898	1,968	97	6	2	144
White	84,682	14	3,842	23,177	27,966	18,679	8,819	1,940	96	5	2	142
Nonwhite	1,235	5	172	487	293	167	79	28	1	1	-	2
MICHIGAN	125,778	67	11,934	41,627	37,773	21,449	9,980	2,615	169	9	6	149
White	120,055	44	10,617	39,558	36,606	20,753	9,638	2,527	163	9	6	134
First	40,187	44	8,052	17,874	9,514	3,383	1,096	177	5	1	1	40
Second	35,775	-	2,020	13,385	12,635	5,712	1,717	251	12	-	-	43
Third	18,848	-	307	5,050	6,944	4,549	1,697	272	13	1	-	15
Fourth	9,629	-	40	1,673	3,607	2,591	1,387	307	9	1	1	13
Fifth	5,046	-	5	521	1,629	1,639	937	287	19	1	1	7
Sixth	2,897	-	1	139	819	971	705	242	19	-	-	1
Seventh	1,800	-	-	27	345	646	564	199	16	-	-	3
Eighth	1,115	-	-	10	133	393	413	158	6	-	1	1
Ninth	798	-	-	6	63	219	333	163	10	1	-	3
Tenth and over	1,291	-	-	3	26	208	582	417	48	3	2	2
Not stated	2,669	-	192	870	891	442	207	54	6	1	-	6
Nonwhite	5,723	23	1,317	2,069	1,167	696	342	88	6	-	-	15
First	1,876	23	851	661	229	82	22	3	-	-	-	5
Second	1,329	-	337	612	237	105	29	2	1	-	-	6
Third	814	-	82	399	206	93	25	7	-	-	-	2
Fourth	495	-	11	210	155	84	29	5	-	-	-	1
Fifth	351	-	4	98	137	77	31	4	-	-	-	-
Sixth	234	-	3	33	83	73	36	6	-	-	-	-
Seventh	143	-	-	5	45	55	28	9	1	-	-	-
Eighth	110	-	-	2	30	42	30	5	1	-	-	-
Ninth	77	-	-	-	12	19	37	7	2	-	-	-
Tenth and over	158	-	-	1	4	49	66	36	1	-	-	1
Not stated	136	-	29	48	29	17	9	4	-	-	-	-
MINNESOTA	58,508	15	3,505	16,311	18,474	12,094	6,118	1,793	169	1	2	26
White	58,006	14	3,446	16,149	18,348	12,010	6,064	1,779	168	1	2	25
First	18,528	14	2,638	7,762	5,048	2,045	692	114	4	1	2	8
Second	17,161	-	540	5,560	6,468	3,325	1,085	173	6	-	-	4
Third	9,741	-	61	2,060	3,656	2,622	1,124	198	14	-	-	6
Fourth	5,157	-	3	582	1,777	1,652	916	209	17	-	-	1
Fifth	2,801	-	1	133	812	981	658	205	9	-	-	2
Sixth	1,667	-	-	25	351	611	483	188	9	-	-	-
Seventh	1,063	-	-	10	154	362	361	161	13	-	-	2
Eighth	676	-	-	2	44	209	259	144	18	-	-	-
Ninth	477	-	-	-	18	126	206	110	17	-	-	-
Tenth and over	695	-	-	2	6	75	276	275	61	-	-	-
Not stated	40	-	3	13	14	2	4	2	-	-	-	2
Nonwhite	502	1	59	162	126	84	54	14	1	-	-	1
First	100	1	39	48	10	1	1	-	-	-	-	-
Second	96	-	16	56	14	6	3	1	-	-	-	-
Third	57	-	3	30	15	6	2	-	-	-	-	1
Fourth	60	-	-	18	28	9	4	1	-	-	-	-
Fifth	47	-	-	5	23	13	5	1	-	-	-	-
Sixth	42	-	-	5	15	14	7	1	-	-	-	-
Seventh	36	-	-	-	13	15	7	1	-	-	-	-
Eighth	25	-	-	-	5	9	6	5	-	-	-	-
Ninth	10	-	-	-	2	3	4	-	1	-	-	-
Tenth and over	28	-	-	-	1	8	15	4	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI	59,846	313	12,052	18,627	12,826	8,919	5,296	1,551	150	6	3	103
White	27,820	25	4,163	9,185	6,756	4,422	2,470	688	63	2	3	43
First	9,964	25	3,241	4,224	1,643	595	200	24	1	-	2	9
Second	6,755	-	779	2,926	1,903	826	264	44	2	-	-	11
Third	3,987	-	118	1,354	1,402	793	271	44	2	-	-	3
Fourth	2,334	-	14	468	863	649	283	49	6	-	-	2
Fifth	1,499	-	1	153	521	488	273	59	2	1	1	-
Sixth	1,078	-	1	33	262	417	277	77	9	-	-	2
Seventh	746	-	-	10	109	316	247	55	8	-	-	1
Eighth	558	-	-	1	38	176	245	90	7	-	-	1
Ninth	340	-	-	-	7	81	164	83	4	-	-	1
Tenth and over	503	-	-	1	5	73	238	161	22	1	-	2
Not stated	56	-	9	15	3	8	8	2	-	-	-	11
Nonwhite	32,026	288	7,889	9,442	6,070	4,497	2,826	863	87	4	-	60
First	6,920	286	4,391	1,650	372	157	50	6	1	1	-	6
Second	5,880	2	2,441	2,355	704	270	90	13	1	1	-	13
Third	4,421	-	788	2,301	839	336	132	16	2	-	-	7
Fourth	3,514	-	204	1,824	1,032	451	162	31	3	-	-	7
Fifth	2,774	-	41	886	1,098	492	208	37	6	-	-	6
Sixth	2,173	-	13	380	848	612	255	54	3	-	-	8
Seventh	1,700	-	-	163	571	640	264	52	7	-	-	3
Eighth	1,367	-	-	39	328	575	346	76	3	-	-	2
Ninth	998	-	-	20	135	410	339	81	9	-	-	2
Tenth and over	2,200	-	-	7	128	539	973	494	51	2	-	6
Not stated	71	-	11	17	17	15	7	3	1	-	-	-

[1] The birth certificate of this State does not require the number of child in order of birth.

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MISSOURI	72,458	76	10,200	23,226	18,851	11,968	6,163	1,812	115	1	1	45
White	67,391	34	8,783	21,739	17,855	11,337	5,802	1,695	104	1	1	40
First	25,946	34	6,884	10,656	5,415	2,144	685	113	4	1	-	10
Second	18,143	-	1,610	6,900	5,659	2,915	922	125	4	-	-	8
Third	9,535	-	255	2,917	3,202	2,118	884	144	8	-	-	7
Fourth	5,007	-	31	910	1,773	1,413	714	157	7	-	-	2
Fifth	2,966	-	2	262	995	975	589	136	7	-	-	-
Sixth	1,956	-	-	58	494	750	477	162	12	-	-	3
Seventh	1,279	-	-	18	200	466	441	146	5	-	-	3
Eighth	870	-	-	4	72	282	350	151	9	-	1	1
Ninth	630	-	-	1	25	142	308	143	11	-	-	-
Tenth and over	1,018	-	-	4	15	122	425	413	37	-	-	2
Not stated	41	-	1	9	5	10	7	5	-	-	-	4
Nonwhite	5,067	42	1,417	1,487	996	631	361	117	11	-	-	5
First	1,701	41	951	463	146	68	27	4	-	-	-	1
Second	1,061	1	360	420	165	76	34	3	-	-	-	2
Third	673	-	88	295	181	74	28	6	-	-	-	1
Fourth	501	-	14	189	173	88	32	4	1	-	-	-
Fifth	311	-	3	74	125	62	38	9	-	-	-	-
Sixth	246	-	-	32	98	63	45	7	1	-	-	-
Seventh	171	-	-	8	54	70	31	8	-	-	-	-
Eighth	127	-	-	3	32	53	23	15	1	-	-	-
Ninth	106	-	-	1	14	38	35	16	2	-	-	-
Tenth and over	167	-	-	1	8	39	68	45	6	-	-	-
Not stated	3	-	1	1	-	-	-	-	-	-	-	1
MONTANA	11,407	6	1,112	3,735	3,442	1,919	922	240	24	1	-	6
White	10,754	4	1,027	3,525	3,269	1,818	865	219	20	1	-	6
First	3,746	4	844	1,665	856	285	80	9	2	-	-	1
Second	3,086	-	158	1,195	1,112	469	128	22	1	-	-	1
Third	1,794	-	19	487	687	396	177	27	-	-	-	1
Fourth	898	-	4	130	336	274	122	28	1	-	-	1
Fifth	458	-	-	27	157	157	92	23	1	1	-	-
Sixth	283	-	-	14	76	99	75	15	4	-	-	-
Seventh	151	-	-	1	22	57	52	17	2	-	-	-
Eighth	122	-	-	1	11	36	53	21	-	-	-	-
Ninth	75	-	-	1	6	21	30	17	-	-	-	-
Tenth and over	129	-	-	-	3	23	55	39	9	-	-	-
Not stated	14	-	2	4	3	1	1	1	-	-	-	2
Nonwhite	653	2	85	210	173	101	57	21	4	-	-	-
First	130	2	66	42	16	3	-	1	-	-	-	-
Second	109	-	14	60	28	7	-	-	-	-	-	-
Third	103	-	5	66	22	8	1	-	1	-	-	-
Fourth	83	-	-	33	41	7	1	-	1	-	-	-
Fifth	49	-	-	6	25	10	6	1	1	-	-	-
Sixth	52	-	-	2	23	23	4	-	-	-	-	-
Seventh	28	-	-	-	9	15	4	-	-	-	-	-
Eighth	36	-	-	1	2	19	11	3	-	-	-	-
Ninth	28	-	-	-	4	6	15	3	-	-	-	-
Tenth and over	31	-	-	-	1	2	15	12	1	-	-	-
Not stated	4	-	-	-	2	1	-	1	-	-	-	-
NEBRASKA	25,048	8	2,156	8,052	7,348	4,536	2,220	656	45	-	1	26
White	24,614	5	2,054	7,910	7,262	4,482	2,186	646	43	-	1	25
First	8,740	5	1,661	4,022	2,039	745	227	29	1	-	-	11
Second	7,002	-	331	2,574	2,542	1,166	344	39	1	-	-	5
Third	3,851	-	54	900	1,473	982	349	69	2	-	-	2
Fourth	2,024	-	4	293	650	621	367	85	1	-	-	3
Fifth	1,136	-	-	83	333	392	263	58	5	-	-	2
Sixth	632	-	-	8	105	240	194	80	5	-	-	-
Seventh	422	-	-	5	65	153	133	62	4	-	-	-
Eighth	271	-	-	4	21	87	104	53	-	-	1	1
Ninth	187	-	-	1	7	43	77	53	5	-	-	1
Tenth and over	297	-	-	-	2	40	119	118	18	-	-	-
Not stated	72	-	4	20	25	13	9	-	1	-	-	-
Nonwhite	434	3	102	142	86	54	34	10	2	-	-	1
First	141	3	72	47	16	1	2	-	-	-	-	-
Second	96	-	21	49	14	10	2	-	-	-	-	-
Third	59	-	6	30	15	6	1	-	-	-	-	1
Fourth	42	-	1	14	16	9	2	-	-	-	-	-
Fifth	26	-	-	1	13	8	3	1	-	-	-	-
Sixth	14	-	-	1	4	6	2	1	-	-	-	-
Seventh	19	-	-	-	3	8	6	2	-	-	-	-
Eighth	9	-	-	-	1	2	5	1	-	-	-	-
Ninth	11	-	-	-	2	3	5	1	-	-	-	-
Tenth and over	14	-	-	-	1	1	6	4	2	-	-	-
Not stated	3	-	2	-	1	-	-	-	-	-	-	-
NEVADA	3,026	3	344	1,048	851	505	210	57	5	-	-	3
White	2,817	2	325	973	796	473	192	51	2	-	-	3
First	1,027	2	250	399	236	102	32	6	-	-	-	-
Second	833	-	67	348	257	119	36	3	1	-	-	2
Third	468	-	7	158	157	105	35	6	-	-	-	-
Fourth	228	-	1	47	81	68	26	5	-	-	-	-
Fifth	107	-	-	13	33	28	27	6	-	-	-	-
Sixth	66	-	-	4	21	21	15	4	1	-	-	-
Seventh	24	-	-	1	3	13	2	5	-	-	-	-
Eighth	23	-	-	-	2	7	5	9	-	-	-	-
Ninth	14	-	-	-	1	4	6	3	-	-	-	-
Tenth and over	14	-	-	-	-	3	7	4	-	-	-	-
Not stated	13	-	-	3	5	3	1	-	-	-	-	1

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEVADA—Continued												
Nonwhite	209	1	19	75	55	32	18	6	3	-	-	-
First	42	1	15	19	6	1	-	-	-	-	-	-
Second	31	-	4	18	8	1	-	-	-	-	-	-
Third	34	-	-	22	9	2	1	-	-	-	-	-
Fourth	28	-	-	8	11	4	5	-	-	-	-	-
Fifth	28	-	-	3	12	11	1	-	1	-	-	-
Sixth	15	-	-	2	3	5	3	2	-	-	-	-
Seventh	14	-	-	1	5	5	2	1	-	-	-	-
Eighth	2	-	-	-	-	-	2	-	-	-	-	-
Ninth	9	-	-	1	1	2	3	1	1	-	-	-
Tenth and over	5	-	-	-	-	1	1	2	1	-	-	-
Not stated	1	-	-	1	-	-	-	-	-	-	-	-
NEW HAMPSHIRE	9,367	2	738	2,938	2,763	1,770	886	241	19	-	1	9
White	9,352	2	736	2,932	2,760	1,768	884	241	19	-	1	9
First	3,036	2	542	1,300	733	328	111	18	1	-	-	1
Second	2,400	-	121	873	814	410	153	24	2	-	-	3
Third	1,300	-	17	328	456	338	138	22	-	-	-	1
Fourth	709	-	4	119	243	201	113	27	-	-	1	1
Fifth	396	-	-	32	136	129	75	23	-	-	-	1
Sixth	235	-	-	4	66	81	61	20	3	-	-	-
Seventh	141	-	-	2	22	38	57	19	3	-	-	-
Eighth	96	-	-	-	16	33	33	10	3	-	-	1
Ninth	71	-	-	-	3	34	25	8	1	-	-	-
Tenth and over	129	-	-	2	5	18	53	46	5	-	-	-
Not stated	839	-	52	272	266	158	65	24	1	-	-	1
Nonwhite	15	-	2	6	3	2	2	-	-	-	-	-
First	6	-	2	3	1	-	-	-	-	-	-	-
Second	4	-	-	3	1	-	-	-	-	-	-	-
Third	2	-	-	-	1	-	1	-	-	-	-	-
Fourth	1	-	-	-	-	-	1	-	-	-	-	-
Fifth	-	-	-	-	-	-	-	-	-	-	-	-
Sixth	-	-	-	-	-	-	-	-	-	-	-	-
Seventh	1	-	-	-	-	1	-	-	-	-	-	-
Eighth	-	-	-	-	-	-	-	-	-	-	-	-
Ninth	-	-	-	-	-	-	-	-	-	-	-	-
Tenth and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	1	-	-	-	-	-	-
NEW JERSEY	83,032	49	5,063	23,639	27,988	17,298	7,264	1,612	84	2	-	32
White	77,421	11	3,695	21,857	26,880	16,655	6,923	1,495	75	1	-	29
First	32,757	11	3,032	13,136	10,859	4,299	1,257	167	1	-	-	15
Second	24,445	-	524	5,925	9,953	6,039	1,789	204	6	-	-	5
Third	10,030	-	64	1,577	3,532	3,191	1,416	241	6	-	-	3
Fourth	4,157	-	6	452	1,233	1,379	883	195	6	-	-	3
Fifth	1,931	-	2	119	495	636	502	168	6	1	-	2
Sixth	1,007	-	-	23	177	343	322	131	11	-	-	-
Seventh	571	-	-	7	81	183	215	81	4	-	-	-
Eighth	361	-	-	1	34	116	140	65	5	-	-	-
Ninth	223	-	-	-	9	68	85	58	3	-	-	-
Tenth and over	399	-	-	2	11	64	157	140	25	-	-	-
Not stated	1,540	-	67	415	516	337	157	45	2	-	-	1
Nonwhite	5,611	38	1,368	1,982	1,108	644	341	117	9	1	-	3
First	1,859	37	921	636	184	58	20	3	-	-	-	-
Second	1,207	1	317	577	206	77	27	2	-	-	-	-
Third	778	-	67	399	190	85	29	7	-	-	-	1
Fourth	515	-	17	188	171	94	33	12	-	-	-	-
Fifth	323	-	3	86	124	74	31	4	-	-	-	1
Sixth	261	-	1	41	96	78	36	8	-	1	-	-
Seventh	175	-	-	13	54	58	35	14	1	-	-	-
Eighth	125	-	-	-	34	45	32	14	-	-	-	-
Ninth	73	-	-	-	13	25	22	11	2	-	-	-
Tenth and over	164	-	-	-	9	41	69	39	6	-	-	-
Not stated	131	-	42	42	27	9	7	3	-	-	-	1
NEW MEXICO	15,211	20	2,095	4,677	3,695	2,599	1,619	432	43	-	-	31
White	14,275	14	1,960	4,391	3,509	2,435	1,513	399	30	-	-	24
First	3,763	14	1,413	1,531	523	197	74	10	-	-	-	1
Second	2,964	-	433	1,384	741	284	103	15	1	-	-	3
Third	2,088	-	85	800	702	349	132	15	-	-	-	5
Fourth	1,504	-	17	424	596	311	126	27	-	-	-	3
Fifth	1,088	-	2	172	435	287	159	25	3	-	-	5
Sixth	773	-	1	44	271	281	146	28	1	-	-	1
Seventh	613	-	-	13	124	268	177	28	2	-	-	1
Eighth	427	-	-	2	63	179	142	39	1	-	-	1
Ninth	301	-	-	-	23	111	126	36	4	-	-	1
Tenth and over	673	-	-	-	16	145	323	171	8	-	-	-
Not stated	81	-	9	21	15	23	5	5	-	-	-	3
Nonwhite	936	6	135	286	186	164	106	33	13	-	-	7
First	204	6	91	79	17	6	2	-	-	-	-	3
Second	188	-	33	116	24	10	5	-	-	-	-	-
Third	128	-	6	49	44	20	9	-	-	-	-	-
Fourth	93	-	1	27	37	19	8	-	-	-	-	1
Fifth	82	-	2	11	34	26	7	-	1	-	-	1
Sixth	72	-	-	3	19	32	12	6	-	-	-	-
Seventh	46	-	-	-	6	23	12	2	3	-	-	-
Eighth	46	-	-	-	4	15	18	5	3	-	-	1
Ninth	20	-	-	-	1	6	7	3	3	-	-	-
Tenth and over	54	-	-	-	-	7	28	17	3	-	-	1
Not stated	3	-	2	1	-	-	-	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NEW YORK	248,627	102	13,605	67,712	82,095	55,628	24,132	4,979	309	6	3	56
White	236,922	56	11,245	63,588	79,495	54,097	23,301	4,798	299	5	3	55
First	101,912	56	9,402	39,513	33,417	14,497	4,393	897	26	-	1	10
Second	74,628	-	1,615	17,140	28,831	20,100	6,204	705	23	-	1	9
Third	30,917	-	197	4,832	10,190	10,057	4,826	770	40	1	-	4
Fourth	13,344	-	22	1,453	3,945	4,309	2,934	648	29	2	-	2
Fifth	6,600	-	1	418	1,727	2,191	1,695	528	38	-	-	2
Sixth	3,628	-	-	98	764	1,265	1,088	385	27	-	-	1
Seventh	2,094	-	-	30	320	702	729	289	23	-	1	-
Eighth	1,297	-	-	3	142	438	489	209	16	-	-	-
Ninth	826	-	-	1	46	240	329	192	17	1	-	-
Tenth and over	1,406	-	-	2	24	254	593	472	60	-	-	1
Not stated	270	-	8	78	89	44	21	3	-	1	-	26
Nonwhite	11,705	46	2,360	4,144	2,600	1,531	831	181	10	1	-	1
First	4,577	45	1,727	1,761	645	289	95	14	-	-	-	1
Second	2,900	1	535	1,251	665	296	138	13	-	1	-	-
Third	1,653	-	80	659	504	248	115	27	-	-	-	-
Fourth	977	-	15	316	334	195	99	15	3	-	-	-
Fifth	560	-	1	114	209	138	85	13	-	-	-	-
Sixth	361	-	-	32	127	112	71	17	2	-	-	-
Seventh	238	-	-	4	57	102	61	14	-	-	-	-
Eighth	154	-	-	2	34	55	49	14	-	-	-	-
Ninth	122	-	-	4	17	41	47	13	-	-	-	-
Tenth and over	178	-	-	-	6	55	71	41	5	-	-	-
Not stated	5	-	2	1	2	-	-	-	-	-	-	-
NORTH CAROLINA	94,568	266	15,745	30,942	22,580	14,370	7,974	2,398	195	9	2	87
White	66,327	73	9,221	22,097	16,645	10,664	5,755	1,677	135	3	2	55
First	22,930	73	6,872	9,732	4,067	1,603	488	72	3	-	-	20
Second	16,300	-	1,934	6,998	4,424	2,155	690	83	4	-	-	12
Third	9,558	-	350	3,385	3,299	1,806	610	95	5	-	-	8
Fourth	5,864	-	53	1,398	2,264	1,419	591	129	2	2	-	6
Fifth	3,744	-	8	432	1,391	1,192	588	126	7	-	-	-
Sixth	2,527	-	2	92	718	972	561	149	9	-	-	4
Seventh	1,783	-	-	38	298	677	602	161	7	-	-	-
Eighth	1,309	-	-	11	117	448	535	177	19	-	-	2
Ninth	894	-	-	1	37	229	447	164	14	-	1	1
Tenth and over	1,382	-	-	3	20	156	618	519	64	1	1	-
Not stated	36	-	2	7	10	7	5	2	1	-	-	2
Nonwhite	28,241	193	6,524	8,845	5,935	3,706	2,219	721	60	6	-	32
First	6,651	193	3,740	1,879	534	218	64	12	1	-	-	10
Second	5,465	-	2,017	2,363	742	251	80	5	-	-	-	7
Third	3,927	-	593	2,035	879	302	105	9	1	-	-	3
Fourth	3,130	-	136	1,392	1,059	391	122	26	1	-	-	3
Fifth	2,439	-	18	698	1,052	474	177	20	-	-	-	-
Sixth	1,754	-	10	300	737	477	189	33	3	2	-	3
Seventh	1,393	-	-	116	479	508	245	39	3	1	-	2
Eighth	1,035	-	-	30	241	419	278	63	3	1	-	-
Ninth	798	-	-	16	119	304	278	74	7	-	-	-
Tenth and over	1,615	-	-	5	85	361	678	439	41	2	-	4
Not stated	34	-	10	11	8	1	3	1	-	-	-	-
NORTH DAKOTA	13,422	3	864	3,729	3,873	2,842	1,506	540	59	-	-	6
White	13,111	2	824	3,638	3,814	2,781	1,464	525	57	-	-	6
First	3,565	2	655	1,644	814	329	101	17	1	-	-	2
Second	3,169	-	121	1,196	1,123	559	142	24	3	-	-	1
Third	2,071	-	14	478	805	537	195	40	2	-	-	-
Fourth	1,359	-	2	149	524	419	210	52	1	-	-	2
Fifth	823	-	2	38	231	321	168	59	4	-	-	-
Sixth	550	-	-	10	118	222	149	49	2	-	-	-
Seventh	361	-	-	1	49	150	119	39	2	-	-	1
Eighth	234	-	-	-	20	76	90	43	5	-	-	-
Ninth	185	-	-	-	6	50	85	39	5	-	-	-
Tenth and over	382	-	-	-	5	36	162	149	30	-	-	-
Not stated	412	-	30	122	119	82	43	14	2	-	-	-
Nonwhite	311	1	40	91	59	61	42	15	2	-	-	-
First	54	1	23	25	4	-	1	-	-	-	-	-
Second	53	-	13	28	10	2	-	-	-	-	-	-
Third	35	-	3	23	6	2	1	-	-	-	-	-
Fourth	33	-	1	8	11	8	5	-	-	-	-	-
Fifth	29	-	-	3	12	7	6	1	-	-	-	-
Sixth	29	-	-	2	9	14	4	-	-	-	-	-
Seventh	15	-	-	-	5	6	3	1	-	-	-	-
Eighth	24	-	-	-	1	14	8	1	-	-	-	-
Ninth	9	-	-	-	-	4	4	1	-	-	-	-
Tenth and over	26	-	-	-	1	3	9	11	2	-	-	-
Not stated	4	-	-	2	-	1	1	-	-	-	-	-
OHIO	144,087	96	14,476	45,901	43,161	25,183	11,859	3,074	214	2	-	121
White	136,434	51	12,598	43,248	41,642	24,293	11,382	2,900	202	2	-	116
First	49,971	51	9,855	21,175	12,458	4,712	1,447	231	12	-	-	30
Second	41,107	-	2,308	14,185	14,838	7,228	2,244	266	7	-	-	33
Third	20,753	-	358	5,354	7,519	5,015	2,134	341	15	-	-	19
Fourth	10,082	-	52	1,767	3,571	2,822	1,521	315	24	1	-	9
Fifth	5,515	-	7	520	1,798	1,754	1,093	319	16	1	-	7
Sixth	3,172	-	3	139	843	1,108	787	267	22	-	-	3
Seventh	1,983	-	-	36	355	743	606	227	13	-	-	3
Eighth	1,348	-	-	11	138	456	511	215	14	-	-	3
Ninth	878	-	-	5	61	220	394	180	16	-	-	2
Tenth and over	1,459	-	-	4	25	194	651	538	65	-	-	4
Not stated	186	-	19	52	58	41	14	1	-	-	-	3

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
OHIO—Continued												
Nonwhite	7,653	45	1,878	2,653	1,519	890	477	174	12	-	-	5
First	2,657	45	1,312	875	264	114	40	5	-	-	-	2
Second	1,762	-	439	860	305	111	41	6	-	-	-	-
Third	1,080	-	109	529	281	109	42	7	2	-	-	1
Fourth	697	-	14	247	238	128	52	17	-	-	-	1
Fifth	461	-	1	92	188	111	54	15	-	-	-	-
Sixth	299	-	1	33	120	94	40	9	2	-	-	-
Seventh	190	-	-	10	60	70	40	9	1	-	-	-
Eighth	154	-	-	2	36	65	43	8	-	-	-	-
Ninth	115	-	-	1	18	41	30	23	1	-	-	1
Tenth and over	231	-	-	1	8	46	95	75	6	-	-	-
Not stated	7	-	2	3	1	1	-	-	-	-	-	-
OKLAHOMA	48,639	58	8,471	16,464	11,071	7,266	3,995	1,184	73	1	1	55
White	43,631	30	7,304	14,883	10,104	6,536	3,601	1,058	69	-	-	46
First	16,195	30	5,830	6,706	2,365	880	309	55	1	-	-	19
Second	10,531	-	1,265	4,748	2,783	1,277	404	43	1	-	-	10
Third	6,366	-	178	2,322	2,109	1,199	474	75	-	-	-	9
Fourth	3,757	-	19	842	1,414	937	447	90	4	-	-	4
Fifth	2,353	-	2	187	793	831	442	95	3	-	-	-
Sixth	1,493	-	2	49	413	557	369	98	4	-	-	1
Seventh	993	-	-	13	152	399	306	113	9	-	-	1
Eighth	706	-	-	3	49	243	308	96	7	-	-	-
Ninth	483	-	-	1	11	128	223	116	4	-	-	-
Tenth and over	699	-	-	-	3	74	311	275	36	-	-	-
Not stated	55	-	8	12	12	11	8	2	-	-	-	2
Nonwhite	5,008	28	1,167	1,581	967	730	394	126	4	1	1	9
First	1,560	28	794	517	134	61	19	4	-	-	-	3
Second	1,039	-	280	478	175	72	19	5	-	-	-	-
Third	700	-	71	332	171	89	30	3	1	-	-	3
Fourth	476	-	9	175	168	92	29	2	-	-	-	1
Fifth	323	-	2	50	137	89	37	7	-	-	-	1
Sixth	249	-	-	16	84	103	37	9	-	-	-	-
Seventh	189	-	-	9	51	82	37	10	-	-	-	-
Eighth	147	-	-	2	27	59	49	9	1	-	-	-
Ninth	115	-	-	1	10	34	46	22	-	-	-	-
Tenth and over	207	-	-	-	7	49	91	55	2	1	1	1
Not stated	5	-	1	1	3	-	-	-	-	-	-	-
OREGON	25,450	5	2,845	8,888	7,339	4,150	1,712	441	28	2	-	42
White	25,105	5	2,798	8,765	7,258	4,107	1,681	425	28	2	-	38
First	9,877	5	2,179	4,255	2,284	874	232	37	-	1	-	10
Second	7,710	-	497	2,958	2,589	1,248	385	39	2	-	-	12
Third	3,769	-	79	1,101	1,315	899	303	60	4	-	-	8
Fourth	1,687	-	12	321	627	448	221	53	5	-	-	-
Fifth	858	-	3	85	236	291	187	53	2	-	-	1
Sixth	412	-	1	12	109	131	116	38	3	1	-	1
Seventh	243	-	-	5	39	83	82	33	1	-	-	-
Eighth	158	-	-	-	14	59	55	29	1	-	-	-
Ninth	89	-	-	-	4	24	38	21	2	-	-	-
Tenth and over	147	-	-	-	3	25	55	56	8	-	-	-
Not stated	155	-	27	48	36	25	7	6	-	-	-	6
Nonwhite	345	-	47	121	83	43	31	16	-	-	-	4
First	111	-	34	49	17	7	1	2	-	-	-	1
Second	78	-	10	38	18	9	3	1	-	-	-	1
Third	46	-	1	19	16	3	4	1	-	-	-	2
Fourth	40	-	2	14	12	8	2	2	-	-	-	-
Fifth	26	-	-	2	8	7	6	3	-	-	-	-
Sixth	17	-	-	1	6	5	4	1	-	-	-	-
Seventh	7	-	-	-	2	2	2	1	-	-	-	-
Eighth	7	-	-	-	2	2	2	1	-	-	-	-
Ninth	4	-	-	-	1	-	3	-	-	-	-	-
Tenth and over	8	-	-	-	-	-	4	4	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA	199,366	138	17,495	62,077	61,210	36,348	17,166	4,571	309	11	3	38
White	187,607	63	14,675	57,978	58,913	34,937	16,366	4,332	297	11	3	32
First	71,864	62	11,663	30,906	19,577	7,228	2,120	293	9	-	-	6
Second	53,246	1	2,567	17,551	19,667	10,106	2,976	359	9	-	-	10
Third	27,194	-	384	6,417	10,301	6,866	2,745	453	16	2	3	7
Fourth	13,964	-	47	2,178	4,935	4,163	2,151	470	18	2	-	2
Fifth	7,798	-	6	668	2,428	2,516	1,691	457	27	1	-	4
Sixth	4,551	-	2	161	1,169	1,596	1,217	372	32	1	-	1
Seventh	2,956	-	-	50	504	1,019	975	386	22	-	-	-
Eighth	1,958	-	-	10	197	617	767	340	28	1	-	-
Ninth	1,379	-	-	8	70	400	575	300	26	-	-	-
Tenth and over	2,620	-	-	3	41	415	1,141	901	114	4	-	1
Not stated	77	-	6	26	24	11	8	1	-	-	-	1
Nonwhite	11,759	75	2,820	4,099	2,297	1,411	800	239	12	-	-	6
First	4,058	75	1,941	1,432	393	155	52	9	1	-	-	-
Second	2,732	-	700	1,260	488	199	70	13	1	-	-	1
Third	1,638	-	149	775	409	215	77	11	-	-	-	2
Fourth	1,019	-	24	358	383	190	62	21	-	-	-	1
Fifth	677	-	2	172	261	149	77	15	-	-	-	1
Sixth	503	-	4	70	201	124	86	15	2	-	-	1
Seventh	343	-	-	15	93	135	80	19	1	-	-	-
Eighth	253	-	-	10	42	94	79	27	1	-	-	-
Ninth	181	-	-	2	24	71	65	18	1	-	-	-
Tenth and over	345	-	-	1	20	78	151	90	5	-	-	-
Not stated	10	-	-	4	3	1	1	1	-	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
RHODE ISLAND	14,667	3	819	4,166	4,794	3,138	1,407	318	16	-	-	6
White	14,313	3	747	4,040	4,720	3,092	1,383	306	16	-	-	6
First	5,689	3	605	2,351	1,753	756	195	25	1	-	-	-
Second	4,231	-	113	1,118	1,678	966	311	42	1	-	-	2
Third	1,904	-	10	319	652	604	281	36	1	-	-	1
Fourth	867	-	-	77	286	272	192	35	2	-	-	3
Fifth	440	-	-	26	95	77	108	33	1	-	-	-
Sixth	273	-	-	4	61	91	83	30	4	-	-	-
Seventh	150	-	-	2	15	57	54	21	1	-	-	-
Eighth	93	-	-	-	6	25	39	23	-	-	-	-
Ninth	72	-	-	-	5	16	32	17	2	-	-	-
Tenth and over	99	-	-	-	2	14	45	35	3	-	-	-
Not stated	495	-	19	143	167	114	43	9	-	-	-	-
Nonwhite	354	-	72	126	74	46	24	12	-	-	-	-
First	104	-	46	43	12	3	-	-	-	-	-	-
Second	87	-	21	46	14	5	1	-	-	-	-	-
Third	52	-	5	22	14	8	1	2	-	-	-	-
Fourth	34	-	-	7	13	8	6	-	-	-	-	-
Fifth	24	-	-	5	9	7	2	1	-	-	-	-
Sixth	15	-	-	3	4	4	-	2	-	-	-	-
Seventh	10	-	-	-	6	2	1	1	-	-	-	-
Eighth	10	-	-	-	1	5	2	2	-	-	-	-
Ninth	5	-	-	-	1	1	3	-	-	-	-	-
Tenth and over	15	-	-	-	-	3	8	4	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	54,144	145	10,007	18,529	12,338	7,508	4,137	1,136	114	2	-	228
White	29,844	37	4,446	10,336	7,333	4,645	2,269	629	44	1	-	104
First	11,380	37	3,524	4,799	1,992	778	202	25	2	-	-	21
Second	7,235	-	790	3,169	2,000	961	269	23	1	-	-	22
Third	4,021	-	107	1,519	1,333	746	258	32	2	-	-	24
Fourth	2,358	-	13	567	918	582	235	34	-	-	-	9
Fifth	1,563	-	1	156	601	503	237	58	3	-	-	4
Sixth	981	-	-	43	278	375	222	59	2	-	-	2
Seventh	730	-	-	6	104	315	233	60	5	1	-	6
Eighth	495	-	-	6	28	182	209	62	3	-	-	5
Ninth	339	-	-	3	7	93	157	71	5	-	-	3
Tenth and over	516	-	-	-	12	58	230	195	21	-	-	-
Not stated	226	-	11	68	60	52	17	10	-	-	-	8
Nonwhite	24,300	108	5,561	8,193	5,005	2,863	1,868	507	70	1	-	124
First	6,813	106	3,947	2,046	445	164	62	10	1	-	-	32
Second	4,274	2	1,206	2,227	590	161	66	10	1	-	-	11
Third	3,366	-	310	1,889	789	249	100	15	-	-	-	14
Fourth	2,525	-	42	1,119	921	301	116	15	1	-	-	10
Fifth	1,936	-	13	499	884	363	151	14	1	-	-	11
Sixth	1,506	-	6	201	607	447	193	38	4	-	-	10
Seventh	1,079	-	-	67	361	399	207	33	5	-	-	7
Eighth	741	-	-	19	163	260	243	46	6	1	-	3
Ninth	595	-	-	12	92	217	204	56	7	-	-	7
Tenth and over	1,131	-	-	10	62	253	493	267	42	-	-	4
Not stated	334	-	37	104	91	49	33	3	2	-	-	15
SOUTH DAKOTA	12,816	2	964	3,833	3,671	2,508	1,227	495	40	-	1	75
White	12,151	1	892	3,642	3,503	2,392	1,153	462	35	-	1	70
First	4,045	1	749	1,838	959	350	110	19	1	-	1	17
Second	3,159	-	127	1,157	1,095	564	166	27	3	-	-	20
Third	1,889	-	14	465	719	460	161	49	5	-	-	16
Fourth	1,092	-	1	128	374	368	162	56	-	-	-	3
Fifth	660	-	1	30	189	244	131	55	6	-	-	4
Sixth	443	-	-	11	94	160	127	46	4	-	-	1
Seventh	284	-	-	6	38	109	82	44	3	-	-	2
Eighth	169	-	-	-	10	52	63	42	2	-	-	-
Ninth	144	-	-	-	5	47	56	32	3	-	-	1
Tenth and over	238	-	-	1	12	33	91	90	8	-	-	3
Not stated	28	-	-	6	8	5	4	2	-	-	-	3
Nonwhite	665	1	72	191	168	116	74	33	5	-	-	5
First	140	1	57	57	19	2	4	-	-	-	-	-
Second	103	-	12	61	21	6	1	1	-	-	-	1
Third	94	-	3	33	27	20	11	-	-	-	-	-
Fourth	95	-	-	27	46	16	3	2	-	-	-	1
Fifth	64	-	-	10	31	17	3	1	-	-	-	2
Sixth	45	-	-	-	14	16	10	4	1	-	-	-
Seventh	39	-	-	-	6	15	15	2	1	-	-	-
Eighth	25	-	-	-	2	13	6	2	1	-	-	1
Ninth	25	-	-	-	-	5	11	8	1	-	-	-
Tenth and over	29	-	-	-	-	5	10	13	1	-	-	-
Not stated	6	-	-	3	2	1	-	-	-	-	-	-
TENNESSEE	70,203	181	11,344	22,142	16,974	11,201	6,253	1,848	136	9	5	110
White	59,348	59	8,575	18,990	14,713	9,749	5,446	1,597	117	9	4	89
First	19,253	58	6,477	7,747	3,163	1,313	397	49	5	1	1	22
Second	14,182	1	1,710	6,200	3,826	1,788	573	61	4	1	-	18
Third	8,682	-	286	3,179	2,965	1,560	592	82	3	2	-	13
Fourth	5,552	-	55	1,245	2,247	1,537	559	118	4	1	-	6
Fifth	3,570	-	7	353	1,324	1,197	569	112	2	-	1	5
Sixth	2,509	-	4	94	684	980	609	124	7	1	-	6
Seventh	1,735	-	-	37	255	691	565	176	7	-	1	3
Eighth	1,307	-	-	15	113	457	552	154	8	1	1	6
Ninth	895	-	-	5	36	227	426	184	14	1	-	2
Tenth and over	1,358	-	-	4	25	157	577	528	63	1	-	3
Not stated	325	-	56	111	75	42	27	9	-	-	-	5

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
TENNESSEE—Continued												
Nonwhite	10,855	122	2,769	3,152	2,261	1,452	807	251	19	-	1	21
First	3,183	122	1,798	792	290	126	34	10	1	-	-	10
Second	2,180	-	706	914	357	135	57	8	1	-	-	2
Third	1,480	-	183	710	376	144	56	7	-	-	-	2
Fourth	1,116	-	35	430	381	182	71	14	-	-	-	3
Fifth	793	-	6	152	350	204	70	10	1	-	-	-
Sixth	559	-	2	67	241	172	60	16	-	-	-	1
Seventh	470	-	-	31	152	167	96	22	1	-	-	1
Eighth	312	-	-	9	62	134	85	21	1	-	-	-
Ninth	195	-	-	10	15	73	75	20	1	-	1	-
Tenth and over	451	-	-	3	16	107	191	120	13	-	-	1
Not stated	116	-	39	34	19	8	12	3	-	-	-	1
TEXAS	164,513	301	26,568	54,886	40,009	25,185	13,260	3,438	244	11	12	599
White	144,278	144	21,341	48,748	36,060	22,566	11,697	3,003	211	10	8	490
First	53,116	144	16,391	22,638	9,361	3,359	979	124	7	1	-	112
Second	35,558	-	3,467	14,102	9,834	4,549	1,340	160	6	-	-	100
Third	17,193	-	483	5,612	5,942	3,527	1,342	210	11	-	1	65
Fourth	9,003	-	36	1,855	3,294	2,418	1,152	194	13	1	1	39
Fifth	4,845	-	5	412	1,658	1,620	926	185	12	-	-	27
Sixth	2,817	-	-	99	675	1,082	746	190	6	-	1	18
Seventh	1,840	-	-	11	242	657	580	158	7	2	-	3
Eighth	1,074	-	-	5	63	360	458	174	10	-	1	3
Ninth	621	-	-	-	22	157	308	120	11	-	1	2
Tenth and over	620	-	-	1	6	73	293	210	29	1	-	7
Not stated	19,791	-	959	4,013	4,963	4,784	3,573	1,278	99	5	3	114
Nonwhite	20,235	157	5,227	6,138	3,949	2,619	1,563	435	33	1	4	109
First	6,129	157	3,522	1,671	502	185	66	5	-	-	-	21
Second	3,588	-	1,084	1,619	550	236	66	18	1	-	1	13
Third	2,215	-	194	1,137	533	241	82	13	-	-	-	15
Fourth	1,413	-	29	545	509	230	76	13	-	-	-	11
Fifth	923	-	3	160	408	237	102	9	-	-	-	4
Sixth	648	-	1	45	267	208	93	28	1	-	-	5
Seventh	441	-	-	13	116	176	109	21	1	1	1	3
Eighth	288	-	-	4	40	116	108	18	1	-	-	1
Ninth	197	-	-	-	17	71	78	25	3	-	-	3
Tenth and over	272	-	-	3	10	51	125	77	5	-	1	-
Not stated	4,121	-	394	941	997	868	658	208	21	-	1	33
UTAH	17,161	4	1,754	5,705	4,821	2,913	1,456	464	40	-	-	4
White	16,942	2	1,730	5,635	4,753	2,885	1,439	455	40	-	-	3
First	5,464	2	1,437	2,584	1,008	336	77	19	1	-	-	-
Second	4,683	-	260	2,040	1,573	615	166	29	-	-	-	-
Third	2,974	-	26	737	1,164	745	260	39	1	-	-	2
Fourth	1,673	-	5	214	583	534	279	55	3	-	-	-
Fifth	904	-	-	47	263	314	221	54	4	-	-	1
Sixth	512	-	-	9	96	182	175	47	3	-	-	-
Seventh	266	-	-	1	39	70	110	44	2	-	-	-
Eighth	178	-	-	1	14	51	59	47	6	-	-	-
Ninth	109	-	-	-	6	21	40	37	5	-	-	-
Tenth and over	168	-	-	-	3	15	51	84	15	-	-	-
Not stated	11	-	2	2	4	2	1	-	-	-	-	-
Nonwhite	219	2	24	70	68	28	17	9	-	-	-	1
First	93	2	17	40	26	7	-	-	-	-	-	1
Second	45	-	6	19	18	2	-	-	-	-	-	-
Third	19	-	-	7	9	2	1	-	-	-	-	-
Fourth	14	-	1	1	4	5	2	1	-	-	-	-
Fifth	15	-	-	2	6	5	1	1	-	-	-	-
Sixth	11	-	-	1	5	1	2	2	-	-	-	-
Seventh	4	-	-	-	-	2	1	1	-	-	-	-
Eighth	4	-	-	-	-	1	1	2	-	-	-	-
Ninth	4	-	-	-	-	-	4	-	-	-	-	-
Tenth and over	10	-	-	-	-	3	5	2	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT	7,303	5	726	2,250	2,052	1,328	737	192	9	-	-	4
White	7,299	5	725	2,248	2,052	1,327	737	192	9	-	-	4
First	2,409	5	565	999	520	227	81	10	1	-	-	1
Second	1,836	-	121	696	591	305	106	14	1	-	-	2
Third	1,165	-	33	345	390	250	125	20	1	-	-	1
Fourth	669	-	-	144	250	162	98	15	-	-	-	-
Fifth	419	-	-	38	140	141	79	20	1	-	-	-
Sixth	244	-	-	8	78	78	59	21	-	-	-	-
Seventh	185	-	-	5	52	62	43	21	2	-	-	-
Eighth	111	-	-	-	13	34	45	19	-	-	-	-
Ninth	73	-	-	-	6	22	32	12	1	-	-	-
Tenth and over	138	-	-	-	-	34	63	39	2	-	-	-
Not stated	50	-	6	13	12	12	6	1	-	-	-	-
Nonwhite	4	-	1	2	-	1	-	-	-	-	-	-
First	1	-	1	-	-	-	-	-	-	-	-	-
Second	-	-	-	-	-	-	-	-	-	-	-	-
Third	1	-	-	1	-	-	-	-	-	-	-	-
Fourth	2	-	-	1	-	1	-	-	-	-	-	-
Fifth	-	-	-	-	-	-	-	-	-	-	-	-
Sixth	-	-	-	-	-	-	-	-	-	-	-	-
Seventh	-	-	-	-	-	-	-	-	-	-	-	-
Eighth	-	-	-	-	-	-	-	-	-	-	-	-
Ninth	-	-	-	-	-	-	-	-	-	-	-	-
Tenth and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH; UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
VIRGINIA	72,157	169	10,604	23,710	18,150	11,516	5,855	1,816	168	4	-	165
White	54,663	35	6,586	18,002	14,620	9,271	4,575	1,368	114	3	-	89
First	20,091	35	4,683	8,360	4,522	1,859	539	73	2	-	-	18
Second	13,260	-	1,359	5,057	3,917	2,171	650	77	2	-	-	27
Third	7,059	-	286	2,421	2,268	1,406	557	102	6	1	-	12
Fourth	4,093	-	43	1,065	1,479	940	454	102	4	-	-	6
Fifth	2,622	-	1	380	964	749	417	101	5	1	-	4
Sixth	1,631	-	1	90	506	589	343	95	3	-	-	4
Seventh	1,220	-	-	23	278	478	344	92	3	-	-	2
Eighth	889	-	-	7	103	341	309	118	10	-	-	1
Ninth	656	-	-	1	31	210	268	124	19	-	-	3
Tenth and over	1,191	-	-	2	15	185	517	412	58	1	-	1
Noth stated	1,951	-	213	596	537	343	177	72	2	-	-	11
Nonwhite	17,494	134	4,018	5,708	3,530	2,245	1,280	448	54	1	-	76
First	4,185	134	2,144	1,292	380	136	48	14	2	-	-	15
Second	3,062	-	1,047	1,334	415	193	55	10	1	-	-	7
Third	2,244	-	329	1,152	487	202	62	4	-	-	-	8
Fourth	1,694	-	89	723	547	237	76	18	-	-	-	4
Fifth	1,255	-	28	419	491	210	83	13	2	-	-	9
Sixth	860	-	1	143	350	254	98	10	1	-	-	3
Seventh	712	-	-	65	285	210	118	28	2	-	-	4
Eighth	555	-	-	28	141	223	120	38	5	-	-	-
Ninth	403	-	-	5	66	161	129	34	3	-	-	5
Tenth and over	899	-	-	4	50	194	377	234	35	1	-	4
Not stated	1,645	-	380	543	318	225	114	45	3	-	-	17
WASHINGTON	44,520	11	4,704	16,059	13,045	6,970	2,948	695	53	3	-	32
White	43,597	7	4,579	15,741	12,784	6,853	2,880	671	48	2	-	32
First	18,290	7	3,637	8,274	4,301	1,536	459	68	3	-	-	5
Second	13,098	-	779	4,991	4,462	2,121	649	82	2	1	-	11
Third	6,074	-	105	1,643	2,211	1,442	581	79	5	1	-	7
Fourth	2,637	-	10	455	947	748	394	80	3	-	-	-
Fifth	1,233	-	-	111	417	396	217	82	7	-	-	3
Sixth	651	-	-	21	161	234	157	67	9	-	-	2
Seventh	313	-	-	7	58	122	114	54	4	-	-	-
Eighth	234	-	-	1	23	78	92	36	4	-	-	-
Ninth	133	-	-	1	4	33	63	29	3	-	-	-
Tenth and over	200	-	-	-	5	26	85	78	6	-	-	-
Not stated	688	-	[illegible]	237	195	117	69	16	2	-	-	4
Nonwhite	923	4	125	318	261	117	68	24	5	1	-	-
First	310	4	100	128	69	7	2	-	-	-	-	-
Second	198	-	19	98	62	12	7	-	-	-	-	-
Third	120	-	6	44	41	20	5	4	-	-	-	-
Fourth	76	-	-	29	30	11	4	2	-	-	-	-
Fifth	64	-	-	11	27	16	8	2	-	-	-	-
Sixth	53	-	-	3	19	19	10	2	-	-	-	-
Seventh	38	-	-	1	7	17	7	5	1	-	-	-
Eighth	16	-	-	-	2	6	7	-	1	-	-	-
Ninth	11	-	-	-	2	2	3	3	1	-	-	-
Tenth and over	27	-	-	-	1	5	13	6	2	-	-	-
Not stated	10	-	-	4	1	2	2	-	-	1	-	-
WEST VIRGINIA	43,372	43	6,290	14,222	10,752	6,733	3,735	1,322	115	4	1	155
White	40,975	32	5,727	13,448	10,255	6,427	3,561	1,260	111	3	1	150
First	11,331	32	3,960	4,618	1,757	702	199	34	1	-	-	28
Second	9,276	-	1,343	4,259	2,321	958	314	51	2	-	-	28
Third	6,087	-	262	2,542	1,969	901	329	52	3	2	-	27
Fourth	4,048	-	46	1,189	1,588	828	319	59	7	-	-	12
Fifth	2,760	-	3	426	1,172	761	316	71	2	-	-	9
Sixth	1,987	-	3	125	709	721	328	98	1	-	-	2
Seventh	1,465	-	-	32	340	592	380	110	6	-	1	4
Eighth	1,071	-	-	13	144	411	387	103	7	-	-	6
Ninth	810	-	-	3	46	260	333	158	7	-	-	3
Tenth and over	1,415	-	-	1	29	188	611	504	74	1	-	7
Not stated	725	-	110	240	180	105	45	20	1	-	-	24
Nonwhite	2,397	11	563	774	497	306	174	62	4	1	-	5
First	630	11	348	178	59	24	7	2	-	-	-	1
Second	480	-	140	232	71	27	6	1	-	-	-	3
Third	326	-	41	175	71	25	13	1	-	-	-	-
Fourth	245	-	12	102	76	40	12	3	-	-	-	-
Fifth	185	-	2	41	80	41	17	3	1	-	-	-
Sixth	164	-	1	27	71	40	18	7	-	-	-	-
Seventh	87	-	-	5	31	36	10	5	-	-	-	-
Eighth	74	-	-	2	25	23	19	4	-	-	-	1
Ninth	49	-	-	1	4	15	24	5	-	-	-	-
Tenth and over	115	-	-	-	3	33	45	30	3	1	-	-
Not stated	42	-	19	11	6	2	3	1	-	-	-	-
WISCONSIN	64,450	15	4,156	19,204	20,340	12,703	6,149	1,738	139	3	-	3
White	63,744	10	4,050	18,985	20,177	12,586	6,083	1,711	137	3	-	2
First	21,963	10	3,320	9,739	5,922	2,160	718	89	4	-	-	1
Second	18,340	-	647	6,059	6,944	3,481	1,028	168	12	1	-	-
Third	10,064	-	69	2,177	3,785	2,681	1,149	189	11	2	-	1
Fourth	5,366	-	10	718	1,862	1,690	863	213	10	-	-	-
Fifth	3,046	-	3	225	963	988	680	180	7	-	-	-
Sixth	1,754	-	-	44	422	644	459	176	9	-	-	-
Seventh	1,134	-	-	12	176	417	377	143	9	-	-	-
Eighth	680	-	-	4	63	247	258	117	11	-	-	-
Ninth	507	-	-	3	23	154	197	123	7	-	-	-
Tenth and over	882	-	-	1	15	123	373	313	57	-	-	-
Not stated	8	-	1	3	2	1	1	-	-	-	-	-

TABLE 5.—LIVE BIRTHS BY AGE OF MOTHER, RACE, AND ORDER OF BIRTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 105)

AREA, RACE, AND ORDER OF BIRTH	Total births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
WISCONSIN—Continued												
Nonwhite	706	5	106	219	163	117	66	27	2	-	-	1
First	179	5	81	65	20	6	2	-	-	-	-	-
Second	113	-	21	57	22	10	3	-	-	-	-	-
Third	98	-	3	54	25	10	6	-	-	-	-	-
Fourth	83	-	1	30	34	12	5	1	-	-	-	-
Fifth	67	-	-	8	27	22	6	3	1	-	-	-
Sixth	46	-	-	3	17	16	8	2	-	-	-	-
Seventh	32	-	-	2	8	12	7	3	-	-	-	-
Eighth	36	-	-	-	7	13	11	5	-	-	-	-
Ninth	24	-	-	-	2	10	10	2	-	-	-	-
Tenth and over	28	-	-	-	1	6	8	11	1	-	-	1
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING	5,822	1	652	2,005	1,631	920	478	119	9	-	-	12
White	5,463	1	622	1,910	1,497	868	437	107	9	-	-	12
First	1,773	1	455	782	357	122	43	8	-	-	-	5
Second	1,519	-	133	637	473	210	53	9	-	-	-	4
Third	910	-	28	325	305	170	70	10	-	-	-	2
Fourth	468	-	3	102	164	119	66	13	1	-	-	-
Fifth	306	-	-	36	118	93	48	10	-	-	-	1
Sixth	177	-	-	9	45	67	40	15	1	-	-	-
Seventh	99	-	-	-	16	34	37	10	2	-	-	-
Eighth	65	-	-	-	6	26	24	8	1	-	-	-
Ninth	36	-	-	-	2	10	19	4	1	-	-	-
Tenth and over	76	-	-	-	5	11	37	20	3	-	-	-
Not stated	34	-	3	19	6	6	-	-	-	-	-	-
Nonwhite	359	-	30	95	134	52	36	12	-	-	-	-
First	123	-	20	58	36	7	2	-	-	-	-	-
Second	71	-	10	16	34	11	-	-	-	-	-	-
Third	44	-	-	8	24	7	5	-	-	-	-	-
Fourth	41	-	-	8	18	6	6	3	-	-	-	-
Fifth	23	-	-	3	9	5	5	1	-	-	-	-
Sixth	14	-	-	2	7	3	2	-	-	-	-	-
Seventh	13	-	-	-	5	4	3	1	-	-	-	-
Eighth	6	-	-	-	1	2	1	2	-	-	-	-
Ninth	7	-	-	-	-	3	4	-	-	-	-	-
Tenth and over	17	-	-	-	-	4	8	5	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1943

(By place of residence)

AREA AND AGE OF MOTHER	Total births,	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	2,934,860	27	63,091	574,072	837,259	658,905	402,794	191,852	80,963	29,808	17,493	78,596
10 to 14 years	3,737	15	907	691	119	47	35	18	14	9	10	1,872
15 to 19 years	343,550	11	51,749	189,075	51,341	11,688	3,932	1,362	597	237	240	33,318
20 to 24 years	930,015	1	9,840	344,555	393,538	112,961	30,431	9,391	3,463	1,372	1,004	23,459
25 to 29 years	822,249	-	448	35,466	347,004	296,796	93,472	25,352	8,959	3,236	2,187	9,329
30 to 34 years	510,413	-	64	3,128	40,246	211,033	167,804	55,408	17,370	6,407	3,804	5,149
35 to 39 years	248,870	-	-	442	3,849	24,251	99,972	74,146	28,361	9,328	5,505	3,016
40 to 44 years	66,406	-	-	72	317	1,375	6,551	25,372	20,047	7,860	3,952	860
45 to 49 years	4,812	-	-	9	20	52	140	531	2,009	1,253	716	82
50 to 54 years	153	-	-	3	9	21	7	14	13	51	30	5
55 years and over	55	-	-	3	3	5	11	10	5	5	13	-
Not stated	4,600	-	83	628	813	676	439	248	125	50	32	1,506
ALABAMA	77,535	2	2,457	16,864	18,534	14,380	9,837	5,103	2,409	969	768	6,212
10 to 14 years	266	1	35	47	8	4	1	-	-	-	-	170
15 to 19 years	14,134	1	2,034	6,857	1,809	401	186	65	24	13	11	2,733
20 to 24 years	24,393	-	361	8,967	9,156	2,901	916	308	140	59	45	1,540
25 to 29 years	17,647	-	17	798	6,527	6,180	2,287	643	260	115	77	743
30 to 34 years	11,658	-	2	95	835	4,254	3,846	1,325	491	207	158	445
35 to 39 years	6,724	-	-	8	96	531	2,409	2,028	826	296	262	268
40 to 44 years	1,948	-	-	1	9	33	126	695	592	230	172	90
45 to 49 years	152	-	-	-	-	2	3	12	57	39	36	3
50 to 54 years	7	-	-	-	-	-	1	-	-	4	-	2
55 years and over	3	-	-	-	-	-	-	-	2	-	1	-
Not stated	603	-	8	91	94	74	62	27	17	6	6	218
ARIZONA	14,297	-	433	3,174	3,961	2,873	1,900	957	446	202	124	217
10 to 14 years	22	-	10	4	1	1	1	-	-	-	-	5
15 to 19 years	2,217	-	351	1,244	388	110	41	9	4	2	2	66
20 to 24 years	4,808	-	63	1,728	1,988	649	214	61	26	9	6	64
25 to 29 years	3,512	-	6	171	1,377	1,218	460	150	62	23	15	30
30 to 34 years	2,174	-	3	22	177	777	730	268	99	45	30	23
35 to 39 years	1,205	-	-	3	24	105	423	375	159	67	34	15
40 to 44 years	326	-	-	1	5	9	29	101	87	52	35	7
45 to 49 years	16	-	-	-	-	1	-	2	8	3	2	-
50 to 54 years	2	-	-	-	-	-	1	-	-	1	-	-
Not stated	15	-	-	1	1	3	1	1	1	-	-	7
ARKANSAS	42,589	1	1,706	9,882	10,319	7,926	5,508	3,066	1,512	710	549	1,410
10 to 14 years	122	1	43	31	5	1	-	1	1	-	-	39
15 to 19 years	8,304	-	1,428	4,416	1,274	339	114	46	21	16	10	640
20 to 24 years	13,386	-	217	4,853	5,202	1,801	594	224	78	28	32	357
25 to 29 years	9,166	-	5	468	3,309	3,236	1,237	424	180	79	70	158
30 to 34 years	6,287	-	1	50	414	2,206	2,124	795	287	180	136	94
35 to 39 years	3,827	-	-	11	50	283	1,351	1,170	525	215	165	57
40 to 44 years	1,160	-	-	2	5	22	62	384	376	177	117	15
45 to 49 years	67	-	-	-	1	-	1	3	35	12	14	1
50 to 54 years	3	-	-	-	1	1	-	-	-	-	1	-
55 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	266	-	12	51	58	37	25	19	9	3	3	49
CALIFORNIA	174,420	2	3,521	39,255	55,438	38,754	21,526	9,568	3,729	1,345	615	667
10 to 14 years	73	-	28	23	2	1	1	3	1	2	1	11
15 to 19 years	21,103	2	2,970	13,171	3,653	770	254	70	20	10	6	177
20 to 24 years	62,064	-	504	23,532	27,230	7,647	2,008	608	197	63	31	244
25 to 29 years	49,446	-	14	2,271	21,599	17,318	5,770	1,674	484	146	59	111
30 to 34 years	27,484	-	3	219	2,820	11,575	8,570	3,029	952	329	123	64
35 to 39 years	11,456	-	-	18	282	1,344	4,594	3,221	1,304	455	202	36
40 to 44 years	2,533	-	-	3	29	80	317	933	695	312	154	10
45 to 49 years	168	-	-	-	1	3	-	26	73	25	38	2
50 to 54 years	5	-	-	-	-	1	-	-	-	3	1	-
55 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	87	-	2	18	21	15	12	4	3	-	-	12
COLORADO	24,367	-	595	5,171	7,103	5,181	3,153	1,721	774	302	168	199
10 to 14 years	12	-	2	3	1	1	-	-	-	-	-	5
15 to 19 years	2,980	-	496	1,736	515	116	42	12	4	6	3	50
20 to 24 years	8,278	-	94	3,080	3,465	1,110	309	103	36	10	7	64
25 to 29 years	6,651	-	1	314	2,778	2,246	839	281	104	39	17	32
30 to 34 years	3,870	-	1	28	307	1,512	1,229	488	183	62	33	27
35 to 39 years	1,949	-	-	5	30	177	698	605	268	103	50	13
40 to 44 years	577	-	-	2	3	17	33	227	171	71	51	2
45 to 49 years	31	-	-	-	-	-	-	4	8	11	7	1
50 to 54 years	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	18	-	1	3	4	2	3	-	-	-	-	5
CONNECTICUT	39,005	-	263	5,867	12,736	10,294	5,794	2,327	840	242	94	548
10 to 14 years	9	-	-	-	-	-	-	-	-	-	-	9
15 to 19 years	1,838	-	213	1,118	301	58	11	2	1	-	-	134
20 to 24 years	10,961	-	47	4,048	5,129	1,175	256	64	25	4	2	211
25 to 29 years	13,761	-	2	650	6,401	4,954	1,246	279	77	24	20	108
30 to 34 years	8,143	-	-	38	811	3,649	2,604	733	204	45	17	42
35 to 39 years	3,461	-	-	3	73	432	1,570	928	312	86	31	26
40 to 44 years	736	-	-	-	1	17	99	312	205	77	18	7
45 to 49 years	35	-	-	-	-	-	1	6	16	6	6	-
50 to 54 years	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	60	-	1	10	20	9	6	3	-	-	-	11
DELAWARE	6,229	-	134	1,262	1,842	1,293	821	322	147	41	29	338
10 to 14 years	12	-	-	1	-	-	-	-	-	-	-	11
15 to 19 years	785	-	114	401	80	16	6	-	1	-	-	167
20 to 24 years	1,989	-	19	768	819	215	53	12	4	1	1	97
25 to 29 years	1,759	-	1	87	837	564	178	42	17	5	2	26
30 to 34 years	1,048	-	-	3	96	447	347	94	31	10	5	15
35 to 39 years	488	-	-	1	9	47	219	126	51	17	7	11
40 to 44 years	130	-	-	-	-	3	16	48	38	8	11	6
45 to 49 years	10	-	-	-	-	-	1	-	3	-	3	3
Not stated	8	-	-	1	1	1	1	-	2	-	-	2

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
DISTRICT OF COLUMBIA	16,080		362	3,346	4,545	3,268	1,912	797	330	111	34	1,375
10 to 14 years	48	-	2	2	-	-	-	-	-	-	-	44
15 to 19 years	2,157	-	321	1,024	186	44	11	2	4	-	-	565
20 to 24 years	5,365	-	34	2,072	2,119	528	150	47	19	4	3	389
25 to 29 years	4,498	-	4	216	1,962	1,452	496	138	43	10	3	174
30 to 34 years	2,570	-	-	22	253	1,076	771	237	86	30	11	84
35 to 39 years	1,112	-	-	3	23	153	452	267	116	41	7	50
40 to 44 years	239	-	-	-	-	7	30	104	57	21	10	10
45 to 49 years	8	-	-	-	-	-	-	-	4	4	-	-
50 to 54 years	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	82	-	1	7	2	8	2	2	1	-	-	59
FLORIDA	46,744	-	1,198	10,275	12,706	9,100	5,672	2,759	1,335	610	478	2,616
10 to 14 years	160	-	21	24	10	-	1	2	-	-	-	102
15 to 19 years	8,171	-	1,009	4,027	1,311	360	121	40	16	6	8	1,273
20 to 24 years	15,933	-	151	5,598	6,328	2,083	702	248	98	46	44	635
25 to 29 years	11,521	-	7	533	4,386	3,882	1,563	507	227	89	64	263
30 to 34 years	6,789	-	2	61	571	2,425	2,149	792	319	169	117	184
35 to 39 years	3,146	-	-	8	63	296	1,043	898	417	180	148	93
40 to 44 years	808	-	-	2	7	24	76	263	228	103	84	21
45 to 49 years	62	-	-	1	-	3	2	1	27	15	10	3
50 to 54 years	2	-	-	-	-	-	-	1	-	1	-	-
55 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	151	-	3	21	30	27	15	7	3	1	2	42
GEORGIA	78,387	-	2,478	17,817	20,002	14,767	9,461	4,697	2,234	900	816	5,215
10 to 14 years	278	-	40	58	6	4	1	-	-	-	-	169
15 to 19 years	14,277	-	2,060	7,146	1,991	406	147	30	21	9	9	2,458
20 to 24 years	25,764	-	362	9,588	10,048	3,071	843	285	124	43	40	1,360
25 to 29 years	18,160	-	11	883	6,958	6,354	2,338	614	251	102	103	546
30 to 34 years	11,570	-	2	93	865	4,395	3,794	1,265	425	200	206	325
35 to 39 years	6,259	-	-	24	106	494	2,189	1,870	813	299	267	197
40 to 44 years	1,724	-	-	2	5	26	139	613	533	212	149	45
45 to 49 years	160	-	-	2	-	1	1	16	64	34	38	4
50 to 54 years	7	-	-	-	1	1	-	-	1	-	4	-
Not stated	188	-	3	21	22	15	9	4	2	1	-	111
IDAHO	12,391	-	272	2,573	3,708	2,795	1,607	811	341	133	69	82
10 to 14 years	9	-	4	5	-	-	-	-	-	-	-	-
15 to 19 years	1,520	-	220	901	274	74	22	6	1	-	2	20
20 to 24 years	4,313	-	47	1,518	1,906	592	151	49	11	7	1	31
25 to 29 years	3,299	-	1	136	1,387	1,222	372	106	45	13	2	15
30 to 34 years	1,942	-	-	6	124	796	667	229	62	32	18	8
35 to 39 years	978	-	-	1	12	99	367	315	114	43	26	1
40 to 44 years	273	-	-	-	2	6	25	100	91	31	18	-
45 to 49 years	27	-	-	-	-	-	-	2	16	6	2	1
50 to 54 years	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	29	-	-	6	3	6	3	3	1	1	-	6
ILLINOIS	155,735	-	2,422	26,916	46,562	37,987	22,519	9,911	3,799	1,244	563	3,812
10 to 14 years	93	-	16	12	3	1	-	1	-	-	-	60
15 to 19 years	13,859	-	2,039	7,865	1,878	395	138	54	13	5	6	1,466
20 to 24 years	47,205	-	357	17,131	21,016	5,511	1,346	398	129	34	27	1,256
25 to 29 years	48,298	-	9	1,764	21,232	17,720	5,081	1,338	432	138	77	507
30 to 34 years	29,627	-	1	122	2,256	12,992	9,731	3,001	841	281	116	286
35 to 39 years	13,167	-	-	17	162	1,288	5,824	3,811	1,324	387	181	173
40 to 44 years	3,266	-	-	1	10	70	389	1,281	976	359	135	45
45 to 49 years	172	-	-	-	2	-	5	25	81	38	19	2
50 to 54 years	6	-	-	-	-	-	-	1	1	2	2	-
55 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	41	-	-	4	3	9	5	1	2	-	-	17
INDIANA	74,672	1	2,061	16,598	22,051	16,239	9,351	4,547	1,895	688	354	887
10 to 14 years	54	-	21	12	3	-	1	1	-	-	-	16
15 to 19 years	9,318	1	1,725	5,603	1,259	271	100	31	21	3	4	300
20 to 24 years	25,031	-	305	10,000	10,611	2,802	689	191	80	39	11	303
25 to 29 years	20,383	-	8	870	9,124	7,370	2,029	572	191	76	44	99
30 to 34 years	11,932	-	-	63	931	5,148	3,960	1,201	349	135	78	67
35 to 39 years	5,848	-	-	3	58	591	2,386	1,819	645	199	115	32
40 to 44 years	1,749	-	-	3	12	24	158	709	545	193	86	19
45 to 49 years	130	-	-	-	1	1	1	13	60	37	16	1
50 to 54 years	2	-	-	-	1	1	-	-	-	-	-	-
Not stated	225	-	2	44	51	31	27	10	4	6	-	50
IOWA	47,617	-	921	8,957	13,960	11,083	6,604	3,270	1,340	497	216	769
10 to 14 years	18	-	3	2	-	-	-	-	-	-	-	13
15 to 19 years	4,393	-	736	2,519	603	140	28	19	4	-	2	340
20 to 24 years	15,188	-	177	5,834	6,553	1,748	423	99	48	22	13	271
25 to 29 years	13,658	-	2	550	5,995	5,002	1,464	366	134	47	26	72
30 to 34 years	8,591	-	-	29	745	3,724	2,828	846	250	89	45	35
35 to 39 years	4,307	-	-	12	47	438	1,697	1,415	459	149	64	26
40 to 44 years	1,302	-	-	2	3	20	154	505	400	155	54	9
45 to 49 years	110	-	-	-	1	-	4	16	44	33	11	1
50 to 54 years	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	49	-	1	9	13	11	6	3	1	2	1	2
KANSAS	36,021	-	838	7,728	10,477	7,906	4,587	2,251	1,014	376	198	646
10 to 14 years	27	-	5	5	-	-	-	-	-	-	-	17
15 to 19 years	4,165	-	670	2,424	611	133	49	12	5	6	1	254
20 to 24 years	12,052	-	156	4,740	5,033	1,424	317	117	28	15	8	214
25 to 29 years	9,826	-	6	474	4,285	3,560	1,008	258	97	40	25	73
30 to 34 years	5,864	-	1	57	474	2,473	1,931	595	192	65	35	41
35 to 39 years	2,975	-	-	6	42	275	1,189	915	350	112	64	22
40 to 44 years	920	-	-	-	6	14	79	341	304	114	54	8
45 to 49 years	75	-	-	-	-	2	2	8	31	22	9	1
50 to 54 years	2	-	-	-	-	-	-	-	-	1	1	-
55 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	114	-	-	22	26	25	12	5	6	1	1	16

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
KENTUCKY	65,566	-	2,273	14,036	16,690	13,475	8,919	5,181	2,468	1,084	850	590
10 to 14 years	108	-	47	33	2	3	6	2	2	-	1	12
15 to 19 years	9,768	-	1,772	5,460	1,597	409	147	67	33	9	22	252
20 to 24 years	20,717	-	423	7,525	8,346	2,818	868	286	122	62	73	194
25 to 29 years	15,691	-	28	885	5,827	5,740	2,030	608	268	127	113	65
30 to 34 years	10,444	-	2	107	807	3,891	3,473	1,306	457	201	180	20
35 to 39 years	6,389	-	-	15	97	567	2,232	2,066	806	320	256	30
40 to 44 years	2,221	-	-	3	8	41	157	828	697	310	174	3
45 to 49 years	184	-	-	-	3	-	2	18	79	51	31	-
50 to 54 years	9	-	-	1	2	1	-	-	1	4	-	-
55 years and over	2	-	-	1	-	-	1	-	-	-	-	-
Not stated	33	-	1	6	1	5	3	-	3	-	-	14
LOUISIANA	62,005	-	1,955	13,615	16,091	12,389	8,056	4,145	1,880	786	532	2,556
10 to 14 years	172	-	50	43	6	3	3	-	1	1	1	64
15 to 19 years	10,471	-	1,634	5,501	1,587	412	171	47	25	14	12	1,068
20 to 24 years	20,320	-	255	7,319	8,050	2,630	866	318	126	58	40	663
25 to 29 years	14,886	-	13	651	5,648	5,301	1,926	610	228	110	71	328
30 to 34 years	9,408	-	2	56	652	3,574	3,075	1,165	409	161	105	209
35 to 39 years	5,004	-	-	14	96	415	1,875	1,455	608	227	176	128
40 to 44 years	1,430	-	-	4	7	33	116	526	432	173	107	32
45 to 49 years	121	-	-	-	1	1	6	10	44	36	16	7
50 to 54 years	10	-	-	-	-	-	1	1	2	3	2	1
55 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	182	-	1	27	44	20	17	8	5	2	2	56
MAINE	18,944	-	445	4,045	5,533	4,127	2,403	1,169	501	188	115	418
10 to 14 years	14	-	4	2	-	-	-	-	-	-	2	6
15 to 19 years	2,207	-	341	1,213	378	78	17	12	3	1	1	163
20 to 24 years	6,347	-	90	2,480	2,538	754	198	82	29	11	10	155
25 to 29 years	5,165	-	9	313	2,254	1,747	565	133	58	19	18	49
30 to 34 years	3,177	-	1	32	313	1,344	977	324	102	32	24	28
35 to 39 years	1,559	-	-	4	45	191	590	457	164	64	30	14
40 to 44 years	434	-	-	1	2	12	54	159	130	50	24	2
45 to 49 years	37	-	-	-	-	1	2	2	15	11	6	-
Not stated	4	-	-	-	3	-	-	-	-	-	-	1
MARYLAND	47,371	1	1,485	10,894	13,935	10,205	5,954	2,617	1,108	399	197	576
10 to 14 years	114	-	59	23	2	3	3	1	-	2	-	21
15 to 19 years	6,581	1	1,238	3,866	935	206	67	23	17	2	2	224
20 to 24 years	15,935	-	178	5,322	6,733	1,826	473	163	49	16	15	160
25 to 29 years	12,746	-	7	616	5,521	4,544	1,423	353	131	45	31	75
30 to 34 years	7,521	-	1	52	651	3,233	2,406	757	258	85	35	43
35 to 39 years	3,459	-	-	3	71	353	1,483	976	370	117	62	24
40 to 44 years	885	-	-	-	6	25	88	334	258	117	47	10
45 to 49 years	57	-	-	-	-	1	5	5	24	15	5	2
Not stated	73	-	2	12	16	14	6	5	1	-	-	17
MASSACHUSETTS	85,917	-	563	12,906	26,606	22,118	13,323	5,731	1,942	576	201	1,951
10 to 14 years	19	-	-	1	1	-	-	1	-	-	-	16
15 to 19 years	4,014	-	432	2,368	586	95	30	4	2	-	-	497
20 to 24 years	23,664	-	125	9,168	10,650	2,344	496	118	35	11	12	705
25 to 29 years	28,259	-	5	1,260	13,465	9,775	2,566	548	185	58	19	378
30 to 34 years	18,846	-	-	81	1,708	8,704	5,837	1,732	444	123	49	168
35 to 39 years	8,898	-	-	15	154	1,128	4,078	2,436	727	195	65	100
40 to 44 years	1,968	-	-	2	14	49	302	864	500	169	46	22
45 to 49 years	97	-	-	-	-	-	4	20	47	18	7	1
50 to 54 years	6	-	-	-	-	1	-	1	-	1	3	-
55 years and over	2	-	-	-	-	-	1	-	-	1	-	-
Not stated	144	-	1	11	28	22	9	7	2	-	-	64
MICHIGAN	125,778	-	2,224	24,572	38,745	28,781	17,208	8,101	3,144	1,077	428	1,498
10 to 14 years	67	-	22	11	1	2	1	-	-	-	-	30
15 to 19 years	11,934	-	1,826	7,229	1,753	383	110	40	13	8	4	568
20 to 24 years	41,627	-	364	15,861	18,373	4,719	1,227	373	127	37	20	526
25 to 29 years	37,773	-	10	1,355	16,765	13,652	4,090	1,157	362	119	54	209
30 to 34 years	21,449	-	1	80	1,671	8,971	7,289	2,387	680	213	78	79
35 to 39 years	9,980	-	-	11	132	975	4,184	3,037	1,132	349	130	30
40 to 44 years	2,615	-	-	1	14	52	277	1,073	754	309	121	14
45 to 49 years	169	-	-	-	1	3	12	24	70	37	19	3
50 to 54 years	9	-	-	-	-	3	-	2	-	3	1	-
55 years and over	6	-	-	-	-	1	2	2	1	-	-	-
Not stated	149	-	1	24	35	20	16	6	5	2	1	39
MINNESOTA	58,508	-	529	8,038	16,577	14,867	9,360	4,938	2,057	724	313	1,105
10 to 14 years	15	-	1	-	-	-	-	-	-	-	-	14
15 to 19 years	3,505	-	414	1,886	628	137	44	11	6	1	-	378
20 to 24 years	16,311	-	110	5,388	7,305	2,256	554	169	56	21	6	446
25 to 29 years	18,474	-	2	715	7,636	6,836	2,220	614	201	59	35	156
30 to 34 years	12,094	-	2	43	929	4,952	3,946	1,518	437	148	56	63
35 to 39 years	6,118	-	-	4	70	642	2,379	1,958	727	208	97	33
40 to 44 years	1,793	-	-	-	4	33	206	651	561	230	98	10
45 to 49 years	169	-	-	-	-	2	4	15	69	57	21	1
50 to 54 years	1	-	-	-	1	-	-	-	-	-	-	-
55 years and over	2	-	-	-	-	2	-	-	-	-	-	-
Not stated	26	-	-	2	4	7	7	2	-	-	-	4
MISSISSIPPI	59,846	-	2,095	12,562	13,412	10,558	7,730	4,190	2,087	914	765	5,533
10 to 14 years	313	-	39	50	6	2	2	-	3	-	-	211
15 to 19 years	12,052	-	1,734	5,438	1,513	364	180	74	23	6	12	2,708
20 to 24 years	18,627	-	295	6,357	6,891	2,337	860	299	133	54	56	1,345
25 to 29 years	12,826	-	18	609	4,289	4,486	1,812	580	254	110	103	565
30 to 34 years	8,919	-	3	78	587	2,989	2,953	1,070	476	205	189	369
35 to 39 years	5,296	-	-	12	98	342	1,799	1,576	724	285	237	223
40 to 44 years	1,551	-	-	4	11	19	112	561	431	202	141	70
45 to 49 years	150	-	-	2	-	3	4	19	41	48	25	8
50 to 54 years	6	-	-	-	-	1	-	1	1	3	-	-
55 years and over	3	-	-	1	-	-	-	1	-	-	1	-
Not stated	103	-	6	11	17	15	8	9	1	1	1	34

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
MISSOURI	72,458	-	2,045	15,262	20,079	15,227	9,848	4,862	2,054	799	535	1,747
10 to 14 years	76	-	17	13	-	2	1	-	-	-	-	43
15 to 19 years	10,200	-	1,694	5,531	1,569	355	122	46	22	9	11	841
20 to 24 years	23,226	-	315	8,810	9,602	2,812	795	232	99	39	20	502
25 to 29 years	18,851	-	17	838	7,883	6,740	2,185	636	217	82	77	176
30 to 34 years	11,968	-	-	56	911	4,757	4,159	1,338	394	152	107	94
35 to 39 years	6,163	-	-	5	100	523	2,413	1,950	700	268	160	49
40 to 44 years	1,812	-	-	3	8	30	163	649	571	228	132	28
45 to 49 years	115	-	-	-	-	2	5	6	48	26	27	1
50 to 54 years	1	-	-	-	-	-	-	-	1	-	-	-
55 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	45	-	2	6	6	6	5	5	2	-	-	13
MONTANA	11,407	1	174	1,992	3,309	2,771	1,623	774	415	181	83	84
10 to 14 years	6	1	1	1	-	-	-	-	-	-	-	3
15 to 19 years	1,112	-	147	597	220	79	25	8	4	2	-	30
20 to 24 years	3,735	-	23	1,216	1,608	620	169	47	13	6	4	29
25 to 29 years	3,442	-	3	166	1,319	1,245	478	132	51	20	11	15
30 to 34 years	1,919	-	-	9	146	725	632	237	111	41	15	3
35 to 39 years	922	-	-	-	11	98	292	272	153	66	29	1
40 to 44 years	240	-	-	1	2	4	24	76	76	39	18	-
45 to 49 years	24	-	-	-	1	-	2	2	7	6	6	-
50 to 54 years	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	6	-	-	-	2	-	1	-	-	-	-	3
NEBRASKA	25,048	-	439	4,641	7,304	5,965	3,527	1,764	766	254	134	254
10 to 14 years	8	-	2	2	-	-	-	-	-	-	-	4
15 to 19 years	2,156	-	331	1,274	317	87	29	12	1	-	3	102
20 to 24 years	8,052	-	102	3,008	3,461	1,046	227	78	28	11	12	79
25 to 29 years	7,948	-	3	335	3,099	2,745	797	226	64	24	16	39
30 to 34 years	4,536	-	1	16	395	1,856	1,530	502	142	52	26	16
35 to 39 years	2,220	-	-	2	27	214	881	689	284	75	42	6
40 to 44 years	656	-	-	-	2	10	61	251	226	75	30	1
45 to 49 years	45	-	-	-	-	-	1	3	21	16	4	-
55 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	26	-	-	4	3	7	1	3	-	1	-	7
NEVADA	3,026	-	58	581	886	702	397	216	105	39	20	22
10 to 14 years	3	-	1	1	-	-	-	-	-	-	-	1
15 to 19 years	344	-	50	192	69	22	5	1	1	-	-	4
20 to 24 years	1,048	-	7	341	451	152	65	13	9	4	-	6
25 to 29 years	851	-	-	42	316	311	118	31	19	5	6	3
30 to 34 years	505	-	-	5	45	186	132	91	33	8	3	2
35 to 39 years	210	-	-	-	5	29	70	56	28	12	6	4
40 to 44 years	57	-	-	-	-	1	7	24	14	8	3	-
45 to 49 years	5	-	-	-	-	-	-	-	1	2	2	-
Not stated	3	-	-	-	-	1	-	-	-	-	-	2
NEW HAMPSHIRE	9,367	-	143	1,746	2,794	2,232	1,270	600	256	88	50	188
10 to 14 years	2	-	-	-	-	-	-	-	-	-	-	2
15 to 19 years	738	-	112	406	109	30	10	3	3	-	-	65
20 to 24 years	2,938	-	31	1,154	1,226	315	92	37	15	3	4	61
25 to 29 years	2,763	-	-	171	1,255	951	258	73	20	11	5	19
30 to 34 years	1,770	-	-	12	182	777	516	164	58	27	11	28
35 to 39 years	886	-	-	1	19	150	352	219	91	22	19	13
40 to 44 years	241	-	-	-	1	7	39	99	64	18	9	4
45 to 49 years	19	-	-	-	-	-	1	5	5	7	1	-
55 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	9	-	-	2	2	2	2	-	-	-	-	1
NEW JERSEY	83,032	3	815	12,367	25,845	22,305	12,947	5,210	1,881	567	196	896
10 to 14 years	49	3	17	7	2	-	1	1	-	2	-	16
15 to 19 years	5,063	-	707	3,013	766	131	42	14	9	4	4	373
20 to 24 years	23,639	-	84	8,404	11,275	2,751	591	153	54	17	14	296
25 to 29 years	27,988	-	7	869	12,445	10,793	2,839	685	167	53	23	107
30 to 34 years	17,299	-	-	57	1,262	7,850	5,819	1,665	421	124	46	55
35 to 39 years	7,264	-	-	11	82	723	3,453	2,038	679	192	57	29
40 to 44 years	1,612	-	-	2	3	49	197	644	502	154	48	13
45 to 49 years	84	-	-	-	-	1	1	10	49	19	4	-
50 to 54 years	2	-	-	-	-	-	-	-	-	2	-	-
Not stated	32	-	-	4	10	7	4	-	-	-	-	7
NEW MEXICO	15,211	-	388	2,881	3,703	3,063	2,192	1,276	654	274	171	609
10 to 14 years	20	-	6	2	-	-	1	-	1	-	-	10
15 to 19 years	2,095	-	313	1,069	382	95	32	9	8	4	1	182
20 to 24 years	4,677	-	61	1,630	1,786	666	197	73	39	7	6	212
25 to 29 years	3,695	-	8	153	1,304	1,304	548	177	67	28	17	89
30 to 34 years	2,599	-	-	20	202	863	864	373	139	60	31	47
35 to 39 years	1,619	-	-	5	26	124	514	503	241	96	68	42
40 to 44 years	432	-	-	-	2	7	32	135	138	71	36	11
45 to 49 years	43	-	-	-	-	2	-	3	18	6	11	3
Not stated	31	-	-	2	1	2	4	3	3	2	1	13
NEW YORK	248,627	1	2,047	33,624	72,140	67,381	42,194	18,153	6,336	1,813	682	4,256
10 to 14 years	102	1	14	10	2	4	2	1	-	-	-	68
15 to 19 years	13,605	-	1,676	7,632	2,114	465	154	42	26	5	7	1,484
20 to 24 years	67,712	-	340	23,232	30,962	8,571	2,163	608	199	50	38	1,549
25 to 29 years	82,095	-	14	2,518	34,992	31,476	9,356	2,276	596	192	76	599
30 to 34 years	55,628	-	3	210	3,744	24,370	18,984	5,907	1,551	387	156	316
35 to 39 years	24,132	-	-	18	299	2,361	10,871	7,158	2,453	606	213	153
40 to 44 years	4,979	-	-	2	20	123	650	2,108	1,360	496	173	47
45 to 49 years	309	-	-	-	-	4	9	49	149	76	19	3
50 to 54 years	6	-	-	-	1	2	-	-	1	1	-	1
55 years and over	3	-	-	-	-	1	1	1	-	-	-	-
Not stated	56	-	-	2	6	4	4	3	1	-	-	36

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
NORTH CAROLINA	94,568	6	3,546	22,257	24,427	18,375	11,625	6,120	2,725	1,171	835	3,480
10 to 14 years	266	3	97	53	9	3	1	1	-	-	-	99
15 to 19 years	15,745	3	2,884	8,330	2,108	486	173	57	25	10	15	1,654
20 to 24 years	30,942	-	513	12,368	11,870	3,594	984	320	132	72	49	1,040
25 to 29 years	22,580	-	40	1,323	9,064	7,919	2,672	727	263	114	116	342
30 to 34 years	14,370	-	9	142	1,190	5,572	4,648	1,650	523	243	201	192
35 to 39 years	7,974	-	-	28	167	738	2,945	2,466	934	344	249	103
40 to 44 years	2,398	-	-	4	4	40	194	871	770	321	175	19
45 to 49 years	195	-	-	1	-	3	3	20	75	61	29	3
50 to 54 years	9	-	-	-	-	2	-	-	1	5	1	-
55 years and over	2	-	-	-	-	-	-	1	-	1	-	-
Not stated	87	-	3	8	15	18	6	7	2	-	-	28
NORTH DAKOTA	13,422	-	105	1,723	3,507	3,345	2,327	1,258	595	256	103	203
10 to 14 years	3	-	-	-	-	-	-	-	-	-	-	3
15 to 19 years	864	-	78	437	199	51	12	3	4	-	1	79
20 to 24 years	3,729	-	26	1,129	1,643	611	175	37	17	9	6	76
25 to 29 years	3,873	-	-	144	1,417	1,486	546	154	66	20	14	26
30 to 34 years	2,842	-	1	11	226	1,083	957	371	126	43	14	10
35 to 39 years	1,506	-	-	2	19	108	585	503	175	78	28	8
40 to 44 years	540	-	-	-	2	5	49	180	181	91	32	-
45 to 49 years	59	-	-	-	-	-	-	10	25	15	8	-
Not stated	6	-	-	-	1	1	3	-	-	-	-	1
OHIO	144,087	1	2,907	28,385	43,544	33,083	19,480	8,587	3,500	1,095	648	2,857
10 to 14 years	96	-	17	16	-	-	1	-	-	-	-	62
15 to 19 years	14,476	1	2,358	8,324	1,916	404	116	56	24	8	6	1,263
20 to 24 years	45,901	-	506	17,868	19,683	4,952	1,299	394	146	55	36	962
25 to 29 years	43,161	-	24	1,975	19,709	15,258	4,233	1,046	406	120	89	301
30 to 34 years	25,183	-	2	160	2,020	11,160	8,322	2,348	694	222	131	124
35 to 39 years	11,859	-	-	20	174	1,223	5,193	3,392	1,229	340	207	81
40 to 44 years	3,074	-	-	4	13	67	296	1,312	908	301	146	27
45 to 49 years	214	-	-	1	-	2	9	30	90	45	32	5
50 to 54 years	2	-	-	-	-	-	-	1	-	1	-	-
Not stated	121	-	-	17	29	17	11	8	3	3	1	32
OKLAHOMA	48,639	1	1,724	12,117	12,570	9,625	6,051	3,110	1,522	674	435	810
10 to 14 years	58	-	21	19	2	1	-	-	-	-	-	15
15 to 19 years	8,471	1	1,452	4,910	1,345	281	74	32	21	10	4	341
20 to 24 years	16,464	-	242	6,589	6,446	2,079	564	156	69	38	25	256
25 to 29 years	11,071	-	7	535	4,181	4,201	1,388	398	162	61	50	88
30 to 34 years	7,266	-	1	49	539	2,681	2,522	848	328	155	93	50
35 to 39 years	3,995	-	-	8	46	362	1,424	1,243	531	225	127	29
40 to 44 years	1,184	-	-	-	1	13	71	423	389	160	116	11
45 to 49 years	73	-	-	-	-	-	1	7	21	25	19	-
50 to 54 years	1	-	-	-	-	-	-	-	1	-	-	-
55 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	55	-	1	7	10	7	7	3	-	-	-	20
OREGON	25,450	-	433	5,182	8,031	5,942	3,228	1,497	679	225	110	123
10 to 14 years	5	-	4	1	-	-	-	-	-	-	-	-
15 to 19 years	2,845	-	352	1,685	584	137	36	12	1	1	1	36
20 to 24 years	8,886	-	76	3,167	3,968	1,215	302	91	19	11	3	34
25 to 29 years	7,339	-	1	299	3,106	2,611	922	251	93	23	13	20
30 to 34 years	4,150	-	-	19	338	1,744	1,285	491	180	53	25	15
35 to 39 years	1,712	-	-	1	31	213	537	490	241	63	32	4
40 to 44 years	441	-	-	1	-	14	41	157	134	64	30	-
45 to 49 years	28	-	-	-	-	-	1	5	11	7	4	-
50 to 54 years	2	-	-	-	-	-	-	-	-	1	1	-
Not stated	42	-	-	9	4	8	4	-	-	2	1	14
PENNSYLVANIA	199,366	1	3,467	36,767	61,143	47,586	27,868	12,354	5,159	1,726	758	2,537
10 to 14 years	138	1	57	18	8	2	1	1	2	1	2	45
15 to 19 years	17,495	-	2,827	10,413	2,497	452	151	69	22	4	13	1,047
20 to 24 years	62,077	-	555	23,676	27,820	6,754	1,634	469	158	69	46	896
25 to 29 years	61,210	-	21	2,488	27,771	22,358	6,078	1,487	515	153	85	304
30 to 34 years	36,348	-	5	193	2,792	16,222	11,984	3,464	1,027	369	158	134
35 to 39 years	17,166	-	-	25	225	1,698	7,531	5,003	1,867	524	216	77
40 to 44 years	4,571	-	-	1	19	88	475	1,821	1,432	514	194	27
45 to 49 years	309	-	-	1	3	4	8	34	131	86	40	2
50 to 54 years	11	-	-	-	-	1	-	1	1	6	2	-
55 years and over	3	-	-	-	-	-	1	1	-	-	1	-
Not stated	38	-	2	2	8	7	5	4	4	-	1	5
RHODE ISLAND	14,667	-	147	2,372	4,589	3,720	2,120	902	322	97	46	352
10 to 14 years	3	-	-	-	-	-	-	-	-	-	-	3
15 to 19 years	819	-	113	464	119	21	4	1	2	-	-	95
20 to 24 years	4,166	-	31	1,617	1,849	404	100	17	7	5	1	135
25 to 29 years	4,794	-	3	276	2,236	1,656	426	102	33	9	4	49
30 to 34 years	3,138	-	-	14	356	1,416	936	269	81	17	11	38
35 to 39 years	1,407	-	-	1	21	216	614	377	112	28	12	26
40 to 44 years	318	-	-	-	5	6	38	133	83	32	16	5
45 to 49 years	16	-	-	-	-	-	-	3	4	6	2	1
Not stated	6	-	-	-	3	1	2	-	-	-	-	-
SOUTH CAROLINA	54,144	-	1,437	12,765	13,454	9,408	6,032	3,141	1,533	633	541	5,200
10 to 14 years	145	-	18	18	2	1	-	-	1	-	-	105
15 to 19 years	10,007	-	1,192	4,933	1,047	220	71	25	13	6	3	2,497
20 to 24 years	18,529	-	211	7,118	6,967	1,858	589	182	84	44	35	1,441
25 to 29 years	12,338	-	13	592	4,845	4,127	1,475	384	189	87	80	546
30 to 34 years	7,508	-	-	60	497	2,844	2,392	875	301	129	126	284
35 to 39 years	4,137	-	-	14	67	312	1,402	1,280	535	206	151	170
40 to 44 years	1,136	-	-	3	2	20	82	381	367	132	111	38
45 to 49 years	114	-	-	-	1	1	4	4	36	28	33	7
50 to 54 years	2	-	-	-	-	-	-	-	-	-	1	1
Not stated	228	-	3	27	26	25	17	10	7	1	1	111

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
SOUTH DAKOTA	12,816	-	145	1,997	3,391	3,025	1,999	1,144	513	180	98	324
10 to 14 years	2	-	-	1	-	-	1	-	-	-	-	-
15 to 19 years	964	-	103	519	186	45	15	3	1	1	-	91
20 to 24 years	3,833	-	40	1,302	1,601	577	132	52	8	3	4	114
25 to 29 years	3,671	-	2	155	1,380	1,376	487	140	51	15	10	55
30 to 34 years	2,508	-	-	14	196	901	868	348	99	33	25	24
35 to 39 years	1,227	-	-	-	10	102	441	418	165	58	21	12
40 to 44 years	495	-	-	1	1	10	46	172	166	60	35	4
45 to 49 years	40	-	-	-	-	-	2	5	22	8	3	-
55 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	75	-	-	5	17	14	7	5	1	2	-	24
TENNESSEE	70,203	2	2,260	14,949	17,566	14,251	9,069	4,806	2,252	973	755	3,320
10 to 14 years	181	1	30	28	2	2	3	-	1	1	1	112
15 to 19 years	11,344	1	1,827	5,676	1,598	419	141	53	25	13	13	1,578
20 to 24 years	22,142	-	377	8,078	8,584	2,948	848	267	111	54	42	833
25 to 29 years	16,974	-	17	997	6,321	6,007	2,130	633	267	123	112	367
30 to 34 years	11,201	-	4	123	898	4,218	3,577	1,285	476	215	182	223
35 to 39 years	6,253	-	-	21	123	604	2,195	1,873	768	282	250	137
40 to 44 years	1,848	-	-	3	16	36	163	676	541	237	135	41
45 to 49 years	136	-	-	1	1	-	2	11	54	45	18	4
50 to 54 years	9	-	-	1	1	1	1	-	1	2	2	-
55 years and over	5	-	-	1	-	-	1	2	-	1	-	-
Not stated	110	-	5	20	22	16	8	6	8	-	-	25
TEXAS	164,513	1	4,922	36,425	43,845	33,776	21,341	10,939	4,864	1,837	1,171	5,392
10 to 14 years	301	-	82	62	20	2	2	2	-	-	1	130
15 to 19 years	26,568	-	4,050	14,386	4,282	1,057	357	135	52	28	16	2,205
20 to 24 years	54,866	1	726	19,787	21,993	7,462	2,251	733	256	82	73	1,538
25 to 29 years	40,009	-	42	1,861	15,235	14,500	5,224	1,565	618	220	104	640
30 to 34 years	25,185	-	5	217	2,005	9,419	8,314	3,109	1,063	407	271	375
35 to 39 years	13,260	-	-	42	215	1,164	4,941	4,070	1,687	599	401	241
40 to 44 years	3,438	-	-	4	16	66	283	1,262	1,067	426	254	60
45 to 49 years	244	-	-	-	-	4	9	18	105	63	40	5
50 to 54 years	11	-	-	1	-	-	1	2	1	2	4	-
55 years and over	12	-	-	-	2	-	4	1	1	1	3	-
Not stated	599	-	17	65	87	102	55	42	15	9	4	203
UTAH	17,161	-	401	3,669	5,211	3,789	2,288	1,080	453	159	67	44
10 to 14 years	4	-	2	1	-	-	-	-	-	-	-	1
15 to 19 years	1,754	-	335	1,084	255	41	15	5	1	1	1	16
20 to 24 years	5,705	-	64	2,381	2,492	565	132	34	14	4	2	17
25 to 29 years	4,821	-	-	191	2,237	1,756	476	109	27	16	4	5
30 to 34 years	2,913	-	-	11	209	1,295	966	312	78	30	9	3
35 to 39 years	1,456	-	-	1	17	122	670	420	151	51	23	1
40 to 44 years	464	-	-	-	1	9	27	195	162	46	23	1
45 to 49 years	40	-	-	-	-	-	-	4	20	11	5	-
Not stated	4	-	-	-	-	1	2	1	-	-	-	-
VERMONT	7,303	-	133	1,269	2,068	1,662	1,139	508	229	97	53	145
10 to 14 years	5	-	1	-	-	-	-	-	-	-	-	4
15 to 19 years	726	-	106	356	149	35	11	7	3	-	-	59
20 to 24 years	2,250	-	22	789	944	314	90	21	9	5	3	53
25 to 29 years	2,052	-	4	112	833	718	255	69	27	12	11	11
30 to 34 years	1,328	-	-	9	122	490	451	155	49	27	8	7
35 to 39 years	737	-	-	3	18	94	301	189	77	27	21	7
40 to 44 years	192	-	-	-	-	10	20	66	62	23	8	3
45 to 49 years	9	-	-	-	-	-	1	1	2	3	2	-
Not stated	4	-	-	-	2	1	-	-	-	-	-	1
VIRGINIA	72,157	2	1,895	15,786	19,470	14,992	9,044	4,625	2,125	826	611	2,781
10 to 14 years	169	2	55	35	12	4	-	-	-	-	1	60
15 to 19 years	10,604	-	1,499	5,650	1,638	388	124	44	17	8	12	1,224
20 to 24 years	23,710	-	315	8,911	9,392	3,052	806	249	96	55	34	800
25 to 29 years	18,150	-	19	1,034	7,274	6,306	2,165	618	235	91	88	320
30 to 34 years	11,516	-	3	114	989	4,571	3,605	1,308	426	190	125	185
35 to 39 years	5,855	-	-	16	116	598	2,155	1,724	723	225	198	100
40 to 44 years	1,816	-	-	7	16	47	167	651	554	212	127	35
45 to 49 years	168	-	-	-	1	3	5	20	72	44	21	2
50 to 54 years	4	-	-	-	-	1	-	-	-	1	2	-
Not stated	165	-	4	19	32	22	17	11	2	-	3	55
WASHINGTON	44,520	-	638	9,610	14,491	10,152	5,463	2,372	992	358	176	268
10 to 14 years	11	-	6	2	-	-	-	-	-	-	-	3
15 to 19 years	4,704	-	536	2,889	922	169	55	12	5	3	-	113
20 to 24 years	16,059	-	93	6,104	7,096	2,038	457	120	36	14	12	89
25 to 29 years	13,045	-	3	557	5,791	4,606	1,502	362	133	37	19	35
30 to 34 years	6,970	-	-	46	628	2,957	2,173	776	259	85	33	13
35 to 39 years	2,948	-	-	7	42	855	1,169	816	347	126	60	6
40 to 44 years	695	-	-	-	8	20	97	280	190	79	41	-
45 to 49 years	53	-	-	-	-	1	4	5	21	13	9	-
50 to 54 years	3	-	-	-	-	1	-	-	-	1	1	-
Not stated	32	-	-	5	4	5	6	1	1	-	1	9
WEST VIRGINIA	43,372	1	925	8,658	11,142	8,879	5,724	3,136	1,637	652	428	2,190
10 to 14 years	43	1	4	7	2	-	-	-	1	-	-	28
15 to 19 years	6,290	-	705	3,242	958	277	74	19	16	2	10	987
20 to 24 years	14,222	-	205	4,826	5,656	1,946	575	176	78	44	19	697
25 to 29 years	10,752	-	10	502	3,949	3,907	1,422	416	193	66	69	218
30 to 34 years	6,733	-	1	58	481	2,391	2,282	838	334	138	94	116
35 to 39 years	3,735	-	-	6	66	302	1,263	1,188	530	172	144	64
40 to 44 years	1,322	-	-	1	5	32	89	478	435	192	71	19
45 to 49 years	115	-	-	-	2	-	6	12	44	33	17	1
50 to 54 years	4	-	-	-	-	1	1	-	-	1	1	-
55 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	155	-	-	16	23	23	12	9	6	4	2	60

TABLE 6.—LIVE BIRTHS BY AGE OF PARENTS: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA AND AGE OF MOTHER	Total births	AGE OF FATHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
WISCONSIN	64,450	-	573	9,617	19,466	16,011	9,937	4,835	1,874	634	256	1,247
10 to 14 years	15	-	3	1	1	-	-	-	-	-	-	10
15 to 19 years	4,156	-	440	2,288	742	183	43	14	9	-	2	435
20 to 24 years	19,204	-	125	6,532	8,776	2,430	582	192	41	15	9	502
25 to 29 years	20,340	-	4	733	8,854	7,499	2,241	600	156	50	36	167
30 to 34 years	12,703	-	1	58	1,009	5,256	4,326	1,400	389	134	51	79
35 to 39 years	6,149	-	-	4	77	615	2,555	1,907	668	204	76	48
40 to 44 years	1,738	-	-	1	6	23	184	705	560	189	64	6
45 to 49 years	139	-	-	-	-	1	6	16	56	42	18	-
50 to 54 years	3	-	-	-	1	2	-	-	-	-	-	-
Not stated	3	-	-	-	-	2	-	1	-	-	-	-
WYOMING	5,822	-	99	1,077	1,751	1,272	855	394	190	82	55	47
10 to 14 years	1	-	-	1	-	-	-	-	-	-	-	-
15 to 19 years	652	-	83	362	140	41	5	4	-	1	-	16
20 to 24 years	2,005	-	16	641	908	288	99	23	7	2	4	17
25 to 29 years	1,631	-	-	59	626	581	251	60	33	11	4	6
30 to 34 years	920	-	-	8	67	322	313	127	54	19	8	2
35 to 39 years	473	-	-	-	6	37	174	148	56	30	19	3
40 to 44 years	119	-	-	-	1	2	12	31	34	17	19	3
45 to 49 years	9	-	-	-	-	-	-	1	5	2	1	-
Not stated	12	-	-	6	3	1	1	-	1	-	-	-

TABLE 7.—LIVE BIRTHS BY ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1943

(By place of residence. Figures for Massachusetts are included in the "total" and "not stated" classifications: they are not given by order of birth because this State does not require the reporting of such information)

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
UNITED STATES	2,934,860	2,594,763	2,489,773	103,313	324,865	15,232
First	1,038,640	945,312	917,724	27,089	89,160	4,168
Second	760,762	694,414	668,004	26,070	63,339	3,009
Third	400,955	355,288	340,360	14,721	43,482	2,185
Fourth	217,238	184,064	175,966	7,997	31,583	1,591
Fifth	128,385	104,074	99,168	4,819	23,140	1,171
Sixth	81,870	63,833	60,649	3,135	17,143	894
Seventh	55,160	41,834	39,482	2,299	12,679	647
Eighth	38,320	28,264	26,551	1,690	9,595	461
Ninth	26,718	19,406	18,071	1,306	6,971	341
Tenth	18,239	12,864	11,915	951	5,101	254
Eleventh	11,773	8,083	7,411	663	3,543	147
Twelfth	7,299	4,904	4,459	440	2,309	86
Thirteenth	4,303	2,798	2,487	306	1,468	37
Fourteenth	2,396	1,523	1,348	173	842	31
Fifteenth	1,300	799	678	119	489	12
Sixteenth	656	399	356	43	254	3
Seventeenth	324	192	155	37	130	2
Eighteenth	155	88	71	17	66	1
Nineteenth	91	53	44	9	37	1
Twentieth	49	25	20	5	23	1
Twenty-first	34	19	15	4	15	-
Twenty-second and over	38	18	14	4	20	-
Not stated	140,155	126,489	114,830	11,416	13,476	190
ALABAMA	77,535	50,083	49,647	95	27,433	19
First	22,192	15,873	15,747	35	6,317	2
Second	16,521	11,650	11,558	30	4,869	2
Third	10,560	7,099	7,028	16	3,455	6
Fourth	7,050	4,371	4,344	6	2,676	3
Fifth	5,080	2,944	2,913	3	2,083	3
Sixth	3,650	1,938	1,923	2	1,711	1
Seventh	2,618	1,359	1,350	-	1,258	1
Eighth	2,050	1,027	1,017	3	1,023	-
Ninth	1,422	659	653	-	762	1
Tenth	1,001	435	429	-	566	-
Eleventh	679	281	277	-	398	-
Twelfth	395	134	134	-	261	-
Thirteenth	252	83	82	-	169	-
Fourteenth	151	32	30	-	119	-
Fifteenth	80	18	18	-	62	-
Sixteenth	32	6	6	-	26	-
Seventeenth	21	1	1	-	20	-
Eighteenth	8	3	3	-	5	-
Nineteenth	6	1	1	-	5	-
Twentieth	3	-	-	-	3	-
Twenty-first	2	1	1	-	1	-
Twenty-second and over	2	2	2	-	-	-
Not stated	3,810	2,166	2,130	-	1,644	-
ARIZONA	14,297	12,620	11,427	1,191	370	1,307
First	4,610	4,201	4,024	176	141	268
Second	3,371	3,061	2,882	179	74	236
Third	2,166	1,935	1,767	168	58	173
Fourth	1,389	1,196	1,042	153	22	171
Fifth	825	701	598	103	21	103
Sixth	580	453	372	81	21	106
Seventh	426	338	260	78	5	83
Eighth	270	213	166	47	10	47
Ninth	234	189	121	68	8	37
Tenth	135	106	65	41	5	24
Eleventh	100	78	44	34	2	20
Twelfth	47	41	19	22	-	6
Thirteenth	42	38	18	20	-	4
Fourteenth	15	12	11	1	2	1
Fifteenth	9	9	4	5	-	-
Sixteenth	8	7	4	3	-	1
Seventeenth	4	4	-	4	-	-
Nineteenth	1	1	-	1	-	-
Not stated	65	37	30	7	1	27
ARKANSAS	42,589	32,469	32,375	59	10,077	43
First	12,209	10,206	10,179	21	1,989	14
Second	9,060	7,347	7,328	16	1,704	9
Third	5,856	4,515	4,501	8	1,335	6
Fourth	3,847	2,835	2,823	4	1,006	6
Fifth	2,766	1,968	1,961	3	796	2
Sixth	1,938	1,319	1,317	-	617	2
Seventh	1,435	940	937	2	495	-
Eighth	1,073	673	671	1	399	1
Ninth	747	467	466	-	280	-
Tenth	577	322	322	-	252	3
Eleventh	336	175	173	1	161	-
Twelfth	205	97	96	1	108	-
Thirteenth	159	73	71	-	86	-
Fourteenth	70	29	29	-	41	-
Fifteenth	39	11	11	-	28	-
Sixteenth	31	6	6	-	25	-
Seventeenth	10	4	4	-	6	-
Eighteenth	10	3	3	-	7	-
Nineteenth	5	-	-	-	5	-
Twentieth	6	2	2	-	4	-
Twenty-first	3	1	1	-	2	-
Twenty-second and over	6	2	2	-	4	-
Not stated	2,201	1,474	1,467	2	727	-

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
CALIFORNIA	174,420	166,880	155,519	11,315	4,028	3,512
First	76,857	74,187	70,943	3,226	1,479	1,191
Second	50,937	49,113	46,329	2,774	994	830
Third	22,420	21,335	19,825	1,505	570	515
Fourth	9,806	9,121	8,212	905	379	306
Fifth	4,920	4,488	3,900	587	202	230
Sixth	2,774	2,523	2,058	463	104	147
Seventh	1,857	1,661	1,283	378	100	96
Eighth	1,185	1,071	748	323	42	72
Ninth	812	742	454	288	30	40
Tenth	589	532	292	240	27	30
Eleventh	369	335	170	165	15	19
Twelfth	272	258	120	137	7	7
Thirteenth	138	135	45	90	2	1
Fourteenth	90	84	31	53	2	4
Fifteenth	66	62	22	40	2	2
Sixteenth	25	25	9	16	-	-
Seventeenth	18	18	6	12	-	-
Eighteenth	11	11	3	8	-	-
Nineteenth	6	6	2	4	-	-
Twentieth	5	5	2	3	-	-
Twenty-first	2	2	2	-	-	-
Twenty-second and over	4	4	1	3	-	-
Not stated	1,257	1,162	1,062	95	73	22
COLORADO	24,367	23,676	23,050	612	300	391
First	8,966	8,708	8,594	108	114	144
Second	6,333	6,180	6,080	98	66	87
Third	3,576	3,482	3,401	79	29	65
Fourth	1,919	1,857	1,800	57	31	31
Fifth	1,192	1,155	1,109	45	21	16
Sixth	721	691	646	44	11	19
Seventh	495	477	441	35	5	13
Eighth	350	337	301	36	8	5
Ninth	253	248	215	32	3	2
Tenth	176	164	135	29	5	7
Eleventh	112	109	96	13	2	1
Twelfth	88	85	72	13	3	-
Thirteenth	58	58	46	12	-	-
Fourteenth	35	34	32	2	1	-
Fifteenth	17	17	14	3	-	-
Sixteenth	9	9	6	3	-	-
Seventeenth	2	2	2	-	-	-
Eighteenth	2	2	2	-	-	-
Not stated	63	61	58	3	1	1
CONNECTICUT	39,005	38,083	34,929	3,136	913	9
First	16,521	16,213	15,281	923	302	6
Second	12,375	12,153	11,174	972	221	1
Third	5,132	5,007	4,459	548	124	1
Fourth	2,130	2,050	1,780	269	79	1
Fifth	969	926	771	155	43	-
Sixth	489	449	373	76	40	-
Seventh	299	264	202	62	35	-
Eighth	177	166	130	36	11	-
Ninth	116	103	85	18	13	-
Tenth	80	61	54	7	19	-
Eleventh	47	43	33	10	4	-
Twelfth	27	24	19	5	3	-
Thirteenth	19	17	13	4	2	-
Fourteenth	7	6	3	3	1	-
Fifteenth	6	4	2	2	2	-
Sixteenth	5	5	4	1	-	-
Seventeenth	1	1	1	-	-	-
Eighteenth	2	1	1	-	1	-
Not stated	503	590	544	45	13	-
DELAWARE	6,229	5,307	5,183	124	917	5
First	2,473	2,202	2,157	45	268	3
Second	1,650	1,478	1,452	26	171	1
Third	852	716	701	15	136	-
Fourth	460	382	370	12	78	-
Fifth	260	186	175	11	74	-
Sixth	161	108	103	5	53	-
Seventh	108	80	76	4	28	-
Eighth	84	50	49	1	33	1
Ninth	64	42	41	1	22	-
Tenth	36	22	21	1	14	-
Eleventh	27	20	18	2	7	-
Twelfth	21	12	11	1	9	-
Thirteenth	10	4	4	-	6	-
Fourteenth	9	1	1	-	8	-
Fifteenth	5	-	-	-	5	-
Sixteenth	2	1	1	-	1	-
Not stated	7	3	3	-	4	-
DISTRICT OF COLUMBIA	16,080	10,825	10,307	457	5,227	28
First	6,986	5,583	5,383	176	1,396	7
Second	3,878	2,745	2,599	139	1,126	7
Third	1,774	1,097	1,027	69	669	8
Fourth	886	411	377	33	472	3
Fifth	440	161	152	9	279	-
Sixth	280	95	93	2	185	-
Seventh	180	57	53	4	123	-

[1] Includes nativity of mother not stated.

TABLE 7.—LIVE BIRTHS BY ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 128)

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
DISTRICT OF COLUMBIA—Con.						
Eighth	115	26	22	3	89	-
Ninth	74	13	13	-	61	-
Tenth	52	6	6	-	46	-
Eleventh	28	3	3	-	25	-
Twelfth	15	2	2	-	13	-
Thirteenth	11	-	-	-	11	-
Fourteenth	3	-	-	-	3	-
Fifteenth	6	-	-	-	6	-
Sixteenth	3	1	1	-	2	-
Nineteenth	1	1	1	-	-	-
Not stated	1,348	624	575	22	721	3
FLORIDA	46,744	34,691	34,112	557	12,026	27
First	18,134	14,917	14,641	271	3,208	9
Second	11,011	8,620	8,468	148	2,386	5
Third	6,226	4,580	4,511	65	1,640	6
Fourth	3,705	2,457	2,420	34	1,247	1
Fifth	2,280	1,372	1,358	14	905	3
Sixth	1,539	887	881	6	650	2
Seventh	1,006	555	547	7	451	-
Eighth	685	305	303	2	380	-
Ninth	473	218	216	2	255	-
Tenth	308	138	136	2	170	-
Eleventh	208	70	70	-	137	1
Twelfth	131	45	43	2	86	-
Thirteenth	75	19	19	-	56	-
Fourteenth	50	12	12	-	38	-
Fifteenth	32	8	8	-	24	-
Sixteenth	10	1	1	-	9	-
Seventeenth	5	-	-	-	5	-
Eighteenth	2	1	1	-	1	-
Nineteenth	1	1	1	-	-	-
Twenty-second and over	2	1	1	-	1	-
Not stated	861	484	475	4	377	-
GEORGIA	78,387	50,187	49,993	162	28,191	9
First	27,008	19,081	18,997	73	7,925	2
Second	18,102	12,582	12,521	54	5,519	1
Third	11,026	7,008	6,986	19	4,015	3
Fourth	6,857	4,043	4,031	9	2,824	-
Fifth	4,586	2,465	2,462	2	2,121	-
Sixth	3,385	1,687	1,686	-	1,697	1
Seventh	2,419	1,203	1,201	2	1,216	-
Eighth	1,630	749	749	-	881	-
Ninth	1,209	551	550	1	657	1
Tenth	823	348	346	1	474	1
Eleventh	503	186	184	-	317	-
Twelfth	306	108	107	-	198	-
Thirteenth	166	42	42	-	124	-
Fourteenth	98	24	24	-	74	-
Fifteenth	50	7	7	-	43	-
Sixteenth	13	2	2	-	11	-
Seventeenth	14	2	2	-	12	-
Eighteenth	6	1	1	-	5	-
Nineteenth	4	-	-	-	4	-
Twentieth	2	-	-	-	2	-
Twenty-first	2	-	-	-	2	-
Twenty-second and over	3	-	-	-	3	-
Not stated	165	98	95	1	67	-
IDAHO	12,391	12,268	12,016	248	1	122
First	4,083	4,033	3,957	75	-	50
Second	3,407	3,392	3,326	64	-	15
Third	2,094	2,080	2,037	43	-	14
Fourth	1,137	1,128	1,105	23	1	8
Fifth	617	611	599	11	-	6
Sixth	355	346	337	9	-	9
Seventh	236	230	222	8	-	6
Eighth	143	142	137	5	-	1
Ninth	92	87	86	1	-	5
Tenth	68	67	66	1	-	1
Eleventh	36	36	34	2	-	-
Twelfth	22	18	18	-	-	4
Thirteenth	7	7	7	-	-	-
Fourteenth	11	11	10	1	-	-
Fifteenth	2	2	2	-	-	-
Seventeenth	2	2	-	2	-	-
Eighteenth	1	1	1	-	-	-
Not stated	78	75	72	3	-	3
ILLINOIS	155,735	146,475	140,324	6,069	9,118	142
First	61,672	58,414	56,526	1,844	3,196	62
Second	47,951	45,715	43,867	1,831	2,202	34
Third	22,148	20,809	19,755	1,047	1,313	26
Fourth	10,378	9,575	9,050	524	796	7
Fifth	5,336	4,752	4,465	286	578	6
Sixth	2,989	2,656	2,494	159	331	2
Seventh	1,852	1,643	1,515	128	208	1
Eighth	1,211	1,031	950	81	180	-
Ninth	809	689	638	51	119	1
Tenth	540	460	413	47	78	2
Eleventh	322	272	241	31	49	1
Twelfth	197	175	162	13	22	-
Thirteenth	78	69	62	7	9	-
Fourteenth	60	48	40	8	12	-
Fifteenth	33	28	20	8	5	-
Sixteenth	9	9	9	-	-	-
Seventeenth	7	6	5	1	1	-
Eighteenth	2	2	2	-	-	-
Nineteenth	1	1	1	-	-	-
Not stated	140	121	109	3	19	-
INDIANA	74,672	72,084	71,196	764	2,577	11
First	26,226	25,415	25,183	194	809	2
Second	20,273	19,708	19,494	189	560	5
Third	11,055	10,706	10,558	123	348	1
Fourth	6,024	5,791	5,706	75	232	1
Fifth	3,386	3,225	3,167	51	160	1
Sixth	2,158	2,032	1,992	37	126	-
Seventh	1,426	1,351	1,316	31	75	-
Eighth	951	904	885	19	46	1
Ninth	674	621	610	8	53	-
Tenth	451	424	411	11	27	-
Eleventh	290	261	250	11	29	-
Twelfth	175	150	149	1	25	-
Thirteenth	116	103	100	3	13	-
Fourteenth	54	48	47	1	6	-
Fifteenth	24	22	21	1	2	-
Sixteenth	10	10	10	-	-	-
Seventeenth	5	5	5	-	-	-
Eighteenth	2	2	2	-	-	-
Nineteenth	3	3	3	-	-	-
Twentieth	1	1	1	-	-	-
Not stated	1,368	1,302	1,286	9	66	-
IOWA	47,617	47,276	46,740	512	301	40
First	16,232	16,134	15,991	133	91	7
Second	13,443	13,378	13,257	116	58	7
Third	7,610	7,552	7,461	88	53	5
Fourth	4,178	4,137	4,086	50	33	8
Fifth	2,318	2,291	2,253	36	21	6
Sixth	1,324	1,309	1,288	21	14	1
Seventh	888	875	852	21	13	-
Eighth	564	556	543	13	6	2
Ninth	368	363	352	11	3	2
Tenth	249	245	237	8	4	-
Eleventh	135	135	126	9	-	-
Twelfth	94	92	87	4	1	1
Thirteenth	56	54	53	1	2	-
Fourteenth	20	19	19	-	1	-
Fifteenth	13	12	12	-	1	-
Sixteenth	8	8	8	-	-	-
Seventeenth	2	2	2	-	-	-
Nineteenth	2	2	2	-	-	-
Twenty-first	1	1	-	1	-	-
Not stated	112	111	111	-	-	1
KANSAS	36,021	34,699	34,297	375	1,239	83
First	13,566	13,093	13,014	73	445	28
Second	9,630	9,373	9,308	62	245	12
Third	5,300	5,135	5,090	40	156	9
Fourth	2,764	2,645	2,602	40	108	11
Fifth	1,565	1,480	1,449	29	74	11
Sixth	999	937	913	23	57	5
Seventh	586	548	522	25	37	1
Eighth	369	335	320	15	33	1
Ninth	290	266	257	9	24	-
Tenth	205	185	172	13	18	2
Eleventh	121	113	102	11	8	-
Twelfth	77	73	64	8	3	1
Thirteenth	62	59	47	11	3	-
Fourteenth	34	31	27	4	3	-
Fifteenth	21	19	13	6	2	-
Sixteenth	5	5	5	-	-	-
Seventeenth	6	6	5	1	-	-
Eighteenth	1	1	-	1	-	-
Nineteenth	1	1	-	-	-	1
Twenty-first	1	1	1	-	-	-
Not stated	418	394	385	4	23	1
KENTUCKY	65,566	62,138	61,992	102	3,426	2
First	23,565	22,275	22,218	45	1,289	1
Second	13,248	12,595	12,563	20	652	1
Third	8,831	8,406	8,388	14	425	-
Fourth	5,776	5,457	5,445	10	319	-
Fifth	4,085	3,846	3,838	4	239	-
Sixth	3,044	2,898	2,895	1	146	-
Seventh	2,240	2,131	2,128	3	109	-
Eighth	1,689	1,612	1,610	2	77	-
Ninth	1,188	1,129	1,124	3	59	-
Tenth	806	768	767	-	38	-
Eleventh	531	506	506	-	25	-
Twelfth	279	260	260	-	19	-
Thirteenth	152	140	140	-	12	-
Fourteenth	48	47	47	-	1	-
Fifteenth	30	26	26	-	4	-
Sixteenth	13	11	11	-	2	-
Seventeenth	6	4	4	-	2	-

[1] Includes nativity of mother not stated.

TABLE 7.—LIVE BIRTHS BY ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 128)

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
KENTUCKY—Continued						
Eighteenth	1	-	-	-	1	-
Nineteenth	2	2	2	-	-	-
Twenty-second and over	1	-	-	-	1	-
Not stated	31	25	25	-	6	-
LOUISIANA	62,005	38,392	38,158	209	23,524	89
First	18,881	13,427	13,343	81	5,439	15
Second	13,996	9,757	9,694	60	4,222	17
Third	8,668	5,500	5,467	27	3,153	15
Fourth	5,519	3,052	3,037	12	2,456	11
Fifth	3,616	1,781	1,773	8	1,829	6
Sixth	2,491	1,155	1,151	4	1,330	6
Seventh	1,727	725	720	4	995	7
Eighth	1,342	543	540	1	798	1
Ninth	854	337	336	-	514	3
Tenth	645	228	227	1	415	2
Eleventh	417	145	144	1	271	1
Twelfth	236	75	74	1	161	-
Thirteenth	152	46	46	-	106	-
Fourteenth	81	17	17	-	64	-
Fifteenth	35	10	10	-	25	-
Sixteenth	21	4	4	-	17	-
Seventeenth	7	-	-	-	7	-
Nineteenth	1	1	1	-	-	-
Twenty-first	2	-	-	-	2	-
Twenty-second and over	1	1	1	-	-	-
Not stated	3,313	1,588	1,573	9	1,720	5
MAINE	18,944	18,899	17,490	1,408	18	27
First	6,585	6,519	6,183	335	10	6
Second	5,138	5,133	4,798	335	2	3
Third	2,872	2,865	2,644	221	2	5
Fourth	1,516	1,514	1,354	160	1	1
Fifth	917	914	786	128	-	3
Sixth	594	588	535	53	2	4
Seventh	374	373	329	44	-	1
Eighth	276	274	246	28	1	1
Ninth	191	191	162	29	-	-
Tenth	141	140	117	23	-	1
Eleventh	104	104	89	15	-	-
Twelfth	72	72	65	7	-	-
Thirteenth	55	55	45	10	-	-
Fourteenth	26	26	21	5	-	-
Fifteenth	21	20	16	4	-	1
Sixteenth	15	15	14	1	-	-
Seventeenth	9	9	9	-	-	-
Eighteenth	4	4	2	2	-	-
Nineteenth	3	3	3	-	-	-
Twenty-first	1	1	-	1	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	79	78	71	7	-	1
MARYLAND	47,371	38,770	37,972	776	8,582	19
First	18,615	16,039	15,740	293	2,568	8
Second	12,565	10,802	10,567	228	1,759	4
Third	6,330	5,189	5,054	131	1,140	1
Fourth	3,817	2,514	2,469	45	799	4
Fifth	1,935	1,321	1,303	16	614	-
Sixth	1,253	856	842	14	397	-
Seventh	865	534	518	16	330	1
Eighth	573	355	348	6	218	-
Ninth	416	246	243	3	170	-
Tenth	263	135	130	5	128	-
Eleventh	196	108	106	2	88	-
Twelfth	115	55	52	3	60	-
Thirteenth	70	35	34	1	35	-
Fourteenth	41	18	17	1	23	-
Fifteenth	29	9	9	-	20	-
Sixteenth	15	4	4	-	11	-
Seventeenth	4	1	1	-	3	-
Eighteenth	6	3	2	1	3	-
Nineteenth	1	-	-	-	1	-
Twentieth	2	-	-	-	2	-
Twenty-first	1	-	-	-	1	-
Twenty-second and over	2	-	-	-	2	-
Not stated	757	546	533	11	210	1
MASSACHUSETTS	85,917	84,682	76,690	7,960	1,169	66
Not stated	85,917	84,682	76,690	7,960	1,169	66
MICHIGAN	125,778	120,055	112,756	7,238	5,512	211
First	42,063	40,187	38,205	1,960	1,827	49
Second	37,104	35,775	33,654	2,104	1,289	40
Third	19,662	18,848	17,614	1,227	778	36
Fourth	10,124	9,629	9,007	616	471	24
Fifth	5,397	5,046	4,689	354	335	16
Sixth	3,131	2,897	2,673	224	223	11
Seventh	1,943	1,800	1,657	143	136	7
Eighth	1,225	1,115	998	116	102	8
Ninth	875	798	703	92	74	3
Tenth	546	489	440	48	52	5
Eleventh	365	320	283	37	42	3
Twelfth	227	203	177	26	21	3

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
MICHIGAN—Continued						
Thirteenth	146	130	112	18	14	2
Fourteenth	87	81	63	18	6	-
Fifteenth	36	31	29	1	5	-
Sixteenth	13	13	12	1	-	-
Seventeenth	12	11	7	4	1	-
Eighteenth	2	1	1	-	1	-
Nineteenth	2	1	1	-	1	-
Twentieth	5	5	3	2	-	-
Twenty-first	7	5	4	1	2	-
Twenty-second and over	1	1	-	1	-	-
Not stated	2,805	2,669	2,424	243	132	4
MINNESOTA	58,508	58,006	56,733	1,261	52	450
First	18,628	18,528	18,238	288	20	80
Second	17,257	17,161	16,842	314	12	84
Third	9,798	9,741	9,531	209	6	51
Fourth	5,217	5,157	5,017	140	7	53
Fifth	2,848	2,801	2,717	83	3	44
Sixth	1,709	1,667	1,599	68	1	41
Seventh	1,099	1,063	1,013	49	2	34
Eighth	701	676	648	28	1	24
Ninth	487	477	456	21	-	10
Tenth	300	288	266	22	-	12
Eleventh	164	157	149	8	-	7
Twelfth	123	118	102	16	-	5
Thirteenth	61	60	54	6	-	1
Fourteenth	39	38	34	4	-	1
Fifteenth	20	19	18	1	-	1
Sixteenth	12	11	10	1	-	1
Seventeenth	3	3	3	-	-	-
Eighteenth	1	1	1	-	-	-
Not stated	41	40	35	3	-	1
MISSISSIPPI	59,846	27,820	27,716	87	31,892	134
First	16,884	9,964	9,918	45	6,883	37
Second	12,645	6,755	6,736	16	5,869	21
Third	8,408	3,987	3,980	7	4,402	19
Fourth	5,848	2,334	2,325	7	3,497	17
Fifth	4,273	1,499	1,496	2	2,759	15
Sixth	3,251	1,078	1,075	2	2,166	7
Seventh	2,446	746	743	3	1,695	5
Eighth	1,925	558	556	2	1,364	3
Ninth	1,336	340	339	1	994	2
Tenth	954	217	217	-	733	4
Eleventh	693	137	137	-	554	2
Twelfth	431	74	73	1	355	2
Thirteenth	295	36	36	-	259	-
Fourteenth	156	25	25	-	131	-
Fifteenth	84	12	11	1	72	-
Sixteenth	47	1	1	-	46	-
Seventeenth	17	-	-	-	17	-
Eighteenth	14	1	1	-	13	-
Nineteenth	6	-	-	-	6	-
Twentieth	3	-	-	-	3	-
Twenty-first	2	-	-	-	2	-
Twenty-second and over	1	-	-	-	1	-
Not stated	127	56	47	-	71	-
MISSOURI	72,458	67,391	66,816	556	5,043	24
First	27,547	25,946	25,773	168	1,590	11
Second	19,204	18,143	17,962	177	1,058	3
Third	10,208	9,535	9,440	91	671	2
Fourth	5,508	5,007	4,969	38	499	2
Fifth	3,277	2,966	2,940	26	309	2
Sixth	2,202	1,956	1,939	17	244	2
Seventh	1,450	1,279	1,268	11	171	-
Eighth	997	870	861	9	127	-
Ninth	736	630	623	6	106	-
Tenth	478	419	415	2	59	-
Eleventh	304	264	259	4	38	2
Twelfth	195	163	160	3	32	-
Thirteenth	92	79	76	3	13	-
Fourteenth	62	50	50	-	12	-
Fifteenth	19	15	14	1	4	-
Sixteenth	15	11	11	-	4	-
Seventeenth	8	7	7	-	1	-
Eighteenth	5	4	4	-	1	-
Nineteenth	3	3	3	-	-	-
Twentieth	2	1	1	-	1	-
Twenty-first	2	2	2	-	-	-
Not stated	44	41	39	-	3	-
MONTANA	11,407	10,754	10,360	389	11	642
First	3,876	3,746	3,653	91	6	124
Second	3,195	3,086	3,005	81	1	108
Third	1,897	1,794	1,722	71	-	103
Fourth	979	896	855	41	2	81
Fifth	507	458	432	26	-	49
Sixth	335	283	264	19	1	51
Seventh	179	151	140	11	1	27
Eighth	158	122	114	8	-	36
Ninth	103	75	65	10	-	28
Tenth	68	52	42	10	-	16
Eleventh	37	31	22	9	-	6

[1] Includes nativity of mother not stated.

TABLE 7.—LIVE BIRTHS BY ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 128)

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
MONTANA—Continued						
Twelfth	28	24	18	6	-	4
Thirteenth	13	12	9	3	-	1
Fourteenth	6	5	4	1	-	1
Fifteenth	4	2	2	-	-	2
Sixteenth	2	2	1	1	-	-
Seventeenth	1	-	-	-	-	1
Twentieth	1	1	1	-	-	-
Not stated	18	14	11	1	-	4
NEBRASKA	25,048	24,614	24,236	369	281	153
First	8,881	8,740	8,666	70	102	39
Second	7,098	7,002	6,930	69	68	28
Third	3,890	3,831	3,776	55	36	23
Fourth	2,066	2,024	1,984	39	27	15
Fifth	1,162	1,136	1,101	35	21	5
Sixth	646	632	615	17	5	9
Seventh	441	422	406	16	7	12
Eighth	280	271	257	14	3	6
Ninth	198	187	171	15	4	7
Tenth	127	121	106	15	2	4
Eleventh	80	77	68	9	1	2
Twelfth	44	43	40	3	-	1
Thirteenth	26	26	23	3	-	-
Fourteenth	19	18	14	4	1	-
Fifteenth	7	6	3	3	1	-
Sixteenth	3	3	3	-	-	-
Seventeenth	2	1	-	1	-	1
Eighteenth	1	-	-	-	-	1
Nineteenth	2	2	1	1	-	-
Not stated	75	72	72	-	3	-
NEVADA	3,026	2,817	2,705	109	31	178
First	1,069	1,027	991	35	8	34
Second	864	833	807	26	5	26
Third	502	468	452	16	4	30
Fourth	256	228	215	13	5	23
Fifth	135	107	101	5	4	24
Sixth	81	66	58	7	3	12
Seventh	38	24	22	2	1	13
Eighth	25	23	22	1	-	2
Ninth	23	14	12	2	1	8
Tenth	8	7	7	-	-	1
Eleventh	5	3	3	-	-	2
Twelfth	2	2	-	2	-	-
Thirteenth	1	-	-	-	-	1
Fourteenth	1	-	-	-	-	1
Sixteenth	1	1	1	-	-	-
Seventeenth	1	1	1	-	-	-
Not stated	14	13	13	-	-	1
NEW HAMPSHIRE	9,367	9,352	8,681	670	11	4
First	3,042	3,036	2,873	163	5	1
Second	2,404	2,400	2,258	142	3	1
Third	1,302	1,300	1,183	116	1	1
Fourth	710	709	648	61	1	-
Fifth	396	396	356	40	-	-
Sixth	235	235	205	30	-	-
Seventh	142	141	122	19	-	1
Eighth	96	96	87	9	-	-
Ninth	71	71	66	5	-	-
Tenth	48	48	39	9	-	-
Eleventh	29	29	22	7	-	-
Twelfth	21	21	18	3	-	-
Thirteenth	14	14	10	4	-	-
Fourteenth	9	9	6	3	-	-
Fifteenth	5	5	4	1	-	-
Sixteenth	1	1	1	-	-	-
Seventeenth	1	1	-	1	-	-
Twentieth	1	1	1	-	-	-
Not stated	840	839	782	57	1	-
NEW JERSEY	83,032	77,421	71,990	5,397	5,587	24
First	34,616	32,757	31,110	1,635	1,852	7
Second	25,652	24,445	22,774	1,661	1,204	3
Third	10,808	10,030	9,157	869	776	2
Fourth	4,672	4,157	3,685	469	511	4
Fifth	2,254	1,931	1,697	234	323	-
Sixth	1,268	1,007	856	149	256	5
Seventh	746	571	492	79	175	-
Eighth	486	361	309	52	124	1
Ninth	296	223	167	55	72	1
Tenth	219	158	133	25	61	-
Eleventh	145	109	87	21	36	-
Twelfth	92	60	51	9	32	-
Thirteenth	46	33	27	6	13	-
Fourteenth	25	16	13	3	9	-
Fifteenth	19	11	8	3	8	-
Sixteenth	10	8	6	2	2	-
Seventeenth	3	1	1	-	2	-
Eighteenth	3	2	2	-	1	-
Nineteenth	1	1	1	-	-	-
Not stated	1,671	1,540	1,414	125	130	1

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
NEW MEXICO	15,211	14,275	13,847	422	112	824
First	3,967	3,763	3,717	44	28	176
Second	3,152	2,964	2,930	33	25	163
Third	2,216	2,088	2,046	42	18	110
Fourth	1,597	1,504	1,460	44	11	82
Fifth	1,170	1,088	1,045	43	8	74
Sixth	845	773	740	33	4	68
Seventh	659	613	580	32	6	40
Eighth	473	427	386	41	5	41
Ninth	321	301	270	31	1	19
Tenth	276	255	232	23	3	18
Eleventh	180	163	144	19	2	15
Twelfth	123	115	100	15	-	8
Thirteenth	68	64	55	9	1	3
Fourteenth	36	33	29	4	-	3
Fifteenth	22	21	19	2	-	1
Sixteenth	11	11	10	1	-	-
Seventeenth	8	8	8	-	-	-
Eighteenth	1	1	1	-	-	-
Nineteenth	1	1	1	-	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	84	81	74	6	-	3
NEW YORK	248,627	236,922	211,125	25,775	11,250	455
First	106,489	101,912	93,328	8,580	4,455	122
Second	77,528	74,628	66,100	8,522	2,798	102
Third	32,550	30,917	26,773	4,143	1,551	82
Fourth	14,321	13,344	11,428	1,916	923	54
Fifth	7,160	6,600	5,543	1,056	531	29
Sixth	3,989	3,628	3,039	589	340	21
Seventh	2,332	2,094	1,742	352	226	12
Eighth	1,451	1,297	1,088	209	147	7
Ninth	948	826	683	143	108	14
Tenth	633	548	456	92	76	9
Eleventh	382	347	286	61	35	-
Twelfth	259	230	194	36	28	1
Thirteenth	135	122	102	20	12	1
Fourteenth	82	74	63	11	7	1
Fifteenth	48	41	35	6	7	-
Sixteenth	20	19	18	1	1	-
Seventeenth	14	14	13	1	-	-
Eighteenth	5	5	3	2	-	-
Nineteenth	4	4	2	2	-	-
Twentieth	1	1	1	-	-	-
Twenty-first	1	1	1	-	-	-
Not stated	275	270	227	33	5	-
NORTH CAROLINA	94,568	66,327	66,162	131	27,232	1,009
First	29,581	22,930	22,842	69	6,460	191
Second	21,765	15,300	15,274	22	5,299	166
Third	13,485	9,558	9,536	19	3,775	152
Fourth	8,994	5,864	5,849	13	3,010	120
Fifth	6,183	3,744	3,742	1	2,333	106
Sixth	4,281	2,527	2,523	3	1,690	64
Seventh	3,176	1,783	1,780	1	1,331	62
Eighth	2,344	1,309	1,309	-	1,000	35
Ninth	1,692	894	892	1	764	34
Tenth	1,134	576	573	2	528	30
Eleventh	776	379	379	-	386	11
Twelfth	481	203	203	-	263	15
Thirteenth	298	110	110	-	178	10
Fourteenth	143	58	58	-	77	8
Fifteenth	76	31	31	-	43	2
Sixteenth	36	9	9	-	27	-
Seventeenth	24	6	6	-	18	-
Eighteenth	15	6	6	-	9	-
Nineteenth	6	2	2	-	4	-
Twentieth	4	1	1	-	2	1
Twenty-first	3	1	1	-	2	-
Twenty-second and over	1	-	-	-	1	-
Not stated	70	36	36	-	32	2
NORTH DAKOTA	13,422	13,111	12,703	406	3	308
First	3,619	3,565	3,510	55	-	54
Second	3,222	3,169	3,108	61	-	53
Third	2,106	2,071	2,021	50	1	34
Fourth	1,392	1,359	1,305	53	-	33
Fifth	852	823	785	38	-	29
Sixth	579	550	529	21	-	29
Seventh	376	361	334	26	-	15
Eighth	258	234	215	19	-	24
Ninth	194	185	170	15	-	9
Tenth	158	150	130	20	-	8
Eleventh	99	90	78	17	1	8
Twelfth	62	57	54	3	-	5
Thirteenth	40	39	29	10	-	1
Fourteenth	24	22	20	2	-	2
Fifteenth	13	13	11	2	-	-
Sixteenth	6	5	4	1	-	1
Seventeenth	4	4	2	2	-	-
Eighteenth	1	1	1	-	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	416	412	401	11	1	3

[1] Includes nativity of mother not stated.

TABLE 7.—LIVE BIRTHS BY ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 128)

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
OHIO	144,087	136,434	133,100	3,276	7,616	37
First	52,628	49,971	49,048	904	2,640	17
Second	42,869	41,107	40,098	996	1,750	12
Third	21,833	20,753	20,148	600	1,080	-
Fourth	10,779	10,082	9,777	303	694	3
Fifth	5,976	5,515	5,345	165	459	2
Sixth	3,471	3,172	3,071	99	297	2
Seventh	2,173	1,983	1,917	64	189	1
Eighth	1,502	1,348	1,301	46	154	-
Ninth	993	878	841	34	115	-
Tenth	676	589	569	19	87	-
Eleventh	446	387	375	12	59	-
Twelfth	255	218	205	12	37	-
Thirteenth	147	122	116	6	25	-
Fourteenth	76	70	64	6	6	-
Fifteenth	48	41	37	3	7	-
Sixteenth	24	19	18	1	5	-
Seventeenth	14	10	7	3	4	-
Eighteenth	3	2	2	-	1	-
Nineteenth	1	1	1	-	-	-
Not stated	173	166	160	3	7	-
OKLAHOMA	48,689	43,631	43,415	157	3,065	1,943
First	17,755	16,195	16,134	42	979	581
Second	11,570	10,581	10,486	26	643	396
Third	7,066	6,366	6,337	25	397	303
Fourth	4,233	3,757	3,735	17	288	188
Fifth	2,676	2,353	2,344	7	178	145
Sixth	1,742	1,493	1,480	10	154	95
Seventh	1,182	998	979	10	110	79
Eighth	853	706	700	4	93	54
Ninth	596	483	480	3	66	47
Tenth	397	324	322	2	50	23
Eleventh	241	176	172	4	47	18
Twelfth	145	111	106	5	29	5
Thirteenth	57	44	43	-	11	2
Fourteenth	40	28	27	1	11	1
Fifteenth	14	9	9	-	4	1
Sixteenth	7	4	4	-	3	-
Seventeenth	3	1	1	-	2	-
Eighteenth	2	2	1	1	-	-
Not stated	60	55	55	-	-	5
OREGON	25,450	25,105	24,275	819	68	277
First	9,988	9,877	9,609	264	21	90
Second	7,788	7,710	7,422	287	17	61
Third	3,815	3,769	3,636	132	11	35
Fourth	1,727	1,687	1,622	64	8	32
Fifth	884	858	830	27	4	22
Sixth	429	412	400	12	2	15
Seventh	250	243	228	15	2	5
Eighth	165	158	152	6	1	6
Ninth	93	89	83	6	-	4
Tenth	69	66	65	1	1	2
Eleventh	36	32	31	1	1	3
Twelfth	21	21	20	1	-	-
Thirteenth	11	10	10	-	-	1
Fourteenth	8	8	8	-	-	-
Fifteenth	5	5	5	-	-	-
Sixteenth	3	3	3	-	-	-
Seventeenth	1	1	1	-	-	-
Eighteenth	1	1	1	-	-	-
Not stated	156	155	149	3	-	1
PENNSYLVANIA	199,366	187,607	181,709	5,881	11,727	32
First	75,922	71,864	70,351	1,507	4,048	10
Second	55,978	53,246	51,701	1,540	2,729	3
Third	28,832	27,194	26,198	993	1,633	5
Fourth	14,983	13,964	13,405	558	1,017	2
Fifth	8,475	7,798	7,425	372	677	-
Sixth	5,054	4,551	4,329	221	500	3
Seventh	3,299	2,956	2,772	184	341	2
Eighth	2,211	1,958	1,811	147	251	2
Ninth	1,560	1,379	1,269	110	181	-
Tenth	1,122	986	904	82	134	2
Eleventh	704	635	587	48	68	1
Twelfth	457	401	364	37	56	-
Thirteenth	301	266	234	32	35	-
Fourteenth	194	176	156	20	18	-
Fifteenth	90	77	66	11	12	1
Sixteenth	53	44	39	5	9	-
Seventeenth	15	13	10	3	2	-
Eighteenth	17	13	11	2	4	-
Nineteenth	6	5	5	-	1	-
Twentieth	5	3	3	-	2	-
Twenty-second and over	1	1	1	-	-	-
Not stated	87	77	68	9	9	1
RHODE ISLAND	14,667	14,313	13,110	1,202	341	13
First	5,793	5,689	5,395	293	101	3
Second	4,318	4,231	3,923	308	81	6
Third	1,956	1,904	1,694	210	49	3
Fourth	901	867	741	126	34	-
Fifth	464	440	368	72	24	-
Sixth	286	273	220	53	13	-
RHODE ISLAND—Continued						
Seventh	160	150	115	35	10	-
Eighth	103	93	72	21	9	1
Ninth	77	72	55	17	5	-
Tenth	49	45	37	8	4	-
Eleventh	32	30	24	6	2	-
Twelfth	13	8	4	4	5	-
Thirteenth	7	6	4	2	1	-
Fourteenth	7	5	3	2	2	-
Fifteenth	4	3	2	1	1	-
Seventeenth	2	2	2	-	-	-
Not stated	495	495	451	44	-	-
SOUTH CAROLINA	54,144	29,844	29,673	77	24,280	20
First	18,193	11,380	11,317	40	6,809	4
Second	11,509	7,235	7,197	22	4,272	2
Third	7,387	4,021	3,998	12	3,362	4
Fourth	4,883	2,358	2,351	2	2,524	1
Fifth	3,499	1,563	1,553	-	1,932	4
Sixth	2,487	981	978	1	1,503	3
Seventh	1,809	730	724	-	1,078	1
Eighth	1,236	495	492	-	740	1
Ninth	934	339	336	-	595	-
Tenth	658	234	233	-	424	-
Eleventh	389	125	125	-	264	-
Twelfth	289	86	86	-	203	-
Thirteenth	142	37	37	-	105	-
Fourteenth	74	17	17	-	57	-
Fifteenth	45	8	8	-	37	-
Sixteenth	22	5	5	-	17	-
Seventeenth	11	2	2	-	9	-
Eighteenth	5	1	1	-	4	-
Nineteenth	3	-	-	-	3	-
Twentieth	5	1	1	-	4	-
Twenty-second and over	4	-	-	-	4	-
Not stated	560	226	217	-	334	-
SOUTH DAKOTA	12,816	12,151	11,962	173	8	657
First	4,185	4,045	4,006	36	3	137
Second	3,262	3,159	3,124	30	1	102
Third	1,983	1,889	1,859	28	3	91
Fourth	1,187	1,092	1,067	24	-	95
Fifth	724	660	648	11	1	63
Sixth	488	443	434	8	-	45
Seventh	323	284	270	12	-	39
Eighth	194	169	163	6	-	25
Ninth	169	144	137	6	-	25
Tenth	96	84	80	4	-	12
Eleventh	68	61	59	2	-	7
Twelfth	42	37	36	1	-	5
Thirteenth	30	27	27	-	-	3
Fourteenth	10	8	8	-	-	2
Fifteenth	8	8	7	1	-	-
Sixteenth	7	7	7	-	-	-
Seventeenth	5	5	4	1	-	-
Twenty-first	1	1	-	1	-	-
Not stated	34	28	26	2	-	6
TENNESSEE	70,203	59,348	59,223	103	10,849	6
First	22,416	19,233	19,197	33	3,180	3
Second	16,362	14,182	14,142	36	2,180	-
Third	10,162	8,682	8,665	14	1,477	3
Fourth	6,668	5,552	5,536	14	1,116	-
Fifth	4,363	3,570	3,565	3	793	-
Sixth	3,068	2,509	2,504	3	559	-
Seventh	2,205	1,735	1,735	-	470	-
Eighth	1,619	1,307	1,305	-	312	-
Ninth	1,090	895	895	-	195	-
Tenth	732	572	572	-	160	-
Eleventh	466	353	353	-	113	-
Twelfth	277	199	199	-	78	-
Thirteenth	172	129	129	-	43	-
Fourteenth	81	52	52	-	29	-
Fifteenth	44	33	33	-	11	-
Sixteenth	21	12	12	-	9	-
Seventeenth	7	1	1	-	6	-
Eighteenth	4	3	3	-	1	-
Nineteenth	2	1	1	-	1	-
Twentieth	1	1	1	-	-	-
Twenty-first	1	1	1	-	-	-
Twenty-second and over	1	1	1	-	-	-
Not stated	441	325	320	-	116	-
TEXAS	164,513	144,278	136,818	7,375	20,140	95
First	59,245	53,116	52,107	984	6,099	30
Second	37,146	33,558	32,711	828	3,574	14
Third	19,408	17,198	16,466	720	2,205	10
Fourth	10,416	9,003	8,423	574	1,405	8
Fifth	5,768	4,845	4,374	468	920	3
Sixth	3,465	2,817	2,447	370	645	3
Seventh	2,081	1,640	1,380	256	437	4
Eighth	1,362	1,074	847	226	286	2
Ninth	818	621	473	148	197	-
Tenth	440	318	233	85	121	1
Eleventh	240	162	115	47	78	-

[1] Includes nativity of mother not stated.

TABLE 7.—LIVE BIRTHS BY ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 128)

AREA AND ORDER OF BIRTH	Total births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
TEXAS—Continued						
Twelfth	113	80	59	21	33	-
Thirteenth	52	31	27	4	21	-
Fourteenth	22	13	8	5	9	-
Fifteenth	15	11	8	3	4	-
Sixteenth	7	4	4	-	3	-
Eighteenth	1	-	-	-	1	-
Nineteenth	2	1	-	1	1	-
Not stated	23,912	19,791	17,136	2,635	4,101	20
UTAH	17,161	16,942	16,516	424	24	195
First	5,557	5,464	5,366	97	13	80
Second	4,728	4,683	4,582	101	5	40
Third	2,993	2,974	2,901	72	-	19
Fourth	1,687	1,673	1,627	46	2	12
Fifth	919	904	870	34	-	15
Sixth	523	512	492	20	2	9
Seventh	270	266	250	16	-	4
Eighth	182	178	162	16	1	3
Ninth	113	109	101	8	-	4
Tenth	71	66	64	2	-	5
Eleventh	51	50	47	3	-	1
Twelfth	20	18	16	2	-	2
Thirteenth	16	14	13	1	1	1
Fourteenth	11	11	7	4	-	-
Fifteenth	4	4	2	2	-	-
Sixteenth	4	4	4	-	-	-
Seventeenth	1	1	1	-	-	-
Not stated	11	11	11	-	-	-
VERMONT	7,303	7,299	6,784	513	4	-
First	2,410	2,409	2,299	108	1	-
Second	1,836	1,836	1,732	104	-	-
Third	1,166	1,165	1,072	93	1	-
Fourth	671	669	606	63	2	-
Fifth	419	419	377	42	-	-
Sixth	244	244	219	25	-	-
Seventh	185	185	165	20	-	-
Eighth	111	111	91	20	-	-
Ninth	73	73	64	9	-	-
Tenth	49	49	41	8	-	-
Eleventh	29	29	25	4	-	-
Twelfth	24	24	17	7	-	-
Thirteenth	12	12	8	4	-	-
Fourteenth	9	9	9	-	-	-
Fifteenth	8	8	5	3	-	-
Sixteenth	6	6	5	1	-	-
Nineteenth	1	1	1	-	-	-
Not stated	50	50	48	2	-	-
VIRGINIA	72,157	54,663	54,255	384	17,457	27
First	24,256	20,091	19,905	179	4,161	4
Second	16,322	13,260	13,148	107	3,058	4
Third	9,303	7,059	7,010	48	2,239	5
Fourth	5,787	4,093	4,075	17	1,690	4
Fifth	3,877	2,622	2,615	6	1,250	5
Sixth	2,491	1,631	1,623	8	860	-
Seventh	1,932	1,220	1,217	2	712	-
Eighth	1,444	889	884	5	554	1
Ninth	1,059	656	655	1	403	-
Tenth	742	456	454	2	284	2
Eleventh	544	303	303	-	240	1
Twelfth	349	210	210	-	139	-
Thirteenth	191	101	101	-	90	-
Fourteenth	123	64	64	-	59	-
Fifteenth	63	25	25	-	38	-
Sixteenth	41	19	19	-	22	-
Seventeenth	17	8	8	-	9	-
Eighteenth	7	1	1	-	6	-
Nineteenth	8	3	3	-	5	-
Twenty-first	2	1	1	-	1	-
Twenty-second and over	3	-	-	-	3	-
Not stated	3,596	1,951	1,934	9	1,644	1
WASHINGTON	44,520	43,597	41,294	2,288	133	790
First	18,600	18,290	17,420	866	60	250
Second	13,296	13,098	12,403	691	31	167
Third	6,194	6,074	5,720	352	14	106
Fourth	2,713	2,637	2,486	151	6	70
Fifth	1,297	1,233	1,165	67	7	57
Sixth	704	651	610	41	3	50
Seventh	397	359	335	24	4	34
Eighth	250	234	211	23	1	15
Ninth	144	133	123	10	1	10
Tenth	92	81	73	8	2	9
Eleventh	58	51	43	8	-	7
Twelfth	34	29	29	-	-	5
Thirteenth	15	13	10	3	-	2
Fourteenth	15	14	11	3	-	1
Fifteenth	4	3	3	-	-	1
Sixteenth	4	4	4	-	-	-
Seventeenth	5	5	5	-	-	-
Not stated	698	688	643	41	4	6
WEST VIRGINIA	43,372	40,975	40,655	242	2,396	1
First	11,961	11,331	11,274	46	629	1
Second	9,756	9,276	9,208	51	480	-
Third	6,413	6,087	6,031	46	326	-
Fourth	4,293	4,048	4,020	21	245	-
Fifth	2,945	2,760	2,741	15	185	-
Sixth	2,151	1,987	1,974	10	164	-
Seventh	1,552	1,465	1,449	13	87	-
Eighth	1,145	1,071	1,065	6	74	-
Ninth	859	810	802	7	49	-
Tenth	537	505	495	8	32	-
Eleventh	407	370	360	10	37	-
Twelfth	255	236	234	2	19	-
Thirteenth	150	140	140	-	10	-
Fourteenth	81	73	71	2	8	-
Fifteenth	54	50	47	3	4	-
Sixteenth	23	21	20	1	2	-
Seventeenth	13	10	10	-	3	-
Eighteenth	3	3	3	-	-	-
Nineteenth	3	3	3	-	-	-
Twentieth	2	2	2	-	-	-
Twenty-second and over	2	2	2	-	-	-
Not stated	767	725	704	1	42	-
WISCONSIN	64,450	63,744	62,406	1,331	271	435
First	22,142	21,963	21,612	349	82	97
Second	18,453	18,340	17,984	353	57	56
Third	10,162	10,064	9,849	215	41	57
Fourth	5,449	5,366	5,231	135	29	54
Fifth	3,113	3,046	2,974	72	21	46
Sixth	1,800	1,754	1,691	62	16	30
Seventh	1,166	1,134	1,093	40	5	27
Eighth	716	680	652	28	11	25
Ninth	531	507	486	21	6	18
Tenth	378	368	349	19	1	9
Eleventh	220	214	198	16	-	6
Twelfth	132	127	121	6	-	5
Thirteenth	78	77	67	10	-	1
Fourteenth	48	43	43	-	1	4
Fifteenth	21	21	20	1	-	-
Sixteenth	19	19	17	2	-	-
Seventeenth	7	7	6	1	-	-
Eighteenth	5	4	4	-	1	-
Nineteenth	2	2	2	-	-	-
Not stated	8	8	7	1	-	-
WYOMING	5,822	5,463	5,331	127	22	337
First	1,896	1,773	1,759	11	12	111
Second	1,590	1,519	1,498	21	-	71
Third	954	910	890	20	4	40
Fourth	509	468	459	9	-	41
Fifth	329	306	292	14	3	20
Sixth	191	177	163	13	-	14
Seventh	112	99	87	12	-	13
Eighth	71	65	59	6	-	6
Ninth	43	36	32	4	1	6
Tenth	37	27	22	5	1	9
Eleventh	22	19	16	3	1	2
Twelfth	11	10	9	1	-	1
Thirteenth	9	7	4	3	-	2
Fourteenth	5	4	3	1	-	1
Fifteenth	2	2	1	1	-	-
Sixteenth	4	4	3	1	-	-
Seventeenth	2	2	2	-	-	-
Eighteenth	1	1	1	-	-	-
Not stated	34	34	31	2	-	-

[1] Includes nativity of mother not stated.

TABLE 8.—LIVE BIRTHS BY SPECIFIED RACE: UNITED STATES AND EACH STATE, 1943

(By place of residence)

AREA	Total births	White	Negro	Indian	Chinese	Japanese	All other
UNITED STATES	2,934,860	2,594,763	324,865	10,151	1,364	2,641	1,076
Alabama	77,535	50,083	27,433	18	1	-	-
Arizona	14,297	12,620	370	1,228	44	15	20
Arkansas	42,589	32,469	10,077	8	10	23	2
California	174,420	166,880	4,028	587	601	1,481	663
Colorado	24,367	23,676	300	49	5	324	13
Connecticut	39,005	38,083	913	4	4	-	1
Delaware	6,229	5,307	917	3	-	1	1
District of Columbia	16,080	10,825	5,227	3	16	-	9
Florida	46,744	34,691	12,026	20	3	1	3
Georgia	78,387	50,187	28,191	1	8	-	-
Idaho	12,391	12,268	1	67	2	48	5
Illinois	155,735	146,475	9,118	17	34	40	51
Indiana	74,672	72,084	2,577	2	3	5	1
Iowa	47,617	47,276	301	29	2	3	6
Kansas	36,021	34,699	1,239	72	1	3	7
Kentucky	65,568	62,138	3,426	-	2	-	-
Louisiana	62,005	38,392	23,524	70	5	-	14
Maine	18,944	18,899	18	24	1	-	2
Maryland	47,371	38,770	8,582	-	9	2	8
Massachusetts	85,917	84,682	1,169	14	41	3	8
Michigan	125,778	120,055	5,512	170	22	4	15
Minnesota	58,508	58,006	52	430	7	7	6
Mississippi	59,846	27,820	31,892	103	23	4	4
Missouri	72,458	67,391	5,043	11	5	3	5
Montana	11,407	10,754	11	616	4	10	12
Nebraska	25,048	24,614	281	144	3	5	1
Nevada	3,026	2,817	31	168	2	8	-
New Hampshire	9,367	9,352	11	2	2	-	-
New Jersey	83,032	77,421	5,587	2	15	2	5
New Mexico	15,211	14,275	112	815	3	2	4
New York	248,627	236,922	11,250	256	149	11	39
North Carolina	94,568	66,327	27,232	1,007	1	-	1
North Dakota	13,422	13,111	3	303	-	-	5
Ohio	144,087	136,434	7,616	12	13	9	3
Oklahoma	48,639	43,631	3,085	1,933	1	4	5
Oregon	25,450	25,105	68	157	30	66	24
Pennsylvania	199,368	187,607	11,727	8	10	1	13
Rhode Island	14,667	14,313	341	8	4	-	1
South Carolina	54,144	29,844	24,280	20	-	-	-
South Dakota	12,816	12,151	8	655	1	1	-
Tennessee	70,203	59,348	10,849	4	1	1	-
Texas	164,513	144,278	20,140	48	23	16	8
Utah	17,161	16,942	24	69	-	123	3
Vermont	7,303	7,299	4	-	-	-	-
Virginia	72,157	54,663	17,487	12	7	-	8
Washington	44,520	43,597	133	464	39	196	91
West Virginia	43,372	40,975	2,396	-	-	-	1
Wisconsin	64,450	63,744	271	428	6	3	-
Wyoming	5,822	5,463	22	112	1	216	8

TABLE 9.—LIVE BIRTHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1943

(By place of residence)

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
UNITED STATES	2,934,860	261,958	237,078	255,166	235,875	236,609	239,850	258,656	260,985	251,169	243,810	225,284	228,620
Male	1,506,959	134,481	120,999	130,934	121,129	122,150	123,532	132,857	134,131	128,980	124,926	115,774	117,086
Female	1,427,901	127,477	116,079	124,232	114,546	114,459	116,318	125,799	126,854	122,189	118,884	109,510	111,554
White	2,594,763	231,703	209,453	224,997	208,496	209,734	212,524	228,328	230,004	221,995	216,358	199,376	201,797
Male	1,334,563	119,208	107,080	115,732	107,196	108,489	109,611	117,580	118,396	114,200	110,970	102,701	103,400
Female	1,260,200	112,495	102,373	109,265	101,300	101,245	102,913	110,748	111,608	107,795	105,388	96,675	98,397
Nonwhite	340,097	30,255	27,625	30,169	27,179	26,875	27,326	30,330	30,981	29,174	27,452	25,908	26,823
Male	172,396	15,273	13,919	15,202	13,933	13,661	13,921	15,277	15,735	14,780	13,958	13,073	13,666
Female	167,701	14,982	13,706	14,967	13,246	13,214	13,405	15,053	15,246	14,394	13,496	12,835	13,157
ALABAMA	77,535	7,159	6,369	6,901	6,054	5,930	6,377	6,924	6,979	6,504	6,269	5,898	6,171
Male	39,845	3,726	3,270	3,447	3,168	3,054	3,271	3,527	3,623	3,383	3,251	3,033	3,112
Female	37,690	3,433	3,099	3,454	2,886	2,876	3,106	3,397	3,356	3,121	3,018	2,865	3,059
White	50,083	4,605	4,047	4,437	3,897	3,826	4,179	4,449	4,538	4,251	4,142	3,857	3,955
Male	25,894	2,379	2,104	2,237	2,047	2,002	2,142	2,248	2,376	2,217	2,160	1,997	1,985
Female	24,189	2,226	1,943	2,200	1,850	1,824	2,037	2,201	2,162	2,034	1,982	1,860	1,970
Nonwhite	27,452	2,554	2,322	2,464	2,157	2,104	2,198	2,475	2,441	2,253	2,127	2,041	2,216
Male	13,951	1,347	1,166	1,210	1,121	1,052	1,129	1,279	1,247	1,166	1,071	1,036	1,127
Female	13,501	1,307	1,156	1,254	1,036	1,052	1,069	1,196	1,194	1,087	1,056	1,005	1,089
ARIZONA	14,297	1,252	1,034	1,236	1,095	1,036	1,054	1,338	1,345	1,259	1,246	1,171	1,231
Male	7,460	651	509	623	557	590	575	682	707	652	661	606	647
Female	6,837	601	525	613	538	446	479	656	638	607	585	565	584
White	12,620	1,099	908	1,078	954	904	916	1,196	1,196	1,114	1,114	1,032	1,109
Male	6,619	583	452	541	485	523	507	610	650	584	597	525	582
Female	6,001	516	456	537	469	381	409	586	566	530	517	507	527
Nonwhite	1,677	153	126	158	141	132	138	142	149	145	132	139	122
Male	841	68	57	82	72	67	68	72	77	68	64	81	65
Female	836	85	69	76	69	65	70	70	72	77	68	58	57
ARKANSAS	42,589	3,943	3,623	3,683	3,479	3,349	3,342	3,803	3,947	3,694	3,585	3,142	3,019
Male	21,805	2,039	1,828	1,886	1,811	1,723	1,712	1,976	1,976	1,897	1,834	1,605	1,518
Female	20,784	1,904	1,795	1,797	1,668	1,626	1,630	1,827	1,971	1,797	1,751	1,537	1,501
White	32,469	3,001	2,768	2,700	2,603	2,518	2,507	2,878	3,023	2,850	2,776	2,473	2,372
Male	16,668	1,556	1,407	1,375	1,353	1,294	1,290	1,508	1,534	1,469	1,444	1,258	1,180
Female	15,801	1,445	1,361	1,325	1,250	1,224	1,217	1,370	1,489	1,381	1,332	1,215	1,192
Nonwhite	10,120	942	855	983	876	831	835	925	924	844	789	669	647
Male	5,137	483	421	511	458	429	422	468	442	428	390	347	338
Female	4,983	459	434	472	418	402	413	457	482	416	399	322	309
CALIFORNIA	174,420	14,366	13,200	14,883	14,088	14,550	14,657	15,519	15,275	15,280	14,851	13,670	14,101
Male	89,440	7,293	6,748	7,659	7,203	7,520	7,618	7,905	7,854	7,787	7,681	6,917	7,255
Female	84,980	7,073	6,452	7,224	6,885	7,030	7,039	7,614	7,421	7,493	7,150	6,753	6,846
White	166,880	13,810	12,710	14,254	13,499	13,986	14,049	14,840	14,559	14,557	14,153	13,024	13,439
Male	85,589	6,986	6,476	7,340	6,895	7,237	7,303	7,553	7,492	7,440	7,353	6,588	6,926
Female	81,291	6,824	6,234	6,914	6,604	6,749	6,746	7,287	7,067	7,117	6,800	6,436	6,513
Nonwhite	7,540	556	490	629	589	564	608	679	716	723	678	646	662
Male	3,851	307	272	319	308	283	315	352	362	347	328	329	329
Female	3,689	249	218	310	281	281	293	327	354	376	350	317	333
COLORADO	24,367	2,149	1,894	2,078	2,100	2,136	1,977	2,194	1,953	2,112	1,980	1,850	1,944
Male	12,407	1,112	942	1,065	1,064	1,088	1,045	1,110	953	1,048	1,007	951	1,022
Female	11,960	1,037	952	1,013	1,036	1,048	932	1,084	1,000	1,064	973	899	922
White	23,676	2,098	1,857	2,028	2,046	2,088	1,898	2,131	1,909	2,053	1,909	1,795	1,884
Male	12,058	1,088	917	1,036	1,029	1,069	1,010	1,075	928	1,016	969	924	997
Female	11,618	1,010	920	992	1,017	1,019	888	1,056	981	1,037	940	871	887
Nonwhite	691	51	37	50	54	48	79	63	44	59	71	55	60
Male	349	24	25	29	35	19	35	35	25	32	38	27	25
Female	342	27	32	21	19	29	44	28	19	27	33	28	35
CONNECTICUT	39,005	3,528	3,174	3,558	3,366	3,389	3,514	3,397	3,292	3,247	3,053	2,872	2,815
Male	20,197	1,838	1,631	1,793	1,735	1,775	1,723	1,777	1,653	1,713	1,589	1,467	1,503
Female	18,808	1,690	1,543	1,765	1,631	1,614	1,591	1,620	1,639	1,534	1,464	1,405	1,312
White	38,083	3,436	3,094	3,476	3,289	3,305	3,245	3,312	3,219	3,164	2,972	2,822	2,749
Male	19,703	1,798	1,585	1,750	1,697	1,732	1,680	1,730	1,616	1,668	1,542	1,441	1,464
Female	18,380	1,638	1,509	1,726	1,592	1,573	1,565	1,582	1,603	1,496	1,430	1,381	1,285
Nonwhite	922	92	80	82	77	84	69	85	73	83	81	50	66
Male	494	40	46	43	38	43	43	47	37	45	47	26	39
Female	428	52	34	39	39	41	26	38	36	38	34	24	27
DELAWARE	6,229	536	509	508	509	511	524	539	534	529	571	472	487
Male	3,171	279	248	268	249	258	260	274	291	277	273	250	244
Female	3,058	257	261	240	260	253	264	265	243	252	298	222	243
White	5,307	461	436	414	439	421	450	453	467	456	492	402	416
Male	2,706	238	220	214	210	215	225	237	251	238	256	215	207
Female	2,601	223	216	200	229	206	225	216	216	218	256	187	209
Nonwhite	922	75	73	94	70	90	74	86	67	73	79	70	71
Male	465	41	28	54	39	43	35	37	40	39	37	35	37
Female	457	34	45	40	31	47	39	49	27	34	42	35	34
DISTRICT OF COLUMBIA	16,080	1,464	1,242	1,391	1,209	1,208	1,255	1,417	1,435	1,410	1,424	1,284	1,341
Male	8,094	735	621	724	622	616	654	697	710	697	685	635	698
Female	7,986	729	621	667	587	592	601	720	725	713	739	649	643
White	10,825	1,019	859	949	830	806	847	945	939	953	959	860	879
Male	5,484	512	422	499	425	414	451	469	468	486	471	428	459
Female	5,341	507	417	450	405	392	396	476	471	487	488	432	420
Nonwhite	5,255	445	403	442	379	402	408	472	496	457	465	424	462
Male	2,610	223	199	225	197	202	203	228	242	231	214	207	239
Female	2,645	222	204	217	182	200	205	244	254	226	251	217	223
FLORIDA	46,744	3,971	3,646	3,735	3,043	3,179	3,467	4,020	4,548	4,381	4,376	4,183	4,195
Male	23,968	2,044	1,851	1,951	1,592	1,600	1,812	2,090	2,335	2,239	2,223	2,084	2,167
Female	22,776	1,927	1,815	1,784	1,451	1,579	1,655	1,930	2,213	2,142	2,153	2,099	2,028
White	34,691	2,851	2,723	2,781	2,247	2,362	2,608	2,982	3,361	3,253	3,262	3,162	3,099
Male	17,926	1,484	1,377	1,455	1,185	1,180	1,365	1,556	1,756	1,680	1,677	1,585	1,626
Female	16,765	1,367	1,346	1,326	1,062	1,182	1,243	1,426	1,605	1,573	1,585	1,577	1,473
Nonwhite	12,053	1,120	923	954	796	817	859	1,038	1,187	1,128	1,114	1,021	1,096
Male	6,042	560	454	496	407	420	447	534	579	559	546	499	541
Female	6,011	560	469	458	389	397	412	504	608	569	568	522	555

TABLE 9.—LIVE BIRTHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
GEORGIA	78,387	7,204	6,377	7,023	6,128	6,143	6,173	6,644	7,150	6,887	6,519	5,982	6,157
Male	40,122	3,644	3,258	3,652	3,150	3,088	3,232	3,409	3,654	3,551	3,314	3,037	3,153
Female	38,265	3,560	3,119	3,391	2,978	3,055	2,941	3,235	3,496	3,336	3,205	2,945	3,004
White	50,187	4,822	4,017	4,508	3,774	3,842	3,873	4,257	4,636	4,498	4,242	3,906	4,012
Male	25,906	2,369	2,080	2,370	1,962	1,946	2,063	2,201	2,411	2,310	2,133	2,019	2,042
Female	24,281	2,253	1,937	2,138	1,812	1,896	1,810	2,056	2,225	2,188	2,109	1,887	1,970
Nonwhite	28,200	2,382	2,360	2,515	2,354	2,301	2,300	2,387	2,514	2,389	2,277	2,076	2,145
Male	14,216	1,275	1,178	1,262	1,188	1,142	1,169	1,208	1,243	1,241	1,181	1,018	1,111
Female	13,984	1,307	1,182	1,253	1,166	1,159	1,131	1,179	1,271	1,148	1,096	1,058	1,034
IDAHO	12,391	988	977	1,032	996	1,046	1,061	1,117	1,092	1,130	1,049	984	919
Male	6,455	524	527	540	542	533	553	565	568	576	543	523	461
Female	5,936	464	450	492	454	513	508	552	524	554	506	461	458
White	12,268	980	968	1,030	988	1,038	1,047	1,104	1,082	1,112	1,045	965	909
Male	6,393	519	524	540	538	527	545	558	563	564	543	517	455
Female	5,875	461	444	490	450	511	502	546	519	548	502	448	454
Nonwhite	123	8	9	2	8	8	14	13	10	18	4	19	10
Male	62	5	3	-	4	6	8	7	5	12	-	6	6
Female	61	3	6	2	4	2	6	6	5	6	4	13	4
ILLINOIS	155,735	14,489	12,725	13,311	11,971	12,170	12,387	13,862	13,913	13,418	12,976	12,249	12,264
Male	79,715	7,338	6,458	6,913	6,152	6,264	6,387	7,155	7,124	6,840	6,572	6,237	6,275
Female	76,020	7,151	6,267	6,398	5,819	5,906	6,000	6,707	6,789	6,578	6,404	6,012	5,989
White	146,475	13,710	12,000	12,459	11,303	11,385	11,649	12,995	13,076	12,651	12,210	11,515	11,522
Male	75,013	6,950	6,081	6,483	5,811	5,857	6,022	6,706	6,723	6,455	6,180	5,878	5,867
Female	71,462	6,760	5,919	5,976	5,492	5,528	5,627	6,289	6,353	6,196	6,030	5,637	5,655
Nonwhite	9,260	779	725	852	668	785	738	867	837	767	766	734	742
Male	4,702	388	377	430	341	407	365	449	401	385	392	359	408
Female	4,558	391	348	422	327	378	373	418	436	382	374	375	334
INDIANA	74,672	6,707	6,141	6,387	5,893	5,939	6,236	6,709	6,749	6,263	6,100	5,571	5,977
Male	38,196	3,508	3,115	3,284	3,017	3,039	3,188	3,447	3,456	3,099	3,096	2,898	3,089
Female	36,476	3,199	3,026	3,103	2,876	2,900	3,048	3,262	3,293	3,164	3,004	2,673	2,908
White	72,084	6,503	5,937	6,177	5,707	5,732	6,006	6,488	6,506	6,041	5,896	5,364	5,747
Male	36,884	3,399	3,004	3,193	2,909	2,930	3,051	3,339	3,330	3,001	2,989	2,782	2,957
Female	35,200	3,104	2,933	2,984	2,798	2,802	2,955	3,129	3,176	3,040	2,907	2,582	2,790
Nonwhite	2,588	204	204	210	186	207	230	241	243	222	204	207	230
Male	1,312	109	111	91	108	109	117	108	126	98	107	116	112
Female	1,276	95	93	119	78	98	113	133	117	124	97	91	118
IOWA	47,617	4,226	3,901	3,946	3,801	3,840	3,789	4,288	4,377	4,142	3,978	3,645	3,704
Male	24,563	2,162	1,997	2,074	2,023	1,956	1,936	2,229	2,245	2,059	2,091	1,917	1,874
Female	23,054	2,064	1,904	1,872	1,778	1,884	1,853	2,059	2,132	2,083	1,887	1,728	1,830
White	47,276	4,195	3,875	3,913	3,776	3,817	3,746	4,254	4,348	4,110	3,947	3,620	3,675
Male	24,374	2,143	1,980	2,052	2,005	1,945	1,920	2,215	2,231	2,045	2,076	1,903	1,859
Female	22,902	2,052	1,895	1,861	1,771	1,872	1,826	2,039	2,117	2,065	1,871	1,717	1,816
Nonwhite	341	31	26	33	25	23	23	34	29	32	31	25	29
Male	189	19	17	22	18	11	16	14	14	14	15	14	15
Female	152	12	9	11	7	12	7	20	15	18	16	11	14
KANSAS	36,021	3,094	2,812	3,042	2,763	2,818	2,831	3,237	3,309	3,095	3,123	2,851	3,046
Male	18,577	1,564	1,449	1,577	1,429	1,476	1,447	1,688	1,712	1,607	1,609	1,469	1,551
Female	17,444	1,530	1,363	1,465	1,335	1,342	1,384	1,549	1,597	1,488	1,514	1,382	1,495
White	34,699	2,981	2,711	2,934	2,647	2,728	2,710	3,118	3,178	2,991	3,028	2,739	2,936
Male	17,898	1,506	1,399	1,522	1,370	1,435	1,387	1,615	1,638	1,551	1,555	1,417	1,503
Female	16,801	1,475	1,312	1,412	1,277	1,293	1,323	1,501	1,540	1,440	1,473	1,322	1,433
Nonwhite	1,322	113	101	108	116	90	121	121	131	104	95	112	110
Male	679	58	50	55	58	41	60	73	74	56	54	52	48
Female	643	55	51	53	58	49	61	48	57	48	41	60	62
KENTUCKY	65,566	5,910	5,536	5,934	5,596	5,263	5,430	5,792	5,594	5,533	5,109	4,893	4,976
Male	34,091	3,174	2,853	3,055	2,905	2,764	2,814	2,995	2,947	2,836	2,687	2,532	2,529
Female	31,475	2,736	2,683	2,879	2,691	2,499	2,616	2,797	2,647	2,697	2,422	2,361	2,447
White	62,138	5,586	5,258	5,644	5,317	4,993	5,151	5,505	5,344	5,222	4,818	4,622	4,678
Male	32,291	3,009	2,709	2,914	2,759	2,620	2,680	2,844	2,815	2,671	2,526	2,383	2,361
Female	29,847	2,577	2,549	2,730	2,558	2,373	2,471	2,661	2,529	2,551	2,292	2,239	2,317
Nonwhite	3,428	324	278	290	279	270	279	287	250	311	291	271	298
Male	1,800	165	144	141	146	144	134	151	132	165	161	149	188
Female	1,628	159	134	149	133	126	145	136	118	146	130	122	130
LOUISIANA	62,005	5,834	5,203	5,062	4,380	4,088	4,481	5,574	5,987	5,654	5,387	5,103	5,272
Male	31,442	2,941	2,565	2,555	2,235	2,104	2,291	2,883	3,092	2,823	2,771	2,567	2,615
Female	30,563	2,893	2,638	2,507	2,145	1,984	2,190	2,691	2,875	2,831	2,616	2,536	2,657
White	38,392	3,668	3,236	3,061	2,588	2,392	2,730	3,364	3,715	3,528	3,475	3,273	3,362
Male	19,534	1,840	1,598	1,556	1,311	1,255	1,386	1,798	1,921	1,766	1,807	1,657	1,661
Female	18,858	1,828	1,638	1,505	1,277	1,137	1,344	1,568	1,794	1,762	1,668	1,616	1,701
Nonwhite	23,613	2,166	1,967	2,001	1,792	1,696	1,751	2,210	2,252	2,126	1,912	1,830	1,910
Male	11,908	1,101	967	999	924	849	925	1,087	1,171	1,057	964	910	954
Female	11,705	1,065	1,000	1,002	868	847	826	1,123	1,081	1,069	948	920	956
MAINE	18,944	1,571	1,416	1,670	1,682	1,585	1,635	1,702	1,706	1,620	1,498	1,448	1,411
Male	9,722	808	729	859	857	827	841	898	885	817	740	734	727
Female	9,222	763	687	811	825	758	794	804	821	803	758	714	684
White	18,899	1,567	1,412	1,666	1,676	1,577	1,633	1,701	1,702	1,617	1,494	1,446	1,408
Male	9,702	807	726	859	855	820	839	898	884	815	740	733	726
Female	9,197	760	686	807	821	757	794	803	818	802	754	713	682
Nonwhite	45	4	4	4	6	8	2	1	4	3	4	2	3
Male	20	1	3	-	2	7	2	-	1	2	-	1	1
Female	25	3	1	4	4	1	-	1	3	1	4	1	2
MARYLAND	47,371	4,360	3,748	4,104	3,829	3,784	3,893	4,205	4,196	4,007	3,911	3,538	3,798
Male	24,307	2,225	1,921	2,099	1,934	1,968	1,984	2,162	2,229	2,010	2,006	1,807	1,962
Female	23,064	2,135	1,825	2,005	1,895	1,816	1,909	2,043	1,967	1,997	1,905	1,731	1,836
White	38,770	3,621	3,047	3,389	3,151	3,116	3,184	3,382	3,426	3,238	3,226	2,912	3,078
Male	19,880	1,846	1,572	1,740	1,599	1,616	1,608	1,737	1,824	1,622	1,655	1,468	1,593
Female	18,890	1,775	1,475	1,649	1,552	1,500	1,576	1,645	1,602	1,616	1,571	1,444	1,485
Nonwhite	8,601	739	699	715	678	668	709	823	770	769	685	626	720
Male	4,427	379	349	359	335	352	376	425	405	388	351	339	369
Female	4,174	360	350	356	343	316	333	398	365	381	334	287	351

TABLE 9.—LIVE BIRTHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
MASSACHUSETTS	85,917	7,957	7,117	7,826	7,197	7,448	7,254	7,317	7,028	7,128	6,968	6,372	6,305
Male	44,417	4,003	3,672	4,092	3,678	3,877	3,737	3,834	3,546	3,726	3,630	3,305	3,317
Female	41,500	3,954	3,445	3,734	3,519	3,571	3,517	3,483	3,482	3,402	3,338	3,067	2,988
White	84,682	7,856	7,042	7,735	7,109	7,338	7,156	7,179	6,917	7,016	6,840	6,282	6,212
Male	43,796	3,950	3,645	4,043	3,640	3,817	3,687	3,763	3,485	3,669	3,571	3,262	3,264
Female	40,886	3,906	3,397	3,692	3,469	3,521	3,469	3,416	3,432	3,347	3,269	3,020	2,948
Nonwhite	1,235	101	75	91	88	110	98	138	111	112	128	90	93
Male	621	53	27	49	38	60	50	71	61	57	59	43	53
Female	614	48	48	42	50	50	48	67	50	55	69	47	40
MICHIGAN	125,778	11,260	10,164	11,288	10,467	10,537	10,701	11,147	10,820	10,729	10,206	9,366	9,093
Male	64,483	5,754	5,234	5,735	5,424	5,460	5,359	5,644	5,553	5,568	5,200	4,853	4,699
Female	61,295	5,506	4,930	5,553	5,043	5,077	5,342	5,503	5,267	5,161	5,006	4,513	4,394
White	120,055	10,788	9,720	10,778	9,985	10,100	10,249	10,613	10,318	10,227	9,740	8,906	8,631
Male	61,554	5,533	4,989	5,468	5,168	5,251	5,122	5,366	5,292	5,317	4,980	4,616	4,452
Female	58,501	5,255	4,731	5,310	4,817	4,849	5,127	5,247	5,026	4,910	4,760	4,290	4,179
Nonwhite	5,723	472	444	510	482	437	452	534	502	502	466	460	462
Male	2,929	221	245	267	256	209	237	278	261	251	220	237	247
Female	2,794	251	199	243	226	228	215	256	241	251	246	223	215
MINNESOTA	58,508	5,011	4,608	5,203	5,051	5,021	4,869	5,097	5,006	4,959	4,754	4,451	4,478
Male	30,029	2,554	2,367	2,637	2,633	2,627	2,525	2,592	2,583	2,530	2,403	2,285	2,313
Female	28,479	2,457	2,241	2,566	2,418	2,394	2,344	2,505	2,443	2,429	2,351	2,166	2,165
White	58,006	4,969	4,562	5,171	5,000	4,964	4,824	5,057	4,965	4,926	4,716	4,403	4,449
Male	29,793	2,535	2,346	2,625	2,611	2,594	2,505	2,575	2,541	2,517	2,388	2,259	2,297
Female	28,213	2,434	2,216	2,546	2,389	2,370	2,319	2,482	2,424	2,409	2,328	2,144	2,152
Nonwhite	502	42	46	32	51	57	45	40	41	33	38	48	29
Male	236	19	21	12	22	33	20	17	22	13	15	26	16
Female	266	23	25	20	29	24	25	23	19	20	23	22	13
MISSISSIPPI	59,846	5,262	4,933	5,344	4,751	4,619	4,868	5,285	5,420	5,066	4,954	4,599	4,745
Male	30,647	2,664	2,527	2,746	2,461	2,370	2,514	2,771	2,782	2,614	2,531	2,511	2,356
Female	29,199	2,598	2,406	2,598	2,290	2,249	2,354	2,514	2,638	2,452	2,423	2,288	2,389
White	27,820	2,480	2,276	2,400	2,038	2,015	2,173	2,468	2,547	2,449	2,477	2,230	2,289
Male	14,348	1,265	1,166	1,237	1,063	1,015	1,131	1,320	1,329	1,263	1,276	1,129	1,154
Female	13,472	1,195	1,110	1,163	973	1,000	1,042	1,148	1,218	1,186	1,201	1,101	1,135
Nonwhite	32,026	2,802	2,657	2,944	2,715	2,604	2,695	2,817	2,873	2,617	2,477	2,369	2,456
Male	16,299	1,399	1,361	1,509	1,398	1,355	1,383	1,451	1,453	1,351	1,255	1,182	1,202
Female	15,727	1,403	1,296	1,435	1,317	1,249	1,312	1,366	1,420	1,266	1,222	1,187	1,254
MISSOURI	72,458	6,712	5,951	6,134	5,408	5,410	5,848	6,669	6,774	6,237	6,101	5,618	5,596
Male	37,309	3,513	3,070	3,108	2,721	2,806	2,980	3,402	3,468	3,293	3,160	2,900	2,888
Female	35,149	3,199	2,881	3,026	2,687	2,604	2,868	3,267	3,306	2,944	2,941	2,718	2,708
White	67,391	6,259	5,559	5,667	5,036	5,011	5,419	6,212	6,312	5,799	5,691	5,245	5,181
Male	34,714	3,269	2,880	2,872	2,528	2,611	2,769	3,170	3,237	3,063	2,955	2,702	2,678
Female	32,677	2,990	2,699	2,795	2,508	2,400	2,650	3,042	3,075	2,736	2,736	2,543	2,503
Nonwhite	5,067	453	392	467	372	399	429	457	462	438	410	373	415
Male	2,595	244	210	236	193	195	211	232	231	230	205	198	210
Female	2,472	209	182	231	179	204	218	225	231	208	205	175	205
MONTANA	11,407	971	886	1,006	957	994	956	974	986	987	933	867	890
Male	5,788	484	444	531	515	458	467	507	515	491	487	441	448
Female	5,619	487	442	475	442	536	489	467	471	496	446	426	442
White	10,754	898	831	947	922	942	902	916	928	925	887	817	859
Male	5,480	455	419	503	494	434	442	470	489	472	461	419	422
Female	5,274	443	412	444	428	508	460	446	439	453	426	398	417
Nonwhite	653	73	55	59	35	52	54	58	58	62	46	50	51
Male	308	29	25	28	21	24	25	37	28	19	26	22	26
Female	345	44	30	31	14	28	29	21	30	43	20	28	25
NEBRASKA	25,048	2,111	1,879	2,125	1,903	2,077	2,045	2,155	2,299	2,203	2,165	2,018	2,068
Male	12,929	1,109	974	1,089	973	1,098	1,033	1,105	1,144	1,135	1,159	1,019	1,091
Female	12,119	1,002	905	1,036	930	979	1,012	1,050	1,155	1,068	1,006	999	977
White	24,614	2,071	1,846	2,082	1,866	2,040	2,019	2,123	2,258	2,174	2,126	1,980	2,029
Male	12,712	1,088	959	1,068	957	1,073	1,020	1,090	1,125	1,124	1,141	997	1,072
Female	11,902	983	887	1,014	909	967	999	1,033	1,133	1,050	985	983	957
Nonwhite	434	40	33	43	37	37	26	32	41	29	39	38	39
Male	217	21	15	21	16	25	13	15	21	11	18	22	19
Female	217	19	18	22	21	12	13	17	20	18	21	16	20
NEVADA	3,026	218	236	296	250	232	266	288	239	245	262	238	256
Male	1,535	108	116	167	134	105	130	139	118	127	130	123	138
Female	1,491	110	120	129	116	127	136	149	121	118	132	115	118
White	2,817	204	219	276	233	220	244	265	222	228	250	219	239
Male	1,420	98	107	152	127	101	115	127	111	116	124	113	129
Female	1,397	106	112	124	106	119	129	138	111	110	126	106	110
Nonwhite	209	14	17	20	17	12	22	23	17	19	12	19	17
Male	115	10	9	15	7	4	15	12	7	11	6	10	9
Female	94	4	8	5	10	8	7	11	10	8	6	9	8
NEW HAMPSHIRE	9,367	807	741	847	874	798	795	809	773	748	797	717	661
Male	4,870	398	370	440	445	402	414	425	402	392	432	399	353
Female	4,497	409	371	407	429	396	381	386	371	356	365	318	308
White	9,352	806	740	845	873	795	795	808	771	748	797	713	661
Male	4,861	398	369	439	444	401	414	422	401	392	432	396	353
Female	4,491	408	371	406	429	394	381	386	370	356	365	317	308
Nonwhite	15	1	1	2	1	3	-	1	2	-	-	4	-
Male	9	-	1	1	1	1	-	1	1	-	-	3	-
Female	6	1	-	1	-	2	-	-	1	-	-	1	-
NEW JERSEY	83,052	7,747	7,103	7,421	6,848	6,826	6,835	7,219	7,121	6,847	6,688	6,085	6,312
Male	42,469	3,990	3,562	3,818	3,487	3,550	3,521	3,752	3,653	3,444	3,422	3,132	3,138
Female	40,583	3,757	3,541	3,603	3,361	3,276	3,314	3,467	3,468	3,403	3,266	2,953	3,174
White	77,421	7,263	6,642	6,965	6,425	6,351	6,368	6,726	6,611	6,366	6,214	5,611	5,901
Male	39,667	3,735	3,331	3,580	3,281	3,320	3,308	3,508	3,400	3,200	3,185	2,879	2,940
Female	37,754	3,528	3,311	3,385	3,142	3,031	3,060	3,218	3,211	3,166	3,029	2,732	2,961
Nonwhite	5,611	484	461	456	425	495	467	493	510	481	474	454	411
Male	2,802	255	231	238	206	230	215	244	253	244	237	253	198
Female	2,809	229	230	218	219	265	254	249	257	237	257	201	213

TABLE 9.—LIVE BIRTHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
NEW MEXICO	15,211	1,192	1,132	1,324	1,336	1,317	1,286	1,366	1,316	1,332	1,280	1,142	1,208
Male	7,769	642	574	657	711	674	681	675	675	676	642	562	600
Female	7,442	550	558	667	625	643	585	691	641	656	638	580	608
White	14,275	1,114	1,053	1,220	1,253	1,207	1,178	1,287	1,243	1,263	1,209	1,090	1,158
Male	7,293	605	532	603	662	621	632	641	643	641	604	531	578
Female	6,982	509	521	617	591	586	546	646	600	622	605	559	580
Nonwhite	936	78	79	104	83	110	88	79	73	69	71	52	50
Male	476	37	42	54	49	53	49	34	32	35	38	31	22
Female	460	41	37	50	34	57	39	45	41	34	33	21	28
NEW YORK	248,627	22,743	20,671	22,217	20,966	21,178	21,054	21,729	21,152	20,252	20,047	18,216	18,402
Male	127,645	11,672	10,557	11,399	10,775	10,954	10,790	11,115	10,987	10,400	10,179	9,451	9,366
Female	120,982	11,071	10,114	10,818	10,191	10,224	10,264	10,614	10,165	9,852	9,868	8,765	9,036
White	236,922	21,781	19,732	21,206	20,051	20,199	20,101	20,628	20,086	19,291	19,079	17,272	17,496
Male	121,761	11,186	10,073	10,889	10,296	10,469	10,316	10,590	10,430	9,940	9,684	8,970	8,918
Female	115,161	10,595	9,659	10,317	9,755	9,730	9,785	10,038	9,656	9,351	9,395	8,302	8,578
Nonwhite	11,705	962	939	1,011	915	979	953	1,101	1,066	961	968	944	906
Male	5,884	486	484	510	479	485	474	525	557	460	495	481	448
Female	5,821	476	455	501	436	494	479	576	509	501	473	463	458
NORTH CAROLINA	94,568	8,421	7,824	8,361	7,721	7,642	7,591	8,109	8,616	8,267	7,898	7,146	7,172
Male	48,715	4,611	3,910	4,288	3,897	3,968	3,975	4,173	4,397	4,315	4,115	3,701	3,665
Female	45,853	4,110	3,714	4,073	3,824	3,674	3,616	3,936	4,219	3,952	3,783	3,445	3,507
White	66,327	5,882	5,372	5,862	5,407	5,372	5,301	5,684	5,999	5,802	5,589	5,058	4,999
Male	34,320	3,046	2,780	3,040	2,717	2,792	2,796	2,939	3,046	3,071	2,883	2,644	2,566
Female	32,007	2,836	2,592	2,822	2,690	2,580	2,505	2,745	2,953	2,731	2,706	2,414	2,433
Nonwhite	28,241	2,539	2,452	2,499	2,314	2,270	2,290	2,425	2,617	2,465	2,309	2,088	2,173
Male	14,395	1,265	1,130	1,248	1,180	1,175	1,179	1,234	1,351	1,244	1,232	1,057	1,099
Female	13,846	1,274	1,122	1,251	1,134	1,094	1,111	1,191	1,266	1,221	1,077	1,031	1,074
NORTH DAKOTA	13,422	1,107	968	1,149	1,106	1,210	1,134	1,173	1,192	1,179	1,135	1,043	1,026
Male	6,976	592	534	592	568	600	582	594	605	640	598	550	521
Female	6,446	515	434	557	538	610	552	579	587	539	537	493	505
White	13,111	1,076	938	1,107	1,072	1,182	1,117	1,147	1,175	1,161	1,106	1,027	1,003
Male	6,818	578	514	573	550	587	573	580	598	633	585	540	507
Female	6,293	498	424	534	522	595	544	567	577	528	521	487	496
Nonwhite	311	31	30	42	34	28	17	26	17	18	29	16	23
Male	158	14	20	19	18	13	9	14	7	7	13	10	14
Female	153	17	10	23	16	15	8	12	10	11	16	6	9
OHIO	144,087	13,040	11,847	12,522	11,714	11,939	11,783	12,659	12,733	12,029	11,972	10,833	11,016
Male	74,081	6,730	6,026	6,478	6,065	6,117	6,075	6,572	6,489	6,247	6,155	5,539	5,588
Female	70,006	6,310	5,821	6,044	5,649	5,822	5,708	6,087	6,244	5,782	5,817	5,294	5,428
White	136,434	12,396	11,242	11,881	11,078	11,290	11,131	11,949	12,046	11,371	11,346	10,268	10,436
Male	70,185	6,384	5,725	6,135	5,736	5,789	5,740	6,216	6,152	5,911	5,828	5,265	5,304
Female	66,249	6,012	5,517	5,746	5,342	5,501	5,391	5,733	5,894	5,460	5,518	5,003	5,132
Nonwhite	7,653	644	605	641	636	649	652	710	687	658	626	565	580
Male	3,896	346	301	343	329	328	335	356	337	336	327	274	284
Female	3,757	298	304	298	307	321	317	354	350	322	299	291	296
OKLAHOMA	48,639	4,236	3,949	4,098	3,713	3,587	3,811	4,398	4,507	4,253	4,091	3,969	4,027
Male	24,889	2,122	2,029	2,080	1,886	1,893	1,938	2,252	2,339	2,171	2,042	2,038	2,099
Female	23,750	2,114	1,920	2,018	1,827	1,694	1,873	2,146	2,168	2,082	2,049	1,931	1,928
White	43,631	3,780	3,493	3,618	3,289	3,217	3,441	3,950	4,025	3,827	3,728	3,613	3,650
Male	22,356	1,891	1,803	1,850	1,671	1,712	1,750	2,037	2,079	1,955	1,864	1,869	1,877
Female	21,275	1,889	1,690	1,768	1,618	1,505	1,691	1,913	1,946	1,874	1,864	1,744	1,773
Nonwhite	5,008	456	456	480	424	370	370	448	482	426	363	356	377
Male	2,533	231	226	230	215	181	188	215	260	218	178	169	222
Female	2,475	225	230	250	209	189	182	233	222	208	185	187	155
OREGON	25,450	2,115	1,991	2,214	2,090	2,186	2,225	2,183	2,260	2,130	2,084	1,941	2,031
Male	13,036	1,093	974	1,134	1,062	1,128	1,176	1,118	1,161	1,104	1,053	983	1,050
Female	12,414	1,022	1,017	1,080	1,028	1,058	1,049	1,065	1,099	1,026	1,031	958	981
White	25,105	2,092	1,968	2,190	2,063	2,149	2,192	2,161	2,220	2,103	2,050	1,921	1,996
Male	12,863	1,079	962	1,126	1,047	1,103	1,164	1,106	1,141	1,091	1,034	975	1,035
Female	12,242	1,013	1,006	1,064	1,016	1,046	1,028	1,055	1,079	1,012	1,016	946	961
Nonwhite	345	23	23	24	27	37	33	22	40	27	34	20	35
Male	173	14	12	8	15	25	12	12	20	13	19	8	15
Female	172	9	11	16	12	12	21	10	20	14	15	12	20
PENNSYLVANIA	199,366	18,104	16,505	17,439	16,320	16,550	16,667	17,195	17,406	16,773	16,304	15,074	15,029
Male	102,372	9,317	8,460	9,031	8,348	8,519	8,597	8,749	8,902	8,699	8,293	7,791	7,666
Female	96,994	8,787	8,045	8,408	7,972	8,031	8,070	8,446	8,504	8,074	8,011	7,283	7,363
White	187,607	17,088	15,576	16,392	15,399	15,578	15,670	16,188	16,329	15,787	15,329	14,176	14,095
Male	96,391	8,816	8,009	8,507	7,875	8,032	8,081	8,231	8,359	8,189	7,777	7,337	7,178
Female	91,216	8,272	7,567	7,885	7,524	7,546	7,589	7,957	7,970	7,598	7,552	6,839	6,917
Nonwhite	11,759	1,016	929	1,047	921	972	997	1,007	1,077	986	975	898	934
Male	5,981	501	451	524	473	487	516	518	543	510	516	454	488
Female	5,778	515	478	523	448	485	481	489	534	476	459	444	446
RHODE ISLAND	14,667	1,356	1,189	1,348	1,246	1,238	1,261	1,294	1,214	1,203	1,149	1,090	1,079
Male	7,482	690	599	692	614	632	640	639	676	612	582	568	538
Female	7,185	666	590	656	632	606	621	655	538	591	567	522	541
White	14,313	1,330	1,168	1,316	1,211	1,209	1,231	1,260	1,187	1,171	1,122	1,060	1,048
Male	7,301	679	588	677	598	618	622	623	660	595	568	552	521
Female	7,012	651	580	639	613	591	609	637	527	576	554	508	527
Nonwhite	354	26	21	32	35	29	30	34	27	32	27	30	31
Male	181	11	11	15	16	14	18	16	16	17	14	16	17
Female	173	15	10	17	19	15	12	18	11	15	13	14	14
SOUTH CAROLINA	54,144	4,847	4,344	4,770	4,226	4,112	4,327	4,885	4,962	4,712	4,535	4,200	4,224
Male	27,517	2,416	2,206	2,398	2,185	2,125	2,191	2,495	2,501	2,385	2,286	2,156	2,173
Female	26,627	2,431	2,138	2,372	2,041	1,987	2,136	2,390	2,461	2,327	2,249	2,044	2,051
White	29,844	2,655	2,383	2,480	2,199	2,156	2,402	2,702	2,786	2,665	2,664	2,360	2,402
Male	15,279	1,354	1,213	1,234	1,139	1,118	1,244	1,409	1,416	1,357	1,332	1,212	1,251
Female	14,565	1,301	1,170	1,246	1,060	1,038	1,158	1,293	1,370	1,308	1,332	1,138	1,151
Nonwhite	24,300	2,192	1,961	2,290	2,027	1,956	1,925	2,183	2,176	2,047	1,871	1,850	1,822
Male	12,238	1,062	993	1,164	1,046	1,007	947	1,086	1,085	1,028	954	944	922
Female	12,062	1,130	968	1,126	981	949	978	1,097	1,091	1,019	917	906	900

TABLE 9.—LIVE BIRTHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA, SEX, AND RACE	Total births	January	February	March	April	May	June	July	August	September	October	November	December
SOUTH DAKOTA	12,816	1,079	924	1,095	1,027	1,110	1,082	1,138	1,181	1,096	1,044	1,024	1,016
Male	6,471	563	455	556	494	559	553	581	612	515	546	512	525
Female	6,345	516	469	539	533	551	529	557	569	581	498	512	491
White	12,151	1,016	868	1,023	956	1,060	1,020	1,099	1,125	1,036	1,000	968	980
Male	6,160	528	435	523	464	531	532	561	581	482	524	490	509
Female	5,991	488	433	500	492	529	488	538	544	554	476	478	471
Nonwhite	665	63	56	72	71	50	62	39	56	60	44	56	36
Male	311	35	20	33	30	28	21	20	31	33	22	22	16
Female	354	28	36	39	41	22	41	19	25	27	22	34	20
TENNESSEE	70,203	6,417	5,619	6,169	5,740	5,685	5,868	6,354	6,279	5,915	5,721	5,231	5,205
Male	36,317	3,300	2,886	3,214	2,912	2,957	3,041	3,282	3,285	3,092	2,945	2,733	2,690
Female	33,886	3,117	2,733	2,955	2,828	2,748	2,827	3,072	2,994	2,823	2,776	2,498	2,515
White	59,348	5,407	4,735	5,204	4,840	4,815	4,982	5,321	5,267	5,020	4,885	4,460	4,412
Male	30,740	2,779	2,413	2,713	2,453	2,492	2,588	2,765	2,779	2,642	2,523	2,325	2,268
Female	28,608	2,628	2,322	2,491	2,387	2,323	2,394	2,556	2,488	2,378	2,362	2,135	2,144
Nonwhite	10,855	1,010	884	965	900	870	886	1,033	1,012	895	836	771	793
Male	5,577	521	473	501	459	445	453	517	506	450	422	408	422
Female	5,278	489	411	464	441	425	433	516	506	445	414	363	371
TEXAS	164,513	14,459	12,773	13,139	11,626	11,522	12,175	14,344	15,780	15,253	15,018	14,066	14,358
Male	84,530	7,519	6,498	6,608	5,969	6,055	6,314	7,421	8,136	7,866	7,642	7,124	7,378
Female	79,983	6,940	6,275	6,531	5,657	5,467	5,861	6,923	7,644	7,387	7,376	6,942	6,980
White	144,278	12,634	11,078	11,390	10,099	10,094	10,659	12,610	13,804	13,425	13,331	12,449	12,705
Male	74,308	6,560	5,676	5,752	5,183	5,317	5,527	6,528	7,130	6,944	6,789	6,341	6,561
Female	69,970	6,074	5,402	5,638	4,916	4,777	5,132	6,082	6,674	6,481	6,542	6,108	6,144
Nonwhite	20,235	1,825	1,695	1,749	1,527	1,428	1,516	1,734	1,976	1,828	1,687	1,617	1,653
Male	10,222	959	822	856	786	738	787	893	1,006	922	853	783	817
Female	10,013	866	873	893	741	690	729	841	970	906	834	834	836
UTAH	17,161	1,373	1,264	1,526	1,515	1,538	1,534	1,645	1,531	1,365	1,338	1,284	1,248
Male	8,829	664	633	772	776	801	820	853	807	699	690	684	650
Female	8,332	709	631	754	739	737	714	792	724	666	648	600	618
White	16,942	1,360	1,251	1,506	1,501	1,514	1,515	1,625	1,515	1,350	1,320	1,254	1,231
Male	8,704	658	629	757	770	789	809	839	798	687	679	668	621
Female	8,238	702	622	749	731	725	706	786	717	663	641	586	610
Nonwhite	219	13	13	20	14	24	19	20	16	15	18	30	17
Male	125	6	4	15	6	12	11	14	9	12	11	16	9
Female	94	7	9	5	8	12	8	6	7	3	7	14	8
VERMONT	7,303	627	585	615	630	637	597	670	645	575	586	560	576
Male	3,849	313	291	329	340	353	319	351	326	307	298	302	320
Female	3,454	314	294	286	290	284	278	319	319	268	288	258	256
White	7,299	626	585	615	630	637	597	668	644	575	586	560	576
Male	3,847	312	291	329	340	353	319	350	326	307	298	302	320
Female	3,452	314	294	286	290	284	278	318	318	268	288	258	256
Nonwhite	4	1	-	-	-	-	-	2	1	-	-	-	-
Male	2	1	-	-	-	-	-	1	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	1	-	-	-	-
VIRGINIA	72,157	6,208	5,850	6,419	5,801	5,742	5,832	6,370	6,475	6,189	5,989	5,565	5,717
Male	36,893	3,205	2,997	3,254	2,979	2,901	3,006	3,205	3,332	3,150	3,080	2,844	2,940
Female	35,264	3,003	2,853	3,165	2,822	2,841	2,826	3,165	3,143	3,039	2,909	2,721	2,777
White	54,663	4,731	4,417	4,809	4,430	4,322	4,413	4,836	4,931	4,688	4,640	4,198	4,248
Male	28,077	2,465	2,278	2,449	2,311	2,169	2,297	2,486	2,520	2,386	2,379	2,165	2,172
Female	26,586	2,266	2,139	2,360	2,119	2,153	2,116	2,350	2,411	2,302	2,261	2,033	2,076
Nonwhite	17,494	1,477	1,433	1,610	1,371	1,420	1,419	1,534	1,544	1,501	1,349	1,367	1,469
Male	8,816	740	719	805	668	732	709	719	812	764	701	679	768
Female	8,678	737	714	805	703	688	710	815	732	737	648	688	701
WASHINGTON	44,520	3,661	3,406	3,665	3,640	3,781	3,826	3,948	3,948	3,812	3,678	3,451	3,704
Male	22,973	1,886	1,766	1,920	1,896	1,932	2,019	2,022	2,031	1,978	1,867	1,755	1,901
Female	21,547	1,775	1,640	1,745	1,744	1,849	1,807	1,926	1,917	1,834	1,811	1,696	1,803
White	43,597	3,600	3,344	3,592	3,549	3,717	3,747	3,870	3,880	3,715	3,579	3,386	3,618
Male	22,496	1,855	1,730	1,880	1,850	1,899	1,980	1,988	1,993	1,919	1,824	1,725	1,853
Female	21,101	1,745	1,614	1,712	1,699	1,818	1,767	1,882	1,887	1,796	1,755	1,661	1,765
Nonwhite	923	61	62	73	91	64	79	78	68	97	99	65	86
Male	477	31	36	40	46	33	39	34	38	59	43	30	48
Female	446	30	26	33	45	31	40	44	30	38	56	35	38
WEST VIRGINIA	43,372	3,947	3,665	3,868	3,710	3,589	3,703	3,777	3,770	3,710	3,411	3,081	3,161
Male	22,357	2,036	1,878	1,986	1,921	1,816	1,827	1,940	1,934	1,936	1,793	1,651	1,639
Female	21,015	1,911	1,787	1,882	1,789	1,753	1,876	1,837	1,836	1,774	1,618	1,430	1,522
White	40,975	3,720	3,454	3,644	3,499	3,374	3,510	3,573	3,578	3,507	3,229	2,911	2,976
Male	21,132	1,911	1,768	1,890	1,808	1,725	1,732	1,849	1,817	1,830	1,708	1,554	1,540
Female	19,843	1,809	1,686	1,754	1,691	1,649	1,778	1,724	1,761	1,677	1,521	1,357	1,436
Nonwhite	2,397	227	211	224	211	195	193	204	192	203	182	170	185
Male	1,225	125	110	96	113	91	95	91	117	106	85	97	99
Female	1,172	102	101	128	98	104	98	113	75	97	97	73	86
WISCONSIN	64,450	5,733	5,213	5,773	5,442	5,597	5,308	5,647	5,642	5,298	5,254	4,784	4,759
Male	33,216	2,967	2,685	2,937	2,802	2,898	2,727	2,914	2,879	2,693	2,729	2,552	2,433
Female	31,234	2,766	2,528	2,836	2,640	2,699	2,581	2,733	2,763	2,605	2,525	2,232	2,326
White	63,744	5,673	5,150	5,726	5,365	5,548	5,253	5,568	5,576	5,240	5,208	4,729	4,703
Male	32,855	2,939	2,649	2,912	2,766	2,870	2,696	2,880	2,844	2,661	2,709	2,526	2,403
Female	30,889	2,734	2,501	2,814	2,599	2,678	2,562	2,688	2,732	2,579	2,499	2,203	2,300
Nonwhite	706	60	63	47	77	49	50	79	66	58	46	55	56
Male	361	28	36	25	36	28	31	34	35	32	20	26	30
Female	345	32	27	22	41	21	19	45	31	26	26	29	26
WYOMING	5,822	486	416	481	418	543	506	531	549	512	483	467	430
Male	2,989	261	205	242	214	292	258	268	299	264	224	241	221
Female	2,833	225	211	239	204	251	248	263	250	248	259	226	209
White	5,463	455	386	452	391	502	482	501	515	483	460	431	405
Male	2,810	245	188	230	202	269	246	256	285	250	212	220	207
Female	2,653	210	198	222	189	233	236	245	230	233	248	211	198
Nonwhite	359	31	30	29	27	41	24	30	34	29	23	36	25
Male	179	16	17	12	12	23	12	12	14	14	12	21	14
Female	180	15	13	17	15	18	12	18	20	15	11	15	11

TABLE 10.—CASES OF PLURAL BIRTHS BY RACE, CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN: UNITED STATES AND EACH STATE, 1943

(By place of residence)

AREA	Total plural births	White	Negro	Other
TWINS				
UNITED STATES	30,459	26,191	4,096	172
Both living	27,861	24,204	3,497	160
One living	1,609	1,234	365	10
Both stillborn	989	753	234	2
Alabama:				
Both living	708	443	265	-
One living	61	25	36	-
Both stillborn	35	13	22	-
Arizona:				
Both living	133	118	4	11
One living	8	7	-	1
Both stillborn	5	2	-	1
Arkansas:				
Both living	496	383	113	-
One living	35	16	19	-
Both stillborn	20	16	4	-
California:				
Both living	1,565	1,495	46	24
One living	60	53	6	1
Both stillborn	38	35	2	1
Colorado:				
Both living	222	214	5	3
One living	16	16	-	-
Both stillborn	10	9	1	-
Connecticut:				
Both living	358	349	9	-
One living	7	7	-	-
Both stillborn	10	9	1	-
Delaware:				
Both living	56	46	10	-
One living	3	1	2	-
Both stillborn	2	1	1	-
District of Columbia:				
Both living	163	105	57	1
One living	11	4	7	-
Both stillborn	6	5	1	-
Florida:				
Both living	408	273	135	-
One living	40	22	18	-
Both stillborn	29	17	12	-
Georgia:				
Both living	678	410	268	-
One living	85	49	36	-
Both stillborn	39	12	27	-
Idaho:				
Both living	137	136	-	1
One living	9	8	-	1
Both stillborn	4	4	-	-
Illinois:				
Both living	1,474	1,373	99	2
One living	76	72	4	-
Both stillborn	43	40	3	-
Indiana:				
Both living	711	682	29	-
One living	25	24	1	-
Both stillborn	16	14	2	-
Iowa:				
Both living	465	459	5	1
One living	18	18	-	-
Both stillborn	23	23	-	-
Kansas:				
Both living	299	287	10	2
One living	15	15	-	-
Both stillborn	6	5	1	-
Kentucky:				
Both living	649	599	50	-
One living	45	43	2	-
Both stillborn	15	13	2	-
Louisiana:				
Both living	619	352	266	1
One living	16	6	10	-
Both stillborn	17	7	10	-
Maine:				
Both living	171	171	-	-
One living	11	11	-	-
Both stillborn	1	1	-	-
Maryland:				
Both living	402	320	82	-
One living	20	12	8	-
Both stillborn	26	14	12	-
TWINS—Continued				
Massachusetts:				
Both living	738	725	12	1
One living	33	32	1	-
Both stillborn	18	18	-	-
Michigan:				
Both living	1,068	1,004	61	3
One living	70	64	6	-
Both stillborn	42	40	2	-
Minnesota:				
Both living	681	673	1	7
One living	34	31	1	2
Both stillborn	10	10	-	-
Mississippi:				
Both living	623	265	357	1
One living	49	12	37	-
Both stillborn	33	6	27	-
Missouri:				
Both living	693	643	49	1
One living	41	37	4	-
Both stillborn	27	21	6	-
Montana:				
Both living	103	100	-	3
One living	8	8	-	-
Both stillborn	1	1	-	-
Nebraska:				
Both living	256	251	2	3
One living	9	9	-	-
Both stillborn	6	6	-	-
Nevada:				
Both living	46	43	1	2
One living	2	2	-	-
Both stillborn	1	1	-	-
New Hampshire:				
Both living	80	80	-	-
One living	3	3	-	-
Both stillborn	1	1	-	-
New Jersey:				
Both living	823	763	60	-
One living	53	44	9	-
Both stillborn	25	22	3	-
New Mexico:				
Both living	157	141	3	13
One living	9	9	-	-
Both stillborn	4	4	-	-
New York:				
Both living	2,302	2,179	117	6
One living	112	103	9	-
Both stillborn	126	113	13	-
North Carolina:				
Both living	945	628	300	17
One living	79	39	40	-
Both stillborn	29	19	10	-
North Dakota:				
Both living	135	131	-	4
One living	8	8	-	-
Both stillborn	4	4	-	-
Ohio:				
Both living	1,242	1,167	74	1
One living	52	49	3	-
Both stillborn	35	33	2	-
Oklahoma:				
Both living	541	476	36	29
One living	36	31	3	2
Both stillborn	8	7	1	-
Oregon:				
Both living	245	242	3	-
One living	8	8	-	-
Both stillborn	7	7	-	-
Pennsylvania:				
Both living	1,835	1,704	131	-
One living	109	95	14	-
Both stillborn	58	52	6	-
Rhode Island:				
Both living	142	136	6	-
One living	9	9	-	-
Both Stillborn	6	6	-	-
South Carolina:				
Both living	590	298	291	1
One living	43	16	27	-
Both stillborn	31	7	24	-
TWINS—Continued				
South Dakota:				
Both living	123	117	-	6
One living	6	5	-	1
Both stillborn	4	4	-	-
Tennessee:				
Both living	614	529	85	-
One living	35	24	11	-
Both stillborn	22	14	8	-
Texas:				
Both living	1,655	1,427	228	-
One living	104	76	28	-
Both stillborn	60	46	14	-
Utah:				
Both living	170	169	-	1
One living	3	3	-	-
Both stillborn	4	4	-	-
Vermont:				
Both living	66	66	-	-
One living	6	6	-	-
Both stillborn	6	6	-	-
Virginia:				
Both living	702	507	195	-
One living	59	38	21	-
Both stillborn	32	17	15	-
Washington:				
Both living	386	377	1	8
One living	12	10	-	2
Both stillborn	2	1	1	-
West Virginia:				
Both living	446	415	31	-
One living	20	18	2	-
Both stillborn	30	29	1	-
Wisconsin:				
Both living	708	704	-	4
One living	34	34	-	-
Both stillborn	14	14	-	-
Wyoming:				
Both living	52	49	-	3
One living	2	2	-	-
TRIPLETS				
UNITED STATES	325	267	57	1
Three living	245	199	45	1
Two living	51	44	7	-
One living	20	16	4	-
Three stillborn	9	8	1	-
Alabama:				
Three living	8	3	5	-
One living	3	3	-	-
Arizona:				
Three living	1	1	-	-
Arkansas:				
Three living	5	3	2	-
One living	1	-	1	-
California:				
Three living	11	8	3	-
Two living	4	4	-	-
One living	2	2	-	-
Connecticut:				
Three living	3	3	-	-
District of Columbia:				
Three living	1	1	-	-
Two living	1	-	1	-
Florida:				
Three living	3	3	-	-
Two living	3	-	3	-
Georgia:				
Three living	9	3	6	-
One living	1	-	1	-
Three stillborn	1	1	-	-
Illinois:				
Three living	16	15	-	1
Two living	1	1	-	-
One living	1	1	-	-
Indiana:				
Three living	3	3	-	-
Iowa:				
Three living	2	2	-	-
Two living	1	1	-	-

TABLE 10.—CASES OF PLURAL BIRTHS BY RACE, CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND STILLBORN: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA	Total plural births	White	Negro	Other
TRIPLETS—Continued				
Kansas:				
Three living	2	2	-	-
Two living	1	1	-	-
Kentucky:				
Three living	9	8	1	-
One living	2	2	-	-
Three stillborn	1	1	-	-
Louisiana:				
Three living	5	3	2	-
Three stillborn	1	1	-	-
Maine:				
Three living	2	2	-	-
Two living	1	1	-	-
Maryland:				
Three living	4	1	3	-
Massachusetts:				
Three living	7	7	-	-
Two living	1	1	-	-
Michigan:				
Three living	16	16	-	-
Three stillborn	1	1	-	-
Minnesota:				
Three living	4	4	-	-
Mississippi:				
Three living	3	1	2	-
Two living	1	1	-	-
One living	1	-	1	-
Missouri:				
Three living	12	11	1	-
Nebraska:				
Three living	4	4	-	-
TRIPLETS—Continued				
New Jersey:				
Three living	3	3	-	-
New Mexico:				
Three living	3	3	-	-
One living	1	1	-	-
New York:				
Three living	21	20	1	-
Two living	9	8	1	-
One living	2	2	-	-
North Carolina:				
Three living	11	7	4	-
North Dakota:				
Three living	2	2	-	-
Ohio:				
Three living	5	5	-	-
Two living	12	11	1	-
One living	1	1	-	-
Three stillborn	2	2	-	-
Oklahoma:				
Three living	2	2	-	-
One living	1	1	-	-
Pennsylvania:				
Three living	7	4	3	-
Two living	8	8	-	-
One living	1	1	-	-
South Carolina:				
Three living	8	4	4	-
South Dakota:				
Three living	2	2	-	-
Tennessee:				
Three living	11	7	4	-
Two living	1	-	1	-
One living	1	-	1	-
TRIPLETS—Continued				
Texas:				
Three living	19	17	2	-
Two living	4	4	-	-
One living	1	1	-	-
Three stillborn	3	2	1	-
Utah:				
Three living	1	1	-	-
Vermont:				
Three living	1	1	-	-
Virginia:				
Three living	6	4	2	-
Washington:				
Three living	3	3	-	-
Two living	1	1	-	-
West Virginia:				
Three living	3	3	-	-
Two living	2	2	-	-
Wisconsin:				
Three living	7	7	-	-
One living	1	1	-	-
QUADRUPLETS				
UNITED STATES	1	-	1	-
Three living	1	-	1	-
Florida:				
Three living	1	-	1	-

652780 O - 45 - 10

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
UNITED STATES	2,934,860	2,115,582	615,754	192,715	10,809
White	2,594,763	2,002,313	534,177	50,886	7,387
Nonwhite	340,097	113,269	81,577	141,829	3,422
Urban	1,714,164	1,490,429	180,718	40,627	2,390
White	1,555,684	1,398,945	140,808	14,197	1,734
Nonwhite	158,480	91,484	39,910	26,430	656
Places of 100,000 or more	821,715	753,187	58,837	9,046	695
White	733,214	687,539	39,458	5,732	490
Nonwhite	88,501	65,598	19,384	3,314	205
Places of 25,000 to 100,000	356,269	314,697	31,697	9,399	476
White	326,473	299,754	23,755	2,604	360
Nonwhite	29,796	14,943	7,942	6,795	116
Places of 10,000 to 25,000	241,117	203,085	29,249	8,460	323
White	223,167	197,492	23,610	1,871	194
Nonwhite	17,950	5,593	5,639	6,589	129
Places of 2,500 to 10,000	295,063	219,510	60,935	13,722	896
White	272,830	214,160	53,990	3,990	690
Nonwhite	22,233	5,350	6,945	9,732	206
Rural	1,220,696	625,153	435,036	152,088	8,419
White	1,039,079	603,368	393,369	36,689	5,653
Nonwhite	181,617	21,785	41,667	115,399	2,766
Section A (States)					
ALABAMA	77,535	26,733	31,082	19,353	367
White	50,083	23,366	24,059	2,489	169
Nonwhite	27,452	3,367	7,023	16,864	198
Urban	25,378	15,459	6,558	3,316	45
White	16,457	12,916	3,378	149	14
Nonwhite	8,921	2,543	3,180	3,167	31
Places of 10,000 or more	18,836	12,435	4,205	2,178	18
White	11,785	10,090	1,620	72	3
Nonwhite	7,051	2,345	2,585	2,106	15
Places of 2,500 to 10,000	6,542	3,024	2,353	1,138	27
White	4,672	2,826	1,758	77	11
Nonwhite	1,870	198	595	1,061	16
Rural	52,157	11,274	24,524	16,037	322
White	33,626	10,450	20,661	2,340	155
Nonwhite	18,531	824	3,843	13,697	167
ARIZONA	14,297	11,086	1,982	553	676
White	12,620	10,076	1,821	502	221
Nonwhite	1,677	1,010	161	51	455
Urban	7,611	6,352	646	300	113
White	7,218	6,052	790	276	100
Nonwhite	393	300	56	24	13
Places of 10,000 or more	4,548	3,910	439	116	83
White	4,240	3,675	394	99	72
Nonwhite	308	235	45	17	11
Places of 2,500 to 10,000	3,063	2,442	407	184	30
White	2,978	2,377	396	177	28
Nonwhite	85	65	11	7	2
Rural	6,686	4,734	1,136	253	563
White	5,402	4,024	1,031	226	121
Nonwhite	1,284	710	105	27	442
ARKANSAS	42,589	14,923	19,177	8,092	397
White	32,469	14,203	16,904	1,083	279
Nonwhite	10,120	720	2,273	7,009	118
Urban	12,107	8,256	2,754	1,060	37
White	9,828	7,727	1,999	85	17
Nonwhite	2,279	529	755	975	20
Places of 10,000 or more	6,809	5,406	1,003	393	7
White	5,542	4,941	555	44	2
Nonwhite	1,267	465	448	349	5
Places of 2,500 to 10,000	5,298	2,850	1,751	667	30
White	4,286	2,786	1,444	41	15
Nonwhite	1,012	64	307	626	15
Rural	30,482	6,667	16,423	7,032	360
White	22,641	6,476	14,905	998	262
Nonwhite	7,841	191	1,518	6,034	98
CALIFORNIA	174,420	163,638	9,724	518	540
White	166,880	157,126	8,773	501	480
Nonwhite	7,540	6,512	951	17	60
Urban	132,084	125,378	5,916	442	348
White	126,148	120,239	5,159	431	319
Nonwhite	5,936	5,139	757	11	29
Places of 10,000 or more	112,141	106,914	4,555	427	245
White	106,666	102,195	3,837	417	217
Nonwhite	5,475	4,719	718	10	28
Places of 2,500 to 10,000	19,943	18,464	1,361	15	103
White	19,482	18,044	1,322	14	102
Nonwhite	461	420	39	1	1
Rural	42,336	38,260	3,808	76	192
White	40,732	36,887	3,614	70	161
Nonwhite	1,604	1,373	194	6	31
Section A (States)—Continued					
COLORADO	24,367	18,875	5,055	146	291
White	23,676	18,278	4,967	146	285
Nonwhite	691	597	88	-	6
Urban	14,744	12,450	2,129	62	103
White	14,367	12,138	2,068	62	99
Nonwhite	377	312	61	-	4
Places of 10,000 or more	11,626	10,148	1,376	47	55
White	11,290	9,869	1,322	47	52
Nonwhite	336	279	54	-	3
Places of 2,500 to 10,000	3,118	2,302	753	15	48
White	3,077	2,269	746	15	47
Nonwhite	41	33	7	-	1
Rural	9,623	6,425	2,926	84	188
White	9,309	6,140	2,699	84	186
Nonwhite	314	285	27	-	2
CONNECTICUT	39,005	37,948	999	46	12
White	38,083	37,096	931	44	12
Nonwhite	922	852	68	2	-
Urban	26,922	26,290	579	41	12
White	26,087	25,518	517	40	12
Nonwhite	835	772	62	1	-
Places of 10,000 or more	25,682	25,105	525	40	12
White	24,850	24,336	463	39	12
Nonwhite	832	769	62	1	-
Places of 2,500 to 10,000	1,240	1,185	54	1	-
White	1,237	1,182	54	1	-
Nonwhite	3	3	-	-	-
Rural	12,083	11,658	420	5	-
White	11,996	11,576	414	4	-
Nonwhite	87	80	6	1	-
DELAWARE	6,229	5,053	732	439	5
White	5,307	4,619	590	98	-
Nonwhite	922	434	142	341	5
Urban	3,289	3,009	135	144	1
White	2,792	2,656	102	34	-
Nonwhite	497	353	33	110	1
Places of 10,000 or more	2,611	2,486	69	56	-
White	2,226	2,156	54	16	-
Nonwhite	385	330	15	40	-
Places of 2,500 to 10,000	678	523	66	88	1
White	566	500	48	18	-
Nonwhite	112	23	18	70	1
Rural	2,940	2,044	597	295	4
White	2,515	1,963	488	64	-
Nonwhite	425	81	109	231	4
DISTRICT OF COLUMBIA	16,080	14,939	1,134	7	-
White	10,825	10,621	202	2	-
Nonwhite	5,255	4,318	932	5	-
FLORIDA	46,744	28,886	8,640	8,961	257
White	34,691	26,591	6,683	1,285	132
Nonwhite	12,053	2,295	1,957	7,676	125
Urban	26,614	19,829	2,783	3,896	106
White	19,926	17,956	1,616	317	37
Nonwhite	6,688	1,873	1,167	3,579	69
Places of 10,000 or more	20,886	16,549	1,583	2,658	96
White	15,960	14,911	782	234	33
Nonwhite	4,926	1,638	801	2,424	63
Places of 2,500 to 10,000	5,728	3,280	1,200	1,238	10
White	3,966	3,045	834	83	4
Nonwhite	1,762	235	366	1,155	6
Rural	20,130	9,057	5,857	5,065	151
White	14,765	8,635	5,067	968	95
Nonwhite	5,365	422	790	4,097	56
GEORGIA	78,387	35,661	21,606	21,006	114
White	50,167	31,051	16,760	2,301	75
Nonwhite	28,200	4,610	4,846	18,705	39
Urban	31,235	21,790	5,582	3,840	23
White	21,421	17,981	3,238	192	10
Nonwhite	9,814	3,809	2,344	3,648	13
Places of 10,000 or more	23,365	18,052	3,260	2,021	12
White	16,068	14,483	1,478	102	5
Nonwhite	7,297	3,569	1,802	1,919	7
Places of 2,500 to 10,000	7,870	3,738	2,322	1,819	11
White	5,353	3,498	1,760	90	5
Nonwhite	2,517	240	542	1,729	6
Rural	47,152	13,871	16,024	17,166	91
White	28,766	13,070	13,522	2,109	65
Nonwhite	18,386	801	2,502	15,057	26

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
IDAHO	12,391	10,859	1,521	7	4
White	12,268	10,746	1,511	7	4
Nonwhite	123	113	10	-	-
Urban	5,288	4,847	439	1	1
White	5,266	4,826	438	1	1
Nonwhite	22	21	1	-	-
Places of 10,000 or more	3,133	3,023	109	1	-
White	3,123	3,013	109	1	-
Nonwhite	10	10	-	-	-
Places of 2,500 to 10,000	2,155	1,824	330	-	1
White	2,143	1,813	329	-	1
Nonwhite	12	11	1	-	-
Rural	7,103	6,012	1,082	6	3
White	7,002	5,920	1,073	6	3
Nonwhite	101	92	9	-	-
ILLINOIS	155,735	136,422	19,027	227	59
White	146,475	129,455	16,773	210	37
Nonwhite	9,260	6,967	2,254	17	22
Urban	118,829	110,214	8,377	204	34
White	109,989	103,378	6,400	192	19
Nonwhite	8,840	6,836	1,977	12	15
Places of 10,000 or more	102,785	96,781	5,780	201	23
White	94,174	90,078	3,897	190	9
Nonwhite	8,611	6,703	1,883	11	14
Places of 2,500 to 10,000	16,044	13,433	2,597	3	11
White	15,815	13,300	2,503	2	10
Nonwhite	229	133	94	1	1
Rural	36,906	26,208	10,650	23	25
White	36,486	26,077	10,373	18	18
Nonwhite	420	131	277	5	7
INDIANA	74,672	56,491	18,120	49	12
White	72,084	55,265	16,769	41	9
Nonwhite	2,588	1,226	1,351	8	3
Urban	45,155	38,083	7,022	44	6
White	42,638	36,885	5,714	36	3
Nonwhite	2,517	1,198	1,308	8	3
Places of 10,000 or more	37,826	32,200	5,579	42	5
White	35,348	31,019	4,293	34	2
Nonwhite	2,478	1,181	1,286	8	3
Places of 2,500 to 10,000	7,329	5,883	1,443	2	1
White	7,290	5,866	1,421	2	1
Nonwhite	39	17	22	-	-
Rural	29,517	18,408	11,098	5	6
White	29,446	18,380	11,055	5	6
Nonwhite	71	28	43	-	-
IOWA	47,617	37,600	9,973	14	30
White	47,276	37,323	9,912	12	29
Nonwhite	341	277	61	2	1
Urban	21,488	19,419	2,049	6	14
White	21,174	19,158	1,998	4	14
Nonwhite	314	261	51	2	-
Places of 10,000 or more	16,123	14,964	1,147	3	9
White	15,827	14,713	1,103	2	9
Nonwhite	296	251	44	1	-
Places of 2,500 to 10,000	5,365	4,455	902	3	5
White	5,347	4,445	895	2	5
Nonwhite	18	10	7	1	-
Rural	26,129	18,181	7,924	8	16
White	26,102	18,165	7,914	8	15
Nonwhite	27	16	10	-	1
KANSAS	36,021	28,171	7,823	17	10
White	34,699	27,489	7,188	14	8
Nonwhite	1,322	682	635	3	2
Urban	19,120	16,718	2,393	8	1
White	17,955	16,113	1,836	6	-
Nonwhite	1,165	605	557	2	1
Places of 10,000 or more	14,428	12,876	1,545	6	1
White	13,387	12,357	1,026	4	-
Nonwhite	1,041	519	519	2	1
Places of 2,500 to 10,000	4,692	3,842	848	2	-
White	4,568	3,756	810	2	-
Nonwhite	124	86	38	-	-
Rural	16,901	11,453	5,430	9	9
White	16,744	11,376	5,352	8	8
Nonwhite	157	77	78	1	1
Section A (States)—Continued					
KENTUCKY	65,566	21,826	36,205	7,341	194
White	62,138	20,855	33,974	7,118	191
Nonwhite	3,428	971	2,231	223	3
Urban	21,125	14,441	6,545	131	8
White	19,117	13,583	5,422	105	7
Nonwhite	2,008	858	1,123	26	1
Places of 10,000 or more	15,775	12,074	3,658	40	3
White	14,215	11,265	2,918	30	2
Nonwhite	1,560	809	740	10	1
Places of 2,500 to 10,000	5,350	2,367	2,887	91	5
White	4,902	2,318	2,504	75	5
Nonwhite	448	49	383	16	-
Rural	44,441	7,385	29,660	7,210	186
White	43,021	7,272	28,552	7,013	184
Nonwhite	1,420	113	1,108	197	2
LOUISIANA	62,005	33,803	13,184	14,723	295
White	38,392	25,612	10,241	2,455	84
Nonwhite	23,613	8,191	2,943	12,268	211
Urban	27,888	21,451	3,514	2,863	60
White	18,855	15,761	2,472	608	14
Nonwhite	9,033	5,690	1,042	2,255	46
Places of 10,000 or more	20,518	17,008	2,100	1,384	26
White	13,563	11,897	1,324	337	5
Nonwhite	6,955	5,111	776	1,047	21
Places of 2,500 to 10,000	7,370	4,443	1,414	1,479	34
White	5,292	3,864	1,148	271	9
Nonwhite	2,078	579	266	1,208	25
Rural	34,117	12,352	9,670	11,860	235
White	19,537	9,851	7,769	1,847	70
Nonwhite	14,580	2,501	1,901	10,013	165
MAINE	18,944	14,379	4,467	15	83
White	18,899	14,348	4,454	15	82
Nonwhite	45	31	13	-	1
Urban	7,704	6,780	909	5	10
White	7,681	6,764	903	5	9
Nonwhite	23	16	6	-	1
Places of 10,000 or more	5,999	5,468	524	3	4
White	5,982	5,454	521	3	4
Nonwhite	17	14	3	-	-
Places of 2,500 to 10,000	1,705	1,312	385	2	6
White	1,699	1,310	382	2	5
Nonwhite	6	2	3	-	1
Rural	11,240	7,599	3,558	10	73
White	11,218	7,584	3,551	10	73
Nonwhite	22	15	7	-	-
MARYLAND	47,371	33,490	11,343	2,473	65
White	38,770	29,612	8,367	747	44
Nonwhite	8,601	3,878	2,976	1,726	21
Urban	28,089	21,632	5,596	848	13
White	22,552	18,670	3,584	287	11
Nonwhite	5,537	2,962	2,012	561	2
Places of 10,000 or more	25,451	19,441	5,209	793	8
White	20,106	16,559	3,264	277	6
Nonwhite	5,345	2,882	1,945	516	2
Places of 2,500 to 10,000	2,638	2,191	387	55	5
White	2,446	2,111	320	10	5
Nonwhite	192	80	67	45	-
Rural	19,282	11,858	5,747	1,625	52
White	16,218	10,942	4,788	460	33
Nonwhite	3,064	916	964	1,165	19
MASSACHUSETTS	85,917	80,566	5,322	3	26
White	84,682	79,509	5,144	3	26
Nonwhite	1,235	1,057	178	-	-
Urban	77,021	72,553	4,446	3	19
White	75,910	71,582	4,306	3	19
Nonwhite	1,111	971	140	-	-
Places of 10,000 or more	71,430	67,564	3,850	2	14
White	70,372	66,640	3,716	2	14
Nonwhite	1,058	924	134	-	-
Places of 2,500 to 10,000	5,591	4,989	596	1	5
White	5,538	4,942	590	1	5
Nonwhite	53	47	6	-	-
Rural	8,896	8,013	876	-	7
White	8,772	7,927	838	-	7
Nonwhite	124	86	38	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
MICHIGAN	125,778	106,062	19,471	124	121
White	120,055	101,955	17,884	108	113
Nonwhite	5,723	4,107	1,587	21	8
Urban	86,974	78,339	8,575	40	20
White	81,549	74,386	7,169	25	19
Nonwhite	5,425	4,003	1,406	15	1
Places of 10,000 or more	75,683	68,627	7,002	38	16
White	70,428	64,732	5,658	23	15
Nonwhite	5,255	3,895	1,344	15	1
Places of 2,500 to 10,000	11,291	9,712	1,573	2	4
White	11,121	9,604	1,511	2	4
Nonwhite	170	108	62	-	-
Rural	38,804	27,723	10,896	84	101
White	38,506	27,619	10,715	78	94
Nonwhite	298	104	181	6	7
MINNESOTA	58,508	50,089	8,123	111	185
White	58,006	49,683	8,069	105	149
Nonwhite	502	406	54	6	36
Urban	30,398	28,671	1,696	22	9
White	30,302	28,584	1,687	22	9
Nonwhite	96	87	9	-	-
Places of 10,000 or more	23,318	22,301	1,005	8	4
White	23,239	22,229	998	8	4
Nonwhite	79	72	7	-	-
Places of 2,500 to 10,000	7,080	6,370	691	14	5
White	7,063	6,355	689	14	5
Nonwhite	17	15	2	-	-
Rural	28,110	21,418	6,427	89	176
White	27,704	21,099	6,382	83	140
Nonwhite	406	319	45	6	36
MISSISSIPPI	59,846	15,933	18,281	25,480	152
White	27,820	14,420	12,244	1,104	52
Nonwhite	32,026	1,513	6,037	24,376	100
Urban	12,102	7,456	1,969	2,673	4
White	7,934	6,909	915	108	2
Nonwhite	4,168	547	1,054	2,565	2
Places of 10,000 or more	7,803	5,148	911	1,741	3
White	5,126	4,751	324	50	1
Nonwhite	2,677	397	587	1,691	2
Places of 2,500 to 10,000	4,299	2,308	1,058	932	1
White	2,808	2,158	591	58	1
Nonwhite	1,491	150	467	874	-
Rural	47,744	8,477	16,312	22,807	148
White	19,886	7,511	11,329	996	50
Nonwhite	27,858	966	4,983	21,811	98
MISSOURI	72,458	46,618	23,832	1,338	670
White	67,391	43,405	22,478	936	572
Nonwhite	5,067	3,213	1,354	402	98
Urban	40,432	34,004	5,944	423	61
White	36,366	30,950	5,066	314	36
Nonwhite	4,066	3,054	878	109	25
Places of 10,000 or more	33,532	29,890	3,314	286	42
White	29,796	26,894	2,629	246	27
Nonwhite	3,736	2,996	685	40	15
Places of 2,500 to 10,000	6,900	4,114	2,630	137	19
White	6,570	4,056	2,437	68	9
Nonwhite	330	58	193	69	10
Rural	32,026	12,614	17,888	915	609
White	31,025	12,455	17,412	622	536
Nonwhite	1,001	159	476	293	73
MONTANA	11,407	10,426	813	87	81
White	10,754	9,923	767	39	25
Nonwhite	653	503	46	48	56
Urban	5,315	5,116	184	9	6
White	5,272	5,075	183	8	6
Nonwhite	43	41	1	1	-
Places of 10,000 or more	3,623	3,540	74	5	4
White	3,597	3,515	74	4	4
Nonwhite	26	25	-	1	-
Places of 2,500 to 10,000	1,692	1,576	110	4	2
White	1,675	1,560	109	4	2
Nonwhite	17	16	1	-	-
Rural	6,092	5,310	629	78	75
White	5,482	4,848	584	31	19
Nonwhite	610	462	45	47	56

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
NEBRASKA	25,048	19,733	5,299	5	11
White	24,614	19,375	5,228	5	6
Nonwhite	434	358	71	-	5
Urban	11,040	10,097	939	2	2
White	10,732	9,838	890	2	2
Nonwhite	308	259	49	-	-
Places of 10,000 or more	8,722	8,117	603	2	-
White	8,437	7,878	557	2	-
Nonwhite	285	239	46	-	-
Places of 2,500 to 10,000	2,318	1,980	336	-	2
White	2,295	1,960	333	-	2
Nonwhite	23	20	3	-	-
Rural	14,008	9,636	4,360	3	9
White	13,882	9,537	4,338	3	4
Nonwhite	126	99	22	-	5
NEVADA	3,026	2,799	199	8	20
White	2,817	2,640	169	2	6
Nonwhite	209	159	30	6	14
Urban	1,357	1,312	40	1	4
White	1,315	1,279	31	1	4
Nonwhite	42	33	9	-	-
Places of 10,000 or more	545	539	6	-	-
White	535	530	5	-	-
Nonwhite	10	9	1	-	-
Places of 2,500 to 10,000	812	773	34	1	4
White	780	749	26	1	4
Nonwhite	32	24	8	-	-
Rural	1,669	1,487	159	7	16
White	1,502	1,361	138	1	2
Nonwhite	167	126	21	6	14
NEW HAMPSHIRE	9,367	8,420	945	1	1
White	9,352	8,405	945	1	1
Nonwhite	15	15	-	-	-
Urban	5,628	5,241	385	1	1
White	5,615	5,228	385	1	1
Nonwhite	13	13	-	-	-
Places of 10,000 or more	4,823	4,516	306	1	-
White	4,811	4,504	306	1	-
Nonwhite	12	12	-	-	-
Places of 2,500 to 10,000	805	725	79	-	1
White	804	724	79	-	1
Nonwhite	1	1	-	-	-
Rural	3,739	3,179	560	-	-
White	3,737	3,177	560	-	-
Nonwhite	2	2	-	-	-
NEW JERSEY	83,032	75,531	6,190	1,275	36
White	77,421	71,197	4,979	1,221	24
Nonwhite	5,611	4,334	1,211	54	12
Urban	67,607	62,510	3,899	1,177	21
White	62,872	58,694	3,032	1,129	17
Nonwhite	4,735	3,816	867	48	4
Places of 10,000 or more	54,868	50,820	2,964	1,065	19
White	50,586	47,331	2,220	1,020	15
Nonwhite	4,282	3,489	744	45	4
Places of 2,500 to 10,000	12,739	11,690	935	112	2
White	12,286	11,363	812	109	2
Nonwhite	453	327	123	3	-
Rural	15,425	13,021	2,291	98	15
White	14,549	12,503	1,947	92	7
Nonwhite	876	518	344	6	8
NEW MEXICO	15,211	7,636	4,231	2,802	542
White	14,275	7,020	4,156	2,661	438
Nonwhite	936	616	75	141	104
Urban	6,254	4,348	1,197	655	54
White	6,091	4,221	1,171	646	53
Nonwhite	163	127	26	9	1
Places of 10,000 or more	3,002	2,303	472	204	23
White	2,897	2,215	459	201	22
Nonwhite	105	88	13	3	1
Places of 2,500 to 10,000	3,252	2,045	725	451	31
White	3,194	2,006	712	445	31
Nonwhite	58	39	13	6	-
Rural	8,957	3,288	3,034	2,147	488
White	8,184	2,799	2,985	2,015	385
Nonwhite	773	489	49	132	103

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
NEW YORK	248,627	232,907	14,160	1,333	227
White	236,922	222,341	13,284	1,114	183
Nonwhite	11,705	10,566	876	219	44
Urban	204,505	195,850	7,251	1,279	125
White	193,442	185,736	6,537	1,066	103
Nonwhite	11,063	10,114	714	213	22
Places of 10,000 or more	191,557	184,051	6,114	1,268	124
White	180,693	174,112	5,424	1,055	102
Nonwhite	10,864	9,939	690	213	22
Places of 2,500 to 10,000	12,948	11,799	1,137	11	1
White	12,749	11,624	1,113	11	1
Nonwhite	199	175	24	-	-
Rural	44,122	37,057	6,909	54	102
White	43,480	36,605	6,747	48	80
Nonwhite	642	452	162	6	22
NORTH CAROLINA	94,568	43,234	34,406	16,687	241
White	66,327	38,202	24,846	3,121	158
Nonwhite	28,241	5,032	9,560	13,566	83
Urban	25,733	18,992	4,726	2,000	15
White	18,639	16,001	2,547	85	6
Nonwhite	7,094	2,991	2,179	1,915	9
Places of 10,000 or more	19,424	15,069	2,958	1,385	12
White	13,661	12,372	1,240	46	3
Nonwhite	5,763	2,697	1,718	1,339	9
Places of 2,500 to 10,000	6,309	3,923	1,768	615	3
White	4,978	3,629	1,307	39	3
Nonwhite	1,331	294	461	576	-
Rural	68,835	24,242	29,680	14,687	226
White	47,688	22,201	22,299	3,036	152
Nonwhite	21,147	2,041	7,381	11,651	74
NORTH DAKOTA	13,422	10,897	2,317	25	183
White	13,111	10,651	2,284	22	154
Nonwhite	311	246	33	3	29
Urban	2,893	2,784	107	-	2
White	2,880	2,773	105	-	2
Nonwhite	13	11	2	-	-
Places of 10,000 or more	1,870	1,798	72	-	-
White	1,864	1,794	70	-	-
Nonwhite	6	4	2	-	-
Places of 2,500 to 10,000	1,023	986	35	-	2
White	1,016	979	35	-	2
Nonwhite	7	7	-	-	-
Rural	10,529	8,113	2,210	25	181
White	10,231	7,878	2,179	22	152
Nonwhite	298	235	31	3	29
OHIO	144,087	115,801	28,132	97	57
White	136,434	110,474	25,821	87	52
Nonwhite	7,653	5,327	2,311	10	5
Urban	98,978	87,449	11,453	55	21
White	91,867	82,341	9,464	46	16
Nonwhite	7,111	5,108	1,989	9	5
Places of 10,000 or more	84,853	76,420	8,370	47	16
White	78,099	71,500	6,547	40	12
Nonwhite	6,754	4,920	1,823	7	4
Places of 2,500 to 10,000	14,125	11,029	3,083	8	5
White	13,768	10,841	2,917	6	4
Nonwhite	357	188	166	2	1
Rural	45,109	28,352	16,679	42	36
White	44,567	28,133	16,357	41	36
Nonwhite	542	219	322	1	-
OKLAHOMA	48,639	29,796	17,002	1,279	562
White	43,631	27,869	15,127	386	249
Nonwhite	5,008	1,927	1,875	893	313
Urban	22,682	17,847	4,379	350	106
White	20,432	16,923	3,413	59	37
Nonwhite	2,250	924	966	291	69
Places of 10,000 or more	16,229	13,543	2,404	219	63
White	14,614	12,904	1,677	21	12
Nonwhite	1,615	639	727	198	51
Places of 2,500 to 10,000	6,453	4,304	1,975	131	43
White	5,818	4,019	1,736	38	25
Nonwhite	635	285	239	93	18
Rural	25,957	11,949	12,623	929	456
White	23,199	10,946	11,714	327	212
Nonwhite	2,758	1,003	909	602	244
Section A (States)—Continued					
OREGON	25,450	24,328	1,050	25	47
White	25,105	24,022	1,035	22	26
Nonwhite	345	306	15	3	21
Urban	14,032	13,793	225	8	6
White	13,883	13,654	216	7	6
Nonwhite	149	139	9	1	-
Places of 10,000 or more	10,810	10,687	110	7	6
White	10,680	10,564	104	6	6
Nonwhite	130	123	6	1	-
Places of 2,500 to 10,000	3,222	3,106	115	1	-
White	3,203	3,090	112	1	-
Nonwhite	19	16	3	-	-
Rural	11,418	10,535	825	17	41
White	11,222	10,368	819	15	20
Nonwhite	196	167	6	2	21
PENNSYLVANIA	199,366	155,241	43,780	297	48
White	187,607	146,345	40,950	267	45
Nonwhite	11,759	8,896	2,830	30	3
Urban	134,352	116,840	17,294	203	15
White	123,579	108,455	14,938	174	12
Nonwhite	10,773	8,385	2,356	29	3
Places of 10,000 or more	108,936	96,686	12,072	166	12
White	98,594	88,616	9,830	138	10
Nonwhite	10,342	8,070	2,242	28	2
Places of 2,500 to 10,000	25,416	20,154	5,222	37	3
White	24,985	19,839	5,108	36	2
Nonwhite	431	315	114	1	1
Rural	65,014	38,401	26,486	94	33
White	64,028	37,890	26,012	93	33
Nonwhite	986	511	474	1	-
RHODE ISLAND	14,667	13,078	1,516	47	26
White	14,313	12,777	1,465	46	25
Nonwhite	354	301	51	1	1
Urban	13,111	11,676	1,368	46	21
White	12,792	11,406	1,321	45	20
Nonwhite	319	270	47	1	1
Places of 10,000 or more	12,588	11,249	1,289	30	20
White	12,274	10,981	1,245	29	19
Nonwhite	314	268	44	1	1
Places of 2,500 to 10,000	523	427	79	16	1
White	518	425	76	16	1
Nonwhite	5	2	3	-	-
Rural	1,556	1,402	148	1	5
White	1,521	1,371	144	1	5
Nonwhite	35	31	4	-	-
SOUTH CAROLINA	54,144	19,310	15,162	19,633	39
White	29,844	17,391	11,119	1,309	25
Nonwhite	24,300	1,919	4,043	18,324	14
Urban	16,863	10,388	3,710	2,764	1
White	11,655	9,361	2,181	112	1
Nonwhite	5,208	1,027	1,529	2,652	-
Places of 10,000 or more	10,611	7,380	1,718	1,512	1
White	7,196	6,520	630	45	1
Nonwhite	3,415	860	1,088	1,467	-
Places of 2,500 to 10,000	6,252	3,008	1,992	1,252	-
White	4,459	2,841	1,551	67	-
Nonwhite	1,793	167	441	1,185	-
Rural	37,281	8,922	11,452	16,869	38
White	18,189	8,030	8,938	1,197	24
Nonwhite	19,092	892	2,514	15,672	14
SOUTH DAKOTA	12,816	9,870	2,722	86	138
White	12,151	9,414	2,653	42	42
Nonwhite	665	456	69	44	96
Urban	3,870	3,615	248	4	3
White	3,819	3,572	245	1	1
Nonwhite	51	43	3	3	2
Places of 10,000 or more	2,698	2,579	118	1	-
White	2,675	2,559	115	1	-
Nonwhite	23	20	3	-	-
Places of 2,500 to 10,000	1,172	1,036	130	3	3
White	1,144	1,013	130	-	1
Nonwhite	28	23	-	3	2
Rural	8,946	6,255	2,474	82	135
White	8,332	5,842	2,408	41	41
Nonwhite	614	413	66	41	94

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section A (States)—Continued					
TENNESSEE	70,203	29,615	35,230	5,317	41
White	59,348	26,564	29,879	2,875	30
Nonwhite	10,855	3,051	5,351	2,442	11
Urban	26,869	19,046	7,256	555	12
White	21,069	16,428	4,493	145	3
Nonwhite	5,800	2,618	2,763	410	9
Places of 10,000 or more	21,225	16,061	4,746	409	9
White	16,074	13,586	2,455	82	1
Nonwhite	5,151	2,525	2,291	327	8
Places of 2,500 to 10,000	5,644	2,985	2,510	146	3
White	4,995	2,892	2,038	63	2
Nonwhite	649	93	472	83	1
Rural	43,334	10,569	27,974	4,762	29
White	38,279	10,136	25,386	2,730	27
Nonwhite	5,055	433	2,588	2,032	2
TEXAS	164,513	101,576	40,299	19,583	3,055
White	144,278	95,430	34,503	12,212	2,133
Nonwhite	20,235	6,146	5,796	7,371	922
Urban	97,058	70,939	16,327	8,956	836
White	86,724	65,892	13,054	7,161	617
Nonwhite	10,334	5,047	3,273	1,795	219
Places of 10,000 or more	70,983	55,686	8,684	6,178	435
White	62,852	51,081	6,355	5,106	310
Nonwhite	8,131	4,605	2,329	1,072	125
Places of 2,500 to 10,000	26,075	15,253	7,643	2,778	401
White	23,872	14,811	6,699	2,055	307
Nonwhite	2,203	442	944	723	94
Rural	67,455	30,637	23,972	10,627	2,219
White	57,554	29,538	21,449	5,051	1,516
Nonwhite	9,901	1,099	2,523	5,576	703
UTAH	17,161	15,012	2,074	45	30
White	16,942	14,816	2,052	45	29
Nonwhite	219	196	22	-	1
Urban	10,355	9,774	563	6	12
White	10,291	9,715	558	6	12
Nonwhite	64	59	5	-	-
Places of 10,000 or more	7,402	7,129	267	2	4
White	7,352	7,083	263	2	4
Nonwhite	50	46	4	-	-
Places of 2,500 to 10,000	2,953	2,645	296	4	8
White	2,939	2,632	295	4	8
Nonwhite	14	13	1	-	-
Rural	6,806	5,238	1,511	39	18
White	6,651	5,101	1,494	39	17
Nonwhite	155	137	17	-	1
VERMONT	7,303	5,478	1,820	2	3
White	7,299	5,475	1,819	2	3
Nonwhite	4	3	1	-	-
Urban	2,805	2,466	339	-	-
White	2,805	2,466	339	-	-
Nonwhite	-	-	-	-	-
Places of 10,000 or more	1,211	1,104	107	-	-
White	1,211	1,104	107	-	-
Nonwhite	-	-	-	-	-
Places of 2,500 to 10,000	1,594	1,362	232	-	-
White	1,594	1,362	232	-	-
Nonwhite	-	-	-	-	-
Rural	4,498	3,012	1,481	2	3
White	4,494	3,009	1,480	2	3
Nonwhite	4	3	1	-	-
VIRGINIA	72,157	36,611	23,410	11,703	433
White	54,663	33,152	18,397	2,622	292
Nonwhite	17,494	3,459	5,013	8,881	141
Urban	27,528	21,321	4,026	2,136	45
White	21,288	18,893	2,220	164	11
Nonwhite	6,240	2,428	1,806	1,972	34
Places of 10,000 or more	22,349	18,061	2,366	1,888	34
White	16,765	15,797	855	109	4
Nonwhite	5,584	2,264	1,511	1,779	30
Places of 2,500 to 10,000	5,179	3,260	1,660	248	11
White	4,523	3,096	1,365	55	7
Nonwhite	656	164	295	193	4
Rural	44,629	15,290	19,384	9,567	388
White	33,375	14,259	16,177	2,658	281
Nonwhite	11,254	1,031	3,207	6,909	107
Section A (States)—Continued					
WASHINGTON	44,520	42,892	1,528	45	55
White	43,597	42,095	1,447	15	40
Nonwhite	923	797	81	30	15
Urban	26,968	26,536	412	6	14
White	26,510	26,095	398	3	14
Nonwhite	458	441	14	3	-
Places of 10,000 or more	23,976	23,658	303	4	11
White	23,565	23,259	293	2	11
Nonwhite	411	399	10	2	-
Places of 2,500 to 10,000	2,992	2,878	109	2	3
White	2,945	2,836	105	1	3
Nonwhite	47	42	4	1	-
Rural	17,552	16,356	1,116	39	41
White	17,087	16,000	1,049	12	26
Nonwhite	465	356	67	27	15
WEST VIRGINIA	43,872	16,521	25,310	1,236	305
White	40,975	16,070	23,404	1,203	298
Nonwhite	2,897	451	1,906	33	7
Urban	12,691	9,372	3,275	28	16
White	12,109	9,099	2,969	26	15
Nonwhite	582	273	306	2	1
Places of 10,000 or more	8,740	7,242	1,472	14	12
White	8,338	7,018	1,297	12	11
Nonwhite	402	224	175	2	1
Places of 2,500 to 10,000	3,951	2,130	1,803	14	4
White	3,771	2,081	1,672	14	4
Nonwhite	180	49	131	-	-
Rural	30,661	7,149	22,035	1,208	289
White	28,866	6,971	20,435	1,177	283
Nonwhite	1,815	178	1,600	31	6
WISCONSIN	64,450	53,704	10,655	52	39
White	63,744	53,165	10,501	44	34
Nonwhite	706	539	154	8	5
Urban	35,257	32,235	3,013	7	2
White	34,942	32,002	2,932	6	2
Nonwhite	315	233	81	1	-
Places of 10,000 or more	29,813	27,613	2,191	7	2
White	29,509	27,390	2,111	6	2
Nonwhite	304	223	80	1	-
Places of 2,500 to 10,000	5,444	4,622	822	-	-
White	5,433	4,612	821	-	-
Nonwhite	11	10	1	-	-
Rural	29,193	21,469	7,642	45	37
White	28,802	21,163	7,569	38	32
Nonwhite	391	306	73	7	5
WYOMING	5,822	5,115	681	2	24
White	5,463	4,796	649	2	16
Nonwhite	359	319	32	-	8
Urban	2,736	2,522	212	-	2
White	2,704	2,495	207	-	2
Nonwhite	32	27	5	-	-
Places of 10,000 or more	1,855	1,759	95	-	1
White	1,837	1,744	92	-	1
Nonwhite	18	15	3	-	-
Places of 2,500 to 10,000	881	763	117	-	1
White	867	751	115	-	1
Nonwhite	14	12	2	-	-
Rural	3,086	2,593	469	2	22
White	2,759	2,301	442	2	14
Nonwhite	327	292	27	-	8
Section B (Counties)					
ALABAMA (total)	77,535	26,733	31,082	19,353	367
Autauga	540	143	116	279	2
Baldwin	1,140	380	411	343	6
Barbour	877	140	301	433	3
Bibb	486	52	241	187	6
Blount	687	53	614	16	4
Bullock	514	16	61	436	1
Butler	795	158	266	369	2
Calhoun	2,169	965	978	216	10
Anniston	1,014	634	244	136	-
Balance of county	1,155	331	734	80	10
Chambers	952	431	253	264	4
Cherokee	418	41	273	78	26
Chilton	667	149	372	145	1
Choctaw	442	85	82	272	3

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
ALABAMA—Continued					
Clarke	597	66	203	322	6
Clay	403	25	332	44	2
Cleburne	348	13	295	40	-
Coffee	767	137	579	49	2
Colbert	1,111	448	463	192	8
Conecuh	577	42	278	355	2
Coosa	323	68	109	143	3
Covington	1,012	287	569	156	-
Crenshaw	458	73	235	150	-
Cullman	1,287	506	722	55	4
Dale	672	150	453	68	1
Dallas	1,505	401	90	1,005	9
Selma	573	279	47	247	-
Balance of county	932	122	43	758	9
De Kalb	1,016	46	903	65	2
Elmore	736	305	129	301	1
Escambia	866	225	334	303	4
Etowah	2,193	720	1,365	97	11
Gadsden	1,125	491	617	12	5
Balance of county	1,068	229	748	85	6
Fayette	510	68	369	70	3
Franklin	763	166	539	57	1
Geneva	707	178	432	90	7
Greene	472	13	45	412	2
Hale	573	57	106	509	1
Henry	604	56	194	354	-
Houston	1,186	420	490	267	9
Dothan	434	273	99	61	1
Balance of county	752	147	391	206	8
Jackson	1,161	87	907	162	5
Jefferson	12,362	7,468	4,701	182	11
Bessemer	692	229	385	78	-
Birmingham	7,217	5,292	1,899	23	3
Fairfield	255	146	109	-	-
Balance of county	4,198	1,801	2,308	81	8
Lamar	434	36	350	46	2
Lauderdale	1,227	453	656	118	-
Florence	419	277	121	21	-
Balance of county	808	176	535	97	-
Lawrence	790	251	393	145	1
Lee	952	285	194	471	2
Limestone	977	319	466	192	-
Lowndes	576	30	31	510	5
Macon	787	144	137	472	34
Madison	1,886	535	888	462	1
Huntsville	552	318	158	76	-
Balance of county	1,334	217	730	386	1
Marengo	783	53	171	554	5
Marion	724	105	524	93	2
Marshall	1,169	205	860	98	6
Mobile	6,532	3,936	1,134	1,458	4
Mobile	3,039	2,261	218	559	1
Balance of county	3,493	1,675	916	899	3
Monroe	790	43	276	471	-
Montgomery	2,770	1,448	114	1,200	8
Montgomery	1,987	1,264	47	673	3
Balance of county	783	184	67	527	5
Morgan	1,124	502	505	101	16
Decatur	420	282	98	39	1
Balance of county	704	220	407	62	15
Perry	633	26	115	488	4
Pickens	713	31	315	351	16
Pike	824	213	282	324	5
Randolph	543	121	240	174	8
Russell	1,088	398	118	569	3
Phenix City	507	311	63	133	-
Balance of county	581	87	55	436	3
St. Clair	703	181	429	79	14
Shelby	699	98	529	68	4
Sumter	668	81	77	493	17
Talladega	1,910	947	560	393	10
Tallapoosa	948	364	446	126	12
Tuscaloosa	1,618	707	549	350	12
Tuscaloosa	602	378	100	120	4
Balance of county	1,016	329	449	230	8
Walker	1,673	341	1,275	53	4
Washington	471	19	226	221	5
Wilcox	895	40	128	722	5
Winston	532	183	284	65	-
ARIZONA (total)	14,297	11,086	1,982	553	676
Apache	461	237	118	24	82
Cochise	1,076	826	162	67	21
Coconino	388	277	71	15	25
Gila	793	563	179	2	49
Graham	356	182	142	4	28
Greenlee	444	384	45	4	11
Maricopa	5,618	4,892	474	169	83
Phoenix	2,925	2,705	146	43	31
Balance of county	2,693	2,187	328	126	52
Mohave	184	157	13	10	4
Navajo	664	424	46	7	187
Pima	2,057	1,509	315	102	131
Tucson	1,623	1,205	293	73	52
Balance of county	434	304	22	29	79
Pinal	907	637	194	36	40
Santa Cruz	192	108	51	29	4
Yavapai	591	433	138	13	7
Yuma	566	457	34	71	4
ARKANSAS (total)	42,589	14,923	19,177	8,092	397
Arkansas	503	110	302	87	4
Ashley	651	173	272	202	4
Baxter	183	50	116	7	10
Benton	626	316	305	3	2
Boone	294	53	237	4	-
Bradley	364	144	171	47	2
Calhoun	186	27	126	33	-
Carroll	267	67	176	20	4
Chicot	617	134	141	335	7
Clark	532	112	263	154	3
Clay	559	91	452	9	7
Cleburne	304	155	119	24	6
Cleveland	201	53	110	37	1
Columbia	447	109	224	110	4
Conway	480	172	204	101	3
Craighead	1,069	404	635	24	6
Jonesboro	301	258	23	20	-
Balance of county	768	146	612	4	6
Crawford	591	212	331	46	2
Crittenden	1,044	107	199	722	16
Cross	546	156	235	150	5
Dallas	290	60	153	72	5
Desha	586	175	94	310	7
Drew	458	181	123	140	14
Faulkner	576	227	276	71	2
Franklin	293	162	126	5	-
Fulton	175	15	152	5	3
Garland	873	561	230	79	3
Hot Springs	618	463	115	35	-
Balance of county	260	98	115	44	3
Grant	202	28	163	9	2
Greene	616	143	468	3	2
Hempstead	593	238	165	190	-
Hot Spring	462	155	238	68	1
Howard	279	41	156	80	2
Independence	568	177	367	26	18
Izard	234	37	191	6	-
Jackson	712	124	534	40	14
Jefferson	1,667	673	325	663	6
Pine Bluff	661	504	83	74	-
Balance of county	1,006	169	242	589	6
Johnson	351	169	164	16	2
Lafayette	293	42	114	136	1
Lawrence	548	125	408	9	6
Lee	578	27	194	355	2
Lincoln	326	50	93	178	5
Little River	324	55	193	75	1
Logan	426	235	179	6	6
Lonoke	744	139	395	205	5
Madison	206	44	103	43	16
Marion	163	33	118	12	-
Miller	711	320	259	131	1
Texarkana [1]	343	221	73	49	-
Balance of county	368	99	186	82	1
Mississippi	2,231	471	1,297	442	21
Blytheville	360	201	104	55	-
Balance of county	1,871	270	1,193	387	21
Monroe	409	34	177	192	6
Montgomery	148	20	119	3	6
Nevada	367	75	179	108	5
Newton	172	6	122	33	11
Ouachita	677	294	195	179	9
Perry	175	27	142	5	1
Phillips	1,157	204	236	711	6
Pike	170	22	134	13	1
Poinsett	1,149	128	928	82	11
Polk	360	190	165	1	4
Pope	500	150	313	35	2
Prairie	270	54	168	40	8
Pulaski	4,085	2,872	873	330	10
Little Rock	2,278	1,903	322	49	4
North Little Rock	674	484	132	56	2
Balance of county	1,133	485	419	225	4
Randolph	342	55	271	10	6

[1] Includes data for Texarkana, Ark., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
ARKANSAS—Continued					
St. Francis	736	128	244	360	4
Saline	547	192	345	8	2
Scott	250	20	223	7	-
Searcy	233	81	90	42	20
Sebastian	1,664	1,299	361	4	-
Fort Smith	1,181	1,061	116	4	-
Balance of county	483	238	245	-	-
Sevier	276	129	113	31	3
Sharp	163	22	135	4	2
Stone	130	20	94	7	9
Union	981	585	191	198	7
El Dorado	398	311	35	51	1
Balance of county	583	274	156	147	6
Van Buren	209	39	161	7	2
Washington	786	518	233	27	8
White	761	283	455	10	13
Woodruff	543	60	335	142	6
Yell	360	64	279	13	4
CALIFORNIA (total)	174,420	163,638	9,724	518	540
Alameda	12,814	12,530	267	1	16
Alameda	1,015	1,002	13	-	-
Albany	297	297	-	-	-
Berkeley	2,038	2,019	18	-	1
Oakland	7,307	7,129	170	-	8
San Leandro	660	648	11	-	1
Balance of county	1,497	1,435	55	1	6
Alpine	17	17	-	-	-
Amador	72	58	14	-	-
Butte	919	852	66	1	-
Calaveras	97	89	8	-	-
Colusa	187	175	11	-	1
Contra Costa	4,997	4,684	308	-	5
Richmond	2,488	2,280	158	-	-
Balance of county	2,559	2,404	150	-	5
Del Norte	81	73	7	-	1
El Dorado	167	136	29	-	2
Fresno	4,355	3,940	399	4	12
Fresno	1,547	1,429	117	-	1
Balance of county	2,808	2,511	282	4	11
Glenn	196	167	29	-	-
Humboldt	895	880	9	5	1
Eureka	410	405	3	2	-
Balance of county	485	475	6	3	1
Imperial	1,463	923	503	7	30
Brawley	370	178	175	-	17
El Centro	309	227	80	-	2
Balance of county	784	518	248	7	11
Inyo	248	243	5	-	-
Kern	4,007	3,675	303	-	29
Bakersfield	1,713	1,658	45	-	10
Balance of county	2,294	2,017	258	-	19
Kings	1,005	827	173	-	5
Lake	101	89	9	-	3
Lassen	355	333	22	-	-
Los Angeles	67,302	63,263	3,371	434	234
Alhambra	756	746	9	-	1
Bell	296	287	9	-	-
Belvedere (twp.) [2]	612	357	145	100	10
Beverly Hills	86	83	3	-	-
Burbank	1,450	1,404	46	-	-
Compton	661	645	16	-	-
Glendale	1,776	1,743	33	-	-
Huntington Park	590	576	9	2	3
Inglewood	1,016	998	14	-	4
Long Beach	4,458	4,404	48	1	3
Los Angeles	34,831	32,406	2,023	295	107
Lynwood	397	392	5	-	-
Maywood	264	259	4	-	1
Monrovia	310	278	29	-	3
Pasadena	1,555	1,528	26	-	1
Pomona	565	550	14	1	-
Redondo Beach	392	362	30	-	-
San Gabriel	410	382	28	-	-
Santa Monica	1,333	1,254	76	1	2
South Gate	988	971	17	-	-
South Pasadena	206	201	5	-	-
Whittier	416	408	7	-	1
Balance of county	13,936	13,029	775	34	98
Madera	679	667	7	-	5
Marin	1,342	1,332	10	-	-
Mariposa	39	32	6	-	1
Mendocino	402	344	51	1	6
Merced	1,324	1,299	24	-	1
Merced	393	391	1	-	1
Balance of county	931	908	23	-	-
Modoc	220	209	10	-	1
Mono	18	11	6	-	1
Section B (Counties)—Continued					
CALIFORNIA—Continued					
Monterey	2,199	1,979	214	1	5
Monterey	340	338	2	-	-
Salinas	740	705	34	-	1
Balance of county	1,119	936	178	1	4
Napa	709	697	12	-	-
Nevada	287	278	7	-	2
Orange	3,692	3,148	541	-	3
Anaheim	354	309	45	-	-
Fullerton	244	225	19	-	-
Santa Ana	975	828	147	-	-
Balance of county	2,119	1,786	330	-	3
Placer	552	476	74	1	1
Plumas	205	196	8	-	1
Riverside	2,928	2,617	301	2	8
Riverside	1,094	1,028	66	-	-
Balance of county	1,834	1,589	235	2	8
Sacramento	4,425	4,284	125	-	16
Sacramento	2,742	2,689	44	-	9
Balance of county	1,683	1,595	81	-	7
San Benito	266	232	32	-	2
San Bernardino	4,287	3,573	699	5	10
Ontario	429	373	55	-	1
Redlands	385	313	72	-	-
San Bernardino	1,476	1,296	179	-	1
Balance of county	1,997	1,591	393	5	8
San Diego	10,688	10,394	263	7	24
National City	477	462	14	1	-
San Diego	7,566	7,428	124	1	13
Balance of county	2,645	2,504	125	5	11
San Francisco, coextensive with San Francisco (city)	13,311	13,116	148	19	28
San Joaquin	3,182	3,051	119	1	11
Lodi	255	253	2	-	-
Stockton	1,755	1,712	45	-	8
Balance of county	1,162	1,086	72	1	3
San Luis Obispo	1,212	1,163	47	-	2
San Mateo	2,885	2,835	46	4	-
Burlingame	365	362	3	-	-
Redwood City	407	396	11	-	-
San Mateo	582	576	6	-	-
Balance of county	1,531	1,501	26	4	-
Santa Barbara	1,846	1,763	74	-	9
Santa Barbara	778	738	39	-	1
Balance of county	1,068	1,025	35	-	8
Santa Clara	4,103	3,949	132	5	17
Palo Alto	364	359	5	-	-
San Jose	1,866	1,824	38	4	-
Balance of county	1,873	1,766	89	1	17
Santa Cruz	835	805	28	1	1
Santa Cruz	287	283	4	-	-
Balance of county	548	522	24	1	1
Shasta	680	621	55	-	4
Sierra	35	32	2	-	1
Siskiyou	484	461	21	2	-
Solano	2,522	2,446	69	1	6
Vallejo	1,889	1,870	15	-	4
Balance of county	633	576	54	1	2
Sonoma	1,398	1,372	24	-	2
Santa Rosa	495	486	9	-	-
Balance of county	903	886	15	-	2
Stanislaus	2,009	1,892	115	-	2
Modesto	674	662	10	-	2
Balance of county	1,335	1,230	105	-	-
Sutter	496	475	21	-	-
Tehama	256	250	6	-	-
Trinity	18	15	-	1	2
Tulare	2,634	2,200	403	13	18
Tuolumne	132	118	12	1	1
Ventura	1,766	1,355	402	1	8
San Buenaventura	418	386	32	-	-
Balance of county	1,348	969	370	1	8
Yolo	578	517	61	-	-
Yuba	498	480	16	-	2
COLORADO (total)	24,367	18,875	5,055	146	291
Adams	549	416	113	6	14
Alamosa	225	188	30	4	3
Arapahoe	877	810	62	3	2
Archuleta	69	2	60	-	7
Baca	167	60	106	-	1
Bent	181	139	40	1	1
Boulder	636	510	126	-	-
Boulder	248	240	8	-	-
Balance of county	388	270	118	-	-
Chaffee	144	107	29	3	5
Cheyenne	55	48	7	-	-
Clear Creek	49	30	19	-	-
Conejos	236	126	81	-	29

[2] Since this information is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
COLORADO—Continued					
Costilla	160	36	49	21	54
Crowley	97	34	61	-	2
Custer	24	14	10	-	-
Delta	291	118	172	-	1
Denver, coextensive with Denver (city)	7,645	6,767	818	34	26
Dolores	56	22	28	1	5
Douglas	48	44	4	-	-
Eagle	124	97	27	-	-
Elbert	88	70	16	-	2
El Paso	1,445	1,389	49	1	6
Colorado Springs	1,230	1,186	40	-	4
Balance of county	215	203	9	1	2
Fremont	348	275	71	-	2
Garfield	178	110	68	-	-
Gilpin	7	6	1	-	-
Grand	67	39	27	-	1
Gunnison	89	63	26	-	-
Hinsdale	3	2	1	-	-
Huerfano	251	66	155	2	28
Jackson	28	17	11	-	-
Jefferson	664	584	79	-	1
Kiowa	74	54	20	-	-
Kit Carson	145	111	33	-	1
Lake	199	166	30	1	2
La Plata	274	186	81	4	3
Larimer	636	532	99	-	5
Fort Collins	262	255	4	-	3
Balance of county	374	277	95	-	2
Las Animas	669	232	423	7	7
Trinidad	343	140	198	3	2
Balance of county	326	92	225	4	5
Lincoln	131	81	50	-	-
Logan	391	361	27	-	3
Mesa	609	395	203	1	10
Grand Junction	281	207	68	1	5
Balance of county	328	188	135	-	5
Mineral	20	20	-	-	-
Moffat	96	71	24	-	1
Montezuma	184	80	97	1	6
Montrose	297	177	120	-	-
Morgan	340	254	86	-	-
Otero	644	389	238	7	10
Ouray	31	21	8	1	1
Park	30	29	1	-	-
Phillips	92	79	13	-	-
Pitkin	15	13	2	-	-
Prowers	447	380	64	1	2
Pueblo	1,664	1,323	295	18	28
Pueblo	1,287	1,071	196	7	13
Balance of county	377	252	99	11	15
Rio Blanco	54	28	26	-	-
Rio Grande	294	175	112	2	5
Routt	203	165	37	-	1
Saguache	123	58	43	20	2
San Juan	25	24	1	-	-
San Miguel	65	37	23	2	3
Sedgwick	114	79	33	-	2
Summit	14	13	1	-	-
Teller	46	42	3	-	1
Washington	142	115	25	1	1
Weld	1,334	855	469	4	6
Greeley	330	282	44	2	2
Balance of county	1,004	573	425	2	4
Yuma	164	141	22	-	1
CONNECTICUT (total)	39,005	37,948	999	46	12
Fairfield	9,413	9,166	216	30	1
Bridgeport	3,505	3,425	57	23	-
Danbury	517	505	12	-	-
Norwalk	892	842	47	3	-
Shelton	218	210	8	-	-
Stamford	1,271	1,240	30	-	1
Stratford (town)	647	634	10	3	-
Balance of county	2,363	2,310	52	1	-
Hartford	10,937	10,767	166	2	2
Bristol	784	773	8	2	1
East Hartford (town)	767	760	7	-	-
Hartford	3,909	3,882	26	-	1
New Britain	1,491	1,476	15	-	-
West Hartford (town)	592	592	-	-	-
Balance of county	3,394	3,284	110	-	-
Litchfield	1,879	1,833	46	-	-
Torrington	577	565	12	-	-
Balance of county	1,302	1,268	34	-	-
Middlesex	1,200	1,180	20	-	-
Middletown	536	527	9	-	-
Balance of county	664	653	11	-	-
Section B (Counties)—Continued					
CONNECTICUT—Continued					
New Haven	10,650	10,350	282	10	8
Ansonia	410	397	13	-	-
Derby	211	205	5	-	1
Meriden	856	843	12	1	-
Naugatuck	332	328	4	-	-
New Haven	3,326	3,210	106	3	7
Wallingford	244	239	5	-	-
Waterbury	2,294	2,250	40	4	-
West Haven (town)	631	611	20	-	-
Balance of county	2,346	2,267	77	2	-
New London	3,007	2,876	130	-	1
New London	698	680	18	-	-
Norwich	690	646	43	-	1
Balance of county	1,619	1,550	69	-	-
Tolland	743	728	14	1	-
Windham	1,176	1,048	125	3	-
Willimantic	284	265	18	1	-
Balance of county	892	783	107	2	-
DELAWARE (total)	6,229	5,053	732	439	5
Kent	673	407	112	154	-
New Castle	4,315	4,033	168	112	2
Wilmington	2,611	2,486	69	56	-
Balance of county	1,704	1,547	99	56	2
Sussex	1,241	613	452	173	3
DISTRICT OF COLUMBIA	16,080	14,939	1,134	7	-
FLORIDA (total)	46,744	28,886	8,640	8,961	257
Alachua	943	400	183	358	2
Gainesville	386	244	37	105	-
Balance of county	557	156	146	253	2
Baker	179	50	60	69	-
Bay	1,014	706	189	119	-
Panama City	445	385	60	50	-
Balance of county	569	321	129	69	-
Bradford	303	70	132	100	1
Brevard	339	174	63	98	4
Broward	899	619	99	178	3
Fort Lauderdale	446	358	39	49	-
Balance of county	453	261	60	129	3
Calhoun	238	44	146	44	4
Charlotte	55	33	19	2	1
Citrus	103	17	47	39	-
Clay	192	109	26	47	10
Collier	71	37	15	14	5
Columbia	500	232	68	199	1
Dade	5,799	4,926	236	612	25
Miami	3,870	3,279	134	444	13
Miami Beach	525	518	7	-	-
Balance of county	1,404	1,129	95	168	12
De Soto	215	182	3	30	-
Dixie	190	23	112	55	-
Duval	5,971	4,812	532	554	73
Jacksonville	4,954	4,091	379	421	63
Balance of county	1,017	721	153	133	10
Escambia	2,927	2,068	402	451	6
Pensacola	1,499	1,066	169	262	2
Balance of county	1,428	1,002	233	189	4
Flagler	49	11	1	37	-
Franklin	171	29	85	56	1
Gadsden	675	159	140	375	1
Gilchrist	118	38	56	23	1
Glades	50	23	16	11	-
Gulf	215	57	98	60	-
Hamilton	249	33	101	114	1
Hardee	229	76	145	8	-
Hendry	118	82	14	18	4
Hernando	129	47	67	15	-
Highlands	317	240	38	38	1
Hillsborough	4,977	3,776	679	505	17
Tampa	2,859	2,348	108	393	10
Balance of county	2,118	1,428	571	112	7
Holmes	385	97	218	70	-
Indian River	192	84	79	29	-
Jackson	1,037	253	406	374	4
Jefferson	285	21	68	196	-
Lafayette	91	6	71	14	-
Lake	467	336	30	100	1
Lee	470	255	148	67	-
Fort Myers	314	173	87	54	-
Balance of county	156	82	61	13	-
Leon	943	455	88	395	5
Tallahassee	561	378	52	128	3
Balance of county	382	77	36	267	2
Levy	247	57	114	75	1
Liberty	73	24	31	17	1
Madison	386	108	52	225	1
Manatee	484	332	25	126	1
Marion	695	294	113	285	3

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
FLORIDA—Continued					
Martin	114	76	31	7	-
Monroe	383	183	25	175	-
Key West	375	177	25	173	-
Balance of county	8	6	-	2	-
Nassau	305	123	80	100	2
Okaloosa	406	240	96	40	30
Okeechobee	63	34	6	22	1
Orange	1,799	1,270	372	156	1
Orlando	1,144	892	181	70	1
Balance of county	655	378	191	86	-
Osceola	137	78	26	20	13
Palm Beach	1,513	898	163	450	2
West Palm Beach	663	480	40	143	-
Balance of county	850	418	123	307	2
Pasco	302	101	154	46	1
Pinellas	1,590	1,218	173	195	4
Clearwater	236	186	15	35	-
St. Petersburg	1,036	829	64	142	1
Balance of county	318	203	94	18	3
Polk	2,061	898	951	207	5
Lakeland	504	328	145	29	2
Balance of county	1,557	570	806	178	3
Putnam	408	196	108	102	2
St. Johns	389	296	17	73	3
St. Augustine	259	238	7	13	1
Balance of county	130	58	10	60	2
St. Lucie	297	148	26	123	-
Santa Rosa	450	78	303	66	3
Sarasota	353	319	7	27	-
Sarasota	252	227	4	21	-
Balance of county	101	92	3	6	-
Seminole	418	231	39	147	1
Sanford	206	151	6	49	-
Balance of county	212	80	33	98	1
Sumter	230	136	35	59	-
Suwannee	462	76	214	168	4
Taylor	216	19	146	48	3
Union	149	50	59	40	-
Volusia	861	503	140	216	2
Daytona Beach	352	251	24	77	-
Balance of county	509	252	116	139	2
Wakulla	158	50	30	77	1
Walton	346	194	58	93	1
Washington	344	76	166	102	-
GEORGIA (total)	78,387	35,661	21,606	21,006	114
Appling	411	55	262	93	1
Atkinson	197	45	103	49	-
Bacon	232	78	114	40	-
Baker	154	13	28	112	1
Baldwin	397	141	35	217	4
Banks	199	38	148	13	-
Barrow	293	98	108	86	1
Bartow	564	246	249	67	2
Ben Hill	337	141	75	119	2
Berrien	342	121	170	51	-
Bibb	2,731	2,197	58	476	-
Macon	2,246	1,862	52	332	-
Balance of county	485	335	6	144	-
Bleckley	256	41	102	113	-
Brantley	190	39	112	39	-
Brooks	526	175	76	275	-
Bryan	140	28	52	60	-
Bulloch	582	184	165	233	-
Burke	637	77	63	497	-
Butts	226	23	119	84	-
Calhoun	253	36	24	193	-
Camden	176	41	14	120	1
Candler	191	30	114	47	-
Carroll	723	152	472	95	4
Catoosa	276	154	114	7	1
Charlton	115	42	19	54	-
Chatham	3,652	2,803	650	198	1
Savannah	3,020	2,347	527	145	1
Balance of county	632	456	123	53	-
Chattahoochee	120	86	13	21	-
Chattooga	480	275	184	19	2
Cherokee	459	170	258	29	2
Clarke	610	345	104	161	-
Athens	459	288	70	101	-
Balance of county	151	57	34	60	-
Clay	180	21	19	139	1
Clayton	269	120	69	79	1
Clinch	137	60	27	49	1
Cobb	959	462	448	46	3
Coffee	703	238	257	208	-
Section B (Counties)—Continued					
GEORGIA—Continued					
Colquitt	995	544	272	179	-
Moultrie	375	232	67	76	-
Balance of county	620	312	205	103	-
Columbia	229	46	67	116	-
Cook	284	47	168	69	-
Coweta	570	166	167	237	-
Crawford	181	34	15	132	-
Crisp	435	132	55	247	1
Dade	166	23	142	1	-
Dawson	93	25	41	27	-
Decatur	703	401	91	211	-
De Kalb	2,101	1,504	332	264	1
Atlanta (part)	774	727	33	13	1
Decatur	431	320	29	82	-
Balance of county	896	457	270	169	-
Dodge	450	84	192	171	3
Dooly	364	45	127	192	-
Dougherty	860	418	222	220	-
Albany	678	373	158	147	-
Balance of county	182	45	64	73	-
Douglas	200	35	104	61	-
Early	484	137	53	294	-
Echols	43	17	5	21	-
Effingham	254	31	123	100	-
Elbert	449	146	105	197	1
Emanuel	479	157	103	219	-
Evans	165	12	94	59	-
Fannin	427	82	294	44	7
Fayette	193	41	35	117	-
Floyd	1,269	918	244	107	-
Rome	701	578	66	57	-
Balance of county	568	340	178	50	-
Forsyth	259	45	152	62	-
Franklin	367	105	203	58	1
Fulton	8,736	7,698	840	183	15
Atlanta (part) [3]	6,438	5,847	490	96	5
Atlanta (total) [3]	6,574	5,823	523	109	6
District 1511, Center Hill [3]	----	----	----	----	----
East Point	323	296	23	4	-
Balance of county	1,975	1,555	327	83	10
Gilmer	267	145	58	61	3
Glascock	104	17	49	38	-
Glynn	924	619	189	116	-
Brunswick	677	455	144	78	-
Balance of county	247	164	45	38	-
Gordon	453	311	109	33	-
Grady	487	87	300	100	-
Greene	339	43	121	175	-
Gwinnett	540	202	286	51	1
Habersham	354	81	211	62	-
Hall	820	376	361	81	2
Gainesville	290	141	126	23	-
Balance of county	530	235	235	58	2
Hancock	313	13	72	227	1
Haralson	325	104	166	54	1
Harris	275	43	74	158	-
Hart	282	82	165	35	-
Heard	123	10	69	44	-
Henry	369	39	104	226	-
Houston	422	117	104	200	1
Irwin	357	171	24	162	-
Jackson	499	147	310	41	1
Jasper	198	8	91	99	-
Jeff Davis	240	5	196	39	-
Jefferson	521	63	82	375	1
Jenkins	300	107	22	171	-
Johnson	258	26	109	123	-
Jones	199	21	51	125	2
Lamar	241	18	97	126	-
Lanier	85	47	15	23	-
Laurens	761	290	172	297	2
Lee	221	19	42	160	-
Liberty	246	75	60	111	-
Lincoln	187	28	69	90	-
Long	88	21	51	16	-
Lowndes	904	426	89	388	1
Valdosta	519	305	17	196	1
Balance of county	385	121	72	192	-
Lumpkin	163	37	96	28	2
McDuffie	266	88	46	132	-
McIntosh	165	16	27	122	-
Macon	459	107	87	265	-
Madison	294	66	162	66	-
Marion	201	12	70	119	-
Meriwether	530	85	176	268	1
Miller	221	77	20	123	1
Mitchell	601	52	229	319	1
Monroe	282	22	96	164	-

[3] Figures for Center Hill are included in those for Atlanta.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
GEORGIA—Continued					
Montgomery	167	15	76	76	-
Morgan	307	29	87	191	-
Murray	292	31	206	54	1
Muscogee	3,045	2,408	352	282	3
Columbus	2,484	2,041	270	171	2
Balance of county	561	367	82	111	1
Newton	498	254	71	173	-
Oconee	132	32	59	40	1
Oglethorpe	267	58	52	156	1
Paulding	287	64	204	19	-
Peach	281	57	69	154	1
Pickens	206	72	120	13	1
Pierce	311	40	190	80	1
Pike	243	32	76	135	-
Polk	705	209	432	61	3
Pulaski	237	58	15	164	-
Putnam	214	19	46	149	-
Quitman	77	11	15	51	-
Rabun	179	96	53	30	-
Randolph	377	47	46	284	-
Richmond	2,259	1,474	672	113	-
Augusta	1,775	1,123	631	21	-
Balance of county	484	351	41	92	-
Rockdale	152	21	67	64	-
Schley	129	9	57	63	-
Screven	414	77	81	256	-
Seminole	174	79	6	89	-
Spalding	715	170	394	150	1
Griffin	415	117	229	68	1
Balance of county	300	53	165	82	-
Stephens	460	321	80	59	-
Stewart	288	27	45	216	-
Sumter	575	211	102	261	1
Talbot	211	24	35	152	-
Taliaferro	128	15	21	92	-
Tattnall	349	97	179	73	-
Taylor	269	103	48	117	1
Telfair	291	61	91	139	-
Terrell	497	41	110	346	-
Thomas	745	274	116	354	1
Thomasville	299	156	18	125	-
Balance of county	446	118	98	229	1
Tift	520	172	195	152	1
Toombs	367	79	179	109	-
Towns	123	30	85	8	-
Treutlen	128	23	61	43	1
Troup	1,139	466	304	367	2
La Grange	556	281	161	114	-
Balance of county	583	185	143	253	2
Turner	206	40	86	80	-
Twiggs	257	25	43	189	-
Union	203	16	158	27	2
Upson	613	75	381	156	1
Walker	815	556	244	15	-
Walton	455	124	175	153	3
Ware	771	376	198	197	-
Waycross	540	289	104	147	-
Balance of county	231	87	94	50	-
Warren	239	33	68	138	-
Washington	628	110	106	412	-
Wayne	393	207	83	102	1
Webster	133	23	36	73	1
Wheeler	177	35	87	55	-
White	175	31	91	52	1
Whitfield	744	510	164	65	5
Dalton	365	274	65	25	1
Balance of county	379	236	99	40	4
Wilcox	253	23	138	92	-
Wilkes	358	98	58	202	-
Wilkinson	255	31	98	126	-
Worth	577	51	297	227	2
IDAHO (total)	12,391	10,859	1,521	7	4
Ada	1,147	1,125	20	2	-
Boise City	782	768	13	1	-
Balance of county	365	357	7	1	-
Adams	79	71	8	-	-
Bannock	1,035	960	75	-	-
Pocatello	703	692	11	-	-
Balance of county	332	268	64	-	-
Bear Lake	191	185	6	-	-
Benewah	119	71	48	-	-
Bingham	580	517	63	-	-
Blaine	104	74	30	-	-
Boise	26	26	-	-	-
Bonner	341	299	40	-	2
Bonneville	705	678	27	-	-
Idaho Falls	420	404	16	-	-
Balance of county	285	274	11	-	-
Boundary	98	91	7	-	-

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
IDAHO—Continued					
Butte	49	34	14	1	-
Camas	17	9	8	-	-
Canyon	1,014	936	78	-	-
Nampa	333	299	34	-	-
Balance of county	681	637	44	-	-
Caribou	42	31	11	-	-
Cassia	393	229	164	-	-
Clark	17	16	1	-	-
Clearwater	162	145	17	-	-
Custer	59	36	21	2	-
Elmore	158	127	31	-	-
Franklin	301	175	126	-	-
Fremont	214	149	65	-	-
Gem	204	184	20	-	-
Gooding	205	195	10	-	-
Idaho	190	141	49	-	-
Jefferson	256	209	47	-	-
Jerome	296	279	17	-	-
Kootenai	560	534	25	1	-
Coeur d'Alene	312	306	6	-	-
Balance of county	248	228	19	1	-
Latah	361	312	49	-	-
Lembi	138	84	54	-	-
Lewis	70	37	33	-	-
Lincoln	97	86	11	-	-
Madison	223	163	60	-	-
Minidoka	201	127	74	-	-
Nez Perce	360	334	26	-	-
Lewiston	228	221	7	-	-
Balance of county	132	113	19	-	-
Oneida	146	143	3	-	-
Owyhee	101	93	8	-	-
Payette	201	180	21	-	-
Power	80	80	-	-	-
Shoshone	589	564	24	1	-
Teton	104	91	13	-	-
Twin Falls	870	808	62	-	-
Twin Falls	355	333	22	-	-
Balance of county	515	475	40	-	-
Valley	115	85	29	-	1
Washington	173	146	26	-	1
Yellowstone National Park (part)	-	-	-	-	-
ILLINOIS (total)	155,735	136,422	19,027	227	59
Adams	1,120	1,050	70	-	-
Quincy	753	743	10	-	-
Balance of county	367	307	60	-	-
Alexander	479	238	225	-	16
Cairo	272	162	96	-	14
Balance of county	207	76	129	-	2
Bond	243	157	86	-	-
Boone	276	265	11	-	-
Brown	126	51	75	-	-
Bureau	643	588	53	2	-
Calhoun	144	16	128	-	-
Carroll	381	305	76	-	-
Cass	281	183	98	-	-
Champaign	1,685	1,570	115	-	-
Champaign	571	554	17	-	-
Urbana	387	373	14	-	-
Balance of county	727	643	84	-	-
Christian	674	498	176	-	-
Clark	286	121	165	-	-
Clay	343	128	215	-	-
Clinton	405	288	117	-	-
Centralia (part)	20	19	1	-	-
Balance of county	385	269	116	-	-
Coles	739	467	272	-	-
Mattoon	347	236	111	-	-
Balance of county	392	231	161	-	-
Cook	81,121	76,836	4,082	195	8
Berwyn	904	896	8	-	-
Blue Island	397	386	6	4	1
Brookfield	201	195	5	1	-
Calumet City	277	235	42	-	-
Chicago	67,685	63,824	3,672	182	7
Chicago Heights	515	474	41	-	-
Cicero	1,149	1,119	28	2	-
Elgin (part)	10	10	-	-	-
Elmwood Park	346	337	7	2	-
Evanston	1,141	1,130	11	-	-
Forest Park	276	271	5	-	-
Harvey	528	509	19	-	-
La Grange	252	248	4	-	-
Maywood	499	491	8	-	-
Melrose Park	354	349	5	-	-
Oak Park	978	971	7	-	-
Park Ridge	182	181	1	-	-
Wilmette	264	260	4	-	-
Winnetka	180	179	1	-	-
Balance of county	4,983	4,771	208	4	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
ILLINOIS—Continued					
Crawford	356	232	124	-	-
Cumberland	177	59	118	-	-
De Kalb	647	633	14	-	-
De Witt	289	224	65	-	-
Douglas	306	188	118	-	-
Du Page	2,141	2,068	73	-	-
Elmhurst	285	281	4	-	-
Balance of county	1,856	1,787	69	-	-
Edgar	430	352	78	-	-
Edwards	138	58	80	-	-
Effingham	372	243	129	-	-
Fayette	473	200	272	-	1
Ford	267	209	58	-	-
Franklin	920	489	430	-	1
West Frankfort	202	156	46	-	-
Balance of county	718	338	384	-	1
Fulton	837	676	161	-	-
Canton	242	226	16	-	-
Balance of county	595	450	145	-	-
Gallatin	211	99	110	-	2
Greene	379	206	173	-	-
Grundy	464	417	47	-	-
Hamilton	272	115	157	-	-
Hancock	439	299	140	-	-
Hardin	185	71	113	1	-
Henderson	190	132	58	-	-
Henry	797	749	48	-	-
Kewanee	312	285	27	-	-
Balance of county	485	464	21	-	-
Iroquois	608	480	128	-	-
Jackson	703	460	243	-	-
Jasper	238	85	153	-	-
Jefferson	629	150	478	-	1
Mount Vernon	314	99	215	-	-
Balance of county	315	51	263	-	1
Jersey	275	113	162	-	-
Jo Daviess	449	276	173	-	-
Johnson	195	38	157	-	-
Kane	2,519	2,487	32	-	-
Aurora	1,008	1,004	4	-	-
Elgin (part)	670	658	12	-	-
Elgin (total)	680	668	12	-	-
Balance of county	841	825	16	-	-
Kankakee	1,209	945	264	-	-
Kankakee	566	469	97	-	-
Balance of county	643	476	167	-	-
Kendall	210	201	9	-	-
Knox	992	914	78	-	-
Galesburg	574	554	20	-	-
Balance of county	418	360	58	-	-
Lake	2,767	2,619	136	2	10
Highland Park	254	253	1	-	-
Waukegan	849	833	16	-	-
Balance of county	1,664	1,533	119	2	10
La Salle	2,094	2,005	88	-	1
La Salle	233	231	2	-	-
Ottawa	384	374	10	-	-
Streator	409	402	7	-	-
Balance of county	1,068	998	69	-	1
Lawrence	356	132	224	-	-
Lee	656	592	64	-	-
Dixon	253	243	10	-	-
Balance of county	403	349	54	-	-
Livingston	679	596	83	-	-
Logan	431	379	52	-	-
Lincoln	184	180	4	-	-
Balance of county	247	199	48	-	-
McDonough	515	363	151	-	1
McHenry	841	769	72	-	-
McLean	1,272	1,108	164	-	-
Bloomington	583	527	56	-	-
Balance of county	689	581	108	-	-
Macon	1,854	1,724	130	-	-
Decatur	1,328	1,262	66	-	-
Balance of county	526	462	64	-	-
Macoupin	633	406	226	-	1
Madison	3,550	2,923	624	2	1
Alton	934	784	149	1	-
Granite City	579	540	39	-	-
Balance of county	2,037	1,599	436	1	1
Marion	889	646	240	3	-
Centralia (part)	322	278	44	-	-
Centralia (total)	342	297	45	-	-
Balance of county	567	368	196	3	-
Marshall	219	166	53	-	-
Mason	246	149	97	-	-
Massac	266	117	148	1	-
Menard	151	78	73	-	-
Mercer	341	291	50	-	-
Monroe	199	126	72	1	-
Montgomery	535	383	151	-	1
Morgan	498	370	128	-	-
Jacksonville	240	213	27	-	-
Balance of county	258	157	101	-	-
Moultrie	232	120	112	-	-
Ogle	573	500	73	-	-
Peoria	2,974	2,806	168	-	-
Peoria	2,084	2,037	47	-	-
Balance of county	890	769	121	-	-
Perry	430	252	177	-	1
Piatt	276	236	40	-	-
Pike	406	232	174	-	-
Pope	118	23	93	-	2
Pulaski	269	72	188	4	5
Putnam	94	82	12	-	-
Randolph	543	274	268	-	1
Richland	316	217	99	-	-
Rock Island	2,609	2,460	148	-	1
East Moline	243	232	11	-	-
Moline	780	771	9	-	-
Rock Island	971	897	73	-	1
Balance of county	615	560	55	-	-
St. Clair	3,465	3,000	454	11	-
Belleville	649	628	20	1	-
East St. Louis	1,672	1,434	234	4	-
Balance of county	1,144	938	200	6	-
Saline	654	307	346	-	1
Harrisburg	220	118	102	-	-
Balance of county	434	189	244	-	1
Sangamon	2,202	1,988	211	3	-
Springfield	1,636	1,591	42	3	-
Balance of county	566	397	169	-	-
Schuyler	145	82	63	-	-
Scott	119	60	59	-	-
Shelby	417	214	203	-	-
Stark	161	124	37	-	-
Stephenson	753	645	108	-	-
Freeport	476	428	48	-	-
Balance of county	277	217	60	-	-
Tazewell	1,251	1,146	105	-	-
Pekin	356	340	16	-	-
Balance of county	895	806	89	-	-
Union	356	210	144	1	1
Vermilion	1,570	1,259	310	-	1
Danville	704	645	59	-	-
Balance of county	866	614	251	-	1
Wabash	253	112	141	-	-
Warren	408	341	67	-	-
Washington	236	102	132	-	2
Wayne	427	107	320	-	-
White	419	111	308	-	-
Whiteside	979	774	205	-	-
Sterling	273	222	51	-	-
Balance of county	706	552	154	-	-
Will	2,465	2,348	117	-	-
Joliet	1,480	1,457	23	-	-
Balance of county	985	891	94	-	-
Williamson	913	446	467	-	-
Winnebago	3,077	2,934	142	1	-
Rockford	2,028	1,977	50	1	-
Balance of county	1,049	957	92	-	-
Woodford	370	267	103	-	-
INDIANA (total)	74,672	56,491	18,120	49	12
Adams	485	349	136	-	-
Allen	3,517	3,131	386	-	-
Fort Wayne	2,667	2,526	141	-	-
Balance of county	850	605	245	-	-
Bartholomew	717	529	188	-	-
Columbus	343	301	42	-	-
Balance of county	374	228	146	-	-
Benton	231	156	75	-	-
Blackford	281	223	58	-	-
Boone	378	332	46	-	-
Brown	95	48	47	-	-
Carroll	263	159	104	-	-
Cass	713	622	91	-	-
Logansport	445	400	45	-	-
Balance of county	268	222	46	-	-
Clark	907	565	342	-	-
Jeffersonville	383	338	45	-	-
Balance of county	524	227	297	-	-
Clay	387	265	122	-	-
Clinton	585	510	75	-	-
Frankfort	312	291	21	-	-
Balance of county	273	219	54	-	-
Crawford	193	29	164	-	-
Daviess	596	353	242	-	1
Dearborn	451	279	172	-	-
Decatur	324	224	100	-	-
De Kalb	464	369	94	-	1

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
INDIANA—Continued					
Delaware	1,777	1,501	276	-	-
Muncie	1,305	1,105	200	-	-
Balance of county	472	396	76	-	-
Dubois	516	186	330	-	-
Elkhart	1,723	1,474	248	-	1
Elkhart	722	675	47	-	-
Goshen	293	284	9	-	-
Balance of county	708	515	192	-	1
Fayette	473	406	67	-	-
Connersville	337	315	22	-	-
Balance of county	136	91	45	-	-
Floyd	850	641	209	-	-
New Albany	659	519	140	-	-
Balance of county	191	122	69	-	-
Fountain	359	211	148	-	-
Franklin	254	103	151	-	-
Fulton	257	168	89	-	-
Gibson	590	321	269	-	-
Grant	1,230	839	391	-	-
Marion	683	493	190	-	-
Balance of county	547	346	201	-	-
Greene	539	403	136	-	-
Hamilton	517	443	74	-	-
Hancock	333	196	137	-	-
Harrison	386	60	325	1	-
Hendricks	409	295	114	-	-
Henry	884	732	152	-	-
New Castle	413	378	35	-	-
Balance of county	471	354	117	-	-
Howard	1,121	881	240	-	-
Kokomo	865	713	152	-	-
Balance of county	256	168	88	-	-
Huntington	579	406	173	-	-
Huntington	307	216	91	-	-
Balance of county	272	190	82	-	-
Jackson	617	404	213	-	-
Jasper	355	267	88	-	-
Jay	434	381	53	-	-
Jefferson	405	243	161	-	1
Jennings	259	74	185	-	-
Johnson	577	319	258	-	-
Knox	858	552	306	-	-
Vincennes	391	294	97	-	-
Balance of county	467	258	209	-	-
Kosciusko	553	456	97	-	-
Lagrange	319	135	183	1	-
Lake	7,318	6,454	820	41	3
East Chicago	1,216	1,020	182	12	2
Gary	2,905	2,602	279	23	1
Hammond	1,487	1,301	185	1	-
Whiting	411	388	21	2	-
Balance of county	1,299	1,143	153	3	-
La Porte	1,492	1,332	160	-	-
La Porte	435	409	26	-	-
Michigan City	559	519	40	-	-
Balance of county	498	404	94	-	-
Lawrence	793	424	369	-	1
Bedford	310	239	71	-	-
Balance of county	483	185	297	-	1
Madison	2,170	2,012	158	-	-
Anderson	1,096	1,042	54	-	-
Elwood	262	233	29	-	-
Balance of county	812	737	75	-	-
Marion	10,552	8,375	2,170	4	3
Indianapolis	9,500	7,560	1,934	4	2
Balance of county	1,052	815	236	-	1
Marshall	564	504	60	-	-
Martin	223	44	179	-	-
Miami	571	457	113	1	-
Peru	289	257	32	-	-
Balance of county	282	200	81	1	-
Monroe	765	362	402	1	-
Bloomington	402	247	155	-	-
Balance of county	363	115	247	1	-
Montgomery	454	361	93	-	-
Crawfordsville	219	184	35	-	-
Balance of county	235	177	58	-	-
Morgan	408	228	180	-	-
Newton	213	133	80	-	-
Noble	453	331	122	-	-
Ohio	71	37	34	-	-
Orange	319	107	212	-	-
Owen	183	44	139	-	-
Parke	299	152	147	-	-
Perry	361	46	314	-	1
Pike	287	114	173	-	-
Porter	643	576	67	-	-
Posey	396	275	121	-	-
Pulaski	290	146	144	-	-
Putnam	347	243	104	-	-
Randolph	514	454	60	-	-
Ripley	383	255	128	-	-
Rush	332	265	67	-	-
St. Joseph	3,789	3,641	148	-	-
Mishawaka	685	669	16	-	-
South Bend	2,252	2,209	43	-	-
Balance of county	852	763	89	-	-
Scott	231	158	73	-	-
Shelby	472	339	133	-	-
Shelbyville	237	195	42	-	-
Balance of county	235	144	91	-	-
Spencer	322	46	276	-	-
Starke	325	154	171	-	-
Steuben	210	146	64	-	-
Sullivan	435	307	128	-	-
Switzerland	113	31	82	-	-
Tippecanoe	1,229	1,124	105	-	-
Lafayette	733	701	32	-	-
Balance of county	496	423	73	-	-
Tipton	323	236	87	-	-
Union	117	67	50	-	-
Vanderburgh	3,090	2,121	969	-	-
Evansville	2,576	1,818	758	-	-
Balance of county	514	303	211	-	-
Vermillion	388	265	123	-	-
Vigo	1,814	1,354	460	-	-
Terre Haute	1,303	1,064	239	-	-
Balance of county	511	290	221	-	-
Wabash	493	433	60	-	-
Warren	162	96	66	-	-
Warrick	368	159	209	-	-
Washington	337	37	300	-	-
Wayne	1,303	1,076	227	-	-
Richmond	824	695	129	-	-
Balance of county	479	381	98	-	-
Wells	331	277	54	-	-
White	306	173	133	-	-
Whitley	352	280	72	-	-
IOWA (total)	47,617	37,600	9,973	14	30
Adair	270	99	171	-	-
Adams	195	100	95	-	-
Allamakee	334	263	71	-	-
Appanoose	381	250	131	-	-
Audubon	245	136	109	-	-
Benton	394	292	102	-	-
Black Hawk	1,766	1,682	80	2	2
Waterloo	1,153	1,127	22	2	2
Balance of county	613	555	58	-	-
Boone	522	487	34	-	1
Boone	198	195	2	-	1
Balance of county	324	292	32	-	-
Bremer	300	219	81	-	-
Buchanan	342	280	60	2	-
Buena Vista	341	309	32	-	-
Butler	309	178	131	-	-
Calhoun	340	291	49	-	-
Carroll	496	422	74	-	-
Cass	381	232	149	-	-
Cedar	292	215	77	-	-
Cerro Gordo	793	718	75	-	-
Mason City	463	430	33	-	-
Balance of county	330	288	42	-	-
Cherokee	340	291	49	-	-
Chickasaw	268	229	38	-	1
Clarke	187	161	26	-	-
Clay	314	295	18	-	1
Clayton	424	184	240	-	-
Clinton	949	871	78	-	-
Clinton	589	584	5	-	-
Balance of county	360	287	73	-	-
Crawford	352	234	118	-	-
Dallas	391	283	107	-	1
Davis	185	100	85	-	-
Decatur	243	194	49	-	-
Delaware	396	296	100	-	-
Des Moines	949	913	36	-	-
Burlington	665	657	8	-	-
Balance of county	284	256	28	-	-
Dickinson	205	152	53	-	-
Dubuque	1,894	1,171	222	-	1
Dubuque	950	884	65	-	-
Balance of county	444	287	156	-	1
Emmet	330	270	59	1	-
Fayette	507	356	151	-	-
Floyd	368	323	44	-	1
Franklin	316	264	52	-	-
Fremont	240	188	52	-	-
Greene	313	270	43	-	-
Grundy	213	157	56	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
IOWA—Continued					
Guthrie	801	188	112	1	-
Hamilton	362	320	42	-	-
Hancock	341	230	111	-	-
Hardin	352	266	86	-	-
Harrison	401	134	266	-	1
Henry	378	306	72	-	-
Howard	243	185	58	-	-
Humboldt	253	184	69	-	-
Ida	176	127	48	-	1
Iowa	333	198	135	-	-
Jackson	382	284	98	-	-
Jasper	606	443	163	-	-
Newton	218	176	42	-	-
Balance of county	388	267	121	-	-
Jefferson	244	200	44	-	-
Johnson	644	584	60	-	-
Iowa City	388	379	9	-	-
Balance of county	256	205	51	-	-
Jones	349	317	32	-	-
Keokuk	279	126	153	-	-
Kossuth	583	369	214	-	-
Lee	823	736	87	-	-
Fort Madison	258	221	37	-	-
Keokuk	340	338	2	-	-
Balance of county	225	177	48	-	-
Linn	1,697	1,598	99	-	-
Cedar Rapids	1,258	1,225	33	-	-
Balance of county	439	373	66	-	-
Louisa	176	104	72	-	-
Lucas	189	114	74	-	1
Lyon	278	138	140	-	-
Madison	230	167	63	-	-
Mahaska	411	310	101	-	-
Oskaloosa	175	145	30	-	-
Balance of county	236	165	71	-	-
Marion	439	340	98	1	-
Marshall	639	582	56	1	-
Marshalltown	368	339	29	-	-
Balance of county	271	243	27	1	-
Mills	227	142	85	-	-
Mitchell	244	180	64	-	-
Monona	269	165	104	-	-
Monroe	258	86	170	1	1
Montgomery	251	221	30	-	-
Muscatine	600	566	33	1	-
Muscatine	383	373	9	1	-
Balance of county	217	193	24	-	-
O'Brien	357	238	117	2	-
Osceola	203	142	61	-	-
Page	399	325	74	-	-
Palo Alto	320	228	92	-	-
Plymouth	486	359	77	-	-
Pocahontas	289	174	115	-	-
Polk	3,871	3,318	550	-	3
Des Moines	3,387	2,987	399	-	1
Balance of county	484	331	151	-	2
Pottawattamie	1,271	1,072	199	-	-
Council Bluffs	888	802	86	-	-
Balance of county	383	270	113	-	-
Poweshiek	300	230	70	-	-
Ringgold	167	56	111	-	-
Sac	292	208	84	-	-
Scott	1,869	1,788	80	-	1
Davenport	1,447	1,401	46	-	-
Balance of county	422	387	34	-	1
Shelby	316	153	163	-	-
Sioux	576	263	312	1	-
Story	659	590	68	-	1
Ames	278	272	5	-	1
Balance of county	381	318	63	-	-
Tama	352	232	119	1	-
Taylor	250	119	131	-	-
Union	252	190	62	-	-
Van Buren	164	60	103	-	1
Wapello	879	645	227	-	7
Ottumwa	697	551	142	-	4
Balance of county	182	94	85	-	3
Warren	305	186	119	-	-
Washington	367	272	95	-	-
Wayne	197	135	62	-	-
Webster	813	732	81	-	-
Fort Dodge	478	444	34	-	-
Balance of county	335	288	47	-	-
Winnebago	267	193	74	-	-
Winneshiek	406	330	75	-	1
Woodbury	1,920	1,680	239	-	1
Sioux City	1,542	1,434	108	-	-
Balance of county	378	246	131	-	1
Worth	192	132	60	-	-
Wright	385	265	117	-	3

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
KANSAS (total)	36,021	28,171	7,823	17	10
Allen	337	225	112	-	-
Anderson	193	139	54	-	-
Atchison	364	338	26	-	-
Atchison	244	230	14	-	-
Balance of county	120	108	12	-	-
Barber	142	109	33	-	-
Barton	544	510	34	-	-
Bourbon	334	283	51	-	-
Fort Scott	153	141	12	-	-
Balance of county	181	142	39	-	-
Brown	225	190	35	-	-
Butler	573	491	82	-	-
El Dorado	200	195	5	-	-
Balance of county	373	296	77	-	-
Chase	94	77	17	-	-
Chautauqua	138	56	82	-	-
Cherokee	611	291	320	-	-
Cheyenne	120	65	55	-	-
Clark	71	59	12	-	-
Clay	233	178	55	-	-
Cloud	296	213	83	-	-
Coffey	163	57	106	-	-
Comanche	69	47	22	-	-
Cowley	733	657	75	1	-
Arkansas City	301	267	33	1	-
Balance of county	432	390	42	-	-
Crawford	789	512	275	-	2
Pittsburg	371	288	83	-	-
Balance of county	418	224	192	-	2
Decatur	116	95	21	-	-
Dickinson	368	273	95	-	-
Doniphan	184	47	137	-	-
Douglas	575	520	55	-	-
Lawrence	360	345	15	-	-
Balance of county	215	175	40	-	-
Edwards	118	78	40	-	-
Elk	119	57	62	-	-
Ellis	371	282	89	-	-
Ellsworth	147	118	29	-	-
Finney	295	224	71	-	-
Ford	446	407	39	-	-
Franklin	343	286	57	-	-
Ottawa	176	153	23	-	-
Balance of county	167	133	34	-	-
Geary	537	524	13	-	-
Gove	113	73	39	-	1
Graham	105	40	65	-	-
Grant	49	32	17	-	-
Gray	88	43	45	-	-
Greeley	32	26	6	-	-
Greenwood	217	135	81	-	1
Hamilton	81	73	7	1	-
Harper	208	190	18	-	-
Harvey	422	409	13	-	-
Newton	216	210	6	-	-
Balance of county	206	199	7	-	-
Haskell	37	15	22	-	-
Hodgeman	52	42	10	-	-
Jackson	244	207	36	-	1
Jefferson	166	78	88	-	-
Jewell	179	95	84	-	-
Johnson	800	668	131	1	-
Kearny	45	38	7	-	-
Kingman	228	184	44	-	-
Kiowa	76	35	41	-	-
Labette	674	453	220	-	1
Parsons	350	287	63	-	-
Balance of county	324	166	157	-	1
Lane	67	53	14	-	-
Leavenworth	655	595	58	2	-
Leavenworth	457	441	16	-	-
Balance of county	198	154	42	2	-
Lincoln	101	41	60	-	-
Linn	151	26	125	-	-
Logan	75	48	27	-	-
Lyon	447	393	54	-	-
Emporia	264	252	12	-	-
Balance of county	183	141	42	-	-
McPherson	447	413	33	1	-
Marion	313	254	58	1	-
Marshall	313	194	118	1	-
Meade	127	44	83	-	-
Miami	319	169	150	-	-
Mitchell	168	144	24	-	-
Montgomery	1,009	715	294	-	-
Coffeyville	418	315	103	-	-
Independence	231	190	41	-	-
Balance of county	360	210	150	-	-
Morris	163	110	53	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
KANSAS—Continued					
Morton	48	39	8	1	-
Nemaha	306	181	124	-	1
Neosho	406	179	227	-	-
Chanute	213	104	109	-	-
Balance of county	193	75	118	-	-
Ness	133	85	48	-	-
Norton	158	114	44	-	-
Osage	213	85	128	-	-
Osborne	133	61	72	-	-
Ottawa	119	51	68	-	-
Pawnee	175	149	26	-	-
Phillips	162	44	118	-	-
Pottawatomie	223	148	74	-	1
Pratt	240	214	26	-	-
Rawlins	114	102	12	-	-
Reno	1,158	1,061	96	1	-
Hutchinson	789	763	25	1	-
Balance of county	369	298	71	-	-
Republic	190	141	49	-	-
Rice	302	279	23	-	-
Riley	542	508	34	-	-
Manhattan	392	383	9	-	-
Balance of county	150	125	25	-	-
Rooks	142	77	65	-	-
Rush	121	82	39	-	-
Russell	282	199	83	-	-
Saline	621	575	46	-	-
Salina	480	449	31	-	-
Balance of county	141	126	15	-	-
Scott	108	67	41	-	-
Sedgwick	4,953	4,556	396	-	1
Wichita	4,446	4,210	235	-	1
Balance of county	507	346	161	-	-
Seward	160	127	33	-	-
Shawnee	1,785	1,418	367	-	-
Topeka	1,544	1,276	268	-	-
Balance of county	241	142	99	-	-
Sheridan	101	55	46	-	-
Sherman	138	116	22	-	-
Smith	145	73	72	-	-
Stafford	164	132	32	-	-
Stanton	32	30	2	-	-
Stevens	70	40	28	2	-
Sumner	469	422	47	-	-
Thomas	156	133	23	-	-
Trego	92	63	28	1	-
Wabaunsee	120	68	52	-	-
Wallace	50	33	17	-	-
Washington	241	148	92	-	1
Wichita	56	38	18	-	-
Wilson	302	141	161	-	-
Woodson	103	39	64	-	-
Wyandotte	3,169	2,655	510	4	-
Kansas City	2,823	2,377	442	4	-
Balance of county	346	278	68	-	-
KENTUCKY (total)	65,566	21,826	36,205	7,341	194
Adair	419	15	336	66	2
Allen	294	23	254	15	2
Anderson	175	25	149	-	1
Ballard	179	61	116	2	-
Barren	584	195	333	56	-
Bath	233	18	187	27	1
Bell	1,302	242	909	149	2
Middlesborough	285	118	158	8	1
Balance of county	1,017	124	751	141	1
Boone	202	64	137	-	1
Bourbon	338	124	214	-	-
Boyd	1,055	561	459	35	-
Ashland	733	458	267	8	-
Balance of county	322	103	192	27	-
Boyle	310	142	166	2	-
Bracken	157	30	127	-	-
Breathitt	603	22	131	446	4
Breckinridge	377	22	340	15	-
Bullitt	194	49	138	6	1
Butler	312	17	204	90	1
Caldwell	296	50	242	4	-
Calloway	347	160	187	-	-
Campbell	1,305	1,052	249	4	-
Fort Thomas	113	111	2	-	-
Newport	484	350	131	3	-
Balance of county	708	591	116	1	-
Carlisle	131	39	92	-	-
Carroll	159	22	137	-	-
Carter	700	76	427	192	5
Casey	517	15	416	81	5
Christian	716	218	429	68	1
Hopkinsville	286	145	132	9	-
Balance of county	430	73	297	59	1

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
KENTUCKY—Continued					
Clark	355	145	202	8	-
Clay	733	210	185	319	19
Clinton	286	11	219	56	-
Crittenden	187	29	151	7	-
Cumberland	227	31	66	130	-
Daviess	1,271	556	709	5	1
Owensboro	821	452	368	-	1
Balance of county	450	104	341	5	-
Edmonson	289	7	241	41	-
Elliott	187	12	72	102	1
Estill	428	32	280	114	2
Fayette	1,488	1,096	392	-	-
Lexington	1,308	1,009	299	-	-
Balance of county	180	87	93	-	-
Fleming	290	35	242	13	-
Floyd	1,563	205	1,019	335	4
Franklin	409	238	171	-	-
Frankfort	237	167	70	-	-
Balance of county	172	71	101	-	-
Fulton	360	115	214	31	-
Gallatin	74	15	59	-	-
Garrard	221	46	160	15	-
Grant	192	16	176	-	-
Graves	602	281	320	1	-
Grayson	407	12	349	46	-
Green	234	7	203	24	-
Greenup	586	142	380	60	4
Hancock	152	43	107	2	-
Hardin	738	190	528	15	-
Harlan	1,9[illegible]	283	1,620	73	3
Harrison	256	125	130	-	1
Hart	368	22	326	19	1
Henderson	780	314	456	10	-
Henderson	430	235	193	2	-
Balance of county	350	79	263	8	-
Henry	233	45	187	1	-
Hickman	137	32	100	5	-
Hopkins	783	197	574	12	-
Jackson	413	69	171	172	1
Jefferson	9,878	7,838	2,036	4	-
Louisville	8,720	7,180	1,537	3	-
Balance of county	1,158	658	499	1	-
Jessamine	184	51	132	1	-
Johnson	642	127	435	80	-
Kenton	1,987	1,717	269	1	-
Covington	1,326	1,198	128	-	-
Balance of county	661	519	141	1	-
Knott	546	34	207	303	2
Knox	834	57	591	182	4
Larue	203	18	175	10	-
Laurel	637	26	471	139	1
Lawrence	362	95	129	133	5
Lee	188	9	58	121	-
Leslie	436	95	43	228	70
Letcher	1,239	63	953	222	1
Lewis	359	10	267	81	1
Lincoln	441	64	314	63	-
Livingston	179	13	157	9	-
Logan	457	54	392	11	-
Lyon	131	7	114	10	-
McCracken	959	532	416	10	1
Paducah	708	477	224	6	1
Balance of county	251	55	192	4	-
McCreary	471	21	346	100	4
McLean	199	22	169	8	-
Madison	652	241	377	34	-
Magoffin	398	16	227	153	2
Marion	493	90	395	8	-
Marshall	336	87	247	2	-
Martin	310	21	127	162	-
Mason	359	168	189	2	-
Meade	235	34	197	3	1
Menifee	148	24	99	23	2
Mercer	260	128	130	2	-
Metcalfe	226	13	175	36	2
Monroe	344	7	310	26	1
Montgomery	285	110	150	25	-
Morgan	383	37	233	112	1
Muhlenberg	944	203	706	34	1
Nelson	462	42	417	3	-
Nicholas	113	34	78	1	-
Ohio	451	74	352	25	-
Oldham	143	80	59	4	-
Owen	187	15	172	-	-
Owsley	184	13	73	95	3
Pendleton	132	20	111	1	-
Perry	1,466	126	960	362	18
Pike	2,128	307	1,107	712	2
Powell	179	16	122	41	-
Pulaski	934	44	738	151	1
Robertson	62	2	60	-	-
Rockcastle	437	51	205	180	1

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
KENTUCKY—Continued					
Rowan	304	41	167	95	1
Russell	248	8	208	32	-
Scott	232	90	141	1	-
Shelby	321	143	175	3	-
Simpson	232	103	129	-	-
Spencer	163	11	152	-	-
Taylor	311	36	267	7	1
Todd	278	32	216	30	-
Trigg	225	24	165	35	1
Trimble	87	11	76	-	-
Union	412	88	324	-	-
Warren	728	223	490	15	-
Bowling Green	324	174	149	1	-
Balance of county	404	49	341	14	-
Washington	327	57	268	2	-
Wayne	477	11	338	124	4
Webster	303	21	282	-	-
Whitley	749	108	546	95	-
Wolfe	260	12	133	115	-
Woodford	198	148	50	-	-
LOUISIANA (total)	62,005	33,803	13,184	14,723	295
Acadia	1,172	517	311	334	10
Allen	480	268	151	60	1
Ascension	536	204	203	125	6
Assumption	489	120	200	169	-
Avoyelles	957	275	285	380	17
Beauregard	482	194	241	41	6
Bienville	525	164	129	226	6
Bossier	917	498	170	247	2
Caddo	3,739	2,623	533	577	6
Shreveport	2,549	1,989	403	156	1
Balance of parish	1,190	634	130	421	5
Calcasieu	1,879	1,024	532	315	8
Lake Charles	896	564	159	171	2
Balance of parish	983	460	373	144	6
Caldwell	290	126	89	75	-
Cameron	116	38	67	10	1
Catahoula	339	48	126	163	2
Claiborne	539	132	68	333	6
Concordia	348	87	35	222	4
De Soto	752	154	132	466	-
East Baton Rouge	2,875	2,056	135	654	30
Baton Rouge	1,457	1,216	45	183	13
Balance of parish	1,418	840	90	471	17
East Carroll	498	38	197	263	-
East Feliciana	366	88	37	236	5
Evangeline	559	233	151	170	5
Franklin	851	149	333	366	3
Grant	400	191	125	84	-
Iberia	871	413	295	158	5
New Iberia	341	237	81	23	-
Balance of parish	530	176	214	135	5
Iberville	726	324	86	315	1
Jackson	396	192	109	102	2
Jefferson	1,691	1,310	220	158	3
Gretna	246	181	31	34	-
Balance of parish	1,445	1,129	189	124	3
Jefferson Davis	700	270	247	178	5
Lafayette	1,100	544	258	296	2
Lafayette	554	326	155	72	1
Balance of parish	546	218	103	224	1
Lafourche	1,020	280	420	318	2
La Salle	294	120	152	21	1
Lincoln	508	210	117	172	9
Livingston	466	61	357	46	2
Madison	460	69	87	295	9
Morehouse	630	268	101	259	2
Natchitoches	1,015	293	251	465	6
Orleans, coextensive with New Orleans	12,331	11,024	837	467	3
Ouachita	1,495	839	399	255	2
Monroe	721	439	184	97	1
Balance of parish	774	400	215	158	1
Plaquemines	308	140	50	117	1
Pointe Coupee	582	121	142	315	4
Rapides	2,529	1,791	287	439	12
Alexandria	1,003	782	82	136	3
Balance of parish	1,526	1,009	205	303	9
Red River	401	131	103	167	-
Richland	680	138	328	212	2
Sabine	577	336	127	114	-
St. Bernard	213	194	9	9	1
St. Charles	322	177	91	49	5
St. Helena	186	67	19	98	2
St. James	440	74	177	187	2
St. John the Baptist	383	105	134	143	1
St. Landry	2,161	573	499	1,060	29
St. Martin	722	224	185	310	3
St. Mary	1,029	374	306	334	15

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
LOUISIANA—Continued					
St. Tammany	568	295	107	165	1
Tangipahoa	1,196	731	282	179	4
Tensas	380	105	38	236	1
Terrebonne	1,199	501	378	316	4
Union	459	80	230	147	2
Vermilion	902	531	240	122	9
Vernon	732	408	222	96	6
Washington	988	432	364	188	4
Bogalusa	420	250	123	45	2
Balance of parish	568	182	241	143	2
Webster	932	461	213	252	6
West Baton Rouge	240	67	53	118	2
West Carroll	482	97	279	104	2
West Feliciana	222	22	45	152	3
Winn	358	184	99	73	2
MAINE (total)	18,944	14,379	4,467	15	83
Androscoggin	1,755	1,386	364	-	5
Auburn	385	346	39	-	-
Lewiston	878	696	181	-	1
Balance of county	492	344	144	-	4
Aroostook	2,249	1,036	1,185	6	22
Cumberland	4,168	3,870	290	2	6
Portland	2,007	1,966	39	2	-
South Portland	495	484	11	-	-
Westbrook	246	222	22	-	2
Balance of county	1,420	1,198	218	-	4
Franklin	379	235	144	-	-
Hancock	512	371	136	-	5
Kennebec	1,557	1,320	235	-	2
Augusta	304	284	20	-	-
Waterville	354	304	50	-	-
Balance of county	899	732	165	-	2
Knox	510	354	154	-	2
Lincoln	391	301	88	-	2
Oxford	826	672	152	-	2
Penobscot	1,908	1,355	535	2	16
Bangor	530	459	71	-	-
Balance of county	1,378	896	464	2	16
Piscataquis	320	244	73	-	3
Sagadahoc	609	549	58	1	1
Bath	290	278	10	1	1
Balance of county	319	271	48	-	-
Somerset	741	477	258	1	5
Waldo	376	183	186	-	7
Washington	495	196	294	1	4
York	2,148	1,830	315	2	1
Biddeford	510	429	81	-	-
Balance of county	1,638	1,401	234	2	1
MARYLAND (total)	47,371	33,490	11,343	2,473	65
Allegany	1,947	1,424	506	12	5
Cumberland	788	654	131	2	1
Balance of county	1,159	770	375	10	4
Anne Arundel	1,855	1,147	450	257	1
Annapolis	346	253	20	73	-
Balance of county	1,509	894	430	184	1
Baltimore	5,010	3,493	1,494	21	2
District 12 [2]	814	584	229	1	-
District 13 [2]	286	238	46	2	-
Balance of county	3,910	2,671	1,219	18	2
Baltimore (city)	21,572	16,567	4,415	588	2
Calvert	317	173	86	58	-
Caroline	377	186	108	82	1
Carroll	763	347	411	1	4
Cecil	762	526	235	-	1
Charles	664	301	44	314	5
Dorchester	492	288	64	140	-
Cambridge	198	132	7	59	-
Balance of county	294	156	57	81	-
Frederick	1,171	676	472	21	2
Frederick	349	255	90	3	1
Balance of county	822	421	382	18	1
Garrett	495	106	271	110	8
Harford	1,152	704	444	2	2
Howard	455	208	245	-	2
Kent	271	140	97	34	-
Montgomery	2,686	2,293	329	62	2
Prince Georges	3,256	2,857	242	150	7
Queen Annes	235	92	109	33	1
St. Marys	535	207	206	121	1
Somerset	403	161	159	79	4
Talbot	330	200	54	76	-
Washington	1,577	857	694	13	13
Hagerstown	783	527	253	-	3
Balance of county	794	330	441	13	10
Wicomico	653	383	110	158	2
Salisbury	315	231	18	65	1
Balance of county	338	152	92	93	1
Worcester	393	154	98	141	-

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MASSACHUSETTS (total)	85,917	80,566	5,322	3	26
Barnstable	800	652	148	-	-
Berkshire	2,440	2,292	147	-	1
Adams (town)	260	254	6	-	-
North Adams	401	339	62	-	-
Pittsfield	1,056	1,042	13	-	1
Balance of county	723	657	66	-	-
Bristol	7,259	5,995	1,255	1	8
Attleboro	523	496	27	-	-
Fairhaven (town)	187	136	51	-	-
Fall River	2,603	2,048	552	-	3
New Bedford	1,863	1,529	334	-	-
North Attleborough (town)	214	181	33	-	-
Taunton	758	686	72	-	-
Balance of county	1,111	919	186	1	5
Dukes	88	81	7	-	-
Essex	9,184	8,489	694	-	1
Amesbury (town)	195	179	16	-	-
Andover (town)	197	189	8	-	-
Beverly	503	495	8	-	-
Danvers (town)	201	189	12	-	-
Gloucester	441	379	62	-	-
Haverhill	784	680	104	-	-
Lawrence	1,584	1,500	84	-	-
Lynn	1,872	1,735	136	-	1
Marblehead (town)	221	219	2	-	-
Methuen (town)	364	347	17	-	-
Newburyport	293	254	39	-	-
Peabody	363	340	23	-	-
Salem	814	734	80	-	-
Saugus (town)	305	300	5	-	-
Swampscott (town)	168	165	3	-	-
Balance of county	879	784	95	-	-
Franklin	937	824	113	-	-
Greenfield (town)	333	322	11	-	-
Balance of county	604	502	102	-	-
Hampden	6,845	6,628	214	-	3
Chicopee	856	821	35	-	-
Holyoke	1,144	1,117	27	-	-
Springfield	3,210	3,123	87	-	-
Westfield	344	330	14	-	-
West Springfield (town)	338	327	11	-	-
Balance of county	953	910	40	-	3
Hampshire	1,312	1,238	70	-	4
Easthampton (town)	206	187	19	-	-
Northampton	404	390	14	-	-
Balance of county	702	661	37	-	4
Middlesex	19,444	18,648	795	-	1
Arlington (town)	782	775	7	-	-
Belmont (town)	461	458	3	-	-
Cambridge	2,528	2,436	92	-	-
Everett	1,000	969	31	-	-
Framingham (town)	433	423	10	-	-
Lexington (town)	209	198	11	-	-
Lowell	1,758	1,567	191	-	-
Malden	1,182	1,151	31	-	-
Marlborough	288	285	3	-	-
Medford	1,263	1,242	21	-	-
Melrose	410	402	8	-	-
Natick (town)	326	325	1	-	-
Newton	1,331	1,313	17	-	1
Reading (town)	223	202	21	-	-
Somerville	2,148	2,038	110	-	-
Stoneham (town)	218	214	4	-	-
Wakefield (town)	340	325	15	-	-
Waltham	933	883	50	-	-
Watertown (town)	673	667	6	-	-
Winchester (town)	290	289	1	-	-
Woburn	397	387	10	-	-
Balance of county	2,251	2,099	152	-	-
Nantucket	43	43	-	-	-
Norfolk	6,763	6,555	208	-	-
Braintree (town)	416	413	3	-	-
Brookline (town)	728	716	12	-	-
Dedham (town)	324	313	11	-	-
Milton (town)	367	361	6	-	-
Needham (town)	268	264	4	-	-
Norwood (town)	349	344	5	-	-
Quincy	1,782	1,756	26	-	-
Wellesley (town)	295	292	3	-	-
Weymouth (town)	664	656	8	-	-
Balance of county	1,570	1,440	130	-	-
Plymouth	3,565	3,302	262	-	1
Brockton	1,341	1,281	59	-	1
Plymouth (town)	266	253	13	-	-
Balance of county	1,958	1,768	190	-	-
Suffolk	17,225	16,531	687	2	5
Boston	15,393	14,785	605	2	1
Chelsea	760	690	66	-	4
Revere	722	708	14	-	-
Winthrop (town)	350	348	2	-	-
Worcester	10,012	9,288	722	-	2
Athol (town)	244	203	40	-	1
Clinton (town)	245	241	4	-	-
Fitchburg	819	749	70	-	-
Gardner	331	309	22	-	-
Leominster	554	518	36	-	-
Milford (town)	271	262	9	-	-
Northbridge (town)	211	201	10	-	-
Southbridge (town)	381	330	51	-	-
Webster (town)	265	228	37	-	-
Worcester	3,686	3,761	124	-	1
Balance of county	2,805	2,486	319	-	-
MICHIGAN (total)	125,778	106,062	19,471	124	121
Alcona	87	27	59	-	1
Alger	204	136	66	2	-
Allegan	844	666	178	-	-
Alpena	508	444	57	3	4
Alpena	321	301	19	-	1
Balance of county	187	143	38	3	3
Antrim	194	65	128	1	-
Arenac	173	125	47	1	-
Baraga	148	90	54	-	4
Barry	422	372	49	-	1
Bay	2,045	1,673	370	1	1
Bay City	1,333	1,179	153	-	1
Balance of county	712	494	217	1	-
Benzie	145	76	69	-	-
Berrien	2,181	1,763	416	-	2
Benton Harbor	547	482	64	-	1
Niles	269	258	11	-	-
Balance of county	1,365	1,023	341	-	1
Branch	491	401	90	-	-
Calhoun	2,354	2,172	182	-	-
Battle Creek	1,312	1,280	32	-	-
Balance of county	1,042	892	150	-	-
Cass	407	315	91	-	1
Charlevoix	255	161	94	-	-
Cheboygan	262	186	67	7	2
Chippewa	842	704	127	7	4
Sault Ste. Marie	582	517	64	1	-
Balance of county	260	187	63	6	4
Clare	213	99	110	-	4
Clinton	574	456	116	1	1
Crawford	50	37	13	-	-
Delta	667	520	141	5	1
Escanaba	300	264	36	-	-
Balance of county	367	256	105	5	1
Dickinson	424	324	96	4	-
Iron Mountain	197	167	30	-	-
Balance of county	227	157	66	4	-
Eaton	757	682	75	-	-
Emmet	312	276	34	-	2
Genesee	5,713	5,077	624	10	2
Flint	3,609	3,348	251	9	1
Balance of county	2,104	1,729	373	1	1
Gladwin	208	127	79	1	1
Gogebic	529	414	112	1	2
Ironwood	200	147	53	-	-
Balance of county	329	267	59	1	2
Grand Traverse	459	380	74	2	3
Traverse City	260	248	12	-	-
Balance of county	199	132	62	2	3
Gratiot	704	478	226	-	-
Hillsdale	608	501	107	-	-
Houghton	747	505	231	9	2
Huron	711	374	334	-	3
Ingham	3,616	3,438	178	-	-
Lansing	2,003	1,960	43	-	-
Balance of county	1,613	1,478	135	-	-
Ionia	717	409	307	-	1
Iosco	158	46	110	1	1
Iron	351	291	59	1	-
Isabella	578	339	237	1	1
Jackson	2,150	2,024	124	1	1
Jackson	1,471	1,440	29	1	1
Balance of county	679	584	95	-	-
Kalamazoo	2,375	2,291	83	-	1
Kalamazoo	1,705	1,665	40	-	-
Balance of county	670	626	43	-	1
Kalkaska	96	25	70	1	-
Kent	5,199	4,238	960	1	-
Grand Rapids	3,496	3,044	451	1	-
Balance of county	1,703	1,194	509	-	-
Keweenaw	37	27	5	3	2
Lake	63	36	26	1	-
Lapeer	577	277	300	-	-
Leelanau	156	67	88	1	-
Lenawee	1,210	1,048	161	-	1
Adrian	368	343	24	-	1
Balance of county	842	705	137	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MICHIGAN—Continued					
Livingston	470	380	89	-	1
Luce	136	125	8	3	-
Mackinac	174	76	96	1	1
Macomb	3,597	2,830	767	-	-
Mount Clemens	567	480	87	-	-
St. Clair Shores	325	281	44	-	-
Balance of county	2,705	2,069	636	-	-
Manistee	347	239	107	1	-
Marquette	962	863	92	1	6
Marquette	319	308	11	-	-
Balance of county	643	555	81	1	6
Mason	404	262	142	-	-
Mecosta	315	212	102	-	1
Menominee	471	372	95	4	-
Menominee	237	227	10	-	-
Balance of county	234	145	85	4	-
Midland	861	523	333	4	1
Midland	353	282	71	-	-
Balance of county	508	241	262	4	1
Missaukee	183	47	135	-	1
Monroe	1,472	1,244	226	1	1
Monroe	615	578	37	-	-
Balance of county	857	666	189	1	1
Montcalm	575	368	206	-	1
Montmorency	84	31	51	1	1
Muskegon	3,013	2,761	248	1	3
Muskegon	1,567	1,501	64	1	1
Muskegon Heights	446	418	28	-	-
Balance of county	1,000	842	156	-	2
Newaygo	408	195	209	2	2
Oakland	7,616	6,869	743	1	3
Birmingham	346	342	3	-	1
Ferndale	639	599	40	-	-
Pontiac	1,835	1,737	98	-	-
Royal Oak	984	939	45	-	-
Balance of county	3,812	3,252	557	1	2
Oceana	258	190	67	1	-
Ogemaw	169	85	83	-	1
Ontonagon	169	104	59	4	2
Osceola	278	166	110	-	2
Oscoda	43	14	29	-	-
Otsego	99	28	67	2	2
Ottawa	1,418	1,046	367	-	5
Holland	320	289	31	-	-
Balance of county	1,098	757	336	-	5
Presque Isle	268	99	161	1	7
Roscommon	61	31	29	1	-
Saginaw	3,252	2,885	362	1	4
Saginaw	2,033	1,917	113	1	2
Balance of county	1,219	968	249	-	2
St. Clair	1,907	1,203	701	2	1
Port Huron	1,001	656	344	1	-
Balance of county	906	547	357	1	1
St. Joseph	674	561	112	-	1
Sanilac	521	222	297	-	2
Schoolcraft	192	160	32	-	-
Shiawassee	948	835	109	3	1
Owosso	372	342	28	2	-
Balance of county	576	493	81	1	1
Tuscola	742	530	209	1	2
Van Buren	620	537	83	-	-
Washtenaw	2,457	2,265	191	-	1
Ann Arbor	885	861	24	-	-
Ypsilanti	677	662	15	-	-
Balance of county	895	742	152	-	1
Wayne	48,728	43,247	5,440	22	19
Dearborn	2,203	2,061	142	-	-
Detroit	37,750	33,715	4,013	18	4
Ecorse	324	251	72	-	1
Grosse Pointe Park	133	124	9	-	-
Hamtramck	1,045	935	107	3	-
Highland Park	834	782	52	-	-
Lincoln Park	546	499	47	-	-
River Rouge	402	286	115	-	1
Wyandotte	952	912	40	-	-
Balance of county	4,539	3,682	843	1	13
Wexford	365	275	90	-	-
MINNESOTA (total)	58,508	50,089	8,123	111	185
Aitkin	276	200	67	3	6
Anoka	560	494	59	6	1
Becker	594	463	94	7	30
Beltrami	557	394	116	23	24
Benton	335	250	72	8	5
St. Cloud (part)	37	25	12	-	-
Balance of county	298	225	60	8	5
Big Stone	206	162	43	-	1
Blue Earth	768	722	46	-	-
Mankato	345	326	19	-	-
Balance of county	423	396	27	-	-
Section B (Counties)—Continued					
MINNESOTA—Continued					
Brown	547	442	105	-	-
Carlton	481	397	73	5	6
Carver	337	253	84	-	-
Cass	388	299	71	6	12
Chippewa	334	269	64	-	1
Chisago	207	171	36	-	-
Clay	516	404	111	-	1
Clearwater	243	182	53	4	4
Cook	49	39	10	-	-
Cottonwood	346	277	69	-	-
Crow Wing	619	473	127	5	14
Brainerd	286	223	61	-	2
Balance of county	333	250	66	5	12
Dakota	1,000	935	63	1	1
South St. Paul	364	353	11	-	-
Balance of county	636	582	52	1	1
Dodge	240	164	76	-	-
Douglas	404	293	110	-	1
Faribault	511	354	157	-	-
Fillmore	456	350	104	-	2
Freeborn	673	595	77	-	1
Albert Lea	310	294	16	-	-
Balance of county	363	301	61	-	1
Goodhue	562	473	88	-	1
Grant	187	115	71	-	1
Hennepin	12,241	11,820	413	8	-
Minneapolis	10,300	9,992	306	2	-
Balance of county	1,941	1,828	107	6	-
Houston	281	261	20	-	-
Hubbard	210	131	67	7	5
Isanti	196	154	41	1	-
Itasca	728	631	88	3	6
Jackson	354	274	80	-	-
Kanabec	185	133	52	-	-
Kandiyohi	559	413	146	-	-
Kittson	215	177	33	1	4
Koochiching	327	267	53	2	5
Lac qui Parle	323	283	40	-	-
Lake	136	135	1	-	-
Lake of the Woods	106	54	49	-	3
Le Sueur	376	299	76	-	1
Lincoln	214	176	38	-	-
Lyon	488	405	83	-	-
McLeod	399	313	86	-	-
Mahnomen	205	150	46	3	6
Marshall	355	244	98	2	11
Martin	510	371	139	-	-
Meeker	364	304	60	-	-
Mille Lacs	300	244	53	-	3
Morrison	597	431	159	2	5
Mower	944	713	230	-	1
Austin	558	441	117	-	-
Balance of county	386	272	113	-	1
Murray	382	238	144	-	-
Nicollet	315	294	21	-	-
Nobles	501	426	75	-	-
Norman	265	214	50	-	1
Olmsted	860	705	155	-	-
Rochester	540	498	42	-	-
Balance of county	320	207	113	-	-
Otter Tail	1,011	842	167	-	2
Fergus Falls	172	159	13	-	-
Balance of county	839	683	154	-	2
Pennington	258	231	27	-	-
Pine	348	198	150	-	-
Pipestone	308	243	65	-	-
Polk	685	590	95	-	-
Pope	266	239	27	-	-
Ramsey	7,094	6,850	238	5	1
St. Paul	6,477	6,276	196	4	1
Balance of county	617	574	42	1	-
Red Lake	167	129	36	-	2
Redwood	496	357	139	-	-
Renville	533	299	234	-	-
Rice	617	492	125	-	-
Faribault	224	179	45	-	-
Balance of county	393	313	80	-	-
Rock	231	194	37	-	-
Roseau	358	218	137	1	2
St. Louis	4,271	4,082	187	1	1
Duluth	2,191	2,147	43	1	-
Hibbing	392	378	14	-	-
Virginia	255	243	12	-	-
Balance of county	1,433	1,314	118	-	1
Scott	306	219	87	-	-
Sherburne	180	142	38	-	-
St. Cloud (part)	15	13	2	-	-
Balance of county	165	129	36	-	-
Sibley	279	199	80	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MINNESOTA—Continued					
Stearns	1,498	972	518	4	4
St. Cloud (part)	420	363	56	1	-
St. Cloud (total)	472	401	70	1	-
Balance of county	1,078	609	462	3	4
Steele	327	294	33	-	-
Stevens	286	238	47	-	1
Swift	355	270	84	-	1
Todd	511	331	178	-	2
Traverse	174	133	41	-	-
Wabasha	350	277	72	-	1
Wadena	317	209	102	2	4
Waseca	298	264	34	-	-
Washington	558	503	54	1	-
Watonwan	271	232	39	-	-
Wilkin	231	205	25	-	-
Winona	700	613	86	-	1
Winona	432	391	40	-	1
Balance of county	268	222	46	-	-
Wright	541	319	222	-	-
Yellow Medicine	351	275	76	-	-
MISSISSIPPI (total)	59,846	15,933	18,281	25,480	152
Adams	679	328	25	324	2
Natchez	412	260	16	135	1
Balance of county	267	68	9	189	1
Alcorn	649	184	369	93	3
Amite	630	128	178	322	2
Attala	809	165	309	314	1
Benton	253	15	111	127	-
Bolivar	2,019	315	509	1,189	6
Calhoun	493	73	391	29	-
Carroll	521	35	180	306	-
Chickasaw	601	74	349	178	-
Choctaw	339	46	186	106	1
Claiborne	301	27	40	233	1
Clarke	536	93	259	183	1
Clay	508	73	109	326	-
Coahoma	1,224	159	180	885	-
Clarksdale	256	99	41	116	-
Balance of county	968	60	139	769	-
Copiah	879	71	394	414	-
Covington	498	103	254	140	1
De Soto	777	79	237	461	-
Forrest	1,308	810	326	172	-
Hattiesburg	881	570	202	109	-
Balance of county	427	240	124	63	-
Franklin	255	47	93	115	-
George	332	22	286	24	-
Greene	293	12	206	72	3
Grenada	589	156	140	292	1
Hancock	263	124	71	67	1
Harrison	1,877	1,449	202	226	-
Biloxi	837	741	37	59	-
Gulfport	514	405	61	48	-
Balance of county	526	303	104	119	-
Hinds	2,769	1,225	307	1,234	3
Jackson	1,550	1,023	163	363	1
Balance of county	1,219	202	144	871	2
Holmes	1,138	109	178	850	1
Humphreys	697	43	158	496	-
Issaquena	173	13	22	138	-
Itawamba	471	63	380	27	1
Jackson	1,035	671	239	124	1
Jasper	522	44	337	141	-
Jefferson	297	35	47	215	-
Jefferson Davis	503	42	263	196	2
Jones	1,429	961	231	231	6
Laurel	561	391	70	100	-
Balance of county	868	570	161	131	6
Kemper	537	58	177	299	3
Lafayette	510	116	173	220	1
Lamar	354	122	180	52	-
Lauderdale	1,501	869	197	432	3
Meridian	892	650	75	166	1
Balance of county	609	219	122	266	2
Lawrence	391	98	122	169	2
Leake	615	68	351	193	3
Lee	910	246	597	67	-
Leflore	1,641	191	231	1,219	-
Greenwood	315	147	32	136	-
Balance of county	1,326	44	199	1,083	-
Lincoln	712	325	165	216	6
Lowndes	1,016	361	167	488	-
Columbus	485	276	62	147	-
Balance of county	531	85	105	341	-
Madison	1,124	140	173	805	6
Marion	631	211	173	246	1
Marshall	814	51	208	548	7
Monroe	939	174	388	376	1
Montgomery	434	138	100	193	3
Neshoba	736	292	346	92	6
Newton	592	249	233	103	7
Noxubee	643	53	87	500	3
Oktibbeha	552	83	172	297	-
Panola	910	164	205	537	4
Pearl River	585	117	462	6	-
Perry	242	44	106	92	-
Pike	947	364	308	273	2
Pontotoc	486	121	289	71	5
Prentiss	529	129	360	39	1
Quitman	812	240	154	418	-
Rankin	627	135	114	378	-
Scott	582	133	221	224	4
Sharkey	453	39	73	339	2
Simpson	577	162	256	159	-
Smith	463	68	322	69	4
Stone	136	27	88	21	-
Sunflower	1,758	140	572	1,038	8
Tallahatchie	983	138	297	548	-
Tate	559	57	231	263	8
Tippah	498	81	377	39	1
Tishomingo	404	58	343	2	1
Tunica	648	18	96	533	1
Union	508	251	153	103	1
Walthall	522	252	110	155	5
Warren	860	385	101	373	1
Vicksburg	483	287	62	134	-
Balance of county	377	98	39	239	1
Washington	1,913	426	271	1,216	-
Greenville	617	299	90	228	-
Balance of county	1,296	127	181	988	-
Wayne	458	138	135	185	-
Webster	298	27	211	58	2
Wilkinson	602	111	100	386	5
Winston	545	166	162	213	4
Yalobusha	496	99	197	198	2
Yazoo	1,126	184	161	779	2
MISSOURI (total)	72,458	46,618	23,832	1,338	670
Adair	345	188	156	-	1
Kirksville	186	123	63	-	-
Balance of county	159	65	93	-	1
Andrew	165	64	100	-	1
Atchison	225	111	114	-	-
Audrain	503	295	208	-	-
Barry	405	116	284	4	1
Barton	193	101	92	-	-
Bates	279	137	142	-	-
Benton	162	83	73	3	3
Bollinger	150	26	106	4	14
Boone	577	325	251	1	-
Columbia	346	236	110	-	-
Balance of county	231	89	141	1	-
Buchanan	1,446	1,000	436	8	2
St. Joseph	1,173	824	341	6	2
Balance of county	273	176	95	2	-
Butler	902	349	403	62	88
Poplar Bluff	279	174	88	5	12
Balance of county	623	175	315	57	76
Caldwell	147	71	76	-	-
Callaway	343	195	147	1	-
Camden	140	18	104	7	11
Cape Girardeau	731	541	175	9	6
Cape Girardeau	402	346	47	7	2
Balance of county	329	195	128	2	4
Carroll	295	123	170	2	-
Carter	103	30	61	7	5
Cass	308	142	164	-	2
Cedar	159	21	138	-	-
Chariton	260	33	225	1	1
Christian	237	69	158	6	4
Clark	165	66	99	-	-
Clay	652	465	187	-	-
Clinton	176	54	122	-	-
Cole	595	436	157	-	2
Jefferson City	427	350	77	-	-
Balance of county	168	86	80	-	2
Cooper	284	182	101	-	1
Crawford	175	40	121	6	8
Dade	138	68	65	-	-
Dallas	176	24	147	1	4
Daviess	170	45	125	-	-
De Kalb	114	32	82	-	-
Dent	191	28	106	52	5
Douglas	329	28	223	34	44
Dunklin	1,088	184	880	16	8
Franklin	695	364	325	1	5
Gasconade	207	98	109	-	-
Gentry	206	56	150	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
MISSOURI—Continued					
Greene	1,741	1,369	367	1	4
Springfield	1,261	1,104	155	-	2
Balance of county	480	265	212	1	2
Grundy	226	124	102	-	-
Harrison	242	104	137	1	-
Henry	312	216	95	-	1
Hickory	92	25	67	-	-
Holt	199	64	132	1	2
Howard	176	88	78	8	2
Howell	427	158	213	23	33
Iron	184	71	52	23	38
Jackson	9,232	8,235	983	7	7
Independence	597	567	29	1	-
Kansas City	7,921	7,127	782	6	6
Balance of county	714	541	172	-	1
Jasper	1,824	1,421	402	1	-
Carthage	235	212	22	1	-
Joplin (part)	939	781	158	-	-
Joplin (total)	961	802	159	-	-
Balance of county	650	428	222	-	-
Jefferson	550	223	323	3	1
Johnson	292	179	113	-	-
Knox	131	47	84	-	-
Laclede	476	242	210	11	13
Lafayette	439	200	237	1	1
Lawrence	394	160	234	-	-
Lewis	182	53	129	-	-
Lincoln	247	69	178	-	-
Linn	340	142	198	-	-
Livingston	254	141	112	-	1
McDonald	331	106	213	2	10
Macon	283	117	165	1	-
Madison	212	32	173	2	5
Maries	169	22	147	-	-
Marion	550	465	85	-	-
Hannibal	385	345	40	-	-
Balance of county	165	120	45	-	-
Mercer	138	44	93	-	1
Miller	288	66	219	2	1
Mississippi	703	124	488	62	29
Moniteau	209	65	144	-	-
Monroe	173	68	105	-	-
Montgomery	200	76	124	-	-
Morgan	208	42	164	2	-
New Madrid	1,122	184	781	138	19
Newton	783	449	328	5	1
Joplin (part)	22	21	1	-	-
Balance of county	761	428	327	5	1
Nodaway	432	323	106	-	3
Oregon	235	22	184	18	11
Osage	220	84	131	2	3
Ozark	239	18	192	13	16
Pemiscot	1,140	140	803	153	44
Perry	340	60	279	1	-
Pettis	578	368	210	-	-
Sedalia	384	262	122	-	-
Balance of county	194	106	88	-	-
Phelps	428	199	215	9	5
Pike	284	173	106	4	1
Platte	228	139	87	-	2
Polk	258	58	196	1	3
Pulaski	339	137	201	-	1
Putnam	182	83	98	1	-
Ralls	153	90	63	-	-
Randolph	353	137	212	2	2
Moberly	203	98	102	1	2
Balance of county	150	39	110	1	-
Ray	266	72	193	-	1
Reynolds	174	35	101	22	16
Ripley	228	72	126	13	17
St. Charles	557	415	141	-	1
St. Charles	280	246	33	-	1
Balance of county	277	169	108	-	-
St. Clair	179	49	127	-	3
St. Francois	752	252	463	34	3
St. Louis	6,228	5,643	519	66	-
Clayton	281	281	-	-	-
Kirkwood	336	315	20	1	-
Maplewood	232	221	10	1	-
Richmond Heights	315	307	8	-	-
University City	525	513	11	1	-
Webster Groves	382	368	11	3	-
Balance of county	4,157	3,538	459	60	-
St. Louis (city)	16,421	15,069	1,084	253	15
Ste. Genevieve	231	36	195	-	-
Saline	430	203	226	-	1
Schuyler	112	35	77	-	-
Scotland	124	45	79	-	-
Scott	784	351	373	53	7
Shannon	221	17	138	53	13
Shelby	123	36	87	-	-
Stoddard	774	114	612	36	12
Stone	199	27	150	18	4
Sullivan	219	65	154	-	-
Taney	168	21	129	16	2
Texas	403	64	309	14	16
Vernon	330	207	120	-	3
Warren	108	50	57	1	-
Washington	285	28	208	12	37
Wayne	208	60	114	7	27
Webster	335	139	186	3	7
Worth	100	18	82	-	-
Wright	330	65	242	14	9
MONTANA (total)	11,407	10,426	813	87	81
Beaverhead	100	89	10	1	-
Big Horn	284	208	41	14	21
Blaine	213	161	42	7	3
Broadwater	39	38	1	-	-
Carbon	209	162	46	1	-
Carter	78	58	19	1	-
Cascade	1,089	1,071	14	2	2
Great Falls	850	844	5	-	1
Balance of county	239	227	9	2	1
Chouteau	95	94	1	-	-
Custer	200	185	15	-	-
Daniels	87	83	3	1	-
Dawson	219	205	13	-	1
Deer Lodge	362	357	4	1	-
Anaconda	316	313	2	1	-
Balance of county	46	44	2	-	-
Fallon	81	72	9	-	-
Fergus	259	250	8	1	-
Flathead	392	343	44	-	5
Gallatin	299	282	15	2	-
Garfield	48	44	4	-	-
Glacier	277	251	20	1	5
Golden Valley	29	23	6	-	-
Granite	57	49	7	1	-
Hill	288	282	5	-	1
Jefferson	49	46	3	-	-
Judith Basin	78	76	2	-	-
Lake	250	207	42	1	-
Lewis and Clark	434	425	6	1	2
Helena	315	311	3	1	-
Balance of county	119	114	3	-	2
Liberty	41	41	-	-	-
Lincoln	152	131	21	-	-
McCone	71	68	3	-	-
Madison	95	67	28	-	-
Meagher	23	13	10	-	-
Mineral	38	36	2	-	-
Missoula	559	547	7	3	2
Missoula	434	431	2	1	-
Balance of county	125	116	5	2	2
Musselshell	110	107	3	-	-
Park	192	170	21	-	1
Petroleum	19	17	-	1	1
Phillips	120	110	5	3	2
Pondera	146	131	8	3	4
Powder River	52	50	1	1	-
Powell	94	90	3	-	1
Prairie	65	63	-	2	-
Ravalli	213	204	6	2	1
Richland	260	231	22	7	-
Roosevelt	252	222	15	10	5
Rosebud	162	131	12	4	15
Sanders	107	88	12	3	4
Sheridan	118	111	1	6	-
Silver Bow	1,075	1,022	53	-	-
Butte	1,003	961	42	-	-
Balance of county	72	61	11	-	-
Stillwater	148	128	19	1	-
Sweet Grass	67	46	21	-	-
Teton	131	109	22	-	-
Toole	130	111	19	-	-
Treasure	26	21	5	-	-
Valley	274	239	31	4	-
Wheatland	69	55	14	-	-
Wibaux	40	37	2	-	1
Yellowstone	1,047	974	67	2	4
Billings	705	680	20	2	3
Balance of county	342	294	47	-	1
Yellowstone National Park (part)	-	-	-	-	-
NEBRASKA (total)	25,048	19,733	5,299	5	11
Adams	504	445	59	-	-
Hastings	384	350	34	-	-
Balance of county	120	95	25	-	-
Antelope	246	95	151	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEBRASKA—Continued					
Arthur	19	16	3	-	-
Banner	19	19	-	-	-
Blaine	22	8	14	-	-
Boone	231	101	130	-	-
Box Butte	299	291	8	-	-
Boyd	126	98	28	-	-
Brown	119	115	4	-	-
Buffalo	455	377	78	-	-
Burt	217	153	64	-	-
Butler	238	188	48	2	-
Cass	290	204	86	-	-
Cedar	282	99	183	-	-
Chase	127	112	15	-	-
Cherry	201	154	46	-	1
Cheyenne	239	233	6	-	-
Clay	159	96	63	-	-
Colfax	154	97	57	-	-
Cuming	275	183	92	-	-
Custer	405	170	235	-	-
Dakota	228	182	46	-	-
Dawes	202	184	18	-	-
Dawson	376	298	78	-	-
Deuel	68	57	10	-	1
Dixon	183	141	42	-	-
Dodge	476	393	82	1	-
Fremont	241	230	10	1	-
Balance of county	235	163	72	-	-
Douglas	5,224	4,946	277	1	-
Omaha	4,998	4,736	261	1	-
Balance of county	226	210	16	-	-
Dundy	105	77	27	-	1
Fillmore	176	130	46	-	-
Franklin	104	49	55	-	-
Frontier	99	38	61	-	-
Furnas	137	99	37	-	1
Gage	448	385	63	-	-
Beatrice	195	191	4	-	-
Balance of county	253	194	59	-	-
Garden	79	62	17	-	-
Garfield	70	35	35	-	-
Gosper	50	25	25	-	-
Grant	19	9	10	-	-
Greeley	110	63	47	-	-
Hall	619	524	95	-	-
Grand Island	481	422	59	-	-
Balance of county	138	102	36	-	-
Hamilton	187	139	48	-	-
Harlan	111	79	31	1	-
Hayes	54	31	23	-	-
Hitchcock	127	82	45	-	-
Holt	309	163	146	-	-
Hooker	32	6	26	-	-
Howard	157	89	68	-	-
Jefferson	270	230	40	-	-
Johnson	140	97	43	-	-
Kearney	110	91	19	-	-
Keith	153	101	52	-	-
Keya Paha	48	47	1	-	-
Kimball	97	88	9	-	-
Knox	305	132	171	-	2
Lancaster	1,883	1,742	141	-	-
Lincoln	1,642	1,533	109	-	-
Balance of county	241	209	32	-	-
Lincoln	556	403	155	-	-
North Platte	351	275	76	-	-
Balance of county	207	128	79	-	-
Logan	40	20	20	-	-
Loup	26	9	17	-	-
McPherson	19	11	8	-	-
Madison	380	314	66	-	-
Norfolk	173	153	20	-	-
Balance of county	207	161	46	-	-
Merrick	174	123	51	-	-
Morrill	205	90	115	-	-
Nance	118	90	28	-	-
Nemaha	183	161	22	-	-
Nuckolls	180	90	90	-	-
Otoe	327	273	54	-	-
Pawnee	104	95	9	-	-
Perkins	124	93	31	-	-
Phelps	143	137	6	-	-
Pierce	196	114	82	-	-
Platte	425	292	133	-	-
Polk	144	139	5	-	-
Red Willow	223	171	52	-	-
Richardson	358	251	107	-	-
Rock	75	68	7	-	-
Saline	221	162	59	-	-
Sarpy	229	195	34	-	-
Saunders	309	288	21	-	-
Scotts Bluff	839	689	148	-	2
Scottsbluff	257	227	30	-	-
Balance of county	582	462	118	-	2
Seward	226	128	98	-	-
Sheridan	175	122	53	-	-
Sherman	140	95	45	-	-
Sioux	31	26	5	-	-
Stanton	120	87	33	-	-
Thayer	207	108	99	-	-
Thomas	33	9	24	-	-
Thurston	240	162	75	-	3
Valley	132	76	56	-	-
Washington	190	174	16	-	-
Wayne	156	120	36	-	-
Webster	136	31	105	-	-
Wheeler	28	15	13	-	-
York	251	234	17	-	-
NEVADA (total)	3,026	2,799	199	8	20
Churchill	111	107	2	-	2
Clark	927	865	58	1	3
Douglas	29	21	5	-	3
Elko	224	213	10	-	1
Esmeralda	5	4	1	-	-
Eureka	11	11	-	-	-
Humboldt	97	80	8	1	8
Lander	22	21	1	-	-
Lincoln	120	98	22	-	-
Lyon	69	56	12	1	-
Mineral	197	196	1	-	-
Nye	90	81	5	3	1
Ormsby	45	39	5	-	1
Pershing	51	46	5	-	-
Storey	9	7	2	-	-
Washoe	741	728	11	1	1
Reno	545	539	6	-	-
Balance of county	196	189	5	1	1
White Pine	278	226	51	1	-
NEW HAMPSHIRE (total)	9,367	8,420	945	1	1
Belknap	426	401	25	-	-
Laconia	272	258	14	-	-
Balance of county	154	143	11	-	-
Carroll	231	212	19	-	-
Cheshire	719	621	98	-	-
Keene	302	286	16	-	-
Balance of county	417	335	82	-	-
Coos	699	537	162	-	-
Berlin	319	254	65	-	-
Balance of county	380	283	97	-	-
Grafton	782	634	147	-	1
Hillsborough	2,820	2,613	207	-	-
Manchester	1,606	1,496	110	-	-
Nashua	625	589	35	-	-
Balance of county	589	528	61	-	-
Merrimack	876	802	73	1	-
Concord	375	369	5	1	-
Balance of county	501	433	68	-	-
Rockingham	1,358	1,268	90	-	-
Portsmouth	490	476	14	-	-
Balance of county	868	787	76	-	-
Strafford	924	824	100	-	-
Dover	319	299	20	-	-
Rochester	233	217	16	-	-
Balance of county	372	308	64	-	-
Sullivan	537	513	24	-	-
Claremont (town)	282	272	10	-	-
Balance of county	255	241	14	-	-
NEW JERSEY (total)	83,032	75,531	6,190	1,275	36
Atlantic	1,841	1,522	292	25	2
Atlantic City	901	838	50	12	1
Pleasantville	200	137	60	2	1
Balance of county	740	547	182	11	-
Bergen	8,412	8,104	240	66	2
Bergenfield	211	209	2	-	-
Cliffside Park	310	304	2	4	-
Englewood	366	359	6	1	-
Garfield	572	531	17	24	-
Hackensack	524	484	35	5	-
Lodi	286	275	4	7	-
Lyndhurst (twp.) [2]	366	354	11	1	-
Ridgefield Park	212	210	1	1	-
Ridgewood	237	231	5	1	-
Rutherford	258	249	2	1	1
Teaneck (twp.) [2]	469	455	13	1	-
Balance of county	4,606	4,448	142	20	1

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940. UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEW JERSEY—Continued					
Burlington	2,046	1,588	431	26	1
Burlington	249	193	55	1	-
Balance of county	1,797	1,395	376	25	1
Camden	5,512	4,631	744	129	8
Camden	2,450	1,984	344	116	6
Collingswood	235	220	14	1	-
Gloucester City	274	219	54	1	-
Pennsauken (twp.) [2]	253	200	52	1	-
Balance of county	2,300	2,008	280	10	2
Cape May	472	381	91	-	-
Cumberland	1,526	1,178	346	-	2
Bridgeton	399	287	112	-	-
Millville	280	241	39	-	-
Balance of county	847	650	195	-	2
Essex	16,538	15,664	672	201	1
Belleville	632	607	16	9	-
Bloomfield	891	873	12	6	-
East Orange	1,318	1,288	27	3	-
Irvington	1,053	1,028	18	7	-
Maplewood (twp.) [2]	324	319	3	2	-
Millburn (twp.) [2]	171	169	2	-	-
Montclair	715	694	19	2	-
Newark	8,646	7,954	528	163	1
Nutley	486	479	4	3	-
Orange	780	754	22	4	-
South Orange	173	172	1	-	-
West Orange	490	483	5	2	-
Balance of county	859	844	15	-	-
Gloucester	1,598	1,262	333	2	1
Hudson	12,224	11,674	428	122	-
Bayonne	1,482	1,404	56	22	-
Harrison	270	251	15	4	-
Hoboken	890	827	45	18	-
Jersey City	5,918	5,668	225	25	-
Kearny	772	753	16	3	-
North Bergen (twp.) [2]	722	693	14	15	-
Union City	958	920	27	11	-
Weehawken (twp.) [2]	209	209	-	-	-
West New York	743	695	27	21	-
Balance of county	260	254	3	3	-
Hunterdon	617	513	102	1	1
Mercer	3,758	3,411	327	19	1
Trenton	2,196	2,003	178	14	1
Balance of county	1,562	1,408	149	5	-
Middlesex	4,584	3,859	428	289	8
Carteret	221	158	16	47	-
New Brunswick	756	673	77	6	-
Perth Amboy	822	641	76	101	4
South River	216	177	25	14	-
Woodbridge (twp.) [2]	718	590	44	82	2
Balance of county	1,851	1,620	190	39	2
Monmouth	3,551	3,321	225	4	1
Asbury Park	299	282	17	-	-
Long Branch	412	405	5	2	-
Neptune (twp.) [2]	243	212	31	-	-
Red Bank	281	274	7	-	-
Balance of county	2,316	2,148	165	2	1
Morris	2,647	2,407	228	12	-
Dover	241	215	21	5	-
Morristown	325	311	13	1	-
Balance of county	2,081	1,881	194	6	-
Ocean	715	632	83	-	-
Passaic	5,701	5,399	252	46	4
Clifton	1,053	1,027	20	6	-
Hawthorne	221	206	15	-	-
Passaic	1,034	991	30	13	-
Paterson	2,354	2,220	110	24	-
Balance of county	1,039	955	77	3	4
Salem	1,002	837	164	1	-
Somerset	1,600	1,400	124	75	1
North Plainfield	208	204	4	-	-
Balance of county	1,392	1,196	120	75	1
Sussex	609	448	161	-	-
Union	7,037	6,447	330	257	3
Cranford (twp.) [2]	298	285	12	1	-
Elizabeth	2,190	1,889	105	194	2
Hillside (twp.) [2]	311	302	5	4	-
Linden	604	536	32	36	-
Plainfield	797	757	36	4	-
Rahway	385	364	17	4	-
Roselle	321	303	12	6	-
Summit	326	317	9	-	-
Union (twp.) [2]	556	342	13	1	-
Westfield	366	342	24	-	-
Balance of county	883	610	65	7	1
Warren	1,042	853	189	-	-
Phillipsburg	424	374	50	-	-
Balance of county	618	479	139	-	-
Section B (Counties)—Continued					
NEW MEXICO (total)	15,211	7,636	4,231	2,802	542
Bernalillo	2,199	1,385	521	232	61
Albuquerque	1,311	1,092	148	62	9
Balance of county	888	293	373	170	52
Catron	108	24	49	23	12
Chaves	791	506	220	55	10
Roswell	534	386	102	39	7
Balance of county	257	120	118	16	3
Colfax	502	297	132	64	9
Curry	550	513	29	7	1
Clovis	393	371	16	6	-
Balance of county	157	142	13	1	1
De Baca	110	62	36	10	2
Dona Ana	915	187	584	117	27
Eddy	885	662	114	92	17
Grant	628	421	125	66	16
Guadalupe	201	22	76	98	5
Harding	105	22	49	21	13
Hidalgo	149	107	21	16	5
Lea	433	397	33	2	1
Hobbs	257	252	5	-	-
Balance of county	176	145	28	2	1
Lincoln	219	62	103	48	6
Luna	242	117	114	8	3
McKinley	696	441	111	101	43
Mora	320	50	111	128	31
Otero	330	130	144	37	19
Quay	305	204	52	46	3
Rio Arriba	807	171	280	297	59
Roosevelt	355	331	19	3	2
Sandoval	321	76	90	138	17
San Juan	286	199	63	5	19
San Miguel	912	392	73	414	33
Santa Fe	774	269	325	161	19
Santa Fe	507	202	201	97	7
Balance of county	267	67	124	64	12
Sierra	110	23	76	10	1
Socorro	330	44	189	84	13
Taos	526	215	37	251	23
Torrance	327	55	162	91	19
Union	195	112	56	22	5
Valencia	580	140	237	155	48
NEW YORK (total)	248,627	232,907	14,160	1,333	227
Albany	4,126	3,844	243	35	4
Albany	2,430	2,324	72	32	2
Cohoes	423	344	79	-	-
Watervliet	298	277	20	-	1
Balance of county	975	899	72	3	1
Allegany	829	731	97	-	1
Broome	3,528	3,371	143	10	4
Binghamton	1,647	1,608	35	3	1
Endicott	471	462	9	-	-
Johnson City	368	362	3	3	-
Balance of county	1,042	939	96	4	3
Cattaraugus	1,388	1,201	182	1	4
Olean	438	423	15	-	-
Balance of county	950	778	167	1	4
Cayuga	1,221	1,131	90	-	-
Auburn	681	663	18	-	-
Balance of county	540	468	72	-	-
Chautauqua	2,078	1,947	129	-	2
Dunkirk	326	299	27	-	-
Jamestown	693	687	5	-	1
Balance of county	1,059	961	97	-	1
Chemung	1,736	1,674	62	-	-
Elmira	1,047	1,021	26	-	-
Balance of county	689	653	36	-	-
Chenango	708	567	140	-	1
Clinton	1,052	745	302	1	4
Plattsburgh	333	318	15	-	-
Balance of county	719	427	287	1	4
Columbia	611	529	78	-	4
Hudson	164	146	18	-	-
Balance of county	447	383	60	-	4
Cortland	644	561	72	11	-
Cortland	296	278	11	7	-
Balance of county	348	283	61	4	-
Delaware	892	660	230	-	2
Dutchess	1,888	1,763	98	26	1
Beacon	202	190	3	9	-
Poughkeepsie	859	814	31	13	1
Balance of county	827	759	64	4	-
Erie	17,726	15,895	1,757	64	10
Buffalo	12,164	11,137	970	52	5
Kenmore	413	410	3	-	-
Lackawanna	634	530	97	6	1
Tonawanda	299	294	5	-	-
Balance of county	4,216	3,524	682	6	4

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY— Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NEW YORK—Continued					
Essex	669	433	235	1	-
Franklin	969	506	448	2	13
Fulton	868	774	93	-	1
Gloversville	411	393	18	-	-
Johnstown	164	155	9	-	-
Balance of county	293	226	66	-	1
Genesee	850	805	45	-	-
Batavia	339	336	3	-	-
Balance of county	511	469	42	-	-
Greene	413	351	62	-	-
Hamilton	59	39	20	-	-
Herkimer	1,165	1,045	111	6	3
Little Falls	160	158	2	-	-
Balance of county	1,005	887	109	6	3
Jefferson	1,845	1,505	340	-	-
Watertown	779	708	71	-	-
Balance of county	1,066	797	269	-	-
Lewis	436	340	96	-	-
Livingston	650	567	82	-	1
Madison	855	726	127	-	2
Oneida	242	228	14	-	-
Balance of county	613	498	113	-	2
Monroe	8,539	8,194	330	4	11
Irondequoit (town)	533	525	8	-	-
Rochester	5,924	5,715	195	4	10
Balance of county	2,082	1,954	127	-	1
Montgomery	1,037	931	105	1	-
Amsterdam	581	563	17	1	-
Balance of county	456	368	88	-	-
Nassau	8,726	8,360	356	7	3
Floral Park	268	267	1	-	-
Freeport	425	398	26	-	1
Garden City	189	187	2	-	-
Glen Cove	218	198	19	-	1
Hempstead	614	591	23	-	-
Lynbrook	321	317	4	-	-
Mineola	216	213	3	-	-
Rockville Centre	300	293	7	-	-
Valley Stream	426	420	6	-	-
Balance of county	5,749	5,476	265	7	1
New York City [4]	130,917	126,482	3,248	1,117	70
Niagara	3,908	3,756	149	1	2
Lockport	495	487	8	-	-
Niagara Falls	2,021	1,987	34	-	-
North Tonawanda	468	449	19	-	-
Balance of county	924	833	88	1	2
Oneida	4,281	3,941	334	-	6
Rome	840	793	47	-	-
Utica	2,045	1,992	51	-	2
Balance of county	1,396	1,156	236	-	4
Onondaga	5,744	5,494	228	4	18
Syracuse	3,809	3,696	95	3	15
Balance of county	1,935	1,798	133	1	3
Ontario	1,074	1,001	70	-	3
Geneva	346	332	14	-	-
Balance of county	728	669	56	-	3
Orange	2,339	2,013	321	-	5
Middletown	292	280	12	-	-
Newburgh	585	512	73	-	-
Balance of county	1,462	1,221	236	-	5
Orleans	461	401	60	-	-
Oswego	1,507	1,220	287	-	-
Fulton	323	307	16	-	-
Oswego	442	397	45	-	-
Balance of county	742	516	226	-	-
Otsego	898	755	136	-	7
Oneonta	254	247	7	-	-
Balance of county	644	508	129	-	7
Putnam	241	205	36	-	-
Rensselaer	2,135	1,985	149	1	-
Rensselaer	218	214	3	1	-
Troy	1,196	1,156	40	-	-
Balance of county	721	615	106	-	-
Rockland	1,189	1,118	69	2	-
St. Lawrence	2,225	1,587	631	-	7
Massena	379	238	140	-	1
Ogdensburg	316	310	5	-	1
Balance of county	1,530	1,039	486	-	5
Saratoga	1,447	1,215	225	1	6
Saratoga Springs	282	270	11	-	1
Balance of county	1,165	945	214	1	5
Schenectady	2,629	2,500	119	7	3
Schenectady	1,837	1,753	77	5	2
Balance of county	792	747	42	2	1
Schoharie	372	248	121	2	1
Schuyler	242	208	34	-	-
Seneca	498	446	51	-	1
Section B (Counties)—Continued					
NEW YORK—Continued					
Steuben	1,901	1,621	277	-	3
Corning	383	376	7	-	-
Hornell	315	304	11	-	-
Balance of county	1,203	941	259	-	3
Suffolk	3,482	3,197	274	10	1
Sullivan	509	400	107	-	2
Tioga	598	464	133	-	1
Tompkins	910	833	78	1	3
Ithaca	439	423	14	-	2
Balance of county	471	410	59	1	1
Ulster	1,259	1,120	132	1	6
Kingston	459	435	22	-	2
Balance of county	800	685	110	1	4
Warren	693	564	129	-	-
Glens Falls	367	347	20	-	-
Balance of county	326	217	109	-	-
Washington	856	646	206	-	4
Wayne	922	773	147	-	2
Westchester	9,033	8,758	254	17	4
Mamaroneck	241	232	9	-	-
Mount Vernon	1,027	946	77	2	2
New Rochelle	880	857	23	-	-
Ossining	203	200	3	-	-
Peekskill	264	237	27	-	-
Port Chester	431	425	3	2	1
Scarsdale	215	213	2	-	-
White Plains	664	654	9	-	1
Yonkers	2,308	2,248	52	8	-
Balance of county	2,800	2,746	49	5	-
Wyoming	529	460	68	-	1
Yates	320	301	19	-	-
NORTH CAROLINA (total)	94,568	43,234	34,406	16,687	241
Alamance	1,491	777	687	27	-
Burlington	322	245	77	-	-
Balance of county	1,169	532	610	27	-
Alexander	317	74	219	24	-
Alleghany	138	19	113	5	1
Anson	736	144	240	348	4
Ashe	521	127	259	132	3
Avery	402	265	59	78	-
Beaufort	972	436	231	288	17
Bertie	760	230	165	363	2
Bladen	885	126	462	295	2
Brunswick	546	245	49	250	2
Buncombe	2,338	1,540	635	156	7
Asheville	972	723	163	83	3
Balance of county	1,366	817	472	73	4
Burke	984	701	157	70	56
Cabarrus	1,496	1,038	314	129	15
Concord	320	263	39	18	-
Balance of county	1,176	775	275	111	15
Caldwell	1,189	485	645	59	-
Camden	132	22	63	47	-
Carteret	535	318	153	64	-
Caswell	490	64	307	119	-
Catawba	1,405	1,057	211	136	1
Hickory	390	348	10	32	-
Balance of county	1,015	709	201	104	1
Chatham	542	155	277	110	-
Cherokee	558	193	130	230	5
Chowan	285	35	158	91	1
Clay	183	33	127	18	5
Cleveland	1,505	759	424	321	1
Shelby	371	327	17	27	-
Balance of county	1,134	432	407	294	1
Columbus	1,330	489	248	586	7
Craven	931	372	251	307	1
New Bern	356	120	120	116	-
Balance of county	575	252	131	191	1
Cumberland	2,341	1,413	426	501	1
Fayetteville	1,147	900	128	119	-
Balance of county	1,194	513	298	382	1
Currituck	124	24	71	29	-
Dare	119	21	84	14	-
Davidson	1,307	758	516	33	-
Lexington	332	189	140	3	-
Thomasville	255	211	33	11	-
Balance of county	720	358	343	19	-
Davie	307	125	177	5	-
Duplin	1,130	184	739	206	1
Durham	2,226	1,854	229	143	-
Durham	1,730	1,520	110	100	-
Balance of county	496	334	119	43	-
Edgecombe	1,259	449	417	393	-
Rocky Mount (part)	305	178	104	24	-
Balance of county	953	271	313	369	-

[4] Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
NORTH CAROLINA—Continued					
Forsyth	2,764	2,113	645	6	-
Winston-Salem	1,667	1,316	349	2	-
Balance of county	1,097	797	296	4	-
Franklin	704	67	411	226	-
Gaston	2,336	1,086	1,136	114	-
Gastonia	561	359	185	17	-
Balance of county	1,775	727	951	97	-
Gates	257	54	101	102	-
Graham	287	80	134	72	1
Granville	723	140	489	93	1
Greene	546	66	402	77	1
Guilford	3,425	2,568	783	74	-
Greensboro	1,815	1,165	133	17	-
High Point	817	614	186	17	-
Balance of county	1,293	789	464	40	-
Halifax	1,496	425	303	767	1
Harnett	1,253	433	632	186	2
Haywood	906	615	263	27	1
Henderson	579	352	197	28	2
Hertford	473	59	299	115	-
Hoke	435	31	172	232	-
Hyde	154	26	83	43	2
Iredell	1,109	588	381	140	-
Statesville	243	148	75	20	-
Balance of county	866	440	306	120	-
Jackson	471	95	284	86	6
Johnston	1,702	391	1,033	278	-
Jones	292	81	125	86	-
Lee	576	289	225	62	-
Lenoir	1,167	517	308	342	-
Kinston	417	225	77	115	-
Balance of county	750	292	231	227	-
Lincoln	604	385	161	57	1
McDowell	576	348	208	19	1
Macon	459	87	276	95	1
Madison	463	87	269	101	6
Martin	784	106	403	275	-
Mecklenburg	3,860	3,290	446	103	21
Charlotte	2,670	2,382	233	47	8
Balance of county	1,190	908	213	56	13
Mitchell	431	116	263	88	14
Montgomery	429	153	187	88	1
Moore	696	330	232	134	-
Nash	1,549	508	634	405	2
Rocky Mount (part)	358	256	62	38	-
Rocky Mount (total)	664	436	166	62	-
Balance of county	1,191	250	572	367	2
New Hanover	2,594	2,436	69	89	-
Wilmington	1,532	1,417	31	84	-
Balance of county	1,062	1,019	38	5	-
Northampton	766	128	211	427	-
Onslow	835	264	434	137	-
Orange	544	262	219	62	1
Pamlico	224	17	147	60	-
Pasquotank	678	340	121	216	1
Elizabeth City	378	228	40	109	1
Balance of county	300	112	81	107	-
Pender	549	133	166	250	-
Perquimans	222	24	104	94	-
Person	677	170	461	46	-
Pitt	1,578	283	827	467	1
Greenville	309	121	109	79	-
Balance of county	1,269	162	718	388	1
Polk	299	136	133	13	17
Randolph	1,117	686	356	75	-
Richmond	954	251	502	201	-
Robeson	2,564	890	774	899	1
Rockingham	1,260	491	710	59	-
Reidsville	190	106	76	8	-
Balance of county	1,070	385	634	51	-
Rowan	1,496	823	564	108	1
Salisbury	372	269	76	27	-
Balance of county	1,124	554	488	81	1
Rutherford	1,108	98	918	87	-
Sampson	1,278	189	697	391	1
Scotland	634	148	186	298	2
Stanly	861	500	342	19	-
Stokes	581	103	400	28	-
Surry	1,130	337	724	69	-
Swain	374	91	206	67	10
Transylvania	402	157	208	36	1
Tyrrell	139	80	22	36	1
Union	1,153	347	656	150	-
Vance	794	397	136	261	-
Wake	2,544	1,449	725	369	1
Raleigh	1,119	955	77	87	-
Balance of county	1,425	494	648	282	1
Warren	637	59	138	440	-
Washington	370	76	107	187	-
Watauga	441	300	75	65	1
Wayne	1,375	388	803	183	1
Goldsboro	478	232	204	42	-
Balance of county	897	156	599	141	1
Wilkes	1,101	324	559	217	1
Wilson	1,369	504	529	335	1
Wilson	497	250	104	143	-
Balance of county	872	254	425	192	1
Yadkin	484	261	215	8	-
Yancey	451	74	234	140	3
NORTH DAKOTA (total)	13,422	10,897	2,317	25	183
Adams	102	73	27	-	2
Barnes	327	301	26	-	-
Benson	258	212	42	-	4
Billings	40	36	4	-	-
Bottineau	274	232	42	-	-
Bowman	92	44	48	-	-
Burke	160	139	20	-	1
Burleigh	451	396	51	-	4
Bismarck	330	300	30	-	-
Balance of county	121	96	21	-	4
Cass	1,054	981	72	-	1
Fargo	666	656	10	-	-
Balance of county	388	325	62	-	1
Cavalier	298	259	38	-	1
Dickey	202	124	77	-	1
Divide	140	131	8	1	-
Dunn	200	143	48	-	9
Eddy	111	96	13	-	2
Emmons	278	106	167	-	5
Foster	86	68	17	-	1
Golden Valley	72	65	7	-	-
Grand Forks	723	695	28	-	-
Grand Forks	476	462	14	-	-
Balance of county	247	233	14	-	-
Grant	219	174	40	3	2
Griggs	111	90	21	-	-
Hettinger	182	44	136	-	2
Kidder	148	98	43	-	7
La Moure	235	166	67	-	2
Logan	182	62	91	1	28
McHenry	309	265	37	-	7
McIntosh	201	70	121	2	8
McKenzie	164	145	14	-	5
McLean	366	293	65	-	8
Mercer	234	193	26	3	12
Morton	439	333	89	3	14
Mountrail	229	182	43	1	3
Nelson	154	145	9	-	-
Oliver	95	79	13	-	3
Pembina	336	235	100	-	1
Pierce	271	246	19	-	6
Ramsey	321	300	21	-	-
Ransom	179	122	57	-	-
Renville	119	103	16	-	-
Richland	387	342	42	-	3
Rolette	319	292	14	2	11
Sargent	163	120	40	-	3
Sheridan	156	118	29	2	7
Sioux	88	62	8	6	12
Slope	55	18	37	-	-
Stark	380	313	65	-	2
Steele	93	81	12	-	-
Stutsman	432	350	81	-	1
Towner	151	116	35	-	-
Traill	218	185	33	-	-
Walsh	383	315	67	-	1
Ward	681	642	39	-	-
Minot	398	380	18	-	-
Balance of county	283	262	21	-	-
Wells	245	200	43	-	2
Williams	309	297	9	1	2
OHIO (total)	144,087	115,801	28,132	97	57
Adams	384	44	334	4	2
Allen	1,708	1,416	291	-	1
Lima	1,092	989	102	-	1
Balance of county	616	427	189	-	-
Ashland	574	525	49	-	-
Ashland	268	261	7	-	-
Balance of county	306	264	42	-	-
Ashtabula	1,333	1,003	329	-	1
Ashtabula	469	347	121	-	1
Balance of county	864	656	208	-	-
Athens	738	260	476	-	2
Auglaize	541	323	217	1	-
Belmont	1,641	1,102	538	-	1
Bellaire	262	208	54	-	-
Martins Ferry	251	229	22	-	-
Balance of county	1,128	665	462	-	1

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
OHIO—Continued					
Brown	294	77	216	-	1
Butler	2,791	2,372	417	2	-
Hamilton	1,187	1,018	168	1	-
Middletown	849	754	95	-	-
Balance of county	755	600	154	1	-
Carroll	280	96	184	-	-
Champaign	577	413	164	-	-
Clark	2,113	1,721	392	-	-
Springfield	1,541	1,317	224	-	-
Balance of county	572	404	168	-	-
Clermont	607	267	337	2	1
Clinton	454	129	325	-	-
Columbiana	1,928	1,231	697	-	-
East Liverpool	510	401	109	-	-
Salem	238	192	46	-	-
Balance of county	1,180	638	542	-	-
Coshocton	530	347	182	-	1
Coshocton	197	158	38	-	1
Balance of county	333	189	144	-	-
Crawford	738	658	80	-	-
Cuyahoga	25,109	23,297	1,784	24	4
Cleveland	18,647	16,978	1,646	19	4
Cleveland Heights	692	687	5	-	-
East Cleveland	753	742	10	1	-
Euclid	481	465	16	-	-
Garfield Heights	290	283	6	1	-
Lakewood	1,218	1,195	23	-	-
Parma	341	331	10	-	-
Shaker Heights	387	385	1	1	-
Balance of county	2,300	2,231	67	2	-
Darke	767	547	220	-	-
Defiance	485	421	64	-	-
Delaware	490	317	173	-	-
Erie	996	937	59	-	-
Sandusky	634	613	21	-	-
Balance of county	362	324	38	-	-
Fairfield	923	566	357	-	-
Lancaster	491	341	150	-	-
Balance of county	432	225	207	-	-
Fayette	464	76	388	-	-
Franklin	8,495	7,209	1,285	-	1
Columbus	6,772	5,836	936	-	-
Balance of county	1,723	1,373	349	-	1
Fulton	529	326	203	-	-
Gallia	429	154	265	5	5
Geauga	422	256	165	1	-
Greene	937	529	407	-	1
Xenia	269	139	130	-	-
Balance of county	668	390	277	-	1
Guernsey	573	285	288	-	-
Cambridge	253	155	98	-	-
Balance of county	320	130	190	-	-
Hamilton	12,945	11,608	1,328	7	2
Cincinnati	9,162	8,360	794	6	2
Norwood	635	610	25	-	-
Balance of county	3,148	2,638	509	1	-
Hancock	868	724	142	1	1
Findlay	416	361	53	1	1
Fostoria (part)	103	99	4	-	-
Balance of county	349	264	85	-	-
Hardin	566	335	231	-	-
Harrison	333	176	156	-	1
Henry	439	239	200	-	-
Highland	479	136	342	1	-
Hocking	334	101	231	1	1
Holmes	391	136	255	-	-
Huron	786	651	134	-	1
Jackson	530	92	435	2	1
Jefferson	1,764	1,178	585	1	-
Steubenville	646	540	106	-	-
Balance of county	1,118	638	479	1	-
Knox	585	488	97	-	-
Mount Vernon	246	219	27	-	-
Balance of county	339	269	70	-	-
Lake	1,171	1,101	70	-	-
Painesville	314	298	16	-	-
Balance of county	857	803	54	-	-
Lawrence	941	670	265	3	3
Ironton	307	298	8	1	-
Balance of county	634	372	257	2	3
Licking	1,192	927	264	-	1
Newark	669	577	92	-	-
Balance of county	523	350	172	-	1
Logan	601	454	146	-	1
Lorain	2,481	2,328	153	-	-
Elyria	590	578	12	-	-
Lorain	917	865	52	-	-
Balance of county	974	885	89	-	-
Lucas	6,997	6,155	840	1	1
Toledo	5,544	4,959	583	1	1
Balance of county	1,453	1,196	257	-	-
Madison	458	111	346	-	1
Mahoning	4,506	4,069	432	3	2
Campbell	208	185	21	1	1
Struthers	172	152	19	-	1
Youngstown (part)	3,259	3,019	238	2	-
Youngstown (total)	3,267	3,027	238	2	-
Balance of county	867	713	154	-	-
Marion	1,072	842	230	-	-
Marion	750	618	132	-	-
Balance of county	322	224	98	-	-
Medina	670	609	60	-	1
Meigs	433	102	329	1	1
Mercer	524	422	102	-	-
Miami	1,279	1,159	120	-	-
Piqua	344	329	15	-	-
Balance of county	935	830	105	-	-
Monroe	300	58	240	-	2
Montgomery	7,541	6,995	540	4	2
Dayton	6,167	5,872	289	4	2
Balance of county	1,374	1,123	251	-	-
Morgan	198	39	159	-	-
Morrow	256	168	88	-	-
Muskingum	1,353	1,134	219	-	-
Zanesville	797	716	81	-	-
Balance of county	556	418	138	-	-
Noble	172	73	99	-	-
Ottawa	521	409	112	-	-
Paulding	282	185	96	1	-
Perry	463	117	346	-	-
Pickaway	487	214	273	-	-
Pike	327	29	290	8	-
Portage	1,144	984	159	-	1
Preble	412	249	161	1	1
Putnam	512	279	233	-	-
Richland	1,444	1,248	194	1	1
Mansfield	751	666	84	1	-
Balance of county	693	582	110	-	1
Ross	1,145	316	829	-	-
Chillicothe	503	219	284	-	-
Balance of county	642	97	545	-	-
Sandusky	808	701	107	-	-
Fremont	333	309	24	-	-
Balance of county	475	392	83	-	-
Scioto	1,716	808	899	5	4
Portsmouth	712	518	193	1	-
Balance of county	1,004	290	706	4	4
Seneca	1,041	781	260	-	-
Fostoria (part)	222	200	22	-	-
Fostoria (total)	325	299	26	-	-
Tiffin	367	275	92	-	-
Balance of county	452	306	146	-	-
Shelby	557	408	149	-	-
Stark	5,704	5,054	649	-	1
Alliance	538	465	73	-	-
Canton	2,713	2,532	180	-	1
Massillon	685	642	43	-	-
Balance of county	1,768	1,415	353	-	-
Summit	7,758	7,013	736	8	1
Akron	5,513	5,075	433	5	-
Barberton	616	500	115	1	-
Cuyahoga Falls	453	421	32	-	-
Balance of county	1,176	1,017	155	2	1
Trumbull	3,046	2,761	284	1	-
Niles	315	293	22	-	-
Warren	1,046	993	53	-	-
Youngstown (part)	8	8	-	-	-
Balance of county	1,677	1,467	209	1	-
Tuscarawas	1,381	938	443	-	-
New Philadelphia	245	198	47	-	-
Balance of county	1,136	740	396	-	-
Union	347	148	199	-	-
Van Wert	496	355	141	-	-
Vinton	207	10	191	3	3
Warren	724	415	308	1	-
Washington	715	418	294	2	1
Marietta	263	217	46	-	-
Balance of county	452	201	248	2	1
Wayne	1,126	741	385	-	-
Wooster	232	210	22	-	-
Balance of county	894	531	363	-	-
Williams	462	267	195	-	-
Wood	904	605	299	-	-
Wyandot	343	164	176	2	1
OKLAHOMA (total)	48,639	29,796	17,002	1,279	562
Adair	381	129	143	78	31
Alfalfa	223	171	49	2	1
Atoka	445	78	319	33	15
Beaver	156	106	48	-	2

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
OKLAHOMA—Continued					
Beckham	451	358	91	1	1
Blaine	377	203	163	5	6
Bryan	879	379	489	7	4
Durant	268	181	86	1	-
Balance of county	611	198	403	6	4
Caddo	1,065	494	535	23	13
Canadian	553	386	165	1	1
El Reno	268	195	72	-	1
Balance of county	285	191	93	1	-
Carter	710	334	353	21	2
Ardmore	322	179	136	6	1
Balance of county	388	155	217	15	1
Cherokee	472	186	231	48	7
Choctaw	595	251	232	88	24
Cimarron	76	32	43	-	1
Cleveland	553	339	209	2	3
Norman	321	243	78	-	-
Balance of county	232	96	131	2	3
Coal	226	44	176	3	3
Comanche	1,130	765	341	18	6
Lawton	695	508	164	18	5
Balance of county	435	257	177	-	1
Cotton	283	155	126	-	2
Craig	392	269	117	4	2
Creek	938	425	412	61	40
Sapulpa	247	130	99	11	7
Balance of county	691	295	313	50	33
Custer	438	349	86	1	2
Delaware	332	71	238	19	4
Dewey	220	76	136	2	6
Ellis	143	116	25	-	-
Garfield	934	834	96	3	1
Enid	732	678	51	3	-
Balance of county	202	156	45	-	1
Garvin	690	432	244	11	3
Grady	881	506	370	3	2
Chickasha	403	269	132	1	1
Balance of county	478	237	238	2	1
Grant	155	120	35	-	-
Greer	253	149	103	-	1
Harmon	226	121	105	-	-
Harper	126	86	40	-	-
Haskell	343	31	299	8	5
Hughes	588	267	302	16	3
Jackson	529	248	276	4	1
Jefferson	248	103	142	1	2
Johnston	281	91	183	3	4
Kay	917	788	128	-	1
Ponca City	381	359	22	-	-
Balance of county	536	429	106	-	1
Kingfisher	242	140	97	5	-
Kiowa	509	395	114	-	-
Latimer	250	41	207	2	-
Le Flore	830	203	592	14	21
Lincoln	438	169	246	14	9
Logan	452	222	173	50	7
Guthrie	225	130	68	21	6
Balance of county	227	92	105	29	1
Love	217	40	172	2	3
McClain	344	110	232	-	2
McCurtain	725	158	477	64	26
McIntosh	531	176	235	90	30
Major	241	129	110	-	2
Marshall	273	125	143	3	2
Mayes	606	382	204	13	7
Murray	240	174	66	-	-
Muskogee	1,507	936	414	119	38
Muskogee	870	678	123	59	10
Balance of county	637	258	291	60	28
Noble	223	125	93	1	4
Nowata	287	120	151	16	-
Okfuskee	471	206	218	31	16
Oklahoma	5,900	5,170	694	21	15
Oklahoma City	5,069	4,508	551	7	3
Balance of county	831	662	143	14	12
Okmulgee	938	554	280	71	33
Okmulgee	316	224	64	22	6
Balance of county	622	330	216	49	27
Osage	621	402	202	11	6
Ottawa	950	434	512	2	2
Pawnee	325	150	167	3	5
Payne	676	506	156	6	8
Stillwater	244	226	18	-	-
Balance of county	432	280	138	6	8
Pittsburg	1,199	597	565	17	20
McAlester	399	316	78	3	2
Balance of county	800	281	487	14	18
Pontotoc	760	485	262	10	3
Ada	364	279	76	7	2
Balance of county	396	206	186	3	1
Pottawatomie	995	680	277	30	8
Shawnee	480	409	52	18	1
Balance of county	515	271	225	12	7
Pushmataha	307	61	214	18	14
Roger Mills	163	113	48	-	2
Rogers	465	274	178	6	7
Seminole	845	572	209	46	18
Seminole	229	192	34	-	3
Wewoka	134	96	29	7	2
Balance of county	482	284	146	39	13
Sequoyah	590	123	419	34	14
Stephens	697	561	117	17	2
Texas	213	100	113	-	-
Tillman	421	322	79	16	4
Tulsa	4,954	4,070	827	40	17
Tulsa	3,921	3,447	426	35	13
Balance of county	1,033	623	401	5	4
Wagoner	479	77	349	38	15
Washington	550	403	144	2	1
Bartlesville	341	296	45	-	-
Balance of county	209	107	99	2	1
Washita	405	311	93	-	1
Woods	302	259	43	-	-
Woodward	289	227	60	1	1
OREGON (total)	25,450	24,328	1,050	25	47
Baker	271	234	37	-	-
Benton	547	523	22	-	2
Clackamas	1,305	1,229	69	4	3
Clatsop	599	592	6	1	-
Astoria	273	272	-	1	-
Balance of county	326	320	6	-	-
Columbia	425	390	33	2	-
Coos	601	574	26	-	1
Crook	143	141	2	-	-
Curry	54	46	8	-	-
Deschutes	436	431	4	-	1
Bend	245	243	2	-	-
Balance of county	191	188	2	-	1
Douglas	489	411	77	-	1
Gilliam	35	34	1	-	-
Grant	140	121	19	-	-
Harney	83	82	1	-	-
Hood River	164	163	1	-	-
Jackson	844	816	27	-	1
Medford	326	316	9	-	1
Balance of county	518	500	18	-	-
Jefferson	45	38	2	1	4
Josephine	292	251	39	1	1
Klamath	837	794	38	-	5
Klamath Falls	513	507	5	-	1
Balance of county	324	287	33	-	4
Lake	130	129	1	-	-
Lane	1,684	1,566	114	1	3
Eugene	592	560	10	-	2
Balance of county	1,092	986	104	1	1
Lincoln	285	274	9	1	1
Linn	841	751	86	-	4
Malheur	383	366	14	1	2
Marion	1,466	1,403	61	1	1
Salem	618	608	10	-	-
Balance of county	848	795	51	1	1
Morrow	90	48	42	-	-
Multnomah	9,588	9,474	104	7	3
Portland	8,243	8,161	74	6	2
Balance of county	1,345	1,313	30	1	1
Polk	411	376	35	-	-
Sherman	41	41	-	-	-
Tillamook	301	280	21	-	-
Umatilla	655	613	39	-	3
Union	310	300	10	-	-
Wallowa	114	108	5	1	-
Wasco	215	203	-	1	11
Washington	871	828	41	2	-
Wheeler	56	47	9	-	-
Yamhill	679	631	47	1	-
PENNSYLVANIA (total)	199,366	155,241	43,780	297	48
Adams	862	545	316	-	1
Allegheny	28,471	24,734	3,678	58	1
Bellevue	186	184	2	-	-
Braddock	350	289	59	2	-
Carnegie	358	297	60	1	-
Clairton	457	329	125	3	-
Coraopolis	265	246	18	1	-
Dormont	155	149	6	-	-
Duquesne	430	346	71	13	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Allegheny—Continued					
Harrison (twp.) [2]	219	176	42	1	-
Homestead	272	251	21	-	-
McKeesport	1,228	929	284	15	-
McKees Rocks	626	580	46	-	-
Mount Lebanon (twp.) [2]	206	203	3	-	-
Munhall	214	198	14	2	-
North Braddock	311	279	31	1	-
Pittsburgh	13,883	12,540	1,336	7	-
Shaler (twp) [2]	144	108	35	-	1
Stowe (twp.) [2]	18	18	-	-	-
Swissvale	315	300	15	-	-
Wilkinsburg	723	706	17	-	-
Balance of county	8,111	6,606	1,493	12	-
Armstrong	1,680	783	889	6	2
Beaver	3,712	2,833	858	20	1
Aliquippa	640	412	207	20	1
Ambridge	425	379	46	-	-
Beaver Falls	506	409	97	-	-
Ellwood City (part)	25	24	1	-	-
Balance of county	2,116	1,609	507	-	-
Bedford	918	301	614	2	1
Berks	3,872	2,797	1,072	-	3
Reading	1,687	1,458	228	-	1
Balance of county	2,185	1,339	844	-	2
Blair	2,743	1,851	883	5	4
Altoona	1,566	1,236	323	5	2
Balance of county	1,177	615	560	-	2
Bradford	1,110	940	169	-	1
Bucks	2,389	2,175	213	1	-
Bristol	335	315	20	-	-
Balance of county	2,054	1,860	193	1	-
Butler	1,844	1,200	642	2	-
Butler	522	419	103	-	-
Balance of county	1,322	781	539	2	-
Cambria	4,684	3,020	1,651	11	2
Johnstown	1,708	1,465	237	6	-
Balance of county	2,976	1,555	1,414	5	2
Cameron	167	150	17	-	-
Carbon	988	572	414	2	-
Centre	1,073	727	346	-	-
Chester	2,921	2,399	520	1	1
Coatesville	340	281	59	-	-
Phoenixville	247	220	27	-	-
West Chester	264	259	5	-	-
Balance of county	2,070	1,639	429	1	1
Clarion	749	151	596	2	-
Clearfield	1,817	1,112	703	1	1
Du Bois	266	256	10	-	-
Balance of county	1,551	856	693	1	1
Clinton	758	642	116	-	-
Lock Haven	277	251	26	-	-
Balance of county	481	391	90	-	-
Columbia	1,093	912	181	-	-
Berwick	366	331	35	-	-
Balance of county	727	581	146	-	-
Crawford	1,844	1,638	206	-	-
Meadville	476	468	8	-	-
Balance of county	1,368	1,170	198	-	-
Cumberland	1,713	1,231	482	-	-
Carlisle	332	288	44	-	-
Balance of county	1,381	943	438	-	-
Dauphin	3,699	2,686	1,011	-	2
Harrisburg	1,796	1,513	282	-	1
Steelton	275	195	80	-	-
Balance of county	1,628	978	649	-	1
Delaware	7,350	6,917	416	15	2
Chester	1,760	1,560	188	12	-
Darby	220	212	8	-	-
Haverford (twp.) [2]	356	346	10	-	-
Lansdowne	304	300	4	-	-
Upper Darby (twp.) [2]	1,393	1,381	12	-	-
Balance of county	3,317	3,118	194	3	2
Elk	670	534	136	-	-
Erie	4,479	4,042	436	1	-
Erie	3,066	2,887	178	1	-
Balance of county	1,413	1,155	258	-	-
Fayette	4,029	1,838	2,167	23	1
Connellsville	314	207	107	-	-
Uniontown	535	414	117	4	-
Balance of county	3,180	1,217	1,943	19	1
Forest	116	59	57	-	-
Franklin	1,611	1,158	453	-	-
Chambersburg	299	284	15	-	-
Waynesboro	225	201	24	-	-
Balance of county	1,087	673	414	-	-
Fulton	271	55	216	-	-
Greene	801	321	475	5	-
Huntingdon	878	330	547	-	1
Indiana	1,658	693	964	-	1
Indiana	196	168	28	-	-
Balance of county	1,462	525	936	-	1
Jefferson	946	608	336	2	-
Juniata	326	95	231	-	-
Lackawanna	4,242	3,338	862	41	1
Carbondale	336	281	55	-	-
Dickson City	143	116	27	-	-
Dunmore	303	246	57	-	-
Old Forge	226	169	42	15	-
Scranton	2,015	1,655	357	3	-
Balance of county	1,219	871	324	23	1
Lancaster	4,566	2,721	1,944	-	1
Columbia	227	188	39	-	-
Lancaster	1,298	1,078	220	-	-
Balance of county	3,141	1,455	1,685	-	1
Lawrence	2,160	1,917	240	3	-
Ellwood City (part)	295	281	14	-	-
Ellwood City (total)	320	305	15	-	-
New Castle	1,074	983	88	3	-
Balance of county	791	653	138	-	-
Lebanon	1,625	1,120	504	1	-
Lebanon	689	556	132	1	-
Balance of county	936	564	372	-	-
Lehigh	3,447	2,560	883	4	-
Allentown	1,798	1,509	288	1	-
Bethlehem (part)	328	304	22	2	-
Balance of county	1,321	747	573	1	-
Luzerne	6,981	5,245	1,723	11	2
Hanover (twp.) [2]	81	56	25	-	-
Hazleton	604	536	68	-	-
Kingston	319	291	28	-	-
Nanticoke	372	258	114	-	-
Pittston	376	306	69	1	-
Plains (twp.) [2]	153	110	43	-	-
Plymouth	257	147	110	-	-
Wilkes-Barre	1,475	1,186	286	2	1
Balance of county	3,344	2,355	980	8	1
Lycoming	1,989	1,570	418	1	-
Williamsport	1,030	872	158	-	-
Balance of county	959	698	260	1	-
McKean	1,032	941	90	-	1
Bradford	349	346	3	-	-
Balance of county	683	595	87	-	1
Mercer	2,299	1,979	319	-	1
Farrell	295	254	41	-	-
Sharon	606	577	29	-	-
Balance of county	1,398	1,148	249	-	1
Mifflin	1,006	509	496	1	-
Lewistown	350	270	80	-	-
Balance of county	656	239	416	1	-
Monroe	586	387	198	1	-
Montgomery	5,906	5,363	541	-	2
Abington (twp.) [2]	352	342	9	-	1
Cheltenham (twp.) [2]	269	262	7	-	-
Conshohocken	281	255	26	-	-
Lower Merion (twp.) [2]	724	706	18	-	-
Norristown	750	723	27	-	-
Pottstown	392	350	42	-	-
Balance of county	3,138	2,725	412	-	1
Montour	292	195	97	-	-
Northampton	3,515	2,702	801	12	-
Bethlehem (part)	1,099	1,006	86	7	-
Bethlehem (total)	1,427	1,310	108	9	-
Easton	751	642	109	-	-
Balance of county	1,665	1,054	606	5	-
Northumberland	2,250	1,488	760	1	1
Mount Carmel	257	182	75	-	-
Shamokin	576	405	170	-	1
Sunbury	283	209	74	-	-
Balance of county	1,134	692	441	1	-
Perry	557	231	325	-	1
Philadelphia, coextensive with Philadelphia (city)	39,900	36,979	2,892	28	1
Pike	105	85	20	-	-
Potter	294	227	66	-	1
Schuylkill	3,438	2,343	1,090	4	1
Mahanoy City	163	117	45	1	-
Pottsville	419	370	49	-	-
Shenandoah	286	224	62	-	-
Tamaqua	202	146	56	-	-
Balance of county	2,368	1,486	878	3	1
Snyder	452	206	245	-	1
Somerset	1,690	850	837	1	2
Sullivan	134	79	54	-	1
Susquehanna	573	301	271	1	-
Tioga	748	506	242	-	-
Union	371	251	120	-	-

[2] Since this area is difficult to identify from the information given on the birth transcripts, data may be understated or overstated.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
PENNSYLVANIA—Continued					
Venango	1,215	958	256	1	-
Oil City	407	377	29	1	-
Balance of county	808	581	227	-	-
Warren	795	636	158	-	1
Warren	280	264	16	-	-
Balance of county	515	372	142	-	1
Washington	4,162	2,778	1,367	17	-
Canonsburg	276	238	38	-	-
Charleroi	199	173	26	-	-
Donora	231	208	23	-	-
Washington	709	544	164	1	-
Balance of county	2,747	1,615	1,116	16	-
Wayne	394	268	124	2	-
Westmoreland	6,101	4,266	1,820	10	5
Arnold	110	98	12	-	-
Greensburg	434	360	54	-	-
Jeannette	333	245	88	-	-
Latrobe	252	226	26	-	-
Monessen	386	285	96	3	2
New Kensington	636	576	57	3	-
Vandergrift	158	93	65	-	-
Balance of county	3,792	2,363	1,422	4	3
Wyoming	272	121	151	-	-
York	3,927	2,072	1,855	-	-
Hanover	316	248	68	-	-
York	1,425	971	454	-	-
Balance of county	2,186	853	1,333	-	-
RHODE ISLAND (total)	14,667	13,078	1,516	47	26
Bristol	544	435	79	28	2
Bristol (town)	243	178	53	11	1
Balance of county	301	257	26	17	1
Kent	1,319	1,055	262	2	-
Warwick	630	560	70	-	-
West Warwick (town)	428	301	125	2	-
Balance of county	261	194	67	-	-
Newport	1,248	1,207	38	-	3
Newport	803	798	5	-	-
Balance of county	445	409	33	-	3
Providence	10,676	9,547	1,092	17	20
Central Falls	530	376	154	-	-
Cranston	889	861	26	1	1
Cumberland (town)	194	155	38	-	1
East Providence (town)	631	577	50	3	1
Johnston (town)	252	233	12	5	2
Lincoln (town)	147	114	33	-	-
North Providence (town)	256	234	20	-	2
Pawtucket	1,504	1,257	245	2	-
Providence	4,883	4,613	252	6	12
Woonsocket	923	737	186	-	-
Balance of county	467	390	76	-	1
Washington	880	834	45	-	1
Westerly (town)	275	255	20	-	-
Balance of county	605	579	25	-	1
SOUTH CAROLINA (total)	54,144	19,810	15,162	19,633	39
Abbeville	509	79	258	172	-
Aiken	1,299	451	441	406	1
Allendale	349	33	16	300	-
Anderson	2,128	662	1,125	340	1
Anderson	677	409	227	41	-
Balance of county	1,451	253	898	299	1
Bamberg	405	28	108	274	-
Barnwell	510	33	116	361	-
Beaufort	637	188	43	406	-
Berkeley	862	170	44	647	1
Calhoun	446	63	26	357	-
Charleston	5,283	3,251	1,049	983	-
Charleston	2,681	1,724	863	94	-
Balance of county	2,602	1,527	186	889	-
Cherokee	827	251	454	122	-
Chester	765	218	247	300	-
Chesterfield	1,038	149	646	242	1
Clarendon	807	60	131	616	-
Colleton	834	252	81	501	-
Darlington	1,300	390	371	539	-
Dillon	838	161	280	397	-
Dorchester	735	212	152	371	-
Edgefield	501	41	270	190	-
Fairfield	625	44	238	342	1
Florence	2,068	501	722	844	1
Florence	650	317	102	231	-
Balance of county	1,418	184	620	613	1
Georgetown	820	93	184	542	1
Greenville	3,583	2,228	935	420	-
Greenville	1,308	1,095	51	162	-
Balance of county	2,275	1,133	884	258	-
Greenwood	985	510	213	262	-
Greenwood	380	296	39	45	-
Balance of county	605	214	174	217	-
Section B (Counties)—Continued					
SOUTH CAROLINA—Continued					
Hampton	466	77	58	331	-
Horry	1,596	704	548	343	1
Jasper	344	93	14	237	-
Kershaw	899	255	149	495	-
Lancaster	963	471	285	207	-
Laurens	674	216	361	297	-
Lee	661	60	96	504	1
Lexington	1,109	414	399	296	-
McCormick	312	14	166	130	2
Marion	859	315	286	258	-
Marlboro	926	217	239	470	-
Newberry	859	314	200	345	-
Oconee	813	257	388	152	16
Orangeburg	1,976	396	236	1,343	1
Orangeburg	404	212	37	155	-
Balance of county	1,572	184	199	1,188	1
Pickens	968	170	685	112	1
Richland	3,493	2,331	212	949	1
Columbia	2,480	1,936	114	429	1
Balance of county	1,013	395	98	520	-
Saluda	341	62	151	128	-
Spartanburg	3,323	1,310	1,555	456	2
Spartanburg	1,045	696	180	169	-
Balance of county	2,278	614	1,375	287	2
Sumter	1,451	379	103	964	5
Sumter	484	287	53	144	-
Balance of county	967	92	50	820	5
Union	791	223	320	248	-
Williamsburg	1,387	167	232	987	1
York	1,579	797	334	447	1
Rock Hill	502	408	52	42	-
Balance of county	1,077	389	282	405	1
SOUTH DAKOTA (total)	12,816	9,870	2,722	86	138
Armstrong	-	-	-	-	-
Aurora	103	62	41	-	-
Beadle	392	335	56	1	-
Huron	237	210	26	1	-
Balance of county	155	125	30	-	-
Bennett	66	38	27	-	1
Bon Homme	177	57	113	6	1
Brookings	299	284	15	-	-
Brown	553	493	58	1	1
Aberdeen	324	310	14	-	-
Balance of county	229	183	44	1	1
Brule	120	93	27	-	-
Buffalo	50	48	2	-	-
Butte	169	130	37	-	2
Campbell	91	58	26	3	4
Charles Mix	284	176	103	3	2
Clark	174	125	49	-	-
Clay	168	129	39	-	-
Codington	374	342	31	1	-
Watertown	253	232	21	-	-
Balance of county	121	110	10	1	-
Corson	169	109	16	25	19
Custer	109	50	57	2	-
Davison	278	260	17	-	1
Mitchell	228	217	11	-	-
Balance of county	50	43	6	-	1
Day	232	161	70	1	-
Deuel	145	111	32	-	2
Dewey	156	102	51	3	2
Douglas	134	62	72	-	-
Edmunds	168	95	72	-	1
Fall River	171	162	9	-	-
Faulk	111	91	20	-	-
Grant	180	162	17	1	-
Gregory	187	156	29	1	1
Haakon	68	56	12	-	-
Hamlin	125	93	32	-	-
Hand	126	104	22	-	-
Hanson	88	46	39	2	1
Harding	56	41	11	-	4
Hughes	151	139	11	-	1
Hutchinson	279	138	133	5	3
Hyde	51	33	16	1	1
Jackson	33	26	7	-	-
Jerauld	79	64	15	-	-
Jones	63	53	10	-	-
Kingsbury	188	123	65	-	-
Lake	216	171	45	-	-
Lawrence	229	191	38	-	-
Lincoln	230	167	63	-	-
Lyman	117	103	12	2	-
McCook	160	55	105	-	-
McPherson	176	116	49	1	10
Marshall	184	155	28	-	1
Meade	203	133	70	-	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
SOUTH DAKOTA—Continued					
Mellette	89	47	18	6	18
Miner	132	57	75	-	-
Minnehaha	1,544	1,407	137	-	-
Sioux Falls	1,234	1,197	37	-	-
Balance of county	310	210	100	-	-
Moody	187	150	37	-	-
Pennington	587	553	32	1	1
Rapid City	422	413	9	-	-
Balance of county	165	140	23	1	1
Perkins	120	90	29	1	-
Potter	98	40	58	-	-
Roberts	344	280	50	4	10
Sanborn	68	64	4	-	-
Shannon	125	101	9	2	13
Spink	214	172	42	-	-
Stanley	31	29	-	1	1
Sully	57	48	9	-	-
Todd	116	87	8	1	20
Tripp	226	174	49	2	1
Turner	222	97	125	-	-
Union	209	133	76	-	-
Walworth	133	108	24	1	-
Washabaugh	39	25	5	4	5
Washington	29	19	1	-	9
Yankton	278	236	38	4	-
Ziebach	84	55	27	-	2
TENNESSEE (total)	70,203	29,615	35,230	5,317	41
Anderson	710	146	535	29	-
Bedford	551	314	230	7	-
Benton	279	155	94	30	-
Bledsoe	257	14	186	57	-
Blount	1,451	380	1,033	38	-
Bradley	799	156	599	44	-
Cleveland	370	103	243	24	-
Balance of county	429	53	356	20	-
Campbell	980	236	684	59	1
Cannon	190	70	116	3	1
Carroll	595	114	475	6	-
Carter	990	351	577	62	-
Cheatham	187	28	148	11	-
Chester	268	22	232	14	-
Claiborne	605	102	465	38	-
Clay	216	19	163	34	-
Cocke	594	74	441	79	-
Coffee	531	193	323	15	-
Crockett	428	45	363	20	-
Cumberland	441	87	235	119	-
Davidson	6,022	4,882	1,120	19	1
Nashville	4,815	4,105	704	5	1
Balance of county	1,207	777	416	14	-
Decatur	231	19	189	22	1
De Kalb	284	72	168	44	-
Dickson	419	40	366	13	-
Dyer	869	156	674	39	-
Dyersburg	230	85	130	15	-
Balance of county	639	71	544	24	-
Fayette	865	60	296	509	-
Fentress	391	26	206	159	-
Franklin	613	182	397	34	-
Gibson	1,026	326	663	37	-
Giles	579	136	386	57	-
Grainger	283	53	202	28	-
Greene	901	332	492	76	1
Grundy	380	57	278	45	-
Hamblen	499	207	270	22	-
Hamilton	4,642	3,102	1,323	209	8
Chattanooga	3,551	2,681	703	162	5
Balance of county	1,091	421	620	47	3
Hancock	237	12	151	74	-
Hardeman	539	48	359	132	-
Hardin	391	21	325	44	1
Hawkins	742	178	463	101	-
Haywood	695	89	282	324	-
Henderson	404	33	347	23	1
Henry	507	207	292	8	-
Hickman	305	33	194	77	1
Houston	148	11	120	17	-
Humphreys	233	22	201	9	1
Jackson	337	10	249	78	-
Jefferson	426	101	309	16	-
Johnson	291	20	226	45	-
Knox	4,374	2,965	1,376	32	1
Knoxville	2,990	2,350	630	9	1
Balance of county	1,384	615	746	23	-
Lake	357	28	255	74	-
Lauderdale	605	89	370	146	-
Section B (Counties)—Continued					
TENNESSEE—Continued					
Lawrence	745	280	422	43	-
Lewis	118	6	109	3	-
Lincoln	624	252	368	4	-
Loudon	571	174	376	20	1
McMinn	768	393	341	34	-
McNairy	519	55	443	21	-
Macon	295	12	259	24	-
Madison	1,251	520	451	280	-
Jackson	594	374	138	82	-
Balance of county	657	146	313	198	-
Marion	544	57	461	26	-
Marshall	318	177	132	9	-
Maury	905	256	600	49	-
Columbia	264	133	123	8	-
Balance of county	641	123	477	41	-
Meigs	146	29	98	19	-
Monroe	710	100	508	102	-
Montgomery	706	215	401	90	-
Clarksville	283	128	129	26	-
Balance of county	423	87	272	64	-
Moore	94	24	69	1	-
Morgan	343	54	247	42	-
Obion	581	204	369	8	-
Overton	398	26	276	96	-
Perry	175	8	157	10	-
Pickett	125	24	92	9	-
Polk	440	163	253	24	-
Putnam	599	117	407	75	-
Rhea	422	100	258	63	1
Roane	711	391	276	44	-
Robertson	494	100	386	8	-
Rutherford	723	381	295	47	-
Scott	430	65	284	81	-
Sequatchie	154	12	126	16	-
Sevier	702	193	400	93	16
Shelby	8,074	5,766	1,937	369	2
Memphis	6,413	4,904	1,441	66	2
Balance of county	1,661	862	496	303	-
Smith	283	48	234	1	-
Stewart	288	35	243	10	-
Sullivan	2,144	1,125	981	37	1
Bristol [5]	379	223	153	3	-
Kingsport	715	554	161	-	-
Balance of county	1,050	348	667	34	1
Sumner	640	171	456	13	-
Tipton	799	120	542	137	-
Trousdale	142	32	106	4	-
Unicoi	355	148	171	36	-
Union	139	17	111	11	-
Van Buren	105	18	70	17	-
Warren	437	147	273	17	-
Washington	1,303	690	595	18	-
Johnson City	621	421	191	9	-
Balance of county	682	269	404	9	-
Wayne	332	25	238	69	-
Weakley	490	192	292	6	-
White	379	106	254	18	1
Williamson	522	275	217	30	-
Wilson	493	289	198	5	1
TEXAS (total)	164,513	101,576	40,299	19,583	3,055
Anderson	643	260	219	141	23
Palestine	249	132	88	28	1
Balance of county	394	128	131	113	22
Andrews	26	23	3	-	-
Angelina	682	514	151	13	4
Aransas	82	23	58	1	-
Archer	113	93	20	-	-
Armstrong	45	15	30	-	-
Atascosa	569	118	240	174	37
Austin	297	165	51	74	7
Bailey	185	168	14	2	1
Bandera	73	44	22	2	5
Bastrop	572	226	194	129	23
Baylor	139	121	17	-	1
Bee	379	103	169	92	15
Bell	1,488	1,032	392	49	15
Temple	608	495	88	23	2
Balance of county	880	537	304	26	13
Bexar	11,992	7,186	1,723	2,942	141
San Antonio	10,426	6,612	1,279	2,466	69
Balance of county	1,566	574	444	476	72
Blanco	84	68	13	3	-
Borden	6	4	2	-	-
Bosque	260	194	65	-	1

[5] Includes data for Bristol, Tenn., only.

652780

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
TEXAS—Continued					
Bowie	1,579	645	591	323	20
Texarkana [6]	650	455	100	88	7
Balance of county	929	190	491	235	13
Brazoria	1,174	948	124	94	8
Brazos	760	499	74	161	26
Bryan	431	314	47	56	14
Balance of county	329	185	27	105	12
Brewster	251	64	161	9	17
Briscoe	91	35	56	-	-
Brooks	281	10	95	92	34
Brown	1,039	919	99	15	6
Brownwood	745	672	53	15	5
Balance of county	294	247	46	-	1
Burleson	315	47	150	104	14
Burnet	199	92	97	7	3
Caldwell	566	178	194	137	57
Calhoun	167	34	110	16	7
Callahan	194	67	123	-	4
Cameron	3,131	847	999	1,230	55
Brownsville	951	326	130	483	12
Harlingen	490	322	150	17	1
Balance of county	1,690	199	719	730	42
Camp	223	132	30	51	10
Carson	126	81	45	-	-
Cass	734	256	262	153	63
Castro	73	56	17	-	-
Chambers	138	71	44	17	6
Cherokee	717	314	298	83	22
Childress	350	333	17	-	-
Clay	211	75	136	-	-
Cochran	123	78	42	2	1
Coke	59	31	28	-	-
Coleman	398	308	85	2	3
Collin	894	490	384	17	3
Collingsworth	193	155	32	6	-
Colorado	293	107	56	115	15
Comal	365	116	192	31	26
Comanche	285	239	45	-	1
Concho	126	58	53	12	3
Cooke	634	476	141	14	3
Coryell	410	261	148	-	1
Cottle	187	128	52	5	2
Crane	45	44	-	-	1
Crockett	83	25	44	14	-
Crosby	195	38	155	1	1
Culberson	26	8	17	1	-
Dallam	206	175	31	-	-
Dallas	10,041	8,754	1,241	31	15
Dallas	7,205	6,256	917	19	13
Highland Park	135	134	1	-	-
University Park	345	343	2	-	-
Balance of county	2,356	2,021	321	12	2
Dawson	509	384	110	12	3
Deaf Smith	155	135	20	-	-
Delta	236	115	119	2	-
Denton	634	365	262	6	1
Denton	282	200	77	4	1
Balance of county	352	165	185	2	-
De Witt	545	167	252	110	16
Dickens	199	81	110	7	1
Dimmit	298	15	184	69	30
Donley	155	89	61	4	1
Duval	466	103	167	157	39
Eastland	564	423	139	2	-
Ector	418	374	44	-	-
Edwards	53	14	32	7	-
Ellis	788	410	286	79	13
El Paso	4,882	3,335	836	666	45
El Paso	3,754	2,992	224	522	16
Balance of county	1,128	343	612	144	29
Erath	374	293	81	-	-
Falls	625	237	199	172	17
Fannin	747	367	348	30	2
Fayette	500	180	193	94	33
Fisher	239	191	32	2	14
Floyd	235	138	94	2	1
Foard	93	66	26	-	1
Fort Bend	668	277	200	163	28
Franklin	115	46	62	7	-
Freestone	396	159	77	141	19
Frio	379	91	165	110	13
Gaines	187	150	37	-	-
Galveston	2,537	2,326	194	7	10
Galveston	1,772	1,686	74	5	7
Balance of county	765	640	120	2	3
Garza	147	63	73	9	2
Gillespie	206	187	13	4	2
Glasscock	10	6	3	-	1
Goliad	187	19	116	29	23
Gonzales	605	96	308	185	16
Gray	602	521	77	-	4
Pampa	467	423	40	-	4
Balance of county	135	98	37	-	-
Grayson	1,624	1,220	371	21	12
Denison	483	453	13	14	3
Sherman	487	419	65	2	1
Balance of county	654	348	293	5	8
Gregg	1,107	881	130	85	11
Longview	389	321	44	21	3
Balance of county	718	560	86	64	8
Grimes	314	131	45	132	6
Guadalupe	582	162	291	55	74
Hale	492	315	171	4	2
Hall	315	240	65	8	2
Hamilton	231	161	69	1	-
Hansford	59	27	31	1	-
Hardeman	226	186	38	2	-
Hardin	386	101	262	21	2
Harris	14,889	13,053	1,198	514	74
Houston	12,140	10,738	936	407	59
Balance of county	2,699	2,315	262	107	15
Harrison	1,214	356	200	594	64
Marshall	484	261	94	107	22
Balance of county	730	95	106	487	42
Hartley	45	43	2	-	-
Haskell	274	183	83	7	1
Hays	376	154	152	44	26
Hemphill	97	82	15	-	-
Henderson	510	210	213	66	21
Hidalgo	4,005	793	1,849	1,233	130
McAllen	546	169	229	147	1
Balance of county	3,459	624	1,620	1,086	129
Hill	602	211	340	34	17
Hockley	393	253	138	1	1
Hood	111	66	45	-	-
Hopkins	495	279	187	20	9
Houston	555	142	228	151	34
Howard	718	519	165	22	12
Big Spring	588	413	145	22	8
Balance of county	130	106	20	-	4
Hudspeth	109	20	71	14	4
Hunt	878	352	456	63	7
Greenville	318	176	105	36	1
Balance of county	560	176	351	27	6
Hutchinson	598	580	17	1	-
Borger	388	377	11	-	-
Balance of county	210	203	6	1	-
Irion	36	19	16	1	-
Jack	158	140	18	-	-
Jackson	317	114	164	37	2
Jasper	422	131	236	41	14
Jeff Davis	76	13	51	8	4
Jefferson	4,368	3,307	727	318	16
Beaumont	2,096	1,689	258	144	5
Port Arthur	1,417	1,098	257	55	7
Balance of county	855	520	212	119	4
Jim Hogg	143	16	51	72	4
Jim Wells	603	234	199	111	59
Johnson	557	355	179	20	3
Cleburne	254	190	58	4	2
Balance of county	303	165	121	16	1
Jones	513	327	165	15	6
Karnes	502	120	191	92	99
Kaufman	629	208	333	67	21
Terrell	153	77	61	12	3
Balance of county	476	131	272	55	18
Kendall	105	23	60	19	3
Kenedy	11	2	6	3	-
Kent	48	15	33	-	-
Kerr	232	112	99	19	2
Kimble	90	19	68	3	-
King	13	9	4	-	-
Kinney	145	50	74	15	6
Kleberg	510	182	294	29	5
Knox	254	180	60	12	2
Lamar	1,317	685	486	129	17
Paris	653	473	138	36	6
Balance of county	664	212	348	93	11
Lamb	417	360	42	13	2
Lampasas	245	154	87	1	3
La Salle	244	13	149	48	34
Lavaca	515	259	185	42	29
Lee	220	33	108	63	16
Leon	311	28	136	131	16
Liberty	559	363	106	84	6
Limestone	561	222	209	125	5

[6] Includes data for Texarkana, Tex., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
TEXAS—Continued					
Lipscomb	87	75	12	-	-
Live Oak	194	54	95	22	23
Llano	89	71	14	4	-
Loving	3	2	1	-	-
Lubbock	1,636	1,241	330	60	5
Lubbock	1,089	843	212	33	1
Balance of county	547	398	118	27	4
Lynn	303	116	174	12	1
McCulloch	366	267	66	20	13
McLennan	2,470	1,776	474	181	39
Waco	1,645	1,358	209	64	14
Balance of county	825	418	265	117	25
McMullen	28	9	14	5	-
Madison	203	21	84	95	3
Marion	230	25	98	103	4
Martin	112	46	59	5	2
Mason	83	43	34	2	4
Matagorda	657	355	193	94	15
Maverick	429	81	149	188	11
Medina	540	221	116	178	25
Menard	94	34	47	10	3
Midland	384	276	99	9	-
Milam	582	224	185	141	32
Mills	126	31	90	2	3
Mitchell	273	183	61	22	7
Montague	346	188	156	-	2
Montgomery	388	196	121	68	3
Moore	250	218	30	1	1
Morris	205	65	92	44	4
Motley	106	38	66	1	1
Nacogdoches	596	258	261	66	11
Navarro	917	534	271	100	12
Corsicana	372	283	70	17	2
Balance of county	545	251	201	83	10
Newton	273	44	144	75	10
Nolan	395	328	59	7	1
Sweetwater	253	207	40	5	1
Balance of county	142	121	19	2	-
Nueces	4,214	2,868	902	889	55
Corpus Christi	2,881	1,966	512	394	9
Balance of county	1,333	402	390	495	46
Ochiltree	80	64	14	1	1
Oldham	35	29	5	-	1
Orange	1,098	957	69	65	7
Palo Pinto	585	403	178	2	2
Panola	354	104	108	126	16
Parker	406	274	128	-	4
Parmer	120	114	5	-	1
Pecos	262	78	135	38	11
Polk	393	205	96	76	16
Potter	1,587	1,477	101	6	3
Amarillo (part)	1,488	1,378	101	6	3
Amarillo (total)	1,496	1,386	101	6	3
Balance of county	99	99	-	-	-
Presidio	345	74	139	102	30
Rains	104	21	78	4	1
Randall	97	73	24	-	-
Amarillo (part)	8	8	-	-	-
Balance of county	89	65	24	-	-
Reagan	40	35	5	-	-
Real	39	15	17	7	-
Red River	613	163	327	117	6
Reeves	345	161	166	10	8
Refugio	223	86	64	72	1
Roberts	20	16	4	-	-
Robertson	490	120	104	243	23
Rockwall	124	49	64	7	4
Runnels	508	291	210	5	2
Rusk	712	286	240	166	20
Sabine	210	33	125	45	7
San Augustine	256	39	138	77	2
San Jacinto	126	18	41	58	9
San Patricio	946	268	508	135	35
San Saba	193	75	112	3	3
Schleicher	61	22	30	2	7
Scurry	239	168	65	2	4
Shackelford	90	55	35	-	-
Shelby	579	196	310	64	9
Sherman	33	13	20	-	-
Smith	1,411	676	404	289	42
Tyler	653	451	147	47	8
Balance of county	758	225	257	242	34
Somervell	48	41	6	1	-
Starr	423	52	149	84	138
Stephens	173	138	35	-	-
Sterling	35	15	14	5	1
Stonewall	72	27	43	-	2
Sutton	114	21	74	3	16
Swisher	152	123	29	-	-
Tarrant	5,954	5,502	416	18	18
Fort Worth	4,903	4,596	274	18	15
Balance of county	1,051	906	142	-	3
Taylor	1,556	1,431	122	1	2
Abilene	1,161	1,100	59	1	1
Balance of county	395	331	63	-	1
Terrell	76	13	58	3	2
Terry	313	160	147	3	3
Throckmorton	65	46	19	-	-
Titus	369	163	167	22	17
Tom Green	1,261	996	201	42	22
San Angelo	1,042	838	155	35	14
Balance of county	219	158	46	7	8
Travis	2,715	2,177	338	164	36
Austin	2,344	1,956	263	108	17
Balance of county	371	221	75	56	19
Trinity	172	34	98	36	4
Tyler	210	54	111	30	15
Upshur	458	295	45	105	13
Upton	54	50	2	-	2
Uvalde	430	156	217	33	24
Val Verde	581	157	346	74	4
Del Rio	561	151	336	70	4
Balance of county	20	6	10	4	-
Van Zandt	504	93	374	31	6
Victoria	800	451	176	162	11
Victoria	570	344	116	107	3
Balance of county	230	107	60	55	8
Walker	322	110	110	80	22
Waller	228	107	41	72	8
Ward	294	194	81	15	4
Washington	453	167	125	149	12
Webb	1,649	563	435	575	76
Laredo	1,541	526	409	538	68
Balance of county	108	37	26	37	8
Wharton	900	506	224	135	35
Wheeler	307	293	14	-	-
Wichita	2,070	1,927	138	2	3
Wichita Falls	1,566	1,465	97	2	2
Balance of county	504	462	41	-	1
Wilbarger	451	390	47	10	4
Willacy	474	127	153	183	11
Williamson	913	510	299	81	23
Wilson	358	131	172	33	22
Winkler	122	119	3	-	-
Wise	337	263	74	-	-
Wood	461	144	287	29	1
Yoakum	50	39	11	-	-
Young	350	272	76	-	2
Zapata	91	11	8	72	-
Zavala	348	75	109	151	13
UTAH (total)	17,161	15,012	2,074	45	30
Beaver	145	83	62	-	-
Box Elder	553	542	10	-	1
Cache	850	771	79	-	-
Logan	388	385	3	-	-
Balance of county	462	386	76	-	-
Carbon	516	455	60	-	1
Daggett	13	13	-	-	-
Davis	649	560	89	-	-
Duchesne	210	64	137	8	1
Emery	154	49	103	1	1
Garfield	99	36	41	20	2
Grand	51	47	4	-	-
Iron	256	251	2	1	2
Juab	144	109	35	-	-
Kane	53	42	9	-	2
Millard	304	256	48	-	-
Morgan	81	79	2	-	-
Piute	69	30	39	-	-
Rich	38	32	6	-	-
Salt Lake	6,783	6,466	306	5	6
Salt Lake City	4,657	4,495	157	1	4
Balance of county	2,126	1,971	149	4	2
San Juan	95	42	50	-	3
Sanpete	367	89	277	1	-
Sevier	305	237	66	-	2
Summit	209	175	34	-	-
Tooele	330	323	7	-	-
Uintah	258	82	176	-	-
Utah	1,941	1,738	191	4	8
Provo	708	655	52	1	-
Balance of county	1,233	1,083	139	3	8
Wasatch	201	133	68	-	-
Washington	266	179	85	2	-
Wayne	61	51	8	1	1
Weber	2,160	2,078	80	2	-
Ogden	1,649	1,594	55	-	-
Balance of county	511	484	25	2	-

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
VERMONT (total)	7,303	5,478	1,820	2	3
Addison	360	241	119	-	-
Bennington	427	341	86	-	-
Caledonia	462	305	157	-	-
Chittenden	1,226	1,050	176	-	-
Burlington	673	600	73	-	-
Balance of county	553	450	103	-	-
Essex	135	55	78	2	-
Franklin	607	332	273	-	2
Grand Isle	66	44	22	-	-
Lamoille	231	143	88	-	-
Orange	294	228	66	-	-
Orleans	452	241	211	-	-
Rutland	818	657	160	-	1
Rutland	316	295	21	-	-
Balance of county	502	362	139	-	1
Washington	719	612	107	-	-
Barre	222	209	13	-	-
Balance of county	497	403	94	-	-
Windham	525	421	104	-	-
Windsor	981	808	173	-	-
VIRGINIA [7] (total)	72,157	36,611	23,410	11,703	433
Accomack	528	141	233	153	1
Albemarle	411	251	112	40	8
Alexandria (city)	1,522	1,458	37	27	-
Alleghany	524	162	329	30	3
Amelia	189	22	86	79	2
Amherst	444	184	172	80	8
Appomattox	199	61	104	34	-
Arlington [8]	2,741	2,660	68	13	-
Augusta	998	522	424	43	9
Bath	131	49	57	23	2
Bedford	576	209	276	82	9
Bland	151	17	129	4	1
Botetourt	328	77	236	14	1
Bristol (city) [9]	331	207	121	2	1
Brunswick	488	51	162	270	5
Buchanan	1,242	141	753	327	21
Buckingham	305	42	73	186	4
Buena Vista (city)	127	34	89	4	-
Campbell	617	256	283	75	3
Caroline	315	69	159	85	2
Carroll	629	53	528	42	6
Charles City	151	12	25	114	-
Charlotte	354	93	108	153	-
Charlottesville (city)	485	440	44	1	-
Chesterfield	678	427	97	152	2
Clarke	150	64	83	2	1
Clifton Forge (city)	111	70	39	2	-
Craig	67	18	47	1	1
Culpeper	282	62	198	19	3
Cumberland	166	35	37	94	-
Danville (city)	623	455	39	126	3
Dickenson	762	154	429	169	10
Dinwiddie	360	71	85	201	3
Elizabeth City	791	628	63	98	2
Essex	144	30	80	34	-
Fairfax	1,468	1,126	283	58	1
Fauquier	413	160	151	80	2
Floyd	286	38	209	29	9
Fluvanna	121	32	47	42	-
Franklin	572	76	336	150	10
Frederick	283	194	67	21	1
Fredericksburg (city)	253	184	39	30	-
Giles	480	106	359	12	3
Gloucester	197	69	108	20	-
Goochland	151	20	31	100	-
Grayson	496	58	393	34	11
Greene	122	48	55	13	6
Greensville	436	88	166	181	1
Halifax	1,045	200	462	381	2
Hampton (city)	476	440	18	18	-
Hanover	377	91	181	101	4
Harrisonburg (city)	179	171	6	2	-
Henrico	641	479	106	56	-
Henry	864	184	522	154	4
Highland	91	10	74	6	1
Hopewell (city)	268	166	72	30	-
Isle of Wight	361	56	100	205	-
James City	130	38	26	65	1
King and Queen	163	37	63	62	1
King George	166	80	45	39	2
King William	179	47	68	63	1
Lancaster	140	19	113	8	-
Section B (Counties)—Continued					
VIRGINIA [7]—Continued					
Lee	1,050	97	749	182	22
Loudoun	460	184	260	15	1
Louisa	288	72	134	77	5
Lunenburg	340	66	162	110	2
Lynchburg (city)	936	846	81	7	2
Madison	147	63	73	8	3
Martinsville (city)	260	143	102	14	1
Mathews	113	36	74	3	-
Mecklenburg	816	148	318	346	4
Middlesex	113	27	43	41	2
Montgomery	753	427	300	24	2
Nansemond	650	115	125	409	1
Nelson	337	131	89	107	10
New Kent	82	19	29	32	2
Newport News (city)	1,829	1,523	79	223	4
Norfolk	2,521	1,839	304	373	5
Norfolk (city)	4,465	3,369	675	420	1
Northampton	354	109	48	196	1
Northumberland	165	22	99	43	1
Nottoway	378	162	70	142	4
Orange	252	127	95	28	2
Page	356	112	215	29	-
Patrick	408	71	257	67	13
Petersburg (city)	856	456	66	333	1
Pittsylvania	1,689	716	539	418	16
Portsmouth (city)	1,744	1,118	135	478	13
Powhatan	108	20	26	60	2
Prince Edward	339	135	70	134	-
Prince George	329	133	67	129	-
Prince William	582	353	140	88	1
Princess Anne	724	406	105	211	2
Pulaski	730	342	327	50	11
Radford (city)	234	169	64	1	-
Rappahannock	144	46	84	12	2
Richmond	139	14	91	34	-
Richmond (city)	4,387	3,648	595	138	6
Roanoke	988	727	238	22	1
Roanoke (city)	1,421	1,151	267	1	2
Rockbridge	439	151	209	72	7
Rockingham	720	334	377	8	1
Russell	728	108	516	93	11
Scott	742	118	364	224	36
Shenandoah	418	223	167	27	1
Smyth	761	119	589	44	9
Southampton	669	147	137	382	3
South Norfolk (city)	205	100	63	42	-
Spotsylvania	229	104	77	45	3
Stafford	204	113	52	38	1
Staunton (city)	249	185	50	13	1
Suffolk (city)	291	165	69	57	-
Surry	136	16	23	97	-
Sussex	351	61	37	251	2
Tazewell	1,332	278	1,027	20	7
Warren	261	158	88	12	3
Warwick	714	589	54	70	1
Washington	902	178	585	127	12
Westmoreland	222	24	93	105	-
Williamsburg (city)	104	76	13	13	2
Winchester (city)	287	260	20	7	-
Wise	1,564	214	1,216	121	11
Wythe	612	126	457	23	6
York	253	160	25	68	-
WASHINGTON (total)	44,520	42,892	1,528	45	55
Adams	101	96	4	1	-
Asotin	129	115	10	1	3
Benton	288	278	10	-	-
Chelan	665	631	33	1	-
Wenatchee	236	233	3	-	-
Balance of county	429	398	30	1	-
Clallam	532	505	19	7	1
Clark	2,130	2,085	42	2	1
Vancouver	1,135	1,124	10	-	1
Balance of county	995	961	32	2	-
Columbia	86	81	5	-	-
Cowlitz	949	921	27	-	1
Longview	384	379	5	-	-
Balance of county	565	542	22	-	1
Douglas	109	89	20	-	-
Ferry	83	71	9	1	2
Franklin	206	204	2	-	-
Garfield	59	34	24	-	1
Grant	222	199	23	-	-
Grays Harbor	979	958	17	1	3
Aberdeen	371	367	4	-	-
Hoquiam	184	180	2	-	2
Balance of county	424	411	11	1	1

[7] Cities of Virginia are independent, each having the same status as a county. Places having populations of 10,000 or more include: Alexandria, Arlington County [8], Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[8] Classified as urban under a special rule in the 1940 census.

[9] Includes data for Bristol, Va., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
WASHINGTON—Continued					
Island	164	157	6	-	1
Jefferson	264	260	4	-	-
King	13,996	13,721	267	3	5
Seattle	11,012	10,876	131	2	3
Balance of county	2,984	2,845	136	1	2
Kitsap	2,756	2,713	36	4	3
Bremerton	1,245	1,239	5	-	1
Balance of county	1,511	1,474	31	4	2
Kittitas	357	335	22	-	-
Klickitat	208	198	7	2	1
Lewis	798	755	42	1	-
Lincoln	197	152	45	-	-
Mason	324	315	4	3	2
Okanogan	555	517	35	2	1
Pacific	256	213	43	-	-
Pend Oreille	139	125	13	1	-
Pierce	5,544	5,432	108	1	3
Tacoma	3,339	3,305	33	-	1
Balance of county	2,205	2,127	75	1	2
San Juan	39	32	7	-	-
Skagit	720	680	37	3	-
Skamania	55	52	3	-	-
Snohomish	1,906	1,800	104	-	2
Everett	779	770	9	-	-
Balance of county	1,127	1,030	95	-	2
Spokane	3,652	3,564	81	1	6
Spokane	2,884	2,820	60	1	3
Balance of county	768	744	21	-	3
Stevens	390	358	26	2	4
Thurston	1,059	953	104	1	1
Olympia	540	518	22	-	-
Balance of county	519	435	82	1	1
Wahkiakum	72	71	1	-	-
Walla Walla	649	628	21	-	-
Walla Walla	425	413	12	-	-
Balance of county	224	215	9	-	-
Whatcom	1,252	1,210	42	-	-
Bellingham	666	664	2	-	-
Balance of county	586	546	40	-	-
Whitman	419	376	42	-	1
Yakima	2,211	2,008	183	7	13
Yakima	776	770	5	1	-
Balance of county	1,435	1,238	178	6	13
WEST VIRGINIA (total)	43,372	16,521	25,310	1,236	305
Barbour	422	102	295	17	8
Berkeley	561	435	115	10	1
Martinsburg	307	257	47	3	-
Balance of county	254	178	68	7	1
Boone	761	128	619	13	1
Braxton	381	75	241	60	5
Brooke	494	388	103	2	1
Cabell	2,226	1,698	515	10	3
Huntington (part)	1,708	1,482	223	2	1
Huntington (total)	1,772	1,534	234	2	2
Balance of county	518	216	292	8	2
Calhoun	250	37	189	16	8
Clay	384	52	273	45	14
Doddridge	148	34	112	2	-
Fayette	1,908	277	1,600	25	6
Gilmer	157	27	120	4	6
Grant	162	49	63	48	2
Greenbrier	849	157	677	12	3
Hampshire	235	46	184	4	1
Hancock	694	487	200	6	1
Hardy	222	61	150	4	7
Harrison	1,599	871	720	4	4
Clarksburg	665	526	137	1	1
Balance of county	934	345	583	3	3
Jackson	338	88	226	20	4
Jefferson	328	181	137	10	-
Kanawha	5,449	3,091	2,214	124	20
Charleston	1,767	1,467	293	3	4
South Charleston	370	309	59	-	2
Balance of county	3,312	1,315	1,862	121	14
Lewis	347	185	156	5	1
Lincoln	443	82	307	53	1
Logan	1,978	219	1,704	54	1
McDowell	2,821	314	2,454	49	4
Marion	1,432	727	702	2	1
Fairmont	514	420	93	-	1
Balance of county	918	307	609	2	-
Marshall	666	508	152	5	1
Moundsville	281	242	38	1	-
Balance of county	385	266	114	4	1
Mason	619	192	407	15	5
Section B (Counties)—Continued					
WEST VIRGINIA—Continued					
Mercer	1,615	513	1,082	18	2
Bluefield [10]	435	255	180	-	-
Balance of county	1,180	258	902	18	2
Mineral	511	246	244	14	7
Mingo	1,110	182	814	99	15
Monongalia	1,263	766	482	3	12
Morgantown	499	419	78	1	1
Balance of county	764	347	404	2	11
Monroe	292	21	269	1	1
Morgan	169	43	115	7	4
Nicholas	534	111	389	26	8
Ohio	1,803	1,231	71	-	1
Wheeling	1,070	1,026	44	-	-
Balance of county	233	205	27	-	1
Pendleton	194	26	138	20	10
Pleasants	106	18	86	2	-
Pocahontas	263	70	190	2	1
Preston	552	156	339	34	23
Putnam	439	74	345	14	6
Raleigh	2,431	366	1,989	68	8
Beckley	310	159	150	1	-
Balance of county	2,121	207	1,839	67	8
Randolph	744	173	528	34	9
Ritchie	217	37	173	7	-
Roane	344	87	220	33	4
Summers	403	66	310	25	2
Taylor	388	144	225	16	3
Tucker	258	51	193	8	6
Tyler	197	56	134	7	-
Upshur	342	111	216	10	5
Wayne	693	215	429	34	15
Huntington (part)	64	52	11	-	1
Balance of county	629	163	418	34	14
Webster	453	76	320	41	16
Wetzel	401	142	232	15	12
Wirt	95	35	41	7	12
Wood	1,269	942	294	29	4
Parkersburg	750	628	119	2	1
Balance of county	519	314	175	27	3
Wyoming	912	52	807	43	10
WISCONSIN (total)	64,450	53,704	10,655	52	39
Adams	134	64	70	-	-
Ashland	415	353	56	2	4
Ashland	193	188	5	-	-
Balance of county	222	165	51	2	4
Barron	699	573	126	-	-
Bayfield	268	235	29	3	1
Brown	1,894	1,678	215	1	-
Green Bay	1,141	1,061	80	-	-
Balance of county	753	617	135	1	-
Buffalo	310	224	86	-	-
Burnett	241	184	57	-	-
Calumet	329	215	114	-	-
Chippewa	862	589	273	-	-
Chippewa Falls	216	204	12	-	-
Balance of county	646	385	261	-	-
Clark	630	293	336	-	1
Columbia	589	493	96	-	-
Crawford	406	262	144	-	-
Dane	3,131	2,989	142	-	-
Madison	1,912	1,899	13	-	-
Balance of county	1,219	1,090	129	-	-
Dodge	939	778	161	-	-
Beaver Dam	189	179	10	-	-
Watertown (part)	44	38	6	-	-
Balance of county	706	561	145	-	-
Door	555	441	113	-	1
Douglas	1,051	993	58	-	-
Superior	827	791	36	-	-
Balance of county	224	202	22	-	-
Dunn	540	338	202	-	-
Eau Claire	1,001	961	39	1	-
Eau Claire	681	673	8	-	-
Balance of county	320	288	31	1	-
Florence	52	29	21	1	1
Fond du Lac	1,208	1,007	199	2	-
Fond du Lac	532	498	34	-	-
Balance of county	676	509	165	2	-
Forest	241	112	129	-	-
Grant	844	463	381	-	-
Green	411	367	44	-	-
Green Lake	229	171	58	-	-
Iowa	375	312	63	-	-
Iron	184	133	48	3	-
Jackson	369	324	44	1	-

[10] Includes data for Bluefield, W. Va., only.

TABLE 11.—LIVE BIRTHS BY PERSON IN ATTENDANCE, URBAN AND RURAL, BY STATES AND COUNTIES, AND BY URBAN PLACES OF 10,000 OR MORE IN 1940: UNITED STATES, 1943—Continued

(By place of residence)

AREA	Total births	BIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
Section B (Counties)—Continued					
WISCONSIN—Continued					
Jefferson	703	582	120	1	-
Watertown (part)	136	119	17	-	-
Watertown (total)	180	157	23	-	-
Balance of county	567	463	103	1	-
Juneau	386	199	186	1	-
Kenosha	1,398	1,350	48	-	-
Kenosha	1,167	1,144	23	-	-
Balance of county	231	206	25	-	-
Kewaunee	340	194	146	-	-
La Crosse	1,332	1,170	160	1	1
La Crosse	959	866	91	-	-
Balance of county	373	302	69	1	1
Lafayette	356	273	83	-	-
Langlade	500	308	189	1	2
Lincoln	438	383	53	1	1
Manitowoc	1,429	1,253	176	-	-
Manitowoc	582	551	31	-	-
Two Rivers	223	216	7	-	-
Balance of county	624	486	138	-	-
Marathon	1,582	1,239	335	5	3
Wausau	607	585	22	-	-
Balance of county	975	654	313	5	3
Marinette	669	552	113	1	3
Marinette	270	267	3	-	-
Balance of county	399	285	110	1	3
Marquette	144	72	70	2	-
Milwaukee	15,717	14,101	1,605	9	2
Cudahy	215	190	25	-	-
Milwaukee	11,780	10,492	1,280	6	2
Shorewood	256	256	-	-	-
South Milwaukee	208	177	31	-	-
Wauwatosa	511	501	10	-	-
West Allis	866	790	75	1	-
Balance of county	1,981	1,695	284	2	-
Monroe	686	458	228	-	-
Oconto	489	327	162	-	-
Oneida	389	259	78	1	1
Outagamie	1,699	1,394	302	1	2
Appleton	647	604	43	-	-
Balance of county	1,052	790	259	1	2
Ozaukee	370	341	29	-	-
Pepin	176	128	48	-	-
Pierce	400	295	104	-	1
Polk	525	386	139	-	-
Portage	701	449	249	2	1
Stevens Point	341	256	85	-	-
Balance of county	360	193	164	2	1
Price	308	187	121	-	-
Racine	1,875	1,789	86	-	-
Racine	1,350	1,330	20	-	-
Balance of county	525	459	66	-	-
Richland	478	323	155	-	-
Rock	1,710	1,563	146	-	1
Beloit	688	663	25	-	-
Janesville	495	464	31	-	-
Balance of county	527	436	90	-	1
Rusk	401	313	79	4	5
St. Croix	454	361	93	-	-
Sauk	755	629	126	-	-
Sawyer	171	84	81	5	1
Shawano	755	598	161	1	-
Sheboygan	1,390	1,301	88	-	1
Sheboygan	703	680	23	-	-
Balance of county	687	621	65	-	1
Taylor	418	225	192	-	-
Trempealeau	448	358	88	-	2
Vernon	595	398	197	-	-
Vilas	159	86	71	-	2
Walworth	548	491	57	-	-
Washburn	229	114	114	-	1
Washington	592	482	110	-	-
Waukesha	1,397	1,239	158	-	-
Waukesha	406	388	18	-	-
Balance of county	991	851	140	-	-
Waupaca	639	476	162	1	-
Waushara	233	159	73	-	1
Winnebago	1,581	1,428	153	-	-
Menasha	252	244	8	-	-
Neenah	261	260	1	-	-
Oshkosh	707	609	98	-	-
Balance of county	361	315	46	-	-
Wood	1,028	810	217	1	-
Marshfield	240	196	44	-	-
Wisconsin Rapids	258	232	26	-	-
Balance of county	530	382	147	1	-
WYOMING (total)	5,822	5,115	681	2	24
Albany	315	307	8	-	-
Laramie	282	278	4	-	-
Balance of county	33	29	4	-	-
Big Horn	320	284	35	1	-
Campbell	96	95	1	-	-
Carbon	278	245	31	1	1
Converse	127	118	9	-	-
Crook	112	82	27	-	3
Fremont	340	253	77	-	10
Goshen	247	167	80	-	-
Hot Springs	79	57	22	-	-
Johnson	74	67	7	-	-
Laramie	1,019	924	94	-	1
Cheyenne	910	834	75	-	1
Balance of county	109	90	19	-	-
Lincoln	253	238	13	-	2
Natrona	487	473	14	-	-
Casper	434	423	11	-	-
Balance of county	53	50	3	-	-
Niobrara	108	104	4	-	-
Park	458	416	42	-	-
Platte	187	145	40	-	2
Sheridan	343	332	9	-	2
Sheridan	229	224	5	-	-
Balance of county	114	108	4	-	2
Sublette	46	41	2	-	3
Sweetwater	485	452	33	-	-
Teton	54	49	5	-	-
Uinta	164	89	75	-	-
Washakie	127	88	39	-	-
Weston	98	84	14	-	-
Yellowstone National Park (part)	5	5	-	-	-
Yellowstone National Park (total)	5	5	-	-	-

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 12.—STILLBIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1943

STATE OF OCCURRENCE	Total stillbirths occurring in State	Stillbirths to residents occurring in place of of residence	STILLBIRTHS TO NONRESIDENTS[1]															
			Total	Intrastate nonresidents	Interstate nonresidents													
					Total	State of residence												
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	78,485	58,716	19,769	18,096	1,673	46	14	48	46	13	51	5	26	24	19	10	119
Alabama	2,336	1,845	491	470	21	...	-	-	-	-	-	-	-	8	2	-	-
Arizona	366	280	86	67	19	-	...	3	10	1	-	-	-	-	-	-	-
Arkansas	984	737	247	205	42	-	7	...	7	-	-	-	-	-	-	-	-
California	3,187	1,937	1,250	1,227	23	-	-	2	...	1	-	-	-	-	-	-	1
Colorado	543	381	162	144	18	-	-	-	2	...	-	-	-	-	-	-	1
Connecticut	734	523	211	200	11	-	-	1	-	-	...	-	-	-	-	-	-
Delaware	185	119	66	58	8	-	-	-	-	-	-	...	-	-	-	-	-
District of Columbia	598	437	161	-	161	-	-	-	-	-	-	-	...	-	-	-	-
Florida	1,651	1,263	388	336	52	7	-	-	3	1	-	-	-	...	6	-	3
Georgia	2,722	2,173	549	481	68	23	-	2	-	-	-	-	3	7	...	-	2
Idaho	237	127	110	96	14	-	-	-	1	-	-	-	-	-	-	...	-
Illinois	3,386	2,468	918	883	35	-	-	-	-	-	-	-	-	-	-	-	...
Indiana	1,531	1,049	482	438	44	-	-	-	-	-	-	-	-	-	-	-	28
Iowa	980	550	430	383	47	-	-	-	-	-	-	-	-	1	-	-	20
Kansas	661	433	228	183	45	-	-	-	1	1	-	-	-	-	-	1	-
Kentucky	1,607	1,385	222	194	28	-	-	-	-	-	1	1	-	-	-	-	4
Louisiana	1,877	1,375	502	474	28	1	-	1	-	-	1	-	-	1	-	-	2
Maine	319	201	118	113	5	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	1,524	1,200	324	278	48	-	-	-	-	-	-	2	12	1	1	-	-
Massachusetts	2,022	1,310	712	678	34	-	-	-	-	-	8	-	-	-	-	-	-
Michigan	3,186	2,151	1,035	1,011	24	-	-	-	1	-	-	-	-	-	-	-	2
Minnesota	1,185	769	416	391	25	-	1	1	-	-	-	-	-	-	-	-	-
Mississippi	2,168	1,819	349	328	21	5	-	-	1	-	-	-	-	-	-	-	4
Missouri	1,931	1,443	488	409	79	-	-	7	2	-	-	-	-	-	-	1	28
Montana	202	135	67	66	1	-	-	-	-	-	-	-	-	-	-	-	-
Nebraska	499	335	164	141	23	-	-	-	1	1	-	-	-	-	-	-	1
Nevada	60	43	17	12	5	-	-	-	2	1	-	-	-	-	-	-	-
New Hampshire	167	114	53	42	11	-	-	-	-	-	1	-	-	-	-	-	-
New Jersey	1,977	1,108	869	853	16	-	-	-	-	-	1	-	-	1	-	-	-
New Mexico	370	290	80	59	21	-	4	-	3	3	-	-	-	1	-	-	-
New York	12,154	10,732	1,422	1,219	203	-	-	-	1	-	34	1	7	4	2	-	4
North Carolina	2,522	2,173	349	349	-	-	-	-	-	-	-	-	-	-	-	-	-
North Dakota	247	138	109	92	17	-	-	-	-	-	-	-	-	-	-	-	-
Ohio	3,410	2,430	980	916	64	-	-	-	-	-	-	-	-	-	-	-	1
Oklahoma	989	704	285	266	19	-	-	1	-	-	-	-	-	-	-	-	-
Oregon	427	253	174	155	19	-	1	-	3	-	-	-	1	-	-	3	-
Pennsylvania	4,560	2,920	1,640	1,582	58	-	-	-	-	-	2	1	-	-	-	-	-
Rhode Island	343	230	113	103	10	-	-	-	-	-	1	-	-	-	-	-	-
South Carolina	2,005	1,557	448	434	14	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	206	138	68	60	8	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	1,643	1,231	412	313	99	9	-	25	1	1	-	-	-	-	7	-	3
Texas	4,582	3,799	783	759	24	1	-	5	2	-	-	-	-	-	-	-	-
Utah	282	167	115	104	11	-	-	-	3	1	-	-	-	-	-	-	-
Vermont	188	121	67	63	4	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	2,211	1,706	505	457	48	-	-	-	-	-	2	-	2	1	-	-	-
Washington	572	363	209	191	18	-	-	-	-	-	-	-	-	-	-	5	-
West Virginia	1,527	1,165	362	321	41	-	-	-	-	-	-	-	1	-	-	-	-
Wisconsin	1,304	804	500	467	33	-	1	-	-	1	-	-	-	-	-	-	14
Wyoming	118	85	33	25	8	-	-	-	2	1	-	-	-	-	-	-	1

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS[1]—Continued																	
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	27	16	36	40	16	10	105	26	34	33	33	37	11	20	3	12	120	8	56
Alabama	2	1	-	-	1	-	-	1	-	-	2	-	-	-	-	-	1	-	-
Arizona	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-
Arkansas	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-
California	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2
Colorado	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	2	2
Connecticut	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	4
Delaware	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	-	1
District of Columbia	-	-	-	-	-	-	84	-	-	1	-	-	-	-	-	-	-	-	3
Florida	2	-	1	-	1	1	-	-	4	1	-	1	-	1	-	-	2	-	4
Georgia	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1
Idaho	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Illinois	8	1	2	2	2	-	-	-	1	-	-	10	-	2	-	-	-	-	2
Indiana	...	-	-	3	-	-	1	-	2	-	-	1	-	-	-	-	-	-	1
Iowa	-	...	-	-	-	-	-	-	-	2	-	5	1	7	-	-	1	-	1
Kansas	-	1	...	-	1	-	-	1	1	2	-	16	-	4	-	-	-	-	2
Kentucky	4	-	1	...	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-
Louisiana	1	-	-	-	...	-	-	-	1	-	8	1	-	-	-	-	-	-	1
Maine	-	-	-	-	-	...	-	1	-	-	-	-	-	-	-	2	-	-	-
Maryland	-	-	-	-	1	-	...	-	-	-	-	-	-	-	-	-	1	-	2
Massachusetts	-	-	-	-	-	3	-	...	-	1	-	-	-	-	-	7	1	-	4
Michigan	3	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-	1	-	1

[1]See discussion on p. 3 for definition of nonresident.

TABLE 12.—STILLBIRTHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1943—Continued

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS[1]—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
Minnesota	–	2	1	–	–	–	–	–	–	...	–	–	–	1	1	–	–	–	–
Mississippi	–	–	–	1	3	–	–	–	3	–	...	–	–	–	–	–	–	–	1
Missouri	–	3	21	1	–	–	–	–	1	1	1	...	–	–	–	–	–	–	2
Montana	–	–	–	–	–	–	–	–	–	–	–	–	...	–	–	–	–	–	–
Nebraska	–	4	7	–	–	–	–	–	–	–	–	–	1	...	–	–	–	–	–
Nevada	–	–	–	–	–	–	–	–	–	–	–	–	–	–	...	–	–	–	–
New Hampshire	–	–	–	–	–	4	–	2	–	–	–	–	–	–	–	...	–	–	–
New Jersey	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	...	–	3
New Mexico	–	–	–	–	–	–	–	–	1	1	–	1	–	–	–	–	–	...	–
New York	–	–	–	1	1	2	7	8	3	–	–	–	–	1	–	1	82	–	...
North Carolina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
North Dakota	–	–	–	–	–	–	–	–	–	5	–	–	3	–	–	–	–	–	–
Ohio	6	–	–	14	–	–	–	–	6	–	1	–	–	–	–	–	–	–	1
Oklahoma	–	–	3	1	1	–	–	–	–	1	–	–	–	1	–	–	–	–	–
Oregon	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–
Pennsylvania	–	–	–	–	–	–	6	–	–	1	–	–	–	–	–	–	24	–	10
Rhode Island	–	–	–	–	–	–	–	8	–	–	–	–	–	–	–	–	1	–	–
South Carolina	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
South Dakota	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	1	–	–
Tennessee	1	1	–	6	–	–	–	–	2	–	20	–	–	–	–	–	–	–	5
Texas	–	–	–	–	3	–	–	–	1	–	–	–	–	–	–	–	–	4	1
Utah	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
Vermont	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	2	–	–	–
Virginia	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	1
Washington	–	–	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–
West Virginia	–	–	–	7	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–
Wisconsin	–	2	–	–	–	–	–	–	2	10	–	–	–	–	–	–	–	–	–
Wyoming	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–

STATE OF OCCURRENCE	STILLBIRTHS TO NONRESIDENTS[1]—Continued																	Total stillbirths to residents
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	45	10	61	50	14	78	15	28	14	31	53	4	7	93	24	44	30	8	78,485
Alabama	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	–	–	–	2,361
Arizona	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	361
Arkansas	–	–	–	11	–	–	–	–	–	–	9	–	–	1	–	1	–	–	990
California	–	–	2	3	1	–	–	–	–	–	3	1	–	1	2	–	–	1	3,210
Colorado	–	–	–	–	1	1	–	–	–	–	1	1	–	–	1	–	1	1	538
Connecticut	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	774
Delaware	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	182
District of Columbia	2	–	–	–	–	–	–	2	–	–	1	–	–	67	–	1	–	–	463
Florida	3	–	2	1	–	4	–	2	–	–	–	–	1	–	–	–	1	–	1,623
Georgia	–	–	–	–	–	1	–	20	–	5	–	–	–	1	–	–	–	–	2,673
Idaho	–	–	–	–	4	–	–	–	–	–	–	–	–	–	7	–	–	–	233
Illinois	–	–	1	–	–	–	–	1	–	–	2	–	–	–	–	1	–	–	3,470
Indiana	–	–	7	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1,514
Iowa	–	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–	4	–	949
Kansas	–	–	–	10	–	2	–	–	–	–	1	–	–	–	1	–	–	–	652
Kentucky	–	–	8	1	–	–	–	–	–	1	1	–	–	3	–	–	–	–	1,619
Louisiana	1	–	1	1	–	–	–	–	–	–	5	–	–	–	1	–	1	–	1,865
Maine	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	324
Maryland	2	–	–	–	–	10	–	–	–	2	–	–	–	3	–	9	–	–	1,583
Massachusetts	–	–	–	–	–	–	10	–	–	–	–	–	–	–	–	–	–	–	2,014
Michigan	–	–	3	–	–	2	–	–	–	–	3	–	–	–	–	–	8	–	3,196
Minnesota	–	6	–	–	–	–	–	–	4	–	–	–	–	–	–	–	8	–	1,193
Mississippi	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	2,180
Missouri	–	–	–	5	–	1	–	1	–	–	3	–	–	–	–	1	–	–	1,889
Montana	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	212
Nebraska	–	–	–	1	1	1	–	–	3	–	–	1	–	–	–	–	–	1	496
Nevada	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	58
New Hampshire	1	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–	–	168
New Jersey	–	–	–	–	–	11	–	–	–	–	–	–	–	–	–	–	–	–	2,081
New Mexico	–	–	1	1	–	–	–	–	–	–	4	–	–	–	–	–	1	–	357
New York	2	–	5	–	–	21	3	1	–	1	2	–	1	8	–	–	–	–	12,007
North Carolina	...	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2,567
North Dakota	–	...	–	7	–	–	–	–	2	–	–	–	–	–	–	–	–	–	240
Ohio	–	–	...	–	–	13	–	–	–	–	–	–	–	–	–	21	1	–	3,407
Oklahoma	1	–	–	...	–	–	–	–	1	–	8	–	–	–	–	–	1	–	1,020
Oregon	–	–	–	–	...	–	–	–	–	–	–	–	–	–	9	–	–	–	422
Pennsylvania	1	–	8	–	–	...	–	–	–	–	–	–	–	1	1	3	–	–	4,580
Rhode Island	–	–	–	–	–	–	...	–	–	–	–	–	–	–	–	–	–	–	348
South Carolina	12	–	–	–	–	1	–	...	–	–	–	–	–	–	–	–	–	–	2,019
South Dakota	–	3	–	–	–	–	–	–	...	–	–	–	–	–	–	–	–	–	212
Tennessee	4	–	2	1	–	1	–	–	–	...	6	–	–	3	–	1	–	–	1,575
Texas	–	–	–	6	1	–	–	–	–	–	...	–	–	–	–	–	–	–	4,611
Utah	–	–	–	–	–	–	–	–	–	–	–	...	–	–	1	–	–	4	275
Vermont	–	–	–	–	–	–	–	–	–	–	–	–	...	–	–	–	–	–	191
Virginia	15	–	1	–	–	1	–	–	–	16	1	–	–	...	–	6	–	–	2,256
Washington	–	–	–	–	6	–	–	1	–	–	1	–	–	–	...	–	3	–	578
West Virginia	–	–	18	–	–	4	–	–	–	–	–	–	–	5	–	...	1	1	1,530
Wisconsin	–	–	1	–	–	–	–	–	–	–	1	–	–	–	1	–	...	–	1,301
Wyoming	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	...	118

[1] See discussion on p. 3 for definition of nonresident.

TABLE 13.—STILLBIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND SEX, URBAN AND RURAL: UNITED STATES, 1943

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND SEX OF CHILD	Total still-births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
UNITED STATES	78,485	167	8,495	19,072	18,419	15,382	10,352	3,892	440	12	4	2,250
White, mother native	58,389	36	5,245	14,575	14,830	11,821	7,393	2,690	281	7	1	1,510
White, mother foreign	4,054	-	34	347	623	1,151	1,206	556	70	2	1	64
White, nativity of mother not stated	353	-	18	37	38	33	25	8	-	-	1	173
Negro	15,362	130	3,172	4,014	2,861	2,306	1,682	610	84	2	1	500
Other	347	1	26	99	67	71	46	28	5	1	-	3
Urban	48,312	89	4,518	11,867	12,235	9,833	6,173	2,097	215	5	-	1,282
White, mother native	36,589	17	2,812	9,339	10,115	7,641	4,342	1,372	135	4	-	812
White, mother foreign	5,498	-	19	295	548	1,028	1,038	464	58	1	-	47
White, nativity of mother not stated	222	-	11	28	25	22	16	5	-	-	-	115
Negro	7,896	72	1,666	2,175	1,529	1,125	764	239	19	-	-	307
Other	107	-	10	30	18	17	13	17	1	-	-	1
Places of 100,000 or more	26,198	42	2,028	6,110	6,958	5,749	3,561	1,138	107	2	-	523
White, mother native	19,069	5	1,149	4,582	5,648	4,308	2,548	683	58	1	-	287
White, mother foreign	2,604	-	10	196	394	814	804	325	41	1	-	19
White, nativity of mother not stated	130	-	2	17	18	11	9	2	-	-	-	71
Negro	4,348	37	866	1,301	865	608	396	121	8	-	-	146
Other	47	-	1	14	13	8	4	7	-	-	-	-
Places of 25,000 to 100,000	8,775	19	965	2,271	2,111	1,671	997	368	27	1	-	345
White, mother native	6,766	6	620	1,813	1,751	1,347	748	259	18	1	-	225
White, mother foreign	390	-	4	38	64	97	104	61	6	-	-	16
White, nativity of mother not stated	36	-	2	3	2	6	2	1	-	-	-	20
Negro	1,568	13	339	412	313	218	140	45	2	-	-	86
Other	15	-	-	5	1	3	3	2	1	-	-	-
Places of 10,000 to 25,000	5,851	12	656	1,554	1,450	1,104	676	258	28	1	-	154
White, mother native	4,652	1	407	1,289	1,233	899	509	180	20	1	-	113
White, mother foreign	235	-	1	29	35	62	59	40	6	-	-	3
White, nativity of mother not stated	18	-	2	2	2	2	1	2	-	-	-	7
Negro	930	11	224	230	159	138	104	51	2	-	-	31
Other	16	-	2	4	1	3	3	3	-	-	-	-
Places of 2,500 to 10,000	7,488	16	889	1,952	1,756	1,309	939	335	51	1	-	260
White, mother native	6,102	5	636	1,655	1,503	1,087	737	250	39	1	-	189
White, mother foreign	269	-	4	32	55	55	71	38	5	-	-	9
White, nativity of mother not stated	38	-	5	6	3	3	4	-	-	-	-	17
Negro	1,050	11	237	232	192	161	124	42	7	-	-	44
Other	29	-	7	7	3	3	3	5	-	-	-	1
Rural	30,173	78	3,977	7,205	6,184	5,549	4,179	1,795	227	7	4	968
White, mother native	21,800	19	2,433	5,236	4,715	4,180	3,051	1,318	146	3	1	698
White, mother foreign	556	-	15	52	75	125	168	92	12	1	1	17
White, nativity of mother not stated	111	-	7	9	13	11	9	3	-	-	1	58
Negro	7,466	58	1,506	1,839	1,332	1,181	918	371	65	2	1	193
Other	240	1	16	69	49	54	33	11	4	1	-	2
MALE	40,380	82	4,640	10,039	9,290	7,668	5,210	2,012	220	7	2	1,210
White, mother native	29,879	18	2,808	7,559	7,430	5,940	3,782	1,384	134	4	-	820
White, mother foreign	1,680	-	14	161	253	451	461	266	36	1	1	36
White, nativity of mother not stated	166	-	11	17	19	15	10	2	-	-	1	91
Negro	8,463	64	1,793	2,244	1,550	1,226	930	345	47	1	-	263
Other	192	-	14	58	38	36	27	15	3	1	-	-
Urban	23,660	38	2,436	5,986	5,872	4,618	2,902	1,029	91	1	-	687
White, mother native	17,952	10	1,492	4,661	4,853	3,645	2,096	682	53	1	-	439
White, mother foreign	1,584	-	9	135	215	385	385	203	27	-	-	27
White, nativity of mother not stated	101	-	6	13	9	9	7	2	-	-	-	55
Negro	4,185	28	925	1,158	787	572	404	133	10	-	-	166
Other	60	-	4	19	8	9	10	9	1	-	-	-
Places of 100,000 or more	11,703	16	1,028	2,851	3,095	2,413	1,504	491	36	-	-	269
White, mother native	8,478	3	547	2,112	2,518	1,826	1,017	294	15	-	-	146
White, mother foreign	920	-	5	74	141	274	271	126	17	-	-	12
White, nativity of mother not stated	55	-	1	9	5	7	3	-	-	-	-	30
Negro	2,228	13	475	650	426	303	209	67	4	-	-	81
Other	22	-	-	6	5	3	4	4	-	-	-	-
Places of 25,000 to 100,000	4,777	9	556	1,227	1,120	892	545	213	19	1	-	195
White, mother native	3,674	3	356	948	926	729	418	151	13	1	-	129
White, mother foreign	193	-	1	21	27	53	47	33	3	-	-	8
White, nativity of mother not stated	17	-	-	2	1	-	-	-	-	-	-	14
Negro	883	6	199	252	166	108	78	28	2	-	-	44
Other	10	-	-	4	-	2	2	1	1	-	-	-
Places of 10,000 to 25,000	3,092	8	337	830	744	586	347	138	15	-	-	87
White, mother native	2,441	1	215	689	626	478	262	97	10	-	-	63
White, mother foreign	129	-	1	16	22	33	29	22	4	-	-	2
White, nativity of mother not stated	9	-	1	-	1	1	1	2	-	-	-	3
Negro	504	7	118	121	95	73	53	17	1	-	-	19
Other	9	-	2	4	-	1	2	-	-	-	-	-
Places of 2,500 to 10,000	4,088	5	515	1,078	913	727	506	187	21	-	-	136
White, mother native	3,359	3	374	912	785	612	399	140	15	-	-	101
White, mother foreign	142	-	2	24	25	23	38	22	3	-	-	5
White, nativity of mother not stated	20	-	4	2	2	1	3	-	-	-	-	8
Negro	568	2	135	135	100	88	64	21	3	-	-	22
Other	19	-	2	5	3	3	2	4	-	-	-	-
Rural	16,720	44	2,204	4,053	3,418	3,050	2,308	983	129	6	2	525
White, mother native	11,947	8	1,516	2,898	2,577	2,295	1,686	702	81	3	-	381
White, mother foreign	296	-	5	26	38	68	76	63	9	1	1	9
White, nativity of mother not stated	65	-	5	4	10	6	3	-	-	-	1	36
Negro	4,280	36	868	1,086	765	654	526	212	37	1	-	97
Other	132	-	10	39	30	27	17	6	2	1	-	-

TABLE 13.—STILLBIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND SEX, URBAN AND RURAL: UNITED STATES, 1943—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND SEX OF CHILD	Total still-births	AGE OF MOTHER										
		10 to 14 years	15 to 19 years	20 to 24 years	25 to 29 years	30 to 34 years	35 to 39 years	40 to 44 years	45 to 49 years	50 to 54 years	55 years and over	Not stated
FEMALE	32,418	77	3,629	8,057	7,625	6,164	4,165	1,543	188	4	2	964
White, mother native	24,412	18	2,305	6,279	6,173	4,758	2,990	1,115	130	2	1	641
White, mother foreign	1,398	-	19	127	221	381	439	164	19	1	-	27
White, nativity of mother not stated	137	-	5	17	14	14	11	5	-	-	-	71
Negro	6,328	58	1,288	1,596	1,190	979	707	249	37	1	1	222
Other	143	1	12	38	27	32	18	10	2	-	-	3
Urban	19,398	45	1,902	4,998	4,943	3,752	2,360	760	91	3	-	544
White, mother native	14,855	7	1,211	4,000	4,101	2,937	1,671	521	66	2	-	339
White, mother foreign	1,151	-	9	101	187	329	353	136	16	1	-	19
White, nativity of mother not stated	94	-	4	13	11	9	5	2	-	-	-	50
Negro	3,262	38	672	876	636	471	329	96	9	-	-	135
Other	36	-	6	8	8	6	2	5	-	-	-	1
Places of 100,000 or more	9,615	22	845	2,449	2,502	1,962	1,212	364	40	1	-	218
White, mother native	7,090	2	510	1,853	2,039	1,495	805	240	27	-	-	119
White, mother foreign	747	-	4	63	113	231	244	76	9	1	-	6
White, nativity of mother not stated	49	-	-	6	8	1	2	1	-	-	-	31
Negro	1,713	20	330	522	336	232	161	46	4	-	-	62
Other	16	-	1	5	6	3	-	1	-	-	-	-
Places of 25,000 to 100,000	3,865	8	402	1,016	961	747	427	152	8	-	-	144
White, mother native	2,985	3	260	842	779	590	311	105	5	-	-	90
White, mother foreign	188	-	3	17	35	43	51	28	3	-	-	8
White, nativity of mother not stated	19	-	2	1	1	6	2	1	-	-	-	6
Negro	668	5	137	155	145	107	62	17	-	-	-	40
Other	5	-	-	1	1	1	1	1	-	-	-	-
Places of 10,000 to 25,000	2,663	4	290	701	664	499	313	113	13	1	-	65
White, mother native	2,134	-	185	580	588	405	258	79	10	1	-	48
White, mother foreign	97	-	-	15	10	27	26	18	2	-	-	1
White, nativity of mother not stated	9	-	1	2	1	1	-	-	-	-	-	4
Negro	418	4	104	106	64	64	49	14	1	-	-	12
Other	5	-	-	-	1	2	-	2	-	-	-	-
Places of 2,500 to 10,000	3,255	11	365	832	816	544	408	131	30	1	-	117
White, mother native	2,646	2	256	725	695	447	317	97	24	1	-	82
White, mother foreign	119	-	2	8	29	28	32	14	2	-	-	4
White, nativity of mother not stated	17	-	1	4	1	1	1	-	-	-	-	9
Negro	463	9	101	93	91	68	57	19	4	-	-	21
Other	10	-	5	2	-	-	1	1	-	-	-	1
Rural	13,020	32	1,727	3,059	2,682	2,412	1,805	783	97	1	2	420
White, mother native	9,557	11	1,094	2,279	2,072	1,821	1,319	594	64	-	1	302
White, mother foreign	247	-	10	26	34	52	86	28	3	-	-	8
White, nativity of mother not stated	43	-	1	4	3	5	6	3	-	-	-	21
Negro	3,066	20	616	720	554	508	378	153	28	1	1	87
Other	107	1	6	30	19	26	16	5	2	-	-	2
NOT STATED	5,687	8	226	976	1,504	1,550	977	337	32	1	-	76
White, mother native	4,098	-	132	737	1,227	1,123	621	191	17	1	-	49
White, mother foreign	976	-	1	59	149	319	306	126	15	-	-	1
White, nativity of mother not stated	30	-	2	3	5	4	4	1	-	-	-	11
Negro	571	8	91	174	121	101	45	16	-	-	-	15
Other	12	-	-	3	2	3	1	3	-	-	-	-
Urban	5,254	6	180	883	1,420	1,463	911	308	31	1	-	51
White, mother native	3,802	-	109	678	1,161	1,059	575	169	16	1	-	34
White, mother foreign	963	-	1	59	146	316	300	125	15	-	-	1
White, nativity of mother not stated	27	-	1	2	5	4	4	1	-	-	-	10
Negro	451	6	69	141	106	82	31	10	-	-	-	6
Other	11	-	-	3	2	2	1	3	-	-	-	-
Places of 100,000 or more	4,880	4	155	810	1,341	1,374	845	283	31	1	-	36
White, mother native	3,501	-	92	617	1,091	987	526	149	16	1	-	22
White, mother foreign	937	-	1	59	140	309	289	123	15	-	-	1
White, nativity of mother not stated	26	-	1	2	5	3	4	1	-	-	-	10
Negro	407	4	61	129	103	73	26	8	-	-	-	3
Other	9	-	-	3	2	2	-	2	-	-	-	-
Places of 25,000 to 100,000	133	2	7	28	30	32	25	3	-	-	-	6
White, mother native	107	-	4	23	26	28	19	3	-	-	-	4
White, mother foreign	9	-	-	-	2	1	6	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	17	2	3	5	2	3	-	-	-	-	-	2
Other	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	96	-	9	23	22	19	16	5	-	-	-	2
White, mother native	77	-	7	20	19	16	9	4	-	-	-	2
White, mother foreign	9	-	-	-	3	2	4	-	-	-	-	-
White, nativity of mother not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	8	-	2	3	-	1	2	-	-	-	-	-
Other	2	-	-	-	-	-	1	1	-	-	-	-
Places of 2,500 to 10,000	145	-	9	22	27	38	25	17	-	-	-	7
White, mother native	117	-	6	18	25	28	21	13	-	-	-	6
White, mother foreign	8	-	-	-	1	4	1	2	-	-	-	-
White, nativity of mother not stated	1	-	-	-	-	1	-	-	-	-	-	-
Negro	19	-	3	4	1	5	3	2	-	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-	-
Rural	433	2	46	93	84	87	66	29	1	-	-	25
White, mother native	296	-	23	59	66	64	46	22	1	-	-	15
White, mother foreign	13	-	-	-	3	3	6	1	-	-	-	-
White, nativity of mother not stated	3	-	1	1	-	-	-	-	-	-	-	1
Negro	120	2	22	33	15	19	14	6	-	-	-	9
Other	1	-	-	-	-	1	-	-	-	-	-	-

TABLE 14.—STILLBIRTHS BY SEX, AGE OF MOTHER, ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1943

(Figures for Massachusetts are included in the "total" and "not stated" classifications; they are not given by order of birth because this State does not require the reporting of such information)

SEX, AGE OF MOTHER, AND ORDER OF BIRTH	Total still-births	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
Total	78,485	62,776	58,389	4,054	15,362	347
Male	40,380	31,725	29,879	1,680	8,463	192
Female	32,418	25,947	24,412	1,398	6,328	143
Not stated	5,687	5,104	4,098	976	571	12
10 to 14 years	167	36	36	-	130	1
15 to 19 years	8,495	5,297	5,245	34	3,172	26
20 to 24 years	19,072	14,959	14,575	347	4,014	99
25 to 29 years	18,419	15,491	14,830	623	2,861	67
30 to 34 years	15,382	13,005	11,821	1,151	2,306	71
35 to 39 years	10,352	8,624	7,393	1,206	1,682	46
40 to 44 years	3,892	3,254	2,690	556	610	28
45 to 49 years	440	351	281	70	84	5
50 to 54 years	12	9	7	2	2	1
55 years and over	4	3	1	1	1	-
Not stated	2,250	1,747	1,510	64	500	3
FIRST CHILD	25,594	21,698	20,660	958	3,808	88
Male	13,147	10,995	10,589	362	2,104	48
Female	10,617	9,007	8,649	327	1,575	35
Not stated	1,830	1,696	1,422	269	129	5
10 to 14 years	167	36	36	-	130	1
15 to 19 years	5,704	3,903	3,864	25	1,782	19
20 to 24 years	8,630	7,477	7,275	187	1,112	41
25 to 29 years	5,665	5,257	5,019	222	391	17
30 to 34 years	3,294	3,084	2,811	265	201	9
35 to 39 years	1,439	1,349	1,144	201	90	-
40 to 44 years	330	301	246	52	28	1
45 to 49 years	12	11	9	2	1	-
Not stated	353	280	256	4	73	-
SECOND CHILD	13,962	11,720	10,970	725	2,187	55
Male	6,955	5,661	5,397	255	1,264	30
Female	5,616	4,752	4,505	238	840	24
Not stated	1,391	1,307	1,068	232	83	1
15 to 19 years	1,549	819	812	6	724	6
20 to 24 years	4,214	3,384	3,309	71	802	28
25 to 29 years	3,832	3,460	3,314	141	363	9
30 to 34 years	2,738	2,546	2,269	271	181	11
35 to 39 years	1,216	1,140	957	180	76	-
40 to 44 years	243	225	174	49	19	1
45 to 49 years	13	10	6	4	3	-
50 to 54 years	2	2	2	-	-	-
Not stated	155	136	127	3	19	-
THIRD CHILD	9,264	7,632	7,020	584	1,595	37
Male	4,679	3,796	3,559	224	861	22
Female	3,668	2,990	2,793	185	663	15
Not stated	917	846	668	175	71	-
15 to 19 years	395	166	166	-	229	-
20 to 24 years	2,414	1,697	1,658	32	699	18
25 to 29 years	2,611	2,242	2,159	79	360	9
30 to 34 years	2,180	1,988	1,765	220	186	6
35 to 39 years	1,225	1,129	943	180	93	3
40 to 44 years	302	288	227	61	13	1
45 to 49 years	24	24	17	7	-	-
55 years and over	1	1	1	-	-	-
Not stated	112	97	84	5	15	-
FOURTH CHILD	6,033	4,732	4,329	388	1,273	28
Male	3,012	2,313	2,162	147	688	11
Female	2,556	1,989	1,855	124	551	16
Not stated	465	430	312	117	34	1
15 to 19 years	112	32	32	-	80	-
20 to 24 years	1,187	693	676	11	488	6
25 to 29 years	1,685	1,336	1,293	43	340	9
30 to 34 years	1,553	1,332	1,216	112	217	4
35 to 39 years	1,080	958	814	142	116	6
40 to 44 years	316	298	229	69	16	2
45 to 49 years	23	19	16	3	3	1
50 to 54 years	1	1	-	1	-	-
Not stated	76	63	53	7	13	-
FIFTH CHILD	4,124	3,097	2,832	252	1,001	26
Male	2,125	1,560	1,451	105	553	12
Female	1,743	1,304	1,207	88	427	12
Not stated	256	233	174	59	21	2
15 to 19 years	29	6	6	-	23	-
20 to 24 years	567	285	274	10	280	2
25 to 29 years	1,175	815	782	30	354	6
30 to 34 years	1,164	943	885	58	210	11
35 to 39 years	820	712	616	94	106	2
40 to 44 years	286	266	213	53	15	5
45 to 49 years	32	30	25	5	2	-
Not stated	51	40	31	2	11	-
SIXTH CHILD	2,886	2,019	1,854	158	845	22
Male	1,562	1,090	1,017	71	461	11
Female	1,184	814	756	54	359	11
Not stated	140	115	81	33	25	-
15 to 19 years	6	1	1	-	5	-
20 to 24 years	237	101	100	1	135	1
25 to 29 years	753	442	426	15	304	7
30 to 34 years	890	656	620	35	227	7
35 to 39 years	689	552	490	62	132	5
40 to 44 years	249	217	178	37	30	2
45 to 49 years	31	28	22	6	3	-
Not stated	31	22	17	2	9	-
SEVENTH CHILD	2,141	1,465	1,352	110	654	22
Male	1,179	798	748	48	369	12
Female	868	590	554	35	270	8
Not stated	94	77	50	27	15	2
20 to 24 years	104	28	28	-	76	-
25 to 29 years	392	210	205	5	178	4
30 to 34 years	710	487	468	18	215	8
35 to 39 years	638	492	440	52	139	7
40 to 44 years	242	206	176	29	33	3
45 to 49 years	26	22	19	3	4	-
Not stated	29	20	16	3	9	-
EIGHTH CHILD	1,590	1,038	968	68	541	11
Male	868	557	521	35	304	7
Female	673	442	416	25	227	4
Not stated	49	39	31	8	10	-
20 to 24 years	33	9	9	-	24	-
25 to 29 years	233	101	100	1	132	-
30 to 34 years	480	288	279	7	189	3
35 to 39 years	561	412	375	37	144	5
40 to 44 years	239	193	173	20	43	3
45 to 49 years	31	26	23	3	5	-
50 to 54 years	1	1	1	-	-	-
Not stated	12	8	8	-	4	-
NINTH CHILD	1,320	843	770	68	465	12
Male	732	463	434	27	260	9
Female	550	355	321	31	192	3
Not stated	38	25	15	10	13	-
20 to 24 years	17	2	2	-	15	-
25 to 29 years	102	35	34	1	67	-
30 to 34 years	395	213	204	9	177	5
35 to 39 years	488	344	308	33	140	4
40 to 44 years	267	210	189	20	55	2
45 to 49 years	39	30	25	5	8	1
50 to 54 years	2	2	2	-	-	-
55 years and over	1	1	-	-	-	-
Not stated	9	6	6	-	3	-
TENTH CHILD	942	593	543	50	342	7
Male	509	318	292	26	187	4
Female	405	250	232	18	152	3
Not stated	28	25	19	6	3	-
20 to 24 years	7	2	2	-	5	-
25 to 29 years	54	20	19	1	34	-
30 to 34 years	226	109	101	8	117	-
35 to 39 years	381	249	234	15	128	4
40 to 44 years	220	172	154	18	46	2
45 to 49 years	36	30	23	7	6	-
50 to 54 years	1	-	-	-	-	1
Not stated	17	11	10	1	6	-
ELEVENTH CHILD	685	429	383	43	249	7
Male	375	229	202	26	139	7
Female	292	186	171	14	106	-
Not stated	18	14	10	3	4	-
20 to 24 years	4	2	2	-	2	-
25 to 29 years	35	14	13	1	21	-
30 to 34 years	125	62	55	6	62	1
35 to 39 years	282	173	155	18	105	4
40 to 44 years	207	157	141	16	50	-
45 to 49 years	23	16	14	2	5	2
55 years and over	1	-	-	-	1	-
Not stated	8	5	3	-	3	-
TWELFTH CHILD	487	290	256	32	194	3
Male	281	164	142	20	116	1
Female	197	120	109	11	75	2
Not stated	9	6	5	1	3	-
25 to 29 years	18	8	6	2	10	-
30 to 34 years	73	30	25	5	43	-
35 to 39 years	193	108	95	12	83	2
40 to 44 years	165	116	108	8	48	1
45 to 49 years	28	22	18	4	6	-
50 to 54 years	1	-	-	-	1	-
Not stated	9	6	4	1	3	-
THIRTEENTH CHILD	358	196	172	23	159	3
Male	207	105	90	15	99	3
Female	141	85	77	7	56	-
Not stated	10	6	5	1	4	-
25 to 29 years	15	3	3	-	12	-
30 to 34 years	35	9	8	1	25	1
35 to 39 years	136	72	57	15	62	2

[1] Includes nativity of mother not stated.

TABLE 14.—STILLBIRTHS BY SEX, AGE OF MOTHER, ORDER OF BIRTH, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1943—Continued

(Figures for Massachusetts are included in the "total" and "not stated" classifications; they are not given by order of birth because this State does not require the reporting of such information)

SEX, AGE OF MOTHER, AND ORDER OF BIRTH	Total stillbirths	WHITE			Negro	Other
		Total[1]	Mother native	Mother foreign		
THIRTEENTH CHILD—Con.						
40 to 44 years	146	92	87	5	54	-
45 to 49 years	22	17	15	2	5	-
Not stated	4	3	2	-	1	-
FOURTEENTH CHILD	217	125	116	7	90	2
Male	117	64	61	1	53	-
Female	95	58	52	6	35	2
Not stated	5	3	3	-	2	-
25 to 29 years	3	-	-	-	3	-
30 to 34 years	16	6	6	-	10	-
35 to 39 years	86	46	44	1	39	1
40 to 44 years	87	55	50	5	31	1
45 to 49 years	22	16	15	1	6	-
Not stated	3	2	1	-	1	-
FIFTEENTH CHILD	131	69	55	14	62	-
Male	62	31	21	10	31	-
Female	62	33	29	4	29	-
Not stated	7	5	5	-	2	-
25 to 29 years	2	-	-	-	2	-
30 to 34 years	10	3	1	2	7	-
35 to 39 years	47	22	20	2	25	-
40 to 44 years	58	35	29	6	23	-
45 to 49 years	12	8	5	3	4	-
50 to 54 years	1	-	-	-	1	-
Not stated	1	1	-	1	-	-
SIXTEENTH CHILD	79	37	30	7	41	1
Male	49	20	16	4	28	1
Female	27	17	14	3	10	-
Not stated	3	-	-	-	3	-
30 to 34 years	4	-	-	-	4	-
35 to 39 years	31	11	8	3	19	1
40 to 44 years	37	22	18	4	15	-
45 to 49 years	6	4	4	-	2	-
Not stated	1	-	-	-	1	-
SEVENTEENTH CHILD	42	15	8	7	27	-
Male	19	7	3	4	12	-
Female	23	8	5	3	15	-
30 to 34 years	7	1	1	-	6	-
35 to 39 years	12	3	3	-	9	-
40 to 44 years	18	10	4	6	8	-
45 to 49 years	5	1	-	1	4	-
EIGHTEENTH CHILD	25	8	6	2	17	-
Male	14	5	4	1	9	-
Female	11	3	2	1	8	-
30 to 34 years	5	1	1	-	4	-
35 to 39 years	6	3	2	1	3	-
EIGHTEENTH CHILD—Con.						
40 to 44 years	12	4	3	1	8	-
45 to 49 years	1	-	-	-	1	-
Not stated	1	-	-	-	1	-
NINETEENTH CHILD	12	5	4	1	7	-
Male	6	4	3	1	2	-
Female	6	1	1	-	5	-
35 to 39 years	6	3	2	1	3	-
40 to 44 years	4	1	1	-	3	-
45 to 49 years	1	1	1	-	-	-
Not stated	1	-	-	-	1	-
TWENTIETH CHILD	9	2	2	-	6	1
Male	6	-	-	-	5	1
Female	3	2	2	-	1	-
35 to 39 years	2	1	1	-	1	-
40 to 44 years	5	-	-	-	4	1
45 to 49 years	2	1	1	-	1	-
TWENTY-FIRST CHILD	3	2	1	1	1	-
Male	3	2	1	1	1	-
35 to 39 years	1	-	-	-	1	-
40 to 44 years	2	2	1	1	-	-
TWENTY-SECOND CHILD AND OVER	10	6	5	1	4	-
Male	9	5	4	1	4	-
Female	1	1	1	-	-	-
35 to 39 years	2	1	-	1	1	-
40 to 44 years	6	5	5	-	1	-
45 to 49 years	2	-	-	-	2	-
NOT STATED	8,571	6,755	6,053	555	1,794	22
Male	4,464	3,538	3,162	296	913	13
Female	3,680	2,940	2,661	224	732	8
Not stated	427	277	230	35	149	1
15 to 19 years	700	370	364	3	329	1
20 to 24 years	1,658	1,279	1,240	35	376	3
25 to 29 years	1,844	1,548	1,457	82	290	6
30 to 34 years	1,477	1,247	1,106	134	225	5
35 to 39 years	1,011	844	685	156	167	-
40 to 44 years	451	381	284	96	67	3
45 to 49 years	49	35	23	12	13	1
50 to 54 years	3	3	2	1	-	-
55 years and over	1	1	-	1	-	-
Not stated	1,377	1,047	892	35	327	3

[1] Includes nativity of mother not stated.

TABLE 15.—STILLBIRTHS BY RACE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943

(By place of residence)

AREA AND RACE	Total stillbirths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNITED STATES	78,485	48,312	26,198	8,775	5,851	7,488	30,173
White	62,776	40,309	21,803	7,192	4,905	6,409	22,467
Nonwhite	15,709	8,003	4,395	1,583	946	1,079	7,706
Alabama	2,361	841	260	259	142	180	1,520
White	1,136	372	94	104	67	107	764
Nonwhite	1,225	469	166	155	75	73	756
Arizona	361	192	...	118	...	74	169
White	311	181	...	110	...	71	130
Nonwhite	50	11	...	8	...	3	39
Arkansas	920	289	...	84	88	117	701
White	661	211	...	71	55	85	450
Nonwhite	329	78	...	13	33	32	251
California	3,210	2,403	1,327	401	289	386	807
White	3,006	2,248	1,212	381	280	375	758
Nonwhite	204	155	115	20	9	11	49
Colorado	538	318	179	44	25	70	220
White	524	307	169	44	25	69	217
Nonwhite	14	11	10	-	-	1	3
Connecticut	774	592	270	222	75	25	182
White	750	570	255	217	73	25	180
Nonwhite	24	22	15	5	2	-	2
Delaware	182	94	73	...	...	21	88
White	133	72	57	...	...	15	61
Nonwhite	49	22	16	...	...	6	27
District of Columbia	463	463	463	...	...	...	...
White	237	237	237	...	...	...	...
Nonwhite	226	226	226	...	...	...	...
Florida	1,625	880	402	141	154	183	743
White	925	492	225	77	85	105	433
Nonwhite	698	388	177	64	69	78	310
Georgia	2,673	1,107	248	357	225	277	1,566
White	1,254	554	128	159	120	147	700
Nonwhite	1,419	553	120	198	105	130	866
Idaho	233	88	...	12	44	32	145
White	225	87	...	12	43	32	138
Nonwhite	8	1	...	-	1	-	7
Illinois	3,470	2,702	1,581	492	250	379	768
White	3,161	2,413	1,368	437	235	373	748
Nonwhite	309	289	213	55	15	6	20
Indiana	1,514	952	396	326	106	124	562
White	1,416	854	335	295	103	121	562
Nonwhite	98	98	61	31	3	3	-
Iowa	949	424	69	175	63	117	525
White	939	415	64	173	61	117	524
Nonwhite	10	9	5	2	2	-	1
Kansas	652	353	140	44	84	85	299
White	609	317	118	42	75	82	292
Nonwhite	43	36	22	2	9	3	7
Kentucky	1,619	559	188	144	57	172	1,060
White	1,495	492	155	128	51	158	1,003
Nonwhite	124	67	31	16	6	14	57
Louisiana	1,865	916	394	194	74	254	949
White	844	455	220	77	33	125	389
Nonwhite	1,021	461	174	117	41	129	560
Maine	324	137	...	60	41	36	187
White	323	137	...	60	41	36	186
Nonwhite	1	-	...	-	-	-	1
Maryland	1,583	955	729	64	82	80	628
White	1,085	645	456	61	53	75	440
Nonwhite	498	310	273	3	29	5	188
Massachusetts	2,014	1,814	889	511	284	130	200
White	1,966	1,774	856	509	282	127	192
Nonwhite	48	40	33	2	2	3	8
Michigan	3,196	2,307	1,235	528	255	289	889
White	2,927	2,050	1,027	498	241	284	877
Nonwhite	269	257	208	30	14	5	12
Minnesota	1,193	626	396	4	80	146	567
White	1,173	616	387	4	80	145	557
Nonwhite	20	10	9	-	-	1	10
Mississippi	2,180	453	...	104	184	165	1,727
White	675	219	...	47	83	89	456
Nonwhite	1,505	234	...	57	101	76	1,271
Missouri	1,889	1,185	762	94	133	196	704
White	1,589	916	524	90	118	186	673
Nonwhite	300	269	238	4	17	10	31

TABLE 15.—STILLBIRTHS BY RACE, URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

(By place of residence)

AREA AND RACE	Total stillbirths	URBAN					Rural
		Total	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
Montana	212	92	...	31	34	27	120
White	203	90	...	29	34	27	113
Nonwhite	9	2	...	2	-	-	7
Nebraska	496	239	106	28	47	58	257
White	481	227	97	27	47	56	254
Nonwhite	15	12	9	1	-	2	3
Nevada	58	23	...	...	10	13	35
White	51	22	...	...	10	12	29
Nonwhite	7	1	...	...	-	1	6
New Hampshire	168	104	...	50	41	13	64
White	168	104	...	50	41	13	64
Nonwhite	-	-	...	-	-	-	-
New Jersey	2,081	1,695	690	430	300	275	386
White	1,845	1,497	581	386	271	259	348
Nonwhite	236	198	109	44	29	16	38
New Mexico	357	131	...	13	39	79	226
White	326	124	...	13	36	75	202
Nonwhite	31	7	...	-	3	4	24
New York	12,007	10,964	9,822	370	427	345	1,043
White	10,953	9,931	8,837	348	408	338	1,022
Nonwhite	1,054	1,033	985	22	19	7	21
North Carolina	2,567	1,078	107	410	293	268	1,489
White	1,402	613	43	215	185	170	789
Nonwhite	1,165	465	64	195	108	98	700
North Dakota	240	56	...	9	24	23	184
White	230	56	...	9	24	23	174
Nonwhite	10	-	...	-	-	-	10
Ohio	3,407	2,411	1,433	385	267	328	996
White	3,117	2,152	1,229	353	252	318	965
Nonwhite	290	259	204	30	15	10	31
Oklahoma	1,020	498	176	42	132	148	522
White	847	397	144	31	103	119	450
Nonwhite	173	101	32	11	29	29	72
Oregon	422	240	136	13	29	62	182
White	417	238	134	13	29	62	179
Nonwhite	5	2	2	-	-	-	3
Pennsylvania	4,580	3,104	1,399	557	532	616	1,476
White	4,143	2,710	1,115	509	491	595	1,433
Nonwhite	437	394	284	48	41	21	43
Rhode Island	348	317	112	142	51	12	31
White	344	313	111	140	51	11	31
Nonwhite	4	4	1	2	-	1	-
South Carolina	2,019	555	...	262	85	208	1,464
White	737	278	...	123	40	115	459
Nonwhite	1,282	277	...	139	45	93	1,005
South Dakota	212	74	...	32	22	20	138
White	198	71	...	32	20	19	127
Nonwhite	14	3	...	-	2	1	11
Tennessee	1,575	669	461	7	75	126	906
White	1,222	449	286	5	54	104	773
Nonwhite	353	220	175	2	21	22	133
Texas	4,611	2,755	940	703	373	739	1,856
White	3,589	2,196	726	567	298	605	1,393
Nonwhite	1,022	559	214	136	75	134	463
Utah	275	160	69	29	19	43	115
White	269	159	69	28	19	43	110
Nonwhite	6	1	-	1	-	-	5
Vermont	191	77	...	17	22	38	114
White	191	77	...	17	22	38	114
Nonwhite	-	-	...	-	-	-	-
Virginia	2,256	874	325	349	46	154	1,382
White	1,299	476	138	190	30	118	823
Nonwhite	957	398	187	159	16	36	559
Washington	578	335	219	23	42	51	243
White	561	323	209	23	42	49	238
Nonwhite	17	12	10	-	-	2	5
West Virginia	1,530	464	...	200	88	176	1,066
White	1,420	434	...	192	78	164	986
Nonwhite	110	30	...	8	10	12	80
Wisconsin	1,301	695	204	297	86	108	606
White	1,285	686	197	296	86	107	599
Nonwhite	16	9	7	1	-	1	7
Wyoming	118	52	...	...	32	20	66
White	114	52	...	...	32	20	62
Nonwhite	4	-	...	...	-	-	4

TABLE 16.—STILLBIRTHS BY PERSON IN ATTENDANCE AND BY RACE: UNITED STATES AND EACH STATE, 1943

(By place of residence)

AREA AND RACE	Total stillbirths	STILLBIRTHS ATTENDED BY—			
		Physician (in hospital)	Physician (not in hospital)	Midwife	Other and not specified
UNITED STATES	78,485	54,515	17,605	5,331	1,034
White	62,776	48,498	13,095	767	416
Nonwhite	15,709	6,017	4,510	4,564	618
Alabama	2,361	867	729	327	438
White	1,136	601	406	26	103
Nonwhite	1,225	266	323	301	335
Arizona	361	270	80	6	5
White	311	233	70	6	2
Nonwhite	50	37	10	-	3
Arkansas	990	407	373	190	20
White	661	358	282	11	10
Nonwhite	329	49	91	179	10
California	3,210	2,904	272	2	32
White	3,006	2,738	242	2	24
Nonwhite	204	166	30	-	8
Colorado	538	408	117	1	12
White	524	398	114	1	11
Nonwhite	14	10	3	-	1
Connecticut	774	711	62	-	1
White	750	695	54	-	1
Nonwhite	24	16	8	-	-
Delaware	182	136	32	13	1
White	133	116	15	1	1
Nonwhite	49	20	17	12	-
District of Columbia	463	397	62	2	2
White	237	222	13	1	1
Nonwhite	226	175	49	1	1
Florida	1,625	858	381	366	18
White	925	689	200	33	3
Nonwhite	698	169	181	333	15
Georgia	2,673	1,121	700	827	25
White	1,254	807	376	63	8
Nonwhite	1,419	314	324	764	17
Idaho	233	206	27	-	-
White	225	199	26	-	-
Nonwhite	8	7	1	-	-
Illinois	3,470	2,871	583	6	10
White	3,161	2,672	479	3	7
Nonwhite	309	199	104	3	3
Indiana	1,514	1,154	354	3	3
White	1,416	1,104	308	3	1
Nonwhite	98	50	46	-	2
Iowa	949	763	186	-	-
White	939	754	185	-	-
Nonwhite	10	9	1	-	-
Kansas	652	502	149	-	1
White	609	478	130	-	1
Nonwhite	43	24	19	-	-
Kentucky	1,619	590	902	115	12
White	1,495	554	821	110	10
Nonwhite	124	36	81	5	2
Louisiana	1,865	1,022	485	323	35
White	844	608	209	23	4
Nonwhite	1,021	414	276	300	31
Maine	324	252	71	-	1
White	323	251	71	-	1
Nonwhite	1	1	-	-	-
Maryland	1,583	909	574	86	14
White	1,085	732	333	15	5
Nonwhite	498	177	241	71	9
Massachusetts	2,014	1,851	160	-	3
White	1,966	1,811	152	-	3
Nonwhite	48	40	8	-	-
Michigan	3,196	2,640	550	-	6
White	2,927	2,450	473	-	4
Nonwhite	269	190	77	-	2
Minnesota	1,193	1,049	140	1	3
White	1,173	1,034	135	1	3
Nonwhite	20	15	5	-	-
Mississippi	2,180	639	545	974	22
White	675	407	241	22	5
Nonwhite	1,505	232	304	952	17
Missouri	1,889	1,239	581	7	62
White	1,589	1,040	518	4	27
Nonwhite	300	199	63	3	35
Montana	212	196	12	1	3
White	203	189	12	-	2
Nonwhite	9	7	-	1	1
Nebraska	496	397	98	-	1
White	481	387	94	-	-
Nonwhite	15	10	4	-	1
Nevada	58	54	3	-	1
White	51	48	2	-	1
Nonwhite	7	6	1	-	-
New Hampshire	168	149	18	-	1
White	168	149	18	-	1
Nonwhite	-	-	-	-	-
New Jersey	2,081	1,789	281	4	7
White	1,845	1,622	215	4	4
Nonwhite	236	167	66	-	3
New Mexico	357	165	126	48	18
White	326	143	122	47	14
Nonwhite	31	22	4	1	4
New York	12,007	10,860	1,119	3	25
White	10,953	9,974	958	3	18
Nonwhite	1,054	886	161	-	7
North Carolina	2,567	1,260	945	346	16
White	1,402	901	454	40	7
Nonwhite	1,165	359	491	306	9
North Dakota	240	184	54	-	2
White	230	176	53	-	1
Nonwhite	10	8	1	-	1
Ohio	3,407	2,646	746	-	15
White	3,117	2,459	646	-	12
Nonwhite	290	187	100	-	3
Oklahoma	1,020	638	348	24	10
White	847	566	271	6	4
Nonwhite	173	72	77	18	6
Oregon	422	389	33	-	-
White	417	385	32	-	-
Nonwhite	5	4	1	-	-
Pennsylvania	4,580	3,569	1,001	5	5
White	4,143	3,249	885	4	5
Nonwhite	437	320	116	1	-
Rhode Island	348	290	58	-	-
White	344	287	57	-	-
Nonwhite	4	3	1	-	-
South Carolina	2,019	771	477	767	4
White	737	496	211	29	1
Nonwhite	1,282	275	266	738	3
South Dakota	212	182	28	1	1
White	198	170	27	-	1
Nonwhite	14	12	1	1	-
Tennessee	1,575	775	712	72	16
White	1,222	633	554	25	10
Nonwhite	353	142	158	47	6
Texas	4,611	2,600	1,428	493	90
White	3,589	2,238	1,069	222	60
Nonwhite	1,022	362	359	271	30
Utah	275	235	39	1	-
White	269	229	39	1	-
Nonwhite	6	6	-	-	-
Vermont	191	146	44	-	1
White	191	146	44	-	1
Nonwhite	-	-	-	-	-
Virginia	2,256	1,058	806	308	84
White	1,299	775	439	52	33
Nonwhite	957	283	367	256	51
Washington	578	534	43	-	1
White	561	519	41	-	1
Nonwhite	17	15	2	-	-
West Virginia	1,530	683	837	9	1
White	1,420	640	770	9	1
Nonwhite	110	43	67	-	-
Wisconsin	1,301	1,073	225	-	3
White	1,285	1,062	220	-	3
Nonwhite	16	11	5	-	-
Wyoming	118	106	9	-	3
White	114	104	9	-	1
Nonwhite	4	2	-	-	2

TABLE 17.—DEATHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1943

STATE OF RESIDENCE	Total deaths occurring in State	Deaths of residents occurring in place of residence	DEATHS OF NONRESIDENTS[1]															
			Total	Intrastate nonresidents	Interstate nonresidents													
					Total	State of residence												
						Ala.	Ariz.	Ark.	Calif.	Colo.	Conn.	Del.	D. C.	Fla.	Ga.	Idaho	Ill.
UNITED STATES	1,459,544	1,192,805	266,739	228,262	38,477	657	229	821	1,328	391	659	162	512	766	686	350	2,648
Alabama	26,518	22,181	4,137	3,535	602	...	2	15	6	-	-	1	2	165	101	-	12
Arizona	6,844	4,690	2,154	1,008	1,146	14	...	24	321	26	7	3	3	8	5	5	70
Arkansas	15,513	12,479	2,834	2,239	595	8	2	...	59	1	1	-	1	5	5	-	29
California	89,492	67,358	22,134	20,423	1,711	6	108	26	...	43	12	6	9	12	23	37	123
Colorado	12,983	9,972	3,011	2,398	613	3	4	6	55	...	6	-	2	2	6	1	29
Connecticut	19,799	16,017	3,782	3,338	444	1	2	1	4	2	...	-	2	6	2	-	4
Delaware	3,487	2,813	674	522	152	1	-	-	6	-	1	...	1	3	-	-	1
District of Columbia	9,526	8,275	1,251	...	1,251	2	-	1	2	5	1	3	...	8	4	2	8
Florida	24,255	18,598	5,657	4,098	1,559	92	1	6	12	2	51	2	20	...	152	1	104
Georgia	30,189	25,363	4,826	4,052	774	193	-	2	9	3	-	-	5	187	...	-	19
Idaho	4,664	3,240	1,424	1,122	302	-	1	1	25	6	1	-	1	-	1	...	4
Illinois	90,875	76,627	14,248	12,783	1,465	8	4	15	26	16	3	-	4	9	6	1	...
Indiana	41,082	33,528	7,554	6,686	868	3	2	3	6	2	1	3	2	2	3	-	350
Iowa	26,352	20,496	5,856	4,902	954	2	-	2	19	3	3	-	2	9	4	-	315
Kansas	19,191	14,492	4,699	3,626	1,073	3	4	9	43	30	1	-	1	2	1	-	40
Kentucky	28,585	25,007	3,578	3,050	528	7	1	2	9	2	2	-	-	5	9	-	37
Louisiana	24,375	19,265	5,110	4,321	789	34	2	65	17	2	3	1	2	22	9	-	20
Maine	10,810	8,422	2,388	2,156	232	-	-	-	3	-	8	-	2	5	-	-	5
Maryland	24,115	20,650	3,465	2,471	994	4	-	3	5	2	2	49	239	26	14	-	12
Massachusetts	54,696	46,024	8,672	7,584	1,088	4	2	-	13	2	166	2	3	20	7	-	17
Michigan	56,807	46,329	10,478	9,749	729	3	2	6	13	3	8	-	2	13	3	-	109
Minnesota	27,413	21,335	6,078	4,933	1,145	3	1	5	20	15	-	-	3	11	3	2	95
Mississippi	20,903	17,837	3,066	2,654	412	90	-	27	3	9	3	-	1	8	6	-	18
Missouri	44,465	36,395	8,070	6,391	1,679	13	3	93	24	9	3	2	4	5	4	2	627
Montana	5,585	4,099	1,484	1,284	200	1	-	-	13	3	-	-	-	1	-	15	4
Nebraska	12,957	10,451	2,506	2,119	387	-	-	-	10	22	-	1	2	-	1	1	13
Nevada	1,700	1,110	590	379	211	3	1	-	88	9	-	-	-	-	-	3	6
New Hampshire	6,274	5,135	1,139	785	354	1	-	-	-	-	8	-	1	4	1	1	-
New Jersey	49,505	37,642	11,863	10,578	1,285	3	1	-	7	3	13	9	13	16	5	-	9
New Mexico	5,677	4,276	1,401	900	501	2	54	8	39	41	-	-	1	3	-	2	30
New York	162,228	144,489	17,739	15,173	2,566	13	-	3	40	4	240	7	46	59	21	-	40
North Carolina	30,204	24,266	5,938	5,076	862	15	-	6	11	3	7	3	26	47	48	-	22
North Dakota	5,112	3,660	1,452	1,210	242	-	1	-	2	-	-	-	-	-	1	-	6
Ohio	82,215	69,279	12,936	11,556	1,380	8	-	4	14	-	6	-	6	14	7	1	48
Oklahoma	19,710	16,079	3,631	3,276	355	2	1	27	12	3	1	-	-	2	1	1	14
Oregon	13,921	10,437	3,484	2,856	628	1	2	3	99	8	-	-	-	-	1	61	6
Pennsylvania	115,452	94,060	21,392	19,795	1,597	3	3	2	13	-	7	62	21	21	12	-	18
Rhode Island	8,928	6,958	1,970	1,637	333	-	-	-	7	-	71	1	1	4	2	-	4
South Carolina	18,407	15,233	3,174	2,854	320	12	-	1	3	1	1	-	4	13	77	-	5
South Dakota	5,580	4,361	1,199	963	236	2	-	1	4	6	1	-	1	-	-	1	8
Tennessee	28,831	23,803	5,028	3,505	1,523	74	3	387	11	4	3	3	6	18	110	4	48
Texas	61,712	51,336	10,376	9,609	767	10	14	51	40	9	-	-	2	7	5	-	24
Utah	5,285	3,936	1,349	969	380	1	3	4	89	34	-	-	-	-	1	78	11
Vermont	4,508	3,568	940	788	152	-	-	-	-	-	5	-	1	-	1	-	1
Virginia	28,708	23,608	5,100	4,200	900	4	3	2	16	4	7	2	60	14	16	-	16
Washington	22,617	17,234	5,383	4,675	708	3	-	7	51	10	2	-	-	2	4	128	28
West Virginia	17,237	13,549	3,688	3,024	664	2	1	-	2	1	3	1	9	4	1	-	4
Wisconsin	32,448	25,141	7,307	6,712	595	3	1	-	7	1	-	1	1	3	2	-	232
Wyoming	2,226	1,702	524	298	226	-	-	3	50	42	1	-	-	1	1	3	5

STATE OF RESIDENCE	DEATHS OF NONRESIDENTS[1]—Continued																	
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
UNITED STATES	1,043	791	905	994	421	324	992	1,045	968	723	702	1,503	218	492	126	326	2,061	312	2,524
Alabama	1	1	4	11	20	2	4	2	10	1	85	6	1	1	-	-	5	1	20
Arizona	22	24	23	11	16	3	3	8	32	19	11	36	8	14	6	1	10	83	46
Arkansas	6	6	15	9	26	1	1	3	8	4	22	82	1	2	-	-	3	3	13
California	26	56	45	14	33	7	11	26	45	55	15	56	18	35	70	2	22	30	99
Colorado	9	16	60	9	4	1	2	2	8	5	3	35	1	57	2	1	4	38	24
Connecticut	2	1	1	-	-	9	-	97	4	-	2	-	1	-	-	10	22	-	212
Delaware	1	-	-	-	1	-	50	3	-	-	-	1	-	-	-	-	31	-	9
District of Columbia	5	3	2	8	5	1	585	5	1	4	2	2	-	-	-	5	18	1	30
Florida	31	12	4	16	8	10	19	93	84	13	12	13	-	2	1	20	100	-	280
Georgia	3	2	1	11	5	2	7	4	13	3	6	2	1	-	-	-	4	1	23
Idaho	-	1	1	3	2	-	2	-	2	3	-	6	16	2	4	-	1	2	3
Illinois	353	106	19	55	21	1	3	3	114	34	15	229	8	11	-	-	4	-	32
Indiana	...	10	3	126	5	-	3	2	96	4	1	16	1	-	1	-	4	-	11
Iowa	9	...	17	1	-	1	3	4	11	68	1	135	4	153	1	-	4	-	10
Kansas	8	16	...	5	4	1	1	6	10	9	2	522	5	42	-	1	6	6	25
Kentucky	116	-	-	...	1	-	4	4	10	1	5	19	-	-	-	-	3	1	14
Louisiana	5	4	5	4	...	1	7	20	8	2	165	14	1	3	-	-	16	1	35
Maine	2	-	3	3	-	...	3	87	3	1	-	1	-	-	-	36	8	1	31
Maryland	5	1	2	9	4	4	...	21	7	-	1	5	1	1	-	-	34	-	58
Massachusetts	5	4	2	4	1	134	7	...	11	3	2	4	1	2	-	152	47	-	140
Michigan	89	8	5	19	2	-	3	9	...	17	2	7	-	3	-	1	7	-	34

[1] See discussion on p. 3 for definition of nonresident.

TABLE 17.—DEATHS BY STATE OF OCCURRENCE DISTRIBUTED ACCORDING TO STATE OF RESIDENCE: UNITED STATES AND EACH STATE, 1943—Con.

STATE OF RESIDENCE	DEATHS OF NONRESIDENTS[1]—Continued																		
	Interstate nonresidents—Continued																		
	State of residence—Continued																		
	Ind.	Iowa	Kans.	Ky.	La.	Maine	Md.	Mass.	Mich.	Minn.	Miss.	Mo.	Mont.	Nebr.	Nev.	N. H.	N. J.	N. Mex.	N. Y.
Minnesota	15	173	16	5	4	-	-	3	36	...	1	29	24	26	1	-	1	2	11
Mississippi	2	-	3	5	114	-	1	2	4	1	...	5	-	2	-	-	1	8	5
Missouri	25	61	438	21	8	2	1	6	23	16	12	...	3	24	3	1	7	2	28
Montana	1	7	3	-	-	-	1	1	4	11	1	2	...	2	1	-	1	-	11
Nebraska	1	115	68	2	-	-	-	4	2	4	-	20	3	...	2	-	3	1	5
Nevada	3	5	1	-	2	-	-	1	4	3	1	6	2	2	...	-	3	-	14
New Hampshire	1	-	1	-	-	79	-	107	2	1	1	1	-	-	-	...	3	-	17
New Jersey	2	2	1	4	-	5	30	35	12	5	3	7	-	1	-	4	...	-	574
New Mexico	3	9	11	5	3	1	-	2	7	5	2	16	2	2	3	1	3	...	10
New York	13	13	7	9	6	31	27	187	37	8	2	13	-	4	-	17	949	1	...
North Carolina	12	4	3	10	7	1	23	20	12	5	9	9	-	1	1	2	18	1	67
North Dakota	1	2	-	-	-	-	-	-	1	162	-	-	25	3	-	-	-	-	-
Ohio	196	6	2	334	2	1	9	3	163	7	1	13	-	1	1	-	7	1	53
Oklahoma	4	5	78	2	2	1	-	3	3	1	1	35	1	4	1	-	1	- 7	8
Oregon	1	5	6	2	2	-	-	1	4	15	1	15	26	8	1	1	-	-	5
Pennsylvania	11	2	3	5	2	6	76	19	16	5	2	7	-	4	1	1	643	-	314
Rhode Island	-	1	2	1	2	7	1	155	5	1	-	3	-	1	-	3	5	-	24
South Carolina	1	-	-	4	3	2	2	6	2	2	1	2	-	-	-	-	10	-	15
South Dakota	1	24	1	1	-	-	-	1	6	32	1	3	4	42	-	-	1	-	6
Tennessee	11	4	3	117	5	1	8	18	25	2	288	58	1	1	-	1	14	-	48
Texas	6	7	18	3	93	-	2	7	13	7	11	21	1	5	-	-	2	108	23
Utah	3	5	4	2	-	1	2	3	5	3	3	7	11	2	23	-	-	7	5
Vermont	-	-	-	-	-	4	2	25	1	-	-	1	-	-	-	61	3	-	41
Virginia	8	8	4	20	3	3	47	21	15	6	6	9	-	2	-	3	25	2	56
Washington	5	15	10	4	2	-	4	8	7	21	3	16	38	5	3	-	4	1	18
West Virginia	6	-	1	118	2	-	36	3	3	3	-	2	-	-	-	-	2	-	8
Wisconsin	12	42	-	1	1	1	1	-	78	142	-	7	1	3	-	-	2	-	4
Wyoming	1	5	7	1	-	-	1	5	1	9	-	5	8	19	-	1	-	3	5

STATE OF RESIDENCE	DEATHS OF NONRESIDENTS[1]—Continued																	Total deaths of residents
	Interstate nonresidents—Continued																	
	State of residence—Continued																	
	N. C.	N. Dak.	Ohio	Okla.	Oreg.	Pa.	R. I.	S. C.	S. Dak.	Tenn.	Tex.	Utah	Vt.	Va.	Wash.	W. Va.	Wis.	Wyo.	
UNITED STATES	629	300	1,629	916	411	2,052	327	465	317	627	1,271	149	245	1,107	657	666	815	217	1,459,544
Alabama	11	-	18	3	-	7	1	14	-	46	7	-	1	5	1	2	7	-	26,373
Arizona	8	3	36	59	11	26	1	3	1	12	67	7	-	9	12	6	20	3	5,927
Arkansas	4	-	6	108	-	7	-	3	1	28	112	-	-	4	-	5	1	-	15,539
California	9	15	52	71	98	52	3	6	11	15	132	33	2	12	87	7	25	13	89,109
Colorado	4	1	17	23	7	12	2	6	6	10	25	22	-	4	13	2	8	56	12,761
Connecticut	1	-	3	1	-	16	19	2	-	1	3	-	9	2	1	-	1	-	20,014
Delaware	1	-	1	-	-	34	-	-	-	-	-	-	-	6	-	1	-	-	3,497
District of Columbia	10	-	8	-	1	41	1	6	-	5	7	-	-	447	1	9	2	-	8,787
Florida	37	2	113	6	2	96	11	31	2	17	21	-	5	28	1	8	17	1	23,462
Georgia	27	-	9	1	-	16	1	145	1	35	6	-	-	13	2	5	6	1	30,101
Idaho	-	2	1	3	44	1	-	1	2	-	3	29	1	-	111	2	2	12	4,712
Illinois	6	5	78	20	4	18	-	1	10	27	53	1	1	1	3	4	127	6	92,058
Indiana	3	-	158	-	-	14	-	-	-	8	10	-	-	1	2	4	9	1	41,257
Iowa	1	3	10	8	6	10	1	-	58	3	18	1	-	2	1	-	50	3	26,189
Kansas	2	3	12	181	2	8	2	-	5	1	38	-	-	5	4	1	4	2	19,021
Kentucky	1	-	104	4	-	6	2	3	3	101	8	-	-	22	1	19	2	-	29,051
Louisiana	8	1	22	8	3	20	4	6	-	17	205	3	-	8	4	5	5	2	24,007
Maine	-	-	1	-	1	9	6	-	-	-	2	-	7	1	-	2	1	-	10,902
Maryland	28	2	12	-	1	191	2	10	-	7	8	-	2	115	-	103	4	-	24,113
Massachusetts	3	-	20	2	3	22	214	2	-	2	6	-	48	4	1	3	3	-	54,653
Michigan	4	5	175	2	-	28	1	1	2	12	18	-	1	7	9	8	90	-	57,046
Minnesota	2	141	13	12	4	6	-	-	103	2	16	1	1	2	22	1	306	8	26,991
Mississippi	4	1	3	5	-	4	-	3	-	49	21	-	-	-	1	1	2	-	21,193
Missouri	4	1	16	64	4	12	1	3	3	20	52	4	1	4	4	3	13	-	44,289
Montana	2	31	3	-	5	6	1	1	5	2	8	3	1	1	22	6	1	19	5,601
Nebraska	2	2	8	5	4	6	-	1	40	2	4	2	-	2	-	3	4	22	15,062
Nevada	-	2	5	3	3	5	1	-	1	2	8	11	-	-	4	-	7	2	1,615
New Hampshire	1	-	3	-	-	4	5	-	1	-	1	-	108	-	1	-	1	-	6,246
New Jersey	13	-	16	2	1	449	5	4	-	9	5	1	3	5	4	-	3	1	50,261
New Mexico	-	1	9	43	3	4	-	-	1	5	145	6	-	-	5	-	6	8	5,488
New York	17	-	79	6	-	498	33	10	-	16	13	-	43	24	8	12	9	1	162,186
North Carolina	...	2	25	4	1	42	2	164	-	45	14	2	1	149	1	11	6	-	29,971
North Dakota	-	...	-	-	1	-	-	-	28	-	1	1	-	-	3	1	3	-	5,170
Ohio	4	1	...	4	1	197	-	3	-	18	12	1	1	6	1	213	10	-	82,464
Oklahoma	-	1	8	...	1	1	-	1	1	3	111	-	1	3	1	-	1	1	20,271
Oregon	-	6	7	7	...	3	-	-	6	4	8	1	-	2	300	2	5	3	13,704
Pennsylvania	9	1	181	5	1	...	-	6	1	4	6	2	4	20	1	76	1	-	115,907
Rhode Island	2	-	6	1	-	9	...	-	-	1	5	-	2	3	1	1	1	-	8,922
South Carolina	111	-	5	1	-	9	2	...	-	7	6	-	-	9	-	2	1	-	18,552
South Dakota	1	48	3	1	2	4	1	-	...	1	2	1	-	-	2	-	8	14	5,641
Tennessee	51	-	33	11	-	38	1	6	1	...	19	1	1	58	3	11	12	1	27,935
Texas	4	1	13	207	2	8	2	9	1	14	...	-	-	2	3	2	10	-	62,216
Utah	-	2	3	7	4	2	-	-	5	1	12	...	-	1	4	-	3	29	5,054
Vermont	-	-	1	1	-	2	1	1	-	-	-	-	...	-	-	-	-	-	4,601
Virginia	223	-	21	8	-	51	1	12	3	63	11	1	-	...	3	118	3	-	28,915
Washington	4	11	11	10	187	14	-	-	9	3	22	9	-	3	...	6	12	8	22,566
West Virginia	5	-	285	3	-	34	-	-	-	3	3	-	1	115	1	...	2	-	17,239
Wisconsin	1	4	16	1	-	5	-	1	5	3	8	-	-	2	3	-	...	-	32,668
Wyoming	1	2	4	5	4	5	-	-	1	3	9	6	-	-	5	1	3	...	2,217

[1] See discussion on p. 3 for definition of nonresident.

TABLE 18.—DEATHS BY SPECIFIED RACE: UNITED STATES AND EACH STATE, 1945

(Exclusive of stillbirths. By place of residence)

AREA	Total deaths	White	Negro	Indian	Chinese	Japanese	All other
UNITED STATES	1,459,544	1,280,887	171,247	4,812	1,336	862	400
Alabama	26,375	14,812	11,554	2	3	-	2
Arizona	5,927	4,805	218	852	20	29	5
Arkansas	15,559	10,750	4,724	3	3	59	-
California	89,109	85,166	2,378	303	560	454	268
Colorado	12,761	12,382	286	22	2	65	4
Connecticut	20,014	19,498	506	3	6	-	1
Delaware	3,497	2,851	644	-	-	-	2
District of Columbia	8,787	5,600	3,164	3	13	3	4
Florida	23,462	16,187	7,256	12	6	-	1
Georgia	30,101	16,917	13,180	-	4	-	-
Idaho	4,712	4,648	3	36	4	21	-
Illinois	92,058	85,276	6,682	16	68	9	7
Indiana	41,257	39,028	2,220	4	4	1	-
Iowa	26,189	25,906	271	11	-	-	1
Kansas	19,021	17,959	1,039	22	-	1	-
Kentucky	29,051	25,291	3,758	-	1	-	1
Louisiana	24,007	13,494	10,495	10	5	3	-
Maine	10,902	10,869	19	12	2	-	-
Maryland	24,113	18,782	5,317	2	10	1	1
Massachusetts	54,653	53,661	900	12	74	4	2
Michigan	57,046	53,706	3,205	106	19	3	7
Minnesota	26,991	26,598	173	206	13	-	1
Mississippi	21,193	9,390	11,760	30	11	1	1
Missouri	44,289	39,779	4,488	6	11	2	3
Montana	5,601	5,277	23	289	6	6	-
Nebraska	13,062	12,723	243	87	1	6	2
Nevada	1,615	1,460	40	105	3	6	1
New Hampshire	6,246	6,238	7	-	-	1	-
New Jersey	50,281	46,569	3,689	7	14	1	1
New Mexico	5,488	4,950	69	459	1	9	-
New York	162,186	153,757	7,961	136	274	28	30
North Carolina	29,971	19,551	10,203	216	1	-	-
North Dakota	5,170	5,024	1	145	-	-	-
Ohio	82,464	76,863	5,563	6	27	2	3
Oklahoma	20,271	17,587	2,018	662	1	3	-
Oregon	13,704	13,492	48	100	35	22	7
Pennsylvania	115,907	107,934	7,911	3	48	5	6
Rhode Island	8,922	8,713	193	9	6	1	-
South Carolina	18,552	9,190	9,360	2	-	-	-
South Dakota	5,641	5,292	8	340	-	1	-
Tennessee	27,935	20,823	7,110	2	-	-	-
Texas	62,216	51,113	11,069	6	18	5	5
Utah	5,054	4,922	27	43	7	52	3
Vermont	4,601	4,599	1	-	1	-	-
Virginia	28,915	19,300	9,594	11	6	1	3
Washington	22,566	21,949	185	309	38	58	27
West Virginia	17,239	15,752	1,484	1	1	-	1
Wisconsin	32,668	32,327	170	165	6	-	-
Wyoming	2,217	2,129	30	36	3	19	-

TABLE 19.—DEATHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1943

(Exclusive of stillbirths. By place of residence)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
UNITED STATES	1,459,544	134,337	120,485	132,628	123,258	120,807	115,317	111,970	108,583	104,084	114,739	114,266	159,070
Male	817,485	75,403	67,523	74,254	69,076	68,517	64,442	62,983	61,041	58,764	64,001	64,006	87,475
Female	642,059	58,934	52,962	58,374	54,182	52,290	50,875	48,987	47,542	45,320	50,738	50,260	71,595
White	1,280,887	118,374	106,046	116,328	108,483	106,400	100,553	97,342	94,365	90,912	100,435	100,587	141,062
Male	721,777	66,770	59,774	65,444	61,055	60,830	56,573	55,115	53,532	51,835	56,348	56,714	77,787
Female	559,110	51,604	46,272	50,884	47,428	45,570	43,980	42,227	40,833	39,077	44,087	43,873	63,275
Nonwhite	178,657	15,963	14,439	16,300	14,775	14,407	14,764	14,628	14,218	13,172	14,304	13,679	18,008
Male	95,708	8,633	7,749	8,810	8,021	7,687	7,869	7,868	7,509	6,929	7,653	7,292	9,688
Female	82,949	7,330	6,690	7,490	6,754	6,720	6,895	6,760	6,709	6,243	6,651	6,387	8,320
ALABAMA	26,373	2,357	2,143	2,444	2,154	2,040	2,110	2,192	2,098	1,900	2,111	2,171	2,655
Male	14,341	1,301	1,152	1,339	1,199	1,149	1,100	1,222	1,157	1,033	1,124	1,205	1,360
Female	12,032	1,056	991	1,105	955	891	1,010	970	941	867	987	966	1,295
White	14,812	1,378	1,241	1,338	1,219	1,151	1,167	1,236	1,188	1,055	1,137	1,229	1,493
Male	8,357	787	703	746	716	678	626	708	676	605	625	703	784
Female	6,455	591	538	592	503	473	541	528	512	450	512	526	709
Nonwhite	11,561	979	902	1,106	935	889	943	956	910	845	974	942	1,160
Male	5,984	514	449	593	483	471	474	514	481	428	499	502	576
Female	5,577	465	453	513	452	418	469	442	429	417	475	440	584
ARIZONA	5,927	475	507	505	485	561	450	527	438	487	434	482	576
Male	3,721	291	334	321	303	349	283	337	272	301	259	307	364
Female	2,206	184	173	184	182	212	167	190	166	186	175	175	212
White	4,803	407	439	426	386	453	368	429	336	377	332	392	458
Male	3,076	251	286	274	251	286	236	278	222	244	209	249	290
Female	1,727	156	153	152	135	167	132	151	114	133	123	143	168
Nonwhite	1,124	68	68	79	99	108	82	98	102	110	102	90	118
Male	645	40	48	47	52	63	47	59	50	57	50	58	74
Female	479	28	20	32	47	45	35	39	52	53	52	32	44
ARKANSAS	15,539	1,511	1,277	1,487	1,291	1,284	1,305	1,415	1,239	1,077	1,178	1,119	1,358
Male	8,851	855	752	886	747	722	765	774	676	610	657	646	761
Female	6,688	656	525	601	544	562	540	641	563	467	519	473	597
White	10,750	1,056	900	993	884	896	896	997	876	740	812	777	923
Male	6,321	616	533	595	522	539	551	559	502	443	480	476	525
Female	4,429	440	367	398	362	357	345	438	374	297	332	301	398
Nonwhite	4,789	455	377	494	407	388	409	418	363	337	366	342	435
Male	2,530	239	219	291	225	183	214	215	174	167	197	170	256
Female	2,259	216	158	203	182	205	195	203	189	170	167	172	199
CALIFORNIA	89,109	8,560	7,325	7,927	7,221	7,422	6,962	6,905	6,758	6,675	6,896	7,480	8,978
Male	52,485	5,092	4,341	4,645	4,173	4,450	4,084	4,036	3,897	3,880	4,056	4,468	5,585
Female	36,624	3,468	2,984	3,282	3,048	2,972	2,878	2,869	2,861	2,795	2,860	3,012	3,595
White	85,166	8,199	7,031	7,607	6,924	7,092	6,623	6,592	6,446	6,375	6,576	7,155	8,546
Male	49,893	4,842	4,138	4,439	3,979	4,228	3,866	3,832	3,703	3,692	3,823	4,246	5,105
Female	35,273	3,357	2,893	3,168	2,945	2,864	2,757	2,760	2,743	2,683	2,753	2,909	3,441
Nonwhite	3,943	361	294	320	297	330	339	313	312	300	320	325	432
Male	2,592	250	203	206	194	222	218	204	194	188	213	222	278
Female	1,351	111	91	114	103	108	121	109	118	112	107	103	154
COLORADO	12,761	1,188	968	1,175	1,045	1,056	985	969	937	1,005	1,037	1,020	1,376
Male	7,493	707	560	685	616	643	561	567	526	621	628	604	775
Female	5,268	481	408	490	429	413	424	402	411	384	409	416	601
White	12,382	1,153	942	1,151	1,018	1,015	951	954	908	974	1,001	987	1,348
Male	7,268	685	541	673	597	617	539	548	513	606	606	582	761
Female	5,114	468	401	478	421	398	412	386	395	368	395	405	587
Nonwhite	379	35	26	24	27	41	34	35	29	31	36	33	28
Male	225	22	19	12	19	26	22	19	13	15	22	22	14
Female	154	13	7	12	8	15	12	16	16	16	14	11	14
CONNECTICUT	20,014	1,933	1,630	1,873	1,820	1,708	1,557	1,449	1,317	1,418	1,512	1,545	2,252
Male	11,020	1,065	895	1,022	988	960	893	818	712	781	829	816	1,241
Female	8,994	868	735	851	832	748	664	631	605	637	683	729	1,011
White	19,498	1,883	1,589	1,837	1,767	1,672	1,521	1,413	1,275	1,372	1,482	1,502	2,185
Male	10,754	1,037	870	1,010	961	942	871	795	687	760	813	800	1,208
Female	8,744	846	719	827	806	730	650	618	588	612	669	702	977
Nonwhite	516	50	41	36	53	36	36	36	42	46	30	43	67
Male	266	28	25	12	27	18	22	23	25	21	16	16	33
Female	250	22	16	24	26	18	14	13	17	25	14	27	34
DELAWARE	3,497	342	300	330	296	251	272	282	219	242	288	297	398
Male	1,910	191	164	181	165	151	138	154	121	141	152	158	196
Female	1,587	151	136	149	131	100	134	108	98	101	136	139	202
White	2,851	283	243	257	239	201	217	216	176	201	244	247	327
Male	1,551	159	132	137	129	122	107	128	99	116	125	151	166
Female	1,300	124	111	120	110	79	110	88	77	85	119	116	161
Nonwhite	646	59	57	73	57	50	55	46	43	41	44	50	71
Male	359	32	32	44	34	29	31	26	22	25	27	27	30
Female	287	27	25	29	23	21	24	20	21	16	17	23	41
DISTRICT OF COLUMBIA	8,787	829	748	815	707	705	735	665	685	621	667	623	995
Male	4,676	452	414	428	386	394	389	347	354	329	336	350	497
Female	4,111	377	334	385	321	309	344	318	329	292	331	273	498
White	5,600	521	498	518	456	439	457	389	448	390	450	398	636
Male	3,004	286	258	265	255	256	253	207	238	216	230	222	320
Female	2,596	235	240	255	201	183	204	182	210	174	220	176	316
Nonwhite	3,187	308	250	295	251	264	276	276	235	231	217	225	359
Male	1,672	166	156	165	131	138	136	140	116	113	108	128	177
Female	1,515	142	94	130	120	126	140	136	119	118	111	97	182
FLORIDA	23,462	2,060	1,911	2,045	1,815	1,898	1,883	1,880	1,965	1,776	1,930	1,972	2,327
Male	14,225	1,212	1,137	1,239	1,099	1,175	1,124	1,146	1,180	1,054	1,221	1,206	1,434
Female	9,257	848	774	806	716	725	759	734	785	722	709	766	893
White	16,187	1,410	1,309	1,376	1,221	1,315	1,315	1,276	1,375	1,242	1,330	1,378	1,842
Male	10,241	856	816	854	776	852	825	801	866	788	882	903	1,022
Female	5,946	554	493	522	445	463	490	475	507	454	448	475	620
Nonwhite	7,275	650	602	669	594	585	566	604	592	534	600	594	685
Male	3,984	356	321	385	323	321	299	345	314	266	339	305	412
Female	3,291	294	281	284	271	262	269	259	278	268	261	291	273

TABLE 19.—DEATHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
GEORGIA	30,101	2,699	2,453	2,724	2,385	2,362	2,552	2,463	2,384	2,166	2,510	2,486	2,917
Male	16,642	1,526	1,330	1,506	1,351	1,303	1,407	1,351	1,292	1,207	1,360	1,369	1,640
Female	13,459	1,173	1,123	1,218	1,034	1,059	1,145	1,112	1,092	959	1,150	1,117	1,277
White	16,917	1,539	1,345	1,542	1,375	1,313	1,462	1,366	1,315	1,190	1,396	1,403	1,671
Male	9,718	873	767	885	831	740	853	756	759	685	777	808	984
Female	7,199	666	578	657	544	573	609	610	556	505	619	595	687
Nonwhite	13,184	1,160	1,108	1,182	1,010	1,049	1,090	1,097	1,069	976	1,114	1,083	1,246
Male	6,924	653	563	621	520	563	554	595	533	522	583	561	656
Female	6,260	507	545	561	490	486	536	502	536	454	531	522	590
IDAHO	4,712	430	341	439	397	411	375	352	381	335	384	388	479
Male	2,967	265	218	269	243	261	230	248	246	211	250	234	292
Female	1,745	165	123	170	154	150	145	104	135	124	134	154	187
White	4,648	422	337	431	394	409	370	347	379	332	377	383	467
Male	2,932	263	216	264	242	259	227	246	245	208	247	230	285
Female	1,716	159	121	167	152	150	143	101	134	124	130	153	182
Nonwhite	64	8	4	8	3	2	5	5	2	3	7	5	12
Male	35	2	2	5	1	2	3	2	1	3	3	4	7
Female	29	6	2	3	2	-	2	3	1	-	4	1	5
ILLINOIS	92,058	8,310	7,442	8,242	7,632	7,879	7,164	6,985	6,939	6,692	7,257	7,150	10,366
Male	51,538	4,568	4,165	4,611	4,275	4,432	4,073	3,968	3,896	3,795	4,023	4,011	5,721
Female	40,520	3,742	3,277	3,631	3,357	3,447	3,091	3,017	3,043	2,897	3,234	3,139	4,645
White	85,276	7,757	6,879	7,656	7,072	7,279	6,641	6,417	6,405	6,192	6,714	6,617	9,647
Male	47,790	4,265	3,879	4,288	3,959	4,105	3,794	3,649	3,599	3,520	3,696	3,721	5,315
Female	37,486	3,492	3,000	3,368	3,113	3,174	2,847	2,768	2,806	2,672	3,018	2,896	4,332
Nonwhite	6,782	553	563	586	560	600	523	568	534	500	543	533	719
Male	3,748	303	286	323	316	327	279	319	297	275	327	290	406
Female	3,034	250	277	263	244	273	244	249	237	225	216	243	313
INDIANA	41,257	3,738	3,382	3,750	3,486	3,470	3,163	3,107	3,103	2,972	3,190	3,201	4,695
Male	23,048	2,112	1,922	2,085	1,946	1,961	1,781	1,731	1,713	1,711	1,775	1,781	2,530
Female	18,209	1,626	1,460	1,665	1,540	1,509	1,382	1,376	1,390	1,261	1,415	1,420	2,165
White	39,028	3,563	3,205	3,523	3,305	3,296	2,993	2,947	2,933	2,806	2,975	3,042	4,440
Male	21,813	2,024	1,812	1,966	1,838	1,862	1,685	1,652	1,618	1,617	1,661	1,690	2,388
Female	17,215	1,539	1,393	1,557	1,467	1,434	1,308	1,295	1,315	1,189	1,314	1,352	2,052
Nonwhite	2,229	175	177	227	181	174	170	160	170	166	215	159	255
Male	1,235	88	110	119	108	99	96	79	95	94	114	91	142
Female	994	87	67	108	73	75	74	81	75	72	101	68	113
IOWA	26,189	2,430	2,174	2,271	2,186	2,188	2,114	1,949	1,848	1,873	2,027	2,103	3,026
Male	14,621	1,337	1,225	1,270	1,212	1,258	1,167	1,090	1,096	1,044	1,093	1,190	1,639
Female	11,568	1,093	949	1,001	974	930	947	859	752	829	934	913	1,387
White	25,906	2,407	2,158	2,246	2,163	2,159	2,089	1,926	1,828	1,855	2,008	2,077	2,990
Male	14,450	1,322	1,213	1,252	1,199	1,241	1,155	1,081	1,080	1,033	1,081	1,176	1,617
Female	11,456	1,085	945	994	964	918	934	845	748	822	927	901	1,373
Nonwhite	283	23	16	25	23	29	25	23	20	18	19	26	36
Male	171	15	12	18	13	17	12	9	16	11	12	14	22
Female	112	8	4	7	10	12	13	14	4	7	7	12	14
KANSAS	19,021	1,923	1,688	1,775	1,499	1,552	1,405	1,481	1,591	1,291	1,402	1,507	1,907
Male	10,751	1,074	917	1,002	858	896	773	842	862	763	806	857	1,101
Female	8,270	849	771	773	641	656	632	639	729	528	596	650	806
White	17,959	1,798	1,591	1,682	1,422	1,475	1,326	1,404	1,491	1,224	1,318	1,426	1,802
Male	10,192	1,009	869	955	815	859	739	804	805	724	755	816	1,042
Female	7,767	789	722	727	607	616	587	600	686	500	563	610	760
Nonwhite	1,062	125	97	93	77	77	79	77	100	67	84	81	105
Male	559	65	48	47	43	37	34	38	57	39	51	41	59
Female	503	60	49	46	34	40	45	39	43	28	33	40	46
KENTUCKY	29,051	2,659	2,505	2,704	2,493	2,316	2,193	2,419	2,298	2,051	2,205	2,210	2,998
Male	16,146	1,493	1,393	1,500	1,392	1,273	1,243	1,352	1,266	1,118	1,219	1,259	1,630
Female	12,905	1,166	1,112	1,204	1,101	1,043	950	1,067	1,032	933	986	951	1,360
White	25,291	2,321	2,204	2,340	2,161	2,009	1,891	2,116	2,010	1,756	1,906	1,925	2,632
Male	14,089	1,296	1,242	1,302	1,219	1,113	1,068	1,183	1,117	971	1,050	1,089	1,439
Female	11,202	1,025	962	1,038	962	896	823	933	893	785	856	836	1,193
Nonwhite	3,760	338	301	364	332	307	302	303	288	295	299	285	366
Male	2,057	197	151	198	173	160	175	169	149	147	169	170	199
Female	1,703	141	150	166	159	147	127	134	139	148	130	115	167
LOUISIANA	24,007	2,287	1,950	2,163	1,934	1,919	1,861	1,968	2,028	1,670	1,923	1,881	2,423
Male	13,359	1,270	1,037	1,216	1,101	1,088	1,035	1,059	1,136	956	1,055	1,059	1,347
Female	10,648	1,017	913	947	833	831	826	909	892	714	868	822	1,076
White	13,494	1,303	1,107	1,222	1,097	1,065	1,014	1,077	1,130	909	1,061	1,073	1,436
Male	7,877	752	615	721	647	646	579	623	667	540	631	625	831
Female	5,617	551	492	501	450	419	435	454	463	369	430	448	605
Nonwhite	10,513	984	843	941	837	854	847	891	898	761	862	808	987
Male	5,482	518	422	495	454	442	456	436	469	416	424	434	516
Female	5,031	466	421	446	383	412	391	455	429	345	438	374	471
MAINE	10,902	1,049	966	1,001	1,015	941	824	784	780	766	877	831	1,068
Male	5,942	576	558	517	535	512	441	417	415	453	481	459	578
Female	4,960	473	408	484	480	429	383	367	365	313	396	372	490
White	10,869	1,042	962	1,000	1,012	937	821	784	777	765	875	828	1,066
Male	5,919	572	554	517	533	508	439	417	412	452	479	459	577
Female	4,950	470	408	483	479	429	382	367	365	313	396	369	489
Nonwhite	33	7	4	1	3	4	3	-	3	1	2	3	2
Male	23	4	4	-	2	4	2	-	3	1	2	-	1
Female	10	3	-	1	1	-	1	-	-	-	-	3	1
MARYLAND	24,113	2,289	1,997	2,113	2,017	1,897	1,999	1,752	1,741	1,657	1,860	1,906	2,885
Male	13,238	1,235	1,109	1,161	1,091	1,080	1,096	1,020	931	926	987	1,053	1,549
Female	10,875	1,054	888	952	926	817	903	732	810	731	873	853	1,336
White	18,782	1,811	1,556	1,653	1,577	1,457	1,509	1,349	1,323	1,289	1,467	1,515	2,278
Male	10,318	983	885	916	844	845	813	790	705	722	776	854	1,205
Female	8,464	828	671	737	733	612	696	559	618	567	691	679	1,073
Nonwhite	5,331	478	441	460	440	440	490	403	418	368	393	393	607
Male	2,920	252	224	245	247	235	283	230	226	204	211	219	344
Female	2,411	226	217	215	193	205	207	173	192	164	182	174	263

TABLE 19.—DEATHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
MASSACHUSETTS	54,653	5,086	4,665	4,909	5,052	4,478	4,208	4,014	3,684	3,876	4,258	4,312	6,131
Male	28,520	2,605	2,467	2,528	2,597	2,385	2,227	2,102	1,989	2,062	2,187	2,223	3,148
Female	26,133	2,461	2,198	2,381	2,455	2,093	1,981	1,912	1,695	1,814	2,071	2,089	2,983
White	53,661	4,992	4,583	4,803	4,955	4,382	4,133	3,942	3,616	3,800	4,192	4,231	6,032
Male	27,953	2,564	2,417	2,461	2,548	2,333	2,184	2,064	1,946	2,016	2,146	2,182	3,092
Female	25,708	2,428	2,166	2,342	2,407	2,049	1,949	1,878	1,670	1,784	2,046	2,049	2,940
Nonwhite	992	74	82	108	97	96	75	72	68	76	66	81	99
Male	567	41	50	67	49	52	43	38	43	46	41	41	56
Female	425	33	32	39	48	44	32	34	25	30	25	40	43
MICHIGAN	57,046	5,220	4,703	5,421	4,828	4,749	4,577	4,221	4,205	4,083	4,484	4,381	6,174
Male	32,289	3,026	2,656	3,074	2,732	2,685	2,637	2,392	2,412	2,305	2,487	2,472	3,411
Female	24,757	2,194	2,047	2,347	2,096	2,064	1,940	1,829	1,793	1,778	1,997	1,909	2,763
White	53,706	4,932	4,428	5,087	4,555	4,488	4,267	3,941	3,964	3,851	4,229	4,133	5,831
Male	30,436	2,856	2,515	2,901	2,578	2,549	2,449	2,232	2,263	2,186	2,340	2,349	3,218
Female	23,270	2,076	1,913	2,186	1,977	1,939	1,818	1,709	1,701	1,665	1,889	1,784	2,613
Nonwhite	3,340	288	275	334	273	261	310	280	241	232	255	248	343
Male	1,853	170	141	173	154	136	188	160	149	119	147	123	193
Female	1,487	118	134	161	119	125	122	120	92	113	108	125	150
MINNESOTA	26,991	2,536	2,106	2,346	2,172	2,296	2,125	2,065	1,936	1,990	2,051	2,130	3,258
Male	15,530	1,458	1,196	1,303	1,231	1,328	1,236	1,209	1,101	1,142	1,213	1,265	1,850
Female	11,461	1,078	910	1,043	941	968	889	856	835	848	838	867	1,408
White	26,598	2,501	2,073	2,307	2,138	2,264	2,101	2,033	1,907	1,964	2,000	2,101	3,209
Male	15,317	1,441	1,176	1,282	1,212	1,313	1,222	1,194	1,083	1,125	1,195	1,247	1,827
Female	11,281	1,060	897	1,025	926	951	879	839	824	839	805	854	1,382
Nonwhite	393	35	33	39	34	32	24	32	29	26	51	29	49
Male	213	17	20	21	19	15	14	15	18	17	18	16	23
Female	180	18	13	18	15	17	10	17	11	9	13	13	26
MISSISSIPPI	21,193	1,884	1,682	1,987	1,729	1,637	1,791	1,688	1,752	1,518	1,744	1,650	2,131
Male	11,466	1,058	931	1,066	928	897	949	912	901	815	964	870	1,177
Female	9,727	828	751	921	801	740	842	776	851	703	780	780	954
White	9,390	859	762	866	769	761	748	743	773	608	769	761	971
Male	5,398	512	450	485	430	427	426	436	425	357	460	433	557
Female	3,992	347	312	381	339	334	322	307	348	251	309	328	414
Nonwhite	11,803	1,025	920	1,121	960	876	1,043	945	979	910	975	889	1,160
Male	6,068	544	481	581	498	470	523	476	476	458	504	437	620
Female	5,735	481	439	540	462	406	520	469	503	452	471	452	540
MISSOURI	44,289	4,203	3,790	3,992	3,671	3,591	3,440	3,573	3,290	3,097	3,362	3,325	4,955
Male	24,522	2,365	2,136	2,263	2,048	2,009	1,872	1,987	1,815	1,742	1,863	1,785	2,637
Female	19,767	1,838	1,654	1,729	1,623	1,582	1,568	1,586	1,475	1,355	1,499	1,540	2,318
White	39,779	3,769	3,442	3,585	3,313	3,211	3,087	3,193	2,913	2,757	3,029	2,989	4,511
Male	22,077	2,138	1,927	2,045	1,851	1,809	1,672	1,786	1,603	1,560	1,690	1,618	2,398
Female	17,702	1,631	1,515	1,540	1,462	1,402	1,395	1,427	1,310	1,197	1,339	1,371	2,113
Nonwhite	4,510	434	348	407	358	380	373	380	377	340	333	336	444
Male	2,445	227	209	218	197	200	200	221	212	182	173	167	239
Female	2,065	207	139	189	161	180	173	159	165	158	160	169	205
MONTANA	5,601	515	481	519	485	482	468	421	391	406	444	416	573
Male	3,677	342	332	331	312	311	316	265	261	275	278	286	368
Female	1,924	173	149	188	173	171	152	156	130	131	166	130	205
White	5,277	488	453	485	464	450	449	394	356	376	422	395	545
Male	3,502	320	317	316	300	294	306	250	245	257	268	274	355
Female	1,775	168	136	169	164	156	143	144	111	119	154	121	190
Nonwhite	324	27	28	34	21	32	19	27	35	30	22	21	28
Male	175	22	15	15	12	17	10	15	16	18	10	12	15
Female	149	5	13	19	9	15	9	12	19	12	12	9	13
NEBRASKA	13,082	1,268	1,109	1,233	1,108	1,071	994	1,032	945	893	973	1,048	1,388
Male	7,489	719	636	712	637	616	540	585	581	514	560	621	748
Female	5,593	549	473	521	471	455	454	447	364	379	413	427	640
White	12,723	1,231	1,084	1,205	1,079	1,048	970	1,015	918	857	948	1,018	1,350
Male	7,295	704	626	697	620	603	530	576	563	494	545	605	732
Female	5,428	527	458	508	459	445	440	439	355	363	403	413	618
Nonwhite	359	37	25	28	29	23	24	17	27	36	25	30	38
Male	174	15	10	15	17	13	10	9	18	20	15	16	16
Female	165	22	15	13	12	10	14	8	9	16	10	14	22
NEVADA	1,615	144	140	149	135	146	136	103	121	125	135	126	155
Male	1,127	99	95	98	99	103	102	71	80	87	107	80	106
Female	488	45	45	51	36	43	34	32	41	38	28	46	49
White	1,460	128	126	133	125	129	129	91	110	117	130	110	132
Male	1,045	93	88	88	95	94	96	64	75	85	103	72	92
Female	415	35	38	45	30	35	33	27	35	32	27	38	40
Nonwhite	155	16	14	16	10	17	7	12	11	8	5	16	23
Male	82	6	7	10	4	9	6	7	5	2	4	8	14
Female	73	10	7	6	6	8	1	5	6	6	1	8	9
NEW HAMPSHIRE	6,246	613	548	560	606	511	479	437	446	470	474	506	598
Male	3,611	324	294	301	330	273	256	248	250	256	243	316	320
Female	2,635	289	252	259	276	238	223	189	196	214	231	190	278
White	6,238	610	545	560	606	510	478	437	445	470	474	505	598
Male	3,409	323	293	301	330	273	256	248	250	256	243	316	320
Female	2,829	287	252	259	276	237	222	189	195	214	231	189	278
Nonwhite	8	3	1	-	-	1	1	-	1	-	-	1	-
Male	2	1	1	-	-	-	-	-	-	-	-	-	-
Female	6	2	-	-	-	1	1	-	1	-	-	1	-
NEW JERSEY	50,281	4,726	4,277	4,433	4,475	4,156	3,994	3,531	3,467	3,410	4,015	3,842	5,957
Male	27,311	2,606	2,315	2,389	2,432	2,277	2,165	1,968	1,905	1,881	2,156	2,055	3,162
Female	22,970	2,120	1,962	2,044	2,041	1,879	1,829	1,563	1,562	1,529	1,859	1,787	2,795
White	46,569	4,386	3,975	4,107	4,127	3,829	3,666	3,255	3,207	3,163	3,698	3,566	5,590
Male	25,256	2,416	2,142	2,214	2,238	2,109	1,964	1,805	1,778	1,745	1,994	1,899	2,954
Female	21,313	1,970	1,833	1,893	1,889	1,720	1,702	1,452	1,429	1,418	1,704	1,667	2,636
Nonwhite	3,712	340	302	326	346	327	328	276	260	247	317	276	367
Male	2,055	190	173	175	194	168	201	165	127	136	162	156	208
Female	1,657	150	129	151	152	159	127	111	133	111	155	120	159

TABLE 19.—DEATHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
NEW MEXICO	5,488	512	440	486	447	424	387	438	473	453	461	432	535
Male	3,261	331	252	287	268	245	238	255	274	294	251	260	306
Female	2,227	181	188	199	179	179	149	183	199	159	210	172	229
White	4,950	462	392	452	409	379	351	388	413	404	408	396	498
Male	2,962	306	225	270	244	224	219	222	243	266	221	237	285
Female	1,988	156	167	182	165	155	132	166	170	138	187	159	211
Nonwhite	538	50	48	34	38	45	36	50	60	49	53	36	39
Male	299	25	27	17	24	21	19	33	31	28	30	23	21
Female	239	25	21	17	14	24	17	17	29	21	23	13	18
NEW YORK	162,186	14,744	13,263	14,607	14,157	13,836	13,055	11,583	11,132	11,427	12,814	12,591	18,977
Male	87,973	8,021	7,137	7,986	7,825	7,609	7,082	6,335	6,170	6,172	6,999	6,680	9,957
Female	74,213	6,723	6,126	6,621	6,332	6,227	5,973	5,248	4,962	5,255	5,815	5,911	9,020
White	153,757	14,028	12,565	13,878	13,405	13,130	12,398	10,923	10,467	10,790	12,149	11,959	18,085
Male	83,506	7,651	6,789	7,593	7,393	7,237	6,735	5,999	5,802	5,846	6,636	6,350	9,475
Female	70,251	6,377	5,776	6,285	6,012	5,893	5,663	4,924	4,665	4,944	5,493	5,609	8,610
Nonwhite	8,429	716	698	729	752	706	657	660	665	637	665	632	892
Male	4,467	370	348	393	432	372	347	336	368	326	363	330	482
Female	3,962	346	350	336	320	334	310	324	297	311	322	302	410
NORTH CAROLINA	29,971	2,610	2,521	2,875	2,481	2,399	2,371	2,372	2,369	2,162	2,476	2,381	2,954
Male	16,528	1,408	1,378	1,535	1,377	1,320	1,273	1,350	1,285	1,252	1,401	1,288	1,661
Female	13,443	1,202	1,143	1,340	1,104	1,079	1,098	1,022	1,084	910	1,075	1,093	1,293
White	19,551	1,704	1,666	1,883	1,620	1,566	1,524	1,535	1,567	1,411	1,598	1,532	1,945
Male	11,149	941	939	1,044	924	908	845	903	894	840	923	858	1,130
Female	8,402	763	727	839	696	658	679	632	673	571	675	674	815
Nonwhite	10,420	906	855	992	861	833	847	837	802	751	878	849	1,009
Male	5,379	467	439	491	453	412	428	447	391	412	478	430	531
Female	5,041	439	416	501	408	421	419	390	411	339	400	419	478
NORTH DAKOTA	5,170	485	407	432	473	457	393	397	340	392	403	400	591
Male	3,104	274	237	282	277	276	227	224	192	253	250	249	363
Female	2,066	211	170	150	196	181	166	173	148	139	153	151	228
White	5,024	478	395	421	460	441	382	380	327	387	396	380	577
Male	3,029	271	232	275	270	266	223	217	185	250	244	240	356
Female	1,995	207	163	146	190	175	159	163	142	137	152	140	221
Nonwhite	146	7	12	11	13	16	11	17	13	5	7	20	14
Male	75	3	5	7	7	10	4	7	7	3	6	9	7
Female	71	4	7	4	6	6	7	10	6	2	1	11	7
OHIO	82,464	7,206	6,883	7,711	7,064	6,892	6,283	6,324	6,006	5,946	6,518	6,532	9,099
Male	45,120	3,965	3,756	4,187	3,866	3,842	3,450	3,522	3,295	3,287	3,551	3,559	4,840
Female	37,344	3,241	3,127	3,524	3,198	3,050	2,833	2,802	2,711	2,659	2,967	2,973	4,259
White	76,863	6,740	6,431	7,160	6,602	6,418	5,834	5,882	5,577	5,490	6,117	6,090	8,522
Male	42,035	3,703	3,489	3,883	3,610	3,593	3,201	3,288	3,068	3,022	3,339	3,308	4,531
Female	34,828	3,037	2,942	3,277	2,992	2,825	2,633	2,594	2,509	2,468	2,778	2,782	3,991
Nonwhite	5,601	466	452	551	462	474	449	442	429	456	401	442	577
Male	3,085	262	267	304	256	249	249	234	227	265	212	251	309
Female	2,516	204	185	247	206	225	200	208	202	191	189	191	268
OKLAHOMA	20,271	1,868	1,612	1,837	1,578	1,627	1,504	1,990	1,842	1,332	1,557	1,529	1,995
Male	11,905	1,097	956	1,107	933	978	847	1,097	1,086	822	925	903	1,154
Female	8,366	771	656	730	645	649	657	893	756	510	632	626	841
White	17,587	1,632	1,397	1,583	1,353	1,420	1,312	1,701	1,603	1,155	1,341	1,355	1,735
Male	10,473	982	831	962	814	872	742	954	958	732	803	812	1,031
Female	7,114	650	566	621	539	548	570	747	645	423	538	543	704
Nonwhite	2,684	236	215	254	225	207	192	289	239	177	216	174	260
Male	1,432	135	125	145	119	106	105	143	128	90	122	91	125
Female	1,252	101	90	109	106	101	87	146	111	87	94	83	137
OREGON	13,704	1,343	1,171	1,311	1,173	1,218	1,022	1,012	977	976	1,083	1,082	1,336
Male	8,398	840	737	810	727	756	629	601	582	585	647	666	818
Female	5,306	503	434	501	446	462	393	411	395	391	436	416	518
White	13,492	1,327	1,149	1,283	1,159	1,193	1,009	998	964	962	1,066	1,070	1,312
Male	8,259	827	719	790	717	742	621	591	572	577	639	660	804
Female	5,233	500	430	493	442	451	388	407	392	385	427	410	508
Nonwhite	212	16	22	28	14	25	13	14	13	14	17	12	24
Male	139	13	18	20	10	14	8	10	10	8	8	6	14
Female	73	3	4	8	4	11	5	4	3	6	9	6	10
PENNSYLVANIA	115,907	10,464	9,547	10,443	10,031	9,618	9,175	8,205	8,201	7,921	9,113	9,150	14,039
Male	63,842	5,713	5,290	5,777	5,613	5,332	5,038	4,541	4,582	4,366	4,999	5,090	7,501
Female	52,065	4,751	4,257	4,666	4,418	4,286	4,137	3,664	3,619	3,555	4,114	4,060	6,538
White	107,934	9,707	8,882	9,760	9,303	8,972	8,554	7,621	7,611	7,341	8,508	8,525	13,150
Male	59,405	5,286	4,932	5,403	5,212	4,979	4,703	4,174	4,265	4,044	4,665	4,731	7,011
Female	48,529	4,421	3,950	4,357	4,091	3,993	3,851	3,447	3,346	3,297	3,843	3,794	6,139
Nonwhite	7,973	757	665	683	728	646	621	584	590	580	605	625	889
Male	4,437	427	358	374	401	353	335	367	317	322	334	359	490
Female	3,536	330	307	309	327	293	286	217	273	258	271	266	399
RHODE ISLAND	8,922	880	790	853	791	718	712	654	554	602	671	685	1,012
Male	4,768	475	416	457	423	375	375	340	3 4	309	375	355	544
Female	4,154	405	374	396	368	343	337	314	2 0	293	296	330	468
White	8,713	858	765	834	779	692	695	637	5 3	596	661	672	981
Male	4,656	466	406	445	416	364	364	331	3 6	304	369	350	525
Female	4,057	392	359	389	363	328	331	306	2 7	292	292	322	456
Nonwhite	209	22	25	19	12	26	17	17	11	6	10	13	31
Male	112	9	10	12	7	11	11	9	8	5	6	5	19
Female	97	13	15	7	5	15	6	8	3	1	4	8	12
SOUTH CAROLINA	18,552	1,639	1,568	1,623	1,551	1,424	1,530	1,579	1,544	1,371	1,501	1,434	1,788
Male	10,041	882	859	879	842	786	823	885	855	712	820	761	937
Female	8,511	757	709	744	709	638	707	694	689	659	681	673	851
White	9,190	809	794	823	745	689	757	763	765	679	742	718	906
Male	5,273	467	453	462	419	404	453	452	435	403	440	394	494
Female	3,917	342	341	361	326	285	304	311	330	276	302	324	412
Nonwhite	9,362	830	774	800	806	735	773	816	779	692	759	716	882
Male	4,768	415	406	417	423	382	370	433	420	312	380	367	443
Female	4,594	415	368	383	383	353	403	383	359	380	379	349	439

TABLE 19.—DEATHS BY MONTH, SEX, AND RACE: UNITED STATES AND EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

AREA, SEX, AND RACE	Total deaths	January	February	March	April	May	June	July	August	September	October	November	December
SOUTH DAKOTA	5,641	555	455	500	470	484	462	442	394	390	411	445	633
Male	3,341	320	263	296	271	276	256	272	254	236	259	246	392
Female	2,300	235	192	204	199	208	206	170	140	154	152	199	241
White	5,292	501	421	460	437	452	430	420	377	370	390	428	606
Male	3,155	294	243	271	250	261	244	259	246	224	248	239	376
Female	2,137	207	178	189	187	191	186	161	131	146	142	189	230
Nonwhite	349	54	34	40	33	32	32	22	17	20	21	17	27
Male	186	26	20	25	21	15	12	13	8	12	11	7	16
Female	163	28	14	15	12	17	20	9	9	8	10	10	11
TENNESSEE	27,935	2,528	2,282	2,605	2,275	2,227	2,308	2,362	2,361	1,943	2,171	2,133	2,740
Male	15,318	1,411	1,248	1,432	1,252	1,253	1,234	1,262	1,279	1,059	1,186	1,228	1,474
Female	12,617	1,117	1,034	1,173	1,023	974	1,074	1,100	1,082	884	985	905	1,266
White	20,823	1,874	1,711	1,954	1,686	1,677	1,688	1,743	1,776	1,460	1,638	1,611	2,005
Male	11,701	1,074	938	1,098	932	972	936	974	992	820	917	954	1,094
Female	9,122	800	773	856	754	705	752	769	784	640	721	657	911
Nonwhite	7,112	654	571	651	589	550	620	619	585	483	533	522	735
Male	3,617	337	310	334	320	281	298	288	287	239	269	274	380
Female	3,495	317	261	317	269	269	322	331	298	244	264	248	355
TEXAS	62,216	5,764	4,880	5,565	4,939	5,070	5,014	5,464	5,142	4,470	4,872	4,847	6,189
Male	36,423	3,369	2,887	3,245	2,905	3,009	2,934	3,153	2,985	2,645	2,851	2,781	3,659
Female	25,793	2,395	1,993	2,320	2,034	2,061	2,080	2,311	2,157	1,825	2,021	2,066	2,530
White	51,113	4,726	4,049	4,539	4,053	4,204	4,078	4,511	4,228	3,680	3,989	4,036	5,050
Male	30,481	2,791	2,453	2,689	2,431	2,544	2,408	2,663	2,515	2,213	2,380	2,357	3,037
Female	20,632	1,935	1,596	1,850	1,622	1,660	1,670	1,848	1,713	1,467	1,609	1,679	2,013
Nonwhite	11,103	1,038	831	1,026	886	866	936	953	914	820	883	811	1,139
Male	5,942	578	434	556	474	465	526	490	470	432	471	424	622
Female	5,161	460	397	470	412	401	410	463	444	388	412	387	517
UTAH	5,054	491	403	450	394	395	400	387	371	362	430	396	575
Male	2,994	305	242	273	223	238	243	221	228	213	243	233	332
Female	2,060	186	161	177	171	157	157	166	143	149	187	163	243
White	4,922	482	392	437	383	381	387	376	363	355	420	385	561
Male	2,914	298	234	269	215	230	235	212	223	209	238	226	325
Female	2,008	184	158	168	168	151	152	164	140	146	182	159	236
Nonwhite	132	9	11	13	11	14	13	11	8	7	10	11	14
Male	80	7	8	4	8	8	8	9	5	4	5	7	7
Female	52	2	3	9	3	6	5	2	3	3	5	4	7
VERMONT	4,601	450	377	427	409	353	322	325	311	326	381	364	556
Male	2,529	234	204	232	203	192	168	189	179	199	202	215	312
Female	2,072	216	173	195	206	161	154	136	132	127	179	149	244
White	4,599	450	377	427	409	353	322	324	311	326	381	364	555
Male	2,528	234	204	232	203	192	168	188	179	199	202	215	312
Female	2,071	216	173	195	206	161	154	136	132	127	179	149	243
Nonwhite	2	-	-	-	-	-	-	1	-	-	-	-	1
Male	1	-	-	-	-	-	-	1	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-	-	1
VIRGINIA	28,915	2,632	2,433	2,604	2,467	2,328	2,292	2,234	2,207	2,115	2,330	2,135	3,158
Male	16,131	1,457	1,354	1,422	1,368	1,318	1,283	1,244	1,273	1,178	1,304	1,198	1,732
Female	12,784	1,175	1,079	1,182	1,099	1,010	1,009	990	934	937	1,026	937	1,406
White	19,300	1,755	1,614	1,784	1,616	1,558	1,465	1,482	1,468	1,420	1,571	1,442	2,125
Male	10,985	1,008	903	977	920	877	835	841	865	829	898	835	1,197
Female	8,315	747	711	807	696	681	630	641	603	591	673	607	928
Nonwhite	9,615	877	819	820	851	770	827	752	739	695	759	693	1,013
Male	5,146	449	451	445	448	441	448	403	408	349	406	363	535
Female	4,469	428	368	375	403	329	379	349	331	346	353	330	478
WASHINGTON	22,566	2,194	1,924	2,161	1,907	1,931	1,830	1,741	1,566	1,595	1,782	1,666	2,269
Male	13,872	1,372	1,187	1,336	1,183	1,232	1,118	1,055	968	982	1,098	987	1,354
Female	8,694	822	737	825	724	699	712	686	598	613	684	679	915
White	21,949	2,140	1,880	2,094	1,867	1,895	1,758	1,686	1,519	1,538	1,723	1,630	2,219
Male	13,486	1,337	1,164	1,292	1,157	1,208	1,075	1,016	941	951	1,060	961	1,324
Female	8,463	803	716	802	710	687	683	670	578	587	663	669	895
Nonwhite	617	54	44	67	40	36	72	55	47	57	59	36	50
Male	386	35	23	44	26	24	43	39	27	31	38	26	30
Female	231	19	21	23	14	12	29	16	20	26	21	10	20
WEST VIRGINIA	17,239	1,500	1,495	1,660	1,504	1,354	1,343	1,333	1,367	1,328	1,413	1,251	1,711
Male	9,821	868	852	995	845	764	792	754	772	749	756	729	965
Female	7,418	632	643	665	659	570	551	579	595	579	677	522	746
White	15,752	1,366	1,372	1,503	1,384	1,218	1,215	1,214	1,246	1,193	1,295	1,163	1,583
Male	8,974	797	777	892	785	702	716	688	696	666	683	679	893
Female	6,778	569	595	611	599	516	499	526	550	527	612	484	690
Nonwhite	1,487	134	123	157	120	116	128	119	121	135	118	88	128
Male	847	71	75	103	60	62	76	66	76	83	53	50	72
Female	640	63	48	54	60	54	52	53	45	52	65	38	56
WISCONSIN	32,668	3,024	2,645	2,955	2,803	2,898	2,625	2,364	2,277	2,275	2,556	2,553	3,713
Male	18,337	1,698	1,469	1,643	1,524	1,635	1,442	1,368	1,298	1,327	1,428	1,458	2,049
Female	14,331	1,328	1,176	1,312	1,279	1,263	1,183	996	979	948	1,128	1,075	1,664
White	32,327	2,991	2,608	2,932	2,769	2,865	2,592	2,349	2,255	2,250	2,531	2,508	3,677
Male	18,154	1,674	1,449	1,630	1,506	1,617	1,417	1,357	1,281	1,315	1,415	1,443	2,050
Female	14,193	1,317	1,159	1,302	1,263	1,248	1,175	992	974	935	1,116	1,065	1,647
Nonwhite	341	33	37	23	34	33	33	15	22	25	25	25	36
Male	203	22	20	13	18	18	25	11	17	12	13	15	19
Female	138	11	17	10	16	15	8	4	5	13	12	10	17
WYOMING	2,217	204	183	193	207	199	170	155	165	156	190	172	223
Male	1,483	143	118	125	127	142	107	97	117	111	127	117	152
Female	734	61	65	68	80	57	63	58	48	45	63	55	71
White	2,129	195	179	185	201	192	163	150	159	148	179	162	216
Male	1,421	138	114	120	122	136	102	96	112	105	118	110	148
Female	708	57	65	65	79	56	61	54	47	43	61	52	68
Nonwhite	88	9	4	8	6	7	7	5	6	8	11	10	7
Male	62	5	4	5	5	6	5	1	5	6	9	7	4
Female	26	4	-	3	1	1	2	4	1	2	2	3	3

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943

(Exclusive of stillbirths. By place of residence. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES.....All causes	1,459,544	134,337	120,485	132,628	123,258	120,807	115,317	111,970	108,583	104,084	114,739	114,266	159,070
Typhoid and paratyphoid fever.....1,2	683	33	33	24	32	37	72	103	111	87	64	43	44
Cerebrospinal (meningococcus) meningitis.....6	2,927	251	263	378	348	311	206	186	131	113	205	188	347
Scarlet fever.....8	451	56	43	69	57	41	18	16	17	24	25	44	41
Whooping cough.....9	3,368	247	255	361	331	298	325	355	304	237	208	214	233
Diphtheria (infection by C. diphtheriae).....10	1,196	154	110	101	67	59	50	56	61	100	148	158	152
Tuberculosis (all forms).....13-22	57,005	4,869	4,539	5,169	5,096	5,313	4,946	4,785	4,530	4,229	4,279	4,158	5,092
Tuberculosis of respiratory system, etc.*.....13	52,407	4,518	4,216	4,744	4,664	4,859	4,500	4,369	4,141	3,903	3,945	3,822	4,726
Tuberculosis (other forms).....14-22	4,598	351	323	425	432	454	446	416	389	326	334	336	366
Dysentery.....27	1,909	57	57	82	66	123	264	339	316	215	170	141	79
Malaria.....28	647	20	25	15	35	51	76	121	101	71	68	40	24
Syphilis.....30	16,263	1,509	1,396	1,465	1,368	1,342	1,353	1,308	1,223	1,161	1,332	1,275	1,531
Measles.....35	1,301	127	125	201	199	213	167	66	38	22	27	28	88
Poliomyelitis, polioencephalitis (acute).....36	1,151	38	17	23	28	36	58	138	295	262	138	70	48
Cancer and other malignant tumors.....45-55	166,848	13,991	12,791	14,175	13,591	14,038	13,756	13,867	13,971	13,693	14,026	13,870	15,281
Cancer of the digestive organs and peritoneum.....46	76,552	6,439	5,847	6,487	6,259	6,569	6,261	6,370	6,549	6,308	6,407	6,234	6,822
Cancer of female genital organs.....48,49	21,639	1,730	1,662	1,825	1,806	1,787	1,838	1,797	1,848	1,871	1,802	1,732	1,941
Cancer of the breast.....50	16,140	1,445	1,277	1,395	1,298	1,369	1,289	1,287	1,255	1,300	1,366	1,337	1,522
Cancer (other sites).....45,47,51-55	52,517	4,377	4,005	4,468	4,228	4,311	4,368	4,413	4,319	4,214	4,451	4,367	4,996
Acute rheumatic fever.....58	1,501	110	120	152	142	130	120	121	122	108	118	123	135
Diabetes mellitus.....61	36,314	3,510	2,973	3,274	3,091	3,038	2,869	2,663	2,483	2,472	2,889	2,773	4,279
Exophthalmic goiter.....63b	2,853	259	231	262	272	253	231	228	232	211	220	193	261
Pellagra (except alcoholic).....69	1,363	128	116	97	129	94	115	131	125	92	110	126	100
Alcoholism (ethylism).....77	2,203	230	205	245	197	173	181	163	167	143	153	146	200
Intracranial lesions of vascular origin.....83	127,300	11,890	10,501	11,769	10,905	10,420	9,996	9,663	9,395	9,223	10,241	10,178	13,121
Diseases of the heart.....90-95	426,391	40,689	36,147	39,219	36,802	35,622	32,551	30,577	29,137	28,936	33,489	34,021	49,201
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	27,196	2,548	2,311	2,539	2,361	2,295	2,083	1,955	1,890	1,843	2,095	2,176	3,100
Diseases of coronary arteries and angina pectoris.....94	120,725	11,575	10,135	10,932	10,309	10,140	8,977	8,742	8,524	8,685	9,872	10,105	12,729
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	278,470	26,566	23,701	25,748	24,132	23,187	21,491	19,880	18,723	18,408	21,522	21,740	33,372
Pneumonia (all forms) and influenza.....107-109,33	90,115	10,838	9,502	10,245	8,070	6,015	4,229	3,398	3,345	3,439	5,003	6,170	19,861
Bronchopneumonia.....107	34,616	4,346	3,725	3,910	3,071	2,450	1,880	1,586	1,588	1,643	2,101	2,596	5,720
Lobar pneumonia.....108	31,044	3,732	3,240	3,613	3,025	2,327	1,573	1,220	1,166	1,183	1,870	2,227	5,868
Pneumonia (unspecified).....109	7,236	897	776	866	636	457	380	317	322	326	453	544	1,262
Influenza.....33	17,219	1,863	1,761	1,856	1,338	781	396	275	269	287	579	803	7,011
Ulcer of stomach or duodenum.....117	9,333	829	724	838	824	848	783	731	650	676	771	787	872
Diarrhea, enteritis, and ulceration of intestines.....119,120	12,827	684	603	686	740	935	1,421	1,772	1,784	1,414	1,139	948	701
Appendicitis.....121	8,108	708	593	661	687	652	788	818	822	620	618	562	579
Hernia and intestinal obstruction.....122	12,459	1,034	908	1,087	1,032	986	1,118	1,105	1,071	1,003	951	1,028	1,138
Cirrhosis of the liver.....124	12,527	1,173	1,039	1,165	1,071	1,022	924	1,054	971	967	1,056	923	1,162
Biliary calculi, etc.*.....126,127	6,773	571	543	634	556	577	610	641	581	541	520	489	510
Nephritis.....130-132	99,267	9,206	8,513	9,263	8,735	8,585	7,962	7,382	7,116	6,831	7,847	7,725	10,102
Diseases of the prostate.....137	8,297	673	675	734	676	646	677	778	677	696	684	648	733
Diseases of pregnancy, childbirth, and puerperium...140-150	7,197	631	574	657	579	574	640	714	656	561	543	536	532
Puerperal septicemia.....140,142a,145A,147	2,593	233	207	232	205	205	248	240	212	205	227	188	191
Puerperal toxemia.....141a,c,144,148	1,936	184	167	171	142	170	177	210	192	152	136	124	131
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	2,668	234	200	254	232	199	215	264	252	204	180	224	210
Congenital malformations.....157	16,766	1,556	1,424	1,517	1,305	1,305	1,297	1,347	1,371	1,334	1,409	1,393	1,508
Premature birth (cause not stated).....159	34,563	2,831	2,449	2,850	2,874	3,018	3,009	3,172	3,118	2,843	2,937	2,701	2,761
Suicide.....163,164	13,725	1,041	999	1,247	1,336	1,303	1,248	1,142	1,117	1,160	1,115	943	1,072
Homicide.....165-168	6,690	562	514	528	553	625	640	610	656	479	500	490	533
Accidental deaths.....169-195	99,038	8,302	7,469	7,930	7,349	8,114	8,777	8,774	8,517	7,721	8,387	8,046	9,652
Motor-vehicle accidents.....170	23,823	1,808	1,580	1,768	1,588	1,745	1,685	1,832	2,027	2,093	2,580	2,554	2,763
Other accidents.....169,171-195	75,215	6,494	5,889	6,162	5,761	6,369	7,092	6,942	6,490	5,628	5,807	5,692	6,889
Senility, ill-defined and unknown causes.....162,199,200	51,169	2,974	2,672	2,976	2,441	2,281	2,357	2,440	2,394	2,192	2,389	2,409	3,644
All other causes.....	139,016	12,556	11,337	12,549	11,674	11,731	11,483	11,206	10,978	10,208	10,960	10,881	13,453
ALABAMA.....All causes	26,373	2,357	2,143	2,444	2,154	2,040	2,110	2,192	2,098	1,900	2,111	2,171	2,653
Typhoid and paratyphoid fever.....1,2	15	-	-	-	2	1	1	7	-	2	1	-	1
Cerebrospinal (meningococcus) meningitis.....6	53	7	4	5	11	4	1	7	4	1	1	5	3
Scarlet fever.....8	3	-	-	2	-	-	-	-	-	-	-	-	1
Whooping cough.....9	121	7	9	13	11	17	11	17	5	10	6	9	6
Diphtheria (infection by C. diphtheriae).....10	45	7	2	3	2	-	-	1	3	6	8	8	5
Tuberculosis (all forms).....13-22	1,302	111	121	134	114	103	90	111	92	108	114	100	104
Tuberculosis of respiratory system, etc.*.....13	1,226	106	114	128	108	97	84	101	86	103	105	94	100
Tuberculosis (other forms).....14-22	76	5	7	6	6	6	6	10	6	5	9	6	4
Dysentery.....27	53	3	4	4	1	4	10	8	6	5	2	1	5
Malaria.....28	56	1	6	-	2	5	8	9	5	5	8	4	3
Syphilis.....30	290	26	29	27	26	16	13	26	23	23	30	28	23
Measles.....35	22	-	-	1	2	6	4	1	2	-	1	-	5
Poliomyelitis, polioencephalitis (acute).....36	9	-	-	1	-	-	-	2	4	-	-	-	2
Cancer and other malignant tumors.....45-55	1,799	166	134	139	166	152	157	147	135	139	152	148	166
Cancer of the digestive organs and peritoneum.....46	636	54	51	37	56	52	62	47	60	51	58	49	59
Cancer of female genital organs.....48,49	360	29	33	30	31	35	27	30	18	37	28	32	30
Cancer of the breast.....50	159	10	13	14	10	14	19	18	7	10	15	17	12
Cancer (other sites).....45,47,51-55	644	73	37	58	69	51	49	52	50	41	51	48	65
Acute rheumatic fever.....58	46	3	4	5	2	4	2	6	4	1	6	2	7
Diabetes mellitus.....61	323	33	39	32	24	15	25	23	23	25	30	23	31
Exophthalmic goiter.....63b	25	4	1	1	2	3	3	3	2	2	3	-	1
Pellagra (except alcoholic).....69	128	10	9	8	14	7	9	7	9	12	14	21	8
Alcoholism (ethylism).....77	25	4	2	2	2	1	1	3	2	2	4	1	1
Intracranial lesions of vascular origin.....83	2,361	202	184	210	202	188	202	204	186	168	207	176	234
Diseases of the heart.....90-95	5,054	449	418	465	423	394	375	399	377	408	419	454	473
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	332	30	30	27	30	28	22	25	33	19	27	26	35
Diseases of coronary arteries and angina pectoris.....94	1,236	124	94	100	115	89	84	90	89	115	94	121	123
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	3,486	295	294	338	278	277	269	284	255	278	298	307	315

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA—Continued													
Pneumonia (all forms) and influenza.....107-109,33	2,290	273	255	304	206	126	89	90	120	73	138	164	452
Bronchopneumonia.....107	564	66	66	70	53	33	29	29	43	28	36	28	83
Lobar pneumonia.....108	699	84	70	88	65	42	25	31	45	24	51	48	126
Pneumonia (unspecified).....109	424	51	46	55	52	27	21	22	21	12	24	39	54
Influenza.....33	603	72	73	91	36	24	14	8	11	9	27	49	189
Ulcer of stomach or duodenum.....117	120	13	5	11	10	12	6	15	10	5	10	11	12
Diarrhea, enteritis, and ulceration of intestines.....119,120	330	13	11	13	11	20	76	68	56	17	15	18	12
Appendicitis.....121	164	9	12	18	12	10	16	17	20	11	14	11	14
Hernia and intestinal obstruction.....122	186	12	14	14	15	14	16	19	18	14	18	20	12
Cirrhosis of the liver.....124	125	10	15	12	5	7	11	10	9	9	16	7	14
Biliary calculi, etc.*.....126,127	69	9	6	5	4	3	6	6	8	6	5	5	6
Nephritis.....130-132	2,011	177	172	202	142	141	184	165	157	141	143	198	189
Diseases of the prostate.....137	93	6	10	7	8	6	7	17	9	6	7	8	2
Diseases of pregnancy, childbirth, and puerperium...140-150	260	24	18	30	12	19	28	29	15	20	19	25	21
Puerperal septicemia.....140,142a,145A,147	64	7	5	7	1	6	6	6	3	8	4	8	3
Puerperal toxemia.....141a,c,144,148	86	8	5	6	6	6	9	12	6	3	8	5	12
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	110	9	8	17	5	7	13	11	6	9	7	12	6
Congenital malformations.....157	239	21	18	22	18	17	16	18	27	14	17	26	25
Premature birth (cause not stated).....159	812	69	49	50	59	78	92	75	85	73	63	61	58
Suicide.....163,164	150	14	9	10	19	15	10	9	15	13	11	16	9
Homicide.....165-168	315	25	18	23	23	33	30	30	39	26	24	25	21
Accidental deaths.....169-195	1,845	171	123	152	143	177	141	162	166	135	124	159	192
Motor-vehicle accidents.....170	471	38	28	32	27	32	33	43	44	42	41	50	61
Other accidents.....169,171-195	1,374	133	95	120	116	145	108	119	122	93	83	109	131
Senility, ill-defined and unknown causes.....162,199,200	2,894	242	224	278	239	215	246	243	220	219	228	217	323
All other causes.....	2,740	236	220	241	222	227	224	238	242	203	253	222	212
ARIZONA.....All causes	5,927	475	507	505	485	561	450	527	438	487	434	482	576
Typhoid and paratyphoid fever.....1,2	14	-	-	-	-	-	-	3	-	6	3	1	1
Cerebrospinal (meningococcus) meningitis.....6	10	1	1	2	1	-	-	1	-	2	-	-	2
Scarlet fever.....8	1	-	-	-	-	-	-	1	-	-	-	-	-
Whooping cough.....9	30	1	-	2	6	6	2	1	3	3	2	3	1
Diphtheria (infection by C. diphtheriae).....10	13	2	-	3	-	1	-	-	-	4	-	1	2
Tuberculosis (all forms).....13-22	690	51	65	71	52	67	39	65	44	51	52	62	71
Tuberculosis of respiratory system, etc.*.....13	640	48	62	65	51	63	37	62	38	45	47	53	69
Tuberculosis (other forms).....14-22	50	3	3	6	1	4	2	3	6	6	5	9	2
Dysentery.....27	28	-	1	1	2	6	3	2	2	5	3	1	2
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	60	2	7	5	8	6	5	6	2	4	1	9	5
Measles.....35	6	2	-	-	1	-	-	1	-	1	-	-	1
Poliomyelitis, polioencephalitis (acute).....36	9	-	-	-	-	2	-	2	1	1	1	-	2
Cancer and other malignant tumors.....45-55	418	34	40	42	28	44	34	29	22	40	31	29	45
Cancer of the digestive organs and peritoneum.....46	188	16	20	26	16	15	13	16	6	27	10	8	15
Cancer of female genital organs.....48,49	69	3	9	4	2	9	7	2	6	6	7	5	9
Cancer of the breast.....50	35	3	2	3	5	4	3	2	-	-	6	4	3
Cancer (other sites).....45,47,51-55	126	12	9	9	5	16	11	9	10	7	8	12	18
Acute rheumatic fever.....58	13	1	-	2	4	-	2	-	1	1	1	-	1
Diabetes mellitus.....61	60	3	9	5	5	5	9	5	2	6	3	2	6
Exophthalmic goiter.....63b	5	-	-	-	1	2	-	-	-	1	-	-	1
Pellagra (except alcoholic).....69	4	-	1	-	-	-	1	-	1	-	1	-	-
Alcoholism (ethylism).....77	20	1	-	1	3	2	1	3	3	2	3	-	1
Intracranial lesions of vascular origin.....83	257	20	28	22	20	20	23	25	18	18	22	29	12
Diseases of the heart.....90-95	1,049	91	94	98	91	90	65	93	71	69	70	102	115
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	64	5	8	4	8	4	5	4	6	4	9	1	6
Diseases of coronary arteries and angina pectoris.....94	264	27	28	22	22	23	16	25	15	21	11	31	25
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	721	59	60	72	61	63	44	64	50	44	50	70	84
Pneumonia (all forms) and influenza.....107-109,33	514	58	57	46	43	35	22	23	19	26	40	55	90
Bronchopneumonia.....107	252	23	24	21	24	19	13	16	10	18	27	29	28
Lobar pneumonia.....108	130	19	21	13	10	11	7	5	7	4	7	10	16
Pneumonia (unspecified).....109	46	6	5	7	3	3	2	2	1	2	5	3	7
Influenza.....33	86	10	7	5	6	2	-	-	1	2	1	13	39
Ulcer of stomach or duodenum.....117	30	2	3	5	-	1	3	2	1	-	5	2	6
Diarrhea, enteritis, and ulceration of intestines.....119,120	340	11	7	10	17	43	49	38	58	60	29	8	10
Appendicitis.....121	40	2	3	4	3	5	4	-	3	8	3	2	3
Hernia and intestinal obstruction.....122	47	3	2	5	3	6	4	6	8	2	1	3	4
Cirrhosis of the liver.....124	49	5	1	1	4	2	5	5	6	3	7	3	7
Biliary calculi, etc.*.....126,127	28	2	1	3	4	4	1	3	1	1	-	3	5
Nephritis.....130-132	250	19	29	19	24	31	22	28	14	14	20	13	17
Diseases of the prostate.....137	21	2	3	2	2	1	3	1	1	1	2	2	1
Diseases of pregnancy, childbirth, and puerperium...140-150	38	3	6	2	3	2	1	4	6	2	4	2	3
Puerperal septicemia.....140,142a,145A,147	10	-	3	-	-	1	-	-	3	-	1	-	2
Puerperal toxemia.....141a,c,144,148	17	3	1	-	3	1	-	3	2	1	1	2	-
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	11	-	2	2	-	-	1	1	1	1	2	-	1
Congenital malformations.....157	93	8	9	3	8	7	10	7	7	12	5	10	7
Premature birth (cause not stated).....159	199	17	19	13	19	22	17	17	15	14	13	18	15
Suicide.....163,164	56	5	6	4	1	1	6	8	5	3	4	2	11
Homicide.....165-168	42	6	4	3	2	6	4	4	4	3	2	2	2
Accidental deaths.....169-195	623	47	45	41	66	54	47	67	61	51	40	52	52
Motor-vehicle accidents.....170	151	14	9	9	12	15	10	11	17	7	10	18	19
Other accidents.....169,171-195	472	33	36	32	54	39	37	56	44	44	30	34	33
Senility, ill-defined and unknown causes.....162,199,200	260	18	20	20	23	26	25	25	19	28	17	19	20
All other causes.....	610	58	46	70	41	64	43	52	40	45	49	47	55

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARKANSAS.....All causes	15,539	1,511	1,277	1,487	1,291	1,284	1,305	1,415	1,239	1,077	1,176	1,119	1,358
Typhoid and paratyphoid fever.....1,2	27	1	1	1	-	1	4	5	5	5	1	2	1
Cerebrospinal (meningococcus) meningitis.....6	12	2	1	1	-	2	2	-	2	-	1	-	1
Scarlet fever.....8	2	-	-	-	1	1	-	-	-	-	-	-	-
Whooping cough.....9	103	10	2	8	5	8	11	21	11	7	5	6	9
Diphtheria (infection by C. diphtheriae).....10	40	9	5	5	4	1	1	2	1	2	5	3	2
Tuberculosis (all forms).....13-22	939	79	68	85	90	80	92	83	81	78	67	82	74
Tuberculosis of respiratory system, etc.*.....13	884	73	64	85	85	76	86	77	57	67	62	79	73
Tuberculosis (other forms).....14-22	55	6	4	-	5	4	6	6	4	11	5	3	1
Dysentery.....27	64	2	-	3	1	3	13	15	10	11	3	2	1
Malaria.....28	107	3	3	6	5	8	11	29	15	11	8	5	3
Syphilis.....30	204	13	15	23	15	16	28	26	14	16	18	4	16
Measles.....35	44	9	7	11	6	2	4	3	-	1	-	-	1
Poliomyelitis, polioencephalitis (acute).....36	8	-	-	-	-	2	1	3	-	-	1	-	1
Cancer and other malignant tumors.....45-55	1,266	116	102	109	106	124	104	114	99	92	102	104	94
Cancer of the digestive organs and peritoneum.....46	527	47	43	45	44	51	43	52	45	33	46	47	31
Cancer of female genital organs.....48,49	217	14	17	26	21	20	22	14	9	18	18	24	14
Cancer of the breast.....50	102	12	11	6	6	13	6	6	11	6	7	9	9
Cancer (other sites).....45,47,51-55	420	43	31	32	35	40	33	42	34	35	31	24	40
Acute rheumatic fever.....58	10	1	1	3	1	-	1	-	2	-	-	-	1
Diabetes mellitus.....61	191	18	20	22	18	13	14	18	15	12	15	10	16
Exophthalmic goiter.....63b	14	-	2	2	1	-	-	1	2	2	2	1	1
Pellagra (except alcoholic).....69	67	9	6	6	6	6	2	8	11	2	4	3	4
Alcoholism (ethylism).....77	13	1	-	1	1	1	1	1	3	2	1	-	1
Intracranial lesions of vascular origin.....83	1,434	143	116	149	131	106	116	124	99	116	109	101	124
Diseases of the heart.....90-95	3,104	314	249	276	274	269	250	295	245	200	251	228	253
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	237	26	22	20	22	18	17	21	28	14	15	18	16
Diseases of coronary arteries and angina pectoris.....94	768	71	72	60	73	79	59	62	55	53	62	68	54
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	2,099	217	155	196	179	172	174	212	162	133	174	142	183
Pneumonia (all forms) and influenza.....107-109,33	1,251	174	181	184	108	63	46	39	34	40	74	65	243
Bronchopneumonia.....107	411	56	49	55	34	19	18	20	19	22	27	26	66
Lobar pneumonia.....108	424	60	64	52	42	28	14	11	9	13	27	27	77
Pneumonia (unspecified).....109	109	19	21	13	9	4	4	6	2	2	10	4	15
Influenza.....33	307	39	47	64	23	12	10	2	4	3	10	8	85
Ulcer of stomach or duodenum.....117	77	6	6	5	9	11	6	10	5	6	6	3	4
Diarrhea, enteritis, and ulceration of intestines.....119,120	262	7	10	11	8	13	63	57	35	14	16	17	11
Appendicitis.....121	136	14	7	12	15	8	6	18	20	14	9	7	6
Hernia and intestinal obstruction.....122	127	10	4	11	9	11	17	10	13	11	13	8	10
Cirrhosis of the liver.....124	83	5	9	9	9	6	7	5	6	4	6	10	7
Biliary calculi, etc.*.....126,127	68	9	4	4	3	6	4	10	9	4	5	7	3
Nephritis.....130-132	1,315	125	100	109	108	134	101	122	116	104	99	102	95
Diseases of the prostate.....137	91	8	6	7	9	10	4	9	13	7	8	5	5
Diseases of pregnancy, childbirth, and puerperium...140-150	168	21	13	12	15	12	11	13	15	16	18	12	10
Puerperal septicemia.....140,142a,145A,147	66	10	5	5	5	5	5	3	4	8	9	3	4
Puerperal toxemia.....141a,c,144,148	52	3	3	7	4	4	4	6	6	4	4	6	1
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	50	8	5	-	6	3	2	4	5	4	5	3	5
Congenital malformations.....157	141	16	9	10	8	13	13	18	11	13	11	10	9
Premature birth (cause not stated).....159	337	23	21	30	24	31	37	32	39	29	23	28	20
Suicide.....163,164	110	8	6	14	8	10	14	3	13	7	12	6	9
Homicide.....165-168	162	23	8	15	9	11	14	15	18	8	15	14	12
Accidental deaths.....169-195	1,219	100	103	102	91	110	111	109	97	76	102	99	119
Motor-vehicle accidents.....170	242	19	18	15	18	26	18	20	21	18	22	20	27
Other accidents.....169,171-195	977	81	85	87	73	84	93	89	76	58	80	79	92
Senility, ill-defined and unknown causes.....162,199,200	895	102	80	98	76	78	65	71	68	49	49	66	93
All other causes.....	1,448	130	112	143	117	114	131	126	132	118	117	109	99
CALIFORNIA.....All causes	89,109	8,560	7,325	7,927	7,221	7,422	6,962	6,905	6,758	6,675	6,898	7,480	8,978
Typhoid and paratyphoid fever.....1,2	15	1	1	1	1	1	2	1	1	-	2	3	1
Cerebrospinal (meningococcus) meningitis.....6	187	18	25	27	25	20	13	14	11	9	4	10	11
Scarlet fever.....8	13	-	-	3	3	1	2	-	-	1	-	2	1
Whooping cough.....9	108	10	6	13	7	12	16	11	11	9	3	4	6
Diphtheria (infection by C. diphtheriae).....10	92	9	12	12	3	2	9	3	1	4	10	12	15
Tuberculosis (all forms).....13-22	3,872	360	299	349	339	346	310	308	313	299	305	284	362
Tuberculosis of respiratory system, etc.*.....13	3,532	340	265	312	311	313	278	278	274	273	286	266	336
Tuberculosis (other forms).....14-22	340	20	34	37	28	33	32	28	39	26	19	18	26
Dysentery.....27	72	4	5	3	8	7	7	7	6	4	13	5	3
Malaria.....28	6	-	-	-	1	-	-	-	1	1	2	1	-
Syphilis.....30	1,224	128	103	127	100	95	90	94	86	80	93	115	115
Measles.....35	29	-	1	7	4	8	4	-	1	1	-	-	3
Poliomyelitis, polioencephalitis (acute).....36	170	3	4	4	6	8	14	30	40	31	16	7	7
Cancer and other malignant tumors.....45-55	11,084	934	872	961	892	918	857	921	928	917	916	974	1,004
Cancer of the digestive organs and peritoneum.....46	5,007	422	406	435	409	436	375	411	424	392	403	450	464
Cancer of female genital organs.....48,49	1,404	119	108	117	113	102	104	123	125	129	116	125	123
Cancer of the breast.....50	1,195	104	91	106	113	94	90	100	103	90	97	109	98
Cancer (other sites).....45,47,51-55	3,488	289	267	303	257	286	288	287	276	306	300	310	319
Acute rheumatic fever.....58	40	2	2	7	4	1	2	3	4	5	2	6	2
Diabetes mellitus.....61	1,876	212	155	189	137	153	142	143	138	134	147	142	204
Exophthalmic goiter.....63b	152	10	10	16	12	10	12	16	15	16	12	11	12
Pellagra (except alcoholic).....69	17	4	-	1	2	1	1	2	-	1	2	1	2
Alcoholism (ethylism).....77	162	19	15	23	12	12	15	10	8	9	9	13	17
Intracranial lesions of vascular origin.....83	6,855	674	569	577	577	529	546	538	513	564	516	579	673
Diseases of the heart.....90-95	27,139	2,751	2,329	2,480	2,321	2,285	2,091	1,931	1,930	1,827	2,016	2,342	2,856
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	1,571	149	108	138	143	127	135	112	111	104	116	138	190
Diseases of coronary arteries and angina pectoris.....94	8,254	854	721	760	708	654	605	596	617	565	641	708	829
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	17,334	1,748	1,500	1,582	1,472	1,504	1,351	1,223	1,202	1,158	1,259	1,498	1,837

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CALIFORNIA—Continued													
Pneumonia (all forms) and influenza....107-109,33	4,890	634	510	541	412	374	311	293	233	225	253	353	751
Bronchopneumonia....107	2,601	339	274	293	211	195	162	170	143	149	139	190	336
Lobar pneumonia....108	1,701	219	174	194	150	148	122	99	78	64	89	132	232
Pneumonia (unspecified)....109	143	14	15	12	16	8	8	12	5	4	9	11	29
Influenza....33	445	62	47	42	35	23	19	12	7	8	16	20	154
Ulcer of stomach or duodenum....117	601	64	58	70	60	77	80	54	56	63	69	72	78
Diarrhea, enteritis, and ulceration of intestines....119,120	629	45	43	27	41	49	63	47	53	57	70	74	60
Appendicitis....121	456	39	32	41	39	33	36	37	44	42	33	35	45
Hernia and intestinal obstruction....122	760	71	47	55	56	62	51	76	64	78	68	60	72
Cirrhosis of the liver....124	1,456	144	138	143	132	102	109	130	100	115	100	119	124
Biliary calculi, etc.*....126,127	375	45	23	41	28	27	24	38	38	30	25	22	34
Nephritis....130-132	4,464	442	401	399	331	416	387	326	313	314	347	361	427
Diseases of the prostate....137	528	44	43	55	41	36	40	42	44	44	39	48	52
Diseases of pregnancy, childbirth, and puerperium...140-150	357	23	29	35	36	28	36	34	29	28	31	34	16
Puerperal septicemia....140,142a,145A,147	156	8	16	14	19	15	15	13	9	13	14	15	5
Puerperal toxemia....141a,c,144,148	67	1	7	5	6	4	11	5	7	6	6	7	2
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	134	14	6	16	11	9	10	16	13	7	11	12	9
Congenital malformations....157	964	98	77	76	72	78	63	70	87	93	73	83	94
Premature birth (cause not stated)....159	1,934	155	132	160	147	177	164	166	183	152	190	155	153
Suicide....163,164	1,245	91	81	97	104	120	101	112	116	130	103	91	99
Homicide....165-168	367	21	31	32	26	31	35	25	37	27	40	33	29
Accidental deaths....169-195	7,273	627	591	554	494	595	585	625	595	600	655	628	724
Motor-vehicle accidents....170	2,622	202	214	183	170	195	229	194	186	232	246	257	314
Other accidents....169,171-195	4,651	425	377	371	324	400	356	431	409	368	409	371	410
Senility, ill-defined and unknown causes....162,199,200	491	60	31	41	31	25	42	44	49	39	36	46	47
All other causes....	8,976	818	670	760	717	783	702	756	710	728	696	757	879
COLORADO....All causes	12,761	1,188	968	1,175	1,045	1,056	985	969	937	1,005	1,037	1,020	1,376
Typhoid and paratyphoid fever....1,2	2	-	-	-	-	-	1	-	1	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	28	2	4	6	4	1	2	-	3	-	4	1	1
Scarlet fever....8	9	1	2	1	1	-	-	-	-	2	-	1	1
Whooping cough....9	23	1	2	-	-	1	3	3	3	1	2	3	4
Diphtheria (infection by C. diphtheriae)....10	21	3	1	1	2	3	1	-	1	1	4	2	2
Tuberculosis (all forms)....13-22	471	44	30	50	45	49	43	34	36	36	34	25	45
Tuberculosis of respiratory system, etc.*....13	427	42	29	45	40	45	37	31	33	32	34	23	36
Tuberculosis (other forms)....14-22	44	2	1	5	5	4	6	3	3	4	-	2	9
Dysentery....27	20	-	-	-	-	2	2	-	3	9	3	-	1
Malaria....28	1	1	-	-	-	-	-	-	-	-	-	-	-
Syphilis....30	139	11	14	12	14	8	20	8	11	12	13	6	10
Measles....35	34	1	2	9	5	9	4	1	-	-	-	-	3
Poliomyelitis, polioencephalitis (acute)....36	30	-	-	-	-	-	-	-	9	11	7	3	-
Cancer and other malignant tumors....45-55	1,423	124	112	123	118	117	113	113	114	110	134	114	131
Cancer of the digestive organs and peritoneum....46	659	69	53	52	47	59	45	54	55	56	56	58	55
Cancer of female genital organs....48,49	144	14	11	12	13	9	7	17	12	14	17	7	11
Cancer of the breast....50	134	15	11	12	12	6	14	6	11	9	18	11	11
Cancer (other sites)....45,47,51-55	486	26	37	47	46	43	47	36	36	31	45	38	54
Acute rheumatic fever....58	16	2	-	2	2	-	1	2	3	1	2	1	-
Diabetes mellitus....61	211	17	12	22	14	15	10	20	11	22	19	22	27
Exophthalmic goiter....63b	23	-	3	2	3	1	1	2	3	2	2	2	2
Pellagra (except alcoholic)....69	1	-	-	-	-	-	-	-	-	-	1	-	-
Alcoholism (ethylism)....77	30	3	2	5	-	5	4	2	1	1	4	2	1
Intracranial lesions of vascular origin....83	866	95	60	92	81	90	71	68	89	71	74	86	89
Diseases of the heart....90-95	3,190	293	258	303	253	270	246	246	213	225	247	272	364
Chronic rheumatic diseases of the heart....90a,92b,c,93c,95b	274	24	23	32	28	31	18	11	20	22	18	20	27
Diseases of coronary arteries and angina pectoris....94	957	101	77	95	73	77	76	70	73	68	72	79	96
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	1,959	168	158	176	152	162	152	165	120	135	157	173	241
Pneumonia (all forms) and influenza....107-109,33	1,002	125	109	120	84	58	52	40	29	40	59	80	206
Bronchopneumonia....107	402	48	48	59	31	25	22	18	14	18	27	35	57
Lobar pneumonia....108	319	38	34	27	32	27	24	20	8	13	18	28	50
Pneumonia (unspecified)....109	100	15	13	13	9	3	4	1	2	6	10	12	12
Influenza....33	181	24	14	21	12	3	2	1	5	3	4	5	87
Ulcer of stomach or duodenum....117	131	14	10	13	13	9	11	11	8	7	9	12	14
Diarrhea, enteritis, and ulceration of intestines....119,120	187	7	6	5	2	7	4	13	34	60	26	11	12
Appendicitis....121	99	11	11	7	7	6	9	8	9	9	8	9	5
Hernia and intestinal obstruction....122	137	11	10	13	13	8	16	12	9	12	9	11	13
Cirrhosis of the liver....124	92	9	-	9	9	11	7	8	9	6	11	8	7
Biliary calculi, etc.*....126,127	69	5	3	5	8	6	4	6	6	7	6	5	8
Nephritis....130-132	878	71	71	81	71	79	74	81	54	63	56	86	91
Diseases of the prostate....137	85	7	8	5	4	6	11	9	8	8	8	3	8
Diseases of pregnancy, childbirth, and puerperium...140-150	63	5	10	3	8	4	4	7	6	3	4	3	6
Puerperal septicemia....140,142a,145A,147	16	2	2	-	1	1	2	3	1	-	1	-	3
Puerperal toxemia....141a,c,144,148	14	1	2	2	1	1	-	1	1	1	2	1	1
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	33	2	6	1	6	2	2	3	4	2	1	2	2
Congenital malformations....157	172	11	8	16	15	18	13	11	10	16	17	13	24
Premature birth (cause not stated)....159	337	29	17	21	30	21	27	29	38	22	29	37	37
Suicide....163,164	152	15	14	14	17	22	15	12	7	12	5	6	13
Homicide....165-168	53	1	1	3	9	8	4	6	4	6	5	4	2
Accidental deaths....169-195	1,089	104	57	84	76	91	88	104	84	124	115	84	78
Motor-vehicle accidents....170	215	19	8	12	16	7	17	20	23	17	30	24	22
Other accidents....169,171-195	874	85	49	72	60	84	71	84	61	107	85	60	56
Senility, ill-defined and unknown causes....162,199,200	242	23	17	18	25	19	19	19	23	21	17	12	29
All other causes....	1,335	142	114	130	112	112	105	96	98	85	103	96	142

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT.....All causes	20,014	1,933	1,630	1,873	1,820	1,708	1,557	1,449	1,317	1,418	1,512	1,545	2,252
Typhoid and paratyphoid fever.....1,2	3	-	-	1	-	-	-	-	-	-	-	-	2
Cerebrospinal (meningococcus) meningitis.....6	47	2	3	5	4	8	5	1	3	2	2	5	7
Scarlet fever.....8	2	1	-	-	1	-	-	-	-	-	-	-	-
Whooping cough.....9	11	2	2	2	-	-	-	-	2	1	-	1	1
Diphtheria (infection by C. diphtheriae).....10	2	-	-	-	-	-	1	-	-	-	-	1	-
Tuberculosis (all forms).....13-22	621	50	34	52	52	65	56	68	57	42	57	43	45
Tuberculosis of respiratory system, etc.*.....13	572	45	33	49	48	56	52	65	52	38	53	39	42
Tuberculosis (other forms).....14-22	49	5	1	3	4	9	4	3	5	4	4	4	3
Dysentery.....27	7	-	-	-	1	-	2	-	1	1	2	-	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	156	9	16	13	16	18	5	13	14	12	12	12	16
Measles.....35	8	-	1	3	-	3	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	24	-	-	-	-	-	-	1	9	11	1	1	1
Cancer and other malignant tumors.....45-55	2,946	259	227	242	248	240	246	228	230	239	258	257	272
Cancer of the digestive organs and peritoneum.....46	1,470	137	115	118	126	124	125	103	105	128	127	122	140
Cancer of female genital organs.....48,49	328	22	31	23	25	31	25	28	30	19	32	28	34
Cancer of the breast.....50	275	23	17	31	24	25	21	24	23	21	22	21	23
Cancer (other sites).....45,47,51-55	873	77	64	70	73	60	75	73	72	71	77	86	75
Acute rheumatic fever.....58	18	1	2	2	1	3	1	2	3	2	1	-	-
Diabetes mellitus.....61	661	70	47	57	57	45	58	53	33	51	63	49	78
Exophthalmic goiter.....63b	27	4	1	1	2	2	2	3	-	2	5	3	2
Pellagra (except alcoholic).....69	1	-	-	-	-	-	1	-	-	-	-	-	-
Alcoholism (ethylism).....77	58	11	10	4	7	2	8	2	1	-	5	2	6
Intracranial lesions of vascular origin.....83	1,686	180	142	167	155	147	111	117	115	119	131	125	177
Diseases of the heart.....90-95	6,916	667	597	662	624	616	521	468	410	463	528	537	825
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	360	30	33	31	30	38	25	24	29	26	26	21	47
Diseases of coronary arteries and angina pectoris.....94	2,069	202	194	200	193	180	146	136	114	157	168	161	218
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	4,487	435	370	431	401	398	350	308	267	280	332	355	560
Pneumonia (all forms) and influenza.....107-109,33	883	118	76	91	120	53	39	16	24	33	37	52	224
Bronchopneumonia.....107	335	51	25	35	52	15	15	5	13	13	22	21	68
Lobar pneumonia.....108	378	53	37	45	54	31	16	6	7	13	11	24	79
Pneumonia (unspecified).....109	66	4	9	6	6	4	7	2	4	3	4	6	11
Influenza.....33	106	10	5	5	8	3	1	3	-	4	-	1	66
Ulcer of stomach or duodenum.....117	151	9	15	15	14	14	18	8	7	6	10	12	23
Diarrhea, enteritis, and ulceration of intestines.....119,120	99	6	6	10	9	8	11	16	9	12	5	4	3
Appendicitis.....121	102	11	8	9	9	7	10	13	10	11	-	7	7
Hernia and intestinal obstruction.....122	172	16	14	13	12	17	13	12	18	15	11	16	15
Cirrhosis of the liver.....124	235	23	16	19	19	33	20	12	20	14	11	15	33
Biliary calculi, etc.*.....126,127	106	7	9	9	11	9	13	13	9	11	5	5	5
Nephritis.....130-132	1,104	113	80	107	121	85	89	77	65	83	93	72	119
Diseases of the prostate.....137	94	7	5	7	8	13	5	6	10	7	8	6	12
Diseases of pregnancy, childbirth, and puerperium...140-150	63	5	4	4	4	5	8	5	11	3	4	5	5
Puerperal septicemia.....140,142a,145A,147	28	1	2	1	4	1	3	3	4	3	2	1	3
Puerperal toxemia.....141a,c,144,148	17	2	1	-	-	4	1	1	3	-	2	2	1
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	18	2	1	3	-	-	4	1	4	-	-	2	1
Congenital malformations.....157	265	20	22	29	21	30	27	17	14	16	21	20	28
Premature birth (cause not stated).....159	352	37	15	37	34	19	35	38	22	28	19	29	39
Suicide.....163,164	234	25	22	20	16	28	19	16	14	21	15	18	20
Homicide.....165-168	29	3	-	2	-	3	3	3	5	3	3	2	2
Accidental deaths.....169-195	1,095	114	83	88	89	78	95	95	83	82	91	93	104
Motor-vehicle accidents.....170	249	32	17	25	17	12	10	15	21	25	26	24	25
Other accidents.....169,171-195	846	82	66	63	72	66	85	80	62	57	65	69	79
Senility, ill-defined and unknown causes.....162,199,200	135	10	15	12	14	9	8	9	11	7	9	9	22
All other causes.....	1,701	153	158	190	151	148	126	137	107	121	107	144	159
DELAWARE.....All causes	3,497	342	300	330	296	251	272	262	219	242	288	297	398
Typhoid and paratyphoid fever.....1,2	1	-	-	-	-	-	1	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	20	-	3	3	5	2	3	-	-	1	1	1	1
Scarlet fever.....8	1	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough.....9	11	-	2	3	-	-	3	-	1	1	-	-	1
Diphtheria (infection by C. diphtheriae).....10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms).....13-22	111	7	12	17	4	10	5	10	8	7	7	11	13
Tuberculosis of respiratory system, etc.*.....13	102	6	12	15	3	9	5	10	7	6	7	11	11
Tuberculosis (other forms).....14-22	9	1	-	2	1	1	-	-	1	1	-	-	2
Dysentery.....27	2	-	-	-	-	-	-	-	-	1	-	1	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	41	1	6	5	5	4	3	4	3	1	1	3	5
Measles.....35	1	-	-	-	1	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	-	-	-	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors.....45-55	343	32	28	34	24	28	18	31	22	22	35	32	37
Cancer of the digestive organs and peritoneum.....46	132	9	14	11	12	13	6	15	6	7	14	11	14
Cancer of female genital organs.....48,49	53	1	4	7	1	2	3	5	5	4	5	8	8
Cancer of the breast.....50	40	10	1	2	1	3	3	2	5	2	2	5	4
Cancer (other sites).....45,47,51-55	118	12	9	14	10	10	6	9	6	9	14	8	11
Acute rheumatic fever.....58	1	-	-	-	-	-	-	-	-	-	-	1	-
Diabetes mellitus.....61	107	14	3	8	6	5	8	12	7	10	10	8	16
Exophthalmic goiter.....63b	4	-	-	1	1	-	-	-	-	-	-	1	1
Pellagra (except alcoholic).....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	2	-	-	-	-	-	1	-	-	-	-	-	1
Intracranial lesions of vascular origin.....83	315	28	23	27	28	25	28	26	21	24	28	27	30
Diseases of the heart.....90-95	1,033	109	100	104	105	67	69	71	58	66	82	76	126
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	53	5	3	6	8	3	2	6	5	5	2	2	6
Diseases of coronary arteries and angina pectoris.....94	288	24	31	25	26	17	13	22	16	20	27	23	44
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	692	80	66	73	71	47	54	43	37	41	53	51	76

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DELAWARE—Continued													
Pneumonia (all forms) and influenza....107-109,33	252	40	29	21	14	14	18	5	11	5	17	25	53
Bronchopneumonia....107	93	11	12	9	4	4	10	2	6	4	10	8	13
Lobar pneumonia....108	108	22	11	9	7	6	5	3	5	-	6	11	23
Pneumonia (unspecified)....109	13	2	2	-	1	1	2	-	-	-	-	3	2
Influenza....33	38	5	4	3	2	3	1	-	-	1	1	3	15
Ulcer of stomach or duodenum....117	19	1	1	2	2	1	4	1	-	2	2	-	3
Diarrhea, enteritis, and ulceration of intestines....119,120	43	3	-	1	1	1	3	6	2	5	5	12	4
Appendicitis....121	15	1	1	-	2	-	-	4	1	2	1	1	2
Hernia and intestinal obstruction....122	28	1	3	1	2	3	2	2	7	3	1	1	2
Cirrhosis of the liver....124	23	5	3	1	1	-	-	2	3	3	3	2	-
Biliary calculi, etc.*....126,127	11	1	-	1	-	1	2	1	1	1	-	1	2
Nephritis....130-132	359	35	31	38	33	32	37	28	18	25	22	26	34
Diseases of the prostate....137	12	1	-	2	3	-	1	-	1	1	2	-	1
Diseases of pregnancy, childbirth, and puerperium...140-150	15	2	1	3	-	-	1	1	1	2	1	1	2
Puerperal septicemia....140,142a,145A,147	8	-	1	1	-	-	-	1	1	1	1	1	1
Puerperal toxemia....141a,c,144,148	5	2	-	2	-	-	-	-	-	1	-	-	-
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	2	-	-	-	-	-	1	-	-	-	-	-	1
Congenital malformations....157	27	2	1	1	4	2	2	3	1	1	5	1	4
Premature birth (cause not stated)....159	95	10	6	5	10	5	5	10	7	9	13	10	5
Suicide....163,164	26	2	4	3	3	1	2	-	3	1	4	1	2
Homicide....165-168	10	2	-	-	1	-	-	1	3	-	2	1	-
Accidental deaths....169-195	255	17	20	25	19	22	26	19	15	21	22	21	28
Motor-vehicle accidents....170	62	4	4	7	2	3	3	8	2	8	7	5	9
Other accidents....169,171-195	193	13	16	18	17	19	23	11	13	13	15	16	19
Senility, ill-defined and unknown causes....162,199,200	23	3	-	1	1	3	2	2	4	-	2	1	4
All other causes....	291	25	23	23	21	24	28	23	21	28	22	32	21
DISTRICT OF COLUMBIA....All causes	8,787	829	748	813	707	703	733	665	683	621	667	623	995
Typhoid and paratyphoid fever....1,2	1	-	-	-	-	-	1	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	26	-	3	2	2	3	3	2	2	1	1	2	5
Scarlet fever....8	3	-	2	-	1	-	-	-	-	-	-	-	-
Whooping cough....9	36	3	6	-	1	4	4	5	6	4	1	1	1
Diphtheria (infection by C. diphtheriae)....10	1	-	-	-	-	-	-	-	-	-	1	-	-
Tuberculosis (all forms)....13-22	533	44	32	57	47	54	51	47	42	46	39	33	41
Tuberculosis of respiratory system, etc.*....13	470	38	32	50	38	44	43	40	36	43	37	29	40
Tuberculosis (other forms)....14-22	63	6	-	7	9	10	8	7	6	3	2	4	1
Dysentery....27	1	-	-	-	-	-	-	1	-	-	-	-	-
Malaria....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis....30	133	7	16	12	8	8	7	14	16	9	11	12	13
Measles....35	3	1	-	-	-	-	-	1	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute)....36	2	-	-	-	1	-	-	-	-	1	-	-	-
Cancer and other malignant tumors....45-55	1,073	101	80	98	94	89	83	73	102	90	86	78	99
Cancer of the digestive organs and peritoneum....46	444	42	26	42	38	40	34	28	42	43	31	40	38
Cancer of female genital organs....48,49	156	17	9	15	12	18	17	9	13	10	14	9	13
Cancer of the breast....50	118	15	10	16	8	7	8	8	9	5	10	9	13
Cancer (other sites)....45,47,51-55	355	27	35	25	36	24	24	28	38	32	31	20	35
Acute rheumatic fever....58	8	-	-	1	-	-	2	1	1	-	1	-	2
Diabetes mellitus....61	225	21	23	20	17	24	10	19	15	17	17	12	30
Exophthalmic goiter....63b	14	1	2	-	1	1	4	1	1	1	-	1	1
Pellagra (except alcoholic)....69	2	-	-	-	1	-	1	-	-	-	-	-	-
Alcoholism (ethylism)....77	31	5	1	2	5	4	2	2	2	3	1	1	3
Intracranial lesions of vascular origin....83	523	39	40	54	37	44	49	28	44	33	36	40	79
Diseases of the heart....90-95	2,476	259	231	230	187	187	204	172	170	161	165	186	324
Chronic rheumatic diseases of the heart....90a,92b,c,93c,95b	138	10	12	19	12	8	16	9	8	10	12	7	15
Diseases of coronary arteries and angina pectoris....94	630	70	44	59	50	50	43	47	50	49	48	53	67
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	1,708	179	175	152	125	129	145	116	112	102	105	126	242
Pneumonia (all forms) and influenza....107-109,33	516	74	60	50	45	26	31	28	21	22	22	39	98
Bronchopneumonia....107	199	30	18	19	15	10	14	11	10	15	11	20	26
Lobar pneumonia....108	211	26	27	19	18	14	11	12	9	6	11	11	47
Pneumonia (unspecified)....109	60	11	7	8	7	2	6	4	2	-	-	7	6
Influenza....33	46	7	8	4	5	-	-	1	-	1	-	1	19
Ulcer of stomach or duodenum....117	50	3	6	3	6	5	4	5	2	3	6	3	4
Diarrhea, enteritis, and ulceration of intestines....119,120	103	4	3	3	5	7	8	23	16	12	13	6	3
Appendicitis....121	49	4	2	2	9	1	11	4	3	2	4	7	-
Hernia and intestinal obstruction....122	85	7	3	7	7	9	6	8	10	9	2	6	11
Cirrhosis of the liver....124	113	9	11	11	10	9	9	13	7	8	10	6	10
Biliary calculi, etc.*....126,127	36	3	3	-	3	7	3	4	5	3	1	2	2
Nephritis....130-132	823	67	77	74	84	65	54	67	50	59	88	52	86
Diseases of the prostate....137	33	6	2	3	5	4	2	3	2	1	1	3	1
Diseases of pregnancy, childbirth, and puerperium...140-150	35	2	2	3	3	3	5	3	1	3	4	1	5
Puerperal septicemia....140,142a,145A,147	17	-	2	1	3	1	3	-	1	1	3	-	2
Puerperal toxemia....141a,c,144,148	7	-	-	-	-	2	2	1	-	1	-	-	1
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	11	2	-	2	-	-	-	2	-	1	1	1	2
Congenital malformations....157	83	9	6	9	3	7	8	9	9	4	6	5	8
Premature birth (cause not stated)....159	256	19	15	18	19	24	28	24	25	16	17	26	25
Suicide....163,164	103	10	9	20	9	7	7	4	4	11	13	3	6
Homicide....165-168	81	8	8	5	7	8	7	10	8	3	6	3	8
Accidental deaths....169-195	431	37	35	34	35	36	43	31	34	38	33	36	39
Motor-vehicle accidents....170	84	9	8	4	5	9	2	3	5	8	8	15	8
Other accidents....169,171-195	347	28	27	30	30	27	41	28	29	30	25	21	31
Senility, ill-defined and unknown causes....162,199,200	28	5	5	-	2	6	1	-	-	2	2	3	2
All other causes....	871	81	65	95	53	61	85	63	85	59	80	56	88

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA.....All causes	23,462	2,060	1,911	2,045	1,815	1,898	1,883	1,880	1,985	1,776	1,930	1,972	2,327
Typhoid and paratyphoid fever.....1,2	20	1	2	-	2	-	4	5	4	1	1	-	-
Cerebrospinal (meningococcus) meningitis.....6	36	3	7	4	2	3	4	-	3	3	1	2	4
Scarlet fever.....8	5	1	-	1	1	-	-	-	-	1	1	-	-
Whooping cough.....9	70	2	9	7	12	6	6	7	4	2	6	6	3
Diphtheria (infection by C. diphtheriae).....10	27	4	4	3	-	-	1	5	1	1	2	4	2
Tuberculosis (all forms).....13-22	855	66	74	68	64	79	83	70	68	74	71	64	74
Tuberculosis of respiratory system, etc.*.....13	807	63	70	67	62	73	77	66	64	69	65	60	71
Tuberculosis (other forms).....14-22	48	3	4	1	2	6	6	4	4	5	6	4	3
Dysentery.....27	38	1	4	3	1	4	6	4	5	1	2	3	4
Malaria.....28	44	2	2	2	5	5	8	6	1	3	5	5	-
Syphilis.....30	398	42	36	45	33	31	45	25	25	35	25	25	31
Measles.....35	7	3	1	-	1	2	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	6	1	1	-	-	1	-	-	2	-	-	1	-
Cancer and other malignant tumors.....45-55	2,074	194	154	182	150	197	155	159	168	167	177	175	198
Cancer of the digestive organs and peritoneum.....46	757	72	55	71	48	86	49	55	56	60	64	74	67
Cancer of female genital organs.....48,49	362	30	28	22	25	34	31	34	35	28	32	31	32
Cancer of the breast.....50	204	15	20	15	17	17	19	18	10	14	18	20	21
Cancer (other sites).....45,47,51-55	751	77	51	74	60	60	56	52	67	65	63	48	78
Acute rheumatic fever.....58	23	2	2	3	2	1	2	1	3	1	2	1	3
Diabetes mellitus.....61	405	35	30	44	35	33	32	28	29	29	36	26	48
Exophthalmic goiter.....63b	19	-	-	3	3	-	-	1	1	3	1	2	5
Pellagra (except alcoholic).....69	37	3	1	6	-	1	2	5	3	4	3	9	-
Alcoholism (ethylism).....77	48	1	3	9	3	4	2	2	4	4	4	4	8
Intracranial lesions of vascular origin.....85	2,154	184	179	185	179	159	184	158	178	174	190	173	211
Diseases of the heart.....90-95	5,003	491	444	422	357	391	348	392	394	347	399	470	548
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	298	21	29	26	17	25	23	30	22	23	22	30	28
Diseases of coronary arteries and angina pectoris.....94	1,638	152	144	148	121	127	105	123	128	121	129	161	179
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	3,069	318	271	248	219	239	220	239	244	203	248	279	341
Pneumonia (all forms) and influenza.....107-109,33	1,531	168	153	163	121	94	95	81	93	79	115	127	242
Bronchopneumonia.....107	474	55	43	49	42	25	42	37	34	32	35	38	42
Lobar pneumonia.....108	493	52	38	46	39	41	28	28	27	32	39	47	76
Pneumonia (unspecified).....109	113	6	8	7	5	7	7	5	10	6	15	11	26
Influenza.....33	451	55	68	61	35	21	18	11	22	9	26	31	96
Ulcer of stomach or duodenum.....117	159	15	12	13	12	17	9	15	11	9	14	18	14
Diarrhea, enteritis, and ulceration of intestines.....119,120	248	22	16	25	21	28	40	26	21	11	10	13	15
Appendicitis.....121	149	17	12	9	11	10	15	19	17	11	7	10	11
Hernia and intestinal obstruction.....122	236	19	15	17	15	25	26	19	16	18	24	24	18
Cirrhosis of the liver.....124	212	15	20	26	10	16	16	20	24	19	23	8	15
Biliary calculi, etc.*.....126,127	63	6	5	2	4	6	6	7	8	4	6	7	2
Nephritis.....130-132	1,641	140	124	160	134	126	151	135	140	110	129	135	157
Diseases of the prostate.....137	121	14	11	11	7	6	6	15	9	10	11	10	11
Diseases of pregnancy, childbirth, and puerperium...140-150	173	13	16	13	9	11	21	16	16	22	15	10	11
Puerperal septicemia.....140,142a,145A,147	62	2	4	8	5	3	7	1	7	12	9	1	3
Puerperal toxemia.....141a,c,144,148	55	4	7	3	1	2	6	7	7	7	4	3	4
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	56	7	5	2	3	6	8	8	2	3	2	6	4
Congenital malformations.....157	235	27	22	11	23	16	29	8	12	28	15	19	25
Premature birth (cause not stated).....159	682	63	37	50	56	51	52	65	83	56	63	58	50
Suicide.....163,164	194	20	18	18	15	14	20	12	16	22	9	14	16
Homicide.....165-168	356	26	39	37	32	38	19	38	27	21	23	27	31
Accidental deaths.....169-195	2,775	170	177	214	206	255	238	271	265	213	293	232	241
Motor-vehicle accidents.....170	551	46	35	51	37	43	55	45	43	28	50	54	64
Other accidents.....169,171-195	2,244	124	142	163	169	212	203	226	222	185	243	178	177
Senility, ill-defined and unknown causes.....162,199,200	977	85	82	87	76	69	71	97	79	71	57	87	116
All other causes.....	2,445	204	199	202	213	189	187	170	235	222	190	207	215
GEORGIA.....All causes	30,101	2,699	2,453	2,724	2,385	2,382	2,552	2,463	2,384	2,166	2,510	2,486	2,917
Typhoid and paratyphoid fever.....1,2	23	-	1	-	-	1	6	5	6	-	2	2	-
Cerebrospinal (meningococcus) meningitis.....6	46	10	2	7	4	4	3	3	2	2	4	2	3
Scarlet fever.....8	7	2	-	-	1	-	-	-	-	2	-	2	-
Whooping cough.....9	168	17	13	27	18	20	21	19	14	7	4	8	2
Diphtheria (infection by C. diphtheriae).....10	49	6	4	2	-	2	1	3	7	4	9	11	-
Tuberculosis (all forms).....13-22	1,332	103	91	125	114	110	123	109	106	117	125	117	96
Tuberculosis of respiratory system, etc.*.....13	1,229	95	88	110	103	101	109	99	99	113	115	107	90
Tuberculosis (other forms).....14-22	103	8	3	13	11	9	14	10	7	4	8	10	6
Dysentery.....27	79	2	3	4	2	5	18	19	11	3	9	2	1
Malaria.....28	43	1	2	-	2	4	5	6	7	4	6	3	3
Syphilis.....30	467	33	42	36	33	43	46	47	35	32	41	41	38
Measles.....35	27	-	1	5	5	2	4	2	-	2	1	2	3
Poliomyelitis, polioencephalitis (acute).....36	10	1	-	1	-	1	-	1	1	-	4	1	-
Cancer and other malignant tumors.....45-55	2,149	182	187	162	163	171	206	184	177	165	182	200	170
Cancer of the digestive organs and peritoneum.....46	808	69	75	63	60	67	71	77	65	66	67	71	57
Cancer of female genital organs.....48,49	399	26	39	32	39	34	26	31	32	36	38	38	28
Cancer of the breast.....50	191	16	10	17	13	20	21	20	11	17	15	13	18
Cancer (other sites).....45,47,51-55	751	71	63	50	51	50	88	56	69	48	62	78	67
Acute rheumatic fever.....58	32	1	3	2	2	1	1	2	1	2	6	6	5
Diabetes mellitus.....61	438	28	39	45	44	37	30	40	31	30	29	46	39
Exophthalmic goiter.....63b	34	1	2	1	1	7	5	3	3	2	4	3	2
Pellagra (except alcoholic).....69	176	12	14	18	16	15	16	17	12	11	19	16	10
Alcoholism (ethylism).....77	59	8	9	8	3	3	4	8	4	-	6	4	4
Intracranial lesions of vascular origin.....85	3,154	288	244	281	252	257	293	235	240	245	270	288	281
Diseases of the heart.....90-95	5,789	510	458	490	489	456	470	455	424	402	523	471	621
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	353	30	22	27	28	28	34	32	34	19	30	33	36
Diseases of coronary arteries and angina pectoris.....94	1,524	120	128	140	123	125	127	125	119	133	120	135	129
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	3,892	360	308	325	338	303	309	288	271	250	373	303	456

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p.192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA—Continued													
Pneumonia (all forms) and influenza.....107-109,33	2,379	291	268	332	219	120	99	79	102	92	139	178	460
Bronchopneumonia.....107	742	95	81	100	61	43	42	29	53	32	59	57	90
Lobar pneumonia.....108	740	90	76	98	75	41	39	27	28	40	38	64	123
Pneumonia (unspecified).....109	280	35	32	37	31	18	5	10	12	14	15	27	44
Influenza.....33	617	71	79	97	52	18	13	13	9	6	26	30	205
Ulcer of stomach or duodenum.....117	177	14	13	19	18	15	12	14	13	15	14	17	13
Diarrhea, enteritis, and ulceration of intestines.....119,120	385	20	18	14	9	36	68	81	59	24	19	29	8
Appendicitis.....121	192	18	11	10	13	17	18	24	24	11	15	15	16
Hernia and intestinal obstruction.....122	205	16	13	16	16	18	28	18	17	20	10	10	23
Cirrhosis of the liver.....124	153	18	10	19	10	16	14	11	11	15	7	9	13
Biliary calculi, etc.*.....126,127	60	6	4	5	3	4	6	9	7	4	3	5	4
Nephritis.....130-132	3,150	293	285	263	260	238	262	269	247	234	251	263	285
Diseases of the prostate.....137	161	14	11	22	13	15	5	19	20	7	14	6	15
Diseases of pregnancy, childbirth, and puerperium...140-150	307	31	29	23	24	27	29	35	19	28	24	19	19
Puerperal septicemia.....140,142a,145A,147	100	9	11	7	4	7	13	8	7	12	10	6	6
Puerperal toxemia.....141a,c,144,148	101	8	10	10	7	8	9	11	9	7	8	7	7
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	106	14	8	6	13	12	7	16	3	9	6	6	6
Congenital malformations.....157	282	25	24	25	31	15	20	23	31	23	28	20	19
Premature birth (cause not stated).....159	1,075	81	73	83	77	86	100	92	97	110	100	94	82
Suicide.....163,164	176	12	10	25	16	14	21	16	14	16	10	14	8
Homicide.....165-168	444	38	35	36	35	44	48	37	44	29	28	26	44
Accidental deaths.....169-195	2,236	202	140	177	167	179	209	195	195	140	224	181	207
Motor-vehicle accidents.....170	649	37	38	41	51	47	44	52	59	62	94	54	70
Other accidents.....169,171-195	1,587	165	102	136	136	132	165	143	136	78	130	127	137
Senility, ill-defined and unknown causes.....162,199,200	1,569	149	139	161	94	121	118	106	129	112	136	129	175
All other causes.....	3,088	288	255	282	211	258	245	279	274	256	248	248	248
IDAHO.....All causes	4,712	430	341	439	397	411	375	352	381	335	384	388	479
Typhoid and paratyphoid fever.....1,2	5	-	1	-	-	2	-	-	1	-	-	-	1
Cerebrospinal (meningococcus) meningitis.....6	10	-	-	2	3	-	-	1	-	-	2	-	2
Scarlet fever.....8	5	-	2	-	-	-	-	-	-	-	-	-	3
Whooping cough.....9	5	-	-	-	-	2	-	1	1	1	-	-	-
Diphtheria (infection by C. diphtheriae).....10	3	1	-	-	-	-	-	-	-	-	1	1	-
Tuberculosis (all forms).....13-22	93	11	5	4	7	9	7	13	10	4	3	8	12
Tuberculosis of respiratory system, etc.*.....13	84	9	5	4	6	9	7	11	8	3	3	7	12
Tuberculosis (other forms).....14-22	9	2	-	-	1	-	-	2	2	1	-	1	-
Dysentery.....27	4	1	-	-	-	-	-	-	-	1	2	-	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	16	2	-	1	3	-	1	-	2	1	-	4	2
Measles.....55	15	5	1	2	4	2	-	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....56	2	-	-	-	-	1	-	-	-	-	1	-	-
Cancer and other malignant tumors.....45-55	524	47	41	49	38	34	44	43	40	40	47	52	49
Cancer of the digestive organs and peritoneum.....46	271	29	23	23	20	14	21	23	21	19	24	25	29
Cancer of female genital organs.....48,49	53	4	2	8	1	5	7	4	8	6	3	5	-
Cancer of the breast.....50	37	5	3	5	4	4	5	1	-	2	2	4	2
Cancer (other sites).....45,47,51-55	163	9	13	13	13	11	11	15	11	13	18	18	18
Acute rheumatic fever.....58	8	1	-	-	1	1	1	-	-	-	2	-	2
Diabetes mellitus.....61	106	6	10	8	15	9	9	7	7	5	12	7	11
Exophthalmic goiter.....65b	19	1	1	5	2	3	2	-	1	-	2	1	1
Pellagra (except alcoholic).....69	2	2	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	4	-	-	-	1	-	1	-	-	-	1	1	-
Intracranial lesions of vascular origin.....85	401	39	25	39	28	26	32	31	37	38	34	35	37
Diseases of the heart.....90-95	1,253	134	95	131	90	118	87	85	93	87	98	105	116
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	75	9	4	9	7	4	3	7	4	6	7	10	5
Diseases of coronary arteries and angina pectoris.....94	403	39	26	42	25	35	31	23	40	30	32	35	45
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	755	86	65	80	58	79	53	53	49	51	57	60	66
Pneumonia (all forms) and influenza.....107-109,33	273	38	22	30	32	21	24	10	7	18	7	14	50
Bronchopneumonia.....107	76	7	10	8	8	8	5	4	2	6	2	5	11
Lobar pneumonia.....108	89	18	7	9	14	5	8	4	2	8	3	3	8
Pneumonia (unspecified).....109	41	3	1	6	7	4	4	-	2	3	2	2	7
Influenza.....33	67	10	4	7	3	4	7	2	1	1	-	4	24
Ulcer of stomach or duodenum.....117	41	1	2	4	4	-	8	3	2	1	3	8	5
Diarrhea, enteritis, and ulceration of intestines.....119,120	12	1	-	1	2	-	-	1	-	1	3	2	1
Appendicitis.....121	45	6	5	1	4	2	-	6	5	2	4	1	9
Hernia and intestinal obstruction.....122	50	2	4	3	4	3	5	6	4	5	6	4	4
Cirrhosis of the liver.....124	24	2	1	4	4	3	2	1	2	-	2	1	2
Biliary calculi, etc.*.....126,127	33	3	7	4	3	1	1	2	3	2	2	2	3
Nephritis.....130-132	351	22	34	35	36	27	27	24	28	23	20	22	33
Diseases of the prostate.....137	23	2	3	-	2	1	2	2	4	2	2	3	-
Diseases of pregnancy, childbirth, and puerperium...140-150	29	2	2	5	2	1	1	1	3	5	1	3	3
Puerperal septicemia.....140,142a,145A,147	15	1	1	1	1	-	-	1	2	2	1	1	2
Puerperal toxemia.....141a,c,144,148	6	1	-	-	1	-	1	-	-	1	-	1	1
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	10	-	1	4	-	1	-	-	1	2	-	1	-
Congenital malformations.....157	58	1	4	5	5	12	3	4	4	4	6	7	3
Premature birth (cause not stated).....159	136	12	12	15	9	8	19	11	10	12	9	9	10
Suicide.....163,164	41	1	2	4	4	2	5	3	3	5	4	4	4
Homicide.....165-168	9	-	-	1	1	-	2	1	-	1	-	1	2
Accidental deaths.....169-195	571	40	25	25	45	67	42	49	78	32	68	45	57
Motor-vehicle accidents.....170	121	8	3	5	8	16	7	7	15	11	9	20	12
Other accidents.....169,171-195	450	32	22	20	37	51	35	42	61	21	59	25	45
Senility, ill-defined and unknown causes.....162,199,200	116	11	12	9	9	5	9	6	11	9	14	8	13
All other causes.....	465	36	27	52	39	51	41	42	27	36	30	40	44

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ILLINOIS....All causes	92,058	8,310	7,442	8,242	7,652	7,879	7,164	6,985	6,939	6,692	7,257	7,150	10,366
Typhoid and paratyphoid fever....1,2	13	-	2	1	1	-	1	2	-	4	1	1	-
Cerebrospinal (meningococcus) meningitis....6	160	8	10	9	18	18	10	12	5	12	15	19	24
Scarlet fever....8	27	6	4	3	3	1	2	-	-	1	2	3	2
Whooping cough....9	101	12	6	13	7	5	8	16	11	8	3	4	8
Diphtheria (infection by C. diphtheriae)....10	79	6	8	6	13	13	5	5	5	4	7	3	4
Tuberculosis (all forms)....13-22	3,549	288	260	323	292	322	278	293	255	258	248	223	309
Tuberculosis of respiratory system, etc.*....13	3,068	265	236	293	258	297	254	270	234	241	228	208	286
Tuberculosis (other forms)....14-22	281	25	24	30	34	25	24	23	21	17	20	15	23
Dysentery....27	34	-	1	4	-	4	2	3	10	7	2	-	1
Malaria....28	11	-	2	-	-	1	1	1	3	1	1	1	-
Syphilis....30	910	88	81	80	92	89	65	70	61	66	77	89	92
Measles....35	57	3	1	4	10	11	15	5	1	1	3	-	3
Poliomyelitis, polioencephalitis (acute)....36	157	-	1	-	2	-	1	9	54	65	16	8	1
Cancer and other malignant tumors....45-55	12,113	1,007	926	986	942	1,021	1,009	989	1,044	1,041	1,008	990	1,150
Cancer of the digestive organs and peritoneum....46	5,775	469	494	447	475	475	470	449	526	494	477	475	522
Cancer of female genital organs....48,49	1,484	129	97	148	107	139	120	121	127	134	120	105	157
Cancer of the breast....50	1,124	100	75	97	80	114	91	92	82	104	92	95	102
Cancer (other sites)....45,47,51-55	3,732	309	260	294	280	293	328	327	309	309	319	315	389
Acute rheumatic fever....58	80	3	11	9	6	7	6	5	10	5	8	6	4
Diabetes mellitus....61	2,627	236	198	232	225	239	210	192	197	179	220	219	280
Exophthalmic goiter....63b	255	28	17	22	25	19	22	20	25	24	15	19	19
Pellagra (except alcoholic)....69	12	-	-	-	-	1	-	2	1	3	3	2	-
Alcoholism (ethylism)....77	61	3	5	8	4	8	5	4	5	5	5	2	7
Intracranial lesions of vascular origin....83	7,213	684	572	668	605	597	522	564	542	540	563	556	800
Diseases of the heart....90-95	31,766	2,967	2,613	2,868	2,703	2,732	2,443	2,273	2,128	2,177	2,459	2,490	3,912
Chronic rheumatic diseases of the heart....90a,92b,c,93c,95b	1,906	186	152	174	134	167	153	144	130	136	155	145	230
Diseases of coronary arteries and angina pectoris....94	6,079	541	489	574	537	534	461	460	414	469	488	511	601
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	23,781	2,240	1,972	2,120	2,032	2,031	1,829	1,669	1,585	1,572	1,816	1,834	3,081
Pneumonia (all forms) and influenza....107-109,33	3,914	503	350	403	312	299	198	150	136	174	210	255	924
Bronchopneumonia....107	1,751	253	154	195	135	136	106	82	64	94	100	128	304
Lobar pneumonia....108	1,241	152	118	128	120	113	54	41	49	45	69	81	271
Pneumonia (unspecified)....109	293	35	28	28	18	18	18	15	18	19	21	20	55
Influenza....33	629	63	50	52	39	32	20	12	5	16	20	26	294
Ulcer of stomach or duodenum....117	620	65	47	45	68	49	48	37	35	56	48	57	67
Diarrhea, enteritis, and ulceration of intestines....119,120	420	27	36	24	32	29	41	54	62	45	35	15	20
Appendicitis....121	538	48	46	59	39	42	41	47	58	50	44	32	34
Hernia and intestinal obstruction....122	832	55	74	71	62	62	77	78	73	61	66	76	77
Cirrhosis of the liver....124	925	75	68	84	89	80	70	78	74	80	72	81	74
Biliary calculi, etc.*....126,127	539	49	38	66	42	36	39	45	47	58	42	35	42
Nephritis....130-132	6,913	617	570	658	582	648	546	484	468	455	602	547	758
Diseases of the prostate....137	686	50	54	61	54	60	57	53	56	62	62	56	61
Diseases of pregnancy, childbirth, and puerperium...140-150	320	29	27	34	31	15	25	40	24	22	28	24	21
Puerperal septicemia....140,142a,145A,147	114	12	9	14	9	8	9	13	9	7	11	9	4
Puerperal toxemia....141a,c,144,148	84	5	9	6	9	4	6	12	7	7	9	7	3
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	122	12	9	14	13	3	10	15	8	8	8	8	14
Congenital malformations....157	1,055	114	92	117	85	72	70	78	89	65	83	77	93
Premature birth (cause not stated)....159	1,618	114	112	115	143	132	148	181	170	121	135	134	113
Suicide....163,164	834	60	55	74	79	68	75	83	71	69	71	49	80
Homicide....165-168	312	26	18	19	22	39	23	22	34	23	36	28	22
Accidental deaths....169-195	5,185	404	450	414	356	440	422	444	490	400	433	421	511
Motor-vehicle accidents....170	1,332	113	92	97	76	102	82	74	132	130	147	133	154
Other accidents....169,171-195	3,853	291	358	317	280	338	340	370	358	270	286	288	357
Senility, ill-defined and ukknown causes....162,199,200	520	48	53	52	46	41	34	42	34	25	49	40	56
All other causes.......	7,822	689	634	710	642	699	647	604	660	527	595	608	817
INDIANA....All causes	41,257	3,738	3,382	3,750	3,486	3,470	3,165	3,107	3,103	2,972	3,190	3,201	4,695
Typhoid and paratyphoid fever....1,2	13	2	1	-	-	-	2	3	2	-	2	1	-
Cerebrospinal (meningococcus) meningitis....6	70	7	4	4	12	11	1	1	3	4	3	5	15
Scarlet fever....8	19	2	2	4	3	1	1	-	1	1	1	2	1
Whooping cough....9	116	10	10	11	7	10	10	18	12	15	2	5	8
Diphtheria (infection by C. diphtheriae)....10	28	2	1	2	5	1	2	-	2	1	5	3	4
Tuberculosis (all forms)....13-22	1,248	107	88	124	110	130	104	74	117	87	101	97	109
Tuberculosis of respiratory system, etc.*....13	1,110	94	77	104	91	119	93	65	104	77	92	90	105
Tuberculosis (other forms)....14-22	138	13	11	20	19	12	11	9	13	10	9	7	4
Dysentery....27	25	-	1	1	2	-	3	3	4	5	2	3	1
Malaria....28	4	-	-	-	-	-	1	1	-	1	-	-	1
Syphilis....30	445	35	30	34	47	35	41	38	37	37	34	37	40
Measles....35	71	4	5	21	14	16	3	1	1	-	-	1	5
Poliomyelitis, polioencephalitis (acute)....36	20	1	1	-	-	1	-	2	2	5	5	-	3
Cancer and other malignant tumors....45-55	4,511	386	336	391	395	373	377	357	401	349	344	349	453
Cancer of the digestive organs and peritoneum....46	2,049	186	155	187	194	157	185	153	186	143	172	158	193
Cancer of female genital organs....48,49	614	47	45	59	55	45	54	41	55	50	48	44	71
Cancer of the breast....50	388	34	35	30	29	34	25	37	39	35	24	33	33
Cancer (other sites)....45,47,51-55	1,460	119	101	115	117	137	115	126	121	121	100	134	156
Acute rheumatic fever....58	41	3	2	5	3	6	5	2	6	1	4	2	2
Diabetes mellitus....61	962	89	87	100	66	86	76	69	54	62	74	87	112
Exophthalmic goiter....63b	116	20	7	13	6	8	6	14	8	6	8	8	12
Pellagra (except alcoholic)....69	7	1	1	-	2	1	-	-	-	-	1	-	1
Alcoholism (ethylism)....77	42	2	6	4	6	3	2	2	3	4	1	6	3
Intracranial lesions of vascular origin....85	4,352	377	346	381	404	369	326	324	351	309	345	.375	445
Diseases of the heart....90-95	11,654	1,111	989	1,085	985	984	882	844	793	835	922	911	1,315
Chronic rheumatic diseases of the heart....90a,92b,c,93c,95b	759	77	79	77	71	49	54	45	55	54	57	47	94
Diseases of coronary arteries and angina pectoris....94	3,762	383	307	373	318	295	257	266	255	288	337	320	383
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	7,133	671	603	635	594	640	571	533	483	493	528	544	858

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA—Continued													
Pneumonia (all forms) and influenza....107-109,33	2,897	361	311	279	239	180	118	92	88	110	148	180	791
Bronchopneumonia....107	951	116	119	99	83	67	43	36	37	35	61	68	187
Lobar pneumonia....108	821	114	97	93	67	55	35	23	23	37	47	60	170
Pneumonia (unspecified)....109	350	54	33	28	25	23	22	19	14	22	17	24	69
Influenza....33	775	77	62	59	64	35	18	14	14	16	25	28	365
Ulcer of stomach or duodenum....117	226	18	11	21	15	17	22	26	19	12	22	23	20
Diarrhea, enteritis, and ulceration of intestines....119,120	334	10	25	26	15	23	33	43	51	50	32	17	9
Appendicitis....121	229	19	19	19	14	18	21	22	18	29	21	22	7
Hernia and intestinal obstruction....122	320	26	22	27	40	24	25	24	35	30	19	22	26
Cirrhosis of the liver....124	245	17	18	22	13	20	25	25	23	18	23	19	22
Biliary calculi, etc.*....126,127	229	25	19	12	23	15	22	21	30	13	20	15	14
Nephritis....130-132	3,506	302	304	367	317	316	271	267	264	223	242	279	354
Diseases of the prostate....137	219	20	14	15	19	23	18	23	14	16	21	22	14
Diseases of pregnancy, childbirth, and puerperium...140-150	149	16	15	14	11	16	10	10	15	9	11	13	9
Puerperal septicemia....140,142a,145A,147	64	12	5	8	4	5	4	3	5	4	7	4	3
Puerperal toxemia....142a,c,144,148	35	3	4	2	4	2	3	3	5	2	2	2	3
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	50	1	6	4	3	9	3	4	5	3	2	7	3
Congenital malformations....157	518	45	40	48	36	30	39	48	47	44	45	48	48
Premature birth (cause not stated)....159	796	68	67	64	54	61	60	64	46	89	85	60	80
Suicide....165,164	398	23	25	39	38	41	42	33	42	29	26	31	27
Homicide....165-168	95	11	7	4	9	6	10	8	7	10	9	10	4
Accidental deaths....169-195	2,819	246	198	210	201	238	236	261	251	244	244	193	297
Motor-vehicle accidents....170	720	62	35	49	31	59	46	57	66	85	87	60	83
Other accidents....169,171-195	2,099	184	163	161	170	179	190	204	185	159	157	133	214
Senility, ill-defined and unknown causes....162,199,200	439	40	30	45	35	32	35	30	22	27	40	45	58
All other causes....	4,096	334	340	358	342	375	334	357	334	299	328	310	385
IOWA....All causes	26,189	2,430	2,174	2,271	2,186	2,188	2,114	1,949	1,848	1,875	2,027	2,103	3,028
Typhoid and paratyphoid fever....1,2	1	-	-	1	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	22	2	3	1	-	4	1	2	3	1	2	2	1
Scarlet fever....8	16	-	2	7	2	2	-	-	-	3	-	-	-
Whooping cough....9	34	3	-	2	3	6	7	2	6	1	-	3	1
Diphtheria (infection by C. diphtheriae)....10	13	3	1	-	-	-	-	1	3	1	3	1	-
Tuberculosis (all forms)....13-22	395	30	38	26	36	42	40	30	26	27	24	37	39
Tuberculosis of respiratory system, etc.*....13	352	27	32	24	34	41	37	27	20	22	19	34	35
Tuberculosis (other forms)....14-22	43	3	6	2	2	1	3	3	6	5	5	3	4
Dysentery....27	9	-	1	-	-	1	2	-	3	-	1	1	-
Malaria....28	1	-	-	-	-	-	-	-	-	-	-	1	-
Syphilis....30	178	21	15	13	19	10	13	21	13	10	15	13	15
Measles....35	25	2	1	2	5	6	6	1	-	-	-	-	2
Poliomyelitis, polioencephalitis (acute)....36	18	-	-	-	1	-	1	-	8	6	1	-	1
Cancer and other malignant tumors....45-55	3,598	297	273	297	285	306	318	289	278	317	321	287	330
Cancer of the digestive organs and peritoneum....46	1,699	143	120	154	122	153	156	130	128	147	145	143	158
Cancer of female genital organs....48,49	407	26	31	31	35	27	29	33	45	34	43	36	37
Cancer of the breast....50	357	31	30	24	34	30	29	21	25	40	38	22	33
Cancer (other sites)....45,47,51-55	1,135	97	92	88	94	96	104	105	80	96	95	86	102
Acute rheumatic fever....58	13	-	-	3	-	-	2	1	1	-	1	4	1
Diabetes mellitus....61	694	54	68	45	53	70	67	38	43	55	50	61	90
Exophthalmic goiter....63b	50	5	8	1	8	6	3	2	6	1	4	1	5
Pellagra (except alcoholic)....69	2	-	-	-	-	-	1	1	-	-	-	-	-
Alcoholism (ethylism)....77	27	1	3	6	3	1	3	1	1	2	2	2	2
Intracranial lesions of vascular origin....83	2,884	265	253	296	253	236	227	202	217	192	210	228	327
Diseases of the heart....90-95	7,911	730	652	688	685	680	598	572	538	555	632	660	925
Chronic rheumatic diseases of the heart....90a,92b,c,93c,95b	570	47	47	51	39	43	45	49	45	38	39	54	75
Diseases of coronary arteries and angina pectoris....94	2,902	263	260	260	247	258	219	185	194	208	248	249	315
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	4,439	420	345	375	399	379	334	340	299	309	345	357	537
Pneumonia (all forms) and influenza....107-109,33	1,388	158	126	144	98	89	60	52	56	43	78	84	418
Bronchopneumonia....107	515	64	55	52	45	37	34	26	14	20	36	42	92
Lobar pneumonia....108	452	61	47	59	29	36	22	19	18	15	24	30	92
Pneumonia (unspecified)....109	41	2	-	4	7	5	2	2	1	1	5	2	10
Influenza....33	378	31	26	29	17	11	2	5	3	7	13	10	224
Ulcer of stomach or duodenum....117	172	19	16	12	16	16	9	14	13	11	18	14	14
Diarrhea, enteritis, and ulceration of intestines....119,120	98	11	7	4	14	8	9	12	6	8	10	3	6
Appendicitis....121	160	16	17	9	13	16	22	15	11	14	8	9	10
Hernia and intestinal obstruction....122	248	21	13	20	24	18	25	17	21	22	19	25	21
Cirrhosis of the liver....124	136	15	10	7	13	13	12	6	10	11	11	15	13
Biliary calculi, etc.*....126,127	178	11	14	25	21	9	21	19	12	14	11	7	14
Nephritis....130-132	1,581	151	141	129	140	120	138	112	95	112	105	143	195
Diseases of the prostate....137	219	14	19	20	21	20	16	22	17	9	16	15	30
Diseases of pregnancy, childbirth, and puerperium...140-150	80	4	5	8	11	5	6	8	6	5	6	8	8
Puerperal septicemia....140,142a,145A,147	30	1	1	1	5	3	3	1	2	3	1	6	3
Puerperal toxemia....141a,c,144,148	21	1	2	2	3	1	-	4	1	1	2	1	3
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	29	2	2	5	3	1	3	3	3	1	3	1	2
Congenital malformations....157	325	31	36	25	24	27	28	28	21	27	33	20	23
Premature birth (cause not stated)....159	539	50	35	41	40	57	49	45	37	49	42	48	46
Suicide....165,164	271	30	25	22	24	26	33	19	26	19	19	15	13
Homicide....165-168	24	2	1	-	4	1	1	2	-	3	4	2	4
Accidental deaths....169-195	1,699	163	118	134	123	128	136	157	152	122	155	147	164
Motor-vehicle accidents....170	328	25	22	27	16	22	16	31	24	28	42	40	35
Other accidents....169,171-195	1,371	138	96	107	107	106	120	126	128	94	113	107	129
Senility, ill-defined and unknown causes....162,199,200	464	42	39	49	37	41	35	35	33	34	51	38	50
All other causes....	2,722	281	254	256	250	224	225	223	206	199	195	209	260

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS.....All causes	19,021	1,923	1,688	1,775	1,499	1,552	1,405	1,481	1,591	1,291	1,402	1,507	1,907
Typhoid and paratyphoid fever.....1,2	2	-	-	-	-	-	-	-	-	2	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	22	2	2	2	4	1	2	1	2	2	1	-	3
Scarlet fever.....8	16	2	3	3	2	4	-	-	-	-	-	-	2
Whooping cough.....9	32	1	3	5	2	3	2	4	5	-	2	1	4
Diphtheria (infection by C. diphtheriae).....10	14	1	1	-	1	2	2	1	-	1	2	2	1
Tuberculosis (all forms).....13-22	345	28	32	41	42	30	20	23	29	18	23	34	25
Tuberculosis of respiratory system, etc.*.....13	316	22	28	37	39	28	19	21	27	16	22	33	24
Tuberculosis (other forms).....14-22	29	6	4	4	3	2	1	2	2	2	1	1	1
Dysentery.....27	10	1	1	-	-	2	-	1	1	3	1	-	-
Malaria.....28	4	-	-	-	-	1	1	-	1	1	-	-	-
Syphilis.....30	161	17	12	7	11	12	14	16	14	10	15	17	16
Measles.....35	7	1	1	2	1	2	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	68	1	-	1	-	-	-	5	28	24	4	3	2
Cancer and other malignant tumors.....45-55	2,253	204	188	187	165	181	185	193	229	182	176	182	181
Cancer of the digestive organs and peritoneum.....46	1,081	95	93	93	83	83	83	90	124	100	73	90	74
Cancer of female genital organs.....48,49	283	25	27	22	18	33	30	27	23	18	23	25	12
Cancer of the breast.....50	210	23	19	17	21	12	15	21	16	12	15	20	19
Cancer (other sites).....45,47,51-55	679	61	49	55	43	53	57	55	66	52	65	47	76
Acute rheumatic fever.....58	16	3	1	2	-	2	2	-	1	1	-	3	1
Diabetes mellitus.....61	501	59	44	51	37	40	38	28	43	33	33	42	53
Exophthalmic goiter.....63b	44	6	2	3	-	7	5	2	5	4	4	2	4
Pellagra (except alcoholic).....69	3	-	-	1	-	-	2	-	-	-	-	-	-
Alcoholism (ethylism).....77	8	2	-	1	-	-	1	-	-	1	-	-	3
Intracranial lesions of vascular origin.....83	2,069	226	164	191	168	189	168	170	149	149	144	156	195
Diseases of the heart.....90-95	5,365	595	494	541	456	430	356	389	407	325	406	425	561
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	349	45	36	44	24	30	18	21	19	23	28	28	33
Diseases of coronary arteries and angina pectoris.....94	1,839	203	149	180	147	144	147	125	129	109	155	159	192
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	3,177	347	309	317	285	258	191	223	259	193	223	258	336
Pneumonia (all forms) and influenza.....107-109,33	927	129	135	117	67	49	39	27	36	27	34	59	208
Bronchopneumonia.....107	364	52	58	41	29	29	26	13	18	14	10	26	48
Lobar pneumonia.....108	262	38	35	38	18	11	8	11	13	7	15	21	47
Pneumonia (unspecified).....109	35	3	2	6	4	2	3	-	1	2	1	5	6
Influenza.....33	266	36	40	32	16	7	2	3	4	4	8	7	107
Ulcer of stomach or duodenum.....117	117	17	5	7	8	10	12	10	7	10	8	12	11
Diarrhea, enteritis, and ulceration of intestines.....119,120	94	10	6	6	7	8	6	7	17	7	8	7	7
Appendicitis.....121	123	8	10	4	6	12	14	17	20	8	7	7	10
Hernia and intestinal obstruction.....122	215	23	13	16	15	17	17	24	23	19	14	17	17
Cirrhosis of the liver.....124	102	7	11	16	8	6	7	11	7	9	9	5	6
Biliary calculi, etc.*.....126,127	107	8	7	11	10	7	10	11	8	6	9	12	8
Nephritis.....130-132	1,498	137	140	135	121	146	127	120	98	80	120	125	149
Diseases of the prostate.....137	174	17	23	18	14	12	11	12	10	13	15	15	14
Diseases of pregnancy, childbirth, and puerperium...140-150	77	3	5	6	6	5	10	9	9	5	8	5	6
Puerperal septicemia.....140,142a,145A,147	39	-	4	4	4	1	7	3	4	3	5	3	1
Puerperal toxemia.....141a,c,144,148	14	1	1	-	-	1	-	3	3	1	1	2	1
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	24	2	-	2	2	3	3	3	2	1	2	-	4
Congenital malformations.....157	243	20	23	27	10	18	25	21	19	13	22	23	22
Premature birth (cause not stated).....159	354	32	28	29	33	24	28	33	28	30	31	31	27
Suicide.....163,164	167	15	6	16	18	10	16	12	25	17	13	11	8
Homicide.....165-168	50	2	5	6	1	7	4	3	5	9	7	-	1
Accidental deaths.....169-195	1,498	131	108	107	102	121	125	165	149	113	119	125	133
Motor-vehicle accidents.....170	308	28	18	24	21	27	20	24	29	29	27	26	35
Other accidents.....169,171-195	1,190	103	90	83	81	94	105	141	120	84	92	99	98
Senility, ill-defined and unknown causes.....162,199,200	334	32	29	29	30	22	21	26	23	22	22	29	49
All other causes.....	2,001	183	186	187	154	172	135	160	193	147	147	157	180
KENTUCKY.....All causes	29,051	2,659	2,505	2,704	2,493	2,316	2,193	2,419	2,298	2,051	2,205	2,210	2,998
Typhoid and paratyphoid fever.....1,2	47	-	2	2	1	4	5	5	11	2	5	-	10
Cerebrospinal (meningococcus) meningitis.....6	88	6	8	15	12	10	3	3	2	3	6	8	12
Scarlet fever.....8	14	1	2	1	1	1	1	-	2	-	1	1	3
Whooping cough.....9	127	11	11	13	7	6	11	13	10	16	12	12	5
Diphtheria (infection by C. diphtheriae).....10	44	2	2	5	2	-	-	1	3	5	13	6	5
Tuberculosis (all forms).....13-22	1,785	170	137	161	165	150	162	172	140	128	134	107	159
Tuberculosis of respiratory system, etc.*.....13	1,627	151	128	149	154	137	148	152	130	119	119	100	140
Tuberculosis (other forms).....14-22	158	19	9	12	11	13	14	20	10	9	15	7	19
Dysentery.....27	163	1	2	3	2	2	18	39	41	33	13	5	4
Malaria.....28	11	1	-	-	-	1	2	1	1	4	-	1	-
Syphilis.....30	295	37	25	32	20	23	23	24	24	23	24	17	23
Measles.....35	101	12	11	20	30	13	5	3	1	1	1	2	2
Poliomyelitis, polioencephalitis (acute).....36	15	2	1	1	1	1	-	-	2	2	1	3	1
Cancer and other malignant tumors.....45-55	2,605	225	212	226	213	230	187	211	232	217	226	217	209
Cancer of the digestive organs and peritoneum.....46	1,191	115	98	108	89	103	78	92	108	99	111	100	90
Cancer of female genital organs.....48,49	404	40	24	33	31	40	33	35	36	35	28	34	35
Cancer of the breast.....50	243	15	24	28	17	15	17	29	15	26	22	18	17
Cancer (other sites).....45,47,51-55	767	55	66	57	76	72	59	55	73	57	65	65	67
Acute rheumatic fever.....58	27	-	-	2	4	2	2	2	3	2	1	5	4
Diabetes mellitus.....61	428	31	37	40	40	48	29	28	29	29	36	34	47
Exophthalmic goiter.....63b	52	4	3	1	6	6	4	6	4	3	4	7	4
Pellagra (except alcoholic).....69	37	5	4	2	4	3	5	3	4	3	-	2	2
Alcoholism (ethylism).....77	23	3	4	3	-	1	-	2	2	1	1	1	5
Intracranial lesions of vascular origin.....83	2,798	260	232	262	229	231	212	226	217	185	208	242	294
Diseases of the heart.....90-95	7,149	650	618	670	643	589	583	540	510	475	537	554	780
Chronic rheumatic diseases of the heart.....90a,92b,c,93c, 95b	481	43	33	46	62	38	36	43	26	39	28	32	56
Diseases of coronary arteries and angina pectoris.....94	1,882	170	165	171	166	172	163	124	115	127	158	139	212
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	4,786	437	420	453	415	379	384	373	369	310	351	383	512

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY—Continued													
Pneumonia (all forms) and influenza.....107-109,33	2,409	329	312	318	234	148	76	90	82	81	123	134	482
Bronchopneumonia.....107	832	118	112	122	78	43	36	30	35	42	44	57	115
Lobar pneumonia.....108	651	93	79	86	61	37	20	35	28	21	35	35	121
Pneumonia (unspecified).....109	314	41	50	39	30	32	10	14	10	11	17	20	40
Influenza.....33	612	77	71	71	65	36	10	11	9	7	27	22	206
Ulcer of stomach or duodenum.....117	164	12	12	14	14	17	21	13	10	13	16	7	15
Diarrhea, enteritis, and ulceration of intestines.....119,120	478	7	18	22	10	14	47	109	126	57	33	24	11
Appendicitis.....121	201	22	19	8	10	17	20	21	14	21	16	11	22
Hernia and intestinal obstruction.....122	200	20	16	11	19	17	14	24	14	18	17	17	13
Cirrhosis of the liver.....124	178	12	7	9	25	14	10	23	9	12	17	21	19
Biliary calculi, etc.*.....126,127	111	6	12	10	8	9	5	14	10	12	15	5	5
Nephritis.....130-132	2,079	204	196	187	179	182	147	161	155	158	175	137	198
Diseases of the prostate.....137	133	6	6	7	10	15	8	21	13	12	11	9	15
Diseases of pregnancy, childbirth, and puerperium...140-150	163	10	13	16	15	14	15	13	16	14	9	16	12
Puerperal septicemia.....140,142a,145A,147	53	4	2	3	5	6	3	7	8	5	6	4	2
Puerperal toxemia.....141a,c,144,148	46	4	4	7	6	3	3	3	6	2	1	5	2
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	64	2	7	6	4	5	9	3	4	7	2	7	8
Congenital malformations.....157	327	41	33	30	24	27	17	24	22	26	26	29	28
Premature birth (cause not stated).....159	860	57	69	80	70	70	71	81	89	60	71	70	72
Suicide.....163,164	233	20	19	24	27	21	19	18	27	11	14	17	16
Homicide.....165-168	209	9	14	22	17	15	17	23	26	12	22	19	13
Accidental deaths.....169-195	2,083	174	158	186	161	139	187	197	168	159	171	185	198
Motor-vehicle accidents.....170	497	35	32	38	41	41	29	38	45	33	38	69	58
Other accidents.....169,171-195	1,586	139	126	148	120	98	158	159	123	126	133	116	140
Senility, ill-defined and unknown causes.....162,199,200	505	47	54	42	41	31	34	37	39	39	28	47	66
All other causes.....	2,809	262	236	259	249	245	233	271	240	214	218	238	244
LOUISIANA.....All causes	24,007	2,287	1,950	2,163	1,934	1,919	1,861	1,968	2,028	1,670	1,923	1,881	2,423
Typhoid and paratyphoid fever.....1,2	41	1	2	3	-	2	3	3	9	6	4	4	4
Cerebrospinal (meningococcus) meningitis.....6	23	4	-	4	5	1	2	1	1	-	1	1	3
Scarlet fever.....8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	116	8	8	5	16	7	9	18	9	8	9	10	9
Diphtheria (infection by C. diphtheriae).....10	29	5	2	1	2	1	1	4	3	-	2	4	4
Tuberculosis (all forms).....13-22	1,290	113	115	118	104	107	120	108	103	96	99	93	114
Tuberculosis of respiratory system, etc.*.....13	1,199	105	104	113	101	95	113	102	97	86	93	87	103
Tuberculosis (other forms).....14-22	91	8	11	5	3	12	7	6	6	10	6	6	11
Dysentery.....27	43	2	3	5	1	3	4	6	7	1	4	3	4
Malaria.....28	37	1	1	-	2	7	4	3	8	6	3	2	-
Syphilis.....30	495	43	46	33	47	42	48	36	38	40	47	35	40
Measles.....35	14	-	-	7	1	1	2	-	-	-	1	-	2
Poliomyelitis, polioencephalitis (acute).....36	8	-	-	-	1	-	2	1	1	1	1	-	1
Cancer and other malignant tumors.....45-55	2,173	193	161	194	170	174	172	178	181	195	204	171	180
Cancer of the digestive organs and peritoneum.....46	892	87	76	76	65	65	69	72	73	86	83	69	71
Cancer of female genital organs.....48,49	324	23	24	26	26	26	30	27	20	31	35	23	33
Cancer of the breast.....50	188	15	8	17	15	17	13	16	22	20	14	17	14
Cancer (other sites).....45,47,51-55	769	68	53	75	64	66	60	63	66	58	72	62	62
Acute rheumatic fever.....58	20	-	3	1	1	1	3	2	1	3	2	1	2
Diabetes mellitus.....61	420	47	39	34	39	31	27	30	36	26	30	28	53
Exophthalmic goiter.....63b	27	1	1	-	3	3	4	1	5	2	3	2	2
Pellagra (except alcoholic).....69	51	7	3	1	7	4	2	5	4	4	6	2	6
Alcoholism (ethylism).....77	24	7	3	3	-	-	2	2	2	2	1	-	2
Intracranial lesions of vascular origin.....83	1,858	157	141	201	156	155	147	164	154	113	157	140	175
Diseases of the heart.....90-95	6,269	602	553	571	488	504	480	484	524	423	484	526	650
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	369	30	36	24	35	25	28	32	30	24	41	34	30
Diseases of coronary arteries and angina pectoris.....94	1,324	138	110	104	107	112	117	111	108	91	101	99	128
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	4,576	434	387	443	346	367	335	341	386	308	342	393	494
Pneumonia (all forms) and influenza.....107-109,33	1,818	227	195	198	148	105	84	104	87	69	112	147	342
Bronchopneumonia.....107	798	100	76	76	68	50	50	74	52	33	59	58	102
Lobar pneumonia.....108	436	62	50	42	32	28	20	19	15	17	22	43	86
Pneumonia (unspecified).....109	172	22	19	27	17	15	5	5	9	8	8	13	24
Influenza.....33	412	43	50	53	31	12	9	6	11	11	23	33	130
Ulcer of stomach or duodenum.....117	101	12	9	13	10	10	7	8	7	6	4	10	5
Diarrhea, enteritis, and ulceration of intestines.....119,120	235	24	15	17	23	17	22	34	22	19	9	25	8
Appendicitis.....121	159	10	9	13	11	13	23	20	18	18	9	9	6
Hernia and intestinal obstruction.....122	237	17	13	24	18	23	18	23	23	21	17	18	24
Cirrhosis of the liver.....124	187	17	18	17	13	14	15	18	19	12	10	15	19
Biliary calculi, etc.*.....126,127	71	7	5	7	2	7	9	4	7	6	6	6	5
Nephritis.....130-132	1,848	195	146	180	161	138	136	148	163	113	149	137	182
Diseases of the prostate.....137	88	5	11	9	5	9	3	6	11	10	6	8	5
Diseases of pregnancy, childbirth, and puerperium...140-150	199	23	17	17	18	11	13	25	25	11	17	11	11
Puerperal septicemia.....140,142a,145A,147	71	9	6	4	8	3	5	9	10	3	7	2	5
Puerperal toxemia.....141a,c,144,148	62	6	8	5	3	4	5	6	9	5	5	4	2
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	66	8	3	8	7	4	3	10	6	3	5	5	4
Congenital malformations.....157	241	16	27	15	22	20	20	23	21	14	24	22	17
Premature birth (cause not stated).....159	806	72	44	56	61	59	64	77	92	71	73	74	63
Suicide.....163,164	140	13	11	5	10	16	15	8	6	15	17	12	12
Homicide.....165-168	196	17	12	13	29	21	23	14	18	16	11	11	11
Accidental deaths.....169-195	1,763	165	130	123	125	164	145	162	155	115	149	143	187
Motor-vehicle accidents.....170	432	33	30	24	32	33	31	37	40	41	44	44	43
Other accidents.....169,171-195	1,331	132	100	99	93	131	114	125	115	74	105	99	144
Senility, ill-defined and unknown causes.....162,199,200	558	68	50	62	37	34	38	46	53	40	40	39	55
All other causes.....	2,422	210	177	213	198	215	198	202	215	188	212	172	224

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE.....All causes	10,902	1,049	966	1,001	1,015	941	824	784	780	766	877	831	1,068
Typhoid and paratyphoid fever.....1,2	4	-	-	-	-	-	-	1	-	1	-	-	2
Cerebrospinal (meningococcus) meningitis.....6	50	5	5	12	7	2	6	3	3	-	3	2	2
Scarlet fever.....8	4	-	-	1	-	-	-	-	-	-	1	1	1
Whooping cough.....9	22	3	8	3	-	2	2	-	-	-	1	-	3
Diphtheria (infection by C. diphtheriae).....10	6	-	-	-	1	1	-	1	-	-	1	-	2
Tuberculosis (all forms).....13-22	275	16	23	19	33	26	24	17	16	20	20	30	31
Tuberculosis of respiratory system, etc.*.....13	241	14	22	17	30	19	20	15	12	18	18	29	27
Tuberculosis (other forms).....14-22	34	2	1	2	3	7	4	2	4	2	2	1	4
Dysentery.....27	3	-	-	1	-	-	-	-	1	1	-	-	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	54	6	5	6	5	6	3	3	4	2	4	2	8
Measles.....35	5	1	-	-	-	1	-	-	-	-	-	-	3
Poliomyelitis, polioencephalitis (acute).....36	1	1	-	-	-	-	-	-	-	-	-	-	-
Cancer and other malignant tumors.....45-55	1,318	109	102	110	117	120	121	97	125	103	100	104	112
Cancer of the digestive organs and peritoneum.....46	653	57	58	48	53	68	63	57	57	50	45	48	49
Cancer of female genital organs.....48,49	175	10	11	19	16	10	16	12	20	14	15	18	14
Cancer of the breast.....50	129	17	8	14	15	5	7	5	6	10	15	9	18
Cancer (other sites).....45,47,51-55	361	25	25	29	33	37	35	23	40	29	25	29	31
Acute rheumatic fever.....58	7	-	-	1	1	-	-	2	2	-	-	-	1
Diabetes mellitus.....61	246	21	18	26	20	16	15	26	18	20	17	17	32
Exophthalmic goiter.....63b	7	1	2	1	1	-	1	-	-	-	-	-	1
Pellagra (except alcoholic).....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	15	-	2	3	-	-	2	2	3	1	-	2	-
Intracranial lesions of vascular origin.....83	1,140	100	101	100	117	93	88	83	79	94	95	80	110
Diseases of the heart.....90-95	3,190	312	295	278	293	294	234	224	209	224	271	268	288
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	218	17	15	22	18	24	12	20	16	20	13	18	23
Diseases of coronary arteries and angina pectoris.....94	1,136	119	92	75	100	101	88	78	79	85	110	102	107
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	1,836	176	188	181	175	169	134	126	114	119	148	148	158
Pneumonia (all forms) and influenza.....107-109,33	699	110	75	88	78	50	25	27	22	19	41	40	124
Bronchopneumonia.....107	285	58	32	37	33	20	10	11	7	5	19	13	40
Lobar pneumonia.....108	223	26	23	26	28	14	9	10	10	5	14	19	39
Pneumonia (unspecified).....109	28	5	2	3	2	1	1	4	1	2	2	1	4
Influenza.....33	163	21	18	22	15	15	5	2	4	7	6	7	41
Ulcer of stomach or duodenum.....117	39	6	2	5	-	7	3	1	3	3	5	1	3
Diarrhea, enteritis, and ulceration of intestines.....119,120	92	4	3	7	9	7	5	7	12	16	10	4	8
Appendicitis.....121	39	4	4	9	6	1	1	2	4	2	3	1	2
Hernia and intestinal obstruction.....122	88	9	5	6	11	7	4	9	9	7	4	11	6
Cirrhosis of the liver.....124	72	7	5	10	7	6	8	8	4	3	10	3	3
Biliary calculi, etc.*.....126,127	51	1	6	4	3	8	3	6	3	5	4	5	3
Nephritis.....130-132	787	86	75	80	78	66	58	53	60	52	52	59	68
Diseases of the prostate.....137	54	5	6	5	3	-	3	5	4	6	6	4	7
Diseases of pregnancy, childbirth, and puerperium...140-150	42	-	3	8	5	2	5	4	6	2	1	5	1
Puerperal septicemia.....140,142a,145A,147	20	-	3	2	3	2	2	2	2	-	-	3	1
Puerperal toxemia.....141a,c,144,148	11	-	-	4	2	-	1	1	1	1	-	1	-
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	11	-	-	2	-	-	2	1	3	1	1	1	-
Congenital malformations.....157	137	10	11	17	10	14	12	8	10	8	16	7	14
Premature birth (cause not stated).....159	254	23	26	27	24	16	17	15	13	20	15	18	20
Suicide.....163,164	107	4	2	10	9	8	10	8	9	10	17	11	9
Homicide.....165-168	14	-	1	1	-	-	3	2	2	1	4	-	-
Accidental deaths.....169-195	660	51	66	39	39	48	72	58	48	51	64	62	64
Motor-vehicle accidents.....170	118	9	7	3	6	2	13	8	7	19	16	15	13
Other accidents.....169,171-195	542	42	59	36	33	44	59	50	41	32	48	47	51
Senility, ill-defined and unknown causes.....162,199,200	258	25	27	26	28	32	13	15	11	16	20	15	30
All other causes.....	1,182	129	88	98	110	110	88	97	102	79	92	79	110
MARYLAND.....All causes	24,113	2,289	1,997	2,113	2,017	1,897	1,999	1,752	1,741	1,657	1,860	1,908	2,885
Typhoid and paratyphoid fever.....1,2	6	2	-	1	1	-	-	-	-	1	1	-	-
Cerebrospinal (meningococcus) meningitis.....6	96	12	9	13	10	14	8	8	2	7	3	2	8
Scarlet fever.....8	3	-	-	-	-	-	2	-	-	-	-	1	-
Whooping cough.....9	59	4	3	6	5	7	3	1	1	9	7	7	6
Diphtheria (infection by C. diphtheriae).....10	9	3	-	1	1	1	-	-	-	1	-	1	1
Tuberculosis (all forms).....13-22	1,277	113	100	106	125	109	117	101	103	91	93	83	136
Tuberculosis of respiratory system, etc.*.....13	1,188	109	98	99	108	99	109	93	98	86	86	76	129
Tuberculosis (other forms).....14-22	89	4	4	7	17	10	8	8	5	5	7	7	7
Dysentery.....27	25	1	1	-	-	-	1	3	4	5	4	1	5
Malaria.....28	1	-	-	-	-	1	-	-	-	-	-	-	-
Syphilis.....30	326	33	31	28	25	26	42	26	18	28	20	22	29
Measles.....35	6	1	1	2	1	-	-	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	1	-	-	-	-	-	-	-	-	-	-	1	-
Cancer and other malignant tumors.....45-55	2,606	231	203	201	204	210	223	227	235	203	224	214	231
Cancer of the digestive organs and peritoneum.....46	1,136	101	76	83	91	95	102	105	107	88	100	95	93
Cancer of female genital organs.....48,49	351	29	29	26	34	24	31	29	33	25	29	24	38
Cancer of the breast.....50	285	28	24	20	24	22	30	17	32	21	24	25	18
Cancer (other sites).....45,47,51-55	834	73	74	72	55	69	60	76	63	69	71	70	82
Acute rheumatic fever.....58	26	3	1	4	2	2	2	1	2	2	1	5	1
Diabetes mellitus.....61	633	62	51	58	56	58	51	50	38	34	46	55	74
Exophthalmic goiter.....63b	36	4	3	6	2	3	1	1	2	2	6	4	2
Pellagra (except alcoholic).....69	2	-	-	-	-	-	2	-	-	-	-	-	-
Alcoholism (ethylism).....77	48	7	6	3	4	3	1	6	4	4	-	3	8
Intracranial lesions of vascular origin.....83	1,905	197	176	166	193	135	138	147	147	121	154	144	187
Diseases of the heart.....90-95	7,357	716	630	670	603	590	592	492	484	495	554	623	910
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	429	39	38	39	24	47	35	25	27	34	32	38	51
Diseases of coronary arteries and angina pectoris.....94	1,906	203	174	170	150	160	140	128	122	115	146	173	225
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	5,022	474	418	461	429	385	417	339	335	344	378	412	634

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND—Continued													
Pneumonia (all forms) and influenza.....107-109,33	1,547	191	139	151	112	107	76	52	54	51	93	101	420
Bronchopneumonia.....107	589	76	56	73	41	41	38	19	24	23	36	44	118
Lobar pneumonia.....108	670	89	68	66	57	53	28	26	22	22	43	41	155
Pneumonia (unspecified).....109	96	10	8	5	7	7	7	5	5	3	5	11	23
Influenza.....33	192	16	7	7	7	6	3	2	3	3	9	5	124
Ulcer of stomach or duodenum.....117	128	12	7	17	10	9	9	13	7	13	8	13	10
Diarrhea, enteritis, and ulceration of intestines.....119,120	282	15	11	17	3	7	21	25	43	57	42	31	20
Appendicitis.....121	85	8	6	4	5	10	8	8	6	11	7	4	8
Hernia and intestinal obstruction.....122	180	12	13	12	13	18	20	13	16	16	7	20	20
Cirrhosis of the liver.....124	184	17	23	17	15	14	11	8	20	11	18	14	16
Biliary calculi, etc.*.....126,127	75	3	5	9	5	5	11	2	14	7	7	3	4
Nephritis.....130-132	2,246	226	191	214	204	198	183	151	151	129	165	161	273
Diseases of the prostate.....137	90	8	8	7	7	7	7	9	11	6	5	9	6
Diseases of pregnancy, childbirth, and puerperium...140-150	85	7	7	8	8	5	15	6	8	2	5	3	11
Puerperal septicemia.....140,142a,145A,147	32	5	1	4	3	-	2	1	5	1	2	2	6
Puerperal toxemia.....141a,c,144,148	15	-	1	1	3	2	3	3	-	-	1	-	1
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	38	2	5	3	2	3	10	2	3	1	2	1	4
Congenital malformations.....157	268	20	20	20	23	14	16	26	23	25	24	20	37
Premature birth (cause not stated).....159	585	37	38	57	52	53	46	48	52	62	48	42	50
Suicide.....163,164	250	16	27	23	33	22	19	16	8	24	14	23	25
Homicide.....165-168	154	15	17	18	13	13	10	11	12	11	8	12	14
Accidental deaths.....169-195	1,490	131	109	117	100	106	157	140	110	105	123	130	162
Motor-vehicle accidents.....170	401	30	34	26	22	28	28	40	25	33	49	46	40
Other accidents.....169,171-195	1,089	101	75	91	78	78	129	100	85	72	74	84	122
Senility, ill-defined and unknown causes.....162,199,200	81	6	8	7	9	4	5	5	7	5	8	8	9
All other causes.....	1,950	176	153	150	173	146	202	155	159	123	165	146	202
MASSACHUSETTS.....All causes	54,653	5,068	4,665	4,909	5,052	4,478	4,208	4,014	3,684	3,876	4,268	4,512	6,151
Typhoid and paratyphoid fever.....1,2	7	1	-	1	-	-	1	1	1	1	-	1	-
Cerebrospinal (meningococcus) meningitis.....6	122	8	11	13	17	18	6	11	4	5	10	7	12
Scarlet fever.....8	20	3	2	4	5	2	-	-	2	-	-	1	1
Whooping cough.....9	40	1	3	9	4	4	1	1	3	1	4	2	7
Diphtheria (infection by C. diphtheriae).....10	11	-	-	2	1	1	-	1	1	-	1	2	2
Tuberculosis (all forms).....13-22	1,819	168	129	158	171	145	169	167	159	135	130	130	178
Tuberculosis of respiratory system, etc.*.....13	1,697	161	121	148	158	136	154	155	132	124	121	119	168
Tuberculosis (other forms).....14-22	122	7	8	10	13	9	15	12	7	11	9	11	10
Dysentery.....27	5	-	1	-	-	-	-	1	-	-	-	3	-
Malaria.....28	2	-	-	-	-	-	1	-	-	-	-	1	-
Syphilis.....30	357	24	32	34	42	25	34	19	28	23	39	25	32
Measles.....35	20	1	3	1	8	2	3	-	-	-	1	-	1
Poliomyelitis, polioencephalitis (acute).....36	19	2	-	-	-	-	-	-	6	8	1	2	-
Cancer and other malignant tumors.....45-55	7,434	577	580	598	645	551	577	680	636	619	628	638	705
Cancer of the digestive organs and peritoneum.....46	3,591	250	286	308	323	291	279	322	306	304	287	318	317
Cancer of female genital organs.....48,49	865	68	65	53	76	55	73	72	79	75	81	75	91
Cancer of the breast.....50	731	73	66	59	66	57	53	68	50	55	63	50	71
Cancer (other sites).....45,47,51-55	2,249	186	165	178	180	149	172	218	201	185	197	195	226
Acute rheumatic fever.....58	32	3	1	4	3	2	4	4	1	1	3	4	2
Diabetes mellitus.....61	1,827	140	138	136	151	148	140	121	106	108	154	107	198
Exophthalmic goiter.....63b	53	6	4	2	5	3	2	6	3	2	4	6	10
Pellagra (except alcoholic).....69	5	-	-	-	1	-	-	1	-	-	-	2	1
Alcoholism (ethylism).....77	146	19	15	15	12	16	16	13	5	6	11	9	9
Intracranial lesions of vascular origin.....83	4,944	457	410	435	486	426	380	349	343	352	386	415	505
Diseases of the heart.....90-95	19,362	1,885	1,751	1,773	1,774	1,561	1,440	1,287	1,253	1,297	1,505	1,534	2,302
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	1,161	120	107	116	109	90	88	81	65	82	77	94	152
Diseases of coronary arteries and angina pectoris.....94	5,679	538	517	511	483	474	432	370	397	424	476	456	601
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	12,522	1,227	1,127	1,146	1,182	997	920	836	791	791	952	984	1,569
Pneumonia (all forms) and influenza.....107-109,33	3,157	383	320	344	373	218	169	118	112	132	155	194	659
Bronchopneumonia.....107	1,799	221	188	192	173	122	100	84	77	86	105	121	350
Lobar pneumonia.....108	995	117	93	114	159	79	50	28	25	35	42	57	196
Pneumonia (unspecified).....109	152	23	19	23	19	7	10	3	7	8	5	10	20
Influenza.....33	211	22	20	15	22	10	9	3	3	3	5	6	93
Ulcer of stomach or duodenum.....117	349	30	32	38	27	25	26	19	21	33	33	29	38
Diarrhea, enteritis, and ulceration of intestines.....119,120	260	24	23	26	23	21	20	18	24	19	21	24	17
Appendicitis.....121	227	25	19	17	19	18	22	19	26	10	25	10	17
Hernia and intestinal obstruction.....122	474	45	40	42	38	37	44	39	40	37	34	37	43
Cirrhosis of the liver.....124	589	48	48	45	58	40	42	45	37	57	62	47	62
Biliary calculi, etc.*.....126,127	241	18	15	15	20	31	28	25	15	17	21	24	12
Nephritis.....130-132	2,866	251	258	295	270	254	238	178	192	195	228	214	295
Diseases of the prostate.....137	262	24	18	23	17	19	21	33	16	27	17	19	28
Diseases of pregnancy, childbirth, and puerperium...140-150	173	21	13	12	8	14	14	19	16	19	10	16	11
Puerperal septicemia.....140,142a,145A,147	69	9	5	3	2	4	7	6	7	8	5	8	5
Puerperal toxemia.....141a,c,144,148	27	4	2	2	1	4	2	4	2	2	2	1	1
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	77	8	6	7	5	6	5	9	7	9	3	7	5
Congenital malformations.....157	620	60	60	48	44	49	41	51	40	51	63	58	55
Premature birth (cause not stated).....159	880	74	58	75	77	88	78	95	63	71	62	67	72
Suicide.....163,164	454	30	36	40	49	47	38	36	30	37	38	38	35
Homicide.....165-168	39	3	5	-	6	3	5	1	2	3	5	5	1
Accidental deaths.....169-195	3,086	278	218	264	243	251	254	280	215	240	250	271	322
Motor-vehicle accidents.....170	527	45	27	38	28	40	29	43	36	55	56	63	67
Other accidents.....169,171-195	2,559	233	191	226	215	211	225	237	178	185	194	208	255
Senility, ill-defined and unknown causes.....162,199,200	195	17	11	12	15	13	17	24	9	13	15	22	27
All other causes.....	4,756	440	411	430	444	446	377	352	295	359	362	348	492

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN.....All causes	57,046	5,220	4,703	5,421	4,828	4,749	4,577	4,221	4,205	4,083	4,484	4,381	6,174
Typhoid and paratyphoid fever.....1,2	9	1	1	-	-	1	1	-	1	1	3	-	-
Cerebrospinal (meningococcus) meningitis.....6	124	6	4	13	22	15	11	7	3	4	9	11	19
Scarlet fever.....8	13	-	2	2	2	2	-	1	1	1	-	2	-
Whooping cough.....9	100	10	4	9	8	15	13	8	14	5	3	5	6
Diphtheria (infection by C. diphtheriae).....10	24	3	-	1	2	2	1	1	1	3	6	1	3
Tuberculosis (all forms).....13-22	1,869	179	139	181	167	181	188	154	159	130	121	131	139
Tuberculosis of respiratory system, etc.*.....13	1,654	161	121	156	150	162	164	137	126	117	109	122	129
Tuberculosis (other forms).....14-22	215	18	18	25	17	19	24	17	33	13	12	9	10
Dysentery.....27	26	1	-	1	/2	2	2	1	7	3	4	1	2
Malaria.....28	4	1	-	-	1	-	-	-	1	-	1	-	-
Syphilis.....30	596	48	49	50	43	50	55	64	54	43	47	43	50
Measles.....35	86	-	-	3	15	20	23	3	6	8	3	-	5
Poliomyelitis, polioencephalitis (acute).....36	27	1	1	-	2	-	-	1	7	7	7	1	-
Cancer and other malignant tumors.....45-55	6,767	570	529	585	539	596	577	591	589	525	561	509	596
Cancer of the digestive organs and peritoneum.....46	3,107	258	244	263	248	282	260	279	281	237	256	221	278
Cancer of female genital organs.....48,49	840	71	60	75	71	77	71	66	71	79	62	65	72
Cancer of the breast.....50	660	56	48	64	58	67	59	48	52	46	58	52	52
Cancer (other sites).....45,47,51-55	2,160	185	177	183	162	170	187	198	185	163	185	171	194
Acute rheumatic fever.....58	50	3	5	4	5	6	3	1	9	7	3	1	3
Diabetes mellitus.....61	1,435	145	138	151	122	108	113	101	103	98	118	101	137
Exophthalmic goiter.....63b	135	10	13	17	17	12	13	7	7	4	12	10	8
Pellagra (except alcoholic).....69	5	-	-	-	1	2	-	-	1	-	-	-	1
Alcoholism (ethylism).....77	47	4	4	8	2	3	5	2	2	6	2	3	6
Intracranial lesions of vascular origin.....83	5,458	454	453	471	450	438	425	431	394	413	504	429	596
Diseases of the heart.....90-95	17,761	1,631	1,536	1,758	1,554	1,516	1,358	1,190	1,241	1,225	1,403	1,367	1,982
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	990	78	87	102	86	91	72	64	71	73	77	71	118
Diseases of coronary arteries and angina pectoris.....94	5,829	554	461	531	483	491	410	381	434	471	503	503	607
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	10,942	999	988	1,125	985	934	876	745	736	681	823	793	1,257
Pneumonia (all forms) and influenza.....107-109,33	3,574	421	357	444	318	220	163	126	133	142	177	274	799
Bronchopneumonia.....107	1,360	156	118	132	114	95	66	62	65	67	65	126	294
Lobar pneumonia.....108	1,312	170	134	199	136	81	69	39	48	48	76	102	212
Pneumonia (unspecified).....109	416	51	49	53	25	20	21	16	11	19	28	29	94
Influenza.....33	486	44	56	60	43	24	7	9	9	10	8	17	199
Ulcer of stomach or duodenum.....117	335	32	23	27	35	37	32	29	20	23	29	24	24
Diarrhea, enteritis, and ulceration of intestines.....119,120	334	37	25	27	26	17	29	31	40	36	30	23	13
Appendicitis.....121	313	34	36	34	22	26	27	30	22	21	18	22	21
Hernia and intestinal obstruction.....122	514	54	43	57	43	42	35	44	43	45	37	36	35
Cirrhosis of the liver.....124	509	49	41	51	41	46	34	47	49	39	41	35	36
Biliary calculi, etc.*.....126,127	277	27	24	31	29	23	26	34	16	16	14	15	22
Nephritis.....130-132	2,875	277	254	273	249	254	199	207	214	201	215	242	290
Diseases of the prostate.....137	297	34	34	23	24	24	29	29	19	18	15	24	24
Diseases of pregnancy, childbirth, and puerperium...140-150	226	26	26	21	14	16	19	22	26	14	17	10	15
Puerperal septicemia.....140,142a,145A,147	87	10	11	7	6	8	11	8	9	2	8	2	5
Puerperal toxemia.....141a,c,144,148	48	9	4	3	-	3	3	7	5	6	3	3	2
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	91	7	11	11	8	5	5	7	12	8	8	5	8
Congenital malformations.....157	874	95	70	74	70	69	71	76	60	73	71	72	73
Premature birth (cause not stated).....159	1,501	110	111	152	139	135	120	129	132	125	117	111	120
Suicide.....163,164	546	43	37	43	56	55	48	46	40	46	55	33	44
Homicide.....165-168	181	16	12	18	13	10	43	11	14	13	10	10	11
Accidental deaths.....169-195	3,505	270	235	301	273	244	387	307	316	284	301	278	309
Motor-vehicle accidents.....170	1,002	60	57	79	54	76	94	88	74	95	120	87	118
Other accidents.....169,171-195	2,503	210	178	222	219	168	293	219	242	189	181	191	191
Senility, ill-defined and unknown causes.....162,199,200	979	86	57	71	52	65	61	51	67	75	88	117	189
All other causes.....	5,670	542	435	520	470	497	466	439	394	429	442	440	596
MINNESOTA.....All causes	26,991	2,536	2,106	2,346	2,172	2,286	2,125	2,065	1,938	1,990	2,031	2,130	3,258
Typhoid and paratyphoid fever.....1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	29	1	3	2	1	3	1	2	2	1	4	2	7
Scarlet fever.....8	10	2	1	1	-	1	1	-	-	-	3	1	-
Whooping cough.....9	30	4	2	4	3	1	2	4	1	1	3	3	2
Diphtheria (infection by C. diphtheriae).....10	20	2	2	2	2	1	-	-	2	-	1	2	6
Tuberculosis (all forms).....13-22	719	51	67	50	57	70	84	57	64	44	56	48	71
Tuberculosis of respiratory system, etc.*.....13	658	51	61	45	51	60	79	46	61	42	50	46	66
Tuberculosis (other forms).....14-22	61	-	6	5	6	10	5	11	3	2	6	2	5
Dysentery.....27	3	-	-	-	-	-	-	-	1	-	1	-	1
Malaria.....28	2	-	-	-	-	-	1	-	-	1	-	-	-
Syphilis.....30	218	28	13	21	19	16	14	16	11	20	18	17	25
Measles.....35	21	-	1	1	-	1	4	2	2	2	1	4	3
Poliomyelitis, polioencephalitis (acute).....36	10	-	-	-	-	-	-	1	2	4	3	-	-
Cancer and other malignant tumors.....45-55	3,741	296	275	353	314	317	299	311	320	317	293	320	326
Cancer of the digestive organs and peritoneum.....46	1,816	129	124	174	157	155	153	157	159	169	137	150	152
Cancer of female genital organs.....48,49	339	25	24	38	22	30	32	24	33	32	24	28	27
Cancer of the breast.....50	371	29	32	36	21	38	12	37	31	33	24	39	39
Cancer (other sites).....45,47,51-55	1,215	113	95	105	114	94	102	93	97	83	108	103	108
Acute rheumatic fever.....58	22	1	4	2	3	3	2	1	1	2	1	1	1
Diabetes mellitus.....61	776	64	68	61	69	69	64	49	39	64	65	53	111
Exophthalmic goiter.....63b	82	8	7	6	10	3	3	10	4	7	6	3	12
Pellagra (except alcoholic).....69	3	-	-	2	-	1	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	34	4	1	4	8	1	2	2	5	1	3	1	2
Intracranial lesions of vascular origin.....83	2,783	280	221	265	221	245	226	185	189	205	212	226	308
Diseases of the heart.....90-95	8,011	783	619	709	648	689	633	567	548	587	607	641	982
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	544	50	52	50	44	50	40	38	32	44	31	46	67
Diseases of coronary arteries and angina pectoris.....94	3,300	337	260	274	287	270	255	239	223	243	252	285	369
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	4,167	396	307	385	315	369	338	290	287	300	324	310	548

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA—Continued													
Pneumonia (all forms) and influenza....107-109,33	1,701	221	126	143	107	130	75	89	68	76	88	110	468
Bronchopneumonia....107	832	116	56	76	56	77	41	54	37	41	64	60	154
Lobar pneumonia....108	489	61	45	44	32	38	22	27	24	27	17	38	114
Pneumonia (unspecified)....109	99	13	8	12	12	6	4	5	5	4	4	4	22
Influenza....33	281	31	17	11	7	9	8	3	2	4	3	8	178
Ulcer of stomach or duodenum....117	178	19	16	12	10	16	17	16	13	15	14	18	12
Diarrhea, enteritis, and ulceration of intestines....119,120	89	7	6	6	5	8	6	9	11	9	6	10	6
Appendicitis....121	162	12	12	14	13	11	12	14	16	13	19	14	12
Hernia and intestinal obstruction....122	221	18	15	22	20	28	19	15	14	17	21	11	21
Cirrhosis of the liver....124	200	21	13	16	21	15	15	17	17	13	12	15	25
Biliary calculi, etc.*....126,127	187	10	17	17	19	13	21	18	11	18	14	13	16
Nephritis....130-132	1,053	118	92	94	93	96	87	77	64	60	73	80	119
Diseases of the prostate....137	269	26	20	19	17	24	23	27	18	24	20	30	21
Diseases of pregnancy, childbirth, and puerperium...140-150	84	13	4	9	13	1	7	8	7	7	1	6	8
Puerperal septicemia....140,142a,145A,147	34	9	2	4	4	1	3	2	2	1	-	3	3
Puerperal toxemia....141a,c,144,148	14	-	2	-	3	-	1	1	3	3	-	-	1
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	36	4	-	5	6	-	3	5	2	3	1	3	4
Congenital malformations....157	346	33	29	24	25	33	28	28	29	31	23	30	33
Premature birth (cause not stated)....159	659	60	46	55	59	60	52	48	55	48	42	61	53
Suicide....163,164	277	17	15	16	31	22	27	28	27	21	22	23	28
Homicide....165-168	31	2	-	3	3	5	1	7	3	-	1	2	4
Accidental deaths....169-195	1,805	128	133	134	134	128	167	181	151	171	147	139	192
Motor-vehicle accidents....170	308	20	12	17	24	22	24	21	23	36	38	29	42
Other accidents....169,171-195	1,497	108	121	117	110	106	143	160	128	135	109	110	150
Senility, ill-defined and unknown causes....162,199,200	257	28	24	16	21	21	19	24	20	17	16	17	34
All other causes....	2,978	279	254	263	228	264	213	252	221	194	235	226	349
MISSISSIPPI....All causes	21,193	1,884	1,682	1,987	1,729	1,637	1,791	1,688	1,752	1,518	1,744	1,650	2,131
Typhoid and paratyphoid fever....1,2	20	-	3	1	1	2	2	3	3	3	1	-	1
Cerebrospinal (meningococcus) meningitis....6	38	6	1	8	5	3	1	4	2	-	3	2	3
Scarlet fever....8	7	-	1	-	1	1	-	1	-	1	1	1	-
Whooping cough....9	90	2	7	10	15	10	13	6	7	6	6	5	3
Diphtheria (infection by C. diphtheriae)....10	22	-	2	1	2	1	-	1	2	-	4	7	2
Tuberculosis (all forms)....13-22	912	68	85	87	74	101	88	69	64	64	65	61	86
Tuberculosis of respiratory system, etc.*....13	858	63	81	82	71	93	83	64	63	61	62	54	81
Tuberculosis (other forms)....14-22	54	5	4	5	3	8	5	5	1	3	3	7	5
Dysentery....27	79	2	2	4	-	6	20	19	11	5	5	4	1
Malaria....28	67	-	-	1	2	2	10	18	11	5	11	5	2
Syphilis....30	401	39	35	40	30	30	40	37	37	31	33	23	26
Measles....35	21	5	5	2	3	1	1	2	2	-	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	10	-	-	2	-	1	1	1	3	-	1	-	1
Cancer and other malignant tumors....45-55	1,608	129	109	120	144	143	137	143	141	110	123	137	172
Cancer of the digestive organs and peritoneum....46	633	49	39	43	57	57	56	61	52	44	45	60	70
Cancer of female genital organs....48,49	323	24	26	26	32	24	30	16	31	27	26	25	36
Cancer of the breast....50	140	8	8	14	13	10	14	12	16	13	8	9	15
Cancer (other sites)....45,47,51-55	512	48	36	37	42	52	37	54	42	26	44	43	51
Acute rheumatic fever....58	23	3	2	2	2	3	-	4	2	2	1	1	1
Diabetes mellitus....61	319	33	20	29	21	20	31	17	29	28	25	28	38
Exophthalmic goiter....63b	27	3	3	2	3	1	5	4	2	1	1	1	1
Pellagra (except alcoholic)....69	82	5	9	6	6	3	11	10	9	5	7	6	5
Alcoholism (ethylism)....77	10	1	2	1	-	-	-	1	1	-	-	4	-
Intracranial lesions of vascular origin....85	1,848	169	148	181	153	140	143	145	144	125	176	140	184
Diseases of the heart....90-95	3,389	331	282	315	290	258	303	242	259	264	275	272	318
Chronic rheumatic diseases of the heart....90a,92b,c,93c,95b	501	48	39	57	44	43	38	38	37	37	36	38	46
Diseases of coronary arteries and angina pectoris....94	714	68	62	67	76	56	71	52	48	48	59	48	59
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	2,174	215	161	191	170	159	194	152	174	179	180	186	213
Pneumonia (all forms) and influenza....107-109,33	1,435	173	164	198	121	67	58	63	70	49	90	107	275
Bronchopneumonia....107	350	47	31	41	26	13	25	25	26	21	23	31	41
Lobar pneumonia....108	524	59	57	73	47	26	22	28	32	21	38	39	82
Pneumonia (unspecified)....109	60	10	10	3	8	1	3	3	4	2	3	2	11
Influenza....33	501	57	66	81	40	27	8	7	8	5	26	35	141
Ulcer of stomach or duodenum....117	107	4	5	9	14	10	11	10	6	11	9	6	12
Diarrhea, enteritis, and ulceration of intestines....119,120	277	7	9	10	15	20	55	52	35	17	28	17	12
Appendicitis....121	160	12	9	17	6	17	11	20	18	16	9	16	9
Hernia and intestinal obstruction....122	188	15	17	20	15	9	17	17	19	22	14	13	10
Cirrhosis of the liver....124	107	7	7	12	2	11	6	11	8	9	11	9	14
Biliary calculi, etc.*....126,127	60	3	4	8	3	3	5	3	8	7	4	6	8
Nephritis....130-132	2,118	205	156	198	189	180	165	171	170	150	190	159	183
Diseases of the prostate....137	139	13	7	14	12	17	12	9	11	14	11	13	8
Diseases of pregnancy, childbirth, and puerperium...140-150	256	26	17	22	19	21	22	29	20	18	14	14	14
Puerperal septicemia....140,142a,145A,147	71	7	6	4	5	6	9	10	6	4	6	3	5
Puerperal toxemia....141a,c,144,148	91	6	6	10	7	9	6	14	7	9	4	8	5
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	74	13	5	8	7	6	7	5	7	5	4	3	4
Congenital malformations....157	203	17	13	16	25	15	20	16	21	12	12	17	19
Premature birth (cause not stated)....159	621	34	50	58	48	43	52	58	65	54	60	45	54
Suicide....163,164	107	9	11	11	13	10	6	7	11	7	10	7	5
Homicide....165-168	318	31	24	26	26	36	27	24	38	20	19	25	22
Accidental deaths....169-195	1,401	93	108	114	119	115	124	115	131	91	135	112	148
Motor-vehicle accidents....170	347	26	25	20	29	22	19	21	40	32	48	27	38
Other accidents....169,171-195	1,054	67	83	94	90	91	105	92	91	59	87	85	110
Senility, ill-defined and unknown causes....162,199,200	2,933	279	247	287	208	180	248	223	222	231	229	230	349
All other causes....	1,812	160	138	155	142	159	146	135	170	140	161	157	149

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSOURI.....All causes	44,289	4,203	3,790	3,992	3,671	3,591	3,440	3,573	3,290	3,097	3,362	3,325	4,955
Typhoid and paratyphoid fever.....1,2	33	3	-	1	1	-	2	8	8	6	2	1	1
Cerebrospinal (meningococcus) meningitis.....6	80	7	4	11	13	5	5	6	5	-	5	5	14
Scarlet fever.....8	20	2	1	4	2	3	3	2	-	-	3	-	-
Whooping cough.....9	95	4	6	1	7	7	8	14	14	6	6	11	11
Diphtheria (infection by C. diphtheriae).....10	36	5	6	3	1	4	-	2	1	5	3	5	1
Tuberculosis (all forms).....13-22	1,859	122	126	164	164	152	142	146	146	118	100	125	154
Tuberculosis of respiratory system, etc.*.....13	1,542	114	120	151	154	142	130	129	135	108	92	119	148
Tuberculosis (other forms).....14-22	117	8	6	13	10	10	12	17	11	10	8	6	6
Dysentery.....27	38	2	2	1	-	4	4	7	4	8	2	2	2
Malaria.....28	19	-	-	1	-	2	3	4	4	2	3	-	-
Syphilis.....30	548	58	35	56	56	39	55	47	40	38	36	29	58
Measles.....35	59	1	5	11	11	13	10	3	3	-	-	-	2
Poliomyelitis, polioencephalitis (acute).....36	36	3	2	1	1	2	2	1	15	6	1	1	1
Cancer and other malignant tumors.....45-55	5,120	428	421	430	408	413	416	419	434	468	409	394	480
Cancer of the digestive organs and peritoneum.....46	2,302	199	181	207	162	188	196	189	203	221	182	178	196
Cancer of female genital organs.....48,49	689	56	57	56	57	51	56	64	62	70	57	45	58
Cancer of the breast.....50	494	40	35	38	50	38	40	39	29	46	34	48	57
Cancer (other sites).....45,47,51-55	1,635	133	148	129	139	136	124	127	140	131	136	123	169
Acute rheumatic fever.....58	34	1	4	7	2	4	4	2	1	1	2	2	4
Diabetes mellitus.....61	990	112	71	78	79	78	83	89	61	69	69	72	129
Exophthalmic goiter.....63b	106	10	9	16	9	6	7	11	7	8	7	5	11
Pellagra (except alcoholic).....69	14	2	2	1	-	2	1	2	1	-	1	1	1
Alcoholism (ethylism).....77	37	4	1	5	5	2	2	-	4	4	2	4	4
Intracranial lesions of vascular origin.....83	3,952	375	322	338	350	335	327	323	293	269	315	339	366
Diseases of the heart.....90-95	13,049	1,283	1,114	1,187	1,096	1,081	964	998	924	839	993	1,002	1,568
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	1,111	117	82	101	101	87	84	87	81	74	74	88	135
Diseases of coronary arteries and angina pectoris.....94	3,297	319	271	313	276	275	260	241	217	224	272	252	377
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	8,641	847	761	773	719	719	620	670	626	541	647	682	1,056
Pneumonia (all forms) and influenza.....107-109,33	3,283	489	394	300	266	190	152	131	114	117	169	228	733
Bronchopneumonia.....107	1,196	189	143	113	82	73	66	53	60	51	79	91	196
Lobar pneumonia.....108	1,378	188	169	128	133	90	69	68	43	55	73	104	258
Pneumonia (unspecified).....109	81	7	12	8	11	2	7	3	5	4	4	4	14
Influenza.....33	608	85	70	51	40	25	10	7	6	7	13	29	265
Ulcer of stomach or duodenum.....117	235	23	22	13	21	16	23	16	16	18	20	20	27
Diarrhea, enteritis, and ulceration of intestines.....119,120	327	11	10	19	10	9	39	41	57	52	45	23	11
Appendicitis.....121	261	19	24	21	21	18	25	32	30	9	23	24	15
Hernia and intestinal obstruction.....122	400	32	19	35	35	31	37	43	31	28	31	30	48
Cirrhosis of the liver.....124	440	43	39	48	41	36	29	40	29	30	35	24	46
Biliary calculi, etc.*.....126,127	205	16	18	17	18	15	21	26	17	13	19	14	11
Nephritis.....130-132	3,957	377	373	401	329	350	307	290	282	277	310	267	394
Diseases of the prostate.....137	265	17	26	22	22	26	18	24	22	23	25	18	22
Diseases of pregnancy, childbirth, and puerperium...140-150	185	15	11	21	13	16	12	26	16	13	13	13	14
Puerperal septicemia.....140,142a,145A,147	77	8	3	13	5	8	5	11	5	6	3	5	5
Puerperal toxemia.....141a,c,144,148	41	3	2	3	1	3	5	6	6	-	3	4	5
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	65	4	6	5	7	5	2	9	5	7	7	4	4
Congenital malformations.....157	490	46	47	41	36	27	29	48	48	41	47	37	43
Premature birth (cause not stated).....159	831	74	56	52	83	73	74	84	70	72	63	58	72
Suicide.....163,164	386	16	31	48	38	29	35	36	26	36	37	28	26
Homicide.....165-168	189	15	14	17	14	18	23	18	17	16	10	7	20
Accidental deaths.....169-195	2,646	210	206	215	185	228	237	277	221	191	220	225	253
Motor-vehicle accidents.....170	549	35	33	51	37	36	36	54	45	43	67	53	59
Other accidents.....169,171-195	2,097	175	173	164	148	190	201	223	176	148	153	172	174
Senility, ill-defined and unknown causes.....162,199,200	457	38	49	50	35	38	26	45	32	27	34	29	54
All other causes	3,829	360	320	356	299	321	315	312	297	286	302	282	379
MONTANA.....All causes	5,601	515	481	519	485	482	468	421	391	406	444	416	573
Typhoid and paratyphoid fever.....1,2	4	-	1	-	-	-	-	-	1	-	-	1	1
Cerebrospinal (meningococcus) meningitis.....6	5	-	-	-	-	-	2	-	-	-	-	2	1
Scarlet fever.....8	3	-	-	2	-	-	-	-	-	-	-	-	1
Whooping cough.....9	18	2	-	2	2	2	1	3	-	-	1	2	3
Diphtheria (infection by C. diphtheriae).....10	5	-	1	1	-	-	-	-	1	1	-	1	-
Tuberculosis (all forms).....13-22	206	24	20	15	13	21	13	13	21	18	20	12	16
Tuberculosis of respiratory system, etc.*.....13	189	22	19	14	13	19	12	13	21	17	16	12	11
Tuberculosis (other forms).....14-22	17	2	1	1	-	2	1	-	-	1	4	-	5
Dysentery.....27	10	-	2	1	-	2	-	-	-	2	3	-	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	48	4	1	5	5	3	5	3	6	3	4	2	7
Measles.....35	6	1	1	1	1	-	-	-	-	1	1	-	-
Poliomyelitis, polioencephalitis (acute).....36	10	-	-	-	-	1	3	1	2	1	1	1	-
Cancer and other malignant tumors.....45-55	613	52	35	53	60	48	49	53	44	61	49	45	64
Cancer of the digestive organs and peritoneum.....46	286	25	18	32	38	18	26	22	17	23	24	14	31
Cancer of female genital organs.....48,49	53	8	2	3	6	4	4	4	3	5	3	6	5
Cancer of the breast.....50	48	8	2	3	4	2	3	5	7	4	3	2	5
Cancer (other sites).....45,47,51-55	226	11	13	15	14	24	16	22	17	29	19	23	23
Acute rheumatic fever.....58	6	1	-	1	-	-	1	1	-	1	-	1	-
Diabetes mellitus.....61	116	11	10	8	7	12	10	13	8	7	12	9	9
Exophthalmic goiter.....63b	17	3	2	1	2	-	1	1	3	2	-	-	2
Pellagra (except alcoholic).....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	12	-	-	1	1	-	-	4	1	3	-	2	-
Intracranial lesions of vascular origin.....83	453	43	35	34	41	37	40	29	30	33	45	38	48
Diseases of the heart.....90-95	1,564	148	112	158	134	135	127	119	94	96	120	128	193
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	87	4	8	11	5	5	6	4	6	4	9	12	13
Diseases of coronary arteries and angina pectoris.....94	462	51	31	50	47	38	37	33	26	27	40	37	47
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	1,015	93	73	97	82	94	84	82	82	65	71	79	133

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued.

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA—Continued													
Pneumonia (all forms) and influenza...107-109,33	306	33	27	42	34	23	16	15	7	20	13	19	57
Bronchopneumonia...107	94	16	8	15	10	8	5	2	3	7	4	7	9
Lobar pneumonia...108	100	10	8	12	15	10	7	4	3	7	3	9	12
Pneumonia (unspecified)...109	54	4	8	12	5	1	1	8	-	4	4	1	6
Influenza...33	58	3	3	3	4	4	3	1	1	2	2	2	30
Ulcer of stomach or duodenum...117	37	2	2	6	5	6	3	5	1	3	1	-	3
Diarrhea, enteritis, and ulceration of intestines...119,120	29	-	4	1	2	5	4	2	5	3	2	1	-
Appendicitis...121	31	4	1	2	1	3	2	2	-	3	2	6	5
Hernia and intestinal obstruction...122	52	8	3	5	-	3	7	2	6	4	5	6	3
Cirrhosis of the liver...124	30	4	3	-	3	4	1	3	1	2	1	4	4
Biliary calculi, etc.*...126,127	34	2	1	1	5	1	5	2	5	2	2	3	5
Nephritis...130-132	271	22	18	22	23	31	18	20	22	25	23	22	25
Diseases of the prostate...137	36	3	1	4	1	4	2	1	1	6	4	4	5
Diseases of pregnancy, childbirth, and puerperium...140-150	20	2	1	1	3	3	3	1	-	-	2	2	2
Puerperal septicemia...140,142a,145A,147	4	-	-	-	-	-	1	-	-	-	1	-	2
Puerperal toxemia...141a,c,144,148	7	1	-	-	2	2	2	-	-	-	-	-	-
Other puerperal causes...141b,d,e,f,142b,143,145B,146,149,150	9	1	1	1	1	1	-	1	-	-	1	2	-
Congenital malformations...157	69	2	7	7	9	6	4	4	5	4	9	5	7
Premature birth (cause not stated)...159	140	16	11	18	20	10	13	10	9	8	10	5	10
Suicide...163,164	68	10	7	7	6	9	6	2	3	3	5	4	6
Homicide...165-168	15	1	1	1	-	1	2	4	2	-	1	1	1
Accidental deaths...169-195	580	39	110	32	49	41	59	50	50	33	48	28	41
Motor-vehicle accidents...170	87	5	6	3	12	7	7	11	6	4	11	8	7
Other accidents...169,171-195	493	34	104	29	37	34	52	39	44	29	37	20	34
Senility, ill-defined and unknown causes...162,199,200	188	25	11	20	11	13	15	11	16	16	11	18	21
All other causes...	599	53	53	67	47	58	56	47	47	45	49	44	33
NEBRASKA...All causes	13,062	1,268	1,109	1,233	1,108	1,071	994	1,032	945	893	973	1,048	1,388
Typhoid and paratyphoid fever...1,2	2	-	-	-	1	-	-	-	-	-	1	-	-
Cerebrospinal (meningococcus) meningitis...6	16	1	1	2	-	2	2	1	-	1	-	2	4
Scarlet fever...8	8	1	2	-	-	1	-	-	1	-	-	2	1
Whooping cough...9	25	1	-	2	2	1	4	7	2	1	-	4	1
Diphtheria (infection by C. diphtheriae)...10	11	1	2	-	-	-	1	-	-	2	1	2	2
Tuberculosis (all forms)...13-22	208	20	20	14	16	17	18	21	20	12	12	17	21
Tuberculosis of respiratory system, etc.*...15	189	18	19	11	14	16	16	19	18	12	9	17	20
Tuberculosis (other forms)...14-22	19	2	1	3	2	1	2	2	2	-	3	-	1
Dysentery...27	4	-	-	-	-	1	-	-	-	-	1	1	1
Malaria...28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis...30	98	8	5	10	2	22	9	8	7	7	4	9	7
Measles...55	17	5	8	4	1	-	-	1	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)...56	24	1	1	-	1	-	-	1	9	6	3	1	1
Cancer and other malignant tumors...45-55	1,693	125	141	155	148	151	135	151	123	122	127	139	176
Cancer of the digestive organs and peritoneum...46	822	64	72	72	67	69	54	78	69	62	66	69	79
Cancer of female genital organs...48,49	194	14	12	22	21	25	15	19	9	11	5	14	27
Cancer of the breast...50	143	15	17	10	14	13	11	8	11	9	10	12	13
Cancer (other sites)...45,47,51-55	534	32	40	51	45	44	55	45	34	40	46	44	57
Acute rheumatic fever...58	13	2	-	1	2	1	-	4	1	-	-	1	1
Diabetes mellitus...61	383	44	33	35	37	28	21	35	24	29	23	34	40
Exophthalmic goiter...63b	37	3	4	4	6	2	3	5	5	-	3	-	2
Pellagra (except alcoholic)...69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)...77	14	3	2	2	1	-	2	2	1	-	-	-	1
Intracranial lesions of vascular origin...83	1,303	126	108	115	133	113	91	108	87	92	106	91	133
Diseases of the heart...90-95	3,615	362	341	350	316	304	276	252	216	233	261	317	387
Chronic rheumatic diseases of the heart...90a,92b,c,93c,95b	295	32	31	29	26	23	28	19	25	12	19	22	29
Diseases of coronary arteries and angina pectoris...94	1,151	103	98	90	116	112	82	84	69	82	85	107	125
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	2,169	227	212	251	174	169	166	149	122	139	159	188	233
Pneumonia (all forms) and influenza...107-109,33	741	108	77	80	48	34	39	25	20	24	47	52	187
Bronchopneumonia...107	216	33	22	23	12	17	9	8	6	12	18	20	56
Lobar pneumonia...108	199	23	22	31	13	10	20	8	6	4	13	17	32
Pneumonia (unspecified)...109	109	16	12	12	9	3	5	6	6	6	10	6	18
Influenza...33	217	36	21	14	14	4	5	3	2	2	6	9	101
Ulcer of stomach or duodenum...117	87	5	10	3	7	10	6	8	10	3	10	7	8
Diarrhea, enteritis, and ulceration of intestines...119,120	58	5	5	7	5	2	2	7	5	2	6	6	6
Appendicitis...121	74	4	4	5	8	7	9	13	7	4	6	4	3
Hernia and intestinal obstruction...122	132	12	10	11	8	10	16	14	12	11	10	9	9
Cirrhosis of the liver...124	99	7	8	16	10	7	7	9	6	5	6	6	12
Biliary calculi, etc.*...126,127	71	5	6	8	3	5	6	7	7	7	4	8	7
Nephritis...130-132	945	100	77	103	82	85	77	67	80	58	63	66	87
Diseases of the prostate...137	95	12	5	12	5	6	5	3	7	6	12	11	11
Diseases of pregnancy, childbirth, and puerperium...140-150	42	2	-	6	2	1	7	5	4	7	4	-	4
Puerperal septicemia...140,142a,145A,147	13	1	-	1	1	-	1	2	1	1	1	-	4
Puerperal toxemia...141a,c,144,148	14	-	-	3	-	-	2	2	1	4	2	-	-
Other puerperal causes...141b,d,e,f,142b,143,145B,146,149,150	15	1	-	2	1	1	4	1	2	2	1	-	-
Congenital malformations...157	182	28	16	17	11	15	11	22	12	11	11	14	14
Premature birth (cause not stated)...159	317	28	30	22	32	20	29	29	23	25	22	34	23
Suicide...163,164	156	15	10	17	18	13	11	15	16	13	11	9	8
Homicide...165-168	30	3	-	-	7	2	4	1	2	2	2	4	3
Accidental deaths...169-195	928	67	61	68	63	74	76	91	115	79	82	74	76
Motor-vehicle accidents...170	193	15	9	7	6	21	13	17	19	23	21	19	23
Other accidents...169,171-195	733	52	52	61	57	53	63	74	96	56	61	55	53
Senility, ill-defined and unknown causes...162,199,200	259	26	16	24	24	27	22	16	16	22	19	15	32
All other causes...	1,377	138	108	140	109	110	105	104	107	109	116	111	120

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA.....All causes	1,615	144	140	149	135	146	136	103	121	125	135	126	155
Typhoid and paratyphoid fever.....1,2	1	-	-	-	-	-	-	-	-	-	-	1	-
Cerebrospinal (meningococcus) meningitis.....6	4	-	1	-	-	1	-	-	1	-	-	-	1
Scarlet fever.....8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	3	1	-	1	1	-	-	-	-	-	-	-	-
Diphtheria (infection by C. diphtheriae).....10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms).....13-22	89	10	8	7	9	8	6	8	4	6	8	5	12
Tuberculosis of respiratory system, etc.*.....13	82	10	4	7	9	7	5	7	3	6	7	5	12
Tuberculosis (other forms).....14-22	7	-	2	-	-	1	1	1	1	-	1	-	-
Dysentery.....27	3	-	-	-	-	1	-	-	-	1	-	-	1
Malaria.....28	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis.....30	27	3	2	6	-	3	1	2	2	3	2	2	1
Measles.....35	1	-	-	-	-	-	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	4	-	-	-	-	-	-	1	2	1	-	-	-
Cancer and other malignant tumors.....45-55	138	11	12	10	12	9	15	10	15	7	19	8	10
Cancer of the digestive organs and peritoneum.....46	69	8	6	6	3	8	10	3	8	5	8	3	5
Cancer of female genital organs.....48,49	14	1	3	-	1	1	2	2	2	-	1	-	1
Cancer of the breast.....50	9	-	1	-	2	1	-	2	1	-	1	-	1
Cancer (other sites).....45,47,51-55	46	4	2	4	6	1	3	3	4	2	9	5	3
Acute rheumatic fever.....58	2	-	-	-	-	1	-	-	-	-	1	-	-
Diabetes mellitus.....61	20	2	-	3	3	4	1	1	-	1	1	2	2
Exophthalmic goiter.....63b	-	-	-	-	-	-	-	-	-	-	-	-	-
Pellagra (except alcoholic).....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	22	2	2	4	-	3	3	-	3	-	1	4	-
Intracranial lesions of vascular origin.....83	91	10	3	6	8	10	8	7	13	4	8	6	8
Diseases of the heart.....90-95	392	37	31	31	37	44	30	23	24	22	35	38	40
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	25	4	4	3	1	4	-	1	2	1	1	2	2
Diseases of coronary arteries and angina pectoris.....94	131	13	9	6	11	21	11	7	5	9	14	12	13
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	236	20	18	22	25	19	19	15	17	12	20	24	25
Pneumonia (all forms) and influenza.....107-109,33	118	13	21	12	6	6	6	4	3	6	6	9	26
Bronchopneumonia.....107	40	5	7	4	1	2	1	1	3	1	2	4	9
Lobar pneumonia.....108	55	6	8	7	3	3	3	3	-	3	2	5	12
Pneumonia (unspecified).....109	13	2	5	-	1	1	1	-	-	1	2	-	-
Influenza.....33	10	-	1	1	1	-	1	-	-	1	-	-	5
Ulcer of stomach or duodenum.....117	18	1	-	2	3	1	3	1	2	3	-	2	-
Diarrhea, enteritis, and ulceration of intestines.....119,120	14	1	-	-	2	2	2	-	2	1	2	2	-
Appendicitis.....121	18	1	-	1	-	2	3	1	1	4	3	1	1
Hernia and intestinal obstruction.....122	15	2	2	-	3	1	1	1	2	2	-	-	1
Cirrhosis of the liver.....124	14	1	-	1	-	1	2	2	-	2	2	2	1
Biliary calculi, etc.*.....126,127	8	-	-	-	-	3	2	1	-	1	-	-	1
Nephritis.....130-132	77	5	5	11	4	8	6	5	4	7	6	9	7
Diseases of the prostate.....137	10	1	1	1	3	-	-	1	1	1	-	-	1
Diseases of pregnancy, childbirth, and puerperium...140-150	6	-	2	-	1	1	1	1	-	-	-	-	-
Puerperal septicemia.....140,142a,145A,147	3	-	1	-	-	1	-	1	-	-	-	-	-
Puerperal toxemia.....141a,c,144,148	3	-	1	-	1	-	1	-	-	-	-	-	-
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations.....157	14	-	4	1	1	-	-	-	4	-	-	4	-
Premature birth (cause not stated).....159	47	5	6	3	2	2	3	5	8	4	3	5	1
Suicide.....163,164	27	1	4	5	5	-	4	-	2	-	3	2	1
Homicide.....165-168	17	2	4	1	2	-	-	3	-	2	1	1	1
Accidental deaths.....169-195	201	21	8	22	16	16	19	16	19	15	20	8	21
Motor-vehicle accidents.....170	53	6	2	4	3	5	2	2	8	3	4	3	11
Other accidents.....169,171-195	148	15	6	18	13	11	17	14	11	12	16	5	10
Senility, ill-defined and unknown causes.....162,199,200	45	4	5	4	5	5	1	4	1	7	3	2	4
All other causes.....	168	10	21	17	12	14	18	6	8	25	11	13	13
NEW HAMPSHIRE.....All causes	6,246	613	546	560	606	511	479	437	446	470	474	506	598
Typhoid and paratyphoid fever.....1,2	2	-	-	-	-	-	-	1	-	1	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	14	1	1	-	1	3	-	3	-	-	-	4	1
Scarlet fever.....8	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough.....9	8	-	3	1	-	-	1	2	-	-	-	-	1
Diphtheria (infection by C. diphtheriae).....10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms).....13-22	136	18	22	4	13	10	15	9	8	7	10	13	7
Tuberculosis of respiratory system, etc.*.....13	122	17	22	3	13	5	11	8	7	6	10	13	7
Tuberculosis (other forms).....14-22	14	1	-	1	-	5	4	1	1	1	-	-	-
Dysentery.....27	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria.....28	1	-	-	-	-	-	-	-	-	1	-	-	-
Syphilis.....30	43	4	3	-	6	6	3	4	3	4	3	2	5
Measles.....35	-	-	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	2	-	-	-	1	-	-	-	-	-	-	1	-
Cancer and other malignant tumors.....45-55	738	62	49	56	71	69	65	64	60	63	64	53	62
Cancer of the digestive organs and peritoneum.....46	345	30	24	24	35	31	29	29	35	29	30	22	27
Cancer of female genital organs.....48,49	77	8	5	6	8	6	6	5	4	8	5	9	7
Cancer of the breast.....50	81	8	5	5	5	7	9	7	9	4	6	4	12
Cancer (other sites).....45,47,51-55	235	16	15	21	23	25	21	23	12	22	23	18	16
Acute rheumatic fever.....58	1	-	-	-	1	-	-	-	-	-	-	-	-
Diabetes mellitus.....61	177	16	15	16	15	27	8	16	13	7	11	13	20
Exophthalmic goiter.....63b	7	1	1	-	-	2	-	-	-	-	1	1	1
Pellagra (except alcoholic).....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	17	1	2	3	2	-	1	-	1	3	1	3	-
Intracranial lesions of vascular origin.....83	627	64	50	47	64	52	37	35	58	63	54	58	47
Diseases of the heart.....90-95	2,082	198	187	189	192	162	152	143	141	160	144	160	204
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	116	13	14	12	5	5	8	9	10	10	9	6	15
Diseases of coronary arteries and angina pectoris.....94	662	54	52	58	62	59	44	52	54	63	47	55	62
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	1,254	131	121	119	125	98	100	82	77	87	88	99	127

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE—Continued													
Pneumonia (all forms) and influenza....107-109,33	429	41	53	43	63	45	18	8	19	12	23	40	64
Bronchopneumonia....107	179	15	22	10	23	23	6	5	10	8	12	23	22
Lobar pneumonia....108	115	17	13	14	13	11	6	1	6	4	5	10	15
Pneumonia (unspecified)....109	50	4	8	14	9	2	4	2	1	-	2	2	2
Influenza....33	85	5	10	5	18	9	2	-	2	-	4	5	25
Ulcer of stomach or duodenum....117	51	6	4	8	3	5	2	6	2	1	7	3	4
Diarrhea, enteritis, and ulceration of intestines....119,120	38	3	1	6	1	3	3	2	1	2	4	6	6
Appendicitis....121	31	1	1	3	3	3	2	5	3	2	2	2	4
Hernia and intestinal obstruction....122	55	7	6	6	7	1	3	5	4	4	2	5	5
Cirrhosis of the liver....124	44	5	5	1	3	1	5	5	2	4	4	5	4
Biliary calculi, etc.*....126,127	34	2	2	4	1	1	4	8	1	5	1	2	3
Nephritis....130-132	382	34	29	38	39	26	29	18	33	30	23	36	47
Diseases of the prostate....137	32	3	3	2	4	4	3	2	2	3	2	2	2
Diseases of pregnancy, childbirth, and puerperium...140-150	25	3	3	1	2	1	3	3	3	2	1	2	1
Puerperal septicemia....140,142a,145A,147	10	-	1	1	1	1	-	2	-	1	1	1	1
Puerperal toxemia....141a,c,144,148	5	1	1	-	-	-	1	-	1	-	-	1	-
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	10	2	1	-	1	-	2	1	2	1	-	-	-
Congenital malformations....157	90	7	14	9	7	5	8	4	7	10	7	5	7
Premature birth (cause not stated)....159	126	9	9	16	10	11	10	10	15	10	10	6	10
Suicide....163,164	73	5	1	4	10	4	11	5	6	7	10	7	3
Homicide....165-168	4	-	-	1	1	-	-	1	-	-	-	-	1
Accidental deaths....169-195	322	34	23	29	34	20	35	33	24	19	26	19	26
Motor-vehicle accidents....170	56	5	1	8	4	1	6	7	4	6	6	4	4
Other accidents....169,171-195	266	29	22	21	30	19	29	26	20	13	20	15	22
Senility, ill-defined and unknown causes....162,199,200	83	12	10	5	10	6	9	4	6	3	5	7	6
All other causes....All causes	621	76	49	67	42	44	52	41	34	47	59	53	57
NEW JERSEY	50,281	4,726	4,277	4,433	4,473	4,156	3,994	3,531	3,467	3,410	4,015	3,842	5,957
Typhoid and paratyphoid fever....1,2	10	1	-	-	-	-	-	1	2	3	2	-	1
Cerebrospinal (meningococcus) meningitis....6	126	9	17	16	16	17	7	6	1	5	15	4	13
Scarlet fever....8	14	2	1	2	3	1	1	-	1	-	1	1	1
Whooping cough....9	39	4	2	3	5	6	5	3	5	-	3	2	1
Diphtheria (infection by C. diphtheriae)....10	11	1	2	3	1	-	1	-	-	1	-	2	-
Tuberculosis (all forms)....13-22	1,932	154	159	178	186	202	185	165	157	128	127	133	158
Tuberculosis of respiratory system, etc.*....13	1,817	145	151	165	182	192	175	158	148	117	120	118	146
Tuberculosis (other forms)....14-22	115	9	8	13	4	10	10	7	9	11	7	15	12
Dysentery....27	9	1	3	1	-	-	-	-	-	1	-	2	1
Malaria....28	2	-	-	-	-	-	1	-	-	1	-	-	-
Syphilis....30	481	52	42	37	51	45	32	30	37	31	36	35	53
Measles....35	24	1	5	3	4	4	5	1	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute)....36	12	-	1	-	1	2	-	-	2	3	1	1	1
Cancer and other malignant tumors....45-55	6,518	570	474	535	519	541	534	563	542	533	535	542	630
Cancer of the digestive organs and peritoneum....46	3,213	284	224	257	256	276	248	288	281	268	281	251	301
Cancer of female genital organs....48,49	727	64	58	60	62	72	58	56	52	59	66	58	62
Cancer of the breast....50	638	68	51	58	48	47	50	60	44	49	44	58	61
Cancer (other sites)....45,47,51-55	1,940	154	141	160	153	146	178	161	165	157	144	175	206
Acute rheumatic fever....58	87	7	9	7	8	11	5	4	3	7	6	9	11
Diabetes mellitus....61	1,600	157	127	138	154	142	127	115	109	120	121	116	174
Exophthalmic goiter....63b	98	11	6	8	8	9	6	5	7	6	10	7	15
Pellagra (except alcoholic)....69	3	-	-	1	-	-	-	1	1	-	-	-	-
Alcoholism (ethylism)....77	75	7	5	11	7	7	9	6	5	2	5	5	6
Intracranial lesions of vascular origin....83	4,283	388	387	385	396	320	317	269	301	305	384	337	494
Diseases of the heart....90-95	17,263	1,733	1,525	1,546	1,520	1,440	1,279	1,117	1,104	1,095	1,349	1,363	2,192
Chronic rheumatic diseases of the heart....90a,92b,c,93c,95b	953	98	91	88	87	69	73	61	68	50	75	78	115
Diseases of coronary arteries and angina pectoris....94	4,280	403	386	371	386	358	302	300	305	290	359	348	472
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	12,030	1,232	1,048	1,087	1,047	1,013	904	756	731	755	915	937	1,605
Pneumonia (all forms) and influenza....107-109,33	2,607	291	252	250	267	188	125	80	91	96	142	143	682
Bronchopneumonia....107	1,044	144	108	111	105	63	62	32	41	42	54	64	220
Lobar pneumonia....108	1,120	112	112	114	125	99	50	39	37	46	67	61	258
Pneumonia (unspecified)....109	100	8	10	10	4	8	8	4	8	4	12	6	18
Influenza....33	343	27	24	15	33	18	5	5	5	4	9	12	186
Ulcer of stomach or duodenum....117	344	36	33	32	38	33	22	19	30	24	28	13	36
Diarrhea, enteritis, and ulceration of intestines....119,120	235	20	24	15	21	18	17	22	16	25	21	15	21
Appendicitis....121	282	24	15	17	34	23	38	31	26	18	21	13	22
Hernia and intestinal obstruction....122	445	32	35	51	36	36	34	42	35	22	36	46	40
Cirrhosis of the liver....124	552	48	49	47	57	45	39	46	35	41	52	39	54
Biliary calculi, etc.*....126,127	241	19	19	30	17	29	20	17	19	17	17	15	22
Nephritis....130-132	3,216	295	291	273	284	258	256	221	211	230	281	243	373
Diseases of the prostate....137	226	17	14	20	19	16	16	19	19	9	25	20	32
Diseases of pregnancy, childbirth, and puerperium...140-150	161	23	8	11	15	11	17	4	14	11	13	14	20
Puerperal septicemia....140,142a,145A,147	67	10	2	5	8	6	7	1	6	8	6	5	7
Puerperal toxemia....141a,c,144,148	36	5	1	3	2	2	7	2	2	1	3	1	7
Other puerperal causes....141b,d,e,f,142b,145,145B,146,149,150	58	8	5	3	7	3	3	1	6	4	4	8	6
Congenital malformations....157	475	32	51	46	41	32	49	34	33	45	26	47	39
Premature birth (cause not stated)....159	912	74	56	79	82	87	82	71	77	76	94	81	53
Suicide....163,164	501	41	44	45	51	48	45	41	46	34	35	33	38
Homicide....165-168	98	5	10	8	5	8	5	11	9	14	6	7	10
Accidental deaths....169-195	2,802	261	210	238	217	218	273	217	217	222	241	214	274
Motor-vehicle accidents....170	698	68	41	65	52	53	38	55	55	62	71	64	76
Other accidents....169,171-195	2,104	195	169	173	165	165	235	162	162	160	170	150	198
Senility, ill-defined and unknown causes....162,199,200	371	34	36	29	38	23	32	29	25	19	33	17	56
All other causes....4,226	4,226	376	365	368	372	336	410	341	287	268	349	323	433

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO.....All causes	5,488	512	440	486	447	424	387	438	473	453	461	432	535
Typhoid and paratyphoid fever.....1,2	12	-	-	-	-	-	2	-	-	1	3	3	3
Cerebrospinal (meningococcus) meningitis.....6	9	-	-	1	1	-	2	-	-	-	-	1	4
Scarlet fever.....8	3	-	-	-	-	-	1	-	-	-	1	1	-
Whooping cough.....9	36	1	4	5	3	1	1	-	5	2	6	1	7
Diphtheria (infection by C. diphtheriae).....10	13	-	2	2	-	-	-	1	1	1	2	1	3
Tuberculosis (all forms).....13-22	353	27	30	33	22	29	30	32	31	28	34	24	33
Tuberculosis of respiratory system, etc.*.....13	319	25	25	29	20	23	27	29	30	27	33	23	28
Tuberculosis (other forms).....14-22	34	2	5	4	2	6	3	3	1	1	1	1	5
Dysentery.....27	82	-	1	-	-	2	8	9	28	18	7	8	1
Malaria.....28	1	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	76	10	3	5	5	7	8	8	2	7	5	10	6
Measles.....35	13	13	-	-	-	-	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	8	-	-	1	-	-	-	1	1	1	2	2	-
Cancer and other malignant tumors.....45-55	353	42	33	29	20	35	20	30	30	20	34	24	36
Cancer of the digestive organs and peritoneum.....46	168	24	14	13	8	15	8	16	14	10	18	13	15
Cancer of female genital organs.....48,49	50	4	4	3	4	4	4	5	6	2	5	4	5
Cancer of the breast.....50	30	2	5	4	2	1	1	-	3	2	4	2	4
Cancer (other sites).....45,47,51-55	105	12	10	9	6	15	7	9	7	6	7	5	12
Acute rheumatic fever.....58	10	1	-	-	2	1	1	1	-	-	-	2	2
Diabetes mellitus.....61	51	8	8	5	2	3	3	4	2	3	2	3	8
Exophthalmic goiter.....63b	11	2	1	-	2	1	1	-	2	-	1	-	1
Pellagra (except alcoholic).....69	7	-	2	-	-	1	1	2	1	-	-	-	-
Alcoholism (ethylism).....77	9	3	-	1	1	-	-	1	-	2	-	-	1
Intracranial lesions of vascular origin.....83	217	17	14	24	23	11	19	16	14	18	18	19	24
Diseases of the heart.....90-95	670	65	47	61	50	62	52	47	56	42	48	61	79
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	63	4	2	6	3	4	4	2	5	6	8	12	7
Diseases of coronary arteries and angina pectoris.....94	166	13	12	17	11	12	11	8	19	11	15	18	19
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	441	48	33	38	36	46	37	37	32	25	25	31	53
Pneumonia (all forms) and influenza.....107-109,33	461	41	65	63	28	21	11	15	23	16	28	51	99
Bronchopneumonia.....107	188	16	33	27	16	6	5	10	7	8	12	22	26
Lobar pneumonia.....108	132	18	18	16	8	9	3	3	10	4	10	13	20
Pneumonia (unspecified).....109	39	3	4	7	1	1	2	-	4	3	3	4	7
Influenza.....33	102	4	10	13	3	5	1	2	2	1	3	12	46
Ulcer of stomach or duodenum.....117	11	-	2	1	-	1	-	-	3	-	2	-	2
Diarrhea, enteritis, and ulceration of intestines.....119,120	272	7	4	5	8	13	28	39	58	54	33	20	3
Appendicitis.....121	33	5	2	2	8	3	3	2	2	1	1	3	1
Hernia and intestinal obstruction.....122	40	1	7	3	5	4	2	3	1	2	5	5	2
Cirrhosis of the liver.....124	27	3	4	1	3	3	3	3	2	1	2	1	1
Biliary calculi, etc.*.....126,127	33	2	5	3	3	3	1	2	4	4	5	1	-
Nephritis.....130-132	225	18	14	26	24	18	18	17	15	22	23	15	15
Diseases of the prostate.....137	23	-	3	4	-	2	1	2	2	1	2	1	5
Diseases of pregnancy, childbirth, and puerperium...140-150	71	8	7	8	5	8	3	7	9	2	6	3	5
Puerperal septicemia.....140,142a,145A,147	20	1	2	3	2	2	-	2	4	-	2	1	1
Puerperal toxemia.....141a,c,144,148	13	2	1	1	-	4	-	1	1	-	2	-	1
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	38	5	4	4	3	2	3	4	4	2	2	2	3
Congenital malformations.....157	63	4	5	6	9	4	5	9	3	3	4	5	6
Premature birth (cause not stated).....159	249	24	13	17	24	23	10	22	25	17	30	25	19
Suicide.....163,164	40	3	4	3	2	2	2	2	3	4	2	4	9
Homicide.....165-168	16	4	1	1	2	1	1	2	-	2	2	-	-
Accidental deaths.....169-195	647	82	45	67	55	38	60	61	32	64	34	55	54
Motor-vehicle accidents.....170	121	11	9	11	6	10	6	12	7	13	12	16	8
Other accidents.....169,171-195	526	71	36	56	49	28	54	49	25	51	22	39	46
Senility, ill-defined and unknown causes.....162,199,200	884	79	76	80	91	78	52	61	86	82	80	52	67
All other causes.....	459	42	37	29	49	49	38	39	32	35	39	31	39
NEW YORK.....All causes	162,186	14,744	13,263	14,607	14,157	13,836	13,055	11,583	11,132	11,427	12,814	12,591	18,977
Typhoid and paratyphoid fever.....1,2	19	-	1	2	1	-	3	-	1	4	3	4	-
Cerebrospinal (meningococcus) meningitis.....6	381	29	35	49	61	40	29	13	12	14	27	25	47
Scarlet fever.....8	35	1	2	6	7	5	-	2	1	2	2	3	4
Whooping cough.....9	154	17	15	18	21	12	13	9	6	13	12	10	8
Diphtheria (infection by C. diphtheriae).....10	22	3	1	6	1	-	1	1	-	5	-	-	4
Tuberculosis (all forms).....13-22	6,335	492	478	570	553	590	580	514	512	504	495	438	609
Tuberculosis of respiratory system, etc.*.....13	5,849	466	451	518	510	545	543	461	477	472	446	395	565
Tuberculosis (other forms).....14-22	486	26	27	52	43	45	37	53	35	32	49	43	44
Dysentery.....27	34	3	4	2	3	1	2	2	2	3	7	3	2
Malaria.....28	4	2	-	-	-	-	-	-	-	-	1	1	-
Syphilis.....30	1,863	165	166	173	146	151	154	130	143	126	180	145	204
Measles.....35	91	8	9	12	13	15	14	8	7	-	3	-	2
Poliomyelitis, polioencephalitis (acute).....36	40	1	-	-	2	-	2	3	3	10	11	4	4
Cancer and other malignant tumors.....45-55	22,167	1,863	1,722	1,868	1,818	1,890	1,895	1,751	1,762	1,783	1,850	1,824	2,121
Cancer of the digestive organs and peritoneum.....46	10,552	882	800	855	890	906	872	850	848	883	865	871	1,030
Cancer of female genital organs.....48,49	2,513	191	199	207	188	201	221	214	217	212	223	210	230
Cancer of the breast.....50	2,312	215	182	192	179	185	204	182	171	187	186	189	240
Cancer (other sites).....45,47,51-55	6,790	575	541	614	561	598	598	505	546	501	576	554	621
Acute rheumatic fever.....58	173	12	10	14	19	16	11	15	15	20	14	12	15
Diabetes mellitus.....61	5,653	571	436	499	475	478	450	399	354	379	465	422	725
Exophthalmic goiter.....63b	308	29	27	22	36	24	26	21	25	22	26	18	32
Pellagra (except alcoholic).....69	10	1	2	1	1	-	-	1	-	1	-	2	1
Alcoholism (ethylism).....77	383	35	49	30	39	33	31	26	31	31	29	22	27
Intracranial lesions of vascular origin.....83	10,778	1,003	914	1,009	935	947	871	773	721	735	836	882	1,152
Diseases of the heart.....90-95	60,638	5,642	5,058	5,448	5,280	5,132	4,702	4,131	3,897	4,084	4,832	4,746	7,686
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	3,501	342	307	336	288	301	286	240	208	241	250	298	424
Diseases of coronary arteries and angina pectoris.....94	15,042	1,401	1,283	1,337	1,241	1,287	1,145	1,076	1,049	1,057	1,281	1,195	1,750
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	42,095	3,899	3,488	3,775	3,751	3,544	3,291	2,815	2,640	2,806	3,321	3,253	5,512

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK—Continued													
Pneumonia (all forms) and influenza.....107-109,33	7,911	814	694	785	810	656	450	298	294	309	469	476	1,856
Bronchopneumonia.....107	3,301	336	310	317	322	294	206	138	150	140	201	224	663
Lobar pneumonia.....108	3,657	382	317	400	415	312	211	138	131	150	225	214	762
Pneumonia (unspecified).....109	190	21	16	20	19	15	16	10	8	11	14	11	29
Influenza.....33	763	75	51	48	54	35	17	12	5	8	29	27	402
Ulcer of stomach or duodenum.....117	1,254	113	90	124	115	120	104	92	76	89	117	112	102
Diarrhea, enteritis, and ulceration of intestines.....119,120	648	62	43	54	65	44	61	56	37	66	64	50	46
Appendicitis.....121	811	63	64	58	71	67	80	79	75	57	74	64	59
Hernia and intestinal obstruction.....122	1,385	108	115	121	131	107	131	148	96	90	100	101	137
Cirrhosis of the liver.....124	1,758	172	138	187	144	145	127	145	114	155	157	124	150
Biliary calculi, etc.*.....126,127	820	72	67	72	83	70	73	66	64	59	71	64	59
Nephritis.....130-132	8,028	777	718	740	735	735	651	552	499	528	589	650	854
Diseases of the prostate.....137	890	64	75	91	84	62	82	83	86	75	64	58	66
Diseases of pregnancy, childbirth, and puerperium...140-150	521	41	36	44	51	48	38	45	56	38	45	47	52
Puerperal septicemia.....140,142a,145A,147	210	15	16	14	12	25	16	16	19	11	25	15	26
Puerperal toxemia.....141a,c,144,148	98	10	3	10	6	9	8	11	14	8	6	6	7
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	213	16	17	20	13	14	14	18	23	19	14	26	19
Congenital malformations.....157	1,584	147	130	153	138	137	122	111	129	127	109	127	154
Premature birth (cause not stated).....159	2,728	254	206	236	216	282	233	236	239	195	218	205	208
Suicide.....163,164	1,704	133	130	152	179	177	148	122	139	149	137	109	129
Homicide.....165-168	310	30	24	27	23	26	29	25	29	20	22	22	33
Accidental deaths.....169-195	8,712	789	634	717	661	709	753	711	679	735	691	691	942
Motor-vehicle accidents.....170	1,851	150	120	129	126	129	112	145	150	149	214	182	245
Other accidents.....169,171-195	6,861	639	514	588	535	580	641	566	529	586	477	509	697
Senility, ill-defined and unknown causes.....162,199,200	391	40	38	36	24	22	27	25	26	25	43	28	57
All other causes.....	13,623	1,188	1,132	1,281	1,236	1,095	1,162	990	982	974	1,051	1,102	1,430
NORTH CAROLINA.....All causes	29,971	2,610	2,521	2,875	2,481	2,399	2,371	2,372	2,369	2,162	2,476	2,381	2,954
Typhoid and paratyphoid fever.....1,2	16	-	1	-	1	2	1	3	3	3	1	-	1
Cerebrospinal (meningococcus) meningitis.....6	73	5	7	9	9	9	4	5	9	2	4	3	7
Scarlet fever.....8	12	2	1	-	1	-	-	2	-	1	1	2	2
Whooping cough.....9	116	6	9	11	13	8	10	10	10	12	8	5	14
Diphtheria (infection by C. diphtheriae).....10	53	4	4	4	1	1	-	1	2	8	10	13	5
Tuberculosis (all forms).....13-22	1,366	130	106	107	135	144	112	100	103	92	102	119	116
Tuberculosis of respiratory system, etc. 13	1,257	116	97	104	125	128	99	94	92	85	98	112	107
Tuberculosis (other forms).....14-22	109	14	9	3	10	16	13	6	11	7	4	7	9
Dysentery.....27	57	2	3	3	3	4	7	13	10	1	5	3	3
Malaria.....28	22	1	4	1	2	2	1	2	5	2	1	-	1
Syphilis.....30	312	24	25	29	24	22	30	25	18	23	35	35	22
Measles.....35	24	3	2	1	3	3	3	2	2	-	-	3	2
Poliomyelitis, polioencephalitis (acute).....36	16	-	1	1	1	1	-	4	2	1	1	1	3
Cancer and other malignant tumors.....45-55	2,391	199	173	204	221	203	178	205	198	208	224	187	191
Cancer of the digestive organs and peritoneum.....46	913	71	64	71	84	84	66	75	91	74	90	70	73
Cancer of female genital organs.....48,49	447	44	29	45	42	35	44	35	32	48	32	36	25
Cancer of the breast.....50	233	22	22	17	24	17	10	20	19	19	22	22	19
Cancer (other sites).....45,47,51-55	798	62	58	71	71	67	58	75	56	67	80	59	74
Acute rheumatic fever.....58	54	8	5	5	3	3	5	5	1	5	2	6	6
Diabetes mellitus.....61	485	46	45	48	52	38	28	40	31	36	39	28	54
Exophthalmic goiter.....63b	41	2	1	4	5	5	6	2	5	1	1	4	5
Pellagra (except alcoholic).....69	105	6	10	10	12	6	14	9	11	4	7	13	3
Alcoholism (ethylism).....77	43	3	4	5	3	3	2	4	4	3	4	4	4
Intracranial lesions of vascular origin.....83	3,114	262	269	294	253	270	222	236	240	235	268	251	314
Diseases of the heart.....90-95	6,182	543	528	594	514	512	521	458	493	451	494	468	606
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	452	33	38	45	43	44	35	35	38	36	40	33	32
Diseases of coronary arteries and angina pectoris.....94	1,719	145	140	161	151	140	147	137	141	129	140	134	154
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	4,011	365	350	388	320	328	339	286	314	286	314	301	420
Pneumonia (all forms) and influenza.....107-109,33	2,161	269	258	323	211	111	75	78	71	98	139	136	394
Bronchopneumonia.....107	767	95	95	112	76	47	21	33	35	43	50	51	109
Lobar pneumonia.....108	674	86	80	102	71	36	34	24	25	31	53	44	88
Pneumonia (unspecified).....109	222	34	12	29	16	8	13	8	4	13	14	20	51
Influenza.....33	498	54	69	80	48	20	7	13	7	11	22	21	146
Ulcer of stomach or duodenum.....117	146	17	14	12	9	9	10	14	13	13	10	13	12
Diarrhea, enteritis, and ulceration of intestines.....119,120	511	13	11	19	16	19	83	116	92	55	44	28	15
Appendicitis.....121	166	9	8	17	16	17	17	14	19	14	9	16	10
Hernia and intestinal obstruction.....122	203	16	16	14	14	13	20	19	20	13	15	24	19
Cirrhosis of the liver.....124	141	7	9	13	10	9	19	12	15	12	14	12	9
Biliary calculi, etc.*.....126,127	68	5	5	6	1	7	6	6	8	4	7	9	4
Nephritis.....130-132	2,973	279	230	280	265	258	226	247	218	190	255	230	295
Diseases of the prostate.....137	143	9	10	12	10	9	17	17	9	12	15	9	14
Diseases of pregnancy, childbirth, and puerperium...140-150	306	23	30	32	24	34	22	23	31	25	21	25	16
Puerperal septicemia.....140,142a,145A,147	85	5	10	11	7	8	6	6	10	5	5	7	5
Puerperal toxemia.....141a,c,144,148	103	9	8	12	8	12	7	10	10	11	6	7	3
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	118	9	12	9	9	14	9	7	11	9	10	11	8
Congenital malformations.....157	466	38	35	38	34	33	47	36	41	45	41	38	42
Premature birth (cause not stated).....159	1,233	76	105	124	99	102	108	102	139	90	102	92	94
Suicide.....163,164	251	7	23	22	20	30	28	18	22	22	21	18	20
Homicide.....165-168	261	17	19	19	26	29	19	20	28	14	20	29	21
Accidental deaths.....169-195	2,201	177	163	198	139	149	184	193	188	178	199	207	226
Motor-vehicle accidents.....170	729	54	46	69	57	51	43	59	82	51	81	75	61
Other accidents.....169,171-195	1,472	123	117	129	82	98	141	134	106	127	118	132	165
Senility, ill-defined and unknown causes.....162,199,200	1,135	109	117	107	103	80	81	77	77	71	89	101	123
All other causes.....	3,124	293	272	309	228	254	265	254	251	220	268	249	281

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH DAKOTA.....All causes	5,170	485	407	432	473	457	393	397	340	392	403	400	591
Typhoid and paratyphoid fever.....1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	11	-	1	-	1	1	2	-	1	-	2	2	1
Scarlet fever.....8	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	5	-	-	-	-	-	-	-	-	2	1	1	1
Diphtheria (infection by C. diphtheriae).....10	6	1	-	-	-	1	-	-	-	1	-	1	2
Tuberculosis (all forms).....3-22	123	9	14	11	13	14	8	12	10	8	6	6	12
Tuberculosis of respiratory system, etc.*.....13	110	7	14	9	13	13	7	9	8	8	5	6	11
Tuberculosis (other forms).....14-22	13	2	-	2	-	1	1	3	2	-	1	-	1
Dysentery.....27	2	-	-	-	-	-	-	-	1	-	-	1	-
Malaria.....28	1	-	-	-	-	-	-	-	-	-	-	-	1
Syphilis.....30	25	3	2	2	2	2	-	1	1	4	1	2	5
Measles.....35	17	-	-	1	-	-	1	1	-	-	3	2	9
Poliomyelitis, polioencephalitis (acute).....36	2	-	-	-	-	-	-	-	-	1	-	1	-
Cancer and other malignant tumors.....45-55	655	53	48	63	51	58	49	63	57	47	50	47	69
Cancer of the digestive organs and peritoneum.....46	323	26	21	30	28	24	28	34	32	24	26	20	30
Cancer of female genital organs.....48,49	53	4	3	3	2	5	3	10	3	1	7	5	7
Cancer of the breast.....50	62	2	6	4	1	10	2	4	8	7	5	3	10
Cancer (other sites).....45,47,51-55	217	21	18	26	20	19	16	15	14	15	12	19	22
Acute rheumatic fever.....58	6	-	-	1	1	2	1	-	-	1	-	-	-
Diabetes mellitus.....61	150	12	15	9	11	12	14	8	11	11	17	11	19
Exophthalmic goiter.....63b	9	-	1	3	-	-	1	-	1	1	-	1	1
Pellagra (except alcoholic).....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	6	-	-	2	1	-	1	-	1	-	-	-	1
Intracranial lesions of vascular origin.....83	483	57	40	38	47	54	25	36	27	30	37	37	55
Diseases of the heart.....90-95	1,399	135	123	117	129	124	122	84	87	105	107	113	153
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	80	8	9	9	6	8	9	8	4	4	4	4	7
Diseases of coronary arteries and angina pectoris.....94	435	47	34	33	38	35	42	20	31	35	36	38	46
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	884	80	80	75	85	81	71	56	52	66	67	71	100
Pneumonia (all forms) and influenza.....107-109,33	308	40	24	17	26	19	19	15	6	12	17	26	87
Bronchopneumonia.....107	118	16	11	10	12	9	6	4	3	8	9	10	20
Lobar pneumonia.....108	90	12	5	4	7	6	9	10	3	4	2	9	19
Pneumonia (unspecified).....109	21	4	4	1	2	2	3	-	-	-	2	2	1
Influenza.....33	79	8	4	2	5	2	1	1	-	-	4	5	47
Ulcer of stomach or duodenum.....117	33	2	2	3	2	2	2	2	4	4	2	4	4
Diarrhea, enteritis, and ulceration of intestines.....119,120	27	2	2	2	-	3	4	-	4	3	3	4	-
Appendicitis.....121	31	5	2	4	4	1	1	4	4	-	2	1	3
Hernia and intestinal obstruction.....122	41	6	3	2	4	5	2	5	2	6	1	1	4
Cirrhosis of the liver.....124	33	6	2	-	3	2	1	1	3	2	5	5	3
Biliary calculi, etc.*.....126,127	37	4	3	5	3	2	1	3	3	1	4	5	3
Nephritis.....130-132	300	31	22	28	35	29	24	27	13	19	25	19	28
Diseases of the prostate.....137	41	7	4	4	2	2	4	3	1	5	1	4	4
Diseases of pregnancy, childbirth, and puerperium...140-150	39	4	2	4	4	1	5	3	2	3	7	3	1
Puerperal septicemia.....140,142a,145A,147	9	3	-	1	1	-	-	-	-	1	1	2	-
Puerperal toxemia.....141a,c,144,148	12	-	-	1	1	1	-	3	2	1	2	1	-
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	18	1	2	2	2	-	5	-	-	1	4	-	1
Congenital malformations.....157	59	8	3	9	5	3	7	3	5	5	4	4	3
Premature birth (cause not stated).....159	167	16	14	10	19	16	15	14	15	15	10	9	14
Suicide.....163,164	56	2	5	4	6	7	8	3	4	3	4	3	7
Homicide.....165-168	3	1	-	-	-	1	-	-	-	1	-	-	-
Accidental deaths.....169-195	378	30	18	27	32	35	23	41	31	35	37	32	37
Motor-vehicle accidents.....170	87	2	3	3	10	9	6	7	5	12	5	13	12
Other accidents.....169,171-195	291	28	15	24	22	26	17	34	26	23	32	19	25
Senility, ill-defined and unknown causes.....162,199,200	165	9	17	14	14	14	12	18	11	9	14	14	19
All other causes.....	552	42	40	52	58	47	41	50	35	58	43	41	45
OHIO.....All causes	82,464	7,206	6,883	7,711	7,064	6,892	6,283	6,324	6,008	5,946	6,518	6,532	9,099
Typhoid and paratyphoid fever.....1,2	39	-	-	1	2	3	4	9	10	4	4	1	1
Cerebrospinal (meningococcus) meningitis.....6	107	7	9	10	3	10	9	9	7	6	9	8	20
Scarlet fever.....8	34	3	3	3	4	2	1	2	4	3	1	4	4
Whooping cough.....9	131	8	11	20	14	10	8	12	15	14	5	11	3
Diphtheria (infection by C. diphtheriae).....10	47	12	3	2	3	4	1	2	2	4	5	4	5
Tuberculosis (all forms).....13-22	2,793	219	232	251	252	261	242	250	222	201	198	215	250
Tuberculosis of respiratory system, etc.*.....13	2,520	206	220	232	225	231	215	225	195	178	182	190	221
Tuberculosis (other forms).....14-22	273	13	12	19	27	30	27	25	27	23	16	25	29
Dysentery.....27	26	2	1	2	1	-	1	4	7	3	2	2	1
Malaria.....28	4	-	-	-	-	-	-	1	1	-	2	-	-
Syphilis.....30	951	90	79	101	62	93	59	66	68	82	80	80	91
Measles.....35	60	1	2	7	7	14	15	3	2	-	1	3	5
Poliomyelitis, polioencephalitis (acute).....36	16	1	1	1	1	-	-	1	3	5	1	1	1
Cancer and other malignant tumors.....45-55	9,833	814	744	895	823	809	813	883	814	795	765	816	862
Cancer of the digestive organs and peritoneum.....46	4,512	348	349	402	395	376	378	392	411	376	360	364	361
Cancer of female genital organs.....48,49	1,365	131	89	132	108	104	132	133	108	121	98	102	107
Cancer of the breast.....50	983	98	73	94	76	80	71	76	59	75	88	90	103
Cancer (other sites).....45,47,51-55	2,973	237	233	267	244	249	232	282	236	223	219	260	291
Acute rheumatic fever.....58	79	7	7	11	7	5	8	5	9	5	4	3	8
Diabetes mellitus.....61	2,378	217	196	235	195	204	207	179	181	147	171	183	265
Exophthalmic goiter.....63b	285	21	38	25	30	29	17	21	18	27	24	15	20
Pellagra (except alcoholic).....69	12	1	1	-	1	1	-	1	2	1	2	-	2
Alcoholism (ethylism).....77	66	3	4	5	9	9	4	8	4	4	6	8	4
Intracranial lesions of vascular origin.....83	8,362	733	701	796	723	690	620	583	605	611	705	675	920
Diseases of the heart.....90-95	24,749	2,246	2,116	2,295	2,161	2,114	1,774	1,786	1,660	1,778	2,006	1,990	2,823
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	1,713	158	126	152	153	146	122	124	119	105	152	145	211
Diseases of coronary arteries and angina pectoris.....94	7,619	728	618	699	654	637	488	563	541	574	650	687	800
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	15,417	1,360	1,372	1,444	1,354	1,331	1,164	1,099	1,000	1,099	1,204	1,178	1,812

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO—Continued													
Pneumonia (all forms) and influenza...107-109,33	4,988	475	535	603	454	378	239	157	180	197	264	354	1,152
Bronchopneumonia...107	2,055	203	256	251	183	158	98	80	86	105	112	173	350
Lobar pneumonia...108	1,553	157	167	197	147	129	97	53	56	58	99	112	283
Pneumonia (unspecified)...109	217	17	20	27	20	25	9	6	8	11	16	14	44
Influenza...33	1,163	98	92	128	104	66	35	18	30	25	37	55	475
Ulcer of stomach or duodenum...117	518	50	49	49	47	49	39	40	37	32	33	35	58
Diarrhea, enteritis, and ulceration of intestines...119,120	647	33	29	32	30	30	32	94	114	112	60	43	38
Appendicitis...121	390	41	28	35	31	34	36	39	34	33	24	31	24
Hernia and intestinal obstruction...122	695	59	50	63	55	56	74	41	63	56	51	58	69
Cirrhosis of the liver...124	703	62	60	74	59	56	49	62	62	42	67	34	76
Biliary calculi, etc.*...126,127	443	35	35	42	32	50	39	32	29	36	35	42	36
Nephritis...130-132	5,401	464	453	493	483	485	405	388	378	391	455	429	577
Diseases of the prostate...137	474	42	42	35	39	34	44	56	36	35	26	47	38
Diseases of pregnancy, childbirth, and puerperium...140-150	324	23	30	22	33	27	23	31	27	29	27	25	27
Puerperal septicemia...140,142a,145A,147	132	11	14	11	13	10	10	16	6	13	8	8	12
Puerperal toxemia...141a,c,144,148	66	5	4	5	8	7	7	5	4	4	8	4	5
Other puerperal causes...141b,d,e,f,142b,143,145B,146,149,150	126	7	12	6	12	10	6	10	17	12	11	13	10
Congenital malformations...157	864	80	78	82	51	68	54	72	84	67	81	75	72
Premature birth (cause not stated)...159	1,749	146	118	135	161	146	148	172	148	133	151	139	152
Suicide...163,164	805	64	49	94	72	70	68	81	57	63	57	66	64
Homicide...165-168	304	24	12	14	20	26	34	32	38	21	21	29	33
Accidental deaths...169-195	5,421	446	443	454	426	419	511	483	419	381	469	422	538
Motor-vehicle accidents...170	1,385	116	99	102	98	96	99	100	108	97	166	127	177
Other accidents...169,171-195	4,036	330	344	352	328	323	412	383	311	284	303	295	361
Senility, ill-defined and unknown causes...162,199,200	1,119	108	106	124	97	90	77	82	65	69	96	87	118
All other causes...	7,647	669	618	700	676	616	628	657	601	549	610	599	744
OKLAHOMA...All causes	20,271	1,868	1,612	1,837	1,578	1,627	1,504	1,990	1,842	1,332	1,557	1,529	1,995
Typhoid and paratyphoid fever...1,2	24	4	-	-	1	2	1	4	1	7	3	-	1
Cerebrospinal (meningococcus) meningitis...6	33	3	8	7	7	-	-	3	2	-	-	2	1
Scarlet fever...8	5	1	1	-	-	1	1	-	1	-	-	-	-
Whooping cough...9	89	7	3	9	16	10	10	11	5	6	6	3	3
Diphtheria (infection by C. diphtheriae)...10	30	9	2	3	1	1	1	1	2	2	1	2	5
Tuberculosis (all forms)...13-22	932	86	78	66	92	104	67	91	83	53	75	62	75
Tuberculosis of respiratory system, etc.*...13	869	81	72	63	82	97	63	86	77	51	67	59	71
Tuberculosis (other forms)...14-22	63	5	6	3	10	7	4	5	6	2	8	3	4
Dysentery...27	58	3	1	2	1	2	5	14	11	4	5	10	-
Malaria...28	31	1	1	1	2	1	1	13	3	3	2	3	-
Syphilis...30	235	15	25	16	16	21	26	29	16	17	21	16	17
Measles...35	4	1	-	-	2	1	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)...36	34	-	-	-	-	-	4	6	14	3	2	3	2
Cancer and other malignant tumors...45-55	2,020	164	148	178	169	162	152	197	197	155	174	147	176
Cancer of the digestive organs and peritoneum...46	858	73	57	80	78	65	70	70	74	64	76	69	82
Cancer of female genital organs...48,49	308	22	21	30	27	27	22	34	40	17	21	23	24
Cancer of the breast...50	151	13	18	9	9	17	12	18	15	7	19	6	8
Cancer (other sites)...45,47,51-55	703	56	52	60	55	55	48	75	68	67	58	49	62
Acute rheumatic fever...58	19	1	1	-	2	3	-	4	-	2	3	1	2
Diabetes mellitus...61	399	42	28	37	32	41	28	35	38	23	34	28	33
Exophthalmic goiter...63b	27	-	1	2	3	4	3	5	3	-	1	2	3
Pellagra (except alcoholic)...69	54	9	2	4	5	1	4	6	7	3	5	4	4
Alcoholism (ethylism)...77	18	2	2	3	-	1	1	2	2	2	1	1	1
Intracranial lesions of vascular origin...83	2,047	194	172	189	161	158	158	211	187	158	140	139	200
Diseases of the heart...90-95	4,394	419	355	383	343	350	338	393	381	281	355	362	434
Chronic rheumatic diseases of the heart...90a,92b,c,93c,95b	350	27	32	16	36	27	20	21	31	22	35	29	34
Diseases of coronary arteries and angina pectoris...94	1,459	141	107	122	103	124	113	130	91	117	116	146	149
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	2,605	251	216	245	204	199	205	242	259	142	204	187	251
Pneumonia (all forms) and influenza...107-109,33	1,344	170	181	203	112	58	48	40	57	39	71	102	263
Bronchopneumonia...107	367	48	43	62	42	26	11	17	17	10	23	27	41
Lobar pneumonia...108	300	40	34	42	24	6	13	5	18	11	17	34	56
Pneumonia (unspecified)...109	365	45	49	53	24	20	15	14	19	16	18	31	61
Influenza...33	312	37	55	48	22	6	9	4	3	2	13	10	105
Ulcer of stomach or duodenum...117	123	5	8	11	13	19	5	9	12	9	9	14	9
Diarrhea, enteritis, and ulceration of intestines...119,120	223	9	8	16	8	13	11	42	25	28	30	26	7
Appendicitis...121	179	15	13	20	13	15	17	14	25	10	11	11	15
Hernia and intestinal obstruction...122	176	17	13	16	15	8	16	27	18	8	12	15	11
Cirrhosis of the liver...124	121	5	5	10	8	13	15	12	8	11	12	12	12
Biliary calculi, etc.*...126,127	100	10	11	10	5	8	7	14	8	4	10	4	9
Nephritis...130-132	1,333	130	104	107	99	117	103	142	126	89	94	89	133
Diseases of the prostate...137	122	12	8	10	8	7	11	11	9	15	11	11	9
Diseases of pregnancy, childbirth, and puerperium...140-150	122	8	6	8	9	17	10	17	8	9	9	9	12
Puerperal septicemia...140,142a,145A,147	35	4	-	4	2	4	2	6	2	1	2	6	2
Puerperal toxemia...141a,c,144,148	37	3	3	-	3	6	5	7	3	1	3	2	1
Other puerperal causes...141b,d,e,f,142b,143,145B,146,149,150	50	1	3	4	4	7	3	4	3	7	4	1	9
Congenital malformations...157	264	20	15	23	18	30	19	23	26	21	31	21	17
Premature birth (cause not stated)...159	668	54	23	68	53	62	70	75	62	51	55	46	49
Suicide...163,164	156	10	13	19	6	20	6	15	14	13	14	11	15
Homicide...165-168	108	15	15	7	11	5	9	12	8	5	6	7	8
Accidental deaths...169-195	1,541	126	111	125	101	131	115	161	149	114	103	139	166
Motor-vehicle accidents...170	333	27	21	29	29	31	22	20	23	32	27	40	32
Other accidents...169,171-195	1,208	99	90	96	72	100	93	141	126	82	76	99	134
Senility, ill-defined and unknown causes...162,199,200	1,087	105	83	108	77	80	80	114	122	59	93	65	103
All other causes...	2,151	196	169	175	169	161	162	237	212	148	158	164	200

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON.....All causes	13,704	1,343	1,171	1,311	1,173	1,218	1,022	1,012	977	976	1,083	1,082	1,336
Typhoid and paratyphoid fever.....1,2	4	1	1	-	-	-	-	-	1	-	1	-	-
Cerebrospinal (meningococcus) meningitis.....6	49	6	3	7	8	8	3	4	-	2	4	1	3
Scarlet fever.....8	8	-	-	3	-	1	-	-	-	-	-	1	3
Whooping cough.....9	17	-	-	4	1	1	2	3	1	1	1	2	1
Diphtheria (infection by C. diphtheriae).....10	13	-	2	1	3	1	-	1	-	1	-	2	2
Tuberculosis (all forms).....13-22	271	27	26	23	27	25	14	22	19	17	15	20	36
Tuberculosis of respiratory system, etc.*.....13	229	25	20	19	23	22	10	20	17	12	12	16	33
Tuberculosis (other forms).....14-22	42	2	6	4	4	3	4	2	2	5	3	4	3
Dysentery.....27	8	1	-	-	1	1	-	1	-	1	1	1	1
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	119	13	10	14	7	9	5	7	9	12	11	12	10
Measles.....35	51	10	9	4	2	2	3	-	1	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	20	1	-	-	-	-	-	2	4	5	2	5	1
Cancer and other malignant tumors.....45-55	1,677	138	132	154	129	133	115	117	136	151	163	154	155
Cancer of the digestive organs and peritoneum.....46	760	71	54	61	53	55	57	60	69	75	65	64	76
Cancer of female genital organs.....48,49	184	8	18	18	18	15	15	15	14	16	10	20	17
Cancer of the breast.....50	162	11	8	16	8	19	10	10	12	12	21	23	12
Cancer (other sites).....45,47,51-55	571	48	52	59	50	44	33	32	41	48	67	47	50
Acute rheumatic fever.....58	10	1	-	-	1	-	1	2	-	2	-	-	3
Diabetes mellitus.....61	259	23	27	20	26	27	18	16	15	15	25	20	27
Exophthalmic goiter.....63b	27	2	1	4	1	3	3	1	2	1	3	3	3
Pellagra (except alcoholic).....69	2	1	-	-	-	-	-	-	-	1	-	-	-
Alcoholism (ethylism).....77	29	3	4	3	5	4	2	-	2	2	2	-	2
Intracranial lesions of vascular origin.....83	1,331	134	114	116	124	104	109	82	86	109	114	120	119
Diseases of the heart.....90-95	3,744	386	321	373	323	342	272	281	253	238	279	308	368
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	304	25	21	37	27	30	18	22	22	17	30	25	30
Diseases of coronary arteries and angina pectoris.....94	1,569	162	126	141	139	134	118	110	117	110	115	139	158
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	1,871	199	174	195	157	178	136	149	114	111	134	144	160
Pneumonia (all forms) and influenza.....107-109,33	971	126	116	123	88	98	52	26	28	36	48	56	174
Bronchopneumonia.....107	385	51	38	50	35	34	21	12	17	17	26	26	58
Lobar pneumonia.....108	379	41	54	52	41	42	22	10	10	15	16	23	53
Pneumonia (unspecified).....109	66	14	7	6	1	9	5	3	-	4	2	3	12
Influenza.....33	141	20	17	15	11	13	4	1	1	-	4	4	51
Ulcer of stomach or duodenum.....117	103	9	4	14	11	7	8	9	9	6	8	10	8
Diarrhea, enteritis, and ulceration of intestines.....119,120	42	5	3	3	5	1	2	1	5	3	8	5	1
Appendicitis.....121	63	4	4	7	6	3	6	7	6	8	7	1	4
Hernia and intestinal obstruction.....122	113	13	12	11	12	11	6	7	6	8	9	8	10
Cirrhosis of the liver.....124	80	10	11	6	6	8	6	9	6	4	4	4	6
Biliary calculi, etc.*.....126,127	46	5	5	6	5	7	3	1	4	6	1	2	1
Nephritis.....130-132	1,165	125	104	113	101	101	87	74	83	83	100	98	96
Diseases of the prostate.....137	90	4	9	17	6	5	10	8	5	4	10	7	5
Diseases of pregnancy, childbirth, and puerperium...140-150	38	3	2	3	2	2	1	4	4	4	4	7	2
Puerperal septicemia.....140,142a,145A,147	13	-	-	2	1	1	-	1	1	2	3	2	-
Puerperal toxemia.....141a,c,144,148	8	-	1	-	-	1	-	2	2	-	1	1	-
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	17	3	1	1	1	-	1	1	1	2	-	4	2
Congenital malformations.....157	155	17	17	11	11	9	18	15	15	9	13	10	10
Premature birth (cause not stated).....159	212	18	12	20	12	27	25	13	15	14	14	16	26
Suicide.....163,164	184	16	10	17	17	17	18	23	10	19	18	9	12
Homicide.....165-168	37	2	6	4	4	1	2	4	2	2	5	1	4
Accidental deaths.....169-195	1,137	78	87	97	86	93	84	132	116	94	95	86	89
Motor-vehicle accidents.....170	258	19	12	21	14	17	23	30	30	32	21	14	25
Other accidents.....169,171-195	879	59	75	76	72	76	61	102	86	62	74	72	64
Senility, ill-defined and unknown causes.....162,199,200	273	26	20	22	23	30	29	19	22	24	15	19	24
All other causes.....	1,376	135	99	111	120	137	118	121	112	94	105	94	130
PENNSYLVANIA.....All causes	115,907	10,464	9,547	10,443	10,031	9,618	9,175	8,205	8,201	7,921	9,113	9,150	14,039
Typhoid and paratyphoid fever.....1,2	35	5	2	3	3	2	3	2	6	2	2	4	1
Cerebrospinal (meningococcus) meningitis.....6	245	20	11	29	21	19	24	21	14	8	25	19	34
Scarlet fever.....8	31	2	4	5	3	2	1	2	-	2	1	5	4
Whooping cough.....9	216	19	25	27	29	9	9	18	21	9	19	9	22
Diphtheria (infection by C. diphtheriae).....10	29	-	2	3	1	2	5	3	2	1	6	3	1
Tuberculosis (all forms).....13-22	4,080	333	329	398	366	399	335	338	300	280	293	311	398
Tuberculosis of respiratory system, etc.*.....13	3,809	320	309	372	346	371	309	314	273	262	283	281	369
Tuberculosis (other forms).....14-22	271	13	20	26	20	28	26	24	27	18	10	30	29
Dysentery.....27	40	1	3	3	1	2	5	6	9	1	4	3	2
Malaria.....28	2	-	-	-	-	-	-	-	-	-	-	1	1
Syphilis.....30	1,143	131	101	99	89	95	86	74	70	73	94	111	120
Measles.....35	66	7	12	10	7	9	4	4	-	-	2	3	8
Poliomyelitis, polioencephalitis (acute).....36	19	3	1	4	-	1	2	-	3	1	2	2	-
Cancer and other malignant tumors.....45-55	13,709	1,092	1,030	1,130	1,114	1,173	1,185	1,111	1,176	1,103	1,170	1,134	1,291
Cancer of the digestive organs and peritoneum.....46	6,636	525	484	546	527	585	573	558	568	518	579	553	620
Cancer of female genital organs.....48,49	1,784	128	149	143	170	150	163	116	154	159	153	125	174
Cancer of the breast.....50	1,296	114	110	114	92	124	108	97	109	103	100	107	118
Cancer (other sites).....45,47,51-55	3,993	325	287	327	325	314	341	340	345	323	338	349	379
Acute rheumatic fever.....58	163	11	10	11	20	18	18	14	11	12	12	10	16
Diabetes mellitus.....61	3,652	353	312	323	322	287	277	251	251	240	278	273	485
Exophthalmic goiter.....63b	274	24	19	27	23	23	25	22	17	22	19	24	29
Pellagra (except alcoholic).....69	9	-	1	1	1	1	-	-	1	1	-	1	2
Alcoholism (ethylism).....77	163	16	16	19	22	4	11	10	15	12	12	13	14
Intracranial lesions of vascular origin.....83	9,415	922	756	872	795	764	775	674	626	696	765	752	1,018
Diseases of the heart.....90-95	37,455	3,471	3,125	3,446	3,353	3,100	2,837	2,547	2,502	2,388	2,977	3,005	4,704
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	2,433	214	222	211	231	210	181	175	152	157	205	193	282
Diseases of coronary arteries and angina pectoris.....94	10,530	973	872	971	944	912	779	716	750	674	834	905	1,200
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	24,492	2,284	2,051	2,264	2,178	1,978	1,877	1,656	1,600	1,557	1,938	1,907	3,222

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PENNSYLVANIA—Continued													
Pneumonia (all forms) and influenza.....107-109,33	7,538	771	722	682	604	494	306	234	250	251	452	522	2,050
Bronchopneumonia.....107	2,643	313	293	260	229	188	146	107	115	115	164	209	504
Lobar pneumonia.....108	3,084	321	298	303	284	238	124	101	108	108	239	227	735
Pneumonia (unspecified).....109	188	19	15	14	13	15	15	5	11	7	19	18	39
Influenza.....33	1,423	118	116	105	78	53	23	21	16	23	30	68	772
Ulcer of stomach or duodenum.....117	615	52	48	44	53	45	65	56	53	44	47	53	55
Diarrhea, enteritis, and ulceration of intestines.....119,120	603	43	35	55	49	53	45	49	70	63	49	46	46
Appendicitis.....121	520	52	39	42	49	47	54	41	50	28	41	33	44
Hernia and intestinal obstruction.....122	975	82	60	99	81	59	108	71	84	77	66	87	101
Cirrhosis of the liver.....124	1,046	116	88	89	79	92	59	93	92	87	79	73	99
Biliary calculi, etc.*.....126,127	577	54	42	45	45	45	55	54	40	52	49	38	58
Nephritis.....130-132	8,992	796	737	821	866	787	740	612	622	632	712	671	996
Diseases of the prostate.....137	563	41	46	54	51	38	48	54	47	56	57	46	45
Diseases of pregnancy, childbirth, and puerperium...140-150	493	40	42	55	42	44	45	46	50	41	27	26	35
Puerperal septicemia.....140,142a,145A,147	175	12	15	21	12	10	21	17	16	14	13	13	11
Puerperal toxemia.....141a,c,144,148	112	12	14	14	11	11	10	9	9	10	5	1	6
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	206	16	13	20	19	23	14	20	25	17	9	12	18
Congenital malformations.....157	1,308	128	120	125	115	117	103	99	96	96	101	98	110
Premature birth (cause not stated).....159	2,328	207	189	186	189	208	202	206	189	195	208	172	177
Suicide.....163,164	993	79	76	78	114	101	93	77	70	74	96	60	75
Homicide.....165-168	237	20	27	24	21	16	24	23	13	19	19	16	15
Accidental deaths.....169-195	6,719	539	526	592	506	569	594	531	537	540	521	583	681
Motor-vehicle accidents.....170	1,538	96	116	142	109	103	101	114	125	137	142	168	185
Other accidents.....169,171-195	5,181	443	410	450	397	466	493	417	412	403	379	415	496
Senility, ill-defined and unknown causes.....162,199,200	876	70	63	73	75	63	72	67	50	50	71	73	149
All other causes.....	10,978	964	928	989	922	930	960	795	864	765	857	871	1,153
RHODE ISLAND.....All causes	8,922	880	790	853	791	718	712	654	554	602	671	685	1,012
Typhoid and paratyphoid fever.....1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	44	5	7	12	6	5	2	1	1	2	-	2	1
Scarlet fever.....8	3	-	-	-	-	-	1	1	-	-	-	1	-
Whooping cough.....9	14	1	-	3	-	-	-	2	2	1	-	2	3
Diphtheria (infection by C. diphtheriae).....10	3	1	-	-	-	-	-	1	-	-	-	-	1
Tuberculosis (all forms).....11-22	296	21	21	16	35	33	14	34	30	20	24	22	26
Tuberculosis of respiratory system, etc.*.....11	262	17	18	15	28	32	10	29	23	19	24	22	25
Tuberculosis (other forms).....14-22	34	4	3	1	7	1	4	5	7	1	-	-	1
Dysentery.....27	1	-	-	-	1	-	-	-	-	-	-	-	-
Malaria.....28	1	-	1	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	65	5	4	5	10	5	8	5	8	3	5	3	4
Measles.....35	1	-	-	-	-	-	1	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	7	1	-	-	-	1	-	-	2	1	1	1	-
Cancer and other malignant tumors.....45-55	1,147	96	75	121	86	106	101	101	97	86	88	97	93
Cancer of the digestive organs and peritoneum.....46	566	64	40	57	40	55	49	50	42	39	40	49	41
Cancer of female genital organs.....48,49	121	9	5	10	10	12	14	12	14	14	7	7	7
Cancer of the breast.....50	138	9	8	12	8	10	12	11	9	16	15	12	14
Cancer (other sites).....45,47,51-55	324	14	22	42	28	29	26	28	32	17	26	29	31
Acute rheumatic fever.....58	3	-	-	-	-	-	-	1	-	-	-	2	-
Diabetes mellitus.....61	324	31	32	26	34	28	37	13	19	22	28	19	37
Exophthalmic goiter.....63b	11	1	2	1	-	-	1	-	2	1	1	2	-
Pellagra (except alcoholic).....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	6	1	-	-	-	1	1	1	-	-	-	1	1
Intracranial lesions of vascular origin.....83	705	65	60	66	59	54	56	59	46	46	49	48	97
Diseases of the heart.....90-95	3,076	324	257	293	269	241	238	214	166	225	232	251	386
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	147	10	18	11	19	10	14	8	4	5	9	14	25
Diseases of coronary arteries and angina pectoris.....94	939	101	91	82	85	90	66	77	49	57	60	72	109
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	1,990	213	148	200	165	141	158	129	113	163	163	145	252
Pneumonia (all forms) and influenza.....107-109,33	483	60	79	62	51	26	18	7	10	8	16	31	115
Bronchopneumonia.....107	219	21	39	32	24	12	12	2	5	4	6	15	47
Lobar pneumonia.....108	200	28	33	25	18	12	4	3	4	4	9	12	48
Pneumonia (unspecified).....109	22	6	2	-	4	2	1	-	1	-	-	2	4
Influenza.....33	42	5	5	5	5	-	1	2	-	-	1	2	16
Ulcer of stomach or duodenum.....117	92	9	13	4	5	8	4	15	7	4	3	8	12
Diarrhea, enteritis, and ulceration of intestines.....119,120	70	5	6	7	6	7	1	2	6	9	7	6	8
Appendicitis.....121	34	3	2	3	5	4	1	3	2	4	3	1	5
Hernia and intestinal obstruction.....122	87	4	3	5	4	10	8	12	10	6	8	7	10
Cirrhosis of the liver.....124	97	14	9	7	9	7	5	7	9	6	4	7	13
Biliary calculi, etc.*.....126,127	60	5	9	7	4	5	6	8	5	6	3	2	2
Nephritis.....130-132	669	77	69	75	67	49	57	47	44	58	51	58	57
Diseases of the prostate.....137	51	5	3	4	9	4	6	6	-	2	6	3	3
Diseases of pregnancy, childbirth, and puerperium...140-150	33	3	3	1	3	4	3	4	4	1	1	4	2
Puerperal septicemia.....140,142a,145A,147	14	1	2	1	-	3	1	1	2	1	1	1	-
Puerperal toxemia.....141a,c,144,148	8	1	-	-	2	-	1	2	-	-	-	2	-
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	11	1	1	-	1	1	1	1	2	-	-	1	2
Congenital malformations.....157	138	13	9	14	7	13	12	11	9	15	15	9	11
Premature birth (cause not stated).....159	161	12	19	11	15	14	12	15	6	14	16	11	16
Suicide.....163,164	47	2	2	5	2	3	5	2	4	7	6	5	4
Homicide.....165-168	11	4	-	1	1	1	1	2	-	-	1	-	-
Accidental deaths.....169-195	456	39	44	35	31	25	53	38	26	32	45	35	53
Motor-vehicle accidents.....170	75	5	10	3	5	4	6	7	4	5	8	6	12
Other accidents.....169,171-195	381	34	34	32	26	21	47	31	22	27	37	29	41
Senility, ill-defined and unknown causes.....162,199,200	23	6	2	1	1	1	-	-	-	1	2	6	3
All other causes.....	683	67	61	68	71	63	60	42	39	42	58	61	51

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA.....All causes	18,552	1,639	1,568	1,623	1,551	1,424	1,530	1,579	1,544	1,371	1,501	1,434	1,788
Typhoid and paratyphoid fever.....1,2	34	2	-	1	2	-	4	5	11	5	-	2	2
Cerebrospinal (meningococcus) meningitis.....6	50	7	3	8	2	7	4	4	2	1	5	1	6
Scarlet fever.....8	2	2	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	83	5	1	4	7	8	6	13	10	6	9	5	9
Diphtheria (infection by C. diphtheriae).....10	45	2	3	4	-	1	-	1	5	7	7	9	6
Tuberculosis (all forms).....15-22	689	68	61	71	75	60	62	55	42	58	57	35	45
Tuberculosis of respiratory system, etc.*.....13	622	60	56	63	67	51	52	53	39	55	55	31	40
Tuberculosis (other forms).....14-22	67	8	5	8	8	9	10	2	3	3	2	4	5
Dysentery.....27	59	1	-	3	1	3	18	18	3	6	4	2	-
Malaria.....28	64	1	2	1	2	4	9	11	16	8	5	-	5
Syphilis.....30	292	26	26	16	24	34	13	34	36	18	16	25	26
Measles.....35	13	-	-	1	3	6	-	2	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute).....36	7	3	-	1	-	-	-	-	-	1	-	1	1
Cancer and other malignant tumors.....45-55	1,179	93	104	95	90	84	91	97	108	109	107	90	111
Cancer of the digestive organs and peritoneum.....46	458	36	32	37	37	36	38	43	41	45	50	26	37
Cancer of female genital organs.....48,49	273	15	26	17	28	18	15	21	22	23	27	28	33
Cancer of the breast.....50	102	15	10	12	8	9	10	5	8	6	5	6	8
Cancer (other sites).....45,47,51-55	346	27	36	29	17	21	28	28	37	35	25	30	33
Acute rheumatic fever.....58	24	2	-	4	2	-	1	3	1	2	3	4	2
Diabetes mellitus.....61	276	17	32	19	31	17	26	25	19	20	21	19	30
Exophthalmic goiter.....63b	18	3	1	1	2	1	3	2	1	1	1	2	-
Pellagra (except alcoholic).....69	87	13	10	3	6	6	6	6	7	8	6	7	9
Alcoholism (ethylism).....77	26	1	2	3	3	2	4	2	3	1	2	-	3
Intracranial lesions of vascular origin.....83	1,906	176	173	176	171	158	153	151	140	140	145	148	175
Diseases of the heart.....90-95	3,540	325	302	317	292	276	301	308	257	239	300	297	326
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	239	20	21	21	15	13	25	14	24	13	20	25	28
Diseases of coronary arteries and angina pectoris.....94	939	74	83	77	72	78	72	93	63	67	90	83	87
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	2,362	231	198	219	205	185	204	201	170	159	190	189	211
Pneumonia (all forms) and influenza.....107-109,33	1,486	168	188	219	151	70	61	55	55	55	84	121	259
Bronchopneumonia.....107	470	54	55	80	45	22	21	19	29	22	29	35	59
Lobar pneumonia.....108	496	58	62	65	43	27	23	29	18	20	30	49	72
Pneumonia (unspecified).....109	132	19	27	17	12	6	8	1	3	4	8	10	17
Influenza.....33	388	37	44	57	51	15	9	6	5	9	17	27	111
Ulcer of stomach or duodenum.....117	88	7	5	6	11	8	5	10	8	7	7	4	10
Diarrhea, enteritis, and ulceration of intestines.....119,120	413	11	12	7	18	26	57	93	78	38	30	22	21
Appendicitis.....121	92	6	5	11	11	4	6	12	14	7	7	6	3
Hernia and intestinal obstruction.....122	127	8	12	13	9	8	11	10	12	9	17	7	11
Cirrhosis of the liver.....124	63	4	6	7	3	5	6	8	6	2	7	3	6
Biliary calculi, etc.*.....126,127	28	2	1	1	2	2	-	7	4	3	1	1	4
Nephritis.....130-132	1,906	165	160	179	158	147	152	153	147	138	178	153	176
Diseases of the prostate.....137	69	4	8	5	6	4	3	11	7	13	6	2	-
Diseases of pregnancy, childbirth, and puerperium...140-150	240	15	17	18	15	26	27	27	21	20	16	19	19
Puerperal septicemia.....140,142a,145A,147	55	3	3	4	2	5	11	7	6	4	4	4	2
Puerperal toxemia.....141a,c,144,148	91	5	10	7	4	11	10	7	8	8	5	5	11
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	94	7	4	7	9	10	6	13	7	8	7	10	6
Congenital malformations.....157	217	18	17	20	9	15	18	16	15	22	24	23	20
Premature birth (cause not stated).....159	759	71	54	41	75	68	65	65	77	65	59	61	58
Suicide.....163,164	94	10	4	6	12	14	10	9	7	5	6	6	5
Homicide.....165-168	197	18	19	16	18	17	13	18	22	17	10	16	13
Accidental deaths.....169-195	1,360	108	108	97	93	115	134	107	140	97	129	91	141
Motor-vehicle accidents.....170	563	16	20	20	26	29	17	25	44	39	61	37	49
Other accidents.....169,171-195	977	92	88	77	67	86	117	82	96	58	68	54	92
Senility, ill-defined and unknown causes.....162,199,200	1,226	115	102	105	92	77	106	96	102	91	84	117	139
All other causes.....	1,793	162	130	144	155	151	155	145	168	154	148	135	146
SOUTH DAKOTA.....All causes	5,641	555	455	500	470	484	462	442	394	390	411	445	633
Typhoid and paratyphoid fever.....1,2	2	-	-	-	1	-	1	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis.....6	8	-	1	1	-	1	-	-	-	-	2	1	2
Scarlet fever.....8	4	1	-	1	1	1	-	-	-	-	1	-	-
Whooping cough.....9	15	2	1	1	1	2	2	-	1	2	1	2	-
Diphtheria (infection by C. diphtheriae).....10	7	1	2	1	-	-	-	1	-	-	-	1	1
Tuberculosis (all forms).....15-22	176	15	12	22	17	14	15	16	10	11	10	12	22
Tuberculosis of respiratory system, etc.*.....13	152	12	11	20	13	12	14	11	8	11	8	12	20
Tuberculosis (other forms).....14-22	24	3	1	2	4	2	1	5	2	-	2	-	2
Dysentery.....27	2	1	-	-	-	-	-	-	-	-	1	-	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	33	3	2	4	3	2	1	3	1	5	5	3	1
Measles.....35	27	7	5	2	-	5	4	2	1	-	1	-	-
Poliomyelitis, polioencephalitis (acute).....36	1	-	-	-	-	-	-	-	-	-	1	-	-
Cancer and other malignant tumors.....45-55	678	52	45	49	67	63	53	58	52	70	57	59	53
Cancer of the digestive organs and peritoneum.....46	331	28	21	25	28	33	29	24	28	32	30	28	25
Cancer of female genital organs.....48,49	62	7	5	2	5	6	3	6	4	10	3	7	4
Cancer of the breast.....50	60	2	2	6	10	3	7	6	3	3	5	7	6
Cancer (other sites).....45,47,51-55	225	15	17	16	24	21	14	22	17	25	19	17	18
Acute rheumatic fever.....58	8	2	-	1	2	1	-	1	1	-	-	-	-
Diabetes mellitus.....61	126	10	12	11	10	12	12	8	9	5	8	11	18
Exophthalmic goiter.....63b	13	-	-	1	1	1	2	2	2	1	2	-	1
Pellagra (except alcoholic).....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	8	3	1	2	-	-	1	-	1	-	-	-	-
Intracranial lesions of vascular origin.....83	497	56	36	45	44	43	43	40	36	34	31	46	43
Diseases of the heart.....90-95	1,384	126	121	134	116	107	92	110	88	88	108	101	193
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	72	9	7	4	3	5	4	6	6	2	13	8	5
Diseases of coronary arteries and angina pectoris.....94	485	42	43	52	37	45	28	45	32	34	38	36	53
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	827	75	71	78	76	57	60	59	50	52	57	57	135

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA—Continued													
Pneumonia (all forms) and influenza....107-109,33	358	58	39	32	36	28	15	12	9	14	15	19	81
Bronchopneumonia....107	126	22	19	12	12	10	2	8	3	6	6	7	19
Lobar pneumonia....108	122	18	10	14	14	12	8	3	5	6	8	4	20
Pneumonia (unspecified)....109	27	7	5	1	4	3	2	-	-	1	-	2	2
Influenza....33	83	11	5	5	6	3	3	1	1	1	1	6	40
Ulcer of stomach or duodenum....117	31	-	1	5	2	2	2	2	2	1	4	5	5
Diarrhea, enteritis, and ulceration of intestines....119,120	27	2	1	1	3	-	1	4	3	3	4	1	4
Appendicitis....121	47	8	5	6	4	4	4	3	5	2	3	3	-
Hernia and intestinal obstruction....122	51	3	5	4	7	5	3	5	3	1	4	7	4
Cirrhosis of the liver....124	22	3	2	1	1	3	1	1	1	1	2	2	4
Biliary calculi, etc.*....126,127	38	2	6	4	4	2	5	2	4	2	1	4	2
Nephritis....130-132	303	28	26	22	17	31	39	24	20	21	18	25	32
Diseases of the prostate....137	44	5	2	3	2	5	2	3	2	4	4	6	6
Diseases of pregnancy, childbirth, and puerperium...140-150	20	1	-	3	2	2	2	1	4	2	1	1	1
Puerperal septicemia....140,142a,145A,147	11	1	-	-	-	1	2	1	2	2	-	1	1
Puerperal toxemia....141a,c,144,148	2	-	-	-	-	1	-	-	-	-	1	-	-
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	7	-	-	3	2	-	-	-	2	-	-	-	-
Congenital malformations....157	75	9	5	4	7	5	6	9	11	3	3	8	5
Premature birth (cause not stated)....159	124	8	4	12	8	14	13	18	2	4	13	14	14
Suicide....163,164	58	3	1	6	6	7	3	7	7	6	5	2	5
Homicide....165-168	8	2	-	-	1	-	1	1	1	-	1	1	-
Accidental deaths....169-195	471	35	38	29	30	47	56	34	47	43	42	33	37
Motor-vehicle accidents....170	75	-	6	6	5	6	3	7	4	9	14	5	10
Other accidents....169,171-195	396	35	32	23	25	41	53	27	43	34	28	28	27
Senility, ill-defined and unknown causes....162,199,200	309	42	29	43	23	21	28	22	18	17	21	19	26
All other causes....	666	67	53	50	54	56	55	53	53	50	43	59	73
TENNESSEE....All causes	27,935	2,528	2,282	2,605	2,275	2,227	2,308	2,362	2,361	1,943	2,171	2,153	2,740
Typhoid and paratyphoid fever....1,2	32	1	1	-	1	3	5	4	8	5	1	3	-
Cerebrospinal (meningococcus) meningitis....6	51	2	7	7	6	6	3	0	1	2	6	2	6
Scarlet fever....8	10	1	-	2	1	-	-	-	1	1	1	2	1
Whooping cough....9	180	8	11	24	22	19	27	13	15	11	9	11	10
Diphtheria (infection by C. diphtheriae)....10	38	6	2	1	2	1	1	1	2	9	5	5	3
Tuberculosis (all forms)....13-22	1,980	208	151	185	162	183	173	157	171	137	160	128	165
Tuberculosis of respiratory system, etc.*....13	1,807	192	141	170	142	167	152	139	162	126	146	115	155
Tuberculosis (other forms)....14-22	173	16	10	15	20	16	21	18	9	11	14	13	10
Dysentery....27	91	-	3	1	2	3	14	29	15	9	9	4	2
Malaria....28	21	-	-	1	1	2	1	3	1	5	3	3	1
Syphilis....30	351	28	34	40	30	25	28	31	31	20	24	28	32
Measles....35	37	3	1	11	8	6	2	3	1	1	-	1	-
Poliomyelitis, polioencephalitis (acute)....36	7	2	-	-	-	-	1	2	-	2	-	-	-
Cancer and other malignant tumors....45-55	2,465	209	199	194	199	228	223	198	209	193	215	208	192
Cancer of the digestive organs and peritoneum....46	955	77	77	69	72	94	85	82	83	78	84	79	75
Cancer of female genital organs....48,49	433	41	33	39	37	38	36	40	29	34	34	42	30
Cancer of the breast....50	248	17	15	22	27	21	25	13	28	18	29	15	18
Cancer (other sites)....45,47,51-55	829	74	74	64	63	75	77	63	69	63	66	72	69
Acute rheumatic fever....58	36	2	4	4	4	2	2	2	3	2	4	2	5
Diabetes mellitus....61	409	38	24	37	37	28	43	30	22	46	43	23	38
Exophthalmic goiter....63b	23	2	2	3	1	2	2	1	3	1	1	3	2
Pellagra (except alcoholic)....69	91	4	6	7	9	4	3	14	12	13	5	5	9
Alcoholism (ethylism)....77	33	4	2	7	1	1	5	3	3	1	1	2	3
Intracranial lesions of vascular origin....85	2,734	275	215	260	201	199	236	262	213	208	212	211	242
Diseases of the heart....90-95	5,723	484	442	547	510	474	475	470	461	380	462	461	557
Chronic rheumatic diseases of the heart....90a,92b,c,93c,95b	617	45	42	60	51	60	58	44	57	48	54	43	55
Diseases of coronary arteries and angina pectoris....94	1,455	119	123	141	109	126	126	122	127	93	107	129	133
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	3,651	320	277	346	350	288	291	304	277	259	301	289	369
Pneumonia (all forms) and influenza....107-109,33	2,297	285	257	298	205	147	84	82	103	92	126	174	444
Bronchopneumonia....107	768	94	92	88	67	50	34	42	48	50	49	54	100
Lobar pneumonia....108	738	91	70	97	64	55	28	27	29	28	53	64	132
Pneumonia (unspecified)....109	160	24	10	20	13	9	9	4	8	8	9	12	54
Influenza....33	631	76	85	93	61	33	13	9	18	6	15	44	178
Ulcer of stomach or duodenum....117	166	11	8	16	18	17	15	9	14	11	14	19	14
Diarrhea, enteritis, and ulceration of intestines....119,120	365	10	10	12	9	14	49	98	83	33	27	8	12
Appendicitis....121	170	13	9	8	15	13	21	25	23	9	10	14	10
Hernia and intestinal obstruction....122	214	11	18	16	15	14	16	20	21	18	22	24	19
Cirrhosis of the liver....124	139	19	8	8	13	8	13	14	8	10	13	11	14
Biliary calculi, etc.*....126,127	90	11	8	9	5	10	9	11	8	4	5	4	6
Nephritis....130-132	1,908	173	155	152	163	156	153	176	170	127	150	145	188
Diseases of the prostate....137	152	5	8	14	15	8	13	12	22	20	16	11	8
Diseases of pregnancy, childbirth, and puerperium...140-150	204	19	14	25	16	15	14	23	22	13	11	16	18
Puerperal septicemia....140,142a,145A,147	66	7	4	6	6	3	4	9	2	7	3	8	7
Puerperal toxemia....141a,c,144,148	76	9	8	10	5	8	4	5	10	5	4	3	5
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	62	3	2	9	5	2	6	9	10	1	4	5	6
Congenital malformations....157	295	28	29	26	25	8	22	33	28	22	22	26	28
Premature birth (cause not stated)....159	822	55	68	62	83	62	64	84	84	63	77	58	62
Suicide....163,164	181	21	12	17	16	15	20	26	13	10	11	14	6
Homicide....165-168	269	26	22	19	20	26	29	21	34	18	18	19	17
Accidental deaths....169-195	1,853	164	136	148	110	178	174	173	179	126	146	152	167
Motor-vehicle accidents....170	446	32	33	36	19	37	25	41	39	34	60	46	44
Other accidents....169,171-195	1,407	132	103	112	91	141	149	132	140	92	86	106	123
Senility, ill-defined and unknown causes....162,199,200	1,741	155	167	181	125	144	119	121	141	122	112	125	229
All other causes....	2,757	245	249	263	227	208	249	209	236	199	252	211	230

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS.....All causes	62,216	5,764	4,880	5,565	4,939	5,070	5,014	5,464	5,142	4,470	4,872	4,847	6,189
Typhoid and paratyphoid fever.....1,2	79	6	3	3	3	6	7	17	11	5	10	4	4
Cerebrospinal (meningococcus) meningitis.....6	61	7	12	11	2	2	4	7	5	1	5	3	2
Scarlet fever.....8	9	4	-	2	-	-	-	1	-	-	-	1	1
Whooping cough.....9	265	19	20	38	33	31	32	30	15	11	14	11	11
Diphtheria (infection by C. diphtheriae).....10	140	22	20	10	8	6	8	6	4	5	10	23	18
Tuberculosis (all forms).....13-22	3,338	292	282	273	301	318	260	303	270	258	251	254	276
Tuberculosis of respiratory system, etc.*.....13	3,160	276	271	258	278	308	245	291	255	246	238	235	259
Tuberculosis (other forms).....14-22	178	16	11	15	23	10	15	12	15	12	13	19	17
Dysentery.....27	424	17	-	20	22	41	80	79	44	26	23	47	25
Malaria.....28	68	4	-	1	8	5	6	12	17	5	5	3	2
Syphilis.....30	812	79	66	77	74	73	78	62	60	39	61	57	86
Measles.....35	39	1	4	9	4	8	3	2	2	1	-	2	3
Poliomyelitis, polioencephalitis (acute).....36	167	5	1	2	3	6	21	53	34	17	14	5	6
Cancer and other malignant tumors.....45-55	5,554	479	417	503	438	468	463	484	462	471	473	421	477
Cancer of the digestive organs and peritoneum.....46	2,193	185	154	202	175	188	193	186	176	170	182	179	203
Cancer of female genital organs.....48,49	795	66	62	71	65	65	72	63	77	64	75	54	61
Cancer of the breast.....50	453	35	49	40	38	30	35	33	47	35	34	28	49
Cancer (other sites).....45,47,51-55	2,113	193	152	190	160	185	163	202	162	202	182	160	164
Acute rheumatic fever.....58	59	5	10	4	5	5	1	4	5	2	9	4	5
Diabetes mellitus.....61	987	102	70	83	75	71	62	78	88	59	76	98	125
Exophthalmic goiter.....63b	58	5	6	7	6	10	3	4	5	7	3	1	1
Pellagra (except alcoholic).....69	272	30	30	15	28	22	24	23	23	10	20	24	23
Alcoholism (ethylism).....77	61	9	2	6	2	4	3	7	8	3	4	9	4
Intracranial lesions of vascular origin.....83	4,895	479	373	501	374	359	376	424	435	340	387	361	486
Diseases of the heart.....90-95	13,187	1,347	1,117	1,227	1,077	1,045	978	1,093	977	890	1,049	1,032	1,355
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	503	58	49	32	41	39	42	48	40	36	37	38	43
Diseases of coronary arteries and angina pectoris.....94	4,814	476	400	468	383	381	363	385	346	367	397	384	464
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	7,870	813	668	727	653	625	573	660	591	487	615	610	848
Pneumonia (all forms) and influenza.....107-109,33	4,054	538	413	492	342	230	184	183	176	152	234	309	801
Bronchopneumonia.....107	1,113	157	115	146	88	81	54	60	55	44	61	88	166
Lobar pneumonia.....108	1,023	126	109	106	97	60	53	51	52	37	71	91	170
Pneumonia (unspecified).....109	1,008	130	80	114	92	57	52	55	59	55	66	85	161
Influenza.....33	912	125	109	126	65	32	25	17	10	16	36	47	304
Ulcer of stomach or duodenum.....117	309	30	26	29	24	37	21	24	21	17	29	28	23
Diarrhea, enteritis, and ulceration of intestines.....119,120	1,695	90	49	66	113	230	226	229	161	93	119	182	137
Appendicitis.....121	439	35	25	32	43	36	47	50	50	35	34	27	25
Hernia and intestinal obstruction.....122	546	38	41	43	42	44	52	44	51	46	47	48	50
Cirrhosis of the liver.....124	371	36	31	29	33	27	22	25	32	33	39	27	37
Biliary calculi, etc.*.....126,127	250	14	15	23	21	25	22	29	29	20	19	22	11
Nephritis.....130-132	3,962	359	352	396	368	311	319	307	309	274	299	301	367
Diseases of the prostate.....137	380	26	19	33	25	31	28	31	29	51	40	27	40
Diseases of pregnancy, childbirth, and puerperium..140-150	420	30	28	32	34	27	41	54	36	44	28	28	38
Puerperal septicemia.....140,142a,145A,147	145	10	7	12	16	11	17	19	9	13	11	7	13
Puerperal toxemia.....141a,c,144,148	148	12	11	13	7	11	11	20	11	12	11	11	18
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	127	8	10	7	11	5	13	15	16	19	6	10	7
Congenital malformations.....157	682	60	50	62	42	44	56	56	65	55	58	68	68
Premature birth (cause not stated).....159	2,237	164	141	146	165	197	216	231	192	220	207	169	189
Suicide.....163,164	466	35	34	28	46	51	53	45	37	42	28	32	35
Homicide.....165-168	615	54	52	48	45	61	57	66	58	41	44	37	52
Accidental deaths.....169-195	5,757	509	421	463	408	518	509	526	545	457	468	440	493
Motor-vehicle accidents.....170	1,308	113	100	92	93	101	111	98	101	95	141	123	140
Other accidents.....169,171-195	4,449	396	321	371	315	417	398	428	444	362	327	317	353
Senility, ill-defined and unknown causes.....162,199,200	2,784	271	227	269	205	182	201	263	248	207	212	202	297
All other causes	6,774	563	523	582	520	541	551	612	638	533	555	540	616
UTAH.....All causes	5,054	491	403	450	394	395	400	387	371	362	430	396	575
Typhoid and paratyphoid fever.....1,2	2	-	-	-	1	-	-	-	-	-	-	1	-
Cerebrospinal (meningococcus) meningitis.....6	20	3	4	5	2	1	1	3	-	-	-	-	1
Scarlet fever.....8	1	-	-	-	-	1	-	-	-	-	-	-	-
Whooping cough.....9	6	-	1	1	-	-	1	1	1	1	-	-	-
Diphtheria (infection by C. diphtheriae).....10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms).....13-22	71	3	1	5	7	11	6	6	7	5	7	5	8
Tuberculosis of respiratory system, etc.*.....13	59	2	1	4	5	10	5	3	6	5	6	5	7
Tuberculosis (other forms).....14-22	12	1	-	1	2	1	1	3	1	-	1	-	1
Dysentery.....27	4	-	-	-	-	2	-	-	-	-	1	1	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	32	4	2	-	2	2	4	2	3	1	6	1	5
Measles.....35	13	1	4	3	3	-	2	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute).....36	26	-	-	1	1	1	1	1	3	9	6	2	1
Cancer and other malignant tumors.....45-55	511	42	35	53	34	32	44	34	36	47	58	45	51
Cancer of the digestive organs and peritoneum.....46	243	19	19	26	17	13	17	17	16	21	32	24	22
Cancer of female genital organs.....48,49	47	3	2	1	4	3	6	6	4	4	6	2	6
Cancer of the breast.....50	44	5	3	5	6	4	4	2	3	3	1	3	5
Cancer (other sites).....45,47,51-55	177	15	11	21	7	12	17	9	13	19	19	16	18
Acute rheumatic fever.....58	13	1	1	1	1	3	2	1	-	-	-	1	2
Diabetes mellitus.....61	118	12	5	14	14	6	11	6	8	8	10	12	12
Exophthalmic goiter.....63b	22	2	-	4	1	3	2	-	4	1	2	-	3
Pellagra (except alcoholic).....69	1	-	-	-	1	-	-	-	-	-	-	-	-
Alcoholism (ethylism).....77	5	-	-	-	-	1	2	2	-	-	-	-	-
Intracranial lesions of vascular origin.....83	377	35	31	32	23	27	34	30	23	38	31	37	36
Diseases of the heart.....90-95	1,452	155	136	120	131	130	109	94	97	88	117	114	161
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	164	9	14	25	12	18	14	9	14	11	7	16	15
Diseases of coronary arteries and angina pectoris.....94	454	51	43	37	41	35	38	27	32	29	39	42	40
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	854	95	79	58	78	77	57	58	51	48	71	56	106

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH—Continued													
Pneumonia (all forms) and influenza....107-109,33	263	35	41	33	13	24	18	12	4	8	9	17	49
Bronchopneumonia....107	110	18	21	15	6	9	9	8	1	3	3	6	11
Lobar pneumonia....108	78	9	12	8	3	11	6	3	2	4	2	8	10
Pneumonia (unspecified)....109	17	1	1	3	2	1	2	-	1	1	-	2	3
Influenza....33	58	7	7	7	2	3	1	1	-	-	4	1	25
Ulcer of stomach or duodenum....117	39	4	1	5	3	2	2	4	5	3	4	1	5
Diarrhea, enteritis, and ulceration of intestines....119,120	24	1	2	2	-	1	1	1	3	3	5	2	3
Appendicitis....121	39	1	1	5	2	2	4	3	7	8	3	-	3
Hernia and intestinal obstruction....122	51	3	1	2	3	5	4	6	6	7	6	6	2
Cirrhosis of the liver....124	33	6	2	3	3	2	1	3	2	3	2	5	1
Biliary calculi, etc.*....126,127	23	5	-	1	1	3	-	4	3	-	1	1	4
Nephritis....130-132	282	33	35	29	21	23	27	11	16	12	20	27	28
Diseases of the prostate....137	25	2	3	3	-	1	2	1	4	2	3	1	3
Diseases of pregnancy, childbirth, and puerperium...140-150	27	2	1	3	2	3	2	5	1	3	1	1	3
Puerperal septicemia....140,142a,145A,147	14	2	-	1	-	2	2	4	-	2	-	-	1
Puerperal toxemia....141a,c,144,148	5	-	1	-	2	-	-	1	-	1	-	-	-
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	8	-	-	2	-	1	-	-	1	-	1	1	2
Congenital malformations....157	96	7	5	7	4	13	16	11	6	6	8	5	8
Premature birth (cause not stated)....159	166	16	15	17	11	15	12	22	12	12	9	10	15
Suicide....163,164	35	3	3	1	2	1	2	5	4	4	3	4	3
Homicide....165-168	21	1	-	4	1	2	1	6	2	2	2	-	-
Accidental deaths....169-195	524	43	25	31	31	37	34	43	58	43	53	47	79
Motor-vehicle accidents....170	114	5	5	11	7	6	7	10	11	10	13	14	15
Other accidents....169,171-195	410	38	20	20	24	31	27	33	47	33	40	33	64
Senility, ill-defined and unknown causes....162,199,200	164	15	16	25	17	8	12	6	9	10	18	7	21
All other causes.......	568	56	32	40	59	33	43	64	47	38	45	43	68
VERMONT....All causes	4,601	450	377	427	409	353	322	325	311	326	381	364	556
Typhoid and paratyphoid fever....1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	4	-	1	1	-	-	-	1	1	-	-	-	-
Scarlet fever....8	2	-	-	1	1	-	-	-	-	-	-	-	-
Whooping cough....9	9	1	2	-	1	-	-	-	1	1	-	3	-
Diphtheria (infection by C. diphtheriae)....10	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms)....13-22	119	14	15	10	8	12	16	8	6	8	8	10	4
Tuberculosis of respiratory system, etc.*....13	108	13	15	8	7	11	12	8	5	8	8	9	4
Tuberculosis (other forms)....14-22	11	1	-	2	1	1	4	-	1	-	-	1	-
Dysentery....27	1	-	-	-	-	-	-	1	-	-	-	-	-
Malaria....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis....30	22	1	1	2	4	3	2	2	1	-	1	3	2
Measles....35	17	2	4	4	2	2	3	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	2	-	-	-	-	-	-	-	-	-	2	-	-
Cancer and other malignant tumors....45-55	552	48	50	46	38	37	39	41	48	52	43	52	58
Cancer of the digestive organs and peritoneum....46	255	28	15	20	12	20	17	19	27	29	16	20	32
Cancer of female genital organs....48,49	59	4	3	5	8	6	2	4	2	5	3	11	6
Cancer of the breast....50	56	6	10	3	6	3	4	3	3	4	7	5	2
Cancer (other sites)....45,47,51-55	182	10	22	18	12	8	18	15	16	14	17	16	18
Acute rheumatic fever....58	4	-	-	-	-	1	1	-	1	1	-	-	-
Diabetes mellitus....61	126	5	10	12	12	10	10	8	6	8	12	14	19
Exophthalmic goiter....63b	5	-	1	2	-	-	-	-	1	-	1	-	-
Pellagra (except alcoholic)....69	1	-	-	-	-	-	-	-	-	1	-	-	-
Alcoholism (ethylism)....77	9	-	-	-	-	2	-	1	1	1	1	-	3
Intracranial lesions of vascular origin....83	439	41	33	49	39	28	29	30	31	32	33	38	58
Diseases of the heart....90-95	1,439	133	117	128	131	118	96	104	89	95	130	103	175
Chronic rheumatic diseases of the heart....90a,92b,c,93c,95b	106	10	9	12	11	9	6	6	8	3	8	12	18
Diseases of coronary arteries and angina pectoris....94	460	52	36	39	37	40	32	31	25	44	51	30	43
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	873	91	72	77	83	69	58	67	58	48	73	61	116
Pneumonia (all forms) and influenza....107-109,33	301	33	27	35	39	29	11	12	4	9	8	17	77
Bronchopneumonia....107	104	12	8	11	11	13	9	3	3	2	5	6	21
Lobar pneumonia....108	104	13	11	12	13	9	1	7	1	6	2	7	22
Pneumonia (unspecified)....109	17	4	-	2	3	2	1	2	-	-	-	2	1
Influenza....33	76	4	8	10	12	5	-	-	-	1	1	2	33
Ulcer of stomach or duodenum....117	33	3	2	2	3	1	2	3	4	4	5	2	2
Diarrhea, enteritis, and ulceration of intestines....119,120	20	2	1	1	2	1	3	2	2	-	3	2	1
Appendicitis....121	30	7	4	1	3	-	2	2	-	1	4	2	4
Hernia and intestinal obstruction....122	49	5	4	5	2	6	3	4	8	3	3	2	4
Cirrhosis of the liver....124	17	4	1	2	-	1	-	2	-	3	3	1	-
Biliary calculi, etc.*....126,127	18	2	1	-	1	1	3	1	1	1	2	2	3
Nephritis....130-132	272	24	23	23	26	22	18	16	23	24	25	23	25
Diseases of the prostate....137	30	6	1	1	1	1	2	2	3	1	5	2	5
Diseases of pregnancy, childbirth, and puerperium...140-150	16	2	1	1	-	2	1	2	1	2	1	2	1
Puerperal septicemia....140,142a,145A,147	7	1	-	-	-	1	1	-	-	1	1	1	1
Puerperal toxemia....141a,c,144,148	5	1	1	-	-	1	-	-	-	1	-	1	-
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	4	-	-	1	-	-	-	2	1	-	-	-	-
Congenital malformations....157	50	5	3	9	1	5	2	2	1	5	8	5	4
Premature birth (cause not stated)....159	73	2	8	6	8	4	7	8	5	6	10	5	4
Suicide....163,164	56	6	2	6	3	7	4	7	4	4	5	3	5
Homicide....165-168	2	-	-	-	-	-	-	1	-	1	-	-	-
Accidental deaths....169-195	263	15	12	14	22	23	26	22	27	21	26	35	20
Motor-vehicle accidents....170	51	1	4	1	6	3	7	3	9	3	6	5	3
Other accidents....169,171-195	212	14	8	13	16	20	19	19	18	18	20	30	17
Senility, ill-defined and unknown causes....162,199,200	62	10	5	6	8	3	8	1	1	1	2	6	11
All other causes.......	558	59	48	60	54	34	34	42	41	41	40	34	71

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA.....All causes	28,915	2,632	2,433	2,604	2,467	2,328	2,292	2,234	2,207	2,115	2,330	2,135	3,138
Typhoid and paratyphoid fever.....1,2	17	-	3	-	-	-	-	1	2	6	2	1	2
Cerebrospinal (meningococcus) meningitis.....6	102	13	12	20	9	13	6	2	4	3	4	2	14
Scarlet fever.....8	9	4	-	1	1	-	-	-	-	-	-	2	1
Whooping cough.....9	131	10	9	10	7	9	8	8	18	8	14	10	20
Diphtheria (infection by C. diphtheriae).....10	25	5	3	2	1	2	1	1	-	-	5	2	3
Tuberculosis (all forms).....13-22	1,449	131	118	134	109	125	123	122	105	116	119	115	132
Tuberculosis of respiratory system, etc.*.....13	1,320	120	110	123	100	117	108	106	97	108	104	100	127
Tuberculosis (other forms).....14-22	129	11	8	11	9	8	15	16	8	8	15	15	5
Dysentery.....27	73	1	-	4	5	2	4	13	22	10	5	6	1
Malaria.....28	1	-	-	-	-	-	-	1	-	-	-	-	-
Syphilis.....30	385	31	44	29	21	30	40	38	27	35	30	30	30
Measles.....35	11	-	3	1	1	3	2	-	-	-	-	-	1
Poliomyelitis, polioencephalitis (acute).....36	10	1	-	-	-	-	1	2	3	1	2	-	-
Cancer and other malignant tumors.....45-55	2,428	197	186	192	202	200	173	213	202	217	233	207	206
Cancer of the digestive organs and peritoneum.....46	1,046	91	72	90	90	90	80	96	90	88	90	91	78
Cancer of female genital organs.....48,49	389	23	33	29	39	28	29	36	29	34	41	32	36
Cancer of the breast.....50	250	17	20	20	16	26	17	14	26	27	20	26	21
Cancer (other sites).....45,47,51-55	743	66	61	53	57	58	47	67	57	68	82	58	71
Acute rheumatic fever.....58	42	4	3	4	5	3	7	6	1	2	4	1	2
Diabetes mellitus.....61	510	55	43	44	39	37	39	33	34	29	43	42	72
Exophthalmic goiter.....63b	48	2	3	5	4	6	3	2	7	5	3	5	3
Pellagra (except alcoholic).....69	38	1	2	3	4	3	5	4	2	3	3	4	4
Alcoholism (ethylism).....77	48	8	6	3	4	3	3	-	4	2	8	-	7
Intracranial lesions of vascular origin.....83	2,951	275	270	282	237	225	241	245	227	187	229	217	316
Diseases of the heart.....90-95	6,917	650	584	616	615	574	520	536	485	492	574	504	767
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	458	44	37	52	43	41	34	40	27	37	35	19	49
Diseases of coronary arteries and angina pectoris.....94	1,904	169	162	151	180	153	137	143	148	158	150	154	199
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	4,555	437	385	413	392	380	349	353	310	297	389	331	519
Pneumonia (all forms) and influenza.....107-109,33	2,098	262	247	281	198	125	78	52	66	76	118	135	460
Bronchopneumonia.....107	736	108	94	91	64	39	33	20	33	41	48	54	111
Lobar pneumonia.....108	590	77	63	97	61	45	28	15	14	20	37	44	89
Pneumonia (unspecified).....109	305	31	31	43	28	22	11	13	11	8	21	21	65
Influenza.....33	467	46	59	50	45	19	6	4	8	7	12	16	195
Ulcer of stomach or duodenum.....117	186	14	13	18	13	21	15	14	11	14	11	19	23
Diarrhea, enteritis, and ulceration of intestines.....119,120	342	9	10	15	21	15	30	49	68	54	33	25	13
Appendicitis.....121	142	4	7	6	13	9	28	18	15	5	13	10	14
Hernia and intestinal obstruction.....122	225	23	17	26	17	21	22	16	17	17	12	19	18
Cirrhosis of the liver.....124	135	17	9	10	13	15	14	3	13	9	10	10	12
Biliary calculi, etc.*.....126,127	90	4	11	7	7	6	13	6	7	8	5	7	9
Nephritis.....130-132	2,508	216	189	200	249	217	214	199	207	179	201	195	242
Diseases of the prostate.....137	142	15	14	9	11	10	18	13	13	10	6	9	14
Diseases of pregnancy, childbirth, and puerperium...140-150	210	22	19	19	12	23	25	17	18	14	17	15	9
Puerperal septicemia.....140,142a,145A,147	78	7	10	4	5	11	9	5	6	3	9	5	2
Puerperal toxemia.....141a,c,144,148	64	5	4	7	5	6	10	5	5	8	4	2	3
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	70	10	5	8	2	6	6	7	7	3	4	8	4
Congenital malformations.....157	393	24	33	46	28	34	25	31	30	27	50	33	32
Premature birth (cause not stated).....159	1,006	93	67	92	87	90	86	85	97	93	90	48	78
Suicide.....163,164	292	22	22	22	22	31	32	24	19	30	28	17	23
Homicide.....165-168	270	22	17	18	22	28	38	27	24	24	10	16	24
Accidental deaths.....169-195	2,035	130	142	166	178	171	211	134	193	185	155	150	220
Motor-vehicle accidents.....170	586	30	42	45	46	32	58	32	58	59	48	57	79
Other accidents.....169,171-195	1,449	100	100	121	132	139	153	102	135	126	107	93	141
Senility, ill-defined and unknown causes.....162,199,200	753	81	80	70	64	48	60	54	56	48	56	55	81
All other causes.....	2,893	286	247	249	248	229	207	265	210	206	237	224	285
WASHINGTON.....All causes	22,566	2,194	1,924	2,161	1,907	1,931	1,830	1,741	1,586	1,595	1,782	1,666	2,269
Typhoid and paratyphoid fever.....1,2	4	-	-	-	-	-	1	2	-	-	-	-	1
Cerebrospinal (meningococcus) meningitis.....6	46	6	4	8	2	4	3	4	-	-	4	6	5
Scarlet fever.....8	8	3	-	1	2	1	-	-	-	-	1	-	-
Whooping cough.....9	21	2	4	1	-	-	4	1	3	2	2	2	-
Diphtheria (infection by C. diphtheriae).....10	27	3	3	3	-	1	5	2	2	2	1	3	2
Tuberculosis (all forms).....13-22	720	62	58	66	65	67	69	51	59	60	53	56	54
Tuberculosis of respiratory system, etc.*.....13	643	58	50	60	57	54	65	45	55	53	45	50	51
Tuberculosis (other forms).....14-22	77	4	8	6	8	13	4	6	4	7	8	6	3
Dysentery.....27	18	1	1	-	1	1	-	1	1	5	5	2	-
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	231	23	26	18	21	18	14	19	24	17	13	19	19
Measles.....35	45	8	7	11	5	3	5	2	1	-	2	-	1
Poliomyelitis, polioencephalitis (acute).....36	29	2	-	1	-	3	-	-	9	1	6	5	2
Cancer and other malignant tumors.....45-55	2,598	226	155	231	206	234	204	224	208	207	243	207	253
Cancer of the digestive organs and peritoneum.....46	1,206	105	68	110	98	113	91	115	116	85	114	94	97
Cancer of female genital organs.....48,49	269	20	21	19	19	20	28	23	19	27	16	22	35
Cancer of the breast.....50	234	21	14	20	12	21	20	19	15	20	27	16	29
Cancer (other sites).....45,47,51-55	889	80	52	82	77	80	65	67	58	75	86	75	92
Acute rheumatic fever.....58	19	2	7	-	2	1	-	1	1	-	1	2	2
Diabetes mellitus.....61	497	56	46	38	46	35	37	44	38	27	39	35	56
Exophthalmic goiter.....63b	40	6	3	2	2	5	2	5	3	4	3	1	4
Pellagra (except alcoholic).....69	3	1	-	-	-	1	-	1	-	-	-	-	-
Alcoholism (ethylism).....77	106	9	5	13	9	15	7	11	6	6	5	7	13
Intracranial lesions of vascular origin.....83	2,067	216	182	201	166	170	178	149	139	155	159	155	197
Diseases of the heart.....90-95	6,904	702	611	694	598	586	563	512	432	503	530	491	682
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	447	44	42	42	36	36	45	24	27	35	27	31	58
Diseases of coronary arteries and angina pectoris.....94	2,358	266	212	219	216	189	173	183	149	159	184	184	224
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	4,099	392	357	433	346	361	345	305	256	309	319	276	400

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192).

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WASHINGTON—Continued													
Pneumonia (all forms) and influenza.....107-109,33	1,314	152	130	188	115	118	87	49	52	47	68	92	256
Bronchopneumonia.....107	495	66	58	65	54	35	22	18	14	26	28	47	62
Lobar pneumonia.....108	501	58	50	82	40	54	49	19	11	12	27	51	68
Pneumonia (unspecified).....109	103	8	12	12	5	7	6	7	3	3	8	9	25
Influenza.....33	215	20	10	29	16	22	10	5	4	6	5	5	83
Ulcer of stomach or duodenum.....117	190	15	18	18	17	17	21	24	9	13	14	11	15
Diarrhea, enteritis, and ulceration of intestines.....119,120	100	5	4	9	13	8	9	4	7	12	11	12	6
Appendicitis.....121	94	14	6	6	8	10	5	9	6	5	11	7	7
Hernia and intestinal obstruction.....122	188	18	15	16	18	14	7	18	13	19	22	8	18
Cirrhosis of the liver.....124	165	5	19	12	21	17	9	16	16	13	13	9	15
Biliary calculi, etc.*.....126,127	109	10	16	13	8	11	10	4	8	11	5	6	7
Nephritis.....130-132	1,202	125	106	116	88	97	91	81	88	96	89	96	129
Diseases of the prostate.....137	175	16	19	18	14	15	19	12	6	6	11	15	26
Diseases of pregnancy, childbirth, and puerperium...140-150	72	2	6	7	6	6	7	6	7	5	6	5	9
Puerperal septicemia.....140,142a,145A,147	35	1	2	4	2	1	5	3	4	3	3	2	5
Puerperal toxemia.....141a,c,144,148	17	-	2	2	-	3	1	1	2	1	3	-	2
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	20	1	2	1	4	2	1	2	1	1	-	3	2
Congenital malformations.....157	286	17	19	29	31	25	21	29	27	16	26	22	26
Premature birth (cause not stated).....159	442	33	34	44	39	30	45	36	30	36	36	37	42
Suicide.....163,164	293	25	28	27	30	15	30	32	25	21	18	20	22
Homicide.....165-168	51	2	2	2	6	7	1	5	6	2	7	3	8
Accidental deaths.....169-195	1,867	192	160	118	138	160	168	163	164	130	165	148	161
Motor-vehicle accidents.....170	403	36	26	26	27	25	41	36	28	39	36	32	51
Other accidents.....169,171-195	1,464	156	134	92	111	135	127	127	136	91	129	116	110
Senility, ill-defined and unknown causes.....162,199,200	389	39	30	44	23	32	33	37	27	18	32	19	55
All other causes.....	2,248	196	200	206	207	206	175	187	169	156	181	167	198
WEST VIRGINIA.....All causes	17,239	1,500	1,485	1,660	1,504	1,554	1,345	1,333	1,367	1,328	1,415	1,251	1,711
Typhoid and paratyphoid fever.....1,2	16	-	1	-	4	3	2	2	1	-	2	1	-
Cerebrospinal (meningococcus) meningitis.....6	29	6	-	-	2	6	1	4	1	3	2	4	-
Scarlet fever.....8	9	4	2	1	-	-	-	-	1	-	-	-	1
Whooping cough.....9	89	4	10	8	3	4	9	12	10	11	6	9	3
Diphtheria (infection by C. diphtheriae).....10	33	7	2	2	-	1	-	-	1	7	5	3	3
Tuberculosis (all forms).....13-22	769	63	61	76	75	68	68	66	66	55	54	58	61
Tuberculosis of respiratory system, etc.*.....13	693	53	52	68	67	60	57	65	61	52	50	54	54
Tuberculosis (other forms).....14-22	76	10	9	8	8	8	11	1	5	3	4	2	7
Dysentery.....27	64	-	-	1	-	-	3	9	24	12	8	7	-
Malaria.....28	1	-	-	-	-	-	1	-	-	-	-	-	-
Syphilis.....30	257	12	19	20	23	17	27	23	25	23	25	22	21
Measles.....35	12	-	-	-	-	2	1	-	-	2	2	2	3
Poliomyelitis, polioencephalitis (acute).....36	3	-	-	-	-	-	-	-	-	2	1	-	-
Cancer and other malignant tumors.....45-55	1,572	123	123	136	121	123	142	138	132	143	139	113	139
Cancer of the digestive organs and peritoneum.....46	718	65	58	66	61	64	58	60	51	54	64	58	59
Cancer of female genital organs.....48,49	259	20	21	13	19	22	21	30	27	20	22	19	25
Cancer of the breast.....50	129	7	9	9	10	8	17	9	12	12	19	6	11
Cancer (other sites).....45,47,51-55	466	31	35	48	31	29	46	39	42	57	34	30	44
Acute rheumatic fever.....58	16	2	1	1	2	-	1	-	2	1	2	4	-
Diabetes mellitus.....61	355	32	27	32	30	35	14	31	23	21	26	22	42
Exophthalmic goiter.....63b	27	3	-	2	3	5	-	3	2	3	2	1	3
Pellagra (except alcoholic).....69	8	1	-	-	1	1	1	-	2	-	-	1	1
Alcoholism (ethyliam).....77	22	3	2	-	1	4	2	3	1	1	1	2	2
Intracranial lesions of vascular origin.....83	1,538	150	130	145	130	121	122	122	109	127	127	110	145
Diseases of the heart.....90-95	3,828	357	368	392	343	304	286	316	248	254	325	307	330
Chronic rheumatic diseases of the heart.....90a,92b,c,93c,95b	262	25	22	28	21	25	20	25	13	16	26	21	22
Diseases of coronary arteries and angina pectoris.....94	1,096	101	100	101	100	85	80	111	80	68	90	88	92
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	2,470	231	244	263	222	196	186	180	155	170	209	198	216
Pneumonia (all forms) and influenza.....107-109,33	1,322	133	160	193	131	89	52	50	51	41	89	70	283
Bronchopneumonia.....107	502	47	66	63	64	35	22	19	21	16	38	37	74
Lobar pneumonia.....108	344	34	46	54	21	26	15	19	16	11	25	18	59
Pneumonia (unspecified).....109	204	20	29	41	13	11	7	6	8	6	9	7	47
Influenza.....33	272	32	19	35	33	17	8	6	6	8	17	8	83
Ulcer of stomach or duodenum.....117	89	9	8	10	8	7	5	5	6	6	8	9	8
Diarrhea, enteritis, and ulceration of intestines.....119,120	300	7	10	14	5	9	13	33	77	72	39	9	12
Appendicitis.....121	74	5	5	5	7	3	10	7	9	6	3	9	5
Hernia and intestinal obstruction.....122	148	16	9	10	15	10	14	6	8	17	12	16	15
Cirrhosis of the liver.....124	97	6	8	5	10	6	14	7	11	5	13	4	8
Biliary calculi, etc.*.....126,127	72	10	5	6	7	2	6	5	6	7	8	3	7
Nephritis.....130-132	1,191	110	107	121	95	88	91	100	86	91	105	75	122
Diseases of the prostate.....137	71	5	7	7	10	6	3	5	6	5	5	2	10
Diseases of pregnancy, childbirth, and puerperium...140-150	126	12	15	12	16	5	12	9	10	7	14	9	7
Puerperal septicemia.....140,142a,145A,147	37	3	5	5	4	2	3	3	1	3	2	3	3
Puerperal toxemia.....141a,c,144,148	38	3	6	2	2	2	7	3	5	2	1	1	2
Other puerperal causes.....141b,d,e,f,142b,143,145B,146,149,150	53	6	2	5	10	1	2	3	4	2	11	5	2
Congenital malformations.....157	265	29	22	31	29	21	15	11	12	30	24	18	23
Premature birth (cause not stated).....159	640	56	54	44	57	54	51	57	64	50	48	40	65
Suicide.....163,164	149	9	10	23	15	14	9	8	14	16	13	7	11
Homicide.....165-168	75	6	11	7	5	7	9	4	6	3	4	7	6
Accidental deaths.....169-195	1,565	130	121	130	132	124	149	122	157	122	117	114	147
Motor-vehicle accidents.....170	258	21	11	23	18	23	21	7	32	23	33	19	25
Other accidents.....169,171-195	1,309	109	110	107	114	101	128	115	125	99	84	95	122
Senility, ill-defined and unknown causes.....162,199,200	780	73	71	83	75	59	53	51	60	56	53	55	86
All other causes.....	1,647	117	130	143	149	136	152	124	136	129	131	142	158

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WISCONSIN....All causes	32,668	3,024	2,645	2,955	2,803	2,898	2,625	2,364	2,277	2,275	2,558	2,533	3,713
Typhoid and paratyphoid fever....1,2	7	-	2	-	1	1	1	-	-	-	-	1	1
Cerebrospinal (meningococcus) meningitis....6	38	1	1	4	1	4	5	2	2	3	5	-	10
Scarlet fever....8	18	2	1	1	2	4	-	1	1	2	2	1	1
Whooping cough....9	47	2	2	2	6	5	6	7	4	3	3	2	5
Diphtheria (infection by C. diphtheriae)....10	7	3	1	-	1	-	-	1	-	-	-	1	-
Tuberculosis (all forms)....13-22	776	62	67	66	71	57	76	64	69	64	53	60	68
Tuberculosis of respiratory system, etc.*....13	707	58	65	61	65	51	68	60	63	55	46	56	61
Tuberculosis (other forms)....14-22	69	6	2	5	6	6	8	4	5	9	7	4	7
Dysentery....27	6	-	3	-	1	-	-	1	1	-	-	-	-
Malaria....28	2	-	-	-	-	-	-	-	-	1	1	-	-
Syphilis....30	198	21	14	11	22	24	8	20	12	14	13	16	23
Measles....35	38	1	2	1	5	8	5	4	2	-	-	3	7
Poliomyelitis, polioencephalitis (acute)....36	20	-	-	-	1	-	-	-	5	6	6	1	1
Cancer and other malignant tumors....45-55	4,458	383	355	383	363	410	385	334	347	368	382	352	396
Cancer of the digestive organs and peritoneum....46	2,192	202	171	214	184	214	184	159	160	195	189	170	180
Cancer of female genital organs....48,49	497	42	47	36	50	35	41	43	46	43	37	35	42
Cancer of the breast....50	452	37	36	34	37	44	30	35	27	38	51	33	50
Cancer (other sites)....45,47,51-55	1,317	102	101	99	112	117	130	97	114	102	105	114	124
Acute rheumatic fever....58	44	2	3	9	1	4	4	3	4	3	2	6	3
Diabetes mellitus....61	983	97	76	81	76	90	90	64	73	61	83	83	109
Exophthalmic goiter....63b	115	10	3	11	11	12	16	12	7	10	7	7	9
Pellagra (except alcoholic)....69	2	-	-	-	-	-	-	-	-	1	-	-	1
Alcoholism (ethylism)....77	41	3	1	3	5	3	5	2	4	4	3	1	7
Intracranial lesions of vascular origin....83	3,226	288	277	316	281	310	242	212	228	202	262	266	342
Diseases of the heart....90-95	10,029	952	803	946	887	843	771	706	682	695	756	762	1,226
Chronic rheumatic diseases of the heart....90a,92b,c,93c,95b	636	65	47	51	69	60	44	38	44	40	48	49	81
Diseases of coronary arteries and angina pectoris....94	2,755	276	211	244	231	238	205	198	203	206	232	221	290
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	6,638	611	545	651	587	545	522	470	435	449	476	492	855
Pneumonia (all forms) and influenza....107-109,33	1,795	236	158	157	151	149	89	58	48	74	92	123	460
Bronchopneumonia....107	756	105	82	81	69	66	49	26	18	40	44	62	134
Lobar pneumonia....108	588	78	60	55	53	47	28	23	22	24	36	41	121
Pneumonia (unspecified)....109	65	12	9	3	5	5	3	4	6	3	2	4	9
Influenza....33	386	41	27	18	24	31	9	5	2	7	10	18	196
Ulcer of stomach or duodenum....117	225	17	23	24	15	18	23	10	19	23	16	20	17
Diarrhea, enteritis, and ulceration of intestines....119,120	147	8	15	8	20	18	19	9	10	13	15	8	8
Appendicitis....121	194	14	8	23	23	23	17	17	19	10	12	11	17
Hernia and intestinal obstruction....122	271	24	19	24	24	22	25	16	25	25	22	20	29
Cirrhosis of the liver....124	290	33	29	28	21	25	21	14	24	14	17	31	33
Biliary calculi, etc.*....126,127	219	11	20	19	18	21	22	23	21	15	17	22	10
Nephritis....130-132	1,907	159	167	176	172	164	158	127	115	143	154	155	217
Diseases of the prostate....137	250	18	20	26	24	18	25	26	17	20	21	15	20
Diseases of pregnancy, childbirth, and puerperium...140-150	127	17	10	11	12	11	9	8	8	7	15	13	6
Puerperal septicemia....140,142a,145A,147	51	7	3	4	6	2	4	3	1	3	9	6	3
Puerperal toxemia....141a,c,144,148	33	5	6	1	2	4	2	-	6	3	1	2	1
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	43	5	1	6	4	5	3	5	1	1	5	5	2
Congenital malformations....157	465	43	34	33	28	33	36	42	43	30	44	49	50
Premature birth (cause not stated)....159	711	68	55	71	57	77	50	64	67	47	55	61	59
Suicide....163,164	350	18	22	32	38	34	27	24	31	24	38	22	40
Homicide....165-168	34	1	-	2	8	4	4	4	2	4	2	3	-
Accidental deaths....169-195	2,012	158	163	165	159	172	188	202	148	132	180	167	180
Motor-vehicle accidents....170	426	25	24	33	29	31	34	29	46	36	53	39	47
Other accidents....169,171-195	1,586	131	139	132	130	141	154	173	102	96	127	128	133
Senility, ill-defined and unknown causes....162,199,200	427	55	40	28	32	44	26	36	22	36	35	26	47
All other causes	3,189	321	251	296	286	290	274	251	218	223	243	225	311
WYOMING....All causes	2,217	204	183	193	207	199	170	155	165	156	190	172	223
Typhoid and paratyphoid fever....1,2	-	-	-	-	-	-	-	-	-	-	-	-	-
Cerebrospinal (meningococcus) meningitis....6	2	1	-	-	1	-	-	-	-	-	-	-	-
Scarlet fever....8	2	-	-	-	1	-	-	-	-	-	1	-	-
Whooping cough....9	3	1	-	-	-	1	-	-	-	-	1	-	-
Diphtheria (infection by C. diphtheriae)....10	3	-	-	-	-	-	-	-	-	-	2	-	1
Tuberculosis (all forms)....13-22	37	2	2	-	6	4	4	1	8	5	2	2	1
Tuberculosis of respiratory system, etc.*....13	30	1	2	-	6	4	2	-	8	3	2	1	1
Tuberculosis (other forms)....14-22	7	1	-	-	-	-	2	1	-	2	-	1	-
Dysentery....27	2	-	-	1	-	-	-	-	-	-	1	-	-
Malaria....28	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis....30	32	3	1	8	2	2	2	2	3	1	3	1	6
Measles....35	5	2	1	1	-	1	-	-	-	-	-	-	-
Poliomyelitis, polioencephalitis (acute)....36	5	1	-	-	1	-	1	-	-	1	1	-	-
Cancer and other malignant tumors....45-55	245	17	14	22	24	23	18	20	18	15	29	28	19
Cancer of the digestive organs and peritoneum....46	110	6	8	8	10	10	7	8	7	7	15	13	11
Cancer of female genital organs....48,49	25	1	1	3	2	5	1	1	3	3	1	2	2
Cancer of the breast....50	18	1	-	1	-	1	3	1	1	3	3	3	1
Cancer (other sites)....45,47,51-55	92	9	5	10	12	7	7	10	5	2	10	10	5
Acute rheumatic fever....58	4	-	1	-	1	-	-	-	1	-	1	-	-
Diabetes mellitus....61	39	3	1	8	6	1	4	5	-	2	5	2	2
Exophthalmic goiter....63b	8	-	2	1	1	-	-	-	1	-	-	-	1
Pellagra (except alcoholic)....69	-	-	-	-	-	-	-	-	-	-	-	-	-
Alcoholism (ethylism)....77	6	1	-	-	-	1	-	-	1	-	1	-	2
Intracranial lesions of vascular origin....83	151	10	9	13	20	16	10	13	14	10	10	11	15
Diseases of the heart....90-95	598	65	45	42	53	52	48	46	43	40	57	43	62
Chronic rheumatic diseases of the heart....90a,92b,c,93c,95b	52	11	1	4	5	7	4	4	4	3	4	2	3
Diseases of coronary arteries and angina pectoris....94	161	14	9	11	11	15	13	14	15	13	15	12	19
Diseases of heart (other forms)..90b,91,92a,d,e,93a,b,d,e,95a,c	383	40	35	27	37	30	31	28	24	24	38	29	40

*Refer to complete International List titles, table VII, Part I.

TABLE 20.—DEATHS FROM SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(See headnote on p. 192)

AREA AND CAUSE OF DEATH	Total deaths	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING—Continued													
Pneumonia (all forms) and influenza....107-109,33	153	18	16	20	10	13	9	7	7	4	6	11	32
Bronchopneumonia....107	49	4	6	7	3	4	3	3	2	4	1	5	7
Lobar pneumonia....108	58	6	6	8	7	3	4	2	4	-	3	5	10
Pneumonia (unspecified)....109	12	2	1	2	-	2	-	1	1	-	-	-	3
Influenza....33	34	6	3	3	-	4	2	1	-	-	2	1	12
Ulcer of stomach or duodenum....117	18	1	2	1	3	2	-	-	-	1	-	3	5
Diarrhea, enteritis, and ulceration of intestines....119,120	9	-	-	-	-	-	-	-	3	2	2	2	-
Appendicitis....121	20	3	1	1	-	1	3	-	3	1	5	-	2
Hernia and intestinal obstruction....122	29	3	-	3	2	4	1	4	3	4	1	1	3
Cirrhosis of the liver....124	11	-	3	-	2	-	3	-	-	-	1	1	1
Biliary calculi, etc.*....126,127	15	-	3	1	1	3	1	1	-	1	3	-	1
Nephritis....130-132	178	11	22	21	15	20	13	10	9	13	14	15	15
Diseases of the prostate....137	6	1	2	1	-	-	1	-	-	-	-	1	-
Diseases of pregnancy, childbirth, and puerperium...140-150	9	2	-	1	-	1	1	1	-	1	1	1	-
Puerperal septicemia....140,142a,145A,147	5	2	-	1	-	-	1	-	-	1	-	-	-
Puerperal toxemia....141a,c,144,148	1	-	-	-	-	-	-	-	-	-	-	1	-
Other puerperal causes....141b,d,e,f,142b,143,145B,146,149,150	3	-	-	-	-	1	-	1	-	-	1	-	-
Congenital malformations....157	29	6	2	-	4	2	1	1	1	8	1	2	1
Premature birth (cause not stated)....159	67	8	2	7	3	4	5	5	2	7	7	10	7
Suicide....163,164	35	2	2	7	3	4	2	4	2	5	-	3	1
Homicide....165-168	17	-	-	-	2	-	1	3	3	1	2	2	3
Accidental deaths....169-195	238	19	24	14	20	24	15	21	29	16	17	15	22
Motor-vehicle accidents....170	45	3	8	2	1	-	2	4	7	3	4	5	6
Other accidents....169,171-195	191	16	16	12	19	24	13	17	22	13	13	10	16
Senility, ill-defined and unknown causes....162,199,200	25	3	2	2	-	1	5	1	2	1	3	3	2
All other causes.......	222	21	26	20	26	19	22	10	14	17	13	15	19

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA																											
	All causes	26,373	3,477	328	164	132	76	257	313	608	787	849	996	1,073	1,251	1,394	1,825	1,788	2,079	2,243	2,227	1,719	1,357	774	328	114	68	146
	White.....M..	8,357	1,085	76	46	43	21	80	92	145	230	216	259	234	312	394	505	601	808	863	864	600	480	263	93	12	2	33
	F..	6,455	789	76	50	36	17	66	65	134	148	154	176	221	241	253	308	356	470	593	716	584	559	296	99	25	2	21
	Nonwhite..M..	5,984	917	90	37	32	22	56	85	177	190	205	263	287	313	397	505	440	408	431	380	301	177	105	61	31	22	52
	F..	5,577	686	86	31	21	16	55	71	152	219	274	298	331	385	350	507	391	393	356	267	234	141	110	75	46	42	40
1,2	Typhoid and paratyphoid fever..	15	-	1	-	-	-	-	1	1	1	2	-	3	1	1	3	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	7	-	-	-	-	-	-	-	-	-	2	-	1	-	-	3	-	1	-	-	-	-	-	-	-	-	-
	F..	3	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	53	9	2	2	-	1	5	1	7	10	4	2	4	2	2	1	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	26	4	-	-	-	-	2	-	3	8	2	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	10	1	-	1	-	-	1	-	4	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	7	3	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	1	2	-	-	1	2	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	121	87	14	8	4	1	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	20	18	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	34	24	3	2	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	30	21	3	3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	37	24	7	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.......	45	4	15	11	5	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	18	3	4	5	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	18	-	10	2	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)....	1,302	11	9	5	3	1	2	17	88	142	138	167	108	133	112	94	80	63	53	40	14	7	4	-	-	-	11
	White.....M..	324	3	1	1	-	-	-	-	3	9	17	32	28	37	43	29	32	36	26	16	3	2	3	-	-	-	3
	F..	208	2	2	-	2	-	-	1	4	21	20	27	22	16	13	14	14	11	12	16	7	3	1	-	-	-	-
	Nonwhite..M..	363	4	4	2	1	1	-	6	33	44	36	51	26	44	36	29	23	6	9	4	2	-	-	-	-	-	2
	F..	407	2	2	2	-	-	2	10	48	68	65	57	32	36	20	22	11	10	6	4	2	2	-	-	-	-	6
13	Tuberculosis of respiratory system, etc.*..	1,226	6	6	3	1	1	2	14	80	133	132	162	101	126	107	88	78	59	51	40	14	7	4	-	-	-	11
	White.....M..	315	2	1	-	-	-	-	-	3	9	17	31	28	34	42	29	31	35	26	16	3	2	3	-	-	-	3
	F..	196	2	2	-	1	-	-	1	3	19	19	26	22	14	12	13	14	10	11	16	7	3	1	-	-	-	-
	Nonwhite..M..	329	2	2	2	-	1	-	4	28	40	33	49	23	42	34	24	22	6	9	4	2	-	-	-	-	-	2
	F..	386	-	1	1	-	-	2	9	46	65	63	56	28	36	19	22	11	8	5	4	2	2	-	-	-	-	6
14-22	Tuberculosis (other forms)..	76	5	3	2	2	-	-	3	8	9	6	5	7	7	5	6	2	4	2	-	-	-	-	-	-	-	-
	White.....M..	9	1	-	1	-	-	-	-	-	-	-	1	-	3	1	-	1	1	-	-	-	-	-	-	-	-	-
	F..	12	-	-	-	1	-	-	-	1	2	1	1	-	2	1	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	34	2	2	-	1	-	-	2	5	4	3	2	3	2	2	5	1	-	-	-	-	-	-	-	-	-	-
	F..	21	2	1	1	-	-	-	1	2	3	2	1	4	-	1	-	-	2	1	-	-	-	-	-	-	-	-
27	Dysentery........	53	21	1	3	-	-	-	-	-	1	2	3	2	3	2	3	4	-	-	4	1	2	1	-	-	-	-
	White.....M..	11	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-
	F..	13	2	1	1	-	-	-	-	-	-	-	1	-	1	-	1	4	-	-	1	-	1	-	-	-	-	-
	Nonwhite..M..	13	9	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	F..	16	4	-	2	-	-	-	-	-	1	2	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
28	Malaria..........	56	2	1	1	3	-	3	2	5	3	5	5	5	2	3	4	2	1	3	1	3	2	-	-	-	-	-
	White.....M..	9	-	-	-	1	-	1	-	-	1	1	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-
	F..	7	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite..M..	23	2	1	-	1	-	1	1	2	-	1	3	2	1	2	3	-	-	1	-	2	-	-	-	-	-	-
	F..	17	-	-	-	1	-	-	1	1	2	2	2	3	1	-	1	1	1	-	-	-	1	-	-	-	-	-
30	Syphilis.........	290	49	1	-	1	-	2	2	8	7	21	15	26	26	33	22	23	23	16	9	3	-	2	1	-	-	-
	White.....M..	38	4	-	-	-	-	-	-	1	1	1	1	4	3	3	4	4	7	2	2	-	-	1	-	-	-	-
	F..	15	-	-	-	-	-	-	-	2	-	2	-	-	4	3	1	-	-	1	-	-	-	1	1	-	-	-
	Nonwhite..M..	152	27	-	-	1	-	1	-	1	2	9	6	16	12	20	11	18	10	11	4	3	-	-	-	-	-	-
	F..	85	18	1	-	-	-	1	2	4	4	9	8	6	7	7	6	1	6	2	3	-	-	-	-	-	-	-
35	Measles..........	22	3	3	4	2	1	2	2	1	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	2	1	-	2	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	3	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	9	-	1	1	3	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.........	1,799	2	1	3	3	2	8	2	11	14	37	56	82	116	154	209	175	218	244	180	129	97	37	9	-	1	9
	White.....M..	553	1	1	1	2	1	4	-	2	5	7	11	9	16	27	53	56	68	100	77	52	41	14	2	-	-	3
	F..	715	1	-	2	1	-	3	2	4	1	11	22	31	58	68	79	62	83	97	69	49	46	18	6	-	-	2
	Nonwhite..M..	175	-	-	-	-	1	1	-	4	4	4	7	8	7	15	18	16	26	25	17	13	6	2	-	-	-	1
	F..	356	-	-	-	-	-	-	-	1	4	15	16	34	35	44	59	41	41	22	17	15	4	3	1	-	1	3

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Con.																										
46	Cancer of digestive organs, peritoneum....	636	-	-	-	1	-	1	-	1	2	10	14	21	25	36	73	66	86	112	79	57	35	12	2	-	-	3
	White.....M..	243	-	-	-	1	-	1	-	-	-	-	3	4	5	14	27	31	30	52	37	20	12	5	-	-	-	1
	F..	227	-	-	-	-	-	-	-	-	-	4	6	5	10	9	26	18	29	40	28	28	18	5	1	-	-	-
	Nonwhite..M..	81	-	-	-	-	-	-	-	1	2	2	3	4	4	10	5	8	14	10	10	4	2	1	-	-	-	1
	F..	85	-	-	-	-	-	-	-	-	-	4	2	8	6	3	15	9	13	10	4	5	3	1	1	-	-	1
48,49	Cancer of female genital organs.	360	-	-	-	-	-	-	-	2	3	13	15	33	36	57	54	36	35	32	20	14	4	2	1	-	1	2
	White.....F..	205	-	-	-	-	-	-	-	1	-	6	7	16	19	32	30	15	23	27	12	9	4	2	1	-	-	1
	Nonwhite..F..	155	-	-	-	-	-	-	-	1	3	7	8	17	17	25	24	21	12	5	8	5	-	-	-	-	1	1
50	Cancer of breast.	159	-	-	-	-	-	-	-	-	1	4	9	9	23	17	22	13	15	13	12	7	9	3	1	-	-	1
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	106	-	-	-	-	-	-	-	-	1	-	6	6	15	11	14	8	9	9	9	6	8	3	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	52	-	-	-	-	-	-	-	-	-	4	3	3	8	6	8	5	6	3	3	1	1	-	-	-	-	1
45,47, 51-55	Cancer (other sites).....	644	2	1	3	2	2	7	2	8	8	10	18	19	32	44	60	60	82	87	69	51	49	20	5	-	-	3
	White.....M..	309	1	1	1	1	1	3	-	2	5	7	8	5	11	13	26	25	38	47	40	32	29	9	2	-	-	2
	F..	177	1	-	2	1	-	3	2	3	-	1	3	4	14	16	9	21	22	21	20	6	16	8	3	-	-	1
	Nonwhite..M..	94	-	-	-	-	1	1	-	3	2	2	4	4	3	5	13	8	12	15	7	9	4	1	-	-	-	-
	F..	64	-	-	-	-	-	-	-	-	1	-	3	6	4	10	12	6	10	4	2	4	-	2	-	-	-	-
58	Acute rheumatic fever.....	46	-	-	-	-	1	6	7	4	3	4	5	2	2	1	-	1	-	3	3	1	3	-	-	-	-	-
	White.....M..	10	-	-	-	-	-	1	1	1	-	1	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F..	13	-	-	-	-	-	1	4	1	-	1	1	-	1	1	-	-	-	1	1	-	1	-	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	1	3	1	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F..	15	-	-	-	-	-	1	1	2	2	2	1	2	1	-	-	-	-	-	-	1	2	-	-	-	-	-
61	Diabetes mellitus	323	-	-	2	-	-	3	7	17	14	12	9	11	11	19	19	34	41	36	43	22	14	5	3	-	-	1
	White.....M..	96	-	-	1	-	-	2	1	1	3	2	5	1	4	3	3	7	18	13	18	8	5	1	-	-	-	-
	F..	107	-	-	-	-	-	1	4	9	4	5	-	3	1	4	3	8	12	16	16	11	6	3	1	-	-	-
	Nonwhite..M..	40	-	-	-	-	-	-	1	3	1	3	2	3	-	3	2	7	4	2	5	1	2	-	1	-	-	-
	F..	80	-	-	1	-	-	-	1	4	6	2	2	4	6	9	11	12	7	5	4	2	1	1	1	-	-	1
65b	Exophthalmic goiter.....	25	-	-	-	-	-	-	-	1	-	-	3	2	4	1	4	2	3	4	1	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	-	-	2	2	1	-	2	1	3	3	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	1	-	-	1	-	3	-	2	-	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	128	-	-	-	-	-	1	-	2	3	7	9	10	12	6	13	9	13	11	13	7	5	5	2	-	-	-
	White.....M..	22	-	-	-	-	-	-	-	1	1	-	-	1	-	-	2	3	4	-	3	3	1	2	1	-	-	-
	F..	35	-	-	-	-	-	-	-	-	1	1	1	2	2	-	5	3	5	4	7	1	2	1	-	-	-	-
	Nonwhite..M..	21	-	-	-	-	-	-	-	1	-	1	2	4	1	5	-	1	-	-	2	-	2	2	-	-	-	-
	F..	50	-	-	-	-	-	1	-	-	1	5	6	3	9	1	6	2	4	7	1	3	-	-	1	-	-	-
77	Alcoholism (ethylism).....	25	-	-	-	-	-	-	-	-	1	2	3	3	7	3	4	1	-	1	-	-	-	-	-	-	-	-
	White.....M..	22	-	-	-	-	-	-	-	-	1	2	2	3	7	3	2	1	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	2,361	3	-	1	-	-	2	3	12	9	17	33	54	94	151	222	251	296	315	320	250	176	82	38	13	3	16
	White.....M..	697	-	-	-	-	-	1	2	1	2	5	8	9	10	30	43	64	102	121	106	90	61	26	10	1	-	5
	F..	672	1	-	-	-	-	1	-	4	3	2	2	10	18	28	41	59	79	91	113	89	79	36	14	1	-	1
	Nonwhite..M..	458	1	-	1	-	-	-	1	4	1	7	8	20	23	41	64	59	44	47	51	38	22	9	6	3	1	7
	F..	534	1	-	-	-	-	-	-	3	3	3	15	15	43	52	74	69	71	56	50	33	14	11	8	8	2	3
90-95	Diseases of the heart.....	5,054	3	4	-	1	3	17	23	46	37	45	87	162	228	312	443	494	646	645	673	503	375	183	69	16	8	31
	White.....M..	1,923	-	1	-	-	-	2	4	9	6	9	18	28	63	109	144	195	295	288	303	197	150	70	20	3	-	9
	F..	1,226	-	1	-	1	1	3	2	9	10	10	9	28	35	38	56	78	121	169	210	179	168	64	22	6	-	6
	Nonwhite..M..	1,000	1	2	-	-	-	5	6	15	7	5	28	55	50	84	134	120	131	110	91	74	53	25	12	1	1	10
	F..	905	2	-	-	-	2	7	11	13	14	21	32	51	80	81	109	101	99	78	69	53	24	24	15	6	7	6
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	332	-	-	-	1	1	7	11	12	11	3	5	17	18	13	21	32	35	29	32	31	22	22	4	1	-	4
	White.....M..	98	-	-	-	-	-	1	3	2	4	-	2	5	4	1	2	11	11	11	10	15	9	6	1	-	-	-
	F..	87	-	-	-	1	1	1	1	2	3	1	2	4	4	5	5	3	6	8	15	5	11	7	1	-	-	1
	Nonwhite..M..	71	-	-	-	-	-	1	2	6	1	-	-	5	4	2	8	6	7	6	5	6	2	6	2	-	-	2
	F..	76	-	-	-	-	-	4	5	2	3	2	1	3	6	5	6	12	11	4	2	5	-	3	-	1	-	1
94	Diseases of coronary arteries, angina pectoris	1,236	1	-	-	-	-	-	-	5	4	12	17	48	82	103	145	143	169	157	145	103	65	25	7	1	-	4
	White.....M..	677	-	-	-	-	-	-	-	-	-	2	6	14	37	62	76	89	110	103	82	52	33	8	3	-	-	-
	F..	278	-	-	-	-	-	-	-	1	1	4	4	10	10	10	17	21	31	35	52	36	30	13	2	-	-	1
	Nonwhite..M..	143	1	-	-	-	-	-	-	-	1	1	3	13	16	16	26	19	20	10	6	8	1	-	1	-	-	1
	F..	138	-	-	-	-	-	-	-	4	2	5	4	11	19	15	26	14	8	9	5	7	1	4	1	1	-	2
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)...	3,486	2	4	-	-	2	10	12	29	22	30	65	97	128	196	277	319	442	459	496	369	288	136	58	14	8	23
	White.....M..	1,148	-	1	-	-	-	1	1	7	2	7	10	9	22	46	66	95	174	174	211	130	108	56	16	3	-	-	9
	F..	861	-	1	-	-	-	2	1	6	6	5	3	14	21	23	34	54	84	126	143	138	127	44	19	6	-	4
	Nonwhite..M..	786	-	2	-	-	-	4	4	9	5	4	25	37	30	66	100	95	104	94	80	60	30	19	9	1	1	7
	F..	691	2	-	-	-	2	3	6	7	9	14	27	37	55	61	77	75	80	65	62	41	23	17	14	4	7	3
107-109, 33	Pneumonia (all forms) and influenza.....	2,290	605	110	53	27	8	34	39	37	46	44	61	77	69	70	111	103	125	151	155	121	125	78	33	18	3	9
	White.....M..	667	156	28	10	9	-	11	8	10	10	8	14	10	14	17	28	35	45	55	69	44	41	26	12	6	-	1
	F..	607	145	18	12	6	3	6	9	9	7	13	9	19	16	11	16	11	28	34	58	45	72	36	15	6	-	4
	Nonwhite..M..	552	163	35	5	5	1	10	11	10	17	8	17	23	24	28	42	33	29	34	18	14	7	11	1	2	1	3
	F..	464	141	29	6	7	4	7	11	8	12	15	21	25	15	14	25	24	21	28	10	18	6	5	5	4	2	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Con.																										
107	Bronchopneumonia.	564	227	40	9	8	2	9	7	9	2	7	8	6	10	7	12	15	24	24	33	32	32	25	9	4	-	3
	White.....M..	170	56	10	1	1	-	6	-	1	1	-	2	-	3	3	2	9	12	10	15	16	7	9	4	2	-	-
	F..	182	57	8	5	3	2	1	1	4	-	3	4	3	2	1	2	3	6	8	14	11	23	14	4	-	-	3
	Nonwhite..M..	102	54	11	1	-	-	-	4	3	1	-	1	2	4	2	5	3	2	1	2	3	1	1	-	1	-	-
	F..	110	60	11	2	4	-	2	2	1	-	4	1	1	1	1	3	-	4	5	2	2	1	1	1	1	-	-
108	Lobar pneumonia..	699	110	16	4	8	2	8	11	17	27	14	30	30	26	33	48	53	46	53	59	38	36	17	7	2	1	3
	White.....M..	207	33	5	-	5	-	2	1	4	6	2	8	5	4	8	14	17	15	17	27	13	17	3	-	-	-	1
	F..	163	27	2	3	-	1	2	4	3	3	5	3	7	5	3	7	5	11	11	17	13	18	8	4	1	-	-
	Nonwhite..M..	185	23	7	-	1	1	3	3	5	11	4	10	8	10	14	17	19	12	15	10	5	1	4	1	-	-	1
	F..	144	27	2	1	2	-	1	3	5	7	3	9	10	7	8	10	12	8	10	5	7	-	2	2	1	1	1
109	Pneumonia (unspecified).....	424	149	23	7	3	3	9	7	3	5	10	10	16	7	9	18	14	25	26	21	20	18	14	2	3	-	2
	White.....M..	114	31	4	3	1	-	1	2	1	2	2	2	2	2	3	4	4	9	10	8	8	7	7	-	1	-	-
	F..	100	34	3	1	-	-	1	3	-	3	1	2	2	3	2	4	1	5	4	9	9	7	4	2	-	-	-
	Nonwhite..M..	121	57	7	1	1	-	5	1	1	-	-	2	7	2	3	7	4	5	6	3	1	3	2	-	1	-	2
	F..	89	27	9	2	1	3	2	1	1	-	7	4	5	-	1	3	5	6	6	1	2	1	1	-	1	-	-
53	Influenza.....	603	119	31	13	8	1	8	14	8	12	13	13	25	26	21	33	21	28	48	42	31	39	22	15	9	2	1
	White.....M..	176	36	9	6	2	-	2	5	4	1	4	2	3	5	3	8	5	9	18	19	7	10	7	8	3	-	-
	F..	162	27	5	3	3	-	2	1	2	1	4	-	7	6	5	3	2	6	11	18	12	23	10	5	5	-	1
	Nonwhite..M..	144	29	10	3	3	-	2	3	1	5	4	4	6	8	9	13	7	10	12	3	5	2	4	-	-	1	-
	F..	121	27	7	1	-	1	2	5	1	5	1	7	9	7	4	9	7	3	7	2	7	4	1	2	1	1	-
117	Ulcer of stomach or duodenum....	120	1	-	-	-	-	-	-	-	4	4	7	11	15	9	11	9	18	15	10	4	1	1	-	-	-	-
	White.....M..	68	-	-	-	-	-	-	-	-	2	3	1	7	7	4	5	5	14	12	6	-	1	1	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	2	1	1	1	2	-	-	-	-	-	-
	Nonwhite..M..	28	1	-	-	-	-	-	-	-	1	1	3	3	7	1	4	2	1	1	2	1	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	-	2	1	1	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	330	207	37	9	5	-	5	1	-	2	3	5	2	4	4	7	5	3	3	6	9	4	5	1	1	-	2
	White.....M..	108	68	12	3	-	-	2	1	-	1	-	2	-	1	1	1	1	2	3	2	3	2	1	1	1	-	-
	F..	88	49	9	4	4	-	2	-	-	1	2	1	1	1	2	-	1	-	-	2	4	2	2	-	-	-	1
	Nonwhite..M..	87	59	10	2	1	-	1	-	-	-	-	2	-	2	1	3	1	1	-	2	1	-	1	-	-	-	-
	F..	47	31	6	-	-	-	-	-	-	-	1	-	1	-	-	3	2	-	-	-	1	-	1	-	-	-	1
121	Appendicitis.....	164	-	-	1	3	1	10	19	19	13	13	15	12	6	7	13	11	6	4	6	3	1	1	-	-	-	-
	White.....M..	57	-	-	-	2	-	4	6	8	5	1	4	3	2	4	8	4	3	2	1	-	-	-	-	-	-	-
	F..	36	-	-	1	1	1	3	4	6	3	1	1	4	-	-	1	4	1	1	3	-	-	1	-	-	-	-
	Nonwhite..M..	36	-	-	-	-	-	-	5	3	1	8	4	2	3	2	2	2	1	-	2	1	-	-	-	-	-	-
	F..	35	-	-	-	-	-	3	4	2	4	3	6	3	1	1	2	1	1	1	-	2	1	-	-	-	-	-
122	Hernia, intestinal obstruction	186	11	4	-	-	1	2	5	1	5	5	11	11	15	13	12	14	17	14	14	11	9	7	1	1	-	2
	White.....M..	52	-	1	-	-	1	2	2	1	-	-	2	-	2	2	4	3	9	5	7	3	4	4	-	-	-	-
	F..	60	4	3	-	-	-	-	2	-	1	-	5	6	1	2	4	8	3	5	4	6	4	2	-	-	-	-
	Nonwhite..M..	40	7	-	-	-	-	-	1	-	1	3	3	2	3	3	1	1	3	4	3	1	-	1	1	1	-	1
	F..	34	-	-	-	-	-	-	-	-	3	2	1	3	9	6	3	2	2	-	-	1	1	-	-	-	-	1
124	Cirrhosis of the liver.....	125	-	-	-	1	-	-	-	-	-	1	2	7	9	15	21	15	20	11	9	5	6	3	-	-	-	-
	White.....M..	64	-	-	-	-	-	-	-	-	-	-	-	3	2	2	13	11	12	9	5	3	2	2	-	-	-	-
	F..	22	-	-	-	1	-	-	-	-	-	1	-	1	1	2	3	1	5	-	1	2	3	1	-	-	-	-
	Nonwhite..M..	22	-	-	-	-	-	-	-	-	-	-	2	-	5	9	2	1	-	1	1	-	1	-	-	-	-	-
	F..	17	-	-	-	-	-	-	-	-	-	-	-	3	1	2	3	2	3	1	2	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	69	-	-	-	-	1	-	1	-	-	-	3	3	3	8	10	4	12	5	7	6	4	3	-	-	-	1
	White.....M..	16	-	-	-	-	-	-	1	-	-	-	1	-	-	-	6	1	2	-	2	1	-	2	-	-	-	-
	F..	38	-	-	-	-	1	-	-	-	-	-	2	1	1	3	3	2	7	3	5	5	4	1	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	-	-	-	-	-	-	-	-	-	1
	F..	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	2	-	-	-	-	-	-	-	-
130-132	Nephritis.....	2,011	1	2	2	3	1	11	6	10	30	32	51	71	86	104	188	172	194	245	259	219	170	101	35	8	2	8
	White.....M..	570	1	1	-	2	-	3	1	2	6	6	7	6	15	13	35	49	53	79	93	69	68	45	15	1	-	-
	F..	471	-	-	2	1	-	3	2	2	6	4	5	18	16	18	23	28	29	57	80	75	58	33	9	1	-	1
	Nonwhite..M..	492	-	1	-	-	1	2	-	4	5	7	13	15	18	36	55	52	64	63	59	46	25	9	7	4	2	4
	F..	478	-	-	-	-	-	3	3	2	13	15	26	32	37	37	75	43	48	46	27	29	19	14	4	2	-	3
137	Diseases of the prostate.....	93	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	9	11	16	11	20	7	7	4	-	-	1
	White.....M..	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	8	4	12	4	5	3	-	-	-
	Nonwhite..M..	51	-	-	-	-	-	-	-	-	-	-	1	-	1	1	4	9	5	8	7	8	3	2	1	-	-	1
140-150	Diseases of pregnancy, etc.*...	260	-	-	-	-	-	-	2	32	37	57	60	52	17	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	127	-	-	-	-	-	-	-	17	16	27	33	23	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	133	-	-	-	-	-	-	2	15	21	30	27	29	8	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	64	-	-	-	-	-	-	-	4	9	20	15	11	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	32	-	-	-	-	-	-	-	1	3	9	9	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	32	-	-	-	-	-	-	-	3	6	11	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	86	-	-	-	-	-	-	1	21	13	14	19	13	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	40	-	-	-	-	-	-	-	11	7	5	9	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	46	-	-	-	-	-	-	1	10	6	9	10	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,145, 145B,146, 149,150	Other puerperal causes.....	110	-	-	-	-	-	-	1	7	15	23	26	28	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	55	-	-	-	-	-	-	-	5	6	13	15	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	55	-	-	-	-	-	-	1	2	9	10	11	18	4	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	239	196	6	4	-	3	6	5	7	4	1	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	106	92	1	1	-	1	1	1	3	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	90	73	4	1	-	-	3	2	3	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	27	18	1	1	-	1	1	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	16	13	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ALABAMA—Con.																										
159	Premature birth..	812	812	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	315	315	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	231	231	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	154	154	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	112	112	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	150	-	-	-	-	-	-	1	9	12	19	11	16	17	5	16	13	10	9	8	2	-	-	1	-	-	1
	White.....M..	103	-	-	-	-	-	-	1	4	4	14	7	13	9	4	10	9	8	9	7	2	-	-	1	-	-	1
	F..	35	-	-	-	-	-	-	-	2	6	3	2	3	7	1	4	4	2	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	3	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	315	1	-	1	1	-	3	7	24	38	63	41	42	27	26	21	9	1	7	2	-	-	-	-	-	-	1
	White.....M..	72	-	-	-	1	-	-	-	4	2	11	9	6	10	11	9	4	-	4	1	-	-	-	-	-	-	-
	F..	27	1	-	-	-	-	3	2	3	5	4	2	1	1	2	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	171	-	-	1	-	-	-	4	14	24	31	25	31	14	11	9	3	1	1	1	-	-	-	-	-	-	1
	F..	45	-	-	-	-	-	-	1	3	7	17	5	4	2	2	2	1	-	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,845	78	42	30	26	29	65	82	156	211	159	153	107	114	101	87	75	64	62	58	37	45	32	14	5	3	12
	White.....M..	937	26	14	10	14	10	28	38	69	136	95	101	60	55	65	46	41	36	29	22	15	8	5	7	-	1	6
	F..	302	21	10	9	4	3	16	11	25	18	10	12	8	14	8	9	10	7	13	19	17	27	20	5	3	1	2
	Nonwhite..M..	461	22	11	6	5	10	11	25	52	48	48	32	32	36	25	23	22	11	15	10	2	5	4	1	-	1	4
	F..	145	9	7	5	3	6	10	8	10	9	6	8	7	9	3	9	2	10	5	7	3	5	3	1	-	-	-
170	Motor-vehicle accidents.....	471	5	5	2	8	7	20	22	51	49	44	49	36	27	33	25	23	16	23	15	2	4	1	-	-	-	4
	White.....M..	280	2	-	-	6	4	9	10	27	24	28	37	23	14	24	14	15	12	15	9	2	3	-	-	-	-	2
	F..	77	3	3	1	1	1	7	3	14	9	2	6	4	6	4	2	2	1	3	3	-	-	-	-	-	-	2
	Nonwhite..M..	95	-	1	1	1	2	3	6	9	13	11	5	6	5	5	8	6	3	5	3	-	1	1	-	-	-	-
	F..	19	-	1	-	-	-	1	3	1	3	3	1	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,374	73	37	28	18	22	45	60	105	162	115	104	71	87	68	62	52	48	39	43	35	41	31	14	5	3	8
	White.....M..	657	24	14	10	8	6	19	28	42	112	67	64	37	41	41	32	26	24	14	13	13	5	5	7	-	1	4
	F..	225	18	7	8	3	2	9	8	11	9	8	6	4	8	4	7	8	6	10	16	17	27	20	5	3	1	-
	Nonwhite..M..	366	22	10	5	4	8	8	19	43	35	37	27	26	31	20	15	16	8	10	7	2	4	3	1	-	1	4
	F..	126	9	6	5	3	6	9	5	9	6	3	7	4	7	3	8	2	10	5	7	3	5	3	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	2,894	668	37	15	14	6	15	15	40	36	45	64	65	97	108	144	145	152	208	224	209	215	157	96	46	44	31
	White.....M..	487	103	4	2	1	1	1	2	4	1	3	4	9	18	19	18	25	36	35	55	39	50	38	13	-	1	5
	F..	415	70	2	1	-	2	3	2	9	5	4	6	4	7	12	11	18	23	30	38	45	54	42	18	5	1	3
	Nonwhite..M..	1,042	288	15	8	10	5	7	7	16	14	9	29	18	38	37	58	52	43	76	77	69	59	34	29	18	15	13
	F..	950	207	16	4	3	-	4	4	11	16	29	25	34	34	40	57	50	50	65	54	56	52	43	36	25	27	10
	All other causes.	2,740	703	37	28	27	10	46	61	67	100	106	110	122	127	120	139	128	142	164	171	140	89	60	21	8	4	10
	White.....M..	908	282	6	11	8	5	15	22	18	23	25	25	31	34	29	37	49	51	58	61	56	39	17	8	-	-	-
	F..	790	164	12	9	10	3	12	17	15	33	31	28	31	30	34	30	37	49	54	70	46	29	34	8	3	-	1
	Nonwhite..M..	505	137	7	3	5	2	10	13	14	16	20	22	25	21	35	38	17	26	23	22	24	12	4	2	2	1	4
	F..	537	120	12	5	4	-	11	9	20	28	30	35	35	42	22	34	25	16	29	18	14	9	5	3	3	3	5

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA																										
	All causes.....	5,927	1,097	194	74	35	27	94	71	122	234	175	197	233	233	289	359	405	393	453	416	359	239	147	53	18	4	6
	White.....M..	3,076	464	50	23	10	9	35	19	44	121	101	97	110	139	170	198	234	241	290	258	209	137	81	25	7	-	4
	F..	1,727	328	54	15	17	8	22	23	40	45	38	53	82	65	77	107	121	116	109	120	121	82	56	20	5	2	1
	Nonwhite..M..	645	166	47	17	4	6	23	19	23	34	19	30	26	17	25	31	25	22	37	26	17	13	7	5	3	2	1
	F..	479	139	43	19	4	4	14	10	15	34	17	17	15	12	17	23	25	14	17	12	12	7	3	3	3	-	-
1,2	Typhoid and paratyphoid fever..	14	1	1	-	-	-	1	3	2	1	-	2	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	White.....M..	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F..	4	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	10	2	-	-	-	1	1	-	-	2	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-
	White.....M..	7	2	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	30	22	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	8	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	14	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	13	1	-	4	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	2	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)....	690	8	18	5	2	3	14	8	40	70	59	54	82	68	63	53	44	38	30	16	8	3	3	1	-	-	-
	White.....M..	350	2	4	1	-	-	3	1	4	13	26	28	39	45	48	35	31	33	19	11	3	2	2	-	-	-	-
	F..	155	2	7	1	-	-	1	1	14	21	17	16	30	11	6	6	7	4	7	2	1	-	1	-	-	-	-
	Nonwhite..M..	97	2	2	2	1	1	6	4	13	12	9	5	7	5	6	8	4	-	3	2	3	1	-	1	-	-	-
	F..	88	2	5	1	1	2	4	2	9	24	7	5	6	7	3	4	2	1	1	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	640	6	7	1	1	3	10	4	37	63	58	52	78	68	62	52	42	36	29	16	8	3	3	1	-	-	-
	White.....M..	331	1	1	-	-	-	1	-	3	12	26	27	36	45	47	34	30	32	18	11	3	2	2	-	-	-	-
	F..	148	2	1	-	-	-	1	-	14	21	17	16	29	11	6	6	7	4	7	2	1	-	1	-	-	-	-
	Nonwhite..M..	85	2	2	-	1	1	4	2	11	10	8	4	7	5	6	8	4	-	3	2	3	1	-	1	-	-	-
	F..	78	1	3	1	-	2	4	2	9	20	7	5	6	7	3	4	1	-	1	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	50	2	11	4	1	-	4	4	3	7	1	2	4	-	1	1	2	2	1	-	-	-	-	-	-	-	-
	White.....M..	19	1	3	1	-	-	2	1	1	1	-	1	3	-	1	1	1	1	1	-	-	-	-	-	-	-	-
	F..	9	-	6	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	12	-	-	2	-	-	2	2	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	1	2	-	1	-	-	-	-	4	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery.....	28	18	1	1	1	-	-	-	1	-	-	-	1	-	1	1	-	-	1	-	-	2	-	-	-	-	-
	White.....M..	13	8	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	-	-	-	-	-
	F..	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	7	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	60	7	-	-	-	-	-	-	-	1	-	5	6	3	8	10	3	7	8	1	1	-	-	-	-	-	-
	White.....M..	34	4	-	-	-	-	-	-	-	1	-	1	3	1	7	5	3	4	4	1	-	-	-	-	-	-	-
	F..	10	1	-	-	-	-	-	-	-	-	-	1	2	1	-	2	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	3	1	1	1	2	-	2	2	-	1	-	-	-	-	-	-
	F..	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles.....	6	1	-	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	9	-	1	2	-	-	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	1	1	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	418	1	3	1	1	-	1	1	2	4	3	12	5	15	32	57	54	53	54	47	36	21	13	-	1	-	1
	White.....M..	176	-	1	-	1	-	1	1	1	2	2	3	1	5	8	18	17	25	33	26	15	7	9	-	-	-	-
	F..	213	-	2	1	-	-	-	-	1	2	1	9	4	10	21	33	30	26	16	19	20	14	3	-	-	-	1
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	4	1	-	-	1	-	1	-	-
	F..	16	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	2	1	1	1	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																										
46	Cancer of digestive organs, peritoneum	188	-	2	-	-	-	-	-	-	-	-	-	1	5	8	22	24	26	31	32	22	11	4	-	-	-
	White..M..	90	-	1	-	-	-	-	-	-	-	-	-	1	4	5	7	8	13	17	17	11	4	2	-	-	-
	F..	81	-	1	-	-	-	-	-	-	-	-	-	-	1	2	10	15	11	10	14	11	7	1	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	-	4	-	-	-	1	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	69	-	-	-	-	-	-	-	-	2	1	3	2	4	7	17	11	9	5	2	3	1	1	-	-	1
	White..F..	63	-	-	-	-	-	-	-	-	2	1	3	2	4	7	16	8	9	4	2	2	1	1	-	-	1
	Nonwhite..F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	1	-	-	-	-	-
50	Cancer of breast	35	-	-	-	-	-	-	-	-	-	-	2	-	4	5	4	7	2	1	2	4	3	1	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	33	-	-	-	-	-	-	-	-	-	-	2	-	4	4	4	6	2	1	2	4	3	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	126	1	1	1	1	-	1	1	2	2	2	7	2	2	12	14	12	16	17	11	7	6	7	-	1	-
	White..M..	86	-	-	-	1	-	1	1	1	2	2	3	-	1	3	11	9	12	16	9	4	3	7	-	-	-
	F..	36	-	1	1	-	-	-	-	1	-	-	4	2	1	8	3	3	4	1	1	3	3	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	13	1	-	-	-	1	2	3	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
	White..M..	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	1	-	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
61	Diabetes mellitus	60	-	-	-	-	-	-	1	-	-	-	1	2	-	2	5	9	8	10	5	7	8	2	-	-	-	-
	White..M..	27	-	-	-	-	-	-	1	-	-	-	1	2	-	1	1	3	3	5	2	3	4	1	-	-	-	-
	F..	27	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	4	3	4	3	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	20	-	-	-	-	-	-	-	-	-	-	3	2	3	3	4	3	-	2	-	-	-	-	-	-	-	-
	White..M..	15	-	-	-	-	-	-	-	-	-	-	2	2	2	2	3	2	-	2	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	257	1	-	-	-	-	-	-	1	1	3	2	-	5	7	13	32	29	47	42	35	23	12	2	1	1	-
	White..M..	140	-	-	-	-	-	-	-	-	1	2	1	-	4	1	4	19	13	27	29	18	14	5	2	-	-	-
	F..	94	1	-	-	-	-	-	-	1	-	-	-	-	-	6	7	9	13	13	12	15	9	7	-	-	1	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	4	1	2	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	4	-	3	-	-	-	-	-	1	-	-
90-95	Diseases of the heart	1,049	3	-	-	1	1	2	3	4	8	5	16	25	34	55	78	115	121	147	147	126	82	52	18	4	1	1
	White..M..	656	2	-	-	1	1	2	1	2	3	2	9	10	18	30	52	75	76	99	89	81	54	34	10	4	-	1
	F..	303	1	-	-	-	-	-	2	1	1	3	4	9	10	12	14	30	38	38	47	43	25	18	7	-	-	-
	Nonwhite..M..	61	-	-	-	-	-	-	-	-	3	-	1	3	4	6	9	7	3	9	10	1	3	-	1	-	1	-
	F..	29	-	-	-	-	-	-	-	1	1	-	2	3	2	7	3	3	4	1	1	1	-	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	84	-	-	-	-	-	1	2	4	1	1	4	6	7	5	4	5	8	4	5	5	1	-	1	-	-	-
	White..M..	35	-	-	-	-	-	1	1	2	-	-	1	2	4	2	3	2	6	3	4	2	1	-	1	-	-	-
	F..	22	-	-	-	-	-	-	1	1	-	1	2	2	3	3	1	2	1	1	1	3	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	764	-	-	-	-	-	-	-	-	1	2	3	5	13	24	29	41	23	33	30	31	19	9	1	-	-	-
	White..M..	187	-	-	-	-	-	-	-	-	-	2	2	3	7	18	24	30	17	23	24	22	10	5	-	-	-	-
	F..	62	-	-	-	-	-	-	-	-	1	-	-	2	5	1	3	7	5	9	6	9	9	4	1	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	5	-	1	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	721	3	-	-	1	1	1	1	-	6	2	9	14	14	26	45	69	90	110	112	90	62	43	16	4	1	1
	White..M..	434	2	-	-	1	1	1	-	-	3	-	6	5	7	10	25	43	53	73	61	57	43	29	9	4	-	1
	F..	219	1	-	-	-	-	-	1	-	-	2	2	5	2	8	10	21	32	28	40	31	16	14	6	-	-	-
	Nonwhite..M..	49	-	-	-	-	-	-	-	-	2	-	-	2	3	3	9	3	3	8	10	1	3	-	1	-	1	-
	F..	19	-	-	-	-	-	-	-	-	1	-	1	2	2	5	1	2	2	1	1	1	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	514	206	38	14	7	6	17	10	6	3	4	4	15	9	11	12	14	21	19	30	24	21	12	6	5	-	-
	White..M..	232	85	6	2	3	1	8	1	3	2	1	-	7	7	7	9	9	13	13	19	18	9	4	4	1	-	-
	F..	135	59	14	2	3	2	1	1	2	-	2	1	1	2	1	2	3	4	4	6	4	10	7	2	2	-	-
	Nonwhite..M..	79	36	10	4	1	2	3	4	1	-	-	1	4	-	2	-	2	4	1	-	2	-	1	-	1	-	-
	F..	68	26	8	6	-	1	5	4	-	1	1	2	3	-	1	1	-	-	1	5	-	2	-	-	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																										
107	Bronchopneumonia.	252	121	17	11	4	3	8	7	2	2	-	1	3	-	1	6	3	9	8	14	8	12	7	3	2	-
	White.....M..	111	51	3	2	2	1	4	1	1	1	-	-	1	-	-	5	1	7	5	11	5	5	2	2	1	-
	F..	70	37	3	2	2	1	-	1	1	-	-	-	1	-	1	-	-	1	2	2	2	7	5	1	1	-
	Nonwhite..M..	38	21	6	2	-	-	1	2	-	-	-	-	1	-	-	-	2	1	1	-	1	-	-	-	-	-
	F..	33	12	5	5	-	1	3	3	-	1	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
108	Lobar pneumonia..	130	37	9	-	2	2	5	1	1	-	3	1	7	5	7	3	9	7	7	3	11	4	3	2	1	-
	White.....M..	76	20	1	-	1	-	3	-	1	-	1	-	4	4	6	2	6	4	6	2	9	2	2	2	-	-
	F..	31	10	5	-	-	1	1	-	-	-	1	-	-	1	-	1	3	2	1	1	2	2	-	-	-	-
	Nonwhite..M..	18	4	3	-	1	1	1	1	-	-	-	1	2	-	1	-	-	1	-	-	-	-	1	-	1	-
	F..	5	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	46	21	6	1	-	1	3	-	-	-	-	-	1	-	1	1	-	1	1	6	2	1	-	-	-	-
	White.....M..	8	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F..	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	11	5	1	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F..	22	10	3	-	-	-	2	-	-	-	-	-	-	-	1	-	-	1	4	-	1	-	-	-	-	-
33	Influenza.....	86	27	6	2	1	-	1	2	3	1	1	2	4	4	2	2	2	4	3	7	3	4	2	1	2	-
	White.....M..	37	10	2	-	-	-	1	-	1	1	-	-	1	3	1	1	2	2	2	5	3	2	-	-	-	-
	F..	29	10	4	-	1	-	-	-	1	-	1	1	-	1	-	1	-	1	1	2	-	1	2	1	1	-
	Nonwhite..M..	12	6	-	1	-	-	-	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F..	8	1	-	1	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-
117	Ulcer of stomach or duodenum....	30	-	-	-	-	-	-	-	-	-	1	-	3	1	5	3	7	4	2	3	-	-	-	1	-	-
	White.....M..	23	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	7	4	2	2	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	1	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	340	256	60	9	3	1	-	1	1	-	1	1	-	1	-	-	2	1	-	1	1	1	-	-	-	-
	White.....M..	112	97	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	85	68	11	-	1	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite..M..	69	44	18	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	74	47	18	4	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
121	Appendicitis.....	40	-	-	2	-	-	3	3	4	3	2	1	3	3	3	2	5	1	2	3	-	-	-	-	-	-
	White.....M..	18	-	-	1	-	-	2	1	1	2	-	-	1	1	2	2	1	-	1	3	-	-	-	-	-	-
	F..	17	-	-	1	-	-	-	2	2	1	2	-	2	2	1	-	2	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	47	4	1	-	-	-	-	2	3	-	-	4	2	3	2	7	3	3	4	3	5	-	1	-	-	-
	White.....M..	17	2	-	-	-	-	-	2	-	-	-	1	-	1	1	2	1	-	2	2	2	-	1	-	-	-
	F..	22	1	1	-	-	-	-	-	2	-	-	1	2	1	1	4	2	2	2	1	2	-	-	-	-	-
	Nonwhite..M..	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver.....	49	-	-	-	-	-	-	-	-	-	-	1	3	5	8	8	7	7	8	1	-	-	1	-	-	-
	White.....M..	33	-	-	-	-	-	-	-	-	-	-	-	-	2	7	3	7	6	6	1	-	-	1	-	-	-
	F..	13	-	-	-	-	-	-	-	-	-	-	-	3	3	1	3	-	1	2	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
128,127	Biliary calculi, etc.*.....	28	-	-	-	-	-	-	-	-	-	-	-	3	1	3	3	6	2	2	3	2	2	1	-	-	-
	White.....M..	10	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	1	1	-	1	1	1	-	-	-
	F..	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	1	1	3	1	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	250	1	-	-	-	-	3	2	1	3	7	5	1	6	17	26	24	22	29	25	39	24	12	3	-	-
	White.....M..	131	1	-	-	-	-	-	1	-	1	3	3	1	3	6	9	9	12	20	16	24	15	6	1	-	-
	F..	95	-	-	-	-	-	2	-	1	1	2	1	-	3	10	15	12	8	5	6	15	8	4	2	-	-
	Nonwhite..M..	18	-	-	-	-	-	1	1	-	-	2	1	-	-	1	1	1	2	3	3	-	1	1	-	-	-
	F..	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	-	-	-	1	-	-	-
137	Diseases of the prostate.....	21	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	7	3	6	1	-	-	-
	White.....M..	20	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	6	3	6	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	38	-	-	-	-	-	-	-	3	5	5	6	11	7	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	31	-	-	-	-	-	-	-	3	4	4	4	10	5	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	7	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	10	-	-	-	-	-	-	-	2	1	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	9	-	-	-	-	-	-	-	2	1	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	17	-	-	-	-	-	-	-	1	2	3	-	5	5	1	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	15	-	-	-	-	-	-	-	1	2	3	-	5	3	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	11	-	-	-	-	-	-	-	-	2	1	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	7	-	-	-	-	-	-	-	-	1	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	93	78	5	-	-	1	1	2	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	51	44	2	-	-	-	-	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	28	24	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	4	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARIZONA—Con.																										
159	Premature birth..	199	199	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	72	72	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	14	14	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	15	15	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	56	-	-	-	-	-	-	1	-	4	6	2	6	3	3	5	4	9	4	4	3	1	-	1	-	-
	White.....M..	46	-	-	-	-	-	-	-	-	3	6	2	4	1	3	5	4	6	4	3	3	1	-	1	-	-
	F..	6	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	42	-	-	-	-	-	-	-	2	2	4	7	8	6	5	-	6	-	-	1	-	1	-	-	-	-
	White.....M..	18	-	-	-	-	-	-	-	1	1	-	2	4	3	2	-	4	-	-	-	-	1	-	-	-	-
	F..	10	-	-	-	-	-	-	-	-	-	2	2	2	-	1	-	2	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	2	3	1	3	2	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	623	32	24	20	9	5	19	14	30	101	55	44	32	34	30	35	22	13	27	26	18	11	10	7	1	1	3
	White.....M..	437	15	13	11	3	4	10	5	25	80	45	35	21	30	26	27	17	11	19	17	10	4	4	3	-	-	2
	F..	108	12	7	5	6	1	7	5	1	7	2	3	7	3	3	4	2	2	3	7	6	6	5	3	1	1	-
	Nonwhite..M..	57	3	1	2	-	-	1	4	4	14	5	5	3	1	1	2	2	-	3	1	2	-	1	1	-	-	1
	F..	20	2	3	2	-	-	1	-	-	-	3	1	1	-	-	2	1	-	2	1	-	1	-	-	-	-	-
170	Motor-vehicle accidents.....	151	1	1	6	1	4	6	1	9	19	21	13	9	7	5	16	8	4	8	4	2	1	1	2	-	-	2
	White.....M..	105	1	-	2	-	3	4	-	9	14	14	9	6	5	3	13	6	3	5	4	1	-	1	1	-	-	1
	F..	28	-	1	3	1	1	2	1	-	3	2	1	2	2	2	3	1	1	-	-	1	1	-	-	-	-	-
	Nonwhite..M..	13	-	-	1	-	-	-	-	-	2	2	2	1	-	-	-	-	-	3	-	-	-	-	1	-	-	1
	F..	5	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	472	31	23	14	8	1	13	13	21	82	34	31	23	27	25	19	14	9	19	22	16	10	9	5	1	1	1
	White.....M..	332	14	13	9	3	1	6	5	16	66	31	26	15	25	23	14	11	8	14	13	9	4	3	2	-	-	1
	F..	81	12	6	2	5	-	5	4	1	4	-	2	5	1	1	1	1	1	3	7	5	5	5	1	1	-	-
	Nonwhite..M..	44	3	1	1	-	-	1	4	4	12	3	3	2	1	1	2	2	-	-	1	2	-	1	-	-	-	-
	F..	15	2	3	2	-	-	1	-	-	-	-	-	1	-	-	2	-	-	2	1	-	1	-	-	-	-	-
182, 199, 200	Senility, ill-defined and unknown causes.	260	52	25	5	1	1	7	2	3	7	1	4	3	2	7	4	13	17	22	19	22	18	16	5	4	-	-
	White.....M..	83	10	4	1	-	-	-	-	-	1	-	-	-	1	4	2	8	11	11	8	11	6	6	-	1	-	-
	F..	32	6	1	-	-	-	-	-	-	1	-	2	-	-	1	1	3	-	3	2	2	2	6	1	1	-	-
	Nonwhite..M..	80	18	15	2	-	1	4	1	1	2	-	-	3	1	1	-	2	3	5	6	5	6	3	2	1	-	-
	F..	65	18	7	2	1	-	3	1	2	3	1	2	-	-	1	1	2	3	3	3	4	4	1	2	1	-	-
	All other causes.	610	205	12	9	3	6	17	12	12	18	17	21	18	24	20	32	28	33	31	30	27	15	10	8	2	1	1
	White.....M..	305	86	6	2	-	3	6	4	5	9	11	7	10	14	7	19	17	20	19	21	17	11	5	4	1	-	1
	F..	192	64	5	2	2	3	6	5	5	6	3	8	8	9	8	8	7	8	7	8	8	3	4	4	1	-	-
	Nonwhite..M..	72	35	1	1	-	-	5	2	1	2	1	4	-	1	2	3	4	4	3	1	-	1	-	-	-	1	-
	F..	41	18	-	4	1	-	-	1	1	1	2	2	-	-	3	2	-	1	2	-	2	-	1	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS																											
	All causes	15,539	1,594	222	112	85	51	181	156	345	468	391	472	523	603	776	995	1,072	1,298	1,565	1,594	1,242	966	554	198	36	22	18
	White.....M..	6,321	641	66	44	29	13	76	67	125	167	149	131	152	209	301	383	416	570	690	741	534	449	276	69	10	5	8
	F..	4,429	485	66	29	28	18	49	43	72	115	73	105	129	138	158	210	264	347	450	511	461	369	207	85	12	3	2
	Nonwhite..M..	2,530	271	47	20	15	10	25	28	67	76	75	115	101	128	162	223	214	202	246	202	142	82	43	23	5	4	4
	F..	2,259	197	43	19	13	10	31	18	81	110	94	121	141	128	155	179	178	179	179	140	105	66	28	21	9	10	4
1,2	Typhoid and paratyphoid fever..	27	-	-	-	-	1	5	2	4	2	1	3	5	-	2	1	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	10	-	-	-	-	1	-	1	1	-	-	1	3	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F..	11	-	-	-	-	-	3	1	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	12	2	2	-	-	-	2	1	-	1	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	103	80	9	9	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	33	26	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	35	28	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	18	15	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	17	11	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	40	6	8	5	8	4	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	16	2	2	4	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	16	3	6	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)....	939	5	1	4	1	1	7	14	67	102	74	94	86	55	73	75	79	57	64	43	20	11	3	-	1	-	2
	White.....M..	321	-	-	2	-	-	2	1	6	11	13	20	22	25	29	36	37	38	33	24	13	8	1	-	-	-	-
	F..	193	3	-	-	-	1	-	2	13	25	16	12	17	8	12	12	21	8	21	11	7	2	1	-	1	-	-
	Nonwhite..M..	218	2	-	2	-	-	3	6	19	26	19	27	25	11	22	19	12	6	8	7	-	1	1	-	-	-	2
	F..	207	-	1	-	1	-	2	5	29	40	26	35	22	11	10	8	9	5	2	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc. *	884	2	1	3	1	-	5	10	61	95	69	93	83	53	72	74	73	54	62	38	19	11	3	-	1	-	1
	White.....M..	307	-	-	1	-	-	2	1	6	9	13	20	22	24	29	36	35	36	32	20	12	8	1	-	-	-	-
	F..	180	2	-	-	-	-	-	2	12	24	15	12	15	8	12	11	18	8	20	10	7	2	1	-	1	-	-
	Nonwhite..M..	205	-	-	2	-	-	2	4	17	25	18	27	24	10	21	19	12	6	8	7	-	1	1	-	-	-	1
	F..	192	-	1	-	1	-	1	3	26	37	23	34	22	11	10	8	8	4	2	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	55	3	-	1	-	1	2	4	6	7	5	1	3	2	1	1	6	3	2	5	1	-	-	-	-	-	1
	White.....M..	14	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	2	2	1	4	1	-	-	-	-	-	-
	F..	13	1	-	-	-	1	-	-	1	1	1	-	2	-	-	1	3	-	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	13	2	-	-	-	-	1	2	2	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1
	F..	15	-	-	-	-	-	1	2	3	3	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery.....	64	31	7	4	2	-	-	-	-	1	-	2	2	-	-	2	1	1	2	5	2	-	2	-	-	-	-
	White.....M..	20	12	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-
	F..	14	6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	2	-	-	-	-	-	-
	Nonwhite..M..	15	9	2	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	15	4	3	1	1	-	-	-	-	1	-	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
28	Malaria.....	107	10	5	4	5	1	2	3	5	6	3	2	2	1	8	3	6	13	15	5	4	1	-	3	-	-	-
	White.....M..	27	3	1	1	1	-	1	1	1	-	1	-	1	1	1	1	-	5	3	2	1	-	-	-	-	-	-
	F..	21	6	-	1	1	1	-	1	-	-	-	-	-	-	1	-	-	1	3	2	1	-	1	-	-	-	-
	Nonwhite..M..	30	1	2	2	1	-	1	-	-	3	-	1	-	-	2	2	3	6	3	1	1	-	-	1	-	-	-
	F..	29	-	2	-	2	-	-	1	4	3	2	1	1	-	4	-	3	1	4	-	-	-	-	1	-	-	-
30	Syphilis.....	204	9	-	-	2	1	1	1	5	3	3	15	26	20	26	14	21	23	18	8	7	1	-	-	-	-	-
	White.....M..	77	3	-	-	-	-	1	-	3	-	-	5	6	7	12	6	8	12	7	4	2	1	-	-	-	-	-
	F..	18	1	-	-	-	-	-	-	-	3	-	1	2	2	1	-	1	2	3	1	1	-	-	-	-	-	-
	Nonwhite..M..	70	4	-	-	1	1	-	1	-	-	1	5	8	10	9	4	8	8	5	2	3	-	-	-	-	-	-
	F..	39	1	-	-	1	-	-	-	2	-	2	4	10	1	4	4	4	1	3	1	1	-	-	-	-	-	-
35	Measles.....	44	7	9	4	5	1	5	2	-	1	2	-	1	1	1	-	1	1	-	1	1	1	-	-	-	-	-
	White.....M..	17	2	4	2	1	-	3	-	-	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	22	3	4	2	3	1	2	2	-	-	1	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite..M..	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	8	2	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	2	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	1,266	-	1	-	2	3	1	1	4	20	14	23	57	78	96	156	137	163	160	152	96	53	31	14	3	1	-
	White.....M..	479	-	-	-	1	1	1	1	1	6	4	8	13	18	28	44	41	56	78	79	48	34	13	3	2	-	-
	F..	541	-	1	-	-	1	-	-	2	8	6	10	31	35	43	69	62	77	60	52	42	14	17	10	1	-	-
	Nonwhite..M..	85	-	-	-	1	-	-	-	-	1	2	-	-	4	5	16	13	15	10	12	2	2	1	1	-	-	-
	F..	161	-	-	-	1	1	-	-	1	5	2	5	13	21	20	27	21	15	12	9	4	3	-	-	-	1	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																										
46	Cancer of digestive organs, peritoneum.....	527	-	1	-	-	1	-	-	1	5	2	5	13	20	38	60	59	67	81	81	50	21	16	5	1	-
	White.....M..	221	-	-	-	-	-	-	-	-	-	-	3	4	8	12	22	18	24	46	39	24	15	4	1	1	-	-
	F..	215	-	1	-	-	-	-	-	1	4	1	1	6	6	15	22	25	30	26	34	24	5	11	3	-	-
	Nonwhite..M..	44	-	-	-	-	-	-	-	-	-	1	-	-	1	4	8	6	10	6	4	2	-	1	1	-	-
	F..	47	-	-	-	-	1	-	-	-	1	-	1	3	5	7	8	10	3	3	4	-	1	-	-	-	-
48,49	Cancer of female genital organs.	217	-	-	-	-	-	-	-	-	7	4	11	22	27	26	35	24	24	17	8	7	3	-	1	-	1
	White.....F..	136	-	-	-	-	-	-	-	-	3	2	8	14	15	16	22	15	18	10	4	6	2	-	1	-	-
	Nonwhite..F..	81	-	-	-	-	-	-	-	-	4	2	3	8	12	10	13	9	6	7	4	1	1	-	-	-	1
50	Cancer of breast.	102	-	-	-	-	-	-	-	-	-	2	1	8	10	8	16	9	18	12	7	5	4	-	1	1	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F..	80	-	-	-	-	-	-	-	-	-	2	-	7	6	7	12	7	14	11	6	3	3	-	1	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	20	-	-	-	-	-	-	-	-	-	-	1	1	4	1	4	2	4	1	1	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	420	-	-	-	2	2	1	1	3	8	6	6	14	21	24	45	45	54	50	56	34	25	15	7	1	-
	White.....M..	256	-	-	-	-	1	1	1	1	6	4	5	9	10	16	22	23	32	32	40	22	19	9	2	1	-
	F..	110	-	-	-	-	1	-	-	1	1	1	1	4	8	5	13	15	15	13	8	9	4	6	5	-	-
	Nonwhite..M..	41	-	-	-	1	-	-	-	-	1	1	-	-	3	1	8	7	5	4	8	-	2	-	-	-	-
	F..	13	-	-	-	1	-	-	-	1	-	-	-	1	-	2	2	-	2	1	-	3	-	-	-	-	-
58	Acute rheumatic fever.....	10	-	-	-	-	-	2	1	3	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	191	-	-	-	-	-	3	4	3	4	5	4	4	5	12	14	18	23	33	27	17	7	8	-	-	-
	White.....M..	63	-	-	-	-	-	1	1	-	2	1	1	-	3	3	4	3	7	11	10	7	5	4	-	-	-
	F..	79	-	-	-	-	-	2	1	2	2	2	-	3	1	3	7	10	9	13	14	7	-	3	-	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	1	1	-	-	1	-	1	1	1	1	3	3	1	3	1	1	-	-	-
	F..	30	-	-	-	-	-	-	1	-	-	2	2	1	-	5	2	4	4	6	2	-	1	-	-	-	-
63b	Exophthalmic goiter.....	14	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	2	2	2	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	2	1	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	67	-	-	-	-	-	-	-	-	1	2	1	-	3	3	5	6	12	11	7	7	6	2	1	-	-
	White.....M..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	-	-	-	-
	F..	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	5	4	3	3	1	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	1	-	-	1	-	-	-
	F..	22	-	-	-	-	-	-	-	-	1	2	1	-	3	2	1	3	4	2	1	1	-	1	-	-	-
77	Alcoholism (ethylism).....	13	-	-	-	-	-	-	-	-	-	-	1	3	1	2	1	2	1	-	2	-	-	-	-	-	-
	White.....M..	10	-	-	-	-	-	-	-	-	-	-	-	3	-	2	1	1	1	-	2	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	1,434	7	-	-	1	-	1	-	5	4	13	6	22	31	63	109	151	160	215	223	166	140	73	16	2	2	4
	White.....M..	540	2	-	-	1	-	-	-	1	1	5	2	2	5	14	34	48	63	94	93	75	55	36	6	-	1	2
	F..	464	3	-	-	-	-	-	-	3	2	2	2	4	8	14	20	36	54	63	79	79	61	26	6	1	-	1
	Nonwhite..M..	195	2	-	-	-	-	-	-	-	-	2	1	5	6	14	19	25	27	29	29	15	14	6	-	1	-	-
	F..	235	-	-	-	-	-	1	-	1	1	4	1	11	12	21	36	22	36	29	22	17	10	5	4	-	1	1
90-95	Diseases of the heart.....	3,104	8	1	3	3	2	8	10	10	19	24	39	53	113	159	232	288	373	458	477	372	262	142	42	5	1	-
	White.....M..	1,507	4	-	2	-	1	-	4	4	6	13	12	18	43	76	104	144	201	229	241	168	138	76	21	2	-	-
	F..	812	2	1	-	2	-	4	3	2	5	4	7	11	17	23	33	48	81	122	146	139	95	53	14	-	-	-
	Nonwhite..M..	428	2	-	1	1	-	1	1	2	2	1	9	9	28	51	60	52	48	67	52	37	10	9	4	1	-	-
	F..	357	-	-	-	-	1	3	2	2	6	6	11	15	25	29	35	44	43	40	38	28	19	4	3	2	1	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	237	-	-	-	-	-	5	4	2	1	4	8	10	7	12	11	21	14	26	33	32	32	12	2	1	-	-
	White.....M..	91	-	-	-	-	-	-	1	1	-	2	3	5	2	2	3	7	6	10	14	11	18	6	-	-	-	-
	F..	79	-	-	-	-	-	1	3	1	1	1	2	2	1	4	2	3	6	5	10	18	13	5	1	-	-	-
	Nonwhite..M..	45	-	-	-	-	-	1	-	-	-	-	3	1	1	4	6	8	2	9	6	1	-	1	1	1	-	-
	F..	22	-	-	-	-	-	3	-	-	-	1	-	2	3	2	-	3	-	2	3	2	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	768	-	-	-	-	-	-	-	3	3	5	9	10	29	52	69	83	131	150	101	78	33	24	7	1	-	-
	White.....M..	481	-	-	-	-	-	-	-	1	1	2	4	5	16	35	43	59	85	85	63	45	17	14	5	1	-	-
	F..	170	-	-	-	-	-	-	-	-	-	2	2	3	3	4	9	12	29	29	30	23	13	9	2	-	-	-
	Nonwhite..M..	66	-	-	-	-	-	-	-	1	2	-	2	1	5	9	8	7	7	10	3	8	2	1	-	-	-	-
	F..	51	-	-	-	-	-	-	-	1	-	1	1	1	5	4	9	5	10	6	5	2	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c,	Diseases of heart (other forms)..	2,099	8	1	3	3	2	3	6	5	15	15	22	33	77	95	152	184	228	302	343	262	197	106	53	3	1	-
	White.....M..	935	4	-	2	-	1	-	3	2	5	9	5	8	25	39	58	78	110	154	164	112	103	56	16	1	-	-
	F..	563	2	1	-	2	-	3	-	1	4	1	3	6	15	15	22	33	46	88	106	98	69	39	11	-	-	-
	Nonwhite..M..	317	2	-	1	1	-	-	1	1	-	1	4	7	22	18	46	37	39	48	45	28	8	7	3	-	-	-
	F..	284	-	-	-	-	1	-	2	1	6	4	10	12	17	23	26	36	35	32	30	24	17	4	3	2	1	-
107-109, 33	Pneumonia (all forms) and influenza.....	1,251	515	56	17	11	11	24	15	19	26	21	26	35	28	39	65	62	68	86	96	82	87	45	15	2	1	1
	White.....M..	415	102	15	9	2	2	8	10	5	3	5	4	7	5	6	22	14	28	32	39	34	32	21	9	1	-	-
	F..	348	73	19	3	5	4	4	4	8	8	4	8	2	7	9	8	11	18	25	28	29	39	17	4	1	-	-
	Nonwhite..M..	269	77	12	4	3	2	8	1	4	3	6	11	13	8	16	22	17	10	17	10	12	8	3	1	-	-	1
	F..	219	61	10	1	1	3	4	-	2	12	6	3	13	8	8	13	20	12	12	9	7	8	4	1	-	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																										
107	Bronchopneumonia.	411	168	28	9	3	3	9	3	3	7	6	5	4	7	7	15	17	13	19	22	19	21	16	5	2	-	-
	White.....M..	145	62	7	5	1	-	3	2	1	1	1	1	-	2	1	6	5	6	7	8	8	8	7	2	1	-	-
	F..	113	38	11	1	1	-	1	1	1	2	3	-	-	2	2	2	3	5	7	12	5	7	6	2	1	-	-
	Nonwhite..M..	85	37	4	2	-	1	4	-	1	1	2	3	1	1	3	5	4	2	3	1	5	3	1	1	-	-	-
	F..	68	31	6	1	1	2	1	-	-	3	-	1	3	2	1	2	5	-	2	1	1	3	2	-	-	-	-
108	Lobar pneumonia..	424	73	12	2	5	3	10	7	8	13	6	9	16	12	19	22	19	28	35	40	33	32	14	5	-	-	1
	White.....M..	152	22	4	1	1	1	3	5	4	1	1	1	5	2	2	7	5	16	16	19	17	9	7	3	-	-	-
	F..	117	18	2	1	3	1	1	2	1	3	1	3	-	4	5	2	5	6	9	11	11	22	5	1	-	-	-
	Nonwhite..M..	83	17	4	-	1	-	4	-	1	2	1	4	5	4	7	9	5	4	5	7	2	-	-	-	-	-	1
	F..	72	16	2	-	-	1	2	-	2	7	3	1	6	2	5	4	4	2	5	3	3	1	2	1	-	-	-
109	Pneumonia (unspecified).....	109	25	6	2	-	3	1	2	2	1	1	3	6	1	1	6	8	7	7	8	7	8	1	3	-	-	-
	White.....M..	36	7	2	-	-	-	-	2	-	-	-	-	1	1	-	1	3	1	2	6	3	5	-	2	-	-	-
	F..	28	6	3	1	-	2	1	-	2	1	-	1	-	-	-	1	1	2	-	1	3	1	1	1	-	-	-
	Nonwhite..M..	31	11	1	1	-	1	-	-	-	-	-	1	4	-	1	2	1	3	3	-	1	1	-	-	-	-	-
	F..	14	1	-	-	-	-	-	-	-	-	1	1	1	-	-	2	3	1	2	1	-	1	-	-	-	-	-
33	Influenza.....	307	47	10	4	3	2	4	3	6	5	8	9	9	8	12	22	18	20	25	26	23	26	14	2	-	1	-
	White.....M..	82	11	2	3	-	1	2	1	-	1	3	2	1	-	3	8	1	5	7	6	6	10	7	2	-	-	-
	F..	90	11	3	-	1	1	1	1	4	2	-	4	2	1	2	3	2	5	9	14	10	9	5	-	-	-	-
	Nonwhite..M..	70	12	3	1	2	-	-	1	2	-	3	3	3	3	5	6	7	1	6	2	4	4	2	-	-	-	-
	F..	65	13	2	-	-	-	1	-	-	2	2	-	3	4	2	5	8	9	3	4	3	3	-	-	-	1	-
117	Ulcer of stomach or duodenum....	77	-	-	-	-	-	-	-	-	-	3	5	6	9	7	9	6	9	12	3	4	2	2	-	-	-	-
	White.....M..	56	-	-	-	-	-	-	-	-	-	3	4	5	7	7	4	4	5	9	1	3	2	2	-	-	-	-
	F..	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	2	1	-	-	-	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	2	1	1	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*....	262	127	47	13	6	3	4	1	2	3	-	1	1	3	2	3	4	6	5	11	8	8	3	1	-	-	-
	White.....M..	93	54	8	5	3	1	1	-	-	-	-	1	-	-	1	1	-	1	2	5	3	5	1	1	-	-	-
	F..	70	34	12	3	1	1	1	-	-	2	-	-	1	-	-	-	1	1	1	4	4	3	1	-	-	-	-
	Nonwhite..M..	56	24	15	2	2	-	-	1	1	1	-	-	-	3	-	1	1	1	1	2	-	-	1	-	-	-	-
	F..	43	15	12	3	-	1	2	-	1	-	-	-	-	1	1	2	3	1	-	1	-	-	-	-	-	-	-
121	Appendicitis.....	156	2	1	2	3	1	13	14	11	8	12	7	14	10	7	7	5	4	5	8	2	-	-	2	-	-	-
	White.....M..	60	1	-	1	3	-	8	5	4	2	5	2	4	3	2	3	5	2	4	4	1	-	-	1	-	-	-
	F..	45	-	1	1	-	1	3	7	6	5	1	3	5	4	2	2	-	2	-	-	1	-	-	1	-	-	-
	Nonwhite..M..	20	1	-	-	-	-	1	2	1	1	2	1	4	3	2	2	-	-	-	-	-	-	-	-	-	-	-
	F..	11	-	-	-	-	-	1	-	-	-	4	1	1	-	1	-	-	-	1	2	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	127	7	2	2	4	-	3	-	2	1	3	5	5	5	10	14	14	11	9	16	7	4	2	1	-	-	-
	White.....M..	49	2	2	1	1	-	1	-	2	1	1	1	-	1	1	6	4	6	4	10	3	1	1	-	-	-	-
	F..	39	4	-	-	1	-	1	-	-	-	1	3	2	1	2	4	4	3	5	3	2	2	-	1	-	-	-
	Nonwhite..M..	27	1	-	-	2	-	1	-	-	-	-	-	2	2	4	4	4	1	-	3	1	1	1	-	-	-	-
	F..	12	-	-	1	-	-	-	-	-	-	1	1	1	1	3	-	2	1	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver.....	83	-	-	-	-	-	-	-	-	-	-	-	1	2	6	10	11	20	11	10	9	2	1	-	-	-	-
	White.....M..	50	-	-	-	-	-	-	-	-	-	-	-	1	1	4	5	7	16	5	7	4	-	-	-	-	-	-
	F..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	5	3	2	2	1	-	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	1	-	1	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-
128,127	Biliary calculi, etc.*	68	-	-	-	-	-	-	-	-	-	-	-	2	2	8	4	12	7	15	9	4	4	1	-	-	-	-
	White.....M..	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	4	3	3	2	-	-	-	-	-
	F..	39	-	-	-	-	-	-	-	-	-	-	-	2	2	6	-	7	5	9	5	-	2	1	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis.....	1,515	-	4	2	1	-	3	5	7	11	9	20	30	48	73	92	88	128	170	218	174	141	65	18	4	3	1
	White.....M..	484	-	2	-	1	-	-	4	1	5	1	3	5	9	22	26	19	42	61	88	73	73	37	9	2	1	-
	F..	347	-	2	-	-	-	-	-	2	3	3	4	7	15	13	14	26	30	37	66	57	45	18	5	-	-	-
	Nonwhite..M..	285	-	-	2	-	-	3	1	1	1	3	5	6	10	19	27	27	36	47	44	26	16	7	2	1	1	-
	F..	199	-	-	-	-	-	-	-	3	2	2	8	12	14	19	25	16	20	25	20	18	7	3	2	1	1	1
137	Diseases of the prostate.....	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	12	19	12	18	14	8	1	1	-	-
	White.....M..	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	12	10	15	11	8	-	1	-	-
	Nonwhite..M..	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	7	2	3	3	-	1	-	-	-
140-150	Diseases of pregnancy, etc.*..	168	-	-	-	-	-	-	-	24	33	25	44	24	16	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	89	-	-	-	-	-	-	-	9	17	11	25	14	11	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	79	-	-	-	-	-	-	-	15	16	14	19	10	5	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145a, 147	Puerperal septicemia.....	66	-	-	-	-	-	-	-	14	11	12	13	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	34	-	-	-	-	-	-	-	5	7	6	7	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	32	-	-	-	-	-	-	-	9	4	6	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	52	-	-	-	-	-	-	-	5	13	9	15	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	26	-	-	-	-	-	-	-	2	6	3	8	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	26	-	-	-	-	-	-	-	3	7	6	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,145, 145B,146, 149,150	Other puerperal causes.....	50	-	-	-	-	-	-	-	5	9	4	16	8	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	29	-	-	-	-	-	-	-	2	4	2	10	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	21	-	-	-	-	-	-	-	3	5	2	6	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	141	125	5	3	2	-	3	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	75	65	4	2	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	54	48	1	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ARKANSAS—Con.																										
159	Premature birth..	337	337	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	158	158	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	130	130	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	21	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	110	-	-	-	-	-	-	1	3	9	12	6	4	15	12	11	6	9	7	5	4	3	1	-	-	2
	White.....M..	73	-	-	-	-	-	-	-	3	6	5	2	3	11	9	6	6	6	4	5	4	2	1	-	-	-
	F..	26	-	-	-	-	-	-	1	-	1	5	3	1	3	2	3	-	3	3	-	-	-	-	-	-	1
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1
	F..	4	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-
165-168	Homicide.....	162	2	-	-	-	-	-	-	17	20	27	22	13	16	12	11	7	6	4	1	2	2	-	-	-	-
	White.....M..	40	1	-	-	-	-	-	-	6	2	6	4	2	4	3	4	1	3	2	-	-	2	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	3	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	95	-	-	-	-	-	-	-	9	11	18	14	8	12	6	6	3	3	2	1	2	-	-	-	-	-
	F..	19	1	-	-	-	-	-	-	2	4	3	4	3	-	-	1	1	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,219	41	34	23	22	9	47	55	111	144	90	82	53	56	51	45	50	37	62	59	33	69	27	15	-	1	5
	White.....M..	675	14	16	7	9	3	21	26	71	105	68	48	34	37	36	29	28	20	29	24	13	25	7	3	-	-	4
	F..	250	12	4	7	6	1	16	13	10	12	5	10	5	5	3	4	7	7	22	19	15	42	18	7	-	-	-
	Nonwhite..M..	199	8	7	3	1	4	3	12	25	19	13	20	11	12	9	8	11	8	6	5	4	4	2	4	-	-	-
	F..	95	7	7	6	6	1	7	4	5	8	4	4	3	2	3	2	4	2	5	11	1	-	-	1	-	1	1
170	Motor-vehicle accidents.....	242	2	3	4	3	-	8	11	29	23	25	21	18	14	16	8	16	10	14	11	1	3	-	1	-	-	1
	White.....M..	155	1	1	2	2	-	4	4	21	18	19	10	13	9	10	5	10	6	10	7	-	2	-	-	-	-	1
	F..	38	1	1	1	1	-	3	4	4	2	4	5	1	2	2	1	-	1	2	2	1	-	-	-	-	-	-
	Nonwhite..M..	42	-	1	1	-	-	1	3	3	1	1	5	4	3	3	2	5	3	2	2	-	1	-	1	-	-	-
	F..	7	-	-	-	-	-	-	-	1	2	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	977	39	31	19	19	9	39	44	82	121	65	61	35	42	35	35	34	27	48	48	32	66	27	14	-	1	4
	White.....M..	520	15	15	5	7	3	17	22	50	87	49	38	21	28	26	24	18	14	19	17	13	21	7	3	-	-	3
	F..	212	11	3	6	5	1	13	9	6	10	1	5	4	3	1	3	7	6	20	17	14	42	18	7	-	-	-
	Nonwhite..M..	157	8	6	2	1	4	2	9	22	18	12	15	7	9	6	6	6	5	4	3	4	3	2	3	-	-	-
	F..	88	7	7	6	6	1	7	4	4	6	3	3	3	2	2	2	3	2	5	11	1	-	-	1	-	1	1
162, 199, 200	Senility, ill-defined and unknown causes.	895	160	15	6	1	1	7	5	1	7	11	10	16	15	27	27	36	44	67	96	90	91	90	50	9	12	1
	White.....M..	304	50	5	3	-	-	4	4	-	2	3	2	7	4	12	11	9	15	19	37	26	31	40	14	2	3	1
	F..	255	34	2	-	1	1	2	1	-	2	2	-	3	3	2	6	7	6	17	23	33	30	33	21	3	3	-
	Nonwhite..M..	171	39	4	1	-	-	-	-	-	-	1	4	2	4	5	6	13	9	14	20	17	15	7	7	-	3	-
	F..	185	37	4	2	-	-	1	-	1	3	5	4	4	4	8	4	7	14	17	16	14	15	10	8	4	3	-
	All other causes.	1,448	312	15	11	5	9	31	18	40	38	35	54	54	68	73	79	77	87	115	100	93	57	48	19	9	1	2
	White.....M..	568	139	2	3	2	4	17	7	16	12	11	12	16	23	30	31	31	33	42	51	36	21	26	2	-	-	1
	F..	455	92	11	4	3	4	9	7	12	14	10	17	15	15	15	18	17	28	30	35	35	27	17	15	5	-	-
	Nonwhite..M..	204	49	2	-	-	-	3	1	3	6	5	12	5	9	13	15	17	8	21	9	12	7	4	1	2	-	-
	F..	221	32	-	4	-	1	2	3	9	6	9	13	18	21	15	15	12	18	20	5	10	2	1	1	2	1	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA																										
	All causes	89,109	5999	447	289	196	164	524	503	1081	1867	1,756	1944	2634	3351	4424	6,063	7,418	8,620	9,486	10,112	9,097	7339	3982	1,409	308	61	35
	White	49,893	3289	228	148	100	85	309	296	652	1204	998	1055	1467	1987	2652	3,761	4,701	5,283	5,488	5,468	4,661	3563	1,767	569	119	17	26
	F.	35,273	175	123	87	69	180	170	336	493	591	728	948	1112	1,466	1,956	2,354	2,981	3,652	4,387	4,256	3661	2,147	809	173	37	6
	Nonwhite	2,592	196	27	10	6	6	17	27	54	102	114	108	148	170	191	216	244	244	242	189	123	82	45	14	11	3	3
	F.	1,351	138	17	8	3	4	18	10	39	68	53	53	71	82	115	130	119	112	104	68	57	33	23	17	5	4	-
1,2	Typhoid and paratyphoid fever	15	1	-	-	-	-	-	2	2	1	-	1	2	3	1	-	1	1	-	-	-	-	-	-	-	-	-
	White	8	-	-	-	-	-	-	1	2	-	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F.	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	187	21	14	4	6	2	9	10	26	12	9	14	10	11	7	8	9	7	6	1	-	-	1	-	-	-	-
	White	116	12	9	3	3	-	4	5	21	10	3	7	6	8	7	5	6	6	1	-	-	-	-	-	-	-	-
	F.	60	8	5	1	3	2	4	5	3	1	5	5	4	2	-	2	3	-	5	1	-	-	1	-	-	-	-
	Nonwhite	7	1	-	-	-	-	1	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
8	Scarlet fever	13	-	-	-	2	1	2	1	2	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	7	-	-	-	-	-	-	1	1	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	6	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	108	83	20	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	31	21	8	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	62	54	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	9	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	92	4	3	8	10	10	26	3	-	4	1	1	2	5	4	4	3	2	1	1	-	-	-	-	-	-	-
	White	55	2	1	5	6	5	16	2	-	2	1	1	1	4	2	3	3	1	-	-	-	-	-	-	-	-	-
	F.	33	2	2	2	4	5	8	-	-	2	-	-	1	1	2	1	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	3,872	30	32	25	20	14	45	47	181	277	287	308	334	340	352	377	360	321	207	174	88	34	15	4	-	-	-
	White	2,228	21	15	15	9	5	15	15	57	75	107	120	175	217	237	276	273	232	148	125	55	25	9	2	-	-	-
	F.	1,122	7	10	9	11	7	18	22	86	136	122	129	114	85	73	64	55	51	44	37	28	9	4	1	-	-	-
	Nonwhite	562	2	4	-	-	1	5	7	17	30	40	39	35	28	33	31	28	35	12	9	5	-	1	-	-	-	-
	F.	160	-	3	1	-	1	7	3	21	36	18	20	10	10	9	6	4	3	3	3	-	-	1	1	-	-	-
13	Tuberculosis of respiratory system, etc*	3,532	11	14	10	12	7	19	36	153	252	269	284	311	323	338	356	338	303	197	166	82	32	15	4	-	-	-
	White	2,078	9	8	7	7	1	6	8	49	71	103	110	166	207	230	268	260	218	142	120	53	24	9	2	-	-	-
	F.	997	1	5	3	5	4	9	20	74	123	113	123	104	78	68	56	50	48	41	35	24	8	4	1	-	-	-
	Nonwhite	328	1	1	-	-	1	3	5	18	28	36	35	31	28	33	29	25	34	11	8	5	-	1	-	-	-	-
	F.	129	-	-	-	-	1	1	3	17	30	17	16	10	10	7	3	3	3	3	3	-	-	1	1	-	-	-
14-22	Tuberculosis (other forms)	340	19	18	15	8	7	26	11	28	25	18	24	23	17	14	21	22	18	10	8	6	2	-	-	-	-	-
	White	150	12	7	8	2	4	9	7	8	4	4	10	9	10	7	8	13	14	6	5	2	1	-	-	-	-	-
	F.	125	6	5	6	6	3	9	2	12	13	9	6	10	7	5	8	5	3	3	2	4	1	-	-	-	-	-
	Nonwhite	34	1	3	-	-	-	2	2	4	2	4	4	4	-	-	2	3	1	1	1	-	-	-	-	-	-	-
	F.	31	-	3	1	-	-	6	-	4	6	1	4	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	72	44	3	-	2	1	-	-	-	1	1	1	-	-	2	-	2	1	1	7	3	2	1	-	-	-	-
	White	38	25	-	-	1	1	-	-	-	1	-	-	-	-	2	-	-	1	1	4	1	1	-	-	-	-	-
	F.	31	17	2	-	1	-	-	-	-	-	1	1	-	-	-	-	2	-	-	3	2	1	1	-	-	-	-
	Nonwhite	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	6	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White	5	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,224	27	1	-	-	-	1	1	2	9	18	33	69	77	135	176	208	169	146	82	37	24	7	2	-	-	-
	White	796	13	1	-	-	-	-	-	-	1	6	20	38	51	75	115	142	135	100	57	27	11	3	1	-	-	-
	F.	246	9	-	-	-	-	1	-	1	7	8	7	13	12	32	39	34	17	25	19	8	9	4	1	-	-	-
	Nonwhite	144	3	-	-	-	-	-	1	-	1	3	4	14	13	21	14	27	15	19	5	1	3	-	-	-	-	-
	F.	38	2	-	-	-	-	-	-	1	-	1	2	4	1	7	8	5	2	2	1	1	1	-	-	-	-	-
35	Measles	29	5	5	2	3	1	5	1	4	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White	20	3	4	1	1	-	3	1	4	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F.	7	-	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	170	1	-	6	-	3	21	32	29	29	17	10	10	5	2	-	3	-	2	-	1	-	-	-	-	-	-
	White	105	-	-	3	-	2	17	20	15	17	6	6	7	5	2	-	3	-	1	-	1	-	-	-	-	-	-
	F.	61	1	-	3	-	1	3	12	12	11	11	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	11,094	7	3	9	4	5	17	18	21	39	85	129	268	450	735	1,065	1,273	1,509	1,613	1,489	1,176	767	297	90	21	1	3
	White	5,064	5	2	4	4	3	8	7	12	24	38	49	94	147	274	443	563	698	812	743	569	387	129	36	10	1	2
	F.	5,638	2	1	4	-	2	9	9	9	12	40	75	154	269	415	567	655	753	758	712	592	372	165	51	11	-	1
	Nonwhite	210	-	-	1	-	-	-	1	-	-	3	1	9	14	25	27	32	29	31	25	7	3	2	-	-	-	-
	F.	182	-	-	-	-	-	-	1	-	3	4	4	11	20	21	28	23	29	12	9	8	5	1	3	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																										
46	Cancer of digestive organs, peritoneum	5,007	3	-	1	-	1	1	1	2	7	26	42	84	138	254	411	558	694	793	756	621	419	148	40	4	1	2
	White	2,630	3	-	1	-	-	1	1	2	3	16	24	42	65	128	225	315	382	442	392	317	201	55	13	1	1	2
	F.	2,192	-	-	-	-	1	-	-	-	2	8	18	33	62	108	162	224	283	322	344	296	211	91	24	3	-	-
	Nonwhite	130	-	-	-	-	-	-	-	-	-	2	-	8	8	16	13	15	19	24	17	5	2	1	-	-	-	-
	F.	55	-	-	-	-	-	-	-	-	2	-	-	1	3	2	11	6	10	5	3	3	5	1	3	-	-	-
48,49	Cancer of female genital organs	1,404	-	-	-	-	-	-	1	5	5	11	29	67	111	140	170	187	193	182	143	79	45	24	9	2	-	1
	White	1,343	-	-	-	-	-	-	1	5	4	11	25	59	100	131	162	183	185	179	140	77	45	24	9	2	-	1
	Nonwhite	61	-	-	-	-	-	-	-	-	1	-	4	8	11	9	8	4	8	3	3	2	-	-	-	-	-	-
50	Cancer of breast	1,195	-	-	-	-	-	-	-	-	-	7	16	41	67	118	164	160	163	136	121	115	55	23	9	-	-	-
	White	14	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	-	3	2	1	-	-	-	-	-	-
	F.	1,152	-	-	-	-	-	-	-	-	-	5	16	40	63	112	158	150	158	133	118	112	55	23	9	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F.	27	-	-	-	-	-	-	-	-	-	2	-	1	2	3	3	8	5	-	1	2	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	3,488	4	3	8	4	4	16	16	14	27	41	42	76	134	223	320	368	459	502	469	361	248	102	32	15	-	-
	White	2,420	2	2	5	4	3	7	6	10	21	22	25	52	80	143	216	249	316	367	349	251	186	74	23	9	-	-
	F.	951	2	1	4	-	1	9	8	4	6	16	16	22	44	64	85	98	127	124	110	107	61	27	9	6	-	-
	Nonwhite	78	-	-	1	-	-	-	1	-	-	1	1	1	6	9	13	16	10	7	8	2	1	1	-	-	-	-
	F.	39	-	-	-	-	-	-	1	-	-	2	-	1	4	7	6	5	6	4	2	1	-	-	-	-	-	-
58	Acute rheumatic fever	40	-	-	1	-	1	6	11	5	2	3	5	1	-	-	2	1	1	-	-	-	1	-	-	-	-	-
	White	17	-	-	1	-	-	2	4	3	-	2	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F.	21	-	-	-	-	1	3	7	2	2	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,876	2	1	-	-	-	4	9	9	14	9	23	22	29	76	97	196	272	335	357	238	124	49	10	-	-	-
	White	743	1	1	-	-	-	3	4	4	4	3	12	9	12	31	34	75	114	121	147	94	50	22	2	-	-	-
	F.	1,052	1	-	-	-	-	1	5	4	8	5	10	8	14	35	56	114	147	199	203	137	72	25	8	-	-	-
	Nonwhite	43	-	-	-	-	-	-	-	-	1	1	1	4	1	5	3	3	5	8	5	4	1	1	-	-	-	-
	F.	38	-	-	-	-	-	-	-	1	1	-	-	1	2	5	4	4	6	7	2	3	1	1	-	-	-	-
63b	Exophthalmic goiter	152	-	-	-	-	-	-	1	4	4	3	3	5	13	11	13	20	20	22	17	9	5	2	-	-	-	-
	White	24	-	-	-	-	-	-	-	1	-	-	-	1	1	1	3	6	6	1	1	1	1	1	-	-	-	-
	F.	116	-	-	-	-	-	-	1	3	1	3	2	3	11	7	9	13	14	19	15	8	4	1	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	12	-	-	-	-	-	-	-	-	2	-	1	1	-	3	1	1	-	2	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	5	3	-	1	-	-	-
	White	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	5	1	-	1	-	-	-
	F.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	2	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	162	-	-	-	-	-	-	-	1	3	5	16	20	26	26	19	18	9	10	6	1	2	-	-	-	-	-
	White	131	-	-	-	-	-	-	-	-	3	3	13	13	20	20	17	17	9	9	4	1	2	-	-	-	-	-
	F.	29	-	-	-	-	-	-	-	1	-	2	3	6	6	6	2	1	-	-	2	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	6,855	8	4	2	2	-	7	3	6	11	17	30	71	94	200	370	519	724	980	1,131	1,119	899	486	146	23	2	1
	White	3,224	4	1	1	-	-	1	2	4	7	8	16	32	47	92	163	271	383	473	549	526	405	182	51	6	-	-
	F.	3,391	4	3	1	2	-	5	1	2	3	6	10	31	38	89	184	213	305	464	556	579	483	299	94	16	2	1
	Nonwhite	148	-	-	-	-	-	-	-	-	1	3	1	4	2	8	11	24	26	30	18	9	8	3	-	-	-	-
	F.	92	-	-	-	-	-	1	-	-	-	-	3	4	7	11	12	11	10	13	8	5	3	2	1	1	-	-
90-95	Diseases of the heart	27,159	7	2	2	1	1	16	28	55	63	125	206	388	674	1,088	1,823	2,555	3,152	3,640	3,977	3,789	3128	1,712	580	112	27	8
	White	15,955	3	1	1	1	1	10	13	26	33	76	123	240	462	739	1,311	1,822	2,132	2,241	2,171	1,980	1,475	789	245	44	10	4
	F.	10,426	3	1	1	-	-	6	12	25	24	43	74	129	175	292	436	638	927	1,279	1,717	1,744	1,609	893	321	61	13	5
	Nonwhite	538	1	-	-	-	-	-	2	2	3	4	6	13	26	42	49	63	67	84	66	42	34	20	6	5	2	1
	F.	242	-	-	-	-	-	-	1	2	3	2	3	6	11	15	27	32	26	36	23	23	10	10	8	2	2	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	1,571	-	-	1	-	-	3	16	27	28	52	64	80	125	116	151	163	150	153	148	125	95	58	12	5	1	-
	White	788	-	-	-	-	-	2	6	12	20	30	35	37	66	64	76	82	84	82	70	60	37	20	4	1	-	-
	F.	719	-	-	1	-	-	1	8	13	7	21	25	38	49	47	66	78	61	63	75	60	57	38	7	3	1	-
	Nonwhite	40	-	-	-	-	-	-	1	1	-	-	2	5	7	3	5	2	2	4	3	3	1	-	1	-	-	-
	F.	24	-	-	-	-	-	-	1	1	1	1	2	-	1	2	4	1	3	4	-	2	-	-	-	1	-	-
94	Diseases of coronary arteries, angina pectoris	8,254	-	-	-	-	-	1	1	2	5	16	47	123	247	444	764	983	1,164	1,253	1,216	988	667	243	67	17	1	5
	White	5,627	-	-	-	-	-	-	1	1	2	12	34	93	212	367	609	811	871	820	731	555	358	125	40	4	-	3
	F.	2,492	-	-	-	-	-	1	-	1	2	2	10	25	29	67	141	160	273	405	468	427	326	116	27	10	1	1
	Nonwhite	101	-	-	-	-	-	-	-	-	1	1	2	3	5	8	13	7	14	21	13	6	3	1	-	2	-	1
	F.	34	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	5	6	7	4	2	-	1	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	17,334	7	2	1	1	1	12	11	26	30	57	95	185	304	528	908	1,409	1,838	2,234	2,613	2,676	2366	1,411	501	90	25	3
	White	9,538	3	1	1	1	1	8	6	13	11	34	54	110	184	308	626	929	1,177	1,339	1,370	1,367	1100	644	201	39	10	1
	F.	7,215	3	1	-	-	-	4	4	11	15	20	39	66	97	178	229	400	595	811	1,174	1,257	1226	739	287	48	11	2
	Nonwhite	397	1	-	-	-	-	-	1	1	2	3	2	5	14	31	51	54	51	59	50	33	30	19	5	3	2	-
	F.	184	-	-	-	-	-	-	-	1	2	-	-	4	9	11	22	26	17	25	19	19	10	9	8	-	2	-
107-109, 33	Pneumonia (all forms) and influenza	4,890	768	118	57	31	15	40	31	35	65	91	128	169	250	280	317	349	342	334	405	348	376	210	97	27	6	1
	White	2,899	411	61	20	13	7	21	20	18	36	49	65	101	173	195	228	264	232	203	245	182	201	101	43	8	2	-
	F.	1,657	295	46	31	16	8	18	7	12	24	37	43	50	47	63	56	63	69	116	142	150	168	103	51	18	4	-
	Nonwhite	246	43	7	2	2	-	1	3	-	3	4	16	14	26	17	25	18	13	11	14	11	6	5	3	1	-	1
	F.	88	19	4	4	-	-	-	1	5	2	1	4	4	4	5	8	4	8	4	4	5	1	1	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																										
107	Bronchopneumonia.	2,601	601	83	37	22	9	25	15	21	27	44	37	57	67	89	104	117	140	180	217	212	239	155	74	23	5	1
	White.....M..	1,456	321	43	15	9	5	14	11	10	16	25	23	34	46	55	66	80	86	106	128	108	138	78	32	7	2	-
	F..	991	229	33	18	11	4	10	2	7	11	17	11	18	15	29	31	29	46	67	78	95	98	75	39	15	3	-
	Nonwhite..M..	105	34	4	1	2	-	1	2	-	-	2	3	3	5	5	6	6	4	3	8	6	2	3	3	1	-	1
	F..	49	17	3	3	-	-	-	-	4	-	-	-	2	1	-	1	2	4	4	3	3	1	1	-	-	-	-
108	Lobar pneumonia...	1,701	104	21	9	7	2	8	9	11	23	31	68	92	144	149	170	194	157	123	137	96	100	32	11	2	1	-
	White.....M..	1,123	53	11	2	3	-	5	5	6	9	18	33	57	101	112	133	159	120	76	92	54	51	17	6	-	-	-
	F..	433	41	8	7	4	2	3	3	4	9	12	21	23	21	22	18	25	29	39	40	35	45	14	5	2	1	-
	Nonwhite..M..	117	8	1	-	-	-	-	1	-	3	1	11	11	19	10	15	8	6	8	5	5	4	1	-	-	-	-
	F..	28	2	1	-	-	-	-	-	1	2	-	3	1	3	5	4	2	2	-	-	2	-	-	-	-	-	-
109	Pneumonia (unspecified).....	143	21	2	2	-	-	1	1	2	7	7	9	7	12	14	13	9	6	6	9	5	4	2	4	-	-	-
	White.....M..	88	14	2	-	-	-	1	1	1	5	4	3	4	9	10	8	6	5	4	6	2	1	1	1	-	-	-
	F..	46	7	-	1	-	-	-	-	1	2	2	5	3	3	3	3	1	1	2	2	3	3	1	3	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
33	Influenza.....	445	42	12	9	2	4	6	6	1	8	9	14	13	27	28	30	29	39	25	42	35	33	21	8	2	-	-
	White.....M..	232	23	5	3	1	2	1	3	1	6	2	6	6	17	18	21	19	21	17	19	18	11	7	4	1	-	-
	F..	187	18	5	5	1	2	5	2	-	2	6	6	6	8	9	4	8	13	8	22	17	22	13	4	1	-	-
	Nonwhite..M..	19	1	2	1	-	-	-	-	-	-	-	2	-	2	1	3	2	3	-	1	-	-	1	-	-	-	-
	F..	7	-	-	-	-	-	-	1	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	801	-	-	-	-	-	1	-	4	2	10	17	30	48	71	116	108	112	104	86	48	28	11	4	1	-	-
	White.....M..	632	-	-	-	-	-	1	-	3	1	7	12	21	35	56	100	92	96	80	66	36	17	7	2	-	-	-
	F..	138	-	-	-	-	-	-	-	1	-	2	3	6	11	15	12	13	12	19	19	9	10	3	2	1	-	-
	Nonwhite..M..	27	-	-	-	-	-	-	-	-	1	1	1	1	2	-	3	3	4	5	1	3	1	1	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	629	480	26	5	2	1	4	2	1	7	6	7	7	4	8	11	9	8	8	11	10	6	5	-	1	-	-
	White.....M..	330	261	8	4	2	1	2	-	-	5	5	4	5	2	2	6	5	3	2	7	2	2	1	-	1	-	-
	F..	268	196	16	1	-	-	2	1	1	1	1	3	1	2	6	4	4	4	6	4	7	4	4	-	-	-	-
	Nonwhite..M..	21	14	2	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F..	10	9	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	456	2	4	8	5	5	23	29	30	23	14	35	24	29	33	38	41	34	32	21	15	7	2	1	-	-	1
	White.....M..	266	1	1	6	3	5	15	16	19	14	7	22	10	20	21	19	26	16	20	9	8	5	2	-	-	-	1
	F..	173	1	-	2	2	-	8	12	10	6	7	12	11	9	12	17	14	18	10	12	7	2	-	1	-	-	-
	Nonwhite..M..	12	-	1	-	-	-	-	1	1	1	-	1	3	-	-	1	1	-	2	-	-	-	-	-	-	-	-
	F..	5	-	2	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	760	37	10	2	2	3	5	1	8	10	18	31	25	38	42	77	57	78	83	85	76	43	17	11	-	1	-
	White.....M..	367	20	5	2	1	2	2	1	5	5	3	9	4	18	11	42	29	42	45	44	40	22	12	3	-	-	-
	F..	360	14	3	-	1	1	2	-	2	4	11	22	19	17	29	30	26	36	38	41	33	20	4	7	-	-	-
	Nonwhite..M..	14	1	2	-	-	-	-	-	1	-	2	-	1	-	1	1	2	-	-	-	1	-	1	1	-	-	-
	F..	19	2	-	-	-	-	1	-	-	1	2	-	1	3	1	4	-	-	-	-	2	1	-	-	-	1	-
124	Cirrhosis of the liver.....	1,456	1	-	-	-	1	3	-	-	3	18	45	99	151	184	217	194	161	143	119	63	33	16	3	1	1	-
	White.....M..	924	-	-	-	-	1	2	-	-	1	5	24	49	85	132	146	130	117	98	75	37	14	6	1	1	-	-
	F..	491	1	-	-	-	-	1	-	-	2	12	20	47	58	48	63	60	42	40	39	26	19	10	2	-	1	-
	Nonwhite..M..	25	-	-	-	-	-	-	-	-	-	1	-	2	6	1	7	1	1	3	3	-	-	-	-	-	-	-
	F..	16	-	-	-	-	-	-	-	-	-	-	1	1	2	3	1	3	1	2	2	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	375	-	-	-	1	-	-	-	-	3	3	7	9	15	24	32	44	58	49	51	32	32	12	3	-	-	-
	White.....M..	137	-	-	-	-	-	-	-	-	-	-	2	3	5	9	9	22	18	25	17	10	13	3	1	-	-	-
	F..	228	-	-	-	1	-	-	-	-	3	3	5	6	10	14	22	20	36	23	32	22	19	8	2	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	-	1	-	-	-	-
130-132	Nephritis.....	4,464	8	-	1	3	2	6	22	23	30	44	64	99	142	195	260	376	464	499	629	636	518	292	112	28	7	4
	White.....M..	2,280	4	-	1	1	2	4	14	15	15	24	34	58	63	109	141	200	256	271	319	302	257	126	48	13	-	3
	F..	1,981	4	-	-	1	-	1	6	6	12	18	27	38	68	65	100	143	182	207	294	319	251	158	61	12	7	1
	Nonwhite..M..	111	-	-	-	1	-	-	2	2	3	2	2	2	8	9	8	17	14	9	11	8	6	4	1	2	-	-
	F..	92	-	-	-	-	-	1	-	-	-	-	1	1	3	12	11	16	12	12	5	7	4	4	2	1	-	-
137	Diseases of the prostate.....	528	-	-	-	-	-	-	-	-	1	-	1	-	1	2	12	12	50	67	118	122	89	39	13	1	-	-
	White.....M..	509	-	-	-	-	-	-	-	-	1	-	-	-	1	2	11	11	46	64	116	118	86	39	13	1	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	3	2	4	3	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	357	-	-	-	-	-	-	-	32	87	99	64	54	19	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	329	-	-	-	-	-	-	-	31	81	88	63	48	17	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	28	-	-	-	-	-	-	-	1	6	11	1	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	156	-	-	-	-	-	-	-	14	37	47	27	25	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	143	-	-	-	-	-	-	-	13	34	42	26	23	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	13	-	-	-	-	-	-	-	1	3	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	67	-	-	-	-	-	-	-	7	21	12	7	12	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	62	-	-	-	-	-	-	-	7	20	11	7	10	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,145, 145B,146, 149,150	Other puerperal causes.....	134	-	-	-	-	-	-	-	11	29	40	30	17	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	124	-	-	-	-	-	-	-	11	27	35	30	15	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	10	-	-	-	-	-	-	-	-	2	5	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	964	802	28	14	11	6	19	7	15	14	11	6	4	6	5	3	5	5	3	1	1	-	-	-	-	-	-
	White.....M..	512	425	14	7	6	3	10	4	10	8	5	3	1	4	3	1	3	4	-	1	-	-	-	-	-	-	-
	F..	415	349	11	6	4	2	7	3	2	5	6	3	3	2	2	1	2	1	3	-	1	-	-	-	-	-	-
	Nonwhite..M..	20	15	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	19	15	2	1	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CALIFORNIA—Con.																										
159	Premature birth..	1,934	1,934	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	1,070	1,070	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	756	756	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	56	56	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	1,245	-	-	-	-	-	-	6	20	53	92	104	135	116	126	114	121	116	95	70	42	25	9	-	-	1
	White.....M..	868	-	-	-	-	-	-	5	11	27	53	66	92	74	90	77	90	81	76	57	38	22	8	-	-	1
	F..	347	-	-	-	-	-	-	1	8	24	30	35	40	40	35	35	28	34	19	11	4	2	1	-	-	-
	Nonwhite..M..	24	-	-	-	-	-	-	-	-	1	8	3	3	1	-	2	2	1	-	2	-	1	-	-	-	-
	F..	6	-	-	-	-	-	-	-	1	1	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	367	5	-	1	-	1	5	6	18	38	38	43	55	49	31	31	20	15	4	1	2	3	-	-	1	-	-
	White.....M..	210	2	-	-	-	-	3	2	6	19	18	23	27	33	22	22	17	10	3	1	-	2	-	-	-	-	-
	F..	72	2	-	1	-	1	2	3	5	8	8	11	9	7	4	5	1	1	-	-	2	1	-	-	1	-	-
	Nonwhite..M..	73	1	-	-	-	-	-	1	7	8	9	9	16	8	4	4	1	4	1	-	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	3	3	-	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	7,273	176	96	73	52	49	162	163	432	889	541	401	434	430	446	431	405	394	326	322	362	344	225	82	25	3	10
	White.....M..	5,294	100	55	41	28	25	118	119	347	790	470	326	347	340	352	335	323	307	235	193	188	141	68	27	8	1	10
	F..	1,732	67	39	29	23	20	39	37	66	64	49	60	70	70	74	78	71	79	84	119	168	199	157	52	16	2	-
	Nonwhite..M..	203	4	1	3	-	2	3	7	14	33	19	13	15	19	15	11	10	8	6	8	6	4	-	1	1	-	-
	F..	44	5	1	-	1	2	2	-	5	2	3	2	2	1	5	7	1	-	1	2	-	-	-	2	-	-	-
170	Motor-vehicle accidents.....	2,622	14	26	15	20	22	66	55	220	265	207	172	193	184	195	196	179	174	147	96	89	57	22	5	1	-	2
	White.....M..	1,977	11	11	7	9	9	44	38	161	209	172	129	150	139	154	144	139	144	114	65	63	45	13	5	-	-	2
	F..	549	3	15	7	11	12	20	15	50	43	27	34	35	33	36	47	32	26	31	28	24	11	9	-	-	-	-
	Nonwhite..M..	82	-	-	1	-	1	2	2	5	12	7	7	8	11	5	2	7	4	1	3	2	1	-	-	1	-	-
	F..	14	-	-	-	-	-	-	-	4	1	1	2	-	1	-	3	1	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	4,651	162	70	58	32	27	96	108	212	624	334	229	241	246	251	235	226	220	179	226	273	287	203	77	24	3	8
	White.....M..	3,517	89	44	34	19	16	74	81	186	581	298	197	197	201	198	191	184	163	121	128	125	96	55	22	8	1	8
	F..	1,183	64	24	22	12	8	19	22	16	21	22	26	35	37	38	31	39	53	53	91	144	188	148	52	16	2	-
	Nonwhite..M..	121	4	1	2	-	1	1	5	9	21	12	6	7	8	10	9	3	4	5	5	4	3	-	1	-	-	-
	F..	30	5	1	-	1	2	2	-	1	1	2	-	2	-	5	4	-	-	-	2	-	-	-	2	-	-	-
162,, 199, 200	Senility, ill-defined and unknown causes.	491	8	4	-	-	-	1	2	6	6	8	4	9	7	17	8	14	17	34	34	63	103	69	53	16	2	6
	White.....M..	233	6	-	-	-	-	1	-	3	2	1	3	5	3	12	8	9	10	13	15	30	57	29	16	5	-	5
	F..	225	2	3	-	-	-	-	1	3	2	4	1	3	4	5	-	3	6	17	14	29	42	37	37	11	1	-
	Nonwhite..M..	22	-	1	-	-	-	-	1	-	-	3	-	-	-	-	-	2	1	2	4	2	2	2	-	-	1	1
	F..	11	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	2	1	2	2	1	-	-	-	-
	All other causes.	8,976	1,538	73	66	38	41	96	67	112	163	182	205	277	318	319	441	495	576	740	915	810	742	505	197	51	11	-
	White.....M..	4,786	879	41	33	20	21	51	40	65	98	97	90	125	155	153	245	298	325	444	501	409	364	230	77	22	3	-
	F..	3,797	580	25	30	14	17	38	25	40	50	68	97	129	137	142	172	176	225	275	393	381	363	269	118	26	7	-
	Nonwhite..M..	239	47	5	2	2	2	6	-	7	12	10	9	10	14	10	15	7	14	14	15	19	10	5	2	2	-	-
	F..	154	32	2	1	2	1	1	2	-	3	7	9	13	12	14	9	12	12	7	6	1	5	1	-	1	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO																										
	All causes	12,761	1,228	139	70	38	35	142	125	182	318	295	243	300	382	510	643	838	1,028	1,234	1,417	1,482	1,165	664	226	45	8	4
	White..M..	7,268	683	78	49	23	22	72	76	104	218	183	142	156	214	290	385	491	613	731	820	825	629	343	103	13	2	3
	F..	5,114	522	57	18	15	13	65	46	70	88	98	91	119	151	190	234	316	378	474	556	629	514	314	120	31	5	-
	Nonwhite..M..	225	16	2	2	-	-	2	2	3	8	9	6	15	5	17	15	22	21	23	22	13	15	4	1	1	-	1
	F..	154	7	2	1	-	-	3	1	5	4	5	4	10	12	13	9	9	16	6	19	15	7	3	2	-	1	-
1,2	Typhoid and paratyphoid fever..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White..M..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	28	7	2	2	2	2	1	1	-	3	1	-	-	2	1	1	1	-	-	1	1	-	-	-	-	-	-
	White..M..	23	6	1	2	2	2	-	-	-	3	1	-	-	2	1	1	-	-	-	1	1	-	-	-	-	-	-
	F..	5	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	9	1	1	-	-	1	1	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White..M..	4	1	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	23	12	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	14	8	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	9	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	21	-	4	2	1	-	8	1	1	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	12	-	1	2	-	-	7	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	9	-	3	-	1	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms).....	471	3	8	5	1	-	5	6	17	32	42	44	40	31	49	45	40	37	23	24	14	3	1	-	-	-	1
	White..M..	276	3	5	1	-	-	2	2	5	11	16	22	16	20	39	36	27	25	17	17	9	2	-	-	-	-	1
	F..	156	-	2	4	1	-	3	3	9	16	20	17	17	10	6	9	11	11	4	6	5	1	1	-	-	-	-
	Nonwhite..M..	22	-	-	-	-	-	-	1	2	2	2	2	4	-	4	-	1	1	2	1	-	-	-	-	-	-	-
	F..	17	-	1	-	-	-	-	-	1	3	4	3	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.* .	427	2	4	2	1	-	3	4	13	27	39	41	38	31	44	42	38	33	23	23	14	3	1	-	-	-	1
	White..M..	258	2	2	-	-	-	2	1	3	11	16	21	16	20	35	35	26	22	17	17	9	2	-	-	-	-	1
	F..	138	-	1	2	1	-	1	2	7	14	18	16	16	10	6	7	10	10	4	6	5	1	1	-	-	-	-
	Nonwhite..M..	17	-	-	-	-	-	-	1	2	-	1	2	4	-	3	-	1	1	2	-	-	-	-	-	-	-	-	-
	F..	14	-	1	-	-	-	-	-	1	2	4	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	44	1	4	3	-	-	2	2	4	5	3	3	2	-	5	3	2	4	-	1	-	-	-	-	-	-	-
	White..M..	18	1	3	1	-	-	-	1	2	-	-	1	-	-	4	1	1	3	-	-	-	-	-	-	-	-	-
	F..	18	-	1	2	-	-	2	1	2	2	2	1	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	20	13	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-
	White..M..	12	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
28	Malaria.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	139	10	-	-	-	-	1	1	-	1	4	3	4	11	12	10	19	22	20	11	7	1	1	1	-	-	-
	White..M..	91	5	-	-	-	-	1	-	-	-	1	2	3	8	9	9	7	16	17	6	6	-	1	-	-	-	-
	F..	32	5	-	-	-	-	-	1	-	1	2	1	1	2	1	-	10	3	-	3	1	-	-	1	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	3	3	-	-	1	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	-
35	Measles.....	34	6	16	7	-	-	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	22	3	12	5	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	12	3	4	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	30	-	-	-	-	-	7	3	7	9	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	21	-	-	-	-	-	5	3	6	4	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	2	-	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	1,423	-	2	1	3	-	2	6	4	7	10	14	27	40	74	109	157	164	197	218	185	128	59	15	1	-	-
	White..M..	671	-	2	1	2	-	1	3	2	2	6	9	10	14	26	42	65	63	106	113	101	71	26	5	1	-	-
	F..	707	-	-	-	1	-	1	3	2	5	4	5	15	24	45	64	85	92	85	95	83	55	33	10	-	-	-
	Nonwhite..M..	25	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	6	5	3	7	-	1	-	-	-	-	-
	F..	20	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	4	3	3	1	1	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Con.																										
46	Cancer of digestive organs, peritoneum	659	-	-	-	-	-	1	-	1	3	4	5	10	10	25	39	70	75	92	105	104	79	29	6	1	-	-
	White..M..	357	-	-	-	-	-	1	-	-	-	4	4	5	5	16	19	33	30	55	57	51	41	14	1	1	-	-
	F..	297	-	-	-	-	-	-	-	1	3	-	1	4	5	7	17	32	39	34	45	52	37	15	5	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	1	2	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	2	1	1	1	-	-	-	-	-
48,49	Cancer of female genital organs	144	-	-	-	-	-	-	-	-	-	-	2	7	11	27	18	18	12	16	18	10	-	5	-	-	-	-
	White.....F..	139	-	-	-	-	-	-	-	-	-	-	2	7	9	26	18	18	11	16	17	10	-	5	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-	-	-	-	-	-
50	Cancer of breast	134	-	-	-	-	-	-	-	-	-	-	2	4	7	9	19	19	20	12	17	6	10	7	2	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F..	131	-	-	-	-	-	-	-	-	-	-	2	4	7	9	19	18	20	11	17	6	10	6	2	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	486	-	2	1	3	-	1	6	3	4	6	5	6	12	13	33	50	57	77	78	65	39	18	7	-	-	-
	White.....M..	332	-	2	1	2	-	-	3	2	2	2	5	5	9	10	23	31	33	51	56	50	30	11	4	-	-	-
	F..	140	-	-	-	1	-	1	3	1	2	4	-	-	3	3	10	17	22	24	16	15	8	7	3	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	5	-	1	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	16	1	-	-	1	1	2	5	1	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	9	1	-	-	1	-	-	2	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	1	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	211	-	-	-	-	1	-	1	6	3	2	3	4	6	6	8	16	25	32	43	32	15	6	2	-	-	-
	White.....M..	95	-	-	-	-	1	-	-	4	2	2	1	2	2	2	2	9	11	9	21	16	9	2	-	-	-	-
	F..	108	-	-	-	-	-	-	1	2	1	-	2	2	4	2	6	6	12	23	22	15	5	4	1	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-
63b	Exophthalmic goiter	23	-	-	-	-	-	-	-	-	1	1	-	2	2	1	2	6	-	1	5	1	-	1	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F..	21	-	-	-	-	-	-	-	-	1	1	-	2	2	1	2	5	-	1	5	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	30	-	-	-	-	-	-	-	-	-	-	4	4	3	3	-	6	3	4	1	2	-	-	-	-	-	-
	White.....M..	21	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	6	2	3	1	2	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	966	3	-	-	-	-	1	1	-	3	4	5	8	17	22	37	69	89	136	166	184	133	67	18	3	-	-
	White.....M..	502	1	-	-	-	-	-	-	-	2	4	3	2	6	10	20	34	41	76	93	103	60	39	7	1	-	-
	F..	426	2	-	-	-	-	1	1	-	1	-	2	4	6	11	14	33	41	56	68	73	72	28	11	2	-	-
	Nonwhite..M..	17	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	5	2	1	3	-	-	-	-	-	-
	F..	21	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	2	2	2	4	5	1	-	-	-	-	-
90-95	Diseases of the heart	3,190	2	1	1	-	1	12	10	16	19	25	21	54	82	129	181	225	358	412	497	493	379	187	66	16	3	-
	White.....M..	1,897	1	1	-	-	1	5	4	11	11	14	9	30	55	73	116	152	232	251	321	280	201	95	29	4	1	-
	F..	1,228	1	-	1	-	-	7	6	5	7	10	11	22	26	52	61	66	118	153	165	207	173	89	35	12	1	-
	Nonwhite..M..	40	-	-	-	-	-	-	-	-	1	1	1	-	1	3	2	6	3	7	8	3	3	1	-	-	-	-
	F..	25	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	5	1	3	3	2	2	2	-	1	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	274	-	-	-	-	-	10	8	9	11	8	9	11	18	21	23	19	20	32	32	25	12	5	2	1	-	-
	White.....M..	138	-	-	-	-	-	5	4	6	6	5	3	8	10	7	10	13	8	18	14	12	6	3	-	-	-	-
	F..	152	-	-	-	-	-	5	4	3	5	3	6	3	8	13	13	5	12	14	18	10	6	1	2	1	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	957	-	-	-	-	-	1	-	-	-	4	2	14	27	54	71	88	142	148	156	135	71	35	6	2	1	-
	White.....M..	674	-	-	-	-	-	-	-	-	-	2	2	10	22	42	51	74	105	97	110	90	46	19	2	1	1	-
	F..	271	-	-	-	-	-	1	-	-	-	1	-	4	5	11	20	13	35	48	45	45	24	16	2	1	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	-	-	1	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e 95a,c	Diseases of heart (other forms)	1,959	2	1	1	-	1	1	2	7	8	13	10	29	37	54	87	118	196	232	309	335	296	147	58	13	2	-
	White.....M..	1,085	1	1	-	-	1	-	-	5	5	7	4	12	23	24	55	65	119	136	197	178	149	73	27	3	-	-
	F..	825	1	-	1	-	-	1	2	2	2	6	5	15	13	28	28	48	71	91	102	152	143	72	31	10	1	-
	Nonwhite..M..	30	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	4	2	5	8	3	2	-	-	-	-	-
	F..	19	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	4	-	2	2	2	2	-	-	1	-
107-109, 33	Pneumonia (all forms) and influenza	1,002	256	35	14	5	8	13	5	11	12	12	11	12	26	27	39	52	68	69	74	99	75	63	30	6	2	-
	White.....M..	556	125	21	12	2	4	5	2	6	7	9	7	8	12	13	27	29	45	42	40	57	37	29	16	2	1	-
	F..	420	104	14	1	3	4	5	3	5	5	3	4	4	14	10	11	20	24	26	35	38	36	34	14	4	1	-
	Nonwhite..M..	17	5	-	-	-	-	1	-	-	-	-	-	-	-	2	1	3	-	1	1	3	-	-	-	-	-	-
	F..	9	2	-	1	-	-	2	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Con.																										
107	Bronchopneumonia.	402	129	19	3	2	4	7	3	4	2	2	4	-	8	1	11	15	22	26	27	37	35	24	10	6	1	-
	White.....M..	209	63	11	3	1	4	4	1	3	1	2	3	-	4	1	7	9	11	15	14	19	13	15	3	2	-	-
	F..	184	62	8	-	1	-	2	2	1	1	-	1	-	4	-	3	5	10	11	13	17	22	9	7	4	1	-
	Nonwhite..M..	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F..	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia..	319	40	7	7	2	-	2	1	4	2	7	5	6	13	17	19	21	31	25	29	34	15	24	8	-	-	-
	White.....M..	196	23	5	6	1	-	1	1	2	1	5	3	5	8	7	12	10	22	19	13	24	12	9	7	-	-	-
	F..	111	14	2	-	1	-	1	-	2	1	2	2	1	5	7	7	10	9	5	15	8	3	15	1	-	-	-
	Nonwhite..M..	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	-	-	-	-	-	-
	F..	4	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	100	34	4	1	-	-	1	1	1	3	1	1	1	2	3	3	6	4	9	7	6	6	2	4	-	-	-
	White.....M..	59	21	2	-	-	-	-	-	1	2	-	1	1	-	2	2	5	3	5	5	3	4	-	2	-	-	-
	F..	40	13	2	1	-	-	1	1	-	1	1	-	-	2	1	1	-	1	4	2	3	2	2	2	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55	Influenza.....	181	35	5	3	1	4	3	-	2	5	2	1	5	3	6	6	10	11	9	11	22	17	13	8	-	1	-
	White.....M..	92	18	3	3	-	-	-	-	-	3	2	-	2	-	3	6	5	7	3	8	11	8	5	4	-	1	-
	F..	85	15	2	-	1	4	1	-	2	2	-	1	3	3	2	-	5	4	6	3	10	9	8	4	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	131	1	-	-	-	-	-	-	-	-	2	3	7	8	16	10	20	22	11	13	7	7	2	2	-	-	-
	White.....M..	107	1	-	-	-	-	-	-	-	-	2	3	4	7	16	7	15	21	8	9	5	6	2	1	-	-	-
	F..	22	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	5	1	3	4	2	1	-	1	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	187	133	12	6	3	2	3	1	2	1	-	1	2	2	3	1	-	2	-	3	3	3	2	1	-	1	-
	White.....M..	98	71	4	4	2	1	2	-	1	1	-	-	1	1	2	-	-	1	-	2	3	1	1	-	-	-	-
	F..	86	62	6	1	1	1	1	1	1	-	1	1	1	1	1	1	-	1	-	1	-	2	1	1	-	1	-
	Nonwhite..M..	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	99	-	2	2	1	4	13	6	6	7	4	5	2	5	7	9	10	4	5	2	3	1	1	-	-	-	-
	White.....M..	63	-	1	-	-	-	3	4	3	4	2	4	-	4	7	7	10	3	4	2	3	1	1	-	-	-	-
	F..	30	-	1	2	1	4	10	2	3	2	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	157	9	2	1	-	-	1	1	2	-	2	1	3	6	4	11	7	13	14	17	19	16	5	1	-	-	-
	White.....M..	71	3	1	1	-	-	1	1	2	-	-	-	3	3	2	5	6	10	7	7	8	8	3	-	-	-	-
	F..	63	6	1	-	-	-	-	-	-	-	2	1	-	3	2	5	1	3	7	10	10	9	2	1	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
124	Cirrhosis of the liver.....	92	-	-	-	-	-	-	-	1	2	4	2	4	8	10	9	9	6	10	10	8	6	1	2	-	-	-
	White.....M..	62	-	-	-	-	-	-	-	-	-	4	2	2	4	9	7	6	4	8	5	5	3	1	2	-	-	-
	F..	30	-	-	-	-	-	-	-	1	2	-	-	2	4	1	2	3	2	2	5	3	3	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	69	1	-	-	-	-	-	1	-	1	1	2	3	2	4	9	5	6	9	8	12	5	-	-	-	-	-
	White.....M..	26	1	-	-	-	-	-	-	-	-	-	1	-	1	1	5	3	1	3	2	4	4	-	-	-	-	-
	F..	43	-	-	-	-	-	-	1	-	1	1	1	3	1	3	4	2	5	6	6	8	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	878	1	-	-	1	1	5	5	5	11	11	9	14	25	20	33	53	64	98	134	161	118	86	21	1	1	-
	White.....M..	473	1	-	-	1	1	5	3	2	6	6	5	10	9	10	19	29	32	59	64	87	67	47	10	-	-	-
	F..	388	-	-	-	-	-	-	2	3	4	5	4	3	14	8	12	22	30	39	69	74	47	39	11	1	1	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	-	-	3	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	1	-	1	-	1	-	-	-	-	-
137	Diseases of the prostate.....	85	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	7	11	17	23	14	5	2	-	-	-
	White.....M..	84	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	7	11	17	22	14	5	2	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.* ..	63	-	-	-	-	-	-	11	10	19	9	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	63	-	-	-	-	-	-	11	10	19	9	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	16	-	-	-	-	-	-	6	2	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	16	-	-	-	-	-	-	6	2	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	14	-	-	-	-	-	-	2	4	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	14	-	-	-	-	-	-	2	4	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,145, 145B,146, 149,150	Other puerperal causes.....	35	-	-	-	-	-	-	3	4	11	6	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	35	-	-	-	-	-	-	3	4	11	6	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	172	144	8	1	1	2	5	3	4	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	89	77	4	-	1	2	1	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	80	64	4	1	-	-	4	2	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	COLORADO—Con.																										
159	Premature birth..	337	337	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	196	196	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	132	132	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	152	-	-	-	-	-	1	-	8	7	12	6	17	10	20	17	11	11	7	9	11	2	3	-	-	-
	White.....M..	111	-	-	-	-	-	1	-	5	5	7	3	14	9	14	9	9	8	6	7	9	2	3	-	-	-
	F..	39	-	-	-	-	-	-	-	3	2	5	3	3	1	6	7	2	3	1	1	2	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	53	5	-	1	2	-	2	2	3	2	2	7	5	5	4	3	1	5	1	1	2	-	-	-	-	-
	White.....M..	34	3	-	1	1	-	2	1	2	1	2	1	3	4	3	2	1	4	1	1	1	-	-	-	-	-
	F..	12	2	-	-	1	-	-	1	-	1	-	3	-	1	-	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,089	27	23	17	13	6	27	47	52	157	90	57	33	34	30	46	41	49	51	53	76	83	54	17	4	-	2
	White.....M..	780	18	10	14	9	6	16	40	43	145	79	51	26	26	24	36	33	43	28	27	33	41	21	9	-	-	2
	F..	285	9	13	2	4	-	10	5	8	9	8	5	6	7	6	8	7	4	22	25	42	40	33	8	4	-	-
	Nonwhite..M..	18	-	-	1	-	-	1	1	1	3	3	1	1	-	-	1	1	2	1	-	-	1	-	-	-	-	-
	F..	6	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	1	1	-	-	-	-	-
170	Motor-vehicle accidents.....	215	3	1	2	6	2	8	10	22	24	19	13	10	10	7	18	8	14	14	6	12	3	1	2	-	-	-
	White.....M..	163	2	1	1	5	2	5	9	16	21	15	13	8	8	5	12	5	11	7	4	9	2	-	2	-	-	-
	F..	48	1	-	-	1	-	3	1	6	3	4	-	2	2	2	5	3	3	6	2	3	-	1	-	-	-	-
	Nonwhite..M..	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	874	24	22	15	7	4	19	37	30	135	71	44	23	24	23	28	33	35	37	47	64	80	55	15	4	-	2
	White.....M..	617	18	9	13	4	4	11	31	27	124	64	38	18	18	19	24	28	32	21	25	24	39	21	7	-	-	2
	F..	237	8	13	2	3	-	7	4	2	6	4	5	4	5	4	3	4	1	16	23	39	40	32	8	4	-	-
	Nonwhite..M..	15	-	-	-	-	-	1	1	1	3	3	1	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	242	11	1	-	-	-	2	1	-	-	1	1	6	2	1	2	1	3	12	17	41	60	48	25	6	-	1
	White.....M..	133	4	1	-	-	-	1	1	-	-	1	1	3	2	1	1	1	1	9	9	17	35	28	14	3	-	-
	F..	89	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	5	20	22	16	11	3	-	-
	Nonwhite..M..	14	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	3	2	3	-	-	-	1
	F..	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-
	All other causes.	1,335	265	13	6	4	5	26	16	23	28	43	28	38	48	66	57	85	70	108	93	97	115	71	23	8	1	-
	White.....M..	710	144	8	5	2	3	13	8	7	13	26	10	15	23	25	32	44	45	64	55	53	67	38	8	2	-	-
	F..	584	118	5	1	2	2	13	8	13	13	15	18	20	21	35	21	37	24	41	33	44	46	33	15	5	1	-
	Nonwhite..M..	23	2	-	-	-	-	-	-	-	-	1	-	3	1	2	3	3	-	3	2	-	2	-	-	1	-	-
	F..	18	1	-	-	-	-	-	-	3	-	1	-	-	3	4	1	1	1	-	3	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT																										
	All causes.....	20,014	1,162	83	55	24	27	106	108	148	255	264	334	437	627	1,011	1,379	1,775	2,001	2,395	2,450	2,210	1,768	962	334	69	17	13
	White.....M..	10,754	630	57	33	14	13	56	66	87	144	133	185	235	374	579	858	1,089	1,172	1,307	1,266	1,079	807	416	126	23	1	9
	F..	8,744	498	25	20	9	10	45	32	46	95	116	128	163	222	391	485	632	801	1,051	1,132	1,107	945	531	196	46	15	3
	Nonwhite..M..	266	16	-	1	-	1	2	7	11	10	7	10	19	15	20	28	32	14	21	21	13	6	9	6	-	1	1
	F..	250	18	1	1	1	3	3	3	4	6	8	11	20	16	21	18	22	14	16	31	11	10	6	6	-	-	-
1,2	Typhoid and paratyphoid fever..	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	47	7	4	2	-	1	1	1	3	2	2	3	5	4	1	1	2	2	2	3	-	1	-	-	-	-	-
	White.....M..	35	4	4	-	-	1	1	1	2	2	2	3	2	2	1	1	2	1	2	3	-	1	-	-	-	-	-
	F..	10	3	-	2	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	11	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	8	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)....	621	6	6	2	1	3	4	4	15	51	45	44	48	45	71	63	74	52	38	24	13	7	5	-	-	-	-
	White.....M..	398	3	4	1	-	-	3	-	3	19	19	23	29	31	51	48	57	43	30	18	9	4	3	-	-	-	-
	F..	182	3	2	1	1	2	1	-	7	28	23	17	16	12	18	11	11	7	8	6	3	3	2	-	-	-	-
	Nonwhite..M..	23	-	-	-	-	-	-	3	4	2	-	1	2	1	1	4	3	1	-	-	1	-	-	-	-	-	-
	F..	18	-	-	-	-	1	-	1	1	2	3	3	1	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-
18	Tuberculosis of respiratory system, etc.* ..	572	2	3	1	-	2	4	4	14	48	42	41	47	42	67	61	69	49	34	22	12	4	4	-	-	-	-
	White.....M..	368	1	3	-	-	-	3	-	2	17	16	21	28	30	49	47	54	40	27	16	9	2	3	-	-	-	-
	F..	166	1	-	1	-	1	1	-	7	27	23	16	16	10	17	10	11	7	7	6	2	2	1	-	-	-	-
	Nonwhite..M..	23	-	-	-	-	-	-	3	4	2	-	1	2	1	1	4	3	1	-	-	1	-	-	-	-	-	-
	F..	15	-	-	-	-	1	-	1	1	2	3	3	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	49	4	3	1	1	1	-	-	1	3	3	3	1	3	4	2	5	3	4	2	1	3	1	-	-	-	-
	White.....M..	30	2	1	1	-	-	-	-	1	2	3	2	1	1	2	1	3	3	3	2	-	2	-	-	-	-	-
	F..	16	2	2	-	1	1	-	-	-	1	-	1	-	2	1	1	-	-	1	-	1	1	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-
	White.....M..	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	156	1	-	-	-	-	-	1	-	3	2	5	5	12	18	28	21	24	18	14	4	-	-	-	-	-	-
	White.....M..	91	-	-	-	-	-	-	-	-	1	1	3	3	8	10	21	10	18	12	5	2	-	-	-	-	-	-
	F..	33	1	-	-	-	-	-	-	-	1	-	1	-	2	3	3	4	6	6	4	2	-	-	-	-	-	-
	Nonwhite..M..	23	-	-	-	-	-	-	1	-	-	1	1	2	1	4	3	5	-	-	5	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	2	-	2	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-
35	Measles.....	8	1	2	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White.....M..	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	24	1	-	-	-	-	5	9	4	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	21	1	-	-	-	-	5	8	4	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	2,946	1	1	3	1	3	6	1	5	14	11	37	54	122	177	279	352	412	439	390	317	206	88	20	6	-	1
	White.....M..	1,447	1	1	2	1	2	4	-	2	8	5	11	23	51	60	142	182	220	214	225	154	98	28	10	3	-	-
	F..	1,453	-	-	1	-	1	2	1	3	6	6	24	30	70	112	134	162	184	220	161	158	106	58	10	3	-	1
	Nonwhite..M..	26	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	5	5	3	4	3	-	2	-	-	-	-
	F..	20	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	3	3	2	-	2	2	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																										
46	Cancer of digestive organs, peritoneum	1,470	-	-	1	-	-	1	-	-	1	3	13	17	40	65	144	172	217	229	229	181	97	49	6	4	-	1
	White	810	-	-	-	-	-	-	-	-	-	-	4	11	23	31	85	110	133	120	143	89	44	12	3	2	-	-
	F.	637	-	-	1	-	-	1	-	-	1	3	8	5	17	33	59	57	79	107	83	89	52	36	3	2	-	1
	Nonwhite	20	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	5	4	2	3	2	-	1	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
48,49	Cancer of female genital organs	328	-	-	-	-	-	-	-	1	2	2	5	10	24	34	35	50	49	43	27	24	13	9	-	-	-	-
	White	319	-	-	-	-	-	-	-	1	2	2	4	10	24	32	33	50	48	41	27	23	13	9	-	-	-	-
	Nonwhite	9	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	1	2	-	1	-	-	-	-	-	-
50	Cancer of breast	275	-	-	-	-	-	-	-	-	1	-	4	10	21	26	24	39	33	40	25	20	18	8	5	1	-	-
	White	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-
	F.	266	-	-	-	-	-	-	-	-	1	-	4	10	19	24	22	38	33	39	25	20	17	8	5	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	873	1	1	2	1	3	5	1	4	10	6	15	17	37	52	76	91	113	127	109	92	78	22	9	1	-	-
	White	633	1	1	2	1	2	4	-	2	8	5	7	12	26	29	56	72	87	93	82	65	54	16	7	1	-	-
	F.	231	-	-	-	-	1	1	1	2	2	1	8	5	10	23	20	17	24	33	26	26	24	5	2	-	-	-
	Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	1	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	18	-	-	2	-	-	4	1	2	2	1	1	-	2	-	-	-	1	1	1	-	-	-	-	-	-	-
	White	7	-	-	1	-	-	2	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	10	-	-	1	-	-	1	1	1	1	-	1	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	661	-	-	-	-	-	1	2	2	4	6	9	3	8	24	44	81	110	111	116	84	41	14	1	-	-	-
	White	224	-	-	-	-	-	1	1	-	3	4	5	-	4	14	17	29	32	32	33	30	15	4	-	-	-	-
	F.	422	-	-	-	-	-	-	1	2	1	1	2	3	4	9	26	52	76	75	81	53	26	9	1	-	-	-
	Nonwhite	5	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
	F.	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	2	2	1	-	-	-	-	-	-
68b	Exophthalmic goiter	27	-	-	-	-	-	-	-	-	-	1	-	1	3	2	5	7	2	2	2	1	1	-	-	-	-	-
	White	5	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F.	19	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	7	1	2	2	1	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	58	-	-	-	-	-	-	-	2	-	1	3	6	5	10	9	10	6	3	3	1	-	-	-	-	-	-
	White	45	-	-	-	-	-	-	-	1	-	1	3	3	5	6	5	10	6	1	3	1	-	-	-	-	-	-
	F.	7	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	5	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,686	2	3	1	1	-	-	-	1	3	3	7	14	26	59	99	148	170	251	286	244	216	99	42	7	3	1
	White	763	1	3	1	1	-	-	-	1	1	1	5	9	13	23	48	76	89	119	121	115	84	36	14	1	-	1
	F.	879	1	-	-	-	-	-	-	-	2	2	1	4	13	29	47	68	80	126	156	125	129	61	26	6	3	-
	Nonwhite	19	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	-	2	2	3	1	2	1	-	-	-
	F.	25	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	1	4	7	1	2	-	1	-	-	-
90-95	Diseases of the heart	6,916	-	1	1	2	2	7	7	17	16	34	47	85	169	284	446	600	751	985	1,009	979	815	469	148	30	7	5
	White	3,862	-	1	1	1	1	4	2	8	10	16	28	52	112	190	316	398	469	569	537	488	379	209	57	10	-	4
	F.	2,923	-	-	-	1	1	1	5	8	5	16	17	26	47	88	115	186	276	404	451	482	428	252	86	20	7	1
	Nonwhite	58	-	-	-	-	-	-	-	-	1	-	1	3	4	3	9	9	2	7	6	4	3	3	3	-	-	-
	F.	73	-	-	-	-	-	2	-	1	-	2	1	4	6	3	6	7	4	5	15	5	5	5	2	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	360	-	-	1	2	1	4	5	11	11	18	16	25	28	45	38	34	15	28	32	23	12	10	1	-	-	-
	White	176	-	-	1	1	1	2	2	8	6	10	9	9	14	22	24	14	8	12	15	11	3	4	-	-	-	-
	F.	174	-	-	-	1	-	-	3	3	4	7	6	15	14	23	14	19	7	15	17	11	9	6	-	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F.	6	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,069	-	-	-	-	-	1	-	1	1	2	13	32	77	127	208	229	296	334	284	220	168	59	15	1	-	1
	White	1,396	-	-	-	-	-	1	-	-	1	2	9	25	63	107	166	176	207	221	176	119	90	27	4	1	-	1
	F.	650	-	-	-	-	-	-	-	1	-	-	3	6	11	19	37	48	87	112	107	99	77	32	11	-	-	-
	Nonwhite	13	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	2	1	1	-	1	-	-	-	-	-	-
	F.	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	-	1	1	1	-	-	-	-	-
90b,91, a,d,e, 3,b,d,e, 5a,c	Diseases of heart (other forms)	4,487	-	1	-	-	1	2	2	5	4	14	18	28	64	112	200	337	440	623	693	736	635	400	132	29	7	4
	White	2,290	-	1	-	-	-	1	-	-	3	4	10	18	35	61	126	208	254	336	346	358	286	178	53	9	-	3
	F.	2,099	-	-	-	-	1	1	2	4	1	9	8	5	22	46	64	119	182	277	327	372	342	214	75	20	7	1
	Nonwhite	41	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	6	1	5	6	3	8	3	3	-	-	-
	F.	57	-	-	-	-	-	-	-	1	-	1	-	3	5	3	5	4	3	5	14	3	4	5	1	-	-	-
7-109, 38	Pneumonia (all forms) and influenza	863	124	12	4	2	-	6	8	7	13	9	18	22	31	37	47	66	80	74	83	82	73	56	25	4	-	-
	White	501	71	9	3	1	-	2	3	5	6	4	12	12	20	22	34	47	51	48	46	36	36	24	7	2	-	-
	F.	356	47	3	1	-	-	4	3	2	6	4	6	10	9	11	12	17	26	26	36	45	37	32	17	2	-	-
	Nonwhite	17	3	-	-	-	-	-	1	-	1	1	-	-	2	3	1	2	1	-	-	1	-	-	1	-	-	-
	F.	19	3	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																										
107	Bronchopneumonia	335	63	5	3	-	-	2	3	2	4	3	5	4	7	13	18	19	16	21	33	39	39	30	16	1	-	-
	White.....M..	172	32	4	3	-	-	1	-	2	1	1	3	1	5	8	11	12	8	12	15	17	17	14	5	-	-	-
	F..	151	27	1	-	-	-	1	2	-	2	2	2	3	1	4	2	6	7	9	17	22	16	16	10	1	-	-
	Nonwhite..M..	9	3	-	-	-	-	-	1	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-
	F..	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
108	Lobar pneumonia	376	29	2	-	2	-	2	3	1	4	5	9	13	19	16	24	32	51	39	39	31	25	20	7	3	-	-
	White.....M..	232	19	2	-	1	-	1	2	-	4	2	7	8	13	10	16	26	33	27	23	11	13	10	2	2	-	-
	F..	133	8	-	-	-	-	1	1	1	-	2	2	5	6	3	8	5	16	12	16	19	12	10	5	1	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	1	-	-	1	-	-	-	-	-	-
	F..	5	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	66	19	2	1	-	-	-	1	1	1	1	1	2	1	7	5	6	4	4	4	3	2	1	-	-	-	-
	White.....M..	42	10	2	-	-	-	-	1	1	1	1	-	1	-	3	2	4	4	4	4	2	2	-	-	-	-	-
	F..	23	9	-	1	-	-	-	-	-	-	-	1	1	1	4	2	2	-	-	-	1	-	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	106	13	3	-	-	-	2	1	3	4	-	3	3	4	1	5	9	9	10	7	9	13	5	2	-	-	-
	White.....M..	55	10	1	-	-	-	-	-	2	-	-	2	2	2	1	5	5	6	5	4	6	4	-	-	-	-	-
	F..	49	3	2	-	-	-	2	-	1	4	-	1	1	1	-	-	4	3	5	3	3	9	5	2	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	151	-	-	-	-	-	-	-	-	1	3	4	6	6	22	15	35	12	18	16	8	3	2	-	-	-	-
	White.....M..	128	-	-	-	-	-	-	-	-	1	2	4	5	6	21	13	28	11	15	10	4	1	2	-	-	-	-
	F..	25	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	5	1	3	6	4	2	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	99	69	5	-	-	1	2	1	2	2	4	-	1	2	1	-	3	1	1	3	1	-	-	-	-	-	-
	White.....M..	51	35	4	-	-	1	1	1	-	1	2	-	1	-	-	-	3	1	1	-	-	-	-	-	-	-	-
	F..	45	31	1	-	-	-	1	-	2	1	2	-	-	2	1	-	-	-	-	3	1	-	-	-	-	-	-
	Nonwhite..M..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	102	-	2	3	-	-	10	6	3	3	6	6	6	9	4	14	8	3	6	5	3	4	1	-	-	-	-
	White.....M..	61	-	1	2	-	-	3	4	2	-	5	3	3	6	4	7	8	3	5	3	1	1	-	-	-	-	-
	F..	35	-	1	1	-	-	6	1	1	2	1	2	2	2	-	7	-	-	1	2	2	3	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	172	2	1	1	-	1	2	1	1	2	2	2	2	3	5	12	19	19	18	26	22	21	8	1	1	-	-
	White.....M..	86	-	1	-	-	-	2	1	-	2	-	1	-	2	3	6	8	10	13	12	13	9	3	-	-	-	-
	F..	81	2	-	-	-	-	-	-	-	-	2	1	2	1	2	5	11	9	5	14	9	11	5	1	1	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	4	-	-	1	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	235	-	-	1	-	-	-	-	-	-	2	9	11	15	31	36	33	25	28	22	13	7	1	-	-	-	1
	White.....M..	159	-	-	1	-	-	-	-	-	-	1	7	8	11	17	29	24	17	20	9	10	3	1	-	-	-	1
	F..	74	-	-	-	-	-	-	-	-	-	1	2	3	3	14	7	8	8	8	13	3	4	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	106	-	-	-	-	-	-	-	-	-	2	1	4	4	5	20	13	11	9	16	12	7	1	1	-	-	-
	White.....M..	32	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	5	5	-	5	5	1	1	1	-	-	-
	F..	73	-	-	-	-	-	-	-	-	-	2	1	3	3	3	15	7	6	9	11	7	6	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	1,104	-	-	-	-	-	1	2	5	11	12	17	30	26	52	57	77	107	144	159	167	136	64	30	6	-	1
	White.....M..	586	-	-	-	-	-	1	1	3	7	6	12	12	18	24	35	41	62	79	84	85	70	33	9	3	-	1
	F..	484	-	-	-	-	-	-	1	2	4	6	4	14	6	25	20	32	44	60	69	81	65	30	18	3	-	-
	Nonwhite..M..	15	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	1	2	3	-	1	-	1	-	-	-
	F..	19	-	-	-	-	-	-	-	-	-	-	-	4	1	1	1	2	-	3	3	1	-	1	2	-	-	-
137	Diseases of the prostate	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	10	25	19	16	10	4	-	-	-
	White.....M..	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	10	24	18	16	9	4	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
140-150	Diseases of pregnancy, etc.*	63	-	-	-	-	-	-	-	3	12	16	16	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	62	-	-	-	-	-	-	-	3	11	16	16	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	28	-	-	-	-	-	-	-	2	4	9	5	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	28	-	-	-	-	-	-	-	2	4	9	5	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	17	-	-	-	-	-	-	-	1	5	2	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	17	-	-	-	-	-	-	-	1	5	2	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes	18	-	-	-	-	-	-	-	-	3	5	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	17	-	-	-	-	-	-	-	-	2	5	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	265	215	12	4	3	1	6	2	4	5	5	2	1	-	1	1	2	1	-	-	-	-	-	-	-	-	-
	White.....M..	132	103	8	1	1	1	2	-	4	4	3	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	F..	130	111	3	3	2	-	4	1	-	1	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	CONNECTICUT—Con.																										
159	Premature birth..	352	352	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	193	193	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	148	148	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	234	-	-	-	-	-	-	3	3	9	12	16	19	25	30	33	24	20	17	8	8	3	4	-	-	-
	White.....M..	144	-	-	-	-	-	-	3	-	6	8	12	10	12	15	19	21	10	12	4	6	2	4	-	-	-
	F..	86	-	-	-	-	-	-	-	1	3	4	3	8	13	15	14	3	10	5	4	2	1	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	29	2	1	-	-	1	1	-	-	2	1	5	3	1	3	-	1	7	1	-	-	-	-	-	-	-
	White.....M..	20	-	-	-	-	1	1	-	-	1	-	4	2	1	3	-	1	6	-	-	-	-	-	-	-	-
	F..	9	2	1	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,095	37	12	13	7	5	27	34	48	51	47	31	44	41	65	65	79	75	81	91	84	79	51	19	3	2	4
	White.....M..	702	16	7	6	6	1	15	27	38	42	36	27	38	36	48	45	66	57	53	47	35	28	24	6	1	-	2
	F..	358	17	5	7	1	3	11	6	6	6	9	3	7	1	16	19	12	17	27	43	48	50	27	12	2	2	1
	Nonwhite..M..	25	2	-	-	-	-	1	1	3	3	1	1	3	4	1	1	1	1	1	-	-	-	-	-	-	-	1
	F..	10	2	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-
170	Motor-vehicle accidents.....	249	-	2	1	2	3	7	7	19	15	24	8	12	11	16	17	25	22	23	19	10	3	2	1	-	-	-
	White.....M..	193	-	1	1	2	1	3	5	16	10	16	8	9	11	13	11	24	16	18	14	9	2	2	1	-	-	-
	F..	50	-	1	-	-	1	4	2	3	4	6	-	3	-	3	6	1	5	4	5	1	1	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
168, 171-195	Other accidents..	846	37	10	12	5	2	20	27	29	36	23	23	32	30	49	48	54	53	58	72	74	76	49	18	3	2	4
	White.....M..	509	16	6	5	4	-	12	22	22	32	20	19	24	25	35	34	42	41	35	33	26	26	28	5	1	-	2
	F..	308	17	4	7	1	2	7	4	3	2	3	3	4	1	13	13	11	12	23	38	47	49	27	12	2	2	1
	Nonwhite..M..	21	2	-	-	-	-	1	1	3	2	-	1	3	4	1	1	1	-	-	-	-	-	-	-	-	-	1
	F..	8	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	135	5	2	1	-	-	-	2	-	3	-	1	2	1	4	5	10	5	11	13	18	22	19	6	2	3	-
	White.....M..	70	4	2	1	-	-	-	1	-	1	-	-	1	1	3	5	6	3	5	7	6	12	9	3	-	-	-
	F..	61	1	-	-	-	-	-	1	-	2	-	1	-	-	1	-	4	1	4	6	12	10	10	3	2	3	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	1,701	326	15	16	7	7	20	23	21	44	35	49	53	61	105	99	105	99	124	133	130	110	70	37	10	2	-
	White.....M..	887	189	7	12	3	4	9	13	13	28	15	23	25	32	60	53	62	51	66	69	61	47	26	15	3	1	-
	F..	762	128	8	3	4	3	11	10	8	13	15	23	19	23	39	43	41	47	57	62	69	63	44	22	7	-	-
	Nonwhite..M..	22	4	-	1	-	-	-	-	-	2	3	2	4	1	1	1	-	1	1	-	-	-	-	-	-	1	-
	F..	30	5	-	-	-	-	-	-	-	1	2	1	5	5	5	2	2	-	-	2	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE																										
	All causes	3,497	291	27	11	7	3	18	22	51	66	54	72	87	130	167	221	258	315	394	404	356	306	172	50	9	-	6
	White..M	1,551	119	11	6	3	1	6	8	21	27	22	31	29	51	81	111	118	146	195	174	166	134	72	14	2	-	3
	F	1,300	96	7	4	-	1	4	7	14	19	13	19	22	35	38	58	92	113	136	176	164	149	92	32	7	-	2
	Nonwhite..M	359	48	5	1	3	-	5	5	9	12	10	12	20	29	20	29	23	34	34	30	12	17	-	-	-	-	1
	F	287	28	4	-	1	1	3	2	7	8	9	10	16	15	28	23	25	22	29	24	14	6	8	4	-	-	-
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	20	3	-	-	1	-	3	1	1	3	1	1	-	1	-	3	1	-	1	-	-	-	-	-	-	-	-
	White..M	10	-	-	-	1	-	1	1	1	1	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	1	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	3	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	11	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	111	2	-	-	-	-	-	-	11	8	9	12	6	13	9	7	11	11	6	2	2	1	1	-	-	-	-
	White..M	51	-	-	-	-	-	-	-	1	2	1	2	2	3	3	5	4	5	2	-	1	-	-	-	-	-	-
	F	27	-	-	-	-	-	-	-	2	2	2	3	1	4	-	1	2	4	2	1	1	1	1	-	-	-	-
	Nonwhite..M	34	2	-	-	-	-	-	-	4	3	1	6	2	4	3	1	5	2	1	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	4	1	5	1	1	2	3	-	-	-	1	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	102	-	-	-	-	-	-	-	10	7	9	11	5	12	9	6	11	11	6	2	1	1	1	-	-	-	-
	White..M	29	-	-	-	-	-	-	-	1	2	1	2	1	3	3	4	4	5	2	-	1	-	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	1	2	2	3	1	3	-	1	2	4	2	1	-	1	1	-	-	-	-
	Nonwhite..M	30	-	-	-	-	-	-	-	4	2	1	5	2	4	3	1	5	2	1	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	4	1	5	1	1	2	3	-	-	-	1	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	9	2	-	-	-	-	-	-	1	1	-	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	White..M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M	4	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White..M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	41	5	-	-	-	-	-	-	1	-	2	1	5	2	7	6	3	5	1	2	-	1	-	-	-	-	-
	White..M	12	1	-	-	-	-	-	-	-	-	1	-	1	-	3	3	2	-	-	1	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..M	21	2	-	-	-	-	-	-	1	-	1	1	3	1	2	3	1	4	1	1	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
35	Measles	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	343	1	-	-	-	-	-	-	-	3	2	3	11	11	23	32	36	45	46	51	37	24	16	2	-	-	-
	White..M	138	1	-	-	-	-	-	-	-	2	-	-	1	4	7	11	16	18	19	18	18	10	12	1	-	-	-
	F	167	-	-	-	-	-	-	-	-	-	2	-	7	6	10	17	16	22	24	28	18	12	4	1	-	-	-
	Nonwhite..M	16	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	4	1	3	-	2	-	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	1	-	3	1	1	4	4	2	1	2	2	1	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Con.																										
46	Cancer of digestive organs, peritoneum	132	-	-	-	-	-	-	-	-	-	1	-	2	3	7	9	11	20	24	16	17	13	9	-	-	-
	White	63	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	6	9	11	7	11	5	7	-	-	-	-
	F	55	-	-	-	-	-	-	-	-	-	1	-	2	1	2	4	3	9	13	7	5	6	2	-	-	-	-
	Nonwhite	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	2	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	1	1	-	-	-	-	-	-
48,49	Cancer of female genital organs	53	-	-	-	-	-	-	-	-	1	-	2	5	4	5	9	4	4	4	9	4	1	1	-	-	-
	White	43	-	-	-	-	-	-	-	-	-	-	-	4	4	4	6	4	4	3	8	4	1	1	-	-	-	-
	Nonwhite	10	-	-	-	-	-	-	-	-	1	-	2	1	-	1	3	-	-	1	1	-	-	-	-	-	-	-
50	Cancer of breast	40	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	6	5	6	5	6	2	1	1	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	6	5	6	5	6	2	1	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	118	1	-	-	-	-	-	-	-	2	1	1	3	4	8	10	15	16	12	21	10	8	5	1	-	-	-
	White	75	1	-	-	-	-	-	-	-	2	-	-	1	3	5	7	10	9	8	11	7	5	5	1	-	-	-
	F	30	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	3	4	2	8	3	3	-	-	-	-	-
	Nonwhite	9	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	1	2	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	107	-	-	-	-	-	1	1	-	-	1	1	1	3	5	6	10	13	23	22	6	11	3	-	-	-
	White	31	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	4	12	6	2	2	1	-	-	-	-
	F	61	-	-	-	-	-	1	1	-	-	-	1	1	2	2	6	8	9	14	4	8	2	-	-	-	-	-
	Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	1	-	-	-	-	-	-	-
65b	Exophthalmic goiter	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	315	-	-	-	-	-	-	-	-	-	1	-	3	10	8	15	27	39	48	51	45	43	18	7	-	-	-
	White	117	-	-	-	-	-	-	-	-	-	-	-	1	6	3	4	10	14	17	23	14	15	9	1	-	-	-
	F	141	-	-	-	-	-	-	-	-	-	1	-	-	1	2	6	12	15	20	22	27	24	6	5	-	-	-
	Nonwhite	19	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	5	5	3	-	2	-	-	-	-	-
	F	38	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	5	5	6	3	4	2	3	1	-	-	-
90-95	Diseases of the heart	1,033	-	-	-	-	-	-	1	6	1	6	11	17	25	49	76	84	108	154	139	153	153	69	14	4	-	3
	White	504	-	-	-	-	-	-	-	2	-	3	4	3	10	23	44	44	54	87	66	87	64	26	4	2	-	1
	F	384	-	-	-	-	-	-	1	3	1	-	6	7	8	8	15	28	36	47	57	56	59	40	8	2	-	2
	Nonwhite	78	-	-	-	-	-	-	-	1	-	3	1	3	4	7	11	4	9	9	11	7	8	-	-	-	-	-
	F	67	-	-	-	-	-	-	-	-	-	-	-	4	3	11	6	8	9	11	5	3	2	3	2	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	53	-	-	-	-	-	-	1	2	-	3	2	3	5	9	3	5	3	3	3	6	3	2	-	-	-	-
	White	23	-	-	-	-	-	-	-	1	-	-	-	-	2	3	1	5	1	3	-	3	2	2	-	-	-	-
	F	19	-	-	-	-	-	-	1	1	-	-	2	3	2	3	2	-	-	-	2	2	1	-	-	-	-	-
	Nonwhite	7	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	288	-	-	-	-	-	-	-	1	-	2	3	4	8	17	37	29	34	54	40	26	20	12	1	-	-	-
	White	173	-	-	-	-	-	-	-	-	-	2	2	1	4	12	25	21	20	36	23	15	9	4	1	-	-	-
	F	95	-	-	-	-	-	-	-	1	-	-	1	1	3	4	8	7	10	15	17	10	11	7	-	-	-	-
	Nonwhite	14	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	1	1	3	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	-	-	-	-	1	-	-	-	-	-
90b,91, 92a,d,e, 95a,b,d,e, 95a,c	Diseases of heart (other forms)	692	-	-	-	-	-	-	-	3	1	1	6	10	12	23	36	50	71	97	96	101	110	55	13	4	-	3
	White	308	-	-	-	-	-	-	-	1	-	1	2	2	4	8	20	18	33	48	43	49	55	20	3	2	-	1
	F	270	-	-	-	-	-	-	-	1	1	-	3	3	3	1	5	21	26	32	38	44	47	33	8	2	-	2
	Nonwhite	57	-	-	-	-	-	-	-	1	-	-	1	2	2	6	6	3	7	6	10	5	8	-	-	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	-	-	3	3	8	5	8	5	11	5	3	2	2	2	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	252	52	12	2	1	1	3	1	1	3	3	9	8	12	9	13	13	14	23	23	19	18	7	4	1	-	-
	White	104	17	5	-	-	-	1	-	-	2	2	4	4	3	5	7	6	8	13	8	7	8	2	2	-	-	-
	F	84	13	2	2	-	-	1	1	1	-	-	2	2	4	1	2	3	4	7	14	10	8	4	2	1	-	-
	Nonwhite	40	12	3	-	1	-	-	-	-	1	1	2	1	4	3	3	2	1	2	1	1	2	-	-	-	-	-
	F	24	10	2	-	-	1	1	-	-	-	-	1	1	1	-	1	2	1	1	-	1	-	1	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Con.																											
107	Bronchopneumonia.	93	35	5	2	1	-	1	-	1	1	2	2	1	1	-	3	6	3	8	9	3	5	3	1	-	-	-
	White.....M..	35	13	1	-	-	-	1	-	-	-	1	1	1	-	-	2	1	1	5	3	1	2	1	1	-	-	-
	F..	33	9	2	2	-	-	-	-	1	-	-	1	-	1	-	-	2	1	3	5	2	2	2	-	-	-	-
	Nonwhite..M..	15	7	-	-	1	-	-	-	-	1	1	-	-	-	-	1	2	-	-	1	-	1	-	-	-	-	-
	F..	10	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia..	108	12	4	-	-	-	-	1	-	2	1	5	4	9	5	8	6	11	11	8	11	6	2	1	1	-	-
	White.....M..	52	4	2	-	-	-	-	-	-	2	1	2	2	3	3	4	4	7	6	3	4	3	1	1	-	-	-
	F..	31	2	-	-	-	-	-	1	-	-	-	1	1	3	-	2	1	3	3	5	5	3	-	-	1	-	-
	Nonwhite..M..	16	3	2	-	-	-	-	-	-	-	-	1	1	2	2	2	-	1	1	-	1	-	-	-	-	-	-
	F..	9	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	1	-	-	-	-
109	Pneumonia (unspecified).....	13	3	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	2	1	2	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-
	F..	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	Nonwhite..M..	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55	Influenza.....	38	2	3	-	-	1	2	-	-	-	-	1	2	1	2	2	1	-	4	4	4	5	2	2	-	-	-
	White.....M..	13	-	2	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	2	2	2	1	-	-	-	-	-
	F..	16	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	1	2	2	3	2	2	-	-	-
	Nonwhite..M..	6	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-
	F..	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	19	1	-	-	-	-	-	-	-	-	1	-	1	1	2	3	2	2	4	1	1	-	-	-	-	-	-
	White.....M..	15	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	2	3	1	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	43	33	4	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	White.....M..	14	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	14	11	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite..M..	7	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
121	Appendicitis.....	15	-	-	-	-	-	-	-	2	-	-	1	1	-	4	1	-	1	1	-	4	-	-	-	-	-	-
	White.....M..	10	-	-	-	-	-	-	-	2	-	-	1	-	-	3	-	-	-	1	-	3	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	28	-	-	-	-	-	-	-	1	-	1	1	-	3	2	4	2	5	3	-	2	2	2	-	-	-	-
	White.....M..	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	4	1	-	1	1	1	-	-	-	-
	F..	11	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	2	-	2	-	1	1	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	23	-	-	-	-	-	-	-	-	1	1	1	2	1	1	5	-	3	1	3	2	1	-	1	-	-	-
	White.....M..	12	-	-	-	-	-	-	-	-	1	1	1	1	1	-	3	-	2	-	1	1	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	1	1	-	1	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	11	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	1	1	2	2	1	-	-	-	-	-	-
	White.....M..	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis.....	359	-	-	-	-	1	-	-	-	1	3	3	5	9	12	11	29	30	43	69	60	46	30	6	1	-	-
	White.....M..	155	-	-	-	-	1	-	-	-	-	1	-	1	6	7	3	10	13	17	34	28	22	10	2	-	-	-
	F..	144	-	-	-	-	-	-	-	-	-	2	2	-	1	2	4	13	7	14	25	28	22	19	4	1	-	-
	Nonwhite..M..	28	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	2	7	7	4	1	1	-	-	-	-	-
	F..	32	-	-	-	-	-	-	-	-	1	-	-	2	1	2	3	4	3	5	6	3	1	1	-	-	-	-
137	Diseases of the prostate.....	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	4	1	-	-	-	-	-
	White.....M..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	4	1	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.* ..	15	-	-	-	-	-	-	-	3	4	1	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	8	-	-	-	-	-	-	-	1	2	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	7	-	-	-	-	-	-	-	2	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	8	-	-	-	-	-	-	-	1	3	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	4	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	5	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	27	26	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	13	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part 1.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DELAWARE—Con.																										
159	Premature birth..	95	95	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	42	42	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	36	36	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	10	10	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	26	-	-	-	-	-	-	-	2	2	3	2	1	7	3	-	3	-	-	3	-	-	-	-	-	-
	White.....M..	21	-	-	-	-	-	-	-	2	2	2	2	1	5	3	-	2	-	-	2	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	10	-	-	-	-	-	-	-	-	2	-	-	2	2	1	2	-	-	-	-	-	-	-	-	-	1
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	2	-	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	1
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	255	4	4	3	3	1	7	12	17	28	13	13	17	13	12	16	13	16	14	12	11	7	6	10	1	-	2
	White.....M..	139	1	1	2	-	-	2	6	12	16	8	10	10	7	8	12	6	9	9	4	4	3	4	3	-	-	2
	F..	62	1	2	-	-	1	1	1	4	6	2	3	-	1	2	4	4	3	4	5	4	4	2	7	1	-	-
	Nonwhite..M..	36	2	1	1	2	-	2	3	1	4	2	-	5	4	1	-	2	3	-	1	2	-	-	-	-	-	-
	F..	18	-	-	-	1	-	2	2	-	2	1	-	2	1	1	-	1	1	1	2	1	-	-	-	-	-	-
170	Motor-vehicle accidents.....	62	-	-	1	2	1	1	2	10	7	6	4	4	5	1	3	3	7	1	1	2	-	1	-	-	-	-
	White.....M..	42	-	-	-	-	-	1	1	8	2	3	2	4	4	1	3	3	6	1	1	1	-	1	-	-	-	-
	F..	9	-	-	-	-	1	-	-	2	3	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	8	-	-	1	1	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	3	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	193	4	4	2	1	-	6	10	7	21	7	9	13	8	11	13	10	9	13	11	9	7	5	10	1	-	2
	White.....M..	97	1	1	2	-	-	1	5	4	14	5	8	6	3	7	9	3	3	8	3	3	3	3	3	-	-	2
	F..	53	1	2	-	-	-	1	1	2	3	2	1	-	1	2	4	4	2	4	5	4	4	2	7	1	-	-
	Nonwhite..M..	28	2	1	-	1	-	2	3	1	2	-	-	5	3	1	-	2	3	-	1	1	-	-	-	-	-	-
	F..	15	-	-	-	-	-	2	1	-	2	-	-	2	1	1	-	1	1	1	2	1	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	23	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	1	4	2	3	4	1	1	-	-
	White.....M..	10	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	2	1	1	-	-	-	-	-
	F..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	-	1	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	All other causes.	291	59	4	4	2	-	3	5	9	7	9	8	6	14	18	13	20	17	17	21	21	14	15	4	1	-	-
	White.....M..	140	28	3	2	2	-	2	1	3	1	2	5	2	5	12	7	14	7	11	8	11	6	7	1	-	-	-
	F..	95	18	-	2	-	-	-	3	2	5	2	-	-	4	5	1	4	9	4	8	10	6	8	3	1	-	-
	Nonwhite..M..	36	10	-	-	-	-	1	1	3	-	2	1	1	3	1	5	1	1	2	3	-	1	-	-	-	-	-
	F..	20	3	1	-	-	-	-	-	1	1	3	2	3	2	-	-	1	-	-	2	-	1	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA																										
	All causes	8,787	765	50	27	17	8	38	42	117	202	214	265	328	475	540	713	702	773	878	907	750	562	270	111	21	11	1
	White..M	3,004	202	6	12	5	1	7	11	27	41	36	67	92	130	207	269	293	325	342	354	273	182	88	28	5	2	1
	F	2,596	158	9	-	2	4	10	8	17	37	42	47	69	94	100	156	154	209	284	363	347	277	127	67	11	4	-
	Nonwhite..M	1,672	227	16	7	4	3	14	14	33	48	59	92	86	137	144	170	132	120	143	90	50	47	28	6	1	1	-
	F	1,515	178	19	8	6	-	7	9	40	76	77	59	81	114	89	118	123	119	109	100	80	56	27	12	4	4	-
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	26	4	-	1	-	-	1	1	1	3	4	1	3	2	1	1	3	-	-	-	-	-	-	-	-	-	-
	White..M	9	2	-	-	-	-	-	1	-	1	1	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	7	2	-	1	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White..M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	36	24	10	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	10	7	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	553	6	6	2	3	-	1	13	38	56	72	62	44	46	31	42	34	36	19	12	5	4	1	-	-	-	-
	White..M	125	-	-	-	1	-	-	-	1	2	4	10	12	15	8	18	18	18	8	7	4	1	-	-	-	-	-
	F	51	1	-	-	-	-	-	1	-	6	8	4	3	7	5	3	1	3	3	2	1	2	1	-	-	-	-
	Nonwhite..M	192	2	4	1	-	-	1	4	13	15	29	28	17	19	10	17	15	11	4	3	-	1	-	-	-	-	-
	F	185	3	2	1	2	-	-	8	24	33	31	20	12	7	8	4	2	4	4	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	470	2	3	2	2	-	-	9	34	51	68	53	42	41	28	40	29	31	15	11	5	4	-	-	-	-	-
	White..M	118	-	-	-	1	-	-	-	1	2	4	9	12	13	8	18	15	17	6	7	4	1	-	-	-	-	-
	F	44	-	-	-	-	-	-	1	-	6	8	4	3	5	4	3	1	2	3	1	1	2	-	-	-	-	-
	Nonwhite..M	168	1	1	1	-	-	-	1	12	13	28	24	16	18	10	15	11	9	4	3	-	1	-	-	-	-	-
	F	140	1	2	1	1	-	-	7	21	30	28	16	11	5	6	4	2	3	2	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	63	4	3	-	1	-	1	4	4	5	4	9	2	5	3	2	5	5	4	1	-	-	1	-	-	-	-
	White..M	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	2	-	-	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	1	-	-	1	-	-	-	-
	Nonwhite..M	24	1	3	-	-	-	1	3	1	2	1	4	1	1	-	2	2	2	-	-	-	-	-	-	-	-	-
	F	25	2	-	-	1	-	-	1	3	3	3	4	1	2	2	-	-	1	2	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	133	7	-	-	-	-	-	-	2	1	4	8	9	15	19	17	20	13	13	2	2	1	-	-	-	-	-
	White..M	29	2	-	-	-	-	-	-	1	-	1	1	1	2	2	1	8	3	5	-	2	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	1	2	-	-	1	-	-	-	-	-
	Nonwhite..M	66	2	-	-	-	-	-	-	-	1	2	4	6	8	14	12	7	3	5	2	-	-	-	-	-	-	-	-
	F	28	3	-	-	-	-	-	-	1	-	1	3	1	3	2	2	5	6	1	-	-	-	-	-	-	-	-	-
35	Measles	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White..M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	1,073	-	-	-	1	-	-	1	3	4	8	14	33	81	86	133	119	134	141	133	119	57	16	9	1	-	-
	White..M	379	-	-	-	-	-	-	1	2	3	3	4	9	16	26	38	41	47	59	52	42	24	6	6	-	-	-
	F	460	-	-	-	1	-	-	-	1	-	2	6	12	26	36	55	47	55	61	60	60	30	5	3	-	-	-
	Nonwhite..M	102	-	-	-	-	-	-	-	-	-	-	1	1	7	11	16	13	17	15	10	6	2	3	-	-	-	-
	F	132	-	-	-	-	-	-	-	-	1	3	3	11	12	13	24	18	15	6	11	11	1	2	-	1	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																										
46	Cancer of digestive organs, peritoneum	444	-	-	-	-	-	-	1	1	1	-	5	12	24	31	56	56	50	71	55	48	23	8	2	-	-
	White..M..	163	-	-	-	-	-	-	1	-	1	-	4	7	4	8	17	20	21	33	23	16	6	-	2	-	-
	F..	169	-	-	-	-	-	-	-	1	-	-	-	3	8	12	20	17	18	27	19	25	15	4	-	-	-
	Nonwhite..M..	55	-	-	-	-	-	-	-	-	-	-	1	-	3	5	9	11	9	8	5	1	1	2	-	-	-
	F..	57	-	-	-	-	-	-	-	-	-	-	-	2	9	6	10	8	2	3	8	6	1	2	-	-	-
48,49	Cancer of female genital organs	156	-	-	-	-	-	-	-	-	1	-	3	13	9	14	28	20	22	14	10	15	7	-	-	-	-
	White..F..	116	-	-	-	-	-	-	-	-	-	-	2	7	7	10	21	14	16	11	8	13	7	-	-	-	-
	Nonwhite..F..	40	-	-	-	-	-	-	-	-	1	-	1	6	2	4	7	6	6	3	2	2	-	-	-	-	-
50	Cancer of breast	118	-	-	-	-	-	-	-	-	-	2	6	3	6	11	10	11	14	12	24	15	3	-	1	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	97	-	-	-	-	-	-	-	-	-	1	4	2	6	8	5	8	12	12	23	12	3	-	1	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	19	-	-	-	-	-	-	-	-	-	1	2	1	-	3	4	2	2	-	1	3	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	355	-	-	-	1	-	-	-	2	2	6	-	5	22	30	39	32	48	44	44	41	24	8	6	1	-
	White..M..	215	-	-	-	-	-	-	-	2	2	3	-	2	12	18	21	20	26	26	29	26	18	6	4	-	-
	F..	78	-	-	-	1	-	-	-	-	-	1	-	-	5	6	9	8	9	11	10	10	5	1	2	-	-
	Nonwhite..M..	46	-	-	-	-	-	-	-	-	-	-	-	1	4	6	6	2	8	7	5	5	1	1	-	-	-
	F..	16	-	-	-	-	-	-	-	-	-	2	-	2	1	-	3	2	5	-	-	-	-	-	1	-	-
58	Acute rheumatic fever	8	-	-	-	-	-	2	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	225	-	-	-	-	-	-	-	2	4	2	4	4	5	15	26	18	39	36	31	23	12	5	1	-	-
	White..M..	72	-	-	-	-	-	-	-	1	-	2	2	2	3	7	8	3	13	13	9	5	3	1	-	-	-
	F..	85	-	-	-	-	-	-	-	1	-	-	-	1	1	1	8	4	14	12	17	17	5	3	1	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	-	-	1	-	2	-	1	1	2	3	3	3	1	-	2	-	-	-	-
	F..	49	-	-	-	-	-	-	-	-	3	-	-	1	-	4	8	8	9	8	4	1	2	1	-	-	-
63b	Exophthalmic goiter	14	-	-	1	-	-	-	-	-	-	2	-	1	1	2	1	-	2	2	2	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	31	-	-	-	-	-	-	-	-	-	-	6	1	7	4	7	-	3	1	1	1	-	-	-	-	-
	White..M..	14	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	-	1	1	1	1	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	2	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	525	2	1	-	-	-	-	1	1	2	1	4	4	22	27	44	42	61	77	81	73	51	22	7	-	-	-
	White..M..	158	1	1	-	-	-	-	-	1	-	1	-	-	2	7	18	18	24	17	26	19	16	6	1	-	-	-
	F..	218	1	-	-	-	-	-	1	-	1	-	2	2	4	8	8	9	20	37	36	43	30	11	5	-	-	-
	Nonwhite..M..	63	-	-	-	-	-	-	-	-	-	-	1	1	5	6	13	4	8	11	8	2	1	2	1	-	-	-
	F..	84	-	-	-	-	-	-	-	-	1	-	1	1	11	6	5	11	9	12	11	9	4	3	-	-	-	-
90-95	Diseases of the heart	2,476	-	1	-	1	1	1	-	8	21	16	26	63	118	159	227	253	274	332	360	252	187	111	49	10	6	-
	White..M..	971	-	-	-	-	-	-	-	-	4	3	11	19	40	72	92	124	125	140	145	91	62	34	5	3	1	-
	F..	709	-	-	-	1	-	-	-	4	6	3	3	12	8	20	37	40	58	88	139	110	84	56	34	4	2	-
	Nonwhite..M..	408	-	1	-	-	-	1	-	1	5	2	9	19	39	39	54	47	43	54	35	21	19	8	3	1	-	-
	F..	390	-	-	-	1	-	-	-	3	6	8	3	13	31	28	44	42	43	50	41	30	22	15	7	2	3	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	138	-	-	-	-	1	1	-	6	5	4	2	9	10	5	12	14	13	13	17	12	5	5	3	1	-	-
	White..M..	38	-	-	-	-	-	-	-	-	1	-	1	1	4	2	4	5	4	3	5	4	-	1	2	1	-	-
	F..	60	-	-	-	-	1	-	-	4	2	2	1	5	1	1	5	5	4	5	9	7	4	4	-	-	-	-
	Nonwhite..M..	17	-	-	-	-	-	1	-	-	1	-	-	1	2	-	2	2	3	3	1	-	1	-	-	-	-	-
	F..	23	-	-	-	-	-	-	-	2	1	2	-	2	3	2	1	2	2	2	2	1	-	-	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	630	-	-	-	-	-	-	-	-	-	1	6	13	38	53	57	84	87	98	79	52	36	18	6	2	-	-
	White..M..	385	-	-	-	-	-	-	-	-	-	-	5	8	24	40	44	64	56	53	37	27	16	9	1	1	-	-
	F..	170	-	-	-	-	-	-	-	-	-	-	-	2	2	6	8	13	18	35	33	24	15	8	5	1	-	-
	Nonwhite..M..	37	-	-	-	-	-	-	-	-	-	1	1	2	6	4	3	2	9	4	3	-	2	-	-	-	-	-
	F..	38	-	-	-	-	-	-	-	-	-	-	-	1	6	3	2	5	4	6	6	1	3	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,708	-	1	-	1	-	-	-	2	16	11	18	41	70	101	158	155	174	221	264	188	146	88	40	7	6	-
	White..M..	548	-	-	-	-	-	-	-	-	3	3	5	10	12	30	44	55	65	84	103	60	46	24	2	1	1	-
	F..	479	-	-	-	-	-	-	-	-	4	1	2	5	5	13	24	22	36	48	97	79	65	44	29	3	2	-
	Nonwhite..M..	352	-	1	-	-	-	-	-	1	4	1	8	16	31	35	49	43	36	47	31	21	16	8	3	1	-	-
	F..	329	-	-	-	1	-	-	-	1	5	6	3	10	22	23	41	35	37	42	33	28	19	12	6	2	3	-
107-109, 33	Pneumonia (all forms) and influenza	516	76	16	3	3	4	2	2	5	6	9	18	26	25	32	37	33	33	35	52	42	27	20	9	-	1	-
	White..M..	147	9	-	1	-	1	1	1	3	-	-	3	8	8	12	12	8	10	12	22	18	6	9	3	-	-	-
	F..	134	16	3	-	-	1	1	1	-	2	2	7	4	5	3	8	6	9	8	17	14	14	9	4	-	-	-
	Nonwhite..M..	149	36	6	-	1	2	-	-	2	3	3	5	10	7	12	9	12	8	11	10	6	3	2	-	-	1	-
	F..	86	15	7	2	2	-	-	-	-	1	4	3	4	5	5	8	7	6	4	3	4	4	-	2	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																										
107	Bronchopneumonia.	199	46	7	-	1	2	-	1	2	1	1	2	6	4	7	11	11	14	12	24	19	13	10	5	-	-	-
	White.....M..	55	2	-	-	-	1	-	-	1	-	-	-	1	1	3	3	3	4	4	14	8	1	5	2	-	-	-
	F..	49	10	1	-	-	-	-	1	-	-	-	2	1	1	-	2	-	5	2	4	7	8	3	2	-	-	-
	Nonwhite..M..	59	24	4	-	-	1	-	-	1	1	1	-	3	1	3	1	3	2	4	4	4	-	2	-	-	-	-
	F..	38	10	2	-	1	-	-	-	-	-	-	-	1	1	1	5	5	3	2	2	-	4	-	1	-	-	-
108	Lobar pneumonia..	211	11	3	1	1	-	-	-	1	2	5	11	14	16	20	19	18	12	20	22	17	10	7	1	-	-	-
	White.....M..	72	3	-	-	-	-	-	-	1	-	-	2	4	6	8	8	5	5	8	7	6	5	4	-	-	-	-
	F..	51	1	1	-	-	-	-	-	-	2	-	3	2	3	2	3	5	1	6	10	6	2	3	1	-	-	-
	Nonwhite..M..	60	5	1	-	-	-	-	-	-	-	1	3	7	5	7	6	6	6	4	4	2	3	-	-	-	-	-
	F..	28	2	1	1	1	-	-	-	-	-	4	3	1	2	3	2	2	-	2	1	3	-	-	-	-	-	-
109	Pneumonia (unspecified).....	60	11	3	2	-	1	1	-	1	1	3	3	6	2	2	2	2	3	2	4	4	2	3	1	-	1	-
	White.....M..	12	1	-	1	-	-	1	-	1	-	-	1	3	1	-	-	-	-	-	3	-	-	-	-	-	-	-
	F..	19	3	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-	2	-	2	1	2	3	-	-	-	-
	Nonwhite..M..	17	5	-	-	-	1	-	-	-	1	1	1	-	-	-	1	2	-	2	2	-	-	-	-	-	1	-
	F..	12	2	3	1	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	-	-	1	-	-	-
33	Influenza.....	46	8	3	-	1	1	1	1	1	2	-	2	-	3	3	5	2	4	1	2	2	2	-	2	-	-	-
	White.....M..	10	3	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	1	-	-	-
	F..	15	2	1	-	-	1	1	-	-	-	-	1	-	1	-	2	1	1	-	1	-	2	-	1	-	-	-
	Nonwhite..M..	13	2	1	-	1	-	-	-	1	1	-	1	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-
	F..	8	1	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	50	-	-	-	-	-	-	-	-	1	1	2	1	3	7	10	7	8	4	4	2	2	-	-	-	-	-
	White.....M..	32	-	-	-	-	-	-	-	-	-	-	1	-	2	5	8	4	5	3	2	2	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	-	1	-	-	-	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	1	-	1	1	1	1	2	2	-	-	-	-	1	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis,etc.*.....	103	89	4	1	-	-	-	-	-	1	1	1	1	1	-	1	-	1	1	1	-	-	-	-	-	-	-
	White.....M..	16	12	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	19	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	33	31	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	35	29	2	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis.....	49	-	2	-	1	-	2	2	2	2	2	4	3	3	5	2	6	4	2	3	3	1	-	-	-	-	-
	White.....M..	19	-	1	-	-	-	-	1	1	-	-	1	2	1	3	1	1	2	1	2	2	-	-	-	-	-	-
	F..	14	-	1	-	-	-	1	1	1	1	1	1	-	1	-	1	2	1	-	1	-	1	-	-	-	-	-
	Nonwhite..M..	9	-	-	-	1	-	1	-	-	-	-	1	-	-	2	-	2	1	1	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	85	5	1	-	2	-	1	-	1	3	2	1	4	7	6	4	7	8	6	13	6	5	2	1	-	-	-
	White.....M..	31	-	-	-	2	-	-	-	-	2	-	-	-	-	1	1	4	4	2	7	4	2	2	-	-	-	-
	F..	20	-	1	-	-	-	-	-	-	-	-	-	2	2	1	-	2	3	2	3	1	2	-	1	-	-	-
	Nonwhite..M..	16	2	-	-	-	1	-	-	-	1	-	2	2	2	1	-	1	1	1	1	1	1	-	-	-	-	-
	F..	18	3	-	-	-	-	-	-	1	1	1	1	-	3	2	2	1	-	1	2	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	113	-	-	-	1	-	1	-	-	-	1	10	7	10	8	14	12	17	11	9	8	3	1	-	-	-	-
	White.....M..	65	-	-	-	-	-	-	-	-	-	-	2	2	6	6	10	8	9	6	7	5	3	1	-	-	-	-
	F..	27	-	-	-	-	-	1	-	-	-	-	4	4	2	1	2	2	2	5	2	2	-	-	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	1	4	-	-	1	-	-	-	-	-	-
	F..	10	-	-	-	1	-	-	-	-	-	-	2	1	1	1	1	1	2	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	36	-	-	-	-	-	-	-	-	-	1	1	-	2	5	2	2	4	4	7	4	2	2	-	-	-	-
	White.....M..	12	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	3	2	1	2	-	-	-	-	-	-
	F..	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	5	2	2	2	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis.....	823	1	1	-	2	-	1	1	4	6	7	15	25	44	52	72	80	70	89	103	98	94	38	13	6	1	-
	White.....M..	271	-	-	-	-	-	-	-	-	1	-	6	4	5	22	29	27	25	31	36	33	31	15	5	1	-	-
	F..	269	-	1	-	1	-	1	-	-	1	1	2	6	5	3	13	17	21	34	40	50	46	16	6	5	-	-
	Nonwhite..M..	135	1	-	-	1	-	-	1	2	3	1	6	5	13	20	20	15	6	15	11	6	4	*5	-	-	-	-
	F..	148	-	-	-	-	-	-	-	2	1	5	1	10	21	7	10	21	18	9	16	9	13	2	2	-	1	-
137	Diseases of the prostate.....	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	6	7	7	5	2	-	-	-	-
	White.....M..	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	7	7	3	-	-	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	-	-	2	2	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	35	-	-	-	-	-	-	-	5	11	7	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	14	-	-	-	-	-	-	-	1	3	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	21	-	-	-	-	-	-	-	4	8	2	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	17	-	-	-	-	-	-	-	3	6	1	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	11	-	-	-	-	-	-	-	2	4	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	7	-	-	-	-	-	-	-	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,145, 145B,146, 149,150	Other puerperal causes.....	11	-	-	-	-	-	-	-	-	3	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	7	-	-	-	-	-	-	-	-	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	83	73	-	2	-	1	-	1	1	2	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	34	28	-	2	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	30	27	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	DISTRICT OF COLUMBIA—Con.																										
159	Premature birth..	256	256	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	103	-	-	-	-	-	-	1	5	6	6	15	9	14	10	9	7	6	7	5	2	1	-	-	-	-
	White.....M..	47	-	-	-	-	-	-	1	3	-	1	6	2	4	6	5	6	3	4	3	2	1	-	-	-	-
	F..	46	-	-	-	-	-	-	-	2	3	5	6	7	9	3	3	1	3	3	1	-	-	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	2	-	3	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	81	1	-	-	-	-	-	-	5	14	11	14	11	14	5	3	2	-	-	1	-	-	-	-	-	-
	White.....M..	9	1	-	-	-	-	-	-	1	1	-	2	2	-	1	-	-	-	-	1	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	55	-	-	-	-	-	-	-	4	9	8	7	8	12	3	3	1	-	-	-	-	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	4	3	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	431	31	5	6	1	-	13	11	21	29	23	26	25	20	24	13	18	23	27	30	30	33	15	8	-	1
	White.....M..	177	9	-	1	1	-	2	2	8	16	7	13	15	9	13	8	8	16	11	12	9	10	5	1	-	1
	F..	122	10	1	-	-	-	4	-	3	3	4	2	2	3	4	1	5	5	9	12	17	23	8	6	-	-
	Nonwhite..M..	91	5	2	3	-	-	5	8	8	5	8	8	4	8	7	4	4	2	4	3	1	-	2	-	-	-
	F..	41	7	-	2	-	-	2	1	2	5	4	3	4	-	-	-	1	-	3	3	3	-	-	1	-	-	-
170	Motor-vehicle accidents.....	84	-	-	4	-	-	4	2	9	5	7	9	5	5	6	4	3	4	5	3	6	2	1	-	-	-
	White.....M..	43	-	-	1	-	-	1	1	4	3	3	2	3	3	3	3	2	4	2	2	4	1	1	-	-	-
	F..	18	-	-	-	-	-	-	-	2	1	2	1	2	1	1	1	1	-	2	1	2	1	-	-	-	-
	Nonwhite..M..	17	-	-	3	-	-	3	1	2	-	1	3	-	1	2	-	-	-	1	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	347	31	3	2	1	-	9	9	12	24	16	17	20	15	18	9	15	19	22	27	24	31	14	8	-	1
	White.....M..	154	9	-	-	1	-	1	1	4	13	4	11	12	6	10	5	6	12	9	10	5	9	4	1	-	1
	F..	104	10	1	-	-	-	4	-	1	2	2	1	-	2	3	-	4	5	7	11	15	22	8	6	-	-
	Nonwhite..M..	74	5	2	-	-	-	2	7	6	5	7	5	4	7	5	4	4	2	3	3	1	-	2	-	-	-
	F..	35	7	-	2	-	-	2	1	1	4	3	-	4	-	-	-	1	-	3	3	3	-	-	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	28	2	-	-	-	-	-	-	1	-	1	-	1	1	1	-	-	3	-	1	7	3	4	2	1	-	-
	White.....M..	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	2	1	-	-	-
	F..	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	1	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-
	All other causes.	871	185	5	9	2	2	11	8	10	28	31	23	46	52	43	45	39	51	64	48	66	74	31	12	5	2	1
	White.....M..	283	66	2	8	1	-	4	4	9	10	5	11	16	11	13	12	13	24	14	24	19	7	4	1	-	1
	F..	245	28	1	-	-	1	2	3	2	7	7	3	8	14	8	15	14	10	15	23	27	34	15	6	2	2	-
	Nonwhite..M..	177	57	1	-	1	1	3	1	2	3	3	9	9	11	14	12	8	2	14	4	5	11	4	2	-	-	-
	F..	166	34	1	1	-	-	2	-	2	9	11	6	18	11	10	7	5	6	11	7	10	10	5	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA																										
	All causes	23,462	2,161	185	105	81	59	199	173	460	1,249	871	820	905	1,187	1,308	1,639	1,753	1,828	2,079	2,086	1,828	1,317	718	266	69	34	84
	White	10,241	804	47	41	22	24	75	61	235	870	425	258	232	371	455	629	735	833	1,048	1,019	902	655	320	100	20	4	56
	M.	5,946	547	49	32	14	17	47	36	64	110	100	153	163	183	232	326	375	481	604	740	678	515	320	123	26	6	5
	F.	3,984	456	42	21	15	7	49	44	78	125	173	212	292	332	352	385	367	269	253	205	137	91	48	17	10	7	17
	Nonwhite	3,291	374	47	11	10	11	28	32	83	144	173	197	218	301	287	319	276	245	174	122	111	56	30	26	13	17	6
	M.																											
	F.																											
1,2	Typhoid and paratyphoid fever	20	-	-	1	-	2	1	-	1	3	2	2	3	2	-	-	-	-	-	-	-	1	1	-	-	-	1
	White	5	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	M.	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F.																											
	Nonwhite	5	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	M.	7	-	-	1	-	-	-	-	-	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
6	Cerebrospinal (meningococcus) meningitis	36	5	2	3	-	1	1	-	7	5	2	5	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-
	White	19	1	1	1	-	1	1	-	4	2	1	5	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	M.	12	3	1	2	-	-	-	-	1	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F.																											
	Nonwhite	3	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
8	Scarlet fever	5	-	1	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
9	Whooping cough	70	52	10	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	20	15	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	12	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
	Nonwhite	29	20	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
10	Diphtheria	27	3	5	8	6	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	13	-	1	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	9	1	3	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
	Nonwhite	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
13-22	Tuberculosis (all forms)	855	6	4	-	2	2	2	8	31	74	101	107	80	93	86	66	51	42	31	32	21	12	2	-	-	-	2
	White	253	-	-	-	-	-	1	-	2	3	9	25	15	28	33	24	30	28	17	17	11	9	1	-	-	-	-
	M.	120	2	2	-	1	1	1	1	5	10	8	16	4	11	11	6	6	4	9	11	9	2	-	-	-	-	-
	F.																											
	Nonwhite	253	4	-	-	-	-	-	3	6	24	36	35	41	35	24	19	10	5	4	3	1	1	1	-	-	-	1
	M.	229	-	2	-	1	1	-	4	18	37	48	31	20	19	18	17	5	5	1	1	-	-	-	-	-	-	1
	F.																											
13	Tuberculosis of respiratory system, etc.*	807	1	2	-	1	-	-	6	30	69	97	105	75	90	80	63	50	41	30	30	21	12	2	-	-	-	2
	White	240	-	-	-	-	-	-	-	1	2	9	24	14	28	29	22	29	28	17	16	11	9	1	-	-	-	-
	M.	112	1	1	-	-	-	-	1	5	10	8	16	4	10	11	6	6	3	8	11	9	2	-	-	-	-	-
	F.																											
	Nonwhite	237	-	-	-	-	-	-	2	6	22	34	35	37	34	23	19	10	5	4	2	1	1	1	-	-	-	1
	M.	218	-	1	-	1	-	-	3	18	35	46	30	20	18	17	16	5	5	1	1	-	-	-	-	-	-	1
	F.																											
14-22	Tuberculosis (other forms)	48	5	2	-	1	2	2	2	1	5	4	2	5	3	6	3	1	1	1	2	-	-	-	-	-	-	-
	White	13	-	-	-	-	-	1	-	1	1	-	1	1	-	4	2	1	-	-	1	-	-	-	-	-	-	-
	M.	8	1	1	-	1	1	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F.																											
	Nonwhite	16	4	-	-	-	-	-	1	-	2	2	-	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	M.	11	-	1	-	-	1	-	1	-	2	2	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F.																											
27	Dysentery	38	11	2	2	-	-	-	1	-	-	3	1	1	-	-	-	3	2	4	-	1	2	5	-	-	-	-
	White	13	2	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	3	-	1	-	2	-	-	-	-
	M.	9	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	-
	F.																											
	Nonwhite	9	4	-	1	-	-	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	M.	7	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F.																											
28	Malaria	44	1	2	2	-	1	1	2	1	1	2	1	3	4	-	3	4	3	6	2	1	1	1	1	-	-	1
	White	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
	M.	8	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	4	-	-	-	1	-	-	-	-
	F.																											
	Nonwhite	16	-	-	1	-	-	-	1	1	-	-	-	1	2	-	2	2	2	1	1	1	-	-	-	-	-	1
	M.	16	1	2	1	-	-	1	1	-	1	1	-	1	2	-	1	1	1	1	1	-	-	-	-	-	-	-
	F.																											
30	Syphilis	398	30	2	-	1	-	2	-	3	9	20	32	35	54	53	47	32	26	17	17	12	6	-	-	-	-	-
	White	91	3	-	-	-	-	-	-	-	-	3	2	6	14	4	13	13	10	4	10	6	3	-	-	-	-	-
	M.	18	2	-	-	-	-	-	-	-	1	1	2	1	1	2	1	2	2	1	1	-	1	-	-	-	-	-
	F.																											
	Nonwhite	208	12	2	-	1	-	2	-	2	2	10	16	24	33	35	23	11	11	10	6	6	2	-	-	-	-	-
	M.	81	13	-	-	-	-	-	-	1	6	6	12	4	6	12	10	6	3	2	-	-	-	-	-	-	-	-	-
	F.																											
35	Measles	7	3	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F.																											
	Nonwhite	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
36	Poliomyelitis, polioencephalitis (acute)	6	-	1	-	-	-	-	-	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	4	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.																											
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.																											
45-55	Cancer and other malignant tumors	2,074	3	1	-	-	4	3	5	5	10	19	42	65	114	148	224	263	259	250	265	197	116	61	14	5	-	1
	White	857	2	-	-	-	1	1	-	1	2	3	9	10	26	40	68	99	112	127	121	95	73	35	10	2	-	-
	M.	882	1	1	-	-	2	1	2	3	3	6	12	36	45	71	109	103	98	104	126	88	42	25	2	2	-	-
	F.																											
	Nonwhite	131	-	-	-	-	1	-	2	1	-	2	3	6	5	12	21	26	20	10	9	11	1	-	-	1	-	-
	M.	224	-	-	-	-	-	1	1	-	5	8	18	13	38	25	26	35	29	9	9	3	-	1	2	-	-	1
	F.																											

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Con.																										
46	Cancer of digestive organs, peritoneum	757	-	-	-	-	-	1	1	1	1	4	11	9	27	40	74	106	100	101	113	92	44	27	4	1	-
	White M	360	-	-	-	-	-	1	-	-	-	3	4	2	10	15	32	45	44	58	59	45	27	13	2	-	-
	White F	280	-	-	-	-	-	-	1	1	1	1	4	2	7	12	25	38	36	34	47	40	17	13	1	-	-
	Nonwhite M	73	-	-	-	-	-	-	-	-	-	-	-	2	4	9	14	14	10	7	6	6	-	-	1	-	-
	Nonwhite F	44	-	-	-	-	-	-	-	-	-	-	3	3	6	4	3	9	10	2	1	1	-	1	1	-	-
48,49	Cancer of female genital organs	362	-	-	-	-	-	-	-	-	4	10	16	28	47	49	55	41	29	28	31	15	5	3	-	1	-
	White F	268	-	-	-	-	-	-	-	-	1	3	4	22	31	37	44	28	21	26	29	13	5	3	-	1	-
	Nonwhite F	94	-	-	-	-	-	-	-	-	3	7	12	6	16	12	11	13	8	2	2	2	-	-	-	-	-
50	Cancer of breast	204	-	-	-	-	-	-	-	-	-	-	6	9	12	21	30	28	20	24	27	14	7	6	1	1	-
	White M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-
	White F	152	-	-	-	-	-	-	-	-	-	-	3	6	5	13	21	17	15	22	24	13	6	6	-	1	-
	Nonwhite M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite F	47	-	-	-	-	-	-	-	-	-	-	3	2	7	8	8	9	4	2	3	-	-	-	1	-	-
45,47, 51-55	Cancer (other sites)	751	3	1	-	-	4	2	4	4	5	5	9	19	28	38	65	90	110	97	94	76	60	25	9	2	-	1
	White M	474	2	-	-	-	1	-	-	1	2	-	5	7	16	25	36	54	68	69	62	49	45	22	8	2	-	-
	White F	182	1	1	-	-	2	1	1	2	1	2	1	6	2	9	19	20	26	22	26	22	14	3	1	-	-	-
	Nonwhite M	56	-	-	-	-	1	-	2	1	-	2	3	4	1	3	6	12	9	3	3	5	1	-	-	-	-	-
	Nonwhite F	39	-	-	-	-	-	1	1	-	2	1	-	2	9	1	4	4	7	3	3	-	-	-	-	-	-	1
58	Acute rheumatic fever	23	-	-	-	-	-	3	2	1	4	1	3	2	-	-	-	4	-	2	1	-	-	-	-	-	-	-
	White M	5	-	-	-	-	-	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White F	4	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite M	4	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	10	-	-	-	-	-	-	1	1	2	1	-	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	405	-	-	-	-	-	3	2	7	9	7	6	13	12	19	29	49	58	54	49	54	28	6	-	-	-	-
	White M	152	-	-	-	-	-	1	-	4	3	1	-	2	3	7	6	17	19	19	24	28	14	4	-	-	-	-
	White F	175	-	-	-	-	-	1	1	-	4	4	4	3	3	2	11	21	29	30	22	24	14	2	-	-	-	-
	Nonwhite M	25	-	-	-	-	-	1	-	1	1	-	1	3	2	5	-	3	4	2	1	1	-	-	-	-	-	-
	Nonwhite F	53	-	-	-	-	-	-	1	2	1	2	1	5	4	5	12	8	6	3	2	1	-	-	-	-	-	-
63b	Exophthalmic goiter	19	-	-	-	-	-	-	-	2	-	1	1	-	1	3	3	2	2	2	1	-	1	-	-	-	-	-
	White M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	White F	8	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	1	1	-	1	-	-	-	-	-
	Nonwhite M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	6	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	37	-	-	1	-	-	-	-	-	1	2	2	3	4	3	1	5	2	3	5	2	2	-	1	-	-	-
	White M	7	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	1	-	-	-	-	-	-
	White F	13	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	2	1	2	-	2	-	1	-	-	-
	Nonwhite M	6	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite F	11	-	-	-	-	-	-	-	-	1	2	-	1	3	-	1	2	-	-	-	1	-	-	-	-	-	-
77	Alcoholism (ethylism)	48	-	-	-	-	-	-	-	-	-	1	1	7	5	8	9	8	3	2	-	2	2	-	-	-	-	-
	White M	31	-	-	-	-	-	-	-	-	-	-	1	5	2	5	5	6	3	2	-	2	-	-	-	-	-	-
	White F	4	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	10	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	-	-	-	-	-	2	-	-	-	-	-
	Nonwhite F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,154	2	4	-	-	-	3	-	1	6	14	26	39	93	136	196	225	264	301	315	251	145	83	28	11	5	6
	White M	708	-	1	-	-	-	2	-	-	2	7	4	4	13	20	49	67	78	116	128	110	67	30	7	3	-	-
	White F	615	1	1	-	-	-	-	-	-	2	1	3	5	17	21	33	46	76	84	106	97	56	43	17	4	-	2
	Nonwhite M	398	1	-	-	-	-	-	-	-	-	2	5	15	26	40	49	54	55	63	39	21	14	4	3	2	2	1
	Nonwhite F	435	-	2	-	-	-	1	-	1	2	4	14	15	37	55	65	58	55	38	42	23	8	6	1	2	3	3
90-95	Diseases of the heart	5,006	2	2	1	3	2	6	17	14	34	62	79	132	221	277	423	457	567	677	705	590	426	209	73	10	8	6
	White M	2,545	2	1	1	1	-	2	6	4	12	19	27	42	87	130	215	246	308	399	383	310	221	92	29	3	2	3
	White F	1,386	-	-	-	1	-	1	3	2	6	14	15	18	27	35	63	75	150	187	250	224	168	101	36	6	3	1
	Nonwhite M	574	-	-	-	1	-	3	4	4	7	13	20	31	50	73	79	78	56	46	42	27	22	11	2	1	-	2
	Nonwhite F	498	-	1	-	-	2	-	4	4	9	16	17	41	57	39	66	58	53	43	30	29	15	5	6	-	3	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	296	-	-	-	2	-	1	7	2	8	15	12	15	11	20	33	21	30	30	30	27	21	7	3	-	1	-
	White M	119	-	-	-	1	-	1	2	1	4	5	4	4	3	4	15	8	12	13	19	10	11	2	-	-	-	-
	White F	82	-	-	-	-	-	-	2	-	2	5	5	3	2	5	7	3	5	13	5	10	9	2	3	-	1	-
	Nonwhite M	55	-	-	-	1	-	-	2	-	1	3	2	4	3	7	7	5	7	3	4	4	-	2	-	-	-	-
	Nonwhite F	40	-	-	-	-	-	-	1	1	1	2	1	4	3	4	4	5	6	1	2	3	1	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,638	-	-	-	-	1	1	1	2	6	13	28	45	82	123	156	177	217	238	253	160	90	28	15	2	-	-
	White M	1,044	-	-	-	-	-	-	1	-	2	4	13	22	57	84	108	131	149	170	142	86	55	12	8	-	-	-
	White F	418	-	-	-	-	-	-	-	-	-	1	7	6	8	16	18	28	58	58	97	68	32	14	5	2	-	-
	Nonwhite M	101	-	-	-	-	-	1	-	1	2	4	4	9	7	17	22	14	5	3	3	1	3	2	-	-	-	-
	Nonwhite F	75	-	-	-	-	1	-	-	1	2	4	4	8	10	6	8	4	5	7	8	5	-	-	2	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,069	2	2	1	1	1	4	9	10	20	34	39	72	128	134	234	259	320	409	422	403	315	174	55	8	7	6
	White M	1,382	2	1	1	-	-	1	3	3	6	10	10	16	27	42	92	107	147	216	222	214	155	78	21	3	2	3
	White F	886	-	-	-	1	-	1	1	2	4	8	3	9	17	14	38	44	87	116	148	146	127	85	28	4	2	1
	Nonwhite M	418	-	-	-	-	-	2	2	3	4	6	14	18	40	49	50	59	44	42	32	22	19	7	2	1	-	2
	Nonwhite F	383	-	1	-	-	1	-	3	2	6	10	12	29	44	29	54	49	42	35	20	21	14	4	4	-	3	-
107-109, 33	Pneumonia (all forms) and influenza	1,531	311	47	17	8	3	21	18	25	28	39	43	53	84	83	101	90	94	123	98	91	67	50	14	6	2	-
	White M	523	81	8	7	2	1	8	2	6	6	11	13	17	19	25	31	35	40	54	49	42	40	18	3	3	2	-
	White F	326	69	8	3	3	-	3	4	5	2	5	5	3	13	10	11	10	15	30	26	33	37	22	8	1	-	-
	Nonwhite M	354	81	15	5	1	1	5	7	5	7	13	10	23	30	23	34	24	15	17	15	10	5	5	2	1	-	-
	Nonwhite F	328	80	16	2	2	1	5	5	9	11	10	15	10	22	22	25	21	24	22	8	6	5	5	1	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Con.																										
107	Bronchopneumonia.	474	160	14	6	4	2	4	2	6	5	5	9	7	13	21	24	19	22	31	30	29	34	19	6	-	-	-
	White.....M..	180	40	-	5	1	1	1	-	1	3	1	5	2	3	6	10	12	12	19	18	13	19	7	1	-	-	-
	F..	121	37	1	1	1	-	1	-	4	1	1	1	1	3	5	4	2	4	6	9	13	13	9	4	-	-	-
	Nonwhite..M..	86	43	7	2	-	-	1	1	-	-	-	3	3	6	6	3	3	1	3	2	-	-	1	1	-	-	-
	F..	87	40	6	-	2	1	1	1	1	1	3	-	1	1	4	7	2	5	3	1	3	2	2	-	-	-	-
108	Lobar pneumonia..	493	50	13	2	1	1	5	6	7	13	25	16	16	47	31	29	43	42	41	37	32	20	10	5	-	1	-
	White.....M..	175	12	3	1	-	-	2	-	2	3	7	4	7	13	12	9	15	17	16	21	16	7	5	2	-	1	-
	F..	82	11	4	-	1	-	2	2	1	-	3	3	1	5	1	2	3	8	9	5	9	7	3	2	-	-	-
	Nonwhite..M..	135	16	2	1	-	1	1	2	2	4	9	4	5	15	10	12	15	9	9	6	6	3	2	1	-	-	-
	F..	101	11	4	-	-	-	-	2	2	3	6	5	3	14	8	8	10	8	7	5	1	3	-	-	-	-	-
109	Pneumonia (unspecified).....	113	35	4	3	-	-	2	3	2	2	1	5	5	3	5	4	6	3	8	5	7	5	4	-	1	-	-
	White.....M..	40	10	-	1	-	-	-	-	1	-	1	1	2	-	1	3	4	2	5	1	4	2	1	-	1	-	-
	F..	26	10	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	2	4	1	3	2	-	-	-	-
	Nonwhite..M..	23	6	3	-	-	-	1	2	-	1	-	1	2	1	2	1	1	-	-	-	1	-	1	-	-	-	-
	F..	24	9	1	1	-	-	1	1	1	-	-	3	1	1	1	-	1	1	1	-	1	-	-	-	-	-	-
33	Influenza.....	451	66	16	4	3	-	10	7	10	6	8	13	25	21	23	44	22	27	43	26	23	28	17	3	5	1	-
	White.....M..	128	19	5	-	1	-	5	2	2	-	2	3	6	3	6	9	4	9	14	9	9	12	5	-	2	1	-
	F..	97	11	3	1	1	-	-	2	-	-	1	1	1	4	3	5	5	3	13	8	10	14	8	2	1	-	-
	Nonwhite..M..	110	16	3	2	1	-	2	2	3	2	4	2	13	8	5	18	5	5	5	7	3	2	1	-	1	-	-
	F..	116	20	5	1	-	-	3	1	5	4	1	7	5	9	12	8	10	11	2	1	-	3	1	1	-	-	-
117	Ulcer of stomach or duodenum....	159	-	-	-	-	-	-	-	2	3	8	8	13	16	23	17	20	18	15	9	5	2	-	-	-	-	-
	White.....M..	93	-	-	-	-	-	-	-	-	1	5	3	6	8	11	9	12	16	10	7	3	2	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	4	-	2	1	1	-	-	-	-	-	-
	Nonwhite..M..	35	-	-	-	-	-	-	-	2	1	1	4	4	4	10	4	2	2	1	-	-	-	-	-	-	-	-
	F..	17	-	-	-	-	-	-	-	-	-	2	-	2	2	2	3	2	-	2	1	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc. *....	248	149	19	10	1	2	5	1	1	2	-	4	2	4	4	10	3	3	7	5	3	7	5	1	-	-	-
	White.....M..	66	46	1	2	-	-	-	-	1	-	-	-	1	1	1	1	-	2	3	2	-	2	2	1	-	-	-
	F..	64	34	7	5	-	1	2	1	-	1	-	-	-	-	-	1	-	-	2	2	-	5	3	-	-	-	-
	Nonwhite..M..	58	39	4	2	-	1	-	-	-	-	-	1	1	1	3	4	-	-	-	1	1	-	-	-	-	-	-
	F..	60	30	7	1	1	-	3	-	-	1	-	3	-	2	-	4	3	1	2	-	2	-	-	-	-	-	-
121	Appendicitis.....	149	2	2	3	3	2	7	3	7	14	11	13	14	17	8	14	7	6	4	4	4	3	1	-	-	-	-
	White.....M..	65	1	-	-	1	-	4	1	5	8	5	2	2	10	2	8	4	3	3	3	2	1	-	-	-	-	-
	F..	23	-	-	2	1	2	-	-	1	1	1	1	3	1	-	2	2	-	1	2	2	1	-	-	-	-	-
	Nonwhite..M..	31	1	1	1	1	-	3	1	-	1	4	6	2	4	2	3	-	-	1	-	-	-	-	-	-	-	-
	F..	30	-	1	-	-	-	-	1	1	4	1	4	7	2	4	3	1	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	236	13	1	1	1	2	3	3	1	10	5	16	14	15	18	19	33	16	17	13	16	9	6	4	-	-	-
	White.....M..	89	7	-	-	1	1	1	1	-	2	-	3	2	3	6	8	13	6	10	5	12	4	3	1	-	-	-
	F..	70	1	1	1	-	1	-	1	1	3	1	5	1	2	5	6	9	5	7	7	3	4	3	3	-	-	-
	Nonwhite..M..	42	3	-	-	-	-	2	1	-	4	-	3	6	5	3	3	6	3	-	1	1	1	-	-	-	-	-
	F..	35	2	-	-	-	-	-	-	-	1	4	5	5	5	4	2	5	2	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	212	-	-	-	-	-	-	-	-	4	2	3	10	22	18	32	26	22	31	24	10	6	2	-	-	-	-
	White.....M..	111	-	-	-	-	-	-	-	-	-	-	-	5	9	11	14	15	10	22	16	4	3	2	-	-	-	-
	F..	52	-	-	-	-	-	-	-	-	2	-	2	4	5	3	10	2	7	5	6	3	3	-	-	-	-	-
	Nonwhite..M..	34	-	-	-	-	-	-	-	-	2	-	1	-	5	3	5	7	4	4	1	2	-	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	-	2	-	1	3	1	3	2	-	-	1	1	-	-	-	-	-	-
126,127	Biliary calculi, etc. *	63	-	-	1	-	-	-	-	-	1	1	2	3	4	4	9	8	4	10	3	7	1	5	-	-	-	-
	White.....M..	25	-	-	1	-	-	-	-	-	-	-	1	-	1	2	3	4	2	2	2	5	1	1	-	-	-	-
	F..	28	-	-	-	-	-	-	-	-	-	1	-	2	3	2	3	2	2	6	1	2	-	4	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis.....	1,641	3	2	1	1	2	3	5	6	12	21	30	46	77	101	112	164	169	181	211	221	157	78	28	9	-	3
	White.....M..	620	1	-	-	-	2	1	1	2	3	9	4	7	16	26	34	51	61	80	93	100	73	43	8	3	-	2
	F..	430	-	1	-	-	-	2	2	1	4	2	12	11	9	16	13	26	39	48	72	74	58	25	13	2	-	-
	Nonwhite..M..	345	-	1	-	-	-	-	1	3	3	7	5	14	27	29	36	53	47	34	35	24	15	6	3	2	-	-
	F..	246	2	-	1	1	-	-	1	-	2	3	9	14	25	30	29	34	22	19	11	23	11	4	2	2	-	1
137	Diseases of the prostate.....	121	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	7	6	17	26	24	22	8	6	-	1	-
	White.....M..	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	14	22	21	19	7	6	-	-	-
	Nonwhite..M..	27	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	5	3	3	4	3	3	1	-	-	1	-
140-150	Diseases of pregnancy, etc. *..	173	-	-	-	-	-	-	1	25	36	32	47	25	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	98	-	-	-	-	-	-	-	8	23	18	30	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	75	-	-	-	-	-	-	1	17	13	13	17	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	62	-	-	-	-	-	-	-	10	17	12	13	9	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	35	-	-	-	-	-	-	-	3	12	7	6	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	27	-	-	-	-	-	-	-	7	5	5	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	55	-	-	-	-	-	-	1	10	7	9	17	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	28	-	-	-	-	-	-	-	2	4	6	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	27	-	-	-	-	-	-	1	8	3	3	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	56	-	-	-	-	-	-	-	5	12	11	17	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	35	-	-	-	-	-	-	-	3	7	6	12	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	21	-	-	-	-	-	-	-	2	5	5	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	233	201	9	2	1	4	6	4	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	104	94	5	-	-	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	84	74	2	2	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	30	23	1	-	1	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	15	10	1	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATHS, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	FLORIDA—Con.																										
159	Premature birth..	682	682	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	295	295	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	195	195	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	98	98	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	194	-	-	-	-	-	-	1	7	18	17	14	21	26	23	17	15	10	9	5	6	2	1	-	-	2
	White.....M..	124	-	-	-	-	-	-	1	11	11	11	11	12	16	16	12	9	7	4	4	5	2	1	-	-	2
	F..	62	-	-	-	-	-	-	1	6	7	5	2	8	7	7	5	4	3	5	1	1	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	356	1	-	-	1	-	1	4	24	45	54	53	59	41	30	13	11	5	4	3	2	-	-	-	-	5
	White.....M..	82	-	-	-	-	-	-	2	3	9	11	15	6	12	7	3	6	3	2	1	1	-	-	-	-	1
	F..	18	1	-	-	1	-	-	-	2	2	2	-	3	-	3	1	1	-	1	-	1	-	-	-	-	-
	Nonwhite..M..	201	-	-	-	-	-	-	1	12	25	31	32	37	25	18	7	4	2	1	2	-	-	-	-	-	4
	F..	55	-	-	-	-	-	1	1	7	9	10	6	13	4	2	2	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,775	41	38	22	15	18	74	63	227	826	357	158	110	97	94	101	71	62	71	61	73	69	49	21	4	53
	White.....M..	1,986	19	15	12	5	11	32	34	176	774	304	105	52	51	53	59	38	39	40	39	33	24	15	7	2	47
	F..	307	7	12	6	2	2	18	8	11	17	10	8	13	11	5	10	7	5	17	19	34	40	29	14	1	1
	Nonwhite..M..	370	8	5	4	5	2	16	19	31	30	34	35	33	28	33	25	24	12	9	2	3	3	4	-	-	5
	F..	112	7	6	-	3	3	8	2	9	5	9	10	12	7	3	7	2	6	5	1	3	2	1	-	1	-
170	Motor-vehicle accidents.....	531	3	7	3	4	4	20	12	39	68	58	46	50	36	41	48	19	18	21	19	10	3	-	1	-	1
	White.....M..	347	-	5	2	1	3	13	9	27	54	37	28	23	25	27	28	11	13	13	16	8	3	-	1	-	-
	F..	58	2	1	1	-	1	3	-	8	7	2	3	9	2	1	7	1	2	5	2	1	-	-	-	-	-
	Nonwhite..M..	99	1	-	-	2	-	4	2	-	6	15	11	13	7	11	12	7	2	3	1	1	-	-	-	-	1
	F..	27	-	1	-	1	-	-	1	4	1	4	4	5	2	2	1	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	2,244	38	31	19	11	14	54	51	188	758	299	112	60	61	53	53	52	44	50	42	63	66	49	20	4	52
	White.....M..	1,639	19	10	10	4	8	19	25	149	720	267	77	29	26	26	31	27	26	27	23	25	21	15	6	2	47
	F..	249	5	11	5	2	1	15	8	3	10	8	5	4	9	4	3	6	3	12	17	33	40	29	14	1	1
	Nonwhite..M..	271	7	5	4	3	2	12	17	31	24	19	24	20	21	22	13	17	10	6	1	2	3	4	-	-	4
	F..	85	7	5	-	2	3	8	1	5	4	5	6	7	5	1	6	2	5	5	1	3	2	1	-	1	-
182, 199, 200	Senility, ill-defined and unknown causes.	977	133	8	4	2	1	3	4	6	14	12	21	36	44	44	52	56	53	78	81	86	88	74	45	16	16	-
	White.....M..	341	24	1	1	-	-	-	1	3	2	3	2	9	19	20	17	22	27	36	33	42	35	32	12	-	-	-
	F..	193	16	1	-	1	-	-	2	-	3	1	3	6	3	7	7	9	6	14	20	17	26	27	16	6	2	-
	Nonwhite..M..	240	48	2	2	-	-	2	1	1	2	2	10	15	11	11	15	20	9	19	20	13	15	10	5	3	4	-
	F..	203	45	4	1	1	1	1	-	2	7	6	6	6	11	6	13	5	11	9	8	14	12	5	12	7	10	-
	All other causes.	2,443	527	23	19	14	12	47	26	51	79	73	99	116	127	122	140	138	130	162	150	149	122	71	32	8	2	4
	White.....M..	909	210	10	6	7	4	18	8	19	29	22	24	23	31	35	49	44	54	79	57	68	60	32	15	4	-	1
	F..	698	126	7	8	3	4	13	9	17	12	16	28	25	20	27	33	41	34	45	63	65	52	31	13	4	1	1
	Nonwhite..M..	433	111	4	1	3	1	10	3	7	15	14	20	32	33	22	32	31	18	24	23	12	7	6	2	-	-	2
	F..	403	80	2	4	1	3	6	6	8	23	21	27	36	43	38	28	22	24	14	7	4	3	2	2	-	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA																										
	All causes	30,101	3856	354	193	128	95	296	297	619	1136	1034	1136	1259	1535	1806	2,209	2,280	2,335	2,540	2,524	1,850	1390	899	329	112	51	38
	White	9,718	1112	83	54	40	29	93	90	185	398	288	283	297	380	477	661	794	898	984	996	650	523	313	91	21	1	17
	F	7,199	797	82	40	29	21	75	49	91	156	156	192	224	226	305	359	437	548	728	858	698	582	385	128	28	2	3
	Nonwhite	6,924	970	102	54	29	33	66	90	174	286	325	345	384	466	538	624	555	457	413	396	277	148	95	51	25	14	7
	F	6,260	777	87	45	30	12	62	68	169	296	285	336	354	463	486	585	494	432	415	274	225	137	106	59	38	34	11
1,2	Typhoid and paratyphoid fever	23	-	-	-	-	-	2	-	3	1	3	3	2	3	-	-	3	1	1	1	-	-	-	-	-	-	-
	White	4	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	9	-	-	-	1	-	-	-	1	-	1	-	2	2	-	-	3	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	1	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	46	2	1	2	3	-	2	4	9	9	3	2	3	3	1	-	1	-	-	-	1	-	-	-	-	-	-
	White	25	1	-	1	1	-	1	2	6	4	2	1	2	1	1	-	1	-	-	-	1	-	-	-	-	-	-
	F	11	1	1	1	2	-	-	2	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	9	-	-	-	-	-	1	-	2	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	7	-	1	2	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	5	-	1	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	168	115	36	7	5	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	40	30	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	35	24	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	49	32	11	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	44	29	9	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	49	4	14	14	8	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	20	1	4	6	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	1	5	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	8	1	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,332	10	6	2	1	-	12	13	82	179	164	156	140	108	102	100	79	58	53	39	18	5	2	-	-	-	3
	White	319	2	-	-	-	-	-	1	3	16	21	36	30	22	40	41	34	27	23	13	7	2	-	-	-	-	1
	F	194	1	1	-	-	-	-	-	4	21	25	17	20	13	8	11	14	13	19	16	9	1	1	-	-	-	-
	Nonwhite	406	4	2	1	-	-	7	4	27	56	62	54	50	40	31	28	13	7	7	8	2	2	1	-	-	-	-
	F	413	3	3	1	1	-	5	8	48	86	56	49	40	33	23	20	18	11	4	2	-	-	-	-	-	-	2
13	Tuberculosis of respiratory system, etc.*	1,229	6	1	-	1	-	9	9	77	167	149	139	127	104	95	95	76	55	53	38	18	5	2	-	-	-	3
	White	303	1	-	-	-	-	-	-	3	15	18	33	29	22	38	40	31	27	23	13	7	2	-	-	-	-	1
	F	187	-	-	-	-	-	-	-	4	20	25	15	20	13	8	10	14	13	19	15	9	1	1	-	-	-	-
	Nonwhite	367	3	-	-	-	-	5	2	25	49	58	49	45	38	28	27	13	5	7	8	2	2	1	-	-	-	-
	F	372	2	1	-	1	-	4	7	45	83	48	42	33	31	21	18	18	10	4	2	-	-	-	-	-	-	2
14-22	Tuberculosis (other forms)	103	4	5	2	-	-	3	4	5	12	15	17	13	4	7	5	3	3	-	1	-	-	-	-	-	-	-
	White	16	1	-	-	-	-	-	1	-	1	3	3	1	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	1	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	39	1	2	1	-	-	2	2	2	7	4	5	5	2	3	1	-	2	-	-	-	-	-	-	-	-	-
	F	41	1	2	1	-	-	1	1	3	3	8	7	7	2	2	2	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	79	29	5	3	1	-	-	-	1	2	1	-	-	1	3	2	4	4	9	4	-	3	4	3	-	-	-
	White	19	6	1	1	-	-	-	-	-	1	-	-	-	-	-	2	2	1	3	-	-	-	1	1	-	-	-
	F	22	8	2	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	3	-	3	1	-	-	-	-
	Nonwhite	20	8	2	2	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	-	-	-	1	1	-	-	-
	F	18	7	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	2	2	1	-	-	1	1	-	-	-
28	Malaria	43	4	2	1	-	-	2	-	1	-	2	1	4	4	2	4	1	3	4	4	1	2	-	-	1	-	-
	White	10	2	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	F	7	-	1	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-	1	-	-
	Nonwhite	13	2	1	-	-	-	-	-	-	-	-	1	1	2	1	2	1	1	-	-	-	1	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	1	-	3	1	-	2	-	2	2	2	-	-	-	-	-	-	-
30	Syphilis	467	33	4	-	-	2	1	3	4	17	22	40	62	70	51	56	33	33	16	14	6	-	-	-	-	-	-
	White	89	3	-	-	-	-	-	1	-	1	1	2	6	14	12	13	9	10	6	9	2	-	-	-	-	-	-
	F	34	4	1	-	-	1	-	-	-	2	-	3	5	1	1	4	2	2	4	2	2	-	-	-	-	-	-
	Nonwhite	226	16	-	-	-	1	-	1	1	8	11	17	39	39	28	30	15	15	4	3	-	-	-	-	-	-	-
	F	118	10	3	-	-	-	1	1	3	8	10	18	12	16	10	9	7	6	2	-	2	-	-	-	-	-	-
35	Measles	27	3	6	3	4	-	6	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	9	2	1	-	1	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	11	1	2	1	3	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	10	-	2	-	-	1	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	4	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	2,149	3	2	-	1	1	7	5	13	20	43	55	99	135	228	254	260	240	279	230	140	85	41	10	2	-	-
	White	705	1	1	-	-	-	4	3	8	8	10	13	22	30	35	59	90	88	121	98	58	35	15	5	1	-	-
	F	878	1	1	-	-	-	3	1	4	5	15	17	37	50	105	100	108	101	110	95	64	38	21	4	-	-	-
	Nonwhite	190	-	-	-	-	1	-	1	1	1	2	9	13	10	26	38	26	18	14	19	7	1	3	-	-	-	-
	F	376	1	-	-	1	-	-	-	-	6	16	16	27	45	60	57	58	33	34	18	11	9	2	1	1	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Con.																										
46	Cancer of digestive organs, peritoneum.....	808	1	-	-	-	-	2	1	3	1	8	20	42	35	68	82	105	97	128	108	61	29	15	4	-	-	-
	White.....M..	305	-	-	-	-	-	1	1	3	1	3	7	12	9	14	33	41	35	61	42	25	8	6	3	-	-	-
	F..	286	-	-	-	-	-	1	-	-	-	2	3	9	7	22	20	34	44	45	45	27	18	8	1	-	-	-
	Nonwhite..M..	109	-	-	-	-	-	-	-	-	-	-	5	11	10	16	16	16	7	11	13	4	-	-	-	-	-	-
	F..	108	1	-	-	-	-	-	-	-	-	3	5	10	9	16	13	14	11	11	6	5	3	1	-	-	-	-
48,49	Cancer of female genital organs.	399	-	-	-	-	-	-	-	-	4	14	15	26	45	65	64	43	34	39	23	15	8	2	1	1	-	-
	White.....F..	245	-	-	-	-	-	-	-	-	1	5	8	16	21	41	39	28	23	23	19	12	6	2	1	-	-	-
	Nonwhite..F..	154	-	-	-	-	-	-	-	-	3	9	7	10	24	24	25	15	11	16	4	3	2	-	-	1	-	-
50	Cancer of breast.	191	-	-	-	-	-	-	-	-	-	4	4	10	17	31	31	25	15	20	14	13	5	1	1	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F..	134	-	-	-	-	-	-	-	-	-	3	3	7	11	21	19	18	11	17	9	10	3	1	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	54	-	-	-	-	-	-	-	-	-	1	1	3	6	9	11	7	4	3	4	3	2	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	751	2	2	-	1	1	5	4	10	15	17	16	21	38	62	77	87	94	92	87	51	41	23	4	1	-	-
	White.....M..	398	1	1	-	-	-	3	2	5	7	7	6	10	21	20	28	49	53	60	55	33	27	9	2	1	-	-
	F..	213	1	1	-	-	-	2	1	4	4	5	3	5	11	21	22	26	25	25	22	15	11	10	1	-	-	-
	Nonwhite..M..	80	-	-	-	-	1	-	1	1	1	2	4	2	-	10	21	10	11	3	6	3	1	3	-	-	-	-
	F..	60	-	-	-	1	-	-	-	-	3	3	3	4	6	11	8	2	7	4	4	-	2	1	1	-	-	-
58	Acute rheumatic fever.....	32	-	1	-	1	1	5	2	1	-	3	-	4	2	2	1	2	2	2	1	-	-	2	-	-	-	-
	White.....M..	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F..	5	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	1	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F..	18	-	-	-	1	1	2	-	-	-	2	-	4	1	1	1	1	2	1	1	-	-	-	-	-	-	-
61	Diabetes mellitus	438	-	-	-	1	-	4	5	12	10	9	8	14	10	28	47	49	62	49	54	42	20	12	-	-	-	2
	White.....M..	145	-	-	-	1	-	1	1	2	2	2	1	1	3	12	19	18	20	15	19	16	6	6	-	-	-	-
	F..	184	-	-	-	-	-	1	1	6	5	5	2	5	-	4	13	15	31	24	30	24	12	4	-	-	-	2
	Nonwhite..M..	48	-	-	-	-	-	2	2	3	3	2	1	1	1	2	8	6	6	4	4	1	2	-	-	-	-	-
	F..	61	-	-	-	-	-	-	1	1	-	-	4	7	6	10	7	10	5	6	1	1	-	2	-	-	-	-	-
65b	Exophthalmic goiter.....	34	-	-	-	-	-	-	-	-	-	2	3	1	4	4	7	4	5	2	1	-	1	-	-	-	-	-
	White.....M..	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	F..	21	-	-	-	-	-	-	-	-	-	-	3	-	2	3	6	1	2	2	1	-	1	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	176	-	-	-	-	-	-	2	1	6	3	10	9	11	12	12	16	16	23	20	13	8	9	3	1	-	1
	White.....M..	28	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	5	5	6	1	4	2	-	-	-	-
	F..	59	-	-	-	-	-	-	-	-	2	-	1	1	5	2	1	6	6	11	8	8	3	3	2	-	-	-
	Nonwhite..M..	26	-	-	-	-	-	-	-	-	-	2	2	2	-	3	4	3	3	2	2	2	-	1	-	-	-	-
	F..	65	-	-	-	-	-	-	1	1	4	1	6	6	6	7	5	6	2	5	4	2	1	3	1	1	-	1
77	Alcoholism (ethylism).....	59	-	-	-	-	-	-	-	2	3	5	8	7	12	2	8	7	3	-	2	-	-	-	-	-	-	-
	White.....M..	40	-	-	-	-	-	-	-	1	1	2	6	5	9	1	6	5	3	-	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	15	-	-	-	-	-	-	-	1	1	3	2	-	3	1	2	2	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	3,154	6	-	1	-	-	1	3	11	16	36	34	91	167	233	378	365	367	403	387	294	221	102	25	7	4	4
	White.....M..	823	3	-	1	-	-	-	2	3	2	5	4	9	25	37	71	90	101	123	140	97	75	28	5	2	-	-
	F..	757	1	-	-	-	-	-	1	-	4	3	5	9	13	25	56	67	86	108	153	106	90	43	7	-	-	-
	Nonwhite..M..	743	-	-	-	-	-	-	-	3	5	15	9	38	64	81	114	97	84	76	65	42	24	14	4	3	2	3
	F..	831	2	-	-	-	-	1	-	5	5	13	16	35	65	90	137	109	96	96	49	49	32	17	9	2	2	1
90-95	Diseases of the heart.....	5,769	3	4	-	4	2	15	15	35	60	84	140	185	274	400	540	630	680	758	722	514	354	250	74	19	4	3
	White.....M..	2,236	1	-	-	1	1	6	4	6	9	13	28	45	75	120	207	270	307	352	344	198	131	93	25	4	-	-
	F..	1,450	1	2	-	2	-	5	5	6	15	11	20	25	22	54	66	98	152	207	236	201	150	112	32	7	-	1
	Nonwhite..M..	1,083	-	2	-	-	1	-	1	9	15	32	49	55	92	124	132	147	108	100	75	69	39	20	9	2	-	2
	F..	1,020	1	-	-	1	-	4	5	14	21	28	43	62	85	102	135	115	113	99	67	48	34	25	8	6	4	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	353	-	1	-	1	1	3	6	8	14	12	17	13	23	26	28	35	29	31	45	32	17	10	-	1	-	-
	White.....M..	91	-	-	-	-	1	2	1	2	4	1	1	3	4	4	8	7	10	7	18	9	8	1	-	-	-	-
	F..	70	-	-	-	1	-	-	2	1	6	2	4	2	3	3	2	6	4	6	10	10	4	4	-	-	-	-
	Nonwhite..M..	79	-	1	-	-	-	-	1	1	-	4	4	5	7	8	5	9	9	8	8	6	3	-	-	-	-	-
	F..	113	-	-	-	-	-	1	2	4	4	5	8	3	9	11	13	13	6	10	9	7	2	5	-	1	-	-
94	Diseases of coronary arteries, angina pectoris	1,524	-	-	-	-	-	-	-	6	5	14	28	58	85	127	167	215	205	202	197	112	65	27	10	1	1	1
	White.....M..	857	-	-	-	-	-	-	-	2	-	4	12	24	39	62	106	139	126	127	110	47	27	9	3	-	-	-
	F..	385	-	-	-	-	-	-	-	1	2	3	6	10	10	25	20	31	55	54	66	45	38	15	5	1	-	-
	Nonwhite..M..	180	-	-	-	-	-	-	-	2	-	4	5	14	22	25	22	31	11	16	12	13	-	1	1	-	-	1
	F..	122	-	-	-	-	-	-	-	1	3	3	3	10	14	15	19	14	13	5	9	7	2	2	1	-	1	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	3,892	3	3	-	3	1	12	9	21	41	58	97	114	186	247	345	380	446	525	480	370	272	213	64	17	3	2
	White.....M..	1,308	1	-	-	1	-	4	3	2	5	8	15	16	32	54	93	124	171	218	216	140	96	83	22	4	-	-
	F..	975	1	2	-	1	-	5	3	4	7	8	10	13	9	28	44	61	93	147	180	148	110	93	27	6	-	1
	Nonwhite..M..	824	-	1	-	-	1	-	-	6	15	24	40	55	63	91	105	107	88	76	55	50	56	19	8	2	-	1
	F..	785	1	-	-	1	-	3	3	9	14	20	32	49	62	76	103	88	94	84	49	34	30	18	7	5	3	-
107-109, 33	Pneumonia (all forms) and influenza.....	2,379	602	113	45	28	11	35	35	53	68	59	69	78	107	105	132	124	115	136	136	119	95	67	37	8	1	1
	White.....M..	813	132	24	9	5	1	6	9	13	11	8	13	20	19	24	31	29	42	52	40	38	42	29	14	1	-	1
	F..	521	109	17	9	8	2	8	4	11	9	6	9	12	13	9	17	25	21	32	57	51	41	32	18	5	-	-
	Nonwhite..M..	651	201	37	11	10	7	10	15	13	16	19	28	25	41	36	47	39	26	24	25	12	5	4	2	1	1	-
	F..	594	160	35	18	5	1	11	9	16	32	26	19	21	34	36	37	33	26	28	16	18	7	2	5	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Con.																										
107	Bronchopneumonia.	742	282	48	16	11	4	11	12	9	17	11	10	12	19	32	25	24	23	33	26	34	37	25	18	2	-	1
	White.....M..	195	69	8	2	2	1	1	4	3	3	2	3	3	3	7	7	2	11	13	9	9	13	13	6	-	-	1
	F..	181	48	5	2	4	-	1	3	1	4	1	2	4	2	3	6	6	4	13	12	19	21	11	8	1	-	-
	Nonwhite..M..	204	102	17	5	4	3	5	4	3	5	5	2	1	5	10	9	7	4	3	4	4	-	1	1	-	-	-
	F..	162	63	18	7	1	-	4	1	2	5	3	3	4	9	12	3	9	4	4	1	2	3	-	3	1	-	-
108	Lobar pneumonia..	740	117	26	6	3	2	14	8	23	28	21	31	37	46	36	62	48	51	52	50	37	22	11	6	3	-	-
	White.....M..	191	20	5	1	1	-	2	2	5	6	1	6	12	11	9	15	11	18	16	16	14	13	5	2	-	-	-
	F..	132	24	3	1	-	-	5	1	4	4	2	2	6	2	2	7	5	8	11	17	14	5	5	2	2	-	-
	Nonwhite..M..	222	37	9	2	1	2	2	4	5	5	7	13	14	21	14	23	19	13	11	12	4	3	-	-	1	-	-
	F..	195	38	9	2	1	-	5	1	9	13	11	10	5	12	11	17	13	12	14	5	5	1	1	2	-	-	-
109	Pneumonia (unspecified).....	280	98	17	5	8	-	4	5	9	5	11	9	9	9	11	8	10	11	11	13	13	4	6	3	1	-	-
	White.....M..	61	18	4	1	1	-	2	1	3	-	4	3	1	1	2	1	2	2	5	3	4	2	1	-	-	-	-
	F..	54	13	3	1	2	-	1	-	3	-	1	1	1	1	1	1	5	1	-	6	5	2	3	2	1	-	-
	Nonwhite..M..	87	33	6	-	3	-	1	2	-	2	2	3	3	7	5	3	2	5	4	2	1	-	2	1	-	-	-
	F..	78	34	4	3	2	-	-	2	3	3	4	2	4	-	3	3	1	3	2	2	3	-	-	-	-	-	-
33	Influenza.....	617	105	22	18	8	5	8	10	12	18	16	19	20	33	26	37	42	30	40	47	35	32	25	10	2	1	-
	White.....M..	166	25	7	5	1	-	1	2	2	2	1	1	4	4	6	8	14	11	18	12	11	14	10	6	1	-	-
	F..	154	24	6	5	2	2	1	-	3	1	2	4	1	8	3	3	7	8	8	22	13	13	13	4	1	-	-
	Nonwhite..M..	138	29	5	4	2	2	2	3	5	4	5	10	7	8	7	12	11	4	6	5	3	2	1	-	-	1	-
	F..	159	27	4	4	1	1	2	5	2	11	8	4	8	13	10	14	10	7	8	8	8	3	1	-	-	-	-
117	Ulcer of stomach or duodenum....	177	3	1	-	-	-	-	1	-	5	6	7	14	20	19	29	14	16	14	13	8	4	3	-	-	-	-
	White.....M..	76	3	-	-	-	-	-	-	-	4	1	3	6	7	6	11	6	7	7	6	5	3	1	-	-	-	-
	F..	17	-	-	-	-	-	-	-	-	-	2	1	1	2	2	1	-	1	1	3	-	1	2	-	-	-	-
	Nonwhite..M..	45	-	1	-	-	-	-	-	-	1	-	2	5	6	8	11	4	3	2	2	-	-	-	-	-	-	-
	F..	39	-	-	-	-	-	-	1	-	-	3	1	2	5	3	6	4	5	4	2	3	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc. *....	385	251	36	14	4	2	3	-	1	5	8	3	3	4	5	5	8	5	3	7	10	5	1	3	1	-	-
	White.....M..	87	60	9	2	1	-	-	-	-	2	1	-	2	-	1	3	-	-	-	5	-	-	1	-	-	-	-
	F..	86	52	8	5	-	-	1	-	-	-	2	-	-	1	1	2	1	2	-	5	1	3	1	1	-	-	-
	Nonwhite..M..	98	70	10	4	-	1	-	-	1	-	-	1	-	1	3	-	3	1	-	2	1	-	-	-	-	-	-
	F..	114	69	9	3	3	1	2	-	-	3	3	2	1	2	-	-	4	2	3	2	2	1	-	1	1	-	-
121	Appendicitis.....	192	2	-	2	3	2	12	11	22	13	20	19	16	18	7	8	4	18	8	7	2	1	1	-	-	-	-
	White.....M..	84	2	-	2	2	1	4	3	6	2	4	9	4	2	3	2	2	9	4	2	-	1	-	-	-	-	-
	F..	55	-	-	-	1	-	3	4	6	7	5	3	4	3	-	3	1	5	3	4	2	-	1	-	-	-	-
	Nonwhite..M..	30	-	-	-	-	1	2	4	5	2	3	2	3	4	2	-	-	1	-	1	-	-	-	-	-	-	-
	F..	43	-	-	-	-	-	3	-	5	2	8	5	5	7	2	3	1	1	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	205	14	2	1	1	2	2	2	3	6	9	19	7	9	14	22	15	15	14	23	11	5	5	1	3	-	-
	White.....M..	49	4	-	-	1	-	1	-	1	-	2	2	1	2	2	3	5	5	3	8	5	1	3	-	-	-	-
	F..	52	3	1	-	-	1	-	-	-	-	3	5	1	-	1	7	2	4	4	11	2	4	2	-	1	-	-
	Nonwhite..M..	56	6	1	1	-	1	1	2	2	1	2	4	1	4	5	5	2	3	6	4	4	-	-	1	-	-	-
	F..	48	1	-	-	-	-	-	-	-	5	2	8	4	3	6	7	6	3	1	-	-	-	-	-	2	-	-
124	Cirrhosis of the liver.....	153	-	-	-	1	-	-	-	-	1	2	7	8	19	15	14	21	21	18	13	10	3	-	-	-	-	-
	White.....M..	73	-	-	-	1	-	-	-	-	-	1	6	1	5	9	7	12	10	7	7	8	1	-	-	-	-	-
	F..	32	-	-	-	-	-	-	-	-	-	1	-	3	5	3	-	1	6	4	4	3	2	-	-	-	-	-
	Nonwhite..M..	33	-	-	-	-	-	-	-	-	1	-	-	3	5	2	4	7	4	5	2	-	-	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	-	-	1	1	4	1	3	1	1	2	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc. *.....	60	-	-	-	-	-	3	-	-	-	3	2	2	2	4	8	7	7	8	3	5	3	2	1	-	-	-
	White.....M..	21	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	4	3	3	2	2	1	1	-	-	-	-
	F..	28	-	-	-	-	-	-	-	-	-	1	-	1	2	3	3	2	3	5	1	3	2	1	1	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	3,150	7	5	5	6	-	11	16	20	35	43	60	102	136	198	228	265	344	385	432	345	281	188	53	18	5	2
	White.....M..	965	3	1	1	2	-	3	5	6	5	8	4	17	19	46	57	72	121	121	157	112	125	61	14	5	-	-
	F..	788	1	2	1	2	-	3	1	2	10	7	11	20	20	25	23	39	60	99	138	125	111	66	19	3	-	-
	Nonwhite..M..	765	2	1	1	1	-	1	4	3	7	11	25	34	44	67	91	89	95	78	79	67	27	16	11	5	2	2
	F..	634	1	1	2	1	-	4	6	9	13	17	20	31	53	60	57	65	68	67	58	41	18	25	9	5	3	-
137	Diseases of the prostate.....	161	-	-	-	-	-	-	-	-	-	-	1	-	-	2	7	9	14	27	36	31	14	15	3	1	1	-
	White.....M..	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	7	16	21	25	10	10	-	-	1	-
	Nonwhite..M..	66	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	6	7	11	15	6	4	5	3	1	-	-
140-150	Diseases of pregnancy, etc. *..	307	-	-	-	-	-	-	2	41	67	60	77	41	16	1	1	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	155	-	-	-	-	-	-	-	17	38	30	43	19	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	152	-	-	-	-	-	-	2	24	29	30	34	22	8	1	1	-	-	-	-	-	-	-	-	-	-	1
140, 142a, 145A, 147	Puerperal septicemia.....	100	-	-	-	-	-	-	1	15	24	20	26	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	44	-	-	-	-	-	-	-	4	13	7	13	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	56	-	-	-	-	-	-	1	11	11	13	13	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	101	-	-	-	-	-	-	1	20	25	13	26	11	3	-	1	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	52	-	-	-	-	-	-	-	10	13	7	13	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	49	-	-	-	-	-	-	1	10	12	6	13	3	2	-	1	-	-	-	-	-	-	-	-	-	-	1
141b,d,e,f, 142b,145, 145B,146, 149,150	Other puerperal causes.....	106	-	-	-	-	-	-	-	6	18	27	25	18	11	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	59	-	-	-	-	-	-	-	3	12	16	17	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	47	-	-	-	-	-	-	-	3	6	11	8	12	6	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	282	249	7	6	2	2	4	5	1	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	130	117	3	2	1	2	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	87	77	4	2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	41	33	-	2	-	-	1	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	24	22	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	GEORGIA—Con.																										
159	Premature birth..	1,075	1075	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	371	371	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	283	283	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	234	234	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	187	187	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	176	-	-	-	-	-	-	1	8	17	21	16	21	21	17	18	13	9	5	7	1	1	-	-	-	-
	White.....M..	120	-	-	-	-	-	-	-	5	9	16	11	12	16	13	12	9	6	4	5	1	1	-	-	-	-	-
	F..	42	-	-	-	-	-	-	-	3	4	3	3	8	4	4	6	4	1	-	2	-	-	-	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	1	-	4	2	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	444	1	-	-	-	-	2	4	33	85	84	70	61	34	24	16	13	6	4	4	3	-	-	-	-	-	-
	White.....M..	84	1	-	-	-	-	-	2	-	7	9	12	14	10	7	4	10	4	-	2	2	-	-	-	-	-	-
	F..	22	-	-	-	-	-	1	-	1	3	4	2	2	2	1	2	1	-	1	1	1	-	-	-	-	-	-
	Nonwhite..M..	274	-	-	-	-	-	1	1	25	59	58	44	38	18	15	8	1	2	3	1	-	-	-	-	-	-	-
	F..	64	-	-	-	-	-	-	1	7	16	13	12	7	4	1	2	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,238	98	36	37	25	38	88	94	173	358	211	150	116	118	103	86	90	68	74	72	61	52	45	19	8	1	15
	White.....M..	1,140	26	13	12	7	11	27	38	99	285	141	77	69	63	51	40	43	25	36	27	20	18	14	3	3	-	14
	F..	332	18	14	6	3	10	20	16	13	12	12	12	10	10	3	8	10	11	16	25	30	31	30	9	3	-	-
	Nonwhite..M..	555	36	3	14	7	11	26	31	55	65	48	45	31	36	38	27	25	21	12	13	4	2	-	4	1	-	-
	F..	209	18	6	5	8	6	15	11	6	16	10	16	6	9	11	11	12	11	10	7	7	1	1	3	1	1	1
170	Motor-vehicle accidents.....	649	4	5	4	3	6	32	25	65	98	78	55	51	43	40	36	31	25	28	13	3	2	2	-	-	-	-
	White.....M..	388	3	-	2	3	4	16	13	46	63	47	26	31	28	25	20	16	12	16	10	3	2	2	-	-	-	-
	F..	66	1	4	1	-	1	7	1	8	8	4	6	4	3	1	3	4	6	3	1	-	-	-	-	-	-	-
	Nonwhite..M..	160	-	1	1	-	1	7	8	10	23	22	17	14	10	13	11	10	4	6	2	-	-	-	-	-	-	-
	F..	35	-	-	-	-	-	2	3	1	4	5	6	2	2	1	2	1	3	3	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,587	94	31	33	22	32	56	69	108	260	133	95	65	75	63	50	59	43	46	59	58	50	43	19	8	1	15
	White.....M..	752	23	13	10	4	7	11	23	53	202	94	51	38	35	26	20	27	13	20	17	17	16	12	3	3	-	14
	F..	286	17	10	5	3	9	13	15	5	4	8	6	6	7	2	5	6	5	13	24	30	31	30	9	3	-	-
	Nonwhite..M..	395	36	2	13	7	10	19	23	45	42	26	28	17	26	25	18	15	17	6	11	4	2	-	4	1	-	-
	F..	174	18	6	5	8	6	13	8	5	12	5	10	4	7	10	9	11	8	7	7	7	1	1	3	1	1	1
162, 199, 200	Senility, ill-defined and unknown causes.	1,589	273	23	7	6	5	8	11	18	22	25	36	39	47	63	78	88	90	99	127	103	127	118	81	39	32	4
	White.....M..	342	55	-	1	1	1	4	2	3	3	3	6	4	10	14	25	27	34	25	27	12	29	27	23	5	-	1
	F..	280	40	2	1	-	1	-	-	-	3	2	3	3	5	11	5	9	12	16	25	28	42	39	25	8	2	-
	Nonwhite..M..	487	89	13	3	4	2	3	4	7	6	11	14	17	13	20	23	28	20	35	44	39	30	28	14	11	9	-
	F..	460	89	8	2	1	1	1	5	8	10	9	13	15	19	18	25	24	24	23	51	28	28	24	19	15	21	3
	All other causes.	3,088	869	47	41	23	20	61	60	69	125	102	138	129	181	163	147	157	134	166	165	112	102	52	16	4	3	2
	White.....M..	957	286	15	13	10	10	23	16	21	43	17	24	27	47	42	41	51	59	55	61	38	37	21	-	-	-	-
	F..	746	171	9	10	2	4	24	13	14	14	15	30	34	41	38	25	34	29	39	56	40	47	25	12	-	-	-
	Nonwhite..M..	717	256	14	10	5	4	6	15	15	33	36	33	26	38	40	43	36	29	27	36	20	10	2	2	1	-	-
	F..	668	176	9	8	8	2	8	16	19	35	34	51	42	55	43	38	36	17	25	12	14	8	4	2	3	3	2

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO																										
	All causes	4,712	396	53	22	17	16	51	46	121	186	105	86	118	125	170	235	326	439	517	486	475	394	239	70	11	4	4
	White..M..	2,932	235	33	13	9	13	27	26	90	143	73	56	72	69	104	146	216	285	332	294	296	231	127	30	7	2	3
	F..	1,716	146	18	9	7	2	22	19	27	41	31	29	46	56	61	86	106	148	181	188	177	159	111	39	4	2	1
	Nonwhite..M..	35	10	-	-	-	1	1	-	3	-	-	-	-	-	1	2	2	4	3	2	2	3	-	1	-	-	-
	F..	29	5	2	-	1	-	1	1	1	2	1	1	-	-	4	1	2	2	1	2	-	1	1	-	-	-	-
1,2	Typhoid and paratyphoid fever	5	-	-	-	-	-	1	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White..M..	4	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	10	-	-	-	-	-	-	-	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	9	-	-	-	-	-	-	-	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	-	1	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	3	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	93	1	2	-	1	1	-	1	6	5	5	4	7	6	12	6	6	8	15	3	3	1	-	-	-	-	-
	White..M..	65	-	1	-	-	-	-	-	3	1	5	3	6	4	7	5	6	7	13	2	2	-	-	-	-	-	-
	F..	18	1	-	-	-	-	-	-	2	3	-	1	1	2	3	1	-	1	1	1	1	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F..	6	-	1	-	1	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	84	1	-	-	1	1	-	1	5	4	5	3	7	6	11	5	6	7	15	2	3	1	-	-	-	-	-
	White..M..	60	-	-	-	-	-	-	-	3	1	5	2	6	4	7	4	6	6	13	1	2	-	-	-	-	-	-
	F..	15	1	-	-	-	-	-	-	1	2	-	1	1	2	2	1	-	1	1	1	1	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F..	5	-	-	-	1	-	-	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	9	-	2	-	-	-	-	-	1	1	-	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-
	White..M..	5	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	F..	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	16	1	-	-	-	-	-	-	-	-	-	-	2	2	-	4	1	3	-	-	2	-	1	-	-	-	-
	White..M..	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	-	-	1	-	1	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	15	4	3	2	-	-	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	8	1	1	1	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	524	-	-	-	-	-	4	2	1	3	6	4	7	17	22	47	68	66	86	71	65	35	18	2	-	-	-
	White..M..	268	-	-	-	-	-	1	2	1	3	1	1	3	5	5	15	33	35	54	39	41	19	9	1	-	-	-
	F..	247	-	-	-	-	-	3	-	-	-	5	3	4	12	14	31	35	27	31	32	24	16	9	1	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																										
46	Cancer of digestive organs, peritoneum.....	271	-	-	-	-	-	1	1	-	-	1	-	4	7	4	23	35	37	60	40	32	14	10	2	-	-
	White.....M..	150	-	-	-	-	-	-	1	-	-	-	-	2	4	1	9	21	17	42	24	19	6	3	1	-	-	-
	F..	115	-	-	-	-	-	1	-	-	-	1	-	2	3	2	13	14	17	17	16	13	8	7	1	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.	53	-	-	-	-	-	-	-	-	-	2	2	2	4	7	10	7	3	4	5	4	3	-	-	-	-
	White.....F..	52	-	-	-	-	-	-	-	-	-	2	2	2	4	6	10	7	3	4	5	4	3	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.	37	-	-	-	-	-	-	-	-	-	1	-	-	2	3	4	11	2	3	5	1	4	1	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	36	-	-	-	-	-	-	-	-	-	1	-	-	2	3	4	10	2	3	5	1	4	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	163	-	-	-	-	-	3	1	1	3	2	2	1	4	8	10	15	24	19	21	28	14	7	-	-	-
	White.....M..	117	-	-	-	-	-	1	1	1	3	1	1	1	1	4	6	11	18	12	15	22	13	6	-	-	-	-
	F..	44	-	-	-	-	-	2	-	-	-	1	1	-	3	3	4	4	5	7	6	6	1	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	8	-	-	1	-	-	1	1	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	5	-	-	1	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	106	-	-	-	1	-	1	2	1	3	2	2	2	2	3	3	12	19	15	16	11	6	5	-	-	-
	White.....M..	47	-	-	-	-	-	-	1	-	2	1	2	1	2	-	-	4	10	9	4	3	4	4	-	-	-	-
	F..	58	-	-	-	1	-	1	1	1	1	1	-	1	-	3	2	8	9	6	12	8	2	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter.....	19	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	1	4	7	1	1	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	3	6	1	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	401	1	-	-	-	-	-	1	1	-	1	3	5	6	10	21	14	40	52	62	73	59	39	7	4	1	1
	White.....M..	222	1	-	-	-	-	-	1	-	-	1	2	3	3	5	13	5	21	33	34	48	31	18	1	2	-	-
	F..	177	-	-	-	-	-	-	-	1	-	-	1	2	3	5	8	8	19	19	27	25	28	21	6	2	1	1
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
90-95	Diseases of the heart.....	1,233	1	1	-	-	-	5	7	10	11	7	11	15	24	50	48	96	155	180	177	183	136	86	23	4	2	1
	White.....M..	787	1	-	-	-	-	1	3	6	6	5	3	8	12	37	39	79	108	116	104	120	76	49	9	3	1	1
	F..	441	-	1	-	-	-	4	4	4	5	2	8	7	12	13	9	17	46	63	71	63	59	37	14	1	1	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	75	-	-	-	-	-	-	2	2	5	3	5	3	3	5	5	4	11	5	12	3	6	-	1	-	-	-
	White.....M..	46	-	-	-	-	-	-	1	1	3	2	1	1	-	3	2	3	11	4	9	2	3	-	-	-	-	-
	F..	29	-	-	-	-	-	-	1	1	2	1	4	2	3	2	3	1	-	1	3	1	3	-	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	403	-	-	-	-	-	-	-	2	2	3	3	10	13	21	32	53	64	64	45	51	22	11	6	1	-	-
	White.....M..	295	-	-	-	-	-	-	-	1	2	2	1	7	8	20	28	43	49	47	32	32	13	7	2	1	-	-
	F..	108	-	-	-	-	-	-	-	1	-	1	2	3	5	1	4	10	15	17	13	19	9	4	4	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	755	1	1	-	-	-	5	5	6	4	1	3	2	8	24	11	39	80	111	120	129	108	75	16	3	2	1
	White.....M..	446	1	-	-	-	-	1	2	4	1	1	1	-	4	14	9	33	48	65	63	86	60	42	7	2	1	1
	F..	304	-	1	-	-	-	4	3	2	3	-	2	2	4	10	2	6	31	45	55	43	47	33	9	1	1	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza.....	273	63	5	-	-	2	2	2	10	4	4	2	9	3	8	10	15	14	24	23	25	32	10	5	-	-	1
	White.....M..	168	33	2	-	-	2	-	1	8	2	2	2	5	3	7	8	11	11	13	13	13	20	7	4	-	-	1
	F..	100	26	3	-	-	-	2	1	2	2	2	-	4	-	1	2	3	3	11	10	12	12	3	1	-	-	-
	Nonwhite..M..	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																										
107	Bronchopneumonia.	76	22	1	-	-	2	1	-	2	1	1	-	4	1	2	2	1	3	2	6	6	14	3	2	-	-	-
	White.....M..	43	12	1	-	-	2	-	-	2	1	-	-	3	1	2	1	1	2	1	2	2	7	2	1	-	-	-
	F..	32	9	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	1	1	4	4	7	1	1	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia..	89	12	-	-	-	-	1	1	6	1	3	1	1	1	2	5	9	6	13	9	8	7	2	1	-	-	-
	White.....M..	61	2	-	-	-	-	-	-	5	-	2	1	1	1	1	5	8	5	8	7	5	7	2	1	-	-	-
	F..	26	8	-	-	-	-	1	1	1	1	1	-	-	-	1	-	1	1	5	2	3	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	41	14	1	-	-	-	-	-	1	1	-	-	2	-	2	1	2	2	1	1	3	6	3	1	-	-	-
	White.....M..	25	8	-	-	-	-	-	-	1	-	-	-	1	-	2	1	1	2	-	-	1	5	2	1	-	-	-
	F..	15	5	1	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	1	2	1	1	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	67	15	3	-	-	-	-	1	1	1	-	1	2	1	2	2	3	3	8	7	8	5	2	1	-	-	1
	White.....M..	39	11	1	-	-	-	-	1	-	1	-	1	-	1	2	1	1	2	4	4	5	1	1	1	-	-	1
	F..	27	4	2	-	-	-	-	-	1	-	-	-	2	-	-	1	1	1	4	3	3	4	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	41	-	-	-	-	-	-	-	1	-	1	-	4	2	5	1	7	7	5	7	-	1	-	-	-	-	-
	White.....M..	36	-	-	-	-	-	-	-	1	-	1	-	3	2	5	1	5	6	4	7	-	1	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	12	8	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	7	4	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	45	-	1	1	1	1	4	3	4	4	3	3	1	3	3	5	-	5	2	1	-	-	-	-	-	-	-
	White.....M..	30	-	1	-	1	1	3	2	3	1	2	2	1	3	3	1	-	4	1	1	-	-	-	-	-	-	-
	F..	15	-	-	1	-	-	1	1	1	3	1	1	-	-	-	4	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	50	6	1	-	-	-	-	1	3	-	1	1	3	1	1	3	6	8	3	4	5	2	1	-	-	-	-
	White.....M..	23	5	1	-	-	-	-	1	2	-	-	-	-	-	1	2	1	5	2	1	1	-	1	-	-	-	-
	F..	27	1	-	-	-	-	-	-	1	-	1	1	3	1	-	1	5	3	1	3	4	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	24	-	-	-	-	-	1	-	1	-	-	-	2	1	2	1	4	1	4	1	4	1	1	-	-	-	-
	White.....M..	15	-	-	-	-	-	1	-	1	-	-	-	2	1	1	-	2	1	3	1	2	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	2	1	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	33	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	5	5	6	3	3	2	1	-	-	-	-
	White.....M..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	2	-	1	1	-	-	-	-
	F..	23	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	3	6	1	3	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	331	-	-	-	-	-	1	2	3	6	1	6	7	7	14	14	19	42	50	48	41	40	19	10	-	1	-
	White.....M..	207	-	-	-	-	-	1	-	2	2	1	2	3	5	9	9	12	23	35	29	28	28	10	7	-	1	-
	F..	120	-	-	-	-	-	-	2	1	4	-	3	4	2	5	5	7	19	15	18	13	11	8	3	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
137	Diseases of the prostate.....	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	7	3	5	5	2	-	-	-	-
	White.....M..	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	7	3	5	5	2	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	29	-	-	-	-	-	-	-	-	6	9	7	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	29	-	-	-	-	-	-	-	-	6	9	7	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	13	-	-	-	-	-	-	-	-	3	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	13	-	-	-	-	-	-	-	-	3	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	6	-	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	10	-	-	-	-	-	-	-	-	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	10	-	-	-	-	-	-	-	-	3	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	58	47	2	2	2	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	31	23	1	2	1	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	26	23	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IDAHO—Continued																										
159	Premature birth..	136	136	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	86	86	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	48	48	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	41	-	-	-	-	-	-	-	-	2	3	4	3	4	4	4	4	3	3	2	2	3	-	-	-	-
	White.....M..	35	-	-	-	-	-	-	-	-	1	2	4	2	3	4	4	4	2	2	2	2	3	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	9	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	-	1	1	-	-	-	-	-	-	-
	White.....M..	6	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	571	14	25	13	6	6	18	14	47	124	46	23	25	21	12	27	31	21	16	18	15	26	17	4	1	-	1
	White.....M..	466	9	18	8	4	6	14	9	37	117	44	23	21	13	11	26	27	18	12	16	10	15	4	2	1	-	1
	F..	102	5	7	5	2	-	4	5	9	6	2	-	4	8	1	1	4	3	4	2	5	10	13	2	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	121	1	3	4	3	2	3	2	18	18	9	8	6	3	-	5	7	5	7	10	4	3	-	-	-	-	-
	White.....M..	94	-	3	2	2	2	3	-	12	13	8	8	5	2	-	5	5	5	6	9	4	-	-	-	-	-	-
	F..	25	1	-	2	1	-	-	2	5	5	1	-	1	1	-	-	2	-	1	1	-	2	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	450	13	22	9	3	4	15	12	29	106	37	15	19	18	12	22	24	16	9	8	11	23	17	4	1	-	1
	White.....M..	372	9	15	6	2	4	11	9	25	104	36	15	16	11	11	21	22	13	6	7	6	15	4	2	1	-	1
	F..	77	4	7	3	1	-	4	3	4	1	1	-	3	7	1	1	2	3	3	1	5	8	13	2	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	116	11	1	-	1	-	-	-	1	-	-	2	3	-	-	3	4	9	8	8	12	19	21	12	1	-	-
	White.....M..	75	7	1	-	-	-	-	-	1	-	-	2	2	-	-	3	4	9	4	7	7	11	15	2	-	-	-
	F..	38	4	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	4	1	3	8	6	9	1	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	465	99	7	3	5	4	8	7	20	13	9	13	17	16	18	27	33	24	32	38	23	26	17	5	1	-	-
	White.....M..	275	64	5	1	3	2	3	3	13	4	5	9	9	8	7	14	19	17	21	29	12	17	6	3	1	-	-
	F..	178	29	2	2	2	2	4	4	5	9	4	4	8	8	11	13	12	7	10	9	11	9	11	2	-	-	-
	Nonwhite..M..	7	4	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	5	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS																										
	All causes	92,058	5,184	528	271	190	177	606	576	941	1,159	1,445	1,731	2,315	3,240	4,743	6,449	8,074	8,676	10,127	11,207	10,252	8,094	4,187	1,340	282	47	17
	White	47,790	2,711	257	135	104	79	344	324	487	549	622	775	1,089	1,599	2,490	3,580	4,633	5,027	5,483	5,871	5,210	3,911	1,887	538	83	10	12
	M	37,486	1,956	211	103	63	80	209	197	302	409	566	673	854	1,088	1,843	2,211	2,764	3,221	4,084	4,675	4,758	4040	2,218	767	184	27	3
	Nonwhite	3,748	298	28	15	16	9	30	35	82	96	125	146	208	314	346	370	399	362	295	271	161	75	38	18	5	4	2
	F	3,034	219	32	18	7	9	23	20	70	105	132	137	184	239	264	288	278	266	265	190	143	68	44	17	10	6	-
1,2	Typhoid and paratyphoid fever	13	1	-	1	-	1	-	1	2	1	2	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	White	7	1	-	-	-	-	-	1	-	-	2	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	M	6	-	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	180	16	5	6	4	3	12	7	15	14	9	11	11	8	11	8	8	7	4	-	1	-	-	-	-	-	-
	White	76	6	3	5	2	-	5	2	11	9	5	5	4	2	4	3	4	3	2	-	1	-	-	-	-	-	-
	M	53	8	1	1	1	3	5	2	4	4	2	3	4	2	4	2	1	4	2	-	-	-	-	-	-	-	-
	Nonwhite	18	2	-	-	1	-	2	3	-	1	1	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	1	-	-	-	-	-	-	-	1	1	2	1	2	2	3	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	27	-	2	1	1	1	6	3	2	2	3	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White	12	-	2	-	-	-	2	1	-	2	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	14	-	-	1	1	1	3	2	2	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	101	70	18	8	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	33	23	5	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	50	34	9	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	79	2	5	11	8	9	20	9	6	1	2	-	1	-	-	2	-	1	-	-	-	2	-	-	-	-	-
	White	47	1	3	7	5	5	10	5	5	1	1	-	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-
	M	29	1	2	4	2	2	10	4	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)	3,349	22	43	21	15	2	23	29	155	270	323	308	318	313	311	347	250	214	148	118	60	41	13	2	-	-	3
	White	1,678	7	10	4	7	-	6	8	38	66	102	121	154	176	199	229	171	149	96	76	27	22	6	2	-	-	2
	M	848	7	20	5	5	1	9	9	43	94	114	93	76	50	65	52	41	39	38	34	27	18	5	-	-	-	1
	Nonwhite	498	3	6	6	-	1	3	5	31	51	49	56	56	67	39	52	32	17	10	8	5	-	1	-	-	-	-
	F	325	5	7	6	3	-	5	7	43	59	58	38	30	20	8	14	6	9	4	-	1	1	1	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	3,068	10	15	8	7	1	10	19	137	252	304	291	305	291	291	332	237	203	139	107	55	38	13	1	-	-	2
	White	1,570	4	2	3	3	-	4	6	32	63	92	114	150	184	189	224	166	144	89	70	24	19	6	1	-	-	1
	M	759	3	6	4	2	-	3	5	38	90	110	88	74	44	57	46	38	36	36	29	26	18	5	-	-	-	1
	Nonwhite	454	1	4	1	-	1	2	3	28	45	46	54	52	64	37	48	29	16	10	8	4	-	1	-	-	-	-
	F	285	2	3	-	2	-	1	5	39	54	56	35	29	19	8	14	4	7	4	-	1	1	1	-	-	-	-
14-22	Tuberculosis (other forms)	281	12	28	13	8	1	13	10	18	18	19	17	13	22	20	15	13	11	9	11	5	3	-	1	-	-	1
	White	108	3	8	1	4	-	2	2	8	3	10	7	4	12	10	5	5	5	7	6	3	3	-	1	-	-	1
	M	89	4	14	1	3	1	6	4	5	4	4	5	4	6	8	6	3	3	2	5	1	-	-	-	-	-	-
	Nonwhite	44	2	2	5	-	-	1	2	3	6	3	2	4	3	2	4	3	1	-	-	1	-	-	-	-	-	-
	F	40	3	4	6	1	-	4	2	4	5	2	3	1	1	-	-	2	2	-	-	-	-	-	-	-	-	-
27	Dysentery	34	9	5	-	1	1	2	1	-	-	-	-	-	-	1	1	2	2	5	1	-	3	-	-	-	-	-
	White	15	3	2	-	-	1	-	-	-	-	-	-	-	-	-	1	2	2	2	1	-	1	-	-	-	-	-
	M	16	6	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	3	-	-	2	-	-	-	-	-
	Nonwhite	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	11	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	2	1	3	-	1	-	-	-	-
	White	10	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	2	1	3	-	1	-	-	-	-
	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	910	21	-	-	-	1	1	5	5	11	13	18	62	86	107	133	154	103	93	49	34	8	5	1	-	-	-
	White	508	8	-	-	-	-	1	2	1	4	3	5	24	43	64	71	98	63	58	30	24	3	5	1	-	-	-
	M	164	2	-	-	-	1	-	-	1	4	8	3	12	13	15	21	27	23	14	10	7	3	-	-	-	-	-
	Nonwhite	172	8	-	-	-	-	-	1	-	1	2	3	19	21	22	32	24	13	18	6	2	2	-	-	-	-	-
	F	66	3	-	-	-	-	-	2	3	2	-	7	7	9	6	9	5	4	5	3	1	-	-	-	-	-	-
35	Measles	57	10	12	6	4	3	12	3	2	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	White	30	6	9	2	2	2	5	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	M	23	4	3	3	1	1	5	2	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	Poliomyelitis, poliencephalitis (acute)	157	4	2	1	2	6	45	46	21	10	8	7	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White	99	3	2	-	1	4	29	32	14	5	5	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	M	53	1	-	1	-	2	14	13	6	7	3	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	5	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	12,113	8	9	3	3	8	21	18	35	40	78	167	265	537	843	1,190	1,582	1,641	1,627	1,700	1,285	728	288	45	10	1	1
	White	5,670	4	2	1	2	2	10	7	14	19	32	44	69	157	291	533	742	804	852	891	679	365	128	19	2	-	1
	M	5,891	2	7	1	-	5	8	11	20	20	39	102	173	318	490	599	745	740	716	764	581	359	159	25	7	-	-
	Nonwhite	249	1	-	-	1	1	3	-	-	1	2	4	6	23	20	23	35	50	33	31	10	3	1	-	-	1	-
	F	303	1	-	1	-	-	-	-	1	-	5	17	17	39	42	35	40	47	26	14	15	1	-	1	1	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Con.																										
46	Cancer of digestive organs, peritoneum	5,773	3	1	1	-	2	4	-	2	9	18	46	80	167	303	498	701	818	876	925	754	397	148	16	3	-	1
	White	3,013	1	-	-	-	-	1	-	2	3	7	17	34	72	147	278	380	447	483	498	392	192	52	6	-	-	1
	F	2,534	1	1	-	-	2	3	-	-	6	8	25	38	76	129	202	288	325	360	405	354	204	95	10	2	-	-
	Nonwhite	135	1	-	-	-	-	-	-	-	-	2	2	4	11	11	13	20	29	22	16	3	-	1	-	-	-	-
	F	91	-	-	1	-	-	-	-	-	-	1	2	4	8	16	5	13	17	11	6	5	1	-	-	1	-	-
48,49	Cancer of female genital organs	1,484	-	-	-	-	-	-	1	6	4	15	49	71	133	187	185	218	178	139	137	88	57	12	4	-	-	-
	White	1,357	-	-	-	-	-	-	1	5	4	11	41	66	112	171	166	200	163	131	133	81	57	12	3	-	-	-
	Nonwhite	127	-	-	-	-	-	-	-	1	-	4	8	5	21	16	19	18	15	8	4	7	-	-	1	-	-	-
50	Cancer of breast	1,124	-	-	-	-	-	-	-	-	-	8	23	49	92	139	146	163	151	119	109	65	36	21	3	-	-	-
	White	21	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	6	4	2	1	-	-	-	-	-	-
	F	1,080	-	-	-	-	-	-	-	-	-	8	18	44	87	133	139	153	136	113	106	63	36	21	3	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	-	4	5	3	6	5	7	9	2	1	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	3,732	5	8	2	3	6	17	17	27	27	37	49	65	145	214	361	480	494	493	529	378	238	107	22	7	1	-
	White	2,636	3	2	1	2	2	9	7	12	16	25	26	35	83	144	253	359	351	365	391	286	173	76	15	2	-	-
	F	940	1	6	1	-	3	5	10	15	10	12	18	25	43	57	92	104	116	112	120	85	62	31	9	5	-	-
	Nonwhite	114	-	-	-	1	1	3	-	-	1	-	2	2	12	9	10	15	21	11	15	7	3	-	-	-	1	-
	F	42	1	-	-	-	-	-	-	-	-	-	3	3	7	4	6	2	6	5	3	2	-	-	-	-	-	-
58	Acute rheumatic fever	80	-	-	1	1	3	6	9	16	7	4	5	10	6	1	1	2	1	2	1	1	3	-	-	-	-	-
	White	40	-	-	1	1	1	2	4	9	4	2	5	6	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	34	-	-	-	-	2	1	4	6	3	1	-	4	4	-	-	1	1	2	1	1	3	-	-	-	-	-
	Nonwhite	4	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,627	2	5	2	1	3	6	10	17	14	19	26	42	59	90	208	320	356	458	428	323	173	56	9	-	-	-
	White	953	1	2	1	1	2	4	2	8	4	8	15	18	26	39	80	97	117	166	158	115	67	19	3	-	-	-
	F	1,570	1	3	1	-	1	2	8	9	10	9	6	18	22	42	119	207	223	279	259	206	102	37	6	-	-	-
	Nonwhite	25	-	-	-	-	-	-	-	-	-	1	3	1	3	1	4	4	5	-	1	-	2	-	-	-	-	-
	F	79	-	-	-	-	-	-	-	-	-	1	2	5	8	8	5	12	11	13	10	2	2	-	-	-	-	-
63b	Exophthalmic goiter	255	-	-	-	-	-	-	-	-	2	2	6	12	12	19	33	41	36	44	23	21	4	-	-	-	-	-
	White	52	-	-	-	-	-	-	-	-	-	-	-	1	7	6	10	9	6	7	3	1	2	-	-	-	-	-
	F	193	-	-	-	-	-	-	-	-	1	2	5	9	5	12	21	32	30	35	19	20	2	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	-	-	1	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	12	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	1	1	-	2	2	1	-	-	-	-
	White	8	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	2	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	61	-	-	-	-	-	-	-	2	2	3	3	10	7	11	5	4	7	5	1	-	1	-	-	-	-	-
	White	44	-	-	-	-	-	-	-	-	2	2	1	6	6	9	2	3	6	5	1	-	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	2	3	1	-	2	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	7	-	-	-	-	-	-	-	1	-	1	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	7,213	9	4	-	2	-	7	6	6	14	16	26	68	130	250	388	596	717	1,054	1,238	1,215	900	424	125	18	-	-
	White	3,325	4	2	-	-	-	5	2	4	5	9	13	26	46	109	162	279	346	503	597	573	395	193	48	4	-	-
	F	3,429	3	2	-	2	-	2	3	2	7	4	10	23	50	104	174	251	311	482	587	613	488	224	73	14	-	-
	Nonwhite	214	2	-	-	-	-	-	-	-	-	-	-	7	12	16	21	33	37	32	26	14	7	3	4	-	-	-
	F	245	-	-	-	-	-	-	1	-	2	3	3	12	22	21	31	33	23	37	28	15	10	4	-	-	-	-
90-95	Diseases of the heart	31,768	4	7	5	3	3	30	62	97	141	147	284	469	855	1,415	2,213	2,903	3,483	4,047	4,696	4,492	3,666	1,949	651	141	19	4
	White	17,134	4	3	3	1	-	11	29	42	63	51	122	231	453	829	1,365	1,869	2,145	2,272	2,499	2,274	1,717	850	250	42	5	4
	F	12,529	-	3	2	2	-	15	24	41	63	80	120	181	229	362	601	759	1,088	1,526	1,985	2,067	1,876	1,048	380	90	9	-
	Nonwhite	1,148	-	-	-	-	2	3	5	8	5	7	24	39	83	130	136	160	139	134	120	77	37	22	12	3	2	-
	F	955	-	1	1	-	1	1	4	6	10	9	18	38	70	94	111	115	111	115	94	74	36	29	9	6	3	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	1,906	-	1	1	-	3	13	36	42	41	60	74	111	112	152	127	149	165	193	199	200	135	63	22	7	-	-
	White	908	-	-	-	-	-	6	13	16	20	20	26	46	50	72	67	87	85	97	97	100	65	30	9	2	-	-
	F	883	-	1	1	-	-	5	15	23	17	35	41	60	54	63	54	51	70	88	97	93	69	30	11	5	-	-
	Nonwhite	60	-	-	-	-	2	2	5	1	-	1	5	2	5	9	3	5	4	4	4	5	-	2	1	-	-	-
	F	55	-	-	-	-	1	-	3	2	4	4	2	3	3	8	3	6	6	4	1	2	1	1	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	6,079	1	-	-	-	-	1	2	3	4	4	30	79	193	343	537	704	905	871	913	726	484	223	50	5	1	-
	White	4,096	1	-	-	-	-	-	-	3	3	2	19	51	150	275	418	544	671	552	575	417	260	122	33	2	-	-
	F	1,861	-	-	-	-	-	1	2	-	1	2	10	18	34	57	103	146	218	307	327	299	218	98	16	3	1	-
	Nonwhite	77	-	-	-	-	-	-	-	-	-	-	-	5	3	10	10	10	11	7	9	5	4	2	1	-	-	-
	F	45	-	-	-	-	-	-	-	-	-	-	1	5	6	1	6	4	5	5	4	5	2	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	23,781	3	6	4	3	-	16	24	52	96	85	180	279	530	920	1,549	2,050	2,413	2,983	3,584	3,566	3,047	1,883	579	129	18	4
	White	12,150	3	3	3	1	-	5	16	25	40	29	77	134	253	482	880	1,238	1,389	1,623	1,829	1,757	1,592	698	208	38	5	4
	F	9,785	-	2	1	2	-	9	7	18	45	45	69	83	141	242	444	562	800	1,131	1,559	1,675	1,589	920	353	82	8	-
	Nonwhite	1,011	-	-	-	-	-	1	-	7	5	6	19	32	75	111	123	145	124	123	107	67	33	18	10	3	2	-
	F	855	-	1	-	-	-	1	1	4	6	5	15	30	61	85	102	105	100	106	89	67	33	27	8	6	3	-
107-109, 33	Pneumonia (all forms), and influenza	3,914	708	145	49	28	21	42	35	37	44	64	90	120	159	213	247	252	228	283	340	315	276	172	75	9	2	-
	White	2,075	343	70	20	16	10	20	13	20	23	16	37	54	70	135	153	165	141	151	186	169	143	87	28	4	1	-
	F	1,388	250	56	26	10	10	18	18	14	17	25	38	33	37	42	53	58	60	91	135	128	130	85	49	5	-	-
	Nonwhite	283	65	11	1	2	-	3	1	2	3	13	5	21	17	21	30	23	23	14	16	10	2	-	-	-	-	-
	F	170	50	8	2	-	1	1	3	1	1	10	10	12	15	15	11	6	4	7	3	8	1	-	-	-	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Con.																										
107	Bronchopneumonia.	1,751	504	91	33	13	13	25	13	8	15	26	25	48	39	67	81	83	72	88	139	136	117	80	31	2	2	-
	White.....M..	885	241	44	12	7	7	14	3	4	5	6	10	20	21	42	49	51	45	45	73	74	61	38	10	2	1	-
	F..	633	182	32	18	6	6	8	7	4	9	10	12	16	10	18	18	24	18	30	56	53	53	42	21	-	-	-
	Nonwhite..M..	142	56	8	1	-	-	2	1	-	1	5	3	10	4	5	11	5	8	8	8	4	2	-	-	-	-	-
	F..	91	45	7	2	-	-	1	2	-	-	5	-	2	4	2	3	3	1	5	2	5	1	-	-	-	1	-
108	Lobar pneumonia..	1,241	80	18	6	4	3	8	10	15	20	21	41	49	68	102	117	115	112	116	110	94	79	40	11	2	-	-
	White.....M..	701	41	8	3	3	1	2	4	6	12	7	17	21	38	64	72	78	65	78	62	52	45	20	4	-	-	-
	F..	382	34	9	3	1	2	5	5	7	6	6	15	10	16	15	21	19	32	35	42	36	34	20	7	2	-	-
	Nonwhite..M..	103	3	1	-	-	-	1	-	1	2	5	2	11	7	13	16	16	12	4	5	4	-	-	-	-	-	-
	F..	55	2	-	-	-	-	-	1	1	-	3	7	7	7	10	8	2	3	1	1	2	-	-	-	-	-	-
109	Pneumonia (unspecified).....	293	69	8	3	-	3	3	5	7	2	6	6	8	14	13	18	14	15	13	30	16	21	9	9	1	-	-
	White.....M..	161	35	1	1	-	1	2	3	6	2	2	3	5	5	12	17	10	9	5	19	6	10	5	2	-	-	-
	F..	112	29	5	2	-	1	1	2	1	-	4	2	3	4	-	1	4	4	6	10	10	11	4	7	1	-	-
	Nonwhite..M..	14	3	2	-	-	-	-	-	-	-	-	-	-	3	1	-	-	2	2	1	-	-	-	-	-	-	-
	F..	6	2	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	629	55	28	7	11	2	6	7	7	7	11	18	15	18	31	31	40	29	46	61	69	59	43	24	4	-	-
	White.....M..	326	26	17	4	6	1	2	3	4	4	1	7	8	6	17	15	26	22	25	32	37	27	24	10	2	-	-
	F..	261	25	10	3	3	1	4	4	2	2	5	9	4	7	9	13	11	6	20	27	29	32	19	14	2	-	-
	Nonwhite..M..	24	3	-	-	2	-	-	-	1	-	3	-	-	3	2	3	2	1	-	2	2	-	-	-	-	-	-
	F..	18	1	1	-	-	-	-	-	-	1	2	2	3	2	3	-	1	-	1	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	620	6	-	-	-	1	-	-	-	6	9	14	30	45	73	91	102	65	63	52	39	16	6	2	-	-	-
	White.....M..	471	4	-	-	-	-	-	-	-	5	5	9	24	36	58	76	82	51	40	42	25	8	5	1	-	-	-
	F..	118	1	-	-	-	1	-	-	-	1	4	3	3	7	10	7	13	13	22	9	14	8	1	1	-	-	-
	Nonwhite..M..	28	1	-	-	-	-	-	-	-	-	-	1	3	2	5	6	7	1	1	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	420	251	47	15	3	3	5	7	4	5	8	5	3	5	11	10	5	8	8	9	6	11	7	4	-	-	-
	White.....M..	202	118	22	9	2	1	3	4	-	2	-	3	2	3	5	6	2	4	4	4	2	3	1	2	-	-	-
	F..	178	89	18	6	-	2	2	3	2	2	6	1	1	2	6	4	3	4	3	5	3	8	6	2	-	-	-
	Nonwhite..M..	21	15	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F..	19	9	5	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	538	2	4	11	9	8	32	42	32	28	31	25	31	31	46	43	50	41	22	23	15	5	7	-	-	-	-
	White.....M..	306	2	3	5	5	2	17	27	20	11	8	10	19	19	29	32	34	23	12	13	7	3	5	-	-	-	-
	F..	196	-	1	6	4	5	11	12	10	14	17	12	11	9	13	9	15	17	8	10	8	2	2	-	-	-	-
	Nonwhite..M..	18	-	-	-	-	1	1	2	1	2	1	-	1	2	3	2	-	1	1	-	-	-	-	-	-	-	-	-
	F..	18	-	-	-	-	-	3	1	1	1	5	3	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	832	31	10	3	2	1	4	1	5	8	13	21	24	44	56	80	79	83	80	101	93	55	28	9	1	-	-
	White.....M..	562	15	2	2	1	1	3	-	4	3	3	4	7	18	18	32	42	35	40	43	46	27	13	3	-	-	-
	F..	411	10	7	-	-	-	1	1	1	4	8	14	12	21	31	38	31	45	38	54	46	28	14	6	1	-	-
	Nonwhite..M..	27	4	-	-	-	-	-	-	-	1	-	1	3	2	3	4	1	3	1	3	1	-	-	-	-	-	-	-
	F..	32	2	1	1	1	-	-	-	-	-	2	2	2	3	4	6	5	-	1	1	-	-	1	-	-	-	-
124	Cirrhosis of the liver.....	925	1	3	2	-	-	-	-	2	5	12	18	27	66	99	131	130	112	114	87	55	40	18	1	1	-	1
	White.....M..	606	1	2	2	-	-	-	-	1	2	1	11	18	44	62	84	103	73	77	55	32	28	9	-	-	-	1
	F..	283	-	1	-	-	-	-	-	1	1	9	7	7	20	32	42	21	37	33	29	21	12	8	1	1	-	-
	Nonwhite..M..	18	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	5	1	1	3	2	-	-	-	-	-	-	-
	F..	18	-	-	-	-	-	-	-	-	2	1	-	1	1	3	4	1	1	3	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	539	2	-	-	-	-	-	-	-	2	4	10	20	25	43	61	84	59	69	66	45	39	9	1	-	-	-
	White.....M..	168	2	-	-	-	-	-	-	-	-	1	4	5	10	15	23	24	18	20	21	13	9	2	1	-	-	-
	F..	361	-	-	-	-	-	-	-	-	2	3	5	12	15	28	36	57	41	49	45	31	30	7	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis.....	6,913	3	1	4	6	2	8	26	30	37	52	87	117	173	301	393	499	668	839	1,018	1,010	944	512	143	33	7	-
	White.....M..	3,355	-	1	2	5	1	3	11	18	22	22	47	50	70	137	179	250	337	419	486	500	476	238	65	15	1	-
	F..	3,093	2	-	-	-	1	5	15	9	11	23	25	46	70	111	167	204	263	368	487	477	450	262	75	16	6	-
	Nonwhite..M..	214	1	-	1	1	-	-	-	3	1	4	7	6	14	30	20	22	31	14	24	17	10	6	1	1	-	-
	F..	251	-	-	1	-	-	-	-	-	3	3	8	15	19	25	27	23	37	38	21	16	8	6	2	1	-	-
137	Diseases of the prostate.....	886	-	-	-	-	-	-	-	-	-	1	-	2	2	5	8	32	58	109	136	158	112	49	14	-	-	-
	White.....M..	643	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	28	52	102	125	153	112	47	14	-	-	-
	Nonwhite..M..	43	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	4	6	7	11	5	-	2	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	320	-	-	-	-	-	-	-	14	59	86	73	61	25	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	293	-	-	-	-	-	-	-	11	54	80	70	53	24	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	27	-	-	-	-	-	-	-	3	5	6	3	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	114	-	-	-	-	-	-	-	5	26	31	27	15	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	101	-	-	-	-	-	-	-	3	22	28	26	14	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	13	-	-	-	-	-	-	-	2	4	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	84	-	-	-	-	-	-	-	7	16	20	19	12	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	80	-	-	-	-	-	-	-	6	15	19	19	11	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	122	-	-	-	-	-	-	-	2	17	35	27	34	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	112	-	-	-	-	-	-	-	2	17	33	25	28	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	10	-	-	-	-	-	-	-	-	-	2	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	1,035	886	52	16	11	4	17	5	14	7	4	2	7	2	3	2	-	2	1	-	-	-	-	-	-	-	-
	White.....M..	547	467	27	6	7	2	7	3	10	4	-	1	7	2	1	1	-	1	1	-	-	-	-	-	-	-	-
	F..	442	380	22	9	4	2	9	1	4	3	3	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	20	17	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	26	22	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 54	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	ILLINOIS—Con.																										
159	Premature birth..	1,618	1,618	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	851	851	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	634	634	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	81	81	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	834	-	-	-	-	-	-	1	16	27	38	65	66	60	81	90	113	104	57	57	28	21	7	3	-	-
	White.....M..	617	-	-	-	-	-	-	1	10	20	26	42	48	40	59	72	80	77	46	43	24	19	7	3	-	-
	F..	205	-	-	-	-	-	-	-	6	6	12	21	16	19	22	17	30	25	11	14	4	2	-	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	3	2	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	312	4	1	-	1	4	4	3	17	31	41	31	43	47	21	25	22	8	6	1	2	-	-	-	-	-
	White.....M..	125	3	-	-	1	1	2	-	5	7	11	13	14	15	15	14	12	4	5	1	2	-	-	-	-	-
	F..	39	1	1	-	-	2	-	2	3	4	4	2	7	6	2	2	2	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	115	-	-	-	-	-	1	1	9	15	18	13	16	20	4	7	7	3	1	-	-	-	-	-	-	-
	F..	33	-	-	-	-	1	1	-	-	5	8	3	6	6	-	2	1	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	5,185	123	62	47	42	49	172	159	268	251	271	220	236	258	317	306	340	320	362	378	363	352	188	81	14	2	4
	White.....M..	3,448	62	39	26	19	26	116	123	195	214	215	169	188	191	237	219	268	243	243	216	186	159	65	27	2	-	2
	F..	1,399	36	19	13	16	16	44	24	47	24	32	31	36	37	49	64	51	62	103	148	170	187	121	54	12	2	1
	Nonwhite..M..	238	12	2	4	6	3	5	12	22	8	17	16	10	28	25	12	16	11	10	10	3	4	1	-	-	-	1
	F..	100	13	2	4	1	4	7	-	4	5	7	4	4	2	6	11	5	4	6	4	4	2	1	-	-	-	-
170	Motor-vehicle accidents.....	1,332	6	8	8	14	13	73	37	123	77	99	31	71	81	99	81	91	88	96	82	64	28	10	2	-	-	-
	White.....M..	998	4	5	6	6	8	51	29	82	61	77	68	55	56	71	54	76	66	72	64	52	25	8	2	-	-	-
	F..	255	2	3	1	5	2	18	8	34	15	16	11	13	13	21	22	12	17	19	12	11	2	2	-	-	-	-
	Nonwhite..M..	59	-	-	1	2	2	2	2	6	-	2	2	2	12	6	4	3	3	3	6	-	1	-	-	-	-	-
	F..	20	-	-	-	1	1	2	-	1	3	4	-	1	-	1	1	-	2	2	-	1	-	-	-	-	-	-
169, 171-195	Other accidents..	3,853	117	54	39	28	36	99	122	145	174	172	139	165	177	218	225	249	232	266	296	299	324	178	79	14	2	4
	White.....M..	2,450	58	34	20	13	18	65	94	113	153	138	101	131	135	166	165	192	177	171	152	134	134	57	25	2	-	2
	F..	1,144	34	16	12	11	14	26	18	13	11	16	20	23	24	28	42	39	45	84	136	159	185	119	54	12	2	1
	Nonwhite..M..	179	12	2	3	4	1	3	10	16	8	15	14	8	16	19	8	13	8	7	4	3	3	1	-	-	-	1
	F..	80	13	2	4	-	3	5	-	3	2	3	4	3	2	5	10	5	2	4	4	3	2	1	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	520	41	2	-	1	1	3	2	-	-	2	2	10	7	14	17	30	30	28	39	49	90	84	39	19	8	2
	White.....M..	282	20	1	-	-	1	3	-	-	-	2	2	6	5	10	16	18	22	18	28	28	44	41	11	4	2	2
	F..	211	17	1	-	1	-	-	1	-	-	-	-	3	2	1	-	9	5	9	10	20	44	42	27	14	5	-
	Nonwhite..M..	13	3	-	-	-	-	-	1	-	-	-	-	1	-	2	-	2	-	-	-	2	1	1	-	-	-	-
	F..	14	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	1	1	1	-	1	1	1	-
	All other causes.	7,822	1,350	83	57	41	38	126	85	121	119	179	204	245	314	396	412	490	521	616	643	637	601	363	135	36	8	2
	White.....M..	3,993	752	44	35	26	17	80	46	55	53	87	87	85	155	155	205	247	305	339	350	328	304	165	62	10	1	-
	F..	3,319	467	33	19	13	20	42	36	58	52	76	94	127	123	198	179	205	185	252	272	292	284	196	68	24	5	1
	Nonwhite..M..	260	78	4	1	1	-	2	2	2	7	5	8	12	15	17	15	19	19	18	11	12	7	1	1	1	1	1
	F..	250	53	2	2	1	1	2	1	6	7	11	15	21	21	28	13	19	12	7	10	5	6	1	4	1	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA																											
	All causes	41,257	2960	342	152	114	70	299	278	463	508	580	700	882	1,197	1,677	2,351	2,967	3,453	4,319	5,026	5,125	4414	2379	765	140	25	51
	White	21,813	1585	172	91	72	34	150	152	260	255	296	329	445	604	893	1,298	1,645	1,952	2,373	2,714	2,700	2241	1124	332	57	8	31
	White—M	17,215	1177	141	55	57	31	151	99	175	201	221	287	324	447	598	848	1,124	1,311	1,749	2,141	2,295	2090	1211	418	80	12	14
	White—F	1,235	113	15	4	4	2	12	16	24	20	31	55	53	71	110	119	111	103	116	96	68	48	26	12	1	2	3
	Nonwhite—M	994	85	14	2	1	3	6	11	26	32	32	29	60	75	76	86	87	87	81	75	62	35	18	3	2	3	3
	Nonwhite—F																											
1,2	Typhoid and paratyphoid fever	13	1	-	-	1	-	2	2	-	-	-	-	-	-	1	-	2	1	-	2	1	-	-	-	-	-	-
	White—M	6	1	-	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White—F	7	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	70	6	3	4	1	2	2	1	9	3	1	7	5	5	1	7	4	3	1	5	-	-	-	-	-	-	-
	White—M	46	4	1	3	-	1	1	1	5	3	1	5	5	3	1	5	3	-	1	3	-	-	-	-	-	-	-
	White—F	19	2	1	1	-	-	1	-	3	-	-	1	-	2	-	2	1	3	-	2	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	19	2	1	1	-	1	7	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	1	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	1	1	1	-	1	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	116	74	23	10	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	50	35	8	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	56	33	14	5	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	3	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	28	-	4	6	-	2	8	2	1	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	13	-	3	4	-	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	13	-	1	2	-	-	5	2	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,248	16	14	7	3	1	12	8	54	92	102	115	104	96	106	108	105	85	80	58	48	23	9	1	-	-	1
	White—M	639	6	6	5	2	-	2	2	9	30	34	44	57	56	66	77	65	52	52	36	[illegible]	3	1	-	-	-	1
	White—F	414	8	5	2	1	1	7	1	23	40	44	48	34	25	20	21	26	28	22	19	19	14	6	-	-	-	-
	Nonwhite—M	115	1	1	-	-	-	2	1	9	7	15	15	9	11	13	9	7	4	6	1	4	-	-	-	-	-	-
	Nonwhite—F	80	1	2	-	-	-	1	4	13	15	9	8	4	4	7	1	7	1	-	2	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,110	3	4	1	1	-	2	4	44	85	96	105	96	87	102	98	100	78	74	56	41	22	9	1	-	-	1
	White—M	581	-	1	-	-	-	-	-	6	28	34	40	54	51	65	70	65	49	48	35	21	9	3	1	-	-	1
	White—F	365	2	1	1	1	-	1	1	20	38	43	44	31	24	18	18	23	25	21	18	16	13	6	-	-	-	-
	Nonwhite—M	99	-	-	-	-	-	1	1	8	6	13	13	8	9	13	9	6	3	5	1	3	-	-	-	-	-	-
	Nonwhite—F	65	1	2	-	-	-	-	2	10	13	6	8	3	3	6	1	6	1	-	2	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	138	13	10	6	2	1	10	4	10	7	6	10	8	9	4	10	5	7	6	2	7	1	-	-	-	-	-
	White—M	58	6	5	5	2	-	2	2	3	2	-	4	3	5	1	7	-	3	4	1	3	-	-	-	-	-	-
	White—F	49	6	4	1	-	1	6	-	3	2	1	4	3	1	2	3	3	3	1	1	3	1	-	-	-	-	-
	Nonwhite—M	16	1	1	-	-	-	1	-	1	1	2	2	1	2	-	-	1	1	1	-	1	-	-	-	-	-	-
	Nonwhite—F	15	-	-	-	-	-	1	2	3	2	3	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
27	Dysentery	25	9	2	-	-	1	1	-	1	1	-	-	1	-	-	-	-	2	3	-	1	2	1	-	-	-	-
	White—M	13	6	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	2	-	1	1	-	-	-	-	-
	White—F	12	3	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	1	-	-	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	4	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—F	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	445	9	-	-	-	-	3	1	4	1	7	13	31	38	44	68	62	49	50	38	16	8	4	1	-	-	-
	White—M	281	5	-	-	-	-	2	1	2	-	3	2	21	21	24	48	47	35	32	22	11	2	2	1	-	-	-
	White—F	85	1	-	-	-	-	1	-	1	-	1	5	2	8	9	12	6	10	14	9	2	3	1	-	-	-	-
	Nonwhite—M	55	-	-	-	-	-	-	-	1	-	-	6	5	5	7	5	7	4	4	4	3	3	1	-	-	-	-
	Nonwhite—F	24	3	-	-	-	-	-	-	-	1	3	-	3	4	4	3	2	-	-	1	-	-	-	-	-	-	-
35	Measles	71	24	17	9	4	1	5	3	1	2	1	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-
	White—M	33	10	7	4	2	-	4	1	1	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	White—F	36	12	10	5	2	1	1	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	20	-	1	1	-	1	4	2	4	1	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
	White—M	13	-	1	1	-	-	3	1	4	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	4,511	1	1	2	6	-	6	6	24	17	30	53	115	170	260	385	471	556	645	661	577	350	149	25	6	1	4
	White—M	1,953	-	-	1	5	-	4	4	9	8	11	16	32	47	75	135	201	243	299	322	293	153	80	13	2	-	-
	White—F	2,376	1	1	1	1	-	2	2	4	9	15	37	73	106	173	226	246	282	328	316	273	191	68	12	4	1	4
	Nonwhite—M	77	-	-	-	-	-	-	-	1	-	2	-	4	6	4	10	8	11	13	11	4	3	-	-	-	-	-
	Nonwhite—F	105	-	-	-	-	-	-	-	-	-	2	-	6	11	8	14	16	20	5	12	7	3	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Con.																										
46	Cancer of digestive organs, peritoneum	2,049	-	-	-	-	-	-	-	1	5	2	17	30	53	77	146	214	294	320	326	298	187	69	8	2	-	-
	White	1,018	-	-	-	-	-	-	-	1	2	1	9	15	21	31	74	116	154	164	168	147	78	32	4	1	-	-
	F	966	-	-	-	-	-	-	-	-	3	1	8	13	27	43	63	89	123	146	155	146	108	36	4	1	-	-
	Nonwhite	32	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	6	8	7	-	2	-	-	-	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	-	-	1	4	1	4	3	9	3	3	3	1	1	-	-	-	-
48,49	Cancer of female genital organs	614	-	-	-	-	-	1	-	-	2	9	16	41	46	70	82	64	73	73	69	40	20	5	-	1	-	2
	White	578	-	-	-	-	-	1	-	-	2	7	16	37	42	67	77	58	66	72	67	39	19	5	-	1	-	2
	Nonwhite	36	-	-	-	-	-	-	-	-	-	2	-	4	4	3	5	6	7	1	2	1	1	-	-	-	-	-
50	Cancer of breast	388	-	-	-	-	-	-	-	-	1	2	3	13	20	40	41	53	39	54	43	37	31	8	1	1	-	1
	White	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
	F	368	-	-	-	-	-	-	-	-	1	2	3	13	17	37	36	49	38	54	42	36	29	8	1	1	-	1
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	3	1	-	1	1	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,460	1	1	2	6	-	5	6	13	9	17	17	31	51	73	116	140	150	198	223	202	112	67	16	2	1	1
	White	932	-	-	1	5	-	4	4	8	6	10	7	17	25	44	61	84	89	135	154	146	74	48	9	1	-	-
	F	464	1	1	1	1	-	1	2	4	3	5	10	10	20	26	50	50	55	56	52	52	35	19	7	1	1	1
	Nonwhite	45	-	-	-	-	-	-	-	1	-	2	-	3	5	2	5	2	3	6	11	2	3	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	4	3	1	6	2	-	-	-	-	-	-
58	Acute rheumatic fever	41	-	1	-	1	3	4	6	3	5	5	1	4	-	2	-	2	-	1	1	1	1	-	-	-	-	-
	White	19	-	-	-	1	1	1	3	3	1	1	1	1	-	1	-	2	-	1	1	-	1	-	-	-	-	-
	F	19	-	1	-	-	2	2	2	-	3	4	-	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	962	-	-	-	1	-	5	6	12	9	6	6	10	24	35	60	109	135	166	145	148	65	20	2	-	-	-
	White	365	-	-	-	-	-	-	1	4	5	3	4	4	8	17	20	38	42	65	53	56	33	12	-	-	-	-
	F	541	-	-	-	1	-	5	3	8	3	2	1	2	13	13	34	61	86	93	88	90	30	7	1	-	-	-
	Nonwhite	25	-	-	-	-	-	-	1	-	-	1	1	1	-	3	-	4	6	3	2	1	-	1	1	-	-	-
	F	31	-	-	-	-	-	-	1	-	1	-	-	3	3	2	6	6	1	5	2	1	-	-	-	-	-	-
63b	Exophthalmic goiter	116	-	-	-	-	-	1	-	1	1	1	4	4	9	9	15	18	8	17	15	9	2	1	1	-	-	-
	White	20	-	-	-	-	-	1	-	-	-	-	-	1	-	3	4	4	2	2	2	1	-	-	-	-	-	-
	F	92	-	-	-	-	-	-	-	1	1	1	4	2	7	6	11	13	6	15	13	8	2	1	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	7	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	2	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	42	-	-	-	-	-	-	-	1	1	1	5	1	5	5	10	2	3	3	3	2	-	-	-	-	-	-
	White	34	-	-	-	-	-	-	-	-	1	1	3	1	5	5	8	1	2	3	3	2	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	1	-	2	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,352	13	1	2	1	1	5	1	3	7	5	16	27	68	120	198	299	401	554	762	805	657	305	89	7	1	4
	White	2,161	7	1	1	1	1	3	-	1	4	2	5	11	32	50	82	145	219	271	395	428	320	132	44	3	-	3
	F	1,989	3	-	1	-	-	2	1	2	3	2	9	10	23	51	97	131	163	256	336	357	325	169	43	3	1	1
	Nonwhite	98	1	-	-	-	-	-	-	-	-	-	2	2	5	13	8	13	9	13	17	9	2	1	2	1	-	-
	F	104	2	-	-	-	-	-	-	-	-	1	-	4	8	6	11	10	10	14	14	11	10	3	-	-	-	-
90-95	Diseases of the heart	11,654	5	3	2	-	1	16	29	40	35	71	91	137	241	459	745	955	1,098	1,496	1,768	1,754	1,582	822	234	48	6	16
	White	6,721	3	2	2	-	-	8	11	18	11	34	48	82	157	302	471	606	690	909	1,032	961	837	408	96	19	3	11
	F	4,431	1	1	-	-	1	6	12	19	23	31	33	41	62	109	204	291	346	528	686	752	719	398	134	27	3	4
	Nonwhite	283	1	-	-	-	-	1	4	2	-	2	4	10	10	23	39	39	36	34	52	19	15	9	3	-	-	-
	F	219	-	-	-	-	-	1	2	1	1	4	6	4	12	25	31	19	26	25	18	22	11	7	1	2	-	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	759	-	-	-	-	1	6	14	11	8	19	17	25	38	40	60	68	56	77	95	90	81	40	11	-	-	2
	White	392	-	-	-	-	-	3	5	5	1	7	7	17	17	18	28	38	32	42	51	53	37	24	6	-	-	1
	F	313	-	-	-	-	1	2	5	4	7	11	10	7	17	16	24	26	20	27	37	35	43	15	5	-	-	1
	Nonwhite	26	-	-	-	-	-	1	2	2	-	-	-	1	-	2	4	4	2	2	5	1	-	-	-	-	-	-
	F	28	-	-	-	-	-	-	2	-	-	1	-	-	4	4	4	-	2	6	2	1	1	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,762	1	-	-	-	-	1	-	6	6	18	25	52	114	228	340	426	458	546	582	445	342	132	32	5	2	1
	White	2,600	-	-	-	-	-	1	-	4	2	10	18	41	94	182	257	316	326	374	384	272	220	78	15	4	1	1
	F	1,069	1	-	-	-	-	-	-	2	4	6	6	8	12	32	69	96	124	161	191	168	117	53	17	1	1	-
	Nonwhite	54	-	-	-	-	-	-	-	-	-	-	1	3	4	7	10	10	3	7	2	3	4	-	-	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	2	-	-	4	7	4	4	5	4	5	2	1	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	7,133	4	3	2	-	-	9	15	23	21	34	49	60	89	191	345	461	584	873	1,091	1,219	1,159	650	191	43	4	13
	White	3,729	3	2	2	-	-	4	6	9	8	17	23	24	46	102	186	252	332	493	597	636	580	306	75	15	2	9
	F	3,049	-	1	-	-	-	4	7	13	12	14	17	25	33	61	111	169	202	340	458	549	559	330	112	26	2	3
	Nonwhite	203	1	-	-	-	-	-	2	-	-	2	3	6	6	14	25	25	31	25	25	15	11	9	3	-	-	-
	F	152	-	-	-	-	-	1	-	1	1	1	6	4	4	14	23	15	19	15	11	19	9	5	1	2	-	1
107-109, 33	Pneumonia (all forms) and influenza	2,897	569	102	19	17	11	28	29	43	24	33	53	61	82	96	116	148	157	196	247	254	305	208	76	14	4	5
	White	1,477	295	51	10	8	6	11	16	18	8	20	18	30	45	60	73	87	97	103	131	127	135	84	35	4	3	2
	F	1,187	221	38	8	8	4	14	13	18	12	8	21	20	21	23	30	49	51	79	106	120	160	114	38	10	-	1
	Nonwhite	141	31	6	1	1	-	2	-	2	2	3	8	5	11	8	12	5	5	11	4	3	10	8	2	-	-	1
	F	92	22	7	-	-	1	1	-	5	2	2	6	6	5	5	1	7	4	3	6	4	-	2	1	-	1	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Con.																										
107	Bronchopneumonia.	951	320	54	7	7	4	15	10	6	6	6	16	13	13	20	26	30	40	47	62	65	96	56	24	5	2	1
	White.....M..	450	151	26	4	2	3	7	5	2	2	3	3	6	4	9	15	16	22	25	34	29	44	20	14	2	1	1
	F..	413	132	19	2	4	-	7	5	4	4	2	7	5	4	8	7	12	15	20	25	36	50	32	10	3	-	-
	Nonwhite..M..	53	21	5	1	1	-	-	-	-	-	-	3	1	3	3	4	1	2	1	2	-	2	3	-	-	-	-
	F..	35	16	4	-	-	1	1	-	-	-	1	3	1	2	-	-	1	1	1	1	-	-	1	-	-	1	-
108	Lobar pneumonia..	821	99	21	6	4	5	7	9	18	10	15	13	20	27	46	41	62	58	63	85	74	74	47	14	-	1	2
	White.....M..	450	56	9	2	2	2	3	6	8	5	11	5	12	16	31	25	36	35	34	43	39	39	24	5	-	1	1
	F..	285	33	8	4	2	3	2	3	5	2	1	5	2	5	9	11	17	20	24	38	32	31	20	8	-	-	-
	Nonwhite..M..	45	5	1	-	-	-	2	-	-	1	3	1	3	6	3	4	4	1	3	-	1	4	3	-	-	-	-
	F..	41	5	3	-	-	-	-	-	5	2	-	2	5	-	3	1	5	2	2	4	2	-	-	1	-	-	1
109	Pneumonia (unspecified).....	350	83	13	4	3	1	1	4	6	3	2	7	13	9	6	11	18	21	29	26	31	33	20	5	1	-	-
	White.....M..	194	51	7	2	2	1	-	2	3	-	-	2	7	6	4	11	13	15	13	12	16	13	10	3	1	-	-
	F..	141	31	6	2	1	-	1	2	2	3	1	3	5	2	2	-	5	5	12	14	15	19	9	1	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	4	-	-	1	1	1	-	-	-
	F..	4	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	775	67	14	2	3	1	5	6	13	5	10	17	15	33	24	38	38	38	57	74	84	102	85	33	8	1	2
	White.....M..	383	37	9	2	2	-	1	3	5	1	6	8	5	19	16	22	22	25	31	42	43	39	30	13	1	1	-
	F..	348	25	5	-	1	1	4	3	7	3	4	6	8	10	4	12	15	11	23	29	37	60	53	19	7	-	1
	Nonwhite..M..	32	5	-	-	-	-	-	-	1	1	-	3	1	1	2	4	-	1	3	2	2	3	1	1	-	-	1
	F..	12	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	1	1	-	1	2	-	1	-	-	-	-
117	Ulcer of stomach or duodenum....	226	-	1	-	-	-	-	-	-	-	1	12	11	13	21	32	32	28	19	24	11	9	9	-	-	-	3
	White.....M..	176	-	-	-	-	-	-	-	-	-	1	8	8	12	16	23	29	23	18	17	8	6	7	-	-	-	-
	F..	33	-	1	-	-	-	-	-	-	-	-	3	1	1	3	4	2	4	-	7	1	3	2	-	-	-	1
	Nonwhite..M..	14	-	-	-	-	-	-	-	-	-	-	1	1	-	1	5	-	1	1	-	2	-	-	-	-	-	2
	F..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	334	233	18	2	4	4	8	-	-	3	3	1	2	2	1	2	9	-	6	10	7	13	4	2	-	-	-
	White.....M..	159	120	13	1	3	-	4	-	-	2	1	-	-	-	-	1	3	-	-	1	3	4	3	-	-	-	-
	F..	153	96	4	1	1	3	4	-	-	1	2	1	2	2	-	1	6	-	5	8	4	9	1	2	-	-	-
	Nonwhite..M..	10	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F..	12	9	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
121	Appendicitis.....	229	2	1	5	6	2	12	18	9	12	5	20	9	17	26	14	14	14	17	11	9	5	1	-	-	-	-
	White.....M..	119	1	1	5	6	1	8	7	6	1	5	10	6	7	11	7	10	6	7	7	5	2	-	-	-	-	-
	F..	91	1	-	-	-	1	4	10	2	10	-	7	3	7	13	5	3	5	9	4	3	3	1	-	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	1	-	1	-	3	1	1	-	1	1	-	-	-	-	-	-	-	-
	F..	10	-	-	-	-	-	-	1	1	-	-	2	-	-	1	1	1	2	-	-	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	320	20	3	-	2	-	3	3	1	4	7	10	6	18	18	18	26	25	37	39	37	28	12	2	-	-	1
	White.....M..	177	14	2	-	1	-	1	1	-	4	2	3	4	7	6	8	11	16	19	28	20	21	8	-	-	-	1
	F..	125	6	1	-	1	-	2	2	1	-	5	5	1	7	10	8	14	8	17	9	16	6	4	2	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-	-	1	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	1	-	1	2	1	-	-	-	-	-	-
124	Cirrhosis of the liver.....	245	1	-	1	-	-	-	1	2	1	1	2	7	11	18	22	46	37	34	19	19	17	5	1	-	-	-
	White.....M..	136	-	-	1	-	-	-	1	-	-	-	1	3	6	12	12	22	23	19	14	11	9	1	1	-	-	-
	F..	93	1	-	-	-	-	-	1	1	1	1	1	4	4	6	5	20	12	13	3	8	8	4	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	1	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	229	-	-	-	-	1	-	1	-	1	1	4	5	17	12	21	28	28	32	28	24	15	10	1	-	-	-
	White.....M..	63	-	-	-	-	1	-	1	-	-	-	-	1	4	1	10	6	8	6	10	9	4	2	-	-	-	-
	F..	160	-	-	-	-	-	-	-	-	1	1	3	2	13	9	11	22	20	25	18	15	11	8	1	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	3,508	5	2	2	2	-	8	14	13	15	18	27	49	66	100	145	237	313	409	521	597	567	275	90	24	3	4
	White.....M..	1,732	2	-	1	-	-	3	4	3	10	5	10	13	22	40	63	116	168	218	266	297	299	138	39	12	-	3
	F..	1,555	3	2	1	2	-	5	10	10	3	12	15	23	29	47	63	97	117	159	231	276	255	133	50	12	-	-
	Nonwhite..M..	112	-	-	-	-	-	-	-	-	1	1	1	3	6	7	9	16	13	17	14	15	7	1	-	-	1	-
	F..	107	-	-	-	-	-	-	-	-	1	-	1	10	9	6	10	8	15	15	10	9	6	3	1	-	2	1
137	Diseases of the prostate.....	219	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	13	25	33	54	49	27	7	1	1	-
	White.....M..	213	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	12	25	32	54	49	26	6	1	1	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	1	-	-	-
140-150	Diseases of pregnancy, etc.*...	149	-	-	-	-	-	-	-	23	32	33	27	23	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	138	-	-	-	-	-	-	-	21	26	32	27	21	9	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	11	-	-	-	-	-	-	-	2	6	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	64	-	-	-	-	-	-	-	10	13	22	8	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	60	-	-	-	-	-	-	-	9	12	21	8	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	35	-	-	-	-	-	-	-	6	10	5	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	31	-	-	-	-	-	-	-	5	7	5	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	50	-	-	-	-	-	-	-	7	9	6	10	14	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	47	-	-	-	-	-	-	-	7	7	6	10	13	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	518	451	30	11	5	3	5	2	3	-	1	1	2	-	2	-	1	-	-	1	-	-	-	-	-	-	-
	White.....M..	274	240	16	5	3	2	1	2	3	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	224	192	14	6	2	1	4	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	14	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	INDIANA—Con.																										
159	Premature birth..	796	796	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	429	429	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	314	314	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	29	29	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	24	24	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	396	-	-	-	-	-	-	-	10	24	31	29	26	24	31	55	34	37	40	21	16	13	3	1	-	1
	White.....M..	296	-	-	-	-	-	-	-	5	16	18	20	19	14	20	45	27	31	30	19	15	12	3	1	-	1
	F..	95	-	-	-	-	-	-	-	5	8	12	7	6	9	11	10	7	6	10	2	1	1	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	95	4	-	-	1	-	1	2	7	7	13	8	7	14	12	5	5	3	2	2	1	1	-	-	-	-
	White.....M..	52	4	-	-	1	-	1	1	1	3	7	3	2	8	7	3	4	3	2	2	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	3	2	-	1	-	-	2	1	1	-	-	-	1	1	-	-	-	-
	Nonwhite..M..	26	-	-	-	-	-	-	1	3	2	4	3	3	6	3	1	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,819	79	60	36	31	18	104	89	164	149	130	119	125	102	137	125	151	160	154	193	225	228	155	67	8	3	7
	White.....M..	1,812	43	30	21	18	9	62	60	131	119	107	94	100	84	99	92	114	125	109	106	100	101	56	22	4	-	6
	F..	805	31	24	12	13	8	35	22	28	25	21	20	22	15	24	25	31	32	36	85	121	125	98	45	4	2	1
	Nonwhite..M..	74	3	6	2	-	1	5	6	2	4	1	5	3	1	13	7	4	2	4	1	1	1	1	-	-	1	-
	F..	28	2	-	1	-	-	2	1	3	1	1	-	-	2	1	1	2	1	5	1	3	1	-	-	-	-	-
170	Motor-vehicle accidents.....	720	1	7	9	12	4	27	22	71	60	52	51	45	36	51	44	41	54	38	40	30	18	6	-	-	-	1
	White.....M..	531	-	2	5	9	2	13	14	57	44	39	37	36	26	35	33	30	42	29	32	26	14	5	-	-	-	1
	F..	164	1	5	4	3	1	12	7	13	15	12	12	9	9	11	7	9	11	8	8	3	3	1	-	-	-	-
	Nonwhite..M..	21	-	-	-	-	1	1	1	1	1	-	2	-	-	4	4	2	1	1	-	1	1	-	-	-	-	-
	F..	4	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	2,099	78	53	27	19	14	77	67	93	89	78	68	80	66	86	81	110	106	116	153	195	210	149	67	8	3	6
	White.....M..	1,281	43	28	16	9	7	49	46	74	75	68	57	64	58	64	59	84	83	80	74	74	87	51	22	4	-	5
	F..	741	30	19	8	10	7	23	15	15	10	9	8	13	6	13	18	22	21	28	77	118	122	97	45	4	2	1
	Nonwhite..M..	53	3	6	2	-	-	4	5	1	3	1	3	3	1	9	3	2	1	3	1	-	-	1	-	-	1	-
	F..	24	2	-	1	-	-	1	1	3	1	-	-	-	1	-	1	2	1	5	1	3	1	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	439	10	2	-	2	-	1	1	-	2	2	7	4	5	10	11	16	25	24	45	68	73	74	42	9	4	2
	White.....M..	216	5	1	-	2	-	1	-	-	-	2	3	1	3	6	9	9	13	16	25	34	35	26	20	2	1	2
	F..	209	4	1	-	-	-	-	-	-	2	-	3	1	2	2	2	7	10	7	19	33	37	47	22	7	3	-
	Nonwhite..M..	7	1	-	-	-	-	-	1	-	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	1	1	1	-	-	-	-
	All other causes.	4,096	629	52	32	21	15	44	46	59	57	68	68	105	159	147	184	185	272	305	374	439	402	282	125	23	2	3
	White.....M..	2,105	354	29	21	17	8	23	31	34	28	35	51	42	61	70	99	91	142	163	183	239	208	132	53	10	-	1
	F..	1,802	243	19	9	3	7	21	12	21	24	25	51	49	82	62	75	85	118	130	179	192	185	146	67	13	2	2
	Nonwhite..M..	105	20	2	1	1	-	-	2	3	3	1	4	6	4	8	8	4	7	5	7	7	6	3	3	-	-	-
	F..	84	12	2	1	-	-	-	1	1	2	7	2	8	12	7	2	5	5	7	5	1	3	1	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA																										
	All causes.....	26,189	1,618	135	68	56	48	153	142	239	261	291	331	404	575	851	1,294	1,662	2,107	2,728	3,439	3,628	3,296	1,993	693	145	17	15
	White.....M..	14,450	920	67	33	28	26	93	89	145	164	163	169	204	315	485	753	1,001	1,231	1,580	1,926	1,964	1,709	1,005	312	52	7	9
	F..	11,456	680	67	34	28	22	58	50	88	93	126	152	187	253	355	516	639	846	1,119	1,478	1,635	1,571	979	377	90	9	4
	Nonwhite..M..	171	10	1	-	-	-	1	2	3	1	2	6	6	2	7	15	14	20	23	20	21	7	6	1	3	-	-
	F..	112	8	-	1	-	-	1	1	3	3	-	4	7	5	4	10	8	10	6	15	8	9	3	3	-	1	2
1,2	Typhoid and paratyphoid fever..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	22	2	2	-	-	1	1	1	2	3	-	1	-	-	1	3	-	2	1	2	-	-	-	-	-	-	-
	White.....M..	18	2	1	-	-	1	1	1	1	3	-	-	-	-	1	3	-	1	1	2	-	-	-	-	-	-	-
	F..	4	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	16	1	1	-	1	-	4	4	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	12	1	-	-	1	-	2	3	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	34	28	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	16	14	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	17	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	13	1	2	-	2	1	4	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	11	1	2	-	1	1	3	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)....	395	4	2	-	1	-	2	3	14	28	34	29	22	32	38	34	38	35	24	29	18	5	3	-	-	-	-
	White.....M..	232	2	2	-	-	-	1	2	8	13	15	14	11	21	26	25	27	24	13	16	8	3	1	-	-	-	-
	F..	152	2	-	-	1	-	1	1	6	14	19	12	10	10	11	7	10	11	10	13	10	2	2	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	3	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	352	1	-	-	1	-	1	-	12	27	33	27	19	27	34	32	34	32	22	26	17	4	3	-	-	-	-
	White.....M..	204	-	-	-	-	-	1	-	7	12	15	13	10	17	24	24	24	22	11	13	7	3	1	-	-	-	-
	F..	138	1	-	-	1	-	-	-	5	14	18	11	8	10	9	6	9	10	10	13	10	1	2	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	3	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	43	3	2	-	-	-	1	3	2	1	1	2	3	5	4	2	4	3	2	3	1	1	-	-	-	-	-
	White.....M..	28	2	2	-	-	-	-	2	1	1	-	1	1	4	2	1	3	2	2	3	1	-	-	-	-	-	-
	F..	14	1	-	-	-	-	1	1	1	-	1	1	2	-	2	1	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	9	2	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	1	3	-	-	-	-	-	-
	White.....M..	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-
	F..	4	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	178	3	-	-	-	-	-	-	3	1	3	5	10	9	26	14	32	21	19	17	6	7	2	-	-	-	-
	White.....M..	121	1	-	-	-	-	-	-	-	-	3	2	4	4	20	8	28	12	17	12	3	6	1	-	-	-	-
	F..	42	2	-	-	-	-	-	-	2	-	-	1	4	5	6	2	3	5	2	5	3	1	1	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	1	4	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles.....	25	6	4	2	3	2	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	12	3	2	1	-	2	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	13	3	2	1	3	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	18	1	-	-	-	1	2	4	3	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	8	1	-	-	-	1	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	-	-	-	-	-	1	3	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	3,598	3	4	3	3	-	7	6	10	6	19	30	72	111	178	296	348	435	480	557	509	323	158	35	10	-	-
	White.....M..	1,671	2	3	3	-	-	4	3	7	4	9	9	19	32	56	110	150	190	237	299	268	168	80	14	4	-	-
	F..	1,890	1	1	-	3	-	3	2	2	2	10	21	52	79	115	182	191	242	237	254	237	154	77	20	5	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	1	1	-	-	-	-	-	1	2	4	2	2	-	3	1	1	-	1	-	-
	F..	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	1	4	4	1	-	-	1	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																										
46	Cancer of digestive organs, peritoneum.....	1,699	-	1	1	-	-	-	1	-	-	1	8	20	42	61	103	147	214	263	318	267	164	78	14	6	-
	White.....M..	864	-	1	1	-	-	-	1	-	-	1	3	6	18	25	47	74	109	143	175	137	84	31	6	2	-
	F..	820	-	-	-	-	-	-	-	-	-	-	5	14	24	35	54	69	103	119	135	130	80	41	8	3	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	1	-	1	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	3	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.	407	-	-	-	-	-	1	-	-	2	7	9	16	27	34	53	48	51	47	44	35	16	8	9	-	-	-
	White.....F..	399	-	-	-	-	-	1	-	-	2	7	9	15	27	34	52	47	50	46	43	34	16	8	8	-	-	-
	Nonwhite..F..	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	1	-	-	1	-	-	-
50	Cancer of breast.	357	-	-	-	-	-	-	-	-	-	-	2	18	21	29	46	47	50	39	37	38	17	12	-	1	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	F..	353	-	-	-	-	-	-	-	-	-	-	2	18	21	29	46	47	50	37	35	38	17	12	-	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	1,135	3	3	2	3	-	6	5	10	4	11	11	18	21	49	94	106	120	131	163	169	126	65	12	3	-	-
	White.....M..	804	2	2	2	-	-	4	2	7	4	8	8	13	14	31	68	76	81	93	122	131	84	49	8	2	-	-
	F..	318	1	1	-	3	-	2	2	2	-	3	5	5	7	17	30	28	39	35	41	35	41	16	4	1	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	2	-	1	-	3	1	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	13	-	1	1	-	-	2	1	-	-	-	1	-	2	1	1	1	-	-	-	1	-	1	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	10	-	1	1	-	-	2	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	694	-	-	-	1	-	1	2	7	2	6	3	7	13	13	37	66	100	105	120	125	62	20	4	-	-	-
	White.....M..	289	-	-	-	-	-	-	2	2	1	3	1	4	7	5	12	32	38	42	47	51	32	9	1	-	-	-
	F..	398	-	-	-	1	-	1	-	5	1	3	2	2	6	7	25	34	61	62	71	73	30	11	3	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-
63b	Exophthalmic goiter.....	50	-	-	-	-	-	-	-	-	-	1	1	2	4	1	3	8	5	7	11	7	-	-	-	-	-	-
	White.....M..	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	3	2	-	-	-	-	-	-
	F..	41	-	-	-	-	-	-	-	-	-	1	1	2	3	1	3	6	5	6	8	5	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	27	-	-	-	-	-	-	-	-	-	1	1	-	6	4	3	2	3	1	2	3	-	1	-	-	-	-
	White.....M..	27	-	-	-	-	-	-	-	-	-	1	1	-	6	4	3	2	3	1	2	3	-	1	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	2,884	1	1	-	1	-	1	-	2	1	4	13	8	23	45	88	152	236	349	496	553	538	293	72	8	1	3
	White.....M..	1,458	-	-	-	1	-	-	-	1	-	2	7	4	12	19	38	81	125	186	270	294	251	135	28	3	-	1
	F..	1,400	1	1	-	-	-	1	-	-	1	2	6	4	9	25	48	69	109	158	220	256	281	158	43	5	1	2
	Nonwhite..M..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	4	1	1	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	1	-	-	-	-	2	-	2	-	1	1	2	2	-	-	1	-	-	-
90-95	Diseases of the heart.....	7,911	2	2	-	2	-	4	13	22	18	22	43	68	112	207	390	549	725	988	1,257	1,295	1,194	702	245	45	6	5
	White.....M..	4,711	1	-	-	1	-	1	12	9	6	11	22	38	74	149	288	389	501	615	754	705	623	371	115	22	2	2
	F..	3,115	1	2	-	1	-	3	1	12	11	11	20	28	37	54	99	153	210	359	489	576	566	328	129	21	3	1
	Nonwhite..M..	55	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	4	8	9	10	12	2	3	-	2	-	-
	F..	30	-	-	-	-	-	-	-	1	1	-	1	1	1	2	1	3	6	-	4	2	3	-	1	-	1	2
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	570	-	-	-	1	-	1	3	13	3	6	11	8	22	27	38	53	34	58	79	78	73	42	12	6	-	2
	White.....M..	321	-	-	-	1	-	-	3	6	1	1	4	4	11	13	19	31	20	34	54	45	43	23	6	1	-	1
	F..	238	-	-	-	-	-	1	-	7	1	5	7	4	10	14	19	20	13	24	24	31	30	17	6	4	-	1
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	1	-	-
	F..	5	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,902	-	1	-	-	-	-	-	-	1	2	9	29	52	102	205	270	375	414	503	402	323	159	43	7	2	3
	White.....M..	2,007	-	-	-	-	-	-	-	-	1	1	5	18	41	84	180	213	281	291	335	238	187	107	19	4	1	1
	F..	870	-	1	-	-	-	-	-	-	-	1	3	10	11	17	23	57	87	119	166	161	135	52	24	3	-	-
	Nonwhite..M..	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	5	4	1	3	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	1	-	1	-	-	-	1	2
90b,91, 92a,d,e, 93a,b,d, 95a,c	Diseases of heart (other forms)..	4,439	2	1	-	1	-	3	10	9	14	14	23	31	38	78	147	226	316	511	675	815	798	501	190	32	4	-
	White.....M..	2,383	1	-	-	-	-	1	9	3	4	9	13	16	22	52	89	145	200	290	365	422	393	241	90	17	1	-
	F..	2,007	1	1	-	1	-	2	1	5	10	5	10	14	16	23	57	76	110	216	299	384	401	259	99	14	3	-
	Nonwhite..M..	33	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	5	8	8	2	1	-	1	-	-
	F..	16	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	4	-	3	1	2	-	1	-	-	-
107-109, 33	Pneumonia (all forms) and influenza.....	1,386	188	32	13	7	6	9	9	12	12	17	16	23	20	34	52	57	63	86	144	160	186	144	72	21	3	-
	White.....M..	728	98	15	5	1	3	6	6	8	6	10	5	15	13	21	40	35	39	47	80	92	92	62	23	4	2	-
	F..	648	87	16	7	6	3	3	3	4	6	7	11	7	7	13	12	22	24	37	63	68	93	82	49	17	1	-
	Nonwhite..M..	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-
	F..	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																										
107	Bronchopneumonia.	515	114	15	10	1	3	4	2	5	3	6	4	8	2	9	8	17	17	23	36	58	79	51	29	8	3	-
	White.....M..	258	59	8	5	-	2	3	1	3	1	4	1	7	1	5	7	12	10	10	20	33	36	20	6	2	2	-
	F..	252	53	6	5	1	1	1	1	2	2	2	3	1	1	4	1	5	7	13	15	25	42	31	23	6	1	-
	Nonwhite..M..	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia..	452	31	9	-	4	3	2	4	-	6	6	5	10	10	17	32	21	26	42	62	60	50	32	14	6	-	-
	White.....M..	270	17	5	-	1	1	1	2	-	4	5	3	5	7	11	25	16	17	26	35	37	26	18	7	1	-	-
	F..	179	14	4	-	3	2	1	2	-	2	1	2	4	3	6	7	5	9	14	27	23	24	14	7	5	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	41	10	1	-	-	-	-	1	1	-	1	2	3	2	-	-	1	2	2	5	2	4	4	-	-	-	-
	White.....M..	22	6	1	-	-	-	-	1	-	-	-	-	2	1	-	-	1	2	1	4	-	2	1	-	-	-	-
	F..	19	4	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-	1	1	2	2	3	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	Influenza.....	378	38	7	3	2	-	3	2	6	3	4	5	2	6	8	12	18	18	19	41	40	53	57	29	7	-	-
	White.....M..	178	16	1	-	-	-	2	2	5	1	1	1	1	4	5	8	6	10	10	21	22	28	23	10	1	-	-
	F..	198	16	6	2	2	-	1	-	1	2	3	4	1	2	3	4	12	8	9	20	18	25	34	19	6	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	172	-	-	-	-	-	1	-	-	-	1	2	9	11	15	22	13	18	27	23	13	12	5	-	-	-	-
	White.....M..	139	-	-	-	-	-	-	-	-	-	1	1	9	10	11	22	11	14	21	18	8	8	5	-	-	-	-
	F..	33	-	-	-	-	-	1	-	-	-	-	1	-	1	4	-	2	4	6	5	5	4	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	98	31	7	4	-	1	1	-	3	-	-	1	-	3	-	1	1	5	3	6	6	1	2	-	1	-	1
	White.....M..	52	27	2	2	-	-	1	-	-	-	-	1	-	2	-	1	-	4	1	4	4	1	2	-	-	-	-
	F..	45	23	5	2	-	1	-	-	3	-	-	-	-	1	-	-	1	1	2	2	2	-	-	-	1	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	160	-	2	3	2	3	13	11	11	5	2	7	7	14	15	11	12	8	11	9	9	3	1	1	-	-	-
	White.....M..	92	-	1	2	2	1	8	5	6	5	-	6	4	8	9	5	6	8	4	4	5	2	1	-	-	-	-
	F..	64	-	1	1	-	2	4	6	5	-	2	1	3	5	5	5	6	-	7	5	4	1	-	1	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	246	17	2	1	-	-	-	-	2	1	2	8	8	9	10	16	16	27	23	29	29	24	16	5	1	-	-
	White.....M..	124	11	2	1	-	-	-	-	2	1	1	3	2	6	5	8	7	12	9	11	16	14	9	3	1	-	-
	F..	119	6	-	-	-	-	-	-	-	-	1	5	5	3	5	8	8	14	14	18	13	10	7	2	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	136	-	-	-	-	-	-	1	1	-	1	-	4	2	8	18	23	13	20	20	14	8	2	1	-	-	-
	White.....M..	82	-	-	-	-	-	-	-	-	-	1	-	4	-	4	8	15	11	15	11	8	4	1	-	-	-	-
	F..	54	-	-	-	-	-	-	1	1	-	-	-	-	2	4	10	8	2	5	9	6	4	1	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	178	-	-	-	-	-	-	-	-	1	1	2	4	5	15	16	16	26	30	28	15	10	7	1	1	-	-
	White.....M..	47	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	4	10	5	10	3	3	2	-	1	-	-
	F..	131	-	-	-	-	-	-	-	-	1	1	2	4	2	14	11	12	16	25	18	12	7	5	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	1,581	1	-	-	-	-	1	4	4	11	9	12	13	41	50	73	81	113	181	231	262	252	172	59	6	2	3
	White.....M..	847	-	-	-	-	-	1	2	2	8	6	5	5	18	26	35	43	71	109	117	138	131	93	32	2	-	3
	F..	710	1	-	-	-	-	-	2	2	3	3	7	8	22	24	32	35	40	69	112	123	117	77	27	4	2	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	1	1	1	1	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	1	-	1	-	3	1	-	-	-	-
137	Diseases of the prostate.....	219	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	11	24	35	51	51	33	4	1	1	-
	White.....M..	219	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	11	24	35	51	51	33	4	1	1	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	80	-	-	-	-	-	-	-	2	16	26	11	17	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	78	-	-	-	-	-	-	-	2	16	26	10	16	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	30	-	-	-	-	-	-	-	1	10	10	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	30	-	-	-	-	-	-	-	1	10	10	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	21	-	-	-	-	-	-	1	4	6	1	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	21	-	-	-	-	-	-	1	4	6	1	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	29	-	-	-	-	-	-	-	2	10	5	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	27	-	-	-	-	-	-	-	2	10	4	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	323	289	11	1	3	1	4	2	3	2	2	1	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
	White.....M..	186	169	5	-	1	-	3	1	1	1	1	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	F..	134	118	6	1	2	1	1	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	IOWA—Continued																										
159	Premature birth..	539	539	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	302	302	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	229	229	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,184	Suicide.....	271	-	-	-	-	-	-	1	4	8	8	16	21	22	27	39	32	24	24	18	15	8	2	2	-	-
	White.....M..	213	-	-	-	-	-	-	1	4	7	7	12	18	18	18	32	21	19	17	14	14	7	2	2	-	-
	F..	58	-	-	-	-	-	-	-	-	1	1	4	3	4	9	7	11	5	7	4	1	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	24	2	-	-	-	-	-	-	2	1	2	2	4	-	3	2	2	2	2	-	-	-	-	-	-	-
	White.....M..	13	-	-	-	-	-	-	-	-	-	2	-	3	-	2	2	1	1	2	-	-	-	-	-	-	-
	F..	7	2	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,699	40	36	22	16	20	60	55	94	99	88	63	40	55	66	60	75	74	92	104	153	184	141	45	15	1	3
	White.....M..	1,089	21	20	10	14	13	40	37	77	82	73	55	37	47	54	47	61	57	68	42	72	80	58	18	3	-	3
	F..	598	19	16	12	2	7	20	17	17	17	15	7	3	8	11	11	14	16	24	60	80	104	81	25	12	1	-
	Nonwhite..M..	9	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	1	-	2	1	-	1	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
170	Motor-vehicle accidents.....	328	1	-	4	4	4	26	11	40	32	33	18	14	18	18	21	20	16	18	9	10	8	2	-	-	-	1
	White.....M..	251	1	-	2	4	2	18	6	27	22	28	16	13	15	16	17	14	13	17	5	7	6	1	-	-	-	1
	F..	74	-	-	2	-	2	8	5	13	10	5	1	1	3	2	3	6	3	1	3	3	2	1	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,371	39	36	18	12	16	34	44	54	67	55	45	26	37	48	39	55	58	74	95	143	176	139	43	15	1	2
	White.....M..	838	20	20	8	10	11	22	31	50	60	45	39	24	32	38	30	47	44	51	37	65	74	57	18	3	-	2
	F..	525	19	16	10	2	5	12	12	4	7	10	6	2	5	9	8	8	13	23	57	77	102	80	25	12	1	-
	Nonwhite..M..	7	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	1	-	1	1	-	1	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	464	8	-	2	-	-	-	1	1	2	-	3	3	3	7	7	5	10	21	45	68	106	89	61	20	2	-
	White.....M..	239	6	-	1	-	-	-	1	1	1	-	-	1	-	7	4	5	7	13	24	39	56	39	25	7	2	-
	F..	215	2	-	1	-	-	-	-	-	1	-	3	1	2	-	3	-	3	8	18	28	48	49	35	13	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	2	-	-	-	1	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-
	All other causes.	2,722	429	22	16	14	11	27	24	34	41	37	57	59	69	90	104	128	151	212	254	313	326	199	88	16	1	-
	White.....M..	1,480	258	10	8	7	4	17	14	14	24	16	23	23	30	46	53	77	73	129	150	177	176	100	47	4	-	-
	F..	1,221	167	12	8	7	7	10	10	19	17	19	34	34	39	44	50	51	76	81	103	132	148	99	41	12	1	-
	Nonwhite..M..	14	4	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	2	1	-	2	1	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	2	1	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS																										
	All causes	19,021	1212	146	70	59	33	139	147	233	377	255	276	393	441	652	886	1,263	1,500	2,010	2,393	2,352	2,187	1,341	478	122	27	29
	White	10,192	657	68	34	35	20	83	89	140	244	137	142	198	228	343	460	701	845	1,129	1,316	1,250	1,154	643	205	44	3	24
	F.	7,767	477	67	31	19	12	51	49	82	110	90	110	157	166	249	345	462	553	771	979	1,017	980	660	246	66	13	5
	Nonwhite	559	43	7	3	2	1	3	6	8	14	11	10	16	25	28	39	60	52	60	52	51	28	17	13	5	5	-
	F.	503	35	4	2	3	-	2	3	3	9	17	14	22	22	32	42	40	50	50	46	34	25	21	14	7	6	-
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	22	1	3	-	-	1	-	-	7	1	4	-	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-
	White	17	1	2	-	-	1	-	-	6	1	4	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	5	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	16	1	1	1	-	-	6	2	1	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	6	-	-	-	-	-	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	10	1	1	1	-	-	2	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	32	19	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	13	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	16	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	14	-	1	1	1	-	5	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	White	7	-	1	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	6	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	345	1	3	1	1	-	3	4	11	33	30	32	28	33	18	40	35	16	19	19	11	6	1	-	-	-	-
	White	176	1	-	1	1	-	-	-	5	9	7	18	10	18	15	28	25	8	12	9	3	5	1	-	-	-	-
	F.	131	-	2	-	-	-	3	3	5	16	16	13	12	11	3	9	7	8	5	9	8	1	-	-	-	-	-
	Nonwhite	23	-	1	-	-	-	-	1	1	3	3	-	4	4	-	2	2	-	2	-	-	-	-	-	-	-	-	-
	F.	15	-	-	-	-	-	-	-	-	5	4	1	2	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	316	1	1	1	1	-	1	3	9	29	28	27	27	33	18	38	34	14	16	19	10	5	1	-	-	-	-
	White	166	1	-	1	1	-	-	-	4	9	6	16	9	16	15	27	24	7	11	9	3	4	1	-	-	-	-
	F.	117	-	1	-	-	-	1	2	5	13	15	11	12	11	3	8	7	7	4	9	7	1	-	-	-	-	-
	Nonwhite	19	-	-	-	-	-	-	1	-	2	3	-	4	4	-	2	2	-	1	-	-	-	-	-	-	-	-	-
	F.	14	-	-	-	-	-	-	-	-	5	4	-	2	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	29	-	2	-	-	-	2	1	2	4	2	5	1	-	-	2	1	2	3	-	1	1	-	-	-	-	-
	White	10	-	-	-	-	-	-	-	1	-	1	2	1	-	-	1	1	1	1	-	1	-	-	-	-	-	-
	F.	14	-	1	-	-	-	2	1	-	3	1	2	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite	4	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	10	2	1	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	1	1	1	-	-	-	-
	White	5	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-
	F.	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	161	4	-	-	-	-	-	-	-	-	1	3	11	11	22	16	25	23	13	13	7	7	4	1	-	-	-
	White	98	1	-	-	-	-	-	-	-	-	-	-	4	7	9	10	15	18	10	10	4	6	4	-	-	-	-
	F.	26	2	-	-	-	-	-	-	-	-	-	1	3	2	3	3	5	-	2	2	2	-	-	1	-	-	-
	Nonwhite	26	-	-	-	-	-	-	-	-	-	-	-	3	1	7	2	5	4	1	1	1	1	-	-	-	-	-
	F.	11	1	-	-	-	-	-	-	-	-	1	2	1	1	3	1	-	1	-	-	-	-	-	-	-	-	-
35	Measles	7	2	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	5	2	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	68	-	4	2	1	2	12	10	16	4	5	2	3	3	2	-	-	2	-	-	-	-	-	-	-	-	-
	White	39	-	3	1	-	1	8	8	11	1	1	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	28	-	1	1	1	1	4	2	5	3	4	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	2,253	2	-	-	4	1	7	7	8	12	13	31	47	73	136	175	234	280	316	332	266	194	88	23	3	1	-
	White	1,020	2	-	-	4	1	5	5	5	5	5	11	11	19	49	58	87	132	160	177	136	102	35	9	2	-	-
	F.	1,120	-	-	-	-	-	2	2	2	7	7	15	34	48	76	108	130	131	143	144	119	88	50	13	1	-	-
	Nonwhite	44	-	-	-	-	-	-	-	1	-	-	-	-	2	3	2	10	5	5	4	7	2	2	-	-	1	-
	F.	69	-	-	-	-	-	-	-	-	-	1	5	2	4	8	7	7	12	8	7	4	2	1	1	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE. AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Con.																										
46	Cancer of digestive organs, peritoneum	1,081	-	-	-	-	-	1	2	1	5	5	10	12	24	38	69	113	140	157	200	150	102	43	8	-	1	-
	White..M..	547	-	-	-	-	-	1	2	1	2	1	5	6	11	25	27	54	76	81	101	80	54	16	4	-	-	-
	F..	490	-	-	-	-	-	-	-	-	3	3	4	6	12	13	40	52	57	68	91	65	46	24	4	-	-	-
	Nonwhite..M..	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	5	3	3	2	-	-	-	1	-
	F..	22	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	3	4	3	5	2	-	1	-	-	-	-
48,49	Cancer of female genital organs	283	-	-	-	-	-	-	-	-	2	2	9	15	21	28	29	36	38	36	22	18	19	6	1	-	-	-
	White.....F..	259	-	-	-	-	-	-	-	-	2	2	7	13	18	25	27	34	36	33	21	16	18	6	1	-	-	-
	Nonwhite..F..	24	-	-	-	-	-	-	-	-	-	-	2	2	3	3	2	2	3	3	1	2	1	-	-	-	-	-
50	Cancer of breast	210	-	-	-	-	-	-	-	-	-	2	3	9	12	29	27	28	24	22	10	21	13	6	3	1	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F..	198	-	-	-	-	-	-	-	-	-	2	1	9	12	26	27	27	23	20	10	20	12	6	2	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	1	2	-	-	1	-	1	-	-	-
45,47, 51-55	Cancer (other sites)	679	2	-	-	4	1	6	5	7	5	4	9	11	16	41	50	57	77	101	100	77	60	33	11	2	-	-
	White.....M..	471	2	-	-	4	1	4	3	4	3	4	6	5	8	23	31	33	56	79	76	55	48	19	5	2	-	-
	F..	173	-	-	-	-	-	2	2	2	2	-	3	6	6	12	14	17	15	22	22	18	12	12	6	-	-	-
	Nonwhite..M..	22	-	-	-	-	-	-	-	1	-	-	-	-	1	3	2	6	2	-	1	4	-	2	-	-	-	-
	F..	13	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	4	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	16	-	-	-	1	-	2	-	-	1	1	2	-	3	-	1	-	2	-	1	-	2	-	-	-	-	-
	White.....M..	8	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	1	-	1	-	2	-	-	-	-	-
	F..	7	-	-	-	-	-	1	-	-	-	1	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	501	-	1	1	-	-	2	3	5	8	1	3	12	7	12	22	54	47	83	98	69	50	19	3	-	-	1
	White.....M..	209	-	-	-	-	-	-	3	1	3	1	1	6	3	4	3	22	19	43	41	26	22	9	1	-	-	1
	F..	269	-	1	1	-	-	1	-	4	3	-	1	5	3	6	15	30	24	39	56	43	26	10	1	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-	-	-	-	-
	F..	18	-	-	-	-	-	1	-	-	2	-	1	1	-	1	4	1	3	1	1	-	1	-	1	-	-	-
63b	Exophthalmic goiter	44	-	-	-	-	-	-	-	-	-	-	3	1	4	1	7	10	4	4	5	2	2	-	1	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	38	-	-	-	-	-	-	-	-	-	-	2	1	2	1	6	8	4	4	5	2	2	-	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	8	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	1	1	-	-	-	-	-
	White....M..	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,069	-	-	-	-	1	-	-	2	4	4	2	17	22	50	71	123	153	277	368	355	344	191	64	14	6	1
	White.....M..	1,008	-	-	-	-	-	-	-	1	-	3	2	8	11	20	33	67	75	115	201	190	166	85	26	4	-	1
	F..	956	-	-	-	-	1	-	-	1	4	1	-	7	8	28	33	44	65	136	159	151	170	103	36	7	2	-
	Nonwhite..M..	48	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	8	4	13	5	7	3	1	1	1	1	-
	F..	57	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	4	9	13	3	7	5	2	1	2	3	-
90-95	Diseases of the heart	5,365	1	3	1	5	1	5	8	19	19	17	35	55	87	159	265	364	526	707	869	823	727	462	161	36	7	3
	White.....M..	3,120	1	1	1	2	-	2	1	10	12	12	21	34	52	105	173	241	340	439	497	464	395	225	75	15	-	2
	F..	2,010	-	2	-	2	1	3	7	8	6	4	11	16	25	43	70	103	166	232	336	334	320	222	77	17	4	1
	Nonwhite..M..	135	-	-	-	-	-	-	-	-	1	1	-	2	7	5	12	12	14	20	19	14	10	8	5	3	2	-
	F..	100	-	-	-	1	-	-	-	1	-	-	3	3	3	6	10	8	6	16	17	11	2	7	4	1	1	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	349	-	1	-	-	1	4	3	8	7	6	7	4	18	15	19	25	28	35	51	48	37	23	7	1	1	-
	White.....M..	170	-	1	-	-	-	2	-	5	3	5	2	1	7	7	12	16	11	18	25	21	21	9	4	-	-	-
	F..	155	-	-	-	-	1	2	3	2	4	-	4	3	10	6	4	8	15	15	25	25	14	10	2	1	1	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	1	-	2	1	2	-	-	-	-
	F..	13	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	-	1	1	1	-	1	2	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,839	-	-	-	-	-	-	1	-	3	2	12	27	35	75	143	184	223	282	312	252	180	77	25	5	1	-
	White.....M..	1,237	-	-	-	-	-	-	-	-	3	1	9	21	30	62	104	134	167	191	194	162	107	37	13	2	-	-
	F..	554	-	-	-	-	-	-	1	-	-	1	2	4	4	12	32	45	54	83	109	84	72	39	10	2	-	-
	Nonwhite..M..	32	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	3	1	5	6	4	1	1	1	1	1	-
	F..	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	1	3	3	2	-	-	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	3,177	1	2	1	5	-	1	4	11	9	9	16	24	34	69	103	155	275	390	506	523	510	362	129	30	5	3
	White.....M..	1,713	1	-	1	2	-	-	1	5	6	6	10	12	15	36	57	91	162	230	278	281	267	179	58	13	-	2
	F..	1,301	-	2	-	2	-	1	3	6	2	3	5	9	11	25	34	50	97	134	202	225	234	173	65	14	3	1
	Nonwhite..M..	92	-	-	-	-	-	-	-	-	1	-	-	-	5	4	7	8	12	14	13	8	8	5	4	2	1	-
	F..	71	-	-	-	1	-	-	-	-	-	-	1	3	3	4	5	6	4	12	13	9	1	5	2	1	1	-
107-109, 33	Pneumonia (all forms) and influenza	927	200	31	14	10	1	6	10	10	13	11	4	25	17	23	25	41	46	75	55	98	98	65	32	12	2	3
	White.....M..	461	98	14	6	3	-	2	3	6	7	5	1	13	10	13	13	26	30	43	19	43	49	38	12	4	1	2
	F..	388	75	15	7	6	-	3	5	3	6	4	2	9	4	9	8	13	11	30	33	49	44	24	20	7	-	1
	Nonwhite..M..	43	18	-	-	1	1	1	1	-	-	-	1	-	2	-	2	2	3	2	2	4	2	1	-	-	-	-
	F..	35	9	2	1	-	-	-	1	1	-	2	-	3	1	1	2	-	2	-	1	2	3	2	-	1	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Con.																										
107	Bronchopneumonia.	364	131	16	11	4	1	3	4	4	6	-	2	4	1	5	3	7	18	23	12	34	32	23	14	4	-	2
	White.....M..	185	65	7	5	-	-	2	1	2	4	-	1	3	1	2	1	5	13	13	6	15	17	15	6	-	-	1
	F..	149	47	8	5	3	-	-	3	2	2	-	1	1	-	3	1	2	3	10	5	18	15	7	8	4	-	1
	Nonwhite..M..	21	14	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-
	F..	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
108	Lobar pneumonia..	262	30	3	-	3	-	-	3	2	3	7	1	12	11	8	12	14	17	27	18	32	28	19	6	3	2	1
	White.....M..	139	17	1	-	2	-	-	1	1	2	4	-	4	6	6	7	7	11	18	7	13	16	10	3	1	1	1
	F..	92	7	2	-	1	-	-	1	1	1	1	-	6	2	1	2	6	4	8	11	16	10	8	3	1	-	-
	Nonwhite..M..	15	3	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	1	1	-	2	2	-	-	-	-	-
	F..	16	3	-	-	-	-	-	1	-	-	2	-	2	1	1	1	-	1	-	-	1	-	1	-	1	1	-
109	Pneumonia (unspecified).....	35	7	1	-	-	-	1	2	-	1	-	-	-	-	4	-	4	-	3	2	3	3	3	1	-	-	-
	White.....M..	20	3	1	-	-	-	-	1	-	-	-	-	-	-	2	-	4	-	3	1	1	3	1	-	-	-	-
	F..	15	4	-	-	-	-	1	1	-	1	-	-	-	-	2	-	-	-	-	1	2	-	2	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	268	32	11	3	3	-	2	1	4	3	4	1	9	5	6	10	16	11	22	23	29	35	20	11	5	-	-
	White.....M..	117	13	5	1	1	-	-	-	3	1	1	-	6	3	3	5	10	6	9	5	14	13	12	3	3	-	-
	F..	132	17	5	2	2	-	2	-	-	2	3	1	2	2	3	5	5	4	12	16	13	19	7	8	2	-	-
	Nonwhite..M..	7	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-
	F..	10	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	3	1	-	-	-	-
117	Ulcer of stomach or duodenum....	117	-	-	-	-	-	1	-	-	2	2	-	2	4	12	13	10	9	15	11	20	8	4	3	1	-	-
	White.....M..	87	-	-	-	-	-	1	-	-	2	1	-	1	4	9	13	9	6	10	7	14	5	3	1	1	-	-
	F..	23	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	3	4	3	5	3	1	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	94	40	7	2	5	-	1	1	-	2	1	3	-	-	2	1	1	5	3	3	5	5	3	2	2	-	-
	White.....M..	37	14	2	1	3	-	1	1	-	-	-	1	-	-	1	-	1	4	1	2	2	-	2	1	-	-	-
	F..	41	15	4	1	2	-	-	-	-	2	-	2	-	-	1	-	-	1	2	1	3	4	1	-	2	-	-
	Nonwhite..M..	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F..	11	7	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
121	Appendicitis.....	123	-	1	1	-	1	5	8	7	7	9	5	4	9	6	6	13	11	10	7	4	5	2	1	-	-	1
	White.....M..	71	-	-	-	-	1	5	3	2	4	4	3	3	6	5	4	10	6	6	2	1	2	2	1	-	-	1
	F..	43	-	1	1	-	-	-	5	5	3	1	1	1	2	1	2	2	4	4	5	3	2	-	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	215	9	1	1	1	1	1	-	1	2	3	4	4	14	15	17	20	16	29	25	19	19	8	5	-	-	-
	White.....M..	110	7	-	1	-	-	1	-	1	1	1	1	1	7	9	8	7	9	17	14	8	10	5	2	-	-	-
	F..	92	2	1	-	1	1	-	-	-	1	1	3	1	6	5	6	13	7	11	9	10	9	3	2	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	1	2	1	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-
124	Cirrhosis of the liver.....	102	-	-	-	-	-	1	-	-	1	-	-	4	1	5	10	10	9	19	14	13	11	4	-	-	-	-
	White.....M..	55	-	-	-	-	-	1	-	-	-	-	-	2	-	4	6	6	7	12	10	3	3	1	-	-	-	-
	F..	41	-	-	-	-	-	-	-	-	1	-	-	1	-	1	4	2	2	7	4	8	8	3	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	107	-	-	-	-	-	-	-	-	1	3	2	3	4	5	6	9	18	15	11	10	12	7	1	-	-	-
	White.....M..	32	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	3	4	4	2	6	3	4	1	-	-	-
	F..	71	-	-	-	-	-	-	-	-	-	1	2	3	3	4	5	14	11	8	4	9	3	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
130-132	Nephritis.....	1,498	2	-	-	-	1	2	4	5	3	10	8	19	25	40	61	124	121	167	229	241	236	144	49	5	2	-
	White.....M..	761	1	-	-	-	1	2	2	1	2	4	3	5	13	13	28	63	60	101	129	118	139	72	24	-	-	-
	F..	574	-	-	-	-	-	-	1	4	1	4	5	12	8	17	19	41	38	51	82	109	91	65	22	3	1	-
	Nonwhite..M..	68	-	-	-	-	-	-	1	-	-	2	-	1	1	3	6	10	13	9	8	6	1	3	2	1	1	-
	F..	75	1	-	-	-	-	-	-	-	-	-	-	1	3	7	8	10	10	6	10	8	5	4	1	1	-	-
137	Diseases of the prostate.....	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	18	28	39	49	19	6	2	-	-
	White.....M..	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	18	27	38	46	19	5	2	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	-	-	-
140-150	Diseases of pregnancy, etc.*...	77	-	-	-	-	-	-	-	9	17	11	24	12	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	72	-	-	-	-	-	-	-	8	16	10	22	12	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	39	-	-	-	-	-	-	-	5	11	4	9	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	36	-	-	-	-	-	-	-	4	10	3	9	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	14	-	-	-	-	-	-	-	1	3	1	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	14	-	-	-	-	-	-	-	1	3	1	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	24	-	-	-	-	-	-	-	3	3	6	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	22	-	-	-	-	-	-	-	3	3	6	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	243	204	16	1	-	2	9	3	2	-	1	1	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	127	108	9	1	-	1	4	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	108	89	6	-	-	1	5	3	1	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KANSAS—Con.																										
159	Premature birth..	354	354	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	194	194	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	149	149	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	167	-	-	-	-	-	-	-	5	4	5	14	18	11	10	16	16	20	18	11	10	6	1	1	-	1
	White.....M..	122	-	-	-	-	-	-	-	2	2	3	10	14	8	5	12	12	15	17	6	9	4	1	1	-	1
	F..	41	-	-	-	-	-	-	-	3	1	2	4	4	2	5	4	4	4	1	4	1	2	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
165-168	Homicide.....	50	3	-	-	-	-	1	1	4	9	5	6	5	2	3	2	2	2	2	-	2	1	-	-	-	-
	White.....M..	24	1	-	-	-	-	-	1	1	7	2	1	2	2	2	-	1	1	2	-	1	-	-	-	-	-
	F..	7	2	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite..M..	18	-	-	-	-	-	-	-	3	2	1	4	3	-	1	2	1	-	-	-	1	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,498	42	32	24	14	17	46	58	93	193	79	53	69	39	52	41	65	71	67	81	100	114	92	33	6	1	16
	White.....M..	976	23	20	12	10	12	29	45	73	171	64	44	59	31	42	25	48	50	41	45	41	35	30	11	1	-	14
	F..	456	17	10	11	3	5	15	10	17	18	14	6	6	6	8	13	10	18	18	29	55	75	62	22	5	1	2
	Nonwhite..M..	51	1	2	1	1	-	1	3	3	4	1	3	3	2	2	3	5	2	4	6	2	2	-	-	-	-	-
	F..	15	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	1	4	1	2	2	-	-	-	-	-
170	Motor-vehicle accidents.....	308	1	9	5	3	4	14	14	30	44	13	14	18	16	15	14	18	24	12	17	12	7	3	-	-	-	1
	White.....M..	217	-	2	3	3	3	7	10	20	33	12	10	16	12	14	8	11	16	10	12	9	4	2	-	-	-	-
	F..	79	1	6	2	-	1	6	4	9	10	1	4	2	4	1	6	4	6	1	3	3	3	1	-	-	-	1
	Nonwhite..M..	12	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	3	2	1	2	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,190	41	23	19	11	13	32	44	63	149	66	39	51	23	37	27	47	47	55	64	88	107	89	33	6	1	15
	White.....M..	759	23	18	9	7	9	22	35	53	138	52	34	43	19	28	17	37	34	31	33	32	31	28	11	1	-	14
	F..	377	16	4	9	3	4	9	6	8	8	13	2	4	2	7	7	6	12	17	26	52	72	61	22	5	1	1
	Nonwhite..M..	39	1	1	1	1	-	-	3	2	3	1	3	3	2	2	3	2	-	3	4	2	2	-	-	-	-	-
	F..	15	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	2	1	4	1	2	2	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	334	15	3	-	1	-	1	-	-	1	2	2	1	3	1	8	5	8	16	25	42	71	67	33	21	6	2
	White.....M..	158	9	1	-	-	-	1	-	-	-	2	2	-	3	-	4	4	6	9	13	20	35	25	14	7	2	1
	F..	158	6	1	-	1	-	-	-	-	1	-	-	1	-	1	4	1	1	6	8	21	34	38	18	12	3	1
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-
	F..	13	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	3	1	2	1	-
	All other causes.	2,001	310	25	18	14	4	23	24	26	38	34	36	48	63	71	76	97	100	137	186	213	218	158	59	20	2	1
	White.....M..	1,047	186	8	10	10	2	13	15	12	14	16	19	20	28	33	37	49	46	69	105	121	125	81	21	8	-	1
	F..	870	107	15	7	3	2	9	7	14	20	17	16	25	29	30	35	43	46	65	81	89	89	74	35	12	2	-
	Nonwhite..M..	41	10	2	1	-	-	1	-	-	3	-	1	-	2	3	2	1	4	1	2	3	2	1	2	-	-	-
	F..	43	7	-	-	1	-	-	2	-	1	1	-	3	4	5	2	4	4	2	-	-	2	2	3	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY																										
	All causes	29,051	3,280	371	181	100	81	285	265	497	615	640	715	880	944	1,184	1,529	1,758	2,198	2,820	3,271	2,986	2,442	1,392	463	102	25	27
	White	14,089	1,721	162	91	53	37	147	148	236	304	321	332	411	423	580	719	869	1,056	1,344	1,657	1,485	1,181	608	193	34	5	12
	F.	11,202	1,281	173	70	39	37	117	92	175	207	213	249	299	308	337	475	600	826	1,091	1,273	1,276	1,097	690	215	49	5	8
	Nonwhite	2,057	155	26	12	5	5	16	11	45	55	49	72	96	118	157	194	160	167	200	205	132	84	51	23	9	5	
	F.	1,703	123	10	8	5	4	5	14	41	49	57	62	74	95	110	141	129	149	185	156	113	80	43	32	10	6	2
1,2	Typhoid and paratyphoid fever	47	2	1	2	2	1	2	3	5	4	1	2	3	2	3	6	1	2	5	-	-	-	-	-	-	-	-
	White	25	2	1	2	-	1	1	1	3	1	-	1	2	2	1	3	-	1	3	-	-	-	-	-	-	-	-
	F.	15	-	-	-	2	-	1	-	2	3	-	1	1	-	2	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	88	8	-	8	3	1	11	7	12	3	7	7	3	2	3	3	5	2	2	1	-	-	-	-	-	-	-
	White	50	5	-	5	2	1	8	4	6	2	3	3	1	2	3	1	3	-	1	-	-	-	-	-	-	-	-
	F.	25	3	-	1	1	-	3	3	4	1	3	1	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-
	Nonwhite	5	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	8	-	-	1	-	-	-	-	-	-	1	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	14	2	1	2	1	1	2	1	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White	7	1	1	2	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	7	1	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	127	91	19	7	5	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	57	41	8	3	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	60	43	10	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	7	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	44	5	10	13	4	3	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	24	3	5	6	3	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	19	2	4	7	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)	1,785	28	17	4	6	3	15	16	110	172	156	169	169	109	140	114	110	94	127	122	63	30	7	3	-	-	1
	White	794	15	9	2	3	2	9	4	34	55	57	77	83	46	81	64	66	40	55	56	24	11	-	1	-	-	-
	F.	708	12	6	2	3	1	3	7	42	75	73	68	62	36	38	30	31	42	58	56	39	16	6	1	-	-	1
	Nonwhite	159	-	2	-	-	-	3	1	16	19	11	13	17	18	14	14	10	7	7	3	-	2	1	1	-	-	-
	F.	124	1	-	-	-	-	-	4	18	23	15	11	7	9	7	6	3	5	7	7	-	1	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	1,627	10	5	1	2	-	3	8	101	162	149	156	164	102	137	109	103	82	117	117	61	29	6	2	-	-	1
	White	727	4	4	1	1	-	2	1	32	53	55	70	81	43	81	61	61	37	51	54	23	11	-	1	-	-	-
	F.	643	6	-	-	1	-	-	4	40	73	69	63	59	33	35	28	30	35	54	53	38	15	5	1	-	-	1
	Nonwhite	145	-	1	-	-	-	1	1	15	14	11	13	17	17	14	14	9	6	6	3	-	2	1	-	-	-	-
	F.	112	-	-	-	-	-	-	2	14	22	14	10	7	9	7	6	3	4	6	7	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	158	18	12	3	4	3	12	8	9	10	7	13	5	7	3	5	7	12	10	5	2	1	1	1	-	-	-
	White	67	11	5	1	2	2	7	3	2	2	2	7	2	3	-	3	5	3	4	2	1	-	-	-	-	-	-
	F.	65	6	6	2	2	1	3	3	2	2	4	5	3	3	3	2	1	7	4	3	1	1	1	-	-	-	-
	Nonwhite	14	-	1	-	-	-	2	-	1	5	-	-	-	1	-	-	1	1	1	-	-	-	-	1	-	-	-	-
	F.	12	1	-	-	-	-	-	2	4	1	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery	163	92	27	3	2	1	-	1	1	1	1	1	3	-	-	1	-	-	8	4	7	8	1	1	-	-	-
	White	83	50	8	2	1	1	-	1	1	-	1	-	-	-	-	1	-	-	4	3	5	4	1	-	-	-	-
	F.	72	38	18	1	1	-	-	-	-	-	-	1	3	-	-	-	-	-	4	1	2	2	-	1	-	-	-
	Nonwhite	5	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F.	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
28	Malaria	11	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	1	-	1	-	1	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	7	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	1	-	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
30	Syphilis	295	14	3	-	-	-	-	1	5	9	10	17	30	31	24	33	29	28	26	12	13	7	1	2	-	-	-
	White	138	7	-	-	-	-	-	-	-	2	2	6	10	12	13	16	18	16	18	7	9	2	-	-	-	-	-
	F.	65	4	2	-	-	-	-	1	2	2	5	6	9	5	3	6	6	4	1	2	4	2	1	-	-	-	-
	Nonwhite	68	2	1	-	-	-	-	-	2	3	1	3	11	10	6	9	3	3	4	3	-	1	-	1	-	-	-
	F.	29	1	-	-	-	-	-	1	2	2	2	-	4	2	2	2	2	5	3	-	-	2	-	1	-	-	-
35	Measles	101	55	20	7	3	1	10	7	3	-	-	2	-	3	1	2	1	1	1	1	3	-	-	-	-	-	-
	White	41	20	9	1	-	-	4	4	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F.	54	11	11	6	3	-	5	3	2	-	-	2	-	3	1	2	-	1	1	1	2	-	-	-	-	-	-
	Nonwhite	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	15	1	3	1	-	1	4	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	7	-	1	1	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	6	-	2	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	2,605	2	2	3	2	2	7	3	8	14	22	45	71	124	170	231	288	334	377	357	267	164	86	22	2	1	1
	White	1,051	1	-	1	1	2	4	2	1	7	7	13	23	34	54	75	114	130	152	164	126	90	40	7	1	1	1
	F.	1,320	-	-	2	1	-	3	1	7	5	14	28	41	74	84	129	148	175	190	164	131	69	42	12	-	-	-
	Nonwhite	104	1	2	-	-	-	-	-	-	1	-	1	2	6	11	13	8	9	17	18	6	5	1	2	1	-	-
	F.	130	-	-	-	-	-	-	-	-	1	1	3	5	10	21	14	18	20	18	11	4	-	3	1	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																										
46	Cancer of digestive organs, peritoneum.....	1,191	1	-	1	-	1	-	-	2	-	6	13	20	38	57	93	141	169	188	186	148	65	46	14	4	1	1
	White.....M..	567	1	-	-	-	1	-	-	-	-	3	8	11	19	28	38	71	86	83	92	71	30	19	4	-	1	1
	F..	551	-	-	1	-	-	-	-	2	-	3	4	7	15	19	44	59	75	85	78	73	32	25	9	-	-	-
	Nonwhite..M..	59	-	-	-	-	-	-	-	-	-	-	1	1	3	6	9	3	6	12	12	2	3	-	1	-	-	-
	F..	34	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	8	2	8	4	2	-	2	-	-	-	-
48,49	Cancer of female genital organs.	404	-	-	-	-	-	-	-	-	2	7	20	26	39	38	47	49	51	50	36	21	11	7	-	-	-	-
	White.....F..	349	-	-	-	-	-	-	-	-	2	7	17	22	33	32	41	40	42	42	34	20	11	6	-	-	-	-
	Nonwhite..F..	55	-	-	-	-	-	-	-	-	-	-	3	4	6	6	6	9	9	8	2	1	-	1	-	-	-	-
50	Cancer of breast.	243	-	-	-	-	-	-	-	-	1	2	4	7	19	28	28	32	44	30	19	13	10	3	3	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-
	F..	211	-	-	-	-	-	-	-	-	1	1	4	7	16	22	22	30	38	29	16	11	10	3	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	27	-	-	-	-	-	-	-	-	-	1	-	-	2	6	5	1	6	1	3	1	-	-	1	-	-	-
45,47, 51-55	Cancer (other sites).....	767	1	2	2	2	1	7	3	6	11	7	8	18	28	47	63	66	70	109	116	85	78	30	5	2	-	-
	White.....M..	480	-	-	1	1	1	4	2	1	7	4	5	12	14	26	36	43	44	69	72	54	60	21	2	1	-	-
	F..	229	-	-	1	1	-	3	1	5	2	3	3	5	10	11	22	19	20	34	36	27	16	8	2	-	-	-
	Nonwhite..M..	44	1	2	-	-	-	-	-	-	1	-	-	1	3	5	4	4	3	5	6	4	2	1	1	1	-	-
	F..	14	-	-	-	-	-	-	-	-	1	-	-	-	1	5	1	-	3	1	2	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	27	-	-	1	-	-	7	4	2	2	2	1	-	-	-	-	2	1	-	4	-	1	-	-	-	-	-
	White.....M..	8	-	-	-	-	-	2	3	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F..	15	-	-	1	-	-	3	1	2	1	1	1	-	-	-	-	2	-	-	2	-	1	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	428	1	-	1	-	-	2	6	7	5	10	6	7	14	14	29	34	56	73	68	50	33	11	1	-	-	-
	White.....M..	181	1	-	-	-	-	1	2	4	2	6	3	6	7	1	6	17	18	24	40	26	12	5	-	-	-	-
	F..	202	-	-	1	-	-	1	1	3	2	2	2	1	5	10	14	12	32	40	26	23	20	6	1	-	-	-
	Nonwhite..M..	16	-	-	-	-	-	-	2	-	-	1	-	-	1	1	3	2	4	1	-	1	-	-	-	-	-	-
	F..	29	-	-	-	-	-	-	1	-	1	1	1	-	1	2	6	3	2	8	2	1	-	-	-	-	-	-
63b	Exophthalmic goiter.....	52	-	-	-	-	-	-	-	-	2	1	2	1	4	8	5	6	8	5	6	-	2	2	-	-	-	-
	White.....M..	7	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	1	-	-	-	-	1	-	-	-	-
	F..	41	-	-	-	-	-	-	-	-	1	1	2	1	3	6	1	6	6	5	6	-	2	1	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	37	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	7	5	11	5	2	1	-	-	-	-
	White.....M..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	3	-	-	-	-	-	-
	F..	23	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	5	2	7	2	2	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	23	-	-	-	-	-	-	-	-	-	4	2	3	1	6	3	-	2	1	1	-	-	-	-	-	-	-
	White.....M..	21	-	-	-	-	-	-	-	-	-	3	1	3	1	6	3	-	2	1	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin...	2,798	7	4	3	1	-	1	4	9	3	10	7	39	45	69	155	206	290	404	494	481	341	159	49	10	4	3
	White.....M..	1,327	4	1	3	1	-	-	1	5	1	4	3	13	14	27	63	82	142	199	264	229	168	76	20	4	1	2
	F..	1,140	3	2	-	-	-	1	1	3	1	5	2	10	14	26	59	84	108	154	187	220	155	77	23	2	2	1
	Nonwhite..M..	150	-	1	-	-	-	-	1	-	1	-	1	8	6	10	16	24	14	17	23	14	7	2	3	2	-	-
	F..	181	-	-	-	-	-	-	1	1	-	1	1	8	11	6	17	16	26	34	20	18	11	4	3	2	1	-
90-95	Diseases of the heart.....	7,149	9	2	3	2	2	11	16	28	37	47	91	136	179	289	439	512	760	948	1,130	1,052	874	427	120	23	5	7
	White.....M..	3,525	7	1	-	-	1	5	9	13	17	18	30	64	86	152	228	273	394	470	570	514	428	186	51	6	-	2
	F..	2,587	1	1	3	2	-	4	6	11	12	17	30	35	48	59	105	145	246	340	425	439	382	208	52	13	-	1
	Nonwhite..M..	565	1	-	-	-	-	1	-	1	5	1	15	15	24	47	59	53	66	84	75	51	31	23	5	3	3	2
	F..	472	-	-	-	-	1	1	1	3	3	11	16	22	21	31	47	41	52	54	60	48	33	10	12	1	2	2
90a, 92b,c, 95c, 95b	Chronic rheumatic diseases of the heart.....	481	-	-	-	-	-	6	6	10	14	9	18	16	15	31	29	37	42	51	54	50	58	27	4	3	1	-
	White.....M..	232	-	-	-	-	-	2	3	3	8	5	6	7	8	11	8	18	26	25	29	27	30	13	2	1	-	-
	F..	177	-	-	-	-	-	2	3	7	2	2	8	3	6	13	14	10	13	18	18	18	23	13	2	2	-	-
	Nonwhite..M..	33	-	-	-	-	-	1	-	-	1	-	2	3	-	5	5	5	1	5	2	-	1	1	-	-	1	-
	F..	39	-	-	-	-	-	1	-	-	3	2	2	3	1	2	2	4	2	3	5	5	4	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,882	2	-	1	-	-	-	-	2	5	12	33	59	72	117	156	182	254	246	285	205	166	72	13	1	1	-
	White.....M..	1,095	1	-	-	-	-	-	-	1	1	7	12	32	42	77	97	112	155	142	168	106	94	39	9	-	-	-
	F..	526	-	-	1	-	-	-	-	-	2	3	8	13	13	11	24	34	72	76	96	80	61	29	2	1	-	-
	Nonwhite..M..	163	1	-	-	-	-	-	-	-	2	-	6	5	15	22	18	24	17	22	12	10	7	2	1	-	1	-
	F..	98	-	-	-	-	-	-	/1	-	2	7	9	4	7	17	12	10	6	9	7	4	2	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c,	Diseases of heart (other forms)..	4,786	7	2	2	2	2	5	10	16	18	26	40	61	92	141	254	293	464	651	791	799	650	328	103	19	3	7
	White.....M..	2,198	6	1	-	-	1	3	6	9	8	6	12	25	36	64	123	143	213	303	373	381	304	134	40	5	-	2
	F..	1,884	1	1	2	2	-	2	3	4	8	12	14	19	29	55	67	101	163	246	311	341	298	166	48	10	-	1
	Nonwhite..M..	369	-	-	-	-	-	-	1	2	1	7	7	11	20	36	24	48	57	61	41	23	20	4	3	1	2	
	F..	335	-	-	-	-	1	-	1	2	-	7	7	10	16	22	28	25	40	45	46	36	25	8	11	1	2	2
107-109, 33	Pneumonia (all forms) and influenza.....	2,409	586	114	39	20	18	24	23	28	28	38	33	42	54	70	77	100	99	141	223	206	194	155	69	24	4	-
	White.....M..	1,139	300	50	20	15	4	14	9	14	10	20	15	15	26	37	32	53	44	67	94	103	95	67	26	8	1	-
	F..	943	215	50	14	5	12	9	12	8	8	10	10	20	10	16	16	21	38	64	100	87	87	81	36	13	1	-
	Nonwhite..M..	184	42	8	3	-	1	1	-	1	3	3	5	5	11	11	17	15	11	6	15	9	7	5	3	2	-	-
	F..	143	29	6	2	-	1	-	2	5	7	5	3	2	7	6	12	11	6	4	14	7	5	2	4	1	2	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place or residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																										
107	Bronchopneumonia.	832	309	53	19	11	11	8	2	3	7	10	8	10	12	12	18	23	23	34	53	63	61	51	20	10	1	-
	White.....M..	384	155	21	10	8	1	4	-	3	3	7	4	4	4	7	10	8	4	14	22	35	28	20	10	2	-	-
	F..	346	116	25	8	3	9	4	1	-	2	3	1	5	3	2	4	9	10	18	26	24	28	29	9	7	-	-
	Nonwhite..M..	64	26	2	1	-	-	-	-	-	1	-	2	-	3	2	3	3	7	2	2	2	4	2	1	1	-	-
	F..	38	12	5	-	-	1	-	1	-	1	-	1	1	2	1	1	3	2	-	3	2	1	-	-	-	1	-
108	Lobar pneumonia..	651	89	19	11	5	1	3	11	15	7	13	13	19	22	25	29	34	34	57	72	62	51	39	15	4	1	-
	White.....M..	315	41	12	7	4	-	2	5	7	2	5	5	7	15	14	12	16	17	30	35	29	25	17	6	2	-	-
	F..	241	39	7	1	1	1	1	6	5	2	4	5	10	1	4	7	7	11	22	27	26	24	21	6	2	1	-
	Nonwhite..M..	51	4	-	2	-	-	-	-	-	2	2	1	2	5	6	4	5	2	3	6	4	1	1	1	-	-	-
	F..	44	5	-	1	-	-	-	-	3	1	2	2	-	1	1	6	6	4	2	4	3	1	-	2	-	-	-
109	Pneumonia (unspecified).....	314	81	16	4	-	4	7	3	5	2	7	5	4	3	14	11	15	17	18	25	19	15	23	10	6	-	-
	White.....M..	168	47	7	1	-	2	4	1	2	1	4	3	1	2	10	3	11	6	14	8	12	10	13	4	2	-	-
	F..	105	27	6	3	-	1	2	1	1	-	2	1	3	-	3	1	1	10	4	12	7	3	9	6	2	-	-
	Nonwhite..M..	24	3	2	-	-	1	1	-	1	-	-	1	-	-	1	5	3	1	-	2	-	1	1	-	1	-	-
	F..	17	4	1	-	-	-	-	1	1	1	1	-	-	1	-	2	-	-	-	3	-	1	-	-	1	-	-
33	Influenza.....	612	107	26	5	4	2	6	7	5	12	8	7	9	17	19	19	28	25	32	73	62	67	42	24	4	2	-
	White.....M..	272	57	10	2	3	1	4	3	2	4	4	3	3	5	6	7	18	17	9	29	27	32	17	6	2	1	-
	F..	251	33	12	2	1	1	2	4	2	4	1	3	2	6	7	4	4	7	20	35	30	32	22	15	2	-	-
	Nonwhite..M..	45	9	4	-	-	-	-	-	-	-	1	1	3	3	2	5	4	1	1	5	3	1	1	1	-	-	-
	F..	44	8	-	1	-	-	-	-	1	4	2	-	1	3	4	3	2	-	2	4	2	2	2	2	-	1	-
117	Ulcer of stomach or duodenum....	164	-	-	-	-	-	1	-	-	2	7	14	14	11	17	22	17	20	10	17	10	-	2	-	-	-	-
	White.....M..	111	-	-	-	-	-	1	-	-	1	5	9	11	7	11	15	13	16	5	11	7	-	1	-	-	-	-
	F..	31	-	-	-	-	-	-	-	-	1	1	4	1	2	3	4	1	3	3	5	2	-	1	-	-	-	-
	Nonwhite..M..	14	-	-	-	-	-	-	-	-	-	1	-	1	2	3	4	1	-	1	1	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	1	-	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	478	347	46	17	3	1	3	1	3	-	-	2	2	4	3	1	3	2	5	14	7	9	4	1	-	-	-
	White.....M..	220	172	18	6	2	-	1	-	2	-	-	1	-	-	1	-	1	2	2	3	2	4	2	1	-	-	-
	F..	208	146	21	8	1	-	2	-	1	-	-	1	1	2	1	-	1	-	2	10	5	4	2	-	-	-	-
	Nonwhite..M..	24	12	4	3	-	-	-	1	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
	F..	26	17	3	-	-	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-
121	Appendicitis.....	201	-	2	1	2	2	17	17	18	8	15	7	14	18	15	16	11	13	9	6	7	1	1	-	-	-	1
	White.....M..	106	-	1	1	-	1	7	10	9	4	10	3	9	11	6	8	8	5	4	2	5	1	1	-	-	-	-
	F..	70	-	1	-	2	1	9	6	6	4	4	3	3	5	4	5	1	5	4	4	2	-	-	-	-	-	1
	Nonwhite..M..	15	-	-	-	-	-	1	-	2	-	1	1	-	-	4	3	1	1	1	-	-	-	-	-	-	-	-
	F..	10	-	-	-	-	-	-	1	1	-	-	-	2	2	1	-	1	2	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	200	12	1	-	1	-	2	2	-	6	5	5	12	11	8	15	18	13	28	20	21	11	7	2	-	-	-
	White.....M..	79	10	-	-	1	-	1	1	-	2	3	-	1	1	4	4	4	5	14	6	10	7	4	1	-	-	-
	F..	79	2	1	-	-	-	1	-	-	2	2	2	9	7	2	4	9	7	9	13	6	1	1	1	-	-	-
	Nonwhite..M..	18	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	4	-	2	1	3	2	1	-	-	-	-
	F..	24	-	-	-	-	-	-	1	-	2	-	1	2	3	1	5	1	1	3	-	2	1	1	-	-	-	-
124	Cirrhosis of the liver.....	178	-	-	1	-	-	-	-	2	-	2	6	9	8	16	22	17	21	28	19	20	5	1	1	-	-	-
	White.....M..	120	-	-	-	-	-	-	-	-	-	2	3	4	5	14	17	10	15	20	13	13	3	1	-	-	-	-
	F..	38	-	-	1	-	-	-	-	1	-	-	2	2	2	2	3	3	3	6	4	6	2	-	1	-	-	-
	Nonwhite..M..	17	-	-	-	-	-	-	-	1	-	-	1	3	1	-	2	2	3	2	1	1	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	111	-	-	-	-	-	-	1	-	-	4	6	2	9	9	11	16	13	15	11	8	3	2	1	-	-	-
	White.....M..	28	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	7	5	2	4	3	1	-	-	-	-	-	-
	F..	76	-	-	-	-	-	-	-	-	-	2	6	2	6	8	8	8	8	12	6	5	2	2	1	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
130-132	Nephritis.....	2,079	1	7	-	-	-	6	8	15	12	20	26	39	60	87	99	124	174	248	328	327	282	151	55	8	-	2
	White.....M..	946	1	4	-	-	-	2	3	5	5	8	11	12	23	28	40	46	74	114	167	164	130	79	27	3	-	-
	F..	731	-	3	-	-	-	4	4	7	6	9	10	16	18	30	34	42	57	75	105	116	121	52	19	2	-	1
	Nonwhite..M..	226	-	-	-	-	-	-	1	3	-	2	4	4	7	16	14	23	27	27	36	32	17	9	3	-	-	1
	F..	176	-	-	-	-	-	-	-	-	1	1	1	7	12	13	11	13	16	32	20	15	14	11	6	3	-	-
137	Diseases of the prostate.....	133	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	6	8	21	27	29	23	12	-	-	1	-
	White.....M..	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	7	17	26	25	22	10	-	-	1	-
	Nonwhite..M..	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	4	1	4	1	2	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	163	-	-	-	-	-	-	2	26	32	25	28	36	12	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	142	-	-	-	-	-	-	2	22	28	21	25	30	12	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	21	-	-	-	-	-	-	-	4	4	4	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	53	-	-	-	-	-	-	1	6	11	10	15	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	46	-	-	-	-	-	-	1	5	9	8	15	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	7	-	-	-	-	-	-	-	1	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	46	-	-	-	-	-	-	1	14	8	8	5	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	38	-	-	-	-	-	-	1	12	8	6	4	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	8	-	-	-	-	-	-	-	2	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	64	-	-	-	-	-	-	-	6	13	7	8	23	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	58	-	-	-	-	-	-	-	5	11	7	6	22	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	327	296	6	3	2	2	4	4	1	2	3	-	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	166	153	1	1	2	1	1	2	-	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	F..	147	129	5	2	-	1	3	2	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	KENTUCKY—Con.																										
159	Premature birth..	860	860	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	453	453	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	330	330	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	46	46	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	31	31	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	233	-	-	-	-	-	-	-	10	20	11	22	20	17	16	23	29	17	15	17	10	5	1	-	-	-
	White.....M..	169	-	-	-	-	-	-	-	4	13	10	16	13	12	11	17	24	14	9	15	7	4	-	-	-	-	-
	F..	55	-	-	-	-	-	-	-	6	7	-	4	6	4	4	6	5	3	5	2	2	-	1	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	1	-	-	1	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
165-168	Homicide.....	209	-	-	-	-	-	3	-	11	24	38	29	27	24	16	11	6	10	4	4	2	-	-	-	-	-
	White.....M..	119	-	-	-	-	-	2	-	6	15	25	12	13	12	11	4	4	8	3	3	1	-	-	-	-	-
	F..	14	-	-	-	-	-	1	-	1	1	1	1	2	2	-	1	1	1	1	1	-	-	-	-	-	-
	Nonwhite..M..	62	-	-	-	-	-	-	-	4	6	10	13	12	6	3	5	1	1	-	-	1	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	2	2	3	-	4	2	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,083	80	33	33	22	29	81	83	125	160	149	119	122	100	93	95	81	81	105	107	118	120	96	36	8	-	7
	White.....M..	1,327	42	17	17	11	15	40	65	91	123	116	99	101	79	72	68	56	56	62	51	52	35	32	21	1	-	7
	F..	560	33	12	9	8	13	35	17	22	23	16	12	11	7	5	8	14	18	27	48	62	81	60	12	7	-	-
	Nonwhite..M..	144	4	3	4	2	1	5	2	9	13	13	6	10	13	13	14	7	6	11	6	1	1	-	-	-	-	-
	F..	52	1	1	3	1	-	1	1	3	1	4	2	-	1	3	5	4	1	5	2	3	3	4	3	-	-	-
170	Motor-vehicle accidents.....	497	2	4	9	6	10	27	14	42	66	53	39	35	22	29	18	24	26	26	16	13	8	5	-	-	-	3
	White.....M..	359	-	2	4	4	7	15	12	30	46	42	33	28	13	22	11	18	17	22	9	9	7	5	-	-	-	3
	F..	91	2	2	3	2	2	9	2	12	13	10	5	2	3	2	2	3	6	2	5	4	-	-	-	-	-	-
	Nonwhite..M..	44	-	-	1	-	1	3	-	-	7	1	1	5	5	5	5	2	3	2	2	-	1	-	-	-	-	-
	F..	3	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,586	78	29	24	16	19	54	69	83	94	96	80	87	78	64	77	57	55	79	91	105	112	91	36	8	-	4
	White.....M..	968	42	15	13	7	8	25	51	61	77	74	66	73	66	50	57	38	39	40	42	43	28	27	21	1	-	4
	F..	469	31	10	6	6	11	26	15	10	10	6	7	9	4	3	6	11	12	25	43	58	81	60	12	7	-	-
	Nonwhite..M..	100	4	3	3	2	-	2	2	9	6	12	5	5	8	8	9	5	3	9	4	1	-	-	-	-	-	-
	F..	49	1	1	2	1	-	1	1	3	1	4	2	-	-	3	5	3	1	5	2	3	3	4	3	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	505	46	6	2	-	-	4	2	2	3	3	2	2	3	4	4	4	7	14	36	60	111	111	52	19	8	-
	White.....M..	209	20	4	1	-	-	1	1	1	2	1	1	1	3	3	3	2	2	6	12	29	49	42	19	6	-	-
	F..	245	26	2	-	-	-	2	1	1	1	1	1	-	-	1	-	2	4	6	15	25	58	59	28	10	2	-
	Nonwhite..M..	26	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	1	4	3	-	5	3	1	5	-
	F..	25	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	5	3	4	5	2	2	1	-
	All other causes.	2,909	755	47	27	19	12	53	50	62	64	52	59	72	95	104	99	125	136	193	231	217	216	153	48	8	2	5
	White.....M..	1,420	413	23	17	9	6	33	27	32	39	21	22	28	34	46	42	57	57	88	120	106	115	60	19	5	1	-
	F..	1,167	282	22	8	7	5	21	21	21	21	22	22	30	42	29	37	54	57	80	82	94	90	88	27	2	-	3
	Nonwhite..M..	159	35	2	1	-	1	2	1	4	2	3	3	6	10	15	10	4	11	12	16	7	7	2	2	-	1	2
	F..	163	25	-	1	3	-	2	1	5	2	6	12	8	9	14	10	10	11	13	13	10	4	3	-	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA																										
	All causes.....	24,007	2773	284	141	115	71	231	264	455	656	699	714	910	1156	1396	1,787	1,888	2,162	2,262	2,176	1,540	1123	672	280	119	53	100
	White.....M..	7,877	748	59	37	34	21	69	73	147	241	245	204	259	324	436	562	653	840	853	836	521	391	211	73	18	3	21
	F..	5,617	585	58	30	31	12	51	43	68	87	104	128	161	193	256	300	367	459	584	894	535	433	280	111	30	7	10
	Nonwhite..M..	5,482	774	95	42	23	16	67	62	117	163	156	184	242	308	384	489	460	460	455	357	251	158	89	39	31	20	40
	F..	5,031	686	72	32	27	22	44	86	123	185	194	198	248	311	320	436	408	403	370	289	233	141	92	57	42	23	29
1,2	Typhoid and paratyphoid fever..	41	-	-	-	1	1	-	5	9	7	3	1	2	2	3	2	1	1	1	1	1	-	-	-	-	-	-
	White.....M..	9	-	-	-	-	-	-	-	5	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	2	1	1	-	1	1	1	1	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	9	-	-	-	-	1	-	1	1	3	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	12	-	-	-	1	-	-	2	2	3	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	23	4	-	1	1	1	1	2	3	4	1	-	1	1	-	-	-	3	-	-	-	-	-	-	-	-	-
	White.....M..	11	1	-	-	1	-	1	1	1	2	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F..	5	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	1	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	116	77	21	5	4	3	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	20	17	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	22	15	4	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	36	18	10	3	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	38	27	6	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	29	5	4	7	3	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	9	-	2	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	2	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	3	2	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)....	1,290	12	10	1	1	1	9	14	59	133	146	122	132	132	115	110	88	79	59	42	13	6	3	-	-	-	3
	White.....M..	351	2	3	-	-	-	-	1	5	12	20	24	32	35	42	35	38	38	30	19	10	3	2	-	-	-	-
	F..	150	-	-	-	-	-	2	1	6	10	13	13	16	17	9	13	14	12	8	11	3	2	-	-	-	-	-
	Nonwhite..M..	450	7	5	1	-	-	4	4	18	56	48	45	46	50	50	42	28	17	15	10	-	1	1	-	-	-	2
	F..	339	5	2	-	1	1	3	8	30	55	65	40	38	30	14	20	8	12	6	2	-	-	-	-	-	-	1
13	Tuberculosis of respiratory system, etc.*	1,199	7	2	-	-	1	3	13	53	121	139	114	124	124	113	105	85	73	59	40	12	6	3	-	-	-	2
	White.....M..	339	1	-	-	-	-	-	1	3	10	19	23	31	35	42	35	38	37	30	19	10	3	2	-	-	-	-
	F..	138	-	-	-	-	-	-	1	6	8	13	10	14	16	9	13	14	12	8	10	2	2	-	-	-	-	-
	Nonwhite..M..	406	4	1	-	-	-	1	3	17	50	45	43	44	46	49	37	25	14	15	9	-	1	1	-	-	-	1
	F..	316	2	1	-	-	1	2	8	27	53	82	38	35	27	13	20	8	10	6	2	-	-	-	-	-	-	1
14-22	Tuberculosis (other forms)..	91	5	8	1	1	-	6	1	6	12	7	8	8	8	2	5	3	6	-	2	1	-	-	-	-	-	1
	White.....M..	12	1	3	-	-	-	-	-	2	2	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	2	-	-	2	-	3	2	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	44	3	4	1	-	-	3	1	1	6	3	2	2	4	1	5	3	3	-	1	-	-	-	-	-	-	1
	F..	23	1	1	-	1	-	1	-	3	2	3	2	3	3	1	-	-	2	-	-	-	-	-	-	-	-	-
27	Dysentery.....	43	9	5	4	-	-	1	-	-	-	-	2	-	2	2	-	2	2	5	3	1	3	2	-	-	-	-
	White.....M..	10	2	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	1	-	-	2	-	-	-	-	-
	F..	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-
	Nonwhite..M..	17	3	4	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	1	1	1	-	-	-	-	-
	F..	10	3	1	2	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
28	Malaria.....	37	9	-	2	-	-	2	3	-	1	-	1	3	2	1	1	4	1	2	2	1	2	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F..	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	10	3	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-
	F..	16	2	-	1	-	-	1	2	-	-	-	1	1	2	1	1	1	1	1	1	-	-	-	-	-	-	-
30	Syphilis.....	495	56	3	1	-	-	2	15	-	3	15	31	45	55	52	56	53	36	33	20	9	1	3	2	-	-	4
	White.....M..	101	5	-	-	-	-	1	-	-	-	1	4	9	7	8	12	14	15	11	9	2	-	3	-	-	-	-
	F..	24	3	-	-	-	-	-	1	-	-	-	4	2	4	1	2	3	-	1	3	-	-	-	-	-	-	-
	Nonwhite..M..	254	26	1	1	-	-	-	1	-	3	7	14	28	31	33	32	28	17	19	4	4	-	-	2	-	-	3
	F..	116	22	2	-	-	-	1	13	-	-	7	9	6	13	10	10	8	4	2	4	3	1	-	-	-	-	1
35	Measles.....	14	5	1	2	-	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	White.....M..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	9	3	-	1	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	8	-	-	1	-	-	1	1	2	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	5	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	2,173	1	1	3	2	2	3	2	12	17	24	44	73	141	198	235	287	295	293	248	150	98	40	12	3	-	9
	White.....M..	745	-	-	1	2	1	-	2	6	3	3	7	22	29	45	68	87	121	121	105	53	43	20	5	1	-	2
	F..	743	1	-	-	-	1	2	-	3	6	10	17	24	57	83	67	81	91	93	79	65	44	14	3	1	-	1
	Nonwhite..M..	302	-	-	-	-	-	1	-	2	1	4	2	3	17	32	42	44	39	38	45	17	7	5	1	1	-	3
	F..	383	-	1	2	-	-	-	-	1	7	7	18	24	38	38	58	55	44	41	25	15	4	1	3	-	-	3

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																										
46	Cancer of digestive organs, peritoneum	892	-	1	-	-	-	-	2	2	1	8	9	21	38	71	81	117	138	142	117	73	52	12	2	1	4
	White..M..	327	-	-	-	-	-	-	2	-	-	1	4	5	9	19	20	41	58	62	48	27	24	5	1	1	-	-
	F..	266	-	-	-	-	-	-	-	2	-	3	2	6	9	22	16	31	39	43	31	31	24	6	1	-	-	-
	Nonwhite..M..	165	-	-	-	-	-	-	-	-	-	2	-	3	8	20	26	28	22	19	25	7	1	1	-	-	-	3
	F..	134	-	1	-	-	-	-	-	-	1	2	3	7	12	10	19	17	19	18	13	8	3	-	-	-	-	1
48,49	Cancer of female genital organs	324	-	-	-	-	-	-	-	-	5	8	17	24	43	40	47	49	33	27	11	12	3	2	2	-	-	1
	White.....F..	182	-	-	-	-	-	-	-	-	2	3	6	10	23	28	22	26	21	18	7	11	3	2	-	-	-	-
	Nonwhite..F..	142	-	-	-	-	-	-	-	-	3	5	11	14	20	12	25	23	12	9	4	1	-	-	2	-	-	1
50	Cancer of breast	188	-	-	-	-	-	-	-	-	3	2	4	5	19	20	28	21	24	15	23	11	8	3	2	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
	F..	133	-	-	-	-	-	-	-	-	-	1	3	4	16	15	16	12	16	11	22	6	7	3	1	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	50	-	-	-	-	-	-	-	-	3	-	1	1	3	5	11	7	8	4	1	5	-	-	1	-	-	-
45,47, 51-55	Cancer (other sites)	769	1	-	3	2	2	3	-	10	8	6	14	23	41	67	79	80	100	109	97	54	35	23	6	2	-	4
	White.....M..	415	-	-	1	2	1	-	-	6	3	2	3	17	20	26	48	44	63	59	55	28	18	15	4	-	-	2
	F..	162	1	-	-	-	1	2	-	1	4	3	6	4	9	18	13	12	15	21	19	17	10	3	1	1	-	1
	Nonwhite..M..	135	-	-	-	-	-	1	-	2	1	1	2	-	9	12	15	16	17	19	18	10	6	4	1	1	-	-
	F..	57	-	-	2	-	-	-	-	1	-	-	3	2	3	11	3	8	5	10	5	1	1	1	-	-	-	1
58	Acute rheumatic fever	20	-	-	-	-	2	3	4	1	3	2	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	1
	White.....M..	8	-	-	-	-	1	1	2	-	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	4	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
61	Diabetes mellitus	420	-	-	-	-	-	-	2	2	4	6	10	12	12	30	41	44	56	57	64	47	23	7	-	-	1	2
	White.....M..	106	-	-	-	-	-	-	-	-	2	3	3	3	3	3	10	14	17	13	15	9	7	4	-	-	-	-
	F..	193	-	-	-	-	-	-	1	2	1	1	1	2	2	12	8	17	29	35	42	25	13	1	-	-	-	1
	Nonwhite..M..	30	-	-	-	-	-	-	-	-	1	-	1	3	2	5	5	3	2	1	1	5	1	-	-	-	-	-
	F..	91	-	-	-	-	-	-	1	-	-	2	5	4	5	10	18	10	8	8	6	8	2	2	-	-	1	1
65b	Exophthalmic goiter	37	-	-	-	-	-	-	-	-	1	-	3	1	3	4	2	4	3	4	-	1	-	1	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	2	2	2	-	1	-	1	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	1	-	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	51	-	-	-	-	-	-	1	1	1	-	-	1	4	4	3	2	2	7	8	8	5	1	2	1	-	-
	White.....M..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	4	4	4	-	1	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	1	-	3	-	1	-	-	-	-	-
	F..	25	-	-	-	-	-	-	-	-	1	-	-	1	3	1	2	2	1	6	1	4	-	1	1	1	-	-
77	Alcoholism (ethylism)	24	-	-	-	-	-	-	-	-	1	3	4	8	-	3	2	-	1	1	-	1	-	-	-	-	-	-
	White.....M..	20	-	-	-	-	-	-	-	-	1	1	3	7	-	3	2	-	1	1	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,858	4	2	-	-	-	3	2	3	7	14	24	39	90	121	197	208	249	282	239	178	117	50	28	9	4	8
	White.....M..	448	3	-	-	-	-	2	1	-	1	3	6	7	11	20	35	42	69	78	70	47	34	6	9	1	-	1
	F..	482	-	-	-	-	-	1	-	-	1	-	3	6	18	27	39	41	62	72	78	64	44	19	6	2	-	1
	Nonwhite..M..	413	-	2	-	-	-	-	-	4	2	2	7	11	25	26	43	59	58	58	42	33	21	13	2	1	2	2
	F..	515	1	-	-	-	-	-	1	1	3	7	8	15	36	48	80	66	60	54	51	34	18	12	9	5	2	4
90-95	Diseases of the heart	6,269	5	-	1	5	1	9	18	27	39	58	84	142	260	394	571	647	808	851	852	642	412	270	88	38	21	28
	White.....M..	2,375	2	-	1	2	1	4	4	6	9	17	18	42	101	140	205	256	334	352	357	236	150	94	27	8	3	6
	F..	1,498	2	-	-	1	-	1	4	2	7	7	9	19	31	47	81	99	155	213	267	220	160	119	35	10	3	6
	Nonwhite..M..	1,209	-	-	-	-	-	1	7	6	5	15	18	35	52	104	159	155	162	157	126	95	51	23	13	8	7	10
	F..	1,187	1	-	-	2	-	3	3	13	18	17	39	46	76	103	126	137	157	129	102	91	51	34	13	12	8	6
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	369	-	-	-	1	1	5	10	9	18	11	16	14	14	22	23	34	42	31	37	39	15	16	3	3	2	3
	White.....M..	87	-	-	-	-	1	2	2	1	3	3	3	2	3	4	8	8	8	3	13	8	6	6	1	1	-	1
	F..	58	-	-	-	-	-	-	2	1	3	2	3	4	3	4	2	3	4	3	7	8	4	4	1	-	-	-
	Nonwhite..M..	99	-	-	-	-	-	1	5	2	3	4	5	4	4	4	6	6	12	15	11	10	1	2	-	1	1	2
	F..	125	-	-	-	1	-	2	1	5	9	2	5	4	4	10	7	17	18	10	8	13	4	4	1	1	1	-
94	Diseases of coronary arteries, angina pectoris	1,324	-	-	-	-	-	-	-	-	3	11	20	30	80	115	153	174	196	193	164	77	55	34	6	6	3	4
	White.....M..	756	-	-	-	-	-	-	-	-	2	4	7	16	53	63	92	98	113	105	84	46	27	20	2	3	1	-
	F..	271	-	-	-	-	-	-	-	-	1	1	2	2	9	13	15	25	40	55	53	24	18	11	1	-	-	1
	Nonwhite..M..	173	-	-	-	-	-	-	-	-	-	2	4	6	8	19	30	30	23	18	17	5	4	1	2	1	1	2
	F..	144	-	-	-	-	-	-	-	-	-	4	7	6	10	20	16	21	20	15	10	2	6	2	1	2	1	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,576	5	-	1	4	-	4	8	18	18	34	48	98	166	257	395	459	570	627	651	526	342	220	79	29	16	21
	White.....M..	1,552	2	-	1	2	-	2	2	5	4	10	8	24	45	73	105	150	213	244	260	182	117	68	24	4	2	5
	F..	1,169	2	-	-	1	-	1	2	1	3	4	4	13	19	30	64	71	111	155	207	188	138	104	33	10	3	5
	Nonwhite..M..	937	-	-	-	-	-	-	2	4	2	9	9	25	40	81	125	119	127	124	98	80	46	20	11	6	5	6
	F..	918	1	-	-	1	-	1	2	8	9	11	27	38	62	73	103	99	119	104	88	76	41	28	11	9	6	5
107-109, 33	Pneumonia (all forms) and influenza	1,818	581	89	58	22	12	22	27	28	25	31	44	39	54	69	79	85	86	114	115	90	79	48	22	10	4	5
	White.....M..	477	127	20	12	5	4	4	2	6	7	7	12	8	14	21	18	24	27	40	42	29	30	10	7	2	-	1
	F..	398	93	18	8	4	1	3	5	3	3	7	5	5	7	12	15	16	18	29	46	31	37	24	9	1	-	-
	Nonwhite..M..	525	204	28	7	5	4	8	3	9	11	10	14	16	23	21	32	24	26	30	10	16	7	8	3	2	1	1
	F..	420	157	23	11	8	3	7	19	10	4	7	13	10	10	15	16	21	15	15	17	14	5	6	3	5	3	3

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																										
107	Bronchopneumonia.	798	336	51	25	13	6	11	9	8	8	9	11	9	18	25	27	20	34	36	40	32	41	18	6	-	2	3
	White.....M..	210	71	14	8	3	3	3	-	1	2	2	2	2	5	10	5	6	12	13	15	11	17	3	1	-	-	1
	F..	195	59	9	4	2	1	1	2	-	1	2	1	2	3	5	7	5	10	12	19	15	21	9	5	-	-	-
	Nonwhite..M..	212	112	18	5	2	2	2	2	4	5	3	7	1	7	7	9	4	6	5	2	4	1	4	-	-	1	1
	F..	181	94	12	8	6	-	5	5	3	-	2	1	4	3	3	6	5	6	6	4	2	2	2	-	-	1	1
108	Lobar pneumonia..	436	83	12	5	2	4	5	4	10	9	14	20	18	19	25	23	31	24	30	34	25	17	10	5	5	1	1
	White.....M..	119	19	2	2	-	1	1	1	3	3	5	4	4	7	6	6	10	5	8	11	8	9	2	2	-	-	-
	F..	88	16	2	2	1	-	1	-	1	-	2	4	1	2	3	2	4	6	8	14	8	6	5	-	-	-	-
	Nonwhite..M..	135	26	3	-	-	2	3	-	4	4	5	5	8	8	11	11	12	10	9	2	5	1	2	2	2	-	-
	F..	94	22	5	1	1	1	-	3	2	2	2	7	5	2	5	4	5	3	5	7	4	1	1	1	3	1	1
109	Pneumonia (unspecified).....	172	50	6	2	4	-	4	3	5	4	2	6	7	3	5	7	13	6	15	10	5	4	8	2	1	-	-
	White.....M..	48	11	-	2	1	-	-	-	1	2	-	3	2	-	2	2	5	2	5	4	1	2	2	-	1	-	-
	F..	34	4	2	-	1	-	-	-	1	-	-	-	1	1	1	1	5	1	5	2	3	1	4	1	-	-	-
	Nonwhite..M..	49	20	3	-	1	-	3	-	-	-	1	-	4	2	1	3	1	3	4	1	1	1	-	-	-	-	-
	F..	41	15	1	-	1	-	1	3	3	2	1	3	-	-	1	1	2	-	1	3	-	-	2	1	-	-	-
33	Influenza.....	412	112	20	6	3	2	2	11	5	4	6	7	5	14	14	22	21	22	33	31	28	17	12	9	4	1	1
	White.....M..	100	26	4	-	1	-	-	1	1	-	-	3	-	2	3	3	3	8	14	12	9	2	3	4	1	-	-
	F..	81	14	5	2	-	-	1	1	1	2	3	-	1	1	3	5	2	1	4	11	5	9	6	3	1	-	-
	Nonwhite..M..	127	46	6	2	2	-	1	1	1	2	1	2	3	6	2	9	7	7	12	5	6	4	2	1	-	-	-
	F..	104	26	5	2	-	2	1	8	2	-	2	2	1	5	6	5	9	6	3	3	8	2	1	1	2	1	1
117	Ulcer of stomach or duodenum....	101	-	-	-	1	-	-	-	-	1	6	5	9	8	13	17	10	7	12	5	3	3	-	-	-	-	1
	White.....M..	53	-	-	-	-	-	-	-	-	1	3	3	5	4	6	12	5	4	6	2	1	1	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	3	1	2	-	-	-	-	-
	Nonwhite..M..	27	-	-	-	1	-	-	-	-	-	3	1	3	4	5	2	5	-	2	-	-	-	-	-	-	-	1
	F..	10	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	2	3	-	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*....	235	151	30	8	2	2	2	1	1	1	-	2	2	8	2	1	6	-	3	2	2	4	2	3	-	-	-
	White.....M..	60	45	2	1	-	-	-	-	-	-	-	-	1	3	2	-	2	-	-	-	1	-	1	2	-	-	-
	F..	50	33	7	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	2	1	1	-	-	-
	Nonwhite..M..	67	40	13	4	-	-	-	1	1	1	-	1	1	1	-	-	2	-	1	1	-	-	-	-	-	-	-
	F..	58	33	8	2	1	2	2	-	-	-	-	-	-	3	-	1	2	-	1	1	-	2	-	-	-	-	-
121	Appendicitis.....	159	2	2	2	3	2	11	17	14	11	8	9	10	9	10	7	14	9	6	9	1	1	-	-	-	-	2
	White.....M..	50	1	2	-	2	-	2	4	3	1	2	3	3	4	3	4	6	1	4	4	-	1	-	-	-	-	-
	F..	43	-	-	2	1	2	3	5	7	1	1	2	2	-	1	-	7	5	1	3	-	-	-	-	-	-	-
	Nonwhite..M..	32	1	-	-	-	-	4	2	2	5	2	2	-	4	3	-	1	3	-	1	-	-	-	-	-	-	2
	F..	34	-	-	-	-	-	2	6	2	4	3	2	5	1	3	3	-	-	1	1	1	-	-	-	-	-	-
122	Hernia, intestinal obstruction	237	14	10	3	3	-	3	2	4	4	6	13	10	16	16	20	17	17	20	19	14	12	10	1	1	-	-
	White.....M..	76	7	4	-	1	-	2	-	3	1	1	1	1	2	5	4	6	8	4	9	8	4	4	1	-	-	-
	F..	56	1	1	-	-	-	-	2	-	2	-	4	3	4	3	2	5	4	8	6	2	3	5	-	1	-	-
	Nonwhite..M..	53	6	2	2	1	-	1	-	1	1	1	3	2	4	3	10	4	5	2	1	1	3	-	-	-	-	-
	F..	52	-	3	1	1	-	-	-	-	-	-	4	5	4	8	5	4	2	-	6	3	3	2	1	-	-	-
124	Cirrhosis of the liver.....	187	-	1	-	-	-	-	1	1	1	1	5	10	16	18	23	20	24	29	17	10	8	2	-	1	-	1
	White.....M..	99	-	-	-	-	-	-	-	-	1	1	2	7	9	9	12	7	12	22	7	5	4	1	-	-	-	-
	F..	41	-	1	-	-	-	-	1	1	-	-	1	2	4	5	3	3	3	6	5	3	3	-	-	-	-	-
	Nonwhite..M..	31	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	8	7	-	4	-	-	1	-	-	-	1
	F..	16	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	2	2	1	1	2	1	-	-	1	-	-
126,127	Biliary calculi, etc.*.....	71	-	-	-	-	-	-	-	-	1	2	3	6	3	9	9	6	8	7	8	5	2	2	-	-	-	-
	White.....M..	19	-	-	-	-	-	-	-	-	-	1	-	2	1	3	1	2	1	1	3	3	-	1	-	-	-	-
	F..	38	-	-	-	-	-	-	-	-	-	1	2	1	1	3	7	4	6	5	4	2	1	1	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	-	1	-	-	1	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	1	1	-	-	-	-	-	-	-
130-132	Nephritis.....	1,848	5	2	1	3	1	11	10	11	12	26	31	59	73	112	159	163	209	229	239	180	153	87	37	19	4	12
	White.....M..	506	3	-	-	1	-	1	2	1	4	9	6	4	14	23	40	48	76	53	88	53	50	22	5	1	-	2
	F..	427	2	2	-	2	-	4	5	2	-	2	3	8	15	18	21	28	28	59	84	54	49	35	19	6	-	1
	Nonwhite..M..	443	-	-	1	-	-	4	-	5	-	5	11	14	18	34	38	42	46	68	50	40	30	20	6	5	3	3
	F..	472	-	-	-	-	1	2	3	3	8	10	11	33	26	37	60	45	59	49	37	33	24	10	7	7	1	6
137	Diseases of the prostate.....	88	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	11	17	17	14	7	10	-	1	-	-
	White.....M..	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	8	11	11	6	7	-	-	-	-
	Nonwhite..M..	37	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	8	9	6	3	1	3	-	1	-	-
140-150	Diseases of pregnancy, etc.*..	199	-	-	-	-	-	-	2	35	44	43	29	38	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	97	-	-	-	-	-	-	-	7	20	24	16	25	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	102	-	-	-	-	-	-	2	28	24	19	13	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	71	-	-	-	-	-	-	-	12	21	14	11	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	34	-	-	-	-	-	-	-	1	9	7	8	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	37	-	-	-	-	-	-	-	11	12	7	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	62	-	-	-	-	-	-	2	15	12	12	6	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	26	-	-	-	-	-	-	-	4	6	5	2	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	36	-	-	-	-	-	-	2	11	6	7	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b, 143, 145B, 146, 149,150	Other puerperal causes.....	66	-	-	-	-	-	-	-	8	11	17	12	14	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	37	-	-	-	-	-	-	-	2	5	12	6	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	29	-	-	-	-	-	-	-	6	6	5	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	241	199	10	1	6	1	2	3	5	5	1	3	2	-	-	2	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	90	79	2	-	1	-	1	2	1	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F..	82	67	3	1	3	-	1	-	3	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	45	34	2	-	2	1	-	-	-	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	24	19	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

GENERAL TABLES—DEATHS FROM SELECTED CAUSES

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	LOUISIANA—Con.																										
159	Premature birth..	806	806	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	230	230	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	192	192	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	186	186	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	198	198	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	140	-	-	-	-	-	-	2	8	12	11	15	14	12	13	13	14	11	5	6	2	2	-	-	-	-
	White.....M..	91	-	-	-	-	-	-	1	5	8	6	12	10	5	8	8	9	6	5	4	2	2	-	-	-	-
	F..	27	-	-	-	-	-	-	-	2	3	3	3	1	5	3	2	3	2	-	-	-	-	-	-	-	-
	Nonwhite..M..	20	-	-	-	-	-	-	1	1	1	2	-	2	2	2	3	1	3	-	2	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	196	-	-	1	-	-	1	2	18	37	39	28	23	14	14	8	7	-	1	1	-	-	-	-	-	2
	White.....M..	37	-	-	1	-	-	-	-	2	6	5	5	3	4	3	2	5	-	1	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	3	-	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	119	-	-	-	-	-	-	1	9	22	23	17	17	9	10	6	2	-	-	1	-	-	-	-	-	2
	F..	31	-	-	-	-	-	1	1	4	9	9	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,763	74	52	27	27	24	74	88	157	195	164	115	112	71	75	75	57	77	65	79	45	41	37	18	5	1	10
	White.....M..	921	13	16	10	7	9	24	37	87	158	126	69	66	37	52	36	30	48	31	29	12	13	6	2	-	-	7
	F..	256	11	10	4	8	3	13	11	13	10	9	12	10	3	3	7	6	9	14	31	16	16	25	11	1	-	-
	Nonwhite..M..	401	26	11	11	5	3	27	29	48	27	24	23	31	27	19	22	9	19	7	13	7	5	1	2	1	1	3
	F..	185	24	15	2	7	9	10	11	9	2	5	11	5	4	1	10	12	3	13	6	8	7	5	3	3	-	-
170	Motor-vehicle accidents.....	452	4	5	4	4	6	18	16	47	48	42	32	35	25	29	24	14	28	14	20	6	7	1	-	-	-	3
	White.....M..	242	-	1	-	-	4	5	8	29	38	24	21	18	10	19	9	11	17	9	11	4	3	-	-	-	-	1
	F..	64	3	3	1	3	1	3	4	4	4	8	3	4	2	3	3	2	3	2	5	1	1	1	-	-	-	-
	Nonwhite..M..	110	1	-	3	-	1	7	4	11	6	9	6	11	12	7	11	-	8	3	4	1	3	-	-	-	-	2
	F..	16	-	1	-	1	-	3	-	3	-	-	1	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,331	70	47	23	23	18	56	72	110	147	122	83	77	46	46	51	43	49	51	59	37	34	36	18	5	1	7
	White.....M..	679	13	15	10	7	5	19	29	58	118	102	48	48	27	33	27	19	29	22	18	8	10	6	2	-	-	6
	F..	192	8	7	3	5	2	10	7	9	6	1	9	6	1	-	4	4	6	12	26	15	15	24	11	1	-	-
	Nonwhite..M..	291	25	11	8	5	2	20	25	37	21	15	17	20	15	12	11	9	11	4	9	6	2	1	2	1	1	1
	F..	189	24	14	2	6	9	7	11	8	2	4	9	3	3	1	9	11	3	13	6	8	7	5	3	3	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	558	110	5	4	1	3	-	4	4	4	3	7	12	14	18	16	27	31	36	41	33	62	45	36	24	12	6
	White.....M..	104	10	1	-	-	1	-	2	-	-	-	2	-	6	6	3	7	7	9	7	7	14	15	5	2	-	-
	F..	97	15	2	1	-	-	-	-	-	-	1	-	4	-	-	1	4	3	3	6	7	21	9	12	5	3	-
	Nonwhite..M..	198	49	1	2	1	1	-	1	1	1	1	2	4	4	7	7	8	14	16	14	13	15	10	8	9	5	4
	F..	159	36	1	1	-	1	-	1	3	3	1	3	4	4	5	5	8	7	8	14	6	12	11	11	8	4	2
	All other causes.	2,422	644	38	28	30	11	59	38	45	81	88	77	104	124	100	132	137	136	142	137	90	81	52	33	7	6	6
	White.....M..	784	201	6	7	10	2	21	12	14	25	32	21	24	33	30	49	48	50	60	56	29	26	15	10	1	-	2
	F..	603	138	10	8	9	3	18	6	8	18	22	28	28	12	25	27	31	28	32	39	38	31	25	14	3	1	-
	Nonwhite..M..	533	170	16	8	6	4	13	8	7	15	5	17	19	32	23	39	31	31	26	24	16	12	4	2	3	1	3
	F..	502	135	4	7	5	2	7	10	16	23	29	13	33	42	22	17	27	27	24	18	9	12	8	7	-	4	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE																										
	All causes	10,902	972	91	29	28	22	104	81	122	119	145	147	180	264	365	485	679	872	1,160	1,383	1,424	1,204	697	286	53	9	1
	White	5,819	576	45	14	19	11	58	48	76	67	75	74	109	149	224	299	381	501	662	749	749	586	321	104	19	2	1
	M	4,950	393	44	14	9	11	45	32	44	51	70	71	68	115	141	186	298	371	494	630	668	617	376	181	34	7	-
	F	23	1	1	1	-	-	1	1	1	1	-	1	1	-	-	-	-	-	3	4	5	1	-	1	-	-	-
	Nonwhite	10	2	1	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	1	-	2	-	-	-	-	-	-
	M																											
	F																											
1,2	Typhoid and paratyphoid fever	4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
6	Cerebrospinal (meningococcus) meningitis	50	9	8	3	4	1	4	1	1	2	1	-	2	2	2	5	1	2	2	-	-	-	-	-	-	-	-
	White	25	5	7	1	2	1	-	-	-	1	-	-	2	1	2	2	-	-	1	-	-	-	-	-	-	-	-
	M	25	4	1	2	2	-	4	1	1	1	1	-	-	1	-	3	1	2	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
8	Scarlet fever	4	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	3	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
9	Whooping cough	22	13	2	4	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	8	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	13	6	2	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
10	Diphtheria	6	-	-	-	-	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
13-22	Tuberculosis (all forms)	275	6	3	-	1	-	2	3	11	28	33	20	22	20	17	23	20	18	19	13	10	3	1	2	-	-	-
	White	152	2	2	-	1	-	2	2	3	15	9	8	14	14	11	18	10	13	14	9	3	-	1	1	-	-	-
	M	122	4	1	-	-	-	-	1	7	13	24	12	8	6	6	5	10	5	5	4	7	3	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
13	Tuberculosis of respiratory system, etc.*	241	5	1	-	1	-	1	3	8	25	31	18	19	17	15	22	15	16	18	12	9	3	1	1	-	-	-
	White	138	1	1	-	1	-	1	2	3	14	7	6	12	12	11	18	9	12	14	9	3	-	1	1	-	-	-
	M	102	4	-	-	-	-	-	1	4	11	24	12	7	5	4	4	6	4	4	3	6	3	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
14-22	Tuberculosis (other forms)	34	1	2	-	-	-	1	-	3	3	2	2	3	3	2	1	5	2	1	1	1	-	-	1	-	-	-
	White	14	1	1	-	-	-	1	-	-	1	2	2	2	2	-	-	1	1	-	-	-	-	-	1	-	-	-
	M	20	-	1	-	-	-	-	-	3	2	-	-	1	1	2	1	4	1	1	1	1	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
27	Dysentery	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
30	Syphilis	54	3	-	-	-	-	-	-	1	1	4	-	3	7	2	5	5	5	5	8	5	-	-	-	-	-	-
	White	43	1	-	-	-	-	-	-	1	-	3	-	2	6	2	3	5	4	4	7	5	-	-	-	-	-	-
	M	9	1	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	1	1	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
35	Measles	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
36	Poliomyelitis, polioencephalitis (acute)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																											
	F																											
45-55	Cancer and other malignant tumors	1,318	1	-	-	-	-	-	3	4	6	3	12	20	54	67	89	111	155	209	217	177	131	47	10	2	-	-
	White	580	1	-	-	-	-	-	2	-	1	1	7	6	13	26	38	50	60	98	101	88	60	22	5	1	-	-
	M	736	-	-	-	-	-	-	1	4	5	2	5	14	41	41	51	61	95	111	116	88	70	25	5	1	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	M																											
	F																											

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Continued																										
46	Cancer of digestive organs, peritoneum	653	-	-	-	-	-	-	-	-	1	1	2	5	19	24	45	53	78	106	121	97	76	20	4	1	-	-
	White	329	-	-	-	-	-	-	-	-	-	-	2	3	12	14	26	26	37	58	61	46	35	7	2	-	-	-
	F.	324	-	-	-	-	-	-	-	-	1	1	-	2	7	10	19	27	41	48	60	51	41	13	2	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	175	-	-	-	-	-	-	1	2	2	-	2	2	20	17	15	15	31	27	22	12	6	1	-	-	-	-
	White	175	-	-	-	-	-	-	1	2	2	-	2	2	20	17	15	15	31	27	22	12	6	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	129	-	-	-	-	-	-	-	-	-	1	1	8	12	8	11	14	10	19	17	11	11	4	2	-	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
	F.	126	-	-	-	-	-	-	-	-	-	1	1	8	12	8	11	13	10	19	16	11	11	3	2	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	361	1	-	-	-	-	-	2	2	3	1	7	5	3	18	18	29	36	57	57	57	38	22	4	1	-	-
	White	248	1	-	-	-	-	-	2	-	1	1	5	3	1	12	12	23	23	40	39	42	25	14	3	1	-	-
	F.	111	-	-	-	-	-	-	-	2	2	-	2	2	2	6	6	6	13	17	18	14	12	8	1	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	7	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	7	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	248	-	1	-	-	-	-	1	1	2	2	4	2	4	9	9	27	34	38	44	34	34	1	1	-	-	-
	White	115	-	1	-	-	-	-	-	1	2	1	1	1	1	4	4	10	14	19	18	16	19	-	1	-	-	-
	F.	133	-	-	-	-	-	-	1	-	-	1	3	1	3	5	5	17	20	17	26	18	15	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	7	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F.	6	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	15	-	-	-	-	-	-	-	-	-	-	1	1	1	2	7	1	2	-	-	-	-	-	-	-	-	-
	White	15	-	-	-	-	-	-	-	-	-	-	1	1	1	2	7	1	2	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin	1,140	3	-	1	1	-	2	2	2	-	3	4	2	11	32	45	64	90	143	193	236	167	102	32	4	1	-
	White	560	2	-	1	-	-	2	1	1	-	1	1	2	7	16	28	29	52	66	96	123	77	43	11	1	-	-
	F.	577	1	-	-	1	-	-	1	1	-	2	3	-	4	16	17	35	38	76	96	112	90	59	21	3	1	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
90-95	Diseases of the heart	3,190	2	-	1	-	-	3	3	3	11	12	14	25	44	90	152	240	303	459	498	550	457	253	95	11	4	-
	White	1,803	1	-	-	-	-	1	3	2	4	4	8	17	31	70	108	148	189	280	279	284	212	109	38	5	-	-
	F.	1,380	1	-	1	-	-	2	-	1	7	8	6	8	13	20	44	92	104	177	218	242	225	144	57	6	4	-
	Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	218	-	-	1	-	-	1	3	1	4	3	5	7	5	10	15	24	16	31	30	28	20	10	4	-	-	-
	White	114	-	-	-	-	-	1	3	-	2	2	4	3	1	6	8	9	10	22	16	11	12	3	2	-	-	-
	F.	104	-	-	1	-	-	1	-	1	2	1	1	4	4	4	7	15	6	9	14	17	8	7	2	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,136	-	-	-	-	-	1	-	-	-	1	4	8	23	48	70	116	157	202	185	157	108	39	15	1	1	-
	White	752	-	-	-	-	-	1	-	-	-	1	3	6	19	40	57	84	108	133	118	92	62	21	8	1	-	-
	F.	381	-	-	-	-	-	-	-	-	-	-	1	2	4	8	13	32	49	68	69	63	46	18	7	-	1	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,836	2	-	-	-	-	1	-	2	7	8	5	10	16	32	67	100	130	226	285	345	309	204	76	10	3	-
	White	937	1	-	-	-	-	-	-	2	2	1	1	8	11	24	43	55	81	125	147	181	138	85	28	4	-	-
	F.	895	1	-	-	-	-	1	-	-	5	7	4	2	5	8	24	45	49	100	135	162	171	119	48	6	3	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	699	184	24	8	4	6	8	2	9	7	5	4	18	18	18	18	46	35	39	62	69	62	49	24	4	-	-
	White	403	102	8	3	3	2	6	2	3	5	4	1	13	14	12	11	30	27	27	32	32	35	22	8	1	-	-
	F.	294	81	15	5	1	4	2	-	6	2	1	3	5	4	6	7	16	8	12	30	37	27	27	16	3	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Continued																										
107	Bronchopneumonia.	285	88	11	3	2	2	4	1	3	2	1	-	6	3	5	9	10	6	14	21	25	32	25	10	2	-	-
	White.....M..	165	54	4	1	2	-	3	1	1	2	1	-	5	3	4	5	7	5	8	14	10	18	12	4	1	-	-
	F..	118	33	6	2	-	2	1	-	2	-	-	-	1	-	1	4	3	1	6	7	15	14	13	6	1	-	-
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia..	223	28	7	1	1	4	1	1	5	1	3	2	6	13	7	6	22	19	14	23	29	15	11	4	-	-	-
	White.....M..	132	16	2	1	-	2	-	1	2	1	2	1	4	10	5	4	16	14	11	12	14	7	7	-	-	-	-
	F..	91	12	5	-	1	2	1	-	3	-	1	1	2	3	2	2	6	5	3	11	15	8	4	4	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	28	12	-	-	-	-	-	-	-	1	-	-	1	-	2	-	3	4	-	2	-	1	-	1	1	-	-
	White.....M..	22	9	-	-	-	-	-	-	-	1	-	-	1	-	2	-	2	4	-	1	-	1	-	1	-	-	-
	F..	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	163	36	6	2	1	-	3	-	1	3	1	2	3	2	4	3	11	6	11	16	15	14	13	9	1	-	-
	White.....M..	84	23	2	1	1	-	3	-	-	1	1	-	3	1	1	2	5	4	8	5	8	9	3	3	-	-	-
	F..	79	13	4	1	-	-	-	-	1	2	-	2	-	1	3	1	6	2	3	11	7	5	10	6	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	39	-	-	-	-	-	1	-	1	1	2	-	4	4	3	3	3	4	3	4	3	1	1	1	-	-	-
	White.....M..	32	-	-	-	-	-	-	-	1	1	2	-	2	4	2	3	3	3	3	4	3	-	1	-	-	-	-
	F..	7	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	1	-	-	-	1	-	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	92	72	5	-	3	-	-	-	1	-	1	-	1	-	1	1	1	1	1	2	-	1	-	1	-	-	-
	White.....M..	59	49	1	-	2	-	-	-	1	-	1	-	1	-	-	1	-	-	1	-	-	1	-	1	-	-	-
	F..	33	23	4	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	39	-	4	1	4	1	3	4	7	3	1	1	1	2	1	1	-	1	2	1	-	1	-	-	-	-	-
	White.....M..	26	-	3	1	2	1	2	3	6	1	1	-	1	2	1	-	-	1	-	1	-	-	-	-	-	-	-
	F..	13	-	1	-	2	-	1	1	1	2	-	1	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	88	5	1	-	1	1	-	1	1	1	3	-	2	1	5	7	5	9	4	15	7	9	9	-	1	-	-
	White.....M..	51	2	1	-	1	1	-	1	-	1	2	-	2	-	2	3	3	4	1	11	2	7	7	-	-	-	-
	F..	37	3	-	-	-	-	-	-	1	-	1	-	-	1	3	4	2	5	3	4	5	2	2	-	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	72	-	-	-	-	-	-	1	-	-	-	2	5	7	8	6	5	10	10	13	4	1	-	-	-	-	-
	White.....M..	42	-	-	-	-	-	-	1	-	-	-	1	4	3	6	6	3	8	2	5	2	1	-	-	-	-	-
	F..	30	-	-	-	-	-	-	-	-	-	-	1	1	4	2	-	2	2	8	8	2	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	51	-	-	-	-	-	-	-	-	-	1	-	3	6	2	2	3	8	7	8	5	3	3	-	-	-	-
	White.....M..	17	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	3	2	3	2	1	-	-	-	-
	F..	34	-	-	-	-	-	-	-	-	-	1	-	2	4	1	2	3	6	4	6	2	1	2	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	787	-	2	-	-	1	2	3	3	4	6	2	6	11	34	32	45	77	86	127	151	111	59	22	2	1	-
	White.....M..	423	-	-	-	-	-	1	3	1	4	4	1	3	3	13	17	25	44	52	70	82	54	35	8	2	1	-
	F..	360	-	2	-	-	1	1	-	2	-	2	1	3	8	21	15	20	33	33	56	68	57	24	13	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate.....	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	9	8	11	14	4	1	-	-	-
	White.....M..	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	9	8	11	14	4	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	42	-	-	-	-	-	-	1	6	7	7	17	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	42	-	-	-	-	-	-	1	6	7	7	17	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	20	-	-	-	-	-	-	1	3	3	3	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	20	-	-	-	-	-	-	1	3	3	3	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	11	-	-	-	-	-	-	-	3	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	11	-	-	-	-	-	-	-	3	1	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	11	-	-	-	-	-	-	-	-	3	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	11	-	-	-	-	-	-	-	-	3	2	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	137	123	5	-	-	-	3	1	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	72	67	1	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	65	56	4	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MAINE—Continued																										
159	Premature birth..	234	234	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	127	127	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	107	107	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	107	-	-	-	-	-	-	2	4	5	8	9	7	12	10	9	9	5	8	7	8	2	3	1	-	-
	White.....M..	81	-	-	-	-	-	-	1	4	3	4	4	5	11	7	7	5	4	8	6	6	2	3	1	-	-
	F..	25	-	-	-	-	-	-	1	-	2	2	4	2	1	3	2	4	1	-	1	2	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	14	1	-	-	-	-	-	-	-	1	3	3	2	-	1	2	1	-	-	-	-	-	-	-	-	-
	White.....M..	11	-	-	-	-	-	-	-	-	1	2	3	1	-	1	2	1	-	-	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	660	32	18	7	7	6	45	31	47	26	29	30	21	25	34	19	26	31	34	36	42	48	41	17	7	-	1
	White.....M..	461	22	14	5	5	4	30	19	39	23	27	28	19	20	31	18	22	26	28	23	19	18	17	3	2	-	1
	F..	197	10	4	4	2	2	15	12	7	3	2	2	1	5	3	1	4	5	6	13	23	30	24	14	5	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	118	-	1	2	2	2	14	3	17	6	13	4	6	6	6	8	7	4	4	5	6	2	-	-	-	-	-
	White.....M..	100	-	1	2	1	1	11	1	14	5	13	4	5	4	6	8	7	4	4	4	4	1	-	-	-	-	-
	F..	17	-	-	-	1	1	3	2	2	1	-	-	1	2	-	-	-	-	-	1	2	1	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	542	32	17	5	5	4	31	28	30	20	16	26	15	19	28	11	19	27	30	31	36	46	41	17	7	-	1
	White.....M..	381	22	13	1	4	3	19	18	25	18	14	24	14	16	25	10	15	22	24	19	15	17	17	3	2	-	1
	F..	180	10	4	4	1	1	12	10	5	2	2	2	-	3	3	1	4	5	6	12	21	29	24	14	5	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	258	13	3	1	-	1	2	1	2	-	-	-	1	4	4	6	8	13	12	21	18	52	47	34	13	2	-
	White.....M..	130	5	2	1	-	-	1	-	2	-	-	-	1	2	4	4	5	9	8	13	12	27	18	11	4	1	-
	F..	128	8	1	-	-	1	1	1	-	-	-	-	-	2	-	2	3	4	4	8	6	25	29	23	9	1	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	1,182	285	12	5	3	4	19	18	15	13	19	22	28	31	21	42	52	65	71	105	113	127	77	25	9	1	-
	White.....M..	619	178	5	3	3	2	10	8	9	5	7	10	10	14	11	18	25	27	38	64	58	57	38	15	3	-	-
	F..	557	106	7	2	-	2	9	9	6	8	12	11	16	17	10	24	26	38	33	40	55	70	39	10	6	1	-
	Nonwhite..M..	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND																											
	All causes	24,113	2,037	192	107	66	50	171	151	311	467	449	543	750	1,020	1,343	1,739	1,878	2,302	2,505	2,634	2,308	1,725	940	342	56	12	15
	White	10,318	822	69	43	23	20	65	61	122	154	144	203	286	400	600	802	867	1,087	1,181	1,190	974	724	357	108	7	4	5
	M.	8,464	606	55	29	22	15	58	35	51	117	117	101	166	248	353	436	554	764	924	1,095	1,124	851	508	194	35	3	3
	F.	2,920	323	32	17	12	7	24	26	70	105	106	123	163	198	214	293	262	250	227	195	123	78	44	16	4	2	6
	Nonwhite	2,411	286	36	18	9	8	24	29	68	91	82	116	135	174	176	208	195	201	173	154	87	72	31	24	10	3	1
1,2	Typhoid and paratyphoid fever	6	-	-	-	-	-	1	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White	4	-	-	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	M.	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	96	14	10	8	5	3	7	4	7	5	2	5	2	4	6	5	2	1	3	1	1	1	-	-	-	-	-
	White	46	7	4	3	2	-	4	-	3	4	1	3	1	4	5	3	1	-	-	-	1	-	-	-	-	-	-
	M.	27	3	3	3	3	2	1	2	1	1	-	-	-	-	-	2	1	1	3	1	-	-	-	-	-	-	-
	F.	16	2	2	1	-	-	2	1	3	-	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite	7	2	1	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	59	42	10	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	14	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	21	16	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	11	9	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	13	9	1	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
10	Diphtheria	9	-	-	3	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	6	-	-	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
13-22	Tuberculosis (all forms)	1,277	16	11	5	6	-	10	13	73	125	113	123	129	126	120	99	94	83	60	36	19	10	2	3	1	-	-
	White	462	2	3	1	-	-	2	-	5	14	24	32	38	57	54	55	53	48	35	23	10	3	2	1	-	-	-
	M.	213	3	1	1	1	-	1	1	3	24	31	15	25	20	16	11	12	12	11	11	7	5	-	1	1	-	-
	F.	377	8	2	2	5	-	6	3	28	44	34	40	44	40	35	27	22	19	13	2	1	1	-	1	-	-	-
	Nonwhite	225	3	5	1	-	-	1	9	37	43	24	36	22	9	15	6	7	4	1	-	1	1	-	-	-	-	-
	M.																											
	F.																											
13	Tuberculosis of respiratory system, etc.*	1,188	10	4	3	3	-	6	8	72	113	107	120	125	121	112	97	88	79	57	32	17	8	2	3	1	-	-
	White	445	1	2	1	-	-	-	-	5	13	24	32	38	55	54	54	52	45	34	20	10	2	2	1	-	-	-
	M.	197	3	-	-	1	-	1	1	3	23	29	15	24	18	15	10	11	12	10	10	5	4	-	1	1	-	-
	F.	345	4	2	1	2	-	5	2	27	37	32	38	43	40	31	27	18	19	12	2	1	1	-	1	-	-	-
	Nonwhite	201	2	-	1	-	-	-	5	37	40	22	35	20	8	12	6	7	3	1	-	1	1	-	-	-	-	-
	M.																											
	F.																											
14-22	Tuberculosis (other forms)	89	6	7	2	3	-	4	5	1	12	6	3	4	5	8	2	6	4	3	4	2	2	-	-	-	-	-
	White	17	1	1	-	-	-	2	-	-	1	-	-	-	2	-	1	1	3	1	3	-	1	-	-	-	-	-
	M.	16	-	1	1	-	-	-	-	-	1	2	-	1	2	1	1	1	-	1	1	2	1	-	-	-	-	-
	F.	32	4	-	1	3	-	1	1	1	7	2	2	1	-	4	-	4	-	1	-	-	-	-	-	-	-	-
	Nonwhite	24	1	5	-	-	-	1	4	-	3	2	1	2	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
27	Dysentery	25	15	2	2	1	-	1	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
	White	10	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M.	5	-	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	8	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
28	Malaria	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
30	Syphilis	326	15	-	-	-	-	-	-	3	4	9	12	24	42	50	40	40	38	27	8	8	5	1	-	-	-	-
	White	115	-	-	-	-	-	-	-	-	-	-	2	5	11	19	13	24	22	9	4	6	-	-	-	-	-	-
	M.	36	4	-	-	-	-	-	-	1	-	2	1	3	4	3	2	1	4	4	2	2	3	-	-	-	-	-
	F.	124	6	-	-	-	-	-	-	2	1	2	7	11	22	20	18	12	11	9	1	-	2	-	-	-	-	-
	Nonwhite	51	5	-	-	-	-	-	-	-	3	5	2	5	5	8	7	3	1	5	1	-	-	1	-	-	-	-
	M.																											
	F.																											
35	Measles	6	2	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	4	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
36	Poliomyelitis, poliencephalitis (acute)	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
45-55	Cancer and other malignant tumors	2,606	2	2	1	2	5	11	7	9	14	11	33	62	129	187	262	294	364	375	348	266	153	51	16	1	-	1
	White	1,077	1	-	-	2	4	7	4	3	6	5	8	25	34	64	90	113	152	172	163	126	64	28	6	-	-	-
	M.	1,207	-	2	1	-	-	2	2	6	6	5	15	25	63	97	126	133	156	169	158	128	81	22	9	1	-	-
	F.	146	1	-	-	-	1	1	-	-	-	-	2	5	9	6	21	19	25	21	20	9	4	1	-	-	-	1
	Nonwhite	176	-	-	-	-	-	1	1	-	2	1	8	7	23	20	25	29	31	13	7	3	4	-	1	-	-	-
	M.																											
	F.																											

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Con.																										
46	Cancer of digestive organs, peritoneum	1,136	-	-	-	-	3	1	-	2	2	1	9	10	45	63	94	135	165	173	185	137	76	28	5	1	1
	White..M.	524	-	-	-	-	2	-	-	1	-	-	5	6	19	29	43	55	76	84	93	65	32	13	1	-	-
	F.	485	-	-	-	-	-	-	-	1	2	1	3	2	20	27	32	53	65	77	79	65	38	15	4	1	-	-
	Nonwhite..M.	76	-	-	-	-	1	1	-	-	-	-	1	1	3	5	12	13	11	7	11	6	3	-	-	-	-	1
	F.	51	-	-	-	-	-	-	-	-	-	-	-	1	3	2	7	14	13	5	2	1	3	-	-	-	-	-
48,49	Cancer of female genital organs	351	-	-	-	-	-	-	1	1	3	2	9	15	34	40	53	43	51	37	28	20	11	2	1	-	-
	White.....F.	284	-	-	-	-	-	-	1	1	1	1	4	12	22	29	45	35	40	34	26	19	11	2	1	-	-
	Nonwhite..F.	67	-	-	-	-	-	-	-	-	2	1	5	3	12	11	8	8	11	3	2	1	-	-	-	-	-
50	Cancer of breast	285	-	-	-	-	-	-	-	-	-	-	8	10	19	30	33	30	37	38	36	27	13	3	1	-	-
	White.....M.	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	1	-	-	-	-
	F.	245	-	-	-	-	-	-	-	-	-	-	7	8	11	27	26	25	30	34	35	27	12	3	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	35	-	-	-	-	-	-	-	-	-	-	1	2	7	3	7	5	6	2	1	-	-	-	1	-	-
45,47, 51-55	Cancer (other sites)	834	2	2	1	2	2	10	6	6	9	8	7	27	31	54	82	86	111	127	99	82	53	18	9	-	-
	White.....M.	548	1	-	-	2	2	7	4	2	6	5	3	19	14	35	47	58	75	86	70	61	31	15	5	-	-
	F.	193	-	2	1	-	-	2	1	4	3	3	1	3	10	14	23	20	21	24	18	17	20	2	4	-	-
	Nonwhite..M.	70	1	-	-	-	-	-	-	-	-	-	1	4	6	1	9	6	14	14	9	3	1	1	-	-	-
	F.	23	-	-	-	-	-	1	1	-	-	-	2	1	1	4	3	2	1	3	2	1	1	-	-	-	-
58	Acute rheumatic fever	26	-	-	1	-	1	4	4	8	-	1	1	2	2	1	-	-	-	1	-	-	-	-	-	-	-
	White.....M.	8	-	-	-	-	-	2	2	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F.	11	-	-	-	-	-	2	2	3	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	3	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	4	-	-	1	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	633	-	-	-	-	-	1	-	3	5	4	3	10	19	27	52	64	129	101	107	66	29	12	1	-	-
	White.....M.	169	-	-	-	-	-	1	-	1	2	3	-	3	5	7	13	13	31	33	35	14	6	1	1	-	-
	F.	366	-	-	-	-	-	-	-	1	2	1	-	3	7	14	25	34	80	57	65	47	20	10	-	-	-
	Nonwhite..M.	23	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	2	4	3	3	4	-	-	-	-	-
	F.	75	-	-	-	-	-	-	-	1	1	-	3	3	5	5	11	15	14	8	4	1	3	1	-	-	-	-
63b	Exophthalmic goiter	36	-	-	-	-	-	-	-	-	-	-	3	3	-	2	3	6	-	7	6	3	1	1	1	-	-	-
	White.....M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-
	F.	31	-	-	-	-	-	-	-	-	-	-	3	3	-	1	3	5	-	5	6	2	1	1	1	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	49	-	-	-	-	7	1	-	-	1	1	3	7	9	12	6	3	5	1	-	-	-	-	-	-	-	-
	White.....M.	28	-	-	-	-	-	-	-	-	1	-	2	3	5	8	4	2	3	-	-	-	-	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M.	14	-	-	-	-	-	1	-	-	-	1	1	1	3	3	2	1	1	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,905	6	1	2	-	-	-	1	-	4	9	8	20	42	83	122	166	207	268	309	291	201	130	29	6	-	-
	White.....M.	703	2	1	1	-	-	-	-	-	-	3	4	1	12	19	39	46	69	95	129	130	86	57	8	1	-	-
	F.	814	3	-	1	-	-	-	1	-	3	2	1	6	8	32	42	57	80	112	142	141	96	65	20	2	-	-
	Nonwhite..M.	170	1	-	-	-	-	-	-	-	1	-	1	4	6	15	21	29	28	31	15	7	5	5	-	1	-	-
	F.	218	-	-	-	-	-	-	-	-	-	4	2	9	16	17	20	34	30	30	23	13	14	3	1	2	-	-
90-95	Diseases of the heart	7,357	4	3	1	-	1	8	11	19	31	42	76	144	233	357	595	699	841	930	1,079	952	738	405	155	21	9	3
	White.....M.	3,468	2	1	-	-	-	4	6	7	3	14	32	68	104	189	324	381	449	491	481	400	315	143	48	2	4	-
	F.	2,682	-	2	-	-	-	1	-	8	14	10	15	29	50	77	113	177	236	321	454	461	370	234	91	15	2	2
	Nonwhite..M.	656	1	-	1	-	-	1	3	1	5	9	15	21	37	47	91	87	80	68	78	54	33	16	6	-	2	-
	F.	551	1	-	-	-	1	2	2	3	9	9	14	26	42	44	67	54	76	50	66	37	20	12	10	4	1	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	429	-	1	-	-	1	5	8	15	11	16	28	32	22	40	38	39	35	30	27	40	24	13	4	-	-	-
	White.....M.	181	-	1	-	-	-	1	4	4	-	7	15	17	6	18	16	19	15	17	14	15	7	4	1	-	-	-
	F.	155	-	-	-	-	-	1	-	7	4	5	7	8	10	15	13	16	15	6	11	20	9	6	2	-	-	-
	Nonwhite..M.	46	-	-	-	-	-	1	3	1	3	1	3	4	3	1	6	2	2	5	1	4	4	2	-	-	-	-
	F.	47	-	-	-	-	1	2	1	3	4	3	3	3	3	6	3	2	3	2	1	1	4	1	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,906	-	-	-	-	-	1	-	-	4	5	11	43	87	152	225	266	273	266	243	169	107	43	9	2	-	-
	White.....M.	1,246	-	-	-	-	-	1	-	-	-	1	8	34	60	105	169	187	194	181	136	82	59	23	6	-	-	-
	F.	488	-	-	-	-	-	-	-	-	1	1	1	4	8	25	29	48	54	77	99	79	40	19	2	1	-	-
	Nonwhite..M.	108	-	-	-	-	-	-	-	-	2	2	2	3	11	13	17	22	14	6	5	5	5	-	1	-	-	-
	F.	64	-	-	-	-	-	-	-	-	1	1	-	2	8	9	10	9	11	2	3	3	3	1	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	5,022	4	2	1	-	-	2	3	4	16	21	37	69	124	165	332	394	533	634	809	743	607	349	142	19	9	3
	White.....M.	2,041	2	-	-	-	-	2	2	3	3	6	9	17	38	66	139	175	240	293	331	303	249	116	41	2	4	-
	F.	2,039	-	2	-	-	-	-	-	1	9	4	7	17	32	37	71	113	167	238	344	362	321	209	87	14	2	2
	Nonwhite..M.	502	1	-	1	-	-	-	-	-	-	6	10	14	23	33	68	63	64	57	72	45	24	14	5	-	2	-
	F.	440	1	-	-	-	-	-	1	-	4	5	11	21	31	29	54	43	62	46	62	33	13	10	9	3	1	1
107-109, 33	Pneumonia (all forms) and influenza	1,547	309	61	14	10	6	17	6	15	35	29	40	59	67	94	101	87	76	105	121	108	88	62	24	11	-	2
	White.....M.	575	98	22	3	4	3	3	2	4	10	7	13	20	26	35	42	36	37	50	60	35	29	21	10	2	-	1
	F.	458	84	14	7	4	2	9	3	4	10	2	7	9	8	12	17	18	18	30	39	56	50	35	12	7	-	1
	Nonwhite..M.	275	53	13	2	-	-	1	-	4	8	11	10	18	21	31	28	20	13	11	15	10	4	2	-	-	-	-
	F.	241	74	12	2	2	1	4	1	3	7	9	10	12	12	16	14	13	8	14	7	7	5	4	2	2	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Con.																										
107	Bronchopneumonia.	589	196	32	7	6	3	8	4	2	10	8	5	16	13	16	19	26	21	32	42	36	38	31	13	4	-	1
	White.....M..	215	56	11	1	2	1	2	2	-	2	2	2	7	6	7	9	11	11	16	21	11	16	13	5	1	-	-
	F..	188	52	11	3	2	1	4	1	1	6	-	2	6	2	4	2	6	5	10	11	17	17	14	7	3	-	1
	Nonwhite..M..	79	34	5	1	-	-	-	-	-	1	1	1	1	3	3	4	5	3	3	7	4	2	1	-	-	-	-
	F..	107	54	5	2	2	1	2	1	1	1	5	-	2	2	2	4	4	2	3	3	4	3	3	1	-	-	-
108	Lobar pneumonia..	670	60	18	1	4	1	3	1	9	19	17	28	33	44	66	61	49	39	53	57	46	34	16	7	3	-	1
	White.....M..	248	15	6	-	2	1	-	-	3	5	3	8	8	17	25	25	20	18	24	31	16	11	6	2	1	-	1
	F..	168	19	2	1	2	-	2	1	1	3	2	3	1	5	3	12	9	11	14	17	24	20	10	4	2	-	-
	Nonwhite..M..	158	15	5	-	-	-	1	-	3	5	8	9	15	15	25	18	14	6	8	6	4	1	-	-	-	-	-
	F..	96	11	5	-	-	-	-	-	2	6	4	8	9	7	13	6	6	4	7	3	2	2	-	1	-	-	-
109	Pneumonia (unspecified).....	96	33	4	-	-	1	5	-	3	3	1	1	5	2	3	4	2	2	9	8	4	3	5	-	-	-	-
	White.....M..	46	17	1	-	-	1	-	-	1	1	-	-	3	1	2	3	1	2	6	4	2	-	1	-	-	-	-
	F..	27	6	1	-	-	-	3	-	1	1	-	-	2	-	-	-	-	-	3	4	2	3	1	-	-	-	-
	Nonwhite..M..	10	3	2	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	13	7	-	-	-	-	2	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-
33	Influenza.....	192	20	7	6	-	1	1	1	1	3	3	6	5	8	9	17	10	14	11	14	22	13	12	4	4	-	-
	White.....M..	64	10	4	2	-	-	1	-	-	2	2	3	2	2	1	5	4	6	4	4	6	2	1	3	-	-	-
	F..	75	7	-	3	-	1	-	1	1	-	-	2	-	1	5	3	3	2	3	7	13	10	10	1	2	-	-
	Nonwhite..M..	28	1	1	1	-	-	-	-	-	1	1	-	2	3	2	5	1	4	-	2	2	1	1	-	-	-	-
	F..	25	2	2	-	-	-	-	-	-	-	-	1	1	2	1	4	2	2	4	1	1	-	-	-	2	-	-
117	Ulcer of stomach or duodenum....	128	1	-	-	-	-	-	-	-	-	5	2	9	10	13	21	18	20	10	10	5	4	-	-	-	-	-
	White.....M..	97	-	-	-	-	-	-	-	-	-	2	-	4	8	12	16	15	14	10	8	4	4	-	-	-	-	-
	F..	12	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	5	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	16	-	-	-	-	-	-	-	-	-	3	2	4	-	1	4	1	1	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	292	237	14	5	1	-	2	1	-	1	1	-	1	4	4	2	6	4	3	2	1	1	1	1	-	-	-
	White.....M..	100	83	5	1	-	-	1	-	-	-	-	-	-	1	2	1	2	1	1	1	-	-	-	1	-	-	-
	F..	91	67	3	2	-	-	1	1	-	1	-	-	1	2	2	1	2	2	2	1	1	1	1	-	-	-	-
	Nonwhite..M..	57	48	4	1	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	44	39	2	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	85	2	-	3	-	2	3	7	4	3	5	5	5	8	7	8	5	6	5	3	1	1	2	-	-	-	-
	White.....M..	41	1	-	1	-	1	1	2	2	2	2	3	4	4	3	7	1	2	3	1	-	-	1	-	-	-	-
	F..	30	-	-	1	-	-	2	4	-	1	2	2	-	3	1	-	3	4	2	2	1	1	1	-	-	-	-
	Nonwhite..M..	10	1	-	1	-	1	-	-	-	-	1	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	180	11	2	3	-	-	1	1	4	1	2	2	8	9	11	17	19	20	26	15	9	10	5	4	-	-	-
	White.....M..	79	7	-	1	-	-	1	1	2	-	-	-	4	1	5	7	8	12	14	7	3	2	2	2	-	-	-
	F..	63	2	-	1	-	-	-	-	-	1	1	-	2	4	5	3	6	8	9	6	6	6	2	1	-	-	-
	Nonwhite..M..	26	2	1	1	-	-	-	-	1	-	-	2	1	1	-	5	4	-	2	2	-	2	1	1	-	-	-
	F..	12	-	1	-	-	-	-	-	1	-	1	-	1	3	1	2	1	-	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	184	-	-	-	-	-	-	-	1	-	2	8	13	17	27	21	20	23	20	15	9	7	1	-	-	-	-
	White.....M..	111	-	-	-	-	-	-	-	-	-	-	2	8	9	20	15	11	17	12	11	3	3	-	-	-	-	-
	F..	58	-	-	-	-	-	-	-	-	-	1	5	4	3	4	5	8	5	8	4	6	4	1	-	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	1	1	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	75	-	-	-	-	-	-	-	-	1	-	-	2	5	10	9	8	6	12	6	12	3	1	-	-	-	-
	White.....M..	28	-	-	-	-	-	-	-	-	-	-	-	-	1	6	4	2	3	4	3	4	1	-	-	-	-	-
	F..	41	-	-	-	-	-	-	-	-	1	-	-	-	3	2	5	6	3	8	3	7	2	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	-	-	1	-	-	-	-	-	-
130-132	Nephritis.....	2,246	5	1	1	-	-	2	5	6	13	11	26	46	68	105	167	169	242	293	340	516	248	127	49	4	1	1
	White.....M..	867	5	1	1	-	-	-	1	3	5	2	10	7	20	33	57	65	110	112	143	130	100	49	12	1	-	-
	F..	786	-	-	-	-	-	1	4	2	3	4	4	10	11	27	28	46	74	103	124	144	111	63	25	2	-	-
	Nonwhite..M..	276	-	-	-	-	-	-	-	-	1	1	4	8	8	16	36	31	35	41	34	26	19	8	6	1	-	1
	F..	317	-	-	-	-	-	1	-	1	4	4	8	21	29	29	46	27	23	37	39	16	18	7	6	-	1	-
137	Diseases of the prostate.....	90	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	6	20	19	14	11	6	2	-	-	1
	White.....M..	74	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	19	15	13	11	5	2	-	-	1
	Nonwhite..M..	16	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	3	2	1	4	1	-	1	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	85	-	-	-	-	-	-	2	10	16	22	14	16	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	57	-	-	-	-	-	-	-	2	12	19	9	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	28	-	-	-	-	-	-	2	8	4	3	5	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	32	-	-	-	-	-	-	-	4	7	9	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	23	-	-	-	-	-	-	-	1	5	9	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	3	2	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	15	-	-	-	-	-	-	2	4	2	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	9	-	-	-	-	-	-	-	1	1	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	38	-	-	-	-	-	-	-	2	7	10	7	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	25	-	-	-	-	-	-	-	-	6	7	5	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	13	-	-	-	-	-	-	-	2	1	3	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	268	225	10	4	4	1	4	1	3	3	2	4	-	3	2	1	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	135	117	4	3	-	-	2	1	2	1	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	99	82	4	-	4	1	1	-	-	1	-	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	17	14	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	17	12	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MARYLAND—Con.																										
159	Premature birth..	585	585	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	248	248	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	181	181	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	87	87	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	69	69	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	250	-	-	-	-	-	-	1	11	14	17	24	21	26	21	25	23	20	21	11	11	2	2	-	-	-
	White.....M..	168	-	-	-	-	-	-	-	9	9	8	18	16	17	14	17	13	12	16	8	8	2	1	-	-	-	-
	F..	70	-	-	-	-	-	-	-	2	3	7	5	5	8	6	8	10	5	5	3	3	-	-	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	2	-	-	-	-	1	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	154	4	-	-	-	1	1	2	6	28	18	21	28	11	14	5	4	4	5	1	-	1	-	-	-	-
	White.....M..	35	2	-	-	-	-	1	-	1	-	2	5	7	2	3	2	2	2	4	1	-	1	-	-	-	-	-
	F..	15	2	-	-	-	-	-	-	1	1	2	2	1	-	4	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	79	-	-	-	-	-	-	2	3	20	11	10	17	7	6	2	-	1	-	-	-	-	-	-	-	-	-
	F..	25	-	-	-	-	1	-	-	1	7	3	4	3	2	1	1	1	-	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,490	69	24	25	22	18	57	58	83	111	83	77	82	75	82	79	72	88	70	79	80	81	49	18	1	-	7
	White.....M..	795	23	10	10	11	7	24	32	56	79	50	53	48	47	54	45	37	53	37	36	30	31	15	4	-	-	3
	F..	369	23	9	7	5	6	18	5	10	12	9	6	7	8	7	12	13	22	24	34	43	46	30	13	-	-	-
	Nonwhite..M..	239	14	1	4	4	1	6	14	17	18	17	16	21	15	16	18	19	11	6	8	4	3	2	-	-	-	4
	F..	87	9	4	4	2	4	9	7	-	2	7	2	6	5	5	4	3	2	3	1	3	1	2	1	1	-	-
170	Motor-vehicle accidents.....	401	1	3	1	8	6	22	14	28	43	32	29	26	27	20	22	25	34	21	14	14	5	5	-	-	-	1
	White.....M..	262	-	1	1	5	1	14	11	20	30	23	14	14	18	14	13	16	25	16	7	11	4	4	-	-	-	-
	F..	56	1	2	-	-	4	7	-	4	4	3	4	4	2	1	2	3	5	3	5	1	-	1	-	-	-	-
	Nonwhite..M..	75	-	-	-	3	-	-	2	4	8	5	11	8	7	5	6	5	4	1	2	2	1	-	-	-	-	1
	F..	8	-	-	-	-	1	1	1	-	1	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,089	68	21	24	14	12	35	44	55	68	51	48	56	48	62	57	47	54	49	65	66	76	44	18	1	-	6
	White.....M..	533	23	9	9	6	6	10	21	36	49	27	39	34	29	40	32	21	28	21	29	19	27	11	4	-	-	3
	F..	313	22	7	7	5	2	11	5	6	8	6	2	3	6	6	10	10	17	21	29	42	46	29	13	-	-	-
	Nonwhite..M..	164	14	1	4	1	1	6	12	13	10	12	5	13	8	11	12	14	7	5	6	2	2	2	-	-	-	3
	F..	79	9	4	4	2	3	8	6	-	1	6	2	6	5	5	3	2	2	2	1	3	1	2	1	1	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	81	12	2	2	-	1	2	-	-	1	3	1	2	1	2	6	3	3	2	5	4	14	9	3	3	-	-
	White.....M..	28	2	1	1	-	-	1	-	-	1	1	-	1	-	1	2	2	-	-	3	-	8	3	1	-	-	-
	F..	30	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	1	-	1	2	4	5	5	2	2	-	-
	Nonwhite..M..	12	3	1	-	-	1	-	-	-	-	1	-	-	-	1	3	-	1	-	-	-	1	-	-	-	-	-
	F..	11	3	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	1	-	1	-	-
	All other causes.	1,950	461	38	25	11	8	32	25	45	50	52	51	58	98	103	86	75	108	138	116	134	116	73	37	8	2	-
	White.....M..	822	205	11	15	3	4	7	10	22	16	18	14	22	30	44	43	37	44	62	58	57	58	29	12	1	-	-
	F..	675	131	11	3	5	3	15	9	6	21	14	7	20	33	40	29	23	41	46	41	65	49	37	20	5	1	-
	Nonwhite..M..	242	66	8	3	-	1	5	2	9	6	10	10	6	19	10	10	8	14	21	13	7	3	7	2	2	-	-
	F..	211	59	8	4	3	-	5	4	8	7	10	20	10	16	9	4	7	9	9	4	5	6	-	3	-	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS																										
	All causes	54,653	2939	251	103	102	100	289	275	389	580	607	799	1,101	1,632	2,468	3,525	4,392	5,335	6,535	7,359	6,503	5138	2838	1,044	235	34	82
	White	27,953	1,659	133	62	57	55	168	172	227	297	301	418	588	944	1,411	2,081	2,562	2,986	3,427	3,670	2,953	2,190	1108	354	73	4	53
	M	25,708	1,217	114	39	41	43	113	96	143	248	285	356	476	843	983	1,363	1,742	2,229	2,999	3,589	3,477	2,909	1713	676	159	28	28
	Nonwhite	567	38	3	2	2	1	6	4	7	14	11	17	19	25	43	59	52	80	68	56	38	13	4	4	-	-	1
	F	425	25	1	-	2	1	3	3	12	21	10	8	18	20	31	22	36	40	41	44	35	24	13	10	3	2	-
1,2	Typhoid and paratyphoid fever	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	2	-	1	-	-	-	-	-	-
	White	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	122	24	5	3	-	1	13	5	11	8	3	5	8	7	1	8	5	8	2	3	1	-	-	-	-	-	1
	White	71	12	2	2	-	1	8	2	6	5	2	4	6	5	1	3	4	4	1	-	-	-	-	-	-	-	1
	M	47	11	3	1	-	-	5	3	3	3	1	-	2	2	-	3	1	4	1	3	1	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	20	-	1	1	1	1	7	4	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	11	-	1	-	-	-	5	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	9	-	-	1	1	1	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	40	22	13	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	14	8	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	26	14	10	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	11	-	-	1	-	4	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White	6	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,819	10	13	5	5	-	8	17	60	125	143	134	152	176	195	205	175	147	107	83	34	18	6	-	-	-	1
	White	1,112	5	8	4	3	-	5	3	16	36	56	65	85	120	138	152	139	111	79	50	18	16	2	-	-	-	1
	M	581	5	5	1	2	-	2	9	32	73	80	58	54	48	46	38	32	28	22	27	13	2	4	-	-	-	-
	Nonwhite	82	-	-	-	-	-	1	2	4	5	3	6	10	6	10	12	3	8	6	4	2	-	-	-	-	-	-
	F	44	-	-	-	-	-	-	3	8	11	4	5	3	2	1	3	1	-	-	2	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,697	4	5	2	1	-	8	13	53	116	136	127	144	168	182	199	169	141	101	79	32	16	2	-	-	-	1
	White	1,056	4	3	2	-	-	4	1	13	34	52	63	83	116	132	151	133	109	74	49	16	15	1	-	-	-	1
	M	527	-	2	-	1	-	1	9	28	67	77	54	50	45	41	35	32	24	21	25	13	1	1	-	-	-	-
	Nonwhite	75	-	-	-	-	-	1	2	4	4	3	5	10	5	8	11	3	8	6	3	2	-	-	-	-	-	-
	F	39	-	-	-	-	-	-	1	8	11	4	5	1	2	1	2	1	-	-	2	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	122	6	8	3	4	-	2	4	7	9	7	7	8	8	13	6	6	6	6	4	2	2	4	-	-	-	-
	White	56	1	5	2	3	-	1	2	3	2	4	2	2	4	6	1	6	2	5	1	2	1	1	-	-	-	-
	M	54	5	3	1	1	-	1	-	4	6	3	4	4	3	5	3	-	4	1	2	-	1	3	-	-	-	-
	Nonwhite	7	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	-	-	1	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	2	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	5	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1
	White	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1
	M	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	357	3	1	-	-	-	-	-	-	3	2	7	11	27	38	62	53	51	40	29	17	8	3	1	-	-	1
	White	244	3	1	-	-	-	-	-	-	1	1	3	8	19	27	38	42	38	26	18	9	6	2	1	-	-	1
	M	87	-	-	-	-	-	-	-	-	2	-	2	1	4	10	18	6	11	13	11	6	2	1	-	-	-	-
	Nonwhite	23	-	-	-	-	-	-	-	-	-	-	2	2	4	1	6	3	2	1	-	2	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
35	Measles	20	4	7	3	-	-	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	9	2	3	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	10	2	4	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	19	-	-	1	-	-	2	5	2	2	2	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White	12	-	-	-	-	-	1	5	2	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	M	7	-	-	1	-	-	1	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	7,434	1	4	4	3	1	9	4	16	20	32	64	143	246	475	682	871	1,030	1,051	1,117	904	482	192	57	6	2	18
	White	3,414	-	2	3	2	-	4	3	10	12	12	25	42	85	180	271	391	526	508	572	423	222	86	23	2	-	10
	M	3,923	1	2	1	1	1	4	1	6	8	19	39	98	157	285	404	465	485	528	532	474	258	106	34	4	2	8
	Nonwhite	53	-	-	-	-	-	-	-	-	-	1	-	1	-	6	3	8	13	11	7	3	-	-	-	-	-	-
	F	44	-	-	-	-	-	1	-	-	-	-	-	2	4	4	4	7	6	4	6	4	2	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																										
46	Cancer of digestive organs, peritoneum	3,591	-	-	-	-	-	-	-	-	5	10	21	55	80	177	273	396	503	584	596	507	263	83	27	3	2	6
	White	1,832	-	-	-	-	-	-	-	-	3	5	11	26	37	91	137	210	294	302	320	238	111	33	10	1	-	3
	F.	1,713	-	-	-	-	-	-	-	-	2	4	10	28	41	81	133	176	199	278	273	264	150	50	17	2	2	3
	Nonwhite	27	-	-	-	-	-	-	-	-	-	1	-	1	-	4	-	5	9	4	2	1	-	-	-	-	-	-
	F.	19	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	5	1	-	1	4	2	-	-	-	-	-
48,49	Cancer of female genital organs	863	-	-	-	-	-	-	-	1	-	7	13	35	56	96	126	127	105	87	82	66	38	17	5	-	-	2
	White	849	-	-	-	-	-	-	-	1	-	7	13	34	56	94	125	126	101	85	79	66	38	17	5	-	-	2
	Nonwhite	14	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	4	2	3	-	-	-	-	-	-	-
50	Cancer of breast	731	-	-	-	-	-	-	-	-	1	3	5	23	41	65	81	90	102	84	102	71	38	17	4	2	-	2
	White	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	5	1	-	1	-	-	-	-
	F.	706	-	-	-	-	-	-	-	-	1	3	5	22	39	64	79	86	99	81	95	70	38	16	4	2	-	2
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F.	9	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	1	2	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	2,249	1	4	4	3	1	9	4	15	14	12	25	30	69	137	202	258	320	296	337	260	143	75	21	1	-	8
	White	1,568	-	2	3	2	-	4	3	10	9	7	14	16	48	89	132	178	231	205	247	184	111	52	13	1	-	7
	F.	655	1	2	1	1	1	4	1	5	5	5	11	14	21	46	67	77	86	84	85	74	32	23	8	-	-	1
	Nonwhite	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	3	6	5	2	-	-	-	-	-	-
	F.	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	32	-	-	-	-	2	4	7	4	1	5	3	1	4	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	16	-	-	-	-	2	-	6	2	1	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	16	-	-	-	-	-	4	1	2	-	3	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,627	1	-	1	1	-	5	5	6	13	2	7	14	27	39	105	172	229	328	280	224	107	47	12	-	1	1
	White	538	1	-	-	1	-	2	2	3	4	-	6	7	12	20	45	44	62	104	89	81	35	15	5	-	-	-
	F.	1,080	-	-	1	-	-	3	3	3	9	2	1	7	12	18	59	124	160	223	186	138	71	31	7	-	1	1
	Nonwhite	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	1	-	-	-	-	-	-
	F.	20	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	3	4	-	3	4	1	1	-	-	-	-
63b	Exophthalmic goiter	53	-	-	-	-	-	-	-	1	1	1	1	1	-	4	14	6	7	7	4	6	-	-	-	-	-	-
	White	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	2	-	1	-	-	-	-	-	-
	F.	43	-	-	-	-	-	-	-	1	1	1	1	1	-	3	10	5	6	5	4	5	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	146	-	-	-	-	-	-	-	-	1	8	6	23	19	16	17	19	15	14	7	1	-	-	-	-	-	-
	White	118	-	-	-	-	-	-	-	-	-	5	5	20	14	14	13	19	11	10	6	1	-	-	-	-	-	-
	F.	21	-	-	-	-	-	-	-	-	-	3	1	2	4	2	4	-	3	1	1	-	-	-	-	-	-	-
	Nonwhite	6	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,944	8	2	1	2	1	6	4	5	4	7	17	31	50	148	247	358	511	751	848	807	648	338	117	23	2	8
	White	2,081	8	1	1	2	-	3	4	3	3	3	6	14	25	73	100	165	252	330	381	304	242	118	34	5	-	4
	F.	2,789	-	1	-	-	1	3	-	2	1	4	11	17	25	72	144	187	250	407	453	491	398	218	82	16	2	4
	Nonwhite	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	6	8	8	2	-	-	-	-	-
	F.	43	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	5	8	6	4	6	2	1	2	-	-
90-95	Diseases of the heart	19,362	6	3	1	-	1	19	32	38	49	78	121	206	407	738	1,158	1,587	2,006	2,716	3,176	2,801	2,325	1,279	472	106	14	23
	White	10,214	4	2	-	-	-	9	15	19	22	35	60	118	262	466	796	1,036	1,201	1,541	1,619	1,295	1,010	496	155	36	3	14
	F.	8,859	2	1	1	-	1	10	17	17	21	39	60	84	133	249	339	525	758	1,129	1,519	1,479	1,299	777	311	70	10	8
	Nonwhite	163	-	-	-	-	-	-	-	-	3	2	1	2	8	13	17	15	34	26	23	10	6	1	1	-	-	1
	F.	126	-	-	-	-	-	-	-	2	3	2	-	2	4	10	6	11	13	20	15	17	10	5	5	-	1	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	1,161	-	1	1	-	1	14	24	23	27	44	57	67	97	113	84	96	92	98	104	81	80	43	10	3	1	-
	White	474	-	1	-	-	-	8	10	11	9	20	25	20	44	43	32	50	40	43	46	35	24	11	2	-	-	-
	F.	668	-	-	1	-	1	6	14	11	14	23	32	47	53	68	50	45	50	53	56	46	56	31	7	3	1	-
	Nonwhite	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	1	1	-	-	-	-	-	-	-
	F.	11	-	-	-	-	-	-	-	1	3	1	-	-	-	1	1	-	-	1	1	-	-	1	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	5,679	1	-	-	-	-	-	1	1	3	8	28	68	156	321	556	683	766	914	873	654	404	168	51	14	2	7
	White	3,755	-	-	-	-	-	-	1	-	1	4	19	57	130	264	447	528	527	593	502	330	220	89	24	8	-	5
	F.	1,877	1	-	-	-	-	-	-	1	1	4	9	10	24	53	104	152	228	318	361	315	182	78	26	6	2	2
	Nonwhite	31	-	-	-	-	-	-	-	-	1	-	-	1	1	2	5	3	8	1	6	1	2	-	-	-	-	-
	F.	16	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	2	4	2	-	1	1	-	-	-
90b,91, 92a,d,e, 93a,d,e, 95a,c	Diseases of heart (other forms)	12,522	5	2	-	-	-	5	7	14	19	26	36	71	154	304	518	808	1,148	1,704	2,199	2,066	1,841	1068	411	85	11	16
	White	5,985	4	1	-	-	-	1	4	6	12	11	16	41	88	159	317	458	634	905	1,071	924	766	396	129	28	3	9
	F.	6,314	1	1	-	-	-	4	3	5	6	12	19	27	56	128	185	328	480	758	1,102	1,118	1,061	666	278	61	7	6
	Nonwhite	124	-	-	-	-	-	-	-	-	1	2	1	1	7	10	11	11	24	24	16	9	4	1	1	-	-	1
	F.	99	-	-	-	-	-	-	-	1	-	1	-	2	3	7	5	11	10	17	10	15	10	3	3	-	1	-
107-109, 33	Pneumonia (all forms) and influenza	3,157	432	79	17	13	14	22	20	23	36	27	61	72	116	121	179	212	211	249	300	306	336	206	80	20	3	2
	White	1,725	247	42	10	7	8	12	10	11	15	14	35	48	75	88	129	134	138	144	148	156	130	77	38	9	-	-
	F.	1,367	176	34	7	5	5	9	10	12	20	13	25	23	39	29	43	72	63	102	147	146	204	127	40	11	3	2
	Nonwhite	41	7	2	-	-	-	-	-	-	-	-	1	1	-	3	4	6	6	1	3	3	2	1	1	-	-	-
	F.	24	2	1	-	1	1	1	-	-	1	-	-	-	2	1	3	-	4	2	2	1	-	1	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																											
107	Bronchopneumonia	1,799	316	50	9	9	12	9	9	7	11	6	21	32	34	45	68	86	99	125	186	199	239	150	60	15	1	1
	White	908	178	28	4	5	6	5	4	3	8	4	13	18	18	31	44	49	57	64	87	97	96	55	29	5	-	-
	F.	856	130	20	5	3	5	4	5	4	3	2	8	14	15	12	23	37	36	59	96	99	141	93	30	10	1	1
	Nonwhite	24	7	2	-	-	-	-	-	-	-	-	-	-	2	1	-	4	-	2	2	2	1	1	-	-	-	-
	F.	11	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	2	2	1	1	-	1	-	-	-	-	-
108	Lobar pneumonia	995	71	16	4	3	-	10	5	7	15	13	26	31	69	61	94	101	90	98	82	82	62	36	6	1	1	1
	White	607	39	7	3	1	-	5	2	5	2	7	15	25	49	49	72	69	64	61	49	45	21	14	3	-	-	-
	F.	382	32	8	1	2	-	4	3	2	12	6	11	5	19	11	18	26	22	36	42	38	41	22	2	1	1	1
	Nonwhite	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	6	2	1	1	1	-	-	-	-	-	-	-
	F.	10	-	1	-	-	-	1	-	-	1	-	-	-	1	-	3	-	2	-	-	-	-	-	1	-	-	-
109	Pneumonia (unspecified)	152	28	8	1	-	-	2	2	4	7	2	10	3	3	10	6	13	9	11	8	8	8	6	3	1	1	-
	White	94	17	5	1	-	-	1	1	2	4	-	5	2	1	6	6	9	8	9	4	5	3	3	1	1	-	-
	F.	57	9	3	-	-	-	1	1	2	3	2	4	1	2	4	-	4	1	2	4	3	5	3	2	-	1	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	211	19	5	3	1	2	1	4	5	3	6	4	6	10	5	11	12	13	15	14	17	27	14	11	3	-	-
	White	116	13	2	2	1	2	1	3	1	1	3	2	3	7	2	7	7	9	10	8	9	10	5	5	3	-	-
	F.	92	5	3	1	-	-	-	1	4	2	3	2	3	3	2	4	5	4	5	5	8	17	9	6	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	349	1	-	-	-	-	-	-	-	4	6	7	13	22	31	45	52	50	43	33	23	10	7	1	-	-	1
	White	282	-	-	-	-	-	-	-	-	2	5	6	12	20	24	40	47	37	31	27	16	8	6	1	-	-	-
	F.	62	1	-	-	-	-	-	-	-	2	1	1	1	2	5	4	4	13	11	6	7	2	1	-	-	-	1
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	260	175	13	4	1	1	1	5	3	4	4	5	2	3	7	2	6	6	2	6	2	4	3	-	1	-	-
	White	147	110	8	3	-	1	-	1	2	2	1	-	1	1	5	1	2	1	-	3	1	3	1	-	-	-	-
	F.	107	62	4	1	1	-	-	4	1	2	3	5	1	2	2	1	3	5	2	3	1	1	2	-	1	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	227	-	3	4	8	7	7	9	11	5	11	9	14	16	10	22	21	19	15	20	7	6	3	-	-	-	-
	White	124	-	3	1	1	1	2	6	7	1	5	6	9	10	9	11	14	14	7	10	4	1	2	-	-	-	-
	F.	102	-	-	3	7	6	5	3	4	4	6	3	5	6	1	11	6	5	8	10	3	5	1	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	474	10	2	1	3	-	1	3	4	7	5	3	10	15	26	40	40	52	63	75	53	40	16	4	1	-	-
	White	240	7	1	1	2	-	1	2	3	3	2	-	3	7	14	26	19	25	27	38	27	19	9	3	1	-	-
	F.	223	3	1	-	-	-	-	-	1	4	3	3	7	8	10	14	19	24	35	36	26	21	7	1	-	-	-
	Nonwhite	8	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	2	1	1	1	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	589	-	-	-	-	-	-	1	3	3	4	16	30	41	74	93	82	77	54	50	35	21	3	2	-	-	-
	White	368	-	-	-	-	-	-	-	-	3	1	10	22	21	45	62	60	46	31	31	19	14	2	1	-	-	-
	F.	215	-	-	-	-	-	-	-	3	-	2	6	8	20	29	31	21	30	23	18	15	7	1	1	-	-	-
	Nonwhite	4	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.	241	1	-	-	-	-	-	-	1	1	-	2	6	9	27	15	27	38	28	46	20	11	9	1	-	-	1
	White	75	1	-	-	-	-	-	-	-	-	-	2	-	5	12	4	6	10	10	14	5	3	3	-	-	-	-
	F.	166	-	-	-	-	-	-	-	1	1	-	-	6	4	15	11	21	28	16	32	15	8	6	1	-	-	1
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	2,866	-	-	3	2	3	1	9	15	21	22	32	49	93	103	162	210	266	372	448	420	356	193	71	10	1	4
	White	1,346	-	-	-	-	2	-	5	6	11	16	20	20	45	45	87	103	136	183	203	190	169	71	26	4	-	4
	F.	1,467	-	-	3	2	1	1	4	9	10	6	11	25	43	53	72	97	125	164	238	225	187	120	44	6	1	-
	Nonwhite	28	-	-	-	-	-	-	-	-	-	-	-	-	3	3	3	6	4	2	3	4	-	-	-	-	-	-	-
	F.	25	-	-	-	-	-	-	-	-	-	-	1	4	2	2	-	4	1	3	4	1	-	2	1	-	-	-	-
137	Diseases of the prostate	262	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	20	41	65	58	35	23	6	2	-	1
	White	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	8	20	39	63	58	35	23	6	2	-	1
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*	173	-	-	-	-	-	-	-	6	28	35	47	34	22	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	165	-	-	-	-	-	-	-	6	24	33	46	33	22	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	8	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	69	-	-	-	-	-	-	-	1	18	13	20	9	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	64	-	-	-	-	-	-	-	1	15	12	19	9	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	5	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	27	-	-	-	-	-	-	-	1	2	5	11	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	26	-	-	-	-	-	-	-	1	2	4	11	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,def, 142b143, 145B,146, 149,150	Other puerperal causes	77	-	-	-	-	-	-	-	4	8	17	16	20	12	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	75	-	-	-	-	-	-	-	4	7	17	18	19	12	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	620	528	27	6	2	5	11	10	3	4	6	5	4	1	1	1	3	1	-	-	1	-	-	-	-	-	1
	White	316	265	12	4	2	2	5	8	3	2	2	5	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	F.	296	256	15	2	-	3	6	2	-	1	4	-	1	-	-	1	2	1	-	-	1	-	-	-	-	-	1
	Nonwhite	8	7	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MASSACHUSETTS—Continued																										
159	Premature birth..	880	880	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	477	477	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	379	379	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	12	12	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	454	-	-	-	-	-	-	2	9	26	18	35	50	42	40	39	51	43	36	34	17	7	5	-	-	-	-
	White.....M..	315	-	-	-	-	-	-	2	7	19	11	20	34	26	27	21	36	34	26	30	14	4	4	-	-	-	-
	F..	134	-	-	-	-	-	-	-	1	5	7	15	16	16	13	18	14	8	10	4	3	3	1	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	39	3	-	-	-	-	-	1	1	5	2	4	1	4	5	3	1	3	-	3	1	1	-	1	-	-	-
	White.....M..	27	2	-	-	-	-	-	-	1	2	2	3	-	3	5	2	1	1	-	2	1	1	-	1	-	-	-
	F..	11	1	-	-	-	-	-	1	-	3	-	1	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	3,086	78	29	23	34	29	102	77	99	126	90	105	97	112	151	164	179	214	252	305	301	267	159	64	17	2	10
	White.....M..	1,884	48	18	14	21	18	74	64	83	112	75	88	73	85	118	128	135	143	155	149	114	89	55	12	3	-	10
	F..	1,152	27	11	8	12	10	24	13	12	12	13	15	21	25	27	32	43	68	94	153	186	175	104	52	13	2	-
	Nonwhite..M..	30	1	-	1	1	1	4	-	2	2	2	2	1	2	3	3	1	1	2	-	-	1	-	-	-	-	-
	F..	20	2	-	-	-	-	-	-	2	-	-	-	2	-	3	1	-	2	1	3	1	2	-	-	1	-	-
170	Motor-vehicle accidents.....	527	1	2	1	14	9	35	19	29	33	29	33	19	21	38	42	31	42	43	41	23	14	7	-	-	-	1
	White.....M..	421	1	1	1	10	6	22	17	24	30	26	30	16	13	30	35	25	31	35	32	18	12	5	-	-	-	1
	F..	99	-	1	-	4	3	12	2	5	3	2	3	3	7	7	6	6	10	7	9	5	2	2	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	1	-	-	-	1	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	2,559	77	27	22	20	20	67	58	70	93	61	72	78	91	113	122	148	172	209	264	278	253	152	64	17	2	9
	White.....M..	1,463	47	17	13	11	12	52	47	59	82	49	58	57	72	88	93	110	112	120	117	96	77	50	12	3	-	9
	F..	1,053	27	10	8	8	7	12	11	7	9	11	12	18	18	20	26	37	58	87	144	181	173	102	52	13	2	-
	Nonwhite..M..	23	1	-	1	1	1	3	-	2	2	1	2	1	1	2	2	1	-	1	-	-	1	-	-	-	-	-
	F..	20	2	-	-	-	-	-	-	2	-	-	-	2	-	3	1	-	2	1	3	1	2	-	-	1	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	195	17	-	1	-	2	1	1	-	1	1	3	5	4	4	11	5	15	12	16	17	29	19	17	8	3	3
	White.....M..	98	9	-	1	-	1	1	1	-	1	1	2	2	4	2	8	5	10	10	10	3	8	7	6	2	1	3
	F..	86	8	-	-	-	1	-	-	-	-	-	1	2	-	2	3	-	5	2	6	14	21	12	11	6	2	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	4,756	735	48	22	25	27	62	52	67	80	87	98	122	168	208	244	247	316	350	412	444	425	327	138	41	6	5
	White.....M..	2,388	450	25	15	15	16	32	28	41	38	48	47	60	96	92	133	149	165	160	207	213	175	129	42	9	-	3
	F..	2,278	269	23	7	9	11	30	24	26	40	36	48	58	68	110	102	94	148	182	198	227	245	194	92	32	5	2
	Nonwhite..M..	48	11	-	-	-	-	-	-	-	-	2	4	-	1	2	7	1	1	6	5	2	2	2	2	-	-	-
	F..	42	5	-	-	1	-	-	-	-	2	1	1	4	3	4	2	3	2	2	2	2	3	2	2	-	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN																										
	All causes	57,046	4,813	428	198	151	110	428	354	693	831	860	1,125	1,507	1,959	2,901	3,988	4,728	5,151	5,797	6,104	6,016	5,004	2,700	939	183	28	50
	White	30,436	2,604	199	106	67	44	242	213	369	394	396	490	710	956	1,560	2,333	2,807	3,025	3,210	3,313	3,066	2,540	1,289	391	67	10	35
	F.	23,270	1,891	195	80	74	50	161	119	224	297	330	443	548	679	1,041	1,301	1,633	1,904	2,372	2,654	2,825	2,403	1,385	530	109	12	10
	Nonwhite	1,853	172	18	10	5	9	12	15	50	63	67	86	128	189	192	205	171	127	138	76	61	34	13	3	4	2	3
	F.	1,487	146	16	2	5	7	13	7	50	77	67	106	121	135	108	149	117	95	77	61	64	27	13	15	3	4	2
1,2	Typhoid and paratyphoid fever	9	-	1	-	-	-	-	1	-	1	-	-	1	2	1	1	-	-	-	-	-	1	-	-	-	-	-
	White	7	-	1	-	-	-	-	1	-	1	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	124	13	7	10	3	4	12	7	11	8	4	3	7	12	5	5	4	4	4	1	-	-	-	-	-	-	-
	White	68	6	2	5	2	1	8	5	7	4	2	3	4	10	2	2	3	2	-	-	-	-	-	-	-	-	-
	F.	46	4	4	4	-	3	3	2	3	3	1	-	3	2	3	3	1	2	4	1	-	-	-	-	-	-	-
	Nonwhite	9	3	-	1	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	13	-	1	2	1	1	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	10	-	1	1	1	-	3	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	100	72	20	5	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White	37	26	8	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	52	39	9	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F.	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	24	-	1	-	1	2	10	1	1	-	-	1	2	-	1	-	1	1	1	-	-	1	-	-	-	-	-
	White	10	-	1	-	1	-	2	1	1	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	F.	12	-	-	-	-	1	7	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,869	13	17	9	9	6	21	20	86	174	160	179	179	169	176	169	151	127	99	52	31	14	4	1	-	-	3
	White	963	5	6	3	3	-	8	5	14	45	56	64	84	85	112	124	116	92	69	35	24	8	3	-	-	-	2
	F.	470	4	7	4	2	-	6	6	22	60	59	57	49	47	31	26	22	21	20	13	5	6	1	1	-	-	1
	Nonwhite	245	1	3	2	2	3	3	4	20	31	18	30	27	26	30	14	10	9	10	1	1	-	-	-	-	-	-
	F.	191	3	1	-	2	3	4	5	30	38	27	28	19	11	3	5	3	5	-	3	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,654	6	7	4	2	2	7	12	68	150	144	164	167	157	157	151	144	119	91	51	30	14	3	1	-	-	3
	White	870	2	3	1	1	-	3	2	14	35	48	56	79	79	100	117	113	86	62	34	23	8	2	-	-	-	2
	F.	408	2	1	2	-	-	1	3	14	57	53	54	47	44	26	18	20	20	19	13	5	6	1	1	-	-	1
	Nonwhite	214	1	2	1	-	2	1	2	15	25	17	28	25	25	28	12	9	9	10	1	1	-	-	-	-	-	-
	F.	162	1	1	-	1	-	2	5	25	33	26	26	16	9	3	4	2	4	-	3	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	215	7	10	5	7	4	14	8	18	24	16	15	12	12	19	18	7	8	8	1	1	-	1	-	-	-	-
	White	93	3	3	2	2	-	5	3	-	10	8	8	5	6	12	7	3	6	7	1	1	-	1	-	-	-	-
	F.	62	2	6	2	2	-	5	3	8	3	6	3	2	3	5	8	2	1	1	-	-	-	-	-	-	-	-
	Nonwhite	31	-	1	1	2	1	2	2	5	6	1	2	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-
	F.	29	2	-	-	1	3	2	-	5	5	1	2	3	2	-	1	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery	26	15	-	3	-	-	1	-	-	-	-	-	-	-	1	-	-	1	2	-	1	1	1	-	-	-	-
	White	8	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	17	9	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	596	10	-	-	-	-	-	1	3	7	10	17	40	49	63	93	88	95	58	33	19	5	1	1	1	-	2
	White	354	5	-	-	-	-	-	-	2	1	4	8	14	27	32	56	64	66	35	22	12	4	-	-	1	-	1
	F.	99	1	-	-	-	-	-	1	-	3	1	3	10	6	8	10	14	11	15	8	6	-	1	1	-	-	-
	Nonwhite	108	3	-	-	-	-	-	-	-	-	3	3	12	13	20	20	8	15	6	2	1	1	-	-	-	-	1
	F.	35	1	-	-	-	-	-	-	1	3	2	3	4	3	3	7	2	3	2	1	-	-	-	-	-	-	-
35	Measles	86	19	23	10	4	5	13	4	4	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	36	8	12	5	1	3	2	1	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	44	8	9	4	3	2	11	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	27	3	-	5	1	-	3	3	5	2	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White	15	1	-	2	1	-	2	2	3	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	12	2	-	3	-	-	1	1	2	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	6,767	1	6	3	10	3	12	10	24	28	40	114	167	255	525	664	850	865	919	874	704	479	173	35	5	-	1
	White	3,141	1	2	1	5	2	8	5	13	11	11	31	51	68	184	273	402	417	467	464	366	259	84	15	1	-	-
	F.	3,355	-	3	2	5	1	4	5	11	16	23	72	96	150	306	355	412	421	430	391	325	213	89	20	4	-	1
	Nonwhite	125	-	1	-	-	-	-	-	-	-	4	3	5	10	20	16	16	13	14	12	6	5	-	-	-	-	-
	F.	146	-	-	-	-	-	-	-	-	1	2	8	15	27	15	20	20	14	8	7	7	2	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued.

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Con.																										
46	Cancer of digestive organs, peritoneum.....	3,107	-	1	-	-	-	-	1	1	5	7	26	50	86	170	282	377	418	457	474	393	252	89	18	-	-
	White.....M..	1,662	-	1	-	-	-	-	1	1	3	2	12	26	32	75	146	228	235	258	264	193	133	47	5	-	-	-
	F..	1,352	-	-	-	-	-	-	-	-	2	3	11	20	41	83	121	138	172	190	203	196	117	42	13	-	-	-
	Nonwhite..M..	57	-	-	-	-	-	-	-	-	-	2	1	2	4	8	10	7	8	5	5	3	2	-	-	-	-	-
	F..	36	-	-	-	-	-	-	-	-	-	-	2	2	9	4	5	4	3	4	2	1	-	-	-	-	-	-
48,49	Cancer of female genital organs.	840	-	-	1	-	-	-	-	-	4	10	40	49	59	101	113	106	105	91	64	50	33	10	1	2	-	1
	White.....F..	764	-	-	1	-	-	-	-	-	4	8	36	38	46	93	101	96	97	89	61	47	33	10	1	2	-	1
	Nonwhite..F..	76	-	-	-	-	-	-	-	-	-	2	4	11	13	8	12	10	8	2	3	3	-	-	-	-	-	-
50	Cancer of breast.	660	-	-	-	-	-	-	-	-	-	6	13	21	47	75	77	105	90	83	57	39	25	19	3	-	-	-
	White.....M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	-	-	-
	F..	638	-	-	-	-	-	-	-	-	-	6	13	20	44	71	74	101	87	80	57	38	25	19	3	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	16	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	4	2	1	-	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	2,160	1	5	2	10	3	12	9	23	19	17	35	47	63	179	192	262	252	288	279	222	169	55	13	3	-	-
	White.....M..	1,474	1	1	1	5	2	8	4	12	8	9	19	25	36	109	125	174	181	207	200	173	126	37	10	1	-	-
	F..	601	-	3	1	5	1	4	5	11	10	6	12	18	19	59	59	77	65	71	70	44	38	18	3	2	-	-
	Nonwhite..M..	67	-	1	-	-	-	-	-	-	-	2	2	3	6	11	6	9	5	9	7	3	3	-	-	-	-	-
	F..	18	-	-	-	-	-	-	-	-	1	-	2	1	2	-	2	2	1	1	2	2	2	-	-	-	-	-
58	Acute rheumatic fever.....	50	2	-	-	-	-	9	9	12	2	5	3	3	2	-	1	1	-	-	-	1	-	-	-	-	-	-
	White.....M..	25	2	-	-	-	-	4	3	7	-	2	2	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F..	18	-	-	-	-	-	4	5	3	1	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,435	1	1	-	-	2	4	5	15	17	16	15	22	29	61	113	174	166	255	236	148	97	34	3	1	-	-
	White.....M..	469	1	-	-	-	1	2	4	6	6	4	6	8	13	26	38	49	65	77	50	45	49	17	1	1	-	-
	F..	902	-	1	-	-	1	1	1	9	9	12	7	10	11	23	65	117	116	168	181	103	48	17	2	-	-	-
	Nonwhite..M..	19	-	-	-	-	-	1	-	-	1	-	-	1	1	1	2	3	1	6	2	-	-	-	-	-	-	-
	F..	45	-	-	-	-	-	-	-	-	1	-	2	3	4	11	8	5	4	4	3	-	-	-	-	-	-	-
63b	Exophthalmic goiter.....	135	-	-	-	1	-	-	-	1	3	-	5	3	11	16	20	18	19	11	11	10	6	-	-	-	-	-
	White.....M..	20	-	-	-	-	-	-	-	-	1	-	1	-	1	4	5	4	2	2	-	-	-	-	-	-	-	-
	F..	104	-	-	-	-	-	-	-	1	1	-	3	1	9	11	13	14	16	9	11	9	6	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	9	-	-	-	1	-	-	-	-	1	-	-	1	1	1	2	-	1	-	-	1	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	1	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
77	Alcoholism (ethylism).....	47	-	-	-	-	-	-	-	-	-	3	1	3	9	7	6	7	4	1	4	1	-	-	-	-	-	1
	White.....M..	40	-	-	-	-	-	-	-	-	-	2	1	3	7	6	5	7	3	1	4	1	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	5,458	9	4	2	-	1	6	3	9	7	10	32	47	111	189	346	402	525	745	869	902	759	353	107	15	1	4
	White.....M..	2,504	5	1	1	-	-	2	1	5	2	3	8	19	34	73	146	181	236	358	424	417	380	150	48	6	-	4
	F..	2,713	4	2	1	-	1	4	2	4	5	7	20	22	52	97	159	184	260	355	425	469	371	201	58	9	1	-
	Nonwhite..M..	124	-	1	-	-	-	-	-	-	-	-	1	1	8	12	20	25	14	19	9	8	5	1	-	-	-	-
	F..	117	-	-	-	-	-	-	-	-	-	-	3	5	17	7	21	12	15	13	11	8	3	1	1	-	-	-
90-95	Diseases of the heart.....	17,761	11	5	-	1	2	16	32	57	74	86	154	271	472	818	1,355	1,699	1,939	2,278	2,462	2,462	2026	1,078	374	66	11	12
	White.....M..	10,247	5	2	-	1	1	6	14	28	36	34	63	155	277	515	914	1,119	1,257	1,371	1,423	1,278	1022	532	155	27	4	8
	F..	6,771	6	2	-	-	1	7	17	22	31	40	61	80	130	236	338	467	611	833	988	1,135	985	533	207	35	3	3
	Nonwhite..M..	385	-	-	-	-	-	2	1	3	2	6	7	20	40	35	56	65	39	37	25	21	11	7	2	3	2	1
	F..	358	-	1	-	-	-	1	-	4	5	6	23	16	25	32	47	48	32	37	26	28	8	6	10	1	2	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	990	-	1	-	-	1	6	15	26	31	22	42	42	60	84	95	101	80	78	99	89	76	31	6	3	2	-
	White.....M..	465	-	-	-	-	1	1	5	11	13	10	15	19	23	42	45	55	42	39	45	40	37	19	2	-	1	-
	F..	470	-	1	-	-	-	3	9	11	16	10	21	20	34	39	43	41	36	33	51	46	39	11	4	2	-	-
	Nonwhite..M..	25	-	-	-	-	-	1	1	2	-	1	1	-	1	1	4	3	1	3	2	2	-	1	-	1	-	-
	F..	30	-	-	-	-	-	1	-	2	2	1	5	3	2	2	3	2	1	3	1	1	-	-	-	-	1	-
94	Diseases of coronary arteries, angina pectoris	5,829	2	-	-	-	-	5	1	1	7	15	40	98	221	380	652	792	786	873	782	596	555	169	42	6	3	3
	White.....M..	4,016	1	-	-	-	-	4	-	1	3	10	21	70	173	296	515	582	571	600	488	359	206	96	15	2	1	2
	F..	1,681	1	-	-	-	-	-	1	-	3	5	12	18	36	70	112	183	201	268	288	232	146	73	26	4	1	1
	Nonwhite..M..	78	-	-	-	-	-	1	-	-	-	-	2	7	9	10	15	18	8	2	2	2	2	-	-	-	-	-
	F..	54	-	-	-	-	-	-	-	-	1	-	5	3	3	4	10	9	6	3	4	3	1	-	1	-	1	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	10,942	9	4	-	1	1	5	16	30	36	49	72	131	191	354	608	806	1,075	1,327	1,581	1,777	1595	878	326	57	6	9
	White.....M..	5,766	4	2	-	1	-	1	9	16	20	14	27	66	81	177	354	482	644	732	890	879	779	417	138	25	2	6
	F..	4,620	5	1	-	-	1	4	7	11	12	25	28	42	60	127	183	243	374	532	649	857	800	449	177	29	2	2
	Nonwhite..M..	282	-	-	-	-	-	-	-	1	2	5	4	13	30	24	37	44	30	32	21	17	9	6	2	2	2	1
	F..	274	-	1	-	-	-	-	-	2	2	5	13	10	20	26	34	37	25	31	21	24	7	6	9	1	-	-
107-109, 33	Pneumonia (all forms) and influenza.....	3,574	840	129	34	22	12	29	21	32	38	57	79	118	126	176	209	215	239	215	222	265	235	176	57	18	4	6
	White.....M..	1,926	460	58	25	9	3	16	10	16	20	25	33	45	62	97	137	136	147	127	134	140	111	84	21	5	2	3
	F..	1,299	301	61	6	13	7	12	9	12	10	26	27	39	23	40	40	65	81	74	81	112	119	89	36	12	2	2
	Nonwhite..M..	239	42	5	2	-	1	-	2	2	3	5	12	26	35	32	28	11	5	11	5	8	3	1	-	-	-	-
	F..	110	37	5	1	-	1	1	-	2	5	1	7	8	6	7	4	3	6	3	2	5	2	2	-	1	-	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Con.																										
107	Bronchopneumonia.	1,360	471	70	18	13	7	16	8	12	9	11	17	21	24	36	40	43	57	72	80	109	106	79	29	11	-	1
	White.....M..	712	247	34	14	5	1	10	2	6	3	6	4	8	15	24	25	19	31	42	54	59	51	39	10	3	-	-
	F..	555	174	29	2	8	4	6	6	5	3	5	12	10	7	9	13	24	24	27	23	45	53	39	19	7	-	1
	Nonwhite..M..	55	29	4	1	-	1	-	-	1	2	-	1	-	2	3	1	-	1	3	2	3	1	-	-	-	-	-
	F..	38	21	3	1	-	1	-	-	-	1	-	-	3	-	-	1	-	1	-	1	2	1	1	-	1	-	-
108	Lobar pneumonia..	1,312	143	26	4	7	2	8	7	8	17	28	47	68	73	113	128	123	128	91	90	86	62	41	7	4	-	1
	White.....M..	735	76	12	3	3	1	4	4	3	10	12	22	26	29	61	86	85	88	53	53	49	29	21	2	2	-	1
	F..	380	52	13	1	4	1	3	2	4	3	11	10	17	11	23	19	25	32	29	34	30	31	18	5	2	-	-
	Nonwhite..M..	153	9	-	-	-	-	-	1	1	1	5	9	21	29	25	21	10	4	8	2	4	2	1	-	-	-	-
	F..	44	6	1	-	-	-	1	-	-	3	-	6	4	4	4	2	3	4	1	1	3	-	1	-	-	-	-
109	Pneumonia (unspecified).....	416	156	16	1	1	2	2	2	5	7	9	10	12	9	12	15	23	22	24	19	21	19	16	7	1	3	2
	White.....M..	234	100	8	1	1	-	1	1	3	4	3	4	6	8	6	8	16	12	14	10	9	8	6	2	-	2	1
	F..	158	51	7	-	-	2	1	-	1	2	6	5	3	-	3	4	6	9	10	8	12	11	10	5	1	1	-
	Nonwhite..M..	13	1	-	-	-	-	-	1	-	-	-	1	2	1	2	3	1	-	-	1	-	-	-	-	-	-	-
	F..	11	4	1	-	-	-	1	1	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1
33	Influenza.....	486	70	17	11	1	1	3	4	7	5	9	5	17	20	15	26	26	32	28	33	49	48	40	14	2	1	2
	White.....M..	245	37	4	7	-	1	1	3	4	3	4	3	5	10	6	18	16	16	18	17	23	23	18	7	-	-	1
	F..	206	24	12	3	1	-	2	1	2	2	4	-	9	5	5	4	10	16	8	16	25	24	22	7	2	1	1
	Nonwhite..M..	18	3	1	1	-	-	-	-	-	-	-	1	3	3	2	3	-	-	-	-	1	-	-	-	-	-	-
	F..	17	6	-	-	-	-	-	-	1	-	1	1	-	2	2	1	-	-	2	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum....	335	-	-	-	-	-	1	-	-	3	6	9	20	29	36	49	53	45	36	20	10	11	7	-	-	-	-
	White.....M..	274	-	-	-	-	-	-	-	-	1	4	6	19	26	34	44	46	34	29	17	5	6	3	-	-	-	-
	F..	40	-	-	-	-	-	-	-	-	1	2	1	1	-	2	1	3	8	6	3	3	5	4	-	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	2	3	1	-	1	-	-	-	-	-	-
	F..	8	-	-	-	-	-	1	-	-	1	-	1	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	334	241	14	2	6	-	3	3	1	4	1	2	7	6	5	3	8	4	2	5	7	4	2	4	-	-	-
	White.....M..	163	127	7	-	1	-	-	1	1	-	-	1	4	3	2	1	4	2	-	2	3	1	1	2	-	-	-
	F..	157	106	7	2	3	-	3	2	-	3	1	1	3	2	3	1	3	2	2	3	4	3	1	2	-	-	-
	Nonwhite..M..	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	6	-	-	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	313	3	3	4	3	6	15	17	22	12	19	15	17	24	28	31	26	23	10	16	11	6	2	-	-	-	-
	White.....M..	177	3	1	3	-	2	9	11	15	4	7	7	13	15	15	20	16	14	4	11	2	4	1	-	-	-	-
	F..	114	-	2	1	3	4	6	5	6	6	8	5	1	8	10	8	9	9	6	5	9	2	1	-	-	-	-
	Nonwhite..M..	14	-	-	-	-	-	-	1	1	2	2	1	-	1	2	3	1	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	2	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	514	44	5	2	3	1	5	6	6	5	9	15	15	22	22	41	42	55	54	51	49	36	20	5	-	1	-
	White.....M..	251	29	2	1	3	1	3	2	3	1	5	4	7	9	11	26	16	25	20	32	25	16	8	2	-	-	-
	F..	230	12	2	1	-	-	2	3	3	4	3	7	4	9	8	13	23	28	31	19	23	20	12	3	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	1	-	-	1	3	-	1	2	1	2	-	1	-	-	-	-	-	-	-	-
	F..	21	3	1	-	-	-	-	-	-	-	-	1	4	3	1	1	1	2	2	-	1	-	-	-	-	1	-
124	Cirrhosis of the liver.....	509	-	-	-	-	-	2	-	1	4	6	10	18	45	53	64	81	65	54	47	34	15	8	2	-	-	-
	White.....M..	311	-	-	-	-	-	1	-	-	1	3	5	8	23	35	48	59	40	32	31	17	5	2	1	-	-	-
	F..	173	-	-	-	-	-	-	-	-	3	2	5	10	18	12	12	17	23	22	15	17	10	6	1	-	-	-
	Nonwhite..M..	15	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	2	-	1	-	-	-	-	-	-	-
	F..	10	-	-	-	-	-	1	-	1	-	1	-	-	2	4	1	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	277	-	-	1	-	-	-	-	-	-	5	5	10	15	24	41	41	28	36	25	22	18	4	2	-	-	-
	White.....M..	89	-	-	-	-	-	-	-	-	-	1	2	-	3	10	13	12	13	17	6	4	7	1	-	-	-	-
	F..	183	-	-	1	-	-	-	-	-	-	3	2	10	12	13	28	28	14	19	19	18	11	3	2	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	2,875	6	3	2	3	2	5	7	22	27	29	44	73	90	131	192	231	279	303	369	421	357	197	70	8	1	3
	White.....M..	1,459	4	2	1	2	1	4	4	7	13	17	23	28	39	53	99	128	160	154	188	209	181	106	33	2	-	3
	F..	1,233	2	1	1	1	1	1	3	10	13	11	12	30	32	62	64	82	104	134	170	198	171	90	35	5	-	-
	Nonwhite..M..	91	-	-	-	-	-	-	-	3	-	-	4	7	11	11	11	10	9	10	5	5	2	1	1	1	-	-
	F..	92	-	-	-	-	-	-	-	2	1	1	5	10	8	5	18	11	6	5	6	9	3	-	1	-	1	-
137	Diseases of the prostate.....	297	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	12	26	56	58	59	46	25	5	2	-	-
	White.....M..	284	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	10	24	51	56	58	46	25	5	2	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	2	1	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	226	-	-	-	-	-	-	1	13	42	49	50	48	20	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	201	-	-	-	-	-	-	1	11	37	46	44	41	18	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	25	-	-	-	-	-	-	-	2	5	3	6	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	87	-	-	-	-	-	-	-	4	24	13	23	15	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	80	-	-	-	-	-	-	-	3	21	13	22	13	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	7	-	-	-	-	-	-	-	1	3	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	48	-	-	-	-	-	-	-	6	8	9	8	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	39	-	-	-	-	-	-	-	5	6	8	6	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	1	2	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	91	-	-	-	-	-	-	1	3	10	27	19	22	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	82	-	-	-	-	-	-	1	3	10	25	16	19	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	-	-	2	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	874	782	27	6	5	1	7	15	1	6	4	4	2	3	3	5	1	1	-	-	-	-	-	-	-	-	1
	White.....M..	444	406	13	3	-	1	5	4	-	1	2	2	-	2	3	1	-	1	-	-	-	-	-	-	-	-	-
	F..	397	345	14	3	5	-	2	11	1	4	2	2	2	1	-	3	1	-	-	-	-	-	-	-	-	-	1
	Nonwhite..M..	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	15	13	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MICHIGAN—Con.																										
159	Premature birth..	1,501	1,501	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	806	806	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	605	605	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	43	43	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	546	-	-	-	-	-	-	4	20	25	31	52	42	46	53	69	62	44	33	33	16	9	3	3	-	1
	White.....M..	423	-	-	-	-	-	-	3	12	17	22	38	32	38	37	54	47	35	30	26	16	9	3	3	-	1
	F..	111	-	-	-	-	-	-	-	7	6	8	13	8	8	14	14	15	9	2	7	-	-	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	1	1	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
165-168	Homicide.....	181	2	1	-	-	-	4	4	18	24	26	20	20	18	15	6	10	4	2	2	2	3	-	-	-	-
	White.....M..	64	1	-	-	-	-	1	2	8	6	4	4	7	5	7	5	8	2	1	1	1	1	-	-	-	-
	F..	35	1	1	-	-	-	2	-	4	4	3	1	2	6	2	1	1	2	1	1	1	2	-	-	-	-
	Nonwhite..M..	62	-	-	-	-	-	-	2	4	11	15	9	8	6	6	-	1	-	-	-	-	-	-	-	-	-
	F..	20	-	-	-	-	-	1	-	2	3	4	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	3,505	125	69	44	52	35	167	133	229	201	159	138	155	155	188	204	199	198	195	185	221	234	149	50	11	3	8
	White.....M..	2,307	73	41	25	23	15	111	109	169	161	125	109	113	116	150	159	155	160	128	88	103	100	49	15	3	-	7
	F..	1,059	38	28	15	27	17	52	22	48	31	23	24	31	22	29	34	40	32	59	92	116	133	99	35	8	3	1
	Nonwhite..M..	108	8	-	4	2	2	3	1	11	8	6	3	9	11	8	11	3	5	8	2	2	-	1	-	-	-	-
	F..	31	6	-	-	-	1	1	1	1	1	5	2	2	6	1	-	1	1	-	1	-	1	-	-	-	-	-
170	Motor-vehicle accidents.....	1,002	1	12	15	19	14	55	41	97	68	70	60	69	51	74	63	80	62	58	34	29	18	8	3	1	-	-
	White.....M..	753	1	5	10	9	5	36	33	70	52	62	47	49	38	55	48	57	55	45	27	24	14	7	3	1	-	-
	F..	217	-	7	4	10	8	17	8	23	16	7	12	15	9	16	14	21	6	9	7	3	4	1	-	-	-	-
	Nonwhite..M..	27	-	-	1	-	-	2	-	4	-	-	-	4	3	3	1	2	1	4	-	2	-	-	-	-	-	-
	F..	5	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	2,503	124	57	29	33	21	112	92	132	133	89	78	86	104	114	141	119	136	137	149	192	216	141	47	10	3	8
	White.....M..	1,554	72	36	15	14	10	75	76	99	109	63	62	64	78	95	111	98	105	83	61	79	86	42	12	2	-	7
	F..	842	38	21	11	17	9	35	14	25	15	16	12	16	13	13	20	19	26	50	85	113	129	98	35	8	3	1
	Nonwhite..M..	81	8	-	3	2	2	1	1	7	8	6	3	5	8	5	10	1	4	4	2	-	-	1	-	-	-	-
	F..	26	6	-	-	-	-	1	1	1	1	4	1	1	5	1	-	1	1	-	1	-	1	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	979	30	4	1	2	-	2	1	7	6	5	9	18	18	26	35	27	60	74	92	112	158	160	92	30	5	5
	White.....M..	502	18	1	1	1	-	1	-	6	3	2	4	7	11	18	25	18	41	43	53	55	74	70	33	11	3	3
	F..	448	12	3	-	1	-	-	1	1	3	2	4	9	5	7	8	8	16	31	38	54	79	88	57	18	2	1
	Nonwhite..M..	17	-	-	-	-	-	1	-	-	-	-	1	1	-	2	-	2	1	1	-	1	3	3	1	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	-	-	-	2	1	2	1	-	1
	All other causes.	5,670	1,070	87	53	24	27	76	45	93	110	115	144	197	221	271	257	325	314	354	439	506	481	302	128	26	2	3
	White.....M..	3,000	607	58	25	13	13	44	24	45	58	57	59	87	81	128	131	206	186	194	246	284	255	150	57	8	1	3
	F..	2,355	392	39	27	11	10	30	19	41	41	44	71	82	103	119	103	106	116	148	183	216	217	148	70	18	1	-
	Nonwhite..M..	158	42	6	-	-	2	-	2	3	2	4	5	11	19	9	12	6	8	10	9	4	3	1	-	-	-	-
	F..	157	29	4	1	-	2	2	-	4	9	10	9	17	18	15	11	7	4	2	1	2	6	3	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA																										
	All causes	26,991	1,809	144	89	63	55	178	190	241	293	324	394	512	825	1019	1,380	1,928	2,287	2,773	3,450	3,549	3192	1787	595	117	13	4
	White	M.. 15,317	1016	75	50	35	35	106	116	136	175	195	207	269	371	570	857	1,180	1,390	1,561	1,983	1,966	1758	923	287	50	4	2
		F.. 11,281	733	61	34	25	17	67	69	97	107	118	170	233	240	428	504	720	852	1,186	1,437	1,562	1412	830	302	66	9	2
	Nonwhite	M.. 213	25	4	3	3	2	5	1	5	5	3	6	6	6	14	13	16	28	16	17	15	12	4	4	-	-	-
		F.. 180	35	4	2	-	1	-	4	3	6	8	11	4	8	7	6	12	17	10	13	6	10	10	2	1	-	-
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	29	2	1	1	1	-	-	2	3	2	2	1	1	5	1	1	2	1	1	1	-	1	-	-	-	-	-
	White	M.. 22	2	1	-	1	-	-	-	2	2	1	1	1	4	1	1	2	1	1	1	-	1	-	-	-	-	-
		F.. 6	-	-	1	-	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	10	2	1	-	-	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. 4	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 6	2	-	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	30	23	3	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. 10	7	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 16	14	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	20	-	2	4	3	3	2	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
	White	M.. 10	-	1	1	2	1	1	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
		F.. 8	-	-	3	1	1	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	719	8	7	1	4	-	4	3	17	42	54	70	51	44	78	62	75	54	47	39	37	14	4	4	-	-	-
	White	M.. 404	2	3	-	2	-	-	1	6	17	26	26	21	28	47	46	47	36	34	23	22	11	4	2	-	-	-
		F.. 262	3	3	1	1	-	3	1	5	20	22	37	28	12	28	12	26	16	12	15	13	3	-	1	-	-	-
	Nonwhite	M.. 29	1	1	-	1	-	1	-	4	2	2	3	-	2	2	4	2	1	1	-	1	-	-	1	-	-	-
		F.. 24	2	-	-	-	-	-	1	2	3	4	4	2	2	1	-	-	1	-	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	658	3	4	1	2	-	1	2	16	41	50	67	47	43	72	54	73	51	41	36	33	13	4	4	-	-	-
	White	M.. 370	-	2	-	1	-	-	-	5	16	25	26	20	27	44	39	46	35	28	20	19	11	4	2	-	-	-
		F.. 241	3	1	1	-	-	1	1	5	20	19	34	25	12	26	11	25	15	12	15	12	2	-	1	-	-	-
	Nonwhite	M.. 26	-	1	-	1	-	-	-	4	2	2	3	-	2	2	4	2	-	1	-	1	-	-	1	-	-	-
		F.. 21	-	-	-	-	-	-	1	2	3	4	4	2	2	-	-	-	1	-	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	61	5	3	-	2	-	3	1	1	1	4	3	4	1	6	8	2	3	6	3	4	1	-	-	-	-	-
	White	M.. 34	2	1	-	1	-	-	1	1	1	1	-	1	1	3	7	1	1	6	3	3	-	-	-	-	-	-
		F.. 21	-	2	-	1	-	2	-	-	-	3	3	3	-	2	1	1	1	-	-	1	1	-	-	-	-	-
	Nonwhite	M.. 3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
		F.. 3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White	M.. 1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	White	M.. 2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	218	-	-	-	-	-	-	-	2	2	1	2	5	16	18	30	33	37	35	17	11	5	2	2	-	-	-
	White	M.. 156	-	-	-	-	-	-	-	2	1	-	1	1	13	11	25	27	26	28	8	7	3	1	2	-	-	-
		F.. 50	-	-	-	-	-	-	-	-	1	1	1	4	3	5	5	4	9	4	9	2	2	-	-	-	-	-
	Nonwhite	M.. 10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	-	2	-	1	-	-	-	-
		F.. 2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
35	Measles	21	6	3	4	1	-	1	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	M.. 10	2	2	2	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 6	2	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	10	1	-	-	-	1	-	3	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	M.. 5	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. 4	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	M.. 1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F.. -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	3,741	3	-	4	2	3	3	6	11	10	28	37	73	98	184	293	415	443	529	540	530	377	119	27	5	-	1
	White	M.. 1,916	1	-	3	2	3	-	5	5	7	15	16	26	32	62	132	205	220	273	314	289	225	66	15	-	-	-
		F.. 1,797	2	-	1	-	-	3	1	6	3	12	21	46	66	119	159	207	214	252	226	239	151	51	12	5	-	1
	Nonwhite	M.. 15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	3	-	2	1	1	-	-	-	-
		F.. 13	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	2	5	1	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																										
46	Cancer of digestive organs, peritoneum	1,816	-	-	-	-	1	-	-	-	-	9	8	18	29	69	115	173	219	281	308	308	207	57	13	1	-	-
	White..M..	1,022	-	-	-	-	1	-	-	-	-	5	4	8	11	36	71	99	129	156	198	158	118	22	6	-	-	-
	F..	782	-	-	-	-	-	-	-	-	-	4	4	10	18	32	43	74	86	122	110	149	88	34	7	1	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	-	1	1	1	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
48;49	Cancer of female genital organs	339	-	-	-	-	-	-	-	-	-	2	6	12	17	40	43	48	43	43	33	26	18	7	-	1	-	-
	White.....F..	333	-	-	-	-	-	-	-	-	-	2	6	12	17	39	42	47	41	43	33	26	18	6	-	1	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	1	-	-	-	-
50	Cancer of breast	371	-	-	-	-	-	-	-	-	1	1	5	14	21	33	44	51	55	44	48	27	20	3	3	-	-	1
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	366	-	-	-	-	-	-	-	-	1	-	5	13	21	32	43	51	54	44	48	27	20	3	3	-	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,215	3	-	4	2	2	3	6	11	9	16	18	29	31	42	91	143	126	161	151	169	132	52	11	3	-	-
	White.....M..	892	1	-	3	2	2	-	5	5	7	10	12	17	21	26	60	106	91	117	116	131	107	44	9	-	-	-
	F..	316	2	-	1	-	-	3	1	6	2	6	6	11	10	16	31	35	33	43	35	37	25	8	2	3	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	22	-	-	-	1	-	3	3	4	2	2	-	2	1	-	1	1	1	-	-	-	1	-	-	-	-	-
	White.....M..	13	-	-	-	-	-	2	-	2	2	2	-	1	-	-	1	1	1	-	-	-	1	-	-	-	-	-
	F..	8	-	-	-	1	-	1	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	776	-	-	1	-	-	3	4	5	6	5	9	10	12	25	28	69	84	129	161	122	73	22	8	-	-	-
	White.....M..	289	-	-	-	-	-	2	-	2	2	2	7	2	4	10	18	25	30	42	64	45	25	7	2	-	-	-
	F..	481	-	-	1	-	-	1	3	3	4	3	2	8	8	15	10	42	52	87	96	77	48	15	6	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	82	-	-	-	-	-	-	-	-	3	1	1	3	4	4	9	13	9	12	15	6	2	-	-	-	-	-
	White.....M..	14	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	1	3	2	1	-	-	-	-	-	-	-
	F..	68	-	-	-	-	-	-	-	-	2	-	1	2	3	3	7	12	6	10	14	6	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69.	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	34	-	-	-	-	-	-	-	-	-	1	1	6	3	2	4	6	5	3	2	1	-	-	-	-	-	-
	White.....M..	32	-	-	-	-	-	-	-	-	-	1	1	6	2	2	4	6	4	3	2	1	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,785	5	3	-	-	1	3	1	5	2	4	5	16	24	71	105	185	255	322	464	537	479	229	64	6	1	-
	White.....M..	1,356	2	1	-	-	1	-	1	2	-	-	3	8	11	29	46	82	140	152	251	267	228	101	27	3	1	-
	F..	1,400	2	2	-	-	-	3	-	3	2	4	2	8	13	41	55	98	111	168	208	268	248	126	37	3	-	-
	Nonwhite..M..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	4	2	1	-	-	-	-	-
	F..	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	2	2	-	-	-	-	-
90-95	Diseases of the heart	8,011	3	-	-	2	1	5	26	18	20	28	47	94	147	259	404	585	807	994	1,308	1,249	1127	637	211	37	1	1
	White.....M..	4,812	1	-	-	2	-	2	14	9	8	13	19	61	110	171	291	413	535	611	771	705	638	318	108	14	1	1
	F..	3,113	2	-	-	-	1	3	12	9	11	14	27	32	36	82	111	168	257	373	520	540	477	314	101	23	-	-
	Nonwhite..M..	49	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	4	9	4	10	4	6	2	3	-	-	-
	F..	37	-	-	-	-	-	-	-	-	1	1	1	-	1	2	-	-	6	6	7	2	6	3	1	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	544	-	-	-	-	-	4	15	8	11	10	18	26	23	38	38	44	61	48	58	54	58	28	5	1	-	-
	White.....M..	289	-	-	-	-	-	2	9	5	5	-	6	14	15	14	22	22	28	27	25	29	30	15	3	-	-	-
	F..	263	-	-	-	-	-	2	6	5	5	9	12	11	8	23	16	22	33	20	31	25	22	10	2	1	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	1	-	2	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,300	1	-	-	-	-	-	1	1	1	5	9	38	75	142	228	315	418	488	553	465	329	173	51	8	1	-
	White.....M..	2,285	-	-	-	-	-	-	-	1	-	3	6	28	61	111	186	248	308	325	384	288	217	91	24	3	1	-
	F..	1,013	1	-	-	-	-	-	1	-	1	2	2	10	14	30	40	66	104	161	186	175	109	81	25	5	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	3	-	1	1	2	-	-	-
	F..	11	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	4	3	-	-	2	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,187	2	-	-	2	1	1	10	9	8	13	20	30	49	79	138	226	328	458	697	732	742	458	155	28	-	1
	White.....M..	2,280	1	-	-	2	-	-	5	5	3	10	7	19	34	46	83	143	199	261	382	386	391	212	79	11	-	1
	F..	1,857	1	-	-	-	1	1	5	4	5	3	13	11	14	29	55	80	120	192	303	340	346	225	74	17	-	-
	Nonwhite..M..	32	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	3	7	3	6	4	3	1	1	-	-	-
	F..	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	6	2	2	2	1	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,701	221	18	9	8	7	7	13	11	17	18	19	30	44	38	58	78	84	106	142	195	293	192	74	23	-	-
	White.....M..	995	127	8	6	1	3	4	10	3	12	8	9	16	25	25	38	55	52	63	90	114	164	116	54	12	-	-
	F..	665	78	8	3	6	3	2	3	8	4	8	9	14	16	13	19	20	28	41	50	78	128	76	40	10	-	-
	Nonwhite..M..	21	6	2	-	1	-	1	-	-	-	-	-	-	2	-	-	2	2	2	1	1	1	-	-	-	-	-
	F..	20	10	-	-	-	1	-	-	-	1	-	1	-	1	-	1	1	2	-	1	-	-	-	-	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																										
107	Bronchopneumonia.	832	143	7	5	3	3	5	6	5	9	4	3	11	13	12	19	27	22	40	68	108	157	101	43	18	-	-
	White.....M..	480	86	4	4	1	1	2	5	1	7	2	2	7	6	7	10	17	11	27	45	63	82	61	19	10	-	-
	F..	332	49	3	1	2	1	2	1	4	1	2	1	4	5	5	9	8	11	12	22	44	74	40	24	7	-	-
	Nonwhite..M..	11	5	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	-	-	-	-
	F..	9	3	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	1	-	-
108	Lobar pneumonia..	489	44	5	1	2	-	-	3	3	6	4	11	15	19	19	27	36	44	38	47	43	84	49	9	-	-	-
	White.....M..	302	19	2	-	-	-	-	2	-	4	3	6	8	13	12	20	27	32	23	29	29	37	31	5	-	-	-
	F..	172	18	3	1	1	-	-	1	3	2	1	5	7	5	7	6	8	9	15	17	14	27	18	4	-	-	-
	Nonwhite..M..	6	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	F..	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	99	13	4	1	-	-	-	-	2	-	1	1	1	3	1	2	4	4	5	8	18	17	9	4	1	-	-
	White.....M..	60	10	1	-	-	-	-	-	1	-	-	1	-	3	1	2	4	-	1	4	11	14	3	4	-	-	-
	F..	35	3	1	1	-	-	-	-	1	-	1	-	1	-	-	-	-	3	3	4	7	3	6	-	1	-	-
	Nonwhite..M..	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	281	21	2	2	3	4	2	4	1	2	7	4	3	9	6	10	11	14	23	19	24	55	33	18	4	-	-
	White.....M..	153	12	1	2	-	2	2	3	1	1	3	-	1	3	5	6	7	9	12	12	11	31	21	6	2	-	-
	F..	126	8	1	-	3	2	-	1	-	1	4	3	2	6	1	4	4	5	11	7	13	24	12	12	2	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	178	-	-	-	-	-	-	-	1	2	2	3	8	12	7	18	25	22	22	25	17	8	6	-	-	-	-
	White.....M..	145	-	-	-	-	-	-	-	1	2	2	3	6	10	6	15	18	19	17	21	14	5	6	-	-	-	-
	F..	31	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	6	3	5	4	3	3	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	89	40	6	1	-	-	-	1	2	1	2	1	4	-	2	4	2	1	4	6	2	5	2	2	1	-	-
	White.....M..	49	25	4	-	-	-	-	-	2	1	-	-	2	-	2	1	2	-	3	4	2	-	-	-	1	-	-
	F..	38	14	2	1	-	-	-	1	-	-	1	1	2	-	-	3	-	1	1	2	-	5	2	2	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	162	1	2	3	3	3	8	11	15	4	2	12	4	10	12	13	18	7	7	9	11	6	1	-	-	-	-
	White.....M..	102	1	1	2	3	3	7	6	10	3	2	10	3	7	6	7	9	4	4	5	5	4	-	-	-	-	-
	F..	55	-	1	-	-	-	1	4	5	1	-	1	1	3	6	6	7	3	3	4	6	2	1	-	-	-	-
	Nonwhite..M..	3	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	221	9	3	2	-	-	4	4	-	2	4	6	7	6	9	19	12	15	20	28	33	23	10	3	2	-	-
	White.....M..	120	5	2	2	-	-	2	2	-	1	3	5	3	2	3	9	5	11	13	10	21	15	4	1	1	-	-
	F..	98	4	1	-	-	-	2	2	-	1	1	1	4	3	6	9	7	3	7	18	12	6	6	2	1	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-
124	Cirrhosis of the liver.....	200	-	1	-	1	-	1	-	2	-	4	4	7	6	20	19	29	21	24	31	14	12	2	2	-	-	-
	White.....M..	124	-	1	-	1	-	1	-	-	-	1	1	5	4	14	13	18	16	16	17	7	7	1	1	-	-	-
	F..	73	-	-	-	-	-	-	-	2	-	2	2	2	2	6	6	10	5	8	14	7	5	1	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	187	-	-	-	-	-	-	-	-	1	2	3	2	7	16	13	19	22	24	27	14	23	11	2	1	-	-
	White.....M..	54	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	7	7	7	7	4	9	2	1	1	-	-
	F..	131	-	-	-	-	-	-	-	-	-	1	3	1	5	13	10	12	15	17	20	10	14	9	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	1,053	1	-	2	2	-	7	4	11	17	14	8	25	16	40	40	68	97	114	138	168	140	106	25	8	2	-
	White.....M..	614	1	-	2	2	-	6	3	6	10	9	5	14	7	25	24	43	55	59	83	99	86	57	14	3	1	-
	F..	424	-	-	-	-	-	1	-	5	6	5	2	11	8	14	15	24	39	54	54	68	53	48	11	5	1	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	2	-	1	1	1	-	-	-	-	-
	F..	6	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-
137	Diseases of the prostate.....	269	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	5	15	27	48	69	56	37	8	1	-	-
	White.....M..	268	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	5	15	27	48	68	56	37	8	1	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc. * ..	84	-	-	-	-	-	-	-	7	14	18	20	18	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	82	-	-	-	-	-	-	-	7	14	18	20	17	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	34	-	-	-	-	-	-	-	5	7	5	9	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	33	-	-	-	-	-	-	-	5	7	5	9	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	14	-	-	-	-	-	-	-	-	1	3	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	14	-	-	-	-	-	-	-	-	1	3	4	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b, 143, 145B, 146, 149,150	Other puerperal causes.....	36	-	-	-	-	-	-	-	2	6	10	7	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	35	-	-	-	-	-	-	-	2	6	10	7	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	346	291	11	7	4	2	11	5	7	2	-	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	173	148	4	4	2	2	5	3	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	172	142	7	3	2	-	6	2	6	1	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MINNESOTA—Con.																										
159	Premature birth..	339	339	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	373	373	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	253	253	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	5	5	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	277	-	-	-	-	-	-	-	2	9	11	18	19	28	35	30	34	29	27	13	14	5	2	1	-	-
	White.....M..	225	-	-	-	-	-	-	-	2	4	9	15	12	22	27	23	31	28	23	13	10	4	1	1	-	-	-
	F..	50	-	-	-	-	-	-	-	-	5	2	3	6	6	8	7	3	1	3	-	4	1	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	31	4	-	1	-	-	1	-	2	2	2	4	2	1	2	3	1	1	1	-	1	1	2	-	-	-
	White.....M..	19	2	-	-	-	-	1	-	2	1	1	2	1	1	-	3	1	1	1	-	1	-	1	-	-	-
	F..	10	2	-	1	-	-	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	1	1	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,805	45	55	31	20	18	72	60	78	87	70	59	72	61	59	83	98	113	98	131	165	170	116	35	9	2	-
	White.....M..	1,219	25	29	20	10	12	48	47	64	73	64	49	53	51	53	72	82	92	55	81	80	78	60	19	2	-	-
	F..	565	18	26	11	10	6	24	13	12	12	5	8	16	9	5	10	14	19	39	50	85	92	56	16	7	2	-
	Nonwhite..M..	15	1	-	-	-	-	-	-	1	1	1	1	3	1	1	1	1	2	1	-	-	-	-	-	-	-	-
	F..	6	1	-	-	-	-	-	-	1	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	308	3	5	7	4	4	21	5	21	23	23	13	21	21	18	22	17	24	20	16	12	6	1	1	-	-	-
	White.....M..	229	3	-	5	2	3	10	2	13	16	20	11	15	18	17	18	16	18	18	12	9	4	1	-	-	-	-
	F..	72	-	5	2	2	1	11	3	7	6	3	1	6	4	1	3	1	4	2	4	3	2	-	1	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,497	42	50	24	16	14	51	55	57	64	47	46	51	40	41	61	81	89	76	115	153	164	115	34	9	2	-
	White.....M..	990	22	29	15	8	9	38	45	51	57	44	38	38	35	36	54	66	74	37	69	71	74	59	19	2	-	-
	F..	493	18	21	9	8	5	13	10	5	6	2	7	10	5	4	7	13	15	37	46	82	90	56	15	7	2	-
	Nonwhite..M..	9	1	-	-	-	-	-	-	1	-	1	-	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F..	5	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	257	16	1	2	-	-	2	-	1	1	-	2	-	4	1	6	7	10	17	20	21	55	49	30	8	4	2
	White.....M..	139	6	-	-	-	-	-	-	1	-	-	1	-	3	1	4	5	8	10	12	14	32	20	14	6	1	1
	F..	100	5	1	-	-	-	-	-	-	1	-	1	-	1	-	2	2	2	7	6	5	20	26	15	2	3	1
	Nonwhite..M..	8	3	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F..	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	-	-	-
	All other causes.	2,978	487	27	14	11	14	38	41	31	43	50	57	52	68	133	136	148	153	210	282	334	317	218	97	16	3	-
	White.....M..	1,841	285	16	8	7	7	22	19	14	25	32	31	24	30	71	77	89	86	117	155	193	166	121	40	6	-	-
	F..	1,306	190	10	6	3	6	13	22	17	18	18	23	27	37	60	58	57	66	93	126	139	150	97	57	10	3	-
	Nonwhite..M..	17	5	-	-	1	1	1	-	-	-	-	2	1	-	2	1	1	1	-	1	-	-	-	-	-	-	-
	F..	14	7	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	2	1	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI																											
	All causes.....	21,193	2800	303	163	102	62	244	241	529	686	583	659	799	926	1,046	1,344	1,517	1,697	1,847	1,909	1,458	1,051	666	328	128	89	16
	White.....M..	5,398	681	48	27	25	12	63	45	117	215	126	121	138	156	214	328	405	503	552	583	430	331	197	64	12	-	3
	F..	3,992	488	40	25	19	11	47	33	65	67	68	83	121	128	140	162	230	298	378	489	398	333	237	97	22	4	4
	Nonwhite..M..	6,068	921	115	61	33	20	72	90	194	197	179	217	246	273	344	444	441	445	471	471	352	199	124	80	43	31	5
	F..	5,735	710	100	50	25	19	62	73	153	207	208	238	294	369	348	410	441	451	446	366	278	183	108	87	51	54	4
1,2	Typhoid and paratyphoid fever..	20	-	-	-	-	-	3	3	3	2	-	2	1	1	1	-	-	2	2	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	9	-	-	-	-	-	1	1	-	2	-	1	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	2	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	38	5	2	2	-	-	3	3	5	5	3	6	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	17	1	-	-	-	-	-	-	4	3	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	-	1	-	-	-	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	10	2	-	2	-	-	1	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	5	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	7	-	1	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	-	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	90	66	13	3	3	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	19	17	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	14	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	28	20	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	29	18	6	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	22	2	3	5	-	2	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	11	1	3	3	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	-	-	1	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)....	912	3	4	2	3	1	6	17	77	127	102	95	99	88	63	57	55	49	44	17	10	10	2	-	-	-	1
	White.....M..	167	1	-	-	1	-	-	-	2	8	9	8	13	13	15	24	24	15	22	6	2	4	-	-	-	-	-
	F..	108	-	-	-	-	-	1	5	8	7	11	15	5	6	4	8	12	7	7	5	6	1	-	-	-	-	-
	Nonwhite..M..	310	-	3	1	2	-	5	2	25	52	36	42	39	27	20	16	13	13	9	2	2	-	-	-	-	-	1
	F..	327	2	1	1	-	1	1	14	45	59	50	34	32	23	22	13	10	9	6	2	1	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	858	1	2	-	2	1	2	16	71	114	100	93	95	64	61	55	54	46	41	17	10	10	2	-	-	-	1
	White.....M..	159	1	-	-	-	-	-	-	2	5	9	8	12	13	15	23	23	14	22	6	2	4	-	-	-	-	-
	F..	102	-	-	-	-	-	-	1	5	7	7	11	14	4	5	3	8	11	7	7	5	6	1	-	-	-	-
	Nonwhite..M..	285	-	1	-	2	-	2	2	21	45	36	41	37	25	19	16	13	13	7	2	2	-	-	-	-	-	1
	F..	312	-	1	-	-	1	-	13	43	57	48	33	32	22	22	13	10	8	5	2	1	-	1	-	-	-	-
14-22	Tuberculosis (other forms)..	54	2	2	2	1	-	4	1	6	13	2	2	4	4	2	2	1	3	3	-	-	-	-	-	-	-	-
	White.....M..	8	-	-	-	1	-	-	-	-	3	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	25	-	2	1	-	-	3	-	4	7	-	1	2	2	1	-	-	-	2	-	-	-	-	-	-	-	-
	F..	15	2	-	1	-	-	1	1	2	2	2	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
27	Dysentery.....	79	31	13	1	-	-	-	1	2	-	2	-	1	3	2	-	3	3	4	5	4	2	1	1	-	-	-
	White.....M..	14	3	1	-	-	-	-	-	1	-	1	-	1	-	-	-	2	-	-	1	1	1	1	1	-	-	-
	F..	11	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	-	-	-	-	-
	Nonwhite..M..	25	12	2	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	2	4	2	-	-	-	-	-	-
	F..	29	13	8	1	-	-	-	-	1	-	1	-	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-
28	Malaria.....	67	10	2	5	2	-	6	3	5	3	2	1	-	4	1	4	3	2	4	3	1	4	1	1	-	-	-
	White.....M..	9	1	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	1	1	1	-	2	-	-	-	-	-
	F..	9	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	-
	Nonwhite..M..	25	5	2	2	1	-	1	2	4	1	1	-	-	1	-	2	2	-	-	1	-	-	-	-	-	-	-
	F..	24	3	-	2	-	-	4	1	1	1	1	1	-	3	1	1	1	-	2	-	-	1	1	-	-	-	-
30	Syphilis.....	401	36	4	2	1	-	1	4	3	15	19	35	43	39	41	50	31	29	17	20	6	3	-	1	1	-	-
	White.....M..	50	4	-	-	-	-	-	-	-	1	-	3	2	6	5	9	5	3	6	4	2	-	-	-	-	-	-
	F..	11	1	1	-	-	-	-	-	-	2	-	2	-	3	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite..M..	215	22	3	-	1	-	-	1	3	4	11	15	22	23	23	30	18	15	8	12	1	1	-	1	1	-	-
	F..	125	9	-	2	-	-	1	3	-	8	8	15	19	7	15	11	8	11	2	4	3	1	-	-	-	-	-
35	Measles.....	21	9	4	1	-	-	-	1	1	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	White.....M..	5	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	5	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	1	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	10	1	4	-	-	-	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	3	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	1,608	3	1	-	2	-	9	8	7	11	22	41	76	110	127	172	175	201	206	188	110	68	51	14	4	-	2
	White.....M..	433	1	-	-	-	-	5	3	3	4	5	4	9	9	20	40	39	54	69	71	38	34	20	3	1	-	1
	F..	516	1	1	-	-	-	2	2	2	3	7	11	28	38	45	47	53	67	62	58	38	20	22	6	2	-	1
	Nonwhite..M..	252	-	-	-	-	-	2	2	2	1	4	3	10	11	21	28	34	36	29	34	22	5	7	1	-	-	-
	F..	407	1	-	-	2	-	-	1	-	3	6	23	29	52	41	57	49	44	46	25	12	9	2	4	1	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																										
46	Cancer of digestive organs, peritoneum.....	633	-	-	-	-	-	1	1	-	5	4	6	18	28	44	67	83	83	96	88	44	33	24	5	2	-	1
	White.....M..	186	-	-	-	-	-	1	-	-	3	-	-	4	4	8	19	20	22	36	28	15	15	10	-	-	-	1
	F..	174	-	-	-	-	-	-	-	-	1	-	-	6	6	10	18	16	26	24	30	14	12	8	2	1	-	-
	Nonwhite..M..	147	-	-	-	-	-	-	-	-	-	2	2	4	8	14	15	25	21	17	21	10	3	4	1	-	-	-
	F..	126	-	-	-	-	-	-	1	-	1	2	4	4	10	12	15	22	14	19	9	5	3	2	2	1	-	-
48,49	Cancer of female genital organs.	323	1	-	-	-	-	-	1	-	3	6	24	23	45	34	38	27	37	42	19	11	6	3	2	-	-	1
	White.....F..	144	1	-	-	-	-	-	1	-	1	3	8	6	19	17	12	13	18	24	8	6	1	3	2	-	-	1
	Nonwhite..F..	179	-	-	-	-	-	-	-	-	2	3	16	17	26	17	26	14	19	18	11	5	5	-	-	-	-	-
50	Cancer of breast.	140	-	-	-	-	-	-	-	-	-	2	1	9	16	21	23	16	19	12	8	7	4	1	1	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	82	-	-	-	-	-	-	-	-	-	2	-	4	5	15	11	10	12	7	5	7	3	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	57	-	-	-	-	-	-	-	-	-	-	1	5	11	6	12	6	6	5	3	-	1	-	1	-	-	-
45,47, 51-55	Cancer (other sites).....	512	2	1	-	2	-	8	6	7	3	10	10	26	21	28	44	49	62	56	73	48	25	23	6	2	-	-
	White.....M..	247	1	-	-	-	-	4	3	3	1	5	4	5	5	12	21	19	32	33	43	23	19	10	3	1	-	-
	F..	116	-	1	-	-	-	2	1	2	1	2	3	12	8	3	6	14	11	7	15	11	4	10	2	1	-	-
	Nonwhite..M..	104	-	-	-	-	-	2	2	2	1	2	1	6	3	7	13	9	14	12	13	12	2	3	-	-	-	-
	F..	45	1	-	-	2	-	-	-	-	-	1	2	3	5	6	4	7	5	4	2	2	-	-	1	-	-	-
58	Acute rheumatic fever.....	23	-	-	1	1	-	2	4	3	2	1	-	2	2	-	-	1	1	2	-	-	-	-	-	1	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	10	-	-	-	-	-	1	2	1	2	-	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-
61	Diabetes mellitus	319	-	-	-	2	-	2	4	5	9	6	7	10	18	22	23	34	30	54	44	25	17	5	1	-	1	-
	White.....M..	88	-	-	-	1	-	-	-	2	1	3	3	4	2	5	3	12	5	15	16	8	6	2	-	-	-	-
	F..	84	-	-	-	-	-	1	2	3	1	-	1	3	1	4	3	7	10	14	15	11	7	1	-	-	-	-
	Nonwhite..M..	54	-	-	-	-	-	-	1	-	6	2	1	-	5	3	5	2	2	14	6	3	3	-	1	-	-	-
	F..	93	-	-	-	1	-	1	1	-	1	1	2	3	10	10	12	13	13	11	7	3	1	2	-	-	1	-
65b	Exophthalmic goiter.....	27	-	-	-	-	-	-	1	2	4	1	2	1	1	1	2	4	5	3	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	1	2	-	2	1	-	1	2	1	-	2	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	10	-	-	-	-	-	-	1	-	2	1	-	-	1	-	-	2	2	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	82	1	-	-	-	-	-	-	2	1	3	3	3	5	5	5	8	7	15	10	9	1	3	1	-	-	-
	White.....M..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	4	-	2	-	-	-	-	-	-
	F..	22	1	-	-	-	-	-	-	-	1	1	-	-	1	1	-	2	2	4	5	2	-	1	1	-	-	-
	Nonwhite..M..	17	-	-	-	-	-	-	-	1	-	-	2	1	-	1	3	2	1	3	-	2	1	-	-	-	-	-
	F..	34	-	-	-	-	-	-	-	1	-	2	1	2	4	1	2	3	4	4	5	3	-	2	-	-	-	-
77	Alcoholism (ethylism).....	10	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	2	-	-	-	-	-	-	-	-	-	-
	White.....M..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	1,848	3	-	1	-	1	-	2	9	5	7	17	36	68	112	161	191	219	275	245	216	137	94	29	11	8	1
	White.....M..	459	-	-	1	-	-	-	-	1	1	-	2	5	6	11	30	37	68	68	68	58	46	27	9	1	-	-
	F..	449	-	-	-	-	1	-	-	5	2	3	3	4	9	13	17	29	35	69	91	75	45	38	6	3	-	1
	Nonwhite..M..	423	1	-	-	-	-	-	-	2	-	1	4	7	16	39	60	54	50	64	39	43	18	14	4	5	2	-
	F..	537	2	-	-	-	-	-	2	1	2	3	8	20	37	49	54	71	66	74	47	40	28	15	10	2	6	-
90-95	Diseases of the heart.....	3,389	2	2	2	1	1	7	15	29	27	34	63	72	131	186	266	343	420	424	492	371	256	152	63	13	14	3
	White.....M..	1,178	-	-	2	-	-	3	3	5	7	6	12	25	27	50	84	128	179	161	187	147	93	46	10	2	-	1
	F..	738	1	1	-	-	1	2	2	8	5	8	5	8	15	16	37	41	67	94	135	118	89	60	22	3	-	-
	Nonwhite..M..	711	-	1	-	-	-	1	3	5	9	9	18	15	35	64	66	83	84	88	88	56	37	24	15	2	7	1
	F..	762	1	-	-	1	-	1	7	11	6	11	28	24	54	56	79	91	90	81	82	50	37	22	16	6	7	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	501	-	1	1	-	1	2	9	9	14	8	13	12	22	22	34	40	52	60	67	54	37	29	9	3	2	-
	White.....M..	127	-	-	1	-	-	-	2	1	3	1	3	2	7	2	7	9	16	17	18	16	10	11	-	1	-	-
	F..	107	-	1	-	-	1	1	2	5	1	2	2	4	2	1	2	4	7	11	19	14	11	13	4	-	-	-
	Nonwhite..M..	123	-	-	7	-	-	1	1	1	5	1	3	3	8	10	10	13	12	19	13	11	7	2	2	-	1	-
	F..	144	-	-	-	-	-	-	4	2	5	4	5	3	5	9	15	14	17	13	17	13	9	3	3	2	1	-
94	Diseases of coronary arteries, angina pectoris	714	-	-	1	-	-	1	1	3	1	5	11	20	29	56	70	84	115	81	103	74	37	16	6	-	-	-
	White.....M..	406	-	-	1	-	-	1	1	2	1	1	4	13	14	28	41	59	77	43	58	40	20	2	-	-	-	-
	F..	139	-	-	-	-	-	-	-	-	-	2	-	1	1	5	8	8	19	16	27	28	12	8	4	-	-	-
	Nonwhite..M..	85	-	-	-	-	-	-	-	1	-	1	3	2	6	10	12	9	13	11	7	5	1	3	1	-	-	-
	F..	84	-	-	-	-	-	-	-	-	-	1	4	4	8	13	9	8	6	11	11	1	4	3	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	2,174	2	1	-	1	-	4	5	17	12	21	39	40	80	108	182	219	253	283	322	243	182	107	48	10	12	3
	White.....M..	645	-	-	-	-	-	2	-	2	3	4	5	10	6	20	36	60	86	101	111	91	63	33	10	1	-	1
	F..	492	1	-	-	-	-	1	-	3	4	4	3	3	12	10	27	29	41	67	89	76	66	39	14	3	-	-
	Nonwhite..M..	503	-	1	-	-	-	-	2	3	4	7	12	10	21	44	44	61	59	58	68	40	29	19	12	2	6	1
	F..	534	1	-	-	1	-	1	3	9	1	6	19	17	41	34	55	69	67	57	54	36	24	16	12	4	6	1
107-109, 33	Pneumonia (all forms) and influenza.....	1,435	386	58	40	19	9	28	17	29	32	27	31	33	61	52	52	50	86	89	102	69	73	45	29	12	5	1
	White.....M..	338	71	5	6	2	1	7	3	6	8	1	7	5	15	14	19	13	24	25	31	23	27	19	5	1	-	-
	F..	290	66	10	8	3	1	5	1	6	3	3	4	3	8	3	3	5	20	20	32	17	28	18	19	3	-	1
	Nonwhite..M..	446	146	25	17	4	3	12	6	9	11	13	11	15	25	17	12	19	19	21	25	13	8	7	-	5	3	-
	F..	361	103	18	9	10	4	4	7	8	10	10	9	10	13	18	18	13	23	23	14	16	10	1	5	3	2	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																										
107	Bronchopneumonia..	350	167	16	11	6	1	4	3	5	6	3	1	4	9	8	4	4	19	14	18	11	20	7	5	2	2	-
	White.....M..	103	40	2	2	1	-	1	1	3	3	1	-	2	3	1	2	-	6	6	8	7	10	3	1	-	-	-
	F..	85	33	5	3	1	1	2	1	1	-	-	1	-	2	2	-	-	5	4	7	2	5	4	3	1	-	-
	Nonwhite..M..	98	60	7	4	1	-	1	1	-	3	2	-	1	3	-	1	2	3	2	3	-	2	-	-	1	1	-
	F..	66	34	2	2	3	-	-	-	1	-	-	-	1	1	5	1	2	5	2	-	2	3	-	1	-	1	-
108	Lobar pneumonia..	524	88	15	10	6	5	9	8	10	13	11	18	19	42	23	23	22	41	43	40	29	19	12	11	4	2	1
	White.....M..	108	9	1	1	1	1	3	1	2	4	-	3	1	8	9	6	4	11	12	12	7	5	5	2	-	-	-
	F..	89	16	2	4	1	-	-	-	-	1	1	2	2	3	1	-	3	8	12	9	6	8	2	6	1	-	1
	Nonwhite..M..	175	36	7	3	1	2	4	3	5	3	4	8	11	20	7	6	7	10	11	11	8	2	4	-	1	1	-
	F..	152	27	5	2	3	2	2	4	3	5	6	5	5	11	8	11	8	12	8	8	8	4	1	3	2	1	-
109	Pneumonia (unspecified).....	60	16	3	3	-	-	2	1	3	2	-	2	1	1	1	2	4	2	7	4	2	2	2	-	-	-	-
	White.....M..	13	2	-	2	-	-	-	-	-	-	-	1	-	1	-	1	2	-	1	-	-	1	2	-	-	-	-
	F..	9	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-
	Nonwhite..M..	23	7	3	-	-	-	1	1	1	1	-	-	-	-	-	-	1	1	3	3	1	-	-	-	-	-	-
	F..	15	6	-	1	-	-	-	-	1	-	-	1	1	-	1	1	-	-	3	-	-	-	-	-	-	-	-
33	Influenza.....	501	115	24	16	7	3	13	5	11	11	13	10	9	9	20	23	20	24	25	40	27	32	24	13	6	1	-
	White.....M..	114	20	2	1	-	-	3	1	1	1	-	3	2	3	4	10	7	7	6	11	9	11	9	2	1	-	-
	F..	109	16	3	1	1	-	2	-	4	1	2	1	1	3	-	3	1	6	4	15	8	14	12	10	1	-	-
	Nonwhite..M..	150	43	8	10	2	1	6	1	3	4	7	3	3	2	10	5	9	5	5	8	4	4	3	-	3	1	-
	F..	128	36	11	4	4	2	2	3	3	5	4	3	3	1	6	5	3	6	10	6	6	3	-	1	1	-	-
117	Ulcer of stomach or duodenum....	107	-	-	-	-	-	-	1	1	2	6	5	9	2	11	23	13	12	7	9	3	-	2	1	-	-	-
	White.....M..	49	-	-	-	-	-	-	-	1	1	3	1	6	1	3	9	4	8	4	5	2	-	1	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	32	-	-	-	-	-	-	-	-	1	1	2	2	-	4	10	3	1	1	4	1	-	1	1	-	-	-
	F..	20	-	-	-	-	-	-	1	-	-	1	2	1	1	3	4	5	1	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	277	163	51	14	4	5	1	-	1	-	1	2	2	3	1	3	3	4	3	6	-	4	4	1	-	1	-
	White.....M..	42	27	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	-	-	-	-	-
	F..	49	25	5	3	1	3	-	-	-	-	1	-	-	-	-	1	-	1	2	4	-	2	1	-	-	-	-
	Nonwhite..M..	104	58	22	5	3	1	1	-	1	-	-	1	1	3	1	1	2	1	-	1	-	-	1	1	-	-	-
	F..	82	53	16	5	-	1	-	-	-	-	-	1	1	-	-	1	-	1	-	1	-	1	-	-	-	1	-
121	Appendicitis.....	160	-	-	1	3	1	11	19	20	14	7	14	16	6	12	10	7	11	4	1	1	1	1	-	-	-	-
	White.....M..	52	-	-	-	2	1	3	4	6	6	2	2	5	2	3	4	1	7	2	-	-	1	1	-	-	-	-
	F..	28	-	-	-	1	-	4	4	3	2	1	3	-	1	2	1	2	2	1	-	1	-	-	-	-	-	-
	Nonwhite..M..	52	-	-	-	-	-	3	6	8	4	3	4	6	2	6	5	2	2	1	-	-	-	-	-	-	-	-
	F..	28	-	-	1	-	-	1	5	3	2	1	5	5	1	1	-	2	-	-	1	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	188	13	3	1	-	-	1	-	9	7	7	7	10	12	15	31	12	13	11	8	12	8	5	2	1	-	-
	White.....M..	40	3	1	-	-	-	-	-	4	2	-	-	-	1	2	4	5	3	2	5	3	4	1	-	-	-	-
	F..	29	1	-	-	-	-	1	-	-	-	1	1	-	2	-	6	1	2	3	1	4	2	3	1	-	-	-
	Nonwhite..M..	60	7	1	-	-	-	-	-	3	1	1	2	3	3	5	10	3	5	4	2	5	2	1	1	1	-	-
	F..	59	2	1	1	-	-	-	-	2	4	5	4	7	6	8	11	3	3	2	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	107	-	-	-	1	-	-	1	3	2	1	2	2	9	7	17	10	14	6	20	6	3	1	1	1	-	-
	White.....M..	49	-	-	-	1	-	-	-	1	1	-	2	1	2	2	10	2	8	2	9	4	2	1	-	1	-	-
	F..	14	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	2	-	4	-	1	-	-	-	-	-
	Nonwhite..M..	23	-	-	-	-	-	-	1	1	-	-	-	-	2	2	2	3	3	2	5	1	-	-	1	-	-	-
	F..	21	-	-	-	-	-	-	-	1	1	1	-	-	3	2	5	2	1	2	2	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	60	1	-	-	-	-	-	-	1	2	1	1	3	-	1	6	10	9	7	9	3	4	1	1	-	-	-
	White.....M..	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	-	1	1	-	-	-
	F..	35	-	-	-	-	-	-	-	-	1	-	-	1	-	1	4	5	7	5	8	-	3	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	10	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	4	1	-	-	-	1	-	-	-	-	-
130-132	Nephritis.....	2,116	8	4	3	-	1	4	7	12	15	19	36	59	98	105	171	208	230	269	307	255	161	81	41	17	7	-
	White.....M..	450	3	-	-	-	-	1	2	1	4	3	4	10	10	19	29	43	48	62	80	62	36	20	13	-	-	-
	F..	374	2	1	2	-	-	1	-	2	1	1	3	7	14	13	14	32	23	40	64	58	55	31	6	3	1	-
	Nonwhite..M..	689	1	3	-	-	1	2	2	2	2	8	11	14	27	37	67	72	77	94	103	86	39	21	13	5	2	-
	F..	603	-	-	1	-	-	-	3	7	8	7	18	28	47	36	61	61	82	73	60	49	31	9	9	9	4	-
137	Diseases of the prostate.....	139	-	-	-	-	-	-	-	-	-	1	1	-	-	1	4	13	13	19	24	20	21	13	7	2	-	-
	White.....M..	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	7	9	7	12	9	2	1	-	-
	Nonwhite..M..	86	-	-	-	-	-	-	-	-	-	1	1	-	-	1	3	11	10	12	15	13	9	4	5	1	-	-
140-150	Diseases of pregnancy, etc.*...	238	-	-	-	-	-	-	3	33	45	38	44	49	19	4	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	71	-	-	-	-	-	-	-	7	12	11	14	19	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	165	-	-	-	-	-	-	3	26	33	27	30	30	12	3	-	-	-	-	-	-	-	-	-	-	-	1
140, 142a, 145A, 147	Puerperal septicemia.....	71	-	-	-	-	-	-	1	16	15	13	13	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	11	-	-	-	-	-	-	-	1	2	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	60	-	-	-	-	-	-	1	15	13	11	10	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	91	-	-	-	-	-	-	2	11	20	15	11	25	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	32	-	-	-	-	-	-	-	5	8	5	3	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	59	-	-	-	-	-	-	2	6	12	10	8	17	3	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	74	-	-	-	-	-	-	-	6	10	10	20	16	10	1	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	28	-	-	-	-	-	-	-	1	2	4	8	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	46	-	-	-	-	-	-	-	5	8	6	12	8	5	1	-	-	-	-	-	-	-	-	-	-	-	1
157	Congenital malformations.....	203	174	9	3	1	3	3	2	2	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	77	68	3	2	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	67	61	1	-	1	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	38	28	5	1	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	21	17	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSISSIPPI—Con.																										
159	Premature birth..	621	621	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	225	225	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	154	154	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	125	125	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	117	117	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	107	-	-	-	-	-	-	-	3	10	15	14	16	11	5	5	8	7	7	3	2	1	-	-	-	-
	White.....M..	65	-	-	-	-	-	-	-	2	6	8	9	7	6	4	4	5	6	4	2	1	1	-	-	-	-	-
	F..	19	-	-	-	-	-	-	-	1	2	2	2	2	3	1	-	3	1	2	-	-	-	-	-	-	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	-	-	2	5	2	6	1	-	-	-	-	1	1	1	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	318	1	1	1	-	1	5	19	37	47	54	47	30	26	19	12	7	4	3	3	1	-	-	-	-	-
	White.....M..	51	1	-	-	-	-	-	1	-	6	5	5	4	9	7	4	3	1	3	2	-	-	-	-	-	-	-
	F..	13	-	-	-	-	-	-	-	-	1	2	1	-	2	1	-	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	202	-	1	1	-	1	3	15	30	27	34	34	23	12	10	7	2	2	-	-	-	-	-	-	-	-	-
	F..	52	-	-	-	-	-	1	1	7	13	13	7	3	3	1	1	2	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,401	53	39	31	32	18	85	60	136	197	105	88	69	67	58	48	56	37	37	48	47	30	26	20	8	3	3
	White.....M..	590	14	8	7	10	4	27	17	61	133	68	45	25	24	26	21	25	14	12	16	11	8	9	3	1	-	1
	F..	184	4	7	6	6	3	14	8	11	5	7	5	4	7	5	3	2	6	7	13	19	16	13	10	2	1	-
	Nonwhite..M..	447	19	12	10	11	5	23	29	59	47	20	30	34	29	23	17	21	11	15	14	8	2	2	1	1	2	2
	F..	180	16	12	8	5	6	21	6	5	12	10	8	6	7	4	7	8	6	3	5	9	4	2	6	4	-	-
170	Motor-vehicle accidents.....	347	2	3	2	6	4	19	14	41	41	36	30	24	23	24	21	28	12	9	3	3	1	-	-	-	-	1
	White.....M..	177	1	2	1	3	-	9	7	21	30	20	14	11	8	11	13	16	3	4	-	1	1	-	-	-	-	1
	F..	30	-	1	-	1	1	3	4	3	-	1	4	2	3	2	2	-	3	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	112	-	-	1	2	2	6	3	16	8	8	10	6	11	11	6	10	4	4	2	2	-	-	-	-	-	-
	F..	28	1	-	-	-	1	1	-	1	3	7	2	5	1	-	-	2	2	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,054	51	36	29	26	14	66	46	95	156	69	58	45	44	34	27	28	25	28	45	44	29	28	20	8	3	2
	White.....M..	413	13	6	6	7	4	18	10	40	103	48	31	14	16	15	8	9	11	8	16	10	7	9	3	1	-	-
	F..	154	4	6	6	5	2	11	4	8	5	6	1	2	4	3	1	2	3	7	13	19	16	13	10	2	1	-
	Nonwhite..M..	335	19	12	9	9	3	17	26	43	39	12	20	28	18	12	11	11	7	11	12	6	2	2	1	1	2	2
	F..	152	15	12	8	5	5	20	6	4	9	3	6	1	6	4	7	6	4	2	4	9	4	2	6	4	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	2,933	709	52	27	12	8	16	17	34	42	37	35	59	70	102	143	165	201	223	252	207	183	139	101	51	47	1
	White.....M..	330	60	6	-	1	-	1	3	3	4	2	3	1	5	9	12	22	31	33	37	25	33	22	15	2	-	-
	F..	235	35	1	1	1	1	1	-	-	1	-	1	3	2	3	3	12	12	18	29	23	33	32	19	3	-	1
	Nonwhite..M..	1,213	357	22	15	8	3	7	11	15	16	16	14	23	25	46	73	63	84	80	86	79	64	38	32	21	15	-
	F..	1,155	257	23	11	2	4	7	3	16	21	19	17	32	38	44	55	66	74	92	100	80	53	47	35	25	32	-
	All other causes.	1,812	501	33	16	14	10	35	28	52	58	57	58	93	89	87	77	104	88	112	92	80	64	39	13	6	3	3
	White.....M..	516	177	9	5	6	2	10	8	10	18	8	5	13	13	15	19	30	22	45	31	31	20	15	2	2	-	-
	F..	429	119	6	3	3	1	8	7	10	13	12	12	21	8	20	17	21	24	24	21	24	28	16	6	3	2	-
	Nonwhite..M..	425	112	8	4	1	5	8	5	20	8	10	17	21	25	18	26	29	24	22	29	14	10	4	3	1	-	1
	F..	442	93	10	4	4	2	9	8	12	19	27	24	38	43	34	15	24	18	21	11	11	6	4	2	-	1	2

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI																											
	All causes.......	44,289	2,918	311	144	104	74	270	272	474	550	594	791	1,105	1,298	1,805	2,597	3,142	3,876	4,843	5,542	5,442	4,460	2,561	868	172	43	33
	White.....M..	22,077	1,490	128	70	51	33	144	151	243	252	232	313	451	601	853	1,321	1,657	2,114	2,538	2,895	2,749	2,178	1,144	368	71	8	22
	F..	17,702	1,074	144	54	42	33	94	87	159	178	240	303	412	397	611	798	1,035	1,358	1,910	2,328	2,430	2,140	1,328	450	83	10	4
	Nonwhite..M..	2,445	196	20	10	7	5	14	21	37	56	59	74	108	142	172	270	268	230	245	187	151	77	50	24	9	7	6
	F..	2,065	158	19	10	4	3	18	13	35	64	63	101	164	158	169	208	182	174	150	132	112	65	39	26	9	18	1
1,2	Typhoid and paratyphoid fever..	33	-	1	-	-	-	4	1	2	1	-	7	2	3	1	3	3	2	2	-	1	-	-	-	-	-	-
	White.....M..	15	-	1	-	-	-	2	-	1	-	-	4	2	1	-	1	2	-	-	-	1	-	-	-	-	-	-
	F..	14	-	-	-	-	-	-	1	1	-	-	3	-	2	1	2	-	2	2	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	80	9	6	7	1	2	4	4	8	2	3	7	2	4	1	3	3	8	5	-	1	-	-	-	-	-	-
	White.....M..	41	6	1	4	1	-	-	2	5	-	1	3	2	3	1	2	3	3	3	-	1	-	-	-	-	-	-
	F..	21	1	4	1	-	1	4	1	-	2	1	1	-	-	-	1	-	3	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	12	2	-	1	-	-	-	-	3	-	1	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F..	6	-	1	1	-	1	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	20	2	1	2	2	-	4	3	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	12	2	1	2	1	-	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	1	-	2	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	95	64	19	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	38	25	5	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	43	31	10	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.......	36	2	8	7	4	3	4	3	-	-	1	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
	White.....M..	14	-	5	4	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	22	2	3	3	2	1	3	3	-	-	1	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)....	1,659	18	11	8	2	2	11	11	68	113	123	126	155	118	141	151	141	152	120	82	64	30	10	2	-	-	-
	White.....M..	771	9	3	3	1	-	8	1	12	29	39	37	58	54	83	95	91	94	60	45	31	14	3	1	-	-	-
	F..	486	3	6	3	1	1	2	3	22	32	50	51	48	24	27	23	23	40	47	31	29	13	6	1	-	-	-
	Nonwhite..M..	236	2	1	1	-	1	1	2	11	25	13	18	22	26	23	30	21	18	10	5	3	3	-	-	-	-	-
	F..	166	4	1	1	-	-	-	5	23	27	21	20	27	14	8	3	6	-	3	1	1	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	1,542	7	4	4	1	1	4	7	59	104	119	123	152	110	133	148	134	142	112	77	60	29	10	2	-	-	-
	White.....M..	727	3	1	3	-	-	3	-	10	28	35	37	57	51	82	94	89	89	57	41	30	13	3	1	-	-	-
	F..	445	1	2	-	1	1	-	1	19	30	50	50	47	22	23	22	20	37	43	30	26	13	6	1	-	-	-
	Nonwhite..M..	216	1	-	1	-	-	1	2	9	21	13	18	22	23	21	29	19	16	9	5	3	3	-	-	-	-	-
	F..	154	2	1	-	-	-	-	4	21	25	21	18	26	14	7	3	6	-	3	1	1	-	1	-	-	-	-
14-22	Tuberculosis (other forms)..	117	11	7	4	1	1	7	4	9	9	4	3	3	8	8	3	7	10	8	5	4	1	-	-	-	-	-
	White.....M..	44	6	2	-	1	-	5	1	2	1	4	-	1	3	1	1	2	5	3	4	1	1	-	-	-	-	-
	F..	41	2	4	3	-	-	2	2	3	2	-	1	1	2	4	1	3	3	4	1	3	-	-	-	-	-	-
	Nonwhite..M..	20	1	1	-	-	1	-	-	2	4	-	-	-	3	2	1	2	2	1	-	-	-	-	-	-	-	-
	F..	12	2	-	1	-	-	-	1	2	2	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery........	38	13	2	3	2	-	-	-	-	-	-	1	-	-	1	-	-	1	2	2	4	4	3	-	-	-	-
	White.....M..	20	7	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	2	-	-	-	-
	F..	14	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	3	1	-	-	-	-
	Nonwhite..M..	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
28	Malaria..........	19	3	-	-	-	-	-	-	-	-	-	2	2	1	1	-	2	3	1	2	-	1	1	-	-	-	-
	White.....M..	7	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-
	Nonwhite..M..	6	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.........	548	23	-	-	-	-	-	2	4	8	6	19	34	62	54	77	78	59	52	40	14	9	3	3	-	-	1
	White.....M..	258	7	-	-	-	-	-	1	-	2	1	2	11	28	18	32	43	40	33	22	9	6	2	1	-	-	-
	F..	103	4	-	-	-	-	-	1	4	3	1	3	8	11	11	14	10	7	7	10	4	2	1	2	-	-	-
	Nonwhite..M..	139	6	-	-	-	-	-	-	-	1	2	6	13	19	18	22	20	11	12	6	1	1	-	-	-	-	1
	F..	48	6	-	-	-	-	-	-	-	2	2	8	2	4	7	9	5	1	-	2	-	-	-	-	-	-	-
35	Measles..........	59	15	10	11	3	1	7	-	4	3	1	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-
	White.....M..	25	6	3	4	3	1	3	-	2	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F..	30	8	6	6	-	-	3	-	2	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	36	1	1	2	-	2	5	10	2	5	1	4	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	26	1	1	-	-	1	5	7	2	3	1	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	9	-	-	1	-	1	-	3	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.........	5,120	2	1	3	3	6	7	7	16	24	35	70	154	185	292	453	578	613	750	725	599	378	168	44	6	1	-
	White.....M..	2,223	-	1	1	2	4	4	4	7	8	14	18	37	58	82	174	237	277	353	364	293	187	76	19	3	-	-
	F..	2,557	2	-	1	1	2	3	3	8	14	17	38	101	98	171	228	297	297	357	336	287	186	86	21	3	-	-
	Nonwhite..M..	160	-	-	1	-	-	-	-	1	-	2	3	3	6	18	27	20	20	26	16	10	1	4	1	-	1	-
	F..	180	-	-	-	-	-	-	-	-	2	2	11	13	23	21	24	24	19	14	9	9	4	2	3	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Con.																										
46	Cancer of digestive organs, peritoneum.....	2,302	1	-	-	-	-	-	-	2	4	8	15	53	59	99	181	233	297	359	399	329	184	63	15	-	1	-
	White.....M..	1,114	-	-	-	-	-	-	-	-	3	2	6	17	28	39	86	111	148	187	208	161	84	26	8	-	-	-
	F..	1,056	1	-	-	-	-	-	-	2	1	4	8	28	27	49	73	104	135	149	177	158	99	35	6	-	-	-
	Nonwhite..M..	82	-	-	-	-	-	-	-	-	-	1	-	3	3	9	16	8	9	16	10	5	-	1	-	-	1	-
	F..	50	-	-	-	-	-	-	-	-	-	1	1	5	1	2	6	10	5	7	4	5	1	1	1	-	-	-
48,49	Cancer of female genital organs.	689	-	-	-	-	-	1	-	-	5	9	22	45	54	73	77	89	75	77	68	50	32	10	2	-	-	-
	White.....F..	622	-	-	-	-	-	1	-	-	4	9	15	39	41	64	71	83	66	75	67	47	29	10	1	-	-	-
	Nonwhite..F..	67	-	-	-	-	-	-	-	-	1	-	7	6	13	9	6	6	9	2	1	3	3	-	1	-	-	-
50	Cancer of breast.	494	-	-	-	-	-	-	-	-	-	1	9	23	22	42	53	59	64	82	49	37	29	20	3	1	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	453	-	-	-	-	-	-	-	-	-	-	7	21	18	33	47	55	60	78	46	36	29	19	3	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	39	-	-	-	-	-	-	-	-	-	1	2	2	4	9	5	4	3	4	3	1	-	1	-	-	-	-
45,47, 51-55	Cancer (other sites).....	1,635	1	1	3	3	6	6	7	14	15	17	24	33	50	78	142	197	177	232	209	183	133	75	24	5	-	-
	White.....M..	1,107	-	1	1	2	4	4	4	7	5	12	12	20	30	43	87	126	128	166	156	132	103	50	11	3	-	-
	F..	426	1	-	1	1	2	2	3	6	9	4	8	13	12	25	37	55	36	55	46	46	29	22	11	2	-	-
	Nonwhite..M..	78	-	-	1	-	-	-	-	1	-	1	3	-	3	9	11	12	11	10	6	5	1	3	1	-	-	-
	F..	24	-	-	-	-	-	-	-	-	1	-	1	-	5	1	7	4	2	1	1	-	-	-	1	-	-	-
58	Acute rheumatic fever.....	34	1	-	-	-	-	3	7	1	2	1	2	2	2	-	3	-	1	4	4	1	-	-	-	-	-	-
	White.....M..	23	-	-	-	-	-	2	4	1	1	1	1	2	2	-	2	-	1	4	1	1	-	-	-	-	-	-
	F..	7	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	990	-	-	-	-	-	-	4	10	6	8	14	16	16	32	49	87	132	195	149	147	90	30	5	-	-	-
	White.....M..	381	-	-	-	-	-	-	3	5	3	2	4	4	7	10	15	34	58	72	56	52	37	16	3	-	-	-
	F..	546	-	-	-	-	-	-	1	5	3	5	5	9	7	13	26	45	68	114	84	93	53	13	2	-	-	-
	Nonwhite..M..	21	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	1	5	5	1	-	1	-	-	-	-
	F..	42	-	-	-	-	-	-	-	-	-	1	4	3	1	8	7	4	5	4	4	1	-	-	-	-	-	-
65b	Exophthalmic goiter.....	106	-	-	-	-	-	-	1	1	2	-	4	6	8	10	15	12	16	12	10	4	5	-	-	-	-	-
	White.....M..	16	-	-	-	-	-	-	-	-	1	-	3	-	1	3	3	1	2	1	1	-	-	-	-	-	-	-
	F..	81	-	-	-	-	-	-	1	1	1	-	-	5	7	4	10	9	14	11	9	4	5	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	14	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	1	3	2	1	3	-	-	-	-
	White.....M..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	1	3	-	-	-	-
	F..	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	37	-	-	-	-	-	-	-	-	-	1	2	3	7	7	2	6	4	1	2	1	1	-	-	-	-	-
	White.....M..	26	-	-	-	-	-	-	-	-	-	-	2	2	4	4	2	5	3	1	1	1	1	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	3,952	4	2	-	-	-	3	2	6	6	10	24	41	65	103	195	245	411	500	697	712	561	263	84	11	3	4
	White.....M..	1,779	2	2	-	-	-	2	-	4	3	4	6	11	21	35	78	96	188	225	345	334	262	112	38	6	1	4
	F..	1,796	1	-	-	-	-	-	2	2	2	5	11	20	20	46	68	100	176	223	307	347	282	138	42	4	-	-
	Nonwhite..M..	157	1	-	-	-	-	1	-	-	1	1	1	4	7	5	18	26	18	27	18	16	5	6	1	1	-	-
	F..	220	-	-	-	-	-	-	-	-	-	-	6	6	17	17	31	23	29	25	27	15	12	7	3	-	2	-
90-95	Diseases of the heart.....	13,049	9	3	3	2	4	13	29	39	38	53	98	163	268	465	698	984	1,281	1,690	2,094	2,016	1,726	976	318	55	15	9
	White.....M..	7,058	6	1	2	1	-	6	14	16	22	17	38	75	142	261	430	612	777	958	1,168	1,047	850	434	134	20	3	4
	F..	4,931	1	1	-	1	3	4	9	18	9	25	40	47	67	129	152	232	370	598	817	872	820	514	163	31	6	2
	Nonwhite..M..	588	-	1	-	-	1	-	4	1	3	6	11	11	23	32	62	88	73	79	68	57	32	18	14	1	1	2
	F..	492	2	-	1	-	-	3	2	4	4	5	9	30	36	43	54	52	61	55	41	40	24	10	7	3	5	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	1,111	-	-	1	1	2	6	16	18	15	15	24	35	48	57	58	75	102	102	139	170	143	58	16	6	2	2
	White.....M..	492	-	-	-	-	-	-	8	5	8	4	8	19	11	21	25	29	46	47	71	87	73	20	6	2	1	1
	F..	477	-	-	-	1	1	3	5	12	5	7	11	9	28	25	25	29	37	41	55	70	64	36	8	4	1	-
	Nonwhite..M..	66	-	-	-	-	1	-	2	-	1	2	2	3	4	2	1	12	11	7	8	4	2	1	2	-	-	1
	F..	76	-	-	1	-	-	3	1	1	1	2	3	4	5	9	7	5	8	7	5	9	4	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	3,297	3	-	1	-	-	-	3	2	9	9	15	44	90	166	268	343	451	514	526	400	282	129	35	5	1	1
	White.....M..	2,220	2	-	1	-	-	-	1	-	3	4	8	28	71	134	213	272	315	343	334	242	176	62	12	-	1	-
	F..	922	-	-	-	-	-	-	-	2	3	4	4	10	13	23	29	50	116	146	183	145	101	65	23	5	-	-
	Nonwhite..M..	91	-	-	-	-	-	-	1	-	1	1	3	2	4	4	19	14	7	15	5	8	5	1	-	-	-	1
	F..	64	1	-	-	-	-	-	1	-	2	-	-	4	2	5	7	7	15	10	4	5	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	8,641	6	3	1	1	2	7	10	19	14	29	59	84	130	242	372	566	728	1,074	1,429	1,446	1,301	789	267	44	12	6
	White.....M..	4,326	4	1	1	1	-	6	5	11	11	9	22	28	60	106	192	311	418	568	763	718	601	352	116	18	1	3
	F..	3,532	1	1	-	-	2	1	4	4	1	14	25	28	26	81	98	153	217	411	579	657	655	413	132	22	5	2
	Nonwhite..M..	431	-	1	-	-	-	-	1	1	1	3	6	6	15	26	42	62	55	57	55	45	25	16	12	1	1	-
	F..	352	1	-	-	-	-	-	-	3	1	3	6	22	29	29	40	40	38	38	32	26	20	8	7	3	5	1
107-109, 33	Pneumonia (all forms) and influenza.....	3,263	514	94	29	10	9	22	16	28	34	48	51	65	84	99	147	152	188	270	331	356	363	257	85	26	4	1
	White.....M..	1,524	227	38	12	5	2	8	10	14	17	13	17	25	38	44	74	73	96	150	169	164	190	105	26	6	1	-
	F..	1,296	198	41	12	5	6	6	5	13	10	17	15	18	20	22	31	50	61	96	143	168	160	125	55	19	-	-
	Nonwhite..M..	240	49	6	3	-	1	3	1	-	3	8	8	11	13	17	27	14	16	17	12	15	9	4	2	-	-	1
	F..	203	40	9	2	-	-	5	-	1	4	10	11	11	13	16	15	15	15	7	7	9	4	3	2	1	3	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Con.																										
107	Bronchopneumonia.	1,196	311	62	16	6	5	9	5	11	14	19	12	16	20	21	36	47	44	74	106	110	114	88	38	11	1	-
	White.....M..	531	127	23	8	4	2	-	4	5	6	5	5	8	11	12	19	22	20	36	53	45	62	38	13	3	-	-
	F..	488	128	30	5	2	3	3	1	6	3	4	3	2	4	4	8	16	14	31	45	50	47	47	25	7	-	-
	Nonwhite..M..	98	29	5	2	-	-	3	-	-	3	4	1	3	3	2	7	2	3	6	7	12	5	1	-	-	-	-
	F..	79	27	4	1	-	-	3	-	-	2	6	3	3	2	3	2	7	7	1	1	3	-	2	-	1	1	-
108	Lobar pneumonia..	1,378	117	18	4	2	1	9	6	11	10	17	27	30	55	62	79	78	108	155	147	180	149	98	26	8	-	1
	White.....M..	673	55	9	2	1	-	5	3	6	7	5	10	6	22	21	40	36	56	93	75	83	82	46	8	2	-	-
	F..	502	41	4	1	1	1	2	2	4	1	7	7	11	14	16	13	23	34	51	66	71	60	50	16	6	-	-
	Nonwhite..M..	114	14	1	-	-	-	-	1	-	-	2	5	8	9	14	18	12	10	8	3	2	4	2	-	-	-	1
	F..	89	7	4	1	-	-	2	-	1	2	3	5	5	10	11	8	7	8	3	3	4	3	-	2	-	-	-
109	Pneumonia (unspecified).....	81	15	3	1	1	-	2	1	2	1	3	3	1	1	1	2	5	4	4	10	8	10	2	1	-	-	-
	White.....M..	47	8	-	-	-	-	2	1	2	-	1	2	1	-	1	1	4	3	1	7	6	5	1	1	-	-	-
	F..	28	4	3	1	1	-	-	-	-	-	1	2	1	-	-	-	1	1	3	2	2	5	1	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	608	71	11	8	1	3	2	4	4	9	9	9	18	8	15	30	22	32	37	68	78	90	49	20	7	3	-
	White.....M..	273	37	6	2	-	-	1	2	1	4	2	-	10	5	10	14	11	17	20	34	30	41	20	4	1	1	-
	F..	278	25	4	5	1	2	1	2	3	5	4	4	5	2	2	10	10	12	11	30	45	42	27	14	6	-	-
	Nonwhite..M..	26	6	-	1	-	1	-	-	-	-	2	2	-	-	1	2	-	3	3	1	1	-	1	2	-	-	-
	F..	31	3	1	-	-	-	-	-	-	-	1	3	3	1	2	4	1	-	3	3	2	1	1	-	-	2	-
117	Ulcer of stomach or duodenum....	235	-	-	-	-	-	-	1	-	2	6	5	14	19	21	33	30	27	23	24	12	11	4	3	-	-	-
	White.....M..	175	-	-	-	-	-	-	-	-	-	5	4	8	16	16	29	25	22	15	16	8	8	1	2	-	-	-
	F..	45	-	-	-	-	-	-	1	-	-	1	-	5	1	4	1	4	4	8	5	4	3	3	1	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	1	-	-	3	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	327	219	31	4	3	3	2	1	2	-	3	4	1	2	2	6	5	6	5	5	9	6	5	3	-	-	-
	White.....M..	161	120	16	2	-	3	-	-	1	-	2	1	1	1	1	2	2	2	3	-	3	1	3	-	-	-	-
	F..	125	75	13	2	1	-	1	1	1	-	1	3	-	-	1	2	3	3	1	5	3	4	2	3	-	-	-
	Nonwhite..M..	20	10	3	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	-	-	-	-	-	-
	F..	21	14	2	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-
121	Appendicitis.....	261	2	2	1	1	3	20	21	13	12	9	11	13	25	15	26	13	21	20	16	11	5	1	-	-	-	-
	White.....M..	137	1	-	1	1	1	12	10	6	6	4	7	7	11	7	15	5	11	10	12	7	2	1	-	-	-	-
	F..	99	-	2	-	-	2	6	10	7	4	5	2	5	9	7	7	6	9	7	4	4	3	-	-	-	-	-
	Nonwhite..M..	11	1	-	-	-	-	1	-	-	1	-	-	1	2	-	2	-	1	2	-	-	-	-	-	-	-	-
	F..	14	-	-	-	-	-	1	1	-	1	-	2	-	3	1	2	2	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	400	18	2	2	1	1	4	-	1	3	6	14	16	19	22	39	35	43	51	46	32	27	15	2	1	-	-
	White.....M..	188	11	2	-	-	-	4	-	1	-	-	2	9	8	8	16	16	21	24	28	18	11	7	2	-	-	-
	F..	169	6	-	2	1	1	-	-	-	2	4	8	6	6	9	15	15	16	24	16	14	16	8	-	-	-	-
	Nonwhite..M..	23	-	-	-	-	-	-	-	-	1	1	1	-	4	3	5	2	2	2	2	-	-	-	-	-	-	-	-
	F..	20	1	-	-	-	-	-	-	-	-	1	3	1	1	2	3	2	4	1	-	-	-	-	-	1	-	-	-
124	Cirrhosis of the liver.....	440	-	-	-	-	-	-	1	2	2	3	5	16	24	43	46	68	49	62	49	46	16	7	1	-	-	-
	White.....M..	284	-	-	-	-	-	-	1	1	1	1	3	12	14	27	32	46	36	43	28	25	10	4	-	-	-	-
	F..	134	-	-	-	-	-	-	-	-	-	2	2	4	8	10	13	16	10	19	19	21	6	3	1	-	-	-
	Nonwhite..M..	16	-	-	-	-	-	-	-	-	1	-	-	-	1	5	-	5	2	-	2	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	205	-	-	-	-	-	-	-	-	1	-	4	7	6	16	22	21	31	30	31	13	11	12	-	-	-	-
	White.....M..	48	-	-	-	-	-	-	-	-	-	-	-	3	1	4	5	6	10	8	7	1	1	2	-	-	-	-
	F..	154	-	-	-	-	-	-	-	-	1	-	4	4	5	11	17	14	21	21	24	12	10	10	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis.....	3,957	6	2	1	2	-	8	9	14	15	17	31	48	80	133	227	270	357	484	591	679	543	327	91	14	5	3
	White.....M..	1,929	3	2	1	1	-	2	6	7	7	5	15	16	22	62	99	112	181	253	288	355	275	161	46	8	-	2
	F..	1,556	2	-	-	1	-	6	2	6	5	7	10	17	28	37	70	102	124	178	254	275	242	150	35	4	-	1
	Nonwhite..M..	237	-	-	-	-	-	-	-	1	2	1	1	6	6	15	33	29	32	29	27	26	16	8	2	2	1	-
	F..	235	1	-	-	-	-	-	1	-	1	4	5	9	24	19	25	27	20	24	22	23	10	8	8	-	4	-
137	Diseases of the prostate.....	265	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	10	22	41	46	62	44	28	4	3	-	-
	White.....M..	243	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	8	21	34	41	60	43	26	4	3	-	-
	Nonwhite..M..	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	7	5	2	1	2	-	-	-	-
140-150	Diseases of pregnancy, etc.* ..	185	-	-	-	-	-	-	1	21	43	36	38	36	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	161	-	-	-	-	-	-	1	16	41	31	34	30	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	22	-	-	-	-	-	-	-	5	2	5	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	77	-	-	-	-	-	-	-	9	23	13	14	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	68	-	-	-	-	-	-	-	6	22	11	13	14	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	3	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	41	-	-	-	-	-	-	1	8	10	7	4	9	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	37	-	-	-	-	-	-	1	7	10	6	4	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,i,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	65	-	-	-	-	-	-	-	4	10	16	20	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	56	-	-	-	-	-	-	-	3	9	14	17	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	1	1	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	490	433	18	5	4	2	5	4	4	4	-	-	3	-	1	5	-	-	2	-	-	-	-	-	-	-	-
	White.....M..	261	236	9	2	-	1	2	2	2	3	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F..	211	182	8	2	4	1	3	1	2	1	-	-	2	-	1	3	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	12	11	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MISSOURI—Con.																										
159	Premature birth..	831	831	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	428	428	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	284	284	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	68	68	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	51	51	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	386	-	-	-	-	-	-	2	6	14	20	30	28	26	33	45	40	42	33	25	25	9	3	1	-	2
	White.....M..	280	-	-	-	-	-	-	1	4	8	12	19	23	14	24	29	31	29	29	19	23	9	3	1	-	2
	F..	98	-	-	-	-	-	-	1	2	5	7	10	5	14	9	16	7	10	4	6	2	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	189	6	-	-	1	-	2	3	9	15	25	22	27	16	18	15	15	6	6	3	1	-	-	2	-	1	-
	White.....M..	80	3	-	-	-	-	-	1	3	1	7	7	8	8	9	9	11	6	4	1	1	-	-	1	-	-	-
	F..	24	2	-	-	1	-	2	-	1	2	7	2	4	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	71	-	-	-	-	-	-	1	4	7	8	11	14	8	8	5	1	-	2	1	-	-	-	1	-	-	-
	F..	14	1	-	-	-	-	-	1	1	5	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
169-195	Accidental deaths	2,646	58	35	24	37	22	75	84	152	145	112	102	117	119	100	119	145	169	162	196	233	202	157	64	9	2	8
	White.....M..	1,567	25	10	11	17	12	44	62	124	114	78	80	82	86	77	79	99	112	87	105	99	78	54	23	3	1	5
	F..	852	24	22	9	15	6	20	17	16	15	20	14	23	14	11	24	30	44	59	83	121	118	98	41	6	1	1
	Nonwhite..M..	154	7	3	1	3	2	4	5	12	9	12	6	6	17	8	11	8	6	13	6	7	4	2	-	-	-	2
	F..	73	2	-	3	2	2	7	-	-	7	2	2	6	2	4	5	6	7	3	2	6	2	3	-	-	-	-
170	Motor-vehicle accidents.....	549	3	2	4	9	10	15	22	56	52	35	37	36	42	30	41	37	22	29	28	24	8	5	1	-	-	1
	White.....M..	405	1	-	1	5	6	11	16	49	40	24	31	29	31	23	29	27	16	21	19	15	7	2	1	-	-	1
	F..	103	2	2	2	3	2	3	6	7	7	6	4	6	8	4	5	8	4	5	9	6	1	3	-	-	-	-
	Nonwhite..M..	32	-	-	1	1	2	-	-	-	4	4	2	-	3	3	5	1	1	3	-	2	-	-	-	-	-	-
	F..	9	-	-	-	-	-	1	-	-	1	1	-	1	-	-	2	1	1	-	-	1	-	-	-	-	-	-
169, 171-195	Other accidents..	2,097	55	35	20	28	12	60	62	96	93	77	65	81	77	70	78	106	147	133	168	209	194	152	65	9	2	7
	White.....M..	1,162	24	10	10	12	6	33	46	75	74	54	49	53	55	54	50	72	96	66	86	84	71	52	22	3	1	4
	F..	749	22	20	7	12	4	17	11	9	8	14	10	17	6	7	19	22	40	54	74	115	117	95	41	6	1	1
	Nonwhite..M..	122	7	3	-	2	-	4	5	12	5	8	4	6	14	5	6	7	5	10	6	5	4	2	-	-	-	2
	F..	64	2	-	3	2	2	6	-	-	6	1	2	5	2	4	3	5	6	3	2	5	2	3	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	457	23	6	1	1	-	1	-	-	1	1	2	4	3	1	6	9	16	17	43	52	82	90	70	22	3	3
	White.....M..	215	12	1	1	1	-	-	-	-	-	-	1	3	1	-	3	7	9	7	16	26	35	45	32	11	1	3
	F..	212	9	3	-	-	-	1	-	-	1	-	1	-	1	1	2	2	7	7	22	23	44	45	36	7	-	-
	Nonwhite..M..	18	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	2	1	1	-
	F..	17	2	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	1	3	-	2	1	-	3	1	-
	All other causes.	3,829	642	56	25	22	11	65	45	58	48	66	91	129	125	168	208	192	214	301	324	345	335	217	86	25	9	2
	White.....M..	1,834	351	23	13	11	5	37	22	23	21	24	36	48	59	75	91	89	113	157	159	112	156	86	35	11	1	2
	F..	1,600	235	24	11	8	6	26	15	31	21	31	41	50	45	82	71	69	70	123	144	146	169	123	47	9	3	-
	Nonwhite..M..	198	31	2	1	2	-	2	6	4	1	3	2	14	3	14	25	22	23	10	8	9	4	4	1	4	3	-
	F..	197	25	2	-	1	-	-	2	-	5	8	12	17	18	17	21	12	9	11	14	8	6	4	3	1	2	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA																											
	All causes.....	5,601	442	73	27	15	12	48	52	66	96	109	104	118	148	231	396	465	547	575	624	592	503	263	69	14	10	2
	White.....M..	3,502	217	33	13	3	3	27	30	35	52	63	63	78	91	158	277	340	383	373	383	365	308	152	42	7	4	2
	F..	1,775	162	14	9	6	2	16	14	16	30	36	31	32	48	61	111	112	151	183	225	209	178	97	23	6	3	-
	Nonwhite..M..	175	30	15	5	6	5	4	5	2	7	3	5	2	4	6	4	9	12	10	9	11	10	8	2	-	1	-
	F..	149	33	11	-	-	2	1	3	13	7	7	5	6	5	6	4	4	1	9	7	7	7	6	2	1	2	-
1,2	Typhoid and paratyphoid fever..	4	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	5	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	18	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	5	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)....	206	3	8	1	1	1	2	5	13	13	11	16	6	10	15	27	24	26	10	6	4	2	1	1	-	-	-
	White.....M..	118	-	2	-	-	-	-	-	1	2	-	6	3	9	12	24	22	21	9	3	2	1	1	-	-	-	-
	F..	24	-	-	-	-	-	1	-	1	5	4	6	-	-	-	-	1	1	-	3	1	-	-	1	-	-	-
	Nonwhite..M..	27	1	4	1	1	-	1	2	-	3	3	2	-	1	1	-	1	4	-	-	1	1	-	-	-	-	-
	F..	37	2	2	-	-	1	-	3	11	3	4	2	3	-	2	3	-	-	1	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*..	189	1	6	1	-	1	2	4	12	11	11	15	6	9	15	26	23	23	10	5	4	2	1	1	-	-	-
	White.....M..	110	-	1	-	-	-	-	-	1	1	-	5	3	8	12	23	21	19	9	3	2	1	1	-	-	-	-
	F..	22	-	-	-	-	-	1	-	1	4	4	6	-	-	-	-	1	1	-	2	1	-	-	1	-	-	-
	Nonwhite..M..	23	-	3	1	-	-	1	2	-	3	3	2	-	1	1	-	1	3	-	-	1	1	-	-	-	-	-
	F..	34	1	2	-	-	1	-	2	10	3	4	2	3	-	2	3	-	-	1	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	17	2	2	-	1	-	-	1	1	2	-	1	-	1	-	1	1	3	-	1	-	-	-	-	-	-	-
	White.....M..	8	-	1	-	-	-	-	-	-	1	-	1	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	10	6	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White.....M..	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F..	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	48	-	-	-	-	-	1	-	-	-	1	-	4	-	3	9	6	7	6	10	1	-	-	-	-	-	-
	White.....M..	39	-	-	-	-	-	1	-	-	-	1	-	3	-	2	7	6	5	4	9	1	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles.....	6	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	10	1	2	-	1	-	3	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White.....M..	5	1	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	613	-	1	1	-	-	2	-	-	1	3	6	9	14	24	52	79	88	102	69	79	62	15	6	-	-	-
	White.....M..	367	-	1	1	-	-	-	-	-	1	1	2	2	4	15	24	50	49	71	46	48	39	11	2	-	-	-
	F..	231	-	-	-	-	-	2	-	-	-	2	4	6	8	9	27	27	38	30	22	28	21	3	4	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	1	1	-	-	1	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																										
46	Cancer of digestive organs, peritoneum	286	-	1	-	-	-	1	-	-	-	1	1	1	4	6	18	43	39	59	35	37	30	8	2	-	-
	White	183	-	1	-	-	-	-	-	-	-	-	-	1	2	4	14	32	24	39	25	19	16	6	-	-	-	-
	F.	95	-	-	-	-	-	1	-	-	-	1	1	-	1	2	4	10	15	19	9	17	12	1	2	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	1	-	-	-	-
48,49	Cancer of female genital organs	53	-	-	-	-	-	1	-	-	-	-	2	2	5	2	8	10	9	4	2	3	5	-	-	-	-	-
	White	52	-	-	-	-	-	1	-	-	-	-	2	2	4	2	8	10	9	4	2	3	5	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	48	-	-	-	-	-	-	-	-	-	-	-	6	1	5	10	1	8	4	7	4	2	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F.	44	-	-	-	-	-	-	-	-	-	-	-	4	1	5	9	1	8	4	6	4	2	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	226	-	-	1	-	-	-	-	-	1	2	3	-	4	11	16	25	32	35	25	35	25	7	4	-	-	-
	White	182	-	-	1	-	-	-	-	-	1	1	2	-	2	11	10	18	25	32	20	29	25	5	2	-	-	-
	F.	40	-	-	-	-	-	-	-	-	-	1	1	-	2	-	6	6	6	3	5	4	2	2	2	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	6	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-
	White	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	116	-	-	-	-	-	1	-	1	1	2	1	1	2	2	7	13	13	19	23	17	9	2	2	-	-	-
	White	54	-	-	-	-	-	1	-	1	-	2	-	1	1	1	4	6	5	7	9	8	5	1	2	-	-	-
	F.	59	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	6	8	12	13	9	4	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	17	-	-	-	-	-	-	-	-	-	-	-	-	4	5	2	2	2	2	-	-	-	-	-	-	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	F.	14	-	-	-	-	-	-	-	-	-	-	-	-	4	2	2	2	2	2	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	1	1	-	-	-	-	-	-
	White	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	1	1	1	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	453	2	1	-	-	-	-	-	-	3	-	2	5	8	7	20	38	37	60	91	70	62	42	3	-	2	-
	White	251	2	1	-	-	-	-	-	-	1	-	1	2	3	2	10	20	17	30	50	33	34	22	3	-	-	-
	F.	212	-	-	-	-	-	-	-	-	2	-	1	3	5	5	10	16	19	28	40	36	26	20	-	-	1	-
	Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	1	-
	F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
90-95	Diseases of the heart	1,564	-	-	-	-	1	2	2	1	5	8	13	15	31	65	112	150	174	207	240	209	197	103	21	6	1	1
	White	1,048	-	-	-	-	-	1	1	1	2	6	11	20	43	77	112	139	136	157	135	129	58	10	2	1	1
	F.	470	-	-	-	-	1	-	-	-	3	2	7	3	10	18	31	35	33	62	80	68	64	40	9	4	-	-
	Nonwhite	32	-	-	-	-	-	1	1	-	-	-	-	-	-	1	4	2	1	7	3	4	2	4	2	-	-	-
	F.	14	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	2	-	2	2	1	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	87	-	-	-	-	-	-	-	-	4	2	3	5	5	9	7	7	9	10	12	5	4	5	-	-	-	-
	White	46	-	-	-	-	-	-	-	-	2	2	2	1	3	6	3	2	4	8	8	2	2	1	-	-	-	-
	F.	36	-	-	-	-	-	-	-	-	2	-	1	3	2	2	4	5	5	1	4	2	2	3	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	462	-	-	-	-	-	-	-	-	-	2	1	4	13	30	45	59	66	75	56	58	32	19	1	1	-	-
	White	345	-	-	-	-	-	-	-	-	-	1	1	4	10	18	32	47	60	55	40	41	24	11	-	1	-	-
	F.	111	-	-	-	-	-	-	-	-	-	1	-	-	3	10	12	11	5	20	16	17	8	7	1	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,015	-	-	-	-	1	2	2	1	1	4	9	6	13	26	60	84	99	122	172	146	161	79	20	5	1	1
	White	657	-	-	-	-	-	1	1	1	-	3	3	6	7	19	42	63	75	73	109	92	103	46	10	1	1	1
	F.	323	-	-	-	-	1	-	-	-	1	1	6	-	5	6	15	19	23	41	60	49	54	30	8	4	-	-
	Nonwhite	27	-	-	-	-	-	1	1	-	-	-	-	-	-	1	3	2	-	6	3	3	2	3	2	-	-	-
	F.	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	2	2	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	306	54	19	3	2	3	3	6	2	2	4	3	3	10	10	13	21	23	15	25	31	27	17	7	1	2	-
	White	190	21	8	2	-	1	1	3	1	-	1	3	3	5	5	12	18	18	12	15	25	18	11	5	1	1	-
	F.	73	19	5	-	-	-	1	1	1	2	2	-	-	4	4	1	2	4	2	9	4	7	4	1	-	-	-
	Nonwhite	23	5	4	1	2	2	1	2	-	-	-	-	-	1	1	-	-	1	-	1	1	1	-	-	-	-	-
	F.	20	9	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	1	2	1	-	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																										
107	Bronchopneumonia	94	24	9	1	2	-	1	2	1	1	1	-	-	1	-	3	5	6	3	4	7	8	8	4	1	2	-
	White.....M.	60	12	3	1	-	-	1	1	1	-	1	-	-	1	-	3	5	5	3	1	6	5	6	3	1	1	-
	F..	24	9	5	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	3	1	2	1	-	-	-	-
	Nonwhite..M.	4	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
108	Lobar pneumonia	100	7	5	-	-	1	-	1	1	1	3	2	1	5	4	4	8	10	5	15	17	7	3	-	-	-	-
	White.....M.	65	2	3	-	-	-	-	-	-	-	-	2	1	2	2	4	6	9	3	10	13	5	3	-	-	-	-
	F..	22	2	-	-	-	-	-	-	1	1	2	-	-	2	1	-	2	1	1	5	3	1	-	-	-	-	-
	Nonwhite..M.	8	1	2	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F..	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
109	Pneumonia (unspecified)	54	19	3	-	-	-	-	1	-	-	-	-	-	1	3	2	2	3	3	4	3	6	3	1	-	-	-
	White.....M.	26	5	1	-	-	-	-	1	-	-	-	-	-	1	1	1	1	1	3	2	3	4	1	1	-	-	-
	F..	14	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	2	1	-	-	-	-
	Nonwhite..M.	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F..	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
33	Influenza	58	4	2	2	-	2	2	2	-	-	-	1	2	3	3	4	6	4	4	2	4	6	3	2	-	-	-
	White.....M.	39	2	1	1	-	1	-	1	-	-	-	1	2	1	2	4	6	3	3	2	3	4	1	1	-	-	-
	F..	13	2	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	1	1	-	-	2	2	1	-	-	-
	Nonwhite..M.	4	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	37	-	-	-	-	-	-	-	-	-	-	-	2	3	3	8	4	6	5	1	2	3	-	-	-	-	-
	White.....M.	35	-	-	-	-	-	-	-	-	-	-	-	2	3	3	8	2	6	5	1	2	3	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	29	19	1	1	1	-	-	-	1	1	-	1	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
	White.....M.	11	7	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F..	10	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M.	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	31	1	-	-	-	-	-	2	4	5	2	3	1	2	1	4	-	2	-	2	2	-	-	-	-	-	-
	White.....M.	19	1	-	-	-	-	-	1	3	3	1	2	-	-	1	3	-	2	-	-	2	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	1	1	2	1	1	1	2	-	1	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	52	1	1	-	-	2	1	-	1	1	-	1	1	3	2	3	5	5	4	9	7	3	2	-	-	-	-
	White.....M.	34	1	1	-	-	1	1	-	-	-	-	1	1	1	-	3	3	5	3	5	3	3	2	-	-	-	-
	F..	17	-	-	-	-	-	-	-	1	1	-	-	-	2	2	-	2	-	1	4	4	-	-	-	-	-	-	-
	Nonwhite..M.	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	30	-	-	-	-	-	-	-	-	-	-	3	2	1	2	4	3	4	2	6	1	-	2	-	-	-	-
	White.....M.	24	-	-	-	-	-	-	-	-	-	-	2	2	-	1	4	3	4	2	5	-	-	1	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	34	-	-	-	-	-	-	1	-	-	-	-	2	1	3	3	4	2	5	7	3	1	-	1	-	1	-
	White.....M.	15	-	-	-	-	-	-	1	-	-	-	-	1	-	1	2	2	-	2	3	1	-	-	1	-	1	-
	F..	17	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	2	4	2	1	-	-	-	-	-
	Nonwhite..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis	271	1	1	-	-	-	-	3	1	3	6	2	4	4	9	15	19	38	29	37	46	35	15	2	1	-	-
	White.....M.	161	-	1	-	-	-	-	2	1	1	4	-	2	2	5	8	13	24	14	21	29	22	10	1	1	-	-
	F..	101	1	-	-	-	-	-	1	-	-	2	-	2	2	3	7	5	13	15	15	17	12	5	1	-	-	-
	Nonwhite..M.	6	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
137	Diseases of the prostate	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	4	5	11	6	1	-	-	-
	White.....M.	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	5	4	5	11	6	1	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*	20	-	-	-	-	-	-	-	2	3	6	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F.	17	-	-	-	-	-	-	-	1	2	6	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F.	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	4	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F.	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	7	-	-	-	-	-	-	-	-	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F.	6	-	-	-	-	-	-	-	-	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes	9	-	-	-	-	-	-	-	1	1	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F.	8	-	-	-	-	-	-	-	1	1	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	69	58	1	1	-	-	2	4	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White.....M.	33	25	1	1	-	-	1	2	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F..	32	29	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	MONTANA—Con.																										
159	Premature birth..	140	140	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	83	83	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	68	-	-	-	-	-	-	-	-	2	4	5	3	8	11	13	5	7	7	1	2	-	-	-	-	-	-
	White.....M..	58	-	-	-	-	-	-	-	-	2	3	4	3	6	10	11	4	7	5	1	2	-	-	-	-	-	-
	F..	10	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	1	-	2	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	15	-	-	-	1	-	1	1	-	-	2	-	2	1	2	1	2	-	1	1	-	-	-	-	-	-	-
	White.....M..	9	-	-	-	-	-	1	1	-	-	1	-	-	1	2	-	2	-	1	-	-	-	-	-	-	-	-
	F..	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	580	18	19	9	5	-	18	25	27	43	38	32	39	29	31	52	44	44	24	21	31	18	11	2	-	-	-
	White.....M..	458	10	11	6	2	-	11	19	20	36	34	29	35	27	28	51	40	32	21	15	20	8	3	2	-	-	-
	F..	102	5	5	3	2	-	5	6	7	4	4	1	3	1	3	1	2	12	3	7	10	10	8	-	-	-	-
	Nonwhite..M..	13	2	1	-	1	-	1	-	-	1	-	2	1	1	-	-	2	-	-	-	1	-	-	-	-	-	-
	F..	7	1	2	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	87	-	2	-	-	-	3	-	11	12	12	3	7	3	7	4	7	10	1	3	2	-	-	-	-	-	-
	White.....M..	65	-	2	-	-	-	1	-	6	7	10	3	6	3	6	3	5	8	1	2	2	-	-	-	-	-	-
	F..	20	-	-	-	-	-	2	-	5	4	2	-	1	-	1	1	1	2	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	493	18	17	9	5	-	15	25	16	31	26	29	32	26	24	48	37	34	23	18	29	18	11	2	-	-	-
	White.....M..	395	10	9	6	2	-	10	19	14	29	24	26	29	24	22	48	35	24	20	11	18	8	3	2	-	-	-
	F..	82	5	5	3	2	-	3	6	2	-	2	1	2	1	2	-	1	10	3	6	10	10	8	-	-	-	-
	Nonwhite..M..	12	2	1	-	1	-	1	-	-	1	-	2	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F..	6	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	188	18	3	1	-	1	-	-	1	-	1	-	2	3	3	5	5	12	18	24	28	26	23	6	4	4	-
	White.....M..	99	4	1	-	-	-	-	-	-	-	1	-	1	1	2	4	5	11	9	12	17	12	13	5	2	1	-
	F..	57	6	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	1	8	7	7	11	6	3	2	2	-
	Nonwhite..M..	13	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	2	-	-	-	-
	F..	19	5	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	1	2	3	2	2	-	-	1	-
	All other causes.	599	105	10	7	1	3	7	3	9	12	16	11	14	9	31	43	33	48	52	44	51	46	24	17	2	-	1
	White.....M..	341	56	4	2	-	1	5	-	4	3	7	6	6	7	20	23	25	31	36	27	29	22	13	12	1	-	1
	F..	226	36	1	4	1	1	2	3	4	7	9	4	8	2	10	20	8	16	15	17	22	22	10	4	-	-	-
	Nonwhite..M..	21	9	4	1	-	-	-	-	1	1	-	1	-	-	1	-	-	1	-	-	-	1	1	-	-	-	-
	F..	11	4	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA																										
	All causes.....	13,062	889	69	45	32	27	98	97	129	227	179	177	245	326	461	662	889	1,055	1,380	1,602	1,673	1,449	895	348	72	8	28
	White.....M..	7,295	490	33	22	17	15	59	58	81	154	106	82	137	168	258	389	538	608	792	870	916	791	484	170	32	5	22
	F..	5,428	366	31	18	11	12	31	35	46	62	65	86	95	143	189	244	310	411	554	701	737	651	407	175	40	2	6
	Nonwhite..M..	174	15	2	-	1	-	3	3	2	5	3	6	6	6	4	14	22	22	16	21	14	4	3	1	-	1	-
	F..	165	18	3	5	3	-	5	3	-	6	5	3	7	9	10	15	19	14	18	10	6	3	1	2	-	-	-
1,2	Typhoid and paratyphoid fever..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	16	3	1	-	-	-	1	1	3	1	1	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	11	1	1	-	-	-	-	-	3	1	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F..	5	2	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	8	-	-	-	2	1	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	5	-	-	-	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	25	19	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	11	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	11	-	2	1	2	-	2	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	7	-	1	1	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)....	208	2	1	-	2	1	1	1	6	11	12	14	21	19	20	19	22	18	18	7	8	2	1	1	1	-	-
	White.....M..	107	2	-	-	-	-	-	-	2	4	3	4	8	13	8	16	16	10	8	8	3	2	1	1	-	-	-
	F..	73	-	-	-	-	1	-	-	3	2	5	9	12	4	8	2	4	7	9	1	5	-	-	-	1	-	-
	Nonwhite..M..	15	-	1	-	-	-	-	-	1	4	2	-	-	1	3	1	1	-	1	-	-	-	-	-	-	-	-
	F..	13	-	-	-	2	-	1	1	-	1	2	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*..	189	1	1	-	-	1	1	1	5	11	11	13	21	19	17	17	19	15	17	7	8	1	1	1	1	-	-
	White.....M..	96	1	-	-	-	-	-	-	1	4	3	4	8	13	8	14	14	7	7	6	3	1	1	1	-	-	-
	F..	68	-	-	-	-	1	-	-	3	2	4	8	12	4	6	2	3	7	9	1	5	-	-	-	1	-	-
	Nonwhite..M..	14	-	1	-	-	-	-	-	1	4	2	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-
	F..	11	-	-	-	-	-	1	1	-	1	2	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	19	1	-	-	2	-	-	-	1	-	1	1	-	-	3	2	3	3	1	-	-	1	-	-	-	-	-
	White.....M..	11	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	3	1	-	-	1	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	White.....M..	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	98	2	1	-	1	-	-	-	-	-	-	3	4	8	6	8	18	19	12	11	2	1	2	-	-	-	-
	White.....M..	67	-	1	-	-	-	-	-	-	-	-	-	3	5	6	6	12	15	8	7	1	1	2	-	-	-	-
	F..	17	1	-	-	1	-	-	-	-	-	-	2	-	1	-	1	2	2	3	3	1	-	-	-	-	-	-
	Nonwhite..M..	9	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	1	1	1	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-
35	Measles.....	17	3	2	1	1	1	5	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	7	-	2	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	10	3	-	-	1	1	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	24	-	1	-	-	-	5	5	4	2	2	-	-	1	1	-	-	2	1	-	-	-	-	-	-	-	-
	White.....M..	12	-	1	-	-	-	4	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	1,693	1	-	1	1	-	2	3	5	5	16	12	34	46	84	131	183	186	259	264	200	167	70	19	1	-	3
	White.....M..	836	-	-	1	1	-	1	1	4	3	6	5	13	14	22	57	92	80	132	140	113	103	37	10	-	-	1
	F..	848	1	-	-	-	-	1	2	1	2	10	7	20	32	61	73	88	105	125	124	87	64	33	9	1	-	2
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																										
46	Cancer of digestive organs, peritoneum.....	822	1	-	-	-	-	1	1	2	-	1	6	8	13	31	62	75	84	128	144	116	94	46	7	-	-	2
	White.....M..	451	-	-	-	-	-	-	-	1	-	1	3	6	7	12	32	55	38	72	70	65	53	24	2	-	-	1
	F..	367	1	-	-	-	-	1	1	1	-	-	3	2	6	19	29	19	45	55	65	51	41	22	5	-	-	1
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.	194	-	-	-	-	-	-	-	-	2	4	4	11	14	17	22	30	29	26	15	11	5	4	-	-	-	-
	White.....F..	193	-	-	-	-	-	-	-	-	2	4	4	10	14	17	22	30	29	26	15	11	5	4	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.	143	-	-	-	-	-	-	-	-	-	-	-	1	8	15	16	26	17	23	19	10	5	-	2	-	-	1
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	140	-	-	-	-	-	-	-	-	-	-	-	1	8	15	15	25	16	23	19	10	5	-	2	-	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	534	-	-	1	1	-	1	2	3	3	11	2	14	11	21	31	52	56	82	86	63	63	20	10	1	-	-
	White.....M..	383	-	-	1	1	-	1	1	3	3	5	2	7	7	10	24	37	41	60	61	48	50	13	8	-	-	-
	F..	148	-	-	-	-	-	-	1	-	-	6	-	7	4	10	7	14	15	21	25	15	13	7	2	1	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	13	-	-	-	-	-	2	-	1	1	2	2	2	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	383	-	1	-	1	-	4	1	2	4	1	4	2	14	12	18	34	38	70	71	60	29	11	4	2	-	-
	White.....M..	159	-	1	-	1	-	3	-	-	1	1	2	2	7	8	4	10	15	30	21	26	16	8	1	2	-	-
	F..	217	-	-	-	-	-	1	1	2	2	-	2	-	6	4	14	23	22	39	49	33	13	3	3	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter.....	37	-	-	-	-	-	-	-	-	1	1	2	2	1	4	3	5	3	6	6	2	1	-	-	-	-	-
	White.....M..	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	1	1	1	-	-	-	-	-
	F..	27	-	-	-	-	-	-	-	-	1	1	2	1	1	3	2	3	2	6	4	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	14	-	-	-	-	-	-	-	-	-	-	2	1	3	2	2	-	2	1	1	-	-	-	-	-	-	-
	White.....M..	12	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	-	2	1	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	1,303	2	-	-	-	-	-	1	1	2	5	1	8	14	32	59	89	88	174	214	240	215	118	32	7	-	1
	White.....M..	631	1	-	-	-	-	-	1	-	2	2	-	4	2	14	28	37	45	90	108	112	115	57	9	3	-	1
	F..	631	1	-	-	-	-	-	-	1	-	3	1	4	10	16	30	44	43	76	97	123	98	61	21	4	-	-
	Nonwhite..M..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	3	6	3	2	-	1	-	-	-
	F..	21	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	-	5	3	2	2	-	1	-	-	-
90-95	Diseases of the heart.....	3,615	-	-	-	-	-	5	5	12	16	10	23	36	58	120	159	270	397	450	536	610	488	281	107	25	3	4
	White.....M..	2,185	-	-	-	-	-	3	2	8	8	4	10	27	34	85	109	199	252	287	325	351	262	149	53	13	2	2
	F..	1,355	-	-	-	-	-	1	3	4	7	6	12	9	22	30	40	64	128	149	203	252	225	131	54	12	1	2
	Nonwhite..M..	45	-	-	-	-	-	-	-	-	-	-	1	-	1	-	7	3	12	7	8	5	-	1	-	-	-	-
	F..	30	-	-	-	-	-	1	-	-	1	-	-	-	1	5	3	4	5	7	-	2	1	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	285	-	-	-	-	-	2	2	4	7	4	11	8	10	18	15	19	21	25	49	52	29	15	4	-	-	-
	White.....M..	173	-	-	-	-	-	1	1	3	5	1	4	4	6	10	12	14	14	14	30	27	18	6	3	-	-	-
	F..	115	-	-	-	-	-	-	1	1	2	3	7	4	4	8	2	5	6	8	19	24	11	9	1	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	F..	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,151	-	-	-	-	-	-	1	1	1	1	7	11	22	58	82	117	170	159	181	174	98	52	9	5	-	2
	White.....M..	817	-	-	-	-	-	-	1	1	-	1	4	10	17	45	65	92	127	117	127	113	55	33	7	2	-	1
	F..	318	-	-	-	-	-	-	-	-	1	1	3	1	4	11	14	24	40	39	52	60	43	19	2	3	-	1
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	2	1	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	2,169	-	-	-	-	-	3	2	7	8	5	5	17	28	44	62	134	206	266	306	384	361	214	94	20	3	2
	White.....M..	1,195	-	-	-	-	-	2	-	4	3	3	2	13	11	30	32	93	111	156	168	211	189	110	43	11	2	1
	F..	922	-	-	-	-	-	1	2	3	4	2	2	4	14	11	24	35	82	102	132	168	171	103	51	9	1	1
	Nonwhite..M..	32	-	-	-	-	-	-	-	-	-	-	1	-	1	-	4	3	9	4	6	3	-	1	-	-	-	-
	F..	20	-	-	-	-	-	-	-	-	1	-	-	-	-	3	2	3	4	4	-	2	1	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza.....	741	93	18	12	4	3	6	7	10	6	11	14	9	16	21	30	22	36	49	78	80	91	80	39	3	1	2
	White.....M..	368	45	5	4	3	3	2	6	5	3	7	3	5	6	14	20	11	17	24	38	48	42	35	18	1	1	2
	F..	327	40	12	4	-	-	2	-	5	3	3	10	4	8	7	6	5	13	24	34	31	49	44	21	2	-	-
	Nonwhite..M..	16	3	-	-	1	-	2	-	-	-	-	1	-	2	-	-	2	3	-	1	1	-	-	-	-	-	-
	F..	30	5	1	4	-	-	-	1	-	-	1	-	-	-	-	4	4	3	1	5	-	-	1	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																										
107	Bronchopneumonia.	216	40	10	4	1	2	3	3	1	1	2	2	2	2	7	10	8	5	9	11	19	31	29	16	-	-	-
	White.....M..	108	18	5	-	1	2	1	2	-	1	2	-	1	1	5	6	2	3	4	4	11	17	16	6	-	-	-
	F..	94	17	5	3	-	-	1	-	1	-	-	2	1	1	2	2	2	2	5	6	8	14	12	10	-	-	-
	Nonwhite..M..	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	11	4	-	1	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	1	-	-	1	-	-	-	-
108	Lobar pneumonia..	199	12	1	3	1	1	1	2	5	2	5	5	4	5	7	9	8	15	14	35	30	15	10	6	1	1	1
	White.....M..	105	4	-	-	-	1	1	2	3	-	2	2	2	2	5	8	5	6	7	18	20	7	4	4	-	1	1
	F..	73	5	-	-	-	-	-	-	2	2	2	2	2	3	2	1	1	3	7	14	10	8	6	2	1	-	-
	Nonwhite..M..	8	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
	F..	13	1	1	3	-	-	-	-	-	-	1	-	-	-	-	-	1	3	-	3	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	109	24	3	2	-	-	1	2	-	2	2	3	3	2	1	2	2	8	8	11	8	11	10	4	-	-	-
	White.....M..	47	10	-	2	-	-	-	2	-	2	1	-	2	1	-	2	2	2	4	4	5	5	3	2	-	-	-
	F..	58	14	3	-	-	-	-	-	-	-	1	3	1	-	1	1	-	6	4	6	3	6	7	2	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
33	Influenza.....	217	17	4	3	2	-	1	-	4	1	2	4	-	7	6	9	6	8	18	21	23	34	31	13	2	-	1
	White.....M..	108	13	-	2	2	-	-	-	2	-	2	1	-	2	4	6	2	6	9	12	12	13	12	6	1	-	1
	F..	102	4	4	1	-	-	1	-	2	1	-	3	-	4	2	2	2	2	8	8	10	21	19	7	1	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	87	-	-	-	-	-	-	-	-	1	1	-	-	6	8	17	8	12	11	7	10	4	2	-	-	-	-
	White.....M..	67	-	-	-	-	-	-	-	-	-	1	-	-	4	5	15	6	12	8	5	7	3	1	-	-	-	-
	F..	18	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	2	-	3	1	3	1	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	58	22	2	3	-	2	-	-	-	2	1	-	1	2	-	2	1	4	-	5	5	2	2	1	1	-	-
	White.....M..	32	10	2	-	-	1	-	-	-	1	1	-	-	2	-	2	-	2	-	4	4	1	1	1	-	-	-
	F..	24	10	-	3	-	1	-	-	-	1	-	-	1	-	-	-	1	2	-	1	1	1	1	-	1	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	74	-	1	3	2	2	3	5	5	2	3	2	5	9	4	10	8	2	1	2	2	1	2	-	-	-	-
	White.....M..	40	-	1	2	2	1	1	3	2	1	2	2	2	6	2	5	4	2	1	-	1	-	-	-	-	-	-
	F..	33	-	-	1	-	1	1	2	3	1	1	-	3	3	2	5	4	-	-	2	1	1	2	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	132	7	1	-	1	1	2	1	2	3	2	4	3	7	8	7	7	6	14	15	13	12	9	9	-	-	-
	White.....M..	76	3	-	-	1	1	1	1	2	1	1	1	-	4	5	4	4	5	11	7	6	10	5	3	-	-	-
	F..	52	2	1	-	-	-	1	-	-	2	1	2	2	3	1	3	3	1	3	8	7	2	4	6	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	99	-	-	-	-	-	-	1	1	1	1	1	6	4	4	5	12	12	15	13	11	11	1	-	-	-	-
	White.....M..	63	-	-	-	-	-	-	1	-	1	1	1	4	2	4	3	10	10	11	6	6	4	-	-	-	-	-
	F..	35	-	-	-	-	-	-	1	-	1	-	-	2	2	-	2	2	1	4	7	5	7	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	71	-	-	-	-	-	-	-	-	-	-	4	5	2	4	8	12	6	3	7	8	9	2	1	-	-	-
	White.....M..	18	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	1	2	2	1	1	4	-	1	-	-	-
	F..	50	-	-	-	-	-	-	-	-	-	-	3	3	2	4	5	8	4	1	6	7	5	2	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	945	1	-	2	1	-	3	1	4	6	3	7	14	19	26	47	55	72	111	147	145	142	108	26	4	-	1
	White.....M..	533	-	-	1	1	-	-	-	2	4	2	4	8	11	18	27	38	39	58	78	76	85	68	13	3	-	1
	F..	388	1	-	1	-	-	3	1	2	2	1	3	4	6	8	15	15	31	49	68	68	57	39	13	1	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	1	3	-	-	1	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	3	-	1	-	-	-	-	-	-	-
137	Diseases of the prostate.....	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	9	13	22	17	13	8	-	1	2
	White.....M..	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	9	13	22	17	13	8	-	1	2
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	42	-	-	-	-	-	-	-	1	10	8	10	7	4	1	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	41	-	-	-	-	-	-	-	1	10	8	10	8	4	1	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	13	-	-	-	-	-	-	-	-	1	5	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	13	-	-	-	-	-	-	-	-	1	5	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	14	-	-	-	-	-	-	-	-	6	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	14	-	-	-	-	-	-	-	-	6	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,f, 142b,143, 145d,146, 149,150	Other puerperal causes.....	15	-	-	-	-	-	-	-	1	3	1	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	14	-	-	-	-	-	-	-	1	3	1	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	182	167	3	2	1	-	1	1	2	1	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	90	82	2	2	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	89	82	1	-	1	-	1	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEBRASKA—Con.																										
159	Premature birth..	317	317	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	186	186	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	122	122	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	6	6	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	156	-	-	-	-	-	-	-	2	3	12	14	6	10	11	21	18	15	15	14	7	4	3	-	-	1
	White.....M..	119	-	-	-	-	-	-	-	1	1	8	11	5	6	6	18	15	12	10	10	7	4	3	-	-	1
	F..	36	-	-	-	-	-	-	-	1	1	3	3	1	4	5	3	3	3	5	4	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	30	2	-	-	-	-	1	1	4	4	2	2	7	-	1	3	1	1	1	-	-	-	-	-	-	-
	White.....M..	15	2	-	-	-	-	1	-	-	2	-	1	4	-	1	2	1	1	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	1	3	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	928	18	19	10	8	10	36	34	47	114	50	22	29	35	25	47	37	53	46	46	74	82	46	19	7	-	12
	White.....M..	653	8	9	5	6	5	27	23	39	104	46	19	23	31	22	35	28	43	37	26	39	29	26	10	2	-	11
	F..	258	8	10	5	2	5	7	8	8	10	4	3	5	4	3	12	7	9	8	20	32	53	20	9	5	-	1
	Nonwhite..M..	8	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	F..	7	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
170	Motor-vehicle accidents.....	193	1	5	1	1	3	11	5	16	28	17	10	12	6	7	16	14	10	11	6	8	5	1	-	-	-	1
	White.....M..	150	1	2	-	1	2	9	2	13	20	14	8	9	5	6	13	12	8	9	5	6	4	-	-	-	-	1
	F..	41	-	3	1	-	1	2	2	3	8	3	2	2	1	1	3	2	2	2	1	-	1	1	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189, 171-195	Other accidents..	733	17	14	9	7	7	25	29	31	86	33	12	17	29	18	31	23	43	35	40	68	77	45	19	7	-	11
	White.....M..	503	7	7	5	5	3	18	21	26	84	32	11	14	26	16	22	16	35	28	21	33	25	26	10	2	-	10
	F..	217	8	7	4	2	4	5	6	5	2	1	1	3	3	2	9	5	7	6	19	32	52	19	9	5	-	1
	Nonwhite..M..	6	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-
	F..	7	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
182, 199, 200	Senility, ill-defined and unknown causes.	259	9	1	-	-	1	-	-	-	2	-	2	-	1	4	1	5	7	14	15	34	51	51	44	14	2	1
	White.....M..	136	6	-	-	-	-	-	-	-	2	-	2	-	1	3	-	4	5	10	8	16	27	25	22	4	-	1
	F..	119	3	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	2	4	7	17	24	26	21	10	1	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	All other causes.	1,377	220	10	9	5	5	19	28	15	27	33	28	40	47	63	61	79	70	98	127	138	118	93	38	7	1	-
	White.....M..	739	133	6	5	-	3	12	12	7	14	19	10	22	19	31	31	47	32	53	64	76	65	53	20	4	1	-
	F..	609	82	3	3	4	2	7	13	8	12	14	18	16	27	31	25	31	36	45	62	61	51	39	18	3	-	-
	Nonwhite..M..	18	4	-	-	-	-	-	1	-	1	-	2	2	-	-	1	-	2	-	1	1	2	1	-	-	-	-
	F..	11	1	1	1	1	-	-	-	-	-	-	-	-	1	1	4	1	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA																										
	All causes	1,615	158	18	13	11	2	19	16	24	42	32	38	60	72	98	126	152	155	158	141	133	74	43	22	3	1	6
	White..M.	1,045	80	3	7	7	2	9	10	12	22	14	18	37	48	68	101	109	115	112	99	87	51	20	7	1	-	6
	F.	415	58	9	3	3	-	9	5	7	10	13	15	13	19	20	16	35	33	36	32	35	21	17	7	1	-	-
	Nonwhite..M.	82	11	-	-	1	-	1	1	3	3	5	2	5	1	6	5	5	2	7	6	8	2	4	3	1	-	-
	F.	73	11	4	3	-	-	-	-	2	7	-	3	5	4	4	4	3	5	3	4	3	-	2	5	-	1	-
1,2	Typhoid and paratyphoid fever	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	1	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	89	-	1	1	1	-	1	1	5	5	1	5	1	9	6	16	15	5	8	6	2	-	-	-	-	-	-
	White..M.	53	-	-	-	-	-	-	1	1	-	-	1	1	5	5	14	11	5	6	3	-	-	-	-	-	-	-
	F.	12	-	-	-	-	-	-	-	1	2	1	2	-	3	1	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	13	-	-	-	1	-	1	-	2	-	-	1	-	-	-	1	1	-	2	2	2	-	-	-	-	-	-
	F.	11	-	1	1	-	-	-	-	1	3	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc. *	82	-	1	1	-	-	-	1	4	5	1	5	1	8	6	15	14	5	8	5	2	-	-	-	-	-	-
	White..M.	50	-	-	-	-	-	-	1	1	-	-	1	1	4	5	13	10	5	6	3	-	-	-	-	-	-	-
	F.	11	-	-	-	-	-	-	-	-	2	1	2	-	3	1	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	10	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	1	-	2	1	2	-	-	-	-	-	-
	F.	11	-	1	1	-	-	-	-	1	3	-	1	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	7	-	-	-	1	-	1	-	1	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-
	White..M.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	27	5	-	-	-	-	-	-	-	1	1	-	-	4	1	1	1	3	3	5	1	-	-	-	-	-	1
	White..M.	16	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	2	3	4	-	-	-	-	-	-	1
	F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F.	5	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
35	Measles	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	4	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	138	-	1	1	-	-	-	-	-	-	-	2	6	3	13	15	17	19	16	12	18	7	6	2	-	-	-
	White..M.	77	-	-	-	-	-	-	-	-	-	-	-	1	1	5	11	7	12	13	7	11	6	2	1	-	-	-
	F.	58	-	1	1	-	-	-	-	-	-	-	2	4	2	8	4	10	7	3	5	7	1	2	1	-	-	-
	Nonwhite..M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Con.																										
46	Cancer of digestive organs, peritoneum.....	69	-	-	-	-	-	-	-	-	-	-	1	3	1	5	6	7	12	12	7	8	4	3	-	-	-
	White.....M..	44	-	-	-	-	-	-	-	-	-	-	1	1	1	2	6	4	8	9	4	3	4	2	-	-	-
	F..	25	-	-	-	-	-	-	-	-	-	-	1	2	-	3	-	3	4	3	3	5	-	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.	14	-	1	-	-	-	-	-	-	-	-	-	2	2	1	2	3	-	-	2	1	-	-	-	-	-
	White.....F..	14	-	1	-	-	-	-	-	-	-	-	-	2	2	1	2	3	-	-	2	1	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	-	-	-	-	1	1	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	-	-	-	-	1	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	46	-	-	1	-	-	-	-	-	-	-	-	1	-	6	6	4	6	4	3	9	3	2	1	-	-
	White.....M..	33	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	3	4	4	3	8	2	-	1	-	-
	F..	10	-	-	1	-	-	-	-	-	-	-	-	-	-	3	1	1	2	-	-	1	1	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....M..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	20	-	-	-	-	-	1	-	-	-	1	-	2	3	-	1	2	1	3	3	2	1	-	-	-	-	-
	White.....M..	9	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	2	-	2	-	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	2	2	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
89	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	22	-	-	-	-	-	-	-	-	-	-	1	3	4	3	4	3	-	3	1	-	-	-	-	-	-
	White.....M..	20	-	-	-	-	-	-	-	-	-	-	1	3	2	3	4	3	-	3	1	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin...	91	1	-	-	-	-	-	-	-	1	1	2	1	1	3	4	7	15	12	11	18	10	2	1	-	1
	White.....M..	63	1	-	-	-	-	-	-	-	-	1	1	1	1	1	2	3	10	9	7	16	7	2	-	-	1
	F..	23	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	4	4	3	3	2	3	-	1	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart.....	392	-	-	1	1	-	2	3	3	3	1	4	11	13	24	29	45	55	51	49	45	27	16	7	-	2
	White.....M..	275	-	-	-	1	-	-	-	3	3	-	1	7	10	19	23	34	41	33	40	31	17	7	3	-	2
	F..	100	-	-	-	-	-	2	3	-	-	-	3	3	3	3	4	10	13	16	8	12	10	8	2	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	2	-	2	-	-	-	-	-	-
	F..	9	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	-	-	1	2	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	25	-	-	1	-	-	1	2	2	1	-	1	2	1	2	5	1	2	-	1	1	1	1	-	-	-
	White.....M..	13	-	-	-	-	-	-	-	2	1	-	-	1	-	2	3	1	1	-	1	-	1	-	-	-	-	-
	F..	10	-	-	-	-	-	1	2	-	-	-	1	1	1	-	1	-	1	-	-	1	-	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	131	-	-	-	-	-	-	-	-	-	-	-	4	7	14	12	15	25	17	16	11	6	1	1	-	-	-
	White.....M..	99	-	-	-	-	-	-	-	-	-	-	-	3	6	11	11	12	18	10	17	7	2	1	1	-	-	-
	F..	29	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	7	7	1	4	4	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	236	-	-	-	1	-	1	1	1	2	1	3	5	5	8	12	29	28	34	30	33	20	14	6	-	-	2
	White.....M..	163	-	-	-	1	-	-	-	1	2	-	1	3	4	6	9	21	22	23	22	24	14	6	2	-	-	2
	F..	61	-	-	-	-	-	1	1	-	-	-	2	2	1	1	2	8	5	9	7	7	6	7	2	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	-	2	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	2	-	-	-
107-109, 33	Pneumonia (all forms) and influenza.....	118	22	4	3	1	-	1	-	1	2	3	2	3	6	6	8	12	10	8	7	7	1	6	4	-	-	1
	White.....M..	65	10	1	1	1	-	-	-	-	-	2	-	3	4	6	4	9	8	4	5	3	-	3	2	-	-	1
	F..	30	7	3	1	-	-	1	-	-	-	-	2	-	1	-	2	1	2	1	1	3	-	2	1	-	-	-
	Nonwhite..M..	9	1	-	-	-	-	-	-	-	1	1	-	-	1	-	2	-	-	-	-	-	1	1	1	-	-	-
	F..	14	4	-	1	-	-	-	-	1	1	-	-	-	-	-	-	2	-	3	1	1	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Con.																										
107	Bronchopneumonia.	40	10	1	3	-	-	1	-	-	1	-	1	1	1	1	2	-	3	3	4	4	-	3	1	-	-	-
	White.....M..	22	6	1	1	-	-	-	-	-	-	-	-	1	1	1	1	-	3	1	2	2	-	2	-	-	-	-
	F..	10	4	-	1	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F..	6	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-
108	Lobar pneumonia..	55	8	3	-	-	-	-	-	-	1	1	1	1	4	5	4	10	6	4	1	1	1	2	1	-	-	1
	White.....M..	32	2	-	-	-	-	-	-	-	-	-	-	1	2	5	3	7	4	3	1	1	-	1	1	-	-	1
	F..	13	3	3	-	-	-	-	-	-	-	1	1	-	1	-	-	1	2	-	-	-	-	1	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	F..	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	13	2	-	-	1	-	-	-	1	-	-	-	1	1	-	-	2	1	-	1	1	-	-	2	-	-	-
	White.....M..	9	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-	2	1	-	1	-	-	-	1	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	10	2	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	1	1	1	-	1	-	-	-	-
	White.....M..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-
	Nonwhite..M..	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	18	-	-	-	-	-	-	-	-	-	-	-	2	-	1	6	6	-	2	1	-	-	-	-	-	-	-
	White.....M..	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	6	-	1	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*....	14	10	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	6	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	8	6	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	18	-	-	1	1	1	-	1	1	-	1	1	4	3	-	2	1	-	1	-	-	-	-	-	-	-	-
	White.....M..	14	-	-	1	1	1	-	1	1	-	-	-	2	3	-	2	1	-	1	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	15	-	-	-	-	-	-	-	1	-	1	1	-	1	3	1	1	3	-	-	3	-	-	-	-	-	-
	White.....M..	10	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	1	2	-	-	2	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	1	2	3	-	-	1	-	-	-	-	-
	White.....M..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	2	-	-	1	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	77	-	-	-	-	-	-	-	1	-	-	-	1	1	3	4	7	13	9	17	13	4	3	-	1	-	-
	White.....M..	48	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	8	7	10	8	3	1	-	1	-	-
	F..	23	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	4	1	7	3	1	2	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
137	Diseases of the prostate.....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	-	-	-	-	-	-
	White.....M..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*..	6	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	4	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	3	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	14	12	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	7	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEVADA—Con.																										
159	Premature birth..	47	47	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	21	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	21	21	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	27	-	-	-	-	-	-	-	-	2	3	2	2	2	5	4	3	-	1	1	-	2	-	-	-	-
	White.....M..	19	-	-	-	-	-	-	-	-	-	2	1	2	2	2	4	2	-	1	1	-	2	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	17	-	-	-	-	-	-	-	-	1	-	1	5	2	2	3	1	-	1	1	-	-	-	-	-	-
	White.....M..	10	-	-	-	-	-	-	-	-	1	-	1	-	1	2	3	-	-	1	1	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	201	7	6	5	4	-	8	7	7	17	15	9	12	11	17	16	17	10	11	4	5	5	3	5	-	-
	White.....M..	153	5	1	4	2	-	5	5	5	15	10	8	10	11	15	14	12	10	10	2	2	5	2	-	-	-
	F..	31	1	3	1	2	-	3	2	2	1	3	-	-	-	1	2	3	-	1	2	2	-	-	2	-	-
	Nonwhite..M..	11	1	-	-	-	-	-	-	-	1	2	1	2	-	1	-	2	-	-	-	-	-	-	1	-	-
	F..	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-
170	Motor-vehicle accidents.....	53	1	-	1	1	-	1	1	3	7	2	2	3	5	7	6	8	2	2	-	-	-	1	-	-	-
	White.....M..	44	1	-	1	-	-	1	1	1	7	2	2	2	5	6	4	6	2	2	-	-	-	1	-	-	-
	F..	6	-	-	-	1	-	-	-	2	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	148	6	6	4	3	-	7	6	4	10	13	7	9	6	10	10	9	8	9	4	5	5	2	5	-	-
	White.....M..	109	4	1	3	2	-	4	4	4	8	8	6	8	6	9	10	6	8	8	2	2	5	1	-	-	-
	F..	25	1	3	1	1	-	3	2	-	1	3	-	-	-	1	-	2	-	1	2	2	-	-	2	-	-
	Nonwhite..M..	8	1	-	-	-	-	-	-	-	1	2	1	1	-	-	-	1	-	-	-	-	-	-	1	-	-
	F..	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	45	4	-	-	-	-	-	-	-	-	-	1	-	3	1	2	3	7	4	3	6	7	2	1	-	1	-
	White.....M..	29	1	-	-	-	-	-	-	-	-	-	1	-	3	-	2	2	4	4	3	4	4	1	-	-	-	-
	F..	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	1	-	-	-	-
	Nonwhite..M..	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-
	F..	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
	All other causes.	168	47	1	-	2	-	3	3	3	6	2	4	6	4	7	5	7	10	15	15	10	10	4	2	2	-	-
	White.....M..	108	32	1	-	2	-	-	2	-	3	-	2	4	-	4	5	6	10	7	12	7	7	1	1	-	-	-
	F..	48	12	-	-	-	-	3	-	2	2	1	2	1	4	2	-	1	-	6	2	2	3	2	-	1	-	-
	Nonwhite..M..	12	2	-	-	-	-	-	1	1	-	1	-	1	-	1	-	-	-	2	1	1	-	1	-	1	-	-
	F..	4	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE																										
	All causes	6,248	432	25	22	9	9	35	41	45	52	61	76	107	141	209	295	419	528	699	855	853	684	427	157	39	7	21
	White..M..	3,409	245	14	14	8	5	22	26	27	33	38	40	67	82	120	182	251	293	410	458	489	332	185	61	10	2	15
	F..	2,829	186	9	8	1	4	13	15	18	19	22	36	39	59	89	111	168	233	289	396	384	352	242	96	29	5	6
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F..	6	1	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-
1,2	Typhoid and paratyphoid fever..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	14	-	-	2	-	-	4	2	2	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	White..M..	10	-	-	1	-	-	4	1	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	8	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White..M..	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	136	1	-	-	-	-	1	-	4	3	13	11	10	11	13	12	18	12	9	9	1	3	4	-	-	-	1
	White..M..	85	1	-	-	-	-	-	-	1	2	6	2	5	7	8	10	16	9	7	6	-	3	1	-	-	-	1
	F..	50	-	-	-	-	-	1	-	3	1	6	9	5	4	5	2	2	3	2	3	1	-	3	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc. *	122	1	-	-	-	-	-	-	4	3	11	10	10	8	12	11	15	12	8	8	1	3	4	-	-	-	1
	White..M..	77	1	-	-	-	-	-	-	1	2	5	2	5	5	7	10	13	9	7	5	-	3	1	-	-	-	1
	F..	44	-	-	-	-	-	-	-	3	1	5	8	5	3	5	1	2	3	1	3	1	-	3	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	14	-	-	-	-	-	1	-	-	-	2	1	-	3	1	1	3	-	1	1	-	-	-	-	-	-	-
	White..M..	8	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	3	-	-	1	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	1	-	-	-	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	43	1	-	-	-	-	-	-	-	-	1	1	-	2	4	7	7	9	5	3	2	1	-	-	-	-	-
	White..M..	33	-	-	-	-	-	-	-	-	-	1	-	-	2	2	7	7	5	5	3	1	-	-	-	-	-	-
	F..	9	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	3	-	-	1	1	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	736	-	-	3	2	1	1	2	4	1	3	10	17	27	32	67	70	88	95	125	90	62	28	7	2	1	-
	White..M..	342	-	-	2	2	1	-	2	2	1	-	1	6	11	10	33	25	40	45	56	53	36	12	3	1	-	-
	F..	395	-	-	1	-	-	1	-	2	-	3	9	10	16	22	34	45	48	50	69	37	26	16	4	1	1	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																										
46	Cancer of digestive organs, peritoneum	345	-	-	1	1	-	-	-	-	-	1	2	5	13	9	33	30	37	48	68	55	30	10	2	-	-
	White..M..	173	-	-	-	1	-	-	-	-	-	-	-	3	7	4	17	16	21	24	34	23	17	5	1	-	-
	F..	172	-	-	1	-	-	-	-	-	-	1	2	2	6	5	18	14	16	24	34	32	13	5	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	77	-	-	-	-	-	-	-	-	-	-	3	4	3	10	6	6	10	8	16	4	3	3	1	-	-
	White.....F..	77	-	-	-	-	-	-	-	-	-	-	3	4	3	10	6	6	10	8	16	4	3	3	1	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	81	-	-	-	-	-	-	-	-	-	1	1	2	4	5	7	17	12	9	10	-	6	5	1	-	1	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	81	-	-	-	-	-	-	-	-	-	1	1	2	4	5	7	17	12	9	10	-	6	5	1	-	1	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	235	-	-	2	1	1	1	2	4	1	1	4	6	7	8	21	17	29	30	31	31	23	10	3	2	-	-
	White.....M..	169	-	-	2	1	1	-	2	2	1	-	1	3	4	6	16	9	19	21	22	30	19	7	2	1	-	-
	F..	65	-	-	-	-	-	1	-	2	-	1	3	2	3	2	5	8	10	9	9	1	4	3	1	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	177	-	1	-	-	-	1	-	-	3	3	-	-	2	2	10	22	16	30	39	29	10	6	1	-	1	1
	White.....M..	73	-	-	-	-	-	1	-	-	1	2	-	-	1	1	8	10	10	9	16	11	1	1	-	-	1	1
	F..	104	-	1	-	-	-	-	-	-	2	1	-	-	1	1	2	12	6	21	23	18	9	5	1	-	1	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	17	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	3	3	1	-	-	-	-	-	-	-	1
	White.....M..	16	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	3	3	1	-	-	-	-	-	-	-	1
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	627	1	-	1	-	-	2	-	-	-	1	2	7	6	14	22	33	67	79	109	128	87	45	16	8	-	1
	White.....M..	288	1	-	1	-	-	-	-	-	-	1	-	4	2	3	9	16	29	38	54	62	40	20	6	2	-	-
	F..	339	-	-	-	-	-	2	-	-	-	-	2	3	4	11	13	17	38	41	55	65	47	23	10	6	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart	2,032	-	-	-	-	-	1	4	3	5	7	6	15	29	64	91	142	190	280	348	350	276	155	47	12	-	7
	White.....M..	1,179	-	-	-	-	-	1	1	2	1	5	3	10	20	50	64	97	120	176	196	197	138	73	19	2	-	4
	F..	851	-	-	-	-	-	-	3	1	4	2	3	5	9	14	25	45	70	104	152	153	138	82	28	10	-	3
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	116	-	-	-	-	-	-	3	-	1	1	4	3	3	2	8	2	15	13	21	18	8	10	1	1	-	2
	White.....M..	60	-	-	-	-	-	-	1	-	-	-	2	2	2	-	6	-	7	8	12	8	4	7	-	-	-	1
	F..	54	-	-	-	-	-	-	2	-	1	1	2	1	1	2	-	2	8	5	9	10	4	3	1	1	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	682	-	-	-	-	-	-	-	1	-	3	2	7	11	32	40	71	71	107	110	105	62	26	7	6	-	1
	White.....M..	455	-	-	-	-	-	-	-	1	-	2	1	5	10	29	31	55	47	79	74	65	36	14	3	2	-	1
	F..	207	-	-	-	-	-	-	-	-	-	1	1	2	1	3	9	16	24	28	36	40	26	12	4	4	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	1,254	-	-	-	-	-	1	1	2	4	3	-	5	15	30	43	69	104	160	217	227	206	119	39	5	-	4
	White.....M..	664	-	-	-	-	-	1	-	1	1	3	-	3	8	21	27	42	66	89	110	124	98	52	16	-	-	2
	F..	590	-	-	-	-	-	-	1	1	3	-	-	2	7	9	16	27	38	71	107	103	108	67	23	5	-	2
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	429	75	7	3	1	1	5	2	2	2	1	3	7	10	11	12	24	22	36	39	43	57	42	16	4	2	2
	White.....M..	241	46	6	1	-	-	3	1	1	-	1	2	7	7	8	7	11	12	26	22	29	28	13	6	1	1	2
	F..	188	29	1	2	1	1	2	1	1	2	-	1	-	3	3	5	13	10	10	17	14	29	29	10	3	1	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																										
107	Bronchopneumonia.	179	38	3	-	1	1	1	1	1	1	-	-	-	2	5	2	8	6	16	15	12	28	23	11	2	1	1
	White.....M..	92	25	3	-	-	-	-	1	-	-	-	-	-	2	3	2	3	3	11	7	6	13	7	4	-	1	1
	F..	87	13	-	-	1	1	1	-	1	1	-	-	-	-	2	-	5	3	5	8	6	15	16	7	2	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia..	115	15	1	2	-	-	1	-	1	-	1	1	4	2	4	4	4	9	9	15	20	13	6	-	1	1	1
	White.....M..	75	9	-	1	-	-	1	-	1	-	1	1	4	1	3	3	4	5	7	10	15	7	1	-	-	-	1
	F..	40	6	1	1	-	-	-	-	-	-	-	-	-	1	1	1	-	4	2	5	5	6	5	-	1	1	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	50	10	2	1	-	-	-	-	-	-	-	-	3	3	1	-	3	3	2	3	4	5	5	3	1	-	-
	White.....M..	32	8	2	-	-	-	-	-	-	-	-	-	3	2	1	-	1	2	2	3	4	2	2	1	1	-	-
	F..	18	4	-	1	-	-	-	-	-	1	-	-	-	1	-	-	2	1	-	-	-	3	3	2	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	85	12	1	-	-	-	3	1	-	-	-	2	-	3	1	6	9	4	9	6	7	11	8	2	-	-	-
	White.....M..	42	6	1	-	-	-	2	-	-	-	-	1	-	2	1	2	3	2	6	2	4	6	3	1	-	-	-
	F..	43	6	-	-	-	-	1	1	-	-	-	1	-	1	-	4	6	2	3	4	3	5	5	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	51	-	-	-	-	-	-	-	-	-	-	3	2	4	1	3	13	2	8	7	3	5	-	-	-	-	-
	White.....M..	40	-	-	-	-	-	-	-	-	-	-	3	2	3	1	1	11	1	8	6	2	2	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	-	1	1	3	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc. *....	38	28	1	-	-	-	-	-	1	1	1	-	1	-	1	-	-	3	1	-	-	2	-	-	-	-	-
	White.....M..	24	17	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F..	14	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	31	2	-	1	-	-	2	3	2	1	1	1	3	2	2	2	3	-	2	2	1	1	-	-	-	-	-
	White.....M..	19	1	-	1	-	-	1	-	1	1	-	1	2	2	2	1	3	-	-	2	1	-	-	-	-	-	-
	F..	12	1	-	-	-	-	1	3	1	-	1	-	1	-	-	1	-	-	2	-	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	55	-	2	-	-	-	-	-	-	-	2	-	4	-	8	3	6	3	8	7	5	3	2	2	-	-	-
	White.....M..	32	-	2	-	-	-	-	-	-	-	2	-	4	-	2	1	4	1	3	5	3	1	2	2	-	-	-
	F..	23	-	-	-	-	-	-	-	-	-	-	-	-	-	6	2	2	2	5	2	2	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	44	-	-	-	-	1	-	-	-	-	-	-	1	4	2	3	4	8	4	3	8	4	-	1	1	-	-
	White.....M..	25	-	-	-	-	1	-	-	-	-	-	-	-	2	1	2	3	6	3	1	4	-	-	1	1	-	-
	F..	18	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	2	1	1	4	4	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc. *.....	34	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	4	9	7	2	2	-	-	-	-
	White.....M..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	4	2	-	2	-	-	-	-
	F..	20	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	3	5	5	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	382	1	-	-	-	-	2	2	-	1	2	2	4	5	14	19	17	40	54	86	53	58	35	7	-	-	-
	White.....M..	213	1	-	-	-	-	2	2	-	1	2	2	1	1	10	10	7	20	32	37	26	36	18	5	-	-	-
	F..	169	-	-	-	-	-	-	-	-	-	-	-	3	4	4	9	10	20	22	29	27	22	17	2	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate.....	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	10	4	3	3	-	-	-
	White.....M..	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	10	4	3	3	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc. *..	25	-	-	-	-	-	-	-	2	6	7	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	25	-	-	-	-	-	-	-	2	6	7	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	10	-	-	-	-	-	-	-	2	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	10	-	-	-	-	-	-	-	2	2	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	5	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b, 143, 145B, 146, 149,150	Other puerperal causes.....	10	-	-	-	-	-	-	-	-	3	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	10	-	-	-	-	-	-	-	-	3	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	90	81	3	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	48	42	2	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	42	39	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. Place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW HAMPSHIRE—Continued																										
159	Premature birth..	126	126	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	73	73	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	52	52	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	73	-	-	-	-	-	-	-	6	3	6	9	8	6	8	7	4	6	6	4	-	-	-	-	-	-
	White.....M..	55	-	-	-	-	-	-	-	5	3	3	9	4	6	7	6	2	3	4	3	-	-	-	-	-	-
	F..	18	-	-	-	-	-	-	-	1	-	3	-	4	-	1	1	2	3	2	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	4	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1
	F..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	322	6	3	7	4	4	11	16	15	16	10	10	11	8	11	10	16	18	18	20	34	25	27	14	2	-	6
	White.....M..	202	2	1	5	4	2	7	12	15	15	9	10	10	8	6	8	12	13	11	10	18	5	10	4	-	-	5
	F..	120	4	2	2	-	2	4	4	-	1	1	-	1	-	5	2	4	5	7	10	16	20	17	10	2	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	56	-	-	3	-	1	4	3	3	3	2	5	-	1	3	3	3	6	4	4	4	1	3	-	-	-	-
	White.....M..	44	-	-	3	-	-	4	1	3	3	1	5	-	1	1	2	3	4	2	4	3	1	3	-	-	-	-
	F..	12	-	-	-	-	1	-	2	-	-	1	-	-	-	2	1	-	2	2	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	266	6	3	4	4	3	7	13	12	13	8	5	11	7	8	7	13	12	14	16	30	24	24	14	2	-	6
	White.....M..	158	2	1	2	4	2	3	11	12	12	8	5	10	7	5	6	9	9	9	6	15	4	7	4	-	-	5
	F..	108	4	2	2	-	1	4	2	-	1	-	-	1	-	3	1	4	3	5	10	15	20	17	10	2	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	83	8	-	-	-	-	-	-	-	1	-	-	1	-	1	3	-	3	7	9	6	6	11	9	11	5	2	-
	White.....M..	43	3	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	5	8	5	3	3	5	3	-	1	-
	F..	40	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	1	1	3	8	4	8	5	1	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	621	98	6	3	2	-	5	8	7	6	6	13	12	16	14	19	25	30	43	50	76	72	71	32	5	1	1
	White.....M..	310	53	2	1	2	-	3	5	4	5	5	11	6	7	4	10	12	11	30	26	42	34	25	9	3	-	-
	F..	310	45	4	2	-	-	2	3	3	1	1	2	6	9	10	9	13	18	13	24	34	38	46	23	2	1	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY																										
	All causes	50,281	2,795	199	110	84	85	244	254	463	570	765	987	1,250	1,804	2,706	3,808	4,605	5,230	5,890	6,110	5,281	3,807	2124	733	160	29	7
	White	25,256	1410	114	51	44	42	127	129	215	317	328	439	545	883	1445	2,140	2,651	2,974	3,038	3,017	2,489	1,659	863	272	51	9	4
	M.	21,313	1,031	55	45	27	35	91	90	136	230	318	376	486	625	934	1,315	1,645	1,959	2,517	2,859	2,653	2,151	1,212	434	98	12	2
	Nonwhite	2,055	205	18	7	8	4	16	30	62	58	60	78	123	157	191	198	178	171	185	136	69	60	23	9	5	3	1
	F.	1,657	150	12	7	5	4	10	5	50	65	59	75	96	139	136	155	131	126	150	98	70	57	26	18	8	5	-
1,2	Typhoid and paratyphoid fever	10	-	-	-	-	-	-	2	-	-	1	-	-	-	2	1	2	-	1	1	-	-	-	-	-	-	-
	White	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	M.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	126	11	4	2	1	-	5	6	20	10	10	9	11	11	4	4	8	5	2	3	-	-	-	-	-	-	-
	White	71	8	2	-	-	-	5	3	14	5	4	3	4	4	3	3	7	4	1	1	-	-	-	-	-	-	-
	M.	29	3	-	2	-	-	-	1	2	3	3	3	2	4	1	1	1	-	1	2	-	-	-	-	-	-	-
	F.	18	-	1	-	1	-	-	2	4	1	2	2	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	8	-	1	-	-	-	-	-	-	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	14	1	-	1	1	-	3	1	2	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	6	1	-	-	1	-	3	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	5	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	39	27	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White	11	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	18	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F.	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	7	8	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	11	-	1	1	1	1	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	6	-	1	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	3	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,932	10	9	10	5	1	1	12	92	139	180	182	171	171	185	212	180	121	119	69	44	14	4	1	-	-	-
	White	1,014	8	5	4	3	-	-	1	18	34	61	68	74	97	113	147	133	83	83	46	26	8	2	-	-	-	-
	M.	486	1	2	1	-	1	1	4	25	48	76	62	48	32	29	31	32	28	24	16	16	6	2	1	-	-	-
	F.	239	-	2	4	1	-	-	4	22	20	22	26	29	30	25	23	14	9	2	4	2	-	-	-	-	-	-
	Nonwhite	193	1	-	1	1	-	-	3	27	37	21	26	20	12	18	11	1	1	10	3	-	-	-	-	-	-	-
	M.	1,817	4	4	5	2	-	1	7	84	129	173	175	161	161	175	209	174	113	114	63	44	14	4	1	-	-	-
	F.	966	2	2	3	1	-	-	1	18	32	57	65	69	95	109	146	130	78	79	43	26	8	2	-	-	-	-
	Nonwhite	456	1	-	-	-	-	1	2	22	45	75	61	46	28	28	29	31	25	23	14	16	6	2	1	-	-	-
	M.	221	-	2	2	1	-	-	2	19	19	21	24	28	28	24	23	12	9	2	3	2	-	-	-	-	-	-
	F.	174	1	-	-	-	-	-	2	25	33	20	25	18	10	14	11	1	1	10	3	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	115	6	5	5	3	1	-	5	8	10	7	7	10	10	10	3	6	8	5	6	-	-	-	-	-	-	-
	White	48	6	3	1	2	-	-	-	-	2	4	3	5	2	4	1	3	5	4	3	-	-	-	-	-	-	-
	M.	30	-	2	1	-	1	-	2	3	3	1	1	2	4	1	2	1	3	1	2	-	-	-	-	-	-	-
	F.	18	-	-	2	-	-	-	2	3	1	1	2	1	2	1	-	2	-	-	1	-	-	-	-	-	-	-
	Nonwhite	19	-	-	1	1	-	-	1	2	4	1	1	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-
	M.	9	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-
	F.	7	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	481	10	1	-	-	-	-	-	7	8	8	16	30	52	48	70	69	60	59	28	10	4	2	1	-	-	-
	White	234	2	-	-	-	-	-	-	1	2	2	5	8	18	21	29	48	34	35	18	8	3	-	-	-	-	-
	M.	83	1	-	-	-	-	-	-	3	1	1	5	6	4	7	14	11	14	8	4	1	1	2	-	-	-	-
	F.	115	4	1	-	-	-	-	-	1	3	3	2	11	20	17	19	10	10	10	4	-	-	-	-	-	-	-
	Nonwhite	49	3	-	-	-	-	-	-	2	2	2	4	5	10	3	8	-	2	6	-	1	-	-	1	-	-	-
	M.	24	8	5	2	3	-	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	12	6	5	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	11	2	-	2	2	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	12	1	-	-	-	-	2	1	2	2	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	White	6	1	-	-	-	-	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	M.	5	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	6,518	4	3	1	1	7	11	8	14	27	46	74	140	272	491	673	851	907	920	870	648	369	141	36	6	-	-
	White	3,057	2	2	-	1	3	6	5	17	13	18	47	83	200	305	438	488	457	426	299	167	61	12	3	-	-	-
	M.	3,208	2	1	1	-	1	4	2	6	10	28	47	81	167	266	332	377	387	430	427	341	192	80	21	3	-	-
	F.	119	-	-	-	-	1	1	-	2	-	3	3	5	7	10	19	18	19	14	10	2	4	-	1	-	-	-
	Nonwhite	136	-	-	-	-	2	-	-	1	-	2	6	7	15	15	19	18	13	19	7	4	8	-	2	-	-	-
	M.																											
	F.																											

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																										
46	Cancer of digestive organs, peritoneum	3,213	1	-	-	1	-	1	-	1	8	10	26	41	98	197	310	415	461	488	502	367	200	74	13	1	-	-
	White	1,667	1	-	-	1	-	1	-	-	5	3	9	20	44	103	163	244	269	271	240	170	84	34	5	-	-	-
	F.	1,434	-	-	-	-	-	-	-	-	1	5	14	19	49	80	131	156	176	199	252	194	110	40	7	1	-	-
	Nonwhite	68	-	-	-	-	-	-	-	-	2	3	2	4	8	11	9	11	8	6	1	3	-	-	-	-	-	-
	F.	44	-	-	-	-	-	-	-	1	-	-	-	-	1	6	5	6	5	10	4	2	3	-	1	-	-	-
48,49	Cancer of female genital organs	727	-	-	-	-	-	2	-	2	2	13	15	27	56	84	97	107	84	89	65	51	19	8	4	2	-	-
	White	676	-	-	-	-	-	2	-	2	2	12	12	24	47	78	92	100	79	84	62	49	17	8	4	2	-	-
	Nonwhite	51	-	-	-	-	-	-	-	-	-	1	3	3	9	6	5	7	5	5	3	2	2	-	-	-	-	-
50	Cancer of breast	638	-	-	-	-	-	-	-	-	1	2	14	23	49	71	74	72	80	77	64	59	32	13	7	-	-	-
	White	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	1	1	-	-	-	-	-
	F.	615	-	-	-	-	-	-	-	-	1	2	11	20	46	71	69	70	80	75	62	58	31	13	6	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F.	16	-	-	-	-	-	-	-	-	-	-	3	3	2	-	5	1	-	1	-	-	-	-	1	-	-	-
45,47, 51-55	Cancer (other sites)	1,940	3	3	1	-	7	8	8	11	18	21	19	49	69	139	192	257	282	266	239	169	118	46	12	3	-	-
	White	1,384	1	2	-	-	3	5	6	5	12	10	9	27	38	97	140	193	219	185	185	128	82	27	7	3	-	-
	F.	481	2	1	1	-	1	2	2	4	6	9	10	18	25	37	40	51	52	72	51	40	34	19	4	-	-	-
	Nonwhite	50	-	-	-	-	1	1	-	2	-	1	-	3	3	2	8	9	8	6	3	1	1	-	1	-	-	-
	F.	25	-	-	-	-	2	-	-	-	-	1	-	1	3	3	4	4	3	3	-	-	1	-	-	-	-	-
58	Acute rheumatic fever	87	-	-	-	1	1	9	8	9	9	9	10	9	7	4	3	2	3	1	-	1	-	1	-	-	-	-
	White	37	-	-	-	1	-	5	4	2	3	5	5	2	2	2	2	-	1	1	-	1	-	1	-	-	-	-
	F.	40	-	-	-	-	1	3	3	6	4	3	3	5	5	2	1	2	2	-	-	-	-	-	-	-	-	-
	Nonwhite	4	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	8	-	-	-	-	-	1	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	1,600	1	-	1	-	-	5	5	4	3	10	6	17	32	57	111	207	269	303	273	179	88	21	7	1	-	-
	White	488	-	-	-	-	-	3	3	3	1	4	3	6	10	16	37	54	85	88	75	67	23	9	1	-	-	-
	F.	1,039	1	-	1	-	-	2	2	1	2	5	3	8	15	29	65	141	177	205	193	108	63	12	5	1	-	-
	Nonwhite	21	-	-	-	-	-	-	-	-	-	-	-	-	2	5	3	6	-	3	2	-	-	-	-	-	-	-
	F.	52	-	-	-	-	-	-	-	-	-	1	-	3	5	7	6	6	7	7	3	4	2	-	1	-	-	-
63b	Exophthalmic goiter	98	-	-	-	-	-	-	1	1	3	1	5	2	10	9	20	12	10	8	8	6	2	-	-	-	-	-
	White	17	-	-	-	-	-	-	-	-	1	-	-	1	2	2	3	1	3	2	2	-	-	-	-	-	-	-	-
	F.	71	-	-	-	-	-	-	1	-	2	1	5	1	8	5	15	10	7	4	6	6	2	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F.	8	-	-	-	-	-	-	-	1	-	-	-	-	2	2	-	1	-	2	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	75	-	-	-	-	-	-	-	1	-	1	4	6	5	12	15	15	8	4	2	2	-	-	-	-	-	-
	White	62	-	-	-	-	-	-	-	-	-	1	3	5	4	10	13	12	6	4	2	2	-	-	-	-	-	-
	F.	9	-	-	-	-	-	-	-	1	-	-	1	-	1	1	2	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,283	4	2	-	-	1	1	6	5	7	10	20	46	88	168	280	396	487	614	702	684	446	229	72	13	1	1
	White	1,801	1	2	-	-	-	-	3	2	5	4	10	21	32	62	112	178	226	271	279	310	163	82	32	5	1	-
	F.	2,213	3	-	-	-	1	1	3	3	1	6	8	20	39	82	136	185	227	289	398	352	283	143	37	7	-	1
	Nonwhite	132	-	-	-	-	-	-	-	-	-	-	2	1	8	15	15	16	18	22	13	11	13	1	2	1	-	-
	F.	137	-	-	-	-	-	-	-	-	1	-	2	4	11	11	17	17	18	22	12	11	7	3	1	-	-	-
90-95	Diseases of the heart	17,263	4	1	-	4	3	13	35	50	78	87	166	251	456	814	1,290	1,671	2,085	2,336	2,584	2,198	1,795	929	308	65	8	2
	White	9,278	4	-	-	2	2	5	11	26	37	37	87	124	268	486	834	1,053	1,281	1,322	1,357	1,048	782	371	125	16	1	1
	F.	7,077	-	1	-	1	1	8	20	18	33	42	69	90	122	231	352	514	674	944	1,127	1,097	973	534	174	46	5	1
	Nonwhite	490	-	-	-	1	-	-	2	4	5	2	6	17	37	60	62	52	59	69	58	24	18	10	3	1	-	-
	F.	418	-	-	-	-	-	-	2	2	3	6	4	20	31	37	42	52	51	51	42	29	22	14	6	2	2	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	953	-	-	-	1	1	8	24	29	51	46	61	71	79	88	91	82	73	67	71	42	42	21	6	1	-	-
	White	447	-	-	-	1	-	3	6	18	26	23	25	28	37	33	48	51	33	36	40	15	15	9	2	-	-	-
	F.	434	-	-	-	-	1	5	15	9	22	21	35	38	30	44	32	24	34	31	28	26	23	12	4	-	-	-
	Nonwhite	38	-	-	-	-	-	-	2	3	2	-	1	2	5	6	6	1	4	-	2	1	3	-	-	-	-	-
	F.	34	-	-	-	-	-	-	1	1	1	2	-	3	7	3	5	6	2	-	1	-	1	-	-	1	-	-
94	Diseases of coronary arteries, angina pectoris	4,280	1	-	-	-	-	-	3	1	6	9	31	73	153	269	463	560	664	641	600	417	255	109	21	4	-	-
	White	2,884	1	-	-	-	-	-	-	-	3	4	23	59	113	205	357	413	465	423	391	237	120	54	15	1	-	-
	F.	1,269	-	-	-	-	-	-	2	1	3	3	7	11	28	46	85	131	183	199	200	176	131	54	6	3	-	-
	Nonwhite	90	-	-	-	-	-	-	-	-	-	-	1	1	3	7	15	16	11	11	14	6	1	3	1	-	-	-
	F.	37	-	-	-	-	-	-	1	-	-	1	-	-	5	3	5	5	5	5	3	3	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	12,030	3	1	-	3	2	5	8	20	21	32	74	107	224	459	736	1,029	1,328	1,678	1,913	1,739	1498	799	281	60	8	2
	White	5,947	3	-	-	1	2	2	5	10	8	10	39	37	116	248	429	589	783	863	926	796	647	308	108	15	1	1
	F.	5,374	-	1	-	1	-	3	3	8	8	18	27	41	64	141	235	359	457	714	899	895	819	468	164	43	5	1
	Nonwhite	362	-	-	-	1	-	-	-	1	3	1	4	12	25	39	40	40	44	55	50	22	12	9	3	1	-	-
	F.	347	-	-	-	-	-	-	-	1	2	3	4	17	19	31	32	41	44	46	38	26	20	14	6	1	2	-
107-109, 33	Pneumonia (all forms) and influenza	2,607	389	52	19	15	9	12	15	29	41	43	50	81	98	139	177	200	201	226	233	226	189	113	38	7	5	-
	White	1,317	188	27	3	7	4	9	7	13	20	22	20	34	55	88	103	129	134	115	105	107	64	45	15	2	1	-
	F.	988	134	15	11	6	4	2	8	9	14	16	18	23	19	25	48	50	51	91	117	113	119	67	22	4	2	-
	Nonwhite	175	38	4	1	1	1	-	-	3	6	2	8	19	14	15	18	11	8	14	5	2	3	1	-	-	1	-
	F.	127	29	6	4	1	-	1	-	4	1	3	4	5	10	11	8	10	8	6	6	4	3	-	1	1	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued.

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																										
107	Bronchopneumonia.	1,044	257	28	9	6	3	3	4	11	10	9	17	17	22	43	45	63	87	85	89	96	78	62	17	2	1	-
	White.....M..	522	122	17	2	3	1	3	1	5	5	6	7	9	10	28	25	43	35	44	44	53	30	23	5	1	-	-
	F..	404	88	7	5	3	1	-	3	5	3	2	7	4	7	9	12	10	25	33	43	41	44	38	12	1	1	-
	Nonwhite..M..	64	24	1	-	-	1	-	-	1	2	-	2	2	4	4	3	5	6	6	2	1	1	1	-	-	-	-
	F..	54	23	3	2	-	-	-	-	-	-	1	1	2	1	2	5	5	2	2	-	2	3	-	-	-	-	-
108	Lobar pneumonia..	1,120	85	11	5	4	4	6	8	13	15	24	22	46	54	78	93	110	109	110	107	97	76	27	11	2	3	-
	White.....M..	581	39	4	-	2	2	4	6	6	8	12	9	14	35	50	58	71	84	54	43	43	22	11	6	-	-	-
	F..	400	32	4	2	1	2	1	2	2	5	8	7	14	7	13	23	31	19	45	55	51	52	16	5	2	1	-
	Nonwhite..M..	84	10	2	1	1	-	-	-	2	2	2	3	15	6	8	11	4	2	8	3	1	2	-	-	-	1	-
	F..	55	4	1	2	-	-	1	-	3	-	2	3	3	6	7	3	4	4	3	8	2	-	-	-	-	1	-
109	Pneumonia (unspecified).....	100	25	3	1	1	-	1	-	1	8	5	1	3	5	7	6	3	8	6	3	4	6	2	1	-	-	-
	White.....M..	58	15	-	1	-	-	1	-	1	5	3	-	2	3	4	4	2	4	4	1	1	4	1	-	-	-	-
	F..	28	8	1	-	-	-	-	-	-	1	2	-	-	-	2	2	-	2	2	2	3	2	1	-	-	-	-
	Nonwhite..M..	11	2	1	-	-	-	-	-	-	2	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	F..	5	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-
33	Influenza.....	343	22	10	4	4	2	2	3	4	8	5	10	15	17	11	33	24	17	25	34	29	29	22	9	3	1	-
	White.....M..	158	12	6	-	2	1	1	-	1	2	1	4	9	7	6	18	13	11	13	17	10	8	10	4	1	1	-
	F..	156	6	3	4	2	1	1	3	2	5	4	4	5	5	1	11	9	5	11	17	18	21	12	5	1	-	-
	Nonwhite..M..	16	2	-	-	-	-	-	-	-	-	-	2	1	3	2	4	1	-	-	-	1	-	-	-	-	-	-
	F..	13	2	1	-	-	-	-	-	1	1	-	-	-	2	2	-	1	1	1	-	-	-	-	1	-	-	-
117	Ulcer of stomach or duodenum....	344	1	-	-	-	-	-	-	-	1	7	18	19	30	43	39	55	44	35	29	17	6	-	-	-	-	-
	White.....M..	270	1	-	-	-	-	-	-	-	-	6	12	14	25	36	35	45	34	28	18	12	4	-	-	-	-	-
	F..	58	-	-	-	-	-	-	-	-	-	1	4	3	4	4	4	7	8	6	10	5	2	-	-	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	-	-	-	2	2	1	2	-	2	1	1	1	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	235	165	4	3	2	1	-	-	2	6	5	2	6	5	2	5	2	4	5	4	6	3	3	-	-	-	-
	White.....M..	105	74	2	1	1	-	-	-	1	1	3	-	3	2	2	2	2	2	4	-	3	1	1	-	-	-	-
	F..	100	66	1	2	1	-	-	-	1	5	2	2	1	3	-	2	-	2	1	4	3	2	2	-	-	-	-
	Nonwhite..M..	16	12	1	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	14	13	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	282	-	2	4	1	9	13	5	12	7	12	12	23	24	27	37	19	22	20	13	13	4	2	1	-	-	-
	White.....M..	161	-	2	3	1	4	5	3	7	2	4	9	14	17	19	22	9	13	12	7	4	2	1	1	-	-	-
	F..	110	-	-	1	-	5	8	2	4	4	7	3	8	7	7	14	10	7	6	6	8	2	1	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	2	-	1	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	445	16	6	2	-	1	2	4	4	5	3	8	11	18	30	33	38	40	67	59	45	39	11	5	-	-	-
	White.....M..	199	10	4	-	-	1	-	3	2	2	1	1	4	4	15	15	19	16	25	27	22	20	7	1	-	-	-
	F..	209	5	1	2	-	-	1	1	-	3	2	6	5	9	11	18	17	20	33	27	22	18	4	4	-	-	-
	Nonwhite..M..	19	1	1	-	-	-	-	-	-	-	-	-	1	3	2	-	-	-	5	4	1	1	-	-	-	-	-
	F..	18	-	-	-	-	-	1	-	2	-	-	1	1	2	2	-	-	4	4	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	552	-	-	-	-	-	-	1	-	2	3	11	15	32	55	91	87	74	75	50	37	10	8	1	-	-	-
	White.....M..	332	-	-	-	-	-	-	-	-	-	-	6	6	18	40	58	58	47	44	28	17	6	5	1	-	-	-
	F..	201	-	-	-	-	-	-	1	-	-	3	3	9	13	15	30	24	26	31	21	19	4	2	-	-	-	-
	Nonwhite..M..	16	-	-	-	-	-	-	-	-	1	-	2	-	1	-	2	6	1	-	1	1	-	1	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	241	1	-	-	-	-	-	-	-	-	2	5	7	15	21	26	31	38	22	31	18	15	7	2	-	-	-
	White.....M..	89	1	-	-	-	-	-	-	-	-	1	3	1	4	5	9	13	18	9	14	5	5	1	-	-	-	-
	F..	147	-	-	-	-	-	-	-	-	-	1	2	6	11	15	16	17	20	13	17	13	10	4	2	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-
130-132	Nephritis.....	3,216	4	-	-	1	1	7	5	12	18	31	48	59	107	140	224	254	317	411	474	442	351	216	69	21	4	-
	White.....M..	1,464	3	-	-	-	1	4	4	6	9	13	24	24	41	64	100	116	152	200	240	193	142	95	25	7	1	-
	F..	1,455	-	-	-	1	-	3	1	6	9	16	15	28	46	57	90	109	122	172	207	226	185	110	40	10	2	-
	Nonwhite..M..	154	1	-	-	-	-	-	-	-	-	-	6	1	7	8	12	15	29	22	14	17	13	6	1	2	-	-
	F..	143	-	-	-	-	-	-	-	-	-	2	3	6	13	11	22	14	14	17	13	6	11	5	3	2	1	-
137	Diseases of the prostate.....	226	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	8	17	25	57	58	29	21	4	-	-	-
	White.....M..	213	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	7	15	24	52	56	29	21	4	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	5	2	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	161	-	-	-	-	-	-	-	11	30	38	33	34	13	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	137	-	-	-	-	-	-	-	8	24	32	28	32	11	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	24	-	-	-	-	-	-	-	3	6	6	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	67	-	-	-	-	-	-	-	5	11	14	12	19	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	55	-	-	-	-	-	-	-	4	7	12	10	17	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	12	-	-	-	-	-	-	-	1	4	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	36	-	-	-	-	-	-	-	2	9	12	7	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	32	-	-	-	-	-	-	-	2	9	9	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	58	-	-	-	-	-	-	-	4	10	12	14	11	6	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	50	-	-	-	-	-	-	-	2	8	11	12	11	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	8	-	-	-	-	-	-	-	2	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	475	403	16	7	3	6	4	4	6	4	4	2	2	1	4	2	3	1	1	-	-	1	1	-	-	-	-
	White.....M..	247	208	9	3	1	1	3	4	4	2	3	1	1	-	2	2	2	-	1	-	-	-	-	-	-	-	-
	F..	188	160	5	4	2	4	1	-	2	2	1	1	-	1	1	-	1	1	-	-	-	1	1	-	-	-	-
	Nonwhite..M..	24	20	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	16	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW JERSEY—Con.																										
159	Premature birth..	912	912	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	434	434	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	344	344	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	81	81	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	53	53	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	501	-	-	-	-	-	-	2	6	12	34	37	43	52	54	52	71	47	29	27	25	6	4	-	-	-
	White.....M..	311	-	-	-	-	-	-	2	2	3	13	16	27	28	32	32	51	33	24	21	20	4	3	-	-	-
	F..	178	-	-	-	-	-	-	-	4	8	16	20	15	23	21	20	18	14	5	6	5	2	1	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	1	3	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	98	6	-	-	1	-	1	1	6	9	12	11	12	15	9	3	4	2	3	1	1	1	-	-	-	-
	White.....M..	40	3	-	-	1	-	-	1	2	2	4	2	6	7	2	2	2	2	2	-	1	1	-	-	-	-
	F..	13	2	-	-	-	-	1	-	-	-	1	2	1	2	1	-	2	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	35	1	-	-	-	-	-	-	3	5	4	6	5	4	6	1	-	-	-	-	-	-	-	-	-	-	-
	F..	10	-	-	-	-	-	-	1	2	3	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,802	80	34	23	29	24	94	74	113	164	123	120	114	134	153	200	176	190	191	205	199	173	125	50	8	2	4
	White.....M..	1,712	40	21	15	19	13	53	49	80	133	94	97	71	97	117	147	134	122	105	102	77	68	40	12	1	2	3
	F..	872	25	7	7	6	9	26	10	17	18	20	13	23	21	22	36	33	57	75	98	120	102	84	37	6	-	-
	Nonwhite..M..	169	5	4	-	3	1	12	15	16	15	9	8	14	15	12	13	7	7	7	5	1	1	1	1	-	-	1
	F..	49	10	2	1	1	1	3	-	-	-	-	2	6	3	2	4	2	4	4	-	1	2	-	-	1	-	-
170	Motor-vehicle accidents.....	698	5	2	4	10	8	38	16	38	65	37	40	33	43	54	70	54	48	41	44	25	15	7	-	-	-	1
	White.....M..	512	2	1	2	6	6	22	11	26	43	27	35	24	27	40	51	45	37	34	36	19	11	7	-	-	-	-
	F..	121	2	1	2	3	2	12	1	8	14	5	2	4	8	6	13	7	8	6	7	6	4	-	-	-	-	-
	Nonwhite..M..	60	-	-	-	-	-	4	4	4	8	5	3	4	8	7	5	2	3	1	1	-	-	-	-	-	-	1
	F..	5	1	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	2,104	75	32	19	19	16	56	58	75	99	86	80	81	91	99	130	122	142	150	161	174	158	118	50	8	2	3
	White.....M..	1,200	38	20	13	13	7	31	38	54	90	67	62	47	70	77	96	89	85	71	66	58	57	33	12	1	2	3
	F..	751	23	6	5	3	7	14	9	9	4	15	11	19	13	16	23	26	49	69	91	114	98	84	37	6	-	-
	Nonwhite..M..	109	5	4	-	3	1	8	11	12	5	4	5	10	5	5	8	5	4	6	4	1	1	1	1	-	-	-
	F..	44	9	2	1	-	1	3	-	-	-	-	2	5	3	1	3	2	4	4	-	1	2	-	-	1	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	371	25	1	-	-	-	1	-	1	-	1	2	-	5	6	10	7	16	20	28	52	50	66	52	22	6	-
	White.....M..	182	13	-	-	-	-	-	-	-	-	1	1	-	2	1	5	4	11	8	12	23	24	33	16	6	2	-
	F..	174	8	1	-	-	-	1	-	-	-	-	-	-	1	1	3	3	4	8	13	26	24	31	35	13	2	-
	Nonwhite..M..	17	1	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	4	-	2	1	1	-	1	2	-
	F..	18	3	-	-	-	-	-	-	1	-	-	1	-	-	2	1	-	1	-	3	1	1	1	1	2	-	-
	All other causes.	4,226	709	50	32	14	20	55	52	54	83	78	115	140	151	222	224	237	280	340	360	372	312	220	88	17	3	-
	White.....M..	2,084	391	30	20	6	12	23	21	25	37	30	45	47	65	103	120	136	163	171	184	188	143	85	27	11	1	-
	F..	1,837	262	16	9	7	8	26	26	18	37	32	53	71	59	98	84	78	109	159	158	172	160	132	56	6	1	-
	Nonwhite..M..	155	39	1	2	-	-	3	5	7	2	6	4	10	8	9	6	15	7	9	10	3	6	2	1	-	-	-
	F..	150	17	3	1	1	-	3	-	4	7	10	13	12	19	12	14	8	1	1	8	9	3	1	2	-	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO																										
	All causes	5,488	1,394	153	64	36	27	76	82	143	295	202	153	160	169	209	245	302	250	350	354	331	254	141	61	13	14	10
	White..M..	2,962	715	53	25	14	13	37	39	68	210	124	61	82	79	124	138	173	148	213	202	194	134	75	27	3	5	6
	F..	1,988	517	59	23	15	10	29	30	48	57	62	63	61	72	73	91	111	85	121	128	116	110	62	29	9	4	3
	Nonwhite..M..	299	86	20	8	4	2	4	8	16	14	8	16	7	11	10	11	11	8	10	16	12	6	2	3	1	4	1
	F..	239	76	21	8	3	2	6	5	11	14	8	13	10	7	2	5	7	9	6	8	9	4	2	2	-	1	-
1,2	Typhoid and paratyphoid fever	12	2	1	-	-	-	-	1	1	1	1	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	4	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	2	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	9	2	-	1	-	1	-	1	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White..M..	4	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	36	28	3	3	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	12	9	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	21	17	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	13	3	-	-	3	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	8	1	-	-	2	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)	353	5	12	1	2	1	3	7	25	41	32	33	31	33	37	32	22	9	12	9	5	-	1	-	-	-	-
	White..M..	170	1	3	-	1	-	1	1	3	9	11	11	20	19	32	25	16	6	5	4	1	-	1	-	-	-	-
	F..	97	-	2	-	-	-	-	2	9	18	12	14	5	9	4	5	4	3	5	3	2	-	-	-	-	-	-
	Nonwhite..M..	44	1	3	-	1	1	-	2	7	5	6	3	3	4	1	2	1	-	2	-	2	-	-	-	-	-	-
	F..	42	3	4	1	-	-	2	2	6	9	3	5	3	1	-	-	1	-	-	2	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	319	4	5	-	-	1	-	6	19	36	31	31	30	32	36	32	22	9	11	8	5	-	1	-	-	-	-
	White..M..	162	1	-	-	-	-	-	1	3	9	11	11	20	18	31	25	16	6	5	3	1	-	1	-	-	-	-
	F..	89	-	1	-	-	-	-	1	7	16	11	14	5	9	4	5	4	3	4	3	2	-	-	-	-	-	-
	Nonwhite..M..	39	1	3	-	-	1	-	2	5	4	6	3	2	4	1	2	1	-	2	-	2	-	-	-	-	-	-
	F..	29	2	1	-	-	-	-	2	4	7	3	3	3	1	-	-	1	-	-	2	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	34	1	7	1	2	-	3	1	6	5	1	2	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-
	White..M..	8	-	3	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-
	F..	8	-	1	-	-	-	-	1	2	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	15	1	3	1	-	-	2	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	82	68	2	4	-	2	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	1	-	-	-	-	-
	White..M..	38	33	-	1	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-
	F..	39	30	2	3	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	76	13	-	-	-	-	-	1	1	2	4	6	7	5	10	7	9	2	4	1	3	-	-	-	-	1
	White..M..	45	6	-	-	-	-	-	-	1	3	2	4	3	6	6	7	1	1	1	1	-	-	-	-	-	1
	F..	17	4	-	-	-	-	-	-	-	1	1	-	4	2	-	2	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	1	2	-	-	-	-	-	-	-
	F..	9	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	1	-	-	-	-	-
35	Measles	13	6	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	8	-	1	-	-	2	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	4	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	353	1	-	1	1	-	-	-	-	1	3	5	11	17	20	38	46	45	50	41	29	30	10	2	-	1	1
	White..M..	165	-	-	1	1	-	-	-	-	-	-	2	5	6	6	19	25	18	24	23	14	13	6	1	-	-	1
	F..	172	-	-	-	-	-	-	-	-	1	3	3	5	9	14	18	22	25	26	16	12	13	4	1	-	-	-
	Nonwhite..M..	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	2	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	1	2	-	-	-	1	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																										
46	Cancer of digestive organs, peritoneum	168	-	-	-	1	-	-	-	-	-	-	3	2	6	7	17	29	25	20	24	11	12	9	1	-	-	1
	White..M..	87	-	-	-	1	-	-	-	-	-	-	2	2	4	3	10	15	10	10	12	6	5	6	-	-	-	1
	F..	75	-	-	-	-	-	-	-	-	-	-	1	-	2	4	6	13	14	10	10	5	6	3	1	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	1	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	50	-	-	-	-	-	-	-	-	1	1	1	4	4	6	6	5	6	5	6	3	2	-	-	-	-	-
	White.....F..	49	-	-	-	-	-	-	-	-	1	1	1	3	4	6	6	5	6	5	6	3	2	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	30	-	-	-	-	-	-	-	-	-	1	-	1	3	2	5	3	5	7	-	1	2	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	29	-	-	-	-	-	-	-	-	-	1	-	1	2	2	5	3	5	7	-	1	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	105	1	-	1	-	-	-	-	-	-	1	1	4	4	5	10	9	9	18	11	14	14	1	1	-	1	-
	White.....M..	76	-	-	1	-	-	-	-	-	-	-	-	3	2	3	9	8	8	14	11	8	8	-	1	-	-	-
	F..	19	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	-	4	-	3	3	1	-	-	-	-
	Nonwhite..M..	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	1	-
58	Acute rheumatic fever	10	1	-	-	-	-	1	2	1	1	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	White.....M..	6	1	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	51	-	1	-	-	-	-	-	1	1	-	-	2	3	3	6	7	6	5	6	5	3	1	1	-	-	-
	White.....M..	29	-	1	-	-	-	-	-	-	1	-	-	2	1	2	3	3	2	4	4	3	1	1	1	-	-	-
	F..	22	-	-	-	-	-	-	-	1	-	-	-	-	2	1	3	4	4	1	2	2	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	11	-	-	-	-	-	-	-	1	3	2	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	-	-	-	-	-	-	-	1	3	1	-	-	1	1	2	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	7	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-
	White.....M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	9	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	-	-	2	-	-	-	-	-	-	-	-
	White.....M..	9	-	-	-	-	-	-	-	-	-	1	1	3	-	1	1	-	-	2	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	217	2	2	-	-	-	-	-	1	1	-	1	4	4	7	16	13	15	32	33	35	27	17	7	-	-	-
	White.....M..	119	1	1	-	-	-	-	-	-	1	-	-	3	2	5	7	7	7	14	20	21	16	12	2	-	-	-
	F..	91	1	1	-	-	-	-	-	1	-	-	1	1	1	2	8	6	8	16	11	13	11	5	5	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart	670	3	-	1	1	-	4	2	5	6	11	8	14	29	33	47	78	57	95	92	74	55	37	14	2	-	2
	White.....M..	389	3	-	-	1	-	2	2	2	1	7	2	6	16	16	23	50	36	64	58	41	31	20	9	1	-	-
	F..	252	-	-	1	-	-	2	-	2	4	3	4	8	11	13	21	24	18	29	35	32	23	15	4	1	-	2
	Nonwhite..M..	20	-	-	-	-	-	-	-	-	1	-	1	-	1	4	3	2	1	1	1	1	1	2	1	-	-	-
	F..	9	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	2	2	1	-	-	-	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	63	-	-	1	-	-	3	-	3	4	7	1	3	5	3	1	5	4	10	3	5	1	1	2	-	-	1
	White.....M..	27	-	-	-	-	-	1	-	1	-	5	1	1	2	1	-	2	1	4	2	3	1	1	1	-	-	-
	F..	33	-	-	1	-	-	2	-	2	3	1	-	2	2	2	1	3	3	6	1	2	-	-	1	-	-	1
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	166	1	-	-	-	-	-	1	-	-	-	1	3	9	12	19	23	18	30	24	12	9	4	-	-	-	-
	White.....M..	125	1	-	-	-	-	-	1	-	-	-	-	1	8	8	12	19	14	28	18	8	6	3	-	-	-	-
	F..	39	-	-	-	-	-	-	-	-	-	-	-	2	1	4	7	4	4	4	6	3	3	1	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	441	2	-	-	1	-	1	1	2	2	4	6	8	15	18	27	50	35	55	65	57	45	32	12	2	-	1
	White.....M..	257	2	-	-	1	-	1	1	1	1	2	1	4	6	7	11	29	21	34	36	30	24	16	8	1	-	-
	F..	180	-	-	-	-	-	-	-	-	1	2	4	4	8	7	15	17	11	19	28	27	20	14	3	1	-	1
	Nonwhite..M..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	2	1	1	1	-	1	2	1	-	-	-
	F..	8	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	2	2	1	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	461	196	31	11	4	4	11	6	7	7	4	6	9	7	9	10	14	12	19	28	26	16	15	5	1	2	1
	White.....M..	234	99	10	7	-	2	6	3	4	3	1	3	3	4	6	9	6	9	13	13	10	10	8	3	-	1	1
	F..	167	70	16	2	3	1	4	3	3	1	2	2	4	3	2	-	7	3	5	11	10	6	7	2	-	-	-
	Nonwhite..M..	35	15	3	1	-	1	-	-	-	3	-	1	1	-	1	-	1	-	-	4	2	-	-	-	1	1	-
	F..	25	12	2	1	1	-	1	-	-	-	1	-	1	-	-	1	-	-	1	-	4	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																										
107	Bronchopneumonia.	188	112	16	5	1	1	2	1	1	2	2	-	3	-	3	3	2	4	1	6	7	6	5	3	1	1	-
	White.....M..	83	49	4	2	-	-	1	-	1	2	1	-	1	-	1	3	2	3	-	3	3	4	2	1	-	-	-
	F..	68	42	8	1	-	-	-	1	-	-	-	-	2	-	2	-	-	1	1	2	1	2	3	2	-	-	-
	Nonwhite..M..	20	12	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-
	F..	17	9	2	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
108	Lobar pneumonia..	132	42	4	3	3	2	3	4	2	4	2	4	1	4	4	5	7	7	7	6	8	3	4	2	-	-	1
	White.....M..	72	22	1	3	-	2	-	2	1	1	-	2	1	3	4	4	1	6	4	4	5	2	1	2	-	-	1
	F..	48	18	2	-	3	-	3	2	1	1	2	1	-	1	-	-	5	1	2	1	1	1	3	-	-	-	-
	Nonwhite..M..	8	1	1	-	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F..	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
109	Pneumonia (unspecified).....	39	21	3	-	-	-	2	-	-	1	-	1	1	-	-	-	-	-	1	3	2	2	1	-	-	1	-
	White.....M..	22	13	2	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-
	F..	12	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-
	Nonwhite..M..	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	102	21	8	3	-	1	4	1	4	-	-	1	4	3	2	2	5	1	10	13	9	5	5	-	-	-	-
	White.....M..	57	15	3	2	-	-	3	1	2	-	-	-	1	1	1	2	3	-	8	5	2	4	4	-	-	-	-
	F..	39	4	5	1	-	1	1	-	2	-	-	1	2	2	-	-	2	1	2	7	6	1	1	-	-	-	-
	Nonwhite..M..	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	11	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	2	1	-	-	-	-	-	-	-	-	-
	White.....M..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	1	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	272	223	33	3	3	-	1	-	-	-	-	-	-	-	2	1	-	2	-	2	1	1	-	-	-	-	-
	White.....M..	111	97	10	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F..	116	95	13	-	1	-	1	-	-	-	-	-	-	-	2	-	-	1	-	1	1	1	-	-	-	-	-
	Nonwhite..M..	24	18	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	21	13	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	33	-	-	-	1	-	6	5	6	4	2	2	-	2	2	-	2	-	-	1	-	-	-	-	-	-	-
	White.....M..	15	-	-	-	1	-	2	2	3	2	1	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-
	F..	17	-	-	-	-	-	4	3	3	1	1	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	40	2	1	-	-	1	1	3	-	1	-	-	2	5	4	2	1	5	1	4	2	2	2	-	-	1	-
	White.....M..	14	2	-	-	-	1	-	1	-	1	-	-	-	-	1	-	-	2	1	2	1	1	1	-	-	-	-
	F..	23	-	-	-	-	-	1	2	-	-	-	-	2	4	3	2	1	3	-	1	1	1	1	-	-	1	-
	Nonwhite..M..	3	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	27	-	-	-	-	-	-	-	-	-	1	1	1	2	3	2	4	2	4	-	3	4	-	-	-	-	-
	White.....M..	16	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	3	2	2	-	2	2	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	2	-	-	1	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	33	-	-	2	-	-	-	-	-	1	1	-	1	4	3	3	4	2	5	1	2	1	3	-	-	-	-
	White.....M..	13	-	-	2	-	-	-	-	-	1	-	-	-	1	-	2	2	1	3	1	-	-	-	-	-	-	-
	F..	18	-	-	-	-	-	-	-	-	-	1	-	1	3	3	1	2	-	2	-	2	1	2	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
130-132	Nephritis.....	225	1	1	1	1	1	4	4	-	-	4	5	6	5	7	11	13	20	31	29	38	30	8	4	-	1	-
	White.....M..	126	1	-	-	-	1	1	2	-	-	2	2	3	1	2	3	5	12	21	17	26	19	3	4	-	1	-
	F..	87	-	1	-	1	-	2	2	-	-	2	3	2	4	4	8	4	7	8	12	11	11	5	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	2	-	1	-	-	-	-	-	-
	F..	6	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate.....	23	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	5	4	5	5	2	-	-	-	-
	White.....M..	22	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	5	3	5	5	2	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	71	-	-	-	-	-	-	2	5	15	14	13	15	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	62	-	-	-	-	-	-	-	5	13	14	11	13	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	2	-	2	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	20	-	-	-	-	-	-	2	-	2	4	2	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	17	-	-	-	-	-	-	-	-	2	4	2	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	13	-	-	-	-	-	-	-	3	1	3	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	11	-	-	-	-	-	-	-	3	-	3	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f 142b,143, 145B,146, 149,150	Other puerperal causes.....	38	-	-	-	-	-	-	-	2	12	7	9	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	34	-	-	-	-	-	-	-	2	11	7	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	65	57	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	35	34	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	24	20	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW MEXICO—Con.																										
159	Premature birth..	249	249	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	141	141	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	96	96	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	9	9	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	40	-	-	-	-	-	-	-	2	6	1	6	4	1	2	3	4	3	4	1	2	1	-	-	-	-
	White.....M..	30	-	-	-	-	-	-	-	-	3	1	4	3	1	1	2	4	3	4	1	2	1	-	-	-	-	-
	F..	10	-	-	-	-	-	-	-	2	3	-	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	16	-	-	-	-	-	-	-	-	5	1	-	2	4	2	1	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	12	-	-	-	-	-	-	-	-	4	-	-	2	3	2	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	647	14	10	17	9	9	20	24	52	183	93	34	19	13	24	13	27	14	13	11	12	19	10	4	1	-	2
	White.....M..	504	5	6	7	4	5	13	16	39	176	86	22	16	7	21	12	20	12	12	8	2	8	3	2	-	-	2
	F..	99	7	2	6	4	3	3	5	7	4	6	5	2	3	2	1	6	1	1	3	8	10	7	2	1	-	-
	Nonwhite..M..	33	2	-	2	1	-	2	2	5	3	1	7	1	3	1	-	1	1	-	-	1	-	-	-	-	-	-
	F..	11	-	2	2	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
170	Motor-vehicle accidents.....	121	-	2	5	2	2	5	7	21	10	11	5	5	6	9	3	12	4	8	2	1	-	-	1	-	-	-
	White.....M..	91	-	1	1	1	2	5	5	18	8	10	2	3	3	7	3	8	4	7	2	-	-	-	1	-	-	-
	F..	20	-	1	1	1	-	-	2	3	-	1	1	1	2	1	-	4	-	1	-	1	-	-	-	-	-	-
	Nonwhite..M..	9	-	-	2	-	-	-	-	-	2	-	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	526	14	8	12	7	7	15	17	31	173	82	29	14	7	15	10	15	10	5	9	11	19	10	3	1	-	2
	White.....M..	413	5	5	6	3	3	8	11	21	168	76	20	13	4	14	9	12	8	5	6	2	8	3	1	-	-	2
	F..	79	7	1	5	3	3	3	3	4	4	5	4	1	1	1	1	2	1	-	3	7	10	7	2	1	-	-
	Nonwhite..M..	24	2	-	-	1	-	2	2	5	1	1	5	-	2	-	-	1	1	-	-	1	-	-	-	-	-	-
	F..	10	-	2	1	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	884	351	45	9	4	1	8	8	15	3	10	17	12	13	18	25	40	26	44	62	59	48	29	20	5	9	3
	White.....M..	411	188	14	1	1	-	1	2	2	1	2	2	5	6	12	11	14	16	22	29	39	22	14	2	1	3	1
	F..	352	121	19	5	2	-	7	4	8	2	7	8	4	7	5	9	22	5	16	25	16	24	14	14	4	3	1
	Nonwhite..M..	63	24	7	2	-	-	-	2	3	-	-	2	1	-	1	2	2	3	2	3	1	2	-	2	-	3	1
	F..	38	18	5	1	1	1	-	-	2	-	1	5	2	-	-	3	2	2	4	5	3	-	1	2	-	-	-
	All other causes.	459	167	8	7	3	3	8	13	17	12	16	14	13	13	19	15	15	21	21	24	28	8	6	4	4	-	-
	White.....M..	261	92	6	4	2	1	6	4	10	7	8	6	5	7	10	8	9	12	13	17	22	4	4	3	1	-	-
	F..	166	54	1	3	1	2	2	7	6	4	6	8	8	6	8	7	6	6	8	7	6	4	2	1	3	-	-
	Nonwhite..M..	16	10	1	-	-	-	-	2	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	16	11	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	Area, cause of death, race, and sex	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK																											
	All causes	162,186	8,126	598	352	263	217	814	727	1,342	1,866	2,179	2,890	4,087	5,999	8,632	12,023	14,721	17,167	19,507	20,375	17,338	13,224	6,832	2,285	500	50	32
	White.....M..	83,506	4,300	313	191	146	101	426	390	669	866	913	1,241	1,927	3,082	4,711	6,907	8,683	9,709	10,456	10,299	8,320	5,933	2,895	844	146	10	26
	F..	70,251	3,177	224	125	111	92	321	257	461	646	925	1,191	1,546	2,175	3,129	4,283	5,265	6,824	8,460	9,607	8,689	7,111	3,845	1,409	337	36	5
	Nonwhite..M..	4,467	348	38	14	11	16	41	43	110	161	162	219	332	425	462	490	426	351	327	233	148	68	28	9	3	1	1
	F..	3,962	301	23	22	15	8	26	37	102	193	179	239	282	317	330	343	347	303	264	236	181	112	64	23	12	3	-
1,2	Typhoid and paratyphoid fever..	19	-	-	-	1	-	-	1	2	4	1	1	1	3	1	1	-	-	1	-	2	-	-	-	-	-	-
	White.....M..	8	-	-	-	-	-	-	1	-	2	1	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	F..	9	-	-	-	1	-	-	-	2	2	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	381	35	20	10	6	15	34	11	34	26	26	20	19	30	25	30	17	8	10	4	-	1	-	-	-	-	-
	White.....M..	204	22	15	6	2	7	14	6	19	12	13	10	11	20	14	18	8	3	2	2	-	-	-	-	-	-	-
	F..	135	10	5	3	3	3	17	2	8	10	9	7	4	7	10	12	9	5	8	2	-	1	-	-	-	-	-
	Nonwhite..M..	30	2	-	1	1	5	3	2	6	1	3	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	12	1	-	-	-	-	-	1	1	3	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	35	1	1	2	3	2	9	4	1	-	4	2	1	4	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	14	-	1	1	2	1	2	2	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	18	-	-	1	1	1	7	1	-	-	2	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	154	109	28	4	10	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....M..	79	58	13	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F..	63	42	12	3	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	22	1	3	1	5	2	5	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....M..	11	1	2	-	1	1	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	F..	8	-	1	1	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	6,335	21	29	14	17	8	28	37	216	441	470	560	608	577	676	691	604	467	359	257	154	68	25	8	-	-	-
	White.....M..	3,479	4	11	6	6	3	8	11	40	104	152	204	284	345	447	520	443	328	241	173	92	39	14	4	-	-	-
	F..	1,606	10	8	4	6	3	7	8	76	143	172	193	181	120	128	106	89	92	90	71	58	28	10	3	-	-	-
	Nonwhite..M..	733	6	4	-	3	1	8	9	41	79	76	75	89	77	81	56	57	37	22	9	1	1	1	-	-	-	-
	F..	517	1	6	4	2	1	5	9	59	115	70	88	54	35	20	9	15	10	6	4	3	-	-	1	-	-	-
13	Tuberculosis of respiratory system, etc.*	5,849	9	17	5	6	3	13	20	187	397	444	527	568	551	636	642	578	433	340	239	138	63	25	8	-	-	-
	White.....M..	3,261	2	6	2	3	1	1	3	34	94	142	190	268	336	424	486	425	314	228	163	84	37	14	4	-	-	-
	F..	1,466	5	5	1	1	1	4	6	67	132	165	184	169	108	118	97	86	79	86	63	51	25	10	3	-	-	-
	Nonwhite..M..	665	1	3	-	1	1	4	6	34	69	71	70	83	74	77	52	54	32	22	9	-	1	1	-	-	-	-
	F..	457	1	3	2	1	-	4	5	52	102	66	83	48	33	17	7	13	8	4	4	3	-	-	1	-	-	-
14-22	Tuberculosis (other forms)	486	12	12	9	11	5	15	17	29	44	26	33	40	26	40	49	26	34	19	18	16	5	-	-	-	-	-
	White.....M..	218	2	5	4	3	2	7	8	6	10	10	14	16	9	23	34	18	14	13	10	8	2	-	-	-	-	-
	F..	140	5	3	3	5	2	3	2	9	11	7	9	12	12	10	9	3	13	4	8	7	3	-	-	-	-	-
	Nonwhite..M..	68	5	1	-	2	-	4	3	7	10	5	5	6	3	4	4	3	5	-	-	1	-	-	-	-	-	-
	F..	60	-	3	2	1	1	1	4	7	13	4	5	6	2	3	2	2	2	2	-	-	-	-	-	-	-	-
27	Dysentery	34	4	1	2	1	-	-	3	1	4	1	2	-	1	-	1	1	4	3	2	1	1	1	-	-	-	-
	White.....M..	18	4	1	2	-	-	-	-	-	3	1	2	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-
	F..	14	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	1	2	3	1	1	1	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,883	25	1	-	-	-	-	1	12	12	26	58	114	161	217	277	271	287	202	111	66	28	12	2	-	-	-
	White.....M..	1,088	5	1	-	-	-	-	-	5	2	2	16	42	77	114	167	174	196	139	79	43	19	7	-	-	-	-
	F..	302	6	-	-	-	-	-	1	1	3	8	11	12	13	34	41	50	45	36	19	12	5	3	2	-	-	-
	Nonwhite..M..	343	8	-	-	-	-	-	-	2	3	8	18	44	52	56	51	35	24	20	10	7	3	2	-	-	-	-
	F..	150	6	-	-	-	-	-	-	4	4	8	13	16	19	13	18	12	22	7	3	4	1	-	-	-	-	-
35	Measles	91	13	13	8	4	5	23	10	1	4	1	2	3	-	1	1	-	-	-	1	-	1	-	-	-	-	-
	White.....M..	44	5	5	5	2	1	15	6	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	45	6	8	3	2	4	8	4	-	2	-	2	2	-	1	1	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite..M..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	40	-	-	-	1	1	11	10	5	3	4	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	23	-	-	-	1	1	8	4	4	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	16	-	-	-	-	-	3	5	1	1	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	22,167	9	9	8	12	8	31	33	59	71	117	265	516	988	1,560	2,299	2,862	3,226	3,298	3,038	2,094	1,143	417	90	12	-	2
	White.....M..	10,460	4	3	4	4	1	20	16	34	33	48	100	173	301	583	995	1,396	1,652	1,741	1,532	1,062	539	183	31	4	-	1
	F..	10,905	5	4	3	7	6	10	15	20	34	54	145	301	595	873	1,182	1,358	1,477	1,489	1,444	996	588	231	59	8	-	1
	Nonwhite..M..	356	-	2	1	1	1	1	2	3	-	1	4	14	31	34	63	47	52	38	39	16	4	2	-	-	-	-
	F..	446	-	-	-	-	-	-	-	2	4	14	16	28	61	70	59	61	45	30	23	20	12	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Con.																										
46	Cancer of digestive organs, peritoneum.....	10,552	1	-	-	1	1	2	3	11	17	32	95	169	324	589	933	1,338	1,649	1,722	1,671	1,127	610	216	35	6	-	-
	White.....M..	5,566	-	-	-	-	1	1	2	8	8	16	43	76	129	276	483	766	952	994	890	568	280	81	10	2	-	-
	F..	4,650	1	-	-	1	-	1	1	3	9	15	43	82	166	275	394	524	672	689	750	537	324	134	25	4	-	-
	Nonwhite..M..	196	-	-	-	-	-	-	-	-	-	-	3	5	19	19	36	23	29	24	27	10	1	-	-	-	-	-
	F..	140	-	-	-	-	-	-	-	-	-	1	6	6	10	19	20	25	16	15	4	12	5	1	-	-	-	-
48,49	Cancer of female genital organs.	2,513	-	-	-	2	-	-	-	6	6	23	44	113	213	286	329	358	344	302	247	146	70	19	5	-	-
	White.....F..	2,352	-	-	-	2	-	-	-	6	5	16	38	100	185	263	311	338	329	291	235	143	66	19	5	-	-	-
	Nonwhite..F..	161	-	-	-	-	-	-	-	-	1	7	6	13	28	23	18	20	15	11	12	3	4	-	-	-	-	-
50	Cancer of breast.	2,312	-	-	-	-	-	1	-	-	2	9	39	89	183	227	323	309	285	272	226	176	110	43	15	2	-	1
	White.....M..	28	-	-	-	-	-	1	-	-	-	-	1	3	2	-	2	4	6	2	4	1	2	-	-	-	-	-
	F..	2,189	-	-	-	-	-	-	-	-	2	5	36	78	166	212	301	294	269	268	219	171	107	43	15	2	-	1
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	94	-	-	-	-	-	-	-	-	-	4	2	8	15	15	19	11	10	2	3	4	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	6,790	8	9	8	9	7	28	30	42	46	53	87	145	268	458	714	857	948	1,002	894	645	353	139	35	4	-	1
	White.....M..	4,866	4	3	4	4	-	18	14	26	25	32	56	94	170	307	510	626	714	745	638	493	257	102	21	2	-	1
	F..	1,714	4	4	3	4	6	9	14	11	18	18	28	41	78	123	176	202	207	241	240	145	91	35	14	2	-	-
	Nonwhite..M..	159	-	2	1	1	1	1	2	3	-	1	1	9	12	15	26	24	23	14	12	6	3	2	-	-	-	-
	F..	51	-	-	-	-	-	-	-	2	3	2	2	1	8	13	2	5	4	2	4	1	2	-	-	-	-	-
58	Acute rheumatic fever.....	173	-	-	1	-	6	20	29	22	17	10	11	17	18	4	4	4	6	1	1	1	1	-	-	-	-	-
	White.....M..	76	-	-	-	-	3	10	10	12	6	5	4	9	5	2	2	2	4	1	-	-	1	-	-	-	-	-
	F..	78	-	-	1	-	2	8	13	8	10	5	6	6	11	1	2	2	2	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	1	1	2	2	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	1	4	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	5,653	3	1	-	-	2	7	13	24	27	19	32	60	113	202	422	672	895	1,103	1,012	605	318	96	24	2	-	1
	White.....M..	1,885	2	-	-	-	-	2	6	9	13	9	13	24	46	99	140	232	291	315	340	200	101	37	5	1	-	-
	F..	3,598	1	1	-	-	2	5	6	15	14	9	18	27	54	88	252	411	585	766	653	399	213	59	18	1	-	1
	Nonwhite..M..	39	-	-	-	-	-	-	-	-	-	1	-	2	3	5	3	5	4	4	7	3	1	-	1	-	-	-
	F..	131	-	-	-	-	-	-	1	-	-	-	1	7	10	10	27	24	15	18	12	3	3	-	-	-	-	-
63b	Exophthalmic goiter.....	308	-	-	-	-	-	-	1	6	5	10	10	11	29	28	45	40	56	35	21	8	2	-	1	-	-	-
	White.....M..	55	-	-	-	-	-	-	-	3	1	-	4	2	5	6	10	7	8	7	2	-	-	-	-	-	-	-
	F..	238	-	-	-	-	-	-	1	2	4	8	5	9	23	17	33	30	48	28	19	8	2	-	1	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	1	-	2	1	-	-	4	2	1	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	3	1	-	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	383	1	-	1	-	-	-	-	1	2	14	15	41	61	60	64	51	29	25	11	4	2	-	-	1	-	-
	White.....M..	297	-	-	1	-	-	-	-	1	-	5	8	29	49	44	55	42	25	22	10	4	1	-	-	1	-	-
	F..	57	1	-	-	-	-	-	-	-	-	7	3	9	10	9	4	7	3	2	1	-	1	-	-	-	-	-
	Nonwhite..M..	23	-	-	-	-	-	-	-	-	1	1	3	2	2	6	4	2	1	1	-	1	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	10,778	9	6	4	1	2	10	8	18	19	29	46	84	189	384	658	890	1,126	1,555	1,801	1,660	1,342	689	218	39	9	2
	White.....M..	4,660	6	2	2	1	1	5	5	7	13	12	17	27	77	150	276	399	502	737	807	707	557	250	87	8	3	2
	F..	5,751	2	4	2	-	1	5	3	11	6	13	19	46	86	199	335	457	582	769	962	932	765	410	130	30	4	-
	Nonwhite..M..	168	1	-	-	-	-	-	-	-	-	1	3	7	13	16	27	24	22	19	10	10	9	4	1	-	1	-
	F..	199	-	-	-	-	-	-	-	-	-	3	7	4	13	19	22	30	20	30	22	11	11	5	-	1	1	-
90-95	Diseases of the heart.....	60,638	9	3	6	7	6	43	96	154	198	264	465	783	1,559	2,685	4,148	5,600	7,060	8,380	9,416	8,382	6,541	3,462	1,110	235	20	6
	White.....M..	32,616	4	2	2	5	3	18	42	79	91	115	235	426	906	1,664	2,679	3,615	4,237	4,685	4,863	4,024	2,951	1,487	399	75	4	5
	F..	25,817	2	1	4	2	2	20	39	58	94	129	193	274	489	804	1,171	1,718	2,551	3,442	4,338	4,197	3,501	1,926	693	153	15	1
	Nonwhite..M..	1,048	3	-	-	-	-	2	6	6	5	12	14	33	84	108	159	135	131	128	103	64	34	14	5	2	-	-
	F..	1,157	-	-	-	-	1	3	9	11	8	8	23	50	80	109	139	132	141	125	112	97	55	35	13	5	1	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	3,501	-	-	3	2	3	29	80	122	142	172	241	274	343	354	303	325	246	225	218	176	148	88	21	5	1	-
	White.....M..	1,544	-	-	1	2	1	12	34	62	62	70	107	116	135	140	149	170	118	88	100	72	61	40	4	-	-	-
	F..	1,765	-	-	2	-	2	14	31	45	70	88	122	143	182	169	138	144	115	128	116	102	86	45	17	5	1	-
	Nonwhite..M..	76	-	-	-	-	-	1	6	5	3	9	3	5	10	13	9	6	3	2	-	-	1	-	-	-	-	-
	F..	116	-	-	-	-	-	2	9	10	7	5	9	10	16	12	7	5	10	7	2	2	-	3	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	15,042	1	-	-	-	-	-	-	2	7	9	77	205	585	1,018	1,539	1,919	2,224	2,351	2,073	1,584	929	590	105	21	2	1
	White.....M..	10,231	1	-	-	-	-	-	-	1	3	6	57	163	462	806	1,225	1,486	1,582	1,527	1,255	921	481	204	42	8	-	1
	F..	4,476	-	-	-	-	-	-	-	1	4	3	15	28	86	168	269	382	593	789	795	642	442	184	61	12	2	-
	Nonwhite..M..	206	-	-	-	-	-	-	-	-	-	-	4	7	25	25	28	34	31	22	13	12	4	1	-	-	-	-
	F..	129	-	-	-	-	-	-	-	-	-	-	1	7	12	19	17	17	18	13	10	9	2	1	2	1	-	-
90b,91, 92a,d,e, 95a,b,d,e, 95a,c	Diseases of heart (other forms)..	42,095	8	3	3	5	3	14	16	30	49	83	147	304	651	1,333	2,306	3,356	4,590	5,804	7,125	6,622	5,464	2,984	984	209	17	5
	White.....M..	20,841	3	2	1	3	2	6	8	16	26	39	71	147	309	718	1,305	1,959	2,537	3,070	3,508	3,031	2,409	1,243	353	67	4	4
	F..	19,576	2	1	2	2	-	6	8	12	20	38	56	103	221	467	764	1,192	1,843	2,525	3,427	3,453	2,973	1,697	615	136	12	1
	Nonwhite..M..	766	3	-	-	-	-	1	-	1	2	3	7	21	49	70	122	95	97	104	90	52	29	13	5	2	-	-
	F..	912	-	-	-	-	1	1	-	1	1	3	13	33	52	78	115	110	113	105	100	86	53	51	11	4	1	-
107-109, 33	Pneumonia (all forms) and influenza.....	7,911	952	159	61	26	24	61	48	74	112	132	160	241	303	388	528	584	650	700	783	714	657	362	145	41	6	-
	White.....M..	4,266	487	86	32	13	13	24	21	38	52	59	75	126	168	232	345	389	403	396	425	348	304	162	54	13	1	-
	F..	3,134	356	52	25	9	8	34	22	30	47	59	71	76	92	116	146	155	219	279	336	349	336	197	88	27	5	-
	Nonwhite..M..	322	67	14	3	1	2	1	2	2	10	7	9	26	34	29	25	26	14	20	14	10	6	-	1	1	-	-
	F..	189	42	7	1	3	1	2	3	4	3	7	5	13	9	11	14	14	14	5	8	7	11	3	2	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Con.																										
107	Bronchopneumonia.	3,301	670	97	27	14	13	31	15	19	40	38	47	62	70	88	152	172	223	242	336	333	316	189	79	25	3	-
	White.....M..	1,693	342	54	10	8	8	9	8	11	18	16	25	28	38	46	88	107	142	130	185	155	145	77	34	9	-	-
	F..	1,401	251	28	13	3	2	21	5	7	18	17	19	23	26	34	56	55	77	103	143	187	161	110	44	15	3	-
	Nonwhite..M..	115	44	11	3	-	2	-	2	1	3	2	-	5	2	5	5	6	-	7	4	8	4	-	-	1	-	-
	F..	92	35	4	1	3	1	1	-	-	1	3	3	6	4	3	3	4	4	2	4	3	6	2	1	-	-	-
108	Lobar pneumonia..	3,657	180	26	22	11	4	19	21	40	54	72	90	154	197	254	323	345	370	385	367	306	258	114	37	7	1	-
	White.....M..	2,095	98	13	13	5	3	8	10	20	22	35	38	82	111	159	220	256	230	228	208	160	128	58	10	2	-	-
	F..	1,297	64	10	9	5	1	9	9	15	24	30	41	46	54	66	76	80	118	143	147	140	124	55	25	5	1	-
	Nonwhite..M..	185	16	3	-	1	-	1	-	1	6	5	9	19	28	22	18	19	14	11	8	2	1	-	1	-	-	-
	F..	82	4	-	-	-	-	1	2	4	2	4	2	7	4	7	9	10	8	3	4	4	5	1	1	-	-	-
109	Pneumonia (unspecified).....	190	32	7	2	-	2	1	5	4	7	5	8	9	10	5	17	20	10	12	14	5	8	6	1	-	-	-
	White.....M..	104	13	5	2	-	-	1	2	3	6	2	4	6	4	4	13	15	6	7	6	2	1	1	1	-	-	-
	F..	74	15	1	-	-	2	-	2	1	1	3	4	3	3	1	3	5	4	5	7	3	6	5	-	-	-	-
	Nonwhite..M..	8	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-
	F..	4	-	1	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	763	70	29	10	1	5	10	7	11	11	17	15	16	26	41	36	47	47	61	66	70	75	53	28	9	2	-
	White.....M..	376	36	14	7	-	2	6	1	4	6	8	8	10	15	23	24	31	25	31	26	31	30	26	9	2	1	-
	F..	362	26	13	3	1	3	4	6	7	4	9	7	4	9	15	11	15	20	28	39	39	45	27	19	7	1	-
	Nonwhite..M..	14	3	-	-	-	-	-	-	-	1	-	-	2	2	2	-	1	-	2	1	-	-	-	-	-	-	-	-
	F..	11	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	1,254	3	-	-	-	-	-	1	3	7	14	34	52	100	143	179	179	187	141	100	61	34	12	3	-	-	1
	White.....M..	1,054	2	-	-	-	-	-	1	3	6	9	24	42	85	121	151	153	161	119	85	43	22	4	2	-	-	1
	F..	171	1	-	-	-	-	-	-	-	-	2	7	4	12	17	20	19	22	17	13	17	11	8	1	-	-	-
	Nonwhite..M..	43	-	-	-	-	-	-	-	-	1	2	2	5	3	4	8	6	4	5	2	1	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	648	430	24	8	5	2	2	2	9	10	17	8	12	11	14	10	14	17	18	11	9	6	5	3	1	-	-
	White.....M..	343	238	13	2	1	1	-	1	4	5	8	5	5	5	10	8	7	6	11	5	3	1	3	1	-	-	-
	F..	258	156	11	3	4	1	2	-	5	5	8	3	6	5	4	2	7	10	6	4	6	5	2	2	1	-	-
	Nonwhite..M..	32	27	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F..	15	9	-	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-
121	Appendicitis.....	811	-	7	17	16	13	33	38	50	23	33	42	36	57	69	74	71	67	65	50	35	10	5	-	-	-	-
	White.....M..	447	-	3	9	8	7	19	25	25	9	12	19	22	37	37	43	44	46	34	20	19	5	4	-	-	-	-
	F..	322	-	4	8	8	5	14	11	21	9	19	16	11	18	27	29	26	18	30	28	14	5	1	-	-	-	-
	Nonwhite..M..	27	-	-	-	-	1	-	2	4	3	1	4	3	1	3	1	1	1	1	1	1	-	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	2	1	3	-	1	2	1	-	2	-	1	2	-	-	-	-	-	-
122	Hernia, intestinal obstruction	1,385	32	9	3	1	1	3	4	14	6	21	22	38	60	78	112	122	146	191	210	151	103	47	9	2	-	-
	White.....M..	676	17	7	2	1	1	2	4	8	2	5	8	11	22	34	63	68	80	97	92	76	49	22	5	-	-	-
	F..	638	11	2	1	-	-	1	-	5	3	8	8	14	27	41	45	50	62	88	116	71	54	25	4	2	-	-
	Nonwhite..M..	30	2	-	-	-	-	-	-	-	1	1	3	4	7	1	-	2	1	4	1	3	-	-	-	-	-	-
	F..	41	2	-	-	-	-	-	-	1	-	7	3	9	4	2	4	2	3	2	1	1	-	-	-	-	-	-
124	Cirrhosis of the liver.....	1,758	2	-	-	-	-	4	2	4	12	17	41	84	148	201	230	243	219	212	154	102	62	18	3	-	-	-
	White.....M..	1,063	1	-	-	-	-	1	1	1	5	5	21	45	83	116	135	167	161	138	95	52	30	6	-	-	-	-
	F..	641	-	-	-	-	-	3	1	1	6	11	16	33	58	75	85	72	56	73	57	50	31	12	3	-	-	-
	Nonwhite..M..	37	-	-	-	-	-	-	-	2	-	-	3	3	6	8	8	2	2	1	2	-	-	-	-	-	-	-
	F..	17	1	-	-	-	-	-	-	-	1	1	1	3	1	2	4	2	-	-	-	1	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	820	-	-	-	-	-	-	-	1	6	7	16	25	45	69	97	103	124	115	92	53	42	20	5	-	-	-
	White.....M..	265	-	-	-	-	-	-	-	-	-	1	4	7	13	24	28	43	38	43	30	25	10	1	-	-	-	-
	F..	543	-	-	-	-	-	-	-	1	6	5	11	17	31	43	67	60	85	72	62	27	32	19	5	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	2	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	1	-	-	1	-	-	-	-	-	-
130-132	Nephritis.....	8,028	6	4	5	2	7	19	16	44	47	72	151	165	262	401	548	635	802	1,039	1,119	1,122	918	478	158	27	1	-
	White.....M..	3,797	5	3	3	2	5	10	10	21	25	27	58	74	121	173	267	331	421	511	543	517	390	201	69	10	-	-
	F..	3,797	1	1	1	-	2	7	5	20	16	36	55	53	91	178	232	244	352	491	544	579	520	267	87	14	1	-
	Nonwhite..M..	196	-	-	-	-	-	2	-	2	2	3	10	14	23	28	28	32	13	17	8	9	2	3	-	-	-	-
	F..	238	-	-	1	-	-	-	1	1	4	6	8	24	27	22	21	28	16	20	24	17	6	7	2	3	-	-
137	Diseases of the prostate.....	890	-	-	-	-	-	-	-	-	-	-	-	-	4	3	19	42	93	166	187	188	126	51	10	1	-	-
	White.....M..	857	-	-	-	-	-	-	-	-	-	-	-	-	3	3	17	40	84	157	182	183	126	51	10	1	-	-
	Nonwhite..M..	33	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	9	9	5	5	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.* ...	521	-	-	-	-	-	-	-	17	80	143	140	114	25	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	458	-	-	-	-	-	-	-	12	66	124	126	103	25	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	63	-	-	-	-	-	-	-	5	14	19	14	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	210	-	-	-	-	-	-	-	10	37	55	57	42	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	175	-	-	-	-	-	-	-	6	27	45	51	37	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	35	-	-	-	-	-	-	-	4	10	10	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	98	-	-	-	-	-	-	-	4	19	26	24	19	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	91	-	-	-	-	-	-	-	4	18	25	19	19	4	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	7	-	-	-	-	-	-	-	-	1	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	213	-	-	-	-	-	-	-	3	24	62	59	53	12	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	192	-	-	-	-	-	-	-	2	21	54	56	47	12	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	21	-	-	-	-	-	-	-	1	3	8	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	1,584	1288	66	24	23	6	36	22	25	19	12	12	6	9	9	11	8	6	-	1	1	-	-	-	-	-	-
	White.....M..	775	623	32	13	13	3	19	9	15	11	7	5	1	6	6	2	5	4	-	-	1	-	-	-	-	-	-
	F..	751	625	29	9	9	3	16	11	9	8	5	7	3	3	3	6	2	2	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	52	22	4	1	-	-	-	1	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	F..	26	18	1	1	1	-	1	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NEW YORK—Con.																										
159	Premature birth..	2,728	2728	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	1,412	1412	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1,059	1059	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	111	111	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	146	146	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	1,704	-	-	-	-	-	-	6	33	59	91	101	158	163	190	196	179	164	147	91	74	42	7	2	-	1
	White.....M..	1,076	-	-	-	-	-	-	4	19	35	49	49	93	100	113	127	126	107	105	60	51	31	5	1	-	1
	F..	580	-	-	-	-	-	-	2	9	18	39	44	60	61	69	66	52	54	40	31	21	11	2	1	-	-
	Nonwhite..M..	37	-	-	-	-	-	-	-	4	3	3	5	4	2	8	3	-	3	1	-	1	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	1	3	-	3	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-
165-168	Homicide.....	310	26	1	-	2	1	4	2	24	26	32	38	39	35	28	11	18	11	5	5	2	-	-	-	-	-
	White.....M..	122	15	-	-	-	-	-	-	7	8	11	7	14	15	10	9	11	8	3	4	-	-	-	-	-	-	-
	F..	64	11	1	-	1	1	3	2	3	5	3	8	3	7	8	1	2	2	1	-	2	-	-	-	-	-	-
	Nonwhite..M..	97	-	-	-	-	-	1	-	13	8	14	19	14	10	9	1	5	1	1	1	-	-	-	-	-	-	-
	F..	27	-	-	-	1	-	-	-	1	5	4	4	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	8,712	222	90	92	72	56	263	193	277	405	351	314	381	469	489	568	625	609	672	708	687	651	378	135	30	1	16
	White.....M..	5,358	118	43	53	41	30	168	134	215	320	251	209	263	358	356	422	479	424	409	348	307	237	133	42	6	1	13
	F..	2,396	87	33	28	21	18	78	46	50	46	52	66	81	81	96	118	119	171	242	351	371	382	242	93	22	-	2
	Nonwhite..M..	323	8	9	3	4	4	12	11	13	30	19	29	31	38	30	23	23	9	12	4	5	4	1	-	-	-	1
	F..	135	9	5	8	6	4	5	2	1	9	9	10	6	12	7	5	2	5	9	5	4	8	2	-	2	-	-
170	Motor-vehicle accidents.....	1,851	7	10	18	16	23	109	50	110	116	104	108	101	113	109	159	160	143	137	109	88	50	10	1	-	-	-
	White.....M..	1,373	5	6	14	10	15	69	37	85	90	76	83	68	88	85	111	125	108	105	83	74	36	6	-	-	-	-
	F..	362	4	4	3	5	6	34	9	24	16	20	11	22	12	15	38	29	31	27	23	13	11	4	1	-	-	-
	Nonwhite..M..	96	-	-	1	-	2	6	3	2	7	7	10	10	11	8	10	8	3	3	2	1	2	-	-	-	-	-
	F..	20	-	-	-	1	-	-	1	1	3	1	4	1	2	1	-	-	1	2	1	-	1	-	-	-	-	-
169, 171-195	Other accidents..	6,861	215	80	74	56	33	154	143	167	289	227	206	280	356	380	409	463	466	535	599	599	581	368	134	30	1	16
	White.....M..	3,985	115	37	39	31	15	99	97	130	230	175	126	195	250	271	311	356	316	304	265	253	201	127	42	6	1	13
	F..	2,534	83	29	25	16	12	44	37	26	30	32	55	59	69	81	80	90	140	215	328	358	371	238	92	22	-	2
	Nonwhite..M..	227	8	9	2	4	2	6	8	11	23	12	19	21	27	22	13	15	6	9	2	4	2	1	-	-	-	1
	F..	115	9	5	8	5	4	5	1	-	6	8	6	5	10	6	5	2	4	7	4	4	7	2	-	2	-	-
182, 199, 200	Senility, ill-defined and unknown causes.	391	25	-	4	1	1	-	3	4	4	3	4	10	6	14	16	19	15	12	25	39	65	59	40	16	5	1
	White.....M..	184	11	-	1	-	-	-	3	1	2	-	1	4	4	10	13	16	12	6	15	18	23	24	15	4	-	1
	F..	190	12	-	1	1	1	-	-	2	2	2	2	3	1	3	3	3	1	5	10	20	42	34	25	12	5	-
	Nonwhite..M..	11	1	-	1	-	-	-	-	1	-	1	1	2	-	1	-	-	2	1	-	-	-	-	-	-	-	-
	F..	6	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-
	All other causes.	15,623	2,172	125	77	67	49	166	130	207	217	258	336	466	566	690	781	866	910	1,052	1,161	1,121	1,080	708	319	93	8	-
	White.....M..	6,808	1,256	70	46	37	19	79	66	99	102	102	140	189	247	343	414	486	504	586	583	545	497	301	119	25	1	-
	F..	6,083	775	47	24	28	28	70	56	90	86	133	147	207	250	282	325	339	377	485	542	557	576	396	194	67	6	-
	Nonwhite..M..	364	82	5	3	-	1	10	4	9	14	8	15	27	33	30	27	20	20	22	17	11	4	1	1	-	-	-
	F..	370	61	1	4	2	1	7	4	9	15	15	34	43	36	35	15	21	9	11	19	8	3	10	5	1	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA																										
	All causes	29,971	4,416	367	186	116	76	343	301	712	960	923	994	1,076	1,322	1,538	1,911	2,025	2,434	2,980	2,497	1,818	1,577	854	341	108	39	57
	White	11,149	1,574	115	61	39	35	123	103	257	363	247	275	323	408	553	697	765	977	1,226	1,079	784	667	319	100	25	1	33
	M	8,402	1,183	89	67	36	20	97	78	117	147	182	221	245	292	338	402	453	681	919	882	700	680	386	139	40	4	4
	Nonwhite	5,379	927	87	28	18	8	65	54	164	237	259	249	232	310	331	400	408	401	428	316	181	118	74	48	18	10	10
	M	5,041	732	76	30	23	13	58	66	174	213	235	249	276	312	316	412	401	375	407	220	153	112	75	54	25	24	10
1,2	Typhoid and paratyphoid fever	16	-	-	-	-	-	-	2	2	2	3	1	-	1	3	1	-	-	-	-	1	-	-	-	-	-	-
	White	3	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	M	5	-	-	-	-	-	-	1	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	6	-	-	-	-	-	-	-	1	-	2	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	73	11	5	6	3	2	7	4	4	12	3	3	3	4	4	2	-	-	-	-	-	-	-	-	-	-	-
	White	39	4	2	2	3	1	4	-	3	7	2	2	3	1	3	2	-	-	-	-	-	-	-	-	-	-	-
	M	17	3	-	3	-	1	3	3	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	11	2	3	1	-	-	-	-	-	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	6	2	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	12	-	1	-	2	-	3	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	5	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	7	-	1	-	2	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	116	86	16	8	2	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White	33	28	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	39	33	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	20	11	6	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	24	14	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
10	Diphtheria	53	3	10	7	6	6	16	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	22	-	5	3	2	3	6	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	22	3	3	3	2	3	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	6	-	1	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,386	7	9	3	2	2	12	21	106	187	164	159	106	111	118	114	72	75	47	31	9	7	1	2	-	-	1
	White	309	-	4	-	-	-	-	-	9	16	16	25	24	28	43	47	33	27	18	10	7	2	-	-	-	-	-
	M	222	2	-	-	-	1	1	1	8	17	19	29	17	19	20	14	12	23	18	14	2	4	1	-	-	-	-
	Nonwhite	421	1	3	3	-	1	5	4	33	86	68	60	35	38	31	30	16	16	7	3	-	-	-	1	-	-	-
	M	414	4	2	-	2	-	6	16	56	88	61	45	30	28	24	23	11	9	4	4	-	1	-	1	-	-	1
13	Tuberculosis of respiratory system, etc. *	1,257	5	4	2	1	2	8	18	97	171	156	147	99	99	108	106	69	70	45	30	9	7	1	2	-	-	1
	White	288	-	2	-	-	-	-	-	8	14	15	23	23	25	39	44	32	27	17	10	7	2	-	-	-	-	-
	M	209	-	-	-	-	1	1	1	8	16	19	28	15	17	18	13	12	22	18	13	2	4	1	-	-	-	-
	Nonwhite	383	1	2	2	-	1	2	4	30	63	63	55	34	33	27	28	15	13	6	3	-	-	-	1	-	-	-
	M	377	4	-	-	1	-	5	13	51	78	59	41	27	24	24	21	10	8	4	4	-	1	-	1	-	-	1
14-22	Tuberculosis (other forms)	109	2	5	1	1	-	4	3	9	16	8	12	7	12	10	8	3	5	2	1	-	-	-	-	-	-	-
	White	21	-	2	-	-	-	-	-	1	2	1	2	1	3	4	3	1	-	1	-	-	-	-	-	-	-	-	-
	M	13	2	-	-	-	-	-	-	-	1	-	1	2	2	2	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite	38	-	1	1	-	-	3	-	3	3	5	5	1	5	4	2	1	3	1	-	-	-	-	-	-	-	-
	M	37	-	2	-	1	-	1	3	5	10	2	4	3	2	-	2	1	1	-	-	-	-	-	-	-	-	-
27	Dysentery	57	27	1	1	-	-	1	-	-	-	1	2	2	4	1	1	1	3	6	1	1	3	1	-	-	-	-
	White	22	10	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	1	-	2	1	-	-	-	-
	M	13	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	1	-	-	-	-	-
	Nonwhite	13	7	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	M	9	2	-	-	-	-	1	-	-	-	-	-	1	2	-	1	-	1	1	-	-	-	-	-	-	-	-
28	Malaria	22	1	1	-	1	-	-	-	1	-	1	-	-	1	1	3	3	4	2	1	2	-	-	-	-	-	-
	White	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-
	M	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite	5	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-
	M	6	-	-	-	1	-	-	-	1	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
30	Syphilis	312	32	2	-	-	-	1	7	10	14	35	36	40	34	31	20	13	24	8	3	2	-	-	-	-	-	-
	White	66	5	1	-	-	-	-	1	-	1	5	9	4	6	9	6	6	11	2	-	-	-	-	-	-	-	-
	M	21	3	-	-	-	-	-	-	-	1	2	1	3	3	4	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite	149	11	-	-	-	-	-	1	3	5	9	14	18	24	18	16	11	3	9	5	2	-	-	-	-	-	-
	M	76	13	1	-	-	-	-	-	3	5	3	14	8	9	7	2	3	4	3	-	-	1	-	-	-	-	-
35	Measles	24	3	4	-	1	1	4	1	4	1	-	-	-	-	1	-	-	-	3	1	-	-	-	-	-	-	-
	White	10	1	3	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	M	9	1	-	-	1	-	2	-	1	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	16	1	2	-	3	-	3	2	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	6	-	-	-	2	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	8	1	1	-	-	-	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	2,391	1	1	2	9	2	8	9	16	23	39	71	105	169	219	271	281	289	306	240	184	99	54	6	2	1	4
	White	792	-	1	2	3	2	6	4	5	11	11	14	20	38	50	70	87	108	116	96	82	47	17	2	-	-	-
	M	1,000	1	-	-	3	-	2	4	6	7	15	28	51	68	94	125	89	120	125	110	73	46	33	3	1	-	-
	Nonwhite	205	-	-	-	2	-	-	3	3	3	8	4	18	26	25	31	29	21	15	13	3	1	-	-	1	1	
	M	394	-	-	-	1	-	-	1	2	2	10	25	30	45	49	53	54	32	44	19	16	3	3	1	1	-	3

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																										
48	Cancer of digestive organs, peritoneum	913	-	-	-	-	-	2	2	4	5	11	14	21	44	69	93	108	121	147	115	88	46	23	-	-	-
	White	347	-	-	-	-	-	1	1	1	2	2	7	8	14	20	32	43	51	63	38	42	18	6	-	-	-
	F.	343	-	-	-	-	-	1	1	1	2	3	4	6	10	18	34	32	44	53	57	34	30	13	-	-	-
	Nonwhite	121	-	-	-	-	-	-	-	2	1	2	1	2	12	18	14	18	16	16	10	8	-	1	-	-	-
	F.	102	-	-	-	-	-	-	-	-	-	4	2	5	8	13	13	15	10	15	10	4	-	3	-	-	-
48,49	Cancer of female genital organs	447	-	-	-	-	-	-	2	3	1	8	27	43	43	65	67	52	42	38	22	22	5	4	-	-	3
	White	281	-	-	-	-	-	-	1	2	-	6	12	27	22	42	45	30	29	22	22	14	3	4	-	-	-
	Nonwhite	166	-	-	-	-	-	-	1	1	1	2	15	16	21	23	22	22	13	16	-	8	2	-	-	-	3
50	Cancer of breast	233	-	-	-	-	-	-	-	-	-	5	7	17	27	23	30	22	31	32	18	8	7	3	2	1	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F.	163	-	-	-	-	-	-	-	-	-	3	4	11	19	15	24	10	27	22	12	5	7	3	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	68	-	-	-	-	-	-	-	-	-	2	3	6	8	8	6	12	4	9	6	2	-	-	1	1	-
45,47, 51-55	Cancer (other sites)	798	1	1	2	9	2	6	5	9	17	15	23	24	55	62	81	79	95	89	85	66	41	24	4	1	1	1
	White	443	-	1	2	3	2	5	3	4	9	9	7	12	24	30	38	44	57	52	58	39	31	11	2	-	-	-
	F.	213	1	-	-	3	-	1	2	3	5	3	6	7	17	19	20	17	20	28	19	20	8	13	2	1	-	-
	Nonwhite	84	-	-	-	2	-	-	-	1	2	1	5	2	6	8	11	13	13	5	5	5	3	-	-	-	1	1
	F.	58	-	-	-	1	-	-	-	1	1	2	5	3	8	5	12	5	5	4	3	2	1	-	-	-	-	-
58	Acute rheumatic fever	54	-	-	-	1	3	2	13	8	5	4	2	1	2	1	1	1	3	1	2	2	1	1	-	-	-	-
	White	9	-	-	-	1	1	1	1	1	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F.	20	-	-	-	-	-	1	5	4	2	-	-	-	1	-	-	1	1	-	1	2	1	1	-	-	-	-
	Nonwhite	11	-	-	-	-	2	-	3	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	14	-	-	-	-	-	-	4	2	2	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	485	-	1	2	-	-	3	7	4	12	14	9	16	14	23	45	44	85	72	66	34	26	8	1	-	-	1
	White	149	-	-	-	-	-	1	3	2	1	3	2	2	2	6	15	19	27	23	21	12	8	2	-	-	-	-
	F.	217	-	1	1	-	-	-	4	2	5	5	5	4	10	10	10	10	41	43	33	16	16	6	-	-	-	-
	Nonwhite	45	-	-	-	-	-	1	-	-	4	1	1	4	1	3	6	6	5	3	3	4	2	-	-	-	-	1
	F.	74	-	-	1	-	-	1	-	-	2	5	1	5	7	4	14	9	10	3	9	2	-	-	1	-	-	-
63b	Exophthalmic goiter	41	-	-	-	-	-	-	-	-	3	1	1	2	2	9	4	4	6	5	3	-	1	-	-	-	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F.	23	-	-	-	-	-	-	-	-	2	1	1	1	-	3	2	3	5	1	3	-	1	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	1	1	-	4	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	105	-	-	-	-	-	-	-	1	-	3	4	4	3	9	9	7	10	19	20	8	7	3	-	-	-	-
	White	28	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	2	8	8	1	3	1	-	-	-	-
	F.	51	-	-	-	-	-	-	-	-	-	1	-	1	1	7	5	4	6	8	9	3	4	1	-	-	-	-
	Nonwhite	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-
	F.	21	-	-	-	-	-	-	-	-	-	2	2	2	1	2	3	-	2	2	2	2	-	1	-	-	-	-
77	Alcoholism (ethylism)	43	-	-	-	-	-	-	-	1	1	4	4	9	5	4	6	3	2	2	-	-	-	-	-	-	-	2
	White	26	-	-	-	-	-	-	-	1	-	2	2	7	1	3	5	1	1	2	-	-	-	-	-	-	-	1
	F.	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	10	-	-	-	-	-	-	-	-	-	1	1	1	2	1	-	2	1	-	-	-	-	-	-	-	-	1
	F.	4	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	5,114	2	1	1	1	-	3	4	6	11	17	45	50	114	169	267	351	388	532	451	303	251	113	37	12	1	4
	White	1,051	1	1	-	-	-	1	1	2	3	3	13	8	24	38	72	92	137	217	181	115	92	41	6	2	-	1
	F.	945	-	-	-	1	-	-	1	2	3	5	7	13	26	45	57	86	96	161	150	129	96	51	13	3	-	-
	Nonwhite	525	-	-	-	-	-	-	-	1	2	3	12	10	28	41	61	75	67	83	57	38	19	16	9	1	1	1
	F.	593	1	-	1	-	-	2	2	1	3	6	13	19	36	45	77	98	88	71	63	21	24	5	9	6	-	2
90-95	Diseases of the heart	8,182	10	3	4	5	2	28	26	45	48	69	104	176	241	373	487	577	728	959	805	586	515	284	106	27	10	4
	White	2,763	3	1	1	-	-	7	8	17	10	15	26	67	96	180	250	278	341	441	387	280	224	106	35	8	1	1
	F.	1,763	2	-	1	3	1	9	8	12	14	20	27	37	42	50	78	111	189	272	288	203	240	120	45	12	-	1
	Nonwhite	876	3	2	1	-	-	6	5	2	13	16	27	38	50	75	100	103	109	118	98	41	25	27	12	5	3	1
	F.	780	2	-	1	2	1	6	-	14	11	18	24	36	53	68	79	85	89	128	52	42	26	11	16	4	6	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	452	-	-	-	3	-	9	17	19	11	20	13	26	18	28	29	34	41	50	34	28	50	18	4	-	-	-
	White	161	-	-	-	-	-	3	5	7	1	7	5	5	2	9	10	14	15	19	12	14	25	7	3	-	-	-
	F.	129	-	-	-	2	-	3	5	7	5	6	3	9	4	5	1	9	10	13	10	6	21	10	-	-	-	-
	Nonwhite	86	-	-	-	-	-	1	3	-	2	3	2	6	6	6	12	7	9	12	8	3	4	1	1	-	-	-
	F.	76	-	-	-	1	-	2	4	5	3	4	3	6	6	8	6	4	7	6	4	5	2	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,719	1	-	-	-	-	2	1	4	6	13	25	54	79	139	192	188	251	286	216	129	90	38	7	-	-	-
	White	1,050	1	-	-	-	-	1	1	2	3	-	10	25	51	93	124	129	151	171	131	70	45	20	2	-	-	-
	F.	428	-	-	-	-	-	1	-	-	2	3	4	11	8	15	32	33	66	76	68	50	43	11	3	-	-	-
	Nonwhite	150	-	-	-	-	-	-	-	-	1	5	5	10	14	21	24	15	15	19	9	6	1	4	1	-	-	-
	F.	113	-	-	-	-	-	-	-	2	-	5	6	8	6	10	12	11	19	20	8	3	1	1	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,p, 95a,c	Diseases of heart (other forms)	4,011	9	3	4	2	2	17	8	22	31	36	68	96	144	206	268	355	436	623	555	409	375	210	95	27	10	4
	White	1,572	2	1	1	-	-	3	2	8	8	8	11	37	43	78	96	135	175	251	244	196	156	79	30	8	1	1
	F.	1,208	2	-	1	1	1	5	3	5	7	11	20	17	30	30	45	69	113	183	190	147	176	99	40	12	-	1
	Nonwhite	640	3	2	1	-	-	5	2	2	10	8	20	20	30	48	64	81	85	87	81	32	20	22	10	3	3	1
	F.	591	2	-	1	1	1	4	1	7	8	9	15	22	41	50	61	70	65	102	40	34	23	10	15	4	6	1
107-109, 33	Pneumonia (all forms) and influenza	2,161	752	107	29	17	10	38	17	37	46	36	59	74	58	64	75	84	88	111	109	104	118	77	35	9	6	1
	White	635	211	22	8	4	3	11	3	14	14	10	14	13	9	17	25	27	29	46	39	33	51	24	8	2	-	-
	F.	630	181	28	10	4	2	9	7	8	11	4	15	17	9	15	7	18	23	38	44	60	56	38	25	5	-	-
	Nonwhite	464	208	31	1	4	2	9	4	6	9	12	15	21	22	13	27	23	21	9	13	3	4	4	2	-	-	1
	F.	432	152	28	10	5	3	9	3	9	12	10	15	25	18	19	18	18	15	18	13	8	7	11	2	2	6	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																										
107	Bronchopneumonia	787	392	47	8	11	3	10	2	8	7	8	10	13	7	12	11	20	14	30	29	33	40	27	20	2	2	1
	White	225	114	11	1	1	-	4	1	3	4	4	1	3	2	2	5	8	7	11	5	11	13	9	5	-	-	-
	F.	231	94	13	3	3	1	2	1	-	1	1	2	4	2	3	1	6	2	9	14	19	21	14	14	1	-	-
	Nonwhite	161	102	12	-	3	1	1	-	1	1	2	4	3	2	6	3	2	3	5	5	1	1	2	-	-	-	1
	F.	150	82	11	4	4	1	3	-	4	1	1	3	3	1	1	2	4	2	5	5	2	5	2	1	1	2	-
108	Lobar pneumonia	674	120	28	10	4	2	13	8	15	22	14	28	43	26	31	37	35	43	47	38	38	37	27	1	4	3	-
	White	204	35	6	2	3	1	1	2	4	6	2	4	9	5	9	12	9	12	21	18	13	21	7	-	2	-	-
	F.	179	31	4	3	-	1	3	2	5	7	-	6	8	2	7	2	4	13	16	14	22	15	14	-	2	-	-
	Nonwhite	157	34	11	1	-	-	5	2	3	6	9	9	15	11	5	14	13	11	2	2	1	-	2	1	-	-	-
	F.	134	20	7	4	1	-	4	2	3	3	3	9	13	8	10	9	9	7	8	4	2	1	4	-	-	3	-
109	Pneumonia (unspecified)	222	113	13	4	-	2	4	3	5	4	6	6	5	2	8	4	5	8	4	8	3	4	6	4	-	1	-
	White	50	15	3	2	-	2	1	-	3	1	2	1	-	1	3	-	-	2	2	3	1	3	3	2	-	-	-
	F.	57	23	3	2	-	-	1	1	1	1	2	4	2	-	3	-	2	2	2	2	1	1	2	2	-	-	-
	Nonwhite	59	38	4	-	-	-	1	1	1	1	-	1	1	1	-	2	2	3	-	2	1	-	-	-	-	-	-
	F.	56	37	3	-	-	-	1	1	-	1	2	-	2	-	2	2	1	1	-	1	-	-	1	-	-	1	-
33	Influenza	498	127	19	7	2	3	11	4	9	13	8	15	13	23	13	23	24	23	30	34	30	37	17	10	3	-	-
	White	156	47	2	3	-	-	5	-	4	3	2	8	1	1	3	6	10	8	12	13	8	14	5	1	-	-	-
	F.	163	33	8	2	1	-	3	2	2	1	3	5	5	5	2	4	4	6	11	14	18	19	8	7	2	-	-
	Nonwhite	87	34	4	-	1	1	2	1	1	1	1	1	2	8	2	8	6	4	2	4	-	3	-	1	-	-	-
	F.	92	13	5	2	-	2	1	-	2	7	4	3	5	9	6	5	4	5	5	3	4	1	4	1	1	-	-
117	Ulcer of stomach or duodenum	148	-	-	-	-	-	-	-	3	3	7	9	17	16	19	17	14	15	11	6	5	1	2	-	-	-	1
	White	91	-	-	-	-	-	-	-	1	2	2	8	8	10	12	10	10	10	8	4	2	1	2	-	-	-	1
	F.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	1	2	-	-	-	-	-	-
	Nonwhite	30	-	-	-	-	-	-	-	2	1	5	1	7	4	3	2	2	1	1	-	1	-	-	-	-	-	-
	F.	15	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	1	2	1	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	511	373	51	20	5	2	4	2	3	5	1	1	1	3	1	1	-	3	7	8	5	6	5	3	-	1	-
	White	134	108	10	2	1	2	1	-	-	2	-	-	-	-	-	-	-	-	2	1	2	1	1	1	-	-	-
	F.	138	88	11	12	3	-	2	-	1	-	-	-	1	2	1	-	-	2	4	3	3	3	2	-	-	-	-
	Nonwhite	116	87	14	3	1	-	-	1	1	3	-	-	-	-	-	1	-	1	-	-	-	1	2	1	-	-	-
	F.	123	90	16	3	-	-	1	1	1	-	1	1	-	1	-	-	-	-	1	4	-	1	-	1	-	1	-
121	Appendicitis	166	1	2	1	2	-	11	16	22	9	10	6	10	16	9	15	7	10	9	7	2	1	-	-	-	-	-
	White	59	1	1	-	2	-	4	5	8	4	1	1	4	7	1	4	4	4	3	5	-	-	-	-	-	-	-
	F.	42	-	-	1	-	-	1	6	5	2	-	2	3	2	3	5	2	4	3	2	-	1	-	-	-	-	-
	Nonwhite	40	-	-	-	-	-	5	-	6	2	6	1	1	5	5	3	1	-	3	-	2	-	-	-	-	-	-	-
	F.	25	-	1	-	-	-	1	5	3	1	3	2	2	2	-	3	-	2	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	203	17	-	1	-	-	1	3	2	3	16	9	18	16	12	10	14	17	16	18	13	9	5	4	1	-	-
	White	67	8	-	1	-	-	-	2	-	2	3	-	2	2	2	5	1	5	5	9	7	5	3	4	1	-	-
	F.	56	5	-	-	-	-	-	-	-	-	1	4	1	7	4	-	-	5	8	8	4	4	3	2	-	-	-
	Nonwhite	34	3	-	-	-	-	-	-	1	-	1	3	3	2	4	2	4	2	3	4	1	1	-	-	-	-	-
	F.	46	1	-	-	-	-	1	1	1	-	8	5	4	8	8	3	4	2	-	1	1	-	-	-	-	-	-
124	Cirrhosis of the liver	141	-	-	-	-	-	-	3	2	4	3	5	8	18	14	12	17	19	16	8	7	5	-	2	-	-	-
	White	81	-	-	-	-	-	-	1	2	2	1	4	5	12	7	5	7	11	9	6	5	3	-	1	-	-	-
	F.	31	-	-	-	-	-	-	2	-	-	1	-	1	4	1	3	4	3	5	2	2	2	-	1	-	-	-
	Nonwhite	19	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	5	3	2	-	-	-	-	-	-	-	-	-
	F.	10	-	-	-	-	-	-	-	-	2	1	1	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	68	-	-	-	-	-	-	-	1	2	3	1	3	3	4	7	7	9	7	9	5	4	2	1	-	-	-
	White	14	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	3	4	1	2	-	-	-	-	-
	F.	39	-	-	-	-	-	-	-	-	-	1	-	2	1	4	4	5	7	3	5	4	1	2	-	-	-	-
	Nonwhite	7	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F.	8	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	1	1	-	-	-	-	1	-	-	-	-
130-132	Nephritis	2,973	4	5	6	3	2	11	6	24	37	51	57	65	141	156	235	252	343	416	382	310	258	127	55	18	4	5
	White	979	2	1	2	-	1	5	1	8	10	9	5	11	34	50	63	71	117	135	150	137	105	45	17	1	-	1
	F.	773	1	1	1	1	-	3	1	8	7	9	18	8	25	21	33	47	76	111	135	92	95	52	20	4	3	1
	Nonwhite	625	1	1	2	1	-	-	2	6	10	15	14	20	35	44	60	69	80	89	68	44	34	11	9	8	1	1
	F.	596	-	2	1	1	1	3	2	4	10	18	20	26	47	41	79	65	70	81	29	37	24	19	9	5	-	2
137	Diseases of the prostate	143	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	10	12	31	33	18	19	7	3	2	2	-
	White	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	8	19	25	16	18	7	1	-	-	-
	Nonwhite	38	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	4	12	8	2	1	-	2	2	2	-
140-150	Diseases of pregnancy, etc.*	308	-	-	-	-	-	-	3	51	53	69	50	56	22	1	-	-	-	-	-	-	-	-	-	-	-	1
	White	135	-	-	-	-	-	-	-	11	24	34	26	29	9	1	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite	171	-	-	-	-	-	-	3	40	29	35	24	27	13	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	85	-	-	-	-	-	-	2	14	15	19	14	15	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	36	-	-	-	-	-	-	-	2	3	11	7	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	49	-	-	-	-	-	-	2	12	10	8	7	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	103	-	-	-	-	-	-	1	28	18	20	14	15	5	1	-	-	-	-	-	-	-	-	-	-	-	1
	White	44	-	-	-	-	-	-	-	6	10	10	7	6	3	1	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite	59	-	-	-	-	-	-	1	22	8	10	7	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes	118	-	-	-	-	-	-	-	9	20	30	22	26	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	55	-	-	-	-	-	-	-	3	9	13	12	13	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	63	-	-	-	-	-	-	-	6	11	17	10	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	468	418	16	3	4	2	4	5	3	6	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	211	190	9	-	2	-	1	3	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	172	152	6	3	1	2	-	2	-	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	45	39	1	-	1	-	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	38	35	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH CAROLINA—Continued																										
159	Premature birth..	1,233	1233	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	491	491	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	336	336	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	232	232	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	174	174	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
165,164	Suicide.....	251	-	-	-	-	-	-	2	12	27	27	26	29	28	26	16	13	22	8	7	5	2	-	-	-	1
	White.....M..	181	-	-	-	-	-	-	1	9	17	20	14	21	22	21	11	11	15	8	6	3	2	-	-	-	-
	F..	47	-	-	-	-	-	-	1	2	5	4	8	5	3	4	5	1	7	-	-	2	-	-	-	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	-	1	5	2	4	2	1	1	-	1	-	-	1	-	-	-	-	-	1
	F..	4	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	261	2	-	1	-	-	-	2	28	41	56	38	26	26	12	14	8	5	1	1	-	-	-	-	-	-
	White.....M..	75	1	-	-	-	-	-	-	6	11	12	7	9	10	6	8	3	3	1	-	-	-	-	-	-	-
	F..	15	-	-	1	-	-	-	1	1	-	1	4	2	3	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	149	1	-	-	-	-	-	1	19	25	36	23	13	12	5	8	3	2	-	1	-	-	-	-	-	-
	F..	22	-	-	-	-	-	-	-	2	5	7	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,201	153	50	43	27	24	104	84	200	304	198	139	120	91	93	68	68	74	65	59	61	76	43	24	7	-	26
	White.....M..	1,179	51	19	16	10	14	42	45	127	221	117	81	72	55	59	39	31	36	27	26	22	22	16	5	1	-	25
	F..	420	33	16	12	5	5	33	15	22	21	19	11	10	10	10	8	10	15	22	22	33	44	22	16	5	-	1
	Nonwhite..M..	441	39	8	10	7	2	17	18	48	52	51	37	31	24	18	12	18	16	11	9	4	6	1	2	-	-	-
	F..	161	30	7	5	5	3	12	6	3	10	11	10	7	2	6	9	9	7	5	2	2	4	4	1	1	-	-
170	Motor-vehicle accidents.....	729	6	13	10	6	8	54	28	80	110	88	61	51	39	46	29	23	25	21	12	8	8	2	1	-	-	-
	White.....M..	443	3	8	6	3	6	27	15	50	78	50	38	30	24	32	19	12	15	10	9	3	4	1	-	-	-	-
	F..	108	3	3	1	1	2	19	8	11	10	13	5	6	4	3	2	3	3	5	-	3	2	1	-	-	-	-
	Nonwhite..M..	155	-	1	2	1	-	4	4	18	21	24	14	12	11	10	8	6	5	6	3	2	2	-	1	-	-	-
	F..	23	-	1	1	1	-	4	1	1	1	1	4	3	-	1	-	2	2	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,472	147	37	33	21	16	50	56	120	194	110	78	69	52	47	39	45	49	44	47	53	68	41	23	7	-	26
	White.....M..	736	48	11	10	7	8	15	30	77	143	67	43	42	31	27	20	19	21	17	17	19	18	15	5	1	-	25
	F..	312	30	13	11	4	3	14	7	11	11	6	8	4	6	7	6	7	12	17	22	30	42	21	16	5	-	1
	Nonwhite..M..	286	39	7	8	6	2	13	14	30	31	27	23	19	13	8	4	12	11	5	6	2	4	1	1	-	-	-
	F..	138	30	6	4	4	3	8	5	2	9	10	6	4	2	5	9	7	5	5	2	2	4	4	1	1	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	1,135	345	20	4	4	4	8	3	12	15	10	23	21	30	21	37	43	63	93	82	65	78	79	40	20	11	4
	White.....M..	328	82	7	-	2	2	2	2	1	3	3	11	7	8	7	12	21	18	27	28	19	27	24	10	5	-	2
	F..	300	76	4	1	2	1	1	1	1	2	1	4	2	6	3	3	5	15	24	31	25	34	38	14	5	1	-
	Nonwhite..M..	273	109	5	1	-	-	3	-	5	4	-	4	7	10	8	14	8	17	26	12	12	10	5	6	4	1	2
	F..	234	78	4	2	-	1	2	-	5	6	6	4	5	6	3	8	9	13	16	13	9	7	12	10	6	9	-
	All other causes.	3,124	936	59	44	18	14	70	59	101	88	98	127	119	143	135	158	144	150	210	139	107	108	62	22	10	3	2
	White.....M..	1,177	376	24	21	7	5	28	21	33	25	15	34	30	43	41	62	51	69	90	70	37	52	29	10	5	-	1
	F..	868	254	14	15	7	4	21	9	20	15	36	33	29	47	40	37	39	35	67	44	43	31	17	6	5	-	-
	Nonwhite..M..	539	173	11	5	2	1	14	14	23	25	22	23	17	27	25	29	23	20	30	18	14	11	7	4	-	1	-
	F..	540	133	10	3	2	4	9	15	25	23	23	37	43	26	29	30	31	28	23	7	13	14	9	2	-	2	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA																										
	All causes.....	5,170	468	39	21	21	9	45	40	78	72	75	96	112	147	183	258	361	451	525	577	622	536	298	105	24	3	6
	White.....M..	3,029	259	17	12	13	5	21	17	41	34	40	37	59	85	110	157	215	270	336	355	385	329	155	62	8	2	5
	F..	1,995	182	15	6	4	1	19	22	28	30	28	54	47	60	67	97	140	170	183	214	230	205	137	40	14	1	1
	Nonwhite..M..	75	14	5	2	2	1	2	-	3	4	3	1	4	1	1	4	4	6	3	4	5	1	4	1	-	-	-
	F..	71	13	2	1	2	2	5	1	4	4	4	4	2	1	5	-	2	5	3	4	2	1	2	2	2	-	-
1,2	Typhoid and paratyphoid fever..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	11	-	3	-	-	-	1	1	1	-	1	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	5	-	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	5	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	6	-	-	1	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-22	Tuberculosis (all forms)....	123	2	-	1	1	-	1	1	12	13	12	10	16	7	7	12	5	4	8	4	4	2	-	1	-	-	-
	White.....M..	58	-	-	1	-	-	-	-	1	2	5	5	8	6	3	8	3	2	4	2	3	2	-	1	-	-	-
	F..	45	1	-	-	-	-	-	1	6	7	3	3	7	1	4	2	2	1	4	2	1	-	-	-	-	-	-
	Nonwhite..M..	8	1	-	-	-	-	1	-	1	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F..	14	-	-	-	1	-	-	-	4	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*.	110	-	-	1	1	-	1	1	10	12	11	9	15	6	7	12	5	3	6	3	4	2	-	1	-	-	-
	White.....M..	52	-	-	1	-	-	-	-	-	2	5	5	8	5	3	8	3	1	3	2	3	2	-	1	-	-	-
	F..	38	-	-	-	-	-	-	1	5	6	2	3	6	1	4	2	2	1	3	1	1	-	-	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	1	-	1	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-
	F..	13	-	-	-	1	-	-	-	4	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	13	2	-	-	-	-	-	-	2	1	1	1	1	1	-	-	-	1	2	1	-	-	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F..	7	1	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	25	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	6	7	4	2	2	-	-	1	-	-	-
	White.....M..	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	4	2	2	-	-	1	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles.....	17	7	3	-	1	-	2	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	4	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	2	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	655	-	-	-	1	-	3	2	5	3	6	7	14	22	34	49	67	88	100	96	79	48	24	6	1	-	-
	White.....M..	368	-	-	-	1	-	3	-	2	1	3	-	5	8	15	24	35	43	61	59	56	32	16	4	-	-	-
	F..	282	-	-	-	-	-	-	2	3	2	3	7	9	14	19	25	31	43	39	37	22	15	8	2	1	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																										
46	Cancer of digestive organs, peritoneum.....	323	-	-	-	-	-	-	-	-	1	-	-	6	10	11	19	30	43	57	56	53	24	11	2	-	-
	White.....M..	211	-	-	-	-	-	-	-	-	-	-	-	4	5	6	12	20	25	41	37	37	16	6	2	-	-	-
	F..	109	-	-	-	-	-	-	-	-	1	-	-	2	5	5	7	9	16	16	19	16	8	5	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.	55	-	-	-	-	-	-	-	2	-	-	1	3	3	6	7	8	8	6	4	2	2	1	-	-	-
	White.....F..	53	-	-	-	-	-	-	-	2	-	-	1	3	3	6	7	8	8	6	4	2	2	1	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	62	-	-	-	-	-	-	-	-	-	1	1	2	6	8	5	8	11	8	7	2	1	1	1	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	59	-	-	-	-	-	-	-	-	-	1	1	2	6	8	5	7	11	8	7	1	-	1	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	217	-	-	-	1	-	3	2	3	2	5	5	3	3	9	18	21	26	29	29	22	21	11	3	1	-	-
	White.....M..	156	-	-	-	1	-	3	-	2	1	3	-	1	3	9	12	14	18	20	22	19	16	10	2	-	-	-
	F..	61	-	-	-	-	-	-	2	1	1	2	5	2	-	-	6	7	8	9	7	3	5	1	1	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	6	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	1	-	-	-	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	150	1	-	-	-	-	1	2	4	1	3	2	1	4	1	6	16	24	22	30	17	10	4	-	-	1
	White.....M..	62	1	-	-	-	-	-	-	4	1	1	1	-	3	1	5	9	7	8	10	6	4	1	-	-	-
	F..	84	-	-	-	-	-	1	2	-	-	2	1	1	1	-	1	7	16	13	19	11	6	2	-	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-
63b	Exophthalmic goiter.....	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	2	-	1	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	6	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	5	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	483	1	-	1	-	-	-	-	1	1	2	4	4	6	9	28	39	50	59	68	88	81	27	11	2	-	1
	White.....M..	273	-	-	1	-	-	-	-	-	-	2	1	3	3	5	19	24	26	37	42	45	43	15	5	1	-	1
	F..	206	1	-	-	-	-	-	-	1	1	-	3	1	3	4	9	15	23	22	25	42	37	12	6	1	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
90-95	Diseases of the heart.....	1,399	1	-	1	-	-	2	3	7	3	5	7	15	35	48	70	111	146	177	203	236	198	94	30	4	2	1
	White.....M..	887	-	-	-	-	-	1	-	2	1	4	6	9	22	34	43	65	102	120	135	159	123	42	16	1	1	1
	F..	492	-	-	-	-	-	1	3	5	2	1	1	5	12	12	26	45	42	54	66	76	75	50	12	3	1	-
	Nonwhite..M..	15	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	1	2	3	1	1	-	1	1	-	-	-
	F..	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	80	-	-	1	-	-	2	2	3	1	1	4	5	5	5	9	4	11	7	4	11	4	1	-	-	-
	White.....M..	40	-	-	-	-	-	1	-	1	1	1	3	2	2	3	6	1	6	3	2	6	2	-	-	-	-	-
	F..	36	-	-	-	-	-	1	2	2	-	-	1	3	2	2	2	3	4	4	2	5	2	1	-	-	-	-
	Nonwhite..M..	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	435	-	-	-	-	-	-	-	-	-	2	-	4	17	21	28	42	55	62	67	65	47	20	4	-	-	1
	White.....M..	323	-	-	-	-	-	-	-	-	-	1	-	3	14	18	22	33	43	49	49	49	27	12	2	-	-	1
	F..	110	-	-	-	-	-	-	-	-	-	1	-	1	3	3	6	9	12	12	18	16	20	7	2	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	884	1	-	-	-	-	-	1	4	2	2	3	6	13	22	33	65	80	108	132	160	147	73	26	4	2	-
	White.....M..	524	-	-	-	-	-	-	-	1	-	2	3	4	8	13	15	31	53	68	84	104	94	30	14	1	1	-
	F..	346	-	-	-	-	-	-	1	3	2	-	-	1	7	7	18	33	26	38	46	55	53	42	10	3	1	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	1	1	-	-	1	-	-	-
	F..	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	1	-	-	-
107-109, 33	Pneumonia (all forms) and influenza.....	308	65	14	4	5	1	4	2	5	3	4	7	6	6	5	15	10	14	20	15	25	30	28	16	4	-	-
	White.....M..	173	31	7	1	3	1	3	-	4	1	1	3	3	3	3	11	5	8	10	14	14	20	18	10	1	-	-
	F..	117	28	6	2	-	-	1	2	1	2	2	2	2	3	1	4	4	6	9	1	11	10	12	6	2	-	-
	Nonwhite..M..	8	3	-	1	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	10	3	1	-	1	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																										
107	Bronchopneumonia.	118	42	9	2	-	-	2	-	3	-	-	2	2	3	-	5	-	4	4	4	8	9	10	6	3	-	-
	White.....M..	66	21	3	-	-	-	2	-	3	-	-	1	1	1	-	4	-	3	3	4	4	5	6	4	1	-	-
	F..	48	20	6	1	-	-	-	-	-	-	-	-	1	2	-	1	-	1	1	-	4	4	4	2	1	-	-
	Nonwhite..M..	3	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
108	Lobar pneumonia..	90	10	1	1	1	-	-	1	1	4	3	4	2	1	8	6	7	11	6	11	7	4	1	-	-	-
	White.....M..	50	5	1	1	1	-	-	-	1	1	1	1	2	2	-	5	3	3	5	6	5	6	2	-	-	-
	F..	33	3	-	-	-	-	-	1	-	2	1	1	-	-	-	3	3	4	5	-	6	1	2	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	2	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	21	9	2	1	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	1	1	1	-	-	-
	White.....M..	8	4	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-
	F..	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	Nonwhite..M..	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	79	4	2	-	2	1	2	2	1	2	-	2	-	1	2	2	3	3	5	5	5	13	13	8	1	-	-
	White.....M..	49	1	2	-	2	1	1	-	1	-	-	1	-	-	1	2	2	2	2	4	5	9	8	5	-	-	-
	F..	29	2	-	-	-	-	1	2	-	2	-	1	-	1	1	-	1	1	3	1	-	4	5	3	1	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	33	-	-	-	-	-	-	-	-	2	-	-	1	2	4	2	5	3	7	4	-	2	1	-	-	-	-
	White.....M..	28	-	-	-	-	-	-	-	-	2	-	-	1	1	2	2	5	3	7	2	-	2	1	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*....	27	14	4	1	-	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-
	White.....M..	14	8	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-
	F..	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite..M..	5	1	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	31	1	1	-	1	2	2	3	-	1	-	-	3	4	3	-	3	3	3	-	1	-	-	-	-	-	-
	White.....M..	20	1	1	-	1	1	-	1	-	-	-	-	2	3	3	-	1	3	2	-	1	-	-	-	-	-	-
	F..	11	-	-	-	-	1	2	2	-	1	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	41	3	-	-	-	-	-	1	-	1	1	3	4	1	2	4	3	3	2	1	8	2	1	-	1	-	-
	White.....M..	23	1	-	-	-	-	-	-	-	1	-	2	1	-	2	3	-	2	2	-	5	2	1	-	1	-	-
	F..	18	2	-	-	-	-	-	1	-	-	1	1	3	1	-	1	3	1	-	1	3	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	33	-	-	-	-	-	-	-	-	-	-	2	-	4	2	2	3	7	3	6	3	1	-	-	-	-	-
	White.....M..	21	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	1	5	3	3	1	1	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	2	-	3	2	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	37	-	-	-	-	-	-	-	-	-	1	-	1	2	1	6	5	5	4	4	1	5	1	1	-	-	-
	White.....M..	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	1	-	2	1	1	-	-	-
	F..	25	-	-	-	-	-	-	-	-	-	1	-	1	2	1	4	4	4	1	3	1	3	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	300	-	-	-	1	-	2	3	1	1	2	5	4	7	10	11	25	22	39	39	54	45	23	5	-	-	1
	White.....M..	173	-	-	-	-	-	1	-	1	1	1	3	2	5	6	5	16	14	24	22	32	22	13	4	-	-	1
	F..	127	-	-	-	1	-	1	3	-	-	1	2	2	2	4	6	9	8	15	17	22	23	10	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate.....	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	7	13	7	4	1	-	-	-
	White.....M..	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	7	13	7	4	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*..	39	-	-	-	-	-	-	-	-	5	9	14	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	37	-	-	-	-	-	-	-	-	5	9	13	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	9	-	-	-	-	-	-	-	-	2	2	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	8	-	-	-	-	-	-	-	-	2	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	12	-	-	-	-	-	-	-	-	-	1	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	12	-	-	-	-	-	-	-	-	-	1	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	18	-	-	-	-	-	-	-	-	3	6	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	17	-	-	-	-	-	-	-	-	3	6	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	59	53	2	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	32	31	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	25	21	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	NORTH DAKOTA—Continued																										
159	Premature birth..	167	167	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	86	86	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	73	73	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	56	-	-	-	-	-	-	-	1	3	2	8	1	3	6	7	7	5	4	4	3	1	-	-	-	1
	White.....M..	42	-	-	-	-	-	-	-	1	2	1	4	1	2	6	6	6	3	3	2	3	1	-	-	-	1
	F..	14	-	-	-	-	-	-	-	-	1	1	4	-	1	-	1	1	2	1	2	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	378	12	6	4	4	2	15	13	25	27	12	14	19	14	21	15	22	31	15	30	26	26	18	6	1	-
	White.....M..	272	8	4	2	2	2	11	10	21	18	10	10	13	11	16	10	20	23	12	25	15	17	8	3	1	-
	F..	95	3	2	2	1	-	4	3	4	5	1	4	4	3	4	5	1	8	3	5	11	9	10	3	-	-
	Nonwhite..M..	8	-	-	-	1	-	-	-	-	3	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	87	2	1	-	-	-	4	1	10	10	4	3	10	3	8	3	4	11	2	7	-	3	1	-	-	-
	White.....M..	69	1	-	-	-	-	3	1	8	6	3	2	7	3	8	2	4	8	2	7	-	3	1	-	-	-
	F..	17	1	1	-	-	-	1	-	2	4	1	1	2	-	-	1	-	3	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	291	10	5	4	4	2	11	12	15	17	8	11	9	11	13	12	18	20	13	23	26	23	17	6	1	-
	White.....M..	203	7	4	2	2	2	8	9	13	12	7	8	6	8	8	8	16	15	10	18	15	14	7	3	1	-
	F..	78	2	1	2	1	-	3	3	2	1	-	3	2	3	4	4	1	5	3	5	11	9	10	3	-	-
	Nonwhite..M..	7	-	-	-	1	-	-	-	-	3	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	165	6	-	1	-	-	2	1	-	-	1	2	-	4	5	4	5	7	12	11	17	34	35	10	8	-
	White.....M..	89	3	-	-	-	-	-	1	-	-	-	1	-	4	3	2	3	5	8	5	7	21	16	8	2	-
	F..	57	2	-	-	-	-	1	-	-	-	-	1	-	-	2	1	1	1	3	3	6	13	16	2	5	-
	Nonwhite..M..	12	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	3	-	3	-	-	-	-
	F..	7	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-
	All other causes.	552	129	6	6	2	2	8	6	10	8	11	8	13	16	22	22	27	27	35	50	44	41	37	17	3	1	1
	White.....M..	311	87	2	4	1	1	2	4	4	4	9	-	9	9	7	13	14	16	19	23	23	29	20	8	1	1	1
	F..	231	41	3	2	1	-	6	2	6	4	2	8	4	7	13	9	12	9	16	26	21	12	17	8	2	-	-
	Nonwhite..M..	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F..	6	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO																										
	All causes	89,464	5,640	496	267	185	166	555	479	838	1,075	1,261	1,553	1,933	2,566	3,227	5,241	6,219	7,655	8,987	10,041	9,561	7,807	4,313	1,435	283	39	58
	White	42,038	2,965	238	123	89	88	285	269	423	495	559	692	880	1,205	1,943	2,864	3,577	4,284	4,825	5,225	4,852	3,605	1,941	517	94	14	26
	M	34,828	2,215	209	112	74	60	225	167	269	316	345	514	596	729	899	1,354	1,798	2,173	2,981	3,736	4,449	4,467	4,024	2,288	367	178	16	19
	Nonwhite	5,035	275	26	12	10	8	29	22	60	86	94	126	154	253	311	357	420	537	633	715	138	90	35	21	6	3	8
	M	2,516	187	20	10	13	7	28	21	66	102	94	142	170	209	219	281	189	153	196	152	124	68	48	30	5	6	5
1,2	Typhoid and paratyphoid fever	34	4	2	1	-	-	2	1	1	2	2	3	4	4	3	4	2	-	1	-	-	-	-	-	-	-	-
	White	22	2	2	1	-	-	-	-	2	-	1	2	3	3	2	3	1	-	-	-	-	-	-	-	-	-	-
	M	15	2	-	-	-	-	2	1	1	2	-	1	1	1	1	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	107	12	8	6	5	-	10	7	9	7	5	5	2	5	6	5	6	5	4	-	1	1	-	-	-	-	-
	White	54	5	2	3	3	-	5	4	5	3	3	2	2	2	4	2	4	3	1	-	-	1	-	-	-	-	-
	M	45	6	4	3	1	-	5	2	3	4	2	1	-	3	2	3	2	1	3	-	1	-	-	-	-	-	-
	Nonwhite	7	1	-	-	1	-	-	1	1	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	34	1	1	2	1	3	7	3	-	5	4	1	2	2	-	-	1	-	1	-	-	-	-	-	-	-	-
	White	13	-	1	-	-	2	4	1	-	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	19	1	-	2	-	1	3	2	-	2	4	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
9	Whooping cough	131	68	25	4	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	47	40	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M	71	49	16	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	6	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	47	2	4	6	5	8	12	2	5	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White	17	1	4	-	2	3	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	26	1	-	5	2	4	8	-	3	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	2,753	27	25	13	7	4	19	16	114	230	263	285	252	227	238	264	241	185	154	111	56	30	8	3	-	-	1
	White	1,820	13	9	1	2	1	8	5	14	50	76	101	125	109	135	174	168	127	92	64	27	16	5	1	-	-	-
	M	804	5	10	5	1	2	7	4	35	79	106	104	67	63	41	59	41	41	53	37	26	13	3	2	-	-	-
	Nonwhite	381	3	3	4	2	-	2	2	27	36	45	34	26	37	50	41	25	15	6	6	5	3	-	-	-	-	1
	M	288	6	3	3	2	1	2	5	38	63	38	46	24	18	12	10	7	2	3	4	-	1	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*	2,620	16	8	3	4	2	6	11	86	206	244	266	232	206	227	266	226	171	137	104	52	29	8	3	-	-	-
	White	1,211	6	2	1	1	-	2	6	11	41	70	98	117	100	122	162	161	117	81	61	26	13	5	1	-	-	-
	M	727	1	4	2	1	1	3	3	30	72	102	96	65	57	58	56	37	37	48	35	24	12	3	2	-	-	-
	Nonwhite	366	2	1	-	1	-	1	1	21	33	37	31	32	34	47	38	23	16	5	6	2	3	-	-	-	-	-
	M	249	4	1	-	1	1	-	4	34	60	35	41	20	15	10	10	5	2	3	2	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	273	14	17	10	3	2	16	5	18	24	18	19	20	21	11	18	15	14	17	7	4	1	-	-	-	-	1
	White	109	7	7	-	1	1	6	2	3	9	6	3	8	9	5	12	7	10	11	3	1	-	-	-	-	-	-
	M	77	4	6	3	-	1	4	1	5	7	4	6	4	6	3	3	4	4	5	2	2	1	-	-	-	-	-
	Nonwhite	48	1	2	4	1	-	1	1	6	5	6	3	4	3	3	3	2	-	1	-	1	-	-	-	-	-	1
	M	39	2	2	3	1	-	2	1	4	5	3	5	4	3	2	-	2	-	-	2	-	-	-	-	-	-	-
27	Dysentery	26	6	2	-	-	1	-	-	1	-	-	-	-	-	1	-	1	-	-	2	6	3	2	1	-	-	-
	White	15	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	2	3	3	1	-	-	-	-
	M	11	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	3	-	1	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	White	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	951	37	-	-	-	-	1	2	3	11	9	47	73	93	121	169	134	98	87	52	25	11	4	2	-	-	2
	White	504	15	-	-	-	-	1	1	-	2	1	11	24	47	64	88	80	61	49	35	18	6	3	-	-	-	-
	M	174	13	-	-	-	-	-	1	3	3	4	10	16	16	14	20	19	16	22	11	2	3	-	1	-	-	-
	Nonwhite	200	6	-	-	-	-	-	-	-	-	2	11	21	20	35	27	29	19	14	8	3	2	-	1	-	-	2
	M	73	3	-	-	-	-	-	-	-	6	2	15	12	10	8	4	6	2	2	-	2	-	1	-	-	-	-
35	Measles	60	17	11	8	1	4	9	3	6	-	-	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	White	32	9	7	3	1	2	4	2	1	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	25	8	4	4	-	2	3	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	16	1	2	-	1	-	1	3	3	1	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	White	10	-	1	-	-	-	3	3	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	M	5	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	9,833	3	2	8	8	8	21	18	24	40	56	141	244	353	637	887	1,103	1,324	1,373	1,413	1,125	710	281	44	7	-	3
	White	4,298	-	2	5	3	4	12	12	11	20	18	46	63	86	215	336	505	593	671	692	539	322	116	14	2	-	1
	M	5,120	3	-	3	5	3	8	5	11	19	36	85	16	227	381	480	545	673	651	689	563	379	160	27	5	-	2
	Nonwhite	198	-	-	-	-	-	1	-	1	1	1	1	4	16	18	31	33	30	27	17	6	5	3	1	-	-	-
	M	227	-	-	-	-	1	-	1	1	-	1	9	15	22	25	40	20	28	24	15	17	4	2	2	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																										
46	Cancer of digestive organs, peritoneum.....	4,512	-	-	1	1	1	-	1	5	8	12	37	61	99	222	359	512	615	688	790	591	353	137	15	3	-	1
	White.....M..	2,261	-	-	1	-	-	-	1	3	4	4	24	24	36	103	180	290	333	374	407	273	158	58	6	1	-	1
	F..	2,082	-	-	-	1	1	-	-	2	4	7	11	32	51	102	154	198	259	289	366	307	212	76	8	2	-	-
	Nonwhite..M..	101	-	-	-	-	-	-	-	-	-	-	-	3	6	10	17	20	19	14	7	2	1	2	-	-	-	-
	F..	68	-	-	-	-	-	-	-	-	-	1	2	2	6	7	8	4	4	11	10	9	2	1	1	-	-	-
48,49	Cancer of female genital organs.	1,365	-	-	-	-	-	-	-	-	6	20	46	75	119	151	171	156	199	151	119	80	45	18	2	-	-	-
	White.....F..	1,272	-	-	-	-	-	-	-	-	6	20	41	72	106	137	149	147	187	150	114	78	45	18	2	-	-	-
	Nonwhite..F..	93	-	-	-	-	-	-	-	-	-	-	5	3	13	14	22	9	12	8	5	2	-	-	-	-	-	-
50	Cancer of breast.	985	-	-	-	-	-	-	-	-	-	5	14	46	42	88	125	111	119	132	117	87	65	28	7	-	-	1
	White.....M..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	4	1	-	1	-	-	-
	F..	940	-	-	-	-	-	-	-	-	-	5	13	39	41	84	117	108	114	129	114	81	61	28	5	-	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	31	-	-	-	-	-	-	-	-	-	-	1	7	1	3	6	2	4	3	-	2	1	-	1	-	-	-
45,47, 51-55	Cancer (other sites).....	2,973	3	2	7	7	7	21	17	19	26	10	44	62	93	176	234	324	391	395	387	367	249	98	20	4	-	1
	White.....M..	2,015	-	2	4	3	4	12	11	8	16	14	22	41	50	109	156	214	259	297	282	262	185	53	7	1	-	-
	F..	826	3	-	3	4	2	8	5	9	9	4	20	17	29	58	60	92	113	83	95	97	61	38	12	3	-	1
	Nonwhite..M..	97	-	-	-	-	-	1	-	1	1	1	1	1	12	8	14	13	11	13	10	4	4	1	1	-	-	-
	F..	35	-	-	-	-	1	-	1	1	-	-	1	3	2	1	4	5	8	2	-	4	1	1	-	-	-	-
53	Acute rheumatic fever.....	79	1	1	-	2	1	8	7	12	4	7	4	6	5	4	7	3	1	3	-	1	-	2	-	-	-	-
	White.....M..	34	1	1	-	-	-	1	4	4	1	5	1	1	5	2	4	2	-	1	-	-	-	1	-	-	-	-
	F..	39	-	-	-	2	1	5	3	8	3	1	3	4	-	2	2	-	1	2	-	1	-	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,378	-	-	1	2	-	6	15	13	19	24	13	36	61	88	157	254	359	435	336	294	142	43	15	3	-	2
	White.....M..	804	-	-	-	-	-	2	4	4	7	10	5	16	25	27	65	84	100	160	133	98	46	17	3	-	-	-
	F..	1,452	-	-	1	2	-	3	9	8	12	10	5	13	24	45	91	157	251	266	234	189	93	25	11	2	-	1
	Nonwhite..M..	54	-	-	-	-	-	-	-	1	-	1	2	1	2	5	4	3	2	5	4	1	2	-	-	-	-	1
	F..	88	-	-	-	-	-	1	2	-	-	3	1	6	10	11	9	10	6	4	15	6	3	1	1	1	-	-
63b	Exophthalmic goiter.....	285	-	-	-	-	-	1	1	2	1	4	7	8	13	20	27	43	44	47	35	23	6	3	-	-	-	-
	White.....M..	31	-	-	-	-	-	-	-	-	-	-	1	1	2	3	2	5	9	4	3	1	-	-	-	-	-	-	-
	F..	239	-	-	-	-	-	1	1	2	1	4	4	6	10	14	20	35	35	43	32	22	6	3	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	-	-	2	1	1	3	5	2	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	-	4	-	-	-	-	-
	White.....M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	2	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	66	-	-	-	-	-	1	-	-	-	3	7	7	6	7	15	7	4	7	2	-	-	-	-	-	-	-
	White.....M..	46	-	-	-	-	-	1	-	-	-	1	-	5	4	5	10	7	4	7	2	-	-	-	-	-	-	-
	F..	15	-	-	-	-	-	-	-	-	-	2	5	1	2	1	4	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	8,362	20	5	5	1	2	3	1	8	9	25	31	71	131	247	405	562	853	1,153	1,438	1,428	1161	598	169	28	3	5
	White.....M..	3,900	9	2	4	1	2	1	1	2	2	10	17	28	43	84	174	263	454	561	709	697	529	256	57	11	1	2
	F..	3,976	8	3	1	-	-	2	-	4	4	12	12	24	53	115	166	250	361	523	682	690	609	331	107	17	1	3
	Nonwhite..M..	243	2	-	-	-	-	-	-	2	3	2	-	5	17	23	35	22	26	38	28	23	9	3	4	-	1	-
	F..	243	1	-	-	-	-	-	-	-	-	1	2	14	18	27	30	27	32	31	19	18	14	8	1	-	-	-
90-95	Diseases of the heart.....	24,749	7	2	5	5	6	24	50	68	74	136	207	350	592	1,035	1,580	2,057	2,684	3,258	3,776	3,597	2,982	1,606	525	96	15	14
	White.....M..	13,629	4	1	3	-	2	13	17	31	28	73	100	172	325	649	1,017	1,328	1,674	1,919	2,043	1,874	1,408	716	192	34	4	4
	F..	8,809	3	1	1	3	2	9	25	30	34	51	80	130	162	243	395	581	860	1,210	1,603	1,623	1,505	857	313	56	6	6
	Nonwhite..M..	690	-	-	-	-	1	1	4	-	5	5	7	18	52	74	103	75	82	74	72	54	34	17	7	3	-	2
	F..	621	-	-	1	2	1	1	4	7	7	7	20	30	55	69	65	73	48	55	58	46	35	16	15	3	3	2
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	1,713	-	-	1	1	1	16	31	30	28	44	62	76	95	100	108	139	164	169	198	185	122	72	24	6	1	-
	White.....M..	766	-	-	1	-	-	7	9	15	13	23	32	27	34	46	51	62	85	89	97	79	61	29	5	2	-	-
	F..	799	-	-	-	-	-	7	18	13	13	18	28	43	45	38	46	58	65	72	85	96	94	42	16	2	-	-
	Nonwhite..M..	67	-	-	-	-	1	1	2	-	1	2	1	2	6	9	6	8	7	4	8	2	4	1	1	1	-	-
	F..	81	-	-	-	1	-	1	2	2	1	1	1	4	10	7	5	11	7	4	8	8	3	1	2	1	1	-
94	Diseases of coronary arteries, angina pectoris	7,619	4	-	1	-	1	1	1	6	7	24	50	142	272	467	756	858	1,025	1,185	1,080	853	532	264	73	12	-	5
	White.....M..	5,070	3	-	1	-	1	1	-	2	4	14	25	87	198	357	581	649	724	782	664	515	289	135	30	4	-	1
	F..	2,273	1	-	-	-	-	1	1	3	3	7	15	37	37	75	121	175	282	382	399	326	233	124	40	8	-	3
	Nonwhite..M..	166	-	-	-	-	-	-	-	-	-	1	2	12	23	23	36	22	14	10	8	6	6	3	-	-	-	-
	F..	110	-	-	-	-	-	-	-	1	-	2	4	6	14	12	18	12	5	11	9	6	4	2	3	-	-	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	15,417	3	2	3	4	4	7	18	32	39	68	95	132	225	468	716	1,060	1,495	1,904	2,498	2,559	2,288	1,270	428	78	12	9
	White.....M..	7,793	1	1	1	-	1	6	8	14	11	36	39	58	91	246	385	617	865	1,048	1,282	1,280	1,058	553	157	28	4	3
	F..	6,737	2	1	1	3	2	1	6	14	18	26	37	50	80	130	228	348	533	756	1,119	1,201	1,178	691	257	46	6	3
	Nonwhite..M..	457	-	-	-	-	-	-	2	-	4	2	4	4	23	42	61	45	61	60	56	46	24	13	6	2	-	2
	F..	430	-	-	1	1	1	-	2	4	6	4	15	20	31	50	42	50	36	40	41	32	28	13	8	2	2	1
107-109, 33	Pneumonia (all forms) and influenza.....	4,988	901	157	49	28	20	51	30	49	47	64	99	101	146	204	272	281	289	361	428	472	488	311	113	21	4	2
	White.....M..	2,499	467	79	24	14	8	22	14	25	21	24	45	42	71	95	154	184	178	205	211	228	205	134	37	8	3	1
	F..	2,040	346	64	20	9	9	22	14	18	19	31	35	31	35	75	76	75	85	130	191	229	266	173	74	13	-	-
	Nonwhite..M..	272	54	10	4	4	3	4	2	3	3	3	12	13	22	25	29	16	22	11	15	8	6	2	1	-	-	-
	F..	177	34	4	1	1	-	3	-	3	4	6	7	15	18	9	15	6	4	15	11	7	11	2	1	-	1	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																										
107	Bronchopneumonia.	2,055	552	90	23	16	6	25	9	16	13	19	24	27	42	55	70	73	106	122	182	175	205	142	62	11	2	2
	White.....M..	991	271	42	9	8	4	12	4	10	6	8	11	10	18	24	41	48	66	61	77	83	81	59	23	3	1	1
	F..	888	215	39	11	6	1	9	5	4	6	10	8	11	12	19	19	20	32	54	76	87	116	81	38	8	-	-
	Nonwhite..M..	108	44	6	2	2	1	1	-	2	-	-	3	4	4	9	6	4	5	2	4	3	3	2	1	-	-	-
	F..	78	28	3	1	-	-	3	-	-	1	1	2	2	8	3	4	1	2	5	5	2	5	-	-	-	1	1
108	Lobar pneumonia..	1,553	154	22	11	5	7	14	7	17	19	22	37	50	63	99	128	136	109	142	160	145	120	69	14	3	-	-
	White.....M..	858	83	9	7	2	1	3	2	11	9	9	17	20	33	51	77	87	65	85	89	81	55	34	4	1	-	-
	F..	606	61	11	2	1	5	9	4	3	7	10	12	12	8	31	26	37	30	42	57	56	61	34	9	2	-	-
	Nonwhite..M..	118	6	1	2	2	1	2	1	1	1	1	6	7	14	13	18	9	11	8	10	3	1	-	-	-	-	-
	F..	69	4	1	-	-	-	-	-	2	2	2	4	11	8	4	5	3	2	7	4	5	3	1	1	-	-	-
109	Pneumonia (unspecified).....	217	61	9	4	-	1	1	3	3	5	6	9	7	6	7	9	12	10	14	10	18	13	7	2	-	-	-
	White.....M..	124	37	5	2	-	1	1	2	1	3	1	7	3	3	5	6	9	8	11	6	8	5	1	-	-	-	-
	F..	78	21	4	-	-	-	-	-	2	2	2	2	2	3	2	2	1	2	2	3	10	8	5	2	-	-	-
	Nonwhite..M..	9	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	1	1	-	-	-	-	-	-
	F..	6	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-
38	Influenza.....	1,166	142	30	11	7	6	11	11	13	10	17	27	17	35	43	67	80	84	84	90	134	150	93	35	7	2	-
	White.....M..	558	75	23	6	4	2	6	5	3	3	6	10	9	17	15	30	40	37	42	39	54	64	40	10	4	2	-
	F..	544	49	10	5	2	3	4	5	9	4	9	13	6	12	23	29	17	20	32	55	75	81	53	23	3	-	-
	Nonwhite..M..	37	3	3	-	-	1	1	-	-	2	-	3	1	4	3	5	1	6	1	-	1	2	-	-	-	-	-
	F..	24	1	-	-	1	-	-	-	1	1	2	1	1	2	2	3	2	-	2	2	-	3	-	-	-	-	-
117	Ulcer of stomach or duodenum....	518	1	1	-	-	-	1	-	1	2	9	13	31	31	47	80	67	76	81	54	35	18	6	2	1	-	1
	White.....M..	345	-	1	-	-	-	-	-	1	1	5	9	22	17	36	45	54	60	48	41	20	14	4	1	-	-	-
	F..	100	1	-	-	-	-	1	-	-	-	3	2	5	8	7	10	9	9	11	12	14	4	2	1	1	-	-
	Nonwhite..M..	27	-	-	-	-	-	-	-	-	1	1	2	3	5	3	5	3	-	2	1	1	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	1
119,120	Diarrhea, enteritis, etc.*	647	442	40	11	7	4	10	10	1	9	7	5	4	7	6	7	9	7	12	8	17	11	7	3	1	1	-
	White.....M..	312	220	14	6	2	3	4	5	-	3	5	1	2	5	2	3	4	4	7	4	8	6	3	-	1	-	-
	F..	277	181	22	3	5	1	5	3	1	6	1	2	2	1	3	3	5	4	5	4	8	5	4	3	-	-	-
	Nonwhite..M..	54	25	1	1	-	-	-	2	-	-	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	24	16	3	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-
121	Appendicitis.....	390	-	5	10	5	4	20	26	31	17	19	15	22	29	26	24	29	32	22	20	15	10	3	-	-	-	-
	White.....M..	222	-	3	5	2	2	7	14	17	7	10	8	16	21	14	16	20	17	16	11	10	4	2	-	-	-	-
	F..	145	-	2	4	2	2	9	12	12	10	9	5	4	5	9	6	9	13	11	9	5	6	1	-	-	-	-
	Nonwhite..M..	15	-	-	1	-	-	2	-	2	-	-	2	2	2	2	1	-	1	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	1	-	2	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	695	30	12	2	-	-	8	3	10	6	13	11	19	26	39	45	79	65	80	73	65	57	36	12	3	-	-
	White.....M..	327	15	5	2	-	-	3	1	6	1	3	3	8	9	17	24	41	24	46	35	27	31	18	6	2	-	-
	F..	332	14	6	-	-	-	4	2	4	4	8	6	7	13	20	18	32	37	31	37	38	26	18	6	1	-	-
	Nonwhite..M..	22	-	1	-	-	-	1	-	-	1	-	-	2	3	1	3	3	4	2	1	-	-	-	-	-	-	-
	F..	14	1	-	-	-	-	-	-	-	-	2	2	2	1	1	-	3	-	2	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	703	-	-	1	-	1	1	1	-	3	5	15	28	36	51	105	90	83	100	77	61	32	12	1	-	-	-
	White.....M..	443	-	-	1	-	1	-	1	-	2	11	17	18	27	73	55	60	65	56	35	17	4	-	-	-	-	-
	F..	220	-	-	-	-	-	1	-	-	2	2	4	8	13	18	30	28	21	31	18	22	13	8	1	-	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	4	2	3	2	1	1	-	-	-	-	-
	F..	21	-	-	-	-	-	-	-	-	1	1	-	3	3	3	1	3	-	1	1	3	1	-	-	-	-	-
126,127	Biliary calculi, etc.*	443	-	-	-	-	-	-	3	-	2	3	12	18	22	34	47	55	60	64	50	37	18	14	3	-	-	1
	White.....M..	128	-	-	-	-	-	-	2	-	1	1	3	4	3	11	13	15	28	17	13	8	2	7	-	-	-	-
	F..	306	-	-	-	-	-	-	1	-	1	2	8	13	19	21	32	38	32	47	36	29	16	7	3	-	-	1
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis.....	5,401	2	2	5	4	3	14	11	16	24	32	57	95	139	217	311	371	497	673	806	830	707	416	133	26	6	3
	White.....M..	2,701	-	-	4	3	2	7	2	7	9	15	24	31	64	91	151	208	265	321	435	435	349	206	60	9	2	1
	F..	2,302	2	2	1	-	1	6	9	8	11	12	22	43	46	85	110	125	202	297	329	367	336	201	67	16	3	1
	Nonwhite..M..	177	-	-	-	1	-	-	-	-	2	2	3	7	9	16	22	19	15	22	27	17	12	2	1	-	-	-
	F..	221	-	-	-	-	-	1	-	1	2	3	9	14	20	25	28	19	15	33	15	11	10	7	5	1	1	1
137	Diseases of the prostate.....	474	-	-	-	-	-	-	-	-	-	-	1	-	1	3	6	14	34	68	100	120	73	38	13	3	-	-
	White.....M..	458	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	14	32	66	99	117	70	36	13	3	-	-
	Nonwhite..M..	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	1	3	3	2	-	-	-	-
140-150	Diseases of pregnancy, etc.* ..	324	-	-	-	-	-	-	1	27	73	85	73	44	19	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	300	-	-	-	-	-	-	-	23	66	78	73	40	18	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	24	-	-	-	-	-	-	1	4	7	7	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	132	-	-	-	-	-	-	-	15	32	39	30	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	124	-	-	-	-	-	-	-	13	28	38	30	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	8	-	-	-	-	-	-	-	2	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	66	-	-	-	-	-	-	1	6	14	14	15	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	63	-	-	-	-	-	-	-	6	13	13	15	10	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	126	-	-	-	-	-	-	-	6	27	32	28	25	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	113	-	-	-	-	-	-	-	4	25	27	28	22	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	13	-	-	-	-	-	-	-	2	2	5	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	864	743	31	14	3	5	19	9	11	6	2	5	6	1	3	1	2	1	-	1	1	-	-	-	-	-	-
	White.....M..	475	419	14	5	1	2	11	5	4	5	1	3	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-
	F..	350	294	10	8	1	2	6	3	7	1	1	-	6	-	1	-	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	19	14	-	1	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	20	16	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OHIO—Continued																										
159	Premature birth..	1,749	1,749	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	912	912	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	686	686	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	86	86	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	65	65	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	805	-	-	-	-	-	-	5	25	31	43	59	62	71	87	82	80	76	76	46	33	21	7	-	-	1
	White.....M..	582	-	-	-	-	-	-	2	16	23	22	37	47	50	58	63	62	57	57	37	27	16	7	-	-	1
	F..	206	-	-	-	-	-	-	3	5	8	21	21	12	19	27	18	17	19	19	9	4	5	-	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	3	-	-	-	-	2	1	1	1	1	-	1	-	2	-	-	-	-	-
	F..	5	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	304	4	2	4	1	1	6	4	20	29	33	38	31	35	30	28	7	9	7	11	1	-	1	-	-	2
	White.....M..	125	1	1	-	-	1	1	2	10	7	9	12	16	10	13	14	6	5	6	9	1	-	-	-	-	1
	F..	37	3	-	3	-	-	4	1	4	4	2	4	2	2	-	3	-	4	-	1	-	-	-	-	-	-
	Nonwhite..M..	111	-	-	1	-	-	-	1	4	13	16	17	10	19	16	10	1	-	1	1	-	-	-	-	-	1
	F..	31	-	1	-	1	-	1	-	2	5	6	5	3	4	1	1	-	-	-	-	-	1	-	-	-	-
169-195	Accidental deaths	5,421	162	69	48	50	52	179	156	265	295	247	222	207	231	277	295	273	339	327	373	441	471	294	111	22	4	14
	White.....M..	3,328	88	38	23	29	34	106	107	205	237	192	169	155	176	199	209	207	246	193	188	202	179	113	39	5	2	12
	F..	1,932	62	26	24	20	15	58	37	51	41	39	33	36	41	59	54	51	82	117	175	230	220	180	91	17	1	2
	Nonwhite..M..	194	6	2	-	1	1	9	8	9	10	12	15	14	21	16	17	14	7	12	11	4	1	1	-	2	1	-
	F..	67	6	3	1	1	2	6	4	-	7	4	5	2	-	3	5	1	4	5	1	5	1	-	1	-	-	-
170-o	Motor-vehicle accidents.....	1,385	3	5	14	11	17	65	47	125	114	91	92	72	82	90	90	84	121	91	79	48	32	9	2	-	-	1
	White.....M..	1,013	3	3	9	7	13	38	31	93	88	67	72	51	60	66	62	62	89	67	60	37	26	7	2	-	-	1
	F..	309	-	2	6	4	3	22	14	30	13	19	12	19	18	20	22	17	29	20	15	10	6	2	-	-	-	-
	Nonwhite..M..	51	-	-	-	-	1	4	1	2	3	4	7	2	4	3	5	5	1	4	4	1	-	-	-	-	-	-
	F..	12	-	-	-	-	-	1	1	-	4	1	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	4,036	159	64	34	39	35	114	109	140	181	156	130	135	156	187	195	189	218	236	294	393	439	285	109	22	4	13
	White.....M..	2,315	85	35	15	21	21	68	76	112	149	125	97	104	113	133	147	145	157	126	126	165	153	106	17	3	2	11
	F..	1,523	62	24	18	16	12	36	23	21	22	20	21	17	23	39	32	34	53	97	160	220	264	178	91	17	1	2
	Nonwhite..M..	143	6	2	-	1	-	5	7	7	7	8	8	12	17	13	12	9	6	8	7	3	1	1	-	2	1	-
	F..	55	6	3	1	1	2	5	3	-	3	3	4	2	-	2	4	1	2	5	1	5	1	-	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	1,119	80	6	1	3	2	8	3	3	5	6	7	7	15	32	34	42	46	65	102	137	196	185	99	29	5	1
	White.....M..	530	40	4	1	1	1	2	2	1	1	5	6	3	7	20	22	29	29	27	58	75	73	77	37	8	1	-
	F..	497	27	2	-	2	1	5	1	1	1	1	-	2	3	8	8	8	13	31	33	56	113	99	57	21	3	1
	Nonwhite..M..	56	11	-	-	-	-	1	-	-	3	-	1	1	4	2	1	4	1	4	8	2	6	2	4	-	1	-
	F..	36	2	-	-	-	-	-	-	1	-	-	-	1	1	2	3	1	3	3	3	4	4	7	1	-	-	-
	All other causes.	7,647	1,290	82	53	43	34	111	88	110	123	154	168	203	253	358	413	403	481	537	675	739	655	436	186	43	3	6
	White.....M..	3,852	701	42	31	24	17	47	56	51	61	66	74	74	100	165	197	227	268	283	349	381	309	215	77	13	1	3
	F..	3,349	494	29	21	17	14	55	27	46	51	72	71	95	112	160	180	142	198	232	305	344	334	215	102	29	2	2
	Nonwhite..M..	252	62	7	-	1	2	3	1	7	5	4	10	14	17	15	24	26	8	9	12	9	6	3	2	1	-	1
	F..	214	33	4	1	1	1	6	4	6	6	12	13	20	24	15	12	8	7	13	9	5	6	3	5	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA																										
	All causes.....	20,271	2,068	220	117	90	44	216	224	379	536	427	435	574	649	767	1,073	1,270	1,540	2,015	2,416	2,037	1,676	977	376	91	24	10
	White.....M..	10,473	981	95	52	39	21	88	110	177	292	190	178	267	291	401	573	689	871	1,094	1,300	1,123	916	495	186	32	4	8
	F..	7,114	754	81	40	33	15	93	79	101	138	135	164	184	232	245	310	407	490	686	873	760	659	420	161	47	6	1
	Nonwhite..M..	1,432	171	22	18	9	6	21	19	48	48	42	41	60	60	69	101	90	104	126	164	94	59	37	12	5	5	1
	F..	1,252	162	22	7	9	2	14	16	53	58	60	52	63	66	72	89	84	75	109	79	60	42	25	17	7	9	-
1,2	Typhoid and paratyphoid fever..	24	-	2	1	-	-	1	-	4	2	2	4	1	1	-	2	-	1	3	-	-	-	-	-	-	-	-
	White.....M..	10	-	-	-	-	-	1	-	3	-	-	1	-	-	-	2	-	-	3	-	-	-	-	-	-	-	-
	F..	5	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	4	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	33	2	1	2	1	2	4	1	2	5	5	1	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-
	White.....M..	15	1	1	-	-	-	-	1	1	3	3	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	14	1	-	2	1	1	4	-	-	2	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	5	-	-	1	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	69	69	10	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	27	26	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	48	34	7	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	8	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	6	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	30	3	9	7	1	3	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	12	1	4	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	16	2	4	4	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)....	932	5	6	4	4	1	5	10	72	85	82	79	90	83	76	65	70	58	50	52	23	8	5	1	-	-	-
	White.....M..	385	1	3	1	-	-	2	3	8	14	20	23	38	40	48	46	41	37	26	25	9	1	1	-	-	-	-
	F..	228	1	1	2	2	-	-	1	10	23	24	29	22	17	12	7	16	13	13	19	11	3	2	-	-	-	-
	Nonwhite..M..	167	2	1	1	1	1	1	3	25	21	12	17	18	12	9	7	9	5	7	8	3	2	1	1	-	-	-
	F..	152	1	1	-	1	-	2	3	29	27	26	10	14	14	7	5	4	3	4	-	-	-	1	-	-	-	-
13	Tuberculosis of respiratory system, etc.*.	869	1	4	2	4	-	3	8	67	81	79	78	86	79	71	60	67	54	45	49	20	6	5	-	-	-	-
	White.....M..	359	-	1	-	-	-	1	3	6	13	20	23	34	39	46	44	39	35	23	23	7	1	1	-	-	-	-
	F..	218	1	1	1	2	-	-	1	10	22	24	28	22	16	11	6	16	12	12	18	10	3	2	-	-	-	-
	Nonwhite..M..	148	-	1	1	1	-	1	1	22	19	10	17	16	11	9	6	8	5	6	8	3	2	1	-	-	-	-
	F..	144	-	1	-	1	-	1	3	29	27	25	10	14	13	5	4	4	2	4	-	-	-	1	-	-	-	-
14-22	Tuberculosis (other forms)..	65	4	2	2	-	1	2	2	5	4	3	1	4	4	5	5	3	4	5	3	3	-	-	1	-	-	-
	White.....M..	26	1	2	1	-	-	1	-	2	1	-	-	2	1	2	2	2	2	3	2	2	-	-	-	-	-	-
	F..	10	-	-	1	-	-	-	-	-	1	-	1	-	1	1	1	-	1	1	1	1	-	-	-	-	-	-
	Nonwhite..M..	19	2	-	-	-	1	-	2	3	2	2	-	2	1	-	1	1	-	1	-	-	-	-	1	-	-	-
	F..	8	1	-	-	-	-	1	-	-	-	1	-	-	1	2	1	-	1	-	-	-	-	-	-	-	-	-
27	Dysentery.....	58	32	5	5	2	-	-	1	-	-	-	-	-	-	1	-	-	-	1	2	2	3	3	1	-	-	-
	White.....M..	24	14	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	-	-	-	-
	F..	21	10	3	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	1	1	-	1	1	-	-	-
	Nonwhite..M..	9	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	31	3	-	2	2	-	4	1	1	-	-	2	1	-	1	-	2	2	2	5	2	1	-	-	-	-	-
	White.....M..	13	1	-	2	1	-	-	1	-	-	-	1	-	-	1	-	-	1	-	3	2	-	-	-	-	-	-
	F..	8	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	1	-	1	2	-	1	-	-	-	-	-
	Nonwhite..M..	4	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-
30	Syphilis.....	235	13	2	-	1	-	1	1	4	8	3	10	18	13	17	30	23	40	21	14	10	6	-	-	-	-	-
	White.....M..	128	3	1	-	-	-	1	-	1	3	1	3	11	6	8	19	11	27	14	7	7	5	-	-	-	-	-
	F..	37	1	-	-	1	-	-	-	1	2	1	2	3	1	4	6	6	4	3	-	1	1	-	-	-	-	-
	Nonwhite..M..	40	4	1	-	-	-	-	-	1	2	-	2	3	2	4	3	3	6	2	6	1	-	-	-	-	-	-
	F..	30	5	-	-	-	-	-	1	1	1	1	3	1	4	1	2	3	3	2	1	1	-	-	-	-	-	-
35	Measles.....	4	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	34	7	2	1	3	-	7	6	1	1	1	2	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	24	5	2	1	2	-	5	4	1	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	F..	10	2	-	-	1	-	2	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	2,020	-	3	4	3	2	7	8	4	18	22	34	72	97	117	176	210	233	271	296	226	128	65	24	1	1	-
	White.....M..	898	-	2	1	-	-	2	3	3	5	13	5	16	25	37	54	87	113	118	159	133	71	35	16	-	-	-
	F..	965	-	1	2	2	2	3	4	1	13	9	25	45	64	69	99	104	107	137	116	78	49	28	6	1	-	-
	Nonwhite..M..	53	-	-	1	-	-	1	1	-	-	-	-	2	1	2	5	6	5	7	11	7	3	1	-	-	-	-
	F..	104	-	-	-	1	-	1	-	-	-	-	4	9	7	9	18	13	8	9	10	8	3	1	2	-	1	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																										
46	Cancer of digestive organs, peritoneum.....	858	-	-	-	-	-	3	1	1	2	7	6	14	31	41	48	74	105	145	162	117	68	21	11	1	-	-
	White.....M..	445	-	-	-	-	-	1	-	-	1	4	-	6	17	18	20	43	62	64	91	63	37	10	8	-	-	-
	F..	349	-	-	-	-	-	-	1	1	1	3	6	5	11	18	20	25	36	75	61	43	29	11	2	1	-	-
	Nonwhite..M..	31	-	-	-	-	-	1	-	-	-	-	-	2	1	2	4	2	4	3	5	6	1	-	-	-	-	-
	F..	33	-	-	-	-	-	1	-	-	-	-	-	1	2	3	4	4	3	3	5	5	1	-	1	-	-	-
48,49	Cancer of female genital organs.	308	-	-	-	-	-	1	-	-	5	3	11	31	34	30	40	42	37	28	24	15	3	3	1	-	-	-
	White....F..	272	-	-	-	-	-	1	-	-	5	3	8	28	31	25	37	39	34	24	21	12	3	2	1	-	-	-
	Nonwhite..F..	36	-	-	-	-	-	-	-	-	-	-	3	3	3	5	3	3	3	4	3	3	-	1	-	-	-	-
50	Cancer of breast.	151	-	1	-	-	-	-	-	-	1	1	4	8	12	8	25	29	17	16	16	10	1	2	-	-	-	-
	White.....M..	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	136	-	-	-	-	-	-	-	-	1	1	4	8	11	8	18	25	16	16	15	10	1	2	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	13	-	-	-	-	-	-	-	-	-	-	-	-	1	-	6	4	1	-	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	703	-	2	4	3	2	3	7	3	10	11	13	19	20	38	63	65	74	82	94	84	54	39	12	-	1	-
	White.....M..	451	-	1	1	-	-	1	3	3	4	9	5	10	8	19	33	44	51	54	68	70	34	25	8	-	-	-
	F..	208	-	1	2	2	2	2	3	-	6	2	7	6	11	18	24	15	21	22	19	13	16	13	3	-	-	-
	Nonwhite..M..	22	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	4	1	4	6	1	2	1	-	-	-	-
	F..	22	-	-	-	1	-	-	-	-	-	-	1	3	1	1	5	2	1	2	1	-	2	-	1	-	1	-
58	Acute rheumatic fever.....	19	-	-	-	-	-	2	3	2	1	-	-	1	1	1	1	1	-	-	1	2	-	2	1	-	-	-
	White.....M..	7	-	-	-	-	-	1	3	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
61	Diabetes mellitus	399	1	-	-	-	-	1	1	12	10	7	5	6	12	15	23	38	48	68	66	41	31	10	2	1	1	-
	White.....M..	168	1	-	-	-	-	1	-	4	3	1	2	1	4	7	8	15	18	30	32	21	14	5	1	-	-	-
	F..	198	-	-	-	-	-	-	1	7	5	4	2	5	6	5	9	20	25	34	32	19	16	5	1	1	1	-
	Nonwhite..M..	17	-	-	-	-	-	-	-	-	1	2	-	-	1	2	2	2	3	2	1	1	-	-	-	-	-	-
	F..	16	-	-	-	-	-	-	-	1	1	-	1	-	1	1	4	1	2	2	1	-	1	-	-	-	-	-
63b	Exophthalmic goiter.....	27	-	-	-	-	-	1	-	-	-	1	2	3	1	4	3	3	3	2	3	-	1	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	F..	22	-	-	-	-	-	1	-	-	-	1	1	3	1	3	2	3	2	1	3	-	1	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	54	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	7	4	9	9	9	9	2	-	-	-	-
	White.....M..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	2	2	2	-	-	-	-
	F..	30	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	3	5	7	5	5	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	2	-	-	-	-	-
77	Alcoholism (ethylism).....	18	-	-	-	-	-	-	-	-	-	-	1	6	2	4	1	2	-	-	-	2	-	-	-	-	-	-
	White.....M..	17	-	-	-	-	-	-	-	-	-	-	1	6	2	4	-	2	-	-	-	2	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin...	2,047	5	-	-	-	-	1	2	2	5	6	7	24	27	52	101	144	187	306	374	332	275	142	41	10	4	-
	White.....M..	1,023	-	-	-	-	-	1	1	1	1	2	4	11	6	18	39	69	94	160	206	179	143	69	17	2	-	-
	F..	804	4	-	-	-	-	-	1	-	3	3	1	8	13	18	40	57	72	109	142	131	117	61	21	5	-	-
	Nonwhite..M..	109	-	-	-	-	-	-	-	1	1	-	-	3	1	8	11	8	12	18	17	10	11	6	-	1	1	-
	F..	111	1	-	-	-	-	-	-	-	-	1	2	2	7	10	11	10	9	19	9	12	4	6	3	2	3	-
90-95	Diseases of the heart.....	4,394	5	3	-	3	1	8	19	23	33	28	50	59	111	193	263	377	438	606	790	601	455	239	72	15	2	-
	White.....M..	2,582	4	2	-	2	1	2	6	12	15	9	18	35	62	126	194	243	275	381	429	332	261	130	35	8	-	-
	F..	1,413	-	1	-	1	-	5	10	8	11	10	24	13	30	40	37	82	121	171	293	238	178	103	30	6	1	-
	Nonwhite..M..	223	1	-	-	-	-	1	1	1	2	3	2	3	10	11	22	29	20	32	44	21	13	4	3	-	-	-
	F..	176	-	-	-	-	-	-	2	2	5	6	6	8	9	16	10	23	22	22	24	10	3	2	4	1	1	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	330	-	1	-	1	-	1	11	9	12	6	11	12	15	11	11	24	29	35	56	37	30	17	1	-	-	-
	White.....M..	157	-	1	-	1	-	-	4	6	7	2	3	5	6	7	3	12	10	17	27	22	18	5	1	-	-	-
	F..	116	-	-	-	-	-	1	5	2	2	1	6	5	6	1	4	8	12	10	22	11	8	12	-	-	-	-
	Nonwhite..M..	28	-	-	-	-	-	-	1	1	-	1	-	-	2	-	4	1	4	5	4	2	3	-	-	-	-	-
	F..	29	-	-	-	-	-	-	1	-	3	2	2	2	1	3	-	3	3	3	3	2	1	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,459	2	-	-	-	-	-	-	2	5	7	11	21	43	82	121	163	195	222	249	167	115	37	16	1	-	-
	White.....M..	1,021	2	-	-	-	-	-	-	-	2	3	7	16	32	62	109	128	141	151	161	105	70	23	9	-	-	-
	F..	371	-	-	-	-	-	-	-	2	1	2	2	2	8	11	8	27	48	64	79	55	42	14	5	1	-	-
	Nonwhite..M..	48	-	-	-	-	-	-	-	-	1	1	1	1	2	5	2	6	4	6	8	7	3	-	1	-	-	-
	F..	19	-	-	-	-	-	-	-	-	1	1	1	2	1	4	2	2	2	1	1	-	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	2,605	3	2	-	2	1	7	8	12	18	15	28	26	53	100	131	190	214	349	485	397	310	185	55	14	2	-
	White.....M..	1,404	2	1	-	1	1	2	2	6	6	4	8	14	24	57	82	103	124	213	241	205	173	102	25	8	-	-
	F..	926	-	1	-	1	-	4	5	4	8	7	16	6	16	28	25	47	61	97	192	172	128	77	25	5	1	-
	Nonwhite..M..	147	1	-	-	-	-	1	-	-	1	1	1	2	6	6	16	22	12	21	32	12	7	4	2	-	-	-
	F..	128	-	-	-	-	-	-	1	2	1	3	3	4	7	9	8	18	17	18	20	8	2	2	3	1	1	-
107-109, 33	Pneumonia (all forms) and influenza.....	1,344	339	66	27	9	6	14	13	19	17	14	17	27	25	31	51	42	65	110	106	114	111	72	37	11	1	-
	White.....M..	598	124	30	11	5	1	4	5	10	9	9	11	9	9	13	21	22	28	52	54	54	53	38	21	4	1	-
	F..	483	119	21	9	3	2	8	5	5	3	2	1	13	7	12	16	12	20	38	38	48	49	32	15	5	-	-
	Nonwhite..M..	147	49	5	4	1	1	1	2	3	2	2	1	3	9	5	9	5	9	10	11	6	6	2	-	1	-	-
	F..	116	47	10	3	-	2	1	1	1	3	1	4	2	-	1	5	3	8	10	3	6	3	-	1	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																										
107	Bronchopneumonia.	367	155	20	10	5	1	4	2	4	8	2	5	4	5	2	6	5	11	13	19	30	24	23	6	3	-	-
	White.....M..	155	56	10	4	2	-	1	1	2	4	2	4	1	1	2	3	3	5	6	8	13	11	13	2	1	-	-
	F..	138	57	7	4	2	-	1	-	2	2	-	-	1	2	-	1	2	4	6	8	14	10	9	4	2	-	-
	Nonwhite..M..	38	20	-	-	1	-	1	1	-	-	-	1	1	2	-	2	-	-	1	3	2	2	1	-	-	-	-
	F..	36	22	3	2	-	1	1	-	-	2	-	-	1	-	-	-	-	2	-	-	1	1	-	-	-	-	-
108	Lobar pneumonia..	300	49	10	7	1	-	3	2	7	3	4	2	7	8	13	14	17	15	37	35	28	23	11	4	-	-	-
	White.....M..	158	18	3	3	1	-	1	-	4	1	2	-	3	4	4	8	7	5	18	17	15	12	9	3	-	-	-
	F..	100	15	4	2	-	-	2	1	2	1	2	1	2	-	4	3	6	4	16	11	13	8	2	1	-	-	-
	Nonwhite..M..	41	8	1	1	-	-	-	1	1	1	-	-	2	4	4	3	2	4	1	5	-	3	-	-	-	-	-
	F..	21	8	2	1	-	-	-	-	-	-	-	1	-	-	1	-	2	2	2	2	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	365	94	22	7	2	4	4	6	3	2	5	4	7	4	9	12	14	17	35	27	30	26	21	7	5	-	-
	White.....M..	169	35	8	2	1	1	2	3	1	1	5	3	1	1	8	1	10	8	15	17	19	14	8	4	3	-	-
	F..	128	33	8	3	1	1	2	3	-	-	-	-	5	1	3	7	3	6	8	9	9	10	12	2	2	-	-
	Nonwhite..M..	37	12	4	2	-	1	-	-	2	1	-	-	-	2	-	2	-	3	4	1	1	1	1	-	-	-	-
	F..	31	14	2	-	-	1	-	-	-	-	-	1	1	-	-	2	1	-	6	-	1	1	-	1	-	-	-
33	Influenza.....	312	41	14	3	1	1	3	3	5	4	3	6	9	8	7	19	6	22	27	25	26	38	17	20	3	1	-
	White.....M..	136	15	9	2	1	-	-	1	3	3	-	4	4	3	1	9	2	10	13	12	7	16	8	12	-	1	-
	F..	117	14	2	-	-	1	3	1	1	-	-	-	5	4	5	5	1	6	8	10	12	21	9	8	1	-	-
	Nonwhite..M..	31	9	-	1	-	-	-	-	-	-	2	-	-	1	1	2	3	2	4	2	3	-	-	-	1	-	-
	F..	28	3	3	-	-	-	-	1	1	1	1	2	-	-	-	3	-	4	2	1	4	1	-	-	1	-	-
117	Ulcer of stomach or duodenum....	123	-	-	-	-	-	-	-	-	2	2	6	8	7	16	10	17	16	12	15	8	2	1	1	-	-	-
	White.....M..	100	-	-	-	-	-	-	-	-	2	2	6	8	7	12	8	11	11	11	11	8	2	1	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	1	2	-	-	1	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	1	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*....	223	125	19	8	4	1	6	1	2	-	1	-	2	3	3	6	2	2	4	10	7	11	2	3	1	-	-
	White.....M..	109	63	8	5	1	-	2	-	-	-	-	-	-	-	2	4	1	2	1	6	4	8	1	1	-	-	-
	F..	73	39	4	1	2	1	4	1	2	-	1	-	1	2	-	1	1	-	1	3	2	3	1	2	1	-	-
	Nonwhite..M..	20	10	3	2	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-
	F..	21	13	4	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-
121	Appendicitis.....	179	1	1	-	-	2	14	20	23	9	10	8	16	14	13	10	9	9	6	8	5	1	-	-	-	-	-
	White.....M..	109	-	1	-	-	2	8	11	15	5	7	6	11	10	6	5	6	5	3	6	2	-	-	-	-	-	-
	F..	52	-	-	-	-	-	4	9	5	4	3	2	4	1	4	2	3	4	2	1	3	1	-	-	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	2	-	-	-	-	2	3	2	-	-	-	1	-	-	-	-	-	-	-
	F..	8	1	-	-	-	-	2	-	1	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	176	8	2	2	2	2	3	-	8	2	6	7	7	8	11	13	9	17	13	14	16	15	9	2	-	-	-
	White.....M..	93	4	1	1	1	2	1	-	4	-	2	4	3	2	4	4	5	9	8	10	11	11	5	1	-	-	-
	F..	61	3	1	1	1	-	1	-	4	2	2	2	3	4	5	4	4	4	5	3	5	3	3	1	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	1	-	-	-	-	1	-	1	1	3	-	3	-	1	-	1	-	-	-	-	-
	F..	10	1	-	-	-	-	-	-	-	-	2	-	1	1	1	2	-	1	-	-	-	-	1	-	-	-	-
124	Cirrhosis of the liver.....	121	-	-	-	-	-	-	-	-	-	-	4	2	5	4	15	12	20	17	21	15	4	4	-	-	-	-
	White.....M..	69	-	-	-	-	-	-	-	-	-	-	3	2	3	3	9	7	13	8	10	7	2	2	-	-	-	-
	F..	33	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	5	5	5	6	5	1	2	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	1	2	3	1	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	100	-	-	-	-	-	-	-	-	2	4	1	3	6	7	9	12	13	18	6	12	4	3	-	-	-	-
	White.....M..	20	-	-	-	-	-	-	-	-	1	2	1	1	-	1	1	1	3	5	2	1	-	1	-	-	-	-
	F..	67	-	-	-	-	-	-	-	-	1	1	-	1	4	5	7	8	9	10	4	11	4	2	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	3	1	2	-	-	-	-	-	-	-	-
130-132	Nephritis.....	1,333	1	-	1	2	2	4	1	10	12	9	28	23	22	44	71	92	120	170	218	209	167	89	27	11	2	-
	White.....M..	638	1	-	-	-	2	1	1	3	4	2	8	5	8	13	27	43	68	72	110	108	94	47	15	5	1	-
	F..	449	-	-	1	2	-	1	-	7	7	5	11	8	7	17	18	29	25	65	71	71	64	29	9	4	-	-
	Nonwhite..M..	146	-	-	-	-	-	1	-	-	1	-	3	5	3	7	11	9	17	23	25	21	8	11	2	1	-	-
	F..	100	-	-	-	-	-	1	-	-	-	2	4	5	4	7	15	11	10	12	12	9	3	2	1	1	1	-
137	Diseases of the prostate.....	122	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	12	18	23	25	28	10	2	1	-	-
	White.....M..	113	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	10	16	22	25	25	9	2	1	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	3	1	-	-	-	-
140-150	Diseases of pregnancy, etc.*..	122	-	-	-	-	-	-	1	16	30	21	17	18	18	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	90	-	-	-	-	-	-	-	13	24	17	10	12	13	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..F..	32	-	-	-	-	-	-	1	3	6	4	7	6	5	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	35	-	-	-	-	-	-	-	4	12	4	3	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	26	-	-	-	-	-	-	-	3	11	3	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	9	-	-	-	-	-	-	-	1	1	1	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	37	-	-	-	-	-	-	1	7	7	8	6	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	29	-	-	-	-	-	-	-	6	5	7	5	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	8	-	-	-	-	-	-	1	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	50	-	-	-	-	-	-	-	5	11	9	8	8	8	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	35	-	-	-	-	-	-	-	4	8	7	4	5	6	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..F..	15	-	-	-	-	-	-	-	1	3	2	4	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	264	233	3	4	2	3	8	3	4	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	124	110	2	3	1	1	4	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	116	105	1	1	1	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	14	10	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	10	8	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OKLAHOMA—Con.																										
159	Premature birth..	668	668	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	348	348	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	266	266	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	29	29	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	27	27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	158	-	-	-	-	-	-	1	6	7	8	10	14	19	16	16	11	10	15	9	7	3	2	1	1	-
	White.....M..	118	-	-	-	-	-	-	-	5	4	1	5	9	17	12	12	8	9	14	9	7	3	2	1	-	-	-
	F..	30	-	-	-	-	-	-	-	1	3	4	5	4	1	4	3	3	-	1	-	-	-	-	-	1	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	3	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	108	-	-	-	-	-	1	2	6	13	18	7	21	8	7	7	8	4	2	3	-	-	-	-	-	1
	White.....M..	49	-	-	-	-	-	1	-	3	7	2	1	14	2	3	4	4	4	2	2	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	1	4	1	1	-	2	-	3	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	38	-	-	-	-	-	-	2	2	4	9	4	5	5	1	3	1	-	-	1	-	-	-	-	-	1
	F..	9	-	-	-	-	-	-	-	1	1	3	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,541	59	41	22	18	15	66	74	124	215	115	67	75	52	58	62	65	64	57	67	67	77	51	21	5	3	7
	White.....M..	1,028	30	19	11	2	8	30	45	88	193	90	52	58	40	44	43	48	56	32	36	40	44	23	8	3	-	7
	F..	354	19	20	8	11	4	23	19	25	11	13	8	6	9	5	9	9	19	15	23	26	30	26	12	2	2	-
	Nonwhite..M..	110	4	1	2	3	1	8	8	6	8	9	5	8	2	7	9	6	8	7	5	1	-	1	-	-	1	-
	F..	49	6	1	1	2	-	5	2	5	3	3	2	1	1	2	1	2	1	3	3	-	3	1	1	-	-	-
170	Motor-vehicle accidents.....	333	2	6	3	3	1	15	16	47	52	28	20	24	11	14	22	19	10	12	12	6	7	1	2	-	-	-
	White.....M..	234	2	-	1	2	-	10	9	33	40	18	14	19	9	12	15	15	6	8	9	6	5	1	-	-	-	-
	F..	67	-	6	2	1	1	5	6	11	5	6	3	2	2	-	4	3	3	1	2	-	2	-	2	-	-	-
	Nonwhite..M..	28	-	-	-	-	-	-	1	2	6	3	3	3	-	1	2	1	-	3	1	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,208	57	55	19	15	12	51	58	77	165	87	47	49	41	44	40	44	54	45	55	61	70	50	19	5	3	7
	White.....M..	794	28	19	10	-	8	20	36	55	153	72	38	39	31	32	28	31	30	24	27	34	39	22	8	3	-	7
	F..	287	19	14	6	10	3	18	13	14	6	7	5	4	7	5	5	6	16	14	21	26	28	28	10	2	2	-
	Nonwhite..M..	84	4	1	2	3	1	8	7	4	2	6	2	5	2	6	7	5	8	4	4	1	-	1	-	-	1	-
	F..	43	6	1	1	2	-	5	2	4	2	2	2	1	1	1	-	2	-	3	3	-	3	1	1	-	-	-
162, 198, 200	Senility, ill-defined and unknown causes.	1,087	64	10	4	6	-	4	4	8	5	5	8	12	9	18	36	32	49	63	123	125	193	164	113	24	10	-
	White.....M..	504	26	4	2	3	-	2	1	4	1	1	1	3	6	9	13	17	31	35	62	57	94	66	58	6	2	-
	F..	396	14	3	-	1	-	2	3	1	1	1	3	5	2	6	13	7	10	15	42	51	75	81	45	15	2	-
	Nonwhite..M..	101	13	2	2	-	-	-	-	-	2	1	1	4	1	1	5	3	5	7	15	11	11	9	5	2	3	-
	F..	86	11	1	-	2	-	-	-	3	1	2	1	-	-	2	5	5	3	8	6	6	13	8	5	1	3	-
	All other causes.	2,151	424	35	19	22	5	42	49	26	51	57	62	66	100	71	98	83	124	171	180	179	147	102	27	10	-	1
	White.....M..	1,102	219	15	8	18	3	18	24	11	21	23	20	27	39	26	55	45	75	101	96	110	80	56	10	3	-	1
	F..	789	134	13	6	3	1	23	19	8	19	26	33	27	45	31	33	28	42	57	65	54	58	42	16	6	-	-
	Nonwhite..M..	124	39	4	4	-	1	3	2	3	4	-	3	2	8	3	3	7	5	5	14	9	3	1	1	-	-	-
	F..	136	32	3	1	1	-	-	4	4	7	8	6	10	8	11	7	3	2	8	5	6	6	3	-	1	-	-

652780 O - 45 - 24

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON																										
	All causes	13,704	763	100	56	29	21	100	92	137	222	237	244	305	443	587	786	1,096	1,395	1,534	1,601	1,542	1331	740	247	61	3	32
	White	8,259	448	51	28	15	11	58	60	90	148	157	138	193	290	367	505	706	900	949	972	889	733	380	124	24	-	23
	White—M	5,233	297	43	24	14	10	42	30	41	69	70	96	100	148	203	268	377	476	564	613	643	585	354	119	36	3	8
	White—F	139	7	6	2	-	-	-	1	3	4	6	8	11	2	7	9	9	17	17	11	7	10	3	-	-	-	1
	Nonwhite	73	11	-	2	-	-	-	1	3	1	4	4	1	3	10	4	4	2	4	5	3	3	3	4	1	-	-
	Nonwhite—M																										
	Nonwhite—F																										
1,2	Typhoid and paratyphoid fever	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	White—M	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cerebrospinal (meningococcus) meningitis	49	10	5	3	3	-	5	-	3	1	4	-	2	-	2	3	4	2	1	-	-	-	1	-	-	-	-
	White—M	32	7	3	1	2	-	2	-	2	1	4	-	1	-	1	2	4	1	1	-	-	-	-	-	-	-	-
	White—F	17	3	2	2	1	-	3	-	1	-	-	-	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	8	-	1	-	1	-	1	-	2	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	1	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	4	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	17	11	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	12	6	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	13	-	-	-	1	1	3	2	-	-	1	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	1	1	2	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—F	5	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	271	2	6	2	2	1	2	2	4	17	24	22	17	23	25	25	27	24	14	16	8	2	3	-	-	-	3
	White—M	179	-	3	1	-	-	2	1	2	9	12	12	8	17	17	20	24	16	11	13	6	1	1	-	-	-	3
	White—F	71	2	2	-	2	1	-	1	1	7	8	8	6	5	5	4	3	6	3	3	2	-	2	-	-	-	-
	Nonwhite—M	11	-	1	1	-	-	-	-	1	-	1	1	3	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite—F	10	-	-	1	-	-	-	-	-	1	3	1	-	1	2	1	-	-	-	-	-	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	229	-	3	-	1	-	-	-	4	15	22	18	14	23	19	24	24	19	13	14	8	2	3	-	-	-	3
	White—M	157	-	1	-	-	-	-	-	2	8	11	12	7	17	11	19	21	14	11	12	6	1	1	-	-	-	3
	White—F	55	-	1	-	1	-	-	-	1	7	7	4	6	5	5	4	3	3	2	2	2	-	2	-	-	-	-
	Nonwhite—M	8	-	1	-	-	-	-	-	1	-	1	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite—F	9	-	-	-	-	-	-	-	-	-	3	1	-	1	2	1	-	-	-	-	-	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	42	2	3	2	1	1	2	2	-	2	2	4	3	-	6	1	3	5	1	2	-	-	-	-	-	-	-
	White—M	22	-	2	1	-	-	2	1	-	1	1	-	1	-	6	1	3	2	-	1	-	-	-	-	-	-	-
	White—F	16	2	1	-	1	1	-	1	-	-	1	4	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	8	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White—M	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White—F	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	119	1	-	-	-	-	-	-	-	-	1	1	5	10	6	18	16	27	11	13	6	1	1	-	-	-	2
	White—M	86	1	-	-	-	-	-	-	-	-	-	-	4	8	3	13	10	22	7	9	6	1	1	-	-	-	1
	White—F	28	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	5	5	3	4	-	-	-	-	-	-	1
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F	3	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles	31	8	11	4	-	-	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	6	4	3	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	15	1	7	1	-	-	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	20	-	-	-	-	1	2	4	1	4	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	1	2	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	10	-	-	-	-	1	1	2	1	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	1,677	-	-	1	-	3	6	2	6	3	14	20	27	64	90	140	199	238	253	211	192	127	65	14	-	1	1
	White—M	842	-	-	1	-	2	5	1	3	1	8	7	8	22	38	57	75	135	143	118	104	69	38	7	-	-	-
	White—F	812	-	-	-	-	1	1	1	3	2	6	12	17	41	50	81	120	100	106	90	88	58	28	7	-	1	1
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	4	3	3	1	-	-	1	-	-	-	-
	Nonwhite—F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	2	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Con.																										
46	Cancer of digestive organs, peritoneum	760	-	-	-	-	-	2	-	-	-	6	4	12	22	27	45	83	115	120	121	106	64	28	5	-	-
	White	433	-	-	-	-	-	1	-	-	-	3	-	6	10	16	28	37	71	78	72	58	35	16	2	-	-
	F	316	-	-	-	-	-	1	-	-	-	3	4	4	11	11	17	43	42	40	48	48	29	12	3	-	-
	Nonwhite	10	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	2	2	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs	184	-	-	-	-	-	-	-	1	1	-	2	5	19	11	27	28	27	25	15	11	8	3	1	-	-
	White	182	-	-	-	-	-	-	-	1	1	-	2	5	19	10	26	28	27	25	15	11	8	3	1	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	162	-	-	-	-	-	-	-	-	-	1	1	4	4	16	23	27	12	24	17	13	13	6	-	-	1	-
	White	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	-	-	-	-	-
	F	156	-	-	-	-	-	-	-	-	-	1	1	4	3	16	23	27	12	21	16	12	13	6	-	-	1	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	571	-	-	1	-	3	4	2	5	2	7	13	6	19	36	45	61	84	84	58	62	42	28	8	-	-	1
	White	404	-	-	1	-	2	4	1	3	1	5	7	2	11	22	29	38	64	65	45	45	34	22	5	-	-	-
	F	158	-	-	-	-	1	-	1	2	1	2	5	4	8	13	15	22	19	20	11	17	8	5	3	-	-	1
	Nonwhite	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-
58	Acute rheumatic fever	10	-	-	-	-	-	-	3	1	1	1	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	White	7	-	-	-	-	-	-	2	1	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	259	1	-	-	-	-	-	1	3	4	3	2	4	1	8	11	19	38	50	42	35	25	7	3	1	-	1
	White	103	-	-	-	-	-	-	-	1	1	1	2	3	-	3	6	6	15	15	12	17	14	4	1	1	-	1
	F	154	1	-	-	-	-	-	1	2	3	2	-	1	1	5	4	13	22	35	30	18	11	3	2	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter	27	-	-	-	-	-	-	-	1	-	-	3	-	3	4	2	2	5	4	1	1	1	-	-	-	-	-
	White	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	-	-	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	1	-	-	3	-	2	4	1	1	3	3	-	1	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	29	-	-	-	-	-	-	-	-	-	1	-	1	2	4	4	8	4	3	-	1	-	-	-	-	-	1
	White	25	-	-	-	-	-	-	-	-	-	1	-	-	2	3	3	7	4	3	-	1	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,331	1	2	-	-	-	1	1	-	1	4	3	14	13	49	56	84	137	193	201	242	200	98	25	7	-	1
	White	685	1	2	-	-	-	-	1	-	1	3	1	9	8	26	23	36	75	104	111	129	101	39	12	3	-	-
	F	630	-	-	-	-	-	1	-	-	-	1	2	5	4	22	31	46	62	87	88	110	99	58	12	4	-	-
	Nonwhite	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	1	2	-	1	-	-	-	1
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	-	1	-	-	-
90-95	Diseases of the heart	3,744	1	1	-	1	-	1	6	6	6	18	27	41	87	157	212	363	447	544	580	504	431	212	81	12	-	6
	White	2,420	1	-	-	1	-	1	2	2	2	10	13	24	62	119	159	265	317	367	373	297	240	113	41	6	-	5
	F	1,283	-	1	-	-	-	-	3	4	4	6	14	17	25	36	51	94	125	170	200	203	186	97	40	6	-	1
	Nonwhite	27	-	-	-	-	-	-	1	-	-	2	-	-	-	-	1	2	3	6	5	3	4	-	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	2	1	1	2	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	304	-	-	-	1	-	-	3	5	4	5	12	18	12	25	19	28	25	37	39	30	22	10	7	2	-	-
	White	163	-	-	-	1	-	-	2	1	-	2	3	8	7	20	10	16	10	23	23	18	9	5	4	1	-	-
	F	135	-	-	-	-	-	-	1	4	4	3	9	10	5	4	9	11	14	12	16	12	13	4	3	1	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,569	-	-	-	-	-	-	-	-	-	4	7	14	47	85	108	196	235	264	235	179	128	50	14	4	-	1
	White	1,147	-	-	-	-	-	-	-	-	-	2	6	11	38	64	88	159	180	191	169	121	80	28	6	3	-	1
	F	408	-	-	-	-	-	-	-	-	-	-	1	3	9	20	17	37	52	70	65	57	46	22	8	1	-	-
	Nonwhite	11	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	2	3	1	1	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
90b,91, 92a,d,e, 93ab,d,e, 95a,c	Diseases of heart (other forms)	1,871	1	1	-	-	-	1	3	1	2	9	8	9	28	47	87	139	187	243	306	295	281	152	60	6	-	5
	White	1,110	1	-	-	-	-	1	-	1	2	6	4	5	17	35	61	90	127	153	181	158	151	80	31	2	-	4
	F	740	-	1	-	-	-	-	2	-	-	3	4	4	11	12	25	48	59	88	119	134	127	71	29	4	-	1
	Nonwhite	13	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	4	2	3	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	1	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	971	114	21	10	1	3	12	3	7	12	15	21	21	45	46	72	87	78	63	88	96	76	51	18	6	-	5
	White	646	65	9	6	1	2	6	1	6	7	9	13	14	37	32	57	75	58	42	66	56	42	23	13	3	-	3
	F	301	43	10	3	-	1	6	2	1	5	6	6	6	8	10	14	12	20	18	22	39	32	28	5	2	-	2
	Nonwhite	17	3	2	1	-	-	-	-	-	-	-	1	1	-	2	1	-	-	3	-	1	2	-	-	-	-	-
	F	7	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Con.																										
107	Bronchopneumonia.	385	62	10	6	-	-	3	-	1	5	5	2	3	9	11	25	22	18	24	38	55	43	28	8	4	-	3
	White.....M..	239	33	6	3	-	-	-	-	1	3	3	2	2	7	8	16	19	15	12	27	37	20	14	8	2	-	1
	F..	135	25	4	3	-	-	3	-	-	2	2	-	1	2	2	8	3	3	10	11	18	21	14	-	1	-	2
	Nonwhite..M..	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	2	-	-	-	-	-
	F..	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
108	Lobar pneumonia..	379	27	5	2	1	-	3	-	3	4	4	16	15	28	29	36	49	48	30	28	23	10	10	5	1	-	2
	White.....M..	275	15	2	2	1	-	2	-	2	1	3	9	11	24	20	32	43	36	22	24	11	5	4	3	1	-	2
	F..	94	10	2	-	-	-	1	-	1	3	1	5	3	4	6	4	6	12	8	4	11	5	6	2	-	-	-
	Nonwhite..M..	6	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F..	4	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	66	19	2	2	-	-	1	1	1	1	-	-	1	4	1	4	3	3	3	2	6	7	4	1	-	-	-
	White.....M..	45	14	-	1	-	-	1	1	1	1	-	-	-	3	-	3	3	2	3	2	3	6	1	-	-	-	-
	F..	19	5	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	3	1	3	1	-	-	-
	Nonwhite..M..	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	141	6	4	-	-	3	5	2	2	2	6	3	2	4	5	7	13	9	6	20	12	16	9	4	1	-	-
	White.....M..	87	3	1	-	-	2	3	-	2	2	3	2	1	3	4	6	10	5	5	13	5	11	4	2	-	-	-
	F..	53	3	3	-	-	1	2	2	-	-	3	1	1	1	1	1	3	4	-	7	7	5	5	2	1	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	103	-	-	-	-	-	-	-	-	2	1	1	1	7	13	11	9	16	14	11	9	5	3	-	-	-	-
	White.....M..	85	-	-	-	-	-	-	-	-	2	1	1	1	5	13	10	9	12	10	10	7	3	1	-	-	-	-
	F..	17	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	4	4	1	2	2	2	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc. *....	42	21	1	1	-	1	-	1	-	2	2	-	1	-	1	-	2	1	2	1	-	2	2	1	-	-	-
	White.....M..	15	6	1	-	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-
	F..	24	12	-	1	-	-	-	-	-	1	1	-	1	-	-	-	2	1	2	-	-	1	1	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	63	1	-	-	-	-	4	6	6	2	-	8	5	3	1	6	5	5	5	1	3	1	-	-	-	-	1
	White.....M..	40	1	-	-	-	-	3	4	4	1	-	5	4	3	-	3	3	2	4	-	2	1	-	-	-	-	-
	F..	20	-	-	-	-	-	1	2	1	1	-	2	1	-	1	2	2	3	1	1	1	-	-	-	-	-	1
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	113	3	1	1	-	-	-	1	2	2	1	1	2	2	7	6	9	14	10	14	15	12	7	1	-	-	2
	White.....M..	68	1	1	1	-	-	-	1	1	1	-	-	-	4	4	8	8	9	7	6	8	4	1	-	-	-	1
	F..	46	2	-	-	-	-	-	-	1	1	1	1	2	2	2	2	1	6	1	7	9	4	3	-	-	-	1
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	80	-	-	-	-	-	-	-	1	-	-	3	1	9	10	9	11	9	7	7	5	5	2	1	-	-	-
	White.....M..	50	-	-	-	-	-	-	-	1	-	-	1	1	4	7	7	7	5	5	5	4	2	1	-	-	-	-
	F..	30	-	-	-	-	-	-	-	-	-	-	2	-	5	3	2	4	4	2	2	1	3	1	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc. *.....	46	-	-	-	-	-	-	-	-	-	-	1	1	2	2	8	7	9	3	6	3	3	1	-	-	-	-
	White....M..	16	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	4	1	3	1	1	-	-	-	-	-
	F..	30	-	-	-	-	-	-	-	-	-	-	1	-	1	1	7	5	5	2	3	2	2	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	1,165	2	-	-	-	-	-	2	4	9	6	8	27	24	33	50	68	117	148	171	177	186	96	25	10	1	1
	White.....M..	633	1	-	-	-	-	-	2	2	5	2	4	18	16	10	27	42	67	80	89	108	93	53	12	3	-	1
	F..	522	1	-	-	-	-	-	-	2	4	4	4	9	8	23	23	25	49	67	80	70	90	42	13	7	1	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	2	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-
137	Diseases of the prostate.....	90	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	11	14	16	15	17	10	3	-	-	-
	White.....M..	90	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	11	14	16	15	17	10	3	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc. *..	38	-	-	-	-	-	-	-	5	11	5	8	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	36	-	-	-	-	-	-	-	5	11	5	7	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	13	-	-	-	-	-	-	-	2	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	13	-	-	-	-	-	-	-	2	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	8	-	-	-	-	-	-	-	1	2	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	7	-	-	-	-	-	-	-	1	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B, 146, 149,150	Other puerperal causes.....	17	-	-	-	-	-	-	-	2	3	1	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	16	-	-	-	-	-	-	-	2	3	1	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	155	122	5	4	2	1	3	2	1	3	-	2	-	4	1	1	-	2	-	2	-	-	-	-	-	-	-
	White.....M..	85	68	2	-	-	-	-	2	1	2	-	1	-	3	1	1	-	1	-	1	-	-	-	-	-	-	-
	F..	71	54	2	4	2	1	3	-	-	1	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	OREGON—Con.																										
159	Premature birth..	212	212	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White....M..	131	131	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	79	79	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	184	-	-	-	-	-	-	1	2	6	10	14	24	19	14	18	21	18	13	9	8	4	3	-	-	-
	White.....M..	134	-	-	-	-	-	-	-	2	3	7	7	17	17	10	9	16	14	12	7	7	4	2	-	-	-	-
	F..	46	-	-	-	-	-	-	1	-	3	3	7	4	2	3	9	5	4	1	2	1	-	1	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	37	-	-	-	-	-	2	-	1	1	5	3	3	1	2	3	7	3	2	4	-	-	-	-	-	-	-
	White.....M..	20	-	-	-	-	-	1	-	-	1	1	-	1	-	2	2	6	2	-	4	-	-	-	-	-	-	-
	F..	13	-	-	-	-	-	1	-	1	-	4	3	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,137	33	22	13	11	3	35	41	57	101	85	67	66	69	52	59	55	71	58	53	62	54	42	16	6	-	6
	White.....M..	847	17	13	9	7	2	23	31	48	91	76	57	56	60	45	54	49	54	43	32	33	20	15	6	1	-	5
	F..	271	16	9	4	4	1	12	9	5	8	6	9	9	9	6	4	6	15	13	20	29	34	27	10	5	-	1
	Nonwhite..M..	15	-	-	-	-	-	-	-	2	2	3	1	1	-	-	1	-	2	2	1	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	258	1	5	2	4	-	9	13	19	25	25	13	11	14	16	15	21	14	22	13	12	2	1	1	-	-	-
	White.....M..	197	-	3	-	1	-	5	9	17	20	19	10	9	11	13	13	17	12	15	11	10	1	1	-	-	-	-
	F..	51	1	2	2	3	-	4	3	-	4	3	2	2	3	3	2	4	1	6	2	2	1	-	1	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	1	1	3	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	879	32	17	11	7	3	26	28	38	76	60	54	55	55	36	44	34	57	36	40	50	52	41	15	6	-	6
	White.....M..	650	17	10	9	6	2	18	22	31	71	57	47	47	49	32	41	32	42	28	21	23	19	14	6	1	-	5
	F..	220	15	7	2	1	1	8	6	5	4	3	7	7	6	3	2	2	14	7	18	27	33	27	9	5	-	1
	Nonwhite..M..	7	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes	273	10	1	1	-	-	-	-	1	-	3	1	2	2	4	10	6	9	19	28	34	61	46	28	5	1	1
	White.....M..	157	6	-	-	-	-	-	-	1	-	1	1	1	2	4	7	4	8	14	18	19	32	23	13	2	-	1
	F..	106	2	-	-	-	-	-	-	-	-	2	-	1	-	-	3	2	1	5	9	15	28	22	12	3	1	-
	Nonwhite..M..	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	F..	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-
	All other causes.	1,376	207	17	15	8	7	18	12	22	33	29	23	33	45	55	59	81	109	102	125	123	117	92	31	14	-	1
	White.....M..	809	129	9	8	3	3	11	8	11	16	17	13	21	18	26	37	53	66	83	75	70	82	51	15	5	-	1
	F..	549	74	7	8	3	4	7	4	11	15	12	10	12	26	28	21	27	39	39	50	52	34	41	16	9	-	-
	Nonwhite..M..	13	2	1	-	-	-	-	-	-	2	-	-	-	1	-	1	1	4	-	-	-	1	-	-	-	-	-
	F..	5	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA																										
	All causes	115,907	7,551	658	334	246	199	691	719	1,249	1,609	1,734	2,124	2,616	3,968	5,624	8,259	9,979	11,634	13,557	13,950	12,339	9,509	5,086	1,884	315	51	22
	White	59,405	3,925	338	157	107	105	383	386	670	713	780	987	1,331	1,953	2,885	4,468	5,671	6,567	7,336	7,257	6,157	4,378	2,125	631	100	20	15
	M	48,529	2822	249	131	104	69	255	248	393	641	695	804	1,074	1,356	2,018	2,927	3,580	4,440	5,584	6,222	5,851	4948	2,874	1,016	199	24	5
	Nonwhite	4,457	463	55	25	22	15	23	46	94	110	113	181	220	357	458	519	429	361	357	279	189	96	36	17	7	5	2
	M	3,536	341	36	21	13	10	30	39	92	145	146	152	191	302	283	545	299	266	280	212	162	87	51	20	9	4	-
1,2	Typhoid and paratyphoid fever	35	-	-	1	1	-	3	-	2	2	4	2	4	4	1	2	2	-	5	-	1	1	-	-	-	-	-
	White	17	-	-	-	-	-	1	-	-	1	1	-	3	3	1	1	2	-	3	-	1	-	-	-	-	-	-
	M	13	-	-	-	1	-	1	-	2	1	2	2	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	245	17	17	13	8	8	14	11	25	8	14	10	13	18	16	16	14	12	6	2	3	-	-	-	-	-	-
	White	138	7	9	4	4	5	6	5	15	6	7	6	12	13	9	11	7	3	4	2	3	-	-	-	-	-	-
	M	69	8	6	8	2	3	6	4	7	1	2	1	-	2	4	3	5	7	2	-	-	-	-	-	-	-	-
	Nonwhite	24	1	-	2	2	-	2	1	2	1	3	2	1	2	3	-	1	1	-	-	-	-	-	-	-	-	-
	M	14	1	2	1	-	-	-	1	1	-	2	1	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-
8	Scarlet fever	51	1	-	3	4	2	9	3	3	1	-	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	White	12	-	-	2	3	-	3	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	M	18	1	-	1	1	2	6	2	1	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	216	155	39	10	6	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	90	65	15	5	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	103	72	21	2	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	14	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	9	5	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	29	2	2	2	3	3	7	5	-	1	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	White	8	1	-	1	1	-	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	17	1	2	1	1	2	4	2	-	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite	4	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	4,080	37	32	16	9	6	16	52	180	348	354	361	337	369	385	430	362	275	259	121	80	43	7	1	-	-	-
	White	2,041	12	7	6	2	-	5	10	39	83	114	152	160	208	259	270	244	191	161	70	41	22	4	1	-	-	-
	M	1,140	15	10	5	2	1	4	18	56	134	143	138	97	76	65	82	75	51	71	46	33	17	3	-	-	-	-
	Nonwhite	533	6	8	3	2	4	3	9	32	50	44	49	48	58	66	60	32	28	18	4	5	4	-	-	-	-	-
	M	366	6	7	2	3	1	4	15	53	81	53	22	32	27	15	18	11	5	9	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	3,809	22	16	9	4	4	8	42	153	325	342	342	322	351	370	403	350	257	246	116	77	42	7	1	-	-	-
	White	1,949	4	2	2	1	-	4	7	32	81	109	141	154	202	234	257	241	185	158	68	41	21	4	1	-	-	-
	M	1,044	8	6	4	-	-	2	15	47	127	139	134	96	69	59	71	69	42	62	44	30	17	3	-	-	-	-
	Nonwhite	488	6	5	2	2	3	1	7	25	41	43	47	43	56	64	58	30	25	18	3	5	4	-	-	-	-	-
	M	328	4	3	1	1	1	1	13	49	76	51	20	29	24	13	17	10	5	8	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	271	15	16	7	5	2	8	10	27	23	12	19	15	18	18	27	12	18	13	5	3	1	-	-	-	-	-
	White	92	8	5	4	1	-	1	3	7	2	5	11	6	6	5	13	3	6	3	2	-	1	-	-	-	-	-
	M	96	5	4	1	2	1	2	3	9	7	4	4	1	7	6	11	6	9	9	2	3	-	-	-	-	-	-
	Nonwhite	45	-	3	1	-	1	2	2	7	9	1	2	5	2	2	2	2	3	-	1	-	-	-	-	-	-	-
	M	38	2	4	1	2	-	3	2	4	5	2	2	3	3	2	1	1	-	1	-	-	-	-	-	-	-	-
27	Dysentery	40	12	3	-	-	-	1	-	-	2	2	3	1	2	1	3	2	1	1	1	1	1	3	-	-	-	-
	White	11	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
	M	21	2	-	-	-	-	1	-	-	2	1	3	1	1	1	2	1	1	-	1	1	1	2	-	-	-	-
	Nonwhite	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	6	3	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	1,143	30	1	1	-	-	1	5	9	14	20	41	82	98	144	191	165	124	102	75	26	12	1	1	-	-	-
	White	556	9	-	-	-	-	1	3	1	2	5	17	34	42	60	81	92	72	66	48	13	8	1	1	-	-	-
	M	189	2	-	-	-	-	-	1	3	4	7	7	12	11	22	42	25	19	16	11	5	2	-	-	-	-	-
	Nonwhite	289	10	1	1	-	-	-	-	1	4	7	11	26	29	49	49	40	25	13	15	6	2	-	-	-	-	-
	M	109	9	-	-	-	-	-	1	4	4	1	6	10	16	13	19	8	8	7	1	2	-	-	-	-	-	-
35	Measles	66	14	17	8	5	5	12	2	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White	24	7	6	3	2	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	37	5	10	4	3	4	8	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
56	Poliomyelitis, polioencephalitis (acute)	19	2	1	-	1	1	2	3	3	2	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White	10	1	1	-	-	1	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	9	1	-	-	1	-	1	1	2	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	13,709	5	6	7	10	6	23	24	39	72	98	166	321	602	888	1,366	1,625	1,945	2,043	1,911	1,340	824	309	68	8	2	1
	White	6,276	3	3	4	7	5	13	13	20	32	37	61	94	182	303	578	758	957	1,033	970	668	379	132	23	1	-	-
	M	6,814	1	2	3	3	1	10	10	14	35	50	87	200	342	522	690	784	921	949	887	643	431	175	44	7	2	1
	Nonwhite	272	1	-	-	-	-	-	-	3	1	3	6	6	26	25	49	40	27	29	26	21	8	1	-	-	-	-
	M	347	-	1	-	-	-	1	2	4	8	12	21	52	58	49	43	40	32	28	8	6	1	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																										
46	Cancer of digestive organs, peritoneum	6,636	-	-	2	2	-	4	3	5	13	28	47	100	202	323	614	804	1,008	1,100	1,053	739	414	145	26	3	-	1
	White	3,448	-	-	1	2	-	1	1	3	4	15	26	51	99	152	321	439	558	600	587	388	166	65	9	-	-	-
	F.	2,937	-	-	1	-	-	3	2	2	8	12	18	39	75	151	250	324	416	470	463	360	243	80	16	3	-	1
	Nonwhite	150	-	-	-	-	-	-	-	-	-	-	3	4	17	12	28	27	16	19	14	9	1	-	-	-	-	-
	F.	101	-	-	-	-	-	-	-	-	1	1	-	6	11	8	15	14	18	11	9	2	4	-	1	-	-	-
48,49	Cancer of female genital organs	1,784	-	-	-	-	-	2	1	1	18	25	42	98	165	207	219	229	220	196	179	98	59	24	3	-	-	-
	White	1,636	-	-	-	-	-	2	1	1	15	18	34	85	136	189	199	215	209	185	169	95	58	24	3	-	-	-
	Nonwhite	148	-	-	-	-	-	-	-	-	3	7	8	13	29	18	20	14	11	11	10	3	1	-	-	-	-	-
50	Cancer of breast	1,296	-	-	-	-	-	-	1	-	-	7	24	50	91	112	152	169	181	160	144	95	64	37	7	1	1	-
	White	20	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	2	4	1	3	-	2	1	-	-	-	-
	F.	1,222	-	-	-	-	-	-	1	-	-	7	19	48	79	105	144	159	174	154	134	93	61	35	7	1	1	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	F.	51	-	-	-	-	-	-	-	-	-	-	4	2	9	5	5	8	3	5	6	2	1	1	-	-	-	-
45,47, 51-55	Cancer (other sites)	5,993	5	6	5	8	6	17	19	33	41	38	53	75	144	246	381	423	536	587	535	408	287	103	32	4	1	-
	White	2,808	3	3	3	5	5	12	12	17	28	22	34	43	80	150	255	317	395	432	400	300	211	66	14	1	-	-
	F.	1,019	1	2	2	3	1	5	6	11	12	13	16	30	52	77	97	86	122	140	121	95	69	36	18	3	1	-
	Nonwhite	119	1	-	-	-	-	-	-	3	1	3	3	2	9	12	20	13	11	10	11	12	7	1	-	-	-	-
	F.	47	-	1	-	-	-	-	1	2	-	-	-	-	3	7	9	7	8	5	3	1	-	-	-	-	-	-
58	Acute rheumatic fever	163	2	1	-	2	3	20	20	19	16	19	18	7	11	9	5	-	4	2	2	1	2	-	-	-	-	-
	White	74	1	-	-	1	2	10	7	7	10	8	5	3	4	5	2	-	3	2	1	1	2	-	-	-	-	-
	F.	70	-	1	-	1	-	7	11	9	5	9	11	4	6	2	2	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite	7	-	-	-	-	1	1	1	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	12	1	-	-	-	-	2	1	2	1	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	3,652	1	-	1	1	1	9	10	25	55	29	26	35	61	158	299	437	574	688	605	408	184	59	6	-	-	-
	White	1,117	-	-	-	-	-	6	4	10	14	10	8	18	21	56	74	115	165	209	187	141	58	22	1	-	-	-
	F.	2,366	-	-	1	1	1	3	6	15	18	18	8	11	23	78	186	295	399	465	414	259	125	35	5	-	-	-
	Nonwhite	39	1	-	-	-	-	-	-	-	1	-	2	1	6	3	12	9	-	1	-	2	-	1	-	-	-	-
	F.	130	-	-	-	-	-	-	-	-	2	1	8	5	11	21	27	18	12	13	4	6	1	1	-	-	-	-
63b	Exophthalmic goiter	274	-	-	-	-	-	-	-	5	4	7	6	17	18	25	32	24	47	44	28	14	2	3	-	-	-	-
	White	42	-	-	-	-	-	-	-	1	1	2	1	4	3	6	3	2	11	2	4	2	-	-	-	-	-	-
	F.	219	-	-	-	-	-	-	-	4	3	4	4	12	14	16	26	21	34	41	23	12	2	3	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F.	10	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	1	2	1	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	2	2	-	1	-	-	-	-
	White	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	163	-	-	-	-	-	-	-	-	2	4	7	27	17	20	21	28	17	9	3	5	3	-	-	-	-	-
	White	130	-	-	-	-	-	-	-	-	2	3	6	16	12	15	19	24	14	9	3	4	3	-	-	-	-	-
	F.	25	-	-	-	-	-	-	-	-	-	1	1	8	3	5	2	1	1	-	-	1	-	-	-	-	-	-
	Nonwhite	10	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	3	2	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	9,415	15	8	3	1	1	12	9	13	18	33	38	78	189	330	552	803	1,030	1,358	1,596	1,492	1,104	551	156	19	5	1
	White	4,264	11	4	2	1	1	7	3	4	7	11	19	22	67	116	214	324	489	675	791	699	495	259	56	5	2	-
	F.	4,621	2	4	1	-	-	4	6	9	9	17	11	40	87	171	285	400	476	607	746	747	585	301	97	15	2	1
	Nonwhite	255	-	-	-	-	-	1	-	-	-	1	2	5	12	22	29	49	35	30	34	20	11	3	1	-	-	-
	F.	275	2	-	-	-	-	-	-	-	2	4	6	11	23	21	24	30	30	46	25	26	13	8	2	1	1	-
90-95	Diseases of the heart	37,455	15	2	2	3	6	42	68	129	156	203	317	553	946	1,552	2,621	3,501	4,295	5,555	5,612	5,081	4024	2086	727	143	15	1
	White	20,315	8	1	-	1	2	19	24	64	80	89	149	289	512	914	1,642	2,227	2,622	3,114	3,016	2,555	1,839	845	273	45	5	-
	F.	15,286	6	1	2	2	3	22	34	55	85	93	133	202	312	457	730	1,049	1,459	1,998	2,419	2,385	2105	1,204	436	89	7	-
	Nonwhite	983	1	-	-	-	-	-	4	3	5	7	16	27	57	98	145	124	117	146	101	72	35	13	8	4	1	1
	F.	871	-	-	-	-	1	1	6	7	6	14	19	35	65	83	106	101	97	99	76	69	45	24	10	5	2	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	2,433	-	-	1	1	4	25	45	80	81	78	102	146	166	174	180	182	218	241	246	185	145	101	25	7	-	-
	White	1,083	-	-	-	-	1	11	14	36	33	28	42	55	59	82	88	95	107	117	122	84	62	35	11	1	-	-
	F.	1,218	-	-	1	1	3	13	25	38	40	41	55	82	94	75	87	83	93	111	118	96	80	66	13	3	-	-
	Nonwhite	56	-	-	-	-	-	-	-	2	4	3	2	3	5	8	4	2	10	7	2	3	-	-	-	1	-	-
	F.	76	-	-	-	-	-	1	6	4	4	6	3	6	8	9	1	2	8	6	4	2	3	-	1	2	-	-
94	Diseases of coronary arteries, angina pectoris	10,530	1	-	-	-	-	-	-	6	11	21	80	197	397	636	1,092	1,426	1,538	1,726	1,445	1,051	588	243	78	13	2	1
	White	7,046	-	-	-	-	-	-	-	3	3	13	51	142	296	478	840	1,051	1,068	1,171	872	606	308	111	29	4	-	-
	F.	3,148	1	-	-	-	-	-	-	2	8	7	24	39	66	114	202	329	438	504	545	410	270	131	48	8	2	-
	Nonwhite	223	-	-	-	-	-	-	-	-	-	-	5	10	23	30	34	31	21	36	19	9	4	-	-	-	-	1
	F.	113	-	-	-	-	-	-	-	1	-	1	-	6	12	14	16	15	11	15	7	6	6	1	1	1	-	-
90b,91, 92a,d,e, 93a,b,d,e 95a,c	Diseases of heart (other forms)	24,492	14	2	1	2	2	17	25	45	64	104	135	210	383	742	1,349	1,893	2,539	3,388	3,923	3,865	3291	1,742	624	123	13	-
	White	12,186	8	1	-	1	1	8	10	25	24	48	56	92	157	354	714	1,081	1,447	1,826	2,022	1,865	1469	699	233	40	5	-
	F.	10,920	5	1	1	1	-	9	9	15	37	45	54	81	152	268	441	657	928	1,381	1,756	1,879	1,755	1,007	375	78	5	-
	Nonwhite	704	1	-	-	-	-	-	4	1	1	4	9	14	29	60	105	91	86	103	80	60	31	13	8	3	1	-
	F.	682	-	-	-	-	1	-	-	2	2	7	16	23	45	60	89	84	78	78	65	61	36	23	8	2	2	-
107-109, 33	Pneumonia (all forms) and influenza	7,338	1147	218	71	38	18	72	64	70	92	97	149	189	279	329	494	573	556	599	678	604	543	332	108	31	7	-
	White	3,865	588	114	31	14	8	37	31	37	31	40	62	92	140	177	292	367	347	349	357	304	266	126	40	9	4	-
	F.	2,679	412	85	31	17	8	28	26	23	44	35	47	53	55	79	124	150	138	209	288	275	269	195	64	21	3	-
	Nonwhite	523	84	13	4	3	-	1	4	7	7	12	27	30	60	52	56	43	54	32	23	18	5	5	2	1	-	-
	F.	273	63	6	5	4	2	6	3	3	10	10	13	14	24	21	22	13	17	9	10	7	3	6	2	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																										
107	Bronchopneumonia.	2,643	714	113	39	18	7	28	23	15	17	19	35	44	56	70	106	141	130	183	243	228	199	152	46	14	5	-
	White.....M..	1,364	366	60	20	4	2	11	12	10	6	10	17	18	26	34	63	88	82	99	133	117	103	56	19	7	1	-
	F..	1,002	244	42	12	7	5	12	8	4	8	7	11	14	13	23	26	38	33	76	102	97	95	91	25	7	2	-
	Nonwhite..M..	163	62	8	4	3	-	1	3	1	1	-	5	6	12	6	11	10	6	5	5	11	-	2	1	-	-	-
	F..	114	42	3	3	4	-	4	-	-	2	2	2	6	5	7	6	5	9	3	3	3	1	3	1	-	-	-
108	Lobar pneumonia..	3,084	281	55	22	9	6	18	21	31	50	53	79	95	166	201	291	297	294	293	288	227	188	88	26	3	2	-
	White.....M..	1,875	137	28	7	5	4	11	5	14	17	23	28	51	83	114	173	192	194	181	157	121	83	37	8	-	2	-
	F..	999	109	24	14	4	1	6	14	10	23	14	24	16	28	35	66	76	69	85	114	101	101	47	16	2	-	-
	Nonwhite..M..	303	18	3	-	-	-	-	-	5	4	11	18	20	45	39	40	24	28	23	14	4	3	2	1	1	-	-
	F..	107	17	-	1	-	1	1	2	2	6	5	9	8	10	13	12	5	3	4	3	1	1	2	1	-	-	-
109	Pneumonia (unspecified).....	188	34	6	-	-	-	3	2	2	8	7	8	9	8	9	19	21	4	8	12	9	8	7	3	1	-	-
	White.....M..	96	16	3	-	-	-	2	2	-	1	4	3	5	5	5	12	12	1	5	7	5	6	1	1	-	-	-
	F..	69	16	2	-	-	-	1	-	2	4	3	3	3	1	1	3	7	3	3	5	2	2	5	2	1	-	-
	Nonwhite..M..	15	1	1	-	-	-	-	-	-	2	-	1	1	-	2	2	2	-	-	-	2	-	1	-	-	-	-
	F..	8	1	-	-	-	-	-	-	-	1	-	1	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	1,423	118	44	10	11	5	23	18	22	17	18	27	41	49	49	78	114	108	115	135	140	148	85	33	13	2	-
	White.....M..	728	69	23	4	5	2	13	12	15	7	3	14	18	26	24	44	75	70	64	60	61	74	32	12	2	1	-
	F..	609	43	17	5	6	2	9	4	7	9	11	9	20	13	20	29	29	33	45	67	75	71	52	21	11	1	-
	Nonwhite..M..	42	3	1	-	-	-	-	1	1	-	1	3	3	3	5	3	7	-	4	4	1	2	-	-	-	-	-
	F..	44	3	3	1	-	1	1	1	1	1	3	1	-	7	-	2	3	5	2	4	3	1	1	-	-	-	-
117	Ulcer of stomach or duodenum....	615	2	1	1	1	1	-	1	1	4	9	23	36	55	51	89	85	94	63	46	27	14	9	2	-	-	-
	White.....M..	497	2	1	-	1	1	-	1	1	3	8	20	28	45	44	72	79	74	51	31	20	8	6	1	-	-	-
	F..	89	-	-	-	-	-	-	-	-	1	-	3	3	3	6	12	5	13	11	15	7	6	3	1	-	-	-
	Nonwhite..M..	21	-	-	1	-	-	-	-	-	-	-	-	4	5	1	4	1	5	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	2	1	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	603	375	49	12	8	7	11	2	4	8	9	5	10	8	9	10	10	10	10	10	5	13	11	5	2	-	-
	White.....M..	309	206	26	4	2	6	5	2	2	4	5	2	3	5	5	2	8	6	3	4	1	2	4	2	-	-	-
	F..	228	128	18	6	3	1	6	-	2	4	3	2	2	3	3	5	-	4	6	5	4	11	7	3	2	-	-
	Nonwhite..M..	41	28	2	1	2	-	-	-	-	-	1	1	1	-	1	2	1	-	1	-	-	-	-	-	-	-	-
	F..	25	13	3	1	1	-	-	-	-	-	-	-	4	-	-	1	1	-	-	1	-	-	-	-	-	-	-
121	Appendicitis.....	520	2	4	8	8	5	31	32	43	26	26	32	30	34	47	55	42	33	35	15	4	6	2	-	-	-	-
	White.....M..	279	-	1	3	3	3	21	17	23	10	12	17	17	20	27	30	24	19	19	7	1	4	1	-	-	-	-
	F..	213	2	3	5	5	1	10	13	17	15	12	10	11	10	16	24	18	11	16	8	3	2	1	-	-	-	-
	Nonwhite..M..	17	-	-	-	-	1	-	1	2	1	1	2	1	1	3	1	-	3	-	-	-	-	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	1	1	-	1	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	975	38	9	1	2	2	2	14	9	8	16	24	25	34	58	77	85	110	99	122	108	86	37	9	-	-	-
	White.....M..	453	29	6	-	1	2	1	9	5	3	10	9	8	12	28	29	44	57	48	45	43	38	21	5	-	-	-
	F..	470	8	3	1	-	-	1	4	4	4	5	8	12	18	25	40	38	47	48	74	63	47	16	4	-	-	-
	Nonwhite..M..	30	1	-	-	1	-	-	-	-	-	-	3	2	2	3	6	1	4	2	3	1	1	-	-	-	-	-
	F..	22	-	-	-	-	-	-	1	-	1	1	4	3	2	2	2	2	2	1	-	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	1,046	1	1	-	1	-	1	3	3	7	7	19	43	58	94	142	160	141	133	99	72	41	13	5	1	-	1
	White.....M..	638	1	1	-	-	-	1	-	-	3	2	9	20	35	54	91	110	99	87	56	46	18	4	1	-	-	-
	F..	377	-	-	-	1	-	-	3	3	3	5	9	19	22	36	46	43	40	45	40	25	23	9	4	1	-	-
	Nonwhite..M..	19	-	-	-	-	-	-	-	-	-	-	1	1	1	2	3	4	2	1	3	-	-	-	-	-	-	-	1
	F..	12	-	-	-	-	-	-	-	-	1	-	-	3	-	2	2	3	-	-	-	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	577	-	-	1	-	-	-	-	1	4	8	16	19	26	49	59	97	73	84	69	39	18	10	4	-	-	-
	White.....M..	173	-	-	-	-	-	-	-	-	2	1	2	6	11	14	12	30	25	31	17	12	6	3	1	-	-	-
	F..	392	-	-	1	-	-	-	-	1	2	7	13	12	14	34	46	63	46	53	51	27	12	7	3	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	2	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis.....	8,992	11	2	6	4	4	12	30	39	39	82	80	148	238	372	553	663	905	1,165	1,370	1,377	1,079	607	178	22	5	1
	White.....M..	4,286	6	2	3	2	1	3	17	22	26	41	32	54	84	146	257	342	447	578	682	693	496	271	73	4	3	1
	F..	4,070	3	-	3	2	1	9	12	12	12	31	34	68	108	151	219	251	391	517	610	654	550	325	100	16	1	-
	Nonwhite..M..	316	1	-	-	-	1	-	1	2	-	3	6	12	20	43	42	32	36	38	35	24	10	6	2	1	1	-
	F..	320	1	-	-	-	1	-	-	3	1	7	8	14	26	32	35	38	31	32	43	26	13	5	3	1	-	-
137	Diseases of the prostate.....	563	-	-	-	-	-	-	-	-	-	-	3	-	2	6	14	17	63	82	117	122	88	42	5	2	-	-
	White.....M..	535	-	-	-	-	-	-	-	-	-	-	3	-	1	5	13	13	59	75	114	118	85	42	5	2	-	-
	Nonwhite..M..	28	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	4	7	3	4	3	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	493	-	-	-	-	-	-	-	36	114	105	98	104	30	6	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	445	-	-	-	-	-	-	-	30	103	93	90	97	27	5	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	48	-	-	-	-	-	-	-	6	11	12	8	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	175	-	-	-	-	-	-	-	13	42	36	37	36	8	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	155	-	-	-	-	-	-	-	10	37	31	34	32	8	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	20	-	-	-	-	-	-	-	3	5	5	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	112	-	-	-	-	-	-	-	15	28	26	17	20	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	102	-	-	-	-	-	-	-	13	26	25	16	18	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	10	-	-	-	-	-	-	-	2	2	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f 142b,143 145B,146 149,150	Other puerperal causes.....	206	-	-	-	-	-	-	-	8	44	43	44	48	16	3	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	188	-	-	-	-	-	-	-	7	40	37	40	47	15	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	18	-	-	-	-	-	-	-	1	4	6	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	1,308	1,143	41	19	11	5	16	13	17	8	10	5	3	5	2	3	4	1	-	1	-	1	-	-	-	-	-
	White.....M..	681	595	25	7	4	3	8	6	10	5	7	3	-	2	-	2	3	-	-	1	-	-	-	-	-	-	-
	F..	575	503	14	9	6	2	8	7	7	3	3	2	3	2	2	1	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	31	24	2	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	PENNSYLVANIA—Continued																										
159	Premature birth..	2,328	2328	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	1,165	1165	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	860	860	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	168	168	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	135	135	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	993	-	-	-	-	-	-	4	19	36	54	83	84	99	87	112	102	106	80	61	41	18	5	-	-	2
	White.....M..	693	-	-	-	-	-	-	4	14	22	34	48	58	69	55	80	71	76	59	47	32	18	4	-	-	2
	F..	286	-	-	-	-	-	-	-	4	13	19	33	25	27	31	30	30	29	21	14	9	-	1	-	-	-
	Nonwhite..M..	12	-	-	-	-	-	-	-	1	1	-	2	1	2	1	2	1	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	237	8	-	2	1	2	3	3	15	31	24	30	27	27	22	14	8	12	1	3	5	-	1	-	-	-
	White.....M..	93	3	-	-	1	1	2	1	3	9	10	6	7	8	9	9	5	11	1	2	4	-	1	-	-	-
	F..	42	5	-	2	-	1	1	1	3	5	4	7	4	-	4	1	2	1	-	-	1	-	-	-	-	-
	Nonwhite..M..	75	-	-	-	-	-	-	-	5	11	5	10	12	18	8	4	1	-	-	1	-	-	-	-	-	-
	F..	27	-	-	-	-	-	-	1	2	6	5	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	6,719	170	90	72	69	63	222	213	348	362	283	285	306	316	381	436	433	445	464	428	473	418	305	105	16	4	12
	White.....M..	4,512	90	53	32	31	37	148	159	272	304	235	254	246	258	300	348	346	342	296	257	214	160	104	26	7	1	12
	F..	1,858	56	29	28	28	18	58	37	48	38	32	28	39	30	47	61	72	86	150	156	253	255	199	78	9	3	-
	Nonwhite..M..	276	11	1	9	8	4	7	15	26	14	14	21	18	22	29	22	12	14	13	8	4	3	1	-	-	-	-
	F..	93	13	7	3	2	4	9	2	2	6	2	2	3	6	5	5	3	3	5	7	2	-	1	1	-	-	-
170	Motor-vehicle accidents.....	1,538	3	8	9	27	27	93	59	152	105	99	87	79	79	87	90	109	101	130	86	61	30	10	4	1	-	2
	White.....M..	1,203	3	3	5	18	18	65	45	113	83	88	76	65	67	67	67	93	84	94	66	46	25	8	2	-	-	2
	F..	257	-	4	2	6	5	23	13	31	16	10	8	11	4	11	19	12	13	27	18	15	4	2	2	1	-	-
	Nonwhite..M..	62	-	-	1	3	3	3	1	7	3	1	3	2	5	9	3	4	3	8	2	-	1	-	-	-	-	-
	F..	16	-	1	1	-	1	2	-	1	3	-	-	1	3	-	1	-	1	1	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	5,181	167	82	63	42	36	129	154	196	257	184	198	227	237	294	346	324	344	334	342	412	388	295	101	15	4	10
	White.....M..	3,309	87	50	27	13	19	83	114	159	221	147	158	181	191	233	281	255	258	202	191	168	135	96	24	7	1	10
	F..	1,581	56	25	26	22	13	35	24	17	22	22	20	28	26	36	42	60	73	123	138	238	251	197	76	8	3	-
	Nonwhite..M..	214	11	1	8	5	1	4	14	19	11	13	18	16	17	20	19	8	11	5	6	4	2	1	-	-	-	-
	F..	77	13	6	2	2	3	7	2	1	3	2	2	2	3	5	4	3	2	4	7	2	-	1	1	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	876	37	4	2	3	1	1	1	2	2	2	6	5	16	28	38	45	56	71	96	105	132	123	70	26	3	1
	White.....M..	449	20	3	2	1	1	1	-	1	2	2	3	2	12	17	21	25	39	36	55	59	67	49	20	9	2	-
	F..	366	5	1	-	-	-	-	1	1	-	-	1	2	2	7	10	17	13	25	35	42	63	74	49	16	1	1
	Nonwhite..M..	41	9	-	-	1	-	-	-	-	-	-	1	1	2	1	5	3	2	7	5	2	1	-	1	-	-	-
	F..	20	3	-	-	1	-	-	-	-	-	-	1	-	-	3	2	-	2	3	1	2	1	-	-	1	-	-
	All other causes.	10,978	1985	110	72	46	47	143	127	191	187	213	267	311	406	553	621	690	722	799	877	903	850	569	234	45	10	2
	White.....M..	5,648	1090	57	48	23	24	75	66	115	69	86	112	135	184	279	314	407	439	424	469	461	404	244	102	18	3	-
	F..	4,579	726	39	19	20	20	53	48	61	95	97	109	135	157	227	255	253	250	334	377	421	429	314	128	25	5	2
	Nonwhite..M..	409	107	8	2	2	3	8	7	9	14	10	19	19	30	25	28	26	21	19	18	10	13	6	3	1	1	-
	F..	342	60	6	3	1	-	7	6	6	9	20	27	22	35	22	24	24	12	22	13	11	4	5	1	1	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: NAC. STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND																										
	All causes	8,922	638	35	20	14	14	47	40	83	109	100	131	172	254	387	629	767	917	1,049	1,141	1,043	741	423	131	30	5	2
	White—M	4,656	358	19	13	9	5	30	26	51	62	53	63	103	137	224	375	439	491	551	622	500	314	162	40	4	2	-
	F	4,057	259	15	5	4	8	17	11	25	44	41	66	66	106	153	239	309	391	482	503	528	416	250	87	25	3	2
	Nonwhite—M	112	9	-	1	1	1	-	1	6	1	2	2	2	8	7	9	7	19	8	9	6	4	5	3	1	-	-
	F	97	12	1	1	-	-	-	2	1	2	4	-	1	3	3	6	12	13	8	7	9	5	6	1	-	-	-
1,2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (*meningococcus*) meningitis	44	4	-	2	1	1	1	1	6	3	-	2	-	-	3	5	3	2	3	4	-	1	-	-	-	-	-
	White—M	27	3	-	2	1	-	1	1	4	2	-	2	-	-	1	5	2	1	1	1	-	-	-	-	-	-	-
	F	15	-	-	-	-	1	-	-	1	1	-	-	-	-	2	-	1	1	2	2	-	1	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	14	12	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	296	4	3	1	1	2	4	2	13	28	29	24	32	20	29	30	18	29	14	5	8	-	-	-	-	-	-
	White—M	179	1	2	-	1	-	2	-	4	11	12	12	19	12	23	26	14	28	8	2	4	-	-	-	-	-	-
	F	98	3	1	1	-	2	2	-	6	15	12	11	13	7	3	3	2	3	5	3	4	-	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	3	-	2	1	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	2	-	2	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	262	1	-	-	-	1	1	2	10	26	29	22	30	18	28	27	16	29	13	4	7	-	-	-	-	-	-
	White—M	163	-	-	-	-	-	1	-	4	10	12	11	18	10	22	23	13	26	7	2	4	-	-	-	-	-	-
	F	81	1	-	-	-	1	-	-	4	14	12	10	12	7	2	3	2	3	5	2	3	-	-	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	-	-	2	-	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	2	-	2	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	34	3	3	1	1	1	3	-	3	2	-	2	2	2	3	3	2	-	1	1	1	-	-	-	-	-	-
	White—M	16	1	2	-	1	-	1	-	-	1	-	1	1	2	1	3	1	-	1	-	-	-	-	-	-	-	-
	F	15	2	1	1	-	1	2	-	2	1	-	1	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	65	-	1	-	-	-	-	-	-	-	-	2	1	3	3	11	8	11	8	11	4	1	1	-	-	-	-
	White—M	43	-	1	-	-	-	-	-	-	-	-	2	1	2	-	8	6	9	6	3	3	1	1	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	2	7	1	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
35	Measles	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	7	-	-	-	-	-	1	1	-	1	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	1,147	-	-	1	-	-	2	-	1	-	5	13	16	61	66	120	153	162	164	161	119	70	18	14	-	1	-
	White—M	545	-	-	-	-	-	2	-	1	-	3	4	8	22	24	49	68	87	78	94	64	30	9	2	-	-	-
	F	582	-	-	-	-	-	-	-	-	-	2	9	8	39	42	66	79	73	83	66	55	38	9	12	-	1	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	3	1	-	1	-	-	-	-	-
	F	9	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	4	1	-	-	-	1	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By places of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																										
46	Cancer of digestive organs, peritoneum.....	566	-	-	-	-	-	1	-	-	-	-	2	8	25	24	58	67	83	88	91	71	37	7	4	-	-
	White.....M..	321	-	-	-	-	-	1	-	-	-	-	2	3	11	10	30	40	56	49	60	37	17	4	1	-	-
	F..	239	-	-	-	-	-	-	-	-	-	-	-	5	14	14	26	25	26	38	31	34	20	3	3	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.	121	-	-	-	-	-	-	-	-	-	-	6	2	11	11	16	14	12	16	14	10	5	3	1	-	-
	White.....F..	118	-	-	-	-	-	-	-	-	-	-	6	2	11	11	14	13	12	16	14	10	5	3	1	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
50	Cancer of breast.	136	-	-	-	-	-	-	-	-	-	-	1	-	9	12	18	27	24	18	10	6	7	2	2	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	133	-	-	-	-	-	-	-	-	-	-	1	-	9	12	17	26	24	18	10	6	6	2	2	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	324	-	-	1	-	-	1	-	1	-	5	4	6	16	19	28	45	43	42	46	32	21	6	7	-	1	-
	White.....M..	223	-	-	-	-	-	1	-	1	-	3	2	5	11	14	18	28	31	29	34	27	13	5	1	-	-	-
	F..	92	-	-	-	-	-	-	-	-	-	2	2	1	5	5	9	15	11	11	11	5	7	1	6	-	1	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	1	-	-	-	-	-
	F..	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	3	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	324	1	-	-	-	-	1	-	-	2	1	1	5	12	12	26	33	57	62	50	34	17	9	-	-	1	-
	White.....M..	101	-	-	-	-	-	-	-	-	1	1	2	5	3	8	8	11	21	18	12	7	3	-	-	1	-
	F..	219	1	-	-	-	-	1	-	-	2	-	-	3	7	9	18	25	44	41	30	22	10	6	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter.....	11	-	-	-	-	-	1	-	-	-	-	-	-	1	4	3	-	2	1	-	-	-	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	1	-	-	-	-	-	-	-
	White.....M..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	705	1	-	-	-	1	2	-	1	1	1	2	9	12	24	40	70	90	103	111	107	85	33	8	4	-	-
	White.....M..	317	1	-	-	-	-	1	-	-	-	1	-	2	8	8	23	30	47	55	48	49	32	10	2	-	-	-
	F..	371	-	-	-	-	1	1	-	1	1	-	2	6	4	16	17	38	39	44	60	57	52	22	6	4	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	1	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	1	-	1	-	-	-	-
90-95	Diseases of the heart.....	3,076	1	2	-	-	1	2	1	6	13	5	24	32	47	123	209	303	315	430	475	464	340	201	66	11	2	-
	White.....M..	1,670	1	-	-	-	1	1	1	4	5	2	10	20	33	84	150	212	160	231	270	218	148	85	22	3	-	-
	F..	1,350	-	2	-	-	-	1	-	1	7	3	13	11	12	40	52	88	133	194	201	239	189	112	42	8	2	-
	Nonwhite..M..	36	-	-	-	-	-	-	-	1	1	-	1	-	2	1	5	2	9	3	3	3	1	2	2	-	-	-
	F..	20	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	4	2	1	4	2	2	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	147	-	-	-	-	1	-	1	4	8	3	14	8	9	12	11	16	10	13	10	18	5	4	-	-	-	-
	White.....M..	56	-	-	-	-	1	-	1	2	4	1	3	4	6	6	5	8	2	4	2	5	-	2	-	-	-	-
	F..	86	-	-	-	-	-	-	-	1	4	2	10	4	2	6	6	8	8	9	7	12	5	2	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	939	-	-	-	-	-	-	-	-	1	-	4	10	16	55	105	139	139	146	136	98	60	24	5	1	-	-
	White.....M..	636	-	-	-	-	-	-	-	-	1	-	3	8	14	45	84	112	90	87	90	57	31	13	1	-	-	-
	F..	290	-	-	-	-	-	-	-	1	-	-	1	2	2	8	19	27	45	57	45	40	29	10	4	1	-	-
	Nonwhite..M..	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	1	-	1	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	1,980	1	2	-	-	-	2	-	2	4	2	6	14	22	59	93	148	166	271	329	348	275	173	61	10	2	-
	White.....M..	978	1	-	-	-	-	1	-	2	-	1	4	8	13	33	61	92	77	140	178	156	117	70	21	3	-	-
	F..	974	-	2	-	-	-	1	-	-	3	1	2	5	8	26	27	53	80	128	149	137	155	100	38	7	2	-
	Nonwhite..M..	23	-	-	-	-	-	-	-	-	1	-	-	-	1	-	4	2	7	1	1	2	1	1	2	-	-	-
	F..	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	2	1	3	2	2	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza.....	483	102	9	5	2	1	2	1	9	8	3	8	9	13	15	21	26	39	42	50	50	34	20	10	3	1	-
	White.....M..	259	54	6	3	-	1	1	-	7	3	3	7	7	10	8	12	15	21	19	30	27	12	8	4	-	1	-
	F..	204	41	3	2	2	-	1	1	1	5	-	1	1	1	7	9	10	14	22	20	20	22	12	6	3	-	-
	Nonwhite..M..	9	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	4	1	-	1	-	-	-	-	-	-	-
	F..	11	6	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	2	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																										
107	Bronchopneumonia.	219	71	6	2	1	1	1	-	2	4	-	4	2	4	6	7	9	10	14	17	21	18	10	6	2	1	-
	White.....M..	108	37	5	1	-	1	1	-	1	2	-	4	1	2	2	3	5	4	4	11	10	5	3	3	-	1	-
	F..	105	28	1	1	1	-	-	-	1	2	-	-	-	1	4	4	4	6	10	6	11	13	7	3	2	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia..	200	21	3	3	-	-	-	-	3	3	3	4	7	8	8	10	15	21	22	28	21	13	7	1	1	-	-
	White.....M..	114	9	1	2	-	-	-	-	2	1	3	3	6	5	5	7	9	12	10	15	12	7	5	-	-	-	-
	F..	76	11	2	1	-	-	-	-	-	2	-	1	1	-	3	3	5	7	11	13	6	6	2	1	1	-	-
	Nonwhite..M..	6	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-
109	Pneumonia (unspecified).....	22	4	-	-	1	-	1	1	3	-	-	-	-	2	-	2	1	2	2	2	1	-	-	-	-	-	-
	White.....M..	17	3	-	-	-	-	-	-	3	-	-	-	-	2	-	2	1	2	1	2	1	-	-	-	-	-	-
	F..	5	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	42	6	-	-	-	-	-	-	1	1	-	-	-	1	1	2	1	6	4	3	7	3	3	3	-	-	-
	White.....M..	22	5	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	3	4	2	4	-	-	1	-	-	-
	F..	18	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	1	-	1	3	3	3	2	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	92	-	-	-	-	-	-	-	-	1	2	4	1	5	14	15	7	15	10	10	6	1	1	-	-	-	-
	White.....M..	79	-	-	-	-	-	-	-	-	1	2	4	1	5	13	14	5	14	9	8	2	-	1	-	-	-	-
	F..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	4	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	70	58	1	-	-	-	1	-	-	3	-	-	1	2	-	2	1	-	1	2	-	-	-	-	-	-	-
	White.....M..	43	36	-	-	-	-	1	-	-	2	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-
	F..	24	17	1	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	34	1	-	-	1	-	3	3	3	1	-	4	1	1	1	4	4	3	1	2	1	-	-	-	-	-	-
	White.....M..	20	1	-	-	1	-	1	2	2	1	-	4	1	1	1	1	1	1	-	1	1	-	-	-	-	-	-
	F..	14	-	-	-	-	-	2	1	1	-	-	-	-	-	-	3	3	2	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	67	4	-	-	-	1	1	1	2	1	1	2	2	5	3	7	8	12	12	11	10	1	5	-	-	-	-
	White.....M..	41	3	-	-	-	-	1	1	1	-	-	1	1	3	2	1	3	4	7	6	4	-	3	-	-	-	-
	F..	46	1	-	-	-	1	-	-	1	1	1	1	1	2	1	6	3	8	5	5	6	1	2	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	97	-	-	-	-	-	-	-	-	-	-	1	2	6	12	5	14	18	18	13	7	3	-	-	-	-	-
	White.....M..	62	-	-	-	-	-	-	-	-	-	-	1	-	4	9	5	8	10	11	10	3	1	-	-	-	-	-
	F..	34	-	-	-	-	-	-	-	-	-	-	-	2	2	3	-	6	5	7	3	4	2	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	60	-	-	-	-	-	-	-	-	1	1	2	2	1	6	6	7	9	9	8	3	4	1	-	-	-	-
	White.....M..	19	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	5	4	3	2	-	-	-	-	-	-	-
	F..	40	-	-	-	-	-	-	-	-	1	1	2	2	1	3	6	5	3	5	5	1	4	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	689	-	-	-	2	1	1	1	3	1	5	6	8	17	25	54	40	79	67	102	128	84	52	11	2	-	-
	White.....M..	314	-	-	-	2	1	-	-	2	-	1	2	7	7	14	20	16	44	33	49	62	32	17	4	1	-	-
	F..	355	-	-	-	-	-	1	1	1	1	4	4	1	7	10	33	22	33	33	50	66	49	31	7	1	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	1	-	1	2	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	2	-	2	2	-	-	-	-
137	Diseases of the prostate.....	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	10	11	6	9	6	-	-	-	-
	White.....M..	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	10	11	6	9	6	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	33	-	-	-	-	-	-	-	1	4	12	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	32	-	-	-	-	-	-	-	1	4	11	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	14	-	-	-	-	-	-	-	1	2	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	13	-	-	-	-	-	-	-	1	2	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	8	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	8	-	-	-	-	-	-	-	-	2	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	11	-	-	-	-	-	-	-	-	-	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	11	-	-	-	-	-	-	-	-	-	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	138	129	4	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	62	60	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	74	68	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	RHODE ISLAND—Continued																										
159	Premature birth..	161	161	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	91	91	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	66	66	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	2	2	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	47	-	-	-	-	-	-	-	1	3	2	1	5	4	7	7	5	4	3	2	-	2	1	-	-	-
	White.....M..	37	-	-	-	-	-	-	-	1	1	2	1	4	3	7	5	5	2	2	1	-	2	1	-	-	-
	F..	10	-	-	-	-	-	-	-	-	2	-	-	1	1	-	2	-	2	1	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	11	3	-	-	-	-	-	1	1	-	-	-	-	1	-	3	1	1	-	-	-	-	-	-	-	-
	White.....M..	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	-
	F..	5	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	456	23	3	4	2	4	13	15	18	29	21	6	19	15	15	22	28	29	41	48	41	36	19	6	2	-	1
	White.....M..	304	13	2	4	2	1	12	11	15	27	20	5	16	10	12	16	24	20	27	24	19	19	3	2	-	-	-
	F..	137	10	1	-	-	2	1	1	1	2	1	1	3	2	2	5	3	8	13	23	20	17	15	3	2	-	1
	Nonwhite..M..	12	-	-	-	-	1	-	1	2	-	-	-	-	1	-	1	1	1	-	1	1	-	1	1	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
170	Motor-vehicle accidents.....	75	-	-	1	1	-	3	2	2	4	7	-	3	4	8	5	4	5	11	7	5	3	-	-	-	-	-
	White.....M..	64	-	-	1	1	-	3	1	1	3	7	-	3	3	7	5	3	4	9	5	5	3	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	1	1	2	1	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	381	23	3	3	1	4	10	11	16	25	14	6	16	9	7	17	24	24	30	41	36	33	19	6	2	-	1
	White.....M..	240	13	2	3	1	1	9	10	14	24	13	5	13	7	5	11	21	16	18	19	14	16	3	2	-	-	-
	F..	128	10	1	-	-	2	1	1	-	1	1	1	3	1	1	5	2	7	11	22	20	17	15	3	2	-	1
	Nonwhite..M..	10	-	-	-	-	1	-	-	2	-	-	-	-	1	-	1	1	1	-	-	1	-	1	1	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	23	-	1	-	-	-	1	1	1	-	1	-	-	-	-	1	-	1	-	3	1	3	8	1	-	-	-
	White.....M..	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	2	-	-	2	-	-	-	-
	F..	16	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	1	1	3	6	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	683	136	10	6	5	-	7	9	14	9	10	20	18	28	22	34	37	34	50	60	54	50	47	15	8	-	-
	White.....M..	353	90	6	4	2	-	5	4	9	9	5	6	11	10	11	21	16	14	29	39	24	21	13	4	-	-	-
	F..	316	42	4	2	2	-	2	5	5	-	5	14	7	17	10	13	20	19	21	21	28	29	33	10	7	-	-
	Nonwhite..M..	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	F..	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	1	1	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA																											
	All causes.....	18,552	2,985	249	158	97	81	209	179	442	740	667	655	782	989	1,093	1,322	1,462	1,483	1,491	1,265	900	650	379	154	51	34	55
	White.....M..	5,273	774	47	48	23	20	50	39	106	286	155	145	188	202	249	317	412	479	565	481	325	228	109	32	3	1	11
	F..	3,917	589	35	16	22	12	35	32	62	76	99	95	121	143	173	195	258	357	376	417	324	255	180	60	17	1	9
	Nonwhite..M..	4,768	886	93	55	24	27	61	55	148	190	204	188	238	309	367	375	408	328	279	194	137	80	58	24	14	7	19
	F..	4,594	736	74	39	28	22	63	53	126	208	209	227	237	315	304	437	404	319	271	173	114	87	52	38	17	25	16
1,2	Typhoid and paratyphoid fever..	34	-	-	1	-	-	5	3	4	4	4	2	3	1	4	1	1	-	1	-	-	-	-	-	-	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	18	-	-	1	-	-	4	1	2	2	1	2	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	2	2	2	1	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	50	6	-	2	-	-	3	2	9	10	1	4	6	2	3	2	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	33	3	-	2	-	-	1	1	7	7	-	4	3	1	3	1	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	1	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	11	3	-	-	-	-	1	-	2	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	83	63	10	8	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	10	7	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	23	22	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	28	19	4	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	22	15	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	45	2	9	8	6	6	11	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	21	-	4	6	1	3	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	13	-	2	2	4	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	1	1	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)....	689	5	6	-	3	1	7	13	48	102	96	85	70	57	54	42	27	24	19	14	9	4	1	-	-	-	2
	White.....M..	127	-	1	-	-	-	1	2	1	11	10	11	8	19	15	11	9	7	8	8	3	2	-	-	-	-	-
	F..	65	1	2	-	-	-	-	1	2	4	7	9	8	3	3	6	3	6	3	2	4	1	-	-	-	-	-
	Nonwhite..M..	242	1	2	-	2	1	4	5	18	37	34	27	30	21	23	13	11	8	1	1	2	-	-	-	-	-	1
	F..	255	3	1	-	1	-	2	5	27	50	45	38	24	14	13	12	4	3	7	3	-	1	1	-	-	-	1
15	Tuberculosis of respiratory system, etc.*..	622	1	5	-	1	-	3	7	46	96	92	76	65	52	49	35	25	23	18	14	8	3	1	-	-	-	2
	White.....M..	121	-	1	-	-	-	1	-	1	11	10	11	8	18	15	11	9	6	7	8	3	1	-	-	-	-	-
	F..	61	1	2	-	-	-	-	-	2	4	7	9	8	3	2	5	3	6	3	2	3	1	-	-	-	-	-
	Nonwhite..M..	211	-	2	-	-	-	1	2	18	34	32	24	27	18	21	10	9	8	1	1	2	-	-	-	-	-	1
	F..	229	-	-	-	1	-	1	5	25	47	43	32	22	13	11	9	4	3	7	3	-	1	1	-	-	-	1
14-22	Tuberculosis (other forms)..	67	4	1	-	2	1	4	6	2	6	4	9	5	5	5	7	2	1	1	-	1	1	-	-	-	-	-
	White.....M..	6	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-
	F..	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	31	1	-	-	2	1	3	3	-	3	2	3	3	3	2	3	2	-	-	-	-	-	-	-	-	-	-
	F..	26	3	1	-	-	-	1	-	2	3	2	6	2	1	2	3	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	59	32	4	5	1	-	1	-	-	2	1	-	-	1	1	-	2	1	-	4	2	-	1	1	-	-	-
	White.....M..	14	7	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	2	1	-	-	-	-	-	-
	F..	9	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	22	13	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F..	14	6	2	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	1	-	-	-	1	-	-	-
28	Malaria.....	64	2	4	2	2	1	3	2	5	8	3	1	5	1	7	9	2	2	-	2	1	-	-	-	-	-	2
	White.....M..	9	-	1	1	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	1	-	-	-	-	-	-	1
	F..	8	1	1	-	-	-	-	-	1	1	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	22	-	-	-	-	-	3	2	1	4	1	-	4	-	-	5	-	1	-	-	-	-	-	-	-	-	1
	F..	25	1	2	1	2	1	-	-	3	3	2	-	-	1	2	2	2	1	-	1	1	-	-	-	-	-	-
30	Syphilis.....	292	28	2	2	1	-	1	1	6	17	8	25	39	36	35	26	20	12	20	8	2	1	-	1	-	-	1
	White.....M..	38	1	-	1	-	-	-	-	-	-	-	-	2	5	3	6	4	6	5	2	1	-	-	1	-	-	1
	F..	9	1	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite..M..	180	12	2	1	1	-	-	1	1	7	6	20	30	23	25	16	11	6	12	6	-	-	-	-	-	-	-
	F..	65	14	-	-	-	-	1	-	5	9	2	5	5	7	8	3	5	-	3	-	-	-	-	-	-	-	-
35	Measles.....	13	4	-	1	1	-	2	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	4	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	2	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	7	2	-	1	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	1,179	1	1	1	4	1	2	6	12	13	26	40	58	99	111	135	138	146	140	103	77	29	21	6	3	2	4
	White.....M..	311	1	-	1	1	-	-	2	2	5	5	8	8	14	13	29	35	42	56	35	27	16	9	2	-	-	-
	F..	453	-	1	-	-	1	1	3	1	2	8	14	17	41	48	43	51	67	47	49	35	10	8	3	1	-	2
	Nonwhite..M..	137	-	-	-	2	-	-	1	3	1	6	4	4	12	23	15	23	17	13	6	3	1	1	-	-	-	2
	F..	278	-	-	-	1	-	1	-	6	5	7	14	29	32	27	48	29	20	24	13	12	2	3	1	2	2	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																										
46	Cancer of digestive organs, peritoneum.....	458	-	-	-	1	-	-	1	1	1	6	13	21	25	38	46	49	75	65	48	44	13	5	2	1	1	2
	White.....M..	144	-	-	-	-	-	-	1	-	1	2	5	4	3	2	12	17	27	30	15	14	9	1	1	-	-	-
	F..	156	-	-	-	-	-	-	-	-	-	1	3	4	8	10	12	15	32	17	25	23	3	2	1	-	-	-
	Nonwhite..M..	82	-	-	-	1	-	-	-	1	-	2	1	3	8	17	9	12	10	10	4	1	-	1	-	-	-	2
	F..	76	-	-	-	-	-	-	-	-	-	1	4	10	6	9	13	5	6	8	4	6	1	1	-	1	1	-
48,48	Cancer of female genital organs.	273	-	-	-	-	-	-	1	1	4	9	14	18	39	39	43	31	19	21	14	9	2	2	3	2	-	2
	White.....F..	154	-	-	-	-	-	-	1	1	1	4	8	8	20	24	20	18	11	14	9	6	2	2	2	1	-	2
	Nonwhite..F..	119	-	-	-	-	-	-	-	-	3	5	6	10	19	15	23	13	8	7	5	3	-	-	1	1	-	-
50	Cancer of breast.	102	-	-	-	-	-	-	1	-	-	-	2	7	10	11	13	14	12	12	9	4	2	3	1	-	1	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F..	59	-	-	-	-	-	-	1	-	-	-	-	3	5	9	6	9	9	5	6	3	2	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	41	-	-	-	-	-	-	-	-	-	-	2	4	5	2	7	5	3	7	3	1	-	1	-	-	1	-
45,47, 51-55	Cancer (other sites).....	346	1	1	1	3	1	2	3	10	8	11	11	12	25	23	33	44	40	42	32	20	12	11	-	-	-	-
	White.....M..	165	1	-	1	1	-	-	1	2	4	3	3	4	11	11	17	18	15	26	20	13	7	7	-	-	-	-
	F..	84	-	1	-	-	1	1	1	-	1	3	3	2	8	5	5	9	15	11	9	3	3	3	-	-	-	-
	Nonwhite..M..	55	-	-	-	1	-	1	2	1	1	4	3	1	4	6	6	11	7	3	2	2	1	-	-	-	-	-
	F..	42	-	-	-	1	-	1	-	6	2	1	2	5	2	1	5	6	3	2	1	2	1	1	-	-	-	-
58	Acute rheumatic fever.....	24	-	1	-	-	1	5	2	2	1	5	-	1	2	1	2	-	-	-	-	-	1	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	1	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	13	-	-	-	-	1	3	-	2	1	2	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	276	-	-	-	-	1	-	2	6	3	5	4	11	9	21	27	43	41	35	35	20	9	3	-	-	-	1
	White.....M..	78	-	-	-	-	-	-	-	1	1	2	-	3	1	7	8	7	13	14	12	7	2	-	-	-	-	-
	F..	118	-	-	-	-	1	-	2	3	1	1	2	2	2	5	10	18	19	15	17	13	5	2	-	-	-	-
	Nonwhite..M..	24	-	-	-	-	-	-	-	1	1	2	-	2	1	1	3	3	3	2	3	-	1	-	-	-	-	1
	F..	56	-	-	-	-	-	-	-	1	-	-	2	4	5	8	6	15	6	4	3	-	1	1	-	-	-	-
63b	Exophthalmic goiter.....	18	-	-	-	-	-	-	-	1	-	1	3	1	2	2	1	1	3	1	1	-	1	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	1	3	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	-	-	1	-	-	1	-	-	-	-	-
69	Pellagra (except alcoholic).....	87	1	-	-	-	-	-	-	1	2	1	0	5	5	2	13	9	12	11	6	6	2	1	1	1	1	1
	White.....M..	10	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	3	-	1	-	1	-	-	-	-	-
	F..	27	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	2	4	7	2	4	-	-	1	1	-
	Nonwhite..M..	12	1	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	2	2	-	2	-	-	-	-	-	-
	F..	38	-	-	-	-	-	-	-	1	1	1	4	3	5	-	6	5	3	2	3	-	1	1	-	-	1	1
77	Alcoholism (ethylism).....	26	-	-	-	-	-	-	-	-	1	3	4	6	3	2	3	3	1	-	-	-	-	-	-	-	-	-
	White.....M..	19	-	-	-	-	-	-	-	-	-	-	3	6	2	1	3	3	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	1,906	5	-	2	-	-	-	2	9	10	19	24	62	95	140	211	237	246	279	221	144	107	58	21	6	3	5
	White.....M..	473	1	-	2	-	-	-	1	-	-	1	2	12	12	19	28	49	64	94	85	50	33	14	5	-	-	1
	F..	454	3	-	-	-	-	-	1	7	2	3	3	11	11	27	28	32	55	64	78	55	44	20	7	3	-	-
	Nonwhite..M..	443	-	-	-	-	-	-	-	1	5	6	9	13	35	45	65	66	57	55	28	21	17	15	2	2	-	1
	F..	536	1	-	-	-	-	-	-	1	3	9	10	26	37	49	90	90	70	66	30	18	13	9	7	1	3	3
90-95	Diseases of the heart.....	3,540	2	-	3	-	-	6	18	24	33	53	76	136	215	270	351	415	437	455	404	274	187	114	37	14	5	11
	White.....M..	1,221	-	-	1	-	-	1	3	3	7	6	15	33	54	76	100	149	175	197	168	109	81	31	8	1	-	3
	F..	823	2	-	1	-	-	1	4	5	5	13	8	19	20	34	35	55	99	125	135	108	72	56	17	5	1	3
	Nonwhite..M..	764	-	-	1	-	-	-	6	9	10	20	21	45	64	88	101	120	81	72	54	28	20	11	5	5	1	2
	F..	732	-	-	-	-	-	4	5	7	11	14	32	39	77	72	115	91	82	61	47	29	14	16	7	3	3	3
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	239	-	-	-	-	-	1	14	10	10	5	7	14	18	16	21	20	20	21	18	22	13	5	4	-	-	-
	White.....M..	50	-	-	-	-	-	-	2	2	4	1	1	2	2	2	1	4	5	7	5	5	5	-	2	-	-	-
	F..	58	-	-	-	-	-	-	4	1	2	1	2	2	3	3	2	2	4	3	5	10	8	4	2	-	-	-
	Nonwhite..M..	64	-	-	-	-	-	-	4	3	1	2	1	5	5	4	7	11	6	7	4	4	-	-	-	-	-	-
	F..	67	-	-	-	-	-	1	4	4	3	1	3	5	8	7	11	3	5	4	4	3	-	1	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	939	-	-	-	-	-	-	-	1	3	9	22	39	59	65	104	130	121	152	108	68	34	13	3	5	1	2
	White.....M..	502	-	-	-	-	-	-	-	-	-	2	7	16	31	34	59	63	77	89	67	38	15	4	-	-	-	2
	F..	224	-	-	-	-	-	-	-	1	1	3	1	5	7	8	11	23	29	45	37	28	14	8	1	2	-	-
	Nonwhite..M..	102	-	-	-	-	-	-	-	-	1	1	8	9	9	12	14	22	8	10	1	3	2	1	-	3	-	-
	F..	111	-	-	-	-	-	-	-	1	3	6	9	12	11	20	22	9	8	3	1	3	-	2	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	2,362	2	-	3	-	-	5	4	13	20	39	47	83	138	189	226	265	296	282	278	184	140	96	30	9	4	9
	White.....M..	669	-	-	1	-	-	1	1	1	3	3	7	15	21	40	40	82	93	101	96	68	61	27	6	1	-	1
	F..	541	2	-	1	-	-	1	-	3	2	9	5	12	10	23	22	30	66	77	93	70	50	44	14	3	1	3
	Nonwhite..M..	598	-	-	1	-	-	-	2	6	8	17	12	31	50	72	80	87	69	55	49	21	18	10	5	2	1	2
	F..	554	-	-	-	-	-	3	1	3	7	10	23	25	57	54	84	66	68	49	40	25	11	15	5	3	2	3
107-109, 33	Pneumonia (all forms) and influenza.....	1,486	498	65	31	12	9	27	23	26	43	38	43	48	57	65	79	81	68	63	52	64	46	27	12	6	2	1
	White.....M..	346	104	11	6	1	3	4	-	3	7	1	10	10	12	15	20	19	20	29	24	23	12	10	1	1	-	-
	F..	260	68	4	2	5	1	3	6	1	8	3	4	5	3	10	12	15	15	18	15	20	23	11	6	2	-	-
	Nonwhite..M..	452	175	24	8	5	3	8	5	12	11	17	13	19	24	24	23	20	19	9	7	15	7	1	1	1	1	-
	F..	428	151	26	15	1	2	12	12	10	17	17	16	14	18	18	24	27	14	7	6	6	4	5	4	2	1	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																										
107	Bronchopneumonia.	470	219	32	8	3	3	8	7	2	10	10	7	11	12	9	16	22	14	14	14	22	15	7	2	1	-	-
	White.....M..	126	53	6	-	1	1	2	-	1	4	-	2	2	3	5	6	7	5	9	7	5	4	2	1	-	-	-
	F..	85	28	3	1	1	-	3	2	-	4	1	1	-	-	1	4	4	4	2	3	10	8	5	-	-	-	-
	Nonwhite..M..	138	74	12	2	1	2	2	3	-	1	5	1	6	2	3	4	6	3	2	2	5	1	-	-	1	-	-
	F..	121	64	11	5	-	-	1	2	1	1	4	3	3	7	-	4	5	2	1	2	2	2	-	1	-	-	-
108	Lobar pneumonia..	496	108	11	7	3	3	9	9	12	21	8	24	20	25	28	39	40	26	25	23	23	15	11	1	3	1	1
	White.....M..	116	19	2	2	-	1	2	-	2	2	1	5	5	4	7	9	9	5	11	10	12	2	5	-	1	-	-
	F..	93	19	-	-	2	-	-	3	-	2	1	2	2	1	3	7	8	7	8	9	5	7	4	1	2	-	-
	Nonwhite..M..	157	41	3	3	1	1	3	1	6	7	3	8	9	11	13	12	9	7	4	3	6	5	1	-	-	-	-
	F..	130	29	6	2	-	1	4	5	4	10	3	9	4	9	5	11	14	7	2	1	-	1	1	-	-	1	1
109	Pneumonia (unspecified).....	132	69	6	3	1	-	2	3	3	3	4	1	4	2	2	6	2	4	3	3	5	2	1	1	2	-	-
	White.....M..	19	11	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-
	F..	14	8	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite..M..	48	23	1	1	1	-	2	-	2	-	3	-	1	2	1	4	1	3	1	-	2	-	-	-	-	-	-
	F..	51	27	5	1	-	-	-	2	1	1	1	-	2	-	1	2	1	1	1	1	1	-	1	-	2	-	-
33	Influenza.....	388	102	16	13	5	3	8	4	9	9	16	11	13	18	26	16	17	24	21	12	14	14	8	8	-	1	-
	White.....M..	85	21	3	4	-	1	-	-	-	-	-	2	3	5	3	5	3	10	9	5	4	4	3	-	-	-	-
	F..	68	13	1	-	2	1	-	-	1	1	1	1	2	2	6	1	3	4	7	3	5	3	2	4	-	-	-
	Nonwhite..M..	109	37	8	2	2	-	1	1	4	3	6	4	3	9	7	3	4	6	2	2	2	1	-	1	-	1	-
	F..	126	31	4	7	1	1	7	3	4	5	9	4	5	2	10	7	7	4	3	2	3	1	3	3	-	-	-
117	Ulcer of stomach or duodenum....	88	-	-	-	-	-	1	1	1	2	2	6	6	9	15	12	8	11	9	4	-	1	-	-	-	-	-
	White.....M..	40	-	-	-	-	-	-	1	-	-	1	3	4	4	7	5	4	4	7	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-
	Nonwhite..M..	26	-	-	-	-	-	-	-	-	1	1	1	2	5	4	6	-	4	1	1	-	-	-	-	-	-	-
	F..	15	-	-	-	-	-	1	-	1	1	-	-	-	-	3	1	4	2	1	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	413	312	42	14	6	5	6	1	2	2	1	-	2	2	1	4	3	1	1	3	1	1	1	2	-	-	-
	White.....M..	97	78	7	-	1	1	3	-	1	-	-	-	-	-	-	2	1	-	1	1	1	-	-	1	-	-	-
	F..	68	52	8	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-
	Nonwhite..M..	131	96	18	10	2	1	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	117	86	9	3	3	2	-	1	1	2	1	-	2	2	1	2	1	1	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	92	1	1	1	2	2	8	4	6	11	5	9	4	7	4	6	5	4	9	1	-	1	1	-	-	-	-
	White.....M..	29	-	1	1	1	-	2	2	1	2	-	1	3	1	2	2	3	1	6	-	-	-	-	-	-	-	-
	F..	18	-	-	-	1	-	1	-	2	-	2	2	-	1	-	1	-	2	3	1	-	1	1	-	-	-	-
	Nonwhite..M..	24	-	-	-	-	2	3	-	1	4	2	1	-	3	2	3	2	1	-	-	-	-	-	-	-	-	-
	F..	21	1	-	-	-	-	2	2	2	5	1	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	127	9	1	1	1	-	2	-	2	5	6	8	14	6	7	10	8	13	10	10	9	2	2	-	-	-	1
	White.....M..	31	4	-	1	1	-	1	-	1	2	-	-	2	1	-	-	2	4	3	4	4	1	-	-	-	-	-
	F..	35	2	-	-	-	-	-	-	-	1	3	-	4	1	2	5	2	2	3	5	3	1	1	-	-	-	-
	Nonwhite..M..	31	2	-	-	-	-	1	-	-	2	2	2	2	1	3	2	3	5	3	1	1	-	-	-	-	-	1
	F..	30	1	1	-	-	-	-	-	1	-	1	6	6	3	2	3	1	2	1	-	1	-	1	-	-	-	-
124	Cirrhosis of the liver.....	63	-	-	-	-	-	-	-	-	1	3	4	5	6	4	7	7	10	4	4	4	3	-	1	-	-	-
	White.....M..	30	-	-	-	-	-	-	-	-	1	1	2	4	4	2	2	3	6	1	1	2	1	-	-	-	-	-
	F..	13	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	1	2	2	2	-	-	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	2	1	2	1	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-	1	-	-	-
126,127	Biliary calculi, etc.*.....	28	-	-	-	1	-	-	-	1	-	-	1	1	2	3	3	3	6	2	2	1	2	-	-	-	-	-
	White.....M..	10	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	3	1	2	1	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	1	2	1	-	-	2	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	1,908	2	5	7	4	1	4	8	14	30	39	36	67	98	146	165	235	234	245	204	144	114	64	14	7	8	11
	White.....M..	465	-	1	1	-	-	1	2	1	5	5	5	13	13	21	27	50	61	70	62	51	41	29	4	1	-	1
	F..	341	-	-	1	-	-	1	1	2	2	2	6	8	10	11	16	29	34	50	64	39	39	20	4	1	-	1
	Nonwhite..M..	541	2	3	3	1	-	1	3	4	8	13	11	20	37	60	55	77	69	63	43	32	17	10	1	1	2	5
	F..	559	-	1	2	3	1	1	2	7	15	19	14	28	38	54	67	79	70	82	35	22	17	5	5	4	6	4
137	Diseases of the prostate.....	69	-	-	-	-	-	-	-	-	-	1	-	1	3	2	4	6	12	14	8	8	6	1	2	1	-	-
	White.....M..	41	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	9	9	4	7	6	1	1	-	-	-
	Nonwhite..M..	28	-	-	-	-	-	-	-	-	-	1	-	-	3	1	3	5	3	5	4	1	-	-	1	1	-	-
140-150	Diseases of pregnancy, etc.*...	240	-	-	-	-	-	-	3	24	54	64	45	30	17	2	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	97	-	-	-	-	-	-	-	9	23	23	22	11	7	1	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..F..	143	-	-	-	-	-	-	3	15	31	41	23	19	10	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	55	-	-	-	-	-	-	2	7	11	13	14	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	19	-	-	-	-	-	-	-	3	6	1	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	36	-	-	-	-	-	-	2	4	5	12	8	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	91	-	-	-	-	-	-	1	11	24	21	18	7	7	1	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	36	-	-	-	-	-	-	-	5	7	8	10	2	2	1	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..F..	55	-	-	-	-	-	-	1	6	17	13	8	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	94	-	-	-	-	-	-	-	6	19	30	13	17	8	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	42	-	-	-	-	-	-	-	1	10	14	6	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	52	-	-	-	-	-	-	-	5	9	16	7	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	217	191	11	2	2	1	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	94	83	5	1	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	85	77	4	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	21	19	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	17	12	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH CAROLINA—Continued																										
159	Premature birth..	759	759	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	268	268	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	206	206	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	162	162	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	123	123	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	94	-	-	-	-	-	-	1	7	7	10	12	14	7	2	9	9	7	6	3	-	-	-	-	-	-
	White.....M..	62	-	-	-	-	-	-	1	3	3	8	8	10	4	1	7	5	4	6	2	-	-	-	-	-	-
	F..	23	-	-	-	-	-	-	-	2	2	1	2	3	3	1	1	1	1	3	-	1	-	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	2	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	197	-	1	-	-	-	1	1	21	40	40	24	18	16	9	12	6	5	3	-	-	-	-	-	-	-
	White.....M..	54	-	-	-	-	-	-	-	3	9	9	8	3	3	4	8	1	3	3	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	1	-	1	-	5	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	111	-	-	-	-	-	-	1	15	24	24	12	11	11	5	3	3	2	-	-	-	-	-	-	-	-
	F..	20	-	1	-	-	-	-	-	2	7	2	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,360	48	28	31	23	26	58	55	134	252	140	86	58	70	57	43	39	35	27	46	24	41	22	6	1	3	7
	White.....M..	669	10	7	14	7	6	15	22	63	189	90	47	32	32	26	21	18	15	11	17	8	10	3	2	-	-	4
	F..	191	11	5	2	2	3	11	7	12	8	12	3	8	9	10	4	3	8	8	14	12	19	14	4	1	-	1
	Nonwhite..M..	343	15	8	9	4	7	12	17	50	46	33	32	17	22	17	14	12	6	4	7	2	4	3	-	-	1	1
	F..	157	12	8	6	10	10	20	9	9	9	5	4	1	7	4	4	6	6	4	8	2	8	2	-	-	2	1
170	Motor-vehicle accidents.....	383	4	2	6	6	8	25	18	55	61	34	33	23	28	24	10	14	13	7	8	-	2	1	-	-	-	1
	White.....M..	195	-	1	6	3	3	7	7	27	37	14	20	12	15	16	5	6	8	3	4	-	-	-	-	-	-	1
	F..	54	3	-	-	1	2	4	4	8	5	6	2	7	5	1	1	-	3	1	-	-	1	-	-	-	-	-
	Nonwhite..M..	106	1	-	-	1	1	6	5	18	15	13	11	4	7	7	3	5	2	2	3	-	1	1	-	-	-	-
	F..	28	-	1	-	1	2	8	2	2	4	1	-	-	1	-	1	3	-	1	1	-	-	-	-	-	-	-
169, 171-195	Other accidents..	977	44	26	25	17	18	33	37	79	191	106	53	35	42	33	33	25	22	20	38	24	39	21	6	1	3	6
	White.....M..	474	10	6	8	4	3	6	15	36	152	76	27	20	17	10	16	12	7	6	13	8	10	3	2	-	-	3
	F..	137	8	5	2	1	1	7	3	4	3	6	1	1	4	9	3	3	5	7	14	12	18	14	4	1	-	1
	Nonwhite..M..	237	14	8	9	3	6	6	12	32	31	20	21	13	15	10	11	7	4	2	4	2	3	2	-	-	1	1
	F..	129	12	7	6	9	8	12	7	7	5	4	4	1	6	4	3	3	6	3	7	2	8	2	-	-	2	1
162, 199, 200	Senility, ill-defined and unknown causes.	1,226	516	25	9	7	9	11	9	11	16	23	31	30	49	46	63	49	58	44	41	47	37	40	33	11	8	3
	White.....M..	146	45	-	-	3	1	1	-	1	1	-	2	3	9	7	11	10	9	9	8	8	5	9	4	-	-	-
	F..	105	32	2	-	2	-	-	-	1	-	-	-	3	1	3	2	3	8	5	3	10	6	13	8	2	-	1
	Nonwhite..M..	523	240	14	3	1	6	5	5	2	7	13	16	13	21	20	24	19	24	19	16	16	10	11	11	4	2	1
	F..	452	199	9	6	1	2	5	4	7	8	10	13	11	18	16	26	17	17	11	14	13	16	7	10	5	6	1
	All other causes.	1,793	496	33	25	20	16	39	20	57	67	69	76	81	91	77	82	105	94	92	89	63	55	22	17	1	2	4
	White.....M..	511	161	8	8	6	5	10	1	12	12	12	14	24	9	21	23	35	29	35	41	22	16	3	3	-	1	-
	F..	415	103	6	3	5	3	10	5	9	16	11	13	15	28	11	18	17	28	25	24	17	27	13	9	1	-	-
	Nonwhite..M..	434	124	13	10	3	6	12	6	24	16	17	14	19	24	22	18	28	18	16	16	14	3	5	3	-	-	3
	F..	433	108	6	4	6	2	7	8	12	23	29	35	23	30	23	23	25	21	16	8	10	9	1	2	-	1	1

TABLE 21.—DEATHS FROM SPECIFIED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA																										
	All causes	5,641	457	68	28	24	9	61	52	39	105	105	97	102	139	187	265	330	442	571	626	651	614	404	133	25	1	9
	White—M	3,155	209	22	8	11	4	34	24	48	66	62	52	63	82	91	170	233	277	338	361	371	317	232	59	11	1	7
	F	2,137	166	14	10	6	3	18	17	24	26	24	35	33	48	86	85	133	150	214	249	270	281	161	70	12	-	2
	Nonwhite—M	186	43	18	7	1	-	5	7	11	5	8	4	1	5	7	6	5	11	11	11	6	7	4	2	1	-	-
	F	163	39	14	3	6	2	4	4	5	6	11	6	5	4	3	2	9	4	8	5	4	9	7	2	1	-	-
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	8	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	15	9	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	7	-	-	2	-	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	176	8	10	1	2	1	1	9	16	14	13	17	17	9	3	13	13	7	12	8	4	-	-	-	-	-	-
	White—M	51	-	1	-	-	-	1	-	-	2	1	7	8	3	1	6	7	2	8	3	1	-	-	-	-	-	-
	F	37	1	-	1	-	-	-	2	3	4	2	3	5	2	-	4	3	1	3	1	2	-	-	-	-	-	-
	Nonwhite—M	42	4	5	1	-	-	-	4	8	3	2	4	1	2	1	2	-	3	1	1	-	-	-	-	-	-	-
	F	46	3	4	-	1	1	-	3	5	5	8	3	3	2	1	1	3	1	-	1	1	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc. *	152	3	7	1	2	-	1	8	13	12	12	15	15	9	3	12	13	7	10	5	4	-	-	-	-	-	-
	White—M	41	-	-	-	-	-	1	-	-	1	1	5	6	3	1	5	7	2	6	2	1	-	-	-	-	-	-
	F	33	-	-	-	1	-	-	1	1	4	2	3	5	2	-	4	3	1	3	1	2	-	-	-	-	-	-
	Nonwhite—M	38	2	4	1	-	-	-	4	7	3	2	4	1	2	1	2	-	3	1	1	-	-	-	-	-	-	-
	F	40	1	3	-	1	-	-	3	5	4	7	3	3	2	1	1	3	1	-	1	1	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	24	5	3	-	-	1	-	1	3	2	1	2	2	-	-	1	-	-	2	1	-	-	-	-	-	-	-
	White—M	10	-	1	-	-	-	-	-	-	1	-	2	2	-	-	1	-	-	2	1	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	38	2	-	-	-	-	-	-	1	1	-	3	1	2	3	4	5	3	3	2	3	-	-	-	-	-	-
	White—M	19	-	-	-	-	-	-	-	1	-	-	1	-	-	2	3	3	3	3	1	2	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
35	Measles	27	5	9	4	1	-	2	3	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	9	1	-	1	1	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	9	1	4	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	Poliomyelitis, polioencephalitis (acute)	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	678	-	-	1	-	-	-	2	2	1	6	5	13	19	44	52	75	84	82	101	85	70	26	10	-	-	-
	White—M	336	-	-	-	-	-	-	2	1	1	2	1	6	9	14	27	34	40	42	56	48	35	16	4	-	-	-
	F	328	-	-	1	-	-	-	-	1	-	2	4	5	10	28	25	39	43	40	43	37	35	9	6	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	1	-	-	-	-	1	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Continued																										
46	Cancer of digestive organs, peritoneum	331	-	-	-	-	-	-	-	-	-	-	-	6	3	11	25	32	43	43	54	56	41	13	4	-	-
	White	178	-	-	-	-	-	-	-	-	-	-	-	4	1	3	17	15	20	24	34	32	19	7	2	-	-
	F.	150	-	-	-	-	-	-	-	-	-	-	-	1	2	7	8	16	23	19	20	24	22	6	2	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
46,49	Cancer of female genital organs	62	-	-	-	-	-	-	-	-	-	1	-	4	4	11	7	8	7	3	7	2	5	2	1	-	-
	White	60	-	-	-	-	-	-	-	-	-	-	-	3	4	11	7	8	7	3	7	2	5	2	1	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	60	-	-	-	-	-	-	-	-	-	-	-	1	4	5	5	9	9	8	7	5	3	2	2	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	58	-	-	-	-	-	-	-	-	-	-	-	1	4	4	5	9	9	8	7	5	3	1	2	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
45,47, 51-55	Cancer (other sites)	225	-	-	1	-	-	-	2	2	1	5	5	2	8	17	15	26	25	28	33	22	21	9	3	-	-
	White	160	-	-	-	-	-	-	2	1	1	2	1	2	8	11	10	19	20	18	22	16	16	9	2	-	-
	F.	60	-	-	1	-	-	-	-	1	-	2	4	-	-	6	5	6	4	10	9	6	5	-	1	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
58	Acute rheumatic fever	8	-	-	-	-	-	2	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White	6	-	-	-	-	-	2	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	126	1	-	-	-	-	1	1	-	-	-	1	-	-	2	6	9	21	29	22	20	7	6	-	-	-
	White	44	-	-	-	-	-	1	1	-	-	-	1	-	-	-	3	1	6	12	7	6	3	3	-	-	-
	F.	79	1	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	15	16	14	14	4	2	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
63b	Exophthalmic goiter	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	3	2	1	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	2	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	8	-	-	-	-	-	-	-	-	-	2	-	2	-	2	-	-	-	1	1	-	-	-	-	-	-
	White	7	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	1	1	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	497	-	-	-	-	-	1	-	2	-	-	-	2	3	9	25	38	37	66	85	89	76	54	10	-	-	2
	White	278	-	-	-	-	-	1	-	1	-	-	-	1	1	3	13	15	27	41	53	49	36	31	4	-	-	2
	F.	212	-	-	-	-	-	-	-	1	-	-	-	1	1	6	12	20	8	24	32	39	40	22	6	-	-	-
	Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	-	1	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
90-95	Diseases of the heart	1,384	1	1	-	-	-	1	3	2	3	8	11	12	28	43	57	113	142	207	210	200	196	114	28	3	-	1
	White	880	-	1	-	-	-	-	1	-	2	5	8	6	19	23	45	83	108	130	124	123	111	73	14	3	-	1
	F.	482	1	-	-	-	-	1	2	2	1	3	3	6	9	18	10	29	31	73	83	74	82	41	13	-	-	-
	Nonwhite	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	2	1	2	-	-	1	-	-	-
	F.	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	1	3	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	72	-	-	-	-	-	-	1	1	1	2	3	3	2	4	7	6	4	12	7	11	4	3	1	-	-	-
	White	37	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4	4	3	7	4	6	4	1	-	-	-	-
	F.	33	-	-	-	-	-	-	1	1	1	2	2	1	1	4	2	2	1	5	3	4	-	2	1	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	485	-	-	-	-	-	-	-	-	-	-	4	4	10	20	32	59	62	75	76	67	42	26	6	1	-	1
	White	371	-	-	-	-	-	-	-	-	-	-	4	3	10	15	29	46	55	53	51	48	27	23	5	1	-	1
	F.	110	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	13	7	19	25	19	15	3	1	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
90b,91, 92a,d,e; 93a,b,d,e, 95a,c	Diseases of heart (other forms)	827	1	1	-	-	-	1	2	1	2	6	4	5	16	19	18	48	76	120	127	122	150	85	21	2	-	-
	White	472	-	1	-	-	-	-	1	-	2	5	3	1	8	8	12	33	50	70	69	69	80	49	9	2	-	-
	F.	339	1	-	-	-	-	1	1	1	-	1	1	4	8	10	5	14	23	49	55	51	67	36	11	-	-	-
	Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	1	-	-	-
	F.	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	3	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	358	65	15	3	4	3	9	3	8	5	1	6	7	5	13	6	10	20	21	31	38	35	33	14	3	-	-
	White	171	29	4	-	2	1	1	1	4	2	-	-	5	3	9	3	5	12	13	17	20	17	15	7	1	-	-
	F.	141	19	3	1	-	1	4	2	3	3	1	6	2	2	4	3	3	8	8	12	16	15	17	7	1	-	-
	Nonwhite	26	9	4	2	1	-	3	-	1	-	-	-	-	-	-	-	2	-	-	1	2	1	-	-	-	-	-
	F.	20	8	4	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Continued																										
107	Bronchopneumonia.	126	35	7	1	1	-	5	1	1	-	-	1	-	2	1	1	3	7	5	12	12	13	12	3	3	-	-
	White.....M..	64	18	4	-	-	-	1	1	-	-	-	-	-	2	-	1	1	4	4	7	6	8	4	2	1	-	-
	F..	49	10	1	1	-	-	4	-	1	-	-	1	-	-	1	-	2	3	1	4	6	4	8	1	1	-	-
	Nonwhite..M..	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
108	Lobar pneumonia..	122	10	1	-	-	1	2	1	4	3	-	2	4	3	7	5	5	10	8	12	18	12	13	3	-	-	-
	White.....M..	61	4	-	-	-	-	-	-	2	2	-	-	4	1	6	2	3	6	5	6	9	2	7	2	-	-	-
	F..	47	1	1	-	-	1	-	1	1	1	-	2	-	2	1	3	1	4	3	5	6	8	5	1	-	-	-
	Nonwhite..M..	8	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-
	F..	6	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
109	Pneumonia (unspecified).....	27	8	6	2	1	-	1	-	-	-	-	1	-	-	2	-	1	-	1	-	2	1	1	-	-	-	-
	White.....M..	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	1	-	-	-	-
	F..	5	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	10	2	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	83	12	1	-	2	2	1	1	3	2	1	2	3	-	3	-	1	3	7	7	8	9	7	8	-	-	-
	White.....M..	39	6	-	-	2	1	-	-	2	-	-	-	1	-	2	-	-	2	3	4	4	6	3	3	-	-	-
	F..	40	5	1	-	-	-	-	1	1	2	1	2	2	-	1	-	-	1	4	3	4	3	4	5	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	31	-	-	-	-	-	-	-	1	-	1	-	2	2	3	3	2	4	4	6	3	-	-	-	-	-	-
	White.....M..	24	-	-	-	-	-	-	-	1	-	1	-	2	2	3	3	2	2	2	4	2	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*....	27	14	2	-	-	-	-	-	-	-	-	2	-	1	1	-	1	1	-	1	-	2	1	1	-	-	-
	White.....M..	12	6	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	1	-	1	1	-	-	-	-
	F..	8	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	47	3	1	-	-	-	2	2	3	4	7	1	2	3	2	2	1	1	8	1	1	1	1	-	-	-	1
	White.....M..	34	3	1	-	-	-	1	2	3	2	7	1	2	2	2	1	-	1	5	1	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	1	-	-	2	-	-	-	1	-	1	1	-	3	-	1	1	-	-	-	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
122	Hernia, intestinal obstruction	51	2	-	-	-	-	1	-	-	-	-	3	2	3	2	2	6	2	4	6	10	5	3	-	-	-	-
	White.....M..	22	-	-	-	-	-	1	-	-	-	-	2	-	1	-	1	4	1	-	3	5	2	2	-	-	-	-
	F..	28	2	-	-	-	-	-	-	-	-	-	1	2	2	2	1	2	1	3	3	5	3	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	22	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	5	4	3	4	3	1	-	-	-	-	-
	White.....M..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	3	2	4	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	1	-	3	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	38	-	-	-	-	-	-	-	1	-	-	-	1	1	2	4	5	2	10	1	7	2	2	-	-	-	-
	White.....M..	13	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	1	2	-	2	1	1	-	-	-	-
	F..	22	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	4	1	6	1	5	1	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
130-132	Nephritis.....	303	2	-	-	-	-	4	-	4	2	4	2	4	4	12	15	23	24	47	46	38	39	24	7	2	-	-
	White.....M..	178	1	-	-	-	-	3	-	1	1	3	-	3	3	3	10	18	11	34	23	22	21	16	5	-	-	-
	F..	117	1	-	-	-	-	1	-	3	-	-	1	1	1	7	5	5	13	11	23	16	17	8	2	2	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
137	Diseases of the prostate.....	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	5	9	6	5	7	4	-	-	-
	White.....M..	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	5	8	5	4	7	4	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*..	20	-	-	-	-	-	-	-	1	6	4	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	18	-	-	-	-	-	-	-	1	6	4	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	11	-	-	-	-	-	-	-	-	3	2	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	10	-	-	-	-	-	-	-	-	3	2	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	7	-	-	-	-	-	-	-	-	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	-	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	75	62	2	2	2	-	2	1	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	37	32	-	-	1	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	34	26	2	2	1	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	SOUTH DAKOTA—Continued																										
159	Premature birth..	124	124	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	62	62	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	55	55	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	58	-	-	-	-	-	-	-	2	4	3	-	4	9	5	11	12	4	1	1	1	-	-	1	-	-	-
	White.....M..	42	-	-	-	-	-	-	-	1	3	2	-	3	5	2	10	12	1	1	-	1	-	-	1	-	-	-
	F..	15	-	-	-	-	-	-	-	1	1	1	-	1	3	3	1	-	3	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	8	-	-	-	-	-	1	-	-	-	-	-	-	2	2	1	2	-	-	-	-	-	-	-	-	-	-
	White.....M..	5	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	471	10	8	6	4	3	17	12	29	46	37	23	14	23	14	24	25	19	21	23	31	37	25	14	2	-	4
	White.....M..	346	6	8	2	2	2	11	7	26	45	33	20	14	21	12	21	21	17	15	14	15	13	12	6	-	-	3
	F..	115	4	-	3	2	1	5	3	3	1	2	3	-	2	2	2	4	2	4	9	16	24	13	8	1	-	1
	Nonwhite..M..	10	-	-	1	-	-	1	2	-	-	2	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	75	1	1	-	-	-	2	3	13	7	6	6	3	6	5	5	5	4	1	2	3	1	-	1	-	-	-
	White.....M..	66	1	1	-	-	-	1	2	11	6	5	6	3	6	4	4	5	4	1	2	2	1	-	1	-	-	-
	F..	8	-	-	-	-	-	1	-	2	1	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	396	19	7	6	4	3	15	9	16	39	31	17	11	17	9	19	20	15	20	21	28	36	25	13	2	-	4
	White.....M..	280	5	7	2	2	2	10	5	15	39	28	14	11	15	8	17	16	13	14	12	13	12	12	5	-	-	3
	F..	107	4	-	3	2	1	4	3	1	-	1	3	-	2	1	1	4	2	4	9	15	24	13	8	1	-	1
	Nonwhite..M..	9	-	-	1	-	-	1	1	-	-	2	-	-	-	-	1	-	-	2	-	-	-	-	-	1	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	309	24	4	4	2	-	2	2	1	2	3	3	-	2	1	4	6	12	13	22	34	61	65	30	10	1	1
	White.....M..	155	3	-	-	-	-	-	-	-	-	-	3	-	1	1	3	1	7	7	8	19	32	33	10	5	1	1
	F..	104	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	9	14	22	28	17	5	-	-
	Nonwhite..M..	39	9	3	2	-	-	-	1	1	2	1	-	-	-	-	-	2	4	2	5	1	4	1	1	-	-	-
	F..	31	10	1	2	2	-	2	1	-	-	2	-	-	-	-	-	2	-	1	-	-	3	3	2	-	-	-
	All other causes.	668	124	10	5	7	1	13	7	9	14	12	13	14	21	22	31	28	47	31	45	76	76	43	14	5	-	-
	White.....M..	369	64	4	5	5	1	6	4	5	8	4	6	9	10	11	15	18	28	15	33	50	40	22	4	2	-	-
	F..	273	48	3	-	2	-	6	3	4	6	8	7	5	11	10	15	8	19	14	12	25	35	19	10	3	-	-
	Nonwhite..M..	14	7	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	1	-	-	-	-
	F..	10	5	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE																										
	All causes	27,935	3,143	335	159	105	97	269	232	519	735	739	856	1004	1,181	1300	1,645	1,910	2,246	2,687	3,003	2,377	1847	1039	342	95	32	38
	White	11,701	1,407	132	72	40	40	120	103	189	282	269	298	317	409	498	655	827	980	1,207	1,395	1,049	819	422	117	38	6	10
	M.	9,122	1051	111	62	46	29	90	56	131	211	195	230	274	279	298	415	483	676	912	1,086	970	812	489	168	36	5	7
	F.	3,617	396	42	15	9	14	30	38	89	110	120	167	197	231	271	287	325	298	311	259	175	110	66	30	11	8	8
	Nonwhite	3,495	289	50	10	10	14	29	35	110	132	155	161	216	262	233	288	275	292	257	263	183	106	62	27	10	13	13
1,2	Typhoid and paratyphoid fever	32	2	1	-	-	1	2	2	4	1	1	2	1	1	3	3	3	1	2	2	-	-	-	-	-	-	-
	White	12	-	1	-	-	-	1	1	1	-	-	-	-	1	2	1	1	1	2	-	-	-	-	-	-	-	-
	M.	13	1	-	-	-	1	-	1	1	1	-	2	-	-	1	1	2	-	-	2	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
6	Cerebrospinal (meningococcus) meningitis	51	11	5	3	1	2	1	7	1	5	2	4	2	-	1	3	1	2	-	-	-	-	-	-	-	-	-
	White	25	7	2	2	1	1	-	4	-	1	-	2	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	M.	16	2	2	1	-	1	1	1	-	1	1	2	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
	F.	8	2	-	-	-	-	-	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
8	Scarlet fever	10	1	1	-	2	2	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	6	1	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	4	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
9	Whooping cough	180	134	30	7	2	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White	73	61	6	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	74	49	16	4	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F.	18	15	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	15	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
10	Diphtheria	38	5	2	13	4	5	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	16	4	1	7	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	20	1	1	6	3	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
13-22	Tuberculosis (all forms)	1,980	26	22	12	7	3	14	19	120	184	207	191	159	137	133	124	122	113	141	125	71	35	11	1	-	1	2
	White	641	10	6	8	2	-	5	2	9	38	45	52	44	50	51	55	60	45	66	47	29	14	2	1	-	-	-
	M.	661	7	10	-	3	1	3	4	29	48	69	55	44	37	36	42	38	51	57	64	37	19	7	-	-	-	-
	F.	337	5	3	3	1	1	1	3	34	38	38	46	33	29	27	21	16	11	12	9	4	2	1	-	-	1	-
	Nonwhite	341	4	3	1	1	1	5	10	48	60	57	38	38	21	19	6	8	6	6	5	1	-	1	-	-	-	2
	M.																											
	F.																											
13	Tuberculosis of respiratory system, etc.*	1,807	8	9	4	-	1	4	13	113	169	201	177	149	129	127	117	115	108	135	119	64	32	9	1	-	1	2
	White	584	3	2	2	-	-	1	1	8	36	44	49	41	48	49	50	57	43	63	45	25	14	2	1	-	-	-
	M.	611	-	5	-	-	1	-	2	28	46	69	52	40	34	35	42	36	48	56	62	34	16	5	-	-	-	-
	F.	306	3	2	2	-	-	1	2	32	33	34	41	31	28	24	20	15	11	11	8	4	2	1	-	-	1	-
	Nonwhite	306	2	-	-	-	-	2	8	45	54	54	35	37	19	19	5	7	6	5	4	1	-	1	-	-	-	2
	M.																											
	F.																											
14-22	Tuberculosis (other forms)	173	18	13	8	7	2	10	8	7	15	6	14	10	8	6	7	7	5	6	6	7	3	2	-	-	-	-
	White	57	7	4	6	2	-	4	1	1	2	1	3	3	2	2	5	3	2	3	2	4	-	-	-	-	-	-
	M.	50	7	5	-	3	-	3	2	1	2	-	3	4	3	1	-	2	3	1	2	3	3	2	-	-	-	-
	F.	51	2	1	1	1	1	-	1	2	5	2	5	2	1	3	1	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite	35	2	3	1	1	1	3	2	3	6	3	3	1	2	-	1	1	-	1	1	-	-	-	-	-	-	-
	M.																											
	F.																											
27	Dysentery	91	44	15	2	-	1	1	-	-	2	1	-	1	-	-	2	2	-	5	4	4	5	1	1	-	-	-
	White	45	23	8	1	-	1	1	-	-	1	-	-	-	-	-	-	-	1	1	2	-	4	1	-	-	-	-
	M.	30	14	5	1	-	-	-	-	-	1	-	-	1	-	-	-	2	-	2	1	2	-	-	1	-	-	-
	F.	9	2	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite	9	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	M.																											
	F.																											
28	Malaria	21	-	2	-	-	2	-	-	-	-	-	4	-	1	1	4	2	2	1	1	1	-	-	-	-	-	-
	White	9	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	2	1	1	-	1	-	-	-	-	-	-
	M.	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F.	6	-	1	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
30	Syphilis	551	26	3	-	-	-	2	4	3	4	11	26	41	44	48	38	35	30	19	11	6	-	-	-	-	-	-
	White	124	8	-	-	-	-	1	1	-	-	1	5	11	11	15	17	19	15	10	7	3	-	-	-	-	-	-
	M.	47	7	1	-	-	-	1	-	-	-	-	6	5	7	5	3	6	2	3	1	-	-	-	-	-	-	-
	F.	117	8	2	-	-	-	-	-	2	-	5	9	18	15	20	13	7	9	6	1	2	-	-	-	-	-	-
	Nonwhite	65	3	-	-	-	-	-	3	1	4	5	6	7	11	8	5	3	4	-	2	1	-	-	-	-	-	-
	M.																											
	F.																											
35	Measles	37	10	5	3	4	1	4	3	-	-	2	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White	13	4	4	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	18	4	1	1	3	-	3	2	-	-	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F.	3	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
36	Poliomyelitis, polioencephalitis (acute)	7	2	1	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	5	2	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M.																											
	F.																											
45-55	Cancer and other malignant tumors	2,465	2	3	-	2	4	10	6	8	12	27	55	97	173	184	266	263	294	297	301	212	167	58	16	7	-	1
	White	908	1	1	-	1	1	5	1	3	5	11	13	16	40	39	81	95	110	123	135	99	88	29	6	3	-	-
	M.	1,117	1	2	-	-	2	4	4	3	6	9	27	61	80	89	111	110	134	140	135	95	69	25	9	3	-	-
	F.	172	-	-	-	-	-	-	1	-	1	1	4	5	15	15	34	32	19	11	17	7	7	3	1	-	-	1
	Nonwhite	288	-	-	-	1	1	1	-	-	-	6	11	17	38	41	40	26	51	23	14	11	3	3	-	1	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Con.																										
46	Cancer of digestive organs, peritoneum.....	955	-	-	-	-	-	1	2	3	2	7	8	20	46	53	102	112	115	157	133	95	67	25	4	2	-	1
	White.....M..	433	-	-	-	-	-	1	-	1	1	5	4	11	20	14	40	48	47	75	66	47	38	12	3	-	-	-
	F..	359	-	-	-	-	-	-	1	2	1	1	1	9	14	21	28	39	45	67	55	38	25	9	1	2	-	-
	Nonwhite..M..	86	-	-	-	-	-	1	-	-	-	-	2	-	7	7	20	17	9	6	8	3	2	3	-	-	-	1
	F..	77	-	-	-	-	-	-	-	-	-	1	1	-	5	11	14	8	14	9	4	7	2	1	-	-	-	-
48, 49	Cancer of female genital organs.	433	1	-	-	-	1	2	-	1	1	8	21	32	57	55	51	47	54	35	39	18	7	1	1	1	-	-
	White.....F..	324	1	-	-	-	1	1	-	1	1	5	15	22	40	37	37	35	44	28	32	16	7	-	1	-	-	-
	Nonwhite..F..	109	-	-	-	-	-	1	-	-	-	3	6	10	17	18	14	12	10	7	7	2	-	1	-	1	-	-
50	Cancer of breast.	248	-	-	-	-	-	-	-	-	-	1	2	20	22	29	32	25	28	28	25	16	12	5	3	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-
	F..	198	-	-	-	-	-	-	-	-	-	1	1	15	14	21	26	21	22	22	22	15	10	5	3	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	46	-	-	-	-	-	-	-	-	-	-	1	5	8	8	4	4	6	6	2	1	1	-	-	-	-	-
45, 47, 51-55	Cancer (other sites).....	829	1	3	-	2	3	7	4	4	9	11	24	25	48	47	81	79	97	77	104	83	81	27	8	4	-	-
	White.....M..	472	1	1	-	1	1	4	1	4	4	6	9	5	20	25	39	47	63	48	69	52	49	17	3	3	-	-
	F..	236	-	2	-	-	1	3	3	-	4	2	10	15	12	10	20	15	23	23	26	26	27	9	4	1	-	-
	Nonwhite..M..	85	-	-	-	-	-	-	-	-	1	1	2	3	8	8	14	15	10	5	8	4	5	-	1	-	-	-
	F..	56	-	-	-	1	1	-	-	-		2	3	2	8	4	8	2	1	1	1	1	-	1	-	-	-	-
58	Acute rheumatic fever.....	36	-	-	2	-	1	6	3	2	2	3	2	3	3	-	2	2	2	1	1	-	-	1	-	-	-	-
	White.....M..	8	-	-	2	-	-	2	1	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	12	-	-	-	-	1	1	1	1	1	1	-	1	1	-	-	-	1	1	1	-	-	1	-	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	2	2	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	3	1	1	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	409	2	1	-	-	-	2	2	7	12	4	8	8	14	14	37	34	61	58	64	51	21	7	-	1	1	-
	White.....M..	140	2	1	-	-	-	1	1	2	1	1	3	2	7	3	13	4	18	20	29	17	11	3	-	1	-	-
	F..	187	-	-	-	-	-	1	-	4	9	1	3	3	3	2	14	16	29	31	29	29	9	4	-	-	-	-
	Nonwhite..M..	31	-	-	-	-	-	-	1	-	2	1	1	1	1	7	1	2	7	2	3	2	-	-	-	-	-	-
	F..	51	-	-	-	-	-	-	-	1	-	1	1	2	3	2	9	12	7	5	3	3	1	-	-	-	1	-
65b	Exophthalmic goiter.....	25	-	-	-	-	-	-	-	-	1	3	1	2	2	-	5	3	2	1	2	1	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	1	2	1	2	1	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	1	-	-	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	91	-	-	-	-	-	-	-	-	1	2	-	1	4	3	3	11	9	11	16	15	7	5	3	-	-	-
	White.....M..	28	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	-	5	9	4	2	-	1	-	-	-
	F..	52	-	-	-	-	-	-	-	-	-	1	-	1	2	2	2	6	6	5	6	11	4	4	2	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	2	1	-	-	1	1	-	-	-	-
77	Alcoholism (ethylism).....	33	-	-	-	-	-	-	-	-	1	-	-	7	9	6	3	4	2	-	1	-	-	-	-	-	-	-
	White.....M..	25	-	-	-	-	-	-	-	-	1	-	-	4	7	4	2	4	2	-	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	2,754	5	3	4	1	-	1	3	7	10	12	22	42	75	116	194	253	332	436	452	344	250	141	23	4	1	3
	White.....M..	1,070	1	2	1	-	-	1	1	2	4	4	5	7	12	38	60	93	137	192	194	149	105	54	6	2	-	-
	F..	946	1	1	1	-	-	-	-	3	3	5	8	12	20	21	52	68	96	145	175	139	119	65	12	2	-	-
	Nonwhite..M..	294	1	-	1	-	-	-	1	1	2	1	2	11	16	20	35	38	43	39	58	23	10	9	1	-	1	1
	F..	424	2	-	1	1	-	-	1	1	1	2	7	12	27	37	47	54	56	62	45	33	16	13	4	-	-	2
90-95	Diseases of the heart.....	5,725	5	2	2	4	3	7	21	28	41	49	68	129	194	276	390	512	631	818	915	696	528	265	104	21	6	8
	White.....M..	2,585	3	1	-	2	2	-	11	12	10	11	25	38	64	133	180	244	315	384	457	305	252	108	38	10	-	-
	F..	1,751	1	-	2	2	-	5	4	8	19	11	17	33	51	49	66	86	151	269	294	285	238	123	49	6	-	2
	Nonwhite..M..	701	-	1	-	-	1	1	3	3	6	9	13	22	41	51	68	99	82	91	93	51	28	21	10	4	1	2
	F..	688	1	-	-	-	-	1	3	5	6	18	13	36	58	43	76	83	85	74	71	55	30	13	7	1	5	4
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	617	-	-	-	1	2	5	11	8	17	12	17	36	20	28	33	54	61	83	89	57	44	26	11	2	-	-
	White.....M..	218	-	-	-	-	2	-	5	5	6	2	8	12	7	5	10	15	16	27	44	25	17	10	2	-	-	-
	F..	201	-	-	-	1	-	3	3	2	7	4	5	13	4	6	9	9	18	33	21	25	18	11	7	2	-	-
	Nonwhite..M..	87	-	-	-	-	-	1	2	-	2	2	2	5	3	6	7	13	13	13	9	3	2	3	1	-	-	-
	F..	111	-	-	-	-	-	1	1	1	2	4	2	6	6	11	7	17	14	10	15	4	7	2	1	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,455	1	-	-	-	-	-	-	4	6	7	11	33	64	88	117	162	194	249	222	149	91	37	16	2	2	-
	White.....M..	857	-	-	-	-	-	-	-	3	-	2	5	13	32	59	79	107	127	150	135	77	45	17	8	-	-	-
	F..	439	-	-	-	-	-	-	-	1	4	1	3	10	12	14	21	34	49	79	79	61	44	17	8	2	-	-
	Nonwhite..M..	79	-	-	-	-	-	-	-	-	1	1	2	4	6	10	7	11	11	10	4	6	2	3	-	-	1	-
	F..	80	1	-	-	-	-	-	-	-	1	3	1	6	14	5	10	10	7	10	4	5	2	-	-	-	1	-
90b, 91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	3,651	4	2	2	3	1	2	10	16	18	30	40	60	110	160	240	296	376	486	604	490	395	202	77	17	4	8
	White.....M..	1,508	3	1	-	2	-	-	6	4	4	7	12	13	25	69	91	122	170	207	278	203	172	81	28	10	-	-
	F..	1,111	1	-	2	1	-	2	1	5	8	6	9	10	15	29	36	43	84	157	194	199	176	95	34	2	-	2
	Nonwhite..M..	535	-	1	-	-	1	-	1	3	3	6	9	13	32	35	54	75	58	68	80	42	24	15	9	4	-	2
	F..	497	-	-	-	-	-	-	2	4	3	11	10	24	38	27	39	56	64	54	52	46	21	11	6	1	4	4
107-109, 33	Pneumonia (all forms) and influenza.....	2,297	512	83	36	20	10	30	18	35	28	38	41	75	66	86	95	102	130	157	214	184	167	116	39	9	6	4
	White.....M..	851	219	34	15	7	4	10	7	9	9	8	8	21	17	29	34	34	40	64	92	70	55	44	15	3	3	-
	F..	797	164	17	12	9	3	10	5	9	6	12	13	9	9	19	25	26	46	49	74	91	96	64	22	4	2	3
	Nonwhite..M..	347	72	15	6	2	2	7	5	7	4	8	9	27	19	18	22	22	30	27	20	13	6	2	1	2	-	1
	F..	302	57	17	3	2	1	3	1	8	9	8	11	18	21	20	16	20	14	17	28	10	10	6	1	-	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Con.																										
107	Bronchopneumonia.	768	256	40	17	8	3	10	6	5	6	5	8	15	9	20	19	16	26	49	67	57	72	34	14	3	2	1
	White.....M..	313	109	22	8	3	2	3	2	1	2	1	1	5	4	7	7	5	9	18	34	24	27	12	6	-	1	-
	F..	290	91	6	5	6	1	4	2	1	-	2	2	2	1	6	7	5	10	20	22	27	42	20	8	2	-	1
	Nonwhite..M..	94	34	5	3	-	-	2	1	3	1	1	3	5	2	5	4	4	7	4	4	3	2	-	-	1	-	-
	F..	71	22	7	1	2	-	1	1	-	3	1	2	3	2	2	1	2	-	7	7	3	1	2	-	-	1	-
108	Lobar pneumonia..	738	97	17	8	7	2	8	5	13	10	18	16	34	29	27	44	46	58	60	75	59	51	43	6	2	1	2
	White.....M..	277	39	7	4	2	-	2	3	6	4	5	3	10	5	9	17	18	20	29	33	21	19	16	3	1	1	-
	F..	237	33	4	3	5	1	2	2	5	1	6	5	2	2	7	5	10	20	15	26	31	24	24	1	1	-	2
	Nonwhite..M..	124	13	3	-	-	1	3	-	-	3	5	3	15	11	5	13	12	10	12	6	4	3	1	1	-	-	-
	F..	100	12	3	1	-	-	1	-	2	2	2	5	7	11	6	9	6	8	4	10	3	5	2	1	-	-	-
109	Pneumonia (unspecified).....	160	47	9	2	1	1	3	1	4	2	2	2	6	6	7	12	16	7	6	7	8	6	3	1	-	-	1
	White.....M..	48	17	1	-	-	-	1	-	-	-	1	1	2	3	3	4	4	2	2	2	3	-	2	-	-	-	-
	F..	36	8	2	1	-	-	1	-	1	2	-	-	1	-	1	4	4	-	-	2	3	4	1	1	-	-	-
	Nonwhite..M..	38	13	3	-	1	-	-	1	2	-	-	-	2	1	1	3	3	3	1	2	1	-	-	-	-	-	1
	F..	38	9	3	1	-	1	1	-	1	-	1	1	1	2	2	1	5	2	3	1	1	2	-	-	-	-	-
55	Influenza.....	651	112	17	9	4	4	9	6	11	10	11	15	20	22	32	20	24	39	42	65	60	38	36	18	4	3	-
	White.....M..	213	54	4	3	2	2	4	2	2	3	1	3	4	5	10	6	7	9	15	23	22	9	14	6	2	1	-
	F..	254	52	5	3	1	1	3	1	2	3	4	6	4	6	5	7	7	16	14	24	30	26	19	12	1	2	-
	Nonwhite..M..	91	12	4	3	1	1	2	3	2	-	2	3	5	5	7	2	3	10	10	8	5	1	1	-	1	-	-
	F..	93	14	4	-	-	-	-	-	5	4	4	3	7	6	10	5	7	4	3	10	3	2	2	-	-	-	-
117	Ulcer of stomach or duodenum....	166	1	-	-	-	-	-	-	1	4	10	7	9	4	15	14	23	25	18	13	5	13	2	2	-	-	-
	White.....M..	102	1	-	-	-	-	-	-	-	2	4	2	6	2	8	10	19	21	9	9	3	4	1	1	-	-	-
	F..	23	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	1	6	3	1	5	-	-	-	-	-
	Nonwhite..M..	24	-	-	-	-	-	-	-	1	1	2	2	1	1	1	1	4	3	2	1	-	1	-	-	-	-	-
	F..	17	-	-	-	-	-	-	-	-	1	4	1	2	-	1	1	-	-	1	-	1	3	1	1	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	585	250	36	8	1	5	2	1	1	1	-	2	1	6	3	2	5	6	4	10	7	12	2	-	-	-	-
	White.....M..	135	101	14	2	-	1	2	-	-	-	-	-	-	1	-	-	1	2	-	4	4	5	-	-	-	-	-
	F..	137	92	14	5	1	2	-	1	-	-	-	1	1	2	1	-	1	1	1	3	2	7	2	-	-	-	-
	Nonwhite..M..	42	29	4	-	-	1	-	-	-	-	-	1	-	-	-	-	2	-	2	2	-	1	-	-	-	-	-
	F..	51	28	4	1	-	1	-	-	1	1	-	-	-	3	2	2	1	3	1	1	1	1	-	-	-	-	-
121	Appendicitis.....	170	2	1	1	2	2	15	10	10	17	7	13	11	16	14	7	10	6	8	8	6	2	-	1	1	-	-
	White.....M..	78	-	1	1	-	2	9	2	3	8	1	7	6	8	8	-	4	2	4	6	3	2	-	-	1	-	-
	F..	40	1	-	-	1	-	5	3	4	4	3	1	-	2	1	3	3	5	2	2	2	2	-	-	-	-	-
	Nonwhite..M..	25	1	-	-	-	-	1	3	1	2	2	2	3	-	3	3	2	-	1	-	1	-	-	-	-	-	-
	F..	27	-	-	-	1	-	-	2	2	3	1	3	2	6	2	1	1	1	1	-	-	-	1	-	-	-	-
122	Hernia, intestinal obstruction	214	14	5	4	-	2	2	2	4	3	5	6	11	12	14	15	26	19	24	13	17	9	6	1	-	-	-
	White.....M..	75	5	3	1	-	-	1	1	-	-	1	-	3	3	1	6	8	9	15	5	7	3	2	1	-	-	-
	F..	77	6	1	3	-	1	-	1	1	1	2	4	5	4	4	4	7	5	6	6	8	4	4	-	-	-	-
	Nonwhite..M..	33	3	-	-	-	1	1	-	1	1	1	1	1	2	5	2	7	3	1	-	1	2	-	-	-	-	-
	F..	29	-	1	-	-	-	-	-	2	1	1	1	2	3	4	3	4	2	2	2	1	-	-	-	-	-	-
124	Cirrhosis of the liver.....	159	-	-	-	-	1	-	-	-	1	2	2	11	11	8	16	16	21	13	25	4	4	4	-	-	-	-
	White.....M..	89	-	-	-	-	-	-	-	-	-	1	1	7	8	5	8	12	13	8	19	3	3	1	-	-	-	-
	F..	28	-	-	-	-	-	-	-	-	1	1	1	1	-	1	5	1	6	3	6	-	-	2	-	-	-	-
	Nonwhite..M..	15	-	-	-	-	1	-	-	-	-	-	-	1	3	1	2	2	1	2	-	1	-	1	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	-	-	-	1	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	90	-	-	-	-	-	-	-	-	-	1	4	4	2	3	7	12	15	13	10	12	4	2	1	-	-	-
	White.....M..	34	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	5	4	7	6	7	1	-	-	-	-	-
	F..	43	-	-	-	-	-	-	-	-	-	1	2	1	2	2	3	5	9	4	4	5	2	2	1	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	2	1	-	-	1	-	-	-	-	-
130-132	Nephritis.....	1,908	5	5	3	-	4	4	6	8	14	22	43	42	67	73	119	131	175	249	285	238	221	134	43	10	2	5
	White.....M..	794	3	1	1	-	3	2	1	3	4	5	14	9	18	16	38	48	69	115	131	110	110	66	19	5	1	2
	F..	554	-	1	2	-	1	-	2	3	7	6	8	7	11	16	25	34	49	62	98	73	83	50	13	2	-	1
	Nonwhite..M..	288	2	2	-	-	-	1	1	-	-	1	9	10	19	24	28	27	30	48	24	28	15	11	5	1	1	1
	F..	272	-	1	-	-	-	1	2	2	3	10	12	16	19	17	28	22	27	24	32	27	13	7	6	2	-	1
137	Diseases of the prostate.....	152	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	11	28	28	43	17	13	4	-	-	-
	White.....M..	118	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	18	25	38	12	11	3	-	-	-
	Nonwhite..M..	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	10	3	5	5	2	1	-	-	-
140-150	Diseases of pregnancy, etc.*...	204	-	-	-	-	-	-	1	37	55	36	37	30	9	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	152	-	-	-	-	-	-	-	22	41	24	30	27	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	52	-	-	-	-	-	-	1	15	12	12	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	66	-	-	-	-	-	-	-	16	19	11	11	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	45	-	-	-	-	-	-	-	8	13	8	9	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	21	-	-	-	-	-	-	-	8	6	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	76	-	-	-	-	-	1	15	21	12	13	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	57	-	-	-	-	-	-	-	9	17	9	11	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	19	-	-	-	-	-	-	1	6	4	3	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	62	-	-	-	-	-	-	-	6	13	13	13	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	50	-	-	-	-	-	-	-	5	11	7	10	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	12	-	-	-	-	-	-	-	1	2	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	295	249	10	11	4	3	1	2	5	6	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	White.....M..	155	112	3	3	3	2	1	-	4	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	135	114	6	8	1	-	-	2	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	18	16	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	9	7	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TENNESSEE—Con.																										
159	Premature birth..	822	822	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	384	384	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	280	280	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	94	94	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	64	64	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	181	-	-	-	-	-	-	1	10	23	15	16	20	16	15	14	21	12	8	5	7	2	-	-	-	-
	White.....M..	124	-	-	-	-	-	-	-	4	12	9	12	15	9	9	9	18	8	6	4	7	2	-	-	-	-	-
	F..	48	-	-	-	-	-	-	1	5	10	3	4	5	5	4	3	2	3	2	1	-	-	-	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	1	1	1	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	269	4	-	1	-	-	1	1	28	37	37	46	34	30	15	16	9	4	3	3	-	-	-	-	-	2
	White.....M..	99	2	-	-	-	-	1	1	8	11	15	16	8	8	5	11	3	3	3	3	-	-	-	-	-	-	1
	F..	12	1	-	-	-	-	-	-	3	1	1	-	3	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	150	1	-	1	-	-	-	-	11	21	18	25	18	19	7	5	5	-	-	-	-	-	-	-	-	-	1
	F..	28	-	-	-	-	-	-	-	6	4	3	7	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,853	63	34	22	27	21	68	70	142	184	147	139	94	95	86	72	67	64	77	97	99	87	59	25	6	2	8
	White.....M..	1,109	25	18	13	11	5	37	38	104	138	120	100	70	69	58	42	38	41	33	45	37	36	19	5	1	-	6
	F..	413	22	9	8	10	5	13	9	17	22	11	11	13	10	5	11	13	7	29	33	32	45	38	17	4	1	-
	Nonwhite..M..	227	9	1	-	3	4	12	16	19	17	15	22	9	11	19	15	12	14	12	10	3	2	-	-	-	1	1
	F..	104	7	6	3	3	7	6	7	2	7	1	6	2	5	4	4	4	2	3	9	7	4	2	1	1	-	1
170	Motor-vehicle accidents.....	446	-	1	3	6	4	20	21	44	71	52	38	25	28	27	26	16	22	14	12	6	7	1	-	-	-	2
	White.....M..	317	-	-	2	2	2	12	11	34	55	45	28	19	21	19	16	7	19	9	7	4	6	-	-	-	-	1
	F..	60	-	1	1	4	-	3	3	6	9	3	5	5	5	2	3	4	1	1	1	1	1	1	-	-	-	-
	Nonwhite..M..	55	-	-	-	-	-	4	5	3	8	4	3	1	2	5	5	4	2	4	4	1	-	-	-	-	-	-
	F..	14	-	-	-	-	2	1	2	1	1	-	2	-	-	1	2	1	-	-	-	-	-	-	-	-	-	1
169, 171-195	Other accidents..	1,407	63	33	19	21	17	48	49	98	113	95	101	69	67	59	46	51	42	63	85	93	80	58	23	6	2	6
	White.....M..	792	25	18	11	9	3	25	27	70	85	75	72	51	48	39	26	31	22	24	38	33	30	19	5	1	-	5
	F..	353	22	8	5	6	5	10	6	11	13	8	6	8	5	3	8	9	6	28	32	31	44	37	17	4	1	-
	Nonwhite..M..	172	9	1	-	3	4	8	11	16	9	11	19	8	9	14	10	8	12	8	6	2	2	-	-	-	1	1
	F..	90	7	6	3	3	5	5	5	1	6	1	4	2	5	3	2	3	2	3	9	7	4	2	1	1	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	1,741	314	24	9	5	4	16	9	14	21	19	24	47	45	66	70	91	97	120	194	160	182	136	55	27	10	2
	White.....M..	706	140	6	3	1	1	6	5	6	5	4	8	11	20	28	32	42	47	50	79	64	72	52	12	10	2	-
	F..	519	90	9	5	1	2	5	3	5	6	6	3	3	9	7	11	16	19	32	65	62	58	59	29	11	2	1
	Nonwhite..M..	269	46	5	1	2	-	2	1	1	3	2	9	14	12	26	7	19	17	25	18	18	17	11	9	2	2	-
	F..	247	38	4	-	1	1	3	-	2	7	7	4	19	4	5	20	14	14	15	32	16	15	14	5	4	4	1
	All other causes.	2,757	652	41	16	19	18	64	38	45	67	79	91	120	144	119	123	144	179	173	203	193	133	76	25	9	3	5
	White.....M..	1,138	288	18	8	8	11	28	23	17	27	25	23	36	53	43	50	62	72	70	86	89	60	29	9	2	-	1
	F..	897	195	13	5	10	5	28	11	12	22	23	27	34	33	30	31	39	52	63	81	74	55	41	13	4	-	-
	Nonwhite..M..	342	89	3	3	1	1	4	1	5	8	14	10	19	22	22	21	23	22	19	17	15	13	5	2	2	1	-
	F..	380	62	7	-	-	1	4	3	11	10	17	31	31	36	24	21	20	33	21	19	15	7	1	1	1	2	2

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS																										
	All causes.....	62,216	8,454	880	392	282	194	629	600	1,525	2,246	1,816	1,842	2,177	2,621	3,154	3,781	4,218	4,630	5,496	5,753	4,467	3,800	2,151	817	215	79	247
	White.....M..	30,481	4,036	402	171	121	94	315	293	644	1,370	869	769	927	1,059	1,430	1,791	2,138	2,529	2,851	2,993	2,309	1,656	1,022	351	68	22	151
	F..	20,632	3,115	347	151	72	68	209	185	403	518	526	558	612	710	834	952	1,184	1,396	1,737	2,025	1,752	1,715	1,005	405	107	24	22
	Nonwhite..M..	5,942	722	71	29	23	16	58	63	132	166	207	245	319	408	490	549	486	396	491	492	287	130	73	27	17	14	41
	F..	5,161	581	60	41	16	16	47	59	146	192	214	270	319	444	400	449	410	309	417	343	169	99	51	34	23	19	33
1,2	Typhoid and paratyphoid fever..	79	2	-	-	-	2	8	7	4	9	7	14	3	4	7	2	3	3	2	2	-	-	-	-	-	-	-
	White.....M..	31	-	-	-	-	1	4	2	2	4	1	6	-	3	2	1	1	1	2	1	-	-	-	-	-	-	-
	F..	20	1	-	-	-	1	1	2	1	2	5	2	-	-	3	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	12	1	-	-	-	-	1	1	-	-	-	2	2	1	2	-	1	-	-	1	-	-	-	-	-	-	-
	F..	16	-	-	-	-	-	2	2	1	3	1	4	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	61	7	5	1	3	1	4	1	8	9	3	6	5	2	1	-	1	-	4	-	-	-	-	-	-	-	-
	White.....M..	44	2	3	1	3	-	2	1	7	9	2	4	5	2	1	-	-	-	2	-	-	-	-	-	-	-	-
	F..	12	4	2	-	-	-	2	-	1	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	9	2	1	2	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	7	2	1	1	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	265	209	27	16	2	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	101	83	9	4	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	100	76	12	7	-	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	29	24	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	35	26	3	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	140	18	28	24	21	12	27	5	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	62	6	11	12	13	4	13	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	66	10	15	11	6	7	12	2	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	7	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	1	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)....	3,338	44	31	14	4	2	20	58	261	389	353	335	309	258	276	237	193	197	140	102	64	28	9	1	-	-	13
	White.....M..	1,509	23	13	5	2	1	9	19	71	128	107	127	136	116	145	157	113	131	94	64	44	15	2	1	-	-	6
	F..	1,142	15	13	6	2	1	7	29	120	165	144	129	104	85	67	54	53	50	30	28	19	12	7	-	-	-	2
	Nonwhite..M..	334	4	1	1	-	-	1	3	24	31	38	38	36	30	42	33	18	12	11	8	1	1	-	-	-	-	1
	F..	353	2	4	2	-	-	3	7	46	65	64	41	33	27	22	13	9	4	5	2	-	-	-	-	-	-	4
13	Tuberculosis of respiratory system, etc.*.	3,160	28	11	7	-	2	12	49	250	375	339	323	300	248	269	220	192	192	135	96	62	28	9	1	-	-	12
	White.....M..	1,419	14	3	2	-	1	5	11	67	122	103	120	132	115	142	125	113	128	89	60	43	15	2	1	-	-	6
	F..	1,093	10	5	3	-	1	4	28	119	159	138	128	102	80	67	51	53	49	30	27	18	12	7	-	-	-	2
	Nonwhite..M..	310	3	1	1	-	-	1	3	25	29	34	35	34	26	39	31	17	12	11	7	1	1	-	-	-	-	1
	F..	338	1	2	1	-	-	2	7	41	65	64	40	32	27	21	13	9	3	5	2	-	-	-	-	-	-	3
14-22	Tuberculosis (other forms)..	178	16	20	7	4	-	8	9	11	14	14	12	9	10	7	17	1	5	5	6	2	-	-	-	-	-	1
	White.....M..	90	9	10	3	2	-	4	8	4	6	4	7	4	1	3	12	-	3	5	4	1	-	-	-	-	-	-
	F..	49	5	8	3	2	-	3	1	1	6	6	1	2	5	-	3	-	1	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	24	1	-	-	-	-	-	-	1	2	4	3	2	4	3	2	1	-	-	1	-	-	-	-	-	-	-
	F..	15	1	2	1	-	-	1	-	5	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1
27	Dysentery.....	424	282	26	8	5	2	7	2	2	2	-	3	2	1	4	2	10	6	12	13	15	11	5	1	3	-	-
	White.....M..	206	141	15	3	2	1	3	-	1	1	-	2	1	-	3	-	2	1	5	5	9	8	2	-	1	-	-
	F..	160	108	7	4	2	-	3	2	1	1	-	-	1	1	-	1	4	5	3	6	5	3	1	1	1	-	-
	Nonwhite..M..	33	24	2	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-	-	-
	F..	25	9	2	1	-	1	1	-	-	-	-	1	-	-	1	-	2	-	3	-	1	-	2	-	1	-	-
28	Malaria.....	68	8	1	3	2	1	2	4	3	1	3	2	3	4	7	1	2	1	4	7	5	1	2	-	-	-	1
	White.....M..	20	2	-	1	-	1	-	1	-	1	-	-	2	1	2	-	-	-	2	3	3	-	1	-	-	-	-
	F..	17	3	1	-	1	-	1	1	-	-	1	-	-	-	1	1	1	-	1	2	-	1	1	-	-	-	-
	Nonwhite..M..	10	1	-	-	-	-	-	-	2	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	1
	F..	21	2	-	2	1	-	1	2	1	-	2	1	-	-	2	-	1	1	1	2	2	-	-	-	-	-	-
30	Syphilis.....	812	80	9	1	3	1	3	3	4	14	17	45	80	95	102	95	95	61	40	31	9	14	4	1	2	-	3
	White.....M..	329	23	2	-	2	-	1	3	1	4	5	11	32	37	43	36	44	29	26	14	7	7	-	-	1	-	1
	F..	103	20	2	1	-	-	1	-	1	2	2	5	9	7	9	8	10	9	6	5	1	3	2	-	1	-	-
	Nonwhite..M..	263	21	5	-	1	1	-	-	-	2	4	18	29	39	33	39	30	19	3	11	1	4	1	-	-	-	2
	F..	117	16	-	-	-	-	1	-	2	6	6	11	10	12	17	12	11	5	5	1	-	-	1	1	-	-	-
35	Measles.....	39	12	13	4	1	2	2	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	14	4	6	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	17	5	7	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	7	2	-	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	167	9	9	5	5	10	43	24	21	17	11	6	-	3	1	1	-	1	-	1	-	-	-	-	-	-	-
	White.....M..	99	2	6	3	3	8	27	16	15	8	5	3	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F..	56	3	3	1	2	2	16	6	6	6	6	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	8	2	-	1	-	-	-	2	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	4	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	5,554	1	8	10	3	3	14	13	21	37	64	118	201	345	458	534	618	671	710	689	505	320	149	40	9	2	11
	White.....M..	2,412	1	4	6	2	2	7	8	10	29	26	36	53	85	151	176	255	316	334	361	278	157	86	22	4	-	3
	F..	2,515	-	4	4	1	1	6	4	8	6	29	59	110	184	236	268	296	285	305	271	208	153	58	15	2	-	2
	Nonwhite..M..	218	-	-	-	-	-	1	1	1	1	5	6	5	17	29	26	19	33	26	32	8	2	2	-	2	-	2
	F..	409	-	-	-	-	-	-	-	2	1	4	17	33	59	42	64	48	37	45	25	11	8	3	3	1	2	4

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Continued																										
46	Cancer of digestive organs, peritoneum	2,193	1	-	1	1	1	5	5	4	6	18	23	58	93	158	188	251	303	332	296	219	149	62	13	1	2	3
	White M	1,090	1	-	1	-	-	2	3	2	6	8	11	23	38	72	82	122	158	176	160	123	80	34	6	-	-	2
	White F	866	-	-	-	1	1	3	1	2	-	6	7	24	33	55	79	102	110	122	112	92	84	25	7	-	-	-
	Nonwhite M	111	-	-	-	-	-	-	1	-	-	3	1	2	11	20	12	12	16	14	15	2	1	1	-	-	-	-
	Nonwhite F	126	-	-	-	-	-	-	-	-	-	1	4	9	11	11	15	15	19	20	9	2	4	2	-	1	2	1
48,49	Cancer of female genital organs	795	-	-	-	-	-	1	-	3	3	13	37	59	92	112	102	91	79	74	51	41	25	8	2	-	-	2
	White F	623	-	-	-	-	-	1	-	3	2	10	29	40	67	93	75	71	68	60	41	32	22	7	1	-	-	1
	Nonwhite F	172	-	-	-	-	-	-	-	-	1	3	8	19	25	19	27	20	11	14	10	9	3	1	1	-	-	1
50	Cancer of breast	453	-	-	-	-	-	-	-	-	-	5	13	21	58	48	62	60	41	46	43	37	11	3	4	-	-	1
	White M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	White F	407	-	-	-	-	-	-	-	-	-	5	12	19	50	41	52	54	39	42	41	37	10	3	2	-	-	-
	Nonwhite M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	44	-	-	-	-	-	-	-	-	-	-	1	2	8	7	10	6	2	3	1	-	1	-	2	-	-	1
45,47, 51-55	Cancer (other sites)	2,113	-	8	9	2	2	8	8	14	28	28	45	63	102	140	182	216	248	258	299	208	135	76	21	8	-	5
	White M	1,320	-	4	5	2	2	5	5	8	23	18	25	30	47	79	94	133	158	157	200	155	97	52	16	4	-	1
	White F	619	-	4	4	-	-	2	3	3	4	8	11	27	34	47	62	69	68	81	77	47	37	23	5	2	-	1
	Nonwhite M	107	-	-	-	-	-	1	-	1	1	2	5	3	6	9	14	7	17	12	17	6	1	1	-	2	-	2
	Nonwhite F	67	-	-	-	-	-	-	-	2	-	-	4	3	15	5	12	7	5	8	5	-	-	-	-	-	-	1
58	Acute rheumatic fever	59	-	-	-	1	2	6	4	5	8	4	4	5	1	1	2	3	4	2	3	1	1	2	-	-	-	-
	White M	16	-	-	-	-	1	2	1	-	2	1	-	2	-	1	-	2	2	1	1	-	-	-	-	-	-	-
	White F	26	-	-	-	-	1	2	1	2	3	1	2	3	1	-	1	1	2	-	2	1	1	2	-	-	-	-
	Nonwhite M	8	-	-	-	1	-	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	9	-	-	-	-	-	1	-	1	2	1	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
61	Diabetes mellitus	987	1	-	2	-	2	5	11	22	14	11	23	20	34	51	65	92	125	157	150	107	70	18	7	-	-	-
	White M	353	1	-	1	-	1	1	6	6	5	2	9	10	11	7	23	27	16	53	53	53	29	7	2	-	-	-
	White F	465	-	-	1	-	1	2	3	12	6	7	8	5	7	22	23	46	62	83	81	44	37	10	5	-	-	-
	Nonwhite M	67	-	-	-	-	-	1	1	2	3	2	3	1	4	10	8	6	4	8	8	5	1	-	-	-	-	-
	Nonwhite F	102	-	-	-	-	-	1	1	2	-	-	3	4	12	12	11	13	13	13	8	5	3	1	-	-	-	-
63b	Exophthalmic goiter	58	-	-	-	-	-	-	-	2	5	6	3	5	4	9	10	3	3	-	3	3	2	-	-	-	-	-
	White M	9	-	-	-	-	-	-	-	1	-	1	1	1	-	-	3	-	-	-	1	1	-	-	-	-	-	-
	White F	33	-	-	-	-	-	-	-	-	5	5	-	2	3	8	1	2	2	-	1	2	2	-	-	-	-	-
	Nonwhite M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite F	12	-	-	-	-	-	-	-	-	-	-	2	2	1	1	3	1	1	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	272	2	-	-	-	1	1	-	2	4	2	5	16	15	8	16	29	26	35	49	31	20	6	1	1	-	2
	White M	68	1	-	-	-	-	1	-	2	2	-	-	-	2	1	3	8	7	9	12	8	7	4	-	-	-	1
	White F	140	1	-	-	-	1	-	-	-	2	2	3	5	5	6	8	13	17	17	25	21	10	2	1	1	-	-
	Nonwhite M	23	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	4	-	4	6	1	2	-	-	-	-	-
	Nonwhite F	41	-	-	-	-	-	-	-	-	-	-	1	10	6	1	3	4	2	5	6	1	1	-	-	-	-	1
77	Alcoholism (ethylism)	61	-	-	-	-	-	-	-	1	1	3	3	12	9	14	5	5	3	2	2	1	-	-	-	-	-	-
	White M	44	-	-	-	-	-	-	-	-	-	1	2	8	5	11	5	5	2	2	2	1	-	-	-	-	-	-
	White F	12	-	-	-	-	-	-	-	1	-	2	1	3	3	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite M	5	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	4,895	8	5	4	2	2	7	3	12	23	20	37	92	158	231	360	479	507	716	772	607	477	255	82	22	7	17
	White M	1,994	2	3	3	-	1	4	1	4	8	7	11	23	48	67	100	197	218	314	328	290	214	108	31	9	1	2
	White F	1,827	4	1	1	2	1	2	2	5	9	5	11	34	30	68	109	148	163	260	311	250	229	129	39	6	4	5
	Nonwhite M	474	1	1	-	-	-	-	-	1	1	4	4	8	23	44	69	53	53	65	73	35	16	12	4	1	1	5
	Nonwhite F	600	1	-	-	-	-	1	-	2	5	4	11	17	37	52	82	81	73	77	60	32	18	6	9	6	1	5
90-95	Diseases of the heart	13,187	9	6	7	5	2	24	30	60	77	103	165	298	503	753	1,104	1,256	1,544	1,854	1,880	1,445	1,163	610	210	39	13	27
	White M	7,211	3	1	2	3	1	11	12	17	31	23	71	145	243	399	627	737	976	1,082	1,042	771	606	296	90	10	4	8
	White F	3,930	4	3	2	2	1	11	10	20	22	40	33	56	92	139	178	276	388	515	641	566	500	289	105	27	4	6
	Nonwhite M	1,118	1	2	-	-	-	1	1	9	9	18	29	48	78	111	173	135	111	150	111	63	35	18	8	-	2	5
	Nonwhite F	928	1	-	3	-	-	1	7	14	15	22	32	49	90	104	126	108	69	107	86	45	22	7	7	2	3	8
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	503	-	-	-	1	-	12	10	19	19	22	16	18	20	31	41	44	42	54	54	41	37	15	7	-	-	-
	White M	234	-	-	-	-	-	6	3	8	7	7	7	7	7	14	17	18	26	28	29	19	19	9	3	-	-	-
	White F	174	-	-	-	1	-	5	5	7	6	11	6	4	7	10	10	17	11	19	14	18	15	6	2	-	-	-
	Nonwhite M	55	-	-	-	-	-	1	1	1	3	2	1	2	5	4	11	5	3	3	6	4	1	-	2	-	-	-
	Nonwhite F	40	-	-	-	-	-	-	1	3	3	2	2	5	1	3	3	4	2	4	5	-	2	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	4,814	1	-	1	1	-	-	-	7	14	24	55	125	215	324	503	539	680	706	665	427	325	146	39	6	3	8
	White M	3,139	-	-	1	1	-	-	-	2	5	3	30	84	137	225	369	388	477	481	410	253	178	75	15	2	-	3
	White F	1,239	-	-	-	-	-	-	-	2	4	7	6	18	33	51	60	98	164	186	227	150	139	66	22	3	-	3
	Nonwhite M	240	1	-	-	-	-	-	-	1	3	7	6	13	21	24	41	33	23	23	17	16	5	4	-	-	1	1
	Nonwhite F	196	-	-	-	-	-	-	-	2	2	7	13	10	24	24	33	20	16	16	11	8	3	1	2	1	2	1
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	7,870	8	6	6	3	2	12	20	34	44	57	94	155	268	398	560	673	822	1,094	1,161	977	801	449	164	33	10	19
	White M	3,838	3	1	1	2	1	5	9	7	19	13	34	54	99	160	241	331	473	573	603	499	409	212	72	8	4	5
	White F	2,517	4	3	2	1	1	6	5	11	12	22	21	34	52	78	108	161	213	310	400	398	346	217	81	24	4	3
	Nonwhite M	823	-	2	-	-	-	-	-	7	3	9	22	33	52	83	121	97	85	124	88	43	29	14	6	-	1	4
	Nonwhite F	692	1	-	3	-	-	1	6	9	10	13	17	34	65	77	90	84	51	87	70	37	17	6	5	1	1	7
107-109, 33	Pneumonia (all forms) and influenza	4,054	1,290	228	57	35	23	64	52	66	67	73	77	101	135	141	164	154	170	207	286	201	208	150	69	20	5	11
	White M	1,782	577	92	26	16	9	23	20	27	25	24	22	41	46	66	83	83	83	93	126	94	95	71	32	6	1	1
	White F	1,384	461	90	17	11	11	24	18	24	24	30	23	25	27	19	32	29	45	69	107	78	102	73	34	8	2	1
	Nonwhite M	461	138	22	6	2	2	10	6	4	5	9	16	21	33	33	28	25	25	29	31	16	7	2	1	4	1	5
	Nonwhite F	407	114	24	8	6	1	7	8	11	13	10	16	14	29	23	21	17	17	16	22	13	4	4	2	2	1	4

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Continued																										
107	Bronchopneumonia.	1,113	510	82	22	10	5	19	11	11	12	12	12	10	19	26	25	21	32	40	71	52	46	34	23	6	-	2
	White.....M..	516	234	34	10	7	2	6	6	4	8	5	4	5	6	18	14	11	14	26	36	22	25	13	7	1	-	-
	F..	408	192	35	6	2	2	9	4	6	2	5	3	2	2	3	5	6	9	8	25	23	20	21	15	3	-	-
	Nonwhite..M..	100	44	7	2	-	1	2	-	-	-	1	1	1	5	5	4	2	6	4	8	4	-	-	1	1	-	1
	F..	89	40	6	4	1	-	2	1	1	2	1	4	2	6	2	2	2	5	2	2	3	1	-	-	1	-	1
108	Lobar pneumonia..	1,023	198	41	8	9	3	13	10	23	27	27	27	47	46	62	64	59	56	70	82	57	50	27	9	4	1	3
	White.....M..	462	83	16	2	2	2	6	6	12	11	9	8	25	19	28	30	35	28	32	34	26	23	15	7	1	1	1
	F..	302	73	13	4	3	1	3	2	7	10	10	8	7	8	7	12	14	13	21	32	20	23	8	2	1	-	-
	Nonwhite..M..	140	19	4	1	2	-	2	1	1	3	3	5	12	12	16	13	7	8	12	6	6	3	1	-	2	-	1
	F..	119	23	8	1	2	-	2	1	3	3	5	6	3	7	11	9	3	7	5	10	5	1	3	-	-	-	1
109	Pneumonia (unspecified).....	1,006	400	53	20	10	9	16	16	17	10	16	20	22	36	25	26	32	35	36	60	38	47	33	20	3	2	5
	White.....M..	437	185	20	10	4	3	3	4	5	3	3	9	4	11	15	15	15	17	17	28	19	21	14	11	1	-	-
	F..	339	129	20	5	5	4	6	7	6	5	8	4	7	9	4	5	5	9	13	22	17	22	17	7	1	1	1
	Nonwhite..M..	129	50	7	2	-	1	5	3	1	1	2	4	6	12	3	1	7	5	4	6	2	3	1	-	-	1	2
	F..	101	36	6	3	1	-	2	2	5	1	3	3	5	4	3	5	5	4	2	4	-	1	1	2	1	-	2
33	Influenza.....	912	182	52	7	6	7	16	15	15	18	18	18	22	34	28	49	42	47	61	73	54	65	56	17	7	2	1
	White.....M..	367	75	22	4	3	2	8	4	6	3	7	1	7	10	7	24	22	24	18	28	27	28	29	7	3	-	-
	F..	335	67	22	2	1	4	6	5	5	7	7	8	9	8	5	10	4	14	27	28	18	37	27	10	3	1	-
	Nonwhite..M..	112	25	4	1	-	-	1	2	2	1	3	6	2	4	9	10	9	6	9	11	4	1	-	-	1	-	1
	F..	98	15	4	-	2	1	1	4	2	7	1	3	4	12	7	5	7	3	7	6	5	1	-	-	-	1	-
117	Ulcer of stomach or duodenum....	309	-	-	1	-	-	-	1	1	-	8	14	24	21	34	46	35	32	31	34	15	7	4	1	-	-	-
	White.....M..	206	-	-	1	-	-	-	1	-	-	5	7	17	14	25	31	24	26	16	21	12	4	1	1	-	-	-
	F..	44	-	-	-	-	-	-	-	-	-	-	2	2	2	2	6	5	2	9	7	2	3	2	-	-	-	-
	Nonwhite..M..	40	-	-	-	-	-	-	-	-	-	1	3	3	4	6	8	4	2	2	5	1	-	1	-	-	-	-
	F..	19	-	-	-	-	-	-	-	1	-	2	2	2	1	1	1	2	2	4	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*....	1,695	1247	154	29	12	5	15	1	7	5	11	4	8	13	18	16	20	18	16	23	18	29	15	6	3	2	-
	White.....M..	796	612	69	13	5	2	7	1	3	2	3	2	3	5	5	2	6	5	7	13	9	13	4	3	1	1	-
	F..	734	543	71	11	5	1	6	-	3	3	6	2	4	2	6	6	7	9	8	5	7	13	10	3	2	1	-
	Nonwhite..M..	75	45	7	4	2	-	1	-	-	-	1	-	1	1	-	1	2	2	-	4	2	2	-	-	-	-	-
	F..	90	47	7	1	-	2	1	-	1	-	1	-	-	5	7	7	5	2	1	1	-	1	1	-	-	-	-
121	Appendicitis.....	439	2	2	4	4	4	28	44	35	29	34	34	33	35	25	25	28	20	24	14	6	5	2	1	-	-	1
	White.....M..	218	-	1	2	2	4	7	29	16	12	16	13	12	15	19	16	14	14	13	7	3	3	-	-	-	-	-
	F..	141	2	-	2	2	-	15	12	15	13	5	11	10	11	3	6	9	5	7	5	3	2	2	1	-	-	-
	Nonwhite..M..	44	-	1	-	-	-	4	1	1	1	7	6	6	5	2	2	3	-	4	-	-	-	-	-	-	-	1
	F..	36	-	-	-	-	-	2	2	3	3	6	4	5	4	1	1	2	1	-	2	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	546	38	5	3	3	2	6	9	6	18	11	31	36	30	40	31	50	49	53	44	35	23	17	3	1	1	1
	White.....M..	221	19	3	2	1	-	2	2	3	8	1	8	8	9	13	14	19	22	23	24	18	12	8	1	1	-	-
	F..	203	11	1	-	1	1	4	2	3	6	6	14	14	12	17	13	20	15	18	15	12	8	8	-	-	1	1
	Nonwhite..M..	61	5	1	1	1	1	-	2	-	1	2	4	2	3	3	3	5	10	8	2	3	2	-	2	-	-	-
	F..	61	3	-	-	-	-	-	3	-	3	2	5	12	6	7	1	6	2	4	3	2	1	1	-	-	-	-
124	Cirrhosis of the liver.....	371	-	-	1	-	-	1	-	4	1	3	7	16	27	36	43	45	41	57	43	27	12	6	-	1	-	-
	White.....M..	221	-	-	-	-	-	1	-	2	-	-	4	10	18	25	22	29	26	35	24	16	5	4	-	-	-	-
	F..	94	-	-	1	-	-	-	-	2	1	2	1	1	6	6	11	8	10	16	13	8	7	1	-	-	-	-
	Nonwhite..M..	38	-	-	-	-	-	-	-	-	-	1	-	2	2	3	9	8	5	3	2	1	-	1	-	1	-	-
	F..	18	-	-	-	-	-	-	-	-	-	-	2	3	1	2	1	-	-	3	4	2	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	250	-	-	-	-	-	1	-	3	2	3	10	14	14	27	19	23	22	31	32	16	22	5	5	1	-	-
	White.....M..	82	-	-	-	-	-	1	-	-	1	1	1	5	2	7	8	5	8	16	12	4	7	2	2	-	-	-
	F..	137	-	-	-	-	-	-	1	-	2	5	7	10	16	8	12	12	14	19	11	13	3	3	1	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	1	1	-	3	2	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
	F..	20	-	-	-	-	-	-	1	-	-	1	-	2	4	2	5	2	1	-	2	2	-	-	-	-	-	-
130-132	Nephritis.....	3,962	16	9	1	6	3	10	5	27	31	29	75	117	156	178	263	331	368	520	610	485	414	202	77	12	6	11
	White.....M..	1,789	7	4	-	4	-	8	1	10	12	8	22	32	43	64	113	137	183	234	289	251	216	113	32	2	1	3
	F..	1,219	7	5	-	2	1	1	4	9	13	7	29	38	35	45	57	75	110	145	185	164	164	73	39	8	1	2
	Nonwhite..M..	530	1	-	-	-	-	1	-	2	3	5	10	20	35	31	58	70	41	82	86	43	22	10	1	2	2	5
	F..	424	1	-	1	-	2	-	-	6	3	9	14	27	43	38	35	49	34	59	50	27	12	6	5	-	2	1
137	Diseases of the prostate.....	380	-	-	-	-	-	-	-	-	-	-	-	1	1	3	8	22	20	63	76	80	54	42	8	1	-	1
	White.....M..	316	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	12	17	50	59	71	52	40	8	1	-	-
	Nonwhite..M..	64	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	10	3	13	17	9	2	2	-	-	-	1
140-150	Diseases of pregnancy, etc.*..	420	-	-	-	-	-	-	6	62	94	80	85	67	25	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	312	-	-	-	-	-	-	2	43	78	58	60	50	21	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	108	-	-	-	-	-	-	4	19	16	22	25	17	4	1	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	145	-	-	-	-	-	-	1	23	35	27	25	26	7	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	110	-	-	-	-	-	-	1	14	27	21	19	21	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	35	-	-	-	-	-	-	-	9	8	6	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	148	-	-	-	-	-	-	4	28	36	25	24	24	7	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	110	-	-	-	-	-	-	1	22	33	20	15	15	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	38	-	-	-	-	-	-	3	6	3	5	9	9	3	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,145, 146B,146, 149,150	Other puerperal causes.....	127	-	-	-	-	-	-	1	11	23	28	36	17	11	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	92	-	-	-	-	-	-	-	7	18	17	26	14	10	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	35	-	-	-	-	-	-	1	4	5	11	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	682	599	25	13	1	3	13	8	4	6	2	1	4	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	White.....M..	364	313	17	5	1	2	7	4	3	4	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	255	229	8	7	-	-	2	4	1	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	39	36	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	24	21	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	TEXAS—Continued																										
159	Premature birth..	2,237	2,237	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	1,087	1,087	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	802	802	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	181	181	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	167	167	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	466	-	-	-	-	-	-	1	19	32	34	44	34	52	52	42	30	50	33	18	13	5	3	2	-	-	2
	White.....M..	332	-	-	-	-	-	-	1	8	17	18	33	23	33	33	33	26	39	29	15	12	5	3	2	-	-	2
	F..	112	-	-	-	-	-	-	-	10	11	13	8	9	15	17	8	4	9	4	3	1	-	-	-	-	-	-
	Nonwhite..M..	18	-	-	-	-	-	-	-	1	3	3	3	1	3	1	1	-	2	-	-	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	615	2	1	-	-	-	2	3	45	87	108	89	98	54	45	33	13	16	13	2	-	3	-	-	-	-	1
	White.....M..	244	2	1	-	-	-	1	-	18	32	39	39	29	21	14	18	7	10	7	2	-	3	-	-	-	-	1
	F..	48	-	-	-	-	-	1	-	3	6	7	10	10	4	1	-	2	2	2	-	-	-	-	-	-	-	-
	Nonwhite..M..	255	-	-	-	-	-	-	2	19	34	43	33	49	24	27	14	3	4	3	-	-	-	-	-	-	-	-
	F..	68	-	-	-	-	-	-	1	5	15	19	7	10	5	3	1	1	-	1	-	-	-	-	-	-	-	-
169-195	Accidental deaths	5,757	176	128	93	59	47	172	205	444	1045	577	344	305	273	259	224	231	164	168	183	149	204	134	48	7	2	116
	White.....M..	3,948	83	63	44	26	24	104	120	340	946	473	249	212	180	175	148	162	108	101	92	54	74	46	12	2	1	109
	F..	1,094	58	39	33	16	14	41	47	46	52	54	43	31	34	33	29	41	38	44	66	87	123	86	34	4	1	-
	Nonwhite..M..	545	17	15	8	11	5	19	31	48	41	45	42	53	50	44	40	19	13	12	16	5	5	1	1	-	-	4
	F..	170	18	11	8	6	4	8	7	10	6	5	10	9	9	7	7	9	5	11	9	3	2	1	1	1	-	3
170	Motor-vehicle accidents.....	1,308	9	18	19	12	11	50	49	136	144	132	117	103	96	85	64	78	53	39	42	13	18	6	1	-	-	15
	White.....M..	933	4	10	7	8	6	33	32	106	107	99	80	80	64	60	44	54	34	32	32	10	15	5	1	-	-	10
	F..	224	4	6	12	4	4	11	12	22	25	19	19	9	16	9	9	15	12	5	7	2	2	-	-	-	-	-
	Nonwhite..M..	122	-	1	-	-	1	4	4	6	12	11	15	11	13	15	10	8	5	1	1	1	-	1	-	-	-	2
	F..	29	1	1	-	-	-	2	1	2	-	3	3	3	3	1	1	1	2	1	2	-	1	-	-	-	-	1
169, 171-195	Other accidents..	4,449	167	110	74	47	36	122	156	308	901	445	227	202	177	174	160	153	111	129	141	136	186	128	47	7	2	103
	White.....M..	3,015	79	53	37	18	18	71	88	234	839	374	169	132	116	115	104	108	74	69	60	44	59	41	11	2	1	99
	F..	870	54	33	21	12	10	30	35	24	27	35	24	22	18	24	20	26	26	39	59	85	121	86	34	4	1	-
	Nonwhite..M..	423	17	14	8	11	4	15	27	42	29	34	27	42	37	29	30	11	8	11	15	4	5	-	1	-	-	2
	F..	141	17	10	8	6	4	6	6	8	6	2	7	6	6	6	6	8	3	10	7	3	1	1	1	1	-	2
162, 199, 200	Senility, ill-defined and unknown causes.	2,784	402	39	8	4	8	9	7	12	26	21	27	43	59	84	95	132	149	206	259	259	353	293	168	71	36	14
	White.....M..	1,247	163	20	2	3	2	1	2	5	10	6	9	18	20	40	43	67	86	108	119	127	154	129	70	22	13	8
	F..	931	121	15	2	1	4	3	3	3	8	9	8	15	13	22	17	24	23	47	71	93	160	135	88	36	9	1
	Nonwhite..M..	345	75	3	2	-	-	2	2	3	4	3	3	2	15	11	24	29	25	26	37	24	20	14	7	6	5	3
	F..	261	43	1	2	-	2	3	-	1	4	3	7	8	11	11	11	12	15	25	32	15	19	15	3	7	9	2
	All other causes.	6,774	1751	120	81	51	48	129	91	154	192	214	231	235	289	288	338	315	358	396	424	369	354	218	86	22	5	15
	White.....M..	3,099	877	58	32	32	26	64	41	70	68	91	76	95	98	110	144	156	172	193	202	173	170	95	42	8	-	6
	F..	2,479	627	48	37	15	15	45	29	59	72	78	85	64	99	85	106	96	132	133	155	168	169	111	38	10	1	2
	Nonwhite..M..	597	143	6	4	2	4	12	8	11	23	14	19	24	33	53	43	39	31	40	39	18	9	9	3	1	3	6
	F..	599	104	8	8	2	3	8	13	14	29	31	51	52	59	40	45	24	23	30	28	10	6	3	3	3	1	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH																										
	All causes	5,054	539	50	39	28	12	65	74	101	160	108	135	144	160	233	270	320	435	434	481	506	426	232	81	10	3	2
	White	2,914	310	24	21	20	9	37	43	68	121	65	91	77	93	147	168	193	253	262	270	264	217	126	32	3	-	1
	F.	2,008	215	23	16	6	2	27	29	31	33	38	40	65	60	79	94	109	168	159	208	235	202	110	43	7	3	1
	Nonwhite	80	8	3	1	1	1	-	1	2	2	4	2	1	5	2	5	10	11	9	2	4	5	-	1	-	-	-
	F.	52	6	-	1	1	-	1	1	2	4	1	2	1	2	5	2	8	3	4	1	3	2	2	-	-	-	-
1,2	Typhoid and paratyphoid fever	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	20	-	-	-	-	-	3	2	8	2	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	White	10	-	-	-	-	-	1	-	5	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	9	-	-	-	-	-	2	2	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	8	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	71	-	-	-	1	-	1	2	2	7	6	5	4	2	3	10	7	6	9	1	2	-	1	1	-	-	1
	White	40	-	-	-	-	-	-	-	1	2	1	2	1	1	3	6	7	5	6	1	1	-	1	-	-	-	-
	F.	18	-	-	-	-	-	-	1	-	1	3	-	3	1	-	2	-	-	2	-	1	-	-	1	-	-	1
	Nonwhite	10	-	-	-	-	-	-	1	1	2	2	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F.	5	-	-	-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	59	-	-	-	-	-	-	1	2	3	6	5	3	1	3	8	7	8	8	1	2	-	1	-	-	-	1
	White	36	-	-	-	-	-	-	1	-	2	4	1	2	1	-	3	7	5	6	1	1	-	1	-	-	-	-
	F.	12	-	-	-	-	-	-	-	-	1	3	-	2	1	-	2	-	-	1	-	1	-	-	-	-	-	1
	Nonwhite	9	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	12	-	-	-	1	-	1	1	-	4	-	-	1	1	-	1	-	-	1	-	-	-	-	1	-	-	-
	White	4	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	32	1	-	-	-	-	-	-	-	-	2	2	3	4	2	4	2	4	6	-	2	-	-	-	-	-	-
	White	24	-	-	-	-	-	-	-	-	-	2	2	3	3	2	3	2	3	6	-	1	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	F.	4	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
35	Measles	13	2	3	2	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	7	-	3	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	4	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	26	2	1	2	2	1	3	9	2	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	15	-	-	1	2	1	2	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	11	2	1	1	-	-	1	2	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	511	-	-	-	-	1	5	1	4	1	1	9	10	19	30	43	60	62	72	70	65	38	14	-	-	-	-
	White	256	-	-	-	-	1	2	1	1	1	-	5	5	9	13	19	25	30	37	39	40	22	6	-	-	-	-
	F.	242	-	-	-	-	-	3	-	1	-	1	4	13	10	17	24	31	31	32	30	24	15	6	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	1	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	2	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																										
46	Cancer of digestive organs, peritoneum.....	243	-	-	-	-	-	1	1	-	-	-	2	4	6	9	20	22	31	40	39	39	24	5	-	-	-
	White.....M..	138	-	-	-	-	-	1	1	-	-	-	1	4	3	6	10	11	16	23	23	23	13	1	-	-	-
	F..	98	-	-	-	-	-	-	-	-	-	-	1	-	3	3	10	8	13	15	15	15	11	3	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-
48,49	Cancer of female genital organs.	47	-	-	-	-	-	-	-	-	-	-	1	4	3	4	7	11	5	5	3	3	1	-	-	-	-
	White.....F..	47	-	-	-	-	-	-	-	-	-	-	1	4	3	4	7	11	5	5	3	3	1	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.	44	-	-	-	-	-	-	-	-	-	-	2	6	3	5	3	6	4	3	7	1	3	1	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	44	-	-	-	-	-	-	-	-	-	-	2	6	3	5	3	6	4	3	7	1	3	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	177	-	-	-	-	1	4	-	2	1	1	4	4	7	12	13	21	22	24	21	22	10	6	-	-	-
	White.....M..	118	-	-	-	-	1	1	-	1	1	-	4	1	6	7	9	14	12	14	16	17	9	5	-	-	-
	F..	53	-	-	-	-	-	3	-	1	-	1	-	3	1	5	4	5	9	9	5	5	-	2	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
58	Acute rheumatic fever.....	13	-	-	-	-	1	2	3	1	2	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	11	-	-	-	-	-	2	3	1	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	118	-	-	-	-	-	1	1	2	1	4	-	4	3	7	1	7	23	19	24	17	3	1	-	-	-	-
	White.....M..	51	-	-	-	-	-	-	1	-	-	2	-	-	1	4	1	2	10	8	12	8	1	1	-	-	-	-
	F..	66	-	-	-	-	-	1	-	2	1	2	-	4	2	3	-	4	13	11	12	9	2	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter.....	22	-	-	-	-	-	-	-	-	-	-	1	4	1	1	3	3	5	2	1	1	-	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F..	18	-	-	-	-	-	-	-	-	-	-	-	4	1	1	3	1	5	1	1	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	5	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	5	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	377	1	1	1	-	-	-	-	1	2	1	2	1	6	16	18	32	47	40	54	64	58	27	5	-	-	-
	White.....M..	170	-	-	1	-	-	-	-	1	-	-	-	-	3	6	7	16	26	21	24	22	30	12	1	-	-	-
	F..	198	-	1	-	-	-	-	-	-	2	1	2	1	2	9	11	13	20	15	30	41	28	15	4	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
	F..	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-
90-95	Diseases of the heart.....	1,452	1	-	1	-	1	5	10	14	21	15	28	29	39	77	92	102	163	166	210	198	169	89	21	3	-	-
	White.....M..	879	1	-	1	-	1	1	5	8	12	6	14	16	25	55	69	72	111	103	125	110	83	49	12	-	-	-
	F..	554	-	-	-	-	-	4	5	5	8	9	13	12	13	21	22	29	50	60	84	84	83	40	9	3	-	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	-	2	3	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	164	-	-	-	-	1	3	7	10	11	11	11	8	17	8	15	6	15	12	11	9	7	1	-	1	-	-
	White.....M..	78	-	-	-	-	1	-	3	6	7	4	2	3	8	5	9	2	8	7	3	7	1	-	-	-	-	-
	F..	84	-	-	-	-	-	3	4	3	4	7	9	4	9	3	6	3	7	5	8	1	6	1	-	1	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	454	1	-	-	-	-	-	-	-	-	1	7	6	18	41	39	46	71	73	82	52	28	9	-	-	-	-
	White.....M..	351	1	-	-	-	-	-	-	-	-	-	7	5	16	36	34	37	56	47	45	40	19	8	-	-	-	-
	F..	100	-	-	-	-	-	-	-	-	-	1	-	1	1	5	5	9	14	25	17	12	9	1	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	834	-	-	1	-	-	2	3	4	10	3	10	15	4	28	38	50	77	81	137	135	134	79	21	2	-	-
	White.....M..	452	-	-	1	-	-	1	2	2	5	2	5	8	1	14	26	33	47	49	77	63	63	41	12	-	-	-
	F..	370	-	-	-	-	-	1	1	2	4	1	4	7	3	13	11	17	29	30	59	71	68	38	9	2	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	3	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza.....	283	61	11	5	4	-	4	3	8	4	2	14	14	10	8	10	17	17	8	16	19	16	9	3	-	-	-
	White.....M..	154	34	7	3	2	-	3	1	5	3	2	12	9	9	4	5	10	11	5	7	8	9	4	1	-	-	-
	F..	101	25	4	2	2	-	1	2	3	1	-	2	5	1	4	3	5	6	3	9	10	6	5	2	-	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-
	F..	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																										
107	Bronchopneumonia.	110	38	7	2	3	-	-	-	4	3	2	8	4	1	-	4	3	6	3	5	6	8	1	2	-	-	-
	White.....M..	59	17	4	1	2	-	-	-	2	2	2	7	2	1	-	1	1	4	1	3	2	5	1	1	-	-	-
	F..	47	19	3	1	1	-	-	-	2	1	-	1	2	-	-	2	1	2	2	4	3	-	1	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia..	78	8	-	2	1	-	1	2	3	-	-	3	5	6	4	4	9	8	2	8	5	2	4	1	-	-	-
	White.....M..	50	6	-	2	-	-	1	1	2	-	-	3	4	6	1	2	5	6	1	4	2	1	3	-	-	-	-
	F..	24	2	-	-	1	-	-	1	1	-	-	-	1	-	3	1	3	2	1	4	2	-	1	1	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
109	Pneumonia (unspecified).....	17	5	1	1	-	-	1	-	-	-	-	-	1	1	1	-	1	1	1	-	2	1	-	-	-	-	-
	White.....M..	13	5	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	-	1	-	2	1	-	-	-	-	-
	F..	4	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	58	10	3	-	-	-	2	1	1	1	-	3	4	2	3	2	4	2	2	3	6	5	4	-	-	-	-
	White.....M..	32	6	3	-	-	-	1	-	1	1	-	2	2	1	3	2	3	1	2	-	2	2	-	-	-	-	-
	F..	26	4	-	-	-	-	1	1	-	-	-	1	2	1	-	-	1	1	-	3	4	3	4	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	39	-	-	-	-	-	-	-	-	-	-	2	1	5	1	7	8	5	6	3	1	1	-	1	-	-	-
	White.....M..	31	-	-	-	-	-	-	-	-	-	-	2	1	3	1	7	5	2	5	2	1	1	-	1	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	24	16	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	2	-	-	1	-	-	-
	White.....M..	13	10	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F..	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
	Nonwhite..M..	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	39	-	1	-	1	-	2	4	5	2	3	-	2	4	3	1	2	4	1	1	1	1	1	-	-	-	-
	White.....M..	22	-	-	-	1	-	1	1	3	1	1	-	2	2	2	1	2	1	1	-	1	1	1	-	-	-	-
	F..	16	-	1	-	-	-	1	2	2	1	2	-	-	2	1	-	-	3	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	51	4	-	1	-	-	1	1	-	-	-	2	1	2	4	2	2	4	6	4	5	6	4	2	-	-	-
	White.....M..	32	2	-	1	-	-	1	1	-	-	-	2	-	2	-	2	-	3	4	2	5	3	3	1	-	-	-
	F..	19	2	-	-	-	-	-	-	-	-	-	-	1	-	4	-	2	1	2	2	-	3	1	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	33	-	-	-	-	-	-	-	1	1	-	3	1	2	2	5	6	2	2	3	3	2	-	-	-	-	-
	White.....M..	22	-	-	-	-	-	-	-	-	1	-	2	1	2	2	3	2	1	2	3	1	2	-	-	-	-	-
	F..	10	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	4	1	-	-	2	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	23	-	1	-	-	-	-	-	-	-	-	-	1	-	2	1	2	7	2	2	4	1	-	-	-	-	-
	White.....M..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	3	-	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	5	1	1	1	1	-	-	-	-	-
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	282	-	-	2	1	1	1	2	3	6	5	2	8	12	12	21	18	29	36	34	35	30	18	8	-	-	-
	White.....M..	137	-	-	-	1	1	-	1	2	4	4	2	6	2	7	8	11	16	20	14	14	11	11	3	-	-	-
	F..	132	-	-	1	-	-	1	1	-	2	1	-	3	9	5	12	5	10	14	19	21	18	5	5	-	-	-
	Nonwhite..M..	10	-	-	1	-	-	-	-	1	-	-	-	-	1	-	1	-	3	1	1	-	1	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
137	Diseases of the prostate.....	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	6	6	4	4	-	-	-	-
	White.....M..	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	6	4	4	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	27	-	-	-	-	-	-	-	1	7	6	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	25	-	-	-	-	-	-	-	-	6	6	6	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	14	-	-	-	-	-	-	-	-	4	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	14	-	-	-	-	-	-	-	-	4	4	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	5	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	8	-	-	-	-	-	-	-	1	3	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	6	-	-	-	-	-	-	-	-	2	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	96	84	4	-	-	-	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	53	49	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	43	35	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	UTAH—Continued																										
159	Premature birth..	166	166	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	108	108	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	58	58	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	35	-	-	-	-	-	-	-	3	4	3	5	3	6	1	2	5	1	-	-	1	1	-	-	-	-
	White.....M..	29	-	-	-	-	-	-	-	3	4	3	4	2	5	1	1	3	1	-	-	1	1	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	21	-	-	-	-	-	-	-	-	1	3	3	1	2	6	3	-	1	1	-	-	-	-	-	-	-	-
	White.....M..	14	-	-	-	-	-	-	-	-	1	1	2	1	1	4	3	-	-	1	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	524	18	16	14	8	5	18	21	37	79	40	34	23	18	29	13	22	18	21	21	16	21	18	10	2	1	1
	White.....M..	397	9	11	10	5	3	14	16	31	76	36	32	19	13	26	11	18	12	17	11	6	9	8	2	1	-	1
	F..	120	8	5	4	2	1	4	5	6	3	3	2	4	5	3	1	3	6	3	10	10	12	10	7	1	1	-
	Nonwhite..M..	7	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	114	1	4	3	2	-	9	4	18	12	7	12	6	3	9	1	4	4	6	2	4	1	3	-	-	-	1
	White.....M..	95	-	3	3	-	-	7	2	12	11	7	12	5	2	8	1	3	4	6	2	2	1	3	-	-	-	1
	F..	18	1	1	-	1	-	2	2	4	1	-	-	1	1	1	-	1	-	-	-	2	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	410	17	12	11	6	5	9	17	21	67	33	22	17	15	20	12	18	14	15	19	12	20	15	10	2	1	-
	White.....M..	302	9	8	7	5	3	7	14	19	65	29	20	14	11	18	10	15	8	11	9	4	8	5	2	1	-	-
	F..	102	8	4	4	1	1	2	3	2	2	3	2	3	4	2	1	2	6	3	10	8	12	10	7	1	1	-
	Nonwhite..M..	6	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	164	17	4	-	-	-	-	1	1	-	2	2	5	2	7	1	3	8	4	10	20	29	21	22	4	1	-
	White.....M..	74	7	1	-	-	-	-	-	-	-	2	-	2	1	4	1	2	4	3	7	11	13	8	7	1	-	-
	F..	74	6	1	-	-	-	-	1	1	-	-	2	2	1	-	-	-	1	1	3	8	15	13	15	3	1	-
	Nonwhite..M..	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	-	1	-	-	1	1	-	-	-	-	-
	All other causes.	588	157	6	10	8	2	12	11	10	17	11	12	14	18	18	30	22	29	26	21	46	46	33	7	1	1	-
	White.....M..	320	87	2	4	6	2	6	6	4	11	4	6	8	9	11	18	13	15	17	16	25	27	18	4	1	-	-
	F..	243	69	4	6	2	-	6	5	6	6	7	6	6	7	7	12	8	14	9	5	20	19	15	3	-	1	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

652780 O - 45 - 26

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT																											
	All causes	4,601	285	34	18	3	4	33	32	31	49	54	57	74	84	163	202	283	415	521	635	585	542	327	136	23	2	9
	White..M.	2,528	176	18	14	3	4	17	19	20	26	31	28	42	49	83	121	180	230	317	346	308	279	154	48	10	-	7
	F.	2,071	109	16	4	-	-	16	13	11	23	23	29	32	35	79	81	103	185	204	288	279	263	173	88	13	2	2
	Nonwhite..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
1, 2	Typhoid and paratyphoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	4	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	4	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White..M.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	9	6	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	119	1	-	-	-	-	1	-	4	8	11	5	8	7	8	14	9	15	8	12	6	1	1	-	-	-	-
	White..M.	77	1	-	-	-	-	-	-	1	2	7	2	4	5	5	11	4	14	6	10	4	1	-	-	-	-	-
	F.	42	-	-	-	-	-	1	-	3	6	4	3	4	2	3	3	5	1	2	2	2	-	1	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	108	-	-	-	-	-	1	-	1	8	11	5	8	7	7	14	9	12	8	11	5	1	-	-	-	-	-
	White..M.	71	-	-	-	-	-	-	-	-	2	7	2	4	5	4	11	4	12	6	10	3	1	-	-	-	-	-
	F.	37	-	-	-	-	-	1	-	1	6	4	3	4	2	3	3	5	-	2	1	2	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	11	1	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	3	-	1	1	-	1	-	-	-	-
	White..M.	6	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	22	-	-	-	-	-	-	-	-	-	1	-	2	-	3	2	2	2	5	2	1	2	-	-	-	-	-
	White..M.	14	-	-	-	-	-	-	-	-	-	1	-	2	-	2	1	1	1	3	1	1	1	-	-	-	-	-
	F.	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	1	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	17	6	3	2	-	-	1	2	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	White..M.	8	2	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F.	9	4	2	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	552	-	-	1	-	-	3	1	1	1	3	7	11	13	25	22	41	73	75	111	75	47	34	6	2	-	-
	White..M.	264	-	-	1	-	-	3	1	1	1	1	3	3	4	9	7	24	23	46	58	45	21	11	-	2	-	-
	F.	288	-	-	-	-	-	-	-	-	-	2	4	8	9	16	15	17	50	29	53	30	26	23	6	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Con.																										
46	Cancer of digestive organs, peritoneum.....	255	-	-	-	-	-	1	-	-	-	2	-	-	3	10	6	18	34	37	66	38	23	16	1	-	-
	White.....M..	126	-	-	-	-	-	1	-	-	-	-	-	-	3	6	3	13	12	24	34	18	7	5	-	-	-
	F..	129	-	-	-	-	-	-	-	-	-	2	-	-	-	4	3	5	22	13	32	20	16	11	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.	59	-	-	-	-	-	-	-	-	-	-	2	4	5	4	6	5	13	5	6	4	1	3	1	-	-
	White.....F..	59	-	-	-	-	-	-	-	-	-	-	2	4	5	4	6	5	13	5	6	4	1	3	1	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.	56	-	-	-	-	-	-	-	-	-	-	-	3	2	3	4	4	8	8	10	3	4	5	2	-	-
	White.....M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	55	-	-	-	-	-	-	-	-	-	-	-	3	2	3	4	3	8	8	10	3	4	5	2	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	182	-	-	1	-	-	2	1	1	1	1	5	4	3	8	6	14	18	25	29	30	19	10	2	2	-
	White.....M..	137	-	-	1	-	-	2	1	1	1	1	3	3	1	5	4	10	11	22	24	27	14	6	-	2	-
	F..	45	-	-	-	-	-	-	-	-	-	-	2	1	2	5	2	4	7	3	5	3	5	4	2	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	4	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
57	Diabetes mellitus	126	-	-	-	-	-	-	-	2	1	1	2	-	2	3	8	9	19	29	24	11	13	1	1	-	-
	White.....M..	55	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	6	9	10	9	5	8	1	1	-	-
	F..	71	-	-	-	-	-	-	-	2	-	1	2	-	1	1	6	3	10	19	15	6	5	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter.....	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	2	-	-	-	-	-	1
	White.....M..	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	2	-	-	-	-	-	1
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin...	439	-	-	-	-	-	-	-	-	-	-	2	3	3	13	16	23	52	59	74	80	58	28	22	5	-	1
	White.....M..	206	-	-	-	-	-	-	-	-	-	-	2	-	3	3	11	10	24	35	32	36	23	15	9	2	-	1
	F..	233	-	-	-	-	-	-	-	-	-	-	-	3	-	10	5	13	28	24	42	44	35	13	13	3	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart.....	1,439	1	-	-	-	-	1	3	-	2	5	6	11	19	39	58	101	151	195	235	222	216	126	43	6	-	1
	White.....M..	820	-	-	-	-	-	-	1	-	1	3	2	7	12	31	35	64	96	122	141	107	118	59	17	3	-	1
	F..	619	1	-	-	-	-	1	2	-	1	2	4	4	7	8	23	37	55	73	92	115	98	67	26	3	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	108	-	-	-	-	-	1	1	-	-	2	2	5	2	-	8	8	15	10	16	13	15	7	1	-	-	-
	White.....M..	53	-	-	-	-	-	-	-	-	-	-	-	3	1	-	6	2	5	7	11	7	7	3	1	-	-	-
	F..	53	-	-	-	-	-	1	1	-	-	2	2	2	1	-	2	6	10	3	5	6	8	4	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	460	-	-	-	-	-	-	1	-	-	1	2	2	6	24	23	44	61	84	69	71	48	20	3	1	-	-
	White.....M..	304	-	-	-	-	-	-	1	-	-	1	2	2	6	20	14	32	44	60	43	40	29	8	2	-	-	-
	F..	156	-	-	-	-	-	-	-	-	-	-	-	-	-	4	9	12	17	24	26	31	19	12	1	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	873	1	-	-	-	-	-	1	-	2	2	2	4	11	15	27	49	75	101	148	138	153	99	39	5	-	1
	White.....M..	463	-	-	-	-	-	-	-	-	1	2	-	2	5	11	15	30	47	55	87	60	82	48	14	3	-	1
	F..	410	1	-	-	-	-	-	1	-	1	-	2	2	6	4	12	19	28	46	61	78	71	51	25	2	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107-109, 33	Pneumonia (all forms) and influenza.....	301	34	7	2	-	-	5	1	2	2	3	4	5	6	10	11	11	13	25	39	36	48	22	12	2	1	-
	White.....M..	166	21	4	1	-	-	2	1	2	1	3	1	3	3	4	9	10	8	16	17	19	26	10	4	1	-	-
	F..	134	13	3	1	-	-	3	-	-	1	-	3	2	3	5	2	1	5	9	22	17	22	12	8	1	1	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Con.																										
107	Bronchopneumonia.	104	20	2	2	-	-	3	-	1	1	2	-	2	1	4	1	2	4	8	12	13	15	8	2	1	-	-
	White.....M..	50	9	1	1	-	-	1	-	1	1	2	-	2	-	1	1	2	2	5	3	6	8	4	-	-	-	-
	F..	55	11	1	1	-	-	2	-	-	-	-	-	-	1	2	-	-	2	3	9	7	7	4	2	1	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia..	104	10	1	-	-	-	-	1	1	-	1	3	1	1	3	8	3	4	10	15	11	20	6	5	-	-	-
	White.....M..	71	9	-	-	-	-	-	1	1	-	1	1	1	1	2	6	3	2	8	9	7	14	3	2	-	-	-
	F..	33	1	1	-	-	-	-	-	-	-	-	2	-	-	1	2	-	2	2	6	4	6	3	3	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	17	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	1	1	2	1	1	1	-	1	-
	White.....M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	-	-	-	-	-	-
	F..	11	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	1	1	1	1	1	-	1	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	76	3	4	-	-	-	2	-	-	1	-	-	2	4	2	1	4	2	6	11	10	12	7	4	1	-	-
	White.....M..	39	3	3	-	-	-	1	-	-	-	-	-	-	2	1	1	4	2	2	5	5	4	3	2	1	-	-
	F..	37	-	1	-	-	-	1	-	-	1	-	-	2	2	1	-	-	-	4	6	5	8	4	2	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	33	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	7	1	4	6	4	-	1	-	-	-	-
	White.....M..	27	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	7	1	3	2	3	-	1	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	20	9	2	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	3	1	-	1	1	-	-	-
	White.....M..	9	4	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	11	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	30	-	-	2	-	-	1	4	2	1	-	1	-	2	1	2	3	5	2	1	2	-	1	-	-	-	-
	White.....M..	18	-	-	2	-	-	1	1	1	1	-	1	-	-	-	2	2	2	2	1	1	-	1	-	-	-	-
	F..	12	-	-	-	-	-	-	3	1	-	-	-	-	2	1	-	1	3	-	-	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	49	1	-	1	-	-	1	2	-	-	-	1	-	1	3	5	2	5	9	4	6	6	2	-	-	-	-
	White.....M..	27	-	-	1	-	-	1	2	-	-	-	-	-	-	1	1	2	3	6	3	2	3	2	-	-	-	-
	F..	21	1	-	-	-	-	-	-	-	-	-	1	-	1	2	4	-	2	3	-	4	3	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	17	-	-	-	-	-	1	-	-	-	-	-	1	2	1	3	2	2	-	2	1	1	-	1	-	-	-
	White.....M..	9	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	2	2	-	-	1	1	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	-	-	2	-	-	-	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	18	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	5	2	2	2	2	-	-	-	-	-
	White.....M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-
	F..	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	4	2	2	2	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	272	2	-	-	-	-	1	1	-	3	3	2	-	5	13	12	21	19	41	42	43	39	16	6	1	-	2
	White.....M..	146	2	-	-	-	-	1	1	-	-	-	2	-	4	5	7	11	12	23	23	23	20	9	5	1	-	1
	F..	126	-	-	-	-	-	-	-	-	3	3	-	-	1	10	5	10	7	18	19	20	19	7	3	-	-	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate.....	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	5	5	8	4	1	-	-	-
	White.....M..	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	5	5	8	4	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc*...	16	-	-	-	-	-	-	-	-	5	2	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	16	-	-	-	-	-	-	-	-	5	2	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	7	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	7	-	-	-	-	-	-	-	-	2	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	5	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	5	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	4	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	50	48	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	24	22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VERMONT—Con.																										
159	Premature birth..	73	73	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	45	45	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	28	28	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	-	-	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	56	-	-	-	-	-	-	-	1	2	2	1	3	2	7	6	7	5	8	5	6	-	1	-	-	-
	White.....M..	41	-	-	-	-	-	-	-	1	1	2	1	2	1	3	4	6	4	6	4	5	-	1	-	-	-
	F..	15	-	-	-	-	-	-	-	-	1	-	-	1	1	4	2	1	1	2	1	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	263	7	10	4	2	2	9	11	10	15	15	12	12	7	8	18	12	9	13	16	19	22	18	10	-	-	2
	White.....M..	182	4	3	3	2	2	5	7	8	13	13	8	11	7	7	15	10	7	12	10	10	10	7	6	-	-	2
	F..	81	3	7	1	-	-	4	4	2	2	2	4	1	-	1	3	2	2	1	6	9	12	11	4	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Motor-vehicle accidents.....	51	-	-	-	1	2	4	3	3	4	7	2	2	1	3	5	2	2	2	4	-	-	1	3	-	-	-
	White.....M..	45	-	-	-	1	2	2	3	3	3	7	2	2	1	3	5	1	2	2	3	-	-	1	2	-	-	-
	F..	6	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	212	7	10	4	1	-	5	8	7	11	8	10	10	6	5	13	10	7	11	12	19	22	17	7	-	-	2
	White.....M..	137	4	3	3	1	-	3	4	5	10	6	6	9	6	4	10	9	5	10	7	10	10	6	4	-	-	2
	F..	75	3	7	1	-	-	2	4	2	1	2	4	1	-	1	3	1	2	1	5	9	12	11	3	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	62	5	-	-	1	-	-	1	-	-	-	-	-	-	2	-	2	5	4	3	5	16	10	4	3	-	1
	White.....M..	30	4	-	-	1	-	-	1	-	-	-	-	-	-	1	-	2	2	1	2	4	6	3	2	-	-	1
	F..	32	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	1	10	7	2	3	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	558	90	7	4	-	1	8	5	7	7	8	7	13	12	18	16	25	26	39	48	58	63	61	29	4	1	1
	White.....M..	296	52	5	2	-	1	3	2	4	4	1	4	7	6	6	9	15	15	24	25	34	31	30	5	1	-	-
	F..	262	28	2	2	-	-	5	3	3	3	7	3	6	6	12	7	10	11	15	23	24	32	31	24	3	1	1
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA																										
	All causes	28,915	3395	292	139	100	73	273	250	561	793	740	877	933	1154	1375	1,918	2,179	2,506	2,882	2,827	2,219	1,617	1,002	435	97	30	68
	White..M.	10,985	1221	83	42	40	25	114	79	197	296	277	279	324	374	503	683	784	982	1,184	1,225	907	765	420	130	28	3	22
	F..	8,315	966	83	37	32	21	71	60	98	147	155	179	201	220	293	384	508	638	866	989	889	772	439	216	37	6	8
	Nonwhite..M.	5,146	714	75	28	15	14	48	65	138	187	161	213	213	276	312	434	463	481	445	333	243	131	75	36	12	8	24
	F..	4,469	494	51	32	13	15	40	46	128	163	147	206	195	282	267	417	424	405	367	280	180	149	68	53	20	13	14
1,2	Typhoid and paratyphoid fever	17	-	-	-	-	-	1	-	5	1	1	-	4	1	2	-	-	-	1	1	-	-	-	-	-	-	-
	White..M.	5	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M.	4	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	102	10	2	2	3	3	10	11	13	16	13	2	7	3	1	-	3	1	1	-	-	1	-	-	-	-	-
	White..M.	41	2	1	1	-	1	5	4	6	7	8	-	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	26	4	1	1	3	1	1	3	2	3	2	-	1	-	-	-	2	-	1	-	-	1	-	-	-	-	-
	Nonwhite..M.	25	2	-	-	-	1	3	3	3	4	2	2	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	10	2	-	-	-	-	1	1	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	2	-	2	-	-	2	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	6	1	-	2	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	131	88	28	8	2	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	27	22	4	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	43	34	4	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	28	15	11	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	33	17	9	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	25	5	5	6	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	14	3	3	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	1	2	2	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	1,449	16	8	4	4	1	11	29	102	151	145	156	118	124	102	110	88	77	61	58	32	23	5	2	-	-	2
	White..M.	398	1	1	-	2	1	3	1	9	15	22	34	35	40	41	41	28	39	36	25	7	12	5	2	-	-	-
	F..	293	3	-	1	1	-	1	-	9	30	33	32	20	17	15	19	23	17	25	22	16	8	-	-	-	-	1
	Nonwhite..M.	392	7	5	1	1	-	2	11	35	44	47	47	36	39	29	31	24	10	10	6	4	2	-	-	-	-	1
	F..	366	5	2	2	-	-	5	17	49	62	43	43	27	28	17	18	15	11	10	5	5	1	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	1,320	8	1	3	1	-	4	22	94	138	136	145	111	114	100	103	79	68	75	57	31	21	5	2	-	-	2
	White..M.	367	-	-	-	1	-	1	-	8	13	22	31	31	37	40	39	23	36	34	25	7	12	5	2	-	-	-
	F..	269	2	-	1	-	-	-	-	9	28	31	30	18	15	15	18	20	15	23	21	16	6	-	-	-	-	1
	Nonwhite..M.	330	5	1	1	-	-	1	10	33	41	41	45	36	36	29	29	23	8	9	6	3	2	-	-	-	-	1
	F..	324	1	-	1	-	-	2	12	44	56	42	39	26	26	16	17	13	9	9	5	5	1	-	-	-	-	-
14-22	Tuberculosis (other forms)	129	8	7	1	3	1	7	7	8	13	9	11	7	10	2	7	9	9	6	1	1	2	-	-	-	-	-
	White..M.	31	1	1	-	1	1	2	1	1	2	-	3	4	3	1	2	3	3	2	-	-	-	-	-	-	-	-
	F..	24	1	-	-	1	-	1	-	-	2	2	2	2	2	-	1	3	2	2	1	-	2	-	-	-	-	-
	Nonwhite..M.	32	2	4	-	1	-	1	1	2	3	6	2	-	3	-	2	1	2	1	-	1	-	-	-	-	-	-	-
	F..	42	4	2	1	-	-	3	5	5	6	1	4	1	2	1	2	2	2	1	-	-	-	-	-	-	-	-	-
27	Dysentery	73	38	7	3	1	1	2	-	-	-	-	-	-	1	1	1	3	2	3	2	4	1	-	2	-	-	1
	White..M.	22	14	2	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	1	-	-	-	-	-
	F..	25	10	3	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	2	-	3	-	-	2	-	-	1
	Nonwhite..M.	10	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	16	8	-	2	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	385	32	3	1	-	1	1	1	3	15	9	22	27	41	39	47	48	40	35	12	5	1	2	-	-	-	-
	White..M.	109	5	-	-	-	-	-	1	1	1	2	6	13	9	14	15	15	16	7	3	-	1	-	-	-	-	-
	F..	34	6	-	1	-	-	-	-	-	1	1	2	6	3	-	2	4	1	6	-	1	-	-	-	-	-	-
	Nonwhite..M.	192	13	1	-	-	-	1	1	7	5	12	11	23	25	26	27	20	12	5	1	1	1	-	-	-	-	-
	F..	50	8	2	-	-	1	1	-	1	6	2	6	4	2	5	5	2	4	1	-	-	-	-	-	-	-	-
35	Measles	11	2	3	-	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	White..M.	4	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F..	6	1	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	10	2	-	1	1	-	2	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White..M.	5	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	2,428	-	4	1	4	2	6	8	9	20	24	56	81	126	161	260	282	302	336	305	195	147	67	18	7	1	6
	White..M.	869	-	3	1	2	2	3	4	4	11	5	13	20	32	44	68	91	106	130	133	81	68	35	6	5	-	2
	F..	1,034	-	1	-	1	-	2	2	2	4	8	26	38	48	73	106	123	133	137	135	90	69	24	8	2	1	1
	Nonwhite..M.	210	-	-	-	-	-	-	1	2	2	3	6	6	13	13	28	30	30	29	16	18	4	5	3	-	-	1
	F..	315	-	-	-	1	-	1	1	1	3	8	11	17	33	31	58	38	33	40	21	6	6	3	1	-	-	2

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																										
46	Cancer of digestive organs, peritoneum	1,048	-	-	-	-	-	-	-	3	9	9	15	18	39	55	102	134	135	157	154	100	78	26	7	1	-	4
	White..M..	430	-	-	-	-	-	-	-	1	5	3	2	7	16	24	41	50	54	64	67	43	34	14	2	1	-	2
	F..	380	-	-	-	-	-	-	-	1	1	3	7	5	7	17	24	52	44	58	65	43	40	9	4	-	-	-
	Nonwhite..M..	128	-	-	-	-	-	-	-	-	2	1	4	2	10	10	17	19	21	15	12	10	2	1	1	-	-	1
	F..	108	-	-	-	-	-	-	-	1	1	2	2	4	6	4	20	13	16	20	10	4	2	2	-	-	-	1
48,49	Cancer of female genital organs	389	-	-	-	-	-	-	1	-	3	5	17	24	38	47	57	41	54	41	37	11	10	2	2	-	1	-
	White.....F..	277	-	-	-	-	-	-	1	-	2	1	10	18	20	32	36	32	44	31	31	10	7	2	1	-	1	-
	Nonwhite..F..	112	-	-	-	-	-	-	-	-	1	4	7	8	18	15	21	9	10	10	6	1	3	-	1	-	-	-
50	Cancer of breast	250	-	-	-	-	-	-	-	-	-	2	7	15	18	19	38	31	29	35	17	21	8	7	1	-	-	2
	White.....M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	-	-
	F..	194	-	-	-	-	-	-	-	-	-	1	5	11	12	13	27	18	25	29	15	18	8	6	-	-	-	1
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F..	55	-	-	-	-	-	-	-	-	-	1	2	4	6	6	9	12	4	6	2	1	-	1	-	-	-	1
45,47, 51-55	Cancer (other sites)	743	-	4	1	4	2	6	7	6	8	8	17	24	33	40	63	76	84	103	97	63	51	32	8	6	-	-
	White.....M..	435	-	3	1	2	2	3	4	3	6	2	11	13	16	20	26	40	52	66	66	37	34	21	3	4	-	-
	F..	188	-	1	-	1	-	2	1	1	1	3	4	6	9	11	19	21	20	19	24	19	14	7	3	2	-	-
	Nonwhite..M..	80	-	-	-	-	-	-	1	2	-	2	2	4	3	3	10	11	9	14	4	7	2	4	2	-	-	-
	F..	40	-	-	-	1	-	1	1	-	1	1	-	1	5	6	8	4	3	4	3	-	1	-	-	-	-	-
58	Acute rheumatic fever	42	-	-	-	-	-	1	6	5	6	3	3	1	7	1	2	-	1	1	1	2	1	1	-	-	-	-
	White.....M..	12	-	-	-	-	-	-	-	2	-	1	-	-	2	1	-	-	1	1	1	1	1	1	-	-	-	-
	F..	8	-	-	-	-	-	-	2	2	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	11	-	-	-	-	-	1	3	-	1	2	1	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	1	1	4	-	1	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	510	1	-	1	-	2	1	2	9	9	6	11	11	19	23	24	62	71	81	73	49	33	17	3	1	1	-
	White.....M..	154	-	-	-	-	1	-	1	4	2	4	2	2	6	6	14	18	31	27	18	13	4	1	-	-	-	-
	F..	234	1	-	1	-	1	-	-	3	2	2	4	3	6	7	5	24	30	40	42	32	17	12	1	1	-	-
	Nonwhite..M..	35	-	-	-	-	-	1	1	1	2	-	1	2	3	4	3	6	7	2	1	-	1	-	-	-	-	-
	F..	87	-	-	-	-	-	-	-	1	3	-	4	4	8	6	10	18	16	8	3	1	2	1	1	-	1	-
63b	Exophthalmic goiter	48	-	-	-	-	-	-	-	-	1	2	1	2	-	4	7	9	12	7	3	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F..	34	-	-	-	-	-	-	-	-	1	1	1	1	-	3	4	4	11	6	2	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	1	-	1	-	1	3	3	1	1	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	38	-	-	-	-	-	-	-	2	-	-	-	3	2	1	3	3	3	5	4	5	3	3	1	-	-	-
	White.....M..	14	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	-	1	3	2	1	-	-	-	-
	F..	16	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	3	3	2	1	2	1	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	2	-	-	-	1	1	-	1	1	-	2	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	48	-	-	-	-	-	-	-	-	2	6	3	8	3	8	5	6	3	3	2	1	-	-	-	-	-	-
	White.....M..	32	-	-	-	-	-	-	-	-	2	1	3	2	1	6	4	6	2	2	2	1	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,951	4	3	-	1	1	1	1	6	6	17	40	33	79	149	234	292	378	441	447	346	268	121	61	9	2	11
	White.....M..	971	-	3	-	-	-	-	-	2	4	4	9	8	17	41	52	84	118	169	156	134	101	50	17	2	-	-
	F..	862	3	-	-	1	1	1	-	1	-	5	4	6	10	29	46	48	84	117	158	141	123	50	28	4	-	2
	Nonwhite..M..	495	1	-	-	-	-	-	1	2	-	4	11	8	21	28	66	70	76	76	65	29	12	12	6	1	1	5
	F..	623	-	-	-	-	-	-	-	1	2	4	16	11	31	51	70	90	100	79	68	42	32	9	10	2	1	4
90-95	Diseases of the heart	6,917	1	4	-	2	2	12	19	19	47	55	92	142	214	362	558	687	829	989	1,012	776	615	332	125	22	5	16
	White.....M..	3,016	-	-	-	-	-	4	4	6	18	17	32	53	84	140	265	303	407	442	488	341	255	122	45	5	-	5
	F..	1,952	1	4	-	-	1	3	9	3	12	13	15	28	30	66	73	133	166	284	345	298	255	148	54	9	1	1
	Nonwhite..M..	1,040	-	-	-	-	-	2	3	6	7	12	22	33	39	89	120	131	143	140	111	76	56	33	8	2	1	6
	F..	909	-	-	-	2	1	3	3	4	10	13	23	28	61	67	100	120	113	103	88	61	49	29	18	6	3	4
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	458	-	-	-	-	1	8	10	10	16	9	17	23	17	30	31	39	40	36	49	46	48	17	4	3	1	3
	White.....M..	173	-	-	-	-	-	3	2	3	6	4	8	8	3	6	12	15	18	16	19	18	22	9	-	1	-	-
	F..	143	-	-	-	-	-	1	5	1	5	3	5	7	6	13	6	7	10	12	18	21	17	3	2	-	1	-
	Nonwhite..M..	75	-	-	-	-	-	2	2	3	2	2	3	4	4	7	6	8	8	5	5	2	6	3	-	1	-	2
	F..	67	-	-	-	-	1	2	1	3	3	-	1	4	4	4	7	9	4	3	7	5	3	2	2	1	-	1
94	Diseases of coronary arteries, angina pectoris	1,904	-	-	-	1	-	-	1	1	6	18	21	55	85	139	221	245	270	288	256	159	80	37	13	3	1	4
	White.....M..	1,151	-	-	-	-	-	-	-	-	1	5	13	24	46	88	148	161	190	169	159	84	43	15	2	1	-	2
	F..	436	-	-	-	-	-	-	1	-	2	2	1	10	10	17	28	41	49	86	75	59	28	17	9	1	-	-
	Nonwhite..M..	187	-	-	-	-	-	-	-	1	1	4	4	14	16	22	27	27	13	21	13	11	6	2	2	-	1	2
	F..	130	-	-	-	1	-	-	-	-	2	7	3	7	13	12	18	16	18	12	9	5	3	3	-	1	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,555	1	4	-	1	1	4	8	8	25	28	54	64	112	193	306	403	519	645	707	571	487	278	108	16	3	9
	White.....M..	1,692	-	-	-	-	-	1	2	3	11	8	11	21	35	46	105	127	199	257	290	239	190	98	43	3	-	3
	F..	1,373	1	4	-	-	1	2	3	2	5	8	9	11	14	36	39	85	107	186	252	218	210	128	43	8	-	1
	Nonwhite..M..	778	-	-	-	-	-	-	1	2	4	6	15	15	19	60	87	98	122	114	93	63	44	28	6	1	-	2
	F..	712	-	-	-	1	-	1	2	1	5	6	19	17	44	51	75	95	91	88	72	51	43	24	16	4	3	3
107-109, 33	Pneumonia (all forms) and influenza	2,098	544	85	34	12	14	37	20	33	50	45	57	48	69	78	100	100	108	129	148	112	132	89	42	8	2	2
	White.....M..	683	162	26	9	2	4	17	9	7	18	13	18	11	16	25	29	30	27	51	55	39	60	41	12	2	-	-
	F..	585	121	23	7	2	3	8	7	9	4	12	11	8	11	7	12	22	24	39	58	49	59	40	24	4	-	1
	Nonwhite..M..	476	163	17	9	5	4	7	2	5	12	12	19	16	20	28	31	26	33	21	19	14	4	3	3	1	1	1
	F..	374	98	19	9	3	3	5	2	12	16	8	9	13	22	18	28	22	24	18	16	10	9	5	3	1	1	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																										
107	Bronchopneumonia.	736	281	34	15	7	4	9	8	8	6	5	8	11	11	18	19	23	22	46	50	35	52	42	18	3	-	1
	White.....M..	254	81	7	4	1	2	4	5	3	4	-	-	4	5	9	7	10	8	20	18	15	22	20	5	-	-	-
	F..	218	59	12	2	-	-	1	2	4	-	2	3	-	3	1	3	7	3	15	23	16	29	20	10	2	-	1
	Nonwhite..M..	156	88	9	5	3	1	3	-	-	2	2	2	5	2	5	3	2	7	6	5	4	1	-	1	-	-	-
	F..	108	53	6	4	3	1	1	1	1	-	1	3	2	1	3	6	4	4	5	4	-	-	2	2	1	-	-
108	Lobar pneumonia..	590	97	16	6	2	2	14	3	10	19	23	25	18	30	31	43	36	39	39	40	31	36	22	4	2	1	1
	White.....M..	190	27	5	-	1	1	7	2	1	6	9	10	3	6	12	9	9	10	14	19	8	20	9	1	1	-	-
	F..	131	23	2	1	1	-	4	1	3	2	2	2	5	4	2	4	4	6	13	11	16	11	11	3	-	-	-
	Nonwhite..M..	161	32	3	2	-	1	1	-	2	6	6	9	4	11	10	22	15	14	7	7	3	3	1	-	1	-	1
	F..	108	15	6	3	-	-	2	-	4	5	6	4	6	9	7	8	8	9	5	3	4	2	1	-	-	1	-
109	Pneumonia (unspecified).....	305	101	20	6	1	2	4	5	6	8	5	9	6	9	11	13	11	17	16	14	19	10	4	7	1	-	-
	White.....M..	99	33	9	2	-	-	3	1	2	2	2	3	1	3	3	4	3	4	5	5	5	4	2	3	-	-	-
	F..	83	22	5	2	-	1	-	2	1	2	2	4	3	1	1	3	2	8	3	5	7	5	-	3	1	-	-
	Nonwhite..M..	64	25	2	1	1	-	1	1	2	-	2	2	2	4	2	4	2	4	2	4	2	5	-	1	-	-	-
	F..	59	21	4	1	-	1	-	1	2	2	1	-	-	3	3	4	2	3	4	2	2	1	2	-	-	-	-
33	Influenza.....	467	65	15	7	2	6	10	4	9	17	12	15	13	19	18	25	30	30	28	44	27	34	21	13	2	1	-
	White.....M..	140	21	5	3	-	1	3	1	1	8	2	5	3	2	1	9	8	5	12	13	11	14	10	3	1	-	-
	F..	133	17	4	2	1	2	3	2	1	-	6	2	-	3	3	2	9	7	8	19	10	14	9	8	1	-	-
	Nonwhite..M..	95	18	3	1	1	2	2	1	2	2	4	6	5	5	9	4	5	10	4	5	2	-	2	1	-	1	-
	F..	99	9	3	1	-	1	2	-	5	9	-	2	5	9	5	10	8	8	4	7	4	6	-	1	-	-	-
117	Ulcer of stomach or duodenum....	186	2	-	-	-	-	-	-	5	3	5	5	10	27	16	23	19	21	26	8	6	8	2	-	-	-	-
	White.....M..	111	-	-	-	-	-	-	-	3	1	2	2	7	14	12	9	13	12	19	8	4	6	1	-	-	-	-
	F..	21	-	-	-	-	-	-	-	-	1	-	-	-	3	1	2	1	4	5	-	2	2	-	-	-	-	-
	Nonwhite..M..	39	2	-	-	-	-	-	-	-	1	2	3	3	8	3	8	3	3	1	1	-	-	1	-	-	-	-
	F..	15	-	-	-	-	-	-	-	2	-	1	-	-	2	-	4	2	2	1	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*.....	342	229	34	11	5	1	3	1	-	3	4	2	4	-	-	4	5	3	6	7	4	6	5	3	2	-	-
	White.....M..	100	70	12	4	2	1	1	-	-	1	-	1	1	-	-	-	1	-	-	1	1	2	1	1	-	-	-
	F..	108	66	10	3	2	-	2	1	-	1	2	-	-	-	-	2	1	-	3	5	2	3	3	2	-	-	-
	Nonwhite..M..	78	56	10	2	1	-	-	-	-	-	1	-	1	-	-	1	2	1	1	1	-	1	-	-	-	-	-
	F..	56	37	2	2	-	-	-	-	-	1	1	1	2	-	-	1	1	2	2	1	1	1	-	-	1	-	-
121	Appendicitis.....	142	-	1	3	3	5	7	8	13	6	11	7	10	12	14	3	14	11	4	3	5	-	1	-	-	-	1
	White.....M..	52	-	-	1	2	1	2	2	7	2	4	2	6	6	6	-	2	6	-	1	1	-	1	-	-	-	-
	F..	40	-	-	1	-	3	1	2	2	-	1	2	1	2	4	2	9	2	2	2	4	-	-	-	-	-	-
	Nonwhite..M..	32	-	1	1	1	1	2	4	3	1	2	1	2	3	4	1	1	2	1	-	-	-	-	-	-	-	1
	F..	18	-	-	-	-	-	2	-	1	3	4	2	1	1	-	-	2	1	1	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	225	18	2	1	1	-	1	-	3	4	6	6	7	16	13	24	21	19	21	23	18	9	7	3	-	-	-
	White.....M..	71	7	-	-	-	-	-	-	1	1	1	-	2	2	3	7	7	7	10	8	7	4	2	2	-	-	-
	F..	68	6	-	1	1	-	-	-	1	-	3	2	1	5	3	4	3	7	8	6	7	4	5	1	-	-	-
	Nonwhite..M..	47	2	1	-	-	-	1	-	-	1	1	-	4	6	3	6	6	3	3	5	4	1	-	-	-	-	-
	F..	39	3	1	-	-	-	-	-	1	2	3	4	-	3	4	7	5	2	-	4	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	135	-	-	-	-	-	-	-	1	-	2	3	10	4	10	16	21	25	16	14	8	3	2	-	-	-	-
	White.....M..	73	-	-	-	-	-	-	-	-	-	2	1	7	4	4	10	8	12	7	8	8	2	-	-	-	-	-
	F..	28	-	-	-	-	-	-	-	1	-	-	2	2	-	2	1	6	6	3	2	-	1	2	-	-	-	-
	Nonwhite..M..	23	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	5	5	3	-	-	-	-	-	-	-
	F..	11	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	1	2	1	1	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	90	-	1	-	-	-	-	-	-	1	-	2	4	4	12	8	7	11	13	15	8	4	-	-	-	-	-
	White.....M..	25	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	1	5	5	4	1	1	-	-	-	-	-
	F..	47	-	1	-	-	-	-	-	-	1	-	-	1	2	5	4	5	5	6	9	5	3	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	2	-	-	-	-	-	-
	F..	12	-	-	-	-	-	-	-	-	-	-	2	-	1	4	1	-	1	2	1	-	-	-	-	-	-	-
130-132	Nephritis.....	2,508	4	2	3	1	-	14	5	9	15	19	45	67	119	103	177	225	269	343	347	305	241	129	51	7	4	4
	White.....M..	855	1	1	1	-	-	8	-	3	2	4	7	10	28	26	48	53	65	120	168	121	114	57	15	3	-	-
	F..	681	-	-	1	1	-	2	3	2	7	4	12	16	13	18	35	38	67	84	90	111	91	59	26	1	-	-
	Nonwhite..M..	487	1	-	1	-	-	3	-	-	3	4	8	13	35	28	37	64	82	75	48	49	22	5	5	1	3	2
	F..	485	2	1	-	-	-	1	2	4	3	7	20	28	43	31	57	70	55	64	41	24	14	8	5	2	1	2
137	Diseases of the prostate.....	142	-	-	-	-	-	-	-	-	-	-	2	1	-	2	7	4	14	20	34	20	25	11	2	-	-	-
	White.....M..	98	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	4	14	28	12	24	9	2	-	-	-
	Nonwhite..M..	44	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	2	10	6	6	8	1	2	-	-	-	-
140-150	Diseases of pregnancy, etc.*...	210	-	-	-	-	-	-	2	35	38	41	49	31	13	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	111	-	-	-	-	-	-	1	13	20	23	25	19	9	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..F..	99	-	-	-	-	-	-	1	22	18	18	24	12	4	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	76	-	-	-	-	-	-	1	14	14	17	19	7	3	-	-	-	-	-	-	-	-	-	-	-	-	1
	White.....F..	43	-	-	-	-	-	-	-	3	6	12	14	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite..F..	33	-	-	-	-	-	-	1	11	8	5	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	64	-	-	-	-	-	-	1	15	11	10	13	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	29	-	-	-	-	-	-	1	6	6	5	3	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	35	-	-	-	-	-	-	-	9	5	5	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	70	-	-	-	-	-	-	-	6	13	14	17	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	39	-	-	-	-	-	-	-	4	8	6	8	10	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	31	-	-	-	-	-	-	-	2	5	8	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	393	352	11	3	2	3	6	1	3	1	5	1	2	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	White.....M..	167	152	3	-	1	2	3	-	2	-	-	1	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F..	163	143	4	2	1	1	3	1	1	1	4	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	38	34	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	25	23	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	VIRGINIA—Con.																										
159	Premature birth..	1,006	1,006	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	388	388	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	289	289	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	190	190	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	139	139	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	292	-	-	-	-	-	-	-	13	32	23	27	24	26	21	32	36	20	15	12	7	2	2	-	-	-
	White.....M..	196	-	-	-	-	-	-	-	7	14	16	20	20	12	13	24	25	12	14	9	6	2	2	-	-	-
	F..	70	-	-	-	-	-	-	-	5	10	5	5	3	14	5	6	8	5	1	2	1	-	-	-	-	-
	Nonwhite..M..	22	-	-	-	-	-	-	-	-	7	2	2	1	-	2	2	2	3	-	1	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	270	8	1	-	3	-	2	6	15	47	36	38	25	24	23	16	16	3	-	4	1	2	-	-	-	-
	White.....M..	76	4	-	-	1	-	-	-	2	9	8	10	7	6	11	6	6	2	-	2	-	2	-	-	-	-
	F..	34	3	1	-	2	-	1	1	3	8	3	5	3	-	1	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite..M..	131	1	-	-	-	-	1	4	8	26	20	19	13	15	8	7	6	-	-	2	1	-	-	-	-	-
	F..	29	-	-	-	-	-	-	1	2	4	5	4	2	3	3	3	2	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,035	84	35	24	26	18	80	79	187	221	167	133	131	88	105	95	71	88	84	81	73	63	49	30	3	3	17
	White.....M..	1,110	32	10	8	11	4	39	39	111	157	125	94	84	50	74	50	38	39	32	34	25	17	18	7	1	-	11
	F..	380	16	10	4	7	4	18	13	17	14	10	8	8	7	11	13	11	23	30	31	34	37	25	23	2	2	-
	Nonwhite..M..	409	17	9	6	4	5	12	22	54	44	26	28	33	25	17	27	18	17	14	11	9	3	3	-	-	-	5
	F..	136	17	6	6	4	5	11	5	5	6	6	3	6	6	3	5	4	9	8	5	5	6	3	-	-	1	1
170	Motor-vehicle accidents.....	586	1	2	5	6	7	33	28	68	77	56	49	53	24	37	37	27	28	19	16	11	1	1	-	-	-	2
	White.....M..	350	1	1	1	4	3	20	15	35	45	40	40	31	9	28	17	15	16	9	11	6	1	-	-	-	-	2
	F..	82	-	-	1	1	1	8	4	13	8	3	4	2	3	4	7	2	9	6	4	1	-	1	-	-	-	-
	Nonwhite..M..	134	-	1	1	1	3	4	8	17	20	12	5	17	11	4	12	9	3	3	1	2	-	-	-	-	-	-
	F..	20	-	-	2	-	-	1	1	1	4	1	-	3	1	1	1	1	-	1	-	2	-	-	-	-	-	-
169, 171-195	Other accidents..	1,449	83	33	19	20	11	47	51	121	144	111	84	78	64	68	58	44	60	65	65	62	62	48	30	3	3	15
	White.....M..	760	31	9	7	7	1	19	24	76	112	85	54	53	41	46	33	23	23	23	23	19	16	18	7	1	-	9
	F..	298	18	10	3	6	3	10	9	4	6	7	4	6	4	7	6	9	14	24	27	33	37	24	23	2	2	-
	Nonwhite..M..	275	17	8	5	3	2	8	14	37	24	14	23	16	14	13	15	9	14	11	10	7	3	3	-	-	-	5
	F..	116	17	6	4	4	5	10	4	4	2	5	3	3	5	2	4	3	9	7	5	3	6	3	-	-	1	1
162, 199, 200	Senility, ill-defined and unknown causes.	753	191	14	4	2	-	1	3	7	7	2	8	6	11	12	24	23	36	35	50	63	88	81	52	20	11	2
	White.....M..	249	57	5	-	1	-	-	-	5	3	-	3	2	5	3	8	11	13	10	19	21	25	35	14	5	3	1
	F..	230	53	3	1	-	-	-	1	1	2	1	1	1	3	1	3	3	6	9	13	23	38	36	23	7	1	-
	Nonwhite..M..	147	44	3	1	1	-	1	1	-	2	-	3	2	1	6	6	7	10	10	11	10	13	4	3	5	2	1
	F..	127	37	3	2	-	-	-	1	1	-	1	1	1	2	2	7	2	7	6	7	9	12	6	12	3	5	-
	All other causes.	2,893	756	39	27	26	14	63	45	63	89	89	105	118	120	111	138	133	159	185	161	173	139	76	40	18	1	5
	White.....M..	1,029	298	8	10	14	4	24	15	12	27	39	23	32	35	33	36	43	69	74	61	73	53	33	6	4	-	3
	F..	891	203	15	7	9	6	20	13	21	23	19	21	30	33	39	44	36	44	53	64	68	59	33	23	7	1	-
	Nonwhite..M..	522	158	12	5	2	2	10	7	15	22	13	29	21	26	20	23	30	25	38	20	17	10	6	8	2	-	1
	F..	451	97	4	5	1	2	9	10	15	17	18	32	35	26	19	35	24	21	20	16	15	17	4	3	5	-	1

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1948—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON																										
	All causes	22,566	1,550	138	89	53	53	153	121	282	358	383	411	531	677	956	1,345	1,758	2,154	2,426	2,710	2,687	2111	1129	367	77	18	29
	White	13,486	874	69	42	26	25	83	70	182	227	217	226	309	419	615	859	1,180	1,417	1,451	1,614	1,559	1171	590	200	34	4	22
	M	8,463	583	59	39	20	23	57	38	79	100	141	160	193	233	319	450	540	697	926	1,067	1,088	910	528	158	40	10	5
	Nonwhite	386	55	7	1	2	2	6	5	10	16	13	15	19	18	13	25	25	31	38	17	28	22	4	7	1	4	2
	F	231	38	3	7	5	3	7	8	11	15	12	10	10	7	8	11	13	9	11	12	12	8	7	2	2	-	-
1,2	Typhoid and paratyphoid fever	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	46	6	2	3	-	1	7	1	5	8	-	1	3	1	1	1	1	-	-	4	-	1	-	-	-	-	-
	White	27	4	1	2	-	-	6	1	2	3	-	-	3	1	-	1	-	-	-	2	-	1	-	-	-	-	-
	M	18	2	1	1	-	1	1	-	3	4	-	1	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	8	-	-	-	1	-	-	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	6	-	-	-	1	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	21	15	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	9	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	9	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	27	-	2	4	1	3	3	1	-	-	1	-	1	3	-	3	3	1	-	1	-	-	-	-	-	-	-	-
	White	12	-	-	-	1	2	1	-	-	-	-	-	-	2	-	3	2	1	-	-	-	-	-	-	-	-	-	-
	M	14	-	2	4	-	-	2	1	-	-	1	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	720	13	6	6	4	4	9	9	29	45	71	67	58	54	69	53	64	53	38	26	27	9	3	1	-	-	2
	White	393	6	3	1	1	1	1	1	10	11	25	28	32	27	49	44	49	32	26	18	16	6	3	1	-	-	2
	M	214	2	2	-	-	1	4	2	8	16	33	33	18	21	15	8	10	15	7	6	11	2	-	-	-	-	-
	Nonwhite	61	4	-	-	1	1	2	2	3	10	5	3	6	5	3	1	3	5	5	1	-	1	-	-	-	-	-
	F	52	1	1	5	2	1	2	4	8	8	8	3	2	1	2	-	2	1	-	1	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc.*	643	7	4	6	1	2	6	6	24	43	64	56	51	52	63	51	57	52	33	25	27	8	2	1	-	-	2
	White	351	2	1	1	-	-	-	-	8	10	21	24	27	25	45	42	45	32	23	18	16	6	2	1	-	-	2
	M	191	1	2	-	-	-	3	2	8	16	30	26	16	21	14	8	8	14	5	5	11	1	-	-	-	-	-
	Nonwhite	55	3	-	-	-	1	1	1	3	9	5	3	6	5	2	1	3	5	5	1	-	1	-	-	-	-	-
	F	46	1	1	5	1	1	2	3	5	8	8	3	2	1	2	-	1	1	-	1	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	77	6	2	-	3	2	3	3	5	2	7	11	7	2	6	2	7	1	5	1	-	1	1	-	-	-	-
	White	42	4	2	-	1	1	1	1	2	1	4	4	5	2	4	2	4	-	3	-	-	-	1	-	-	-	-
	M	23	1	-	-	1	1	1	-	-	-	3	7	2	-	1	-	2	1	2	1	-	1	-	-	-	-	-
	Nonwhite	6	1	-	-	1	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	1	-	-	1	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery	18	9	1	1	-	1	1	-	-	-	-	1	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	White	8	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	M	5	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	231	1	1	1	-	-	-	-	2	-	1	6	14	17	11	28	33	37	33	25	13	4	3	1	-	-	-
	White	161	-	-	-	-	-	-	-	1	-	1	1	9	13	8	21	21	32	21	19	9	3	1	1	-	-	-
	M	47	1	-	1	-	-	-	-	-	-	-	1	1	3	2	6	10	3	9	6	2	1	1	-	-	-	-
	Nonwhite	18	-	-	-	-	-	-	-	1	-	-	2	4	1	1	1	1	2	3	-	2	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
35	Measles	45	8	10	4	2	5	10	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	21	3	5	2	1	3	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	20	5	3	2	1	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)	29	1	1	1	-	1	5	5	5	3	3	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	19	1	-	-	-	1	3	4	3	2	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	M	9	-	1	1	-	-	2	-	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	2,598	1	-	2	1	1	9	7	9	11	14	36	61	85	146	230	310	362	344	342	337	191	78	17	1	1	2
	White	1,332	1	-	1	-	1	6	3	6	7	2	14	23	40	58	109	143	194	186	186	192	112	40	6	1	-	1
	M	1,220	-	-	1	1	-	3	4	3	3	10	21	35	44	88	114	163	161	152	153	139	75	37	11	-	1	1
	Nonwhite	28	-	-	-	-	-	-	-	-	-	1	1	1	-	-	3	3	4	5	3	4	3	-	-	-	-	-
	F	18	-	-	-	-	-	-	-	-	1	1	-	2	1	-	4	1	3	1	-	2	1	1	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																										
46	Cancer of digestive organs, peritoneum	1,206	-	-	-	-	-	-	1	-	2	5	7	20	25	58	105	141	163	167	192	182	95	39	2	-	2
	White..M	686	-	-	-	-	-	-	1	-	1	1	3	11	16	30	61	86	100	92	105	104	57	16	1	-	1
	F	493	-	-	-	-	-	-	-	-	1	3	4	8	9	28	39	52	60	71	84	74	35	23	1	-	1
	Nonwhite..M	16	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	2	4	3	2	2	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	2	1	-	-	-	-
48,49	Cancer of female genital organs	269	-	-	-	-	-	-	-	-	1	4	6	12	19	24	34	37	43	27	32	16	11	2	1	-	-
	White..F	268	-	-	-	-	-	-	-	-	1	3	6	12	19	24	34	37	43	27	32	16	11	2	1	-	-
	Nonwhite..F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast	234	-	-	-	-	-	-	-	1	-	1	4	7	8	21	26	33	34	26	20	28	16	5	3	-	1	-
	White..M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	228	-	-	-	-	-	-	-	1	-	1	4	7	7	21	26	33	32	25	20	27	16	4	3	-	1	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	889	1	-	2	1	1	9	6	8	8	4	19	22	33	43	65	99	122	124	98	111	69	32	11	1	-	-
	White..M	643	1	-	1	-	1	6	2	6	6	1	11	12	24	28	48	55	94	94	81	87	55	24	5	1	-	-
	F	231	-	-	1	1	-	3	4	2	1	3	7	8	9	15	15	41	26	29	17	22	13	8	6	-	-	-
	Nonwhite..M	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	1	-	2	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	-	-	-	-	-	1	-	-	-	-
58	Acute rheumatic fever	19	-	-	-	-	-	3	1	4	1	-	2	1	-	1	-	-	1	-	2	1	2	-	-	-	-	-
	White..M	9	-	-	-	-	-	3	-	1	1	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	1	3	-	-	-	-	-	1	-	-	1	-	2	-	1	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
61	Diabetes mellitus	497	-	-	-	1	1	3	1	8	8	5	10	5	9	16	27	47	68	88	84	58	40	11	3	2	-	2
	White..M	204	-	-	-	1	-	1	1	5	4	2	5	3	5	9	10	18	23	28	31	26	25	3	3	1	-	-
	F	287	-	-	-	-	1	2	-	3	4	3	5	2	4	7	17	27	44	59	52	32	15	8	-	1	-	1
	Nonwhite..M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
63b	Exophthalmic goiter	40	-	-	-	-	-	-	-	1	-	-	2	-	5	6	3	4	3	4	6	4	2	-	-	-	-	-
	White..M	12	-	-	-	-	-	-	-	-	-	-	2	-	2	2	-	2	1	-	2	1	-	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	1	-	-	-	-	3	4	3	2	2	4	4	3	2	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	White..M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite..M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	106	-	-	-	-	-	-	-	-	-	1	5	8	10	14	16	13	15	10	8	4	1	1	-	-	-	-
	White..M	91	-	-	-	-	-	-	-	-	-	1	3	5	9	14	14	12	13	9	6	4	1	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	2	2	1	-	2	-	1	1	2	-	-	-	-	-	-	-
	Nonwhite..M	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	2,067	5	1	-	-	1	1	-	3	4	6	9	11	23	54	96	133	229	284	357	386	278	133	39	11	2	1
	White..M	1,052	3	-	-	-	-	-	-	2	4	2	2	5	13	27	41	67	130	139	188	208	135	75	17	4	-	-
	F	973	2	1	-	-	1	1	-	1	-	4	7	5	9	24	54	63	96	140	164	172	140	58	21	7	2	1
	Nonwhite..M	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	2	1	5	1	-	1	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	3	4	1	2	-	-	-	-	-
90-95	Diseases of the heart	6,904	2	-	1	2	-	8	13	15	18	26	53	87	144	242	395	607	776	950	1,059	1,057	828	441	142	27	6	5
	White..M	4,373	1	-	1	1	-	2	6	10	11	14	30	50	93	172	275	458	588	601	656	616	478	213	93	16	3	5
	F	2,417	1	-	-	1	-	6	5	4	6	12	20	32	48	64	103	137	200	338	392	428	342	222	46	8	2	-
	Nonwhite..M	75	-	-	-	-	-	-	-	-	-	-	2	1	1	5	11	8	8	10	7	7	8	3	2	1	1	-
	F	39	-	-	-	-	-	-	2	1	1	-	1	4	2	1	6	4	-	1	4	6	-	3	1	2	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	447	-	-	1	-	-	4	7	12	7	8	12	17	23	23	29	39	46	50	55	47	40	21	5	1	-	-
	White..M	264	-	-	1	-	-	1	2	8	5	4	6	6	12	12	18	25	29	36	35	26	26	10	2	-	-	-
	F	175	-	-	-	-	-	3	4	3	2	4	6	11	11	10	10	14	16	13	19	21	14	11	3	-	-	-
	Nonwhite..M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-
94	Diseases of coronary arteries, angina pectoris	2,358	-	-	-	2	-	-	-	-	3	8	17	38	68	121	205	301	357	382	349	281	159	69	16	2	2	2
	White..M	1,745	-	-	-	1	-	-	-	-	1	5	12	29	54	100	173	248	286	256	241	174	109	40	10	2	2	2
	F	587	-	-	-	1	-	-	-	-	2	1	5	7	13	18	28	48	68	103	106	105	49	28	5	-	-	-
	Nonwhite..M	20	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	3	3	3	2	-	1	-	1	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	2	-	1	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	4,099	2	-	-	-	-	4	6	3	8	12	24	34	53	98	161	267	373	538	655	729	629	351	121	24	4	3
	White..M	2,364	1	-	-	-	-	1	4	2	5	5	12	15	27	60	84	185	253	309	380	416	343	163	61	14	1	3
	F	1,655	1	-	-	-	-	3	1	1	2	7	9	14	24	36	65	75	116	222	267	302	279	183	38	8	2	-
	Nonwhite..M	52	-	-	-	-	-	-	-	-	-	-	2	1	1	2	6	5	4	6	5	7	7	3	1	1	1	-
	F	28	-	-	-	-	-	-	1	-	1	-	1	4	1	-	6	2	-	1	3	4	-	2	1	1	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,314	219	36	12	3	9	13	5	16	11	25	11	35	41	56	76	80	85	104	106	134	117	75	33	5	4	3
	White..M	778	103	18	7	2	5	5	3	12	5	15	7	22	28	39	57	67	60	72	64	83	54	35	12	2	-	1
	F	465	84	16	4	1	4	5	2	4	5	9	3	12	9	13	17	12	21	28	42	50	56	40	20	3	3	2
	Nonwhite..M	42	13	2	-	-	-	1	-	-	1	1	1	1	4	3	1	1	2	3	-	1	5	-	1	-	1	-
	F	29	19	-	1	-	-	2	-	-	-	-	-	-	-	1	1	-	2	1	-	-	2	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																										
107	Bronchopneumonia	495	134	15	6	3	3	4	2	4	3	8	1	5	5	14	18	17	21	24	40	51	59	35	18	2	1	2
	White	261	59	8	4	2	2	2	1	4	2	5	1	2	5	6	12	12	15	16	27	30	22	15	8	1	-	-
	F.	208	60	5	2	1	1	1	1	-	1	3	-	3	-	6	6	4	5	7	13	21	34	20	10	1	1	2
	Nonwhite	14	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	2	-	-	-	-	-
	F.	12	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
108	Lobar pneumonia	501	39	12	2	-	4	4	2	8	2	11	7	24	23	28	44	41	36	57	43	59	25	17	11	1	-	1
	White	340	22	6	1	-	1	1	1	7	1	8	4	16	16	22	36	35	27	42	25	41	12	12	3	-	-	1
	F.	133	7	6	-	-	3	2	1	1	1	2	2	7	4	4	6	6	8	13	18	18	11	5	7	1	-	-
	Nonwhite	19	4	-	-	-	-	1	-	-	-	1	1	1	*3	1	1	-	1	2	-	-	2	-	1	-	-	-
	F.	9	6	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	103	26	5	2	-	2	3	1	1	1	-	-	2	3	4	3	3	6	10	7	4	6	11	2	1	-	-
	White	59	14	3	-	-	2	1	1	-	-	-	-	2	1	3	2	3	4	7	5	1	6	3	1	-	-	-
	F.	36	9	2	2	-	-	1	-	1	-	-	-	-	2	1	1	-	1	2	2	-	8	1	1	-	-	-
	Nonwhite	5	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F.	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
33	Influenza	215	20	4	2	-	-	2	-	3	5	6	3	4	10	10	11	19	22	13	16	20	27	12	2	1	3	-
	White	118	8	1	2	-	-	1	-	1	2	2	2	2	6	8	7	17	14	7	7	11	14	5	-	1	-	-
	F.	88	8	/3	-	-	-	1	-	2	3	4	1	2	3	2	4	2	7	6	9	9	11	7	2	-	2	-
	Nonwhite	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
	F.	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
117	Ulcer of stomach or duodenum	190	-	-	-	-	-	-	-	-	1	3	5	3	12	17	20	30	25	17	19	19	14	3	2	-	-	-
	White	156	-	-	-	-	-	-	-	-	1	2	5	3	8	12	16	28	23	13	16	15	11	2	1	-	-	-
	F.	29	-	-	-	-	-	-	-	-	-	-	-	-	4	5	3	2	2	2	2	4	3	1	1	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc. *	100	63	6	1	1	-	3	-	1	-	1	-	1	2	2	5	2	1	2	1	3	2	2	1	-	-	-
	White	55	37	3	1	-	-	-	-	-	-	-	-	-	1	-	1	3	2	1	2	-	1	-	2	1	-	-	-
	F.	32	17	2	-	-	-	2	-	1	-	1	-	-	2	1	2	-	-	-	1	1	2	-	-	-	-	-
	Nonwhite	9	7	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
121	Appendicitis	94	2	1	1	2	4	4	5	9	2	7	4	2	5	4	9	8	6	6	9	2	2	-	-	-	-	-
	White	65	-	1	1	-	3	3	3	8	1	4	2	2	5	4	8	6	3	4	7	1	1	-	-	-	-	-
	F.	27	2	-	-	2	1	1	1	1	1	3	2	-	-	-	3	2	2	2	2	1	1	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	186	9	1	-	2	-	2	-	4	6	1	4	6	9	10	16	13	17	21	22	21	10	9	3	-	-	-
	White	110	6	-	-	1	-	2	-	3	2	-	1	2	5	5	9	7	13	11	16	13	6	5	3	-	-	-
	F.	75	3	1	-	1	-	-	-	1	3	1	3	3	3	5	7	6	4	10	6	8	4	4	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	165	-	1	-	-	-	-	-	-	2	-	3	7	13	17	26	25	18	10	17	12	9	4	1	-	-	-
	White	93	-	-	-	-	-	-	-	-	2	-	2	2	5	10	18	13	11	7	10	7	2	3	1	-	-	-
	F.	67	-	1	-	-	-	-	-	-	-	-	1	5	7	7	6	11	6	3	7	5	7	1	-	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc. *	109	-	-	1	-	-	-	-	-	-	1	2	6	1	15	6	10	9	21	15	7	11	3	1	-	-	-
	White	36	-	-	-	-	-	-	-	-	-	-	1	2	1	4	2	5	2	7	5	2	4	-	1	-	-	-
	F.	70	-	-	1	-	-	-	-	-	-	1	1	4	-	11	4	5	7	12	10	4	7	3	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
130-132	Nephritis	1,202	1	-	-	-	-	3	2	11	13	6	19	32	37	37	68	96	120	180	162	179	139	75	22	-	-	-
	White	699	1	-	-	-	-	3	-	8	10	5	7	17	23	20	42	69	73	102	90	97	80	43	9	-	-	-
	F.	487	-	-	-	-	-	-	2	3	3	1	11	14	14	16	24	26	45	75	72	79	57	32	13	-	-	-
	Nonwhite	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	-	3	1	-	-	-	-	-
	F.	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-
137	Diseases of the prostate	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	9	24	38	33	37	20	8	-	-	-
	White	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	9	23	37	33	36	20	8	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc. *	72	-	-	-	-	-	-	-	5	15	19	14	10	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	65	-	-	-	-	-	-	-	4	13	18	12	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	7	-	-	-	-	-	-	-	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	35	-	-	-	-	-	-	-	2	6	11	9	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	31	-	-	-	-	-	-	-	1	5	10	8	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	17	-	-	-	-	-	-	-	2	7	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	16	-	-	-	-	-	-	-	2	6	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b, 143, 145B, 146, 149, 150	Other puerperal causes	20	-	-	-	-	-	-	-	1	2	6	2	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	18	-	-	-	-	-	-	-	1	2	6	1	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	286	245	8	6	4	2	1	3	4	3	2	1	2	-	-	1	2	-	1	1	-	-	-	-	-	-	-
	White	176	154	1	4	3	1	1	1	2	3	1	-	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F.	102	83	7	2	1	1	-	2	2	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WASHINGTON—Con.																										
159	Premature birth..	442	442	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	242	242	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	188	188	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	8	8	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	293	-	-	-	-	-	-	2	7	10	16	14	35	18	35	31	32	34	24	17	9	3	3	-	-	3
	White.....M..	227	-	-	-	-	-	-	1	4	7	13	9	25	14	29	24	25	28	19	13	9	3	3	-	-	3
	F..	62	-	-	-	-	-	-	1	3	2	3	4	12	3	6	7	6	6	5	4	-	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	51	2	1	1	2	1	1	-	3	3	3	2	7	4	2	5	5	2	3	1	2	-	-	-	-	1
	White.....M..	29	-	-	-	1	-	-	-	3	-	2	1	5	2	-	4	4	2	2	1	1	-	-	-	-	1
	F..	14	2	1	1	-	1	1	-	-	2	-	-	1	1	2	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	F..	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,867	73	30	22	19	12	43	50	105	152	124	88	83	85	102	99	99	102	93	128	119	132	73	22	5	-	7
	White.....M..	1,376	41	19	11	11	6	30	39	83	137	104	75	68	78	95	79	86	82	74	88	58	64	31	10	3	-	6
	F..	447	29	10	9	6	5	10	9	19	12	16	8	14	5	7	19	9	19	18	40	61	67	42	11	2	-	-
	Nonwhite..M..	33	3	1	1	1	-	1	1	3	2	2	4	1	2	-	1	4	1	1	-	2	1	-	-	-	-	1
	F..	11	-	-	1	1	1	2	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
170	Motor-vehicle accidents.....	403	-	5	4	6	3	10	16	34	36	33	26	23	21	23	30	30	20	20	24	21	10	6	1	-	-	1
	White.....M..	308	-	3	1	3	3	9	12	23	28	21	22	17	18	20	26	26	15	14	19	13	9	5	1	-	-	-
	F..	85	-	2	3	2	-	-	4	10	8	11	4	5	2	3	4	2	5	5	5	8	1	1	-	-	-	-
	Nonwhite..M..	8	-	-	-	1	-	-	-	1	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-	-	1
	F..	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,464	73	25	18	13	9	33	34	71	116	91	62	60	64	79	69	69	82	73	104	98	122	67	21	5	-	6
	White.....M..	1,068	41	16	10	8	3	21	27	60	109	83	53	51	60	75	53	60	67	60	69	43	55	26	9	3	-	6
	F..	362	29	8	6	4	5	10	5	9	4	5	4	9	3	4	15	7	14	13	35	53	66	41	11	2	-	-
	Nonwhite..M..	25	3	1	1	-	-	1	1	2	2	2	4	-	1	-	1	2	1	-	-	2	1	-	-	-	-	-
	F..	9	-	-	1	1	1	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	389	14	1	-	-	-	-	1	-	1	1	2	2	6	6	8	18	35	30	34	48	69	59	35	15	4	-
	White.....M..	228	10	1	-	-	-	-	1	-	-	1	2	2	6	3	6	14	23	24	18	32	35	30	17	2	1	-
	F..	146	4	-	-	-	-	-	-	-	1	-	-	-	-	3	2	4	11	4	14	13	32	28	16	13	1	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	2	-	2	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-
	All other causes.	2,248	419	26	19	8	7	24	12	31	39	44	48	49	83	93	118	119	143	138	225	210	209	133	36	11	1	3
	White.....M..	1,302	252	15	9	2	2	11	6	15	15	19	25	25	39	55	71	76	91	80	140	136	113	81	16	5	-	3
	F..	903	149	10	10	6	5	12	6	12	24	23	23	22	42	37	47	42	50	56	82	73	95	51	19	6	1	-
	Nonwhite..M..	31	13	1	-	-	-	1	-	3	-	2	-	1	2	-	-	-	1	2	2	1	1	-	1	-	-	-
	F..	12	5	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	-	1	-	-	1	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA																											
	All causes	17,239	2261	223	126	72	58	196	176	344	353	375	456	582	597	752	925	1,151	1,310	1,587	1,761	1,619	1,255	688	248	50	14	60
	White	8,974	1198	115	55	34	30	104	109	178	166	197	227	278	302	390	519	690	737	827	915	839	618	314	102	19	4	29
	M	6,778	905	99	61	32	24	78	53	128	145	148	168	220	189	229	268	353	452	637	756	702	546	359	136	28	3	20
	Nonwhite	847	98	5	6	5	1	4	8	19	18	20	29	39	56	71	98	67	81	74	55	46	24	12	4	-	5	4
	F	640	65	4	4	1	3	10	6	19	24	20	32	45	50	63	49	41	40	49	35	32	27	3	6	3	2	7
1,2	Typhoid and paratyphoid fever	16	-	-	-	1	-	1	-	3	2	1	2	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-
	White	8	-	-	-	1	-	1	-	2	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	M	7	-	-	-	-	-	-	-	1	2	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	29	5	2	1	1	-	4	2	2	4	-	2	2	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	White	19	3	-	1	1	-	3	1	1	2	-	2	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-
	M	7	1	1	-	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	9	-	-	2	-	2	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	4	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	5	-	-	1	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	89	68	9	4	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	40	31	2	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	44	33	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	33	6	2	2	7	5	5	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	18	4	1	1	3	2	3	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	14	2	-	1	4	3	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	769	8	13	7	2	1	6	16	50	78	84	75	86	60	47	45	47	32	40	29	25	7	1	-	-	-	4
	White	340	3	6	2	1	-	3	5	8	22	35	22	43	28	27	26	33	26	22	9	14	3	-	-	-	-	2
	M	298	3	6	5	-	-	3	5	18	39	40	33	37	19	16	11	8	8	13	18	11	4	1	-	-	-	1
	Nonwhite	63	1	-	-	1	-	-	1	10	5	3	11	5	8	2	7	4	2	1	2	-	-	-	-	-	-	-
	F	68	1	1	-	-	1	-	5	14	12	6	9	1	5	3	1	2	2	4	-	-	-	-	-	-	-	1
13	Tuberculosis of respiratory system, etc. *	693	2	4	3	-	-	1	10	46	74	80	71	78	57	42	44	45	37	37	28	24	6	1	-	-	-	3
	White	302	1	2	1	-	-	1	1	6	22	31	21	40	27	23	25	31	25	19	9	13	2	-	-	-	-	-	2
	M	274	1	2	2	-	-	-	3	16	38	40	31	34	19	14	14	8	8	13	17	11	4	1	-	-	-	1
	Nonwhite	57	-	-	-	-	-	-	1	10	5	3	10	3	7	2	7	4	2	1	2	-	-	-	-	-	-	-	-
	F	60	-	-	-	-	-	-	5	14	9	6	9	1	4	3	1	2	2	4	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis, (other forms)	76	6	9	4	2	1	5	6	4	4	4	4	8	3	5	1	2	1	3	1	1	1	-	-	-	-	1
	White	38	2	4	1	1	-	2	4	2	-	4	1	3	1	4	1	2	1	3	-	1	1	-	-	-	-	-
	M	24	2	4	3	-	-	3	2	2	1	-	2	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite	6	1	-	-	1	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	1	-	-	1	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
27	Dysentery	64	47	6	2	-	-	-	1	-	-	1	-	1	-	1	-	-	1	-	2	1	-	-	1	-	-	-
	White	25	21	2	1	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	M	33	23	4	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-
	Nonwhite	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	257	21	1	-	-	-	-	2	1	3	5	25	26	29	26	37	31	17	18	6	5	3	-	-	-	-	1
	White	153	12	-	-	-	-	-	1	1	2	-	12	15	11	14	20	26	14	13	6	3	2	-	-	-	-	1
	M	48	7	1	-	-	-	-	1	-	1	4	5	3	7	4	5	4	-	2	-	1	1	-	-	-	-	-
	Nonwhite	34	2	-	-	-	-	-	-	-	-	1	3	3	7	5	9	1	3	-	-	-	-	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	-	5	5	4	3	3	-	-	3	-	1	-	-	-	-	-	-	-
35	Measles	12	-	3	1	-	-	3	2	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	5	-	1	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	5	-	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	3	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	3	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	1,572	1	4	1	4	2	9	5	14	3	14	31	60	79	119	134	157	183	217	212	173	96	42	8	2	-	3
	White	805	-	1	-	2	1	6	4	7	2	6	8	12	21	28	56	73	92	98	110	88	37	18	1	1	-	1
	M	813	1	3	-	2	1	2	1	6	1	7	22	43	47	70	68	81	91	110	95	82	56	20	6	1	-	2
	Nonwhite	34	-	-	-	-	-	-	-	1	-	1	-	1	4	6	2	2	8	6	2	1	-	3	-	-	-	-
	F	60	-	-	1	-	-	1	-	-	-	-	1	4	7	14	11	1	2	6	5	2	3	1	1	-	-	-

* Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																										
46	Cancer of digestive organs, peritoneum	718	-	1	-	-	1	2	1	1	-	3	7	15	24	38	64	79	100	109	120	76	53	17	5	-	-	2
	White...M..	362	-	-	-	-	1	2	1	-	-	2	3	7	11	8	39	48	52	57	64	36	22	7	1	-	-	1
	F..	318	-	1	-	-	-	-	-	1	-	-	4	7	12	21	18	29	42	50	52	39	30	7	3	-	-	1
	Nonwhite..M..	19	-	-	-	-	-	-	-	-	-	1	-	-	1	6	1	2	4	-	2	-	-	2	-	-	-	-
	F..	21	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	-	2	2	3	1	1	1	1	-	-	-
48,49	Cancer of female genital organs	259	-	-	-	-	-	-	-	1	-	3	11	25	30	35	29	25	17	30	17	19	12	3	1	-	-	1
	White.....F..	233	-	-	-	-	-	-	-	1	-	3	10	22	26	27	26	24	17	27	16	18	11	3	1	-	-	1
	Nonwhite..F..	26	-	-	-	-	-	-	-	-	-	-	1	3	4	8	3	1	-	3	1	1	1	-	-	-	-	-
50	Cancer of breast	129	-	-	-	-	-	-	-	-	-	1	-	2	9	6	15	12	18	13	14	17	11	7	3	-	1	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	124	-	-	-	-	-	-	-	-	-	1	-	2	9	4	14	11	18	13	14	16	11	7	3	-	1	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	1	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	466	1	3	1	4	1	7	4	12	2	8	11	11	19	30	29	35	53	64	58	67	24	19	2	1	-	-
	White.....M..	303	-	1	-	2	-	4	3	7	2	4	5	5	10	20	19	25	30	41	46	52	15	11	-	1	-	-
	F..	140	1	2	-	2	1	2	1	4	-	4	6	5	5	8	8	10	19	19	12	14	8	7	2	-	-	-
	Nonwhite..M..	15	-	-	-	-	-	-	-	1	-	-	-	1	3	-	1	-	4	3	-	1	-	1	-	-	-	-
	F..	8	-	-	1	-	-	1	-	-	-	-	-	-	1	2	1	-	-	1	-	-	1	-	-	-	-	-
58	Acute rheumatic fever	16	-	-	-	-	1	3	2	-	1	1	-	1	1	-	-	1	1	1	-	2	1	-	-	-	-	-
	White.....M..	7	-	-	-	-	-	2	1	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	8	-	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	1	-	2	1	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	335	1	-	1	1	-	2	3	9	1	3	2	8	3	11	27	34	43	71	60	31	18	6	-	-	-	-
	White.....M..	127	1	-	-	1	-	-	-	6	1	2	1	3	-	4	8	17	18	20	27	10	6	2	-	-	-	-
	F..	188	-	-	1	-	-	2	2	3	-	1	1	4	1	7	15	15	24	48	29	21	10	4	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	-	-	-	-
	F..	13	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	-	2	2	-	1	-	-	-	-	-
63b	Exophthalmic goiter	27	1	-	-	-	-	-	1	-	-	1	2	-	2	1	3	4	4	1	6	1	-	-	-	-	-	-
	White.....M..	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	F..	21	-	-	-	-	-	-	1	-	-	1	1	-	2	1	2	3	4	1	4	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	9	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	2	1	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	22	-	-	-	-	1	-	-	-	-	-	2	4	3	2	4	2	2	-	1	1	-	-	-	-	-	-
	White.....M..	17	-	-	-	-	1	-	-	-	-	-	2	2	2	2	2	2	2	-	1	1	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	1,538	4	1	1	-	-	2	1	2	6	6	6	18	30	49	87	123	150	240	255	238	186	92	31	6	-	4
	White.....M..	746	4	1	-	-	-	2	1	2	3	2	3	4	7	18	49	73	84	116	122	114	91	32	17	-	-	1
	F..	672	-	-	1	-	-	-	-	-	3	3	3	8	17	20	26	32	52	108	121	107	91	60	14	5	-	1
	Nonwhite..M..	60	-	-	-	-	-	-	-	-	-	-	-	2	2	4	8	10	10	6	8	9	1	-	-	-	-	-
	F..	60	-	-	-	-	-	-	-	-	-	1	-	4	4	7	4	8	4	10	4	8	3	-	-	1	-	2
90-95	Diseases of the heart	5,828	1	-	2	2	1	4	12	23	19	30	31	70	107	201	232	355	396	506	599	535	423	189	58	8	4	20
	White.....M..	2,076	1	-	1	1	1	1	4	8	9	13	11	38	64	112	130	231	224	275	326	283	211	98	23	2	-	9
	F..	1,437	-	-	1	1	-	2	8	15	9	15	16	23	28	51	60	93	130	197	243	227	194	87	33	6	-	8
	Nonwhite..M..	136	-	-	-	-	-	-	-	-	1	2	-	3	8	19	28	18	27	29	18	14	9	3	2	-	3	2
	F..	129	-	-	-	-	-	1	-	-	-	-	4	6	7	19	14	13	15	15	12	11	9	1	-	-	1	1
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	262	-	-	-	-	-	2	5	9	5	8	6	12	17	15	10	18	21	28	42	26	22	12	1	-	-	3
	White.....M..	115	-	-	-	-	-	-	2	3	4	5	1	6	8	3	3	10	10	15	14	11	12	6	-	-	-	2
	F..	130	-	-	-	-	-	1	3	6	1	3	3	5	8	9	5	7	8	12	26	15	10	6	1	-	-	1
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	-	-	-	-	-
	F..	11	-	-	-	-	-	1	-	-	-	-	2	1	-	2	1	1	2	-	1	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	1,096	-	-	-	-	-	-	1	1	4	10	10	23	43	77	108	143	134	159	168	113	67	17	12	1	-	5
	White.....M..	707	-	-	-	-	-	-	1	1	2	2	7	14	27	57	74	102	91	108	104	62	38	9	4	1	-	3
	F..	310	-	-	-	-	-	-	-	-	1	6	3	8	10	9	24	27	33	43	57	44	28	7	8	-	-	2
	Nonwhite..M..	54	-	-	-	-	-	-	-	-	1	2	-	1	5	5	8	8	8	7	3	5	-	1	-	-	-	-
	F..	25	-	-	-	-	-	-	-	-	-	-	-	-	1	6	2	6	2	1	4	2	1	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	2,470	1	-	2	2	1	2	6	13	10	12	15	35	47	109	114	194	241	319	389	396	334	160	45	7	4	12
	White.....M..	1,254	1	-	1	1	1	1	1	4	3	6	3	18	29	52	53	119	123	152	208	210	161	85	19	1	-	4
	F..	997	-	-	1	1	-	1	5	9	7	6	10	10	10	33	31	59	89	132	160	168	156	74	24	6	-	5
	Nonwhite..M..	126	-	-	-	-	-	-	-	-	-	-	-	2	2	13	19	10	18	21	14	9	9	2	2	-	3	2
	F..	93	-	-	-	-	-	-	-	-	-	-	2	5	6	11	11	6	11	14	7	9	8	1	-	-	1	1
107-109, 35	Pneumonia (all forms) and influenza	1,322	331	74	17	8	4	21	18	23	20	15	25	25	28	27	40	49	56	80	103	103	106	62	21	8	3	5
	White.....M..	658	189	45	7	5	2	12	9	9	7	9	10	9	15	13	21	21	31	41	56	50	58	27	5	5	-	2
	F..	549	156	28	7	2	2	8	8	14	10	5	11	12	6	7	13	20	21	33	40	46	47	33	15	2	1	2
	Nonwhite..M..	73	22	1	2	1	-	-	-	-	2	-	1	1	6	6	5	5	4	6	2	4	1	1	-	-	2	1
	F..	42	14	-	1	-	-	1	1	-	1	1	3	3	1	1	1	3	-	-	5	3	-	1	1	1	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																										
107	Bronchopneumonia.	502	211	41	7	4	-	8	5	5	4	5	6	2	4	7	13	12	9	21	24	29	38	35	8	2	1
	White.....M..	262	112	23	6	3	-	6	4	1	2	4	1	1	3	3	5	5	5	10	13	16	19	14	3	2	-	1
	F..	204	81	17	-	-	-	2	1	4	2	-	4	1	1	1	6	6	4	10	9	12	18	20	4	-	1	-
	Nonwhite..M..	21	11	1	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	1	1	1	1	1	-	-	-	-
	F..	15	7	-	1	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	1	-	-	-	1	-	-	-
108	Lobar pneumonia..	344	58	9	4	-	2	7	5	8	8	5	6	12	13	12	12	20	23	31	31	37	27	8	4	1	-	1
	White.....M..	153	21	6	1	-	1	-	1	3	3	2	3	4	4	5	8	10	13	15	14	19	17	2	1	-	-	-
	F..	152	29	3	3	-	1	6	3	5	4	3	3	5	4	5	1	7	6	14	13	18	10	5	3	-	-	1
	Nonwhite..M..	24	6	-	-	-	-	-	-	-	-	-	-	1	4	2	3	2	4	2	-	-	-	-	-	-	-	-
	F..	15	2	-	-	-	-	1	1	-	1	-	-	2	1	-	-	1	-	-	4	-	-	1	-	1	-	-
109	Pneumonia (unspecified).....	204	80	11	2	3	1	3	3	1	2	-	3	4	7	2	7	2	7	11	13	13	17	4	5	1	1	1
	White.....M..	107	41	5	-	2	1	3	2	1	1	-	1	2	6	1	3	-	3	7	9	6	7	1	1	1	-	-
	F..	76	30	3	2	1	-	-	1	-	1	-	2	2	-	-	3	1	4	3	3	3	10	3	4	-	-	-
	Nonwhite..M..	14	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	2	-	-	-	-	1	1
	F..	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
33	Influenza.....	272	32	13	4	1	1	3	5	9	6	5	10	7	4	6	8	15	17	17	35	24	24	15	4	4	1	2
	White.....M..	136	15	8	-	-	-	3	2	4	1	3	5	2	2	4	5	6	10	9	20	9	15	10	-	2	-	1
	F..	117	3	5	2	1	1	-	3	5	3	2	2	4	1	1	3	6	7	6	15	13	9	5	4	2	-	1
	Nonwhite..M..	14	1	-	2	-	-	-	-	-	2	-	1	-	1	1	-	2	-	2	-	1	-	-	-	-	1	-
	F..	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	89	-	-	-	-	-	-	1	1	1	2	3	5	4	9	10	13	17	4	9	7	3	-	-	-	-	-
	White.....M..	67	-	-	-	-	-	-	-	-	1	2	2	4	2	8	8	11	12	2	8	5	2	-	-	-	-	-
	F..	11	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	1	2	1	-	2	1	-	-	-	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	1	1	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*....	300	222	29	12	5	1	2	2	1	1	-	-	3	-	-	-	4	1	1	5	5	3	1	1	-	-	1
	White.....M..	139	102	12	7	3	-	2	1	1	1	-	-	1	-	-	-	2	-	-	2	2	1	-	1	-	-	1
	F..	144	107	16	4	1	1	-	1	-	-	-	-	2	-	-	-	1	1	1	3	3	2	1	-	-	-	-
	Nonwhite..M..	8	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	9	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	74	-	1	2	1	-	8	6	4	5	7	5	1	5	5	6	6	4	2	2	2	2	-	-	-	-	-
	White.....M..	45	-	1	1	1	-	5	4	4	3	2	4	1	4	3	4	2	3	1	1	1	-	-	-	-	-	-
	F..	20	-	-	1	-	-	2	1	-	1	3	1	-	-	2	1	2	1	1	1	1	2	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	1	-	-	2	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	148	13	4	2	1	-	2	-	4	3	5	8	7	5	7	11	10	13	15	12	11	10	1	4	-	-	-
	White.....M..	76	8	3	1	-	-	2	-	3	-	-	1	2	2	5	3	4	8	8	9	8	6	1	2	-	-	-
	F..	58	5	1	1	1	-	-	-	1	2	5	6	5	2	2	5	2	3	6	3	3	3	-	2	-	-	-
	Nonwhite..M..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	1	-	-	1	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	97	-	-	-	-	-	-	-	1	-	2	2	5	7	10	10	8	7	16	16	5	7	1	-	-	-	-
	White.....M..	70	-	-	-	-	-	-	-	-	-	1	1	4	5	7	7	3	7	14	11	3	6	1	-	-	-	-
	F..	24	-	-	-	-	-	-	-	1	-	1	-	1	2	3	3	4	-	2	4	2	1	-	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	72	1	-	-	-	-	-	-	1	2	1	2	8	2	7	4	7	11	9	7	7	1	2	-	-	-	-
	White.....M..	19	1	-	-	-	-	-	-	-	-	-	1	1	-	3	1	2	2	4	3	1	-	-	-	-	-	-
	F..	52	-	-	-	-	-	-	-	1	2	1	1	7	2	4	3	5	8	5	4	6	1	2	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
130-132	Nephritis.....	1,191	2	1	3	2	1	1	3	9	7	9	20	22	48	38	49	82	122	141	171	196	143	84	32	2	-	3
	White.....M..	583	2	1	1	2	1	-	2	4	4	3	8	5	24	17	18	39	66	74	86	103	73	35	14	1	-	-
	F..	474	-	-	2	-	-	1	1	5	2	4	9	9	15	12	15	31	40	54	72	79	56	47	16	1	-	3
	Nonwhite..M..	75	-	-	-	-	-	-	-	-	1	-	2	4	1	3	9	9	7	7	11	10	8	2	1	-	-	-
	F..	59	-	-	-	-	-	-	-	-	-	2	1	4	8	6	7	3	9	6	2	4	6	-	1	-	-	-
137	Diseases of the prostate.....	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	11	16	14	13	4	3	1	-
	White.....M..	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	8	14	14	13	3	3	1	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-
140-150	Diseases of pregnancy, etc.*..	126	-	-	-	-	-	-	1	17	34	20	17	25	11	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	112	-	-	-	-	-	-	1	16	31	16	16	21	10	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	14	-	-	-	-	-	-	-	1	3	4	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	37	-	-	-	-	-	-	1	7	9	7	4	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	31	-	-	-	-	-	-	1	6	8	6	3	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	6	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	36	-	-	-	-	-	-	-	7	10	5	3	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	33	-	-	-	-	-	-	-	7	10	4	3	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	53	-	-	-	-	-	-	-	3	15	8	10	12	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	48	-	-	-	-	-	-	-	3	13	6	10	11	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	5	-	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	265	243	7	5	-	1	3	-	2	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White.....M..	146	132	5	2	-	1	2	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	104	98	1	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	9	8	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WEST VIRGINIA—Continued																										
159	Premature birth..	640	640	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	354	354	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	246	246	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	27	27	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	13	13	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	149	-	-	-	-	-	1	12	8	15	17	12	10	13	16	15	14	11	3	-	-	-	-	-	-	2
	White.....M..	100	-	-	-	-	-	-	6	6	9	12	4	6	10	12	11	10	10	2	-	-	-	-	-	-	2
	F..	47	-	-	-	-	-	1	6	2	6	5	8	4	1	4	4	4	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	75	1	-	-	-	-	1	4	8	7	11	10	8	7	7	5	3	-	1	-	-	-	-	-	-	2
	White.....M..	43	1	-	-	-	-	1	2	5	3	8	3	3	4	5	4	2	-	1	-	-	-	-	-	-	1
	F..	4	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	18	-	-	-	-	-	-	-	1	2	1	6	3	2	1	-	1	-	-	-	-	-	-	-	-	1
	F..	10	-	-	-	-	-	-	1	2	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	1,565	67	35	31	23	20	30	66	119	103	97	105	121	91	93	87	73	72	57	55	51	51	34	21	4	1	8
	White.....M..	1,071	32	15	14	7	10	37	51	93	78	78	88	93	71	73	69	64	46	45	26	30	17	16	9	2	-	7
	F..	361	33	17	14	16	7	39	10	19	18	10	9	12	7	6	6	5	16	8	26	18	33	17	12	2	1	-
	Nonwhite..M..	107	1	2	2	-	1	2	5	6	6	7	8	13	12	13	10	4	7	4	1	1	1	1	-	-	-	-
	F..	26	1	1	1	-	2	2	-	1	1	2	-	3	1	1	2	-	3	-	2	2	-	-	-	-	-	1
170	Motor-vehicle accidents.....	256	2	4	1	6	4	21	7	34	24	22	22	23	13	9	16	8	16	10	6	4	-	1	-	-	-	3
	White.....M..	198	1	3	-	4	3	14	7	33	21	17	15	16	11	5	13	7	9	9	4	4	-	-	-	-	-	2
	F..	39	1	1	1	2	1	6	-	1	2	3	5	5	1	3	-	1	4	1	1	-	-	-	-	-	-	-
	Nonwhite..M..	13	-	-	-	-	-	-	-	-	1	1	2	2	1	1	2	-	2	-	-	-	-	1	-	-	-	-	-
	F..	6	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	1
169, 171-195	Other accidents..	1,309	65	31	30	17	16	59	59	85	79	75	83	98	78	84	71	65	56	47	49	47	51	33	21	4	1	5
	White.....M..	873	31	12	14	3	7	23	44	60	57	61	73	77	60	68	56	57	37	38	22	26	17	16	9	2	-	5
	F..	322	32	16	13	14	6	33	10	18	16	7	4	7	6	3	6	4	12	7	25	18	33	17	12	2	1	-
	Nonwhite..M..	94	1	2	2	-	1	2	5	6	5	6	6	11	11	12	8	4	5	4	1	1	1	-	-	-	-	-
	F..	20	1	1	1	-	2	1	-	1	1	1	-	3	1	1	1	-	2	-	1	2	-	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	780	122	7	5	1	3	5	2	6	2	3	12	12	12	18	22	25	40	52	65	103	92	108	42	12	6	5
	White.....M..	415	68	5	1	1	1	4	1	4	-	3	7	7	8	10	15	15	23	29	33	53	49	52	18	3	4	1
	F..	318	49	2	3	-	2	1	1	2	2	-	4	3	3	3	3	6	14	18	30	44	40	56	21	8	1	2
	Nonwhite..M..	29	2	-	1	-	-	-	-	-	-	-	1	-	1	3	4	3	2	3	2	5	1	-	1	-	-	-
	F..	18	3	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	1	2	-	1	2	-	2	1	1	-
	All other causes.	1,647	406	24	24	11	12	29	25	34	40	42	49	48	48	58	90	93	107	93	124	102	90	61	26	7	-	4
	White.....M..	859	223	14	10	4	7	15	19	15	18	16	21	22	27	31	54	48	68	46	60	55	43	29	9	4	-	1
	F..	651	141	10	13	4	5	11	6	17	18	21	22	20	14	16	30	36	32	37	59	45	43	31	16	3	-	1
	Nonwhite..M..	69	24	-	-	2	-	-	-	-	1	2	1	1	2	5	5	5	5	9	3	2	1	1	-	-	-	-
	F..	68	18	-	1	1	-	3	-	2	3	3	5	5	5	6	1	4	2	1	2	-	3	-	1	-	-	2

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN																										
	All causes	32,668	2,257	185	105	86	64	226	212	303	347	402	501	626	884	1,247	1,847	2,435	2,884	3,447	3,851	4,164	3661	2086	691	146	10	1
	White	18,134	1,323	91	69	49	29	134	117	197	189	209	275	343	503	742	1,116	1,432	1,682	1,983	2,151	2,153	1896	1058	329	60	3	1
	F.	14,193	884	88	34	36	33	89	88	93	147	182	215	260	368	488	702	978	1,179	1,433	1,679	1,997	1752	1025	357	83	5	-
	Nonwhite	203	30	3	-	1	3	4	7	4	7	5	15	9	11	15	14	16	19	15	9	8	2	2	2	2	-
	F.	138	20	3	2	1	1	-	3	6	7	4	6	8	6	6	14	11	7	12	6	5	5	1	3	1	-	-
1,2	Typhoid and paratyphoid fever	7	-	-	-	-	-	-	-	2	-	-	-	-	2	1	-	-	1	-	1	-	-	-	-	-	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
	F.	4	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	38	5	-	3	3	-	2	2	3	3	3	1	3	1	2	4	1	-	-	1	-	1	-	-	-	-	-
	White	24	4	-	1	3	-	2	-	2	1	2	1	2	1	-	2	1	-	-	1	-	1	-	-	-	-	-
	F.	13	1	-	2	-	-	-	1	1	2	1	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	18	-	-	-	-	2	6	4	1	2	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	8	-	-	-	-	-	5	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	10	-	-	-	-	2	1	3	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	47	32	7	4	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	24	15	3	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	21	15	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	7	-	-	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	4	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	3	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	776	8	4	3	2	1	5	6	25	46	62	70	62	57	77	75	67	75	54	46	18	10	2	1	-	-	-
	White	480	4	-	2	-	-	3	4	9	20	25	25	37	39	56	57	51	60	39	29	12	6	1	1	-	-	-
	F.	247	4	4	-	2	1	2	2	9	20	30	40	20	16	20	12	16	12	13	14	5	4	1	-	-	-	-
	Nonwhite	27	-	-	-	-	-	-	-	3	2	4	2	3	2	1	3	-	3	1	2	1	-	-	-	-	-	-	-
	F.	22	-	-	1	-	-	-	-	4	4	3	3	2	-	-	3	-	-	1	1	-	-	-	-	-	-	-	-
13	Tuberculosis of respiratory system, etc. *	707	4	3	1	1	1	3	2	24	42	56	69	59	50	68	70	65	72	48	39	18	10	1	1	-	-	-
	White	442	2	-	1	-	-	2	1	9	20	22	25	36	33	50	54	49	57	36	25	12	6	1	1	-	-	-
	F.	223	2	3	-	1	1	1	1	8	18	27	39	19	15	17	11	16	12	11	12	5	4	-	-	-	-	-
	Nonwhite	27	-	-	-	-	-	-	-	3	2	4	2	3	2	1	3	-	3	1	2	1	-	-	-	-	-	-	-
	F.	15	-	-	-	-	-	-	-	4	2	3	3	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)	69	4	1	2	1	-	2	4	1	4	6	1	3	7	9	5	2	3	6	7	-	-	1	-	-	-	-
	White	38	2	-	1	-	-	1	3	-	3	1	-	1	6	6	3	2	3	3	4	-	-	-	-	-	-	-
	F.	24	2	1	-	1	-	1	1	1	2	3	1	1	1	3	1	-	-	2	2	-	-	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	7	-	-	1	-	-	-	-	-	2	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-
27	Dysentery	6	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	4	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis	198	1	-	-	-	-	1	-	2	1	2	2	6	24	16	34	35	26	28	7	5	7	1	-	-	-	-
	White	148	1	-	-	-	-	1	-	2	1	1	1	2	15	12	27	26	21	22	7	4	4	1	-	-	-	-
	F.	36	-	-	-	-	-	-	-	-	-	1	1	3	7	2	3	7	4	5	-	1	2	-	-	-	-	-
	Nonwhite	14	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	2	1	1	-	-	1	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	38	9	6	7	3	2	9	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	21	6	2	4	2	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	16	3	3	3	1	-	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, poliencephalitis (acute)	20	-	-	-	1	1	3	5	2	2	3	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White	11	-	-	-	1	-	1	2	2	2	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F.	9	-	-	-	-	1	2	3	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors	4,458	2	2	6	4	1	9	10	10	14	23	50	85	153	245	371	542	548	644	623	581	350	151	31	3	-	-
	White	2,304	1	2	5	1	-	6	7	7	8	16	25	25	35	100	164	251	275	374	357	327	205	91	20	2	-	-
	F.	2,135	1	-	1	3	1	2	3	3	6	6	25	58	118	145	205	287	271	266	265	254	145	59	10	1	-	-
	Nonwhite	10	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	2	2	3	-	-	-	1	-	-	-	-
	F.	9	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	2	-	1	1	-	-	-	1	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																										
48	Cancer of digestive organs, peritoneum	2,192	-	-	-	-	-	-	-	2	3	6	21	28	44	81	154	245	287	346	358	341	204	59	11	2	-	-
	White..M..	1,306	-	-	-	-	-	-	-	2	2	4	12	16	18	46	93	149	168	242	210	184	116	37	6	1	-	-
	F..	880	-	-	-	-	-	-	-	-	1	1	9	11	26	35	61	95	118	104	148	157	88	21	4	1	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
48,49	Cancer of female genital organs	497	-	-	-	-	-	-	-	1	2	2	9	27	34	44	62	85	67	57	45	31	21	10	-	-	-	-
	White..F..	493	-	-	-	-	-	-	-	1	2	2	9	26	34	44	61	84	67	56	45	31	21	10	-	-	-	-
	Nonwhite..F..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-	-
50	Cancer of breast	452	-	-	-	-	-	-	-	-	-	2	2	12	41	43	61	70	52	65	37	32	17	14	4	-	-	-
	White..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
	F..	447	-	-	-	-	-	-	-	-	-	2	2	12	41	43	60	68	52	65	36	31	17	14	4	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites)	1,317	2	2	6	4	1	9	10	7	9	13	18	18	34	77	94	142	142	176	183	177	108	68	16	1	-	-
	White..M..	994	1	2	5	1	-	6	7	5	6	12	13	9	17	54	71	100	107	132	146	142	89	54	14	1	-	-
	F..	315	1	-	1	3	1	2	3	2	3	1	5	9	17	23	23	40	34	41	36	35	19	14	2	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
58	Acute rheumatic fever	44	-	-	-	1	1	10	9	2	2	5	5	1	1	1	1	1	2	1	1	-	-	-	-	-	-	-
	White..M..	25	-	-	-	-	1	7	4	-	1	3	2	-	1	1	1	1	2	1	-	-	-	-	-	-	-	-
	F..	18	-	-	-	1	-	3	5	1	1	2	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	983	3	-	1	-	1	3	4	8	13	12	9	11	15	26	56	116	136	175	155	149	65	24	1	-	-	-
	White..M..	377	1	-	1	-	-	-	1	6	6	3	3	5	12	14	21	40	53	68	52	54	28	8	1	-	-	-
	F..	597	2	-	-	-	1	3	3	1	7	9	6	6	3	12	34	74	83	105	102	94	36	16	-	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	1	-	-	-	-	-
63b	Exophthalmic goiter	115	-	-	-	-	-	-	-	1	-	3	2	-	4	6	9	21	22	18	13	10	5	1	-	-	-	-
	White..M..	17	-	-	-	-	-	-	-	-	-	1	1	-	2	-	3	-	4	3	2	-	-	1	-	-	-	-
	F..	98	-	-	-	-	-	-	-	1	-	2	1	-	2	6	6	21	18	15	11	10	5	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism)	41	-	-	-	-	-	-	-	-	-	2	4	8	6	3	5	5	3	4	3	-	-	-	-	-	-	-
	White..M..	37	-	-	-	-	-	-	-	-	-	1	4	4	6	3	5	5	2	4	3	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
83	Intracranial lesions of vascular origin	3,226	2	1	-	1	-	2	2	3	2	8	6	20	26	102	171	224	284	403	532	595	476	267	79	20	-	-
	White..M..	1,545	1	-	-	1	-	1	2	-	1	6	2	11	12	41	78	119	142	191	267	281	227	127	29	6	-	-
	F..	1,665	1	1	-	-	-	1	-	3	1	2	4	8	13	59	92	105	140	209	262	314	247	140	50	13	-	-
	Nonwhite..M..	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	2	-	2	-	-	1	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	-	-	-	-	-	-	-
90-95	Diseases of the heart	10,029	2	2	-	2	1	8	12	27	31	33	58	111	201	312	503	729	985	1,224	1,449	1,635	1,523	837	291	46	6	1
	White..M..	5,722	1	1	-	-	-	4	3	16	10	19	35	73	147	221	364	479	604	727	809	828	791	429	141	16	3	1
	F..	4,227	1	1	-	2	1	4	9	11	21	14	22	38	50	86	130	238	372	484	633	798	728	407	148	29	2	-
	Nonwhite..M..	48	-	-	-	-	-	-	-	-	-	-	1	-	2	4	5	6	6	6	6	5	3	-	2	1	1	-
	F..	32	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	6	3	7	1	4	1	1	2	-	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart	636	-	-	-	1	-	4	8	13	17	14	18	33	31	35	41	65	56	77	56	74	57	32	4	-	-	-
	White..M..	340	-	-	-	-	-	1	1	8	5	7	6	19	25	20	23	40	27	40	30	34	36	17	1	-	-	-
	F..	290	-	-	-	1	-	3	7	5	12	7	12	14	5	14	17	23	29	37	26	39	21	15	3	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	2,755	-	-	-	-	-	-	-	3	2	7	17	32	70	141	224	301	353	386	412	366	293	118	27	2	1	-
	White..M..	1,899	-	-	-	-	-	-	-	3	-	4	14	24	57	123	180	229	256	260	256	218	188	77	8	1	1	-
	F..	847	-	-	-	-	-	-	-	-	2	3	3	8	13	17	44	70	97	123	154	148	105	41	18	1	-	-
	Nonwhite..M..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-
	F..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)	6,638	2	2	-	1	1	4	4	11	12	12	23	46	100	136	238	363	576	761	981	1,195	1,173	687	260	44	5	1
	White..M..	3,483	1	1	-	-	-	3	2	5	5	8	15	30	65	78	161	210	321	427	523	576	567	335	132	15	2	1
	F..	3,090	1	1	-	1	1	1	2	6	7	4	7	16	32	55	69	145	246	324	453	611	602	351	125	28	2	-
	Nonwhite..M..	40	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	3	6	4	5	5	3	-	2	1	1	-
	F..	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	5	3	6	-	3	1	1	1	-	-	-
107-109, 33	Pneumonia (all forms) and influenza	1,795	308	55	19	9	14	14	17	24	17	23	31	55	42	58	79	97	110	125	120	162	210	128	60	18	-	-
	White..M..	1,008	165	24	13	6	7	7	7	21	10	10	15	35	29	47	50	76	66	75	69	89	97	61	23	6	-	-
	F..	747	124	27	6	2	6	7	8	3	6	12	16	17	13	11	28	19	42	48	50	73	113	67	37	12	-	-
	Nonwhite..M..	21	10	2	-	-	-	-	-	-	-	-	-	3	-	-	1	2	2	-	1	-	-	-	-	-	-	-
	F..	19	9	2	-	1	1	-	2	-	1	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																											
107	Bronchopneumonia.	756	208	28	11	7	7	4	6	10	5	7	12	10	14	14	13	25	33	38	43	75	85	61	34	11	-	-
	White.....M..	397	110	10	6	5	3	3	4	8	3	3	4	5	8	10	7	17	16	24	30	42	35	24	17	3	-	-
	F..	343	82	17	5	2	3	1	2	2	1	4	8	5	6	4	6	7	16	14	13	33	50	37	17	8	-	-
	Nonwhite..M..	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	9	6	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia..	588	57	7	4	1	2	4	4	9	6	11	9	29	15	29	44	55	49	58	44	51	62	26	9	3	-	-
	White.....M..	361	26	2	4	-	2	1	-	8	4	3	6	18	11	25	28	44	37	35	24	29	33	17	2	2	-	-
	F..	211	27	3	-	-	-	3	2	1	2	7	3	8	4	4	16	10	11	22	20	22	29	9	7	1	-	-
	Nonwhite..M..	8	2	1	-	-	-	-	-	-	-	-	-	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	8	2	1	-	1	-	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified).....	65	14	3	-	-	1	2	1	1	1	3	1	5	3	4	6	3	2	5	2	3	3	-	2	-	-	-
	White.....M..	40	10	2	-	-	-	1	-	1	1	2	-	5	3	3	5	3	-	3	-	1	-	-	-	-	-	-
	F..	24	3	1	-	-	1	1	1	-	-	1	1	-	-	1	1	-	2	2	2	2	3	-	2	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza.....	386	34	17	4	1	4	4	6	4	5	2	9	11	10	11	16	14	26	24	31	33	60	41	15	4	-	-
	White.....M..	210	19	10	3	1	2	2	3	4	2	2	5	7	7	9	10	12	13	13	15	17	29	20	4	1	-	-
	F..	169	12	6	1	-	2	2	3	-	3	-	4	4	3	2	5	2	13	10	15	16	31	21	11	3	-	-
	Nonwhite..M..	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum....	225	-	-	-	-	-	-	2	-	4	1	12	6	20	20	24	37	22	26	23	18	7	3	-	-	-	-
	White.....M..	192	-	-	-	-	-	-	-	-	3	-	12	6	18	19	21	31	21	21	19	15	4	2	-	-	-	-
	F..	31	-	-	-	-	-	-	1	-	1	1	-	-	2	1	3	6	1	4	4	3	3	1	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*....	147	85	5	3	2	1	6	2	1	5	1	2	3	3	1	2	2	6	1	2	3	6	4	1	-	-	-
	White.....M..	77	53	2	1	-	-	1	-	1	2	-	1	1	3	-	1	1	5	1	1	1	1	1	-	-	-	-
	F..	68	30	3	2	2	1	5	2	-	3	1	1	2	-	1	1	1	1	-	1	2	5	3	1	-	-	-
	Nonwhite..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis.....	194	1	3	3	5	5	13	11	6	3	8	10	5	10	12	24	16	21	15	11	6	3	2	1	-	-	-
	White.....M..	119	1	1	3	3	4	3	5	4	2	3	8	4	8	9	15	13	14	6	5	3	2	2	1	-	-	-
	F..	73	-	2	-	2	1	10	5	2	1	4	2	1	2	3	9	3	7	9	6	3	1	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	271	15	7	1	1	1	1	1	1	2	3	4	7	12	13	23	18	28	38	29	30	23	10	2	-	1	-
	White.....M..	138	9	6	1	-	1	-	-	1	1	1	1	3	6	5	11	7	18	18	14	16	12	7	-	-	-	-
	F..	129	5	1	-	1	-	1	1	-	1	2	3	3	5	8	11	11	10	20	15	14	11	3	2	-	1	-
	Nonwhite..M..	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver.....	290	-	1	-	-	-	1	-	-	2	1	6	9	15	25	36	34	42	36	33	28	13	5	1	2	-	-
	White.....M..	184	-	-	-	-	-	1	-	-	-	1	2	5	10	16	26	23	32	26	17	14	8	2	1	-	-	-
	F..	104	-	1	-	-	-	-	-	-	2	-	4	3	5	9	10	11	10	10	15	14	5	3	-	2	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*.....	219	1	-	-	-	-	-	-	1	-	6	7	6	10	15	16	21	36	28	33	15	13	8	3	-	-	-
	White.....M..	57	-	-	-	-	-	-	-	-	-	3	2	3	5	7	4	4	9	6	7	4	2	-	1	-	-	-
	F..	159	1	-	-	-	-	-	-	-	-	3	5	3	5	7	12	17	27	22	25	11	11	8	2	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
130-132	Nephritis.....	1,907	1	2	1	-	-	3	8	10	15	15	26	32	53	77	111	134	165	218	244	301	292	155	40	4	-	-
	White.....M..	1,075	1	1	1	-	-	1	3	5	7	8	14	18	22	39	62	76	106	118	141	166	170	89	23	2	-	-
	F..	819	-	1	-	-	-	2	5	5	8	7	11	13	30	36	46	56	57	99	102	134	122	66	17	2	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F..	9	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	-	2	-	1	-	-	-	-	-	-	-	-
137	Diseases of the prostate.....	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	16	45	50	51	56	19	3	-	-	-
	White.....M..	249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	16	44	50	51	56	19	3	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*..	127	-	-	-	-	-	-	-	6	26	34	23	22	14	2	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	124	-	-	-	-	-	-	-	6	26	34	21	22	13	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	3	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia.....	51	-	-	-	-	-	-	-	1	10	17	11	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	50	-	-	-	-	-	-	-	1	10	17	10	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia.....	33	-	-	-	-	-	-	-	2	6	9	6	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	33	-	-	-	-	-	-	-	2	6	9	6	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes.....	43	-	-	-	-	-	-	-	3	10	8	6	10	5	1	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F..	41	-	-	-	-	-	-	-	3	10	8	5	10	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F..	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations.....	465	393	22	3	3	-	10	5	4	6	3	2	1	2	3	2	2	1	3	-	-	-	-	-	-	-	-
	White.....M..	256	220	12	1	2	-	5	3	1	4	1	-	-	-	3	1	1	1	1	-	-	-	-	-	-	-	-
	F..	203	167	10	2	1	-	5	2	3	2	2	2	1	2	-	1	1	-	2	-	-	-	-	-	-	-	-
	Nonwhite..M..	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WISCONSIN—Con.																										
159	Premature birth..	711	711	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	426	426	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	275	275	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	7	7	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	3	3	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	350	-	-	-	-	-	-	1	3	10	19	19	28	34	32	37	36	43	29	28	15	9	5	2	-	-
	White.....M..	292	-	-	-	-	-	-	1	3	7	16	17	19	27	26	31	30	36	26	26	13	7	5	2	-	-
	F..	56	-	-	-	-	-	-	-	-	3	3	2	7	7	6	6	6	7	3	2	2	2	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	34	5	1	-	-	-	-	1	3	1	3	5	4	2	2	2	1	2	2	-	-	-	-	-	-	-
	White.....M..	22	2	1	-	-	-	-	1	2	-	2	5	2	2	2	1	1	1	-	-	-	-	-	-	-	-
	F..	11	3	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	1	2	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	2,012	60	31	32	28	18	79	67	105	87	80	73	59	71	72	95	120	110	130	158	178	175	132	39	12	1	-
	White.....M..	1,349	37	16	22	21	6	56	49	87	75	64	58	46	56	58	82	98	85	93	101	84	75	59	12	7	-	-
	F..	638	20	14	10	7	9	22	17	15	10	15	13	11	14	12	12	21	25	37	57	93	98	73	27	5	1	-
	Nonwhite..M..	18	1	-	-	-	1	1	1	2	2	1	2	1	1	2	1	1	-	-	-	1	-	-	-	-	-	-
	F..	7	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-
170	Motor-vehicle accidents.....	426	-	5	7	11	5	32	16	35	26	28	26	20	23	24	24	32	32	26	21	19	9	5	-	-	-	-
	White.....M..	321	-	-	5	7	1	21	10	26	21	20	20	15	18	19	20	29	26	23	16	12	7	5	-	-	-	-
	F..	97	-	5	2	4	4	11	5	8	5	7	6	3	5	5	3	2	6	3	5	6	2	-	-	-	-	-
	Nonwhite..M..	7	-	-	-	-	-	-	1	1	-	1	-	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	1,586	60	26	25	17	13	47	51	70	61	52	47	39	48	48	71	88	78	104	137	159	166	127	39	12	1	-
	White.....M..	1,028	37	16	17	14	7	35	39	61	54	44	38	31	38	39	62	69	59	70	85	72	68	54	12	7	-	-
	F..	541	20	9	8	3	5	11	12	7	5	8	7	8	9	7	9	19	19	34	52	87	96	73	27	5	1	-
	Nonwhite..M..	11	1	-	-	-	1	1	-	1	2	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	427	15	1	-	-	-	-	-	-	2	-	1	2	1	3	5	5	14	15	26	51	101	95	67	22	1	-
	White.....M..	207	7	-	-	-	-	-	-	-	2	-	1	2	1	3	4	4	9	12	17	19	42	36	35	13	-	-
	F..	215	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	8	31	59	59	32	8	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-
	All other causes.	3,189	593	35	19	19	14	38	42	50	50	48	71	78	103	119	158	165	185	185	262	313	316	237	69	19	1	-
	White.....M..	1,726	365	20	11	7	6	25	23	25	24	21	39	39	43	59	81	66	99	107	155	172	158	117	36	8	-	-
	F..	1,437	221	15	7	12	8	12	18	25	24	27	32	38	58	58	77	77	85	77	106	141	155	119	33	11	1	-
	Nonwhite..M..	16	4	-	-	-	-	1	1	-	-	-	-	1	1	1	-	1	1	1	1	-	2	1	-	-	-	-
	F..	10	3	-	1	-	-	-	-	-	2	-	-	-	1	1	-	1	-	-	-	-	1	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING																										
	All causes	2,217	216	21	17	15	5	18	18	37	49	46	43	55	76	102	138	183	214	197	225	215	197	86	34	6	1	3
	White..M..	1,421	116	14	8	8	2	12	11	24	32	34	18	30	51	62	94	122	148	136	161	137	125	48	21	4	-	3
	F..	708	81	6	7	5	3	6	7	10	15	10	24	20	20	36	38	56	58	53	82	76	65	36	12	1	1	-
	Nonwhite..M..	62	8	1	1	-	-	-	-	3	1	1	1	4	3	3	4	5	8	7	2	1	6	2	1	-	-	-
	F..	26	11	-	1	2	-	-	-	-	1	1	-	1	2	1	2	-	-	1	-	1	1	-	-	1	-	-
1,2	Typhoid and paratyphoid fever..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis.....	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever....	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough...	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria.....	3	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13-22	Tuberculosis (all forms)....	37	1	1	-	1	-	-	-	4	5	5	3	3	2	3	1	3	2	2	1	-	-	-	-	-	-	-
	White..M..	20	-	-	-	-	-	-	-	2	2	4	-	1	1	2	1	3	1	2	1	-	-	-	-	-	-	-
	F..	7	-	-	-	1	-	-	-	1	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	7	-	1	-	-	-	-	-	1	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	3	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Tuberculosis of respiratory system, etc.*..	30	-	-	-	-	-	-	-	4	3	5	3	3	1	3	-	3	2	2	1	-	-	-	-	-	-	-
	White..M..	16	-	-	-	-	-	-	-	2	-	4	-	1	-	2	-	3	1	2	1	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	1	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	1	1	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
14-22	Tuberculosis (other forms)..	7	1	1	-	1	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White..M..	4	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27	Dysentery.....	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
28	Malaria.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis.....	32	1	-	-	-	-	-	-	-	-	-	-	1	3	8	4	6	3	2	1	2	1	-	-	-	-	-
	White..M..	22	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	5	2	2	1	2	1	-	-	-	-	-
	F..	7	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles.....	5	2	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White..M..	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
36	Poliomyelitis, polioencephalitis (acute)..	5	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White..M..	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45-55	Cancer and other malignant tumors.....	245	-	-	-	-	1	-	1	-	2	2	2	4	8	20	20	41	35	34	17	26	21	10	1	-	-	-
	White..M..	143	-	-	-	-	-	-	1	-	1	2	-	2	5	9	14	25	18	22	10	17	13	4	-	-	-	-
	F..	96	-	-	-	-	1	-	-	-	1	-	2	2	3	11	6	15	15	10	7	9	8	5	1	-	-	-
	Nonwhite..M..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	1	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Con.																										
46	Cancer of digestive organs, peritoneum.....	110	-	-	-	-	1	-	-	-	1	-	-	3	2	3	10	16	18	17	9	15	11	4	-	-	-
	White.....M..	75	-	-	-	-	-	-	-	-	1	-	-	2	1	2	9	12	12	10	5	11	8	2	-	-	-	-
	F..	33	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	4	5	6	4	4	3	2	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48,49	Cancer of female genital organs.	25	-	-	-	-	-	-	-	-	1	-	1	1	2	5	3	4	3	1	2	1	1	-	-	-	-	-
	White.....F..	25	-	-	-	-	-	-	-	-	1	-	1	1	2	5	3	4	3	1	2	1	1	-	-	-	-	-
	Nonwhite..F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Cancer of breast.	18	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	3	3	-	1	2	1	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	18	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	3	3	-	1	2	1	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
45,47, 51-55	Cancer (other sites).....	92	-	-	-	-	-	-	1	-	-	2	1	-	4	9	5	18	11	15	6	9	7	5	1	-	-	-
	White.....M..	68	-	-	-	-	-	-	1	-	-	2	-	-	4	7	5	15	6	12	5	6	5	2	-	-	-	-
	F..	20	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	4	4	-	1	3	2	2	1	-	-	-
	Nonwhite..M..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
58	Acute rheumatic fever.....	4	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	39	-	-	-	-	-	-	-	-	-	-	1	-	1	-	5	2	9	3	8	4	5	-	1	-	-	-
	White.....M..	19	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	4	2	5	1	2	-	1	-	-	-
	F..	20	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	5	1	3	3	3	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
65b	Exophthalmic goiter.....	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic).....	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77	Alcoholism (ethylism).....	6	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	1	-	-	-	-	-	-	-
	White.....M..	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
85	Intracranial lesions of vascular origin...	151	1	-	-	-	-	-	-	-	1	1	1	-	5	2	11	13	13	20	25	21	24	12	1	-	-	-
	White.....M..	80	-	-	-	-	-	-	-	-	1	1	1	-	2	-	6	6	8	9	13	12	14	6	1	-	-	-
	F..	67	1	-	-	-	-	-	-	-	-	-	-	-	2	2	5	7	5	11	12	9	9	6	-	-	-	-
	Nonwhite..M..	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
90-95	Diseases of the heart.....	596	1	-	-	-	-	1	1	3	4	3	4	7	13	21	32	49	71	69	99	99	73	28	11	4	1	2
	White.....M..	429	-	-	-	-	-	-	-	2	2	2	4	8	17	24	34	55	52	75	66	55	18	9	2	-	2
	F..	149	-	-	-	-	-	1	1	1	2	1	2	2	4	3	7	13	15	14	22	31	16	10	2	1	1	-
	Nonwhite..M..	14	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	3	2	1	2	-	-	-	-	-
	F..	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-
90a, 92b,c, 93c, 95b	Chronic rheumatic diseases of the heart.....	52	-	-	-	-	-	1	-	2	1	2	4	1	-	3	4	5	5	4	9	4	3	3	1	-	-	-
	White.....M..	30	-	-	-	-	-	-	-	1	-	1	2	1	-	2	2	3	3	3	5	2	3	2	-	-	-	-
	F..	21	-	-	-	-	-	1	-	1	1	1	2	-	-	1	2	1	2	1	4	2	-	1	1	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
94	Diseases of coronary arteries, angina pectoris	161	-	-	-	-	-	-	-	-	1	1	-	4	4	7	13	17	30	30	27	15	9	1	1	-	-	1
	White.....M..	137	-	-	-	-	-	-	-	-	1	1	-	3	3	7	11	13	27	23	24	13	8	1	1	-	-	1
	F..	22	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	4	3	6	3	2	-	-	-	-	-	-
	Nonwhite..M..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
90b,91, 92a,d,e, 93a,b,d,e, 95a,c	Diseases of heart (other forms)..	383	1	-	-	-	-	-	1	1	2	-	-	2	9	11	15	27	36	35	63	80	61	24	9	4	1	1
	White.....M..	262	-	-	-	-	-	-	-	1	1	-	-	-	5	8	11	18	25	26	46	51	44	15	8	2	-	1
	F..	106	-	-	-	-	-	-	1	-	1	-	-	1	3	2	3	8	10	7	15	27	16	9	1	1	1	-
	Nonwhite..M..	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	2	1	1	-	-	-	-	-
	F..	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-
107-109, 33	Pneumonia (all forms) and influenza.....	153	40	5	1	2	-	3	1	2	-	3	2	6	5	7	12	8	13	7	7	10	9	8	2	-	-	-
	White.....M..	93	19	2	-	1	-	1	-	2	-	3	-	6	2	4	8	6	8	6	7	6	5	7	-	-	-	-
	F..	48	16	3	-	-	-	2	1	-	-	-	2	-	2	2	4	2	3	1	-	4	3	1	2	-	-	-
	Nonwhite..M..	8	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	1	-	-	-	-	-
	F..	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Con.																											
107	Bronchopneumonia	49	28	3	-	-	-	-	1	1	-	-	-	-	-	1	2	1	2	1	3	1	3	2	-	-	-	-
	White.....M.	28	16	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	-	3	1	1	1	-	-	-	-
	F.	19	11	2	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-
	Nonwhite..M.	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108	Lobar pneumonia	58	4	-	-	2	-	3	-	1	-	2	1	3	5	6	4	3	6	6	1	2	5	3	1	-	-	-
	White.....M.	39	1	-	-	1	-	1	-	1	-	2	-	3	2	3	3	3	4	6	1	1	4	3	-	-	-	-
	F.	14	2	-	-	-	-	2	-	-	-	-	1	-	2	2	1	-	1	-	-	1	1	-	1	-	-	-
	Nonwhite..M.	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	F.	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
109	Pneumonia (unspecified)	12	5	1	1	-	-	-	-	-	-	1	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-
	White.....M.	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F.	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F.	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
33	Influenza	34	3	1	-	-	-	-	-	-	-	-	1	3	-	-	4	4	4	-	3	6	1	3	1	-	-	-
	White.....M.	22	2	-	-	-	-	-	-	-	-	-	-	3	-	-	3	3	2	-	3	3	-	3	-	-	-	-
	F.	11	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	-	3	1	-	1	-	-	-
	Nonwhite..M.	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117	Ulcer of stomach or duodenum	18	-	-	-	-	-	-	-	-	1	-	-	1	1	4	2	2	2	1	-	1	3	-	-	-	-	-
	White.....M.	15	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	2	2	1	-	1	1	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite..M.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119,120	Diarrhea, enteritis, etc.*	9	6	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
121	Appendicitis	20	-	-	-	1	-	1	1	4	1	-	-	-	-	1	2	1	3	5	-	-	-	-	-	-	-	-
	White.....M.	13	-	-	-	-	-	1	1	1	1	-	-	-	-	-	2	1	3	3	-	-	-	-	-	-	-	-
	F.	7	-	-	-	1	-	-	-	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122	Hernia, intestinal obstruction	29	2	-	-	-	-	-	-	-	1	-	2	1	1	4	3	1	3	5	4	1	1	-	-	-	-	-
	White.....M.	15	1	-	-	-	-	-	-	-	1	-	1	-	-	2	2	-	2	2	2	1	1	-	-	-	-	-
	F.	12	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	1	3	2	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
124	Cirrhosis of the liver	11	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	2	2	2	-	-	-	-	-	-	-
	White.....M.	9	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	2	2	2	-	-	-	-	-	-	-
	F.	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
126,127	Biliary calculi, etc.*	15	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	5	2	2	-	-	-	-	-	-	-	-
	White.....M.	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	-	-	-	-	-	-	-	-
	F.	8	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	2	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
130-132	Nephritis	178	-	-	-	-	-	1	-	1	1	-	2	4	7	4	13	10	19	18	30	22	31	9	6	-	-	-
	White.....M.	102	-	-	-	-	-	1	-	1	-	-	-	1	4	1	5	4	12	13	19	13	18	6	4	-	-	-
	F.	71	-	-	-	-	-	-	-	-	1	-	2	3	3	3	6	5	6	4	11	9	13	3	2	-	-	-
	Nonwhite..M.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-
	F.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
137	Diseases of the prostate	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-
	White.....M.	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-150	Diseases of pregnancy, etc.*	9	-	-	-	-	-	-	-	1	2	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F.	8	-	-	-	-	-	-	-	1	2	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F.	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140, 142a, 145A, 147	Puerperal septicemia	5	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F.	5	-	-	-	-	-	-	-	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141a,c, 144,148	Puerperal toxemia	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F.	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
141b,d,e,f, 142b,143, 145B,146, 149,150	Other puerperal causes	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....F.	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..F.	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	29	27	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White.....M.	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	14	12	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*Refer to complete International List titles, table VII, Part I.

TABLE 21.—DEATHS FROM SELECTED CAUSES, BY AGE, RACE, AND SEX: EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

List No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total deaths	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 and over	Not stated
	WYOMING—Con.																										
159	Premature birth..	67	67	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	White.....M..	40	40	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	22	22	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	Nonwhite..M..	1	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
	F..	4	4	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...
163,164	Suicide.....	35	-	-	-	-	-	-	-	-	-	1	4	2	5	6	7	4	1	3	2	-	-	-	-	-	-
	White.....M..	32	-	-	-	-	-	-	-	-	-	1	3	1	5	5	7	4	1	3	2	-	-	-	-	-	-
	F..	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
165-168	Homicide.....	17	-	-	-	-	-	-	-	-	1	2	2	2	3	1	2	1	1	-	-	2	-	-	-	-	-
	White.....M..	9	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	1	1	-	-	1	-	-	-	-	-
	F..	8	-	-	-	-	-	-	-	-	1	1	2	1	-	-	2	-	-	-	-	1	-	-	-	-	-
	Nonwhite..M..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169-195	Accidental deaths	236	8	11	6	4	2	7	7	14	21	17	7	8	12	8	12	23	18	8	12	10	10	7	2	1	-	1
	White.....M..	185	5	8	3	3	2	5	5	13	19	14	7	6	10	8	12	17	15	7	11	6	3	2	2	1	-	1
	F..	46	3	3	2	1	-	2	2	1	2	3	-	1	2	-	-	5	2	1	1	4	6	5	-	-	-	-
	Nonwhite..M..	4	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
170	Motor-vehicle accidents.....	45	-	-	2	1	-	1	3	6	3	6	1	1	4	2	3	2	5	2	2	1	-	-	-	-	-	-
	White.....M..	33	-	-	2	-	-	1	1	5	2	3	1	-	3	2	3	2	3	2	2	1	-	-	-	-	-	-
	F..	11	-	-	-	1	-	-	2	1	1	3	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite..M..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
169, 171-195	Other accidents..	191	8	11	4	3	2	6	4	8	18	11	6	7	8	6	9	21	13	6	10	9	10	7	2	1	-	1
	White.....M..	152	5	8	1	3	2	4	4	8	17	11	6	6	7	6	9	15	12	5	9	5	3	2	2	1	-	1
	F..	35	3	3	2	-	-	2	-	-	1	-	-	-	1	-	-	5	1	1	1	4	6	5	-	-	-	-
	Nonwhite..M..	3	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
162, 199, 200	Senility, ill-defined and unknown causes.	25	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	2	4	4	7	1	-	-
	White.....M..	17	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	1	3	3	3	1	-	-
	F..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-
	Nonwhite..M..	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes.	222	54	4	5	4	2	2	4	5	8	8	5	10	6	8	8	11	14	15	12	15	11	8	3	-	-	-
	White.....M..	128	30	4	3	3	-	2	3	2	4	3	1	6	4	3	3	10	12	8	8	10	6	2	1	-	-	-
	F..	82	21	-	2	-	2	-	1	1	4	5	3	4	2	5	4	1	2	5	4	5	4	5	2	-	-	-
	Nonwhite..M..	10	3	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-
	F..	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(Exclusive of stillbirths. By place of residence. Numbers under causes

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
UNITED STATES	1,459,544	663	2,927	451	3,368	1,196	57,005	1,909	647	16,263	1,301	1,151	166,848	1,501	36,314	2,853
Both sexes.....White	1,280,887	456	2,523	428	2,493	1,062	41,209	1,471	299	10,365	1,150	1,080	155,687	1,201	33,801	2,619
Nonwhite	178,657	227	404	23	875	134	15,796	438	348	5,898	151	71	11,161	300	2,513	234
Male.....White	721,777	260	1,641	217	1,138	569	26,162	798	178	7,887	562	675	74,724	606	12,648	448
Nonwhite	95,708	118	271	5	435	62	8,624	238	170	4,131	72	41	4,611	123	818	38
Female.....White	559,110	196	882	211	1,355	493	15,047	672	121	2,478	588	405	80,963	595	21,153	2,171
Nonwhite	82,949	109	133	18	440	72	7,172	200	178	1,767	79	30	6,550	177	1,695	198
Urban.....White	805,895	186	1,701	186	1,144	496	25,519	614	83	6,322	550	642	104,939	750	23,228	1,622
Nonwhite	103,383	62	283	16	382	61	10,051	150	83	3,438	55	33	7,232	177	1,667	160
Male.....White	444,110	99	1,050	88	515	270	16,783	325	57	4,787	277	409	49,657	369	8,370	303
Nonwhite	54,846	31	178	3	188	29	5,666	80	32	2,384	28	19	3,014	77	488	25
Female.....White	361,585	87	651	98	629	226	8,736	289	26	1,535	273	233	55,282	381	14,858	1,319
Nonwhite	48,537	31	105	13	194	32	4,385	60	51	1,054	27	14	4,218	100	1,181	135
Places of 100,000 or more.....White	405,910	54	1,033	85	390	221	13,924	143	19	3,239	225	280	55,756	385	12,549	814
Nonwhite	58,260	20	225	10	183	27	8,636	36	8	1,814	28	20	4,411	102	1,036	98
Male.....White	224,428	29	626	38	169	129	9,542	78	18	2,475	115	176	26,969	195	4,403	151
Nonwhite	31,132	12	146	2	82	12	3,857	21	1	1,359	14	11	1,924	49	274	14
Female.....White	181,482	25	407	47	221	92	4,382	67	1	764	110	104	28,787	190	8,146	663
Nonwhite	27,128	8	79	8	81	15	2,799	15	7	555	14	9	2,487	53	762	84
Places of 25,000 to 100,000.....White	162,301	38	298	30	258	95	4,808	136	14	1,371	111	130	20,350	139	4,411	312
Nonwhite	19,039	6	38	2	72	21	1,474	32	12	624	12	2	1,177	31	278	29
Male.....White	88,174	18	192	11	118	48	3,145	67	10	1,017	56	91	9,294	57	1,569	65
Nonwhite	10,168	5	23	1	32	10	813	21	7	433	7	1	482	11	85	6
Female.....White	74,127	20	106	19	140	47	1,763	69	4	354	55	39	11,056	82	2,842	247
Nonwhite	8,871	1	15	1	40	11	661	11	5	191	5	1	895	20	193	23
Places of 10,000 to 25,000.....White	106,069	37	189	31	194	81	2,834	99	21	738	98	100	12,963	93	2,871	233
Nonwhite	11,743	12	9	3	65	5	879	28	25	305	8	6	759	18	171	14
Male.....White	58,271	18	107	18	80	38	1,757	58	11	548	46	60	5,995	55	1,093	42
Nonwhite	6,084	5	4	-	29	3	477	15	14	190	5	5	285	8	63	2
Female.....White	47,798	19	82	13	114	43	1,077	43	10	190	52	40	6,968	38	1,778	191
Nonwhite	5,659	7	5	3	36	2	402	13	11	115	3	1	474	10	108	12
Places of 2,500 to 10,000.....White	131,415	57	181	40	302	99	3,853	236	29	974	116	132	15,870	133	3,397	263
Nonwhite	14,341	24	11	1	82	8	1,062	54	38	595	7	5	885	26	182	19
Male.....White	73,237	34	125	23	148	55	2,339	126	18	747	60	82	7,399	62	1,305	45
Nonwhite	7,482	9	5	-	45	4	539	33	10	402	2	2	323	9	64	3
Female.....White	58,178	23	56	17	154	44	1,514	110	11	227	56	50	8,471	71	2,092	218
Nonwhite	6,879	15	6	1	37	4	523	21	28	193	5	3	562	17	118	16
Rural.....White	475,192	270	822	242	1,349	566	15,690	857	216	4,043	600	438	50,748	451	10,573	997
Nonwhite	75,274	165	121	7	493	73	5,745	288	265	2,460	96	38	3,929	123	846	74
Male.....White	277,667	161	591	129	623	299	9,379	474	121	3,100	385	268	25,067	237	4,278	145
Nonwhite	40,862	87	93	2	247	33	2,958	148	138	1,747	44	22	1,597	46	332	11
Female.....White	197,525	109	231	113	726	267	6,311	383	95	943	315	172	25,681	214	6,295	852
Nonwhite	34,412	78	28	5	246	40	2,787	140	127	713	52	16	2,332	77	514	83
ALABAMA	26,373	15	53	3	121	45	1,302	53	56	290	22	9	1,799	46	323	25
Both sexes.....White	14,812	10	36	2	54	36	532	24	16	53	12	5	1,268	23	203	17
Nonwhite	11,561	5	17	1	67	9	770	29	40	237	10	4	531	23	120	8
Male.....White	8,357	7	26	-	20	18	324	11	9	38	4	3	553	10	96	2
Nonwhite	5,984	2	7	-	30	3	363	13	23	152	3	3	175	8	40	-
Female.....White	6,455	3	10	2	34	18	208	13	7	15	8	2	715	13	107	15
Nonwhite	5,577	3	10	1	37	6	407	16	17	85	7	1	356	15	80	8
Urban.....White	5,880	5	11	1	12	7	202	8	1	28	2	1	555	7	89	7
Nonwhite	4,898	1	8	-	24	6	387	19	8	95	3	3	219	12	59	3
Male.....White	3,230	3	6	-	2	3	129	2	-	20	-	-	237	2	43	1
Nonwhite	2,458	-	1	-	9	1	185	10	5	64	2	2	73	4	15	-
Female.....White	2,650	2	5	1	10	4	73	6	1	8	2	1	318	5	46	6
Nonwhite	2,440	1	7	-	15	5	202	9	3	31	1	1	146	8	44	3
Places of 100,000 or more.....White	1,632	2	2	-	2	-	47	-	-	6	1	1	188	1	29	2
Nonwhite	1,647	1	2	-	6	1	187	-	-	29	1	-	59	2	18	-
Male.....White	918	2	1	-	-	-	31	-	-	6	-	-	77	-	14	-
Nonwhite	832	-	1	-	1	-	86	-	-	18	-	-	23	-	4	-
Female.....White	718	-	1	-	2	-	16	-	-	-	1	1	111	1	15	2
Nonwhite	815	1	1	-	5	1	81	-	-	11	1	-	36	2	14	-
Places of 25,000 to 100,000.....White	2,012	1	5	-	6	4	75	6	-	19	1	-	166	1	27	2
Nonwhite	1,521	-	1	-	5	2	101	10	3	36	1	-	64	3	20	2
Male.....White	1,069	1	3	-	2	2	48	-	-	13	-	-	69	1	11	-
Nonwhite	787	-	-	-	3	-	52	6	3	25	1	-	19	2	5	-
Female.....White	943	-	2	-	4	2	27	6	-	6	1	-	97	-	16	2
Nonwhite	734	-	1	-	2	2	49	4	-	11	-	-	45	1	15	2
Places of 10,000 to 25,000.....White	825	-	1	-	1	-	34	2	-	1	-	-	79	4	14	2
Nonwhite	837	-	2	-	4	1	70	5	2	11	1	1	41	-	9	-
Male.....White	449	-	1	-	-	-	23	2	-	-	-	-	34	1	6	1
Nonwhite	395	-	-	-	1	-	29	1	1	7	1	1	14	-	3	-
Female.....White	376	-	-	-	1	-	11	-	-	1	-	-	45	3	8	1
Nonwhite	442	-	2	-	3	1	41	4	1	4	-	-	27	-	6	-
Places of 2,500 to 10,000.....White	1,411	2	3	1	3	3	46	-	1	2	-	-	122	1	19	1
Nonwhite	893	-	3	-	9	2	49	4	3	19	-	2	55	7	12	1
Male.....White	798	-	1	-	-	1	27	-	-	1	-	-	57	-	12	-
Nonwhite	444	-	-	-	4	1	18	3	1	14	-	1	17	2	3	-
Female.....White	615	2	2	1	3	2	19	-	1	1	-	-	65	1	7	1
Nonwhite	449	-	3	-	5	1	31	1	2	5	-	1	38	5	9	1
Rural.....White	8,952	5	25	1	42	29	330	16	15	25	10	4	713	16	114	10
Nonwhite	6,663	4	9	1	43	3	383	10	32	142	7	1	312	11	61	5
Male.....White	5,127	4	20	-	18	15	195	9	9	18	4	3	316	8	53	1
Nonwhite	3,526	2	6	-	21	2	178	3	18	88	1	1	102	4	25	-
Female.....White	3,805	1	5	1	24	14	135	7	6	7	6	1	397	8	61	9
Nonwhite	3,137	2	3	1	22	1	205	7	14	54	6	-	210	7	36	5

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943

of death are those of the 1938 revision of the detailed International List)

Pellagra (except alcoholic)	Alcoholism (ethylism)	Intracranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Ulcer of stomach or duodenum	Diarrhea, enteritis, and ulceration of intestines	Appendicitis	Cirrhosis of the liver	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
69	77	85	90-95	107-109,33	117	119,120	121	124	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162,199,200	
1,363	2,205	127,300	426,391	90,115	9,333	12,827	8,108	12,527	99,267	7,197	72,272	13,725	6,690	23,823	75,215	31,169	145,602
888	1,990	111,634	391,204	74,569	8,464	10,167	7,080	11,727	83,332	5,463	63,218	13,306	3,163	21,466	67,640	20,647	129,087
475	213	15,666	35,187	15,546	869	2,660	1,028	800	15,935	1,734	9,058	419	3,527	2,357	7,575	10,522	16,515
317	1,718	54,944	229,633	42,708	7,058	5,438	4,273	7,665	44,886	...	36,540	9,688	2,409	17,095	46,286	11,317	71,288
141	171	7,220	18,683	8,774	619	1,388	580	512	8,220	...	5,116	326	2,824	1,957	5,288	5,562	8,572
571	272	56,690	161,571	31,861	1,406	4,729	2,807	4,062	38,446	5,463	26,676	3,618	754	4,371	21,354	9,330	57,799
334	42	8,446	16,504	6,772	250	1,272	448	288	7,715	1,734	3,940	93	703	400	2,287	4,980	7,945
311	1,445	65,817	260,757	44,828	5,692	5,741	4,200	8,913	50,065	3,142	39,670	8,220	1,905	11,773	37,623	8,682	78,949
185	151	8,902	22,808	9,113	549	1,163	614	549	9,103	796	5,406	265	2,387	1,222	3,989	2,704	9,627
106	1,222	30,828	150,085	25,934	4,783	3,120	2,478	5,809	26,076	...	22,904	5,665	1,426	9,196	24,130	4,598	42,391
61	116	3,982	11,844	5,260	390	603	330	341	4,529	...	3,076	197	1,892	987	2,754	1,460	4,774
205	223	34,989	110,672	18,894	909	2,621	1,722	3,104	23,989	3,142	16,766	2,555	479	2,577	13,493	4,084	36,558
124	55	4,920	10,984	3,853	159	560	284	208	4,574	796	2,530	68	495	235	1,235	1,244	4,853
94	906	29,128	139,391	22,586	3,176	2,305	1,971	5,369	23,294	1,396	17,210	4,354	1,033	5,617	17,970	2,887	38,106
40	98	4,496	14,016	5,025	311	488	310	320	4,332	379	3,084	178	1,371	655	2,138	992	5,293
40	743	13,319	79,899	13,368	2,679	1,250	1,140	3,446	11,813	...	9,830	2,917	790	4,376	11,565	1,536	20,606
13	82	2,009	7,248	2,959	236	244	172	196	2,063	...	1,713	125	1,095	535	1,478	536	2,672
54	163	15,809	59,492	9,218	497	1,055	851	1,923	11,481	1,396	7,380	1,437	243	1,241	6,405	1,351	17,500
27	16	2,487	6,788	2,066	75	244	138	124	2,269	379	1,371	55	276	122	660	456	2,621
76	238	14,544	50,822	9,159	1,095	1,256	858	1,610	10,257	650	8,727	1,645	350	2,305	7,604	1,951	16,593
59	28	1,807	3,885	1,806	104	271	121	107	2,047	160	1,027	41	475	239	748	515	1,811
26	207	6,772	28,926	5,243	907	885	479	1,086	5,347	...	5,142	1,142	242	1,801	4,678	1,048	8,685
17	18	828	2,025	1,057	73	151	56	68	1,039	...	604	34	376	189	523	276	897
50	31	7,772	21,896	5,816	188	571	359	524	4,890	650	3,585	503	108	504	2,926	903	7,908
42	8	979	1,840	749	31	120	65	39	1,008	160	423	7	99	50	225	259	914
52	123	9,771	32,472	5,858	875	873	651	930	7,133	465	6,168	1,012	188	1,627	5,323	1,487	10,679
36	18	1,207	2,177	1,057	62	166	75	54	1,341	122	612	27	240	158	481	468	1,135
11	113	4,631	18,808	3,345	564	480	393	619	3,791	...	3,547	732	143	1,259	3,457	795	5,661
13	13	532	1,158	581	39	81	41	35	690	...	352	21	197	125	326	265	530
41	10	5,140	13,664	2,515	111	393	258	311	3,342	465	2,621	280	45	368	1,866	692	5,018
23	5	675	1,019	496	23	85	34	19	651	122	260	6	43	33	155	203	605
89	178	12,374	38,072	7,225	746	1,307	740	1,004	9,401	631	7,565	1,209	334	2,224	6,726	2,337	13,571
50	9	1,592	2,750	1,225	72	238	108	88	1,583	135	883	19	301	170	622	729	1,588
29	159	8,106	22,452	3,978	633	705	466	658	5,125	...	4,585	874	251	1,760	4,430	1,219	7,459
18	3	613	1,413	883	42	127	61	42	737	...	407	17	224	140	427	383	675
60	19	6,268	15,820	3,247	113	602	274	346	4,276	631	3,180	335	85	464	2,296	1,118	6,132
32	6	779	1,337	542	30	111	47	26	646	135	276	2	77	30	195	346	715
577	545	45,817	130,447	29,741	2,772	4,426	2,880	2,814	33,267	2,321	23,546	5,086	1,258	9,693	30,017	11,985	50,138
290	62	6,764	12,379	6,433	320	1,497	414	251	6,832	938	3,850	154	1,140	1,135	3,586	7,818	6,888
211	496	24,116	79,548	16,774	2,275	2,318	1,795	1,856	18,810	...	13,636	4,023	983	7,899	22,156	6,719	28,897
80	55	3,238	6,839	3,514	229	785	250	171	3,691	...	2,040	129	932	970	2,534	4,102	3,798
366	49	21,701	50,899	12,987	497	2,108	1,085	958	14,457	2,321	9,910	1,063	275	1,794	7,861	5,266	21,241
210	7	3,526	5,540	2,919	91	712	164	80	3,141	938	1,610	25	208	165	1,052	3,716	3,090
128	25	2,361	5,054	2,290	120	330	164	125	2,011	260	1,573	150	315	471	1,374	2,894	2,566
57	23	1,369	3,149	1,274	80	196	93	86	1,041	127	1,088	158	99	357	882	902	1,560
71	2	992	1,905	1,016	40	134	71	39	970	133	485	12	216	114	492	1,992	1,006
22	22	697	1,923	667	68	108	57	64	570	...	639	103	72	280	657	487	800
21	2	458	1,000	552	28	87	36	22	492	...	281	6	171	95	368	1,042	503
35	1	672	1,226	607	12	88	38	22	471	127	449	35	27	77	225	415	760
50	-	534	905	464	12	47	35	17	478	133	204	6	45	19	126	950	503
10	14	539	1,436	449	32	53	34	45	398	34	438	66	41	120	271	262	702
16	-	471	946	471	19	63	31	27	431	48	257	8	123	29	185	494	432
4	13	275	878	233	28	27	19	34	210	...	244	41	27	92	189	142	326
3	-	221	466	245	12	40	18	14	210	...	148	3	98	24	134	254	201
6	1	264	558	216	4	26	15	11	188	34	194	25	14	28	82	120	376
13	-	250	480	226	7	23	15	13	221	48	111	5	25	5	51	240	231
3	5	140	414	114	11	5	8	20	99	6	110	28	12	33	71	94	178
1	-	135	290	120	11	21	7	7	99	16	106	4	45	13	61	293	132
1	5	69	234	59	11	2	5	13	60	...	66	17	10	27	56	55	95
-	-	68	145	51	7	14	5	3	47	...	59	-	38	12	46	143	61
2	-	71	180	55	-	3	3	7	39	6	44	11	2	6	15	39	83
1	-	67	145	69	4	7	2	4	52	16	47	4	7	1	15	150	71
3	4	179	540	130	6	21	9	15	117	10	144	15	11	37	80	65	305
7	-	155	351	186	1	14	11	11	145	14	77	1	42	8	64	51	135
2	3	93	337	70	6	10	6	13	58	...	77	8	6	25	57	26	122
2	-	70	170	109	1	6	7	8	72	...	46	1	33	7	48	26	65
1	1	86	203	60	-	11	3	2	59	10	67	7	5	12	33	37	183
5	-	85	181	77	-	8	4	3	73	14	31	-	9	1	16	25	70
2	2	98	175	70	6	3	6	5	54	7	76	8	7	18	48	24	78
4	-	87	145	85	1	15	7	4	102	11	42	3	12	6	25	54	89
-	2	48	112	32	4	1	3	4	24	...	45	6	4	14	33	11	38
-	-	42	76	40	1	10	1	2	49	...	19	2	9	3	15	29	39
2	-	50	63	38	2	2	3	1	30	7	31	2	3	4	15	13	40
4	-	45	69	45	-	3	6	2	53	11	23	1	3	3	10	25	50
2	3	122	307	135	9	24	11	5	128	11	108	15	11	32	62	81	141
4	-	94	160	80	6	15	6	5	85	7	32	-	24	2	35	98	76
1	3	65	195	72	7	14	5	4	68	...	56	10	7	26	43	50	71
1	-	41	75	45	3	10	3	1	42	...	22	-	18	2	25	56	36
1	-	57	112	63	2	10	6	1	60	11	52	5	4	6	19	31	70
3	-	53	85	35	3	5	3	4	43	7	10	-	6	-	10	40	40
47	9	830	1,713	825	48	143	59	41	643	93	650	72	58	237	611	640	858
55	2	521	959	545	21	71	40	12	539	85	228	4	93	85	307	1,498	574
18	9	422	1,045	434	40	81	38	30	360	...	395	62	45	188	468	345	474
18	2	257	534	307	18	47	20	8	282	...	135	3	73	71	252	788	302
29	-	408	668	391	8	62	21	11	285	93	255	10	13	49	143	295	384
37	-	284	425	238	5	24	20	4	257	85	93	1	20	14	75	710	272

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13–22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45–55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
ARIZONA	5,927	14	10	1	30	13	690	28	-	60	6	9	418	13	60	5
Both sexes.....White	4,803	8	8	1	22	12	505	19	-	44	5	9	389	8	54	4
Nonwhite	1,124	6	2	-	8	1	185	9	-	16	1	-	29	5	6	1
Male.....White	3,076	4	7	1	8	4	350	13	-	34	2	2	176	2	27	-
Nonwhite	645	5	2	-	3	1	97	7	-	13	1	-	13	2	1	-
Female.....White	1,727	4	1	-	14	8	155	6	-	10	3	7	213	6	27	4
Nonwhite	479	1	-	-	5	-	88	2	-	3	-	-	18	3	5	1
Urban.....White	3,229	8	2	1	12	9	383	12	-	34	3	5	282	4	44	3
Nonwhite	248	-	-	-	5	-	39	-	-	8	-	-	18	1	3	1
Male.....White	2,034	4	2	1	6	2	264	8	-	26	1	1	121	2	21	-
Nonwhite	152	-	-	-	1	-	25	-	-	7	-	-	7	-	-	-
Female.....White	1,195	4	-	-	6	7	119	4	-	8	2	4	161	2	23	3
Nonwhite	96	-	-	-	4	-	14	-	-	1	-	-	11	1	3	1
Places of 25,000 to 100,000...White	2,116	4	-	1	7	7	305	8	-	24	1	3	177	4	24	3
Nonwhite	191	-	-	-	3	-	32	-	-	7	-	-	14	1	3	1
Male.....White	1,318	2	-	1	3	1	210	6	-	18	1	-	64	2	11	-
Nonwhite	111	-	-	-	-	-	21	-	-	6	-	-	5	-	-	-
Female.....White	798	2	-	-	4	6	95	2	-	6	-	3	113	2	13	3
Nonwhite	80	-	-	-	3	-	11	-	-	1	-	-	9	1	3	1
Places of 2,500 to 10,000.....White	1,113	4	2	-	5	2	78	4	-	10	2	2	105	-	20	-
Nonwhite	57	-	-	-	2	-	7	-	-	1	-	-	4	-	-	-
Male.....White	716	2	2	-	3	1	54	2	-	8	-	1	57	-	10	-
Nonwhite	41	-	-	-	1	-	4	-	-	1	-	-	2	-	-	-
Female.....White	397	2	-	-	2	1	24	2	-	2	2	1	48	-	10	-
Nonwhite	16	-	-	-	1	-	3	-	-	-	-	-	2	-	-	-
Rural.....White	1,574	-	6	-	10	3	122	7	-	10	2	4	107	4	10	1
Nonwhite	876	6	2	-	3	1	146	9	-	8	1	-	11	4	3	-
Male.....White	1,042	-	5	-	2	2	86	5	-	8	1	1	55	-	6	-
Nonwhite	493	5	2	-	2	1	72	7	-	6	1	-	6	2	1	-
Female.....White	532	-	1	-	8	1	36	2	-	2	1	3	52	4	4	1
Nonwhite	383	1	-	-	1	-	74	2	-	2	-	-	5	2	2	-
ARKANSAS	15,539	27	12	2	103	40	939	64	107	204	44	8	1,266	10	191	14
Both sexes.....White	10,750	6	8	2	68	32	514	34	48	95	39	7	1,020	6	142	9
Nonwhite	4,789	21	4	-	35	8	425	30	59	109	5	1	246	4	49	5
Male.....White	6,321	3	4	2	33	16	321	20	27	77	17	1	479	3	63	1
Nonwhite	2,530	10	2	-	18	4	218	15	30	70	4	-	85	1	19	1
Female.....White	4,429	3	4	-	35	16	193	14	21	18	22	6	541	3	79	8
Nonwhite	2,259	11	2	-	17	4	207	15	29	39	1	1	161	3	30	4
Urban.....White	4,068	1	2	-	20	4	133	6	7	49	10	3	431	3	55	2
Nonwhite	1,764	9	1	-	7	3	137	4	14	71	-	-	90	1	25	2
Male.....White	2,381	1	1	-	9	3	85	4	5	37	5	1	203	2	23	-
Nonwhite	924	7	1	-	3	2	68	1	8	41	-	-	31	-	14	1
Female.....White	1,687	-	1	-	11	1	48	2	2	12	5	2	228	1	32	2
Nonwhite	840	2	-	-	4	1	69	3	6	30	-	-	59	1	11	1
Places of 25,000 to 100,000...White	1,263	-	-	-	5	-	38	-	2	36	-	1	116	1	18	1
Nonwhite	552	1	1	-	-	2	38	1	2	53	-	-	27	-	8	-
Male.....White	742	-	-	-	2	-	27	-	2	27	-	-	57	-	8	-
Nonwhite	300	1	1	-	-	1	16	-	2	33	-	-	10	-	3	-
Female.....White	521	-	-	-	3	-	11	-	-	9	-	1	59	1	10	1
Nonwhite	252	-	-	-	-	1	22	1	-	20	-	-	17	-	5	-
Places of 10,000 to 25,000....White	1,078	-	1	-	7	1	46	2	2	4	2	1	135	1	16	-
Nonwhite	519	2	-	-	1	-	38	1	5	5	-	-	28	-	11	-
Male.....White	638	-	1	-	4	1	27	1	1	3	1	1	55	1	9	-
Nonwhite	268	2	-	-	-	-	26	-	4	1	-	-	10	-	8	-
Female.....White	440	-	-	-	3	-	19	1	1	1	1	-	80	-	7	-
Nonwhite	251	-	-	-	1	-	12	1	1	4	-	-	18	-	3	-
Places of 2,500 to 10,000.....White	1,727	1	1	-	8	3	49	4	3	9	8	1	180	1	21	1
Nonwhite	693	6	-	-	6	1	61	2	7	13	-	-	35	1	6	2
Male.....White	1,001	1	-	-	3	2	31	3	2	7	4	-	91	1	6	-
Nonwhite	356	4	-	-	3	1	26	1	2	7	-	-	11	-	3	1
Female.....White	726	-	1	-	5	1	18	1	1	2	4	1	89	-	15	1
Nonwhite	337	2	-	-	3	-	35	1	5	6	-	-	24	1	3	1
Rural.....White	6,682	5	6	2	48	28	381	28	41	46	29	4	589	3	87	7
Nonwhite	3,025	12	3	-	28	5	288	26	45	38	5	1	156	3	24	3
Male.....White	3,940	2	3	2	24	13	236	16	22	40	12	-	276	1	40	1
Nonwhite	1,606	3	1	-	15	2	150	14	22	29	4	-	54	1	5	-
Female.....White	2,742	3	3	-	24	15	145	12	19	6	17	4	313	2	47	6
Nonwhite	1,419	9	2	-	13	3	138	12	23	9	1	1	102	2	19	3
CALIFORNIA	89,109	15	187	13	108	92	3,872	72	8	1,224	29	170	11,094	40	1,876	152
Both sexes.....White	85,166	10	176	13	93	88	3,350	69	6	1,042	27	166	10,702	38	1,795	138
Nonwhite	3,943	5	11	-	15	4	522	3	-	182	2	4	392	2	81	14
Male.....White	49,893	8	116	7	31	55	2,228	38	5	796	20	105	5,064	17	743	24
Nonwhite	2,592	2	7	-	9	1	362	3	-	144	1	2	210	1	43	2
Female.....White	35,273	2	60	6	62	33	1,122	31	1	246	7	61	5,638	21	1,052	114
Nonwhite	1,351	3	4	-	6	3	160	-	-	38	1	2	182	1	38	12
Urban.....White	62,777	5	132	11	55	65	2,278	43	5	618	15	121	8,394	25	1,390	102
Nonwhite	2,850	3	8	-	10	3	365	3	-	112	-	2	295	2	57	11
Male.....White	35,535	5	84	6	17	42	1,522	22	5	474	12	78	3,899	13	567	18
Nonwhite	1,812	1	4	-	7	1	252	3	-	86	-	1	151	1	28	-
Female.....White	27,242	-	48	5	38	23	756	21	-	144	3	43	4,495	12	823	84
Nonwhite	1,038	2	4	-	3	2	113	-	-	26	-	1	144	1	29	11

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
4	20	257	1,049	514	30	340	40	49	250	38	437	56	42	151	472	260	561
2	19	234	959	367	27	197	35	46	226	31	360	52	28	133	413	115	471
2	1	23	90	147	3	143	5	3	24	7	77	4	14	18	59	145	90
1	15	140	656	232	23	112	18	33	131	...	211	46	18	105	332	83	290
1	1	12	61	79	3	69	4	3	18	...	46	4	11	13	44	80	51
1	4	94	303	135	4	85	17	13	95	31	149	6	10	28	81	32	181
1	-	11	29	68	-	74	1	-	6	7	31	-	3	5	15	65	39
2	15	159	709	240	15	134	20	38	142	17	229	35	21	64	212	60	315
-	1	10	39	30	3	12	1	2	10	-	16	-	4	2	8	9	26
1	11	98	486	153	13	78	12	28	80	...	134	30	12	50	155	42	192
-	1	5	24	16	3	10	1	2	8	...	10	-	3	1	7	6	15
1	4	61	223	87	2	56	8	10	62	17	95	5	9	14	57	18	123
-	-	5	15	14	-	2	-	-	2	-	6	-	1	1	1	3	11
1	11	116	479	149	13	63	13	27	82	8	125	22	15	35	137	34	218
-	1	9	34	19	3	7	-	1	4	-	13	-	4	1	5	7	22
-	8	74	324	96	11	37	8	20	45	...	76	18	8	27	92	24	131
-	1	4	21	6	3	6	-	1	3	...	8	-	3	-	4	4	15
1	3	42	155	53	2	26	5	7	37	8	49	4	7	8	45	10	87
-	-	5	13	13	-	1	-	-	1	-	5	-	1	1	1	3	7
1	4	43	230	91	2	71	7	11	60	9	104	13	6	29	75	26	97
-	-	1	5	11	-	5	1	1	6	-	3	-	-	1	3	2	4
1	3	24	162	57	2	41	4	8	35	...	58	12	4	23	63	18	61
-	-	1	3	10	-	4	1	1	5	...	2	-	-	1	3	2	-
-	1	19	68	34	-	30	3	3	25	9	46	1	2	6	12	8	36
-	-	-	2	1	-	1	-	-	1	-	1	-	-	-	-	-	4
-	4	75	250	127	12	63	15	8	84	14	131	17	7	69	201	55	156
2	-	13	51	117	-	131	4	1	14	7	61	4	10	18	51	136	64
-	4	42	170	79	10	34	6	5	51	...	77	16	6	55	177	41	98
1	-	7	37	63	-	59	3	1	10	...	36	4	8	12	37	74	36
-	-	33	80	48	2	29	9	3	33	14	54	1	1	14	24	14	58
1	-	6	14	54	-	72	1	-	4	7	25	-	2	4	14	62	28
67	13	1,434	3,104	1,251	77	262	136	83	1,315	166	687	110	162	242	977	895	1,525
35	10	1,004	2,319	763	66	163	105	70	831	89	581	99	48	193	732	539	1,073
32	3	430	785	488	11	99	31	13	484	79	106	11	114	49	245	356	452
10	10	540	1,507	415	56	93	60	50	484	...	327	73	40	155	520	304	610
10	3	195	428	269	11	56	20	9	285	...	62	7	95	42	157	171	253
25	-	464	812	348	10	70	45	20	347	89	254	26	8	38	212	235	463
22	-	235	357	219	-	43	11	4	199	79	44	4	19	7	88	185	219
13	7	418	1,033	218	22	42	37	37	311	28	215	39	21	71	254	151	424
10	1	173	335	182	1	22	9	5	198	10	36	3	46	18	76	72	203
3	7	225	674	119	19	29	20	30	196	...	120	27	16	54	148	85	230
4	1	73	180	106	1	11	6	4	114	...	19	2	36	13	48	31	98
10	-	193	359	99	3	13	17	7	115	29	95	12	5	17	106	66	194
6	-	100	155	76	-	11	3	1	84	10	17	1	10	5	28	41	105
8	2	140	365	55	8	10	9	17	86	8	57	10	6	14	67	42	143
1	1	47	105	43	-	4	3	2	77	2	13	1	12	7	21	11	69
2	2	86	214	38	7	8	4	14	55	...	38	5	4	10	38	24	70
1	1	24	54	27	-	4	2	1	51	...	8	-	10	5	13	2	30
4	-	54	151	17	1	2	5	3	31	8	19	5	2	4	29	18	73
-	-	23	51	16	-	-	1	1	26	2	5	1	2	2	8	9	39
2	1	82	268	48	4	7	8	13	92	5	60	9	7	18	78	44	114
5	-	61	80	63	1	7	3	1	48	2	12	2	18	4	29	22	70
-	1	40	189	30	2	5	5	10	61	...	30	8	6	14	41	27	64
2	-	19	42	37	1	2	3	1	20	...	5	2	13	4	18	12	36
2	-	42	79	18	2	2	3	3	31	5	30	1	1	4	37	17	50
3	-	42	38	26	-	5	-	-	28	2	7	-	5	-	11	10	34
5	4	196	400	115	10	25	20	7	133	16	98	20	8	39	109	65	167
4	-	65	150	76	-	11	3	2	73	6	11	-	16	7	26	39	64
1	4	99	271	51	10	16	11	6	80	...	52	14	6	30	69	34	96
1	-	30	84	42	-	5	1	2	43	...	6	-	13	4	17	17	32
4	-	97	129	64	-	9	9	1	53	16	46	6	2	9	40	31	71
3	-	35	66	34	-	6	2	-	30	6	5	-	3	3	9	22	32
22	3	586	1,286	545	44	121	68	33	520	60	366	60	27	122	478	388	849
22	2	257	450	306	10	77	22	8	286	69	70	8	68	31	169	284	249
7	3	315	833	296	37	64	40	20	288	...	207	46	24	101	372	219	380
6	2	122	248	163	10	45	14	5	171	...	43	5	59	29	109	140	135
15	-	271	453	249	7	57	28	13	232	60	159	14	3	21	106	169	289
18	-	135	202	143	-	32	8	3	115	69	27	3	9	2	60	144	114
17	162	6,855	27,159	4,890	801	629	456	1,456	4,464	357	4,094	1,245	367	2,622	4,651	491	9,443
17	180	6,615	26,379	4,556	770	598	439	1,415	4,261	329	3,893	1,215	282	2,526	4,500	458	9,040
-	2	240	780	334	31	31	17	41	203	28	201	30	85	96	151	33	403
11	131	3,224	15,953	2,899	632	330	286	924	2,280	...	2,281	868	210	1,977	3,317	233	5,100
-	2	148	538	246	27	21	12	25	111	...	108	24	73	82	121	22	245
6	29	3,391	10,426	1,657	138	268	173	491	1,981	329	1,612	347	72	549	1,183	225	3,940
-	-	92	242	88	4	10	5	16	92	28	93	6	12	14	30	11	158
12	111	4,930	19,754	3,397	591	401	295	1,160	3,214	255	2,918	887	204	1,613	2,804	261	6,711
-	1	175	574	263	20	18	7	34	166	20	161	26	65	57	86	15	291
7	92	2,296	11,577	2,147	477	218	181	749	1,665	...	1,705	613	154	1,214	1,902	95	3,679
-	1	102	383	196	17	14	3	20	90	...	85	21	55	47	65	9	169
5	19	2,634	8,177	1,250	114	183	114	411	1,549	255	1,213	274	50	399	902	166	3,032
-	-	73	191	67	3	4	4	14	76	20	76	5	10	10	21	6	122

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
CALIFORNIA—Continued																
Places of 100,000 or more...White	37,030	4	89	10	19	33	1,366	20	3	422	8	48	5,008	12	804	62
Nonwhite	2,105	2	7	-	6	2	272	3	-	74	-	2	245	2	45	9
Male...White	21,071	4	55	6	6	23	931	11	3	318	5	28	2,317	6	331	13
Nonwhite	1,312	1	4	-	4	-	179	3	-	59	-	1	123	1	20	-
Female...White	15,959	-	34	4	13	10	455	9	-	104	3	20	2,691	6	473	49
Nonwhite	793	1	3	-	2	2	93	-	-	15	-	1	122	1	25	9
Places of 25,000 to 100,000...White	11,483	-	12	-	6	14	398	4	-	83	3	25	1,583	4	273	20
Nonwhite	433	-	1	-	1	1	56	-	-	20	-	-	33	-	5	1
Male...White	6,197	-	11	-	3	8	258	2	-	67	3	19	690	2	112	8
Nonwhite	290	-	-	-	1	1	46	-	-	14	-	-	17	-	4	-
Female...White	5,286	-	1	-	3	6	140	2	-	16	-	6	893	2	161	17
Nonwhite	143	-	1	-	-	-	10	-	-	6	-	-	16	-	1	1
Places of 10,000 to 25,000...White	6,461	1	16	-	11	9	201	5	-	45	3	24	816	4	139	8
Nonwhite	155	-	-	-	1	-	18	-	-	8	-	-	10	-	4	1
Male...White	3,694	1	8	-	4	6	134	3	-	34	3	16	403	3	59	1
Nonwhite	101	-	-	-	-	-	12	-	-	5	-	-	6	-	2	-
Female...White	2,767	-	8	-	7	3	67	2	-	11	-	8	413	1	80	7
Nonwhite	54	-	-	-	1	-	6	-	-	1	-	-	4	-	2	1
Places of 2,500 to 10,000...White	7,803	-	15	1	19	9	313	14	2	88	1	24	987	5	174	12
Nonwhite	157	1	-	-	2	-	19	-	-	12	-	-	7	-	3	-
Male...White	4,573	-	10	-	4	5	199	6	2	55	1	15	489	2	85	1
Nonwhite	109	-	-	-	2	-	15	-	-	8	-	-	5	-	2	-
Female...White	3,230	-	5	1	15	4	114	8	-	13	-	9	498	3	109	11
Nonwhite	48	1	-	-	-	-	4	-	-	4	-	-	2	-	1	-
Rural...White	22,389	5	44	2	38	23	1,072	26	1	424	12	45	2,308	13	405	38
Nonwhite	1,093	2	3	-	5	1	157	-	-	70	2	2	97	-	24	3
Male...White	14,358	3	32	1	14	13	706	16	-	322	8	27	1,165	4	176	6
Nonwhite	780	1	3	-	2	-	110	-	-	58	1	1	59	-	15	2
Female...White	8,031	2	12	1	24	10	366	10	1	102	4	18	1,143	9	229	30
Nonwhite	313	1	-	-	3	1	47	-	-	12	1	1	38	-	9	1
COLORADO	12,761	2	28	9	23	21	471	20	1	139	34	30	1,423	16	211	23
Both sexes...White	12,382	2	28	8	23	21	432	19	1	123	34	29	1,378	18	203	23
Nonwhite	379	-	-	1	-	-	39	1	-	16	-	1	45	-	8	-
Male...White	7,268	2	23	4	14	12	278	12	1	91	22	21	671	9	95	2
Nonwhite	225	-	-	-	-	-	22	-	-	12	-	-	25	-	4	-
Female...White	5,114	-	5	4	9	9	156	7	-	32	12	8	707	7	108	21
Nonwhite	154	-	-	1	-	-	17	1	-	4	-	1	20	-	4	-
Urban...White	7,990	-	22	2	8	10	304	11	1	72	23	18	956	11	151	7
Nonwhite	269	-	-	1	-	-	24	-	-	11	-	1	33	-	5	-
Male...White	4,533	-	18	-	8	7	198	7	1	52	15	12	440	8	65	1
Nonwhite	142	-	-	-	-	-	12	-	-	7	-	-	16	-	2	-
Female...White	3,457	-	4	2	-	3	106	4	-	20	8	6	516	3	86	6
Nonwhite	127	-	-	1	-	-	12	-	-	4	-	1	17	-	3	-
Places of 100,000 or more...White	4,084	-	12	1	2	3	143	1	1	38	9	5	516	6	82	7
Nonwhite	183	-	-	-	-	-	17	-	-	7	-	-	22	-	5	-
Male...White	2,266	-	10	-	2	2	103	1	1	32	6	2	229	4	38	1
Nonwhite	100	-	-	-	-	-	9	-	-	5	-	-	9	-	2	-
Female...White	1,818	-	2	1	-	1	40	-	-	6	3	3	287	2	44	6
Nonwhite	83	-	-	-	-	-	8	-	-	2	-	-	13	-	3	-
Places of 25,000 to 100,000...White	1,356	-	6	-	2	-	73	-	-	16	6	2	157	2	21	-
Nonwhite	60	-	-	-	-	-	5	-	-	3	-	1	8	-	-	-
Male...White	802	-	4	-	2	-	48	-	-	8	3	2	83	2	12	-
Nonwhite	30	-	-	-	-	-	3	-	-	2	-	-	3	-	-	-
Female...White	554	-	2	-	-	-	25	-	-	8	3	-	74	-	9	-
Nonwhite	30	-	-	-	-	-	2	-	-	1	-	1	3	-	-	-
Places of 10,000 to 25,000...White	921	-	2	1	2	5	33	2	-	4	2	-	99	1	10	-
Nonwhite	12	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-
Male...White	517	-	2	-	2	3	17	1	-	3	1	-	42	1	3	-
Nonwhite	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Female...White	404	-	-	1	-	2	16	1	-	1	1	-	57	-	7	-
Nonwhite	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000...White	1,629	-	2	-	2	2	55	8	-	14	6	11	184	2	38	-
Nonwhite	14	-	-	1	-	-	2	-	-	-	-	-	3	-	-	-
Male...White	948	-	2	-	2	2	30	5	-	9	5	8	86	1	12	-
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Female...White	681	-	-	-	-	-	25	3	-	5	1	3	98	1	26	-
Nonwhite	10	-	-	1	-	-	2	-	-	-	-	-	1	-	-	-
Rural...White	4,392	2	6	6	15	11	128	8	-	51	11	11	422	5	52	16
Nonwhite	110	-	-	-	-	-	15	1	-	5	-	-	12	-	3	-
Male...White	2,735	2	5	4	6	5	78	5	-	39	7	9	231	1	30	1
Nonwhite	83	-	-	-	-	-	10	-	-	5	-	-	9	-	2	-
Female...White	1,657	-	1	2	9	6	50	3	-	12	4	2	191	4	22	15
Nonwhite	27	-	-	-	-	-	5	1	-	-	-	-	5	-	1	-
CONNECTICUT	20,014	3	47	2	11	2	621	7	-	156	8	24	2,946	18	661	27
Both sexes...White	19,498	3	45	1	11	2	580	7	-	124	8	24	2,900	17	646	24
Nonwhite	516	-	2	1	-	-	41	-	-	32	-	-	46	1	15	3
Male...White	10,754	1	35	1	8	2	398	4	-	91	3	21	1,447	7	224	5
Nonwhite	266	-	2	1	-	-	23	-	-	23	-	-	26	1	5	-
Female...White	8,744	2	10	-	3	-	182	3	-	33	5	3	1,453	10	422	19
Nonwhite	250	-	-	-	-	-	18	-	-	9	-	-	20	-	10	3
Urban...White	13,239	2	32	1	7	2	432	3	-	80	4	17	2,002	11	465	15
Nonwhite	427	-	1	1	-	-	34	-	-	20	-	-	36	-	13	2
Male...White	7,296	-	24	1	5	2	291	1	-	59	2	15	999	3	163	3
Nonwhite	220	-	1	1	-	-	20	-	-	14	-	-	21	-	4	-
Female...White	5,943	2	8	-	2	-	141	2	-	21	2	2	1,003	8	302	12
Nonwhite	207	-	-	-	-	-	14	-	-	6	-	-	15	-	9	2

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 182,199,200	All other causes
8	71	2,778	11,836	2,089	381	173	173	806	1,776	122	1,463	580	127	867	1,612	135	4,145
-	-	124	422	201	15	11	5	25	121	15	115	22	53	41	58	11	197
5	56	1,272	6,961	1,358	306	93	114	527	903	...	839	393	99	643	1,097	42	2,308
-	-	71	270	149	13	10	2	15	63	...	57	17	46	35	44	7	118
3	15	1,506	4,875	711	75	80	59	279	873	122	624	187	28	224	515	93	1,839
-	-	53	152	52	2	1	3	10	58	15	58	5	7	6	14	4	79
2	14	997	3,736	531	90	63	55	150	623	52	564	156	25	269	521	49	1,161
-	-	26	92	33	2	5	2	4	31	3	24	3	6	10	15	2	57
1	13	427	2,099	304	71	34	31	88	326	...	328	115	14	209	345	20	598
-	-	15	66	26	1	2	1	2	18	...	15	3	4	8	12	2	32
1	1	570	1,637	227	19	29	24	62	297	52	236	41	11	60	178	29	565
-	-	11	28	7	1	3	1	2	13	3	9	-	2	2	3	-	25
2	11	512	1,959	381	55	75	32	87	345	39	411	70	21	214	295	31	639
-	1	14	30	14	2	1	-	2	8	1	11	-	3	3	6	1	18
1	10	258	1,157	234	49	40	15	51	167	...	256	54	16	158	207	13	333
-	1	9	25	11	2	1	-	1	3	...	5	-	2	2	5	-	9
1	1	254	802	147	6	35	17	36	178	39	155	16	5	56	88	18	306
-	-	5	5	3	-	-	-	1	5	1	6	-	1	1	1	1	9
-	15	643	2,223	416	65	90	35	117	470	42	480	81	31	263	376	46	766
-	-	11	30	15	1	1	-	3	6	1	11	1	3	3	7	1	19
-	13	339	1,360	251	51	51	21	83	269	...	282	51	25	204	255	20	444
-	-	7	22	10	1	1	-	2	6	...	8	1	3	2	4	-	10
-	2	304	863	165	14	39	14	34	201	42	198	30	6	59	121	26	322
-	-	4	8	5	-	-	-	1	-	1	3	-	-	1	3	1	9
5	49	1,685	6,825	1,159	179	197	144	255	1,047	74	975	328	78	913	1,696	197	2,329
-	1	65	206	71	11	13	10	7	37	8	40	4	20	39	65	18	112
4	39	928	4,376	752	155	112	85	175	615	...	576	255	56	763	1,415	138	1,421
-	1	46	155	50	10	7	9	5	21	...	23	3	18	35	56	13	76
1	10	757	2,249	407	24	85	59	80	432	74	399	75	22	150	281	59	908
-	-	19	51	21	1	6	1	2	16	8	17	1	2	4	9	5	36
1	30	966	3,190	1,002	131	187	99	92	878	63	705	152	53	215	874	242	1,430
1	29	928	3,125	976	129	184	93	92	861	63	690	150	46	211	854	222	1,388
-	1	38	65	26	2	3	6	-	17	-	15	2	7	4	20	20	42
-	21	502	1,897	556	107	98	63	62	473	...	385	111	34	163	617	133	791
-	1	17	40	17	2	3	4	-	8	...	10	1	3	3	15	14	24
1	8	426	1,228	420	22	86	30	30	388	63	305	39	12	48	237	89	597
-	-	21	25	9	-	-	2	-	9	-	5	1	4	1	5	8	18
1	22	629	2,061	580	90	105	55	65	601	41	434	97	21	130	451	138	873
-	1	27	55	19	1	2	6	-	15	-	10	-	7	3	10	7	31
-	15	318	1,228	323	76	59	40	46	319	...	245	69	16	91	287	78	491
-	1	10	34	12	1	2	4	-	6	...	5	-	3	2	7	3	15
1	7	311	833	257	14	46	15	19	282	41	189	28	5	39	164	60	382
-	-	17	21	7	-	-	2	-	9	-	5	-	4	1	3	4	16
-	18	301	1,051	271	53	23	23	51	324	16	203	51	11	74	222	90	476
-	-	18	42	9	1	2	4	-	9	-	7	-	4	3	3	6	24
-	12	148	596	138	44	10	13	35	168	...	111	36	8	50	144	50	272
-	-	7	29	6	1	2	3	-	4	...	4	-	1	2	1	3	12
-	6	153	455	133	9	13	10	16	156	16	92	15	3	24	78	40	204
-	-	11	13	3	-	-	1	-	5	-	3	-	3	1	2	3	12
1	-	125	346	110	18	12	8	4	80	6	74	15	3	26	83	22	138
-	-	8	6	9	-	-	1	-	3	-	3	-	2	-	7	-	6
-	-	68	209	70	15	7	7	2	37	...	45	12	2	16	54	14	80
1	-	3	2	6	-	-	1	-	-	...	1	-	1	-	6	-	2
-	-	57	137	40	3	5	1	2	43	6	29	3	1	10	29	8	58
-	-	5	4	3	-	-	-	-	3	-	2	-	1	-	1	-	4
-	1	88	258	65	9	22	7	4	59	4	52	7	2	13	50	10	109
1	-	-	4	-	-	-	1	-	2	-	-	-	1	-	-	-	-
-	1	39	165	35	8	13	4	4	36	...	27	6	2	12	30	4	56
1	-	-	2	-	-	-	-	-	2	...	-	-	1	-	-	-	-
-	-	49	93	30	1	9	3	-	23	4	25	1	-	1	20	6	53
-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	3	115	408	134	10	48	17	6	138	15	105	24	5	17	96	16	150
-	-	1	3	1	-	-	-	-	1	-	-	-	-	-	-	1	1
-	2	63	258	80	9	29	16	5	78	...	62	15	4	13	59	10	83
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	-	1
1	1	52	148	54	1	19	1	1	60	15	43	9	1	4	37	6	67
-	-	1	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-
-	7	299	1,064	396	39	79	38	27	260	22	258	53	25	81	403	84	515
-	-	11	10	7	1	1	-	-	2	-	5	2	-	1	10	13	11
-	6	184	668	233	31	39	23	16	154	...	140	42	18	72	330	55	300
-	-	7	6	5	1	1	-	-	2	...	5	1	-	1	8	11	9
-	1	115	395	163	8	40	15	11	106	22	118	11	7	9	73	29	215
-	-	4	4	2	-	-	-	-	-	-	-	1	-	-	2	2	2
1	58	1,686	6,916	883	151	99	102	235	1,104	63	888	234	29	249	846	135	1,802
1	52	1,642	6,785	857	148	96	98	233	1,070	62	869	230	29	243	817	131	1,745
-	6	44	131	26	3	3	6	2	34	1	19	4	-	6	29	4	57
-	45	763	3,862	501	123	51	61	159	586	...	487	144	20	193	509	70	933
-	5	19	58	17	2	2	1	1	15	...	8	4	-	4	21	3	25
1	7	879	2,923	356	25	45	35	74	484	62	382	86	9	50	308	61	812
-	1	25	73	9	1	1	5	1	19	1	11	-	-	2	8	1	32
1	34	1,056	4,585	570	98	69	68	182	753	44	627	159	22	148	548	83	1,119
-	6	39	111	23	3	3	4	2	30	-	16	3	-	5	22	4	49
-	31	502	2,589	326	83	37	44	125	420	...	356	96	15	119	342	48	595
-	5	18	52	16	2	2	-	1	14	...	6	3	-	3	17	3	19
1	3	554	1,996	244	15	32	24	57	333	44	271	63	7	29	206	35	524
-	1	23	59	7	1	1	4	1	16	-	10	-	-	2	5	1	30

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13–22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45–55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
CONNECTICUT—Continued																
Places of 100,000 or more.....White.....	5,181	-	15	-	4	2	145	1	-	38	1	9	784	4	191	6
Nonwhite..	240	-	1	-	-	-	19	-	-	12	-	-	20	-	7	1
Male.....White.....	2,917	-	11	-	3	2	110	-	-	31	1	8	407	1	63	2
Nonwhite..	129	-	1	-	-	-	13	-	-	9	-	-	13	-	2	-
Female.....White.....	2,264	-	4	-	1	-	35	1	-	7	-	1	377	3	128	4
Nonwhite..	111	-	-	-	-	-	6	-	-	3	-	-	7	-	5	1
Places of 25,000 to 100,000...White.....	5,420	2	10	-	1	-	181	2	-	34	1	6	810	4	189	3
Nonwhite..	132	-	-	1	-	-	12	-	-	6	-	-	9	-	3	1
Male.....White.....	2,934	-	7	-	1	-	116	1	-	24	1	5	392	-	63	-
Nonwhite..	67	-	-	1	-	-	5	-	-	3	-	-	6	-	1	-
Female.....White.....	2,486	2	3	-	-	-	65	1	-	10	-	1	418	4	126	3
Nonwhite..	65	-	-	-	-	-	7	-	-	3	-	-	3	-	2	1
Places of 10,000 to 25,000....White.....	1,990	-	5	1	1	-	102	-	-	6	1	2	313	2	58	4
Nonwhite..	50	-	-	-	-	-	2	-	-	2	-	-	6	-	3	-
Male.....White.....	1,095	-	4	1	-	-	64	-	-	3	-	2	161	1	19	1
Nonwhite..	22	-	-	-	-	-	1	-	-	2	-	-	1	-	1	-
Female.....White.....	895	-	1	-	1	-	38	-	-	3	1	-	152	1	37	3
Nonwhite..	28	-	-	-	-	-	1	-	-	-	-	-	5	-	2	-
Places of 2,500 to 10,000.....White.....	648	-	2	-	1	-	4	-	-	2	1	-	95	1	29	2
Nonwhite..	5	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Male.....White.....	350	-	2	-	1	-	1	-	-	1	-	-	39	1	18	-
Nonwhite..	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Female.....White.....	298	-	-	-	-	-	3	-	-	1	1	-	56	-	11	2
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural.....White.....	6,259	1	13	-	4	-	148	4	-	44	4	7	898	6	181	9
Nonwhite..	89	-	1	-	-	-	7	-	-	12	-	-	10	1	2	1
Male.....White.....	3,458	1	11	-	3	-	107	3	-	32	1	6	448	4	61	2
Nonwhite..	46	-	1	-	-	-	3	-	-	9	-	-	5	1	1	-
Female.....White.....	2,801	-	2	-	1	-	41	1	-	12	3	1	450	2	120	7
Nonwhite..	43	-	-	-	-	-	4	-	-	3	-	-	.5	-	1	1
DELAWARE.....	3,497	1	20	1	11	-	111	2	-	41	1	-	343	1	107	4
Both sexes.....White.....	2,851	-	16	1	9	-	58	2	-	16	1	-	305	-	92	3
Nonwhite..	646	1	4	-	2	-	53	-	-	25	-	-	38	1	15	1
Male.....White.....	1,551	-	10	1	4	-	31	1	-	12	1	-	138	-	31	-
Nonwhite..	359	1	3	-	2	-	34	-	-	21	-	-	16	1	6	-
Female.....White.....	1,300	-	6	-	5	-	27	1	-	4	-	-	167	-	61	3
Nonwhite..	287	-	1	-	-	-	19	-	-	4	-	-	22	-	9	1
Urban.....White.....	1,527	-	11	1	3	-	32	1	-	2	1	-	165	-	56	2
Nonwhite..	374	1	2	-	1	-	27	-	-	6	-	-	21	1	8	-
Male.....White.....	805	-	6	1	-	-	16	1	-	1	1	-	70	-	21	-
Nonwhite..	196	1	1	-	1	-	17	-	-	5	-	-	9	1	3	-
Female.....White.....	722	-	5	-	3	-	16	-	-	1	-	-	95	-	35	2
Nonwhite..	178	-	1	-	-	-	10	-	-	1	-	-	12	-	5	-
Places of 100,000 or more.....White.....	1,229	-	10	-	1	-	24	1	-	1	1	-	135	-	43	2
Nonwhite..	280	-	2	-	1	-	22	-	-	5	-	-	13	1	8	-
Male.....White.....	653	-	5	-	-	-	12	1	-	1	1	-	59	-	16	-
Nonwhite..	140	-	1	-	1	-	13	-	-	4	-	-	6	1	3	-
Female.....White.....	576	-	5	-	1	-	12	-	-	-	-	-	76	-	27	2
Nonwhite..	140	-	1	-	-	-	9	-	-	1	-	-	7	-	5	-
Places of 2,500 to 10,000.....White.....	298	-	1	1	2	-	8	-	-	1	-	-	30	-	13	-
Nonwhite..	94	1	-	-	-	-	5	-	-	1	-	-	8	-	-	-
Male.....White.....	152	-	1	1	-	-	4	-	-	-	-	-	11	-	5	-
Nonwhite..	56	1	-	-	-	-	4	-	-	1	-	-	3	-	-	-
Female.....White.....	146	-	-	-	2	-	4	-	-	1	-	-	19	-	8	-
Nonwhite..	38	-	-	-	-	-	1	-	-	-	-	-	5	-	-	-
Rural.....White.....	1,324	-	5	-	6	-	26	1	-	14	-	-	140	-	36	1
Nonwhite..	272	-	2	-	1	-	26	-	-	19	-	-	17	-	7	1
Male.....White.....	746	-	4	-	4	-	15	-	-	11	-	-	68	-	10	-
Nonwhite..	163	-	2	-	1	-	17	-	-	16	-	-	7	-	3	-
Female.....White.....	578	-	1	-	2	-	11	1	-	3	-	-	72	-	26	1
Nonwhite..	109	-	-	-	-	-	9	-	-	3	-	-	10	-	4	1
DISTRICT OF COLUMBIA.....	8,787	1	26	3	36	1	533	1	-	133	3	2	1,073	8	225	14
Both sexes.....White.....	5,600	-	16	1	7	-	178	-	-	39	1	1	839	3	157	9
Nonwhite..	3,187	1	10	2	29	1	357	1	-	94	2	1	234	5	68	5
Male.....White.....	3,004	-	9	1	2	-	125	-	-	29	1	-	379	1	72	1
Nonwhite..	1,672	1	7	-	10	1	192	-	-	66	2	1	102	1	19	-
Female.....White.....	2,596	-	7	-	5	-	51	-	-	10	-	1	460	2	85	8
Nonwhite..	1,515	-	3	2	19	-	165	1	-	28	-	-	132	4	49	5
FLORIDA.....	23,482	20	36	5	70	27	855	38	44	398	7	6	2,074.	23	405	19
Both sexes.....White.....	16,187	8	31	4	32	22	373	22	12	109	6	4	1,719	9	327	11
Nonwhite..	7,275	12	5	1	38	5	482	16	32	289	1	2	355	14	78	8
Male.....White.....	10,241	5	19	2	20	13	253	13	4	91	2	4	837	5	152	3
Nonwhite..	3,984	5	3	-	29	4	253	9	16	208	1	1	131	4	25	2
Female.....White.....	5,946	3	12	2	12	9	120	9	8	18	4	-	882	4	175	8
Nonwhite..	3,291	7	2	1	9	1	229	7	16	81	-	1	224	10	53	6
Urban.....White.....	9,616	5	23	4	6	6	237	8	3	80	2	4	1,184	5	221	10
Nonwhite..	4,614	4	2	1	20	4	347	13	11	225	-	-	218	8	57	6
Male.....White.....	5,810	3	14	2	3	4	163	3	1	68	-	4	587	2	106	3
Nonwhite..	2,447	1	-	-	17	3	183	8	3	160	-	-	78	3	19	1
Female.....White.....	3,808	2	9	2	3	2	74	5	2	12	2	-	597	3	115	7
Nonwhite..	2,167	3	2	1	3	1	164	5	8	65	-	-	142	5	38	5

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90–95	Pneumonia (all forms) and influenza 107–109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130–132	Diseases of pregnancy, childbirth, and the puerperium 140–150	Congenital malformations and diseases peculiar to the first year 157–161	Suicide 163, 164	Homicide 165–168	Motor-vehicle accidents 170	Other accidents 169, 171–195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1	18	386	1,811	213	42	30	18	75	321	15	230	58	10	67	209	46	431
-	4	16	69	13	1	1	3	1	21	-	10	2	-	1	11	4	23
-	16	183	1,035	120	36	15	9	51	202	...	125	35	7	55	136	25	228
-	4	8	34	8	1	1	-	1	9	...	3	2	-	1	8	3	8
1	2	203	776	93	6	15	9	24	119	15	105	23	3	12	73	21	203
-	-	8	35	5	-	-	3	-	12	-	7	-	-	-	3	1	15
-	14	453	1,851	254	34	24	39	83	291	16	266	71	7	52	225	24	473
-	1	14	31	7	2	2	-	1	7	-	4	1	-	2	9	-	19
-	13	209	1,029	148	30	11	26	56	150	...	153	40	6	42	139	17	255
-	-	5	14	6	1	1	-	-	3	...	1	1	-	2	8	-	9
-	1	244	822	106	4	13	13	27	141	16	113	31	1	10	86	7	218
-	1	9	17	1	1	1	-	1	4	-	3	-	-	-	1	-	10
-	2	155	712	74	14	14	7	20	109	10	89	24	3	21	84	9	150
-	1	7	10	3	-	-	1	-	2	-	2	-	-	2	2	-	7
-	2	79	402	39	11	10	6	15	51	...	58	16	2	18	51	3	76
-	1	3	4	2	-	-	-	-	2	...	2	-	-	-	1	-	2
-	-	76	310	35	3	4	1	5	58	10	31	8	1	3	33	6	74
-	-	4	6	1	-	-	1	-	-	-	-	-	-	2	1	-	5
-	-	62	211	29	8	1	4	4	32	3	42	6	2	8	30	4	65
-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	31	123	19	6	1	3	3	17	...	20	5	-	4	16	3	36
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	31	88	10	2	-	1	1	15	3	22	1	2	4	14	1	29
-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	18	586	2,200	287	50	27	28	51	317	18	242	71	7	95	269	48	626
-	5	20	3	-	-	2	-	4	1	3	1	-	1	7	-	8
-	14	261	1,273	175	40	14	17	34	166	...	131	48	5	74	167	22	338
-	3	6	1	-	-	1	-	1	...	2	1	-	1	4	-	6
-	4	325	927	112	10	13	11	17	151	18	111	23	2	21	102	26	288
-	-	2	14	2	-	-	1	-	3	1	1	-	-	-	3	-	2
-	2	315	1,033	252	19	43	15	23	359	15	161	26	10	62	193	23	305
-	2	258	888	188	16	28	13	21	299	8	134	26	1	51	150	20	245
-	-	57	145	64	3	15	2	2	60	7	27	-	9	11	43	3	58
-	1	117	504	104	15	14	10	12	155	...	73	21	1	42	97	10	146
-	-	19	78	40	2	7	2	2	28	...	16	-	9	8	28	1	35
-	1	141	384	84	1	14	3	9	144	8	61	5	-	9	53	10	99
-	-	38	67	24	1	8	-	-	32	7	11	-	-	3	15	2	23
-	1	139	452	103	9	15	5	14	168	6	83	8	1	25	76	11	139
-	-	31	79	52	3	6	-	-	39	3	19	-	4	4	24	2	41
-	-	60	248	54	9	9	4	9	83	...	47	5	1	20	49	6	84
-	-	8	40	35	2	1	-	-	18	...	11	-	4	3	15	1	22
-	1	79	204	49	-	6	1	5	83	6	38	3	-	5	27	5	55
-	-	23	39	17	1	5	-	-	25	3	8	-	-	1	9	1	19
-	1	108	365	87	7	13	5	12	137	5	70	8	1	15	63	6	108
-	-	28	55	44	3	5	-	-	26	2	14	-	3	1	14	2	31
-	-	45	201	47	7	8	4	8	74	...	37	5	1	14	40	4	63
-	-	8	24	29	2	1	-	-	10	...	7	-	3	1	8	1	17
-	1	63	164	40	-	5	1	4	63	5	33	3	-	1	23	2	45
-	-	20	31	15	1	4	-	-	16	2	7	-	-	-	6	1	14
-	-	31	87	16	2	2	-	2	29	1	13	-	-	10	13	5	31
-	-	3	24	8	-	1	-	-	13	1	5	-	1	3	10	-	10
-	-	15	47	7	2	1	-	1	9	...	10	-	-	6	9	2	21
-	-	-	16	6	-	-	-	-	6	...	4	-	1	2	7	-	5
-	-	16	40	9	-	1	-	1	20	1	3	-	-	4	4	3	10
-	-	3	8	2	-	1	-	-	7	1	1	-	-	1	3	-	5
-	1	119	436	85	7	13	8	7	133	2	51	18	-	26	74	9	106
-	-	26	86	12	-	9	2	2	21	4	8	-	5	7	19	1	17
-	1	57	256	50	6	5	6	3	72	...	26	16	-	22	48	4	62
-	-	11	38	5	-	6	2	2	12	...	5	-	5	5	13	-	13
-	-	62	180	35	1	8	2	4	61	2	25	2	-	4	28	5	44
-	-	15	28	7	-	3	-	-	9	4	3	-	-	2	6	1	4
2	31	523	2,476	516	50	103	49	113	823	35	485	103	81	84	347	28	879
1	20	376	1,680	281	40	35	33	92	540	14	264	93	13	61	238	18	552
1	11	147	796	255	10	68	16	21	283	21	221	10	68	23	109	10	327
-	14	158	971	147	32	16	19	65	271	...	158	47	9	43	134	8	292
1	8	63	406	149	10	33	9	11	135	...	124	8	55	17	74	5	162
1	6	218	709	134	8	19	14	27	269	14	106	46	4	18	104	10	260
-	3	84	390	86	-	35	7	10	148	21	97	2	13	6	35	5	165
37	48	2,154	5,003	1,531	159	248	149	212	1,641	173	1,305	194	356	551	2,244	977	2,473
20	35	1,323	3,931	849	107	130	88	183	1,050	98	937	186	100	405	1,888	534	1,654
17	15	831	1,072	682	52	118	61	49	591	75	368	8	258	126	356	443	819
7	31	708	2,545	523	93	66	65	111	620	...	560	124	82	347	1,639	341	956
6	10	396	574	354	35	58	31	34	345	...	207	5	201	99	271	240	427
13	4	615	1,388	326	14	64	23	52	430	98	377	62	18	58	249	193	698
11	3	435	498	328	17	60	30	15	246	75	161	3	55	27	85	203	392
10	20	785	2,681	496	65	54	45	112	631	53	580	117	50	193	601	289	1,056
15	8	519	718	465	40	63	47	32	371	41	243	5	166	69	185	191	520
4	17	388	1,731	312	60	25	28	77	368	...	347	75	38	161	450	163	603
4	5	231	360	240	27	33	23	21	213	...	129	3	132	56	132	112	253
6	3	397	950	184	5	29	17	35	263	53	233	42	12	32	151	106	453
11	3	288	358	225	13	30	24	11	158	41	115	2	34	13	53	79	267

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
FLORIDA—Continued																
Places of 100,000 or more....White.....	3,844	2	10	1	3	2	116	1	-	33	-	1	479	-	98	6
Nonwhite..	1,929	2	2	1	12	2	184	-	3	70	-	-	89	3	29	2
Male.....White.....	2,334	1	4	-	-	2	72	-	-	28	-	1	253	-	43	1
Nonwhite..	1,005	1	-	-	11	1	96	-	-	51	-	-	24	2	8	-
Female.....White.....	1,510	1	6	1	3	-	44	1	-	5	-	-	228	-	55	5
Nonwhite..	924	1	2	1	1	1	88	-	3	19	-	-	65	1	21	2
Places of 25,000 to 100,000...White.....	2,065	-	5	-	2	2	40	1	-	5	-	-	262	3	55	4
Nonwhite..	662	-	-	-	2	-	40	3	1	12	-	-	40	1	5	-
Male.....White.....	1,221	-	4	-	2	1	31	-	-	5	-	-	121	2	33	2
Nonwhite..	338	-	-	-	1	-	24	2	1	8	-	-	11	1	3	-
Female.....White.....	844	-	1	-	-	1	9	1	-	-	-	-	141	1	22	2
Nonwhite..	324	-	-	-	1	-	16	1	-	4	-	-	29	-	2	-
Places of 10,000 to 25,000....White.....	1,544	-	4	2	-	1	28	2	1	6	1	1	193	-	26	-
Nonwhite..	791	1	-	-	4	2	48	-	3	29	-	-	30	1	8	1
Male.....White.....	917	-	3	2	-	-	22	1	-	3	-	1	84	-	9	-
Nonwhite..	436	-	-	-	3	2	30	-	2	21	-	-	13	-	4	1
Female.....White.....	627	-	1	-	-	1	6	1	1	3	1	-	109	-	17	-
Nonwhite..	355	1	-	-	1	-	18	-	1	8	-	-	17	1	4	-
Places of 2,500 to 10,000.....White.....	2,163	3	4	1	1	1	53	4	2	36	1	2	250	2	42	-
Nonwhite..	1,232	1	-	-	2	-	75	10	4	114	-	-	59	3	15	3
Male.....White.....	1,338	2	3	-	1	1	38	2	1	32	-	2	129	-	21	-
Nonwhite..	668	-	-	-	2	-	33	6	-	80	-	-	28	-	4	-
Female.....White.....	825	1	1	1	-	-	15	2	1	4	1	-	121	2	21	-
Nonwhite..	564	1	-	-	-	-	42	4	4	34	-	-	31	3	11	3
Rural.....White.....	6,571	3	8	-	28	16	136	14	9	29	4	-	535	4	106	1
Nonwhite..	2,661	8	3	-	18	1	135	3	21	64	1	2	137	6	21	2
Male.....White.....	4,431	2	5	-	17	9	90	10	3	23	2	-	250	3	46	-
Nonwhite..	1,537	4	3	-	12	1	70	1	13	48	1	1	55	1	6	1
Female.....White.....	2,140	1	3	-	9	7	46	4	6	6	2	-	285	1	60	1
Nonwhite..	1,124	4	-	-	6	-	65	2	8	16	-	1	82	5	15	1
GEORGIA.....	30,101	23	46	7	168	49	1,332	79	43	467	27	10	2,149	32	438	34
Both sexes.....White.....	16,917	8	36	6	75	34	513	41	17	123	20	8	1,583	9	329	27
Nonwhite..	13,184	15	10	1	93	15	819	38	26	344	7	2	566	23	109	7
Male.....White.....	9,718	4	25	5	40	20	519	19	10	89	9	4	705	4	145	6
Nonwhite..	6,924	9	9	-	49	8	406	20	13	226	3	2	190	5	48	2
Female.....White.....	7,199	4	11	1	35	14	194	22	7	34	11	4	878	5	184	21
Nonwhite..	6,260	6	1	1	44	7	413	18	13	118	4	-	376	18	61	5
Urban.....White.....	7,350	1	14	3	30	9	238	13	7	55	8	3	772	2	149	11
Nonwhite..	6,489	-	4	1	32	4	448	7	9	157	6	1	306	14	52	4
Male.....White.....	4,132	1	9	3	15	4	141	3	3	44	3	-	321	1	67	2
Nonwhite..	3,305	-	3	-	17	3	213	4	3	101	2	1	90	3	14	2
Female.....White.....	3,218	-	5	-	15	5	97	10	4	11	5	3	451	1	82	9
Nonwhite..	3,184	-	1	1	15	1	255	3	6	56	4	-	216	11	38	2
Places of 100,000 or more.....White.....	2,138	-	2	-	8	1	74	3	1	12	2	-	292	1	42	3
Nonwhite..	1,763	-	1	-	9	2	156	1	1	43	2	1	91	4	14	1
Male.....White.....	1,158	-	1	-	3	-	47	-	1	9	-	-	111	1	20	-
Nonwhite..	947	-	-	-	5	1	82	1	-	31	1	1	30	1	5	1
Female.....White.....	980	-	1	-	5	1	27	3	-	3	2	-	181	-	22	3
Nonwhite..	816	-	1	-	4	1	74	-	1	12	1	-	61	3	9	-
Places of 25,000 to 100,000...White.....	2,153	1	9	-	6	3	80	2	2	28	2	1	189	-	48	1
Nonwhite..	2,188	-	3	1	10	2	153	-	-	70	2	-	86	4	16	1
Male.....White.....	1,237	1	5	-	2	1	50	-	1	25	1	-	84	-	19	1
Nonwhite..	1,132	-	3	-	6	2	70	-	-	48	-	-	31	1	4	-
Female.....White.....	916	-	4	-	4	2	30	2	1	3	1	1	105	-	29	-
Nonwhite..	1,056	-	-	1	4	-	83	-	-	22	2	-	55	3	12	1
Places of 10,000 to 25,000....White.....	1,263	-	1	2	7	-	40	-	2	7	3	2	114	-	30	5
Nonwhite..	1,100	-	-	-	4	-	64	3	2	20	2	-	56	3	15	1
Male.....White.....	704	-	1	2	4	-	23	-	1	5	2	-	50	-	14	1
Nonwhite..	538	-	-	-	1	-	28	1	1	12	1	-	11	-	3	-
Female.....White.....	559	-	-	-	3	-	17	-	1	2	1	2	64	-	16	4
Nonwhite..	562	-	-	-	3	-	36	2	1	8	1	-	45	3	12	1
Places of 2,500 to 10,000.....White.....	1,796	-	2	1	9	5	44	8	2	8	1	-	177	1	29	2
Nonwhite..	1,438	-	-	-	9	-	75	3	6	24	-	-	73	3	7	1
Male.....White.....	1,033	-	2	1	6	3	21	3	-	5	-	-	76	-	14	-
Nonwhite..	688	-	-	-	5	-	33	2	2	10	-	-	18	1	2	1
Female.....White.....	763	-	-	-	3	2	23	5	2	3	1	-	101	1	15	2
Nonwhite..	750	-	-	-	4	-	42	1	4	14	-	-	55	2	5	-
Rural.....White.....	9,567	7	22	3	45	25	275	28	10	68	12	5	811	7	180	16
Nonwhite..	6,695	15	6	-	61	11	371	31	17	187	1	1	260	9	57	3
Male.....White.....	5,586	3	16	2	25	16	178	16	7	45	6	4	384	3	78	4
Nonwhite..	3,619	9	6	-	32	5	193	16	10	125	1	1	100	2	34	-
Female.....White.....	3,981	4	6	1	20	9	97	12	3	23	6	1	427	4	102	12
Nonwhite..	3,076	6	-	-	29	6	178	15	7	62	-	-	180	7	23	3
IDAHO.....	4,712	5	10	5	5	3	93	4	-	16	15	2	524	8	106	19
Both sexes.....White.....	4,648	5	10	4	5	3	83	4	-	15	13	2	515	8	105	18
Nonwhite..	64	-	-	1	-	-	10	-	-	1	2	-	9	-	1	1
Male.....White.....	2,932	4	9	3	1	1	65	2	-	9	8	2	268	5	47	3
Nonwhite..	35	-	-	-	-	-	4	-	-	1	-	-	4	-	1	-
Female.....White.....	1,716	1	1	1	4	2	18	2	-	6	5	-	247	3	58	15
Nonwhite..	29	-	-	1	-	-	6	-	-	-	2	-	5	-	-	1
Urban.....White.....	2,066	1	1	1	2	1	28	-	-	7	5	1	253	2	42	5
Nonwhite..	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	1,215	1	-	1	1	1	23	-	-	4	2	1	128	1	18	1
Nonwhite..	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	851	-	1	-	1	-	5	-	-	3	3	-	125	1	24	4
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
3	9	270	1,002	199	28	24	10	59	231	20	245	64	27	90	217	150	444
5	2	222	294	188	16	18	22	14	133	17	112	4	61	30	76	86	230
2	7	129	669	122	26	9	4	40	128	...	142	44	21	72	154	95	265
1	2	103	154	91	12	7	10	8	78	...	57	2	49	19	57	48	113
1	2	141	333	77	2	15	6	19	103	20	103	20	6	18	63	55	179
4	-	119	140	97	4	11	12	6	55	17	55	2	12	11	19	38	117
1	1	192	675	87	10	9	10	22	116	9	114	21	5	23	124	33	234
-	2	78	125	79	3	16	7	6	68	4	23	1	36	10	20	15	67
1	-	94	422	51	7	5	6	14	73	...	74	11	4	21	86	20	131
-	1	35	56	39	1	9	3	4	39	...	9	1	31	9	14	6	30
-	1	98	253	36	3	4	4	8	43	9	40	10	1	2	38	13	103
-	1	43	69	40	2	7	4	2	29	4	14	-	5	1	6	7	37
1	4	147	397	72	9	8	14	13	118	13	108	15	5	31	115	46	165
4	2	88	117	81	10	9	9	6	85	10	52	-	32	14	33	28	84
1	4	74	255	45	9	5	11	11	66	...	65	11	4	24	89	28	90
1	2	37	59	44	6	6	4	5	48	...	30	-	22	13	21	20	42
-	-	73	142	27	-	3	3	2	50	13	43	4	1	7	26	18	75
3	-	51	58	37	4	3	5	1	37	10	22	-	10	1	12	8	42
5	6	176	607	138	18	13	11	18	168	11	113	17	13	49	145	40	213
6	2	131	182	117	11	20	9	6	85	10	56	-	37	15	56	64	139
-	6	91	385	94	18	6	7	12	101	...	66	9	9	44	121	20	117
2	-	56	91	66	8	11	6	4	48	...	32	-	30	15	40	38	68
5	-	85	222	44	-	7	4	6	67	11	47	8	4	5	24	20	96
4	2	75	91	51	3	9	3	2	37	10	24	-	7	-	16	26	71
10	15	538	1,250	353	42	76	43	51	419	45	357	69	50	212	1,287	265	598
2	5	312	354	217	12	55	14	17	220	34	125	3	90	57	171	252	299
3	14	320	814	211	33	41	37	34	252	...	213	49	44	186	1,189	178	353
2	5	165	214	114	8	25	8	13	132	...	79	2	69	43	139	128	174
7	1	218	436	142	9	35	6	17	167	45	144	20	6	26	98	87	245
-	-	147	140	103	4	30	6	4	88	34	46	1	21	14	32	124	125
176	59	3,154	5,769	2,379	177	385	192	153	3,150	307	2,056	176	444	649	1,587	1,569	2,815
87	42	1,580	3,666	1,134	93	173	119	105	1,753	155	1,238	162	106	454	1,018	622	1,581
89	17	1,574	2,103	1,245	84	212	73	48	1,397	152	818	14	338	195	569	947	1,234
28	40	823	2,238	613	76	87	64	73	965	...	730	120	84	388	752	342	893
26	15	743	1,083	651	45	98	30	33	763	...	486	11	274	160	395	487	654
59	2	757	1,430	521	17	86	55	32	788	155	508	42	22	66	266	280	688
63	2	831	1,020	594	39	114	43	15	634	152	352	3	64	35	174	460	580
21	21	639	1,772	436	42	39	51	71	773	55	571	80	42	170	358	197	667
44	8	832	1,186	635	42	95	45	27	725	53	361	6	185	78	231	273	618
8	20	322	1,071	249	33	36	27	50	420	...	340	58	32	143	234	105	367
13	6	387	594	316	17	50	16	17	408	...	203	5	148	64	153	141	311
13	1	317	701	187	9	33	24	21	353	55	231	22	10	27	124	92	300
31	2	445	592	319	25	45	29	10	317	53	158	1	37	14	78	132	307
3	9	154	560	94	17	7	16	29	255	11	121	28	11	35	107	35	205
3	4	221	374	153	10	10	10	9	202	9	98	2	55	15	63	25	176
2	9	74	339	55	12	3	10	18	124	...	70	16	11	27	64	18	113
1	4	113	195	71	5	5	4	4	124	...	54	2	46	13	36	14	97
1	-	80	221	39	5	4	6	11	131	11	51	12	-	8	43	17	92
2	-	108	179	82	5	5	6	5	78	9	42	-	9	2	27	11	79
8	6	198	524	139	8	25	11	21	214	11	201	24	16	41	90	44	202
25	-	309	427	217	11	34	21	8	201	11	114	4	70	25	79	85	199
4	5	94	306	83	7	12	4	18	123	...	125	21	11	36	59	28	111
5	-	140	215	125	6	16	8	5	100	...	65	3	55	21	58	43	102
4	1	102	218	56	1	13	7	3	91	11	76	3	5	5	31	16	91
20	-	169	212	92	5	18	13	3	101	11	49	1	15	4	21	42	97
3	2	112	273	84	5	21	9	11	149	16	107	13	2	29	59	52	103
5	1	133	155	135	8	19	5	5	160	14	53	-	28	15	34	55	105
-	2	55	168	48	5	12	5	8	81	...	62	8	1	24	38	29	55
2	-	57	77	60	3	11	2	4	97	...	27	-	25	13	22	36	44
3	-	57	105	36	-	9	4	3	88	16	45	5	1	5	21	23	48
3	1	76	78	75	5	8	3	1	63	14	26	-	3	2	12	19	61
7	4	177	415	119	12	16	15	10	155	17	142	15	13	65	102	66	157
11	3	169	230	130	13	32	9	5	162	19	98	-	32	23	55	108	138
2	4	99	258	63	9	9	8	6	92	...	83	13	9	56	73	30	88
5	2	77	107	60	3	18	2	4	87	...	57	-	22	17	37	48	68
5	-	78	157	56	3	7	7	4	63	17	59	2	4	9	29	36	69
6	1	92	123	70	10	14	7	1	75	19	41	-	10	6	18	60	70
68	21	941	1,894	698	51	104	68	34	980	100	667	82	64	284	660	425	914
45	9	742	917	610	42	117	28	21	672	99	457	8	153	117	338	674	616
20	20	501	1,165	364	43	51	37	23	545	...	390	62	52	245	518	237	526
13	9	356	489	335	28	48	14	16	355	...	263	6	126	96	242	346	343
46	1	440	729	334	8	53	31	11	435	100	277	20	12	39	142	188	388
32	-	386	428	275	14	69	14	5	317	99	194	2	27	21	96	328	273
2	4	401	1,233	273	41	12	45	24	331	29	269	41	9	121	450	116	496
2	3	389	1,228	268	41	12	45	24	327	29	260	40	9	119	449	113	490
-	1	2	5	5	-	-	-	-	4	-	9	1	-	2	1	3	6
-	3	222	787	168	36	7	30	15	207	...	164	35	6	94	372	75	284
-	1	1	3	4	-	-	-	-	1	...	6	1	-	2	-	3	3
2	-	177	441	100	5	5	15	9	120	29	96	5	3	25	77	38	206
-	-	1	2	1	-	-	-	-	3	-	3	-	-	-	1	-	3
-	-	172	563	117	17	7	18	9	172	12	157	10	2	53	136	51	221
-	-	-	2	-	-	-	-	-	1	-	2	-	-	1	-	1	1
-	-	88	334	66	14	5	16	5	108	...	96	10	2	39	92	39	119
-	-	-	1	-	-	-	-	-	1	...	2	-	-	1	-	1	-
-	-	84	229	51	3	2	2	4	64	12	61	-	-	14	44	12	102
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
IDAHO—Continued																
Places of 25,000 to 100,000...White.....	358	-	-	-	-	-	4	-	-	2	-	1	42	-	11	1
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	207	-	-	-	-	-	4	-	-	1	-	1	20	-	6	-
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	151	-	-	-	-	-	-	-	-	1	-	-	22	-	5	1
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White.....	835	1	1	-	1	-	14	-	-	2	1	-	108	1	9	2
Nonwhite..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	475	1	-	-	1	-	10	-	-	1	-	-	52	-	3	1
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	360	-	1	-	-	-	4	-	-	1	1	-	56	1	6	1
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	873	-	-	1	1	1	10	-	-	3	4	-	103	1	22	2
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	533	-	-	1	-	1	9	-	-	2	2	-	56	1	9	-
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	340	-	-	-	1	-	1	-	-	1	2	-	47	-	13	2
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural.....White.....	2,582	4	9	3	3	2	55	4	-	8	8	1	262	6	63	13
Nonwhite..	56	-	-	1	-	-	10	-	-	1	2	-	9	-	1	1
Male.....White.....	1,717	3	9	2	-	-	42	2	-	5	6	1	140	4	29	2
Nonwhite..	29	-	-	-	-	-	4	-	-	1	-	-	4	-	1	-
Female.....White.....	865	1	-	1	3	2	13	2	-	3	2	-	122	2	34	11
Nonwhite..	27	-	-	1	-	-	6	-	-	-	2	-	5	-	-	1
ILLINOIS.....	92,058	13	160	27	101	79	3,349	34	11	910	57	157	12,113	80	2,627	255
Both sexes.....White.....	85,276	13	129	26	83	76	2,526	31	11	672	53	152	11,561	74	2,523	245
Nonwhite..	6,782	-	31	1	18	3	823	3	-	238	4	5	552	6	104	10
Male.....White.....	47,790	7	76	12	33	47	1,678	15	10	508	30	99	5,670	40	953	52
Nonwhite..	3,748	-	18	-	6	2	498	3	-	172	4	5	249	4	25	1
Female.....White.....	37,486	6	53	14	50	29	848	16	1	164	23	53	5,891	34	1,570	193
Nonwhite..	3,034	-	13	1	12	1	325	-	-	66	-	-	303	2	79	9
Urban.....White.....	61,749	8	106	8	48	65	1,855	13	5	365	37	126	8,881	55	1,926	175
Nonwhite..	5,933	-	30	1	18	2	758	3	-	123	4	5	498	6	91	9
Male.....White.....	34,146	4	62	3	18	39	1,235	10	4	275	22	86	4,299	32	692	40
Nonwhite..	3,232	-	17	-	6	1	461	3	-	90	4	5	221	4	20	1
Female.....White.....	27,603	4	44	5	30	26	620	3	1	90	15	40	4,582	23	1,234	135
Nonwhite..	2,701	-	13	1	12	1	297	-	-	33	-	-	277	2	71	8
Places of 100,000 or more.....White.....	35,374	3	78	5	19	53	1,264	3	1	150	19	89	5,287	30	1,165	98
Nonwhite..	4,693	-	27	1	9	-	662	3	-	77	2	5	395	6	73	7
Male.....White.....	19,818	2	42	3	7	34	874	2	1	113	15	60	2,629	18	415	22
Nonwhite..	2,549	-	16	-	2	-	397	3	-	53	2	5	180	4	15	1
Female.....White.....	15,556	1	36	2	12	19	390	1	-	37	4	29	2,658	12	750	76
Nonwhite..	2,144	-	11	1	7	-	265	-	-	24	-	-	215	2	58	6
Places of 25,000 to 100,000...White.....	11,401	1	11	2	9	4	252	3	3	106	6	19	1,556	9	340	38
Nonwhite..	707	-	3	-	6	-	58	-	-	29	1	-	60	-	10	2
Male.....White.....	6,110	-	10	-	3	1	161	3	2	81	3	16	737	5	112	12
Nonwhite..	393	-	1	-	3	-	34	-	-	24	1	-	27	-	3	-
Female.....White.....	5,291	1	1	2	6	3	91	-	1	25	3	3	819	4	228	26
Nonwhite..	314	-	2	-	3	-	24	-	-	5	-	-	33	-	7	2
Places of 10,000 to 25,000....White.....	6,233	1	7	-	5	7	150	-	-	68	5	9	840	3	166	19
Nonwhite..	335	-	-	-	3	1	24	-	-	14	-	-	27	-	4	-
Male.....White.....	3,443	-	4	-	2	3	88	-	-	51	2	3	375	3	65	2
Nonwhite..	179	-	-	-	1	1	18	-	-	10	-	-	8	-	-	-
Female.....White.....	2,790	1	3	-	3	4	62	-	-	17	3	6	485	-	101	17
Nonwhite..	156	-	-	-	2	-	6	-	-	4	-	-	19	-	4	-
Places of 2,500 to 10,000.....White.....	8,741	3	10	1	15	1	189	7	1	41	7	9	1,198	13	255	20
Nonwhite..	198	-	-	-	-	1	14	-	-	3	1	-	16	-	4	-
Male.....White.....	4,775	2	6	-	6	1	112	5	1	30	2	7	558	6	100	4
Nonwhite..	111	-	-	-	-	-	12	-	-	3	1	-	6	-	2	-
Female.....White.....	3,966	1	4	1	9	-	77	2	-	11	5	2	640	7	155	16
Nonwhite..	87	-	-	-	-	1	2	-	-	-	-	-	10	-	2	-
Rural.....White.....	23,527	5	23	18	35	11	671	18	6	307	16	26	2,680	19	597	70
Nonwhite..	849	-	1	-	-	1	65	-	-	115	-	-	54	-	13	1
Male.....White.....	13,644	3	14	9	15	8	443	5	6	233	8	13	1,371	8	261	12
Nonwhite..	516	-	1	-	-	1	37	-	-	82	-	-	28	-	5	-
Female.....White.....	9,883	2	9	9	20	3	228	13	-	74	8	13	1,309	11	336	58
Nonwhite..	333	-	-	-	-	-	28	-	-	33	-	-	28	-	8	1
INDIANA.....	41,257	13	70	19	116	28	1,248	25	4	445	71	20	4,511	41	962	116
Both sexes.....White.....	39,028	13	65	18	106	26	1,053	25	4	366	69	18	4,329	38	906	112
Nonwhite..	2,229	-	5	1	10	2	195	-	-	79	2	2	182	3	56	4
Male.....White.....	21,813	6	46	7	50	13	639	13	1	281	33	13	1,953	19	365	20
Nonwhite..	1,235	-	3	-	6	-	115	-	-	55	1	1	77	1	25	-
Female.....White.....	17,215	7	19	11	56	13	414	12	3	85	36	5	2,376	19	541	92
Nonwhite..	994	-	2	1	4	2	80	-	-	24	1	1	105	2	31	4
Urban.....White.....	21,637	6	45	5	67	14	571	11	2	188	31	8	2,497	23	537	62
Nonwhite..	2,030	-	5	1	8	2	168	-	-	62	2	2	167	3	51	4
Male.....White.....	12,087	3	34	1	32	8	361	4	-	133	17	3	1,126	9	207	9
Nonwhite..	1,108	-	3	-	5	-	101	-	-	40	1	1	71	1	21	-
Female.....White.....	9,750	3	11	4	35	6	210	7	2	55	14	5	1,371	14	330	53
Nonwhite..	922	-	2	1	3	2	67	-	-	22	1	1	96	2	30	4
Places of 100,000 or more.....White.....	7,654	-	18	3	18	2	218	5	-	87	7	4	914	7	191	19
Nonwhite..	1,354	-	4	-	6	2	125	-	-	46	2	1	104	1	41	1
Male.....White.....	4,185	-	14	-	9	2	151	1	-	64	4	1	417	2	85	2
Nonwhite..	716	-	2	-	3	-	75	-	-	31	1	-	37	1	14	-
Female.....White.....	3,469	-	4	3	9	-	67	4	-	23	3	3	497	5	126	17
Nonwhite..	638	-	2	-	3	2	50	-	-	15	1	1	67	-	27	1

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90–95	Pneumonia (all forms) and influenza 107–109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130–132	Diseases of pregnancy, childbirth, and the puerperium 140–150	Congenital malformations and diseases peculiar to the first year 157–161	Suicide 163, 164	Homicide 165–168	Motor-vehicle accidents 170	Other accidents 169, 171–195	Senility, ill-defined and unknown causes 162,199,200	All other causes
–	–	24	121	15	3	1	4	2	20	–	25	2	1	6	19	8	46
–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–
–	–	10	70	8	3	–	4	1	14	...	15	2	1	4	12	5	26
–	–	–	–	–	–	–	–	–	–	...	–	–	–	1	–	1	–
–	–	14	51	7	–	1	–	1	8	–	10	–	–	2	7	3	20
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	72	206	67	7	4	10	3	66	8	73	3	1	15	50	20	90
–	–	–	2	–	–	–	–	–	1	–	1	–	–	–	–	–	1
–	–	38	120	36	5	4	3	2	40	...	42	3	1	12	34	14	47
–	–	–	1	–	–	–	–	–	1	...	1	–	–	–	–	–	–
–	–	34	86	31	2	–	2	1	26	8	31	–	–	3	16	6	43
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
–	–	76	236	35	7	2	4	4	86	4	59	5	–	32	67	23	85
–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
–	–	40	144	22	6	1	4	2	54	...	39	5	–	23	46	20	46
–	–	–	–	–	–	–	–	–	–	...	1	–	–	–	–	–	–
–	–	36	92	13	1	1	–	2	32	4	20	–	–	9	21	3	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
2	3	227	665	151	24	5	27	15	155	17	103	30	7	66	313	62	269
–	1	2	5	5	–	–	–	–	3	–	7	1	–	1	1	2	5
–	3	134	453	102	22	2	14	10	99	...	68	25	4	55	280	36	165
–	1	1	2	4	–	–	–	–	–	...	4	1	–	1	–	2	3
2	–	93	212	49	2	3	13	5	56	17	35	5	3	11	33	26	104
–	–	1	1	1	–	–	–	–	3	–	3	–	–	–	1	–	2
12	61	7,213	31,766	3,914	620	420	538	925	6,913	320	3,722	834	312	1,332	3,855	520	8,810
12	53	6,754	29,663	3,461	589	380	502	889	6,448	293	3,446	822	164	1,253	3,594	493	8,285
–	8	459	2,103	453	31	40	36	36	465	27	276	12	148	79	259	27	525
8	44	3,325	17,134	2,073	471	202	308	608	3,355	...	1,991	617	125	998	2,450	282	4,573
–	7	214	1,148	283	28	21	18	18	214	...	162	10	115	59	179	13	272
4	9	3,429	12,529	1,388	118	178	196	283	3,093	293	1,455	205	39	255	1,144	211	3,712
–	1	245	955	170	3	19	18	18	251	27	114	2	33	20	80	14	253
5	35	4,559	22,081	2,435	454	239	354	749	4,720	210	2,500	566	131	842	2,467	250	5,479
–	8	410	1,860	405	30	25	29	31	411	24	250	12	139	72	229	18	432
3	29	2,170	12,630	1,488	370	135	204	515	2,393	...	1,419	419	101	670	1,682	141	2,956
–	7	185	994	257	27	12	15	14	188	...	149	10	109	54	158	7	213
2	6	2,389	9,451	947	84	104	150	254	2,327	210	1,081	147	30	172	785	109	2,523
–	1	225	866	148	3	13	14	17	223	24	101	2	30	18	71	11	219
2	20	2,160	13,496	1,360	282	78	203	492	2,677	121	1,308	325	84	450	1,280	28	2,744
–	6	293	1,551	309	28	12	20	23	298	21	189	9	117	57	175	4	314
1	17	1,026	7,799	889	232	42	107	327	1,301	...	717	252	69	354	904	22	1,522
–	5	135	829	194	25	6	13	12	128	...	109	7	91	41	120	1	155
1	3	1,134	5,697	471	50	36	96	165	1,376	121	591	73	15	96	376	8	1,222
–	1	158	722	115	3	6	7	11	170	21	80	2	26	16	55	3	159
–	7	1,008	3,829	470	73	58	63	117	859	28	516	106	23	158	508	92	1,129
–	1	65	165	57	1	5	5	6	71	2	45	1	11	7	25	7	64
–	4	457	2,084	255	58	37	41	94	462	...	302	75	14	127	325	46	583
–	1	26	97	37	1	3	2	2	39	...	29	1	8	6	18	3	27
–	3	549	1,745	215	15	21	22	23	397	28	214	31	9	31	183	46	546
–	–	39	68	20	–	2	3	4	32	2	16	–	3	1	7	4	37
1	5	527	2,032	268	48	41	38	51	454	25	297	62	6	93	281	48	676
–	1	33	78	26	1	7	3	1	28	–	12	1	8	6	16	4	37
1	5	267	1,177	156	38	27	28	35	238	...	172	43	5	73	190	30	362
–	1	18	38	16	1	2	–	–	17	...	7	1	8	5	12	–	19
–	–	280	855	112	10	14	12	16	216	25	125	19	1	20	91	18	314
–	–	17	42	10	–	5	3	1	11	–	5	–	–	1	4	4	18
2	3	866	2,724	337	51	62	50	89	730	36	379	73	18	141	398	82	930
–	–	19	66	13	–	1	1	1	14	1	4	1	3	2	13	3	17
1	3	420	1,570	188	42	29	30	59	392	...	228	49	13	116	263	43	489
–	–	8	32	10	–	1	–	–	4	...	4	1	2	2	8	3	12
1	–	446	1,154	149	9	33	20	30	338	36	151	24	5	25	135	39	441
–	–	11	34	3	–	–	1	1	10	1	–	–	1	–	5	–	5
7	18	2,195	7,582	1,026	135	141	148	140	1,728	83	946	256	33	411	1,127	243	2,806
–	–	49	243	48	1	15	7	5	54	3	26	–	9	7	30	9	93
5	15	1,155	4,504	585	101	67	102	91	962	...	572	198	24	328	768	141	1,617
–	–	29	154	26	1	9	3	4	26	...	13	–	6	5	21	6	59
2	3	1,040	3,078	441	34	74	46	49	766	83	374	58	9	83	359	102	1,189
–	–	20	89	22	–	6	4	1	28	3	13	–	3	2	9	3	34
7	42	4,352	11,854	2,897	228	334	229	245	3,506	149	1,823	396	95	720	2,099	439	4,355
5	41	4,150	11,152	2,664	209	312	210	229	3,287	138	1,727	391	64	695	2,022	425	4,159
2	1	202	502	233	17	22	19	16	219	11	96	5	31	25	77	14	196
2	34	2,161	6,721	1,477	176	159	119	136	1,732	...	993	296	52	531	1,281	216	2,268
1	–	98	283	141	14	10	9	11	112	...	58	3	26	21	53	7	104
3	7	1,989	4,431	1,187	33	153	91	93	1,555	138	734	95	12	164	741	209	1,891
1	1	104	219	92	3	12	10	5	107	11	38	2	5	4	24	7	92
1	24	2,200	6,259	1,516	116	194	117	164	1,787	78	1,075	220	43	392	1,070	238	2,276
2	1	181	466	223	16	22	18	14	192	10	93	4	30	22	72	12	177
–	18	1,120	3,750	863	98	95	60	97	891	...	641	158	37	304	663	125	1,220
1	–	87	265	132	13	10	8	9	93	...	56	2	25	19	48	6	90
1	6	1,080	2,509	655	18	99	57	67	896	78	434	62	6	88	407	113	1,056
1	1	94	201	91	3	12	10	5	99	10	37	2	5	3	24	6	87
–	11	710	2,212	521	44	52	36	63	614	26	367	79	18	152	348	75	833
1	–	123	303	152	6	14	9	7	133	6	62	3	14	11	51	6	120
–	8	361	1,308	298	35	22	15	34	289	...	198	54	17	111	219	38	448
1	–	60	172	81	5	6	4	6	58	...	34	1	12	10	34	3	65
–	3	349	906	223	9	30	21	29	325	26	169	25	1	41	129	37	385
–	–	63	151	71	1	8	5	1	75	6	28	2	2	1	17	3	55

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
INDIANA—Continued																
Places of 25,000 to 100,000...White.....	6,965	2	15	1	19	6	193	3	1	54	10	1	782	10	163	15
Nonwhite..	553	-	1	-	-	-	39	-	-	13	-	1	45	2	8	2
Male.....White.....	3,972	-	11	-	12	4	120	1	-	43	6	1	369	4	61	5
Nonwhite..	331	-	1	-	-	-	24	-	-	8	-	1	23	-	6	-
Female.....White.....	2,993	2	4	1	7	2	73	2	1	11	4	-	413	6	102	10
Nonwhite..	222	-	-	-	-	-	15	-	-	5	-	-	22	2	2	2
Places of 10,000 to 25,000....White.....	2,879	3	3	1	17	3	67	-	-	13	5	3	320	3	77	12
Nonwhite..	70	-	-	1	1	-	2	-	-	1	-	-	9	-	1	1
Male.....White.....	1,562	2	3	1	6	-	40	-	-	6	1	1	123	2	35	2
Nonwhite..	36	-	-	-	1	-	1	-	-	1	-	-	6	-	-	-
Female.....White.....	1,317	1	-	-	11	3	27	-	-	7	4	2	197	1	42	10
Nonwhite..	34	-	-	1	-	-	1	-	-	-	-	-	3	-	1	1
Places of 2,500 to 10,000.....White.....	4,339	1	9	-	13	3	93	3	1	34	9	-	481	3	106	16
Nonwhite..	53	-	-	-	1	-	2	-	-	2	-	-	9	-	1	-
Male.....White.....	2,388	1	6	-	5	2	50	2	-	20	6	-	217	1	46	-
Nonwhite..	25	-	-	-	1	-	1	-	-	-	-	-	5	-	1	-
Female.....White.....	1,971	-	3	-	8	1	43	1	1	14	3	-	264	2	60	16
Nonwhite..	28	-	-	-	-	-	1	-	-	2	-	-	4	-	-	-
Rural.....White.....	17,191	7	20	13	39	12	482	14	2	178	38	10	1,832	15	369	50
Nonwhite..	199	-	-	-	2	-	27	-	-	17	-	-	15	-	5	-
Male.....White.....	9,726	3	12	6	18	5	278	9	1	148	16	10	827	10	158	11
Nonwhite..	127	-	-	-	1	-	14	-	-	15	-	-	6	-	4	-
Female.....White.....	7,465	4	8	7	21	7	204	5	1	30	22	-	1,005	5	211	39
Nonwhite..	72	-	-	-	1	-	13	-	-	2	-	-	9	-	1	-
IOWA.....	26,189	1	22	16	34	13	395	9	1	178	25	18	3,598	13	694	50
Both sexes.....White.....	25,908	1	22	16	33	13	384	9	1	163	25	18	3,561	13	687	50
Nonwhite..	283	-	-	-	1	-	11	-	-	15	-	-	37	-	7	-
Male.....White.....	14,450	1	18	4	16	11	232	5	1	121	12	8	1,671	3	289	9
Nonwhite..	171	-	-	-	-	-	8	-	-	11	-	-	19	-	3	-
Female.....White.....	11,456	-	4	12	17	2	152	4	-	42	13	10	1,890	10	398	41
Nonwhite..	112	-	-	-	1	-	3	-	-	4	-	-	18	-	4	-
Urban.....White.....	12,931	-	15	4	18	9	200	4	1	115	14	8	1,813	7	340	23
Nonwhite..	244	-	-	-	1	-	9	-	-	12	-	-	32	-	6	-
Male.....White.....	6,977	-	13	-	6	8	119	2	1	84	6	3	824	2	131	5
Nonwhite..	150	-	-	-	-	-	7	-	-	9	-	-	16	-	2	-
Female.....White.....	5,954	-	2	4	10	1	81	2	-	31	8	5	989	5	209	18
Nonwhite..	94	-	-	-	1	-	2	-	-	3	-	-	16	-	4	-
Places of 100,000 or more.....White.....	1,647	-	5	-	1	1	26	-	-	16	2	-	256	1	46	-
Nonwhite..	115	-	-	-	-	-	3	-	-	4	-	-	16	-	4	-
Male.....White.....	884	-	4	-	-	1	15	-	-	10	1	-	100	-	16	-
Nonwhite..	70	-	-	-	-	-	2	-	-	3	-	-	9	-	-	-
Female.....White.....	763	-	1	-	1	-	11	-	-	6	1	-	156	1	30	-
Nonwhite..	45	-	-	-	-	-	1	-	-	1	-	-	7	-	4	-
Places of 25,000 to 100,000...White.....	5,176	-	3	2	8	5	90	1	-	36	6	4	730	3	130	9
Nonwhite..	68	-	-	-	1	-	2	-	-	2	-	-	9	-	2	-
Male.....White.....	1,784	-	3	-	2	4	64	-	-	23	4	2	326	-	46	2
Nonwhite..	38	-	-	-	-	-	1	-	-	1	-	-	4	-	2	-
Female.....White.....	2,392	-	-	2	6	1	26	1	-	13	2	2	404	3	84	7
Nonwhite..	30	-	-	-	1	-	1	-	-	1	-	-	5	-	-	-
Places of 10,000 to 25,000....White.....	1,719	-	-	1	5	-	29	-	-	8	2	2	222	2	51	12
Nonwhite..	33	-	-	-	-	-	1	-	-	1	-	-	7	-	-	-
Male.....White.....	916	-	-	-	3	-	19	-	-	7	-	1	100	1	25	3
Nonwhite..	21	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-
Female.....White.....	803	-	-	1	2	-	10	-	-	1	2	1	122	1	26	9
Nonwhite..	12	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
Places of 2,500 to 10,000.....White.....	4,389	-	7	1	2	3	55	3	1	55	4	2	605	1	113	2
Nonwhite..	28	-	-	-	-	-	3	-	-	5	-	-	-	-	-	-
Male.....White.....	2,393	-	6	-	1	3	21	2	1	44	1	-	298	1	44	-
Nonwhite..	21	-	-	-	-	-	3	-	-	4	-	-	-	-	-	-
Female.....White.....	1,996	-	1	1	1	-	34	1	-	11	3	2	307	-	69	2
Nonwhite..	7	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Rural.....White.....	12,975	1	7	12	17	4	184	5	-	48	11	10	1,748	6	347	27
Nonwhite..	39	-	-	-	-	-	2	-	-	3	-	-	5	-	1	-
Male.....White.....	7,473	1	5	4	10	3	113	3	-	37	6	5	847	1	158	4
Nonwhite..	21	-	-	-	-	-	1	-	-	2	-	-	3	-	1	-
Female.....White.....	5,502	-	2	8	7	1	71	2	-	11	5	5	901	5	189	23
Nonwhite..	18	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-
KANSAS.....	19,021	2	22	16	32	14	345	10	4	161	7	68	2,253	16	501	44
Both sexes.....White.....	17,959	1	22	16	29	13	307	10	4	124	7	67	2,140	15	478	41
Nonwhite..	1,062	1	-	-	3	1	38	-	-	37	-	1	113	1	23	3
Male.....White.....	10,192	-	17	6	13	7	176	5	3	98	5	39	1,020	8	209	3
Nonwhite..	559	-	-	-	2	1	23	-	-	26	-	-	44	-	5	-
Female.....White.....	7,767	1	5	10	16	6	131	5	1	26	2	28	1,120	7	269	38
Nonwhite..	503	1	-	-	1	-	15	-	-	11	-	1	69	1	18	3
Urban.....White.....	8,493	-	14	9	17	6	174	2	2	82	3	35	1,044	8	225	17
Nonwhite..	848	1	-	-	3	1	28	-	-	30	-	1	95	1	18	3
Male.....White.....	4,663	-	9	2	7	4	100	-	2	49	2	18	482	3	92	1
Nonwhite..	426	-	-	-	2	1	15	-	-	21	-	-	34	-	3	-
Female.....White.....	3,830	-	5	7	10	2	74	2	-	13	1	17	562	5	133	16
Nonwhite..	422	1	-	-	1	-	13	-	-	9	-	1	61	1	15	3
Places of 100,000 or more.....White.....	2,351	-	5	2	4	-	58	1	-	27	1	9	297	4	69	9
Nonwhite..	435	-	-	-	2	1	20	-	-	15	-	1	49	1	8	1
Male.....White.....	1,321	-	2	1	1	-	30	-	-	22	1	5	135	1	28	-
Nonwhite..	203	-	-	-	1	1	9	-	-	10	-	-	11	-	2	-
Female.....White.....	1,030	-	3	1	3	-	28	1	-	5	-	4	162	3	41	9
Nonwhite..	232	-	-	-	1	-	11	-	-	5	-	1	38	1	8	1

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	9	655	2,016	535	36	88	34	57	521	30	373	67	15	121	361	68	704
1	-	45	129	56	9	8	7	7	50	4	30	1	14	7	20	3	51
-	7	345	1,231	325	30	45	20	36	268	...	239	46	12	89	222	38	384
-	-	23	81	39	7	4	3	3	31	...	21	1	12	6	13	2	22
-	2	312	785	210	6	43	14	21	253	30	134	21	3	32	139	30	320
1	-	22	48	17	2	4	4	4	19	4	9	-	2	1	7	1	29
1	1	332	820	204	13	25	23	17	209	10	136	41	3	52	133	53	279
-	1	5	22	7	1	-	1	-	3	-	1	-	2	4	1	3	3
-	1	170	493	119	13	15	13	11	104	...	70	32	3	47	80	28	141
-	-	2	9	5	1	-	1	-	2	...	1	-	1	3	1	1	-
1	-	162	327	85	-	10	10	6	105	10	66	9	-	5	53	25	138
-	1	3	13	2	-	-	-	-	1	-	-	-	1	1	-	2	3
-	3	503	1,211	256	23	29	24	27	443	12	199	33	7	67	228	42	460
-	-	8	12	8	-	-	1	-	6	-	-	-	-	-	-	-	3
-	2	248	720	121	20	13	12	16	230	...	134	26	5	57	142	21	247
-	-	2	3	7	-	-	-	-	2	...	-	-	-	-	-	-	3
-	1	257	491	155	3	16	12	11	213	12	65	7	2	10	86	21	213
-	-	6	9	1	-	-	1	-	4	-	-	-	-	-	-	-	-
4	17	1,950	4,893	1,148	93	118	93	65	1,500	60	652	171	21	303	952	187	1,883
-	-	21	36	10	1	-	1	2	27	1	3	1	1	3	5	2	19
2	16	1,041	2,971	614	78	64	59	39	841	...	352	138	15	227	618	91	1,048
-	-	11	18	9	1	-	1	2	19	...	2	1	1	2	5	1	14
2	1	909	1,922	534	15	54	34	26	659	60	300	33	6	76	334	96	835
-	-	10	18	1	-	-	-	-	8	1	1	-	-	1	-	1	5
2	27	2,884	7,911	1,386	172	98	160	136	1,581	80	1,195	271	24	328	1,371	464	3,032
2	27	2,858	7,826	1,376	172	97	156	136	1,557	78	1,181	271	20	325	1,363	454	3,011
-	-	26	85	10	-	1	4	-	24	2	14	-	4	5	8	10	21
1	27	1,458	4,711	728	139	52	92	82	847	...	687	213	13	251	838	239	1,671
-	-	14	55	7	-	-	4	-	12	...	7	-	4	2	7	5	13
1	-	1,400	3,115	648	33	45	64	54	710	78	494	58	7	74	525	215	1,340
-	-	12	30	3	-	1	-	-	12	2	7	-	-	1	1	5	8
-	14	1,375	4,016	673	93	55	59	81	780	30	589	118	9	147	675	224	1,424
-	-	21	79	8	-	1	4	-	19	2	12	-	4	2	7	9	16
-	14	644	2,355	363	74	28	34	46	412	...	328	91	5	113	389	117	760
-	-	12	52	5	-	-	4	-	9	...	5	-	4	2	7	5	11
-	-	731	1,661	310	19	27	25	35	368	30	261	27	4	34	286	107	664
-	-	9	27	3	-	1	-	-	10	2	7	-	-	-	-	4	5
-	1	146	529	83	17	5	3	14	68	4	61	15	-	21	111	11	199
-	-	4	46	3	-	-	3	-	6	-	7	-	2	1	4	3	9
-	1	63	324	49	16	4	5	11	40	...	36	13	-	13	60	2	100
-	-	1	33	2	-	-	3	-	1	...	3	-	2	1	4	1	5
-	-	83	205	34	1	1	3	3	28	4	25	2	-	8	51	9	99
-	-	3	13	1	-	-	-	-	5	-	4	-	-	-	-	2	4
-	6	534	1,606	281	44	25	26	38	310	11	271	52	4	67	286	59	529
-	-	8	18	4	-	1	-	-	8	-	2	-	2	1	2	3	5
-	6	251	927	145	34	12	15	17	165	...	146	35	2	52	171	32	298
-	-	5	7	3	-	-	-	-	3	...	1	-	2	1	2	2	4
-	-	283	679	136	10	13	11	21	145	11	125	17	2	15	115	27	231
-	-	3	11	1	-	1	-	-	3	-	1	-	-	-	-	1	1
-	1	194	550	76	15	7	11	5	142	6	93	12	1	22	77	24	169
-	-	6	7	-	-	-	-	-	5	2	2	-	-	-	1	-	1
-	1	85	323	45	10	4	5	5	67	...	48	10	-	13	48	10	83
-	-	4	7	-	-	-	-	-	3	...	-	-	-	-	1	-	1
-	-	109	207	31	5	3	6	-	75	6	45	2	1	9	29	14	86
-	-	2	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-
-	6	501	1,351	253	17	18	14	24	260	9	164	39	4	37	201	130	527
-	-	3	8	1	-	-	1	-	2	-	1	-	-	-	-	3	1
-	6	245	781	124	14	8	9	13	140	...	98	33	3	35	110	73	279
-	-	2	5	-	-	-	1	-	2	...	1	-	-	-	-	2	1
-	-	256	570	109	3	10	5	11	120	9	66	6	1	2	91	57	248
-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
2	13	1,483	3,810	703	79	42	97	55	777	48	592	153	11	178	688	230	1,587
-	-	5	6	2	-	-	-	-	5	-	2	-	-	1	1	1	5
1	13	814	2,356	365	65	24	58	36	435	...	359	122	8	138	449	122	911
-	-	2	3	2	-	-	-	-	3	...	2	-	-	-	-	-	2
1	-	669	1,454	338	14	18	39	19	342	48	233	31	3	40	239	108	676
-	-	3	3	-	-	-	-	-	2	-	-	-	-	1	1	1	3
3	8	2,089	5,365	927	117	94	123	102	1,498	77	844	167	50	308	1,190	334	2,250
2	5	1,964	5,130	849	110	78	114	96	1,555	72	814	163	31	296	1,136	316	2,154
1	3	105	235	78	7	16	9	6	143	5	30	4	19	12	54	18	98
1	4	1,008	3,120	461	87	37	71	55	781	...	474	122	24	217	759	158	1,204
-	3	48	135	43	4	5	7	3	68	...	15	2	18	12	39	5	51
1	1	958	2,010	388	25	41	43	41	574	72	340	41	7	79	377	158	950
1	-	57	100	35	5	11	2	3	75	5	15	2	1	-	15	13	45
-	1	915	2,465	407	46	40	43	45	610	41	485	70	21	147	473	138	930
1	2	80	187	61	5	10	6	8	120	5	27	2	18	10	39	11	77
-	1	448	1,483	221	32	17	27	28	334	...	274	48	15	105	307	65	487
-	2	58	104	31	2	3	4	3	54	...	13	1	17	10	28	3	39
-	-	467	980	186	14	23	16	17	276	41	211	22	6	42	166	73	443
1	-	44	83	30	3	7	2	3	66	5	14	1	1	-	11	8	38
-	-	220	680	152	14	7	17	18	146	10	136	18	10	50	125	27	237
1	1	33	101	36	4	4	6	3	63	4	6	2	12	5	14	4	38
-	-	108	436	86	13	4	10	10	81	...	75	14	7	37	83	13	118
-	1	12	52	18	2	1	4	1	28	...	3	1	11	5	9	1	20
-	-	112	244	86	1	3	7	8	65	10	61	4	3	13	42	14	119
1	-	21	49	18	2	3	2	2	35	4	3	1	1	-	5	3	18

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13–22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45–55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
KANSAS—Continued																
Places of 25,000 to 100,000...White.....	1,092	-	4	-	2	-	23	-	-	9	1	6	130	-	26	1
Nonwhite..	99	-	-	-	-	-	4	-	-	3	-	-	11	-	3	1
Male.....White.....	545	-	3	-	1	-	14	-	-	7	1	3	56	-	13	-
Nonwhite..	54	-	-	-	-	-	3	-	-	3	-	-	4	-	-	-
Female.....White.....	547	-	1	-	1	-	9	-	-	2	-	3	74	-	13	1
Nonwhite..	45	-	-	-	-	-	1	-	-	-	-	-	7	-	3	1
Places of 10,000 to 25,000....White.....	2,508	-	4	5	7	6	52	-	2	16	1	6	318	1	65	2
Nonwhite..	239	1	-	-	1	-	3	-	-	9	-	-	26	-	3	1
Male.....White.....	1,400	-	3	1	3	4	33	-	2	12	-	3	155	1	24	-
Nonwhite..	129	-	-	-	1	-	2	-	-	6	-	-	14	-	1	-
Female.....White.....	1,108	-	1	4	4	2	18	-	-	4	1	3	161	-	41	2
Nonwhite..	110	1	-	-	-	-	1	-	-	3	-	-	12	-	2	1
Places of 2,500 to 10,000.....White.....	2,542	-	1	2	4	-	43	1	-	10	-	14	301	3	65	5
Nonwhite..	75	-	-	-	-	-	1	-	-	3	-	-	9	-	4	-
Male.....White.....	1,397	-	1	-	2	-	23	-	-	8	-	7	136	1	27	1
Nonwhite..	40	-	-	-	-	-	1	-	-	2	-	-	5	-	-	-
Female.....White.....	1,145	-	-	2	2	-	20	1	-	2	-	7	165	2	38	4
Nonwhite..	35	-	-	-	-	-	-	-	-	1	-	-	4	-	4	-
Rural.....White.....	9,466	1	8	7	12	7	133	8	2	62	4	32	1,096	7	253	24
Nonwhite..	214	-	-	-	-	-	10	-	-	7	-	-	18	-	5	-
Male.....White.....	5,529	-	8	4	6	3	78	5	1	49	3	21	538	5	117	2
Nonwhite..	133	-	-	-	-	-	8	-	-	5	-	-	10	-	2	-
Female.....White.....	3,937	1	-	3	6	4	57	3	1	13	1	11	558	2	136	22
Nonwhite..	81	-	-	-	-	-	2	-	-	2	-	-	8	-	3	-
KENTUCKY.....	29,051	47	88	14	127	44	1,785	163	11	295	101	15	2,605	27	428	52
Both sexes.....White.....	25,291	40	75	14	117	43	1,502	155	9	203	95	13	2,371	23	383	48
Nonwhite..	3,760	7	13	-	10	1	283	8	2	92	6	2	234	4	45	4
Male.....White.....	14,089	25	50	7	57	24	794	83	2	138	41	7	1,051	8	181	7
Nonwhite..	2,057	3	5	-	3	1	159	5	-	63	3	2	104	3	16	3
Female.....White.....	11,202	15	25	7	60	19	708	72	7	65	54	6	1,320	15	202	41
Nonwhite..	1,703	4	8	-	7	-	124	3	2	29	3	-	130	1	29	1
Urban.....White.....	9,687	5	32	4	21	3	426	25	1	85	29	2	1,038	8	187	25
Nonwhite..	2,419	3	13	-	6	-	173	4	1	44	4	1	150	3	38	1
Male.....White.....	5,242	5	22	3	9	2	249	14	1	60	13	1	424	3	78	3
Nonwhite..	1,292	-	5	-	2	-	103	2	-	27	2	1	68	2	13	-
Female.....White.....	4,445	-	10	1	12	1	177	11	-	25	16	1	614	5	109	22
Nonwhite..	1,127	3	8	-	4	-	70	2	1	17	2	-	82	1	25	1
Places of 100,000 or more.....White.....	3,693	-	23	1	7	-	121	2	-	12	16	-	413	3	78	9
Nonwhite..	1,087	-	10	-	2	-	89	1	-	9	3	-	50	3	18	-
Male.....White.....	1,934	-	16	1	2	-	82	2	-	7	7	-	160	-	33	1
Nonwhite..	573	-	2	-	1	-	58	-	-	7	2	-	19	2	3	-
Female.....White.....	1,759	-	7	-	5	-	39	-	-	5	9	-	253	3	45	8
Nonwhite..	514	-	8	-	1	-	31	1	-	2	1	-	31	1	15	-
Places of 25,000 to 100,000...White.....	2,804	1	5	2	6	3	164	8	1	59	8	1	268	3	58	6
Nonwhite..	542	-	1	-	1	-	32	1	-	14	-	-	43	-	8	1
Male.....White.....	1,533	1	4	1	4	2	91	5	1	42	4	1	119	2	19	1
Nonwhite..	289	-	1	-	-	-	21	-	-	10	-	-	24	-	4	-
Female.....White.....	1,271	-	1	1	2	1	73	3	-	17	4	-	149	1	39	5
Nonwhite..	253	-	-	-	1	-	11	1	-	4	-	-	19	-	4	1
Places of 10,000 to 25,000....White.....	839	-	-	-	3	-	29	5	-	2	1	-	96	-	13	2
Nonwhite..	225	-	1	-	-	-	14	1	-	6	1	1	18	-	3	-
Male.....White.....	455	-	-	-	1	-	17	3	-	1	1	-	36	-	9	1
Nonwhite..	122	-	1	-	-	-	8	1	-	2	-	1	5	-	1	-
Female.....White.....	384	-	-	-	2	-	12	2	-	1	-	-	60	-	4	1
Nonwhite..	103	-	-	-	-	-	6	-	-	4	1	-	11	-	2	-
Places of 2,500 to 10,000.....White.....	2,351	4	4	1	5	-	112	10	-	12	4	1	261	2	38	8
Nonwhite..	565	3	1	-	3	-	38	1	1	15	-	-	41	-	9	-
Male.....White.....	1,320	4	2	1	2	-	59	4	-	10	1	-	109	1	17	-
Nonwhite..	308	-	1	-	1	-	16	1	-	8	-	-	20	-	5	-
Female.....White.....	1,031	-	2	-	3	-	53	6	-	2	3	1	152	1	21	8
Nonwhite..	257	3	-	-	2	-	22	-	1	7	-	-	21	-	4	-
Rural.....White.....	15,604	35	43	10	96	40	1,076	130	8	118	66	11	1,333	15	196	23
Nonwhite..	1,341	4	-	-	4	1	110	4	1	48	2	1	84	1	7	3
Male.....White.....	8,847	20	28	4	48	22	545	69	1	78	28	6	627	5	103	4
Nonwhite..	765	3	-	-	1	1	56	3	-	36	1	1	36	1	3	3
Female.....White.....	6,757	15	15	6	48	18	531	61	7	40	38	5	706	10	93	19
Nonwhite..	576	1	-	-	5	-	54	1	1	12	1	-	48	-	4	-
LOUISIANA.....	24,007	41	23	-	116	29	1,290	43	37	495	14	8	2,173	20	420	27
Both sexes.....White.....	13,494	20	16	-	42	17	501	16	11	125	10	5	1,488	12	299	16
Nonwhite..	10,513	21	7	-	74	12	789	27	26	370	4	3	685	8	121	11
Male.....White.....	7,877	9	11	-	20	9	351	10	4	101	1	5	745	8	106	4
Nonwhite..	5,482	9	5	-	36	4	450	17	10	254	1	2	302	4	30	2
Female.....White.....	5,617	11	5	-	22	8	150	6	7	24	9	-	743	4	193	12
Nonwhite..	5,031	12	2	-	38	8	339	10	16	116	3	1	383	4	91	9
Urban.....White.....	7,783	9	11	-	14	6	315	7	-	89	-	2	886	7	190	13
Nonwhite..	5,140	2	3	-	22	2	463	12	7	213	-	-	339	3	67	8
Male.....White.....	4,411	3	6	-	6	5	221	6	-	72	-	2	418	6	67	3
Nonwhite..	2,629	1	1	-	7	-	281	8	-	154	-	-	154	1	14	1
Female.....White.....	3,372	6	5	-	8	1	94	1	-	17	-	-	468	1	123	10
Nonwhite..	2,511	1	2	-	15	2	182	4	7	59	-	-	185	2	53	7
Places of 100,000 or more.....White.....	4,334	1	4	-	5	2	191	4	-	43	-	2	490	3	124	7
Nonwhite..	2,412	1	2	-	2	1	217	3	-	83	-	-	181	-	34	5
Male.....White.....	2,412	1	2	-	1	2	140	4	-	39	-	2	226	2	41	2
Nonwhite..	1,214	1	1	-	-	-	132	2	-	65	-	-	76	-	8	1
Female.....White.....	1,922	-	2	-	4	-	51	-	-	4	-	-	284	1	83	5
Nonwhite..	1,198	-	1	-	2	1	85	1	-	18	-	-	105	-	28	4

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	-	135	313	58	5	4	3	8	77	7	59	13	4	20	49	14	121
-	1	11	22	12	-	2	-	1	11	-	6	-	3	-	3	-	5
-	-	82	158	31	5	1	3	3	38	...	34	6	2	15	25	2	62
-	1	4	14	8	-	1	-	-	4	...	4	-	3	-	2	-	3
-	-	73	155	27	-	3	-	5	39	7	25	7	2	5	24	12	59
-	-	7	8	4	-	1	-	1	7	-	2	-	-	-	1	-	2
-	-	271	750	91	13	13	6	8	176	9	144	22	3	37	149	43	290
-	-	30	47	8	1	3	-	2	44	1	10	-	2	4	16	4	23
-	-	122	454	45	8	6	2	7	104	...	87	16	3	22	107	21	155
-	-	17	30	2	-	1	-	2	21	...	3	-	2	4	12	2	9
-	-	149	296	46	5	7	4	1	72	9	57	6	-	15	42	22	135
-	-	13	17	6	1	2	-	-	23	1	7	-	-	-	4	2	14
-	1	289	720	106	14	16	17	11	211	15	146	17	4	40	150	54	282
-	-	8	17	5	-	1	-	-	2	-	5	-	1	1	6	3	11
-	1	156	455	59	6	6	12	8	111	...	78	12	3	31	92	29	152
-	-	3	8	3	-	-	-	-	1	...	3	-	1	1	5	-	7
-	-	133	285	47	8	10	5	3	100	15	68	5	1	9	58	25	130
-	-	3	9	2	-	1	-	-	1	-	2	-	-	-	1	3	4
2	4	1,049	2,667	442	64	38	71	51	745	31	329	93	10	149	663	178	1,224
-	1	25	48	17	2	6	3	-	23	-	3	2	1	2	15	7	19
1	3	560	1,637	240	55	20	44	27	447	...	200	74	9	112	452	93	717
-	1	12	31	12	2	2	3	-	14	...	2	1	1	2	11	2	12
1	1	489	1,030	202	9	18	27	24	298	31	129	19	1	37	211	85	507
-	-	13	17	5	-	4	-	-	9	-	1	1	-	-	4	5	7
37	23	2,798	7,149	2,409	164	478	201	178	2,079	163	1,794	233	209	497	1,586	505	2,746
37	21	2,487	6,112	2,082	142	428	176	158	1,677	142	1,659	224	133	450	1,437	454	2,401
-	2	331	1,037	327	22	50	25	20	402	21	135	9	76	47	149	51	345
14	21	1,327	3,525	1,139	111	220	106	120	946	...	967	169	119	359	968	209	1,294
-	1	150	565	184	14	24	15	17	228	...	78	8	62	44	100	26	173
23	-	1,140	2,587	943	31	208	70	38	731	142	692	55	14	91	469	245	1,107
-	1	181	472	143	8	26	10	3	176	21	57	1	14	3	49	25	172
9	6	904	2,708	693	54	142	69	94	657	38	599	82	37	148	509	114	933
-	2	202	722	196	18	30	15	16	263	12	84	4	56	28	89	22	219
4	6	460	1,509	378	46	82	44	71	359	...	373	63	33	119	307	45	456
-	1	86	391	113	11	15	10	13	138	...	49	4	45	26	59	8	98
5	-	444	1,199	315	8	60	25	23	298	38	226	19	4	29	202	69	477
-	1	116	331	83	7	15	5	3	125	12	35	-	11	2	30	14	121
1	1	286	1,185	257	14	54	22	40	234	11	222	26	11	69	157	37	381
-	1	90	373	93	12	10	4	2	93	6	49	1	27	16	36	3	87
-	1	117	638	143	13	27	14	30	123	...	142	16	9	57	91	13	191
-	-	37	194	52	6	6	4	2	49	...	27	1	23	15	21	1	41
1	-	169	549	114	1	27	8	10	111	11	80	10	2	12	68	24	190
-	1	53	179	41	6	4	-	-	44	6	21	-	4	1	15	2	46
2	4	268	808	227	15	42	16	29	161	9	134	21	12	32	141	25	265
-	1	39	172	42	2	5	6	4	55	1	13	3	11	7	19	5	56
1	4	154	457	122	12	23	11	25	84	...	82	16	11	25	78	10	121
-	1	12	96	23	1	3	2	2	25	...	5	3	8	7	13	3	25
1	-	114	351	105	3	19	5	4	77	9	52	5	1	7	63	15	144
-	-	27	76	19	1	2	4	2	30	1	8	-	3	-	6	2	31
2	-	102	198	37	7	10	11	8	72	3	54	15	2	12	58	20	77
-	-	20	41	20	2	4	2	1	47	2	11	-	3	2	5	4	18
-	-	55	115	18	7	5	6	5	41	...	29	13	2	11	36	7	38
-	-	4	24	15	2	1	2	1	28	...	6	-	3	2	5	1	9
2	-	47	83	19	-	5	5	3	31	3	25	2	-	1	22	13	41
-	-	16	17	5	-	3	-	-	19	2	5	-	-	-	-	3	9
4	1	248	517	172	18	36	20	17	190	15	189	20	12	35	153	32	210
-	-	53	136	41	2	11	3	9	68	3	12	-	15	3	29	10	58
3	1	134	301	95	14	27	13	11	111	...	120	18	11	26	102	15	108
-	-	33	77	23	2	5	2	8	36	...	11	-	11	2	20	3	23
1	-	114	216	77	4	9	7	6	79	15	69	2	1	9	51	17	102
-	-	20	59	18	-	6	1	1	32	3	1	-	4	1	9	7	35
28	15	1,563	3,404	1,389	88	286	107	64	1,020	104	1,060	142	96	302	928	340	1,468
-	-	129	315	131	4	20	10	4	139	9	51	5	20	19	60	29	126
10	15	867	2,016	761	65	138	62	49	587	...	594	106	86	240	661	164	858
-	-	64	174	71	3	9	5	4	88	...	29	4	17	18	41	18	75
18	-	696	1,388	628	23	148	45	15	433	104	468	36	10	62	267	176	630
-	-	65	141	60	1	11	5	-	51	9	22	1	3	1	19	11	51
51	24	1,858	6,269	1,818	101	235	159	187	1,848	199	1,542	140	196	432	1,331	558	2,323
17	21	930	3,873	875	64	110	93	140	933	97	862	118	46	308	871	201	1,359
34	3	928	2,396	943	37	125	66	47	915	102	680	22	150	126	460	357	964
2	20	448	2,375	477	53	60	50	99	506	...	485	91	37	242	679	104	765
9	3	413	1,209	523	27	67	32	31	443	...	361	20	119	110	291	198	500
15	1	482	1,498	398	11	50	43	41	427	97	377	27	9	64	192	97	594
25	-	515	1,187	420	10	58	34	16	472	102	319	2	51	16	169	159	464
8	9	498	2,460	485	37	44	48	99	545	50	517	43	27	136	414	84	730
10	1	426	1,253	473	15	28	29	25	440	35	331	9	87	59	196	103	479
-	8	242	1,475	257	30	24	28	69	287	...	291	29	22	107	301	40	386
5	1	185	602	257	10	15	14	15	189	...	179	9	67	51	120	58	232
8	1	258	985	228	7	20	20	30	258	50	226	14	5	29	113	44	344
5	-	241	651	216	5	15	15	10	251	35	152	-	20	8	76	47	247
3	4	285	1,543	264	17	19	26	74	317	28	205	21	16	58	229	17	352
3	-	224	672	255	7	5	10	13	152	13	176	3	47	21	99	9	194
-	3	135	869	142	12	12	17	49	155	...	115	17	14	47	168	9	186
2	-	100	515	125	3	3	5	7	59	...	87	3	39	19	61	4	96
3	1	150	654	122	5	7	9	25	162	28	90	4	2	11	61	8	166
1	-	124	357	110	2	2	5	6	93	13	89	-	8	2	38	5	98

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
LOUISIANA—Continued																
Places of 25,000 to 100,000...White.....	1,206	-	2	-	2	2	28	1	-	12	-	-	143	2	31	-
Nonwhite..	1,070	-	1	-	10	-	83	4	2	38	-	-	67	1	16	-
Male.....White.....	712	-	2	-	1	1	19	-	-	9	-	-	65	2	11	-
Nonwhite..	534	-	-	-	5	-	52	3	-	21	-	-	33	-	4	-
Female.....White.....	494	-	-	-	1	1	9	1	-	3	-	-	78	-	20	-
Nonwhite..	536	-	1	-	5	-	31	1	2	17	-	-	34	1	12	-
Places of 10,000 to 25,000....White.....	583	2	2	-	1	-	16	-	-	4	-	-	70	-	9	1
Nonwhite..	418	-	-	-	3	-	38	2	1	10	-	-	20	-	4	-
Male.....White.....	318	2	1	-	-	-	13	-	-	3	-	-	35	-	3	-
Nonwhite..	232	-	-	-	-	-	27	2	-	6	-	-	11	-	2	-
Female.....White.....	265	-	1	-	1	-	3	-	-	1	-	-	35	-	6	1
Nonwhite..	186	-	-	-	3	-	11	-	1	4	-	-	9	-	2	-
Places of 2,500 to 10,000.....White.....	1,660	6	3	-	8	2	80	2	-	30	-	-	183	2	26	5
Nonwhite..	1,240	1	-	-	7	1	125	3	4	82	-	-	71	2	13	3
Male.....White.....	969	-	1	-	4	2	49	2	-	21	-	-	92	2	12	1
Nonwhite..	649	-	-	-	2	-	70	1	-	62	-	-	34	1	2	-
Female.....White.....	691	6	2	-	2	-	31	-	-	9	-	-	91	-	14	4
Nonwhite..	591	1	-	-	5	1	55	2	4	20	-	-	37	1	11	3
Rural.....White.....	5,711	11	5	-	28	11	186	9	11	36	10	3	602	5	109	3
Nonwhite..	5,373	19	4	-	52	10	326	15	19	157	4	3	346	5	54	3
Male.....White.....	3,466	6	5	-	14	4	130	4	4	29	1	3	327	2	39	1
Nonwhite..	2,853	8	4	-	29	4	169	9	10	100	1	2	148	3	16	1
Female.....White.....	2,245	5	-	-	14	7	56	5	7	7	9	-	275	3	70	2
Nonwhite..	2,520	11	-	-	23	6	157	6	9	57	3	1	198	2	38	2
MAINE.....	10,902	4	50	4	22	6	275	3	-	54	5	1	1,318	7	246	7
Both sexes.....White.....	10,869	4	50	4	21	5	274	3	-	52	4	1	1,316	7	246	7
Nonwhite..	33	-	-	-	1	1	1	-	-	2	1	-	2	-	-	-
Male.....White.....	5,919	2	25	3	8	2	152	1	-	43	3	-	580	-	113	1
Nonwhite..	23	-	-	-	1	1	-	-	-	1	-	-	2	-	-	-
Female.....White.....	4,950	2	25	1	13	3	122	2	-	9	1	1	736	7	133	6
Nonwhite..	10	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
Urban.....White.....	4,473	-	24	2	7	4	134	1	-	36	3	-	535	6	85	5
Nonwhite..	20	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-
Male.....White.....	2,395	-	12	1	5	2	75	1	-	30	2	-	239	-	32	1
Nonwhite..	15	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-
Female.....White.....	2,078	-	12	1	2	2	59	-	-	6	1	-	296	6	53	4
Nonwhite..	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Places of 25,000 to 100,000...White.....	2,087	-	11	1	2	2	55	1	-	16	1	-	240	3	48	4
Nonwhite..	14	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Male.....White.....	1,149	-	6	-	1	1	33	1	-	12	1	-	111	-	19	-
Nonwhite..	12	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Female.....White.....	938	-	5	1	1	1	22	-	-	4	-	-	129	3	29	4
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White.....	1,291	-	12	1	1	2	33	-	-	14	2	-	159	1	24	1
Nonwhite..	6	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
Male.....White.....	661	-	5	1	1	1	19	-	-	12	1	-	66	-	7	1
Nonwhite..	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female.....White.....	630	-	7	-	-	1	14	-	-	2	1	-	93	1	17	-
Nonwhite..	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	1,095	-	1	-	4	-	46	-	-	6	-	-	136	2	13	-
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	585	-	1	-	3	-	23	-	-	6	-	-	62	-	8	-
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	510	-	-	-	1	-	23	-	-	-	-	-	74	2	7	-
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural.....White.....	6,398	4	26	2	14	1	140	2	-	16	1	1	781	1	161	2
Nonwhite..	13	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-
Male.....White.....	3,524	2	13	2	3	-	77	-	-	13	1	-	341	-	81	-
Nonwhite..	8	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
Female.....White.....	2,872	2	13	-	11	1	63	2	-	3	-	1	440	1	80	2
Nonwhite..	5	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
MARYLAND.....	24,113	6	96	3	59	9	1,277	25	1	326	6	1	2,606	26	633	36
Both sexes.....White.....	18,782	6	73	3	35	8	675	15	1	151	4	1	2,284	19	535	34
Nonwhite..	5,331	-	23	-	24	1	602	10	-	175	2	-	322	7	98	2
Male.....White.....	10,318	4	46	2	14	6	462	10	1	115	-	-	1,077	8	169	3
Nonwhite..	2,920	-	16	-	11	1	377	8	-	124	1	-	146	3	23	-
Female.....White.....	8,464	2	27	1	21	2	213	5	-	36	4	1	1,207	11	366	31
Nonwhite..	2,411	-	7	-	13	-	225	2	-	51	1	-	176	4	75	2
Urban.....White.....	11,524	5	49	1	12	2	416	6	-	72	1	-	1,486	11	366	19
Nonwhite..	3,486	-	19	-	7	1	391	6	-	83	-	-	227	3	57	1
Male.....White.....	6,300	3	32	-	6	2	307	3	-	50	-	-	712	4	116	2
Nonwhite..	1,881	-	13	-	3	1	247	4	-	55	-	-	101	2	14	-
Female.....White.....	5,224	2	17	1	6	-	109	3	-	22	1	-	774	7	250	17
Nonwhite..	1,605	-	6	-	4	-	144	2	-	28	-	-	126	1	43	1
Places of 100,000 or more.....White.....	9,132	1	44	1	6	2	352	3	-	59	1	-	1,182	9	288	12
Nonwhite..	3,063	-	19	-	4	1	355	5	-	76	-	-	196	3	42	1
Male.....White.....	5,004	-	29	-	3	2	266	1	-	40	-	-	585	4	83	1
Nonwhite..	1,662	-	13	-	2	1	224	4	-	51	-	-	93	2	12	-
Female.....White.....	4,128	1	15	1	3	-	86	2	-	19	1	-	597	5	205	11
Nonwhite..	1,401	-	6	-	2	-	131	1	-	25	-	-	103	1	30	1
Places of 25,000 to 100,000...White.....	861	3	2	-	3	-	17	-	-	5	-	-	105	1	27	6
Nonwhite..	57	-	-	-	1	-	6	-	-	-	-	-	2	-	3	-
Male.....White.....	463	2	1	-	2	-	12	-	-	5	-	-	39	-	10	1
Nonwhite..	33	-	-	-	1	-	5	-	-	-	-	-	1	-	-	-
Female.....White.....	398	1	1	-	1	-	5	-	-	-	-	-	66	1	17	5
Nonwhite..	24	-	-	-	-	-	1	-	-	-	-	-	1	-	3	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90–95	Pneumonia (all forms) and influenza 107–109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130–132	Diseases of pregnancy, childbirth, and the puerperium 140–150	Congenital malformations and diseases peculiar to the first year 157–161	Suicide 163, 164	Homicide 165–168	Motor-vehicle accidents 170	Other accidents 169, 171–195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1	2	67	353	72	5	6	9	9	77	5	104	13	3	36	63	21	137
4	1	81	224	90	5	9	5	1	143	10	60	3	17	21	42	26	106
-	2	32	235	36	4	3	6	9	47	...	55	8	2	29	43	12	79
2	1	38	108	51	4	5	2	1	57	...	32	3	13	16	25	14	48
1	-	35	118	36	1	3	3	-	30	5	49	5	1	7	20	9	58
2	-	45	118	39	1	4	3	-	86	10	28	-	4	5	17	12	58
2	1	45	151	41	4	3	6	5	42	2	58	1	1	9	28	12	67
-	-	33	89	39	1	5	1	4	41	3	30	2	9	3	19	17	44
-	1	25	86	24	4	-	2	2	19	...	30	1	1	4	20	6	36
-	-	12	55	19	-	2	-	2	19	...	19	2	7	3	10	11	23
2	-	20	65	17	-	3	4	3	23	2	28	-	-	5	8	6	31
-	-	21	34	20	1	3	1	2	22	3	11	-	2	-	9	6	21
2	2	101	433	108	11	16	7	11	109	15	150	8	7	33	94	34	174
3	-	88	268	109	2	9	13	7	104	9	65	1	14	14	36	51	139
-	2	50	285	55	10	9	3	9	66	...	91	3	5	27	70	13	85
1	-	37	126	62	1	5	7	5	54	...	41	1	8	13	24	27	65
2	-	51	148	53	1	7	4	2	43	15	59	5	2	6	24	21	89
2	-	51	142	47	1	4	6	2	50	9	24	-	6	1	12	24	70
9	12	432	1,413	390	27	66	45	41	388	47	345	75	19	170	457	117	629
24	2	502	1,143	470	22	97	37	22	475	67	349	13	63	67	264	254	485
2	12	206	900	220	23	36	22	30	219	...	194	62	15	135	378	64	379
4	2	228	607	266	17	52	18	16	254	...	182	11	52	59	171	142	268
7	-	226	513	170	4	30	23	11	169	47	151	13	4	35	79	53	250
20	-	274	536	204	5	45	19	6	221	67	167	2	11	8	93	112	217
-	15	1,140	3,190	699	39	92	39	72	787	42	590	107	14	118	542	258	1,156
-	15	1,137	3,183	697	39	92	39	72	783	42	589	106	14	117	541	258	1,151
-	-	3	7	2	-	-	-	-	4	-	1	1	-	1	1	-	5
-	15	560	1,803	403	32	59	26	42	423	...	334	81	11	100	361	130	606
-	-	1	6	1	-	-	-	-	4	...	1	1	-	1	1	-	2
-	-	577	1,380	294	7	33	13	30	360	42	255	25	3	17	180	128	545
-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3
-	5	435	1,346	276	15	43	21	35	301	17	285	43	10	42	210	84	463
-	-	2	4	2	-	-	-	-	4	-	1	-	-	1	1	-	1
-	5	210	741	167	11	26	14	21	154	...	169	29	7	35	138	46	222
-	-	1	3	1	-	-	-	-	4	...	1	-	-	1	1	-	-
-	-	225	605	109	4	17	7	14	147	17	116	14	3	7	72	38	241
-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
-	3	209	656	123	11	28	18	22	117	6	118	16	4	21	94	43	216
-	-	2	3	-	-	-	-	-	3	-	1	-	-	1	1	-	1
-	3	96	375	84	9	17	10	11	57	...	70	10	4	19	62	26	111
-	-	1	3	-	-	-	-	-	3	...	1	-	-	1	1	-	-
-	-	113	281	39	2	11	6	11	60	6	48	6	-	2	32	17	105
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	121	378	89	2	12	3	8	102	5	82	14	6	6	61	18	134
-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	60	205	47	1	7	2	7	55	...	50	12	3	4	34	10	50
-	-	-	-	1	-	-	-	-	1	...	-	-	-	-	-	-	-
-	-	61	173	42	1	5	1	1	47	5	32	2	3	2	27	8	84
-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	105	312	64	2	3	2	5	82	6	85	13	-	15	55	23	113
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	54	161	36	1	2	2	3	42	...	49	7	-	12	42	10	61
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	51	151	28	1	1	-	2	40	6	36	6	-	3	13	13	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	10	702	1,837	421	24	49	18	37	482	25	304	63	4	75	331	174	688
-	-	1	3	-	-	-	-	-	-	-	-	1	-	-	-	-	4
-	10	350	1,062	236	21	33	12	21	269	...	165	52	4	65	223	84	384
-	-	-	3	-	-	-	-	-	-	...	-	1	-	-	-	-	2
-	-	352	775	185	3	16	6	16	213	25	139	11	-	10	108	90	304
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
2	49	1,905	7,357	1,547	128	292	85	184	2,246	85	1,187	250	154	401	1,089	81	1,981
2	33	1,517	6,150	1,031	109	191	71	169	1,653	57	908	238	50	318	846	58	1,537
-	16	388	1,207	516	19	101	14	15	593	28	279	12	104	83	243	23	424
1	28	703	3,468	573	97	100	41	111	867	...	531	168	35	262	533	28	855
-	14	170	656	275	16	57	10	10	276	...	146	8	79	75	164	12	242
1	5	814	2,682	458	12	91	30	58	786	57	377	70	15	58	313	30	682
-	2	218	551	241	3	44	4	5	317	28	133	4	25	8	79	11	182
2	21	827	3,963	646	73	131	44	120	927	31	509	144	36	170	490	28	916
-	11	246	820	388	9	64	9	13	391	18	168	7	78	53	152	12	251
1	18	359	2,262	366	67	63	25	79	457	...	294	94	25	140	305	13	495
-	9	96	432	219	6	35	6	8	183	...	90	5	59	46	102	8	137
1	3	468	1,701	280	6	68	19	41	470	51	215	50	11	30	185	15	421
-	2	150	388	170	3	29	3	5	208	18	78	2	19	7	50	4	114
1	14	651	3,229	534	64	109	33	99	691	19	376	113	28	129	384	19	699
-	10	217	696	361	9	58	7	12	334	17	155	4	73	46	132	9	221
1	12	265	1,833	312	59	52	21	66	343	...	213	74	21	104	240	8	368
-	9	84	369	205	6	30	5	7	152	...	82	3	55	41	88	6	118
-	2	388	1,396	222	5	57	12	33	348	19	163	39	7	25	144	11	331
-	1	133	327	158	3	28	2	5	182	17	73	1	18	5	44	3	103
-	2	74	271	48	3	11	2	8	85	2	36	13	5	10	36	1	85
-	-	4	16	5	-	2	1	-	7	-	3	-	-	1	1	1	4
-	2	39	153	22	2	6	1	4	38	...	24	9	2	10	25	1	55
-	-	1	9	3	-	1	-	-	6	...	1	-	-	-	1	1	3
-	-	35	118	26	1	5	1	4	47	2	12	4	3	-	11	-	32
-	-	3	7	2	-	1	1	-	1	-	2	-	-	1	-	-	1

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
MARYLAND—Continued																
Places of 10,000 to 25,000....White.....	720	-	2	-	-	-	31	2	-	3	-	-	91	-	29	-
Nonwhite..	233	-	-	-	2	-	20	-	-	5	-	-	18	-	6	-
Male.....White.....	401	-	1	-	-	-	17	1	-	2	-	-	39	-	13	-
Nonwhite..	115	-	-	-	-	-	11	-	-	2	-	-	4	-	1	-
Female.....White.....	319	-	1	-	-	-	14	1	-	1	-	-	52	-	18	-
Nonwhite..	118	-	-	-	2	-	9	-	-	3	-	-	12	-	5	-
Places of 2,500 to 10,000.....White.....	811	1	1	-	3	-	16	1	-	5	-	-	108	1	22	1
Nonwhite..	133	-	-	-	-	-	10	1	-	2	-	-	13	-	6	-
Male.....White.....	432	1	1	-	1	-	12	1	-	3	-	-	49	-	10	-
Nonwhite..	71	-	-	-	-	-	7	-	-	2	-	-	3	-	1	-
Female.....White.....	379	-	-	-	2	-	4	-	-	2	-	-	59	1	12	1
Nonwhite..	62	-	-	-	-	-	3	1	-	-	-	-	10	-	5	-
Rural.....White.....	7,258	1	24	2	23	6	259	9	1	79	3	1	798	8	169	15
Nonwhite..	1,845	-	4	-	17	-	211	4	-	92	2	-	95	4	41	1
Male.....White.....	4,018	1	14	2	8	4	155	7	1	65	-	-	385	4	53	1
Nonwhite..	1,039	-	3	-	8	-	130	4	-	69	1	-	45	1	9	-
Female.....White.....	3,240	-	10	-	15	2	104	2	-	14	3	1	433	4	116	14
Nonwhite..	806	-	1	-	9	-	81	-	-	23	1	-	50	3	32	1
MASSACHUSETTS.....	54,653	7	122	20	40	11	1,819	5	2	357	20	19	7,434	32	1,627	53
Both sexes.....White.....	53,661	7	118	20	40	10	1,693	5	2	331	19	19	7,337	32	1,598	53
Nonwhite..	992	-	4	-	-	1	126	-	-	26	1	-	97	-	29	-
Male.....White.....	27,953	5	71	11	14	6	1,112	3	2	244	9	12	3,414	16	538	10
Nonwhite..	587	-	2	-	-	1	82	-	-	23	1	-	53	-	9	-
Female.....White.....	25,708	2	47	9	26	4	581	2	-	87	10	7	3,923	16	1,060	43
Nonwhite..	425	-	2	-	-	-	44	-	-	3	-	-	44	-	20	-
Urban.....White.....	47,306	6	107	15	34	8	1,440	5	1	277	18	14	6,535	31	1,406	46
Nonwhite..	904	-	4	-	-	1	114	-	-	25	-	-	94	-	28	-
Male.....White.....	24,507	4	63	7	12	5	939	3	1	201	9	9	3,031	15	463	10
Nonwhite..	511	-	2	-	-	1	75	-	-	22	-	-	51	-	8	-
Female.....White.....	22,799	2	44	8	22	3	501	2	-	76	9	5	3,504	16	943	36
Nonwhite..	393	-	2	-	-	-	39	-	-	3	-	-	43	-	20	-
Places of 100,000 or more.....White.....	21,220	3	61	8	14	8	795	4	1	125	9	4	2,987	16	623	23
Nonwhite..	738	-	4	-	-	-	98	-	-	20	-	-	78	-	22	-
Male.....White.....	11,064	2	34	4	7	5	536	3	1	86	5	2	1,404	8	191	4
Nonwhite..	412	-	2	-	-	-	64	-	-	18	-	-	45	-	6	-
Female.....White.....	10,156	1	27	4	7	3	259	1	-	39	4	2	1,563	8	432	19
Nonwhite..	326	-	2	-	-	-	34	-	-	2	-	-	33	-	16	-
Places of 25,000 to 100,000...White.....	14,034	2	26	4	12	-	368	1	-	81	3	6	1,992	11	415	13
Nonwhite..	103	-	-	-	-	1	12	-	-	4	-	-	9	-	3	-
Male.....White.....	7,180	1	18	1	2	-	233	-	-	62	2	4	906	5	148	2
Nonwhite..	61	-	-	-	-	1	8	-	-	3	-	-	2	-	-	-
Female.....White.....	6,854	1	8	3	10	-	135	1	-	19	1	2	1,086	6	267	11
Nonwhite..	42	-	-	-	-	-	4	-	-	1	-	-	7	-	3	-
Places of 10,000 to 25,000....White.....	8,774	1	17	1	5	-	216	-	-	55	3	3	1,163	2	261	7
Nonwhite..	37	-	-	-	-	-	4	-	-	-	-	-	4	-	2	-
Male.....White.....	4,523	1	10	-	2	-	131	-	-	40	2	2	547	1	89	4
Nonwhite..	17	-	-	-	-	-	3	-	-	-	-	-	1	-	1	-
Female.....White.....	4,251	-	7	1	3	-	85	-	-	15	1	1	616	1	172	3
Nonwhite..	20	-	-	-	-	-	1	-	-	-	-	-	3	-	1	-
Places of 2,500 to 10,000.....White.....	3,278	-	3	2	3	-	61	-	-	16	3	1	413	2	107	3
Nonwhite..	26	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-
Male.....White.....	1,740	-	1	2	1	-	39	-	-	13	-	1	174	1	35	-
Nonwhite..	21	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-
Female.....White.....	1,538	-	2	-	2	-	22	-	-	3	3	-	239	1	72	3
Nonwhite..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural.....White.....	6,355	1	11	5	6	2	253	-	1	54	1	5	802	1	192	7
Nonwhite..	88	-	-	-	-	-	12	-	-	1	1	-	3	-	1	-
Male.....White.....	3,446	1	8	4	2	1	173	-	1	43	-	3	383	1	75	-
Nonwhite..	56	-	-	-	-	-	7	-	-	1	1	-	2	-	1	-
Female.....White.....	2,909	-	3	1	4	1	80	-	-	11	1	2	419	-	117	7
Nonwhite..	32	-	-	-	-	-	5	-	-	-	-	-	1	-	-	-
MICHIGAN.....	57,046	9	124	13	100	24	1,869	26	4	596	86	27	6,767	50	1,435	135
Both sexes.....White.....	53,706	8	114	13	89	22	1,433	25	4	453	80	27	6,496	43	1,371	124
Nonwhite..	3,340	1	10	-	11	2	436	1	-	143	6	-	271	7	64	11
Male.....White.....	30,436	7	68	10	37	10	963	8	2	354	36	15	3,141	25	469	20
Nonwhite..	1,853	-	9	-	8	1	245	-	-	108	2	-	125	4	19	2
Female.....White.....	23,270	1	46	3	52	12	470	17	2	99	44	12	3,355	18	902	104
Nonwhite..	1,487	1	1	-	3	1	191	1	-	35	4	-	146	3	45	9
Urban.....White.....	32,557	5	92	6	55	13	923	11	1	237	37	12	4,045	30	892	74
Nonwhite..	2,704	1	10	-	9	1	374	1	-	70	4	-	186	7	50	9
Male.....White.....	18,037	4	53	5	24	8	640	4	1	186	18	9	1,889	17	294	15
Nonwhite..	1,466	-	9	-	7	1	208	-	-	48	1	-	90	4	14	1
Female.....White.....	14,520	1	39	1	31	7	283	7	-	51	19	3	2,156	13	598	59
Nonwhite..	1,238	1	1	-	2	-	166	1	-	22	3	-	96	3	36	8
Places of 100,000 or more.....White.....	16,321	1	62	3	20	8	588	-	-	98	20	4	2,074	16	460	34
Nonwhite..	2,146	1	9	-	4	1	313	1	-	49	3	-	146	7	40	8
Male.....White.....	9,102	-	38	2	8	5	418	-	-	76	10	3	963	9	154	8
Nonwhite..	1,157	-	8	-	2	1	174	-	-	32	-	-	72	4	8	-
Female.....White.....	7,219	1	24	1	12	3	170	-	-	20	10	1	1,111	7	306	26
Nonwhite..	989	1	1	-	2	-	139	1	-	17	3	-	74	3	32	8
Places of 25,000 to 100,000...White.....	8,230	3	19	2	14	2	166	8	1	99	10	2	975	8	211	22
Nonwhite..	338	-	1	-	1	-	32	-	-	15	1	-	22	-	7	1
Male.....White.....	4,528	3	8	2	4	-	110	3	1	79	5	1	441	4	68	2
Nonwhite..	183	-	1	-	1	-	19	-	-	12	1	-	8	-	4	1
Female.....White.....	3,702	-	11	-	10	2	56	5	-	20	5	1	534	4	143	20
Nonwhite..	155	-	-	-	-	-	13	-	-	3	-	-	14	-	3	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90–95	Pneumonia (all forms) and influenza 107–109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130–132	Diseases of pregnancy, childbirth, and the puerperium 140–150	Congenital malformations and diseases peculiar to the first year 157–161	Suicide 163, 164	Homicide 165–168	Motor-vehicle accidents 170	Other accidents 169, 171–195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	2	51	232	37	4	4	5	5	66	3	39	11	1	15	33	6	48
-	1	15	71	14	-	3	1	1	33	1	6	3	4	4	12	1	14
-	2	25	137	22	4	2	2	4	37	...	27	6	-	13	19	3	25
-	-	7	34	7	-	3	1	1	14	...	4	2	3	3	10	-	8
-	-	26	95	15	-	2	3	1	29	3	12	5	1	2	14	3	23
-	1	8	37	7	-	-	-	-	19	1	2	1	1	1	2	1	6
1	3	71	231	27	2	7	4	8	85	7	58	7	2	16	37	2	84
-	-	10	37	9	-	1	-	-	17	-	4	-	1	2	7	1	12
-	2	32	139	10	2	3	1	5	39	...	30	5	2	13	21	1	49
-	-	4	20	4	-	1	-	-	11	...	3	-	1	2	3	1	8
1	1	39	92	17	-	4	3	3	46	7	28	2	-	3	16	1	35
-	-	6	17	5	-	-	-	-	6	-	1	-	-	-	4	-	4
-	12	690	2,187	385	36	60	27	49	726	26	399	94	14	148	356	30	621
-	5	142	387	127	10	37	5	2	202	10	111	5	26	30	91	11	173
-	10	344	1,206	207	30	37	16	32	410	...	237	74	10	122	228	15	360
-	5	74	224	56	10	22	4	2	93	...	56	3	20	29	62	4	105
-	2	346	981	178	6	23	11	17	316	26	162	20	4	26	128	15	261
-	-	68	163	71	-	15	1	-	109	10	55	2	6	1	29	7	68
5	146	4,944	19,362	3,157	349	260	227	589	2,866	173	2,075	454	39	527	2,559	195	5,158
5	139	4,870	19,073	3,092	344	254	226	583	2,813	165	2,031	449	38	520	2,516	194	5,065
-	7	74	289	65	5	6	1	6	53	8	44	5	1	7	43	1	93
3	118	2,081	10,214	1,725	282	147	124	368	1,348	...	1,140	315	27	421	1,463	98	2,614
-	8	31	163	41	4	1	1	4	28	...	29	5	1	7	23	1	51
2	21	2,789	8,859	1,367	82	107	102	215	1,467	165	891	134	11	99	1,053	96	2,451
-	1	43	126	24	1	5	-	2	25	8	15	-	-	-	20	-	42
3	126	4,314	16,910	2,695	306	221	194	542	2,439	150	1,824	386	33	440	2,217	157	4,406
-	7	68	268	55	5	6	1	6	44	8	40	4	1	5	36	1	85
3	107	1,834	9,019	1,501	254	133	103	344	1,158	...	1,015	282	24	353	1,292	78	2,255
-	6	27	148	35	4	1	1	4	23	...	27	4	1	5	20	1	45
-	19	2,480	7,891	1,194	52	88	91	198	1,281	150	809	124	9	87	925	79	2,151
-	1	41	118	20	1	5	-	2	21	8	13	-	-	-	16	-	40
1	96	1,724	7,557	1,277	159	122	81	271	990	71	804	165	15	178	1,046	39	1,963
-	7	58	220	46	3	5	1	5	29	6	33	2	1	4	22	-	74
1	78	706	4,015	710	133	69	39	159	471	....	458	116	13	145	640	19	1,000
-	6	20	118	31	3	1	1	3	14	...	23	2	1	4	10	-	40
-	18	1,018	3,542	567	26	53	42	112	519	71	346	49	2	33	406	20	963
-	1	38	102	15	-	4	-	2	15	6	10	-	-	-	12	-	34
-	17	1,389	4,917	779	87	46	53	156	743	52	556	110	9	138	666	75	1,307
-	-	6	28	5	2	1	-	-	9	2	3	1	-	1	9	1	6
-	16	595	2,623	441	71	33	26	113	341	...	308	76	4	104	371	39	635
-	-	5	18	3	1	-	-	-	5	...	2	1	-	1	7	1	3
-	1	794	2,294	338	16	13	27	43	402	52	248	34	5	34	295	36	672
-	-	1	10	2	1	1	-	-	4	2	1	-	-	-	2	-	3
1	9	829	3,251	477	49	43	41	88	472	18	339	78	5	80	381	33	846
-	-	2	13	3	-	-	-	-	1	-	1	-	-	-	5	-	2
1	9	362	1,717	282	42	23	26	55	225	...	177	45	4	65	216	15	450
-	-	-	7	-	-	-	-	-	1	...	1	-	-	-	3	-	-
-	-	467	1,534	215	7	20	15	33	247	18	162	33	1	15	165	18	396
-	-	2	6	3	-	-	-	-	-	-	-	-	-	-	2	-	2
1	4	372	1,185	162	11	10	19	27	234	9	125	33	4	44	124	10	290
-	-	2	5	1	-	-	-	1	5	-	3	1	-	-	-	-	3
1	4	171	664	88	8	8	12	17	121	...	72	25	3	39	65	5	170
-	-	2	5	1	-	-	-	1	3	...	1	1	-	-	-	-	2
-	-	201	521	74	3	2	7	10	113	9	53	8	1	5	59	5	120
-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	1
2	13	558	2,163	397	38	33	32	41	374	15	207	63	5	80	299	37	659
-	-	6	23	10	-	-	-	-	9	-	4	1	-	2	7	-	8
-	11	247	1,195	224	28	14	21	24	188	...	125	53	3	68	171	20	359
-	-	4	15	6	-	-	-	-	5	...	2	1	-	2	3	-	6
2	2	309	968	173	10	19	11	17	186	15	82	10	2	12	128	17	300
-	-	2	8	4	-	-	-	-	4	-	2	-	-	-	4	-	2
5	47	5,458	17,761	3,574	335	334	313	509	2,875	226	3,139	546	181	1,002	2,503	979	5,994
4	45	5,217	17,018	3,225	314	320	291	484	2,692	201	2,961	534	99	970	2,396	950	5,683
1	2	241	743	349	21	14	22	25	183	25	178	12	82	32	107	29	311
-	40	2,504	10,247	1,926	274	163	177	311	1,459	...	1,687	423	64	753	1,554	502	3,187
-	1	124	385	239	13	4	14	15	91	...	100	7	62	27	81	17	150
4	5	2,715	6,771	1,299	40	157	114	173	1,233	201	1,274	111	35	217	842	448	2,496
1	1	117	358	110	8	10	8	10	92	25	78	5	20	5	26	12	161
2	31	2,893	10,487	1,927	220	215	182	351	1,629	141	2,005	310	71	547	1,321	477	3,315
-	2	197	578	308	19	13	22	19	156	24	171	10	82	26	86	21	248
-	28	1,247	6,182	1,150	195	117	114	229	854	...	1,146	258	49	413	857	244	1,809
-	1	98	285	211	12	4	14	12	74	...	99	5	62	21	61	12	112
2	3	1,646	4,305	777	25	98	68	122	775	141	859	72	22	134	484	233	1,506
-	1	99	293	97	7	9	8	7	82	24	72	5	20	5	25	9	136
-	14	1,268	5,465	992	128	112	87	225	802	78	912	161	48	296	609	185	1,555
-	-	154	457	235	17	8	18	15	124	24	135	9	72	23	60	15	198
-	12	531	3,222	626	115	60	58	144	432	...	511	117	34	222	397	92	835
-	-	74	226	161	10	2	12	8	61	...	82	5	55	19	43	10	88
-	2	737	2,243	366	13	52	29	81	370	78	401	44	14	74	212	91	720
-	-	80	231	74	7	6	6	7	63	24	53	4	17	4	17	5	110
1	10	784	2,546	487	60	62	46	69	401	39	548	68	13	129	319	172	954
-	2	25	69	46	2	4	1	2	23	-	21	1	7	2	14	4	35
-	10	334	1,492	297	50	35	24	50	190	...	326	53	8	98	212	92	526
-	1	14	50	30	2	2	-	2	12	...	10	-	5	1	9	1	17
1	-	450	1,054	190	10	27	22	19	211	39	222	15	5	31	107	80	408
-	1	11	39	16	-	2	1	-	11	-	11	1	2	1	5	3	18

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
MICHIGAN—Continued																
Places of 10,000 to 25,000....White.....	3,416	1	7	-	5	-	68	2	-	18	2	4	404	4	82	10
Nonwhite..	153	-	-	-	2	-	23	-	-	4	-	-	12	-	3	-
Male.....White.....	1,885	1	4	-	2	-	47	1	-	13	-	3	205	3	26	4
Nonwhite..	89	-	-	-	2	-	13	-	-	3	-	-	7	-	2	-
Female.....White.....	1,531	-	3	-	3	-	21	1	-	5	2	1	199	1	56	6
Nonwhite..	64	-	-	-	-	-	10	-	-	1	-	-	5	-	1	-
Places of 2,500 to 10,000.....White.....	4,590	-	4	1	16	3	101	1	-	24	5	2	592	2	139	8
Nonwhite..	67	-	-	-	2	-	6	-	-	2	-	-	6	-	-	-
Male.....White.....	2,522	-	3	1	10	1	65	-	-	18	3	2	280	1	46	1
Nonwhite..	37	-	-	-	2	-	2	-	-	1	-	-	3	-	-	-
Female.....White.....	2,068	-	1	-	8	2	36	1	-	6	2	-	312	1	93	7
Nonwhite..	30	-	-	-	-	-	4	-	-	1	-	-	3	-	-	-
Rural.....White.....	21,149	3	22	7	34	9	510	14	3	216	43	15	2,451	13	479	50
Nonwhite..	636	-	-	-	2	1	62	-	-	73	2	-	85	-	14	2
Male.....White.....	12,399	3	15	5	13	4	323	4	1	168	18	6	1,252	8	175	5
Nonwhite..	387	-	-	-	1	-	37	-	-	60	1	-	35	-	5	1
Female.....White.....	8,750	-	7	2	21	5	187	10	2	48	25	9	1,199	5	304	45
Nonwhite..	249	-	-	-	1	1	25	-	-	13	1	-	50	-	9	1
MINNESOTA.....	26,991	-	29	10	30	20	719	3	2	218	21	10	3,741	22	776	82
Both sexes.....White.....	26,598	-	28	10	26	18	666	2	2	206	16	9	3,713	21	770	82
Nonwhite..	393	-	1	-	4	2	53	1	-	12	5	1	28	1	6	-
Male.....White.....	15,317	-	22	4	10	10	404	1	2	156	10	5	1,916	13	289	14
Nonwhite..	213	-	-	-	2	1	29	-	-	10	2	1	15	-	2	-
Female.....White.....	11,281	-	6	6	16	8	262	1	-	50	6	4	1,797	8	481	68
Nonwhite..	180	-	1	-	2	1	24	1	-	2	3	-	13	1	4	-
Urban.....White.....	15,069	-	21	2	9	9	376	1	2	158	6	4	2,175	13	435	41
Nonwhite..	197	-	-	-	1	-	18	-	-	9	-	1	21	1	4	-
Male.....White.....	8,495	-	16	-	2	6	225	-	2	120	6	2	1,085	8	187	8
Nonwhite..	111	-	-	-	1	-	12	-	-	8	-	1	13	-	1	-
Female.....White.....	6,574	-	5	2	7	3	151	1	-	38	-	2	1,090	5	268	33
Nonwhite..	86	-	-	-	-	-	6	-	-	1	-	-	8	1	3	-
Places of 100,000 or more.....White.....	9,051	-	11	1	5	6	203	-	1	88	2	2	1,382	5	288	29
Nonwhite..	167	-	-	-	1	-	13	-	-	5	-	-	18	1	4	-
Male.....White.....	5,021	-	8	-	1	4	121	-	1	73	2	1	674	3	101	5
Nonwhite..	95	-	-	-	1	-	10	-	-	4	-	-	13	-	1	-
Female.....White.....	4,030	-	3	1	4	2	82	-	-	13	-	1	708	2	167	24
Nonwhite..	72	-	-	-	-	-	3	-	-	1	-	-	5	1	3	-
Places of 25,000 to 100,000...White.....	466	-	-	-	-	-	11	-	-	5	-	-	72	-	3	-
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male.....White.....	257	-	-	-	-	-	8	-	-	4	-	-	44	-	1	-
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	209	-	-	-	-	-	3	-	-	1	-	-	28	-	2	-
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Places of 10,000 to 25,000....White.....	1,898	-	3	1	4	-	56	-	1	30	2	1	225	2	68	2
Nonwhite..	10	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Male.....White.....	1,101	-	2	-	1	-	32	-	1	22	2	1	120	2	29	1
Nonwhite..	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Female.....White.....	797	-	1	1	3	-	24	-	-	8	-	-	105	-	39	1
Nonwhite..	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	3,654	-	7	-	-	3	108	1	-	37	2	1	496	6	96	10
Nonwhite..	17	-	-	-	-	-	3	-	-	4	-	1	2	-	-	-
Male.....White.....	2,116	-	6	-	-	2	64	-	-	21	2	-	247	3	36	2
Nonwhite..	9	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-
Female.....White.....	1,538	-	1	-	-	1	42	1	-	16	-	1	249	3	60	8
Nonwhite..	8	-	-	-	-	-	3	-	-	-	-	-	2	-	-	-
Rural.....White.....	11,529	-	7	8	17	9	290	1	-	48	10	5	1,538	8	335	41
Nonwhite..	196	-	1	-	3	2	35	1	-	3	5	-	7	-	2	-
Male.....White.....	6,822	-	6	4	8	4	179	1	-	36	4	3	851	5	122	6
Nonwhite..	102	-	-	-	1	1	17	-	-	2	2	-	2	-	1	-
Female.....White.....	4,707	-	1	4	9	5	111	-	-	12	6	2	707	3	213	35
Nonwhite..	94	-	1	-	2	1	18	1	-	1	3	-	5	-	1	-
MISSISSIPPI.....	21,193	20	38	7	90	22	912	79	67	401	21	10	1,608	23	319	27
Both sexes.....White.....	9,390	4	23	7	33	13	275	25	18	61	10	3	949	8	172	15
Nonwhite..	11,803	16	15	-	57	9	637	54	49	340	11	7	659	15	147	12
Male.....White.....	5,398	3	17	4	19	11	167	14	9	50	5	3	433	4	88	3
Nonwhite..	6,068	9	10	-	28	3	310	25	25	215	6	2	252	5	54	2
Female.....White.....	3,992	1	6	3	14	2	108	11	9	11	5	-	516	4	84	12
Nonwhite..	5,735	7	5	-	29	6	327	29	24	125	5	5	407	10	93	10
Urban.....White.....	2,880	-	8	2	8	2	64	5	2	30	2	1	282	2	49	7
Nonwhite..	2,693	-	3	-	13	4	135	3	12	72	5	-	171	7	35	1
Male.....White.....	1,662	-	6	1	3	2	45	3	2	26	2	1	124	1	24	2
Nonwhite..	1,373	-	2	-	7	1	72	2	5	46	3	-	61	4	14	-
Female.....White.....	1,218	-	2	1	5	-	19	2	-	4	-	-	158	1	25	5
Nonwhite..	1,320	-	1	-	6	3	63	1	7	26	2	-	110	3	21	1
Places of 25,000 to 100,000...White.....	655	-	-	1	1	-	12	1	-	7	-	1	65	-	10	1
Nonwhite..	520	-	1	-	-	4	29	1	2	11	1	-	38	-	10	-
Male.....White.....	357	-	-	1	1	-	8	1	-	6	-	1	25	-	1	-
Nonwhite..	276	-	1	-	-	1	15	-	1	8	1	-	11	-	3	-
Female.....White.....	298	-	-	-	-	-	4	-	-	1	-	-	40	-	9	1
Nonwhite..	244	-	-	-	-	3	14	1	1	3	-	-	27	-	7	-
Places of 10,000 to 25,000....White.....	1,105	-	5	-	4	1	31	-	-	20	1	-	108	-	21	2
Nonwhite..	1,212	-	1	-	6	-	53	1	5	35	3	-	73	5	8	-
Male.....White.....	665	-	4	-	-	1	23	-	-	18	1	-	47	-	11	-
Nonwhite..	621	-	-	-	4	-	29	1	2	21	2	-	32	3	3	-
Female.....White.....	440	-	1	-	4	-	8	-	-	2	-	-	61	-	10	2
Nonwhite..	591	-	1	-	2	-	24	-	3	14	1	-	41	2	5	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	3	364	1,075	197	14	19	24	25	194	12	236	43	6	62	163	48	324
-	-	12	55	16	-	-	2	2	7	-	14	-	2	-	8	-	11
-	3	165	635	99	14	9	17	13	102	...	130	37	4	43	106	24	175
-	-	7	19	13	-	-	1	2	-	...	6	-	2	-	6	-	6
-	-	199	440	98	-	10	7	12	92	12	106	6	2	19	57	24	149
-	-	5	16	3	-	-	1	-	7	-	8	-	-	-	2	-	5
1	4	477	1,401	251	18	22	25	32	252	12	309	38	4	60	230	74	502
-	-	6	17	11	-	1	1	-	2	-	1	-	1	1	4	2	4
-	3	217	833	128	16	13	15	22	130	...	179	31	3	50	142	38	275
-	-	3	10	7	-	-	1	-	1	...	1	-	-	1	3	1	1
1	1	260	568	123	2	9	10	10	102	12	130	7	1	10	88	38	229
-	-	3	7	4	-	1	-	-	1	-	-	-	1	-	1	1	3
2	14	2,324	6,551	1,298	94	105	109	133	1,063	60	956	224	28	423	1,075	473	2,368
1	-	44	165	41	2	1	-	6	27	1	7	2	-	6	21	8	63
-	12	1,257	4,065	776	79	46	63	82	605	...	541	185	15	340	697	258	1,378
-	-	26	100	28	1	-	-	3	17	...	1	2	-	6	20	5	38
2	2	1,067	2,466	522	15	59	46	51	458	60	415	39	13	83	378	215	990
1	-	18	65	13	1	1	-	3	10	1	6	-	-	-	1	3	25
3	34	2,783	8,011	1,701	178	89	162	200	1,053	84	1,372	277	31	308	1,497	257	3,288
3	34	2,756	7,925	1,660	176	87	157	197	1,038	82	1,349	275	29	301	1,433	239	3,238
-	-	27	86	41	2	2	5	3	15	2	23	2	2	7	14	18	30
1	32	1,358	4,812	995	145	49	102	124	614	...	775	225	19	229	990	139	1,854
-	-	16	49	21	1	1	3	-	9	...	9	1	2	6	9	8	16
2	2	1,400	3,113	665	31	38	55	73	424	82	574	50	10	72	493	100	1,384
-	-	11	37	20	1	1	2	3	6	2	14	1	-	1	5	10	14
-	25	1,502	4,524	1,008	101	41	70	132	520	46	798	144	23	154	845	105	1,779
-	-	18	56	13	1	1	4	3	11	-	7	1	-	1	5	3	18
-	23	706	2,696	594	87	28	48	83	303	...	458	108	15	119	531	52	999
-	-	10	32	8	-	-	3	-	6	...	1	-	-	1	3	1	10
-	2	796	1,828	414	14	15	22	49	217	46	340	36	8	35	314	53	780
-	-	8	24	5	1	1	1	3	5	-	6	1	-	-	2	2	8
-	17	910	2,825	626	69	29	41	91	282	33	382	88	16	96	542	24	979
-	-	16	49	13	1	1	2	2	11	-	7	1	-	1	5	2	14
-	15	403	1,677	357	57	17	31	57	147	...	219	66	11	75	340	14	541
-	-	9	28	8	-	-	1	-	6	...	1	-	-	1	3	1	8
-	2	507	1,148	269	12	12	10	34	135	33	163	22	5	21	202	10	438
-	-	7	21	5	1	1	1	2	5	-	6	1	-	-	2	1	6
-	-	41	95	60	4	1	-	5	13	1	16	3	-	2	20	10	104
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	20	58	35	4	1	-	4	10	...	8	2	-	2	8	4	44
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	21	37	25	-	-	-	1	3	1	8	1	-	-	12	8	60
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	179	528	146	6	4	10	10	73	3	130	12	2	11	98	24	266
-	-	1	3	-	-	-	-	-	-	-	-	-	-	-	-	1	3
-	1	86	322	99	6	3	5	5	46	...	75	11	2	9	64	12	142
-	-	1	2	-	-	-	-	-	-	...	-	-	-	-	-	-	1
-	-	93	206	47	-	1	5	5	27	3	55	1	-	2	34	12	124
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2
-	7	372	1,076	176	22	7	19	26	152	9	270	41	5	45	185	47	430
-	-	-	3	-	-	-	2	1	-	-	-	-	-	-	-	-	1
-	7	197	639	103	20	5	12	17	100	...	156	29	2	33	119	22	272
-	-	-	1	-	-	-	2	-	-	...	-	-	-	-	-	-	1
-	-	175	437	73	2	2	7	9	52	9	114	12	3	12	66	25	158
-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
3	9	1,254	3,401	652	75	46	87	65	518	36	551	131	6	147	638	134	1,459
-	-	9	30	28	1	1	1	-	4	2	16	1	2	6	9	15	12
1	9	650	2,116	401	58	23	54	41	311	...	317	117	4	110	459	87	855
-	-	6	17	13	1	1	-	-	3	...	8	1	2	5	6	7	6
2	-	604	1,285	251	17	23	33	24	207	36	234	14	2	37	179	47	604
-	-	3	13	15	-	-	1	-	1	2	8	-	-	1	3	8	6
82	10	1,848	3,389	1,435	107	277	160	107	2,116	236	1,222	107	318	347	1,054	2,933	1,801
31	6	888	1,916	628	55	91	80	63	824	71	773	84	64	207	567	565	861
51	4	960	1,473	807	52	186	80	44	1,292	165	449	23	254	140	487	2,368	940
9	6	439	1,178	338	49	42	52	49	450	...	453	65	51	177	413	330	467
17	4	423	711	446	32	104	52	23	689	...	242	19	202	112	335	1,213	498
22	-	449	738	290	8	49	28	14	374	71	320	19	13	30	154	235	394
34	-	537	762	361	20	82	28	21	603	165	207	4	52	28	152	1,155	442
7	2	246	658	171	21	26	19	29	234	25	335	28	21	49	150	118	277
12	1	284	397	197	20	31	19	9	340	41	123	5	67	39	108	323	216
1	2	128	414	91	18	9	13	22	127	...	204	20	17	37	98	68	151
6	1	120	186	120	10	17	12	1	181	...	74	4	54	30	69	169	102
6	-	118	244	80	3	17	6	7	107	25	131	8	4	12	52	50	126
6	-	164	211	77	10	14	7	8	159	41	49	1	13	9	39	154	114
3	1	53	170	36	4	6	2	6	38	7	76	4	2	13	33	34	68
3	-	38	59	52	5	3	5	2	78	5	14	-	18	4	16	76	49
-	1	24	99	20	3	2	2	4	24	...	47	2	1	10	22	17	35
3	-	18	30	32	1	3	2	1	45	...	7	-	15	2	11	39	28
3	-	29	71	16	1	4	-	2	14	7	29	2	1	3	11	17	33
-	-	20	29	20	4	-	3	1	31	5	7	-	3	2	5	37	21
2	1	92	236	65	5	7	11	17	90	8	130	16	11	16	55	46	104
3	1	158	189	81	9	14	6	6	165	16	56	3	23	20	45	136	91
-	1	46	160	37	4	4	7	13	50	...	84	11	8	10	40	27	58
1	1	73	88	45	5	7	4	-	82	...	36	2	19	15	33	74	39
2	-	46	76	28	1	3	4	4	40	8	46	5	3	6	15	19	46
2	-	85	101	36	4	7	2	6	83	16	20	1	4	5	12	62	52

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
MISSISSIPPI—Continued																
Places of 2,500 to 10,000.....White.....	1,120	-	3	1	3	1	21	4	2	3	1	-	109	2	18	4
Nonwhite..	961	-	1	-	7	-	53	1	5	26	1	-	60	2	17	1
Male.....White.....	640	-	2	-	2	1	14	2	2	2	1	-	52	1	12	2
Nonwhite..	476	-	1	-	3	-	28	1	2	17	-	-	18	1	8	-
Female.....White.....	480	-	1	1	1	-	7	2	-	1	-	-	57	1	6	2
Nonwhite..	485	-	-	-	4	-	25	-	3	9	1	-	42	1	9	1
Rural.....White.....	6,510	4	15	5	25	11	211	20	16	31	8	2	667	6	123	8
Nonwhite..	9,110	16	12	-	44	5	502	51	37	268	6	7	488	8	112	11
Male.....White.....	3,736	3	11	3	16	9	122	11	7	24	3	2	309	3	64	1
Nonwhite..	4,895	9	8	-	21	2	238	23	20	169	3	2	191	1	40	2
Female.....White.....	2,774	1	4	2	9	2	89	9	9	7	5	-	358	3	59	7
Nonwhite..	4,415	7	4	-	23	3	264	28	17	99	3	5	297	7	72	9
MISSOURI.....	44,289	33	80	20	95	36	1,659	38	19	548	59	36	5,120	34	990	106
Both sexes.....White.....	39,779	29	62	20	81	36	1,257	34	13	361	55	35	4,780	30	927	97
Nonwhite..	4,510	4	18	-	14	-	402	4	6	187	4	1	340	4	63	9
Male.....White.....	22,077	15	41	12	38	14	771	20	7	258	25	28	2,223	23	381	16
Nonwhite..	2,445	2	12	-	6	-	236	3	6	139	3	-	160	2	21	2
Female.....White.....	17,702	14	21	8	43	22	486	14	6	103	30	9	2,557	7	546	81
Nonwhite..	2,065	2	6	-	8	-	166	1	-	48	1	1	180	2	42	7
Urban.....White.....	22,543	11	46	7	46	11	689	19	2	257	27	17	2,848	12	575	56
Nonwhite..	3,716	2	14	-	10	-	336	2	1	168	3	1	295	3	54	5
Male.....White.....	12,358	5	29	5	21	5	445	12	2	177	15	15	1,317	11	225	13
Nonwhite..	2,000	1	8	-	5	-	201	1	1	123	3	-	139	1	16	2
Female.....White.....	10,185	6	17	2	25	6	244	7	-	80	12	2	1,531	1	350	43
Nonwhite..	1,716	1	6	-	5	-	135	1	-	45	-	1	156	2	38	5
Places of 100,000 or more.....White.....	13,613	3	42	1	27	2	419	3	1	167	12	12	1,836	6	379	27
Nonwhite..	2,981	1	13	-	7	-	276	2	-	127	2	1	244	3	44	3
Male.....White.....	7,520	-	27	1	12	-	280	3	1	117	4	10	884	5	142	5
Nonwhite..	1,608	-	8	-	4	-	166	1	-	91	2	-	116	1	12	2
Female.....White.....	6,093	3	15	-	15	2	139	-	-	50	8	2	952	1	237	22
Nonwhite..	1,373	1	5	-	3	-	110	1	-	36	-	1	128	2	32	1
Places of 25,000 to 100,000...White.....	2,710	1	1	-	4	3	107	5	-	37	6	2	306	-	50	8
Nonwhite..	135	1	1	-	-	-	6	-	-	11	-	-	7	-	-	-
Male.....White.....	1,475	-	1	-	2	3	66	2	-	22	4	2	128	-	27	2
Nonwhite..	77	1	-	-	-	-	5	-	-	10	-	-	3	-	-	-
Female.....White.....	1,235	1	-	-	2	-	41	3	-	15	2	-	178	-	23	6
Nonwhite..	58	-	1	-	-	-	1	-	-	1	-	-	4	-	-	-
Places of 10,000 to 25,000....White.....	2,599	2	1	3	9	2	64	7	-	16	2	1	306	2	65	7
Nonwhite..	282	-	-	-	2	-	21	-	1	6	-	-	19	-	4	-
Male.....White.....	1,417	-	-	1	4	-	42	4	-	9	2	1	126	2	29	1
Nonwhite..	146	-	-	-	1	-	12	-	1	5	-	-	9	-	-	-
Female.....White.....	1,182	2	1	2	5	2	22	3	-	7	-	-	180	-	36	6
Nonwhite..	136	-	-	-	1	-	9	-	-	1	-	-	10	-	4	-
Places of 2,500 to 10,000.....White.....	3,621	5	2	3	6	4	99	4	1	37	7	2	400	4	81	14
Nonwhite..	318	-	-	-	1	-	33	-	-	24	1	-	25	-	6	2
Male.....White.....	1,948	5	1	3	3	2	57	3	1	29	5	2	179	4	27	5
Nonwhite..	171	-	-	-	-	-	18	-	-	17	1	-	11	-	4	-
Female.....White.....	1,675	-	1	-	3	2	42	1	-	8	2	-	221	-	54	9
Nonwhite..	147	-	-	-	1	-	15	-	-	7	-	-	14	-	2	2
Rural.....White.....	17,236	18	16	13	35	25	568	15	11	104	28	18	1,932	18	352	41
Nonwhite..	794	2	4	-	4	-	66	2	5	19	1	-	45	1	9	4
Male.....White.....	9,719	10	12	7	17	9	326	8	5	81	10	11	906	12	156	3
Nonwhite..	445	1	4	-	1	-	35	2	5	16	-	-	21	1	5	-
Female.....White.....	7,517	8	4	6	18	16	242	7	6	23	18	7	1,026	6	196	38
Nonwhite..	349	1	-	-	3	-	31	-	-	3	1	-	24	-	4	4
MONTANA.....	5,601	4	5	3	18	5	208	10	-	48	6	10	613	6	116	17
Both sexes.....White.....	5,277	1	5	3	10	5	142	6	-	45	4	7	598	5	113	17
Nonwhite..	324	3	-	-	8	-	64	4	-	3	2	3	15	1	3	-
Male.....White.....	3,502	1	4	-	3	2	118	3	-	39	3	5	367	4	54	3
Nonwhite..	175	2	-	-	3	-	27	2	-	3	1	2	7	-	-	-
Female.....White.....	1,775	-	1	3	7	3	24	3	-	6	1	2	231	1	59	14
Nonwhite..	149	1	-	-	5	-	37	2	-	-	1	1	8	1	3	-
Urban.....White.....	2,542	-	4	1	4	2	78	5	-	15	1	4	295	3	58	9
Nonwhite..	25	-	-	-	-	-	-	-	-	-	-	1	4	-	1	-
Male.....White.....	1,630	-	3	-	2	1	66	3	-	14	1	3	190	2	27	1
Nonwhite..	16	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-
Female.....White.....	912	-	1	1	2	1	12	2	-	1	-	1	105	1	29	8
Nonwhite..	9	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Places of 25,000 to 100,000...White.....	971	-	1	-	1	-	56	1	-	8	-	1	116	-	21	3
Nonwhite..	9	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-
Male.....White.....	618	-	-	-	-	-	49	-	-	8	-	1	77	-	10	1
Nonwhite..	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Female.....White.....	353	-	1	-	1	-	7	1	-	-	-	-	39	-	11	2
Nonwhite..	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Places of 10,000 to 25,000....White.....	739	-	-	1	-	2	9	3	-	2	1	1	81	-	15	4
Nonwhite..	12	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Male.....White.....	471	-	-	-	-	1	5	2	-	2	1	-	56	-	7	-
Nonwhite..	9	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
Female.....White.....	268	-	-	1	-	1	4	1	-	-	-	1	25	-	8	4
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	832	-	3	-	3	-	13	1	-	5	-	2	98	3	20	2
Nonwhite..	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male.....White.....	541	-	3	-	2	-	12	1	-	4	-	2	57	2	10	-
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	291	-	-	-	1	-	1	-	-	1	-	-	41	1	10	2
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
2	-	101	252	70	12	13	6	6	106	10	129	8	8	20	62	38	105
6	-	90	149	64	6	14	8	1	99	20	53	2	26	15	47	111	76
1	-	58	155	34	11	3	4	5	53	...	73	7	8	17	36	24	58
2	-	31	68	43	4	7	6	-	54	...	31	2	20	13	25	56	35
1	-	43	97	36	1	10	2	1	53	10	56	1	-	3	26	14	47
4	-	59	81	21	2	7	2	1	45	20	22	-	6	2	22	55	41
24	4	642	1,258	457	34	65	61	34	590	46	438	56	43	158	417	447	584
39	3	676	1,076	610	32	155	61	35	952	124	326	18	187	101	379	2,045	724
8	4	311	764	247	31	33	39	27	323	...	249	45	34	140	315	262	316
11	3	303	525	326	22	87	40	22	508	...	168	15	148	82	266	1,044	396
16	-	331	494	210	3	32	22	7	267	46	189	11	9	18	102	185	268
28	-	373	551	284	10	68	21	13	444	124	158	3	39	19	113	1,001	328
14	37	3,952	13,049	3,263	235	327	261	440	3,957	183	1,787	386	189	549	2,097	457	4,233
13	31	3,575	11,969	2,820	220	286	236	418	3,485	161	1,611	378	104	508	1,911	427	3,809
1	6	377	1,080	443	15	41	25	22	472	22	176	8	85	41	186	30	424
10	26	1,779	7,038	1,524	175	161	137	284	1,929	...	952	280	80	405	1,162	215	2,050
1	5	157	588	240	11	20	11	16	237	...	103	6	71	32	122	13	220
3	5	1,796	4,931	1,296	45	125	99	134	1,556	161	659	98	24	103	749	212	1,759
-	1	220	492	203	4	21	14	6	235	22	73	2	14	9	64	17	204
9	21	1,866	7,114	1,457	122	134	104	298	1,902	70	915	226	65	273	1,059	134	2,151
1	5	306	920	350	13	17	24	19	391	19	145	6	72	34	136	12	352
7	16	888	4,109	801	100	70	55	210	1,020	...	536	154	50	220	632	69	1,124
1	4	126	488	189	10	10	11	14	194	...	87	4	60	27	87	5	182
2	5	978	3,005	656	22	64	49	88	882	70	379	72	15	53	427	65	1,027
-	1	180	432	161	3	7	13	5	197	19	58	2	12	7	49	7	170
5	11	1,016	4,402	843	73	51	55	229	1,119	34	501	150	44	165	645	55	1,278
1	2	237	732	279	11	14	19	17	303	14	125	3	57	28	109	10	297
4	7	480	2,541	478	61	24	21	166	574	...	288	101	35	139	391	31	688
1	2	99	388	151	9	8	9	12	146	...	73	1	49	22	67	4	162
1	4	536	1,861	365	12	27	34	63	545	34	213	49	9	26	254	24	590
-	-	138	344	128	2	6	10	5	157	14	52	2	8	6	42	6	135
3	5	240	803	200	17	37	15	19	234	11	113	24	6	26	121	12	294
-	2	14	30	16	-	1	1	-	19	1	3	-	2	2	6	-	12
2	4	125	467	109	14	19	8	13	128	...	72	14	3	20	65	8	145
-	2	4	14	10	-	1	-	-	12	...	3	-	2	1	3	-	6
1	1	115	336	91	3	18	7	6	106	11	41	10	3	6	56	4	149
-	-	10	18	6	-	-	1	-	7	1	-	-	-	1	3	-	6
1	3	254	833	160	9	19	12	22	231	12	131	28	7	29	124	28	209
-	1	28	79	26	1	1	3	1	35	3	11	2	4	2	11	-	21
1	3	108	513	87	5	11	9	13	138	...	68	20	5	22	81	11	101
-	-	10	44	12	1	-	1	1	19	...	8	2	4	2	10	-	4
-	-	146	320	73	4	8	3	9	93	12	63	8	2	7	43	17	108
-	1	18	35	14	-	1	2	-	16	3	3	-	-	-	1	-	17
-	2	356	1,076	254	23	27	22	28	318	13	170	24	8	53	169	39	370
-	-	27	79	29	1	1	1	1	34	1	6	1	9	2	10	2	22
-	2	175	588	127	20	16	17	18	180	...	108	19	7	39	95	19	190
-	-	13	42	16	-	1	1	1	17	...	3	1	5	2	7	1	10
-	-	181	488	127	3	11	5	10	138	13	62	5	1	14	74	20	180
-	-	14	37	13	1	-	-	-	17	1	3	-	4	-	3	1	12
4	10	1,709	4,855	1,563	98	152	132	120	1,583	91	696	152	39	235	852	293	1,658
-	1	71	160	93	2	24	1	3	81	3	31	2	13	7	50	18	72
5	10	891	2,929	723	75	91	82	74	909	...	416	126	30	185	530	146	926
-	1	31	100	51	1	10	-	2	43	...	16	2	11	5	35	8	38
1	-	818	1,926	640	23	61	50	46	674	91	280	26	9	50	322	147	732
-	-	40	60	42	1	14	1	1	38	3	15	-	2	2	15	10	34
-	12	453	1,564	306	37	29	31	30	271	20	295	68	15	87	493	188	635
-	12	443	1,518	263	37	21	31	29	262	17	279	68	12	85	475	156	608
-	-	10	46	43	-	8	-	1	9	3	16	-	3	2	18	32	27
-	11	231	1,048	190	35	11	19	24	161	...	163	58	9	65	393	99	379
-	-	6	32	23	-	4	-	1	6	...	10	-	2	1	12	13	18
-	1	212	470	73	2	10	12	5	101	17	116	10	3	20	82	57	229
-	-	4	14	20	-	4	-	-	3	3	6	-	1	1	6	19	9
-	4	202	776	108	16	11	9	18	145	9	152	27	2	39	206	51	290
-	-	1	5	2	-	-	-	-	2	-	1	-	1	-	3	-	4
-	4	91	503	78	15	7	6	14	88	...	85	22	2	28	168	28	178
-	-	-	2	2	-	-	-	-	1	...	1	-	1	-	2	-	3
-	-	111	273	30	1	4	3	4	57	9	67	5	-	11	38	23	112
-	-	1	3	-	-	-	-	-	1	-	-	-	-	-	1	-	1
-	2	66	285	41	7	7	5	9	60	3	60	10	1	12	74	13	108
-	-	-	3	-	-	-	-	-	1	-	-	-	-	-	2	-	-
-	2	29	175	26	6	4	3	7	34	...	31	9	1	9	64	5	67
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	1	-	-
-	-	37	110	15	1	3	2	2	26	3	29	1	-	3	10	8	41
-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-
-	1	64	248	29	6	3	3	3	33	2	44	12	-	12	55	16	89
-	-	1	2	1	-	-	-	-	1	-	-	-	1	-	1	-	3
-	1	28	168	23	6	2	2	3	23	...	23	8	-	6	42	10	52
-	-	-	1	1	-	-	-	-	1	...	-	-	1	-	1	-	2
-	-	36	80	6	-	1	1	-	10	2	21	4	-	6	13	6	37
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	1	72	243	38	3	1	1	6	52	4	48	5	1	15	77	22	93
-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1
-	1	34	160	29	3	1	1	4	31	...	31	5	1	13	62	13	59
-	-	-	-	1	-	-	-	-	-	...	1	-	-	-	-	-	1
-	-	38	83	9	-	-	-	2	21	4	17	-	-	2	15	9	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
MONTANA—Continued																
Rural.....White.....	2,735	1	1	2	6	3	64	1	-	30	3	3	303	2	57	8
Nonwhite..	299	3	-	-	8	-	64	4	-	3	2	2	11	1	2	-
Male.....White.....	1,872	1	1	-	1	1	52	-	-	25	2	2	177	2	27	2
Nonwhite..	159	2	-	-	3	-	27	2	-	3	1	1	4	-	-	-
Female.....White.....	863	-	-	2	5	2	12	1	-	5	1	1	126	-	30	6
Nonwhite..	140	1	-	-	5	-	37	2	-	-	1	1	7	1	2	-
NEBRASKA.....	13,062	2	16	8	25	11	208	4	-	98	17	24	1,693	13	383	37
Both sexes.....White.....	12,723	2	16	8	22	11	180	4	-	84	17	20	1,684	11	376	35
Nonwhite..	339	-	-	-	3	-	28	-	-	14	-	4	9	2	7	2
Male.....White.....	7,295	1	11	5	11	7	107	3	-	67	7	12	836	4	159	8
Nonwhite..	174	-	-	-	1	-	15	-	-	9	-	-	6	-	4	-
Female.....White.....	5,428	1	5	3	11	4	73	1	-	17	10	8	848	7	217	27
Nonwhite..	165	-	-	-	2	-	13	-	-	5	-	4	3	2	3	2
Urban.....White.....	5,824	1	7	2	13	7	101	2	-	44	2	10	764	5	152	15
Nonwhite..	251	-	-	-	1	-	15	-	-	11	-	3	6	1	6	2
Male.....White.....	3,269	1	5	1	5	4	63	2	-	33	2	5	365	-	57	3
Nonwhite..	127	-	-	-	1	-	8	-	-	6	-	-	4	-	3	-
Female.....White.....	2,555	-	2	1	8	3	38	-	-	11	-	5	399	5	95	12
Nonwhite..	124	-	-	-	-	-	7	-	-	5	-	3	2	1	3	2
Places of 100,000 or more.....White.....	2,430	-	1	2	5	3	52	-	-	22	1	5	347	1	64	9
Nonwhite..	215	-	-	-	1	-	13	-	-	10	-	3	6	1	5	2
Male.....White.....	1,378	-	1	1	3	3	35	-	-	18	1	2	165	-	24	2
Nonwhite..	104	-	-	-	1	-	7	-	-	5	-	-	4	-	2	-
Female.....White.....	1,052	-	-	1	2	-	17	-	-	4	-	3	182	1	40	7
Nonwhite..	111	-	-	-	-	-	6	-	-	5	-	3	2	1	3	2
Places of 25,000 to 100,000...White.....	908	-	3	-	-	-	11	1	-	8	-	2	121	1	18	1
Nonwhite..	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	491	-	1	-	-	-	7	1	-	6	-	2	54	-	5	-
Nonwhite..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	417	-	2	-	-	-	4	-	-	2	-	-	67	1	13	1
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White.....	1,079	-	1	-	2	1	10	1	-	8	1	-	135	-	29	2
Nonwhite..	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Male.....White.....	607	-	1	-	-	-	7	1	-	4	1	-	61	-	12	-
Nonwhite..	5	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
Female.....White.....	472	-	-	-	2	1	3	-	-	4	-	-	74	-	17	2
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	1,407	1	2	-	6	3	28	-	-	6	-	3	161	3	41	3
Nonwhite..	12	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Male.....White.....	793	1	2	-	2	1	14	-	-	5	-	1	85	-	16	1
Nonwhite..	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female.....White.....	614	-	-	-	4	2	14	-	-	1	-	2	76	3	25	2
Nonwhite..	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Rural.....White.....	6,899	1	9	6	9	4	79	2	-	40	15	10	920	8	224	20
Nonwhite..	88	-	-	-	2	-	13	-	-	3	-	1	3	1	1	-
Male.....White.....	4,026	-	6	4	6	3	44	1	-	34	5	7	471	4	102	5
Nonwhite..	47	-	-	-	-	-	7	-	-	3	-	-	2	-	1	-
Female.....White.....	2,873	1	3	2	3	1	35	1	-	6	10	3	449	2	122	15
Nonwhite..	41	-	-	-	2	-	6	-	-	-	-	1	1	1	-	-
NEVADA.....	1,615	1	4	-	3	-	89	3	1	27	1	4	138	2	20	-
Both sexes.....White.....	1,460	1	3	-	2	-	65	3	1	17	-	3	135	2	18	-
Nonwhite..	155	-	1	-	1	-	24	-	-	10	1	1	3	-	2	-
Male.....White.....	1,045	-	2	-	-	-	53	1	1	16	-	1	77	2	9	-
Nonwhite..	82	-	-	-	-	-	13	-	-	5	1	-	2	-	-	-
Female.....White.....	415	1	1	-	2	-	12	2	-	1	-	2	58	-	9	-
Nonwhite..	73	-	1	-	1	-	11	-	-	5	-	1	1	-	2	-
Urban.....White.....	704	-	-	-	-	-	27	3	-	3	-	1	74	1	9	-
Nonwhite..	50	-	-	-	-	-	5	-	-	5	1	-	1	-	-	-
Male.....White.....	486	-	-	-	-	-	23	1	-	3	-	-	39	1	4	-
Nonwhite..	30	-	-	-	-	-	2	-	-	2	1	-	-	-	-	-
Female.....White.....	218	-	-	-	-	-	4	2	-	-	-	1	35	-	5	-
Nonwhite..	20	-	-	-	-	-	3	-	-	3	-	-	1	-	-	-
Places of 10,000 to 25,000....White.....	323	-	-	-	-	-	9	1	-	-	-	1	30	-	6	-
Nonwhite..	9	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
Male.....White.....	203	-	-	-	-	-	9	1	-	-	-	-	12	-	3	-
Nonwhite..	5	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
Female.....White.....	120	-	-	-	-	-	-	-	-	-	-	1	18	-	3	-
Nonwhite..	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	381	-	-	-	-	-	18	2	-	3	-	-	44	1	3	-
Nonwhite..	41	-	-	-	-	-	3	-	-	5	-	-	1	-	-	-
Male.....White.....	283	-	-	-	-	-	14	-	-	3	-	-	27	1	1	-
Nonwhite..	25	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
Female.....White.....	98	-	-	-	-	-	4	2	-	-	-	-	17	-	2	-
Nonwhite..	16	-	-	-	-	-	2	-	-	3	-	-	1	-	-	-
Rural.....White.....	756	1	3	-	2	-	38	-	1	14	-	2	61	1	9	-
Nonwhite..	105	-	1	-	1	-	19	-	-	5	-	1	2	-	2	-
Male.....White.....	559	-	2	-	-	-	30	-	1	13	-	1	38	1	5	-
Nonwhite..	52	-	-	-	-	-	11	-	-	3	-	-	2	-	-	-
Female.....White.....	197	1	1	-	2	-	8	-	-	1	-	1	23	-	4	-
Nonwhite..	53	-	1	-	1	-	8	-	-	2	-	1	-	-	2	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163,-164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	8	241	742	155	21	10	22	11	117	8	127	41	10	46	269	105	318
-	-	9	41	41	-	8	-	1	7	3	15	-	2	2	15	32	23
-	7	140	545	112	20	4	13	10	73	...	78	36	7	37	225	71	201
-	-	6	30	21	-	4	-	1	5	...	9	-	1	1	10	13	15
-	1	101	197	43	1	6	9	1	44	8	49	5	3	9	44	34	117
-	-	3	11	20	-	4	-	-	2	3	6	-	1	1	5	19	8
-	14	1,303	3,615	741	87	58	74	99	945	42	676	156	30	193	733	259	1,498
-	14	1,262	3,540	695	85	56	73	98	921	41	660	154	22	191	720	255	1,466
-	-	41	75	46	2	2	1	1	24	1	16	2	8	2	13	4	32
-	12	631	2,185	368	67	32	40	63	533	...	385	118	15	150	503	136	819
-	-	20	45	16	1	1	-	1	13	...	8	-	5	2	6	3	18
-	2	631	1,355	327	18	24	33	35	388	41	275	36	7	41	217	119	647
-	-	21	30	30	1	1	1	-	11	1	8	2	3	-	7	1	14
-	11	540	1,717	305	42	23	35	53	402	14	331	64	12	88	303	88	671
-	-	33	63	28	2	-	1	1	22	1	12	2	8	-	11	3	19
-	9	251	1,058	159	34	17	18	32	240	...	193	43	9	72	181	47	380
-	-	15	41	9	1	-	-	1	11	...	5	-	5	-	4	2	11
-	2	289	659	146	8	6	17	21	162	14	138	21	3	16	122	41	311
-	-	18	22	19	1	-	1	-	11	1	7	2	3	-	7	1	8
-	6	195	744	125	17	7	16	26	136	11	117	32	7	35	135	35	274
-	-	29	55	26	2	-	-	1	15	1	9	2	6	-	11	2	15
-	4	85	468	70	15	6	6	15	78	...	70	22	5	30	93	18	138
-	-	14	34	8	1	-	-	1	5	...	5	-	3	-	4	1	9
-	2	110	276	55	2	1	10	11	58	11	47	10	2	5	42	17	136
-	-	15	21	18	1	-	-	-	10	1	4	2	3	-	7	1	6
-	-	94	260	40	9	2	5	6	80	-	49	6	2	12	47	12	118
-	-	3	5	-	-	-	-	-	5	-	1	-	-	-	-	-	2
-	-	40	155	19	6	2	4	3	47	...	30	3	2	9	25	7	63
-	-	1	5	-	-	-	-	-	5	...	-	-	-	-	-	-	2
-	-	54	105	21	3	-	1	3	33	-	19	3	-	3	22	5	55
-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	1	98	313	64	5	8	5	8	90	1	84	9	3	23	46	17	114
-	-	-	1	-	-	-	1	-	1	-	1	-	1	-	-	-	1
-	1	52	190	36	3	5	2	6	54	...	44	7	2	19	32	8	59
-	-	-	1	-	-	-	-	-	1	...	-	-	1	-	-	-	-
-	-	46	123	28	2	3	3	2	36	1	40	2	1	4	14	9	55
-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1
-	4	153	400	76	11	6	9	13	96	2	81	17	-	18	75	24	165
-	-	1	2	2	-	-	-	-	1	-	1	-	1	-	-	1	1
-	4	74	245	34	10	4	6	8	61	...	49	11	-	14	31	14	100
-	-	-	1	1	-	-	-	-	-	...	-	-	1	-	-	1	-
-	-	79	155	42	1	2	3	5	35	2	32	6	-	4	44	10	65
-	-	1	1	1	-	-	-	-	1	-	1	-	-	-	-	-	1
-	3	722	1,823	380	43	33	38	45	519	27	329	90	10	103	417	187	795
-	-	8	12	18	-	2	-	-	2	-	4	-	-	2	2	1	13
-	3	380	1,127	209	33	15	22	31	293	...	192	75	6	78	322	89	459
-	-	5	4	7	-	1	-	-	2	...	3	-	-	2	2	1	7
-	-	342	696	181	10	18	16	14	226	27	137	15	4	25	95	78	338
-	-	3	8	11	-	1	-	-	-	-	1	-	-	-	-	-	6
-	22	91	392	118	18	14	18	14	77	6	98	27	17	53	148	45	164
-	22	86	375	95	17	14	18	13	71	4	91	23	12	50	134	37	148
-	-	5	17	23	1	-	-	1	6	2	7	4	5	3	14	8	16
-	20	63	275	65	15	6	14	10	48	...	54	19	10	44	109	29	102
-	-	3	8	9	1	-	-	-	4	...	3	4	1	3	8	5	12
-	2	25	100	30	2	8	4	3	23	4	37	4	2	6	25	8	46
-	-	2	9	14	-	-	-	1	2	2	4	-	4	-	6	3	4
-	13	36	220	39	10	9	9	3	24	4	40	15	5	16	55	8	82
-	-	3	7	7	-	-	-	1	3	-	2	1	1	1	5	1	6
-	11	25	162	26	8	6	7	2	17	....	25	9	4	14	40	6	53
-	-	1	4	5	-	-	-	-	3	...	1	1	1	1	3	1	4
-	2	11	58	13	2	3	2	1	7	4	15	4	1	2	15	2	29
-	-	2	3	2	-	-	-	1	-	-	1	-	-	-	2	-	2
-	4	13	124	16	5	3	5	2	9	3	18	5	2	6	23	1	37
-	-	1	2	1	-	-	-	1	-	-	1	-	-	-	-	-	-
-	3	11	87	9	4	2	3	1	6	...	9	3	1	4	13	-	22
-	-	1	-	1	-	-	-	-	-	...	1	-	-	-	-	-	-
-	1	2	37	7	1	1	2	1	3	3	9	2	1	2	10	1	15
-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	9	23	96	23	5	6	4	1	15	1	22	8	3	10	32	7	45
-	-	2	5	6	-	-	-	-	3	-	1	1	1	1	5	1	6
-	8	14	75	17	4	4	4	1	11	...	16	6	3	10	27	8	31
-	-	-	4	4	-	-	-	-	3	...	-	1	1	1	3	1	4
-	1	9	21	6	1	2	-	-	4	1	6	2	-	-	5	1	14
-	-	2	1	2	-	-	-	-	-	-	1	-	-	-	2	-	2
-	9	50	155	56	7	5	9	10	47	-	51	10	7	34	79	29	66
-	-	2	10	16	1	-	-	-	3	2	5	3	4	2	9	7	10
-	9	38	113	39	7	-	7	8	31	...	29	10	6	30	69	23	49
-	-	2	4	4	1	-	-	-	1	...	2	3	-	2	5	4	8
-	-	12	42	17	-	5	2	2	16	-	22	-	1	4	10	6	17
-	-	-	6	12	-	-	-	-	2	2	3	-	4	-	4	3	2

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13–22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45–55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
NEW HAMPSHIRE	6,246	2	14	1	8	-	136	-	1	43	-	2	738	1	177	7
Both sexes.....White	6,238	2	14	1	8	-	135	-	1	42	-	2	737	1	177	7
Nonwhite	8	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-
Male.....White	3,409	1	10	-	6	-	85	-	1	33	-	-	342	-	73	2
Nonwhite	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female.....White	2,829	1	4	1	2	-	50	-	-	9	-	2	395	1	104	5
Nonwhite	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Urban.....White	3,566	1	5	-	4	-	85	-	1	34	-	2	416	1	96	4
Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Male.....White	1,883	-	4	-	3	-	59	-	1	27	-	-	183	-	39	1
Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female.....White	1,683	1	1	-	1	-	26	-	-	7	-	2	233	1	57	3
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000...White	1,907	-	4	-	4	-	47	-	1	26	-	-	211	-	57	3
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White	958	-	4	-	3	-	32	-	1	21	-	-	87	-	24	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White	949	-	-	-	1	-	15	-	-	5	-	-	124	-	33	3
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White	1,218	1	1	-	-	-	31	-	-	8	-	2	146	-	31	1
Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Male.....White	677	-	-	-	-	-	23	-	-	6	-	-	71	-	12	1
Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Female.....White	541	1	1	-	-	-	8	-	-	2	-	2	75	-	19	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000.....White	441	-	-	-	-	-	7	-	-	-	-	-	59	1	8	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White	248	-	-	-	-	-	4	-	-	-	-	-	25	-	3	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White	193	-	-	-	-	-	3	-	-	-	-	-	34	1	5	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural.....White	2,672	1	9	1	4	-	50	-	-	8	-	-	321	-	81	3
Nonwhite	7	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Male.....White	1,526	1	6	-	3	-	26	-	-	6	-	-	159	-	34	1
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White	1,146	-	3	1	1	-	24	-	-	2	-	-	162	-	47	2
Nonwhite	6	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
NEW JERSEY	50,281	10	126	14	39	11	1,932	9	2	481	24	12	6,518	87	1,600	98
Both sexes.....White	46,569	7	100	13	29	9	1,500	9	2	317	23	11	6,263	77	1,527	88
Nonwhite	3,712	3	26	1	10	2	432	-	-	164	1	1	255	10	73	10
Male.....White	25,256	4	71	8	11	6	1,014	7	2	234	12	6	3,057	37	488	17
Nonwhite	2,055	3	18	1	3	-	239	-	-	115	1	1	119	4	21	2
Female.....White	21,313	3	29	5	18	3	486	2	-	83	11	5	3,206	40	1,039	71
Nonwhite	1,657	-	8	-	7	2	193	-	-	49	-	-	136	6	52	8
Urban.....White	36,559	6	79	7	17	8	1,151	6	2	188	17	4	5,093	66	1,242	74
Nonwhite	3,002	1	21	-	7	2	358	-	-	111	1	1	213	10	65	9
Male.....White	19,881	3	54	5	7	6	797	5	2	137	9	3	2,474	30	396	15
Nonwhite	1,655	1	15	-	3	-	210	-	-	84	1	1	99	4	19	2
Female.....White	16,878	3	25	2	10	2	354	1	-	51	8	1	2,619	36	846	59
Nonwhite	1,347	-	6	-	4	2	148	-	-	27	-	-	114	6	46	7
Places of 100,000 or more.....White	13,447	4	21	3	5	7	511	2	1	74	4	1	1,782	26	480	21
Nonwhite	1,471	1	15	-	1	2	191	-	-	52	-	1	92	6	32	5
Male.....White	7,468	3	11	1	3	5	354	1	1	54	2	1	927	17	143	4
Nonwhite	810	1	12	-	-	-	113	-	-	35	-	1	42	3	5	1
Female.....White	5,979	1	10	2	2	2	157	1	-	20	2	-	855	9	337	17
Nonwhite	661	-	3	-	1	2	78	-	-	17	-	-	50	3	27	4
Places of 25,000 to 100,000...White	10,102	-	25	-	3	-	297	3	-	37	5	1	1,504	25	336	29
Nonwhite	739	-	5	-	3	-	78	-	-	21	1	-	54	2	15	4
Male.....White	5,380	-	20	-	-	-	209	3	-	29	2	1	720	6	96	5
Nonwhite	422	-	2	-	1	-	44	-	-	17	1	-	26	1	5	1
Female.....White	4,722	-	5	-	3	-	88	-	-	8	3	-	784	19	240	24
Nonwhite	317	-	3	-	2	-	34	-	-	4	-	-	28	1	10	3
Places of 10,000 to 25,000....White	6,234	1	21	2	1	-	130	1	-	22	7	1	880	7	206	12
Nonwhite	452	-	1	-	1	-	40	-	-	16	-	-	40	2	12	-
Male.....White	3,271	-	14	2	1	-	90	1	-	17	4	1	426	5	70	1
Nonwhite	229	-	1	-	-	-	24	-	-	14	-	-	17	-	6	-
Female.....White	2,963	1	7	-	-	-	40	-	-	5	3	-	454	2	136	11
Nonwhite	223	-	-	-	1	-	16	-	-	2	-	-	23	2	6	-
Places of 2,500 to 10,000.....White	6,776	1	12	2	8	1	213	-	1	55	1	1	927	8	220	12
Nonwhite	340	-	-	-	2	-	49	-	-	22	-	-	27	-	6	-
Male.....White	3,562	-	9	2	3	1	144	-	1	37	1	-	401	2	87	5
Nonwhite	194	-	-	-	2	-	29	-	-	18	-	-	14	-	3	-
Female.....White	3,214	1	3	-	5	-	69	-	-	18	-	1	526	6	133	7
Nonwhite	146	-	-	-	-	-	20	-	-	4	-	-	13	-	3	-
Rural.....White	10,010	1	21	6	12	1	349	3	-	129	6	7	1,170	11	285	14
Nonwhite	710	2	5	1	3	-	74	-	-	53	-	-	42	-	8	1
Male.....White	5,575	1	17	3	4	-	217	2	-	97	3	3	583	7	92	2
Nonwhite	400	2	3	1	-	-	29	-	-	31	-	-	20	-	2	-
Female.....White	4,435	-	4	3	8	1	132	1	-	32	3	4	587	4	193	12
Nonwhite	310	-	2	-	3	-	45	-	-	22	-	-	22	-	6	1
NEW MEXICO	5,488	12	9	3	36	13	353	82	1	76	13	8	353	10	51	11
Both sexes.....White	4,950	5	7	3	33	12	267	77	1	60	2	8	335	9	51	11
Nonwhite	538	7	2	-	3	1	86	5	-	16	11	-	18	1	-	-
Male.....White	2,962	4	4	2	12	8	170	38	1	43	1	4	163	6	29	1
Nonwhite	299	2	-	-	1	-	44	4	-	7	5	-	11	1	-	-
Female.....White	1,988	1	3	1	21	4	97	39	-	17	1	4	172	3	22	10
Nonwhite	239	5	2	-	2	1	42	1	-	9	6	-	7	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90–95	Pneumonia (all forms) and influenza 107–109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130–132	Diseases of pregnancy, childbirth, and the puerperium 140–150	Congenital malformations and diseases peculiar to the first year 157–161	Suicide 163, 164	Homicide 165–168	Motor-vehicle accidents 170	Other accidents 169, 171–195	Senility, ill-defined and unknown causes 162,199,200	All other causes
–	17	627	2,032	429	51	38	31	44	382	25	292	73	4	56	266	83	666
–	17	627	2,030	429	51	38	31	43	382	25	291	73	4	56	266	83	665
–	–	–	2	–	–	–	–	1	–	–	1	–	–	–	–	–	1
–	16	288	1,179	241	40	24	19	25	213	...	161	55	2	44	158	43	348
–	–	–	–	–	–	–	–	1	–	...	–	–	–	–	–	–	–
–	1	339	851	188	11	14	12	18	169	25	130	18	2	12	108	40	317
–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1
–	12	352	1,157	226	29	29	17	26	209	13	197	47	1	31	140	51	380
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	11	135	648	125	21	22	8	15	108	...	112	36	1	26	80	26	192
–	–	–	–	–	–	–	–	–	–	...	–	–	–	–	–	–	–
–	1	217	509	101	8	7	9	11	101	13	85	11	–	5	60	25	188
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	6	189	640	120	12	18	7	15	111	7	90	19	–	16	78	21	205
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	5	73	336	62	7	14	4	8	57	...	48	14	–	14	41	9	94
–	–	–	–	–	–	–	–	–	–	...	–	–	–	–	–	–	–
–	1	116	304	58	5	4	3	7	54	7	42	5	–	2	37	12	111
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	4	130	355	81	13	7	10	6	71	5	87	18	1	12	40	24	133
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	4	49	209	49	10	5	4	6	36	...	52	14	1	11	26	13	75
–	–	–	–	–	–	–	–	–	–	...	–	–	–	–	–	–	–
–	–	81	146	32	3	2	6	–	35	5	35	4	–	1	14	11	58
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	2	33	162	25	4	4	–	5	27	1	20	10	–	3	22	6	42
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	2	13	103	14	4	3	–	1	15	...	12	8	–	1	13	4	23
–	–	–	–	–	–	–	–	–	–	...	–	–	–	–	–	–	–
–	–	20	59	11	–	1	–	4	12	1	8	2	–	2	9	2	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	5	275	873	203	22	9	14	17	173	12	94	26	3	25	126	32	285
–	–	–	2	–	–	–	–	1	–	–	1	–	–	–	–	–	1
–	5	153	531	116	19	2	11	10	105	...	49	19	1	18	78	17	156
–	–	–	–	–	–	–	–	1	–	...	–	–	–	–	–	–	–
–	–	122	342	87	3	7	3	7	68	12	45	7	2	7	48	15	129
–	–	–	2	–	–	–	–	–	–	–	1	–	–	–	–	–	1
3	75	4,283	17,263	2,807	344	235	282	552	3,216	161	1,948	501	98	698	2,104	371	4,577
3	71	4,014	16,355	2,305	328	205	271	533	2,919	137	1,734	489	53	653	1,951	336	4,257
–	4	269	908	302	16	30	11	19	297	24	214	12	45	65	153	35	320
1	62	1,801	9,278	1,317	270	105	161	332	1,464	...	992	311	40	512	1,200	162	2,274
–	3	132	490	175	12	16	8	16	154	...	133	8	35	60	109	17	160
2	9	2,213	7,077	988	58	100	110	201	1,455	137	742	178	13	121	751	174	1,983
–	1	137	418	127	4	14	3	3	143	24	81	4	10	5	44	18	160
3	58	3,128	12,932	1,778	278	156	219	444	2,204	112	1,403	375	45	470	1,508	246	3,240
–	3	214	762	239	13	21	9	13	238	23	179	11	36	40	121	28	253
1	52	1,396	7,295	1,020	233	75	132	279	1,074	...	797	236	33	375	918	112	1,710
–	3	103	412	137	10	11	6	11	119	...	114	7	28	36	85	14	120
2	6	1,732	5,637	758	45	81	87	165	1,130	112	606	139	12	95	590	154	1,530
–	–	111	350	102	3	10	3	2	119	23	65	4	8	4	36	14	133
1	31	1,054	4,859	736	110	73	86	163	686	39	510	120	24	181	567	85	1,200
–	1	91	364	127	5	9	5	7	105	11	88	5	24	23	70	9	129
–	27	476	2,812	419	90	33	54	100	336	...	297	79	17	144	363	37	657
–	1	47	198	74	3	4	4	6	55	...	57	2	19	22	52	3	52
1	4	578	2,027	317	20	40	32	63	350	39	213	41	7	37	204	48	543
–	–	44	168	53	2	5	1	1	50	11	31	3	5	1	18	6	77
1	12	869	3,546	495	69	41	58	132	621	34	412	126	8	107	388	54	864
–	1	53	195	55	4	3	2	3	80	7	40	3	5	11	26	8	60
1	11	404	1,976	290	54	22	33	86	500	...	233	80	7	89	227	25	451
–	1	27	112	32	3	2	1	2	41	...	29	3	4	9	19	5	34
–	1	465	1,570	205	15	19	25	46	321	34	179	46	1	18	161	29	413
–	–	26	83	23	1	1	1	1	39	7	11	–	1	2	7	3	26
–	4	572	2,195	264	56	13	38	84	432	19	238	62	5	83	270	45	563
–	1	41	125	28	1	2	–	1	29	4	31	3	4	4	15	4	47
–	4	241	1,213	146	49	5	25	54	203	...	131	30	4	64	155	22	293
–	1	15	57	14	1	1	–	1	13	...	20	2	3	3	9	3	24
–	–	331	982	118	7	8	13	30	229	19	107	32	1	19	115	25	270
–	–	26	68	14	–	1	–	–	16	4	11	1	1	1	6	1	23
1	11	633	2,352	283	43	29	37	65	465	20	243	67	8	99	283	62	613
–	–	29	78	29	3	7	2	2	24	1	20	–	3	2	10	7	17
–	10	275	1,294	165	40	15	20	39	235	...	136	47	5	78	173	28	309
–	–	14	47	17	3	4	1	2	10	...	8	–	2	2	5	3	10
1	1	358	1,058	118	3	14	17	26	230	20	107	20	3	21	110	34	304
–	–	15	31	12	–	3	1	–	14	1	12	–	1	–	5	4	7
–	13	886	3,423	527	50	49	52	89	715	25	331	114	8	163	443	80	1,017
–	1	55	146	63	3	9	2	6	59	1	35	1	9	25	32	7	67
–	10	405	1,983	297	37	30	29	53	390	...	195	75	7	137	282	50	564
–	–	29	78	38	2	5	2	5	35	...	19	1	7	24	24	3	40
–	3	481	1,440	230	13	19	23	36	325	25	136	39	1	26	161	40	453
–	1	26	68	25	1	4	–	1	24	1	16	–	2	1	8	4	27
7	9	217	670	461	11	272	33	27	225	71	438	40	16	121	526	884	429
6	9	210	641	401	11	227	32	25	213	62	408	40	13	111	492	763	405
1	–	7	29	60	–	45	1	2	12	9	30	–	3	10	34	121	24
5	9	119	389	234	9	111	15	16	126	...	250	30	12	91	413	411	236
1	–	7	20	35	–	24	1	2	6	...	17	–	2	9	24	63	13
1	–	91	252	167	2	116	17	9	87	62	158	10	1	20	79	352	169
–	–	–	9	25	–	21	–	–	6	9	13	–	1	1	10	58	11

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61	63b
NEW MEXICO—Continued																
Urban.....White.....	2,029	1	4	-	15	3	145	35	1	23	-	2	184	4	28	5
Nonwhite..	77	-	-	-	1	-	11	1	-	6	-	-	4	-	-	-
Male.....White.....	1,215	1	2	-	7	2	84	14	1	14	-	2	87	3	14	1
Nonwhite..	53	-	-	-	-	-	5	1	-	4	-	-	4	-	-	-
Female.....White.....	814	-	2	-	8	1	61	21	-	9	-	-	97	1	14	4
Nonwhite..	24	-	-	-	1	-	6	-	-	2	-	-	-	-	-	-
Places of 25,000 to 100,000...White.....	429	-	1	-	2	-	57	7	-	4	-	1	45	1	4	-
Nonwhite..	19	-	-	-	-	-	7	1	-	-	-	-	-	-	-	-
Male.....White.....	253	-	-	-	1	-	36	3	-	1	-	1	21	1	4	-
Nonwhite..	10	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
Female.....White.....	176	-	1	-	1	-	21	4	-	3	-	-	24	-	-	-
Nonwhite..	9	-	-	-	-	-	5	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White.....	478	-	1	-	5	1	28	11	1	2	-	-	40	1	5	3
Nonwhite..	25	-	-	-	1	-	2	-	-	1	-	-	2	-	-	-
Male.....White.....	295	-	-	-	2	1	16	4	1	1	-	-	22	-	2	-
Nonwhite..	16	-	-	-	-	-	2	-	-	1	-	-	2	-	-	-
Female.....White.....	183	-	1	-	3	-	12	7	-	1	-	-	18	1	3	3
Nonwhite..	9	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	1,122	1	2	-	8	2	60	17	-	17	-	1	99	2	19	2
Nonwhite..	33	-	-	-	-	-	2	-	-	5	-	-	2	-	-	-
Male.....White.....	667	1	2	-	4	1	32	7	-	12	-	1	44	2	8	1
Nonwhite..	27	-	-	-	-	-	1	-	-	3	-	-	2	-	-	-
Female.....White.....	455	-	-	-	4	1	28	10	-	5	-	-	55	-	11	1
Nonwhite..	6	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
Rural.....White.....	2,921	4	3	3	18	9	122	42	-	37	2	6	151	5	23	6
Nonwhite..	461	7	2	-	2	1	75	4	-	10	11	-	14	1	-	-
Male.....White.....	1,747	3	2	2	5	6	86	24	-	29	1	2	76	3	15	-
Nonwhite..	246	2	-	-	1	-	39	3	-	3	5	-	7	1	-	-
Female.....White.....	1,174	1	1	1	13	3	36	18	-	8	1	4	75	2	8	6
Nonwhite..	215	5	2	-	1	1	36	1	-	7	6	-	7	-	-	-
NEW YORK.....	162,186	19	381	35	154	22	6,335	34	4	1,883	91	40	22,167	173	5,653	308
Both sexes.....White.....	153,757	17	339	32	142	19	5,085	32	4	1,390	89	39	21,385	154	5,483	293
Nonwhite..	8,429	2	42	3	12	3	1,250	2	-	493	2	1	802	19	170	15
Male.....White.....	83,506	8	204	14	79	11	3,479	18	4	1,088	44	23	10,480	76	1,885	55
Nonwhite..	4,487	1	30	1	6	1	733	1	-	343	2	-	358	11	39	4
Female.....White.....	70,251	9	135	18	63	8	1,606	14	-	302	45	16	10,905	78	3,598	238
Nonwhite..	3,962	1	12	2	6	2	517	1	-	150	-	1	446	8	131	11
Urban.....White.....	121,880	12	305	20	93	18	3,924	25	3	980	55	29	17,781	133	4,620	240
Nonwhite..	7,627	-	40	3	9	3	1,135	-	-	374	2	1	760	19	159	15
Male.....White.....	65,765	6	182	9	49	11	2,749	14	3	761	26	16	8,731	66	1,559	46
Nonwhite..	3,990	-	29	1	4	1	666	-	-	253	2	-	327	11	36	4
Female.....White.....	56,115	6	123	11	44	7	1,175	11	-	219	29	13	9,050	67	3,061	194
Nonwhite..	3,637	-	11	2	5	2	469	-	-	121	-	1	433	8	123	11
Places of 100,000 or more.....White.....	94,896	6	263	16	52	16	3,313	19	2	807	26	21	14,315	115	3,758	174
Nonwhite..	6,954	-	38	2	9	3	1,067	-	-	342	2	1	694	18	140	15
Male.....White.....	51,450	4	161	7	29	11	2,341	9	2	627	13	13	7,148	57	1,257	34
Nonwhite..	3,635	-	29	1	4	1	620	-	-	234	2	-	299	11	32	4
Female.....White.....	43,246	2	102	9	23	5	972	10	-	180	13	8	7,167	58	2,501	140
Nonwhite..	3,319	-	9	1	5	2	447	-	-	108	-	1	395	7	108	11
Places of 25,000 to 100,000...White.....	10,048	3	17	1	15	1	228	1	-	65	8	2	1,301	5	315	25
Nonwhite..	314	-	-	-	-	-	29	-	-	13	-	-	35	-	8	-
Male.....White.....	5,260	2	10	1	6	-	151	1	-	52	3	1	607	3	111	4
Nonwhite..	159	-	-	-	-	-	19	-	-	7	-	-	16	-	1	-
Female.....White.....	4,788	1	7	-	9	1	75	-	-	13	5	1	694	2	204	21
Nonwhite..	155	-	-	-	-	-	10	-	-	6	-	-	19	-	7	-
Places of 10,000 to 25,000....White.....	9,397	3	11	1	15	1	203	4	1	71	14	1	1,172	8	277	22
Nonwhite..	222	-	1	1	-	-	23	-	-	11	-	-	16	-	10	-
Male.....White.....	4,993	-	2	-	7	-	132	3	1	51	6	-	536	5	99	4
Nonwhite..	110	-	-	-	-	-	14	-	-	6	-	-	5	-	3	-
Female.....White.....	4,404	3	9	1	8	1	71	1	-	20	8	1	636	3	178	18
Nonwhite..	112	-	1	1	-	-	9	-	-	5	-	-	11	-	7	-
Places of 2,500 to 10,000.....White.....	7,739	-	14	2	11	-	182	1	-	37	7	5	993	5	270	19
Nonwhite..	137	-	1	-	-	-	16	-	-	8	-	-	15	1	1	-
Male.....White.....	4,062	-	9	1	7	-	125	1	-	31	4	2	440	1	92	4
Nonwhite..	86	-	-	-	-	-	13	-	-	6	-	-	7	-	-	-
Female.....White.....	3,677	-	5	1	4	-	57	-	-	6	3	3	553	4	178	15
Nonwhite..	51	-	1	-	-	-	3	-	-	2	-	-	8	1	1	-
Rural.....White.....	31,877	5	34	12	49	1	1,161	7	1	410	34	10	3,584	21	863	53
Nonwhite..	802	2	2	-	3	-	115	2	-	119	-	-	42	-	11	-
Male.....White.....	17,741	2	22	5	30	-	730	4	1	327	18	7	1,729	10	328	9
Nonwhite..	477	1	1	-	2	-	67	1	-	90	-	-	29	-	3	-
Female.....White.....	14,136	3	12	7	19	1	431	3	-	83	16	3	1,855	11	537	44
Nonwhite..	325	1	1	-	1	-	48	1	-	29	-	-	13	-	8	-
NORTH CAROLINA.....	29,971	16	73	12	116	53	1,366	57	22	312	24	16	2,391	54	485	41
Both sexes.....White.....	19,551	8	56	12	72	44	531	35	11	87	19	14	1,782	29	366	28
Nonwhite..	10,420	8	17	-	44	9	835	22	11	225	5	2	599	25	119	15
Male.....White.....	11,149	3	39	5	33	22	309	22	6	66	10	6	792	9	149	3
Nonwhite..	5,379	6	11	-	20	3	421	13	5	149	1	1	205	11	45	1
Female.....White.....	8,402	5	17	7	39	22	222	15	5	21	9	8	1,000	20	217	25
Nonwhite..	5,041	2	6	-	24	6	414	9	6	76	4	1	394	14	74	14
Urban.....White.....	5,804	2	18	2	17	12	162	6	4	37	2	1	602	7	131	10
Nonwhite..	3,880	1	4	-	13	2	306	6	2	77	2	-	273	5	55	7
Male.....White.....	3,320	1	8	1	7	6	94	2	2	30	1	-	245	1	43	3
Nonwhite..	1,957	1	3	-	6	-	143	5	1	45	-	-	95	3	16	1
Female.....White.....	2,584	1	10	1	10	6	68	4	2	7	1	1	359	6	88	7
Nonwhite..	1,923	-	1	-	7	2	163	1	1	32	2	-	178	2	39	6

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
2	6	99	314	164	6	83	17	18	92	20	231	23	7	37	127	138	195
1	-	4	13	11	-	3	-	1	3	1	4	-	2	1	2	3	5
2	6	53	196	98	5	44	8	12	54	...	142	16	6	28	96	93	124
1	-	4	11	5	-	2	-	1	1	...	2	-	2	1	2	3	4
-	-	46	118	66	1	39	9	6	38	20	89	7	1	9	31	45	71
-	-	-	2	6	-	1	-	-	2	1	2	-	-	-	-	-	1
-	1	16	74	30	2	8	3	2	25	6	45	7	1	6	14	34	33
-	-	2	1	2	-	1	-	1	1	1	1	-	-	-	-	-	1
-	1	6	45	15	1	4	1	2	14	...	27	5	1	5	8	28	22
-	-	2	1	-	-	1	-	1	-	...	1	-	-	-	-	-	1
-	-	10	29	15	1	4	2	-	11	6	18	2	-	1	6	6	11
-	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	-
-	2	21	79	39	3	17	3	6	19	3	60	6	1	10	38	28	45
-	-	-	6	3	-	1	-	-	2	-	3	-	-	-	1	-	3
-	2	14	57	23	3	10	2	4	11	...	36	3	1	8	26	21	25
-	-	-	5	-	-	1	-	-	1	...	1	-	-	-	1	-	2
-	-	7	22	16	-	7	1	2	8	3	24	3	-	2	12	7	20
-	-	-	1	3	-	-	-	-	1	-	2	-	-	-	-	-	1
2	3	62	161	95	1	58	11	10	48	11	126	10	5	21	75	76	117
1	-	2	8	6	-	1	-	-	-	-	-	-	2	1	1	3	1
2	3	33	94	60	1	30	5	6	29	...	79	8	4	15	62	44	77
1	-	2	5	5	-	-	-	-	-	...	-	-	2	1	1	3	1
-	-	29	67	35	-	28	6	4	19	11	47	2	1	6	13	32	40
-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
4	3	111	327	237	5	144	15	7	121	42	177	17	6	74	365	625	210
-	-	3	16	49	-	42	1	1	9	8	26	-	1	9	32	118	19
3	3	66	193	138	4	67	7	4	72	...	108	14	6	63	317	318	112
-	-	3	9	30	-	22	1	1	5	...	15	-	-	8	22	60	9
1	-	45	134	101	1	77	8	3	49	42	69	3	-	11	48	307	98
-	-	-	7	19	-	20	-	-	4	8	11	-	1	1	10	58	10
10	383	10,778	60,638	7,911	1,254	648	811	1,758	8,028	521	6,003	1,704	310	1,851	6,861	391	15,027
10	354	10,411	58,433	7,400	1,205	601	769	1,704	7,594	458	5,586	1,656	186	1,735	6,519	374	14,279
-	29	367	2,205	511	49	47	42	54	434	63	417	48	124	116	342	17	748
4	297	4,660	32,616	4,268	1,034	343	447	1,063	3,797	...	3,165	1,076	122	1,373	3,985	184	7,626
-	23	168	1,048	322	43	32	27	37	196	...	204	37	97	96	227	11	371
6	57	5,751	25,817	3,134	171	258	322	641	3,797	458	2,421	580	64	382	2,534	190	6,653
-	6	199	1,157	189	6	15	15	17	238	63	213	11	27	20	115	6	377
9	321	7,526	46,964	5,887	998	483	626	1,453	5,659	369	4,556	1,299	159	1,234	5,148	217	10,734
-	29	327	2,019	458	45	34	40	48	397	61	391	46	120	98	313	13	668
3	268	3,282	25,952	3,412	859	277	362	897	2,780	...	2,591	814	108	970	3,145	113	5,724
-	23	150	963	287	39	24	25	33	177	...	191	35	93	82	207	9	318
6	53	4,264	21,012	2,475	139	206	264	556	2,879	369	1,965	485	51	264	2,003	104	5,010
-	6	177	1,056	171	6	10	15	15	220	61	200	11	27	16	106	4	350
8	293	4,995	37,135	4,637	808	373	482	1,190	4,036	288	3,383	998	142	921	3,973	134	7,997
-	29	285	1,859	411	44	27	38	45	355	55	363	43	112	75	269	13	600
2	244	2,203	20,516	2,697	699	225	275	737	1,948	...	1,916	610	98	731	2,454	74	4,308
-	23	124	886	257	38	21	24	31	154	...	178	33	87	64	183	9	286
6	49	2,792	16,619	1,940	109	148	207	453	2,088	288	1,467	388	44	190	1,519	60	3,689
-	6	161	973	154	6	6	14	14	201	55	185	10	25	11	86	4	314
1	15	935	3,596	509	71	33	56	109	590	32	403	106	7	104	414	23	1,059
-	-	22	68	30	-	2	1	3	21	4	12	1	3	11	24	-	27
1	13	374	1,964	302	61	14	35	65	308	...	235	71	6	81	222	11	545
-	-	14	26	18	-	-	1	2	13	...	5	1	3	8	10	-	15
-	2	561	1,632	207	10	19	21	44	282	32	168	35	1	23	192	12	514
-	-	8	42	12	-	2	-	1	8	4	7	-	-	3	14	-	12
-	4	843	3,443	416	71	44	49	93	570	25	429	102	6	109	422	35	932
-	-	10	58	10	1	2	1	-	15	2	11	1	3	9	12	-	25
-	3	374	1,889	231	57	21	27	63	297	...	248	69	3	78	272	17	498
-	-	8	30	7	1	1	-	-	6	...	6	-	1	8	7	-	7
-	1	469	1,554	185	14	23	22	30	273	25	181	33	3	31	150	18	434
-	-	2	28	3	-	1	1	-	9	2	5	1	2	1	5	-	18
-	9	753	2,790	325	48	33	39	61	463	24	341	93	4	100	339	25	746
-	-	10	34	7	-	3	-	-	6	-	5	1	2	3	8	-	16
-	8	311	1,583	182	42	17	25	32	227	...	192	64	1	80	197	11	373
-	-	4	21	5	-	2	-	-	4	...	2	1	2	2	7	-	10
-	1	442	1,207	143	6	16	14	29	236	24	149	29	3	20	142	14	373
-	-	6	13	2	-	1	-	-	2	-	3	-	-	1	1	-	6
1	33	2,885	11,469	1,513	207	118	143	251	1,935	89	1,030	357	27	501	1,371	157	3,545
-	-	40	186	53	4	13	2	6	37	2	26	2	4	18	29	4	80
1	29	1,398	6,664	854	175	66	85	166	1,017	...	574	262	14	403	840	71	1,902
-	-	18	85	35	4	8	2	4	19	...	13	2	4	14	20	2	53
-	4	1,487	4,805	659	32	52	58	85	918	89	456	95	13	98	531	86	1,643
-	-	22	101	18	-	5	-	2	18	2	13	-	-	4	9	2	27
105	43	3,114	6,182	2,161	146	511	166	141	2,973	306	2,393	251	261	729	1,472	1,135	2,844
79	29	1,996	4,526	1,265	101	272	101	112	1,752	135	1,698	228	90	551	1,048	628	1,838
26	14	1,118	1,656	896	45	239	65	29	1,221	171	695	23	171	178	424	507	1,006
28	26	1,051	2,763	635	91	134	59	81	979	...	1,004	181	75	443	736	328	1,061
5	10	525	876	464	30	116	40	19	625	...	397	19	149	155	286	273	498
51	3	945	1,763	630	10	138	42	31	775	135	694	47	15	108	312	300	777
21	4	593	780	432	15	123	25	10	596	171	298	4	22	23	138	234	508
10	11	531	1,540	331	35	66	30	45	461	44	577	65	30	138	280	102	595
10	7	430	647	354	20	81	27	17	487	50	233	4	93	60	140	100	367
2	9	292	953	174	33	32	25	32	244	...	340	46	27	115	178	51	325
3	4	193	345	180	15	33	16	12	233	...	143	2	80	46	96	58	179
8	2	239	587	157	2	34	5	13	217	44	237	19	3	23	102	51	270
7	3	237	302	174	5	48	11	5	254	50	90	2	13	14	44	42	188

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
NORTH CAROLINA—Continued																
Places of 100,000 or more.....White.....	532	-	1	1	1	1	8	-	-	2	-	-	56	1	10	2
Nonwhite..	436	-	2	-	2	-	17	-	-	4	2	-	33	-	3	1
Male.....White.....	297	-	-	-	1	-	6	-	-	2	-	-	20	-	4	-
Nonwhite..	212	-	2	-	-	-	6	-	-	3	-	-	8	-	-	1
Female.....White.....	235	-	1	1	-	1	2	-	-	-	-	-	36	1	6	2
Nonwhite..	224	-	-	-	2	-	11	-	-	1	2	-	25	-	3	-
Places of 25,000 to 100,000...White.....	2,403	1	11	-	7	4	83	5	1	21	-	-	245	1	58	4
Nonwhite..	1,817	1	2	-	5	2	152	3	-	39	-	-	139	1	29	3
Male.....White.....	1,329	-	4	-	2	2	46	1	1	14	-	-	98	-	16	2
Nonwhite..	904	1	1	-	1	-	69	3	-	23	-	-	51	1	6	-
Female.....White.....	1,074	1	7	-	5	2	37	4	-	7	-	-	149	1	42	2
Nonwhite..	913	-	1	-	4	2	83	-	-	16	-	-	88	-	23	3
Places of 10,000 to 25,000....White.....	1,478	1	2	1	6	5	35	-	1	9	2	1	138	2	38	2
Nonwhite..	1,012	-	-	-	5	-	105	1	1	19	-	-	65	3	14	3
Male.....White.....	842	1	2	1	4	2	21	-	-	9	1	-	61	1	14	1
Nonwhite..	521	-	-	-	4	-	48	1	-	10	-	-	27	2	5	-
Female.....White.....	636	-	-	-	2	3	14	-	1	-	1	1	77	1	24	1
Nonwhite..	491	-	-	-	1	-	57	-	1	9	-	-	38	1	9	3
Places of 2,500 to 10,000.....White.....	1,491	-	4	-	3	2	36	1	2	5	-	-	163	3	25	2
Nonwhite..	615	-	-	-	1	-	32	2	1	15	-	-	36	1	9	-
Male.....White.....	852	-	2	-	-	2	21	1	1	5	-	-	66	-	9	-
Nonwhite..	320	-	-	-	1	-	20	1	1	9	-	-	9	-	5	-
Female.....White.....	639	-	2	-	3	-	15	-	1	-	-	-	97	3	16	2
Nonwhite..	295	-	-	-	-	-	12	1	-	6	-	-	27	1	4	-
Rural.....White.....	13,647	6	38	10	55	32	369	29	7	50	17	13	1,190	22	235	16
Nonwhite..	6,540	7	13	-	31	7	529	16	9	148	3	2	326	20	64	8
Male.....White.....	7,829	2	31	4	26	16	215	20	4	36	9	6	549	8	108	-
Nonwhite..	3,422	5	8	-	14	3	278	8	4	104	1	1	110	8	29	-
Female.....White.....	5,818	4	7	6	29	16	154	9	3	14	8	7	641	14	129	16
Nonwhite..	3,118	2	5	-	17	4	251	8	5	44	2	1	216	12	35	8
NORTH DAKOTA.....	5,170	-	11	-	5	6	123	2	1	25	17	2	655	6	150	9
Both sexes.....White.....	5,024	-	8	-	5	6	101	1	1	24	10	1	650	6	146	9
Nonwhite..	146	-	3	-	-	-	22	1	-	1	7	1	5	-	4	-
Male.....White.....	3,029	-	3	-	3	4	56	-	1	19	4	-	368	4	62	2
Nonwhite..	75	-	1	-	-	-	8	-	-	1	4	-	2	-	-	-
Female.....White.....	1,995	-	5	-	2	2	45	1	-	5	6	1	282	2	84	7
Nonwhite..	71	-	2	-	-	-	14	1	-	-	3	1	3	-	4	-
Urban.....White.....	1,249	-	3	-	2	3	37	-	1	8	2	1	171	-	30	3
Nonwhite..	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Male.....White.....	734	-	-	-	2	2	18	-	1	8	-	-	94	-	17	1
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female.....White.....	515	-	3	-	-	1	19	-	-	-	2	1	77	-	13	2
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Places of 25,000 to 100,000...White.....	303	-	1	-	-	-	10	-	-	2	-	-	45	-	10	2
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	190	-	-	-	-	-	7	-	-	2	-	-	21	-	6	-
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	113	-	1	-	-	-	3	-	-	-	-	-	24	-	4	2
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White.....	444	-	1	-	1	3	10	-	-	2	-	1	64	-	12	-
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Male.....White.....	249	-	-	-	1	2	5	-	-	2	-	-	35	-	7	-
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female.....White.....	195	-	1	-	-	1	5	-	-	-	-	1	29	-	5	-
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	502	-	1	-	1	-	17	-	1	4	2	-	62	-	8	1
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Male.....White.....	295	-	-	-	1	-	6	-	1	4	-	-	38	-	4	1
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	207	-	1	-	-	-	11	-	-	-	2	-	24	-	4	-
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Rural.....White.....	3,775	-	5	-	3	3	64	1	-	16	8	-	479	6	116	6
Nonwhite..	141	-	3	-	-	-	22	1	-	1	7	1	4	-	3	-
Male.....White.....	2,295	-	3	-	1	2	38	-	-	11	4	-	274	4	45	1
Nonwhite..	72	-	1	-	-	-	8	-	-	1	4	-	1	-	-	-
Female.....White.....	1,480	-	2	-	2	1	26	1	-	5	4	-	205	2	71	5
Nonwhite..	69	-	2	-	-	-	14	1	-	-	3	1	3	-	3	-
OHIO.....	82,464	39	107	34	131	47	2,793	28	4	951	60	16	9,833	79	2,378	285
Both sexes.....White.....	76,863	37	99	32	118	43	2,124	26	4	678	57	15	9,408	73	2,256	270
Nonwhite..	5,601	2	8	2	13	4	669	-	-	273	3	1	425	6	122	15
Male.....White.....	42,035	22	54	13	47	17	1,320	15	4	504	32	10	4,288	34	804	31
Nonwhite..	3,085	1	7	-	7	1	381	-	-	200	2	1	198	1	34	1
Female.....White.....	34,828	15	45	19	71	26	804	11	-	174	25	5	5,120	39	1,452	239
Nonwhite..	2,516	1	1	2	6	3	288	-	-	73	1	-	227	5	88	14
Urban.....White.....	51,549	20	67	20	69	27	1,511	16	2	491	38	8	6,661	44	1,599	151
Nonwhite..	4,985	2	7	2	12	4	616	-	-	209	2	-	384	5	104	14
Male.....White.....	27,755	10	32	8	27	8	964	9	2	361	19	7	2,991	21	559	18
Nonwhite..	2,698	1	6	-	7	1	347	-	-	148	1	-	176	1	24	1
Female.....White.....	23,794	10	35	12	42	19	547	7	-	130	19	1	3,670	23	1,040	133
Nonwhite..	2,287	1	1	2	5	3	269	-	-	61	1	-	208	4	80	13
Places of 100,000 or more.....White.....	29,267	12	48	10	36	14	988	11	2	384	26	5	3,826	25	923	84
Nonwhite..	4,002	1	5	2	8	4	531	-	-	175	2	-	298	5	75	7
Male.....White.....	16,030	5	27	4	13	4	661	5	2	270	13	5	1,790	14	314	11
Nonwhite..	2,182	1	4	-	6	1	293	-	-	129	1	-	140	1	20	1
Female.....White.....	13,237	7	21	6	23	10	327	6	-	94	13	-	2,036	11	609	73
Nonwhite..	1,820	-	1	2	2	3	238	-	-	46	1	-	158	4	55	6

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90–95	Pneumonia (all forms) and influenza 107–109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130–132	Diseases of pregnancy, childbirth, and the puerperium 140–150	Congenital malformations and diseases peculiar to the first year 157–161	Suicide 163, 164	Homicide 165–168	Motor-vehicle accidents 170	Other accidents 169, 171–195	Senility, ill-defined and unknown causes 162,199,200	All other causes
–	1	44	153	30	4	7	–	7	22	2	57	7	–	18	22	3	72
3	–	80	58	64	2	12	3	3	44	4	27	–	20	4	12	3	55
–	1	24	97	17	3	2	–	4	13	...	34	4	–	15	13	2	35
1	–	25	30	39	2	5	1	3	21	...	19	–	18	3	9	3	13
–	–	20	56	13	1	5	–	3	9	2	23	3	–	3	9	1	37
2	–	55	28	25	–	7	2	–	23	4	8	–	2	1	3	–	20
4	3	216	651	123	12	13	12	20	201	9	198	33	13	49	112	30	263
5	6	161	338	45	11	27	10	9	237	21	111	2	39	26	64	33	198
1	2	111	399	68	12	5	9	12	98	...	127	24	10	40	70	11	148
2	3	75	175	76	9	14	7	7	116	...	61	1	32	19	36	20	95
3	1	105	252	55	–	8	3	8	103	9	71	9	3	9	42	19	117
3	3	86	163	69	2	15	3	2	121	21	50	1	7	7	28	13	101
2	3	144	336	92	10	23	10	7	117	20	175	12	3	28	73	37	137
1	1	119	139	90	4	27	8	3	127	17	58	1	24	22	33	29	93
–	2	76	214	53	8	12	8	7	66	...	94	9	9	23	47	21	74
–	1	55	82	38	3	8	6	1	61	...	38	–	22	17	29	16	51
2	1	68	122	39	1	11	2	–	51	20	81	3	–	5	26	16	63
1	–	64	57	54	1	21	2	2	66	17	20	1	2	5	4	13	42
4	4	127	400	86	9	23	8	11	121	13	147	13	8	43	73	32	123
1	–	70	112	55	3	15	6	2	79	3	37	1	10	8	31	35	45
1	4	81	243	38	9	13	8	9	87	...	85	9	8	37	48	17	70
–	–	38	58	29	1	8	2	1	35	...	25	1	8	7	22	19	20
3	–	46	157	50	–	10	–	2	54	13	62	4	–	6	25	15	53
1	–	32	54	28	2	7	4	1	44	8	12	–	2	1	9	16	25
69	18	1,465	2,986	934	66	206	71	67	1,291	91	1,121	183	60	413	768	526	1,243
16	7	688	1,009	542	25	158	38	12	734	121	462	19	78	118	284	407	639
28	17	759	1,810	461	58	102	34	49	735	...	664	135	48	328	558	277	758
2	6	332	531	284	15	83	24	7	392	...	254	17	69	109	190	215	319
45	1	706	1,176	475	8	104	37	18	556	91	457	28	12	85	210	249	507
14	1	356	478	258	10	75	14	5	542	121	208	2	9	9	94	192	320
–	6	483	1,399	308	33	27	31	33	300	39	331	56	3	87	291	185	568
–	6	479	1,379	290	33	20	31	33	300	37	321	56	3	86	281	148	555
–	–	4	20	18	–	7	–	–	–	2	10	–	–	1	10	19	11
–	5	273	887	173	28	14	20	21	173	...	190	42	2	69	203	89	314
–	–	2	15	8	–	5	–	–	–	...	5	–	–	1	7	12	4
–	1	206	492	117	5	6	11	12	127	37	131	14	1	17	78	57	241
–	–	2	5	10	–	2	–	–	–	2	5	–	–	–	3	7	7
–	1	113	336	66	9	8	9	10	73	9	91	8	2	14	75	22	142
–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	1	–	–
–	–	64	212	43	7	6	7	7	38	...	45	6	1	12	53	14	76
–	–	–	–	1	–	–	–	–	–	...	–	–	–	–	1	–	–
–	1	49	124	23	2	2	2	3	35	9	46	2	1	2	22	8	66
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	27	93	9	3	1	3	3	9	4	16	1	–	5	13	7	39
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	12	68	8	2	1	2	3	7	...	9	1	–	4	9	7	23
–	–	–	–	–	–	–	–	–	–	...	–	–	–	–	–	–	–
–	–	15	25	3	1	–	1	–	2	4	7	–	–	1	4	–	16
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	1	27	111	27	3	3	1	3	31	3	47	2	2	5	27	9	45
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	14	65	19	3	3	3	2	14	...	24	2	1	4	20	3	20
–	–	–	–	1	–	–	–	–	–	...	–	–	–	–	–	–	–
–	1	13	46	8	–	–	1	1	17	3	23	–	1	1	7	6	25
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	59	132	30	3	4	2	4	33	2	28	5	–	4	35	6	58
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
–	–	38	79	18	2	2	2	2	17	...	12	3	–	4	24	4	33
–	–	–	–	–	–	–	–	–	–	...	–	–	–	–	1	–	–
–	–	21	53	12	1	2	–	2	16	2	16	2	–	–	11	2	25
–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	5	366	1,043	224	24	12	22	23	227	28	250	48	1	72	206	124	413
–	–	4	19	17	–	7	–	–	–	2	10	–	–	1	9	19	11
–	5	209	675	130	21	8	13	14	135	...	145	36	1	57	150	75	238
–	–	2	15	7	–	5	–	–	–	...	5	–	–	1	6	12	4
–	–	157	368	94	3	4	9	9	92	28	85	12	–	15	56	49	175
–	–	2	4	10	–	2	–	–	–	2	5	–	–	–	3	7	7
12	66	8,362	24,749	4,988	518	647	390	703	5,401	324	3,622	805	304	1,385	4,036	1,119	8,250
12	59	7,876	23,438	4,539	485	589	367	663	5,003	300	3,358	788	162	1,322	3,838	1,027	7,797
–	7	486	1,311	449	33	58	23	40	398	24	264	17	142	63	198	92	453
6	48	3,900	13,629	2,499	385	312	222	443	2,701	...	1,933	582	125	1,013	2,315	530	4,199
–	4	243	690	272	27	34	15	19	177	...	156	12	111	51	143	56	241
6	13	3,976	9,809	2,040	100	277	145	220	2,302	300	1,425	206	37	309	1,525	497	3,598
–	3	245	621	177	6	24	8	21	221	24	108	5	31	12	55	38	212
7	48	4,959	15,905	3,030	349	386	234	509	3,191	192	2,310	516	121	794	2,448	683	5,143
–	6	431	1,162	408	29	51	21	35	361	22	241	15	131	59	172	78	402
4	38	2,359	9,141	1,661	280	209	139	335	1,701	...	1,359	372	92	606	1,418	348	2,677
–	4	206	603	247	23	30	14	16	156	...	143	11	101	48	124	46	213
3	10	2,600	6,764	1,369	69	177	95	174	1,490	192	971	144	29	188	1,030	335	2,466
–	2	225	559	161	6	21	7	19	205	22	98	4	30	11	48	32	189
7	51	2,603	8,998	1,785	206	218	136	352	1,751	112	1,256	319	94	434	1,353	395	2,883
–	4	340	936	327	24	35	19	27	267	15	185	14	118	46	132	70	330
4	23	1,238	5,279	994	168	120	79	216	914	...	722	229	68	335	793	205	1,507
–	2	163	483	195	18	16	14	13	115	...	107	10	93	37	98	41	180
3	8	1,365	3,719	791	38	98	57	116	817	112	534	90	26	101	560	190	1,378
–	2	177	453	132	6	19	5	14	152	15	78	4	25	9	34	29	150

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
OHIO—Continued																
Places of 25,000 to 100,000...White.....	8,185	2	7	6	16	4	192	1	-	45	7	-	1,061	7	240	21
Nonwhite..	504	1	1	-	2	-	45	-	-	18	-	-	34	-	13	4
Male.....White.....	4,377	1	1	2	6	2	113	1	-	29	3	-	460	3	83	5
Nonwhite..	276	-	1	-	-	-	29	-	-	12	-	-	17	-	3	-
Female.....White.....	3,808	1	6	4	10	2	79	-	-	16	4	-	601	4	157	16
Nonwhite..	228	1	-	-	2	-	16	-	-	6	-	-	17	-	10	4
Places of 10,000 to 25,000....White.....	6,001	3	4	2	5	5	152	3	-	46	4	1	755	5	186	20
Nonwhite..	226	-	-	-	2	-	24	-	-	12	-	-	26	-	5	3
Male.....White.....	3,123	1	2	1	-	1	88	2	-	36	2	1	321	2	62	1
Nonwhite..	129	-	-	-	1	-	17	-	-	7	-	-	8	-	1	-
Female.....White.....	2,878	2	2	1	5	4	64	1	-	10	2	-	434	3	124	19
Nonwhite..	97	-	-	-	1	-	7	-	-	5	-	-	18	-	4	3
Places of 2,500 to 10,000.....White.....	8,096	3	8	2	12	4	179	1	-	36	1	2	1,019	7	250	26
Nonwhite..	253	-	1	-	-	-	16	-	-	4	-	-	26	-	11	-
Male.....White.....	4,225	3	2	1	8	1	102	1	-	26	1	1	420	2	100	1
Nonwhite..	111	-	1	-	-	-	8	-	-	-	-	-	11	-	-	-
Female.....White.....	3,871	-	6	1	4	3	77	-	-	10	-	1	599	5	150	25
Nonwhite..	142	-	-	-	-	-	8	-	-	4	-	-	15	-	11	-
Rural.....White.....	25,314	17	32	12	49	16	613	10	2	187	19	7	2,747	29	657	119
Nonwhite..	616	-	1	-	1	-	53	-	-	64	1	1	41	1	18	1
Male.....White.....	14,280	12	22	5	20	9	356	6	2	143	13	3	1,297	13	245	13
Nonwhite..	387	-	1	-	-	-	34	-	-	52	1	1	22	-	10	-
Female.....White.....	11,034	5	10	7	29	7	257	4	-	44	6	4	1,450	16	412	106
Nonwhite..	229	-	-	-	1	-	19	-	-	12	-	-	19	1	8	1
OKLAHOMA.....	20,271	24	33	5	89	30	932	58	31	235	4	34	2,020	19	399	27
Both sexes.....White.....	17,587	15	29	4	73	28	613	45	21	185	4	34	1,863	13	368	26
Nonwhite..	2,684	9	4	1	16	2	319	13	10	70	-	-	157	6	33	1
Male.....White.....	10,473	10	15	-	27	12	385	24	13	128	3	24	898	7	168	4
Nonwhite..	1,432	5	2	-	8	-	167	9	4	40	-	-	53	5	17	1
Female.....White.....	7,114	5	14	4	46	16	228	21	8	37	1	10	965	6	198	22
Nonwhite..	1,252	4	2	1	8	2	152	4	6	30	-	-	104	1	16	-
Urban.....White.....	9,165	6	17	2	42	10	324	18	4	113	2	17	1,003	5	182	16
Nonwhite..	1,313	2	2	1	4	-	121	7	3	34	-	-	88	2	15	-
Male.....White.....	5,329	3	8	-	16	2	206	9	1	89	1	12	460	2	79	3
Nonwhite..	692	1	-	-	1	-	65	4	1	19	-	-	27	2	7	-
Female.....White.....	3,836	3	9	2	26	8	118	9	3	24	1	5	543	3	103	13
Nonwhite..	621	1	2	1	3	-	56	3	2	15	-	-	61	-	8	-
Places of 100,000 or more.....White.....	3,046	1	10	1	18	5	98	3	1	27	1	5	351	2	59	7
Nonwhite..	436	-	1	-	1	-	30	3	-	9	-	-	27	1	7	-
Male.....White.....	1,775	1	4	-	5	2	62	1	1	20	1	4	160	1	28	2
Nonwhite..	231	-	-	-	-	-	16	2	-	6	-	-	6	1	3	-
Female.....White.....	1,271	-	6	1	13	3	36	2	-	7	-	1	191	1	31	5
Nonwhite..	205	-	1	-	1	-	14	1	-	3	-	-	21	-	4	-
Places of 25,000 to 100,000...White.....	694	-	1	-	3	-	29	-	-	3	1	-	77	1	15	-
Nonwhite..	167	1	-	-	1	-	16	-	-	7	-	-	7	-	1	-
Male.....White.....	385	-	1	-	2	-	19	-	-	3	-	-	38	-	3	-
Nonwhite..	105	1	-	-	-	-	13	-	-	4	-	-	2	-	-	-
Female.....White.....	309	-	-	-	1	-	10	-	-	-	1	-	39	1	12	-
Nonwhite..	62	-	-	-	1	-	3	-	-	3	-	-	5	-	1	-
Places of 10,000 to 25,000....White.....	2,540	3	4	1	8	2	78	7	2	43	-	8	256	2	50	6
Nonwhite..	358	-	-	1	1	-	36	1	1	8	-	-	31	1	2	-
Male.....White.....	1,480	-	2	-	2	-	47	3	-	33	-	4	115	1	20	-
Nonwhite..	183	-	-	-	-	-	17	-	-	4	-	-	10	1	1	-
Female.....White.....	1,060	3	2	1	6	2	31	4	2	10	-	4	141	1	30	6
Nonwhite..	175	-	-	1	1	-	19	1	1	4	-	-	21	-	1	-
Places of 2,500 to 10,000.....White.....	2,885	2	2	-	13	3	119	8	1	40	-	4	319	-	58	3
Nonwhite..	352	1	1	-	1	-	39	3	2	10	-	-	23	-	5	-
Male.....White.....	1,689	2	1	-	7	-	78	5	-	33	-	4	147	-	28	1
Nonwhite..	173	-	-	-	1	-	19	2	1	5	-	1	9	-	3	-
Female.....White.....	1,196	-	1	-	6	3	41	3	1	7	-	-	172	-	30	2
Nonwhite..	179	1	1	-	-	-	20	1	1	5	-	-	14	-	2	-
Rural.....White.....	8,422	9	12	2	31	16	289	27	17	52	2	17	860	8	184	10
Nonwhite..	1,371	7	2	-	12	2	198	6	7	36	-	-	69	4	18	1
Male.....White.....	5,144	7	7	-	11	10	179	15	12	39	2	12	438	5	89	1
Nonwhite..	740	4	2	-	7	-	102	5	3	21	-	-	26	3	10	1
Female.....White.....	3,278	2	5	2	20	8	110	12	5	13	-	5	422	3	95	9
Nonwhite..	631	3	-	-	5	2	96	1	4	15	-	-	43	1	8	-
OREGON.....	13,704	4	49	8	17	13	271	8	-	119	31	20	1,677	10	259	27
Both sexes.....White.....	13,492	4	49	8	17	13	250	8	-	114	30	19	1,654	10	257	27
Nonwhite..	212	-	-	-	-	-	21	-	-	5	1	1	23	-	2	-
Male.....White.....	8,259	3	32	4	5	8	179	6	-	86	15	9	842	7	103	7
Nonwhite..	139	-	-	-	-	-	11	-	-	2	-	1	16	-	2	-
Female.....White.....	5,233	1	17	4	12	5	71	2	-	28	15	10	812	3	154	20
Nonwhite..	73	-	-	-	-	-	10	-	-	3	1	-	7	-	-	-
Urban.....White.....	8,263	1	26	4	5	7	166	6	-	84	15	7	1,026	4	159	13
Nonwhite..	114	-	-	-	-	-	11	-	-	3	-	-	18	-	2	-
Male.....White.....	4,968	1	13	2	3	5	121	5	-	63	6	2	505	2	63	5
Nonwhite..	81	-	-	-	-	-	7	-	-	1	-	-	13	-	2	-
Female.....White.....	3,295	-	13	2	2	2	45	1	-	21	9	5	521	2	96	8
Nonwhite..	33	-	-	-	-	-	4	-	-	2	-	-	5	-	-	-
Places of 100,000 or more.....White.....	4,653	-	19	2	1	7	99	-	-	26	9	3	607	2	91	4
Nonwhite..	91	-	-	-	-	-	8	-	-	2	-	-	18	-	2	-
Male.....White.....	2,757	-	10	-	1	5	72	-	-	20	4	-	291	1	37	3
Nonwhite..	67	-	-	-	-	-	5	-	-	1	-	-	13	-	2	-
Female.....White.....	1,896	-	9	2	-	2	27	-	-	6	5	3	316	1	54	1
Nonwhite..	24	-	-	-	-	-	3	-	-	1	-	-	5	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	6	878	2,519	483	68	64	32	68	519	31	395	65	10	119	389	108	822
-	1	38	109	51	3	9	1	3	65	2	28	1	5	8	25	4	33
-	6	419	1,451	270	52	32	11	48	291	...	242	45	10	93	220	56	424
-	1	18	62	31	3	8	-	1	27	...	18	1	3	7	17	2	15
-	-	459	1,068	213	16	32	21	22	228	31	153	20	-	26	169	52	398
-	-	20	47	20	-	1	1	2	38	2	10	-	2	1	8	2	18
-	7	646	1,836	308	36	38	35	47	358	24	306	60	8	92	314	73	622
-	1	15	56	18	2	3	-	1	11	3	9	-	3	2	9	1	20
-	6	301	1,005	175	27	15	23	31	196	...	180	45	6	68	174	35	316
-	1	9	32	15	2	2	-	1	5	...	8	-	2	1	6	-	11
-	1	345	831	133	9	23	12	16	162	24	126	15	2	24	140	38	306
-	-	6	24	3	-	1	-	-	6	3	1	-	1	1	3	1	9
-	4	832	2,552	454	39	66	31	62	583	25	353	72	9	149	392	107	816
-	-	38	61	12	-	4	1	4	18	2	19	-	5	3	6	3	19
-	3	401	1,406	222	33	42	26	42	300	...	195	53	8	112	231	52	430
-	-	16	26	6	-	4	-	1	9	...	10	-	3	3	3	3	7
-	1	431	1,146	232	6	24	5	20	283	25	158	19	1	37	161	55	386
-	-	22	35	6	-	-	1	3	9	2	9	-	2	-	3	-	12
5	11	2,917	7,533	1,509	136	203	133	154	1,812	108	1,048	272	41	528	1,390	344	2,654
-	1	55	149	41	4	7	2	5	37	2	23	2	11	4	26	14	51
2	8	1,541	4,488	858	105	103	83	108	1,000	...	594	210	33	407	897	182	1,522
-	-	37	87	25	4	4	1	3	21	...	13	1	10	3	19	10	28
3	3	1,376	3,045	671	31	100	50	46	812	108	454	62	8	121	493	162	1,132
-	1	18	62	16	-	3	1	2	16	2	10	1	1	1	7	4	23
54	18	2,047	4,394	1,344	123	223	179	121	1,333	122	1,255	156	108	333	1,208	1,087	2,226
43	18	1,827	3,995	1,081	114	182	161	102	1,087	90	1,130	148	61	301	1,081	900	1,967
11	-	220	399	263	9	41	18	19	246	32	125	8	47	32	127	187	259
13	17	1,023	2,582	598	100	109	109	69	638	...	643	118	42	234	794	504	1,155
3	-	109	223	147	6	20	10	11	146	...	68	7	38	26	84	101	122
30	1	804	1,413	483	14	73	52	33	449	90	487	30	12	67	287	396	812
8	-	111	176	116	3	21	8	8	100	32	57	1	9	6	43	86	137
22	8	896	2,218	545	53	103	69	59	532	37	636	68	35	159	499	412	1,055
5	-	132	221	126	3	18	8	8	121	15	75	3	36	19	58	53	137
7	8	500	1,414	287	46	62	41	38	304	...	353	49	25	115	346	225	618
2	-	68	121	73	2	11	6	4	66	...	41	3	29	14	38	25	62
15	-	396	804	258	7	41	28	21	228	37	283	17	10	44	153	187	437
3	-	64	100	53	1	5	2	4	55	15	32	-	7	5	20	28	75
3	3	296	756	168	17	36	21	16	157	10	247	20	16	67	175	104	345
1	-	47	70	43	-	3	4	3	49	7	32	-	17	8	20	8	45
1	3	158	492	98	17	25	10	12	75	...	134	12	9	50	127	58	202
1	-	22	41	24	-	2	3	1	24	...	19	-	16	6	18	5	15
2	-	138	264	70	-	11	11	4	82	10	113	8	7	17	48	46	143
-	-	25	29	19	-	1	1	2	25	7	13	-	1	2	2	3	30
1	-	61	202	44	10	7	3	1	40	1	46	3	2	9	26	30	78
-	-	11	40	16	-	3	-	-	17	1	6	-	3	2	6	7	22
-	-	34	121	25	8	4	2	1	25	...	19	2	2	8	17	10	41
-	-	8	22	11	-	3	-	-	11	...	5	-	1	2	5	5	12
1	-	27	81	19	2	3	1	-	15	1	27	1	-	1	9	20	37
-	-	3	18	5	-	-	-	-	6	1	1	-	2	-	1	2	10
9	3	259	556	162	11	27	19	25	158	12	178	11	7	44	143	136	310
4	-	33	53	37	-	4	3	3	32	6	22	2	8	4	14	20	31
4	3	143	356	70	9	17	13	17	101	...	111	9	6	30	100	84	180
1	-	15	31	22	-	3	2	2	20	...	13	2	5	2	7	8	17
5	-	116	200	92	2	10	6	8	57	12	67	2	1	14	43	52	130
3	-	18	22	15	-	1	1	1	12	6	9	-	3	2	7	12	14
9	2	280	704	171	15	33	26	17	177	14	165	32	10	39	155	142	322
-	-	41	58	30	3	6	1	2	23	1	13	1	8	5	18	18	39
2	2	165	445	94	12	16	16	8	103	...	89	26	8	27	102	73	195
-	-	23	27	16	2	3	1	1	11	...	4	1	7	4	8	7	18
7	-	115	259	77	3	17	10	9	74	14	76	6	2	12	53	69	127
-	-	18	31	14	1	3	-	1	12	1	9	-	1	1	10	11	21
21	10	931	1,777	536	61	79	92	43	555	53	494	82	26	142	582	488	912
6	-	88	178	137	6	25	10	11	125	17	52	5	11	13	69	134	122
6	9	523	1,168	311	54	47	68	31	334	...	290	69	24	119	448	279	537
1	-	41	102	74	4	9	4	7	80	...	27	4	9	12	46	76	60
15	1	408	609	225	7	32	24	12	221	53	204	13	2	23	134	209	375
5	-	47	76	63	2	16	6	4	45	17	25	1	2	1	23	58	82
2	29	1,331	3,744	971	103	42	63	80	1,165	38	526	184	37	258	879	275	1,466
2	29	1,315	3,703	947	102	39	60	80	1,155	36	520	180	33	248	870	263	1,450
-	-	16	41	24	1	3	3	-	10	2	6	4	4	10	9	10	16
1	25	685	2,420	646	85	15	40	50	633	...	312	134	20	197	650	157	883
-	-	11	27	17	1	-	2	-	8	...	4	3	4	8	7	5	12
1	4	630	1,285	301	17	24	20	30	522	36	208	46	13	51	220	106	567
-	-	5	14	7	-	3	1	-	4	2	2	1	-	2	2	5	4
1	20	806	2,328	641	68	22	30	55	670	20	354	112	22	126	445	163	857
-	-	5	24	12	1	1	1	-	7	2	4	2	4	3	4	1	9
1	16	402	1,475	450	57	8	20	38	370	...	219	86	15	98	305	98	513
-	-	5	17	10	1	-	1	-	4	...	2	1	4	1	3	1	8
-	4	397	853	191	11	14	10	19	300	20	135	26	7	30	140	67	344
-	-	-	7	2	-	1	-	-	3	2	2	1	-	2	1	-	1
1	15	436	1,360	401	44	11	17	34	378	11	151	80	14	74	245	43	468
-	-	5	20	10	1	-	1	-	5	1	2	2	2	1	3	-	8
1	13	207	857	287	36	1	11	21	214	...	88	60	9	54	166	21	267
-	-	5	14	8	1	-	1	-	3	...	1	1	2	1	2	-	7
-	2	229	503	114	8	10	6	13	164	11	63	20	5	20	79	22	201
-	-	-	6	2	-	-	-	-	2	1	1	1	-	-	1	-	1

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13–22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45–55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
OREGON—Continued																
Places of 25,000 to 100,000...White	735	–	2	–	1	–	22	4	–	27	–	1	73	–	14	2
Nonwhite	7	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Male...White	451	–	1	–	–	–	16	3	–	17	–	1	33	–	6	1
Nonwhite	6	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Female...White	284	–	1	–	1	–	6	1	–	10	–	–	40	–	8	1
Nonwhite	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
Places of 10,000 to 25,000...White	880	–	3	–	1	–	11	1	–	7	2	–	115	–	22	3
Nonwhite	4	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–
Male...White	528	–	–	–	1	–	10	1	–	5	–	–	65	–	9	–
Nonwhite	3	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Female...White	352	–	3	–	–	–	1	–	–	2	2	–	50	–	13	3
Nonwhite	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
Places of 2,500 to 10,000...White	1,995	1	2	2	2	–	34	1	–	24	4	3	231	2	32	4
Nonwhite	12	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–
Male...White	1,232	1	2	2	1	–	23	1	–	21	2	1	116	1	11	1
Nonwhite	5	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Female...White	763	–	–	–	1	–	11	–	–	3	2	2	115	1	21	3
Nonwhite	7	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
Rural...White	5,229	3	23	4	12	6	84	2	–	30	15	12	628	6	98	14
Nonwhite	98	–	–	–	–	–	10	–	–	2	1	1	5	–	–	–
Male...White	3,291	2	19	2	2	3	58	1	–	23	9	7	337	5	40	2
Nonwhite	58	–	–	–	–	–	4	–	–	1	–	1	3	–	–	–
Female...White	1,938	1	4	2	10	3	26	1	–	7	6	5	291	1	58	12
Nonwhite	40	–	–	–	–	–	6	–	–	1	1	–	2	–	–	–
PENNSYLVANIA	115,907	35	245	31	216	29	4,080	40	2	1,143	66	19	13,709	163	3,652	274
Both sexes...White	107,934	30	207	30	193	25	3,181	32	2	745	61	19	13,090	144	3,483	261
Nonwhite	7,973	5	38	1	23	4	899	8	–	398	5	–	619	19	169	13
Male...White	59,405	17	138	12	90	8	2,041	11	2	556	24	10	6,278	74	1,117	42
Nonwhite	4,437	1	24	–	14	4	533	2	–	289	1	–	272	7	39	3
Female...White	48,529	13	69	18	103	17	1,140	21	–	189	37	9	6,814	70	2,366	219
Nonwhite	3,536	4	14	1	9	–	366	6	–	109	4	–	347	12	130	10
Urban...White	72,790	11	150	14	98	14	2,086	27	1	422	44	9	9,317	102	2,451	168
Nonwhite	7,058	4	35	1	21	3	800	5	–	318	5	–	566	19	147	12
Male...White	39,312	2	97	5	45	4	1,388	10	1	314	16	4	4,417	50	782	32
Nonwhite	3,857	1	21	–	13	3	471	1	–	228	1	–	245	7	31	3
Female...White	33,478	9	53	9	53	10	698	17	–	108	28	5	4,900	52	1,669	136
Nonwhite	3,201	3	14	1	8	–	329	4	–	90	4	–	321	12	116	9
Places of 100,000 or more...White	33,985	4	77	5	33	8	1,064	13	1	179	21	–	4,531	52	1,048	82
Nonwhite	5,527	2	32	1	16	2	674	4	–	255	3	–	459	14	110	9
Male...White	18,496	1	49	2	15	2	733	7	1	142	7	–	2,263	24	346	18
Nonwhite	3,021	1	19	–	10	2	402	–	–	186	–	–	200	4	23	–
Female...White	15,489	3	28	3	18	6	331	6	–	37	14	–	2,268	28	702	64
Nonwhite	2,506	1	13	1	6	–	272	4	–	69	3	–	259	10	87	9
Places of 25,000 to 100,000...White	13,504	3	31	1	24	3	334	5	–	125	3	5	1,619	15	482	25
Nonwhite	730	–	–	–	2	1	66	1	–	40	2	–	47	3	22	2
Male...White	7,121	–	19	–	12	2	211	–	–	89	–	2	721	9	142	5
Nonwhite	417	–	–	–	2	1	42	1	–	25	1	–	22	2	5	2
Female...White	6,383	3	12	1	12	1	123	5	–	36	3	3	898	8	340	20
Nonwhite	313	–	–	–	–	–	24	–	–	15	1	–	25	1	17	–
Places of 10,000 to 25,000...White	11,687	2	26	1	13	–	313	4	–	50	12	2	1,435	17	408	29
Nonwhite	551	2	2	–	2	–	44	–	–	16	–	–	42	1	11	1
Male...White	6,322	–	18	–	6	–	195	2	–	35	6	2	663	7	140	6
Nonwhite	294	–	2	–	1	–	24	–	–	11	–	–	17	–	2	1
Female...White	5,365	2	8	1	7	–	118	2	–	15	6	–	772	10	268	23
Nonwhite	257	2	–	–	1	–	20	–	–	5	–	–	25	1	9	–
Places of 2,500 to 10,000...White	13,614	2	16	7	28	3	375	5	–	68	8	2	1,732	18	513	32
Nonwhite	250	–	1	–	1	–	16	–	–	7	–	–	18	1	4	–
Male...White	7,373	1	11	3	12	–	249	1	–	48	3	–	770	10	154	3
Nonwhite	125	–	–	–	–	–	3	–	–	6	–	–	6	1	1	–
Female...White	6,241	1	5	4	16	3	126	4	–	20	5	2	962	8	359	29
Nonwhite	125	–	1	–	1	–	13	–	–	1	–	–	12	–	3	–
Rural...White	35,144	19	57	16	95	11	1,095	5	1	323	17	10	3,773	42	1,032	93
Nonwhite	915	1	3	–	2	1	99	3	–	80	–	–	53	–	22	1
Male...White	20,093	15	41	7	45	4	653	1	1	242	8	6	1,859	24	335	10
Nonwhite	580	–	3	–	1	1	62	1	–	61	–	–	27	–	8	–
Female...White	15,051	4	16	9	50	7	442	4	–	81	9	4	1,914	18	697	83
Nonwhite	335	1	–	–	1	–	37	2	–	19	–	–	26	–	14	1
RHODE ISLAND	8,922	–	44	3	14	3	296	1	1	65	1	7	1,147	3	324	11
Both sexes...White	8,713	–	42	3	13	3	275	1	1	58	1	7	1,127	3	320	11
Nonwhite	209	–	2	–	1	–	21	–	–	6	–	–	20	–	4	–
Male...White	4,656	–	27	1	6	3	179	–	1	43	–	5	545	1	101	4
Nonwhite	112	–	2	–	1	–	11	–	–	4	–	–	11	–	2	–
Female...White	4,057	–	15	2	7	–	98	1	–	16	1	2	582	2	219	7
Nonwhite	97	–	–	–	–	–	10	–	–	2	–	–	9	–	2	–
Urban...White	7,835	–	38	3	9	3	250	1	–	52	1	6	1,015	3	291	11
Nonwhite	195	–	2	–	1	–	21	–	–	6	–	–	20	–	4	–
Male...White	4,186	–	25	1	4	3	166	–	–	39	–	5	498	1	92	4
Nonwhite	105	–	2	–	1	–	11	–	–	4	–	–	11	–	2	–
Female...White	3,649	–	13	2	5	–	84	1	–	13	1	1	517	2	199	7
Nonwhite	90	–	–	–	–	–	10	–	–	2	–	–	9	–	2	–
Places of 100,000 or more...White	3,094	–	20	1	1	1	93	1	–	22	1	4	420	1	121	4
Nonwhite	113	–	2	–	1	–	10	–	–	6	–	–	15	–	1	–
Male...White	1,678	–	11	–	–	1	72	–	–	18	–	3	207	–	46	2
Nonwhite	63	–	2	–	1	–	6	–	–	4	–	–	9	–	–	–
Female...White	1,416	–	9	1	1	–	21	1	–	4	1	1	213	1	75	2
Nonwhite	50	–	–	–	–	–	4	–	–	2	–	–	6	–	1	–

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	1	65	164	94	3	4	-	3	45	1	19	7	2	2	28	58	93
-	-	1	2	-	-	-	-	-	1	-	-	-	1	-	1	1	-
-	-	36	89	63	3	2	-	3	29	...	13	7	1	2	16	44	65
-	-	-	1	2	-	-	-	-	-	...	-	-	1	-	1	1	-
-	1	29	75	31	-	2	-	-	16	1	6	-	1	-	12	14	28
-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
-	3	87	244	39	6	2	6	9	70	4	59	6	5	23	62	18	72
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	2	40	171	24	5	1	5	7	24	...	38	3	4	21	44	8	40
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	-	1
-	1	47	73	15	1	1	1	2	46	4	21	3	1	2	18	10	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	218	560	107	15	5	7	9	177	4	125	19	1	27	110	44	224
-	-	-	2	-	-	1	-	-	1	1	2	-	1	2	-	-	-
-	1	126	358	76	13	4	4	5	103	...	80	16	1	19	79	23	141
-	-	-	1	-	-	-	-	-	1	...	1	-	1	-	-	-	-
-	-	92	202	31	2	1	3	4	74	4	45	3	-	8	31	21	83
-	-	-	1	-	-	1	-	-	-	1	1	-	-	2	-	-	-
1	9	509	1,375	306	34	17	30	25	485	16	166	68	11	122	425	100	593
-	-	11	17	12	-	2	2	-	3	-	2	2	-	7	5	9	7
-	9	276	945	196	28	7	20	14	263	...	93	48	5	101	345	61	370
-	-	6	10	7	-	-	1	-	2	...	2	2	-	7	4	4	4
1	-	253	430	110	6	10	10	11	222	16	73	20	6	21	80	39	223
-	-	5	7	5	-	2	1	-	1	-	-	-	-	-	1	5	3
9	163	9,415	37,455	7,338	615	603	520	1,046	8,992	493	5,118	993	237	1,538	5,181	876	11,611
9	153	8,885	35,601	6,542	586	537	492	1,015	8,356	445	4,655	979	135	1,460	4,890	815	10,876
-	10	530	1,854	796	29	66	28	31	636	48	463	14	102	78	291	61	735
4	130	4,264	20,315	3,863	497	309	279	638	4,286	...	2,864	693	93	1,203	3,309	449	5,991
-	10	255	983	523	21	41	17	19	316	...	268	12	75	62	214	41	391
5	23	4,621	15,286	2,679	89	228	213	377	4,070	445	1,991	286	42	257	1,581	366	4,885
-	-	275	871	273	8	25	11	12	320	48	195	2	27	16	77	20	344
8	108	5,537	24,397	4,433	437	335	349	800	8,469	296	3,270	622	100	874	3,104	517	7,220
-	9	455	1,627	716	28	59	24	27	549	45	430	14	94	71	261	57	656
4	90	2,521	13,667	2,627	381	191	192	498	2,737	...	1,871	412	70	716	2,032	277	3,859
-	9	207	833	476	21	35	14	16	267	...	249	12	67	56	192	38	340
4	18	3,016	10,730	1,806	56	144	157	302	2,732	296	1,599	210	30	158	1,072	240	3,361
-	-	248	794	240	7	24	10	11	282	45	181	2	27	15	69	19	316
4	51	2,354	11,946	2,233	215	140	130	436	2,459	121	1,343	284	57	370	1,241	274	3,209
-	8	359	1,293	542	14	40	16	23	385	36	327	9	78	50	189	47	530
3	39	1,069	6,638	1,334	183	82	76	260	1,217	...	789	171	41	294	800	163	1,727
-	8	169	653	363	11	21	9	14	187	...	190	7	56	39	141	32	274
1	12	1,285	5,308	899	32	58	54	176	1,242	121	554	113	16	76	441	111	1,482
-	-	190	640	179	3	19	7	9	198	36	137	2	22	11	48	15	256
2	24	1,085	4,425	773	88	61	77	125	1,012	58	685	133	19	186	602	72	1,402
-	-	36	147	87	6	12	3	2	86	5	40	2	12	11	26	4	65
1	22	483	2,445	457	77	31	43	84	515	...	400	93	14	152	356	36	700
-	-	18	82	53	5	10	1	1	41	...	25	2	9	10	20	1	36
-	2	602	1,980	316	11	30	34	41	497	58	285	40	5	34	245	36	702
-	-	18	65	34	1	2	2	1	45	5	15	-	3	1	6	3	29
1	16	976	3,698	702	67	62	73	119	903	51	600	92	8	153	596	81	1,179
-	1	40	124	64	7	4	2	2	55	2	42	2	2	5	32	4	42
-	15	455	2,095	415	57	34	32	76	453	...	329	72	8	131	398	37	635
-	1	12	71	44	5	2	2	1	25	...	23	2	2	2	21	3	20
1	1	521	1,601	287	10	28	41	43	450	51	271	20	-	22	198	44	544
-	-	28	53	20	2	2	-	1	30	2	19	-	-	3	11	1	22
1	17	1,122	4,330	725	87	72	69	120	1,095	66	642	113	16	165	665	90	1,430
-	-	20	63	23	1	3	3	-	23	2	21	1	2	5	14	2	19
-	14	514	2,489	421	64	44	41	78	552	...	353	76	7	139	478	41	797
-	-	8	27	16	-	2	2	-	14	...	11	1	-	5	10	2	10
1	3	608	1,841	304	3	28	28	42	543	66	289	37	9	26	187	49	633
-	-	12	36	7	1	1	1	-	9	2	10	-	2	-	4	-	9
1	45	3,348	11,204	2,109	149	202	143	215	2,887	149	1,385	357	35	586	1,786	298	3,656
-	1	75	227	80	1	7	4	4	87	3	33	-	8	7	30	4	79
-	40	1,743	6,648	1,236	118	118	87	140	1,549	...	793	281	23	437	1,277	172	2,132
-	1	48	150	47	-	6	3	3	49	...	19	-	8	6	22	3	51
1	5	1,605	4,556	873	33	84	56	75	1,338	149	592	76	12	99	509	126	1,524
-	-	27	77	33	1	1	1	1	38	3	14	-	-	1	8	1	28
-	6	705	3,076	483	92	70	34	97	669	33	406	47	11	75	381	23	774
-	6	688	3,020	463	92	67	34	96	669	32	399	47	11	73	368	22	760
-	-	17	56	20	-	3	-	1	20	1	7	-	-	2	13	1	14
-	6	317	1,670	259	79	43	20	62	314	...	222	37	6	64	240	6	395
-	-	5	36	9	-	-	-	1	8	...	5	-	-	2	10	-	5
-	-	371	1,350	204	13	24	14	34	355	32	177	10	5	9	128	18	365
-	-	12	20	11	-	3	-	-	12	1	2	-	-	-	3	1	9
-	6	611	2,700	413	78	61	29	92	622	27	364	41	10	64	328	19	687
-	-	16	51	18	-	2	-	1	18	1	7	-	-	2	13	1	11
-	6	277	1,493	254	70	37	16	58	288	...	199	33	5	56	209	4	363
-	-	5	32	8	-	-	-	1	7	...	5	-	-	2	10	-	4
-	-	334	1,207	179	8	24	13	34	334	27	165	8	5	8	119	15	324
-	-	11	19	10	-	2	-	-	11	1	2	-	-	-	3	1	7
-	3	265	1,073	146	32	36	7	36	224	7	124	7	5	20	144	5	270
-	-	8	31	10	-	1	-	1	6	-	6	-	-	1	7	1	6
-	3	120	598	81	31	22	3	20	110	...	62	4	4	19	90	3	148
-	-	2	19	3	-	-	-	1	4	...	4	-	-	1	7	-	-
-	-	145	475	65	1	14	4	16	114	7	62	3	1	1	54	2	122
-	-	6	12	7	-	1	-	-	2	-	2	-	-	-	-	1	6

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
RHODE ISLAND—Continued																
Places of 25,000 to 100,000...White	3,602	-	14	1	7	2	105	-	-	23	-	1	443	2	130	6
Nonwhite	69	-	-	-	-	-	10	-	-	-	-	-	3	-	2	-
Male...White	1,908	-	11	-	4	2	63	-	-	17	-	1	222	1	30	2
Nonwhite	36	-	-	-	-	-	3	-	-	-	-	-	-	-	2	-
Female...White	1,694	-	3	1	3	-	42	-	-	6	-	-	221	1	100	4
Nonwhite	33	-	-	-	-	-	5	-	-	-	-	-	3	-	-	-
Places of 10,000 to 25,000...White	856	-	2	1	1	-	34	-	-	6	-	1	117	-	30	1
Nonwhite	12	-	-	-	-	-	1	-	-	-	-	-	2	-	1	-
Male...White	456	-	1	1	-	-	19	-	-	4	-	1	54	-	11	-
Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Female...White	400	-	1	-	1	-	15	-	-	2	-	-	63	-	19	1
Nonwhite	7	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-
Places of 2,500 to 10,000...White	283	-	2	-	-	-	18	-	-	1	-	-	35	-	10	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male...White	144	-	2	-	-	-	12	-	-	-	-	-	15	-	5	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female...White	139	-	-	-	-	-	6	-	-	1	-	-	20	-	5	-
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural...White	878	-	4	-	4	-	25	-	1	7	-	1	112	-	29	-
Nonwhite	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male...White	470	-	2	-	2	-	13	-	1	4	-	-	47	-	9	-
Nonwhite	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female...White	408	-	2	-	2	-	12	-	-	3	-	1	65	-	20	-
Nonwhite	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	18,552	34	50	2	83	45	689	59	64	292	13	7	1,179	24	278	18
Both sexes...White	9,190	5	38	1	33	34	192	23	17	47	10	4	764	6	196	11
Nonwhite	9,362	29	12	1	50	11	497	36	47	245	3	3	415	18	80	7
Male...White	5,273	1	33	-	10	21	127	14	9	38	4	3	311	4	78	4
Nonwhite	4,768	18	11	1	28	5	242	22	22	180	1	1	137	5	24	-
Female...White	3,917	4	5	1	23	13	65	9	8	9	6	1	453	2	118	7
Nonwhite	4,594	11	1	-	22	6	255	14	25	65	2	2	278	13	56	7
Urban...White	3,653	1	8	-	14	12	87	4	2	24	2	1	337	-	79	7
Nonwhite	2,853	2	4	-	14	4	215	7	-	90	1	1	139	7	25	3
Male...White	2,059	-	7	-	6	6	58	3	1	20	1	-	138	-	28	2
Nonwhite	1,448	2	3	-	5	-	107	4	-	64	-	-	42	2	5	-
Female...White	1,594	1	1	-	8	6	29	1	1	4	1	1	199	-	51	5
Nonwhite	1,405	-	1	-	9	4	108	3	-	28	1	1	97	5	20	3
Places of 25,000 to 100,000...White	1,680	-	4	-	5	5	41	-	1	22	-	-	169	-	37	2
Nonwhite	1,350	-	4	-	3	2	107	-	-	44	1	-	60	5	12	-
Male...White	961	-	3	-	2	2	30	-	-	19	-	-	68	-	15	-
Nonwhite	679	-	3	-	-	-	58	-	-	33	-	-	23	1	2	-
Female...White	719	-	1	-	3	3	11	-	1	3	-	-	101	-	22	2
Nonwhite	671	-	1	-	3	2	51	-	-	11	1	-	37	4	10	-
Places of 10,000 to 25,000...White	713	-	-	-	4	4	12	3	-	-	-	-	52	-	17	1
Nonwhite	568	-	-	-	4	1	41	4	-	17	-	-	27	-	3	1
Male...White	401	-	-	-	1	1	8	2	-	-	-	-	25	-	5	-
Nonwhite	298	-	-	-	1	-	16	2	-	11	-	-	6	-	1	-
Female...White	312	-	-	-	3	3	4	1	-	-	-	-	27	-	12	1
Nonwhite	270	-	-	-	3	1	25	2	-	6	-	-	21	-	2	1
Places of 2,500 to 10,000...White	1,280	1	4	-	5	3	34	1	1	2	2	1	116	-	25	4
Nonwhite	935	2	-	-	7	1	67	3	-	29	-	1	52	2	10	2
Male...White	697	-	4	-	3	3	20	1	1	1	1	-	45	-	8	2
Nonwhite	471	2	-	-	4	-	35	2	-	20	-	-	13	1	2	-
Female...White	563	1	-	-	2	-	14	-	-	1	1	1	71	-	17	2
Nonwhite	464	-	-	-	3	1	32	1	-	9	-	1	39	1	8	2
Rural...White	5,537	4	30	1	19	22	105	19	15	23	8	3	427	6	117	4
Nonwhite	6,509	27	8	1	36	7	282	29	47	155	2	2	276	11	55	4
Male...White	3,214	1	26	-	4	15	69	11	8	18	3	3	173	4	50	2
Nonwhite	3,320	18	8	1	23	5	135	18	22	116	1	1	95	3	19	-
Female...White	2,323	3	4	1	15	7	36	8	7	5	5	-	254	2	67	2
Nonwhite	3,189	11	-	-	13	2	147	11	25	39	1	1	181	8	36	4
SOUTH DAKOTA	5,641	2	8	4	15	7	176	2	-	33	27	1	678	8	126	13
Both sexes...White	5,292	1	7	4	6	6	88	2	-	26	18	1	666	8	123	13
Nonwhite	349	1	1	-	9	1	88	-	-	7	9	-	12	-	3	-
Male...White	3,155	1	7	3	2	2	51	2	-	19	9	-	338	6	44	2
Nonwhite	186	1	1	-	4	-	42	-	-	5	5	-	5	-	1	-
Female...White	2,137	-	-	1	4	4	37	-	-	7	9	1	328	2	79	11
Nonwhite	163	-	-	-	5	1	46	-	-	2	4	-	7	-	2	-
Urban...White	1,914	-	4	-	2	1	43	1	-	16	8	-	210	5	44	3
Nonwhite	33	-	-	-	-	-	8	-	-	2	-	-	4	-	-	-
Male...White	1,101	-	4	-	-	-	22	1	-	11	3	-	101	3	16	-
Nonwhite	15	-	-	-	-	-	2	-	-	2	-	-	-	-	-	-
Female...White	813	-	-	-	2	1	21	-	-	5	5	-	109	2	28	3
Nonwhite	18	-	-	-	-	-	6	-	-	-	-	-	4	-	-	-
Places of 25,000 to 100,000...White	422	-	2	-	-	-	4	-	-	5	4	-	46	1	10	-
Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Male...White	223	-	2	-	-	-	-	-	-	4	2	-	18	-	2	-
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female...White	199	-	-	-	-	-	4	-	-	1	2	-	28	1	8	-
Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Places of 10,000 to 25,000...White	721	-	2	-	-	1	8	-	-	3	2	-	82	2	19	1
Nonwhite	10	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-
Male...White	426	-	2	-	-	-	3	-	-	3	-	-	40	2	10	-
Nonwhite	4	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female...White	295	-	-	-	-	1	5	-	-	-	2	-	42	-	9	1
Nonwhite	6	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90–95	Pneumonia (all forms) and influenza 107–109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130–132	Diseases of pregnancy, childbirth, and the puerperium 140–150	Congenital malformations and diseases peculiar to the first year 157–161	Suicide 163, 164	Homicide 165–168	Motor-vehicle accidents 170	Other accidents 169, 171–195	Senility, ill-defined and unknown causes 162,199,200	All other causes
–	1	242	1,292	199	38	16	18	47	285	12	189	28	3	32	145	11	310
–	–	8	17	6	–	–	–	–	10	1	1	–	–	1	6	–	4
–	1	116	711	110	33	9	11	31	123	...	104	23	–	28	91	1	163
–	–	3	11	4	–	–	–	–	3	...	1	–	–	1	3	–	3
–	–	126	581	89	5	7	7	16	162	12	85	5	3	4	54	10	147
–	–	5	6	2	–	–	–	–	7	1	–	–	–	–	3	–	1
–	1	78	258	52	5	9	3	5	85	6	38	3	–	11	31	–	78
–	–	–	3	1	–	1	–	–	2	–	–	–	–	–	–	–	1
–	1	33	137	36	4	6	2	4	40	...	27	3	–	8	22	–	42
–	–	–	2	–	–	–	–	–	–	...	–	–	–	–	–	–	1
–	–	45	121	16	1	3	1	1	45	6	11	–	–	3	9	–	36
–	–	–	1	1	–	1	–	–	2	–	–	–	–	–	–	–	–
–	1	26	77	16	3	–	1	4	28	2	13	3	2	1	8	3	29
–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
–	1	8	47	7	2	–	–	3	15	...	6	3	1	1	6	–	10
–	–	–	–	1	–	–	–	–	–	...	–	–	–	–	–	–	–
–	–	18	30	9	1	–	1	1	13	2	7	–	1	–	2	3	19
–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
–	–	77	320	50	14	6	5	4	47	5	35	6	1	9	40	3	73
–	–	1	5	2	–	1	–	–	2	–	–	–	–	–	–	–	3
–	–	40	177	25	9	6	4	4	26	...	23	4	1	8	31	2	32
–	–	–	4	1	–	–	–	–	1	...	–	–	–	–	–	–	1
–	–	37	143	25	5	–	1	–	21	5	12	2	–	1	9	1	41
–	–	1	1	1	–	1	–	–	1	–	–	–	–	–	–	–	2
87	28	1,906	3,540	1,486	88	413	92	63	1,906	240	1,319	94	197	383	977	1,226	1,674
37	21	927	2,044	606	47	165	47	43	806	97	854	85	66	249	611	251	853
50	5	979	1,496	880	41	248	45	20	1,100	143	465	9	131	134	366	975	821
10	19	473	1,221	346	40	97	29	30	465	...	486	62	54	195	474	146	469
12	3	443	764	452	26	131	24	13	541	...	263	7	111	106	237	523	415
27	2	454	823	260	7	68	18	13	341	97	368	23	12	54	137	105	384
38	2	536	732	428	15	117	21	7	559	143	202	2	20	28	129	452	406
11	11	324	858	231	21	68	28	19	296	35	383	41	21	83	161	82	402
11	2	304	477	251	12	77	20	8	369	40	191	2	71	32	94	140	240
5	9	162	503	144	17	40	18	13	169	...	229	28	17	52	115	49	219
2	–	140	240	133	10	38	11	7	176	...	112	1	62	25	63	75	119
6	2	162	355	87	4	28	10	6	127	35	154	13	4	31	46	33	183
9	2	164	237	118	2	39	9	1	193	40	79	1	9	7	31	65	121
4	4	119	398	110	9	21	7	9	120	11	168	21	7	35	81	45	225
7	–	142	221	104	7	32	6	6	172	22	90	2	40	15	39	87	120
2	3	59	223	75	7	15	6	6	68	...	107	13	6	21	55	30	126
–	–	67	106	51	5	16	1	6	76	...	51	1	34	11	26	47	63
2	1	60	175	35	2	6	1	3	52	11	61	8	1	14	26	15	99
7	–	75	115	53	2	16	5	–	96	22	39	1	6	4	13	40	57
3	4	77	158	38	7	19	9	5	66	9	79	3	5	18	33	19	68
1	–	62	101	51	1	17	6	1	81	5	35	–	14	9	19	17	50
1	4	38	100	25	6	9	5	4	43	...	41	3	4	9	23	11	35
1	–	33	55	27	1	7	4	1	42	...	22	–	14	8	12	10	24
2	–	41	58	13	1	10	4	1	23	9	38	–	1	9	10	8	33
–	–	29	46	24	–	10	2	–	39	5	13	–	–	1	7	7	26
4	3	128	302	83	5	28	12	5	110	15	136	17	9	30	47	18	109
3	2	100	155	96	4	28	8	1	116	13	66	–	17	8	36	36	70
2	2	87	180	44	4	16	7	3	58	...	81	12	7	22	37	8	58
1	–	40	79	55	4	15	6	–	58	...	39	–	14	6	25	18	32
2	1	61	122	39	1	12	5	2	52	15	55	5	2	8	10	10	51
2	2	60	76	41	–	13	2	1	58	13	27	–	3	2	11	18	38
26	10	803	1,186	375	26	97	19	24	510	62	471	44	45	166	450	169	451
39	3	675	1,019	629	29	171	25	12	731	103	274	7	60	102	272	835	581
5	10	311	718	202	23	57	11	17	296	...	257	34	37	143	359	97	250
10	3	303	524	319	16	93	13	6	365	...	151	6	49	81	174	448	296
21	–	292	468	173	3	40	8	7	214	62	214	10	8	23	91	72	201
29	–	372	495	310	13	78	12	6	366	103	123	1	11	21	98	387	285
–	8	497	1,384	358	31	27	47	22	303	20	281	58	8	75	396	309	717
–	7	490	1,362	312	30	20	46	22	295	18	266	57	8	74	387	239	690
–	1	7	22	46	1	7	1	–	8	2	15	1	–	1	9	70	27
–	7	278	880	171	24	12	34	13	178	...	144	42	5	66	280	135	400
–	1	5	11	26	1	1	–	–	3	...	10	1	–	1	9	39	14
–	–	212	482	141	6	8	12	9	117	18	122	15	3	8	107	104	290
–	–	2	11	20	–	6	1	–	5	2	5	–	–	–	–	31	13
–	5	170	507	105	12	8	18	10	113	6	109	18	2	25	143	75	251
–	–	1	3	6	–	2	–	–	3	–	2	–	–	–	–	1	1
–	5	94	316	56	9	5	14	6	82	...	50	15	1	23	100	43	141
–	–	1	1	4	–	1	–	–	1	...	1	–	–	–	–	1	1
–	–	76	191	49	3	3	4	4	51	6	59	3	1	2	43	32	110
–	–	–	2	2	–	1	–	–	2	–	1	–	–	–	–	–	–
–	1	37	116	43	2	–	2	4	19	1	29	4	–	3	34	8	47
–	–	–	–	1	–	–	–	–	2	–	–	–	–	–	–	–	–
–	1	22	72	21	2	–	1	2	9	...	13	3	–	2	21	3	23
–	–	–	–	–	–	–	–	–	1	...	–	–	–	–	–	–	–
–	–	15	44	22	–	–	1	2	10	1	16	1	–	1	13	5	24
–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
–	2	66	203	29	4	4	12	4	44	1	39	7	1	14	64	26	81
–	–	–	1	1	–	2	–	–	1	–	–	–	–	–	–	–	1
–	2	33	116	16	3	2	10	2	25	...	20	6	1	14	48	19	49
–	–	–	1	–	–	1	–	–	–	...	–	–	–	–	–	–	1
–	–	33	87	13	1	2	2	2	19	1	19	1	–	–	16	7	32
–	–	–	–	1	–	1	–	–	1	–	–	–	–	–	–	–	–

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
SOUTH DAKOTA—Continued																
Places of 2,500 to 10,000.....White.....	771	-	-	-	2	-	31	1	-	8	2	-	82	2	15	2
Nonwhite..	18	-	-	-	-	-	4	-	-	2	-	-	2	-	-	-
Male.....White.....	452	-	-	-	-	-	19	1	-	4	1	-	43	1	4	-
Nonwhite..	10	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
Female.....White.....	319	-	-	-	2	-	12	-	-	4	1	-	39	1	11	2
Nonwhite..	8	-	-	-	-	-	3	-	-	-	-	-	2	-	-	-
Rural.....White.....	3,378	1	3	4	4	5	45	1	-	10	10	1	456	3	79	10
Nonwhite..	316	1	1	-	9	1	80	-	-	5	9	-	8	-	3	-
Male.....White.....	2,054	1	3	3	2	2	29	1	-	8	6	-	237	3	28	2
Nonwhite..	171	1	1	-	4	-	40	-	-	3	5	-	5	-	1	-
Female.....White.....	1,324	-	-	1	2	3	16	-	-	2	4	1	219	-	51	8
Nonwhite..	145	-	-	-	5	1	40	-	-	2	4	-	3	-	2	-
TENNESSEE.....	27,935	32	51	10	180	38	1,980	91	21	351	37	7	2,465	36	409	23
Both sexes.....White.....	20,823	25	41	10	147	36	1,302	73	12	171	31	7	2,025	20	327	15
Nonwhite..	7,112	7	10	-	33	2	678	18	9	180	6	-	440	16	82	8
Male.....White.....	11,701	12	25	6	73	18	641	43	9	124	13	5	908	8	140	3
Nonwhite..	3,617	4	8	-	18	-	337	9	6	117	3	-	172	8	31	1
Female.....White.....	9,122	13	16	4	74	20	661	30	3	47	18	2	1,117	12	187	12
Nonwhite..	3,495	3	2	-	15	2	341	9	3	63	3	-	268	8	51	7
Urban.....White.....	7,738	4	13	2	41	8	337	21	3	65	7	-	837	7	134	9
Nonwhite..	4,383	5	4	-	15	-	398	9	3	77	2	-	289	12	58	7
Male.....White.....	4,257	1	5	1	22	2	182	11	1	50	1	-	353	1	54	1
Nonwhite..	2,183	2	3	-	10	-	200	5	1	50	1	-	114	8	23	1
Female.....White.....	3,481	3	8	1	19	6	155	10	2	15	6	-	484	6	80	8
Nonwhite..	2,200	3	1	-	5	-	198	4	2	27	1	-	175	4	35	6
Places of 100,000 or more.....White.....	4,979	1	11	2	23	1	192	9	1	41	4	-	568	2	92	4
Nonwhite..	3,417	2	4	-	11	-	300	8	2	64	2	-	230	10	48	7
Male.....White.....	2,737	-	4	1	12	-	108	6	1	30	1	-	236	-	36	1
Nonwhite..	1,710	1	3	-	8	-	160	4	1	42	1	-	97	6	17	1
Female.....White.....	2,242	1	7	1	11	1	84	3	-	11	3	-	332	2	56	3
Nonwhite..	1,707	1	1	-	3	-	140	4	1	22	1	-	133	4	31	6
Places of 25,000 to 100,000...White.....	191	-	-	-	-	1	8	1	-	7	-	-	13	1	4	-
Nonwhite..	23	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Male.....White.....	119	-	-	-	-	-	5	-	-	5	-	-	9	-	1	-
Nonwhite..	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	72	-	-	-	-	1	3	1	-	2	-	-	4	1	3	-
Nonwhite..	10	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
Places of 10,000 to 25,000....White.....	777	1	-	-	5	1	32	1	1	3	2	-	88	1	15	2
Nonwhite..	363	1	-	-	1	-	37	-	-	4	-	-	28	1	6	-
Male.....White.....	415	1	-	-	4	-	11	-	-	3	-	-	38	1	6	-
Nonwhite..	178	-	-	-	-	-	18	-	-	3	-	-	9	1	4	-
Female.....White.....	362	-	-	-	1	1	21	1	1	-	2	-	50	-	9	2
Nonwhite..	185	1	-	-	1	-	19	-	-	1	-	-	19	-	2	-
Places of 2,500 to 10,000.....White.....	1,791	2	2	-	13	5	105	10	1	14	1	-	168	3	23	3
Nonwhite..	580	2	-	-	3	-	58	1	1	9	-	-	30	1	4	-
Male.....White.....	986	-	1	-	6	2	58	5	-	12	-	-	70	-	11	-
Nonwhite..	282	1	-	-	2	-	22	1	-	5	-	-	8	1	2	-
Female.....White.....	805	2	1	-	7	3	47	5	1	2	1	-	98	3	12	3
Nonwhite..	296	1	-	-	1	-	36	-	1	4	-	-	22	-	2	-
Rural.....White.....	13,085	21	28	8	106	28	965	52	9	106	24	7	1,188	13	193	6
Nonwhite..	2,729	2	6	-	18	2	282	8	6	103	4	-	151	4	24	1
Male.....White.....	7,444	11	20	5	51	14	459	32	8	74	12	5	555	7	86	2
Nonwhite..	1,434	2	5	-	8	-	137	4	5	67	2	-	58	-	8	-
Female.....White.....	5,641	10	8	3	55	14	506	20	1	32	12	2	633	6	107	4
Nonwhite..	1,295	-	1	-	10	2	145	5	1	36	2	-	93	4	16	1
TEXAS.....	62,216	79	61	9	265	140	3,338	424	68	812	39	167	5,554	59	987	58
Both sexes.....White.....	51,113	51	56	9	201	128	2,651	366	37	432	31	155	4,927	42	818	42
Nonwhite..	11,103	28	5	-	64	12	687	58	31	380	8	12	627	17	169	16
Male.....White.....	30,481	31	44	7	101	62	1,509	206	20	329	14	99	2,412	16	353	9
Nonwhite..	5,942	12	4	-	29	7	334	33	10	263	1	8	218	8	67	4
Female.....White.....	20,632	20	12	2	100	66	1,142	160	17	103	17	56	2,515	26	465	33
Nonwhite..	5,161	16	1	-	35	5	353	25	21	117	7	4	409	9	102	12
Urban.....White.....	29,406	28	24	5	104	70	1,614	188	14	245	17	88	2,950	21	506	21
Nonwhite..	6,898	16	3	-	41	6	444	32	12	286	6	7	388	8	112	9
Male.....White.....	18,993	16	17	3	49	33	937	104	8	185	8	57	1,348	9	221	3
Nonwhite..	3,657	8	2	-	21	5	224	21	4	196	1	4	129	3	44	4
Female.....White.....	12,413	12	7	2	55	37	677	84	6	60	9	31	1,602	12	285	18
Nonwhite..	3,239	8	1	-	20	1	220	11	8	90	5	3	259	5	68	5
Places of 100,000 or more.....White.....	10,876	5	8	1	27	21	607	21	2	78	2	31	1,112	8	212	10
Nonwhite..	2,847	4	-	-	5	2	201	1	2	104	-	3	182	1	55	3
Male.....White.....	6,323	3	6	1	13	7	368	12	1	60	1	16	493	2	83	1
Nonwhite..	1,516	3	-	-	3	2	98	1	-	70	-	2	60	1	18	1
Female.....White.....	4,553	2	-	-	14	14	239	9	1	18	1	15	619	6	129	9
Nonwhite..	1,331	1	-	-	2	-	103	-	2	34	-	1	102	-	37	2
Places of 25,000 to 100,000...White.....	6,709	4	5	2	22	15	391	43	-	70	6	22	656	1	100	3
Nonwhite..	1,463	1	3	-	10	2	84	6	2	59	2	-	82	5	30	3
Male.....White.....	3,871	2	1	-	13	7	220	22	-	48	-	17	292	-	50	1
Nonwhite..	798	1	2	-	5	1	41	4	-	46	1	-	29	1	12	2
Female.....White.....	2,838	2	4	2	9	8	171	21	-	22	6	5	364	1	50	2
Nonwhite..	665	-	1	-	5	1	43	2	2	13	1	-	53	4	18	1
Places of 10,000 to 25,000....White.....	3,773	6	3	-	18	15	190	24	7	41	2	9	348	3	74	6
Nonwhite..	789	5	-	-	11	-	39	9	4	20	-	3	47	1	8	-
Male.....White.....	2,152	4	2	-	6	10	108	15	4	30	1	7	132	1	36	-
Nonwhite..	394	3	-	-	4	-	20	6	3	10	-	2	11	1	5	-
Female.....White.....	1,641	2	1	-	12	5	82	9	3	11	1	2	216	2	38	6
Nonwhite..	395	2	-	-	7	-	19	3	1	10	-	1	36	-	3	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	2	67	188	33	6	4	4	2	50	4	41	7	1	8	45	41	123
-	-	1	2	4	-	-	-	-	-	-	2	-	-	-	-	1	-
-	2	39	128	19	4	3	3	2	28	...	17	6	-	7	31	21	69
-	-	1	-	4	-	-	-	-	-	...	1	-	-	-	-	1	-
-	-	28	60	14	2	1	1	-	22	4	24	1	1	1	14	20	54
-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-
-	2	320	855	207	18	12	28	12	182	12	157	39	6	49	244	164	439
-	1	6	19	40	1	5	1	-	5	2	13	1	-	1	9	69	26
-	2	184	564	115	15	7	20	7	116	...	94	27	4	43	180	92	259
-	1	4	10	22	1	-	-	-	2	...	9	1	-	1	9	38	13
-	-	136	291	92	3	5	8	5	66	12	63	12	2	6	64	72	180
-	-	2	9	18	-	5	1	-	3	2	4	-	-	-	-	31	13
91	33	2,734	5,723	2,297	166	365	170	139	1,908	(204)	1,590	181	269	446	1,407	1,741	2,740
80	27	2,016	4,334	1,648	125	272	118	117	1,348	152	1,301	172	111	377	1,145	1,225	2,013
11	6	718	1,389	649	41	93	52	22	560	52	289	9	158	69	262	516	727
28	25	1,070	2,583	851	102	135	78	89	794	...	735	124	99	317	792	706	1,147
4	5	294	701	347	24	42	25	15	288	...	174	7	130	55	172	269	351
52	2	946	1,751	797	23	137	40	28	554	152	566	48	12	60	353	519	866
7	1	424	688	302	17	51	27	7	272	52	115	2	28	14	90	247	376
14	18	736	1,818	552	49	80	36	69	481	46	554	60	47	119	398	368	805
4	5	430	877	416	31	41	30	12	356	33	200	6	118	39	168	283	457
4	17	364	1,059	289	41	39	23	53	286	...	324	39	43	92	256	204	459
1	4	166	410	223	18	19	10	10	174	...	122	5	95	29	105	157	217
10	1	372	759	263	8	41	13	16	215	46	230	21	4	27	142	164	346
3	1	264	467	193	13	22	20	2	182	33	78	1	23	10	63	126	240
6	11	473	1,189	371	41	41	25	52	261	29	348	46	32	73	239	265	526
4	1	334	668	324	25	33	20	8	257	22	175	3	101	33	129	235	357
1	10	228	702	190	36	17	16	39	143	...	205	28	30	56	151	153	296
1	1	129	304	181	17	14	5	6	122	...	106	3	81	24	81	127	167
5	1	245	487	181	5	24	9	13	118	29	143	18	2	17	88	112	230
3	-	205	364	143	8	19	15	2	135	22	69	-	20	9	48	108	190
-	2	24	43	12	-	1	-	2	8	1	13	2	2	2	9	10	25
-	-	2	8	4	-	-	-	1	1	1	-	-	1	-	-	1	2
-	2	13	28	9	-	1	-	2	4	...	7	2	2	2	5	6	16
-	-	-	7	3	-	-	-	1	1	...	-	-	1	-	-	-	-
-	-	11	15	3	-	-	-	-	4	1	6	-	-	-	4	4	9
-	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-	1	2
1	1	73	184	44	2	8	1	7	71	1	59	5	-	14	52	28	74
-	2	28	67	37	1	5	1	2	44	3	8	-	7	1	16	26	37
-	1	36	106	27	1	5	1	5	39	...	33	4	-	11	31	14	37
-	2	7	34	18	-	4	1	2	19	...	6	-	7	1	7	19	16
1	-	37	78	17	1	3	-	2	32	1	26	1	-	3	21	14	37
-	-	21	33	19	1	1	-	-	25	3	2	-	-	-	9	7	21
7	4	166	402	125	6	30	10	8	141	15	134	7	13	30	98	65	180
-	2	66	134	51	5	3	9	1	54	7	17	3	9	5	23	21	61
3	4	87	223	63	4	16	6	7	80	...	79	5	11	23	69	31	110
-	1	30	65	21	1	1	4	1	32	...	10	2	6	4	17	11	34
4	-	79	179	62	2	14	4	1	61	15	55	2	2	7	29	34	70
-	1	36	69	30	4	2	5	-	22	7	7	1	3	1	6	10	27
66	9	1,280	2,516	1,096	76	192	82	48	867	106	747	112	64	258	747	857	1,208
7	1	288	512	233	10	52	22	10	204	19	89	3	40	30	94	233	270
24	8	706	1,524	562	61	96	55	36	528	...	411	85	56	225	536	502	688
3	1	128	291	124	6	23	15	5	114	...	52	2	35	26	67	112	134
42	1	574	992	534	15	96	27	12	359	106	356	27	8	33	211	355	520
4	-	160	221	109	4	29	7	5	90	19	37	1	5	4	27	121	136
272	61	4,895	13,187	4,054	309	1,695	439	371	3,962	420	4,153	466	615	1,308	4,449	2,784	6,716
208	58	3,821	11,141	3,166	250	1,530	359	315	3,008	312	3,589	444	292	1,157	3,885	2,178	5,456
64	5	1,074	2,046	888	59	165	80	56	954	108	564	22	323	151	564	606	1,260
68	44	1,994	7,211	1,782	206	796	218	221	1,789	...	2,088	332	244	933	3,015	1,247	3,081
23	5	474	1,118	481	40	75	44	38	530	...	307	18	255	122	423	345	646
140	12	1,827	3,930	1,384	44	734	141	94	1,219	312	1,501	112	48	224	870	931	2,375
41	-	600	928	407	19	90	36	18	424	108	257	4	68	29	141	261	614
93	46	2,143	6,828	1,879	136	1,005	196	199	1,618	190	2,300	234	199	595	1,653	1,037	3,160
35	2	677	1,287	524	36	100	58	32	595	61	378	16	253	93	316	239	624
23	36	1,127	4,373	1,056	112	514	107	142	958	...	1,342	160	164	449	1,141	584	1,707
14	2	294	694	273	24	41	29	23	322	...	208	13	193	74	247	137	403
70	10	1,016	2,455	823	24	491	89	57	660	190	958	74	35	146	512	453	1,453
21	-	383	593	251	12	59	29	9	273	61	170	3	60	19	69	102	421
28	23	818	2,855	887	53	335	72	108	549	50	739	88	88	209	606	274	1,151
12	1	295	598	226	10	39	24	14	212	20	169	8	131	39	110	70	326
8	18	412	1,821	411	44	178	42	85	320	...	429	56	76	165	409	183	619
3	1	129	325	120	7	15	8	13	106	...	87	7	102	30	86	41	177
20	5	406	1,034	276	9	157	30	23	229	50	310	32	12	44	197	111	532
9	-	166	273	106	3	24	16	1	106	20	82	1	29	9	24	29	149
25	14	452	1,478	445	35	230	48	46	358	50	593	56	51	146	376	252	714
5	1	127	255	117	11	19	13	7	129	21	98	4	59	13	74	54	167
6	10	249	961	247	30	121	22	29	204	...	346	37	41	105	268	136	386
2	1	57	137	66	7	7	7	5	73	...	61	3	44	10	59	36	76
19	4	203	517	198	5	109	26	17	154	50	247	19	10	41	108	116	328
3	-	70	118	51	4	12	6	2	56	21	37	1	15	3	15	18	89
13	-	292	805	265	18	173	27	14	224	27	297	27	11	67	218	121	428
8	-	91	119	62	6	11	7	1	85	6	39	1	18	12	46	30	100
1	-	164	516	143	15	92	15	6	140	...	180	20	9	54	148	68	225
5	-	40	54	29	3	6	5	1	50	...	20	1	14	10	33	15	43
12	-	128	289	122	3	81	12	8	84	27	117	7	2	13	70	53	203
3	-	51	65	33	3	5	2	-	35	6	19	-	4	2	13	15	57

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13–22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45–55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
TEXAS—Continued																
Places of 2,500 to 10,000.....White.....	8,048	13	10	2	37	19	426	100	5	56	7	28	834	9	120	2
Nonwhite..	1,797	6	-	-	15	2	120	16	4	103	4	1	97	1	19	3
Male.....White.....	4,647	7	8	2	17	9	241	55	3	47	6	17	431	6	52	1
Nonwhite..	949	1	-	-	9	2	65	10	1	70	-	-	29	-	9	1
Female.....White.....	3,401	6	2	-	20	10	185	45	2	9	1	9	403	3	68	1
Nonwhite..	848	5	-	-	6	-	55	6	3	33	4	1	68	1	10	2
Rural.....White.....	21,707	23	32	4	97	58	1,037	178	23	187	14	67	1,977	21	312	21
Nonwhite..	4,207	12	2	-	23	6	243	26	19	94	2	5	239	9	57	7
Male.....White.....	13,488	15	27	4	52	29	572	102	12	144	6	42	1,064	7	132	6
Nonwhite..	2,285	4	2	-	8	2	110	12	6	67	-	4	89	5	23	-
Female.....White.....	8,219	8	5	-	45	29	465	76	11	43	8	25	913	14	180	15
Nonwhite..	1,922	8	-	-	15	4	133	14	13	27	2	1	150	4	34	7
UTAH.....	5,054	2	20	1	6	-	71	4	-	32	13	28	511	13	118	22
Both sexes.....White.....	4,922	1	19	-	6	-	58	2	-	26	11	26	498	12	117	22
Nonwhite..	132	1	1	1	-	-	15	2	-	6	2	-	13	1	1	-
Male.....White.....	2,914	1	10	-	2	-	40	1	-	24	7	15	256	11	51	4
Nonwhite..	80	-	1	-	-	-	10	2	-	2	-	-	8	-	-	-
Female.....White.....	2,008	-	9	-	4	-	16	1	-	2	4	11	242	1	66	18
Nonwhite..	52	1	-	1	-	-	5	-	-	4	2	-	5	1	1	-
Urban.....White.....	3,109	-	12	-	4	-	38	1	-	23	5	18	330	8	81	13
Nonwhite..	49	-	-	-	-	-	4	-	-	3	-	-	6	-	1	-
Male.....White.....	1,818	-	6	-	1	-	27	-	-	21	4	11	173	7	31	1
Nonwhite..	36	-	-	-	-	-	4	-	-	2	-	-	4	-	-	-
Female.....White.....	1,291	-	6	-	3	-	11	1	-	2	1	7	157	1	50	12
Nonwhite..	13	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-
Places of 100,000 or more.....White.....	1,567	-	5	-	1	-	19	-	-	10	1	7	171	7	42	5
Nonwhite..	24	-	-	-	-	-	2	-	-	1	-	-	3	-	1	-
Male.....White.....	906	-	1	-	-	-	13	-	-	9	1	5	90	6	13	-
Nonwhite..	16	-	-	-	-	-	2	-	-	1	-	-	2	-	-	-
Female.....White.....	661	-	4	-	1	-	6	-	-	1	-	2	81	1	29	5
Nonwhite..	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-
Places of 25,000 to 100,000...White.....	408	-	2	-	2	-	6	-	-	1	2	4	49	-	11	-
Nonwhite..	10	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Male.....White.....	258	-	2	-	1	-	4	-	-	-	1	2	25	-	9	-
Nonwhite..	9	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Female.....White.....	150	-	-	-	1	-	2	-	-	1	1	2	24	-	2	-
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White.....	334	-	2	-	-	-	2	1	-	10	1	3	22	-	6	2
Nonwhite..	7	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-
Male.....White.....	186	-	1	-	-	-	1	-	-	10	1	2	9	-	2	-
Nonwhite..	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Female.....White.....	148	-	1	-	-	-	1	1	-	-	-	1	13	-	4	2
Nonwhite..	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	800	-	3	-	1	-	11	-	-	2	1	4	88	1	22	6
Nonwhite..	8	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
Male.....White.....	468	-	2	-	-	-	9	-	-	2	1	2	49	1	7	1
Nonwhite..	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Female.....White.....	332	-	1	-	1	-	2	-	-	-	-	2	39	-	15	5
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Rural.....White.....	1,813	1	7	-	2	-	18	1	-	3	6	8	168	4	36	9
Nonwhite..	83	1	1	1	-	-	11	2	-	3	2	-	7	1	-	-
Male.....White.....	1,096	1	4	-	1	-	13	1	-	3	3	4	83	4	20	3
Nonwhite..	44	-	1	-	-	-	6	2	-	-	-	-	4	-	-	-
Female.....White.....	717	-	3	-	1	-	5	-	-	-	3	4	85	-	16	6
Nonwhite..	39	1	-	1	-	-	5	-	-	3	2	-	3	1	-	-
VERMONT.....	4,601	-	4	2	9	-	119	1	-	22	17	2	552	4	126	5
Both sexes.....White.....	4,599	-	4	2	9	-	119	1	-	22	17	2	552	4	126	5
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	2,528	-	4	2	6	-	77	-	-	14	8	2	264	3	55	2
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	2,071	-	-	-	3	-	42	1	-	8	9	-	288	1	71	3
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Urban.....White.....	1,792	-	1	-	3	-	48	-	-	16	5	-	209	-	53	1
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	925	-	1	-	3	-	26	-	-	11	3	-	100	-	25	-
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	867	-	-	-	-	-	22	-	-	5	2	-	109	-	28	1
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 25,000 to 100,000...White.....	361	-	1	-	1	-	7	-	-	1	-	-	43	-	17	-
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	177	-	1	-	1	-	4	-	-	-	-	-	20	-	5	-
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	184	-	-	-	-	-	3	-	-	1	-	-	23	-	12	-
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000....White.....	373	-	-	-	-	-	21	-	-	3	-	-	46	-	19	1
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	197	-	-	-	-	-	16	-	-	3	-	-	23	-	9	-
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	176	-	-	-	-	-	5	-	-	-	-	-	23	-	10	1
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	1,058	-	-	-	2	-	20	-	-	12	5	-	120	-	17	-
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	551	-	-	-	2	-	6	-	-	8	3	-	57	-	11	-
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	507	-	-	-	-	-	14	-	-	4	2	-	63	-	6	-
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90–95	Pneumonia (all forms) and influenza 107–109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130–132	Diseases of pregnancy, childbirth, and the puerperium 140–150	Congenital malformations and diseases peculiar to the first year 157–161	Suicide 163, 164	Homicide 165–168	Motor-vehicle accidents 170	Other accidents 169, 171–195	Senility, ill-defined and unknown causes 162,199,200	All other causes
27	9	581	1,690	482	30	267	49	31	487	63	671	63	49	173	453	390	867
10	-	164	315	119	9	31	14	10	169	14	72	3	45	29	86	85	231
8	8	302	1,075	255	23	123	28	22	294	...	387	47	38	125	316	217	477
4	-	68	178	58	7	13	9	4	93	...	40	2	33	24	69	45	105
19	1	279	615	227	7	144	21	9	193	63	284	16	11	48	137	173	390
6	-	96	137	61	2	18	5	6	76	14	32	1	12	5	17	40	126
115	10	1,678	4,313	1,287	114	525	163	116	1,390	122	1,289	210	93	562	2,232	1,141	2,296
29	3	397	759	364	23	65	22	24	359	47	186	6	70	58	248	367	436
45	8	867	2,838	726	94	282	111	79	831	...	746	172	80	484	1,874	663	1,374
9	3	180	424	208	16	34	15	15	208	...	99	5	62	48	176	208	243
70	2	811	1,475	561	20	243	52	37	559	122	543	38	13	78	358	478	922
20	-	217	335	156	7	31	7	9	151	47	87	1	8	10	72	159	193
1	5	377	1,452	263	39	24	39	33	282	27	393	35	21	114	410	164	536
1	5	368	1,433	255	37	22	38	32	269	25	392	34	20	113	404	148	530
-	-	9	19	8	2	2	1	1	13	2	1	1	1	1	6	16	6
-	5	170	879	154	31	13	22	22	137	...	232	29	14	95	302	74	313
-	-	4	11	5	2	2	-	-	10	...	-	1	1	1	6	8	5
1	-	198	554	101	6	9	16	10	132	25	160	5	6	18	102	74	217
-	-	5	8	3	-	-	1	1	3	2	1	-	-	-	-	7	1
-	2	236	990	158	21	13	21	24	169	16	244	26	15	60	188	76	317
-	-	1	11	5	-	1	1	1	8	-	-	-	-	-	4	1	2
-	2	107	615	96	16	8	12	17	87	...	149	23	9	52	124	37	182
-	-	1	8	4	-	1	-	-	6	...	-	-	-	-	4	1	1
-	-	129	375	82	5	5	9	7	82	16	95	3	6	8	64	39	135
-	-	-	3	1	-	-	1	1	2	-	-	-	-	-	-	-	1
-	-	122	562	66	9	4	9	16	80	9	103	17	5	27	77	37	156
-	-	1	6	4	-	1	-	1	4	-	-	-	-	-	-	-	-
-	-	55	359	42	8	1	6	12	41	...	55	16	4	23	47	14	85
-	-	1	3	4	-	1	-	-	2	...	-	-	-	-	-	-	-
-	-	67	203	24	1	3	3	4	39	9	48	1	1	4	30	23	71
-	-	-	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-
-	1	31	118	19	5	4	1	2	18	1	37	2	7	6	30	7	42
-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	2	1	1
-	1	12	81	13	5	3	1	1	9	...	26	2	3	5	21	3	28
-	-	-	1	-	-	-	-	-	2	...	-	-	-	-	2	1	1
-	-	19	37	6	-	1	-	1	9	1	11	-	4	1	9	4	14
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
-	-	28	81	26	3	2	4	2	22	-	36	1	1	6	27	10	36
-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	-	10	48	12	3	2	2	1	11	...	24	1	-	5	20	4	19
-	-	-	3	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	18	35	14	-	-	2	1	11	-	12	-	1	1	7	6	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	1	55	229	47	4	3	7	4	49	6	68	6	2	21	54	22	83
-	-	-	1	1	-	-	-	-	2	-	-	-	-	-	2	-	-
-	1	30	129	29	-	2	3	3	26	...	44	4	2	19	36	16	50
-	-	-	1	-	-	-	-	-	2	...	-	-	-	-	2	-	-
-	-	25	100	18	4	1	4	1	23	6	24	2	-	2	18	6	33
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1	3	132	443	97	16	9	17	8	100	9	148	8	5	53	216	72	213
-	-	8	8	3	2	1	-	-	5	2	1	1	1	1	2	15	4
-	3	63	264	58	15	5	10	5	50	...	83	6	5	43	178	37	131
-	-	3	3	1	2	1	-	-	4	...	-	1	1	1	2	8	4
1	-	69	179	39	1	4	7	3	50	9	65	2	-	10	38	35	82
-	-	5	5	2	-	-	-	-	1	2	1	-	-	-	-	7	-
1	9	439	1,439	301	33	20	30	17	272	16	197	56	2	51	212	62	581
1	9	439	1,439	300	33	20	30	17	272	16	197	56	2	51	212	62	580
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
-	8	206	820	166	27	9	18	9	146	...	126	41	1	45	137	30	302
-	-	-	-	1	-	-	-	-	-	...	-	-	-	-	-	-	-
1	1	233	619	134	6	11	12	8	126	16	71	15	1	6	75	32	278
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
1	3	166	583	101	10	9	11	10	88	5	97	22	1	17	72	22	238
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	63	320	51	7	3	7	7	47	...	61	11	1	15	40	9	112
-	-	-	-	1	-	-	-	-	-	...	-	-	-	-	-	-	-
1	1	103	263	50	3	6	4	3	41	5	36	11	-	2	32	13	126
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	32	117	15	5	2	1	1	15	1	29	6	-	4	17	2	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	10	59	7	4	1	-	1	9	...	19	4	-	4	9	-	19
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-
1	-	22	58	8	1	1	1	-	6	1	10	2	-	-	8	2	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	29	109	17	-	5	2	4	28	2	12	5	-	2	11	8	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	12	61	9	-	1	1	1	16	...	7	2	-	2	5	3	26
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	17	48	8	-	4	1	3	12	2	5	3	-	-	6	5	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	105	357	69	5	2	8	5	45	2	56	11	1	11	44	12	146
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	2	41	200	35	3	1	6	5	22	...	35	5	1	9	26	6	67
-	-	-	-	1	-	-	-	-	-	...	-	-	-	-	-	-	-
-	1	64	157	34	2	1	2	-	23	2	21	6	-	2	18	5	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13–22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45–55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 65b
VERMONT—Continued																
Rural.....White.....	2,807	-	3	2	6	-	71	1	-	6	12	2	343	4	73	4
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	1,603	-	3	2	3	-	51	-	-	3	5	2	164	3	30	2
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	1,204	-	-	-	3	-	20	1	-	3	7	-	179	1	43	2
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA.....	28,915	17	102	9	131	25	1,449	73	1	385	11	10	2,428	42	510	48
Both sexes.....White.....	19,300	12	67	7	70	22	691	47	1	143	10	7	1,903	20	388	36
Nonwhite..	9,615	5	35	2	61	3	758	26	-	242	1	3	525	22	122	12
Male.....White.....	10,985	5	41	6	27	14	398	22	1	109	4	5	869	12	154	2
Nonwhite..	5,146	4	25	1	28	2	392	10	-	192	-	3	210	11	35	-
Female.....White.....	8,315	7	26	1	43	8	293	25	-	34	6	2	1,034	8	234	34
Nonwhite..	4,469	1	10	1	33	1	366	16	-	50	1	-	315	11	87	12
Urban.....White.....	7,799	1	30	4	17	1	258	14	1	88	3	3	865	4	180	12
Nonwhite..	4,059	1	20	1	14	1	316	2	-	77	-	-	240	8	49	7
Male.....White.....	4,358	1	17	4	7	-	153	7	1	69	1	1	391	2	71	1
Nonwhite..	2,081	1	13	1	5	1	165	2	-	58	-	-	84	4	12	-
Female.....White.....	3,441	-	13	-	10	1	105	7	-	19	2	2	474	2	109	11
Nonwhite..	1,978	-	7	-	9	-	151	-	-	19	-	-	156	4	37	7
Places of 100,000 or more.....White.....	2,821	-	14	1	4	-	88	7	-	15	1	2	331	1	78	4
Nonwhite..	1,831	1	12	1	6	-	153	-	-	30	-	-	101	4	25	5
Male.....White.....	1,598	-	9	1	2	-	51	2	-	10	1	1	143	-	34	-
Nonwhite..	937	1	9	1	1	-	82	-	-	22	-	-	30	2	9	-
Female.....White.....	1,223	-	5	-	2	-	37	5	-	5	-	1	188	1	44	4
Nonwhite..	894	-	3	-	5	-	71	-	-	8	-	-	71	2	16	5
Places of 25,000 to 100,000...White.....	2,497	1	13	-	7	-	71	2	1	17	1	1	281	2	53	3
Nonwhite..	1,539	-	6	-	4	1	108	1	-	29	-	-	93	3	12	-
Male.....White.....	1,382	1	7	-	3	-	46	2	1	12	-	-	123	2	18	-
Nonwhite..	803	-	3	-	1	1	52	1	-	22	-	-	40	1	2	-
Female.....White.....	1,115	-	6	-	4	-	25	-	-	5	1	1	158	-	35	3
Nonwhite..	736	-	5	-	3	-	56	-	-	7	-	-	53	2	10	-
Places of 10,000 to 25,000....White.....	823	-	1	2	3	1	30	-	-	22	-	-	80	-	15	2
Nonwhite..	238	-	1	-	3	-	24	-	-	7	-	-	13	-	5	1
Male.....White.....	440	-	-	2	-	-	14	-	-	17	-	-	42	-	7	1
Nonwhite..	120	-	-	-	3	-	14	-	-	4	-	-	4	-	-	-
Female.....White.....	383	-	1	-	3	1	16	-	-	5	-	-	38	-	8	1
Nonwhite..	118	-	1	-	-	-	10	-	-	3	-	-	9	-	5	1
Places of 2,500 to 10,000.....White.....	1,658	-	2	1	3	-	69	5	-	34	1	-	173	1	34	3
Nonwhite..	451	-	1	-	1	-	31	1	-	11	-	-	33	1	7	1
Male.....White.....	938	-	1	1	2	-	42	3	-	30	-	-	83	-	12	-
Nonwhite..	221	-	1	-	-	-	17	1	-	10	-	-	10	1	1	-
Female.....White.....	720	-	1	-	1	-	27	2	-	4	1	-	90	1	22	3
Nonwhite..	230	-	-	-	1	-	14	-	-	1	-	-	23	-	6	1
Rural.....White.....	11,501	11	37	3	53	21	433	33	-	55	7	4	1,038	16	208	24
Nonwhite..	5,556	4	15	1	47	2	442	24	-	165	1	3	285	14	73	5
Male.....White.....	6,627	4	24	2	20	14	245	15	-	40	3	4	478	10	83	1
Nonwhite..	3,085	3	12	-	23	1	227	8	-	134	-	3	126	7	23	-
Female.....White.....	4,874	7	13	1	33	7	188	18	-	15	4	-	560	6	125	23
Nonwhite..	2,491	1	3	1	24	1	215	16	-	31	1	-	159	7	50	5
WASHINGTON.....	22,566	4	46	8	21	27	720	18	-	231	45	29	2,598	19	497	40
Both sexes.....White.....	21,949	4	45	7	18	26	607	13	-	208	41	28	2,552	18	491	40
Nonwhite..	617	-	1	1	3	1	113	5	-	23	4	1	46	1	6	-
Male.....White.....	13,486	2	27	6	9	12	393	8	-	161	21	19	1,332	9	204	12
Nonwhite..	386	-	-	-	-	1	61	1	-	18	3	1	28	-	3	-
Female.....White.....	8,463	2	18	1	9	14	214	5	-	47	20	9	1,220	9	287	28
Nonwhite..	231	-	1	1	3	-	52	4	-	5	1	-	18	1	3	-
Urban.....White.....	13,407	3	24	2	7	16	358	9	-	98	19	14	1,595	12	316	24
Nonwhite..	306	-	1	-	2	-	60	2	-	8	-	-	25	-	5	-
Male.....White.....	8,082	2	13	1	4	8	241	6	-	76	10	11	807	7	135	8
Nonwhite..	205	-	-	-	-	-	40	1	-	6	-	-	17	-	2	-
Female.....White.....	5,325	1	11	1	3	8	117	3	-	22	9	3	788	5	181	16
Nonwhite..	101	-	1	-	2	-	20	1	-	2	-	-	8	-	3	-
Places of 100,000 or more.....White.....	9,051	-	13	-	4	12	243	5	-	65	10	4	1,070	4	195	13
Nonwhite..	244	-	1	-	2	-	55	-	-	7	-	-	18	-	4	-
Male.....White.....	5,466	-	9	-	2	5	166	4	-	52	4	3	539	1	85	3
Nonwhite..	159	-	-	-	-	-	37	-	-	5	-	-	9	-	1	-
Female.....White.....	3,585	-	4	-	2	7	77	1	-	13	6	1	531	3	110	10
Nonwhite..	85	-	1	-	2	-	18	-	-	2	-	-	7	-	3	-
Places of 25,000 to 100,000...White.....	1,251	-	2	-	2	1	13	2	-	8	-	5	164	2	32	4
Nonwhite..	22	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-
Male.....White.....	733	-	1	-	2	-	7	1	-	5	-	4	79	1	15	2
Nonwhite..	15	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-
Female.....White.....	518	-	1	-	-	1	6	1	-	3	-	1	85	1	17	2
Nonwhite..	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Places of 10,000 to 25,000....White.....	1,626	3	7	-	1	-	59	2	-	13	6	4	185	4	39	5
Nonwhite..	13	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-
Male.....White.....	1,007	2	2	-	-	-	41	1	-	10	3	3	88	3	15	3
Nonwhite..	13	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-
Female.....White.....	619	1	5	-	1	-	18	1	-	3	3	1	97	1	24	2
Nonwhite..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	1,479	-	2	2	-	3	43	-	-	12	3	1	176	2	50	2
Nonwhite..	27	-	-	-	-	-	3	2	-	1	-	-	4	-	-	-
Male.....White.....	876	-	1	1	-	3	27	-	-	9	3	1	101	2	20	-
Nonwhite..	18	-	-	-	-	-	1	1	-	1	-	-	4	-	-	-
Female.....White.....	603	-	1	1	-	-	16	-	-	3	-	-	75	-	30	2
Nonwhite..	9	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic)	Alcoholism (ethylism)	Intracranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Ulcer of stomach or duodenum	Diarrhea, enteritis, and ulceration of intestines	Appendicitis	Cirrhosis of the liver	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
69	77	83	90–95	107–109,33	117	119,120	121	124	130–132	140–150	157–161	163, 164	165–168	170	169, 171–195	162,199,200	
-	6	273	856	199	23	11	19	7	184	11	100	34	1	34	140	40	342
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
-	6	143	500	115	20	6	11	2	99	...	65	30	-	30	97	21	190
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	-	-	-
-	-	130	356	84	3	5	8	5	85	11	35	4	1	4	43	19	152
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
38	48	2,951	6,917	2,098	186	342	142	135	2,508	210	1,969	292	270	586	1,449	753	2,780
30	36	1,833	4,968	1,248	132	208	92	101	1,536	111	1,392	266	110	432	1,058	479	1,844
8	12	1,118	1,949	850	54	134	50	34	972	99	577	26	160	154	391	274	936
14	32	971	3,016	683	111	100	52	73	855	...	784	196	76	350	760	249	994
-	7	495	1,040	476	39	78	32	23	487	...	346	22	131	134	275	147	501
16	4	882	1,952	565	21	108	40	28	681	111	608	70	34	82	298	230	850
8	5	623	909	374	15	56	18	11	485	99	231	4	29	20	116	127	435
11	22	693	2,205	470	62	60	34	59	607	35	517	120	44	135	420	96	728
6	8	497	843	394	24	64	25	26	435	38	226	12	101	49	156	55	364
3	18	345	1,320	253	57	30	17	41	326	...	291	77	32	112	299	50	361
-	5	202	423	217	18	34	15	17	212	...	143	8	85	41	112	30	173
8	4	348	885	217	5	30	17	18	281	35	226	43	12	23	121	46	367
6	3	295	420	177	6	30	10	9	223	38	83	4	16	8	44	25	191
2	11	257	800	145	20	8	13	25	221	7	157	50	21	45	191	31	271
4	4	235	421	159	16	21	13	8	167	15	65	6	47	30	89	30	183
2	9	142	483	78	19	5	7	17	118	...	81	27	14	39	150	15	138
-	3	90	218	83	13	9	8	4	83	...	43	3	40	25	52	17	89
-	2	115	317	67	1	3	6	8	103	7	76	23	7	6	41	16	133
4	1	145	203	76	3	12	5	4	84	15	22	3	7	5	17	13	94
5	7	199	727	141	21	19	12	23	195	16	195	33	13	60	118	27	233
1	4	193	273	184	8	36	8	14	184	13	112	4	42	18	65	12	111
1	6	85	458	72	19	10	5	17	108	...	111	22	8	47	73	19	108
-	2	87	151	108	5	23	5	9	86	...	68	3	35	15	47	5	51
4	1	114	269	69	2	9	7	6	89	16	84	11	5	13	45	8	125
1	2	106	142	76	3	13	3	5	98	13	44	1	7	3	18	7	60
3	2	81	274	76	6	7	2	5	47	3	60	11	1	6	23	10	50
-	-	22	55	16	-	-	1	1	24	5	20	1	2	-	8	3	26
-	1	33	137	47	6	5	-	3	22	...	39	9	1	6	20	2	26
-	-	10	30	9	-	-	1	1	11	...	12	1	2	-	4	2	12
3	1	48	137	29	-	2	2	2	25	3	21	2	-	-	3	8	24
-	-	12	25	7	-	-	-	-	13	5	8	-	-	-	4	1	14
1	2	156	404	108	15	28	7	6	144	9	105	26	9	24	88	28	174
1	-	47	94	35	-	7	3	3	60	5	29	1	10	1	14	10	44
-	2	85	242	56	13	10	5	4	80	...	60	19	9	20	56	14	89
-	-	15	44	17	-	2	1	3	32	...	20	1	8	1	9	6	21
1	-	71	162	52	2	18	2	2	64	9	45	7	-	4	32	14	85
1	-	32	50	18	-	5	2	-	28	5	9	-	2	-	5	4	23
19	14	1,140	2,783	778	70	148	58	42	929	76	875	146	66	297	638	383	1,116
2	4	621	1,106	456	30	70	25	8	537	61	351	14	59	105	235	219	572
11	14	626	1,696	430	54	70	35	32	529	...	493	119	44	238	461	199	633
-	2	293	617	259	21	44	17	6	275	...	203	14	46	93	163	117	328
8	-	514	1,067	348	16	78	23	10	400	76	382	27	22	59	177	184	483
2	2	328	489	197	9	28	8	2	262	61	148	-	13	12	72	102	244
3	106	2,067	6,904	1,314	190	100	94	165	1,202	72	1,045	293	51	403	1,464	389	2,401
3	102	2,035	6,790	1,243	185	87	92	160	1,186	65	1,011	289	43	393	1,430	374	2,363
-	4	32	114	71	5	13	2	5	16	7	34	4	8	10	34	15	38
1	91	1,062	4,373	778	156	55	65	93	699	...	610	227	29	308	1,068	228	1,428
-	4	16	75	42	4	9	2	4	11	...	24	3	6	8	25	10	27
2	11	973	2,417	465	29	32	27	67	487	65	401	62	14	85	362	146	935
-	-	16	39	29	1	4	-	1	5	7	10	1	2	2	9	5	11
2	86	1,243	4,312	707	123	57	43	124	720	37	632	187	23	235	829	184	1,366
-	1	23	69	22	4	1	2	4	12	2	13	3	6	4	14	5	18
1	75	651	2,752	438	99	39	28	69	413	...	389	143	17	185	590	95	789
-	1	13	44	15	4	1	2	4	8	...	9	2	4	2	11	4	15
1	11	612	1,560	269	24	18	15	55	307	37	243	44	6	50	239	89	577
-	-	10	25	7	-	-	-	-	4	2	4	1	2	2	3	1	3
2	74	803	3,025	491	89	36	28	85	468	22	377	138	19	173	562	95	926
-	1	21	55	17	3	-	1	3	9	-	9	3	4	3	14	2	14
1	64	393	1,931	308	69	28	16	43	272	...	237	102	14	135	409	46	525
-	1	13	34	11	3	-	1	3	6	...	6	2	2	2	11	1	11
1	10	410	1,094	183	20	8	12	42	196	22	140	36	5	38	153	49	401
-	-	8	21	6	-	-	-	-	3	-	3	1	2	1	3	1	3
-	6	128	399	55	7	5	3	9	83	2	49	22	1	12	64	36	155
-	2	4	4	1	-	-	-	2	1	1	1	-	1	-	-	-	1
-	6	65	250	29	7	1	2	6	43	...	33	17	-	9	47	20	81
-	-	-	2	4	1	-	-	-	1	...	1	-	1	-	-	-	1
-	-	63	149	26	-	4	1	3	40	2	16	5	1	3	17	16	54
-	-	2	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-
-	3	150	442	100	17	7	6	14	85	6	126	16	2	28	108	24	164
-	-	-	4	-	-	-	-	1	-	-	1	-	1	-	-	1	2
-	3	83	283	68	14	4	6	10	55	...	78	14	2	26	74	15	101
-	-	-	4	-	-	-	-	1	-	...	1	-	1	-	-	1	2
-	-	67	159	32	3	3	-	4	30	6	48	2	-	2	34	9	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	182	446	61	10	9	6	16	84	7	80	11	1	22	95	29	141
-	-	-	6	1	-	1	1	-	1	1	2	-	-	1	-	2	1
-	2	90	288	53	9	6	4	10	43	...	41	10	1	15	60	14	82
-	-	-	4	-	-	1	1	-	1	...	1	-	-	-	-	2	1
-	1	72	158	28	1	3	2	6	41	7	39	1	-	7	35	15	59
-	-	-	2	1	-	-	-	-	-	1	1	-	-	1	-	-	-

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
WASHINGTON—Continued																
Rural.....White.....	8,542	1	21	5	11	10	249	4	-	110	22	14	957	8	175	16
Nonwhite..	311	-	-	1	1	1	53	3	-	15	4	1	21	1	1	-
Male.....White.....	5,404	-	14	5	5	4	152	2	-	85	11	8	525	2	69	4
Nonwhite..	181	-	-	-	-	1	21	-	-	12	3	1	11	-	1	-
Female.....White.....	3,138	1	7	-	6	6	97	2	-	25	11	6	432	4	106	12
Nonwhite..	130	-	-	1	1	-	32	3	-	3	1	-	10	1	-	-
WEST VIRGINIA.....	17,239	16	29	9	89	33	769	64	1	257	12	3	1,572	16	335	27
Both sexes.....White.....	15,752	15	26	9	84	32	638	61	1	199	10	3	1,478	15	315	26
Nonwhite..	1,487	1	3	-	5	1	131	3	-	58	2	-	94	1	20	1
Male.....White.....	8,974	8	19	4	40	18	340	28	1	153	5	3	865	7	127	5
Nonwhite..	847	-	3	-	4	-	63	2	-	34	1	-	34	1	7	-
Female.....White.....	6,778	7	7	5	44	14	298	33	-	46	5	-	813	8	188	21
Nonwhite..	640	1	-	-	1	1	68	1	-	24	1	-	60	-	13	1
Urban.....White.....	5,811	2	4	1	21	5	224	8	-	108	3	1	630	4	137	10
Nonwhite..	556	-	2	-	1	-	48	1	-	19	-	-	44	-	7	-
Male.....White.....	3,224	-	3	1	11	3	130	4	-	86	1	1	256	1	58	3
Nonwhite..	303	-	2	-	1	-	23	-	-	8	-	-	15	-	1	-
Female.....White.....	2,587	2	1	-	10	2	94	4	-	22	2	-	374	3	79	7
Nonwhite..	253	-	-	-	-	-	25	1	-	11	-	-	29	-	6	-
Places of 25,000 to 100,000...White.....	2,865	2	1	1	8	2	108	4	-	46	-	-	326	2	66	3
Nonwhite..	249	-	1	-	1	-	24	-	-	7	-	-	17	-	2	-
Male.....White.....	1,547	-	1	1	2	2	59	3	-	32	-	-	127	-	29	1
Nonwhite..	137	-	1	-	1	-	12	-	-	5	-	-	6	-	-	-
Female.....White.....	1,318	2	-	-	6	-	49	1	-	14	-	-	199	2	37	2
Nonwhite..	112	-	-	-	-	-	12	-	-	2	-	-	11	-	2	-
Places of 10,000 to 25,000....White.....	1,123	-	1	-	4	-	37	1	-	12	-	1	144	-	25	3
Nonwhite..	120	-	-	-	-	-	7	-	-	1	-	-	12	-	4	-
Male.....White.....	616	-	-	-	2	-	22	-	-	10	-	1	54	-	5	-
Nonwhite..	81	-	-	-	-	-	4	-	-	-	-	-	4	-	1	-
Female.....White.....	507	-	1	-	2	-	15	1	-	2	-	-	90	-	20	3
Nonwhite..	59	-	-	-	-	-	3	-	-	1	-	-	8	-	3	-
Places of 2,500 to 10,000.....White.....	1,823	-	2	-	9	3	79	3	-	50	3	-	160	2	46	4
Nonwhite..	187	-	1	-	-	-	17	1	-	11	-	-	15	-	1	-
Male.....White.....	1,061	-	2	-	7	1	49	1	-	44	1	-	75	1	24	2
Nonwhite..	105	-	1	-	-	-	7	-	-	3	-	-	5	-	-	-
Female.....White.....	762	-	-	-	2	2	30	2	-	6	2	-	85	1	22	2
Nonwhite..	82	-	-	-	-	-	10	1	-	8	-	-	10	-	1	-
Rural.....White.....	9,941	13	22	8	63	27	414	53	1	91	7	2	848	11	178	16
Nonwhite..	931	1	1	-	4	1	83	2	-	39	2	-	50	1	13	1
Male.....White.....	5,750	8	16	3	29	15	210	24	1	67	4	2	409	6	69	2
Nonwhite..	544	-	1	-	3	-	40	2	-	26	1	-	19	1	6	-
Female.....White.....	4,191	5	6	5	34	12	204	29	-	24	3	-	439	5	109	14
Nonwhite..	387	1	-	-	1	1	43	-	-	13	1	-	31	-	7	1
WISCONSIN.....	32,688	7	38	18	47	7	776	6	2	198	38	20	4,458	44	983	115
Both sexes.....White.....	32,327	7	37	18	45	7	727	6	2	184	37	20	4,439	43	974	115
Nonwhite..	341	-	1	-	2	-	49	-	-	14	1	-	19	1	9	-
Male.....White.....	18,134	3	24	8	24	4	480	4	2	148	21	11	2,304	25	377	17
Nonwhite..	203	-	1	-	1	-	27	-	-	14	1	-	10	-	4	-
Female.....White.....	14,193	4	13	10	21	3	247	2	-	36	16	9	2,135	18	597	98
Nonwhite..	138	-	-	-	1	-	22	-	-	-	-	-	9	1	5	-
Urban.....White.....	18,013	3	21	6	25	2	427	3	1	93	18	9	2,548	23	600	66
Nonwhite..	175	-	1	-	-	-	26	-	-	8	-	-	10	-	5	-
Male.....White.....	9,849	2	13	2	15	1	282	2	1	77	10	5	1,285	13	235	9
Nonwhite..	104	-	1	-	-	-	14	-	-	8	-	-	5	-	1	-
Female.....White.....	8,164	1	8	4	10	1	145	1	-	16	8	4	1,263	10	365	57
Nonwhite..	71	-	-	-	-	-	12	-	-	-	-	-	5	-	4	-
Places of 100,000 or more.....White.....	6,338	1	15	2	7	-	225	-	-	50	6	1	930	11	239	27
Nonwhite..	127	-	-	-	-	-	19	-	-	8	-	-	7	-	4	-
Male.....White.....	3,485	-	11	1	3	-	156	-	-	42	3	-	488	7	87	2
Nonwhite..	75	-	-	-	-	-	9	-	-	8	-	-	4	-	-	-
Female.....White.....	2,853	1	4	1	4	-	69	-	-	8	3	1	442	4	152	25
Nonwhite..	52	-	-	-	-	-	10	-	-	-	-	-	3	-	4	-
Places of 25,000 to 100,000...White.....	6,213	1	4	2	11	-	110	1	-	27	9	3	876	3	203	18
Nonwhite..	37	-	1	-	-	-	5	-	-	-	-	-	2	-	1	-
Male.....White.....	3,390	1	1	1	6	-	80	1	-	21	6	-	430	-	78	3
Nonwhite..	22	-	1	-	-	-	3	-	-	-	-	-	1	-	1	-
Female.....White.....	2,823	-	3	1	5	-	30	-	-	6	3	3	446	3	125	15
Nonwhite..	15	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
Places of 10,000 to 25,000....White.....	2,337	1	1	-	3	-	44	2	-	8	1	1	306	6	81	7
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Male.....White.....	1,271	1	-	-	2	-	19	1	-	7	1	1	154	4	35	-
Nonwhite..	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Female.....White.....	1,066	-	1	-	1	-	25	1	-	1	-	-	152	2	46	7
Nonwhite..	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000.....White.....	3,125	-	1	2	4	2	48	-	1	8	2	4	436	3	77	14
Nonwhite..	8	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-
Male.....White.....	1,703	-	1	-	4	1	27	-	1	7	-	4	213	2	35	4
Nonwhite..	5	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
Female.....White.....	1,422	-	-	2	-	1	21	-	-	1	2	-	223	1	42	10
Nonwhite..	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Rural.....White.....	14,314	4	16	12	20	5	300	3	1	91	19	11	1,891	20	374	49
Nonwhite..	166	-	-	-	2	-	23	-	-	6	1	-	9	1	4	-
Male.....White.....	8,285	1	11	6	9	3	198	2	1	71	11	6	1,019	12	142	8
Nonwhite..	99	-	-	-	1	-	13	-	-	6	1	-	5	-	3	-
Female.....White.....	6,029	3	5	6	11	2	102	1	-	20	8	5	872	8	232	41
Nonwhite..	67	-	-	-	1	-	10	-	-	-	-	-	4	1	1	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1	16	792	2,478	536	62	30	49	36	466	28	379	102	20	158	601	190	997
-	3	9	45	49	1	12	-	1	4	5	21	1	2	6	20	10	20
-	16	431	1,621	340	57	16	37	24	286	...	221	84	12	123	478	133	639
-	3	3	31	27	-	8	-	-	3	...	15	1	2	6	14	6	12
1	-	361	857	196	5	14	12	12	180	28	158	18	8	35	123	57	358
-	-	6	14	22	1	4	-	1	1	5	6	-	-	-	6	4	8
8	22	1,538	3,828	1,322	89	300	74	97	1,191	126	1,204	149	75	256	1,309	780	1,639
7	17	1,418	3,513	1,207	78	283	65	94	1,057	112	1,117	147	47	237	1,195	733	1,513
1	5	120	315	115	11	17	9	3	134	14	87	2	28	19	114	47	126
2	17	746	2,076	658	67	139	45	70	583	...	672	100	43	198	873	415	847
-	2	60	186	73	10	8	6	3	75	...	52	2	18	13	94	29	67
5	-	672	1,437	549	11	144	20	24	474	112	445	47	4	39	322	318	666
1	3	60	129	42	1	9	3	-	59	14	35	-	10	6	20	18	59
-	8	560	1,473	406	32	74	25	52	399	37	345	62	8	79	335	158	600
-	1	42	134	45	7	8	1	1	50	6	20	1	9	7	34	14	54
-	8	271	876	219	30	41	16	40	224	...	206	40	6	64	227	88	310
-	-	17	80	31	6	4	1	1	27	...	15	1	5	3	26	9	29
-	-	289	597	187	2	33	9	12	175	37	139	22	2	15	108	70	290
-	1	25	54	14	1	4	-	-	23	6	7	-	4	4	8	5	25
-	4	280	770	202	17	37	10	28	164	17	172	33	4	31	153	76	298
-	-	22	63	18	5	4	-	-	22	1	15	1	6	4	6	6	26
-	4	137	440	97	16	19	5	22	92	...	101	22	4	28	100	46	157
-	-	7	34	14	5	-	-	-	14	...	9	1	3	1	6	3	15
-	-	143	330	105	1	18	5	6	72	17	71	11	-	3	53	30	141
-	-	15	29	4	-	4	-	-	8	1	4	-	3	3	-	3	11
-	2	95	288	80	6	12	7	10	98	8	76	10	-	15	62	37	109
-	1	9	35	12	1	1	-	1	11	3	3	-	1	1	7	2	8
-	2	44	173	37	6	9	5	7	57	...	45	6	-	14	40	22	55
-	-	6	20	7	-	1	-	1	5	...	1	-	1	1	4	1	4
-	-	51	115	23	-	3	2	3	41	8	31	4	-	1	22	15	54
-	1	3	15	5	1	-	-	-	6	3	2	-	-	-	3	1	4
-	2	185	415	144	9	25	8	14	137	12	97	19	4	33	120	45	193
-	-	11	36	15	1	3	1	-	17	2	4	-	2	2	21	6	20
-	2	90	263	85	8	13	6	11	75	...	60	12	2	22	87	20	98
-	-	4	26	10	1	3	1	-	8	...	3	-	1	1	16	5	10
-	-	95	152	59	1	12	2	3	62	12	37	7	2	11	33	25	95
-	-	7	10	5	-	-	-	-	9	2	1	-	1	1	5	1	10
7	9	858	2,040	801	46	209	40	42	658	75	772	85	39	158	860	575	913
1	4	78	181	70	4	9	8	2	84	8	67	1	19	12	80	33	72
2	9	475	1,200	439	37	98	29	30	359	...	466	60	37	134	646	327	537
-	2	43	106	42	4	4	5	2	48	...	39	1	13	10	68	20	38
5	-	383	840	362	9	111	11	12	299	75	306	25	2	24	214	248	376
1	2	35	75	28	-	5	3	-	36	8	28	-	6	2	12	13	34
2	41	3,226	10,029	1,795	225	147	194	290	1,907	127	1,629	350	34	426	1,586	427	3,476
1	40	3,210	9,949	1,755	223	145	192	288	1,894	124	1,610	348	33	418	1,569	422	3,445
1	1	16	80	40	2	2	2	2	13	3	19	2	1	8	17	5	31
1	37	1,545	5,722	1,008	192	77	119	184	1,075	...	963	292	22	321	1,028	207	1,889
-	1	10	48	21	1	1	2	1	4	...	14	2	-	7	11	3	19
-	3	1,665	4,227	747	31	68	73	104	819	124	647	56	11	97	541	215	1,556
1	-	6	32	19	1	1	-	1	9	3	5	-	1	1	6	2	12
-	30	1,769	5,679	909	130	76	110	190	995	77	955	188	19	186	840	183	1,832
1	1	9	50	12	-	1	-	2	12	1	4	2	1	3	6	3	17
-	27	814	3,162	520	112	41	68	128	549	...	572	155	10	147	533	77	982
-	1	5	33	8	-	-	-	1	4	...	2	2	-	2	4	2	11
-	3	955	2,517	389	18	35	42	62	446	77	383	33	9	39	307	106	850
1	-	4	17	4	-	1	-	1	8	1	2	-	1	1	2	1	6
-	13	544	2,134	328	51	32	34	83	263	34	318	77	7	64	225	18	599
-	1	6	40	10	-	-	-	-	12	1	3	2	-	2	1	-	11
-	12	238	1,182	206	41	16	23	55	128	...	191	64	5	53	142	6	323
-	1	4	27	7	-	-	-	-	4	...	2	2	-	1	-	-	6
-	1	306	952	122	10	16	11	28	135	34	127	13	2	11	83	12	276
-	-	2	13	3	-	-	-	-	8	1	1	-	-	1	1	-	5
-	10	622	1,889	311	48	20	32	62	394	24	345	76	8	71	339	70	624
-	-	2	9	2	-	-	-	2	-	-	1	-	1	1	4	1	5
-	8	298	1,050	170	42	12	16	40	222	...	217	59	3	54	204	30	339
-	-	1	5	1	-	-	-	1	-	...	-	-	-	1	3	-	4
-	2	326	839	141	6	8	16	22	172	24	128	17	5	17	135	40	285
-	-	1	4	1	-	-	-	1	-	-	1	-	1	-	1	1	1
-	4	254	693	123	12	12	13	19	141	9	129	14	2	25	124	36	286
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
-	4	122	380	67	11	5	10	15	80	...	74	13	1	18	80	18	148
-	-	-	1	-	-	-	-	-	-	...	-	-	-	-	-	1	-
-	-	132	313	56	1	7	3	4	61	9	55	1	1	7	44	18	118
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	3	349	983	147	19	12	31	26	197	10	163	21	2	26	152	59	343
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1
-	3	158	550	77	18	8	19	18	119	...	90	19	1	22	107	23	172
-	-	-	-	-	-	-	-	-	-	...	-	-	-	-	1	1	1
-	-	191	413	70	1	4	12	8	78	10	73	2	1	4	45	36	171
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1	10	1,441	4,270	848	93	69	82	98	899	47	655	160	14	232	729	239	1,613
-	-	7	30	28	2	1	2	-	1	2	15	-	-	5	11	2	14
1	10	731	2,560	488	80	36	51	56	526	...	391	137	12	174	495	130	907
-	-	5	15	13	1	1	2	-	-	...	12	-	-	5	7	1	8
-	-	710	1,710	358	13	33	31	42	373	47	264	23	2	58	234	109	706
-	-	2	15	15	1	-	-	-	1	2	3	-	-	-	4	1	6

TABLE 22.—DEATHS FROM SELECTED CAUSES, BY SEX AND RACE,

(See headnote

AREA, SEX, AND RACE	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
WYOMING	2,217	-	2	2	3	3	37	2	-	32	5	5	245	4	39	6
Both sexes.....White	2,129	-	2	2	3	3	27	2	-	29	4	5	239	4	39	6
Nonwhite	88	-	-	-	-	-	10	-	-	3	1	-	6	-	-	-
Male.....White	1,421	-	2	2	1	1	20	2	-	22	2	3	143	2	19	-
Nonwhite	62	-	-	-	-	-	7	-	-	1	-	-	6	-	-	-
Female.....White	708	-	-	-	2	2	7	-	-	7	2	2	96	2	20	6
Nonwhite	26	-	-	-	-	-	3	-	-	2	1	-	-	-	-	-
Urban.....White	1,020	-	1	-	2	2	12	-	-	17	2	4	128	2	20	1
Nonwhite	27	-	-	-	-	-	3	-	-	1	-	-	3	-	-	-
Male.....White	656	-	1	-	1	1	9	-	-	11	-	3	74	1	11	-
Nonwhite	20	-	-	-	-	-	2	-	-	-	-	-	3	-	-	-
Female.....White	364	-	-	-	1	1	3	-	-	6	2	1	54	1	9	1
Nonwhite	7	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000....White	634	-	1	-	2	2	6	-	-	5	2	3	69	2	15	-
Nonwhite	16	-	-	-	-	-	2	-	-	1	-	-	3	-	-	-
Male.....White	407	-	1	-	1	1	6	-	-	2	-	2	37	1	8	-
Nonwhite	10	-	-	-	-	-	1	-	-	-	-	-	3	-	-	-
Female.....White	227	-	-	-	1	1	-	-	-	3	2	1	32	1	7	-
Nonwhite	6	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000.....White	386	-	-	-	-	-	6	-	-	12	-	1	59	-	5	1
Nonwhite	11	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Male.....White	249	-	-	-	-	-	3	-	-	9	-	1	37	-	3	-
Nonwhite	10	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Female.....White	137	-	-	-	-	-	3	-	-	3	-	-	22	-	2	1
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rural.....White	1,109	-	1	2	1	1	15	2	-	12	2	1	111	2	19	5
Nonwhite	61	-	-	-	-	-	7	-	-	2	1	-	3	-	-	-
Male.....White	765	-	1	2	-	-	11	2	-	11	2	-	69	1	8	-
Nonwhite	42	-	-	-	-	-	5	-	-	1	-	-	3	-	-	-
Female.....White	344	-	-	-	1	1	4	-	-	1	-	1	42	1	11	5
Nonwhite	19	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-

URBAN AND RURAL: UNITED STATES AND EACH STATE, 1943—Continued

on p. 422)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 85	Diseases of the heart 90–95	Pneumonia (all forms) and influenza 107–109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130–132	Diseases of pregnancy, childbirth, and the puerperium 140–150	Congenital malformations and diseases peculiar to the first year 157–161	Suicide 163, 164	Homicide 165–168	Motor-vehicle accidents 170	Other accidents 169, 171–195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	6	151	596	153	18	9	20	11	178	9	139	35	17	45	191	25	229
-	5	147	578	141	17	9	20	11	173	8	132	35	17	44	187	23	217
-	1	4	18	12	1	-	-	-	5	1	7	-	-	1	4	2	12
-	3	80	429	95	15	4	13	9	102	...	78	32	9	33	152	7	133
-	1	3	14	8	1	-	-	-	4	...	3	-	-	1	3	2	8
-	2	67	149	48	2	5	7	2	71	8	54	3	8	11	35	6	84
-	-	1	4	4	-	-	-	-	1	1	4	-	-	-	1	-	4
-	2	65	285	68	9	7	11	8	74	5	70	13	10	20	69	12	101
-	-	2	6	2	1	-	-	-	4	-	1	-	-	-	1	-	3
-	-	29	208	49	8	3	8	6	45	...	40	10	6	15	52	8	59
-	-	1	5	2	1	-	-	-	3	...	-	-	-	-	-	-	3
-	2	36	77	19	1	4	3	2	31	5	30	3	4	5	17	4	42
-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	1	-	-
-	1	41	179	40	5	4	11	4	48	3	47	9	6	18	41	9	61
-	-	2	3	1	-	-	-	-	2	-	1	-	-	-	-	-	1
-	-	20	129	26	4	2	8	4	27	...	28	8	3	13	33	7	36
-	-	1	2	1	-	-	-	-	1	...	-	-	-	-	-	-	1
-	1	21	50	14	1	2	3	-	21	3	19	1	3	5	8	2	25
-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
-	1	24	108	28	4	3	-	4	26	2	23	4	4	2	28	3	40
-	-	-	3	1	1	-	-	-	2	-	-	-	-	-	1	-	2
-	-	9	79	23	4	1	-	2	16	...	12	2	3	2	19	1	25
-	-	-	3	1	1	-	-	-	2	...	-	-	-	-	-	-	2
-	1	15	27	5	-	2	-	2	10	2	11	2	1	-	9	2	17
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
-	3	82	295	75	8	2	9	3	99	3	62	22	7	24	118	11	116
-	1	2	12	10	-	-	-	-	1	1	6	-	-	1	3	2	9
-	3	51	221	44	7	1	5	3	59	...	38	22	3	18	100	9	74
-	1	2	9	6	-	-	-	-	1	...	3	-	-	1	3	2	5
-	-	31	72	29	1	1	4	-	40	3	24	-	4	6	18	2	42
-	-	-	3	4	-	-	-	-	-	1	3	-	-	-	-	-	4

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES

(Exclusive of stillbirths. By place of residence. Numbers under causes

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
ALABAMA																
Birmingham	3,279	3	4	-	8	1	214	-	-	35	2	1	247	3	47	2
Anniston	287	-	-	-	1	1	16	-	-	1	-	-	17	2	6	1
Gadsden	355	1	3	-	2	-	29	1	-	4	-	-	31	-	4	-
Mobile	1,240	-	3	-	6	4	52	3	2	10	1	-	54	1	21	1
Montgomery	1,045	-	-	-	2	1	50	6	1	22	1	-	73	1	6	2
Tuscaloosa	606	-	-	-	-	-	29	6	-	18	-	-	25	-	10	-
Bessemer	364	-	1	-	-	-	19	1	-	5	-	-	25	1	8	-
Decatur	130	-	-	-	-	-	4	1	-	-	-	-	10	1	1	-
Dothan	167	-	-	-	-	-	9	2	-	1	-	1	8	2	1	-
Fairfield	112	-	-	-	1	-	5	2	-	1	-	-	11	-	-	-
Florence	156	-	-	-	1	-	8	-	1	1	-	-	9	-	2	1
Huntsville	239	-	-	-	2	-	30	-	-	1	-	-	21	-	5	-
Phenix City	186	-	1	-	-	-	9	-	-	-	-	-	15	-	4	-
Selma	306	-	1	-	1	1	20	1	1	3	1	-	21	-	2	1
ARIZONA																
Phoenix	1,534	3	-	-	8	7	200	6	-	24	1	3	186	3	15	2
Tucson	773	1	-	1	2	-	137	2	-	7	-	-	55	2	12	2
ARKANSAS																
Fort Smith	387	-	-	-	3	-	12	-	1	2	-	-	39	-	6	-
Little Rock	1,428	1	1	-	2	2	64	1	3	87	-	1	104	1	20	1
Blytheville	165	-	-	-	-	-	9	-	4	1	-	-	8	-	5	-
El Dorado	151	-	-	-	1	1	5	1	-	1	-	-	21	-	2	-
Hot Springs	388	-	-	-	2	-	19	1	1	-	1	1	46	-	6	-
Jonesboro	117	-	-	-	1	-	5	-	-	-	1	-	19	1	6	-
North Little Rock	256	-	-	-	-	-	24	-	-	3	-	-	19	-	2	-
Pine Bluff	349	2	-	-	1	-	16	-	2	1	-	-	31	-	4	-
Texarkana [1]	171	-	1	-	3	-	6	1	-	3	-	-	19	-	2	-
CALIFORNIA																
Long Beach	2,222	1	1	-	-	1	36	-	-	16	1	2	293	-	49	5
Los Angeles	16,825	2	35	3	17	15	839	18	-	247	3	19	2,611	9	404	44
Oakland	4,168	3	5	1	4	4	137	1	-	29	1	9	518	1	101	5
Sacramento	1,705	-	12	-	1	6	114	3	-	16	-	7	186	-	36	1
San Diego	2,779	-	16	4	1	-	110	1	2	26	2	7	323	3	58	3
San Francisco	9,436	-	27	2	2	9	402	-	1	162	1	6	1,322	2	206	13
Alameda	468	-	-	-	-	-	7	-	-	3	-	-	53	-	13	1
Alhambra	412	-	1	-	-	-	13	1	-	2	-	-	57	-	9	-
Bakersfield	569	-	1	-	1	-	28	1	-	9	1	4	61	-	9	1
Belvedere (twp.) [2]	259	-	-	-	-	1	35	1	-	3	-	-	33	1	9	1
Berkeley	973	-	3	-	-	2	19	-	-	9	-	3	140	-	22	1
Beverly Hills	259	-	-	-	-	-	2	-	-	-	-	-	49	-	4	2
Burbank	320	-	-	-	-	1	6	-	-	2	-	-	58	-	8	-
Fresno	881	-	1	-	-	1	61	1	-	8	-	3	100	1	22	2
Glendale	898	-	1	-	1	1	10	-	-	8	-	3	146	-	17	2
Huntington Park	279	-	1	-	-	-	7	-	-	6	1	-	38	-	8	-
Inglewood	348	-	1	-	-	1	6	-	-	2	-	-	37	-	3	-
Pasadena	1,249	-	1	-	2	-	32	-	-	6	-	1	196	1	28	4
Riverside	450	-	-	-	-	-	18	-	-	3	-	-	51	-	13	2
San Bernardino	682	-	1	-	1	1	48	-	-	3	-	2	91	-	22	1
San Jose	1,004	-	-	-	1	1	30	-	-	14	-	3	148	-	28	1
Santa Ana	472	-	1	-	1	-	14	-	-	1	-	1	39	1	5	1
Santa Barbara	423	-	-	-	-	-	20	-	-	8	-	1	54	-	11	-
Santa Monica	722	-	-	-	-	-	18	-	-	6	1	4	108	-	27	2
South Gate	259	-	1	-	-	-	3	-	-	2	-	-	39	-	6	-
Stockton	989	-	-	-	-	6	77	-	-	8	-	-	101	-	14	-
Albany	116	-	-	-	1	-	1	-	-	-	-	1	16	-	2	1
Anaheim	144	-	1	-	1	-	7	-	-	1	-	-	24	-	1	-
Bell	119	-	1	-	-	-	3	-	-	1	-	-	12	-	2	-
Brawley	113	-	1	-	1	-	6	-	-	1	-	-	12	-	1	-
Burlingame	166	-	-	-	-	-	4	-	-	1	-	1	25	-	1	-
Compton	228	-	1	-	-	-	10	-	-	1	-	2	24	-	4	1
El Centro	105	1	-	-	1	2	7	-	-	3	-	-	7	-	1	-
Eureka	268	-	1	-	-	-	10	-	-	1	-	-	29	-	9	-
Fullerton	116	-	-	-	-	-	4	-	-	1	-	-	8	-	4	-
Lodi	150	-	-	-	-	-	6	2	-	-	-	1	21	-	2	-
Lynwood	103	-	-	-	-	-	1	-	-	1	-	-	7	-	2	-
Maywood	79	-	-	-	1	-	-	-	-	1	-	-	7	-	-	-
Merced	138	-	-	-	-	-	8	-	-	2	-	-	15	-	3	-
Modesto	272	-	-	-	-	-	12	-	-	2	-	-	35	-	11	-
Monrovia	184	-	-	-	1	-	9	-	-	5	-	-	34	-	3	-
Monterey	106	-	-	-	1	-	3	-	-	2	-	-	9	-	5	-
National City	138	-	-	-	-	1	7	-	-	-	-	-	17	-	1	-
Ontario	177	-	1	-	-	1	7	-	-	-	-	1	21	-	2	-
Palo Alto	217	-	-	-	1	-	3	1	-	1	-	1	31	-	6	-
Pomona	302	-	-	-	-	-	8	-	-	1	-	-	43	1	7	-
Redlands	209	-	-	-	-	-	7	-	-	2	-	-	21	-	4	-
Redondo Beach	182	-	-	-	1	-	7	-	-	-	-	-	26	-	4	-
Redwood City	195	-	1	-	-	-	5	-	-	1	-	1	30	-	2	-
Richmond	572	-	4	-	1	3	18	-	-	6	3	7	41	2	9	2
Salinas	148	-	-	-	-	-	5	-	-	3	-	-	14	-	4	-
San Buenaventura	173	-	1	-	-	1	7	-	-	2	-	-	22	-	2	1
San Gabriel	147	-	-	-	-	1	5	-	-	1	-	-	27	-	1	-

See footnotes at end of table.

HAVING, IN 1940, POPULATIONS OF 10,000 OR MORE, 1943

of death are those of the 1938 revision of the detailed International List)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
4	5	275	704	234	22	26	15	27	198	22	216	32	57	45	132	387	310
3	-	27	62	35	1	4	2	-	25	3	28	1	6	4	7	13	21
1	-	32	69	35	1	2	1	-	30	4	30	-	3	2	22	24	24
3	3	100	344	107	3	13	6	9	126	7	86	3	20	29	54	30	109
2	1	137	282	95	2	7	8	12	52	8	63	5	22	9	42	32	101
1	-	38	134	44	-	9	3	5	29	2	14	7	2	1	29	15	185
3	-	42	53	34	1	6	-	2	42	4	31	3	11	4	17	14	37
-	-	14	28	19	-	-	3	1	8	-	11	1	-	1	5	13	9
2	1	16	34	13	-	-	2	-	24	4	9	-	-	6	13	4	15
-	-	11	22	12	1	1	2	1	8	-	6	3	1	-	4	5	15
1	-	22	42	17	-	-	2	-	11	1	12	-	2	2	8	6	9
-	-	13	29	22	3	5	2	2	19	3	15	3	3	8	10	15	28
-	1	25	33	16	1	2	1	1	14	4	13	-	2	2	6	6	30
-	-	42	79	22	1	3	-	2	30	2	21	1	-	1	10	15	24
1	8	79	375	103	11	42	11	12	61	6	89	14	16	24	91	31	152
-	4	46	138	65	5	28	2	16	25	2	49	8	3	12	51	10	88
2	-	30	113	22	3	3	2	3	40	5	29	3	2	9	19	7	32
5	3	157	357	76	5	11	10	16	123	5	41	8	16	12	69	46	180
1	-	10	34	12	-	2	3	2	10	-	16	-	5	4	8	12	19
-	-	18	26	7	-	1	1	-	17	-	9	1	3	3	8	3	22
-	1	29	106	19	2	1	2	3	33	-	15	3	2	3	29	16	47
-	-	11	28	7	-	-	2	1	8	3	4	3	1	1	5	-	10
1	-	12	61	24	1	5	-	5	32	3	11	2	2	5	10	4	30
3	-	41	60	27	2	3	-	2	33	1	14	-	8	4	36	20	38
2	-	22	33	15	-	2	3	1	7	-	3	2	4	2	11	11	18
1	3	208	710	96	17	3	15	30	114	14	108	33	5	58	103	9	295
4	40	1,360	5,641	912	174	83	83	378	967	73	750	300	89	472	694	83	2,456
-	2	349	1,376	336	62	16	21	66	224	8	158	52	21	97	180	12	369
-	1	122	576	104	20	15	4	30	71	2	87	19	8	41	75	4	144
-	10	208	898	140	20	23	19	41	124	23	167	42	7	83	163	15	246
3	15	660	3,057	682	103	44	36	286	397	17	308	156	50	157	455	23	832
-	-	49	152	27	6	-	2	4	24	1	24	14	-	4	38	2	44
-	-	28	158	15	-	1	-	6	26	-	19	3	-	2	18	1	52
-	4	41	156	33	4	13	4	8	20	4	43	8	3	17	38	6	51
-	-	12	47	12	4	5	3	6	12	5	15	1	1	12	9	-	31
-	-	100	344	50	10	4	7	10	60	4	39	12	1	27	33	4	69
-	-	15	97	7	1	1	1	7	23	1	5	2	1	4	9	2	26
-	-	16	102	7	3	4	3	4	18	5	19	4	1	12	13	2	32
-	2	73	274	48	5	7	4	9	42	5	39	8	3	32	47	4	79
-	-	91	312	26	10	1	3	11	55	2	35	13	-	21	30	2	95
-	-	26	89	14	1	1	2	5	15	1	15	3	1	8	4	1	32
-	-	29	104	8	2	3	-	2	22	1	29	1	-	10	18	1	68
1	-	117	432	59	10	2	5	16	82	2	25	13	1	12	37	2	162
-	3	27	166	19	1	2	1	3	37	1	31	6	1	9	21	1	34
1	2	54	174	30	5	3	4	8	27	5	51	7	5	20	35	6	75
-	1	105	301	42	11	4	3	12	52	8	54	14	1	33	47	2	88
-	-	45	157	26	1	6	3	6	18	3	29	9	1	9	25	3	47
-	-	37	145	22	1	1	-	5	12	2	19	8	2	8	18	5	44
-	-	67	249	32	8	1	4	7	41	1	30	9	1	19	29	-	63
-	-	20	81	9	2	-	-	5	10	2	22	7	1	3	13	1	32
-	2	71	288	78	7	9	8	20	58	2	45	17	7	17	54	6	94
-	-	5	43	1	-	3	2	2	3	1	8	1	-	2	3	-	20
-	-	17	30	11	-	2	-	3	16	-	12	1	-	4	4	-	9
-	-	13	38	8	3	1	-	1	4	1	7	3	-	4	6	-	11
-	1	1	15	20	-	9	-	-	2	1	9	2	2	3	13	5	8
-	-	18	52	6	1	-	-	5	8	1	6	3	-	2	6	-	26
-	1	14	56	16	2	5	2	2	24	-	16	1	-	13	8	1	24
-	-	7	23	4	-	9	-	1	3	1	9	1	1	3	9	1	11
-	2	26	92	12	2	1	2	-	25	1	13	4	1	3	13	2	19
-	-	15	33	7	-	1	1	1	9	1	8	1	-	2	6	1	13
-	1	16	40	12	2	3	-	4	8	1	8	1	-	1	7	2	12
1	-	4	33	4	2	2	-	-	10	-	9	-	2	9	4	-	12
-	-	8	24	5	2	-	2	2	5	1	6	-	-	2	3	-	10
-	2	10	34	5	1	11	-	2	5	2	16	1	-	5	8	1	7
-	1	19	90	11	3	1	2	3	10	2	15	3	-	9	16	1	26
-	-	15	60	7	-	-	-	1	9	1	9	2	2	3	4	-	19
-	-	20	25	5	3	2	1	1	5	1	8	-	-	1	5	-	9
-	-	10	39	8	-	1	-	1	8	1	15	1	-	6	3	2	17
-	-	15	54	11	1	-	-	1	13	1	10	-	-	4	9	1	24
-	-	25	76	16	3	2	1	2	10	2	9	3	-	6	6	-	12
-	-	25	91	13	1	1	2	2	27	3	16	3	1	12	10	2	33
-	-	20	63	14	5	2	-	3	2	-	13	5	-	5	16	3	24
-	-	18	61	4	1	-	-	3	6	1	9	-	-	7	6	-	16
-	-	15	63	12	-	-	-	2	5	-	5	-	-	17	11	-	17
-	-	24	136	75	6	4	4	6	25	5	58	12	4	38	35	1	42
-	1	10	46	7	1	3	1	3	6	1	12	1	1	7	6	1	15
-	-	20	62	3	-	-	-	2	5	1	8	1	-	7	8	3	17
-	1	8	41	10	-	-	1	2	11	1	7	2	-	6	7	-	15

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
CALIFORNIA—Continued																
San Leandro	235	-	2	-	1	-	4	-	-	4	-	1	40	-	3	1
San Mateo	206	-	-	-	-	-	5	-	-	-	-	-	33	-	3	-
Santa Cruz	333	-	-	-	-	-	8	-	-	3	-	1	55	-	17	-
Santa Rosa	256	-	-	-	-	-	4	1	-	2	-	3	32	-	5	-
South Pasadena	175	-	-	-	-	-	3	1	-	-	-	1	23	-	10	3
Vallejo	343	-	1	-	1	-	16	-	-	2	-	2	41	1	5	-
Whittier	201	-	1	-	-	-	9	-	-	-	-	1	24	-	7	-
COLORADO																
Denver	4,267	-	12	1	2	3	160	1	1	45	9	5	538	6	87	7
Colorado Springs	746	-	4	-	-	-	64	-	-	4	5	1	105	1	6	-
Pueblo	670	-	2	-	2	-	14	-	-	15	1	2	58	1	15	-
Boulder	187	-	-	-	1	-	4	-	-	-	-	-	26	-	2	-
Fort Collins	131	-	-	-	-	-	8	-	-	-	-	-	16	-	-	-
Grand Junction	195	-	-	-	-	-	6	2	-	-	2	-	26	-	1	-
Greeley	207	-	-	-	1	-	5	-	-	1	-	-	19	-	3	-
Trinidad	213	-	2	1	-	5	10	-	-	4	-	-	14	1	4	-
CONNECTICUT																
Bridgeport	1,574	-	10	-	-	-	54	-	-	11	-	5	208	2	46	3
Hartford	1,847	-	4	-	1	2	55	1	-	26	1	-	307	1	70	2
New Haven	2,000	-	2	-	3	-	55	-	-	13	-	4	294	1	82	2
Bristol	274	-	-	-	-	-	7	-	-	2	-	-	38	-	7	-
Meriden	467	-	-	-	-	-	26	-	-	3	-	2	70	-	17	1
Middletown	578	-	-	-	-	-	27	-	-	20	-	-	59	-	21	1
New Britain	636	-	2	-	-	-	24	1	-	2	-	-	102	-	21	-
New London	399	-	-	-	-	-	9	-	-	1	-	-	55	-	14	-
Norwalk	497	-	4	-	-	-	22	-	-	-	-	-	70	1	21	2
Stamford	631	-	-	-	-	-	25	-	-	6	-	1	98	-	11	-
Torrington	265	-	-	-	1	-	12	-	-	1	-	-	35	-	13	-
Waterbury	1,139	2	3	1	-	-	30	1	-	2	1	2	172	1	41	-
West Hartford (town)	356	-	1	-	-	-	4	-	-	1	-	-	62	-	15	-
West Haven (town)	310	-	-	-	-	-	7	-	-	2	-	1	58	2	11	-
Ansonia	194	-	1	-	-	-	2	-	-	1	-	1	39	-	-	-
Danbury	320	-	1	-	-	-	7	-	-	1	-	-	45	-	4	-
Derby	83	-	-	-	-	-	5	-	-	-	-	-	13	-	3	-
East Hartford (town)	161	-	-	-	1	-	4	-	-	-	-	-	15	-	3	-
Naugatuck	179	-	1	-	-	-	9	-	-	1	-	-	26	1	9	2
Norwich	423	-	1	-	-	-	40	-	-	2	-	-	65	1	18	1
Shelton	132	-	-	-	-	-	28	-	-	-	-	1	18	-	2	-
Stratford (town)	219	-	1	1	-	-	3	-	-	2	-	-	37	-	11	1
Wallingford	176	-	-	-	-	-	5	-	-	1	1	-	38	-	5	-
Willimantic	153	-	-	-	-	-	1	-	-	-	-	-	23	-	4	-
DELAWARE																
Wilmington	1,509	-	12	-	2	-	46	1	-	6	1	-	148	1	51	2
DISTRICT OF COLUMBIA																
Washington	8,787	1	26	3	36	1	533	1	-	133	3	2	1,073	8	225	14
FLORIDA																
Jacksonville	2,388	1	5	-	15	4	130	-	3	48	-	1	189	3	42	2
Miami	1,973	1	1	2	-	-	108	1	-	30	-	-	224	-	50	5
Tampa	1,412	2	6	-	-	-	62	-	-	25	-	-	155	-	35	1
Miami Beach	224	-	3	-	-	-	8	-	-	3	-	-	22	1	6	-
Orlando	550	-	-	-	1	1	22	1	1	2	-	-	51	-	18	2
Pensacola	562	-	-	-	2	1	18	1	-	4	-	-	52	3	3	-
St. Petersburg	1,022	-	2	-	-	-	15	-	-	6	-	-	132	-	23	2
West Palm Beach	369	-	-	-	1	-	17	2	-	2	-	-	45	-	10	-
Clearwater	128	-	1	-	-	-	2	-	-	1	-	1	17	1	1	1
Daytona Beach	310	1	-	-	-	1	11	-	1	5	-	-	38	-	3	-
Fort Lauderdale	230	-	-	1	-	-	7	1	-	5	-	-	26	-	3	-
Fort Myers	149	-	-	-	-	-	8	-	-	4	1	-	15	-	3	-
Gainesville	198	-	-	1	-	2	5	-	-	1	-	-	15	-	5	-
Key West	227	-	-	-	-	-	6	-	1	2	-	-	19	-	4	-
Lakeland	302	-	-	-	-	-	12	-	-	4	-	-	26	-	3	-
Panama City	157	-	-	-	-	-	-	1	1	-	-	-	3	-	2	-
St. Augustine	156	-	1	-	-	-	5	-	-	1	-	-	25	-	3	-
Sanford	120	-	-	-	2	-	6	-	-	6	-	-	10	-	2	-
Sarasota	179	-	1	-	1	-	4	-	-	4	-	-	17	-	3	-
Tallahassee	179	-	1	-	1	-	10	-	1	2	-	-	12	-	2	-
GEORGIA																
Atlanta [3]	3,901	-	3	-	17	3	230	4	2	55	4	1	383	5	56	4
Augusta	929	-	2	1	2	2	64	1	-	45	-	-	62	2	19	1
Columbus	680	-	5	-	-	1	31	1	2	7	2	-	38	1	7	-
Macon	897	-	2	-	6	1	46	-	-	20	1	-	56	-	10	-
Rome	237	-	1	-	1	-	15	-	-	2	-	-	20	-	2	-
Savannah	1,598	1	2	-	7	1	77	-	-	24	1	1	99	1	26	1
Albany	296	-	-	-	-	-	20	-	1	5	-	-	22	1	4	1
Athens	244	-	-	1	-	-	6	-	-	6	1	-	21	-	5	-
Brunswick	240	-	1	-	1	-	8	-	-	3	1	1	5	-	2	-

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	-	10	78	15	4	1	3	5	10	1	20	1	2	3	9	-	17
-	1	18	70	5	2	2	-	1	9	-	10	2	1	4	8	2	30
-	-	23	120	14	2	2	-	4	16	1	6	4	1	6	13	1	36
-	-	21	90	18	2	3	-	4	16	1	12	3	-	4	14	-	21
-	-	17	60	5	-	1	1	2	6	-	2	2	2	2	6	-	28
1	1	20	79	26	4	3	2	9	12	6	42	5	4	12	14	2	32
-	-	19	72	5	4	1	-	3	10	-	9	1	-	5	5	-	25
-	18	319	1,093	280	54	25	27	51	333	16	210	51	15	77	225	96	500
-	-	74	175	54	6	2	6	1	35	4	41	10	1	16	49	12	70
1	-	59	177	65	12	10	3	3	48	2	36	5	4	10	41	10	74
-	-	16	57	14	4	3	-	2	10	-	6	1	1	1	10	3	26
-	-	14	37	8	-	2	1	1	11	2	4	2	1	2	6	-	16
-	-	15	55	12	-	2	2	-	19	1	14	1	-	6	13	4	14
-	1	26	65	15	2	6	1	-	5	-	12	2	-	1	10	1	31
-	1	17	48	16	3	9	4	1	16	1	16	1	1	3	11	2	22
1	3	123	609	80	7	9	9	22	69	5	67	20	3	18	72	5	118
-	13	120	656	62	25	14	9	23	81	7	86	21	5	27	64	6	158
-	6	159	615	84	11	8	3	31	192	3	87	19	2	23	84	39	178
-	-	27	75	16	1	-	7	3	20	-	21	4	1	2	9	4	30
-	-	47	150	22	1	-	1	7	24	1	17	5	-	1	18	1	53
-	2	50	247	38	1	-	6	6	18	1	18	5	-	3	7	-	48
-	2	46	190	33	10	3	6	13	39	2	32	10	1	5	39	2	51
-	1	40	156	10	2	2	2	5	21	2	20	5	1	2	18	2	31
-	1	48	161	27	1	-	3	7	25	-	24	5	-	2	23	3	47
-	2	42	207	24	4	2	1	12	35	3	25	12	-	13	34	4	70
-	-	28	86	14	3	2	1	4	18	2	12	3	-	6	7	-	17
-	4	88	358	56	9	11	9	21	57	4	77	14	4	15	57	5	94
-	1	27	133	9	3	6	1	2	21	-	16	5	-	2	15	-	32
-	2	24	119	12	1	-	2	4	20	1	8	4	-	3	7	3	19
-	-	20	63	11	2	-	3	-	5	-	6	2	1	2	5	-	30
-	1	26	131	12	3	3	2	3	26	1	14	5	1	1	8	-	25
-	-	6	24	7	2	-	-	1	4	-	3	-	-	-	8	-	7
-	1	12	65	8	-	5	1	-	1	2	17	4	-	3	13	-	6
-	1	9	56	8	2	4	-	2	7	2	9	1	-	2	12	3	12
-	-	37	138	6	1	-	-	5	39	1	11	3	-	5	16	3	30
-	-	9	43	4	1	-	-	2	6	-	5	-	-	3	2	1	7
-	-	11	81	9	2	1	1	4	2	3	13	4	-	2	7	-	23
-	-	19	59	4	-	-	1	2	10	-	6	3	-	3	7	2	10
-	-	13	62	8	1	1	-	1	11	1	7	2	1	2	8	-	7
-	1	136	420	131	10	18	5	12	163	7	84	8	4	16	77	8	139
2	31	523	2,476	516	50	103	49	113	823	35	485	103	81	84	347	28	879
4	3	246	459	192	22	21	8	27	148	21	160	24	35	53	117	147	258
1	7	141	538	104	15	13	5	30	91	8	119	30	35	44	101	18	251
3	1	105	299	91	7	8	19	16	125	8	78	14	18	23	75	71	165
-	1	12	83	12	-	2	2	2	5	-	20	2	-	1	16	2	21
-	1	62	152	32	-	7	4	5	41	5	35	3	11	11	24	11	47
-	-	50	151	44	-	6	1	8	25	6	45	5	14	10	48	14	51
1	-	119	334	62	9	9	7	9	57	2	25	12	6	4	34	12	139
-	1	27	80	16	4	1	3	4	56	-	11	-	10	7	22	7	43
-	-	16	32	7	-	1	-	1	6	2	4	-	-	3	9	4	18
1	2	34	72	15	4	-	1	2	36	-	12	3	7	6	19	6	30
-	-	26	47	12	1	1	4	2	19	7	18	5	1	2	15	5	22
-	-	19	36	9	-	2	1	1	14	1	13	2	1	4	2	1	12
-	-	26	43	10	1	3	2	2	17	2	18	1	6	5	3	10	20
-	2	14	42	12	-	3	3	3	19	2	16	-	2	3	27	15	32
-	1	25	67	30	2	-	3	1	20	2	19	1	4	4	28	7	43
-	1	12	23	25	-	3	4	2	4	1	21	-	3	10	18	15	8
2	-	11	39	5	-	-	1	2	17	-	9	-	1	2	7	2	23
-	-	14	30	4	3	-	-	1	16	1	4	-	1	-	6	2	12
-	-	28	54	11	1	1	2	1	12	2	9	2	4	2	4	1	15
2	-	10	29	13	7	3	2	1	21	3	17	1	7	4	10	6	14
6	13	375	934	247	27	17	26	38	457	20	217	30	66	50	170	60	381
3	-	109	266	87	4	12	-	2	62	4	36	5	12	10	32	7	77
5	2	68	133	52	3	9	9	9	65	5	66	4	16	17	25	27	69
4	2	72	175	66	4	17	6	7	106	4	68	4	17	12	29	78	84
2	-	21	48	15	1	2	2	1	45	1	16	2	4	2	14	1	19
19	2	235	329	136	7	19	15	10	137	8	129	13	37	25	68	16	152
2	-	46	50	16	3	1	2	2	38	2	13	1	2	4	14	10	36
-	1	19	45	23	3	5	1	-	43	3	18	3	2	3	5	7	23
-	-	21	46	44	-	11	2	3	15	3	28	1	7	1	11	5	20

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever	Cerebrospinal (meningococcus) meningitis	Scarlet fever	Whooping cough	Diphtheria	Tuberculosis (all forms)	Dysentery	Malaria	Syphilis	Measles	Poliomyelitis, polioencephalitis (acute)	Cancer and other malignant tumors	Acute rheumatic fever	Diabetes mellitus	Exophthalmic goiter
		1,2	6	8	9	10	13-22	27	28	30	35	36	45-55	58	61	63b
GEORGIA—Continued																
Dalton	110	-	-	-	5	-	10	-	-	-	2	1	6	-	1	-
Decatur	158	-	-	-	2	-	8	-	-	2	-	-	15	-	3	-
District 1511, Center Hill (Fulton Co.) [3]																
East Point	103	-	-	-	-	-	7	-	-	-	-	-	8	-	2	-
Gainesville	123	-	-	1	1	-	5	-	-	1	-	-	10	-	3	-
Griffin	189	-	-	-	1	-	5	-	-	6	-	-	10	1	4	3
La Grange	195	-	-	-	1	-	10	1	-	-	1	-	21	-	4	2
Moultrie	121	-	-	-	-	-	3	-	2	1	-	-	3	1	-	-
Thomasville	175	-	-	-	-	-	-	1	1	1	-	-	17	-	4	-
Valdosta	189	-	-	-	-	-	6	1	-	2	-	-	17	-	6	-
Waycross	220	-	-	-	-	-	16	-	-	-	-	-	15	-	7	-
IDAHO																
Boise City	360	-	-	-	-	-	4	-	-	2	-	1	42	-	11	1
Coeur d'Alene	128	-	-	-	-	-	2	-	-	1	-	-	8	1	1	-
Idaho Falls	142	-	-	-	-	-	3	-	-	-	-	-	14	-	1	-
Lewiston	117	1	-	-	-	-	2	-	-	-	-	-	18	-	1	-
Nampa	144	-	-	-	-	-	3	-	-	-	-	-	20	-	3	-
Pocatello	203	-	1	-	1	-	3	-	-	1	1	-	27	-	2	-
Twin Falls	106	-	-	-	-	-	1	-	-	-	-	-	21	-	1	2
ILLINOIS																
Chicago	38,940	1	103	6	28	53	1,897	5	1	217	20	94	5,526	36	1,212	102
Peoria	1,127	2	2	-	-	-	29	1	-	10	1	-	156	-	26	3
Alton	404	-	1	-	1	-	19	-	-	5	-	1	43	-	7	2
Aurora	584	-	1	1	1	-	9	-	-	2	-	1	89	-	12	2
Belleville	358	-	1	-	-	-	11	-	1	5	-	-	43	-	13	1
Berwyn	411	-	-	-	-	-	8	-	-	1	-	3	85	-	14	-
Bloomington	456	-	-	-	-	-	7	-	-	5	1	-	47	-	14	1
Cicero	577	-	-	-	-	-	16	-	-	4	-	3	91	-	25	4
Danville	550	-	-	1	1	-	11	-	-	7	-	-	63	-	15	5
Decatur	687	-	1	-	2	-	11	-	-	10	2	-	85	1	19	2
East St. Louis	963	-	6	-	3	1	42	1	1	12	2	-	92	1	21	1
Elgin	773	-	-	-	-	-	33	-	-	49	-	2	84	-	21	4
Evanston	673	-	-	-	-	-	18	-	-	1	-	-	113	-	17	-
Galesburg	388	-	-	-	1	-	1	-	-	4	-	-	40	-	14	-
Joliet	669	-	-	-	-	-	16	-	1	3	1	-	103	1	27	1
Maywood	253	-	-	-	-	-	4	1	-	2	-	-	42	-	5	1
Moline	361	-	-	-	-	-	5	-	-	3	-	1	55	1	12	-
Oak Park	703	-	2	-	-	-	7	-	-	-	-	6	110	1	16	2
Quincy	633	-	-	-	1	-	10	-	-	5	-	-	72	-	16	4
Rockford	882	-	1	-	1	-	21	-	-	5	1	1	132	2	35	4
Rock Island	503	1	1	-	1	3	19	1	-	2	-	-	58	1	16	2
Springfield	1,010	-	-	-	2	-	20	-	-	7	-	1	127	1	22	3
Waukegan	320	-	-	-	1	-	22	-	-	3	-	-	42	-	9	1
Blue Island	164	-	-	-	-	-	6	-	-	1	1	-	24	-	4	-
Brookfield	86	-	-	-	-	-	-	-	-	1	-	2	12	-	2	1
Cairo	217	-	-	-	1	1	16	-	-	6	-	-	26	-	1	-
Calumet City	128	-	1	-	-	-	10	-	-	1	-	-	18	-	4	-
Canton	149	-	-	-	-	-	2	-	-	-	-	-	17	-	5	-
Centralia	163	-	-	-	-	-	7	-	-	1	-	-	25	-	2	-
Champaign	258	-	1	-	1	1	6	-	-	1	1	-	33	-	2	-
Chicago Heights	215	-	-	-	1	-	10	-	-	1	1	-	22	-	13	1
Dixon	136	-	1	-	-	-	3	-	-	2	-	-	20	-	-	1
East Moline	348	-	-	-	-	1	14	-	-	23	-	-	33	1	4	-
Elmhurst	145	-	-	-	-	-	3	-	-	-	-	1	34	-	4	-
Elmwood Park	101	-	-	-	-	-	5	-	-	1	-	-	18	-	2	-
Forest Park	175	-	-	-	-	-	2	-	-	-	-	-	19	1	5	1
Freeport	296	-	-	-	-	4	3	-	-	2	-	-	42	-	10	-
Granite City	242	-	-	-	-	-	7	-	-	1	-	-	34	-	6	1
Harrisburg	136	-	-	-	1	-	4	-	-	-	-	-	18	-	2	1
Harvey	170	-	-	-	-	-	2	-	-	-	-	-	29	-	6	-
Highland Park	134	-	1	-	-	-	-	-	-	2	-	2	25	-	2	1
Jacksonville	537	-	-	-	-	-	15	-	-	25	-	-	44	-	10	3
Kankakee	250	-	-	-	2	-	5	-	-	-	-	-	33	-	5	-
Kewanee	209	-	-	-	-	-	3	-	-	1	-	-	27	-	6	2
La Grange	122	-	-	-	-	-	4	-	-	-	-	-	17	-	11	-
La Salle	137	-	-	-	-	-	3	-	-	-	-	1	18	-	9	-
Lincoln	227	-	-	-	2	-	13	-	-	5	-	-	21	-	5	1
Mattoon	168	-	-	-	-	-	1	-	-	-	-	-	22	1	4	1
Melrose Park	107	-	-	-	-	-	2	-	-	2	-	-	3	-	6	-
Mount Vernon	169	-	-	-	-	-	5	-	-	-	-	-	18	-	6	-
Ottawa	208	-	-	-	-	-	4	-	-	1	-	-	34	-	5	1
Park Ridge	129	-	-	-	-	-	2	-	-	-	-	-	24	-	2	-
Pekin	179	-	-	-	-	-	6	-	-	2	-	-	35	-	4	-
Sterling	143	-	1	-	-	1	2	-	-	-	-	1	20	-	2	1
Streator	194	1	-	-	-	-	1	-	-	-	2	1	20	-	2	1
Urbana	160	-	1	-	-	-	-	-	-	-	-	1	19	-	4	1
West Frankfort	126	-	-	-	-	-	5	-	-	1	-	-	15	-	3	-
Wilmette	156	-	1	-	-	-	1	-	-	1	-	-	38	-	8	1
Winnetka	82	-	-	-	-	-	2	-	-	1	-	-	10	-	4	-
INDIANA																
Fort Wayne	1,361	-	2	-	2	1	41	1	-	10	-	-	159	1	47	6
Gary	1,132	-	4	-	-	-	61	1	-	12	1	3	136	2	25	4
Indianapolis	5,507	-	16	3	18	3	219	2	-	104	8	1	591	5	131	6
South Bend	1,008	-	-	-	4	-	22	1	-	7	-	1	132	-	29	4

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1	-	10	24	5	-	2	1	1	7	4	10	-	1	2	4	4	9
-	2	11	49	7	-	4	1	1	19	-	6	1	1	4	5	5	12
-	-	8	28	8	-	1	2	-	11	-	7	2	-	1	6	1	11
-	-	7	20	13	1	2	1	1	25	1	8	1	-	5	3	4	10
2	-	22	25	18	3	4	2	-	19	3	9	-	4	4	6	20	18
1	-	16	31	13	1	3	-	2	43	2	20	-	1	2	6	3	11
-	-	12	21	15	-	2	1	3	5	4	15	3	-	4	8	6	12
-	-	27	25	19	-	-	-	1	22	2	6	-	3	4	9	9	24
2	-	22	27	13	2	3	-	-	23	2	7	1	8	3	10	23	11
-	-	24	37	25	-	2	1	2	39	4	13	-	1	7	6	10	11
-	-	24	121	15	3	1	4	2	29	-	25	2	1	7	19	9	46
-	-	14	32	11	-	1	3	-	7	2	4	2	-	3	8	6	22
-	-	11	37	15	-	-	1	2	9	-	29	1	-	1	7	2	9
-	-	12	28	10	2	-	-	1	13	1	10	-	-	-	5	3	10
-	-	13	34	14	1	2	3	-	11	2	9	-	-	6	6	1	16
-	-	16	46	13	4	1	3	-	15	3	17	-	1	3	22	5	18
-	-	6	31	4	-	-	-	-	12	-	5	-	-	2	2	3	16
2	26	2,375	14,673	1,620	297	83	219	497	2,901	139	1,456	322	196	484	1,411	31	2,907
-	-	78	374	49	13	7	4	18	74	3	41	12	5	23	44	1	151
-	1	33	99	33	2	3	-	5	41	-	48	2	2	6	15	4	31
-	-	79	189	34	3	4	1	3	26	2	24	1	2	14	34	1	49
-	-	39	91	12	1	3	1	7	40	2	9	4	1	6	12	8	47
-	-	29	134	14	1	1	4	9	36	1	16	8	1	4	3	1	38
-	-	51	169	9	4	2	3	2	32	-	24	6	1	6	21	1	50
-	1	31	203	21	5	2	2	12	50	2	20	6	2	9	16	-	52
-	1	53	168	19	2	3	2	6	72	3	20	5	2	11	25	3	52
-	-	57	215	38	2	1	4	1	59	1	33	9	2	9	36	21	66
-	-	98	282	51	3	15	7	16	65	-	62	7	11	16	43	11	93
-	1	43	241	79	3	1	5	5	20	1	23	4	2	3	35	2	112
-	-	50	262	29	5	2	-	1	47	2	35	4	1	5	24	1	56
-	-	38	108	7	1	3	2	3	26	-	17	2	-	7	25	2	37
-	1	49	214	24	7	2	3	8	38	1	30	3	-	12	40	7	77
-	-	21	93	10	3	-	4	2	19	-	8	2	-	5	10	1	20
-	-	27	133	8	6	1	3	4	20	1	14	2	1	4	24	2	34
-	-	66	279	20	6	4	6	4	68	3	20	6	-	5	20	-	52
-	-	70	246	16	5	5	4	6	66	4	17	5	2	3	16	1	59
-	-	71	253	39	7	1	2	11	82	2	57	12	1	9	34	2	96
-	1	44	185	16	3	1	4	3	27	2	25	9	1	5	20	3	49
-	2	94	325	39	5	6	9	12	80	3	38	6	1	21	54	27	95
-	-	28	105	9	-	3	2	3	16	-	21	4	1	5	16	1	28
-	-	9	63	7	4	2	1	1	13	-	12	1	-	1	4	1	9
-	-	5	26	2	-	-	-	1	10	-	9	1	-	-	4	1	9
-	1	16	46	14	-	5	-	-	14	1	11	3	3	4	14	6	28
-	-	9	38	9	1	3	1	1	3	2	4	-	-	5	4	-	14
-	-	15	57	8	-	1	-	1	6	-	7	1	-	1	5	1	22
-	-	14	55	2	2	1	2	1	5	-	11	5	1	1	13	-	15
1	-	36	77	14	-	-	2	-	24	-	17	2	-	3	10	3	23
-	-	16	53	13	3	1	1	4	22	2	11	2	1	4	13	2	18
-	-	17	35	2	3	1	-	1	15	-	6	2	-	4	8	-	17
-	1	20	163	13	2	-	3	2	9	-	2	2	1	1	12	2	39
-	-	11	44	4	1	1	-	-	11	-	9	1	-	2	6	-	13
-	-	5	40	3	1	-	-	1	7	1	3	2	-	1	4	-	7
-	-	14	58	2	-	1	1	4	29	1	7	2	-	2	6	-	20
-	1	32	89	13	3	1	-	2	30	-	14	5	-	3	9	-	33
-	-	17	42	16	1	7	2	4	7	3	15	4	3	11	19	11	31
-	-	13	27	13	-	1	-	2	22	-	5	-	1	2	9	4	11
-	-	13	56	9	5	3	2	-	10	1	6	3	-	5	5	-	15
-	-	12	39	11	1	-	-	-	7	-	7	4	-	1	4	1	14
-	1	49	207	17	4	-	2	2	24	2	6	4	1	2	30	2	87
-	1	29	90	6	1	2	4	1	19	-	18	-	1	5	7	-	21
-	-	17	59	12	-	-	3	7	25	1	3	1	-	3	17	1	21
-	-	11	38	7	1	-	-	1	8	-	8	1	-	2	4	-	9
-	-	2	63	4	2	-	1	1	5	2	9	1	-	1	3	2	10
-	-	9	66	10	4	6	3	3	21	1	21	-	-	-	7	-	29
-	-	20	44	7	1	3	1	2	24	1	9	-	-	3	9	2	13
-	-	6	38	4	-	2	1	-	7	1	7	1	-	4	4	1	18
-	-	19	41	9	1	3	2	3	12	1	4	2	2	8	8	5	20
-	-	26	64	9	-	1	-	-	17	1	22	1	-	7	6	-	9
-	-	10	46	3	1	-	1	1	11	2	7	-	-	-	5	-	14
-	-	12	43	11	1	-	4	-	13	-	1	5	-	4	10	-	28
-	-	8	50	11	-	1	1	1	9	-	4	-	-	3	9	1	17
-	1	16	66	15	3	1	-	-	13	-	10	1	-	4	9	2	25
-	-	15	54	7	1	1	1	-	14	1	9	2	-	1	3	2	23
-	-	14	33	5	1	-	1	-	8	-	6	3	-	-	11	2	18
-	-	12	63	1	1	-	-	4	7	1	6	-	-	1	2	-	8
-	-	11	37	1	-	-	1	1	1	-	3	1	-	-	4	-	5
-	2	126	382	93	9	2	7	9	145	5	64	15	-	13	64	3	152
-	1	79	285	106	6	9	12	8	60	5	72	14	14	31	68	6	107
1	8	531	1,515	401	29	51	22	45	478	20	250	36	18	96	231	63	605
-	-	97	333	73	6	4	4	8	64	2	43	17	-	23	36	9	89

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
INDIANA—Continued																
Anderson	465	-	-	-	2	3	15	-	-	2	-	-	48	-	12	2
East Chicago	536	-	1	-	1	-	35	-	-	5	-	-	64	1	7	1
Elkhart	335	-	1	-	1	-	9	-	-	3	-	-	48	-	8	-
Evansville	1,485	1	3	-	5	1	34	2	1	13	1	2	123	1	32	4
Hammond	616	-	2	-	2	-	19	-	-	4	2	-	64	2	20	3
Kokomo	433	1	-	-	-	-	14	-	-	2	3	-	48	-	11	1
Lafayette	385	-	1	-	-	-	7	1	-	3	-	-	50	-	12	1
Marion	361	-	-	-	2	-	9	-	-	5	-	-	33	2	5	-
Michigan City	319	-	1	-	1	-	13	-	-	6	-	-	45	-	3	-
Mishawaka	251	-	-	-	-	-	6	-	-	-	-	-	28	2	3	-
Muncie	570	-	1	1	1	-	18	-	-	12	-	-	65	-	11	3
New Albany	367	-	5	-	-	1	10	-	-	3	3	-	35	-	10	-
Richmond	437	-	-	-	1	1	9	-	-	4	1	-	58	1	10	1
Terre Haute	958	-	1	-	3	-	34	-	-	5	-	-	118	3	27	1
Bedford	138	-	1	-	4	-	2	-	-	-	-	-	16	-	9	-
Bloomington	208	-	-	-	1	-	6	-	-	1	-	1	29	-	3	-
Columbus	179	-	-	-	-	-	8	-	-	2	-	-	15	-	1	-
Connersville	140	-	-	-	-	-	3	-	-	-	-	-	16	-	2	1
Crawfordsville	151	1	-	-	1	1	7	-	-	2	-	-	17	1	2	1
Elwood	146	-	-	-	5	2	4	-	-	-	-	-	16	-	5	3
Frankfort	172	-	-	-	-	-	3	-	-	-	-	1	10	-	4	-
Goshen	122	-	-	-	2	-	2	-	-	-	-	-	18	-	10	-
Huntington	194	-	-	-	-	-	3	-	-	-	-	-	22	1	7	1
Jeffersonville	191	-	-	-	-	-	2	-	-	2	1	-	23	-	4	2
La Porte	238	-	-	-	1	-	2	-	-	1	-	-	31	-	10	1
Logansport	252	-	-	-	-	-	5	-	-	1	-	-	29	-	5	-
New Castle	162	-	-	-	1	-	5	-	-	3	-	-	18	-	4	1
Peru	162	-	-	-	-	-	6	-	-	-	2	-	19	-	4	1
Shelbyville	144	-	-	2	1	-	4	-	-	-	1	-	12	1	3	-
Vincennes	260	2	2	-	2	-	5	-	-	1	1	1	28	-	3	1
Whiting	90	-	-	-	-	-	2	-	-	1	-	-	10	-	2	1
IOWA																
Des Moines	1,762	-	5	-	1	1	29	-	-	20	2	-	272	1	50	-
Burlington	374	-	-	-	-	-	5	-	-	4	-	-	52	-	12	1
Cedar Rapids	691	-	1	-	1	-	13	-	-	4	3	1	102	-	16	1
Clinton	348	-	-	-	2	-	6	-	-	1	-	-	49	-	8	-
Council Bluffs	479	-	1	1	-	1	3	-	-	2	-	-	59	-	15	1
Davenport	833	-	-	-	-	-	21	1	-	6	2	1	121	-	16	-
Dubuque	617	-	1	-	-	-	13	-	-	5	-	-	89	-	20	1
Mason City	291	-	-	1	-	-	2	-	-	2	-	-	34	-	7	-
Ottumwa	352	-	-	-	3	-	6	-	-	1	-	-	42	1	8	1
Sioux City	797	-	-	-	3	4	12	-	-	10	-	1	137	-	16	2
Waterloo	462	-	-	-	-	-	11	-	-	3	1	1	54	2	14	2
Ames	103	-	-	-	-	-	2	-	-	-	-	-	13	-	3	1
Boone	135	-	-	-	-	-	-	-	-	-	-	-	29	-	4	-
Fort Dodge	231	-	-	-	-	-	6	-	-	-	-	-	32	-	3	1
Fort Madison	161	-	-	-	1	-	5	-	-	1	-	-	18	-	4	1
Iowa City	180	-	-	1	-	-	1	-	-	2	-	-	24	-	6	1
Keokuk	205	-	-	-	-	-	5	-	-	4	-	-	14	1	7	1
Marshalltown	220	-	-	-	1	-	2	-	-	1	1	-	31	1	7	1
Muscatine	262	-	-	-	2	-	5	-	-	1	1	2	34	-	8	2
Newton	102	-	-	-	-	-	1	-	-	-	-	-	16	-	3	3
Oskaloosa	153	-	-	-	1	-	3	-	-	-	-	-	18	-	6	1
KANSAS																
Kansas City	1,457	-	3	2	4	1	45	-	-	26	1	3	186	4	42	5
Wichita	1,329	-	2	-	2	-	31	1	-	16	-	7	160	1	35	5
Hutchinson	388	-	1	-	-	-	3	-	-	8	-	3	41	-	9	1
Topeka	853	-	3	-	2	-	24	-	-	4	1	3	100	-	20	1
Arkansas City	141	-	-	-	-	2	5	-	-	-	-	-	15	-	3	-
Atchison	177	-	-	-	-	-	3	-	-	2	-	-	29	-	4	-
Chanute	124	-	-	-	-	-	6	-	-	-	-	-	20	-	2	-
Coffeyville	206	-	-	-	2	-	3	-	-	-	-	-	32	-	1	-
El Dorado	140	-	-	-	1	-	1	-	-	1	-	-	9	1	3	-
Emporia	164	-	1	-	-	-	-	-	1	1	-	1	16	-	5	1
Fort Scott	145	-	1	-	-	-	5	-	-	3	-	-	14	-	4	1
Independence	139	-	-	-	-	1	2	-	-	3	-	-	16	-	7	1
Lawrence	198	-	-	1	2	-	2	-	-	3	-	1	24	-	6	-
Leavenworth	256	-	-	1	-	-	10	-	-	4	-	-	44	-	8	-
Manhattan	119	-	-	-	-	-	3	-	-	1	-	-	15	-	2	-
Newton	117	-	-	-	1	-	1	-	-	2	-	1	19	-	-	-
Ottawa	135	-	-	2	-	-	4	-	-	2	-	-	12	-	6	-
Parsons	232	-	1	-	2	-	4	-	-	-	-	1	20	-	7	-
Pittsburg	224	1	-	-	-	-	6	-	-	3	-	1	26	-	7	-
Salina	230	-	2	-	-	3	-	-	1	-	1	1	31	-	3	-
KENTUCKY																
Louisville	4,780	-	33	1	9	-	210	3	-	21	19	-	463	6	96	9
Ashland	242	1	-	-	-	-	14	1	-	2	2	-	21	-	6	-
Covington	829	-	3	1	-	-	32	-	1	4	1	-	95	-	16	5
Lexington	1,025	-	1	-	2	-	91	5	-	56	-	-	74	1	20	1
Newport	467	-	-	-	2	-	14	-	-	1	2	-	46	-	10	1
Owensboro	363	-	1	1	3	1	16	1	-	2	1	1	38	2	10	-
Paducah	420	-	1	-	-	2	29	2	-	8	2	-	37	-	4	-

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	-	64	114	38	1	9	1	1	12	3	36	9	-	6	24	4	59
-	-	35	138	56	3	5	3	6	22	2	39	4	3	16	29	7	53
-	-	33	111	14	2	4	1	-	17	1	12	4	3	8	17	1	37
-	5	145	403	135	10	11	6	15	149	8	82	14	13	26	63	9	168
-	1	44	171	58	5	24	4	3	38	3	35	7	2	19	36	2	46
1	2	30	124	35	1	16	1	3	42	3	18	3	2	5	22	5	40
-	-	42	152	23	1	1	-	2	11	1	17	1	-	2	21	4	32
-	-	56	103	14	1	1	1	4	27	3	23	1	1	4	22	4	40
-	1	20	90	20	2	-	5	2	28	-	18	2	-	1	10	17	34
-	-	27	59	21	4	1	2	4	19	1	17	3	-	3	19	6	26
-	-	57	141	53	5	6	5	4	39	1	27	8	2	9	39	4	58
-	-	24	119	28	2	1	3	3	28	4	16	2	2	5	25	1	37
-	-	47	111	34	3	6	4	3	52	2	21	5	-	5	16	4	38
-	-	76	309	62	5	11	5	14	87	2	42	5	1	19	38	3	87
-	-	10	31	14	1	1	3	1	13	1	5	1	-	3	5	1	16
-	-	21	54	24	2	1	1	2	11	-	8	4	1	5	13	2	18
-	-	36	49	9	1	2	1	1	3	-	9	3	-	1	7	7	24
-	-	11	44	16	-	2	2	-	10	1	6	2	-	1	6	3	14
-	1	20	29	11	-	-	-	1	18	-	9	3	-	1	9	2	14
-	-	11	41	12	1	1	2	2	14	-	5	5	1	2	2	1	11
-	-	33	48	16	-	-	1	-	16	1	12	2	-	4	9	2	10
-	-	11	35	6	1	2	-	1	5	1	5	-	-	-	10	-	13
-	-	20	72	12	-	2	1	1	5	-	13	1	-	2	9	5	17
-	-	21	42	21	1	3	-	1	15	1	10	4	2	7	6	6	17
-	-	24	65	9	2	-	2	-	22	2	13	2	-	4	8	13	26
-	-	31	74	12	-	1	2	3	23	-	14	2	-	7	16	2	25
-	-	17	41	5	1	7	1	-	8	1	11	1	-	4	8	4	21
-	-	18	49	5	2	1	5	3	12	-	5	2	-	4	7	1	16
-	-	19	47	14	-	-	-	-	14	1	-	5	-	1	8	1	10
1	1	28	97	17	-	1	3	1	14	1	4	4	-	8	6	5	23
-	-	6	24	8	2	1	-	-	9	-	8	-	1	2	5	1	7
-	1	150	575	86	17	5	11	14	74	4	68	15	2	22	115	14	208
-	-	40	83	22	4	1	5	-	52	2	12	6	-	3	24	8	38
-	1	63	237	29	5	6	4	6	30	1	39	7	-	12	31	7	71
-	-	37	113	23	4	-	-	1	15	2	18	5	-	4	17	6	37
-	-	49	151	30	7	1	1	6	25	-	32	4	-	5	25	6	54
-	3	74	262	56	7	6	3	4	58	1	36	11	2	12	43	3	84
-	1	89	195	16	3	4	1	7	20	2	32	5	-	7	41	10	55
-	-	25	112	14	1	2	1	-	10	-	18	4	1	3	9	5	40
-	-	44	89	27	1	2	1	-	29	-	18	2	1	4	26	1	45
-	-	75	234	39	10	3	7	10	41	2	40	5	1	11	50	10	74
-	1	46	148	29	2	1	3	4	36	1	28	3	1	7	22	6	36
-	-	16	29	1	-	-	1	-	6	-	10	-	-	2	2	1	16
-	-	12	40	5	4	-	2	-	11	1	5	-	-	4	6	-	12
-	-	18	65	11	2	4	2	1	30	-	9		1	4	5	11	22
-	-	21	54	9	3	1	-	-	8	1	13	-	-	1	8	-	12
-	-	25	49	12	1	-	1	2	16	2	12	-	-	1	7	2	15
-	-	22	55	8	1	1	1	-	27	2	15	2	-	4	11	-	24
-	-	18	82	7	-	-	4	-	14	1	8	1	-	2	15	4	19
-	1	30	87	9	3	-	-	1	19	-	11	4	-	2	13	3	24
-	-	8	29	7	-	1	-	-	10		6	1	-	-	5	1	10
-	-	30	47	7	1	-	-	1			6	-	-	2	6	2	16
1	1	139	411	87	6	8	8	17	120	7	60	11	16	32	83	11	117
-	-	114	370	101	12	3	15	4	89	7	82	9	6	23	56	20	158
-	-	43	86	15	3	2	1	4	19	5	21	3	1	14	16	5	34
-	1	103	249	55	2	4	2	5	69	2	44	10	6	6	36	9	92
-	-	23	37	5	1	-	-	-	12	1	6	-	1	2	7	3	18
-	-	15	57	7	-	3	1	1	18	1	8	1	-	1	4	2	20
-	-	4	36	5	2	1	-	-	8	-	5	1	-	3	7	6	18
-	-	20	55	14	1	4	-	-	18	-	10	2	-	-	19	6	19
-	-	16	45	8	1	-	-	1	13	-	10	1	1	6	9	1	12
-	-	22	47	5	-	1	1	-	19	-	7	-	-	2	10	6	18
-	-	14	48	5	1	1	1	-	13	-	5	1	1	-	10	3	14
-	-	14	34	5	-	1	-	4	11	2	6	2	-	4	7	-	19
-	-	23	58	6	-	1	1	-	19	2	7	4	-	2	14	2	20
-	-	26	69	8	3	-	-	-	27	1	12	-	1	8	13	1	20
-	-	12	49	1	1	-	-	1	8	-	3	1	-	-	6	4	12
-	-	16	36	5	1	-	-	-	5	-	6	-	-	1	5	-	18
-	-	18	45	6	-	1	1	-	6	-	8	2	-	1	7	1	13
-	-	18	67	7	1	-	-	2	14	2	15	1	1	2	16	-	51
-	-	40	67	7	-	1	-	-	10	1	17	2	-	3	16	4	12
-	-	20	47	5	2	2	1	1	19	-	29	4	-	6	15	8	29
1	2	376	1,558	350	26	64	26	42	327	17	270	27	38	85	193	40	468
-	1	25	63	19	-	6	-	1	20	1	14	1	2	2	11	4	25
-	1	74	263	53	6	18	5	11	63	2	35	8	9	7	46	4	66
1	1	101	308	84	3	6	7	6	41	2	28	7	6	10	48	7	113
-	1	45	142	43	3	11	2	11	34	2	24	4	3	5	17	3	41
-	-	24	82	33	5	4	5	2	28	1	30	1	1	12	18	6	34
1	1	38	127	37	-	2	3	2	30	2	16	3	2	3	20	6	42

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
KENTUCKY—Continued																
Bowling Green	214	-	-	-	-	-	11	1	-	1	-	1	24	-	5	-
Fort Thomas	120	-	-	-	-	-	3	-	-	-	-	-	20	-	1	2
Frankfort	153	-	-	-	1	-	6	-	-	-	-	-	9	-	5	-
Henderson	238	-	1	-	-	-	9	1	-	4	1	-	18	-	1	-
Hopkinsville	210	-	-	-	2	-	8	-	-	1	1	-	22	-	3	-
Middlesborough	129	-	-	-	-	-	6	4	-	2	-	-	19	-	1	-
LOUISIANA																
New Orleans	6,746	2	6	-	7	3	408	7	-	126	-	2	671	3	158	12
Alexandria	349	-	1	-	1	-	13	-	1	7	-	-	24	-	7	-
Baton Rouge	500	-	1	-	3	1	21	-	-	14	-	-	41	3	10	-
Monroe	387	-	-	-	3	-	22	1	1	2	-	-	33	-	8	-
Shreveport	1,040	-	1	-	5	1	55	4	-	27	-	-	112	-	22	-
Bogalusa	180	1	-	-	-	-	7	-	-	4	-	-	13	-	5	-
Gretna	126	-	2	-	-	-	3	1	-	-	-	-	11	-	1	1
Lafayette	221	1	-	-	2	-	22	-	-	1	-	-	27	-	3	-
Lake Charles	308	-	-	-	1	-	15	1	1	6	-	-	24	-	3	-
New Iberia	166	-	-	-	1	-	7	-	-	3	-	-	15	-	1	-
MAINE																
Bangor	489	-	1	-	-	-	25	-	-	7	-	-	56	-	5	1
Lewiston	465	-	1	-	2	2	7	-	-	1	-	-	63	1	7	1
Portland	1,147	-	9	1	-	1	23	1	-	8	1	-	122	2	36	2
Auburn	216	-	1	-	-	-	3	-	-	1	2	-	30	-	1	-
Augusta	262	-	-	-	-	-	17	-	-	13	-	-	22	-	5	1
Bath	130	-	-	-	-	1	-	-	-	1	-	-	20	-	5	-
Biddeford	197	-	3	-	1	-	6	-	-	-	-	-	27	1	4	-
South Portland	194	-	4	-	-	-	1	-	-	-	-	-	27	-	2	-
Waterville	164	-	-	1	-	1	4	-	-	-	-	-	23	-	6	-
Westbrook	134	-	4	-	-	-	2	-	-	1	-	-	10	-	1	-
MARYLAND																
Baltimore	12,195	1	63	1	10	3	707	8	-	135	1	-	1,378	12	330	13
Cumberland	480	1	2	-	3	-	11	-	-	4	-	-	54	1	17	3
Hagerstown	438	2	-	-	1	-	12	-	-	1	-	-	53	-	13	3
Annapolis	161	-	1	-	-	-	13	1	-	1	-	-	20	-	8	-
Cambridge	140	-	-	-	-	-	9	1	-	1	-	-	15	-	4	-
District 12 (Baltimore Co.) [2]	143	-	1	-	-	-	7	-	-	-	-	-	14	-	4	-
District 13 (Baltimore Co.) [2]	106	-	-	-	-	-	4	-	-	1	-	-	15	-	3	-
Frederick	223	-	-	-	1	-	8	-	-	4	-	-	28	-	6	-
Salisbury	180	-	-	-	1	-	10	-	-	1	-	-	15	-	10	-
MASSACHUSETTS																
Boston	10,545	2	43	6	4	2	531	-	1	80	2	1	1,[illegible]61	9	289	9
Cambridge	1,535	-	5	-	1	1	61	-	-	6	-	-	225	1	58	1
Fall River	1,628	-	2	-	6	-	65	-	-	6	2	-	386	-	60	3
Lowell	1,402	1	1	-	-	-	41	2	-	6	1	-	155	-	40	2
New Bedford	1,340	-	9	2	1	1	40	1	-	7	2	1	178	4	31	-
Somerville	1,169	-	1	-	-	4	31	-	-	7	1	1	146	-	45	1
Springfield	1,802	-	1	-	1	-	47	-	-	9	-	-	259	1	49	4
Worcester	2,537	-	3	-	1	-	77	1	-	24	1	1	314	1	73	3
Arlington (town)	443	-	1	-	-	-	12	-	-	2	1	-	58	-	10	1
Belmont (town)	238	-	1	1	-	-	6	-	-	3	-	1	30	-	8	1
Beverly	304	-	-	-	-	-	5	-	-	1	-	1	49	-	13	1
Brockton	836	-	1	-	-	-	13	-	-	3	-	-	108	1	35	-
Brookline (town)	764	-	2	1	-	-	13	-	-	2	-	-	141	-	26	-
Chelsea	582	-	1	-	-	-	18	-	-	8	-	-	91	-	24	-
Chicopee	379	-	-	-	-	-	6	-	-	3	-	-	56	1	9	-
Everett	407	-	-	-	-	-	13	-	-	1	-	-	55	1	14	-
Fitchburg	446	-	3	-	-	-	9	-	-	-	-	-	56	1	9	1
Haverhill	668	-	-	-	1	-	14	-	-	4	-	-	90	-	19	-
Holyoke	707	1	2	-	1	-	19	1	-	6	-	-	98	1	20	-
Lawrence	1,011	1	-	-	1	-	26	-	-	7	-	-	137	1	32	-
Lynn	1,261	-	1	-	4	-	27	-	-	4	-	1	175	-	26	2
Malden	677	-	2	2	1	-	11	-	-	1	1	1	108	1	22	-
Medford	607	-	-	-	-	-	12	-	-	4	-	-	87	-	12	-
Melrose	356	-	1	-	1	-	4	-	-	2	-	-	59	-	14	-
Newton	733	-	2	-	-	-	20	-	-	4	1	1	107	1	24	1
Pittsfield	555	-	-	-	-	-	13	-	-	2	-	-	94	-	16	2
Quincy	815	-	3	-	-	-	23	-	-	1	-	-	111	-	10	1
Revere	358	-	1	-	3	-	5	-	-	4	-	-	47	2	12	-
Salem	482	-	3	-	-	-	10	-	-	1	-	-	70	-	19	1
Taunton	684	-	1	-	-	1	36	-	-	18	-	-	54	1	21	2
Waltham	486	-	1	-	-	-	49	-	-	2	-	1	72	-	10	-
Watertown (town)	338	-	-	-	-	-	16	-	-	2	-	-	48	-	13	-
Adams (town)	115	-	-	-	1	-	2	-	-	-	-	-	16	-	6	-
Amesbury (town)	132	-	-	-	-	-	1	-	-	-	-	-	19	-	3	-
Andover (town)	117	-	-	-	-	-	1	-	-	2	-	-	25	-	3	-
Athol (town)	140	-	-	-	-	-	2	-	-	1	-	-	15	-	6	-
Attleboro	301	-	-	-	-	-	12	-	-	4	-	-	38	-	9	-
Braintree (town)	199	-	-	-	-	-	24	-	-	-	-	-	23	-	7	1
Clinton (town)	178	-	-	-	1	-	2	-	-	-	-	-	23	-	10	-
Danvers (town)	484	-	2	-	-	-	11	-	-	15	-	-	34	-	16	-

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic)[1]	Alcoholism (ethylism)	Intracranial lesions of vascular origin	Diseases of the heart	Pneumonia (all forms) and influenza	Ulcer of stomach or duodenum	Diarrhea, enteritis, and ulceration of intestines	Appendicitis	Cirrhosis of the liver	Nephritis	Diseases of pregnancy, childbirth, and the puerperium	Congenital malformations and diseases peculiar to the first year	Suicide	Homicide	Motor-vehicle accidents	Other accidents	Senility, ill-defined and unknown causes	All other causes
69	77	83	90-95	107-109,33	117	119,120	121	.124	130-132	140-150	157-161	163, 164	165-168	170	169, 171-195	162,199,200	
1	-	15	48	11	-	5	3	-	31	1	20	2	1	7	10	6	10
-	-	14	38	4	1	-	1	1	6	1	4	2	-	1	12	-	9
-	-	19	31	17	3	1	4	1	14	1	5	2	1	1	9	5	18
-	-	43	45	9	-	2	1	2	30	1	14	5	1	3	15	3	29
1	-	20	54	11	4	4	2	4	29	-	12	2	1	1	6	3	19
-	-	11	23	5	1	2	2	1	9	1	10	2	1	1	11	7	10
6	4	509	2,195	499	24	24	36	87	469	41	381	24	63	79	328	26	546
-	1	22	99	24	-	2	2	2	26	2	35	-	2	7	19	8	44
-	-	24	136	32	4	5	-	3	42	4	27	5	5	22	21	22	54
2	-	35	103	23	1	2	7	2	30	3	29	2	1	9	20	9	39
3	2	67	239	33	5	6	5	3	122	6	73	9	12	19	45	8	106
2	1	14	49	19	2	1	1	-	9	1	16	-	3	1	12	3	16
-	-	7	40	11	-	2	2	2	11	-	7	2	1	1	6	-	15
-	-	17	34	19	1	4	1	1	17	-	23	-	4	1	12	6	25
-	-	24	76	19	1	-	1	4	27	2	30	1	1	7	14	13	37
-	-	16	41	12	1	1	2	2	19	2	12	-	1	2	3	7	18
-	1	48	161	22	2	-	2	3	19	2	16	6	1	2	22	19	68
-	-	55	111	18	6	7	6	4	46	4	37	6	1	8	25	5	41
-	2	108	387	83	3	21	8	15	55	-	66	4	2	12	48	19	108
-	-	22	75	12	-	2	-	-	17	-	10	3	-	-	13	8	16
-	-	25	70	23	-	2	-	2	21	1	12	2	1	1	15	1	18
-	-	11	37	9	2	-	-	1	16	-	6	-	-	1	7	1	12
-	-	11	52	23	-	2	2	1	9	-	16	-	-	-	6	-	33
-	-	24	61	11	-	4	-	1	13	3	10	4	4	3	5	3	14
-	-	13	50	7	-	-	1	2	10	-	16	1	1	-	5	2	21
-	-	15	34	6	-	2	-	1	17	1	12	4	-	1	10	3	10
1	24	848	3,925	895	73	167	40	111	1,025	36	531	117	101	175	516	28	920
-	-	35	136	27	1	10	3	6	57	-	24	4	1	4	19	1	56
-	2	43	151	26	2	3	-	2	35	2	15	9	4	7	18	1	33
-	2	13	53	8	-	1	-	-	16	1	4	3	1	-	8	2	5
-	-	10	46	2	2	1	1	1	22	1	5	-	2	2	5	1	9
-	-	5	40	15	1	2	-	2	10	-	10	3	1	4	12	-	12
-	-	6	32	7	-	-	-	2	4	-	10	2	-	2	10	-	8
-	1	18	78	6	-	2	2	-	25	-	11	4	-	5	3	3	18
-	-	14	54	13	1	1	3	1	22	2	5	2	1	6	7	1	10
-	84	810	3,729	741	82	51	41	159	404	40	375	69	12	89	567	10	922
-	6	149	523	86	19	8	3	18	55	5	50	14	-	8	81	5	146
-	5	92	548	58	6	19	10	8	90	7	72	14	-	6	52	1	110
-	-	144	467	64	14	22	2	25	105	5	58	5	-	14	56	6	165
-	-	151	472	79	8	12	5	8	56	4	56	13	-	8	41	6	144
-	-	94	407	60	10	4	7	9	63	4	55	8	1	10	61	2	137
1	6	160	631	83	6	5	7	19	109	5	77	18	2	16	60	6	220
-	2	182	1,000	152	17	6	7	30	137	7	94	26	1	31	150	3	193
-	-	51	160	26	6	2	3	2	22	2	11	1	-	5	16	1	50
-	-	32	78	11	2	-	-	-	18	1	12	2	-	1	12	-	18
-	1	31	109	11	-	1	-	2	13	-	13	1	-	5	14	1	32
-	2	99	285	44	4	3	3	3	38	2	33	9	-	12	49	7	82
-	-	71	276	36	7	2	1	14	32	4	19	6	-	10	31	1	69
-	-	44	217	40	1	3	2	16	14	4	22	3	1	2	15	1	55
-	-	44	92	24	6	1	2	6	34	2	21	5	1	8	16	1	41
-	1	37	159	24	1	-	2	2	21	3	16	-	-	5	22	2	28
-	-	46	156	32	4	-	4	6	24	4	19	6	-	3	19	-	44
-	-	74	239	33	5	1	2	6	23	1	20	5	1	8	28	21	73
-	-	67	259	23	4	2	4	6	51	2	32	7	-	7	33	2	59
-	4	117	346	46	9	4	5	21	63	4	42	10	1	9	45	1	79
-	2	131	422	73	4	5	1	9	88	6	52	8	-	15	74	3	128
-	1	50	257	31	6	2	1	2	36	5	25	3	-	7	30	1	70
-	1	49	259	28	-	3	1	5	46	3	21	8	1	7	25	-	35
-	1	32	113	16	3	-	1	2	21	-	19	5	-	4	19	4	35
-	1	80	276	43	6	2	4	11	31	2	24	6	-	4	31	2	49
-	-	42	200	24	4	1	2	5	26	2	29	3	1	3	32	8	46
-	-	78	289	51	6	4	3	15	32	-	43	8	1	8	48	-	80
-	-	43	124	15	2	-	1	6	19	1	19	3	1	1	17	5	27
-	1	56	165	30	-	5	1	3	18	2	16	2	-	7	19	3	50
-	1	51	224	74	2	3	6	4	40	3	12	7	-	4	38	10	71
-	1	38	126	30	5	1	3	5	21	-	26	3	1	1	26	1	63
-	-	32	114	19	2	2	1	5	21	1	13	-	-	3	16	1	29
-	-	9	41	2	-	-	1	2	10	-	4	1	-	4	9	-	7
-	-	13	48	9	-	1	1	-	14	1	4	-	-	2	4	1	11
-	-	8	48	6	-	-	-	-	8	-	1	1	-	1	2	-	11
-	-	7	57	5	-	1	-	2	14	-	11	5	-	2	-	-	12
-	-	29	89	17	3	2	1	3	21	-	19	3	-	8	8	-	35
-	-	13	80	17	-	1	-	4	8	-	4	-	-	1	6	-	10
-	-	14	60	10	2	-	2	3	3	-	16	1	-	4	5	-	22
-	1	19	237	39	2	5	-	7	9	-	4	4	-	2	31	4	42

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
MASSACHUSETTS—Continued																
Dedham (town)	163	-	-	-	-	-	4	-	-	1	-	-	26	-	7	-
Easthampton (town)	99	-	-	-	-	-	-	-	-	-	-	-	16	-	6	-
Fairhaven (town)	123	-	-	-	-	-	3	-	-	-	-	-	14	-	5	-
Framingham (town)	286	-	1	-	-	-	3	-	-	-	-	-	30	1	3	-
Gardner	277	1	-	-	-	-	13	-	-	-	1	-	31	-	7	-
Gloucester	297	-	-	-	-	-	3	-	-	1	2	-	31	-	7	-
Greenfield (town)	210	-	-	-	-	-	3	-	-	2	-	-	31	-	7	-
Leominster	253	-	-	-	-	-	4	-	-	-	-	-	35	-	10	-
Lexington (town)	196	-	-	-	-	-	26	-	-	1	-	-	15	-	3	-
Marblehead (town)	139	-	-	-	-	-	1	-	-	-	-	-	21	-	4	-
Marlborough	199	-	1	-	1	-	2	-	-	1	-	-	24	-	2	2
Methuen (town)	242	-	1	-	-	-	4	-	-	-	-	-	36	-	5	-
Milford (town)	165	-	1	-	-	-	4	-	-	1	-	-	18	-	1	-
Milton (town)	214	-	-	-	-	-	2	-	-	-	-	-	34	-	6	-
Natick (town)	162	-	-	-	-	-	1	-	-	-	-	-	17	-	4	-
Needham (town)	180	-	-	-	-	-	3	-	-	-	-	-	27	-	2	-
Newburyport	187	-	-	-	-	-	1	-	-	-	-	-	32	-	1	2
North Adams	268	-	-	-	-	-	5	-	-	2	-	-	33	-	5	-
Northampton	529	-	-	-	1	-	21	-	-	18	-	-	52	-	16	-
North Attleborough (town)	116	-	-	-	-	-	2	-	-	1	-	1	14	-	10	-
Northbridge (town)	97	-	-	-	-	-	1	-	-	-	-	-	17	-	5	-
Norwood (town)	157	-	1	-	-	-	3	-	-	-	-	-	23	-	3	-
Peabody	213	-	-	1	-	-	7	-	-	1	-	1	27	-	8	-
Plymouth (town)	160	-	1	-	-	-	3	-	-	-	-	-	26	-	7	-
Reading (town)	128	-	1	-	-	-	-	-	-	-	-	-	19	-	6	-
Saugus (town)	144	-	-	-	1	-	1	-	-	-	-	-	25	1	6	-
Southbridge (town)	139	-	1	-	-	-	4	-	-	1	-	-	23	-	5	-
Stoneham (town)	125	-	1	-	-	-	-	-	-	-	-	-	17	-	4	-
Swampscott (town)	118	-	1	-	-	-	1	-	-	-	-	-	19	-	4	-
Wakefield (town)	182	-	-	-	-	-	5	-	-	-	-	1	25	-	2	-
Webster (town)	135	-	-	-	-	-	3	-	-	-	-	-	19	-	6	-
Wellesley (town)	108	-	-	-	-	-	1	-	-	-	-	-	16	-	2	-
Westfield	229	-	2	-	-	-	20	-	-	-	-	-	28	-	4	-
West Springfield (town)	152	-	-	-	-	-	2	-	-	-	-	-	23	-	8	1
Weymouth (town)	281	-	2	-	-	-	3	-	-	2	-	-	37	-	6	1
Winchester (town)	132	-	-	-	-	-	2	-	-	-	-	-	20	-	4	-
Winthrop (town)	219	-	1	-	-	-	4	-	-	1	-	-	37	-	6	-
Woburn	221	-	-	-	-	-	-	-	-	-	-	-	36	-	6	-
MICHIGAN																
Detroit	15,293	2	66	3	16	8	833	1	-	129	20	3	1,801	21	414	33
Flint	1,374	-	4	-	7	-	41	-	-	11	3	-	153	-	35	2
Grand Rapids	1,800	-	1	-	1	1	27	-	-	5	-	1	266	2	51	7
Ann Arbor	341	-	1	-	-	-	8	1	-	1	-	-	56	-	7	3
Battle Creek	606	-	3	-	-	-	9	-	-	2	1	-	70	-	8	3
Bay City	594	-	-	-	1	-	7	-	-	7	-	1	71	-	18	2
Dearborn	462	1	-	-	2	-	18	1	-	2	-	-	53	2	11	-
Hamtramck	392	-	2	-	2	-	27	-	-	3	-	-	41	1	8	2
Highland Park	431	-	3	-	-	-	14	-	-	6	-	-	60	1	14	2
Jackson	559	-	-	-	2	-	12	-	-	6	-	-	81	-	22	2
Kalamazoo	913	1	-	1	1	-	15	-	1	37	1	-	107	-	22	1
Lansing	865	-	4	-	-	-	6	1	-	4	-	1	102	-	23	3
Muskegon	564	-	1	-	1	-	11	3	-	4	-	-	67	-	13	1
Pontiac	814	-	1	-	2	1	25	1	-	23	3	-	65	-	15	-
Port Huron	408	-	1	-	-	-	13	-	-	3	3	-	46	1	10	1
Royal Oak	223	-	1	-	-	1	6	1	-	3	-	-	25	-	8	1
Saginaw	1,034	1	2	1	3	-	19	-	-	13	3	-	118	2	31	1
Wyandotte	262	-	1	-	1	-	8	-	-	-	-	-	35	1	8	1
Adrian	206	-	-	-	-	-	5	1	-	1	-	-	20	1	1	-
Alpena	141	-	-	-	-	-	3	-	-	-	-	-	17	-	3	1
Benton Harbor	203	-	-	-	3	-	8	-	-	1	1	-	19	-	2	-
Birmingham	103	-	-	-	-	-	2	-	-	1	-	1	14	-	4	-
Ecorse	88	-	-	-	1	-	4	-	-	2	-	-	10	-	2	-
Escanaba	170	-	-	-	-	-	1	-	-	2	-	-	20	-	8	-
Ferndale	162	-	-	-	-	-	6	-	-	2	-	-	25	-	2	-
Grosse Pointe Park	91	1	-	-	-	-	-	-	-	-	-	-	12	-	-	1
Holland	150	-	-	-	-	-	4	-	-	-	-	-	20	1	6	-
Iron Mountain	103	-	-	-	-	-	1	-	-	2	-	-	15	-	3	-
Ironwood	111	-	-	-	-	-	3	-	-	-	-	1	14	-	2	-
Lincoln Park	102	-	1	-	-	-	5	-	-	-	-	-	11	-	4	1
Marquette	164	-	-	-	-	-	5	-	-	1	-	-	23	-	5	2
Menominee	105	-	-	-	-	-	3	-	-	-	-	-	14	-	3	-
Midland	74	-	-	-	-	-	1	-	-	-	-	-	12	-	1	-
Monroe	223	-	-	-	-	-	6	-	-	1	1	-	20	1	5	-
Mount Clemens	212	-	-	-	1	-	8	1	-	2	-	-	30	-	5	-
Muskegon Heights	135	-	-	-	1	-	2	-	-	1	-	1	16	1	2	2
Niles	133	-	-	-	1	-	5	-	-	-	-	-	12	-	2	-
Owosso	188	-	-	-	-	-	2	-	-	1	-	-	21	-	7	-
River Rouge	138	-	2	-	-	-	6	-	-	2	-	-	9	-	4	1
St. Clair Shores	76	-	1	-	-	-	1	-	-	-	-	-	8	-	3	-
Sault Ste. Marie	169	-	2	-	-	-	4	-	-	-	-	-	14	-	4	2
Traverse City	143	-	-	-	-	-	3	-	-	3	-	-	15	-	2	-
Ypsilanti	184	-	1	-	-	-	3	-	-	-	-	1	25	-	5	-
MINNESOTA																
Duluth	1,180	-	-	1	1	1	22	-	-	14	1	-	151	-	29	6
Minneapolis	5,098	-	8	-	4	4	115	-	-	40	-	2	745	2	160	20
St. Paul	2,940	-	3	-	1	1	79	-	1	37	1	-	504	4	83	3

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	1	17	57	5	1	-	1	2	6	-	5	-	-	3	9	-	16
-	-	9	28	6	2	3	2	1	6	-	5	-	-	1	4	-	10
-	-	18	40	5	2	1	3	-	4	1	4	1	-	1	4	-	17
-	-	24	90	11	1	-	-	3	6	1	11	2	-	7	19	1	22
-	1	25	100	20	2	4	2	2	19	-	6	3	-	-	17	-	28
-	-	25	104	18	6	3	2	2	33	-	8	4	-	1	16	3	28
-	-	21	66	14	2	1	1	2	15	1	6	3	-	1	8	4	22
-	2	31	109	7	-	1	3	2	3	-	14	4	1	1	8	2	16
-	-	14	74	21	-	1	-	1	9	-	8	2	-	-	6	-	15
-	-	10	60	4	2	-	-	1	1	-	5	1	-	1	7	1	20
-	-	22	76	7	2	-	1	2	12	-	7	3	-	2	13	-	19
-	-	39	78	12	-	1	-	2	9	1	11	5	-	4	12	-	22
-	1	14	66	10	1	1	-	1	12	1	3	1	-	-	9	1	19
-	-	21	92	15	-	2	-	3	8	-	8	1	-	1	4	-	18
1	-	19	68	6	1	1	-	2	11	-	6	-	-	1	9	-	15
-	-	14	48	6	1	2	-	2	6	1	1	2	-	2	2	-	11
-	-	24	59	20	1	-	-	-	7	-	11	1	1	-	11	1	15
-	-	19	111	10	-	1	4	5	29	2	8	1	-	1	11	-	21
-	1	50	204	31	-	1	1	5	19	-	8	2	-	4	22	-	73
-	-	13	36	7	-	-	-	1	8	1	3	2	-	1	2	-	14
-	-	7	41	3	-	-	1	-	5	1	6	1	1	1	4	1	2
-	-	18	48	9	-	-	1	-	13	-	8	1	-	2	6	-	21
-	-	29	80	10	-	-	1	3	8	2	7	1	-	2	10	-	15
-	-	15	59	8	-	1	-	2	11	-	5	2	-	3	3	-	14
-	-	14	51	3	-	-	-	2	4	1	10	-	-	-	6	1	10
-	-	11	50	6	1	1	-	-	5	1	11	2	1	-	5	1	15
-	-	10	46	7	2	-	-	6	10	-	10	-	-	-	1	-	13
-	-	12	41	9	1	1	-	1	11	-	7	-	-	-	6	2	12
-	-	16	42	3	2	1	1	1	5	-	1	1	-	-	2	1	17
-	-	26	45	12	1	2	-	4	10	-	9	3	-	2	10	1	24
-	-	9	50	10	3	1	1	3	7	1	5	1	-	1	3	1	11
-	-	10	40	6	-	-	1	-	7	-	4	2	-	-	4	1	14
-	1	16	73	9	1	2	-	2	12	1	12	4	-	1	10	3	28
-	-	21	50	8	1	-	1	1	8	-	4	1	-	4	7	-	12
-	-	21	114	18	1	1	5	2	14	1	14	2	1	4	13	1	18
-	-	8	49	5	1	1	1	1	7	-	8	1	-	-	7	1	16
-	1	25	85	6	2	-	2	-	13	-	4	2	-	1	15	1	13
-	-	22	74	8	2	-	1	-	13	-	14	1	-	3	16	-	25
-	10	1,116	4,911	1,025	119	102	90	220	748	85	870	148	116	262	549	154	1,418
-	2	112	362	120	11	9	9	8	88	7	98	13	1	38	48	28	164
-	2	194	649	82	15	9	6	12	90	10	79	9	3	19	72	16	171
-	-	29	117	15	1	-	2	1	9	3	20	2	-	3	14	5	43
-	2	67	203	37	6	5	4	6	17	7	37	5	-	9	23	12	70
-	-	54	188	39	4	5	3	2	43	2	37	8	3	2	23	17	57
-	1	32	131	34	4	2	6	6	22	3	55	2	1	9	18	2	44
-	-	15	106	35	5	5	6	9	23	3	32	3	5	6	10	1	42
-	-	39	131	28	4	2	1	5	25	-	22	2	2	7	7	5	51
-	-	70	217	28	8	13	3	3	17	5	35	7	-	13	20	15	80
-	5	107	277	48	7	4	4	4	62	2	25	8	1	11	42	23	96
-	1	100	275	36	8	8	2	6	50	3	56	7	-	12	38	19	100
-	1	51	148	55	2	7	-	3	21	1	71	3	-	7	17	9	67
-	1	76	223	61	7	3	1	9	40	3	43	6	3	14	45	40	103
-	1	33	126	26	2	2	3	4	29	1	23	3	2	5	16	1	53
-	-	13	74	12	-	1	-	2	7	-	14	2	1	7	11	3	30
1	-	99	328	61	3	5	9	9	50	5	79	9	2	14	40	20	106
-	-	24	71	18	1	4	3	2	9	1	20	2	-	12	9	4	27
-	-	31	56	14	-	3	2	1	22	-	10	2	-	2	6	9	19
-	-	13	57	7	1	-	-	1	3	-	7	1	-	-	10	3	14
-	-	27	69	12	2	1	1	1	7	2	13	3	1	3	8	1	18
-	1	4	28	6	-	1	1	-	8	-	9	2	1	-	4	5	11
-	-	11	18	8	-	-	1	3	-	-	9	-	2	2	5	4	6
-	-	20	49	8	3	1	-	-	13	-	11	-	1	8	7	-	18
-	-	17	49	5	-	1	1	4	8	-	11	-	-	4	7	3	17
-	-	13	34	2	-	-	-	3	4	-	4	1	1	2	4	-	9
-	-	18	47	10	-	1	1	-	7	-	4	-	-	1	8	5	17
-	-	7	34	1	1	-	1	1	1	2	4	1	-	-	9	1	19
-	-	13	34	6	1	-	1	1	10	-	4	1	-	2	6	-	12
-	-	4	28	6	2	-	1	1	3	-	11	2	-	5	6	-	11
-	2	17	48	8	1	-	1	1	15	1	11	2	-	1	7	3	10
-	-	17	35	6	-	-	-	-	6	-	1	2	-	-	5	2	11
-	-	5	17	4	-	1	-	-	11	2	8	1	-	1	4	-	6
-	-	12	78	19	1	2	4	1	6	-	26	2	-	5	12	1	20
-	-	23	53	14	-	2	1	2	16	1	22	2	-	1	14	2	12
-	-	10	41	11	-	3	-	1	5	2	14	2	-	3	1	1	15
-	-	18	40	8	-	-	4	-	10	-	8	5	-	2	6	1	11
-	-	14	70	10	1	-	2	-	15	-	15	2	-	1	5	1	21
-	-	12	45	10	-	-	-	2	7	-	11	2	-	2	8	-	10
-	-	11	19	7	-	1	1	-	4	1	4	4	-	2	1	2	6
-	-	15	57	8	-	1	-	1	7	-	17	1	1	3	14	3	15
-	-	24	53	9	1	-	1	1	5	1	3	3	-	2	5	1	11
-	-	20	51	14	-	1	2	2	8	-	13	2	1	10	9	-	16
-	8	97	413	88	8	3	5	8	29	4	52	16	2	24	81	2	114
-	9	545	1,613	338	39	15	24	48	166	16	200	50	13	51	292	13	566
-	-	284	848	213	23	12	14	37	98	13	137	23	1	22	174	11	313

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
MINNESOTA—Continued																
Rochester	469	-	-	-	-	-	11	-	-	5	-	-	73	-	3	-
Albert Lea	101	-	1	-	-	-	1	-	-	-	-	-	14	-	5	-
Austin	163	-	-	-	-	-	2	-	-	2	-	1	17	-	5	-
Brainerd	136	-	-	-	-	-	-	-	1	1	1	-	23	-	7	-
Faribault	187	-	-	-	3	-	6	-	-	-	-	-	14	-	3	1
Fergus Falls	337	-	-	-	1	-	21	-	-	13	-	-	19	1	6	-
Hibbing	144	-	-	-	-	-	3	-	-	2	-	-	18	-	6	-
Mankato	187	-	1	1	-	-	2	-	-	1	-	-	30	-	5	1
St. Cloud	203	-	-	-	-	-	9	-	-	4	1	-	21	-	7	-
South St. Paul	84	-	-	-	-	-	-	-	-	2	-	-	10	-	3	-
Virginia	103	-	-	-	-	-	6	-	-	3	-	-	12	1	4	-
Winona	263	-	1	-	-	-	8	-	-	2	-	-	47	-	17	-
MISSISSIPPI																
Jackson	676	-	1	1	1	4	20	1	2	11	1	1	56	-	14	-
Meridian	499	-	-	-	-	-	21	1	-	7	-	-	47	-	6	1
Biloxi	244	-	4	-	-	-	3	-	-	3	-	-	23	-	5	1
Clarksdale	140	-	-	-	2	-	2	-	1	3	-	-	6	-	1	-
Columbus	163	-	1	-	1	-	7	-	-	3	-	-	15	-	3	-
Greenville	340	-	-	-	-	-	14	1	1	9	1	-	28	2	4	-
Greenwood	186	-	-	-	1	-	9	-	1	7	1	-	9	-	2	-
Gulfport	200	-	1	-	1	-	3	-	-	9	-	-	20	1	1	-
Hattiesburg	255	-	-	-	2	1	10	-	-	1	-	-	18	-	1	1
Laurel	236	-	-	-	1	-	15	-	-	5	-	-	19	2	3	-
Natchez	241	-	-	-	1	-	6	-	1	8	1	-	26	-	5	-
Vicksburg	312	-	-	-	1	-	15	-	1	7	1	-	17	-	4	-
MISSOURI																
Kansas City	5,411	-	14	1	13	-	198	1	-	85	7	11	645	1	118	5
St. Louis	11,183	4	41	-	21	2	497	4	1	209	7	2	1,435	8	305	25
Joplin	578	1	-	-	-	2	41	1	-	11	1	-	54	-	5	-
St. Joseph	1,266	1	1	-	3	-	33	3	-	32	1	1	126	-	23	4
Springfield	708	-	1	-	1	1	36	1	-	5	4	1	75	-	10	2
University City	293	-	-	-	-	-	3	-	-	-	-	-	58	-	12	2
Cape Girardeau	217	1	1	-	4	-	5	1	-	1	-	-	20	-	5	-
Carthage	130	-	-	-	-	-	4	-	-	1	-	-	12	-	3	-
Clayton	139	-	-	-	-	-	4	-	-	1	-	-	21	-	8	1
Columbia	200	-	-	1	1	-	6	1	-	-	-	-	23	-	6	-
Hannibal	253	-	-	-	-	-	9	1	-	2	-	-	28	1	6	-
Independence	209	-	-	2	-	-	5	-	-	1	-	1	27	-	6	1
Jefferson City	214	-	-	-	1	-	11	-	-	1	-	-	13	-	8	1
Kirksville	130	-	-	-	-	-	2	-	-	-	-	-	14	-	2	-
Kirkwood	167	-	-	-	-	-	3	1	-	3	-	-	23	1	3	1
Maplewood	157	-	-	-	-	-	1	1	-	1	-	-	24	-	6	-
Moberly	201	-	-	-	-	-	8	-	-	2	-	-	20	-	2	1
Poplar Bluff	123	-	-	-	3	1	7	1	1	-	1	-	6	-	-	-
Richmond Heights	115	-	-	-	-	-	3	-	-	1	-	-	20	-	-	-
St. Charles	153	-	-	-	-	-	5	-	-	2	-	-	19	-	2	-
Sedalia	282	1	-	-	2	1	6	1	-	4	1	-	27	-	8	1
Webster Groves	191	-	-	-	-	-	6	-	-	2	-	-	28	-	4	1
MONTANA																
Butte	638	-	-	-	1	-	49	1	-	3	-	-	82	-	13	2
Great Falls	342	-	1	-	-	-	7	-	-	5	-	1	36	-	9	1
Anaconda	133	-	-	-	-	-	2	-	-	-	-	-	16	-	2	-
Billings	232	-	-	-	-	1	4	3	-	-	-	2	21	-	3	-
Helena	160	-	-	1	-	-	1	-	-	2	1	-	14	-	7	2
Missoula	226	-	-	-	-	1	2	-	-	-	-	-	31	-	3	2
NEBRASKA																
Omaha	2,645	-	1	2	6	3	65	-	-	32	1	8	353	2	69	11
Lincoln	924	-	3	-	-	-	11	1	-	8	-	2	121	1	18	1
Beatrice	146	-	-	-	-	-	-	-	-	1	1	-	20	-	2	-
Fremont	178	-	-	-	-	-	2	-	-	2	-	-	22	-	7	1
Grand Island	247	-	-	-	1	-	2	1	-	5	-	-	24	-	7	-
Hastings	177	-	1	-	-	1	3	-	-	-	-	-	21	-	5	1
Norfolk	118	-	-	-	-	-	1	-	-	-	-	-	17	-	4	-
North Platte	119	-	-	-	-	-	2	-	-	-	-	-	16	-	1	-
Scottsbluff	102	-	-	-	1	-	-	-	-	1	-	-	15	-	4	-
NEVADA																
Reno	332	-	-	-	-	-	11	1	-	-	1	1	30	-	6	-
NEW HAMPSHIRE																
Concord	566	-	-	-	-	-	19	-	1	20	-	-	45	-	14	1
Manchester	979	-	3	-	3	-	22	-	-	6	-	-	126	-	32	2
Nashua	362	-	1	-	1	-	6	-	-	-	-	-	40	-	11	-
Berlin	165	-	-	-	-	-	5	-	-	4	-	-	22	-	5	-
Claremont (town)	132	-	-	-	-	-	2	-	-	-	-	-	21	-	-	-
Dover	198	-	-	-	-	-	6	-	-	-	-	1	19	-	10	-
Keene	191	-	-	-	-	-	1	-	-	-	-	-	26	-	6	1
Laconia	183	-	-	-	-	-	4	-	-	2	-	-	13	-	4	-
Portsmouth	204	-	1	-	-	-	8	-	-	2	-	-	27	-	2	-
Rochester	146	1	-	-	-	-	5	-	-	1	-	1	18	-	4	-

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	-	42	96	60	4	1	-	5	13	1	16	3	-	2	20	10	104
-	-	13	31	5	-	1	-	-	6	-	7	-	1	1	2	2	11
-	-	18	39	5	2	-	-	2	5	1	17	1	-	-	14	6	26
-	-	17	38	10	-	1	-	1	5	-	13	1	-	-	10	1	6
-	-	13	61	14	3	-	1	2	12	-	19	-	-	-	6	2	27
-	1	30	69	50	-	-	3	-	7	-	5	3	-	-	7	2	99
-	-	10	58	5	-	-	1	1	2	-	12	2	1	1	11	2	9
-	-	17	63	10	-	1	1	-	7	-	10	1	-	2	6	6	22
-	-	22	52	17	-	-	2	1	3	1	18	1	-	3	15	1	25
-	-	8	18	10	-	1	-	-	6	-	8	-	-	1	6	-	11
-	-	7	33	5	-	-	1	1	1	-	9	3	-	1	8	1	7
-	-	25	69	15	1	-	1	2	19	1	12	-	-	2	13	2	26
3	1	45	125	51	5	4	5	7	70	6	53	2	13	11	33	61	68
3	-	44	104	37	4	5	2	1	44	6	37	2	7	6	16	49	49
-	-	14	56	22	1	1	4	4	13	1	30	2	3	3	11	11	29
-	-	18	25	11	-	3	1	1	12	-	6	-	2	4	5	21	16
1	-	16	35	7	1	3	2	-	21	2	9	1	3	2	3	17	10
-	-	52	65	21	4	4	1	1	28	2	24	3	1	3	21	33	17
1	-	17	32	10	-	1	2	1	36	-	8	1	1	4	10	22	10
-	1	14	47	9	1	2	1	4	15	-	23	3	7	3	13	5	15
1	-	32	41	15	2	-	3	5	22	6	29	2	6	6	9	21	21
1	1	36	38	15	-	2	1	1	20	4	22	4	5	4	6	4	27
-	-	10	40	12	1	4	1	4	56	7	19	1	-	3	6	15	14
1	-	41	46	24	4	1	1	2	32	2	16	2	6	4	16	33	35
3	8	435	1,740	384	25	23	24	55	386	15	207	45	36	61	247	42	576
3	5	818	3,394	738	59	42	50	191	1,036	33	419	108	65	132	507	23	999
1	3	42	131	37	1	15	7	1	51	8	40	9	3	10	26	7	70
2	4	128	405	109	9	12	8	14	99	2	35	8	4	5	62	2	130
-	-	63	209	54	4	11	-	2	74	2	34	6	1	8	25	3	75
-	-	21	88	16	3	-	1	2	29	-	7	1	-	5	14	-	31
-	-	19	67	13	-	5	-	3	16	4	17	4	-	2	13	2	14
-	-	18	26	6	-	-	1	3	10	-	11	1	1	2	7	4	20
-	-	16	52	4	1	1	-	3	10	-	2	1	1	-	4	-	9
-	-	27	59	21	1	-	2	1	14	1	10	1	2	-	7	-	16
-	1	28	88	7	1	2	2	-	29	1	14	1	2	5	11	-	14
-	1	14	62	19	-	-	2	1	15	2	9	4	-	2	9	4	22
-	-	25	55	18	2	2	1	3	16	-	12	4	2	1	15	1	22
-	-	17	40	14	-	-	-	1	11	-	4	1	-	3	8	3	10
1	-	11	55	10	-	-	1	1	16	-	7	3	1	1	5	2	18
-	1	19	52	9	-	-	1	2	15	1	5	1	-	2	4	-	12
-	-	11	62	20	-	-	1	1	21	1	7	2	-	2	18	9	13
-	-	14	31	7	-	7	-	-	15	2	11	1	-	-	6	-	9
-	-	10	44	9	-	-	-	1	8	-	2	1	-	1	6	1	8
-	-	9	58	7	-	-	-	2	19	1	5	2	1	2	6	1	12
-	1	26	98	15	3	2	3	1	30	1	18	-	1	4	8	1	18
-	-	18	63	7	2	1	1	-	21	1	8	3	-	4	8	-	13
-	2	42	184	24	2	7	3	6	33	1	33	5	1	8	54	11	71
-	-	24	104	17	5	-	2	3	28	2	27	5	-	4	22	2	37
-	-	11	48	7	2	2	1	-	3	1	8	1	-	3	7	3	16
-	-	18	75	12	-	1	1	2	6	-	20	-	-	8	18	7	30
-	1	5	65	3	1	-	1	1	15	1	7	5	1	1	9	2	14
-	-	31	62	8	3	-	-	-	10	-	9	6	-	-	22	4	32
-	6	224	799	151	19	7	16	27	151	12	126	34	13	35	146	37	289
-	-	97	265	40	9	2	5	6	85	-	50	6	2	12	47	12	120
-	-	18	39	8	1	1	1	-	16	-	7	-	-	2	8	3	18
-	-	14	50	13	-	1	1	1	19	-	15	2	-	5	7	5	11
-	-	21	86	12	3	1	1	3	11	1	24	1	1	5	7	4	26
-	-	21	43	12	-	1	-	4	14	-	12	4	1	3	8	1	21
-	1	6	37	5	-	2	-	-	12	-	8	1	-	3	7	3	11
-	-	8	27	10	-	-	2	-	13	-	12	1	1	2	4	-	20
-	-	10	32	4	1	2	1	-	6	-	7	-	1	3	5	1	8
-	4	14	126	17	5	3	5	3	9	3	19	5	2	6	23	1	37
-	1	57	197	49	5	1	2	4	35	1	18	7	-	4	25	1	59
-	2	102	315	60	4	14	5	5	41	4	54	11	-	7	42	16	103
-	3	30	128	11	3	3	-	6	35	2	18	1	-	5	11	4	42
-	-	12	48	11	3	1	2	1	15	1	18	1	-	-	5	-	11
-	2	15	30	12	2	1	2	-	5	1	5	3	-	1	6	3	21
-	1	30	56	12	4	1	1	-	4	-	11	4	-	1	4	8	25
-	-	18	67	16	1	-	2	1	9	-	11	3	-	2	3	5	19
-	-	27	59	10	-	1	2	2	6	-	13	1	-	1	8	3	27
-	-	12	52	12	2	3	1	2	20	2	11	6	1	5	10	3	22
-	1	16	43	8	1	-	-	-	12	1	18	-	-	2	4	2	8

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
NEW JERSEY																
Camden	1,469	1	5	-	3	4	69	1	1	11	1	1	181	1	46	4
Elizabeth	1,163	-	1	-	-	-	2o	-	-	7	-	-	161	3	34	2
Jersey City	3,590	1	2	-	1	2	161	-	-	18	2	-	500	7	108	3
Newark	5,315	3	25	1	2	-	289	-	-	36	-	1	649	14	197	11
Paterson	1,690	-	1	-	-	-	57	-	-	14	-	-	207	5	69	4
Trenton	1,691	-	2	2	-	3	100	1	-	40	1	-	176	2	58	2
Atlantic City	930	-	6	-	-	-	54	-	-	13	1	-	100	2	26	-
Bayonne	731	-	2	-	-	-	25	2	-	5	1	-	118	2	28	1
Belleville	242	-	1	-	-	-	7	-	-	2	-	-	39	2	6	-
Bloomfield	421	-	-	-	-	-	10	-	-	2	1	-	63	1	14	1
Clifton	449	-	-	-	-	-	10	-	-	2	-	-	62	2	19	5
East Orange	894	-	2	-	-	-	17	-	-	6	-	-	156	1	29	-
Garfield	196	-	-	-	-	-	4	-	-	-	-	-	31	-	8	2
Hackensack	308	-	-	-	-	-	15	-	-	3	-	-	34	2	13	1
Hoboken	645	-	1	-	-	-	22	-	-	1	2	-	65	2	24	1
Irvington	544	-	2	-	-	-	9	-	-	2	-	-	75	1	20	5
Kearny	445	-	1	-	-	-	11	-	-	-	-	-	67	-	14	-
Montclair	501	-	2	-	3	-	12	-	-	3	-	-	63	1	17	3
New Brunswick	409	-	1	-	1	-	14	-	-	-	-	1	50	1	8	1
North Bergen (twp.) [2]	411	-	2	-	-	-	15	-	-	2	-	-	69	-	9	2
Orange	409	-	1	-	-	-	17	-	-	3	-	-	46	1	12	-
Passaic	592	-	3	-	1	-	25	-	-	3	-	-	88	2	18	1
Perth Amboy	433	-	1	-	-	-	23	-	-	2	-	-	73	1	14	2
Plainfield	446	-	-	-	-	-	9	-	-	1	-	-	66	-	13	3
Teaneck (twp.) [2]	232	-	-	-	-	-	5	-	-	1	-	-	47	-	5	1
Union City	699	-	1	-	1	-	22	1	-	2	1	-	96	2	28	-
West New York	362	-	2	-	-	-	19	-	-	3	-	-	59	2	14	1
West Orange	261	-	1	-	-	-	11	-	-	-	-	-	49	1	2	-
Woodbridge (twp.) [2]	281	-	1	-	-	-	19	-	-	2	-	-	42	1	10	3
Asbury Park	259	-	2	-	-	-	8	-	-	5	-	1	30	1	11	-
Bergenfield	95	-	1	-	-	-	2	-	-	1	-	-	11	-	4	-
Bridgeton	248	-	1	1	1	-	9	-	-	1	-	-	28	-	6	-
Burlington	143	-	1	-	-	-	4	-	-	3	1	-	19	-	2	-
Carteret	102	-	-	-	-	-	7	-	-	1	-	-	12	-	4	-
Cliffside Park	155	-	-	-	-	-	3	-	-	1	1	-	27	-	5	-
Collingswood	146	-	-	-	-	-	3	-	-	-	-	-	18	-	6	-
Cranford (twp.) [2]	155	-	-	-	-	-	4	-	-	-	-	-	23	1	7	-
Dover	143	-	-	-	-	-	3	-	-	1	-	-	24	-	4	-
Englewood	217	-	-	-	-	-	1	-	-	3	-	-	30	1	8	-
Gloucester City	193	-	5	-	-	-	8	-	-	1	3	-	23	1	6	-
Harrison	138	-	-	-	-	-	7	-	-	-	-	-	21	-	4	1
Hawthorne	134	-	-	-	-	-	1	-	-	-	-	-	15	-	6	-
Hillside (twp.) [2]	136	-	-	-	-	-	1	-	-	-	-	-	25	1	1	1
Linden	206	-	-	-	-	-	3	-	-	2	-	-	24	-	8	1
Lodi	93	-	-	-	-	-	4	-	-	-	-	-	12	1	2	1
Long Branch	227	-	2	-	-	-	6	-	-	4	-	-	30	-	2	-
Lyndhurst (twp.) [2]	145	-	2	-	-	-	1	-	-	-	-	-	22	-	4	-
Maplewood (twp.) [2]	238	-	1	-	-	-	1	-	-	1	-	-	33	-	6	2
Millburn (twp.) [2]	87	-	1	-	-	-	-	-	-	-	1	-	23	-	1	-
Millville	215	-	-	-	1	-	5	-	-	-	-	-	28	-	13	-
Morristown	195	-	-	-	-	-	6	-	-	2	-	-	25	1	6	-
Neptune (twp.) [2]	194	-	-	-	-	-	1	-	-	-	-	-	19	-	7	-
North Plainfield	123	-	-	-	-	-	1	-	-	-	-	-	16	-	3	-
Nutley	237	-	-	-	-	-	10	-	-	-	-	-	35	-	4	1
Pennsauken (twp.) [2]	164	-	-	1	-	-	6	-	-	1	-	-	19	-	6	-
Phillipsburg	235	-	2	-	-	-	5	-	-	1	-	-	33	-	13	-
Pleasantville	138	-	1	-	-	-	3	-	-	1	-	-	15	-	4	-
Rahway	211	-	1	-	-	-	8	-	-	-	-	-	29	1	5	-
Red Bank	156	-	-	-	-	-	4	-	-	2	-	-	24	-	4	-
Ridgefield Park	114	-	-	-	-	-	4	-	-	1	-	-	21	-	4	1
Ridgewood	157	-	-	-	-	-	4	-	-	1	-	-	21	-	6	-
Roselle	142	-	-	-	-	-	6	1	-	1	-	-	16	1	2	1
Rutherford	202	-	-	-	-	-	3	-	-	-	-	-	21	-	12	1
South Orange	128	-	-	-	-	-	4	-	-	-	-	-	21	-	5	-
South River	95	1	-	-	-	-	6	-	-	1	-	-	19	-	1	-
Summit	158	-	1	-	-	-	-	-	-	1	-	-	18	-	10	-
Union (twp.) [2]	209	-	-	-	-	-	7	-	-	1	-	-	34	-	5	-
Weehawken (twp.) [2]	176	-	1	-	-	-	8	-	-	-	1	-	25	-	7	2
Westfield	177	-	-	-	-	-	3	-	-	1	-	-	31	-	4	-
NEW MEXICO																
Albuquerque	448	-	1	-	2	-	64	8	-	4	-	1	45	1	4	-
Clovis	137	-	-	-	1	1	8	-	-	-	-	-	10	-	1	1
Hobbs	43	-	-	-	-	-	2	-	-	-	-	-	3	-	-	-
Roswell	161	-	1	-	2	-	11	2	1	-	-	-	13	1	1	-
Santa Fe	162	-	-	-	3	-	9	9	-	3	-	-	16	-	3	2
NEW YORK																
Albany	1,842	-	8	-	-	-	66	-	-	20	-	-	265	4	69	1
Buffalo	7,238	1	23	2	10	3	334	8	-	78	6	4	857	10	218	22
New York City [4]	83,236	5	248	14	43	16	3,725	10	2	941	20	17	12,636	111	3,281	145
Rochester	3,868	-	6	1	2	-	108	-	-	58	-	-	522	4	156	13
Syracuse	2,481	-	10	1	3	-	54	-	-	15	-	1	324	2	73	2
Utica	1,557	-	1	-	3	-	39	1	-	30	2	-	200	1	62	3
Yonkers	1,428	-	5	-	-	-	54	-	-	7	-	-	205	1	39	3

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	2	125	468	106	7	8	5	17	118	9	68	13	6	23	46	4	115
-	2	100	390	70	11	3	7	13	47	8	55	9	2	16	65	19	112
-	4	280	1,360	216	28	18	22	46	151	8	144	22	10	40	159	17	260
1	10	337	1,906	265	47	20	43	60	298	13	191	50	23	85	241	38	459
-	9	170	567	79	17	18	9	19	85	5	58	19	4	24	70	9	171
-	5	133	512	127	5	15	5	15	92	7	82	12	3	16	56	7	212
-	1	81	297	68	6	2	1	15	109	3	22	8	-	7	36	3	69
-	1	59	243	44	6	6	2	12	37	1	26	10	-	6	34	2	58
-	-	18	74	15	-	2	1	-	19	1	18	1	-	4	7	-	25
-	-	37	131	14	6	2	4	6	42	1	23	7	-	4	16	4	32
-	1	33	155	22	1	2	2	5	27	1	20	14	-	5	13	1	47
-	-	87	320	43	9	2	5	5	60	2	28	10	2	8	28	4	75
-	-	13	75	11	1	1	-	3	9	-	13	1	-	3	8	-	13
-	-	25	107	10	2	4	5	1	16	1	18	4	1	1	8	2	35
-	2	47	277	33	6	1	4	7	29	3	26	6	1	8	38	-	39
-	-	42	213	18	3	-	1	11	34	1	22	7	3	5	12	5	53
-	1	27	167	23	3	4	9	5	22	2	20	1	-	7	23	1	37
-	-	49	180	22	3	1	1	2	45	3	15	6	1	-	20	5	44
-	1	45	117	25	2	2	3	10	26	1	20	6	-	4	17	8	45
-	1	33	149	16	1	3	2	8	22	5	16	9	1	5	9	2	28
-	-	27	150	26	4	-	4	1	32	-	24	6	1	4	11	5	34
-	1	45	169	36	5	4	3	10	37	3	20	11	-	8	25	7	67
-	2	40	121	15	1	1	-	9	31	1	26	7	1	6	21	1	34
1	-	58	143	19	4	2	1	5	16	3	29	2	-	5	20	-	46
-	1	23	77	11	1	-	-	4	8	2	10	3	-	3	8	6	16
-	-	65	272	38	5	1	6	7	33	2	24	5	1	8	25	-	53
-	-	27	129	13	3	3	1	3	9	1	17	2	-	6	20	1	27
-	-	20	97	10	-	-	3	3	19	3	6	1	-	2	3	4	26
-	1	21	78	16	1	1	2	3	19	1	14	2	1	9	12	1	21
-	1	22	103	12	2	-	1	4	17	-	7	4	2	2	9	-	15
-	-	4	40	7	1	-	2	-	5	-	2	-	-	3	3	-	9
-	-	28	82	9	2	2	-	7	18	1	8	-	-	5	16	1	22
-	-	9	48	5	3	1	1	1	13	-	14	1	-	1	6	2	8
-	1	11	23	8	-	-	-	1	6	-	5	1	-	3	10	-	9
-	-	7	58	6	2	-	3	1	7	-	7	-	-	1	4	2	20
-	-	9	62	3	-	-	1	3	14	-	4	1	-	2	3	-	17
-	-	15	50	6	1	-	-	1	4	-	7	1	-	3	9	4	19
-	1	11	50	7	1	-	1	3	12	-	5	1	-	-	4	-	15
-	-	27	80	11	1	1	1	2	11	1	14	5	1	3	4	-	12
-	-	20	50	8	-	-	1	3	22	1	11	1	1	3	8	3	14
-	-	9	46	7	-	-	1	4	8	-	2	2	-	-	13	1	12
-	-	13	46	6	2	-	1	4	16	1	5	2	-	2	4	-	10
-	-	9	49	6	3	-	1	1	1	1	9	1	1	3	4	2	16
-	-	16	55	15	3	1	2	4	7	1	12	4	-	7	14	3	24
-	-	15	32	7	1	1	-	-	2	-	8	-	-	-	2	1	4
-	-	17	81	12	-	1	1	5	16	-	10	2	-	4	8	5	21
-	-	10	49	8	2	-	1	1	9	1	7	1	-	1	3	-	23
-	-	15	90	8	2	-	3	5	20	-	6	3	-	3	11	-	28
-	-	6	33	3	2	-	-	-	5	-	1	2	-	1	2	-	6
-	1	29	71	9	1	-	2	1	14	2	9	1	-	5	11	2	10
-	-	17	55	7	3	-	1	3	14	-	9	2	-	-	11	1	32
-	-	33	72	13	-	-	1	-	6	1	5	1	-	3	13	2	17
-	-	11	45	10	1	-	-	2	9	-	2	-	1	-	5	1	16
-	-	19	81	6	6	-	-	6	14	1	6	2	-	4	12	2	28
-	-	14	56	12	1	-	-	1	19	1	7	1	-	2	7	-	10
-	-	15	72	12	3	1	-	1	28	3	9	3	-	4	11	-	19
-	-	13	50	7	-	2	2	3	18	1	2	-	-	2	3	1	10
-	-	22	77	12	-	-	-	2	5	2	6	1	1	6	12	3	18
-	-	11	66	4	1	-	1	2	10	-	5	-	-	2	5	-	15
-	-	12	34	5	1	1	-	-	6	1	5	3	-	2	1	1	11
-	-	9	70	6	2	1	-	4	8	1	5	3	-	1	3	-	12
-	-	11	45	6	2	-	-	1	13	-	9	3	1	1	5	2	15
-	-	26	89	2	-	-	1	2	12	-	4	1	-	2	6	3	17
-	-	19	48	2	1	-	-	-	8	-	2	-	-	-	9	-	9
-	-	10	25	6	-	1	-	-	5	-	4	-	1	2	3	2	8
-	-	15	57	2	-	-	1	1	14	1	11	3	-	2	9	-	12
-	-	15	70	9	1	1	3	2	16	-	13	3	-	1	8	2	18
-	1	22	55	4	2	1	2	3	15	-	4	3	-	1	7	-	12
-	-	17	55	4	4	-	3	1	14	2	8	3	-	-	7	3	17
-	1	18	75	32	2	9	3	3	26	7	45	7	1	6	14	34	34
-	1	4	23	10	3	4	1	1	5	-	17	1	1	4	19	4	17
-	-	-	6	4	-	-	-	-	3	-	13	-	-	1	5	3	3
-	-	5	31	17	-	8	2	3	7	1	20	4	-	2	10	3	16
-	1	12	25	11	-	6	-	2	6	2	13	1	-	3	5	18	12
1	3	144	683	98	13	7	4	19	127	2	61	14	4	9	84	6	130
3	10	513	2,560	412	57	77	55	85	358	29	316	73	16	108	284	22	684
4	302	3,868	32,159	4,129	713	295	422	1,015	3,407	279	3,019	864	222	791	3,504	109	6,920
-	2	306	1,552	159	26	7	13	47	175	8	128	43	7	30	144	-	351
-	4	247	901	114	25	8	13	36	148	11	102	22	-	33	100	4	228
-	1	109	595	61	11	3	7	13	105	9	68	8	-	13	68	5	139
-	-	93	544	75	7	3	6	20	71	5	52	17	5	12	58	1	145

VITAL STATISTICS OF THE UNITED STATES

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
NEW YORK—Continued																
Amsterdam	409	-	1	1	-	-	12	-	-	1	-	-	57	1	11	1
Auburn	404	-	-	-	2	-	3	-	-	2	-	-	58	-	17	1
Binghamton	1,162	1	5	-	4	-	30	-	-	20	-	-	119	-	23	2
Elmira	623	-	1	-	1	-	10	-	-	5	-	-	77	-	18	3
Jamestown	523	-	-	-	-	-	11	-	-	2	-	-	63	1	12	3
Kingston	421	-	1	-	-	-	14	-	-	2	-	-	56	1	14	-
Mount Vernon	651	-	-	-	-	-	17	-	-	4	2	-	103	-	29	3
Newburgh	467	-	-	-	2	1	7	-	-	3	-	1	71	-	17	1
New Rochelle	613	1	-	-	-	-	17	-	-	6	-	-	83	1	24	1
Niagara Falls	845	-	3	-	2	-	21	-	-	6	1	-	100	-	19	3
Poughkeepsie	597	-	-	-	-	-	10	-	-	2	1	-	85	-	19	1
Rome	492	-	3	-	1	-	28	-	-	8	2	-	41	-	21	3
Schenectady	1,047	-	2	-	-	-	24	-	-	4	2	-	160	-	46	1
Troy	1,209	-	1	-	1	-	32	-	-	8	-	1	139	1	26	2
Watertown	466	-	-	-	2	-	4	1	-	3	-	-	67	-	18	-
White Plains	433	1	-	-	-	-	15	-	-	2	-	-	62	-	9	-
Batavia	221	-	-	-	2	-	2	-	-	1	-	-	37	-	8	2
Beacon	173	-	-	-	-	-	4	-	-	4	-	-	29	-	7	-
Cohoes	305	-	-	-	-	-	8	-	-	5	1	-	26	-	11	-
Corning	181	-	2	-	-	-	3	-	-	2	-	-	21	-	6	-
Cortland	246	-	-	-	1	-	2	-	-	1	1	-	24	-	8	1
Dunkirk	211	-	-	-	-	-	4	-	-	-	1	-	26	-	8	1
Endicott	167	-	-	-	-	-	4	-	-	-	-	-	14	-	9	-
Floral Park	129	-	-	-	-	-	2	-	1	-	-	-	19	-	4	-
Freeport	226	-	1	-	-	-	2	-	-	2	-	-	31	-	11	-
Fulton	161	-	-	-	1	-	2	-	-	1	1	-	17	-	3	-
Garden City	99	-	-	-	-	-	2	-	-	-	-	-	16	-	2	1
Geneva	223	-	-	-	1	1	5	-	-	3	-	-	36	-	4	-
Glen Cove	127	-	-	-	-	-	4	-	-	-	-	-	13	-	6	-
Glens Falls	268	-	-	-	-	-	5	-	-	-	1	-	29	-	2	-
Gloversville	285	-	-	-	1	-	3	-	-	4	-	-	35	1	5	-
Hempstead	227	-	-	-	-	-	6	-	-	-	-	-	33	1	4	-
Hornell	172	-	-	-	-	-	2	-	-	2	1	-	14	-	8	-
Hudson	182	-	-	-	-	-	4	-	-	2	-	-	22	1	6	-
Irondequoit (town)	159	-	-	-	-	-	3	-	-	1	-	-	24	-	7	-
Ithaca	275	1	1	-	-	-	2	-	-	2	-	-	36	-	12	-
Johnson City	141	-	-	-	-	-	-	-	-	2	-	-	19	1	5	1
Johnstown	175	-	-	-	-	-	3	-	-	2	-	-	21	-	8	1
Kenmore	160	-	1	-	-	-	2	-	-	1	-	-	30	-	1	-
Lackawanna	242	-	-	1	1	-	23	-	-	1	-	-	26	-	8	-
Little Falls	147	-	-	-	1	-	3	-	-	1	1	-	18	-	4	1
Lockport	357	1	-	-	-	-	6	-	-	1	1	-	42	-	9	2
Lynbrook	159	-	2	-	-	-	1	-	-	3	-	-	25	-	2	-
Mamaroneck	123	-	-	-	-	-	1	-	-	-	-	-	15	-	3	-
Massena	102	-	-	-	-	-	1	-	-	-	-	-	9	-	3	-
Middletown	486	-	-	-	-	-	35	3	-	15	-	-	56	-	8	1
Mineola	92	-	-	-	-	-	2	-	-	1	-	-	14	-	1	-
North Tonawanda	207	-	1	-	1	-	3	-	-	1	1	-	24	1	6	3
Ogdensburg	355	-	-	1	-	-	17	-	-	12	-	-	32	-	4	-
Olean	251	-	1	-	1	-	3	-	-	-	-	1	34	-	10	-
Oneida	144	-	-	-	-	-	1	1	-	-	-	-	12	-	1	1
Oneonta	153	-	-	-	-	-	-	-	-	1	-	-	17	-	5	1
Ossining	205	-	-	-	-	-	4	-	-	-	-	-	16	-	7	1
Oswego	315	-	1	-	-	-	7	-	-	4	1	-	32	-	9	1
Peekskill	206	-	-	-	2	-	8	-	-	2	1	-	27	2	11	1
Plattsburgh	164	-	1	-	1	-	1	-	-	-	-	-	25	1	7	-
Port Chester	199	-	-	-	-	-	6	-	-	1	-	-	24	-	10	1
Rensselaer	108	-	-	-	-	-	2	-	-	1	-	-	14	-	4	1
Rockville Centre	201	1	-	-	-	-	6	-	-	2	1	-	28	-	6	-
Saratoga Springs	239	-	-	-	-	-	7	-	-	-	2	-	31	-	9	-
Scarsdale	106	-	-	-	-	-	-	-	-	-	-	-	29	-	1	-
Tonawanda	161	-	1	-	-	-	6	-	-	-	-	-	23	-	4	-
Valley Stream	187	-	-	-	-	-	3	-	-	1	-	-	21	-	5	1
Watervliet	197	-	-	-	2	-	6	-	-	-	-	-	22	-	5	-
NORTH CAROLINA																
Charlotte	968	-	3	1	3	1	25	-	-	6	2	-	89	1	13	3
Asheville	593	-	2	-	5	1	48	-	-	7	-	-	62	-	9	3
Durham	593	1	3	-	2	-	28	4	-	8	-	-	48	-	13	2
Greensboro	592	-	3	-	2	-	22	-	-	11	-	-	53	-	17	1
High Point	280	-	1	-	-	1	10	1	-	1	-	-	30	-	3	1
Raleigh	645	-	-	-	-	1	42	1	-	13	-	-	73	-	11	-
Rocky Mount	235	-	-	-	-	-	16	1	-	6	-	-	16	-	5	-
Wilmington	538	1	3	-	2	-	14	-	1	2	-	-	31	2	10	-
Winston-Salem	749	-	1	-	1	3	55	1	-	12	-	-	71	-	19	-
Burlington	96	-	-	-	-	1	2	-	-	-	-	-	12	-	2	-
Concord	127	-	-	-	-	-	1	-	-	1	-	-	14	-	1	1
Elizabeth City	165	-	-	-	1	-	16	-	-	4	-	-	10	-	4	1
Fayetteville	248	-	-	-	-	-	12	-	-	1	-	-	16	1	3	1
Gastonia	229	-	-	-	-	-	8	-	-	3	-	-	13	-	6	-
Goldsboro	172	-	-	-	-	-	15	-	2	2	-	-	12	1	2	-
Greenville	124	-	1	-	1	1	12	1	-	2	-	-	12	-	3	-
Hickory	100	-	-	-	1	-	3	-	-	1	-	-	7	-	1	-
Kinston	205	-	-	-	-	1	17	-	-	2	-	-	9	1	4	-
Lexington	84	-	1	1	1	1	2	-	-	1	-	-	8	-	2	-
New Bern	177	-	-	-	3	-	15	-	-	4	-	-	13	1	5	-
Reidsville	96	-	-	-	-	-	2	-	-	1	-	-	14	1	3	-
Salisbury	160	-	-	-	-	-	5	-	-	3	-	-	14	-	1	-
Shelby	104	1	-	-	1	-	6	-	-	-	-	-	12	-	1	-
Statesville	115	-	-	-	1	1	3	-	-	2	-	-	11	-	7	1
Thomasville	81	-	-	-	-	-	2	-	-	1	-	-	7	-	2	-
Wilson	207	-	-	-	2	-	19	-	-	-	2	1	19	-	5	1

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,83	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	-	49	142	15	1	1	3	5	19	1	13	2	1	5	21	2	44
-	-	47	129	25	2	-	2	4	23	1	12	4	1	3	13	2	58
-	5	105	404	66	9	3	7	11	55	3	38	14	-	12	47	3	174
-	-	44	220	34	8	1	1	9	41	5	32	7	-	10	33	-	63
-	-	74	183	21	3	2	4	5	16	2	16	4	-	7	25	-	69
-	-	43	150	18	-	2	1	2	37	-	12	3	-	3	18	-	44
-	-	57	231	29	3	1	1	3	30	3	22	10	1	7	27	1	67
-	-	49	182	19	2	2	2	3	33	-	10	5	1	6	14	-	36
-	3	46	223	34	3	4	1	7	27	4	22	7	1	5	32	-	61
-	4	58	256	78	11	6	6	11	55	3	56	11	3	19	40	5	68
1	-	62	217	30	4	-	4	6	44	2	21	10	2	1	27	2	46
-	-	30	173	31	3	6	7	4	31	1	23	5	-	6	11	2	52
-	2	98	352	38	4	1	5	15	74	4	59	7	-	13	25	-	111
-	1	99	515	54	13	3	7	11	84	5	36	2	-	11	50	5	102
-	-	57	143	25	3	1	2	5	20	2	23	7	-	4	30	1	48
-	-	39	144	20	2	2	4	11	22	-	20	9	-	3	25	-	43
-	-	18	74	8	3	-	-	-	13	-	6	-	-	1	15	2	29
-	-	16	58	7	-	1	-	-	9	1	4	3	-	1	3	1	25
-	1	31	128	7	1	3	2	5	9	-	16	2	-	4	16	-	29
-	-	12	59	9	1	-	1	-	16	2	8	2	-	3	6	-	28
-	-	32	87	11	2	1	1	-	29	-	9	-	-	4	8	1	23
-	-	20	69	15	3	1	2	-	10	-	11	1	-	4	10	-	25
-	-	19	51	5	4	-	2	1	14	1	16	3	1	3	5	-	15
-	-	8	49	5	1	-	1	1	12	1	6	3	2	1	4	-	9
-	-	15	98	8	3	1	1	5	7	1	7	8	-	7	7	1	10
-	-	23	54	4	-	6	1	3	7	-	7	2	-	2	6	-	21
-	1	9	32	2	2	-	-	4	8	-	1	-	-	1	10	-	8
-	1	30	62	6	-	-	2	2	10	4	17	1	-	2	11	-	25
-	-	7	50	5	3	-	1	-	9	-	2	2	-	3	11	-	11
-	-	26	114	10	3	1	2	-	20	-	11	3	-	8	12	-	21
-	-	25	120	13	3	1	3	2	13	1	7	3	-	3	11	1	30
-	1	11	105	5	-	-	2	1	11	1	8	5	-	3	11	-	19
-	-	26	55	9	1	-	-	2	13	-	15	1	-	3	5	2	13
-	-	16	72	2	1	-	1	6	14	-	8	1	2	1	7	-	16
-	-	12	60	3	1	2	1	3	5	-	5	4	-	1	5	-	22
-	-	26	85	14	1	1	2	1	24	-	13	1	-	3	18	-	32
-	-	13	52	4	2	-	-	2	4	1	14	4	-	-	8	1	8
-	-	12	62	10	1	2	2	-	18	1	8	1	-	2	8	-	13
-	-	9	59	5	-	1	-	1	9	2	9	3	-	3	6	1	17
-	-	17	55	16	-	3	2	5	8	2	31	2	-	5	14	-	22
-	-	12	46	7	2	-	1	1	3	1	8	1	-	1	10	-	25
-	-	35	129	17	3	4	-	2	24	1	17	6	1	4	16	2	34
-	-	6	78	7	1	-	1	3	6	-	6	1	-	4	4	-	9
-	-	9	42	6	1	-	-	3	11	-	5	4	-	1	7	-	15
-	-	4	34	7	-	4	-	1	4	-	9	3	-	1	11	-	11
-	-	39	180	17	4	2	4	4	57	-	5	2	-	-	9	1	44
-	-	5	35	5	-	-	-	-	5	-	8	1	-	4	1	-	10
-	-	20	64	13	2	1	3	-	11	-	21	1	-	-	9	3	18
-	-	49	171	8	2	3	-	2	4	1	7	2	-	1	10	3	26
-	-	32	62	20	5	-	4	2	15	-	12	3	-	2	14	-	30
-	-	11	54	2	1	-	-	1	21	1	7	2	-	6	8	1	13
-	-	20	56	11	-	2	1	2	3	-	6	1	-	1	7	-	19
-	-	11	69	13	1	1	-	3	15	-	8	4	-	3	9	-	40
-	-	29	106	22	2	-	-	6	23	-	18	1	-	3	19	1	30
-	-	15	73	8	2	1	3	1	9	-	4	2	-	4	8	1	21
-	-	14	49	8	2	1	1	2	9	2	7	1	-	2	8	7	15
-	-	14	77	11	-	1	-	2	9	-	6	-	-	2	13	4	18
-	-	6	32	6	-	-	-	-	12	-	6	1	-	2	4	-	17
-	-	11	78	11	-	-	-	1	13	1	4	3	2	2	14	1	16
-	-	28	105	11	1	-	2	1	10	-	6	1	-	3	6	1	15
-	-	7	30	5	2	-	-	2	4	1	2	4	-	-	6	-	13
-	-	15	56	6	-	2	1	1	13	-	9	1	-	1	12	-	10
-	-	10	79	9	4	-	-	2	7	-	12	2	1	3	8	-	19
-	-	18	86	13	1	-	-	7	5	1	8	1	-	-	4	-	18
3	1	124	211	94	6	19	3	10	66	6	84	7	20	22	34	6	105
2	2	56	151	36	4	4	3	6	40	5	32	7	11	11	27	12	47
1	2	47	137	32	2	8	4	4	73	4	55	3	7	8	34	5	58
-	-	55	151	34	4	4	3	3	56	6	48	11	2	11	23	13	59
2	-	30	60	17	1	2	1	5	35	1	17	2	4	8	11	5	31
1	1	41	142	28	2	1	1	3	94	3	32	2	5	12	17	5	114
1	1	19	50	11	-	3	3	-	26	2	22	1	3	5	14	2	28
-	1	53	106	55	1	3	3	4	58	2	55	5	16	9	31	12	53
2	2	76	192	55	9	15	4	4	56	7	48	4	4	11	19	9	69
-	-	10	18	2	1	1	-	-	12	2	14	-	1	2	5	3	8
-	-	17	26	11	-	3	1	-	13	1	11	-	1	1	5	9	10
-	-	8	46	9	1	5	2	-	13	4	14	2	1	2	6	5	11
-	-	30	48	22	1	2	1	2	14	2	29	3	5	2	11	4	39
1	-	18	44	16	1	10	4	-	11	6	27	-	4	8	14	13	22
-	-	21	27	23	-	4	-	3	16	4	8	-	1	4	4	3	20
-	-	20	19	6	-	3	-	-	8	3	11	-	3	5	2	4	7
-	-	12	34	7	1	1	-	1	11	-	6	1	1	1	4	3	4
1	-	22	26	13	4	3	3	2	22	5	21	-	10	6	8	4	21
-	1	9	24	6	-	-	1	1	5	-	8	1	2	2	2	-	5
1	1	21	22	14	1	4	1	-	27	2	15	1	2	2	12	-	10
-	-	9	18	9	-	3	1	-	7	1	7	-	-	2	7	2	9
-	1	25	36	10	2	-	2	-	9	3	15	2	2	3	9	2	16
-	-	9	23	4	2	2	1	-	14	1	9	-	-	5	3	1	9
-	-	13	25	13	-	1	-	-	12	2	8	1	-	1	1	1	11
-	1	8	12	6	-	1	1	-	7	-	12	-	-	2	5	3	11
-	-	11	27	11	-	7	-	1	43	1	18	3	-	2	8	9	17

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
NORTH DAKOTA																
Fargo	303	-	1	-	-	-	10	-	-	2	-	-	45	-	10	2
Bismarck	106	-	-	-	1	1	3	-	-	-	-	1	15	-	4	-
Grand Forks	156	-	1	-	-	2	4	-	-	1	-	-	22	-	1	-
Minot	184	-	-	-	-	-	3	-	-	1	-	-	28	-	7	-
OHIO																
Akron	2,293	-	4	-	3	-	69	1	1	16	1	1	286	5	81	5
Canton	1,281	1	5	1	1	-	37	-	-	11	-	1	150	3	34	2
Cincinnati	6,579	-	9	1	10	7	325	6	-	95	13	1	807	-	193	12
Cleveland	10,462	2	20	4	13	6	538	1	1	84	1	2	1,365	13	337	34
Columbus	4,155	-	4	4	4	3	152	-	-	72	2	-	499	2	116	15
Dayton	2,988	-	3	2	4	1	153	-	-	76	6	-	318	2	78	11
Toledo	3,867	10	5	-	5	1	175	3	-	76	4	-	476	5	108	8
Youngstown	1,699	-	3	-	4	-	70	-	-	9	1	-	223	-	51	4
Cleveland Heights	515	-	-	-	-	-	3	-	-	-	-	-	76	-	15	1
East Cleveland	453	-	-	-	-	-	9	-	-	1	-	-	79	-	14	-
Elyria	292	-	-	-	-	-	12	-	-	3	-	-	34	1	6	-
Hamilton	557	-	1	1	1	2	25	-	-	2	2	-	70	1	17	1
Lakewood	636	-	1	1	-	-	5	-	-	4	-	-	100	1	20	1
Lima	561	-	-	-	1	1	17	-	-	3	-	-	49	-	14	2
Lorain	467	-	1	-	-	1	16	-	-	1	-	-	76	1	18	3
Mansfield	445	-	1	-	-	-	8	-	-	10	1	-	65	-	19	2
Marion	413	-	1	-	2	-	10	-	-	2	-	-	45	2	15	5
Massillon	329	-	-	-	1	-	13	-	-	4	-	-	43	-	9	2
Middletown	331	-	-	1	1	-	16	-	-	5	2	-	31	-	14	-
Newark	484	-	-	1	-	-	9	-	-	2	-	-	52	-	14	1
Norwood	348	-	-	-	1	-	8	-	-	1	-	-	47	-	6	2
Portsmouth	415	-	1	2	3	1	15	-	-	2	1	-	47	-	7	-
Springfield	913	2	-	-	4	-	26	-	-	10	-	-	105	-	27	2
Steubenville	404	1	1	-	2	-	15	-	-	5	-	-	52	-	10	-
Warren	496	-	-	-	-	-	20	-	-	2	1	-	57	1	14	1
Zanesville	580	-	1	-	2	-	10	1	-	6	-	-	67	-	12	2
Alliance	296	-	1	-	1	-	13	-	-	4	-	-	29	-	11	6
Ashland	162	-	-	-	-	-	1	-	-	2	-	-	25	-	9	-
Ashtabula	256	-	-	-	-	-	3	-	-	4	-	-	32	-	15	-
Barberton	244	-	1	-	-	-	10	-	-	2	-	-	33	-	11	1
Bellaire	148	-	-	-	-	1	4	-	-	3	-	-	20	1	2	-
Cambridge	213	-	1	-	-	-	5	-	-	2	-	-	27	-	8	1
Campbell	115	-	-	-	1	-	9	-	-	2	-	-	14	-	3	2
Chillicothe	240	-	-	-	2	-	11	-	-	4	-	-	26	-	6	-
Coshocton	145	-	1	-	-	-	3	-	-	-	-	1	18	-	3	-
Cuyahoga Falls	183	-	-	-	-	-	2	-	-	2	-	-	26	-	6	-
East Liverpool	314	-	-	-	-	-	17	-	-	2	-	-	34	-	9	1
Euclid	172	-	-	-	-	1	1	-	-	2	-	-	28	1	4	-
Findlay	307	-	-	-	-	1	3	-	-	-	1	-	27	1	10	2
Fostoria	158	-	-	-	-	-	10	-	-	1	2	-	26	1	2	-
Fremont	162	-	-	-	-	-	5	-	-	2	-	-	20	-	3	1
Garfield Heights	111	-	-	-	-	-	2	-	-	-	-	-	22	-	7	-
Ironton	161	1	-	-	-	-	6	-	-	6	-	-	16	-	3	-
Lancaster	256	-	-	-	1	-	11	-	-	4	-	-	34	-	7	-
Marietta	205	-	-	-	-	-	5	1	-	3	-	-	17	-	6	1
Martins Ferry	184	-	-	-	-	-	2	-	-	-	-	-	22	-	9	2
Mount Vernon	153	-	-	-	-	-	1	1	-	-	-	-	20	1	3	-
New Philadelphia	156	-	-	1	-	1	2	1	-	-	-	-	16	-	2	-
Niles	162	-	-	1	-	-	3	-	-	2	-	-	21	-	5	-
Painesville	148	-	-	-	-	1	5	-	-	2	-	-	16	-	5	-
Parma	126	-	-	-	-	-	5	-	-	-	-	-	15	-	6	-
Piqua	213	-	-	-	-	-	4	-	-	1	-	-	23	-	6	-
Salem	135	-	-	-	1	-	5	-	-	-	-	-	21	-	-	-
Sandusky	376	-	-	-	-	-	15	-	-	3	-	-	45	-	9	-
Shaker Heights	154	-	-	-	-	-	2	-	-	-	-	-	35	-	6	3
Struthers	72	-	-	-	-	-	1	-	-	1	-	-	5	-	3	1
Tiffin	207	-	-	-	1	-	5	-	-	1	-	-	30	-	3	-
Wooster	144	-	-	-	-	-	3	-	-	-	1	-	19	-	7	1
Xenia	147	2	-	-	-	-	2	-	-	3	-	-	19	-	2	1
OKLAHOMA																
Oklahoma City	1,929	1	1	-	11	1	62	3	1	11	-	2	202	1	33	2
Tulsa	1,553	-	10	1	8	4	66	3	-	25	1	3	176	2	33	5
Enid	374	-	-	-	3	-	18	-	-	5	1	-	42	1	6	-
Muskogee	487	1	1	-	1	-	27	-	-	5	-	-	42	-	10	-
Ada	169	-	-	-	-	-	6	-	-	1	-	1	25	1	2	-
Ardmore	202	-	2	-	1	-	10	-	1	-	-	1	23	1	4	1
Bartlesville	159	-	-	-	-	1	3	-	-	3	-	-	23	-	3	-
Chickasha	166	-	-	-	1	-	5	-	-	1	-	-	17	-	4	-
Durant	102	2	-	-	-	1	1	-	1	-	-	1	5	-	1	-
El Reno	141	-	-	-	-	-	3	-	-	2	-	-	12	-	3	1
Guthrie	168	-	-	1	-	-	7	-	-	1	-	-	19	-	3	-
Lawton	242	-	1	-	1	-	7	3	-	4	-	2	17	1	5	1
McAlester	238	-	-	-	1	-	11	2	1	-	-	-	17	-	3	-
Norman	375	-	1	-	-	-	14	-	-	30	-	-	23	-	6	-
Okmulgee	155	-	-	-	-	-	12	-	-	3	-	-	10	-	3	1
Ponca City	142	-	-	-	2	-	5	-	-	-	-	-	16	-	4	-
Sapulpa	137	-	-	-	1	-	7	1	-	2	-	-	18	-	4	-
Seminole	93	-	-	-	1	-	2	1	-	1	-	1	9	-	-	-
Shawnee	237	1	-	1	1	-	13	-	-	2	-	1	34	-	4	2
Stillwater	94	-	-	-	-	-	1	1	-	-	-	-	11	-	3	-
Wewoka	78	-	-	-	-	-	7	-	-	1	-	1	8	-	-	-

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	-	27	93	9	3	1	3	3	9	4	16	1	-	5	13	7	39
-	-	5	32	5	1	1	1	2	4	1	11	-	-	2	4	1	11
-	-	9	32	11	-	1	3	-	21	1	15	-	2	1	8	3	18
-	1	13	47	12	2	1	-	1	6	1	21	2	-	2	15	5	16
-	2	194	690	143	18	26	14	25	168	10	137	24	15	51	94	7	202
-	3	125	366	90	6	3	8	7	60	6	69	12	5	22	70	17	116
2	8	612	2,096	391	48	55	24	69	424	22	220	67	54	82	263	58	605
1	16	857	3,094	712	79	38	44	125	515	33	464	104	69	131	456	223	980
-	1	421	1,194	246	25	37	14	39	287	15	170	34	12	54	214	66	453
1	3	237	883	151	16	75	17	29	211	14	163	33	31	41	135	22	267
1	-	307	1,159	232	23	15	26	45	209	16	153	47	15	68	182	60	433
2	2	190	452	147	15	4	8	20	124	11	65	12	11	31	71	12	157
-	-	51	225	20	4	2	2	2	19	1	12	6	-	4	12	3	57
-	-	34	140	21	6	1	1	6	20	2	34	6	-	8	14	2	55
-	-	22	97	22	-	-	-	5	18	2	10	5	1	2	19	2	31
-	-	67	208	41	3	13	1	3	27	2	33	7	2	12	39	8	68
-	-	86	202	34	5	2	2	2	44	2	18	4	-	4	31	5	62
-	1	37	176	34	3	9	2	7	54	1	38	3	-	17	34	8	51
-	-	29	136	28	7	2	-	5	33	1	40	5	-	8	18	2	36
-	2	43	121	14	4	3	2	3	26	-	33	1	2	3	23	19	40
-	-	38	131	28	3	3	1	2	20	1	25	6	-	7	17	7	42
-	-	40	91	24	2	2	-	2	19	1	15	4	-	4	12	2	39
-	-	32	85	22	6	11	-	3	20	1	20	-	5	11	13	3	29
-	-	66	135	33	6	5	1	3	44	2	19	3	-	9	24	8	47
-	-	39	119	11	3	-	3	6	21	2	13	2	1	6	17	5	33
-	-	46	124	34	1	3	5	3	30	4	21	1	-	2	19	5	38
-	2	131	249	69	7	8	4	7	83	4	28	4	2	8	43	8	80
-	-	44	111	28	4	1	1	2	26	-	17	5	2	7	25	7	38
-	2	44	132	41	4	4	7	5	38	4	25	1	-	11	25	9	48
-	-	67	146	30	3	4	1	5	42	3	22	3	-	4	29	9	61
-	2	15	94	9	4	-	3	3	20	4	16	1	1	5	17	2	35
-	-	12	57	8	2	1	2	-	5	1	-	3	-	1	10	1	22
-	-	21	78	15	-	-	1	2	21	1	13	-	-	7	15	1	27
-	-	13	77	14	2	5	2	2	11	-	16	3	-	3	12	3	23
-	-	10	40	7	-	1	-	1	24	-	12	-	1	1	9	-	11
-	-	30	61	9	3	-	5	2	12	1	6	2	-	2	6	3	27
-	-	9	27	9	-	1	-	2	3	1	6	-	1	2	12	-	11
-	-	19	60	12	-	4	1	1	15	2	12	4	-	2	17	13	29
-	-	18	39	10	1	-	1	-	10	-	9	3	-	6	5	1	16
-	-	25	63	13	1	2	-	1	6	1	13	4	-	-	8	-	10
-	-	31	95	15	2	2	1	1	19	2	22	3	2	2	15	10	29
-	-	15	61	8	-	-	1	4	6	1	6	3	-	3	10	-	17
-	-	43	113	11	-	2	1	2	11	-	18	2	-	7	13	2	37
-	-	11	41	6	-	1	1	1	9	-	6	4	-	3	13	4	16
-	-	23	54	8	1	1	-	1	10	1	3	1	-	2	7	1	18
-	-	5	35	4	1	-	-	1	6	-	3	1	-	1	4	5	14
-	1	14	43	9	1	4	-	3	17	-	7	-	2	4	6	-	18
-	1	33	67	15	-	1	1	1	17	-	13	2	-	3	15	1	29
-	-	23	73	7	-	2	2	1	16	-	11	1	-	2	11	2	21
-	-	22	63	6	1	1	-	2	20	1	4	1	-	1	10	1	16
-	1	17	45	12	1	1	-	2	5	2	13	2	-	1	9	2	14
-	-	28	46	11	2	1	3	-	9	-	4	-	1	2	7	1	18
-	-	18	50	11	1	-	-	-	4	1	11	1	1	4	10	-	18
-	-	22	36	7	2	1	-	4	4	-	13	1	-	3	10	1	15
-	-	14	40	5	3	1	-	-	7	-	4	-	-	4	4	2	18
-	-	32	65	14	2	2	1	2	11	2	5	6	-	4	12	2	19
-	-	15	40	7	1	-	2	-	8	-	8	3	1	1	2	-	20
-	2	33	107	24	-	1	4	2	29	4	20	3	-	9	22	9	35
-	-	17	50	4	1	-	-	1	6	-	6	1	-	-	8	-	14
-	1	9	18	6	-	-	1	1	7	-	6	-	-	1	3	-	8
-	-	22	70	12	4	3	2	3	9	-	11	1	-	4	8	3	15
-	-	20	44	9	-	1	-	1	6	1	9	2	-	2	5	3	10
-	-	22	40	9	2	2	-	1	6	1	9	2	1	2	8	1	12
3	-	187	483	122	11	26	13	13	96	15	164	8	19	46	102	61	229
1	3	156	343	89	6	13	12	6	110	2	115	12	14	29	93	51	161
-	-	35	112	19	5	2	2	1	17	1	21	2	2	9	16	11	43
1	-	37	130	41	5	8	1	-	40	1	31	1	3	2	16	26	57
1	-	14	32	12	3	-	4	-	16	-	15	1	-	6	8	8	13
2	-	22	47	16	1	3	5	2	10	-	12	3	1	5	5	12	12
-	-	22	35	11	1	1	2	-	16	-	6	-	1	3	8	6	14
-	2	12	22	19	-	5	-	8	12	2	10	1	-	6	10	7	22
-	-	7	15	8	-	5	1	1	17	1	8	-	-	2	5	7	13
2	1	14	32	17	-	1	-	3	6	2	7	-	-	1	9	7	18
1	-	23	43	9	-	-	-	-	10	-	9	1	-	-	6	11	24
1	-	21	46	14	2	4	1	3	9	2	44	1	3	4	13	10	22
-	-	20	56	11	-	2	1	4	21	1	13	-	6	2	15	15	36
4	-	49	60	11	1	5	3	2	8	2	18	2	2	4	25	26	79
1	-	18	33	9	-	1	-	1	13	3	12	-	-	2	6	13	14
1	-	8	29	10	3	1	2	-	20	-	7	-	-	6	15	2	11
-	-	11	33	8	-	1	-	-	9	-	9	-	-	-	12	9	12
-	-	9	20	11	-	1	-	1	5	2	5	2	1	3	5	3	10
-	-	31	61	20	-	-	-	2	7	3	15	1	1	2	6	8	21
-	-	6	26	7	-	1	1	-	7	-	7	1	-	-	4	6	12
-	-	5	19	6	-	-	2	1	4	-	3	-	-	2	5	6	8

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
OREGON																
Portland	4,744	-	19	2	1	7	107	-	-	28	9	3	625	2	93	4
Salem	742	-	2	-	1	-	22	4	-	27	-	1	73	-	14	2
Astoria	143	-	-	-	-	-	3	-	-	2	1	-	15	-	1	-
Bend	107	-	-	-	1	-	1	-	-	1	-	-	15	-	2	-
Eugene	327	-	1	-	-	-	2	1	-	-	-	-	48	-	10	2
Klamath Falls	160	-	-	-	-	-	5	-	-	3	1	-	16	-	6	-
Medford	147	-	2	-	-	-	1	-	-	2	-	-	21	-	3	1
PENNSYLVANIA																
Erie	1,362	-	2	-	3	-	44	-	-	10	-	-	179	1	47	8
Philadelphia	26,589	4	89	4	27	2	1,224	15	1	328	18	-	3,414	51	765	52
Pittsburgh	8,614	2	13	2	18	8	361	2	-	78	5	-	1,000	6	242	24
Reading	1,387	-	3	-	-	-	45	-	-	8	1	-	202	6	55	5
Scranton	1,560	-	2	-	1	-	64	-	-	10	-	-	195	2	49	2
Aliquippa	232	-	-	-	-	1	19	-	-	5	-	-	21	-	12	-
Allentown	1,308	2	-	-	3	1	35	5	-	32	-	-	141	-	54	5
Altoona	891	-	3	-	-	-	15	-	-	7	-	-	112	1	32	-
Bethlehem	585	-	-	-	-	-	7	-	-	7	-	1	76	-	15	1
Chester	791	-	4	-	2	-	43	-	-	9	2	1	73	-	21	-
Easton	542	-	1	-	1	-	9	-	-	5	-	-	74	2	19	2
Harrisburg	1,146	-	3	-	1	-	26	-	-	13	1	-	154	1	45	2
Haverford (twp.) [2]	184	-	-	-	-	-	4	-	-	1	-	-	27	-	8	-
Hazleton	360	-	2	-	1	-	6	-	-	-	-	-	30	1	17	-
Johnstown	839	-	2	-	-	2	21	-	-	7	-	-	96	2	27	2
Lancaster	811	1	-	-	4	-	26	-	-	7	1	1	96	-	25	5
Lebanon	352	-	-	-	1	-	5	-	-	6	-	-	41	-	10	-
Lower Merion (twp.) [2]	369	-	1	-	1	-	2	-	-	2	-	-	53	-	9	1
McKeesport	604	-	1	-	-	-	22	-	-	1	-	-	67	-	18	-
New Castle	522	-	-	-	3	-	10	-	-	2	-	-	63	2	27	2
Norristown	768	-	-	-	-	-	62	-	-	29	-	-	59	5	17	-
Sharon	276	-	2	-	-	-	9	-	-	3	-	1	32	-	15	1
Upper Darby (twp.) [2]	555	-	3	-	-	-	12	-	-	4	1	-	70	2	22	1
Washington	336	-	1	-	6	-	7	-	-	5	-	-	30	1	5	-
Wilkes-Barre	1,063	-	3	1	-	-	36	-	-	5	-	1	146	-	41	1
Wilkinsburg	379	-	-	-	-	-	5	-	-	1	-	-	41	-	16	-
Williamsport	561	-	2	-	1	-	6	-	-	5	-	-	79	-	24	3
York	760	-	3	-	2	-	13	1	-	9	-	-	85	1	25	1
Abington (twp.) [2]	167	-	-	-	-	-	3	-	-	-	1	-	21	2	8	1
Ambridge	154	-	1	-	-	-	12	-	-	-	-	-	18	-	4	-
Arnold	78	-	-	-	-	-	-	-	-	-	-	-	14	-	3	-
Beaver Falls	188	-	-	-	1	-	8	-	-	3	-	-	22	-	5	-
Bellevue	135	2	-	-	-	-	3	-	-	-	-	-	17	-	3	-
Berwick	144	-	-	-	-	-	4	-	-	-	-	-	18	-	6	-
Braddock	237	-	1	-	-	-	13	-	-	-	-	-	27	-	-	-
Bradford	222	-	-	-	-	-	10	-	-	4	1	-	28	-	5	-
Bristol	119	-	-	-	-	-	3	-	-	-	1	-	13	-	3	-
Butler	256	-	2	-	-	-	2	-	-	1	-	-	40	-	6	1
Canonsburg	129	-	1	-	-	-	3	-	-	1	-	-	15	-	7	1
Carbondale	217	-	2	-	-	-	5	-	-	-	-	-	41	-	4	1
Carlisle	176	-	-	-	-	-	4	-	-	2	-	-	18	-	6	-
Carnegie	140	-	-	-	1	-	11	-	-	1	-	-	25	-	2	-
Chambersburg	201	-	2	-	-	-	4	-	-	1	-	-	20	-	7	-
Charleroi	96	-	1	-	-	-	-	-	-	1	1	-	14	-	2	-
Cheltenham (twp.) [2]	173	-	1	-	-	-	1	-	-	1	-	-	30	-	3	1
Clairton	144	-	-	-	-	-	9	-	-	-	-	-	17	-	3	-
Coatesville	147	-	1	-	-	-	8	-	-	-	-	-	20	-	5	-
Columbia	149	-	-	-	1	-	7	-	-	1	-	-	22	1	2	-
Connellsville	182	-	-	-	-	-	3	-	-	1	-	-	16	-	5	1
Conshohocken	129	-	-	-	-	-	1	1	-	-	-	-	12	-	4	-
Coraopolis	115	-	-	-	-	-	5	-	-	1	1	-	11	-	2	-
Darby	125	-	-	-	-	-	10	-	-	1	-	-	9	-	4	-
Dickson City	101	-	-	-	-	-	5	-	-	-	-	-	17	-	5	-
Donora	101	-	-	-	-	-	3	-	-	-	-	-	9	-	4	2
Dormont	126	-	-	-	-	-	4	-	-	-	-	-	25	-	6	-
Du Bois	143	-	-	-	1	-	4	-	-	1	-	-	19	-	2	3
Dunmore	245	-	-	-	-	-	8	-	-	1	-	-	25	-	5	1
Duquesne	166	-	-	-	-	-	3	-	-	-	-	-	28	1	4	-
Ellwood City	109	-	-	-	-	-	1	-	-	-	-	-	13	-	3	1
Farrell	136	-	3	-	-	-	10	-	-	3	-	-	15	-	4	-
Greensburg	218	-	-	-	1	-	5	-	-	-	1	-	40	-	3	-
Hanover	26	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-
Hanover (twp.) [2]	198	-	-	-	-	-	3	-	-	1	-	-	23	-	10	-
Harrison (twp.) [2]	71	-	-	-	-	-	3	-	-	-	-	-	5	-	1	1
Homestead	146	-	-	-	1	-	6	-	-	2	-	-	13	-	6	1
Indiana	117	-	-	-	-	-	2	-	-	-	-	-	13	-	5	-
Jeannette	151	-	-	-	-	-	1	-	-	-	-	-	20	-	6	-
Kingston	253	-	-	-	-	-	6	1	-	-	-	-	28	1	10	1
Lansdowne	115	-	-	-	-	-	1	-	-	1	1	-	19	-	1	-
Latrobe	110	-	-	-	-	-	3	-	-	-	-	-	14	-	7	-
Lewistown	208	-	-	-	-	-	3	-	-	2	-	-	27	-	11	1
Lock Haven	168	-	1	-	1	-	1	-	-	1	-	-	11	1	7	-
McKees Rocks	246	-	1	-	-	-	2	-	-	1	-	-	35	1	7	-
Mahanoy City	176	-	-	-	-	-	3	-	-	1	-	-	20	-	11	-
Meadville	249	-	-	-	-	-	5	-	-	2	1	-	34	-	11	1

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
1	15	441	1,380	411	45	11	18	34	383	12	153	82	16	75	248	43	476
-	1	65	165	96	3	4	-	3	46	1	19	7	3	2	29	59	93
-	2	16	39	2	-	-	3	3	7	2	8	-	2	3	14	4	16
-	-	8	29	8	-	1	-	1	6	-	10	-	-	1	14	-	9
-	-	44	86	12	3	-	1	2	33	1	24	3	1	7	15	10	21
-	1	7	46	10	1	1	-	-	14	1	6	2	1	3	13	3	20
-	-	12	45	7	2	-	2	3	10	-	11	1	1	9	6	1	7
-	4	180	448	61	9	7	4	19	79	5	86	18	3	20	53	6	116
3	31	1,713	9,042	1,703	148	107	95	315	1,972	99	1,105	203	98	269	914	189	2,589
1	23	675	2,668	879	56	51	34	89	580	37	370	52	34	98	332	113	761
-	-	112	501	65	6	7	6	15	93	8	42	15	-	15	55	5	117
-	1	83	580	67	10	8	7	21	120	8	67	5	-	18	76	8	156
-	2	12	64	15	2	3	-	3	13	1	15	4	1	2	14	1	22
-	2	109	405	71	9	5	5	5	98	5	54	10	-	17	51	2	182
-	2	85	308	42	3	4	5	5	68	2	49	6	2	6	28	4	102
-	1	42	211	34	4	4	3	6	21	3	35	10	-	9	21	-	74
-	-	47	172	90	6	4	7	7	74	3	54	7	7	20	46	4	88
-	1	49	160	25	5	2	5	13	34	2	22	8	2	16	34	1	50
1	1	70	390	45	4	15	15	10	110	8	55	6	3	12	31	12	112
-	-	18	63	9	2	-	-	2	16	1	6	1	-	1	6	-	19
-	-	25	129	13	3	3	2	2	28	1	34	4	1	2	20	2	34
1	3	70	243	77	9	3	4	11	74	4	40	2	2	13	38	2	84
-	1	59	290	45	4	1	4	4	49	4	47	15	-	10	28	5	79
-	-	31	108	34	3	3	3	3	31	2	19	3	1	4	15	3	26
-	-	38	122	21	1	3	1	3	23	-	13	12	1	4	17	1	40
-	2	55	175	51	4	4	2	10	65	3	35	4	2	9	19	5	50
-	-	37	171	28	5	5	4	3	24	2	32	1	1	13	32	3	52
-	2	51	290	59	3	1	3	4	49	1	22	3	-	6	44	3	55
-	-	15	79	21	3	-	1	-	17	1	27	2	-	2	13	-	32
-	1	49	178	36	4	2	3	5	49	-	23	4	2	9	18	4	58
-	1	38	99	28	1	1	-	1	29	-	24	4	1	5	14	-	35
-	1	54	338	43	9	2	4	11	121	11	37	4	2	13	55	8	116
-	-	34	122	23	3	2	1	5	25	2	22	4	-	3	21	7	42
-	-	42	202	22	6	4	-	6	33	3	23	7	-	8	27	5	53
-	4	91	253	28	1	2	8	8	47	4	37	14	3	13	36	4	67
-	-	20	57	6	2	-	1	-	11	-	8	-	-	1	6	-	19
-	1	13	34	9	1	-	2	1	7	-	12	2	1	8	9	1	18
-	1	4	14	6	2	-	3	1	7	1	-	-	-	3	4	1	14
-	-	23	34	13	-	1	2	-	14	3	16	-	-	3	14	4	22
-	1	9	57	7	1	-	1	-	8	-	4	-	-	4	8	-	10
-	-	11	43	14	3	1	1	-	10	-	5	1	-	3	3	1	20
-	-	22	66	21	2	3	1	4	13	1	28	-	1	4	11	2	17
-	-	21	62	9	2	2	1	4	18	-	14	1	-	5	8	2	25
-	-	8	32	1	-	2	-	-	11	2	7	2	-	4	12	-	18
-	-	26	91	13	1	1	2	-	13	1	13	5	-	3	8	-	27
-	-	12	32	11	-	1	-	-	10	1	8	1	-	2	6	2	15
-	-	13	59	12	-	2	1	-	31	-	15	-	-	4	11	-	16
-	1	27	40	3	1	3	-	-	16	-	14	3	-	-	17	-	21
-	1	8	35	4	2	2	-	1	11	1	11	1	-	4	7	1	11
-	-	17	75	6	2	-	-	-	31	1	10	2	1	2	9	1	10
-	-	8	23	5	1	-	1	3	13	-	3	1	-	-	7	3	9
-	-	25	64	6	1	-	-	3	9	-	2	1	-	4	4	-	17
-	2	9	47	16	3	-	-	-	9	-	10	2	-	2	5	-	10
-	1	8	49	2	-	-	1	2	15	-	9	1	-	2	9	1	13
-	-	14	50	5	1	-	1	3	8	-	8	-	-	2	7	1	15
-	-	19	55	16	1	1	-	2	20	2	6	2	-	3	7	-	22
-	1	13	43	9	2	1	-	2	12	-	5	1	-	2	4	4	12
-	-	9	36	12	-	1	1	1	13	1	2	-	-	1	4	-	14
-	-	6	33	9	1	1	-	1	15	-	18	2	-	3	-	-	12
-	-	4	37	5	-	-	2	2	6	-	1	1	-	1	8	-	7
-	-	11	32	10	1	1	-	1	9	1	4	-	-	1	2	-	10
-	-	8	44	7	1	-	1	2	5	1	5	2	-	2	3	2	8
-	1	17	45	10	-	-	-	3	13	1	4	-	-	-	4	1	14
-	-	16	81	11	2	3	3	3	28	-	5	-	-	4	15	1	33
-	-	6	48	21	2	1	1	1	8	2	12	3	-	-	12	-	13
-	-	12	30	5	2	-	1	4	8	1	9	-	-	-	5	1	13
-	-	7	33	17	1	-	2	1	7	1	7	1	-	3	10	-	11
-	-	13	74	18	1	2	1	2	3	1	12	3	-	2	6	1	29
-	-	2	11	2	1	-	1	-	1	-	1	1	-	-	-	-	3
-	-	19	60	13	1	1	3	2	9	-	10	1	1	4	7	4	26
-	-	3	18	8	-	1	1	-	4	-	7	-	-	2	4	-	13
-	-	10	43	19	-	-	-	3	11	1	8	2	-	-	8	2	10
-	-	18	40	3	-	-	1	1	7	-	8	-	-	1	2	-	16
-	-	12	50	8	1	1	-	3	11	2	8	2	-	-	12	-	14
-	-	14	72	18	1	3	4	3	39	-	11	1	1	2	16	1	25
-	-	14	43	4	-	1	1	1	8	-	4	3	-	-	2	1	10
-	-	13	27	5	-	-	-	1	2	-	8	1	-	1	8	1	19
1	-	18	72	12	-	1	2	2	15	1	10	-	-	2	6	1	16
-	1	25	54	8	-	-	2	1	5	1	14	1	-	2	6	-	20
-	-	26	62	25	-	3	1	5	10	4	21	1	1	4	16	-	20
-	-	11	53	14	2	1	2	-	20	-	3	2	-	-	11	1	21
-	-	21	89	13	1	-	-	5	8	1	23	1	-	2	9	4	18

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
PENNSYLVANIA—Continued																
Monessen	144	-	-	-	1	-	7	-	-	-	-	-	16	-	3	1
Mount Carmel	148	-	-	-	-	-	9	-	-	-	-	-	19	1	8	-
Mount Lebanon (twp.) [2]	126	-	-	-	-	-	2	-	-	-	-	-	17	-	3	1
Munhall	126	-	-	-	-	-	3	-	-	-	-	1	18	1	4	-
Nanticoke	228	-	-	-	-	-	14	-	-	1	-	-	21	-	7	1
New Kensington	259	-	-	-	1	-	7	-	-	2	1	-	33	1	12	1
North Braddock	125	-	-	-	-	-	4	-	-	2	-	-	9	-	1	1
Oil City	232	-	-	-	1	-	2	-	-	1	1	-	21	1	14	-
Old Forge	90	-	-	-	-	-	2	-	-	-	-	-	9	-	3	1
Phoenixville	134	-	1	-	-	-	2	-	-	2	-	-	16	1	8	1
Pittston	199	-	-	-	-	-	7	-	-	3	-	-	19	-	6	-
Plains (twp.) [2]	78	-	-	-	-	-	4	-	-	-	-	-	17	-	4	-
Plymouth	163	-	1	-	-	-	7	-	-	1	-	-	13	-	7	-
Pottstown	266	-	-	-	1	-	9	-	-	2	-	-	21	-	6	-
Pottsville	356	-	2	-	-	-	4	1	-	1	1	-	46	-	15	-
Shaler (twp.) [2]	29	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-
Shamokin	317	-	-	-	2	-	9	-	-	-	-	-	38	1	14	-
Shenandoah	284	-	-	-	-	-	13	-	-	1	-	-	25	-	10	-
Steelton	132	-	2	-	-	-	10	-	-	4	-	-	15	-	4	1
Stowe (twp.) [2]	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury	203	-	-	-	1	-	3	-	-	-	-	-	24	-	13	1
Swissvale	169	1	1	-	-	-	5	-	-	1	1	-	12	2	4	2
Tamaqua	152	-	-	-	-	-	4	-	-	4	-	-	19	-	12	-
Uniontown	267	1	2	-	-	-	5	-	-	2	-	-	28	-	10	-
Vandergrift	99	-	-	-	-	-	1	-	-	-	-	-	13	1	6	-
Warren	189	-	1	1	-	-	2	-	-	2	-	-	25	1	7	-
Waynesboro	135	-	-	-	-	-	3	1	-	1	-	-	16	1	3	1
West Chester	245	-	1	-	1	-	6	-	-	1	-	1	28	-	6	-
RHODE ISLAND																
Providence	3,207	-	22	1	2	1	103	1	-	28	1	4	435	1	122	4
Central Falls	247	-	1	-	-	-	8	-	-	4	-	-	31	1	7	-
Cranston	619	-	2	-	1	-	33	-	-	10	-	-	73	-	24	2
East Providence (town)	361	-	2	-	1	-	18	-	-	1	-	-	49	-	17	1
Newport	429	-	2	-	1	-	16	-	-	3	-	-	56	-	10	-
Pawtucket	958	-	4	1	2	1	25	-	-	1	-	-	121	-	43	1
Warwick	368	-	-	-	1	1	6	-	-	1	-	1	60	1	10	1
Woonsocket	489	-	3	-	1	-	9	-	-	3	-	-	56	-	21	1
Bristol (town)	145	-	-	-	-	-	13	-	-	-	-	-	15	-	5	-
Cumberland (town)	110	-	1	-	-	-	3	-	-	-	-	-	19	-	3	-
Johnston (town)	91	-	-	-	-	-	1	-	-	1	-	-	13	-	4	-
Lincoln (town)	122	-	-	-	-	-	3	-	-	2	-	-	14	-	6	-
North Providence (town)	94	-	-	1	-	-	5	-	-	1	-	-	14	-	1	-
Westerly (town)	113	-	-	-	-	-	3	-	-	-	-	-	13	-	8	-
West Warwick (town)	193	-	1	-	1	-	7	-	-	2	-	1	31	-	4	1
SOUTH CAROLINA																
Charleston	1,100	-	5	-	2	1	58	-	-	30	-	-	85	5	15	-
Columbia	982	-	-	-	3	-	47	-	1	22	1	-	69	-	21	-
Greenville	531	-	2	-	3	3	30	-	-	11	-	-	50	-	11	2
Spartanburg	417	-	1	-	-	3	13	-	-	3	-	-	25	-	2	-
Anderson	284	-	-	-	2	2	5	-	-	3	-	-	21	-	3	-
Florence	309	-	-	-	1	-	15	3	-	6	-	-	11	-	3	-
Greenwood	182	-	-	-	2	-	6	-	-	2	-	-	14	-	3	1
Orangeburg	149	-	-	-	1	-	8	1	-	3	-	-	7	-	4	-
Rock Hill	147	-	-	-	-	-	11	1	-	1	-	-	11	-	-	-
Sumter	210	-	-	-	2	3	8	2	-	2	-	-	15	-	7	1
SOUTH DAKOTA																
Sioux Falls	427	-	2	-	-	-	4	-	-	5	4	-	48	1	10	-
Aberdeen	143	-	-	-	-	-	1	-	-	-	-	-	21	-	2	-
Huron	121	-	1	-	-	-	2	-	-	-	-	-	12	-	1	-
Mitchell	148	-	-	-	-	1	2	-	-	-	1	-	11	2	4	-
Rapid City	203	-	-	-	-	-	5	-	-	3	-	-	21	-	6	1
Watertown	116	-	1	-	-	-	2	-	-	-	1	-	17	-	6	-
TENNESSEE																
Chattanooga	1,613	-	3	1	11	1	132	1	1	9	-	-	152	3	20	3
Knoxville	1,185	-	3	-	6	-	49	4	-	10	-	-	124	1	16	1
Memphis	3,418	2	5	1	11	-	203	5	2	62	5	-	314	4	60	5
Nashville	2,180	1	4	-	6	-	108	7	-	24	1	-	208	4	44	2
Johnson City	214	-	-	-	-	1	9	1	-	7	-	-	14	1	4	-
Bristol [5]	131	-	-	-	1	-	1	-	-	2	-	-	16	-	2	-
Clarksville	142	-	-	-	3	-	6	-	-	-	2	-	14	-	2	-
Cleveland	130	1	-	-	1	1	9	1	-	-	-	-	8	-	5	-
Columbia	162	-	-	-	-	-	19	-	-	-	-	-	19	-	1	1
Dyersburg	125	-	-	-	-	-	4	-	-	2	-	-	14	-	1	1
Jackson	332	1	-	-	1	-	21	-	1	3	-	-	33	2	6	-
Kingsport	118	-	-	-	-	-	9	-	-	-	-	-	12	-	4	-
TEXAS																
Dallas	3,269	-	1	-	6	1	162	3	3	41	-	7	329	2	71	-
Fort Worth	2,071	1	1	-	2	4	69	4	-	18	1	11	202	3	36	2
Houston	4,701	8	4	1	9	5	245	7	-	78	-	9	424	2	84	8
San Antonio	3,682	-	-	-	15	13	332	8	1	45	1	7	319	2	76	3

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic) 69	Alcoholism (ethyl ism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	-	14	40	17	2	1	1	1	7	-	7	2	-	3	8	3	10
-	-	10	46	10	-	3	1	1	9	1	1	1	-	2	9	3	14
-	1	13	56	3	-	-	-	1	16	-	2	1	-	-	2	-	8
-	-	8	37	13	2	1	1	3	10	-	5	2	-	1	6	1	9
-	1	9	59	15	-	1	1	2	12	2	9	2	1	1	20	6	43
-	1	18	57	18	2	3	4	1	23	1	25	3	-	3	13	2	27
-	-	16	37	6	-	1	1	4	12	-	7	-	-	3	3	-	18
-	-	16	80	18	1	-	-	1	17	2	9	1	1	3	11	7	24
-	-	6	30	5	2	1	1	-	2	-	1	1	-	2	7	1	16
-	-	7	44	13	1	-	-	-	13	-	3	1	-	2	8	1	10
-	-	9	79	17	1	2	-	1	11	2	10	3	-	2	13	3	11
-	-	1	24	5	-	-	-	1	6	-	3	-	-	-	5	-	8
-	-	11	60	8	1	-	2	3	9	-	5	1	-	2	15	1	16
-	-	22	79	13	-	4	1	3	43	2	13	4	-	3	14	-	26
-	-	23	112	17	2	-	3	10	33	1	25	4	1	5	24	1	25
-	-	1	9	1	-	-	-	-	4	-	1	1	-	1	2	1	5
-	-	33	127	16	1	-	1	3	14	1	6	1	-	2	20	-	28
-	-	14	69	14	-	1	1	3	26	-	4	1	-	2	28	1	21
-	-	9	35	6	-	-	2	-	19	3	7	-	-	1	4	-	10
-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	11	78	7	-	-	2	1	22	-	8	2	-	2	15	-	13
-	-	16	50	16	1	2	2	3	15	2	6	3	-	1	3	3	17
-	-	6	60	3	3	-	1	-	8	1	6	-	-	1	6	-	18
-	1	34	83	18	2	2	1	1	19	1	11	1	-	7	15	4	19
-	1	8	34	3	1	-	-	2	3	-	3	-	-	1	5	-	17
-	-	18	62	11	1	3	-	1	12	-	11	2	-	4	8	-	17
-	1	10	47	9	1	-	-	-	11	2	8	1	1	1	5	-	12
-	-	28	76	13	4	-	1	1	20	-	23	2	-	1	7	2	23
-	3	273	1,104	156	32	37	7	37	230	7	130	7	5	21	151	6	276
-	-	11	89	11	3	-	2	2	17	2	16	4	-	2	9	-	27
-	-	50	299	56	6	6	2	13	80	1	27	5	1	2	56	2	68
-	-	32	123	13	5	-	2	3	30	2	12	-	-	3	10	1	36
-	-	39	157	15	3	2	3	6	23	1	26	6	2	5	20	2	31
-	-	61	361	47	12	2	6	11	87	3	54	10	-	5	24	1	75
-	-	27	117	19	5	2	-	5	24	3	25	2	-	4	14	4	35
-	1	30	163	44	4	4	3	7	34	1	30	1	-	12	18	1	42
-	-	11	45	7	-	1	-	-	22	1	8	2	-	2	1	-	12
-	1	9	32	8	1	1	-	-	12	1	6	-	-	1	2	-	10
-	-	6	28	7	2	-	-	2	8	-	7	-	-	-	5	-	7
-	-	20	28	9	1	-	-	1	12	3	3	1	-	2	5	-	12
-	-	7	37	4	-	1	1	1	7	-	-	-	-	1	3	-	10
-	-	7	38	10	-	1	-	-	7	1	4	-	-	2	6	-	13
-	-	18	53	8	1	6	2	1	19	-	10	-	-	3	9	-	15
4	1	78	214	85	7	16	3	5	61	10	99	10	16	23	47	106	114
4	1	94	182	64	4	23	4	6	119	10	79	8	12	12	32	6	158
2	2	52	121	33	3	2	2	3	39	9	49	3	15	9	27	4	44
1	-	37	102	32	2	12	4	1	73	4	31	2	4	6	14	16	29
1	-	29	67	15	2	5	4	2	39	4	20	1	3	9	12	8	27
-	1	39	63	27	1	8	5	1	18	3	38	-	4	8	20	6	28
1	2	21	41	12	2	4	1	-	27	-	12	2	2	1	4	2	20
-	-	14	31	8	1	4	-	1	18	-	22	-	4	1	3	6	12
2	-	19	30	13	2	9	2	1	11	2	10	-	1	3	2	5	11
-	1	17	27	14	-	6	3	1	34	5	12	-	5	5	11	9	20
-	1	37	116	44	2	-	2	4	21	1	29	4	-	3	34	8	47
-	-	10	53	6	-	3	2	-	12	-	-	-	-	5	8	1	19
-	-	10	37	7	1	-	2	2	6	-	7	-	1	1	11	2	18
-	-	26	41	8	1	-	3	-	6	-	13	2	-	2	6	3	16
-	1	12	44	7	2	3	4	1	8	1	9	2	-	4	31	20	18
-	1	8	29	2	-	-	1	1	13	-	10	3	-	2	8	-	11
3	3	179	283	160	20	20	6	14	89	13	94	14	27	18	73	99	161
3	2	110	298	100	6	15	10	9	69	8	74	8	14	18	47	62	118
2	3	302	791	271	26	19	21	19	190	23	211	13	55	47	143	217	386
2	4	216	485	164	14	20	8	18	170	7	144	14	37	23	105	122	218
-	2	26	51	16	-	1	-	3	9	2	13	2	3	2	9	11	27
-	-	12	31	5	1	1	-	-	16	-	14	-	-	2	10	7	10
-	-	13	38	11	-	3	-	4	11	-	7	1	-	-	8	4	15
1	1	13	31	9	-	2	-	1	11	-	8	-	-	4	8	4	11
-	-	14	28	9	1	1	-	1	19	3	6	1	2	2	10	9	16
-	-	9	24	14	-	2	1	1	23	1	3	1	1	1	8	10	4
-	1	33	80	21	-	2	1	-	26	-	13	2	4	2	19	18	40
-	1	7	19	12	1	2	-	2	7	-	16	-	-	4	5	2	15
8	6	309	924	164	14	23	20	30	185	17	188	19	65	59	182	58	372
11	4	213	581	127	9	16	21	16	96	6	147	23	43	28	110	65	201
9	13	350	1,183	320	29	100	38	41	289	23	328	33	71	96	268	123	483
12	1	241	765	302	11	235	17	35	191	24	245	21	40	65	136	98	421

652780 O - 45 - 32

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
TEXAS—Continued																
Abilene	245	-	-	-	-	-	9	1	-	2	-	-	23	-	7	-
Amarillo	453	-	1	-	2	1	6	-	-	4	-	8	51	-	5	2
Austin	1,108	-	-	-	4	-	73	5	-	45	1	-	99	1	20	1
Beaumont	788	-	-	-	5	2	33	1	-	18	1	5	65	1	8	1
Corpus Christi	680	-	2	-	2	2	62	15	-	8	-	2	55	-	7	-
El Paso	1,221	1	1	1	3	5	107	3	-	11	4	-	100	2	13	1
Galveston	773	-	-	-	2	3	43	1	-	14	-	-	72	-	24	-
Laredo	479	2	-	1	1	1	36	8	-	5	1	-	28	-	7	-
Lubbock	291	-	-	-	2	-	7	-	-	5	-	3	30	-	7	-
Port Arthur	457	1	1	-	5	1	15	2	-	4	1	1	50	1	8	-
San Angelo	329	-	-	-	-	-	31	10	-	1	-	1	33	-	3	-
Tyler	258	-	-	-	-	-	6	-	-	1	-	1	37	1	9	-
Waco	684	1	2	-	4	1	33	3	2	5	-	1	56	-	10	1
Wichita Falls	406	-	1	-	2	1	14	-	-	6	-	-	39	-	2	-
Big Spring	131	-	-	-	-	-	6	-	-	-	-	-	3	-	-	-
Borger	75	-	-	-	-	1	1	-	-	-	-	-	6	1	2	-
Brownsville	348	-	1	-	4	3	24	6	4	1	-	1	20	-	3	1
Brownwood	195	-	-	-	-	2	4	-	-	1	-	1	15	1	5	1
Bryan	142	-	-	-	-	2	3	4	-	-	-	-	13	-	4	-
Cleburne	159	1	-	-	-	1	9	-	-	-	-	2	22	-	4	-
Corsicana	236	-	1	-	2	-	4	2	-	1	1	1	19	-	4	1
Del Rio	196	1	-	-	3	-	13	2	-	1	-	-	10	-	5	1
Denison	237	-	-	-	2	1	9	-	-	1	-	-	31	-	4	-
Denton	139	-	-	-	-	-	4	1	-	2	-	1	11	-	2	-
Greenville	168	-	-	-	2	-	8	-	-	1	-	-	13	-	11	-
Harlingen	153	2	-	-	4	1	13	7	1	1	-	1	11	-	-	-
Highland Park	74	-	-	-	-	-	-	-	-	-	-	-	10	-	-	-
Longview	196	-	-	-	-	-	10	-	-	5	-	-	17	-	1	-
McAllen	161	1	-	-	1	1	24	3	-	3	-	-	12	-	1	-
Marshall	212	2	-	-	5	-	7	1	1	2	-	-	21	-	4	-
Palestine	128	-	-	-	1	-	7	2	1	-	-	-	10	1	3	-
Pampa	114	-	-	-	-	-	1	-	-	1	-	-	13	-	3	1
Paris	256	-	-	-	-	-	7	-	1	2	1	2	22	-	4	-
Sherman	191	-	-	-	-	1	8	-	-	3	-	-	20	-	3	-
Sweetwater	92	-	-	-	-	-	5	-	-	-	-	-	3	-	1	-
Temple	175	-	-	-	4	-	13	1	-	4	-	-	26	-	3	-
Terrell	255	1	-	-	1	1	25	-	-	26	-	-	11	-	2	1
Texarkana [6]	240	3	-	-	-	1	9	4	3	4	-	2	25	1	8	-
University Park	90	-	-	-	-	-	3	-	-	-	-	1	12	-	-	-
Victoria	199	-	1	-	-	-	12	-	-	2	-	-	19	-	5	-
UTAH																
Salt Lake City	1,591	-	5	-	1	-	21	-	-	11	1	7	174	7	43	5
Ogden	418	-	2	-	2	-	8	-	-	1	2	4	49	-	11	-
Logan	94	-	-	-	-	-	-	-	-	-	1	-	10	-	1	1
Provo	247	-	2	-	-	-	2	1	-	12	-	3	13	-	5	1
VERMONT																
Burlington	361	-	1	-	1	-	7	-	-	1	-	-	43	-	17	-
Barre	129	-	-	-	-	-	15	-	-	2	-	-	13	-	7	1
Rutland	244	-	-	-	-	-	6	-	-	1	-	-	33	-	12	-
VIRGINIA																
Norfolk	2,103	-	10	1	6	-	113	2	-	22	1	1	154	3	41	3
Richmond	2,549	1	16	1	4	-	128	5	-	23	-	1	278	2	62	6
Alexandria	398	-	1	-	3	-	16	-	1	4	-	-	49	1	6	-
Arlington (county) [7]	486	-	2	-	-	-	12	1	-	3	-	-	53	-	12	-
Danville	351	-	-	-	2	-	15	-	-	2	-	1	27	-	6	2
Lynchburg	404	-	1	-	2	-	10	1	-	7	-	-	44	-	7	-
Newport News	537	-	7	-	2	-	31	1	-	7	-	-	41	1	5	-
Petersburg	418	-	4	-	1	-	31	-	-	5	-	-	28	-	6	-
Portsmouth	756	-	3	-	1	1	32	-	-	5	1	-	52	3	10	1
Roanoke	686	1	1	-	-	-	32	-	-	13	-	-	70	-	13	-
Charlottesville	230	-	-	1	2	-	7	-	-	6	-	-	29	-	5	1
Fredericksburg	117	-	-	-	1	-	4	-	-	-	-	-	11	-	4	-
Martinsville	92	-	1	-	-	1	8	-	-	-	-	-	6	-	2	-
Staunton	346	-	-	-	2	-	22	-	-	17	-	-	24	-	5	1
Suffolk	155	-	1	-	-	-	8	-	-	4	-	-	6	-	3	-
Winchester	121	-	-	1	1	-	5	-	-	2	-	-	17	-	1	1
WASHINGTON																
Seattle	5,972	-	11	-	4	10	216	4	-	45	8	3	714	2	114	6
Spokane	1,755	-	3	-	2	1	30	-	-	13	1	-	194	1	45	3
Tacoma	1,568	-	-	-	-	1	52	1	-	14	1	1	178	1	40	4
Bellingham	466	-	1	-	1	-	4	-	-	3	-	1	65	-	17	1
Everett	416	-	-	-	-	-	5	-	-	3	-	3	46	1	10	-
Yakima	391	-	1	-	1	1	4	2	-	2	-	1	58	1	5	3
Aberdeen	216	1	-	-	-	-	11	-	-	-	-	-	29	-	5	1
Bremerton	209	-	1	-	-	-	1	1	-	1	-	2	23	1	5	1
Hoquiam	104	-	-	-	-	-	4	-	-	-	-	-	10	-	2	-
Longview	106	1	-	-	-	-	3	-	-	1	-	-	16	-	1	-
Olympia	177	-	-	-	-	-	1	-	-	-	1	-	23	-	6	2
Vancouver	411	1	5	-	1	-	17	1	-	7	4	-	37	2	11	-
Walla Walla	253	-	-	-	-	-	15	-	-	2	-	1	31	1	7	-
Wenatchee	163	-	1	-	-	-	9	-	-	2	1	1	16	-	3	1

See footnotes at end of table.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 88	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
2	-	17	48	9	1	5	5	1	21	-	27	2	1	9	12	13	30
2	-	29	97	23	4	2	3	1	22	5	43	6	7	21	45	13	50
7	-	79	249	66	5	16	4	8	69	5	62	7	16	12	54	58	142
-	-	59	181	66	5	6	8	6	65	9	64	10	13	12	45	9	90
2	2	36	108	67	5	41	5	2	25	6	75	3	13	23	32	21	58
2	6	79	229	91	8	80	7	8	72	13	98	6	11	15	44	61	139
-	-	71	228	40	3	5	3	6	39	10	51	6	11	11	45	15	70
4	1	20	77	39	3	60	2	6	25	4	42	2	-	7	21	27	48
-	-	15	53	22	2	4	1	1	18	6	39	-	3	10	21	10	32
2	3	29	84	32	1	9	9	2	31	2	37	7	5	5	38	21	50
2	-	11	60	25	1	12	3	3	16	1	28	3	9	8	19	11	38
2	1	22	43	19	3	-	1	2	22	1	22	1	5	10	14	7	28
3	-	81	176	39	3	7	7	5	36	8	46	5	12	10	37	33	57
2	2	31	100	24	2	2	3	2	24	1	57	2	4	6	23	7	49
-	-	8	35	5	-	11	-	1	3	1	8	2	3	5	13	4	23
-	-	6	5	10	1	-	-	-	-	2	13	1	-	4	3	5	14
3	-	8	37	41	-	72	-	1	14	2	23	-	1	5	7	30	36
2	-	7	31	24	1	6	1	-	15	2	21	1	2	4	17	11	20
1	-	12	31	13	-	5	1	-	16	2	11	1	1	1	7	1	13
-	-	24	43	8	2	1	2	-	4	2	9	1	-	2	10	2	10
-	-	36	47	23	2	6	2	1	7	-	17	2	-	4	15	4	34
-	-	9	34	24	1	31	4	2	6	-	12	2	3	1	8	4	19
2	-	27	48	17	1	2	-	1	28	2	11	3	-	5	16	5	21
-	-	15	36	4	1	2	3	-	4	-	11	-	-	4	10	6	22
2	-	12	43	18	-	1	4	-	13	-	11	-	1	3	5	5	15
-	-	4	19	13	-	13	1	1	7	4	14	2	3	3	6	2	20
-	-	8	27	3	1	-	-	1	7	2	-	1	2	3	-	-	9
1	-	17	39	10	2	1	-	-	18	-	23	-	1	4	17	9	21
-	-	7	15	12	-	13	-	-	15	1	17	1	-	2	8	7	17
3	-	27	43	17	1	-	4	-	14	1	7	1	3	7	11	11	19
-	-	7	38	5	1	1	-	1	19	-	6	-	1	2	6	2	14
-	-	8	14	7	-	1	1	-	10	1	14	1	-	4	12	2	20
3	-	32	41	14	4	3	3	1	36	2	21	-	2	4	14	9	28
-	-	29	43	7	1	1	1	-	20	-	7	-	-	1	7	11	28
1	-	7	21	5	-	1	1	-	6	1	12	-	1	2	12	2	11
-	-	15	32	10	1	3	-	-	2	2	20	1	1	2	11	5	19
2	-	23	77	7	-	1	2	2	14	1	4	2	1	1	11	3	36
1	-	19	39	17	3	1	1	2	13	4	20	4	2	3	20	6	25
-	-	7	38	5	-	-	2	-	1	1	4	-	-	-	2	1	13
-	-	9	48	8	1	8	1	1	17	-	20	2	1	3	16	4	21
-	-	123	568	70	9	5	9	17	84	9	103	17	5	27	77	37	156
-	1	31	119	19	5	4	2	2	20	1	37	2	7	6	32	8	43
-	-	5	32	1	1	-	-	1	4	-	14	-	-	2	7	3	11
-	-	23	52	25	2	2	4	1	18	-	22	1	1	4	20	7	26
1	-	32	117	15	5	2	1	1	15	1	29	6	-	4	17	2	43
-	-	5	35	7	-	-	1	2	8	-	5	1	-	-	5	4	18
-	-	24	74	10	-	5	1	2	20	2	7	4	-	2	6	4	31
3	6	224	559	142	24	17	14	15	121	10	112	26	44	48	169	13	199
3	9	268	662	162	12	12	12	18	267	12	110	30	24	27	91	48	255
-	5	25	128	27	4	3	2	6	24	1	25	7	3	6	19	6	26
-	-	33	155	28	3	10	4	2	29	6	42	7	5	6	28	2	43
-	1	46	59	36	3	3	4	3	46	4	23	3	13	5	15	4	28
3	1	46	115	26	4	2	1	4	38	1	25	3	2	9	11	3	38
-	-	44	112	60	3	6	1	2	65	4	49	4	8	9	31	6	38
-	-	40	91	32	6	16	1	3	51	4	29	2	4	6	11	4	43
-	1	93	172	76	1	6	3	9	65	6	67	6	14	21	41	-	56
3	3	65	168	40	5	9	4	8	61	3	47	5	6	16	27	14	72
-	-	30	63	18	-	2	-	3	6	1	21	3	-	1	8	3	20
-	-	13	30	6	2	2	2	1	15	1	13	2	-	-	4	-	6
2	-	8	24	11	-	1	1	-	1	-	9	1	1	1	4	2	8
1	-	29	146	47	1	-	-	2	19	1	7	3	1	1	4	3	10
-	1	10	45	9	-	-	-	-	16	3	18	2	1	3	7	2	16
-	1	18	21	1	3	2	-	-	14	2	12	1	-	-	4	3	16
1	56	496	2,065	294	58	29	22	67	225	12	240	100	15	128	406	50	571
-	7	197	522	119	19	4	4	8	150	5	70	24	1	25	80	11	216
1	12	131	493	95	15	3	3	13	102	5	76	17	7	23	90	36	153
-	-	48	164	23	1	1	2	6	27	2	12	5	1	3	22	17	39
-	5	59	125	22	4	1	-	2	27	-	13	7	-	5	24	7	47
-	1	23	114	14	3	3	1	1	31	1	25	10	1	4	18	12	50
-	2	24	65	9	4	1	-	2	11	-	6	2	1	3	15	1	23
-	-	21	53	18	-	2	-	3	6	1	31	2	1	5	14	-	16
-	-	18	34	7	1	-	1	2	3	-	3	-	1	-	10	-	8
-	-	3	30	8	3	1	-	-	8	2	12	-	-	2	7	-	8
-	-	13	48	5	1	1	-	-	6	1	20	1	-	6	5	9	28
-	1	31	97	40	3	2	2	4	21	1	33	5	-	7	34	5	39
-	-	23	73	7	2	-	2	1	21	1	12	3	-	-	13	6	32
-	-	17	46	6	3	-	1	3	9	-	10	3	-	5	10	4	12

TABLE 23.—DEATHS FROM SELECTED CAUSES: URBAN PLACES HAVING,

(See headnote

AREA	Total deaths	Typhoid and paratyphoid fever 1,2	Cerebrospinal (meningococcus) meningitis 6	Scarlet fever 8	Whooping cough 9	Diphtheria 10	Tuberculosis (all forms) 13-22	Dysentery 27	Malaria 28	Syphilis 30	Measles 35	Poliomyelitis, polioencephalitis (acute) 36	Cancer and other malignant tumors 45-55	Acute rheumatic fever 58	Diabetes mellitus 61	Exophthalmic goiter 63b
WEST VIRGINIA																
Charleston	782	-	-	-	3	-	52	2	-	11	-	-	95	-	19	-
Clarksburg	309	-	-	-	1	-	6	-	-	5	-	-	30	2	12	-
Huntington	902	1	1	-	2	2	49	2	-	27	-	-	87	-	16	-
Parkersburg	387	1	-	1	3	-	8	-	-	-	-	-	60	-	7	2
Wheeling	734	-	1	-	-	-	17	-	-	10	-	-	71	-	14	1
Beckley	125	-	-	-	-	-	9	-	-	1	-	-	10	-	1	1
Bluefield [8]	187	-	-	-	-	-	9	-	-	3	-	-	24	-	3	-
Fairmont	297	-	-	-	3	-	6	1	-	3	-	1	46	-	6	-
Martinsburg	191	-	-	-	-	-	2	-	-	1	-	-	19	-	7	-
Morgantown	173	-	1	-	-	-	5	-	-	2	-	-	35	-	3	1
Moundsville	172	-	-	-	1	-	12	-	-	2	-	-	11	-	8	-
South Charleston	98	-	-	-	-	-	1	-	-	1		-	11	-	1	1
WISCONSIN																
Milwaukee	6,465	1	15	2	7	-	244	-	-	58	6	1	937	11	243	27
Appleton	329	-	1	-	-	-	6	-	-	1	-	1	61	-	11	1
Beloit	281	-	-	-	-	-	3	-	-	1	-	-	41	-	13	-
Eau Claire	311	1	-	-	-	-	4	-	-	2	-	-	38	-	4	1
Fond du Lac	312	-	-	-	-	-	7	-	-	4	1	-	48	-	14	2
Green Bay	479	-	-	-	2	-	10	1	-	2	1	-	55	1	17	1
Kenosha	508	-	1	-	-	-	6	-	-	3	-	-	74	-	15	1
La Crosse	457	-	1	-	1	-	7	-	-	1	2	-	65	-	17	-
Madison	651	-	1	2	3	-	14	-	-	-	3	1	83	1	17	2
Oshkosh	497	-	-	-	2	-	12	-	-	3	-	-	60	-	19	2
Racine	682	-	-	-	-	-	13	-	-	2	-	-	111	1	17	2
Sheboygan	453	-	-	-	-	-	14	-	-	2	-	-	69	-	14	-
Superior	429	-	-	-	2	-	8	-	-	3	2	-	51	-	13	2
Wausau	309	-	-	-	-	-	2	-	-	-	-	-	44	-	17	-
Wauwatosa	265	-	-	-	1	-	3	-	-	1	-	-	38	-	8	2
West Allis	287	-	1	-	-	-	6	-	-	2	-	1	40	-	8	2
Ashland	145	-	-	-	-	-	2	-	-	-	-	-	13	-	7	-
Beaver Dam	118	-	-	-	1	-	2	-	-	-	-	-	22	1	2	2
Chippewa Falls	113	-	-	-	-	-	6	-	-	1	-	-	13	-	6	-
Cudahy	66	-	-	-	-	-	2	-	-	-	-	-	9	-	2	-
Janesville	271	-	1	-	-	-	5	-	-	1	-	-	26	-	5	1
Manitowoc	256	-	-	-	-	-	2	-	-	2	1	1	32	1	12	1
Marinette	170	-	-	-	1	-	2	-	-	2	-	-	16	-	6	-
Marshfield	124	-	-	-	-	-	1	-	-	-	-	-	18	-	6	-
Menasha	91	-	-	-	-	-	2	-	-	-	-	-	15	-	4	-
Neenah	109	-	-	-	-	-	-	-	-	-	-	-	17	1	4	1
Shorewood	118	-	-	-	-	-	2	-	-	-	-	-	26	-	3	1
South Milwaukee	98	-	-	-	-	-	4	-	-	-	-	-	13	-	2	-
Stevens Point	138	-	-	-	-	-	5	2	-	-	-	-	16	-	4	-
Two Rivers	80	-	-	-	-	-	2	-	-	-	-	-	6	-	8	-
Watertown	152	-	-	-	-	-	3	-	-	1	-	-	25	1	2	1
Waukesha	193	1	-	-	-	-	3	-	-	-	-	-	25	2	7	-
Wisconsin Rapids	98	-	-	-	1	-	1	-	-	1	-	-	14	-	1	-
WYOMING																
Casper	187	-	1	-	-	-	2	-	-	3	1	-	12	-	1	-
Cheyenne	236	-	-	-	2	2	1	-	-	-	1	2	34	1	7	-
Laramie	105	-	-	-	-	-	4	-	-	2	-	-	10	-	5	-
Sheridan	122	-	-	-	-	-	1	-	-	1	-	1	16	1	2	-

[1] Includes data for Texarkana, Ark., only.
[2] Since this area is difficult to identify from the information given on the death transcripts, data may be understated or overstated.
[3] Figures for District 1511, Center Hill (Fulton Co.) are included in those for Atlanta.
[4] Comprising Bronx, Brooklyn, Manhattan, Queens, and Richmond Boroughs, treated as a unit.
[5] Includes data for Bristol, Tenn., only.
[6] Includes data for Texarkana, Tex., only.
[7] Classified as urban under a special rule in the 1940 census.
[8] Includes data for Bluefield, W. Va., only.

IN 1940, POPULATIONS OF 10,000 OR MORE, 1943—Continued

on p. 470)

Pellagra (except alcoholic) 69	Alcoholism (ethylism) 77	Intracranial lesions of vascular origin 83	Diseases of the heart 90-95	Pneumonia (all forms) and influenza 107-109,33	Ulcer of stomach or duodenum 117	Diarrhea, enteritis, and ulceration of intestines 119,120	Appendicitis 121	Cirrhosis of the liver 124	Nephritis 130-132	Diseases of pregnancy, childbirth, and the puerperium 140-150	Congenital malformations and diseases peculiar to the first year 157-161	Suicide 163, 164	Homicide 165-168	Motor-vehicle accidents 170	Other accidents 169, 171-195	Senility, ill-defined and unknown causes 162,199,200	All other causes
-	2	60	164	57	2	18	1	10	30	4	52	9	6	15	47	41	82
-	-	35	89	28	4	1	2	3	24	1	16	3	-	1	13	-	33
-	2	59	259	64	8	12	4	7	46	9	53	14	3	8	42	18	107
-	-	50	96	31	-	3	1	1	27	-	19	1	-	5	21	18	32
-	-	98	225	40	8	7	2	7	59	4	45	7	1	6	36	5	70
-	-	11	30	7	2	3	1	2	12	-	8	1	1	4	5	3	13
-	1	15	50	10	-	1	-	2	16	3	16	1	-	5	7	7	14
-	-	33	79	12	1	1	1	4	30	4	17	4	-	2	14	6	23
-	-	12	38	13	3	1	2	1	25	2	17	2	-	2	10	7	27
-	-	16	47	7	1	1	2	1	7	1	8	1	-	1	8	9	16
-	-	13	50	15	-	3	1	1	15	1	6	1	-	-	12	1	19
-	2	4	29	8	-	3	-	-	4	-	7	-	-	2	13	6	5
-	14	550	2,174	338	51	32	34	83	275	35	321	79	7	66	226	18	610
-	1	39	84	10	4	1	3	1	31	3	16	1	-	8	19	2	24
-	-	31	78	17	2	1	1	1	28	1	20	2	2	2	14	-	23
-	-	29	91	19	2	2	3	2	15	3	31	7	-	-	19	3	35
-	-	39	83	11	1	-	1	1	28	1	14	1	1	3	16	5	31
-	-	51	158	22	7	1	5	4	14	3	35	8	-	2	29	10	40
-	1	42	155	25	5	2	1	8	41	-	23	5	1	7	34	4	54
-	1	31	134	23	4	1	1	3	42	1	31	4	1	4	25	3	54
-	3	51	192	46	8	5	2	6	45	1	37	10	1	10	41	2	64
-	-	75	144	17	3	1	-	11	28	2	24	5	-	4	24	12	49
-	2	64	226	38	3	-	4	11	36	4	27	10	-	8	31	3	69
-	-	46	147	17	3	2	2	6	21	1	19	4	2	5	21	11	47
-	1	38	145	22	3	2	1	1	16	2	24	8	-	12	35	2	36
-	-	32	87	20	1	-	1	-	20	2	14	3	-	5	8	10	43
-	-	22	94	14	-	1	2	3	13	-	12	4	1	-	12	1	33
-	1	34	80	12	2	1	5	6	16	-	19	4	-	2	15	3	27
-	-	20	48	6	-	-	-	-	5	-	6	3	1	2	11	1	20
-	-	10	33	6	-	-	1	-	9	-	3	1	-	1	8	5	11
-	-	18	32	3	-	2	2	-	1	-	8	-	-	-	2	4	15
-	2	5	20	3	-	1	-	3	3	1	5	2	-	2	2	-	4
-	2	27	86	17	1	4	1	1	13	1	10	3	-	8	13	3	42
-	-	27	77	12	-	1	3	2	26	-	15	-	-	2	14	4	21
-	-	19	61	15	2	-	-	-	7	-	4	3	-	2	9	4	17
-	-	18	34	10	2	-	-	1	7	-	10	1	-	1	5	-	10
1	-	15	20	1	-	-	-	2	4	-	11	-	-	-	4	-	12
-	-	11	13	8	1	-	-	2	9	2	9	-	-	2	7	3	19
-	-	9	44	5	1	-	1	-	4	-	9	-	-	-	3	-	10
-	-	8	31	5	1	-	1	4	1	-	3	-	-	1	11	-	13
-	-	9	39	7	2	1	1	-	13	-	11	-	-	1	8	2	17
-	-	8	21	2	-	1	1	1	9	2	6	-	-	-	4	-	9
-	-	13	52	9	2	-	-	1	12	-	3	-	-	1	7	2	17
-	-	26	50	11	-	2	2	2	13	2	8	1	1	2	10	5	20
-	-	11	33	3	-	-	-	-	5	1	8	-	-	-	6	4	9
-	1	8	67	11	2	-	7	2	13	1	11	2	1	7	16	-	18
-	-	8	58	17	2	3	3	2	11	1	22	4	3	6	17	5	24
-	-	12	20	2	-	-	-	-	15	-	9	1	2	5	4	2	12
-	-	15	37	11	1	1	1	-	11	1	6	2	-	-	4	2	8

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		M	F	M	F
	All causes	1,459,544	721,777	559,110	95,708	82,949	26,373	8,357	6,455	5,984	5,577
	I.—Infectious and parasitic diseases	111,160	51,013	31,489	16,357	12,301	2,767	703	535	782	747
1	Typhoid fever	683	233	179	114	107	15	7	3	2	3
2	Paratyphoid fever	50	27	17	4	2	-	-	-	-	-
3	Plague	1	-	1	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	77	45	26	5	1	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	2,927	1,641	882	271	133	53	26	10	7	10
7	Anthrax (infection by Bacillus anthracis)	12	11	1	-	-	-	-	-	-	-
8	Scarlet fever	451	217	211	5	18	3	-	2	-	1
9	Whooping cough	3,368	1,138	1,355	435	440	121	20	34	30	37
10	Diphtheria (infection by C. diphtheriae)	1,196	569	498	62	72	45	18	18	3	6
11	Erysipelas	281	129	139	5	8	14	3	6	2	3
12	Tetanus	608	276	136	113	83	36	7	6	12	11
13-22	Tuberculosis (all forms)	57,005	26,162	15,047	8,624	7,172	1,302	324	208	363	407
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	643	625	3	15	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	51,764	23,765	13,722	7,796	6,461	1,226	315	196	329	386
14	Tuberculosis of meninges and central nervous system	1,166	475	359	180	152	13	4	4	3	2
15	Tuberculosis of intestines and peritoneum	814	218	256	150	190	16	3	2	7	4
16	Tuberculosis of vertebral column	546	241	131	111	63	8	-	1	5	2
17a	Tuberculosis of bones (except vertebral column)	80	35	18	17	10	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	116	60	32	14	10	4	1	-	2	.1
18	Tuberculosis of skin, etc.*	24	7	12	2	3	2	-	1	1	-
19	Tuberculosis of lymphatic system, etc.*	111	39	41	11	20	1	-	-	-	1
20	Tuberculosis of genito-urinary system	448	254	136	28	30	1	-	1	-	-
21	Tuberculosis of other organs	128	52	48	15	13	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	1,053	339	254	263	197	29	1	3	14	11
22b	Disseminated tuberculosis (other and unspecified)	112	32	35	22	23	2	-	-	2	-
23	Leprosy	34	20	10	1	3	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	1,299	641	438	108	112	53	14	13	13	13
25	Gonococcus infection	291	26	93	43	129	2	-	-	2	-
26	Other diseases due to bacteria (except dysentery)	77	47	14	8	8	1	-	1	-	-
27	Dysentery	1,909	799	672	238	200	53	11	13	13	16
28	Malaria	647	178	121	170	178	56	9	7	23	17
29	Other diseases due to parasitic protozoa (except spirochetes)	7	4	2	1	-	-	-	-	-	-
30	Syphilis (all forms)	16,263	7,887	2,478	4,131	1,767	290	38	15	152	85
30a	Locomotor ataxia (tabes dorsalis)	623	446	105	58	14	4	1	-	3	-
30b	General paralysis of insane	4,747	2,446	695	1,245	361	38	11	9	13	-
30c	Other syphilis of central nervous system	1,695	839	280	395	181	63	7	-	38	13
30d	Aneurysm of aorta	2,990	1,726	407	641	216	27	4	-	18	5
30e	Other syphilis of circulatory system	1,355	571	134	487	163	17	1	2	13	1
30f,g	Congenital, other and unspecified forms of syphilis	4,853	1,859	857	1,305	832	146	14	4	67	61
31	Relapsing fever	4	1	3	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	248	111	95	21	21	6	3	-	1	2
33a	Influenza, with respiratory complications specified	11,027	4,758	4,111	1,143	1,015	378	122	92	87	77
33b	Influenza, without respiratory complications specified	6,192	2,616	2,547	508	521	225	54	70	57	44
34	Smallpox	8	6	2	-	-	-	-	-	-	-
35	Measles	1,301	562	588	72	79	22	4	8	3	7
36	Acute poliomyelitis and acute polioencephalitis	1,151	675	405	41	30	9	3	2	3	1
37a,c	Infectious encephalitis lethargica (acute and unqualified)	582	280	250	23	29	7	3	3	-	1
37b	Sequelae of encephalitis lethargica	227	159	115	9	4	-	-	-	-	-
38	Other diseases due to filtrable viruses	219	118	76	13	12	6	-	6	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	352	215	97	20	20	21	14	3	3	1
40	Ankylostomiasis	20	10	6	1	3	5	2	3	-	-
41	Hydatid disease	23	17	5	1	-	-	-	-	-	-
42	Other diseases caused by helminths	59	13	24	8	14	4	-	2	-	2
43	Mycoses	323	162	80	56	25	7	3	1	2	1
44	Other infectious and parasitic (communicable) diseases	2,228	1,260	770	103	95	33	18	9	4	2
	II.—Cancer and other tumors	173,369	76,637	84,560	4,765	7,407	1,924	587	760	179	398
45-55	Cancer and other malignant tumors	166,848	74,724	80,963	4,611	6,550	1,799	553	715	175	356
45	Cancer of buccal cavity and pharynx	5,373	4,066	988	199	120	79	40	24	7	8
45a-e	Cancer of buccal cavity	3,612	2,765	639	120	88	48	22	16	6	4
45f	Cancer of pharynx	1,761	1,301	349	79	32	31	18	8	1	4
46	Cancer of digestive organs and peritoneum	76,552	38,984	33,100	2,517	1,951	636	243	227	81	85
46a	Cancer of esophagus	2,897	2,067	561	217	52	23	9	7	5	2
46b,c	Cancer of stomach and duodenum	26,124	14,872	9,301	1,197	754	236	94	69	38	35
46f	Cancer of liver and biliary passages	10,972	4,422	5,933	303	314	130	50	60	9	11
46g	Cancer of pancreas	5,723	3,144	2,322	153	104	34	17	12	4	1
46d,e,h,m	Cancer of other digestive organs and peritoneum	30,836	14,479	14,983	647	727	213	73	79	25	36
47	Cancer of respiratory system	11,740	8,562	2,592	447	139	101	58	22	16	5
48	Cancer of uterus	16,968	...	14,556	...	2,412	326	...	178	...	150
49	Cancer of other female genital organs	4,671	...	4,458	...	213	32	...	27	...	5
50	Cancer of breast	16,140	195	14,908	21	1,016	159	1	106	-	52
51	Cancer of male genital organs	9,784	9,100	...	684	...	117	83	...	34	...
52	Cancer of urinary organs (male and female)	7,699	4,686	2,628	232	153	79	26	32	11	10
53	Cancer of skin (except vulva and scrotum)	3,273	1,918	1,259	50	46	52	28	16	3	5
54	Cancer of central nervous system*	2,567	1,511	956	60	40	21	10	8	2	1
55	Cancer of other and unspecified organs	12,081	5,702	5,518	401	460	195	64	75	21	35
56a	Nonmalignant tumors of ovary	720	...	636	...	84	7	...	4	...	3
56b	Nonmalignant tumors of uterus	1,825	...	1,272	...	553	32	...	7	...	25
56c	Nonmalignant tumors of other female genital organs	40	...	33	...	7	1	...	1	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	1,295	626	566	54	49	10	3	5	-	2

* Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943.

By place of residence)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
5,927	3,076	1,727	645	479	15,539	6,321	4,429	2,530	2,259	89,109	49,893	35,273	2,592	1,351	12,761	7,268	5,114	225	154	
976	480	244	144	108	1,938	642	442	454	400	6,594	3,833	1,945	577	239	1,012	601	348	37	26	
13	3	4	5	1	27	8	3	10	11	15	8	2	2	3	1	1	-	-	-	1
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	5
10	7	1	2	-	12	4	4	2	2	187	116	60	7	4	28	23	5	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
1	1	-	-	-	2	2	-	-	-	13	7	6	-	-	9	4	4	-	1	8
30	8	14	3	5	103	33	35	18	17	108	31	62	9	6	23	14	9	-	-	9
13	4	8	1	-	40	16	16	4	4	92	55	33	1	3	21	12	9	-	-	10
-	-	-	-	-	4	3	1	-	-	10	6	4	-	-	3	2	1	-	-	11
1	1	-	-	-	16	6	6	4	-	25	16	5	3	1	-	-	-	-	-	12
690	350	155	97	88	939	321	193	218	207	3,872	2,228	1,122	362	160	471	276	156	22	17	13-22
17	17	-	-	-	-	-	-	-	-	43	43	-	-	-	10	10	-	-	-	13a
623	314	146	85	78	884	307	180	205	192	3,489	2,035	997	328	129	417	248	138	17	14	13b,c
27	8	6	9	4	10	2	3	2	3	110	53	34	14	9	11	5	4	1	1	14
6	2	-	2	2	14	3	5	2	4	46	17	20	3	6	4	-	2	2	-	15
1	1	-	-	-	2	-	-	2	-	26	15	8	1	2	5	3	2	-	-	16
2	1	-	-	1	2	2	-	-	-	4	2	2	-	-	-	-	-	-	-	17a
2	2	-	-	-	2	-	1	1	-	1	1	-	-	-	2	2	-	-	-	17b
-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	-	-	-	-	-	18
1	-	-	-	1	2	1	-	-	1	8	3	4	-	1	1	-	1	-	-	19
1	1	-	-	-	7	1	1	3	2	35	19	13	2	1	9	3	5	1	-	20
2	-	-	1	1	2	1	-	-	1	14	5	6	1	2	1	1	-	-	-	21
6	2	3	-	1	12	4	1	3	4	67	33	34	13	7	11	4	4	1	2	22a
2	2	-	-	-	1	-	1	-	-	7	2	2	-	3	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	23
9	3	4	2	-	16	7	1	1	7	42	23	15	4	-	16	12	4	-	-	24
2	-	1	-	1	2	-	1	-	1	24	2	16	-	6	-	-	-	-	-	25
-	-	-	-	-	8	7	-	1	-	2	1	1	-	-	-	-	-	-	-	26
28	13	6	7	2	64	20	14	15	15	72	38	31	3	-	20	12	7	-	1	27
-	-	-	-	-	107	27	21	30	29	6	5	1	-	-	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
60	34	10	13	3	204	77	18	70	39	1,224	796	246	144	38	139	91	32	12	4	30
2	2	-	-	-	2	1	1	-	-	54	45	8	1	-	5	4	-	1	-	30a
6	3	2	1	-	77	37	5	24	11	244	149	56	34	5	39	25	9	4	1	30b
6	3	1	2	-	21	9	2	6	4	142	92	32	15	3	8	6	1	1	-	30c
11	6	2	3	-	27	9	3	8	7	353	254	50	38	11	45	37	5	2	1	30d
7	3	1	3	-	7	1	-	6	-	94	66	9	17	2	4	2	2	-	-	30e
28	17	4	4	3	70	20	7	26	17	337	190	91	39	17	38	17	15	4	2	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	6	-	3	3	-	9	4	3	2	-	2	1	1	-	-	32
59	23	21	9	6	169	36	48	44	41	329	181	127	14	7	118	65	51	1	1	33a
27	14	8	3	2	138	46	42	26	24	116	51	60	5	-	63	27	34	1	1	33b
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	34
6	2	3	1	-	44	17	22	4	1	29	20	7	1	1	34	22	12	-	-	35
9	2	7	-	-	8	1	6	-	1	170	105	61	2	2	30	21	8	-	1	36
3	3	-	-	-	7	5	1	1	-	44	22	19	1	2	4	1	2	1	-	37a,c
-	-	-	-	-	1	-	1	-	-	16	12	4	-	-	1	1	-	-	-	37b
1	1	-	-	-	1	1	-	-	-	9	5	3	-	1	-	-	-	-	-	38
1	1	-	-	-	3	2	1	-	-	5	3	2	-	-	3	1	2	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	1	1	-	-	-	5	5	-	-	-	-	-	-	-	-	41
1	1	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	42
4	3	-	1	-	2	1	-	1	-	48	18	13	15	2	3	2	1	-	-	43
7	5	2	-	-	13	6	4	2	1	114	70	39	2	3	20	11	9	-	-	44
438	183	224	14	17	1,343	491	570	87	195	11,450	5,168	5,868	212	202	1,472	685	740	26	21	
418	176	213	13	16	1,266	479	541	85	161	11,094	5,064	5,638	210	182	1,423	671	707	25	20	45-55
9	8	1	-	-	45	35	6	3	1	324	251	68	3	2	38	28	9	1	-	45
5	4	1	-	-	26	19	4	2	1	227	183	40	2	2	29	22	6	1	-	45a-e
4	4	-	-	-	19	16	2	1	-	97	68	28	1	-	9	6	3	-	-	45f
188	90	81	10	7	527	221	215	44	47	5,007	2,630	2,192	130	55	659	337	297	13	12	46
1	1	-	-	-	13	7	3	1	2	154	114	32	8	-	9	9	-	-	-	46a
77	37	34	3	3	210	90	74	23	23	1,710	1,030	595	64	21	282	168	103	6	5	46b,c
27	10	16	-	1	126	52	56	9	9	605	246	337	14	8	101	39	58	2	2	46f
27	15	8	3	1	22	12	9	1	-	462	257	184	20	1	55	28	24	2	1	46g
56	27	23	4	2	156	60	73	10	13	2,076	983	1,044	24	25	212	93	112	3	4	46d,e,h,m
28	18	10	-	-	63	41	15	6	1	852	616	195	34	7	76	58	16	1	1	47
53	...	48	...	5	207	...	127	...	80	1,058	...	1,009	...	49	119	...	115	...	4	48
16	...	15	...	1	10	...	9	...	1	346	...	334	...	12	25	...	24	...	1	49
35	-	33	-	2	102	2	80	-	20	1,195	14	1,152	2	27	134	2	131	-	1	50
28	26	...	2	...	82	65	...	17	...	609	593	...	16	...	115	110	...	5	...	51
16	9	6	-	1	34	20	10	4	-	539	345	182	6	6	68	47	20	1	-	52
7	4	3	-	-	55	23	25	3	4	196	122	69	2	3	27	14	13	-	-	53
6	4	2	-	-	21	16	5	-	-	205	130	69	2	4	24	16	7	1	-	54
32	17	14	1	-	120	56	49	8	7	763	363	368	15	17	138	59	75	3	1	55
-	...	-	...	-	8	...	6	...	2	50	...	49	...	1	5	...	5	...	-	56a
6	...	6	...	-	32	...	8	...	24	110	...	98	...	12	14	...	13	...	1	56b
-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	-	...	-	...	-	56c
2	1	1	-	-	3	1	-	-	2	117	59	53	2	3	9	5	4	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	14	...	13	...	1	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	31	...	18	...	13	2	...	-	...	2
57c	Tumors of other female genital organs (nature unspecified)	29	...	20	...	9	1	...	-	...	1
57d,e	Tumors of other and unspecified organs (nature unspecified)	2,567	1,287	1,089	100	141	72	31	28	4	9
	III.—Rheumatism, diseases of nutrition, etc.*	47,374	16,206	27,070	1,395	2,703	623	167	203	82	171
58a-d	Acute rheumatic heart diseases	1,007	412	406	75	114	20	3	6	4	7
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	494	194	189	48	63	26	7	7	4	8
59	Chronic rheumatism and other rheumatic diseases	1,934	652	1,134	63	85	36	14	14	3	5
60	Gout	7	4	3	-	-	-	-	-	-	-
61	Diabetes mellitus	36,314	12,648	21,153	818	1,695	323	96	107	40	80
62	Diseases of pituitary gland	128	49	70	1	8	1	-	1	-	-
63a	Simple goiter	165	27	116	6	16	4	-	1	1	2
63b	Exophthalmic goiter	2,853	448	2,171	36	198	25	2	15	-	8
63c-e	Other diseases of thyroid and parathyroid glands	376	97	254	4	21	4	2	1	-	1
64	Diseases of thymus gland	1,395	773	472	88	62	19	11	2	1	5
65	Diseases of adrenal glands (not specified as tuberculous)	519	251	236	17	15	3	1	2	-	-
66	Other general diseases	524	197	213	56	58	26	8	12	3	3
67	Scurvy	31	17	7	4	3	-	-	-	-	-
68	Beriberi	40	21	11	3	5	-	-	-	-	-
69	Pellagra (except alcoholic)	1,363	317	571	141	334	128	22	35	21	50
70	Rickets	103	41	25	23	14	4	-	-	4	-
71	Other avitaminoses	121	58	39	12	12	4	1	-	1	2
	IV.—Diseases of the blood and blood-forming organs	10,692	5,323	4,707	336	326	153	65	48	23	17
72	Hemorrhagic conditions	677	323	296	32	26	10	4	1	3	2
73a	Pernicious anemia	2,396	1,013	1,271	44	68	22	9	6	3	4
73b-d	Other anemias (except splenic)	1,169	492	521	76	80	31	11	8	3	9
74a	Leukemias	5,426	2,982	2,172	149	123	69	31	23	13	2
74b	Aleukemias	232	125	99	4	4	4	2	2	-	-
75	Diseases of spleen	516	262	210	23	21	10	5	4	1	-
76	Other diseases of the blood and blood-forming organs	276	126	138	8	4	7	3	4	-	-
	V.—Chronic poisoning and intoxication	2,345	1,806	308	186	45	26	22	2	2	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	71	47	16	6	2	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	2,132	1,671	256	165	40	25	22	1	2	-
78	Lead poisoning	58	38	13	4	3	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	84	50	23	11	-	1	-	1	-	-
	VI.—Diseases of the nervous system, etc.*	144,884	63,489	63,359	8,528	9,458	2,814	833	808	557	616
80	Encephalitis (nonepidemic)	1,577	780	586	118	93	55	22	17	6	10
81	Meningitis (not due to meningococcus)	2,609	1,272	805	321	211	83	25	15	24	19
82	Diseases of spinal cord (see exceptions)*	2,812	1,523	1,091	118	80	27	11	8	5	3
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	111,472	47,627	49,707	6,432	7,706	2,159	637	623	413	486
83b	Cerebral embolism and thrombosis	10,812	5,188	5,003	321	300	38	19	10	4	5
83c	Cerebral softening	737	373	326	21	17	10	3	3	2	2
83d	Hemiplegia and other paralysis of unspecified origin	4,279	1,756	1,654	446	423	154	38	36	39	41
84	Mental diseases and deficiency (see exception)*	1,789	653	786	171	179	117	22	61	16	18
85	Epilepsy	2,590	1,233	870	294	193	85	20	12	35	18
86	Convulsions (under 5 years)	566	249	161	85	71	17	3	6	3	5
87	Other diseases of nervous system	4,227	2,100	1,883	125	119	46	23	9	6	8
88	Diseases of organs of vision	68	28	27	8	5	1	-	1	-	-
89a	Otitis and other diseases of the ear	918	483	328	54	53	15	8	2	4	1
89b	Diseases of mastoid process	378	224	132	14	8	7	2	5	-	-
	VII.—Diseases of the circulatory system	460,736	246,632	176,122	20,204	17,778	5,490	2,052	1,371	1,081	986
90-95	Diseases of the heart (all forms)	426,391	229,633	161,571	18,683	16,504	5,054	1,923	1,226	1,000	905
90	Pericarditis (except acute rheumatic)	570	280	177	64	49	9	2	4	3	-
91a,b	Bacterial and other acute or subacute endocarditis	2,361	1,122	892	182	165	27	6	8	7	6
91c	Endocarditis (unspecified, under 45 years)	290	91	120	25	54	7	-	1	3	3
92a-d	Chronic endocarditis and diseases of the valves*	41,619	19,287	17,319	2,518	2,495	802	283	179	218	192
92e	Endocarditis (unspecified, 45 years and over)	2,810	1,337	1,095	188	190	77	24	20	20	13
93a	Acute myocarditis (except rheumatic)	4,184	1,953	1,515	334	382	99	23	24	22	30
93b	Myocarditis (unspecified, under 45 years)	711	232	197	129	153	39	3	5	14	17
93c,d	Chronic myocarditis and myocardial degeneration	195,712	95,752	84,432	8,049	7,479	1,627	572	456	315	284
93e	Other myocarditis (unspecified)	20,457	10,211	7,968	1,241	1,042	454	141	113	104	96
94a	Diseases of coronary arteries	114,253	76,398	32,917	2,944	1,994	1,102	596	244	137	125
94b	Angina pectoris	6,472	4,199	1,779	265	229	134	81	34	6	13
95a	Functional diseases of heart, etc.*	1,181	604	500	34	43	25	13	5	2	5
95b,c	Other and unspecified diseases of heart	35,771	18,167	12,665	2,710	2,229	652	249	133	149	121
96	Aneurysm (except of heart and aorta)	1,474	880	434	92	68	4	3	-	-	1
97	Arteriosclerosis (except coronary or renal sclerosis)	27,216	13,510	11,919	1,009	778	267	86	104	34	43
98	Gangrene	542	273	179	46	44	7	1	2	4	-
99	Other diseases of arteries	1,994	1,030	842	73	49	29	6	13	5	5
100	Diseases of veins	928	430	407	44	47	8	3	2	1	2
101	Diseases of lymphatic system	104	51	37	10	6	2	-	2	-	-
102	High blood pressure (idiopathic)	1,829	706	666	206	251	95	23	18	30	24
103	Other diseases of circulatory system	258	119	67	41	31	24	7	4	7	6
	VIII.—Diseases of the respiratory system	88,594	43,728	30,750	8,133	5,983	1,956	585	530	450	391
104a	Diseases of nasal fossae	343	117	97	62	67	20	5	3	7	5
104b	Diseases of accessory sinuses	532	313	165	32	22	7	5	-	1	1
105	Diseases of larynx	361	203	111	23	24	7	-	3	-	4
106a	Acute bronchitis	1,043	482	437	58	66	8	2	1	1	4

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	...	-	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	...	-	-	...	-	57b
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	...	-	-	...	-	57c
12	6	4	1	1	33	11	14	2	6	76	45	28	-	3	21	9	11	1	-	57d,e
107	43	45	8	11	328	91	136	37	64	2,487	980	1,395	55	57	304	127	167	4	6	
9	1	6	1	1	6	2	2	-	2	25	9	14	1	1	11	5	6	-	-	58a-d
4	1	-	1	2	4	1	1	1	1	15	8	7	-	-	5	4	1	-	-	58e,f
5	-	4	-	1	23	5	12	3	3	101	37	64	-	-	21	10	10	-	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
60	27	27	1	5	191	63	79	19	30	1,876	743	1,052	43	38	211	95	108	4	4	61
-	-	-	-	-	1	1	-	-	-	13	4	9	-	-	2	-	2	-	-	62
-	-	-	-	-	1	-	-	-	1	13	6	7	-	-	4	1	3	-	-	63a
5	-	4	-	1	14	1	8	1	4	152	24	114	2	12	23	2	21	-	-	63b
3	2	1	-	-	4	1	2	-	1	26	4	21	-	1	5	-	5	-	-	63c-e
10	7	-	3	-	4	3	1	-	-	162	95	58	6	3	9	3	6	-	-	64
2	1	1	-	-	-	-	-	-	-	48	22	24	1	1	3	1	2	-	-	65
3	1	1	1	-	7	2	3	2	-	22	7	14	1	-	5	3	2	-	-	66
-	-	-	-	-	2	-	1	1	-	2	-	-	1	1	-	-	-	-	-	67
1	1	-	-	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-	68
4	1	1	1	1	67	10	25	10	22	17	11	6	-	-	1	-	1	-	-	69
-	-	-	-	-	3	2	1	-	-	1	1	-	-	-	2	2	-	-	-	70
1	1	-	-	-	1	-	1	-	-	9	5	4	-	-	2	1	-	-	1	71
33	15	13	3	2	87	47	33	3	4	670	358	295	14	3	81	50	29	1	1	
2	2	-	-	-	6	1	5	-	-	32	17	14	-	1	9	3	6	-	-	72
3	2	1	-	-	15	4	9	1	1	113	53	59	1	-	12	8	4	-	-	73a
5	2	3	-	-	10	7	3	-	-	56	26	27	3	-	5	4	-	1	-	73b-d
18	8	7	2	1	45	31	12	2	-	405	230	167	7	1	42	27	14	-	1	74a
1	-	1	-	-	-	-	-	-	-	19	11	7	-	1	2	1	1	-	-	74b
3	1	1	1	-	7	2	3	-	2	34	17	14	3	-	9	6	3	-	-	75
1	-	-	-	1	4	2	1	-	1	11	4	7	-	-	2	1	1	-	-	76
20	15	4	1	-	14	11	-	3	-	172	137	31	3	1	32	22	9	1	-	
-	-	-	-	-	-	-	-	-	-	6	3	3	-	-	-	-	-	-	-	77a,b
20	15	4	1	-	13	10	-	3	-	156	128	26	2	-	30	21	8	1	-	77c-e
-	-	-	-	-	-	-	-	-	-	5	3	1	-	1	-	-	-	-	-	78
-	-	-	-	-	1	1	-	-	-	5	3	1	1	-	2	1	1	-	-	79
326	176	112	23	15	1,640	626	529	225	260	7,720	3,691	3,748	174	107	1,125	581	496	21	27	
6	2	3	1	-	26	15	5	4	2	68	37	27	2	2	15	9	5	-	1	80
16	7	3	5	1	39	10	20	3	6	98	65	24	6	3	21	12	6	1	2	81
7	3	3	1	-	18	7	6	3	2	197	109	84	2	2	29	16	12	-	1	82
232	127	85	10	10	1,276	486	414	172	204	5,832	2,728	2,897	127	80	821	424	365	13	19	83a
13	7	5	-	1	27	13	9	1	4	794	382	391	12	9	117	62	51	3	1	83b
-	-	-	-	-	4	2	2	-	-	143	76	62	3	2	3	2	1	-	-	83c
12	6	4	2	-	127	39	39	22	27	86	38	41	6	1	25	14	9	1	1	83d
1	-	-	-	1	28	7	14	3	4	85	33	47	3	2	11	2	8	-	1	84
12	10	2	-	-	35	17	6	10	2	116	67	39	6	4	22	10	11	-	1	85
4	1	1	-	2	20	10	4	4	2	7	6	-	-	1	4	3	1	-	-	86
15	10	3	2	-	22	9	8	3	2	220	104	110	5	1	42	19	21	2	-	87
-	-	-	-	-	2	-	-	-	2	5	3	2	-	-	2	2	-	-	-	88
7	3	3	1	-	11	7	2	-	2	42	27	13	2	-	9	5	4	-	-	89a
1	-	-	1	-	5	4	-	-	1	27	16	11	-	-	4	1	2	1	-	89b
1,129	702	329	65	33	3,349	1,599	876	477	397	30,185	17,568	11,730	615	272	3,470	2,047	1,353	42	28	
1,049	656	303	61	29	3,104	1,507	812	428	357	27,159	15,953	10,426	538	242	3,190	1,897	1,228	40	25	90-95
2	-	2	-	-	8	4	3	1	-	42	29	11	2	-	5	5	-	-	-	90
9	4	4	-	1	36	12	4	13	7	158	98	53	5	2	21	13	8	-	-	91a,b
1	1	-	-	-	6	1	1	1	3	11	4	5	1	1	7	3	3	1	-	91c
95	57	26	7	5	518	200	151	92	75	2,149	1,082	986	57	24	403	198	199	3	3	92a-d
4	3	-	1	-	18	7	5	2	4	78	39	38	1	-	32	14	17	1	-	92e
14	9	4	-	1	73	34	19	8	12	191	95	91	5	-	40	26	14	-	-	93a
-	-	-	-	-	4	1	1	1	1	23	14	6	2	1	7	2	3	1	1	93b
442	259	150	25	8	928	408	271	136	113	14,311	7,902	5,929	327	153	1,064	608	429	14	13	93c,d
68	44	22	2	-	134	65	32	17	20	745	404	323	10	9	287	145	135	6	1	93e
243	178	53	8	4	650	393	152	58	47	8,054	5,493	2,429	98	34	907	633	263	6	5	94a
21	9	9	1	2	118	88	18	8	4	200	134	63	3	-	50	41	8	1	-	94b
3	1	1	1	-	19	12	4	1	2	38	18	18	-	2	13	4	9	-	-	95a
147	91	32	16	8	592	282	151	90	69	1,158	641	474	27	16	354	205	140	7	2	95b,c
7	6	1	-	-	5	4	-	-	1	246	169	61	11	5	12	10	2	-	-	96
54	35	16	2	1	160	53	49	33	25	2,549	1,336	1,130	60	23	217	115	98	2	2	97
4	2	1	-	1	4	2	1	1	-	24	13	10	-	1	8	6	2	-	-	98
7	-	6	-	1	17	11	2	2	2	95	41	50	4	-	24	11	13	-	-	99
1	-	-	1	-	3	2	-	-	1	45	22	22	1	-	9	4	5	-	-	100
3	2	-	-	1	2	1	-	1	-	6	3	2	1	-	-	-	-	-	-	101
1	-	1	-	-	48	18	11	10	9	57	28	28	-	1	10	4	5	-	1	102
3	1	1	1	-	6	1	1	2	2	4	3	1	-	-	-	-	-	-	-	103
545	268	138	72	67	1,106	401	315	223	167	5,329	3,196	1,787	252	94	1,038	602	408	19	9	
10	4	1	-	5	1	-	-	-	1	6	-	4	1	1	4	2	2	-	-	104a
3	2	1	-	-	5	3	1	-	1	43	34	9	-	-	7	5	1	-	1	104b
7	6	1	-	-	7	3	1	3	-	12	7	4	1	-	8	3	5	-	-	105
8	5	2	1	-	2	-	2	-	-	37	12	23	1	1	8	5	3	-	-	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	1,932	1,105	692	83	52	27	10	9	3	5
106c	Bronchitis (unspecified)	766	356	314	46	50	16	6	5	1	4
107	Bronchopneumonia (including capillary bronchitis)	34,616	16,301	13,274	2,804	2,237	564	170	182	102	110
108	Lobar pneumonia	31,044	15,771	9,622	3,400	2,251	699	207	163	185	144
109	Pneumonia (unspecified)	7,236	3,262	2,307	919	748	424	114	100	121	89
110	Pleurisy (not specified as tuberculous)	1,916	1,146	499	177	94	19	12	5	2	-
111a	Hemorrhagic infarction and thrombosis of lungs	1,302	642	522	66	72	28	8	11	4	5
111b,c	Acute edema, chronic and unspecified congestion of lungs	2,593	1,063	1,324	110	96	54	16	21	9	8
112	Asthma	2,659	1,387	977	171	124	46	14	20	6	6
113	Pulmonary emphysema	186	139	42	3	2	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	2,065	1,441	367	179	78	37	16	7	8	6
	IX.—Diseases of the digestive system	72,229	36,797	26,415	4,850	4,167	1,234	431	312	261	230
115a,b,d	Diseases of buccal cavity and adnexa	1,391	600	546	118	127	30	9	7	6	8
115c	Diseases of pharynx and tonsils	1,212	557	451	105	99	17	3	6	3	5
116	Diseases of esophagus	222	127	75	10	10	3	2	-	-	1
117a	Ulcer of stomach	6,390	4,708	975	491	216	96	51	12	22	11
117b	Ulcer of duodenum	2,943	2,350	431	128	34	24	17	-	6	1
118	Other diseases of stomach (except cancer)	1,873	821	513	251	288	71	20	11	11	29
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	9,839	4,303	3,448	1,119	969	244	80	58	69	37
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	2,988	1,135	1,281	269	303	86	28	30	18	10
121	Appendicitis	8,108	4,273	2,807	580	448	164	57	36	36	35
122a	Hernia	5,262	2,809	1,977	330	146	42	20	13	8	1
122b	Intestinal obstruction	7,197	2,862	3,275	456	604	144	32	47	32	33
123	Other diseases of intestines	1,688	829	654	94	111	34	12	10	4	8
124a	Cirrhosis of liver (with mention of alcoholism)	1,518	1,063	395	45	15	6	5	-	1	-
124b	Cirrhosis of liver (without mention of alcoholism)	11,009	6,602	3,567	467	273	119	59	22	21	17
125a	Acute yellow atrophy of liver (nonpuerperal)	628	269	267	35	52	7	2	3	1	1
125b	Other diseases of liver	1,126	502	405	110	109	28	7	8	4	9
126	Biliary calculi	3,751	1,053	2,596	26	76	22	4	14	3	1
127	Other diseases of gallbladder and biliary ducts	3,022	1,032	1,799	75	116	47	12	24	4	7
128	Diseases of pancreas (except diabetes mellitus)	825	403	373	36	13	8	2	3	3	-
129	Peritonitis (cause not stated)	1,242	499	480	105	158	42	9	8	9	16
	X.—Diseases of the genito-urinary system	115,699	55,680	41,926	9,620	8,473	2,294	653	523	590	528
130	Acute nephritis	3,131	1,269	973	457	432	120	28	25	33	34
131a	Arteriosclerotic kidney	65,887	29,459	26,139	4,998	4,791	1,176	331	258	306	281
131b	Other chronic nephritis	25,287	11,677	9,546	2,134	1,930	454	145	135	82	92
132	Nephritis unspecified (10 years and over)	5,462	2,481	1,788	631	562	261	66	53	71	71
133	Other diseases of kidneys and ureters, etc.*	3,417	1,597	1,352	263	205	67	21	16	23	5
134	Calculi of urinary passages	1,636	1,029	507	68	32	21	10	7	3	1
135	Diseases of urinary bladder	760	370	238	117	35	23	7	3	9	4
136	Diseases of urethra (except calculus)	430	249	27	150	4	13	2	1	10	-
137	Diseases of prostate	8,297	7,512	...	785	...	93	42	...	51	...
138	Diseases of other male genital organs (except venereal)	54	37	...	17	...	3	1	...	2	...
139a	Diseases of ovaries, fallopian tubes, and parametria	1,156	...	768	...	388	42	...	16	...	26
139b	Diseases of uterus	647	...	564	...	83	19	...	7	...	12
139c	Diseases of other and unspecified female genital organs	35	...	24	...	11	2	...	-	...	2
	XI.—Diseases of pregnancy, childbirth, and the puerperium	7,197	...	5,463	...	1,734	260	...	127	...	133
140	Abortion with mention of infection	789	...	568	...	221	17	...	9	...	8
140a,b	Abortion (septic), spontaneous or therapeutic *	586	...	396	...	190	17	...	9	...	8
140c,d	Abortion (septic), self-induced or nontherapeutic *	203	...	172	...	31	-	...	-	...	-
141	Abortion without mention of infection	376	...	285	...	91	11	...	8	...	3
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	110	...	83	...	27	2	...	2	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	237	...	175	...	62	9	...	6	...	3
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	29	...	27	...	2	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	62	...	46	...	16	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	270	...	190	...	80	12	...	6	...	6
143a	Placenta praevia (death before delivery)	24	...	18	...	6	2	...	1	...	1
143b,c	Other hemorrhages of pregnancy (death before delivery)	41	...	31	...	10	2	...	1	...	1
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	505	...	344	...	161	27	...	12	...	15
144c,d	Other toxemias of pregnancy (death before delivery) *	185	...	123	...	62	15	...	9	...	6
145	Other diseases and accidents of pregnancy (death before delivery)	267	...	214	...	53	9	...	5	...	4
	A. With mention of infection	179	...	148	...	31	3	...	1	...	2
	B. Without mention of infection	88	...	66	...	22	6	...	4	...	2
146a	Placenta praevia (with childbirth)	240	...	193	...	47	10	...	5	...	5
146b,c	Other hemorrhages of childbirth and puerperium	821	...	654	...	167	34	...	18	...	16
147a,b	Puerperal pyelitis, other general or local puerperal infection *	825	...	559	...	266	31	...	13	...	18
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	738	...	664	...	74	13	...	9	...	4
148a,b	Puerperal eclampsia and nephritis *	924	...	675	...	249	34	...	14	...	20
148c,d	Other puerperal toxemias	212	...	170	...	42	8	...	3	...	5
149	Other accidents and specified conditions of childbirth	482	...	408	...	74	16	...	10	...	6
150	Other and unspecified conditions of childbirth and puerperium	436	...	321	...	115	19	...	4	...	15
	XII.—Diseases of the skin and cellular tissue	1,248	544	480	106	118	29	11	4	8	6
151	Carbuncle and furuncle	221	126	61	15	19	6	5	-	-	1
152	Phlegmon and acute abscess	326	161	99	38	28	6	2	1	2	1
153	Other diseases of skin and cellular tissue	701	257	320	53	71	17	4	3	6	4
	XIII.—Diseases of the bones, etc.*	1,007	500	357	79	71	23	9	4	6	4
154	Osteomyelitis and periostitis	500	269	126	58	47	18	7	2	6	3
155	Other diseases of bones (except tuberculosis)	167	65	97	1	4	-	-	-	-	-
156	Diseases of joints and other organs of movement	340	166	134	20	20	5	2	2	-	1
157	XIV.—Congenital malformations	16,766	8,515	7,156	633	462	239	106	90	27	16

* Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
14	7	7	-	-	17	5	10	2	-	110	66	43	-	1	31	18	12	1	-	106b
1	1	-	-	-	14	5	6	1	2	30	18	11	-	1	9	5	4	-	-	106c
252	111	70	38	33	411	145	113	85	68	2,601	1,456	991	105	49	402	209	164	6	3	107
130	76	31	18	5	424	152	117	83	72	1,701	1,123	433	117	28	319	196	111	8	4	108
46	8	5	11	22	109	36	28	31	14	143	88	46	5	4	100	59	40	1	-	109
12	7	1	2	2	16	10	2	1	3	155	111	37	6	1	32	20	10	2	-	110
5	2	3	-	-	9	4	3	2	-	73	37	32	2	2	17	10	6	1	-	111a
11	6	5	-	-	31	8	15	7	1	142	65	72	3	2	27	12	15	-	-	111b,c
29	19	9	1	-	31	11	10	7	3	142	83	55	3	1	33	18	14	-	1	112
-	-	-	-	-	4	3	-	-	1	17	13	3	1	-	2	2	-	-	-	113
17	14	2	1	-	25	16	7	1	1	117	83	24	7	3	39	38	1	-	-	114
592	283	177	91	91	942	396	270	154	122	5,084	2,986	1,908	121	69	850	501	332	13	4	
9	5	2	1	1	25	10	10	3	2	73	38	30	4	1	18	7	11	-	-	115a,b,d
10	2	7	1	-	13	4	2	3	4	68	31	30	4	3	18	11	7	-	-	115c
-	-	-	-	-	2	1	1	-	-	12	7	5	-	-	6	3	2	1	-	116
22	16	3	3	-	67	46	10	11	-	503	389	90	21	3	88	70	16	2	-	117a
8	7	1	-	-	10	10	-	-	-	298	243	48	6	1	43	37	6	-	-	117b
17	4	4	4	5	83	26	23	9	25	46	29	16	1	-	33	22	11	-	-	118
316	110	79	62	65	174	62	46	39	27	506	269	212	16	9	145	75	68	2	-	119
24	2	6	7	9	88	31	24	17	16	123	61	56	5	1	42	23	18	1	-	120
40	18	17	4	1	136	60	45	20	11	456	266	173	12	5	99	63	30	4	2	121
12	7	3	-	2	30	17	5	7	1	308	182	113	8	5	59	41	17	1	-	122a
35	10	19	2	4	97	32	34	20	11	452	165	247	6	14	78	30	46	1	1	122b
8	4	1	1	2	17	6	5	4	2	134	77	55	1	1	24	14	10	-	-	123
5	4	1	-	-	5	4	-	1	-	391	257	126	6	2	8	5	3	-	-	124a
44	29	12	3	-	78	46	20	8	4	1,065	667	365	19	14	84	57	27	-	-	124b
3	1	2	-	-	2	2	-	-	-	69	30	35	3	1	5	1	3	-	1	125a
3	2	1	-	-	27	12	3	5	7	89	54	33	2	-	7	7	-	-	-	125b
17	5	12	-	-	24	6	15	2	1	235	79	152	1	3	35	10	25	-	-	126
11	5	4	1	1	44	16	24	2	2	140	58	74	4	4	34	16	18	-	-	127
3	-	2	1	-	4	2	2	-	-	73	44	28	1	-	7	6	-	1	-	128
5	2	1	1	1	16	3	1	3	9	43	20	20	1	2	17	3	14	-	-	129
294	163	103	20	8	1,515	578	388	328	221	5,488	3,033	2,208	137	110	1,052	595	433	14	10	
13	5	5	3	-	79	26	17	21	15	107	59	41	5	2	34	18	15	1	-	130
137	71	56	7	3	625	231	163	129	102	3,125	1,574	1,427	66	58	587	303	271	5	8	131a
37	49	31	5	2	497	174	137	113	73	1,084	573	453	31	27	192	117	73	2	-	131b
13	6	3	3	1	114	53	30	22	9	148	74	60	9	5	65	35	29	-	1	132
8	5	1	1	1	51	17	23	6	5	224	121	91	2	10	47	23	22	2	-	133
7	7	-	-	-	12	7	4	-	1	121	89	27	4	1	17	12	3	2	-	134
-	-	-	-	-	8	3	2	2	1	32	15	16	1	-	5	2	2	1	-	135
-	-	-	-	-	12	2	1	9	-	16	15	1	-	-	-	-	-	-	-	136
21	20	...	1	...	91	65	...	26	...	528	509	...	19	...	85	84	...	1	...	137
-	-	...	-	...	-	-	...	-	...	4	4	...	-	...	1	1	...	-	...	138
5	...	4	...	1	20	...	6	...	14	70	...	64	...	6	9	...	8	...	1	139a
2	...	2	...	-	6	...	5	...	1	29	...	28	...	1	10	...	10	...	-	139b
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	139c
38	...	31	...	7	168	...	89	...	79	357	...	329	...	28	63	...	63	...	-	
4	...	4	...	-	18	...	10	...	8	58	...	53	...	5	5	...	5	...	-	140
3	...	3	...	-	14	...	7	...	7	30	...	26	...	4	2	...	2	...	-	140a,b
1	...	1	...	-	4	...	3	...	1	28	...	27	...	1	3	...	3	...	-	140c,d
5	...	3	...	2	8	...	4	...	4	13	...	12	...	1	7	...	7	...	-	141
1	...	1	...	-	3	...	1	...	2	6	...	6	...	-	3	...	3	...	-	141a,c
4	...	2	...	2	4	...	2	...	2	3	...	2	...	1	3	...	3	...	-	141b,d
-	...	-	...	-	1	...	1	...	-	4	...	4	...	-	1	...	1	...	-	141e,f
-	...	-	...	-	3	...	1	...	2	8	...	6	...	2	-	...	-	...	-	142a
1	...	1	...	-	4	...	2	...	2	15	...	13	...	2	4	...	4	...	-	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	143b,c
3	...	3	...	-	15	...	6	...	9	12	...	9	...	3	5	...	5	...	-	144a,b
4	...	3	...	1	3	...	2	...	1	4	...	4	...	-	2	...	2	...	-	144c,d
1	...	1	...	-	12	...	7	...	5	5	...	5	...	-	4	...	4	...	-	145
1	...	1	...	-	7	...	5	...	2	3	...	3	...	-	3	...	3	...	-	
-	...	-	...	-	5	...	2	...	3	2	...	2	...	-	1	...	1	...	-	
-	...	-	...	-	4	...	3	...	1	9	...	8	...	1	6	...	6	...	-	146a
2	...	1	...	1	8	...	5	...	3	50	...	46	...	4	8	...	8	...	-	146b,c
3	...	2	...	1	31	...	12	...	19	42	...	38	...	4	6	...	6	...	-	147a,b
2	...	2	...	-	7	...	6	...	1	45	...	43	...	2	2	...	2	...	-	147c,d
9	...	8	...	1	29	...	15	...	14	35	...	34	...	1	4	...	4	...	-	148a,b
-	...	-	...	-	2	...	2	...	-	10	...	9	...	1	-	...	-	...	-	148c,d
1	...	1	...	-	8	...	3	...	5	38	...	36	...	2	6	...	6	...	-	149
3	...	2	...	1	14	...	9	...	5	13	...	13	...	-	4	...	4	...	-	150
3	-	-	2	1	27	17	6	3	1	51	27	20	2	2	8	4	4	-	-	
-	-	-	-	-	8	6	1	-	1	6	4	1	1	-	-	-	-	-	-	151
1	-	-	1	-	4	3	1	-	-	14	9	4	-	1	1	-	1	-	-	152
2	-	-	1	1	15	8	4	3	-	31	14	15	1	1	7	4	3	-	-	153
2	-	1	1	-	6	2	2	-	2	43	21	21	-	1	8	6	2	-	-	
1	-	1	-	-	3	-	1	-	2	13	8	5	-	-	6	5	1	-	-	154
-	-	-	-	-	1	-	1	-	-	14	7	7	-	-	-	-	-	-	-	155
1	-	-	1	-	2	2	-	-	-	16	6	9	-	1	2	1	1	-	-	156
93	51	28	7	7	141	75	54	6	6	964	512	413	20	19	172	89	80	3	-	157

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			Male	Female	Male	Female		M	F	M	F
	XV.—Diseases peculiar to the first year of life	55,506	28,025	19,520	4,483	3,478	1,334	533	359	254	188
158	Congenital debility (cause not stated)	2,738	1,173	776	452	337	79	17	17	22	23
159	Premature birth (cause not stated)	34,563	17,012	12,457	2,774	2,320	812	315	231	154	112
160a	Intracranial or spinal hemorrhage	4,615	2,615	1,497	312	191	118	68	30	11	9
160b,c	Other injuries at birth	6,375	3,481	2,281	355	258	152	62	39	32	19
161	Other diseases peculiar to the first year of life	7,215	3,744	2,509	590	372	173	71	42	35	25
162	XVI.—Senility	11,684	4,399	5,322	953	1,010	421	85	122	107	107
	XVII.—Violent or accidental deaths	119,619	75,565	30,098	10,471	3,485	2,313	1,113	364	640	196
163,164	Suicide	13,725	9,688	3,618	326	93	150	103	35	6	6
163	Suicide by poisoning	3,434	1,773	1,571	53	37	20	7	12	-	1
	Suicide by solid or liquid poisons	1,557	573	830	29	25	18	6	11	-	1
	Suicide by poisonous gases	1,877	1,100	741	24	12	2	1	1	-	-
164a	Suicide by hanging or strangulation	3,045	2,303	689	42	11	17	10	5	2	-
164b	Suicide by drowning	635	338	273	20	4	9	4	3	2	-
164c	Suicide by firearms and explosives	5,076	4,248	643	157	28	89	70	12	2	5
164d	Suicide by cutting or piercing instruments	652	503	120	26	3	4	4	-	-	-
164e	Suicide by jumping from high places	595	341	224	21	9	4	2	2	-	-
164f	Suicide by crushing	126	87	36	3	-	-	-	-	-	-
164g	Suicide by other or unspecified means	162	95	62	4	1	7	6	1	-	-
165-168	Homicide [1]	6,690	2,409	754	2,824	703	315	72	27	171	45
166	Homicide by firearms	3,444	1,267	404	1,490	283	161	39	18	90	14
167	Homicide by cutting or piercing instruments	1,849	400	88	1,053	308	110	21	2	61	26
168	Homicide by other means	1,397	742	262	281	112	44	12	7	20	5
169-195	Accidental deaths	99,088	63,381	25,725	7,245	2,687	1,845	937	302	461	145
169	Railway accidents (except collisions with motor vehicles)	3,783	2,898	402	419	64	100	48	2	47	3
170a	Collisions between automobiles and trains	1,448	993	369	71	15	22	14	5	3	-
170b	Collisions between automobiles and streetcars	171	119	37	15	-	5	4	1	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	21,851	15,677	3,926	1,864	384	435	255	70	91	19
170d	Motorcycle accidents (except collisions with automobiles)	353	306	39	7	1	9	7	1	1	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	707	482	155	55	15	4	-	1	2	1
171b	Other and unspecified road-transport accidents	246	180	34	28	4	10	9	-	1	-
172	Water-transport accidents	1,204	977	95	121	11	15	8	1	6	-
173	Air-transport accidents	7,057	6,975	48	32	2	119	112	1	6	-
174	Accidents in mines and quarries	1,834	1,682	18	134	-	82	56	-	26	-
175a	Accidents involving agricultural machinery and vehicles	974	856	56	56	6	7	4	-	3	-
175b,c	Other agricultural accidents, including injury by animals	1,053	906	72	74	1	6	4	-	2	-
175d	Accidents involving forestry machinery and vehicles	46	40	-	6	-	1	-	-	1	-
175e	Other forestry accidents	211	188	-	23	-	3	2	-	1	-
176	Other accidents involving machinery	1,479	1,228	44	195	12	26	14	-	12	-
177	Food poisoning	489	203	158	55	73	24	5	8	4	7
178	Accidental absorption of poisonous gas	2,038	1,309	628	64	37	3	2	-	1	-
179	Acute accidental poisoning by solids or liquids	1,254	609	447	113	85	30	11	10	6	3
180	Conflagration	2,775	1,314	748	373	340	44	8	8	14	14
181	Accidental burns (except conflagration)	5,951	2,489	2,194	604	664	190	49	43	45	53
182	Accidental mechanical suffocation	1,763	931	533	163	136	42	19	10	8	5
183	Accidental drowning	6,095	4,399	776	829	91	118	55	12	48	3
184	Accidental injury by firearms	2,318	1,688	203	351	76	93	46	6	33	8
185	Accidental injury by cutting or piercing instruments	356	184	69	79	24	11	3	1	5	2
186a	Accidental injury by fall	24,179	10,651	12,603	549	376	122	42	52	17	11
186b	Accidental injury by crushing	556	451	27	77	1	17	11	-	6	-
187	Cataclysm, etc. *	164	103	47	2	12	9	3	5	1	-
188	Injury by animals (except in agriculture and forestry)	200	149	18	30	3	10	6	1	3	-
189	Hunger or thirst	25	12	7	2	4	3	1	1	-	1
190	Excessive cold	312	203	35	47	27	3	-	-	2	1
191	Excessive heat	660	471	91	80	18	10	8	2	-	-
192	Lightning	432	297	47	62	26	26	14	2	8	2
193	Accidents due to electric currents (except lightning)	802	690	50	60	2	23	18	-	5	-
194	Poisoning by venomous animals (except in agriculture and forestry)	77	39	24	10	4	1	1	-	-	-
195a,b	Accidents due to medical or surgical intervention	56	25	19	5	7	1	1	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	921	509	305	57	50	16	7	5	2	2
195c,e	Other and unspecified accidents	5,198	3,148	1,401	533	116	205	90	54	51	10
196	Deaths of military personnel during operations of war	29	29	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	4	3	-	1	-	-	-	-	-	-
198	Legal executions	133	55	1	75	2	3	1	-	2	-
	XVIII.—Ill-defined and unknown causes	19,485	6,918	4,008	4,609	3,950	2,473	402	293	935	843
199	Sudden death	1,397	660	291	268	178	103	33	20	32	18
200a	Ill-defined	7,031	3,356	1,693	1,107	881	561	132	88	168	173
200b	Found dead (cause unknown)	884	440	214	135	95	46	21	12	8	5
200c	Unknown or unspecified	10,173	2,468	1,810	3,099	2,796	1,763	216	173	727	647

*Refer to complete International List titles, table VII, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
344	160	121	39	24	546	252	200	56	38	3,130	1,769	1,199	88	74	533	296	225	7	5	
45	14	14	14	3	53	15	20	9	9	67	42	23	1	1	32	20	12	-	-	158
199	98	72	14	15	337	158	130	28	21	1,934	1,070	756	56	52	337	196	132	5	4	159
20	10	10	-	-	38	14	19	2	3	198	116	73	4	5	46	28	17	1	-	160a
35	16	14	4	1	70	38	21	8	3	436	248	166	15	7	57	28	29	-	-	160b,c
45	22	11	7	5	48	27	10	9	2	495	293	181	12	9	61	24	35	1	1	161
61	21	13	15	12	302	99	107	41	55	314	136	163	9	6	191	102	78	8	3	162
727	504	125	75	23	1,494	789	284	303	118	8,894	6,381	2,151	300	62	1,299	929	336	23	11	
56	46	6	4	-	110	73	26	7	4	1,245	868	347	24	6	152	111	39	1	1	163,164
6	5	1	-	-	23	10	11	2	-	351	190	158	2	1	41	27	14	-	-	163
3	3	-	-	-	22	9	11	2	-	232	100	129	2	1	19	9	10	-	-	
3	2	1	-	-	1	1	-	-	-	119	90	29	-	-	22	18	4	-	-	
14	12	1	1	-	11	7	3	1	-	175	125	43	4	3	26	18	7	-	1	164a
-	-	-	-	-	5	2	2	-	1	41	29	9	3	-	4	2	2	-	-	164b
31	25	2	3	-	58	49	5	2	2	487	395	83	7	2	66	54	12	-	-	164c
3	3	-	-	-	5	2	2	1	-	79	61	14	4	-	8	6	1	1	-	164d
1	-	1	-	-	-	-	-	-	-	82	48	30	4	-	4	3	1	-	-	164e
-	-	-	-	-	1	-	-	1	-	15	13	2	-	-	-	-	-	-	-	164f
1	-	1	-	-	7	3	3	-	1	15	7	8	-	-	3	1	2	-	-	164g
42	18	10	11	3	162	40	8	95	19	367	210	72	73	12	53	34	12	3	4	165-168
26	9	8	6	3	87	18	4	57	8	159	83	38	32	6	23	14	5	1	3	166
5	3	-	2	-	42	6	2	27	7	95	54	4	32	5	6	3	-	2	1	167
11	6	2	3	-	33	16	2	11	4	113	73	30	9	1	24	17	7	-	-	168
623	437	109	57	20	1,219	675	250	199	95	7,273	5,294	1,732	203	44	1,089	780	285	18	6	169-195
28	21	-	7	-	63	41	8	13	1	214	177	22	13	2	49	44	3	2	-	169
6	4	2	-	-	22	13	5	4	-	138	94	42	2	-	13	10	3	-	-	170a
-	-	-	-	-	-	-	-	-	-	31	21	5	5	-	7	3	4	-	-	170b
139	96	26	12	5	216	138	33	38	7	2,397	1,813	495	75	14	194	149	41	3	1	170c
6	5	-	1	-	4	4	-	-	-	56	49	7	-	-	1	1	-	-	-	170d
1	1	-	-	-	1	-	-	1	-	87	61	23	3	-	4	3	-	-	1	171a
2	1	-	1	-	3	2	-	1	-	7	5	2	-	-	1	1	-	-	-	171b
1	1	-	-	-	9	7	1	-	1	106	96	3	7	-	-	-	-	-	-	172
84	73	-	11	-	98	98	-	-	-	777	766	11	-	-	167	162	3	2	-	173
18	18	-	-	-	16	14	-	2	-	23	21	1	1	-	44	42	1	1	-	174
2	2	-	-	-	10	6	-	3	1	42	37	1	4	-	22	20	2	-	-	175a
9	8	-	1	-	15	11	1	3	-	31	26	4	1	-	23	21	2	-	-	175b,c
1	1	-	-	-	1	1	-	-	-	4	3	-	1	-	-	-	-	-	-	175d
2	2	-	-	-	2	2	-	-	-	9	9	-	-	-	1	1	-	-	-	175e
3	3	-	-	-	21	17	-	4	-	115	111	2	2	-	13	13	-	-	-	176
7	4	2	1	-	25	10	3	3	9	36	17	16	-	3	4	4	-	-	-	177
6	5	1	-	-	12	7	3	1	1	105	76	28	-	1	9	8	1	-	-	178
13	8	5	-	-	19	11	2	3	3	108	49	55	3	1	14	9	5	-	-	179
18	9	6	1	2	56	10	15	11	20	167	113	42	9	3	11	7	3	1	-	180
37	13	16	2	6	132	47	41	19	25	252	140	98	11	3	40	16	24	-	-	181
8	4	3	1	-	20	7	4	5	4	91	57	31	1	2	17	11	5	1	-	182
39	23	7	7	2	75	50	6	18	1	375	303	48	22	2	52	39	8	4	1	183
21	16	2	3	-	56	21	2	29	4	131	110	13	8	-	34	29	2	3	-	184
1	1	-	-	-	8	-	2	3	3	11	7	2	1	1	-	-	-	-	-	185
70	41	26	2	1	150	56	83	6	5	1,504	766	717	15	6	283	126	154	-	3	186a
3	2	-	1	-	9	7	1	-	1	43	40	1	2	-	7	6	-	1	-	186b
-	-	-	-	-	-	-	-	-	-	6	4	2	-	-	1	-	1	-	-	187
2	2	-	-	-	5	3	1	1	-	13	11	2	-	-	1	1	-	-	-	188
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
2	1	-	1	-	3	-	-	2	1	-	-	-	-	-	5	3	2	-	-	190
32	25	4	1	2	25	13	5	6	1	26	21	4	1	-	1	1	-	-	-	191
6	4	-	2	-	15	10	3	1	1	6	5	-	1	-	8	6	2	-	-	192
7	7	-	-	-	8	7	-	1	-	48	46	1	1	-	6	5	1	-	-	193
3	2	1	-	-	4	-	3	1	-	4	2	2	-	-	1	1	-	-	-	194
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	-	-	195a,b
6	3	2	1	-	7	3	1	3	-	56	38	15	1	2	12	8	4	-	-	195d
38	29	6	1	2	109	59	27	17	6	253	200	36	13	4	42	29	13	-	-	195c,e
-	-	-	-	-	1	1	-	-	-	6	6	-	-	-	2	2	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
6	3	-	3	-	2	-	-	2	-	3	3	-	-	-	3	2	-	1	-	198
199	62	19	65	53	593	205	128	130	130	177	97	62	13	5	51	31	11	6	3	
7	5	-	-	2	35	16	7	7	5	4	2	1	1	-	3	1	2	-	-	199
72	43	12	9	8	171	74	43	24	30	103	52	41	7	3	31	23	6	1	1	200a
5	5	-	-	-	28	14	4	8	2	5	4	1	-	-	3	2	1	-	-	200b
115	9	7	56	43	359	101	74	91	93	65	39	19	5	2	14	5	2	5	2	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	20,014	10,754	8,744	266	250	3,497	1,551	1,300	359	287
	I.—Infectious and parasitic diseases	1,064	669	315	51	29	246	84	62	71	29
1	Typhoid fever	2	-	2	-	-	1	-	-	1	-
2	Paratyphoid fever	1	1	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	3	2	1	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	47	35	10	2	-	20	10	6	3	1
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	2	1	-	1	-	1	1	-	-	-
9	Whooping cough	11	8	3	-	-	11	4	5	2	-
10	Diphtheria (infection by C. diphtheriae)	2	2	-	-	-	-	-	-	-	-
11	Erysipelas	4	1	2	-	1	-	-	-	-	-
12	Tetanus	2	1	1	-	-	1	-	-	-	1
13-22	Tuberculosis (all forms)	621	398	182	23	18	111	31	27	34	19
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	12	12	-	-	-	-	-	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	560	356	166	23	15	102	29	24	30	19
14	Tuberculosis of meninges and central nervous system	8	3	4	-	1	2	-	1	1	-
15	Tuberculosis of intestines and peritoneum	6	5	-	-	1	3	1	1	1	-
16	Tuberculosis of vertebral column	8	6	2	-	-	1	-	1	-	-
17a	Tuberculosis of bones (except vertebral column)	-	-	-	-	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	-	-	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	1	1	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	7	3	4	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	5	4	1	-	-	1	1	-	-	-
21	Tuberculosis of other organs	2	-	2	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	11	8	2	-	1	2	-	-	2	-
22b	Disseminated tuberculosis (other and unspecified)	1	-	1	-	-	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	12	9	3	-	-	2	2	-	-	-
25	Gonococcus infection	-	-	-	-	-	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	7	4	3	-	-	2	1	1	-	-
28	Malaria	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	156	91	33	23	9	41	12	4	21	4
30a	Locomotor ataxia (tabes dorsalis)	12	9	3	-	-	-	-	-	-	-
30b	General paralysis of insane	36	24	4	5	3	20	7	1	10	2
30c	Other syphilis of central nervous system	17	11	3	3	-	1	1	-	-	-
30d	Aneurysm of aorta	32	24	6	2	-	5	1	-	3	1
30e	Other syphilis of circulatory system	16	7	5	2	2	7	1	2	4	-
30f,g	Congenital, other and unspecified forms of syphilis	43	16	12	11	4	8	2	1	4	1
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	-	-	-	-	-	-	-	-	-
33a	Influenza, with respiratory complications specified	78	40	37	1	-	25	10	10	3	2
33b	Influenza, without respiratory complications specified	28	15	12	-	1	13	3	6	3	1
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	8	3	5	-	-	1	1	-	-	-
36	Acute poliomyelitis and acute polioencephalitis	24	21	3	-	-	-	-	-	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	5	5	-	-	-	4	2	1	1	-
37b	Sequelae of encephalitis lethargica	9	8	1	-	-	1	-	1	-	-
38	Other diseases due to filtrable viruses	2	-	2	-	-	1	-	-	1	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	-	-	-	-	-	5	4	1	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	-	1	-	-	-	-	-	-	-
43	Mycoses	2	2	-	-	-	1	-	-	1	-
44	Other infectious and parasitic (communicable) diseases	37	22	14	1	-	5	3	-	1	1
	II.—Cancer and other tumors	3,044	1,487	1,507	26	24	356	143	171	16	26
45-55	Cancer and other malignant tumors	2,946	1,447	1,453	26	20	343	138	167	16	22
45	Cancer of buccal cavity and pharynx	95	82	12	1	-	12	11	-	1	-
45a-e	Cancer of buccal cavity	62	53	8	1	-	9	8	-	1	-
45f	Cancer of pharynx	33	29	4	-	-	3	3	-	-	-
46	Cancer of digestive organs and peritoneum	1,470	810	637	20	3	132	63	55	7	7
46a	Cancer of esophagus	75	59	14	2	-	6	4	2	-	-
46b,c	Cancer of stomach and duodenum	426	271	148	7	-	40	20	15	5	-
46f	Cancer of liver and biliary passages	160	68	91	-	1	21	8	8	1	4
46g	Cancer of pancreas	119	66	51	2	-	7	4	3	-	-
46d,e,h,n	Cancer of other digestive organs and peritoneum	690	346	333	9	2	58	27	27	1	3
47	Cancer of respiratory system	223	180	41	-	2	25	15	7	2	1
48	Cancer of uterus	229	...	220	...	9	40	...	31	...	9
49	Cancer of other female genital organs	99	...	99	...	-	13	...	12	...	1
50	Cancer of breast	275	4	266	-	5	40	-	39	-	1
51	Cancer of male genital organs	151	148	...	3	...	20	16	...	4	...
52	Cancer of urinary organs (male and female)	138	89	48	1	-	23	10	11	1	1
53	Cancer of skin (except vulva and scrotum)	34	18	16	-	-	6	3	3	-	-
54	Cancer of central nervous system*	33	25	8	-	-	3	2	-	1	-
55	Cancer of other and unspecified organs	199	91	106	1	1	29	18	9	-	2
56a	Nonmalignant tumors of ovary	5	...	5	...	-	2	...	1	...	1
56b	Nonmalignant tumors of uterus	22	...	20	...	2	3	...	-	...	3
56c	Nonmalignant tumors of other female genital organs	1	...	1	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	20	9	11	-	-	1	1	-	-	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
8,787	3,004	2,596	1,672	1,515	23,462	10,241	5,946	3,984	3,291	30,101	9,718	7,199	6,924	6,260	4,712	2,932	1,716	35	29	
809	183	94	300	232	2,158	626	334	684	514	3,104	794	544	933	833	248	152	81	6	9	
1	-	-	1	-	17	4	2	4	7	22	3	4	9	6	4	3	1	-	-	1
-	-	-	-	-	3	1	1	1	-	1	1	-	-	-	1	1	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	1	-	-	-	2	-	1	1	-	-	-	-	-	-	5
26	9	7	7	3	36	19	12	3	2	46	25	11	9	1	10	9	1	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
3	1	-	-	2	5	2	2	-	1	7	5	1	-	1	5	3	1	-	1	8
36	2	5	10	19	70	20	12	29	9	168	40	35	49	44	5	1	4	-	-	9
1	-	-	1	-	27	13	9	4	1	49	20	14	8	7	3	1	2	-	-	10
-	-	-	-	-	8	6	2	-	-	4	2	2	-	-	2	1	1	-	-	11
4	-	-	3	1	45	9	9	13	14	26	5	4	8	9	1	-	1	-	-	12
533	125	51	192	165	855	253	120	253	229	1,382	319	194	406	413	93	65	18	4	6	13-22
1	1	-	-	-	-	-	-	-	-	4	4	-	-	-	15	15	-	-	-	13a
469	117	44	168	140	807	240	112	237	218	1,225	299	187	367	372	69	45	15	4	5	13b,c
7	-	1	4	2	8	1	3	3	1	14	2	1	8	3	2	1	-	-	1	14
6	2	-	1	3	11	3	3	2	3	27	2	1	11	13	1	-	1	-	-	15
11	-	1	5	5	6	3	-	3	-	11	3	1	4	3	1	1	-	-	-	16
-	-	-	-	-	1	-	-	1	-	3	-	-	2	1	-	-	-	-	-	17a
5	1	1	1	2	2	1	-	-	1	1	-	-	-	1	-	-	-	-	-	17b
-	-	-			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
3	1	-	-	2	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	19
2	1	-	1	-	4	3	-	-	1	3	1	1	-	1	2	1	1	-	-	20
-	-	-	-	-	1	-	-	-	1	2	1	-	1	-	-	-	-	-	-	21
26	2	3	10	11	13	2	2	5	4	32	7	3	8	14	2	1	1	-	-	22a
3	-	1	2	-	2	-	-	2	-	7	-	-	4	3	1	1	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
3	1	-	1	1	34	12	9	6	7	48	18	8	12	10	3	1	2	-	-	24
-	-	-	-	-	15	2	2	3	8	12	-	2	2	8	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	6	2	1	3	-	-	-	-	-	-	26
1	-	-	-	1	38	13	9	9	7	79	19	22	20	18	4	2	2	-	-	27
-	-	-	-	-	44	4	8	16	16	43	10	7	13	13	-	-	-	-	-	28
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
133	29	10	66	28	398	91	18	208	81	467	89	34	226	118	16	9	6	1	-	30
3	2	-	1	-	8	5	-	2	1	10	6	2	2	-	1	1	-	-	-	30a
18	4	-	12	2	90	27	4	50	9	146	38	15	67	26	5	2	3	-	-	30b
17	2	1	11	3	37	11	1	19	6	35	7	1	18	9	3	3	-	-	-	30c
48	14	3	16	15	64	20	2	31	11	71	18	1	41	11	2	2	-	-	-	30d
15	3	-	10	2	29	5	-	19	5	42	1	-	30	11	-	-	-	-	-	30e
32	4	6	16	6	170	23	11	87	49	163	19	15	68	61	5	1	3	1	-	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
-	-	-	-	-	8	3	-	2	3	11	1	3	5	2	2	1	1	-	-	32
26	6	8	7	5	286	80	53	77	76	414	106	102	100	106	42	25	16	1	-	33a
20	4	7	6	3	165	48	44	33	40	203	60	52	38	53	25	14	11	-	-	33b
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	34
3	1	-	2	-	7	2	4	1	-	27	9	11	3	4	15	8	5	-	2	35
2	-	1	1	-	6	4	-	1	1	10	4	4	2	-	2	2	-	-	-	36
1	1	-	-	-	10	6	2	-	2	6	1	3	1	1	1	-	1	-	-	37a,c
2	-	1	1	-	2	1	1	-	-	3	2	-	1	-	-	-	-	-	-	37b
1	1	-	-	-	6	2	1	2	1	5	2	1	1	1	1	-	1	-	-	38
1	-	1	-	-	23	11	6	4	2	61	31	15	6	9	5	4	1	-	-	39
-	-	-	-	-	3	-	-	1	2	1	-	1	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	5	1	2	1	1	1	-	-	1	-	-	-	-	-	-	42
3	-	2	1	-	6	4	-	2	-	5	1	2	1	1	-	-	-	-	-	43
8	3	1	-	4	34	13	6	11	4	45	19	10	8	8	7	1	6	-	-	44
1,133	394	480	107	152	2,191	858	927	134	272	2,288	717	933	196	442	550	278	263	4	5	
1,073	379	460	102	132	2,074	837	882	131	224	2,149	705	878	190	376	524	268	247	4	5	45-55
26	17	3	5	1	105	71	21	4	9	93	46	27	8	12	18	12	5	-	1	45
16	11	1	4	-	64	43	12	1	8	72	37	21	5	9	12	9	2	-	1	45a-e
10	6	2	1	1	41	28	9	3	1	21	9	6	3	3	6	3	3	-	-	45f
444	163	169	55	57	757	360	280	73	44	808	305	286	109	108	271	150	115	3	3	46
16	10	-	3	3	37	24	2	9	2	33	14	13	5	1	4	4	-	-	-	46a
124	41	34	26	23	249	132	70	32	15	306	120	94	49	43	112	78	31	2	1	46b,c
60	13	34	9	4	129	58	51	10	10	140	49	56	15	20	48	15	32	1	-	46f
45	18	18	4	5	53	26	19	7	1	59	25	22	5	7	13	9	4	-	-	46g
199	81	83	13	22	289	120	138	15	16	270	97	101	35	37	94	44	48	-	2	46d,e,h,m
95	61	18	12	4	155	102	38	12	3	131	87	29	8	7	26	16	10	-	-	47
124	...	89	...	35	308	...	224	...	84	352	...	207	...	145	41	...	40	...	1	48
82	...	27	...	5	54	...	44	...	10	47	...	38	...	9	12	...	12	...	-	49
118	1	97	1	19	204	3	152	2	47	191	2	134	1	54	37	1	36	-	-	50
57	42	...	15	...	130	109	...	21	...	137	104	...	33	...	45	45	...	-	...	51
54	32	13	6	3	109	70	36	1	2	74	32	30	5	7	20	15	4	1	-	52
13	9	4	-	-	68	42	17	7	2	65	34	26	3	2	9	5	4	-	-	53
14	8	5	-	1	21	13	7	-	1	43	23	19	1	-	6	3	3	-	-	54
96	46	35	8	7	163	67	63	11	22	208	72	82	22	32	39	21	18	-	-	55
2	...	1	...	1	10	...	5	...	5	9	...	7	...	2	3	...	3	...	-	56a
18	...	5	...	13	49	...	20	...	29	63	...	19	...	44	7	...	7	...	-	56b
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	56c
11	2	3	4	2	23	10	8	2	3	20	2	11	4	3	2	-	2	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	50	31	17	-	2	7	4	3	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	762	264	479	6	13	124	39	66	9	10
58a-d	Acute rheumatic heart diseases	15	6	8	1	-	1	-	-	1	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	3	1	2	-	-	-	-	-	-	-
59	Chronic rheumatism and other rheumatic diseases	18	7	11	-	-	2	2	-	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	661	224	422	5	10	107	31	61	6	9
62	Diseases of pituitary gland	-	-	-	-	-	-	-	-	-	-
63a	Simple goiter	-	-	-	-	-	1	1	-	-	-
63b	Exophthalmic goiter	27	5	19	-	3	4	-	3	-	1
63c-e	Other diseases of thyroid and parathyroid glands	7	3	4	-	-	-	-	-	-	-
64	Diseases of thymus gland	12	8	4	-	-	4	3	-	1	-
65	Diseases of adrenal glands (not specified as tuberculous)	12	4	8	-	-	2	1	1	-	-
66	Other general diseases	2	2	-	-	-	2	1	1	-	-
67	Scurvy	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	1	-	-	-	-	-	-	-
70	Rickets	1	1	-	-	-	1	-	-	1	-
71	Other avitaminoses	3	3	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	160	82	75	-	3	23	15	6	1	1
72	Hemorrhagic conditions	6	4	2	-	-	3	2	1	-	-
73a	Pernicious anemia	26	9	17	-	-	5	3	2	-	-
73b-d	Other anemias (except splenic)	14	8	5	-	1	4	2	-	1	1
74a	Leukemias	95	49	44	-	2	8	7	1	-	-
74b	Aleukemias	8	5	3	-	-	-	-	-	-	-
75	Diseases of spleen	9	5	4	-	-	1	-	1	-	-
76	Other diseases of the blood and blood-forming organs	2	2	-	-	-	2	1	1	-	-
	V.—Chronic poisoning and intoxication	59	45	7	6	1	2	1	1	-	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	1	1	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	57	44	7	5	1	2	1	1	-	-
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	1	-	-	1	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,868	868	948	24	28	352	134	152	25	41
80	Encephalitis (nonepidemic)	15	12	3	-	-	8	4	2	2	-
81	Meningitis (not due to meningococcus)	25	16	7	1	1	8	2	1	3	2
82	Diseases of spinal cord (see exceptions)*	38	20	16	1	1	3	-	3	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	1,382	616	729	15	22	279	108	122	17	32
83b	Cerebral embolism and thrombosis	282	132	143	4	3	26	6	15	1	4
83c	Cerebral softening	2	1	1	-	-	2	-	-	-	2
83d	Hemiplegia and other paralysis of unspecified origin	20	14	6	-	-	8	3	4	1	-
84	Mental diseases and deficiency (see exception)*	13	6	7	-	-	2	2	-	-	-
85	Epilepsy	19	17	-	2	-	4	2	1	1	-
86	Convulsions (under 5 years)	8	4	2	1	1	2	2	-	-	-
87	Other diseases of nervous system	50	22	28	-	-	8	4	4	-	-
88	Diseases of organs of vision	2	-	2	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	7	4	3	-	-	2	1	-	-	1
89b	Diseases of mastoid process	5	4	1	-	-	-	-	-	-	-
	VII.—Diseases of the circulatory system	7,369	4,085	3,147	61	76	1,091	528	412	82	69
90-95	Diseases of the heart (all forms)	6,916	3,862	2,923	58	73	1,033	504	384	78	67
90	Pericarditis (except acute rheumatic)	6	5	1	-	-	2	1	-	-	1
91a,b	Bacterial and other acute or subacute endocarditis	29	14	14	-	1	5	-	2	3	-
91c	Endocarditis (unspecified, under 45 years)	1	-	1	-	-	1	-	1	-	-
92a-d	Chronic endocarditis and diseases of the valves*	422	214	195	7	6	92	47	23	13	9
92e	Endocarditis (unspecified, 45 years and over)	14	8	6	-	-	3	1	2	-	-
93a	Acute myocarditis (except rheumatic)	83	42	40	-	1	13	5	4	2	2
93b	Myocarditis (unspecified, under 45 years)	2	1	-	-	1	3	2	-	-	1
93c,d	Chronic myocarditis and myocardial degeneration	3,712	1,885	1,755	33	39	474	209	208	29	28
93e	Other myocarditis (unspecified)	209	102	101	2	4	61	24	21	2	14
94a	Diseases of coronary arteries	2,045	1,379	644	13	9	280	167	93	14	6
94b	Angina pectoris	24	17	6	-	1	8	6	2	-	-
95a	Functional diseases of heart, etc.*	5	2	3	-	-	3	1	1	1	-
95b,c	Other and unspecified diseases of heart	364	193	157	3	11	88	41	27	14	6
96	Aneurysm (except of heart and aorta)	23	13	10	-	-	-	-	-	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	348	168	178	1	1	49	19	27	2	1
98	Gangrene	4	2	2	-	-	2	1	-	-	1
99	Other diseases of arteries	26	15	10	1	-	5	4	-	1	-
100	Diseases of veins	29	11	17	1	-	2	-	1	1	-
101	Diseases of lymphatic system	2	1	1	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	14	7	5	-	2	-	-	-	-	-
103	Other diseases of circulatory system	7	6	1	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	968	544	390	22	12	247	107	78	41	21
104a	Diseases of nasal fossae	3	-	3	-	-	-	-	-	-	-
104b	Diseases of accessory sinuses	10	5	4	1	-	1	-	1	-	-
105	Diseases of larynx	8	5	3	-	-	2	1	-	1	-
106a	Acute bronchitis	16	4	12	-	-	2	2	-		

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	4	...	1	...	3	-	...	-	...	-	57b
1	...	-	...	1	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	57c
28	13	11	1	3	34	11	12	1	10	41	10	16	2	13	14	10	4	-	-	57d,e
272	79	101	27	65	567	195	233	50	89	776	228	287	97	164	157	63	92	1	1	
5	1	-	1	3	12	3	2	2	5	17	1	2	2	12	4	3	1	-	-	58a-d
3	-	2	-	1	11	2	2	2	5	15	3	3	3	6	4	2	2	-	-	58e,f
6	1	2	-	3	31	8	16	5	2	32	15	9	3	5	7	2	5	-	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
225	72	85	19	49	405	152	175	25	53	438	145	184	48	61	106	47	58	1	-	61
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	1	-	-	-	1	4	2	1	-	1	2	-	2	-	-	63a
14	1	8	-	5	19	3	8	2	6	34	6	21	2	5	19	3	15	-	1	63b
3	-	2	-	1	6	2	3	-	1	5	1	2	1	1	2	1	1	-	-	63c-e
5	1	1	2	1	19	11	5	3	-	20	15	3	2	-	7	4	3	-	-	64
4	2	-	2	-	2	1	1	-	-	3	1	1	-	1	3	1	2	-	-	65
2	-	-	1	1	14	2	4	3	5	26	8	2	9	7	1	-	1	-	-	66
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	67
2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
2	-	1	1	-	37	7	13	6	11	176	28	59	26	63	2	-	2	-	-	69
-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	70
1	-	-	1	-	3	1	1	1	-	5	2	-	1	2	-	-	-	-	-	71
48	18	18	4	8	158	81	54	13	10	164	63	53	16	32	36	19	16	-	1	
1	-	1	-	-	18	7	7	2	2	19	5	9	1	4	5	3	2	-	-	72
4	-	3	-	1	35	14	15	2	4	34	9	12	5	8	7	3	4	-	-	73a
11	2	4	2	3	25	11	7	5	2	24	8	5	3	8	4	2	2	-	-	73b-d
24	13	7	1	3	61	38	18	4	1	69	32	21	6	10	19	11	7	-	1	74a
3	1	2	-	-	4	2	2	-	-	4	2	2	-	-	-	-	-	-	-	74b
5	2	1	1	1	9	6	2	-	1	10	4	4	-	2	-	-	-	-	-	75
-	-	-	-	-	6	3	3	-	-	4	3	-	1	-	1	-	1	-	-	76
31	14	6	8	3	48	31	4	10	3	61	41	3	15	2	5	3	1	1	-	
1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	77a,b
30	14	5	8	3	46	29	4	10	3	59	40	2	15	2	4	3	-	1	-	77c-e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	78
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	79
607	195	233	82	97	2,424	823	678	445	478	3,539	958	841	841	899	477	271	201	3	2	
8	5	-	1	2	38	19	5	9	5	44	25	6	7	6	15	13	1	1	-	80
22	10	3	6	3	46	20	11	7	8	58	24	11	17	6	13	8	5	-	-	81
12	4	4	3	1	46	27	9	5	5	48	15	18	8	7	11	7	3	1	-	82
436	122	189	52	73	1,927	606	551	360	410	2,844	744	676	671	753	355	197	156	1	1	83a
67	29	25	8	5	127	71	41	8	7	108	32	34	20	22	29	16	13	-	-	83b
3	2	1	-	-	10	5	5	-	-	9	2	7	-	-	-	-	-	-	-	83c
17	5	3	3	6	90	26	18	28	18	193	45	40	52	56	17	9	8	-	-	83d
1	1	-	-	-	22	7	8	6	1	44	6	9	14	15	6	4	1	-	1	84
16	6	3	5	2	34	6	10	9	9	76	20	10	31	15	10	6	4	-	-	85
1	-	-	-	1	14	2	4	5	3	32	9	1	12	10	2	1	1	-	-	86
18	10	5	-	3	52	24	13	7	8	61	25	22	7	7	15	8	7	-	-	87
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	88
4	1	-	2	1	14	8	2	1	3	18	9	6	1	2	3	2	1	-	-	89a
2	-	-	2	-	4	2	1	-	1	3	2	1	-	-	1	-	1	-	-	89b
2,691	1,029	791	445	426	5,424	2,708	1,547	628	546	6,233	2,384	1,558	1,199	1,092	1,809	839	465	3	2	
2,476	971	709	406	390	5,003	2,545	1,386	574	498	5,769	2,286	1,430	1,083	1,020	1,233	787	441	3	2	90-95
10	2	2	4	2	8	3	-	1	4	15	5	5	-	5	6	5	1	-	-	90
25	7	2	6	10	26	16	2	6	2	47	13	12	12	10	9	4	5	-	-	91a,b
2	1	-	-	1	5	2	1	-	2	10	-	3	2	5	2	1	1	-	-	91c
195	61	75	28	31	542	228	155	90	69	636	174	128	152	182	112	63	49	-	-	92a-d
2	-	-	-	2	48	15	14	7	12	63	17	16	15	15	13	9	3	1	-	92e
14	6	3	2	3	108	30	22	28	28	129	14	17	46	52	15	9	6	-	-	93a
3	-	1	-	2	30	3	1	13	13	51	3	5	25	18	2	1	1	-	-	93b
1,120	386	336	190	208	1,567	762	511	150	144	1,754	634	473	314	333	464	275	188	1	-	93c,d
361	97	81	113	70	378	152	106	57	63	513	174	132	116	91	61	37	24	-	-	93e
623	382	167	36	38	1,525	967	397	92	69	1,363	757	345	161	100	383	279	104	-	-	94a
7	3	3	1	-	113	77	21	9	6	161	80	40	19	22	20	16	4	-	-	94b
4	2	-	2	-	16	9	5	-	2	32	17	8	2	5	6	3	3	-	-	95a
110	24	39	24	23	637	281	151	121	84	995	348	246	219	182	140	85	52	1	2	95b,c
13	3	4	3	3	22	13	4	3	2	25	10	6	8	1	2	1	1	-	-	96
168	44	69	30	25	281	111	123	23	24	290	99	87	67	37	53	33	20	-	-	97
-	-	-	-	-	12	2	-	5	5	11	2	2	5	2	1	1	-	-	-	98
8	3	3	2	-	39	19	15	4	1	33	12	12	5	4	12	11	1	-	-	99
9	3	2	1	3	7	4	3	-	-	22	5	3	7	7	4	2	2	-	-	100
-	-	-	-	-	3	-	2	1	-	3	1	-	1	1	-	-	-	-	-	101
17	5	4	3	5	47	11	12	9	15	65	13	14	21	17	4	4	-	-	-	102
-	-	-	-	-	10	3	2	4	1	15	6	4	2	3	-	-	-	-	-	103
595	176	162	157	100	1,353	509	301	293	250	2,057	539	451	580	487	271	174	92	4	1	
-	-	-	-	-	17	2	1	7	7	13	-	1	10	2	2	1	1	-	-	104a
6	2	3	-	1	12	9	-	3	-	14	7	1	4	2	1	1	-	-	-	104b
1	-	1	-	-	6	1	-	2	3	9	5	3	1	-	-	-	-	-	-	105
5	2	1	1	1	9	1	4	3	1	23	4	6	7	6	2	-	2	-	-	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	18	11	7	-	-	8	3	4	1	-
106c	Bronchitis (unspecified)	6	3	3	-	-	4	2	2	-	-
107	Bronchopneumonia (including capillary bronchitis)	335	172	151	9	3	93	35	33	15	10
108	Lobar pneumonia	376	232	133	6	5	108	52	31	16	9
109	Pneumonia (unspecified)	66	42	23	1	-	13	4	4	3	2
110	Pleurisy (not specified as tuberculous)	23	16	5	2	-	2	1	-	1	-
111a	Hemorrhagic infarction and thrombosis of lungs	25	11	12	1	1	1	1	-	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	23	8	15	-	-	3	2	1	-	-
112	Asthma	37	20	14	1	2	7	2	2	3	-
113	Pulmonary emphysema	4	3	1	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	18	12	4	1	1	3	2	-	1	-
	IX.—Diseases of the digestive system	971	569	378	9	15	167	84	50	16	17
115a,b,d	Diseases of buccal cavity and adnexa	18	8	9	-	1	4	3	-	1	-
115c	Diseases of pharynx and tonsils	11	7	3	1	-	4	3	1	-	-
116	Diseases of esophagus	-	-	-	-	-	-	-	-	-	-
117a	Ulcer of stomach	96	81	14	1	-	13	10	1	1	1
117b	Ulcer of duodenum	55	42	11	1	1	6	5	-	1	-
118	Other diseases of stomach (except cancer)	11	7	4	-	-	5	2	2	1	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	74	39	32	2	1	37	13	12	6	6
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	25	12	13	-	-	6	1	2	1	2
121	Appendicitis	102	61	35	1	5	15	10	3	2	-
122a	Hernia	93	54	38	1	-	9	5	3	1	-
122b	Intestinal obstruction	79	32	43	-	4	19	6	8	-	5
123	Other diseases of intestines	31	17	13	1	-	4	3	1	-	-
124a	Cirrhosis of liver (with mention of alcoholism)	27	24	3	-	-	1	1	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	208	135	71	1	1	22	11	9	2	-
125a	Acute yellow atrophy of liver (nonpuerperal)	4	3	-	-	1	2	1	1	-	-
125b	Other diseases of liver	9	5	4	-	-	2	1	-	-	1
126	Biliary calculi	69	19	49	-	1	5	1	3	-	1
127	Other diseases of gallbladder and biliary ducts	37	13	24	-	-	6	3	3	-	-
128	Diseases of pancreas (except diabetes mellitus)	15	6	9	-	-	3	3	-	-	-
129	Peritonitis (cause not stated)	7	4	3	-	-	4	2	1	-	1
	X.—Diseases of the genito-urinary system	1,274	701	528	20	25	393	170	154	34	35
130	Acute nephritis	19	11	7	1	-	10	5	3	2	-
131a	Arteriosclerotic kidney	836	437	380	8	11	265	107	115	20	23
131b	Other chronic nephritis	226	126	87	5	8	63	34	20	4	5
132	Nephritis unspecified (10 years and over)	23	12	10	1	-	21	9	6	2	4
133	Other diseases of kidneys and ureters, etc.*	35	11	19	1	4	10	4	5	1	-
134	Calculi of urinary passages	15	11	3	-	1	5	2	2	1	-
135	Diseases of urinary bladder	7	2	5	-	-	-	-	-	-	-
136	Diseases of urethra (except calculus)	1	1	-	-	-	2	-	-	1	1
137	Diseases of prostate	94	90	...	4	...	12	9	...	3	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	7	...	6	...	1	4	...	2	...	2
139b	Diseases of uterus	10	...	10	...	-	1	...	1	...	-
139c	Diseases of other and unspecified female genital organs	1	...	1	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	63	...	62	...	1	15	...	8	...	7
140	Abortion with mention of infection	6	...	6	...	-	4	...	2	..	2
140a,b	Abortion (septic), spontaneous or therapeutic *	3	...	3	...	-	2	...	1	...	1
140c,d	Abortion (septic), self-induced or nontherapeutic *	3	...	3	...	-	2	...	1	...	1
141	Abortion without mention of infection	4	...	4	...	-	-	...	-	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	2	...	2	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	2	...	2	...	-	-	...	-	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	1	...	-	...	1	1	...	-	...	1
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	4	...	4	...	-	5	...	3	...	2
144c,d	Other toxemias of pregnancy (death before delivery) *	1	...	1	...	-	-	...	-	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	5	...	5	...	-	1	...	1	...	-
	A. With mention of infection	5	...	5	...	-	-	...	-	...	-
	B. Without mention of infection	-	...	-	...	-	1	...	1	...	-
146a	Placenta praevia (with childbirth)	-	...	-	...	-	-	...	-	...	-
146b,c	Other hemorrhages of childbirth and puerperium	6	...	6	...	-	-	...	-	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection *	3	...	3	...	-	2	...	-	...	2
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	14	...	14	...	-	2	...	2	...	-
148a,b	Puerperal eclampsia and nephritis *	10	...	10	...	-	-	...	-	...	-
148c,d	Other puerperal toxemias	-	...	-	...	-	-	...	-	...	-
149	Other accidents and specified conditions of childbirth	5	...	5	...	-	-	...	-	...	-
150	Other and unspecified conditions of childbirth and puerperium	4	...	4	...	-	-	...	-	...	-
	XII.—Diseases of the skin and cellular tissue	12	7	5	-	-	1	-	1	-	-
151	Carbuncle and furuncle	2	2	-	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	3	2	1	-	-	-	-	-	-	-
153	Other diseases of skin and cellular tissue	7	3	4	-	-	1	-	1	-	-
	XIII.—Diseases of the bones, etc.*	16	8	7	-	1	5	2	1	2	-
154	Osteomyelitis and periostitis	7	4	3	-	-	3	2	-	1	-
155	Other diseases of bones (except tuberculosis)	5	3	2	-	-	1	-	-	1	-
156	Diseases of joints and other organs of movement	4	1	2	-	1	1	-	1	-	-
157	XIV.—Congenital malformations	265	132	130	1	2	27	13	12	1	1

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
18	8	5	4	1	36	16	13	7	-	23	9	10	3	1	11	10	1	-	-	106b
8	2	1	2	3	6	3	2	-	1	23	4	6	8	5	2	1	1	-	-	106c
199	33	49	59	38	474	180	121	86	87	742	195	181	204	162	76	43	32	1	-	107
211	2	51	60	28	498	175	82	135	101	740	191	182	222	195	89	61	26	1	1	108
60	2	19	17	12	113	40	26	23	24	280	61	54	87	78	41	25	15	1	-	109
16	7	3	5	1	31	10	7	9	5	41	11	9	13	8	8	7	1	-	-	110
31	4	12	3	12	17	8	8	1	-	13	3	5	2	3	4	2	2	-	-	111a
8	1	6	-	1	35	13	16	2	4	47	14	16	6	11	9	3	6	-	-	111b,c
17	4	10	1	2	76	37	14	11	14	56	17	21	8	10	16	10	5	1	-	112
1	-	-	1	-	3	2	1	-	-	-	-	-	-	-	1	1	-	-	-	113
14	9	1	4	-	25	12	6	4	3	33	18	6	5	4	9	9	-	-	-	114
499	198	124	93	84	1,309	514	304	275	216	1,449	436	322	345	346	243	144	98	-	1	
3	2	1	-	-	22	2	6	6	8	56	14	7	18	17	6	4	2	-	-	115a,b,d
3	1	-	1	1	29	11	9	4	5	34	9	11	8	6	5	4	1	-	-	115c
-	-	-	-	-	4	1	1	1	1	2	1	-	-	1	1	-	-	-	1	116
34	21	6	7	-	113	64	9	25	15	122	47	9	33	33	30	26	4	-	-	117a
16	11	2	3	-	46	29	5	10	2	55	29	8	12	6	11	10	1	-	-	117b
4	1	1	1	1	80	14	6	41	19	55	9	7	16	23	8	5	3	-	-	118
93	13	17	32	31	168	47	41	43	37	287	69	60	80	78	10	5	5	-	-	119
10	3	2	1	4	80	19	23	15	23	98	18	26	18	36	2	2	-	-	-	120
49	19	14	9	7	149	65	23	31	30	192	64	55	30	43	45	30	15	-	-	121
34	17	8	7	2	93	51	20	16	6	59	21	6	25	7	13	8	5	-	-	122a
51	14	12	9	16	143	38	50	26	29	146	28	46	31	41	37	15	22	-	-	122b
19	9	6	2	2	30	10	10	5	5	38	9	9	9	11	4	2	2	-	-	123
7	5	1	-	1	11	11	-	-	-	18	11	2	5	-	2	2	-	-	-	124a
106	60	26	11	9	201	100	52	34	15	135	62	30	28	15	22	13	9	-	-	124b
5	1	1	1	2	18	7	5	3	3	7	3	1	3	-	4	3	1	-	-	125a
12	4	5	1	2	28	11	6	8	3	39	9	8	10	12	5	3	2	-	-	125b
18	8	9	-	1	22	7	15	-	-	17	8	7	-	2	10	2	8	-	-	126
18	4	9	2	3	41	18	13	4	6	43	13	21	6	3	23	8	15	-	-	127
8	2	2	4	-	11	4	7	-	-	7	3	4	-	-	-	-	-	-	-	128
9	3	2	2	2	20	5	3	3	9	39	9	5	13	12	5	2	3	-	-	129
923	316	280	163	164	2,001	784	503	425	289	3,556	1,121	854	883	698	376	239	133	1	3	
13	4	3	8	3	109	32	15	30	32	213	43	36	71	63	8	4	4	-	-	130
687	223	238	104	122	1,067	427	295	201	144	1,886	623	495	431	337	206	130	75	-	1	131a
86	32	20	19	15	385	138	103	91	53	920	267	230	222	201	99	63	33	1	2	131b
37	12	8	9	8	80	23	17	23	17	131	32	27	39	33	18	10	8	-	-	132
24	13	3	5	3	87	25	26	20	16	87	29	25	16	17	7	2	5	-	-	133
19	10	3	4	2	44	30	11	2	1	54	26	19	4	5	3	3	-	-	-	134
2	1	1	-	-	27	6	6	13	2	23	3	-	14	6	4	3	1	-	-	135
5	-	-	5	-	28	8	2	18	-	21	3	1	17	-	1	1	-	-	-	136
33	21	...	12	...	121	94	...	27	...	161	95	...	66	...	23	23	...	-	...	137
2	-	...	2	...	1	1	...	-	...	3	-	...	3	...	-	-	...	-	...	138
12	...	2	...	10	33	...	13	...	20	44	...	14	...	30	5	...	5	...	-	139a
2	...	1	...	1	19	...	15	...	4	11	...	6	...	5	2	...	2	...	-	139b
1	...	1	...	-	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	139c
35	...	14	...	21	173	...	98	...	75	307	...	155	...	152	29	...	29	...	-	
8	...	3	...	5	17	...	9	...	8	26	...	10	...	16	4	...	4	...	-	140
7	...	3	...	4	15	...	7	...	8	24	...	10	...	14	2	...	2	...	-	140a,b
1	...	-	...	1	2	...	2	...	-	2	...	-	...	2	2	...	2	...	-	140c,d
2	...	1	...	1	7	...	6	...	1	15	...	7	...	8	1	...	1	...	-	141
-	...	-	...	-	5	...	4	...	1	7	...	4	...	3	-	...	-	...	-	141a,c
2	...	1	...	1	2	...	2	...	-	8	...	3	...	5	1	...	1	...	-	141b,d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	-	...	-	...	-	142a
1	...	-	...	1	5	...	1	...	4	5	...	2	...	3	4	...	4	...	-	142b
-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	143a
-	...	-	...	-	1	...	1	...	-	3	...	2	...	1	-	...	-	...	-	143b,c
2	...	1	...	1	16	...	6	...	10	21	...	9	...	12	2	...	2	...	-	144a,b
2	...	-	...	2	4	...	1	...	3	12	...	5	...	7	1	...	1	...	-	144c,d
2	...	1	...	1	7	...	5	...	2	12	...	5	...	7	2	...	2	...	-	145
1	...	-	...	1	6	...	5	...	1	7	...	4	...	3	1	...	1	...	-	
1	...	1	...	-	1	...	-	...	1	5	...	1	...	4	1	...	1	...	-	
1	...	1	...	-	4	...	2	...	2	9	...	4	...	5	1	...	1	...	-	146a
4	...	2	...	2	17	...	12	...	5	29	...	20	...	9	1	...	1	...	-	146b,c
3	...	1	...	2	28	...	12	...	16	39	...	13	...	26	5	...	5	...	-	147a,b
5	...	2	...	3	10	...	8	...	2	27	...	17	...	10	3	...	3	...	-	147c,d
2	...	-	...	2	25	...	13	...	12	51	...	26	...	25	3	...	3	...	-	148a,b
1	...	-	...	1	5	...	4	...	1	10	...	8	...	2	-	...	-	...	-	148c,d
-	...	-	...	-	12	...	10	...	2	17	...	14	...	3	1	...	1	...	-	149
2	...	2	...	-	14	...	7	...	7	28	...	12	...	16	1	...	1	...	-	150
7	1	2	1	3	28	11	4	1	12	39	10	8	6	15	1	1	-	-	-	
-	-	-	-	-	12	6	-	-	6	9	3	-	2	4	-	-	-	-	-	151
2	1	1	-	-	6	1	2	1	2	7	3	1	2	1	-	-	-	-	-	152
5	-	1	1	3	10	4	2	-	4	23	4	7	2	10	1	1	-	-	-	153
7	1	3	1	2	14	6	2	3	3	29	7	6	6	10	3	2	1	-	-	
-	-	-	-	-	8	3	1	2	2	20	4	3	5	8	2	1	1	-	-	154
1	-	1	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	155
6	1	2	1	2	6	3	1	1	1	7	2	2	1	2	1	1	-	-	-	156
83	34	30	12	7	233	104	84	30	15	282	130	87	41	24	58	31	26	1	-	157

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	623	355	252	7	9	134	60	49	15	10
158	Congenital debility (cause not stated)	9	6	2	1	-	6	3	1	2	-
159	Premature birth (cause not stated)	352	193	148	5	6	95	42	36	10	7
160a	Intracranial or spinal hemorrhage	70	38	30	-	2	6	5	1	-	-
160b,c	Other injuries at birth	93	60	32	-	1	8	4	1	1	2
161	Other diseases peculiar to the first year of life	99	58	40	1	-	19	6	10	2	1
162	XVI.—Senility	61	24	37	-	-	12	2	8	-	2
	XVII.—Violent or accidental deaths	1,361	868	453	30	10	291	161	67	45	18
163,164	Suicide	234	144	86	4	-	26	21	5	-	-
163	Suicide by poisoning	96	37	57	2	-	6	2	4	-	-
	Suicide by solid or liquid poisons	28	13	15	-	-	1	-	1	-	-
	Suicide by poisonous gases	68	24	42	2	-	5	2	3	-	-
164a	Suicide by hanging or strangulation	58	45	13	-	-	3	3	-	-	-
164b	Suicide by drowning	14	6	8	-	-	-	-	-	-	-
164c	Suicide by firearms and explosives	46	42	3	1	-	15	15	-	-	-
164d	Suicide by cutting or piercing instruments	9	7	2	-	-	2	1	1	-	-
164e	Suicide by jumping from high places	7	5	1	1	-	-	-	-	-	-
164f	Suicide by crushing	-	-	-	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	4	2	2	-	-	-	-	-	-	-
165-168	Homicide[1]	29	20	9	-	-	10	1	-	9	-
166	Homicide by firearms	9	7	2	-	-	4	1	-	3	-
167	Homicide by cutting or piercing instruments	5	3	2	-	-	5	-	-	5	-
168	Homicide by other means	15	10	5	-	-	1	-	-	1	-
169-195	Accidental deaths	1,095	702	358	25	10	255	139	62	36	18
169	Railway accidents (except collisions with motor vehicles)	22	18	1	3	-	8	5	1	-	2
170a	Collisions between automobiles and trains	6	4	2	-	-	-	-	-	-	-
170b	Collisions between automobiles and streetcars	-	-	-	-	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	238	184	48	4	2	62	42	9	8	3
170d	Motorcycle accidents (except collisions with automobiles)	5	5	-	-	-	-	-	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	2	2	-	-	-	3	2	1	-	-
171b	Other and unspecified road-transport accidents	2	2	-	-	-	-	-	-	-	-
172	Water-transport accidents	4	3	-	1	-	2	2	-	-	-
173	Air-transport accidents	31	31	-	-	-	11	11	-	-	-
174	Accidents in mines and quarries	1	-	1	-	-	1	-	-	1	-
175a	Accidents involving agricultural machinery and vehicles	6	5	1	-	-	2	2	-	-	-
175b,c	Other agricultural accidents, including injury by animals	8	8	-	-	-	1	1	-	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	-	-	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	17	14	2	1	-	7	6	-	1	-
177	Food poisoning	-	-	-	-	-	-	-	-	-	-
178	Accidental absorption of poisonous gas	45	33	11	-	1	7	3	4	-	-
179	Acute accidental poisoning by solids or liquids	9	8	1	-	-	3	1	-	2	-
180	Conflagration	30	18	12	-	-	12	3	1	3	5
181	Accidental burns (except conflagration)	58	33	22	2	1	24	2	13	6	3
182	Accidental mechanical suffocation	28	14	12	-	2	1	-	-	1	-
183	Accidental drowning	74	59	8	5	2	17	12	1	4	-
184	Accidental injury by firearms	13	13	-	-	-	10	8	-	1	1
185	Accidental injury by cutting or piercing instruments	9	4	3	2	-	1	1	-	-	-
186a	Accidental injury by fall	357	165	189	1	2	63	29	25	6	3
186b	Accidental injury by crushing	3	3	-	-	-	-	-	-	-	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	2	2	-	-	-	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	5	4	1	-	-	-	-	-	-	-
191	Excessive heat	5	5	-	-	-	3	2	-	1	-
192	Lightning	4	2	2	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	4	4	-	-	-	1	1	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	12	5	6	1	-	3	1	1	1	-
195c,e	Other and unspecified accidents	95	54	36	5	-	13	5	6	1	1
196	Deaths of military personnel during operations of war	1	1	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	2	1	-	1	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	74	46	24	3	1	11	8	2	1	-
199	Sudden death	8	4	4	-	-	-	-	-	-	-
200a	Ill-defined	52	32	16	3	1	9	7	2	-	-
200b	Found dead (cause unknown)	1	1	-	-	-	-	-	-	-	-
200c	Unknown or unspecified	13	9	4	-	-	2	1	-	1	-

*Refer to complete International List titles, table VII, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
402	124	76	112	90	1,072	456	293	177	146	1,774	600	421	425	328	211	133	70	5	3	
17	3	1	10	3	76	22	9	25	20	297	53	32	121	91	7	3	4	-	-	158
256	69	53	67	67	682	295	195	98	94	1,075	371	283	234	187	136	86	48	1	1	159
67	25	11	22	9	64	37	17	7	3	104	57	29	11	7	12	7	1	2	2	160a
17	9	3	2	3	119	52	38	18	11	143	59	41	26	17	31	16	13	2	-	160b,c
45	18	8	11	8	131	50	34	29	18	155	60	36	33	26	25	21	4	-	-	161
16	4	8	2	4	292	100	89	49	54	468	85	132	128	123	64	37	26	1	-	162
617	234	172	155	56	3,332	2,194	387	581	170	2,874	1,348	396	854	276	622	508	110	3	1	
103	47	46	8	2	194	124	62	5	3	176	120	42	11	3	41	35	5	1	-	163,164
45	17	26	1	1	54	20	33	1	-	33	11	17	4	1	7	5	2	-	-	163
14	5	9	-	-	25	6	18	1	-	28	8	15	4	1	4	3	1	-	-	
31	12	17	1	1	29	14	15	-	-	5	3	2	-	-	3	2	1	-	-	
16	10	4	2	-	20	14	5	1	-	17	14	2	1	-	9	7	1	1	-	164a
3	1	-	2	-	14	7	6	1	-	4	2	2	-	-	1	1	-	-	-	164b
21	11	8	2	-	83	67	13	1	2	106	82	16	6	2	23	21	2	-	-	164c
4	3	1	-	-	11	8	2	1	-	7	6	1	-	-	1	1	-	-	-	164d
14	5	7	1	1	9	5	3	-	1	6	5	1	-	-	-	-	-	-	-	164e
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	164f
-	-	-	-	-	2	2	-	-	-	2	-	2	-	-	-	-	-	-	-	164g
81	9	4	55	13	356	82	18	201	55	444	84	22	274	64	9	6	3	-	-	165-168
38	3	2	27	6	175	53	12	85	25	242	55	13	149	25	8	5	3	-	-	166
28	1	-	21	6	142	10	3	103	26	149	12	3	105	30	-	-	-	-	-	167
15	5	2	7	1	39	19	3	13	4	53	17	7	20	9	1	1	-	-	-	168
431	177	122	91	41	2,775	1,986	307	370	112	2,236	1,140	332	555	209	571	466	102	2	1	169-195
9	6	2	1	-	80	37	9	30	4	99	50	5	35	9	26	25	1	-	-	169
-	-	-	-	-	31	17	8	4	2	30	20	3	7	-	4	3	1	-	-	170a
4	2	2	-	-	-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	170b
80	41	16	17	6	489	321	48	95	25	607	358	62	152	35	116	90	24	2	-	170c
-	-	-	-	-	11	9	2	-	-	9	8	1	-	-	1	1	-	-	-	170d
23	14	2	6	1	3	1	1	1	-	6	4	1	-	1	-	-	-	-	-	171a
2	1	-	-	1	7	7	-	-	-	6	4	-	2	-	2	2	-	-	-	171b
5	3	1	1	-	86	68	1	17	-	22	11	1	9	1	2	-	2	-	-	172
17	16	-	1	-	984	981	2	1	-	238	237	-	1	-	135	135	-	-	-	173
-	-	-	-	-	2	-	-	2	-	3	3	-	-	-	14	14	-	-	-	174
-	-	-	-	-	7	5	-	2	-	10	4	1	5	-	13	12	1	-	-	175a
-	-	-	-	-	10	3	1	6	-	11	5	-	6	-	9	9	-	-	-	175b,c
-	-	-	-	-	2	1	-	1	-	2	1	-	1	-	2	2	-		-	175d
-	-	-	-	-	4	-	-	4	-	1	-	-	1	-	-	-	-	-	-	175e
1	1	-	-	-	19	11	1	6	1	26	13	-	12	1	7	7	-	-	-	176
3	-	-	1	2	20	5	6	4	5	29	8	5	10	6	3	3	-	-	-	177
12	7	2	3	-	8	3	4	-	1	10	8	2	-	-	3	3	-	-	-	178
4	2	-	2	-	29	13	7	5	4	30	8	10	9	3	3	1	2	-	-	179
10	1	-	5	4	47	11	6	17	13	74	15	14	21	24	17	10	7	-	-	180
35	10	7	7	11	133	56	24	33	20	217	37	44	67	69	17	12	5	-	-	181
22	7	6	4	5	18	12	4	-	2	62	18	10	23	11	10	8	2	-	-	182
19	6	-	12	1	174	106	15	50	3	133	64	12	52	5	46	39	7	-	-	183
2	1	-	1	-	78	53	3	15	7	79	41	7	28	3	13	10	3	-	-	184
-	-	-	-	-	11	2	1	5	3	6	-	1	4	1	-	-	-	-	-	185
146	45	73	21	7	288	130	132	10	16	308	111	139	40	18	61	33	28	-	-	186a
1	-	-	1	-	11	8	-	3	-	8	4	-	4	-	4	4	-	-	-	186b
-	-	-	-	-	12	12	-	-	-	7	4	1	-	2	4	4	-	-	-	187
-	-	-	-	-	2	2	-	-	-	3	2	-	-	1	1	1	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
2	1	-	1	-	-	-	-	-	-	3	1	-	2	-	2	1	1	-	-	190
6	4	-	1	1	8	6	-	1	1	29	20	-	8	1	-	-	-	-	-	191
-	-	-	-	-	12	6	2	3	1	27	14	-	6	7	2	2	-	-	-	192
3	2	-	1	-	28	21	2	4	1	16	12	-	4	-	3	2	1	-	-	193
-	-	-	-	-	7	6	1	-	-	5	1	2	2	-	-	-	-	-	-	194
-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	195a,b
4	-	3	-	1	19	10	5	3	1	25	8	7	4	6	8	4	4	-	-	195d
21	7	8	5	1	132	61	22	48	1	92	44	4	39	5	43	29	13	-	1	195c,e
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	-	-	1	-	7	2	-	5	-	17	3	-	14	-	-	-	-	-	-	198
10	4	2	3	1	685	241	104	191	149	1,101	257	148	359	337	52	38	12	2	-	
-	-	-	-	-	123	55	24	30	14	157	57	27	39	34	7	5	2	-	-	199
7	2	2	2	1	310	122	49	84	55	335	87	42	118	88	26	21	4	1	-	200a
-	-	-	-	-	37	14	4	7	12	62	25	11	16	10	13	10	2	1	-	200b
3	2	-	1	-	215	50	27	70	68	547	88	68	186	205	6	2	4	-	-	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	92,058	47,790	37,486	3,748	3,034	41,257	21,813	17,215	1,235	994
	I.—Infectious and parasitic diseases	5,846	3,023	1,687	742	444	3,007	1,591	1,069	217	130
1	Typhoid fever	12	6	6	-	-	12	5	7	-	-
2	Paratyphoid fever	1	1	-	-	-	1	1	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	6	3	3	-	-	3	2	1	-	-
6	Cerebrospinal (meningococcus) meningitis	160	76	53	18	13	70	46	19	3	2
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	27	12	14	-	1	19	7	11	-	1
9	Whooping cough	101	33	50	6	12	116	50	56	6	4
10	Diphtheria (infection by C. diphtheriae)	79	47	29	2	1	28	13	13	-	2
11	Erysipelas	7	2	5	-	-	14	7	7	-	-
12	Tetanus	25	12	10	1	2	12	8	4	-	-
13-22	Tuberculosis (all forms)	3,349	1,678	848	498	325	1,248	639	414	115	80
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	15	14	-	1	-	10	9	-	1	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	3,053	1,556	759	453	285	1,100	572	365	98	65
14	Tuberculosis of meninges and central nervous system	63	27	21	8	7	49	19	22	6	2
15	Tuberculosis of intestines and peritoneum	34	12	12	5	5	23	6	10	-	7
16	Tuberculosis of vertebral column	33	12	14	6	1	17	7	4	3	3
17a	Tuberculosis of bones (except vertebral column)	5	3	-	1	1	3	3	-	-	-
17b	Tuberculosis of joints (except vertebral column)	9	7	1	1	-	2	2	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	1	1	-	-	-
19	Tuberculosis of lymphatic system, etc.*	6	3	2	-	1	2	1	1	-	-
20	Tuberculosis of genito-urinary system	29	15	13	-	1	17	10	6	1	-
21	Tuberculosis of other organs	9	2	3	2	2	1	1	-	-	-
22a	Disseminated tuberculosis (acute miliary)	89	26	22	21	20	20	8	3	6	3
22b	Disseminated tuberculosis (other and unspecified)	4	1	1	-	2	3	-	3	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	47	25	20	2	-	35	19	13	2	1
25	Gonococcus infection	5	1	3	1	-	2	1	-	1	-
26	Other diseases due to bacteria (except dysentery)	2	-	2	-	-	1	1	-	-	-
27	Dysentery	34	15	16	3	-	25	13	12	-	-
28	Malaria	11	10	1	-	-	4	1	3	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	910	508	164	172	66	445	281	85	55	24
30a	Locomotor ataxia (tabes dorsalis)	42	34	5	2	1	24	17	4	3	-
30b	General paralysis of insane	348	187	64	75	22	178	127	25	19	7
30c	Other syphilis of central nervous system	72	39	13	15	5	53	30	9	10	4
30d	Aneurysm of aorta	167	111	28	21	7	63	37	19	5	2
30e	Other syphilis of circulatory system	82	39	8	26	9	26	13	5	7	1
30f,g	Congenital, other and unspecified forms of syphilis	199	98	46	33	22	101	57	23	11	10
31	Relapsing fever	-	-	-	-	-	1	1	-	-	-
32	Other diseases due to spirochetes	14	8	6	-	-	3	2	1	-	-
33a	Influenza, with respiratory complications specified	369	200	141	13	15	489	244	212	23	10
33b	Influenza, without respiratory complications specified	260	126	120	11	3	286	139	136	9	2
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	57	30	23	4	-	71	33	36	1	1
36	Acute poliomyelitis and acute polioencephalitis	157	99	53	5	-	20	13	5	1	1
37a,c	Infectious encephalitis lethargica (acute and unqualified)	19	10	9	-	-	14	6	8	-	-
37b	Sequelae of encephalitis lethargica	17	15	2	-	-	9	4	4	1	-
38	Other diseases due to filtrable viruses	5	3	2	-	-	3	2	1	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	3	1	1	-	1	2	2	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	1	1	-	-	-	1	1	-	-	-
43	Mycoses	21	11	9	1	-	6	3	2	-	1
44	Other infectious and parasitic (communicable) diseases	147	90	47	5	5	67	47	19	-	1
	II.—Cancer and other tumors	12,584	5,808	6,187	250	339	4,707	2,016	2,491	80	120
45-55	Cancer and other malignant tumors	12,113	5,670	5,891	249	303	4,511	1,953	2,376	77	105
45	Cancer of buccal cavity and pharynx	396	323	58	12	3	134	105	23	4	2
45a-e	Cancer of buccal cavity	260	209	41	7	3	85	67	14	3	1
45f	Cancer of pharynx	136	114	17	5	-	49	38	9	1	1
46	Cancer of digestive organs and peritoneum	5,773	3,013	2,534	135	91	2,049	1,018	966	32	33
46a	Cancer of esophagus	258	195	46	16	1	56	41	11	1	3
46b,c	Cancer of stomach and duodenum	1,968	1,159	737	51	21	656	377	259	11	9
46f	Cancer of liver and biliary passages	806	346	436	11	13	440	161	264	10	5
46g	Cancer of pancreas	448	241	183	10	14	154	84	65	2	3
46d,e,h,m	Cancer of other digestive organs and peritoneum	2,293	1,072	1,132	47	42	743	355	367	8	13
47	Cancer of respiratory system	941	713	185	32	11	246	149	83	13	1
48	Cancer of uterus	1,134	...	1,019	...	115	512	...	481	...	31
49	Cancer of other female genital organs	350	...	338	...	12	102	...	97	...	5
50	Cancer of breast	1,124	21	1,060	-	43	388	3	368	-	17
51	Cancer of male genital organs	672	642	...	30	...	292	275	...	17	...
52	Cancer of urinary organs (male and female)	634	401	205	17	11	188	112	72	3	1
53	Cancer of skin (except vulva and scrotum)	182	104	75	2	1	109	69	39	-	1
54	Cancer of central nervous system*	194	110	76	5	3	89	25	10	3	1
55	Cancer of other and unspecified organs	713	348	341	16	13	452	197	237	5	13
56a	Nonmalignant tumors of ovary	57	...	54	...	3	18	...	17	...	1
56b	Nonmalignant tumors of uterus	151	...	125	...	26	47	...	37	...	10
56c	Nonmalignant tumors of other female genital organs	2	...	2	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	71	37	29	-	5	22	11	10	1	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence

IOWA					KANSAS					KENTUCKY					LOUISIANA					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
26,189	14,450	11,456	171	112	19,021	10,192	7,767	559	503	29,051	14,089	11,202	2,057	1,703	24,007	7,877	5,617	5,482	5,031	
1,214	679	505	19	11	1,044	542	399	62	41	3,455	1,576	1,344	297	238	2,685	690	359	955	681	
1	1	-	-	-	1	-	1	-	-	47	25	15	3	4	38	7	10	9	12	1
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	3	2	1	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
3	1	2	-	-	3	2	1	-	-	2	1	-	1	-	3	2	-	1	-	5
22	18	4	-	-	22	17	5	-	-	88	50	25	5	8	23	11	5	5	2	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
16	4	12	-	-	16	6	10	-	-	14	7	7	-	-	-	-	-	-	-	8
34	16	17	-	1	32	13	16	2	1	127	57	60	3	7	116	20	22	36	38	9
13	11	2	-	-	14	7	6	1	-	44	24	19	1	-	29	9	8	4	8	10
8	4	4	-	-	2	1	1	-	-	11	6	5	-	-	3	1	2	-	-	11
9	5	4	-	-	7	6	1	-	-	22	10	8	2	2	31	6	3	14	8	12
395	232	152	8	3	345	176	131	23	15	1,785	794	708	159	124	1,290	351	150	450	339	13-22
-	-	-	-	-	5	5	-	-	-	4	4	-	-	-	-	-	-	-	-	13a
352	204	138	8	2	311	161	117	19	14	1,623	723	643	145	112	1,199	339	138	406	316	13b,c
11	8	3	-	-	5	2	1	2	-	67	30	27	6	4	26	5	2	15	4	14
8	3	5	-	-	7	-	6	-	1	30	10	15	2	3	17	-	4	8	5	15
6	5	1	-	-	4	1	2	1	-	12	6	4	1	1	13	5	1	3	4	16
2	2	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	17a
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	1	-	-	-	1	17b
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	-	1	18
2	1	1	-	-	1	1	-	-	-	4	2	1	1	-	1	-	1	-	-	19
7	3	4	-	-	3	2	1	-	-	10	7	1	-	2	1	-	-	-	1	20
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	2	-	-	2	-	21
7	6	-	-	1	6	4	1	1	-	22	9	8	4	1	26	2	1	16	7	22a
-	-	-	-	-	2	-	2	-	-	6	1	4	-	1	2	-	2	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23	14	6	-	3	23
17	14	2	-	1	17	12	4	-	1	25	7	9	3	6	38	11	6	11	10	24
2	-	2	-	-	3	-	2	-	1	5	-	5	-	-	5	-	-	1	4	25
-	-	-	-	-	1	1	-	-	-	5	3	2	-	-	2	-	-	1	1	26
9	5	4	-	-	10	5	5	-	-	163	83	72	5	3	43	10	6	17	10	27
1	1	-	-	-	4	3	1	-	-	11	2	7	-	2	37	4	7	10	16	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
178	121	42	11	4	161	98	26	26	11	295	138	65	63	29	495	101	24	254	116	30
14	12	2	-	-	14	11	2	1	-	10	10	-	-	-	6	2	1	1	2	30a
50	36	7	6	1	40	26	6	5	3	116	48	30	23	15	129	24	8	72	25	30b
18	12	6	-	-	13	7	2	2	2	46	27	8	8	3	42	18	1	16	7	30c
36	24	10	2	-	46	28	6	11	1	23	13	3	4	3	76	29	3	35	9	30d
10	8	2	-	-	9	4	3	2	-	18	7	1	8	2	83	11	3	55	14	30e
50	29	15	3	3	39	22	7	5	5	82	33	23	20	6	159	17	8	75	59	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	31
4	1	3	-	-	4	2	2	-	-	8	5	1	-	2	4	3	-	1	-	32
240	114	125	-	1	151	66	76	3	6	388	164	156	36	32	291	71	50	100	70	33a
138	64	73	-	1	115	51	56	4	4	224	108	95	9	12	121	29	31	27	34	33b
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
25	12	13	-	-	7	5	2	-	-	101	41	54	3	3	14	1	9	1	3	35
18	8	10	-	-	68	39	28	-	1	15	7	6	2	-	8	5	-	2	1	36
11	8	3	-	-	12	3	9	-	-	18	8	7	-	3	7	2	3	2	-	37a,c
5	5	-	-	-	5	3	2	-	-	1	-	1	-	-	-	-	-	-	-	37b
5	4	1	-	-	-	-	-	-	-	6	5	1	-	-	6	3	3	-	-	38
5	2	3	-	-	-	-	-	-	-	5	5	-	-	-	9	5	3	-	1	39
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-	-	-	-	-	40
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	5	1	3	1	-	4	1	1	-	2	42
4	4	-	-	-	7	3	2	2	-	3	1	1	1	-	4	-	-	3	1	43
50	28	22	-	-	35	22	12	1	-	34	21	12	-	1	37	21	8	6	2	44
3,700	1,706	1,957	19	18	2,315	1,033	1,159	45	73	2,684	1,080	1,357	107	140	2,280	775	774	319	412	
3,598	1,671	1,890	19	18	2,253	1,020	1,120	44	69	2,605	1,051	1,320	104	130	2,173	745	743	302	383	45-55
100	81	18	1	-	88	67	13	4	4	96	62	22	8	4	71	45	8	11	7	45
71	60	10	1	-	71	57	9	2	3	71	43	18	7	3	37	24	3	4	6	45a-e
29	21	8	-	-	17	10	4	2	1	25	19	4	1	1	34	21	5	7	1	45f
1,699	864	820	9	6	1,081	547	490	22	22	1,191	567	531	59	34	892	327	266	165	134	46
43	33	10	-	-	14	11	2	1	-	30	23	3	4	-	38	16	9	9	4	46a
554	326	222	5	1	397	227	151	8	11	405	214	146	27	18	325	115	65	83	62	46b,c
274	119	154	-	1	214	85	123	3	3	271	109	147	11	4	146	56	44	23	23	46f
116	63	53	-	-	76	45	29	1	1	72	33	35	4	-	67	29	22	12	4	46g
712	323	381	4	4	380	179	185	9	7	413	188	200	13	12	316	111	126	38	41	46d,e,hm
185	127	56	2	-	105	76	24	3	2	128	73	46	8	1	189	129	28	24	8	47
320	...	314	...	6	215	...	192	...	23	354	...	303	...	51	274	...	148	...	126	48
87	...	85	...	2	68	...	67	...	1	50	...	46	...	4	50	...	34	...	16	49
357	3	353	-	1	210	2	198	-	10	243	4	211	1	27	188	3	133	2	50	50
280	276	...	4	...	153	146	...	7	...	164	148	...	16	...	140	91	...	49	...	51
176	116	58	1	1	92	56	31	2	3	93	44	42	3	4	102	46	24	23	9	52
76	49	27	-	-	52	37	15	-	-	86	54	32	-	-	58	27	24	2	5	53
73	45	27	1	-	28	20	8	-	-	44	20	22	2	-	31	13	13	4	1	54
245	110	132	1	2	161	69	82	6	4	156	79	65	7	5	178	64	65	22	27	55
14	...	14	...	-	8	...	8	...	-	9	...	6	...	3	3	...	3	...	-	56a
29	...	29	...	-	19	...	16	...	3	18	...	11	...	7	27	...	11	...	16	56b
1	...	1	...	-	3	...	3	...	-	-	...	-	...	-	-	...	-	...	-	56c
23	12	11	-	-	13	9	4	-	-	26	13	11	2	-	17	5	7	2	3	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	1	...	1	...	-	2	...	1	...	1
57b	Tumors of uterus (nature unspecified)	3	...	3	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	-	...	-	...	-	1	...	1	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	186	101	82	1	2	106	52	49	2	3
	III.—Rheumatism, diseases of nutrition, etc.*	3,243	1,173	1,937	39	94	1,271	469	733	28	41
58a-d	Acute rheumatic heart diseases	66	31	29	4	2	25	10	13	1	1
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	14	9	5	-	-	16	9	6	-	1
59	Chronic rheumatism and other rheumatic diseases	96	34	60	-	2	63	20	43	-	-
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	2,627	953	1,570	25	79	962	365	541	25	31
62	Diseases of pituitary gland	5	2	3	-	-	2	-	2	-	-
63a	Simple goiter	9	-	8	1	-	7	-	6	-	1
63b	Exophthalmic goiter	255	52	193	1	9	116	20	92	-	4
63c-e	Other diseases of thyroid and parathyroid glands	19	7	12	-	-	13	4	9	-	-
64	Diseases of thymus gland	82	47	28	5	2	28	17	8	1	2
65	Diseases of adrenal glands (not specified as tuberculous)	37	16	20	1	-	17	12	5	-	-
66	Other general diseases	16	11	5	-	-	12	8	4	-	-
67	Scurvy	1	-	-	1	-	1	-	1	-	-
68	Beriberi	1	1	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	12	8	4	-	-	7	2	3	1	1
70	Rickets	1	-	-	1	-	1	1	-	-	-
71	Other avitaminoses	2	2	-	-	-	1	1	-	-	-
	IV.—Diseases of the blood and blood-forming organs	736	370	341	11	14	320	179	132	7	2
72	Hemorrhagic conditions	32	13	18	1	-	23	17	5	1	-
73a	Pernicious anemia	208	96	106	3	3	90	35	54	1	-
73b-d	Other anemias (except splenic)	53	22	28	2	1	30	12	15	3	-
74a	Leukemias	379	214	151	5	9	153	102	47	2	2
74b	Aleukemias	14	9	5	-	-	4	3	1	-	-
75	Diseases of spleen	26	10	15	-	1	13	5	8	-	-
76	Other diseases of the blood and blood-forming organs	24	6	18	-	-	7	5	2	-	-
	V.—Chronic poisoning and intoxication	63	44	10	8	1	46	36	7	2	1
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	2	-	-	2	-	1	1	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	59	44	9	5	1	41	33	7	-	1
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	2	-	1	1	-	4	2	-	2	-
	VI.—Diseases of the nervous system, etc.*	8,225	3,864	3,843	240	278	4,843	2,421	2,198	110	114
80	Encephalitis (nonepidemic)	88	49	34	3	2	55	31	24	-	-
81	Meningitis (not due to meningococcus)	124	74	34	6	10	80	48	29	1	2
82	Diseases of spinal cord (see exceptions)*	191	110	72	4	5	74	36	36	2	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	6,275	2,820	3,053	178	224	3,951	1,953	1,821	81	96
83b	Cerebral embolism and thrombosis	618	337	242	24	15	210	108	90	9	3
83c	Cerebral softening	35	14	18	1	2	26	13	13	-	-
83d	Hemiplegia and other paralysis of unspecified origin	285	154	116	11	4	165	87	65	8	5
84	Mental diseases and deficiency (see exception)*	71	22	42	5	2	47	23	21	2	1
85	Epilepsy	113	63	42	4	4	71	42	23	3	3
86	Convulsions (under 5 years)	10	5	5	-	-	4	1	3	-	-
87	Other diseases of nervous system	332	164	160	2	6	125	59	63	2	2
88	Diseases of organs of vision	-	-	-	-	-	4	2	1	-	1
89a	Otitis and other diseases of the ear	63	39	18	2	4	16	8	6	2	-
89b	Diseases of mastoid process	20	13	7	-	-	14	10	3	-	1
	VII.—Diseases of the circulatory system	33,694	18,147	13,338	1,210	999	12,893	7,380	4,969	311	233
90-95	Diseases of the heart (all forms)	31,766	17,134	12,529	1,148	955	11,654	6,721	4,431	283	219
90	Pericarditis (except acute rheumatic)	34	18	12	3	1	11	6	5	-	-
91a,b	Bacterial and other acute or subacute endocarditis	162	79	69	10	4	79	41	36	1	1
91c	Endocarditis (unspecified, under 45 years)	15	4	11	-	-	12	1	9	-	2
92a-d	Chronic endocarditis and diseases of the valves*	2,499	1,240	1,154	54	51	1,236	652	509	36	39
92e	Endocarditis (unspecified, 45 years and over)	188	95	87	2	4	82	42	26	8	6
93a	Acute myocarditis (except rheumatic)	259	131	117	6	5	180	91	75	9	5
93b	Myocarditis (unspecified, under 45 years)	47	20	14	6	7	17	7	8	-	2
93c,d	Chronic myocarditis and myocardial degeneration	17,778	8,878	7,515	752	633	4,207	2,115	1,883	125	84
93e	Other myocarditis (unspecified)	1,521	793	661	32	35	804	453	318	18	15
94a	Diseases of coronary arteries	5,716	3,840	1,762	70	44	3,404	2,342	978	50	34
94b	Angina pectoris	363	256	99	7	1	358	258	91	4	5
95a	Functional diseases of heart, etc.*	41	23	18	-	-	39	21	16	-	2
95b,c	Other and unspecified diseases of heart	3,143	1,757	1,010	206	170	1,225	692	477	32	24
96	Aneurysm (except of heart and aorta)	58	41	15	1	1	16	11	5	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	1,565	832	659	47	27	1,072	568	469	23	12
98	Gangrene	26	15	11	-	-	16	11	4	-	1
99	Other diseases of arteries	127	64	60	2	1	58	28	29	1	-
100	Diseases of veins	71	39	28	4	-	19	10	8	1	-
101	Diseases of lymphatic system	4	1	2	-	1	4	2	2	-	-
102	High blood pressure (idiopathic)	73	18	33	8	14	46	25	18	2	1
103	Other diseases of circulatory system	4	3	1	-	-	8	4	3	1	-
	VIII.—Diseases of the respiratory system	4,140	2,223	1,450	294	173	2,578	1,323	1,041	127	87
104a	Diseases of nasal fossae	12	6	5	-	1	6	3	3	-	-
104b	Diseases of accessory sinuses	25	18	7	-	-	12	3	8	-	1
105	Diseases of larynx	16	6	10	-	-	10	7	1	1	1
106a	Acute bronchitis	56	32	19	2	3	19	10	8	-	1

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

IOWA					KANSAS					KENTUCKY					LOUISIANA					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
35	23	12	-	-	19	9	8	1	1	26	16	9	1	-	59	25	10	15	9	57d,e
875	351	516	3	5	651	252	366	7	26	632	234	335	27	36	615	150	251	62	152	
8	2	6	-	-	9	2	6	-	1	11	4	5	1	1	10	5	3	2	-	58a-d
5	1	4	-	-	7	6	1	-	-	16	4	10	2	-	10	3	1	2	4	58e,f
66	22	43	-	1	43	15	26	-	2	36	8	24	2	2	19	6	8	1	4	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
694	289	398	3	4	501	209	269	5	18	428	181	202	16	29	420	106	193	30	91	61
-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	3	1	1	-	1	62
3	-	3	-	-	1	-	1	-	-	3	1	2	-	-	1	-	-	-	1	63a
50	9	41	-	-	44	3	38	-	3	52	7	41	3	1	27	4	12	2	9	63b
4	1	3	-	-	7	2	5	-	-	9	2	7	-	-	6	2	3	-	1	63c-e
22	14	8	-	-	18	9	7	2	-	10	4	6	-	-	31	11	7	7	6	64
11	5	6	-	-	5	2	3	-	-	11	3	5	2	1	6	1	3	1	1	65
7	5	2	-	-	10	2	7	-	1	7	1	4	1	1	21	5	5	6	5	66
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	4	2	-	-	2	68
2	1	1	-	-	3	1	1	-	1	37	14	23	-	-	51	2	15	9	25	69
2	2	-	-	-	1	-	1	-	-	3	2	-	-	1	1	-	-	-	1	70
1	-	1	-	-	-	-	-	-	-	5	1	4	-	-	5	2	-	2	1	71
279	154	125	-	-	217	117	92	6	2	219	94	112	7	6	180	72	57	22	29	
8	4	4	-	-	14	7	6	1	-	19	9	9	1	-	12	5	5	-	2	72
86	50	36	-	-	86	43	43	-	-	75	27	44	4	-	15	3	9	-	3	73a
22	9	13	-	-	16	7	8	1	-	36	10	23	-	3	26	6	8	5	7	73b-d
138	79	59	-	-	82	52	25	3	2	71	36	30	2	3	102	45	30	13	14	74a
9	5	4	-	-	4	2	1	1	-	2	1	1	-	-	3	2	-	1	-	74b
10	4	6	-	-	8	4	4	-	-	12	8	4	-	-	19	9	5	2	3	75
6	3	3	-	-	7	2	5	-	-	4	3	1	-	-	3	2	-	1	-	76
29	28	-	1	-	10	5	2	3	-	26	23	-	2	1	25	21	1	3	-	
3	3	-	-	-	3	1	1	1	-	4	4	-	-	-	-	-	-	-	-	77a,b
24	24	-	-	-	5	3	-	2	-	19	17	-	1	1	24	20	1	3	-	77c-e
-	-	-	-	-	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-	78
2	1	-	1	-	1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	79
3,274	1,677	1,568	16	13	2,339	1,145	1,075	53	66	3,184	1,521	1,285	172	206	2,125	532	549	477	567	
25	14	11	-	-	26	12	10	1	3	39	19	15	4	1	29	9	13	5	2	80
36	23	13	-	-	16	6	8	2	-	75	44	22	6	3	59	20	11	19	9	81
88	46	41	-	1	56	35	21	-	-	54	21	29	-	4	32	12	11	5	4	82
2,662	1,337	1,302	13	10	1,853	899	855	44	55	2,460	1,170	1,000	132	158	1,686	400	431	377	478	83a
178	99	78	-	1	161	84	73	2	2	103	46	50	4	3	72	28	18	13	13	83b
11	6	4	1	-	19	12	7	-	-	17	8	8	-	1	6	1	3	-	2	83c
33	16	16	-	1	36	13	21	2	-	218	103	82	14	19	94	19	30	23	22	83d
47	21	26	-	-	37	11	21	-	5	41	20	13	5	3	28	6	6	4	12	84
51	33	17	1	-	48	29	17	1	1	54	26	21	2	5	45	10	13	10	12	85
8	3	5	-	-	3	1	2	-	-	11	1	6	3	1	17	1	1	7	8	86
118	70	47	1	-	71	36	35	-	-	79	42	28	2	7	38	19	8	8	3	87
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	88
14	8	6	-	-	11	7	4	-	-	23	12	10	-	1	16	6	3	5	2	89a
3	1	2	-	-	2	-	1	1	-	10	9	1	-	-	3	1	1	1	-	89b
8,677	5,149	3,440	56	32	5,896	3,420	2,227	143	106	7,783	3,838	2,841	599	505	6,612	2,479	1,589	1,282	1,262	
7,911	4,711	3,115	55	30	5,365	3,120	2,010	135	100	7,149	3,525	2,587	565	472	6,269	2,375	1,498	1,209	1,187	90-95
8	5	2	-	1	20	13	4	2	1	23	9	10	1	3	15	7	4	3	1	90
39	20	19	-	-	37	14	21	1	1	32	16	8	-	8	63	15	8	24	16	91a,b
5	-	5	-	-	2	2	-	-	-	10	4	4	-	2	-	-	-	-	-	91c
882	482	384	10	6	772	404	314	33	21	941	455	348	66	72	710	179	138	187	206	92a-d
84	47	36	-	1	43	25	16	2	-	111	50	44	5	12	36	10	8	9	9	92e
39	23	16	-	-	65	35	25	2	3	121	55	31	18	17	89	16	12	27	34	93a
14	10	4	-	-	7	2	3	1	1	24	5	9	6	4	10	3	2	1	4	93b
2,662	1,412	1,220	19	11	1,913	1,017	803	45	48	2,678	1,180	1,094	223	181	3,186	1,116	876	586	608	93c,d
551	297	244	9	1	285	143	131	7	4	92	37	41	6	8	308	113	85	57	53	93e
2,763	1,906	833	16	8	1,716	1,153	516	31	16	1,712	990	477	155	90	1,186	650	255	150	131	94a
139	101	37	-	1	123	84	38	1	-	170	105	49	8	8	138	86	16	23	13	94b
52	26	25	1	-	41	28	13	-	-	24	17	7	-	-	22	11	6	2	3	95a
673	382	290	-	1	341	200	126	10	5	1,211	602	465	77	67	506	169	88	140	109	95b,c
16	9	7	-	-	12	7	3	2	-	16	9	6	-	1	13	4	3	4	2	96
625	352	271	1	1	432	245	179	4	4	529	263	209	30	27	226	75	61	43	47	97
13	10	3	-	-	11	7	3	-	1	18	7	7	3	1	9	1	2	3	3	98
65	42	23	-	-	37	23	12	1	1	23	11	11	-	1	16	6	5	4	1	99
17	6	10	-	1	15	6	9	-	-	5	2	2	-	1	17	6	5	3	3	100
1	1	-	-	-	1	-	1	-	-	5	3	2	-	-	2	2	-	-	-	101
27	16	11	-	-	19	10	9	-	-	33	16	14	1	2	59	9	15	16	19	102
2	2	-	-	-	4	2	1	1	-	5	2	3	-	-	1	1	-	-	-	103
1,302	709	580	12	1	867	446	358	39	29	2,110	1,014	828	159	114	1,683	475	378	470	360	
8	5	3	-	-	10	6	4	-	-	2	1	1	-	-	5	2	1	1	1	104a
8	6	2	-	-	8	7	1	-	-	6	3	3	-	-	8	4	3	-	1	104b
5	1	4	-	-	-	-	-	-	-	8	6	2	-	-	5	3	-	2	-	105
22	13	8	1	-	12	5	7	-	-	20	4	15	-	1	12	1	3	3	5	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	150	88	54	3	5	53	32	19	1	1
106c	Bronchitis (unspecified)	44	20	20	2	2	23	6	17	-	-
107	Bronchopneumonia (including capillary bronchitis)	1,751	885	633	142	91	951	450	413	53	35
108	Lobar pneumonia	1,241	701	382	103	55	821	450	285	45	41
109	Pneumonia (unspecified)	293	161	112	14	6	350	194	141	11	4
110	Pleurisy (not specified as tuberculous)	145	89	45	8	3	42	26	13	2	1
111a	Hemorrhagic infarction and thrombosis of lungs	59	28	27	1	3	24	14	10	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	127	53	71	-	3	138	59	77	2	-
112	Asthma	117	63	45	9	-	81	41	34	5	1
113	Pulmonary emphysema	9	6	3	-	-	6	3	3	-	-
114	Other diseases of respiratory system (except tuberculosis)	95	67	17	10	1	42	25	9	7	1
	IX.—Diseases of the digestive system	4,412	2,390	1,765	136	121	1,844	963	767	58	56
115a,b,d	Diseases of buccal cavity and adnexa	69	31	31	3	4	48	23	18	2	5
115c	Diseases of pharynx and tonsils	91	52	34	4	1	23	14	8	-	1
116	Diseases of esophagus	19	13	6	-	-	6	4	2	-	-
117a	Ulcer of stomach	443	338	80	22	3	159	120	25	11	3
117b	Ulcer of duodenum	177	133	38	6	-	67	56	8	3	-
118	Other diseases of stomach (except cancer)	71	36	31	-	4	41	25	16	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	278	140	107	17	14	251	133	100	8	10
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	142	62	71	4	5	83	25	53	2	2
121	Appendicitis	538	306	196	18	18	229	119	91	9	10
122a	Hernia	382	192	170	11	9	128	73	49	2	4
122b	Intestinal obstruction	450	170	241	16	23	192	104	76	4	8
123	Other diseases of intestines	83	39	37	2	5	42	23	17	1	1
124a	Cirrhosis of liver (with mention of alcoholism)	86	60	23	1	2	11	7	3	1	-
124b	Cirrhosis of liver (without mention of alcoholism)	839	546	260	17	16	234	129	90	10	5
125a	Acute yellow atrophy of liver (nonpuerperal)	34	18	15	-	1	8	7	1	-	-
125b	Other diseases of liver	64	33	20	6	5	29	15	13	1	-
126	Biliary calculi	308	88	219	-	1	104	29	74	1	-
127	Other diseases of gallbladder and biliary ducts	231	80	142	3	6	125	34	86	1	4
128	Diseases of pancreas (except diabetes mellitus)	51	31	18	1	1	15	2	11	1	1
129	Peritonitis (cause not stated)	56	22	26	5	3	49	20	26	1	2
	X.—Diseases of the genito-urinary system	8,103	4,224	3,328	274	277	3,968	2,040	1,686	125	117
130	Acute nephritis	135	80	46	6	3	96	45	44	4	3
131a	Arteriosclerotic kidney	4,283	2,065	1,966	102	150	2,306	1,108	1,055	72	71
131b	Other chronic nephritis	2,203	1,054	974	91	84	858	454	353	27	24
132	Nephritis unspecified (10 years and over)	292	156	107	15	14	245	125	103	9	9
133	Other diseases of kidneys and ureters, etc.*	206	98	93	7	8	99	52	42	3	2
134	Calculi of urinary passages	110	75	29	5	1	47	24	20	3	-
135	Diseases of urinary bladder	42	30	12	-	-	23	16	7	-	-
136	Diseases of urethra (except calculus)	31	22	4	5	-	5	3	1	1	-
137	Diseases of prostate	686	643	...	43	...	219	213	...	6	...
138	Diseases of other male genital organs (except venereal)	1	1	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	64	...	48	...	16	40	...	34	...	6
139b	Diseases of uterus	48	...	47	...	1	29	...	27	...	2
139c	Diseases of other and unspecified female genital organs	2	...	2	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	320	...	293	...	27	149	...	138	...	11
140	Abortion with mention of infection	34	...	28	...	6	19	...	16	...	3
140a,b	Abortion (septic), spontaneous or therapeutic *	19	...	14	...	5	14	...	11	...	3
140c,d	Abortion (septic), self-induced or nontherapeutic *	15	...	14	...	1	5	...	5	...	-
141	Abortion without mention of infection	18	...	16	...	2	5	...	5	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	7	...	7	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	9	...	7	...	2	5	...	5	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	2	...	2	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	14	...	12	...	2	6	...	5	...	1
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	1	...	1	...	-	1	...	1	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	18	...	16	...	2	11	...	10	...	1
144c,d	Other toxemias of pregnancy (death before delivery) *	7	...	7	...	-	8	...	6	...	2
145	Other diseases and accidents of pregnancy (death before delivery)	10	...	9	...	1	13	...	12	...	1
	A. With mention of infection	7	...	6	...	1	11	...	10	...	1
	B. Without mention of infection	3	...	3	...	-	2	...	2	...	-
146a	Placenta praevia (with childbirth)	11	...	10	...	1	5	...	5	...	-
146b,c	Other hemorrhages of childbirth and puerperium	35	...	33	...	2	16	...	14	...	2
147a,b	Puerperal pyelitis, other general or local puerperal infection *	36	...	32	...	4	10	...	10	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	37	...	35	...	2	23	...	23	...	-
148a,b	Puerperal eclampsia and nephritis *	45	...	44	...	1	14	...	13	...	1
148c,d	Other puerperal toxemias	7	...	6	...	1	2	...	2	...	-
149	Other accidents and specified conditions of childbirth	34	...	32	...	2	9	...	9	...	-
150	Other and unspecified conditions of childbirth and puerperium	13	...	12	...	1	6	...	6	...	-
	XII.—Diseases of the skin and cellular tissue	55	31	22	2	-	31	12	18	1	-
151	Carbuncle and furuncle	11	4	6	1	-	9	5	4	-	-
152	Phlegmon and acute abscess	14	9	4	1	-	8	3	4	1	-
153	Other diseases of skin and cellular tissue	30	18	12	-	-	14	4	10	-	-
	XIII.—Diseases of the bones, etc.*	61	27	26	4	4	28	14	11	1	2
154	Osteomyelitis and periostitis	37	18	13	3	3	13	7	4	1	1
155	Other diseases of bones (except tuberculosis)	7	2	5	-	-	9	2	6	-	1
156	Diseases of joints and other organs of movement	17	7	8	1	1	6	5	1	-	-
157	XIV.—Congenital malformations	1,035	547	442	20	26	518	274	224	14	6

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

IOWA					KANSAS				KENTUCKY				LOUISIANA					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
47	26	20	1	-	34	21	13	-	-	46	19	24	1	2	38	19	8	8	3	106b
18	7	11	-	-	12	5	6	1	-	19	10	8	-	1	11	2	3	3	3	106c
515	258	252	5	-	364	185	149	21	9	832	384	346	64	38	798	210	195	212	181	107
452	270	179	2	1	262	139	92	15	16	651	315	241	51	44	436	119	88	135	94	108
41	22	19	-	-	35	20	15	-	-	314	168	105	24	17	172	48	34	49	41	109
24	16	7	1	-	11	4	6	1	-	24	18	4	2	-	41	18	5	13	5	110
24	14	8	2	-	20	6	14	-	-	21	13	7	-	1	24	8	5	4	7	111a
64	26	38	-	-	42	20	20	-	2	74	27	35	8	4	60	15	19	14	12	111b,c
51	27	24	-	-	30	16	13	1	-	52	20	25	2	5	41	14	9	13	5	112
4	2	2	-	-	-	-	-	-	-	4	3	1	-	-	2	2	-	-	-	113
19	16	3	-	-	27	12	13	-	2	37	23	6	7	1	30	10	5	13	2	114
1,148	613	524	7	4	898	460	372	33	33	1,560	774	585	107	94	1,214	433	291	260	230	
30	15	15	-	-	30	12	15	1	2	27	11	13	2	1	22	7	4	5	6	115a,b,d
11	4	6	-	1	27	17	9	1	-	29	11	14	2	2	29	11	7	3	8	115c
2	1	1	-	-	1	1	-	-	-	6	5	1	-	-	3	-	1	2	-	116
118	95	23	-	-	77	54	17	4	2	112	75	22	8	7	78	38	8	23	9	117a
54	44	10	-	-	40	33	6	-	1	52	36	9	6	1	28	15	3	4	1	117b
21	12	8	1	-	21	7	11	2	1	73	32	23	8	10	47	19	7	9	12	118
58	29	28	-	1	47	16	19	4	8	393	190	167	16	20	181	47	40	58	41	119
40	23	17	-	-	47	21	22	1	3	85	30	41	8	6	54	13	10	14	17	120
160	92	64	4	-	123	71	43	7	2	201	106	70	15	10	159	50	43	32	34	121
95	50	43	2	-	97	54	38	4	1	84	39	27	10	8	78	33	19	17	9	122a
151	74	76	-	1	118	56	54	5	3	116	40	52	8	16	159	43	37	36	43	122b
36	19	16	-	1	16	11	4	-	1	17	11	6	-	-	38	15	6	9	8	123
10	8	2	-	-	8	6	-	2	-	8	7	1	-	-	10	7	2	1	-	124a
126	74	52	-	-	94	49	41	1	3	170	113	37	17	3	177	92	39	30	16	124b
5	2	3	-	-	9	4	5	-	-	4	-	3	-	1	11	4	3	2	2	125a
14	5	9	-	-	15	7	6	-	2	31	18	7	2	4	36	8	11	10	7	125b
101	22	79	-	-	59	11	45	-	3	57	10	43	1	3	19	3	14	1	1	126
77	25	52	-	-	48	21	26	-	1	54	18	33	3	-	52	16	24	6	6	127
17	8	9	-	-	8	3	4	1	-	19	9	10	-	-	8	4	4	-	-	128
22	11	11	-	-	13	6	7	-	-	22	13	6	1	2	30	8	9	3	10	129
1,914	1,120	769	13	12	1,785	999	634	76	76	2,356	1,122	789	255	190	2,138	602	488	521	527	
44	31	12	-	1	51	21	25	3	2	105	39	38	17	11	98	27	17	25	29	130
1,053	551	488	10	4	891	458	353	34	46	1,084	475	389	123	97	1,144	320	259	266	299	131a
368	203	156	2	7	475	257	169	25	24	619	295	213	65	46	493	126	132	118	117	131b
116	62	54	-	-	81	45	27	6	3	271	137	91	21	22	113	33	19	34	27	132
36	13	22	1	-	46	22	22	2	-	52	24	24	1	3	84	18	29	20	17	133
24	20	4	-	-	24	17	7	-	-	24	16	6	1	1	24	9	8	5	2	134
16	9	7	-	-	12	6	6	-	-	32	17	4	8	3	16	8	1	6	1	135
10	10	-	-	-	5	5	-	-	-	6	4	1	1	-	20	10	-	9	1	136
219	219	...	-	...	174	168	...	6	...	133	115	...	18	...	88	51	...	37	...	137
2	2	...	-	...	-	-	...	-	...	-	-	...	-	...	1	-	...	1	...	138
15	...	15	...	-	12	...	11	...	1	21	...	16	...	5	46	...	16	...	30	139a
9	...	9	...	-	13	...	13	...	-	9	...	7	...	2	9	...	6	...	3	139b
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	2	...	1	...	1	139c
80	...	78	...	2	77	...	72	...	5	163	...	142	...	21	199	...	97	...	102	
7	...	7	...	-	13	...	12	...	1	20	...	15	...	5	20	...	10	...	10	140
5	...	5	...	-	7	...	6	...	1	19	...	14	...	5	15	...	7	...	8	140a,b
2	...	2	...	-	6	...	6	...	-	1	...	1	...	-	5	...	3	...	2	140c,d
3	...	2	...	1	3	...	3	...	-	5	...	5	...	-	13	...	7	...	6	141
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	4	...	2	...	2	141a,c
3	...	2	...	1	2	...	2	...	-	4	...	4	...	-	9	...	5	...	4	141b,d
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	141e,f
3	...	3	...	-	3	...	3	...	-	1	...	1	...	-	1	...	-	...	1	142a
5	...	5	...	-	2	...	1	...	1	1	...	1	...	-	8	...	3	...	5	142b
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	1	...	-	...	1	143a
1	...	1	...	-	-	...	-	...	-	1	...	-	...	1	1	...	-	...	1	143b,c
1	...	1	...	-	5	...	5	...	-	11	...	10	...	1	18	...	9	...	9	144a,b
2	...	2	...	-	-	...	-	...	-	3	...	1	...	2	15	...	7	...	8	144c,d
2	...	2	...	-	4	...	4	...	-	5	...	4	...	1	7	...	3	...	4	145
2	...	2	...	-	3	...	3	...	-	3	...	3	...	-	6	...	2	...	4	
-	...	-	...	-	1	...	1	...	-	2	...	1	...	1	1	...	1	...	-	
2	...	2	...	-	3	...	2	...	1	7	...	6	...	1	7	...	6	...	1	146a
9	...	8	...	1	7	...	7	...	-	21	...	21	...	-	18	...	10	...	8	146b,c
5	...	5	...	-	8	...	6	...	2	17	...	15	...	2	32	...	11	...	21	147a,b
13	...	13	...	-	12	...	12	...	-	12	...	12	...	-	12	...	11	...	1	147c,d
16	...	16	...	-	7	...	7	...	-	29	...	25	...	4	20	...	6	...	14	148a,b
2	...	2	...	-	1	...	1	...	-	3	...	2	...	1	5	...	2	...	3	148c,d
6	...	6	...	-	4	...	4	...	-	10	...	8	...	2	10	...	6	...	4	149
3	...	3	...	-	5	...	5	...	-	15	...	14	...	1	11	...	6	...	5	150
26	12	14	-	-	15	6	9	-	-	28	7	15	3	3	27	3	9	5	10	
8	4	4	-	-	3	1	2	-	-	7	2	4	-	1	6	2	2	-	2	151
5	4	1	-	-	-	-	-	-	-	7	1	4	2	-	7	1	-	1	5	152
13	4	9	-	-	12	5	7	-	-	14	4	7	1	2	14	-	7	4	3	153
17	10	7	-	-	13	8	5	-	-	19	9	8	2	-	19	5	8	3	3	
9	4	5	-	-	7	4	3	-	-	11	5	4	2	-	10	3	2	2	3	154
1	1	-	-	-	2	1	1	-	-	2	-	2	-	-	5	1	4	-	-	155
7	5	2	-	-	4	3	1	-	-	6	4	2	-	-	4	1	2	1	-	156
323	186	134	-	3	443	127	108	3	5	327	166	147	6	8	241	90	82	45	24	157

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	2,687	1,444	1,013	142	88	1,305	719	510	44	32
158	Congenital debility (cause not stated)	41	20	19	2	-	70	38	28	2	2
159	Premature birth (cause not stated)	1,618	851	634	81	52	796	429	314	29	24
160a	Intracranial or spinal hemorrhage	318	171	101	31	15	101	64	30	4	3
160b,c	Other injuries at birth	352	206	134	6	6	136	82	52	1	1
161	Other diseases peculiar to the first year of life	356	196	125	22	15	202	106	86	8	2
162	XVI.—Senility	260	105	143	3	9	221	91	129	-	1
	XVII.—Violent or accidental deaths	6,334	4,198	1,643	363	135	3,310	2,160	1,012	103	35
163,164	Suicide	834	617	205	10	2	396	296	95	3	2
163	Suicide by poisoning	151	87	61	2	1	91	57	33	-	1
	Suicide by solid or liquid poisons	88	43	43	1	1	51	30	20	-	1
	Suicide by poisonous gases	63	44	18	1	-	40	27	13	-	-
164a	Suicide by hanging or strangulation	249	190	59	-	-	90	60	29	1	-
164b	Suicide by drowning	61	33	27	1	-	17	6	10	1	-
164c	Suicide by firearms and explosives	276	239	33	4	-	167	149	16	1	1
164d	Suicide by cutting or piercing instruments	50	38	10	1	1	17	16	1	-	-
164e	Suicide by jumping from high places	33	19	12	2	-	6	3	3	-	-
164f	Suicide by crushing	8	6	2	-	-	3	3	-	-	-
164g	Suicide by other or unspecified means	6	5	1	-	-	5	2	3	-	-
165-168	Homicide [1]	312	125	39	115	33	95	52	12	26	5
166	Homicide by firearms	143	62	17	50	14	50	24	8	17	1
167	Homicide by cutting or piercing instruments	85	23	6	46	10	23	9	1	9	4
168	Homicide by other means	84	40	16	19	9	22	19	3	-	-
169-195	Accidental deaths	5,185	3,448	1,399	236	100	2,819	1,812	905	74	28
169	Railway accidents (except collisions with motor vehicles)	279	230	34	14	1	153	124	26	3	-
170a	Collisions between automobiles and trains	118	94	22	1	1	105	76	28	1	-
170b	Collisions between automobiles and streetcars	26	16	9	1	-	3	2	1	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	1,175	877	222	57	19	601	444	133	20	4
170d	Motorcycle accidents (except collisions with automobiles)	13	11	2	-	-	11	9	2	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	94	63	22	6	3	5	3	2	-	-
171b	Other and unspecified road-transport accidents	5	2	1	1	1	10	9	1	-	-
172	Water-transport accidents	38	34	3	1	-	24	18	5	1	-
173	Air-transport accidents	150	148	1	1	-	74	73	1	-	-
174	Accidents in mines and quarries	115	111	1	3	-	29	28	1	-	-
175a	Accidents involving agricultural machinery and vehicles	45	42	3	-	-	38	33	3	2	-
175b,c	Other agricultural accidents, including injury by animals	37	36	1	-	-	38	36	2	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	-	-	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	82	72	2	8	-	35	32	1	1	1
177	Food poisoning	16	5	10	-	1	8	5	3	-	-
178	Accidental absorption of poisonous gas	88	66	17	3	2	48	33	14	-	1
179	Acute accidental poisoning by solids or liquids	70	39	23	5	3	39	25	10	2	2
180	Conflagration	115	72	29	8	6	52	25	23	1	3
181	Accidental burns (except conflagration)	293	139	111	22	21	199	95	90	10	4
182	Accidental mechanical suffocation	66	28	26	5	7	55	37	15	1	2
183	Accidental drowning	291	234	29	25	3	150	119	17	11	3
184	Accidental injury by firearms	97	72	9	12	4	48	39	6	2	1
185	Accidental injury by cutting or piercing instruments	16	10	4	2	-	10	9	1	-	-
186a	Accidental injury by fall	1,590	771	762	36	21	713	312	389	6	6
186b	Accidental injury by crushing	27	22	2	3	-	32	29	-	3	-
187	Cataclysm, etc. *	7	6	1	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	12	11	1	-	-	7	6	1	-	-
189	Hunger or thirst	-	-	-	-	-	1	-	1	-	-
190	Excessive cold	8	5	1	2	-	8	6	1	1	-
191	Excessive heat	14	14	-	-	-	13	10	3	-	-
192	Lightning	14	12	-	2	-	11	8	2	1	-
193	Accidents due to electric currents (except lightning)	55	48	5	2	-	27	25	2	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	3	2	1	-	-	3	2	1	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	51	26	17	2	6	17	7	10	-	-
195c,e	Other and unspecified accidents	175	130	28	16	1	252	133	110	8	1
196	Deaths of military personnel during operations of war	2	2	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	1	1	-	-	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	260	177	68	10	5	218	125	80	7	6
199	Sudden death	13	9	4	-	-	3	1	2	-	-
200a	Ill-defined	175	119	45	7	4	183	105	66	6	6
200b	Found dead (cause unknown)	9	6	3	-	-	1	1	-	-	-
200c	Unknown or unspecified	63	43	16	3	1	31	18	12	1	-

* Refer to complete International List titles, table VII, Part I.
[1] Includes figures for infanticide (165).

652780

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

IOWA					KANSAS					KENTUCKY					LOUISIANA					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
872	501	360	7	4	601	347	232	12	10	1,467	801	545	72	49	1,301	395	295	316	295	
35	17	18	-	-	22	13	6	1	2	171	98	54	12	7	58	8	8	25	17	158
539	302	229	4	4	354	194	149	7	4	860	453	330	46	31	805	230	192	186	198	159
92	62	30	-	-	35	24	10	1	-	106	63	40	2	1	112	48	24	20	20	160a
93	55	36	2	-	111	67	41	3	-	153	93	55	3	2	154	58	29	38	29	160b,c
113	65	47	1	-	79	49	26	-	4	177	94	66	9	8	171	51	42	47	31	161
360	174	180	2	4	217	81	123	2	11	391	154	196	21	20	212	40	55	65	52	162
1,995	1,316	664	13	2	1,716	1,122	504	72	18	2,583	1,621	629	216	67	2,105	1,051	292	544	218	
271	213	58	-	-	167	122	41	2	2	233	169	55	8	1	140	91	27	20	2	163,164
47	29	18	-	-	32	12	19	-	1	40	22	17	-	1	21	8	9	3	1	163
24	12	12	-	-	24	7	16	-	1	33	20	12	-	1	18	6	8	3	1	
23	17	6	-	-	8	5	3	-	-	7	2	5	-	-	3	2	1	-	-	
95	77	18	-	-	29	21	6	1	1	42	35	7	-	-	10	6	2	1	1	164a
12	7	5	-	-	6	3	3	-	-	12	7	5	-	-	3	1	1	1	-	164b
99	88	11	-	-	87	77	9	1	-	117	91	19	7	-	93	67	13	13	-	164c
9	6	3	-	-	8	5	3	-	-	9	6	2	1	-	7	5	1	1	-	164d
6	3	3	-	-	-	-	-	-	-	9	6	3	-	-	2	2	-	-	-	164e
2	2	-	-	-	2	2	-	-	-	1	-	1	-	-	-	-	-	-	-	164f
1	1	-	-	-	3	2	1	-	-	3	2	1	-	-	4	2	1	1	-	164g
24	13	7	4	-	50	24	7	18	1	209	119	14	62	14	196	37	9	119	31	165-168
13	7	4	2	-	34	14	3	16	1	141	82	10	40	9	100	22	8	56	14	166
3	2	-	1	-	5	3	-	2	-	33	13	1	15	4	71	4	-	51	16	167
8	4	3	1	-	11	7	4	-	-	35	24	3	7	1	25	11	1	12	1	168
1,699	1,089	599	9	2	1,498	976	456	51	15	2,083	1,327	560	144	52	1,763	921	256	401	185	169-195
62	57	4	1	-	33	29	1	3	-	114	87	16	9	2	49	21	3	23	2	169
43	29	13	-	1	42	27	14	1	-	33	19	10	4	-	22	13	8	1	-	170a
3	2	1	-	-	2	1	1	-	-	-	-	-	-	-	1	-	-	1	-	170b
278	216	60	2	-	258	184	63	11	-	454	334	77	40	3	401	221	56	108	16	170c
4	4	-	-	-	6	5	1	-	-	10	6	4	-	-	8	8	-	-	-	170d
6	5	1	-	-	1	-	1	-	-	6	3	2	1	-	5	5	-	-	-	171a
5	5	-	-	-	5	4	1	-	-	7	6	1	-	-	7	5	-	2	-	171b
25	21	4	-	-	14	12	2	-	-	12	10	-	2	-	90	72	5	11	2	172
64	64	-	-	-	163	162	-	1	-	50	49	1	-	-	106	106	-	-	-	173
10	10	-	-	-	9	8	-	1	-	175	160	1	14	-	-	-	-	-	-	174
46	43	3	-	-	39	36	3	-	-	13	13	-	-	-	6	2	-	4	-	175a
55	51	4	-	-	41	37	4	-	-	28	24	2	2	-	6	2	-	4	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	175d
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	175e
20	19	1	-	-	31	28	1	2	-	22	20	-	2	-	44	32	-	9	3	176
6	2	4	-	-	7	5	1	1	-	17	8	7	1	1	22	4	7	3	8	177
33	20	12	1	-	26	18	7	1	-	21	12	5	3	1	9	6	2	1	-	178
16	9	7	-	-	15	9	5	1	-	18	7	8	2	1	29	8	4	6	11	179
59	36	23	-	-	41	22	14	4	1	42	16	8	11	7	50	9	8	14	19	180
81	31	48	1	1	99	48	43	4	4	185	79	76	6	24	161	46	26	35	54	181
27	15	12	-	-	32	20	10	1	1	49	27	20	1	1	38	9	4	10	15	182
85	70	14	1	-	86	67	14	5	-	118	85	22	11	-	169	99	12	53	5	183
38	32	6	-	-	44	35	6	3	-	76	56	7	10	3	74	46	-	21	7	184
5	3	2	-	-	8	5	3	-	-	6	3	3	-	-	17	3	2	9	3	185
625	264	359	2	-	370	125	236	1	8	483	195	272	7	9	185	74	80	15	16	186a
5	5	-	-	-	10	10	-	-	-	21	17	-	4	-	17	10	1	6	-	186b
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	7	4	3	-	-	187
7	7	-	-	-	4	4	-	-	-	5	4	1	-	-	7	2	-	5	-	188
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	1	-	-	1	-	189
9	6	2	1	-	6	2	-	3	1	9	7	-	2	-	6	-	-	5	1	190
2	2	-	-	-	18	13	1	4	-	9	6	2	1	-	16	3	1	6	1	191
7	7	-	-	-	3	3	-	-	-	18	13	4	1	-	12	4	1	5	2	192
10	10	-	-	-	15	12	2	1	-	11	10	-	1	-	26	18	2	6	-	193
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	-	194
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	1	1	2	195a,b
13	9	4	-	-	16	11	4	1	-	14	6	4	4	-	14	5	1	4	4	195d
46	31	15	-	-	52	32	18	2	-	54	44	5	5	-	150	75	29	32	14	195c,e
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	1	-	-	1	-	8	6	-	2	-	6	2	-	4	-	198
104	65	35	3	1	117	77	35	3	2	114	55	49	5	5	346	64	42	133	107	
5	4	1	-	-	10	7	2	1	-	9	1	7	-	1	43	11	4	17	11	199
69	43	23	2	1	67	41	23	2	1	23	13	4	4	2	113	38	22	32	21	200a
12	5	6	1	-	11	8	3	-	-	20	10	9	1	-	15	3	3	5	4	200b
18	13	5	-	-	29	21	7	-	1	62	31	29	-	2	175	12	13	79	71	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	10,902	5,919	4,950	23	10	24,113	10,318	8,464	2,920	2,411
	I.—Infectious and parasitic diseases	631	346	279	3	3	2,099	769	416	577	337
1	Typhoid fever	4	2	2	-	-	6	4	2	-	-
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	2	-	2	-	-	1	-	1	-	-
6	Cerebrospinal (meningococcus) meningitis	50	25	25	-	-	96	46	27	16	7
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	4	3	1	-	-	3	2	1	-	-
9	Whooping cough	22	8	13	1	-	59	14	21	11	13
10	Diphtheria (infection by C. diphtheriae)	6	2	3	1	-	9	6	2	1	-
11	Erysipelas	2	-	2	-	-	2	1	-	-	1
12	Tetanus	3	1	2	-	-	11	1	3	6	1
13-22	Tuberculosis (all forms)	275	152	122	-	1	1,277	462	213	377	225
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	2	2	-	-	-	2	2	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	239	136	102	-	1	1,166	443	197	345	201
14	Tuberculosis of meninges and central nervous system	5	2	3	-	-	24	4	5	6	9
15	Tuberculosis of intestines and peritoneum	11	3	8	-	-	12	1	3	5	3
16	Tuberculosis of vertebral column	1	1	-	-	-	11	4	-	6	1
17a	Tuberculosis of bones (except vertebral column)	1	1	-	-	-	1	-	-	-	1
17b	Tuberculosis of joints (except vertebral column)	-	-	-	-	-	2	-	1	1	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	1	-	1	-	-	1	-	1	-	-
20	Tuberculosis of genito-urinary system	7	4	3	-	-	9	3	2	3	1
21	Tuberculosis of other organs	-	-	-	-	-	6	2	2	1	1
22a	Disseminated tuberculosis (acute miliary)	7	3	4	-	-	20	3	1	10	6
22b	Disseminated tuberculosis (other and unspecified)	1	-	1	-	-	3	-	1	-	2
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	11	6	5	-	-	14	7	7	-	-
25	Gonococcus infection	1	-	1	-	-	1	-	1	-	-
26	Other diseases due to bacteria (except dysentery)	-	-	-	-	-	-	-	-	-	-
27	Dysentery	3	1	2	-	-	25	10	5	8	2
28	Malaria	-	-	-	-	-	1	1	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	54	43	9	1	1	326	115	36	124	51
30a	Locomotor ataxia (tabes dorsalis)	4	3	1	-	-	5	3	-	2	-
30b	General paralysis of insane	20	17	2	1	-	100	35	8	48	9
30c	Other syphilis of central nervous system	3	2	1	-	-	25	13	2	7	3
30d	Aneurysm of aorta	6	5	1	-	-	77	32	8	26	11
30e	Other syphilis of circulatory system	5	3	2	-	-	43	12	3	17	11
30f,g	Congenital, other and unspecified forms of syphilis	16	13	2	-	1	76	20	15	24	17
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	1	-	1	-	-	3	2	-	-	1
33a	Influenza, with respiratory complications specified	93	48	45	-	-	130	42	48	24	16
33b	Influenza, without respiratory complications specified	70	36	34	-	-	62	22	27	4	9
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	5	3	1	-	1	6	-	4	1	1
36	Acute poliomyelitis and acute polioencephalitis	1	-	1	-	-	1	-	1	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	2	-	2	-	-	5	2	1	-	2
37b	Sequelae of encephalitis lethargica	2	1	1	-	-	8	4	4	-	-
38	Other diseases due to filtrable viruses	3	1	2	-	-	3	2	-	-	1
39	Typhus fever and typhus-like diseases (due to Rickettsia)	-	-	-	-	-	15	12	2	1	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	1	-	1	-	-
43	Mycoses	-	-	-	-	-	2	-	1	1	-
44	Other infectious and parasitic (communicable) diseases	17	14	3	-	-	32	14	8	3	7
	II.—Cancer and other tumors	1,370	592	775	2	1	2,682	1,091	1,249	147	195
45-55	Cancer and other malignant tumors	1,318	580	736	2	-	2,606	1,077	1,207	146	176
45	Cancer of buccal cavity and pharynx	41	30	11	-	-	70	45	14	9	2
45a-e	Cancer of buccal cavity	27	22	5	-	-	44	28	9	6	1
45f	Cancer of pharynx	14	8	6	-	-	26	17	5	3	1
46	Cancer of digestive organs and peritoneum	653	329	324	-	-	1,136	524	485	76	51
46a	Cancer of esophagus	13	10	3	-	-	30	16	6	8	-
46b,c	Cancer of stomach and duodenum	191	116	75	-	-	416	205	148	42	21
46f	Cancer of liver and biliary passages	94	41	53	-	-	166	60	92	6	8
46g	Cancer of pancreas	36	13	23	-	-	87	46	36	3	2
46d,e,h,m	Cancer of other digestive organs and peritoneum	319	149	170	-	-	437	197	203	17	20
47	Cancer of respiratory system	49	30	19	-	-	221	169	27	19	6
48	Cancer of uterus	140	...	140	...	-	276	...	213	...	63
49	Cancer of other female genital organs	35	...	35	...	-	75	...	71	...	4
50	Cancer of breast	129	3	126	-	-	285	5	245	-	35
51	Cancer of male genital organs	95	93	...	2	...	121	102	...	19	...
52	Cancer of urinary organs (male and female)	50	36	14	-	-	164	89	58	11	6
53	Cancer of skin (except vulva and scrotum)	27	17	10	-	-	50	28	21	-	1
54	Cancer of central nervous system*	18	10	8	-	-	50	30	19	1	-
55	Cancer of other and unspecified organs	81	32	49	-	-	158	85	54	11	8
56a	Nonmalignant tumors of ovary	17	...	16	...	1	13	...	8	...	5
56b	Nonmalignant tumors of uterus	8	...	8	...	-	25	...	15	...	10
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	6	4	2	-	-	16	3	8	1	4

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
54,653	27,953	25,708	567	425	57,046	30,436	23,270	1,853	1,487	26,991	15,317	11,281	213	180	21,193	5,398	3,992	6,068	5,735	
2,851	1,730	953	112	56	3,576	1,866	1,054	395	261	1,478	857	537	48	36	2,312	446	308	817	741	
6	4	2	-	-	8	6	1	-	1	-	-	-	-	-	20	3	1	9	7	1
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	-	1	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	5
122	71	47	2	2	124	68	46	9	1	29	22	6	-	1	38	17	6	10	5	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
20	11	9	-	-	13	10	3	-	-	10	4	6	-	-	7	4	3	-	-	8
40	14	26	-	-	100	37	52	8	3	30	10	16	2	2	90	19	14	28	29	9
11	6	4	1	-	24	10	12	1	1	20	10	8	1	1	22	11	2	3	6	10
15	6	9	-	-	9	2	7	-	-	5	2	3	-	-	4	2	2	-	-	11
8	4	2	2	-	11	10	1	-	-	10	9	1	-	-	15	5	2	6	2	12
1,819	1,112	581	82	44	1,869	963	470	245	191	719	404	262	29	24	912	167	108	310	327	13-22
12	12	-	-	-	41	38	1	2	-	12	12	-	-	-	1	1	-	-	-	13a
1,685	1,044	527	75	39	1,613	832	407	212	162	646	358	241	26	21	857	158	102	285	312	13b,c
28	16	11	-	1	58	28	18	7	10	10	5	2	1	2	7	2	-	2	3	14
23	7	12	2	2	30	11	8	5	6	7	4	3	-	-	19	2	2	10	5	15
16	9	7	-	-	26	17	4	4	1	3	2	-	1	-	6	1	1	3	1	16
-	-	-	-	-	3	3	-	-	-	2	2	-	-	-	5	1	1	3	-	17a
5	2	3	-	-	6	2	2	-	2	2	2	-	-	-	2	-	-	1	1	17b
2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
2	1	1	-	-	3	2	-	1	-	2	1	-	-	1	3	1	-	1	1	19
19	8	8	2	1	19	11	4	1	3	13	7	6	-	-	2	-	1	-	1	20
1	-	1	-	-	3	1	2	-	-	4	2	2	-	-	-	-	-	-	-	21
23	11	9	2	1	62	22	22	12	6	17	9	7	1	-	10	1	1	5	3	22a
3	2	-	1	-	5	1	2	1	1	1	-	1	-	-	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
30	15	15	-	-	49	17	27	2	3	20	11	8	1	-	21	6	3	7	5	24
3	-	1	-	2	3	1	2	-	-	-	-	-	-	-	37	-	4	3	30	25
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	-	2	-	26
5	3	2	-	-	26	8	17	-	1	3	1	1	-	1	79	14	11	25	29	27
2	2	-	-	-	4	2	2	-	-	2	2	-	-	-	67	9	9	25	24	28
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	29
357	244	87	23	3	596	354	99	108	35	218	156	50	10	2	401	50	11	215	125	30
23	19	3	1	-	28	21	3	3	1	15	11	3	1	-	9	1	1	3	4	30a
117	89	19	8	1	169	96	29	35	9	48	34	11	3	-	97	22	3	47	25	30b
33	17	14	2	-	55	29	12	10	4	20	17	2	-	1	58	9	4	32	13	30c
91	58	24	8	1	135	91	19	20	5	72	50	19	3	-	33	5	-	18	10	30d
32	24	6	2	-	62	32	3	20	7	7	6	1	-	-	34	3	-	18	13	30e
61	37	21	2	1	147	85	33	20	9	56	38	14	3	1	170	10	3	97	60	30f,g
1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	31
8	6	2	-	-	14	7	5	1	1	3	2	1	-	-	6	-	5	1	-	32
156	85	68	-	3	254	131	108	12	3	201	111	89	-	1	363	76	78	111	98	33a
55	31	24	-	-	232	114	98	6	14	80	42	37	-	1	138	33	31	39	30	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	34
20	9	10	1	-	86	36	44	2	4	21	10	6	2	3	21	5	5	6	5	35
19	12	7	-	-	27	15	12	-	-	10	5	4	1	-	10	3	-	2	5	36
10	6	4	-	-	8	5	3	-	-	17	9	8	-	-	12	2	3	3	4	37a,c
10	6	4	-	-	9	4	4	-	1	8	5	3	-	-	2	1	1	-	-	37b
10	5	5	-	-	5	4	1	-	-	2	1	1	-	-	2	-	-	1	1	38
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	3	2	-	-	1	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	40
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	41
2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	5	-	1	2	2	42
8	5	2	-	1	4	2	1	-	1	10	8	1	1	-	8	2	1	3	2	43
110	70	38	1	1	95	57	36	1	1	57	31	25	1	-	22	7	5	6	4	44
7,700	3,515	4,080	57	48	7,025	3,222	3,504	132	167	3,853	1,955	1,869	16	13	1,716	448	541	258	469	
7,434	3,414	3,923	53	44	6,767	3,141	3,355	125	146	3,741	1,916	1,797	15	13	1,608	433	516	252	407	45-55
263	216	44	2	1	199	165	28	5	1	114	93	20	1	-	61	34	16	4	7	45
163	147	15	-	1	118	100	14	4	-	83	70	13	-	-	41	19	14	1	7	45e-e
100	69	29	2	-	81	65	14	1	1	31	23	7	1	-	20	15	2	3	-	45f
3,591	1,832	1,713	27	19	3,107	1,662	1,352	57	36	1,816	1,022	782	9	3	633	186	174	147	126	46
167	124	37	4	2	139	106	24	6	3	77	62	15	-	-	9	6	1	2	-	46a
1,049	575	455	12	7	1,122	691	395	26	10	789	488	295	5	1	243	65	52	78	48	46b,c
381	146	232	1	2	422	161	250	6	5	180	68	111	1	-	141	48	44	23	26	46f
301	171	126	1	3	244	130	108	3	3	129	78	50	-	1	37	14	9	11	3	46g
1,693	816	863	9	5	1,180	574	575	16	15	641	326	311	3	1	208	53	68	33	49	46d,e,h,m
548	406	131	11	-	477	343	112	20	2	215	158	55	2	-	71	41	14	12	4	47
650	...	638	...	12	666	...	595	...	71	220	...	214	...	6	303	...	131	...	172	48
213	...	211	...	2	174	...	169	...	5	119	...	119	...	-	20	...	13	...	7	49
731	14	706	2	9	660	5	638	1	16	371	2	366	-	3	140	-	82	1	57	50
394	391	...	3	...	407	390	...	17	...	278	277	...	1	...	107	55	...	52	...	51
349	221	127	1	-	303	191	101	6	5	194	124	69	1	-	53	22	12	8	11	52
86	39	46	1	-	88	59	28	1	-	63	41	22	-	-	68	36	26	5	1	53
105	57	48	-	-	85	50	32	1	2	86	55	31	-	-	24	12	9	3	-	54
504	238	259	6	1	601	276	300	17	8	265	144	119	1	1	128	47	39	20	22	55
26	...	26	...	-	22	...	20	...	2	17	...	17	...	-	11	...	6	...	5	56a
44	...	41	...	3	70	...	57	...	13	22	...	22	...	-	52	...	8	...	44	56b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	1	...	-	...	1	56c
46	24	21	-	1	40	22	16	1	1	42	25	16	1	-	17	4	6	4	3	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	7	...	-	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	1	...	1	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	20	8	12	-	-	22	11	11	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	307	138	169	-	-	766	197	439	38	92
58a-d	Acute rheumatic heart diseases	5	-	5	-	-	20	5	9	3	3
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	2	-	2	-	-	6	3	2	-	1
59	Chronic rheumatism and other rheumatic diseases	19	10	9	-	-	29	7	17	-	5
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	246	113	133	-	-	633	169	366	23	75
62	Diseases of pituitary gland	-	-	-	-	-	1	-	1	-	-
63a	Simple goiter	1	-	1	-	-	-	-	-	-	-
63b	Exophthalmic goiter	7	1	6	-	-	36	3	31	-	2
63c-e	Other diseases of thyroid and parathyroid glands	3	1	2	-	-	3	-	3	-	-
64	Diseases of thymus gland	14	9	5	-	-	13	2	4	7	-
65	Diseases of adrenal glands (not specified as tuberculous)	3	2	1	-	-	6	1	2	2	1
66	*Other general diseases*	4	-	4	-	-	11	4	3	-	4
67	Scurvy	-	-	-	-	-	1	-	-	1	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	-	-	-	-	-	2	1	1	-	-
70	Rickets	2	1	1	-	-	5	2	-	2	1
71	Other avitaminoses	1	1	-	-	-	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	89	42	47	-	-	123	57	51	10	5
72	Hemorrhagic conditions	6	3	3	-	-	18	9	7	-	2
73a	Pernicious anemia	38	18	20	-	-	20	12	7	1	-
73b-d	Other anemias (except splenic)	7	2	5	-	-	11	3	3	4	1
74a	Leukemias	35	19	16	-	-	64	25	33	4	2
74b	Aleukemias	2	-	2	-	-	4	3	1	-	-
75	Diseases of spleen	1	-	1	-	-	5	4	-	1	-
76	Other diseases of the blood and blood-forming organs	-	-	-	-	-	1	1	-	-	-
	V.—Chronic poisoning and intoxication	19	18	1	-	-	54	28	7	16	3
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	15	15	-	-	-	49	28	5	14	2
78	Lead poisoning	1	1	-	-	-	5	-	2	2	1
79	Chronic poisoning by other mineral or organic substances	3	2	1	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc.*	1,273	630	637	2	4	2,167	831	887	201	248
80	Encephalitis (nonepidemic)	11	6	5	-	-	28	13	12	1	2
81	Meningitis (not due to meningococcus)	14	9	3	-	2	43	18	12	7	6
82	Diseases of spinal cord (see exceptions)*	13	8	5	-	-	40	23	10	5	2
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	1,042	514	525	1	2	1,702	617	731	152	202
83b	Cerebral embolism and thrombosis	80	39	41	-	-	118	53	51	5	9
83c	*Cerebral softening*	6	2	4	-	-	3	2	1	-	-
83d	Hemiplegia and other paralysis of unspecified origin	12	5	7	-	-	82	31	31	13	7
84	Mental diseases and deficiency (see exception)*	10	1	9	-	-	31	13	6	7	5
85	Epilepsy	21	8	12	1	-	21	10	3	4	4
86	Convulsions (under 5 years)	8	7	1	-	-	6	4	-	-	2
87	Other diseases of nervous system	39	21	18	-	-	62	31	23	3	5
88	Diseases of organs of vision	1	-	1	-	-	2	2	-	-	-
89a	*Otitis and other diseases of the ear*	10	5	5	-	-	24	12	6	3	3
89b	Diseases of mastoid process	6	5	1	-	-	5	2	1	1	1
	VII.—Diseases of the circulatory system	3,545	1,989	1,549	6	1	7,822	3,667	2,868	712	580
90-95	Diseases of the heart (all forms)	3,190	1,803	1,380	6	1	7,357	3,468	2,682	656	551
90	Pericarditis (except acute rheumatic)	4	3	1	-	-	11	4	3	1	3
91a,b	Bacterial and other acute or subacute endocarditis	9	3	6	-	-	41	19	13	5	4
91c	*Endocarditis (unspecified, under 45 years)*	1	1	-	-	-	5	2	3	-	-
92a-d	Chronic endocarditis and diseases of the valves*	457	236	219	2	-	665	251	255	87	72
92e	Endocarditis (unspecified, 45 years and over)	31	14	17	-	-	37	15	11	3	8
93a	Acute myocarditis (except rheumatic)	22	7	15	-	-	81	22	28	14	17
93b	Myocarditis (unspecified, under 45 years)	2	2	-	-	-	7	1	3	2	1
93c,d	Chronic myocarditis and myocardial degeneration	1,253	642	609	2	-	4,091	1,695	1,694	379	323
93e	Other myocarditis (unspecified)	113	53	60	-	-	176	70	66	22	18
94a	*Diseases of coronary arteries*	991	657	332	1	1	1,833	1,199	467	105	62
94b	Angina pectoris	145	95	49	1	-	73	47	21	3	2
95a	Functional diseases of heart, etc.*	14	5	9	-	-	18	11	6	1	-
95b,c	Other and unspecified diseases of heart	148	85	63	-	-	319	132	112	34	41
96	Aneurysm (except of heart and aorta)	5	4	1	-	-	15	9	4	1	1
97	Arteriosclerosis (except coronary or renal sclerosis)	312	166	146	-	-	379	164	147	49	19
98	Gangrene	3	-	3	-	-	9	5	2	1	1
99	*Other diseases of arteries*	12	6	6	-	-	23	11	10	-	2
100	Diseases of veins	8	5	3	-	-	15	3	9	1	2
101	Diseases of lymphatic system	1	1	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	11	2	9	-	-	23	7	8	4	4
103	Other diseases of circulatory system	3	2	1	-	-	1	-	1	-	-
	VIII.—Diseases of the respiratory system	656	386	268	1	1	1,569	611	448	274	236
104a	*Diseases of nasal fossae*	4	1	3	-	-	11	6	1	4	-
104b	Diseases of accessory sinuses	2	2	-	-	-	10	7	2	-	1
105	Diseases of larynx	3	2	1	-	-	7	5	2	-	-
106a	Acute bronchitis	26	12	14	-	-	16	8	4	3	1

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	57b
-	...	-	...	-	4	...	3	...	1	1	...	1	...	-	-	...	-	...	-	57c
150	77	69	4	-	121	59	52	6	4	29	14	15	-	-	25	11	4	2	8	57d,e
1,869	621	1,215	11	22	1,904	648	1,160	32	64	1,019	370	640	3	6	516	123	145	91	157	
25	13	12	-	-	36	17	14	3	2	14	9	4	-	1	17	3	4	4	6	58a-d
7	3	4	-	-	14	8	4	1	1	8	4	4	-	-	6	1	-	1	4	58e,f
59	17	41	1	-	70	32	38	-	-	71	26	45	-	-	27	9	9	5	4	59
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
1,627	538	1,060	9	20	1,435	469	902	19	45	776	289	481	2	4	319	86	84	54	93	61
6	1	5	-	-	7	2	5	-	-	-	-	-	-	-	-	-	-	-	-	62
4	-	4	-	-	7	1	6	-	-	3	1	2	-	-	2	-	-	1	1	63a
53	10	43	-	-	135	20	104	2	9	82	14	68	-	-	27	3	12	2	10	63b
22	2	19	-	1	16	2	13	1	-	19	5	14	-	-	2	-	1	1	-	63c-e
25	15	9	1	-	122	69	45	3	5	13	6	6	1	-	9	5	3	1	-	64
23	11	11	-	1	29	18	11	-	-	20	10	10	-	-	1	-	1	-	-	65
6	3	3	-	-	20	7	11	2	-	7	3	3	-	1	16	2	7	4	3	66
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	67
1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	3	1	1	-	1	68
5	3	2	-	-	5	-	4	-	1	3	1	2	-	-	82	9	22	17	34	69
1	-	1	-	-	4	2	1	1	-	-	-	-	-	-	2	-	1	1	-	70
4	3	1	-	-	1	-	1	-	-	3	2	1	-	-	2	1	-	-	1	71
341	157	181	-	3	484	264	200	12	8	245	145	98	2	-	93	34	29	9	21	
10	5	5	-	-	18	11	7	-	-	10	4	6	-	-	15	5	3	4	3	72
70	20	50	-	-	143	69	72	1	1	67	33	34	-	-	28	8	8	4	8	73a
31	14	17	-	-	57	32	19	1	5	23	14	8	1	-	12	2	4	-	6	73b-d
199	100	97	-	2	223	130	83	8	2	117	78	38	1	-	32	18	10	-	4	74a
9	5	4	-	-	11	7	4	-	-	9	5	4	-	-	-	-	-	-	-	74b
16	9	6	-	1	19	9	9	1	-	11	7	4	-	-	6	1	4	1	-	75
6	4	2	-	-	13	6	6	1	-	8	4	4	-	-	-	-	-	-	-	76
154	123	23	7	1	51	41	7	2	1	35	32	3	-	-	11	7	-	4	-	
5	1	4	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	77a,b
141	117	17	6	1	47	40	5	1	1	33	31	2	-	-	9	5	-	4	-	77c-e
6	4	2	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	78
2	1	-	1	-	3	-	2	1	-	-	-	-	-	-	1	1	-	-	-	79
5,520	2,398	3,044	33	45	6,119	2,854	2,992	139	134	3,150	1,554	1,566	18	12	2,059	498	492	493	576	
38	23	15	-	-	72	39	26	3	4	18	10	7	1	-	16	8	2	3	3	80
85	45	38	1	-	107	55	45	3	4	30	20	10	-	-	27	9	2	10	6	81
106	64	40	1	1	82	52	28	2	-	55	35	20	-	-	24	7	5	9	3	82
4,169	1,729	2,382	24	34	4,746	2,167	2,358	112	109	2,467	1,205	1,242	13	7	1,757	400	423	409	525	83a
693	317	361	6	9	534	251	271	7	5	268	127	138	1	2	46	26	11	4	5	83b
24	9	14	1	-	16	10	5	1	-	30	17	11	2	-	4	2	2	-	-	83c
58	26	32	-	-	162	76	79	4	3	18	7	9	-	2	41	11	13	10	7	83d
31	18	13	-	-	51	18	29	2	2	36	15	21	-	-	33	3	9	9	12	84
82	46	36	-	-	99	54	38	3	4	39	23	16	-	-	54	12	10	27	5	85
10	3	7	-	-	18	9	9	-	-	13	9	4	-	-	12	3	2	5	2	86
177	93	84	-	-	167	92	72	1	2	152	75	76	1	-	29	11	8	6	4	87
1	-	1	-	-	2	1	1	-	-	1	1	-	-	-	2	1	1	-	-	88
31	17	13	-	1	46	18	26	1	1	19	7	11	-	1	10	3	3	1	3	89a
15	7	8	-	-	17	12	5	-	-	4	3	1	-	-	4	2	1	-	1	89b
20,818	10,871	9,631	179	137	19,169	11,047	7,388	408	376	8,379	5,305	3,486	49	39	3,661	1,262	813	775	811	
19,362	10,214	8,859	163	126	17,761	10,247	6,771	385	358	8,011	4,812	3,113	49	37	3,389	1,178	738	711	762	90-95
13	9	4	-	-	21	15	5	-	1	8	3	5	-	-	13	-	-	7	6	90
80	44	33	3	-	126	68	49	5	4	61	34	27	-	-	26	7	7	8	4	91a,b
-	-	-	-	-	10	6	3	-	1	4	-	4	-	-	6	-	1	3	2	91c
1,394	587	786	12	9	1,653	820	762	30	41	886	486	385	6	9	729	163	158	174	214	92a-d
51	27	22	2	-	150	89	58	-	3	26	15	11	-	-	10	5	4	-	1	92e
120	59	61	-	-	179	90	80	3	6	34	17	17	-	-	32	9	10	4	9	93a
8	3	4	1	-	28	13	9	3	3	-	-	-	-	-	5	1	1	2	1	93b
10,194	4,806	5,209	95	84	7,077	3,706	2,981	199	191	2,854	1,532	1,284	23	15	1,394	421	321	317	335	93c,d
421	196	217	5	3	1,144	597	501	23	23	220	130	89	1	-	83	27	24	15	17	93e
5,557	3,678	1,832	31	16	5,588	3,852	1,606	77	53	3,259	2,228	1,007	13	11	606	347	115	73	71	94a
122	77	45	-	-	241	164	75	1	1	41	35	6	-	-	108	59	24	12	13	94b
24	9	15	-	-	59	32	26	-	1	55	30	25	-	-	23	10	2	6	5	95a
1,378	719	631	14	14	1,485	795	616	44	30	563	302	253	6	2	354	109	71	90	84	95b,c
33	18	14	-	1	45	32	9	3	1	36	22	14	-	-	10	2	5	2	1	96
1,258	561	675	13	9	1,062	601	440	8	13	723	411	310	-	2	191	69	54	43	25	97
11	5	6	-	-	37	22	15	-	-	12	9	3	-	-	6	1	2	-	3	98
70	30	39	1	-	111	63	46	1	1	45	25	20	-	-	11	2	4	3	2	99
51	24	25	1	1	41	23	14	4	-	21	10	11	-	-	9	3	3	1	2	100
-	-	-	-	-	2	-	2	-	-	2	1	1	-	-	2	-	-	1	1	101
29	15	13	1	-	91	46	35	7	3	26	14	12	-	-	32	6	4	10	12	102
4	4	-	-	-	19	13	6	-	-	3	1	2	-	-	11	1	3	4	3	103
3,469	1,902	1,499	45	23	3,840	2,096	1,391	244	109	1,753	1,034	676	23	20	1,084	270	214	335	265	
15	9	6	-	-	12	6	6	-	-	7	4	3	-	-	8	-	1	4	3	104a
9	3	6	-	-	28	16	10	1	1	12	6	6	-	-	8	2	3	3	-	104b
13	9	4	-	-	11	8	3	-	-	7	6	1	-	-	3	-	1	-	2	105
40	24	15	1	-	53	27	21	3	2	16	9	7	-	-	11	1	4	3	3	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	10	7	3	-	-	29	10	16	2	1
106c	Bronchitis (unspecified)	9	4	5	-	-	8	4	1	1	2
107	Bronchopneumonia (including capillary bronchitis)	285	165	118	1	1	589	215	168	79	107
108	Lobar pneumonia	223	132	91	-	-	670	248	168	158	96
109	Pneumonia (unspecified)	28	22	6	-	-	96	46	27	10	13
110	Pleurisy (not specified as tuberculous)	12	8	4	-	-	30	18	6	5	1
111a	Hemorrhagic infarction and thrombosis of lungs	9	4	5	-	-	18	7	7	2	2
111b,c	Acute edema, chronic and unspecified congestion of lungs	9	7	2	-	-	12	4	5	1	2
112	Asthma	23	10	13	-	-	30	12	11	1	6
113	Pulmonary emphysema	1	1	-	-	-	3	1	2	-	-
114	Other diseases of respiratory system (except tuberculosis)	12	9	3	-	-	40	20	8	8	4
	IX.—Diseases of the digestive system	442	255	187	-	-	1,092	512	352	138	90
115a,b,d	Diseases of buccal cavity and adnexa	4	1	3	-	-	14	4	4	5	1
115c	Diseases of pharynx and tonsils	9	5	4	-	-	19	8	8	2	1
116	Diseases of esophagus	1	1	-	-	-	6	2	-	3	1
117a	Ulcer of stomach	30	26	4	-	-	91	69	9	11	2
117b	Ulcer of duodenum	9	6	3	-	-	37	28	3	5	1
118	Other diseases of stomach (except cancer)	13	3	10	-	-	15	6	9	-	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	77	50	27	-	-	251	88	70	52	41
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	15	9	6	-	-	41	12	21	5	3
121	Appendicitis	39	26	13	-	-	85	41	30	10	4
122a	Hernia	35	22	13	-	-	82	36	29	14	3
122b	Intestinal obstruction	53	29	24	-	-	98	43	34	12	9
*123	Other diseases of intestines	10	7	3	-	-	30	14	9	5	2
124a	Cirrhosis of liver (with mention of alcoholism)	5	4	1	-	-	25	20	5	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	67	38	29	-	-	159	91	53	10	5
125a	Acute yellow atrophy of liver (nonpuerperal)	2	1	1	-	-	14	3	5	1	5
125b	Other diseases of liver	8	4	4	-	-	19	9	5	2	3
126	Biliary calculi	29	10	19	-	-	37	13	23	-	1
127	Other diseases of gallbladder and biliary ducts	22	7	15	-	-	38	15	18	-	5
128	Diseases of pancreas (except diabetes mellitus)	3	2	1	-	-	12	4	8	-	-
129	Peritonitis (cause not stated)	11	4	7	-	-	19	6	9	1	3
	X.—Diseases of the genito-urinary system	887	499	383	5	-	2,450	982	822	313	333
130	Acute nephritis	21	11	10	-	-	53	17	13	6	17
131a	Arteriosclerotic kidney	496	252	242	2	-	1,734	678	606	212	238
131b	Other chronic nephritis	243	144	98	1	-	415	158	151	50	56
132	Nephritis unspecified (10 years and over)	27	16	10	1	-	44	14	16	8	6
133	Other diseases of kidneys and ureters, etc.*	13	7	6	-	-	38	15	9	13	1
134	Calculi of urinary passages	14	10	3	1	-	27	17	8	1	1
135	Diseases of urinary bladder	6	2	4	-	-	8	2	3	3	-
136	Diseases of urethra (except calculus)	3	3	-	-	-	9	5	-	4	-
137	Diseases of prostate	54	54	...	-	...	90	74	...	16	...
138	Diseases of other male genital organs (except venereal)	-	-	...	-	...	2	2	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	5	...	5	...	-	20	...	8	...	12
139b	Diseases of uterus	5	...	5	...	-	9	...	8	...	1
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	1	...	-	...	1
	XI.—Diseases of pregnancy, childbirth, and the puerperium	42	...	42	...	-	85	...	57	...	28
140	Abortion with mention of infection	3	...	3	...	-	11	...	7	...	4
140a,b	Abortion (septic), spontaneous or therapeutic*	2	...	2	...	-	9	...	5	...	4
140c,d	Abortion (septic), self-induced or nontherapeutic*	1	...	1	...	-	2	...	2	...	-
141	Abortion without mention of infection	1	...	1	...	-	4	...	2	...	2
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	2	...	1	...	1
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	1	...	1	...	-	2	...	1	...	1
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	-	...	-	...	-	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	1	...	1	...	-	1	...	1	...	-
143a	Placenta praevia (death before delivery)	1	...	1	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	2	...	2	...	-	1	...	-	...	1
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	2	...	2	...	-	-	...	-	...	-
144c,d	Other toxemias of pregnancy (death before delivery)*	1	...	1	...	-	2	...	2	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	-	...	-	...	-	4	...	3	...	1
	A. With mention of infection	-	...	-	...	-	3	...	2	...	1
	B. Without mention of infection	-	...	-	...	-	1	...	1	...	-
146a	Placenta praevia (with childbirth)	1	...	1	...	-	6	...	6	...	-
146b,c	Other hemorrhages of childbirth and puerperium	1	...	1	...	-	9	...	5	...	4
147a,b	Puerperal pyelitis, other general or local puerperal infection*	7	...	7	...	-	10	...	8	...	2
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	10	...	10	...	-	7	...	5	...	2
148a,b	Puerperal eclampsia and nephritis*	7	...	7	...	-	6	...	3	...	3
148c,d	Other puerperal toxemias	1	...	1	...	-	5	...	3	...	2
149	Other accidents and specified conditions of childbirth	3	...	3	...	-	12	...	9	...	3
150	Other and unspecified conditions of childbirth and puerperium	1	...	1	...	-	6	...	2	...	4
	XII.—Diseases of the skin and cellular tissue	8	5	3	-	-	19	7	6	2	4
151	Carbuncle and furuncle	4	3	1	-	-	2	2	-	-	-
152	Phlegmon and acute abscess	-	-	-	-	-	4	1	-	2	1
153	Other diseases of skin and cellular tissue	4	2	2	-	-	13	4	6	-	3
	XIII.—Diseases of the bones, etc.*	4	2	2	-	-	17	9	6	2	-
154	Osteomyelitis and periostitis	3	2	1	-	-	8	4	2	2	-
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	2	1	1	-	-
156	Diseases of joints and other organs of movement	1	-	1	-	-	7	4	3	-	-
157	XIV.—Congenital malformations	137	72	65	-	-	268	135	99	17	17

* Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
72	44	28	-	-	59	35	17	3	4	51	25	25	-	1	25	12	7	2	4	106b
24	13	11	-	-	33	17	15	1	-	19	10	9	-	-	9	3	2	2	2	106c
1,799	908	856	24	11	1,360	712	555	55	38	832	480	332	11	9	350	103	83	98	66	107
995	607	362	16	10	1,312	735	380	153	44	489	302	172	6	9	524	108	89	175	152	108
152	94	57	1	-	416	234	158	13	11	99	60	35	4	-	60	13	9	23	15	109
87	56	31	-	-	84	47	33	2	2	39	27	12	-	-	25	6	4	13	2	110
64	31	33	-	-	78	43	30	4	1	24	14	10	-	-	7	2	-	2	3	111a
59	29	30	-	-	183	80	98	3	2	75	38	37	-	-	14	6	4	1	3	111b,c
79	39	36	2	2	134	84	46	3	1	56	33	22	1	-	30	11	6	5	8	112
7	5	2	-	-	6	3	3	-	-	3	3	-	-	-	1	1	-	-	-	113
54	31	22	1	-	71	49	16	3	3	24	17	5	1	1	9	2	1	4	2	114
2,434	1,397	1,004	20	13	2,688	1,462	1,074	76	76	1,216	689	504	8	15	1,081	279	189	332	281	
31	19	11	-	1	47	20	23	1	3	23	12	11	-	-	35	5	5	13	12	115a,b,d
26	16	10	-	-	43	22	17	2	2	21	9	10	-	2	25	9	3	5	8	115c
9	7	2	-	-	8	5	3	-	-	9	7	2	-	-	1	-	1	-	-	116
212	170	41	1	-	224	184	24	9	7	101	83	17	1	-	81	30	5	27	19	117a
137	112	21	3	1	111	90	16	4	1	77	62	14	-	1	26	19	1	5	1	117b
26	15	11	-	-	55	29	21	1	4	11	7	4	-	-	43	5	8	16	14	118
188	118	66	1	3	255	134	113	2	6	46	29	16	1	-	214	35	30	80	69	119
72	29	41	-	2	79	29	44	2	4	43	20	22	-	1	63	7	19	24	13	120
227	124	102	1	-	313	177	114	14	8	162	102	55	3	2	160	52	28	52	28	121
233	125	102	5	1	205	111	85	4	5	102	61	37	2	2	64	15	10	26	13	122a
241	115	121	3	2	309	140	145	8	16	119	59	59	-	1	124	25	19	34	46	122b
68	33	34	1	-	65	35	25	4	1	45	27	18	-	-	18	4	6	4	4	123
121	75	46	-	-	36	28	8	-	-	20	14	5	-	1	3	2	1	-	-	124a
468	293	169	4	2	473	283	165	15	10	180	110	68	-	2	104	47	13	23	21	124b
22	8	13	-	1	32	19	9	2	2	18	10	7	1	-	6	1	2	-	3	125a
24	14	10	-	-	38	17	15	3	3	15	8	7	-	-	20	5	-	8	7	125b
137	35	102	-	-	131	37	92	1	1	131	36	94	-	1	30	4	18	3	5	126
104	40	64	-	-	146	52	91	1	2	56	18	37	-	1	30	5	17	3	5	127
45	27	18	-	-	43	19	24	-	-	12	4	8	-	-	7	4	1	1	1	128
43	22	20	1	-	75	31	40	3	1	25	11	13	-	1	27	5	2	8	12	129
3,401	1,737	1,596	36	32	3,531	1,909	1,388	115	119	1,489	971	501	11	6	2,400	531	413	816	640	
44	23	20	-	1	93	45	38	6	4	33	22	11	-	-	104	24	20	33	27	130
2,123	987	1,104	18	14	1,718	849	755	59	55	686	384	294	3	5	1,199	268	221	360	350	131a
624	297	307	10	10	777	394	340	18	25	275	169	99	6	1	762	145	123	283	211	131b
75	39	36	-	-	287	171	100	8	8	59	39	20	-	-	51	13	10	13	15	132
145	77	62	2	4	163	86	65	8	4	85	55	29	1	-	61	18	20	12	11	133
56	35	21	-	-	63	39	21	1	2	35	22	13	-	-	22	9	6	6	1	134
22	10	12	-	-	29	19	10	-	-	12	9	3	-	-	12	-	2	10	-	135
10	9	-	1	-	23	20	2	1	-	4	3	1	-	-	13	1	-	12	-	136
262	258	...	4	...	297	284	...	13	...	269	268	...	1	...	139	53	...	86	...	137
3	2	...	1	...	3	2	...	1	...	-	-	...	-	...	1	-	...	1	...	138
17	...	16	...	1	58	...	38	...	20	22	...	22	...	-	29	...	6	...	23	139a
19	...	17	...	2	18	...	18	...	-	9	...	9	...	-	7	...	5	...	2	139b
1	...	1	...	-	2	...	1	...	1	-	...	-	...	-	-	...	-	...	-	139c
173	...	165	...	8	226	...	201	...	25	84	...	82	...	2	236	...	71	...	165	
18	...	15	...	3	27	...	24	...	3	13	...	12	...	1	18	...	3	...	15	140
10	...	9	...	1	20	...	18	...	2	9	...	8	...	1	17	...	2	...	15	140a,b
8	...	6	...	2	7	...	6	...	1	4	...	4	...	-	1	...	1	...	-	140c,d
10	...	10	...	-	9	...	9	...	-	5	...	4	...	1	13	...	-	...	13	141
2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	6	...	-	...	6	141a,c
6	...	6	...	-	8	...	8	...	-	3	...	2	...	1	7	...	-	...	7	141b,d
2	...	2	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	141e,f
1	...	1	...	-	4	...	4	...	-	-	...	-	...	-	2	...	-	...	2	142a
6	...	6	...	-	15	...	13	...	2	1	...	1	...	-	6	...	1	...	5	142b
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	143a
4	...	4	...	-	1	...	1	...	-	-	...	-	...	-	1	...	-	...	1	143b,c
9	...	8	...	1	16	...	12	...	4	-	...	-	...	-	17	...	4	...	13	144a,b
1	...	1	...	-	6	...	6	...	-	2	...	2	...	-	7	...	2	...	5	144c,d
15	...	13	...	2	11	...	10	...	1	3	...	3	...	-	5	...	3	...	2	145
11	...	10	...	1	6	...	5	...	1	1	...	1	...	-	-	...	-	...	-	
4	...	3	...	1	5	...	5	...	-	2	...	2	...	-	5	...	3	...	2	
8	...	8	...	-	9	...	9	...	-	4	...	4	...	-	6	...	3	...	3	146a
20	...	19	...	1	23	...	21	...	2	15	...	15	...	-	25	...	12	...	13	146b,c
10	...	10	...	-	23	...	21	...	2	5	...	5	...	-	41	...	5	...	36	147a,b
29	...	28	...	1	27	...	26	...	1	15	...	15	...	-	10	...	3	...	7	147c,d
10	...	10	...	-	19	...	16	...	3	8	...	8	...	-	51	...	20	...	31	148a,b
5	...	5	...	-	6	...	4	...	2	4	...	4	...	-	10	...	6	...	4	148c,d
14	...	14	...	-	19	...	16	...	3	5	...	5	...	-	14	...	5	...	9	149
13	...	13	...	-	10	...	8	...	2	4	...	4	...	-	10	...	4	...	6	150
37	20	16	-	1	46	24	18	4	-	25	14	11	-	-	21	3	4	9	5	
1	1	-	-	-	3	3	-	-	-	5	3	2	-	-	7	3	1	3	-	151
15	11	4	-	-	23	12	9	2	-	2	2	-	-	-	7	-	1	4	2	152
21	8	12	-	1	20	9	9	2	-	18	9	9	-	-	7	-	2	2	3	153
34	16	17	-	1	36	19	16	-	1	23	14	9	-	-	18	7	2	4	5	
9	4	4	-	1	15	6	9	-	-	12	10	2	-	-	10	5	-	3	2	154
11	3	8	-	-	7	3	4	-	-	4	-	4	-	-	2	1	1	-	-	155
14	9	5	-	-	14	10	3	-	1	7	4	3	-	-	6	1	1	1	3	156
620	316	296	8	-	874	444	397	18	15	346	173	172	-	1	203	77	67	38	21	157

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	458	262	190	1	-	919	396	278	129	116
158	Congenital debility (cause not stated)	22	14	8	-	-	26	4	5	7	10
159	Premature birth (cause not stated)	234	127	107	-	-	585	248	181	87	69
160a	Intracranial or spinal hemorrhage	35	20	14	1	-	110	49	39	9	13
160b,c	Other injuries at birth	98	61	37	-	-	77	36	27	8	6
161	Other diseases peculiar to the first year of life	64	40	24	-	-	121	59	26	18	18
162	XVI.—Senility	150	57	93	-	-	35	13	18	1	3
	XVII.—Violent or accidental deaths	781	553	225	3	-	1,900	998	454	332	116
163,164	Suicide	107	81	25	1	-	250	168	70	8	4
163	Suicide by poisoning	21	10	10	1	-	87	42	43	1	1
	Suicide by solid or liquid poisons	7	2	4	1	-	24	10	14	-	-
	Suicide by poisonous gases	14	8	6	-	-	63	32	29	1	1
164a	Suicide by hanging or strangulation	21	15	6	-	-	46	33	11	1	1
164b	Suicide by drowning	12	8	4	-	-	12	6	4	1	1
164c	Suicide by firearms and explosives	48	43	5	-	-	91	77	9	4	1
164d	Suicide by cutting or piercing instruments	4	4	-	-	-	3	2	1	-	-
164e	Suicide by jumping from high places	1	1	-	-	-	7	5	2	-	-
164f	Suicide by crushing	-	-	-	-	-	2	2	-	-	-
164g	Suicide by other or unspecified means	-	-	-	-	-	2	1	-	1	-
165-168	Homicide [1]	14	11	3	-	-	154	35	15	79	25
166	Homicide by firearms	7	5	2	-	-	79	15	9	43	12
167	Homicide by cutting or piercing instruments	2	2	-	-	-	42	6	2	25	9
168	Homicide by other means	5	4	1	-	-	33	14	4	11	4
169-195	Accidental deaths	660	461	197	2	-	1,190	795	369	239	87
169	Railway accidents (except collisions with motor vehicles)	9	9	-	-	-	54	42	4	7	1
170a	Collisions between automobiles and trains	-	-	-	-	-	8	7	-	-	1
170b	Collisions between automobiles and streetcars	-	-	-	-	-	3	1	1	1	-
170c	Automobile accidents (except collisions with trains or streetcars)	116	98	17	1	-	385	251	54	73	7
170d	Motorcycle accidents (except collisions with automobiles)	2	2	-	-	-	5	3	1	1	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	1	1	-	-	-	37	18	8	7	4
171b	Other and unspecified road transport accidents	4	2	2	-	-	6	4	2	-	-
172	Water-transport accidents	8	8	-	-	-	27	17	1	9	-
173	Air-transport accidents	27	25	2	-	-	25	24	-	1	-
174	Accidents in mines and quarries	2	1	1	-	-	8	5	-	3	-
175a	Accidents involving agricultural machinery and vehicles	9	9	-	-	-	12	10	-	1	1
175b,c	Other agricultural accidents, including injury by animals	8	8	-	-	-	8	5	-	3	-
175d	Accidents involving forestry machinery and vehicles	1	1	-	-	-	-	-	-	-	-
175e	Other forestry accidents	2	2	-	-	-	1	-	-	1	-
176	Other accidents involving machinery	9	8	1	-	-	26	19	1	6	-
177	Food poisoning	1	-	1	-	-	4	1	1	-	2
178	Accidental absorption of poisonous gas	16	10	6	-	-	37	22	13	-	2
179	Acute accidental poisoning by solids or liquids	9	8	1	-	-	16	5	8	1	2
180	Conflagration	44	32	12	-	-	67	15	8	21	23
181	Accidental burns (except conflagration)	27	15	12	-	-	103	38	30	19	16
182	Accidental mechanical suffocation	15	12	3	-	-	37	14	13	7	3
183	Accidental drowning	68	51	12	-	-	120	66	16	36	2
184	Accidental injury by firearms	19	15	3	1	-	28	16	2	8	2
185	Accidental injury by cutting or piercing instruments	3	3	-	-	-	3	2	-	1	-
186a	Accidental injury by fall	202	94	108	-	-	343	133	179	19	12
186b	Accidental injury by crushing	4	4	-	-	-	6	6	-	-	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	1	1	-	-	-	5	4	-	1	-
189	Hunger or thirst	-	-	-	-	-	1	1	-	-	-
190	Excessive cold	6	5	1	-	-	5	2	1	2	-
191	Excessive heat	2	1	1	-	-	15	7	2	5	1
192	Lightning	-	-	-	-	-	2	1	-	1	-
193	Accidents due to electric currents (except lightning)	6	5	1	-	-	10	9	-	1	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	1	-	1	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	13	8	5	-	-	26	11	7	4	4
195c,e	Other and unspecified accidents	31	23	8	-	-	61	36	16	5	4
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	6	-	-	6	-
	XVIII.—Ill-defined and unknown causes	108	73	35	-	-	46	15	12	11	8
199	Sudden death	23	17	6	-	-	1	1	-	-	-
200a	Ill-defined	60	38	22	-	-	24	9	5	7	3
200b	Found dead (cause unknown)	10	7	3	-	-	-	-	-	-	-
200c	Unknown or unspecified	15	11	4	-	-	21	5	7	4	5

*Refer to complete International List titles, table VII, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,455	824	595	21	15	2,265	1,243	877	82	63	1,026	602	402	9	13	1,019	376	253	204	186	
39	25	13	1	-	97	63	31	1	2	25	14	11	-	-	63	17	6	17	23	158
860	477	379	12	12	1,501	806	605	47	43	639	373	253	5	8	621	225	154	125	117	159
165	106	57	2	-	180	105	60	10	5	106	66	39	-	1	92	38	26	14	14	160a
136	81	53	1	1	178	97	74	6	1	141	86	52	2	1	120	48	32	20	20	160b,c
235	135	93	5	2	309	172	107	18	12	115	63	47	2	3	123	48	35	28	12	161
68	17	51	-	-	446	179	258	4	5	146	71	70	1	4	367	58	75	104	130	162
3,582	2,228	1,297	37	20	4,233	2,795	1,205	177	56	2,118	1,463	625	18	7	1,830	707	216	670	237	
454	315	134	5	-	546	423	111	7	5	277	225	50	1	1	107	65	19	19	4	163,164
147	78	67	2	-	109	70	35	2	2	58	30	22	-	1	14	7	7	-	-	163
43	17	25	1	-	67	33	30	2	2	21	8	12	-	1	12	5	7	-	-	
104	61	42	1	-	42	37	5	-	-	32	22	10	-	-	2	2	-	-	-	
114	93	20	1	-	175	133	39	3	-	68	60	8	-	-	10	9	-	-	1	164a
31	16	15	-	-	30	19	9	1	1	16	10	6	-	-	-	-	-	-	-	164b
103	87	15	1	-	181	165	14	1	1	114	107	6	1	-	65	37	9	18	1	164c
21	18	3	-	-	16	12	4	-	-	13	10	3	-	-	14	10	1	1	2	164d
23	16	6	1	-	21	14	6	-	1	10	7	3	-	-	-	-	-	-	-	164e
9	6	3	-	-	5	2	3	-	-	2	1	1	-	-	3	2	1	-	-	164f
6	1	5	-	-	9	8	1	-	-	1	-	1	-	-	1	-	1	-	-	164g
39	27	11	1	-	181	64	35	62	20	31	19	10	2	-	318	51	13	202	52	165-168
11	7	4	-	-	100	31	22	38	9	6	5	1	-	-	184	34	7	119	24	166
5	3	1	1	-	33	5	2	22	4	9	3	4	2	-	103	8	3	69	23	167
23	17	6	-	-	48	28	11	2	7	16	11	5	-	-	31	9	3	14	5	168
3,086	1,884	1,152	30	20	3,505	2,307	1,059	108	31	1,805	1,219	565	15	6	1,401	590	184	447	180	169-195
75	60	12	1	2	80	64	13	3	-	65	59	4	2	-	56	21	3	29	3	169
6	5	1	-	-	49	35	14	-	-	33	26	7	-	-	15	9	-	4	2	170a
1	1	-	-	-	3	3	-	-	-	3	3	-	-	-	-	-	-	-	-	170b
513	409	97	7	-	943	708	203	27	5	270	198	65	6	1	329	165	30	108	26	170c
7	6	1	-	-	7	7	-	-	-	2	2	-	-	-	3	3	-	-	-	170d
29	23	6	-	-	21	14	5	2	-	16	13	3	-	-	2	-	-	2	-	171a
9	8	1	-	-	7	6	1	-	-	2	2	-	-	-	2	-	-	-	2	171b
39	35	3	1	-	29	20	9	-	-	50	43	7	-	-	17	7	2	6	2	172
77	76	1	-	-	102	101	-	1	-	52	52	-	-	-	108	108	-	-	-	173
6	5	1	-	-	33	33	-	-	-	16	16	-	-	-	3	2	-	1	-	174
4	4	-	-	-	31	24	6	1	-	45	43	2	-	-	20	9	-	11	-	175a
10	10	-	-	-	23	21	1	1	-	39	34	5	-	-	30	15	1	13	1	175b,c
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	175d
-	-	-	-	-	8	7	-	1	-	2	2	-	-	-	8	3	-	5	-	175e
41	38	2	-	1	48	39	3	6	-	14	14	-	-	-	21	6	1	13	1	176
4	2	2	-	-	9	6	3	-	-	3	2	1	-	-	15	4	3	3	5	177
107	60	45	-	2	61	36	21	3	1	45	30	14	1	-	5	2	2	1	-	178
45	22	22	1	-	37	21	15	1	-	17	10	6	1	-	20	4	2	7	7	179
63	39	22	1	1	96	58	25	8	5	56	36	19	1	-	74	14	13	25	22	180
143	80	60	2	1	176	96	69	9	2	86	47	38	-	1	174	38	27	48	61	181
56	36	18	-	2	87	52	24	7	4	33	23	9	-	1	20	4	1	10	5	182
219	178	33	8	-	308	243	47	17	1	123	97	24	2	-	83	28	5	41	9	183
26	25	1	-	-	63	54	8	1	-	42	39	3	-	-	62	18	6	31	7	184
9	8	1	-	-	12	9	1	2	-	7	3	4	-	-	17	2	1	10	4	185
1,310	549	745	7	9	913	411	486	7	9	635	311	321	1	2	152	48	73	19	12	186a
15	13	1	1	-	22	19	2	1	-	5	5	-	-	-	6	5	1	-	-	186b
-	-	-	-	-	5	4	1	-	-	4	4	-	-	-	2	1	1	-	-	187
3	2	1	-	-	8	8	-	-	-	6	5	1	-	-	4	1	1	2	-	188
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	1	-	189
14	10	4	-	-	14	13	-	1	-	21	14	6	1	-	4	1	-	2	1	190
9	5	4	-	-	13	9	3	1	-	5	4	1	-	-	20	12	-	8	-	191
5	4	-	1	-	5	3	2	-	-	6	6	-	-	-	24	12	-	8	4	192
15	15	-	-	-	30	25	4	-	1	12	12	-	-	-	13	8	-	5	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	1	2	1	194
3	1	2	-	-	3	1	1	-	1	-	-	-	-	-	2	1	-	1	-	195a,b
35	25	9	-	1	33	18	14	1	-	20	14	6	-	-	14	5	-	7	2	195d
188	130	57	-	1	2..	138	78	7	1	69	49	19	-	1	69	32	10	24	3	195c,e
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	4	1	-	2	1	198
127	81	45	1	-	533	323	190	13	7	111	68	30	7	6	2,566	272	160	1,109	1,025	
13	9	4	-	-	19	12	7	-	-	11	11	-	-	-	167	54	23	54	36	199
78	48	29	1	-	430	26	150	7	7	58	32	22	2	2	208	59	26	69	54	200a
6	4	2	-	-	23	18	5	-	-	6	4	2	-	-	68	14	15	21	18	200b
30	20	10	-	-	61	27	28	6	-	36	21	6	5	4	2,123	145	96	965	917	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	All causes	44,289	22,077	17,702	2,445	2,065	5,601	3,502	1,775	175	149	13,062	7,295	5,428	174	165
	I.—Infectious and parasitic diseases	3,448	1,619	1,112	446	271	402	232	77	44	49	701	380	260	29	32
1	Typhoid fever	30	14	13	1	2	4	1	-	2	1	2	1	1	-	-
2	Paratyphoid fever	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	4	4	-	-	-	1	1	-	-	-	1	1	-	-	-
6	Cerebrospinal (meningococcus) meningitis	80	41	21	12	6	5	4	1	-	-	16	11	5	-	-
7	Anthrax (infection by Bacillus anthracis)	-	-	-		-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	20	12	8		-	3	-	3	-	-	8	5	3	-	-
9	Whooping cough	95	38	43	6	8	18	3	7	3	5	25	11	11	1	2
10	Diphtheria (infection by C. diphtheriae)	36	14	22	-	-	5	2	3	-	-	11	7	4	-	-
11	Erysipelas	10	5	5	-	-	1	-	1	-	-	3	2	1	-	-
12	Tetanus	12	5	5	1	1	-	-	-	-	-	1	1	-	-	-
13-22	Tuberculosis (all forms)	1,659	771	486	236	166	206	118	24	27	37	208	107	73	15	13
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	16	16	-	-	-	40	40	-	-	-	1	1	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	1,526	711	445	216	154	149	70	22	23	34	188	95	68	14	11
14	Tuberculosis of meninges and central nervous system	33	10	13	7	3	1	-	-	1	-	5	3	1	-	1
15	Tuberculosis of intestines and peritoneum	23	7	9	3	4	2	1	-	1	-	3	-	2	1	-
16	Tuberculosis of vertebral column	25	12	6	4	3	3	1	1	1	-	3	3	-	-	-
17a	Tuberculosis of bones (except vertebral column)	2	-	1	1	-	1	1	-	-	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	7	5	2	-	-	2	-	1	1	-	3	1	2	-	-
21	Tuberculosis of other organs	2	1	1	-	-	2	2	-	-	-	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	20	7	6	5	2	4	2	-	-	2	4	3	-	-	1
22b	Disseminated tuberculosis (other and unspecified)	2	1	1	-	-	2	1	-	-	1	1	1	-	-	-
23	Leprosy	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	47	28	15	2	2	4	2	2	-	-	15	10	5	-	-
25	Gonococcus infection	3	-	1	1	1	-	-	-	-	-	2	-	1	-	1
26	Other diseases due to bacteria (except dysentery)	8	5	2	-	1	-	-	-	-	-	1	1	-	-	-
27	Dysentery	38	20	14	3	1	10	3	3	2	2	4	3	1	-	-
28	Malaria	19	7	6	6	-	-	-	-	-	-	-	-	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	548	258	103	139	48	48	39	6	3	-	98	67	17	9	5
30a	Locomotor ataxia (tabes dorsalis)	33	22	9	2	-	1	1	-	-	-	4	3	1	-	-
30b	General paralysis of insane	131	63	21	37	10	11	9	1	1	-	30	19	6	4	1
30c	Other syphilis of central nervous system	55	28	7	17	3	8	6	2	-	-	8	5	2	1	-
30d	Aneurysm of aorta	126	61	22	31	12	17	15	2	-	-	22	19	-	3	-
30e	Other syphilis of circulatory system	44	11	3	23	7	1	1	-	-	-	8	5	1	-	2
30f,g	Congenital, other and unspecified forms of syphilis	159	73	41	29	16	10	7	1	2	-	26	16	7	1	2
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	8	4	3	1	-	-	-	-	-	-	4	2	2	-	-
33a	Influenza, with respiratory complications specified	385	180	75	13	17	37	27	7	1	2	115	62	49	1	3
33b	Influenza, without respiratory complications specified	223	93	03	13	14	21	12	6	3	-	102	46	53	2	1
34	Smallpox	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	59	25	30	3	1	6	3	1	1	1	17	7	10	-	-
36	Acute poliomyelitis and acute polioencephalitis	36	26	9	-	1	10	5	2	2	1	24	12	8	-	4
37a,c	Infectious encephalitis lethargica (acute and unqualified)	17	5	9	2	1	4	2	2	-	-	2	-	1	-	1
37b	Sequelae of encephalitis lethargica	10	6	3	1	-	2	-	2	-	-	3	1	2	-	-
38	Other diseases due to filtrable viruses	6	4	1	1	-	-	-	-	-	-	4	1	1	-	2
39	Typhus fever and typhus-like diseases (due to Rickettsia)	7	5	2	-	-	9	6	3	-	-	-	-	-	-	-
40	Ankylostomiasis	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
41	Hydatid disease	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43	Mycoses	14	6	6	2	-	-	-	-	-	-	1	1	-	-	-
44	Other infectious and parasitic (communicable) diseases	67	39	25	2	1	7	4	3	-	-	33	20	12	1	-
	II.—Cancer and other tumors	5,321	2,268	2,663	164	206	637	375	246	8	8	1,765	855	900	6	4
45-55	Cancer and other malignant tumors	5,120	2,223	2,557	160	180	613	367	231	7	8	1,693	836	848	6	3
45	Cancer of buccal cavity and pharynx	181	138	31	8	4	19	18	1	-	-	48	47	1	-	-
45a-e	Cancer of buccal cavity	121	95	19	4	3	12	11	1	-	-	48	47	1	-	-
45f	Cancer of pharynx	60	43	12	4	1	7	7	-	-	-	-	-	-	-	-
46	Cancer of digestive organs and peritoneum	2,302	1,114	1,056	82	50	286	183	95	3	5	822	451	367	4	-
46a	Cancer of esophagus	90	69	10	8	3	6	5	1	-	-	25	18	6	1	-
46b,c	Cancer of stomach and duodenum	746	401	287	41	17	106	77	27	2	-	281	180	98	3	-
46f	Cancer of liver and biliary passages	439	158	266	9	6	49	24	20	-	5	123	47	76	-	-
46g	Cancer of pancreas	149	81	61	2	5	25	16	9	-	-	55	38	17	-	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	878	405	432	22	19	100	61	38	1	-	338	168	170	-	-
47	Cancer of respiratory system	342	241	79	18	4	48	38	9	1	-	110	75	34	1	-
48	Cancer of uterus	531	...	472	...	59	37	...	36	...	1	140	...	139	...	1
49	Cancer of other female genital organs	158	...	150	...	8	16	...	16	...	-	54	...	54	...	-
50	Cancer of breast	494	2	453	-	39	48	2	44	-	2	143	2	140	-	1
51	Cancer of male genital organs	336	313	...	23	...	60	59	...	1	...	122	122	...	-	...
52	Cancer of urinary organs (male and female)	237	128	92	12	5	33	26	6	1	-	74	47	27	-	-
53	Cancer of skin (except vulva and scrotum)	120	74	43	2	1	12	8	4	-	-	32	21	11	-	-
54	Cancer of central nervous system*	72	40	31	-	1	6	4	2	-	-	22	12	10	-	-
55	Cancer of other and unspecified organs	347	173	150	15	9	48	29	18	1	-	126	59	65	1	1
56a	Nonmalignant tumors of ovary	27	...	24	...	3	1	...	1	...	-	10	...	10	...	-
56b	Nonmalignant tumors of uterus	60	...	44	...	16	4	...	4	...	-	24	...	23	...	1
56c	Nonmalignant tumors of other female genital organs	3	...	2	...	1	-	...	-	...	-	-	...	-	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	63	27	33	2	1	1	-	1	-	-	19	11	8	-	-

* Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,615	1,045	415	82	73	6,246	3,409	2,829	2	6	50,281	25,256	21,313	2,055	1,657	5,488	2,962	1,988	299	239	
148	80	27	22	19	326	200	123	1	2	3,193	1,631	876	409	277	729	355	235	67	72	
1	-	1	-	-	2	1	1	-	-	5	1	1	3	-	12	4	1	2	5	1
-	-	-	-	-	-	-	-	-	-	5	3	2	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	5
4	2	1	-	1	14	10	4	-	-	126	71	29	18	8	9	4	3	-	2	6
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	7
-	-	-	-	-	1	-	1	-	-	14	8	5	1	-	3	2	1	-	-	8
3	2	2	-	1	8	6	2	-	-	39	11	18	3	7	36	12	21	1	2	9
-	-	-	-	-	-	-	-	-	-	11	6	3	-	2	13	8	4	-	1	10
-	-	-	-	-	2	1	1	-	-	7	3	4	-	-	2	1	1	-	-	11
-	-	-	-	-	-	-	-	-	-	12	7	1	4	-	1	-	1	-	-	12
89	53	12	13	11	136	85	50	-	1	1,932	1,014	486	239	193	353	170	97	44	42	13-22
11	11	-	-	-	3	3	-	-	-	11	11	-	-	-	-	-	-	-	-	13a
71	39	11	10	11	119	74	44	-	1	1,806	955	456	221	174	319	162	89	39	29	13b,c
2	1	-	1	-	1	1	-	-	-	26	14	9	2	1	8	4	2	-	2	14
2	-	-	2	-	1	1	-	-	-	18	5	4	3	6	7	-	3	-	4	15
2	1	1	-	-	3	2	1	-	-	16	6	2	5	3	4	2	-	1	1	16
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	17a
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	1	-	-	-	1	19
-	-	-	-	-	5	3	2	-	-	10	8	1	-	1	4	1	-	1	2	20
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	3	1	2	-	-	36	12	9	7	8	10	1	3	3	3	22a
-	-	-	-	-	-	-	-	-	-	5	2	2	1	-	-	-	-	-	-	22b
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
1	1	-	-	-	11	5	5	-	1	36	22	12	1	1	3	2	1	-	-	24
-	-	-	-	-	-	-	-	-	-	15	3	6	3	3	1	1	-	-	-	25
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
3	1	2	-	-	-	-	-	-	-	9	7	2	-	-	82	38	39	4	1	27
1	1	-	-	-	1	1	-	-	-	2	2	-	-	-	1	1	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
27	16	1	5	5	43	33	9	1	-	481	234	83	115	49	76	43	17	7	9	30
-	-	-	-	-	3	3	-	-	-	13	6	3	2	2	1	1	-	-	-	30a
5	2	-	1	2	10	7	3	-	-	136	75	26	28	7	5	4	1	-	-	30b
1	1	-	-	-	4	4	-	-	-	64	28	11	14	11	20	15	3	1	1	30c
3	2	-	-	1	14	11	3	-	-	82	43	13	19	7	4	2	-	1	1	30d
1	1	-	-	-	4	4	-	-	-	46	22	2	19	3	7	2	2	2	1	30e
17	10	1	4	2	8	4	3	1	-	140	60	28	33	19	39	19	11	3	6	30f,g
-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	4	2	2	-	-	31
1	1	-	-	-	-	-	-	-	-	3	2	1	-	-	4	2	2	-	-	32
6	-	3	3	-	62	28	34	-	-	237	118	101	11	7	69	43	24	1	1	33a
4	2	2	-	-	23	14	9	-	-	106	40	55	5	6	33	14	15	3	1	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
1	-	-	1	-	-	-	-	-	-	24	12	11	1	-	13	1	1	5	6	35
4	1	2	-	1	2	-	2	-	-	12	6	5	1	-	8	4	4	-	-	36
-	-	-	-	-	-	-	-	-	-	17	4	12	-	1	-	-	-	-	-	37a,c
-	-	-	-	-	1	1	-	-	-	11	6	5	-	-	-	-	-	-	-	37b
-	-	-	-	-	1	-	1	-	-	5	2	3	-	-	12	2	-	-	-	38
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	41
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	42
-	-	-	-	-	1	1	-	-	-	8	6	2	-	-	4	1	1	-	2	43
-	-	-	-	-	17	13	4	-	-	70	39	27	4	-	3	1	2	-	-	44
142	79	58	2	3	757	349	407	-	1	6,735	3,115	3,339	122	159	370	166	185	11	8	
138	77	58	2	1	738	342	395	-	1	6,518	3,057	3,206	119	136	353	163	172	11	7	45-55
7	6	1	-	-	21	17	4	-	-	230	180	42	5	3	13	9	1	-	3	45
2	2	-	-	-	12	11	1	-	-	143	116	23	3	1	9	5	1	-	3	45a-e
5	4	1	-	-	9	6	3	-	-	87	64	19	2	2	4	4	-	-	-	45f
69	44	25	-	-	345	173	172	-	-	3,213	1,667	1,434	68	44	168	87	75	6	-	46
3	3	-	-	-	11	7	4	-	-	149	110	28	9	2	3	1	1	1	-	46a
22	15	7	-	-	100	57	43	-	-	1,012	583	385	31	13	84	47	35	2	-	46b,c
12	8	4	-	-	36	10	26	-	-	378	164	204	4	6	23	7	16	-	-	46f
6	4	2	-	-	24	10	14	-	-	212	123	85	2	2	11	9	2	-	-	46g
26	14	12	-	-	174	89	85	-	-	1,462	667	732	22	21	47	23	21	3	-	46d,e,h,m
12	9	3	-	-	34	23	11	-	-	533	420	98	11	4	19	12	6	1	-	47
10	...	10	...	-	59	...	59	...	-	535	...	487	...	48	45	...	44	...	1	48
4	...	4	...	-	18	...	18	...	-	192	...	189	...	3	5	...	5	...	-	49
9	-	9	-	-	81	-	81	-	-	638	6	615	1	16	30	-	29	-	1	50
10	8	...	2	...	64	64	...	-	...	282	273	...	9	...	24	22	...	2	...	51
6	4	2	-	-	45	30	15	-	-	329	221	97	4	7	9	6	2	1	-	52
3	2	1	-	-	13	8	5	-	-	112	60	49	1	2	9	7	2	-	-	53
-	-	-	-	-	11	7	4	-	-	95	50	42	2	1	6	6	-	-	-	54
8	4	3	-	1	47	20	26	-	1	359	180	153	18	8	25	14	8	1	2	55
2	...	-	...	2	1	...	1	...	-	31	...	27	...	4	1	...	1	...	-	56a
-	...	-	...	-	5	...	5	...	-	61	...	45	...	16	8	...	7	...	1	56b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	56c
-	-	-	-	-	3	1	2	-	-	45	15	29	1	-	2	-	2	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued															
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-
57c	Tumors of other female genital organs (nature unspecified)	2	...	-	...	2	-	...	-	...	-	1	...	1	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	45	18	22	2	3	18	8	9	1	-	17	8	9	-	-
	III.—Rheumatism, diseases of nutrition, etc.*	1,308	491	721	34	62	160	70	84	1	5	478	189	277	5	7
58a-d	Acute rheumatic heart diseases	25	17	5	1	2	3	2	1	-	-	11	4	5	-	2
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	9	6	2	1	-	3	2	-	-	1	2	-	2	-	-
59	Chronic rheumatism and other rheumatic diseases	62	18	38	3	3	5	3	1	-	1	25	7	17	1	-
60	Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	990	381	546	21	42	116	54	59	-	3	383	159	217	4	3
62	Diseases of pituitary gland	3	2	1	-	-	1	-	1	-	-	2	1	1	-	-
63a	Simple goiter	8	1	5	1	1	2	-	2	-	-	1	-	1	-	-
63b	Exophthalmic goiter	106	16	81	2	7	17	3	14	-	-	37	8	27	-	2
63c-e	Other diseases of thyroid and parathyroid glands	8	4	3	-	1	1	-	1	-	-	5	1	4	-	-
64	Diseases of thymus gland	54	28	20	1	5	8	4	4	-	-	5	2	3	-	-
65	Diseases of adrenal glands (not specified as tuberculous)	13	5	7	1	-	2	1	1	-	-	1	1	-	-	-
66	Other general diseases	6	1	5	1	1	1	1	-	-	-	4	4	-	-	-
67	Scurvy	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
68	Beriberi	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
69	Pellagra (except alcoholic)	14	10	3	1	-	-	-	-	-	-	-	-	-	-	-
70	Rickets	4	1	3	-	-	1	-	-	1	-	-	-	-	-	-
71	Other avitaminoses	3	-	2	1	-	-	-	-	-	-	1	1	-	-	-
	IV.—Diseases of the blood and blood-forming organs	339	174	144	7	14	48	25	23	-	-	186	68	70	3	-
72	Hemorrhagic conditions	23	11	12	-	-	6	2	4	-	-	4	1	3	-	-
73a	Pernicious anemia	83	38	41	1	3	14	6	8	-	-	34	16	17	1	-
73b-d	Other anemias (except splenic)	41	19	17	1	4	4	2	2	-	-	17	5	11	1	-
74a	Leukemias	163	90	63	4	6	22	14	8	-	-	69	35	34	-	-
74b	Aleukemias	10	5	5	-	-	-	-	-	-	-	3	1	1	1	-
75	Diseases of spleen	13	8	3	1	1	1	-	1	-	-	4	3	1	-	-
76	Other diseases of the blood and blood-forming organs	6	3	3	-	-	1	1	-	-	-	5	2	3	-	-
	V.—Chronic poisoning and intoxication	39	27	6	5	1	12	11	1	-	-	16	13	3	-	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	36	26	5	4	1	12	11	1	-	-	14	12	2	-	-
78	Lead poisoning	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-
79	Chronic poisoning by other mineral or organic substances	1	-	1	-	-	-	-	-	-	-	1	-	1	-	-
	VI.—Diseases of the nervous system, etc.*	4,415	2,002	1,987	182	244	541	277	247	10	7	1,497	736	718	20	23
80	Encephalitis (nonepidemic)	44	22	18	1	3	5	1	4	-	-	16	10	6	-	-
81	Meningitis (not due to meningococcus)	84	39	27	11	7	8	3	3	2	-	18	10	8	-	-
82	Diseases of spinal cord (see exceptions)*	95	51	36	5	3	15	9	6	-	-	33	16	17	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	3,528	1,577	1,607	144	200	382	196	176	6	4	1,129	551	546	17	15
83b	Cerebral embolism and thrombosis	254	123	111	10	10	37	17	20	-	-	110	57	49	1	3
83c	Cerebral softening	30	19	11	-	-	5	4	1	-	-	4	4	-	-	-
83d	Hemiplegia and other paralysis of unspecified origin	140	60	67	3	10	29	14	15	-	-	60	19	36	2	3
84	Mental diseases and deficiency (see exception)*	30	12	15	-	3	11	5	6	-	-	16	8	8	-	-
85	Epilepsy	50	21	25	4	-	12	8	2	-	2	35	21	14	-	-
86	Convulsions (under 5 years)	10	4	6	-	-	3	1	1	-	1	4	2	-	-	2
87	Other diseases of nervous system	115	57	48	3	7	28	16	12	-	-	62	30	32	-	-
88	Diseases of organs of vision	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
89a	Otitis and other diseases of the ear	23	9	12	1	1	5	2	1	2	-	7	6	1	-	-
89b	Diseases of mastoid process	8	5	3	-	-	1	1	-	-	-	3	2	1	-	-
	VII.—Diseases of the circulatory system	14,032	7,527	5,340	632	532	1,705	1,131	525	33	16	3,903	2,343	1,481	48	31
90-95	Diseases of the heart (all forms)	13,049	7,038	4,931	588	492	1,564	1,048	470	32	14	3,615	2,185	1,355	45	30
90	Pericarditis (except acute rheumatic)	37	19	10	4	4	1	1	-	-	-	5	4	1	-	-
91a,b	Bacterial and other acute or subacute endocarditis	68	37	26	2	3	23	14	7	1	1	34	11	20	2	1
91c	Endocarditis (unspecified, under 45 years)	6	3	3	-	-	-	-	-	-	-	3	1	2	-	-
92a-d	Chronic endocarditis and diseases of the valves*	1,787	846	758	81	102	163	91	64	6	2	468	263	194	5	6
92e	Endocarditis (unspecified, 45 years and over)	89	43	42	2	2	17	10	7	-	-	37	19	14	1	3
93a	Acute myocarditis (except rheumatic)	181	100	53	11	17	28	22	5	-	1	41	24	17	-	-
93b	Myocarditis (unspecified, under 45 years)	21	12	8	-	1	2	2	-	-	-	7	3	4	-	-
93c,d	Chronic myocarditis and myocardial degeneration	6,244	3,098	2,582	312	252	539	323	203	9	4	1,158	625	509	17	7
93e	Other myocarditis (unspecified)	575	288	251	24	12	129	90	32	7	-	238	137	99	1	1
94a	Diseases of coronary arteries	3,032	2,049	838	89	56	447	339	103	2	3	1,060	746	299	10	5
94b	Angina pectoris	265	171	84	2	8	15	6	8	-	1	91	71	19	-	1
95a	Functional diseases of heart, etc.*	47	27	20	-	-	2	1	1	-	-	25	14	11	-	-
95b,c	Other and unspecified diseases of heart	697	345	256	61	35	198	149	40	7	2	448	267	166	9	6
96	Aneurysm (except of heart and aorta)	66	35	15	10	6	2	2	-	-	-	16	9	6	1	-
97	Arteriosclerosis (except coronary or renal sclerosis)	747	370	334	26	17	104	60	42	-	2	214	117	94	2	1
98	Gangrene	26	16	8	2	-	3	3	-	-	-	7	5	2	-	-
99	Other diseases of arteries	49	28	19	1	1	13	10	3	-	-	31	15	16	-	-
100	Diseases of veins	31	17	11	-	3	5	3	1	1	-	10	6	4	-	-
101	Diseases of lymphatic system	4	1	2	1	-	1	1	-	-	-	-	-	-	-	-
102	High blood pressure (idiopathic)	53	19	17	4	13	12	3	9	-	-	10	6	4	-	-
103	Other diseases of circulatory system	7	3	3	1	-	1	1	-	-	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	3,082	1,482	1,168	238	194	346	218	84	24	20	723	371	310	15	27
104a	Diseases of nasal fossae	4	1	3	-	-	2	-	1	1	-	4	3	1	-	-
104b	Diseases of accessory sinuses	20	13	6	1	-	3	2	1	-	-	8	5	3	-	-
105	Diseases of larynx	9	6	1	-	2	1	1	-	-	-	3	2	1	-	-
106a	Acute bronchitis	31	11	14	3	3	2	-	1	1	-	7	3	4	-	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
2	2	-	-	-	10	6	4	-	-	78	43	30	2	3	6	3	3	-	-	57d,e
26	14	10	-	2	203	83	120	-	-	1,957	615	1,233	32	77	104	53	46	3	2	
2	2	-	-	-	1	-	1	-	-	55	24	24	2	5	6	4	2	-	-	58a-d
-	-	-	-	-	-	-	-	-	-	32	13	16	2	1	4	2	1	1	-	58e,f
1	-	1	-	-	6	3	3	-	-	61	21	36	2	2	6	2	3	-	1	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	60
20	9	9	-	2	177	73	104	-	-	1,600	488	1,039	21	52	51	29	22	-	-	61
-	-	-	-	-	-	-	-	-	-	5	2	3	-	-	1	1	-	-	-	62
-	-	-	-	-	1	-	1	-	-	6	2	4	-	-	2	-	2	-	-	63a
-	-	-	-	-	7	2	5	-	-	98	17	71	2	8	11	1	10	-	-	63b
1	1	-	-	-	3	-	3	-	-	8	2	6	-	-	3	2	1	-	-	63c-e
1	1	-	-	-	4	3	1	-	-	45	21	17	3	4	7	3	3	1	-	64
-	-	-	-	-	1	-	1	-	-	25	15	8	-	2	2	1	1	-	-	65
1	1	-	-	-	3	2	1	-	-	16	7	6	-	3	3	3	-	-	-	66
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	67
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	68
-	-	-	-	-	-	-	-	-	-	3	1	2	-	-	7	5	1	1	-	69
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	1	-	-	-	1	71
9	1	7	1	-	42	21	21	-	-	338	163	158	8	9	30	17	13	-	-	
1	-	1	-	-	2	-	2	-	-	24	12	12	-	-	5	3	2	-	-	72
2	-	2	-	-	14	7	7	-	-	51	14	35	-	2	5	3	2	-	-	73a
-	-	-	-	-	5	3	2	-	-	39	16	17	3	3	8	4	4	-	-	73b-d
6	1	4	1	-	20	10	10	-	-	191	106	78	4	3	10	6	4	-	-	74a
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	1	1	-	-	-	74b
-	-	-	-	-	-	-	-	-	-	19	11	7	1	-	1	-	1	-	-	75
-	-	-	-	-	1	1	-	-	-	11	2	8	-	1	-	-	-	-	-	76
22	20	2	-	-	17	16	1	-	-	76	63	9	3	1	10	10	-	-	-	
-	-	-	-	-	-	-	-	-	-	8	4	3	-	1	-	-	-	-	-	77a,b
22	20	2	-	-	17	16	1	-	-	67	58	6	3	-	9	9	-	-	-	77c-e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	78
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	79
118	82	27	7	2	683	318	365	-	-	4,786	2,063	2,417	152	154	273	146	113	12	2	
4	3	-	1	-	-	-	-	-	-	46	25	18	1	2	5	1	3	1	-	80
7	4	1	2	-	5	3	2	-	-	63	33	16	8	6	13	7	4	2	-	81
2	1	-	1	-	14	8	6	-	-	97	52	41	3	1	9	5	4	-	-	82
82	57	20	3	2	523	238	285	-	-	3,675	1,530	1,910	112	123	179	101	72	6	-	83a
6	5	1	-	-	92	44	48	-	-	453	207	227	11	8	12	8	4	-	-	83b
-	-	-	-	-	5	4	1	-	-	18	9	6	2	1	-	-	-	-	-	83c
3	1	2	-	-	7	2	5	-	-	137	55	70	7	5	26	10	15	1	-	83d
4	4	-	-	-	3	1	2	-	-	44	15	25	2	2	1	-	1	-	-	84
3	2	1	-	-	16	9	7	-	-	62	31	25	3	3	7	5	2	-	-	85
1	1	-	-	-	2	1	1	-	-	11	6	3	1	1	3	1	2	-	-	86
6	4	2	-	-	12	6	6	-	-	149	81	64	2	2	10	4	4	1	1	87
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	88
-	-	-	-	-	4	2	2	-	-	19	13	6	-	-	7	3	2	1	1	89a
-	-	-	-	-	-	-	-	-	-	11	5	6	-	-	1	1	-	-	-	89b
415	290	106	9	10	2,300	1,303	995	-	2	18,529	9,890	7,667	527	445	721	421	269	22	9	
392	275	100	8	9	2,032	1,179	851	-	2	17,263	9,278	7,077	490	418	670	389	252	20	9	90-95
-	-	-	-	-	4	2	2	-	-	19	6	8	4	1	2	1	-	1	-	90
6	4	2	-	-	10	4	6	-	-	96	47	41	3	5	6	5	1	-	-	91a,b
5	3	1	1	-	1	-	1	-	-	20	10	8	1	1	-	-	-	-	-	91c
35	22	10	-	3	234	131	101	-	2	1,244	569	573	54	48	125	60	60	3	2	92a-d
3	3	-	-	-	25	17	8	-	-	119	54	53	2	10	2	1	1	-	-	92e
13	11	2	-	-	17	6	11	-	-	208	103	93	8	4	10	5	4	1	-	93a
-	-	-	-	-	-	-	-	-	-	15	4	8	2	1	3	1	2	-	-	93b
135	90	40	1	4	822	420	402	-	-	8,447	4,076	3,913	231	227	232	128	98	4	2	93c,d
24	17	5	1	1	97	51	46	-	-	1,500	826	594	42	38	33	15	14	3	1	93e
128	96	29	2	1	615	428	187	-	-	4,191	2,824	1,244	89	34	145	108	36	1	-	94a
3	3	-	-	-	47	27	20	-	-	89	60	25	1	3	21	17	3	1	-	94b
2	2	-	-	-	3	2	1	-	-	26	11	15	-	-	1	1	-	-	-	95a
38	24	11	3	-	157	91	66	-	-	1,289	688	502	53	46	90	47	33	6	4	95b,c
-	-	-	-	-	3	2	1	-	-	43	30	10	-	3	2	2	-	-	-	96
21	13	6	1	1	235	109	126	-	-	1,034	493	494	29	18	32	20	11	1	-	97
-	-	-	-	-	-	-	-	-	-	11	5	5	1	-	1	1	-	-	-	98
2	2	-	-	-	18	6	12	-	-	51	23	28	-	-	7	3	4	-	-	99
-	-	-	-	-	5	3	2	-	-	32	12	18	1	1	2	1	-	1	-	100
-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	-	-	-	-	-	101
-	-	-	-	-	5	2	3	-	-	92	46	35	6	5	7	5	2	-	-	102
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	103
138	84	33	7	14	402	227	175	-	-	2,727	1,422	994	185	126	405	201	149	31	24	
2	-	1	1	-	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	104a
1	1	-	-	-	2	1	1	-	-	16	10	5	1	-	-	-	-	-	-	104b
-	-	-	-	-	-	-	-	-	-	9	6	3	-	-	1	-	1	-	-	105
1	1	-	-	-	9	4	5	-	-	39	24	12	2	1	1	-	1	-	-	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Con.															
106b	Chronic bronchitis	64	40	19	4	1	8	7	1	-	-	20	12	7	1	-
106c	Bronchitis (unspecified)	14	6	7	-	1	1	-	-	1	-	9	6	2	-	1
107	Bronchopneumonia (including capillary bronchitis)	1,196	581	488	98	79	94	60	24	4	6	216	108	94	3	11
108	Lobar pneumonia	1,378	673	502	114	89	100	65	22	8	5	199	105	73	8	13
109	Pneumonia (unspecified)	81	47	28	2	4	54	26	14	7	7	109	47	58	2	2
110	Pleurisy (not specified as tuberculous)	76	45	17	6	8	10	8	1	1	-	22	13	9	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	45	24	14	5	2	6	3	3	-	-	28	18	9	1	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	54	22	30	1	1	19	7	10	1	1	40	12	28	-	-
112	Asthma	67	32	32	1	2	14	9	4	-	1	42	23	19	-	-
113	Pulmonary emphysema	6	4	2	-	-	1	1	-	-	-	1	1	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	37	27	5	3	2	31	29	2	-	-	15	13	2	-	-
	IX.—Diseases of the digestive system	2,127	1,101	843	97	86	247	161	73	8	5	626	365	243	11	7
115a,b,d	Diseases of buccal cavity and adnexa	41	21	16	1	3	5	3	1	1	-	21	20	1	-	-
115c	Diseases of pharynx and tonsils	23	9	11	1	2	6	4	2	-	-	14	9	4	1	-
116	Diseases of esophagus	6	3	3	-	-	-	-	-	-	-	3	2	1	-	-
117a	Ulcer of stomach	164	113	38	9	4	25	23	2	-	-	58	45	11	1	1
117b	Ulcer of duodenum	71	62	7	2	-	12	12	-	-	-	29	22	7	-	-
118	Other diseases of stomach (except cancer)	52	18	21	8	5	6	4	2	-	-	18	13	4	1	-
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	250	133	88	13	16	20	8	6	2	4	24	12	10	1	1
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	77	28	37	7	5	9	3	4	2	-	34	20	14	-	-
121	Appendicitis	261	137	99	11	14	31	19	12	-	-	74	40	33	-	1
122a	Hernia	164	88	62	11	3	24	15	9	-	-	60	38	22	-	-
122b	Intestinal obstruction	236	100	107	12	17	28	19	8	1	-	72	38	30	1	3
123	Other diseases of intestines	44	17	22	2	3	6	5	1	-	-	14	6	7	1	-
124a	Cirrhosis of liver (with mention of alcoholism)	27	25	2	-	-	5	4	1	-	-	11	11	-	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	413	259	132	16	6	25	20	4	1	-	88	52	35	1	-
125a	Acute yellow atrophy of liver (nonpuerperal)	17	6	10	1	-	2	2	-	-	-	8	4	4	-	-
125b	Other diseases of liver	29	8	18	2	1	2	2	-	-	-	9	7	2	-	-
126	Biliary calculi	114	23	91	-	-	16	5	10	1	-	39	9	30	-	-
127	Other diseases of gallbladder and biliary ducts	91	25	63	-	3	18	10	7	-	1	32	9	20	2	1
128	Diseases of pancreas (except diabetes mellitus)	18	12	4	-	2	2	-	2	-	-	7	4	3	-	-
129	Peritonitis (cause not stated)	29	14	12	1	2	5	3	2	-	-	11	4	5	2	-
	X.—Diseases of the genito-urinary system	4,468	2,259	1,669	288	252	325	206	109	7	3	1,112	667	420	13	12
130	Acute nephritis	72	31	28	6	7	13	8	5	-	-	32	17	14	-	1
131a	Arteriosclerotic kidney	2,502	1,177	1,020	157	148	153	94	56	2	1	648	362	273	7	6
131b	Other chronic nephritis	1,293	674	475	70	74	86	50	32	2	2	185	103	76	4	2
132	Nephritis unspecified (10 years and over)	90	47	33	4	6	19	9	8	2	-	80	51	25	2	2
133	Other diseases of kidneys and ureters, etc.*	107	40	47	15	5	6	3	3	-	-	30	18	12	-	-
134	Calculi of urinary passages	48	29	15	3	1	3	3	-	-	-	14	9	5	-	-
135	Diseases of urinary bladder	21	15	3	3	-	4	2	1	1	-	7	6	1	-	-
136	Diseases of urethra (except calculus)	11	2	1	8	-	1	1	-	-	-	6	5	1	-	-
137	Diseases of prostate	265	243	...	22	...	36	36	...	-	...	95	95	...	-	...
138	Diseases of other male genital organs (except venereal)	1	1	...	-	...	-	-	...	-	...	1	1	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	44	...	34	...	10	4	...	4	...	-	8	...	8	...	-
139b	Diseases of uterus	13	...	13	...	-	-	...	-	...	-	6	...	5	...	1
139c	Diseases of other and unspecified female genital organs	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	183	...	161	...	22	20	...	17	...	3	42	...	41	...	1
140	Abortion with mention of infection	23	...	18	...	5	1	...	1	...	-	1	...	1	...	-
140a,b	Abortion (septic), spontaneous or therapeutic *	17	...	13	...	4	1	...	1	...	-	-	...	-	...	-
140c,d	Abortion (septic), self-induced or nontherapeutic *	6	...	5	...	1	-	...	-	...	-	1	...	1	...	-
141	Abortion without mention of infection	6	...	6	...	-	1	...	1	...	-	1	...	1	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	2	...	2	...	-	-	...	-	...	-	-	...	-	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	4	...	4	...	-	-	...	-	...	-	1	...	1	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	2	...	2	...	-	-	...	-	...	-	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	11	...	8	...	3	3	...	3	...	-	1	...	1	...	-
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	9	...	8	...	1	5	...	4	...	1	1	...	1	...	-
144c,d	Other toxemias of pregnancy (death before delivery) *	3	...	2	...	1	1	...	1	...	-	1	...	1	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	6	...	6	...	-	1	...	1	...	-	1	...	1	...	-
	A. With mention of infection	3	...	3	...	-	1	...	1	...	-	1	...	1	...	-
	B. Without mention of infection	3	...	3	...	-	-	...	-	...	-	-	...	-	...	-
146a	Placenta praevia (with childbirth)	4	...	3	...	1	3	...	3	...	-	2	...	2	...	-
146b,c	Other hemorrhages of childbirth and puerperium	23	...	22	...	1	2	...	1	...	1	5	...	5	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection *	29	...	25	...	3	1	...	-	...	1	4	...	4	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	20	...	19	...	1	1	...	1	...	-	7	...	7	...	-
148a,b	Puerperal eclampsia and nephritis	19	...	17	...	2	-	...	-	...	-	9	...	9	...	-
148c,d	Other puerperal toxemias	8	...	8	...	-	1	...	1	...	-	3	...	3	...	-
149	Other accidents and specified conditions of childbirth	9	...	7	...	2	-	...	-	...	-	4	...	4	...	-
150	Other and unspecified conditions of childbirth and puerperium	11	...	9	...	2	-	...	-	...	-	2	...	1	...	1
	XII.—Diseases of the skin and cellular tissue	43	22	16	3	2	7	6	-	1	-	9	4	5	-	-
151	Carbuncle and furuncle	4	2	2	-	-	-	-	-	-	-	4	3	1	-	-
152	Phlegmon and acute abscess	13	8	3	1	1	4	3	-	1	-	3	1	2	-	-
153	Other diseases of skin and cellular tissue	26	12	11	2	1	3	3	-	-	-	2	-	2	-	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1	1	-	-	-	7	4	3	-	-	66	39	23	1	3	6	3	3	-	-	105b
1	1	-	-	-	1	1	-	-	-	30	14	13	3	-	3	2	1	-	-	106c
40	22	10	2	6	179	92	87	-	-	1,044	522	404	64	54	188	88	68	20	17	107
55	32	13	4	6	115	75	40	-	-	1,120	581	400	84	55	132	72	48	8	4	108
13	9	2	-	2	50	32	18	-	-	100	56	28	11	5	39	22	12	3	2	109
2	2	-	-	-	8	4	4	-	-	69	46	17	5	1	7	3	3	-	1	110
4	1	3	-	-	8	3	5	-	-	35	16	15	3	1	2	2	-	-	-	111a
3	2	1	-	-	11	3	8	-	-	61	25	31	4	1	10	2	8	-	-	111b,c
3	1	2	-	-	5	3	2	-	-	70	37	27	3	3	10	7	3	-	-	112
-	-	-	-	-	1	1	-	-	-	4	2	2	-	-	-	-	-	-	-	113
12	11	1	-	-	5	3	2	-	-	64	44	14	4	2	5	5	-	-	-	114
95	66	30	1	2	280	167	112	1	-	2,344	1,276	929	82	57	465	217	194	31	23	
4	2	2	-	-	4	2	2	-	-	24	10	12	-	2	3	2	1	-	-	115a,b,d
1	1	-	-	-	2	1	1	-	-	34	14	17	2	1	8	5	3	-	-	115c
-	-	-	-	-	-	-	-	-	-	7	5	1	-	1	-	-	-	-	-	116
14	11	2	1	-	24	20	4	-	-	222	177	34	9	2	8	7	1	-	-	117a
4	4	-	-	-	27	20	7	-	-	122	93	24	3	2	3	2	1	-	-	117b
1	1	-	-	-	3	1	2	-	-	25	15	9	-	1	16	15	1	-	-	118
10	4	6	-	-	27	18	9	-	-	169	76	67	13	13	256	107	108	22	19	119
4	2	2	-	-	11	6	5	-	-	66	29	33	3	1	16	4	8	2	2	120
18	14	4	-	-	31	19	12	-	-	282	161	110	8	3	33	15	17	1	-	121
8	5	3	-	-	27	17	10	-	-	222	112	95	10	5	9	4	4	1	-	122a
7	5	1	-	1	28	15	13	-	-	223	87	114	9	13	31	10	19	2	-	122b
3	2	1	-	-	6	2	4	-	-	58	28	27	1	2	7	5	2	-	-	123
2	2	-	-	-	4	3	1	-	-	48	34	13	1	-	1	-	1	-	-	124a
12	8	3	-	1	40	22	17	1	-	504	298	188	15	3	26	16	8	2	-	124b
-	-	-	-	-	1	-	1	-	-	13	4	6	1	2	2	2	-	-	-	125a
-	-	-	-	-	2	1	1	-	-	31	22	9	-	-	9	6	2	1	-	125b
4	-	4	-	-	20	7	13	-	-	163	58	102	1	2	15	7	8	-	-	126
4	3	1	-	-	14	7	7	-	-	78	31	45	-	2	18	6	10	-	2	127
-	-	-	-	-	7	4	3	-	-	28	11	13	4	-	3	3	-	-	-	128
3	2	1	-	-	2	2	-	-	-	25	11	10	2	2	1	1	-	-	-	129
101	63	27	9	2	435	260	175	-	-	3,644	1,766	1,548	169	161	276	161	101	7	7	
6	3	2	1	-	7	4	3	-	-	69	33	27	4	5	16	7	7	-	2	130
49	35	13	1	-	253	135	118	-	-	2,322	1,053	1,054	108	107	117	69	42	4	2	131a
19	9	7	2	1	112	67	45	-	-	687	306	322	32	27	80	46	32	1	1	131b
3	1	1	-	1	10	7	3	-	-	138	72	52	10	4	12	4	6	1	1	132
7	2	3	2	-	11	10	1	-	-	74	36	34	-	4	9	6	3	-	-	133
2	1	-	1	-	4	3	1	-	-	61	44	15	2	-	5	5	-	-	-	134
2	2	-	-	-	1	1	-	-	-	14	6	7	-	1	2	1	1	-	-	135
2	1	-	1	-	1	1	-	-	-	3	3	-	-	-	2	1	-	-	1	136
10	9	...	1	...	32	32	...	-	...	226	213	...	13	...	23	22	...	1	...	137
-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	138
1	...	1	...	-	2	...	2	...	-	31	...	19	...	12	9	...	9	...	-	139a
-	...	-	...	-	2	...	2	...	-	19	...	18	...	1	1	...	1	...	-	139b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	139c
6	...	4	...	2	25	...	25	...	-	161	...	137	...	24	71	...	62	...	9	
1	...	1	...	-	-	...	-	...	-	19	...	14	...	5	6	...	6	...	-	140
-	...	-	...	-	-	...	-	...	-	13	...	9	...	4	4	...	4	...	-	140a,b
1	...	1	...	-	-	...	-	...	-	6	...	5	...	1	2	...	2	...	-	140c,d
-	...	-	...	-	1	...	1	...	-	11	...	10	...	1	2	...	1	...	1	141
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	141a,c
-	...	-	...	-	1	...	1	...	-	7	...	6	...	1	2	...	1	...	1	141b,d
-	...	-	...	-	-	...	-	...	-	4	...	4	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	142a
-	...	-	...	-	-	...	-	...	-	4	...	1	...	3	7	...	7	...	-	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	143b,c
-	...	-	...	-	1	...	1	...	-	8	...	6	...	2	4	...	4	...	-	144a,b
2	...	1	...	1	1	...	1	...	-	3	...	2	...	1	-	...	-	...	-	144c,d
-	...	-	...	-	1	...	1	...	-	9	...	9	...	-	4	...	2	...	2	145
-	...	-	...	-	1	...	1	...	-	7	...	7	...	-	4	...	2	...	2	
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	
-	...	-	...	-	2	...	2	...	-	3	...	3	...	-	2	...	2	...	-	146a
-	...	-	...	-	5	...	5	...	-	18	...	16	...	2	14	...	12	...	2	146b,c
2	...	1	...	1	4	...	4	...	-	22	...	19	...	3	6	...	5	...	1	147a,b
-	...	-	...	-	5	...	5	...	-	19	...	15	...	4	4	...	4	...	-	147c,d
1	...	1	...	-	3	...	3	...	-	14	...	13	...	1	9	...	7	...	2	148a,b
-	...	-	...	-	-	...	-	...	-	11	...	11	...	-	-	...	-	...	-	148c,d
-	...	-	...	-	1	...	1	...	-	13	...	12	...	1	-	...	-	...	-	149
-	...	-	...	-	1	...	1	...	-	6	...	5	...	1	13	...	12	...	1	150
2	-	2	-	-	-	-	-	-	-	37	18	14	2	3	5	4	1	-	-	
-	-	-	-	-	-	-	-	-	-	7	7	-	-	-	-	-	-	-	-	151
-	-	-	-	-	-	-	-	-	-	7	3	2	-	2	1	1	-	-	-	152
2	-	2	-	-	-	-	-	-	-	23	8	12	2	1	4	3	1	-	-	153

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	MISSOURI					MONTANA					NEBRASKA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc. *	19	11	7	1	-	4	3	1	-	-	7	2	5	-	-
154	Osteomyelitis and periostitis	9	5	3	1	-	2	2	-	-	-	1	1	-	-	-
155	Other diseases of bones (except tuberculosis)	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
156	Diseases of joints and other organs of movement	9	5	4	-	-	2	1	1	-	-	5	1	4	-	-
157	XIV.—Congenital malformations	490	261	211	12	6	69	33	32	2	2	182	90	89	2	1
	XV.—Diseases peculiar to the first year of life	1,297	691	448	91	67	226	130	84	8	4	494	295	186	6	7
158	Congenital debility (cause not stated)	45	19	18	6	2	11	5	1	4	1	14	9	3	1	1
159	Premature birth (cause not stated)	831	428	284	68	51	140	88	53	3	1	317	186	122	3	6
160a	Intracranial or spinal hemorrhage	91	61	24	3	3	16	9	7	-	-	46	29	17	-	-
160b,c	Other injuries at birth	185	108	71	1	5	38	24	13	1	-	57	35	21	1	-
161	Other diseases peculiar to the first year of life	145	75	51	13	6	21	9	10	-	2	60	36	23	1	-
162	XVI.—Senility	319	139	161	8	11	87	48	34	2	3	191	90	99	1	1
	XVII.—Violent or accidental deaths	3,221	1,927	974	231	89	664	525	115	16	8	1,112	786	301	13	12
163,164	Suicide	386	280	98	6	2	68	58	10	-	-	156	118	36	-	2
163	Suicide by poisoning	79	35	41	1	2	11	8	3	-	-	40	23	15	-	2
	Suicide by solid or liquid poisons	51	24	24	1	2	8	6	2	-	-	18	7	10	-	1
	Suicide by poisonous gases	28	11	17	-	-	3	2	1	-	-	22	16	5	-	1
164a	Suicide by hanging or strangulation	86	67	18	1	-	7	7	-	-	-	46	32	14	-	-
164b	Suicide by drowning	12	7	5	-	-	1	1	-	-	-	4	1	3	-	-
164c	Suicide by firearms and explosives	173	149	21	3	-	44	38	6	-	-	56	53	3	-	-
164d	Suicide by cutting or piercing instruments	9	5	3	1	-	3	3	-	-	-	9	8	1	-	-
164e	Suicide by jumping from high places	15	11	4	-	-	-	-	-	-	-	-	-	-	-	-
164f	Suicide by crushing	5	3	2	-	-	1	1	-	-	-	-	-	-	-	-
164g	Suicide by other or unspecified means	7	3	4	-	-	1	-	1	-	-	1	1	-	-	-
165-168	Homicide [1]	189	80	24	71	14	15	9	3	2	1	30	15	7	5	3
166	Homicide by firearms	102	46	15	36	5	6	5	1	-	-	20	10	6	3	1
167	Homicide by cutting or piercing instruments	39	5	3	26	5	3	1	1	1	-	2	-	-	1	1
168	Homicide by other means	48	29	6	9	4	6	3	1	1	1	8	5	1	1	1
169-195	Accidental deaths	2,646	1,567	852	154	73	580	458	102	13	7	926	653	256	8	7
169	Railway accidents (except collisions with motor vehicles)	95	77	9	8	1	26	25	-	1	-	15	15	-	-	-
170a	Collisions between automobiles and trains	34	28	5	1	-	10	6	3	1	-	15	11	3	1	-
170b	Collisions between automobiles and streetcars	9	7	-	2	-	-	-	-	-	-	2	2	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	497	365	95	29	8	76	58	17	-	1	176	137	38	1	-
170d	Motorcycle accidents (except collisions with automobiles)	9	5	3	-	1	1	1	-	-	-	-	-	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	33	22	8	2	1	-	-	-	-	-	1	1	-	-	-
171b	Other and unspecified road-transport accidents	9	7	2	-	-	-	-	-	-	-	2	2	-	-	-
172	Water-transport accidents	17	14	3	-	-	6	4	2	-	-	5	4	1	-	-
173	Air-transport accidents	86	84	1	-	1	23	22	1	-	-	89	88	1	-	-
174	Accidents in mines and quarries	19	18	1	-	-	116	115	1	-	-	7	5	2	-	-
175a	Accidents involving agricultural machinery and vehicles	42	38	2	2	-	19	17	1	-	1	29	28	1	-	-
175b,c	Other agricultural accidents, including injury by animals	61	50	10	1	-	8	8	-	-	-	33	28	5	-	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	-	-	-	-	-	8	8	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	31	22	-	8	1	7	7	-	-	-	10	9	1	-	-
177	Food poisoning	15	6	9	-	-	1	1	-	-	-	3	3	-	-	-
178	Accidental absorption of poisonous gas	38	27	8	2	1	5	5	-	-	-	13	9	3	-	1
179	Acute accidental poisoning by solids or liquids	34	21	11	2	-	6	2	3	1	-	5	3	2	-	-
180	Conflagration	74	27	25	11	11	6	5	1	-	-	28	18	10	-	-
181	Accidental burns (except conflagration)	182	76	78	9	19	31	18	10	2	1	57	34	19	-	4
182	Accidental mechanical suffocation	29	14	9	5	1	12	10	1	1	-	12	6	4	-	2
183	Accidental drowning	155	112	25	18	-	51	36	11	2	2	51	42	8	1	-
184	Accidental injury by firearms	39	33	3	2	1	34	27	3	4	-	17	15	1	1	-
185	Accidental injury by cutting or piercing instruments	10	8	-	2	-	-	-	-	-	-	1	1	-	-	-
186a	Accidental injury by fall	878	345	487	26	20	90	50	39	-	1	267	123	140	4	-
186b	Accidental injury by crushing	8	5	1	2	-	6	3	2	1	-	6	5	1	-	-
187	Cataclysm, etc. *	6	3	3	-	-	2	2	-	-	-	4	3	1	-	-
188	Injury by animals (except in agriculture and forestry)	5	5	-	-	-	2	2	-	-	-	5	5	-	-	-
189	Hunger or thirst	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
190	Excessive cold	17	9	1	5	2	4	4	-	-	-	6	6	-	-	-
191	Excessive heat	26	21	1	3	1	-	-	-	-	-	8	3	5	-	-
192	Lightning	23	18	3	2	-	-	-	-	-	-	10	10	-	-	-
193	Accidents due to electric currents (except lightning)	25	21	3	1	-	3	2	1	-	-	8	8	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	20	13	5	1	1	4	2	2	-	-	6	4	2	-	-
195c,e	Other and unspecified accidents	119	65	41	10	3	22	18	3	-	1	32	23	9	-	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Legal executions	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	XVIII.—Ill-defined and unknown causes	136	76	51	5	6	101	51	23	11	16	68	46	20	2	-
199	Sudden death	9	6	3	-	-	3	2	1	-	-	10	8	1	1	-
200a	Ill-defined	84	51	27	3	3	49	33	11	3	2	31	21	9	1	-
200b	Found dead (cause unknown)	7	6	1	-	-	8	7	1	-	-	7	5	2	-	-
200c	Unknown or unspecified	38	13	20	2	3	41	9	10	8	14	20	12	8	-	-

* Refer to complete International List titles, table VII. Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

NEVADA					NEW HAMPSHIRE					NEW JERSEY					NEW MEXICO					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	-	-	-	-	2	2	-	-	-	34	17	13	2	2	3	3	-	-	-	
-	-	-	-	-	2	2	-	-	-	17	10	3	2	2	2	2	-	-	-	154
-	-	-	-	-	-	-	-	-	-	7	3	4	-	-	-	-	-	-	-	155
-	-	-	-	-	-	-	-	-	-	10	4	6	-	-	1	1	-	-	-	156
14	7	7	-	-	90	48	42	-	-	475	247	188	24	16	63	35	24	1	3	157
84	47	30	3	4	202	113	88	-	1	1,473	745	554	109	65	375	215	134	16	10	
4	3	1	-	-	8	7	1	-	-	48	22	18	7	1	37	24	11	2	-	158
47	21	21	2	3	126	73	52	-	1	912	434	344	81	53	249	141	96	9	3	159
12	10	2	-	-	12	8	4	-	-	127	86	36	1	4	12	8	3	1	-	160a
13	10	2	-	1	32	15	17	-	-	139	74	58	6	1	35	21	9	-	5	160b,c
8	3	4	1	-	24	10	14	-	-	247	129	98	14	6	42	21	15	4	2	161
13	7	3	1	2	38	13	25	-	-	243	96	132	6	9	49	16	30	2	1	162
246	183	37	16	10	399	259	140	-	-	3,401	2,063	1,063	212	63	704	547	110	35	12	
27	19	4	4	-	73	55	18	-	-	501	311	178	8	4	40	30	10	-	-	163,164
2	2	-	-	-	18	11	7	-	-	209	105	99	2	3	9	5	4	-	-	163
-	-	-	-	-	5	2	3	-	-	39	13	24	1	1	8	4	4	-	-	
2	2	-	-	-	13	9	4	-	-	170	92	75	1	2	1	1	-	-	-	
3	-	-	3	-	14	11	3	-	-	124	86	37	1	-	3	1	2	-	-	164a
1	1	-	-	-	6	3	3	-	-	25	11	13	1	-	-	-	-	-	-	164b
17	13	4	-	-	31	27	4	-	-	86	71	13	2	-	27	23	4	-	-	164c
3	3	-	-	-	2	1	1	-	-	22	17	4	1	-	3	1	-	-	-	164d
-	-	-	-	-	2	2	-	-	-	30	17	11	1	1	-	-	-	-	-	164e
-	-	-	-	-	-	-	-	-	-	5	4	1	-	-	-	-	-	-	-	164f
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	164g
17	10	2	1	4	4	2	2	-	-	98	40	13	35	10	16	12	1	2	1	165-169
5	3	1	-	1	2	-	2	-	-	37	15	5	13	4	7	5	-	1	1	166
3	1	-	1	1	-	-	-	-	-	29	4	3	17	5	3	3	-	-	-	167
9	6	1	-	2	2	2	-	-	-	32	21	5	5	1	6	4	1	1	-	168
201	153	31	11	6	322	202	120	-	-	2,802	1,712	872	169	49	647	504	99	33	11	169-195
10	8	2	-	-	10	9	1	-	-	105	89	12	4	-	22	20	-	2	-	169
-	-	-	-	-	3	2	1	-	-	33	23	7	3	-	8	7	-	1	-	170a
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	170b
51	42	6	3	-	52	41	11	-	-	653	478	113	57	5	113	84	20	8	1	170c
2	2	-	-	-	1	1	-	-	-	12	11	1	-	-	-	-	-	-	-	170d
-	-	-	-	-	-	-	-	-	-	9	9	-	-	-	-	-	-	-	-	171a
1	1	-	-	-	1	1	-	-	-	2	2	-	-	-	3	2	1	-	-	171b
1	1	-	-	-	4	4	-	-	-	27	24	-	3	-	8	5	3	-	-	172
10	10	-	-	-	7	7	-	-	-	81	81	-	-	-	240	240	-	-	-	173
18	17	-	1	-	-	-	-	-	-	5	5	-	-	-	12	12	-	-	-	174
1	1	-	-	-	3	3	-	-	-	7	7	-	-	-	7	6	1	-	-	175a
5	5	-	-	-	5	5	-	-	-	8	8	-	-	-	9	7	2	-	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	175e
1	1	-	-	-	9	9	-	-	-	42	38	2	2	-	10	9	1	-	-	176
1	1	-	-	-	1	1	-	-	-	5	2	2	-	1	7	3	4	-	-	177
2	2	-	-	-	10	8	2	-	-	141	68	65	5	3	9	5	4	-	-	178
9	6	2	-	1	4	3	1	-	-	28	13	11	1	3	6	3	3	-	-	179
12	8	2	-	2	10	5	5	-	-	100	54	22	14	10	21	12	5	4	-	180
12	7	3	1	1	21	9	12	-	-	132	68	44	15	5	25	10	11	1	3	181
3	1	1	1	-	4	4	-	-	-	46	27	12	3	4	4	3	1	-	-	182
18	14	3	1	-	26	22	4	-	-	193	141	24	28	-	19	14	3	2	-	183
4	2	1	1	-	8	8	-	-	-	41	32	5	4	-	14	13	-	1	-	184
-	-	-	-	-	2	2	-	-	-	4	3	1	-	-	-	-	-	-	-	185
20	12	6	1	1	107	37	70	-	-	922	393	497	21	11	63	24	29	5	5	186a
-	-	-	-	-	2	2	-	-	-	11	9	1	1	-	4	3	-	1	-	186b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	4	-	-	187
-	-	-	-	-	2	2	-	-	-	1	-	-	1	-	6	1	-	4	1	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	189
-	-	-	-	-	1	1	-	-	-	10	8	-	1	1	6	2	-	3	1	190
-	-	-	-	-	1	1	-	-	-	25	21	3	1	-	-	-	-	-	-	191
1	1	-	-	-	-	-	-	-	-	2	1	-	-	1	3	3	-	-	-	192
4	2	1	1	-	4	4	-	-	-	14	14	-	-	-	5	5	-	-	-	193
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	194
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	195a,b
-	-	-	-	-	4	-	4	-	-	31	15	13	2	1	4	3	1	-	-	195d
15	9	4	1	1	20	11	9	-	-	109	66	37	2	4	13	7	5	1	-	195c,e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
32	22	5	4	1	45	30	15	-	-	128	66	42	11	9	835	395	322	61	57	
1	1	-	-	-	6	6	-	-	-	6	3	2	1	-	8	6	1	-	1	199
27	20	5	2	-	32	20	12	-	-	104	55	36	7	6	70	48	16	2	4	200a
-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	3	1	1	1	-	200b
4	1	-	2	1	6	4	2	-	-	17	8	4	3	2	754	340	304	58	52	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	162,186	83,506	70,251	4,467	3,962	29,971	11,149	8,402	5,379	5,041
	I.—Infectious and parasitic diseases	10,385	5,682	2,816	1,149	738	2,716	735	574	744	663
1	Typhoid fever	16	8	6	1	1	15	2	5	6	2
2	Paratyphoid fever	3	-	3	-	-	1	1	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	2	2	-	-	-	1	-	-	1	-
6	Cerebrospinal (meningococcus) meningitis	381	204	135	30	12	73	39	17	11	6
7	Anthrax (infection by Bacillus anthracis)	4	3	1	-	-	-	-	-	-	-
8	Scarlet fever	35	14	18	1	2	12	5	7	-	-
9	Whooping cough	154	79	63	6	6	116	33	39	20	24
10	Diphtheria (infection by C. diphtheriae)	22	11	8	1	2	53	22	22	3	6
11	Erysipelas	13	5	8	-	-	5	3	2	-	-
12	Tetanus	12	11	1	-	-	16	6	2	7	1
13-22	Tuberculosis (all forms)	6,335	3,479	1,606	733	517	1,366	309	222	421	414
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	31	30	-	1	-	4	3	-	1	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	5,818	3,231	1,466	664	457	1,253	285	209	382	377
14	Tuberculosis of meninges and central nervous system	101	47	29	12	13	16	4	2	4	6
15	Tuberculosis of intestines and peritoneum	77	28	21	13	15	29	3	3	7	16
16	Tuberculosis of vertebral column	64	28	20	7	9	15	3	-	8	4
17a	Tuberculosis of bones (except vertebral column)	9	3	4	1	1	4	1	1	1	1
17b	Tuberculosis of joints (except vertebral column)	23	11	6	4	-	2	1	1	-	-
18	Tuberculosis of skin, etc.*	1	-	-	1	-	1	-	1	-	-
19	Tuberculosis of lymphatic system, etc.*	13	5	5	1	2	2	-	-	1	1
20	Tuberculosis of genito-urinary system	62	44	14	2	2	5	3	1	1	-
21	Tuberculosis of other organs	22	11	8	2	1	-	-	-	-	-
22a	Disseminated tuberculosis (acute miliary)	107	37	29	25	16	32	5	4	16	7
22b	Disseminated tuberculosis (other and unspecified)	7	4	2	-	1	3	1	-	-	2
23	Leprosy	3	2	1	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	101	53	40	6	2	33	13	12	3	5
25	Gonococcus infection	21	3	3	4	11	8	-	1	2	5
26	Other diseases due to bacteria (except dysentery)	1	1	-	-	-	4	1	2	-	1
27	Dysentery	34	18	14	1	1	57	22	13	13	9
28	Malaria	4	4	-	-	-	22	6	5	5	6
29	Other diseases due to parasitic protozoa (except spirochetes)	1	1	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	1,883	1,088	302	343	150	312	66	21	149	76
30a	Locomotor ataxia (tabes dorsalis)	90	63	19	7	1	5	1	2	1	1
30b	General paralysis of insane	568	357	72	107	32	84	21	8	46	9
30c	Other syphilis of central nervous system	225	126	41	38	20	21	6	-	7	8
30d	Aneurysm of aorta	348	210	55	63	20	38	15	2	17	4
30e	Other syphilis of circulatory system	185	102	20	44	19	10	1	1	6	2
30f,g	Congenital, other and unspecified forms of syphilis	467	230	95	84	58	154	22	8	72	52
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	16	6	9	1	-	5	2	1	-	2
33a	Influenza, with respiratory complications specified	493	255	223	9	6	353	110	115	63	65
33b	Influenza, without respiratory complications specified	270	121	139	5	5	145	46	48	24	27
34	Smallpox	1	1	-	-	-	1	-	1	-	-
35	Measles	91	44	45	2	-	24	10	9	1	4
36	Acute poliomyelitis and acute polioencephalitis	40	23	16	-	1	16	6	8	1	1
37a,c	Infectious encephalitis lethargica (acute and unqualified)	81	42	34	2	3	3	-	2	1	-
37b	Sequelae of encephalitis lethargica	68	38	28	1	1	-	-	-	-	-
38	Other diseases due to filtrable viruses	16	10	5	-	1	2	1	1	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	2	1	1	-	-	21	13	4	2	2
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	4	2	2	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	4	-	1	1	2
43	Mycoses	22	14	6	1	1	8	2	2	3	1
44	Other infectious and parasitic (communicable) diseases	256	139	99	2	16	40	17	12	7	4
	II.—Cancer and other tumors	22,894	10,681	11,336	367	510	2,528	826	1,048	214	440
45-55	Cancer and other malignant tumors	22,167	10,460	10,905	356	446	2,391	792	1,000	205	394
45	Cancer of buccal cavity and pharynx	690	540	112	27	11	83	44	23	8	8
45a-e	Cancer of buccal cavity	476	373	76	19	8	57	28	19	4	6
45f	Cancer of pharynx	214	167	36	8	3	26	16	4	4	2
46	Cancer of digestive organs and peritoneum	10,552	5,566	4,650	196	140	913	347	343	121	102
46a	Cancer of esophagus	520	371	111	35	3	28	9	6	11	2
46b,c	Cancer of stomach and duodenum	3,281	1,912	1,235	82	52	366	143	112	68	43
46f	Cancer of liver and biliary passages	1,131	461	644	15	11	158	51	76	14	17
46g	Cancer of pancreas	780	453	314	5	8	72	37	22	3	10
46d,e,h,m	Cancer of other digestive organs and peritoneum	4,640	2,369	2,346	59	66	289	107	127	25	30
47	Cancer of respiratory system	2,035	1,588	388	45	14	132	83	30	13	6
48	Cancer of uterus	1,698	...	1,571	...	127	388	...	232	...	156
49	Cancer of other female genital organs	815	...	781	...	34	59	...	49	...	10
50	Cancer of breast	2,312	28	2,189	1	94	233	2	163	-	68
51	Cancer of male genital organs	1,028	995	...	33	...	149	112	...	37	...
52	Cancer of urinary organs (male and female)	1,088	681	386	14	7	85	41	33	5	6
53	Cancer of skin (except vulva and scrotum)	311	182	126	2	1	76	35	35	4	2
54	Cancer of central nervous system*	399	235	144	12	8	68	42	19	4	3
55	Cancer of other and unspecified organs	1,239	645	558	26	10	205	86	73	13	33
56a	Nonmalignant tumors of ovary	85	...	77	...	8	15	...	7	...	8
56b	Nonmalignant tumors of uterus	192	...	149	...	43	40	...	10	...	30
56c	Nonmalignant tumors of other female genital organs	3	...	3	...	-	2	...	1	...	1
56d,e	Nonmalignant tumors of other and unspecified organs	186	96	82	4	4	28	15	10	2	1

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
5,170	3,029	1,995	75	71	82,464	42,035	34,828	3,085	2,516	20,271	10,473	7,114	1,432	1,252	13,704	8,259	5,233	139	73	
303	157	110	15	21	5,738	2,801	1,876	649	412	1,917	850	539	280	248	743	466	248	15	14	
-	-	-	-	-	37	20	15	1	1	24	10	5	5	4	3	2	1	-	-	1
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	3	1	2	-	-	3	1	1	-	1	-	-	-	-	-	5
11	3	5	1	2	107	54	45	7	1	33	15	14	2	2	49	32	17	-	-	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
-	-	-	-	-	34	13	19	-	2	5	-	4	-	1	8	4	4	-	-	8
5	3	2	-	-	131	47	71	7	6	89	27	46	8	8	17	5	12	-	-	9
6	4	2	-	-	47	17	26	1	3	30	12	16	-	2	13	8	5	-	-	10
2	1	1	-	-	18	11	6	-	1	1	1	-	-	-	7	-	7	-	-	11
-	-	-	-	-	25	13	8	3	1	20	13	3	2	2	1	1	-	-	-	12
123	56	45	8	14	2,793	1,320	804	381	288	932	385	228	167	152	271	179	71	11	10	13-22
-	-	-	-	-	87	81	1	5	-	4	4	-	-	-	1	1	-	-	-	13a
110	52	38	7	13	2,433	1,130	726	328	249	865	355	218	148	144	228	156	55	8	9	13b,c
1	-	-	1	-	75	30	25	10	10	15	7	2	4	2	11	3	6	1	1	14
1	-	1	-	-	53	12	18	8	15	13	5	4	3	1	3	3	-	-	-	15
1	1	-	-	-	29	12	7	7	3	6	2	-	3	1	2	-	2	-	-	16
2	2	-	-	-	5	-	2	2	1	3	-	1	1	1	-	-	-	-	-	17a
1	-	1	-	-	7	5	2	-	-	3	1	1	1	-	2	2	-	-	-	17b
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	18
-	-	-	-	-	10	7	2	1	-	1	-	-	-	1	1	-	1	-	-	19
3	1	2	-	-	26	17	8	1	-	8	7	-	1	-	6	4	1	1	-	20
2	-	1	-	1	11	5	6	-	-	-	-	-	-	-	3	2	1	-	-	21
1	-	1	-	-	48	17	6	17	8	13	3	2	6	2	14	8	5	1	-	22a
-	-	-	-	-	8	3	1	2	2	1	1	-	-	-	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
2	1	1	-	-	71	43	26	1	1	33	17	9	4	3	14	12	2	-	-	24
-	-	-	-	-	19	8	5	1	5	10	-	3	5	2	1	-	1	-	-	25
1	1	-	-	-	2	1	1	-	-	6	6	-	-	-	1	1	-	-	-	26
2	-	1	-	1	26	15	11	-	-	58	24	21	9	4	8	6	2	-	-	27
1	1	-	-	-	4	4	-	-	-	31	13	8	4	6	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	29
25	19	5	1	-	951	504	174	200	73	235	128	37	40	30	119	86	28	2	3	30
-	-	-	-	-	46	38	5	3	-	3	1	-	2	-	5	4	1	-	-	30a
1	1	-	-	-	336	178	54	81	23	63	50	7	4	2	35	25	10	-	-	30b
2	1	1	-	-	92	47	23	16	6	23	10	10	1	2	13	8	3	1	1	30c
13	11	2	-	-	175	103	26	37	9	36	26	2	4	4	30	20	9	1	-	30d
-	-	-	-	-	59	27	9	15	8	12	4	3	3	2	4	3	1	-	-	30e
9	6	2	1	-	243	111	57	48	27	98	37	15	26	20	32	26	4	-	2	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
1	-	1	-	-	19	13	6	-	-	5	2	1	1	1	4	1	3	-	-	32
44	29	14	1	-	678	332	304	29	13	165	72	61	18	14	92	62	30	-	-	33a
35	20	15	-	-	485	226	240	8	11	147	64	56	13	14	49	25	23	1	-	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
17	4	6	4	3	60	32	25	2	1	4	3	1	-	-	31	15	15	-	1	35
2	-	1	-	1	16	10	5	1	-	34	24	10	-	-	20	9	10	1	-	36
8	4	4	-	-	37	14	21	1	1	9	4	4	-	1	6	3	3	-	-	37a,c
4	3	1	-	-	14	11	2	1	-	-	-	-	-	-	1	-	1	-	-	37b
1	-	1	-	-	15	9	6	-	-	6	3	3	-	-	2	-	2	-	-	38
-	-	-	-	-	2	2	-	-	-	4	3	1	-	-	1	-	1	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	41
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	42
-	-	-	-	-	17	13	3	-	1	3	2	-	1	-	1	1	-	-	-	43
13	8	5	-	-	123	65	50	5	3	30	21	7	1	1	22	12	10	-	-	44
676	376	295	2	3	10,177	4,392	5,330	204	251	2,132	933	1,021	54	124	1,734	866	845	16	7	
655	368	282	2	3	9,833	4,288	5,120	198	227	2,020	898	965	53	104	1,677	842	812	16	7	45-55
19	12	7	-	-	297	229	57	9	2	81	57	19	2	3	47	39	8	-	-	45
12	9	3	-	-	206	161	38	6	1	44	30	11	-	3	34	28	6	-	-	45a-e
7	3	4	-	-	91	68	19	3	1	37	27	8	2	-	13	11	2	-	-	45f
323	211	109	2	1	4,512	2,261	2,082	101	68	858	445	349	31	33	760	433	316	10	1	46
9	8	1	-	-	167	128	28	9	2	18	11	5	2	-	19	11	8	-	-	46a
161	114	46	-	1	1,469	867	534	44	24	327	198	100	14	15	283	191	88	4	-	46b,c
44	20	24	-	-	743	277	442	14	10	191	87	89	6	9	102	53	46	3	-	46f
26	14	12	-	-	289	139	139	5	6	66	41	22	2	1	71	36	34	1	-	46g
83	55	26	2	-	1,844	850	939	29	26	256	108	133	7	8	285	142	140	2	1	46d,e,h,m
37	29	8	-	-	624	471	131	18	4	120	75	38	5	2	108	81	24	2	1	47
35	...	35	...	-	1,074	...	984	...	90	270	...	237	...	33	131	...	129	...	2	48
16	...	18	...	-	291	...	288	...	3	38	...	35	...	3	53	...	53	...	-	49
62	1	59	-	2	983	12	940	-	31	151	2	136	-	13	162	5	156	-	1	50
46	46	...	-	...	598	566	...	32	...	139	129	...	10	...	133	131	...	2	...	51
39	26	13	-	-	461	259	165	12	5	75	41	29	3	2	73	45	25	2	1	52
7	6	1	-	-	169	100	65	1	3	99	61	36	-	2	28	18	10	-	-	53
10	7	3	-	-	111	65	39	4	3	17	8	8	-	1	36	21	15	-	-	54
59	30	29	-	-	713	325	349	21	18	172	80	78	2	12	146	69	76	-	1	55
1	...	1	...	-	41	...	41	...	-	10	...	8	...	2	4	...	4	...	-	56a
4	...	4	...	-	107	...	90	...	17	26	...	15	...	11	16	...	16	...	-	56b
-	...	-	...	-	5	...	5	...	-	1	...	1	...	-	-	...	-	...	-	56c
5	1	4	-	-	91	46	40	4	1	12	6	6	-	-	6	5	1	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	4	...	4	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	3	...	3	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	5	...	5	...	-	1	...	1	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	249	125	108	7	9	51	19	19	7	6
	III.—Rheumatism, diseases of nutrition, etc.*	6,594	2,221	4,146	62	165	811	234	354	80	143
58a-d	Acute rheumatic heart diseases	145	66	63	9	7	34	6	12	8	8
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	28	10	15	2	1	20	3	8	3	6
59	Chronic rheumatism and other rheumatic diseases	150	46	100	4	-	43	12	16	6	9
60	Gout	-	-	-	-	-	-	-	-	-	-
61	Diabetes mellitus	5,653	1,885	3,598	39	131	485	149	217	45	74
62	Diseases of pituitary gland	22	11	9	-	2	4	2	1	-	1
63a	Simple goiter	14	3	10	-	1	3	-	3	-	-
63b	Exophthalmic goiter	308	55	238	4	11	41	3	23	1	14
63c-e	Other diseases of thyroid and parathyroid glands	37	9	28	-	-	5	1	1	-	3
64	Diseases of thymus gland	109	68	31	3	7	36	18	10	6	2
65	Diseases of adrenal glands (not specified as tuberculous)	67	35	29	1	2	6	4	1	-	1
66	Other general diseases	32	15	15	-	2	22	6	8	5	3
67	Scurvy	2	1	1	-	-	1	1	-	-	-
68	Beriberi	3	3	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	10	4	6	-	-	105	28	51	5	21
70	Rickets	-	-	-	-	-	2	-	-	1	1
71	Other avitaminoses	14	10	3	-	1	4	1	3	-	-
	IV.—Diseases of the blood and blood-forming organs	1,212	589	589	20	14	196	77	68	25	26
72	Hemorrhagic conditions	45	18	23	2	2	19	8	6	4	1
73a	Pernicious anemia	222	84	137	-	1	30	9	9	5	7
73b-d	Other anemias (except splenic)	103	45	55	1	2	31	14	7	6	4
74a	Leukemias	723	384	318	15	6	98	41	40	7	10
74b	Aleukemias	34	16	17	-	1	2	1	-	-	1
75	Diseases of spleen	60	30	27	1	2	13	4	3	3	3
76	Other diseases of the blood and blood-forming organs	25	12	12	1	-	3	-	3	-	-
	V.—Chronic poisoning and intoxication	398	308	59	24	7	48	30	4	10	4
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	13	9	3	-	1	-	-	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	370	288	54	23	5	43	26	3	10	4
78	Lead poisoning	4	2	1	-	1	1	1	-	-	-
79	Chronic poisoning by other mineral or organic substances	11	9	1	1	-	4	3	1	-	-
	VI.—Diseases of the nervous system, etc.*	12,477	5,521	6,465	246	245	3,579	1,200	1,061	631	687
80	Encephalitis (nonepidemic)	97	51	36	7	3	42	16	14	5	7
81	Meningitis (not due to meningococcus)	220	101	74	29	16	77	31	15	18	13
82	Diseases of spinal cord (see exceptions)*	312	190	116	4	2	36	17	11	6	2
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	8,917	3,768	4,830	145	174	2,865	950	869	488	558
83b	Cerebral embolism and thrombosis	1,674	793	837	22	22	136	51	40	16	19
83c	Cerebral softening	82	43	37	1	1	6	4	1	-	1
83d	Hemiplegia and other paralysis of unspecified origin	105	56	47	-	2	107	36	35	21	15
84	Mental diseases and deficiency (see exception)*	143	61	67	10	5	91	16	20	26	29
85	Epilepsy	254	139	95	11	9	106	22	21	34	29
86	Convulsions (under 5 years)	15	6	6	1	2	17	6	5	3	3
87	Other diseases of nervous system	499	224	257	11	7	65	26	21	9	9
88	Diseases of organs of vision	2	1	1	-	-	3	-	2	1	-
89a	Otitis and other diseases of the ear	94	52	36	4	2	17	7	5	3	2
89b	Diseases of mastoid process	63	36	26	1	-	11	8	2	1	-
	VII.—Diseases of the circulatory system	64,697	34,535	27,821	1,112	1,229	6,677	2,962	1,865	973	877
90-95	Diseases of the heart (all forms)	60,638	32,616	25,817	1,048	1,157	6,182	2,763	1,763	876	780
90	Pericarditis (except acute rheumatic)	31	14	15	2	-	11	2	2	6	1
91a,b	Bacterial and other acute or subacute endocarditis	170	89	71	7	3	48	15	17	4	11
91c	Endocarditis (unspecified, under 45 years)	9	6	2	-	1	8	1	4	2	1
92a-d	Chronic endocarditis and diseases of the valves*	4,529	2,093	2,294	57	85	708	247	196	144	121
92e	Endocarditis (unspecified, 45 years and over)	155	81	72	-	2	53	22	15	11	5
93a	Acute myocarditis (except rheumatic)	263	142	116	1	4	76	21	18	20	19
93b	Myocarditis (unspecified, under 45 years)	19	9	10	-	-	24	7	2	7	8
93c,d	Chronic myocarditis and myocardial degeneration	36,628	18,028	17,057	699	844	2,032	796	657	294	285
93e	Other myocarditis (unspecified)	1,055	596	440	11	8	271	114	99	30	28
94a	Diseases of coronary arteries	14,786	10,060	4,394	204	128	1,465	894	371	125	95
94b	Angina pectoris	256	171	82	2	1	234	136	55	25	18
95a	Functional diseases of heart, etc.*	43	21	22	-	-	21	10	7	2	2
95b,c	Other and unspecified diseases of heart	2,694	1,306	1,242	65	81	1,209	497	320	206	186
96	Aneurysm (except of heart and aorta)	256	137	98	14	7	16	6	4	3	3
97	Arteriosclerosis (except coronary or renal sclerosis)	3,425	1,595	1,734	43	53	346	147	62	71	66
98	Gangrene	20	17	3	-	-	18	3	4	4	7
99	Other diseases of arteries	174	86	85	2	1	35	18	8	6	3
100	Diseases of veins	107	50	50	1	6	20	8	6	2	4
101	Diseases of lymphatic system	5	4	1	-	-	4	-	2	2	-
102	High blood pressure (idiopathic)	68	28	31	4	5	45	15	13	7	10
103	Other diseases of circulatory system	4	2	2	-	-	11	2	3	2	4
	VIII.—Diseases of the respiratory system	8,456	4,662	3,237	355	202	1,999	606	575	424	394
104a	Diseases of nasal fossae	18	10	7	-	1	23	3	4	7	9
104b	Diseases of accessory sinuses	54	30	17	2	5	17	9	3	2	3
105	Diseases of larynx	36	20	16	-	-	18	9	3	1	5
106a	Acute bronchitis	143	81	53	6	3	20	7	3	4	6

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
11	7	4	-	-	99	58	34	2	5	63	29	26	1	7	31	19	12	-	-	57d,e
188	73	110	-	5	3,054	997	1,899	42	116	590	235	296	29	30	349	142	202	3	2	
3	1	2	-	-	50	23	24	-	3	9	4	2	3	-	9	6	3	-	-	58a-d
3	3	-	-	-	29	11	15	1	2	10	3	4	2	1	1	1	-	-	-	58e,f
14	1	13	-	-	122	39	82	5	1	41	17	21	-	3	18	8	10	-	-	59
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	60
150	62	84	-	4	2,378	804	1,452	34	88	399	168	198	17	16	259	103	154	2	-	61
-	-	-	-	-	12	4	7	-	1	2	1	1	-	-	1	1	-	-	-	62
-	-	-	-	-	10	-	10	-	-	4	1	2	1	-	6	2	4	-	-	63a
9	2	7	-	-	285	31	239	1	14	27	4	22	1	-	27	7	20	-	-	63b
-	-	-	-	-	24	7	15	-	2	6	2	4	-	-	4	1	2	-	1	63c-e
6	4	1	-	1	74	45	24	1	4	12	10	1	1	-	9	6	2	-	1	64
1	-	1	-	-	23	9	14	-	-	10	6	3	1	-	7	4	3	-	-	65
2	-	2	-	-	15	7	8	-	-	11	4	6	-	1	2	1	1	-	-	66
-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	67
-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	2	-	1	1	-	68
-	-	-	-	-	12	6	6	-	-	54	13	30	3	8	2	1	1	-	-	69
-	-	-	-	-	8	5	2	-	1	2	-	1	-	1	-	-	-	-	-	70
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	2	1	1	-	-	71
48	23	24	-	1	582	279	280	15	8	168	84	79	3	2	107	60	45	2	-	
4	2	2	-	-	34	15	17	1	1	11	4	7	-	-	4	4	-	-	-	72
12	4	8	-	-	143	61	79	3	-	40	21	17	1	1	20	9	11	-	-	73a
7	3	3	-	1	53	25	26	2	-	34	13	18	2	1	12	5	7	-	-	73b-d
19	12	7	-	-	304	151	138	8	7	71	38	33	-	-	57	32	23	2	-	74a
1	-	1	-	-	4	3	1	-	-	1	1	-	-	-	7	4	3	-	-	74b
-	-	-	-	-	26	17	8	1	-	6	3	3	-	-	5	4	1	-	-	75
5	2	3	-	-	18	7	11	-	-	5	4	1	-	-	2	2	-	-	-	76
6	5	1	-	-	86	60	17	6	3	20	19	1	-	-	30	25	5	-	-	
1	1	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	77a,b
5	4	1	-	-	64	44	13	4	3	17	16	1	-	-	29	25	4	-	-	77c-e
-	-	-	-	-	10	7	2	1	-	-	-	-	-	-	-	-	-	-	-	78
-	-	-	-	-	10	7	2	1	-	2	2	-	-	-	1	-	1	-	-	79
558	318	235	3	2	9,355	4,420	4,387	280	268	2,327	1,159	918	126	124	1,499	790	693	11	5	
5	-	5	-	-	82	34	40	6	2	37	18	15	3	1	9	7	2	-	-	80
7	4	3	-	-	136	76	41	9	10	31	14	12	3	2	20	13	7	-	-	81
13	9	4	-	-	184	114	59	7	4	37	19	15	2	1	23	13	10	-	-	82
420	238	178	2	2	7,581	3,524	3,622	215	220	1,762	870	707	87	98	1,160	601	546	8	5	83a
44	24	20	-	-	615	293	275	25	22	65	38	24	3	-	117	62	53	2	-	83b
3	2	1	-	-	38	13	25	-	-	7	3	4	-	-	3	1	2	-	-	83c
16	9	7	-	-	128	70	54	3	1	213	112	69	19	13	51	21	29	1	-	83d
2	1	1	-	-	60	29	30	1	-	48	20	25	1	2	24	14	10	-	-	84
19	12	6	1	-	137	75	55	5	2	43	23	15	4	1	21	12	9	-	-	85
6	2	4	-	-	24	17	6	-	1	12	5	2	3	2	6	3	3	-	-	86
20	15	5	-	-	290	142	141	4	3	54	25	27	-	2	49	31	18	-	-	87
1	1	-	-	-	4	-	4	-	-	1	1	-	-	-	1	1	-	-	-	88
2	1	1	-	-	57	23	25	5	3	13	7	3	1	2	12	8	4	-	-	89a
-	-	-	-	-	19	10	9	-	-	4	4	-	-	-	3	3	-	-	-	89b
1,519	956	541	16	6	26,886	14,683	10,770	728	655	4,840	2,846	1,565	237	192	4,118	2,654	1,419	29	16	
1,399	887	492	15	5	24,749	13,629	9,809	690	621	4,394	2,582	1,413	223	176	3,744	2,420	1,283	27	14	90-95
1	1	-	-	-	36	15	14	5	2	13	8	1	1	3	4	2	2	-	-	90
6	3	3	-	-	129	59	50	8	12	26	11	15	-	-	19	13	6	-	-	91a,b
1	-	1	-	-	16	5	8	1	2	7	2	4	-	1	4	2	2	-	-	91c
149	89	57	2	1	2,708	1,334	1,168	99	112	481	232	168	43	38	452	256	187	5	4	92a-d
26	17	9	-	-	214	97	105	7	5	60	29	26	5	-	23	15	8	-	-	92e
11	6	5	-	-	231	98	103	16	14	50	29	14	4	3	19	14	3	2	-	93a
1	1	-	-	-	27	11	9	-	7	13	7	4	-	2	2	1	1	-	-	93b
531	308	216	4	3	10,072	4,930	4,626	272	244	1,137	612	444	39	42	1,221	699	509	7	6	93c,d
92	57	34	1	-	1,332	693	571	38	30	326	174	115	20	17	165	111	53	-	1	93e
418	311	105	2	-	7,124	4,749	2,110	159	106	1,333	933	338	43	19	1,499	1,097	389	10	3	94a
17	12	5	-	-	495	321	163	7	4	126	88	33	5	-	70	50	19	1	-	94b
12	5	7	-	-	74	31	39	-	4	47	26	19	-	2	13	7	6	-	-	95a
134	77	50	6	1	2,291	1,286	848	78	79	775	431	232	63	49	253	153	98	2	-	95b,c
2	2	-	-	-	77	45	22	5	5	16	9	4	2	1	13	8	5	-	-	96
88	50	37	1	-	1,705	866	790	24	25	307	193	103	5	6	296	185	109	2	-	97
4	2	2	-	-	35	18	17	-	1	12	8	2	1	1	9	5	4	-	-	98
10	7	2	-	1	143	66	72	4	1	33	23	7	1	2	25	16	8	-	1	99
2	-	2	-	-	56	27	25	4	-	16	4	11	1	-	12	7	4	-	1	100
-	-	-	-	-	6	2	3	-	1	1	-	1	-	-	-	-	-	-	-	101
14	8	6	-	-	50	18	30	1	1	59	26	24	4	5	15	9	6	-	-	102
-	-	-	-	-	14	12	2	-	-	2	1	-	-	1	4	4	-	-	-	103
299	170	110	9	10	4,670	2,416	1,805	272	177	1,267	599	441	129	98	1,035	689	322	17	7	
3	2	1	-	-	7	4	2	-	1	2	1	-	1	-	6	5	1	-	-	104a
2	2	-	-	-	31	17	11	1	2	5	2	3	-	-	10	5	5	-	-	104b
-	-	-	-	-	25	17	8	-	-	8	5	3	-	-	3	3	-	-	-	105
5	3	2	-	-	65	33	31	-	1	6	4	-	-	2	11	7	4	-	-	105a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	194	127	62	3	2	37	11	21	5	-
106c	Bronchitis (unspecified)	58	27	30	1	-	15	6	5	2	2
107	Bronchopneumonia (including capillary bronchitis)	3,801	1,693	1,401	115	92	767	225	231	161	150
108	Lobar pneumonia	3,657	2,093	1,297	185	82	674	204	179	157	134
109	Pneumonia (unspecified)	190	104	74	8	4	222	50	57	59	56
110	Pleurisy (not specified as tuberculous)	196	128	52	11	5	34	16	5	9	4
111a	Hemorrhagic infarction and thrombosis of lungs	100	51	47	1	1	22	9	9	1	3
111b,c	Acute edema, chronic and unspecified congestion of lungs	84	35	47	2	-	48	19	19	4	6
112	Asthma	223	129	83	6	5	68	24	29	6	9
113	Pulmonary emphysema	38	26	11	1	-	2	2	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	164	108	40	14	2	32	12	7	6	7
	IX.—Diseases of the digestive system	7,491	4,246	2,924	196	125	1,487	545	379	294	269
115a,b,d	Diseases of buccal cavity and adnexa	99	45	47	4	2	45	16	13	11	5
115c	Diseases of pharynx and tonsils	98	52	37	4	5	44	20	10	10	4
116	Diseases of esophagus	23	14	9	-	-	5	3	1	-	1
117a	Ulcer of stomach	841	697	109	31	4	107	62	6	28	11
117b	Ulcer of duodenum	413	337	62	12	2	39	29	4	2	4
118	Other diseases of stomach (except cancer)	51	23	27	-	1	36	12	7	7	10
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	454	251	167	27	9	424	118	99	101	106
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	194	92	91	5	6	87	16	39	15	17
121	Appendicitis	811	447	322	27	15	166	59	42	40	25
122a	Hernia	730	402	303	14	11	57	28	12	9	8
122b	Intestinal obstruction	655	274	335	16	30	146	39	44	25	38
123	Other diseases of intestines	188	105	76	4	3	41	21	10	5	5
124a	Cirrhosis of liver (with mention of alcoholism)	295	197	84	10	4	7	5	1	1	-
124b	Cirrhosis of liver (without mention of alcoholism)	1,463	866	557	27	13	134	76	30	18	10
125a	Acute yellow atrophy of liver (nonpuerperal)	75	29	38	2	6	10	2	3	2	3
125b	Other diseases of liver	69	33	33	3	-	28	11	3	8	6
126	Biliary calculi	542	170	362	3	7	24	3	17	1	3
127	Other diseases of gallbladder and biliary ducts	278	95	181	2	-	44	11	22	6	5
128	Diseases of pancreas (except diabetes mellitus)	113	59	51	1	2	16	6	6	4	-
129	Peritonitis (cause not stated)	99	57	33	4	5	27	8	10	1	8
	X.—Diseases of the genito-urinary system	9,697	5,032	4,150	251	264	3,294	1,143	840	680	631
130	Acute nephritis	106	61	41	1	3	129	31	26	38	34
131a	Arteriosclerotic kidney	5,732	2,687	2,725	147	173	2,085	712	543	425	405
131b	Other chronic nephritis	2,052	980	972	42	58	648	200	182	133	133
132	Nephritis unspecified (10 years and over)	138	69	59	6	4	111	36	22	29	24
133	Other diseases of kidneys and ureters, etc. *	354	200	139	6	9	61	19	26	8	8
134	Calculi of urinary passages	191	120	65	5	1	34	23	11	-	-
135	Diseases of urinary bladder	63	24	34	4	1	20	8	5	6	1
136	Diseases of urethra (except calculus)	39	29	4	6	-	12	9	-	3	-
137	Diseases of prostate	890	857	...	33	...	143	105	...	38	...
138	Diseases of other male genital organs (except venereal)	6	5	...	1	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	81	...	68	...	13	37	...	15	...	22
139b	Diseases of uterus	40	...	39	...	1	13	...	9	...	4
139c	Diseases of other and unspecified female genital organs	5	...	4	...	1	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	521	...	458	...	63	306	...	135	...	171
140	Abortion with mention of infection	70	...	45	...	25	24	...	5	...	19
140a,b	Abortion (septic), spontaneous or therapeutic *	52	...	31	...	21	23	...	5	...	18
140c,d	Abortion (septic), self-induced or nontherapeutic *	18	...	14	...	4	1	...	-	...	1
141	Abortion without mention of infection	38	...	34	...	4	20	...	9	...	11
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	13	...	12	...	1	9	...	6	...	3
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	23	...	20	...	3	11	...	3	...	8
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	2	...	2	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	6	...	4	...	2	1	...	1	...	-
142b	Ectopic gestation, without mention of infection	23	...	18	...	5	9	...	3	...	6
143a	Placenta praevia (death before delivery)	3	...	3	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	2	...	2	...	-	2	...	-	...	2
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	18	...	17	...	1	20	...	7	...	13
144c,d	Other toxemias of pregnancy (death before delivery) *	8	...	7	...	1	10	...	4	...	6
145	Other diseases and accidents of pregnancy (death before delivery)	21	...	19	...	2	7	...	4	...	3
	A. With mention of infection	15	...	15	...	-	5	...	4	...	1
	B. Without mention of infection	6	...	4	...	2	2	...	-	...	2
146a	Placenta praevia (with childbirth)	13	...	12	...	1	12	...	6	...	6
146b,c	Other hemorrhages of childbirth and puerperium	69	...	65	...	4	48	...	23	...	25
147a,b	Puerperal pyelitis, other general or local puerperal infection *	54	...	50	...	4	28	...	8	...	20
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	65	...	61	...	4	27	...	18	...	9
148a,b	Puerperal eclampsia and nephritis *	39	...	35	...	4	59	...	25	...	34
148c,d	Other puerperal toxemias	20	...	20	...	-	5	...	2	...	3
149	Other accidents and specified conditions of childbirth	48	...	44	...	4	12	...	9	...	3
150	Other and unspecified conditions of childbirth and puerperium	24	...	22	...	2	22	...	11	...	11
	XII.—Diseases of the skin and cellular tissue	131	56	66	5	4	49	15	17	7	10
151	Carbuncle and furuncle	17	11	5	1	-	4	-	3	1	-
152	Phlegmon and acute abscess	38	17	18	2	1	18	9	3	1	5
153	Other diseases of skin and cellular tissue	76	28	43	2	3	27	6	11	5	5
	XIII.—Diseases of the bones, etc. *	96	54	33	5	4	26	6	6	8	6
154	Osteomyelitis and periostitis	34	22	7	5	-	17	3	4	6	4
155	Other diseases of bones (except tuberculosis)	29	12	16	-	1	1	1	-	-	-
156	Diseases of joints and other organs of movement	33	20	10	-	3	8	2	2	2	2
157	XIV.—Congenital malformations	1,584	775	751	32	26	466	211	172	45	38

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
4	4	-	-	-	100	52	40	5	3	29	16	11	1	1	23	17	5	1	-	106b
4	1	2	1	-	56	31	21	2	2	15	7	7	1	-	6	1	5	-	-	106c
118	66	48	3	1	2,055	981	888	108	78	367	155	138	38	36	385	239	135	8	3	107
90	50	33	1	6	1,553	836	530	118	69	300	138	100	41	21	379	275	94	6	4	108
21	8	7	3	3	217	124	78	9	6	365	169	128	37	31	66	45	19	2	-	109
5	4	-	1	-	90	55	25	6	4	25	18	3	1	3	27	17	10	-	-	110
13	9	4	-	-	78	45	25	5	3	17	9	6	1	1	11	8	3	-	-	111a
16	8	8	-	-	128	59	65	2	2	67	35	28	3	1	48	31	17	-	-	111b,c
14	12	2	-	-	133	64	58	7	4	40	27	7	4	2	34	18	16	-	-	112
-	-	-	-	-	14	10	4	-	-	2	2	-	-	-	3	2	1	-	-	113
4	1	3	-	-	118	88	19	9	2	19	11	7	1	-	23	16	7	-	-	114
226	127	90	5	4	3,953	2,082	1,620	145	106	1,127	589	369	81	88	538	321	206	7	4	
4	2	2	-	-	84	35	38	5	6	28	10	14	1	3	6	4	2	-	-	115a,b,d
5	3	2	-	-	77	36	30	5	6	31	14	15	1	1	11	4	6	1	-	115c
1	-	1	-	-	14	10	4	-	-	2	1	1	-	-	2	2	-	-	-	116
25	20	5	-	-	386	279	81	20	6	89	74	8	4	3	62	46	15	1	-	117a
8	8	-	-	-	132	106	19	7	-	34	26	6	2	-	41	39	2	-	-	117b
1	1	-	-	-	89	52	29	5	3	67	36	12	10	9	10	5	5	-	-	118
18	9	4	3	2	482	234	203	25	19	144	71	43	13	17	22	7	12	-	3	119
9	5	2	2	-	165	78	74	8	5	79	38	30	7	4	20	8	12	-	-	120
31	20	11	-	-	390	222	145	15	8	179	109	52	10	8	63	40	20	2	1	121
18	12	6	-	-	304	172	120	11	1	55	34	15	5	1	49	36	12	1	-	122a
23	11	12	-	-	391	155	212	11	13	121	59	46	7	9	64	30	34	-	-	122b
3	-	3	-	-	80	36	39	2	3	19	8	8	1	2	24	14	9	1	-	123
-	-	-	-	-	76	57	15	3	1	6	5	1	-	-	7	4	3	-	-	124a
33	21	12	-	-	627	386	205	16	20	115	64	32	11	8	73	46	27	-	-	124b
-	-	-	-	-	36	15	19	-	2	4	1	2	1	-	12	7	5	-	-	125a
5	2	3	-	-	71	27	40	3	1	22	8	5	3	6	11	7	4	-	-	125b
21	5	15	-	1	263	64	193	1	5	36	3	30	-	3	21	11	10	-	-	126
16	6	10	-	-	180	64	113	1	2	64	17	37	2	8	25	5	20	-	-	127
3	2	-	-	1	46	26	17	2	1	3	2	1	-	-	8	2	5	1	-	128
2	-	2	-	-	60	28	24	4	4	29	9	11	3	6	7	4	3	-	-	129
371	227	143	-	1	6,293	3,399	2,501	210	243	1,571	796	504	162	109	1,321	757	554	6	4	
10	3	7	-	-	127	54	59	8	6	52	22	21	6	3	18	12	6	-	-	130
184	107	77	-	-	3,785	1,864	1,640	126	155	710	351	240	64	55	933	496	427	6	4	131a
75	45	30	-	-	1,353	708	552	42	51	320	158	98	39	25	185	107	78	-	-	131b
31	18	13	-	-	136	75	51	1	9	251	107	90	37	17	29	18	11	-	-	132
14	8	6	-	-	175	84	79	8	4	39	19	18	1	1	32	17	15	-	-	133
5	4	1	-	-	88	63	22	2	1	28	15	11	1	1	13	9	4	-	-	134
2	1	1	-	-	30	21	6	2	1	22	9	5	5	3	8	5	3	-	-	135
-	-	-	-	-	12	9	-	3	-	1	1	-	-	-	2	2	-	-	-	136
41	41	...	-	...	474	458	...	16	...	122	113	...	9	...	90	90	...	-	...	137
-	-	...	-	...	5	3	...	2	...	1	1	...	-	...	1	1	...	-	...	138
3	...	2	...	1	52	...	41	...	11	13	...	10	...	3	4	...	4	...	-	139a
6	...	6	...	-	55	...	51	...	4	12	...	11	...	1	5	...	5	...	-	139b
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	139c
39	...	37	...	2	324	...	300	...	24	122	...	90	...	32	38	...	36	...	2	
2	...	1	...	1	42	...	38	...	4	8	...	7	...	1	1	...	1	...	-	140
2	...	1	...	1	30	...	27	...	3	7	...	6	...	1	-	...	-	...	-	140a,b
-	...	-	...	-	12	...	11	...	1	1	...	1	...	-	1	...	1	...	-	140c,d
4	...	4	...	-	22	...	21	...	1	9	...	7	...	2	2	...	2	...	-	141
-	...	-	...	-	4	...	4	...	-	4	...	4	...	-	-	...	-	...	-	141a,c
4	...	4	...	-	13	...	12	...	1	5	...	3	...	2	2	...	2	...	-	141b,d
-	...	-	...	-	5	...	5	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
-	...	-	...	-	8	...	8	...	-	3	...	1	...	2	-	...	-	...	-	142a
4	...	4	...	-	11	...	7	...	4	5	...	4	...	1	1	...	1	...	-	142b
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	-	...	-	...	-	143b,c
6	...	6	...	-	11	...	10	...	1	6	...	6	...	-	2	...	2	...	-	144a,b
1	...	1	...	-	5	...	5	...	-	3	...	2	...	1	4	...	3	...	1	144c,d
1	...	1	...	-	12	...	11	...	1	4	...	4	...	-	2	...	2	...	-	145
1	...	1	...	-	7	...	6	...	1	3	...	3	...	-	2	...	2	...	-	
-	...	-	...	-	5	...	5	...	-	1	...	1	...	-	-	...	-	...	-	
-	...	-	...	-	12	...	11	...	1	3	...	3	...	-	1	...	1	...	-	146a
6	...	5	...	1	39	...	36	...	3	18	...	12	...	6	5	...	5	...	-	146b,c
2	...	2	...	-	33	...	31	...	2	13	...	8	...	5	2	...	2	...	-	147a,b
4	...	4	...	-	42	...	41	...	1	8	...	7	...	1	8	...	8	...	-	147c,d
5	...	5	...	-	37	...	35	...	2	20	...	15	...	5	2	...	2	...	-	148a,b
-	...	-	...	-	9	...	9	...	-	4	...	2	...	2	-	...	-	...	-	148c,d
1	...	1	...	-	20	...	18	...	2	9	...	5	...	4	6	...	6	...	-	149
2	...	2	...	-	18	...	16	...	2	8	...	6	...	2	2	...	1	...	1	150
1	-	-	-	1	60	27	27	1	5	19	7	5	5	2	11	5	5	1	-	
-	-	-	-	-	13	10	3	-	-	5	1	2	2	-	2	2	-	-	-	151
-	-	-	-	-	8	4	3	1	-	1	1	-	-	-	2	1	-	1	-	152
1	-	-	-	1	39	13	21	-	5	13	5	3	3	2	7	2	5	-	-	153
3	2	1	-	-	59	38	19	1	1	21	12	7	1	1	23	13	9	1	-	
1	1	-	-	-	28	20	7	-	1	10	7	3	-	-	7	5	1	1	-	154
-	-	-	-	-	12	4	8	-	-	2	1	-	-	1	5	3	2	-	-	155
2	1	1	-	-	19	14	4	1	-	9	4	4	1	-	11	5	6	-	-	156
59	32	25	1	1	864	475	350	19	20	264	124	116	14	10	155	83	71	1	-	157

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	NEW YORK					NORTH CAROLINA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	4,419	2,390	1,670	172	187	1,927	793	522	352	260
158	Congenital debility (cause not stated)	57	26	25	3	3	118	39	20	31	28
159	Premature birth (cause not stated)	2,728	1,412	1,059	111	146	1,233	491	336	232	174
160a	Intracranial or spinal hemorrhage	481	273	170	22	16	156	71	48	23	14
160b,c	Other injuries at birth	529	310	206	8	5	191	97	58	23	13
161	Other diseases peculiar to the first year of life	624	369	210	28	17	229	95	60	43	31
162	XVI.—Senility	225	77	146	1	1	257	60	100	42	55
	XVII.—Violent or accidental deaths	10,743	6,570	3,540	460	173	2,727	1,438	482	619	188
163,164	Suicide	1,704	1,076	560	37	11	251	181	47	19	4
163	Suicide by poisoning	639	314	303	15	7	30	17	12	-	1
	Suicide by solid or liquid poisons	151	66	82	2	1	19	9	9	-	1
	Suicide by poisonous gases	488	248	221	13	6	11	8	3	-	-
164a	Suicide by hanging or strangulation	454	345	102	7	-	30	22	6	2	-
164b	Suicide by drowning	68	36	32	-	-	12	7	3	1	1
164c	Suicide by firearms and explosives	273	235	34	3	1	160	122	22	14	2
164d	Suicide by cutting or piercing instruments	84	61	19	4	-	10	8	1	1	-
164e	Suicide by jumping from high places	151	63	78	7	3	5	4	1	-	-
164f	Suicide by crushing	20	12	7	1	-	2	-	1	1	-
164g	Suicide by other or unspecified means	15	10	5	-	-	2	1	1	-	-
165-168	Homicide [1]	310	122	64	97	27	261	75	15	149	22
166	Homicide by firearms	93	43	19	28	3	162	53	10	90	9
167	Homicide by cutting or piercing instruments	105	26	11	56	12	65	7	2	46	10
168	Homicide by other means	112	53	34	13	12	34	15	3	13	3
169-195	Accidental deaths	8,712	5,358	2,896	323	135	2,201	1,179	420	441	161
169	Railway accidents (except collisions with motor vehicles)	308	215	80	6	7	97	72	8	15	2
170a	Collisions between automobiles and trains	62	35	25	2	-	37	18	10	8	1
170b	Collisions between automobiles and streetcars	10	9	-	1	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	1,756	1,308	335	93	20	680	415	98	145	22
170d	Motorcycle accidents (except collisions with automobiles)	23	21	2	-	-	12	10	-	2	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	155	115	30	9	1	-	-	-	-	-
171b	Other and unspecified road-transport accidents	16	10	6	-	-	13	4	4	5	-
172	Water-transport accidents	128	112	5	10	1	35	27	1	7	-
173	Air-transport accidents	196	194	-	2	-	160	151	8	1	-
174	Accidents in mines and quarries	9	7	2	-	-	9	9	-	-	-
175a	Accidents involving agricultural machinery and vehicles	50	47	3	-	-	14	9	-	5	-
175b,c	Other agricultural accidents, including injury by animals	58	54	4	-	-	17	9	1	7	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	2	1	-	1	-
175e	Other forestry accidents	6	6	-	-	-	2	-	-	2	-
176	Other accidents involving machinery	112	98	4	10	-	27	16	-	10	1
177	Food poisoning	10	6	3	-	1	17	2	7	5	3
178	Accidental absorption of poisonous gas	493	301	172	11	9	7	3	2	2	-
179	Acute accidental poisoning by solids or liquids	108	49	52	4	3	43	11	7	15	10
180	Conflagration	244	143	61	16	24	70	14	8	25	23
181	Accidental burns (except conflagration)	374	163	183	13	15	158	46	56	26	30
182	Accidental mechanical suffocation	135	79	48	5	3	85	31	13	22	19
183	Accidental drowning	541	431	68	38	4	120	63	9	44	4
184	Accidental injury by firearms	78	70	7	1	-	61	33	5	20	3
185	Accidental injury by cutting or piercing instruments	25	16	8	1	-	7	3	1	3	-
186a	Accidental injury by fall	3,132	1,378	1,660	58	36	317	122	152	24	19
186b	Accidental injury by crushing	22	22	-	-	-	8	2	-	6	-
187	Cataclysm, etc. *	1	1	-	-	-	8	2	-	-	6
188	Injury by animals (except in agriculture and forestry)	4	3	1	-	-	6	3	1	2	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	21	16	3	1	1	6	1	-	3	2
191	Excessive heat	38	28	7	3	-	14	8	2	4	-
192	Lightning	14	13	1	-	-	22	13	2	4	3
193	Accidents due to electric currents (except lightning)	43	39	2	2	-	24	20	2	2	-
194	Poisoning by venomous animals (except in agriculture and forestry)	1	1	-	-	-	5	1	-	2	2
195a,b	Accidents due to medical or surgical intervention	6	3	3	-	-	1	1	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	94	53	35	2	4	27	13	8	3	3
195c,e	Other and unspecified accidents	439	312	86	35	6	90	46	15	21	8
196	Deaths of military personnel during operations of war	2	2	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	3	3	-	-	-	-	-	-	-	-
198	Legal executions	12	9	-	3	-	14	3	-	10	1
	XVIII.—Ill-defined and unknown causes	166	107	44	10	5	878	268	200	231	179
199	Sudden death	14	10	4	-	-	145	62	38	27	18
200a	Ill-defined	71	50	14	5	2	257	84	45	69	59
200b	Found dead (cause unknown)	6	4	2	-	-	102	32	26	23	21
200c	Unknown or unspecified	75	43	24	5	3	374	90	91	112	81

* Refer to complete International List titles, table VII, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

NORTH DAKOTA					OHIO					OKLAHOMA					OREGON					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
272	158	106	4	4	2,758	1,458	1,075	137	88	991	519	371	54	47	371	229	137	3	2	
11	7	4	-	-	122	63	51	3	5	72	32	24	7	9	13	6	6	1	-	158
167	86	73	4	4	1,749	912	686	86	65	668	346	266	29	27	212	131	79	1	1	159
16	13	3	-	-	208	123	67	12	6	45	27	16	2	-	26	19	7	-	-	160a
44	31	13	-	-	322	181	122	15	4	98	59	30	7	2	52	28	24	-	-	160b,c
34	21	13	-	-	357	179	149	21	8	108	55	35	9	9	68	45	21	1	1	161
91	50	36	3	2	648	260	350	18	20	620	265	277	41	37	176	93	79	1	3	162
437	316	110	8	3	6,536	4,038	2,075	320	103	1,808	1,197	396	156	59	1,359	1,002	330	22	5	
56	42	14	-	-	805	582	206	12	5	156	118	30	7	1	184	134	46	3	1	163,164
6	3	3	-	-	153	86	65	1	1	33	15	17	1	-	45	28	17	-	-	163
5	2	3	-	-	96	41	54	-	1	30	13	16	1	-	17	5	12	-	-	
1	1	-	-	-	57	45	11	1	-	3	2	1	-	-	28	23	5	-	-	
18	13	5	-	-	223	159	62	-	2	21	18	2	1	-	30	22	8	-	-	164a
3	1	2	-	-	35	17	15	3	-	5	3	2	-	-	17	10	7	-	-	164b
23	21	2	-	-	302	254	41	6	1	80	70	6	3	1	75	63	9	3	-	164c
3	3	-	-	-	40	32	8	-	-	11	8	2	1	-	8	7	1	-	-	164d
2	1	1	-	-	32	19	11	1	1	2	1	-	1	-	4	1	2	-	1	164e
1	-	1	-	-	12	10	2	-	-	1	1	-	-	-	2	2	-	-	-	164f
-	-	-	-	-	8	5	2	1	-	3	2	1	-	-	3	1	2	-	-	164g
3	2	1	-	-	304	125	37	111	31	108	49	12	38	9	37	20	13	4	-	165-168
1	1	-	-	-	155	65	16	66	8	71	30	10	28	3	23	11	9	3	-	166
-	-	-	-	-	75	22	4	36	13	12	2	-	6	4	3	1	1	1	-	167
2	1	1	-	-	74	38	17	9	10	25	17	2	4	2	11	8	3	-	-	168
378	272	95	8	3	5,421	3,328	1,832	194	67	1,541	1,028	354	110	49	1,137	847	271	15	4	169-195
19	15	2	1	1	275	214	43	16	2	41	28	4	7	2	29	27	1	-	1	169
9	6	3	-	-	175	119	50	5	1	36	19	15	1	1	7	5	2	-	-	170a
-	-	-	-	-	15	9	6	-	-	2	1	1	-	-	-	-	-	-	-	170b
77	62	14	1	-	1,174	869	249	45	11	292	212	50	25	5	248	189	49	8	2	170c
1	1	-	-	-	21	16	4	1	-	3	2	1	-	-	3	3	-	-	-	170d
1	1	-	-	-	16	7	6	2	1	1	1	-	-	-	2	1	1	-	-	171a
2	2	-	-	-	8	6	2	-	-	2	-	-	2	-	2	1	-	1	-	171b
1	1	-	-	-	52	42	8	2	-	-	-	-	-	-	32	29	3	-	-	172
9	8	1	-	-	171	169	2	-	-	198	196	2	-	-	63	63	-	-	-	173
3	2	-	1	-	78	67	1	10	-	22	22	-	-	-	6	6	-	-	-	174
25	25	-	-	-	48	47	1	-	-	35	31	1	2	1	17	15	2	-	-	175a
18	15	3	-	-	46	42	3	1	-	37	31	4	2	-	11	9	2	-	-	175b,c
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	10	10	-	-	-	175d
-	-	-	-	-	4	4	-	-	-	3	3	-	-	-	75	75	-	-	-	175e
4	4	-	-	-	93	83	2	8	-	29	27	1	1	-	24	23	1	-	-	176
1	1	-	-	-	11	6	3	2	-	15	4	3	5	3	1	1	-	-	-	177
10	6	1	2	1	89	66	19	2	2	34	19	12	3	-	11	11	-	-	-	178
4	2	2	-	-	73	42	30	-	1	26	15	9	2	-	7	3	3	1	-	179
9	6	3	-	-	137	69	53	8	7	53	20	17	10	6	28	20	7	1	-	180
18	10	7	1	-	336	158	150	15	13	127	47	58	6	16	57	31	26	-	-	181
4	4	-	-	-	100	57	36	4	3	23	11	9	-	3	25	17	8	-	-	182
33	22	10	1	-	205	151	35	16	3	101	70	15	13	3	96	83	12	1	-	183
13	11	2	-	-	61	46	10	4	1	45	33	3	7	2	34	30	3	1	-	184
2	1	1	-	-	18	13	3	1	1	2	1	1	-	-	3	2	1	-	-	185
75	37	37	1	-	1,745	722	975	30	18	232	109	112	9	2	219	106	112	-	1	186a
-	-	-	-	-	29	23	1	5	-	6	4	1	1	-	11	11	-	-	-	186b
4	4	-	-	-	7	5	2	-	-	12	7	2	1	2	4	3	1	-	-	187
-	-	-	-	-	9	6	3	-	-	3	1	1	1	-	-	-	-	-	-	188
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	189
12	9	2	-	1	21	16	3	1	1	3	2	-	1	-	-	-	-	-	-	190
-	-	-	-	-	22	17	5	-	-	67	51	11	5	-	1	-	1	-	-	191
2	1	1	-	-	15	13	2	-	-	7	5	1	-	1	-	-	-	-	-	192
2	2	-	-	-	55	45	6	4	-	12	12	-	-	-	12	10	1	1	-	193
-	-	-	-	-	1	1	-	-	-	5	1	4	-	-	1	1	-	-	-	194
-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	195a,b
4	2	2	-	-	43	24	18	-	1	17	10	5	1	1	22	13	9	-	-	195d
16	12	4	-	-	263	150	100	12	1	50	33	11	5	1	76	49	26	1	-	195c,e
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
-	-	-	-	-	5	2	-	3	-	2	1	-	1	-	1	1	-	-	-	198
74	39	21	9	5	471	270	147	38	16	467	239	119	60	49	97	64	27	4	2	
16	13	3	-	-	35	21	11	3	-	14	9	5	-	-	4	4	-	-	-	199
39	22	15	2	-	298	170	94	21	13	257	146	71	20	20	50	35	15	-	-	200a
1	-	1	-	-	10	8	2	-	-	44	26	7	8	3	4	4	-	-	-	200b
18	4	2	7	5	128	71	40	14	3	152	58	36	32	26	39	21	12	4	2	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	All causes	115,907	59,405	48,529	4,437	3,536	8,922	4,656	4,057	112	97
	I.—Infectious and parasitic diseases	7,794	3,863	2,393	928	590	507	305	170	20	12
1	Typhoid fever	31	16	11	1	3	-	-	-	-	-
2	Paratyphoid fever	4	1	2	-	1	-	-	-	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	4	2	2	-	-	-	-	-	-	-
6	Cerebrospinal (meningococcus) meningitis	245	138	69	24	14	44	27	15	2	-
7	Anthrax (infection by Bacillus anthracis)	4	4	-	-	-	-	-	-	-	-
8	Scarlet fever	31	12	18	-	1	3	1	2	-	-
9	Whooping cough	216	90	103	14	9	14	6	7	1	-
10	Diphtheria (infection by C. diphtheriae)	29	8	17	4	-	3	3	-	-	-
11	Erysipelas	18	12	3	2	1	-	-	-	-	-
12	Tetanus	20	17	2	1	-	-	-	-	-	-
13-22	Tuberculosis (all forms)	4,080	2,041	1,140	533	366	296	179	96	11	10
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	151	150	-	1	-	1	1	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	3,658	1,799	1,044	487	328	261	162	81	8	10
14	Tuberculosis of meninges and central nervous system	73	27	23	11	12	10	4	6	-	-
15	Tuberculosis of intestines and peritoneum	62	10	28	13	11	3	1	2	-	-
16	Tuberculosis of vertebral column	50	19	15	10	6	7	4	3	-	-
17a	Tuberculosis of bones (except vertebral column)	4	1	1	2	-	-	-	-	-	-
17b	Tuberculosis of joints (except vertebral column)	7	6	-	1	-	1	1	-	-	-
18	Tuberculosis of skin, etc.*	2	1	1	-	-	-	-	-	-	-
19	Tuberculosis of lymphatic system, etc.*	8	2	5	-	1	-	-	-	-	-
20	Tuberculosis of genito-urinary system	30	14	12	1	3	2	1	1	-	-
21	Tuberculosis of other organs	11	4	5	2	-	1	1	-	-	-
22a	Disseminated tuberculosis (acute miliary)	15	5	4	2	4	10	4	3	3	-
22b	Disseminated tuberculosis (other and unspecified)	9	3	2	3	1	-	-	-	-	-
23	Leprosy	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	79	39	30	6	4	11	8	3	-	-
25	Gonococcus infection	29	1	14	-	14	-	-	-	-	-
26	Other diseases due to bacteria (except dysentery)	1	1	-	-	-	-	-	-	-	-
27	Dysentery	40	11	21	2	6	1	-	1	-	-
28	Malaria	2	2	-	-	-	1	1	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	1,143	556	189	289	109	65	43	16	4	2
30a	Locomotor ataxia (tabes dorsalis)	58	42	11	4	1	3	2	1	-	-
30b	General paralysis of insane	370	187	58	96	29	5	4	1	-	-
30c	Other syphilis of central nervous system	119	62	23	22	12	5	4	1	-	-
30d	Aneurysm of aorta	153	83	17	39	14	14	9	3	2	-
30e	Other syphilis of circulatory system	129	53	17	45	14	5	5	-	-	-
30f,g	Congenital, other and unspecified forms of syphilis	314	129	63	83	39	33	19	10	2	2
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	11	5	4	-	2	-	-	-	-	-
33a	Influenza, with respiratory complications specified	972	501	416	26	29	32	17	13	2	-
33b	Influenza, without respiratory complications specified	451	227	193	16	15	10	5	5	-	-
34	Smallpox	-	-	-	-	-	-	-	-	-	-
35	Measles	66	24	37	1	4	1	-	1	-	-
36	Acute poliomyelitis and acute polioencephalitis	19	10	9	-	-	7	5	2	-	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	62	31	27	2	2	5	3	2	-	-
37b	Sequelae of encephalitis lethargica	27	12	14	-	1	-	-	-	-	-
38	Other diseases due to filtrable viruses	23	16	5	1	1	-	-	-	-	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	4	4	-	-	-	-	-	-	-	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	2	-	2	-	-	-	-	-	-	-
43	Mycoses	15	6	5	1	3	-	-	-	-	-
44	Other infectious and parasitic (communicable) diseases	166	96	60	5	5	14	7	7	-	-
	II.—Cancer and other tumors	14,270	6,460	7,140	290	380	1,182	552	609	11	10
45-55	Cancer and other malignant tumors	13,709	6,276	6,814	272	347	1,147	545	582	11	9
45	Cancer of buccal cavity and pharynx	423	348	59	12	4	28	22	5	-	1
45a-e	Cancer of buccal cavity	295	243	42	8	2	18	14	4	-	-
45f	Cancer of pharynx	128	105	17	4	2	10	8	1	-	1
46	Cancer of digestive organs and peritoneum	6,636	3,448	2,937	150	101	566	321	239	5	1
46a	Cancer of esophagus	260	193	48	18	1	22	19	1	2	-
46b,c	Cancer of stomach and duodenum	2,142	1,255	785	73	29	186	122	63	-	1
46f	Cancer of liver and biliary passages	875	362	486	9	18	55	27	27	1	-
46g	Cancer of pancreas	488	261	211	8	8	47	27	20	-	-
46d,e,h,m	Cancer of other digestive organs and peritoneum	2,871	1,377	1,407	42	45	256	126	128	2	-
47	Cancer of respiratory system	986	750	193	33	10	76	57	18	1	-
48	Cancer of uterus	1,428	...	1,296	...	132	96	...	93	...	3
49	Cancer of other female genital organs	356	...	340	...	16	25	...	25	...	-
50	Cancer of breast	1,296	20	1,222	3	51	136	1	133	-	2
51	Cancer of male genital organs	704	667	...	37	...	44	42	...	2	...
52	Cancer of urinary organs (male and female)	653	422	202	14	15	52	34	17	-	1
53	Cancer of skin (except vulva and scrotum)	229	118	108	2	1	26	16	10	-	-
54	Cancer of central nervous system*	131	77	53	-	1	16	10	6	-	-
55	Cancer of other and unspecified organs	867	426	404	21	16	82	42	36	3	1
56a	Nonmalignant tumors of ovary	68	...	63	...	5	5	...	5	...	-
56b	Nonmalignant tumors of uterus	136	...	110	...	26	14	...	13	...	1
56c	Nonmalignant tumors of other female genital organs	7	...	7	...	-	1	...	1	...	-
56d,e	Nonmalignant tumors of other and unspecified organs	109	60	41	8	-	8	3	5	-	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
18,552	5,273	3,917	4,768	4,594	5,641	3,155	2,137	186	163	27,935	11,701	9,122	3,617	3,495	62,216	30,481	20,632	5,942	5,161	
1,841	378	232	662	569	396	155	120	61	60	3,596	1,238	1,179	614	565	6,818	3,055	2,186	856	721	
34	1	4	18	11	2	1	-	1	-	29	12	10	4	3	72	27	19	10	16	1
-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	7	4	1	2	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
1	1	-	-	-	1	1	-	-	-	5	5	-	-	-	11	7	3	1	-	5
50	33	5	11	1	8	7	-	1	-	51	25	16	8	2	61	44	12	4	1	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	7
2	-	1	1	-	4	3	1	-	-	10	6	4	-	-	9	7	2	-	-	8
83	10	23	28	22	15	2	4	4	5	180	73	74	18	15	265	101	100	29	35	9
45	21	13	5	6	7	2	4	-	1	38	16	20	-	2	140	62	66	7	5	10
2	1	-	1	-	4	-	4	-	-	8	-	7	-	1	14	9	5	-	-	11
15	1	-	7	7	4	3	1	-	-	11	3	3	2	3	114	57	32	11	14	12
689	127	65	242	255	176	51	37	42	46	1,980	641	661	337	341	3,338	1,509	1,142	334	353	13-22
-	-	-	-	-	2	2	-	-	-	2	2	-	-	-	2	2	-	-	-	13a
622	121	61	211	229	150	39	33	38	40	1,805	582	611	306	306	3,158	1,417	1,093	310	338	13b,c
12	1	1	6	4	7	2	1	1	3	52	24	16	6	6	53	33	16	2	2	14
14	-	1	5	8	5	-	-	2	3	37	14	11	6	6	27	5	9	7	6	15
9	2	-	4	3	1	1	-	-	-	14	2	4	4	4	21	11	5	4	1	16
2	-	-	1	1	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	17a
1	-	-	1	-	1	1	-	-	-	3	-	2	-	1	1	1	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	18
1	-	-	1	-	-	-	-	-	-	8	1	1	3	3	3	2	1	-	-	19
1	-	-	-	1	1	1	-	-	-	9	2	5	1	1	10	7	-	3	-	20
1	-	-	-	1	2	1	1	-	-	-	-	-	-	-	3	-	-	2	1	21
23	3	2	12	6	6	3	2	1	-	47	12	11	11	13	52	27	15	5	5	22a
3	-	-	1	2	1	1	-	-	-	1	1	-	-	-	5	2	2	1	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	1	-	23
20	9	2	1	8	5	2	3	-	-	33	12	11	3	7	108	55	33	11	9	24
17	-	5	1	11	-	-	-	-	-	7	-	2	2	3	7	1	1	4	1	25
1	1	-	-	-	-	-	-	-	-	6	1	1	1	3	1	1	-	-	-	26
69	14	9	22	14	2	2	-	-	-	91	43	30	9	9	424	206	160	33	25	27
64	9	8	22	25	-	-	-	-	-	21	9	3	6	3	68	20	17	10	21	28
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	29
292	38	9	180	65	33	19	7	5	2	351	124	47	117	63	812	329	103	263	117	30
-	-	-	-	-	2	2	-	-	-	9	4	4	1	-	14	9	2	3	-	30a
86	18	3	54	11	10	5	3	2	-	102	34	12	40	16	278	125	38	87	28	30b
18	4	-	12	2	1	-	1	-	-	34	14	4	10	6	75	27	12	20	16	30c
32	10	1	18	3	4	4	-	-	-	55	25	5	17	8	101	56	7	30	8	30d
26	-	-	21	5	2	2	-	-	-	15	5	1	4	5	71	23	8	28	12	30e
130	6	5	75	44	14	6	3	3	2	136	42	21	45	28	273	89	35	95	53	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
9	4	3	1	1	-	-	-	-	-	8	1	4	1	2	19	6	11	-	2	32
264	59	42	77	86	35	18	13	2	2	426	138	160	66	62	523	205	194	67	57	33a
124	26	26	32	40	48	21	27	-	-	205	75	74	25	31	389	162	141	45	41	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
13	4	6	1	2	27	9	9	5	4	37	13	18	3	3	39	14	17	1	7	35
7	3	1	1	2	1	-	1	-	-	7	5	2	-	-	167	99	56	8	4	36
1	-	-	1	-	5	3	1	1	-	8	5	3	-	-	21	14	6	-	1	37a,c
2	-	1	1	-	5	3	2	-	-	4	1	2	1	-	-	-	-	-	-	37b
4	2	-	2	-	1	1	-	-	-	7	3	2	1	1	18	10	5	1	2	38
11	5	4	1	1	1	1	-	-	-	7	4	3	-	-	69	40	26	1	2	39
1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	3	3	-	-	-	40
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	41
6	-	1	2	3	-	-	-	-	-	-	-	-	-	-	3	-	1	-	2	42
4	-	1	-	3	-	-	-	-	-	14	4	3	4	3	18	6	6	6	-	43
21	9	3	4	5	12	6	6	-	-	47	18	15	6	8	92	54	25	7	6	44
1,251	318	483	140	310	697	347	338	5	7	2,586	940	1,171	177	298	5,876	2,532	2,645	231	468	
1,179	311	453	137	278	678	338	328	5	7	2,465	908	1,117	172	268	5,554	2,412	2,515	218	409	45-55
39	17	12	7	3	15	12	2	1	-	95	55	30	7	3	220	151	54	10	5	45
24	10	8	4	2	10	8	1	1	-	73	39	26	5	3	143	96	38	5	4	45a-e
15	7	4	3	1	5	4	1	-	-	22	16	4	2	-	77	55	16	5	1	45f
458	144	156	82	76	331	178	150	2	1	955	433	359	86	77	2,193	1,090	866	111	126	46
27	9	3	9	6	3	2	-	1	-	25	9	6	6	4	63	35	23	5	-	46a
184	51	51	39	43	143	88	54	1	-	357	171	122	42	22	828	452	257	63	56	46b,c
86	31	35	10	10	38	13	24	-	1	167	80	72	6	9	410	191	180	18	21	46f
31	13	11	6	1	27	14	13	-	-	79	50	16	8	5	164	97	57	6	4	46g
130	40	56	18	16	120	61	59	-	-	327	123	143	24	37	728	315	349	19	45	46d,e,h,m
63	34	19	5	5	45	29	15	-	1	145	92	35	13	5	350	227	98	19	6	47
262	...	144	...	118	47	...	45	...	2	381	...	279	...	102	671	...	511	...	160	48
11	...	10	...	1	15	...	15	...	-	52	...	45	...	7	124	...	112	...	12	49
102	2	59	-	41	60	-	58	-	2	248	3	198	1	46	453	2	407	-	44	50
59	44	...	15	...	53	52	...	1	...	156	119	...	37	...	358	325	...	33	...	51
34	15	8	5	6	27	19	8	-	-	92	44	30	13	5	200	105	71	20	4	52
27	11	10	5	1	15	10	5	-	-	80	42	34	-	4	191	131	55	3	2	53
22	10	8	3	1	10	4	6	-	-	51	31	18	-	2	81	57	22	2	-	54
102	34	27	15	26	60	34	24	1	1	210	89	89	15	17	713	324	319	20	50	55
6	...	5	...	1	3	...	3	...	-	11	...	7	...	4	21	...	14	...	7	56a
36	...	11	...	25	3	...	3	...	-	40	...	21	...	19	62	...	30	...	32	56b
-	...	-	...	-	-	...	-	...	-	1	...	-	...	1	1	...	1	...	-	56c
11	2	5	2	2	3	2	1	-	-	23	12	6	2	3	27	13	10	2	2	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued										
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-
57b	Tumors of uterus (nature unspecified)	2	...	2	...	-	-	...	-	...	-
57c	Tumors of other female genital organs (nature unspecified)	2	...	2	...	-	-	...	-	...	-
57d,e	Tumors of other and unspecified organs (nature unspecified)	237	124	101	10	2	7	4	3	-	-
	III.—Rheumatism, diseases of nutrition, etc. *	4,532	1,432	2,859	67	174	371	116	250	3	2
58a-d	Acute rheumatic heart diseases	115	49	53	4	9	1	1	-	-	-
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	48	25	17	3	3	2	-	2	-	-
59	Chronic rheumatism and other rheumatic diseases	140	48	85	4	3	16	4	12	-	-
60	Gout	2	-	2	-	-	-	-	-	-	-
61	Diabetes mellitus	3,652	1,117	2,366	39	130	324	101	219	2	2
62	Diseases of pituitary gland	14	5	7	-	2	2	2	-	-	-
63a	Simple goiter	8	2	6	-	-	1	-	1	-	-
63b	Exophthalmic goiter	274	42	219	3	10	11	4	7	-	-
63c-e	Other diseases of thyroid and parathyroid glands	22	5	16	-	1	6	2	4	-	-
64	Diseases of thymus gland	156	92	50	8	6	3	1	1	1	-
65	Diseases of adrenal glands (not specified as tuberculous)	41	23	15	2	1	1	-	1	-	-
66	Other general diseases	29	9	15	1	4	4	1	3	-	-
67	Scurvy	1	1	-	-	-	-	-	-	-	-
68	Beriberi	2	-	1	-	1	-	-	-	-	-
69	Pellagra (except alcoholic)	9	4	5	-	-	-	-	-	-	-
70	Rickets	13	5	2	3	3	-	-	-	-	-
71	Other avitaminoses	6	5	-	-	1	-	-	-	-	-
	IV.—Diseases of the blood and blood-forming organs	775	397	347	17	14	59	32	25	-	2
72	Hemorrhagic conditions	75	40	29	4	2	4	3	1	-	-
73a	Pernicious anemia	169	64	103	-	2	12	5	7	-	-
73b-d	Other anemias (except splenic)	89	39	41	5	4	9	6	3	-	-
74a	Leukemias	355	209	134	6	6	32	17	14	-	1
74b	Aleukemias	13	8	5	-	-	-	-	-	-	-
75	Diseases of spleen	46	26	19	1	-	2	1	-	-	1
76	Other diseases of the blood and blood-forming organs	28	11	16	1	-	-	-	-	-	-
	V.—Chronic poisoning and intoxication	174	137	26	11	-	6	6	-	-	-
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	6	4	1	1	-	1	1	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	157	126	22	9	-	5	5	-	-	-
78	Lead poisoning	7	6	-	1	-	-	-	-	-	-
79	Chronic poisoning by other mineral or organic substances	4	1	3	-	-	-	-	-	-	-
	VI.—Diseases of the nervous system, etc. *	10,823	4,975	5,201	320	327	788	373	396	7	12
80	Encephalitis (nonepidemic)	111	47	49	10	5	8	4	4	-	-
81	Meningitis (not due to meningococcus)	241	118	89	20	14	16	11	5	-	-
82	Diseases of spinal cord (see exceptions) *	263	128	122	10	3	18	16	2	-	-
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	7,905	3,580	3,895	202	228	575	251	310	3	11
83b	Cerebral embolism and thrombosis	1,203	541	586	44	32	125	62	60	2	1
83c	Cerebral softening	49	28	20	-	1	1	1	-	-	-
83d	Hemiplegia and other paralysis of unspecified origin	258	115	120	9	14	4	3	1	-	-
84	Mental diseases and deficiency (see exception) *	117	57	53	3	4	4	1	3	-	-
85	Epilepsy	192	104	72	7	9	8	5	3	-	-
86	Convulsions (under 5 years)	46	33	11	1	1	5	2	2	1	-
87	Other diseases of nervous system	328	167	141	9	11	17	12	4	1	-
88	Diseases of organs of vision	9	2	4	2	1	-	-	-	-	-
89a	Otitis and other diseases of the ear	68	37	26	1	4	5	4	1	-	-
89b	Diseases of mastoid process	33	18	13	2	-	2	1	1	-	-
	VII.—Diseases of the circulatory system	40,472	21,838	16,634	1,067	933	3,248	1,745	1,444	37	22
90-95	Diseases of the heart (all forms)	37,455	20,315	15,286	983	871	3,076	1,670	1,350	36	20
90	Pericarditis (except acute rheumatic)	29	13	13	3	-	3	1	2	-	-
91a,b	Bacterial and other acute or subacute endocarditis	226	105	98	8	15	19	9	8	1	1
91c	Endocarditis (unspecified, under 45 years)	20	11	7	-	2	1	1	-	-	-
92a-d	Chronic endocarditis and diseases of the valves *	3,654	1,758	1,720	93	83	208	83	117	6	2
92e	Endocarditis (unspecified, 45 years and over)	240	130	99	4	7	10	4	5	-	1
93a	Acute myocarditis (except rheumatic)	475	272	172	14	17	19	11	8	-	-
93b	Myocarditis (unspecified, under 45 years)	41	15	23	2	1	2	1	1	-	-
93c,d	Chronic myocarditis and myocardial degeneration	17,895	8,683	8,187	521	504	1,659	813	820	15	11
93e	Other myocarditis (unspecified)	1,818	943	785	44	46	75	46	27	2	-
94a	Diseases of coronary arteries	10,192	6,821	3,043	217	111	914	617	284	9	4
94b	Angina pectoris	338	225	105	6	2	25	19	6	-	-
95a	Functional diseases of heart, etc. *	77	34	42	-	1	4	2	2	-	-
95b,c	Other and unspecified diseases of heart	2,450	1,305	992	71	82	137	63	70	3	1
96	Aneurysm (except of heart and aorta)	172	94	56	10	12	2	1	1	-	-
97	Arteriosclerosis (except coronary or renal sclerosis)	2,432	1,230	1,111	53	38	155	66	86	1	2
98	Gangrene	48	21	25	2	-	1	1	-	-	-
99	Other diseases of arteries	156	93	58	3	2	8	4	4	-	-
100	Diseases of veins	65	25	38	1	1	1	1	-	-	-
101	Diseases of lymphatic system	5	3	2	-	-	2	1	1	-	-
102	High blood pressure (idiopathic)	130	50	58	13	9	3	1	2	-	-
103	Other diseases of circulatory system	9	7	-	2	-	-	-	-	-	-
	VIII.—Diseases of the respiratory system	7,375	4,070	2,506	540	259	508	276	214	7	11
104a	Diseases of nasal fossae	6	1	3	1	1	-	-	-	-	-
104b	Diseases of accessory sinuses	37	19	16	2	-	1	1	-	-	-
105	Diseases of larynx	16	8	5	3	-	-	-	-	-	-
106a	Acute bronchitis	114	54	50	3	7	6	1	5	-	-

* Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	-	...	-	...	-	57a
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	4	...	1	...	3	57b
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	2	...	-	...	2	57c
17	5	7	1	4	9	7	2	-	-	44	20	18	3	3	205	107	74	11	13	57d,e
460	115	168	50	127	182	67	110	1	4	676	210	324	55	87	1,646	537	805	125	179	
14	2	1	2	9	5	5	-	-	-	21	7	6	4	4	29	6	14	3	6	58a-d
10	2	1	3	4	3	1	2	-	-	15	1	6	4	4	30	10	12	5	3	58e,f
18	6	3	3	6	14	8	6	-	-	51	14	26	4	7	88	26	59	1	2	59
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	60
276	78	118	24	56	126	44	79	1	2	409	140	187	31	51	987	353	465	67	102	61
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	5	1	2	1	1	62
2	-	1	-	1	3	-	2	-	1	3	-	1	-	2	8	-	7	1	-	63a
18	4	7	-	7	13	2	11	-	-	23	3	12	1	7	58	9	33	4	12	63b
3	1	1	-	1	4	1	3	-	-	6	1	4	-	1	21	6	12	1	2	63c-e
13	6	5	1	1	9	3	6	-	-	12	4	4	4	-	59	23	28	6	2	64
2	2	-	-	-	2	1	1	-	-	4	2	1	-	1	12	5	6	-	1	65
11	4	1	3	3	1	-	-	-	1	21	6	12	1	2	47	15	18	9	5	66
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	4	2	2	-	-	67
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	4	1	2	1	-	68
87	10	27	12	38	-	-	-	-	-	91	28	52	4	7	272	68	140	23	41	69
3	-	1	2	-	-	-	-	-	-	7	2	4	-	1	6	4	1	-	1	70
3	-	2	-	1	-	-	-	-	-	10	2	6	2	-	16	8	4	3	1	71
84	31	32	6	15	61	26	31	2	2	192	88	87	7	10	421	212	167	25	17	
9	5	3	-	1	4	2	-	2	-	23	12	11	-	-	36	19	12	2	3	72
10	2	3	1	4	20	9	11	-	-	46	19	22	2	3	61	22	34	2	3	73a
12	4	3	2	3	5	2	3	-	-	19	9	7	1	2	70	24	32	7	7	73b-d
39	16	16	3	4	27	11	15	-	1	87	42	38	3	4	215	125	77	9	4	74a
5	2	3	-	-	1	1	-	-	-	4	-	3	-	1	6	2	3	1	-	74b
8	1	4	-	3	1	-	1	-	-	7	5	2	-	-	18	11	4	3	-	75
1	1	-	-	-	3	1	1	-	1	6	1	4	1	-	15	9	5	1	-	76
29	22	2	3	2	8	7	-	1	-	36	27	3	5	1	69	49	15	5	-	
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	77a,b
24	17	2	3	2	8	7	-	1	-	33	25	2	5	1	59	43	12	4	-	77c-e
2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	1	-	-	78
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	6	4	2	-	-	79
2,187	551	512	535	589	581	333	238	6	4	3,130	1,245	1,058	343	484	5,773	2,396	2,162	556	659	
30	11	6	8	5	10	9	1	-	-	29	15	6	2	6	128	53	58	11	6	80
57	16	10	22	9	7	4	2	1	-	63	32	12	11	8	163	78	50	20	15	81
19	11	6	2	-	15	12	3	-	-	42	18	15	1	8	105	47	43	10	5	82
1,691	422	396	398	475	433	239	191	1	2	2,520	987	865	271	397	4,251	1,739	1,573	398	541	83a
93	29	35	7	22	47	29	15	3	-	99	44	42	6	7	167	75	75	11	6	83b
6	2	2	2	-	2	1	1	-	-	16	6	8	2	-	29	13	16	-	-	83c
116	20	21	36	39	15	9	5	1	-	99	33	31	15	20	448	167	163	65	53	83d
50	5	10	18	17	10	8	2	-	-	79	30	23	8	18	104	44	44	8	8	84
56	10	8	25	13	8	1	6	-	1	62	21	22	11	8	124	62	37	14	11	85
20	6	2	7	5	3	1	2	-	-	20	11	3	5	1	59	25	18	10	6	86
31	11	12	5	3	25	17	8	-	-	71	36	23	8	4	117	47	62	5	3	87
6	2	1	3	-	1	-	1	-	-	1	-	-	-	1	2	1	1	-	-	88
10	5	3	2	-	3	1	1	-	1	20	7	4	3	6	60	37	17	2	4	89a
2	1	-	-	1	2	2	-	-	-	9	5	4	-	-	16	8	5	2	1	89b
3,866	1,319	892	851	804	1,541	974	542	13	12	6,179	2,772	1,904	757	746	14,139	7,660	4,256	1,210	1,011	
3,540	1,221	823	764	732	1,384	880	482	11	11	5,723	2,583	1,751	701	688	13,187	7,211	3,930	1,118	928	90-95
7	2	1	4	-	1	1	-	-	-	16	6	3	3	4	26	14	6	3	3	90
21	4	2	8	7	9	4	4	-	1	45	20	9	8	8	96	42	28	17	9	91a,b
12	-	3	3	6	2	-	2	-	-	6	-	2	2	2	16	4	3	1	8	91c
460	95	93	128	144	132	75	52	2	3	856	310	252	142	152	833	390	277	95	71	92a-d
64	19	14	15	16	11	5	6	-	-	66	22	13	17	14	152	61	51	18	22	92e
26	3	3	10	10	12	8	4	-	-	61	20	11	11	19	138	51	33	23	31	93a
37	5	4	13	15	6	4	2	-	-	31	9	6	6	10	82	25	25	18	14	93b
1,112	358	287	234	233	442	254	181	3	4	1,640	698	540	211	191	3,788	1,825	1,352	311	300	93c,d
286	84	76	66	60	145	86	57	-	2	556	217	186	82	71	1,118	545	359	133	81	93e
726	403	176	65	82	446	340	102	3	1	1,276	761	379	69	67	4,340	2,869	1,117	196	158	94a
213	99	48	37	29	39	31	8	-	-	179	96	60	10	13	474	270	122	44	38	94b
9	3	3	3	-	6	4	2	-	-	32	13	13	3	3	83	49	26	6	2	95a
567	146	113	178	130	133	68	62	3	-	959	411	277	137	134	2,041	1,066	531	253	191	95b,c
6	4	1	1	-	3	2	1	-	-	10	4	3	2	1	22	14	4	3	1	96
255	81	57	66	51	120	71	47	1	1	306	126	107	37	36	576	269	215	61	31	97
4	-	1	1	2	1	-	1	-	-	11	5	2	1	3	33	15	8	5	5	98
16	4	2	6	4	17	11	6	-	-	33	18	9	4	2	73	39	26	3	5	99
3	2	-	-	1	5	3	2	-	-	11	5	4	-	2	36	18	13	2	3	100
1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	10	8	-	1	1	101
35	6	6	10	13	10	6	3	1	-	73	28	25	8	12	173	74	53	13	33	102
6	1	1	3	1	-	-	-	-	-	11	2	3	4	2	29	12	9	4	4	103
1,279	309	231	384	355	386	192	147	28	19	1,981	792	648	299	242	4,005	1,819	1,368	447	371	
31	3	1	10	17	1	1	-	-	-	6	2	2	-	2	21	7	8	2	4	104a
6	4	1	1	-	2	-	2	-	-	12	5	4	3	-	18	11	5	2	-	104b
5	-	2	1	2	8	2	4	1	1	10	4	3	2	1	24	17	3	2	2	105
9	2	2	2	3	9	6	3	-	-	15	7	6	1	1	40	15	19	3	3	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Continued										
106b	Chronic bronchitis	142	95	41	3	3	7	4	3	-	-
106c	Bronchitis (unspecified)	53	33	17	1	2	2	1	1	-	-
107	Bronchopneumonia (including capillary bronchitis)	2,643	1,364	1,002	163	114	219	106	105	1	7
108	Lobar pneumonia	3,064	1,675	999	303	107	200	114	76	6	4
109	Pneumonia (unspecified)	188	96	69	15	8	22	17	5	-	-
110	Pleurisy (not specified as tuberculous)	145	88	39	13	5	14	12	2	-	-
111a	Hemorrhagic infarction and thrombosis of lungs	109	62	40	4	3	12	6	6	-	-
111b,c	Acute edema, chronic and unspecified congestion of lungs	218	91	117	7	3	7	3	4	-	-
112	Asthma	222	132	75	14	1	9	5	4	-	-
113	Pulmonary emphysema	18	17	1	-	-	-	-	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	380	335	32	8	5	9	6	3	-	-
	IX.—Diseases of the digestive system	4,995	2,674	2,057	151	113	486	290	189	2	5
115a,b,d	Diseases of buccal cavity and adnexa	82	42	37	1	2	8	6	2	-	-
115c	Diseases of pharynx and tonsils	83	37	34	4	8	2	1	1	-	-
116	Diseases of esophagus	23	10	12	-	1	-	-	-	-	-
117a	Ulcer of stomach	414	327	66	14	7	58	49	9	-	-
117b	Ulcer of duodenum	201	170	23	7	1	34	30	4	-	-
118	Other diseases of stomach (except cancer)	74	45	26	3	-	6	4	1	-	1
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	424	232	146	30	16	57	36	18	-	3
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	179	77	82	11	9	13	7	6	-	-
121	Appendicitis	520	279	213	17	11	34	20	14	-	-
122a	Hernia	470	231	214	18	7	45	24	21	-	-
122b	Intestinal obstruction	505	222	256	12	15	42	17	25	-	-
123	Other diseases of intestines	102	53	44	-	5	12	7	4	1	-
124a	Cirrhosis of liver (with mention of alcoholism)	87	61	24	-	2	6	4	2	-	-
124b	Cirrhosis of liver (without mention of alcoholism)	959	577	353	19	10	91	58	32	1	-
125a	Acute yellow atrophy of liver (nonpuerperal)	49	21	22	3	3	4	2	2	-	-
125b	Other diseases of liver	79	35	37	4	3	-	-	-	-	-
126	Biliary calculi	355	98	251	1	5	37	11	25	-	1
127	Other diseases of gallbladder and biliary ducts	222	75	141	2	4	23	8	15	-	-
128	Diseases of pancreas (except diabetes mellitus)	83	42	40	1	-	9	2	7	-	-
129	Peritonitis (cause not stated)	84	40	36	4	4	5	4	1	-	-
	X.—Diseases of the genito-urinary system	10,090	5,048	4,329	361	352	778	378	378	8	14
130	Acute nephritis	218	112	82	13	11	5	3	2	-	-
131a	Arteriosclerotic kidney	6,478	3,066	2,979	227	206	518	230	273	6	9
131b	Other chronic nephritis	1,906	921	854	53	78	157	77	77	1	2
132	Nephritis unspecified (10 years and over)	390	187	155	23	25	9	4	3	1	1
133	Other diseases of kidneys and ureters, etc.*	219	112	89	8	10	20	8	11	-	1
134	Calculi of urinary passages	108	60	44	2	2	6	2	4	-	-
135	Diseases of urinary bladder	59	29	25	2	3	3	2	1	-	-
136	Diseases of urethra (except calculus)	32	24	3	5	-	2	1	-	-	1
137	Diseases of prostate	563	535	...	28	...	51	51	...	-	...
138	Diseases of other male genital organs (except venereal)	2	2	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	67	...	52	...	15	4	...	4	...	-
139b	Diseases of uterus	47	...	45	...	2	3	...	3	...	-
139c	Diseases of other and unspecified female genital organs	1	...	1	...	-	-	...	-	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	493	...	445	...	48	33	...	32	...	1
140	Abortion with mention of infection	61	...	50	...	11	6	...	5	...	1
140a,b	Abortion (septic), spontaneous or therapeutic *	47	...	38	...	9	5	...	4	...	1
140c,d	Abortion (septic), self-induced or nontherapeutic *	14	...	12	...	2	1	...	1	...	-
141	Abortion without mention of infection	28	...	25	...	3	3	...	3	...	-
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia *	6	...	6	...	-	1	...	1	...	-
141b,d	Abortion (nonseptic), spontaneous, therapeutic, without toxemia *	20	...	18	...	2	2	...	2	...	-
141e,f	Abortion (nonseptic), self-induced or nontherapeutic *	2	...	1	...	1	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	4	...	3	...	1	-	...	-	...	-
142b	Ectopic gestation, without mention of infection	19	...	16	...	3	1	...	1	...	-
143a	Placenta praevia (death before delivery)	3	...	3	...	-	-	...	-	...	-
143b,c	Other hemorrhages of pregnancy (death before delivery)	4	...	4	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery) *	26	...	23	...	3	1	...	1	...	-
144c,d	Other toxemias of pregnancy (death before delivery) *	5	...	4	...	1	-	...	-	...	-
145	Other diseases and accidents of pregnancy (death before delivery)	11	...	10	...	1	-	...	-	...	-
	A. With mention of infection	9	...	8	...	1	-	...	-	...	-
	B. Without mention of infection	2	...	2	...	-	-	...	-	...	-
146a	Placenta praevia (with childbirth)	15	...	15	...	-	1	...	1	...	-
146b,c	Other hemorrhages of childbirth and puerperium	50	...	45	...	5	1	...	1	...	-
147a,b	Puerperal pyelitis, other general or local puerperal infection *	57	...	51	...	6	6	...	6	...	-
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	44	...	43	...	1	2	...	2	...	-
148a,b	Puerperal eclampsia and nephritis *	68	...	63	...	5	5	...	5	...	-
148c,d	Other puerperal toxemias	7	...	6	...	1	1	...	1	...	-
149	Other accidents and specified conditions of childbirth	45	...	41	...	4	3	...	3	...	-
150	Other and unspecified conditions of childbirth and puerperium	46	...	43	...	3	3	...	3	...	-
	XII.—Diseases of the skin and cellular tissue	84	40	36	4	4	5	2	3	-	-
151	Carbuncle and furuncle	11	6	5	-	-	-	-	-	-	-
152	Phlegmon and acute abscess	26	16	7	2	1	1	-	1	-	-
153	Other diseases of skin and cellular tissue	47	18	24	2	3	4	2	2	-	-
	XIII.—Diseases of the bones, etc.*	85	40	33	7	5	8	6	2	-	-
154	Osteomyelitis and periostitis	46	25	13	4	4	3	2	1	-	-
155	Other diseases of bones (except tuberculosis)	11	3	8	-	-	1	1	-	-	-
156	Diseases of joints and other organs of movement	28	12	12	3	1	4	3	1	-	-
157	XIV.—Congenital malformations	1,308	681	575	21	31	138	62	74	2	-

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place or residence)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
18	8	5	3	2	17	8	9	-	-	40	24	11	3	2	78	42	27	5	4	106b
7	2	2	1	2	5	2	2	1	-	17	6	3	4	4	48	19	19	4	6	106c
470	126	85	138	121	126	64	49	6	7	768	313	290	94	71	1,113	516	408	100	89	107
496	116	93	157	130	122	61	47	8	6	738	277	287	124	100	1,023	462	302	140	119	108
132	19	14	48	51	27	7	5	10	5	160	48	36	38	38	1,006	437	339	129	101	109
22	4	4	6	8	5	5	-	-	-	33	14	6	11	2	68	37	14	8	9	110
4	3	1	-	-	5	2	3	-	-	10	4	1	1	4	80	29	34	8	9	111a
24	6	10	2	6	28	13	15	-	-	45	13	26	4	2	219	82	106	15	16	111b,c
29	9	6	9	5	19	12	6	1	-	65	35	15	5	10	160	83	58	14	5	112
-	-	-	-	-	2	2	-	-	-	3	2	-	-	1	5	5	-	-	-	113
26	7	5	6	8	10	7	2	1	-	59	38	8	9	4	102	57	26	15	4	114
958	269	184	272	233	257	141	102	2	12	1,424	615	416	190	203	4,366	2,048	1,585	362	371	
19	3	7	4	5	8	5	3	-	-	39	17	11	6	5	81	31	34	6	10	115a,b,d
22	4	5	9	4	5	3	2	-	-	28	13	6	5	4	51	22	17	7	5	115c
1	-	-	1	-	3	2	1	-	-	1	-	1	-	-	13	6	7	-	-	116
72	27	6	25	14	23	17	5	1	-	128	73	19	19	17	228	146	30	34	18	117a
16	13	1	1	1	8	7	1	-	-	38	29	4	5	-	81	60	14	6	1	117b
46	10	6	16	14	8	4	3	-	1	90	30	16	16	28	296	124	65	50	57	118
354	85	60	114	95	16	6	3	1	6	286	115	106	33	32	1,401	681	614	52	54	119
59	12	8	17	22	11	6	5	-	-	79	20	31	9	19	294	115	120	23	36	120
92	29	18	24	21	47	34	12	-	1	170	78	40	25	27	439	218	141	44	36	121
38	11	11	14	2	23	12	11	-	-	66	30	14	16	6	145	69	45	20	11	122a
89	20	24	17	28	28	10	17	-	1	148	45	63	17	23	401	152	158	41	50	122b
16	3	3	4	6	7	3	4	-	-	31	13	11	3	4	90	36	31	6	17	123
16	8	1	7	-	-	-	-	-	-	7	3	1	2	1	13	11	1	1	-	124a
47	22	12	6	7	22	13	9	-	-	132	86	27	13	6	358	210	93	37	18	124b
4	1	-	2	1	2	1	1	-	-	13	6	3	3	1	32	13	11	1	7	125a
17	8	1	4	4	2	2	-	-	-	28	10	7	6	5	73	30	23	7	13	125b
8	4	3	1	-	16	5	9	-	2	45	16	25	-	4	68	18	40	3	7	126
20	6	8	1	5	22	8	13	-	1	45	18	18	4	5	182	64	97	8	13	127
5	-	3	1	1	3	1	2	-	-	13	4	5	3	1	16	9	6	-	1	128
17	3	7	4	3	3	2	1	-	-	37	9	8	5	15	104	33	38	16	17	129
2,114	533	374	603	604	374	232	131	6	5	2,248	972	614	355	307	4,776	2,253	1,400	638	485	
68	14	6	23	25	11	7	3	-	1	76	27	20	17	12	249	89	67	39	54	130
1,324	338	241	374	371	178	103	72	1	2	1,091	449	331	155	156	2,037	956	636	249	196	131a
394	94	74	107	119	92	54	34	2	2	508	227	146	76	59	1,040	474	330	135	101	131b
120	19	20	37	44	22	14	8	-	-	233	91	57	40	45	636	270	186	107	73	132
59	12	13	18	16	9	8	1	-	-	71	24	22	12	13	193	78	77	28	10	133
23	11	7	4	1	4	1	3	-	-	23	14	7	2	-	60	40	17	-	3	134
10	2	1	6	1	7	4	3	-	-	26	11	3	7	5	37	19	9	8	1	135
8	2	-	6	-	-	-	-	-	-	19	9	1	9	-	18	10	-	8	-	136
69	41	...	28	...	44	41	...	3	...	152	118	...	34	...	380	316	...	64	...	137
-	-	...	-	...	-	-	...	-	...	5	2	...	3	...	1	1	...	-	...	138
26	...	7	...	19	3	...	3	...	-	31	...	17	...	14	64	...	35	...	29	139a
13	...	5	...	8	3	...	3	...	-	13	...	10	...	3	57	...	41	...	16	139b
-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	4	...	2	...	2	139c
240	...	97	...	143	20	...	18	...	2	204	...	152	...	52	420	...	312	...	108	
13	...	6	...	7	3	...	3	...	-	26	...	20	...	6	49	...	33	...	16	140
12	...	6	...	6	2	...	2	...	-	21	...	15	...	6	44	...	28	...	16	140a,b
1	...	-	...	1	1	...	1	...	-	5	...	5	...	-	5	...	5	...	-	140c,d
7	...	3	...	4	-	...	-	...	-	7	...	4	...	3	18	...	10	...	8	141
2	...	1	...	1	-	...	-	...	-	2	...	1	...	1	5	...	2	...	3	141a,c
5	...	2	...	3	-	...	-	...	-	5	...	3	...	2	11	...	7	...	4	141b,d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	1	...	1	141e,f
1	...	-	...	1	-	...	-	...	-	1	...	-	...	1	1	...	1	...	-	142a
7	...	1	...	6	1	...	1	...	-	6	...	4	...	2	14	...	9	...	5	142b
1	...	-	...	1	-	...	-	...	-	3	...	3	...	-	-	...	-	...	-	143a
1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	143b,c
29	...	8	...	21	-	...	-	...	-	20	...	14	...	6	84	...	65	...	19	144a,b
6	...	2	...	4	-	...	-	...	-	7	...	7	...	-	10	...	7	...	3	144c,d
4	...	1	...	3	-	...	-	...	-	10	...	7	...	3	15	...	11	...	4	145
1	...	-	...	1	-	...	-	...	-	6	...	3	...	3	10	...	7	...	3	
3	...	1	...	2	-	...	-	...	-	4	...	4	...	-	5	...	4	...	1	
11	...	7	...	4	-	...	-	...	-	8	...	7	...	1	17	...	12	...	5	146a
40	...	18	...	22	3	...	3	...	-	16	...	14	...	2	39	...	30	...	9	146b,c
26	...	4	...	22	2	...	1	...	1	22	...	11	...	11	54	...	43	...	11	147a,b
14	...	9	...	5	6	...	6	...	-	11	...	11	...	-	31	...	26	...	5	147c,d
34	...	12	...	22	2	...	2	...	-	40	...	29	...	11	43	...	31	...	12	148a,b
20	...	13	...	7	-	...	-	...	-	7	...	6	...	1	6	...	5	...	1	148c,d
5	...	3	...	2	1	...	1	...	-	10	...	8	...	2	17	...	12	...	5	149
21	...	10	...	11	2	...	1	...	1	10	...	7	...	3	19	...	15	...	4	150
26	4	8	8	6	7	6	-	1	-	28	17	5	4	2	75	37	24	8	6	
7	1	2	2	2	1	1	-	-	-	10	7	1	1	1	15	10	4	1	-	151
11	1	4	3	3	4	3	-	1	-	7	5	-	2	-	22	14	5	1	2	152
8	2	2	3	1	2	2	-	-	-	11	5	4	1	1	38	18	15	6	4	153
13	-	2	3	4	4	3	1	-	-	15	8	3	2	2	51	21	19	6	5	
11	3	1	3	4	2	1	1	-	-	9	6	-	1	2	33	16	10	4	3	154
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	3	-	2	-	1	155
2	1	1	-	-	1	1	-	-	-	5	1	3	1	-	15	5	7	2	1	156
217	94	85	21	17	75	37	34	1	1	295	133	135	18	9	682	364	255	39	24	157

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	PENNSYLVANIA					RHODE ISLAND				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F
	XV.—Diseases peculiar to the first year of life	3,810	1,983	1,416	247	164	268	160	103	3	2
158	Congenital debility (cause not stated)	130	74	41	10	5	4	3	1	-	-
159	Premature birth (cause not stated)	2,328	1,165	860	168	135	161	91	66	2	2
160a	Intracranial or spinal hemorrhage	339	189	120	26	4	20	17	3	-	-
160b,c	Other injuries at birth	468	274	170	19	5	38	22	16	-	-
161	Other diseases peculiar to the first year of life	545	281	225	24	15	45	27	17	1	-
162	XVI.—Senility	458	195	246	11	6	15	3	12	-	-
	XVII.—Violent or accidental deaths	7,951	5,298	2,166	365	122	514	347	152	12	3
163,164	Suicide	993	693	286	12	2	47	37	10	-	-
163	Suicide by poisoning	228	108	115	3	2	10	7	3	-	-
	Suicide by solid or liquid poisons	64	19	43	1	1	1	-	1	-	-
	Suicide by poisonous gases	164	89	72	2	1	9	7	2	-	-
164a	Suicide by hanging or strangulation	285	212	72	1	-	15	13	2	-	-
164b	Suicide by drowning	39	19	20	-	-	4	1	3	-	-
164c	Suicide by firearms and explosives	330	280	43	7	-	8	8	-	-	-
164d	Suicide by cutting or piercing instruments	49	39	9	1	-	3	3	-	-	-
164e	Suicide by jumping from high places	46	26	20	-	-	3	3	-	-	-
164f	Suicide by crushing	11	7	4	-	-	2	-	2	-	-
164g	Suicide by other or unspecified means	5	2	3	-	-	2	2	-	-	-
165-168	Homicide [1]	237	93	42	75	27	11	6	5	-	-
166	Homicide by firearms	91	34	19	28	10	2	1	1	-	-
167	Homicide by cutting or piercing instruments	69	15	4	38	12	1	1	-	-	-
168	Homicide by other means	77	44	19	9	5	8	4	4	-	-
169-195	Accidental deaths	6,719	4,512	1,838	276	93	456	304	137	12	3
169	Railway accidents (except collisions with motor vehicles)	310	277	17	15	1	13	9	2	2	-
170a	Collisions between automobiles and trains	56	47	5	3	1	-	-	-	-	-
170b	Collisions between automobiles and streetcars	20	18	1	1	-	-	-	-	-	-
170c	Automobile accidents (except collisions with trains or streetcars)	1,440	1,119	249	57	15	75	64	9	2	-
170d	Motorcycle accidents (except collisions with automobiles)	22	19	2	1	-	-	-	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	86	55	25	6	-	1	1	-	-	-
171b	Other and unspecified road-transport accidents	17	15	1	-	-	-	-	-	-	-
172	Water-transport accidents	52	42	3	5	2	6	6	-	-	-
173	Air-transport accidents	160	158	1	-	1	24	24	-	-	-
174	Accidents in mines and quarries	445	436	-	9	-	-	-	-	-	-
175a	Accidents involving agricultural machinery and vehicles	58	53	5	-	-	-	-	-	-	-
175b,c	Other agricultural accidents, including injury by animals	58	56	2	-	-	-	-	-	-	-
175d	Accidents involving forestry machinery and vehicles	1	1	-	-	-	-	-	-	-	-
175e	Other forestry accidents	4	4	-	-	-	-	-	-	-	-
176	Other accidents involving machinery	148	129	6	13	-	8	7	-	1	-
177	Food poisoning	10	6	2	1	1	1	1	-	-	-
178	Accidental absorption of poisonous gas	200	140	47	11	2	24	16	6	-	2
179	Acute accidental poisoning by solids or liquids	70	39	26	2	3	3	3	-	-	-
180	Conflagration	156	69	58	15	14	8	4	3	1	-
181	Accidental burns (except conflagration)	365	160	161	26	18	16	8	6	2	-
182	Accidental mechanical suffocation	115	62	35	8	10	14	10	4	-	-
183	Accidental drowning	291	219	37	33	2	42	39	2	1	-
184	Accidental injury by firearms	106	91	9	6	-	6	5	1	-	-
185	Accidental injury by cutting or piercing instruments	21	16	1	4	-	1	-	1	-	-
185a	Accidental injury by fall	2,066	951	1,066	35	14	181	80	97	3	1
186b	Accidental injury by crushing	43	37	3	3	-	3	3	-	-	-
187	Cataclysm, etc. *	4	3	1	-	-	-	-	-	-	-
188	Injury by animals (except in agriculture and forestry)	3	2	-	-	1	-	-	-	-	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	10	7	1	-	2	5	4	1	-	-
191	Excessive heat	48	31	11	4	2	-	-	-	-	-
192	Lightning	19	17	2	-	-	-	-	-	-	-
193	Accidents due to electric currents (except lightning)	46	42	1	3	-	3	3	-	-	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-
195a,b	Accidents due to medical or surgical intervention	2	1	1	-	-	-	-	-	-	-
195d	Obstruction, suffocation, or puncture by ingested objects	58	35	20	-	3	10	6	4	-	-
195c,e	Other and unspecified accidents	209	154	39	15	1	12	11	1	-	-
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-
198	Legal executions	2	-	-	2	-	-	-	-	-	-
	XVIII.—Ill-defined and unknwon causes	418	254	120	30	14	8	3	4	-	1
199	Sudden death	8	5	3	-	-	2	1	1	-	-
200a	Ill-defined	321	187	104	19	11	3	-	2	-	1
200b	Found dead (cause unknown)	28	22	2	3	1	2	2	-	-	-
200c	Unknown or unspecified	61	40	11	8	2	1	-	1	-	-

*Refer to complete International List titles, table VII, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					TEXAS					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
1,102	392	283	242	185	206	107	88	7	4	1,295	602	431	156	106	3,471	1,724	1,246	268	233	
54	11	5	20	18	4	2	-	1	1	86	34	31	14	7	317	166	109	28	14	158
759	268	206	162	123	124	62	55	4	3	822	384	280	94	64	2,237	1,087	802	181	167	159
90	42	20	19	9	21	11	9	1	-	95	47	30	11	7	239	136	82	14	7	160a
83	32	19	15	17	33	17	15	1	-	136	61	46	15	14	332	158	131	13	30	160b,c
116	39	33	26	18	24	15	9	-	-	156	76	44	22	14	346	177	122	32	15	161
127	16	29	42	40	199	96	92	6	5	391	134	151	48	58	1,200	494	522	96	88	162
1,659	788	227	465	179	537	393	133	11	-	2,309	1,336	473	366	134	6,844	4,527	1,254	821	242	
94	62	23	7	2	58	42	15	1	-	181	124	48	7	2	466	332	112	18	4	163,164
18	6	10	1	1	10	6	4	-	-	26	11	15	-	-	106	41	60	3	2	163
12	3	7	1	1	5	1	4	-	-	26	11	15	-	-	89	34	50	3	2	
6	3	3	-	-	5	5	-	-	-	-	-	-	-	-	17	7	10	-	-	
4	2	1	-	1	22	17	5	-	-	23	21	2	-	-	52	40	10	2	-	164a
6	2	4	-	-	1	-	1	-	-	11	5	6	-	-	12	8	4	-	-	164b
60	48	7	5	-	24	19	4	1	-	103	76	19	6	2	246	205	29	10	2	164c
3	2	-	1	-	1	-	1	-	-	6	6	-	-	-	23	18	3	2	-	164d
2	1	1	-	-	-	-	-	-	-	10	5	4	1	-	10	8	1	1	-	164e
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	164f
1	1	-	-	-	-	-	-	-	-	2	-	2	-	-	14	10	4	-	-	164g
197	54	12	111	20	8	5	3	-	-	269	99	12	130	28	615	244	48	255	68	165-168
122	38	8	70	6	3	3	-	-	-	156	66	4	74	12	336	139	31	141	25	166
57	10	2	34	11	1	-	1	-	-	69	13	4	37	15	211	69	8	100	34	167
18	6	2	7	3	4	2	2	-	-	44	20	4	19	1	68	36	9	14	9	168
1,360	669	191	343	157	471	346	115	10	-	1,853	1,109	413	227	104	5,757	3,948	1,094	545	170	169-195
48	25	2	15	6	11	8	2	1	-	114	86	7	19	2	195	147	16	29	3	169
17	8	2	5	2	7	5	2	-	-	18	14	4	-	-	60	44	13	3	-	170a
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	6	4	2	-	-	170b
362	183	52	101	26	66	59	6	1	-	417	294	54	55	14	1,222	855	209	119	29	170c
4	4	-	-	-	2	2	-	-	-	10	8	2	-	-	20	20	-	-	-	170d
-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	3	3	-	-	-	171a
9	4	-	5	-	1	1	-	-	-	5	4	1	-	-	19	11	2	6	-	171b
17	10	-	7	-	1	1	-	-	-	38	28	1	8	1	25	21	3	1	-	172
207	207	-	-	-	44	44	-	-	-	78	74	3	1	-	1,139	1,136	3	-	-	173
3	1	-	2	-	4	3	-	1	-	35	34	-	1	-	3	3	-	-	-	174
8	1	-	6	1	23	21	2	-	-	18	16	1	1	-	21	19	1	-	1	175a
-	-	-	-	-	9	9	-	-	-	37	30	1	6	-	17	13	2	2	-	175b,c
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	175d
4	1	-	3	-	-	-	-	-	-	5	5	-	-	-	1	-	-	1	-	175e
16	6	1	9	-	7	7	-	-	-	28	15	2	11	-	78	62	2	14	-	176
4	-	3	-	1	1	1	-	-	-	20	11	3	1	5	64	28	25	6	5	177
6	4	-	2	-	6	2	3	1	-	17	10	5	-	2	36	25	10	1	-	178
26	6	5	10	5	4	3	1	-	-	24	12	8	1	3	80	34	26	10	10	179
59	10	6	21	22	12	7	5	-	-	91	41	24	12	14	132	74	23	22	13	180
124	20	24	29	51	40	31	9	-	-	129	45	40	17	27	425	189	142	59	35	181
24	8	5	6	5	5	3	2	-	-	30	13	11	5	1	73	34	24	8	7	182
93	43	2	37	11	33	27	4	2	-	105	73	10	21	1	373	240	56	68	9	183
44	22	6	13	3	12	11	1	-	-	81	52	7	18	4	248	174	16	49	9	184
7	1	-	4	2	3	1	2	-	-	7	1	3	2	1	41	20	3	15	3	185
143	51	67	17	8	127	61	64	2	-	349	128	184	17	20	430	214	219	29	18	186a
11	5	-	6	-	3	2	1	-	-	9	7	-	2	-	42	29	6	7	-	186b
1	-	-	-	1	1	1	-	-	-	1	-	1	-	-	9	3	5	-	1	187
8	4	1	3	-	2	2	-	-	-	3	2	1	-	-	22	16	-	6	-	188
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	8	5	1	-	2	189
4	1	-	1	2	5	5	-	-	-	6	2	-	1	3	4	1	-	2	1	190
12	7	1	1	3	3	3	-	-	-	12	7	-	4	1	76	61	9	4	2	191
16	3	3	6	4	8	8	-	-	-	16	14	1	1	-	23	14	5	4	-	192
11	6	2	3	-	3	3	-	-	-	15	11	1	3	-	50	44	3	3	-	193
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	24	15	6	3	-	194
2	-	-	-	2	-	-	-	-	-	1	-	-	1	-	7	2	4	-	1	195a,b
8	4	2	-	2	5	3	2	-	-	10	3	6	1	-	38	22	9	6	1	195d
62	24	7	31	-	23	12	9	2	-	117	64	31	17	5	693	356	249	68	20	195c,e
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	197
7	2	1	4	-	-	-	-	-	-	6	4	-	2	-	4	2	-	2	-	198
1,099	130	76	481	412	110	39	12	33	26	1,350	572	368	221	189	1,584	753	409	249	173	
33	4	3	11	15	4	1	2	1	-	122	67	32	17	6	26	16	5	4	1	199
363	66	29	153	115	37	29	7	-	1	200	87	48	35	30	1,059	524	242	171	122	200a
8	2	1	4	1	2	1	-	1	-	104	49	34	11	10	15	10	3	2	-	200b
695	58	43	313	281	67	8	3	31	25	924	369	254	158	143	484	203	159	72	50	200c

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	All causes	5,054	2,914	2,008	80	52	4,601	2,528	2,071	1	1	28,915	10,985	8,315	5,146	4,469
	I.—Infectious and parasitic diseases	262	150	84	15	13	265	160	105	-	-	2,857	849	634	775	599
1	Typhoid fever	2	1	-	-	1	-	-	-	-	-	16	5	6	4	1
2	Paratyphoid fever	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
3	Plague	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	Undulant fever (brucellosis)	-	-	-	-	-	1	-	1	-	-	2	1	1	-	-
6	Cerebrospinal (meningococcus) meningitis	20	10	9	1	-	4	4	-	-	-	102	41	26	25	10
7	Anthrax (infection by Bacillus anthracis)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	1	-	-	-	1	2	2	-	-	-	9	6	1	1	1
9	Whooping cough	6	2	4	-	-	9	6	3	-	-	131	27	43	28	33
10	Diphtheria (infection by C. diphtheriae)	-	-	-	-	-	-	-	-	-	-	25	14	8	2	1
11	Erysipelas	7	3	4	-	-	-	-	-	-	-	9	4	5	-	-
12	Tetanus	-	-	-	-	-	-	-	-	-	-	7	4	1	1	1
13-22	Tuberculosis (all forms)	71	40	16	10	5	119	77	42	-	-	1,449	398	293	392	366
13a	Tuberculosis of respiratory system, with mention of occupational disease of lungs	17	16	-	1	-	21	21	-	-	-	3	3	-	-	-
13b,c	Tuberculosis of respiratory system, or unspecified site, without mention of occupational disease of lungs	42	20	12	8	2	87	50	37	-	-	1,317	364	269	360	324
14	Tuberculosis of meninges and central nervous system	2	1	1	-	-	3	1	2	-	-	31	4	6	9	12
15	Tuberculosis of intestines and peritoneum	1	-	-	-	1	1	-	1	-	-	35	6	6	7	16
16	Tuberculosis of vertebral column	1	1	-	-	-	2	1	1	-	-	11	6	1	4	-
17a	Tuberculosis of bones (except vertebral column)	1	1	-	-	-	1	1	-	-	-	3	2	-	1	-
17b	Tuberculosis of joints (except vertebral column)	2	-	2	-	-	1	-	1	-	-	3	2	1	-	-
18	Tuberculosis of skin, etc.*	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
19	Tuberculosis of lymphatic system, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	Tuberculosis of genito-urinary system	-	-	-	-	-	2	2	-	-	-	9	3	6	-	-
21	Tuberculosis of other organs	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-
22a	Disseminated tuberculosis (acute miliary)	4	1	-	1	2	1	1	-	-	-	28	6	3	9	10
22b	Disseminated tuberculosis (other and unspecified)	1	-	1	-	-	-	-	-	-	-	5	1	1	1	2
23	Leprosy	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Septicemia and purulent infection (nonpuerperal)	3	1	2	-	-	6	4	2	-	-	23	12	5	2	4
25	Gonococcus infection	-	-	-	-	-	-	-	-	-	-	23	2	3	7	11
26	Other diseases due to bacteria (except dysentery)	3	3	-	-	-	-	-	-	-	-	5	2	1	-	2
27	Dysentery	4	1	1	2	-	1	-	1	-	-	73	22	25	10	16
28	Malaria	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
29	Other diseases due to parasitic protozoa (except spirochetes)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
30	Syphilis (all forms)	32	24	2	2	4	22	14	8	-	-	385	109	34	192	50
30a	Locomotor ataxia (tabes dorsalis)	-	-	-	-	-	1	1	-	-	-	9	3	1	5	-
30b	General paralysis of insane	11	9	-	1	1	9	4	5	-	-	124	36	8	69	11
30c	Other syphilis of central nervous system	2	2	-	-	-	3	2	1	-	-	36	15	2	16	3
30d	Aneurysm of aorta	7	6	1	-	-	5	4	1	-	-	62	16	7	32	7
30e	Other syphilis of circulatory system	5	2	-	1	2	-	-	-	-	-	20	5	-	14	1
30f,g	Congenital, other and unspecified forms of syphilis	7	5	1	-	1	4	3	1	-	-	134	34	16	56	28
31	Relapsing fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32	Other diseases due to spirochetes	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-
33a	Influenza, with respiratory complications specified	33	19	14	-	-	47	24	23	-	-	317	88	89	72	68
33b	Influenza, without respiratory complications specified	25	13	12	-	-	29	15	14	-	-	150	52	44	23	31
34	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
35	Measles	13	7	4	-	2	17	8	9	-	-	11	4	6	-	1
36	Acute poliomyelitis and acute polioencephalitis	26	15	11	-	-	2	2	-	-	-	10	5	2	3	-
37a,c	Infectious encephalitis lethargica (acute and unqualified)	4	2	2	-	-	-	-	-	-	-	15	7	5	3	-
37b	Sequelae of encephalitis lethargica	-	-	-	-	-	-	-	-	-	-	4	-	2	1	1
38	Other diseases due to filtrable viruses	-	-	-	-	-	-	-	-	-	-	5	2	2	1	-
39	Typhus fever and typhus-like diseases (due to Rickettsia)	1	-	1	-	-	-	-	-	-	-	17	11	5	1	-
40	Ankylostomiasis	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	Hydatid disease	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	Other diseases caused by helminths	-	-	-	-	-	-	-	-	-	-	3	1	2	-	-
43	Mycoses	2	2	-	-	-	-	-	-	-	-	10	7	1	2	1
44	Other infectious and parasitic (communicable) diseases	9	7	2	-	-	6	4	2	-	-	51	24	21	5	1
	II.—Cancer and other tumors	533	262	258	8	5	567	268	299	-	-	2,549	900	1,074	219	356
45-55	Cancer and other malignant tumors	511	256	242	8	5	552	264	288	-	-	2,428	869	1,034	210	315
45	Cancer of buccal cavity and pharynx	9	4	5	-	-	22	14	8	-	-	77	54	14	5	4
45a-e	Cancer of buccal cavity	7	3	4	-	-	15	10	5	-	-	49	34	10	3	2
45f	Cancer of pharynx	2	1	1	-	-	7	4	3	-	-	28	20	4	2	2
46	Cancer of digestive organs and peritoneum	243	138	98	4	3	255	126	129	-	-	1,046	430	380	128	108
46a	Cancer of esophagus	1	1	-	-	-	6	4	2	-	-	35	10	5	15	5
46b,c	Cancer of stomach and duodenum	113	69	42	2	-	83	49	34	-	-	350	155	84	64	47
46f	Cancer of liver and biliary passages	37	14	20	-	3	35	11	24	-	-	202	66	86	24	26
46g	Cancer of pancreas	15	11	3	1	-	18	9	9	-	-	84	43	32	7	2
46d,e,h,m	Cancer of other digestive organs and peritoneum	77	43	33	1	-	113	53	60	-	-	375	156	173	18	28
47	Cancer of respiratory system	39	30	8	1	-	31	22	9	-	-	168	99	42	16	11
48	Cancer of uterus	32	...	32	...	-	47	...	47	...	-	331	...	229	...	102
49	Cancer of other female genital organs	15	...	15	...	-	12	...	12	...	-	58	...	48	...	10
50	Cancer of breast	44	-	44	-	-	56	1	55	-	-	250	4	189	2	55
51	Cancer of male genital organs	39	38	...	1	...	54	54	...	-	...	143	113	...	30	...
52	Cancer of urinary organs (male and female)	25	14	10	-	1	19	14	5	-	-	84	36	33	9	6
53	Cancer of skin (except vulva and scrotum)	12	5	7	-	-	13	6	7	-	-	57	36	20	1	-
54	Cancer of central nervous system*	12	5	7	-	-	3	3	-	-	-	43	25	14	3	1
55	Cancer of other and unspecified organs	41	22	16	2	1	40	24	16	-	-	171	72	65	16	18
56a	Nonmalignant tumors of ovary	4	...	4	...	-	3	...	3	...	-	11	...	7	...	4
56b	Nonmalignant tumors of uterus	3	...	3	...	-	1	...	1	...	-	36	...	10	...	26
56c	Nonmalignant tumors of other female genital organs	-	...	-	...	-	-	...	-	...	-	1	...	-	...	1
56d,e	Nonmalignant tumors of other and unspecified organs	3	3	-	-	-	1	-	1	-	-	13	6	3	2	2

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
22,566	13,486	8,463	386	231	17,239	8,974	6,778	847	640	32,668	18,134	14,193	203	138	2,217	1,421	708	62	26	
1,489	853	472	91	73	1,635	802	608	122	103	1,689	1,021	592	50	26	148	94	37	10	7	
3	1	2	-	-	16	8	7	-	1	4	2	2	-	-	-	-	-	-	-	1
1	1	-	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	2
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	5
46	27	18	-	1	29	19	7	3	-	38	24	13	1	-	2	2	-	-	-	6
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	7
8	6	1	-	1	9	4	5	-	-	18	8	10	-	-	2	2	-	-	-	8
21	9	9	-	3	89	40	44	4	1	47	24	21	1	1	3	1	2	-	-	9
27	12	14	1	-	33	18	14	-	1	7	4	3	-	-	3	1	2	-	-	10
4	3	1	-	-	5	1	4	-	-	8	5	3	-	-	-	-	-	-	-	11
1	1	-	-	-	3	1	1	-	1	11	9	2	-	-	1	1	-	-	-	12
720	393	214	61	52	769	340	298	63	68	776	480	247	27	22	37	20	7	7	3	13-22
6	5	1	-	-	9	7	-	2	-	14	14	-	-	-	-	-	-	-	-	13a
637	346	190	55	46	684	295	274	55	60	693	428	223	27	15	30	16	6	6	2	13b,c
13	8	3	1	1	31	16	10	2	3	17	7	9	-	1	2	1	-	1	-	14
17	10	4	1	2	12	7	3	-	2	6	3	2	-	1	1	-	1	-	-	15
10	7	1	1	1	8	4	4	-	-	11	8	3	-	-	-	-	-	-	-	16
1	-	1	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	17a
-	-	-	-	-	3	2	1	-	-	2	2	-	-	-	-	-	-	-	-	17b
-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	18
4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19
12	8	3	1	-	4	4	-	-	-	19	11	3	-	5	2	2	-	-	-	20
2	1	-	-	1	1	1	-	-	-	10	5	5	-	-	-	-	-	-	-	21
18	8	7	2	1	14	3	5	3	3	1	1	-	-	-	2	1	-	-	1	22a
-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	22b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	23
27	12	15	-	-	21	8	13	-	-	29	18	11	-	-	1	-	-	1	-	24
-	-	-	-	-	2	-	2	-	-	1	-	1	-	-	1	-	1	-	-	25
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	26
18	8	5	1	4	64	28	33	2	1	6	4	2	-	-	2	2	-	-	-	27
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	28
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	29
231	161	47	18	5	257	153	46	34	24	198	148	36	14	-	32	22	7	1	2	30
10	8	1	1	-	7	5	2	-	-	11	7	4	-	-	-	-	-	-	-	30a
67	51	9	6	1	73	42	16	13	2	59	42	12	5	-	12	10	1	1	-	30b
17	10	6	1	-	41	27	6	3	5	17	13	4	-	-	3	2	1	-	-	30c
52	40	5	5	2	31	23	2	2	4	48	34	9	5	-	8	6	1	-	1	30d
23	20	3	-	-	10	6	1	3	-	17	14	3	-	-	2	1	1	-	-	30e
62	32	23	5	2	95	50	19	13	13	46	38	4	4	-	7	3	3	-	1	30f,g
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	31
5	4	1	-	-	3	2	1	-	-	4	3	1	-	-	-	-	-	-	-	32
147	84	56	4	3	175	88	75	9	3	249	138	108	2	1	22	15	7	-	-	33a
68	34	32	-	2	97	48	42	5	2	137	72	61	3	1	12	7	4	1	-	33b
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
45	21	20	3	1	12	5	5	1	1	38	21	16	1	-	5	2	2	-	1	35
29	19	9	1	-	3	3	-	-	-	20	11	9	-	-	5	3	2	-	-	36
27	17	9	-	1	6	4	2	-	-	12	4	7	-	1	5	2	2	-	1	37a,c
7	4	3	-	-	1	1	-	-	-	12	5	7	-	-	-	-	-	-	-	37b
7	4	3	-	-	4	2	1	1	-	6	3	3	-	-	1	1	-	-	-	38
5	4	-	1	-	4	2	2	-	-	1	1	-	-	-	10	10	-	-	-	39
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	40
2	2	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	41
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	42
5	4	1	-	-	3	3	-	-	-	14	10	4	-	-	1	-	1	-	-	43
35	22	12	1	-	28	22	6	-	-	39	19	20	-	-	1	1	-	-	-	44
2,674	1,356	1,270	29	19	1,640	686	849	35	70	4,616	2,353	2,242	10	11	255	145	103	7	-	
2,598	1,332	1,220	28	18	1,572	665	813	34	60	4,458	2,304	2,135	10	9	245	143	96	6	-	45-55
75	64	10	1	-	30	16	13	1	-	122	101	18	2	1	5	5	-	-	-	45
55	47	8	-	-	20	12	8	-	-	82	72	10	-	-	4	4	-	-	-	45a-e
20	17	2	1	-	10	4	5	1	-	40	29	8	2	1	1	1	-	-	-	45f
1,206	688	493	18	7	718	362	316	19	21	2,192	1,306	880	3	3	110	75	33	2	-	46
38	28	10	-	-	15	10	3	1	1	105	94	11	-	-	4	4	-	-	-	46a
461	302	145	10	4	272	159	96	8	9	829	537	292	-	-	51	38	12	1	-	46b,c
155	72	82	1	-	121	50	66	4	1	268	124	143	-	1	12	6	6	-	-	46f
112	68	43	1	-	48	25	22	-	1	152	97	54	1	-	9	4	5	-	-	46g
440	218	213	6	3	262	118	129	6	9	838	454	380	2	2	34	28	10	1	-	46d,e,h,m
187	141	44	2	-	75	58	13	4	-	255	201	44	-	-	16	11	4	1	-	47
200	...	199	...	1	222	...	198	...	24	357	...	354	...	3	18	...	18	...	-	48
69	...	69	...	-	37	...	35	...	2	140	...	139	...	1	7	...	7	...	-	49
234	1	228	-	5	129	-	124	-	5	452	4	447	-	1	18	-	18	-	-	50
185	183	...	2	...	93	87	...	6	...	289	289	...	-	...	22	20	...	2	...	51
125	89	34	2	-	54	34	17	2	1	215	143	72	-	-	13	9	4	-	-	52
40	24	16	-	-	33	18	13	-	2	74	52	22	-	-	8	5	3	-	-	53
74	38	32	1	3	21	11	9	-	1	73	43	28	2	-	3	3	-	-	-	54
203	104	95	2	2	160	79	75	2	4	289	165	121	3	-	25	15	9	1	-	55
11	...	11	...	-	9	...	8	...	1	22	...	22	...	-	1	...	1	...	-	56a
20	...	20	...	-	13	...	11	...	2	45	...	43	...	2	1	...	1	...	-	56b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	56c
20	10	8	1	1	10	5	5	-	-	46	24	22	-	-	3	1	2	-	-	56d,e

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	II.—Cancer and other tumors—Continued															
57a	Tumors of ovary (nature unspecified)	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-
57b	Tumors of uterus (nature unspecified)	-	...	-	...	-	1	...	1	...	-	1	...	-	...	1
57c	Tumors of other female genital organs (nature unspecified)	1	...	1	...	-	1	...	1	...	-	1	...	-	...	1
57d,e	Tumors of other and unspecified organs (nature unspecified)	11	3	8	-	-	8	4	4	-	-	57	25	19	7	6
	III.—Rheumatism, diseases of nutrition, etc.*	172	74	96	-	2	151	65	86	-	-	747	212	336	62	137
58a-d	Acute rheumatic heart diseases	11	10	1	-	-	4	3	1	-	-	29	5	6	8	10
58e,f	Other forms of acute rheumatic fever, including rheumatism (unqualified)	2	1	-	-	1	-	-	-	-	-	13	7	2	3	1
59	Chronic rheumatism and other rheumatic diseases	7	3	4	-	-	11	4	7	-	-	43	5	26	5	7
60	Gout	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
61	*Diabetes mellitus*	118	51	66	-	1	126	55	71	-	-	510	154	234	33	87
62	Diseases of pituitary gland	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
63a	Simple goiter	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2
63b	Exophthalmic goiter	22	4	18	-	-	5	2	3	-	-	48	2	34	-	12
63c-e	Other diseases of thyroid and parathyroid glands	1	-	1	-	-	-	-	-	-	-	3	-	2	-	1
64	Diseases of thymus gland	6	4	2	-	-	2	-	2	-	-	24	11	7	3	3
65	Diseases of adrenal glands (not specified as tuberculous)	1	-	1	-	-	-	-	-	-	-	10	4	3	2	1
66	Other general diseases	3	1	2	-	-	-	-	-	-	-	16	6	5	3	2
67	Scurvy	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1
68	Beriberi	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
69	Pellagra (except alcoholic)	1	-	1	-	-	1	-	1	-	-	38	14	16	-	8
70	Rickets	-	-	-	-	-	1	1	-	-	-	6	1	-	3	2
71	Other avitaminoses	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-
	IV.—Diseases of the blood and blood-forming organs	46	26	19	1	-	36	15	21	-	-	177	79	58	23	17
72	Hemorrhagic conditions	4	4	-	-	-	2	1	1	-	-	11	4	5	2	-
73a	Pernicious anemia	10	5	5	-	-	9	2	7	-	-	24	6	9	2	7
73b-d	Other anemias (except splenic)	4	-	4	-	-	5	3	2	-	-	32	9	12	9	2
74a	Leukemias	18	10	7	1	-	17	8	9	-	-	93	51	26	8	8
74b	Aleukemias	4	3	1	-	-	1	-	1	-	-	3	3	-	-	-
75	Diseases of spleen	2	2	-	-	-	2	1	1	-	-	9	4	4	1	-
76	Other diseases of the blood and blood-forming organs	4	2	2	-	-	-	-	-	-	-	5	2	2	1	-
	V.—Chronic poisoning and intoxication	6	5	1	-	-	10	9	1	-	-	50	34	4	7	5
77a,b	Alcoholic pellagra and other deficiency states associated with alcoholism	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-
77c-e	Alcoholism (acute, chronic, and unspecified)	5	5	-	-	-	8	7	1	-	-	47	31	4	7	5
78	Lead poisoning	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
79	Chronic poisoning by other mineral or organic substances	1	-	1	-	-	1	1	-	-	-	1	1	-	-	-
	VI.—Diseases of the nervous system, etc.*	432	201	221	5	5	506	240	266	-	-	3,381	1,106	990	598	687
80	Encephalitis (nonepidemic)	8	6	2	-	-	1	-	1	-	-	44	16	15	5	8
81	*Meningitis* (not due to *meningococcus*)	6	4	2	-	-	8	4	4	-	-	88	19	23	31	15
82	Diseases of spinal cord (see exceptions)*	9	7	2	-	-	8	5	3	-	-	66	26	24	9	7
83a	Cerebral hemorrhage or effusion (excluding birth injuries)	332	145	179	3	5	374	176	198	-	-	2,636	835	764	457	580
83b	Cerebral embolism and thrombosis	34	20	13	1	-	62	28	34	-	-	144	63	49	15	17
83c	Cerebral softening	5	2	3	-	-	1	1	-	-	-	17	7	5	3	2
83d	Hemiplegia and other paralysis of unspecified origin	6	3	3	-	-	2	1	1	-	-	154	66	44	20	24
84	Mental diseases and deficiency (see exception)*	2	-	1	1	-	7	1	6	-	-	40	7	10	17	6
85	Epilepsy	11	3	8	-	-	13	6	7	-	-	68	21	18	16	13
86	Convulsions (under 5 years)	-	-	-	-	-	3	1	2	-	-	33	9	5	13	6
87	Other diseases of nervous system	14	8	6	-	-	22	15	7	-	-	63	23	24	8	8
88	Diseases of organs of vision	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-
89a	Otitis and other diseases of the ear	4	2	2	-	-	1	-	1	-	-	21	9	9	2	1
89b	Diseases of mastoid process	1	1	-	-	-	3	1	2	-	-	6	5	-	1	-
	VII.—Diseases of the circulatory system	1,556	945	592	11	8	1,668	930	738	-	-	7,448	3,193	2,131	1,128	996
90-95	Diseases of the heart (all forms)	1,452	879	554	11	8	1,439	820	619	-	-	6,917	3,016	1,952	1,040	909
90	Pericarditis (except acute rheumatic)	2	1	1	-	-	1	1	-	-	-	11	5	4	-	2
91a,b	Bacterial and other acute or subacute endocarditis	12	6	6	-	-	9	5	4	-	-	35	16	9	4	6
91c	Endocarditis (unspecified, under 45 years)	-	-	-	-	-	-	-	-	-	-	14	2	1	3	8
92a-d	Chronic endocarditis and diseases of the valves*	197	98	95	1	2	182	99	83	-	-	842	304	239	157	142
92e	Endocarditis (unspecified, 45 years and over)	2	1	1	-	-	4	2	2	-	-	68	20	12	24	12
93a	Acute myocarditis (except rheumatic)	23	15	8	-	-	15	7	8	-	-	58	13	14	14	17
93b	Myocarditis (unspecified, under 45 years)	2	1	-	-	1	1	1	-	-	-	25	7	3	3	12
93c,d	Chronic myocarditis and myocardial degeneration	597	319	270	6	2	618	316	302	-	-	2,700	1,013	877	416	394
93e	Other myocarditis (unspecified)	25	15	10	-	-	49	33	16	-	-	466	172	126	83	85
94a	Diseases of coronary arteries	442	342	97	2	1	410	272	138	-	-	1,707	1,035	386	174	112
94b	Angina pectoris	12	9	3	-	-	50	32	18	-	-	197	116	50	13	18
95a	Functional diseases of heart, etc.*	4	3	-	-	1	1	-	1	-	-	14	5	7	1	1
95b,c	Other and unspecified diseases of heart	134	69	62	2	1	99	52	47	-	-	780	308	224	148	100
96	Aneurysm (except of heart and aorta)	7	6	1	-	-	4	3	1	-	-	27	9	9	2	7
97	Arteriosclerosis (except coronary or renal sclerosis)	75	45	30	-	-	206	100	106	-	-	361	127	120	60	54
98	Gangrene	1	1	-	-	-	-	-	-	-	-	20	3	6	6	5
99	Other diseases of arteries	8	7	1	-	-	8	3	5	-	-	40	12	22	4	2
100	Diseases of veins	3	2	1	-	-	6	2	4	-	-	20	10	6	2	2
101	Diseases of lymphatic system	-	-	-	-	-	1	-	1	-	-	3	1	1	1	-
102	High blood pressure (idiopathic)	8	4	4	-	-	3	1	2	-	-	47	13	10	11	13
103	Other diseases of circulatory system	2	1	1	-	-	1	1	-	-	-	13	2	5	2	4
	VIII.—Diseases of the respiratory system	284	176	100	5	3	282	164	117	1	-	1,957	667	522	442	326
104a	Diseases of nasal fossae	2	2	-	-	-	-	-	-	-	-	20	6	3	5	6
104b	Diseases of accessory sinuses	4	3	1	-	-	2	2	-	-	-	8	1	3	3	1
105	Diseases of larynx	3	2	1	-	-	2	1	1	-	-	12	5	4	2	1
106a	Acute bronchitis	10	4	6	-	-	8	5	3	-	-	18	4	5	3	6

* Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57a
-	...	-	...	-	1	...	-	...	1	1	...	1	...	-	-	...	-	...	-	57b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	57c
23	14	9	-	-	35	16	12	1	6	43	25	18	-	-	5	1	3	1	-	57d,e
647	268	369	6	4	457	178	251	11	17	1,274	484	776	6	8	62	29	32	1	-	
12	8	4	-	-	7	3	4	-	-	32	18	13	-	1	3	1	2	-	-	58a-d
7	1	5	-	1	9	4	4	1	-	12	7	5	-	-	1	1	-	-	-	58e,f
28	9	19	-	-	19	14	5	-	-	56	25	30	1	-	4	2	1	1	-	59
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	60
497	204	287	3	3	335	127	188	7	13	983	377	597	4	5	39	19	20	-	-	61
3	2	1	-	-	1	-	1	-	-	3	1	2	-	-	-	-	-	-	-	62
4	1	3	-	-	3	-	3	-	-	2	1	1	-	-	1	1	-	-	-	63a
40	12	28	-	-	27	5	21	-	1	115	17	98	-	-	6	-	6	-	-	63b
4	2	2	-	-	5	3	2	-	-	7	2	5	-	-	1	-	1	-	-	63c-e
33	19	12	2	-	16	7	8	-	1	29	17	10	1	1	5	4	1	-	-	64
9	3	5	1	-	5	1	4	-	-	21	12	9	-	-	2	1	1	-	-	65
5	4	1	-	-	14	10	4	-	-	6	4	2	-	-	-	-	-	-	-	66
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	68
3	1	2	-	-	8	2	5	-	1	2	1	-	-	1	-	-	-	-	-	69
2	2	-	-	-	6	2	1	2	1	4	1	3	-	-	-	-	-	-	-	70
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	71
185	104	80	-	1	136	75	54	5	2	319	159	158	2	-	7	5	2	-	-	
15	7	8	-	-	8	5	3	-	-	8	1	6	1	-	-	-	-	-	-	72
43	24	18	-	1	39	19	19	-	1	80	35	45	-	-	1	1	-	-	-	73a
13	6	7	-	-	20	9	10	1	-	22	10	12	-	-	2	1	1	-	-	73b-d
101	59	42	-	-	54	34	15	4	1	182	102	79	1	-	3	3	-	-	-	74a
1	1	-	-	-	2	1	1	-	-	10	4	6	-	-	-	-	-	-	-	74b
9	4	5	-	-	9	4	5	-	-	11	5	6	-	-	1	-	1	-	-	75
3	3	-	-	-	4	3	1	-	-	6	2	4	-	-	-	-	-	-	-	76
108	93	11	4	-	26	20	1	2	3	44	39	4	1	-	6	3	2	1	-	
1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	77a,b
105	90	11	4	-	22	17	-	2	3	40	36	3	1	-	6	3	2	1	-	77c-e
2	2	-	-	-	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	78
-	-	-	-	-	3	3	-	-	-	2	1	1	-	-	-	-	-	-	-	79
2,357	1,216	1,101	23	17	1,777	872	772	64	69	3,635	1,766	1,849	12	8	186	102	78	5	1	
21	12	8	1	-	24	13	10	1	-	25	7	17	1	-	3	3	-	-	-	80
31	16	14	1	-	57	31	22	1	3	57	30	26	1	-	1	-	-	1	-	81
52	32	19	1	-	23	7	14	-	2	69	40	29	-	-	2	2	-	-	-	82
1,769	895	848	12	14	1,365	658	596	55	56	2,962	1,416	1,532	9	5	143	77	62	3	1	83a
205	121	79	3	2	71	40	28	3	-	232	118	113	-	1	6	2	4	-	-	83b
16	10	6	-	-	2	2	-	-	-	9	5	4	-	-	-	-	-	-	-	83c
77	36	40	1	-	100	46	48	2	4	23	6	16	1	-	2	1	1	-	-	83d
46	19	27	-	-	22	13	9	-	-	37	21	16	-	-	1	-	1	-	-	84
38	21	15	2	-	50	28	18	2	2	61	31	29	-	1	7	3	4	-	-	85
6	3	2	-	1	10	5	4	-	1	15	10	5	-	-	1	-	1	-	-	86
73	38	35	-	-	35	17	18	-	-	119	69	49	-	1	14	8	5	1	-	87
2	2	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	88
14	7	5	2	-	11	8	3	-	-	20	10	10	-	-	6	6	-	-	-	89a
7	4	3	-	-	7	4	2	-	1	4	3	1	-	-	-	-	-	-	-	89b
7,534	4,758	2,660	76	40	4,142	2,239	1,561	201	141	10,830	6,173	4,576	48	33	632	450	153	15	4	
6,904	4,373	2,417	75	39	3,828	2,076	1,437	186	129	10,029	5,722	4,227	48	32	596	429	149	14	4	90-95
8	2	6	-	-	4	3	1	-	-	3	2	1	-	-	1	1	-	-	-	90
37	21	16	-	-	18	7	10	-	1	41	21	20	-	-	5	2	3	-	-	91a,b
5	5	-	-	-	4	1	3	-	-	7	1	6	-	-	-	-	-	-	-	91c
858	495	346	9	8	424	210	176	17	21	1,028	582	439	2	5	72	43	26	3	-	92a-d
59	35	23	1	-	61	32	26	2	1	47	25	22	-	-	2	2	-	-	-	92e
50	28	21	-	1	45	23	21	1	-	91	55	35	1	-	21	18	2	1	-	93a
4	2	1	-	1	7	3	2	-	2	5	4	1	-	-	1	-	1	-	-	93b
2,733	1,564	1,117	37	15	1,297	643	538	69	47	5,020	2,533	2,436	32	19	263	180	74	6	3	93c,d
329	186	140	2	1	356	182	137	23	14	369	215	152	2	-	38	24	12	2	-	93e
2,203	1,625	553	19	6	1,001	637	268	52	24	2,679	1,848	822	5	4	148	128	18	2	-	94a
155	120	34	1	-	95	70	22	2	1	76	51	25	-	-	13	9	4	-	-	94b
17	10	7	-	-	18	7	11	-	-	22	11	11	-	-	2	-	2	-	-	95a
446	280	153	6	7	498	258	202	20	18	641	374	257	6	4	30	22	7	-	1	95b,c
32	21	11	-	-	5	2	1	1	1	33	29	4	-	-	5	4	1	-	-	96
502	308	192	1	1	219	115	89	9	6	626	339	286	-	1	19	9	10	-	-	97
3	2	1	-	-	13	8	5	-	-	9	8	1	-	-	3	1	1	1	-	98
46	29	17	-	-	36	20	12	2	2	65	39	26	-	-	4	4	-	-	-	99
14	7	7	-	-	3	2	1	-	-	32	20	12	-	-	3	2	1	-	-	100
3	2	1	-	-	4	2	2	-	-	3	1	2	-	-	-	-	-	-	-	101
27	14	13	-	-	29	12	12	2	3	33	15	18	-	-	1	-	1	-	-	102
3	2	1	-	-	5	2	2	1	-	-	-	-	-	-	1	1	-	-	-	103
1,326	812	449	41	24	1,246	630	507	68	41	1,760	1,000	721	21	18	140	84	44	8	4	
2	1	1	-	-	-	-	-	-	-	5	1	4	-	-	-	-	-	-	-	104a
6	5	1	-	-	4	1	2	-	1	17	13	3	1	-	1	1	-	-	-	104b
2	1	1	-	-	4	3	1	-	-	6	6	-	-	-	1	1	-	-	-	105
10	4	6	-	-	6	3	3	-	-	35	16	18	-	1	-	-	-	-	-	106a

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	VIII.—Diseases of the respiratory system—Con.															
106b	Chronic bronchitis	7	6	1	-	-	9	8	1	-	-	42	20	14	6	2
106c	Bronchitis (unspecified)	1	1	-	-	-	6	3	3	-	-	15	7	3	1	4
107	Bronchopneumonia (including capillary bronchitis)	110	59	47	2	2	104	50	53	1	-	736	254	218	156	108
108	Lobar pneumonia	78	50	24	3	1	104	71	33	-	-	590	190	131	161	108
109	Pneumonia (unspecified)	17	13	4	-	-	17	6	11	-	-	305	99	83	64	59
110	Pleurisy (not specified as tuberculous)	9	8	1	-	-	3	1	2	-	-	40	19	6	7	8
111a	Hemorrhagic infarction and thrombosis of lungs	1	-	1	-	-	6	4	2	-	-	21	4	10	2	5
111b,c	Acute edema, chronic and unspecified congestion of lungs	18	8	10	-	-	9	3	6	-	-	39	11	18	8	2
112	Asthma	12	8	4	-	-	7	5	2	-	-	65	26	21	8	10
113	Pulmonary emphysema	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-
114	Other diseases of respiratory system (except tuberculosis)	12	12	-	-	-	5	5	-	-	-	43	18	3	16	6
	IX.—Diseases of the digestive system	251	146	97	5	3	200	112	87	-	1	1,353	510	369	279	195
115a,b,d	Diseases of buccal cavity and adnexa	9	3	6	-	-	5	1	4	-	-	42	17	9	7	9
115c	Diseases of pharynx and tonsils	5	-	5	-	-	-	-	-	-	-	38	11	10	9	8
116	Diseases of esophagus	1	1	-	-	-	1	1	-	-	-	5	1	-	2	2
117a	Ulcer of stomach	24	19	4	1	-	21	17	4	-	-	136	73	15	36	12
117b	Ulcer of duodenum	15	12	2	1	-	12	10	2	-	-	50	38	6	3	3
118	Other diseases of stomach (except cancer)	6	3	2	-	1	8	6	2	-	-	43	12	10	13	8
119	Diarrhea, enteritis, and ulceration of intestines (under 2 years)	18	10	6	2	-	11	6	5	-	-	263	82	76	66	39
120	Diarrhea, enteritis, and ulceration of intestines (2 years and over)	6	3	3	-	-	9	3	6	-	-	79	18	32	12	17
121	Appendicitis	39	22	16	-	1	30	18	12	-	-	142	52	40	32	18
122a	Hernia	17	14	3	-	-	22	13	9	-	-	97	40	24	24	9
122b	Intestinal obstruction	34	18	16	-	-	27	14	12	-	1	128	31	44	23	30
123	Other diseases of intestines	4	2	2	-	-	7	3	4	-	-	41	16	9	9	7
124a	Cirrhosis of liver (with mention of alcoholism)	2	2	-	-	-	1	1	-	-	-	9	8	-	1	-
124b	Cirrhosis of liver (without mention of alcoholism)	31	20	10	-	1	16	8	8	-	-	126	65	28	22	11
125a	Acute yellow atrophy of liver (nonpuerperal)	5	2	3	-	-	1	1	-	-	-	9	3	2	2	2
125b	Other diseases of liver	7	5	2	-	-	4	2	2	-	-	17	4	4	5	4
126	Biliary calculi	13	3	10	-	-	7	1	6	-	-	47	19	21	1	6
127	Other diseases of gallbladder and biliary ducts	10	5	4	1	-	11	3	8	-	-	43	6	26	5	6
128	Diseases of pancreas (except diabetes mellitus)	3	1	2	-	-	2	2	-	-	-	16	5	6	4	1
129	Peritonitis (cause not stated)	2	1	1	-	-	5	2	3	-	-	22	9	7	3	3
	X.—Diseases of the genito-urinary system	333	171	147	12	3	315	182	133	-	-	2,812	1,002	749	545	516
130	Acute nephritis	15	9	6	-	-	8	7	1	-	-	75	20	16	23	16
131a	Arteriosclerotic kidney	157	80	71	4	2	197	106	91	-	-	1,715	553	494	341	327
131b	Other chronic nephritis	105	44	54	6	1	61	29	32	-	-	562	236	136	95	95
132	Nephritis unspecified (10 years and over)	5	4	1	-	-	6	4	2	-	-	156	46	35	28	47
133	Other diseases of kidneys and ureters, etc.*	10	6	3	1	-	5	2	3	-	-	67	22	26	6	13
134	Calculi of urinary passages	1	-	1	-	-	3	2	1	-	-	35	20	14	-	1
135	Diseases of urinary bladder	3	2	1	-	-	2	2	-	-	-	14	4	6	3	1
136	Diseases of urethra (except calculus)	1	1	-	-	-	-	-	-	-	-	9	3	1	5	-
137	Diseases of prostate	25	24	...	1	...	30	30	...	-	...	142	98	...	44	...
138	Diseases of other male genital organs (except venereal)	1	1	...	-	...	-	-	...	-	...	-	-	...	-	...
139a	Diseases of ovaries, fallopian tubes, and parametria	8	...	8	...	-	2	...	2	...	-	20	...	9	...	11
139b	Diseases of uterus	2	...	2	...	-	1	...	1	...	-	16	...	11	...	5
139c	Diseases of other and unspecified female genital organs	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-
	XI.—Diseases of pregnancy, childbirth, and the puerperium	27	...	25	...	2	16	...	16	...	-	210	...	111	...	99
140	Abortion with mention of infection	2	...	2	...	-	2	...	2	...	-	30	...	13	...	17
140a,b	Abortion (septic), spontaneous or therapeutic*	2	...	2	...	-	1	...	1	...	-	21	...	12	...	9
140c,d	Abortion (septic), self-induced or nontherapeutic*	-	...	-	...	-	1	...	1	...	-	9	...	1	...	8
141	Abortion without mention of infection	-	...	-	...	-	1	...	1	...	-	18	...	11	...	7
141a,c	Abortion (nonseptic), spontaneous, therapeutic, with toxemia*	-	...	-	...	-	-	...	-	...	-	5	...	2	...	3
141b,c	Abortion (nonseptic), spontaneous, therapeutic, without toxemia*	-	...	-	...	-	1	...	1	...	-	13	...	9	...	4
141e,f	Abortion (nonseptic), self-induced or nontherapeutic*	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
142a	Ectopic gestation, with mention of infection	2	...	2	...	-	-	...	-	...	-	2	...	1	...	1
142b	Ectopic gestation, without mention of infection	2	...	2	...	-	-	...	-	...	-	9	...	3	...	6
143a	Placenta praevia (death before delivery)	-	...	-	...	-	-	...	-	...	-	3	...	1	...	2
143b,c	Other hemorrhages of pregnancy (death before delivery)	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-
144a,b	Eclampsia and nephritis of pregnancy (death before delivery)*	-	...	-	...	-	3	...	3	...	-	14	...	5	...	9
144c,d	Other toxemias of pregnancy (death before delivery)*	1	...	1	...	-	-	...	-	...	-	8	...	3	...	5
145	Other diseases and accidents of pregnancy (death before delivery)	3	...	3	...	-	-	...	-	...	-	-	...	-	...	-
	A. With mention of infection	2	...	2	...	-	-	...	-	...	-	-	...	-	...	-
	B. Without mention of infection	1	...	1	...	-	-	...	-	...	-	-	...	-	...	-
146a	Placenta praevia (with childbirth)	-	...	-	...	-	-	...	-	...	-	9	...	3	...	6
146b,c	Other hemorrhages of childbirth and puerperium	2	...	2	...	-	2	...	2	...	-	21	...	13	...	8
147a,b	Puerperal pyelitis, other general or local puerperal infection*	-	...	-	...	-	3	...	3	...	-	22	...	14	...	8
147c,d	Puerperal thrombophlebitis and embolism, and sudden death	8	...	8	...	-	2	...	2	...	-	22	...	15	...	7
148a,b	Puerperal eclampsia and nephritis*	2	...	2	...	-	2	...	2	...	-	28	...	14	...	14
148c,d	Other puerperal toxemias	2	...	2	...	-	-	...	-	...	-	9	...	5	...	4
149	Other accidents and specified conditions of childbirth	2	...	1	...	1	1	...	1	...	-	7	...	6	...	1
150	Other and unspecified conditions of childbirth and puerperium	1	...	-	...	1	-	...	-	...	-	8	...	4	...	4
	XII.—Diseases of the skin and cellular tissue	7	5	2	-	-	3	2	1	-	-	29	3	13	6	7
151	Carbuncle and furuncle	-	-	-	-	-	1	1	-	-	-	2	-	2	-	-
152	Phlegmon and acute abscess	4	3	1	-	-	-	-	-	-	-	6	1	8	2	-
153	Other diseases of skin and cellular tissue	3	2	1	-	-	2	1	1	-	-	21	2	8	4	7

*Refer to complete International List titles, table VII, Part I.

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
24	16	8	-	-	17	9	8	-	-	39	27	12	-	-	6	4	2	-	-	106b
12	6	5	1	-	10	6	4	-	-	27	15	12	-	-	2	1	1	-	-	106c
495	261	208	14	12	502	262	204	21	15	756	397	343	7	9	49	28	19	2	-	107
501	340	133	19	9	344	153	152	24	15	588	361	211	8	8	58	39	14	3	2	108
103	59	36	5	3	204	107	76	14	7	65	40	24	1	-	12	4	4	2	2	109
33	25	8	-	-	15	8	5	-	2	36	19	15	2	-	3	2	1	-	-	110
30	23	7	-	-	25	9	13	3	-	34	23	11	-	-	1	1	-	-	-	111a
40	19	21	-	-	41	18	22	1	-	68	24	44	-	-	1	-	1	-	-	111b,c
40	27	11	2	-	43	27	12	4	-	47	26	19	2	-	4	1	2	1	-	112
2	2	-	-	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	113
26	23	3	-	-	29	22	5	1	1	36	31	5	-	-	2	2	-	-	-	114
992	593	363	24	12	908	476	367	39	26	1,540	867	655	11	7	120	74	43	1	2	
24	10	13	-	1	18	8	9	-	1	42	20	22	-	-	2	2	-	-	-	115a,b,d
22	11	10	1	-	13	5	6	1	1	17	11	6	-	-	7	3	4	-	-	115c
3	1	2	-	-	2	1	1	-	-	5	3	2	-	-	-	-	-	-	-	116
119	99	15	4	1	69	51	10	8	-	146	119	25	1	1	17	14	2	1	-	117a
71	57	14	-	-	20	16	1	2	1	79	73	6	-	-	1	1	-	-	-	117b
26	18	6	1	1	29	20	8	-	1	13	11	2	-	-	3	3	-	-	-	118
69	40	19	8	2	251	114	123	6	8	90	55	33	1	1	6	2	4	-	-	119
31	15	13	1	2	49	25	21	2	1	57	22	35	-	-	3	2	1	-	-	120
94	65	27	2	-	74	45	20	6	3	194	119	73	2	-	20	13	7	-	-	121
85	59	26	-	-	46	25	14	4	3	132	77	54	1	-	12	7	5	-	-	122a
101	51	47	3	-	102	51	44	4	3	139	61	75	2	1	17	8	7	-	2	122b
25	12	13	-	-	15	12	3	-	-	31	17	13	1	-	3	2	1	-	-	123
16	11	3	1	1	5	4	1	-	-	42	35	7	-	-	1	1	-	-	-	124a
149	82	64	3	-	92	66	23	3	-	248	149	97	1	1	10	8	2	-	-	124b
11	5	6	-	-	6	2	3	-	1	16	9	7	-	-	-	-	-	-	-	125a
14	5	8	-	1	15	3	10	2	-	19	6	13	-	-	1	-	1	-	-	125b
63	21	40	-	2	36	8	27	-	1	152	35	116	-	1	9	2	7	-	-	126
46	15	30	-	1	36	11	25	-	-	67	22	43	1	1	6	5	1	-	-	127
11	6	5	-	-	9	3	5	1	-	22	8	14	-	-	-	-	-	-	-	128
12	10	2	-	-	21	6	13	-	2	29	15	12	1	1	2	1	1	-	-	129
1,501	947	534	15	5	1,340	677	510	90	63	2,324	1,407	903	5	9	198	113	79	5	1	
39	21	16	2	-	57	25	23	5	4	45	25	19	-	1	6	4	1	1	-	130
818	474	335	5	4	676	324	268	46	38	1,301	724	570	2	5	110	62	45	3	-	131a
288	172	112	3	1	333	170	135	16	12	486	279	203	2	2	55	33	21	-	1	131b
57	32	24	1	-	125	64	48	8	5	75	47	27	-	1	7	3	4	-	-	132
63	46	17	-	-	34	16	16	2	-	68	44	24	-	-	5	1	3	1	-	133
29	20	8	1	-	15	5	7	2	1	42	23	19	-	-	3	3	-	-	-	134
10	8	2	-	-	8	5	-	3	-	23	10	13	-	-	1	1	-	-	-	135
1	1	-	-	-	4	2	-	2	-	6	5	1	-	-	-	-	-	-	-	136
175	172	...	3	...	71	65	...	6	...	250	249	...	1	...	6	6	...	-	...	137
1	1	...	-	...	1	1	...	-	...	1	1	...	-	...	-	-	...	-	...	138
12	...	12	...	-	13	...	10	...	3	15	...	15	...	-	2	...	2	...	-	139a
8	...	8	...	-	3	...	3	...	-	11	...	11	...	-	3	...	3	...	-	139b
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	139c
72	...	65	...	7	126	...	112	...	14	127	...	124	...	3	9	...	8	...	1	
6	...	6	...	-	7	...	7	...	-	13	...	13	...	-	3	...	3	...	-	140
3	...	3	...	-	6	...	6	...	-	6	...	6	...	-	2	...	2	...	-	140a,b
3	...	3	...	-	1	...	1	...	-	7	...	7	...	-	1	...	1	...	-	140c,d
2	...	2	...	-	5	...	5	...	-	8	...	7	...	1	-	...	-	...	-	141
1	...	1	...	-	1	...	1	...	-	3	...	3	...	-	-	...	-	...	-	141a,c
1	...	1	...	-	4	...	4	...	-	5	...	4	...	1	-	...	-	...	-	141b,d
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	141e,f
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	142a
6	...	6	...	-	-	...	-	...	-	6	...	6	...	-	1	...	1	...	-	142b
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	143a
-	...	-	...	-	1	...	1	...	-	2	...	2	...	-	-	...	-	...	-	143b,c
4	...	4	...	-	9	...	8	...	1	4	...	4	...	-	-	...	-	...	-	144a,b
-	...	-	...	-	1	...	1	...	-	2	...	2	...	-	1	...	1	...	-	144c,d
7	...	6	...	1	4	...	3	...	1	4	...	4	...	-	1	...	1	...	-	145
6	...	5	...	1	2	...	2	...	-	2	...	2	...	-	1	...	1	...	-	
1	...	1	...	-	2	...	1	...	1	2	...	2	...	-	-	...	-	...	-	
-	...	-	...	-	5	...	4	...	1	4	...	4	...	-	-	...	-	...	-	146a
4	...	3	...	1	20	...	19	...	1	12	...	12	...	-	1	...	-	...	1	146b,c
8	...	5	...	3	15	...	9	...	6	12	...	11	...	1	1	...	1	...	-	147a,b
14	...	14	...	-	13	...	13	...	-	24	...	24	...	-	-	...	-	...	-	147c,d
9	...	8	...	1	19	...	17	...	2	21	...	21	...	-	-	...	-	...	-	148a,b
3	...	3	...	-	6	...	6	...	-	3	...	3	...	-	-	...	-	...	-	148c,d
4	...	4	...	-	8	...	6	...	2	11	...	11	...	-	1	...	1	...	-	149
4	...	3	...	1	13	...	13	...	-	1	...	-	...	1	-	...	-	...	-	150
19	9	10	-	-	21	11	7	1	2	25	11	14	-	-	1	-	-	-	1	
-	-	-	-	-	5	3	2	-	-	3	2	1	-	-	1	-	-	-	1	151
6	2	4	-	-	4	1	2	1	-	4	2	2	-	-	-	-	-	-	-	152
13	7	6	-	-	12	7	3	-	2	18	7	11	-	-	-	-	-	-	-	153

TABLE 24.—DEATHS FROM EACH CAUSE, BY RACE AND SEX:

(Exclusive of stillbirths.

List No.	CAUSE OF DEATH	UTAH					VERMONT					VIRGINIA				
		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite	
			M	F	M	F		M	F	M	F		M	F	M	F
	XIII.—Diseases of the bones, etc.*	7	6	1	-	-	2	1	1	-	-	20	10	2	6	2
154	Osteomyelitis and periostitis	5	5	-	-	-	1	1	-	-	-	10	5	-	3	2
155	Other diseases of bones (except tuberculosis)	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-
156	Diseases of joints and other organs of movement	2	1	1	-	-	1	-	1	-	-	8	3	2	3	-
157	XIV.—Congenital malformations	96	53	43	-	-	50	26	24	-	-	393	167	163	38	25
	XV.—Diseases peculiar to the first year of life	297	179	117	-	1	147	100	47	-	-	1,576	617	445	308	206
158	Congenital debility (cause not stated)	5	3	2	-	-	3	2	1	-	-	101	26	20	31	24
159	Premature birth (cause not stated)	166	108	58	-	-	73	45	28	-	-	1,006	388	289	190	139
160a	Intracranial or spinal hemorrhage	24	18	6	-	-	16	14	2	-	-	100	39	38	17	6
160b,c	Other injuries at birth	50	25	24	-	1	34	26	8	-	-	166	76	45	26	19
161	Other diseases peculiar to the first year of life	52	25	27	-	-	21	13	8	-	-	203	88	53	44	18
162	XVI.—Senility	96	39	55	1	1	36	12	24	-	-	300	86	114	49	51
	XVII.—Violent or accidental deaths	581	441	131	9	-	321	224	97	-	-	2,603	1,387	484	563	169
163,164	Suicide	35	29	5	1	-	56	41	15	-	-	292	196	70	22	4
163	Suicide by poisoning	7	5	2	-	-	9	2	7	-	-	67	26	37	1	3
	Suicide by solid or liquid poisons	3	2	1	-	-	2	-	2	-	-	28	11	13	1	3
164a	Suicide by poisonous gases	4	3	1	-	-	7	2	5	-	-	39	15	24	-	-
164a	Suicide by hanging or strangulation	4	3	1	-	-	17	14	3	-	-	32	22	7	3	-
164b	Suicide by drowning	-	-	-	-	-	6	3	3	-	-	10	4	4	2	-
164c	Suicide by firearms and explosives	21	18	2	1	-	23	21	2	-	-	155	122	17	15	1
164d	Suicide by cutting or piercing instruments	1	1	-	-	-	-	-	-	-	-	13	9	3	1	-
164e	Suicide by jumping from high places	2	2	-	-	-	1	1	-	-	-	8	7	1	-	-
164f	Suicide by crushing	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-
164g	Suicide by other or unspecified means	-	-	-	-	-	-	-	-	-	-	4	3	1	-	-
165-168	Homicide [1]	21	14	6	1	-	2	1	1	-	-	270	76	34	131	29
166	Homicide by firearms	12	9	2	1	-	1	-	1	-	-	146	45	23	65	13
167	Homicide by cutting or piercing instruments	3	2	1	-	-	-	-	-	-	-	66	9	4	44	9
168	Homicide by other means	6	3	3	-	-	1	1	-	-	-	58	22	7	22	7
169-195	Accidental deaths	524	397	120	7	-	263	182	81	-	-	2,035	1,110	380	409	136
169	Railway accidents (except collisions with motor vehicles)	24	23	1	-	-	8	8	-	-	-	78	46	7	22	3
170a	Collisions between automobiles and trains	5	4	1	-	-	1	1	-	-	-	27	14	9	3	1
170b	Collisions between automobiles and streetcars	-	-	-	-	-	-	-	-	-	-	4	2	-	2	-
170c	Automobile accidents (except collisions with trains or streetcars)	108	90	17	1	-	47	41	6	-	-	550	329	73	129	19
170d	Motorcycle accidents (except collisions with automobiles)	1	1	-	-	-	3	3	-	-	-	5	5	-	-	-
171a	Streetcar accidents (except collisions with trains or motor vehicles)	1	-	1	-	-	-	-	-	-	-	22	15	2	4	1
171b	Other and unspecified road-transport accidents	2	2	-	-	-	1	1	-	-	-	6	4	1	1	-
172	Water-transport accidents	1	1	-	-	-	1	-	1	-	-	42	36	-	6	-
173	Air-transport accidents	83	82	1	-	-	10	10	-	-	-	78	76	-	2	-
174	Accidents in mines and quarries	29	29	-	-	-	2	2	-	-	-	65	62	-	3	-
175a	Accidents involving agricultural machinery and vehicles	7	6	-	1	-	5	5	-	-	-	17	13	1	3	-
175b,c	Other agricultural accidents, including injury by animals	11	10	-	1	-	8	8	-	-	-	27	16	1	10	-
175d	Accidents involving forestry machinery and vehicles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
175e	Other forestry accidents	-	-	-	-	-	1	1	-	-	-	3	1	-	2	-
176	Other accidents involving machinery	8	7	1	-	-	1	1	-	-	-	41	20	-	20	1
177	Food poisoning	2	2	-	-	-	2	2	-	-	-	16	5	4	4	3
178	Accidental absorption of poisonous gas	9	6	3	-	-	6	4	2	-	-	25	11	12	2	-
179	Acute accidental poisoning by solids or liquids	3	2	-	1	-	5	1	4	-	-	25	12	5	4	4
180	Conflagration	9	5	4	-	-	8	5	3	-	-	76	13	14	30	19
181	Accidental burns (except conflagration)	13	6	6	1	-	18	10	8	-	-	141	38	35	28	40
182	Accidental mechanical suffocation	11	7	4	-	-	4	2	2	-	-	38	16	12	6	4
183	Accidental drowning	30	23	7	-	-	16	13	3	-	-	154	98	7	49	5
184	Accidental injury by firearms	26	24	2	-	-	8	6	2	-	-	57	39	6	9	3
185	Accidental injury by cutting or piercing instruments	4	1	2	1	-	1	1	-	-	-	6	3	1	2	-
186a	Accidental injury by fall	110	49	60	1	-	77	38	39	-	-	319	117	164	19	19
186b	Accidental injury by crushing	3	3	-	-	-	2	2	-	-	-	7	3	-	4	-
187	Cataclysm, etc.*	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
188	Injury by animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-	4	3	-	1	-
189	Hunger or thirst	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
190	Excessive cold	2	2	-	-	-	1	1	-	-	-	3	-	1	-	2
191	Excessive heat	1	1	-	-	-	-	-	-	-	-	15	8	-	6	1
192	Lightning	1	-	1	-	-	2	1	1	-	-	20	13	2	5	-
193	Accidents due to electric currents (except lightning)	5	4	1	-	-	5	5	-	-	-	14	11	-	3	-
194	Poisoning by venomous animals (except in agriculture and forestry)	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
195a,b	Accidents due to medical or surgical intervention	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-
195d	Obstruction, suffocation, or puncture by ingested objects	6	3	3	-	-	6	4	2	-	-	15	8	2	2	3
195c,e	Other and unspecified accidents	9	4	5	-	-	14	6	8	-	-	131	78	18	27	8
196	Deaths of military personnel during operations of war	-	-	-	-	-	-	-	-	-	-	4	4	-	-	-
197	Deaths of civilians due to operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Legal executions	1	1	-	-	-	-	-	-	-	-	2	1	-	1	-
	XVIII.—Ill-defined and unknown causes	68	35	19	8	6	26	18	8	-	-	453	163	116	98	76
199	Sudden death	4	3	-	1	-	2	2	-	-	-	83	35	15	17	16
200a	Ill-defined	44	25	17	2	-	14	9	5	-	-	130	48	34	25	23
200b	Found dead (cause unknown)	2	1	1	-	-	1	1	-	-	-	47	19	15	9	4
200c	Unknown or unspecified	18	6	1	5	6	9	6	3	-	-	193	61	52	47	33

* Refer to complete International List titles, table VII, Part I.

[1] Includes figures for infanticide (165).

UNITED STATES AND EACH STATE, 1943—Continued

By place of residence)

WASHINGTON					WEST VIRGINIA					WISCONSIN					WYOMING					List No.
Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		Total deaths	White		Nonwhite		
	M	F	M	F		M	F	M	F		M	F	M	F		M	F	M	F	
15	6	9	-	-	12	7	4	1	-	32	20	12	-	-	1	1	-	-	-	
6	3	3	-	-	8	6	1	1	-	10	9	1	-	-	1	1	-	-	-	154
6	2	4	-	-	2	1	1	-	-	6	3	3	-	-	-	-	-	-	-	155
3	1	2	-	-	2	-	2	-	-	16	8	8	-	-	-	-	-	-	-	156
286	176	102	6	2	265	146	104	9	6	465	256	203	5	1	29	15	14	-	-	157
759	434	299	18	8	939	526	341	43	29	1,164	707	444	9	4	110	63	40	3	4	
23	12	10	1	-	66	35	20	6	5	20	12	6	2	-	8	2	5	1	-	158
442	242	188	8	4	640	354	246	27	13	711	426	275	7	3	67	40	22	1	4	159
71	44	25	1	1	66	34	26	5	1	81	59	21	-	1	10	7	3	-	-	160a
90	55	32	2	1	80	49	24	3	4	207	125	82	-	-	13	6	6	1	-	160b,c
133	81	44	6	2	87	54	25	2	6	145	85	60	-	-	12	8	4	-	-	161
204	94	100	6	4	288	135	146	1	6	318	135	179	3	1	18	11	6	1	-	162
2,213	1,633	523	43	14	1,789	1,214	412	127	36	2,397	1,664	705	20	8	288	226	57	4	1	
293	227	62	3	1	149	100	47	2	-	350	292	56	2	-	35	32	3	-	-	163,164
70	51	18	1	-	31	14	17	-	-	75	54	20	1	-	8	7	1	-	-	163
18	11	7	-	-	27	13	14	-	-	25	17	7	1	-	4	4	-	-	-	
52	40	11	1	-	4	1	3	-	-	50	37	13	-	-	4	3	1	-	-	
59	47	12	-	-	22	17	5	-	-	132	111	21	-	-	4	4	-	-	-	164a
19	9	10	-	-	9	4	5	-	-	22	15	7	-	-	-	-	-	-	-	164b
108	90	16	1	1	74	58	15	1	-	89	85	3	1	-	22	20	2	-	-	164c
23	17	5	1	-	7	4	2	1	-	14	13	1	-	-	-	-	-	-	-	164d
10	9	1	-	-	1	-	1	-	-	14	11	3	-	-	-	-	-	-	-	164e
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	164f
3	3	-	-	-	5	3	2	-	-	2	2	-	-	-	1	1	-	-	-	164g
51	29	14	6	2	75	43	4	18	10	34	22	11	-	1	17	9	8	-	-	165-168
26	16	8	1	1	42	23	2	11	6	12	7	4	-	1	11	4	7	-	-	166
10	5	2	2	1	16	5	1	6	4	4	3	1	-	-	2	2	-	-	-	167
15	8	4	3	-	17	15	1	1	-	18	12	6	-	-	4	3	1	-	-	168
1,867	1,376	447	33	11	1,565	1,071	361	107	26	2,012	1,349	638	18	7	236	185	46	4	1	169-195
45	43	2	-	-	108	94	5	8	1	40	33	5	2	-	10	10	-	-	-	169
17	12	5	-	-	8	5	2	1	-	53	38	14	-	1	4	3	-	1	-	170a
-	-	-	-	-	1	-	1	-	-	6	5	1	-	-	-	-	-	-	-	170b
380	292	78	8	2	242	188	36	12	6	361	272	82	7	-	40	29	11	-	-	170c
6	4	2	-	-	5	5	-	-	-	6	6	-	-	-	1	1	-	-	-	170d
2	2	-	-	-	4	4	-	-	-	10	7	3	-	-	-	-	-	-	-	171a
2	2	-	-	-	1	1	-	-	-	9	7	2	-	-	2	2	-	-	-	171b
30	28	2	-	-	13	8	5	-	-	36	32	3	-	1	1	1	-	-	-	172
150	150	-	-	-	19	19	-	-	-	52	51	1	-	-	21	21	-	-	-	173
16	15	1	-	-	292	239	2	51	-	14	14	-	-	-	12	12	-	-	-	174
10	10	-	-	-	7	7	-	-	-	68	61	7	-	-	6	5	1	-	-	175a
26	26	-	-	-	17	15	1	1	-	71	70	1	-	-	10	7	2	1	-	175b,c
11	11	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	175d
46	44	-	2	-	2	2	-	-	-	1	1	-	-	-	-	-	-	-	-	175e
38	36	1	-	1	17	14	-	3	-	31	30	1	-	-	11	11	-	-	-	176
5	4	1	-	-	8	3	4	-	1	3	1	2	-	-	2	2	-	-	-	177
62	50	10	1	1	18	13	5	-	-	47	26	21	-	-	4	2	2	-	-	178
19	13	5	-	1	28	12	13	2	1	21	11	10	-	-	-	-	-	-	-	179
90	51	35	3	1	45	21	19	3	2	40	24	15	1	-	12	10	2	-	-	180
72	40	31	-	1	129	51	70	3	5	75	39	34	2	-	12	8	4	-	-	181
51	35	14	2	-	46	23	21	1	1	36	20	15	-	1	-	-	-	-	-	182
133	114	9	9	1	112	82	22	7	1	149	125	19	3	2	18	14	2	2	-	183
40	34	6	-	-	56	41	8	4	3	36	34	1	1	-	7	7	-	-	-	184
5	4	1	-	-	9	5	4	-	-	3	-	3	-	-	3	3	-	-	-	185
441	228	209	4	-	222	111	102	5	4	696	320	374	-	2	28	14	14	-	-	186a
17	15	-	2	-	15	14	1	-	-	10	10	-	-	-	2	2	-	-	-	186b
3	3	-	-	-	18	9	9	-	-	5	4	1	-	-	2	1	1	-	-	187
3	3	-	-	-	2	2	-	-	-	-	-	-	-	-	2	2	-	-	-	188
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	189
5	3	1	-	1	5	4	-	-	1	18	16	2	-	-	2	1	-	-	1	190
1	-	1	-	-	2	1	-	1	-	7	6	1	-	-	-	-	-	-	-	191
2	2	-	-	-	8	7	1	-	-	5	4	1	-	-	-	-	-	-	-	192
16	15	1	-	-	20	17	2	1	-	26	23	2	1	-	-	-	-	-	-	193
1	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	194
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	195a,b
17	9	7	-	1	13	9	4	-	-	20	16	4	-	-	5	3	2	-	-	195d
104	77	25	2	-	71	45	23	3	-	56	42	13	1	-	19	14	5	-	-	195e,e
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	196
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	197
2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	198
185	134	46	4	1	492	280	172	28	12	109	72	36	-	1	7	6	-	1	-	
20	19	-	1	-	35	24	8	3	-	23	17	6	-	-	-	-	-	-	-	199
107	78	28	-	1	154	91	45	11	7	60	40	20	-	-	5	5	-	-	-	200a
23	17	4	2	-	65	38	21	3	3	12	9	3	-	-	-	-	-	-	-	200b
35	20	14	1	-	238	127	98	11	2	14	6	7	-	1	2	1	-	1	-	200c

TABLE 25.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1943

(Exclusive of stillbirths. By place of residence)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
UNITED STATES													
Under 1 year	118,484	11,317	10,138	11,177	9,492	9,275	9,340	9,743	9,766	9,043	9,308	9,319	10,586
Under 1 day	44,014	2,769	2,503	2,853	2,821	3,052	2,988	3,183	3,096	2,768	2,763	2,579	2,639
1 day	9,516	831	651	809	779	818	839	863	867	782	774	743	760
2 days	6,000	540	495	549	490	508	467	497	533	499	482	465	495
3 to 6 days	9,050	853	748	864	733	663	703	740	763	733	748	769	733
7 to 13 days	6,267	588	561	592	482	436	498	487	500	532	522	509	560
14 to 20 days	4,227	425	421	413	317	278	282	289	343	392	347	340	400
21 to 29 days	3,558	396	384	339	297	243	228	255	273	270	303	266	304
Under 1 month	72,632	6,402	5,765	6,419	5,919	5,998	5,985	6,314	6,375	5,976	5,919	5,671	5,891
1 month	8,655	997	858	931	621	614	558	597	655	663	681	688	792
2 months	7,166	813	711	771	608	492	420	441	511	477	584	642	696
3 months	5,928	665	587	583	460	421	394	439	394	403	401	510	671
4 months	4,830	568	422	506	345	335	340	372	363	275	376	372	558
5 months	4,100	442	385	419	302	278	342	320	260	267	305	315	465
6 months	3,624	385	353	359	326	242	295	319	281	222	250	250	342
7 months	3,088	279	279	355	280	232	225	231	257	193	212	258	287
8 months	2,662	220	251	249	211	231	242	225	210	184	186	180	273
9 months	2,163	197	196	202	172	190	230	169	159	126	155	161	206
10 months	1,873	164	189	198	135	129	158	156	156	145	128	129	184
11 months	1,763	185	144	185	113	113	151	160	143	114	111	143	201
ALABAMA													
Under 1 year	3,477	353	317	339	241	274	311	308	305	225	254	251	299
Under 1 day	956	95	72	75	67	86	96	101	81	76	71	61	75
1 to 6 days	583	71	50	61	61	64	58	48	67	50	64	51	40
7 to 13 days	157	18	12	10	7	9	15	12	21	14	11	15	13
14 to 29 days	237	29	24	29	16	14	16	19	23	7	16	20	24
1 to 11 months	1,444	140	159	164	90	101	128	128	113	78	92	104	147
ARIZONA													
Under 1 year	1,097	82	82	86	83	119	114	83	90	110	82	76	90
Under 1 day	153	9	16	12	11	11	16	16	9	14	16	12	11
1 to 6 days	168	17	10	9	15	19	16	14	16	17	8	13	14
7 to 13 days	48	4	5	7	4	3	4	7	-	3	3	3	5
14 to 29 days	55	4	5	5	4	3	7	5	4	6	3	5	4
1 to 11 months	673	48	46	53	49	83	71	41	61	70	52	43	56
ARKANSAS													
Under 1 year	1,594	165	133	155	112	107	164	165	138	114	107	110	124
Under 1 day	302	23	20	25	25	31	37	29	26	27	16	24	19
1 to 6 days	316	23	22	32	19	25	31	31	38	25	22	25	23
7 to 13 days	94	12	11	7	7	9	9	9	6	5	8	4	7
14 to 29 days	124	24	17	16	3	8	8	6	4	5	12	9	12
1 to 11 months	758	83	63	75	58	34	79	90	64	52	49	48	63
CALIFORNIA													
Under 1 year	5,999	546	466	530	452	500	483	449	518	473	527	501	554
Under 1 day	2,067	158	141	180	175	201	175	178	187	163	196	151	162
1 to 6 days	1,220	101	80	95	76	96	99	107	122	109	121	114	100
7 to 13 days	295	24	30	24	25	15	27	17	26	24	22	32	27
14 to 29 days	373	32	41	45	27	21	22	20	38	28	29	23	47
1 to 11 months	2,046	231	174	186	149	167	160	127	145	149	159	181	218
COLORADO													
Under 1 year	1,428	100	79	109	96	78	80	80	122	129	117	105	133
Under 1 day	316	24	19	18	34	20	27	30	38	22	29	24	31
1 to 6 days	210	22	12	25	17	14	13	19	19	14	16	22	17
7 to 13 days	59	9	3	6	2	3	6	2	2	2	8	8	8
14 to 29 days	78	5	6	5	5	5	6	2	3	11	9	8	13
1 to 11 months	565	40	39	55	38	36	28	27	60	80	55	43	64
CONNECTICUT													
Under 1 year	1,162	118	76	125	108	104	98	106	78	83	63	84	119
Under 1 day	365	33	26	38	29	33	32	38	28	27	17	28	36
1 to 6 days	282	23	17	30	31	23	27	30	19	16	20	21	25
7 to 13 days	62	8	4	9	5	6	4	7	5	4	2	3	5
14 to 29 days	85	7	3	6	7	6	11	7	7	13	4	6	6
1 to 11 months	370	47	26	42	36	36	24	24	19	23	20	26	47
DELAWARE													
Under 1 year	291	25	22	16	19	11	24	26	13	32	38	37	28
Under 1 day	64	5	8	1	6	4	6	12	5	9	5	-	3
1 to 6 days	62	4	4	5	6	1	2	5	4	5	13	9	4
7 to 13 days	19	2	1	2	-	2	1	1	-	1	-	6	3
14 to 29 days	27	3	1	1	2	1	1	-	-	1	3	9	5
1 to 11 months	119	11	8	7	5	3	14	8	4	16	17	13	13
DISTRICT OF COLUMBIA													
Under 1 year	765	70	53	62	55	57	72	82	70	61	60	60	63
Under 1 day	216	17	13	18	13	15	22	22	21	25	18	21	11
1 to 6 days	157	10	9	15	10	13	27	16	13	8	13	13	10
7 to 13 days	41	3	1	3	5	3	-	3	2	3	2	5	11
14 to 29 days	87	8	7	4	4	8	6	8	10	5	9	6	12
1 to 11 months	264	32	23	22	23	18	17	33	24	20	18	15	19

TABLE 25.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
FLORIDA													
Under 1 year	2,181	201	165	200	184	166	177	165	202	176	170	194	181
Under 1 day	622	50	29	40	42	52	61	57	67	61	54	63	46
1 to 6 days	461	41	31	41	44	40	28	34	48	48	36	33	37
7 to 13 days	136	13	11	13	11	4	6	8	19	16	11	14	10
14 to 29 days	135	22	14	12	14	8	7	14	10	7	5	12	10
1 to 11 months	827	75	80	94	73	62	75	52	58	44	64	72	78
GEORGIA													
Under 1 year	3,656	362	308	398	290	261	307	317	318	269	278	269	279
Under 1 day	960	78	49	83	83	88	87	97	94	91	79	71	60
1 to 6 days	782	78	67	85	59	46	53	59	75	66	62	68	64
7 to 13 days	250	20	23	22	17	12	18	21	17	22	25	15	18
14 to 29 days	252	28	29	31	25	14	12	14	23	17	20	15	24
1 to 11 months	1,432	158	140	177	106	101	137	126	109	73	92	100	113
IDAHO													
Under 1 year	396	34	32	44	27	32	42	33	26	34	27	28	37
Under 1 day	125	9	8	12	10	12	20	12	11	10	5	9	7
1 to 6 days	85	8	8	6	4	3	11	9	4	12	8	5	7
7 to 13 days	19	-	3	2	-	2	2	2	2	1	2	1	2
14 to 29 days	25	-	3	6	2	4	2	1	1	2	2	-	2
1 to 11 months	142	17	10	18	11	11	7	9	8	9	10	13	19
ILLINOIS													
Under 1 year	5,184	542	430	462	439	404	400	431	436	355	402	389	484
Under 1 day	1,779	145	133	125	159	144	166	193	172	122	146	143	131
1 to 6 days	1,161	91	86	108	94	99	86	95	104	96	98	102	102
7 to 13 days	228	31	16	20	15	18	16	15	20	22	22	20	13
14 to 29 days	306	43	29	30	27	20	25	18	24	30	20	17	23
1 to 11 months	1,710	232	166	179	144	123	107	110	116	85	116	117	215
INDIANA													
Under 1 year	2,960	290	298	281	225	197	210	237	221	265	238	212	286
Under 1 day	751	63	57	65	51	57	65	58	55	77	70	55	78
1 to 6 days	587	51	57	46	56	56	39	53	39	39	45	51	55
7 to 13 days	167	11	14	16	10	8	24	14	12	22	16	10	10
14 to 29 days	212	17	32	21	19	9	18	15	11	24	19	13	14
1 to 11 months	1,243	148	138	133	89	67	64	97	104	103	88	83	129
IOWA													
Under 1 year	1,618	183	145	135	127	137	140	119	106	129	129	126	142
Under 1 day	585	56	47	47	36	45	56	56	43	49	51	47	32
1 to 6 days	384	43	27	25	40	36	20	27	19	28	38	28	33
7 to 13 days	83	5	5	5	2	10	8	6	4	14	7	8	9
14 to 29 days	111	12	10	12	8	9	7	12	11	7	9	5	9
1 to 11 months	495	67	56	46	41	37	49	18	29	31	24	38	59
KANSAS													
Under 1 year	1,212	122	124	125	89	95	88	94	99	77	92	104	103
Under 1 day	441	34	35	30	33	31	39	47	44	41	34	42	31
1 to 6 days	243	16	21	26	14	24	20	18	20	14	22	25	23
7 to 13 days	49	5	5	7	7	1	2	5	2	3	6	4	2
14 to 29 days	74	6	8	11	4	4	4	5	5	5	8	5	9
1 to 11 months	405	61	55	51	31	35	23	19	28	14	22	28	38
KENTUCKY													
Under 1 year	3,280	304	334	321	243	223	215	331	336	260	241	237	235
Under 1 day	792	54	68	64	74	68	64	67	71	58	69	75	60
1 to 6 days	598	70	53	66	47	45	46	49	54	45	32	37	52
7 to 13 days	203	22	29	19	20	13	12	13	15	18	12	13	17
14 to 29 days	261	30	37	40	16	15	12	22	21	22	19	13	14
1 to 11 months	1,428	128	147	132	86	82	81	180	175	117	109	99	92
LOUISIANA													
Under 1 year	2,773	265	235	236	209	197	189	247	258	208	227	221	281
Under 1 day	724	49	52	55	58	59	55	69	72	71	64	55	65
1 to 6 days	585	55	40	46	36	40	50	55	72	51	60	42	38
7 to 13 days	165	22	15	15	10	11	14	15	15	12	9	10	17
14 to 29 days	177	23	17	9	13	6	11	15	22	13	18	19	11
1 to 11 months	1,122	116	111	111	92	81	59	93	77	61	76	95	150
MAINE													
Under 1 year	972	102	98	106	83	80	64	63	71	78	80	58	89
Under 1 day	248	21	18	23	28	23	18	18	18	20	21	14	26
1 to 6 days	207	17	24	19	16	19	17	13	17	19	19	11	16
7 to 13 days	44	2	6	3	-	3	5	4	6	4	3	5	3
14 to 29 days	75	5	2	13	5	6	2	7	11	8	3	5	8
1 to 11 months	398	57	48	48	34	29	22	21	19	27	34	23	36

TABLE 25.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
MARYLAND													
Under 1 year	2,037	181	147	186	152	138	159	160	161	186	186	170	211
Under 1 day	521	51	35	57	38	53	54	49	46	44	43	32	39
1 to 6 days	366	29	29	32	35	24	31	25	34	31	30	29	37
7 to 13 days	127	15	3	10	11	5	7	13	7	11	17	14	14
14 to 29 days	164	13	13	18	11	6	5	11	11	17	16	18	25
1 to 11 months	859	93	67	69	57	50	62	62	63	83	80	77	96
MASSACHUSETTS													
Under 1 year	2,939	297	275	264	261	270	223	234	189	212	206	245	263
Under 1 day	917	80	62	85	81	89	72	97	64	79	60	76	72
1 to 6 days	640	47	51	52	47	63	59	52	46	55	52	58	80
7 to 13 days	135	15	12	7	16	9	12	9	12	9	11	13	10
14 to 29 days	230	27	21	27	12	14	13	16	18	21	20	18	23
1 to 11 months	1,017	128	129	93	105	95	67	60	49	48	63	82	98
MICHIGAN													
Under 1 year	4,813	486	436	470	412	403	364	370	377	343	335	389	428
Under 1 day	1,341	112	98	137	121	128	96	127	116	111	83	104	108
1 to 6 days	1,017	82	79	86	82	83	90	95	94	79	82	80	85
7 to 13 days	280	23	29	29	21	22	23	15	22	22	29	27	18
14 to 29 days	352	39	31	28	29	32	25	28	29	27	31	32	21
1 to 11 months	1,823	230	199	190	159	138	130	105	116	104	110	146	196
MINNESOTA													
Under 1 year	1,809	203	140	170	136	158	136	144	137	144	114	152	175
Under 1 day	716	64	58	61	55	63	60	60	68	53	47	58	69
1 to 6 days	406	38	31	36	35	37	35	38	33	40	30	27	26
7 to 13 days	66	5	5	7	12	1	3	8	4	5	4	6	6
14 to 29 days	106	13	8	11	4	11	7	6	6	8	5	12	15
1 to 11 months	515	83	38	55	30	46	31	32	26	38	28	49	59
MISSISSIPPI													
Under 1 year	2,800	245	227	286	230	170	220	234	252	204	248	220	264
Under 1 day	758	45	39	76	78	55	75	62	80	61	71	50	66
1 to 6 days	572	46	52	57	42	35	35	43	66	53	49	50	44
7 to 13 days	163	14	9	20	12	9	12	16	11	16	11	14	19
14 to 29 days	174	22	23	13	13	14	8	10	16	16	16	8	15
1 to 11 months	1,133	118	104	120	85	57	90	103	79	58	101	98	120
MISSOURI													
Under 1 year	2,918	321	252	250	218	203	218	263	249	241	216	227	260
Under 1 day	843	75	61	61	74	74	74	84	77	69	71	60	83
1 to 6 days	557	44	38	60	45	36	53	55	42	50	36	57	41
7 to 13 days	165	16	18	10	11	10	9	15	16	21	11	9	19
14 to 29 days	222	28	34	20	22	12	10	8	24	19	16	13	16
1 to 11 months	1,131	158	101	99	66	71	72	101	90	82	82	88	121
MONTANA													
Under 1 year	442	32	45	67	41	44	33	29	29	26	39	26	31
Under 1 day	144	11	13	17	15	15	13	11	13	8	11	8	9
1 to 6 days	94	11	8	15	14	5	7	7	6	4	5	5	7
7 to 13 days	33	1	3	3	3	5	-	2	3	4	2	3	4
14 to 29 days	23	-	2	4	1	8	2	2	1	1	2	-	-
1 to 11 months	148	9	19	28	8	11	11	7	6	9	19	10	11
NEBRASKA													
Under 1 year	889	107	78	84	77	62	69	79	57	54	64	89	69
Under 1 day	327	27	26	29	20	23	32	39	24	28	26	29	24
1 to 6 days	205	19	18	20	21	15	16	17	12	18	11	25	13
7 to 13 days	44	7	6	4	4	6	1	3	3	-	2	3	5
14 to 29 days	34	7	2	4	2	2	2	4	2	-	3	5	1
1 to 11 months	279	47	26	27	30	16	18	16	16	8	22	27	26
NEVADA													
Under 1 year	158	12	23	14	10	10	16	11	15	10	11	15	11
Under 1 day	51	5	8	7	3	2	5	2	5	3	2	5	4
1 to 6 days	39	-	4	3	2	2	4	6	5	4	2	7	-
7 to 13 days	5	-	1	1	-	-	1	-	1	-	-	-	1
14 to 29 days	6	-	1	1	1	-	-	1	-	-	2	-	-
1 to 11 months	57	7	9	2	4	6	6	2	4	3	5	3	6
NEW HAMPSHIRE													
Under 1 year	432	41	47	51	32	32	32	25	34	29	36	31	42
Under 1 day	135	8	14	18	13	10	9	11	15	11	8	6	12
1 to 6 days	95	11	10	9	4	3	11	6	9	7	14	8	5
7 to 13 days	18	2	1	-	-	3	2	-	2	2	-	1	5
14 to 29 days	25	2	2	5	3	2	1	1	-	4	2	1	2
1 to 11 months	159	18	20	19	12	14	9	7	8	5	12	17	18

TABLE 25.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
NEW JERSEY													
Under 1 year	2,796	260	265	264	226	234	247	188	200	196	239	236	241
Under 1 day	864	75	75	57	70	82	72	82	74	70	77	78	52
1 to 6 days	674	50	51	78	57	59	74	49	52	40	66	45	53
7 to 13 days	156	12	17	17	13	8	13	13	13	12	10	14	14
14 to 29 days	194	21	21	11	11	10	14	9	13	21	16	24	23
1 to 11 months	908	102	101	101	75	75	74	35	48	53	70	75	99
NEW MEXICO													
Under 1 year	1,394	96	101	104	110	95	95	121	175	144	139	107	107
Under 1 day	228	19	16	16	25	32	18	16	20	14	20	17	15
1 to 6 days	205	12	18	10	26	13	11	22	24	12	18	15	24
7 to 13 days	68	5	4	8	7	7	7	8	3	2	6	8	5
14 to 29 days	84	12	6	8	8	10	5	6	5	6	8	6	4
1 to 11 months	809	48	57	62	44	33	54	69	123	110	87	63	59
NEW YORK													
Under 1 year	8,126	828	675	745	721	724	640	618	609	588	657	650	711
Under 1 day	2,765	249	200	241	215	282	222	228	251	201	243	219	214
1 to 6 days	1,929	196	157	166	176	180	149	175	167	144	129	135	155
7 to 13 days	400	39	25	38	38	33	38	31	29	34	42	30	23
14 to 29 days	469	52	40	32	42	35	31	41	36	38	47	39	36
1 to 11 months	2,563	292	253	268	250	194	200	143	126	171	176	207	283
NORTH CAROLINA													
Under 1 year	4,416	368	399	493	340	299	337	369	393	318	348	329	425
Under 1 day	1,099	69	83	112	95	97	102	94	110	88	82	82	85
1 to 6 days	904	92	66	84	65	77	60	62	88	74	77	85	74
7 to 13 days	229	15	29	28	17	14	24	19	14	13	14	22	20
14 to 29 days	325	30	41	41	25	27	19	22	23	16	28	17	36
1 to 11 months	1,859	162	180	228	138	84	132	172	158	127	147	125	208
NORTH DAKOTA													
Under 1 year	468	48	36	50	43	35	44	33	33	40	32	35	39
Under 1 day	183	12	13	17	23	14	18	16	18	16	9	13	14
1 to 6 days	94	10	11	13	8	4	10	8	4	11	6	3	6
7 to 13 days	22	2	1	3	1	1	1	1	1	7	2	-	2
14 to 29 days	32	5	1	5	2	4	-	1	3	1	4	1	5
1 to 11 months	137	19	10	12	9	12	15	7	7	5	11	18	12
OHIO													
Under 1 year	5,640	510	515	538	446	442	384	496	472	446	470	444	477
Under 1 day	1,730	162	123	155	138	160	124	170	169	116	146	123	144
1 to 6 days	1,087	98	87	93	96	78	92	108	85	87	97	83	85
7 to 13 days	318	22	24	24	21	20	18	26	27	33	32	35	36
14 to 29 days	382	24	46	33	24	27	27	34	27	38	38	37	27
1 to 11 months	2,123	206	235	233	167	157	123	158	164	172	157	166	185
OKLAHOMA													
Under 1 year	2,068	200	159	220	150	160	151	201	167	140	178	173	169
Under 1 day	804	41	30	58	40	62	61	72	54	53	52	36	45
1 to 6 days	416	45	27	38	40	26	31	42	40	31	33	33	30
7 to 13 days	119	11	12	12	9	11	7	13	8	6	11	11	9
14 to 29 days	120	21	10	10	11	9	5	2	11	8	12	10	11
1 to 11 months	809	82	80	102	50	52	47	72	54	43	70	83	74
OREGON													
Under 1 year	763	83	68	68	63	65	76	59	48	55	56	54	68
Under 1 day	244	22	19	17	31	21	20	17	20	21	16	19	21
1 to 6 days	167	13	13	15	6	22	21	13	12	12	11	15	14
7 to 13 days	25	3	1	1	-	2	6	2	2	1	2	3	2
14 to 29 days	32	5	4	3	2	2	5	2	1	1	2	1	4
1 to 11 months	295	40	31	32	24	18	24	25	13	20	25	16	27
PENNSYLVANIA													
Under 1 year	7,551	736	716	727	658	654	570	557	551	540	590	599	695
Under 1 day	2,356	202	198	192	188	215	207	214	211	194	192	164	179
1 to 6 days	1,608	161	141	157	126	140	153	134	113	117	126	122	118
7 to 13 days	594	36	50	46	32	34	27	36	29	30	30	33	31
14 to 29 days	450	42	58	34	36	34	29	27	31	41	40	34	44
1 to 11 months	2,743	295	289	298	276	211	154	126	167	158	202	246	321
RHODE ISLAND													
Under 1 year	638	70	66	66	55	61	40	39	30	52	53	46	60
Under 1 day	146	10	14	12	12	15	12	12	9	12	16	10	12
1 to 6 days	120	11	8	13	6	13	9	12	7	7	10	10	14
7 to 13 days	41	6	4	2	3	3	5	1	1	9	3	2	2
14 to 29 days	77	7	7	10	11	6	4	2	1	4	6	7	12
1 to 11 months	254	36	33	29	23	24	10	12	12	20	18	17	20

TABLE 25.—DEATHS UNDER 1 YEAR, BY AGE AND MONTH: UNITED STATES AND EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

AREA AND AGE	Total deaths under 1 year	January	February	March	April	May	June	July	August	September	October	November	December
SOUTH CAROLINA													
Under 1 year	2,985	259	250	265	262	194	228	267	283	243	215	244	275
Under 1 day	705	55	47	48	67	61	52	63	73	66	60	58	53
1 to 6 days	634	68	43	62	57	44	50	47	60	45	39	56	63
7 to 13 days	155	12	18	7	13	12	14	11	13	12	11	12	20
14 to 29 days	181	9	12	11	22	6	14	25	22	23	15	11	11
1 to 11 months	1,312	115	130	137	103	71	98	121	115	97	90	107	128
SOUTH DAKOTA													
Under 1 year	457	58	44	43	38	32	37	43	28	20	30	45	39
Under 1 day	143	10	12	13	10	11	16	14	10	8	10	17	12
1 to 6 days	98	10	3	9	10	9	11	12	5	4	10	8	7
7 to 13 days	20	2	-	2	-	-	2	3	2	3	1	3	2
14 to 29 days	18	2	3	2	2	2	2	1	2	-	1	-	1
1 to 11 months	178	34	26	17	16	10	6	13	9	5	8	17	17
TENNESSEE													
Under 1 year	3,143	266	291	311	245	220	262	301	313	238	227	216	253
Under 1 day	777	64	71	55	72	66	73	78	72	50	60	52	64
1 to 6 days	550	43	44	55	45	42	41	50	55	49	45	39	42
7 to 13 days	180	14	17	28	15	9	13	11	22	17	14	10	12
14 to 29 days	243	21	29	25	23	9	12	18	28	21	21	16	20
1 to 11 months	1,393	124	130	150	90	94	123	144	136	101	87	99	115
TEXAS													
Under 1 year	8,454	744	563	652	614	743	818	812	692	636	651	742	787
Under 1 day	1,902	141	125	130	146	159	183	205	195	191	163	140	124
1 to 6 days	1,681	142	113	119	105	144	140	162	168	166	132	151	139
7 to 13 days	457	46	45	35	35	34	43	37	33	38	33	29	49
14 to 29 days	479	57	39	44	34	34	34	25	27	53	41	50	41
1 to 11 months	3,935	358	241	324	294	372	418	383	269	188	282	372	454
UTAH													
Under 1 year	539	53	50	51	41	47	50	55	41	53	29	37	52
Under 1 day	182	12	16	16	13	19	13	19	16	10	11	17	20
1 to 6 days	157	14	9	12	13	14	22	20	12	11	5	8	17
7 to 13 days	17	1	1	3	-	3	1	2	2	1	1	-	2
14 to 29 days	31	1	5	3	3	1	3	5	5	2	-	1	2
1 to 11 months	152	25	19	17	12	10	11	9	6	9	12	11	11
VERMONT													
Under 1 year	285	30	24	37	29	13	23	18	17	23	25	21	25
Under 1 day	104	5	11	14	7	5	8	11	8	10	10	7	8
1 to 6 days	46	4	3	2	8	1	7	1	4	4	5	4	3
7 to 13 days	12	2	1	1	2	2	-	-	-	2	1	-	1
14 to 29 days	20	4	1	2	1	2	2	1	1	1	3	2	-
1 to 11 months	103	15	8	18	11	3	6	5	4	6	6	8	13
VIRGINIA													
Under 1 year	3,395	316	313	339	284	244	229	244	302	292	288	259	305
Under 1 day	936	92	74	86	89	89	85	69	82	77	72	50	71
1 to 6 days	704	52	56	61	66	49	49	54	57	80	68	56	56
7 to 13 days	197	18	28	19	16	13	14	13	15	9	21	12	19
14 to 29 days	226	27	27	16	15	17	6	19	17	23	18	17	24
1 to 11 months	1,332	127	128	157	98	76	75	89	131	103	109	104	135
WASHINGTON													
Under 1 year	1,550	136	126	182	139	116	143	115	107	109	127	128	122
Under 1 day	490	35	43	41	43	31	58	42	36	39	41	41	40
1 to 6 days	345	27	26	33	32	29	24	28	37	30	27	29	23
7 to 13 days	71	5	3	13	5	3	5	6	7	3	7	7	7
14 to 29 days	82	6	3	9	15	5	7	7	4	6	5	7	8
1 to 11 months	562	63	51	86	44	48	49	32	23	31	47	44	44
WEST VIRGINIA													
Under 1 year	2,261	190	195	222	192	156	144	161	225	225	197	146	208
Under 1 day	551	49	37	41	50	60	43	48	45	45	45	43	45
1 to 6 days	414	41	39	38	45	25	33	28	32	45	29	20	39
7 to 13 days	137	16	12	17	11	11	9	4	14	14	9	3	17
14 to 29 days	172	13	18	17	21	10	11	13	16	16	10	12	15
1 to 11 months	987	71	89	109	65	50	48	68	118	105	104	68	92
WISCONSIN													
Under 1 year	2,257	250	198	209	172	211	160	170	163	152	173	187	212
Under 1 day	730	59	66	66	46	73	62	67	69	49	49	60	64
1 to 6 days	540	85	38	52	42	53	37	45	43	37	41	44	43
7 to 13 days	103	11	8	8	6	11	8	8	8	7	14	8	6
14 to 29 days	130	11	12	8	7	9	10	6	7	18	14	13	15
1 to 11 months	754	104	74	75	71	65	43	44	36	41	55	62	84
WYOMING													
Under 1 year	216	27	17	19	13	18	14	11	10	26	17	25	19
Under 1 day	78	5	5	7	9	6	7	4	4	8	6	10	7
1 to 6 days	33	4	3	2	1	1	3	2	1	5	2	4	5
7 to 13 days	13	1	-	1	1	3	-	-	2	-	2	3	-
14 to 29 days	10	2	-	1	-	-	-	1	1	1	-	4	-
1 to 11 months	82	15	9	8	2	8	4	4	2	12	7	4	7

TABLE 26.—DEATHS UNDER 1 YEAR AND UNDER 1 MONTH OF AGE, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1943

(Exclusive of stillbirths. By place of residence)

AREA AND AGE	Total deaths under 1 year	WHITE			NONWHITE		
		Total	Male	Female	Total	Male	Female
UNITED STATES							
Under 1 year	118,484	97,229	56,060	41,169	21,255	11,883	9,372
Under 1 month	72,632	61,438	35,959	25,479	11,194	6,369	4,825
Alabama							
Under 1 year	3,477	1,874	1,085	789	1,603	917	686
Under 1 month	2,033	1,189	706	483	844	493	351
Arizona							
Under 1 year	1,097	792	464	328	305	166	139
Under 1 month	424	348	203	145	76	44	32
Arkansas							
Under 1 year	1,594	1,126	641	485	468	271	197
Under 1 month	836	649	393	256	187	115	72
California							
Under 1 year	5,999	5,665	3,289	2,376	334	196	138
Under 1 month	3,953	3,750	2,202	1,548	203	117	86
Colorado							
Under 1 year	1,228	1,205	683	522	23	16	7
Under 1 month	663	648	363	285	15	10	5
Connecticut							
Under 1 year	1,162	1,128	630	498	34	16	18
Under 1 month	792	773	432	341	19	9	10
Delaware							
Under 1 year	291	215	119	96	76	48	28
Under 1 month	172	139	77	62	33	19	14
District of Columbia							
Under 1 year	765	360	202	158	405	227	178
Under 1 month	501	260	150	110	241	140	101
Florida							
Under 1 year	2,181	1,351	804	547	830	456	374
Under 1 month	1,354	902	554	348	452	259	193
Georgia							
Under 1 year	3,656	1,909	1,112	797	1,747	970	777
Under 1 month	2,224	1,268	745	523	956	533	423
Idaho							
Under 1 year	396	381	235	146	15	10	5
Under 1 month	254	244	159	85	10	7	3
Illinois							
Under 1 year	5,184	4,667	2,711	1,956	517	298	219
Under 1 month	3,474	3,178	1,877	1,301	296	184	112
Indiana							
Under 1 year	2,960	2,762	1,585	1,177	198	113	85
Under 1 month	1,717	1,634	955	679	83	50	33
Iowa							
Under 1 year	1,618	1,600	920	680	18	10	8
Under 1 month	1,123	1,109	647	462	14	9	5
Kansas							
Under 1 year	1,212	1,134	657	477	78	43	35
Under 1 month	807	775	464	311	32	17	15
Kentucky							
Under 1 year	3,280	3,002	1,721	1,281	278	155	123
Under 1 month	1,852	1,711	1,000	711	141	81	60
Louisiana							
Under 1 year	2,773	1,333	748	585	1,440	774	666
Under 1 month	1,651	861	490	371	790	411	379
Maine							
Under 1 year	972	969	576	393	3	1	2
Under 1 month	574	573	340	233	1	1	
Maryland							
Under 1 year	2,037	1,428	822	606	609	323	286
Under 1 month	1,178	888	517	371	290	153	137
Massachusetts							
Under 1 year	2,939	2,878	1,659	1,219	63	38	25
Under 1 month	1,922	1,883	1,063	820	39	22	17
Michigan							
Under 1 year	4,813	4,495	2,604	1,891	318	172	146
Under 1 month	2,990	2,804	1,634	1,170	186	108	78
Minnesota							
Under 1 year	1,809	1,749	1,016	733	60	25	35
Under 1 month	1,294	1,267	738	529	27	12	15
Mississippi							
Under 1 year	2,800	1,169	681	488	1,631	921	710
Under 1 month	1,667	812	480	332	855	493	362
Missouri							
Under 1 year	2,918	2,564	1,490	1,074	354	196	158
Under 1 month	1,787	1,593	954	639	194	111	83

AREA AND AGE	Total deaths under 1 year	WHITE			NONWHITE		
		Total	Male	Female	Total	Male	Female
Montana							
Under 1 year	442	379	217	162	63	30	33
Under 1 month	294	277	156	121	17	5	12
Nebraska							
Under 1 year	889	856	490	366	33	15	18
Under 1 month	610	594	354	240	16	9	7
Nevada							
Under 1 year	158	136	80	56	22	11	11
Under 1 month	101	90	54	36	11	6	5
New Hampshire							
Under 1 year	432	431	245	186	1	-	1
Under 1 month	273	272	153	119	1	-	1
New Jersey							
Under 1 year	2,796	2,441	1,410	1,031	355	205	150
Under 1 month	1,888	1,691	972	719	197	118	79
New Mexico							
Under 1 year	1,394	1,232	715	517	162	86	76
Under 1 month	595	531	317	214	54	26	28
New York							
Under 1 year	8,126	7,477	4,300	3,177	649	348	301
Under 1 month	5,563	5,159	2,989	2,170	404	194	210
North Carolina							
Under 1 year	4,416	2,757	1,574	1,183	1,659	927	732
Under 1 month	2,557	1,708	1,010	698	849	488	361
North Dakota							
Under 1 year	468	441	259	182	27	14	13
Under 1 month	331	321	195	126	10	6	4
Ohio							
Under 1 year	5,640	5,178	2,965	2,213	462	275	187
Under 1 month	3,517	3,245	1,893	1,352	272	170	102
Oklahoma							
Under 1 year	2,068	1,735	981	754	333	171	162
Under 1 month	1,259	1,111	647	464	148	82	66
Oregon							
Under 1 year	763	745	448	297	18	7	11
Under 1 month	468	463	285	178	5	3	2
Pennsylvania							
Under 1 year	7,551	6,747	3,925	2,822	804	463	341
Under 1 month	4,808	4,326	2,488	1,838	482	290	192
Rhode Island							
Under 1 year	638	617	358	259	21	9	12
Under 1 month	384	378	224	154	6	3	3
South Carolina							
Under 1 year	2,985	1,363	774	589	1,622	886	736
Under 1 month	1,673	859	501	358	814	461	353
South Dakota							
Under 1 year	457	375	209	166	82	43	39
Under 1 month	279	255	136	119	24	15	9
Tennessee							
Under 1 year	3,143	2,458	1,407	1,051	685	396	289
Under 1 month	1,750	1,390	816	574	360	209	151
Texas							
Under 1 year	8,454	7,151	4,036	3,115	1,303	722	581
Under 1 month	4,519	3,799	2,222	1,577	720	394	326
Utah							
Under 1 year	539	525	310	215	14	8	6
Under 1 month	387	383	226	157	4	1	3
Vermont							
Under 1 year	285	285	176	109	-	-	-
Under 1 month	182	182	117	65	-	-	-
Virginia							
Under 1 year	3,395	2,187	1,221	966	1,208	714	494
Under 1 month	2,063	1,398	805	593	665	395	270
Washington							
Under 1 year	1,550	1,457	874	583	93	55	38
Under 1 month	988	954	575	379	34	23	11
West Virginia							
Under 1 year	2,261	2,098	1,193	905	163	98	65
Under 1 month	1,274	1,183	694	489	91	59	32
Wisconsin							
Under 1 year	2,257	2,207	1,323	884	50	30	20
Under 1 month	1,503	1,486	909	577	17	10	7
Wyoming							
Under 1 year	216	197	116	81	19	8	11
Under 1 month	134	125	78	47	9	4	5

TABLE 27.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1943

(Exclusive of stillbirths. By place of residence)

AREA AND AGE	Total deaths under 1 year	WHITE						NONWHITE					
		Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions	Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions
UNITED STATES													
Under 1 year	118,484	97,229	33,864	57,620	1,542	2,335	1,868	21,255	13,754	6,889	93	319	200
Under 1 day	34,014	29,531	6,669	21,347	756	116	643	4,483	2,335	2,022	55	32	39
1 to 6 days	24,566	20,586	4,553	14,880	466	252	435	3,980	2,484	1,393	25	43	35
7 to 13 days	6,267	5,002	1,603	3,051	120	158	70	1,265	841	393	2	23	6
14 to 29 days	7,785	6,319	2,414	3,482	86	269	68	1,466	968	460	3	30	5
1 to 11 months	45,852	35,791	18,625	14,860	114	1,540	652	10,061	7,126	2,621	8	191	115
ALABAMA													
Under 1 year	3,477	1,874	1,032	782	14	34	12	1,603	1,307	265	19	11	1
Under 1 day	956	598	246	339	5	1	5	360	259	88	11	4	-
1 to 6 days	683	371	185	177	3	4	2	312	255	48	5	6	-
7 to 13 days	157	88	55	29	1	2	1	69	62	4	2	1	-
14 to 29 days	237	134	85	42	4	3	-	103	96	7	-	-	-
1 to 11 months	1,444	685	461	195	1	24	4	759	635	122	1	-	1
ARIZONA													
Under 1 year	1,097	792	342	396	20	-	34	305	136	155	3	-	11
Under 1 day	153	126	24	78	10	-	14	27	4	20	1	-	2
1 to 6 days	168	146	31	92	9	-	14	22	12	9	1	-	-
7 to 13 days	48	36	13	21	-	-	2	12	5	6	-	-	1
14 to 29 days	55	40	22	17	-	-	1	15	2	12	-	-	1
1 to 11 months	673	444	252	188	1	-	3	229	113	108	1	-	7
ARKANSAS													
Under 1 year	1,594	1,148	715	378	-	9	24	468	427	37	-	-	4
Under 1 day	302	256	154	91	-	-	11	46	37	9	-	-	-
1 to 6 days	316	227	118	103	-	-	8	89	78	10	-	-	1
7 to 13 days	94	67	51	18	-	-	-	27	24	3	-	-	-
14 to 29 days	124	99	71	25	-	1	2	25	24	1	-	-	-
1 to 11 months	758	477	323	143	-	8	3	281	264	14	-	-	3
CALIFORNIA													
Under 1 year	5,999	5,665	990	4,136	110	193	236	334	82	229	2	8	13
Under 1 day	2,067	1,958	110	1,670	54	2	122	109	7	95	2	-	5
1 to 6 days	1,220	1,162	62	988	35	19	58	58	13	38	-	-	7
7 to 13 days	293	276	24	222	7	16	7	17	2	14	-	1	-
14 to 29 days	373	354	72	246	10	16	10	19	4	15	-	-	-
1 to 11 months	2,046	1,915	722	1,010	4	140	39	131	56	67	-	7	1
COLORADO													
Under 1 year	1,228	1,205	508	616	2	48	31	23	7	13	-	2	1
Under 1 day	316	310	61	236	1	2	10	6	-	6	-	-	-
1 to 6 days	210	203	50	141	1	3	8	7	3	3	-	-	1
7 to 13 days	59	57	25	25	-	6	1	2	-	2	-	-	-
14 to 29 days	78	78	29	43	-	4	2	-	-	-	-	-	-
1 to 11 months	565	557	343	171	-	33	10	8	4	2	-	2	-
CONNECTICUT													
Under 1 year	1,162	1,128	146	931	9	6	36	34	10	24	-	-	-
Under 1 day	365	357	20	327	1	1	8	8	-	8	-	-	-
1 to 6 days	282	276	7	262	1	1	5	6	-	6	-	-	-
7 to 13 days	62	60	2	56	2	-	-	2	-	2	-	-	-
14 to 29 days	83	80	7	68	3	2	-	3	2	1	-	-	-
1 to 11 months	370	355	110	218	2	2	23	15	8	7	-	-	-
DELAWARE													
Under 1 year	291	215	43	171	1	-	-	76	33	43	-	-	-
Under 1 day	64	52	5	46	1	-	-	12	2	10	-	-	-
1 to 6 days	62	48	6	42	-	-	-	14	6	8	-	-	-
7 to 13 days	19	16	1	15	-	-	-	3	-	3	-	-	-
14 to 29 days	27	23	5	18	-	-	-	4	2	2	-	-	-
1 to 11 months	119	76	26	50	-	-	-	43	23	20	-	-	-
DISTRICT OF COLUMBIA													
Under 1 year	765	360	42	231	20	66	1	405	51	281	10	62	1
Under 1 day	216	138	13	108	13	4	-	78	12	57	7	2	-
1 to 6 days	157	81	2	73	5	1	-	76	1	71	2	2	-
7 to 13 days	41	13	1	10	-	2	-	28	-	23	-	5	-
14 to 29 days	87	28	4	13	2	9	-	59	4	46	1	8	-
1 to 11 months	264	100	22	27	-	50	1	164	34	84	-	45	1
FLORIDA													
Under 1 year	2,181	1,351	423	884	9	1	34	830	602	208	-	-	20
Under 1 day	622	469	102	347	2	-	18	153	105	45	-	-	3
1 to 6 days	461	296	72	213	4	-	7	165	126	34	-	-	5
7 to 13 days	136	68	21	45	2	-	-	68	56	12	-	-	-
14 to 29 days	135	69	29	36	1	-	3	66	55	11	-	-	-
1 to 11 months	827	449	199	243	-	1	6	378	260	106	-	-	12

TABLE 27.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

AREA AND AGE	Total deaths under 1 year	WHITE						NONWHITE					
		Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions	Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions
GEORGIA													
Under 1 year	3,656	1,909	918	920	1	49	21	1,747	1,422	319	-	-	6
Under 1 day	960	581	225	343	1	2	10	379	274	103	-	-	2
1 to 6 days	782	449	202	238	-	5	4	333	268	64	-	-	1
7 to 13 days	230	107	58	47	-	2	-	123	104	19	-	-	-
14 to 29 days	252	131	78	45	-	7	1	121	100	21	-	-	-
1 to 11 months	1,432	641	355	247	-	33	6	791	676	112	-	-	3
IDAHO													
Under 1 year	396	381	111	253	1	-	16	15	2	12	-	-	1
Under 1 day	125	121	29	84	-	-	8	4	-	3	-	-	1
1 to 6 days	85	80	8	67	1	-	4	5	1	4	-	-	-
7 to 13 days	19	19	5	13	-	-	1	-	-	-	-	-	-
14 to 29 days	25	24	8	16	-	-	-	1	-	1	-	-	-
1 to 11 months	142	137	61	73	-	-	3	5	1	4	-	-	-
ILLINOIS													
Under 1 year	5,184	4,667	1,120	3,263	108	99	77	517	194	315	-	2	6
Under 1 day	1,779	1,630	210	1,351	60	-	9	149	32	117	-	-	-
1 to 6 days	1,161	1,059	111	896	40	6	6	102	24	78	-	-	-
7 to 13 days	228	211	38	167	3	1	2	17	3	14	-	-	-
14 to 29 days	306	278	97	168	3	8	2	28	13	15	-	-	-
1 to 11 months	1,710	1,489	664	681	2	84	58	221	122	91	-	2	6
INDIANA													
Under 1 year	2,960	2,762	974	1,651	39	81	17	198	99	95	1	3	-
Under 1 day	751	726	181	525	14	3	3	25	10	15	-	-	-
1 to 6 days	587	553	119	403	15	7	9	34	19	14	1	-	-
7 to 13 days	167	155	31	112	5	6	1	12	3	9	-	-	-
14 to 29 days	212	200	66	125	2	7	-	12	5	7	-	-	-
1 to 11 months	1,243	1,128	577	486	3	58	4	115	62	50	-	3	-
IOWA													
Under 1 year	1,618	1,600	421	1,133	4	6	36	18	3	14	-	-	1
Under 1 day	565	556	108	432	-	-	16	9	1	7	-	-	1
1 to 6 days	384	361	54	296	2	-	9	3	-	3	-	-	-
7 to 13 days	83	82	13	67	-	-	2	1	-	1	-	-	-
14 to 29 days	111	110	32	74	-	3	1	1	-	1	-	-	-
1 to 11 months	495	491	214	264	2	3	8	4	2	2	-	-	-
KANSAS													
Under 1 year	1,212	1,134	337	777	2	3	15	78	52	26	-	-	-
Under 1 day	441	431	89	334	1	-	7	10	4	6	-	-	-
1 to 6 days	243	231	38	188	-	1	4	12	6	6	-	-	-
7 to 13 days	49	44	13	31	-	-	-	5	3	2	-	-	-
14 to 29 days	74	69	25	42	1	-	1	5	5	-	-	-	-
1 to 11 months	405	359	172	182	-	2	3	46	34	12	-	-	-
KENTUCKY													
Under 1 year	3,280	3,002	1,993	890	2	92	25	278	196	82	-	-	-
Under 1 day	792	750	435	301	2	2	10	42	28	14	-	-	-
1 to 6 days	596	542	327	202	-	7	6	54	38	16	-	-	-
7 to 13 days	203	181	126	49	-	6	-	22	12	10	-	-	-
14 to 29 days	261	238	160	63	-	14	1	23	12	11	-	-	-
1 to 11 months	1,428	1,291	945	275	-	63	8	137	106	31	-	-	-
LOUISIANA													
Under 1 year	2,773	1,333	451	853	-	-	29	1,440	900	534	-	-	6
Under 1 day	724	425	119	291	-	-	15	299	157	141	-	-	1
1 to 6 days	585	298	70	220	-	-	8	287	175	110	-	-	2
7 to 13 days	165	73	25	47	-	-	1	92	53	39	-	-	-
14 to 29 days	177	65	24	41	-	-	-	112	54	58	-	-	-
1 to 11 months	1,122	472	213	254	-	-	5	650	461	186	-	-	3
MAINE													
Under 1 year	972	969	365	508	10	36	50	3	1	2	-	-	-
Under 1 day	248	248	52	174	3	-	19	-	-	-	-	-	-
1 to 6 days	207	206	46	136	6	4	14	1	-	1	-	-	-
7 to 13 days	44	44	10	27	-	5	2	-	-	-	-	-	-
14 to 29 days	75	75	24	43	1	4	3	-	-	-	-	-	-
1 to 11 months	398	396	233	128	-	23	12	2	1	1	-	-	-
MARYLAND													
Under 1 year	2,037	1,428	433	937	7	27	24	609	314	286	1	3	5
Under 1 day	521	404	108	282	6	4	4	117	60	56	1	-	-
1 to 6 days	366	268	61	193	1	1	12	98	48	50	-	-	-
7 to 13 days	127	89	22	64	-	2	1	38	14	24	-	-	-
14 to 29 days	164	127	28	92	-	5	2	37	16	20	-	1	-
1 to 11 months	859	540	214	306	-	15	5	319	176	136	-	2	5

TABLE 27.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

AREA AND AGE	Total deaths under 1 year	WHITE						NONWHITE					
		Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions	Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions
MASSACHUSETTS													
Under 1 year	2,939	2,876	475	1,950	136	280	35	63	13	40	3	6	1
Under 1 day	917	893	61	743	73	13	3	24	1	20	2	1	-
1 to 6 days	640	630	29	503	42	53	3	10	1	8	1	-	-
7 to 13 days	135	133	15	83	12	22	1	2	-	2	-	-	-
14 to 29 days	230	227	41	131	4	45	6	3	2	-	-	-	1
1 to 11 months	1,017	993	329	490	5	147	22	24	9	10	-	5	-
MICHIGAN													
Under 1 year	4,813	4,495	1,189	2,974	62	170	100	318	118	130	2	65	3
Under 1 day	1,341	1,267	201	993	29	9	35	74	23	38	-	13	-
1 to 6 days	1,017	945	99	769	24	29	24	72	7	46	1	18	-
7 to 13 days	280	259	52	188	6	9	4	21	5	11	-	5	-
14 to 29 days	352	333	77	232	3	17	4	19	8	4	1	6	-
1 to 11 months	1,823	1,691	760	792	-	106	33	132	75	31	-	23	3
MINNESOTA													
Under 1 year	1,809	1,749	388	1,296	17	11	37	60	22	37	1	-	-
Under 1 day	716	704	83	598	8	1	14	12	1	11	-	-	-
1 to 6 days	406	395	34	348	2	-	11	11	3	7	1	-	-
7 to 13 days	66	65	7	50	6	1	1	1	1	-	-	-	-
14 to 29 days	106	103	37	63	1	-	2	3	2	1	-	-	-
1 to 11 months	515	482	227	237	-	9	9	33	15	18	-	-	-
MISSISSIPPI													
Under 1 year	2,800	1,169	556	590	3	-	20	1,631	1,474	151	-	-	6
Under 1 day	758	417	169	235	-	-	13	341	301	38	-	-	2
1 to 6 days	572	264	107	152	2	-	3	308	274	31	-	-	3
7 to 13 days	163	66	41	24	-	-	1	97	92	5	-	-	-
14 to 29 days	174	65	43	19	1	-	2	109	103	6	-	-	-
1 to 11 months	1,133	357	196	160	-	-	1	776	704	71	-	-	1
MISSOURI													
Under 1 year	2,918	2,564	1,069	1,311	41	104	39	354	164	178	5	4	3
Under 1 day	843	768	261	460	26	13	8	75	17	56	2	-	-
1 to 6 days	557	499	168	302	10	12	7	58	24	33	1	-	-
7 to 13 days	165	138	56	76	2	4	-	27	10	17	-	-	-
14 to 29 days	222	188	73	100	1	14	-	34	11	23	-	-	-
1 to 11 months	1,131	971	511	373	2	61	24	160	102	49	2	4	3
MONTANA													
Under 1 year	442	379	81	285	-	-	13	63	36	27	-	-	-
Under 1 day	144	141	12	123	-	-	6	3	-	3	-	-	-
1 to 6 days	94	86	8	74	-	-	4	8	4	4	-	-	-
7 to 13 days	33	28	6	22	-	-	-	5	3	2	-	-	-
14 to 29 days	23	22	6	16	-	-	-	1	1	-	-	-	-
1 to 11 months	148	102	49	50	-	-	3	46	28	18	-	-	-
NEBRASKA													
Under 1 year	889	856	254	570	5	2	25	33	12	21	-	-	-
Under 1 day	327	314	65	236	5	-	8	13	4	9	-	-	-
1 to 6 days	205	205	37	161	-	-	5	2	-	2	-	-	-
7 to 13 days	44	44	12	29	-	-	3	-	-	-	-	-	-
14 to 29 days	34	33	10	22	-	-	1	1	1	-	-	-	-
1 to 11 months	279	262	130	122	-	2	8	17	7	10	-	-	-
NEVADA													
Under 1 year	158	136	26	92	-	1	17	22	10	12	-	-	-
Under 1 day	51	48	4	35	-	-	9	3	-	3	-	-	-
1 to 6 days	38	32	5	22	-	-	5	7	2	5	-	-	-
7 to 13 days	5	5	-	4	-	-	1	-	-	-	-	-	-
14 to 29 days	6	5	1	3	-	-	1	1	-	1	-	-	-
1 to 11 months	57	46	16	28	-	1	1	11	8	3	-	-	-
NEW HAMPSHIRE													
Under 1 year	432	431	98	302	13	9	9	1	1	-	-	-	-
Under 1 day	135	135	10	115	7	-	3	-	-	-	-	-	-
1 to 6 days	95	94	9	81	2	-	2	1	1	-	-	-	-
7 to 13 days	18	18	3	12	2	-	1	-	-	-	-	-	-
14 to 29 days	25	25	2	20	1	2	-	-	-	-	-	-	-
1 to 11 months	159	159	74	74	1	7	3	-	-	-	-	-	-
NEW JERSEY													
Under 1 year	2,796	2,441	361	1,833	169	33	45	355	115	211	12	9	8
Under 1 day	864	777	57	619	91	-	10	87	13	66	7	-	1
1 to 6 days	674	592	35	492	56	2	7	82	16	61	4	1	-
7 to 13 days	156	142	12	119	9	-	2	14	5	6	-	-	1
14 to 29 days	194	180	28	143	4	4	1	14	5	6	-	-	1
1 to 11 months	908	750	229	460	9	27	25	158	76	68	1	8	5

TABLE 27.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

AREA AND AGE	Total deaths under 1 year	WHITE						NONWHITE					
		Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions	Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions
NEW MEXICO													
Under 1 year	1,394	1,232	819	398	-	-	15	162	69	93	-	-	-
Under 1 day	228	217	101	112	-	-	4	11	4	7	-	-	-
1 to 6 days	205	186	101	83	-	-	2	19	12	7	-	-	-
7 to 13 days	68	53	31	21	-	-	1	15	8	7	-	-	-
14 to 29 days	84	75	59	15	-	-	1	9	4	5	-	-	-
1 to 11 months	809	701	527	167	-	-	7	108	41	67	-	-	-
NEW YORK													
Under 1 year	8,126	7,477	1,188	5,598	294	208	189	649	100	514	8	10	17
Under 1 day	2,765	2,521	193	2,140	120	23	45	244	15	222	3	-	4
1 to 6 days	1,929	1,819	89	1,573	80	31	46	110	4	102	2	2	-
7 to 13 days	400	376	21	300	32	14	9	24	2	21	-	1	-
14 to 29 days	469	443	67	331	19	25	1	26	5	21	-	-	-
1 to 11 months	2,563	2,318	818	1,254	43	115	88	245	74	148	3	7	13
NORTH CAROLINA													
Under 1 year	4,416	2,757	1,354	1,335	8	23	37	1,659	1,330	328	-	-	1
Under 1 day	1,099	798	277	501	5	-	15	301	204	96	-	-	1
1 to 6 days	904	589	227	351	-	2	9	315	244	71	-	-	-
7 to 13 days	229	131	60	67	1	3	-	98	81	17	-	-	-
14 to 29 days	325	190	123	65	1	1	-	135	121	14	-	-	-
1 to 11 months	1,859	1,049	667	351	1	17	13	810	680	130	-	-	-
NORTH DAKOTA													
Under 1 year	468	441	147	289	2	-	23	27	10	16	-	-	1
Under 1 day	183	176	48	114	1	-	15	7	-	7	-	-	-
1 to 6 days	94	93	19	69	1	-	4	1	-	1	-	-	-
7 to 13 days	22	20	7	11	-	-	2	2	1	1	-	-	-
14 to 29 days	32	32	13	19	-	-	-	-	-	-	-	-	-
1 to 11 months	137	120	62	56	-		2	17	9	7	-	-	1
OHIO													
Under 1 year	5,640	5,178	1,816	2,978	144	223	17	462	164	254	11	28	5
Under 1 day	1,730	1,597	371	1,145	69	8	8	133	33	84	9	3	4
1 to 6 days	1,087	1,003	199	737	38	25	4	84	25	51	2	6	-
7 to 13 days	318	298	90	167	14	25	2	20	9	11	-	-	-
14 to 29 days	382	347	135	169	15	27	1	35	16	14	-	5	-
1 to 11 months	2,123	1,933	1,021	760	8	140	4	190	81	94	-	14	1
OKLAHOMA													
Under 1 year	2,068	1,735	752	952	2	2	27	333	238	92	-	-	3
Under 1 day	604	558	194	355	1	-	8	46	26	19	-	-	1
1 to 6 days	416	363	132	225	-	-	6	53	36	17	-	-	-
7 to 13 days	119	92	49	40	1	-	2	27	23	4	-	-	-
14 to 29 days	120	98	42	52	-	1	3	22	19	3	-	-	-
1 to 11 months	809	624	335	280	-	1	8	185	134	49	-	-	2
OREGON													
Under 1 year	763	745	155	483	5	61	41	18	6	10	-	1	1
Under 1 day	244	241	14	204	4	1	18	3	-	2	-	-	1
1 to 6 days	167	166	2	149	-	2	13	1	-	1	-	-	-
7 to 13 days	25	25	1	21	-	2	1	-	-	-	-	-	-
14 to 29 days	32	31	11	16	-	2	2	1	1	-	-	-	-
1 to 11 months	295	282	127	93	1	54	7	13	5	7	-	1	-
PENNSYLVANIA													
Under 1 year	7,551	6,747	1,950	4,437	103	190	67	804	193	537	8	56	10
Under 1 day	2,356	2,110	424	1,601	56	8	21	246	33	204	5	3	1
1 to 6 days	1,608	1,453	225	1,193	16	9	10	155	25	123	2	4	1
7 to 13 days	394	359	77	287	5	9	1	35	11	17	-	7	-
14 to 29 days	450	404	125	257	3	18	1	46	11	29	1	5	-
1 to 11 months	2,743	2,421	1,099	1,119	23	146	34	322	113	164	-	37	8
RHODE ISLAND													
Under 1 year	638	617	115	391	84	6	21	21	9	6	3	-	3
Under 1 day	148	142	15	93	33	-	1	4	1	1	2	-	-
1 to 6 days	120	118	9	74	34	-	1	2	1	-	1	-	-
7 to 13 days	41	41	3	29	8	1	-	-	-	-	-	-	-
14 to 29 days	77	77	5	64	6	1	1	-	-	-	-	-	-
1 to 11 months	254	239	83	131	3	4	18	15	7	5	-	-	3
SOUTH CAROLINA													
Under 1 year	2,985	1,363	671	684	1	2	5	1,622	1,355	266	-	-	1
Under 1 day	703	410	167	242	-	-	1	293	236	56	-	-	1
1 to 6 days	634	311	131	179	-	-	1	323	273	50	-	-	-
7 to 13 days	155	56	29	27	-	-	-	99	82	17	-	-	-
14 to 29 days	181	82	44	38	-	-	-	99	81	18	-	-	-
1 to 11 months	1,312	504	300	198	1	2	3	808	683	125	-	-	-

TABLE 27.—DEATHS UNDER 1 YEAR, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1943—Continued

(Exclusive of stillbirths. By place of residence)

AREA AND AGE	Total deaths under 1 year	WHITE						NONWHITE					
		Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions	Total	Not in institution	General hospital	Maternity hospital	Children's hospital	Other hospitals and institutions
SOUTH DAKOTA													
Under 1 year	457	375	103	250	1	-	21	82	43	38	-	-	1
Under 1 day	143	135	29	96	1	-	9	8	5	3	-	-	-
1 to 6 days	98	86	15	66	-	-	5	12	2	10	-	-	-
7 to 13 days	20	18	4	14	-	-	-	2	1	1	-	-	-
14 to 29 days	16	16	5	11	-	-	-	2	1	1	-	-	-
1 to 11 months	178	120	50	63	-	-	7	58	34	23	-	-	1
TENNESSEE													
Under 1 year	3,145	2,458	1,477	892	6	55	28	685	403	269	-	13	-
Under 1 day	777	828	299	311	4	4	10	149	60	89	-	-	-
1 to 6 days	550	445	220	214	2	3	6	105	64	41	-	-	-
7 to 13 days	180	137	102	31	-	3	1	43	23	20	-	-	-
14 to 29 days	243	180	120	52	-	8	-	63	35	27	-	1	-
1 to 11 months	1,395	1,068	736	284	-	37	11	325	221	92	-	12	-
TEXAS													
Under 1 year	8,454	7,151	4,020	2,909	34	66	122	1,303	910	355	3	22	13
Under 1 day	1,902	1,641	557	1,009	22	5	48	261	144	106	2	3	6
1 to 6 days	1,681	1,410	611	746	12	7	34	271	189	78	1	2	1
7 to 13 days	457	362	212	138	-	8	6	95	64	26	-	2	3
14 to 29 days	479	386	227	152	-	4	3	93	65	25	-	3	-
1 to 11 months	3,935	3,352	2,413	864	-	44	51	583	448	120	-	12	3
UTAH													
Under 1 year	539	525	150	336	8	25	6	14	6	6	-	-	2
Under 1 day	182	181	31	134	6	7	3	1	-	1	-	-	-
1 to 6 days	157	155	23	120	1	10	1	2	-	-	-	-	2
7 to 13 days	17	17	3	12	1	1	-	-	-	-	-	-	-
14 to 29 days	31	30	15	12	-	2	1	1	-	1	-	-	-
1 to 11 months	152	142	78	58	-	5	1	10	6	4	-	-	-
VERMONT													
Under 1 year	285	285	87	192	-	3	3	-	-	-	-	-	-
Under 1 day	104	104	21	83	-	-	-	-	-	-	-	-	-
1 to 6 days	46	46	11	35	-	-	-	-	-	-	-	-	-
7 to 13 days	12	12	1	9	-	2	-	-	-	-	-	-	-
14 to 29 days	20	20	5	14	-	-	1	-	-	-	-	-	-
1 to 11 months	103	103	49	51	-	1	2	-	-	-	-	-	-
VIRGINIA													
Under 1 year	3,395	2,187	1,053	1,051	10	37	36	1,208	932	236	1	13	26
Under 1 day	938	683	273	388	8	4	10	253	193	55	1	3	1
1 to 6 days	704	469	155	300	1	3	10	235	174	54	-	2	5
7 to 13 days	197	115	70	39	-	4	2	82	68	14	-	-	-
14 to 29 days	226	131	69	56	-	5	1	95	70	22	-	1	2
1 to 11 months	1,332	789	486	268	1	21	13	543	427	91	-	7	18
WASHINGTON													
Under 1 year	1,550	1,457	271	1,063	12	6	105	93	40	43	-	-	10
Under 1 day	490	474	25	419	7	-	23	16	3	13	-	-	-
1 to 6 days	345	335	14	293	3	-	25	10	3	6	-	-	1
7 to 13 days	71	67	9	49	1	-	8	4	1	2	-	-	1
14 to 29 days	82	78	16	56	-	-	6	4	2	2	-	-	-
1 to 11 months	562	503	207	246	1	6	43	59	31	20	-	-	8
WEST VIRGINIA													
Under 1 year	2,261	2,098	1,279	806	-	1	12	163	117	44	-	-	2
Under 1 day	551	519	303	215	-	-	1	32	23	9	-	-	-
1 to 6 days	414	380	203	172	-	-	5	34	25	8	-	-	1
7 to 13 days	137	125	76	49	-	-	-	12	9	3	-	-	-
14 to 29 days	172	159	109	50	-	-	-	13	10	3	-	-	-
1 to 11 months	987	915	588	320	-	1	6	72	50	21	-	-	1
WISCONSIN													
Under 1 year	2,257	2,207	549	1,539	23	64	32	50	20	28	-	1	1
Under 1 day	730	723	105	604	6	1	7	7	3	4	-	-	-
1 to 6 days	540	533	67	442	17	4	3	7	1	5	-	-	1
7 to 13 days	103	102	18	80	-	4	-	1	-	-	-	1	-
14 to 29 days	130	128	38	80	-	10	-	2	-	2	-	-	-
1 to 11 months	754	721	321	333	-	45	22	33	16	17	-	-	-
WYOMING													
Under 1 year	216	197	47	144	-	3	3	19	6	7	-	-	6
Under 1 day	78	75	10	65	-	-	-	3	-	2	-	-	1
1 to 6 days	33	29	2	25	-	1	1	4	1	-	-	-	3
7 to 13 days	13	12	2	10	-	-	-	1	1	-	-	-	-
14 to 29 days	10	9	2	7	-	-	-	1	-	1	-	-	-
1 to 11 months	82	72	31	37	-	2	2	10	4	4	-	-	2

TABLE 28.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY MONTH: UNITED STATES, 1943

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

CAUSE OF DEATH	Total deaths under 1 year	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
All causes	118,464	11,517	10,138	11,177	9,492	9,275	9,340	9,743	9,766	9,043	9,308	9,319	10,586
Cerebrospinal (meningococcus) meningitis....6	334	30	33	35	35	38	22	14	18	15	27	23	44
Scarlet fever....8	23	5	3	2	2	3	2	-	2	1	-	1	2
Whooping cough....9	2,419	175	179	268	229	227	244	270	217	158	145	158	149
Diphtheria (infection by C. diphtheriae)....10	90	13	16	11	6	3	1	4	3	9	10	9	5
Tuberculosis (all forms)....13-22	501	34	41	58	48	44	45	41	43	34	37	36	40
Tuberculosis of respiratory system, etc.*....13	230	12	23	27	26	22	18	16	19	17	16	12	22
Tuberculosis of meninges, etc.*....14	164	9	12	19	14	12	14	14	16	11	14	18	11
Tuberculosis (other forms)....15-22	107	13	6	12	8	10	13	11	8	6	7	6	7
Dysentery....27	1,000	21	15	25	36	60	146	191	168	131	88	76	43
Malaria....28	53	-	-	-	2	2	11	16	9	6	6	-	1
Syphilis....30	739	81	69	65	56	53	54	62	70	61	60	42	66
Measles....35	318	34	29	50	48	49	50	12	10	4	4	8	20
Diseases of thymus gland....64	1,128	130	111	107	93	98	81	75	83	86	68	90	104
Meningitis (not due to meningococcus)....81	703	76	72	82	60	58	53	35	41	37	54	62	73
Intracranial lesions of vascular origin....83	208	20	22	16	20	17	18	13	18	10	20	18	16
Convulsions....86	398	42	28	54	29	34	29	45	36	27	23	31	20
Diseases of ear and mastoid process....89	299	53	29	43	30	22	15	9	14	14	19	26	25
Diseases of the heart....90-95	174	14	15	20	13	14	16	14	10	7	21	8	22
Pneumonia (all forms) and influenza....107-109,33	18,207	2,724	2,539	2,526	1,578	1,108	760	624	667	746	1,042	1,376	2,517
Bronchopneumonia (including capillary bronchitis)....107	10,340	1,557	1,409	1,394	883	678	467	402	457	473	626	785	1,229
Lobar pneumonia....108	3,255	470	455	481	315	203	146	113	107	131	183	263	388
Pneumonia (unspecified)....109	2,224	346	287	312	188	133	95	79	87	97	137	165	298
Influenza....33	2,388	351	388	339	192	94	52	30	36	45	96	163	602
Other diseases of respiratory system....104-106,110-114	1,211	177	144	162	107	93	54	50	56	60	84	98	126
Ulcer of stomach or duodenum....117	24	1	-	4	3	2	3	1	3	1	2	-	4
Diarrhea, enteritis, etc.*....119	8,756	449	364	431	475	632	952	1,209	1,229	1,029	827	700	459
Intestinal obstruction....122b	607	52	46	65	48	51	62	55	46	51	40	45	46
Nephritis....130,131	132	14	14	9	14	8	10	18	10	6	11	11	7
Congenital malformations....157	14,435	1,343	1,215	1,308	1,121	1,106	1,121	1,182	1,191	1,166	1,220	1,221	1,241
Congenital debility....158	2,738	255	225	233	201	198	201	241	219	256	253	242	213
Premature birth....159	34,563	2,831	2,449	2,830	2,874	3,018	3,009	3,172	3,118	2,843	2,937	2,701	2,781
Injury at birth....160	10,990	984	875	986	853	988	926	997	970	866	867	861	817
Other diseases peculiar to the first year....161	7,215	639	590	681	578	583	605	583	625	598	582	554	597
Asphyxia (cause not specified), atelectasis....161a	4,151	361	343	381	312	344	336	341	353	344	334	315	367
Infection of the umbilicus, etc.,* and other specified diseases peculiar to the first year....161b,c	3,084	278	247	300	266	239	259	242	272	254	248	239	230
Homicide....165-168	126	7	11	8	12	14	10	9	8	10	9	15	13
Accidental deaths....169-195	3,068	350	265	281	266	189	232	206	200	192	234	297	356
Accidental mechanical suffocation....182	1,461	184	160	146	136	69	90	81	76	75	109	138	197
Other accidental deaths....169-181,183-195	1,607	166	105	135	130	120	142	125	124	117	125	159	159
Ill-defined and unknown causes....199,200	4,978	509	484	544	421	312	351	350	417	377	371	365	477
All other causes.......	3,049	254	254	273	234	251	257	245	255	242	247	245	282

*Refer to complete International List titles, table VII, Part I.

652780 O - 45 - 37

TABLE 29.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES, 1943

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (total).....All causes	118,484	34,014	9,516	6,000	9,050	6,267	4,227	3,558	72,632	8,655	7,186	5,923	4,830	4,100	3,624	3,088	2,662	2,163	1,873	1,763
Cerebrospinal (meningococcus) meningitis...6	334	-	-	-	3	4	3	5	15	32	30	39	42	44	17	29	23	10	19	34
Scarlet fever.....8	23	-	-	-	-	-	-	2	2	3	-	2	3	2	-	1	1	2	6	1
Whooping cough.....9	2,419	-	-	1	2	6	23	72	104	397	370	288	209	191	179	173	151	144	109	104
Diphtheria (infection by C. diphtheriae)..10	90	-	-	1	1	-	2	3	7	4	8	12	4	5	2	7	7	8	10	16
Tuberculosis (all forms).....13-22	501	-	-	-	-	6	4	2	12	14	21	39	37	47	56	58	58	57	50	52
Tuberculosis of respiratory system, etc.*.13	230	-	-	-	-	3	4	1	8	8	11	19	17	26	22	27	27	18	22	25
Tuberculosis of meninges, etc.*.....14	164	-	-	-	-	1	-	-	1	2	3	10	12	11	26	20	18	23	18	20
Tuberculosis (other forms).....15-22	107	-	-	-	-	2	-	1	3	4	7	10	8	10	8	11	13	16	10	7
Dysentery.....27	1,000	1	2	1	8	16	24	24	76	88	114	120	113	111	105	76	68	54	46	31
Malaria.....28	53	1	1	1	1	2	1	1	8	3	4	4	4	10	3	5	6	3	1	2
Syphilis.....30	739	142	40	26	51	36	29	28	352	104	100	49	35	25	17	20	11	11	9	6
Measles.....35	318	-	1	-	3	6	6	3	19	13	14	24	24	21	21	35	30	39	43	35
Diseases of thymus gland.....64	1,126	88	70	56	79	66	38	46	443	164	139	123	58	58	37	37	21	21	16	9
Meningitis (not due to meningococcus).....81	705	2	2	2	9	15	17	11	58	87	71	60	71	55	69	60	53	35	42	42
Intracranial lesions of vascular origin...83	208	9	5	12	13	4	3	2	48	37	28	20	17	10	6	10	6	7	12	7
Convulsions.....86	398	12	21	22	75	36	17	17	200	28	34	21	14	17	26	14	21	10	5	8
Diseases of ear and mastoid process.....89	299	-	-	1	3	1	5	3	13	27	43	23	39	33	23	29	26	19	10	14
Diseases of the heart.....90-95	174	3	4	7	4	7	3	9	37	18	21	26	14	17	11	5	10	6	4	5
Pneumonia (all forms), influenza.107-109,33	18,207	107	127	192	587	732	771	808	3,304	2,288	2,262	1,958	1,736	1,433	1,296	1,090	913	737	622	568
Bronchopneumonia, etc.*.....107	10,340	66	81	116	343	437	482	490	2,015	1,340	1,328	1,133	954	799	678	589	476	397	334	297
Lobar pneumonia.....108	3,255	10	17	26	78	120	127	157	515	387	387	377	331	242	246	232	184	136	104	114
Pneumonia (unspecified).....109	2,224	24	25	40	115	104	100	105	513	270	294	211	200	175	133	113	97	79	75	64
Influenza.....33	2,388	7	4	10	31	71	62	76	261	291	253	237	251	217	239	156	156	125	109	93
Other dis. of resp. system...104-106,110-114	1,211	21	9	17	40	31	44	55	217	183	147	119	120	77	81	66	63	43	51	44
Ulcer of stomach or duodenum.....117	24	-	1	1	5	1	-	-	8	1	3	2	1	1	2	-	2	1	1	2
Diarrhea, enteritis, etc.*.....119	8,756	5	6	14	67	338	591	484	1,505	1,213	1,045	895	824	746	658	495	462	340	307	266
Intestinal obstruction.....122b	607	-	-	-	-	5	7	4	16	72	54	74	72	79	56	62	41	38	27	16
Nephritis.....130,131	132	2	1	5	12	7	8	6	41	11	13	12	9	6	9	7	11	6	3	4
Congenital malformations.....157	14,435	3,086	1,007	888	1,647	1,279	758	644	9,309	1,361	889	671	506	393	337	282	229	176	144	144
Congenital debility.....158	2,738	510	185	145	211	158	142	133	1,484	361	265	191	121	84	59	54	35	42	21	21
Premature birth.....159	34,563	20,125	4,726	2,267	2,908	1,956	984	547	33,513	600	246	110	41	17	13	10	4	6	-	3
Injury at birth.....160	10,990	5,941	1,785	1,112	1,295	390	147	88	10,758	80	34	21	24	18	13	7	8	17	7	3
Other diseases peculiar to first year..161	7,215	2,723	1,042	840	1,292	499	190	126	6,712	184	97	59	49	24	33	9	21	13	6	8
Asphyxia (cause not spec.),atelectasis..161a	4,151	2,142	783	428	419	124	53	35	3,964	55	39	30	15	3	11	2	5	2	2	3
Infection of umbilicus, etc.*.....161b,c	6,084	581	279	412	873	375	137	91	2,748	129	58	29	34	21	22	7	16	11	4	5
Homicide.....165-168	126	67	10	3	3	3	3	1	90	6	5	5	2	4	1	-	4	4	3	2
Accidental deaths.....169-195	3,068	73	47	37	75	81	73	129	515	433	451	380	256	203	169	153	134	111	117	146
Accidental mechanical suffocation.....182	1,461	15	20	15	35	37	47	87	256	268	297	243	139	91	52	38	33	20	12	12
Other accidental deaths.....169-181,183-195	1,607	58	27	22	40	44	26	42	259	165	154	137	117	112	117	115	101	91	105	134
Ill-defined and unknown causes.....199,200	4,978	993	383	274	488	355	209	200	2,902	512	388	322	180	158	136	113	88	61	66	52
All other causes.....	3,049	103	41	75	188	227	125	105	864	331	270	259	211	211	189	181	157	142	116	118
UNITED STATES (male).....All causes	67,943	19,809	5,597	3,645	5,379	3,440	2,373	2,085	42,328	5,038	4,034	3,310	2,681	2,285	1,969	1,747	1,456	1,160	1,002	933
Cerebrospinal (meningococcus) meningitis...6	210	-	-	-	1	2	1	2	6	21	18	28	28	28	12	17	16	7	9	20
Scarlet fever.....8	13	-	-	-	-	-	-	1	1	3	-	-	3	1	-	-	-	1	4	-
Whooping cough.....9	1,157	-	-	1	1	3	8	36	49	193	199	136	88	89	84	86	74	60	48	51
Diphtheria (infection by C. diphtheriae)..10	46	-	-	1	1	-	-	1	3	2	6	7	3	3	1	4	3	3	3	8
Tuberculosis (all forms).....13-22	276	-	-	-	-	3	2	2	7	9	10	23	21	28	36	32	34	25	22	29
Tuberculosis of respiratory system,etc.*..13	124	-	-	-	-	1	2	1	4	5	6	8	9	16	14	15	18	7	8	14
Tuberculosis of meninges, etc.*.....14	91	-	-	-	-	1	-	-	1	2	-	8	7	8	16	12	10	9	7	11
Tuberculosis (other forms).....15-22	61	-	-	-	-	1	-	1	2	2	4	7	5	4	6	5	6	9	7	4
Dysentery.....27	580	1	2	-	8	9	16	21	57	52	69	78	56	65	49	48	43	28	19	16
Malaria.....28	29	1	1	-	-	1	-	1	4	-	3	2	3	5	3	3	3	1	-	2
Syphilis.....30	428	85	25	17	29	17	14	21	208	53	63	29	24	10	7	10	7	8	4	5
Measles.....35	167	-	-	-	2	4	4	3	13	7	8	10	13	11	10	14	18	20	27	18
Diseases of thymus gland.....64	701	57	46	30	49	40	24	20	266	115	85	76	41	33	22	18	12	13	11	9
Meningitis (not due to meningococcus).....81	435	1	2	2	4	9	10	7	35	57	46	37	49	34	36	37	33	22	22	27
Intracranial lesions of vascular origin...83	116	7	2	7	4	2	2	-	24	17	18	13	9	7	1	5	5	5	6	6
Convulsions.....86	239	9	15	13	51	16	12	11	127	16	22	12	8	9	13	8	12	6	3	3
Diseases of ear and mastoid process.....89	178	-	-	1	1	1	-	1	4	19	26	12	24	22	15	17	12	11	8	8
Diseases of the heart.....90-95	109	2	4	3	2	6	-	7	24	10	10	18	10	9	7	4	7	3	3	4
Pneumonia (all forms), influenza.107-109,33	10,334	59	81	118	325	404	452	474	1,913	1,345	1,254	1,130	982	808	712	622	517	406	350	295
Bronchopneumonia, etc.*.....107	5,846	39	52	69	192	249	279	295	1,175	772	737	665	542	446	360	327	275	207	190	150
Lobar pneumonia.....108	1,813	4	8	16	43	62	81	74	288	235	214	210	164	123	133	131	97	80	57	61
Pneumonia (unspecified).....109	1,285	12	17	27	68	59	58	65	306	155	156	115	120	105	81	73	56	48	36	34
Influenza.....33	1,390	4	4	6	22	34	34	40	144	183	147	140	136	134	138	91	89	71	67	50
Other dis. of resp. system...104-106,110-114	691	9	5	10	23	15	26	37	125	115	63	65	74	42	40	42	34	28	27	36
Ulcer of stomach or duodenum.....117	19	-	1	1	4	1	-	-	7	1	-	2	1	-	2	-	2	1	1	2
Diarrhea, enteritis, etc.*.....119	4,865	4	3	9	45	170	357	295	883	728	609	457	448	396	365	275	225	185	165	129
Intestinal obstruction.....122b	387	-	-	-	-	5	4	2	11	49	33	50	50	45	34	46	25	22	15	7
Nephritis.....130,131	86	1	-	2	9	5	6	3	26	6	10	10	7	4	5	4	8	3	2	1
Congenital malformations.....157	7,911	1,578	587	558	970	707	407	368	5,175	769	479	348	257	208	188	151	120	81	80	75
Congenital debility.....158	1,625	324	105	97	120	88	86	85	905	225	154	104	64	52	27	30	15	23	12	14
Premature birth.....159	19,786	11,735	2,700	1,291	1,651	1,040	527	289	19,233	326	122	63	13	9	5	2	3	2	-	2
Injury at birth.....160	6,763	3,645	1,086	710	814	228	85	57	6,625	49	18	14	13	12	8	3	7	11	3	-
Other diseases peculiar to first year..161	4,334	1,578	634	534	815	298	109	75	4,043	107	62	41	21	12	16	5	10	9	2	3
Asphyxia (cause not spec.),atelectasis..161a	2,510	1,255	479	278	274	70	35	21	2,412	32	26	18	10	-	7	2	1	2	-	-
Infection of umbilicus, etc.*.....161b,c	1,824	323	155	256	541	228	74	54	1,631	75	36	23	14	12	9	3	9	7	2	3
Homicide.....165-168	68	36	5	2	1	3	1	-	48	4	4	1	1	3	-	-	3	1	1	2
Accidental deaths.....169-195	1,783	39	33	23	46	47	39	77	304	245	268	221	158	114	99	97	72	63	62	80
Accidental mechanical suffocation.....182	846	4	13	8	18	22	23	52	140	154	169	146	89	53	36	26	14	7	4	8
Other accidental deaths.....169-181,183-195	937	35	20	15	28	25	16	25	164	91	99	75	69	61	63	71	58	56	58	72
Ill-defined and unknown causes.....199,200	2,849	575	231	169	289	193	109	112	1,678	285	215	182	90	97	82	69	52	35	38	26
All other causes.....	1,758	63	29	46	114	123	72	77	524	210	162	141	113	129	110	98	84	77	55	55

*Refer to complete International List titles, table VII, Part I.

TABLE 29.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES, 1943—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (female).....All causes	50,541	14,205	3,919	2,355	3,671	2,827	1,854	1,473	30,304	3,617	3,132	2,618	2,149	1,815	1,655	1,341	1,206	1,003	871	830
Cerebrospinal (meningococcus) meningitis...6	124	-	-	-	2	2	2	3	9	11	12	11	14	16	5	12	7	3	10	14
Scarlet fever.....8	10	-	-	-	-	-	-	1	1	-	-	2	-	1	-	1	1	1	2	1
Whooping cough.....9	1,262	-	-	-	1	3	15	36	55	204	171	152	121	102	95	87	77	84	61	53
Diphtheria (infection by C. diphtheriae)..10	44	-	-	-	-	-	2	2	4	2	2	5	1	2	1	3	4	5	7	8
Tuberculosis (all forms).....13-22	225	-	-	-	-	3	2	-	5	5	11	16	16	19	20	26	24	32	28	23
Tuberculosis of respiratory system,etc.*..13	106	-	-	-	-	2	2	-	4	3	5	11	8	10	8	12	9	11	14	11
Tuberculosis of meninges, etc.*.....14	73	-	-	-	-	-	-	-	-	-	3	2	5	3	10	8	8	14	11	9
Tuberculosis (other forms).....15-22	46	-	-	-	-	1	-	-	1	2	3	3	3	6	2	6	7	7	3	6
Dysentery.....27	420	-	-	1	-	7	8	3	19	36	45	42	57	46	56	28	23	26	27	15
Malaria.....28	24	-	-	1	1	1	1	-	4	3	1	2	1	5	-	2	3	2	1	-
Syphilis.....30	311	57	15	9	22	19	15	7	144	51	37	20	11	15	10	10	4	3	5	1
Measles.....35	151	-	1	-	1	2	2	-	6	6	8	14	11	10	11	21	12	19	16	17
Diseases of thymus gland.....64	425	31	24	26	30	26	14	26	177	49	54	47	17	25	15	19	9	8	5	-
Meningitis (not due to meningococcus).....81	268	1	-	-	5	6	7	4	23	30	25	23	22	21	33	23	20	13	20	15
Intracranial lesions of vascular origin...83	92	2	3	5	9	2	1	2	24	20	10	7	8	3	5	5	1	2	6	1
Convulsions.....86	159	3	6	9	24	20	5	6	73	12	12	9	6	8	13	6	9	4	2	5
Diseases of ear and mastoid process.....89	121	-	-	-	2	-	5	2	9	8	17	11	15	11	8	12	14	8	2	6
Diseases of the heart.....90-95	65	1	-	4	2	1	3	2	13	8	11	8	4	8	4	1	3	3	1	1
Pneumonia (all forms),influenza.107-109,33	7,873	48	46	74	242	328	319	334	1,391	943	1,008	828	754	625	584	468	396	331	272	273
Bronchopneumonia, etc.*.....107	4,494	27	29	47	151	188	203	195	840	568	591	468	412	353	318	262	201	190	144	147
Lobar pneumonia.....108	1,442	6	9	10	35	58	46	63	227	152	173	167	147	119	113	101	87	56	47	53
Pneumonia (unspecified).....109	939	12	8	13	47	45	42	40	207	115	138	96	80	70	52	40	41	31	39	30
Influenza.....33	998	3	-	4	9	37	28	36	117	108	106	97	115	83	101	65	67	54	42	43
Other dis. of resp. system...104-108,110-114	520	12	4	7	17	16	18	18	92	68	84	54	46	35	41	24	29	15	24	8
Ulcer of stomach or duodenum.....117	5	-	-	-	1	-	-	-	1	-	3	-	-	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	3,891	1	3	5	22	168	234	189	622	485	438	438	376	350	293	220	237	155	142	137
Intestinal obstruction.....122b	220	-	-	-	-	-	3	2	5	23	21	24	22	34	22	16	16	16	12	9
Nephritis.....130,131	46	1	1	3	3	2	2	3	15	5	3	2	2	2	4	3	3	3	1	3
Congenital malformations.....157	6,524	1,508	420	330	677	572	351	276	4,134	592	410	323	243	185	169	131	109	95	64	69
Congenital debility.....158	1,115	186	80	48	91	70	56	48	579	136	111	87	57	32	32	24	20	19	9	7
Premature birth.....159	14,777	8,390	2,026	976	1,257	916	457	258	14,280	274	124	47	22	8	8	8	1	4	-	1
Injury at birth.....160	4,227	2,296	699	402	481	162	62	31	4,133	31	16	7	11	6	5	4	1	6	4	3
Other diseases peculiar to first year..161	2,881	1,145	408	306	477	201	81	51	2,669	77	35	18	25	12	17	4	11	4	4	5
Asphyxia (cause not spec.),atelectasis..161a	1,621	887	284	150	145	54	18	14	1,552	23	13	12	5	3	4	-	4	-	2	3
Infection of umbilicus, etc.*.....161b,c	1,260	258	124	156	332	147	63	37	1,117	54	22	6	20	9	13	4	7	4	2	2
Homicide.....165-168	58	31	5	1	2	-	2	1	42	2	1	4	1	1	1	-	1	3	2	-
Accidental deaths.....169-195	1,285	34	14	14	29	34	34	52	211	188	183	159	98	89	70	56	62	48	55	66
Accidental mechanical suffocation.....182	615	11	7	7	17	15	24	35	116	114	128	97	50	38	16	12	19	13	8	4
Other accidental deaths.....169-181,183-195	670	23	7	7	12	19	10	17	95	74	55	62	48	51	54	44	43	35	47	62
Ill-defined and unknown causes.....199,200	2,129	418	152	105	199	162	100	88	1,224	227	173	140	90	61	54	44	36	26	28	26
All other causes.....	1,291	40	12	29	74	104	53	28	340	121	108	118	98	82	79	83	73	65	61	63
UNITED STATES (white).....All causes	97,229	29,531	8,137	5,075	7,374	5,002	3,436	2,883	61,438	6,913	5,867	4,690	3,710	3,153	2,755	2,348	2,056	1,677	1,468	1,354
Cerebrospinal (meningococcus) meningitis...6	282	-	-	-	3	4	2	5	14	26	27	33	34	36	15	25	16	8	17	31
Scarlet fever.....8	21	-	-	-	-	-	-	2	2	3	-	2	3	2	-	-	1	1	6	1
Whooping cough.....9	1,844	-	-	-	1	4	16	57	78	336	293	218	153	140	127	126	119	104	80	70
Diphtheria (infection by C. diphtheriae)..10	73	-	-	1	-	-	2	3	6	4	7	9	2	5	1	5	6	7	8	13
Tuberculosis (all forms).....13-22	331	-	-	-	-	3	2	2	7	8	13	20	26	33	45	35	41	37	32	34
Tuberculosis of respiratory system,etc.*..13	146	-	-	-	-	1	2	1	4	4	8	8	11	20	18	17	17	12	13	14
Tuberculosis of meninges, etc.*.....14	119	-	-	-	-	1	-	-	1	1	2	8	11	6	19	13	14	17	12	15
Tuberculosis (other forms).....15-22	66	-	-	-	-	1	-	1	2	3	3	4	4	7	8	5	10	8	7	5
Dysentery.....27	787	1	2	-	7	15	20	21	66	70	89	90	88	90	85	67	45	39	35	23
Malaria.....28	27	1	1	1	1	1	-	-	5	3	1	2	2	5	1	2	3	1	1	1
Syphilis.....30	305	51	12	7	19	12	12	11	124	57	54	22	12	11	5	5	5	4	4	2
Measles.....35	263	-	1	-	1	5	5	2	14	11	13	20	21	17	18	22	26	30	40	31
Diseases of thymus gland.....64	1,012	81	59	54	71	60	38	44	407	147	129	102	51	54	30	33	18	20	15	6
Meningitis (not due to meningococcus).....81	563	2	1	2	8	13	12	9	47	75	60	48	58	43	54	45	38	26	34	35
Intracranial lesions of vascular origin...83	173	8	4	10	12	2	3	1	40	30	28	17	14	10	4	7	3	7	9	6
Convulsions.....86	276	8	15	17	50	17	8	12	127	17	25	19	13	11	17	11	18	8	3	7
Diseases of ear and mastoid process.....89	250	-	-	1	3	1	3	3	11	20	34	18	37	27	19	25	18	19	10	12
Diseases of the heart.....90-95	144	3	4	4	3	7	2	7	30	18	17	24	9	12	8	2	9	6	4	5
Pneumonia (all forms),influenza.107-109,33	13,810	84	101	152	426	563	632	648	2,606	1,769	1,739	1,518	1,276	1,041	946	795	672	554	474	420
Bronchopneumonia, etc.*.....107	8,023	53	63	94	266	356	401	410	1,643	1,063	1,048	888	716	601	505	439	353	285	260	222
Lobar pneumonia.....108	2,448	7	14	21	53	84	102	111	392	306	293	302	240	176	180	168	133	102	78	80
Pneumonia (unspecified).....109	1,595	18	20	29	85	75	78	75	380	191	212	148	145	110	88	82	69	65	58	47
Influenza.....33	1,744	6	4	8	22	48	51	52	191	209	186	180	175	154	173	108	117	102	78	71
Other dis. of resp. system...104-108,110-114	935	18	6	12	26	19	31	39	151	138	117	92	89	65	65	54	46	39	41	38
Ulcer of stomach or duodenum.....117	19	-	1	1	4	1	-	-	7	1	3	1	1	1	2	-	1	-	-	2
Diarrhea, enteritis, etc.*.....119	8,997	2	5	10	44	292	522	410	1,285	1,034	825	708	628	568	496	374	371	272	234	202
Intestinal obstruction.....122b	516	-	-	-	-	3	7	4	14	59	46	69	60	70	43	52	33	31	24	15
Nephritis.....130,131	109	2	-	5	9	7	6	6	35	9	12	8	7	5	7	6	8	6	3	3
Congenital malformations.....157	13,529	2,940	940	837	1,523	1,195	724	605	8,764	1,289	816	609	465	368	314	267	213	161	131	132
Congenital debility.....158	1,949	340	131	96	133	102	103	96	1,001	264	204	159	96	61	43	40	25	28	15	13
Premature birth.....159	29,469	17,554	4,096	1,951	2,378	1,534	761	416	28,670	436	193	88	38	15	11	9	4	2	-	3
Injury at birth.....160	9,874	5,368	1,605	1,012	1,146	325	133	77	9,666	72	31	18	20	17	13	7	7	13	7	3
Other diseases peculiar to first year..161	6,253	2,414	916	720	1,118	420	147	109	5,844	140	80	53	42	17	28	7	18	11	5	8
Asphyxia (cause not spec.),atelectasis..161a	3,685	1,899	685	378	371	108	44	33	3,518	47	35	27	12	3	10	1	5	2	2	3
Infection of umbilicus, etc.*.....161b,c	2,588	515	231	342	747	312	103	76	2,326	93	45	26	30	14	18	6	13	9	3	5
Homicide.....165-168	119	65	9	3	3	3	3	1	87	5	4	5	2	4	1	-	4	4	1	2
Accidental deaths.....169-195	2,472	44	29	29	58	59	51	104	374	352	374	326	209	168	134	124	108	91	99	113
Accidental mechanical suffocation.....182	1,189	7	12	10	28	25	32	68	182	214	247	213	118	80	45	31	25	16	10	10
Other accidental deaths.....169-181,183-195	1,283	37	17	19	30	34	19	38	192	138	127	113	91	88	91	93	83	75	89	103
Ill-defined and unknown causes.....199,200	2,334	454	164	109	179	167	93	99	1,265	266	208	173	85	85	64	51	45	32	35	27
All other causes.....	2,493	91	35	61	148	168	98	90	691	254	229	219	169	172	159	152	135	116	101	96

*Refer to complete International List titles, table VII, Part I.

TABLE 29.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES, 1943—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (white male).....All causes	56,060	17,251	4,794	3,108	4,387	2,762	1,956	1,701	35,959	4,068	3,241	2,610	2,070	1,785	1,505	1,328	1,124	880	785	705
Cerebrospinal (meningococcus) meningitis...6	174	-	-	-	1	2	1	2	6	17	15	24	23	23	11	13	11	6	8	17
Scarlet fever.....8	13	-	-	-	-	-	-	1	1	3	-	-	3	1	-	-	-	1	4	-
Whooping cough.....9	865	-	-	-	-	1	5	29	35	166	158	99	59	63	61	60	56	41	31	36
Diphtheria (infection by C. diphtheriae)..10	37	-	-	1	-	-	-	1	2	2	5	5	1	3	1	3	3	2	3	7
Tuberculosis (all forms).....13-22	184	-	-	-	-	1	1	2	4	6	5	12	16	21	31	20	21	16	14	18
Tuberculosis of respiratory system,etc.*..13	77	-	-	-	-	-	1	1	2	3	4	2	6	13	12	8	9	5	6	7
Tuberculosis of meninges, etc.*.....14	68	-	-	-	-	1	-	-	1	1	-	7	7	5	13	10	7	6	4	8
Tuberculosis (other forms).....15-22	38	-	-	-	-	-	-	1	1	2	1	3	3	3	6	2	5	5	4	3
Dysentery.....27	450	1	2	-	7	9	13	19	51	41	52	54	47	53	36	44	28	19	12	13
Malaria.....28	12	1	1	-	-	-	-	-	2	-	-	1	1	3	1	-	3	-	-	1
Syphilis.....30	182	32	7	6	9	7	7	9	77	31	35	11	7	6	1	4	3	4	2	1
Measles.....35	143	-	-	-	1	3	4	2	10	7	6	7	12	10	10	8	17	14	25	17
Diseases of thymus gland.....64	634	52	41	28	44	35	24	20	244	101	80	68	36	30	18	17	11	12	11	6
Meningitis (not due to meningococcus).....81	350	1	1	2	4	7	6	5	26	48	41	31	39	27	28	28	23	18	18	23
Intracranial lesions of vascular origin...83	100	7	1	6	3	-	2	-	19	16	17	12	8	7	1	3	2	5	5	5
Convulsions.....86	172	6	11	10	36	8	6	7	84	9	18	11	7	7	10	8	10	4	1	3
Diseases of ear and mastoid process.....89	152	-	-	1	1	1	-	1	4	14	21	12	23	19	13	15	6	11	8	6
Diseases of the heart.....90-95	93	2	4	1	2	6	-	5	20	10	10	16	6	7	5	2	7	3	3	4
Pneumonia (all forms),influenza.107-109,33	7,873	47	69	97	241	313	381	383	1,531	1,050	969	880	730	585	527	456	387	290	259	209
Bronchopneumonia, etc.*.....107	4,541	30	43	57	145	202	256	243	956	822	581	530	411	329	267	247	204	139	149	106
Lobar pneumonia.....108	1,664	3	7	12	28	39	66	61	216	186	164	163	132	90	101	95	71	58	42	46
Pneumonia (unspecified).....109	945	11	15	22	51	47	49	49	244	112	113	83	92	67	53	49	42	38	26	26
Influenza.....33	1,023	3	4	6	17	25	30	30	115	130	111	104	95	99	106	65	70	55	42	31
Other dis. of resp. system...104-106,110-114	557	7	3	8	14	10	21	27	90	93	53	52	58	35	33	37	27	26	23	30
Ulcer of stomach or duodenum.....117	14	-	1	1	3	1	-	-	6	1	-	1	1	-	2	-	1	-	-	2
Diarrhea, enteritis, etc.*.....119	3,926	1	3	7	36	146	315	252	757	621	488	365	343	312	278	206	183	146	128	99
Intestinal obstruction.....122b	326	-	-	-	-	3	4	2	9	39	30	45	41	39	25	39	22	17	13	7
Nephritis.....130,131	72	1	-	2	6	5	5	3	22	5	9	8	5	4	4	3	6	3	2	1
Congenital malformations.....157	7,383	1,488	555	527	895	659	384	343	4,851	728	445	309	235	198	154	140	108	75	74	66
Congenital debility.....158	1,173	214	74	64	78	61	65	63	620	170	123	86	50	36	20	25	10	15	9	9
Premature birth.....159	17,012	10,297	2,646	1,123	1,355	835	407	223	16,586	239	98	49	19	8	5	2	3	1	-	2
Injury at birth.....160	6,096	3,308	974	649	722	192	78	48	5,971	43	17	13	11	12	8	3	6	9	3	-
Other diseases peculiar to first year..161	3,744	1,408	548	455	695	243	90	65	3,504	83	49	38	22	10	13	4	9	8	1	3
Asphyxia (cause not spec.),atelectasis..161a	2,235	1,123	426	243	247	60	29	20	2,148	29	23	17	8	-	6	1	1	2	-	-
Infection of umbilicus, etc.*.....161b,c	1,509	285	122	212	448	183	61	45	1,356	54	26	21	14	10	7	3	8	6	1	3
Homicide.....165-168	63	34	5	2	1	3	1	-	46	3	3	1	1	3	-	-	3	1	-	2
Accidental deaths.....169-195	1,456	21	20	19	37	31	29	64	221	204	231	187	129	96	78	79	59	54	56	62
Accidental mechanical suffocation.....182	703	1	7	5	14	13	17	42	99	127	150	124	78	48	32	19	10	6	4	6
Other accidental deaths.....169-181,183-195	753	20	13	14	23	18	12	22	122	77	81	63	51	48	46	60	49	48	52	56
Ill-defined and unknown causes.....199,200	1,355	266	103	63	108	89	50	60	739	150	121	99	43	57	39	28	25	19	23	12
All other causes.....	1,449	57	25	36	90	91	57	65	421	168	142	114	94	110	92	81	74	60	49	44
UNITED STATES (white female).....All causes	41,169	12,280	3,343	1,967	2,987	2,240	1,480	1,182	25,479	2,845	2,426	2,080	1,640	1,368	1,250	1,020	932	797	683	649
Cerebrospinal (meningococcus) meningitis...6	108	-	-	-	2	2	1	3	8	9	12	9	11	13	4	12	5	2	9	14
Scarlet fever.....8	8	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	1	-	2	1
Whooping cough.....9	979	-	-	-	1	3	11	28	43	170	135	119	94	77	66	66	63	63	49	34
Diphtheria (infection by C. diphtheriae)..10	36	-	-	-	-	-	2	2	4	2	2	4	1	2	-	2	3	5	5	6
Tuberculosis (all forms).....13-22	147	-	-	-	-	2	1	-	3	2	8	8	10	12	14	15	20	21	18	16
Tuberculosis of respiratory system,etc.*..13	69	-	-	-	-	1	1	-	2	1	4	6	5	7	6	9	8	7	7	7
Tuberculosis of meninges, etc.*.....14	50	-	-	-	-	-	-	-	-	-	2	1	4	1	6	3	7	11	8	7
Tuberculosis (other forms).....15-22	28	-	-	-	-	1	-	-	1	1	2	1	1	4	2	3	5	3	3	2
Dysentery.....27	337	-	-	-	-	6	7	2	15	29	37	36	41	37	49	23	17	20	23	10
Malaria.....28	15	-	-	1	1	1	-	-	3	3	1	1	1	2	-	2	-	1	1	-
Syphilis.....30	123	19	5	1	10	5	5	2	47	26	19	11	5	5	4	1	2	-	2	1
Measles.....35	120	-	1	-	-	2	1	-	4	4	7	13	9	7	8	14	9	16	15	14
Diseases of thymus gland.....64	378	29	18	26	27	25	14	24	163	46	49	34	15	24	12	16	7	8	4	-
Meningitis (not due to meningococcus).....81	213	1	-	-	4	6	6	4	21	27	19	17	19	16	26	17	15	8	16	12
Intracranial lesions of vascular origin...83	73	1	3	4	9	2	1	1	21	14	9	5	6	3	3	4	1	2	4	1
Convulsions.....86	104	2	4	7	14	9	2	5	43	8	7	8	6	4	7	3	8	4	2	4
Diseases of ear and mastoid process.....89	98	-	-	-	2	-	3	2	7	6	13	6	14	8	6	10	12	8	2	6
Diseases of the heart.....90-95	51	1	-	3	1	1	2	2	10	8	7	8	3	5	3	-	2	3	1	1
Pneumonia (all forms),influenza.107-109,33	5,937	37	32	55	185	250	251	265	1,075	719	770	638	546	456	419	339	285	264	215	211
Bronchopneumonia, etc.*.....107	3,482	23	20	37	121	154	165	167	687	441	467	358	305	272	238	192	149	146	111	116
Lobar pneumonia.....108	1,084	4	7	9	25	45	36	50	176	120	129	139	108	86	79	71	62	44	36	34
Pneumonia (unspecified).....109	650	7	5	7	34	28	29	26	136	79	99	65	53	43	35	33	27	27	32	21
Influenza.....33	721	3	-	2	5	23	21	22	76	79	75	76	80	55	67	43	47	47	36	40
Other dis. of resp. system...104-106,110-114	378	11	3	4	12	9	10	12	61	45	64	40	31	30	32	17	19	13	18	8
Ulcer of stomach or duodenum.....117	5	-	-	-	1	-	-	-	1	-	3	-	-	1	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	3,071	1	2	3	11	146	207	158	528	413	337	343	285	256	218	168	188	126	106	103
Intestinal obstruction.....122b	190	-	-	-	-	-	3	2	5	20	16	24	19	31	18	13	11	14	11	8
Nephritis.....130,131	37	1	-	3	3	2	1	3	13	4	3	-	2	1	3	3	2	3	1	2
Congenital malformations.....157	6,146	1,452	385	310	628	536	340	262	3,913	561	371	300	230	170	160	127	105	86	57	66
Congenital debility.....158	776	126	57	32	54	41	38	33	381	94	81	73	46	25	23	15	15	13	6	4
Premature birth.....159	12,457	7,257	1,750	808	1,023	699	354	193	12,084	197	95	39	19	7	6	7	1	1	-	1
Injury at birth.....160	3,778	2,060	631	383	424	133	55	29	3,695	29	14	5	9	5	5	4	1	4	4	3
Other diseases peculiar to first year..161	2,509	1,006	366	265	423	177	57	44	2,340	57	31	15	20	7	15	3	9	3	4	5
Asphyxia (cause not spec.),atelectasis..161a	1,430	776	259	135	124	48	15	13	1,370	18	12	10	4	3	4	-	4	-	2	3
Infection of umbilicus, etc.*.....161b,c	1,079	230	109	130	299	129	42	31	970	39	19	5	16	4	11	3	5	3	2	2
Homicide.....165-168	56	31	4	1	2	-	2	1	41	2	1	4	1	1	1	-	1	3	1	-
Accidental deaths.....169-195	1,016	23	9	10	21	28	22	40	153	148	143	139	80	72	56	45	49	37	43	51
Accidental mechanical suffocation.....182	486	6	5	5	14	12	15	26	83	87	97	89	40	32	11	12	15	10	6	4
Other accidental deaths.....169-181,183-195	530	17	4	5	7	16	7	14	70	61	46	50	40	40	45	33	34	27	37	47
Ill-defined and unknown causes.....199,200	979	188	61	46	71	78	43	38	526	116	85	74	42	28	25	23	20	13	12	15
All other causes.....	1,044	34	10	25	58	77	41	25	270	86	87	105	75	62	67	71	61	56	52	52

*Refer to complete International List titles, table VII, Part I.

TABLE 29.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES, 1943—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (Negro).....All causes	19,967	4,311	1,329	882	1,614	1,213	761	637	10,747	1,640	1,385	1,143	1,031	870	802	661	548	426	350	364
Cerebrospinal (meningococcus) meningitis...6	48	-	-	-	-	-	1	-	1	5	2	5	8	8	2	4	7	1	2	3
Scarlet fever.....8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Whooping cough.....9	545	-	-	1	1	2	6	15	25	57	72	66	56	49	47	45	31	37	28	32
Diphtheria (infection by C. diphtheriae)..10	16	-	-	-	1	-	-	-	1	-	1	3	1	-	1	2	1	1	2	3
Tuberculosis (all forms).....13-22	137	-	-	-	-	2	2	-	4	5	6	16	9	9	9	20	14	15	14	16
Tuberculosis of respiratory system, etc.*.13	68	-	-	-	-	1	2	-	3	4	2	9	4	5	4	8	7	5	7	10
Tuberculosis of meninges, etc.*.....14	33	-	-	-	-	-	-	-	-	-	-	2	1	2	5	7	4	4	4	4
Tuberculosis (other forms).....15-22	36	-	-	-	-	1	-	-	1	1	4	5	4	2	-	5	3	6	3	2
Dysentery.....27	190	-	-	1	1	1	3	3	9	17	21	29	21	20	18	9	19	11	10	6
Malaria.....28	25	-	-	-	-	1	1	1	3	-	3	2	2	5	1	3	3	2	-	1
Syphilis.....30	415	90	28	18	30	24	16	15	221	45	44	26	22	12	11	14	6	6	5	3
Measles.....35	33	-	-	-	1	-	1	1	3	2	-	3	3	4	3	5	2	7	-	1
Diseases of thymus gland.....64	100	6	8	2	7	6	-	2	31	15	10	17	6	4	6	4	3	1	1	2
Meningitis (not due to meningococcus).....81	134	-	1	-	1	2	5	2	11	11	10	11	12	11	15	15	15	8	8	7
Intracranial lesions of vascular origin...83	32	1	1	1	1	2	-	1	7	6	2	3	2	-	2	3	3	-	3	1
Convulsions.....86	120	4	6	4	25	19	9	5	72	11	9	2	1	5	9	3	3	2	2	1
Diseases of ear and mastoid process.....89	44	-	-	-	-	-	2	-	2	5	9	5	2	6	3	4	6	-	-	2
Diseases of the heart.....90-95	25	-	-	2	1	-	1	2	6	-	3	2	4	5	1	3	1	-	-	-
Pneumonia (all forms),influenza.107-109,33	4,089	22	24	38	134	162	130	154	664	490	479	409	428	369	333	265	220	167	127	138
Bronchopneumonia, etc.*.....107	2,157	13	16	20	70	80	77	77	353	259	258	227	221	189	166	134	112	102	65	71
Lobar pneumonia.....108	735	2	3	5	25	32	24	24	115	75	81	69	85	61	63	60	46	29	19	32
Pneumonia (unspecified).....109	578	6	5	11	30	28	20	29	129	77	76	59	47	58	39	24	25	14	15	15
Influenza.....33	619	1	-	2	9	22	9	24	67	79	64	54	75	61	65	47	37	22	28	20
Other dis. of resp. system...104-106,110-114	262	3	3	4	14	12	13	16	65	43	29	25	30	10	15	12	14	4	9	6
Ulcer of stomach or duodenum.....117	5	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	1	1	-
Diarrhea, enteritis, etc.*.....119	1,560	3	-	4	23	41	68	65	204	166	199	169	174	152	144	106	76	59	60	51
Intestinal obstruction.....122b	83	-	-	-	-	2	-	-	2	13	7	4	11	8	13	8	8	5	3	1
Nephritis.....130,131	23	-	1	-	3	-	2	-	6	2	1	4	2	1	2	1	3	-	-	1
Congenital malformations.....157	843	134	63	45	118	78	34	34	506	66	67	58	33	24	22	15	15	14	11	12
Congenital debility.....158	750	170	52	48	77	53	36	35	471	88	57	31	24	22	15	11	7	11	5	8
Premature birth.....159	4,921	2,474	608	319	519	412	218	127	4,677	161	52	20	3	1	2	1	-	4	-	-
Injury at birth.....160	1,066	547	171	97	141	64	13	11	1,044	7	3	3	3	1	-	-	1	4	-	-
Other diseases peculiar to first year..161	910	292	122	118	165	73	39	16	825	39	15	6	6	7	5	2	3	1	1	-
Asphyxia (cause not spec.),atelectasis..161a	442	229	76	50	45	15	9	2	426	6	3	3	2	-	1	1	-	-	-	-
Infection of umbilicus,.etc.*.....161b,c	468	63	46	68	120	58	30	14	399	33	12	3	4	7	4	1	3	1	1	-
Homicide.....165-168	7	2	1	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-	2	-
Accidental deaths.....169-195	565	28	17	8	17	22	20	24	136	79	76	49	45	31	32	26	26	18	18	29
Accidental mechanical suffocation.....182	256	8	8	5	7	12	13	18	71	52	49	25	19	10	8	6	8	4	2	2
Other accidental deaths.....169-181,183-195	309	20	9	3	10	10	7	6	65	27	27	24	26	21	24	20	18	14	16	27
Ill-defined and unknown causes.....199,200	2,506	525	217	160	294	178	115	97	1,586	238	169	137	84	68	63	52	38	26	24	21
All other causes.....	512	10	6	12	39	57	26	11	161	68	38	37	39	38	28	27	22	21	14	19
UNITED STATES (Negro male).....All causes	11,181	2,455	772	514	965	652	404	359	6,121	909	729	652	555	459	431	377	302	248	191	207
Cerebrospinal (meningococcus) meningitis...6	35	-	-	-	-	-	-	-	-	4	2	4	5	5	1	4	5	1	1	3
Scarlet fever.....8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	280	-	-	1	1	2	3	7	14	25	39	35	29	25	22	25	17	17	17	15
Diphtheria (infection by C. diphtheriae)..10	8	-	-	-	1	-	-	-	1	-	1	2	1	-	-	1	-	1	-	1
Tuberculosis (all forms).....13-22	74	-	-	-	-	2	1	-	3	2	4	11	3	5	4	9	11	6	7	9
Tuberculosis of respiratory system, etc.*.13	38	-	-	-	-	1	1	-	2	2	1	6	1	2	2	5	7	2	2	6
Tuberculosis of meninges, etc.* 14	15	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	3	1	2	2
Tuberculosis (other forms).....15-22	21	-	-	-	-	1	-	-	1	-	3	4	2	1	-	2	1	3	3	1
Dysentery.....27	115	-	-	-	1	-	2	2	5	10	14	23	8	12	11	4	13	7	6	2
Malaria.....28	18	-	-	-	-	1	-	1	2	-	3	1	2	2	1	3	-	1	-	1
Syphilis.....30	237	52	18	11	19	10	6	10	126	22	27	18	16	4	5	6	4	4	2	3
Measles.....35	17	-	-	-	1	-	-	1	2	-	-	3	1	1	-	4	-	5	-	1
Diseases of thymus gland.....64	58	5	4	2	4	5	-	-	20	12	5	6	4	3	3	1	1	1	-	2
Meningitis (not due to meningococcus).....81	80	-	1	-	-	2	4	2	9	8	5	5	9	6	8	9	10	3	4	4
Intracranial lesions of vascular origin...83	16	-	1	1	1	2	-	-	5	1	1	1	1	-	-	2	3	-	1	1
Convulsions.....86	67	3	4	3	15	8	6	4	43	7	4	1	1	2	3	-	2	2	2	-
Diseases of ear and mastoid process.....89	23	-	-	-	-	-	-	-	-	4	5	-	1	3	1	2	5	-	-	2
Diseases of the heart.....90-95	14	-	-	2	-	-	-	2	4	-	-	2	3	2	1	2	-	-	-	-
Pneumonia (all forms),influenza.107-109,33	2,294	11	10	20	80	88	68	87	364	275	264	232	231	211	178	152	118	107	81	81
Bronchopneumonia, etc.*.....107	1,210	9	7	11	43	46	42	49	207	140	145	124	118	109	90	72	64	63	36	42
Lobar pneumonia.....108	414	-	1	4	15	21	14	12	67	44	44	44	49	31	31	34	23	19	13	15
Pneumonia (unspecified).....109	319	1	2	5	17	12	8	16	61	41	41	30	24	36	26	21	13	10	9	7
Influenza.....33	351	1	-	-	5	9	4	10	29	50	34	34	40	35	31	25	18	15	23	17
Other dis. of resp. system...104-106,110-114	128	2	2	1	9	5	5	10	34	22	9	12	15	6	7	5	6	2	4	6
Ulcer of stomach or duodenum.....117	5	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	1	1	1	-
Diarrhea, enteritis, etc.*.....119	837	3	-	2	12	22	42	37	118	100	108	83	93	69	80	61	37	34	29	25
Intestinal obstruction.....122b	58	-	-	-	-	2	-	-	2	10	3	4	8	5	9	6	3	4	2	-
Nephritis.....130,131	14	-	-	-	3	-	1	-	4	1	1	2	2	-	1	1	2	-	-	-
Congenital malformations.....157	488	82	30	27	71	44	23	22	299	38	30	37	20	10	13	11	11	5	5	9
Congenital debility.....158	424	110	30	32	41	25	19	21	278	46	28	17	13	15	6	3	4	7	2	5
Premature birth.....159	2,679	1,382	340	159	293	200	119	63	2,556	85	23	14	-	-	-	-	-	1	-	-
Injury at birth.....160	639	319	107	59	89	36	7	9	626	6	1	1	2	-	-	-	1	2	-	-
Other diseases peculiar to first year..161	560	159	82	78	116	51	17	9	512	22	12	3	2	2	3	1	1	1	1	-
Asphyxia (cause not spec.),atelectasis..161a	261	123	51	35	26	9	6	1	251	3	2	1	2	-	1	1	-	-	-	-
Infection of umbilicus, etc.*.....161b,c	299	36	31	43	90	42	11	8	261	19	10	2	-	2	2	-	1	1	1	-
Homicide.....165-168	5	2	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	1	-
Accidental deaths.....169-195	308	18	12	4	9	16	8	13	80	40	36	31	28	15	20	15	13	8	6	16
Accidental mechanical suffocation.....182	133	3	6	3	4	9	4	10	39	26	18	19	10	4	4	6	4	1	-	2
Other accidental deaths.....169-181,183-195	175	15	6	1	5	7	4	3	41	14	18	12	18	11	16	9	9	7	8	14
Ill-defined and unknown causes.....199,200	1,416	302	127	103	174	101	58	50	915	130	86	78	39	37	36	33	24	13	13	12
All other causes.....	288	5	4	9	24	30	15	9	96	38	17	25	18	19	18	17	10	15	6	9

*Refer to complete International List titles, table VII, Part I.

TABLE 29.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES, 1943—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (Negro female).....All causes	8,786	1,856	557	368	649	561	657	278	4,626	731	658	491	476	411	371	284	246	178	159	157
Cerebrospinal (meningococcus) meningitis...6	13	-	-	-	-	-	1	-	1	1	-	1	3	3	1	-	2	-	1	-
Scarlet fever.....8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Whooping cough.....9	265	-	-	-	-	-	3	8	11	32	33	31	27	24	25	20	14	20	11	17
Diphtheria (infection by C. diphtheriae)..10	8	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	2
Tuberculosis (all forms).....13-22	63	-	-	-	-	-	1	-	1	3	2	5	6	4	5	11	3	9	7	7
Tuberculosis of respiratory system,etc.*..13	30	-	-	-	-	-	1	-	1	2	1	3	3	3	2	3	-	3	5	4
Tuberculosis of meninges, etc.*.....14	18	-	-	-	-	-	-	-	-	-	-	1	1	-	3	5	1	3	2	2
Tuberculosis (other forms).....15-22	15	-	-	-	-	-	-	-	-	1	1	1	2	1	-	3	2	3	-	1
Dysentery.....27	75	-	-	1	-	1	1	1	4	7	7	6	13	8	7	5	6	4	4	4
Malaria.....28	9	-	-	-	-	-	1	-	1	-	-	1	-	3	-	-	3	1	-	-
Syphilis.....30	178	38	10	7	11	14	10	5	95	23	17	8	6	8	6	8	2	2	3	-
Measles.....35	18	-	-	-	-	-	1	-	1	2	-	-	2	3	3	1	2	2	-	-
Diseases of thymus gland.....64	42	1	4	-	3	1	-	2	11	3	5	11	2	1	3	3	2	-	1	-
Meningitis (not due to meningococcus).....81	54	-	-	-	1	-	1	-	2	3	5	6	3	5	7	6	5	5	4	3
Intracranial lesions of vascular origin...83	16	1	-	-	-	-	-	1	2	5	1	2	1	-	2	1	-	-	2	-
Convulsions.....86	53	1	2	1	10	11	3	1	29	4	5	1	-	3	6	3	1	-	-	1
Diseases of ear and mastoid process.....89	21	-	-	-	-	-	2	-	2	1	4	5	1	3	2	2	1	-	-	-
Diseases of the heart.....90-95	11	-	-	-	1	-	1	-	2	-	3	-	1	3	-	1	1	-	-	-
Pneumonia (all forms),influenza.107-109,33	1,795	11	14	18	54	74	62	67	300	215	215	177	197	158	155	113	102	60	46	57
Bronchopneumonia, etc.*.....107	947	4	9	9	27	34	35	28	146	119	113	103	103	80	76	62	48	39	29	29
Lobar pneumonia.....108	321	2	2	1	10	11	10	12	48	31	37	25	36	30	32	26	23	10	6	17
Pneumonia (unspecified).....109	259	5	3	6	13	16	12	13	68	36	35	29	23	22	13	3	12	4	6	8
Influenza.....33	268	-	-	2	4	13	5	14	38	29	30	20	35	26	34	22	19	7	5	3
Other dis. of resp. system...104-106,110-114	134	1	1	3	5	7	8	6	31	21	20	13	15	4	8	7	8	2	5	-
Ulcer of stomach or duodenum.....117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	723	-	-	2	11	19	26	28	86	66	91	86	81	83	64	45	39	25	31	26
Intestinal obstruction.....122b	27	-	-	-	-	-	-	-	-	3	4	-	3	3	4	2	5	1	1	1
Nephritis.....130,131	9	-	1	-	-	-	1	-	2	1	-	2	-	1	1	-	1	-	-	1
Congenital malformations.....157	355	52	33	18	47	34	11	12	207	28	37	21	13	14	9	4	4	9	6	3
Congenital debility.....158	326	60	22	16	36	28	17	14	193	42	29	14	11	7	9	8	3	4	3	3
Premature birth.....159	2,242	1,092	268	160	228	212	99	64	2,121	78	29	6	3	1	2	1	-	3	-	-
Injury at birth.....160	427	228	64	38	52	28	6	2	418	1	2	2	1	1	-	-	-	2	-	-
Other diseases peculiar to first year..161	350	133	40	40	49	22	22	7	313	17	3	3	4	5	2	1	2	-	-	-
Asphyxia (cause not spec.),atelectasis..161a	181	106	25	15	19	6	3	1	175	3	1	2	-	-	-	-	-	-	-	-
Infection of umbilicus, etc.*.....161b,c	169	27	15	25	30	16	19	6	138	14	2	1	4	5	2	1	2	-	-	-
Homicide.....165-168	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-
Accidental deaths.....169-195	257	10	5	4	8	6	12	11	56	39	40	18	17	16	12	11	13	10	12	13
Accidental mechanical suffocation.....182	123	5	2	2	3	3	9	8	32	26	31	6	9	6	4	-	4	3	2	-
Other accidental deaths.....169-181,183-195	134	5	3	2	5	3	3	3	24	13	9	12	8	10	8	11	9	7	10	13
Ill-defined and unknown causes.....199,200	1,090	223	90	57	120	77	57	47	671	108	83	59	45	31	27	19	14	13	11	9
All other causes.....	224	5	2	3	15	27	11	2	65	30	21	12	21	19	10	10	12	6	8	10
UNITED STATES (other races).....All causes	1,288	172	50	43	62	52	30	38	447	102	114	95	89	77	67	79	58	60	55	45
Cerebrospinal (meningococcus) meningitis...6	4	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	-
Scarlet fever.....8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Whooping cough.....9	30	-	-	-	-	-	1	-	1	4	5	4	-	2	5	2	1	3	1	2
Diphtheria (infection by C. diphtheriae)..10	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis (all forms).....13-22	33	-	-	-	-	1	-	-	1	1	2	3	2	5	2	3	3	5	4	2
Tuberculosis of respiratory system,etc.*..13	16	-	-	-	-	1	-	-	1	-	1	2	2	1	-	2	3	1	2	1
Tuberculosis of meninges, etc.*.....14	12	-	-	-	-	-	-	-	-	1	1	-	-	3	2	-	-	2	2	1
Tuberculosis (other forms).....15-22	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	-
Dysentery.....27	23	-	-	-	-	-	1	-	1	1	4	1	4	1	2	-	2	4	1	2
Malaria.....28	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Syphilis.....30	19	1	-	1	2	-	1	2	7	2	2	1	1	2	1	1	-	1	-	1
Measles.....35	22	-	-	-	1	1	-	-	2	-	1	1	-	-	-	8	2	2	3	3
Diseases of thymus gland.....64	14	1	3	-	1	-	-	-	5	2	-	4	1	-	1	-	-	-	-	1
Meningitis (not due to meningococcus).....81	6	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	1	-	-
Intracranial lesions of vascular origin...83	3	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
Convulsions.....86	2	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of ear and mastoid process.....89	5	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	2	-	-	-
Diseases of the heart.....90-95	5	-	-	1	-	-	-	-	1	-	1	-	1	-	2	-	-	-	-	-
Pneumonia (all forms),influenza.107-109,33	308	1	2	2	7	7	9	6	34	29	44	31	32	23	17	30	21	16	21	10
Bronchopneumonia, etc.*.....107	160	-	2	2	7	1	4	3	19	18	22	18	17	9	7	16	11	10	9	4
Lobar pneumonia.....108	72	1	-	-	-	4	1	2	8	6	13	6	6	5	3	6	5	5	7	2
Pneumonia (unspecified).....109	51	-	-	-	-	1	2	1	4	2	6	4	8	7	6	7	3	-	2	2
Influenza.....33	25	-	-	-	-	1	2	-	3	3	3	3	1	2	1	1	2	1	3	2
Other dis. of resp. system...104-106,110-114	14	-	-	1	-	-	-	-	1	2	1	2	1	2	1	-	3	-	1	-
Ulcer of stomach or duodenum.....117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	199	-	1	-	-	5	1	9	16	13	21	18	22	26	18	15	15	9	13	13
Intestinal obstruction.....122b	8	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	-	2	-	-
Nephritis.....130,131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations.....157	63	12	4	6	6	8	-	5	39	6	6	4	2	1	1	-	1	1	2	-
Congenital debility.....158	39	-	2	1	1	3	3	2	12	9	4	1	1	1	1	3	3	3	1	-
Premature birth.....159	173	97	22	17	11	10	5	4	166	3	1	2	-	1	-	-	-	-	-	-
Injury at birth.....160	50	26	9	3	8	1	1	-	48	1	-	-	1	-	-	-	-	-	-	-
Other diseases peculiar to first year..161	52	17	4	2	9	6	4	1	43	5	2	-	1	-	-	-	-	1	-	-
Asphyxia (cause not spec.),atelectasis..161a	24	14	2	-	3	1	-	-	20	2	1	-	1	-	-	-	-	-	-	-
Infection of umbilicus, etc.*.....161b,c	28	3	2	2	6	5	4	1	23	3	1	-	-	-	-	-	-	1	-	-
Homicide.....165-168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths.....169-195	31	1	1	-	-	-	2	1	5	2	1	5	2	4	3	3	-	2	-	4
Accidental mechanical suffocation.....182	16	-	-	-	-	-	2	1	3	2	1	5	2	1	1	1	-	-	-	-
Other accidental deaths.....169-181,183-195	15	1	1	-	-	-	-	-	2	-	-	-	-	3	2	2	-	2	-	4
Ill-defined and unknown causes.....199,200	138	14	2	5	15	10	1	4	51	8	13	12	11	5	9	10	6	3	7	4
All other causes.....	44	2	-	2	1	2	1	4	12	9	3	3	3	1	2	2	-	5	1	3

*Refer to complete International List titles, table VII, Part I.

TABLE 29.—DEATHS UNDER 1 YEAR, FROM SELECTED CAUSES, BY AGE, SEX, AND RACE: UNITED STATES, 1943—Continued

(Exclusive of stillbirths. Numbers after causes of death are those of the 1938 revision of the detailed International List)

AREA, SEX, RACE, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 to 6 days	7 to 13 days	14 to 20 days	21 to 29 days	Under 1 month	1 mo.	2 mos.	3 mos.	4 mos.	5 mos.	6 mos.	7 mos.	8 mos.	9 mos.	10 mos.	11 mos.
UNITED STATES (other races male)..All causes	702	103	31	23	27	26	13	25	248	61	64	48	56	41	33	42	30	32	26	21
Cerebrospinal (meningococcus) meningitis...6	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Scarlet fever.....8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough.....9	12	-	-	-	-	-	-	-	-	2	2	2	-	1	1	1	1	2	-	-
Diphtheria (infection by C. diphtheriae)..10	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Tuberculosis (all forms).....13-22	18	-	-	-	-	-	-	-	-	1	1	-	2	2	1	3	2	3	1	2
Tuberculosis of respiratory system,etc.*..13	9	-	-	-	-	-	-	-	-	-	1	-	2	1	-	2	2	-	-	1
Tuberculosis of meninges, etc.*.....14	7	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	1	1
Tuberculosis (other forms).....15-22	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
Dysentery.....27	15	-	-	-	-	-	1	-	1	1	3	1	1	-	2	-	2	2	1	1
Malaria.....28	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
Syphilis.....30	9	1	-	-	1	-	1	2	5	-	1	-	1	-	1	-	-	-	-	1
Measles.....35	7	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	1	1	2	-
Diseases of thymus gland.....64	9	-	1	-	1	-	-	-	2	2	-	2	1	-	1	-	-	-	-	1
Meningitis (not due to meningococcus).....81	5	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	1	-	-
Intracranial lesions of vascular origin...83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Convulsions.....86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diseases of ear and mastoid process.....89	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-
Diseases of the heart.....90-95	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
Pneumonia (all forms),influenza.107-109,33	167	1	2	1	4	3	3	4	18	20	21	18	21	12	7	14	12	9	10	5
Bronchopneumonia, etc.*.....107	95	-	2	1	4	1	1	3	12	10	11	11	13	8	3	8	7	5	5	2
Lobar pneumonia.....108	35	1	-	-	-	2	1	1	5	5	6	3	3	2	1	2	3	3	2	-
Pneumonia (unspecified).....109	21	-	-	-	-	-	1	-	1	2	2	2	4	2	2	3	1	-	1	1
Influenza.....33	16	-	-	-	-	-	-	-	-	3	2	2	1	-	1	1	1	1	2	2
Other dis. of resp. system...104-106,110-114	6	-	-	1	-	-	-	-	1	-	1	1	1	1	-	-	1	-	-	-
Ulcer of stomach or duodenum.....117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	102	-	-	-	-	2	-	6	8	7	13	9	12	15	7	8	5	5	8	5
Intestinal obstruction.....122b	5	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	-
Nephritis.....130,131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations.....157	40	8	2	4	4	4	-	3	25	3	4	2	2	-	1	-	1	1	1	-
Congenital debility.....158	28	-	1	1	-	2	2	1	7	9	3	1	1	1	1	2	1	1	1	-
Premature birth.....159	95	56	14	9	3	5	1	3	91	2	1	-	-	1	-	-	-	-	-	-
Injury at birth.....160	28	18	5	2	3	-	-	-	28	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to first year..161	30	11	4	1	4	4	2	1	27	2	1	-	-	-	-	-	-	-	-	-
Asphyxia (cause not spec.),atelectasis..161a	14	9	2	-	1	1	-	-	13	-	1	-	-	-	-	-	-	-	-	-
Infection of umbilicus, etc.*.....161b,c	16	2	2	1	3	3	2	1	14	2	-	-	-	-	-	-	-	-	-	-
Homicide.....165-168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths.....169-195	19	-	1	-	-	-	2	-	3	1	1	3	1	3	1	3	-	1	-	2
Accidental mechanical suffocation.....182	10	-	-	-	-	-	2	-	2	1	1	3	1	1	-	1	-	-	-	-
Other accidental deaths.....169-181,183-195	9	-	1	-	-	-	-	-	1	-	-	-	-	2	1	2	-	1	-	2
Ill-defined and unknown causes.....199,200	78	7	1	3	7	3	1	2	24	5	8	5	8	3	7	8	3	3	2	2
All other causes.....	21	1	-	1	-	2	-	3	7	4	3	2	1	-	-	-	-	2	-	2
UNITED STATES (other races female)All causes	586	69	19	20	35	26	17	13	199	41	50	47	33	36	34	37	28	28	29	24
Cerebrospinal (meningococcus) meningitis...6	3	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-
Scarlet fever.....8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Whooping cough.....9	18	-	-	-	-	-	1	-	1	2	3	2	-	1	4	1	-	1	1	2
Diphtheria (infection by C. diphtheriae)..10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Tuberculosis (all forms).....13-22	15	-	-	-	-	1	-	-	1	-	1	3	-	3	1	-	1	2	3	-
Tuberculosis of respiratory system,etc.*..13	7	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	1	1	2	-
Tuberculosis of meninges, etc.*.....14	5	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	-
Tuberculosis (other forms).....15-22	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-
Dysentery.....27	8	-	-	-	-	-	-	-	-	-	1	-	3	1	-	-	-	2	-	1
Malaria.....28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Syphilis.....30	10	-	-	1	1	-	-	-	2	2	1	1	-	2	-	1	-	1	-	-
Measles.....35	15	-	-	-	1	-	-	-	1	-	1	1	-	-	-	6	1	1	1	3
Diseases of thymus gland.....64	5	1	2	-	-	-	-	-	3	-	-	2	-	-	-	-	-	-	-	-
Meningitis (not due to meningococcus).....81	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Intracranial lesions of vascular origin...83	3	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
Convulsions.....86	2	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Diseases of ear and mastoid process.....89	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
Diseases of the heart.....90-95	3	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
Pneumonia (all forms),influenza.107-109,33	141	-	-	1	3	4	6	2	16	9	23	13	11	11	10	16	9	7	11	5
Bronchopneumonia, etc.*.....107	65	-	-	1	3	-	3	-	7	8	11	7	4	1	4	8	4	5	4	2
Lobar pneumonia.....108	37	-	-	-	-	2	-	1	3	1	7	3	3	2	4	2	2	5	2	2
Pneumonia (unspecified).....109	30	-	-	-	-	1	1	1	3	-	4	2	4	5	4	4	2	-	1	1
Influenza.....33	9	-	-	-	-	1	2	-	3	-	1	1	-	2	-	-	1	-	1	-
Other dis. of resp. system...104-106,110-114	8	-	-	-	-	-	-	-	-	2	-	1	-	1	1	-	2	-	1	-
Ulcer of stomach or duodenum.....117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhea, enteritis, etc.*.....119	97	-	1	-	-	3	1	3	8	6	8	9	10	11	11	7	10	4	5	8
Intestinal obstruction.....122b	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-
Nephritis.....130,131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Congenital malformations.....157	23	4	2	2	2	2	-	2	14	3	2	2	-	1	-	-	-	-	1	-
Congenital debility.....158	11	-	1	-	1	1	1	1	5	-	1	-	-	-	-	1	2	2	-	-
Premature birth.....159	78	41	8	8	8	5	4	1	75	1	-	2	-	-	-	-	-	-	-	-
Injury at birth.....160	22	8	4	1	5	1	1	-	20	1	-	-	1	-	-	-	-	-	-	-
Other diseases peculiar to first year..161	22	6	-	1	5	2	2	-	16	3	1	-	1	-	-	-	-	1	-	-
Asphyxia (cause not spec.),atelectasis..161a	10	5	-	-	2	-	-	-	7	2	-	-	1	-	-	-	-	-	-	-
Infection of umbilicus, etc.*.....161b,c	12	1	-	1	3	2	2	-	9	1	1	-	-	-	-	-	-	1	-	-
Homicide.....165-168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental deaths.....169-195	12	1	-	-	-	-	1	2	1	-	2	1	1	2	-	-	-	1	-	2
Accidental mechanical suffocation.....182	6	-	-	-	-	-	1	1	1	-	2	1	-	1	-	-	-	-	-	-
Other accidental deaths.....169-181,183-195	6	1	-	-	-	-	-	1	1	-	-	-	-	1	1	-	-	1	-	2
Ill-defined and unknown causes.....199,200	60	7	1	2	8	7	-	2	27	3	5	7	3	2	2	2	2	-	5	2
All other causes.....	23	1	-	1	1	-	1	1	5	5	-	1	2	1	2	2	-	3	1	1

*Refer to complete International List titles, table VII, Part I.

TABLE 30.—DEATHS UNDER 1 YEAR OF AGE, FROM SELECTED CAUSES, BY RACE, URBAN AND RURAL: UNITED STATES, 1943

(Exclusive of stillbirths. By place of residence)

CAUSE OF DEATH	TOTAL					WHITE					NONWHITE				
	Total deaths under 1 year	Urban			Rural	Total	Urban			Rural	Total	Urban			Rural
		Total	Places of 10,000 or more	Places of 2,500 to 10,000			Total	Places of 10,000 or more	Places of 2,500 to 10,000			Total	Places of 10,000 or more	Places of 2,500 to 10,000	
All causes	118,484	67,939	54,813	13,126	50,545	97,229	57,456	45,958	11,498	39,773	21,255	10,483	8,855	1,628	10,772
Cerebrospinal (meningococcus) meningitis....6	334	217	189	28	117	282	188	161	27	94	52	29	28	1	23
Scarlet fever....8	23	8	6	2	15	21	7	5	2	14	2	1	1	-	1
Whooping cough....9	2,419	1,089	806	283	1,330	1,844	834	607	227	1,010	575	255	199	56	320
Diphtheria (infection by C. diphtheriae)....10	90	37	28	9	53	73	29	23	6	44	17	8	5	3	9
Tuberculosis (all forms)....13-22	501	302	261	41	199	331	193	157	36	138	170	109	104	5	61
Tuberculosis of respiratory system, etc.*....13	230	140	128	12	90	146	88	77	11	58	84	52	51	1	32
Tuberculosis of meninges, etc.*....14	164	89	70	19	75	119	66	50	16	53	45	23	20	3	22
Tuberculosis (other forms)....15-22	107	73	63	10	34	66	39	30	9	27	41	34	33	1	7
Dysentery....27	1,000	411	236	175	589	787	331	191	140	456	213	80	45	35	133
Malaria....28	53	10	7	3	43	27	8	6	2	19	26	2	1	1	24
Syphilis....30	739	441	360	81	298	305	192	159	33	113	434	249	201	48	185
Measles....35	318	133	107	26	185	263	115	91	24	148	55	18	16	2	37
Diseases of thymus gland....64	1,126	690	547	143	436	1,012	620	482	138	392	114	70	65	5	44
Meningitis (not due to meningococcus)..81	703	435	353	82	268	563	345	276	69	218	140	90	77	13	50
Intracranial lesions of vascular origin....83	208	117	92	25	91	173	98	75	23	75	35	19	17	2	16
Convulsions....86	398	146	96	50	252	276	103	68	35	173	122	43	28	15	79
Diseases of ear and mastoid process....89	299	189	151	38	110	250	164	130	34	86	49	25	21	4	24
Diseases of the heart....90-95	174	89	77	12	85	144	75	64	11	69	30	14	13	1	16
Pneumonia (all forms) and influenza....107-109,33	18,207	9,429	7,626	1,803	8,778	13,810	7,264	5,788	1,476	6,546	4,397	2,165	1,838	327	2,232
Bronchopneumonia (including capillary bronchitis)....107	10,340	5,893	4,893	1,000	4,447	8,023	4,567	3,727	840	3,456	2,317	1,326	1,166	160	991
Lobar pneumonia....108	3,255	1,632	1,317	315	1,623	2,448	1,235	973	262	1,213	807	397	344	53	410
Pneumonia (unspecified)....109	2,224	920	686	234	1,304	1,595	720	531	189	875	629	200	155	45	429
Influenza....33	2,388	984	730	254	1,404	1,744	742	557	185	1,002	644	242	173	69	402
Other diseases of respiratory system....104-106,110-114	1,211	675	570	105	536	935	570	483	87	365	276	105	87	18	171
Ulcer of stomach or duodenum....117	24	17	16	1	7	19	15	14	1	4	5	2	2	-	3
Diarrhea, enteritis, etc.*....119	8,756	4,879	3,833	1,046	3,877	6,997	4,095	3,200	895	2,902	1,759	784	633	151	975
Intestinal obstruction....122b	607	320	263	57	287	516	264	212	52	252	91	56	51	5	35
Nephritis....130,131	132	69	59	10	63	109	56	47	9	53	23	13	12	1	10
Congenital malformations....157	14,435	9,012	7,419	1,593	5,423	13,529	8,494	6,959	1,535	5,035	906	518	460	58	388
Congenital debility....158	2,738	1,142	786	356	1,596	1,949	862	591	271	1,087	789	280	195	85	509
Premature birth....159	34,563	21,844	17,905	3,939	12,719	29,469	18,608	15,054	3,554	10,861	5,094	3,236	2,851	385	1,858
Injury at birth....160	10,990	6,986	5,604	1,382	4,004	9,874	6,291	4,993	1,298	3,583	1,116	695	611	84	421
Other diseases peculiar to the first year....161	7,215	4,686	3,909	777	2,529	6,253	4,113	3,395	718	2,140	962	573	514	59	389
Asphyxia (cause not specified), atelectasis....161a	4,131	2,851	2,409	442	1,280	3,665	2,514	2,103	411	1,151	466	337	306	31	129
Infection of the umbilicus, etc., * and other specified diseases peculiar to the first year....161b,c	3,084	1,835	1,500	335	1,249	2,588	1,599	1,292	307	989	496	236	208	28	260
Homicide....165-168	126	91	76	15	35	119	87	73	14	32	7	4	3	1	3
Accidental deaths....169-195	3,068	1,661	1,360	321	1,387	2,472	1,398	1,120	278	1,074	596	283	240	43	313
Accidental mechanical suffocation....182	1,461	828	682	146	633	1,189	688	566	122	501	272	140	116	24	132
Other accidental deaths...169-181,183-195	1,607	833	678	175	754	1,283	710	554	156	573	324	143	124	19	181
Ill-defined and unknown causes....199,200	4,978	1,133	734	399	3,845	2,334	661	429	232	1,673	2,644	472	305	167	2,172
All other causes	3,049	1,661	1,337	324	1,388	2,493	1,376	1,105	271	1,117	556	285	232	53	271

*Refer to complete International List titles, table VII, Part I.