

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCIPC - National Center for Injury Prevention and Control

---

Module:Child, Section: SLE: Stressful Life Events

Question ID	Variable	Added	Question Text	Universe
SLE.0060.00.3	PUTDOWN_C		Has ^SCNAME ever lived with a parent or adult who frequently swore at ^himher_C, insulted ^himher_C, or put ^himher_C down?	Sample Children 0-17
SLE.0070.00.3	BNEEDS_C		Has there ever been a time when ^SCNAME's basic needs were NOT met, such as having enough to eat, being able to go to a doctor when ^heshe_C was sick, or having a safe place to stay?	Sample Children 0-17

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion
- . NIH/NCI - National Cancer Institute

Module:Adult, Section: CNV: Cancer COVID-19

Question ID	Variable	Added	Question Text	Universe
CNV.0010.00.3	CANCOVTREA_A		<p>The next question refers to treatments for cancer such as surgery, radiation therapy, chemotherapy, bone marrow transplants, stem cell transplants, or hormone therapy.</p> <p>At any time since the start of the coronavirus pandemic, were you in treatment or supposed to receive treatment for your cancer?</p> <p><b>Read if necessary:</b> <i>Hormone therapy includes Tamoxifen, Fulvestrant (full-VESS-trant) or Aromatase (uh-ROH-muh-tayz) inhibitors for breast cancer and androgen therapy, such as Eligard or Zoladex for prostate cancer.</i></p>	Sample Adults 18+ who have ever had cancer
CNV.0020.00.3	CANCOVCHG_A		<p>Were any of your treatments for cancer changed, delayed, or cancelled because of the coronavirus pandemic?</p>	Sample Adults 18+ who had treatment or were supposed to receive treatment for cancer during the coronavirus pandemic
CNV.0030.00.3	CANCOVOTH_A		<p>As a cancer patient or cancer survivor, you may need OTHER medical care related to your cancer such as lab visits, imaging, monitoring visits, rehabilitation, physical therapy, care for side-effects, or visits with medical specialists.</p> <p>At any time since the start of the coronavirus pandemic, did you need any of this OTHER medical care related to your cancer?</p>	Sample Adults 18+ who have ever had cancer

CNV.0040.00.3	CANCOVCARE_A		Was any of this OTHER medical care related to your cancer changed, delayed, or cancelled because of the coronavirus pandemic?	Sample Adults 18+ who needed other medical care related to cancer during coronavirus pandemic
---------------	--------------	--	---	---

**2021 National Health Interview Survey (NHIS) Sponsored Content**

Sponsor(s):

- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion
- . NIH/NCI - National Cancer Institute

Module:Adult, Section: PRV: Preventive Screening

Question ID	Variable	Added	Question Text	Universe
PRV.0070.00.3	COLREASON_A		What was the MAIN reason you had this colonoscopy - was it part of a routine exam, because of a problem, as a follow-up test of an earlier test or screening exam, or some other reason?	Sample Adults 40+ who ever had a colonoscopy or both a colonoscopy and a sigmoidoscopy
PRV.0080.00.3	COLPAY_A		Did you pay none, part, or all of the cost for your most recent colonoscopy?	Sample Adults 40+ who ever had a colonoscopy or both a colonoscopy and a sigmoidoscopy
PRV.0160.00.3	COLOGUARD1_A		<p>Cologuard or FIT-DNA is a new type of stool test for colon cancer. Unlike other stool tests, Cologuard looks for changes in DNA in addition to checking for blood in your stool. The Cologuard test is shipped to your home in a box that includes a container for your stool sample.</p> <p>Have you ever had a Cologuard test?</p>	Sample Adults 40+
PRV.0170.00.3	FITCOLG1_A		Was the blood stool or FIT test you reported earlier conducted as part of a Cologuard test?	Sample Adults 40+ who ever had a blood stool or FIT test using a home test kit and ever had a Cologuard test
PRV.0180.00.3	CGUARDWHE1_A		When did you have your most recent Cologuard test?	Sample Adults 40+ who ever had a Cologuard test and, if they had a home FIT test, did not say the Cologuard was part of the FIT test or they did not have a home FIT test or don't know or refused

PRV.0190.00.3 COLPROB1\_A

In the past 12 MONTHS, did a doctor or other health professional RECOMMEND that you be tested to look for problems in your colon or rectum?

Sample adults 40+ who never had a colonoscopy or had a colonoscopy over 10 years ago, or don't know or refused when they had a colonoscopy, and never had a sigmoidoscopy or had a sigmoidoscopy over 5 years ago, or don't know or refused when they had a sigmoidoscopy, or had a sigmoidoscopy or colonoscopy but don't know which over 5 years ago, and never had a CT colonography or had a CT colonography over 5 years ago, or don't know or refused when they had a CT colonography, and never had a FIT test or had a FIT over 1 year ago and did not, did not know, or refused to say if they had a Cologuard test, or had a FIT that did not, don't know, or refused to say if it included a Cologuard test over 1 year ago or don't know or refused when they had a FIT test or had a FIT test that included a Cologuard more than 3 years ago or don't know or refused when to say they had a FIT test and never had a Cologuard test or had a Cologuard test more than 3

				years ago, or don't know or refused when they had a Cologuard test
PRV.0200.00.3	COLTEST_A		Which tests to check for colon cancer did the doctor or other health professional recommend to you? Possible tests include stool blood or fecal occult blood or FIT test; Cologuard or FIT DNA test; sigmoidoscopy; colonoscopy; CT colonography or virtual colonoscopy; or other.  <b>Enter all that apply, separate with commas.</b>	Sample Adults 40+ who had another type of colon test recommended
PRV.0210.00.3	PSATEST_A		A PSA test is a blood test to detect prostate cancer. It is also called a prostate-specific antigen test. Have you EVER had a PSA test?	Male Sample Adults 40+
PRV.0220.00.3	PSAWHEN_A		About how long has it been since your MOST RECENT PSA test?	Male Sample Adults 40+ who ever had a PSA test
PRV.0230.00.3	PSAREASON_A		What was the MAIN reason you had this PSA test - was it part of a routine exam, because of a problem, or some other reason?	Male Sample Adults 40+ who ever had a PSA test
PRV.0250.00.3	PSASUGGEST_A		Who first suggested your MOST RECENT PSA test: you, your doctor, or someone else?	Male Sample Adults 40+ who ever had a PSA test
PRV.0300.00.3	CERREASON1_A		What was the MAIN reason you had this cervical cancer test - was it part of a routine exam, because of a problem, or as a follow-up test of an earlier test or screening exam, or some other reason?	Female Sample Adults 18+ who have ever had a cervical cancer test
PRV.0310.00.3	PAPTEST_A		At your MOST RECENT cervical cancer screening, did you have a Pap test?	Female Sample Adults 18+ who ever had a cervical cancer test
PRV.0320.00.3	HPVTEST_A		At your MOST RECENT cervical cancer screening, did you have an HPV test?  <b>Read if necessary:</b> HPV stands for Human Papillomavirus.	Female Sample Adults 18+ who ever had a cervical cancer test
PRV.0325.00.3	TELLCERVIC_A		At your MOST RECENT cervical cancer screening, did a doctor or other health professional tell you which type of test or tests you received?	Female Sample Adults 18+ who ever had a cervical cancer test

PRV.0330.00.3	CERVICRES_A		In the PAST 5 years, did any of your cervical cancer screening tests require follow-up to check for cancer or precancerous cells?	Female Sample Adults 18+ who had a cervical cancer test within the past 5 years
PRV.0340.00.3	CERVICNOT1_A		What is the MAIN REASON that you have ^never5yearsPAPHPV?  <b>Do not read choices, select answer category based on respondent's answer.</b>	Female Sample Adults 18+ who never had a cervical cancer test or had their last cervical cancer test more than 5 years ago
PRV.0380.00.3	MAMPAY_A		Did you pay none, part, or all of the cost for your most recent mammogram?	Female Sample Adults 30+ who ever had a mammogram
PRV.0390.00.3	MAMREASON_A		What was the MAIN reason you had this mammogram - was it part of a routine exam, because of a problem, or some other reason?	Female Sample Adults 30+ who have ever had a mammogram
PRV.0400.00.3	MAMAGE1ST1_A		About how old were you when you had your first mammogram?	Female Sample Adults 30+ who ever had a mammogram
PRV.0410.00.3	MAMNOT1_A		What is the most important reason why you have ^MAMNEVER2YEARS_A?  <b>Do not read choices, select answer category based on respondent's answer.</b>	Female Sample Adults 30+ who never had a mammogram or had a mammogram more than 2 years ago

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCEZID - National Center for Emerging and Zoonotic Infectious Diseases

Module:Adult, Section: RCN: Rotating Conditions

Question ID	Variable	Added	Question Text	Universe
RCN.0040.00.3	CFSEV_A		<p><b>Read if necessary:</b> <i>Have you EVER been told by a doctor or other health professional that you had</i></p> <p>...Chronic Fatigue Syndrome (CFS) or Myalgic Encephalomyelitis (My-AL-jick In-seff-ah-low-my-uh-LIE-tiss) (ME)?</p>	Sample Adults 18+
RCN.0050.00.3	CFSNOW_A		<p>Do you still have Chronic Fatigue Syndrome (CFS) or ME?</p> <p><b>Read if necessary:</b> <i>ME is also known as Myalgic Encephalomyelitis (My-AL-jick In-seff-ah-Low-my-uh-LIE-tiss).</i></p>	Sample Adults 18+ who have been told by a doctor or other health professional that they had Chronic Fatigue Syndrome or Myalgic Encephalomyelitis



2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. FDA/CTP - Center for Tobacco Products

Module:Adult, Section: OTB: Other Tobacco

Question ID	Variable	Added	Question Text	Universe
OTB.0010.00.3	CIGAREV_A		<p>Have you ever smoked a regular cigar, cigarillo, or a little filtered cigar EVEN ONE TIME?</p> <p><b>Read if necessary:</b> "Cigarillos" are medium cigars that sometimes are sold with plastic or wooden tips. Some common brands are Black and Mild, Swisher Sweets, Dutch Masters and Phillies Blunts. Cigarillos are usually sold individually or in packs of 5 or fewer. Little filtered cigars look like cigarettes and are usually brown in color. Like cigarettes, little filtered cigars have a spongy filter and are sold in packs of 20. Some common brands are Prime Time and Winchester.</p> <p><b>Read if necessary:</b> Do not include electronic cigars or e-cigars.</p>	Sample adults 18+
OTB.0020.00.3	CIGARCUR_A		Do you NOW smoke regular cigars, cigarillos, or little filtered cigars every day, some days, or not at all?	Sample adults 18+ who have ever smoked a regular cigar, cigarillo, or filtered cigar
OTB.0030.00.3	CIGAR30D_A		On how many of the past 30 days have you smoked a regular cigar, cigarillo, or little filtered cigar?	Sample adults 18+ who now smoke a regular cigar, cigarillo, or little filtered cigar some days or not at all

OTB.0040.00.3	PIPEEV_A	<p>Have you EVER smoked a pipe filled with tobacco - either a regular pipe, water pipe, or hookah EVEN ONE TIME?</p> <p><b>Read if necessary:</b> <i>A hookah is a type of water pipe. It is sometimes called a "narghile" (NAR-ge-lee) pipe. Do not include electronic hookah or e-hookahs.</i></p> <p><b>Read if necessary:</b> <i>Do not include electronic pipes or e-pipes.</i></p> <p><b>Read if necessary:</b> <i>Do not include pipes filled with substances other than tobacco.</i></p>	Sample adults 18+
OTB.0050.00.3	PIPECUR_A	<p>Do you NOW smoke pipes filled with tobacco - either regular pipes, water pipes, or hookahs, every day, some days, or not at all?</p> <p><b>Read if necessary:</b> <i>Do not include pipes filled with substances other than tobacco.</i></p>	Sample adults 18+ who have ever smoked a regular pipe, water pipe or hookah filled with tobacco
OTB.0060.00.3	SMOKELSEV_A	<p>Smokeless tobacco products are placed in the mouth or nose and can include chewing tobacco, snuff, dip, snus (SNOOSE), or dissolvable tobacco.</p> <p>Have you ever used smokeless tobacco products EVEN ONE TIME?</p> <p><b>Read if necessary:</b> <i>Do not include nicotine replacement therapy products such as patch, gum, lozenge, or spray, which are considered smoking cessation treatments.</i></p>	Sample adults 18+
OTB.0070.00.3	SMOKELSCUR_A	<p>Do you NOW use smokeless tobacco products every day, some days, or not at all?</p>	Sample adults 18+ who have ever used smokeless tobacco products

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. NIH/NIDCD - National Institute on Deafness and Other Communication Disorders

---

Module:Adult, Section: RCN: Rotating Conditions

Question ID	Variable	Added	Question Text	Universe
RCN.0060.00.3	COLDFLU12M_A		During the past 12 months, have you had a head cold or flu for longer than a month?	Sample Adults 18+
RCN.0070.00.3	DRYMTH12M_A		During the past 12 months, have you had persistent dry mouth?	Sample Adults 18+

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. NIH/NIDCD - National Institute on Deafness and Other Communication Disorders

Module:Adult, Section: TSC: Taste and Smell - COVID

Question ID	Variable	Added	Question Text	Universe
TSC.0010.00.3	CVDSYMSM_A		<p>When you had coronavirus, did you lose some or all of your sense of smell or did you smell odors that were not there?</p> <p>If the respondent indicates they lost some or all sense of smell or smelled odors that were not there, enter '1' for yes.</p>	Sample Adults 18+ who were diagnosed with COVID-19 or had a positive COVID-19 test
TSC.0020.00.3	CVDSMREC_A		<p>Has your sense of smell fully recovered, partially recovered, or not recovered at all?</p> <p>If the respondent's sense of smell has improved but is still worse than it was before, or if they still smell things that are not there, but less frequently than before, enter '2' for partially recovered.</p>	Sample Adults 18+ who were diagnosed with COVID-19 or had a positive COVID-19 test and lost some or all of their sense of smell or smelled odors that weren't there
TSC.0030.00.3	CVDSYMTST_A		<p>When you had coronavirus, did you lose some or all of your ability to taste or did you have unwanted tastes or sensations in your mouth that did not go away?</p> <p>If the respondent indicates they lost some or all of their ability to taste or had unwanted tastes or sensations in their mouth that did not go away, enter '1' for yes.</p>	Sample Adults 18+ who were diagnosed with COVID-19 or had a positive COVID-19 test
TSC.0040.00.3	CVDTSTREC_A		<p>Has your ability to taste fully recovered, partially recovered, or not recovered at all?</p> <p>If the respondent's ability to taste has improved but is still worse than it was before, or if they still have unwanted tastes or sensations in their mouth, but less frequently than before, enter '2' for partially recovered.</p>	Sample Adults 18+ who were diagnosed with COVID-19 or had a positive COVID-19 test and lost some or all of their ability to taste or had unwanted tastes or sensations in their mouth that did not go away

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. NIH/NIDCD - National Institute on Deafness and Other Communication Disorders

Module:Adult, Section: TSM: Taste and Smell

Question ID	Variable	Added	Question Text	Universe
TSM.0010.00.3	SMELDF_A		During the past 12 months, have you had difficulty with your sense of smell or ability to detect odors? Would you say no difficulty, a little difficulty, moderate difficulty, a lot of difficulty, or you cannot smell at all?	Sample Adults 18+
TSM.0020.00.3	SMELLCOMP_A		How would you rate your ability to smell now as compared to when you were ^25year5yearsyounger? Is it better, worse, or is there no change?  ^YOUNGADULT	Sample Adults 18+
TSM.0030.00.3	SMELLPHT_A		During the past 12 months, did you sometimes smell an unpleasant, bad, metallic, or burning odor when nothing was there?	Sample Adults 18+
TSM.0040.00.3	TASTEDF_A		During the past 12 months, have you had difficulty with your ability to taste sweet, sour, salty, or bitter foods and drinks? Would you say no difficulty, a little difficulty, moderate difficulty, a lot of difficulty, or you cannot taste at all?	Sample Adults 18+
TSM.0050.00.3	TASTECOMP_A		Compared to when you were ^25year5yearsyounger, how would you rate your ability to taste sweet, sour, salty, or bitter foods and drinks? Is it better, worse, or is there no change?  ^YOUNGADULT	Sample Adults 18+

TSM.0060.00.3	TASTEFLAV_A	Compared to when you were ^25year5yearsyounger, how would you rate your ability to taste flavors such as chocolate, vanilla, or strawberry? Is it better, worse, or is there no change?  ^YOUNGADULT	Sample Adults 18+
TSM.0070.00.3	TASTEUNW_A	During the past 12 months, have you had an unwanted taste or other sensation in your mouth that does not go away?  <i>Read if necessary: This could include bad, metallic, or bitter tastes or burning or tingling sensations.</i>	Sample Adults 18+
TSM.0080.00.3	TSTSMHP_A	Have you ever talked to a doctor or other health professional about any problem with your ability to taste or smell?	Sample Adults 18+ who have moderate difficulty, a lot of difficulty, or cannot smell at all OR their ability of smell is worse compared to age 25 (or 5 years ago) OR sometimes smell an unpleasant odor when nothing was there OR have moderate difficulty, a lot of difficulty, or cannot taste at all OR their ability to taste is worse compared to age 25 (or 5 years ago) OR their ability to taste flavors is worse compared to age 25 (or 5 years ago) OR has had an unwanted taste in their mouth that does not go away
TSM.0090.00.3	TSTSMLAST_A	When was the last time you talked to a doctor or other health professional about any problem with your ability to taste or smell?	Sample Adults 18+ who discussed problems with or changes in ability to taste or smell with a doctor or health professional

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NIOSH - National Institute for Occupational Safety and Health

Module:Adult, Section: SDW: Social distancing at work

Question ID	Variable	Added	Question Text	Universe
SDW.0010.00.3	CURJOBSD1_A		<p>Thinking about your MAIN job or business, are there currently social distancing measures in effect to help keep people apart?</p> <p><b>If this person is working from home full-time because of COVID-19, answer '1' for yes.</b></p>	Sample Adults 18+ where the social distancing section is on path and who were working at or were on temporary leave from a paid job or business last week, or who work, but not for pay at a family-owned business or who have seasonal/contract work and worked in the past 12 months
SDW.0020.00.3	WRKCLSSD1_A		<p>Currently, at your MAIN job or business, how often do you still need to work closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time?</p> <p><b>If person works from home full-time and does not know how to answer, ask, "Does your job require you to be face-to-face with any people you don't live with?"</b>  <b>If no, answer '4' for "none of the time."</b>  <b>If yes, ask, "How much of your time at work is spent with people who are closer than 6 feet?"</b></p>	Sample Adults 18+ who have social distancing measures currently in effect at their main job or business

SDW.0030.00.3	WRKCLSNSD1_A	<p>When social distancing measures were NOT in effect, how often did you need to work closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time?</p> <p><b>Enter '5' if respondent only worked at main job when social distancing measures were in effect.</b></p> <p><b>If person worked from home full-time and does not know how to answer, ask, "Did your job require you to be face-to-face with any people you didn't live with?"</b></p> <p><b>If no, answer '4' for "none of the time."</b></p> <p><b>If yes, ask, "How much of your time at work was spent with people who were closer than 6 feet?"</b></p>	<p>Sample Adults 18+ who have social distancing measures currently in effect at their main job or business</p>
SDW.0040.00.3	WRKCLSFT1_A	<p>Currently, at your MAIN job or business, how often do you need to work closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time?</p> <p><b>If person works from home full-time and does not know how to answer, ask, "Does your job require you to be face-to-face with any people you don't live with?"</b></p> <p><b>If no, answer '4' for "none of the time."</b></p> <p><b>If yes, ask, "How much of your time at work is spent with people who are closer than 6 feet?"</b></p>	<p>Sample Adults 18+ who do not have social distancing measures currently in effect at their main job or business or refused or don't know</p>
SDW.0050.00.3	SDMSRS1_A	<p>At any time since the start of the coronavirus pandemic, did your MAIN job or business put social distancing measures into effect?</p> <p><b>If this person was working from home full-time because of COVID-19, answer '1' for yes.</b></p> <p><b>If person started job while social distancing measures were in effect, answer '1' for yes.</b></p>	<p>Sample Adults 18+ who do not have social distancing measures currently in effect at their main job or business or refused or don't know</p>



SDW.0060.00.3	SDMSRSOFT1_A	<p>When social distancing measures were in effect, how often did you need to work closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time?</p> <p><b>Enter '5' if respondent did not work at main job when social distancing measures were in effect.</b></p> <p><b>If person worked from home full-time and does not know how to answer, ask, "Did your job require you to be face-to-face with any people you didn't live with?"</b></p> <p><b>If no, answer '4' for "none of the time."</b></p> <p><b>If yes, ask, "How much of your time at work was spent with people who were closer than 6 feet?"</b></p>	<p>Sample Adults 18+ whose main job or business put social distancing measures into effect since the start of the coronavirus pandemic</p>
SDW.0070.00.3	RECJOBSD1_A	<p>Thinking about the MAIN job you held in the past 12 months, were there ever any social distancing measures in effect while you worked there? That is, were there ever practices in place to help keep people apart?</p> <p><b>If this person was working from home full-time because of COVID-19, answer '1' for yes.</b></p>	<p>Sample Adults 18+ who last worked in the past 12 months and did not do seasonal or contract work</p>
SDW.0080.00.3	RJCLSSD1_A	<p>When social distancing measures were in effect, how often did you still need to work closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time?</p> <p><b>If person worked from home full-time and does not know how to answer, ask, "Did your job require you to be face-to-face with any people you didn't live with?"</b></p> <p><b>If no, answer '4' for "none of the time."</b></p> <p><b>If yes, ask, "How much of your time at work was spent with people who were closer than 6 feet?"</b></p>	<p>Sample Adults 18+ who had social distancing measures in effect at their main job or business they held in the past 12 months</p>

SDW.0090.00.3	RJCLSNOSD1_A	<p>When social distancing measures were NOT in effect, how often did you need to work closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time?</p> <p><b>Enter '5' if respondent only worked at main job when social distancing measures were in effect.</b></p> <p><b>If person worked from home full-time and does not know how to answer, ask, "Did your job require you to be face-to-face with any people you didn't live with?"</b></p> <p><b>If no, answer '4' for "none of the time."</b></p> <p><b>If yes, ask, "How much of your time at work was spent with people who were closer than 6 feet?"</b></p>	<p>Sample Adults 18+ who had social distancing measures in effect at their main job or business they held in the past 12 months</p>
SDW.0100.00.3	RJCLSOFT1_A	<p>How often did you need to work closer than 6 feet to other people? Would you say all of the time, most of the time, some of the time, or none of the time?</p> <p><b>If person worked from home full-time and does not know how to answer, ask, "Did your job require you to be face-to-face with any people you didn't live with?"</b></p> <p><b>If no, answer '4' for "none of the time."</b></p> <p><b>If yes, ask, "How much of your time at work was spent with people who were closer than 6 feet?"</b></p>	<p>Sample Adults 18+ who did not have social distancing measures in effect at the job they held in the past 12 months or refused or don't know</p>

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NIOSH - National Institute for Occupational Safety and Health

Module:Adult, Section: JOB: Work arrangements

Question ID	Variable	Added	Question Text	Universe
JOB.0010.00.3	JOBTAX_A		^JOBDoesDid your employer deduct or withhold taxes from your pay?	Sample Adults 18+ who were employed by a private employer, or a federal, state, or local government employer and the JOB1 section flag is turned on
JOB.0020.00.3	JOBCHGEARN_A		How much ^JOBdid your earnings change from month to month? Would you say not at all, a small amount, a moderate amount, or a large amount?	Sample Adults 18+ who worked for pay at a job or business last week, had a job or business last week but was temporarily absent, or works but not for pay at a family owned job or business or who last worked in the last 12 months and the JOB1 section flag is turned on
JOB.0030.00.3	JOBSHIFT_A		Which of the following best ^workdescribe your usual hours of work at your ^JOBmostrecent main job? Would you say daytime shift, evening shift, night shift, rotating shift, or some other shift?  <b>Read if Necessary:</b> <i>Daytime - Most hours between 6am and 6pm</i> <i>Evening - Most hours between 2pm and midnight</i> <i>Night - Most hours between 9pm and 8am</i> <i>Rotating - Change periodically between day and evening shift, or between night shift and day or evening</i>	Sample Adults 18+ who worked for pay at a job or business last week, had a job or business last week but was temporarily absent, or works but not for pay at a family owned job or business or who last worked in the last 12 months and the JOB1 section flag is turned on

JOB.0040.00.3	JOBCHGSCH_A	How easy or difficult ^iswas it for you to change your work schedule to do things that are important to you or your family? Would you say very easy, somewhat easy, somewhat difficult, or very difficult?	Sample Adults 18+ who worked for pay at a job or business last week, had a job or business last week but was temporarily absent, or works but not for pay at a family owned job or business or who last worked in the last 12 months and the JOB1 section flag is turned on and the JOB1 section flag is turned on
JOB.0050.00.3	JOBVARYSCH_A	^JOBDoesDid your work schedule at your main job change on a regular basis?	Sample Adults 18+ who worked for pay at a job or business last week, had a job or business last week but was temporarily absent, or works but not for pay at a family owned job or business or who last worked in the last 12 months and the JOB1 section flag is turned on
JOB.0060.00.3	JOBADVSCH_A	Approximately how far in advance ^doyoudoesemployer the hours that you ^schedule to work on any given day?	Sample Adults 18+ who have/had a work schedule that changes on a regular basis and the JOB1 section flag is turned on

JOB.0070.00.3	JOBLKYLOSS_A	Thinking about the next 12 months, how likely do you think it is that you will lose your job or be laid off? Would you say very likely, fairly likely, somewhat likely, or not at all likely?	Sample Adults 18+ who were working at or were on temporary leave from a paid job or business last week, or who work at a family business, but not for pay, or who have seasonal/contract work and worked within the last year and the JOB1 section flag is turned on
JOB.0080.00.3	JOBWRKSICK_A	During the past 3 months, how many days did you work while physically ill?  <b>If the exact number of days cannot be remembered, ask the respondent to give their best guess of the number of days worked while ill.</b>  <b>If the respondent says they worked every day while physically ill in the past 3 months, enter 90.</b>	Sample Adults 18+ who were working at or were on temporary leave from a paid job or business last week, or who work at a family business, but not for pay and the JOB2 section flag is turned on
JOB.0090.00.3	JOBMISS_A	During the past 3 months, about how many days of work did you miss because you were ill or because there was chance you had COVID-19?  <b>If the exact number of days cannot be remembered, ask the respondent to give their best guess of the number of days missed due to illness.</b>  <b>If the respondent says they missed every day in the past 3 months, enter 90.</b>	Sample Adults 18+ who did not work all of the past 3 months while physically ill or don't know or refused and the JOB2 section flag is turned on

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCIRD - National Center for Immunization and Respiratory Diseases

Module:Adult, Section: IMS: Immunization

Question ID	Variable	Added	Question Text	Universe
IMS.0010.00.3	PREGFLUYR_A		Were you pregnant any time ^AUGUSTYEAR?	Female sample adults 18-49 years or age is refused or don't know and who are not currently pregnant or don't know if they are currently pregnant or who are currently pregnant and the interview occurred between April-July
IMS.0020.00.3	LIVEBIRTH_A		During the past 12 months, did you have a pregnancy that ended in a live birth?	Female sample adults aged 18-49 of age or age is refused or don't know who did not refuse to answer if they are currently pregnant or if they were pregnant in between August and March
IMS.0050.00.3	FLUPREG_A		Did you get a flu vaccination before or during your current pregnancy?	Female Sample Adults 18-49 or refused or don't know their age who are currently pregnant and received a flu vaccination in the past 12 months and the interview takes place in Jan-March or Aug-Dec

IMS.0060.00.3	FLUPREG2_A		Earlier you said you were pregnant sometime ^AUGUSTYEAR. Did you get a flu vaccination before, during, or after your pregnancy?	Female Sample Adults 18-49 years of age or refused or don't know their age who reported a pregnancy during August-March and received a flu vaccination in the past 12 months
IMS.0061.00.3	SHTCVD19_A		The next questions are about coronavirus or COVID-19 vaccination.  Have you had a COVID-19 vaccination?  <b>Read if necessary:</b> <i>The COVID-19 vaccination has been available since 2020.</i>	Sample Adults 18+
IMS.0062.00.3	SHTCVD19NM_A		How many COVID-19 vaccinations have you received?	Sample Adults 18+ who have received a COVID-19 vaccination
IMS.0063.01.3	CVDVAC1M_A		<b>1 of 2</b>  During what month and year did you receive your most recent COVID-19 vaccination?  <b>Enter month of most recent COVID-19 vaccination.</b>	Sample Adults 18+ who have had one or more COVID-19 vaccinations
IMS.0063.02.3	CVDVAC1Y_A		<b>2 of 2</b>  <b>Enter year of most recent COVID-19 vaccination.</b>	Sample Adults 18+ who gave month of most recent COVID-19 vaccination or don't know
IMS.0064.01.3	CVDVAC2M_A		<b>1 of 2</b>  During what month and year did you receive your next most recent COVID-19 vaccination?  <b>Enter month of the next most recent COVID-19 vaccination.</b>	Sample Adults 18+ who have had two or more COVID-19 vaccinations
IMS.0064.02.3	CVDVAC2Y_A		<b>2 of 2</b>  <b>Enter year of next most recent COVID-19 vaccination.</b>	Sample Adults 18+ who gave month of second COVID-19 vaccination or don't know
IMS.0065.00.3	SHTCVD19AV_A		Did a doctor or other health professional tell you that you need an additional dose of the COVID-19 vaccination?	Sample Adults 18+ who had one COVID-19 vaccination

IMS.0090.00.3	SHTSHINGLE_A		<p>Have you had a vaccine for shingles?</p> <p><b>Read if necessary:</b> <i>Shingles is an illness that results in a rash or blisters on the skin, and is usually painful. There are two vaccines that have been used for shingles. The first was Zostavax®, which required one shot and was made available in 2006. The other is Shingrix®, a new vaccine which requires two shots and has been available since 2017.</i></p>	Sample Adults 50+
IMS.0100.00.3	ZOSTAVAX1_A		<p>There are two vaccines that have been used for shingles. The first was Zostavax®, which required one shot and was made available in 2006. The other is Shingrix®, a new vaccine which requires 2 shots and has been available since 2017.</p> <p>Have you EVER had Zostavax®, the shingles vaccine that required one shot?</p>	Sample Adults 50+ who ever had a vaccine for shingles
IMS.0110.00.3	ZOSTAVAXYR_A		What year did you get your most recent Zostavax® shot?	Sample Adults 50+ who had Zostavax vaccine
IMS.0120.00.3	ZOSTAWHEN_A		Was it before 2018?	Sample Adults 50+ who refused or don't know the year they had a Zostavax vaccination
IMS.0130.00.3	SHINGRIX1_A		Have you EVER had Shingrix®, the new shingles vaccine which requires 2 shots and has been available since 2017?	Sample Adults 50+ who had a shingles vaccine
IMS.0140.00.3	SHINGRIXNB_A		How many Shingrix® shots have you ever had?	Sample Adults 50+ who had a Shingrix vaccine
IMS.0150.00.3	SHINGRIXYR_A		What year did you get your most recent Shingrix® shot?	Sample Adults 50+ who had a Shingrix vaccine
IMS.0160.00.3	SHINGWHEN_A		Was it before 2018?	Sample Adults 50+ who had a Shingrix vaccination and refused or don't know the year they had it



IMS.0170.00.3	TDAPPREG_A		A Tdap vaccination is a tetanus booster shot that also includes pertussis (per-TUH-sis) or whooping cough vaccine. Earlier you said that you had a pregnancy that ended in a live birth during the past 12 months. Did you receive a Tdap vaccine during this pregnancy?	Female Sample Adults 18-49 or age is refused or don't know who had a live birth in the past 12 months
IMS.0180.00.3	SHTHEPB_A		The hepatitis B vaccine is given in three separate doses. Although it can be given as a combination vaccination with hepatitis A, it is different from the hepatitis A vaccine. Have you EVER received the hepatitis B vaccine?  <i>Read if necessary: The hepatitis B vaccine has been available since 1991. It is recommended for newborn infants, adolescents, and people such as health care workers, who may be exposed to the hepatitis B virus.</i>	Sample Adults 18+
IMS.0190.00.3	SHTHEPA_A		The hepatitis A vaccine is given in two separate doses. Although it can be given as a combination vaccine with hepatitis B, it is different from the hepatitis B vaccine. Have you EVER received the hepatitis A vaccine?  <i>Read if necessary: The hepatitis A vaccine has been available since 1995. It is routinely given to some children starting at 1 year of age and to some adults and people who travel outside the United States.</i>	Sample Adults 18+
IMS.0200.00.3	LIVEHEP_A		Have you ever lived with someone who had hepatitis?	Sample Adults 18+ who did not ever have hepatitis or refused or don't know
IMS.0220.00.3	WORKHEALTH_A		In your work or volunteer activities, do you provide direct medical care to patients, such as being a doctor, nurse, dentist, therapist, home health care worker, or emergency responder?	Sample Adults 18+

IMS.0230.00.3	WRKHLTHFC_A	Even if you do not provide direct medical care to patients, do you do any kind of work or volunteer activities in a health care facility, such as in a hospital, doctor's office, dentist's office, clinic, nursing home, or residential care home?	Sample Adults 18+ who do not provide medical care to patients or refused or don't know
IMS.0240.00.3	TRAVEL_A	Since 1995, have you traveled to any countries OTHER than Japan, Australia, New Zealand, Canada, and those in Europe?	Sample Adults 18+

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. HHS/Administration for Community Living

Module:Adult, Section: ADO: Age of Disability Onset

Question ID	Variable	Added	Question Text	Universe
ADO.0010.00.3	DEVDONSET_A		You said that you have difficulty with ^DIFF. Did ^THISDIFF begin before age 22?	Sample Adults age 22+ who said they had a lot of difficulty or could not do the following activities at all: Walking or climbing stairs, communicating, remembering or concentrating, self-care, or doing errands alone

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: PRV: Preventive Screening

Question ID	Variable	Added	Question Text	Universe
PRV.0033.00.3	DIBA1CLAST_A		<p>An A-one-C test is used to measure the average level of blood sugar over the past three months. When was the last time you had your A1C checked by a doctor, nurse, or other health professional?</p> <p><b>Read if necessary:</b> <i>A1C values typically range between 5 and 13.9. For many people with diabetes the goal is to have an A1C of 7 or less, but your goal may be different depending on what you and your doctor determine is best for you.</i></p>	Sample Adults 18+ who have been told they have diabetes
PRV.0037.00.3	DIBA1CNUM_A		<p>About how many times in the past 12 months has a doctor, nurse, or other health professional checked your A-one-C?</p> <p><b>Read if necessary:</b> <i>A1C values typically range between 5 and 13.9. For many people with diabetes the goal is to have an A1C of 7 or less, but your goal may be different depending on what you and your doctor determine is best for you.</i></p> <p><b>If respondent reports more than 96 A1C tests, enter '96'.</b></p>	Sample Adults 18+ who had their A1C checked in the past 12 months

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: DIB: Diabetes

Question ID	Variable	Added	Question Text	Universe
DIB.0100.00.3	INSSKIP12M_A		During the past 12 months, were any of the following true for you?  ...You skipped insulin doses to save money.	Sample Adults 18+ who take insulin
DIB.0110.00.3	INSLESS12M_A		<i>Read if necessary: During the past 12 months, were any of the following true for you?</i>  ...You took less insulin than needed to save money.	Sample Adults 18+ who take insulin
DIB.0120.00.3	INSDLY12M_A		<i>Read if necessary: During the past 12 months, were any of the following true for you?</i>  ...You DELAYED buying insulin to save money.	Sample Adults 18+ who take insulin
DIB.0140.00.3	DIBSTRESS_A		During the past month, how often have you felt overwhelmed by the demands of living with diabetes? Would you say always, usually, sometimes, rarely, or never?	Sample Adults 18+ who were told they had diabetes
DIB.0150.00.3	DIBCSTRESS_A		Compared with the time before the coronavirus pandemic, would you say that you now feel more overwhelmed by the demands of living with diabetes, less overwhelmed, or about the same as before the pandemic?	Sample Adults 18+ who were told they had diabetes

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion

Module:Adult, Section: EPI: Epilepsy

Question ID	Variable	Added	Question Text	Universe
EPI.0010.00.3	EPIEV_A		Have you ever been told by a doctor or other health professional that you have a seizure disorder or epilepsy?	Sample Adults 18+
EPI.0020.00.3	EPIMED_A		Are you currently taking any medicine to control your seizure disorder or epilepsy?	Sample Adults 18+ who ever had epilepsy
EPI.0030.00.3	EPINUMSEIZ_A		<p>Today is ^CURRENTDATE. Think back to the last year about the same time. About how many seizures of any type have you had during the past 12 months?</p> <p><b>Read if necessary:</b> <i>Some people may call it a "convulsion," "fit," "falling out spell," "episode," "attack," "drop attack," "staring spell," or "out-of-touch."</i></p> <p><b>If the respondent mentions and counts "auras" as seizures accept the response.</b></p> <p><b>If the respondent indicates that he/she has had nothing more than an aura and is unsure about counting the aura(s), do NOT count auras as seizures.</b></p>	Sample Adults 18+ who ever had epilepsy
EPI.0040.00.3	EPIDR_A		During the past 12 months, have you seen a neurologist or epilepsy specialist for your seizure disorder or epilepsy?	Sample Adults 18+ who ever had epilepsy

**2021 National Health Interview Survey (NHIS) Sponsored Content**

Sponsor(s):

- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion
- . NIH/NIDDK - National Institute of Diabetes and Digestive and Kidney Diseases

Module:Adult, Section: DIB: Diabetes

Question ID	Variable	Added	Question Text	Universe
DIB.0070.00.3	DIBINSTIME_A		Thinking back to when you were first diagnosed with diabetes, how long was it before you started taking insulin?	Sample Adults 18+ who have diabetes and currently take insulin
DIB.0080.00.3	DIBINSSTOP_A		Since you started taking insulin, have you ever stopped taking it for more than 6 months?	Sample Adults 18+ who have diabetes and are taking insulin
DIB.0090.00.3	DIBINSSTYR_A		Was this only during the first year after you were diagnosed with diabetes?	Sample Adults 18+ who have diabetes, who started taking insulin less than 1 year from when they were diagnosed with diabetes, and who stopped taking insulin for more than 6 months

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. USDA - United States Department of Agriculture

Module:Adult, Section: FDS: Food Security

Question ID	Variable	Added	Question Text	Universe
FDS.0010.00.3	FDSINTRO_A		<p>These next questions are about whether ^youyourfamily_A ^waswere always able to afford the food you needed in the last 30 days. I'm going to read you several statements that people have made about their food situation. For these statements, please tell me whether the statement was often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days.</p> <p><b>Enter '1' to continue.</b></p>	<p>Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.</p>



FDS.0020.00.3	FDSRUNOUT_A		<p>The first statement is "^Iwe_A worried whether ^myour_A food would run out before ^Iwe_A got money to buy more." Was that often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days?</p>	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.</p>
FDS.0030.00.3	FDSLAST_A		<p>"The food that ^Iwe_A bought just didn't last, and ^Iwe_A didn't have money to get more." Was that often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days?</p>	<p>The Sample Child and Sample Adult are not in the same family OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.</p>

FDS.0040.00.3	FDSBALANCE_A	<p>^IWe_A couldn't afford to eat balanced meals." Was that often true, sometimes true, or never true for ^youyourfamily_A in the last 30 days?</p>	<p>The Sample Child and Sample Adult are not in the same family  OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed  OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people.</p>
---------------	--------------	--	---

FDS.0050.00.3	FDSSKIP_A		<p>In the last 30 days, did ^youorother_A ever cut the size of your meals or skip meals because there wasn't enough money for food?</p>	<p>The Sample Child and Sample Adult are not in the same family  OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed  OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals</p>
---------------	-----------	--	---	--

FDS.0060.00.3	FDSSKIPDYS_A		In the last 30 days, how many days did this happen?	<p>The Sample Child and Sample Adult are not in the same family  OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed  OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent said that they or other adults in their family cut the size of their meals or skipped meals due to cost.</p>
---------------	--------------	--	---	--

FDS.0070.00.3	FDSLESS_A	<p>In the last 30 days, did ^youorother_A ever eat less than you felt you should because there wasn't enough money for food?</p>	<p>The Sample Child and Sample Adult are not in the same family  OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed  OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-----------	--	--

FDS.0080.00.3	FDSHUNGRY_A		<p>In the last 30 days, were ^youorother_A ever hungry but didn't eat because there wasn't enough money for food?</p>	<p>The Sample Child and Sample Adult are not in the same family  OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed  OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-------------	--	---	--

FDS.0090.00.3	FDSWEIGHT_A		<p>In the last 30 days, did ^youorother_A lose weight because there wasn't enough money for food?</p>	<p>The Sample Child and Sample Adult are not in the same family  OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed  OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-------------	--	---	--

FDS.0100.00.3	FDSNOTEAT_A		<p>In the last 30 days, did ^youorother_A ever not eat for a whole day because there wasn't enough money for food?</p>	<p>The Sample Child and Sample Adult are not in the same family  OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed  OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent answered they cut the size of the meals, skipped meals, were hungry but didn't eat, or lost weight in the last 30 days because there wasn't enough money for food.</p>
---------------	-------------	--	--	--



FDS.0110.00.3	FDSNEDAYS_A	In the last 30 days, how many days did this happen?	<p>The Sample Child and Sample Adult are not in the same family  OR Sample Child and Sample Adult are in the same family AND Sample Child FDS section has not been completed  OR the Sample Adult and Sample Child are in the same family and every question asked in the Sample Child FDS section was answered with RF/DK and the person answering the SC interview and the SA are different people and respondent didn't eat for a whole day in last 30 days because there wasn't enough money for food</p>
---------------	-------------	---	---

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. USDA - United States Department of Agriculture

Module:Adult, Section: F00: Food Related Programs

Question ID	Variable	Added	Question Text	Universe
F00.0020.00.3	FSNAP30D_A		<p>Did ^YOUFAMLVHERE_A receive ^FSSNAPNM in the LAST 30 days?</p> <p><b>Read if necessary:</b> <i>This program puts money on a SNAP EBT card that you can only use to buy food.</i></p>	Sample Adults 18+ living in families where someone received food stamps in the last 12 months

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. USDA - United States Department of Agriculture

Module:Child, Section: FDS: Food Security

Question ID	Variable	Added	Question Text	Universe
FDS.0010.00.3	FDSINTRO_C		<p>These next questions are about whether you were always able to afford the food you needed in the last 30 days. I'm going to read you several statements that people have made about their food situation. For these statements, please tell me whether the statement was often true, sometimes true, or never true for your family in the last 30 days.</p> <p>Enter '1' to continue.</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent</p>

FDS.0020.00.3	FDSRUNOUT_C		<p>The first statement is "We worried whether our food would run out before we got money to buy more." Was that often true, sometimes true, or never true for your family in the last 30 days?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent</p>
FDS.0030.00.3	FDSLAST_C		<p>"The food that we bought just didn't last, and we didn't have money to get more." Was that often true, sometimes true, or never true for your family in the last 30 days?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent</p>

FDS.0040.00.3	FDSBALANCE_C	<p>"We couldn't afford to eat balanced meals." Was that often true, sometimes true, or never true for your family in the last 30 days?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent</p>
---------------	--------------	--	---

FDS.0050.00.3	FDSSKIP_C	<p>In the last 30 days, did ^youorother_C ever cut the size of your meals or skip meals because there wasn't enough money for food?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-----------	---	---

FDS.0060.00.3	FDSSKIPDYS_C	In the last 30 days, how many days did this happen?	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent answered they skipped meals due to cost</p>
---------------	--------------	---	---

FDS.0070.00.3	FDSLESS_C	<p>In the last 30 days, did ^youorother_C ever eat less than you felt you should because there wasn't enough money for food?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-----------	--	---



FDS.0080.00.3	FDSHUNGRY_C		<p>In the last 30 days, were ^youorother_C ever hungry but didn't eat because there wasn't enough money for food?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.</p>
---------------	-------------	--	---	---

FDS.0090.00.3	FDSWEIGHT_C	In the last 30 days, did ^youorother_C lose weight because there wasn't enough money for food?	Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered often true or sometimes true that in the last 30 days they worried that food would run out before they got money to buy more, or that the food that was bought didn't last and they didn't have money to get more or couldn't afford to eat balanced meals.
---------------	-------------	--	--

FDS.0100.00.3	FDSNOTEAT_C		<p>In the last 30 days, did ^youorother_C ever not eat for a whole day because there wasn't enough money for food?</p>	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and respondent answered they cut the size of the meals, skipped meals, were hungry but didn't eat, or lost weight in the last 30 days because there wasn't enough money for food.</p>
---------------	-------------	--	--	---

FDS.0110.00.3	FDSNEDAYS_C		In the last 30 days, how many days did this happen?	<p>Sample Child 0-17 and Sample Adult and Sample Child are in the same family and the Sample Adult FDS section has not been completed OR the Sample Adult and Sample Child are not in the same family OR the Sample Adult and Sample Child are in the same family and the Sample Adult answered refused or don't know to all questions in the Sample Adult FDS section and the Sample Child respondent is not the Sample Adult respondent and adults in the family have ever not eaten for a whole day because there wasn't enough money for food in the last 30 days</p>
---------------	-------------	--	---	---

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

. USDA - United States Department of Agriculture

Module:Child, Section: F00: Food Related Programs

Question ID	Variable	Added	Question Text	Universe
F00.0020.00.3	FSNAP30D_C		<p>Did any family members living here receive ^FSSNAPNM in the LAST 30 days?</p> <p><b>Read if necessary:</b> <i>This program puts money on a SNAP EBT card that you can only use to buy food.</i></p>	Sample Child 0-17 and someone in the family received food stamps in the past 12 months

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion
  - . NIH/ODP - Office of Disease Prevention
- 

Module:Adult, Section: LS1: Satisfaction with life first section

Question ID	Variable	Added	Question Text	Universe
LS1.0010.00.3	LSATIS11_A		Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "very satisfied", how do you feel about your life as a whole these days?	Sample Adults 18+

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion
  - . NIH/ODP - Office of Disease Prevention
- 

Module:Adult, Section: LS2: Satisfaction with life second section

Question ID	Variable	Added	Question Text	Universe
LS2.0010.00.3	LSATIS4_A		In general, how satisfied are you with your life? Would you say very satisfied, satisfied, dissatisfied, or very dissatisfied?	Sample Adults 18+

2021 National Health Interview Survey (NHIS) Sponsored Content

Sponsor(s):

- . CDC/NCCDPHP - National Center for Chronic Disease Prevention and Health Promotion
  - . NIH/ODP - Office of Disease Prevention
- 

Module:Child, Section: LS1: Satisfaction with life first section

Question ID	Variable	Added	Question Text	Universe
LS1.0010.00.3	LSATIS11_C		Using a scale of 0 to 10, where 0 means "very dissatisfied" and 10 means "very satisfied", how do you think ^SCNAME feels about ^hisher_C life as a whole these days?	Sample Children 12-17