

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1998

(CAUSE CATEGORIES BASED ON 72 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS, HIV INFECTION, AND ALZHEIMERS DISEASE)

CAUSE OF DEATH	AGE												N.S.
	ALL AGES	<1 YR	01-04 YR	05-14 YR	15-24 YR	25-34 YR	35-44 YR	45-54 YR	55-64 YR	65-74 YR	75-84 YR	85 & OVER	
004, 006.....	18	-	1	1	1	1	3	1	-	2	1	7	-
007-009.....	1,869	298	22	3	7	6	27	47	83	258	572	546	-
010-018.....	2,585	1	4	3	26	77	251	286	343	550	667	377	-
010-012.....	1,714	-	1	-	12	45	159	179	206	354	467	291	-
013-018.....	890	1	3	3	15	33	93	108	141	202	203	88	-
033.....	8	7	1	-	-	-	-	-	-	-	-	-	-
034-035.....	16	-	1	2	-	1	1	2	1	5	3	-	-
036.....	256	25	35	32	52	26	22	24	7	13	9	11	-
038.....	115,297	714	265	274	560	1,402	4,064	7,370	11,759	23,605	35,385	29,891	8
045.....	-	-	-	-	-	-	-	-	-	-	-	-	-
055.....	-	-	-	-	-	-	-	-	-	-	-	-	-
070.....	8,733	4	4	5	44	245	1,725	2,527	1,403	1,476	1,047	253	-
090-097.....	197	4	-	1	2	10	17	14	24	28	53	44	-
REM. 001-139 1/..	30,417	406	161	232	435	3,774	7,987	5,549	3,145	3,279	3,331	2,115	3
140-208.....	607,568	93	389	1,071	1,780	4,615	17,745	47,718	92,218	169,446	182,401	90,078	14
140-149.....	9,672	-	1	6	23	58	320	1,144	2,023	2,663	2,295	1,139	-

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1998

(CAUSE CATEGORIES BASED ON 72 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS, HIV INFECTION, AND ALZHEIMERS DISEASE) - CONTINUED

CAUSE OF DEATH	AGE												N.S.
	ALL AGES	<1 YR	01-04 YR	05-14 YR	15-24 YR	25-34 YR	35-44 YR	45-54 YR	55-64 YR	65-74 YR	75-84 YR	85 & OVER	
150-159.....	144,600	6	17	26	126	672	3,244	10,827	20,664	38,637	44,954	25,423	4
160-165.....	173,333	4	3	10	48	255	2,994	12,591	32,670	60,986	50,086	13,684	2
174-175.....	52,066	-	-	-	6	521	3,119	6,680	8,137	11,370	12,926	9,306	1
179-187.....	75,692	-	-	5	86	523	1,672	3,602	7,103	17,383	27,775	17,542	1
188-189.....	29,369	4	21	37	26	77	508	1,767	3,770	7,526	9,845	5,788	-
170-173, 190-199.	165,160	51	214	613	813	1,813	6,272	15,278	27,120	46,037	46,046	20,898	5
204-208.....	24,847	26	128	365	494	536	1,006	1,517	2,656	5,915	7,831	4,372	1
200-203.....	41,849	5	19	63	274	683	1,484	3,082	5,592	11,160	13,634	5,852	1
210-239.....	13,878	93	66	109	162	249	479	786	1,238	2,705	4,349	3,642	-
250.....	202,322	2	9	31	232	1,105	3,857	11,212	25,031	52,107	68,712	40,021	3
260-269.....	32,955	35	14	25	68	196	539	1,024	1,925	4,818	10,437	13,871	3
280-285.....	44,521	63	74	113	223	517	1,042	1,614	2,907	6,883	13,879	17,205	1
320-322.....	2,015	172	79	53	61	105	241	278	279	341	316	90	-
390-448.....	1,378,638	2,834	939	1,314	3,074	8,387	28,509	64,740	120,869	263,791	443,366	440,733	82
390-398, 402, 404-429.....	1,160,353	2,273	779	1,093	2,658	7,189	24,589	56,314	105,416	225,208	368,807	365,956	71
390-398.....	8,982	12	5	10	45	114	302	534	1,005	2,051	2,979	1,925	-

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1998

(CAUSE CATEGORIES BASED ON 72 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS, HIV INFECTION, AND ALZHEIMERS DISEASE) - CONTINUED

CAUSE OF DEATH	AGE												N.S.
	ALL AGES	<1 YR	01-04 YR	05-14 YR	15-24 YR	25-34 YR	35-44 YR	45-54 YR	55-64 YR	65-74 YR	75-84 YR	85 & OVER	
402.....	45,926	4	1	1	32	362	1,701	3,947	5,590	8,494	12,514	13,274	6
404.....	3,202	-	-	-	4	26	88	151	243	593	1,131	966	-
410-414.....	593,466	71	25	40	195	1,337	8,190	24,944	53,028	120,463	197,884	187,266	23
410.....	241,734	43	19	24	114	679	4,272	13,376	27,051	53,432	78,858	63,858	8
411.....	5,847	5	-	1	10	45	217	525	740	1,138	1,579	1,587	-
413.....	3,451	-	-	-	2	4	25	79	223	570	1,165	1,383	-
412, 414.....	445,456	28	7	17	92	810	5,315	16,217	35,993	87,926	150,430	148,603	18
424.....	39,518	31	15	17	73	198	583	1,080	2,033	5,997	13,755	15,734	2
415-423, 425-429.	842,894	2,196	755	1,063	2,484	6,013	18,324	39,468	73,416	158,336	265,689	275,099	51
401, 403.....	178,033	27	5	11	57	478	2,430	7,652	16,586	36,464	60,493	53,825	5
430-438.....	277,747	591	172	240	401	1,137	3,990	8,872	17,074	45,476	97,791	101,990	13
431-432.....	36,159	143	56	99	187	489	1,710	3,328	4,357	7,742	11,704	6,340	4
434.0, 434.9.....	18,249	97	25	42	46	117	335	638	1,200	2,881	6,105	6,763	-
434.1.....	1,892	1	1	3	5	10	38	93	138	376	672	555	-
430, 433, 435-438	226,868	366	98	112	185	603	2,141	5,193	11,872	35,409	80,927	89,953	9
440.....	71,318	2	4	1	14	69	383	1,410	3,941	11,241	23,861	30,391	1

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1998

(CAUSE CATEGORIES BASED ON 72 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS, HIV INFECTION, AND ALZHEIMERS DISEASE) - CONTINUED

CAUSE OF DEATH	AGE												N.S.
	ALL AGES	<1 YR	01-04 YR	05-14 YR	15-24 YR	25-34 YR	35-44 YR	45-54 YR	55-64 YR	65-74 YR	75-84 YR	85 & OVER	
441-448.....	55,210	37	12	32	111	325	805	1,732	4,279	12,345	20,132	15,399	1
466.....	1,470	78	34	6	12	15	30	53	113	260	397	472	-
480-487.....	214,259	818	334	339	616	1,460	3,839	6,636	12,506	32,841	70,480	84,382	8
480-486.....	212,064	808	328	321	605	1,456	3,812	6,600	12,410	32,635	69,817	83,264	8
487.....	2,195	10	6	18	11	4	27	36	96	206	663	1,118	-
490-496.....	247,086	59	84	200	343	523	1,843	6,662	23,061	67,485	95,071	51,744	11
490-491.....	6,468	40	26	22	38	33	119	251	570	1,366	2,108	1,895	-
492.....	33,577	5	-	-	8	27	247	1,087	3,845	10,631	12,681	5,045	1
493.....	12,255	9	52	158	264	385	804	1,246	1,532	2,322	3,157	2,326	-
494-496.....	195,645	6	8	22	38	85	694	4,139	17,236	53,401	77,405	42,601	10
531-533.....	12,265	12	5	7	22	64	233	591	1,037	2,287	4,155	3,852	-
540-543.....	798	9	6	17	16	16	51	49	92	161	229	151	1
550-553, 560.....	18,577	176	36	37	55	110	320	711	1,380	3,153	6,030	6,569	-
571.....	41,113	42	14	14	83	799	5,168	8,849	8,290	9,521	6,640	1,684	9
574-575.....	6,081	17	8	4	15	58	129	262	463	1,112	2,054	1,959	-
580-589.....	133,180	792	82	137	314	1,091	3,364	6,622	11,940	28,240	44,543	36,051	4

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1998

(CAUSE CATEGORIES BASED ON 72 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS, HIV INFECTION, AND ALZHEIMERS DISEASE) - CONTINUED

CAUSE OF DEATH	AGE												N.S.
	ALL AGES	<1 YR	01-04 YR	05-14 YR	15-24 YR	25-34 YR	35-44 YR	45-54 YR	55-64 YR	65-74 YR	75-84 YR	85 & OVER	
580-581.....	1,235	19	4	5	8	11	46	74	105	242	433	288	-
582-583, 587...	6,199	7	5	7	18	74	149	213	396	1,052	2,125	2,153	-
584-586, 588-589.....	126,987	768	74	128	298	1,028	3,221	6,396	11,533	27,174	42,405	33,958	4
590.....	1,743	11	2	3	8	25	75	111	138	271	498	601	-
600.....	2,573	-	-	-	-	-	2	11	89	406	1,053	1,011	1
630-676.....	333	-	84	161	86	2	-
630-638.....	40	-	10	21	9	-	-
640-676.....	297	-	74	143	78	2	-
740-759.....	17,420	7,153	744	527	615	667	875	999	1,097	1,403	1,979	1,358	3
760-779.....	18,061	17,783	148	54	19	18	13	3	5	6	7	4	1
767-769.....	3,248	3,179	37	17	5	1	1	2	2	2	2	-	-
760-766, 770-779.....	17,570	17,347	119	41	16	17	12	1	3	4	5	4	1
780-799.....	414,727	6,061	1,179	1,407	2,981	5,658	13,192	21,879	37,897	81,813	126,161	116,385	114
RESIDUAL 2/.....	706,456	3,567	1,518	1,993	4,540	9,466	25,333	41,672	60,643	122,250	213,187	222,247	40
E800-E949.....	164,469	1,248	2,243	3,625	13,989	13,104	17,759	15,082	13,429	21,455	32,833	29,588	114

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1998

(CAUSE CATEGORIES BASED ON 72 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS, HIV INFECTION, AND ALZHEIMERS DISEASE) - CONTINUED

CAUSE OF DEATH	AGE												N.S.
	ALL AGES	<1 YR	01-04 YR	05-14 YR	15-24 YR	25-34 YR	35-44 YR	45-54 YR	55-64 YR	65-74 YR	75-84 YR	85 & OVER	
E810-E825.....	44,505	170	762	1,875	10,082	7,170	7,037	5,118	3,566	3,597	3,702	1,396	30
E800-E807, E826-E949.....	120,333	1,079	1,483	1,757	3,968	5,990	10,795	10,004	9,900	17,891	29,176	28,206	84
E950-E959.....	30,840	324	4,145	5,390	6,869	5,172	2,993	2,640	2,407	883	17
E960-E978.....	18,476	347	405	463	5,518	4,592	3,596	1,771	788	488	335	116	57
E980-E999.....	4,031	87	48	68	352	758	1,339	767	237	140	131	79	25
N800-N999.....	201,315	1,561	2,609	4,370	23,650	23,362	28,716	21,720	15,925	21,636	30,962	26,603	201
N800-N848.....	29,804	88	184	355	1,822	1,442	1,602	1,358	1,319	2,590	7,219	11,814	11
N850-N854.....	34,831	329	710	1,342	6,141	4,518	4,727	3,619	2,603	3,107	4,532	3,165	38
N860-N869.....	16,799	85	191	423	3,219	2,584	2,709	2,048	1,474	1,556	1,693	809	8
N870-N897.....	33,762	14	106	583	7,925	6,944	6,345	4,149	2,573	2,268	2,089	730	36
N900-N904.....	3,169	1	16	36	576	519	534	399	300	278	315	195	-
N905-N909.....	3,038	9	14	35	69	144	302	310	296	457	672	729	1
N910-N929.....	1,383	16	33	32	128	119	190	170	131	157	215	191	1
N930-N939.....	15,097	149	148	134	211	303	602	808	1,107	2,224	4,661	4,749	1
N940-N949.....	2,928	34	136	147	302	303	407	357	288	360	382	209	3
N950-N957.....	1,961	6	31	52	251	219	276	219	166	264	310	165	2

SEE FOOTNOTES AT END OF TABLE.

MULTIPLE CAUSE OF DEATH PUBLIC USE TAPE
CONTROL TOTAL TABLE 2

NUMBER OF RESIDENT DEATHS TABULATED BY
RECORD AXIS MULTIPLE CAUSE-OF-DEATH AND AGE: UNITED STATES, 1998

(CAUSE CATEGORIES BASED ON 72 CAUSE LIST SUPPLEMENTED
BY RELEVANT NATURE OF INJURY CATEGORY GROUPINGS, HIV INFECTION, AND ALZHEIMERS DISEASE) - CONTINUED

CAUSE OF DEATH	AGE												N.S.
	ALL AGES	<1 YR	01-04 YR	05-14 YR	15-24 YR	25-34 YR	35-44 YR	45-54 YR	55-64 YR	65-74 YR	75-84 YR	85 & OVER	
N958-N959.....	34,812	151	432	1,008	5,873	5,067	5,322	4,047	2,809	3,089	3,941	3,035	38
N960-N995.....	41,910	718	1,076	1,255	4,365	7,104	11,276	7,121	2,944	2,309	2,311	1,330	101
N996-N999.....	25,739	292	201	213	317	473	1,090	2,032	3,296	6,562	7,580	3,681	2
*042-*044 3/.....	16,972	20	35	66	231	3,378	7,099	4,203	1,352	461	111	13	3
331.0 4/.....	42,957	-	1	-	-	-	13	57	407	3,414	16,190	22,874	1

- 1/ INCLUDES *042-*044 (HIV INFECTION) SHOWN SEPARATELY BELOW.
- 2/ INCLUDES 331.0 (ALZHEIMERS DISEASE) SHOWN SEPARATELY BELOW.
- 3/ INCLUDED IN REM. 001-139.
- 4/ INCLUDED IN RESIDUAL.
- QUANTITY = 0