
# **Public Use Data Tape Documentation-Part I**

National Health Interview Survey 1981



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Public Health Service
National Center for Health Statistics

Hyattsville, Maryland September 1983

#### GUIDELINES

With the goal of mutual benefit, NCHS requests that recipients of data tapes cooperate in certain actions related to their use.

Any published material derived from the data should acknowledge the National Center for Health Statistics as the original source. It should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the tape) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make a reasonable effort to insure that the description is not inconsistent with that published by NCHS.

Tape formats, diagnostic recodes, and guidance on weighting and procedures for deriving estimates from National Health Interview Survey data tapes are included in this volume. Additional detailed technical information is contained in the following publications and documents which are available from the National Technical Information Service:

Health Interview Survey procedure, 1957-1974. Vital and Health Statistics. Series 1-No. II. DHEW Pub. No. (HRA) 75-1311. Health Resources Administration. Washington. U.S. Government Printing Office, April 1975.

Current Estimates from the National Health Interview Survey: United States, 1981. Vital and Health Statistics. Series 10-No. 141. DHHS Pub. No. (PHS) 83-1569. Public Health Service. Washington. U.S. Government Printing Office, October 1982.

Interviewer's Manual, 1981.

Medical Coding Manual and Short Index; 1981.

# CONTENTS -

GUIDELTTT	
FORMATS FOR PUBLIC USE TAPES	Š
Introduction	13
Household Record	13
Person Record	27
CONDITION RECORD	59
Hospital Record	
Doctor Visit Record	123
DIAGNOSTIC RECODES	141
TABULATION SPECIFICATIONS AND WEIGHTING	199
TABULATING DATA FOR CURRENT ESTIMATE TABLES	209

#### THE NATIONAL HEALTH INTERVIEW SURVEY

#### Introduction

The National Center for Health Statistics has conducted the Health Interview Survey (NHIS) annually beginning in 1957. It includes a "core" set of questions on health-related variables which change little from year-to-year and supplements which can vary annually. More information on the survey in general and the 1981 version, in particular, is found in the Current Estimates Series report included with this public use tape documentation. The NHIS is a personal interview household survey using a nationwide sample of the civilian, noninstitutionalized population of the United States. The sample is chosen in such a way that each person included has a known non-zero probability of selection. These probabilities of selection along with adjustments for nonresponse and poststratification are reflected in the sample weights which are provided on the Public Use Tape.

#### Use of Sample Weights

Since NHIS uses a multistage sample designed to represent the civilian noninstitutionalized population of the United States, it is necessary to utilize the person's basic weight for proper analysis of the data. In addition to the design and ratio adjustments included in the person basic weight, the person weight is further modified depending on the variable selected (e.g., 2-week bed days), the length of the recall period, and the period of time for which the estimate is to be made.

The chronic condition prevalence factor, however, does not incorporate the person weight. It adjusts the sample for distributional variations (age, sex, race) within the one-sixth subsample of persons who are asked one of six chronic condition lists. It must be multiplied by the person weight to create prevalence estimates of chronic conditions. Details are given in the documentation preceding the condition record tape layout.

#### Sample Design, Variance, Estimation, and Hypothesis Testing

The data collected in the National Health Interview Survey (NHIS) are obtained through a complex sample design involving both clustering and stratification. Because of the complex design and the ratio adjustments applied to the sample weights (see previous section on use of sample weights), the direct application of standard statistical analysis methods for variance estimation and hypothesis testing may yield misleading results.

There are computer programs available which provide the capability of variance estimation for complex sample designs. The balanced repeated replication approach is utilized in &REPERR-&PSALMS-OSIRIS.IV to calculate the variance-covariance matrix. SESUDAAN and SURREGR, are programs that calculate the variance-covariance matrix using the linearization approach (Taylor series expansion).

#### REFERENCES

- National Center for Health Statistics: Replication an Approach to the Analysis of Data from Complex Surveys by P.J. McCarthy. Vital and Health Statistics Series 2, No. 14. DHEW Pub. No. (PHS) 79-1269. Public Health Service. Washington, D.C. U.S. Government Printing Office, 1966.
- <sup>2</sup> Survey Research Center Computer Support Group, OSIRIS IV User's Manual, Institute for Social Research, 1979.
- <sup>3</sup>B.V. Shah, "SESUDAAN: Standard Errors Program for Computing of Standardized Rates from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C., RTI/5250-00-01S, April 1981.
- <sup>4</sup> Mary Margaret Holt (revised April 1982 by B.V. Shah), "SURREGR: Standard Errors of Regression Coefficients from Sample Survey Data." Research Triangle Institute, Research Triangle Park, N.C. May 1977.
- <sup>5</sup> Woodruff, R.S.: A Simple Method for Approximating the Variance of a Complicated Estimate. JASA 66:411-414, 1971.

In order to provide the user with the capability of estimating the complex sample variances in the NHIS data using the above procedures, we have provided Strata and Pseudo Primary Sampling Unit (PSU) codes on all data tapes in positions (467-469). These variables and the sample weights are necessary for the calculation of variances.

Even though the overall number of persons in this survey is quite large for statistical inference purposes, subclass analyses can lead to estimators that are unreliable. Consequently, analyses of subclasses require that the user pay particular attention to the coefficient of variation for the estimates of means, proportions and totals. In addition, small sample sizes, or a small number of PSU's used in the variance calculations may produce unstable estimates of the variances using the above computer programs.

A NCHS Series 2 publication discussing these issues is in publication. Detailed information from this publication on calculating variances and the use of sample weights is available, upon request, from NCHS.

#### Changes in the 1981 Public Use Tape from Previous Years

The 1981 Public Use Tape differs from previous years in the following ways:

1. Person Characteristics: (all records except households)

In both 1981 and 1980, race was determined by asking the respondent to select the appropriate category on a card list. In previous years, race was determined by interviewer observation. The person weights were created using the reported race variable. The variable of observed race has been deleted.

2. Condition Records: All condition records are included in the 1980 and 1981 Public Use Tape. In previous years chronic condition records were included only if they caused limitation of activity or were reported in response to the chronic condition check list.

A new condition recode, Recode 5, was added to the condition record in 1980. It corresponds to the summary recode in the Ninth Revision International Classification of Diseases with the addition of residual categories. It should be used to define conditions causing limitation of activity. Recode 5 will also provide a measure of continuity between condition data on the 1980 and 1981 Public Use Tapes and data from 1982 and succeeding years when major changes will be made to both the acute and chronic condition categories.

3. Pseudo-Primary Sampling Units (PSU's): (all records)

These paired PSU's have been added to the tapes to enable the user to calculate variance estimates. A brief explanation of the method used and software packages available is found earlier.

<sup>&</sup>lt;sup>a</sup>World Health Organization: Manual of the International Statistical Classification of Diseases, Injuries and Causes of Death. Based on Recommendations of the Ninth Revision Conference, 1975. Geneva. World Health Organization, 1977.

# HEALTH INTERVIEW SURVEY CALENDAR YEAR 1981 FORMATS FOR PUBLIC USE TAPES

#### HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

The basic HIS tape files are created and maintained by Record Type. The contents of these tape files are presented by Record Type in the attached Outlines of Items and Codes. The outlines are arranged by location of items in the tape records. Note that Household items in tape locations 1-49 are the same for all records associated with a household; Person items in tape locations 50-97 are the same for all records associated with a person.

Users of the tape files should take note of the following tape characteristics:

#### 1. Type of Records (Tape Location 14)

- 1 = Households
- 2 = Persons
- 3 = Conditions `
- 4 = Hospital Episodes
- 5 = Doctor Visits

#### 2. File Sequence

The file is in sequence on the following identifying items for each Record Type as identified in location 14:

<u>Items</u>	Tape Locations
Processing Quarter	19
PSU - Random Recode of Census Code	3-5
	6-7
Week - Census Code	<del>-</del> .
Segment	8-9
Household Number	10-11
Person Number	12-13
Record Serial Number	15-16

The Quarter x PSU x Week x Segment x Household Number identifies a Household.

#### 2. File Sequence - continued

The Person Number identifies a person within a household. The Record Serial Number identifies multiple records within a Record Type for a person; for example, condition records for a person are identified with a unique number beginning with 01 for each condition associated with the person.

## 3. Other Tape Characteristics

- .1 Headers and trailers = Standard 370 labels
- .2 Density = 1600 BPI
- .3 Record Length = Fixed length of 469 bytes
- .4 Blocksize = 4690 (10 records per block)
- .5 Tape format = All fields are in character format.
- .6 Data Set Names:

Household = HIS1981Y.HOUSEHLD
Person = HIS1981Y.PERSONSX
Condition = HIS1981Y.CONDITON
Hospital = HIS1981Y.HOSPITAL
Doctor Visit = HIS1981Y.DRVISITS

NOTE: Standard Metropolitan Statistical Areas are those defined for the 1970 Decennial Census.

HOUSEHOLDS

#### HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

#### Outline of Items and Codes

# Household Record (Record Type 1)

Number of Records = 41,265

Tape Locations	Item No.	Items and Codes
1-2	<b>-</b> ·	BLANK
3–5	HH-5	RANDOM RECODE OF PSU
6-7	нн-5	WEEK - CENSUS CODE  01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13
8-9. '	нн-5	SEGMENT NUMBER  Week plus Segment Number identifies the segment.
10-11	HH-5	HOUSEHOLD NUMBER  Numbered within PSU-Week-Segment
12-13	-	BLANK - Person Number in other record types.
14	-	RECORD TYPE (1)
15–16	-	BLANK - Record Serial Number in other record types.
17-18	-	BLANK .

HH-2 HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	~ Items and Codes
19	Recode	PROCESSING QUARTER CODE  1 Quarter 1, 1981 2 Quarter 2, 1981 3 Quarter 3, 1981 4 Quarter 4, 1981
20	Recode	PPOCESSING YEAR 1 1981
21-22	Recode	PROCESSING WEEK CODE  01 01, 21, 41, 61, 81 02 02, 22, 42, 62, 82 03 03, 23, 43, 63, 83 04 04, 24, 44, 64, 84 05 05, 25, 45, 65, 85 06 06, 26, 46, 66, 86 07 07, 27, 47, 67, 87 08 08, 28, 48, 68, 88 09 09, 29, 49, 69, 89 10 10, 30, 50, 70, 90 11 11, 31, 51, 71, 91 12 12, 32, 52, 72, 92 13 13, 33, 53, 73, 93
23-27	-	BLANK
28	RC Record	TYPE OF PSU  0 The 31 Large Self-representing SMSA's  1 SMSA - Self-representing  3 SMSA - Nonself-representing  4 Non-SMSA - Self-representing  6 Non-SMSA - Nonself-representing
29	RC Record	REGION  1 Northeast 2 North Central 3 South 4 West

HH-3 HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
30-31	RC Record	TABULATION AREA  Blank Nonself-representing sections and self-representing SMSA's other than 34-64.  Large Self-representing SMSA's  Recode SMSA Recode SMSA  34 Boston 51 Houston 35 New York* 52 Dallas 36 Philadelphia 53 Washington, D.C. 37 Pittsburgh 54 Seattle-Everett 38 Detroit 55 San Diego 39 Chicago** 56 Anaheim-Santa Ana- 40 Cincimnati Garden Grove 41 Los Angeles- 57 Miami 40 Cincimseti 58 Denver 41 Los Angeles- 57 Miami 42 San Francisco- 59 San Bernardino- Oakland Riverside-Ontario 43 Baltimore 60 Indianapolis 44 Atlanta 61 San Jose 45 Buffalo 62 New Orleans 46 Cleveland 63 Tampa-St. Petersburg 47 Minneapolis- 64 Portland, Oregon St. Paul 48 Milwaukee 49 Kansas City 50 St. Louis  * Northeastern New Jersey Consolidated Area ** Northwestern Indiana Consolidated Area
32	-	BLANK
	RC Record	GEOGRAPHIC IDENTIFICATION  1 In SMSA; in Central City 2 In SMSA; not in Central City 3 Not in SMSA

HH-4
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
34-35	-	BLANK
36	Recode	SMSA - NON-SMSA RESIDENCE  1 SMSA 2 Non-SMSA - Nonfarm 3 Non-SMSA - Farm
37	HH-8	TYPE OF LIVING QUARTERS  1 Housing Unit 2 Other
38-42	_	BLANK
43	HH-15	TELEPHONE (Not edited)  1 Yes - phone 2 No or none 3 Phone, but no number listed or number refused 9 DK if phone or refused Blank Not reported and noninterviews
44-49	-	BLANK
50	HH-19	COMPLETED INTERVIEW  1 Completed interview 2 Noninterview
51	HH-18	NONINTERVIEW REASON - TYPE A  1 Refusal 2 No one at home 3 Temporarily absent 4 Other Blank Not reported or Not applicable

HH-5 HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
52-53	НН-6с	SPECIAL PLACE  See HH Transcription Instructions for Code Outline (Appendix A).
54-55	-	BLANK
56-57	Generated	NUMBER OF UNRELATED INDIVIDUALS
58-59	Generated	NUMBER OF PERSONS IN THE HOUSEHOLD
60-65	-	BLANK
66-67	Generated	SIZE OF FAMILY - PRIMARY FAMILY
68-69	Generated	SIZE OF FAMILY - SECONDARY FAMILY NO. 1
70-71	· Generated	- SECONDARY FAMILY NO. 2
72-73	Generated	- SECONDARY FAMILY NO. 3
74-75	Generated	- SECONDARY FAMILY NO. 4
76-77	Generated	- SECONDARY FAMILY NO. 5
78-79	Generated	- SECONDARY FAMILY NO. 6
80-81	Generated	- SECONDARY FAMILY NO. 7
82-83	Generated	- SECONDARY FAMILY NO. 8
84-85	Generated	- SECONDARY FAMILY NO. 9

HH-6
:HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
86	Generated	HEAD PRESENT - PRIMARY FAMILY
		l " Blan : :ary family
87	Generated	HEAD PRESENT - SECONDARY FAMILY 1
88	Generated	- SECONDARY FAMILY 2
89	Generated	- SECONDARY FAMILY 3
90	Generated	- SECONDARY FAMILY 4
91	Generated	- SECONDARY FAMILY 5
92	Generated	- SECONDARY FAMILY 6
9%	Jenerated	- SECONDARY FAMILY 7
94	Genecated	- SECONDARY FAMILY 8
95 .	Generated	- SECONDARY FAMILY 9
96-99	HH-19	DATE OF COMPLETION OF INTERVIEW (Not edited)
96-97		Month       = 01       January       07       July         02       February       08       August         03       March       09       September         04       April       10       October         05       May       11       November         06       June       12       December         Blank       Not reported
98-99		Day = 01-31 Day of Month Blank Not reported
100-007	_	BLANK
708	Item L	CONDITION LIST ASSIGNED  1 Condition List 1 - Digestive 2 Condition List 2 - Bone and Muscle 3 Condition List 3 - Miscellaneous1/ 4 Condition List 4 - Impairments 5 Condition List 5 - Circulatory 6 Condition List 6 - Respiratory 7 Unknown  Blank Noninterviewed household

<sup>1/</sup> for does chronic conditions of the genitourinary, nervous, endocrine, metabolic, and blood and blood-forming systems and of other selected chronic conditions.

HH-7
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
109-179	-	BLANK
180	HH-13	TOTAL ROOMS  1 1 Room 2 2 Rooms 3 3 Rooms 4 4 Rooms 5 5 Rooms 6 6 Rooms 7 7 Rooms 8 8 Rooms 9 9+ Rooms DK or Not reported Blank Not a housing unit
181-187	_	BLANK
188-193		BASIC WEIGHT  (7098.4484) Adjusted by Segment/Special HH Sampling Factors) (XXXXX.X)
194-469		BLANK

" E N D "

#### APPENDIX A

#### CODES FOR TYPES OF SPECIAL PLACES

#### I. Specified Institutions

Code	Types

#### Correctional Institutions

- 11....State and Federal penitentiaries, prisons, and reformatories
- 11....State and Federal prison farms and camps
- 11....County and city jails, workhouses, penitentiaries
- 11....County and city prison farms and camps
- 11....Federal detention headquarters
- 12....State and Federal training or industrial schools
- 12....County and municipal training or industrial schools
- 12....Private schools for delinquents, such as "House of the Good Shepherd," "Boys Town," etc.

#### Mental Institutions

- 21.... Homes and training schools for mentally handicapped
- 21....Homes, training schools, colonies, and villages for epileptics
- 21....State, Federal, county and city hospitals for mentally ill
- 21....Private hospitals and sanitariums for mentally ill
- 22.... Hospitals and centers for the treatment of alcoholics and drug addicts
- 23....Veterans Administration mental hospitals

### Home for the Aged, Infirm and Needy

- 31....Orphan asylums
- 31....Children's homes
- 32....County homes, almshouses, poor farms, etc.
- 33....Fraternal or religious homes for the aged
- 34....Commercial homes for the aged
- 35....Homes and schools for the blind
- 36....Homes and schools for the deaf
- 37....Hospital or resident schools, orthopedic hospitals, and homes for the crippled
- 38....Soldiers' and sailors' homes
- 39....Veterans Administration homes (domiciliary care)

# 40....Nursing, Convalescent, and Rest Homes

# Other Hospitals and Homes Providing Specialized Care

- 51....Tuberculosis sanitariums
- 52....Veterans Administration tuberculosis hospitals
- 53....Homes for incurables
- 54....Chronic and cancer hospitals
- 55....Maternity homes for unmarried mothers
- 56....Detention and receiving homes
- 57.... Hospitals and homes for other specialized care

#### II. Other Special Places

<u>Types</u>

- 61....Veterans Administration General Medical and Surgical Hospitals
- 62....Facilities for the Treatment of the Physically Ill

This type of facility treats physical disorders and is one in which the patient stays for a relatively short period of time. Examples of this type of special place are:

- General or emergency hospital; children's hospital; maternity hospital
- 2. Infirmary

A private residential club, rooming or boarding house, or tourist home is to be classified as a special place only if it contains 5 or more rooms or groups of rooms to be rented out. If there are fewer than 5 rooms or groups of rooms for rent, combine these rooms or groups of rooms with the landlord's quarters (or with each other if the landlord does not live in the structure).

- 77....Combination tourist-trailer court, transient-type
- 78....Combination tourist-trailer court, nontransient-type
- 79....Groups of 5 or more vacation cabins under single management, transient-type

#### II. Other Special Places (continued)

Code Types

#### Facilities for Housing Students

- 81....School dormitory
- 81....Fraternity
- 81....Sorority
- 82....School with resident students (other than for the needy or infirm and other than resident schools with separate codes 83 and 84 - see below). 1/
- 83....Schools with resident students and with predominantly non-salaried faculty such as nums or priests. 1/
- 84....Schools with resident students and operated primarily for religious training (other than those with predominantly non-salaried faculty) such as Bible Institutes. 1/

#### Facilities for Housing Workers

- 85....Dormitory for workers (other than specified for codes 86, 87 and 88).
- 86....Bunkhouse (provided that it has or is expected to have quarters for 5 or more farm or ranch hands).
- 87....Labor camp
- 87....Logging camp
- 88....Migratory workers' camp (those that meet the special place definition).

#### Additional Other Places

- 91....Convents and other sisters' residences (those that meet the special place definition).
- 91....Monasteries, other brothers' residences, and rectories (those that meet the special place definition).
- 92....Communes
- 95....Halfway houses when occupants live there on a voluntary basis (assign halfway houses for persons not there on a voluntary basis to the appropriate institutional code).
- 00....Nurses' Homes
- 01....Flophouses, railroad stations 01....Missions, Salvation Army Shelters
- 02....Recreational and religious camps (adults or family)
- 03....Recreational and religious camps (children's)
- 04....Trailer camps
- 05....Tent camps
- 06....Armed forces installations
- 07....Armed forces hospitals

 $<sup>\</sup>frac{1}{2}$  For a school with resident faculty only, code 82, 83, or 84 assigned as appropriate.

PERSONS

٠.

# HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

# Outline of Items and Codes

# Person Record (Record Type 2)

Number of Records - 107,480

Tape Locations	Item No.	Items and Codes
1-2	-	BLANK
3-5	HH- 5	RANDOM RECODE OF PSU
6-7	HH-5	WEEK - CENSUS CODE  01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13
8-9	HH-5	SEGMENT NUMBER  Week plus Segment Number identifies the segment
10-11	HH-5	HOUSEHOLD NUMBER  Numbered within PSU-Week-Segment
12-13	-	PERSON NUMBER
14	-	RECORD TYPE (2)
15-16	-	BLANK - Record Serial Number in other record types
17-18	-	BLANK

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
19	Recode	PROCESSING QUARTER CODE  1 Quarter 1, 1981 2 Quarter 2, 1981 3 Quarter 3, 1981 4 Quarter 4, 1981
20	Recode	PROCESSING YEAR 1 1981
21-22	Recode	PROCESSING WEEK CODE  01 01, 21, 41, 61, 81 02 02, 22, 42, 62, 82 03 03, 23, 43, 63, 83 04 04, 24, 44, 64, 84 05 05, 25, 45, 65, 85 06 06, 26, 46, 66, 86 07 07, 27, 47, 67, 87 08 08, 28, 48, 68, 88 09 09, 29, 49, 69, 89 10 10, 30, 50, 70, 90 11 11, 31, 51, 71, 91 12 12, 32, 52, 72, 92 13 13, 33, 53, 73, 93
23-27	-	BLANK
28	RC Recode	TYPE OF PSU  0 The 31 Large Self-representing SMSA's  1 SMSA - Self-representing  3 SMSA - Nonself-representing  4 Non-SMSA - Self-representing  6 Non-SMSA - Nonself-representing
29	RC Recode	REGION  1 Northeast 2 North Central 3 South 4 West

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
30-31	RC Record	TABULATION AREA  Blank - Nonself-representing sections and self-representing SMSA's other than 34-64.  Large Self-representing SMSA's  Recode SMSA Recode SMSA  34 Boston 49 Kansas City 35 New York* 50 St. Louis 36 Philadelphia 51 Houston 37 Pittsburgh 52 Dallas 38 Detroit 53 Washington, D.C. 39 Chicago** 54 Seattle-Everett 40 Cincinnati 55 San Diego 41 Los Angeles- 56 Anaheim-Santa Ana- Long Beach Garden Grove 42 San Francisco- 57 Miami Oakland 58 Denver 43 Baltimore 59 San Bernardino- 44 Atlanta Riverside-Ontario 45 Buffalo 60 Indianapolis 46 Cleveland 61 San Jose 47 Minneapolis- 62 New Orleans St. Paul 63 Tampa-St. Petersburg 48 Milwaukee 64 Portland, Oregon  * Northwestern New Jersey Consolidated Area ** Northwestern Indiana Consolidated Area
32	-	BLANK
33	RC Record	GEOGRAPHIC IDENTIFICATION  1 In SMSA; in Central City 2 In SMSA; not in Central City 3 Not in SMSA
34-35	-	BLANK .
36	Recode	SMSA - NON-SMSA RESIDENCE  1 SMSA 2 Non-SMSA - Nonfarm 3 Non-SMSA - Farm

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
37	HH-8	TYPE OF LIVING QUARTEPS  1 Housing Unit 2 Other
38-42		BLANK
43	HH-15	TELEPHONE (Not Edited)  1 Yes - phone 2 No or none 3 Phone, but no number listed or number refused 9 DK if phone or refused Blank Not reported
44-51	-	BLANK .
52	Q2	SEX 1 Male 2 Female
53- 54	Q3	AGE  00 Under 1 year  01-98 Single years  99 99+ years
55-56	Recode	AGE RECODE #1  01 00-04 years 02 05-14 03 15-24 04 25-34 05 35-44 06 45-54 07 55-64 08 65-74 09 75+

P-5 HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
57-58	Recode	AGE RECODE #2  01 Under 6 years  02 6-16  03 17-24  04 25-34  05 35-44  06 45-54  07 55-64  08 65-74  09 75+
59	Recode	AGE RECODE #3  1 Under 15 years 2 15-44 3 45-64 4 65+
60	Q4	MARITAL STATUS  0 Under 17 years 1 Married - Spouse present 2 Widowed 3 Never married 4 Divorced 5 Separated 6 Married - Spouse absent
61-62	Q2a,b	EDUCATION OF INDIVIDUAL-COMPLETED YEARS  01 Under 17 years of age 02 None 03 1-4 years completed 04 5-7 years completed 05 8 years completed 06 9-11 years completed 07 12 years completed 09 13-14 years completed 09 15 years completed 10 16 years completed 11 17+ years completed (graduate school) 12 Unknown 13 Not reported

P-6
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
	Cla,b Recode	EDUCATION OF INDIVIDUAL RECODE  1 Under 17 years of age 2 None 3 01-08 (elementary) 4 09-11 (high school) 5 12 (high school graduate) 6 13-15 (college) 7 16+ (college graduate +) 8 Unknown
64-65	Q2a,b	EDUCATION OF FAMILY HEAD OR UNRELATED INDIVIDUAL - DETAIL  01 Under 17 years of age 02 None 03 1-4 years completed 04 5-7 years completed 05 8 years completed 06 9-11 years completed 07 12 years completed 09 13-14 years completed 10 15 years completed 10 16 years completed 11 17+ years completed (graduate school) 12 Unknown 13 Not reported
66	Q2a,b Recode	EDUCATION OF HEAD - RECODE  1 Under 17 years of age 2 None 3 01-08 (elementary) 4 09-11 (high school) 5 12 (high school graduate) 6 13-15 (college) 7 16+ (college graduate +) 8 Unknown

P-7
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
67	Q3a,b	VETERAN STATUS  0 Under 17 years of age 1 Nonveteran 2 Peacetime only 3 World War I 4 World War II 5 Korean War 6 Vietnam veteran 7 DK if served in Armed Forces 8 DK if war veteran 9 Post Vietnam
68-69	Q12	FAMILY INCOME OR INCOME OF UNRELATED INDIVIDUAL  01 Under \$1,000 02 \$1,000- 1,999 03 2,000- 2,999 04 3,000- 3,999 05 4,000- 4,999 06 5,000- 5,999 07 6,000- 6,999 08 7,000- 9,999 09 10,000-14,999 10 15,000-24,999 11 25,000+ 12 Unknown 13 Not reported
70	Q12 Recode	FAMILY INCOME RECODE  1 Under \$3,000 2 \$3,000- 4,999 3 5,000- 6,999 4 7,000- 9,999 5 10,000-14,999 6 15,000-24,999 7 25,000+ 8 Unknown

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	- Items and Codes
71 - 72 71	Q2	FAMILY RELATIONSHIP  Type of Family  E Primary individual  Secondary individual  0 Primary family  1-9 Secondary families  Relationship  E Unrelated individual living alone  0 Head of family or unrelated individual not living alone  1 Wife (husband living at home and not in Armed Forces)  2 Wife (husband living at home and is in Armed Forces)  3 Child of head or spouse  4 Grandchild of head or spouse  5 Parent of head or spouse  6 Other relative
73	Q2 Recode	FAMILY RELATIONSHIP RECODE (Living arrangement)  1 Living alone 2 Living with nonrelatives 3 Living with spouse 4 Living with relatives - other
74	Q19 & 20 Recode	USUAL ACTIVITY  0 Under 6 years .  1 Usually working  2 Keeping house (female)  3 Retired - Health (45+ years)  4 Going to school  5 Something else  6 Unknown  7 Retired, Other (45+ years)

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
75	Q6 Currently Employed . Unemployed	CURRENT ACTIVITY DURING PAST 2 WEEKS  0 Under 17 years  1 Worked in past 2 weeks 2 Did not work, has job, not on layoff and not looking for work  3 Did not work, has job, looking for work  4 Did not work, has job, on layoff  5 Did not work, has job, on layoff and looking for work  6 Did not work, has job, unknown if looking or on layoff  7 Did not work, no job, looking for work or on layoff  8 Not in labor force (17+)
76	Q7e	CLASS OF WORKER  0 Never worked  1 Private paid  2 Federal Government  3 State Government  4 Local Government  5 Incorporated business  6 Self employed  7 Without pay  8 Not in Labor Force  9 Unknown or not reported
77-79	Q7Ъ	INDUSTRY DETAIL CODE  017-999 Code Number  Blank Not applicable
80-81	Recode	INDUSTRY RECODE No. 1 See Attachment
82-83	Recode	INDUSTRY RECODE No. 2  See Attachment
84-86	Q7c	OCCUPATION DETAIL CODE  001-995 Code number Blank Not applicable

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

	,	
Tape Locations	Item No.	_ Items and Codes
87-88	Recode	OCCUPATION RECODE No. 1 See Attachment
89-90	Recode ,	OCCUPATION RECODE No. 2  See Attachment
91	R (Q4-34)	RESPONDENT  1 Self entirely 2 Self partly 3 Spouse 4 Mother 5 Father 6 Other female family member 7 Other male family member 8 Other 9 Not reported
92-93	_	BLANK .
94	R	AGE OF RESPONDENT  1 Under 20 years 2 20-54 years 3 55-64 years 4 65-74 years 5 75+ years 6 Unknown and not reported
95-96	Generated	ACTUAL FAMILY SIZE  00 Unrelated individuals 01+ Family size

P-11
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
	Recode	SIZE OF FAMILY RECODE  0 Unrelated individuals 1 One member 2 2 members 3 3 members 4 4 members 5 5 members 6 6 members 7 7 members 8 8+ members
98	Q21-27a	LIMITATION OF ACTIVITY DUE TO CHRONIC CONDITIONS  1 Cannot perform Usual Activity 2 Can perform UA but limited in amount and kind 3 Can perform UA but limited in outside
99-101 99 100-101	Q28a	DURATION OF LIMITATION OF ACTIVITY  Unit = 1 Months ) 2 Years ) (loc. 98:1-3) 3 Unknown ) Blank Not applicable (loc. 98:4)  Number of Units =  00 Less than 1 month ) 01-97 Number of months or years) (loc. 98:1-3) 99 Unknown ) Blank Not applicable (loc. 98:4)
102-105	•	BLANK -
106-107	Generated	TOTAL RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS 1/00 None 01-14 Number of days
108-109	Q5a,b	BED DISABILITY DAYS IN PAST 2 WEEKS  00 None 01-14 Number of days

<sup>1/</sup>Includes bed days, work-loss or school-loss days, and other restricted activity days.

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
110	Q6,7	WORK/SCHOOL-LOSS DAY IDENTIFIER  1 Under 6 years of age 2 School-loss days 3 Work-loss days
111-112	Q6 <b>,</b> 7	WORK OR SCHOOL-LOSS DAYS IN PAST 2 WEEKS  00 None or Under 6  01-14 Number of days
113-114	-	BLANK
115-116	Q12d	DENTAL VISITS IN 2 WEEKS  00 None 01+ Number of visits
117-119	-	BLANK
120-123 120 121-123	Q18a	DOCTOR VISITS IN 12 MONTHS  Known/Unknown Code  1 Number of visits known 2 Number of visits unknown  Number of Visits  000 None or Unknown
124-126	Computer Generated	NUMBER OF SHORT-STAY HOSPITAL DAYS IN PAST 12 MONTHS 2/ 000 None 001-365 Number of days

<sup>2/</sup> Short-stay Hospitals = All hospital service types except mental (Code 02), Tuberculosis (Code 03), Orthopedic (Code 08), Contagious Disease (Code 09), Chronic Disease (Code 10), all other (Code 12), Nursing Home (Codes 94 and 95), and not in index (Code 93).

P-13 HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
127	Q18b	INTERVAL SINCE LAST DOCTOR VISIT  0 Never 1 Visit in past 2 weeks 3 2 weeks to less than 6 months 4 6 months to less than 12 months 5 1 year 6 2-4 years 7 5+ years 9 Unknown
128	Q13	INTERVAL SINCE LAST DENTAL VISIT  0 Never 1 Visits in 2 weeks 2 2 weeks to less than 6 months 3 6 months to less than 12 months 4 1 year 5 2-4 years 6 5+ years 8 Unknown
129-130	Generated	NUMBER OF SHORT-STAY HOSPITAL EPISODES <sup>2</sup> / 00 None 01+ Number of episodes
151-132	Generated	TOTAL 2-WEEK DOCTOR VISITS  00 None 01+ Number of visits
133-139	-	BLANK
140	Generated	HOSPITAL OWNERSHIP FOR SHORT-STAY EPISODES  0 No episodes 1 All in federal hospitals 2 All in nonfederal hospitals 3 Both federal and nonfederal hospitals

 $<sup>\</sup>frac{2}{}$  See page P-12.

P-14
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	- Items and Codes
141	<u>-</u>	BLANK
142	Q34	BED DAYS PAST 12 MONTHS  0 None 1 1-7 days 2 8-30 days 3 31-180 days 4 181-365 days 5 Unknown
143-144	2	FAMILY STRUCTURE  01 Both parents, no other adults 02 Mother only 03 Father only 04 Both parents and other adult relative 05 Mother and other adult relative 06 Father and other adult relative 07 No parent, but one adult relative 08 No parent, but two or more adult relatives 09 Other 10 Not applicable, 25+ years and/or ever married
145	Q33	HEALTH STATUS  1 Excellent 2 Good 3 Fair 4 Poor 5 Unknown
146	-	BLANK

"MORE"

Tape Locations	Item No.	_ Items and Codes			
147-149 147	Recode Q4a,b, Q5a,b	RACE RECODE (Reported)  RECODE ONE  1 White 2 Black 3 Other			
148	,	RECODE TWO  1 White 2 Nonwhite			
149		RECODE THREE  1 Black 2 Nonblack			
150-155	-	BLANK .			
156-157	Qla	HEIGHT WITHOUT SHOES  36-84 Number of inches 99 Unknown Blank Under 17 years of age			
158	Q10b	USED MEDICAID - PAST 12 MONTHS  1 Yes 2 No 3 Unknown			
159	Q11b,d	MEDICAID - TYPE OF CARD  1 Medicaid card - current 2 Medicaid card - expired 3 Card seen - unknown type 4 Unknown 5 No Medicaid card or not reported			
160-162	Q1b	WEIGHT WITHOUT SHOES  050-400 Number of pounds 999 Unknown Blank Under 17 years of age			

P-16

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	- Items and Codes
163-170	-	BLANK
171	Recode `	CONDITION LIST ASSIGNED AND ASKED  1 Condition List 1 - Digestive 2 Condition List 2 - Bone and Muscle 3 Condition List 3 - Miscellaneous 3/ 4 Condition List 4 - Impairments 5 Condition List 5 - Circulatory 6 Condition List 6 - Respiratory 7 Unknown
172	Q13a	RECEIVED INCOME  1 Yes 2 No
173-174	Q14	INDIVIDUAL INCOME  01 Under \$1,000 02 \$1,000- 1,999 03 2,000- 2,999 04 3,000- 3,999 05 4,000- 4,999 06 5,000- 5,999 07 6,000- 6,999 08 7,000- 9,999 09 10,000-14,999 10 15,000-24,999 11 25,000 and over 12 Unknown 13 No income received

<sup>3/</sup> Includes chronic conditions of the genitourinary, nervous, endocrine, metabolic, and blood and blood forming systems and of other selected chronic conditions.

"MORE"

P-17
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
175-176	Recode Q14	INCOME OF HEAD OF FAMILY  01 Under \$1,000 02 \$1,000- 1,999 03 2,000- 2,999 04 3,000- 3,999 05 4,000- 4,999 06 5,000- 5,999 07 6,000- 6,999 08 7,000- 9,999 09 10,000-14,999 10 15,000-24,999 11 25,000 and over 12 Unknown 13 No income received
177-178	Recode Q12, 13, 14	INCOME OF MAJOR BREADWINNER  01 Under \$1,000 02 \$1,000- 1,999 03 2,000- 2,999 04 3,000- 3,999 05 4,000- 4,999 06 5,000- 5,999 07 6,000- 6,999 08 7,000- 9,999 09 10,000-14,999 10 15,000-24,999 11 25,000 and over 12 Unknown 13 No income received
179	Q4a,b	MAIN RACIAL BACKGROUND (Reported)  1 Aleut, Eskimo, or American Indian 2 Asian or Pacific Islander 3 Black 4 White 5 Another group not listed 6 Multiple entry - unknown which is main racial background 7 Unknown
180-181	•	BLANK
182-187	_	BASIC WEIGHT BEFORE ASC ADJUSTMENT (XXXXX.X)

P-18
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
188-192	-	FINAL BASIC WEIGHT (XXXXX.)
193-198	-	6.5 WEIGHT (FINAL BASIC WEIGHT x 6.5) (XXXXXX)
199-200	Q5a,ţ	MAIN SPANISH ORIGIN  Ol Puerto Rican  Ol Cuban  Ol Mexican  Ol Mexican  Ol Mexican  Ol Mexican  Ol Chicano  Ol Chicano  Ol Other Latin American  Ol Other Spanish  Ol Spanish - DK type  Ol No - Not Spanish origin  Ol Unknown

" M O R E "

P-19
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Character Tape Locations	Previous Binary Tape Locations	Items and Codes		
201-209	201-204	Basic Weight using one quarter's data (B.W.)		
210-218	205-208	Basic Weight using two quarter's data (B.W./2)		
219-227	209-212	Basic Weight using four quarter's data (B.W./4)		
228-236	213-216	Basic Weight using eight quarter's data (B.W./8)		
		6.5 WEIGHT (Basic weight x 6.5)		
237-245	217-220	Quarter and Semiannual, Annual		
246-254	221-224	Biannual (6.5 wt/2)		
		WEIGHTED NUMBER OF RESTRICTED ACTIVITY DAYS FOR A GIVEN PERIOD (Based on 2-week recall period)		
255-263	225-228	Quarter, Semiannual, Annual		
264-272	229-232	Biannual		
		WEIGHTED NUMBER OF BED DAYS FOR A GIVEN PERIOD (Based on 2-week recall period)		
273-281	233-236	Quarter, Semiannual, Annual		
282-290	237-240	Biannual		
		WEIGHTED NUMBER OF WORK/SCHOOL LOSS DAYS FOR A GIVEN PERIOD (based on 2-week recall period)		
291-299	241-244	Quarter, Semiannual, Annual		
300-308	245-248	Biannual		
309-317	249-252	ZEROS		
318-326	253-256			
		WEIGHTED NUMBER OF DENTAL VISITS FOR A GIVEN PERIOD (Based on 2-week recall period)		
327-335	257-260	Quarter, Semiannual, Annual		
336-344	261-264	Biannual		

P-20
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Character Tape Locations	Previous Binary Tape Locations	Items and Codes	
345-354		CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXX)  For prevalence or incidence estimates of chronic conditions, tabulate only on the list assigned and asked which includes the chronic condition, and multiply the appropriate weight by the factor in this field. This will weight the one-sixth subsample to full-sample totals.	
355-380	-	BLANK	
381-389 390-398 399-407 408-416	281-284 285-288 289-292 293-296	WEIGHTED NUMBER OF DOCTOR VISITS FOR A GIVEN PERIOD (Based on a 12-month recall period)  Quarter  Semiannual  Annual  Biannual	
417-425 426-434 435-443 444-452	297-300 301-304 305-308 309-312	WEIGHTED NUMBER OF SHORT-STAY HOSPITAL DAYS FOR A GIVEN PERIOD (Based on a 12-month recall period)  Quarter  Semiannual  Annual  Biannual	
453-461	313-316	ANNUAL WEIGHTED NUMBER OF SHORT-STAY HOSPITAL EPISODES FOR A GIVEN PERIOD (Based on a 12-month recall period)	

P-21
HIS - CALENDAR YEAR 1981 - FINAL YEAR RECORDS .

Tape Locations	Item No.	Items and Codes
462-466	-	BLANK
467-469	-	PSEUDO PSU NUMBER 001-298

" E N D "

٠.

# HIS -1981 COMPUTER PROCESSING Industry Recodes Outline

Attachment	to	Person	Final	Tape	Record
------------	----	--------	-------	------	--------

Recodes		Detail	INDUSTRY TITLE	STC Code*
No. 1 (Chrs. 80-81)	No. 2 (Chrs. 82-83)	Code (Chrs. 77-79)	industri iiile	SIC Code*
01	01	017-019	AGRICULTURE	01, 07, ex 0713
02	02	027-028	FORESTRY AND FISHERIES	08,09
10	03	047-049 057	MINING	10-14
20	04	067-069 077	CONSTRUCTION	15-17
(30-43)	(05)		MANUFACTURING:	
30	05	268-298	Food and Kindred Products	20,0713
31	05	307-318	Textile Mill Products	22
32	05	319,327	Apparel and other finished products made from fabrics and similar materials	23
33	05	107-109	Lumber and wood products, except furnitures	24
34	05	118	Furniture and fixtures	25
35	05	338,339	Printing, publishing, and allied industries	27
36	05	347-369	Chemicals and allied products	28
37	05	119-138	Stone, clay, and glass products	32
38	05	139-149	Primary metal industries	33
39	05	157-169	Fabricated metal products, except ordnance, machinery and transportation equipment	34

<sup>\*</sup> Standard International Classification

Recodes		Detail		
No. 1 (Chrs. 80-81)	No. 2 (Chrs. 82-83)	Code (Chrs. 77-79)	INDUSTRY TITLE	SIC Code*
(30-43)	(05)		MANUFACTURING:	
40	05	177-198	Machinery, except electrical	35
41	05	199-209	Electrical machinery, equipment, and supplies	36
42	05	219-238	Transportation Equipment	37
43	05	239-259 299 328-337 377-398	All other and unspecified	21,26, 29-31, 38,39, 19
(50-51)	(06)		TRANSPORTATION	
50	06	407	Railroad transportation	40
51 .	06	408-429	All other transportation	41,42 44-47
52	06	447-449	COMMUNICATION	48
53	06	467-479	ELECTRIC, GAS, AND SANITARY SERVICES	49
 60	07	507-588	WHOLESALE TRADE	50
(61-62)	(07)		RETAIL TRADE:	
61	07	669	Eating and drinking places	58
62	07	607-668 677-698	Other retail trade	52-57, 59
70	08	707-718	FINANCE, INSURANCE, AND REAL ESTATE	60-67

<sup>\*</sup> Standard International Classification

Recodes		Detail		
No. 1 (Chrs. 80-81)	No. 2 (Chrs. 82-83)	Code (Chrs. 77-79)	INDUSTRY TITLE	SIC CODE*
(80-87)	(09)		SERVICES:	
80	09	779-798	779-798 Personal services (except private households)	
81	09	727-748	Miscellaneous business services	73
82	09	749-759	Repair services	75,76
83	09	807-809	Amusement and recreation services	78,79
84	09	. 828-848	Medical and other health services	80 .
85	09	857-869	Educational services	82,84
86	09	769	769 Private households	
87	09 .	777,778, 849,877- 897	Other miscellaneous services	70,81 86,89
(90-92)	(10)		GOVERNMENT	
90	10	907,917	Federal government, including international	91,94
91	10	927	State government	92
92	10	937	Local government	93
93 •	11	997,999 and all other codes	UNKNOWN INDÚSTRÝ	-
94	11	996	New Worker	99
95	12	Not Applicable	Codes 0 and 8 in current activity recode (Loc. 75) (Under 17 or 17+ and not in Labor Force)	

<sup>\*</sup> Standard International Classification

HIS -1981 COMPUTER PROCESSING
Industry Recode No. 2 - Titles

Code	TITLES	Recode No. 1 Inclusions
01	Agriculture	01
02	Forestry and Fisheries	02
03	Mining	10.
04	Construction	20
05	Manufacturing	30-43
06	Transportation and Public Utilities	50-53
ọ7	Wholesale and Retail Trade	60-62
08	Finance, Insurance, and Real Estate	70
09	Services and Miscellaneous	80-87
10	Public Administration	90-92
11	Unknown	93,94
12	Not in Labor Force	95
	·	

HIS - 1981 Occupation Recode Outline

Recodes		Detail		
No. 1 (Chrs. 87-88)	No. 2 (Chrs. 89-90)	Code (Chrs. 84-86)	OCCUPATION TITLE	
(01-06)			PROFESSIONAL, TECHNICAL, AND KINDRED WORKERS	
01	01	002,006- 023	Engineers and architects	
02	01	034-054, 091-096	Scientists	
03	01	061-085	Health workers	
04	01	102-145	Teachers, including college	
05	01	150-162	Engineering and science technicians	
06	01	All other codes 0,1	All other professional, technical, and kindred workers	
07	02	201-245	Managers and administrators, except farm	
.10	03	260-285	Sales workers	
(11-15)			CLERICAL AND KINDRED WORKERS	
11	04	305	Bookkeepers	
12	04	341-355	Office machine operators	
13	04	331,332, 361,383	Mail handlers, postal clerks, and telegraph messengers	
14	04	364-372 376,391	Secretaries, stenographers, typists, and receptionists	
15	04	All other codes 3	All other clerical workers	

Recodes		Detail		
No. 1 (Chrs. 87-88)	No. 2 (Chrs. 89-90)	Code (Chrs. 84-86)	OCCUPATION TITLE	
(20-24)			CRAFTSMEN AND KINDRED WORKERS	
20	05	415,416	Carpenters	
21	05	410-412,421, 430,431,436, 440,510-512, 520-523, 534,550, 560	Other construction craftsmen	
22	05	470-495	Mechanics and repairmen	
23	05	403,404, 442,446, 454,461, 462,502-504, 514,533, 535-540, 561,562	Metal craftsmen, except mechanic	
24	05	All other codes 4, 5	All other craftsmen	
30	06	601-696	Operatives, except transport	
31	07	701-715	Transport equipment operatives	
40	08	740-785	Laborers, except farm	
50	09	801,802	Farmers and farm managers	
51	10	821-824	Farm laborers and farm foremen	

No. 1 (Chrs. 87-88)	No. 2 (Chrs. 89-90)	Detail Code (Chrs. 84-86)	OCCUPATION TITLE	
(60-63)			SERVICE WORKERS, EXCEPT PRIVATE HOUSEHOLD	
60	. 11	901-903	Cleaning service	
61	11	910-916	Food service	
62	11	921-954	Health and personal service	
63.	11	960-965	Protective service	
64	12	980-984	Private household workers	
70	13	995	Occupation not reported, or unknown	
80	13	990	New workers	
90	14	Not Applicable	Codes 0 and 8 in current activity recode (Loc. 75).	

# HIS - 1981 COMPUTER PROCESSING Occupation Recode No. 2 - Titles

Code	TITLE	Recode No. 1 Inclusions
01	Professional, technical, and kindred workers	01-06
02	Managers and administrators, except farm	07
03	Sales workers	10
04	Clerical and kindred workers	11-15
05	Craftsmen and kindred workers	20-24
06	Operatives, except transport	30
07	Transport equipment operatives	31
08	Laborers, except farm	40
09	Farmers and farm managers	50
10	Farm laborers and farm foremen	51
11	Service workers, except private household	60-63
12	Private household workers	64
13	Unknown	70,80
14	Not in labor force	90

CONDITION

#### CONDITION FILE INCLUSIONS

The condition file contains the following types of records:

- Condition records, either acute or chronic, which are associated with disability days, doctor visits and/or hospitalizations in the two weeks preceding the interview (location 103=1 or 2 and 118-119=01-14 or 135=1).
- Chronic condition records when the condition is reported to be the main or secondary cause of activity limitation (location 103=1 and 129=1 or 2).
- 3. Chronic condition records reported in response to a check list of conditions for each body system, e.g., digestive. The total sample was divided into six subsamples. Each subsample was asked the set of conditions corresponding to one of the six chronic disease check lists.

#### Use of Condition Records

NHIS condition records can be used to calculate aggregate estimates and rates of the incidence of acute conditions (Recode 2), prevalence of selected chronic conditions (attached lists), disability days and utilization associated with acute or chronic conditions, and chronic conditions causing limitation of activity. Explanations of the procedures used to calculate these figures and rates are given below as well as restrictions due to content and reliability factors.

Included below is a list of special codes in ICD format and tape location created by NHIS as well as a list of ICD codes not used by NHIS.

#### NHIS Created Codes

The codes listed below are ICD-like codes with meanings specific to NHIS. These codes and the Impairment X-codes (see end of Recode 1 listing or Medical Coding Manual) are found in the ICD column locations of the person, condition, and hospital records. The X of the impairment codes is in the first of the four columns.

NHIS Code	Category Title		
019	Tuberculosis, arrested or inactive		
	Psychic factors associated with diseases classified elsewhere in specified system:		
316.0	Musculoskeletal		
316.1	Respiratory		
316.2	Cardiovascular		
316.3	Skin		

316.4	Gastrointestinal
316.5	Genitourinary
316.6	Endocrine
316.7	Organs of special sense
316.8	Other
316.9	Unspecified
399	Rheumatic fever, inactive
477.7	Allergies with multiple causes
693.2	Skin allergies with multiple causes
799.5	Observation with no condition found

## Codes Not Used by NHIS

These ICD codes are not specifically used by NHIS. They are usually included in the categories specified:  $\[ \]$ 

Unused ICD	Coded To:
009.1	558
009.3	558
137-139	Impairment, as appropriate
230-234	Not applicable (not reported in NHIS)
235-238	Benign, malignant or unspecified, by site
268.1	Not applicable (not reported in NHIS)
306.0,6,7,8,9	Code as if non-psychogenic
315.0-2	X14
317-319	X19
326	Code residual effect to appropriate impairment or ICD 320-325
331.3,4	X93
342	X41
343	X50

344.0,2-6,8,9	Less than 3 months, see Medical Coding Manual, Appendix III If greater than 3 months, code as impairment, by site and extent
353.5	X70-X79, by site
369	X00-X03, by severity and site
388.2	X05-X09, by severity and site
389	X05-X09, by severity and site
391	Usually 598.9 (see Short Index)
410-412	414
429.6	414
436	437
438	Appropriate impairment usually (see Medical Coding Manual, Appendix III)
520.0-2,5	X92 <sup>-</sup>
521.6	X92
524	X92 · .
718.6	X85 .
728.2	X70-X79, by site
728.4	Orthopedic impairment, by site
728.6	X74
734	X77
735	X76
736	Impairment, by type, site and cause
737	X70
738	Impairment, by type, site and cause
740	Not applicable (not reported in NHIS)
741	X71.9
742.0,1,3	X93.9

	•
743	Code to equivalent <u>acquired</u> diseases of the eye 744.0-3388.9 and/or appropriate impairment
~	(see Appendix III)
744.5	X79.9
744.8,9	of face, coded to X90.9 of neck, coded to X79.9
749	X91.9
750.0,1	X11.9
753.0	X31.9
754.2	X70.9
754.3	X75.9
754.4	X76.9
754.5-7	X78.9 except flatfoot coded to X77
754.8	Appropriate impairment, by type and site
755	Appropriate impairment, by type and site
756.0-3	Appropriate impairment, by type and site
758.0	X19.9
759.7.9	X99.9
761.6	Not applicable
779.6	Not applicable (for fetus)
781.5	X74
783.1	278.0
798	Not applicable
871.3	X00-X03
885-887	Appropriate impairment, by site
895-897	Appropriate impairment, by site
905.6-8	X80-89, by site
905.9	X20-29, X35, by site

908.6 Code to effect
909.0,1,3,9 Code to effect
958 Code injury only
960-979 977.9
980.987 989.9

In addition, the NHIS does not use certain ICD codes, which are conditions known to be caused by other conditions. In the Ninth Revision of the ICD, some causal conditions are marked by a dagger and the resulting condition by an asterisk. NHIS codes the dagger and not the asterisk.

#### Acute Conditions

Annual incidence estimates can be calculated by the following:

- 1. Use acute condition records (103:2) and categories from Recode 2
- 2. Select those with onset in last two weeks (104:1,2)
- Use 6.5 weight (237-245) for all four quarters of data.

Denominators for subdomain rates should be computed by summing the weights for the entire domain of interest.

When associated disability days such as annual bed days are needed, the weighted number of bed days in location 273-281 should be substituted for the 6.5 weight in 3 above).

For additional examples of calculating estimates associated with acute conditions, see the back of this document.

#### Chronic Conditions

Following is the list of selected chronic conditions for which NHIS calculates prevalence and associated disability and use data. We feel that the collection and coding procedures used do not justify any further breakdown of categories for purposes of estimating prevalence from our survey. These categories correspond to questions asked on the six chronic condition lists and therefore produce reliable estimates except where the numbers are small. In order to obtain NHIS prevalence estimates, use the categories on the attached list, defined in terms of recodes whenever possible and ICD codes when appropriate recodes do not exist. These categories should be used because in the processing of these data, the recodes have been edited but the ICD codes have not.

For chronic conditions not specified in the six lists, estimates do not reflect prevalence but may be useful in epidemiological investigations. For most of the non-list conditions only those resulting in limitation of activity, recent disability days, doctor visits or hospitalization will be included.

Because chronic conditions-related estimates are made based on a one-sixth subsample, many estimates, especially for population subgroups, may not be statistically reliable.

The weights for the six subsamples have been adjusted to the Census population controls using the same age-sex-race cells as were used for the entire sample. The most accurate chronic condition aggregate estimates for population variables other than age, sex and race are achieved by multiplying rates calculated for the one-sixth subsample by the population estimate based on the total sample.

For example, to estimate the prevalence of hypertension in the population with income \$25,000+, the rate calculated using the entire circulatory system subsample and those in the sample with hypertensive disease should be multiplied times the population estimate from the entire NHIS sample in the \$25,000 income category.

In order to calculate annual prevalence estimates:

- 1. Use chronic condition records (103:1)
- 2. Select on the appropriate list number in tape location 177
- 3. Select on specified codes in either location 109-111 (for Recode 1) or locations 105-108 (for ICD codes)
- 4. Multiply the chronic condition prevalence factor (location 411-420) divided by 100,000,000 (to adjust for the implied decimal) times the basic weight factor in location 219-227.

Rates should be calculated using the population estimates from the subsample as the denominator.

In order to calculate associated disability days, doctor visits, etc., the specifications above should be used, substituting the appropriate weight for the basic weight factor in 4. For example, to calculate annual bed day estimates based on a two-week recall period, use the chronic condition factor multiplied by the weighted bed days in location 273-281.

#### Limitation of Activity due to Chronic Condition

To calculate limitation of activity due to chronic conditions on a condition basis, use the entire NHIS sample, rather than the one-sixth subsamples. NHIS recommends that Recode 5 (location 178-180) be used to categorize the causal conditions. Recode 3 can also be used to define the conditions causing limitations. (NOTE: If only those conditions listed as the main cause of limitation (129:1) are used, the resulting estimate (using basic weight in location 219-227) will equal the total number of persons with any limitation of activity (from the person record).

#### Use of Recodes

Recode 1 - A subset of recode 1 categories are used in many chronic condition categories as specified in the attached list. Both acute and chronic codes are included in Recode 1.

Recode 2 - A summary of Recode 1 categories for acute conditions. It contains the smallest categories considered reliable by NHIS for estimating acute conditions.

- Recode 3 A summary of Recode 1 categories for chronic conditions. It is sometimes used by NHIS for defining conditions causing limitation of activity.
- Recode 4 Used only on the hospital record. It is only rarely used.
- Recode 5 The recommended recode for limitation of activity. It corresponds directly to Ninth Revision ICD categories.

~ ~

# SUGGESTED PREVALENCE CATEGORIES The following six lists contain the only categories for which the NHIS publishes prevalences.

#### SELECTED CHRONIC DIGESTIVE CONDITIONS

Condition Category	Recode 1	ICD	1981 Prevalence
Ulcer of stomach and duodenum	163		3,927,688
Frequent constipation	172		3,599,159
Hernia of abdominal cavity	168		3,697,855
Functional and symptomatic upper gastrointestinal disorders	165		3,907,999
Gallbladder condition	178,179		1,521,741
Gastritis and duodenitis	164		1,617,316
Diverticula of intestine	171		1,528,931
Chronic enteritis and colitis	169,170		2,143,200
Intestinal condition	173,174		1,636,979
Stomach trouble, NOS	166		813,237
Liver condition	175-177		578,145

#### SELECTED IMPAIRMENTS

Condition Category	Recode 1	<u>100</u>	1981 Prevalence
Visual impairments	X00-X04		9,083,717
Hearing impairments	X05-X09		18,665,650
Speech impairments	X10-X11		2,165,901
Absence of extremities or parts of extremities (excluding tips of fingers or toes only)	x20-x29 <sup>*</sup>		2,005,965
Absence of entire finger(s) and/or thumbs(s) only	x-22,x-25 <sup>1</sup> /		1,257,264
Other extremities or parts of extremities absent	X20,X21,X23, X24,X26-X29*		748,700
Paralysis, complete or partial, of extremities or parts of extremities	x40-x59*		1,318,216
Deformities or orthopedic impairments	X70-X76 <sub>*</sub> X78-X89		18,416,051
Of back	x70,x71,x80 <sup>*</sup>		11,678,783
Upper extremities or parts of upper extremities	X73 <sub>*</sub> X74, X84		2,961,615
Lower extremities or parts of lower extremities	X75,X76 <sub>*</sub> X78, X85,X86		5,229,613
Other	X79,X89*		299,972
Glaucoma	122		-
Cataracts	121		-
Color Blindness		368.5	-
Detached Retina		361.9	-

<sup>\*</sup> Means count only once if person has more than one record in this range.

 $<sup>\</sup>frac{1}{2}$  No other record in X20-29 range.

<sup>2/</sup> May equal less than sum because person may have more than one type.

#### SELECTED CHRONIC RESPIRATORY CONDITIONS

Condition Category	Recode 1	ICD .	1981 Prevalence
Chronic bronchitis	151		7,942,815
Emphysema	152		2,088,592
Asthma, with or without hay fever	153		7,244,481
Hypertrophy of tonsils and adenoids	154		3,033,930
Chronic sinusitis	156		31,036,480
Deflected nasal septum		470	1,137,027
Nasal polp		471	539,484
Chronic laryngitis		476	890,990
Hay fever, without asthma (includes upper respiratory allergy)	157		17,873,906
Pleurisy	•	511	417,814
Pneumoconiosis		495, 500-506	144,061*
Other chronic interstitial pneumonia		515,516.3	242,873
Bronchiectasis		494	116,849*
Tuberculosis, active	001-003		181,746
Tuberculosis, arrested or inactive	004		23,786*

<sup>\*</sup> Figure does not meet standards of reliability or precision (more than 30 percent relative standard error)

## SELECTED CHRONIC CIRCULATORY CONDITIONS

Condition Category	Recode 1	ICD	1981 <u>Prevalence</u>
Heart Conditions (add subset categories below, lines 2-7)			17,186,106
Active rheumatic fever and chronic rheumatic heart disease	127,128		1,462,703
Hypertensive heart disease	132		150,277*
Coronary heart disease	129		5,675,707
Other specified heart disease		415.0,416, 417 except 417.1, 420-422,423 except 423.1 424 except 424.1, all 4 except 425.3 426 except 426.8, 427.0,2-5, 428.0,1, 429.0,1,5	<b>12</b> 5
Unspecified disorders of heart rhythm	٠.	426.8, 427.1,6,8,9 785.0-2	6,199,488
Heart trouble, NOS	130		2,583,695
Hypertensive disease, NEC	133		25,523,526
Cerebrovascular disease	134		1,868,992
Arteriosclerosis, NEC	135		3,398,230
Varicose veins, NEC	137		6,129,874
Hemorrhoids	138		8,848,365
Phlebitis and thrombophlebitis, NEC	139		907,570
Poor circulation, NOS	141		697,524
Congenital anomalies of circulatory system		<b>425.3,</b> 745-747	559,222

<sup>\*</sup> Figure does not meet standards of reliability or precision (more than 30 percent relative standard error)

# CHRONIC CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC AND BLOOD FORMING SYSTEMS AND OTHER SELECTED CONDITIONS

Condition Category .	Recode 1	<u>ICD</u>	1981 Prevalence
All thyroid conditions	087-089		2,822,395
Goiter, all forms	087		317,359
Thyroid trouble, NOS	088		1,013,941
Other specified diseases of thyroid gland	089		1,491,095
Diabetes.	090		5,499,737
Cystic fibrosis		277.0	78,633 <sup>*</sup>
All anemia conditions	097-100		2,769,464
Iron deficiency anemia	098		472,609
Pernicious and other deficiency anemias	097		113,533*
Other specified anemias	099		75 <b>,</b> 799 <sup>*</sup>
Anemia, unspecified	100		2,107,523
Multiple sclerosis	108	•	93,256*
Epilepsy, all types, or chronic convulsions, cause unknown	110		966,082
Migraine	111		5,999,109
Sciatica	113		1,609,603
Neuralgia, neuritis, specified sites and types, NEC	114,115		1,100,901
All diseases of urinary system	181,182, 184-186		5,689,273
Nephritis, NEC	181		223,565
Calculus of kidney and ureter	182		821,158
Other diseases of kidney and ureter, NEC	185		871,448
Kidney trouble or disease, NOS	184		955,993
Diseases of urinary system, NEC	186		2,817,109

# CHRONIC CONDITIONS OF THE GENITOURINARY, NERVOUS, ENDOCRINE, METABOLIC AND BLOOD FORMING SYSTEMS AND OTHER SELECTED CONDITIONS

Condition Category	Recode 1	<u>ICD</u>	1981 <u>Prevalence</u>
Diseases of prostate	187		1,477,238
All female troubles except breast	191-196		2,326,313
Diseases or uterus and ovary, NEC	191,192		1,092,910
Other specified female genital disorders	193-195		942,591
Female trouble, NOS	196		290,812

<sup>\*</sup> Figure does not meet standards of reliability or precision (more than 30 percent relative standard error)

### SELECTED CHRONIC SKIN AND MUSCULOSKELETAL CONDITIONS

#### SKIN

Condition Category	Recode 1	ICD	1981 Prevalence
Dermatophytosis and dermatomycoses	039		576,226
Neoplasms of the skin		172,173,216	1,360,718
Chronic infections of skin and subcutaneous tissue, NEC		680-682, 684-686, 723.6,729.3, 771.4	<b>268,966</b>
Eczema, dermatitis, and urticaria, NEC	209,210		8,111,233
Psoriasis and similar disorders		696	1,575,929
Other inflammatory conditions of skin and subcutaneous tissue		694.4-6,695, 697,698	3,441,754
Corns and callosities		700	4,289,880
Other hypertrophic and atrophic conditions of skin		701.0-4,8,9	130,832*
Diseases of nail		703	4,077,942
Disease of sebaceous glands, NEC (acne)		706	5,643,460
Other diseases of skin and subcutaneous tissue, NEC	<b>.</b>	694.8,9, 701.5,702, 704,705,707, 709, 782.8	1,496,174
MUSCUI	OSKELETAL		
Arthritis, NEC	212	•	27,238,293
Rheumatism, nonarticular and unspecified	213	•	638,136
Osteomyelitis and other diseases of bone		724.7, 730-732, 733.0-5,7,9, 793.7	1,127,912
Displacement of intervertebral disc	214		3,174,477
Bunion	217		2,014,329
Synovitis, bursitis, and tenosynovitis	218		4,791,633
Gout	095		2,018,257

<sup>\*</sup> Figure does not meet standards of reliability or precision (more than 30 percent relative standard error)

### Outline of Items and Codes

# Condition Record (Record Type 3) Rumber of Records - 76,643

Tape Locations	Item No.	Items and Codes
1-2	-	BLANK
3-5	HH- 5	RANDOM RECODE OF PSU
6-7	HH-5	WEEK - CENSUS CODE  01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13
8-9	HH-5	SEGMENT NUMBER  Week plus Segment Number identifies the segment
10-11	нн-5	HOUSEHOLD NUMBER  Numbered within PSU-Week-Segment
12-13	-	PERSON NUMBER
14	-	RECORD TYPE (3)
15-16	-	RECORD SERIAL NUMBER
17-18	-	BLANK

Tape Locations	Item No.	_ Items and Codes
19	Recode	PROCESSING QUARTER CODE  1 Quarter 1, 1981 2 Quarter 2, 1981 3 Quarter 3, 1981 4 Quarter 4, 1981
20	Recode	PROCESSING YEAR 1 1981
21-22	Recode	PROCESSING WEEK CODE  01 01, 21, 41, 61, 81 02 02, 22, 42, 62, 82 03 03, 23, 43, 63, 83 04 04, 24, 44, 64, 84 05 05, 25, 45, 65, 85 06 06, 26, 46, 66, 86 07 07, 27, 47, 67, 87 08 08, 28, 48, 68, 88 09 09, 29, 49, 69, 89 10 10, 30, 50, 70, 90 11 11, 31, 51, 71, 91 12 12, 32, 52, 72, 92 13 13, 33, 53, 73, 93
23-27	œ.	BLANK
28	RC Recode	TYPE OF PSU  0 The 31 Large Self-representing SMSA's  1 SMSA - Self-representing  3 SMSA - Nonself-representing  4 Non-SMSA - Self-representing  6 Non-SMSA - Nonself-representing
29	RC Recode	REGION  1 Northeast 2 North Central 3 South 4 West

Tape Locations	Item No.	Titems and Codes
30-31	RC Record	TABULATION AREA  Blank - Nonself-representing sections and self-representing SMSA's other than 34-64.
		Large Self-representing SMSA'sRecodeSMSARecodeSMSA34Boston49Kansas City35New York*50St. Louis36Philadelphia51Houston37Pittsburgh52Dallas38Detroit53Washington, D.C.39Chicago**54Seattle-Everett40Cincinnati55San Diego41Los Angeles-56Anaheim-Santa Ana- Garden Grove42San Francisco-57Miami0akland58Denver43Baltimore59San Bernardino-44AtlantaRiverside-Ontario45Buffalo60Indianapolis46Cleveland61San Jose47Minneapolis-62New OrleansSt. Paul63Tampa-St. Petersburg48Milwaukee64Portland, Oregon*Northwestern New Jersey Consolidated Area**Northwestern Indiana Consolidated Area
32	-	BLANK
33	RC Record	GEOGRAPHIC IDENTIFICATION  1 In SMSA; in Central City 2 In SMSA; not in Central City 3 Not in SMSA
34-35	-	BLANK
36	Recode	SMSA - NON-SMSA RESIDENCE  1 SMSA 2 Non-SMSA - Nonfarm 3 Non-SMSA - Farm

Tape Locations	Item No.	_ Items and Codes
37	HH-8	TYPE OF LIVING QUARTERS  1 Housing Unit 2 Other
38-42	-	BLANK
43	нн-15	TELEPHONE (Not Edited)  1 Yes - phone 2 No or none 3 Phone, but no number listed or number refused 9 DK if phone or refused Blank Not reported
44-51	-	BLANK ·
52	· Q2	SEX 1 Male 2 Female
53- 54	Q3	AGE  00 Under 1 year  01-98 Single years  99 99+ years
55-56	Recode	AGE RECODE #1  01 00-04 years 02 05-14 03 15-24 04 25-34 05 35-44 06 45-54 07 55-64 08 65-74 09 75+

Tape Locations	Item No.	Items and Codes
57-58	Recode	AGE RECODE #2  01 Under 6 years  02 6-16  03 17-24  04 25-34  05 35-44  06 45-54  07 55-64  08 65-74  09 75+
59	Recode	AGE RECODE #3  1 Under 15 years 2 15-44 3 45-64 4 65+
60	· Q4	MARITAL STATUS  0 Under 17 years 1 Married - Spouse present 2 Widowed 3 Never married 4 Divorced 5 Separated 6 Married - Spouse absent
61-62	Q2a,b	EDUCATION OF INDIVIDUAL-COMPLETED YEARS  01 Under 17 years of age 02 None 03 1-4 years completed 04 5-7 years completed 05 8 years completed 06 9-11 years completed 07 12 years completed 09 13-14 years completed 09 15 years completed 10 16 years completed 11 17+ years completed (graduate school) 12 Unknown 13 Not reported

C-6
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
63	Q2a,b Recode	EDUCATION OF INDIVIDUAL RECODE  1 Under 17 years of age 2 None 3 01-08 (elementary) 4 09-11 (high school) 5 12 (high school graduate) 6 13-15 (college) 7 16+ (college graduate +) 8 Unknown
64-65	Q2a,b	EDUCATION OF FAMILY HEAD OR UNRELATED INDIVIDUAL - DETAIL  01 Under 17 years of age 02 None 03 1-4 years completed 04 5-7 years completed 05 8 years completed 06 9-11 years completed 07 12 years completed 09 13-14 years completed 09 15 years completed 10 16 years completed 11 17+ years completed (college graduate) 12 Unknown 13 Not reported
66	Q2a,b Recode	EDUCATION OF HEAD - RECODE  1 Under 17 years of age 2 None 3 01-08 (elementary) 4 09-11 (high school) 5 12 (high school graduate) 6 13-15 (college) 7 16+ (college graduate +) 8 Unknown

C-7
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
67	Q3a,b	VETERAN STATUS  0 Under 17 years of age 1 Nonveteran 2 Peacetime only 3 World War I 4 World War II 5 Korean War 6 Vietnam veteran 7 DK if served in Armed Forces 8 DK if war veteran 9 Post Vietnam
68-69	Q12	FAMILY INCOME OR INCOME OF UNRELATED INDIVIDUAL  01 Under \$1,000 02 \$1,000- 1,999 03 2,000- 2,999 04 3,000- 3,999 05 4,000- 4,999 06 5,000- 5,999 07 6,000- 6,999 08 7,000- 9,999 09 10,000-14,999 10 15,000-24,999 11 25,000+ 12 Unknown 13 Not reported
70	Q12 Recode	FAMILY INCOME RECODE  1 Under \$3,000 2 \$3,000- 4,999 3 5,000- 6,999 4 7,000- 9,999 5 10,000-14,999 6 15,000-24,999 7 25,000+ 8 Unknown

C-8

Tape Locacions	Item No.	_ Items and Codes
71 <u>-72</u> 71 72	Ų2	FAMILY RELATIONSHIP  Type of Family  \$ Primary individual  Secondary individual  0 Primary family  1-9 Secondary families
		Relationship  & Unrelated individual living alone  0 Head of family or unrelated individual not living alone  1 Wife (husband living at home and not in Armed Forces)  2 Wife (husband living at home and is in Armed Forces)  3 Child of head or spouse  4 Grandchild of head or spouse  5 Parent of head or spouse  6 Other relative
73	Q2 Recode	FAMILY RELATIONSHIP RECODE (Living arrangement)  1 Living alone 2 Living with nonrelatives 3 Living with spouse 4 Living with relatives - other
4	719 f 20 Recode	USUAL ACTIVITY  0 Under 6 years 1 Usually working 2 Keeping house (female) 3 Retired - Health (45+ years) 4 Going to school 5 Something else 6 Unknown 7 Retired, Other (45+ years)

Tape Locations	Item No.	Items and Codes
75	Q6 Currently Employed Unemployed	CURRENT ACTIVITY DURING PAST 2 WEEKS  0 Under 17 years 1 Worked in past 2 weeks 2 Did not work, has job, not on layoff and not looking for work 3 Did not work has job, looking for work 4 Did not work, has job, on layoff 5 Did not work, has job, on layoff and looking for work 6 Did not work, has job, unknown if looking or on layoff 7 Did not work, no job, looking for work or on layoff 8 Not in labor force (17+)
76	Q7e	CLASS OF WORKER  0 Never worked  1 Private Paid  2 Federal Government  3 State Government  4 Local Government  5 Incorporated business  6 Self employed  7 Without pay  8 Not in labor force  9 Unknown or not reported
77-79	Q7b	INDUSTRY DETAIL CODE  017-999 Code Number  Blank Not applicable
80-81	Recode	INDUSTRY RECODE No. 1  See Attachment
82-83	Recode .	INDUSTRY RECODE No. 2  See Attachment  •
84-86	Q7c	OCCUPATION DETAIL CODE  001-995 Code number Blank Not applicable

Tape Locations	Item No.	Items and Codes
87-88	Recode	OCCUPATION RECODE No. 1 See Attachment
89-90	Recode	OCCUPATION RECODE No. 2  See Attachment
91	R (Q4-34)	RESPONDENT  1 Self entirely 2 Self partly 3 Spouse 4 Mother 5 Father 6 Other female family member 7 Other male family member 8 Other 9 Not reported
92-93	-	BLANK
94	R	AGE OF RESPONDENT  1 Under 20 years 2 20-54 years 3 55-64 years 4 65-74 years 5 75+ years 6 Unknown and not reported
95-96	Generated	ACTUAL FAMILY SIZE  00 Unrelated individuals 01+ Family size

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape ocations	Item No.	_ Items and Codes
97	Recode	SIZE OF FAMILY RECODE  0 Unrelated individuals 1 One member 2 2 members 3 3 members 4 4 members 5 5 members 6 6 members 7 7 members 8 8+ members
98-100	С	QUESTION NUMBER—THIS CONDITION (First 3 Sources) (Not edited Source 1 Source 2 Source 3 (Loc. 98) (Loc. 99) (Loc. 100)  O Q10 Q10 Q10 Q10 Q10 Q11 Q11 Q11 Q11 Q11
101-102	· <u>-</u>	BLANK
103	C-3	CHRONIC/ACUTE CODE  1 Chronic 2 Acute
104	<b>C-</b> 9	ONSET  1 Last week 2 Week before 3 2 weeks to 3 months 4 3-12 months 5 12+ months
105–108	C-3	CONDITION - DIAGNOSTIC CODE  ICD Rubric

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
109-111	Recode	DIAGNOSIS RECODE NO. 1  See listings dated October 1981.
112-115	Recode	DIAGNOSIS RECODE NO. 2  See listings dated October 1, 1981.
116-117	Recode	DIAGNOSIS RECODE NO. 3  See listings dated October 1, 1981.
118-119	C-4,5	RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS 00 None 01-14 Number of days
120-121	C-6	BED DAYS IN PAST 2 WEEKS  00 None 01-14 Number of days
122	C-7,8	WORK OR SCHOOL LOSS DAYS IDENTIFIER  1 Under 6 2 6-16 - school 3 17+ work
123-124	C-7,8	WORK OR SCHOOL LOSS DAYS IN PAST 2 WEEKS  00 None 01-14 Number of days
125	Person	LIMITATION OF ACTIVITY (DUE TO CHRONIC CONDITIONS)  1 Cannot perform usual activity 2 Can perform UA but limited in amount and kind 3 Can perform UA but limited in outside activities 4 Not limited (including unknown) or not applicable (persons with no chronic conditions)

<sup>1/</sup> Includes bed days, work-loss and school-loss days, and other restricted activity
days.

C-13
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
126-128 126	Person Person	DURATION OF LIMITATION OF ACTIVITY  Unit = 1 Months } 2 Years } (loc. 125:1-3) 3 Unknown blank Not applicable (loc. 125:4)
127-128	Person	Number of Units =  00 Less than 1 month )  01-97 Number of months or years) (loc. 125:1-3)  99 Unknown )  Blank Not applicable (loc. 125:4)
129	-	CAUSE OF LIMITATION OF ACTIVITY (DUE TO CHRONIC CONDITIONS)  1 Main cause 2 Secondary cause 3 Not cause of limitation 4 Not limited
130-133 130	15b	CONDITIONS FROM PROBE Q32 <sup>2</sup> / Work Loss Days in Past 12 Months  Unknown Code  1 None and known number of days 2 Unknown and Not reported  Number of Days  000-365
134	-	BLANK
135	C-2	DOCTOR SEEN  1 Yes 2 No

<sup>2/</sup> All locations from 130-133, 144-148, 152, 156-157 are blank if source of condition is not Q32 (4 in Chr. 136).

Tape Locations	Item No.	Items and Codes
136	_	CONDITIONS PAST AA
		1 Doctor seen 2 Doctor not seen 4 Conditions not past AA
137-143	-	BLANK
144-147		CONDITIONS FROM PROBE Q322/
144	lla	Takes Medicine or Treatment Now (Doctor seen)
		<pre>1 Yes 2 No 3 DK or Not reported 4 Not applicable (Doctor not seen)</pre>
145	116	Medicine or Treatment Recommended by Doctor (Doctor seen)
		1 Yes 2 No 3 DK or Not reported 4 Not applicable (Doctor not seen or no medicine or treatment)
146	C-12	Surgical Treatment (Doctor Seen)
		<pre>1 Yes 2 No 3 DK or Not reported 4 Not applicable (Doctor not seen)</pre>
147	C-13	Hospitalization (Doctor seen)
		<pre>1 Yes 2 No 3 DK or not reported 4 Not applicable (Doctor not seen)</pre>
148	C-14	Doctor Visits in Past 12 Months (Doctor seen)
		Unknown Code  1 None and Known number of visits 2 Unknown and Not Reported 3 Not applicable (Noctor not seen)
149-151		Number of Visits
		000-998 Number of visits if 1 in Location 148 000 Unknown, Not reported, Not applicable if 2 or 3 in Location 148

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

C-15

Tape Locations	Item No.	Items and Codes
	•	CONDITIONS FROM PROBE Q32 Cont'd.2/
152-155	C-15a	Bed Days in Past 12 Months
152		Unknown Code  1 None and Known number of visits 2 Unknown and Not reported
153–155	C-15a	Number of Days 000-365
156	C-16a	Frequency of Bother  1 Never 2 All the time 3 Often 4 Once in a while 5 Other 6 DK, not reported
157	C-16b	How Bothers  1 Never 2 Great deal 3 Some 4 Very little 5 Other 6 DK, Not reported
158-159	-	BLANK
160	C-3 17-21	INJURIES - QUESTIONS 17-21 FILLED?  1 Not filled, adverse reaction 2 Not filled, other injuries 3 Q17-21 filled Blank No injuries

<sup>&</sup>lt;u>2</u>/ See page C-13.

C-16
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
161	C-3 .	FIRST INJURY  1 Yes 2 No Blank No injuries
162	-	INJURY REQUIRES HOSPITALIZATION  1 Yes 2 No Blank No injuries
163	C-21a	INJURIES-MOTOR VEHICLE INVOLVED  1 Yes 2 No 3 DK (including Q17-21 not filled) Blank No injuries
164	C-21c	INJURIES - MOVING MOTOR VEHICLE INVOLVED  1 Yes 2 No 3 DK 4 Not applicable - if #1 in Location 163 Blank No injuries
165	C-19	INJURIES - WHERE DID ACCIDENT HAPPEN?  1 At home - inside 2 At home - outside 3 Street and highway 4 Farm 5 Industrial place 6 School 7 Place of recreation 8 Other 9 DK, Not reported Blank No injuries

C-17 HIS - CALENDAR YFAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
166	C-20	INJURIES - WERE YOU AT WORK AT TIME OF ACCIDENT?  1 Yes 2 No 3 Armed Forces 4 Under 17 at time of accident 5 DK, Not reported Blank No injuries
167-168	-	BLANK
169-171	Recode	INJURIES - CLASS OF ACCIDENT See Attachment
172	-	BLANK
173	Q4a,b	MAIN RACIAL BACKGROUND (Reported)  1 Aleut, Eskimo or American Indian 2 Asian or Pacific Islander 3 Black 4 White 5 Another group not listed 6 Multiple entry - unknown which is main racial background 7 Unknown
174	C-2	LAST SEEN BY DOCTOR  0 During Interview Week  1 Past 2 weeks  2 2 weeks - 6 months  3 Over 6-12 months  4 1 year  5 2-4 years  6 5+ years  7 Doctor seen - DK when  8 DK (Doctor Not Seen)  9 DK if Doctor Seen
175	C-10	ABLE TO READ NEWSPAPER - LEFT EYE  1 Yes 2 No 3 DK 4 Under 6 years of age or no eye condition

Tape Locations	Item No.	Items and Codes
176	C-10	ABLE TO READ NEWSPAPER - RIGHT EYE  1 Yes 2 No 3 DK 4 Under 6 years of age or no eye condition
177	Recode	CONDITION LIST ASSIGNED AND ASKED  1 Condition List 1 - Digestive 2 Condition List 2 - Bone and Muscle 3 Condition List 3 - Miscellaneous 4 Condition List 4 - Impairments 5 Condition List 5 - Circulatory 6 Condition List 6 - Respiratory 7 Unknown
178-180	-	DIAGNOSTIC RECODE No. 5  See listings dated October 1981.
181	Q4a,b, Q5a,b	RACE RECODE (Reported)  1 White 2 Black 3 Other
182-183	P-2	FAMILY STRUCTURE  O1 Both parents, no other adults O2 Mother only O3 Father only O4 Both parents and other adult relative O5 Mother and other adult relative O6 Father and other adult relative O7 No parent, but one adult relative O8 No parent, but two or more adult relatives O9 Other 10 Not applicable 25+ years and/or ever married
184	P-33	HEALTH STATUS  1 Excellent 2 Good 3 Fair 4 Poor 5 Unknown

Includes chronic conditions of the genitourinary, nervous, endocrine, metabolic, and blood and blood-forming systems and of other selected chronic conditions.

C-19
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
185-187	С	QUESTION NUMBER - THIS CONDITION (Last 3 Sources) (not edited Source 4 Source 5 Source 6 (Loc. 185) (Loc. 186) (Loc. 187)  O Q10 Q10 Q10 Q10  1 Q11 Q11 Q11  2 Q17 Q17 Q17  3 Q28 Q28 Q28  4 Q32 Q32 Q32  7 D.V. page D.V. page D.V. page  8 Condition Condition Condition  9 Hospital Hospital Hospital  Other Other Other  Blank Not reported Not reported
188 <b>–</b> 192	-	FINAL BASIC WEIGHT (XXXXX.)
193-198	-	6.5 WEIGHT (FINAL BASIC WEIGHT x 6.5) (XXXXXX)
199-200	Person Q5a.b	MAIN SPANISH ORIGIN  Ol Puerto Rican  O2 Cuban  O3 Mexican  O4 Mexicano  O5 Mexican American  O6 Chicano  O7 Other Latin American  O8 Other Spanish  O9 Spanish - DK type  10 No - Not Spanish origin  11 Unknown

C-20
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Character Tape Locations	Previous Binary Tape Location	- Items and Codes
		FOR PREVALENCE ESTIMATE
201-209 210-218 219-227 228-236	201-204 205-208 209-212 213-216	Basic Weight using one quarter's data (B.W.) Basic Weight using two quarter's data (B.W./2) Basic Weight using four quarter's data (B.W./4) Basic Weight using eight quarter's data (B.W./8)
		6.5 WEIGHT (Base weight x 6.5)
237-245 246-254	217-220 221-224	Quarter, Semiannual and Annual Biannual (wt/2)
		WEIGHTED NUMBER OF RESTRICTED ACTIVITY DAYS FOR A GIVEN PERIOD (based on 2-week recall period)
255-263 264-272	225-228 229-232	Quarter, Semiannual, Annual Biannual
		WEIGHTED NUMBER OF BED DAYS FOR A GIVEN PERIOD (based on 2-week recall period)
273-281 282-290	233-236 237-240	Quarter, Semiannual, Annual Biannual
		WEIGHTED NUMBER OF WORK/SCHOOL LOSS DAYS FOR A GIVEN PERIOD (based on 2-week recall period)
291-299 300-308	241-244 245-248	Quarter, Semiannual, Annual Biannual
		WEIGHTED NUMBER OF DOCTOR VISITS FOR A GIVEN PERIOD (based on 12 months recall period)
309-317 318-326 327-335 336-344	249-252 253-256 257-260 261-264	Quarter Semiannual Annual Biannual
		WEIGHTED NUMBER OF BED DAYS FOR A GIVEN PERIOD (based on a 12 months recall period)
345-353 354-362 363-371 372-380	265-268 269-272 273-276 277-280	Quarter Semiannual Annual Biannual

C-21
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Character Tape Locations	Item No.	Items and Codes
381-410		BLANK
411-420		CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXX)  For prevalence or incidence estimates of chronic conditions, tabulate only on the list assigned and asked which includes the chronic condition, and multiply the appropriate weight by the factor in this field. This will weight the one-sixth subsample to full-sample totals.
421-466	-	BLANK
467-469	-	PSEUDO PSU NUMBER 001-298

#### HIS -1981 COMPUTER PROCESSING

#### Description of Class of Accident Code

The three-digit Class of Accident Code described in detail below classifies accidents as follows:

Total Motor Vehicle Accidents = Codes 1 and 2 in first digit of recode Moving Motor Vehicle

Accidents = Code 1 in first digit of recode Normoving Motor Vehicle

Accidents = Code 2 in first digit of recode

Total Work Accidents = Code 1 in second digit of recode

Total Home Accidents = Code 1 in third digit of recode

Class of Accident Recode	
Loc. 169-171	Description
111	Moving motor vehicle - at work - at home
112	Moving motor vehicle - at work - not at home - street or highway
113	Moving motor vehicle - at work - not at home - not on street or highway
121	Moving motor vehicle - not at work - at home - not on street or highway
122	Moving motor vehicle - not at work - not at home - on street or highway
123	Moving motor vehicle - not at work - not at home - not on street or highway
211	Normoving motor vehicle - at work - at home
212	Normoving motor vehicle - at work - not at home
221	Nonmoving motor vehicle - not at work - at home

# Attachment to Final Condition Record--Cont'd.

Class of Accident Recode Loc. 169-171	Description
222	Nonmoving motor vehicle - not at work - not at home
311	Normotor vehicle - at work - at home
312	Nonmotor vehicle - at work - not at home
321	Normotor vehicle - not at work - at home
322	Nonmotor vehicle - not at work - not at home
400	Injured in Armed Forces
500	Therapeutic misadventure
600	Injury Condition - No Table A

HOSPITAL EPISODES

## Outline of Items and Codes

# Hospital Record (Record Type 4)

Number of Records = 14,227

Tape Locations	Item No.	Items and Codes
1-2	-	BLANK
3-5	HH-5	RANDOM RECODE OF PSU
6-7	HH-5	WEEK - CENSUS CODE  01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13
8-9	HH-S	SEGMENT NUMBER  Week plus Segment Number identifies the segment
10-11	HH- 5	HOUSEHOLD NUMBER  Number within PSU-Week-Segment
12-13	-	PERSON NUMBER
14	-	RECORD TYPE (4)
15-16	-	RECORD SERIAL NUMBER
17-18	-	BLANK

Tape Locations	Item No.	Items and Codes
19	Recode .	PROCESSING QUARTER CODE  1 Quarter 1, 1981 2 Quarter 2, 1981 3 Quarter 3, 1981 4 Quarter 4, 1981
20	Recode	PROCESSING YEAR  1 ··· 1981
21-22	Recode	PROCESSING WEEK CODE  01 01, 21, 41, 61, 81 02 02, 22, 42, 62, 82 03 03, 23, 43, 63, 83 04 04, 24, 44, 64, 84 05 05, 25, 45, 65, 85 06 06, 26, 46, 66, 86 07 07, 27, 47, 67, 87 08 08, 28, 48, 68, 88 09 09, 29, 49, 69, 89 10 10, 30, 50, 70, 90 11 11, 31, 51, 71, 91 12 12, 32, 52, 72, 92 13 13, 33, 53, 73, 93
23-27	-	BLANK
28	RC Record	TYPE OF PSU  0 The 31 Large Self-representing SMSA's  1 SMSA - Self-representing  3 SMSA - Nonself-representing  4 Non-SMSA - Self-representing  6 Non-SMSA - Nonself-representing
29	RC Record	REGION  1 Northeast 2 North Central 3 South 4 West

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
30-31	RC Record	TABULATION AREA  Blank Nonself-representing sections and self-representing SMSA's other than 34-64.  Large Self-representing SMSA's
	,	Recode SMSA Recode SMSA
		34 Boston 49 Kansas City 35 New York* 50 St. Louis 36 Philadelphia 51 Houston 37 Pittsburgh 52 Dallas 38 Detroit 53 Washington, D.C. 39 Chicago** 54 Seattle-Everett 40 Cincinnati 55 San Diego 41 Los Angeles- 56 Anaheim-Santa Analor Garden Grove 42 San Francisco- 57 Miami  Oakland 58 Denver 43 Baltimore 59 San Bernardino- 44 Atlanta Riverside-Ontario 45 Buffalo 60 Indianapolis 46 Cleveland 61 San Jose 47 Minneapolis- 62 New Orleans  St. Paul 63 Tampa-St. Petersburg 48 Milwaukee 64 Portland, Oregon  * Northwestern New Jersey Consolidated Area ** Northwestern Indiana Consolidated Area
32	-	BLANK
33	RC Record	GEOGRAPHIC IDENTIFICATION  1 In SMSA; in Central City 2 In SMSA; Not in Central City 3 Not in SMSA
34-35	-	BLANK
36	Recode	SMSA - NON-SMSA RESIDENCE  1 SMSA 2 Non-SMSA - Nonfarm 3 Non-SMSA - Farm

Tape Locations	Item No.	- Items and Codes
37	HH-8	TYPE OF LIVING QUARTERS  1 Housing Unit 2 Other
38-42	-	BLANK
43	HH-15	TELEPHONE (Not edited)  1 Yes - phone 2 No or none 3 Phone, but no number listed or number refused 9 DK if phone or refused Blank Not reported
44-51	<del>-</del> .	BLANK
52	Q2	SEX 1 Male 2 Female
53- 54	Q3	AGE  00 Under 1 year  01-98 Single years  99 99+ years
55-56	Recode	AGE RECODE #1  01 00-04 years 02 05-14  03 15-24  04 25-34  05 35-44  06 45-54  07 55-64  08 65-74  09 75+

H-5 HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	- Items and Codes
57-58	Recode	AGE RECODE #2  01 Under 6 years  02 6-16  03 17-24  04 25-34  05 35-44  06 45-54  07 55-64  08 65-74  09 75+
59	Recode	AGE RECODE #3  1 Under 15 years 2 15-44 3 45-64 4 65+
60	· Q4	MARITAL STATUS  0 Under 17 years 1 Married - Spouse present 2 Widowed 3 Never married 4 Divorced 5 Separated 6 Married - Spouse absent
61-62	Q2a,b	EDUCATION OF INDIVIDUAL-COMPLETED YEARS  01 Under 17 years of age 02 None 03 1-4 years completed 04 5-7 years completed 05 8 years completed 06 9-11 years completed 07 12 years completed 08 13-14 years completed 09 15 years completed 10 16 years completed 11 17+ years completed (graduate school) 12 Unknown 13 Not reported

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

H-6

Tape	_ <del>-</del>	
Locations	Item No.	- Items and Codes
63	Q2a,b Recode	EDUCATION OF INDIVIDUAL RECODE  1 Under 17 years of age 2 None 3 01-08 (elementary) 4 09-11 (high school) 5 12 (high school graduate) 6 13-15 (college) 7 16+ (college graduate +) 8 Unknown
64-65	Q2a,b	EDUCATION OF FAMILY HEAD OR UNRELATED INDIVIDUAL - DETAIL  O1 Under 17 years of age O2 None O3 1-4 years completed O4 5-7 years completed O5 8 years completed O6 9-11 years completed O7 12 years completed O8 13-14 years completed O9 15 years completed 10 16 years completed 11 17+ years completed (graduate school) 12 Unknown 13 Not reported
66	Q2a,b Recode	EDUCATION OF HEAD - RECODE  1 Under 17 years of age 2 None 3 01-08 (elementary) 4 09-11 (high school) 5 12 (high school graduate) 6 13-15 (college) 7 16+ (college graduate +) 8 Unknown

H-7
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
67	Q32,b	VETERAN STATUS  0 Under 17 years of age 1 Nonveteran 2 Peacetime only 3 World War I 4 World War II 5 Korean War 6 Vietnam veteran 7 DK if served in Armed Forces 8 DK if war veteran 9 Post Vietnam
68-69	Q12	FAMILY INCOME OR INCOME OF UNRELATED INDIVIDUAL  01 Under \$1,000 02 \$1,000- 1,999 03 2,000- 2,999 04 3,000- 3,999 05 4,000- 4,999 06 5,000- 5,999 07 6,000- 6,999 08 7,000- 9,999 09 10,000-14,999 10 15,000-24,999 11 25,000+ 12 Unknown 13 Not reported
70	Q12 Recode	FAMILY INCOME RECODE  1 Under \$3,000 2 \$3,000- 4,999 3 5,000- 6,999 4 7,000- 9,999 5 10,000-14,999 6 15,000-24,999 7 25,000+ 8 Unknown

H-8

Tape Locations	Item No.	Items and Codes
<u>71 -72</u> 71	Q2	FAMILY RELATIONSHIP  Type of Family  \$ Primary individual  Secondary individual  0 Primary family  1-9 Secondary families
. 72		Relationship  & Unrelated individual living alone  0 Head of family or unrelated individual not living alone  1 Wife (husband living at home and not in Armed Forces)  2 Wife (husband living at home and is in Armed Forces)  3 Child of head or spouse  4 Grandchild of head or spouse  5 Parent of head or spouse  6 Other relative
73	. Q2 Recode	FAMILY RELATIONSHIP RECODE (Living arrangement)  1 Living alone 2 Living with nonrelatives 3 Living with spouse 4 Living with relatives - other
74	Q19 & 20 Recode	USUAL ACTIVITY  0 Under 6 years 1 Usually working 2 Keeping house (female) 3 Retired - Health (45+ years) 4 Going to school 5 Something else 6 Unknown 7 Retired, Other (45+ years)

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

H-9

Tono		
Tape Locations	Item No.	_ Items and Codes
75	Q6 Currently Employed . Unemployed	CURRENT ACTIVITY DURING PAST 2 WEEKS  0 Under 17 years 1 Worked in past 2 weeks 2 Did not work, has job, not on layoff and not looking for work 3 Did not work has job, looking for work 4 Did not work, has job, on layoff 5 Did not work, has job, on layoff and looking for work 6 Did not work, has job, unknown if looking or on layoff 7 Did not work, no job, looking for work or on layoff 8 Not in labor force (17+)
76	Q7e	CLASS OF WORKER  0 Never worked  1 Private paid  2 Federal Government  3 State Government  4 Local Government  5 Incorporated business  6 Self employed  7 Without pay  8 Not in Labor Force  9 Unknown or not reported
77-79	Q7Ъ	INDUSTRY DETAIL CODE  017-999 Code Number  Blank Not applicable
80-81	Recode	INDUSTRY RECODE No. 1 See Attachment
82-83	Recode .	INDUSTRY RECODE No. 2  See Attachment
84-86	Q7c	OCCUPATION DETAIL CODE  001-995 Code number Blank Not applicable

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

H-10

Tape Locations	Item No.	~ Items and Codes
87-88	Recode	OCCUPATION RECODE No. 1  See Attachment
89-90	Recode	OCCUPATION RECODE No. 2  See Attachment
91	R (Q4-34)	RESPONDENT  1 Self entirely 2 Self partly 3 Spouse 4 Mother 5 Father 6 Other female family member 7 Other male family member 8 Other 9 Not reported
92-93	-	BLANK .
94	R	AGE OF RESPONDENT  1 Under 20 years 2 20-54 years 3 55-64 years 4 65-74 years 5 75+ years 6 Unknown and not reported
95-96	Generated	ACTUAL FAMILY SIZE  00 Unrelated individuals  01+ Family size

H-11 .

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape	T+ No	Thomas and Code
Locations	Item No.	Items and Codes
97	Recode	SIZE OF FAMILY RECODE  0 Unrelated individuals 1 One member 2 2 members 3 3 members 4 4 members 5 5 members 6 6 members 7 7 members 8 8+ members
98-99	Generated	SHORT-STAY HOSPITAL EPISODE NUMBER
100-101	Н-3	TYPE OF SERVICE  01 General 02 Psychiatric 03 Tuberculosis 04 Maternity 06 Ear, Eye, Nose and Throat 07 Children's 08 Orthopedic 09 Contagious Disease 10 Chronic Disease 11 Hospital Department of Institution 12 All other 89 In index, Unknown type 90 DK (entry of DK for hospital name or not reported) 93 Hospitalized in Foreign Country - Not in index 94 Nursing personal, and domiciliary care homes 95 Nursing home, assumed from title 98 Osteopathic 99 Not identified as a hospital - Not in index
102	Recode .	RECODE FOR TYPE OF SERVICE  1 Short-stay Hospital (Codes 01, 04, 06, 07, 11, 89, 90, 98, 99)  2 Long-stay Hospital (Codes 02, 03, 08, 09, 10, 12, 94, 95)  3 Not in index (Code 93)

H-12 HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
103-104	н-3	TYPE OF OWNERSHIP  1 Governmental, nonfederal  12 State 13 County 14 City 15 City-county 16 Hospital district  2 Nonprofit  21 Church operated or related 23 Other nonprofit 24 Nonprofit, NOS  5 Proprietary 31 Individual 32 Partnership 33 Corporation (profit) 34 Proprietary, NOS  4 Government, Federal 41 Air Force 51 Army 61 Navy 62 Department of Defense, NOS 71 Public Health Service 81 Veterans Administration 91 Other 89 In index, unknown type 90 DK (entry of DK for hospital name or not reported) 93 Hospitalized in Foreign Country - Not in index 95 Nursing home, assumed from title 98 Osteopathic 99 Not identified as a hospital - Not in index

H-13 HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
105-110 105-106	н-2	DATE OF ADMISSION  Month  Ol January  O2 February  O3 March  O4 April  O5 May  O6 June  O7 July  O8 August  O9 September  10 October  11 November  12 December
107-108		<u>Day</u> 01-31
109-110	·	Year  76 1976  70 1970
111-114	H-4	TOTAL NIGHTS IN HOSPITAL 0001-9999 Nights
. 115-116	Generated	NUMBER OF NIGHTS IN PAST 2 WEEKS (F) 00-14 Number of nights
117-119	н-5	NUMBER OF NIGHTS IN PAST 12 MONTHS (E) 000-365 Number of nights
120-123	Н-6	HOSPITAL DIAGNOSTIC CODE  ICD rubric

11 🚣 .

Tape Locations	Item No.	Items and Codes
124-126	Recode	DIAGNOSIS RECODE NO. 1 See October 1981 Listing of Codes
127-128	Recode	DIAGNOSIS RECODE NO. 4  See October 1981 Listing of Codes
129.	-	BLANK
130-131	Н-7ъ,с	OPERATION NO. 1 See Medical Coding Manual, Appendix II
132-133	Н-7ъ,с	OPERATION NO. 2  See Medical Coding Manual, Appendix II
134-135	Н-7ъ,с	OPERATION NO. 3  See Medical Coding Manual, Appendix II
136	H-7a	SURGICALLY TREATED  0 No operation, unknown if operation 1 Operation, this diagnosis 2 Operation, not this diagnosis
137-140	Generated	NUMERICAL VALUE FOR DATE OF INTERVIEW (C) 4029-4386 Values
141-144	Generated	NUMERICAL VALUE OF DATE OF ADMISSION (A) 0001-4386 Date values
145	Generated	A - RECODE  1 Admission in past 2 weeks 2 Admission 2 weeks to a year ago 3 Admission prior to past 12 months

H-15
HIS - CALENDAR YEAR 1981 - FINAL YEAR RECORDS

Tape Ocations	Item No.	Items and Codes
146-149	Generated	DERIVED DATE OF DISCHARGE (D) 3621-4386 Values
150-152	Generated .	J - VALUE Values of 000-408+
153	Generated	J - RECODE  0 Still in hospital 1 Discharges past 2 weeks 2 Discharges in past 2 weeks - 6 months 3 Discharges in 6-12 months ago
154		BLANK .
155	PERSON 21-27a	LIMITATION OF ACTIVITY DUE TO CHRONIC CONDITION  1 Cannot perform Usual Activity 2 Can perform UA but limited in amount and kind 3 Can perform UA but limited in outside activities 4 Not limited (including Unknown) or not applicable (persons with no chronic conditions)
156-158 156	PERSON Q28a	DURATION OF LIMITATION OF ACTIVITY  Unit = 1 Months 2 Years 3 Unknown  Blank Not applicable (loc. 155:4)
157-158		Number of units =  00 Less than 1 month 01-97 Number of months or years 99 Unknown Blank Not applicable (loc. 155:4)
159-176	-	BLANK

H-16
HIS - CALENDAR YEAR 1981 - FINAL YEAR RECORDS

Tape ocations	Item No.	Items and Codes
177	Recode	CONDITION LIST ASSIGNED AND ASKED  1 Condition List 1 - Digestive 2 Condition List 2 - Bone and muscle 3 Condition List 3 - Miscellaneous 1/ 4 Condition List 4 - Impairments 5 Condition List 5 - Circulatory 6 Condition List 6 - Respiratory 7 Unknown
178	-	BLANK
179	PERSON Q4a,b	MAIN RACIAL BACKGROUND (Reported)  1 Aleut, Eskimo or American Indian 2 Asian or Pacific Islander 3 Black 4 White 5 Another group not listed 6 Multiple entry - unknown which is main racial background 7 Unknown
180	Q4a,b Q5a,b	RACE RECODE (Reported)  1 White 2 Black 3 Other
181-187	-	BLANK
188-192	_	FINAL BASIC WEIGHT (XXXXX.)
193-198	-	6.5 WEIGHT (FINAL BASIC WEIGHT x 6.5) (XXXXXX)

<sup>1/</sup>Includes chronic conditions of the genitourinary, nervous, endocrine, metabolic, and blood and blood-forming systems and of other selected chronic conditions.

H-17
HIS - CALENDAR YEAR 1981 - FINAL YEAR RECORDS

Tape Locations	Item No.	Items and Codes
199-200	PERSON Q5a,b	MAIN SPANISH ORIGIN  01 Puerto Rican  02 Cuban  03 Mexican  04 Mexicano  05 Mexican American  06 Chicano  07 Other Latin American  08 Other Spanish  09 Spanish - DK type  10 No - not Spanish origin  11 Unknown

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Character Tape Locations	Previous Binary Tape Locations	Items and Codes
201-209	201-204	Basic Weight using one quarter's data (B.W.)
210-218*	205-208*	Basic Weight using two quarter's data (B.W./2)
219-227	209-212	Basic Weight using four quarter's data (B.W./4)
228-236	213-216	Basic Weight using eight quarter's data (B.W./8)
		6.5 WEIGHT (Base weight x 6.5)
237-245	217-220	Quarter, Semiannual, Annual
246-254	221-224	Biannual (6.5 wt/2)
		WEIGHTED NUMBER OF NIGHTS IN HOSPITAL FOR A GIVEN PERIOD (based on 2-week recall period)
255-263	255-228	Quarter, Semiannual, Annual
264-272	229-232	Biannual .
		WEIGHTED NUMBER OF NIGHTS IN A HOSPITAL FOR A CIVEN PERIOD (based on a 12-month recall period)
273-281	233-256	Quarter
282-290	237-240	Semiannual
291-299	241-244	Annual
300-308	245-248	Biannual
		WEIGHTED NUMBER OF TOTAL NIGHTS IN HOSPITAL
309-317	249-252	Quarter
318-326*	253-256*	Semiannual
327-335	257-260	Annual
336-344	261-264	Biannual

<sup>\*</sup>Use these locations for estimates of hospital discharges and days based on a 6-month period.

H-19
HIS - CALENDAR YEAR 1981 - FINAL YEAR RECORDS

Tape Locations	Item No.	Items and Codes
345-354	•	CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXX)  For prevalence or incidence estimates of chronic conditions, tabulate only on the list assigned and asked which includes the chronic condition, and multiply the appropriate weight by the factor in this field. This will weight the one-sixth subsample to the full sample totals.
355-463	-	BLANK
464-465	P2	FAMILY STRUCTURE  01 Both parents, no other adult 02 Mother only 03 Father only 04 Both parents and other adult relative 05 Mother and other adult relative 06 Father and other adult relative 07 No parent, but one adult relative 08 No parent, but two or more adult relatives 09 Other 10 Not applicable, 25+ years and/or ever married
466	P33	HEALTH STATUS  1 Excellent 2 Good 3 Fair 4 Poor 5 Unknown
467-469	-	PSEUDO PSU NUMBER 001-298

DOCTOR VISITS

7 '

# HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS .

# Outline of Items and Codes .

# Doctor Visit Record (Record Type 5)

Number of records = 19,070

Tape Locations	Item No.	Items and Codes
1-2	-	BLANK
3-5	HH- 5	RANDOM RECODE OF PSU
6-7	HH-5	WEEK - CENSUS CODE  01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 85 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12
8-9	· HH-5	13, 35, 53, 73, 93 Week 15  SEGMENT NUMBER  Week plus Segment Number identifies the segment
10-11	HH- 5	HOUSEHOLD NUMBER  Numbered within PSU-Week-Segment
12-13	-	PERSON NUMBER
14	-	RECORD TYPE (5)
15-16	-	RECORD SERIAL NUMBER
17-18	-	BLANK
19	Recode	PROCESSING QUARTER CODE  1 Quarter 1, 1981 2 Quarter 2, 1981 3 Quarter 3, 1981 4 Quarter 4, 1981

DV-2
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	- Items and Codes
20	Recode	PROCESSING YEAR 1 ··· 1981
21-22	Recode	PROCESSING WEEK CODE  01 01, 21, 41, 61, 81 02 02, 22, 42, 62, 82 03 03, 23, 43, 63, 83 04 04, 24, 44, 64, 84 05 05, 25, 45, 65, 85 06 06, 26, 46, 66, 86 07 07, 27, 47, 67, 87 08 08, 28, 48, 68, 88 09 09, 29, 49, 69, 89 10 10, 30, 50, 70, 90 11 11, 31, 51, 71, 91 12 12, 32, 52, 72, 92 13 13, 33, 53, 73, 93
23-27	-	BLANK
28	RC Record	TYPE OF PSU  0 The 31 Large Self-representing SMSA's  1 SMSA - Self-representing  3 SMSA - Nonself-representing  4 Non-SMSA - Self-representing  6 Non-SMSA - Nonself-representing
29	RC Record	REGION  1 Northeast 2 North Central 3 South 4 West

DV-3 . HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	- Items and Codes
30-31	RC Record	TABULATION AREA  Blank - Nonself-representing sections and self-representing SMSA's other than 34-64.  Large Self-representing SMSA's  Recode SMSA Recode SMSA  34 Boston 49 Kansas City 35 New York* 50 St. Louis 36 Philadelphia 51 Houston 37 Pittsburgh 52 Dallas 38 Detroit 53 Washington, D.C. 39 Chicago** 54 Seattle-Everett 40 Cincinnati 55 San Diego 41 Los Angeles- 56 Anaheim-Santa Analong Beach Garden Grove 42 San Francisco- 57 Miami Cakland 58 Denver 43 Baltimore 59 San Bernardino- 44 Atlanta Riverside-Ontario 45 Buffalo 60 Indianapolis 46 Cleveland 61 San Jose 47 Minneapolis- 62 New Orleans St. Paul 63 Tampa-St. Petersburg 48 Milwaukee 64 Portland, Oregon  * Northeastern New Jersey Consolidated Area ** Northwestern Indiana Consolidated Area
32	-	BLANK
33	RC Record	GEOGRAPHIC IDENTIFICATION  1 In SMSA; in Central City 2 In SMSA; not in Central City 5 Not in SMSA
34-35	-	BLANK
36	Recode	SMSA - NON-SMSA RESIDENCE  1 SMSA 2 Non-SMSA - Nonfarm 3 Non-SMSA - Farm

DV-4
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	~ Items and Codes
37	HH-8	TYPE OF LIVING 1 Housingt 2 Other
38-42	-	BLANK
43	HH-15	TELEPHONE (Not Edited)  1 Yes - phone and number 2 No or none 3 Phone, but no number listed or number refused 9 DK if phone or refused Blank Not reported
44-51	-	BLANK .
52	Q2	SEX 1 Male 2 Female
53-54	Q3	AGE  00 Under 1 year  01-98 Single years  99 99+ years
55-56	Recode	AGE RECODE #1  01 00-04 years 02 05-14  03 15-24  04 25-34  05 35-44  06 45-54  07 55-64  08 65-74  09 75+

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

DV - 5

Tape Locations	Item No.	- Items and Codes
57 - 58	Recode	AGE RECODE #2  01 Under 6 years  02 6-16  03 17-24  04 25-34  05 35-44  06 45-54  07 55-64  08 65-74  09 75+
59	Recode	AGE RECODE #3  1 Under 15 years 2 15-44 3 45-64 4 65+
60	· Q4	MARITAL STATUS  0 Under 17 years 1 Married - Spouse present 2 Widowed 3 Never married 4 Divorced 5 Separated 6 Married - Spouse absent
61-62	Q2a,b	EDUCATION OF INDIVIDUAL-COMPLETED YEARS  01 Under 17 years of age 02 None 03 1-4 years completed 04 5-7 years completed 05 8 years completed 06 9-11 years completed 07 12 years completed (high school graduate) 08 13-14 years completed 09 15 years completed 10 16 years completed 11 17+ years completed (graduate school) 12 Unknown 13 Not reported

DV-6
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
63	Q2a,b Recode	EDUCATION OF INDIVIDUAL RECODE  1 Under 17 years of age 2 None 3 01-08 (elementary) 4 09-11 (high school) 5 12 (high school graduate) 6 13-15 (college) 7 16+ (college graduate +) 8 Unknown
64-65	Q2a,b	EDUCATION OF FAMILY HEAD OR UNRELATED INDIVIDUAL - DETAIL  01 Under 17 years of age 02 None 03 1-4 years completed 04 5-7 years completed 05 8 years completed 06 9-11 years completed 07 12 years completed 09 13-14 years completed 09 15 years completed 10 16 years completed 11 17+ years completed (graduate school) 12 Unknown 13 Not reported
66	Q2a,b Recode	EDUCATION OF HEAD - RECODE  1 Under 17 years of age 2 None 3 01-08 (elementary) 4 09-11 (high school) 5 12 (high school graduate) 6 13-15 (college) 7 16+ (college graduate +) 8 Unknown

DV-7
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	- Items and Codes
67	Q3a,b	VETERAN STATUS  0 Under 17 years of age 1 Nonveteran 2 Peacetime only 3 World War I 4 World War II 5 Korean War 6 Vietnam veteran 7 DK if served in Armed Forces 8 DK if war veteran 9 Post Vietnam
68-69	Q12	FAMILY INCOME OR INCOME OF UNRELATED INDIVIDUAL  01 Under \$1,000 02 \$1,000- 1,999 03 2,000- 2,999 04 3,000- 3,999 05 4,000- 4,999 06 5,000- 5,999 07 6,000- 6,999 08 7,000- 9,999 09 10,000-14,999 10 15,000-24,999 11 25,000+ 12 Unknown 13 Not reported
70	Q12 Recode	FAMILY INCOME RECODE  1 Under \$3,000 2 \$3,000- 4,999 3 5,000- 6,999 4 7,000- 9,999 5 10,000-14,999 6 15,000-24,999 7 25,000+ 8 Unknown

DV-8

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Titems and Codes
71 - 72 71	Q2	FAMILY RELATIONSHIP  Type of Family  & Primary individual  Secondary individual  0 Primary family  1-9 Secondary families
72		Relationship  & Unrelated individual living alone  0 Head of family or unrelated individual not living alone  1 Wife (husband living at home and not in Armed Forces)  2 Wife (husband living at home and is in Armed Forces)  3 Child of head or spouse  4 Grandchild of head or spouse  5 Parent of head or spouse  6 Other relative
73	Q2 Recode	FAMILY RELATIONSHIP RECODE (Living arrangement)  1 Living alone 2 Living with nonrelatives 3 Living with spouse 4 Living with relatives - other
74	Q19 & 20 Recode	USUAL ACTIVITY  0 Under 6 years  1 Usually working  2 Keeping house (female)  3 Retired - Health (45+ years)  4 Going to school  5 Something else  6 Unknown  7 Retired, Other (45+ years)

# HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
75	Q6 Currently Employed . Unemployed	CURRENT ACTIVITY DURING PAST 2 WEEKS  0 Under 17 years  1 Worked in past 2 weeks  2 Did not work, has job, not on layoff and not looking for work  3 Did not work has job, looking for work  4 Did not work, has job, on layoff  5 Did not work, has job, on layoff and looking for work  6 Did not work, has job, unknown if looking or on layoff  7 Did not work, no job, looking for work or on layoff  8 Not in labor force (17+)
76	Q7e	CLASS OF WORKER  0 Never worked  1 Private paid  2 Federal Government  3 State Government  4 Local Government  5 Incorporated business  6 Self employed  7 Without pay  8 Not in labor force  9 Unknown or Not reported
77-79	Q7Ъ	INDUSTRY DETAIL CODE  017-999 Code Number  Blank Not applicable
80-81	Recode	INDUSTRY RECODE No. 1 See Attachment
82-83	Recode	INDUSTRY RECODE No. 2  See Attachment
84-86	Q7c	OCCUPATION DETAIL CODE  001-995 Code number  Blank Not applicable

DV-10 HIS - CALENDAR YEAR 1981 - FINAL YEAR RECORDS

Tape Locations	Item No.	Items and Codes
87-88	Recode	OCCUPATION RECODE NO. 1 See Attachment
89-90	Recode	OCCUPATION RECODE NO. 2  See Attachment
91	R (Q4-34)	RESPONDENT  1 Self entirely 2 Self partly 3 Spouse 4 Mother 5 Father 6 Other female family member 7 Other male family member 8 Other 9 Not reported
92-93	-	BLANK
94	R	AGE OF RESPONDENT  1 Under 20 years 2 20-54 years 3 55-64 years 4 65-74 years 5 75+ years 6 Unknown and not reported
95-96	Generated	ACTUAL FAMILY SIZE  00 Unrelated individuals 01+ Family size
97	Recode	SIZE OF FAMILY RECODE  0 Unrelated individuals  1 One member  2 2 members  3 3 members  4 4 members  5 5 members  6 6 members  7 7 members  8 8+ members

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

DV-11

Tape Locations	Item No.	Items and Codes	
98-101 98-99	DV-2a	Month  Ol. January O2. February O3. March O4. April O5. May O6. June O6. June O6. During 2 weeks, DK when O7. Last week, DK month and day O7. July O8. August O9. September O1. November O6. June O6. June O6. During 2 weeks, DK when O7. Last week, DK month and day O8. Week before, DK month and day O9. DK month	
100-101		Day  Ol-31. Day of month  66. During 2 weeks, DK when  77. Last week, DK day and month  88. Week before, DK day and month  99. DK day codes for unknown in month and day	
102-103	Generated	DOCTOR VISIT VALUES (number of days between Date of Visit and Interview)  00 Visit on last Sunday of reference period 01 Visit on second Saturday of reference period 02 Visit on second Friday of reference period 03 Visit on second Thursday of reference period 04 Visit on second Wednesday of reference period 05 Visit on second Tuesday of reference period 06 Visit on second Tuesday of reference period 07 Visit on last Monday of reference period 08 Visit on first Sunday of reference period 09 Visit on first Saturday of reference period 10 Visit on first Friday of reference period 11 Visit on first Thursday of reference period 12 Visit on first Wednesday of reference period 13 Visit on first Monday of reference period 14 No value (records coded 6666, 7777, 8888, 9999 in Date of Visit)	

DV-12 HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	Items and Codes
- 104	Recode	DAY OF WEEK OF VISIT  1 Monday 2 Tuesday 3 Wednesday 4 Thursday 5 Friday 6 Saturday 7 Sunday 8 Unknown
105	Recode	WEEK OF VISIT  1 Last week (includes 77)  2 Week before (includes 88)  4 During 2 weeks, DK when

"MORE"

#### HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes
106-107	DV-4	KIND OF DOCTOR RENDERING SERVICE  01 General practitioner  02 Anesthesiologist - A specialist in anesthetics  03 Dermatologist - Treats diseases of the skin
108	DV-3	PLACE OF VISIT  1 Doctor's office 2 Telephone 3 Hospital outpatient clinic 4 Home 5 Hospital emergency room 6 Company and industrial clinic 7 Other 8 Unknown or not reported

DV-14
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	~ Items and Codes
109-117	-	BLANK
118	DV-6a	FIRST REASON FOR VISIT TO DOCTOR  1 Diagnosis or treatment 2 Pre- or postnatal care 3 General checkup 4 Eye examination (glasses) 5 Immunization 6 Other 7 Unknown 8 Not reported
119	DV-6a	SECOND REASON FOR VISIT TO DOCTOR  Same codes as Location 118
120	DV-6a	THIRD REASON FOR VISIT TO DOCTOR  Same codes as Location 118
121-128* 121-123 124	DV-6	CONDITION NO. 1 - CAUSE OF THIS DOCTOR VISIT  Diagnosis Recode No. 1  See October 1981 Listings of Codes  999 Unknown  Chronic/Acute Code  1 Chronic  2 Acute  9 Unknown  Diagnosis Recode No. 2 or No. 3  See October 1981 Listings of Codes  9999 Unknown
129-136	DV-6	CONDITION NO. 2 - CAUSE OF THIS DOCTOR VISIT  Same codes as Locations 121-128
137-144	DV-6	CONDITION NO. 3 - CAUSE OF THIS DOCTOR VISIT  Same codes as Locations 121-128

<sup>\*</sup> These items are blank if a condition was not the cause of the Doctor Visit.

#### HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	- Items and Codes	
145-154	-	BLANK	
155	Q21-27a	LIMITATION OF ACTIVITY (DUE TO CHRONIC CONDITIONS)  1 Cannot perform usual activity 2 Can perform UA but limited in amount and kind 3 Can perform UA but limited in outside activities 4 Not limited (including unknown) or not applicable (persons with no chronic conditions)	
156-158 156	Q28a	DURATION OF LIMITATION OF ACTIVITY  Unit =  1 Months ) 2 Years ) (loc. 155:1-3) 3 Unknown ) Blank Not applicable (loc. 155:4)	
157-158		Number of Units =  00 Less than 1 month 01-97 Number of months or years ) (loc. 155:1-3) 99 Unknown Blank Not applicable (loc. 155:4)	
159	DV-5	DOCTOR ACTUALLY SEEN  1 Yes 2 No 3 Unknown or not reported	
160-176	-	BLANK	
177	Recode	CONDITION LIST ASSIGNED AND ASKED  1 Condition List 1 - Digestive 2 Condition List 2 - Bone and Muscle 3 Condition List 3 - Miscellaneousl/ 4 Condition List 4 - Impairment 5 Condition List 5 - Circulates 6 Condition List 6 - Respiratory 7 Unknown	

<sup>1/</sup>Includes chronic conditions of the genitourinary, nervous, endocrine, metabolic, and blood and blood-forming systems and of other selected chronic conditions.

DV-16
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	_ Items and Codes	
178	<u>.</u>	BLANK	
179	Q4a,b Person	MAIN RACIAL BACKGROUND (Reported)  1 Aleut, Eskimo or American Indian 2 Asian or Pacific Islander 3 Black 4 White 5 Another group not listed 6 Multiple entry - unknown which is main racial background 7 Unknown	
180	Q4a,b Q5a,b	RACE RECODE (Reported)  1 White 2 Black 3 Other	
181-187	-	BLANK	
188-192	-	FINAL BASIC WEIGHT (XXXXX.)	
193-198	-	6.5 WEIGHT (FINAL BASIC WEIGHT x 6.5) (XXXXXX)	
199-200	Person Q5a,b	MAIN SPANISH ORIGIN  01 Puerto Rican  02 Cuban  03 Mexican  04 Mexicano  05 Mexican American  06 Chicano  07 Other Latin American  08 Other Spanish  09 Spanish - DK type  10 No - Not Spanish origin  11 Unknown	

• ~ \*

DΛ T\

HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Character Tape Locations	Previous Binary Tape Locations.	Items and Codes
201-209 210-218 219-227 228-236	201-204 . 205-208 209-212 213-216	Basic Weight using one quarter's data (B.W.) Basic Weight using two quarter's data (B.W./2) Basic Weight using four quarter's data (B.W./4) Basic Weight using eight quarter's data (B.W./8)
237-245 246-254	217-220 221-224	6.5 WEIGHT (Base weight x 6.5)  Quarter and Semiannual, Annual  Biannual (wt/2)

" M O R E "

DV-18
HIS - CALENDAR YEAR 1981 - FINAL TAPE RECORDS

Tape Locations	Item No.	· - Items and Codes
255-294	-	BLANK
295-304	<del>-</del>	CHRONIC CONDITION PREVALENCE AND INCIDENCE FACTOR (XX.XXXXXXX)  For prevalence or incidence estimates of chronic conditions, tabulate only on the list assigned and asked which includes the chronic condition, and multiply the appropriate weight by the factor in this field. This will weight the one-sixth subsample to full-sample totals.
305-314	-	BLANK
315-316	P2	FAMILY STRUCTURE  01 Both parents, no other adult 02 Mother only 03 Father only 04 Both parents and other adult relative 05 Mother and other adult relative 06 Father and other adult relative 07 No parent, but one adult relative 08 No parent, but two or more adult relatives 09 Other 10 Not applicable, 25+ years and/or ever married
317	P33	HEALTH STATUS  1 Excellent 2 Good 3 Fair 4 Poor 5 Unknown
318-466	-	BLANK
467-469	-	PSEUDO PSU NUMBER 001-298

DIAGNOSTIC RECODES

October, 1981

#### National Health Interview Survey

# Diagnostic Recode #1 Diseases, Injuries, and Impairments

- I. Purpose: Recode #1 is a list of 278 categories of diseases and injuries selected from the complete list of 3 and 4-digit categories of the International Classification of Diseases, (ICD), 9th Revision, as modified for survey purposes. In addition, a complete list of types and sites of impairments completes the recode. The recode has been used as a device to simplify tabulating of diagnostic information. In general this recode contains the greatest amount of detail tabulated; very rarely are the 4-digit ICD rubrics used for final tabulation purposes.
- II. Content: Each line of the recode contains the following elements: recode number, title summarizing the contents, and the equivalent rubric numbers from the ICD. The full detail of all modifications of the ICD is shown in the Medical Coding Manual. A summary listing of modifications which directly affect the use of the recode is shown as follows:
  - a. The letter "A" following a rubric means that this is a special number devised for survey purposes which is not to be found in the ICD:
  - b. Certain ICD rubrics are not used in the survey medical coding and, therefore are not shown in Recode #1. Impairments and their causes, as reported by the household members, are coded directly to the X-codes according to a system that differs considerably from the ICD method. A complete description of the Classification of Impairments (X-code) is given in the Medical Coding Manual.
  - c. The abbreviations "NOS" and "NEC", represent, respectively, "not otherwise specified", and "not elsewhere classified."

# National Health Interview Survey Diagnostic Recode #1

Donodo		ICD Inclusions
Recode #1	. ~	as modified by NHIS
Number	Title	
	Infective and Parasitic Diseases Recodes - (001-041)	
001	Tuberculosis (pulmonary) (respiratory NOS) active	011.0-3, 5-9, 647.3
002	Other specified respiratory tuberculosis (active)	010, 011.4, 012
003	Tuberculosis, other specified sites (active)	013-018
004	Tuberculosis (pulmonary) arrested or inactive	019-A
005	Syphilis and its sequelae	090-097, 647.0
006	Other venereal diseases	098, 099.0-2, 8, 9 647.1, 2
007	Typhoid and paratyphoid fever	002
800	Dysentery and diarrheal disease, NEC	004, 006, 007, 009, 777.5
009	Food poisoning (infection)	005
010	Other intestinal infectious diseases, including virus enteritis	001, 003, 008
011	Scarlet fever	034.1
012	Streptococcal sore throat	034.0
013	Septicemia	038, 771.8, 790.7
014	Diptheria	032
015	Whooping cough	033
016	Meningococcal infection	036
017	Tetanus	037, 771.3
018	Other bacterial diseases, NEC	020-027, 030, 031, 035, 040, 041
019	Vincent's angina	101

4 1. (.

Recode #1 Number	Title ~	ICD Inclusions as modified by NHIS
020	Other spirochetal diseases except syphilis	100, 102-104
021	Acute poliomyelitis	045
022	Viral encephalitis	046.2, 049.8, 062-064
023	Smallpox	050
024	Measles	055
025	Rubella (german measles)	056, 647.5, 771.0
026	Chickempox	052
027	Herpes zoster (shingles)	053
028	Murips	072
029	Infectious hepatitis	070
030	Infectious mononucleosis	075
031	Trachoma (active) (chronic)	07.6
032	Viral infection, unspecified	046.8, 9, 079.0-2, 9, 790.8
033	Other viral diseases, NEC	047, 048, 049.0, 1, 051, 054, 057, 060, 061, 065, 066, 071, 073, 074, 077, 078.0, 1, 3-8, 079.8, 647.6, 771.1
034	Typhus and other rickettsioses	080-083
035	Malaria	084, 647.4
036	Trichiniasis	124
037	Ancylostomiasis	126
038	Other helminthiases	120-123, 125, 127-129
039	Dermatophytosis and dermatomycosis	110, 111
040	Other mycoses	039, 112, 114-118, 771.7
041	Other infective and parasitic diseases	078.2, 085-088, 099.3, 1 647.8, 9, 771.2

Recode #1 Number	Title	ICD Inclusions as modified by NHIS
	Neoplasms - Recodes - (042-080)	
042	Malignant neoplasm of buccal cavity and pharynx	140-149
043	Malignant neoplasm of stomach	151
044	Malignant neoplasm of intestines, any part	152-154, 159.0
045	Malignant neoplasm of other digestive organs, and peritoneum	150, 155.0, 1, 156-158, 159.8, 9
046	Malignant neoplasm of trachea, bronchus, and lung	162
047	Malignant neoplasm of other respiratory organs	160, 161, 163, 164.2, 3, 8, 9, 165
048	Malignant neoplasm of female breast	174
049	Malignant neoplasm of uterus, any part	179-182
050	Malignant neoplasm of other female genital organs	183, 184
051	Malignant neoplasm of prostate	185
052	Malignant neoplasm of other male genital organs	186, 187
053	Malignant neoplasm of urinary organs	188, 189
054	Malignant neoplasm of skin	172, 173
055	Malignant neoplasm of other specified sites	164.0, 1, 170, 171, 175, 190-194,
056	Malignant neoplasm, site unspecified, ill-defined, or secondary	155.2, 195-199
057	Hodgkin's disease	201
058	Leukemia and aleukemia	202.4, 203.1, 204, 205.0-2, 8, 9, 206, 207.0, 2, 8,

4 1. 1

Recode #1 Number	Title _	ICD Inclusions as modified by NHIS
059	Other neoplasms, lymphatic and hematopoietic tissue	159.1, 200, 202.0-3, 6, 8, 9, 203.0, 8, 205.3, 207.1, 289.6
060	Benign neoplasm of digestive system	210, 211.0-6, 8, 9, 569.0
061	Benign neoplasm of respiratory system	212.0-5, 8, 9
062	Benign neoplasm of female breast	217, female only
063	Benign neoplasm of uterus	218, 219, 621.0, 622.7
064	Benign neoplasm of other female genital organs	220, 221, 616.2, 620.2, 623.7, 624.6
065	Benign neoplasm of male genital organs	222
066	Benign neoplasm of urinary organs	223
068	Benigh neoplasm of skin	216
069	Hemangioma and lymphangioma	228
070	Benign neoplasm of other specified organs	212.6, 7, 213-215, 224, 225, 227
071	Benign neoplasm, other and unspecified organs and tissue	. 229
072	Neoplasm, unspecified nature, of digestive organs	239.0
073	Neoplasm, unspecified nature, of respiratory organs	239.1
074	Neoplasm, unspecified nature, of female breast	239.3, female only
077	Neoplasm, unspecified nature, of genitourinary organs	239.4, 5
078	Neoplasm, unspecified nature, of eye, brain, and other parts of nervous sytem	239.6
079	Neoplasm, unspecified nature, of skin and musculoskeletal system	239.2
080	Neoplasm, unspecified nature, of other	239.7-9

Recode #1 Number	Title ~	ICD Inclusions as modified by NHIS
	Endocrine, Nutritional, Metabolic and Blood Disorders - Recodes - (087-101)	
087	Goiter (all forms)	226, 240, 241, 242.0-3
880	Thyroid trouble, NOS	246.9, 794.5
089	Other specified diseases of thyroid gland	242.4, 8, 9, 243-245, 246.0-3, 8, 648.1, 775.3
090	Diabetes (mellitus)	250, 648.0, 775.1
091	Diseases of other endocrine glands	211.7, 251-259, 306.6, 775.4
092	Niacin deficiency	265.2
093	Other vitamin deficiency states	264, 265.0, 1, 266, 267, 268.0, 2, 9, 269.0-2
094	Other nutritional deficiency, NEC	260-263, 269.3, 8, 9, 579.0-2, 8, 9, 648.9, 779.3, 783.2, 3
095	Gout	· 274
096	Other metabolic diseases, NEC	202.5, 270-272, 273.1-3 275, 277.0-5, 8, 9, 278, 279, 359.3, 588.1, 775.6, 8, 9, 783.6, 791
097	Pernicious and other deficiency anemias	281
098	Iron deficiency cremiss	280, 285.1, 776.6
099	Other space of chamias	282-284, 285.0, 8
100	Anemia, unspecified	285.9, 648.2
101	Other diseases of blood and blood-forming organs	273.0, 286-288, 289.0-5, 7, 8, 776.1, 4, 7, 8, 782.7, 790.0

		-
Recode #1 Number	Title ~	ICD Inclusions as modified by NHIS
	Mental and Nervous System Disorders Recodes - (102-116)	
102	Psychoses	290-299, 331.0, 1
103	Neuroses	300.0-3, 5-9
104	Alcholism, except psychotic	303, 305.0, 357.5, 425.5, 535.3, 790.3
105	Personality and other nonpsychotic mental disorders, NEC	301, 302, 304, 305.2-9, 306.1-5, 310.0, 1, 8, 9, 312-314, 648.3, 4, 316-A
106	Nervousness, depression, NOS, and special symptoms, NEC	300.4, 307-309, 311 315.3-5, 8, 9, 625.6, 780.5, 784.3, 5, 6, 787.6, 788.3, 799.2
108	Multiple sclerosis	340
109	Paralysis agitans, except postencephalitic, viral	332
110 .	Epilepsy, all types, chronic convulsions, cause unknown	345
111	Migraine	346
112	Other diseases of central nervous system	046.0, 1, 3, 320-322, 323.8, 9, 324, 325, 330, 331.8, 9, 333-336, 341, 344.1, 347, 348.0-4, 8, 349.2, 8, 9, 356.1-3, 358.8, 9, 359.0-2, 779.1, 792.0, 793.0, 794.0
113	Sciatica	355.0, 724.3
114	Neuralgia and neuritis, NOS, NEC	354.4, 5, 8, 355.7, 9 356.0, 729.2
115	Neuralgia, neurtis, specified sites and types, NEC	350.1, 2, 351, 352.1, 355.1, 2, 8, 357.0
116	Other specified diseases of nerves, NEC	357, 350.8, 9, 352.0, 2-6, 9 353.0-4, 8, 9, 354.0-3, 9, 355.3-6, 356.4, 8, 9, 357.8, 794.1

Recode #1 Number	Title	ICD Inclusions as modified by NHIS
	Diseases of Eye and Ear Recodes - (117-125)	
117	Conjunctivitis and ophthalmia	370.3, 372.0-3, 771.6
118	Stye	373.1
119	Other inflammatory diseases of eye	360.0, 1, 363.0-2, 364.0-3, 370.0, 2, 4, 5, 8, 9 373.0, 8, 9, 375.0, 3, 4, 376.0, 1, 377.3, 379.0
120	Refractive errors	367
121	Cataract, all forms	366
122	Glaucoma, all forms	360.4, 365
123	Other diseases of eye (acquired) (congenital)	360.2, 3, 8, 9, 361, 362, 363.3-9, 364.4-9, 368, 370.6, 371, 372.4-9, 373.2, 374, 375.1, 2, 5, 6, 8, 9, 376.3-5, 8, 9, 377.0-2, 4-7, 9, 378, 379.1-5, 8, 9
124	Inflammatory diseases of ear	380.1, 2, 381.0-5 382, 383.0-2, 9, 384.0, 1, 386.3, 5, 388.6, 7
125	Other diseases of ear and mastoid	380.0, 3-5, 8, 9, 381.6-9, 383.8, 384.2, 8, 9, 385, 386.0-2, 4, 8, 9, 387, 388.0, 1, 3-5, 8, 9

	· · · · · · · · · · · · · · · · · · ·	-
Recode #1 Number	Title	ICD Inclusions as modified by NHIS
	Diseases of Circulatory System Recodes - (126-143)	
126	Rheumatic fever, inactive (old) (history)	399-A
127	Rheumatic fever, active	390, 392
128	Chronic rheumatic heart diseases	393-398, 423.1, 424.1
129	Ischemic heart disease (with hypertension, any type) (with arteriosclerosis)	413, 414, 429.2, 794.3
130	Heart trouble, NOS, or ill-defined	428.9, 429.3, 8, 9, 785.3
151	Other forms of heart disease, NEC	415.0, 416, 417.8, 9, 420-422, 423.0, 2, 8, 9, 424.0, 2, 3, 8, 9, 425.0-2, 4, 9, 426, 427, 428.0, 1, 429.0, 1, 5, 785.0-2
132	Hypertensive heart disease, NEC (non-malignant)	402.1, 9, 404.1, 9
133	Hypertensive disease, NEC	401, 402.0, 403, 404.0, 405, 796.2
134	Cerebrovascular disease (with non-malignant hypertension) (with arteriosclerosis)	348.5, 430-435, 437.0-2, 4-6, 8, 9
135	Arteriosclerosis, NEC	440
136	Other diseases of arteries	417.0,1, 437.3, 441-444 446, 447, 557, 785.4, 991.5
<b>13</b> 7	Varicose veins, NEC	454, 456
138	Hemorrhoids	455
139	Phlebitis and thrombophlebitis, NEC	451
140	Low blood pressure (hypotension)	458
141	Poor circulation, NOS	459.9

Recode #1 Number	Title _	ICD Inclusions as modified by NHIS
142	Noninfective disease of lymphatic channels	457.1, 2, 8, 9
143	Other diseases of circulatory system, NEC  Diseases of Respiratory System Recodes - (144-159)	415.1, 448, 452, 453, 459.0-2,8, 648.6, 784.8, 785.9, 796.3
144	Common Cold .	079.3, 460
145	Other acute upper respiratory infections	461-463, 464.0-2,4, 465
146	Acute bronchitis	466
147	Influenza with digestive mainfestations	487.8 .
148	Other forms of influenza	487.0,1
149	. Viral pneumonia	480
150	Other forms of pneumonia	481-483, 485, 486, 507, 770.0
151	Chronic bronchitis (nonallergic)	490, 491
152	Emphysema	492, 518.1,2
153	Asthma (with or without hay fever) (allergic)	493
154	Hypertrophy of tonsils and adenoids, chronic	474
155	Chronic pharyngitis, nasopharyngitis, and laryngitis, NEC	472, 476
156	Chronic sinusitis, NEC	473
157	Hay fever, and upper respiratory allergy, without asthma	477, 478.8
158	Other diseases of upper respiratory tract, nonallergic	464.3, 470, 471, 475, 478.0-7,9
159	Other diseases of respiratory system NEC	494-496, 500-506, 510-516 518.0,3,4,8, 519.1-4, 8, 9, 786.9, 793.1, 794.2

Recode		ICD Inclusions
#1 Number	Title.	as modified by NHIS
	Diseases of Digestive System	
	Recodes - (160-180)	
160	Toothache	525.9
161	Other diseases of teeth and supporting structures, NEC	520.3,4,6-9,521-523 525.0-3,8
162	Diseases of jaw, salivary glands, tongue, and other oral conditions	526-529
163	Ulcer of stomach and duodenum	531-534
164	Gastritis and duodenitis, nonviral	535.0-2, 4-6
165	Functional and symptomatic upper g.i. conditions, NEC	536, 783.0, 787.0,1
166	Stomach trouble, NOS	537.9
167	Appendicitis, all forms	540-543
168	Hernia of abdominal cavity	550-553, 750.6
169	Gastroenteritis and colitis, except ulcerative, of noninfectious origin	558
170	Chronic enteritis and ulcerative colitis	555, 556
171	Diverticula of intestine	562
172	Constipation	`564.0
173	Other functional disorders of intestines	564.1,5,6,8,9, 787.3, 5
174	Intestinal or bowel trouble, NOS	569.9
175	Hepatitis, NOS	573.3
176	Liver trouble, NOS	573.9
177	Other specified diseases of liver, NEC	570-572, 573.0,4,8, 794.8
178	Specified diseases of gallbladder and biliary ducts	574, 575.0-6,8, 576.1-5, 8, 9 793.3
179	Gallbladder trouble, NOS	575.9
180	Other diseases of the digestive system, NEC	530, 537.0-6,8, 560, 564.7, 565-568, 569.1-5, 8, 577, 578.9, 579.4, 777.4, 787.2. 7. 9. 789.9 153

Recode #1 Number	Title.	ICD Inclusions as modified by NHIS
	Genito-urinary Disorders, Pregnancy and Childbirth - Recodes - (181-205)	
181	Nephritis (acute) (chronic), NEC	580-583, 584.6-9, 585, 587
182	Calculus of kidney and ureter	592.0, 1
183	Calculus of other parts of urinary system	592.9, 594
184	Kidney trouble or disease, NOS	593.9
185	Other diseases of kidney and ureter, NEC	584.5, 588.0, 8, 9, 589-591, 593.0-8, 794.4
186	Diseases of the urinary system, NEC	099.4, 595-598, 599.0-6, 8, 9 619.0, 788.6-8, 793.5
187	Diseases of prostate	600-602
188	Other diseases of male genital organs	603-606, 607.0-2, 8, 9, 608, 609, 792.2
189	Diseases of male breast	610, 611, 771.5, 793.8 (male only)
190	Diseases of female breast	610, 611, 771.5, 793.8 (female only)
191	Diseases of ovary, fallopian tube, parametrium, and pelvic peritoneum female	614, 619.1, 2, 8, 9, 620.0, 1, 3-9, 625.5, 628.
192	Diseases of uterus, NEC	615, 616.0, 1, 3, 4, 8, 9, 617, 618.0-6, 8, 9, 621.1-9, 622.0-6, 8, 9, 627.3, 8
193	Disorders of menstruation	625.2-4, 8, 626.0-6, 8, 9, 627.1
194	Menopausal symptoms, except psychosis	627.0, 2, 4, 9
195	Other diseases of female genital organs, NEC	616.5, 618.7, 623.0-6, 8, 624.0-5, 8, 9, 626.7, 628.3, 4, 8, 9, 629.0, 1,
196	Female trouble, NOS	629.9
197	Minor complaints of pregnancy	646.8

Recode #1 Number	Title	ICD Inclusions as modified by NHIS
198	Other complications of pregnancy, NEC	630, 632, 633, 638, 640, 641, 644.0, 645, 646.0, 1, 3, 5, 9, 655.1-6, 8, 9, 656.1, 2, 4, 671.3
199	Urinary infections and toxemias of pregnancy and the puerperium, NEC	642, 643, 646.2, 4, 6, 7, 669.3
200	Abortion	631, 634-637, 639
201	Delivery, normal or unspecified	644.1, 650
202	Delivery by cesarean section, complication not specified	669.7
203	Delivery with sepcified complications	662.1, 666.1, 659.5, 6
204	Other conditions of pregnancy, delivery and the puerperium, NEC	651-654, 655.0, 656.0, 3, 5-9, 657-661, 662.0, 2, 3, 663-665, 666.0, 2, 3, 667, 668, 669.0-2, 4, 8, 9, 671.0-2, 5, 8, 9, 673, 674.0
205	Other complications of the puerperium, NEC	670, 671.4, 672, 674.4, 8, 9, 675, 676
	Diseases of Skin and Subcutaneous Tissue Recodes - (206-211)	a .
206	Boil and carbuncle, NEC	680
207	Cellulitis (with lymphangitis), NEC	681, 682
208	Pilonidal cyst	685
209	Eczema and dermatitis due to plants (allergic)	692.6
210	Other dermatitis, eczema, and urticaria (allergic)	277.6, 373.3, 690, 691, 692.0-5, 7-9, 693.1, 693.2-A, 694.0-3, 708, 995.1, 3
211	Other diseases of skin and subcutaneous tissue, NEC	683, 684, 686, 694.4-6, 8, 9, 695-698, 700-707, 709, 723.6, 729.3, 771.4, 782.8

Recode #1 Number	Title	ICD Inclusions as modified by NHIS
	Diseases of Musculoskeletal System and Connective Tissue - Recodes - (212-219)	
212	Arthritis, NEC	711, 712, 714, 715.0,1, 3, 8, 9, 716, 719.3, 720.0, 8, 9, 721.0, 2,3, 5-7,9
213	Rheumatism, nonarticular and unspecified	710.3, 4, 715.2, 725, 726.0, 2, 729.0, 1
214	Displacement of intervertebral disc	722.0-7
215	Acute back, spine, and neck pain, NEC	720.2, 722.8, 723.1-3,5, 724.1, 2, 5,
216	Other diseases of bone and joint, NEC	648.7, 717, 718.0-4, 8, 9, 719.0, 1, 6, 8, 9, 721.1, 4, 8, 722.9, 723.0,4, 7-9, 724.0, 4, 6-9, 730-732, 733.0-7, 9, 793.7
217	Bunion	727.1
218	Synovitis, bursitis, and tenosynovitis	719.2, 720.1, 726.1, 3-9, 727.0, 2-5
219	Other diseases of musculoskeletal system, NEC	358.0, 359.8, 9, 376.6, 710.0-2, 8, 9, 727.6, 8, 9, 728.0, 1, 3, 5, 7-9, 729.4, 6, 9, 739, 775.2
	Certain Congenital Anomalies and Causes of Perinatal Morbidity - Recodes- (220-222)	
220	Certain congenital anomalies, not classified as impairments	425.3, 648.5, 742.2, 4, 5, 8, 9, 744.4,745-748, 750.2-5, 7-9, 751, 752, 753.1-9, 754.0, 1, 756.4-9, 757, 758.1-9, 759.0-6, 8, 778.6
221	Immaturity, unqualified	764.0, 765
222	Certain other causes of perinatal morbidity	760, 761.0-5, 7-9, 762, 763, 764.1, 2, 9, 766-769, 770.1-9, 772-774, 775.0, 5, 776.0, 2, 3, 5, 9, 777.1-3, 6, 8, 9, 778.0-5, 7-9, 779.2, 5, 8, 9

Recode #1 Number	Title ~	ICD Inclusions as modified by NHIS
	Certain Symptoms and Ill-Defined Conditions - Recodes - (223-240)	
223	Debility and undue fatigue	780.7, 799.3
224	Headache, NEC	784.0
225	Senility without mention of psychosis	331.2, 797
226	Certain nervous system symptoms	353.6, 779.0, 780.0, 1, 3, 4, 781.0, 1, 3, 6, 782.0, 796.1
227	Heart pain, cyanosis, fainting, shock, edema, enlarged lymph gland or spleen	780.2, 782.3, 5, 6, 785.5, 6 789.2
228	Certain respiratory symptoms	784.4, 7, 786.0-5, 7
229	Hiccough and hematemesis	573.0, 786.8
230	Enlarged liver	789.1
231	Jaundice (not of newborn)	782.4
232	Certain other abdominal and lower g.i. symptoms	578.1, 787.4, 789.0, 3-5
233	Certain genitourinary symptoms; abnormal urinary constituents	599.7, 607.3, 625.0, 1, 9, 648.8, 788.0-2, 4, 5, 9, 790.2, 791.0-2, 4-7, 9
234	Acute symptoms referable to limbs and joints	718.5, 719.4, 5, 7, 729.5, 8, 781.2, 4
235	Other general symptoms (rash, fever, etc.), NEC	276, 775.7, 780.6, 8, 9, 781.7, 782.1, 9, 783.9, 784.1, 2, 9, 790.1, 4-6, 9, 792.1, 4, 9, 793.2, 4, 6, 9, 794.6, 7, 9, 795.2-4, 7, 796.4,
256	Uremia (cause unknown)	586
237	Observation	795.0, 1, 5, 6, 799.5-A
238	Ill-defined NEC, and unknown types of illness	781.9, 783.4, 799.0, 1, 4, 8, 9
239	Gland trouble, NOS	289.9
240	Knots, lumps, bumps, cause and type unknown	782.2, 786.6

<del></del>		
Recode #1 Number	Title	ICD Inclusions as modified by NHIS
	<u>Injuries - Recodes (241-278)</u>	
241	Fracture, skull (vault) (base)	800, 801, 803
242	Fracture of rib(s), sternum, and larynx	807
243	Fracture of arm	812, 813, 818
244	Fracture of wrist, hand, and/or fingers	814-817
245	Fracture of femur (hip) (upper leg)	820, 821
246	Fracture of lower leg not involving knee, ankle or foot	823, 827
247	Fracture of ankle ·	824
248	Fracture of foot and toes	825, 826
249	Fracture of other and multiple sites, NEC	753.8, 802, 804-806, 808-811, 819, 822, 828, 829
250	Fracture, 3 months+, no residual specified	905.0-5
251	Dislocation of wrist	833
252	Dislocation of ankle	837
253	Dislocation of other and multiple sites	830-832, 834-836, 838, 839
254	Sprains, strains of wrist and hand	842
255	Sprains, strains of ankle and foot	845
256	Sprains, strains of back	846, 847
257	Sprains, strains of other and multiple sites, NEC	840, 841, 843, 844, 848
258	Intracranial injury, without skull fracture	850-854
259 .	Intracranial injury, without skull fracture, 5 months+, no residual specified	310.2, 907.0

PRecodes 272, 273, 276, 277 include both acute and chronic exposure. Recodes 250, 259, 269, 271, 278 refer only to injuries 3 months+, with no residual specified. All other recodes in the series 241-278 refer to acute injuries only (past 3 months).

Recode #1 Number	Title	ICD Inclusions as modified by NHIS	
260	Internal injury, any, of chest, abdomen and pelvis	860-869	
261	Laceration and open wound of head, neck and trunk	870-879 <sup>2/</sup>	
262	Laceration and open wound of upper limb	880-884	
263	Laceration and open wound of lower limb	890-894	
265	Superficial injury	910-919	
266	Contusion	920-929	
267	Foreign body entering through orifice	360.5, 6, 930-939	
268	Burns	940-949	
269	Burns, 3 months+, no residual specified	906.5-9	
270	Injury to nerves and spinal cord	950-957	
271	Injury to nerves and spinal cord, 3 months+, no residual specified	907.1-5, 9	
272	Adverse effect of medicinal agents (acute) (chronic), NEC	357.6, 693.0, 779.4, 977.9 979, 995.2,4	
273	Toxic effect of substances chiefly nonmedicinal as to source (acute) (chronic)	305.1, 357.7, 358.2, 359.4 693.8, 9, 796.0, 989.9 <sup>47</sup>	
274	Effects of radiation, reduced temperature, heat and other external causes	508, 783.5, 909, 990, 991.0-4, 6, 8, 9, 992-994	
275	Injury, other and unspecified	900-904, 959, 995.5, 8	
276	Complications of surgical procedures (acute) (chronic)	349.0,1, 383.3, 429.4, 457.0, 518.5, 519.0, 564.2-4, 569.6, 576.0, 579.3, 674.1-3, 996-998	

<sup>2/</sup> Anything classifiable to 871.3 is coded as for Blindness in the X-codes.

<sup>3/</sup> Anything classifiable to 960-978 is coded to 977.9.

<sup>4/</sup> Anything classifiable to 980-989 is coded to 989.9.

Recode #1 Number	Title ~	ICD Inclusions as modified by NHIS
277	Other complications of medical care (acute) (chronic)	323.5, 995.0, 999
278	Injuries, 3 months+, NEC, no residual specified	906.0-4, 908

IMPAIRMENTS: RECODE 1

	·		
X-CODE NUMBER	TITLE		
	All impairments (X00-X99). For additional 1-digit codes expressing etiology of impairments, see Appendix I, Medical Coding Manual.		
	BLINDNESS AND IMPAIRMENT OF VISION (X00-X04)		
xoo	Serious Visual Impairment		
X01	Other Visual Impairment involving both eyes		
X02	Blindness or Visual Impairment of any degree involving only one eye		
X04	Impaired Vision except as in X00-X02		
	DEAFNESS AND IMPAIRMENT OF HEARING (X05-X09)		
X05	Dealness, both ears Includes persons who have no useful hearing in both ears, or can't hear, both ears.		
X06	Other hearing impairment involving both ears Any bilateral hearing impairment which cannot be coded to X05.		
X07	Deafness or hearing impairment of any degree involving only one ear.		
X08	Deafness, NOS Unknown whether one or both ears are involved.		
X09	Impaired hearing, NOS Unknown whether one or both ears are involved.		
	IMPAIRMENT OF SPEECH, SPECIAL SENSE AND INTELLIGENCE (X10-X19)		
X10	Stammering and Stuttering		
X11	Other speech defects		
X12	Loss or impairment of sensation Includes taste, smell and loss or disturbances of sensation (burning) and numbness of any body parts.		
X14	Special learning disability (reading) (mathematics) ('mirror writing or reading").		
X13	Mental retardation: Any degree or any type, including 'monogolism." ('Down's (Downes) Syndrome")		
	f .		

X-CODE NUMBER	_ TITLE
	ABSENCE, LOSS, EXTREMITIES, AND CERTAIN OTHER SITES (X20-X35)
X20	Arms, both
X21	Hands, both
X22	One or more fingers (excludes tip only-below first joint) (thumb(s)) of both hands
X23	Arm, one
. X24	Hand, one
X25	One or more fingers, (excludes tip only-below first joint), thumb, of only one hand.
X26	Legs both
X27	Feet or toes (excludes tip only-below first joint) only both
χ28	Leg, one
X29	Foot or toes (excludes tip only-below first joint) only, one
X30	Absence, Lung
X31 ' .	Absence, Kidney
X32	Absence, Breast
X23	Absence of rib, bone, joint, or muscle of trunk, one or more
X34	Absence of bone, joint, or muscle of extremity without loss of extremity, one or more
X35	Tips of fingers or toes (below first joint) only

X-CODE NUMBER	TITLE				
	PARALYSIS, COMPLETE OR PARTIAL, ALL SITES EXCEPT AS IN X00-X19 (X40-X64)				
	Paralysis NOS (COMPLETE) of Extremities				
X40	Entire body or four limbs				
X41	One side of body only, including limbs; or "hemiplegia."				
X42	Arms, both				
X43	Arm, one				
X44	Hands, both, and/or finger(s) (thumb) on one or both hands only.				
X45	Hand, one, and/or finger(s) (thumb) on one hand, only.				
X46	Legs, both; or 'paraplegia."				
X47	Leg, one				
X48	Feet, both, and/or toe(s) on one or both feet, only.				
X4 º	Foot, one, and/or toe(s) on one foot, only.				

X-CODE NUMBER	TITLE
	CEREBRAL PALSY AND PARALYSIS PARTIAL OF EXTREMITIES
X50	Cerebral palsy
X51	Partial paralysis, one side of body only, including limbs; or 'hemiparesis."
X52	Partial paralysis, arm, both
X53	Partial paralysis, arm, one
X54	Partial paralysis, hands, both, and/or finger(s) (thumb) on one or both hands only.
X55	Partial paralysis, hand, one, and/or finger(s) (thumb) on one hand only.
X56	Partial paralysis, legs, both; or 'paraparesis."
X57	Partial paralysis, leg, one
X28	Partial paralysis, feet, both, and/or toe(s) on one or both feet, only.
X59 .	Partial paralysis, foot, one, and/or toe(s) on one foot, only.
	PARALYSIS, COMPLETE OR PARTIAL, SITES EXCEPT EXTREMITIES
X60	Trunk, any part except parts included in X40, X41, X51
X61	Face (Bell's palsy or paralysis)
X62	Bladder or anal sphincter
X63	Paralysis, complete or partial, sites NOT of extremities, trunk, nor affecting special senses or speech
X64	Paralysis, complete or partial, NEC

X-CODE NUMBER	TITLE			
	SPECIFIED DEFORMITY OF LIMBS, TRUNK, BACK (X70-X79)			
X70	Curvature and other structural deformities of spine or back, except as in X71.9			
X71.9	Spina bifida (with meningocele) (always congenital)			
X73	Deformity of shoulder or upper extremity, NEC			
X74	Deformity of hand(s), finger(s), thumb(s), only			
X75	Dislocation, congenital, and other deformity hip and/or pelvis			
X76	Deformity of any site on lower extremity, one or both, NEC			
X77	Flatfoot (including weak, fallen or other difficulty with arches)			
X78	Clubfoot			
X79	Deformity, neck, trunk bones, NEC			
	NON-PATALYTIC ORTHOPEDIC IMPAIRMENT (CHRONIC), NEC (80-X89)			
X80	Back, any part (includes neck)			
X84	Shoulder(s) and/or upper extremity(ies)			
X85	Hip and/or pelvis			
X86	Lower extremity			
X89	Other and ill-defined sites			

X-CODE NUMBER	- TITLE
	DEFECT, ABNORMALITY, SPECIAL IMPAIRMENT, NEC (X90-X99)
X90	Disfigurement, scarring, face, nose, lips, ears
X91.9	Cleft palate and harelip (with speech defect)
X92	Other dentofacial handicap
X93	Deformity of skull (hydorcephaly) (microcephaly)
Х94	Artificial orifice (opening) or valve (surgical) any site (colostomy)
X99	Special impairment, ill-defined

October 1981

## Diagnostic Recode #2 Acute Conditions

- I. <u>Purpose</u>: Recode #2 consists of 33 4-digit categories of frequently reported acute conditions. These acute condition categories have been selected from the more extensive diagnostic listing in Diagnostic Recode #1 following the definition of acute condition shown below.
- II. Arrangement of the Recode: The first two digits of the recode are to be used for subtotals for use in the annual Acute Conditions report. The first digit will be used to separate the data into the five major condition groups, and the second digit into subcategories of these five. The third and fourth digits are the basic units of the recode.
- III. Definition of Acute Condition: For the purposes of the National Health Interview Survey an acute condition is any disease or injury with onset in the 3-month reference period prior to the week of interview, exclusive of certain conditions always classified as chronic regardless of date of onset. The incidence of acute conditions is limited to acute conditions with onset in the 2-week reference period prior to the interview week. Acute conditions also include current deliveries, normal or complicated, and current complications of pregnancy and the puerperium. Acute conditions must have had either activity restriction or medical attention in order to be included in the survey statistics.

Acute conditions, as defined, are given a supplementary 1-digit code number identifying them as acute, and are sorted for tabulation under Recode #2 categories on this basis. Also, the incidence of acute conditions is tabulated under Recodes #1 and #2 only for those conditions with onset in the 2-week period prior to interview.

IV. Content: Each line of the recode contains the following elements: Recode #2 number, title summarizing the contents of the category, Recode #1 inclusions, and rubric numbers from the International Classification of Diseases (ICD), 9th Revision.

A summary listing of modifications which affect the use of the recode is shown as follows:

- (a) The letter "A" following an ICD rubric means that this is a special number devised for survey purposes which is not to be found in the ICD.
- (b) Abbreviations 'NOS," and 'NEC," represent respectively, 'not otherwise specified," and 'not elsewhere classified."

#### National Health Interview Survey

October 1981

# Diagnostic Recode #2 Acute Conditions

Deces			,
Recode #2 Number	Title	Recode #1 Inclusions	ICD Inclusions as modified by NHIS
1001	Measles	024	055
1002	Rubella	025	056, 647.5, 771.0
1003	Whooping cough, chickenpox, mumps	015, 026, 028	033, 052, 072
1004	Viral infection, unspecified	032	046.8,9, 079.0-2,9, 790.8
1005	Dysentery and diarrheal disease, NEC	008	004, 006, 007, 009, 777.5
1006	Other acute infective and parasitic diseases	006, 007, 009-014, 016-023, 027, 029- 031, 033- 041	001-003, 005, 008, 020- 027, 030-032, 034.0,1, 035-041, 045, 046.2, 047, 048, 049.0,1,8, 050, 051, 053, 054, 057, 060-066, 070, 071, 073-078, 079.8, 080-088, 098, 099.0-3,8,9, 100-104, 110-112, 114-118, 120-136, 647.1,2,4,6,8,9, 771,1-3,7,8, 790.7
2107	Common cold	144	079.3, 460
2108	Other acute upper respiratory conditions	145, 158	461-465, 470, 471, 475, 478.0-7,9
2209	Influenza with digestive manifestations	147	487.8
2210	Other forms of influenza	148	487.0,1
2311	Pneumonia, NEC	149, 150	480-483, 485, 486, 507, 770.0
2312	Acute bronchitis	146	466
2313	Other acute respiratory conditions	159, 228	495, 496, 500-506, 510-516, 518.0,3,4,8, 519.1-4, 8,9, 784.4,7, 786.0-5,7,9, 793.1, 794.2
3414	Acute dental conditions	160, 161	520.3.4,7-9, 521-523, 525
CD		•	I

Recode		<del></del>	ICD Inclusions
#2 Number	Title	Recode #1 Inclusions	as modified by NHIS
3415	Functional and symptomatic upper gastrointestinal conditions, NEC	165	536, 783.0, 787.0,1
3416	Other acute digestive system disorders	162, 164, 166, 167, 169, 172- 180, 229- 232	526-530, 537, 540-543, 560, 564.01,5-9, 565- 568, 569.1-5,8,9, 570-575, 576.1-5,8,9, 577, 578, 579.4, 777.4, 782.4, 786.8, 787.2-5,7,9, 789.0,1,3-5,9, 793.3, 794.8
4517	Fractures and dislocations, acute	241-249, 251-253	733.8, 800-839
4518	Sprains and strains, acute	254-257	840-848
4619	Open wounds and lacerations, acute	261-263	870-884 <b>,½</b> / 890-894
4720	Contusions and superficial injuries, acute	265,266	910-929
4821	Complications of medical and surgical procedures, acute	276, 277	323.5, 349.0,1, 383.3, 457.0, 518.5, 519.0, 564.2-4, 569.6, 576.0, 579.3, 674.1-3, 995.0, 996-999
4822	Other injuries, acute	258, 260, 267, 268, 270, 272- 275	357.6,7, 358.2, 359.4, 360.5,6, 508, 693.0,8,9, 779.4, 783.5, 796.0, 850-854, 860-869, 900- 904, 909, 930-957, 959, 977.92/ 979, 989.9,3/ 990, 991.0-4,6,8,9, 992-994, 995.2,4,5,8
5923	Acute diseases of eye	117-119, 123	360.0,3,8,9, 363.0-3,6,9, 364.0-6,8,9, 368.0,2-4,6,8,9, 370.0, 4-6,8,9, 371.0-2,4-9, 372.8.9, 373.0,2,8,9, 374, 375, 376.0,1,3-5,8,9, 377.0-4, 378.0-6,8,9, 379.0,1,3,4,8,9, 771.6
5924	Acute diseases of ear	124, 125	380-382,383.0-2,8,9, 384- 387, 388.0,1,3-9
5925	Headache, under 3 months (excludes tension headache coded to 307.8 in Recode 5933)	224	784.0

Anything classifiable to 871.3 is coded as for Blindness in the X-code.  $\frac{2}{4}$  Anything classifiable to 960-978 is coded to 977.9.  $\frac{3}{4}$  Anything classifiable to 980-989 is coded to 989.9.

٠:-

Recode #2 Number	Title	Recode #1 Inclusions	ICD inclusions as Modified by NHIS
5926	Acute genitourinary disorders	181, 184- 186, 188- 196, 233	099.4, 580-583, 584.5-9, 585, 587, 588.0,8,9, 589-591, 593.9, 595-599, 603-609, 611.0-4,6-9, 614, 615, 616.0,1,3-5,8,9, 621.1-9, 622.0-6,8,9, 623.0-6,8,9, 624.0-5,8,9, 625.0-5,8,9, 626-629, 648.8, 771.5, 788.0-2,4-9, 790.2, 791.0-2,4-7,9, 792.2, 793.5,8
5927	Deliveries, normal or complicated	201-203	644.1, 650, 662.1, 666.1, 669.5-7
5928	Abortions, and complications of pregnancy and the puerperium	197-200, 204, 205	630-643, 644.0, 645, 646, 651-661, 662.0,2,3, 667, 668, 669.0-4,8,9, 670-673, 674.0,4,8,9, 675, 676
5929	Acute nomallergic diseases of the skin	206, 207, 209-211	277.6, 680-684, 686, 690, 692, 693.2A, 694-698, 700-705, 706.0,1,3,8,9, 707-709, 723.6, 729.3, 771.4, 782.8, 995.1,3
5931	Other acute musculoskeletal disorders	107, 214- 219, 234	344.1, 358.0, 359.8,9, 376.6, 648.7, 710.0-2,8,9 717, 718.0-5,8,9, 719.0-1 4-9, 720.1,2,8, 722, 723.0-4,7-9, 724.0-2,4-9, 726.1,3-9, 727, 728.0,1, 3,5,7-9, 729.4-6,8,9, 730-732, 733.0,1,4-7,9, 739, 775.2, 781,2,4, 793
5932 ·	Acute circulatory conditions	136, 139- 143, 227	441-444, 446-448, 451-45 457.1,2,8,9, 458, 459, 557, 648.6, 780.2, 782.3 5,6, 784.8, 785.4-6,9, 789.2, 796.3, 991.5
5933	Other acute conditions	091-094, 096-101, 106, 111- 116, 221- 223, 226, 235-240, 213	All other ICD code numbers which may be acute conditions

### Diagnostic Recode #3 . Chronic Conditions and Impairments

- I. <u>Purpose</u>: Recode #3 consists of 53 2-digit categories of chronic conditions and impairments. These categories have been selected from the more extensive diagnostic listing in Diagnostic Recode #1 following definitions shown below.
- II. Definition of Chronic Condition and Impairment: For the purposes of the National Health Interview Survey a chronic condition and an impairment are any departures from normal health with onset more than 3 months from date of interview, except certain complications of pregnancy (630-676) which are always classified acute. Also included are certain chronic conditions and impairments which are classified as chronic regardless of the date of onset. All chronic conditions are counted in the survey whether or not they have necessitated activity restriction or medical care. All impairments coded with "X" in the first digit are, by definition, chronic.

Chronic conditions and impairments, as defined, are given a supplementary 1-digit code number identifying them as chronic and are sorted for tabulation under Recode #3 categories on this basis.

III. Content: Each line of the recode contains the following elements:

Recode #3 number, title summarizing the contents of the category,

Recode #1 inclusions, and rubric numbers from the International Classification

of Diseases (ICD). Since the impairment categories are coded according

to the Classification of Impairments (X-code) instead of the ICD method, no

corresponding ICD rubric numbers are shown in the last column for these

categories. See Diagnostic Recode #1 for a listing of the X-codes.

A summary listing of modifications which affect the use of the recode is shown as follows:

- (a) The letter "A" following an ICD rubric number means that this is a special number devised for survey purposes which is not to be found in the ICD.
- (b) Abbreviations 'NOS" and 'NEC," represent respectively, 'not otherwise specified," and 'not elsewhere classified."

#### National Health Interview Survey

October 1981

#### Diagnostic Recode #3 Chronic Diseases and Impairments

Recode #3		Recode #1	ICD Inclusions as modified
Number	Title	Inclusions	by NHIS
01	Tuberculosis, active	001-003	010-018
02	Tuberculosis, arrested or inactive	004	019-A
03	Other chronic infective and parasitic diseases	005-041	001-009, 020-027, 030- 033, 034.0, 035-041, 045, 046.2,8,9, 047, 048, 049.0,1,8, 050-057, 060-066, 070-078, 079.0-2,8,9, 080-088, 090-098, 099.0-3,8,9, 100-104, 110-112, 114- 118, 120-136, 771.0-3,7,8
04	Malignant neoplasms	042-059	140-165, 170-175, 179- 201, 202.0-4,6,8,9, 203-208, 289.6
05	Benign and unspecified neoplasms	060-080	210, 211.0-6,8,9, 212- 225, 227-229, 239, 569.0 616.2, 620.2, 621.0, 622.7, 623.7, 624.6
06	Disease of the thyroid gland	087-089	226, 240-246, 775.3, 794.5
07	Diabetes (mellitus)	090	250, 775.1
80	Anemias, 3 months+	097-100	280-285, 776.6
09	Other diseases of blood and blood forming organs, 3 months+	101	273.0, 286-288, 289.0-5, 7,8, 776.1,4,7,8, 782.7, 790.0
10	Headache and migraine, chronic (excludes tension headache coded to 307.8 in Recode 12)	111, 224	346, 784.0
11	Specified mental disorders, NEC	102~105	290-299, 300.0-5,5-9, 301-304, 305.0,2-9, 306.1-5, 310.0,1,8,9, 312-314, 316-A, 351.0,1 357.5, 425.5, 535.3, 790.3

	ICD Inclusions				
Recode #3 Number	Title	Recode #1 Inclusions	ICD Inclusions as modified by NHIS		
12	Nervousness, depression, NEC and special symptoms, NEC, 3 months+	106	300.4, 307-309, 311, 315.3-5,8,9, 625.6, 780.5, 784.3,5,6, 787.6, 788.3, 799.2		
13	Rheumatic fever, inactive  NOTE: For prevalence of heart disease, use Recodes 14-16	126	399-A		
14	Rheumatic fever, active	127	390, 391		
15	Rheumatic heart disease	128	393-398, 423.1, 424.1		
16	Other diseases of heart, NEC	129-132	402.1,9, 404.1,9, 413, 414, 415.0, 416, 417.8,9, 420-422, 423.0,2,8,9, 424.0,2,3,9, 425.0-2,4,9, 426-428, 429.0-3,5,8,9, 785.0-3, 794.3		
17	Cerebrovascular disease	134	348.5, 430-435, 437.0-2, 4-6,8,9		
18	Hypertensive disease, NEC	133	401, 402.0, 403, 404.0, 405, 434, 796.2		
19	Varicose veins	137	454, 456		
20	Hemorrhoids	138	455		
21	Arteriosclerosis and other chronic diseases of the circulatory system	135, 136, 139-143, 227	415.1, 417.0,1, 437.3, 440-444, 446-448, 451-453, 457.1,2,8,9, 458, 459, 557, 780.2, 782.3,5,6, 784.8, 785.4-6,9, 789.2, 796.3, 991.5		
22	Chronic bronchitis	151	490, 491		
23	Emphysema	152	492, 518.1,2		
24	Asthma (with or without hay fever)	153	493		
25	Hay fever, without asthma	157	477, 478.8		
26	Chronic sinusitis	156	473		
27	Other chronic diseases of the respiratory system	147-150, 154, 155, 158,159, 228	464.3, 470-472, 474-476, 478.0-7,9, 480-483, 485, 486, 487.0,1,8, 494-496, 500-507, 510-516, 518.0,3 4,8, 519.1-4,8,9, 770.0, 784.4,7, 786.0-5,7,9, 793.1, 794.2		
		•	173		

Recode			ICD Inclusions
#3 Number	Title	Recode #1 Inclusions	as modified by NHIS
28	Ulcer of stomach and duodenum	163	531-534
29	Hernia of abdominal cavity	168 .	550-553, 750.6
30	Diseases of the gallbladder, chronic	178, 179	574, 575, 576.1-5,8,9, 793.3
31	Other chronic diseases of the digestive system	160-162, 164-167, 169-177, 180, 229- 232	520.3,4,7-9, 521-523, 525-530, 535.0-2,4-6, 536, 537, 540-543, 555, 556, 558, 560, 562, 564.0,1,5-9, 565-568, 569.0-5,8,9, 570-572, 573.0,3,4,8,9, 577, 578, 579.4, 777.4, 782.4, 783.0, 786.8, 787.0-5,7,9, 789.0,1,3-5,9, 794.8
32	Disorders of menstruation	193	625.2-4,8,626.0-6,8,9,627.1
33	Menopausal symptoms, except psychosis	194	627.0,2,4,9
34	Chronic diseases of kidney and ureter	181, 182, 184, 185	580-583, 584.5-9, 585, 587, 588.0,8,9, 589-591, 592.0,1, 593, 794.4
. 35	Other chronic diseases of urinary system	183, 186, 233	099.4, 344.6, 592.9, 594-599, 607.3, 619.0, 625.0,1,9, 788.0-2,4-9, 790.2, 791.0-2,4-7,9, 793.5
36	Chronic diseases of genital organs, NEC	187-192, 195, 196	600-606, 607.0-2,8,9, 608-611, 614, 615, 616.0,1,3-9, 617, 618, 619.1,2,8,9, 620.0,1,3-9, 621.1-9, 622.0-6,8,9, 623.0-6,8,9, 624.0-5,8,9 625.5, 626.7, 627.3, 628.0,2-9, 629, 771.5, 792.2, 793
37	Chronic and allergic skin diseases	206-211	277.6, 373.3, 680-686, 690-692, 693.1, 693.2-A, 694-698, 700-709, 723.6, 729.3, 771.4, 782.8, 995.1,3
38	Arthritis and chronic rheumatism	212, 213.	710.3,4, 711, 712, 714- 716, 719.3, 720.0,8,9, 721.0,2,3,5-7,9, 725, 726.0,2, 729.0,1
. <u>-</u>			

Recode #3 Number	Title	Recode #1 Inclusions	ICD inclusions as modified by NHIS
39	Other chronic musculoskeletal disorders	214-219	358.0, 359.8,9, 376.6, 710.0-2,8,9, 717, 718.0-4,8,9, 719.0,1, 2,6,8,9, 720.1,2,8, 721.1,4,8, 722.0-7,9, 723.0-5,7,9, 724.0-2, 4-9, 726.1,3-9, 727, 728.0,1,3,5,7-9, 729.4, 6,9, 730-732, 753.0-7,9 739, 775.2, 793.7
40	Fractures, 3 months+ no residual specified	250	905.0-5
41	Serious visual impairments	x00	
42	Other visual impairments	X01, X02, X04	
43	Hearing impairments	X05-X09	
44	Speech defects	X10; X11	
45	Paralysis	X40-X64	
46	Absence, upper extremities .	X20-X25	
47	Absence, lower extremities	X26-X29	
48	Impairments (except paralysis and absence), back or spine	X70, X71.9, X80	
49	Impairments (except paralysis and absence), upper extremities and shoulders	373, 374, 384	
50	Impairments (except paralysis and absence), lower extremities and hips with any other site	X75, X76, X78, X85, X86	
51	Impairments (except paralysis and absence), multiple, NEC, and ill-defined, limbs, back, trunk	x79, x89	
52	Other impairments	X12, X14, X19, X30- X35, X77, X90, X91.9, X92-X94, X99	

7			
Recoae #3		Recode #1	ICD Inclusions
Number	Title	Inclusions	as modified by NHIS
			<i>5)</i> 14115
53	Other chronic conditions, except impairments (gout), (multiple sclerosis), (paralysis agitans), (epilepsy), (refractive errors), (cataract), (glaucoma), (congenital malformations not in X-code), (senility), (etc.)	91-96, 108- 110, 112- 125, 220- 223, 225, 226, 235- 240, 259, 269, 271- 273, 276- 278	All other ICD code numbers which may be chronic conditions

#### National Health Interview Survey

## Diagnostic Recode #4 Hospital Diagnosis

- I. <u>Purpose</u>: Recode #4 is a list of 38 categories of diseases, injuries, and impairments selected from Recode #1. It is designed for use in tabulating the diagnosis reported for each hospitalization.
- II. Contents: Each line of the recode contains the following elements: recode number, title summarizing the contents, Recode #1 inclusions, rubric numbers from the ICD. The full detail of all modifications of ICD is shown in Appendix III of the Medical Coding Manual. A summary listing of modifications which directly affect the use of the recode is shown as follows:
  - (a) The letter "A' following a rubric means that this is a special number devised for survey purposes which is not found in the ICD.
  - (b) ICD rubrics for impairments and most of the late effects of diseases are not used in the survey medical coding and, therefore are not shown in Recode #1. Impairments and their causes, as reported by the household members, are coded directly to the X-codes according to a system that differs considerably from the ICD method. A complete listing of the Classification of Impairments (X-code) is given in the Appendix I of the Medical Coding Manual.
  - (d) The abbreviations "NOS" and "NEC" represent, respectively, "not otherwise specified" and "not elsewhere classified."

# National Health Interview Survey <u>Diagnostic Recode #4</u> <u>Hospital Diagnosis</u>

1982 Update

Doggia		1	ICD Inclusions
Recode	~	Recode #1	as modified
Number	Title	Inclusions	by NHIS
01	Tuberculosis (active) (inactive), all sites	001-004	010-018,- 019-A
02	Other infective and parasitic diseases	005-041	001-009, 020-027, 030-033, 34.0, 035-041, 045, 046.2,8,9, 047, 048, 049.0,1,8, 050-057, 060-066, 070-078, 079.0-2,8,9, 080-088, 090-098, 099.0-3,8,9, 100-104, 110-112, 114-118, 120-136, 771.0-3,7,8, 777.5, 790.7,8
03	Malignant neoplasms	042-059	140-165, 170-175, 179-201, 202.0-4,6,8,9, 203-208, 289.6
04	Benign and unspecified neoplasms	060-080	210, 211.0-6,8,9, 212-225, 227-229, 239, 569.0, 616.2, 620.2, 621.0, 622.7, 623.7, 624.6
05	Diabetes (mellitus)	090	250, 775.1
06	Other endocrine, nutritional, metabolic disorders	087-089, 091-096	202.5, 211.7, 226, 240, 241, 242.0-3,4,8,9, 243-245, 246.0-3,8,9, 251-264, 265.0-2, 266, 267, 268.0,2,9, 269.0-3,8,9, 270-272, 273.1-3,8,9, 274, 275, 277.0-5,8,9, 278, 279, 306.6, 359.3, 579.0-2,8,9, 588.1, 648.1,9, 775.3,4,6,8,9, 779.3, 783.2,3,6, 791.3, 794.5
07	Mental and personality disorders and deficiencies	102-106, X14, X19	290-299, 300.0-9, 301-304, 305.0,2-9, 306.1-5, 307-309, 310.0,1,8,9, 311-314, 315.3-5,8,9, 316-A, 331.0,1, 357.5, 425.5, 535.3, 625.6, 648.3,4, 780.5, 784.3,5,6, 787.6, 788.3, 790.3, 799.2
08	Cerebrovascular disease ·	134	348.5, 430-433, 435, 437.0-2,4-6,8,9
09	Diseases of the eye and visual impairments	117-123, X00-X02, X04	360.0-4,8,9, 361-368, 370-372, 373.0-2,8,9, 374, 375, 376.0,1,3-5,8,9, 377-379, 771.6
			I .

Recoae		-	I III inclusions
#4 Number	Title	Recode #1 Inclusions	as Modified
NEIDEL	Title	Incrusions	by NHIS
10	Other diseases of nervous system and sense organs, except paralysis	108-116, 124, 125, 226, X05- X12	046.0,1,3, 320-322, 323.8,9, 324, 325, 330, 331.8,9, 332-337, 340, 341, 345-347, 348.0-4,8,9, 349.2,8,9, 350-352, 353.0-4,6,8,9, 354-356, 357.0,8,9, 358.8,9, 359.0-2, 380-382, 383.0-2,8,9, 384-387, 388.0,1,3-9, 724.3, 729.2, 779.0,1, 780.0,1,3,4, 781.0,1,3,6, 782.0, 792.0, 793.0, 794.0,1, 796.1
11	Diseases of the heart, NEC	127-132	390, 391, 393-398, 402.1,9, 404.1,9, 414, 415.0, 416, 417.8,9, 420-424, 425.0-2,4,9, 426-428, 429.0-3,5,8,9, 785.0-3, 794.3
12	Hypertensive disease, NEC	133	401, 402.0, 403, 404.0, 405, 796.2
13	Arteriosclerosis, NEC	135	440
14	Varicose veins	137	454, 456
15	Hemorrhoids .	138	455
16	Other diseases of circulatory system, NEC	126, 136, 139-143, 227	399-A, 415.1, 417.0,1, 437.3, 441-444, 446-448, 451-453, 457.1,2,8,9, 458, 459, 557, 780.2, 782.3,5,6, 784.8, 785.4-6,9, 789.2, 796.3, 991.5
17	Upper respiratory conditions	144, 145, 154-158	079.3, 460-465, 470-478
18	Other respiratory system conditions	146-153, 159, 228, X30	466, 480-483, 485-487, 490-496, 500-507, 510-516, 518.0-4,8, 519.1-4,8,9, 770.0, 784.4,7, 786.0-5,7,9, 793.1, 794.2
19	Ulcer of stomach and duodenum	165	551-534
20	Appendicitis, all forms	167	540-543
21	Hermia of abdominal cavity	168	550-553, 750.6

Recode	1		iCD inclusions
#4		Recode #1	as Modified
Number	Title	Inclusions	by NHIS
22	Diseases of the gallhladder	178, 179	574, 575, 576.1-5,8.9, 793.3
23	Other digestive system conditions	160-162, 164-166, 169-177, 180, 229-232	520.3,4,7-9, 521-523, 525-530, 535.0-2,4-6, 536, 537, 555, 556, 558, 560, 562, 564.0,1,5-9, 565-568, 569.0-5,8,9, 570-572, 573.0,3,4,8,9, 577, 578, 579.4, 777.4, 782.4, 783.0, 786.8, 787.0-5,7,9, 789.0,1,3-5,9, 794.8
24	Male genital disorders	187, 188	600-606, 607.0-2,8,9, 608, 609, 792.2
25	Female genital disorders	190-196	610, 611, 771.5, 793.8 (female only) 614, 615, 616.0,1,3-5,8,9, 617, 618, 619.1,2,8,9, 620.0,1,3-9, 621.1-9, 622.0-6,8,9, 623.0-6,8,9, 624.0-5,8,9, 625.2-5,8, 626-629
26	Other genitourinary system conditions	181-186, 189, 233, X31, X32	099.4, 344.6, 580-583, 584.5-9, 585, 587, 588.0,8,9, 589-599, 607.3, 619.0, 625.0,1,9, 788.0-2,4-9, 790.2, 791.0-2,4-7,9, 793.5, 794.4
27	Delivery, normal or unspecified	201	644.1, 650
28	Delivery with complications	202, 203	662.1, 666.1, 669.5-7
29	Complications of pregnancy and the puerperium	197-200, 204, 205	630-643, 644.0, 645, 646, 651-661, 662.0,2,3, 663-665, 666.0,2,3, 667, 668, 669.0-4,8,9, 670-673, 674.0,4,8,9, 675, 676
30	Diseases of the skin and cellular tissue, NEC	206-211	277.6, 680-686, 690, 692, 693.2-A, 694-698, 703-705, 706.0,1,3,8,9, 707-709, 723.6, 729.3, 771.4, 782.8, 995.1,3
51	Arthritis	212	711, 712, 714, 715.0,1,3,8,9 716, 719.3, 720.0,8.9, 721.0,2,3,5-7,9

•

Recode	1		im rucinsions
#4	٠٠	Recode #1	as Modified
Number	Title	Inclusions	by NHIS
32	Conditions of bones and joints, NEC	214-216, 250, X80, X84-X86, X89	648.7, 717, 718.0-4,8,9, 719.0,1,6,8,9, 720.2,8, 721.1,4,8, 722.0-7,9, 723.0-5,7-9, 724.0-2,4-9, 730-732, 733.0-7,9, 793.7, 905.0-5
33	Other conditions of the musculo- skeletal system, NEC	213, 217-219, 234, X20-X29, X70, X71.9, X73-X79	358.0, 359.8,9, 376.6, 710, 715.2, 718.5, 719.2,4,5,7, 720.1, 725-727, 728.0,1,3,5,7-9, 729.0,1,4-6,8,9, 739, 775.2, 781.2,4
34	Fractures and dislocations, current	241-249, 251-253	733.8, 800-839
<b>3</b> 5	Other current injuries	254-258, 260-263, 265-268, 270, 272-277	323.5, 349.0,1, 357.6,8, 358.2, 359.4, 360.5,6, 383.3, 457.0, 508, 518.5, 519.0, 564.2-4, 569.6, 576.0, 579.3, 674.1-3, 693.0,8,9, 779.4, 783.5, 796.0, 800-848, 850-854, 870-884-7, 890-894, 900-904, 909-957, 959, 977.92-7, 979, 989.93-7, 990, 991.0-4,6,8,9, 992-994, 995.0,2,4,5,8, 996-999
36	Paralysis, all sites	X40-X64	
<b>3</b> 7	Observation only	237	795.0,1,5,6, 799.5-A
38	Other conditions and impairments, NEC	097-101, 220-225, 235, 236, 238-240, 259, 269, 271, 278, X33, X34, X90, X91.9,	All other ICD code numbers used for admission to hospital.

Anything classifiable to 871.3 is coded as for Blindness in the X-code.  $\frac{2}{3}$ Anything classifiable to 960-978 is coded to 977.9.

Anything classifiable to 980-989 is coded to 989.9.

#### National Health Interview Survey Diagnostic Recode #5

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
01		Intestinal infectious diseases	001-009.0,2
	010	Cholera	001
	011	Typhoid fever	002.0
	012	Shigellosis	004
	013	Food poisoning	003, 005
	014	Amoebiasis	006
	015	Intestinal infections due to other specified organism	007, 008
	016	Ill-defined intestinal infections	009.0,2
	019	Residual	002.1-3,9
02		Tuberculosis	010-018, 019-A
	020	Pulmonary tuberculosis	011
	021	Other respiratory tuberculosis	010, 012
	022	Tuberculosis of meninges and central nervous system	013
	023	Tuberculosis of intestines, peritoneum and mesenteric glands	014
	024	Tuberculosis of bones and joints	015
	025	Tuberculosis of genitourinary system	016
	029	Residual	017, 018, 019-A
03		Other bacterial diseases	020-027, 30-41
	030	Plague	020
	031	Brucellosis	023
	032	Leprosy	030
	033	Diphtheria	032
	034	Whooping cough	033
	035	Streptococcal sore throat, scarlatina and erysipelas	034, 035

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
03			
	036	Meningococcal infection	036
	037	Tetanus	037
	038	Septicaemia	038
	039	Residual	021, 022, 024-027, 031, 039-041
04		Viral diseases	045-057, 060-066, 070-079
	040	Acute poliomyelitis	045
	041	Smallpox	050
	042	Measles	055
•	043	Rubella	056
	044	Yellow fever	060
	045	Arthropod-borne encephalitis	062-064
	046	Viral hepatitis	70
	047	Rabies	071
	048	Trachoma	076
	049	Residual	046-049, 051-054, 057, 061, 065, 066, 072-075, 077-079
05		Rickettsiosis and other arthropod- borne diseases	080-088
	050	Louse-borne typhus	080
	051	Other rickettsiosis	081-083
	052	Malaria	084
	053	Leishmaniasis	085
	054	Trypanosomiasis	086
	059	Residual	087, 088

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
06		Venereal diseases	. 090-099
	060	Syphilis	090-097
	061	Gonococcal infections	098
	069	Residual	099
07		Other infectious and parasitic diseases and late effects of infectious and parasitic diseases	100-104, 110-112, 114-118, 120-136
	070	Non-syphilitic spirochaetal diseases	100-104
	071	Mycosis	110-112, 114-118
	072	Schistosomiasis	120
	0.73	Echinococcosis	122
	074	Filarial infection and dracontiasis	125
	075	Ancylostomiasis and necatoriasis	126
	076	Other helminthiasis	121, 123, 124, 127-129
	0.79	Residual	130-136
08		Malignant neoplasm of lip, oral cavity and pharynx	140-149
	080	Malignant neoplasm of lip, oral cavity and pharynx	140-149
09		Malignant of neoplasm of digestive organs and peritoneum	150-159
	090	Malignant neoplasm of oesophagus	150
	091	Malignant neoplast of stomach	151
	092	Malignant neoplasm of small intestine, including duodenum	152
<u>-</u>	093	Malignant neoplasm of colon	153
	094	Malignant neoplasm of rectum, rectosigmoid junction and anus	154
	095	Malignant neoplasm of liver, specified as primary	155.0
	096	Malignant neoplasm of pancreas	157
	1	1	155.1.2. 156. 158, 159

۷	1	
	Γ	

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
10		Malignant neoplasm of respiratory and inthrathoracic organs	160 <b>-</b> 165
	100	Malignant neoplasm of larynx	161
	101	Malignant neoplasm of trachea, bronchus and lung	162
	109	Residual	160, 163-165
11		Malignant neoplasm of bone, connective tissue, skin and breast	170-175
	110	Malignant neoplasm of bone and articular cartilage	170
	111	Malignant melanoma of skin	172
	112	Other malignant neoplasm of skin	173
	113	Malignant neoplasm of female breast	174
,	119	Residual	171, 175
12		Malignant neoplasm of genitourinary organs	179-189
	120	Malignant neoplasm of cervix uteri	180
	121	Malignant neoplasm of placenta	181
	122	Malignant neoplasm of uterus, other and unspecified	179, 182
	123	Malignant neoplasm of overy and other uterine adnexa	183
	124	Malignant neoplasm of prostate	185
	125	Malignant neoplasm of testis	186
	126	Malignant neoplasm of bladder	188
	129	Residual	184, 187, 189
- 13		Malignant neoplasm of other and unspecified sites	190-199
	130	Malignant neoplasm of brain	191
	139	Residual	190, 192-199

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
14		Malignant neoplasm of lymphatic and haemopoietic tissue	200-208
	140	Hodgkin's disease	201
	141	Leukemia	204-208
•	149	Residual	200, 202, 203
15		Benign neoplasm	210-229
	150	Benign neoplasm of skin	216
	151	Benign neoplasm of breast	217
	152	Benign neoplasm of uterus	218, 219
	153	Benign neoplasm of ovary	220
	154	Benign neoplasm of kidney and other urinary organs	223
	155	Benign neoplasm of nervous system	225
	156	Benign neoplasm of thyroid	226
	159	Residual	210-215, 221, 222, 224, 227-229
17		Other and unspecified neoplasm	239
	170	Other and unspecified neoplasm	239
18		Endocrine and metabolic diseases, immunity disorders	240-246, 250-259, 270-279
	180	Disorders of thyroid gland	240-246
	181	Diabetes mellitus	250
	182	Hyperlipoproteinaemia	272.0, 272.1
	183	Obesity of non-endocrine origin	278.0
-	189	Residual	251-259, 270, 271, 272.2-9, 273-277, 278.1-4,8, 279

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
19		Nutritional deficiencies	260-268.0,2,9, 269
	190	Kwashiorkor	260
	191	Nutritional marasmus	261
	192	Other protein-calorie malnutrition	262, 263
	193	Avitaminosis	264-267, 268.0,2,9, 269
20		Diseases of blood and blood-forming organs	280-289
	200	Anaemias	280-285
	209	- Residual	286-289
21		Mental disorders	290-305, 306.1-5, 307-314, 315.4,5,8,9, 316-A, XLO, X
	210	Senile and presentle organic psychotic conditions	290
	211	Schizophrenic psychoses	295
	212	Affective psychoses	295
	213	Other psychoses	291-294, 297-299
	214	Neurotic and personality disorders	300, 301
	215	Alcohol dependence syndrome	303
	216	Drug dependence	304
	217	Physiological malnutrition arising from mental factors	306.1-5
	218	Mental retardation	X19
	219	Residual	502, 305, 507-314, 315.4,5,8,9, 316-A, X10, X14

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
22		Diseases of the nervous system	320, 322-325, 330, 331.0-2,8,9, 332-337, 340, 341 344.1, 345-352,353.0-4,6,8,9, 354-359, X40, X41.1-8,.X,.Y, X41.9, (X42-X49, X51-X60, X63, X64)1/, X50.9, X613/
	220	Meningitis	320, 322
	221	Parkinson's disease	332
	222	Other degenerative and hereditary disorders of the central nervous system	330, 331.0-2,8,9, 333-336,
	223	Multiple sclerosis	340
	234	Infantile cerebral palsy and other paralytic syndromes	344.1, X40, X41.9, X50.9, (X42-X49, X51-X60, X63, X64)1
	225	Epilepsy	345
	229	Residual	323-325, 337, 341, 346-352, 353.0-4,6,8,9, 354-359, X41.1-8,.X,.Y, X61-4
. 23		Disorders of the eye and adnexa	360-368, 370-379, X00½( X01 X02, X04)½/
	230	Glaucoma	565
	231	Cataract	366
	232	Blindness and low vision	x0c <sup>1</sup> /
	233	Conjunctivitis	372.0-3
	234	Disorders of lacrimal system	375
	235	Strabismus and other disorders of binocular eye movements	378
<u>-</u>	239	Residual	360-364, 367, 368, 370, 371, 372.4-9, 373, 374, 376, 377, 379, (X01, X02, X04)

<sup>1/</sup> Excludes .0 3/ Includes all 4th digits except .9

2-digit Recode	3-digit Recode	. Category	NHIS Diagnostic Code Inclusions
24		Diseases of the ear and mastoid process	380-387, 388.0,1,3-9, (X05 X08) <u>1/,</u> (X06, X07, X09) <u>1</u> /
	240	Otitis media and mastoiditis	381-383
	241	Deafness	(x05, x08) <sup>1/</sup>
	249	Residual	380, 384-387, 388.0,1,3-9, x06, x07, x09) 1
25		Rheumatic fever and rheumatic heart disease	390, 392-398, 399-A
	250	Acute rheumatic fever	390, 392
	251	Chronic rheumatic heart disease	393-398
	259	Residual	399-A
26		Hypertensive disease	401-405
	260	Hypertensive heart disease	402, 404
	269	Residual	401, 403, 405
27		Ischaemic heart disease	413, 414
	271	Ischaemic heart disease	413, 414
2,8		Disease of pulmonary circulation and other forms of heart disease	415-417, 420-428, 429.0-3
	280	Pulmonary embolism	415.1
	281	Cardiac dysrhythmias	427
	289	Residual	415.0, 416, 417, 420-426 428, 429.0-5,8,9
29		Cerebrovascular disease	430-435, 437, X50 <u>3/</u>
	290	Subarachnoid haemorrhage	430
	291	Intracerebral and other intracranial haemorrhage	431, 432
	292	Cerebral infarction	433, 434
	294	Cerebral atherosclerosis	437.0
	299	Residual	435, 437.1-6,8,9, X50 <sup>3</sup> /

1/Excludes 0
3/Includes all 4th digits except .9

		•	
2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
30		Other diseases of the circulatory system	440-444, 446-448, 451-459
	300	Atherosclerosis	440
	301	Arterial embolism and thrombosis	444
	302	Other diseases of arteries, arterioles and capillaries	441-443, 446-448
	303	Phlebitis, thrombophlebitis, venous embolism and thrombosis	451-453
	304	Varicose veins of lower extremities	454
	305	Haemorrhoids	455
	309	Residual	456-459
31		Diseases of the upper respiratory tract	460-465, 470-478, 477.7-4
	310	Acute tonsillitis	463
	311	Acute laryngitis and tracheitis	464
	312	Other acute upper respiratory infections	460-462, 465
	313	Deflected masal septum and masal polyps	470, 471
	314	Chronic pharyngitis, nasopharyngitis and sinusitis	472, 473
	315	Chronic diseases of tonsils and adenoids	474
	319	Residual	475-478, 477.7-A

2-digit Recode	3-digit Recode	. Category	NHIS Diagnostic Code Inclusions
32		Other diseases of the respiratory system	466, 480-483, 485-487, 490-496, 500-508, 510-516, 518, 519, X30 <sup>3</sup> /
	320	Acute bronchitis and bronchiolitis	456
•	321	Pneumonia .	480-483, 485, 486
	322	Influenza	487
	323	Bronchitis, chronic and unspecified, emphysema and asthma	490-493
	324	Bronchietasis	494
	325	Other chronic obstructive pulmonary disease	495, 496
	326	Pneumonconiosis and other lung disease due to external agents	500-508
	527	Pleurisy	511
	329	Residual	510, 512-516, 518, 519, X30 <u>3</u>
33		Diseases of oral cavity, salivary glands and jaws	520.3,4,7-9, 521-523, 525-529, X92
	330	Diseases of teeth and supporting structures	520.5,4,7-9, 521-523, 525, X92
	331	Diseases of the jaw	526
	339	Residual	527-529
34		Diseases of other parts of the digestive system	530-537, 540-543, 530-533, 535-558, 560, 562, 564-579
	340	Diseases of oesophagus	530
	341	Ulcer of stomach and duodenum	531-533
	342	Appendicitis	540-543
*	343	Hernia of abdominal cavity	550-553

<sup>3/</sup> Includes all 4th digits except .9

2-digit Recode	3-digit Recode	. Category	NHIS Diagnostic Code Inclusions
<b>34</b>		Diseases of other parts of the digestive system	
	344	Intestinal obstruction without mention of hernia	560
	345	Diverticula of intestine	562
	346 ·	Other functional digestive disorders	564
	347	Chronic liver disease and cirrhosis	571
	<b>3</b> 48	Cholelithiasis and cholecystitis	574-575.1
	249	Residual	534-537, 535-558, 565-570, 572, 573, 575,0,2-6,8.9, 576-579
35		Diseases of urinary system	580-599, X31 <sup>3</sup> / X62
	350	Nephritis, nephrotic syndrome and nephrosis	580-589
	351	Infections of kidney	250
	352	Urinary calculus	592, 594
•	353	Cystitis	595
٠	359	Residual	$x31^{\frac{3}{3}}$ , $x62$ , $591$ , $593$ , $596-599$
36		Diseases of male genital organs	600-608
	360	Hyperplasia of prostate	600
	361	Hydrocele	603
	362	Redundant prepucs and phimosis	605
	363	Infertility, male	606
	369	Residual	601, 602, 604, 607,

 $<sup>\</sup>frac{3}{}$  Includes all 4th digits except .9

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
<b>3</b> 7		Diseases of female genital organs	610, 611, 614-629, X32 <sup>3/</sup>
·	370	Diseases of breast	610, 611, X32 <sup>3</sup> /
	371	Salpingitis and oophoritis	614.0-2
•	372	Inflammatory diseases of pelvic cellular tissue and peritoneum	614.3-9
	373	Inflammatory diseases of uterus, vagina	615, 616
	374	and vulva Uterovaginal prolapse	618
	375	Menstrual disorders	626.0-5
	376	Infertility, female	628
	379	Residual	617, 619-625, 625.6-9, 627, 629
38		Abortion	630-639 .
	380	Spontaneous abortion	634
	381	Legally induced abortion	635
	382	Illegally induced abortion	636
	389	Residual	630-633, 637-639
39		Direct obstetric causes	640-646, 651-676
	390 391 392	Haemorrhage of pregnancy and childbirth Toxaemia of pregnancy Infections of genitourinary tract in pregnancy	640, 641, 666 642.4-9, 643 646.6
	393	Obstructed labour	660
	394	Complications of the puerperium	670-676
	399	Residual	642.0-3, 644, 645, 646.0-5,7-9, 651-659, 661-665, 667-669
40	,	Indirect obstetric causes	647, 648
	400	Indirect obstetric causes	64-, 648

Includes all 4th digits except .9

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
41		Normal delivery	650
	410	Normal delivery	650
42		Diseases of skin and subcutaneous tissue	680-686, 690-693, 693.2-A, 694-698, 700-709
	420	Infections of skin and subcutaneous tissue	680-686
	429	Residual	690-693, 693.2-A, 694-698, 700-709
<del>-4</del> 3		Diseases of the musculoskeletal system and connective tissue	710-712, 714-727, 728.0,1,3,5,8,9, 729-733, 738 (X20-X29, X33-X35, X73-X78) <u>5/</u> (X70, X79, X90, X93) <u>5/</u> , X80; X84-X86, X89
	4 30	Rheumatoid arthritis, except spine	714
	431	Other arthropathies	710-712, 715, 716
	4 3 2	Other disorders of joints	717-719 .
	433	Ankylosing spondylitis	720.0
	4 54	Other dorsopathies	720.1-724, X80
	435	Rheumatism, excluding the back	725-727, 728.0,1,3,5,8,9, 729, X86
	436	Osteomyelitis, periostitis and other infections involving bone	730
	437	Acquired deformities of limbs	$(x20-x29, x33-x35, x75-x78)^{3}$
	439	Residual	731-733, 739, (X70,X79,X90,X93)3/, X84, X85, X89
-	1		
3,			

Includes all 4th digits except .9

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
44		Congenital anomalies	742.2,4,5,8,9,744.4,745-748, 750.2-9,751,752,753.1-9, 754.0,1,756.4-9,757, 758.1-9,759.0-6,8,(X20-X29, X33-X35,X70,X73,X74, X76-X78,X93)2/,X71.9,X75.9, (X30-X32,X79,X90)2/
	440	Spina bifida and hydrocephalus	X71.9
	441	Other deformities of central nervous system	742.2,4,5,8,9
	442	Congenital anomalies of heart and circulatory system	745-747
	443	Cleft palate and cleft lip	749, X91.9
	4.1.4	Other deformities of digestive system	750.2-9, 751
•	445	Undescended testicle	752.5
,	446	Congenital dislocation of hip	X75.9
	417	Other congenital anomalies of musculoskeletal system	(X20-X29;X33-X35,X70, X73, X74, X76-X78, X93)=/ 754.0,1, 756.4-9
·.	449	Residual	744.4, 748, 752,0-4,6-9, 753.1-9, 757, 758.1-9, 759.0-6,8, (X30-X32, X79, X90)2
45		Certain conditions originating in the perinatal period	760, 761.0-5,7-9, 762-778, 779.0-5,8,9, X61.9
	450	Maternal conditions affecting fetus or newborn	760
	451	Obstetric complications affecting fetus or newborn	761.0-5,7-9, 762, 763
	452	Slow fetal growth, fetal malnutrition and immaturity	764, 765
	453	Birth trauma	767, X61.9
~	454	Hypoxia, birth asphyxia and other respiratory conditions	768-770
	455	Haemolytic disease of fetus or newborn	773
	459	Residual	766, 771, 772, 774-778, 779.0-5,8,9

<sup>1/</sup> Inclues -to digit .9 only.

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
46		Signs, symptoms and ill-defined conditions	780, 781.0-4,6,7,9, 782, 783.0,2-6,9 784-797, 799, 799.5-A, X11, X12
	460	Pyrexia of unknown origin	780.6
	461	Symptoms involving heart	785.0-3
·	462	Renal colic	788.0
:	463	Retention of urine .	788.2
•	454	Abdominal pain	789.0
•	465	Semility without mention of psychosis	797
i	467	Respiratory failure	799.1
	<b>4</b> 5 <u>9</u>	Residual	780.0-5,7-9, 781.0-4,6,7,9 782, 785.0,2-6,9, 784.4-6,5 786, 787, 788.1,5,4-9, 789.1-5,9, 790-796, 799.0,2-4,8,9, 799.5-A, X11, X12
47		Fractures	800-829
	470	Fracture of skull and face	800-804
	471	Fracture of neck and trunk	805-809
	472	Fracture of humerus, radius and ulna .	812, 813
	473	Fracture of neck of femur	820
•	474	Fracture of other parts of femur	821
	475	Fracture of tibia, fibula and ankle	823, 824
	476	Other fractures of limbs	810-811, 814-819, 822 825, 829
	479	Residual .	826-828
48		Dislocations, sprains and strains	830-848
•	480	Dislocations, sprains, and strains	830-848

2-digit Recode	5-digit Recode	Category	NHIS Diagnostic Code Inclusions
49		. Intracranial and internal injuries, including nerves	850-854, 860-869, 950-957, X00.0, X05.0, X08.0, (X42-X49, X51-X60, X63, X64)4/
	490	Concussion	850
	491	Other intracranial injuries	851-854, 950, 951, X00.0 X05.0, X08.0
	<b>300</b>	Residual	860-869, 952-957, (X42-X49, X51-X60, X63, X64)
50		Open wounds and injury to blood vessels	870-884 <sup>5</sup> /, 890-894, 900-904
	500	Open wound of eye, ear and head	870-873 <sup>5/</sup>
	501	Open wound of upper limb	880-884
	502	Open wound of lower limb	890-894
•	200	Residual	874-879, 900-904
51		Effects of foreign body entering through orifice	930-939
	510	Effects of foreign body entering through orifice	930-939
52		Burns	940-949
	520	Burn confined to eye and adnexa	940
	521	Burn of wrist and hand	944
	529	Residual	941-943, 945-949

Includes 4th digit .0 only.

<sup>5/</sup> ST1.5 is not used by NHIS. Instead these conditions are assigned to the appropriate visual impairment X-code.

2-digit Recode	3-digit Recode	Category	NHIS Diagnostic Code Inclusions
53		Poisonings and toxic effects	977.9 <sup>6</sup> , 979, 988, 989 <sup>7</sup>
	530	Medicinal agents	977.9, 979
·	539	Residual	988, 989
54		Complications of medical and surgical care	996-999
	540	Complications of medical and surgical care	996-999
55		Other injuries, early complications of trauma	910-929, 959, 990-995
	550	Other injuries, early complications of trauma	910-929, 959, 990-995
· 56		Late effects of injuries, of poisonings, of toxic effects and of other external causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
	560	Late effects of injuries, of poisonings, of toxic effects and of other external causes	905.0-5, 906, 907, 908.0-5,9, 909.2,4
57		Present effects of injuries, NEC	X01.0, X02.0, X04.0, X06.0, X07.0, X09.0
	570	Present effects of injuries, NEC	x01.0, x02.0, x04.0, x06.0, x07.0, x09.0
99		Residual, all other conditions	All other not listed codes
	990	Residual, all other conditions	All other not listed codes
	1		

<sup>6/</sup> Anything classifiable to 960-978 is coded by NHIS to 977.9.

<sup>7/</sup> Anything classifiable to 980-987 is coded by NHIS to 989.9.

#### HEALTH INTERVIEW SURVEY - 1981

## TABULATION SPECIFICATIONS AND WEIGHTING

#### INTRODUCTION

The tabulation specifications which were used to tabulate data for the "Current Estimates" report are attached. A brief description of the key points of each tabulation used to prepare each table is shown on the attached chart.

The weighting procedure used requires some explanation. If the table to be prepared has used only one quarter of data (for instance, for the second quarter of data collected during April-Jume, location 19:2) the appropriate weights are shown under the quarterly column of the tabulation specification, e.g., C-l. If the tape for the entire year is run, use the weights in the Annual column.

The weight for an event occurring or not occurring (binomial 0 or 1) uses the basic weights for the person. Similarly, if the event has occurred and when it occurs it can have a frequency of 1, 2, 3, etc.; the weight shown includes the cross product of the person's basic weight times the frequency. For instance, if a person is injured and requires 5 days in bed, the weight shown in the appropriate table is the person's basic weight times 5.

In most instances in the Health Interview Survey there are three reference periods used to make estimates: the 2-week reference period, 6 months, and 12 months. In producing estimates two weights are presented in the tape records; the basic weight and the 6.5 weight.

The 6.5 weight is a modification of the basic weight obtained by multiplying the basic weight by 6.5. The figure 6.5 indicates that 2 weeks multiplied by 6.5 represents 15 weeks or one calendar quarter. Summing over 4 calendar quarters equals 52 weeks. The basic weight for a quarter is 4 times the size of the annual weight.

To illustrate the use of reference periods, suppose we have a person whose weight is 6,000 in the tape for the quarter. This person's annual weight is 6000/4 = 1500. His 6.5 weight is obtained by multiplying  $6000 \times 6.5$  to obtain the 6.5 weight of 39,000. Therefore, if this person had 2 doctor visits occurring in the 2-week reference period, his contribution to the annual volume of doctor visits would have been  $39,000 \times 2$  or 78,000. If he had been discharged from a hospital once during the 6 months prior to interview, his contribution to the annual volume of hospital discharges would be  $1500 \times 2$  or 3000 for the full year's sample, or  $6000 \times 2$  or 12,000 for a sample of one quarter. If the reference period was 12 months, the weight for the year's sample is 1500 (or 6000 for the quarterly sample).

The weights in the original tapes were presented in binary format. In the tape release package, all binary weights have been converted to character format. However, the previous binary weight tape locations are also shown in the tape format since much of the tape documentation is based on the HIS working tape files which uses the binary weights.

The weights are presented in character format in the tape in locations 201-254. Locations from 254 onward contain cross products of variables with frequency greater than one. For instance, the number of restricted activity days in the Person record locations 106-107 may be, say, 5 days. As a convenience in tabulation, these 5 days have been multiplied times the appropriate weight (the 6.5 weight in locations 237-245) to obtain the weighted estimate of restricted activity days in locations 255-263.

(HIS) 1981 Quarterly

A-1

Number of characters per column	9		9		9			9	9	]	9	9	10	10	10
COMPUTER LOCATION		135	118-119	135	118-1	119	135	118-119	120-121	75	123-124	162		· · · · · · · · · · · · · · · · · · ·	75
CODE NUMBERS		1	00	1	01-1	14	2	01-14	01-14	0-3	01-14	1			0-3
	Persons injured		edically tended only	Phy	h Rest ysicia seen		Phy	Activity sician seen	With bed days	fron	time lost work or school	With hospital stay	Di Restricted activity days	sability Da Bed days	Work or school loss days
	P1 (1)		MA (2)		RA PS (3)			A PNS	BD (5)		TL (6)	HS (7)	RA (8)	BD (9)	TL (10)

Both sexes (52) (continued) All classes (169-171) Male (52:1) All ages (57-58: 01-09) 0-5 01 Female (2) ditto class and age 6-16 02 17-24 25-44 03 04,05 45-64 06,07 08,09 01,02 03-09 03-05 65+ Under 17 17+ 17-44 Moving motor vehicle (169:1) Moving motor vehicle traffic (169-171: 112,122) Work (170:1) Home (171:1) Other (169: 2, 4, 5, 6; 322 in 169-171) 111 112 (each class)

600

ditto age

The control of a control of the cont

General inclusion: Condition records 14:3 and 161:1

1. Inclusions: Cols. 1-7:104: 1 or 2

2. Weight:

	Quarterly	Annual Consolidation
Cols. 1-7	217-220	217-220
Co1. 8	225-228	225-228
Col. 9	233-236	233-236
Co1, 10	241-244	241-244

Quarterly

B-1

Population and number of persons with limitation of activity by selected characteristics

Number of characters per co	tumn 9	9	9	9	9	
COMPUTER LOCATION	•		98 (1.	۸)		
CODE NUMBERS		1	2	3	4	
	Population	1.71	1.02	I.V.3	Not Limited	
	1(1)	IA1 (2)	1A2 (3)	LA3 (4)	1A4 (5)	
Both sexes (52) All ages (57-58; 01-09) Under 6 6-16 17-24 25-44 45-64 65+ 08,09 Under 17 17-64 25-34 35-44 65-74 08 09	Northeast (29 North Central South (3) West (4) Under \$3,000 \$3,000-4,999 \$5,000-6,999 \$7,000-9,999 \$10,000-14,95 \$15,000-24,95 \$25,000+ (7) Unknown (8)	(70;1) (2) (3) (4) 19 (5)	Ma Pe	Under 6 Working Keeping hot Retired, He School Something ( Unknown Retired, o ale (52:1) anale (2) ditto char	ealth (3) (4) else (5) (6)	1. General inclusion: Person records 14:2 2. Weight: Quarterly Annual Consolidation 209-212

SMSA (36:1) Non-SMSA-non-farm (2) Non-SMSA-farm (3)

(HIS) 1981

Quarterly

C-1

Number of characters per column	9	9		9		9		9	9		9	10	10	10	10
COMPUTER LOCATION :		135	118-119	135	118-119	135	118-119	120-121	75	123-124	75			75	75
CODE NUMBERS		1	00	1	01-14	2	01-14	01-14	0-3	01-14	1-3			0	1-3
	A11 acute conditions	atte	ically ended ily	7771	tivity Roysician seen	Phy	icting sician t seen	With bed days	1	time from or	Among currently employed	Restricted act. days	Disability Bed days	y Days School Joss days	Work loss days
	'10T	) (7	4A 2)		\ PS (3)		PNS 4)	BD (5)	TI (6)		CE (7)	IVA (8)	BD (9)	SL (10)	WL. (11)
Both sexes (52): All conditions (112-115) All ages (55-56: 01-09) 0-4 55-56: 01		. 33													

Both sexes	(52);				
All condi	tions (11	12-115)			
All ages	(55-56:	01-09)		•	
0-4	55-56:	01		33	
5-14	11	02		ditto	age
15-24	41	03		Måle (52:1)	J
25-44	11	04,05		Female (2)	
45-64		06,07		ditto	condition and age
65+		08,09	ı		•
0-5	57-58:	01	•		
6-16	11	02			
17-24	11	03			
				112	117

	43		
	•	112	113
infective and p	arasitic	<u>1</u>	
lespiratory		2	-
Upper respirat	ory	2	1
Influenza	•	2	2.
Other respirat	ory	2	3
)igestive	•	3	7
lujuries		4	-
Other		5	_
Inch Recode #2	category	(114-115)	•

General inclusion: Condition records 14:3 and 103:2

1. Inclusions: Cols. 1-7: 104: 1 or 2

2. Weight:

	Quarterly	Annual Consolidation
Cols. 1-7:	217-220	217-220
Col. 8	225-228	225-228
Co1. 9	233-236	233-236
Cols. 10, 11	241 - 244	241-244

(IIIS) 1981 Quarterly

11-1

DRT-STAY IDSPITALS: Discharges and days by recall period, other short-stay statistics by sex and age

mber of characters per column	9 .	9	9	9	9	9	9	T ,	
MPATTER LOCATION	153	153	153	153	145	153	·	<del> </del>	
DOP NABERS	1,2,3	1,2,3	1,2	1,2	1,2	0		<u> </u>	*
	Year Recall		6 Months Recall			-	Days fo	r lpisode	
	Discharges	Days for discharges	Discharges	Days for discharges	Admissions in year	Still in hospital	1 year	2 weeks	
à à	VIS-12 (1)	DAYS (2)	DIS-6 (3)	DAYS (4)	AIM (5)	STILL (6)	PAY-12 (7)	JWY-2 (8)	

oth sexes (52)
All ages (55-56; 01-09)
0-4
01 5-14 15-24 25-34 35-44 02 03 04 05 45-54 06 55-64 65-74 07 08 75+ 09 0-5 57-58; 6-16 17-24 25-64 01 02 03 04-07 08,09 lale (1) 'emale (2) ditto age

1. General inclusion: Hospital records 14:4 and 102:1

2.	Weight	Quarterly	Annual Consolidation
	Col. 1	201-204	209-212
	Col. 2	249-252	257-260
	Col. 3	2 times 201-204	205-208
	Col. 4	2 times 249-252	253-256
	Col. 5	201 - 204	209-212
	Col. 6	201-204	209-212
	Col. 7	233-236	241-244
	Co1, 8	225-228	225-228

P-	3	

Interval since last doctor visit, by sex and selected characteristics

tumber of characters per column	9.	9	9	9	9	9	9	9
XMPUTER LOCATION				127 (inter	val since las	t doctor vis	sit)	
XDDE NUMBERS		1,3	4	5	6	7	9	0
	Population	Within 6 months	6 months- 11 months	1 year	2-4 years	5+ years	Unknown	Never
	POP (1)	-(M (2)	6-11M (3)	1Y (4)	2-4Y (5)	5+Y (6)	DK (7)	NEV (8)

Both sexes (52 Ali ages (57-58: 01-09) (continued) Under 6 Under \$3,000 (70: 1) 01 6-16 02 \$3,000-4,999 (2) 17-24 \$5,000-6,999 (3) 03 25-44 \$7,000-9,999 (4) 04,05 45-64 06.07 \$10,000-14,999 (5) \$15,000-24,999 (6) \$25,000+ (7) 65+ 08,09 01,02 Under 17 (8) 17-64 03-07 Unknown 25-34 04 Under 6 (74: 0) 35-44 05 Working (1) 65-74 08 Keeping house (2) 75+ 09 Retired-Health (3) SMSA (36: 1) School (4) NonSMSA-nonfarm (2) Something else (5) NonSMSA-farm (3) Unknown (6) Retired, other (7) Northeast (29: 1) Male (1) North Central (2) Female (2) South (3) ditto characteristics West (4)

General inclusion: Person records 14:2

Weight: Quarterly Annual Consolidation 201-204 209-212

(MIS) 1981 Quarterly

P-4

### Interval since last dental visit by sex and selected characteristics

Number of characters per column	9	9	9	9	9	9	9	9	
COMPUTER LOCATION			128 (interval	since den	tal visit)				
CODE NUMBERS		1,2	3	4	5	6	8	0	
	Population	Within 6 months	6 months- 11 months	1 Year	2-4 Years	5+ Years	Unknown	Never	
	POP (1)	-6M (2)	6-11M (3)	1Y (4)	2-4Y (5)	5+Y (6)	DK (7)	NEV (8)	

Both sexes (52) All ages (57-58: Under 6 6-16 17-24 25-44 45-64 65+ Under 17 17-64 25-34 35-44 65-74 75+  SMSA (36: 1) NonSMSA-nonfarm (2)	01-09 01 02 03 04,05 06,07 08,09 01,02 03-07 04 05 08	(continued) Under \$3,000 (70: 1) \$3,000-4,999 (2) \$5,000-6,999 (3) \$7,000-9,999 (4) \$10,000-14,999 (5) \$15,000-24,999 (6) \$25,000+ (7) Unknown (8) Under 6 (74: 0) Working (1) Keeping house (2) Retired-Health (3) School (4) Something else (5) Unknown (6)
NonSMSA-farm (3)		Retired, other (7)
Northeast (29:1) North Central (2) South (3) West (4)		Male (52:1) Female (2) ditto characteristics

1. General inclusion: Person Records 14:2

2. <u>Weight</u> <u>Quarterly</u> <u>Annual Consolidation</u>
201-204 209-212

(HIS) 1981 Quarterly P-5 Volume of dental visits by sex and selected characteristics Number of characters per column 10 COMPUTER LOCATION CODE NUMBERS Visits based on 2 weeks recall VIS-2 (1) Both sexes (52) All ages (57-58: 01-09) (continued) Under 6 01 Under \$3,000 (70: 1) \$3,000-4,999 (2) \$5,000-6,999 (3) \$7,000-9,999 (4) \$10,000-14,999 (5) 6-16 02 17-24 03 25-44 04,05 1. General inclusion: Persons Records 14:2 45-64 06,07 65+ 08,09 \$15,000-24,999 (6) 2. Weight Quarterly Annual Consolidation Under 17 01,02 \$25,000+ (7) (8) Co1, I 257-260 257-260 17-64 03-07 Unknown 25-34 04 35-44 05 Under 6 (74: 0) Working (1)
Keeping house (2)
Retired-Health (3) 65-74 08 75+ 09 SMSA (36: 1) School (4) NonSMSA-nonfarm (2) Something else (5) Unknown (6) NonSMSA-farm (3) Retired, other (7) Northeast (29: 1) Male (52:1) North Central (2) Female (2) South (3) ditto characteristics West (4)

# NATIONAL CENTER FOR HEALTH STATISTICS DIVISION OF HEALTH INTERVIEW STATISTICS

The accompanying charts are designed to show procedures for deriving estimates from Health Interview Survey data tapes. The publication "Current Estimates" for the year 1981 is used as a source for the examples.

Each of the detailed tables from "Current Estimates" is listed in the first column of Chart 1. The column next to that, Tab. Spec. #, shows the number of the tabulation specification from which these data are drawn and the next column shows which columns on the tabulation specification contain that particular data set. For example, Table 1 in "Current Estimates," "Incidence of Acute Conditions, Percent Distribution, etc." is derived from tabulation specification C1, Column 1.

Note that not all the columns in the tabulation specifications contain data that were used in this publication, and that tabulation specifications are not included in this package for all the detailed tables.

CHART 1

TABULATING DATA FOR CURRENT ESTIMATES TABLES

Table	Tab Spec.#	Col. _#	Item ANNUAL ESTIMATES	Tape Location	Code
			Incidence of Acute Conditions:		
1 2	C1 C1	1	Use: Condition records  Acute  Onset in 2 weeks  Weight: (2-week reference) inflated by  6.5 to obtain a quarterly estimate  Annual estimate is the sum of 4  quarterly estimates.		3 2 1 or 2
			Quarterly estimates: Use Processing quarter codes.	19	1,2,3 or 4
			Condition disability days for acute conditions:		
3,5	Cl	8	Use: Condition records Acute Weight: Restricted activity	14 103 Binary 225-228	3 2 .
<b>4,</b> 6 7	C1 C1	9 10	Bed disability days  School loss days:  Persons 6-16 years of age  and weight	233-236 122 Binary 241-244	2
8	Cl	11	Work loss days:		
			Currently employed and weight	75 Binary 241-244	1-3
			Limitation of activity status:		
14	Bl	1-5	Use: Person records Total population: All person recor	14 ds	2
		2-4	with activity limitation	98	1-3
		2,3	With limitation in major activity With no activity limitation Weight: Annual	98 98 Binary 209-212	1,2

CHART 1
TABULATING DATA FOR CURRENT ESTIMATES TABLES

Table	Tab Spec.#	Col. #	. Item .	Tape Location	Code
			Persons Injured		
9	Al	1	Use: Condition records First injury for person in this	14	3
			accident Onset in 2 weeks	161 104	1 or 2
			Weight: (2-week reference)	Binary 217-220	
			Condition disability days for persons injured (includes days for current injuries as well as days for impairments due to injury)		
		•	Use: Condition records First injury	14 161	3 1
10	Al	8	Weight: Restricted activity days	Binary 225-228	<b>.</b>
11	Al	9	Bed disability days	233-236	
15	H1	3-4	Discharges from short-stay hospitals, hospital days and average length of stay (based on discharges in most recent 6 months, this estimate is doubled to represent the year prior to the interview)	nt	
			Use: Hospital records Short-stay hospitals Weight: Discharges	14 102 Binary	1
			Days	205-208 253-256	
			Persons with short-stay hospital episodes		
16			Use: Person records Weight: Annual short-stay hospital episodes	14 Binary 313-316	2
			Days in hospital for persons with episodes		
17			Use: Person records Weight: Days for episodes	14 Binary 305-308	2

CHART 1

TABULATING DATA FOR CURRENT ESTIMATES TABLES

Table	Tab Spec.#	Col.		<u>Item</u>	Tape Location	Code
				Person-disability days		
12				Person records ht: Restricted activity days  Bed disability days Work-loss days for currently	14 Binary 225-228 233-236	2
				employed persons Days	75 Binary 241-244	1-3
				School-loss days for children 6-16 years of age		
13			Use:	Person records 6-16 years Days	14 110 Binary 241-244	2 2
				Dental Visits		
18	P5	1	Use:	Person records Dental visits (2-week reference period)	14	2
			Weig		Binary 257-260	
				Interval since last dental visit		
19	P4	1-8	Use: Weig	Person records Intervals ht:	14 128 Binary 209-212	2 0-8
				Physician Visits		
20			Use:	Doctor Visit records Visit ing in 2-week	14	5
				DC	105	1,2 or 4
			Weig	ht:	Binary 217-220	

CHART 1

TABULATING DATA FOR CURRENT ESTIMATES TABLES

<u>Table</u>	Tab. Spec.#	Col. #	. <u>Item</u>	Tape Location	Code
21	P3	1-8	<pre>Interval since last physician visit Use: Person records</pre>	14 127 Binary 209-212	2 0-9
25	Bl	1	Population by sex and age Use: Person records Sex Age	14 52 58 (or other grouping) Binary 209-212	2 1 or 2 1-9

CHART 1
TABULATING DATA FOR CURRENT ESTIMATES TABLES

Table	Tab. Spec.#	Col. #	Item	Tape Location	Code
			QUARTERLY ESTIMATES		
			Incidence of acute conditons		
22			Use: Condition records     Acute     Onset in 2 weeks Weight:	14 103 104 Binary 217-220	3 2 1 or 2
			Persons injured		
23			Use: Condition records First injury for person in this accident Onset in 2 weeks Weight:	14 161 104 Binary 217-220	3 1 1 or 2
			Person-disability days		
24	•		Use: Person records Weight: Restricted activity days	14 Binary 225-228	2
			Bed disability days Work-loss days: Currently employed Days	233-236 75 Binary 241-244	1-3