## 1987 CANCER RISK FACTOR SUPPLEMENT

## Epidemiology Study PUBLIC USE FILE Number of Records = 22,080

| Data<br>Locations | Item No. | [NAME]<br>Frequency               | Items and Codes   |
|-------------------|----------|-----------------------------------|---|
| 1-2               | -        | [RECTYPE] 22,080                  | RECORD TYPE  80. Epidemiology   |
| 3-4               | -        | [YEAR]                            | PROCESSING YEAR 87. 1987  |
| 5                 | -        | [QUARTER] 5,747 5,502 5,384 5,447 | PROCESSING QUARTER  1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4   |
| 6-8               | нн-5     | [PSUNUMR]                         | RANDOM RECODE OF PSU NUMBER   |
| 9-10              | нн-5     | [WEEKCEN]                         | WEEK - CENSUS CODE*  01, 21, 41, 61, 81 Week 01 02, 22, 42, 62, 82 Week 02 03, 23, 43, 63, 83 Week 03 04, 24, 44, 64, 84 Week 04 05, 25, 45, 65, 85 Week 05 06, 26, 46, 66, 86 Week 06 07, 27, 47, 67, 87 Week 07 08, 28, 48, 68, 88 Week 08 09, 29, 49, 69, 89 Week 09 10, 30, 50, 70, 90 Week 10 11, 31, 51, 71, 91 Week 11 12, 32, 52, 72, 92 Week 12 13, 33, 53, 73, 93 Week 13 |

<sup>\*</sup>This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

## CR-2 1987 NHIS Epidemiology Supplement

| Data      |          | [NAME]    |                 |
|-----------|----------|-----------|-----------------|
| Locations | Item No. | Frequency | Items and Codes |

| 11-12 | нн-5 | [SEGNUM]       | SEGMENT NUMBER                                      |
|-------|------|----------------|---|
|       |      |                | Week plus Segment Number identifies the segment     |
| 13-14 | нн-5 | [HHNUM]        | HOUSEHOLD NUMBER                                    |
|       |      |                | Numbered within PSU-Week-Segment                    |
| 15-16 | _    | [PNUM]         | PERSON NUMBER                                       |
| 17-18 | -    | [BLANK]        | BLANK (Record Serial Number on other record types). |
| 19-20 | НН−5 | [WEEKPROC]     | PROCESSING WEEK CODE (Numbered within Quarter)      |
|       |      | 1,663          | Week 01.  |
|       |      | 1,769          | Week 02.  |
|       |      | 1,708          | Week 03.  |
|       |      | 1,685          | Week 04.  |
|       |      | 1,695          | Week 05.  |
|       |      | 1,725          | Week 06.  |
|       |      | 1,723          | Week 07.<br>Week 08.                                |
|       |      | 1,716<br>1,751 | Week 08.<br>Week 09.                                |
|       |      | 1,624          | Week 10.  |
|       |      | 1,633          | Week 11.  |
|       |      | 1,700          | Week 12.  |
|       |      | 1,688          | Week 13.  |
| 21    |      | [BLANK]        | BLANK   |

CR-3
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes   |
|-------------------|----------|---------------------|---|
| 22-23             | нн-10d   | [LIVQTR]            | TYPE OF LIVING QUARTERS:  |
|                   |          |                     | Housing Unit = (00-07)  |
|                   |          | 133                 | 00. Housing unit; kind unknown                                    |
|                   |          | 20,480              | 01. House, apartment, flat  |
|                   |          | 15                  | <pre>02. HU in nontransient hotel, motel,     etc.</pre>          |
|                   |          | 15                  | <pre>03. HU-permanent in transient hotel,<br/>motel, etc.</pre>   |
|                   |          | 15                  | 04. HU in rooming house   |
|                   |          | 951                 | 05. Mobile home or trailer with no permanent room added           |
|                   |          | 118                 | 06. Mobile home or trailer with one or more permanent rooms added |
|                   |          | 4                   | 07. HU not specified above  |
|                   |          |                     | Other Unit = (08-13)  |
|                   |          | 7                   | 08. Quarters not HU in rooming or boarding house                  |
|                   |          | 1                   | 09. Unit not permanent in transient hotel, motel, etc.            |
|                   |          | 13                  | 10. Unoccupied site for mobile home, trailer, or tent             |
|                   |          | 282                 | 11. Student quarters in college dormitory                         |
|                   |          | 42                  | 12. Other unit not specified above                                |
|                   |          | 4                   | 13. Other unit; kind unknown                                      |
| 24                | нн-11    | [PHONE]             | HAS TELEPHONE   |
|                   |          | 19,768              | 1. Yes, phone number given  |
|                   |          | 672                 | 2. Yes, no phone number given                                     |
|                   |          | 1,511               | 3. No   |
|                   |          | 129                 | 4. Unknown  |
| 25                | A-1      | [SEX]               | SEX   |
|                   |          | 9,160               | 1. Male   |
|                   |          | 12,920              | 2. Female   |
| 26                | -        | [BLANK]             | BLANK   |

CR-4
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.         | [NAME]<br>Frequency |         | Items and Codes   |
|-------------------|------------------|---------------------|---------|-------------------|
| 27-28             | Person<br>Column | [AGE]               | AGE     |                   |
|                   |                  | 0                   |         | Under 1 year      |
|                   |                  | 22,078              |         | Number of years   |
|                   |                  | 2                   | 99.     | 99+ years of age  |
| 29                | Recode           | [AGER1]             | AGE REC | ODE #1            |
|                   |                  | 0                   | 1.      | Under 5 years     |
|                   |                  | 0                   | 2.      | 5-17 years        |
|                   |                  | 2,840               | 3.      | 18-24 years       |
|                   |                  | 9,690               | 4.      | 25-44 years       |
|                   |                  | 5,310               | 5.      | 45-64 years       |
|                   |                  | 1,337               | 6.      | 65-69 years       |
|                   |                  | 1,161               | 7.      | 70-74 years       |
|                   |                  | 1,742               | 8.      | 75 years and over |
| 30                | Recode           | [AGER2]             | AGE REC | ODE #2            |
|                   |                  | 0                   | 1.      | Under 6 years     |
|                   |                  | 0                   | 2.      | 6-16 years        |
|                   |                  | 2,840               | 3.      | 17-24 years       |
|                   |                  | 5,332               | 4.      | 25-34 years       |
|                   |                  | 4,358               | 5.      | 35-44 years       |
|                   |                  | 2,626               | 6.      | 45-54 years       |
|                   |                  | 2,684               | 7.      | 55-64 years       |
|                   |                  | 2,498               | 8.      | 65-74 years       |
|                   |                  | 1,742               | 9.      | 75 years and over |
| 31-32             | Recode           | [AGER3]             | AGE REC | ODE #3            |
|                   |                  | 0                   | 00-35   | Months            |
|                   |                  | 22,080              | 36.     |                   |
| 33                | -                | [BLANK]             | BLANK   |                   |

CR-5
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                              | Items and Codes  |  |  |  |
|-------------------|----------|--|--|--|--|--|
| 34-39             | A-3      |  | MONTH AND YEAR OF BIRTH  |  |  |  |
| 34-35             |          | [BIRTHMO]  | MONTH  |  |  |  |
|                   |          |  | 01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December 99. DK or refused                    |  |  |  |
| 36-39             |          | [BIRTHYR]  | YEAR OF BIRTH  |  |  |  |
|                   |          |  | 1800-1899. 1800-1899<br>1900-1988. 1900-1988<br>9999. DK or refused  |  |  |  |
| 40-41             | [ E      | BLANK]   | BLANK  |  |  |  |
| 42                | L-3      | [RACE]   | MAIN RACIAL BACKGROUND - Reported  |  |  |  |
|                   |          | 135<br>395<br>3,130<br>18,152<br>201<br>16<br>51 | <ol> <li>Aleut, Eskimo, or American Indian</li> <li>Asian/Pacific Islander</li> <li>Black</li> <li>White</li> <li>Other</li> <li>Multiple race</li> <li>Unknown</li> </ol> |  |  |  |

CR-6
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes                      |
|-------------------|----------|---------------------|--------------------------------------|
| 43-45             | Recode   |                     | RACE RECODES                         |
| 43                |          | [RACER1]            | RECODE 1                             |
|                   |          | 18,391              | 1. White                             |
|                   |          | 3,142               | 2. Black                             |
|                   |          | 547                 | 3. Other                             |
| 44                |          | [RACER2]            | RECODE 2                             |
|                   |          | 18,391              | 1. White                             |
|                   |          | 3,689               | 2. Non-white                         |
| 45                |          | [RACER3]            | RECODE 3                             |
|                   |          | 3,142               | 1. Black                             |
|                   |          | 18,938              | 2. Non-black                         |
| 46-47             | L-4      | [HISPANIC]          | HISPANIC ORIGIN                      |
|                   |          | 11                  | 00. Multiple Hispanic                |
|                   |          | 242                 | 01. Puerto Rican                     |
|                   |          | 144                 | 02. Cuban                            |
|                   |          | 279                 | 03. Mexican-Mexicano                 |
|                   |          | 368                 | 04. Mexican-American                 |
|                   |          | 7                   | 05. Chicano                          |
|                   |          | 165                 | 06. Other Latin American             |
|                   |          | 180                 | 07. Other Spanish                    |
|                   |          | 58                  | 08. Spanish, DK type                 |
|                   |          | 71                  | 09. Unknown if Spanish origin        |
|                   |          | 20,555              | 10. Not Spanish origin               |
| 48                | L-7      | [MARSTAT]           | MARITAL STATUS                       |
|                   |          | 0                   | 0. Under 14 years                    |
|                   |          | 11,785              | 1. Married - spouse in household     |
|                   |          | 248                 | 2. Married - spouse not in household |
|                   |          | 2,538               | 3. Widowed                           |
|                   |          | 2,402               | 4. Divorced                          |
|                   |          | 736                 | 5. Separated                         |
|                   |          | 4,339               | 6. Never married                     |
|                   |          | 32                  | 7. Unknown                           |

CR-7
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes   |
|-------------------|----------|---------------------|---|
| 49                | L-1      | [VETERAN]           | VETERAN STATUS  |
|                   |          | 18,506              | 1. Non-veteran  |
|                   |          | 22                  | 2. WW I   |
|                   |          | 1,063               | 3. WW II  |
|                   |          | 453                 | 4. Korean War   |
|                   |          | 988                 | 5. Vietnam veteran  |
|                   |          | 261                 | 6. Post-Vietnam   |
|                   |          | 472                 | 7. Other service  |
|                   |          | 100                 | 8. Served in Armed Forces, unknown if war veteran   |
|                   |          | 215                 | 9. Unknown if served in Armed Forces  |
|                   |          | 0                   | Blank. Under 18 years of age  |
| 50                | L-1      | [RESERVE]           | ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES  |
|                   |          | 18,506              | 0. Non-veteran  |
|                   |          | 249                 | 1. All service in Guard/Reserve   |
|                   |          | 501                 | 2. Some service in Guard/Reserve  |
|                   |          | 3                   | 3. Unknown if all service in Guard/Reserve  |
|                   |          | 2,444<br>377        | <ol> <li>No active service in Guard/Reserve</li> <li>Unknown if ever active member in<br/>Guard/Reserve or served in Armed</li> </ol> |
|                   |          |                     | Forces  |
|                   | ·        | 0                   | Blank. Under 18 years of age  |
| 51-52             | L-2      | [EDUC]              | EDUCATION OF INDIVIDUAL - COMPLETED YEARS   |
|                   |          | 84                  | 00. Never attended; kindergarten only   |
|                   |          | 13,513              | 01-12. Grades 1-12  |
|                   |          |                     | College:  |
|                   |          | 1,600               | 13. 1 year  |
|                   |          | 1,992               | 14. 2 years   |
|                   |          | 773                 | 15. 3 years   |
|                   |          | 2,321               | 16. 4 years   |
|                   |          | 519                 | 17. 5 years   |
|                   |          | 1,200               | 18. 6 years or more   |
|                   |          | 78                  | 19. Unknown   |
|                   |          | 0                   | Blank. Under 5 years of age   |

CR-8
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.   | [NAME]<br>Frequency | Items and Codes                                   |  |  |
|-------------------|------------|---------------------|---|--|--|
|                   | TCEIII NO. |                     | EDUCATION OF INDIVIDUAL RECODE                    |  |  |
| 53                | Recode     | [EDUCR]             |   |  |  |
|                   |            | 84                  | 0. None; kindergarten only                        |  |  |
|                   |            | 2,374               | 1. 1-8 years (elementary)                         |  |  |
|                   |            | 2,847               | 2. 9-11 years (high school)                       |  |  |
|                   |            | 8,292               | <ol><li>12 years (high school graduate)</li></ol> |  |  |
|                   |            | 4,365               | 4. 1-3 years (college)                            |  |  |
|                   |            | 2,321               | <ol><li>4 years (college graduate)</li></ol>      |  |  |
|                   |            | 1,719               | <ol><li>5 or more years (post-college)</li></ol>  |  |  |
|                   |            | 78                  | 7. Unknown  |  |  |
|                   |            | 0                   | Blank. Under 5 years of age                       |  |  |
| 54-55             | _          | [ EDUCAD ]          | HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY     |  |  |
|                   |            | 47                  | 00. Never attended; kindergarten only             |  |  |
|                   |            | 11,871              | 01-12. Grades 1-12                                |  |  |
|                   |            |                     | College:  |  |  |
|                   |            | 1,638               | 13. 1 year  |  |  |
|                   |            | 2,225               | 14. 2 years                                       |  |  |
|                   |            | 919                 | 15. 3 years                                       |  |  |
|                   |            | 2,808               | 16. 4 years                                       |  |  |
|                   |            | 679                 | 17. 5 years                                       |  |  |
|                   |            | 1,834               | 18. 6 years or more                               |  |  |
|                   |            | 59<br>              | 19. Unknown                                       |  |  |
| 56                | -          | [EDUCADR]           | HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY     |  |  |
|                   |            | 47                  | 0. None; kindergarten only                        |  |  |
|                   |            | 1,690               | 1. 1-8 years (elementary)                         |  |  |
|                   |            | 2,200               | 2. 9-11 years (high school)                       |  |  |
|                   |            | 7,981               | 3. 12 years (high school graduate)                |  |  |
|                   |            | 4,782               | 4. 1-3 years (college)                            |  |  |
|                   |            | 2,808               | 5. 4 years (college graduate)                     |  |  |
|                   |            | 2,513               | 6. 5 or more years (post-college)                 |  |  |
|                   |            | 59                  | 7. Unknown  |  |  |
| 57                | L-8        | [INCFAM20]          | FAMILY INCOME \$20,000 OR MORE                    |  |  |
|                   |            | 10,000              | 1. Less than \$20,000                             |  |  |
|                   |            | 11,623              | 2. \$20,000 or more                               |  |  |
|                   |            | 457                 | 3. Unknown  |  |  |

CR-9
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes         |
|-------------------|----------|---------------------|-------------------------|
| 58-59             | L-8      | [INCFAM]            | FAMILY INCOME           |
|                   |          | 256                 | 00. Less than \$1,000   |
|                   |          | 251                 | 01. \$ 1,000 - \$ 1,999 |
|                   |          | 302                 | 02. 2,000 - 2,999       |
|                   |          | 418                 | 03. 3,000 - 3,999       |
|                   |          | 532                 | 04. 4,000 - 4,999       |
|                   |          | 516                 | 05. 5,000 - 5,999       |
|                   |          | 496                 | 06. 6,000 - 6,999       |
|                   |          | 512                 | 07. 7,000 - 7,999       |
|                   |          | 444                 | 08. 8,000 - 8,999       |
|                   |          | 460                 | 09. 9,000 - 9,999       |
|                   |          | 577                 | 10. 10,000 - 10,999     |
|                   |          | 388                 | 11. 11,000 - 11,999     |
|                   |          | 586                 | 12. 12,000 - 12,999     |
|                   |          | 369                 | 13. 13,000 - 13,999     |
|                   |          | 397                 | 14. 14,000 - 14,999     |
|                   |          | 541                 | 15. 15,000 - 15,999     |
|                   |          | 371                 | 16. 16,000 - 16,999     |
|                   |          | 406                 | 17. 17,000 - 17,999     |
|                   |          | 491                 | 18. 18,000 - 18,999     |
|                   |          | 552                 | 19. 19,000 - 19,999     |
|                   |          | 2,082               | 20. 20,000 - 24,999     |
|                   |          | 1,831               | 21. 25,000 - 29,999     |
|                   |          | 1,678               | 22. 30,000 - 34,999     |
|                   |          | 1,144               | 23. 35,000 - 39,999     |
|                   |          | 1,043               | 24. 40,000 - 44,999     |
|                   |          | 712                 | 25. 45,000 - 49,999     |
|                   |          | 2,247               | 26. \$50,000 and over   |
|                   |          | 2,478               | 27. Unknown             |
| 60                | Recode   | [INCFAMR]           | FAMILY INCOME RECODE    |
|                   |          | 1,759               | 0. Under \$5,000        |
|                   |          | 1,012               | 1. \$ 5,000 - \$ 6,999  |
|                   |          | 1,416               | 2. 7,000 - 9,999        |
|                   |          | 2,317               | 3. 10,000 - 14,999      |
|                   |          | 2,361               | 4. 15,000 - 19,999      |
|                   |          | 2,082               | 5. 20,000 - 24,999      |
|                   |          | 3,509               | 6. 25,000 - 34,999      |
|                   |          | 2,899               | 7. 35,000 - 49,999      |
|                   |          | 2,247               | 8. \$50,000 or more     |
|                   |          | 2,478               | 9. Unknown              |
|                   |          |                     |                         |

CR-10
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.  | [NAME]<br>Frequency |                     | Items and Codes   |  |
|-------------------|-----------|---------------------|---------------------|---|--|
| 61                | Generated | [POVERTY]           | NHIS POVERTY INDEX* |   |  |
|                   |           | 17,252              |                     | Above poverty threshold                                     |  |
|                   |           | 2,914               | 2.                  | Below poverty threshold                                     |  |
|                   |           | 1,594               | 3.                  | Unknown   |  |
| 62-63             |           |                     | FAMILY 1            | RELATIONSHIP  |  |
| 62                | A-2       | [FAMNUM]            | TYPE OF             |   |  |
|                   |           | 5,625               |                     | Primary individual  |  |
|                   |           | 715                 |                     | Secondary individual  |  |
|                   |           | 15,697              | 0.                  | Primary family  |  |
|                   |           | 43                  | 1-9.                | Secondary family  |  |
| 63                | A-2       | [FAMREL]            | RELATIO             | NSHIP TO REFERENCE PERSON                                   |  |
|                   |           | 5,360               | &.                  | Reference person, living alone                              |  |
|                   |           | 8,844               | 0.                  | Reference person, 2 or more persons in household            |  |
|                   |           | 6,013               | 1.                  | Spouse, other spouse NOT in Armed Forces and living at home |  |
|                   |           | 150                 | 2.                  | Spouse, other spouse IN Armed Forces                        |  |
|                   |           |                     |                     | and living at home  |  |
|                   |           | 1,287               | 3.                  | Child of reference person or spouse                         |  |
|                   |           | 44                  | 4.                  | Grandchild of reference person or spouse                    |  |
|                   |           | 115                 | 5                   | Parent of reference person or spouse                        |  |
|                   |           | 267                 |                     | Other relative  |  |
|                   |           | 0                   |                     | Child of ineligible reference person                        |  |
|                   |           | 0                   | 9.                  | DK or refused   |  |
| 64                | Recode    | [FAMRELR]           | FAMILY R            | ELATIONSHIP RECODE  |  |
|                   |           | 5,360               | 1                   | Living alone  |  |
|                   |           | 980                 | 2.                  | Living alone Living only with non-relative                  |  |
|                   |           | 980<br>11,772       |                     | Living only with non-relative Living with spouse            |  |
|                   |           | •                   |                     |   |  |
|                   |           | 3,968               | 4.                  | Living with relative - other                                |  |

<sup>\*</sup>Based on family size, number of children under 18 years of age & family income using the 1986 poverty levels derived from the August, 1987 Current Population Survey.

CR-11
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.  | [NAME]<br>Frequency  | Items and Codes  |
|-------------------|-----------|--|--|
| 65-66             | Generated | [FAMSIZE]  | SIZE OF FAMILY*  |
|                   |           |  | Unrelated individuals are coded 01   |
| 67                | Generated | [FAMSIZER]   | SIZE OF FAMILY RECODE  |
|                   |           |  | <ul><li>1-8. Number of members</li><li>9. 9 or more members</li></ul>  |
| 68                | A-2       | [PARENT]   | PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)   |
|                   |           | 374<br>171<br>18<br>131<br>54<br>3<br>43<br>23<br>258<br>856<br>20,149 | <ol> <li>Both parents, no other relative</li> <li>Mother only</li> <li>Father only</li> <li>Both parents and other 21+ year old adult relative</li> <li>Mother and other 21+ year old adult relative</li> <li>Father and other 21+ year old adult relative</li> <li>No parent, but one 21+ year old adult relative</li> <li>No parent, but two or more 21+ year old adult relatives</li> <li>Unknown</li> <li>Other</li> <li>Blank. Not applicable (25+ years old or ever</li> </ol> |

<sup>\*</sup>Count includes spouse in military but living at home.

CR-12
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.   | [NAME]<br>Frequency | Items and        | Codes                                     |
|-------------------|------------|---------------------|------------------|---|
| 69                | B-1<br>B-8 | [MAJACT]            | MAJOR ACTIVITY ( | 18+ years old)                            |
|                   |            | 12,661              | 1. Working       |   |
|                   |            | 5,063               | 2. Keeping       |   |
|                   |            | 1,326               | 3. Going to      |   |
|                   |            | 2,833               | 4. Something     | g else                                    |
|                   |            | 197                 | 5. Unknown       |   |
|                   |            | 0                   | Blank. Not appl  | icable (Under 18 years)                   |
| 70                | G-4        | [HLTHSTAT]          | HEALTH STATUS    |   |
|                   |            | 7,309               | 1. Excellen      | <del>L</del>                              |
|                   |            | 6,155               | 2. Very Good     |   |
|                   |            | 5,521               | 3. Good          | _   |
|                   |            | 2,158               | 4. Fair          |   |
|                   |            | 858                 | 5. Poor          |   |
|                   |            | 79                  | 6. Unknown       |   |
| 71                | Recode     | [LATOTAL]           | ACTIVITY LIMITAT | ION STATUS - (all ages)                   |
|                   |            | 1,131               | 1. Unable to     | o perform major activity                  |
|                   |            | 1,559               |                  | in kind/amount major activity             |
|                   |            | 1,397               | 3. Limited       | in other activities                       |
|                   |            | 17,993              | 4. Not limi      | ted (includes unknowns)                   |
| 72                | Recode     | [LAWORK]            | ACTIVITY LIMITAT | ION STATUS MEASURED BY<br>" (18-69 years) |
|                   |            | 1,274               | 1. Unable to     | o work                                    |
|                   |            | 969                 | 2. Limited       | in kind/amount of work                    |
|                   |            | 747                 |                  | in other activities                       |
|                   |            | 16,187              |                  | ted (includes unknowns)                   |
|                   |            | 2,903               | Blank. Not appl  |   |
|                   |            |                     | (under 1         | 8 years, 70+ years)                       |

CR-13
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes   |
|-------------------|----------|---------------------|---|
| 73                | B-11     | [LASCHOOL]          | LIMITATION OF SCHOOL ACTIVITIES (5-17 years)                                    |
|                   |          | 0                   | 1. Unable to attend school  |
|                   |          | 0                   | 2. Attends special school/classes   |
|                   |          | 0                   | 3. Needs special school/classes   |
|                   |          | 0                   | 4. Limited in school attendance   |
|                   |          | 0                   | 5. Limited in other activities  |
|                   |          | 0                   | 6. Not limited (includes unknowns)  |
|                   |          | 22,080              | Blank. Not applicable (under 5 years or 18+ years)                              |
| 74                | B-14     | [LACARE]            | NEEDS HELP WITH PERSONAL CARE (5-59 years old and limited, or age 60-69 years)* |
|                   |          |                     |   |
|                   |          | 105                 | <ol> <li>Unable to perform personal care needs</li> </ol>                       |
|                   |          | 348                 | <ol><li>Limited in performing other routine needs</li></ol>                     |
|                   |          | 4,154               | 3. Not limited in performing personal or  |
|                   |          | 4,134               | routine needs   |
|                   |          | 111                 | 4. Unknown  |
|                   |          | 17,362              | Blank. Not applicable (under 5 years; 5-59                                      |
|                   |          | 17,302              | years not limited; 70+ years old)   |
| 75                | D-1      | [EMPLOY]            | EMPLOYMENT STATUS IN PAST 2 WEEKS (18+ years)                                   |
|                   |          |                     | In the Labor Force: (1-7)   |
|                   |          |                     | Currently employed: (1-3)   |
|                   |          | 13,002              | 1. Worked in past 2 weeks   |
|                   |          | 324                 | 2. Did not work, has job; not on lay-off  |
|                   |          |                     | and not looking for work  |
|                   |          | 9                   | 3. Did not work, has job; looking for   |
|                   |          |                     | work  |
|                   |          |                     | Unemployed: (4-7)   |
|                   |          | 47                  | 4. Did not work, has job; on lay-off  |
|                   |          | 3                   | 5. Did not work, has job; on lay-off and  |
|                   |          |                     | looking for work  |
|                   |          | 155                 | 6. Did not work, has job; unknown if  |
|                   |          | C 1 A               | looking or on lay-off   |
|                   |          | 614                 | <ol> <li>Did not work no job; looking for work<br/>or on lay-off</li> </ol>     |
|                   |          |                     | Not in Labor Force (18+ years): (8)   |
|                   |          | 7,926               | 8. Not in Labor Force (18+ years)   |
|                   |          | 0                   | Blank. Not applicable (Under 18 years old)                                      |

<sup>\*</sup>For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

CR-14
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                              | Items and Codes   |
|-------------------|----------|--|---|
| 76                | L-6      | [WKCLASS]  | CLASS OF WORKER   |
|                   |          | 7,926 10,121 445 594 1,215 308 1,187 34 27 223 0 | 0. Not in labor force 1. Private company 2. Federal Government employee 3. State Government employee 4. Local Government employee 5. Incorporated business 6. Self-employed 7. Without pay 8. Never worked 9. Unknown Blank. Under 18 |
| 77-79             | L-6      | [INDUS]<br>14,154<br>7,926                       | INDUSTRY DETAIL CODE<br>010-996. Code number<br>Blank. Not applicable   |
| 80-81             | Recode   | [INDUSR1]  | INDUSTRY RECODE 1 SEE APPENDIX B  |
| 82-83             | Recode   | [INDUSR2]  | INDUSTRY RECODE 2 SEE APPENDIX B  |
| 84-86             | L-6      | [OCCUP]  | OCCUPATION DETAIL CODE 003-999. Code number   |
| 87-88             | Recode   | 7,926<br>[OCCUPR1]                               | Blank. Not applicable  OCCUPATION RECODE 1  SEE APPENDIX C  |
| 89-90             | Recode   | [OCCUPR2]  | OCCUPATION RECODE 2 SEE APPENDIX C  |

CR-15
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes                                  |  |  |
|-------------------|----------|---------------------|--|--|--|
| 91                | L-R      | [RESPOND]           | RESPONDENT FOR CORE                              |  |  |
|                   |          | 0                   | 0. Under 17                                      |  |  |
|                   |          | 16,904              | 1. Self-entirely                                 |  |  |
|                   |          | 1,342               | 2. Self-partly                                   |  |  |
|                   |          | 3,637               | 3. Proxy   |  |  |
|                   |          | 197                 | 4. Unknown                                       |  |  |
| 92                | Recode   | [CONDLIST]          | CONDITION LIST ASSIGNED AND ASKED                |  |  |
|                   |          | 3,635               | 1. Condition List 1, Skin and musculoskeletal    |  |  |
|                   |          | 3,737               | 2. Condition List 2, Impairments                 |  |  |
|                   |          | 3,685               | 3. Condition List 3, Digestive                   |  |  |
|                   |          | 3,659               | 4. Condition List 4, Miscellaneous               |  |  |
|                   |          | 3,646               | 5. Condition List 5, Circulatory                 |  |  |
|                   |          | 3,670               | 6. Condition List 6, Respiratory                 |  |  |
|                   |          | 48                  | 7. Unknown                                       |  |  |
| 93-94             | G-5      | [HEIGHT]            | HEIGHT WITHOUT SHOES (18+ years)                 |  |  |
|                   |          |                     |  |  |  |
|                   |          |                     | 36-98. Number of inches                          |  |  |
|                   |          |                     | 99. Unknown                                      |  |  |
|                   |          |                     | Blank. Under 18 years of age                     |  |  |
| 95-97             | G-5      | [WEIGHT]            | WEIGHT WITHOUT SHOES (18+ years)                 |  |  |
|                   |          |                     | 050-500. Number of pounds                        |  |  |
|                   |          |                     | 501. Unknown                                     |  |  |
|                   |          |                     | Blank. Under 18 years of age                     |  |  |
| 98-99             | Recode   | [RADAY]             | TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO WEEKS |  |  |
|                   |          | 19,619              | 00. None   |  |  |
|                   |          | 2,461               | 01-14. Days                                      |  |  |
| 100-101           | D-4      | [BDDAY]             | BED DAYS IN PAST TWO WEEKS                       |  |  |
|                   |          |                     |  |  |  |
|                   |          | 20,661              | 00. None   |  |  |

CR-16
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes  |
|-------------------|----------|---------------------|--|
| 102-103           | D-2      | [WLDAY]             | WORK-LOSS DAYS IN PAST TWO WEEKS (control on Currently Employed, 75:1-3) |
|                   |          | 21,234<br>846       | 00. None<br>01-14. Days  |
| 104-105           | D-3      | [SLDAY]             | SCHOOL-LOSS DAYS IN PAST TWO WEEKS                                       |
|                   |          | 22,080              | 00. none<br>01-14. Days  |
| 106-107           | D-6      | [YADHTO]            | OTHER DAYS OF RESTRICTED ACTIVITY IN PAST TWO<br>WEEKS                   |
|                   |          | 20,797<br>1,283     | 00. None<br>01-14. Days  |
| 108-110           | G-2      | [BDDAY12]           | BED DAYS IN PAST 12 MONTHS   |
|                   |          | 12,189              | 000. None  |
|                   |          | 9,755<br>136        | 001-365. 1-365 days<br>366. Unknown                                      |
| 111               | Recode   | [BDDAY12R]          | BED DAYS IN PAST 12 MONTHS - Recode                                      |
|                   |          | 12,189              | 0. None  |
|                   |          | 6,990               | 1. 1-7 days  |
|                   |          | 1,997               | 2. 8-30 days   |
|                   |          | 642<br>126          | 3. 31-180 days<br>4. 181-365 days  |
|                   |          | 136                 | 5. Unknown   |
| 112-114           | G-3      | [DV12]              | DOCTOR VISITS IN PAST 12 MONTHS  |
|                   |          | 5,358               | 000. None  |
|                   |          | 16,632              | 001-996. Visits  |
|                   |          | 1<br>89             | 997. 997+ visits<br>998. Unknown   |
|                   |          | 09                  | 998. Unknown   |

CR-17
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.  | [NAME]<br>Frequency    | Items and Codes  |
|-------------------|-----------|------------------------|--|
| 115               | G-3       | [DVINT]                | INTERVAL SINCE LAST DOCTOR VISIT   |
|                   |           | 23                     | 0. Never   |
|                   |           | 16,840                 | 1. Less than 1 year  |
|                   |           | 1,997                  | 2. 1 to less than 2 years  |
|                   |           | 2,170<br>834           | 3. 2 to less than 5 years  |
|                   |           | 83 <del>4</del><br>216 | 4. 5 years or more 5. Unknown  |
|                   |           |                        | 5. Olikilowii  |
| 116-117           | Generated | [NCOND]                | NUMBER OF CONDITIONS   |
| 118-119           | Generated | [NACUTE]               | NUMBER OF ACUTE INCIDENCE CONDITIONS   |
| 120-121           | Generated | [NDV2]                 | NUMBER OF TWO-WEEK DOCTOR VISITS   |
| 122-123           | Generated | [HEP12]                | NUMBER OF SHORT-STAY HOSPITAL EPISODES IN IN PAST 12 MONTHS                  |
| 124-126           | Generated | [HDA12]                | SHORT-STAY HOSPITAL EPISODE DAYS IN PAST<br>12 MONTHS                        |
| 127-128           | Generated | [HEP12X]               | NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY* |
| 129-131           | Generated | [HDA12X]               | SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY*       |
|                   |           |                        |  |

<sup>\*</sup>Based on operation codes and reason entered hospital.

CR-18
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.         | [NAME]<br>Frequency | Items and Codes   |
|-------------------|------------------|---------------------|---|
| 132-133           | Generated        | [DISDA6]            | NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS   |
| 134-136           | Generated        | [DIS6X]             | NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS                           |
| 137-138           | Generated        | [DISDA6X]           | NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*                                     |
| 139-141           | Generated        | [DISDA12X]          | NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST<br>12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS<br>EXCLUDING DELIVERY* |
| 142-171           | -                | [BLANK]             | BLANK   |
| 172-177           |                  | [WTINT]             | QUARTER WEIGHT BEFORE AGE-SEX-RACE ADJUSTMENT   |
| 178               | Master<br>Record | [SUBTYPE]           | TYPE OF SUBSTRATUM  |
|                   | 1100014          | 1,864               | 0. Permit   |
|                   |                  | 2,220               | 1. Area, Oversampled for blacks   |
|                   |                  | 17,996              | 2. Area, not oversample for blacks  |
| 179-181           | _                | [STRATUM]           | FULL SAMPLE STRATUM IDENTIFIER  |
| 182               | Master<br>Record | [REGION]            | REGION  |
|                   |                  | 4,647               | 1. Northeast  |
|                   |                  | 5,626               | 2. Midwest  |
|                   |                  | 7,371               | 3. South  |
|                   |                  | 4,436               | 4. West   |
| 183               | Master<br>Record | [MSASIZE]           | GEOGRAPHIC DISTRIBUTION   |
|                   |                  |                     | MSA Size  |
|                   |                  | 9,384               | 1. 1,000,000 or more  |
|                   |                  | 5,641               | 2. 250,000 - 999,999  |
|                   |                  | 1,430               | 3. 100,000 - 249,999  |
|                   |                  | 363                 | 4. Under 100,000  |
|                   |                  | 5,262               | Blank. Non-MSA  |
|                   |                  |                     |   |

<sup>\*</sup>Based on operation codes and reason entered hospital.

CR-19
1987 NHIS Epidemiology Supplement

| Data      |                  | [ NAME ]   |   |
|-----------|------------------|------------|---|
| Locations | Item No.         | Frequency  | Items and Codes   |
|           | _                |            |   |
| 184       | Recode           | [HISPOVER] | HISPANIC OVERSAMPLE CONTROL RECODE*                                   |
|           |                  | 181        | 1. True Hispanic oversample, 18+                                      |
|           |                  | 275        | <ol> <li>Not true oversample, but Hispanic,<br/>18+</li> </ol>        |
|           |                  | 9          | <ol> <li>Unknown if true oversample, but<br/>Hispanic, 18+</li> </ol> |
|           |                  | 18         | 4. Not Hispanic, but in family with 1+ Hispanics, 18+                 |
|           |                  | 1,918      | 5. No Hispanics in family, 18+  |
|           |                  | 19,679     | Blank. Not in Hispanic oversample PSU, or under 18 years old          |
| 185       | Master<br>Record | [PSUTYPE]  | TYPE OF PSU   |
|           |                  | 11,871     | 1. MSA - Self-representing  |
|           |                  | 4,947      | 3. MSA - Nonself-representing   |
|           |                  | 2          | 4. Non-MSA - Self-representing  |
|           |                  | 5,260      | 6. Non-MSA - Nonself-representing                                     |
| 186       | Recode           | [MSA]      | MSA - NON-MSA RESIDENCE   |
|           |                  | 7,764      | 1. MSA - Central City   |
|           |                  | 9,054      | 2. MSA - Not Central City   |
|           |                  | 4,961      | 3. Non-MSA - Nonfarm  |
|           |                  | 301        | 4. Non-MSA - Farm   |
| 187-189   |                  | [PSUPSEUD] | PSEUDO PSU CODES  |
| 190-200   |                  | [BLANK]    | BLANK   |
|           |                  |            | FINAL BASIC WEIGHT  |
| 201-209   |                  | [WTFQ]     | QUARTER   |
| 210-218   |                  | [WTFS]     | SEMI-ANNUAL (WT/2)  |
| 219-227   |                  | [WTFA]     | ANNUAL (WT/4)   |

<sup>\*</sup>Weights for the entire sample include the Hispanic oversample weight. See introduction for further explanation.

CR-20
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes  |  |
|-------------------|----------|---------------------|--|--|
|                   |          |                     | 6.5 WEIGHT   |  |
| 228-236           |          | [WT65]              | QUARTER, SEMI-ANNUAL, AND ANNUAL   |  |
|                   |          |                     | ESTIMATED RESTRICTED ACTIVITY DAYS IN PAST 2 WEEKS                               |  |
| 237-245           |          | [RADAYWP]           | QUARTER, SEMI-ANNUAL AND ANNUAL  |  |
|                   |          |                     | ESTIMATED BED DAYS IN PAST 2 WEEKS   |  |
| 246-254           |          | [BDDAYWP]           | QUARTER, SEMI-ANNUAL AND ANNUAL  |  |
|                   |          |                     | ESTIMATED WORK-LOSS DAYS IN PAST 2 WEEKS (control on Currently Employed, 75:1-3) |  |
| 255-263           |          | [WLDAYWP]           | QUARTER, SEMI-ANNUAL AND ANNUAL  |  |
|                   |          |                     | ESTIMATED SCHOOL-LOSS DAYS IN PAST 2 WEEKS                                       |  |
| 264-272           |          | [SLDAYWP]           | QUARTER, SEMI-ANNUAL AND ANNUAL  |  |
|                   |          |                     | ESTIMATED DOCTOR VISITS IN PAST 12 MONTHS  |  |
| 273-281           |          | [DV12WPQ]           | QUARTER  |  |
| 282-290           |          | [DV12WPS]           | SEMI-ANNUAL  |  |
| 291-299           |          | [DV12WPA]           | ANNUAL   |  |
|                   |          |                     | ESTIMATED SHORT-STAY HOSPITAL EPISODE DAYS<br>IN PAST 12 MONTHS                  |  |
| 300-308           |          | [HDA12WPQ]          | QUARTER  |  |
| 309-317           |          | [HDA12WPS]          | SEMI-ANNUAL  |  |
| 318-326           |          | [HDA12WPA]          | ANNUAL   |  |
| 327-335           |          | [HEP12WP]           | ANNUAL ESTIMATED NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS        |  |

CR-21
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency |          | Items and Codes                                  |
|-------------------|----------|---------------------|----------|--|
|                   |          | SEC                 | TION AA. | ACCULTURATION                                    |
| 336               | Recode   | [LANGR1]            | (BEGINN  | IING) SPOKEN LANGUAGE RECODE (1)                 |
|                   |          | 139                 | 1.       | Spanish questionnaire, speaks                    |
|                   |          | 4.0.7               |          | no English                                       |
|                   |          | 137                 | 2.       | 1 , 1  |
|                   |          | 4                   | 3.       | Spanish questionnaire, unknown if speaks English |
|                   |          | 780                 | 4.       | English questionnaire, speaks Spanish            |
|                   |          | 146                 | 5.       | English questionnaire, speaks no                 |
|                   |          | 248                 | 6.       | Spanish English questionnaire, unknown if        |
|                   |          | 240                 | 0.       | speaks Spanish                                   |
|                   |          | 0                   | 9.       |  |
|                   |          | 20,626              | Blank.   | NA (Not Hispanic)                                |
| 337               | 2        | [LANGMOST]          | LANGHAG  | E SPOKEN MOST                                    |
| 33,               | _        | 287                 | 1.       |  |
|                   |          | 324                 | 2.       |  |
|                   |          | 285                 | 3.       |  |
|                   |          | 21                  | 9.       |  |
|                   | ·        | 21,163              | Blank.   | NA (Not Hispanic, not Bilingual)                 |
| 338               | 3        | [LANGPREF]          | LANGUAG  | E PREFERRED                                      |
|                   |          | 93                  | 1.       | 1 2  |
|                   |          | 168                 | 2.       | 4 ±  |
|                   |          | 200                 | 3.       | Mostly English                                   |
|                   |          | 98                  | 4.       | 5  |
|                   |          | 338<br>20           | 5.<br>9. |  |
|                   |          | 21,163              | Blank.   |  |
| 339               | 4        | [READSPAN]          | READ SE  | DANTCU   |
| 339               | 7        | 944                 | 1.       | Yes  |
|                   |          | 249                 | 2.       | No   |
|                   |          | 261                 | 9.       | Unknown  |
|                   |          | 20,626              | Blank.   | NA (Not Hispanic)                                |
| 340               | 5        | [READENG]           | READ EN  | IGLISH   |
| <b>-</b>          | -        | 960                 | 1.       | Yes  |
|                   |          | 228                 | 2.       | No   |
|                   |          | 266                 | 9.       | Unknown  |
|                   |          | 20,626              | Blank.   | NA (Not Hispanic)                                |

CR-22
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes   |
|-------------------|----------|---------------------|---|
|                   |          | SECTION AA.         | ACCULTURATION - continued                               |
| 341               | 6        | [LANGRDBT]          | LANGUAGE READ BETTER                                    |
|                   |          | 250                 | 1. Spanish  |
|                   |          | 319                 | 2. English  |
|                   |          | 157                 | 3. Both the same  |
|                   |          | 21 252              | 9. Unknown  |
|                   |          | 21,352              | Blank. NA (Not Hispanic, can't read both languages)     |
| 342               | 7        | [WRITSPAN]          | WRITE IN SPANISH  |
|                   |          | 872                 | 1. Yes  |
|                   |          | 322                 | 2. No   |
|                   |          | 260                 | 9. Unknown  |
|                   |          | 20,626              | Blank. NA (Not Hispanic)                                |
| 343               | 8        | [WRITENG]           | WRITE IN ENGLISH  |
|                   |          | 901                 | 1. Yes  |
|                   |          | 285<br>268          | 2. No<br>9. Unknown                                     |
|                   |          | 20,626              | Blank. NA (Not Hispanic)                                |
| 344               | 9        | [LANGWRTB]          | LANGUAGE WRITE BETTER                                   |
|                   |          | 210                 | 1. Spanish  |
|                   |          | 256                 | 2. English  |
|                   |          | 134                 | 3. Both the same  |
|                   |          | 1                   | 9. Unknown  |
|                   |          | 21,479              | Blank. NA (Not Hispanic, can't write both languages)    |
| 345-346           | Recode   | [SPLANGAR]          | SPOKEN LANGUAGE ABILITY RECODE                          |
| 313 310           | 1100000  | 139                 | 01. Speaks Spanish only                                 |
|                   |          | 287                 | 02. Speaks mostly, Spanish some English                 |
|                   |          | 285                 | 03. Speaks Spanish and English equally                  |
|                   |          | 324                 | 04. Speaks mostly English, some Spanish                 |
|                   |          | 146                 | 05. Speaks English only                                 |
|                   |          | 4                   | 06. Speaks Spanish, unknown if speaks<br>English        |
|                   |          | 21                  | 07. Speaks English, and Spanish, Unknow<br>which better |
|                   |          | 248                 | 08. Speaks English, unknown if speaks<br>Spanish        |
|                   |          | 0                   | 11. Unknown   |
|                   |          | 20,626              | Blank. NA (Not Hispanic)                                |

CR-23
1987 NHIS Epidemiology Supplement

| Data      |          | [NAME]      |            |  |
|-----------|----------|-------------|------------|--|
| Locations | Item No. | Frequency   | Iter       | ms and Codes                                     |
|           |          | SECTION AA. | ACCULTURA: | TION - continued                                 |
| 347-348   | Recode   | [RDLANGAR]  | READING    | LANGUAGE ABILITY RECODE                          |
|           |          | 18          | 00.        | Reads neither English nor Spanish                |
|           |          | 210         | 01.        |  |
|           |          | 250         | 02.        |  |
|           |          | 157         | 03.        | Reads Spanish and English equally well           |
|           |          | 319         | 04.        | Reads English better than Spanish                |
|           |          | 227         | 05.        |  |
|           |          | 6           | 06.        |  |
|           |          | 2           | 07.        |  |
|           |          | 5           | 08.        | Reads English, unknown if reads<br>Spanish       |
|           |          | 4           | 09.        | Doesn't read Spanish, unknown if reads English   |
|           |          | 0           | 10.        | Doesn't read English, unknown if reads Spanish   |
|           |          | 256         | 11.        |  |
|           |          | 20,626      | Blank.     | NA (Not Hispanic)                                |
| 349-350   | Recode   | [WRLANGAR]  | WRTTING    | LANGUAGE ABILITY RECODE                          |
| 317 330   | necode   | 18          | 00.        |  |
|           |          | 267         | 01.        |  |
|           |          | 210         | 02.        |  |
|           |          | 134         | 03.        |  |
|           |          | 256         | 04.        |  |
|           |          | 298         | 05.        |  |
|           |          | 4           | 06.        | Writes Spanish unknown if writes<br>English      |
|           |          | 1           | 07.        | Writes English and Spanish, unknown which better |
|           |          | 2           | 08.        | Writes English, unknown if writes<br>Spanish     |
|           |          | 6           | 09.        | Doesn't write Spanish, unknown if writes English |
|           |          | 0           | 10.        | Doesn't write English, unknown if writes Spanish |
|           |          | 258         | 11.        | Unknown  |
|           |          | 20,626      | Blank.     | NA (Not Hispanic)                                |
|           |          |             | CR-24      |  |

1987 NHIS Epidemiology Supplement

| Locations | Item No. | Frequency     | Ite               | ems and Codes           |
|-----------|----------|---------------|-------------------|-------------------------|
|           |          | SECTION AA. A | ACCULTUR <i>A</i> | ATION - continued       |
| 351       | 10       | [SPETHID]     | SP'S ET           | CHNIC IDENTIFICATION*   |
|           |          | 6             | 0.                | Multiple Hispanic       |
|           |          | 247           | 1.                | Puerto Rican            |
|           |          | 144           | 2.                | Cuban                   |
|           |          | 295           | 3.                | Mexican/Mexicano        |
|           |          | 358           | 4.                | Mexican American        |
|           |          | 8             | 5.                | Chicano                 |
|           |          | 151           | 6.                | Other Latin American    |
|           |          | 166           | 7.                | Other Spanish           |
|           |          | 79            | 8.                | Other                   |
|           |          | 0             | 9.                | Unknown                 |
|           |          | 20,626        | Blank.            | NA (Not Hispanic)       |
| 352       | 11       | [MOTHETID]    | MOTHER '          | S ETHNIC IDENTIFICATION |
|           |          | 2             | 0.                |                         |
|           |          | 193           | 1.                | Puerto Rican            |
|           |          | 110           | 2.                | Cuban                   |
|           |          | 326           | 3.                | Mexican/Mexicano        |
|           |          | 227           | 4.                | Mexican American        |
|           |          | 4             | 5.                | Chicano                 |
|           |          | 120           | 6.                | Other Latin American    |
|           |          | 109           | 7.                | Other Spanish           |
|           |          | 101           | 8.                | Other                   |
|           |          | 262           | 9.                | Unknown                 |
|           |          | 20,626        | Blank.            | NA (Not Hispanic)       |
| 353       | 12       | [FATHETID]    | FATHER '          | S ETHNIC IDENTIFICATION |
|           |          | 2             | 0.                |                         |
|           |          | 186           |                   | Puerto Rican            |
|           |          | 95            | 2.                |                         |
|           |          | 353           | 3.                | Mexican/Mexicano        |
|           |          | 209           | 4.                | •                       |
|           |          | 4             | 5.                |                         |
|           |          | 110           | 6.                | Other Latin American    |
|           |          | 119           | 7.                | Other Spanish           |
|           |          | 113           | 8.                |                         |
|           |          | 263           | 9.                | Unknown                 |
|           |          | 20,626        | Blank.            | NA (Not Hispanic)       |

<sup>\*</sup>This field may not agree with Hispanic origin code, location 46-47 because location 351 is self-respondent.

CR-25
1987 NHIS Epidemiology Supplement

| Data<br>Locations    | Item No. | [NAME]<br>Frequency | Ite        | ms and Codes                    |
|----------------------|----------|---------------------|------------|---------------------------------|
|                      |          | SECTION AA.         | ACCULTURA' | FION - continued                |
| 354                  | 13       | [SPBIRLOC]          | COUNTRY    | OR STATE OF SP'S BIRTH          |
|                      |          | 521                 | 1.         | U.S. except Puerto Rico         |
|                      |          | 131                 | 2.         | Puerto Rico                     |
|                      |          | 105                 | 3.         | Cuba                            |
|                      |          | 239                 | 4.         | Mexico                          |
|                      |          | 190                 | 8.         | Other                           |
|                      |          | 268                 | 9.         | Unknown                         |
|                      |          | 20,626              | Blank.     | NA (Not Hispanic)               |
| 355                  | 14       | [FABIRLOC]          | COUNTRY    | OR STATE OF FATHER'S BIRTH      |
| 333                  | TI       | 336                 | 1.         | U.S. except Puerto Rico         |
|                      |          | 178                 | 2.         | Puerto Rico                     |
|                      |          | 94                  | 3.         | Cuba                            |
|                      |          | 345                 | 4.         | Mexico                          |
|                      |          | 221                 | 8.         | Other                           |
|                      |          | 280                 | 9.         | Unknown                         |
|                      |          | 20,626              | Blank.     | NA (Not Hispanic)               |
| 356                  | 15       | [MOBIRLOC]          | COUNTRY    | OR STATE OF MOTHER'S BIRTH      |
| 330                  | 13       | 358                 | 1.         | U.S. except Puerto Rico         |
|                      |          | 184                 | 2.         | Puerto Rico                     |
|                      |          | 105                 | 3.         | Cuba                            |
|                      |          | 319                 | 4.         | Mexico                          |
|                      |          | 207                 | 8.         | Other                           |
|                      |          | 281                 | 9.         | Unknown                         |
|                      |          | 20,626              | Blank.     | NA (Not Hispanic)               |
|                      |          |                     |            |                                 |
| 357-358              |          | [BLANK]             | BLANK      |                                 |
|                      |          | SECTION             | BB. FOO    | D FREQUENCY                     |
| Recodes or locations |          | r of times per      | r year fo  | ods are consumed appear in tape |
| (359-363)            | 1        |                     | ORANGE/    | GRAPEFRUIT JUICE                |
| 359-361              |          | [OJJUICE]           | TIMES C    | ONSUMED                         |
| -                    |          | 3,255               | 000        |                                 |
|                      |          | 18,528              | 001-888    |                                 |
|                      |          | 297                 | 999        | month, year                     |

CR-26
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency  | Items and Codes   |
|-------------------|----------|--|---|
|                   |          | SECTION BB.  | FOOD FREQUENCY - continued  |
| (359-363)         |          |  |   |
| 362               |          | [NTUJUICE]<br>3,255<br>6,328<br>7,871<br>3,317<br>1,012<br>297 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                  |
| 363               |          | [JUCESIZE]<br>4,752<br>10,531<br>3,198<br>47<br>3,552          | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                       |
| (364-368)         | 2        |  | OTHER FRUIT JUICES  |
| 364-366           |          | [FRUTJUCE]<br>9,381<br>12,425<br>274                           | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units), refused, no answer |
| 367               |          | [NTUFJUCE]<br>9,381<br>2,488<br>6,501<br>2,833<br>603<br>274   | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                  |
| 368               |          | [FJUCSIZE] 2,649 7,568 2,153 55 9,655                          | PORTION SIZE  1. Small 2. Medium (6 oz.) 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)               |

CR-27
1987 NHIS Epidemiology Supplement

| Data<br>Locations    | Item No. | [NAME]<br>Frequency  | Items and Codes  |
|----------------------|----------|--|--|
| (369-373)<br>369-371 | 3        | SECTION BB.  | FOOD FREQUENCY - continued ORANGES   |
|                      |          | 7,305<br>14,488<br>287   | Times Consumed  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 372                  |          | [NTUORANG]<br>7,305<br>1,373<br>5,863<br>5,017<br>2,235<br>287 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 373                  |          | [ORANGSIZ]<br>1,488<br>11,862<br>1,076<br>62<br>7,592          | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                        |
| (374-378)            | 4        |  | GRAPEFRUIT   |
| 374-376              |          | [GRAPFRUT]<br>13,015<br>8,793<br>272                           | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 377                  |          | [NTUGFRUT]<br>13,015<br>588<br>2,761<br>3,364<br>2,080<br>272  | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 378                  |          | [GFRUTSIZ]<br>546<br>6,810<br>1,390<br>47<br>13,287            | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                        |

CR-28
1987 NHIS Epidemiology Supplement

| Data<br>Locations    | Item No. | [NAME]<br>Frequency  | Items and Codes  |
|----------------------|----------|--|--|
| (379-383)            | 5        | SECTION BB.  | FOOD FREQUENCY - continued CANTALOUPE  |
| 379-381              |          | [CANTALOP]<br>6,394<br>15,334<br>352                           | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer                   |
| 382                  |          | [NTUCANTA] 6,394 1,541 7,116 3,257 3,420 352                   | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer   |
| 383                  |          | [CANTASIZ]<br>1,692<br>9,922<br>3,675<br>45<br>6,746           | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                                       |
| (384-388)<br>384-386 | 6        | [APPLES] 3,211 18,536  | APPLES OR APPLESAUCE TIMES CONSUMED  000. Less than 6 times yr. or never 001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer |
| 387                  |          | [NTUAPPLE]<br>3,211<br>2,699<br>9,661<br>4,754<br>1,422<br>333 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer   |
| 388                  |          | [APPLESIZ]<br>1,962<br>14,946<br>1,527<br>101<br>3,544         | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                                       |

CR-29
1987 NHIS Epidemiology Supplement

| Data<br>Locations    | Item No. | [NAME]<br>Frequency                                   | Items and Codes   |
|----------------------|----------|---|---|
| (389-393)            | 7        | SECTION BB.   | FOOD FREQUENCY - continued<br>BEANS   |
| 389-391              |          | [BEANS]<br>3,701<br>18,058                            | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer                          |
| 392                  |          | [NTUBEANS] 3,701 557 8,329 7,394 1,778 321            | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer  |
| 393                  |          | [BEANSIZE]<br>2,895<br>12,271<br>2,824<br>68<br>4,022 | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)   |
| (394-398)<br>394-396 | 8        | [VEGETABL]<br>3,212<br>18,568<br>300                  | CARROTS OR MIXED VEGETABLES TIMES CONSUMED 000. Less than 6 times yr. or never 001-888. 1-888 times per day, week, month, year 999. DK (number of time units), refused, no answer |
| 397                  |          | [NTUVEGES] 3,212 1,198 11,430 5,101 839 300           | Time Units  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer  |
| 398                  |          | [VEGESIZE] 3,318 13,501 1,681 68 3,512                | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)  |

CR-30
1987 NHIS Epidemiology Supplement

| Data<br>Locations    | Item No. | [NAME]<br>Frequency   | Items and Codes   |
|----------------------|----------|---|---|
|                      |          | SECTION BB.   | FOOD FREQUENCY - continued  |
| (399-403)<br>399-401 | 9        | [TOMATOES]<br>2,611<br>19,158<br>311                          | TOMATOES TIMES CONSUMED 000. Less than 6 times yr. or never 001-888. 1-888 times per day, week, month, year 999. DK (number of time units), refused, no answer    |
| 402                  |          | [NTUTOMAT]<br>2,611<br>3,138<br>12,447<br>2,615<br>958<br>311 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer  |
| 403                  |          | [TOMATSIZ]<br>4,982<br>12,931<br>1,168<br>77<br>2,922         | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                               |
| (404-408)<br>404-406 | 10       | [GRNSALAD]<br>1,908<br>19,861<br>311                          | GREEN SALAD TIMES CONSUMED 000. Less than 6 times yr. or never 001-888. 1-888 times per day, week, month, year 999. DK (number of time units), refused, no answer |
| 407                  |          | [NTUSALAD]<br>1,908<br>3,324<br>13,440<br>2,642<br>455<br>311 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer  |
| 408                  |          | [SALADSIZ]<br>2,697<br>14,606<br>2,479<br>79<br>2,219         | Portion Size  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                            |

CR-31
1987 NHIS Epidemiology Supplement

| Data<br>Locations    | Item No. | [NAME]<br>Frequency   | Items and Codes  |
|----------------------|----------|---|--|
|                      |          | SECTION BB.   | FOOD FREQUENCY - continued   |
| (409-413)<br>409-411 | 11       | [DRESSING]<br>2,707<br>19,001<br>372                          | SALAD DRESSING OR MAYONNAISE TIMES CONSUMED 000. Less than 6 times yr. or never 001-888. 1-888 times per day, week, month, year 999. DK (number of time units), refused, no answer |
| 412                  |          | [NTUDRESS]<br>2,707<br>4,949<br>12,115<br>1,650<br>287<br>372 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer   |
| 413                  |          | [DRESSIZE]<br>5,724<br>12,063<br>1,131<br>83<br>3,079         | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)  |
| (414-418)<br>414-416 | 12       | [BROCCOLI]<br>5,571<br>16,209<br>300                          | BROCCOLI TIMES CONSUMED 000. Less than 6 times yr. or never 001-888. 1-888 times per day, week, month, year 999. DK (number of time units), refused, no answer                     |
| 417                  |          | [NTUBROCL] 5,571 254 8,872 5,959 1,124 300                    | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer   |
| 418                  |          | [BROCLSIZ]<br>2,386<br>11,503<br>2,266<br>54<br>5,871         | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)   |

CR-32
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency  | Items and Codes  |
|-------------------|----------|--|--|
| (419-423)         | 13       | SECTION BB.  | FOOD FREQUENCY - continued<br>SPINACH  |
| 419-421           |          | [SPINACH]<br>10,570<br>11,188                                | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),                   |
| 422               |          | [NTUSPNAC]<br>10,570<br>79<br>3,799<br>5,665<br>1,645<br>322 | refused, no answer TIME UNITS  0. Less than 6 times yr. or never 1. Day 2. Week 3. Month 4. Year 9. DK (time unit), refused, no answer                   |
| 423               |          | [SPNACSIZ]<br>1,950<br>7,882<br>1,312<br>44<br>10,892        | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                      |
| (424-428)         | 14       |  | MUSTARD GREENS, TURNIP GREENS OR COLLARDS  |
| 424-426           |          | [GREENS]<br>15,259<br>6,522<br>299                           | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer |
| 427               |          | [NTUGREEN]<br>15,259<br>64<br>2,563<br>2,803<br>1,092<br>299 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                 |
| 428               |          | [GREENSIZ]<br>901<br>4,415<br>1,175<br>31<br>15,558          | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                   |

CR-33
1987 NHIS Epidemiology Supplement

| Data<br>Locations    | Item No. | [NAME]<br>Frequency  | Items and Codes  |
|----------------------|----------|--|--|
| (429-433)<br>429-431 | 15       | SECTION BB.  | FOOD FREQUENCY - continued<br>COLESLAW, CABBAGE OR SAUERKRAUT<br>TIMES CONSUMED  |
|                      |          | 4,970<br>16,790  | 000. Less than 6 times yr. or never 001-888. 1-888 times per day, week, month, year  |
|                      |          | 320  | 999. DK (number of time units), refused, no answer   |
| 432                  |          | [NTUCABBG]<br>4,970<br>165<br>6,053<br>8,475<br>2,097<br>320 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer   |
| 433                  |          | [CABBGSIZ]<br>3,001<br>12,002<br>1,714<br>73<br>5,290        | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)  |
| (434-438)<br>434-436 | 16       | [FRPOTATO]<br>4,304<br>17,467<br>309                         | French Fries or Fried Potatoes Times Consumed 000. Less than 6 times yr. or never 001-888. 1-888 times per day, week, month, year 999. DK (number of time units), refused, no answer |
| 437                  |          | [NTUFRPOT]<br>4,304<br>843<br>10,362<br>5,333<br>929<br>309  | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer   |
| 438                  |          | [FRPOTSIZ]<br>2,632<br>11,832<br>2,942<br>61<br>4,613        | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)  |

CR-34
1987 NHIS Epidemiology Supplement

| Data<br>Locations    | Item No. | [NAME]<br>Frequency   | Items and Codes   |
|----------------------|----------|---|---|
| (439-443)<br>439-441 | 17       | SECTION BB. [BPOTATO] 915 20,844                            | FOOD FREQUENCY - continued  POTATOES, BAKED, BOILED OR MASHED  TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, |
|                      |          | 321   | month, year<br>999. DK (number of time units),<br>refused, no answer  |
| 442                  |          | [NTUBPOTA]<br>915<br>1,553<br>15,070<br>3,816<br>405<br>321 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                |
| 443                  |          | [BPOTASIZ]<br>2,157<br>16,279<br>2,348<br>60<br>1,236       | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer  Blank. NA (none consumed or unknown if consumed)                    |
| (444-448)<br>444-446 | 18       | [YAMS]  | SWEET POTATOES OR YAMS TIMES CONSUMED   |
|                      |          | 10,437<br>11,295<br>348                                     | 000. Less than 6 times yr. or never 001-888. 1-888 times per day, week, month, year 999. DK (number of time units), refused, no answer                  |
| 447                  |          | [NTUYAMS]<br>10,437<br>43<br>1,958<br>4,887<br>4,407<br>348 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                |
| 448                  |          | [YAMSIZE]<br>1,762<br>8,319<br>1,153<br>61<br>10,785        | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                     |

CR-35
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes   |
|-------------------|----------|---------------------|---|
| (449-453)         | 19       | SECTION BB.         | FOOD FREQUENCY - continued RICE   |
| 449-451           |          | [RICE]              | TIMES CONSUMED  |
|                   |          | 3,494               | 000. Less than 6 times yr. or never                                     |
|                   |          | 18,237              | 001-888. 1-888 times per day, week,<br>month, year                      |
|                   |          | 349                 | 999. DK (number of time units), refused, no answer                      |
| 452               |          | [NTURICE]           | TIME UNITS  |
| 102               |          | 3,494               | 0. Less than 6 times yr. or never                                       |
|                   |          | 1,034               | 1. Day  |
|                   |          | 9,231               | 2. Week   |
|                   |          | 6,685               | 3. Month  |
|                   |          | 1,287               | 4. Year   |
|                   |          | 349                 | 9. DK (time unit), refused, no answer                                   |
| 453               |          | [RICESIZE]          | PORTION SIZE  |
|                   |          | 2,169               | 1. Small  |
|                   |          | 12,937              | 2. Medium   |
|                   |          | 3,062               | 3. Large  |
|                   |          | 69                  | 9. DK (portion size), refused, no answer                                |
|                   |          | 3,843               | Blank. NA (none consumed or unknown if consumed)                        |
| (454-458)         | 20       |                     | HAMBURGERS, CHEESEBURGERS, OR MEATLOAF                                  |
| 454-456           |          | [HAMBRGER]          | TIMES CONSUMED  |
|                   |          | 1,859<br>19,873     | 000. Less than 6 times yr. or never 001-888. 1-888 times per day, week, |
|                   |          | 2.40                | month, year   |
|                   |          | 348                 | 999. DK (number of time units), refused, no answer                      |
| 457               |          | [NTUHAMBR]          | TIME UNITS  |
|                   |          | 1,859               | 0. Less than 6 times yr. or never                                       |
|                   |          | 544                 | 1. Day  |
|                   |          | 13,038              | 2. Week   |
|                   |          | 5,501               | 3. Month  |
|                   |          | 790                 | 4. Year   |
|                   |          | 348                 | 9. DK (time unit), refused, no answer                                   |
| 458               |          | [HAMBRSIZ]          | PORTION SIZE  |
|                   |          | 2,151               | 1. Small  |
|                   |          | 14,573              | 2. Medium   |
|                   |          | 3,089               | 3. Large  |
|                   |          | 60                  | 9. DK (portion size), refused, no answer                                |
|                   |          | 2,207               | Blank. NA (none consumed or unknown if consumed)                        |

CR-36
1987 NHIS Epidemiology Supplement

| Data<br>Locations    | Item No. | [NAME]<br>Frequency  | Items and Codes  |
|----------------------|----------|--|--|
|                      |          | SECTION BB.  | FOOD FREQUENCY - continued   |
| (459-463)<br>459-461 | 21       | [BEEF]<br>2,141<br>19,605                                  | BEEF TIMES CONSUMED 000. Less than 6 times yr. or never 001-888. 1-888 times per day, week, month, year 999. DK (number of time units), refused, no answer |
| 462                  |          | [NTUBEEF]<br>2,141<br>367<br>12,158<br>6,200<br>880<br>334 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 463                  |          | [BEEFSIZE]<br>2,169<br>13,535<br>3,832<br>69<br>2,475      | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                        |
| (464-468)            | 22       |  | BEEF STEW OR POT PIE   |
| 464-466              |          | [STEW]<br>8,071<br>13,653<br>356                           | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer   |
| 467                  |          | [NTUSTEW] 8,071 42 3,303 7,914 2,394 356                   | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 468                  |          | [STEWSIZE]<br>1,430<br>9,667<br>2,501<br>55<br>8,427       | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                     |

CR-37
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency  | Items and Codes  |
|-------------------|----------|--|--|
| (469-473)         | 23       | SECTION BB.  | FOOD FREQUENCY - continued LIVER   |
| 469-471           |          | [LIVER]<br>13,042<br>8,714                                   | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 472               |          | [NTULIVER]<br>13,042<br>19<br>1,561<br>4,652<br>2,482<br>324 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 473               |          | [LIVERSIZ]<br>1,403<br>6,105<br>1,175<br>31<br>13,366        | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                     |

CR-38

1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency  | Items and Codes  |
|-------------------|----------|--|--|
|                   |          | SECTION BB.  | FOOD FREQUENCY - continued   |
| (474-478)         | 24       |  | PORK   |
| 474-476           |          | [PORK]<br>5,375<br>16,347<br>358                             | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer |
| 477               |          | [NTUPORK] 5,375 63 5,725 8,512 2,047 358                     |  |
| 478               |          |  | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer  |
| (479-483)         | 25       |  | FRIED CHICKEN  |
| 479-481           |          | [FRCHICKN]<br>5,648<br>16,084<br>348                         | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer |
| 482               |          | [NTUFCHIC]<br>5,648<br>149<br>7,268<br>7,161<br>1,506<br>348 | •  |
| 483               |          | [CHICKSIZ]<br>1,737<br>11,387<br>2,909<br>51                 | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                      |

CR-39
1987 NHIS Epidemiology Supplement

| Data<br>Locations |    | [NAME]<br>Frequency  | Items and Codes  |
|-------------------|----|--|--|
|                   |    |  | FOOD FREQUENCY - continued   |
| (484-488)         | 26 |  | CHICKEN OR TURKEY, BAKED, STEWED OR BROILED  |
| 484-486           |    | 3,430<br>18,276  | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  |
|                   |    | 374  | 999. DK (number of time units), refused, no answer   |
| 487               |    | [NTUTURKE]<br>3,430<br>178<br>9,254<br>6,607<br>2,237<br>374 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 488               |    |  | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer   |
|                   |    | 3,804  | Blank. NA (none consumed or unknown if consumed)   |
| (489-493)         | 27 |  | FRIED FISH OR FISH SANDWICHES  |
| 489-491           |    | 6,796  | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 492               |    | [NTUFFISH]<br>6,796<br>66<br>5,781<br>7,302<br>1,786<br>349  | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 493               |    | [FFISHSIZ]<br>1,633<br>10,859<br>2,375<br>68                 | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer  Blank. NA (none consumed or unknown if consumed)                    |

| Data<br>Locations |    | [NAME]<br>Frequency | Items and Codes   |
|-------------------|----|---------------------|---|
|                   |    | SECTION BB.         | FOOD FREQUENCY - continued                                  |
| (494-498)         | 28 |                     | SPAGHETTI, LASAGNA OR PASTA                                 |
| 494-496           |    | [PASTA]             |   |
|                   |    | 3,148               | 000. Less than 6 times yr. or never                         |
|                   |    | 18,5/6              | 001-888. 1-888 times per day, week,<br>month, year          |
|                   |    | 356                 | 999. DK (number of time units),                             |
|                   |    |                     | refused, no answer  |
| 497               |    |                     | TIME UNITS  |
|                   |    | 3,148               | 0. Less than 6 times yr. or never                           |
|                   |    | 89                  | 1. Day  |
|                   |    | 7,331               | 2. Week<br>3. Month   |
|                   |    | 9,634<br>1,522      | 4. Year   |
|                   |    | 356                 | 9. DK (time unit), refused, no answer                       |
| 498               |    |                     | PORTION SIZE  |
| 170               |    | 1,492               | 1. Small  |
|                   |    | 11,728              | 2. Medium   |
|                   |    | 5,275               | 3. Large  |
|                   |    | 81                  | 9. DK (portion size), refused, no                           |
|                   |    |                     | answer  |
|                   |    | 3,504               | Blank. NA (none consumed or unknown if consumed)            |
| (499-503)         | 29 |                     | COOKED CEREALS  |
| ,                 |    |                     |   |
| 499-501           |    |                     | TIMES CONSUMED  |
|                   |    | 11,566              | 000. Less than 6 times yr. or never                         |
|                   |    | 10,147              | 001-888. 1-888 times per day, week,                         |
|                   |    | 367                 | month, year<br>999. DK (number of time units),              |
|                   |    | 307                 | refused, no answer  |
| 502               |    | [NTUCKCER]          | TIME UNITS  |
| 302               |    | 11,566              | 0. Less than 6 times yr. or never                           |
|                   |    | 864                 | 1. Day  |
|                   |    | 4,279               | 2. Week   |
|                   |    | 3,180               | 3. Month  |
|                   |    | 1,824               | 4. Year   |
|                   |    | 367                 | 9. DK (time unit), refused, no answer                       |
| 503               |    | [CKCERSIZ]          | PORTION SIZE  |
|                   |    | 1,639               | 1. Small  |
|                   |    | 7,606               | 2. Medium   |
|                   |    | 856                 | 3. Large  |
|                   |    | 10                  | O DV (nontion city)   |
|                   |    | 46                  | <ol><li>DK (portion size), refused, no<br/>answer</li></ol> |
|                   |    | 46<br>11,933        | , ,   |

CR-41
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency   | Items and Codes  |
|-------------------|----------|---|--|
|                   |          | SECTION BB.   | FOOD FREQUENCY - continued   |
| (504-508)         | 30       |   | HIGH FIBER CEREALS   |
| 504-506           |          | [FBCEREAL]<br>10,641<br>11,068<br>371                       | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 507               |          | 10,641<br>1,694<br>6,128<br>2,388<br>858                    | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  |
| 508               |          | 371<br>[FBCERSIZ]<br>1,576<br>8,426<br>1,012<br>54          | 9. DK (time unit), refused, no answer PORTION SIZE 1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer                                    |
|                   |          | 11,012  | Blank. NA (none consumed or unknown if consumed)   |
| (509-513)         | 31       |   | HIGHLY FORTIFIED CEREALS   |
| 509-511           |          |   | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 512               |          | [NTUFTCER]<br>17,084<br>376<br>2,506<br>1,288<br>413<br>413 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 513               |          | [FTCERSIZ]<br>657<br>3,488<br>407<br>31<br>17,497           | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                        |

CR-42
1987 NHIS Epidemiology Supplement

| Data<br>Locations |    | [NAME]<br>Frequency   | Items and Codes   |
|-------------------|----|---|---|
|                   |    | SECTION BB.   | FOOD FREQUENCY - continued  |
| (514-518)         | 32 |   | OTHER COLD CEREALS  |
| 514-516           |    | 11,035  | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer    |
| 517               |    | [NTUCDCER]<br>11,035<br>983<br>6,071<br>2,893<br>721<br>377 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                    |
| 518               |    | 1,336<br>8,114<br>1,163<br>55                               | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer  Blank. NA (none consumed or unknown if consumed)                        |
| (519-524)         |    |   | EGGS  |
| 519-521           |    | [EGGS]<br>2,094<br>19,537<br>449                            | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer  |
| 522               |    | [NTUEGGS] 2,094 2,028 13,148 3,830 531                      | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year   |
| 523-524           |    | 449<br>[NEGGSTIM]<br>19,515<br>22<br>2,543                  | 9. DK (time unit), refused, no answer NUMBER CONSUMED PER TIME 01-98. 1-98 eggs 99. DK, refused, no answer Blank. NA (none consumed or unknown if consumed) |

CR-43
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency  | Items and Codes  |
|-------------------|----------|--|--|
| (525-530)         | 34       | SECTION BB.  | FOOD FREQUENCY - continued BACON   |
| 525-527           |          | [BACON]<br>6,492<br>15,144<br>444                            | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 528               |          | [NTUBACON] 6,492 676 7,803 5,506 1,159 444                   | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 529-530           |          | 15,118<br>26   | NUMBER CONSUMED PER TIME 01-98. 01-98 pieces 99. DK, refused, no answer Blank. NA (none consumed or unknown if consumed)                                   |
| (531-536)         | 35       |  | SAUSAGE  |
| 531-533           |          | [SAUSAGE]<br>8,713<br>12,922<br>445                          | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 534               |          | [NTUSAUSG]<br>8,713<br>276<br>5,012<br>6,064<br>1,570<br>445 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 535-536           |          | [NSAUSTIM]<br>12,876<br>46<br>9,158                          | NUMBER CONSUMED PER TIME 01-98. 1-98 patties or links 99. DK, refused, no answer Blank. NA (none consumed or unknown if consumed)                          |

CR-44
1987 NHIS Epidemiology Supplement

|           |    |  | Items and Codes  |
|-----------|----|--|--|
|           |    | SECTION BB.  | FOOD FREQUENCY - continued   |
| (537-541) | 36 |  | VEGETABLE SOUP, VEGETABLE BEEF,<br>MINESTRONE OR TOMATO SOUP   |
| 537-539   |    | 4,969  | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer   |
| 540       |    | [NTUVSOUP] 4,969 273 6,311 7,694 2,433 400                   |  |
| 541       |    | 1,761<br>12,356<br>2,493<br>101                              | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer  Blank. NA (none consumed or unknown if consumed)                       |
| (542-547) | 37 |  | HOT DOGS   |
| 542-544   |    | 7,287  | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 545       |    | [NTUHTDOG]<br>7,287<br>102<br>4,518<br>7,562<br>2,211<br>400 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 546-547   |    | [NHDOGTIM]<br>14,373<br>20<br>7,687                          | NUMBER CONSUMED PER TIME 01-98. 1-98 hot dogs 99. DK, refused, no answer Blank. NA (none consumed or unknown if consumed)                                  |

CR-45
1987 NHIS Epidemiology Supplement

| Data<br>Locations |    | [NAME]<br>Frequency  | Items and Codes  |
|-------------------|----|--|--|
| (548-552)         | 38 | SECTION BB.  | FOOD FREQUENCY - continued HAM OR LUNCH MEATS  |
| 548-550           |    | 5,059  | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 551               |    | 5,059<br>1,486   | 1. Day<br>2. Week  |
| 552               |    | 2,765<br>12,180<br>1,577<br>100                              | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer  Blank. NA (none consumed or unknown if consumed)                       |
| (553-557)         | 39 |  | WHITE BREADS   |
| 553-555           |    |  | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 556               |    | [NTUWBRED]<br>4,208<br>8,247<br>7,512<br>1,441<br>268<br>404 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 557               |    | [WBREDSIZ]<br>2,468<br>13,367<br>1,578<br>55<br>4,612        | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                     |

CR-46
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency  | Items and Codes  |
|-------------------|----------|--|--|
| (558-562)         | 40       | SECTION BB.  | FOOD FREQUENCY - continued DARK BREADS   |
| 558-560           |          | 6,674  | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer   |
| 561               |          | 6,674<br>5,045<br>7,250                                      | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 562               |          | 2,633<br>11,509<br>800<br>50                                 | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer  Blank. NA (none consumed or unknown if consumed)                    |
| (563-567)         | 41       |  | CORN BREADS, CORN MUFFINS, CORN<br>TORTILLAS OR GRITS  |
| 563-565           |          | [GRITSCBD]<br>8,800<br>12,897<br>383                         | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 566               |          | [NTUGRCBD]<br>8,800<br>668<br>4,719<br>5,746<br>1,764<br>383 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 567               |          | [GRCBDSIZ]<br>1,608<br>9,128<br>2,096<br>65<br>9,183         | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                     |

| Data<br>Locations |    | [NAME]<br>Frequency                                 | Items and Codes  |
|-------------------|----|---|--|
| (568-572)         | 42 | SECTION BB.   | FOOD FREQUENCY - continued BUTTER  |
| 568-570           |    | 13,429  | 001-888. 1-888 times per day, week, month, year  |
| 571               |    | 13,429<br>3,315<br>3,409                            | 1. Day   |
| 572               |    | 2,062<br>5,510<br>629<br>39                         | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer  Blank. NA (none consumed or unknown if consumed)                    |
| (573-577)         | 43 |   | MARGARINE  |
| 573-575           |    | [MARGARIN]<br>5,899<br>15,747<br>434                | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 576               |    | [NTUMARGN] 5,899 8,374 6,186 1,002 185 434          | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 577               |    | [MARGNSIZ]<br>4,258<br>10,547<br>881<br>61<br>6,333 | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                     |

# 1987 NHIS Epidemiology Supplement

| Data<br>Locations |    | [NAME]<br>Frequency  | Items and Codes  |
|-------------------|----|--|--|
|                   |    | SECTION BB. F  | FOOD FREQUENCY - continued   |
| (578-582)         | 44 |  | CHEESE OR CHEESE SPREADS   |
| 578-580           |    | 3,593<br>18,106  | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 581               |    | 3,593<br>2,996   |  |
| 582               |    | 4,042<br>12,484<br>1,516<br>64                                 | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                        |
| (583-587)         | 45 |  | PEANUTS OR PEANUT BUTTER   |
| 583-585           |    |  | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 586               |    | [NTUPBUTR]<br>6,734<br>1,225<br>7,407<br>5,224<br>1,096<br>394 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 587               |    | [PBUTRSIZ]<br>2,821<br>9,868<br>2,219<br>44<br>7,128           | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                        |

# 1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency  | Items and Codes  |
|-------------------|----------|--|--|
|                   |          | SECTION BB.  | FOOD FREQUENCY - continued   |
| (588-592)         | 46       |  | SALTY SNACKS   |
| 588-590           |          | 6,624  | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 591               |          | 6,624<br>1,642   | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 592               |          | 1,473<br>7,184<br>6,341<br>50                                  | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                     |
| (593-597)         | 47       |  | ICE CREAM  |
| 593-595           |          | [ICECREAM]<br>4,097  | TIMES CONSUMED 000. Less than 6 times yr. or never   |
|                   |          | 17,590<br>393  | 001-888. 1-888 times per day, week,<br>month, year<br>999. DK (number of time units),<br>refused, no answer  |
| 596               |          | [NTUICREM]<br>4,097<br>1,141<br>8,465<br>6,250<br>1,734<br>393 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 597               |          | [ICREMSIZ]<br>2,060<br>9,380<br>6,104<br>46<br>4,490           | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if                               |

consumed)

# 1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency  | Items and Codes  |
|-------------------|----------|--|--|
|                   |          | SECTION BB.  | FOOD FREQUENCY - continued   |
| (598-602)         | 48       |  | PIE  |
| 598-600           |          | 8,095  | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 601               |          | [NTUPIE]<br>8,095<br>109<br>3,113<br>6,934<br>3,421<br>408     | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 602               |          | 1,838<br>10,229<br>1,472<br>38                                 | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                        |
| (603-607)         | 49       |  | DOUGHNUTS, COOKIES, CAKE OR PASTRY   |
| 603-605           |          | [PASTRY]<br>4,422<br>17,261<br>397                             | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week,  month, year  999. DK (number of time units),  refused, no answer |
| 606               |          | [NTUPASTR]<br>4,422<br>2,403<br>9,052<br>4,788<br>1,018<br>397 | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                   |
| 607               |          | [PASTRSIZ] 2,393 12,130 2,682 56 4,819                         | PORTION SIZE  1. Small  2. Medium  3. Large  9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                     |

CR-51
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. |  | Items and Codes  |
|-------------------|----------|--|--|
| (608-612)         | 50       |  | FOOD FREQUENCY - continued<br>CHOCOLATE CANDY  |
| 608-610           |          | 8,844  |  |
| 611               |          | [NTUCCNDY]<br>8,844<br>1,080<br>5,590<br>4,728<br>1,445<br>393 | <ol> <li>Less than 6 times yr. or never</li> <li>Day</li> </ol>  |
| 612               |          | 2,357<br>7,517<br>2,917<br>52                                  | 2. Medium  |
| (613-617)         | 51       |  | SUGAR IN COFFEE OR TEA OR ON CEREAL  |
| 613-615           |          | II,266   | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer |
| 616               |          | [NTUSUGAR]<br>11,266<br>6,702<br>2,823<br>705<br>165<br>419    | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer                                 |
| 617               |          | [SUGARSIZ] 3,508 6,007 849 31 11,685                           | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed)                      |

CR-52
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes  |
|-------------------|----------|---------------------|--|
|                   |          | SECTION BB          | FOOD FREQUENCY - continued   |
| (618-622)         | 52       | DECITOR DE.         | WHOLE MILK   |
| 618-620           |          | [MILK]              | TIMES CONSUMED   |
|                   |          | 13,454<br>8,182     | 000. Less than 6 times yr. or never 001-888. 1-888 times per day, week,      |
|                   |          | 444                 | <pre>month, year  999. DK (number of time units),   refused, no answer</pre> |
| 621               |          | [NTUMILK]           | TIME UNITS   |
| 021               |          | 13,454              | 0. Less than 6 times yr. or never  |
|                   |          | 4,260               | 1. Day   |
|                   |          | 2,904               | 2. Week  |
|                   |          | 793                 | 3. Month   |
|                   |          | 225                 | 4. Year  |
|                   |          | 444                 | 9. DK (time unit), refused, no answer  |
| 622               |          | [MILKSIZE]          | PORTION SIZE   |
|                   |          | 1,048               | 1. Small   |
|                   |          | 5,566               | 2. Medium  |
|                   |          | 1,528               | 3. Large   |
|                   |          | 40                  | 9. DK (portion size), refused, no  |
|                   |          |                     | answer   |
|                   |          | 13,898              | Blank. NA (none consumed or unknown if consumed)                             |
| (623-627)         | 53       |                     | 2% MILK  |
| 623-625           |          | [PCT2MILK]          | TIMES CONSUMED   |
|                   |          | 14,357              | 000. Less than 6 times yr. or never  |
|                   |          | 7,278               | 001-888. 1-888 times per day, week, month, year                              |
|                   |          | 445                 | 999. DK (number of time units), refused, no answer                           |
| 626               |          | [NTU2PMLK]          | TIME UNITS   |
|                   |          | 14,357              | 0. Less than 6 times yr. or never  |
|                   |          | 3,821               | 1. Day   |
|                   |          | 2,571               | 2. Week  |
|                   |          | 698                 | 3. Month   |
|                   |          | 188                 | 4. Year  |
| 600               |          | 445                 | 9. DK (time unit), refused, no answer  |
| 627               |          | [MLK2PSIZ]          | PORTION SIZE   |
|                   |          | 1,080               | 1. Small   |
|                   |          | 5,063               | 2. Medium  |
|                   |          | 1,099               | 3. Large   |
|                   |          | 36                  | 9. DK (portion size), refused, no  |
|                   |          | 14,802              | answer Blank. NA (none consumed or unknown if consumed)                      |

CR-53
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes                                    |
|-------------------|----------|---------------------|--|
|                   |          | SECTION BB.         | FOOD FREQUENCY - continued                         |
| (628-632)         | 54       |                     | SKIM MILK, 1% MILK OR BUTTERMILK                   |
| 628-630           |          | [SKIMILK]           | TIMES CONSUMED                                     |
|                   |          | 17,784              | 000. Less than 6 times yr. or never                |
|                   |          | 3,849               | 001-888. 1-888 times per day, week, month, year    |
|                   |          | 447                 | 999. DK (number of time units), refused, no answer |
| 631               |          | [NTUSKMLK]          | TIME UNITS   |
|                   |          | 17,784              | 0. Less than 6 times yr. or never                  |
|                   |          | 1,825               | 1. Day   |
|                   |          | 1,239               | 2. Week  |
|                   |          | 542                 | 3. Month   |
|                   |          | 243                 | 4. Year  |
|                   |          | 447                 | 9. DK (time unit), refused, no answer              |
| 632               |          | [SKMLKSIZ]          | PORTION SIZE                                       |
| 032               |          | 698                 | 1. Small   |
|                   |          | 2,641               | 2. Medium  |
|                   |          | 497                 | 3. Large   |
|                   |          | 13                  |  |
|                   |          | 13                  | 9. DK (portion size), refused, no answer           |
|                   |          | 18,231              | Blank. NA (none consumed or unknown if             |
|                   |          | 10,231              | consumed)  |
| (633-637)         | 55       | <del> </del>        | MILK OR CREAM IN COFFEE OR TEA                     |
| 633-635           | 33       | [CREAMIN]           | TIMES CONSUMED                                     |
| 033 033           |          | 13,872              | 000. Less than 6 times yr. or never                |
|                   |          | 7,780               | 001-888. 1-888 times per day, week, month, year    |
|                   |          | 428                 | 999. DK (number of time units),                    |
|                   |          | 120                 | refused, no answer                                 |
| 636               |          | [NTUCREAM]          | TIME UNITS   |
|                   |          | 13,872              | 0. Less than 6 times yr. or never                  |
|                   |          | 6,066               | 1. Day   |
|                   |          | 1,276               | 2. Week  |
|                   |          | 341                 | 3. Month   |
|                   |          | 97                  | 4. Year  |
|                   |          | 428                 | 9. DK (time unit), refused, no answer              |
| 637               |          | [CREAMSIZ]          | PORTION SIZE                                       |
| 05,               |          | 2,003               | 1. Small   |
|                   |          | 4,782               | 2. Medium  |
|                   |          | 944                 | 3. Large   |
|                   |          | 51                  | 9. DK (portion size), refused, no                  |
|                   |          | 31                  | answer   |
|                   |          | 14,300              | Blank. NA (none consumed or unknown if consumed)   |

CR-54
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency  | Items and Codes   |
|-------------------|----------|--|---|
| (638-642)         | 56       | SECTION BB.  | FOOD FREQUENCY - continued<br>SODA OR SOFT DRINKS WITH SUGAR  |
| 638-640           |          | [SGRDRINK]<br>8,700<br>12,966<br>414                           | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer                  |
| 641               |          | [NTUSDRNK]<br>8,700<br>5,546<br>5,423<br>1,575<br>422          | TIME UNITS  0. Less than 6 times yr. or never  1. Day  2. Week  3. Month  4. Year   |
| 642               |          | 414<br>[SDRNKSIZ]<br>1,325<br>10,252<br>1,264<br>125           | 9. DK (time unit), refused, no answer PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size), refused, no answer Blank. NA (none consumed or unknown if consumed) |
| (643-649)         | 57a-c    |  | DRINK BEER<br>NUMBER OF TIMES CONSUMED  |
| 643-645           | 57a      | [BEER]<br>10,793<br>10,940<br>347                              | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer                  |
| 646               |          | [NTUBEER]<br>10,793<br>1,017<br>4,286<br>2,400<br>3,237<br>347 | TIME UNITS  0. Never  1. Everyday/daily  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer  |

CR-55
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency  | Items and Codes   |
|-------------------|----------|--|---|
|                   |          | SECTION BB. FO   | OOD FREQUENCY - continued   |
| 647-648           | 57b      | [NBEERDAY]<br>4<br>10,855<br>81<br>11,140                    | NUMBER OF BEERS PER DAY ON DAYS DRANK BEER  00. Less than one per day  01-98. 1-98 beers drank per day  99. DK, refused, no answer  Blank. NA (Never drinks beer or unknown if drinks beer)             |
| 649               | 57c      | [BEERSIZE]<br>1,292<br>9,286<br>311<br>51<br>11,140          | PORTION SIZE  1. Small 2. Medium (12 oz.) 3. Large (16 oz.) 9. DK, refused, no answer Blank. NA (Never drinks beer or unknown if drinks beer)   |
| (650-656)         | 58a-c    |  | DRINK WINE<br>NUMBER OF TIMES CONSUMED  |
| 650-652           | 58a      | [WINE]<br>11,566<br>10,135                                   | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units),   |
| 653               |          | [NTUWINE]<br>11,566<br>340<br>2,158<br>3,009<br>4,628<br>379 | refused, no answer  TIME UNITS  0. Never  1. Everyday/daily  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer  |
| 654-655           | 58b      | [NWINEDAY]  4 10,042 89 11,945                               | NUMBER OF GLASSES OF WINE PER DAY ON DAYS DRANK WINE  00. Less than one per day 01-98. 1-98 glasses wine drank per day  99. DK (number per day) Blank. NA (never drinks wine or unknown if drinks wine) |
| 656               | 58c      | [WINESIZE] 3,071 6,545 447 72 11,945                         | PORTION SIZE  1. Small 2. Medium (1 med. wine glass) 3. Large 9. DK (portion size) Blank. NA (Never drinks wine or unknown if drinks wine)  |

CR-56
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency   | Items and Codes  |
|-------------------|----------|---|--|
|                   |          | SECTION BB. F   | OOD FREQUENCY - continued  |
| (657-663)         | 59a-c    |   | DRINK LIQUOR<br>NUMBER OF TIMES CONSUMED   |
| 657-659           | 59a      | [LIQUOR]<br>12,184<br>9,497<br>399                            | TIMES CONSUMED  000. Less than 6 times yr. or never  001-888. 1-888 times per day, week, month, year  999. DK (number of time units), refused, no answer   |
| 660               |          | [NTULIQOR]<br>12,184<br>432<br>2,132<br>2,748<br>4,185<br>399 | TIME UNITS  0. Never  1. Everyday/daily  2. Week  3. Month  4. Year  9. DK (time unit), refused, no answer   |
| 661-662           | 59b      | [NLIQRDAY]  3  9,336  158  12,583                             | NUMBER OF SHOTS OF LIQUOR PER DAY ON DAYS DRANK LIQUOR  00. Less than one per day 01-98. 1-98 shots of liquor drank  99. DK refused, no answer Blank. NA (never drinks liquor or unknown if drinks liquor) |
| 663               | 59c      | [LIQRSIZE]<br>1,639<br>7,017<br>738<br>103<br>12,583          | PORTION SIZE  1. Small 2. Medium 3. Large 9. DK (portion size) Blank. NA (Never drinks liquor or unknown if drinks liquor)   |

CR-57
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency  | Items and Codes  |
|-------------------|----------|--|--|
|                   |          | SECTION BB. F  | OOD FREQUENCY - continued  |
| 664               | 60a      | [ALCOHL5X]<br>2,135<br>19,565<br>380   | WAS THERE PERIOD WHEN DRANK 5 OR MORE DRINKS OF ALCOHOLIC BEVERAGE ALMOST EVERYDAY  1. Yes 2. No 9. DK, refused, no answer   |
| (665-668)         | 60b      |  | HOW LONG PERIOD LASTED   |
| 665-667           |          | [NALCODAY]<br>2,024<br>111<br>19,945   | NUMBER OF TIME UNITS 001-998. 1-998 days, weeks, months, years 999. DK, refused, no answer Blank. NA (No period or unknown if period)  |
|                   |          | 10,040   | Blank. NA (No period of unknown if period)   |
| 668               | 61       | [NTUALCOH] 51 107 428 1,430 119 19,945  [CHIKSKIN] 400 9,082 3,443 3,110 5,791 254 | TIME UNITS  1. Days 2. Weeks 3. Months 4. Years 9. DK (time unit), refused, no answer Blank. NA (no period or unknown if period)  HOW OFTEN EAT SKIN ON CHICKEN/POULTRY 0. Don't eat chicken or poultry 1. Often or always 2. Sometimes 3. Rarely 4. Never 9. DK, refused, no answer |
| 670               | 62       | [MEATFAT]<br>657<br>2,553<br>2,855<br>4,770<br>10,976<br>269                       | HOW OFTEN EAT FAT ON RED MEAT  0. Don't eat chicken or poultry  1. Often or always  2. Sometimes  3. Rarely  4. Never  9. DK, refused, no answer   |

CR-58
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.     | [NAME]<br>Frequency | Items and Codes   |
|-------------------|--------------|---------------------|---|
|                   |              | SECTION BB.         | FOOD FREQUENCY - continued  |
| 671               | (2)          |                     |   |
| 671               | 63a          | [NWKMEALS]<br>52    | NUMBER OF MEALS EATEN PER DAY ON WEEKDAYS  0. Less than one a day |
|                   |              | 21,765              | 1-7. 1-7 meals per day  |
|                   |              | 1                   | 8. 8+ meals per day   |
|                   |              | 262                 | 9. DK (number per day), refused, no answer                        |
| 672               | 63b          | [NWKSNACK]          | NUMBER OF SNACKS EATEN PER DAY ON WEEKDAYS                        |
|                   |              | 6,026               | 0. Less than one a day  |
|                   |              | 15,504              | 1-7. 1-7 snacks per day   |
|                   |              | 42                  | 8. 8+ snacks per day  |
|                   |              | 508                 | 9. DK (number per day), refused, no answer                        |
| 673               | 63c          | [NWKNMEAL]          | NUMBER OF MEALS EATEN PER DAY ON SATURDAYS OR SUNDAYS             |
|                   |              | 77                  | 0. Less than one a day  |
|                   |              | 21,727              | 1-7. 1-7 snacks per day   |
|                   |              | 2                   | 8. 8+ snacks per day  |
|                   |              | 274                 | 9. DK (number per day), refused, no answer                        |
| 674               | 63d          | [NWKNSNAK]          | NUMBER OF SNACKS EATEN PER DAY ON SATURDAYS OR SUNDAYS            |
|                   |              | 5,372               | 0. Less than one a day  |
|                   |              | 16,087              | 1-7. 1-7 snacks per day   |
|                   |              | 51                  | 8. 8+ snacks per day  |
|                   |              | 570                 | <ol><li>DK (number per day), refused, no answer</li></ol>         |
| 675-676           | 64           | [NWKFSTFD]          | NUMBER OF RESTAURANT/FAST FOOD MEALS EATEN                        |
|                   | <del>-</del> |                     | PER WEEK  |
|                   |              | 6,394               | 00. Less than one a week  |
|                   |              | 15,347              | 01-98. 1-98 meals per week  |
|                   |              | 339                 | 99. DK (number per week), refused, no answer                      |
|                   |              |                     |   |

CR-59
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.     | [NAME]<br>Frequency | Items and Codes  |
|-------------------|--------------|---------------------|--|
|                   |              | SECTION BB.         | FOOD FREQUENCY - continued  TIME PER YEAR VARIOUS FOODS ARE CONSUMED:  (Codes for all items on this page appear at bottom of page)                                 |
| 677-680           | 1<br>Recode  | [OJJUICR]           |  |
| 681-684           | 2<br>Recode  | [FRTJUICR]          | OTHER FRUIT JUICES   |
| 685-688           | 3<br>Recode  | [ORANGESR]          | ORANGES  |
| 689-692           | 4<br>Recode  | [GRAPFRTR]          | GRAPEFRUIT   |
| 693-696           | 5<br>Recode  | [CATALOPR]          | CANTALOUPE   |
| 697-700           | 6<br>Recode  | [APPLESR]           | APPLES OR APPLESAUCE   |
| 701-704           | 7<br>Recode  | [BEANSR]            | BEANS  |
| 705-708           | 8<br>Recode  | [VEGETABR]          | CARROTS OR MIXED VEGETABLES  |
| 709-712           | 9<br>Recode  | [TOMATOSR]          | TOMATOES   |
| 713-716           | 10<br>Recode | [GRSALADR]          | GREEN SALAD  |
| 717-720           | 11<br>Recode | [DRESSLDR]          | SALAD DRESSING OR MAYONNAISE   |
| 721-724           | 12<br>Recode | [BROCLIR]           | BROCCOLI   |
| 725-728           | 13<br>Recode | [SPINACHR]          | SPINACH  |
| 729-732           | 14<br>Recode | [GREENSR]           | MUSTARD GREENS, TURNIP GREENS, COLLARDS 0000. Less than 6 times a year, never* 0001-9997. 1-9997 times a year 9998. 9998+ times a year 9999. DK refused, no answer |

<sup>\*</sup>If people who consumed food less than 6 times a year gave an exact frequency, that frequency (i.e., 1-5) is coded instead of 0000.

CR-60
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Ttem No      | [NAME]<br>Frequency | Items and Codes   |
|-------------------|--------------|---------------------|---|
|                   |              |                     | Ttems and codes   |
|                   |              | SECTION BB. 1       | FOOD FREQUENCY - continued TIME PER YEAR VARIOUS FOODS ARE CONSUMED: (continued)  |
|                   |              |                     | (Codes for all items on this page appear at bottom of page)   |
| 733-736           | 15<br>Recode | [CABBAGER]          | COLESLAW, CABBAGE, SAUERKRAUT   |
| 737-740           | 16<br>Recode | [FRPOTATR]          | FRENCH FRIES, FRIED POTATOES  |
| 741-744           | 17<br>Recode | [BPOTATOR]          | POTATOES BAKED, BOILED OR MASHED  |
| 745-748           | 18<br>Recode | [YAMSR]             | SWEET POTATOES OR YAMS  |
| 749-752           | 19<br>Recode | [RICER]             | RICE  |
| 753-756           | 20<br>Recode | [HAMBERGR]          | HAMBURGERS, CHEESEBURGERS, MEATLOAF   |
| 757-760           | 21<br>Recode | [BEEFR]             | BEEF  |
| 761-764           | 22<br>Recode | [STEWR]             | BEEF STEW OR POT PIE 0000. Less than 6 times a year, never* 0001-9997. 1-9997 times a year 9998. 9998+ times a year 9999. DK refused, no answer |

<sup>\*</sup>If people who consumed food less than 6 times a year gave an exact frequency, that frequency (i.e., 1-5) is coded instead of 0000.

CR-61
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.     | [NAME]<br>Frequency | Items and Codes  |
|-------------------|--------------|---------------------|--|
|                   |              | SECTION BB.         | FOOD FREQUENCY - continued   |
|                   |              |                     | TIME PER YEAR VARIOUS FOOD ARE CONSUMED: (Codes for all items on this page appear at bottom of page)                                 |
| 765-768           | 23<br>Recode | [LIVERR]            | LIVER  |
| 769-772           | 24<br>Recode | [PORKR]             | PORK   |
| 773-776           | 25<br>Recode | [FRCHICKR]          | FRIED CHICKEN  |
| 777-780           | 26<br>Recode | [TURKEYR]           | CHICKEN OR TURKEY, BAKED, STEWED OR BROILED  |
| 781-784           | 27<br>Recode | [FRFISHR]           | FRIED FISH OR FISH SANDWICHES  |
| 785-788           | 28<br>Recode | [PASTAR]            | SPAGHETTI, PASTA, LASAGNA  |
| 789-792           | 29<br>Recode | [CKCERELR]          | COOKED CEREALS   |
| 793-796           | 30<br>Recode | [FBCREALR]          | HIGH FIBER CEREALS   |
| 797-800           | 31<br>Recode | [FTCREALR]          | HIGHLY FORTIFIED CEREALS   |
| 801-804           | 32<br>Recode | [CDCREALR]          | OTHER COLD CEREALS   |
| 805-808           | 33<br>Recode | [EGGSR]             | EGGS   |
| 809-812           | 34<br>Recode | [BACONR]            | BACON  0000. Less than 6 times a year, never*  0001-9997. 1-9997 times a year  9998. 9998+ times a year  9999. DK refused, no answer |

<sup>\*</sup>If people who consumed food less than 6 times a year gave an exact frequency, that frequency (i.e., 1-5) is coded instead of 0000.

CR-62
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.     | [NAME]<br>Frequency | Items and Codes   |
|-------------------|--------------|---------------------|---|
|                   |              | SECTION BB. 1       | FOOD FREQUENCY - continued  |
|                   |              |                     | TIME PER YEAR VARIOUS FOODS ARE CONSUMED: (Continued)   |
|                   |              |                     | (Codes for all items on this page appear at bottom of page)   |
| 813-816           | 35<br>Recode | [SAUSAGER]          | SAUSAGE   |
| 817-820           | 36<br>Recode | [VEGESUPR]          | VEGETABLE, VEG. BEEF, MINESTRONE, OR TOMATO SOUP  |
| 821-824           | 37<br>Recode | [HOTDOGR]           | HOT DOGS  |
| 825-828           | 38<br>Recode | [HAMR]              | HAM OR LUNCH MEATS  |
| 829-832           | 39<br>Recode | [WHBREADR]          | WHITE BREADS  |
| 833-836           | 40<br>Recode | [DKBREADR]          | DARK BREADS   |
| 837-840           | 41<br>Recode | [GRITCBDR]          | CORN BREAD, MUFFINS, TORTILLAS<br>OR GRITS  |
| 841-844           | 42<br>Recode | [BUTTERR]           | BUTTER  |
| 845-848           | 43<br>Recode | [MARGARNR]          | MARGARINE   |
| 849-852           | 44<br>Recode | [CHEESER]           | CHEESE OR CHEESE SPREADS  0000. Less than 6 times a year, never*  0001-9997. 1-9997 times a year  9998. 9998+ times a year  9999. DK refused, no answer |

<sup>\*</sup>If people who consumed food less than 6 times a year gave an exact frequency, that frequency (i.e., 1-5) is coded instead of 0000.

CR-63
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.     | [NAME]<br>Frequency                       | Items and Codes   |
|-------------------|--------------|---|---|
|                   |              | SECTION BB.                               | FOOD FREQUENCY - continued  |
| 853-856           | 45<br>Recode | [PBUTTERR]                                | TIME PER YEAR VARIOUS FOODS ARE CONSUMED: (Continued) PEANUTS OR PEANUT BUTTER  |
| 857-860           | 46<br>Recode | [SSNACKR]                                 | SALTY SNACKS  |
| 861-864           | 47<br>Recode | [ICECREMR]                                | ICE CREAM   |
| 865-868           | 48<br>Recode | [PIER]                                    | PIE   |
| 869-872           | 49<br>Recode | [PASTRYR]                                 | DOUGHNUTS, COOKIES, CAKE OR PASTRY  |
| 873-876           | 50<br>Recode | [CHCANDYR]                                | CHOCOLATE CANDY   |
| 877-880           | 51<br>Recode | [SUGARINR]                                | SUGAR IN COFFEE OR TEA<br>OR ON CEREAL  |
| 881-884           | 52<br>Recode | [MILKR]                                   | WHOLE MILK  |
| 885-888           | 53<br>Recode | [MLK2PTR]                                 | 2% MILK   |
| 889-892           | 54<br>Recode | [SKIMILKR]                                | SKIM MILK, 1% MILK, BUTTERMILK  |
| 893-896           | 55<br>Recode | [CREAMINR]                                | MILK OR CREAM IN COFFEE OR TEA  |
| 897-900           | 56<br>Recode | [SGRDRNKR]                                | SODA OR SOFT DRINKS WITH SUGAR 0000. Less than 6 times a year, never* 0001-9997. 1-9997 times a year 9998. 9998+ times a year 9999. DK refused, unknown |
| 901-904           | 57<br>Recode | [NBEERYR]<br>10,795<br>10,854<br>3<br>428 | NUMBER OF BEERS CONSUMED PER YEAR<br>0000. None<br>0001-9997. 1-9997<br>9998. 9998+<br>9999. DK refused, unknown  |

<sup>\*</sup>If people who consumed food less than 6 times a year gave an exact frequency, that frequency (i.e., 1-5) is coded instead of 0000.

CR-64
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.     | [NAME]<br>Frequency                              | Items and Codes  |
|-------------------|--------------|--|--|
|                   |              | SECTION BB.                                      | FOOD FREQUENCY - continued  TIME PER YEAR VARIOUS FOODS ARE CONSUMED: (Continued)  |
| 905-908           | 58<br>Recode | [NWINEYR]<br>11,567<br>10,044<br>1<br>468        | NUMBER OF GLASSES OF WINE CONSUMED PER YEAR 0000. None 0001-9997. 1-9997 9998. 9998+ 9999. DK refused, unknown   |
| 909-912           | 59<br>Recode | [NLIQORYR]  12,185 9,334 4 557                   | NUMBER OF SHOTS OF LIQUOR CONSUMED PER YEAR 0000. None 0001-9997. 1-9997 times a year 9998. 9998+ times a year 9999. DK refused, unknown   |
| 913-915           | 60<br>Recode | [NALCOHMO]<br>135<br>1,880<br>1<br>119<br>19,945 | NUMBER OF MONTHS* WHEN DRANK 5 OR MORE ALCOHOLIC BEVERAGES PER DAY 000. Less than 1 month 001-997. 1-997 months 998. 998+ months 999. DK refused, no answer Blank. NA (Never drank 5+ alcoholic beverages a day)                                   |
| 916-917           | Generated    | [FLAGHIFD]<br>693<br>21,387                      | FLAG INDICATING NUMBER OF FOODS WHERE TIMES CONSUMED NOT LESS THAN 100 01-56. 1-56 foods were reported as being consumed 100-998 times per time unit Blank. NA (no foods were reported as being consumed 100-998 times per time unit; not flagged) |

<sup>\*</sup>Completed months, e.g., 1 month = 1 month to 2 months, etc.

CR-65
1987 NHIS Epidemiology Supplement

| Data      | T+ N-     | [NAME]      |                    | Thomas and Goden   |
|-----------|-----------|-------------|--------------------|--|
| Locations | Item No.  | Frequency   |                    | Items and Codes  |
|           |           | SECTION BB. | FOOD FREQ          | UENCY - continued  |
| 918       | Generated | [FLAGHIAL]  | BEER/WI<br>NOT LES | DICATING CASES WHERE<br>NE/ALCOHOL CONSUMED<br>S THAN 100 TIMES PER TIME UNIT OR<br>MOUNT CONSUMED UNREASONABLY HIGH     |
|           |           | 144         | 1.                 | Loc. 643-645 or 650-652 or 657-659 = 100-998, or loc. 647-648 = 13-98, or loc. 654-655 = 13-98, or loc. 661-662 = 33-98. |
|           |           | 21,936      | Blank.             | NA (None of above conditions met; not flagged)   |
| 919-920   | Generated | [FLAGHINU]  |                    | DICATING CASES WHERE NUMBER OF TIMES<br>D PER YEAR IS UNREASONABLY HIGH  |
|           |           | 1,561       | 01-58.             | 1-58 foods/beverages were consumed an unreasonable number of times per year (see attached details)                       |
|           |           | 20,519      | Blank.             | NA (No foods consumed an unreasonable number of times per year; not flagged)   |
| 921       | Generated | [FLAGALMO]  |                    | R CASES WHERE NUMBER OF MONTHS WHEN<br>+ ALCOHOLIC BEVERAGES PER DAY NOT<br>AN 721                                       |
|           |           | 1<br>22,079 | 1.<br>Blank.       | Loc. 913-915 = 721-998  NA (Loc. 913-915 less than 721  or = 999; not flagged)   |

NOTE: See tape locations 1547-1553 for additional flags indicating various inconsistent combinations of original responses to food frequency items.

#### CR-66

# 1987 NHIS Epidemiology Supplement

# NUMBER OF TIMES PER YEAR CONSIDERED UNREASONABLY HIGH FOR VARIOUS FOODS

| Orange, grapefruit juice Other fruit juices Oranges Grapefruit Cantaloupe  |         | Vegetable, vegetable beef,<br>Minestrone or tomato soup<br>Hot dogs<br>Ham or lunch meats | 0731* |
|--|---------|---|-------|
| Apples, applesauce Beans Carrots, mixed vegetables Tomatoes Green salad  | 0731*   | White breads<br>Dark breads   | 2556* |
| Salad dressing/mayonnaise<br>Broccoli<br>Spinach<br>Mustard greens, turnip greens,<br>collards                     |         | Cornbreads , muffins<br>Tortillas or grits  | 0731* |
| Coleslaw, cabbage, sauerkraut French fries, fried potatoes Potatoes baked, boiled or mashed Sweet potatoes or yams |         | Butter<br>Margarine   | 2556* |
| Rice  Hamburgers, cheeseburgers, meatloa Beef  | f 0521* | Cheese, cheese spreads Peanuts or peanut butter Salty snacks Ice cream Pie                | 0731* |
| Beef stew or pot pie   | 0731*   | Doughnuts, cookies, cake pastry Chocolate candy   | 1461* |
| Liver  | 0105*   | Sugar in coffee/tea or on cereal  | 4381* |
| Pork   | 0365*   |   | 4301  |
| Fried chicken<br>Chicken or turkey baked, stewed,<br>broiled   |         | Whole milk 2% milk Skim milk, 1% milk,  | 2191* |
| Fried fish or fish sandwiches<br>Spaghetti, pasta, lasagna   | 0731*   | buttermilk  |       |
| Cooked cereals High fiber cereals Highly fortified cereals Other cold cereals Eggs                                 | 0521*   | Milk or cream in coffee/tea Soda or soft drinks with sugar Beer Wine                      | 4381* |
| Bacon<br>Sausage   |         |   |       |

<sup>\*</sup>But = 9999

CR-67
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                                       | Items and Codes  |
|-------------------|----------|---|--|
|                   |          | SECTION CC.   | VITAMIN AND MINERAL INTAKE   |
| 922               | 1        | [VITMINTK]  | TAKE ANY VITAMIN/MINERAL SUPPLEMENTS IN PAST 12 MONTHS   |
|                   |          | 11,479  | 1. Yes   |
|                   |          | 10,481  | 2. No  |
|                   |          | 120   | 9. DK, refused, no answer  |
| 923               | 2a       | [MULVITYR]<br>8,621<br>2,797<br>61<br>10,601              | TAKE ANY MULTIPLE VITAMINS IN PAST 12 MONTHS  1. Yes 2. No 9. DK, refused, no answer Blank. NA (No, unknown if took vitamin/ mineral supplement in past 12 months)   |
| 924               | 2b       | [MVITTYPE]<br>690<br>724<br>6,142<br>422<br>643<br>13,459 | TYPE OF MULTIPLE VITAMIN  1. Therapeutic 2. Stress-tabs 3. One-a-day 8. None of these (other) 9. DK (type), refused, no answer Blank. NA (No, unknown if took multiple vitamins in past 12 months)             |
| 925-926           | 2c       | [NMVITMOS]<br>190<br>3,415<br>4,911<br>105<br>13,459      | HOW MANY MONTHS TAKE MULTIPLE VITAMINS  00. Less than one month  01-11. 1-11 months  12. All of them  99. DK (number), refused, no answer  Blank. NA (No, unknown if took multiple vitamins in past 12 months) |
| 927-928           | 2đ       | [NMVITDAY]<br>8,511<br>25<br>85<br>13,459                 | HOW MANY DAYS PER MONTH TAKE  01-31. 1-31 days per month*  88. Other  99. DK (number), refused, no answer  Blank. NA (No, unknown if took multiple vitamins in past 12 months)                                 |

<sup>\*</sup>Respondents who answered "everyday" were assigned a code of 31.

CR-68
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                           | Items and Codes  |
|-------------------|----------|---|--|
|                   | SECTION  | CC. VITAMIN                                   | AND MINERAL INTAKE - continued   |
| 929-930           | 2e       | [NMVITPIL]<br>8,506<br>8<br>107<br>13,459     | HOW MANY PILLS TAKE PER DAY 01-97. 1-97 pills per day 98. 98+ pills per day 99. DK (number), refused, no answer Blank. NA (No, unknown if took multiple vitamins in past 12 months)            |
| 931               | 2f       | [NMVITMO]<br>6,724<br>1,792<br>105<br>13,459  | TAKE ANY MULTIPLE VITAMINS IN PAST MONTH  1. Yes  2. No  9. DK, refused, no answer  Blank. NA (No, unknown if took multiple vitamins in past 12 months)  |
| 932               | 3a       | [VITAYR]<br>957<br>10,372<br>150<br>10,601    | TAKE ANY VITAMIN A PAST 12 MONTHS  1. Yes 2. No 9. DK, refused, no answer Blank. NA (Took no vitamin/mineral supplements in past 12 months)  |
| 933-934           | 3b       | [NVITAMO]<br>46<br>444<br>437<br>30<br>21,123 | HOW MANY MONTHS TAKE VITAMIN A  00. Less than one month  01-11. 1-11 months  12. All of them  99. DK (number), refused, no answer  Blank. NA (No, unknown if took vitamin A in past 12 months) |
| 935-936           | 3c       | [NVITADAY]<br>915<br>12<br>30<br>21,123       | HOW MANY DAYS PER MONTH TAKE VITAMIN A 01-31. 1-31 days per month* 88. Other 99. DK (number), refused, no answer Blank. NA (No, unknown if took vitamin A in past 12 months)                   |
| 937-938           | 3d       | [NUVITAMO]<br>913<br>0<br>44<br>21,123        | HOW MANY VITAMIN A TAKE PER DAY 01-97. 1-97 Vitamin A per day 98. 98+ Vitamin A per day 99. DK (number), refused, no answer Blank. NA (No, unknown if took vitamin A in past 12 months)        |

<sup>\*</sup>Respondents who answered "everyday" were assigned a code of 31.

CR-69
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                                | Items and Codes  |
|-------------------|----------|--|--|
|                   | SECTION  | CC. VITAMIN  | AND MINERAL INTAKE - continued   |
| 939-943           | 3e       | [NVITUPIL]<br>566<br>391<br>21,123                 | HOW MANY UNITS OF VITAMIN A PER PILL 00000-88888. 0-88888 units 99999. DK (units), refused, no answer Blank. NA (No, unknown if took vitamin A in past 12 months)                              |
| 944               | 3f       | [NVITATKP]<br>630<br>284<br>43<br>21,123           | TAKE ANY VITAMIN A IN PAST MONTH  1. Yes 2. No 9. DK, refused, no answer  Blank. NA (No, unknown if took vitamin A in past 12 months)  |
| 945               | 4a       | [VITCYR] 5,137 6,290 52 10,601                     | TAKE ANY VITAMIN C PAST 12 MONTHS  1. Yes  2. No  9. DK, refused, no answer  Blank. NA (No, unknown if took vitamin/ mineral supplements in past 12 months)                                    |
| 946-947           | 4b       | [NVITCMO]<br>273<br>2,488<br>2,288<br>88<br>16,943 | HOW MANY MONTHS TAKE VITAMIN C  00. Less than one month  01-11. 1-11 months  12. All of them  99. DK (number), refused, no answer  Blank. NA (No, unknown if took vitamin C in past 12 months) |
| 948-949           | 4c       | [NVITCDAY] 5,010 47 80 16,943                      | HOW MANY DAYS PER MONTH TAKE VITAMIN C 01-31. 1-31 days per month* 88. Other 99. DK (number), refused, no answer Blank. NA (No, unknown if took vitamin C in past 12 months)                   |
| 950-951           | 4d       | [NVITCDA2]<br>5,055<br>2<br>80<br>16,943           | HOW MANY VITAMIN C TAKE PER DAY 01-97. 1-97 Vitamin C per day 98. 98+ Vitamin C per day 99. DK (number), refused, no answer Blank. NA (No, unknown if took vitamin C in past 12 months)        |

<sup>\*</sup>Respondents who answered "everyday" were assigned a code of 31.

CR-70
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                             | Items and Codes  |
|-------------------|----------|---|--|
|                   | SECTION  | CC. VITAMIN                                     | AND MINERAL INTAKE - continued   |
| 952-956           | 4e       | [NUVITCPP]<br>4,150<br>987<br>16,943            | HOW MANY MILLIGRAMS OF VITAMIN C PER PILL 00000-88888. 0-88888 milligrams 99999. DK, refused, no answer Blank. NA (No, unknown if took vitamin C in past 12 months)                            |
| 957               | 4f       | [TKVITCMO]<br>3,432<br>1,639<br>66<br>16,943    | TAKE ANY VITAMIN C IN PAST MONTH  1. Yes  2. No  9. DK, refused, no answer  Blank. NA (No, unknown if took vitamin C in past 12 months)  |
| 958               | 5a       | [VITEYR] 2,268 9,161 50 10,601                  | TAKE ANY VITAMIN E PAST 12 MONTHS  1. Yes  2. No  9. DK, refused, no answer  Blank. NA (No, unknown if took vitamin/mineral supplements in past 12 months                                      |
| 959-960           | 5b       | [NVITEMO]<br>78<br>920<br>1,213<br>57<br>19,812 | HOW MANY MONTHS TAKE VITAMIN E  00. Less than one month  01-11. 1-11 months  12. All of them  99. DK (number), refused, no answer  Blank. NA (No, unknown if took vitamin E in past 12 months) |
| 961-962           | 5c       | [NVITEDAY]<br>2,201<br>23<br>44<br>19,812       | HOW MANY DAYS PER MONTH TAKE VITAMIN E 01-31. 1-31 days per month* 88. Other 99. DK (number), refused, no answer Blank. NA (No, unknown if took vitamin E in past 12 months)                   |
| 963-964           | 5đ       | [VITCTKDY]<br>2,223<br>2<br>43<br>19,812        | HOW MANY VITAMIN E TAKE PER DAY 01-97. 1-97 Vitamin E per day 98. 98+ Vitamin E per day 99. DK (number), refused, no answer Blank. NA (No, unknown if took vitamin E in past 12 months)        |
| 965-969           | 5e       | [NUVITEPP]<br>1,652<br>616<br>19,812            | HOW MANY UNITS OF VITAMIN E PER PILL 00000-88888. 0-88888 units 99999. DK (units), refused, no answer Blank. NA (No, unknown if took vitamin E in past 12 months)                              |

\*Respondents who answered "everyday" were assigned a code of 31.

CR-71
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.      | [NAME]<br>Frequency                                 | Items and Codes  |
|-------------------|---------------|---|--|
| 970               | SECTION<br>5f | CC. VITAMIN [TKVITEMO] 1,676 538 54 19,812          | AND MINERAL INTAKE - continued  TAKE ANY VITAMIN E IN PAST MONTH  1. Yes  2. No  9. DK, refused, no answer  Blank. NA (No, unknown if took vitamin E in past 12 months)                    |
| 971               | ба            | [CALCMYR] 3,388 8,015 76 10,601                     | TAKE ANY CALCIUM PAST 12 MONTHS  1. Yes  2. No  9. DK, refused, no answer  Blank. NA (No, unknown if took vitamin/ mineral supplements in past 12 months)                                  |
| 972-973           | 6b            | [NCALCMMO]<br>104<br>1,399<br>1,831<br>54<br>18,692 | HOW MANY MONTHS TAKE CALCIUM  00. Less than one month  01-11. 1-11 months  12. All of them  99. DK (number), refused, no answer  Blank. NA (No, unknown if took calcium in past 12 months) |
| 974-975           | 6c            | [NCALCMDA] 3,317 16 55 18,692                       | HOW MANY DAYS PER MONTH TAKE CALCIUM 01-31. 1-31 days per month* 88. Other 99. DK (number), refused, no answer Blank. NA (No, unknown if took calcium in past 12 months)                   |
| 976-977           | 6d            | [NCALTKDY] 3,337 0 51 18,692                        | HOW MANY CALCIUM TAKE PER DAY 01-97. 1-97 calcium per day 98. 98+ calcium per day 99. DK (number), refused, no answer Blank. NA (No, unknown if took calcium in past 12 months)            |
| 978-982           | бе            | [NMILCALP]<br>2,238<br>1,150<br>18,692              | HOW MANY MILLIGRAMS OF CALCIUM PER PILL 00000-88888. 0-88888 milligrams 99999. DK, refused, no answer Blank. NA (No, unknown if took calcium in past 12 months)                            |
| 983               | 6f            | [TKCALMO]<br>2,521<br>809<br>58<br>18,692           | TAKE ANY CALCIUM IN PAST MONTH  1. Yes 2. No 9. DK, refused, no answer Blank. NA (No, unknown if took calcium in past 12 months)   |

\*Respondents who answered "everyday" were assigned a code of 31.

CR-72
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                             |  | Items and Codes   |
|-------------------|----------|---|--|---|
| 984               | 1a       | SECTION<br>[FOODCHNG]<br>8,361<br>13,561<br>158 | LASTING A                                    | KNOWLEDGE<br>ND MAJOR CHANGES<br>Yes<br>No<br>Unknown   |
| (985-996)         | 1b       |   | FOODS EAT                                    | MORE OF   |
| 985-987           |          | [MOREFD1]<br>1,711<br>6,317<br>333<br>13,719    | FOOD 1<br>000.<br>001-150.<br>999.<br>Blank. | None Foods (Refer to Food Item Code List) DK (entire question), refused, no answer NA (No, unknown if changes made)             |
| 988-990           |          | [MOREFD2]<br>3,755<br>18,325                    | FOOD 2<br>001-150.<br>Blank.                 | Foods (Refer to Food<br>Item Code List)<br>NA (No, unknown if changes made,<br>less than 2 foods changed)                       |
| 991-993           |          | [MOREFD3]<br>1,640<br>20,440                    | FOOD 3<br>001-150.<br>Blank.                 | Foods (Refer to Food<br>Item Code List)<br>NA (No, unknown if changes made,   |
| 994-996           |          | [MOREFD4]<br>601<br>21,479                      | FOOD 4<br>001-150.<br>Blank.                 | less than 3 foods changed)  Foods (Refer to Food Item Code List) NA (No, unknown if changes made, less than 4 foods changed)    |
| (997-1008)        | 1c       |   | Foods Eat                                    |   |
| 997-999           |          | [LESSFD1]<br>189<br>8,081<br>91<br>13,719       | FOOD 1<br>000.<br>001-150.<br>999.<br>Blank. | None (entire question) Foods (Refer to Food Item Code List) DK (entire question), refused, no answer NA (No, unknown if changes |
| 1000-1002         |          | [LESSFD2]<br>4,592<br>17,488                    | FOOD 2<br>001-150.                           | made)  Foods (Refer to Food Item Code List) NA (No, unknown if changes made, less than 2 foods changed)                         |

CR-73
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes  |
|-------------------|----------|---------------------|--|
|                   |          | SECTION DD.         | FOOD KNOWLEDGE - continued   |
| (997-1008)        | 1c       |                     | FOOD EAT LESS OF (Continued)   |
| 1003-1005         |          | [LESSFD3]           | FOOD 3   |
|                   |          | 2,126               | 001-150. Foods (Refer to Food  |
|                   |          | 19,954              | Item Code List) Blank. NA (No, unknown if changes made, less than 3 foods changed) |
| 1006-1008         |          | [LESSFD4]           | FOOD 4   |
|                   |          | 788                 | 001-150. Foods (Refer to Food<br>Item Code List)                                   |
|                   |          | 21,292              | Blank. NA (No, unknown if changes made, less than 4 foods changed)                 |
| 1009              | 1d       | [CHGFD5YR]          | MADE CHANGES IN PAST 5 YEARS   |
|                   |          | 6,794               | 1. Yes   |
|                   |          | 1,482               | 2. No  |
|                   |          | 85<br>13,719        | 9. Unknown<br>Blank. NA (No, unknown if changes made)                              |
| 1010              | 1e       | [CHGFD1YR]          |  |
| 1010              | 10       | 3,459               | 1. Yes   |
|                   |          | 3,265               | 2. No  |
|                   |          | 70                  | 9. Unknown   |
|                   |          | 15,286              | Blank. NA (No, unknown if changes made, no known changes in past 5 years)          |
| 1011              | 1f       | [CHGFDCKG]          | CHANGES IN WAY FOOD IS COOKED  |
|                   |          | 4,453               | 1. Yes   |
|                   |          | 3,581               | 2. No  |
|                   |          | 327<br>13,719       | 9. Unknown<br>Blank. NA (No, unknown if changes made, no                           |
| (1012-1024)       | ) 1q     | 13,719              | known changes in past 5 years) WHAT ARE CHANGES                                    |
| 1012-1024         | 19       | [CHGBAKFD]          | BAKING   |
| 1012              |          | 1,610               | 1. More  |
|                   |          | 48                  | 2. Less  |
|                   |          | 2,735               | 3. Not mentioned   |
|                   |          | 60                  | 9. Unknown   |
|                   |          | 17,627              | Blank. NA (No, unknown if changes made, no   |
|                   |          |                     | or unknown changes in cooking method)  |
| 1013              |          | [CHGBOLFD]          | BOILING  |
|                   |          | 780                 | 1. More<br>2. Less   |
|                   |          | 58<br>3,555         | 2. Less<br>3. Not Mentioned  |
|                   |          | 60                  | 9. Unknown   |
|                   |          | 17,627              | Blank. NA (No, unknown if changes made, no or unknown changes in cooking           |
|                   |          |                     | method)  |

CR-74
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                                | I   | tems and Codes                           |
|-------------------|----------|--|---|--|
|                   |          | SECTION DD.  | FOOD KNOWL                                  | EDGE - continued                         |
| (1012-1024        | ) 1g     |  | WHAT ARE                                    | CHANGES (continued)                      |
| 1014              |          | [CHGBRLFD]<br>1,544<br>28<br>2,821<br>60<br>17,627 | BROILING 1. 2. 3. 9. Blank.                 | More<br>Less<br>Not Mentioned            |
| 1015              |          | [CHGSTMFD]<br>698<br>31<br>3,664<br>60<br>17,627   | STEAMING 1. 2. 3. 9. Blank.                 | More<br>Less<br>Not Mentioned            |
| 1016              |          | [CHGFRYFD]<br>50<br>3,336<br>1,007                 | FRYING<br>1.<br>2.<br>3.                    | Not Mentioned                            |
| 1017              |          | 60<br>17,627<br>[CHGSTRFD]                         | 9.<br>Blank.<br>STIR-FRY                    | or unknown changes in cooking method)    |
|                   |          | 150<br>66<br>4,177<br>60<br>17,627                 | 1.<br>2.<br>3.<br>9.<br>Blank.              | More<br>Less<br>Not mentioned<br>Unknown |
| 1018              |          | [CHGSTEFD]<br>31<br>91<br>4,271<br>60<br>17,627    | SAUTEEING<br>1.<br>2.<br>3.<br>9.<br>Blank. | •  |

CR-75
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                              | Items and Codes  |
|-------------------|----------|--|--|
|                   |          | SECTION DD.                                      | FOOD KNOWLEDGE - continued   |
| (1012-1024        | ) 1g     |  | WHAT ARE CHANGES (continued)   |
| 1019              |          | [CHGGRLFD]<br>193<br>66<br>4,134<br>60<br>17,627 | GRILLING/BARBECUING  1. More 2. Less 3. Not mentioned 9. Unknown Blank. NA (No, unknown if changes made, ror unknown changes in cooking method)      |
| 1020              |          | [SALTFOOD]<br>30<br>671<br>3,692<br>60<br>17,627 | SALTING  1. More 2. Less 3. Not mentioned 9. Unknown Blank. NA (No, unknown if changes made, ror unknown changes in cooking method)                  |
| 1021              |          | [MICROFOD]<br>610<br>14<br>3,769<br>60<br>7,627  | MICRO WAVING  1. More  2. Less  3. Not mentioned  9. Unknown  Blank. NA (No, unknown if changes made, nor unknown changes in cooking method)         |
| 1022              |          | [PRCOOKFD]<br>42<br>24<br>4,327<br>60<br>17,627  | PRESSURE-COOKING  1. More  2. Less  3. Not mentioned  9. Unknown  Blank. NA (No, unknown if changes made, nor unknown changes in cooking method)     |
| 1023              |          | [NOSTKPAN]<br>129<br>31<br>4,233<br>60<br>17,627 | USING NON-STICK PANS  1. More  2. Less  3. Not mentioned  9. Unknown  Blank. NA (No, unknown if changes made, ror unknown changes in cooking method) |

CR-76
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                               | Items and Codes   |
|-------------------|----------|---|---|
|                   |          | SECTION DD.                                       | FOOD KNOWLEDGE - continued  |
| (1012-1024        | ) 1g     |   | WHAT ARE CHANGES (Continued)  |
| 1024              |          | [OTHRFDCG]<br>180<br>198<br>4,015<br>60<br>17,627 | OTHER  1. More 2. Less 3. Not mentioned 9. Unknown Blank. NA (No, unknown if changes made, no or unknown changes in cooking method) |
| 1025              |          | [BLANK]   | BLANK   |
| 1026              | 2        | [DIETSTMT]<br>1,615<br>18,303<br>2,162            | AGREE WITH WHICH STATEMENT  1. Diet has little effect on disease 2. Diet can reduce risk of disease 9. Unknown                      |
| (1027-1033        | ) 3      |   | DISEASE RELATED TO WHAT PEOPLE EAT AND DRINK  |
| 1027              |          | [DIETRDIS]<br>8,386<br>7,296<br>2,621<br>3,777    | CANCER  1. Mentioned 2. Not mentioned 9. DK  Blank. NA ( Don't believe, DK disease affected by diet)                                |
| 1028              |          | [DIETRHD]<br>9,286<br>6,396<br>2,621<br>3,777     | HEART DISEASE  1. Mentioned  2. Not mentioned  9. DK  Blank. NA (Don't believe, DK disease affected by diet)                        |
| 1029              |          | [DIETRWGT]<br>1,704<br>13,978<br>2,621<br>3,777   | OBESITY/OVERWEIGHT  1. Mentioned  2. Not mentioned  9. DK  Blank. NA (Don't believe, DK disease affected by diet)                   |

CR-77
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                             | Ιt          | tems and Codes   |
|-------------------|----------|---|-------------|--|
|                   |          | SECTION DD.                                     | FOOD KNOWLI | EDGE - continued   |
| (1027-1033        | ) 3      |   |             | RELATED TO DIET TO WHAT PEOPLE EAT<br>K (continued)                        |
| 1030              |          | [DIETRDBT] 3,117 12,565 2,621 3,777             |             | Mentioned Not mentioned DK NA (Don't believe, DK disease affected by diet) |
| 1031              |          | [DIETRHYP]<br>3,860<br>11,822<br>2,621<br>3,777 |             | Mentioned<br>Not mentioned   |
| 1032              |          | [DIETROTH]<br>4,740<br>10,942<br>2,621<br>3,777 |             | Mentioned Not mentioned DK NA (Don't believe, DK disease affected by diet) |
| 1033              |          | [DIETRDI2]<br>60<br>15,623<br>2,600<br>3,797    |             |  |
| 1034-1036         |          | [BLANK]   | BLANK       |  |

CR-78

1987 NHIS Epidemiology Supplement

| Data      |          | [NAME]                                  |  |
|-----------|----------|---|--|
| Locations | Item No. | Frequency                               | Items and Codes  |
|           |          | SECTION DD.                             | FOOD KNOWLEDGE - continued   |
| 1000      | 4        | [====================================== |  |
| 1037      | 4        | [DIETRCAN]<br>12,267                    | THINK CANCER IS RELATED TO DIET  1. Yes (Includes mention of cancer in Ouestion 3) |
|           |          | 2,776                                   | 2. No  |
|           |          | 2,532                                   | 3. Probably/maybe/could be/etc.  |
|           |          | 2,890                                   | 9. Unknown   |
|           |          | 1,615                                   | Blank. NA (Don't believe major disease   |
|           |          |   | affected by diet)  |
| 1038      | 5a-b     | [FIBER]                                 | HEARD OF FIBER   |
|           |          | 20,777                                  | 1. Yes   |
|           |          | 916                                     | 2. No  |
|           |          | 387                                     | 9. Unknown   |
| 1039      |          | [FBRADIET]                              | RANK FIBER IN DIET   |
|           |          | 3,636                                   | 1. High  |
|           |          | 10,775                                  | 2. Medium  |
|           |          | 5,447                                   | 3. Low   |
|           |          | 919                                     | 9. Unknown   |
|           |          | 1,303                                   | Blank. NA (Don't know about fiber)   |
| 1040      |          | [1                                      |  |
| 1040      | 6        | [FTRADIET]                              | RANK FAT IN DIET   |
|           |          | 2,730                                   | 1. High  |
|           |          | 8,402<br>10,271                         | 2. Medium<br>3. Low  |
|           |          | 10,271                                  | 9. Unknown   |
|           |          |   | 9. UIIKIIOWII  |
| 1041      | 7        | [DIETINYR]                              | GONE ON DIET IN PAST 12 MONTHS   |
|           | •        | 5,774                                   | 1. Yes   |
|           |          | 16,116                                  | 2. No  |
|           |          | 190                                     | 9. Unknown   |
|           |          |   |  |

NOTE: See tape locations 1554 and 1555 for counts of original DK responses to items 1g (type of changes in way food is cooked) and 3 (major diseases related to what people eat and drink).

#### FOOD ITEM CODE LIST (Alphabetical)

```
001 additives/preservatives
022 alcoholic drinks
150 all diet things
028 animal fats
094 animal protein
053 apples
150 artificial flavoring
044 artificial made foods (artificial ingredients, unnatural foods)
076 artificial sweeteners (cyclamates)
023 artificially sweetened drinks
      diet colas
002 bacon
034 baked foods
150 balanced diet
082 barbecue foods
112 beans
112 bean curd
112 beans, lima
112 beans, soy
003 beef
022 beer
086 beets
150 bleached flour
035 boiled foods
104 bran
005 bran bread
011 bran cereals
004 bran muffins
005 bread, bran
006 bread, white (inc rolls & bagels)
007 bread, whole grain & dark
008 bread, NEC
150 Brewers yeast
095 broccoli
036 broiled foods
009 butter
096 cabbage
090 caffeine (coffee with no caffeine)
090 caffeinated beverage
150 calcium
150 calories
044 canned foods
092 carbohydrates, complex
103 carbohydrates, NEC
093 carbohydrates, simple
100 carrots
```

```
097 cauliflower
010 cakes
150 catsup - ketchup
011 cereals, bran
012 cereals, whole grain
013 cereals, NEC
014 cheese, low-fat
015 cheese, NEC
016 chicken
    chicken skin
017
018 chips (e.g. potato, corn, cheese puffs)
084 chocolate candy
050 cholesterol, NEC
026 citrus drinks
053 citrus fruits
084 cocoa
019 coffee
092 complex carbohydrates
037 convenience foods
010 cookies
098 cruciferous vegetables
       Brussels sprouts
       Kohlrabi
       turnips
091 dairy products
024 decaffeinated drinks
020 desserts, rich
021 desserts, NEC
150 don't eat out
078 dressing, NEC
110 drinking a lot of liquids
022 drinks, alcoholic
023 drinks, artificially sweetened
      diet colas
024 drinks, decaffeinated
025 drinks, soda, pop, carbonated
      no sugar pop
026 drinks, NEC (vitamin) (citrus)
    eggs and egg dishes
027
013 farina
038
    fast foods
028 fats, animal
029 fats, polyunsaturated,
      non-saturated, unsaturated
030 fats, saturated
031 fats, NEC
105 fatty foods (high fat content)
039 fatty fried snacks
062 fatty meat
032 fiber
033 fish
```

```
150 flour, white
150 food
150 food allergic to
150 food cooked with wine
034 foods, baked
035 foods, boiled
036 foods, broiled
037 foods, convenience, frozen (predried)
038 foods, fast (quick) (McDonalds)
039 foods, fried
040 foods, health
041 foods, junk
042 foods, natural, organic,
       unprocessed
150 foods of all kinds
043 foods, pressure cooked
044 foods, processed, preserved, unnatural
045 foods, salt-free or
       sodium reduced
046 foods, sautéed
082 foods, smoked
047 foods, snack
048 foods, stir-fried
049 foods, steamed
050 foods high in cholesterol
051 foods low in cholesterol (non cholesterol)
016 fowl
039 fried foods
037 frozen foods
052 fruit, fresh
053 fruit, NEC
054 fruit juices
107 garlic
084
    goodies
104 grains (whole grain food) (grits)
105 greasy foods
079
    green salad
101 green vegetables
099 greens (kale, mustard, spinach, Swiss chard, turnip, etc.)
082 grilled foods
055 ham
040 health foods
050 high cholesterol foods
056 ice cream
150 instant foods
106 jam
106 jellies
054 juices (tomato)
041 junk
041 junk foods
150 ketchup
031 lard
099 leafy vegetables
```

```
063 lean meat
079 lettuce
112 lima beans
110 liquids & fluids
022 liquor
057
    liver
    low-cal margarine
059
060
    low-cal mayonnaise
077
    low-cal salad dressing
051
    low cholesterol foods
014
    low-fat cheese
109
    low-fat foods (low fat, non greasy foods)
067
    low-fat milk
064 luncheon meat
058 margarine
059 margarine, low-cal
061 mayonnaise
060 mayonnaise, low-cal
062 meat, fatty
063 meat, lean
064 meat, luncheon
066
    meat, NEC, preserved, processed (venison, hamburger, steak, organ, hot dog)
065 meat, red
067
    milk, low fat
069 milk, NEC
068 milk, whole
088 mineral water
150 more balanced nutritious food
032 more bulk food
150 more of four basic foods
004 muffins, bran
086 mushrooms
008 natural bread
042 natural foods
023 no diet pop
025 no sugar pop
150 noodles
022 not drinking
150 not smoking
076 nutria sweet/saccharin
111 nuts
      peanuts
      peanut butter
      walnuts
104 oats
105 oils, any
      olive
      safflower
      peanut
105 oily foods
053 oranges
150 pasta salad
```

010 pastries 111 peanut butter 010 pies 053 pineapple 042 plain foods 029 polyunsaturated fats 070 popcorn 071 pork 072 potatoes, fried 073 potatoes, NEC 016 poultry 001 preservatives/additives 106 preserves 043 pressure cooked foods 044 processed foods 053 produce 086 produce 094 protein (high) 053 prunes 150 raw food 042 real foods - not prepared 065 red meat 044 refined foods 044 refined substances 074 rice 150 rich foods 075 roughage 150 rye bread 076 saccharin/NutraSweet 077 salad dressing, low-cal 078 salad dressing, NEC 079 salads 080 salt 045 salt free or sodium reduced foods 080 salty foods 030 saturated fats (saturated food) 150 sauces 081 sausage 046 sautéed foods 033 seafood 107 seasoning/spices 033 shellfish

033 shrimp

093 simple carbohydrates

```
017 skin on chicken
082 smoked foods, barbecue, grilled
047 snack foods
025 soda
090 soda with caffeine
080 sodium
150 soup
112 soy beans
107 spices/seasoning
107 spicy foods
083 starches
049 steamed foods
090 stimulants
048 stir-fried foods
150 stuff they feed cattle
084 sugar
084 sweets
      chocolate candy
      cocoa
      goodies
053 tangerines
085 tea
112 tofu
037 TV. dinners
150 Tylenol laced with poison
150 unpurified water
098 vegetables, cruciferous
      Brussels sprouts
      kohlrabi
      rutabagas
      turnips
101 vegetables, green
099 vegetables, leafy
086 vegetables, NEC
102 vegetables, yellow
150 vinegar
087 vitamins
111 walnuts
```

```
088 water
      mineral
150 wheat germ
104 wheat products
006 white bread
150 white flour
066 white meat
104 whole grain
007 whole grain & dark bread
012 whole grain cereals
068 whole milk
104 whole wheat
022 wine
086 yams
102 yellow vegetables
089 yogurt
150 other
        Includes:
          acid foods
          carcinogens
          drugs
          foods containing molds
          foods with no pesticides
          pasta
          pepper NOS
          tobacco
```

#### FOOD ITEM CODE LIST (Numerical)

```
001 additives/preservatives
001 preservatives/additives
002 bacon
003 beef
004 bran muffins
004
    muffins, bran
005
    bran bread
005 bread, bran
006 bread, white (inc rolls & bagels)
006 white bread
007 bread, whole grain & dark
007 whole grain & dark bread
008 bread, NEC
008 natural bread
009 butter
010 cakes
010 cookies
010 pastries
010 pies
011 bran cereals
011 cereals, bran
012 cereals, whole grain
012 whole grain cereals
013 cereals, NEC
013 farina
014 cheese, low-fat
014 low-fat cheese
015 cheese, NEC
016 chicken
016 fowl
016 poultry
017
    chicken skin
017 skin on chicken
018 chips (e.g. potato, corn, cheese puffs)
019
    coffee
020 desserts, rich
021 desserts, NEC
022 alcoholic drinks
022 beer
022 drinks, alcoholic
022 liquor
022 not drinking
022 wine
023 artificially sweetened drinks
      diet colas
023 drinks, artificially sweetened
      diet colas
023 no diet pop
024 decaffeinated drinks
024 drinks, decaffeinated
025 drinks, soda, pop, carbonated
```

no sugar pop

```
025 no sugar pop
025 soda
026 drinks, NEC (vitamin) (citrus)
026 citrus drinks
027 eggs and egg dishes
028 animal fats
028 fats, animal
029 fats, polyunsaturated,
      non-saturated, unsaturated
029 polyunsaturated fats
030 fats, saturated
030 saturated fats (saturated foods)
031 fats, NEC
031 lard
032 fiber
032 more bulk food
033 fish
033 seafood
033 shellfish
033 shrimp
034 baked foods
034 foods, baked
035 boiled foods
035 foods, boiled
036 broiled foods
036 foods, broiled
037 convenience foods
037 foods, convenience, frozen (predried)
037 frozen foods
037 TV. dinners
038 fast foods
038 foods, fast (quick) (McDonalds)
039 fatty fried snacks
039 foods, fried
039 fried foods
040 foods, health
040 health foods
041 foods, junk
041 junk
    junk foods
041
042 plain foods
042 foods, natural, organic,
      unprocessed
042 natural foods
042 real foods - not prepared
```

```
043 foods, pressure cooked
043 pressure cooked foods
044 artificial made foods (artificial ingredients, unnatural foods)
044 canned foods
044 foods, processed, preserved, unnatural
044 processed foods
044 refined foods
044 refined substances
045 foods, salt-free or
      sodium reduced
045 salt free or sodium reduced foods
046 foods, sautéed
046 sautéed foods
047 foods, snack
047 snack foods
048 foods, stir-fried
048 stir-fried foods
049 foods, steamed
049 steamed foods
050 cholesterol, NEC
050 foods high in cholesterol
050 high cholesterol foods
051 foods low in cholesterol (non cholesterol)
051 low cholesterol foods
052 fruit, fresh
053 apples
053 citrus fruits
053 fruit, NEC
053 oranges
053 pineapple
053 produce
053
    prunes
053 tangerines
054 fruit juices
054
    juices (tomatoes)
055 ham
056
    ice cream
057
    liver
058 margarine
059
   low-cal margarine
```

059 margarine, low-cal

```
060 low-cal mayonnaise
060 mayonnaise, low-cal
061 mayonnaise
062 fatty meat
062 meat, fatty
063 meat, lean
063 lean meat
064 luncheon meat
064 meat, luncheon
065 meat, red
065 red meat
066 meat, NEC, preserved, processed (venison, hamburger, steak, organ,
      hot dogs)
066 white meat
067
   low-fat milk
067 milk, low fat
068 milk, whole
068 whole milk
069 milk, NEC
070 popcorn
071 pork
072 potatoes, fried
073 potatoes, NEC
074 rice
075 roughage
076 artificial sweeteners (cyclamates)
076 nutria sweet/saccharin
076 saccharin/NutraSweet
077 low-cal salad dressing
077 salad dressing, low-cal
078 dressing, NEC
078 salad dressing, NEC
079 green salad
079 lettuce
079 salads
080 salt
080 salty foods
080 sodium
081 sausage
082 barbecue foods
082 foods, smoked
082 grilled foods
082 smoked foods, barbecue, grilled
```

```
083 starches
084 chocolate candy
084 cocoa
084 goodies
084 sugar
084 sweets
       chocolate candy
      cocoa
       goodies
085 tea
086 beets
086 vegetables, NEC
086 mushrooms
086 produce
086 yams
087 vitamins
088 mineral water
088 water
      mineral
089 yogurt
090 caffeine (coffee with no caffeine)
090 caffeinated beverage
090 soda with caffeine
090 stimulants
091 dairy products
092 carbohydrates, complex
092 complex carbohydrates
093 carbohydrates, simple
093 simple carbohydrates
094 animal protein
094 protein (high)
095 broccoli
096 cabbage
097
    cauliflower
098 cruciferous vegetables
       Brussels sprouts
      Kohlrabi
       turnips
098 vegetables, cruciferous
      Brussels sprouts
      kohlrabi
      rutabagas
      turnips
099 greens (kale, mustard, spinach, Swiss chard, turnip, etc.)
099 leafy vegetables
099 vegetables, leafy
100 carrots
101 green vegetables
101 vegetables, green
102 vegetables, yellow
102 yellow vegetables
103 carbohydrates, NEC
104 bran
104 wheat products
```

```
104 grains (whole grain food) (grits)
104 oats
104 whole grain
104 whole wheat
105 fatty foods (high fat content)
105 greasy foods
105 oils, any
      olive
      safflower
      peanut
105 oily foods
106
    jam
106 jellies
106 preserves
107 garlic
107 seasoning/spices
107 spices/seasoning
107 spicy foods
109 low-fat foods (low fat, non greasy foods)
110 drinking a lot of liquids
110 liquids & fluids
111 nuts
      peanuts
      peanut butter
      walnuts
111 peanut butter
111 walnuts
112 beans
112 bean curd
112 beans, lima
112 beans, soy
112 lima beans
112 soy beans
112 tofu
150 all diet things
150 artificial flavoring
150 balanced diet
150 bleached flour
150 Brewers yeast
150 calcium
150 calories
150 catsup - ketchup
150 don't eat out
150 flour, white
150 food
150 food allergic to
150 food cooked with wine
150 foods of all kinds
150 instant foods
150 ketchup
150 more balanced nutritious food
150 more of four basic foods
150 noodles
150 not smoking
```

```
150 pasta salad
150 raw food
150 rich foods
150 rye bread
150 sauces
150 stuff they feed cattle
150
150 Tylenol laced with poison
150 unpurified water
150 vinegar
150 wheat germ
150 white flour
150 other
      Includes:
        acid foods
        carcinogens
        drugs
        foods containing molds
        foods with no pesticides
        pasta
        pepper NOS
        tobacco
```

CR-93
1987 NHIS Epidemiology Supplement

| Data      |               | [ NAME ]   |   |
|-----------|---------------|--|---|
| Locations | Item No.      | Frequency  | Items and Codes   |
| 1042      | 1             | SECTION<br>[SMK100C]<br>11,435<br>10,480<br>165    | EE. SMOKING HABITS SMOKED 100 CIGARETTES 1. Yes 2. No 9. Unknown  |
| 1043-1044 | 2             | [AGEBESMK]<br>425<br>10,831<br>0<br>179<br>10,645  | AGE STARTED SMOKING REGULARLY  00. Never smoked regularly  06-97. 6-97 years  98. 98+ years  99. Unknown  Blank. Never or unknown if smoked 100 cigarettes  |
| 1045      | 3             | [SMKCNOW]<br>6,340<br>4,641<br>29<br>11,070        | SMOKE CIGARETTES NOW  1. Yes 2. No 9. Unknown Blank. Never or unknown if smoked 100 cigarettes or never smoked regularly  |
| 1046-1047 | 4             | [AGESTSMK]<br>4,524<br>0<br>117<br>17,439          | AGE WHEN STOPPED SMOKING 06-97. 06-97 years 98. 98+ years 99. Unknown Blank. NA (Not former smoker)   |
| 1048-1049 | 5             | [NCIGPDAY]<br>158<br>10,671<br>16<br>165<br>11,070 | NUMBER OF CIGARETTES SMOKED PER DAY  00. Less than one per day  01-97. 1-97 per day  98. 98+ per day  99. Unknown (number)  Blank. Never or unknown if smoked or never smoked regularly                                 |
| 1050-1051 | 6             | [YRSOFSMK]<br>143<br>10,555<br>0<br>312<br>11,070  | HOW LONG A REGULAR SMOKER  (Not edited with respect to age started and age stopped)  00. Less than one year  01-97. 1-97 years  98. 98+ years  99. Unknown  Blank. Never or unknown if smoked or never smoked regularly |
| 1052      | 1-3<br>Recode | [SMKSTSR1]<br>10,480<br>4,641<br>6,340<br>619      | SMOKING STATUS  1. Never 2. Former 3. Current 9. Unknown (includes never smoked regularly)  |

CR-94
1987 NHIS Epidemiology Supplement

| Data        |          | [NAME]                                   |   |
|-------------|----------|--|---|
| Locations   | Item No. | Frequency                                | Items and Codes   |
|             |          | SECTION H                                | FF. OTHER TOBACCO USE   |
| 1053        | 1a       | [CHEWINGT]                               | EVER USED CHEWING TOBACCO   |
|             |          | 1,929                                    | 1. Yes  |
|             |          | 19,945                                   | 2. No   |
|             |          | 206                                      | 9. Unknown  |
| 1054        | 1b       | [CHEW20X]                                | USED CHEWING TOBACCO 20 TIMES   |
|             |          | 1,267                                    | 1. Yes  |
|             |          | 644                                      | 2. No   |
|             |          | 18                                       | 9. Unknown  |
|             |          | 20,151                                   | Blank. Never used, unknown if used  |
| 1055-1056   | 2        | [AGEBEGCT]<br>1,192<br>0<br>75<br>20,813 | AGE WHEN FIRST USED CHEWING TOBACCO  06-97. 6-97 years  98. 98+ year  99. Unknown  Blank. Never or unknown if used, never or unknown 20 times |
| 1057        | 3        | [USETNOW]<br>441<br>824<br>2<br>20,813   | USE CHEWING TOBACCO NOW  1. Yes 2. No 9. Unknown Blank. Never or unknown if used, never or unknown 20 times                                   |
| (1058-1060) | ) 4      |  | HOW LONG USED CHEWING TOBACCO   |
| 1058-1059   |          |  | NUMBER OF TIME UNITS  |
| 1030-1039   |          | [NTUCHEW]<br>49                          |   |
|             |          | 1,038                                    | 00. Less than one month 01-98. 1-98 months, years   |
|             |          | 180                                      | 99. Unknown (number of times units)   |
|             |          |  |   |
|             |          | 20,813                                   | Blank. Never or unknown if used, never or unknown 20 times  |
| 1060        |          | [TTUCHEW]                                | TIME UNITS  |
|             |          | 49                                       | 0. Less than one month  |
|             |          | 148                                      | 1. Months   |
|             |          | 890                                      | 2. Years  |
|             |          | 180                                      | 9. Unknown (time unit)  |
|             |          | 20,813                                   | Blank. Never or unknown if used, never or unknown 20 times  |

CR-95
1987 NHIS Epidemiology Supplement

| Data      |                | [NAME]   |  |
|-----------|----------------|--|--|
| Locations | Item No.       | Frequency  | Items and Codes  |
|           | S              | SECTION FF. O  | THER TOBACCO USE - continued   |
| 1061-1062 | 5a             | [DYMOCHEW] 43 388 201 598 37 20,813                  | DAYS PER MONTH USE CHEWING TOBACCO  00. Less than one day a month  01-31. 1-31 days per month  97. Never used regularly  98. Everyday  99. Unknown  Blank. Never or unknown if used, never or unknown 20 times |
| 1063-1064 | 5b             | [DAYSCHEW]<br>946<br>120<br>21,014                   | TIMES PER DAY USE CHEWING TOBACCO 01-98. 1-98 times per day 99. Unknown Blank. Never or unknown if used, never or unknown 20 times, never used regularly   |
| 1065      | 1a-3<br>Recode | [CHEWSTR1]<br>20,589<br>153<br>671<br>48<br>393<br>2 | CHEWING TOBACCO USE STATUS-RECODE 1  1. Never 2. Former, occasional 3. Former, regular 4. Current, occasional 5. Current, regular 6. Used chewing tobacco, current use unknown 9. Unknown                      |
| 1066      | 1a-3<br>Recode | [CHEWSTR2]<br>20,589<br>824<br>441<br>226            | CHEWING TOBACCO USE STATUS-RECODE 2  1. Never 2. Former 3. Current 9. Unknown  |

CR-96
1987 NHIS Epidemiology Supplement

| Data       |          | [NAME]  |  |
|------------|----------|---|--|
| Locations  | Item No. | Frequency                                       | Items and Codes  |
|            | S        | ECTION FF. O                                    | THER TOBACCO USE - continued   |
| 1067       | 6a       | [SNUFF]<br>1,348                                | EVER USED SNUFF 1. Yes   |
|            |          | 20,506<br>226                                   | <ul><li>2. No</li><li>9. Unknown (snuff)</li></ul>   |
| 1068       | 6b       | [SNUFF20X]<br>816<br>509                        | USED SNUFF 20 TIMES 1. Yes 2. No   |
|            |          | 23<br>20,732                                    | 9. Unknown (snuff) Blank. Never or unknown if used   |
| 1069-1070  | 7        | [AGEBEGSN]<br>762<br>0<br>54<br>21,264          | AGE WHEN FIRST USED SNUFF  06-97. 6-97 years  98. 98+ years  99. Unknown  Blank. Never or unknown if used, never or unknown 20 times                                     |
| 1071       | 8        | [SNUFFNOW]<br>359<br>455<br>2<br>21,264         | USE SNUFF NOW  1. Yes  2. No  9. Unknown  Blank. Never or unknown if used, never or unknown 20 times   |
| (1072-1074 | ) 9      |   | HOW LONG USED SNUFF  |
| 1072-1073  |          | [NTUSNUFF]<br>22<br>675<br>119<br>21,264        | NUMBER OF TIME UNITS  00. Less than one month  01-98. 1-98 months, years  99. Unknown (number of time units)  Blank. Never or unknown if used, never or unknown 20 times |
| 1074       |          | [TTUSNUFF]<br>22<br>115<br>560<br>119<br>21,264 | TIME UNITS  0. Less than one month  1. Months  2. Years  9. Unknown (time unit)  Blank. Never or unknown if used, never or unknown 20 times                              |

CR-97
1987 NHIS Epidemiology Supplement

| Data      |          | [NAME]                              |            |                                    |  |
|-----------|----------|-------------------------------------|------------|------------------------------------|--|
| Locations | Item No. | Frequency                           |            | Items and Codes                    |  |
|           | S        | ECTION FF. O'                       | THER TOBA  | CCO USE - continued                |  |
| 1075-1076 | 10a      | [DYMOSNFF] DAYS PER MONTH USE SNUFF |            |                                    |  |
|           |          | 18                                  | 00.        | Less than one day a month          |  |
|           |          | 237                                 | 01-31.     | 1-31 days per month                |  |
|           |          | 74                                  | 97.        | Never used regularly               |  |
|           |          | 459                                 | 98.        | Everyday                           |  |
|           |          | 28                                  | 99.        | Unknown                            |  |
|           |          | 21,264                              | Blank.     | Never or unknown if used, never or |  |
|           |          | 21,201                              | Brain.     | unknown 20 times                   |  |
| 1077-1078 | 10b      | [SNFFPDAY]                          | TIMES P    | ER DAY USE SNUFF                   |  |
|           |          | 654                                 | 01-98.     | 1-98 times per day                 |  |
|           |          | 88                                  | 99.        | Unknown                            |  |
|           |          | 21,338                              | Blank.     | Never or unknown if used, never or |  |
|           |          | ,                                   |            | unknown 20 times, never used       |  |
|           |          |                                     |            | regularly                          |  |
|           |          |                                     |            |                                    |  |
| 1079      | 11       | [USESNFBY]                          |            | FF BY SNIFFING OR MOUTH            |  |
|           |          | 6                                   |            | Sniffing                           |  |
|           |          | 727                                 | 2.         | Mouth                              |  |
|           |          | 6                                   | 3.         | Both                               |  |
|           |          | 3                                   | 9.         | Unknown                            |  |
|           |          | 21,338                              | Blank.     | Never or unknown if used, never or |  |
|           |          | ,                                   |            | unknown 20 times, never used       |  |
|           |          |                                     |            | regularly                          |  |
|           |          |                                     |            |                                    |  |
| 1080      | 1a-3     | [SNUFSTR1]                          | SNUFF U    | SE STATUS-RECODE 1                 |  |
|           | Recode   | 21,015                              | 1.         | Never                              |  |
|           |          | 62                                  | 2.         | Former, occasional                 |  |
|           |          | 393                                 |            | Former, regular                    |  |
|           |          | 12                                  | 4.         |                                    |  |
|           |          | 347                                 |            | Current, regular                   |  |
|           |          | _                                   |            |                                    |  |
|           |          | 2<br>249                            | 6.<br>9.   | •                                  |  |
| 1 0 0 1   | 62.0     |                                     | רי ההווואי | CE CTATUC DECODE 2                 |  |
| 1081      | 6a-8     | [SNUFSTR2]                          |            | SE STATUS-RECODE 2                 |  |
|           | Recode   | 21,015                              | 1.         |                                    |  |
|           |          | 455                                 | 2.         |                                    |  |
|           |          | 359                                 | 3.         |                                    |  |
|           |          | 251<br>                             | 9.         | Unknown                            |  |
| 1082      | 1a-3     | [SMKLSUSE]                          | SMOKETE    | SS TOBACCO USE                     |  |
| <b></b>   | 6a-8     | [21                                 |            | g tobacco and snuff combined)      |  |
|           | Recode   | 20,173                              | 1.         |                                    |  |
|           | recode   | 955                                 | 2.         |                                    |  |
|           |          |                                     |            |                                    |  |
|           |          | 678<br>274                          | 3.<br>9.   |                                    |  |
|           |          |                                     |            |                                    |  |

CR-98
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                         | Items and Codes  |
|-------------------|----------|---|--|
|                   | S        | ECTION FF. O                                | THER TOBACCO USE - continued   |
| 1083              | 12a      | [PIPE]<br>2,996<br>18,892<br>192            | EVER SMOKED A PIPE 1. Yes 2. No 9. Unknown   |
| 1084              | 12b      | [PIPE50X]<br>1,757<br>1,216<br>23<br>19,084 | SMOKED A PIPE AT LEAST 50 TIMES  1. Yes  2. No  9. Unknown Blank. Never or unknown if smoked   |
| 1085-1086         | 13       | [AGEBEGPI]<br>1,660<br>0<br>97<br>20,323    | AGE WHEN FIRST SMOKED A PIPE 06-97. 6-97 years 98. 98+ years 99. Unknown Blank. Never or unknown if smoked, never or unknown if smoked 50 times                                      |
| 1087              | 14       | [PIPENOW]<br>334<br>1,422<br>1<br>20,323    | SMOKE A PIPE NOW  1. Yes  2. No  9. Unknown  Blank. Never or unknown if smoked, never or unknown if smoked 50 times  |
| (1088-1090        | ))15     |   | HOW LONG SMOKED A PIPE   |
| 1088-1089         |          | [NTUPIPE]<br>26<br>1,495<br>236<br>20,323   | NUMBER OF TIME UNITS  00. Less than one month  01-98. 1-98 months, years  99. Unknown (number of time units)  Blank. Never of unknown if smoked, never or unknown if smoked 50 times |
| 1090              |          | [TTOPIPE] 26 222 1,273 236 20,323           | TIME UNITS  0. Less than one month  1. Months  2. Years  9. Unknown (time unit)  Blank. Never or unknown if smoked, never or unknown if smoked 50 times                              |

CR-99
1987 NHIS Epidemiology Supplement

| Data      |                  | [NAME]  |   |  |
|-----------|------------------|---|---|--|
| Locations | Item No.         | Frequency   | Ite   | ems and Codes  |
|           | S                | ECTION FF. OT   | HER TOBACCO                                     | USE - continued  |
| 1091-1092 | 16a              | [DYMOPIPE]<br>33<br>512<br>209<br>930<br>73<br>20,323 | 00. Le 01-31. 1- 97. Ne 98. Ev 99. Un Blank. Ne | MONTH SMOKE A PIPE ess than one day a month est and a state of the sta |
| 1093-1094 | 16b              | [DAYSPIPE]<br>14<br>1,370<br>164<br>20,532            | 01-98. 1-<br>99. Un<br>Blank. Ne<br>un          | PER DAY ess than one pipeful e98 pipefuls per day eknown ever or unknown if smoked, never or eknown 50 times, never smoked egularly  |
| 1095      | 12a-14<br>Recode | [PIPESTR1] 20,108 175 1,247 34 300 1 215              | 1. N<br>2. F<br>3. F<br>4. C<br>5. C            | CR STATUS-RECODE 1 Jever Cormer, occasional Current, occasional Current, regular Jurrent, regular Jused pipe, current status unknown Juknown   |
| 1096      | 12a-14<br>Recode | [PIPESTR2]<br>20,108<br>1,422<br>334<br>216           | 1. N<br>2. F<br>3. C                            | R STATUS-RECODE 2<br>Jever<br>Cormer<br>Current<br>Unknown   |

CR-100
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                               | Items and Codes  |
|-------------------|----------|---|--|
|                   | S        | ECTION FF. OT                                     | THER TOBACCO USE - continued   |
| 1097              | 17a      | [CIGARS]<br>3,813<br>17,978<br>289                | EVER SMOKED CIGARS  1. Yes  2. No  9. Unknown  |
| 1098              | 17b      | [CIGAR50X]<br>1,760<br>2,012<br>41<br>18,267      | SMOKED 50 CIGARS  1. Yes 2. No 9. Unknown Blank. Never or unknown if smoked  |
| 1099-1100         | 18       | [AGEBEGCG]<br>1,630<br>0<br>130<br>20,320         | AGE WHEN FIRST SMOKED CIGARS  06-97. 6-97 years  98. 98+ years  99. Unknown  Blank. Never or unknown if smoked, never or unknown 50 times  |
| 1101              | 19       | [CIGARNOW]<br>475<br>1,271<br>14<br>20,320        | SMOKE CIGARS NOW  1. Yes  2. No  9. Unknown  Blank. Never or unknown if smoked, never or unknown if smoked 50 times  |
| (1102-1104        | .) 20    |   | HOW LONG SMOKED CIGARS   |
| 1102-1103         |          | [NTUCIGAR]<br>90<br>1,330<br>340<br>20,320        | NUMBER OF TIME UNITS  00. Less than one month  01-98. 1-98 months, years  99. Unknown (number of time units)  Blank. Never or unknown if smoked, never or unknown if smoked 50 times |
| 1104              |          | [TTUCIGAR]<br>90<br>127<br>1,203<br>340<br>20,320 | TIME UNITS  0. Less than one month  1. Months  2. Years  9. Unknown (time unit)  Blank. Never or unknown if smoked, never or unknown if smoked 50 times                              |

CR-101
1987 NHIS Epidemiology Supplement

| Data      |                  | [NAME]   |   |
|-----------|------------------|--|---|
| Locations | Item No.         | Frequency  | Items and Codes   |
|           | S                | SECTION FF. C  | OTHER TOBACCO USE - continued   |
| 1105-1106 | 21a              | [DYMOCIGA]<br>138<br>640<br>356<br>563<br>63<br>20,320         | DAYS PER MONTH SMOKE CIGARS  00. Less than one day a month  01-31. 1-31 days per month  97. Never smoked regularly  98. Everyday  99. Unknown  Blank. Never or unknown if smoked, never or unknown 50 times |
| 1107-1108 | 21b              | [DAYCIGA]<br>51<br>1,287<br>66<br>20,676                       | CIGARS PER DAY  00. Less than one cigar  01-98. 1-98 cigars per day  99. Unknown  Blank. Never or unknown if smoked,  never or unknown 50 times,  never smoked regularly                                    |
| 1109      | 17a-19<br>Recode | [CIGARSR1]<br>19,990<br>267<br>1,004<br>87<br>388<br>14<br>330 | CIGAR SMOKER STATUS-RECODE 1  1. Never  2. Former, occasional  3. Former, regular  4. Current, occasional  5. Current, regular  6. Used cigars, current status unknown  9. Unknown                          |
| 1110      | 17a-19<br>Recode | [CIGARSR2]<br>19,990<br>1,271<br>475<br>344                    | CIGAR SMOKER STATUS-RECODE 2  1. Never 2. Former 3. Current 9. Unknown  |

CR-102
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.     | [NAME]<br>Frequency                             | Items and Codes   |
|-------------------|--------------|---|---|
|                   | S            | ECTION GG. RE                                   | PRODUCTION AND HORMONE USE  |
| 1111              | 1a           | [LIVBIRTH]<br>9,496<br>3,309<br>115<br>9,160    | EVER GIVEN BIRTH TO LIVE BORN INFANT  1. Yes  2. No  9. Unknown  Blank. NA (male)   |
| 1112-1113         | 1b           | [NLIVBRTH]<br>27<br>12,584                      | NUMBER OF LIVE BIRTHS 01-88. 1-88 live births Blank. NA (male, no known live births)  |
| 1114              | 1b<br>Recode | [FLAGHIBI]<br>26<br>22,054                      | FLAG FOR NUMBER OF LIVE BIRTHS  1. Flagged - 16 or more births Blank. Not flagged   |
| 1115-1116         | 1c           | [AGEBRTH1]<br>9,213<br>283<br>12,584            | AGE WHEN FIRST CHILD BORN 01-88. 1-88 years old 99. Unknown Blank. NA (male, no known live births)  |
| 1117              | 1c<br>Recode | [FLAGAGEB]<br>11<br>22,069                      | <pre>FLAG FOR AGE AT FIRST BIRTH     1. Flagged - age not greater than 8         or age not less than 60 at         first live birth Blank. Not flagged</pre> |
| 1118              | 1d           | [BRTHEQ20]<br>3,898<br>5,389<br>209<br>12,584   | YOUNGER OR OLDER THAN 20 AT FIRST BIRTH  1. 20 or younger  2. Older than 20  9. Unknown  Blank. NA (male, no known live births)                               |
| 1119              | 1e           | [AGECTEB1] 3,898 2,893 1,805 518 166 216 12,584 | AGE CATEGORIES AT FIRST BIRTH  1. 20 or younger  2. 21-24  3. 25-29  4. 30-34  5. 35 or older  9. Unknown  Blank. NA (male, no known live births)             |

CR-103

1987 NHIS Epidemiology Supplement

| Data      |              | [NAME]  |   |
|-----------|--------------|---|---|
| Locations | Item No.     | Frequency   | Items and Codes   |
|           | SECTION      | GG. REPRODUC  | CTION AND HORMONE USE - continued   |
| 1120      | 2a           | [PREGM6MO]<br>719<br>12,029<br>172<br>9,160                 | EVER HAD (OTHER) PREGNANCIES LASTING 6 MONTHS OR MORE  1. Yes 2. No 9. Unknown Blank. NA (male)   |
| 1121-1122 | 2b           | [NPREGS]<br>707<br>12<br>21,361                             | NUMBER OF OTHER PREGNANCIES 01-88. 1-88 other pregnancies 99. Unknown number Blank. NA (male, no other known pregnancies)   |
| 1123      | 2b<br>Recode | [FLAGNPRG]<br>29<br>22,051                                  | FLAG FOR NUMBER OF OTHER PREGNANCIES  1. Flagged - 11 or more other pregnancies Blank. Not flagged  |
| 1124-1125 | 2c           | [AGEOTHPR]<br>599<br>120<br>21,361                          | AGE AT END OF FIRST OTHER PREGNANCY 01-88. 1-88 years of age 99. Unknown Blank. NA (male, no other known pregnancies)   |
| 1126      | 2c<br>Recode | [FLAGOTHP]  | FLAG FOR AGE AT FIRST OTHER PREGNANCY  1. Flagged - age not greater than 8 or age not less than 60 at first other pregnancy                                       |
|           |              | 22,077  | Blank. Not flagged  |
| 1127      | 2d           | [OTHPRE20]<br>182<br>470<br>67<br>21,361                    | YOUNGER OR OLDER THAN 20 AT FIRST OTHER PREGNANCY  1. 20 or younger  2. Older than 20  9. Unknown  Blank. NA (male, no other known pregnancies)                   |
| 1128      | 2e           | [AGECTEOP]<br>182<br>161<br>164<br>73<br>65<br>74<br>21,361 | AGE CATEGORIES AT FIRST OTHER PREGNANCY  1. 20 or younger  2. 21-24  3. 25-29  4. 30-34  5. 35 or older  9. Unknown  Blank. NA (male, no other known pregnancies) |

CR-104
1987 NHIS Epidemiology Supplement

| Data      |                 | [ NAME ]   |  |
|-----------|-----------------|--|--|
| Locations | Item No.        | Frequency  | Items and Codes  |
|           | SECTION         | GG. REPRODU  | CTION AND HORMONE USE - continued  |
| 1129      | Recode          | [M6MOPRGR]<br>9,576<br>3,199<br>145<br>9,160           | EVER HAD A PREGNANCY LASTING 6+ MONTHS?*  1. Yes  2. No  9. Unknown Blank. NA (male)   |
| 1130-1131 | Recode          | [AGELIVBR]   | AGE AT END OF FIRST LIVE BIRTH OR FIRST PREGNANCY LASTING 6+ MONTHS 01-88. 1-88 years of age   |
|           |                 | 363<br>12,504  | 01-88. 1-88 years of age 99. Unknown Blank. NA (male, no known pregnancies resulting in a live birth or no known pregnancies lasting 6+ months)                                  |
| 1132      | Recode          | [ AGEBCTER ]   | AGE CATEGORY AT END OF FIRST LIVE BIRTH OR FIRST PREGNANCY LASTING 6+ MONTHS   |
|           |                 | 3,919<br>2,891<br>1,790<br>505<br>172<br>299<br>12,504 | 1. 20 or younger 2. 21-24 3. 25-29 4. 30-34 5. 35 or older 9. Unknown Blank. NA (male, no known pregnancies resulting in a live birth or no known pregnancies lasting 6+ months) |
| 1133      | 1c,2c<br>Recode | [FLAGPRER]<br>14<br>22,066                             | FLAG FOR AGE AT FIRST PREGNANCY (6 MO.+)  1. Flagged - age not greater than 8 or age not less than 60 Blank. Not flagged   |

<sup>\*</sup>Including those that did and did not result in live birth.

CR-105

1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.   | [NAME]<br>Frequency |           | Items and Codes                            |
|-------------------|------------|---------------------|-----------|--|
|                   |            |                     |           |  |
|                   | SECTION    | GG. REPRODU         | CTION AND | HORMONE USE - continued                    |
| 1134              | 3          | [BRESTFED]          | BREASTF   | EED ANY CHILDREN                           |
|                   |            | 4,942               |           | Yes  |
|                   |            | 4,490               | 2.        | No   |
|                   |            | 64                  |           | Unknown                                    |
|                   |            | 12,584              | Blank.    | NA (male, no known live births)            |
| 1135-1136         | 4a         | [MENSEAGE]          | AGE AT    | ONSET OF MENSES                            |
| 1133 1133         | 201        | 7                   | _         | Never menstruated                          |
|                   |            | 12,071              |           | 1-97 years of age                          |
|                   |            | 0                   |           | 98+ years of age                           |
|                   |            | 842                 | 99.       | Unknown                                    |
|                   |            | 9,160               | Blank.    | NA (male)                                  |
| 1137              | 4a         | [FLAGMENS]          | FLAG FO   | R AGE AT MENARCHE                          |
|                   | Recode     | 120                 | 1.        |  |
|                   |            |                     |           | or not less than 18                        |
|                   |            | 21,960              | Blank.    | Not flagged                                |
| 1138              | 4b         | [MENSEAGC]          |           | EGORIES                                    |
|                   |            | 208                 | 1.        | Younger than 10                            |
|                   |            | 4,915               | 2.        | 10-12                                      |
|                   |            | 6,525               |           | 13-15                                      |
|                   |            | 922                 |           | 16+  |
|                   |            | 343                 |           | Unknown                                    |
|                   |            | 9,167               | Blank.    | NA (male, never or unknown if menstruated) |
| 1139              | <br>5      | [ENDMENSE]          | MENSTRU   | AL CYCLES STOPPED PERMANENTLY              |
|                   |            | 5,500               | 1.        | Yes  |
|                   |            | 7,269               | 2.        | No   |
|                   |            | 144                 | 9.        | Unknown                                    |
|                   |            | 9,167               | Blank.    | NA (male, never or unknown if menstruated) |
| 1140 1141         | <i>C</i> - |                     | 7 OF 1117 | M GVGLEG GEODDED                           |
| 1140-1141         | 6a         | [AGEMENST]          |           | N CYCLES STOPPED                           |
|                   |            | A 71F               |           | rual Cycle Stopped Permanently)            |
|                   |            | 4,715               | 01-97.    | 1-97 years of age                          |
|                   |            | 705                 | 98.       | 98+ years of age                           |
|                   |            | 785                 | 99.       | Unknown                                    |
|                   |            | 16,580              | Blank.    | NA (male, never or unknown if              |
|                   |            |                     |           | menstruated, menstrual cycle not           |
|                   |            |                     |           | stopped or unknown if stopped)             |

CR-106
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.   | [NAME]<br>Frequency |  | Items and Codes                       |
|-------------------|------------|---------------------|--|---------------------------------------|
|                   | SECTION    | GG. REPRODU         | CTION AND  | HORMONE USE - continued               |
| 1142              | 6b         | [AGECAMEN]          |  | regories                              |
|                   |            |                     | (Menstr  | rual Cycle Stopped Permanently)       |
|                   |            | 33                  | 1.   | Younger than 20                       |
|                   |            | 303                 | 2.   | 20-29                                 |
|                   |            | 958                 | 3.   | 30-39                                 |
|                   |            | 816                 | 4.   | 40-44                                 |
|                   |            | 1,224               | 5.   | 45-49                                 |
|                   |            | 1,441               | 6.   | 50-54                                 |
|                   |            | 477                 | 7.   | 55+                                   |
|                   |            | 248                 | 9.   | Unknown                               |
|                   |            | 16,580              | Blank.   | NA (male, never or unknown if         |
|                   |            |                     |  | menstruated, menstrual cycle not      |
|                   |            |                     |  | stopped or unknown if stopped)        |
| 1143              | 7          | [STMENSUG]          | CTOD DI  | JE TO SURGERY                         |
| 1143              | /          | [SIMENSOG]          |  | rual Cycle Stopped Permanently        |
|                   |            |                     |  | ever Menstruated)                     |
|                   |            | 2,285               | 1.   | Yes                                   |
|                   |            | 3,167               | 2.   | No                                    |
|                   |            | 55                  | 9.   | Unknown                               |
|                   |            | 16,573              | Blank.   | NA (male, menstrual cycle not stopped |
|                   |            | 10,373              | Braint.  | or unknown if stopped)                |
|                   |            |                     |  |                                       |
| 1144              | ба         | [FLAGMENO]          |  | OR AGE AT NO SURGICAL MENOPAUSE       |
|                   | Recode     | 207                 | 1.   | Flagged - age less than 40 or age     |
|                   |            |                     |  | not less than 60                      |
|                   |            | 21,873              | Blank.   | Not flagged                           |
| 1145              | 8a         | [LUMPNONC]          | $\bigcap \mathbb{P}\mathbb{R}\mathbb{P}\mathbb{D}\mathbb{T}$ | ON TO REMOVE NON CANCEROUS LUMP       |
| 1110              | <b>5</b> 4 | [                   | FROM BE  |                                       |
|                   |            | 1,024               | 1.   |                                       |
|                   |            | 11,701              | 2.   | No                                    |
|                   |            | 56                  | 3.   | Cancerous lump removed                |
|                   |            | 139                 | 9.   | Unknown                               |
|                   |            | 9,160               | Blank.   | NA (male)                             |

CR-107

1987 NHIS Epidemiology Supplement

| Data Locations | Item No. | [NAME]         | Items and Codes   |
|----------------|----------|----------------|---|
| Locations      | Item No. | Frequency      | Items and Codes   |
|                | SECTION  | GG. REPRODU    | JCTION AND HORMONE USE - continued                            |
| 1146           | 8b       | [NOPERATN]     | NUMBER OF OPERATIONS  |
|                |          | 989            | 1-7. 1-7 operations   |
|                |          | 3<br>32        | 8. 8+ operations<br>9. Unknown number                         |
|                |          | 21,056         |   |
|                |          | 21,056         | Blank. NA (male, no known operation)                          |
| 1147-1148      | 8c       | [AGEOPER1]     | AGE AT FIRST OPERATION  |
|                |          | 953            | 01-97. 1-97 years of age                                      |
|                |          | 0              | 98. 98+ years of age  |
|                |          | 71             | 99. Unknown Blank. NA (male, no known operation)              |
|                |          | 21,056         | Blank. NA (male, no known operation)                          |
| 1149           | 9        | [BRTHCPIL]     | EVER USED BIRTH CONTROL PILLS                                 |
|                |          | 6,447          | 1. Yes  |
|                |          | 6,300          | 2. No   |
|                |          | 173            | 9. Unknown<br>Blank. NA (male)                                |
|                |          | 9,160          | Blank. NA (male)  |
| 1150-1151      | 10a      | [AGEBRTCP]     | AGE STARTED USING THE PILL                                    |
|                |          | 6,269          | 01-97. 1-97 years old   |
|                |          | 0              | 98. 98+ years old   |
|                |          | 178            | 99. Unknown   |
|                |          | 15,633         | Blank. NA (male, not known to have taken birth control pills) |
|                | 10a      | [ FLAGAGEP ]   | FLAGGED FOR AGE WHEN STARTED                                  |
| 1102           | Recode   | [FLAGAGEF]     | TAKING BIRTH CONTROL PILL                                     |
|                | necode   | 17             | 1. Flagged - age not greater than 8                           |
|                |          | Ξ,             | or not less than 60   |
|                |          | 22,063         | Blank. Not flagged  |
| 1152           | 10b      | [AGEPIL25]     | YOUNGER OR OLDER THAN 25                                      |
| 1153           | UUD      | 5,046          |   |
|                |          | 1,351          | <ol> <li>Younger than 25</li> <li>25+</li> </ol>              |
|                |          | 50             | 9. Unknown  |
|                |          | 15,633         | Blank. NA (male, not known to have taken                      |
|                |          | 13,033         | birth control pills)  |
| 1154           | Recode   | [AGECAPIL]     | AGE CATEGORY WHEN STARTED                                     |
|                | 1100040  | [11020111 111] | TAKING BIRTH CONTROL PILLS                                    |
|                |          | 1,960          | 1. 18 or younger  |
|                |          | 2,054          | 2. 19-21  |
|                |          | 1,022          | 3. 22-24  |
|                |          | 709            | 4. 25-29  |
|                |          | 320            | 5. 30-34  |
|                |          |                |   |
|                |          | 309            | 6. 35 or older  |

CR-108

1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency |           | Items and Codes  |
|-------------------|----------|---------------------|-----------|--|
| Locacions         | icem No. | rrequericy          |           | Trems and codes  |
|                   | SECTION  | GG. REPRODU         | CTION AND | HORMONE USE - continued                                |
| 1155-1156         | 11a      | [NTUPILL]           | DURATIO   | N OF PILL USE  |
|                   |          |                     | _         | OF TIME UNITS  |
|                   |          | 34                  | 00.       | Less than one month                                    |
|                   |          | 6,199               | 01-87.    | 1-87 days, months, years                               |
|                   |          | 19                  | 88.       | Other  |
|                   |          | 195                 | 99.       | Unknown  |
|                   |          | 15,633              | Blank.    | NA (male, not known to have taken birth control pills) |
| 1157              |          | [TTUPILL]           | TIME UN   | ITS  |
|                   |          | 34                  | 0.        | Less than one month                                    |
|                   |          | 66                  | 1.        | Days   |
|                   |          | 1,368               | 2.        | Months   |
|                   |          | 4,771               | 3.        | Years  |
|                   |          | 19                  | 8.        | Other  |
|                   |          | 189                 | 9.        | Unknown  |
|                   |          | 15,633              | Blank.    | NA (male, not known to have taken                      |
|                   |          |                     |           | birth control pills)                                   |
| 1158              | 11b      | [PILLMLYR]          | MORE OR   | LESS THAN A YEAR                                       |
|                   |          | 1,229               |           | Less than one year                                     |
|                   |          | 5,059               | 2.        | One year or more                                       |
|                   |          | 159                 | 9.        | <pre>Unknown (incl. duration ="other")</pre>           |
|                   |          | 15,633              | Blank.    | NA (male, not known to have taken                      |
|                   |          |                     |           | birth control pills)                                   |
| 1159              | Recode   | [USEPILMO]          | MONTUC:   | DURATION OF BIRTH CONTROL PILL USE                     |
| 1109              | recode   | 1,229               | MONIAS.   | 1-11   |
|                   |          | 2,165               | — ·       | 12-36  |
|                   |          | 506                 |           | 37-59  |
|                   |          | 2,385               |           | 60 or more   |
|                   |          | 162                 | 9.        | Unknown, (including "other" duration)                  |
|                   |          | 15,633              | Blank.    | NA (male, not known to have taken                      |
|                   |          | 13,033              | DIAIIX.   | birth control pills)                                   |

CR-109
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                                     | Items  | and Codes  |
|-------------------|----------|---|--|--|
|                   | SECTION  | GG. REPRODU   | TION AND HORM  | ONE USE - continued  |
| 1160              | 12       | [ESTROGEN]<br>1,754<br>4,732<br>278<br>15,316           | 1. Yes<br>2. No<br>9. Unkn   | own male, under 40)  |
| 1161-1162         | 13a      | [AGEBEGES]<br>1,593<br>0<br>161<br>20,326               | 01-97. 1-97<br>98. 98+<br>99. Unkn<br>Blank. NA (                  | USING ESTROGEN years of age years of age own age male, under 40, not known to have n estrogen) |
| 1163              | 13b      | [AGECESTR]  11  70  346  366  429  320  188  24  20,326 | 2. 20-2 3. 30-3 4. 40-4 5. 45-4 6. 50-5 7. 55+ 9. Unkn Blank. NA ( | ger than 20<br>9<br>9<br>4<br>9<br>4   |
| (1164-1166)       | 14a      |   | DURATION OF  | ESTROGEN USE   |
| 1164-1165         |          | [NTUESUSE]<br>38<br>1,564<br>28<br>124<br>20,326        | 01-87. 1-87<br>88. Othe<br>99. Unkn<br>Blank. NA (                 | than one month<br>days, months, years<br>r   |
| 1166              |          | [TTUESUSE] 38 45 408 1,113 28 122 20,326                | 1. Days 2. Mont 3. Year 8. Othe 9. Unkn Blank. NA (                | hs<br>s<br>r   |

CR-110
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                                   | Items and Codes   |
|-------------------|----------|---|---|
|                   | SECTION  | GG. REPRODU   | UCTION AND HORMONE USE - continued  |
| 1167              | 14b      | [ESTRMLYR]<br>466<br>1,201<br>87<br>20,326            | MORE OR LESS THAN A YEAR  1. Less than one year  2. One year or more  9. Unknown (incl. duration ="other")  Blank. NA (male, under 40, not known to have taken estrogen)            |
| 1168              | Recode   | [MOSUSEST]<br>466<br>520<br>73<br>599<br>96<br>20,326 | MONTHS DURATION OF ESTROGEN PILL USE  1. 1-11 2. 12-36 3. 37-59 4. 60 or more 9. Unknown, (including "other" duration) Blank. NA (male, under 40, not known to have taken estrogen) |

CR-111
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                                  | Items and Codes   |
|-------------------|----------|--|---|
|                   |          | SECTION HH.  | FAMILY HISTORY OF CANCER  |
| (1169-1185)       | 1a-2g    |  | MOTHER'S INFORMATION  |
| 1169-1172         | 1a       | [MOBIRYR]  | MOTHER'S BIRTH YEAR<br>1800-1899. 1800-1899<br>1900-1979. 1900-1979<br>9999. Unknown  |
| 1173              | 1b       | [MOLIVING]<br>13,283<br>8,353<br>118<br>326          | MOTHER STILL LIVING  1. Yes  2. No  7. Never knew natural mother  9. Unknown  |
| 1174-1175         | 1c       | [MOAGEDIE]<br>7,495<br>53<br>805<br>13,727           | AGE MOTHER DIED 09-97. 9-97 years of age 98. 98+ years of age 99. Unknown Blank. NA (Mother not known to be dead)   |
| _<br>1176         | 2a       | [MOCANCER]<br>29<br>3,088<br>18,086<br>759<br>118    | MOTHER EVER DIAGNOSED WITH CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (Never knew mother)   |
| 1177-1179         | 2b/c     | [C1CONDRB]<br>876<br>1,020<br>1,020<br>172<br>18,992 | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (Never had cancer; non-cancer reported as cancer; never knew mother) |
| 1180              | 2d       | [MOCANC2]<br>4<br>447<br>2,484<br>153<br>18,992      | MOTHER HAVE ANY OTHER CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (Never had cancer; non-cancer reported as cancer; never knew mother)                                   |

CR-112
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                          | Items and Codes   |
|-------------------|----------|--|---|
|                   | SECTIO   | ON HH. FAMILY                                | HISTORY OF CANCER - continued   |
| (1169-1185)       | 1a-2g    |  | MOTHER'S INFORMATION - continued  |
| 1181-1183         | 2e/f     | [MODIAGC]  143 67 114 96 27 21,633           | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  799. Unknown or ill-defined cancer Blank. NA (Never had cancer; non-cancer reported as cancer; only 1 type of cancer reported; never knew mother) |
| 1184-1185         | 2g       | [MOAGEDIC]<br>2,610<br>2<br>476<br>18,992    | AGE WHEN CANCER FIRST DIAGNOSED  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (Never had cancer; non-cancer reported as cancer; never knew mother)  |
| (1186-1202)       | 1a-2g    |  | FATHER'S INFORMATION  |
| 1186-1189         | 1a       | [FABIRYR]                                    | FATHER'S BIRTH YEAR<br>1800-1899. 1800-1899<br>1900-1979. 1900-1979<br>9999. Unknown  |
| 1190              | 1b       | [FALIVING]<br>10,087<br>11,212<br>235<br>546 | FATHER STILL LIVING  1. Yes  2. No  7. Never knew natural father  9. Unknown  |
| 1191-1192         | 1c       | [FAAGEDIE]<br>9,881<br>32<br>1,299<br>10,868 | AGE FATHER DIED 09-97. 9-97 years of age 98. 98+ years of age 99. Unknown Blank. NA (Father not known to be dead)   |

CR-113
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                                 | Items and Codes   |
|-------------------|----------|---|---|
|                   | SECTIO   | ON HH. FAMILY                                       | HISTORY OF CANCER - continued   |
| (1186-1202)       | ) 1a-2g  |   | FATHER'S INFORMATION - continued  |
| 1193              | 2a       | [FACANCER]<br>26<br>2,914<br>17,777<br>1,128<br>235 | FATHER EVER DIAGNOSED WITH CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (Never knew father)   |
| 1194-1196         | 2b/c     | [FACANTYP]<br>1,451<br>533<br>771<br>159<br>19,166  | KIND OF CANCER/PART OF BODY  140-165. Cancer Type (Refer to ICD  170-175. Code List)  179-208.  799. Unknown or ill-defined cancer  Blank. NA (Never had cancer;  non-cancer reported as cancer;  never knew father)  |
| 1197              | 2d       | [FACANC2] 6 379 2,356 173 19,166                    | FATHER HAVE ANY OTHER CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (Never had cancer; non-cancer reported as cancer; never knew father)   |
| 1198-1200         | 2e/f     | [FADIAGC]  109 113 65 63 29 21,701                  | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  799. Unknown or ill-defined cancer Blank. NA (Never had cancer; non-cancer reported as cancer; only 1 type of cancer reported; never knew father) |
| 1201-1202         | 2g       | [FAAGEDIC]<br>2,445<br>3<br>466<br>19,166           | AGE WHEN CANCER FIRST DIAGNOSED  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (Never had cancer; non-cancer reported as cancer; never knew father)  |

CR-114
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                           | Items and Codes  |
|-------------------|----------|---|--|
|                   | SECTIO   | ON HH. FAMILY                                 | HISTORY OF CANCER - continued  |
| 1203-1204         | 3a       | [NSISTERS]<br>5,487<br>16,205<br>2<br>386     | NUMBER OF SISTERS*  00. None  01-88. 1-88 sisters  98. 1+ sisters, exact number unknown  99. Unknown   |
| 1205-1206         | 3b       | [NBROS]<br>5,193<br>16,442<br>2<br>443        | NUMBER OF BROTHERS* 00. None 01-88. 1-88 brothers 98. 1+ brothers, exact number unknown 99. Unknown  |
| 1207-1209         | Recode   | [NSIBLNGR]<br>21,612<br>73<br>395             | NUMBER OF SIBLINGS* 000-176. 0-176 Siblings 998. Undefined (At least 1 brother or sister, but total unknown) 999. Unknown  |
| 1210              | 4        | [BRORSISC]<br>2,621<br>17,003<br>601<br>1,855 | ANY BROTHERS OR SISTERS DIAGNOSED WITH CANCER  1. Yes (Includes siblings with no valid cancer code given)  2. No  9. Unknown  Blank. NA (No known siblings)        |
| 1211              | Recode   | [NSIBCANC]<br>17,637<br>2,586<br>2<br>1,855   | NUMBER OF SIBLINGS WITH KNOWN CANCER  0. None (Includes DK, unknown)  1-5. 1-5 Siblings  6. 6+ Siblings (only 1st 5 coded,  6 or more assumed)  Blank. No siblings |

<sup>\*</sup>Not edited for reasonableness.

CR-115
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                              | Items and Codes   |
|-------------------|----------|--|---|
|                   | SECTIO   | N HH. FAMILY                                     | HISTORY OF CANCER - continued   |
| (1212-1229)       | ) 5-8c   |  | SIBLING NUMBER ONE  |
| 1212              | 5        | [SIB1SEX]<br>1,094<br>1,465<br>62<br>19,459      | SEX OF SIBLING 1  1. Male 2. Female 9. Unknown  Blank. NA (No sibling 1 with cancer reported)   |
| 1213              | Recode   | [SIB1CANC]<br>35<br>2,584<br>2<br>19,459         | EVER DIAGNOSED WITH CANCER - SIBLING 1  0. Yes, but no valid cancer code given  1. Yes  9. Unknown  Blank. NA (No sibling 1 with cancer reported)   |
| 1214-1216         | 6a/b     | [SIB1CTYP] 864 649 883 188 19,496                | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No sibling 1 with known cancer)   |
| 1217              | 6c       | [SIB1CAN2]<br>1<br>299<br>2,112<br>172<br>19,496 | SIBLING 1 HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No sibling 1 with known cancer)  |
| 1218-1220         | 6d/e     | [SIB1DIAC]  100 60 57 58 24 21,781               | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1) 000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No sibling 1 with known cancer; only 1 type of cancer reported) |
| 1221-1222         | 7        | [SIB1AGEC]<br>2<br>2,168<br>0<br>414<br>19,496   | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No sibling 1 with known cancer)   |

CR-116
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                            | Items and Codes  |
|-------------------|----------|--|--|
|                   | SECTION  | HH. FAMILY                                     | HISTORY OF CANCER - continued  |
| (1212-1229)       | 5-8c     |  | SIBLING NUMBER ONE - continued   |
| 1223-1226         | 8a       | [SIB1YOB]                                      | YEAR SIBLING 1 WAS BORN<br>1800-1899. 1800-1899<br>1900-1987. 1900-1987<br>9999. Unknown<br>Blank. NA (No sibling 1 with known cancer)   |
| 1227              | 8b       | [SIB1LIVE]<br>1,008<br>1,551<br>25<br>19,496   | SIBLING 1 STILL LIVING  1. Yes  2. No  9. Unknown  Blank. NA (No sibling 1 with known cancer)  |
| 1228-1229         | 8c       | [SIB1AGED]<br>0<br>1,403<br>1<br>147<br>20,529 | AGE SIBLING 1 DIED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No sibling 1 with known cancer; sibling 1 with cancer not known to have died) |
| (1230-1247)       | 5-8c     |  | SIBLING NUMBER TWO   |
| 1230              | 5        | [SIB2SEX]<br>224<br>285<br>10<br>21,561        | SEX OF SIBLING 2  1. Male 2. Female 9. Unknown  Blank. NA (No sibling 2 with cancer reported)  |
| 1231              | Recode   | [SIB2CANC]<br>6<br>512<br>1<br>21,561          | EVER DIAGNOSED WITH CANCER - SIBLING 2  0. Yes, but no valid cancer code given  1. Yes  9. Unknown  Blank. NA (No sibling 2 with cancer reported)  |

CR-117
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                             | Items and Codes   |
|-------------------|----------|---|---|
|                   | SECTIO   | ON HH. FAMILY                                   | HISTORY OF CANCER - continued   |
| (1230-1247)       | 5-8c     |   | SIBLING NUMBER TWO - continued  |
| 1232-1234         | 6a/b     | [SIB2CTYP]<br>196<br>112<br>159<br>45<br>21,568 | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No sibling 2 with known cancer)   |
| 1235              | 6c       | [SIB2CAN2]<br>1<br>48<br>428<br>35<br>21,568    | SIBLING 2 HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No sibling 2 with known cancer)  |
| 1236-1238         | 6d/e     | [SIB2DIAC]  23 13 7 1 4 22,032                  | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  799. Unknown or ill-defined cancer Blank. NA (No sibling 2 with known cancer; only 1 type of cancer reported) |
| 1239-1240         | 7        | [SIB2AGEC]<br>0<br>393<br>1<br>118<br>21,568    | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No sibling 2 with known cancer)   |

CR-118

1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                         | Items and Codes  |
|-------------------|----------|---|--|
|                   | SECTIO   | ON HH. FAMILY                               | HISTORY OF CANCER - continued  |
| (1230-1247)       | 5-8c     |   | SIBLING NUMBER TWO - continued   |
| 1241-1244         | 8a       | [SIB2YOB]                                   | YEAR SIBLING 2 WAS BORN<br>1800-1899. 1800-1899<br>1900-1987. 1900-1987<br>9999. Unknown<br>Blank. NA (No sibling 2 with known cancer)   |
| 1245              | 8b       | [SIB2LIVE]<br>186<br>324<br>2<br>21,568     | SIBLING 2 STILL LIVING  1. Yes 2. No 9. Unknown Blank. NA (No sibling 2 with known cancer)   |
| 1246-1247         | 8c       | [SIB2AGED]<br>0<br>278<br>0<br>46<br>21,756 | AGE SIBLING 2 DIED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No sibling 2 with known cancer; sibling 2 with cancer not known to have died) |
| (1248-1265)       | 5-8c     |   | SIBLING NUMBER THREE   |
| 1248              | 5        | [SIB3SEX]<br>67<br>66<br>0<br>21,947        | SEX OF SIBLING 3  1. Male 2. Female 9. Unknown Blank. NA (No sibling 3 with cancer reported)   |
| 1249              | Recode   | [SIB3CANC]<br>1<br>132<br>0<br>21,947       | EVER DIAGNOSED WITH CANCER - SIBLING 3  0. Yes, but no valid cancer code given  1. Yes  9. Unknown  Blank. NA (No sibling 3 with cancer reported)  |

CR-119
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                         | Items and Codes   |
|-------------------|----------|---|---|
|                   | SECTIO   | N HH. FAMILY                                | HISTORY OF CANCER - continued   |
| (1248-1265)       | 5-8c     |   | SIBLING NUMBER THREE - CONTINUED  |
| 1250-1252         | 6a/b     | [SIB3CTYP] 48 30 39 15 21,948               | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No sibling 3 with known cancer)   |
| 1253              | 6c       | [SIB3CAN2]<br>0<br>7<br>109<br>16<br>21,948 | SIBLING 3 HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No sibling 3 with known cancer)  |
| 1254-1256         | 6d/e     | [SIB3DIAC]  1 2 1 2 1 2 2 1 22,073          | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  799. Unknown or ill-defined cancer Blank. NA (No sibling 3 with known cancer; only 1 type of cancer reported) |
| 1257-1258         | 7        | [SIB3AGEC]<br>0<br>86<br>0<br>46<br>21,948  | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No sibling 3 with known cancer)   |

CR-120
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                        | Items and Codes  |
|-------------------|----------|--|--|
|                   | SECTION  | N HH. FAMILY                               | HISTORY OF CANCER - continued  |
| (1248-1265        | ) 5-8c   |  | SIBLING NUMBER THREE - CONTINUED   |
| 1259-1262         | 8a       | [SIB3YOB]                                  | YEAR SIBLING 3 WAS BORN<br>1800-1899. 1800-1899<br>1900-1987. 1900-1987<br>9999. Unknown<br>Blank. NA (No sibling 3 with known<br>cancer)  |
| 1263              | 8b       | [SIB3LIVE]<br>46<br>85<br>1<br>21,948      | SIBLING 3 STILL LIVING  1. Yes  2. No  9. Unknown  Blank. NA (No sibling 3 with known cancer)  |
| 1264-1265         | 8c       | [SIB3AGED]<br>0<br>71<br>0<br>14<br>21,995 | AGE SIBLING 3 DIED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No sibling 3 with known cancer; sibling 3 with cancer not known to have died) |
| (1266-1283        | ) 5-8c   |  | SIBLING NUMBER FOUR  |
| 1266              | 5        | [SIB4SEX]<br>23<br>18<br>0<br>22,039       | SEX OF SIBLING 4  1. Male 2. Female 9. Unknown Blank. NA (No sibling 4 with cancer reported)   |
| 1267              | Recode   | [SIB4CANC]<br>0<br>41<br>0<br>22,039       | EVER DIAGNOSED WITH CANCER - SIBLING 4  0. Yes, but no valid cancer code given  1. Yes  9. Unknown  Blank. NA (No sibling 3 with cancer reported)  |

CR-121
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                        | Items and Codes   |
|-------------------|----------|--|---|
|                   | SECTIO   | ON HH. FAMILY                              | HISTORY OF CANCER - continued   |
| (1266-1283)       | 5-8c     |  | SIBLING NUMBER FOUR - continued   |
| 1268-1270         | 6a/b     | [SIB4CTYP]<br>16<br>9<br>10<br>6<br>22,039 | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No sibling 4 with known cancer)   |
| 1271              | 6c       | [SIB4CAN2]<br>0<br>4<br>33<br>4<br>22,039  | SIBLING 4 HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No sibling 4 with known cancer)  |
| 1272-1274         | 6d/e     | [SIB4DIAC]  1 1 0 1 1 22,076               | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  799. Unknown or ill-defined cancer Blank. NA (No sibling 4 with known cancer; only 1 type of cancer reported) |
| 1275-1276         | 7        | [SIB4AGEC]<br>0<br>28<br>0<br>13<br>22,039 | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No sibling 4 with known cancer)   |

CR-122
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                            | Items and Codes  |
|-------------------|----------|--|--|
|                   | SECTIO   | N HH. FAMILY                                   | HISTORY OF CANCER - continued  |
| (1266-1283)       | 5-8c     |  | SIBLING NUMBER FOUR - continued  |
| 1277-1280         | 8a       | [SIB4YOB]                                      | YEAR SIBLING 4 WAS BORN<br>1800-1899. 1800-1899<br>1900-1987. 1900-1987<br>999. Unknown<br>Blank. NA (No sibling 4 with known cancer)  |
| 1281              | 8b       | [SIB4LIVE]<br>17<br>24<br>0<br>22,039          | SIBLING 4 STILL LIVING  1. Yes 2. No 9. Unknown Blank. NA (No sibling 4 with known cancer)   |
| 1282-1283         | 8c       | [SIB4AGED]<br>0<br>22<br>0<br>2<br>2<br>22,056 | AGE SIBLING 4 DIED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No sibling 4 with known cancer; sibling 4 with cancer not known to have died) |
| (1284-1301)       | ) 5-8c   |  | SIBLING NUMBER FIVE  |
| 1284              |          | [SIB5SEX]<br>1<br>6<br>1<br>22,072             | SEX OF SIBLING 5  1. Male 2. Female 9. Unknown Blank. NA (No sibling 5 with cancer reported)   |
| 1285              | Recode   | [SIB5CANC]<br>0<br>8<br>0<br>22,072            | EVER DIAGNOSED WITH CANCER - SIBLING 5  0. Yes, but no valid cancer code given  1. Yes  9. Unknown  Blank. NA (No sibling 5 with cancer reported)  |
| 1286-1288         | 6a/b     | [SIB5CTYP] 5 1 1 22,072                        | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No sibling 5 with known cancer                           |

CR-123
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                      | Items and Codes  |
|-------------------|----------|--|--|
|                   | SECTION  | HH. FAMILY                               | HISTORY OF CANCER - continued  |
| (1284-1301)       | 5-8c     |  | SIBLING NUMBER FIVE - continued  |
| 1289              | 6c       | [SIB5CAN2]<br>0<br>0<br>7<br>1<br>22,072 | SIBLING 5 HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No sibling 5 with known cancer)   |
| 1290-1292         | 6d/e     | [SIB5DIAC]  0 0 0 0 0 22,080             | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  799. Unknown or ill-defined cancer Blank. NA (No sibling 5 with known cancer only 1 type of cancer reported) |
| 1293-1294         | 7        | [SIB5AGEC]<br>0<br>5<br>0<br>3<br>22,072 | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No sibling 5 with known cancer)  |
| 1295-1298         | 8a       | [SIB5YOB]                                | YEAR SIBLING 5 WAS BORN<br>1800-1899. 1800-1899<br>1900-1987. 1900-1987<br>9999. Unknown<br>Blank. NA (No sibling 5 with known<br>cancer)  |
| 1299              | 8b       | [SIB5LIVE] 3 5 0 22,072                  | SIBLING 5 STILL LIVING  1. Yes 2. No 9. Unknown Blank. NA (No sibling 5 with known cancer)   |
| 1300-1301         | 8c       | [SIB5AGED]<br>0<br>5<br>0<br>0<br>22,075 | AGE SIBLING 5 DIED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No sibling 5 with known cancer; sibling 5 with cancer not known to have died)   |

CR-124

1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                         | Items and Codes   |
|-------------------|----------|---|---|
|                   | SECTION  | N HH. FAMILY                                | HISTORY OF CANCER - continued   |
| 1302-1303         | 9a       | [NDAUGHTS]<br>10,097<br>11,665<br>0<br>318  | NUMBER OF DAUGHTERS*  00. None  01-88. 1-88 daughters  98. 1+ daughters, exact number unknown  99. Unknown  |
| 1304-1305         | 9b       | [NSONS]<br>9,814<br>11,809<br>0<br>457      | NUMBER OF SONS* 00. None 01-88. 1-88 sons 98. 1+ sons, exact number unknown 99. Unknown   |
| 1306-1308         | Recode   | [NCHLDREN]<br>21,586<br>78<br>416           | NUMBER OF CHILDREN* 000-176. 0-176 children 998. Undefined (At least 1 son or daughter, but total unknown) 999. Unknown   |
| 1309              | 10       | [CHILDCAN]<br>421<br>14,713<br>506<br>6,440 | ANY CHILDREN DIAGNOSED WITH CANCER  1. Yes (Includes children with no valid cancer code given)  2. No  9. Unknown  Blank. NA (No known children)                  |
| 1310              | Recode   | [NCHLDRNC]<br>15,228<br>412<br>0<br>6,440   | NUMBER OF CHILDREN WITH KNOWN CANCER  0. None (includes DK, unknown)  1-5. 1-5 children  6. 6+ children (only 1st 5 coded, 6 or more assumed)  Blank. No children |

<sup>\*</sup>Not edited for reasonableness.

CR-125
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                         | Items and Codes   |
|-------------------|----------|---|---|
| -                 | SECTIO   | N HH. FAMILY                                | HISTORY OF CANCER - continued   |
| (1311-1328        | ) 11-14c |   | CHILD NUMBER ONE  |
| 1311              | 11       | [CH1SEX]<br>160<br>248<br>13<br>21,659      | SEX OF CHILD 1  1. Male 2. Female 9. Unknown Blank. NA (No child 1 with cancer reported)  |
| 1312              | Recode   | [CH1CAN] 9 412 0 21,659                     | EVER DIAGNOSED WITH CANCER - CHILD 1  0. Yes, but no valid cancer code given  1. Yes  9. Unknown  Blank. NA (No child 1 with cancer reported)   |
| 1313-1315         | 12a/b    | [CH1CTYPE] 62 111 209 30 21,668             | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No child 1 with known cancer)   |
| 1316              | 12c      | [CH1CAN2]<br>1<br>51<br>344<br>16<br>21,668 | CHILD 1 HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No child 1 with known cancer)  |
| 1317-1319         | 12d/e    | [CH1DIAC]  22  8  7  11  3 22,029           | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  799. Unknown or ill-defined cancer Blank. NA (No child 1 with known cancer; only 1 type of cancer reported) |

CR-126
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                        | Items and Codes  |
|-------------------|----------|--|--|
|                   | SECTIO   | N HH. FAMILY                               | HISTORY OF CANCER - continued  |
| (1311-1328)       | 11-14c   |  | CHILD NUMBER ONE - continued   |
| 1320-1321         | 13       | [CH1AGEC]<br>2<br>373<br>0<br>37<br>21,668 | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No child 1 with known cancer)                              |
| 1322-1325         | 14a      | [CH1YOB]                                   | YEAR CHILD 1 WAS BORN<br>1800-1899. 1800-1899<br>1900-1987. 1900-1987<br>9999. Unknown<br>Blank. NA (No child 1 with known cancer  |
| 1326              | 14b      | [CH1LIVE]<br>252<br>147<br>13<br>21,668    | CHILD 1 STILL LIVING  1. Yes  2. No  9. Unknown Blank. NA (No child 1 with known cancer)   |
| 1327-1328         | 14c      | [CH1AGED]<br>1<br>139<br>0<br>7<br>21,933  | AGE CHILD 1 DIED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No child 1 with known cancer; child 1 with cancer not known to have died) |

CR-127
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                      | Items and Codes   |
|-------------------|----------|--|---|
| -                 | SECTIO   | N HH. FAMILY                             | HISTORY OF CANCER - continued   |
| (1329-1346        | ) 11-14c |  | CHILD NUMBER TWO  |
| 1329              | 11       | [CH2SEX]<br>9<br>7<br>0<br>22,064        | SEX OF CHILD 2  1. Male 2. Female 9. Unknown Blank. NA (No child 2 with cancer reported)  |
| 1330              | Recode   | [CH2CAN] 1 15 0 22,064                   | EVER DIAGNOSED WITH CANCER - CHILD 2  0. Yes, but no valid cancer code given 1. Yes 9. Unknown Blank. NA (No child 2 with cancer reported)  |
| 1331-1333         | 12a/b    | [CH2CTYPE] 4 5 6 0 22,065                | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No child 2 with known cancer)   |
| 1334              | 12c      | [CH2CAN2]<br>0<br>2<br>12<br>1<br>22,065 | CHILD 2 HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No child 2 with known cancer)  |
| 1335-1337         | 12d/e    | [CH2DIAC]  1 1 0 0 22,078                | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  799. Unknown or ill-defined cancer Blank. NA (No child 2 with known cancer; only 1 type of cancer reported) |

CR-128

1987 NHIS Epidemiology Supplement

| Data        |          | [NAME]                                   |  |
|-------------|----------|--|--|
| Locations   | Item No. | Frequency                                | Items and Codes  |
|             | SECTION  | HH. FAMILY                               | HISTORY OF CANCER - continued  |
| (1329-1346) | 11-14c   |  | CHILD NUMBER TWO - continued   |
| 1338-1339   | 13       | [CH2AGEC]<br>0<br>13<br>0<br>2<br>22,065 | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No child 2 with known cancer)                              |
| 1340-1343   | 14a      | [CH2YOB]                                 | YEAR CHILD 2 WAS BORN<br>1800-1899. 1800-1899<br>1900-1987. 1900-1987<br>9999. Unknown<br>Blank. NA (No child 2 with known cancer)   |
| 1344        | 14b      | [CH2LIVE]<br>12<br>3<br>22,065           | CHILD 2 STILL LIVING  1. Yes  2. No  9. Unknown Blank. NA (No child 2 with known cancer)   |
| 1345-1346   | 14c      | [CH2AGED]<br>0<br>2<br>0<br>1<br>22,077  | AGE CHILD 2 DIED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No child 2 with known cancer; child 2 with cancer not known to have died) |
| (1347-1364) | 11-14c   |  | CHILD NUMBER THREE   |
| 1347        | 11       | [CH3SEX]<br>0<br>0<br>0<br>0<br>22,080   | SEX OF CHILD 3  1. Male 2. Female 9. Unknown Blank. NA (No child 3 with cancer reported)   |
| 1348        | Recode   | [CH3CAN]<br>0<br>0<br>0<br>0<br>22,080   | EVER DIAGNOSED WITH CANCER - CHILD 3  0. Yes, but no valid cancer code given  1. Yes  9. Unknown  Blank. NA (No child 3 with cancer reported)  |

CR-129
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                           | Items and Codes   |
|-------------------|----------|---|---|
| ·                 |          |   |   |
|                   | SECTIO   | N HH. FAMILY                                  | HISTORY OF CANCER - continued   |
| (1347-1364)       | 11-14c   |   | CHILD NUMBER THREE - continued  |
| 1349-1351         | 12a/b    | [CH3CTYPE]<br>0<br>0<br>0<br>0<br>0<br>22,080 | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No child 3 with known cancer)   |
| 1352              | 12c      | [CH3CAN2]<br>0<br>0<br>0<br>0<br>0<br>22,080  | CHILD 3 HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No child 3 with known cancer)  |
| 1353-1355         | 12d/e    | [CH3DIAC]  0 0 0 0 0 22,080                   | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  799. Unknown or ill-defined cancer Blank. NA (No child 3 with known cancer; only 1 type of cancer reported) |
| 1356-1357         | 13       | [CH3AGEC]<br>0<br>0<br>0<br>0<br>0<br>22,080  | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No child 3 with known cancer)   |
| 1358-1361         | 14a      | [CH3YOB]                                      | YEAR CHILD 3 WAS BORN<br>1800-1899. 1800-1899<br>1900-1987. 1900-1987<br>9999. Unknown<br>Blank. NA (No child 3 with known cancer)  |

CR-130
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                           | Items and Codes  |
|-------------------|----------|---|--|
|                   | SECTION  | HH. FAMILY                                    | HISTORY OF CANCER - continued  |
| (1347-1364)       | 11-14c   |   | CHILD NUMBER THREE - continued   |
| 1362              | 14b      | [CH3LIVE]<br>0<br>0<br>0<br>0<br>22,080       | CHILD 3 STILL LIVING  1. Yes  2. No  9. Unknown  Blank. NA (No child 3 with known cancer)  |
| 1363-1364         | 14c      | [CH3AGED]<br>0<br>0<br>0<br>0<br>0<br>22,080  | AGE CHILD 3 DIED  00. Under 1 year of age 01-97. 1-97 years of age 98. 98+ years of age 99. Unknown Blank. NA (No child 3 with known cancer; child 3 with cancer not known to have died) |
| (1365-1382)       | 11-14c   |   | CHILD NUMBER FOUR  |
| 1365              | 11       | [CH4SEX]<br>0<br>0<br>0<br>0<br>22,080        | SEX OF CHILD 4  1. Male 2. Female 9. Unknown Blank. NA (No child 4 with cancer reported)   |
| 1366              | Recode   | [CH4CAN]<br>0<br>0<br>0<br>0<br>22,080        | EVER DIAGNOSED WITH CANCER - CHILD 4  0. Yes, but no valid cancer code given  1. Yes  9. Unknown  Blank. NA (No child 4 with cancer reported)  |
| 1367-1369         | 12a/b    | [CH4CTYPE]<br>0<br>0<br>0<br>0<br>0<br>22,080 | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No child 4 with known cancer)                  |
| 1370              | 12c      | [CH4CAN2]<br>0<br>0<br>0<br>0<br>0<br>22,080  | CHILD 4 HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No child 4 with known cancer)   |

CR-131
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                          | Items and Codes   |
|-------------------|----------|--|---|
|                   | SECTIO   | N HH. FAMILY                                 | HISTORY OF CANCER - continued   |
| (1365-1382)       | 11-14c   |  | CHILD NUMBER FOUR - continued   |
| 1371-1373         | 12d/e    | [CH4DIAC]  0 0 0 0 0 22,080                  | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  799. Unknown or ill-defined cancer Blank. NA (No child 4 with known cancer; only 1 type of cancer reported) |
| 1374-1375         | 13       | [CH4AGEC]<br>0<br>0<br>0<br>0<br>0<br>22,080 | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No child 4 with known cancer)   |
| 1376-1379         | 14a      | [CH4YOB]                                     | YEAR CHILD 4 WAS BORN<br>1800-1899. 1800-1899<br>1900-1987. 1900-1987<br>9999. Unknown<br>Blank. NA (No child 4 with known cancer)  |
| 1380              | 14b      | [CH4LIVE]<br>0<br>0<br>0<br>22,080           | CHILD 4 STILL LIVING  1. Yes 2. No 9. Unknown Blank. NA (No child 4 with known cancer)  |
| 1381-1382         | 14c      | [CH4AGED]<br>0<br>0<br>0<br>0<br>22,080      | AGE CHILD 4 DIED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No child 4 with known cancer;  child 4 with cancer not known to have died)   |

CR-132
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                           | Items and Codes   |
|-------------------|----------|---|---|
|                   | SECTIO   | N HH. FAMILY                                  | HISTORY OF CANCER - continued   |
| (1383-1400        | ) 11-14c |   | CHILD NUMBER FIVE   |
| 1383              | 11       | [CH5SEX]<br>0<br>0<br>0<br>22,080             | SEX OF CHILD 5  1. Male 2. Female 9. Unknown Blank. NA (No child 5 with cancer reported)  |
| 1384              | Recode   | [CH5CAN]<br>0<br>0<br>0<br>22,080             | EVER DIAGNOSED WITH CANCER - CHILD 5  0. Yes, but no valid cancer code given  1. Yes  9. Unknown  Blank. NA (No child 5 with cancer reported)                           |
| 1385-1387         | 12a/b    | [CH5CTYPE]<br>0<br>0<br>0<br>0<br>0<br>22,080 | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No child 5 with known cancer) |
| 1388              | 12c      | [CH5CAN2]<br>0<br>0<br>0<br>0<br>0<br>22,080  | CHILD 5 HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No child 5 with known cancer)                          |

CR-133
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                          | Items and Codes   |
|-------------------|----------|--|---|
|                   | SECTIO   | N HH. FAMILY                                 | HISTORY OF CANCER - continued   |
| (1383-1400)       | 11-14c   |  | CHILD NUMBER FIVE - continued   |
| 1389-1391         | 12d/e    | [CH5DIAC]  0 0 0 0 0 22,080                  | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  799. Unknown or ill-defined cancer Blank. NA (No child 5 with known cancer; only 1 type of cancer reported) |
| 1392-1393         | 13       | [CH5AGEC]<br>0<br>0<br>0<br>0<br>0<br>22,080 | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No child 5 with known cancer)   |
| 1394-1397         | 14a      | [CH5YOB]                                     | YEAR CHILD 5 WAS BORN<br>1800-1899. 1800-1899<br>1900-1987. 1900-1987<br>9999. Unknown<br>Blank. NA (No child 5 with known cancer)  |
| 1398              | 14b      | [CH5LIVE]<br>0<br>0<br>0<br>0<br>22,080      | CHILD 5 STILL LIVING  1. Yes  2. No  9. Unknown  Blank. NA (No child 5 with known cancer)   |
| 1399-1400         | 14c      | [CH5AGED]<br>0<br>0<br>0<br>0<br>22,080      | AGE CHILD 5 DIED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No child 5 with known cancer;  child 5 with cancer not known to have died)   |

CR-134

1987 NHIS Epidemiology Supplement

| <br>Data  |          | [ NAME ]  |   |
|-----------|----------|---|---|
| Locations | Item No. | Frequency   | Items and Codes   |
|           | SECTIO   | ON HH. FAMILY                                     | HISTORY OF CANCER - continued   |
| 1401      | 15       | [PARENTC]<br>8<br>1,122<br>13,881<br>629<br>6,440 | OTHER PARENT OF ANY CHILDREN HAVE CANCER  0. Yes, No valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No children)  |
| 1402      | 16b      | [PARENTCH] 972 134 24 20,950                      | OTHER PARENT OF ALL (OTHER) CHILDREN  1. Yes  2. No  9. Unknown  Blank. NA (No children; no other parent 1 with cancer reported)  |
| 1403      | Recode   | [SEXPARNT]<br>746<br>384<br>20,950                | SEX OF OTHER PARENT  1. Male 2. Female Blank. NA (No children; no other parent 1 with known cancer)   |
| 1404-1406 | 17a/b    | [PARCTYP]<br>417<br>278<br>376<br>51<br>20,958    | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No children; no other parent 1 with known cancer) |
| 1407      | 17c      | [PARCAN2] 4 185 888 45 20,958                     | OTHER PARENT HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No children; no other parent 1 with known cancer)                     |

CR-135

1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                          | Items and Codes   |
|-------------------|----------|--|---|
|                   | SECTIO   | ON HH. FAMILY                                | HISTORY OF CANCER - continued   |
| 1408-1410         | 17d/e    | [PARDIAGC]  68 44 32 38 3 21,895             | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1) 000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No children; no other parent 1 with known cancer; only 1 type of cancer reported) |
| 1411-1412         | 18       | [PARAGEC]<br>0<br>1,043<br>0<br>79<br>20,958 | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No children; no other parent 1 with known cancer)   |
| 1413-1416         | 19a      | [PARYOB]                                     | YEAR OTHER PARENT WAS BORN*  1800-1899. 1800-1899  1900-1987. 1900-1987  9999. Unknown  Blank. NA (No children; no other parent 1 with known cancer)  |
| 1417              | 19b      | [PARLIVE]<br>485<br>626<br>11<br>20,958      | OTHER PARENT STILL LIVING  1. Yes  2. No  9. Unknown  Blank. NA (No children; no other parent 1 with known cancer)  |
| 1418-1419         | 19c      | [PARAGED]<br>606<br>0<br>20<br>21,454        | AGE OTHER PARENT DIED 01-97. 1-97 years of age 98. 98+ years of age 99. Unknown Blank. NA (No children; no other parent 1 with known cancer; other parent 1 with cancer not known to have died)   |

<sup>\*</sup>Not edited for reasonableness.

CR-136
1987 NHIS Epidemiology Supplement

| Data      |          | [NAME]            |   |
|-----------|----------|-------------------|---|
| Locations | Item No. | Frequency         | Items and Codes                                       |
|           | SECTIO   | ON HH. FAMILY     | HISTORY OF CANCER - continued                         |
| 1420-1421 | 20a      | [NCHNATP]         | NUMBER OF CHILDREN NATURAL PARENTS HAD TOGETHER       |
|           |          | 1,068             | 01-40. 1-40 children                                  |
|           |          | 54<br>20,958      | 99. Unknown Blank. NA (No children; no other parent 1 |
|           |          | 20,550            | with known cancer)                                    |
| 1422-1423 | 20b      | [NSNATP]          | NUMBER OF SONS  |
|           |          | 222<br>857        | 00. None<br>01-20. 1-20 sons                          |
|           |          | 857<br>43         | 99. Unknown   |
|           |          | 20,958            | Blank. NA (No children; no other parent 1             |
|           |          |                   | with known cancer)                                    |
| 1424-1425 | 20b      | [NDNATP]          | NUMBER OF DAUGHTERS                                   |
|           |          | 243               | 00. None  |
|           |          | 846<br>33         | 01-20. 1-20 daughters 99. Unknown                     |
|           |          | 20,958            | Blank. NA (No children; no other parent 1             |
|           |          | ,                 | with known cancer)                                    |
| 1426      | 15       | [OTHRPC]          | OTHER PARENT OF ANY (OTHER) CHILDREN                  |
|           |          | 0                 | HAVE CANCER 0. Yes, no valid cancer code given        |
|           |          | 6                 | 1. Yes  |
|           |          | 74                | 2. No   |
|           |          | 54                | 9. Unknown  |
|           |          | 21,946            | Blank. NA (No children; no other parent 2)            |
| 1427      | 16b      | [NATPAR2]         | OTHER PARENT OF ALL (OTHER) CHILDREN                  |
| 112,      | 102      | 1                 | 1. Yes  |
|           |          | 4                 | 2. No   |
|           |          | 1                 | 9. Unknown  |
|           |          | 22,074            | Blank. NA (No children; no other parent 2;            |
|           |          |                   | no other parent 2 with cancer reported)               |
| 1420      | Dogođe   |                   | CEV OF OTHER DARRIES                                  |
| 1428      | Recode   | [ SEXNATP2 ]<br>4 | SEX OF OTHER PARENT  1. Male                          |
|           |          | 2                 | 2. Female   |
|           |          | 22,074            | Blank. NA (No children; no other parent 2;            |
|           |          |                   | no other parent 2 with cancer)                        |

CR-137

1987 NHIS Epidemiology Supplement

| Data      |          | [NAME]                                   |  |
|-----------|----------|--|--|
| Locations | Item No. | Frequency                                | Items and Codes  |
|           | SECTION  | HH. FAMILY                               | HISTORY OF CANCER - continued  |
| 1429-1431 | 17a/b    | [NATP2CTY] 5 0 1 22,074                  | KIND OF CANCER/PART OF BODY  140-165. Cancer Type (Refer to ICD  170-175. Code List)  179-208.  799. Unknown or ill-defined cancer  Blank. NA (No children; no other parent 2  no other parent 2 with known  cancer)   |
| 1432      | 17c      | [NATP2C2]<br>0<br>1<br>2<br>3<br>22,074  | OTHER PARENT HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No children; no other parent 2; no other parent 2 with known cancer)   |
| 1433-1435 | 17d/e    | 0<br>0<br>0<br>1<br>0<br>22,079          | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  799. Unknown or ill-defined cancer Blank. NA (No children; no other parent 2; no other parent 2 with known cancer; only 1 type of cancer reported) |
| 1436-1437 | 18       | [NATP2AGC]<br>0<br>3<br>0<br>3<br>22,074 | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  Blank. NA (No children; no other parent 2; no other parent 2 with known cancer)   |

CR-138

1987 NHIS Epidemiology Supplement

| Data      |          | [NAME]                             |  |
|-----------|----------|------------------------------------|--|
| Locations | Item No. | Frequency                          | Items and Codes  |
|           | SECTION  | N HH. FAMILY                       | HISTORY OF CANCER - continued  |
| 1438-1441 | 19a      | [NATP2YOB]                         | YEAR OTHER PARENT WAS BORN  1800-1899. 1800-1899  1900-1987. 1900-1987  9999. Unknown  Blank. NA (No children; no other parent 2; no other parent 2 with known cancer)   |
| 1442      | 19b      | [NATP2LIV]  1 4 1 22,074           | OTHER PARENT STILL LIVING  1. Yes  2. No  9. Unknown  Blank. NA (No children; no other parent 2; no other parent 2 with known cancer)  |
| 1443-1444 | 19c      | [NATP2AGD] 3 0 1 22,076            | AGE OTHER PARENT DIED 01-97. 1-97 years of age 98. 98+ years of age 99. Unknown Blank. NA (No children; no other parent 2; no other parent 2 with known cancer; other parent 2 with cancer not known to have died) |
| 1445-1446 | 20a      | [NCHNATP2]  5 1 22,074             | NUMBER OF CHILDREN NATURAL PARENTS HAD TOGETHER 01-40. 1-40 children 99. Unknown Blank. NA (No children; no other parent 2; no other parent 2 with known cancer)   |
| 1447-1448 | 20b      | [NSNATP2] 2 3 1 22,074             | NUMBER OF SONS  00. None  01-20. 1-20 sons  99. Unknown  Blank. NA (No children; no other parent 2; no other parent 2 with known cancer)   |
| 1449-1450 | 20b      | [NDNATP2]<br>0<br>5<br>1<br>22,074 | NUMBER OF DAUGHTERS  00. None  01-20. 1-20 daughters  99. Unknown  Blank. NA (No children; no other parent 2; no other parent 2 with known cancer)   |

CR-139
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                     | Items and Codes  |
|-------------------|----------|---|--|
|                   | SECTION  | HH. FAMILY                              | HISTORY OF CANCER - continued  |
| 1451              | 15       | [NATP3C]<br>0<br>1<br>1<br>2<br>22,076  | OTHER PARENT OF ANY CHILDREN HAVE CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No children; no other parent 3)  |
| 1452              | 16b      | [NATP3CHD]<br>0<br>1<br>0<br>22,079     | OTHER PARENT OF ALL (OTHER) CHILDREN  1. Yes  2. No  9. Unknown  Blank. NA (No children; no other parent 3; no other parent 3 with cancer reported)  |
| 1453              | Recode   | [SEXNATP3]<br>1<br>0<br>22,079          | SEX OF OTHER PARENT  1. Male 2. Female Blank. NA (No children; no other parent 3; no other parent 3 with cancer reported)  |
| 1454-1456         | 17a/b    | [NATP3CTY]  1  0  0  0  22,079          | KIND OF CANCER/PART OF BODY 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208. 799. Unknown or ill-defined cancer Blank. NA (No children; no other parent 3; no other parent 3 with known cancer) |
| 1457              | 17c      | [NATP3C2]<br>0<br>0<br>0<br>1<br>22,079 | OTHER PARENT HAVE ANY OTHER KIND OF CANCER  0. Yes, no valid cancer code given  1. Yes  2. No  9. Unknown  Blank. NA (No children; no other parent 3; no other parent 3 with known cancer)                     |

CR-140
1987 NHIS Epidemiology Supplement

| Data      |          | [NAME]                              |  |
|-----------|----------|-------------------------------------|--|
| Locations | Item No. | Frequency                           | Items and Codes  |
|           | SECTION  | N HH. FAMILY                        | HISTORY OF CANCER - continued  |
| 1458-1460 | 17d/e    | [NATP3DIC]                          | KIND OF CANCER FIRST DIAGNOSED (IF MORE THAN 1)  |
|           |          | 0<br>0<br>0<br>0                    | 000. Same Cancer as previously reported 140-165. Cancer Type (Refer to ICD 170-175. Code List) 179-208.  |
|           |          | 0<br>22,080                         | 799. Unknown or ill-defined cancer Blank. NA (No children; no other parent 3 no other parent 3 with known cancer; only 1 type of cancer reported)  |
| 1461-1462 | 18       | [NATP3AGC]<br>0<br>0<br>0<br>1      | AGE WHEN CANCER FIRST DIAGNOSED  00. Under 1 year of age  01-97. 1-97 years of age  98. 98+ years of age  99. Unknown  |
|           |          | 22,079                              | Blank. NA (No children; no other parent 3; no other parent 3 with known cancer)  |
| 1463-1466 | 19a      | [NATP3YOB]                          | YEAR OTHER PARENT WAS BORN  1800-1899. 1800-1899  1900-1987. 1900-1987  9999. Unknown  Blank. NA (No children; no other parent 3; no other parent 3 with known cancer)   |
| 1467      | 19b      | [NATP3LIV]<br>0<br>0<br>1<br>22,079 | OTHER PARENT STILL LIVING  1. Yes  2. No 9. Unknown  Blank. NA (No children; no other parent 3; no other parent 3 with known cancer)   |
| 1468-1469 | 19c      | [NATP3AGD]<br>0<br>0<br>0<br>22,080 | AGE OTHER PARENT DIED 01-97. 1-97 years of age 98. 98+ years of age 99. Unknown Blank. NA (No children; no other parent 3; no other parent 3 with known cancer; other parent 3 with cancer not known to have died) |

CR-141
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                | Items and Codes   |
|-------------------|----------|------------------------------------|---|
|                   | SECTIO   | ON HH. FAMILY                      | HISTORY OF CANCER - continued   |
| 1470-1471         | 20a      | [NCHNATP3]<br>0<br>1<br>22,079     | NUMBER OF CHILDREN NATURAL PARENTS HAD TOGETHER 01-40. 1-40 children 99. Unknown Blank. NA (No children; no other parent 3; no other parent 3 with      |
| 1472-1473         | 20b      | [NSNATP3]<br>0<br>0<br>1<br>22,079 | known cancer)  NUMBER OF SONS  00. None  01-20. 1-20 sons  99. Unknown  Blank. NA (No children; no other parent 3; no other parent 3 with known cancer) |
| 1474-1475         | 20b      | [NDNATP3]<br>0<br>1<br>0<br>22,079 | NUMBER OF DAUGHTERS  00. None  01-20. 1-20 daughters  99. Unknown  Blank. NA (No children; no other parent 3; no other parent 3 with known cancer)      |

CR-142
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency                 | Items and Codes   |
|-------------------|----------|-------------------------------------|---|
|                   |          | SECTION II                          | . CANCER SURVIVORSHIP   |
| 1476              | 1        | [CANCER]<br>35<br>1,239             | EVER TOLD BY DOCTOR THAT YOU HAVE CANCER  0. Yes, but disease reported is not cancer  1. Yes, and disease reported is cancer  |
|                   |          | 20,581<br>225                       | 2. No<br>9. Unknown   |
| 1477-1479         | 2a/b     | [CANCTYPE]<br>1,171<br>68<br>20,841 | KIND OF CANCER/DISEASE 140-208. Specific ICD cancer codes 799. Unknown or ill-defined cancer Blank. NA (Never told had cancer, only "cancer" reported was non-cancer)   |
| 1480-1481         | 3        | [CANCAGE]<br>1,216<br>23<br>20,841  | AGE WHEN CANCER WAS FIRST DIAGNOSED 01-98. 1-98 years of age 99. Unknown Blank. NA (Never told had cancer, only "cancer" reported was non-cancer)   |
| 1482              | 4        | [OTHRCAN] 2 103 1,123 11 20,841     | HAD ANY OTHER KIND OF CANCER  0. Yes, but disease reported is not cancer  1. Yes, and disease reported is cancer  2. No  9. Unknown  Blank. NA (Never told had cancer, only "cancer" reported was non-cancer) |
| 1483-1485         | 5a/b     | [OTHRCTYP]<br>87<br>16<br>21,977    | TYPE OF OTHER CANCER 140-208. Specific ICD cancer codes 799. Unknown or ill-defined cancer Blank. NA (Never told had cancer, only "cancer" reported was non-cancer, only 1 type of cancer reported)           |
| 1486-1487         | 6        | [AGEOTHRC]<br>96<br>7<br>21,977     | AGE OTHER CANCER FIRST DIAGNOSED 01-98. 1-98 years of age 99. Unknown Blank. NA (Never told had cancer, only "cancer" reported was non-cancer, only 1 type of cancer reported)                                |

CR-143
1987 NHIS Epidemiology Supplement

| Data<br>Locations                           | Item No. | [NAME]<br>Frequency                              | Items and Codes   |  |  |  |
|---|----------|--|---|--|--|--|
| SECTION II. CANCER SURVIVORSHIP - continued |          |  |   |  |  |  |
| 1488-1489                                   | Recode   | [CANCAGER]<br>1,210<br>29                        | AGE CANCER FIRST DIAGNOSED 01-98. 1-98 years of age 99. Unknown   |  |  |  |
|   |          | 20,841   | Blank. NA (Never told had cancer, only "cancer" reported was non-cancer)  |  |  |  |
|   |          | SECTION JJ.                                      | OCCUPATIONAL EXPOSURE   |  |  |  |
| 1490  | Recode   | [WRKSTATR]<br>818<br>21,156<br>106               | LIFETIME WORK STATUS  1. Never worked  2. Worked  9. Unknown if worked  |  |  |  |
| 1491-1493                                   | 1        | [WORKTYPE] 20,891 818 106 265                    | KIND OF WORK DONE THE LONGEST (OCCUPATION) 003-889. Occupation Code Number 990. Never worked 998. Unknown if worked 999. Unknown occupation                                 |  |  |  |
| 1494-1495                                   | 3a       | [TTULGOC] 698 19,931 0 106 527 818               | HOW LONG WORK AT LONGEST OCCUPATION  00. Less than one year  01-96. 1-96 years  97. 97+ years  98. Unknown if worked  99. Unknown number of years  Blank. NA (Never worked) |  |  |  |
| 1496-1497                                   | 3b       | [AGEBEGOC]<br>19,939<br>0<br>106<br>1,217<br>818 | AGE WHEN STARTED LONGEST OCCUPATION 10-96. 10-96 years of age 97. 97+ years of age 98. Unknown if worked 99. Unknown age Blank. NA (Never worked)                           |  |  |  |
| 1498-1500                                   | 4        | [LGINDTYP] 20,865 818 106 291                    | KIND OF INDUSTRY WORKED IN THE LONGEST 010-932. Industry Code Number 990. Never worked 998. Unknown if worked 999. Unknown industry   |  |  |  |

CR-144

1987 NHIS Epidemiology Supplement

| Data      | T. 37    | [NAME]        |            | T. 1.0.1                |  |
|-----------|----------|---------------|------------|-------------------------|--|
| Locations | Item No. | Frequency     |            | Items and Codes         |  |
|           | SEC      | TION JJ. OCCU | JPATIONAL  | EXPOSURE - continued    |  |
| 1501      | 5        | [WKCLASS2]    | CLASS      | OF WORKER               |  |
|           |          | 114           | 0.         | Working without pay     |  |
|           |          | 15,714        | 1.         | Private                 |  |
|           |          | 280           | 2.         | Armed Forces            |  |
|           |          | 708           | 3.         | Federal Government      |  |
|           |          | 796           | 4.         | State Government        |  |
|           |          | 1,700         | 5.         | Local Government        |  |
|           |          | 282           | 6.         | Incorporated Business   |  |
|           |          | 1,304         | 7.         | Self-employed           |  |
|           |          | 106           | 8.         | Unknown if worked       |  |
|           |          | 258           | 9.         | Unknown class           |  |
|           |          | 818           | Blank.     | NA (Never worked)       |  |
| 1502-1503 | Recode   | [OCCUPR3]     | OCCUPAT    | ION RECODE 1            |  |
|           |          | 20,875        | 01-41.     |                         |  |
|           |          | 281           | 95.        |                         |  |
|           |          | 106           | 96.        | Unknown if worked       |  |
|           |          | 818           | 97.        | Never worked            |  |
| 1504-1505 | Recode   | [OCCUPR4]     | ОССПРАТ    | ION RECODE 2            |  |
| 1301 1303 | necode   | 20,875        | 01-13.     |                         |  |
|           |          | 281           |            | Unknown occupation      |  |
|           |          | 106           |            | Unknown if worked       |  |
|           |          | 818           | 16.        |                         |  |
| 1506-1507 | Recode   | [INDUSTR1]    | מיייטווועד | Y RECODE 1              |  |
| 1300 1307 | recode   | 20,846        |            | See attached - specific |  |
|           |          | 310           |            | Unknown industry        |  |
|           |          | 106           | 96.        | <u> -</u>               |  |
|           |          | 818           | 97.        | Never worked            |  |
|           |          |               |            |                         |  |
| 1508-1509 | Recode   | [INDUSTR2]    |            | Y RECODE 2              |  |
|           |          | 20,846        |            | See attached - specific |  |
|           |          | 310           |            | Unknown industry        |  |
|           |          | 106           |            | Unknown if worked       |  |
|           |          | 818           | 16.        | Never worked            |  |

CR-145
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.      | [NAME]<br>Frequency                                      | Items and Codes   |
|-------------------|---------------|--|---|
|                   | SEC           |  | GHT, WEIGHT, RELATIONSHIPS AND<br>CIAL ACTIVITIES   |
| (1510-1512        | )             |  | HEIGHT  |
| 1510              |               | [HTINFEET]<br>21,725<br>355                              | FEET 3-8. 3-8 feet 9. Unknown   |
| 1511-1512         |               | [HTININCH]<br>21,673<br>407                              | INCHES<br>00-12. 0-12 inches<br>99. Unknown   |
| 1513-1514         | 1<br>Recode   | [INCHESR]<br>21,671<br>0<br>409                          | HEIGHT IN INCHES 36-97. 36-97 inches 98. 98 or more inches 99. Unknown  |
| 1515-1517         | 2             | [WEIGHT2]<br>21,586<br>494                               | WEIGHT WITHOUT SHOES<br>050-500. 50-500 pounds<br>999. Unknown  |
| 1518-1520         | 3             | [HIGHSTWT]<br>21,606<br>474                              | HIGHEST WEIGHT<br>050-500. 50-500 pounds<br>999. Unknown  |
| 1521-1523         | 1,2<br>Recode | [BODYMASS]<br>21,495<br>585                              | BODY MASS INDEX - CURRENT WEIGHT 001-998. 00.1 to 99.8 999. Undefined   |
| 1524              | 1,2<br>Recode | [WTTOSTD]  2,894 2,180 4,744 2,395 3,641 2,245 3,046 935 | DESIRABLE WEIGHT (1983 MLIC STANDARDS)  1. 10% or more below desirable weight 2. 5-9.9% below desirable weight 3. +4.9% of desirable weight 4. 5-9.9% above desirable weight 5. 10-19.9% above desirable weight 6. 20-29.9% above desirable weight 7. 30% or more above desirable weight 9. Unknown |

CR-146

1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No. | [NAME]<br>Frequency | Items and Codes   |
|-------------------|----------|---------------------|---|
|                   | SEC      |                     | GHT, WEIGHT, RELATIONSHIPS AND                          |
|                   |          | SOCIAL A            | CTIVITIES - continued                                   |
| 1525-1526         | 4a       | [NFRNHLP]           | NUMBER OF FRIENDS CAN CALL ON FOR HELP                  |
|                   |          | 3,069               | 00. None  |
|                   |          | 18,403              | 01-98. 1-98 friends                                     |
|                   |          | 608                 | 99. Unknown   |
| 1527-1528         | 4b       | [NRELHLP]           | NUMBER OF RELATIVES CAN CALL ON FOR HELP                |
|                   |          | 2,182               | 00. None  |
|                   |          | 19,366              | 01-98. 1-98 relatives                                   |
|                   |          | 532                 | 99. Unknown   |
| 1529-1530         | 4c       | [NTLKMO]            | NUMBER OF FRIENDS/RELATIVES TALK<br>TO ONCE A MONTH     |
|                   |          | 447                 | 00. None  |
|                   |          | 20,065              | 01-98. 1-98 friends/relatives                           |
|                   |          | 720                 | 99. Unknown   |
|                   |          | 848                 | Blank. NA (No friends or relatives to call on for help) |
| (1531-1533        | ) 5a     |                     | FREQUENCY OF PARTICIPATION IN SOCIAL ACTIVITIES*        |
| 1531-1532         |          | [NTUSOCAC]          | NUMBER OF TIME UNITS                                    |
|                   |          | 8,147               | 00. Never   |
|                   |          | 13,414              | 01-98. 1-98 weeks, months, years                        |
|                   |          | 519                 | 99. Unknown   |
| 1533              |          | [TTUSOCAC]          | TIME UNIT   |
|                   |          | 8,147               | 0. Never  |
|                   |          | 6,806               | 2. Week   |
|                   |          | 5,258               | 3. Month  |
|                   |          | 1,350               | 4. Year   |
|                   |          | 519                 | 9. Unknown  |
| 1534-1536         | 5a       | [SOCACTYR]          | TIMES PER YEAR PARTICIPATES IN                          |
| 222 _300          | Recode   |                     | SOCIAL ACTIVITIES*                                      |
|                   |          | 8,147               | 000. Never  |
|                   |          | 13,412              | 001-997. 1-997 times per year                           |
|                   |          | ,                   |   |
|                   |          | 2                   | 998. 998 or more times per year                         |

<sup>\*</sup>Not edited for reasonableness.

CR-147
1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.     | [NAME]<br>Frequency                  | Items and Codes  |
|-------------------|--------------|--------------------------------------|--|
|                   | SEC          |                                      | GHT, WEIGHT, RELATIONSHIPS AND CTIVITIES - continued   |
| (1537-1539        | ) 5b         |                                      | FREQUENCY OF RELIGIOUS ATTENDANCE*   |
| 1537-1538         |              | [NTURELIG]<br>7,011<br>14,605<br>464 | NUMBER OF TIME UNITS 00. Never 01-98. 1-98 weeks, months, years 99. Unknown  |
| 1539              |              | 7,011<br>7,725                       | TIME UNITS  0. Never  2. Week  3. Month  4. Year  9. Unknown   |
| 1540-1542         | 5b<br>Recode | [NTRELYR] 7,011 14,603 2 464         | TIMES PER YEAR ATTENDS RELIGIOUS SERVICES* 000. Never 001-997. 1-997 times per year 998. 998 or more times per year 999. Unknown |
| 1543-1546         | 2<br>Recode  | [WTINKGR]<br>21,586<br>494           |  |

<sup>\*</sup>Not edited for reasonableness.

CR-148

1987 NHIS Epidemiology Supplement

| Data<br>Locations | Item No.  | [NAME]<br>Frequency | Item   | s and Codes   |
|-------------------|-----------|---------------------|--|---|
|                   | S         | ECTION BB.          | FOOD FREQ  | UENCY - continued   |
| 1547-1548         | Generated | [FLAGNFDI]          | FLAG FOR CASES WHERE NUMBER OF<br>TIMES FOODS CONSUMED CODED<br>INCONSISTENTLY         |   |
|                   |           | 99                  | 01-56.   | 1-56 foods where number of times equals 000 and time units not equal 0 or where number of times equals 001-888 and time units equals 0. |
|                   |           | 21,981              | Blank.   | NA No foods meeting these conditions.   |
| 1549              | Generated | [FLAGNBVI]          | FLAG FOR CASES WHERE NUMBER OF<br>TIMES BEVERAGES CONSUMED CODED<br>INCONSISTENTLY     |   |
|                   |           | 6                   | 1-3.   | 1-3 Beverages where number of times equals 001-888 and time units equal 0.  |
|                   |           | 22,074              | Blank.   | NA No beverage meeting these conditions.  |
| 1550-1551         | Generated | [FLAGSIZB]          | FLAG FOR CASES WHERE PORTION SIZE<br>LEFT BLANK, BUT VALID NUMBER OF<br>TIMES CONSUMED |   |
|                   |           | 1,620               | 01-55.   | 1-55 foods/beverage where number of times equals 001-888 and portion size left blank.   |
|                   |           | 20,460              | Blank.   | NA No foods/beverages meeting these conditions.   |

CR-149
1987 NHIS Epidemiology Supplement

| Data      |           | [ NAME ]        |   |  |
|-----------|-----------|-----------------|---|--|
| Locations | Item No.  | Frequency       | Items and Codes   |  |
|           | S         | SECTION BB.     | FOOD FREQ   | UENCY - continued  |
| 1552-1553 | Generated | [FLAGSIZO]      | FLAGS FOR CASES WHERE PORTION<br>SIZE ORIGINALLY = 0, BUT<br>VALID NUMBER OF TIMES CONSUMED |  |
|           |           | 26              | 01-56.  | 1-56 foods where number of times equals 001-888 and time unit does not equal 0 (before editing). |
|           |           | 22,054          | Blank.  | NA No foods meeting these conditions.  |
|           | S         | SECTION DD.     | FOOD KNOW   | LEDGE - continued  |
| 1554      | 1g        | [DKTOCHG]       | DON'T K   | NOW TO "WHAT ARE CHANGES"*   |
|           |           | 22<br>22,058    | — ·   | Mentioned<br>Not mentioned; not applicable   |
| 1555      | 3         | [DKTODIS]       |   | NOW TO "DISEASE RELATED TO<br>OPLE EAT AND DRINK"*   |
|           |           | 2,601<br>19,479 |   | Mentioned Not mentioned; not applicable  |
| 1556-1600 |           |                 | BLANK   |  |

<sup>\*</sup>Subset of all true unknowns