

1991 NATIONAL HEALTH INTERVIEW SURVEY (NHIS)

DRUG AND ALCOHOL USE DATA FILE

Guidelines for Citation of Data

With the goal of mutual benefit, the National Center for Health Statistics (NCHS) requests that recipients of data files cooperate in certain actions related to their use.

Any published material derived from the data should acknowledge NCHS as the original source. The suggested citation to appear at the bottom of all tables is as follows:

Source: National Center for Health Statistics (1991)

When cited in a bibliography, the suggested citation should read:

National Center for Health Statistics (1992). Public Use File Documentation, National Health Interview Survey of Drug and Alcohol Use, 1991 (machine readable data file and documentation), National Center for Health Statistics, Hyattsville, Maryland.

The published material should also include a disclaimer that credits any analyses, interpretations, or conclusions reached to the author (recipient of the data file) and not to NCHS, which is responsible only for the initial data. Consumers who wish to publish a technical description of the data should make a reasonable effort to insure that the description is not inconsistent with that published by NCHS.

1
1

1991 National Health Interview Survey
of Drug and Alcohol Use (NHIS-DAU)
Public Use Tape

1. The 1991 NHIS of Drug and Alcohol Use (NHIS-DAU) data were obtained from a self-administered questionnaire, given to all special topic sample persons 18-44 years of age.
2. The NHIS-DAU Sample person tape consists of:
 - a. The NHIS person record from the core questionnaire (locations 1-200)
 - b. Weight fields (locations 201-212).
 - c. The special topic (DAU) data (locations 336-512).
3. Item non-response was handled differently than in many NHIS special topic questionnaires. Because the questionnaire was self-administered and "Don't know" was not listed as a valid response, all missing or out of range codes were combined into a single "unknown" category (code = 9).

For most of the data items on this tape, there is a numeric code for each respondent. Blanks only appear in the symptom checklists for respondents for whom it is definitely known that they never used the drug (lifetime and 12 month symptoms questions) or that they most recently used it more than 12 months ago (12-month symptom questions). Respondents for whom lifetime use status or recency of use is unknown, have 9's in the symptoms

checklists when a 'yes' or a 'no' was not given.

Throughout the data tape, unknowns (9's) include persons who did not know the answer to a specific question as well as persons who left large sections (or even the remainder of the questionnaire) blank after beginning to answer the questions.

This situation is particularly noteworthy in the symptom checklist where the unknowns far exceed the valid codes. Although the unknowns are large, their inclusion allows the analyst maximum flexibility in that any information that was obtained, is retained.

4. The response rate for the NHIS-DAU was 75.4 percent. This response rate was calculated as follows:

Household response rate from core (95.7 percent) multiplied by the
DAU sample person response rate (78.8 percent)

= 75.4 percent

1

The response rate for the NHIS-DAU is somewhat lower than is typical for NHIS special topic surveys. This may be attributable, at least in part, to the rule that no telephone follow-ups were permitted for persons not at home at the time of the initial visit. Sensitivity of the topic could also have contributed to lower response rates.

5. Comparison of sociodemographic characteristics of respondents and non-respondents indicated women were more likely than men to respond to the drug questionnaire: 74.3 percent of men and 82.5 percent of women who were identified as sample persons eligible for the NHIS of Drug and Alcohol Use (NHIS-DAU) responded to all or part of the NHIS-DAU. Response rates varied by race: white men (74.7 percent); black men, 69.9 percent; white women, 83.3 percent, black women, 80.3 percent.
6. Weights:

Weights must be used to make accurate estimates based on data from the National Health Interview Survey. Two weights are included on the 1991 NHIS-DAU Sample Person tape:

- a. The Final Basic Weight (location 207-212), calculated for each sample person, is the weight that will be used in most analyses of the DAU data. This weight is the functional equivalent of the Annual Final Basic Weight found on the NHIS Person Record of the Basic Health and Demographic component of the survey (i.e the Core questionnaire).

The DAU Final Basic Weight differs in two ways from that calculated for the Core data tape: (1) the DAU sample was re-weighted to account for non-response and selection of only one adult per family and, (2) the weight field on the core data tape is in binary format and the weight field on this tape is in character format.

- b. The Interim Basic Weight (before age-sex-race adjustment), required by some software packages for variance estimation for surveys with complex sample designs, is also included on the tape (loc. 201-206).

7. Estimating numbers of events or conditions

- a. To reduce respondent error, the recall period for questions about some events is limited to two weeks. These events are: bed days and other restricted activity days, work loss and school loss days, and doctor visits. The two-week variables are found in locations 98-107 and 120-121. Estimates of the total number of occurrences of these events in the population can be derived as follows:

1

Number of events x 26 (number of two-week periods in a year) x
Final Basic Weight

= Total number of events occurring in the population during
the data year, i.e. 1991.

Example: Number of bed days (loc. 100-101) x 26 x Final Basic Weight
(loc. 207-212) = total number of bed days reported for the population
in 1991.

- b. The recall period for acute incidence conditions is also two weeks and an annual estimate of the total number of acute incidence conditions is calculated using the same procedures as for two-week events:

Number of acute incidence conditions x 26 x Final Basic Weight

= Total number of acute incidence conditions occurring in the
population during 1991.

Note: An acute incidence condition is an acute condition with
onset during the two weeks preceding the date of interview.

- c. The recall period for information on hospitalizations is 12 months. However, in calculating number of discharges and number of days in hospital (locations 132-141), only discharges occurring in the past 6 months are counted. Therefore, the weighted estimates for these events must be calculated as follows:

(1) Number of discharges x 2 (number of 6-month periods in a year) x
Final Basic Weight

= Total number of discharges occurring in the population in
one year.

(2) Number of days in hospital associated with discharges occurring
in the past 6 months x 2 (number of 6-month periods in a year) x
Final Basic Weight

= Total number of days of hospitalization occurring in the
population in one year.

8. Calculation of rates for events and conditions:

The number of events or conditions estimated for the population, as
described in item 7, above, can be used as the basis for calculating rates

of occurrence of these events (or conditions) per person and per 100 persons for the total U.S. population and for various population subgroups.

Note: Only rates can be estimated from these data. The percent of the population experiencing a particular type of event during the data year cannot be estimated. {The percent of the population experiencing the event in the reporting period (i.e. two weeks or 6 months) can be estimated but is generally not meaningful.}

- 9. Data on hospital episodes and days, based on a 12-month recall are locations 122-131. The Final Basic Weight is used for calculating estimates of these events in the same way it is used for all other person-based variables. These variables do permit estimating the percent of the population experiencing a hospital episode in the past year and the percent of the population having a specified number of hospital days.

This description prepared by:

Charlotte A. Schoenborn
IDSB
March, 1993

NATIONAL HEALTH INTERVIEW SURVEY

PUBLIC USE DATA

- - - - -

The recipient of these microdata has signed the Data Use Agreement shown below. All users of the data are bound by this Agreement. Please read the statement and understand the responsibilities that accompany the use of all data sets from the National Center for Health Statistics.

- - - - -

DATA USE AGREEMENT - The Public Health Service Act (42 U.S.C. 242m(d)) provides that the data collected by the National Center for Health Statistics (NCHS) may be used only for the purpose for which they were obtained; any effort to determine the identity of any reported cases, or to use the information for any purpose other than for health statistical reporting and analysis, would violate this statutory restriction and the conditions of the data use agreement. NCHS does all it can to assure that the identity of data subjects cannot be disclosed; all direct identifiers, as well as characteristics that might lead to identifications, are omitted from the data set. Nevertheless, it may be possible in rare instances, through complex analysis, and with outside information to ascertain from the data sets the identity of particular persons or establishments. Considerable harm could ensue if this were done.

Therefore, the undersigned gives the following assurances with respect to all NCHS data sets:

- . I will not use nor permit others to use the data in these sets in anyway except for statistical reporting and analysis;
- . I will not release nor permit others to release the data sets or any part of them to any person who is not a member of this organization, except with the approval of NCHS;
- . I will not attempt to link nor permit others to attempt to link the data set with individually identifiable records from any other NCHS or non-NCHS data set.
- . I will not attempt to use the data sets to learn the identity of any person or establishment included in any set; and
- . If the identity of any person or establishment should be discovered inadvertently, then (a) no use will be made of this knowledge, (b) the Director of NCHS will be advised of the incident, (c) the information that would identify an individual or establishment will be safeguarded or destroyed as requested by NCHS, and (d) no one else will be informed of the discovered identity.

My signature indicates my agreement to comply with the above-stated statutorily-based requirements with the knowledge that deliberately making a false statement in any matter within the jurisdiction of any department or agency of the Federal Government violates 18 U.S.C. 1001 and is punishable by a fine of up to \$10,000 or up to 5 years in prison.

Signed: _____ Date: _____

1
1

DR-1

NATIONAL HEALTH INTERVIEW SURVEY
1991 DRUG AND ALCOHOL USE PUBLIC USE DATA FILE
Outline of Items and Codes
Number of Records = 21,174

Tape Locations	Item No.	Frequency	Items and Codes
1-2	-	21,174	RECORD TYPE 95. Drug and Alcohol Use Record
3-4	-	21,174	PROCESSING YEAR 91. 1991
5	-	5,099 5,423 5,317 5,335	PROCESSING QUARTER 1. Quarter 1 2. Quarter 2 3. Quarter 3 4. Quarter 4
6-8	HH-5		RANDOM RECODE OF PSU NUMBER
9-10	HH-5		WEEK - CENSUS CODE*

01, 21, 41, 61, 81 ... Week 01
 02, 22, 42, 62, 82 ... Week 02
 03, 23, 43, 63, 83 ... Week 03
 04, 24, 44, 64, 84 ... Week 04
 05, 25, 45, 65, 85 ... Week 05
 06, 26, 46, 66, 86 ... Week 06
 07, 27, 47, 67, 87 ... Week 07
 08, 28, 48, 68, 88 ... Week 08
 09, 29, 49, 69, 89 ... Week 09
 10, 30, 50, 70, 90 ... Week 10
 11, 31, 51, 71, 91 ... Week 11
 12, 32, 52, 72, 92 ... Week 12
 13, 33, 53, 73, 93 ... Week 13

*This code represents the initial week of assignment. The interview may be re-assigned for administrative purposes. See Locations 19-20 for the code which reflects the actual week assigned for conducting the interview.

1

DR-2

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
11-12	HH-5		SEGMENT NUMBER Week plus Segment Number identifies the segment
13-14	HH-5		HOUSEHOLD NUMBER Numbered within PSU-Week-Segment
15-16	-		PERSON NUMBER
17-18	-		BLANK (Record Serial Number on other record types).
19-20	HH-5		PROCESSING WEEK CODE (Numbered within Quarter)
		1,240	01. Week 01
		1,655	02. Week 02
		1,616	03. Week 03
		1,709	04. Week 04
		1,698	05. Week 05
		1,717	06. Week 06
		1,742	07. Week 07
		1,632	08. Week 08
		1,645	09. Week 09
		1,599	10. Week 10

1,582	11. Week 11
1,704	12. Week 12
1,635	13. Week 13

21	Recode		LATE INTERVIEW (OR LAST ATTEMPT) FLAG
		13,847	0. Interview not late
		6,045	1. One week late
		905	2. Two weeks late
		377	3. Unknown

1

DR-3

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
22-23	HH-10d		TYPE OF LIVING QUARTERS:
			Housing Unit = (00-07)
		285	00. Housing unit; kind unknown
		19,300	01. House, apartment, flat
		6	02. HU in nontransient hotel, motel, etc.
		7	03. HU-permanent in transient hotel, motel, etc.
		8	04. HU in rooming house
		1,029	05. Mobile home or trailer with no permanent room added
		136	06. Mobile home or trailer with one or more permanent rooms added
		7	07. HU not specified above
			Other Unit = (08-13)
		6	08. Quarters not HU in rooming or boarding house
		0	09. Unit not permanent in transient hotel, motel, etc.
		4	10. Unoccupied site for mobile home, trailer, or tent
		352	11. Student quarters in college dormitory
		25	12. Other unit not specified above
		9	13. Other unit; kind unknown
24	HH-11		HAS TELEPHONE
		18,763	1. Yes, phone number given
		728	2. Yes, no phone number given
		1,614	3. No
		69	4. Unknown

25	A-1		SEX
		9,028	1. Male
		12,146	2. Female

26	-		BLANK
----	---	--	-------

1 DR-4

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
27-28	Person Column		AGE
		0	00. Under 1 year
		21,174	01-98. Number of years
		0	99. 99+ years of age
29	Recode		AGE RECODE #1
		0	1. Under 5 years
		0	2. 5-17 years
		4,376	3. 18-24 years
		16,798	4. 25-44 years
		0	5. 45-64 years
		0	6. 65-69 years
		0	7. 70-74 years
		0	8. 75 years and over
30	Recode		AGE RECODE #2
		0	1. Under 6 years
		0	2. 6-16 years
		4,376	3. 17-24 years
		8,950	4. 25-34 years
		7,848	5. 35-44 years
		0	6. 45-54 years
		0	7. 55-64 years
		0	8. 65-74 years
		0	9. 75 years and over
31-32	Recode		AGE RECODE #3
		0	00-35. Months
		21,174	36. Over 3 years
33	-		BLANK

1 DR-5

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
34-39	A-3		MONTH AND YEAR OF BIRTH
34-35			MONTH 01. January 07. July 02. February 08. August 03. March 09. September 04. April 10. October 05. May 11. November 06. June 12. December 99. DK or refused
36-39			YEAR OF BIRTH 1800-1899. 1800-1899 1900-1992. 1900-1992 9999. DK or refused
40-41			BLANK
42	L-3		MAIN RACIAL BACKGROUND - Reported (See notation for locations 43-45)
		206	1. Aleut, Eskimo, or American Indian
		583	2. Asian/Pacific Islander
		3,010	3. Black
		16,931	4. White
		382	5. Other
		21	6. Multiple race
		41	7. Unknown

1

DR-6

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
43-45	Recode		RACE RECODES
43			RECODE 1* Persons whose Main Racial Background (location 42) was "other" or "unknown" were classified in the following recodes by using the racial background observed by
		17,327	1. White
		3,029	2. Black
		818	3. Other
44			RECODE 2

		17,327	1. White	the interviewer. Use
		3,847	2. Non-white	of these recodes is
45			RECODE 3	recommended for
		3,029	1. Black	estimating statistics
		18,145	2. Non-black	for the groups shown
				here.

46-47	L-4		HISPANIC ORIGIN	
		26	00. Multiple Hispanic	
		240	01. Puerto Rican	
		79	02. Cuban	
		530	03. Mexican-Mexicano	
		538	04. Mexican-American	
		20	05. Chicano	
		261	06. Other Latin American	
		248	07. Other Spanish	
		41	08. Spanish, DK type	
		62	09. Unknown if Spanish origin	
		19,129	10. Not Spanish origin	

48	L-7		MARITAL STATUS	
		0	0. Under 14 years	
		11,418	1. Married - spouse in household	
		237	2. Married - spouse not in household	
		135	3. Widowed	
		2,031	4. Divorced	
		827	5. Separated	
		6,511	6. Never married	
		15	7. Unknown	

*This recode is used to categorize race in Current Estimates tables.

1

DR-7

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes	
49	L-1		VETERAN STATUS	
		19,259	1. Non-veteran	
		0	2. WW I	
		1	3. WW II	
		8	4. Korean War	
		815	5. Vietnam veteran	
		490	6. Post-Vietnam	
		303	7. Other service	
		44	8. Served in Armed Forces, unknown if war veteran	
		254	9. Unknown if served in Armed Forces	
		0	Blank. Under 18 years of age	

50	L-1		ACTIVE GUARD/RESERVE STATUS FOR PERSONS ON ACTIVE DUTY IN ARMED FORCES
		19,259	0. Non-veteran
		187	1. All service in Guard/Reserve
		268	2. Some service in Guard/Reserve
		3	3. Unknown if all service in Guard/Reserve
		1,105	4. No active service in Guard/Reserve
		352	5. Unknown if ever active member in Guard/Reserve or served in Armed Forces
		0	Blank. Under 18 years of age
51-52	L-2		EDUCATION OF INDIVIDUAL - COMPLETED YEARS
		26	00. Never attended; kindergarten only
		10,758	01-12. Grades 1-12
			College:
		2,029	13. 1 year
		2,519	14. 2 years
		986	15. 3 years
		2,935	16. 4 years
		631	17. 5 years
		1,267	18. 6 years or more
		23	19. Unknown
		0	Blank. Under 5 years of age

1

DR-8

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
53	Recode		EDUCATION OF INDIVIDUAL RECODE
		26	0. None; kindergarten only
		705	1. 1-8 years (elementary)
		2,123	2. 9-11 years (high school)
		7,930	3. 12 years (high school graduate)
		5,534	4. 1-3 years (college)
		2,935	5. 4 years (college graduate)
		1,898	6. 5+ years (post-college)
		23	7. Unknown
		0	Blank. Under 5 years of age
54-55	-		HIGHEST EDUCATION OF RESPONSIBLE ADULT FAMILY MEMBER - (Detail)
		18	00. Never attended; kindergarten only
		9,077	01-12. Grades 1-12
			College:
		1,929	13. 1 year
		2,763	14. 2 years

1,105	15.	3 years
3,515	16.	4 years
835	17.	5 years
1,914	18.	6 years or more
18	19.	Unknown

56

-

HIGHEST EDUCATION OF RESPONSIBLE ADULT
FAMILY MEMBER - Recode

18	0.	None; kindergarten only
501	1.	1-8 years (elementary)
1,481	2.	9-11 years (high school)
7,095	3.	12 years (high school graduate)
5,797	4.	1-3 years (college)
3,515	5.	4 years (college graduate)
2,749	6.	5+ years (post-college)
18	7.	Unknown

1

DR-9

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
57	L-8		FAMILY INCOME \$20,000 OR MORE
		7,316	1. Less than \$20,000
		13,597	2. \$20,000 or more
		261	3. Unknown
58-59	L-8		FAMILY INCOME
		265	00. Less than \$1,000
		249	01. \$ 1,000 - \$ 1,999
		264	02. 2,000 - 2,999
		321	03. 3,000 - 3,999
		318	04. 4,000 - 4,999
		320	05. 5,000 - 5,999
		314	06. 6,000 - 6,999
		293	07. 7,000 - 7,999
		282	08. 8,000 - 8,999
		302	09. 9,000 - 9,999
		390	10. 10,000 - 10,999
		274	11. 11,000 - 11,999
		462	12. 12,000 - 12,999
		285	13. 13,000 - 13,999
		299	14. 14,000 - 14,999
		365	15. 15,000 - 15,999
		312	16. 16,000 - 16,999
		312	17. 17,000 - 17,999
		391	18. 18,000 - 18,999
		410	19. 19,000 - 19,999

1,792	20.	20,000 - 24,999
1,679	21.	25,000 - 29,999
1,677	22.	30,000 - 34,999
1,320	23.	35,000 - 39,999
1,182	24.	40,000 - 44,999
1,019	25.	45,000 - 49,999
3,779	26.	\$50,000 and over
2,298	27.	Unknown

1

DR-10

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
60	Recode		FAMILY INCOME RECODE
		1,417	0. Under \$5,000
		634	1. \$ 5,000 - \$ 6,999
		877	2. 7,000 - 9,999
		1,710	3. 10,000 - 14,999
		1,790	4. 15,000 - 19,999
		1,792	5. 20,000 - 24,999
		3,356	6. 25,000 - 34,999
		3,521	7. 35,000 - 49,999
		3,779	8. \$50,000 or more
		2,298	9. Unknown
61	Generated		NHIS POVERTY INDEX*
		16,843	1. At or above poverty threshold
		3,180	2. Below poverty threshold
		1,151	3. Unknown
62-63			FAMILY RELATIONSHIP
62	A-2		TYPE OF FAMILY
		3,952	&. Primary individual
		952	-. Secondary individual
		16,223	0. Primary family
		47	1-9. Secondary family
63	A-2		RELATIONSHIP TO REFERENCE PERSON
		3,572	&. Reference person, living alone
		9,253	0. Reference person, 2+ persons in household
		5,876	1. Spouse, other spouse NOT in Armed Forces and living at home
		232	2. Spouse, other spouse IN Armed Forces and living at home
		1,816	3. Child of reference person or spouse
		94	4. Grandchild of reference person or spouse

spouse	9	5. Parent of reference person or
	321	6. Other relative
person	1	7. Child of ineligible reference
	0	9. DK or refused

*Based on family size, number of children under 18 years of age & family income using the 1990 poverty levels derived from the August, 1991 Current Population Survey.

1

DR-11

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
64	Recode		FAMILY RELATIONSHIP RECODE
		3,572	1. Living alone
		1,332	2. Living only with non-relative
		11,398	3. Living with spouse
		4,872	4. Living with relative - other
65-66	Generated		SIZE OF FAMILY* Unrelated individuals are coded 01
67	Generated		SIZE OF FAMILY RECODE
		21,092	1-8. Number of members
		82	9. 9+ members
68	A-2		PARENT/OTHER ADULT RELATIVE (under 25 years old and never married)
		608	1. Both parents, no other relative
		285	2. Mother only
		42	3. Father only
		148	4. Both parents and other 21+ year old adult relative
		80	5. Mother and other 21+ year old adult relative
		10	6. Father and other 21+ year old adult relative
		76	7. No parent, but one 21+ year old adult relative
		41	8. No parent, but two or more 21+ year old adult relatives
		314	9. Unknown
		1,430	0. Other
		18,140	Blank. Not applicable (25+ years old or ever married)
69	B-1 B-8		MAJOR ACTIVITY (18+ years old)

15,155	1. Working
3,148	2. Keeping house
2,099	3. Going to school
698	4. Something else
74	5. Unknown
0	Blank. Not applicable (Under 18 years)

*Count includes spouse in military but living at home.

1

DR-12

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
70	G-4		HEALTH STATUS
		8,548	1. Excellent
		6,762	2. Very Good
		4,503	3. Good
		1,094	4. Fair
		225	5. Poor
		42	6. Unknown
71	Recode		ACTIVITY LIMITATION STATUS - (all ages)*
		517	1. Unable to perform major activity
		805	2. Limited in kind/amount major activity
		719	3. Limited in other activities
		19,133	4. Not limited (includes unknowns)
72	Recode		ACTIVITY LIMITATION STATUS MEASURED BY "ABILITY TO WORK" (18-69 years)
		628	1. Unable to work
		750	2. Limited in kind/amount of work
		663	3. Limited in other activities
		19,133	4. Not limited (includes unknowns)
		0	Blank. Not applicable (under 18 years, 70+ years)
73	B-11		LIMITATION OF SCHOOL ACTIVITIES (5-17 years)
		0	1. Unable to attend school
		0	2. Attends special school/classes
		0	3. Needs special school/classes
		0	4. Limited in school attendance
		0	5. Limited in other activities
		0	6. Not limited (includes unknowns)
		21,174	Blank. Not applicable (under 5 years or 18+ years)

*This code is used to categorize persons with limitation of activity in the Current Estimates tables.

1

DR-13

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
74	B-14		NEEDS HELP WITH PERSONAL CARE (5-59 years old and limited, or age 60-69 years)*
		61	1. Unable to perform personal care needs
		192	2. Limited in performing other routine needs
		1,788	3. Not limited in performing personal or routine needs
		0	4. Unknown
59		19,133	Blank. Not applicable (under 5 years; 5- years not limited; 70+ years old)
75	D-1		EMPLOYMENT STATUS IN PAST 2 WEEKS (18+ years)
			In the Labor Force: (1-7)
			Currently employed: (1-3)
		15,559	1. Worked in past 2 weeks
		323	2. Did not work, has job; not on lay-off and not looking for work
		14	3. Did not work, has job; looking for work
			Unemployed: (4-7)
		58	4. Did not work, has job; on lay-off
		6	5. Did not work, has job; on lay-off and looking for work
		148	6. Did not work, has job; unknown if looking or on lay-off
		837	7. Did not work, has no job; looking for work or on lay-off
			Not in Labor Force (18+ years): (8)
		4,229	8. Not in Labor Force (18+ years)
		0	Blank. Not applicable (Under 18 years old)

*For persons 70+ years, codes 1 and 2 in loc. 71 correspond to codes 1 and 2 in loc. 74.

1

DR-14

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
76	L-6		CLASS OF WORKER
		4,229	0. Not in labor force
		12,649	1. Private company
		483	2. Federal Government employee
		772	3. State Government employee
		1,289	4. Local Government employee
		275	5. Incorporated business
		1,196	6. Self-employed
		21	7. Without pay
		33	8. Never worked
		227	9. Unknown
		0	Blank. Under 18
77-79	L-6		INDUSTRY DETAIL CODE
		16,945	010-996. Code number
		4,229	Blank. Not applicable
80-81	Recode		INDUSTRY RECODE 1
			SEE APPENDIX B
82-83	Recode		INDUSTRY RECODE 2
			SEE APPENDIX B
84-86	L-6		OCCUPATION DETAIL CODE
		16,945	003-999. Code number
		4,229	Blank. Not applicable
87-88	Recode		OCCUPATION RECODE 1
			SEE APPENDIX C

1

DR-15

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
89-90	Recode		OCCUPATION RECODE 2

SEE APPENDIX C

91	L-R		RESPONDENT FOR CORE
		16,172	1. Self-entirely
		1,518	2. Self-partly
		3,387	3. Proxy
		97	4. Unknown
92			BLANK
93-94	G-5		HEIGHT WITHOUT SHOES (18+ years)
			36-98. Number of inches
			99. Unknown
			Blank. Under 18 years of age
95-97	G-5		WEIGHT WITHOUT SHOES (18+ years)
			050-500. Number of pounds
			501. Unknown
			Blank. Under 18 years of age
98-99	Recode		TOTAL RESTRICTED ACTIVITY DAYS IN PAST TWO WEEKS
		18,902	00. None
		2,272	01-14. Days

1

DR-16

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
100-101	D-4		BED DAYS IN PAST TWO WEEKS
		19,874	00. None
		1,300	01-14. Days
102-103	D-2		WORK-LOSS DAYS IN PAST TWO WEEKS (control on Currently Employed, 75:1-3)
		20,068	00. None
		1,106	01-14. Days
104-105	D-3		SCHOOL-LOSS DAYS IN PAST TWO WEEKS
		21,174	00. None
		0	01-14. Days

106-107	D-6		OTHER DAYS OF RESTRICTED ACTIVITY IN PAST TWO WEEKS
		20,075	00. None
		1,099	01-14. Days
108-110	G-2		BED DAYS IN PAST 12 MONTHS
		10,502	000. None
		10,602	001-365. 1-365 days
		70	366. Unknown
111	Recode		BED DAYS IN PAST 12 MONTHS - Recode
		10,502	0. None
		8,514	1. 1-7 days
		1,596	2. 8-30 days
		430	3. 31-180 days
		62	4. 181-365 days
		70	5. Unknown
112-114	G-3		DOCTOR VISITS IN PAST 12 MONTHS
		5,232	000. None
		15,887	001-996. Visits
		0	997. 997+visits
		55	998. Unknown

1

DR-17

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
115	G-3		INTERVAL SINCE LAST DOCTOR VISIT
		22	0. Never
		16,033	1. Less than 1 year
		2,180	2. 1 to less than 2 years
		2,001	3. 2 to less than 5 years
		731	4. 5 years or more
		207	5. Unknown
116-117	Generated		NUMBER OF CONDITIONS
118-119	Generated		NUMBER OF ACUTE INCIDENCE CONDITIONS
120-121	Generated		NUMBER OF TWO-WEEK DOCTOR VISITS
122-123	Generated		NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS
124-126	Generated		SHORT-STAY HOSPITAL EPISODE DAYS IN PAST

12 MONTHS

127-128	Generated	NUMBER OF SHORT-STAY HOSPITAL EPISODES IN PAST 12 MONTHS EXCLUDING DELIVERY*
129-131	Generated	SHORT-STAY HOSPITAL EPISODE DAYS IN PAST 12 MONTHS EXCLUDING DELIVERY*
132-133	Generated	NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS
134-136	Generated	NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS
137-138	Generated	NUMBER OF SHORT-STAY HOSPITAL DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*
139-141	Generated	NUMBER OF DAYS IN SHORT-STAY HOSPITAL IN PAST 12 MONTHS FOR DISCHARGES IN PAST 6 MONTHS EXCLUDING DELIVERY*

*Based on operation codes and reason entered hospital.

1

DR-18

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
142-143		-	BLANK
144	L-9b	YEARS LIVED IN STATE OF PRESENT RESIDENCE	
		530	1. Less than 1 year
		1,454	2. 1 yr., less than 5 years
		1,155	3. 5 yrs., less than 10 yrs.
		1,079	4. 10 yrs., less than 15 yrs.
		14,289	5. 15 years or more
		449	9. Unknown
		2,218	Blank. Not applicable (Foreign born or less than 18 years of age)
145	L-9c	YEARS LIVED IN UNITED STATES	
		97	1. Less than 1 year
		418	2. 1 yr., less than 5 years
		440	3. 5 yrs., less than 10 yrs.
		380	4. 10 yrs., less than 15 yrs.
		825	5. 15 years or more
		58	9. Unknown
		18,956	Blank. Not applicable (U.S. born or less than 18 years of age)
146-177	-		BLANK

178	Master Record		TYPE OF SUBSTRATUM
		3,518	0. Permit
		1,719	1. Area, oversampled for blacks
		15,937	2. Area, not oversampled for blacks

179-181 - FULL SAMPLE STRATUM IDENTIFIER

182	Master Record		REGION
		4,234	1. Northeast
		5,322	2. Midwest
		6,830	3. South
		4,788	4. West

1 DR-19

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
----------------	----------	-----------	-----------------

183	Master Record		GEOGRAPHIC DISTRIBUTION
			MSA Size
		9,177	1. 1,000,000 or more
		5,774	2. 250,000 - 999,999
		1,479	3. 100,000 - 249,999
		351	4. Under 100,000
		4,393	Blank. Non-MSA

184 BLANK

185	Master Record		TYPE OF PSU
		11,750	1. MSA - Self-representing
		5,031	3. MSA - Nonself-representing
		0	4. Non-MSA - Self-representing
		4,393	6. Non-MSA - Nonself-representing

186	Recode		MSA - NON-MSA RESIDENCE
		7,369	1. MSA - Central City
		9,412	2. MSA - Not Central City
		4,189	3. Non-MSA - Nonfarm
		204	4. Non-MSA - Farm

187-189 PSEUDO PSU CODES

190-200	BLANK
201-206	INTERIM BASIC WEIGHT (Before age-race-sex poststratification)
207-212	FINAL BASIC WEIGHT
213-335	BLANK

1

DR-20

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
336	1	19,402 1,661 111	EVER DRINK ALCOHOL 1. Yes 2. No 9. Unknown
337-338	2	3,234 15,772 1,661 507	MONTHS DRANK IN PAST 12 MONTHS 00. Did not drink in past 12 months 01-12. 1-12 months drank 98. Never drank/not once 99. Unknown
339	3	559 602 1,529 4,219 8,754 3,234 1,661 616	HOW OFTEN DRANK DURING MONTH(S) DRANK 1. Every day 2. 5 or 6 days each week 3. 3 or 4 days each week 4. 1 or 2 days each week 5. 1 to 3 days a month 6. Did not drink past 12 months 8. Never drank/not once 9. Unknown
340-341	4	3,234 15,172 4 1,661 1,103	NUMBER OF DRINKS PER DAY PAST 12 MONTHS 00. Did not drink past 12 months 01-96. 1-96 drinks 97. 97+ drinks 98. Never drank/not once 99. Unknown

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
342-343	5		LARGEST NUMBER OF DRINKS IN A SINGLE DAY
		3,234	00. Did not drink past 12 months
		15,510	01-96. 1-96 drinks
		5	97. 97+ drinks
		1,661	98. Never drank/not once
		764	99. Unknown
344-345	6		HOW OFTEN DRANK THAT AMOUNT IN PAST 12 MONTHS
		149	01. Every day
		156	02. Nearly every day
		410	03. 3-4 days per week
		1,404	04. 1-2 days per week
		1,678	05. 2-3 days per month
		2,235	06. Once a month
		1,164	07. 7-11 days (total)
		3,210	08. 3-6 days (total)
		2,744	09. 2 days (total)
		2,502	10. 1 day (total)
		3,234	11. No drink in the past 12 months
		1,661	98. Never drank/not once
		627	99. Unknown
346	7		SEDATIVES EVER USED
		3,506	1. Yes
		17,466	2. No
		202	9. Unknown

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
347	8		SEDATIVES EVER USED WITHOUT A DOCTOR'S PERMISSION
		1,715	1. Yes
		19,025	2. No

		434	9. Unknown
348	9	3,377 17,557 240	TRANQUILIZERS EVER USED 1. Yes 2. No 9. Unknown
349	10	1,298 19,404 472	TRANQUILIZERS EVER USED WITHOUT A DOCTOR'S PERMISSION 1. Yes 2. No 9. Unknown
350	11	2,764 18,145 265	STIMULANTS EVER USED 1. Yes 2. No 9. Unknown
351	12	2,395 18,265 514	STIMULANTS EVER USED WITHOUT A DOCTOR'S PERMISSION 1. Yes 2. No 9. Unknown
352	13	11,220 9,742 212	PAIN KILLERS EVER USED 1. Yes 2. No 9. Unknown

1

DR-23

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
353	14	2,785 17,992 397	PAIN KILLERS EVER USED WITHOUT A DOCTOR'S PERMISSION 1. Yes 2. No 9. Unknown
354	15	1,137 19,433 604	SEDATIVES USED IN PAST 12 MONTHS 1. Yes 2. No 9. Unknown
355	16		SEDATIVES USED IN PAST 12

MONTHS WITHOUT A DOCTOR'S
PERMISSION

434	1. Yes
20,049	2. No
691	9. Unknown

356 17

TRANQUILIZERS USED IN PAST
12 MONTHS

1,142	1. Yes
19,390	2. No
642	9. Unknown

357 18

TRANQUILIZERS USED IN PAST
12 MONTHS WITHOUT A DOCTOR'S
PERMISSION

341	1. Yes
20,130	2. No
703	9. Unknown

1

DR-24

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
358	19		STIMULANTS USED IN PAST 12 MONTHS
		563	1. Yes
		19,938	2. No
		673	9. Unknown
359	20		STIMULANTS USED IN PAST 12 MONTHS WITHOUT A DOCTOR'S PERMISSION
		439	1. Yes
		19,989	2. No
		746	9. Unknown
360	21		PAIN KILLERS USED IN PAST 12 MONTHS
		5,723	1. Yes
		14,879	2. No
		572	9. Unknown
361	22		PAIN KILLERS USED IN PAST 12 MONTHS WITHOUT A DOCTOR'S PERMISSION
		1,504	1. Yes
		18,973	2. No

697 9. Unknown

362	23		INHALANTS EVER USED
		1,075	1. Yes
		19,823	2. No
		276	9. Unknown

1

DR-25

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
363	24		HALLUCINOGENS EVER USED
		1,957	1. Yes
		18,917	2. No
		300	9. Unknown
364	25		HEROIN EVER USED
		273	1. Yes
		20,597	2. No
		304	9. Unknown
365	26		INHALANTS USED IN PAST 12 MONTHS
		220	1. Yes
		20,290	2. No
		664	9. Unknown
366	27		HALLUCINOGENS USED IN PAST 12 MONTHS
		235	1. Yes
		20,248	2. No
		691	9. Unknown
367	28		HEROIN USED IN PAST 12 MONTHS
		45	1. Yes
		20,424	2. No
		705	9. Unknown
368-369	29		AGE FIRST TIME USED MARIJUANA/HASH
		11,315	00. Never used/not once
		9,332	01-98. 1-98 years of age
		527	99. Unknown age

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
370	30		NUMBER OF TIMES IN LIFE USED MARIJUANA/HASH
		1,823	0. 1 or 2 times
		1,408	1. 3 to 5 times
		1,344	2. 6 to 10 times
		1,555	3. 11 to 49 times
		884	4. 50 to 99 times
		593	5. 100 to 199 times
		1,729	6. 200 or more times
		11,315	8. I have never used marijuana/not once
		523	9. Unknown
371	31		MOST RECENT TIME USED MARIJUANA/HASH
		607	1. Within the past week (7 days)
		361	2. More than 1 week but less than 1 month (30 days)
		1,070	3. 1 or more months ago but less than 1 year ago
		7,276	4. 1 or more years ago
		11,315	8. Never used/not once
		545	9. Unknown
372-373	32		NUMBER OF MONTHS USED MARIJUANA/HASH IN PAST 12 MONTHS
		7,276	00. Did not use past 12 months
		1,917	01-12. 1-12 months
		11,315	98. Never used/not once
		666	99. Unknown

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
----------------	----------	-----------	-----------------

374	33		DURING MONTHS USED MARIJUANA/HASH IN PAST 12 MONTHS HOW OFTEN USED
		158	1. Every day
		98	2. 5 or 6 days each week
		208	3. 3 or 4 days each week
		338	4. 1 or 2 days each week
		1,151	5. 1 to 3 days a month
		7,276	6. Did not use marijuana in past 12 months
		11,315	8. Never used/not once
		630	9. Unknown
375-376	34		ON DAYS USED MARIJUANA IN PAST 12 MONTHS HOW MANY TIMES PER DAY USED
		7,276	00. Did not use past 12 months
		1,947	01-96. 1-96 times
		5	97. 97+ times
		11,315	98. Never used/not once
		631	99. Unknown
377	35		EVER USED MARIJUANA MORE OFTEN THAN PLANNED
		2,429	1. Yes
		6,637	2. No
		793	9. Unknown
		11,315	Blank. Never used marijuana
378	36		EVER TRIED TO CUT DOWN ON MARIJUANA BUT COULDN'T
		509	1. Yes
		8,520	2. No
		830	9. Unknown
		11,315	Blank. Never used marijuana

1

DR-28

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
379	37		EVER USED MARIJUANA EVERY DAY 2 WEEKS OR MORE
		1,928	1. Yes
		7,105	2. No
		826	9. Unknown
		11,315	Blank. Never used marijuana

380	38		EVER BEEN HIGH ON MARIJUANA AT WORK/SCHOOL
		2,571	1. Yes
		6,468	2. No
		820	9. Unknown
		11,315	Blank. Never used marijuana
381	39		EVER BEEN HIGH ON MARIJUANA AT HOME WHILE TAKING CARE OF FAMILY
		1,528	1. Yes
		7,502	2. No
		829	9. Unknown
		11,315	Blank. Never used marijuana
382	40		EVER SKIPPED GOING TO WORK OR SCHOOL BECAUSE HIGH ON MARIJUANA
		908	1. Yes
		8,129	2. No
		822	9. Unknown
		11,315	Blank. Never used marijuana
383	41		EVER HAD PROBLEMS WITH WORK, SCHOOL, OR POLICE BECAUSE OF MARIJUANA
		673	1. Yes
		8,361	2. No
		825	9. Unknown
		11,315	Blank. Never used marijuana

1

DR-29

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
384	42		EVER CONTINUED TO USE MARIJUANA DESPITE PROBLEMS WITH WORK, SCHOOL OR POLICE
		586	1. Yes
		8,428	2. No
		845	9. Unknown
		11,315	Blank. Never used marijuana
385	43		EVER FAILED TO TAKE CARE OF FAMILY BECAUSE OF MARIJUANA
		212	1. Yes

8,809	2. No
838	9. Unknown
11,315	Blank. Never used marijuana

386	44	EVER HAD PROBLEMS WITH FAMILY OR FRIENDS BECAUSE OF MARIJUANA
	735	1. Yes
	8,297	2. No
	827	9. Unknown
	11,315	Blank. Never used marijuana

387	45	EVER CONTINUED TO USE MARIJUANA DESPITE PROBLEMS WITH FAMILY OR FRIENDS
	622	1. Yes
	8,388	2. No
	849	9. Unknown
	11,315	Blank. Never used marijuana

388	46	EVER DRIVEN A CAR WHILE HIGH ON MARIJUANA
	3,615	1. Yes
	5,423	2. No
	821	9. Unknown
	11,315	Blank. Never used marijuana

1

DR-30

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
389	47	EVER SPENT LESS TIME ON ACTIVITIES BECAUSE OF MARIJUANA	
	975	1. Yes	
	8,057	2. No	
	827	9. Unknown	
	11,315	Blank. Never used marijuana	
390	48	EVER FELT DEPRESSED/ANXIOUS BECAUSE OF MARIJUANA	
	1,658	1. Yes	
	7,367	2. No	
	834	9. Unknown	
	11,315	Blank. Never used marijuana	
391	49	EVER CONTINUED TO USE	

			MARIJUANA DESPITE DEPRESSION
		1,120	1. Yes
		7,881	2. No
		858	9. Unknown
		11,315	Blank. Never used marijuana

392	50		EVER BUILT UP A TOLERANCE TO MARIJUANA
		1,468	1. Yes
		7,549	2. No
		842	9. Unknown
		11,315	Blank. Never used marijuana

393	51		EVER FELT SICK BECAUSE STOPPED/CUT DOWN ON MARIJUANA
		474	1. Yes
		8,557	2. No
		828	9. Unknown
		11,315	Blank. Never used marijuana

1

DR-31

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
394	52		EVER USED ALCOHOL/DRUGS BECAUSE SICK FROM MARIJUANA USE
		385	1. Yes
		8,635	2. No
		839	9. Unknown
		11,315	Blank. Never used marijuana
395	53		EVER GONE TO SELF-HELP/ DOCTOR BECAUSE OF MARIJUANA USE
		287	1. Yes
		8,719	2. No
		853	9. Unknown
		11,315	Blank. Never used marijuana
396	54		MARIJUANA USED MORE OFTEN THAN PLANNED PAST 12 MONTHS
		348	1. Yes
		1,528	2. No
		707	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months

397	55		TRIED TO CUT DOWN ON MARIJUANA BUT COULDN'T PAST 12 MONTHS
		114	1. Yes
		1,756	2. No
		713	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months

1

DR-32

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
398	56		USED MARIJUANA EVERY DAY 2 WEEKS OR MORE PAST 12 MONTHS
		366	1. Yes
		1,502	2. No
		715	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
399	57		BEEN HIGH ON MARIJUANA AT WORK/SCHOOL PAST 12 MONTHS
		367	1. Yes
		1,498	2. No
		718	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
400	58		BEEN HIGH ON MARIJUANA AT HOME WHILE TAKING CARE OF FAMILY PAST 12 MONTHS
		468	1. Yes
		1,395	2. No
		720	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
401	59		SKIPPED GOING TO WORK OR SCHOOL BECAUSE HIGH ON MARIJUANA PAST 12 MONTHS
		70	1. Yes
		1,794	2. No
		719	9. Unknown

18,591 Blank. Never used marijuana or
didn't use in past
12 months

1

DR-33

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
402	60		HAD PROBLEMS WITH WORK, SCHOOL, OR POLICE PAST 12 MONTHS BECAUSE OF MARIJUANA
		65	1. Yes
		1,798	2. No
		720	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
403	61		CONTINUED TO USE MARIJUANA DESPITE PROBLEMS WITH WORK, SCHOOL, OR POLICE PAST 12 MONTHS
		66	1. Yes
		1,794	2. No
		723	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
404	62		FAILED TO TAKE CARE OF FAMILY PAST 12 MONTHS BECAUSE OF MARIJUANA
		44	1. Yes
		1,819	2. No
		720	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
405	63		HAD PROBLEMS WITH FAMILY OR FRIENDS PAST 12 MONTHS BECAUSE OF MARIJUANA
		86	1. Yes
		1,776	2. No
		721	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
406	64		CONTINUED TO USE MARIJUANA DESPITE PROBLEMS WITH FAMILY OR FRIENDS PAST 12 MONTHS
		81	1. Yes
		1,775	2. No
		727	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
407	65		DRIVEN A CAR WHILE HIGH ON MARIJUANA PAST 12 MONTHS
		792	1. Yes
		1,070	2. No
		721	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
408	66		SPENT LESS TIME ON ACTIVITIES PAST 12 MONTHS BECAUSE OF MARIJUANA
		137	1. Yes
		1,726	2. No
		720	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
409	67		FELT DEPRESSED/ANXIOUS PAST 12 MONTHS BECAUSE OF MARIJUANA
		196	1. Yes
		1,664	2. No
		723	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
410	68		CONTINUED TO USE MARIJUANA DESPITE DEPRESSION PAST 12 MONTHS
		159	1. Yes
		1,700	2. No
		724	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
411	69		BUILT UP A TOLERANCE TO MARIJUANA PAST 12 MONTHS
		273	1. Yes
		1,591	2. No
		719	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
412	70		FELT SICK BECAUSE STOPPED/ CUT DOWN USE OF MARIJUANA PAST 12 MONTHS
		95	1. Yes
		1,769	2. No
		719	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
413	71		USED ALCOHOL/DRUGS BECAUSE SICK FROM MARIJUANA USE PAST 12 MONTHS
		75	1. Yes
		1,788	2. No
		720	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months
414	72		GONE TO SELF-HELP/DOCTOR PAST 12 MONTHS BECAUSE OF MARIJUANA USE
		45	1. Yes
		1,817	2. No
		721	9. Unknown
		18,591	Blank. Never used marijuana or didn't use in past 12 months

Tape Locations	Item No.	Frequency	Items and Codes
(415-423)	Recode		LIFETIME SYMPTOMS OF MARIJUANA DEPENDENCE RECODE
415			Used Marijuana More Often Than Planned (Lifetime Prevalence)
		2,429	1. Yes
		17,952	2. No (includes never used)
		793	9. Unknown
416			Tried to Cut Down or Stop Marijuana But Couldn't (Lifetime Prevalence)
		509	1. Yes
		19,835	2. No (includes never used)
		830	9. Unknown
417			Used Marijuana Daily for 2+ weeks (Lifetime Prevalence)
		1,928	1. Yes
		18,420	2. No (includes never used)
		826	9. Unknown
418			Social Consequences of Marijuana (Work, School, Family, driving) (Lifetime Prevalence)
		4,416	1. Yes
		15,921	2. No (includes never used)
		837	9. Unknown
419			Reduced Activities Due to Marijuana (Lifetime Prevalence)
		975	1. Yes
		19,372	2. No (includes never used)
		827	9. Unknown
420			Continued to Use Marijuana, Despite Problems (Lifetime Prevalence)
		1,410	1. Yes
		18,886	2. No (includes never used)
		878	9. Unknown

1

DR-37

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
----------------	----------	-----------	-----------------

(415-423)	Recode		LIFETIME SYMPTOMS OF MARIJUANA DEPENDENCE RECODE - Continued
421			Built Up Tolerance To Marijuana (Lifetime Prevalence)
		1,468	1. Yes
		18,864	2. No (includes never used)
		842	9. Unknown
422			Felt Sick Due to Stopping or Cutting Down on Marijuana (Lifetime Prevalence)
		474	1. Yes
		19,872	2. No (includes never used)
		828	9. Unknown
423			Used Alcohol/Drugs Because Felt Sick from Marijuana (Lifetime Prevalence)
		385	1. Yes
		19,950	2. No (includes never used)
		839	9. Unknown

(424-432)	Recode		PAST YEAR SYMPTOMS OF MARIJUANA DEPENDENCE RECODE
424			Used Marijuana More Often Than Planned (Past Year Prevalence)
		348	1. Yes
		20,119	2. No (includes never used)
		707	9. Unknown
425			Tried to Cut Down or Stop Marijuana But Couldn't (Past Year Prevalence)
		114	1. Yes
		20,347	2. No (includes never used)
		713	9. Unknown

1

DR-38

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
(424-432)	Recode		PAST YEAR SYMPTOMS OF MARIJUANA DEPENDENCE RECODE - Continued
426			Used Marijuana Every Day

			for 2+ Weeks (Past Year Prevalence)
		366	1. Yes
		20,093	2. No (includes never used)
		715	9. Unknown
427			Social Consequences of Marijuana Use (Work, School, Family, Driving) (Past Year Prevalence)
		953	1. Yes
		19,497	2. No (includes never used)
		724	9. Unknown
428			Reduced Activities Due to Marijuana (Past Year Prevalence)
		137	1. Yes
		20,317	2. No (includes never used)
		720	9. Unknown
429			Continued to Use Marijuana, Despite problems (Past Year Prevalence)
		209	1. Yes
		20,234	2. No (includes never used)
		731	9. Unknown
430			Built Up Tolerance to Marijuana (Past Year Prevalence)
		273	1. Yes
		20,182	2. No (includes never used)
		719	9. Unknown
1			DR-39

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
(424-432)	Recode		PAST YEAR SYMPTOMS OF MARIJUANA DEPENDENCE RECODE - Continued
431			Felt Sick Due to Stopping or Cutting Down on Marijuana (Past Year Prevalence)
		95	1. Yes
		20,360	2. No (includes never used)
		719	9. Unknown
432			Used Alcohol/Drugs Because Felt Sick from Marijuana (Past Year Prevalence)
		75	1. Yes

2,442	4.	1 or more years ago
17,334	8.	Never used/not once
947	9.	Unknown

439-440	76		NUMBER OF MONTHS USED COCAINE IN PAST 12 MONTHS
		2,442	00. Did not use past 12 months
		416	01-12. 1-12 months
		17,334	98. Never used/not once
		982	99. Unknown

1

DR-41

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
441	77		AVERAGE USE OF COCAINE IN PAST 12 MONTHS
		18	1. Every day
		13	2. 5 or 6 days each week
		24	3. 3 or 4 days each week
		52	4. 1 or 2 days each week
		322	5. 1 to 3 days a month
		2,442	6. Did not use cocaine in past 12 months
		17,334	8. Never used cocaine/ not once
		969	9. Unknown
442-443	78		NUMBER OF TIMES PER DAY USED COCAINE IN PAST 12 MONTHS
		2,442	00. Did not use past 12 months
		425	01-96. 1-96 times
		1	97. 97+ times
		17,334	98. Never used/not once
		972	99. Unknown
(444-448)	79		WAYS USED COCAINE IN PAST 12 MONTHS
444	79		Sniffing Through the Nose/Snorting
		390	1. Mentioned
		55	2. Not mentioned
		2,442	6. Did not use in past 12 months
		17,334	8. Never used cocaine

		953	9. Unknown*
445	79		Swallowing or Drinking
		21	1. Mentioned
		424	2. Not mentioned
		2,442	6. Did not use in past 12 months
		17,334	8. Never used cocaine
		953	9. Unknown*

* Includes unknown to question 79 and unknown if used in past 12 months.

1

DR-42

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
(444-448)	79		WAYS USED COCAINE IN PAST 12 MONTHS - Continued
446	79		Injecting in Vein/ Muscle with Needle
		21	1. Mentioned
		424	2. Not mentioned
		2,442	6. Did not use in past 12 months
		17,334	8. Never used cocaine
		953	9. Unknown*
447	79		Smoking or Free Basing
		107	1. Mentioned
		338	2. Not mentioned
		2,442	6. Did not use in past 12 months
		17,334	8. Never used cocaine
		953	9. Unknown*
448	79		Some Other Way
		13	1. Mentioned
		432	2. Not mentioned
		2,442	6. Did not use in past 12 months
		17,334	8. Never used cocaine
		953	9. Unknown*

* Includes unknown to question 79 and unknown if used in past 12 months.

1

DR-43

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
449	80		MOST RECENT TIME USED CRACK*
		15	1. Within the past week (7 days)
		24	2. More than 1 week but less than 1 month (30 days)
		61	3. 1 or more months ago but less than 1 year ago
		356	4. 1 or more years ago
		2,319	5. Never used crack/ not even once
		17,334	8. Never used cocaine/ not even once
		1,065	9. Unknown
450	81		EVER USED COCAINE MORE OFTEN THAN PLANNED
		950	1. Yes
		1,904	2. No
		986	9. Unknown
		17,334	Blank. Never used cocaine
451	82		EVER TRIED TO CUT DOWN ON COCAINE BUT COULDN'T
		341	1. Yes
		2,510	2. No
		989	9. Unknown
		17,334	Blank. Never used cocaine
452	83		EVER USED COCAINE EVERY DAY 2 WEEKS OR MORE
		369	1. Yes
		2,479	2. No
		992	9. Unknown
		17,334	Blank. Never used cocaine

* Location 449 was not edited to be consistent with interval since other cocaine use in question 75.

1

DR-44

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
----------------	----------	-----------	-----------------

453	84		EVER BEEN HIGH ON COCAINE AT WORK/SCHOOL
		758	1. Yes
		2,090	2. No
		992	9. Unknown
		17,334	Blank. Never used cocaine
454	85		EVER BEEN HIGH ON COCAINE AT HOME WHILE TAKING CARE OF FAMILY
		568	1. Yes
		2,273	2. No
		999	9. Unknown
		17,334	Blank. Never used cocaine
455	86		EVER SKIPPED GOING TO WORK OR SCHOOL BECAUSE HIGH ON COCAINE
		404	1. Yes
		2,439	2. No
		997	9. Unknown
		17,334	Blank. Never used cocaine
456	87		EVER HAD PROBLEMS WITH WORK, SCHOOL, OR POLICE BECAUSE OF COCAINE
		313	1. Yes
		2,533	2. No
		994	9. Unknown
		17,334	Blank. Never used cocaine
457	88		EVER CONTINUED TO USE COCAINE DESPITE PROBLEMS WITH WORK, SCHOOL OR POLICE
		326	1. Yes
		2,514	2. No
		1,000	9. Unknown
		17,334	Blank. Never used cocaine

1

DR-45

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
458	89		EVER FAILED TO TAKE CARE OF FAMILY BECAUSE OF COCAINE
		245	1. Yes
		2,598	2. No
		997	9. Unknown
		17,334	Blank. Never used cocaine

459	90		EVER HAD PROBLEMS WITH FAMILY OR FRIENDS BECAUSE OF COCAINE
		470	1. Yes
		2,377	2. No
		993	9. Unknown
		17,334	Blank. Never used cocaine
460	91		EVER CONTINUED TO USE COCAINE DESPITE PROBLEMS WITH FAMILY OR FRIENDS
		398	1. Yes
		2,439	2. No
		1,003	9. Unknown
		17,334	Blank. Never used cocaine
461	92		EVER DRIVEN A CAR WHILE HIGH ON COCAINE
		1,232	1. Yes
		1,616	2. No
		992	9. Unknown
		17,334	Blank. Never used cocaine
462	93		EVER SPENT LESS TIME ON ACTIVITIES BECAUSE OF COCAINE
		516	1. Yes
		2,329	2. No
		995	9. Unknown
		17,334	Blank. Never used cocaine

1

DR-46

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
463	94		EVER HAD HEALTH PROBLEMS CAUSED BY USING COCAINE
		282	1. Yes
		2,562	2. No
		996	9. Unknown
		17,334	Blank. Never used cocaine
464	95		EVER CONTINUED TO USE COCAINE DESPITE HEALTH PROBLEMS
		274	1. Yes

2,566	2. No
1,000	9. Unknown
17,334	Blank. Never used cocaine

465	96		EVER FELT DEPRESSED/ANXIOUS BECAUSE OF COCAINE
		701	1. Yes
		2,143	2. No
		996	9. Unknown
		17,334	Blank. Never used cocaine

466	97		EVER CONTINUED TO USE COCAINE DESPITE DEPRESSION
		530	1. Yes
		2,306	2. No
		1,004	9. Unknown
		17,334	Blank. Never used cocaine

467	98		EVER BUILT UP A TOLERANCE TO COCAINE
		499	1. Yes
		2,345	2. No
		996	9. Unknown
		17,334	Blank. Never used cocaine

1

DR-47

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
468	99		EVER FELT SICK BECAUSE STOPPED/CUT DOWN ON COCAINE
		361	1. Yes
		2,482	2. No
		997	9. Unknown
		17,334	Blank. Never used cocaine
469	100		EVER USED ALCOHOL/DRUGS BECAUSE SICK FROM COCAINE USE
		326	1. Yes
		2,515	2. No
		999	9. Unknown
		17,334	Blank. Never used cocaine
470	101		EVER GONE TO SELF-HELP/ DOCTOR BECAUSE OF COCAINE
		243	1. Yes
		2,600	2. No

997 9. Unknown
 17,334 Blank. Never used cocaine

471 102 USED COCAINE MORE OFTEN THAN
 PLANNED IN PAST 12 MONTHS
 111 1. Yes
 313 2. No
 974 9. Unknown
 19,776 Blank. Never used cocaine
 or didn't use in
 past 12 months

472 103 TRIED TO CUT DOWN ON COCAINE
 BUT COULDN'T IN PAST 12 MONTHS
 58 1. Yes
 361 2. No
 979 9. Unknown
 19,776 Blank. Never used cocaine
 or did not use in
 past 12 months

1

DR-48

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
473	104		USED COCAINE EVERY DAY 2 WEEKS OR MORE IN PAST 12 MONTHS 37 1. Yes 381 2. No 980 9. Unknown 19,776 Blank. Never used cocaine or did not use in past 12 months
474	105		BEEN HIGH ON COCAINE AT WORK/SCHOOL IN PAST 12 MONTHS 72 1. Yes 347 2. No 979 9. Unknown 19,776 Blank. Never used cocaine or did not use in past 12 months
475	106		BEEN HIGH ON COCAINE AT HOME WHILE TAKING CARE OF FAMILY IN PAST 12 MONTHS 69 1. Yes

349	2.	No
980	9.	Unknown
19,776	Blank.	Never used cocaine or did not use in past 12 months

476	107		SKIPPED GOING TO WORK OR SCHOOL BECAUSE HIGH ON COCAINE IN PAST 12 MONTHS
		45	1. Yes
		372	2. No
		981	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months

1

DR-49

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
477	108		HAD PROBLEMS WITH WORK, SCHOOL OR POLICE BECAUSE OF COCAINE IN PAST 12 MONTHS
		35	1. Yes
		383	2. No
		980	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months
478	109		CONTINUED TO USE COCAINE DESPITE PROBLEMS WITH WORK, SCHOOL OR POLICE IN PAST 12 MONTHS
		38	1. Yes
		380	2. No
		980	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months
479	110		FAILED TO TAKE CARE OF FAMILY BECAUSE OF COCAINE IN PAST 12 MONTHS
		42	1. Yes
		375	2. No
		981	9. Unknown
		19,776	Blank. Never used cocaine or did not use in

past 12 months

480	111		HAD PROBLEMS WITH FAMILY OR FRIENDS BECAUSE OF COCAINE IN PAST 12 MONTHS
		70	1. Yes
		348	2. No
		980	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months

1

DR-50

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
481	112		CONTINUED TO USE COCAINE DESPITE PROBLEMS WITH FAMILY OR FRIENDS IN PAST 12 MONTHS
		62	1. Yes
		355	2. No
		981	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months
482	113		DRIVEN A CAR WHILE HIGH ON COCAINE IN PAST 12 MONTHS
		160	1. Yes
		258	2. No
		980	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months
483	114		SPENT LESS TIME ON ACTIVITIES BECAUSE OF COCAINE IN PAST 12 MONTHS
		59	1. Yes
		359	2. No
		980	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months
484	115		HEALTH PROBLEMS CAUSED BY USING COCAINE IN PAST 12 MONTHS

35	1. Yes
383	2. No
980	9. Unknown
19,776	Blank. Never used cocaine or did not use in past 12 months

1

DR-51

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
485	116		CONTINUED TO USE COCAINE DESPITE HEALTH PROBLEMS IN PAST 12 MONTHS
		38	1. Yes
		380	2. No
		980	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months
486	117		FELT DEPRESSED/ANXIOUS BECAUSE OF COCAINE IN PAST 12 MONTHS
		91	1. Yes
		327	2. No
		980	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months
487	118		CONTINUED TO USE COCAINE DESPITE DEPRESSION IN PAST 12 MONTHS
		70	1. Yes
		348	2. No
		980	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months
488	119		BUILT UP A TOLERANCE TO COCAINE IN PAST 12 MONTHS
		58	1. Yes
		359	2. No
		981	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
489	120		FELT SICK BECAUSE STOPPED/ CUT DOWN ON COCAINE IN PAST 12 MONTHS
		49	1. Yes
		369	2. No
		980	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months
490	121		USED ALCOHOL/DRUGS BECAUSE SICK FROM COCAINE IN PAST 12 MONTHS
		56	1. Yes
		361	2. No
		981	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months
491	122		GONE TO SELF-HELP GROUP/DOCTOR BECAUSE OF COCAINE IN PAST 12 MONTHS
		38	1. Yes
		382	2. No
		978	9. Unknown
		19,776	Blank. Never used cocaine or did not use in past 12 months
492		21,174	BLANK
(493-501)	Recode		LIFETIME SYMPTOMS OF COCAINE DEPENDENCE RECODE
493			Used Cocaine More Often Than Planned (Lifetime Prevalence)
		950	1. Yes
		19,238	2. No (includes never used)
		986	9. Unknown

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
(493-501)	Recode		LIFETIME SYMPTOMS OF COCAINE DEPENDENCE RECODE - Continued
494			Tried to Cut Down or Stop Cocaine But Couldn't (Lifetime Prevalence)
		341	1. Yes
		19,844	2. No (includes never used)
		989	9. Unknown
495			Used Cocaine Daily for 2+ Weeks (Lifetime Prevalence)
		369	1. Yes
		19,813	2. No (includes never used)
		992	9. Unknown
496			Social Consequences of Cocaine Use (Work, School, Family, Driving) (Lifetime Prevalence)
		1,411	1. Yes
		18,766	2. No (includes never used)
		997	9. Unknown
497			Reduced Activities Due to Cocaine (Lifetime Prevalence)
		516	1. Yes
		19,663	2. No (includes never used)
		995	9. Unknown
498			Continued to Use Cocaine, Despite Problems (work, family, health, etc.) (Lifetime Prevalence)
		667	1. Yes
		19,500	2. No (includes never used)
		1,007	9. Unknown
499			Built Up Tolerance to Cocaine (Lifetime Prevalence)
		499	1. Yes
		19,679	2. No (includes never used)
		996	9. Unknown

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
(493-501)	Recode		LIFETIME SYMPTOMS OF COCAINE DEPENDENCE RECODE - Continued
500			Felt Sick Due to Stopping or Cutting Down on Cocaine (Lifetime Prevalence)
		361	1. Yes
		19,816	2. No (includes never used)
		997	9. Unknown
501			Used Alcohol/Drugs Because Felt Sick from Cocaine (Lifetime Prevalence)
		326	1. Yes
		19,849	2. No (includes never used)
		999	9. Unknown
(502-510)	Recode		PAST YEAR SYMPTOMS OF COCAINE DEPENDENCE RECODE
502			Used Cocaine More Often Than Planned (Past Year Prevalence)
		111	1. Yes
		20,089	2. No (includes never used and used more than 1 year ago)
		974	9. Unknown
503			Tried to Cut Down or Stop Cocaine But Couldn't (Past Year Prevalence)
		58	1. Yes
		20,137	2. No (includes never used and used more than 1 year ago)
		979	9. Unknown
504			Used Cocaine Every Day for 2+ Weeks (Past Year Prevalence)
		37	1. Yes
		20,157	2. No (includes never used and used more than 1 year ago)
		980	9. Unknown
1			DR-55

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
(502-510)	Recode		PAST YEAR SYMPTOMS OF COCAINE DEPENDENCE RECODE - Continued
505			Social Consequences of Cocaine use (Work, School, Family, Driving) (Past Year Prevalence)
		191	1. Yes
		20,002	2. No (includes never used and used more than 1 year ago)
		981	9. Unknown
506			Reduced Activities Due to Cocaine (Past Year Prevalence)
		59	1. Yes
		20,135	2. No (includes never used and used more than 1 year ago)
		980	9. Unknown
507			Continued to Use Cocaine, Despite Problems (work, family, health, etc.) (Past Year Prevalence)
		95	1. Yes
		20,098	2. No (includes never used and used more than 1 year ago)
		981	9. Unknown
508			Built Up Tolerance to Cocaine (Past Year Prevalence)
		58	1. Yes
		20,135	2. No (includes never used and used more than 1 year ago)
		981	9. Unknown
509			Felt Sick Due to Stopping or Cutting Down on Cocaine (Past Year Prevalence)
		49	1. Yes
		20,145	2. No (includes never used and used more than 1 year ago)
		980	9. Unknown

1

DR-56

1991 DRUG AND ALCOHOL USE SUPPLEMENT

PUBLIC USE RECORD

Tape Locations	Item No.	Frequency	Items and Codes
----------------	----------	-----------	-----------------

(502-510)	Recode		PAST YEAR SYMPTOMS OF COCAINE DEPENDENCE RECODE - Continued
510			Used Alcohol/Drugs Because Felt Sick from Marijuana (Past Year Prevalence)
		56	1. Yes
		20,137	2. No (includes never used and used more than 1 year ago)
		981	9. Unknown

511	Recode		COCAINE DEPENDENCE (PAST YEAR)
		97	1. Yes
		21,077	2. No (includes never used, used more than a year ago & unknowns)

512	Recode		COCAINE DEPENDENCE OR ABUSE (PAST YEAR)
		97	1. Cocaine dependence
		13	2. Cocaine abuse (not dependent)
		21,064	3. No dependence or abuse (includes never used, used more than a year ago & unknowns)

1
B

APPENDIX

INDUSTRY RECODES OUTLINE

Recodes				

No. 1	No. 2	Detail Code	Industry Title	SIC Code*
Chrs.	Chrs.	(Chrs. 77-79)		
80-81	82-83			
01	01	010-011,020-021	AGRICULTURE	01-02,07,078
02	01	030-031	FORESTRY AND FISHERIES	08-09
10	02	040-042,050	MINING	10-14
20	03	060	CONSTRUCTION	15-17

(30-34, 40-46) (04)	-		MANUFACTURING:	
(30-34)			NONDURABLE GOODS	
30	04	100-102,110-112, 120-122	Food and kindred products	201-209
31	04	132,140-142, 150-152	Textile mill and finished textile products	221-229,231-239
32	04	171-172	Printing, publishing and allied industries	271-279
33	04	180-182,190-192	Chemicals and allied products	281-287,289
34	04	130,160-162, 200-201,210-212, 307, 220-222	Other nondurable goods	21,261-266,291,295, 299,301-304,306- 311,313-317,319

*Standard Industrial Classification

1
B

APPENDIX

INDUSTRY RECODES OUTLINE

Recodes				

No. 1 Chrs. 80-81	No. 2 Chrs. 82-83	Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
(30-34, 40-46) (04)	-		MANUFACTURING: - continued	
(40-46)			DURABLE GOODS	
40	04	230-232,241-242	Furniture, lumber and wood	
41	04	270-272,280	Primary metal industries	331-332,334,3331- 3334,3339,3351,3353- 3357,3361- 339
42	04	281-282,290-292, 300	Fabricated metal industries, including ordnance	341-349
43	04	310-312,320-322, 331-332	Machinery, except electrical	351-359
44	04	340-342,350	Electrical machinery,	361-367,369

			equipment and supplies	
45	04	351-352,360-362, 370	Transportation equipment	371-376,379
46	04	250-252,261-262, 301,371-372, 380-382,390-392	Other and not specified durable goods	321-329,381-387,394
<hr/>				
(50-54)	(05)	-	TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES	
50	05	400	Railroads	40
51	05	410-411	Trucking service and warehousing	421-423
52	05	401-402,412, 420-422,432	Other transportation	41,43-47
53	05	440-442	Communications	481-483,489
54	05	460-462,470-472	Utilities and sanitary	491-497

*Standard Industrial Classification

1
B

APPENDIX

INDUSTRY RECODES OUTLINE

Recodes				

No. 1	No. 2	Detail Code	Industry Title	SIC Code*
Chrs.	Chrs.	(Chrs. 77-79)		
80-81	82-83			
60	06	500-502,510-512, 521-522,530-532, 540-542,550-552, 560-562,571	WHOLESALE TRADE	501-508,5093,5094, 5099,511-518,5191, 5194,5198,5199
<hr/>				
(61-65)	(07)	-	RETAIL TRADE	
61	07	591-592,600	General merchandise stores	531,533,539
62	07	601-602,610-611	Food, bakery and dairy stores	541-546,549
63	07	612,620-622	Automotive dealers and gasoline stations	551-557,559
64	07	641	Eating and drinking places	58

65	07	580-582,590, 630-632,640,642, 650-652,660-662, 5963,	Other and not specified retail trade	521,523,525-527,56, 571-573,591-593, 5941-5949,5961-
		670-672,681-682, 691		598,5992-5994,5999

(70-71)	(08)	-	FINANCE, INSURANCE, AND REAL ESTATE	
70	08	700-702	Banking and credit agencies	60-61
71	08	710-712	Insurance, real estate, and other finance	62-67

*Standard Industrial Classification

1
B

APPENDIX

INDUSTRY RECODES OUTLINE

Recodes				
No. 1	No. 2	Detail Code	Industry Title	SIC Code*
Chrs. 80-81	Chrs. 82-83	(Chrs. 77-79)		
(75-85)	(09-12)	-	SERVICES:	
(75-76)	(09)		BUSINESS AND REPAIR SERVICES	
75	09	721-722,730-732, 740-742,750	Business services	731-737,7391-7397, 7399,751,752,754
76	09	751-752,760	Repair services	753,762-764,7692, 7694,7699
(77-78)	(10)	-	PERSONAL SERVICES	
77	10	761	Private households	88
78	10	762,770-772, 780-782,790-791	Other personal services	701-704,721-726,729
79	11	800-802	ENTERTAINMENT AND RECREATION SERVICES	78,791-794,799
(80-85)	(12)	-	PROFESSIONAL AND RELATED SERVICES	
80	12	831	Hospitals	806

81	12	812,820-822,830, 832,840	Health services, except hospitals	801-803,8041-8042, 8049,805,807-809
82	12	842,850	Elementary and secondary schools and colleges	821-822
83	12	851-852,860	Other educational services	823-824,829
84	12	861-862,870-872, 880-881	Social services, religious and membership organizations	832-833,835-836, 839,84,861-866,869
85	12	841,882,890-892	Legal, engineering and other professional services	81,891-893,899

*Standard Industrial Classification

1
B

APPENDIX

INDUSTRY RECODES OUTLINE

Recodes

No. 1 Chrs. 80-81	No. 2 Chrs. 82-83	Detail Code (Chrs. 77-79)	Industry Title	SIC Code*
90	13	900-901,910, 921-922,930-932	PUBLIC ADMINISTRATION	911-913,919,92-97
95	14	990 and all other codes except 996	UNKNOWN INDUSTRY	-
96	14	996	NEW WORKER	
97	15	Not applicable	NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (loc. 75) (Under 18 or 18+ and not in Labor Force).	
98	16	942	ARMED FORCES (excludes Reserves and National Guard)	

*Standard Industrial Classification

1
B

APPENDIX

INDUSTRY RECODE TITLES

Code	Titles	Recode No. 1 Inclusions
01	AGRICULTURE, FORESTRY AND FISHERIES	01,02
02	MINING	10
03	CONSTRUCTION	20
04	MANUFACTURING	30-34, 40-46
05	TRANSPORTATION, COMMUNICATIONS AND OTHER PUBLIC UTILITIES	50-54
06	WHOLESALE TRADE	60
07	RETAIL TRADE	61-65
08	FINANCE, INSURANCE, AND REAL ESTATE	70-71
09	BUSINESS AND REPAIR SERVICES	75-76
10	PERSONAL SERVICES	77-78
11	ENTERTAINMENT AND RECREATION SERVICES	79
12	PROFESSIONAL AND RELATED SERVICES	80-85
13	PUBLIC ADMINISTRATION	90
14	UNKNOWN (includes new workers)	95-96
15	NOT IN LABOR FORCE	97
16	ARMED FORCES	98

1

OCCUPATION RECODE OUTLINE

APPENDIX C

Recodes				
No. 1 Chrs. 87-88	No. 2 Chrs. 89-90	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
(01-03)	(01)	-	EXECUTIVE, ADMINISTRATIVE, AND MANAGERIAL OCCUPATIONS	-
01	01	003-006	Officials and administrators, public administration	111-113

02	01	007-009,013-019	Managers and administrators, except public administration	121-128,132-139
03	01	023-029,033-037	Management related occupations	1412,1414-1415, 1419,142-143, 1442-1443,1449, 145,1472-

1473,149

(04-11)	(02)	-	PROFESSIONAL SPECIALTY OCCUPATIONS	-
04	02	044-049,053-059	Engineers	1622-1628,1632- 1637,1639
05	02	043,063	Architects and surveyors	161,164
06	02	064-069,073-079 083	Natural mathematical and computer scientists	171-172,1732- 1733,1739,1842- 1843,1845-1847, 1849,1852-1855
07	02	084-089	Health diagnosing occupations	27,261-262,281, 283,289
08	02	095-099,103-106	Health assessment and treating occupations	29,301-302,3031- 3034,3039,304,
09	02	113-119,123-129, 133-139,143-149 153-159,163-165	Teachers, librarians and counselors	2212-2218,2222- 2228,2231-2238, 2242-2247,2249, 231-233,235,236, 239,24,251,252
10	02	183-189,193-195, 197-199	Writers, artists, entertainers and athletes	34,321-329,331- 333,398
11	02	166-169,173-179	Other professional specialty occupations	1912-1916,1919, 192,2032-2033, 2042,2049,211-

212

*Standard Occupational Classification.

1
C

APPENDIX

OCCUPATION RECODE OUTLINE

Recodes				

No. 1	No. 2			
Chrs.	Chrs.	Detail Code	Occupation Title	SOC Code*
87-88	89-90	(Chrs. 84-86)		

(12-13)	(03)	-	TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	-
---------	------	---	--	---

12	03	203-208	Health technologists and technicians	362-366,369
13	03	213-218,223-229, 233-235	Technologists, technicians except health	3711-3713,3719, 372-
373,382,3831-				
3833,384,389,392-				
3972,3974,399,825				

(14-16)	(04)	-	SALES OCCUPATIONS	-
14	04	243	Supervisors and proprietors	40
15	04	253-259	Sales representatives, commodities and finance	4122-4124,4152- 4153,421,423-424
16	04	263-269,274-278, 283-285	Other sales	4342-4348,4351- 4354,4356,4359, 4362-4367,4369, 444-447,449

(17-21)	(05)	-	ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL	-
17	05	308-309	Computer equipment operators	4612-4613
18	05	313-315	Secretaries, stenographers and typists	4622-4624
19	05	337-339,343-344	Financial records processing occupations	4712-4713,4715- 4716,4718
20	05	354-357	Mail and message distributing	4742-4745
21	05	303-307,316-319, 323,325-329, 335-336,345-349, 353,359,363-366, 368-369,373-379, 383-387,389	Other administrative support	4511-4519,4521- 4529,463,4642- 4645,4649,4662- 4664,4692,4694, 4696,4699,4722- 4723,4729,4732- 4733,4739,4751- 4759,4782-4784, 4786-4787,4791- 4795,4799

*Standard Occupational Classification.

1
C

APPENDIX

OCCUPATION RECODE OUTLINE

Recodes

No. 1 Chrs. 87-88	No. 2 Chrs. 89-90	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
22	06	403-407	PRIVATE HOUSEHOLD OCCUPATIONS	502-507,509
(23-24)	(07)	-	PROTECTIVE SERVICE OCCUPATIONS	
23	07	413-414,416-418, 423-424	Police and firefighters	5111-5112,5122- 5123,5132-5134
24	07	415,425-427	Other protective service occupations	5113,5142,5144, 5149
(25-28)	(08)	-	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	
25	08	433-439,443-444	Food service	5211-5219
26	08	445-447	Health service	5232-5233,5236
27	08	448-449,453-455	Cleaning and building service	5241-5242,5244- 5246,5249
28	08	456-459,463-469	Personal service	5251-5258,5262- 5264,5269
(29-31)	(09)	-	FARMING, FORESTRY AND FISHING OCCUPATIONS	
29	09	473-476	Farm operators and managers	5512-5515,5522- 5525
30	09	477,479,483-489	Farm workers and other agricultural workers	5611-5619,5621- 5622,5624-5625, 5627
31	09	494-499	Forestry and fishing occupations	571-573,579, 583-

584,8241(pt.)

*Standard Occupational Classification.

1
C

APPENDIX

OCCUPATION RECODE OUTLINE

Recodes

No. 1 Chrs. 87-88	No. 2 Chrs. 89-90	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
(32-34)	(10)	-	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS	
32	10	503,505-509, 514-519,523, 525-527,529 533-536,538-539, 543-544,547,549	Mechanics and repairers	60,6111-6118, 613-614,6151- 6159,616,6171- 6179
33	10	553-558,563-567, 569,573,575-577, 579,583-585, 587-589,593-599, 613-617	Construction and extractive trades	6311-6316,6318, 632,6412-6414, 6422,6424,6432- 6433,6442-6444, 645,6462-6468, 6472,6476,6479, 652-654,656
34	10	633-637,639, 643-647,649, 653-659,666-669, 673-679,683-684, 686-689,693-696, 699	Precision production occupations	67,71,6811-6814, 6816-6817,6821- 6824,6829,6831- 6832,6835,6839, 6844,6852-6854, 6856,6859,6861- 6862,6864-6867, 6869,6871-6873, 6879,6881-6882, 691-696,7447, 7668,7677,7752, 828

*Standard Occupational Classification

1
C

APPENDIX

OCCUPATION RECODE OUTLINE

Recodes				

No. 1 Chrs. 87-88	No. 2 Chrs. 89-90	Detail Code (Chrs. 84-86)	Occupation Title	SOC Code*
OPERATORS, FABRICATORS AND LABORERS				
(35-36)	(11)		MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	
35	11	703-709,713-715, 717,719,723-729, 733-739,743-745, 747-749,753-759,	Machine operators and tenderers,except precision	6841-6842,6849, 6855,6863,6868, 7312-7319,7322, 7324,7326,7329,

763-766,768-769,
773-774,777,779

7339,7342-7344,
7349,7431-7435,
7439,7443-7444,
7449,7451-7452,
7459,7462-7463,
7467,7472,7474,
7476-7478,
7479(pt.),7512-
7519,7522,7529,
7539,7542-7544,
7549,7631-7636,
7639,7642-7644,
7649,7651-7652,
7654-7659,7661-
7667,7669,7671-
7676,7677(pt.),
7678-7679

36	11	783-787,789, 793-799	Fabricators, assemblers, inspectors and samplers	7332-7333,7532- 7533,7714,7717, 772,774,7753- 7759,782-785,787
----	----	-------------------------	---	---

(37-39) (12) - TRANSPORTATION AND MATERIAL
MOVING OCCUPATIONS

37	12	803-806,808-809, 813-814	Motor vehicle operators	8111,8212-8216, 8218-8219,874
38	12	823-826,828-829, 833-834	Other transportation, except motor vehicles	8113,8232-8233, 8239,8241(pt.), 8242-8245
39	12	843-845,848-849, 853,855-856,859	Material moving equipment operators	812,8312-8319

*Standard Occupational Classification

1
C

APPENDIX

OCCUPATION RECODE OUTLINE

Recodes

No. 1	No. 2	Detail Code	Occupation Title	SOC Code*
Chrs.	Chrs.	(Chrs. 84-86)		
87-88	89-90			

(40-41) (13) HANDLERS, EQUIPMENT CLEANERS,
HELPERS AND LABORERS

40	13	869	Construction laborers	871
41	13	863-867,873, 875-878,883,885,	Freight, stock and material handlers	85,861-863, 8641-8646,

887-889

8648,865,
8722-8726,873,
875,8761,8769

95	14	999 and all other codes except 990	UNKNOWN OCCUPATION
96	14	990	NEW WORKER
97	15	Not applicable	NOT IN LABOR FORCE - codes Blank and 8 in current activity recode (Loc. 75). (Under 18 or 18+ and Not in Labor Force)
98	16	905	MILITARY

*Standard Occupational Classification
1
C

APPENDIX

OCCUPATION RECODE TITLES

Code	Titles	Recode No. 1 Inclusions
MANAGERIAL AND PROFESSIONAL SPECIALTY OCCUPATIONS		
01	EXECUTIVE, ADMINISTRATIVE AND MANAGERIAL OCCUPATIONS	01-03
02	PROFESSIONAL SPECIALTY OCCUPATIONS	04-11
TECHNICAL, SALES AND ADMINISTRATIVE SUPPORT OCCUPATIONS		
03	TECHNICIANS AND RELATED SUPPORT OCCUPATIONS	12-13
04	SALES OCCUPATIONS	14-16
05	ADMINISTRATIVE SUPPORT OCCUPATIONS, INCLUDING CLERICAL	17-21
SERVICE OCCUPATIONS		
06	PRIVATE HOUSEHOLD OCCUPATIONS	22
07	PROTECTIVE SERVICE OCCUPATIONS	23-24

08	SERVICE OCCUPATIONS, EXCEPT PROTECTIVE AND HOUSEHOLD	25-28
09	FARMING, FORESTRY AND FISHING OCCUPATIONS	29-31
10	PRECISION PRODUCTION, CRAFT AND REPAIR OCCUPATIONS OPERATORS, FABRICATORS AND LABORERS	32-34
11	MACHINE OPERATORS, ASSEMBLERS AND INSPECTORS	35-36
12	TRANSPORTATION AND MATERIAL MOVING OCCUPATIONS	37-39
13	HANDLERS, EQUIPMENT CLEANERS, HELPERS AND LABORERS	40-41
14	UNKNOWN OCCUPATION (includes New Workers)	95-96
15	NOT IN LABOR FORCE	97
16	MILITARY	98