

National Immunization Survey

**A Codebook for the
2006 Public-Use Data File**

Centers for Disease Control and Prevention

**National Center for Immunization and
Respiratory Diseases
and**

National Center for Health Statistics

Presented by:

**National Opinion Research Center (NORC)
Revised April 2008**

A SPECIAL NOTE FOR APRIL 2008 REVISION

The Centers for Disease Control and Prevention, National Center for Immunization and Respiratory Diseases is issuing revised estimates from the National Immunization Survey (NIS) of childhood immunization coverage for the year 2006. These revisions result in a minor change in the estimated percentage of children who are up-to-date with respect to the 4:3:1:3:3:1 series. The original estimate of 77.0 percent has been revised to 76.9 percent, a difference of one-tenth of one percent. For the majority of states and areas, revisions are similarly small; there are nine states that will experience larger differences, with the largest differences being in the range of 2 percentage points. Revisions for other vaccines and vaccine series at national, state, and area levels are of similar orders of magnitude. All revisions are within the margin of error of the survey. Users of the NIS data should be aware that the revision only affects the survey's estimation procedure – none of the items of data actually collected in the survey are revised.

The 2006 NIS includes children born within a reference period of January 6, 2003 to January 6, 2005. In order to design sampling weights, the NIS depends in part on counts of live births by area and state obtained from the National Vital Statistics System. This revision of the 2006 NIS estimates is being made to address 690,965 births (out of a total of 5,867,674 births during the reference period) for which race/ethnicity information appeared to be missing from the vital statistics. The births with missing information were confined to nine states: Florida, Idaho, Kentucky, New Hampshire, New York, Pennsylvania, South Carolina, Tennessee, and Washington. In cases where birth records were missing race/ethnicity information, statistical assumptions were made to enable NIS estimation to proceed. Such assumptions, made using a scientific methodology called imputation, are employed when actual data are unavailable.

Subsequent documentation from the National Vital Statistics System revealed the existence of actual race/ethnicity data for a portion of the births for which such statistical assumptions had been made. As actual data are preferred, we have re-calculated the weights and have adjusted the estimates to account for this information. While adjustments are small, the National Center for Immunization and Respiratory Diseases is issuing these revised estimates to ensure that it continues to provide the highest quality information available to support programs that use NIS data.

The current revision also includes two additional programs for variance estimation: SAS and R. For details, see Section 7.3.2 and Appendix G of A User's Guide for the 2006 Public-Use Data File.

NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

TABLE OF CONTENTS

| | |
|---|-----|
| Section Index of Variables | 1 |
| Section 1: ID, Weight, and Flag Variables | 14 |
| Section 2: Household Vaccination Variables | 17 |
| Section 3: Demographic and Socioeconomic Variables | 25 |
| Section 4: Geographic Variables..... | 36 |
| Section 5: Number of Providers Identified and Consent Variables | 41 |
| Section 6: Number of Responding Provider Variables..... | 42 |
| Section 7: Characteristics of Provider Variables | 44 |
| Section 8: Provider-Reported Up-to-Date Vaccination Variables..... | 46 |
| Section 9: Provider-Reported Age-at-Vaccination Variables | 74 |
| Alphabetical Index of Variables..... | 192 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| SEQNUMC | 1 | 6 | 1 | UNIQUE CHILD IDENTIFIER |
| SEQNUMHH | 7 | 11 | 1 | UNIQUE HOUSEHOLD IDENTIFIER |
| PDAT | 12 | 12 | 1 | CHILD HAS ADEQUATE PROVIDER DATA |
| PROVWT | 13 | 31 | 1 | WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN |
| RDDWT | 32 | 50 | 1 | RDD CHILD INTERVIEW WEIGHT |
| YEAR | 51 | 54 | 1 | YEAR OF INTERVIEW |
| AGECPOXR | 55 | 55 | 2 | AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE) |
| SC_431 | 56 | 57 | 2 | HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE |
| SC_4313 | 58 | 59 | 2 | HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE |
| SC_DTP | 60 | 61 | 2 | HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE |
| SC_HEPB | 62 | 63 | 2 | HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE |
| SC_HIB | 64 | 65 | 2 | HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE |
| SC_MCV | 66 | 67 | 2 | HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE |
| SC_POL | 68 | 69 | 2 | HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE |
| SC_VRC | 70 | 71 | 2 | HH SHOT CARD REPORT OF 1+ POLIO-CONTAINING UP-TO-DATE |
| HH_DTP | 72 | 73 | 2 | HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE |
| HH_HEPB | 74 | 75 | 2 | HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED |
| HH_HIB | 76 | 77 | 2 | HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED |
| HH_MCV | 78 | 79 | 2 | HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED |
| HH_POL | 80 | 81 | 2 | HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED |
| HH_VRC | 82 | 83 | 2 | HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED |
| HAD_CPOX | 84 | 85 | 2 | HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED |
| SHOTCARD | 86 | 87 | 2 | CHILD EVER HAD CHICKEN POX DISEASE? |
| AGEGRP | 88 | 88 | 2 | SHOT CARD USE FLAG |
| BF_ENDR06 | 89 | 89 | 3 | AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE) |
| BF_EXCLR06 | 90 | 97 | 3 | DURATION OF BREAST FEEDING IN DAYS (TOPCODE) |
| BF_FORMR06 | 98 | 105 | 3 | DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (TOPCODE) |
| BFENDFL06 | 106 | 113 | 3 | DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER |
| BFFORMFL06 | 114 | 115 | 3 | AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER |
| C1R | 116 | 116 | 3 | NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE) |
| C5R | 117 | 118 | 3 | RELATIONSHIP OF RESPONDENT TO CHILD (RECODE) |
| CBF_01 | 119 | 120 | 3 | WAS CHILD EVER BREAST FED OR FED BREAST MILK? |
| CEN_REG | 121 | 121 | 3 | CENSUS REGION BASED ON TRUE STATE OF RESIDENCE |
| CHILDNM | 122 | 122 | 3 | NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE) |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| CWIC_01 | 123 | 124 | 3 | CHILD EVER RECEIVED WIC BENEFITS? |
| CWIC_02 | 125 | 125 | 3 | CHILD CURRENTLY RECEIVING WIC BENEFITS? |
| EDUC1 | 126 | 126 | 3 | EDUCATION OF MOTHER CATEGORIES (RECODE) |
| FRSTBRN | 127 | 127 | 3 | FIRST BORN STATUS OF CHILD |
| I_HISP_K | 128 | 128 | 3 | HISPANIC ORIGIN OF CHILD |
| INCPORAR | 129 | 144 | 3 | INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE) |
| INCPOV1 | 145 | 145 | 3 | POVERTY STATUS |
| INCQ298A | 146 | 147 | 3 | FAMILY INCOME CATEGORIES (RECODE) |
| INOPHONR | 148 | 148 | 3 | LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE) |
| INTRP | 149 | 149 | 3 | PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR? |
| LANGUAGE | 150 | 150 | 3 | LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED |
| M_AGEGRP | 151 | 151 | 3 | AGE OF MOTHER CATEGORIES |
| MARITAL | 152 | 152 | 3 | MARITAL STATUS OF MOTHER CATEGORIES (RECODE) |
| MOBIL_I | 153 | 153 | 3 | GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE |
| RACE_K | 154 | 154 | 3 | RACE OF CHILD (RECODE) |
| RACEETHK | 155 | 155 | 3 | RACE/ETHNICITY OF CHILD (RECODE) |
| SEX | 156 | 156 | 3 | GENDER OF CHILD |
| ESTIAP06 | 157 | 159 | 4 | ESTIMATION IAP AREA OF RESIDENCE |
| STATE | 160 | 161 | 4 | TRUE STATE OF RESIDENCE (STATE FIPS CODE) |
| D6R | 162 | 162 | 5 | NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE) |
| D7 | 163 | 163 | 5 | CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS |
| DISPCODE | 164 | 165 | 6 | NIS PROVIDER RECORD-CHECK DISPOSITION CODE |
| N_PRVR | 166 | 166 | 6 | NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE) |
| PROV_FAC | 167 | 167 | 7 | PROVIDER FACILITY TYPE |
| REGISTRY | 168 | 168 | 7 | CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY |
| VFC_ORDER | 169 | 169 | 7 | DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT? |
| HEP_BRTH | 170 | 170 | 8 | HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG |
| HEP_FLAG | 171 | 171 | 8 | HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG |
| P_NUHEPX | 172 | 172 | 8 | NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUHIBX | 173 | 173 | 8 | NUMBER OF HIB-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUHPHB | 174 | 174 | 8 | NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| P_NUMDAH | 175 | 175 | 8 | NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDHB | 176 | 176 | 8 | NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDHI | 177 | 177 | 8 | NUMBER OF DTAP/HEPB/IPV COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDHM | 178 | 178 | 8 | NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDTA | 179 | 179 | 8 | NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDTM | 180 | 180 | 8 | NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDTP | 181 | 181 | 8 | NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU | 182 | 182 | 8 | NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEA | 183 | 183 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEN | 184 | 184 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEP | 185 | 185 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHIB | 186 | 186 | 8 | NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHIN | 187 | 187 | 8 | NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMIPV | 188 | 188 | 8 | NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCN | 189 | 189 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMR | 190 | 190 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMRX | 191 | 191 | 8 | NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMX | 192 | 192 | 8 | NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| P_NUMMP | 193 | 193 | 8 | NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMPR | 194 | 194 | 8 | NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMRV | 195 | 195 | 8 | NUMBER OF MMR/VARICELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMS | 196 | 196 | 8 | NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMSM | 197 | 197 | 8 | NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMSR | 198 | 198 | 8 | NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMOLN | 199 | 199 | 8 | NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMOPV | 200 | 200 | 8 | NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCC | 201 | 201 | 8 | NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCN | 202 | 202 | 8 | NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCP | 203 | 203 | 8 | NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCV | 204 | 204 | 8 | NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPOL | 205 | 205 | 8 | NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMRB | 206 | 206 | 8 | NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMROT | 207 | 207 | 8 | NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTPM | 208 | 208 | 8 | NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTPN | 209 | 209 | 8 | NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC | 210 | 210 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRN | 211 | 211 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| P_NUMVRX | 212 | 212 | 8 | NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U12VRC | 213 | 213 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS |
| P_UTD331 | 214 | 214 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 |
| P_UTD431 | 215 | 215 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 |
| P_UTDFL1 | 216 | 216 | 8 | UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1 |
| P_UTDFL2 | 217 | 217 | 8 | UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2 |
| P_UTDHEP | 218 | 218 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS |
| P_UTDHIB | 219 | 219 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS |
| P_UTDMCV | 220 | 220 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT |
| P_UTDMMX | 221 | 221 | 8 | UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT |
| P_UTDPC3 | 222 | 222 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS |
| P_UTDPCV | 223 | 223 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS |
| P_UTDPOL | 224 | 224 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS |
| P_UTDTP3 | 225 | 225 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS |
| P_UTDTP4 | 226 | 226 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS |
| PU431331 | 227 | 227 | 8 | UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) |
| PUT43133 | 228 | 228 | 8 | UTD FLAG FOR PROVIDER 4:3:1:3:3 |
| PUTD4313 | 229 | 229 | 8 | UTD FLAG FOR PROVIDER 4:3:1:3 |
| DDTP1 | 230 | 232 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1 |
| DDTP2 | 233 | 236 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2 |
| DDTP3 | 237 | 240 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3 |
| DDTP4 | 241 | 244 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4 |
| DDTP5 | 245 | 248 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5 |
| DDTP6 | 249 | 251 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6 |
| DDTP7 | 252 | 254 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7 |
| DDTP8 | 255 | 255 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8 |
| DDTP9 | 256 | 256 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9 |
| DFLU1 | 257 | 260 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #1 |
| DFLU2 | 261 | 264 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #2 |
| DFLU3 | 265 | 268 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #3 |
| DFLU4 | 269 | 272 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #4 |
| DFLU5 | 273 | 276 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #5 |
| DFLU6 | 277 | 277 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #6 |
| DFLU7 | 278 | 278 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #7 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| DFLU8 | 279 | 279 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #8 |
| DFLU9 | 280 | 280 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #9 |
| DHEPA1 | 281 | 284 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1 |
| DHEPA2 | 285 | 288 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2 |
| DHEPA3 | 289 | 292 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3 |
| DHEPA4 | 293 | 293 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4 |
| DHEPA5 | 294 | 294 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5 |
| DHEPA6 | 295 | 295 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6 |
| DHEPA7 | 296 | 296 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7 |
| DHEPA8 | 297 | 297 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8 |
| DHEPA9 | 298 | 298 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9 |
| DHEPB1 | 299 | 302 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1 |
| DHEPB2 | 303 | 306 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2 |
| DHEPB3 | 307 | 310 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3 |
| DHEPB4 | 311 | 314 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4 |
| DHEPB5 | 315 | 318 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5 |
| DHEPB6 | 319 | 321 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6 |
| DHEPB7 | 322 | 324 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7 |
| DHEPB8 | 325 | 327 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8 |
| DHEPB9 | 328 | 328 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9 |
| DHIB1 | 329 | 331 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1 |
| DHIB2 | 332 | 335 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2 |
| DHIB3 | 336 | 339 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3 |
| DHIB4 | 340 | 343 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4 |
| DHIB5 | 344 | 347 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5 |
| DHIB6 | 348 | 350 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6 |
| DHIB7 | 351 | 353 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7 |
| DHIB8 | 354 | 354 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8 |
| DHIB9 | 355 | 355 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9 |
| DMMR1 | 356 | 359 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1 |
| DMMR2 | 360 | 363 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2 |
| DMMR3 | 364 | 366 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3 |
| DMMR4 | 367 | 367 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4 |
| DMMR5 | 368 | 368 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5 |
| DMMR6 | 369 | 369 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6 |
| DMMR7 | 370 | 370 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7 |
| DMMR8 | 371 | 371 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8 |
| DMMR9 | 372 | 372 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| DMP1 | 373 | 376 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1 |
| DMP2 | 377 | 377 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2 |
| DMP3 | 378 | 378 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3 |
| DMP4 | 379 | 379 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4 |
| DMP5 | 380 | 380 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5 |
| DMP6 | 381 | 381 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6 |
| DMP7 | 382 | 382 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7 |
| DMP8 | 383 | 383 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8 |
| DMP9 | 384 | 384 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9 |
| DMPRB1 | 385 | 387 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1 |
| DMPRB2 | 388 | 388 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2 |
| DMPRB3 | 389 | 389 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3 |
| DMPRB4 | 390 | 390 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4 |
| DMPRB5 | 391 | 391 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5 |
| DMPRB6 | 392 | 392 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6 |
| DMPRB7 | 393 | 393 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7 |
| DMPRB8 | 394 | 394 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8 |
| DMPRB9 | 395 | 395 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9 |
| DPCV1 | 396 | 399 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1 |
| DPCV2 | 400 | 403 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2 |
| DPCV3 | 404 | 407 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3 |
| DPCV4 | 408 | 411 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4 |
| DPCV5 | 412 | 415 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5 |
| DPCV6 | 416 | 418 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6 |
| DPCV7 | 419 | 421 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7 |
| DPCV8 | 422 | 422 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8 |
| DPCV9 | 423 | 423 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9 |
| DPOLIO1 | 424 | 426 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1 |
| DPOLIO2 | 427 | 430 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2 |
| DPOLIO3 | 431 | 434 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3 |
| DPOLIO4 | 435 | 438 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4 |
| DPOLIO5 | 439 | 441 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5 |
| DPOLIO6 | 442 | 444 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6 |
| DPOLIO7 | 445 | 447 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7 |
| DPOLIO8 | 448 | 450 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8 |
| DPOLIO9 | 451 | 451 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9 |
| DRB1 | 452 | 454 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1 |
| DRB2 | 455 | 455 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| DRB3 | 456 | 456 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3 |
| DRB4 | 457 | 457 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4 |
| DRB5 | 458 | 458 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5 |
| DRB6 | 459 | 459 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6 |
| DRB7 | 460 | 460 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7 |
| DRB8 | 461 | 461 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8 |
| DRB9 | 462 | 462 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9 |
| DROT1 | 463 | 465 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1 |
| DROT2 | 466 | 468 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2 |
| DROT3 | 469 | 471 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3 |
| DROT4 | 472 | 472 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4 |
| DROT5 | 473 | 473 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5 |
| DROT6 | 474 | 474 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6 |
| DROT7 | 475 | 475 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7 |
| DROT8 | 476 | 476 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8 |
| DROT9 | 477 | 477 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9 |
| DTP1_AGE | 478 | 479 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1 |
| DTP2_AGE | 480 | 481 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2 |
| DTP3_AGE | 482 | 483 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3 |
| DTP4_AGE | 484 | 485 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4 |
| DTP5_AGE | 486 | 487 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5 |
| DTP6_AGE | 488 | 489 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6 |
| DTP7_AGE | 490 | 491 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7 |
| DTP8_AGE | 492 | 492 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8 |
| DTP9_AGE | 493 | 493 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9 |
| DVRC1 | 494 | 497 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1 |
| DVRC2 | 498 | 501 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2 |
| DVRC3 | 502 | 504 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3 |
| DVRC4 | 505 | 505 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4 |
| DVRC5 | 506 | 506 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5 |
| DVRC6 | 507 | 507 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6 |
| DVRC7 | 508 | 508 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7 |
| DVRC8 | 509 | 509 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8 |
| DVRC9 | 510 | 510 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9 |
| FLU1_AGE | 511 | 512 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #1 |
| FLU2_AGE | 513 | 514 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #2 |
| FLU3_AGE | 515 | 516 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #3 |
| FLU4_AGE | 517 | 518 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #4 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| FLU5_AGE | 519 | 520 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #5 |
| FLU6_AGE | 521 | 521 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #6 |
| FLU7_AGE | 522 | 522 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #7 |
| FLU8_AGE | 523 | 523 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #8 |
| FLU9_AGE | 524 | 524 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #9 |
| HEA1_AGE | 525 | 526 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1 |
| HEA2_AGE | 527 | 528 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2 |
| HEA3_AGE | 529 | 530 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3 |
| HEA4_AGE | 531 | 531 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4 |
| HEA5_AGE | 532 | 532 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5 |
| HEA6_AGE | 533 | 533 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6 |
| HEA7_AGE | 534 | 534 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7 |
| HEA8_AGE | 535 | 535 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8 |
| HEA9_AGE | 536 | 536 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9 |
| HEP1_AGE | 537 | 538 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1 |
| HEP2_AGE | 539 | 540 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2 |
| HEP3_AGE | 541 | 542 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3 |
| HEP4_AGE | 543 | 544 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4 |
| HEP5_AGE | 545 | 546 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5 |
| HEP6_AGE | 547 | 548 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6 |
| HEP7_AGE | 549 | 550 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7 |
| HEP8_AGE | 551 | 552 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8 |
| HEP9_AGE | 553 | 553 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9 |
| HIB1_AGE | 554 | 555 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1 |
| HIB2_AGE | 556 | 557 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2 |
| HIB3_AGE | 558 | 559 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3 |
| HIB4_AGE | 560 | 561 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4 |
| HIB5_AGE | 562 | 563 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5 |
| HIB6_AGE | 564 | 565 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6 |
| HIB7_AGE | 566 | 567 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7 |
| HIB8_AGE | 568 | 568 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8 |
| HIB9_AGE | 569 | 569 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9 |
| MMR1_AGE | 570 | 571 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1 |
| MMR2_AGE | 572 | 573 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2 |
| MMR3_AGE | 574 | 575 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3 |
| MMR4_AGE | 576 | 576 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4 |
| MMR5_AGE | 577 | 577 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| MMR6_AGE | 578 | 578 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6 |
| MMR7_AGE | 579 | 579 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7 |
| MMR8_AGE | 580 | 580 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8 |
| MMR9_AGE | 581 | 581 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9 |
| MP1_AGE | 582 | 583 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1 |
| MP2_AGE | 584 | 584 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2 |
| MP3_AGE | 585 | 585 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3 |
| MP4_AGE | 586 | 586 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4 |
| MP5_AGE | 587 | 587 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5 |
| MP6_AGE | 588 | 588 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6 |
| MP7_AGE | 589 | 589 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7 |
| MP8_AGE | 590 | 590 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8 |
| MP9_AGE | 591 | 591 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9 |
| MPR1_AGE | 592 | 593 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1 |
| MPR2_AGE | 594 | 594 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2 |
| MPR3_AGE | 595 | 595 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3 |
| MPR4_AGE | 596 | 596 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4 |
| MPR5_AGE | 597 | 597 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5 |
| MPR6_AGE | 598 | 598 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6 |
| MPR7_AGE | 599 | 599 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7 |
| MPR8_AGE | 600 | 600 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8 |
| MPR9_AGE | 601 | 601 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9 |
| PCV1_AGE | 602 | 603 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1 |
| PCV2_AGE | 604 | 605 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2 |
| PCV3_AGE | 606 | 607 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3 |
| PCV4_AGE | 608 | 609 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4 |
| PCV5_AGE | 610 | 611 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5 |
| PCV6_AGE | 612 | 613 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6 |
| PCV7_AGE | 614 | 615 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7 |
| PCV8_AGE | 616 | 616 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8 |
| PCV9_AGE | 617 | 617 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9 |
| POL1_AGE | 618 | 619 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1 |
| POL2_AGE | 620 | 621 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2 |
| POL3_AGE | 622 | 623 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3 |
| POL4_AGE | 624 | 625 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4 |
| POL5_AGE | 626 | 627 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5 |
| POL6_AGE | 628 | 629 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6 |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| POL7_AGE | 630 | 631 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7 |
| POL8_AGE | 632 | 633 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8 |
| POL9_AGE | 634 | 634 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9 |
| RB1_AGE | 635 | 636 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1 |
| RB2_AGE | 637 | 637 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2 |
| RB3_AGE | 638 | 638 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3 |
| RB4_AGE | 639 | 639 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4 |
| RB5_AGE | 640 | 640 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5 |
| RB6_AGE | 641 | 641 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6 |
| RB7_AGE | 642 | 642 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7 |
| RB8_AGE | 643 | 643 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8 |
| RB9_AGE | 644 | 644 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9 |
| ROT1_AGE | 645 | 646 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1 |
| ROT2_AGE | 647 | 647 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2 |
| ROT3_AGE | 648 | 649 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3 |
| ROT4_AGE | 650 | 650 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4 |
| ROT5_AGE | 651 | 651 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5 |
| ROT6_AGE | 652 | 652 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6 |
| ROT7_AGE | 653 | 653 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7 |
| ROT8_AGE | 654 | 654 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8 |
| ROT9_AGE | 655 | 655 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9 |
| VRC1_AGE | 656 | 657 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1 |
| VRC2_AGE | 658 | 659 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2 |
| VRC3_AGE | 660 | 661 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3 |
| VRC4_AGE | 662 | 662 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4 |
| VRC5_AGE | 663 | 663 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5 |
| VRC6_AGE | 664 | 664 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6 |
| VRC7_AGE | 665 | 665 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7 |
| VRC8_AGE | 666 | 666 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8 |
| VRC9_AGE | 667 | 667 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9 |
| XDTPTY1 | 668 | 669 | 9 | DT-CONTAINING VACCINATION #1 TYPE CODE |
| XDTPTY2 | 670 | 671 | 9 | DT-CONTAINING VACCINATION #2 TYPE CODE |
| XDTPTY3 | 672 | 673 | 9 | DT-CONTAINING VACCINATION #3 TYPE CODE |
| XDTPTY4 | 674 | 675 | 9 | DT-CONTAINING VACCINATION #4 TYPE CODE |
| XDTPTY5 | 676 | 677 | 9 | DT-CONTAINING VACCINATION #5 TYPE CODE |
| XDTPTY6 | 678 | 679 | 9 | DT-CONTAINING VACCINATION #6 TYPE CODE |
| XDTPTY7 | 680 | 681 | 9 | DT-CONTAINING VACCINATION #7 TYPE CODE |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| XDTPTY8 | 682 | 682 | 9 | DT-CONTAINING VACCINATION #8 TYPE CODE |
| XDTPTY9 | 683 | 683 | 9 | DT-CONTAINING VACCINATION #9 TYPE CODE |
| XHEPTY1 | 684 | 685 | 9 | HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE |
| XHEPTY2 | 686 | 687 | 9 | HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE |
| XHEPTY3 | 688 | 689 | 9 | HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE |
| XHEPTY4 | 690 | 691 | 9 | HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE |
| XHEPTY5 | 692 | 693 | 9 | HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE |
| XHEPTY6 | 694 | 695 | 9 | HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE |
| XHEPTY7 | 696 | 697 | 9 | HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE |
| XHEPTY8 | 698 | 699 | 9 | HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE |
| XHEPTY9 | 700 | 700 | 9 | HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE |
| XHIBTY1 | 701 | 702 | 9 | HIB-CONTAINING VACCINATION #1 TYPE CODE |
| XHIBTY2 | 703 | 704 | 9 | HIB-CONTAINING VACCINATION #2 TYPE CODE |
| XHIBTY3 | 705 | 706 | 9 | HIB-CONTAINING VACCINATION #3 TYPE CODE |
| XHIBTY4 | 707 | 708 | 9 | HIB-CONTAINING VACCINATION #4 TYPE CODE |
| XHIBTY5 | 709 | 710 | 9 | HIB-CONTAINING VACCINATION #5 TYPE CODE |
| XHIBTY6 | 711 | 712 | 9 | HIB-CONTAINING VACCINATION #6 TYPE CODE |
| XHIBTY7 | 713 | 714 | 9 | HIB-CONTAINING VACCINATION #7 TYPE CODE |
| XHIBTY8 | 715 | 715 | 9 | HIB-CONTAINING VACCINATION #8 TYPE CODE |
| XHIBTY9 | 716 | 716 | 9 | HIB-CONTAINING VACCINATION #9 TYPE CODE |
| XMMRTY1 | 717 | 718 | 9 | MEASLES-CONTAINING VACCINATION #1 TYPE CODE |
| XMMRTY2 | 719 | 720 | 9 | MEASLES-CONTAINING VACCINATION #2 TYPE CODE |
| XMMRTY3 | 721 | 722 | 9 | MEASLES-CONTAINING VACCINATION #3 TYPE CODE |
| XMMRTY4 | 723 | 723 | 9 | MEASLES-CONTAINING VACCINATION #4 TYPE CODE |
| XMMRTY5 | 724 | 724 | 9 | MEASLES-CONTAINING VACCINATION #5 TYPE CODE |
| XMMRTY6 | 725 | 725 | 9 | MEASLES-CONTAINING VACCINATION #6 TYPE CODE |
| XMMRTY7 | 726 | 726 | 9 | MEASLES-CONTAINING VACCINATION #7 TYPE CODE |
| XMMRTY8 | 727 | 727 | 9 | MEASLES-CONTAINING VACCINATION #8 TYPE CODE |
| XMMRTY9 | 728 | 728 | 9 | MEASLES-CONTAINING VACCINATION #9 TYPE CODE |
| XPCVTY1 | 729 | 730 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE |
| XPCVTY2 | 731 | 732 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE |
| XPCVTY3 | 733 | 734 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE |
| XPCVTY4 | 735 | 736 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE |
| XPCVTY5 | 737 | 738 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE |
| XPCVTY6 | 739 | 740 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE |
| XPCVTY7 | 741 | 742 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE |
| XPCVTY8 | 743 | 743 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE |
| XPCVTY9 | 744 | 744 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE |

SECTION INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| XPOLTY1 | 745 | 746 | 9 | POLIO-CONTAINING VACCINATION #1 TYPE CODE |
| XPOLTY2 | 747 | 748 | 9 | POLIO-CONTAINING VACCINATION #2 TYPE CODE |
| XPOLTY3 | 749 | 750 | 9 | POLIO-CONTAINING VACCINATION #3 TYPE CODE |
| XPOLTY4 | 751 | 752 | 9 | POLIO-CONTAINING VACCINATION #4 TYPE CODE |
| XPOLTY5 | 753 | 754 | 9 | POLIO-CONTAINING VACCINATION #5 TYPE CODE |
| XPOLTY6 | 755 | 756 | 9 | POLIO-CONTAINING VACCINATION #6 TYPE CODE |
| XPOLTY7 | 757 | 758 | 9 | POLIO-CONTAINING VACCINATION #7 TYPE CODE |
| XPOLTY8 | 759 | 760 | 9 | POLIO-CONTAINING VACCINATION #8 TYPE CODE |
| XPOLTY9 | 761 | 761 | 9 | POLIO-CONTAINING VACCINATION #9 TYPE CODE |
| XVRCTY1 | 762 | 763 | 9 | VARICELLA-CONTAINING VACCINATION #1 TYPE CODE |
| XVRCTY2 | 764 | 765 | 9 | VARICELLA-CONTAINING VACCINATION #2 TYPE CODE |
| XVRCTY3 | 766 | 767 | 9 | VARICELLA-CONTAINING VACCINATION #3 TYPE CODE |
| XVRCTY4 | 768 | 768 | 9 | VARICELLA-CONTAINING VACCINATION #4 TYPE CODE |
| XVRCTY5 | 769 | 769 | 9 | VARICELLA-CONTAINING VACCINATION #5 TYPE CODE |
| XVRCTY6 | 770 | 770 | 9 | VARICELLA-CONTAINING VACCINATION #6 TYPE CODE |
| XVRCTY7 | 771 | 771 | 9 | VARICELLA-CONTAINING VACCINATION #7 TYPE CODE |
| XVRCTY8 | 772 | 772 | 9 | VARICELLA-CONTAINING VACCINATION #8 TYPE CODE |
| XVRCTY9 | 773 | 773 | 9 | VARICELLA-CONTAINING VACCINATION #9 TYPE CODE |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES**Variable: SEQNUMC Type: Character****Label: UNIQUE CHILD IDENTIFIER****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-----------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: SEQNUMHH Type: Character**Label: UNIQUE HOUSEHOLD IDENTIFIER****Notes: Each household contains one or more children age 19 - 35 months.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-----------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: PDAT Type: Numeric**Label: CHILD HAS ADEQUATE PROVIDER DATA****Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).**

| LABEL | VALUE | COUNT | PCT | PCT | Adequate | PCT | PCT |
|---|-------|-------|--------|---------------------|---------------|---------------------|--------|
| | | | | Excl. Reserve Codes | Provider Data | Excl. Reserve Codes | |
| CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS | 1 | 21044 | 70.4% | 70.4% | 21044 | 100.0% | 100.0% |
| CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA | 2 | 8836 | 29.6% | 29.6% | 0 | 0.0% | 0.0% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: PROVWT **Type:** Numeric

Label:

WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN

Notes:

Final child weight to use for the calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1). This variable is calculated to seven decimal places.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. | Reserve Codes |
|------------------------|--------------|--------------|------------|----------------------|----------------------|------------|----------------------|
| | | | | Reserve Codes | Provider Data | PCT | |
| SUBTOTALS: | | 21044 | 70.4% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8836 | 29.6% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: PROVWT **Type:** Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 285.0 | 153.2 | 3.6 | 8239.2 | 396.4 |
| Adequate Provider Data | 285.0 | 153.2 | 3.6 | 8239.2 | 396.4 |

Variable: RDDWT **Type:** Numeric

Label: RDD CHILD INTERVIEW WEIGHT

Notes: Final household interview weight for child.

Use this weight for estimates based on children with completed household interviews.

This variable is calculated to seven decimal places.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. | Reserve Codes |
|------------------------|--------------|--------------|------------|----------------------|----------------------|------------|----------------------|
| | | | | Reserve Codes | Provider Data | PCT | |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: RDDWT **Type:** Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------------|---------------|------------|------------|---------------|
| All | 200.7 | 110.5 | 1.6 | 4853.8 | 264.0 |
| Adequate Provider Data | 198.8 | 108.6 | 2.4 | 4853.8 | 264.1 |

SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: YEAR **Type:** Numeric

Label: YEAR OF INTERVIEW

Notes: Sampling year.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. | |
|------------------------|-------|-------|--------|------------------|------------------|-----------|------------------|
| | | | | Reserve Codes | Provider Data | PCT | Reserve Codes |
| 2006 | 2006 | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: AGECPXR Type: Numeric****Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|------------------|
| | | | | Reserve Codes | Provider Data | | Reserve Codes |
| 0 TO 6 MONTHS OLD | 1 | 137 | 0.5% | 18.3% | 94 | 0.4% | 18.0% |
| 7 TO 12 MONTHS OLD | 2 | 223 | 0.7% | 29.8% | 164 | 0.8% | 31.5% |
| 13 TO 18 MONTHS OLD | 3 | 219 | 0.7% | 29.2% | 149 | 0.7% | 28.6% |
| 19+ MONTHS OLD | 4 | 170 | 0.6% | 22.7% | 114 | 0.5% | 21.9% |
| SUBTOTALS: | | 749 | 2.5% | 100.0% | 521 | 2.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29131 | 97.5% | n/a | 20523 | 97.5% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: SC_431 Type: Numeric**Label: HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE****Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles--containing.****Valid only if shot card was used.****Reporting error exists in household report of vaccinations received.**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|------------------|
| | | | | Reserve Codes | Provider Data | | Reserve Codes |
| UTD / SC | 1 | 7565 | 25.3% | 68.9% | 5967 | 28.4% | 69.3% |
| NOT UTD / SC | 2 | 3411 | 11.4% | 31.1% | 2645 | 12.6% | 30.7% |
| SUBTOTALS: | | 10976 | 36.7% | 100.0% | 8612 | 40.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 453 | 1.5% | n/a | 358 | 1.7% | n/a |
| UNKNOWN | 88 | 5 | 0.0% | n/a | 4 | 0.0% | n/a |
| REFUSED | 99 | 10 | 0.0% | n/a | 6 | 0.0% | n/a |
| MISSING | . | 18436 | 61.7% | n/a | 12064 | 57.3% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: SC_4313 Type: Numeric****Label: HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE**

Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles-containing, 3+ HIB-containing.

Valid only if shot card was used.

Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| UTD / SC | 1 | 7161 | 24.0% | 65.6% | 5667 | 26.9% |
| NOT UTD / SC | 2 | 3762 | 12.6% | 34.4% | 2905 | 13.8% |
| SUBTOTALS: | | 10923 | 36.6% | 100.0% | 8572 | 40.7% |
| RESERVED CODES: | | | | | | |
| DON'T KNOW | 77 | 502 | 1.7% | n/a | 396 | 1.9% |
| UNKNOWN | 88 | 6 | 0.0% | n/a | 5 | 0.0% |
| REFUSED | 99 | 13 | 0.0% | n/a | 7 | 0.0% |
| MISSING | . | 18436 | 61.7% | n/a | 12064 | 57.3% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: SC_43133 Type: Numeric**Label: HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE**

Notes: 4+ DT-containing, 3+ Polio-containing, 1+ Measles-containing, 3+ Hib-containing, 3+ HepB-containing. Valid only if shot card was used.

Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| UTD / SC | 1 | 6793 | 22.7% | 62.5% | 5378 | 25.6% |
| NOT UTD / SC | 2 | 4077 | 13.6% | 37.5% | 3148 | 15.0% |
| SUBTOTALS: | | 10870 | 36.4% | 100.0% | 8526 | 40.5% |
| RESERVED CODES: | | | | | | |
| DON'T KNOW | 77 | 553 | 1.9% | n/a | 440 | 2.1% |
| UNKNOWN | 88 | 6 | 0.0% | n/a | 5 | 0.0% |
| REFUSED | 99 | 15 | 0.1% | n/a | 9 | 0.0% |
| MISSING | . | 18436 | 61.7% | n/a | 12064 | 57.3% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: SC_DTP** Type: Numeric**Label: HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE**

Notes: Valid only if shot card was used.

Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| UTD / SC | 1 | 8201 | 27.4% | 72.4% | 6456 | 30.7% | 72.6% |
| NOT UTD / SC | 2 | 3130 | 10.5% | 27.6% | 2439 | 11.6% | 27.4% |
| SUBTOTALS: | | 11331 | 37.9% | 100.0% | 8895 | 42.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 103 | 0.3% | n/a | 77 | 0.4% | n/a |
| UNKNOWN | 88 | 5 | 0.0% | n/a | 4 | 0.0% | n/a |
| REFUSED | 99 | 5 | 0.0% | n/a | 4 | 0.0% | n/a |
| MISSING | . | 18436 | 61.7% | n/a | 12064 | 57.3% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: SC_HEPB Type: Numeric**Label: HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE**

Notes: Valid only if shot card was used.

Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| UTD / SC | 1 | 9674 | 32.4% | 85.7% | 7623 | 36.2% | 86.0% |
| NOT UTD / SC | 2 | 1620 | 5.4% | 14.3% | 1237 | 5.9% | 14.0% |
| SUBTOTALS: | | 11294 | 37.8% | 100.0% | 8860 | 42.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 142 | 0.5% | n/a | 113 | 0.5% | n/a |
| UNKNOWN | 88 | 4 | 0.0% | n/a | 4 | 0.0% | n/a |
| REFUSED | 99 | 4 | 0.0% | n/a | 3 | 0.0% | n/a |
| MISSING | . | 18436 | 61.7% | n/a | 12064 | 57.3% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES

Variable: SC_HIB **Type:** Numeric

Label: HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE

Notes: Valid only if shot card was used.

Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|-------------------------------|------------------------------|-------------------------------|
| | | | | | | |
| UTD / SC | 1 | 9777 | 32.7% | 86.6% | 7723 | 36.7% |
| NOT UTD / SC | 2 | 1512 | 5.1% | 13.4% | 1143 | 5.4% |
| SUBTOTALS: | | 11289 | 37.8% | 100.0% | 8866 | 42.1% |
| RESERVED CODES: | | | | | | 100.0% |
| DON'T KNOW | 77 | 146 | 0.5% | n/a | 109 | 0.5% |
| UNKNOWN | 88 | 4 | 0.0% | n/a | 3 | 0.0% |
| REFUSED | 99 | 5 | 0.0% | n/a | 2 | 0.0% |
| MISSING | . | 18436 | 61.7% | n/a | 12064 | 57.3% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: SC_MCV **Type:** Numeric

Label: HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE

Notes: Valid only if shot card was used.

Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|-------------------------------|------------------------------|-------------------------------|
| | | | | | | |
| UTD / SC | 1 | 10160 | 34.0% | 91.8% | 7979 | 37.9% |
| NOT UTD / SC | 2 | 913 | 3.1% | 8.2% | 712 | 3.4% |
| SUBTOTALS: | | 11073 | 37.1% | 100.0% | 8691 | 41.3% |
| RESERVED CODES: | | | | | | 100.0% |
| DON'T KNOW | 77 | 363 | 1.2% | n/a | 284 | 1.3% |
| UNKNOWN | 88 | 2 | 0.0% | n/a | 2 | 0.0% |
| REFUSED | 99 | 6 | 0.0% | n/a | 3 | 0.0% |
| MISSING | . | 18436 | 61.7% | n/a | 12064 | 57.3% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: SC_POL Type: Numeric****Label: HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE**

Notes: Valid only if shot card was used.

Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| UTD / SC | 1 | 9716 | 32.5% | 86.0% | 7646 | 36.3% | 86.2% |
| NOT UTD / SC | 2 | 1586 | 5.3% | 14.0% | 1227 | 5.8% | 13.8% |
| SUBTOTALS: | | 11302 | 37.8% | 100.0% | 8873 | 42.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 136 | 0.5% | n/a | 103 | 0.5% | n/a |
| UNKNOWN | 88 | 3 | 0.0% | n/a | 3 | 0.0% | n/a |
| REFUSED | 99 | 3 | 0.0% | n/a | 1 | 0.0% | n/a |
| MISSING | . | 18436 | 61.7% | n/a | 12064 | 57.3% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: SC_VRC Type: Numeric**Label: HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE**

Notes: Valid only if shot card was used.

Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| UTD / SC | 1 | 9595 | 32.1% | 86.9% | 7553 | 35.9% | 87.1% |
| NOT UTD / SC | 2 | 1446 | 4.8% | 13.1% | 1118 | 5.3% | 12.9% |
| SUBTOTALS: | | 11041 | 37.0% | 100.0% | 8671 | 41.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 392 | 1.3% | n/a | 301 | 1.4% | n/a |
| UNKNOWN | 88 | 1 | 0.0% | n/a | 1 | 0.0% | n/a |
| REFUSED | 99 | 10 | 0.0% | n/a | 7 | 0.0% | n/a |
| MISSING | . | 18436 | 61.7% | n/a | 12064 | 57.3% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: HH_DTP** Type: Numeric**Label: HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED**

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NONE | 0 | 689 | 2.3% | 2.4% | 404 | 1.9% |
| AT LEAST ONE | 1 | 23478 | 78.6% | 81.8% | 16889 | 80.3% |
| "ALL" | 50 | 4545 | 15.2% | 15.8% | 3013 | 14.3% |
| SUBTOTALS: | | 28712 | 96.1% | 100.0% | 20306 | 96.5% |
| RESERVED CODES: | | | | | | |
| DON'T KNOW | 77 | 1151 | 3.9% | n/a | 726 | 3.4% |
| REFUSED | 99 | 17 | 0.1% | n/a | 12 | 0.1% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: HH_HEPB Type: Numeric**Label:****HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED**

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NONE | 0 | 1840 | 6.2% | 6.6% | 1124 | 5.3% |
| AT LEAST ONE | 1 | 22705 | 76.0% | 82.1% | 16452 | 78.2% |
| "ALL" | 50 | 3127 | 10.5% | 11.3% | 2063 | 9.8% |
| SUBTOTALS: | | 27672 | 92.6% | 100.0% | 19639 | 93.3% |
| RESERVED CODES: | | | | | | |
| DON'T KNOW | 77 | 2193 | 7.3% | n/a | 1394 | 6.6% |
| REFUSED | 99 | 15 | 0.1% | n/a | 11 | 0.1% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: HH_HIB Type: Numeric**Label: HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED**

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-------------------|-------|-------|-------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NONE | 0 | 2838 | 9.5% | 10.8% | 1701 | 8.1% |
| AT LEAST ONE | 1 | 20334 | 68.1% | 77.6% | 14972 | 71.1% |
| "ALL" | 50 | 3031 | 10.1% | 11.6% | 1996 | 9.5% |
| SUBTOTALS: | | 26203 | 87.7% | 100.0% | 18669 | 88.7% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: HH_HIB Type: Numeric****Label: HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED**

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| RESERVED CODES: | | | | | | |
| DON'T KNOW | 77 | 3660 | 12.2% | n/a | 2365 | 11.2% |
| REFUSED | 99 | 17 | 0.1% | n/a | 10 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: HH_MCV Type: Numeric**Label: HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED**

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| RESERVED CODES: | | | | | | |
| NONE | 0 | 1979 | 6.6% | 7.0% | 1328 | 6.3% |
| AT LEAST ONE | 1 | 22660 | 75.8% | 80.0% | 16261 | 77.3% |
| "ALL" | 50 | 3698 | 12.4% | 13.1% | 2429 | 11.5% |
| SUBTOTALS: | | 28337 | 94.8% | 100.0% | 20018 | 95.1% |
| RESERVED CODES: | | | | | | |
| DON'T KNOW | 77 | 1525 | 5.1% | n/a | 1015 | 4.8% |
| REFUSED | 99 | 18 | 0.1% | n/a | 11 | 0.1% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: HH_POL Type: Numeric**Label: HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED**

Notes: Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| RESERVED CODES: | | | | | | |
| NONE | 0 | 2585 | 8.7% | 9.5% | 1618 | 7.7% |
| AT LEAST ONE | 1 | 21194 | 70.9% | 77.9% | 15448 | 73.4% |
| "ALL" | 50 | 3428 | 11.5% | 12.6% | 2267 | 10.8% |
| SUBTOTALS: | | 27207 | 91.1% | 100.0% | 19333 | 91.9% |
| RESERVED CODES: | | | | | | |
| DON'T KNOW | 77 | 2654 | 8.9% | n/a | 1699 | 8.1% |
| REFUSED | 99 | 19 | 0.1% | n/a | 12 | 0.1% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 2: HOUSEHOLD VACCINATION VARIABLES**Variable: HH_VRC Type: Numeric****Label: HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED****Notes:** Reporting error exists in household report of vaccinations received.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NONE | 0 | 4135 | 13.8% | 15.0% | 2782 | 13.2% |
| AT LEAST ONE | 1 | 20743 | 69.4% | 75.4% | 14963 | 71.1% |
| "ALL" | 50 | 2615 | 8.8% | 9.5% | 1699 | 8.1% |
| SUBTOTALS: | | 27493 | 92.0% | 100.0% | 19444 | 92.4% |
| RESERVED CODES: | | | | | | |
| DON'T KNOW | 77 | 2363 | 7.9% | n/a | 1584 | 7.5% |
| REFUSED | 99 | 24 | 0.1% | n/a | 16 | 0.1% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: HAD_CPOX Type: Numeric**Label: CHILD EVER HAD CHICKEN POX DISEASE?****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| YES | 1 | 757 | 2.5% | 2.5% | 525 | 2.5% |
| NO | 2 | 29002 | 97.1% | 97.5% | 20436 | 97.1% |
| SUBTOTALS: | | 29759 | 99.6% | 100.0% | 20961 | 99.6% |
| RESERVED CODES: | | | | | | |
| DON'T KNOW | 77 | 110 | 0.4% | n/a | 75 | 0.4% |
| REFUSED | 99 | 11 | 0.0% | n/a | 8 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: SHOTCARD Type: Numeric**Label: SHOT CARD USE FLAG****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SHOTCARD | 1 | 11444 | 38.3% | 38.3% | 8980 | 42.7% |
| NO SHOTCARD | 2 | 18436 | 61.7% | 61.7% | 12064 | 57.3% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES**Variable: AGEGRP Type: Numeric****Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 19 - 23 MONTHS | 1 | 8775 | 29.4% | 29.4% | 6240 | 29.7% |
| 24 - 29 MONTHS | 2 | 10585 | 35.4% | 35.4% | 7428 | 35.3% |
| 30 - 35 MONTHS | 3 | 10520 | 35.2% | 35.2% | 7376 | 35.1% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: BF_ENDR06 Type: Numeric**Label: DURATION OF BREAST FEEDING IN DAYS (TOPCODE)****Notes:** See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 21865 | 73.2% | 100.0% | 15643 | 74.3% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8015 | 26.8% | n/a | 5401 | 25.7% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: BF_ENDR06 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-----|-------|-------|
| All | 228.8 | 182.6 | 1.0 | 730.5 | 174.9 |
| Adequate Provider Data | 229.0 | 182.6 | 1.0 | 730.5 | 174.3 |

Variable: BF_EXCLR06 Type: Numeric**Label: DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (TOPCODE)****Notes:** See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 22052 | 73.8% | 100.0% | 15804 | 75.1% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 7828 | 26.2% | n/a | 5240 | 24.9% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES**Variable: BF_EXCLR06 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|-----|-------|--------|
| All | 138.8 | 121.8 | 0.0 | 273.9 | 70.3 |
| Adequate Provider Data | 138.1 | 121.8 | 0.0 | 273.9 | 69.3 |

Variable: BF_FORMR06 Type: Numeric**Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA (TOPCODE)****Notes:** See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| SUBTOTALS: | | 19252 | 64.4% | 100.0% | 13727 | 65.2% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 10628 | 35.6% | n/a | 7317 | 34.8% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: BF_FORMR06 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|-------|--------|
| All | 82.1 | 56.0 | 0.0 | 273.9 | 89.4 |
| Adequate Provider Data | 81.1 | 56.0 | 0.0 | 273.9 | 88.5 |

Variable: BFENDFL06 Type: Numeric**Label: DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS,
WITH BUFFER****Notes:** See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| YES | 1 | 1 | 0.0% | 100.0% | 1 | 0.0% |
| SUBTOTALS: | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: BFFORMFL06 **Type:** Numeric

Label:

AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER

Notes: See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: C1R **Type:** Numeric

Label: NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE)

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 2 | 2 | 600 | 2.0% | 2.0% | 403 | 1.9% |
| 3 | 3 | 6476 | 21.7% | 21.7% | 4384 | 20.8% |
| 4 | 4 | 11125 | 37.2% | 37.2% | 7974 | 37.9% |
| 5 | 5 | 6316 | 21.1% | 21.1% | 4540 | 21.6% |
| 6 | 6 | 3061 | 10.2% | 10.2% | 2166 | 10.3% |
| 7 | 7 | 1190 | 4.0% | 4.0% | 820 | 3.9% |
| 8+ | 8 | 1112 | 3.7% | 3.7% | 757 | 3.6% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: C5R **Type:** Numeric

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

| LABEL | VALUE | COUNT | PCT | PCT | Adequate | PCT |
|--|-------|-------|-------|---------------------------|------------------|---------------------------|
| | | | | Excl. Reserve Codes | Provider Data | Excl. Reserve Codes |
| MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN | 1 | 24552 | 82.2% | 82.2% | 17765 | 84.4% |
| FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN | 2 | 4014 | 13.4% | 13.4% | 2563 | 12.2% |
| GRANDPARENT | 3 | 967 | 3.2% | 3.2% | 562 | 2.7% |
| OTHER FAMILY MEMBER/FRIEND | 4 | 340 | 1.1% | 1.1% | 150 | 0.7% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES**Variable: C5R Type: Numeric****Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT | Adequate | PCT | PCT |
|-----------------|-------|-------|--------|---------------------|---------------|-------|--------|
| | | | | Excl. Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 29873 | 100.0% | 100.0% | | 21040 | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 4 | 0.0% | n/a | | 2 | 0.0% |
| REFUSED | 99 | 3 | 0.0% | n/a | | 2 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: CBF_01 Type: Numeric**Label: WAS CHILD EVER BREAST FED OR FED BREAST MILK?****Notes:** See User's Guide for more information.

| LABEL | VALUE | COUNT | PCT | PCT | Adequate | PCT | PCT |
|-----------------|-------|-------|--------|---------------------|---------------|--------|--------|
| | | | | Excl. Reserve Codes | Provider Data | | |
| YES | 1 | 22589 | 75.6% | 75.9% | 16137 | 76.7% | 77.0% |
| NO | 2 | 7156 | 23.9% | 24.1% | 4833 | 23.0% | 23.0% |
| SUBTOTALS: | | 29745 | 99.5% | 100.0% | 20970 | 99.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 129 | 0.4% | n/a | 70 | 0.3% | n/a |
| REFUSED | 99 | 6 | 0.0% | n/a | 4 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: CEN_REG Type: Numeric**Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT | Adequate | PCT | PCT |
|-----------------|-------|-------|--------|---------------------|---------------|--------|--------|
| | | | | Excl. Reserve Codes | Provider Data | | |
| NORTHEAST | 1 | 5221 | 17.5% | 17.5% | 3593 | 17.1% | 17.1% |
| MIDWEST | 2 | 6804 | 22.8% | 22.8% | 4818 | 22.9% | 22.9% |
| SOUTH | 3 | 10406 | 34.8% | 34.8% | 7235 | 34.4% | 34.4% |
| WEST | 4 | 7449 | 24.9% | 24.9% | 5398 | 25.7% | 25.7% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES**Variable: CHILDNM Type: Numeric****Label: NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| ONE | 1 | 7536 | 25.2% | 25.2% | 5123 | 24.3% |
| TWO OR THREE | 2 | 18277 | 61.2% | 61.2% | 13081 | 62.2% |
| FOUR OR MORE | 3 | 4067 | 13.6% | 13.6% | 2840 | 13.5% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: CWIC_01 Type: Numeric**Label: CHILD EVER RECEIVED WIC BENEFITS?****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| YES | 1 | 13470 | 45.1% | 45.2% | 9543 | 45.3% |
| NO | 2 | 16235 | 54.3% | 54.5% | 11392 | 54.1% |
| NEVER HEARD OF WIC | 3 | 76 | 0.3% | 0.3% | 55 | 0.3% |
| SUBTOTALS: | | 29781 | 99.7% | 100.0% | 20990 | 99.7% |
| RESERVED CODES: | | | | | | |
| DON'T KNOW | 77 | 89 | 0.3% | n/a | 50 | 0.2% |
| REFUSED | 99 | 9 | 0.0% | n/a | 4 | 0.0% |
| MISSING | . | 1 | 0.0% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: CWIC_02 Type: Numeric**Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| YES | 1 | 7805 | 26.1% | 57.9% | 5614 | 26.7% |
| NO | 2 | 5665 | 19.0% | 42.1% | 3929 | 18.7% |
| SUBTOTALS: | | 13470 | 45.1% | 100.0% | 9543 | 45.3% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 16410 | 54.9% | n/a | 11501 | 54.7% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES**Variable: EDUC1** Type: Numeric**Label: EDUCATION OF MOTHER CATEGORIES (RECODE)**

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------------|--------------|--------------|------------|------------------|-----------------|--------------|------------------|
| | | | | Reserve | Provider | | Reserve |
| | | | | Codes | Data | Codes | |
| < 12 YEARS | 1 | 3815 | 12.8% | 12.8% | 2750 | 13.1% | 13.1% |
| 12 YEARS | 2 | 6746 | 22.6% | 22.6% | 4695 | 22.3% | 22.3% |
| > 12 YEARS, NON-COLLEGE GRAD | 3 | 6712 | 22.5% | 22.5% | 4668 | 22.2% | 22.2% |
| COLLEGE GRAD | 4 | 12607 | 42.2% | 42.2% | 8931 | 42.4% | 42.4% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: FRSTBRN Type: Numeric**Label: FIRST BORN STATUS OF CHILD**

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|--------------|------------------|
| | | | | Reserve | Provider | | Reserve |
| | | | | Codes | Data | Codes | |
| NO | 1 | 15952 | 53.4% | 53.4% | 11443 | 54.4% | 54.4% |
| YES | 2 | 13928 | 46.6% | 46.6% | 9601 | 45.6% | 45.6% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: I_HISP_K Type: Numeric**Label: HISPANIC ORIGIN OF CHILD**

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|--------------|------------------|
| | | | | Reserve | Provider | | Reserve |
| | | | | Codes | Data | Codes | |
| HISPANIC | 1 | 6863 | 23.0% | 23.0% | 4825 | 22.9% | 22.9% |
| NON-HISPANIC | 2 | 23017 | 77.0% | 77.0% | 16219 | 77.1% | 77.1% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCPORAR Type: Numeric

Label: INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE)

Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2005 and 2006 Census poverty thresholds.

If any of the first three variables are missing then INCPORAR will be missing.

Calculated to 2 decimal places.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. | |
|------------------------|-------|-------|--------|------------------|------------------|-----------|------------------|
| | | | | Reserve Codes | Provider Data | PCT | Reserve Codes |
| SUBTOTALS: | | 26671 | 89.3% | 100.0% | 19297 | 91.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 3209 | 10.7% | n/a | 1747 | 8.3% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: INCPORAR Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|-----|--------|
| All | 2.1 | 2.5 | 0.5 | 3.0 | 1.0 |
| Adequate Provider Data | 2.1 | 2.5 | 0.5 | 3.0 | 1.0 |

Variable: INCPOV1 Type: Numeric

Label: POVERTY STATUS

Notes: Based on 2005 and 2006 Census poverty thresholds.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. | |
|-------------------------|-------|-------|--------|------------------|------------------|-----------|------------------|
| | | | | Reserve Codes | Provider Data | PCT | Reserve Codes |
| ABOVE POVERTY, > \$75K | 1 | 8368 | 28.0% | 30.0% | 6078 | 28.9% | 30.4% |
| ABOVE POVERTY, <= \$75K | 2 | 13709 | 45.9% | 49.1% | 9739 | 46.3% | 48.7% |
| BELOW POVERTY | 3 | 5827 | 19.5% | 20.9% | 4162 | 19.8% | 20.8% |
| SUBTOTALS: | | 27904 | 93.4% | 100.0% | 19979 | 94.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| UNKNOWN | 4 | 1976 | 6.6% | n/a | 1065 | 5.1% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES**Variable: INCQ298A Type: Numeric****Label: FAMILY INCOME CATEGORIES (RECODE)****Notes:** Family income in 2005 or 2006.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| | | | | 4.3% | 810 | | 4.2% |
| \$0 - \$7500 | 3 | 1152 | 3.9% | 4.3% | 810 | 3.8% | 4.2% |
| \$7501 - \$10000 | 4 | 1190 | 4.0% | 4.5% | 842 | 4.0% | 4.4% |
| \$10001 - \$17500 | 5 | 1737 | 5.8% | 6.5% | 1283 | 6.1% | 6.6% |
| \$17501 - \$20000 | 6 | 1272 | 4.3% | 4.8% | 889 | 4.2% | 4.6% |
| \$20001 - \$25000 | 7 | 1412 | 4.7% | 5.3% | 1050 | 5.0% | 5.4% |
| \$25001 - \$30000 | 8 | 1583 | 5.3% | 5.9% | 1160 | 5.5% | 6.0% |
| \$30001 - \$35000 | 9 | 1180 | 3.9% | 4.4% | 874 | 4.2% | 4.5% |
| \$35001 - \$40000 | 10 | 1460 | 4.9% | 5.5% | 1030 | 4.9% | 5.3% |
| \$40001 - \$50000 | 11 | 2364 | 7.9% | 8.9% | 1675 | 8.0% | 8.7% |
| \$50001 - \$60000 | 12 | 2178 | 7.3% | 8.2% | 1582 | 7.5% | 8.2% |
| \$60001 - \$75000 | 13 | 2776 | 9.3% | 10.4% | 2025 | 9.6% | 10.5% |
| \$75001+ | 14 | 8367 | 28.0% | 31.4% | 6077 | 28.9% | 31.5% |
| SUBTOTALS: | | 26671 | 89.3% | 100.0% | 19297 | 91.7% | 100.0% |
| RESERVED CODES: | | | | | | | |
| DON'T KNOW | 77 | 1929 | 6.5% | n/a | 1231 | 5.8% | n/a |
| REFUSED | 99 | 1280 | 4.3% | n/a | 516 | 2.5% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: INOPHONR Type: Numeric**Label: LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE)****Notes:** Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
|------------------------|--------------|--------------|------------|--|---------------------------------------|------------|--|
| | | | | 35.7% | 482 | | 34.9% |
| 7 TO 14 DAYS | 1 | 685 | 2.3% | 35.7% | 482 | 2.3% | 34.9% |
| 15 TO 30 DAYS | 2 | 412 | 1.4% | 21.5% | 289 | 1.4% | 20.9% |
| 31 TO 365 DAYS | 3 | 821 | 2.7% | 42.8% | 609 | 2.9% | 44.1% |
| SUBTOTALS: | | 1918 | 6.4% | 100.0% | 1380 | 6.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27962 | 93.6% | n/a | 19664 | 93.4% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES**Variable: INTRP** Type: Numeric**Label: PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?**

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| YES | 1 | 2012 | 6.7% | 6.7% | 1439 | 6.8% |
| NO | 2 | 27868 | 93.3% | 93.3% | 19605 | 93.2% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: LANGUAGE Type: Numeric**Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED**

Notes:

Interviews conducted in other languages were administered using the AT&T language line.

This variable was constructed from call outcome codes.

While these outcome codes are considered accurate,

there is no independent check to determine the language in which the interview was actually conducted.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| ENGLISH | 1 | 26076 | 87.3% | 87.3% | 18355 | 87.2% |
| SPANISH | 2 | 3298 | 11.0% | 11.0% | 2360 | 11.2% |
| OTHER | 3 | 506 | 1.7% | 1.7% | 329 | 1.6% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: M_AGEGRP Type: Numeric**Label: AGE OF MOTHER CATEGORIES**

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| <= 19 YEARS | 1 | 668 | 2.2% | 2.2% | 432 | 2.1% |
| 20 - 29 YEARS | 2 | 10997 | 36.8% | 36.8% | 7717 | 36.7% |
| >= 30 YEARS | 3 | 18215 | 61.0% | 61.0% | 12895 | 61.3% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES**Variable: MARITAL Type: Numeric****Label: MARITAL STATUS OF MOTHER CATEGORIES (RECODE)**

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-------------------------------------|-------|-------|--------|---------------|---------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| WIDOWED/DIVORCED/SEPARATED/DECEASED | 1 | 2055 | 6.9% | 6.9% | 1434 | 6.8% | 6.8% |
| NEVER MARRIED | 2 | 5621 | 18.8% | 18.8% | 3819 | 18.1% | 18.1% |
| MARRIED | 3 | 22204 | 74.3% | 74.3% | 15791 | 75.0% | 75.0% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: MOBIL_I Type: Numeric**Label: GEOGRAPHIC MOBILITY STATUS:****STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE**

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-----------------------------------|-------|-------|--------|---------------|---------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| MOVED FROM DIFFERENT STATE | 1 | 2671 | 8.9% | 8.9% | 1760 | 8.4% | 8.4% |
| DID NOT MOVE FROM DIFFERENT STATE | 2 | 27209 | 91.1% | 91.1% | 19284 | 91.6% | 91.6% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: RACE_K Type: Numeric**Label: RACE OF CHILD (RECODE)**

Notes: Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| WHITE ONLY | 1 | 21967 | 73.5% | 73.5% | 15808 | 75.1% | 75.1% |
| BLACK ONLY | 2 | 4313 | 14.4% | 14.4% | 2719 | 12.9% | 12.9% |
| OTHER + MULTIPLE RACE | 3 | 3600 | 12.0% | 12.0% | 2517 | 12.0% | 12.0% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES**Variable: RACEETHK Type: Numeric****Label: RACE/ETHNICITY OF CHILD (RECODE)****Notes:** Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------------------|--------------|--------------|------------|------------------|-----------------|--------------|------------------|
| | | | | Reserve | Provider | | |
| | | | | Codes | Data | Codes | |
| HISPANIC | 1 | 6863 | 23.0% | 23.0% | 4825 | 22.9% | 22.9% |
| NON-HISPANIC WHITE ONLY | 2 | 16585 | 55.5% | 55.5% | 11961 | 56.8% | 56.8% |
| NON-HISPANIC BLACK ONLY | 3 | 3623 | 12.1% | 12.1% | 2275 | 10.8% | 10.8% |
| NON-HISPANIC OTHER + MULTIPLE RACE | 4 | 2809 | 9.4% | 9.4% | 1983 | 9.4% | 9.4% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: SEX Type: Numeric**Label: GENDER OF CHILD****Notes:** Imputed variable.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|--------------|------------------|
| | | | | Reserve | Provider | | |
| | | | | Codes | Data | Codes | |
| MALE | 1 | 15247 | 51.0% | 51.0% | 10728 | 51.0% | 51.0% |
| FEMALE | 2 | 14633 | 49.0% | 49.0% | 10316 | 49.0% | 49.0% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 4: GEOGRAPHIC VARIABLES**Variable: ESTIAP06 Type: Numeric****Label: ESTIMATION IAP AREA OF RESIDENCE****Notes:** Use as stratum identifier when calculating standard errors.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|---------------------------|-------|-------|------|------------------|------------------|-----------|
| | | | | Reserve Codes | Provider Data | PCT |
| CT | 1 | 376 | 1.3% | 1.3% | 274 | 1.3% |
| MA-REST OF STATE | 2 | 365 | 1.2% | 1.2% | 246 | 1.2% |
| MA-CITY OF BOSTON | 3 | 378 | 1.3% | 1.3% | 266 | 1.3% |
| ME | 4 | 294 | 1.0% | 1.0% | 204 | 1.0% |
| NH | 5 | 338 | 1.1% | 1.1% | 245 | 1.2% |
| RI | 6 | 410 | 1.4% | 1.4% | 303 | 1.4% |
| VT | 7 | 282 | 0.9% | 0.9% | 222 | 1.1% |
| NJ-REST OF STATE | 8 | 452 | 1.5% | 1.5% | 288 | 1.4% |
| NJ-CITY OF NEWARK | 9 | 386 | 1.3% | 1.3% | 265 | 1.3% |
| NY-REST OF STATE | 10 | 373 | 1.2% | 1.2% | 249 | 1.2% |
| NY-CITY OF NEW YORK | 11 | 443 | 1.5% | 1.5% | 277 | 1.3% |
| DISTRICT OF COLUMBIA | 12 | 462 | 1.5% | 1.5% | 311 | 1.5% |
| DE | 13 | 343 | 1.1% | 1.1% | 235 | 1.1% |
| MD-REST OF STATE | 14 | 414 | 1.4% | 1.4% | 286 | 1.4% |
| MD-CITY OF BALTIMORE | 15 | 348 | 1.2% | 1.2% | 233 | 1.1% |
| PA-REST OF STATE | 16 | 364 | 1.2% | 1.2% | 254 | 1.2% |
| PA-PHILADELPHIA COUNTY | 17 | 337 | 1.1% | 1.1% | 210 | 1.0% |
| VA | 18 | 403 | 1.3% | 1.3% | 280 | 1.3% |
| WV | 19 | 342 | 1.1% | 1.1% | 248 | 1.2% |
| AL-REST OF STATE | 20 | 378 | 1.3% | 1.3% | 269 | 1.3% |
| FL-REST OF STATE | 22 | 429 | 1.4% | 1.4% | 291 | 1.4% |
| FL-DUVAL COUNTY | 23 | 490 | 1.6% | 1.6% | 345 | 1.6% |
| FL-MIAMI-DADE COUNTY | 24 | 448 | 1.5% | 1.5% | 285 | 1.4% |
| GA-REST OF STATE | 25 | 408 | 1.4% | 1.4% | 302 | 1.4% |
| GA-FULTON/DEKALB COUNTIES | 26 | 379 | 1.3% | 1.3% | 266 | 1.3% |
| KY | 27 | 382 | 1.3% | 1.3% | 267 | 1.3% |
| MS | 28 | 429 | 1.4% | 1.4% | 284 | 1.3% |
| NC | 29 | 347 | 1.2% | 1.2% | 241 | 1.1% |
| SC | 30 | 474 | 1.6% | 1.6% | 330 | 1.6% |
| TN-REST OF STATE | 31 | 334 | 1.1% | 1.1% | 239 | 1.1% |
| TN-SHELBY COUNTY | 32 | 454 | 1.5% | 1.5% | 304 | 1.4% |
| IL-REST OF STATE | 34 | 330 | 1.1% | 1.1% | 224 | 1.1% |
| IL-CITY OF CHICAGO | 35 | 485 | 1.6% | 1.6% | 316 | 1.5% |
| IN-REST OF STATE | 36 | 351 | 1.2% | 1.2% | 246 | 1.2% |

SECTION 4: GEOGRAPHIC VARIABLES**Variable: ESTIAP06 Type: Numeric****Label: ESTIMATION IAP AREA OF RESIDENCE****Notes:** Use as stratum identifier when calculating standard errors.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-----------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | Reserve |
| | | | | Codes | Data | Codes | |
| IN-MARION COUNTY | 37 | 397 | 1.3% | 1.3% | 275 | 1.3% | 1.3% |
| MI-REST OF STATE | 38 | 413 | 1.4% | 1.4% | 305 | 1.4% | 1.4% |
| MI-CITY OF DETROIT | 39 | 371 | 1.2% | 1.2% | 234 | 1.1% | 1.1% |
| MN | 40 | 323 | 1.1% | 1.1% | 236 | 1.1% | 1.1% |
| OH-REST OF STATE | 41 | 391 | 1.3% | 1.3% | 273 | 1.3% | 1.3% |
| OH-CUYAHOGA COUNTY | 42 | 432 | 1.4% | 1.4% | 297 | 1.4% | 1.4% |
| WI-REST OF STATE | 44 | 313 | 1.0% | 1.0% | 236 | 1.1% | 1.1% |
| WI-MILWAUKEE COUNTY | 45 | 324 | 1.1% | 1.1% | 259 | 1.2% | 1.2% |
| AR | 46 | 286 | 1.0% | 1.0% | 207 | 1.0% | 1.0% |
| LA | 47 | 433 | 1.4% | 1.4% | 287 | 1.4% | 1.4% |
| NM-REST OF STATE | 49 | 321 | 1.1% | 1.1% | 236 | 1.1% | 1.1% |
| OK | 50 | 419 | 1.4% | 1.4% | 303 | 1.4% | 1.4% |
| TX-REST OF STATE | 51 | 538 | 1.8% | 1.8% | 381 | 1.8% | 1.8% |
| TX-DALLAS COUNTY | 52 | 309 | 1.0% | 1.0% | 208 | 1.0% | 1.0% |
| TX-EL PASO COUNTY | 53 | 383 | 1.3% | 1.3% | 297 | 1.4% | 1.4% |
| TX-CITY OF HOUSTON | 54 | 424 | 1.4% | 1.4% | 287 | 1.4% | 1.4% |
| TX-BEXAR COUNTY | 55 | 350 | 1.2% | 1.2% | 249 | 1.2% | 1.2% |
| IA | 56 | 294 | 1.0% | 1.0% | 226 | 1.1% | 1.1% |
| KS-REST OF STATE | 57 | 350 | 1.2% | 1.2% | 260 | 1.2% | 1.2% |
| MO-REST OF STATE | 58 | 393 | 1.3% | 1.3% | 275 | 1.3% | 1.3% |
| NE | 59 | 345 | 1.2% | 1.2% | 250 | 1.2% | 1.2% |
| CO-REST OF STATE | 60 | 283 | 0.9% | 0.9% | 219 | 1.0% | 1.0% |
| MT | 61 | 352 | 1.2% | 1.2% | 280 | 1.3% | 1.3% |
| ND | 62 | 426 | 1.4% | 1.4% | 322 | 1.5% | 1.5% |
| SD | 63 | 457 | 1.5% | 1.5% | 296 | 1.4% | 1.4% |
| UT | 64 | 280 | 0.9% | 0.9% | 226 | 1.1% | 1.1% |
| WY | 65 | 372 | 1.2% | 1.2% | 283 | 1.3% | 1.3% |
| AZ-REST OF STATE | 66 | 297 | 1.0% | 1.0% | 224 | 1.1% | 1.1% |
| AZ-MARICOPA COUNTY | 67 | 424 | 1.4% | 1.4% | 294 | 1.4% | 1.4% |
| CA-REST OF STATE | 68 | 384 | 1.3% | 1.3% | 250 | 1.2% | 1.2% |
| CA-LOS ANGELES COUNTY | 69 | 442 | 1.5% | 1.5% | 267 | 1.3% | 1.3% |
| CA-SANTA CLARA COUNTY | 70 | 316 | 1.1% | 1.1% | 218 | 1.0% | 1.0% |
| CA-SAN DIEGO COUNTY | 71 | 416 | 1.4% | 1.4% | 277 | 1.3% | 1.3% |
| HI | 72 | 346 | 1.2% | 1.2% | 230 | 1.1% | 1.1% |

SECTION 4: GEOGRAPHIC VARIABLES**Variable: ESTIAP06** Type: Numeric**Label: ESTIMATION IAP AREA OF RESIDENCE**

Notes: Use as stratum identifier when calculating standard errors.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|------------------|
| | | | | Reserve Codes | Provider Data | | Reserve Codes |
| NV-REST OF STATE | 73 | 339 | 1.1% | 1.1% | 240 | 1.1% | 1.1% |
| AK | 74 | 333 | 1.1% | 1.1% | 240 | 1.1% | 1.1% |
| ID | 75 | 278 | 0.9% | 0.9% | 222 | 1.1% | 1.1% |
| OR | 76 | 285 | 1.0% | 1.0% | 220 | 1.0% | 1.0% |
| WA-KING COUNTY | 78 | 261 | 0.9% | 0.9% | 200 | 1.0% | 1.0% |
| CA-FRESNO COUNTY | 84 | 406 | 1.4% | 1.4% | 271 | 1.3% | 1.3% |
| CA-NORTHERN CA | 85 | 373 | 1.2% | 1.2% | 265 | 1.3% | 1.3% |
| KS-EASTERN KS | 86 | 409 | 1.4% | 1.4% | 288 | 1.4% | 1.4% |
| PA-ALLEGHENY COUNTY | 87 | 423 | 1.4% | 1.4% | 290 | 1.4% | 1.4% |
| NM-SOUTHERN NM | 88 | 344 | 1.2% | 1.2% | 270 | 1.3% | 1.3% |
| WA-EASTERN WA | 771 | 315 | 1.1% | 1.1% | 259 | 1.2% | 1.2% |
| WA-REST OF STATE | 772 | 282 | 0.9% | 0.9% | 207 | 1.0% | 1.0% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: STATE Type: Numeric**Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)**

Notes:

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|----------------------|-------|-------|------|------------------|------------------|------|------------------|
| | | | | Reserve Codes | Provider Data | | Reserve Codes |
| ALABAMA | 1 | 378 | 1.3% | 1.3% | 269 | 1.3% | 1.3% |
| ALASKA | 2 | 333 | 1.1% | 1.1% | 240 | 1.1% | 1.1% |
| ARIZONA | 4 | 721 | 2.4% | 2.4% | 518 | 2.5% | 2.5% |
| ARKANSAS | 5 | 286 | 1.0% | 1.0% | 207 | 1.0% | 1.0% |
| CALIFORNIA | 6 | 2337 | 7.8% | 7.8% | 1548 | 7.4% | 7.4% |
| COLORADO | 8 | 283 | 0.9% | 0.9% | 219 | 1.0% | 1.0% |
| CONNECTICUT | 9 | 376 | 1.3% | 1.3% | 274 | 1.3% | 1.3% |
| DELAWARE | 10 | 343 | 1.1% | 1.1% | 235 | 1.1% | 1.1% |
| DISTRICT OF COLUMBIA | 11 | 462 | 1.5% | 1.5% | 311 | 1.5% | 1.5% |
| FLORIDA | 12 | 1367 | 4.6% | 4.6% | 921 | 4.4% | 4.4% |
| GEORGIA | 13 | 787 | 2.6% | 2.6% | 568 | 2.7% | 2.7% |
| HAWAII | 15 | 346 | 1.2% | 1.2% | 230 | 1.1% | 1.1% |

SECTION 4: GEOGRAPHIC VARIABLES**Variable: STATE Type: Numeric****Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|----------------|-------|-------|------|------------------|------------------|------|------------------|
| | | | | Reserve Codes | Provider Data | | Reserve Codes |
| IDAHO | 16 | 278 | 0.9% | 0.9% | 222 | 1.1% | 1.1% |
| ILLINOIS | 17 | 815 | 2.7% | 2.7% | 540 | 2.6% | 2.6% |
| INDIANA | 18 | 748 | 2.5% | 2.5% | 521 | 2.5% | 2.5% |
| IOWA | 19 | 294 | 1.0% | 1.0% | 226 | 1.1% | 1.1% |
| KANSAS | 20 | 759 | 2.5% | 2.5% | 548 | 2.6% | 2.6% |
| KENTUCKY | 21 | 382 | 1.3% | 1.3% | 267 | 1.3% | 1.3% |
| LOUISIANA | 22 | 433 | 1.4% | 1.4% | 287 | 1.4% | 1.4% |
| MAINE | 23 | 294 | 1.0% | 1.0% | 204 | 1.0% | 1.0% |
| MARYLAND | 24 | 762 | 2.6% | 2.6% | 519 | 2.5% | 2.5% |
| MASSACHUSETTS | 25 | 743 | 2.5% | 2.5% | 512 | 2.4% | 2.4% |
| MICHIGAN | 26 | 784 | 2.6% | 2.6% | 539 | 2.6% | 2.6% |
| MINNESOTA | 27 | 323 | 1.1% | 1.1% | 236 | 1.1% | 1.1% |
| MISSISSIPPI | 28 | 429 | 1.4% | 1.4% | 284 | 1.3% | 1.3% |
| MISSOURI | 29 | 393 | 1.3% | 1.3% | 275 | 1.3% | 1.3% |
| MONTANA | 30 | 352 | 1.2% | 1.2% | 280 | 1.3% | 1.3% |
| NEBRASKA | 31 | 345 | 1.2% | 1.2% | 250 | 1.2% | 1.2% |
| NEVADA | 32 | 339 | 1.1% | 1.1% | 240 | 1.1% | 1.1% |
| NEW HAMPSHIRE | 33 | 338 | 1.1% | 1.1% | 245 | 1.2% | 1.2% |
| NEW JERSEY | 34 | 838 | 2.8% | 2.8% | 553 | 2.6% | 2.6% |
| NEW MEXICO | 35 | 665 | 2.2% | 2.2% | 506 | 2.4% | 2.4% |
| NEW YORK | 36 | 816 | 2.7% | 2.7% | 526 | 2.5% | 2.5% |
| NORTH CAROLINA | 37 | 347 | 1.2% | 1.2% | 241 | 1.1% | 1.1% |
| NORTH DAKOTA | 38 | 426 | 1.4% | 1.4% | 322 | 1.5% | 1.5% |
| OHIO | 39 | 823 | 2.8% | 2.8% | 570 | 2.7% | 2.7% |
| OKLAHOMA | 40 | 419 | 1.4% | 1.4% | 303 | 1.4% | 1.4% |
| OREGON | 41 | 285 | 1.0% | 1.0% | 220 | 1.0% | 1.0% |
| PENNSYLVANIA | 42 | 1124 | 3.8% | 3.8% | 754 | 3.6% | 3.6% |
| RHODE ISLAND | 44 | 410 | 1.4% | 1.4% | 303 | 1.4% | 1.4% |
| SOUTH CAROLINA | 45 | 474 | 1.6% | 1.6% | 330 | 1.6% | 1.6% |
| SOUTH DAKOTA | 46 | 457 | 1.5% | 1.5% | 296 | 1.4% | 1.4% |
| TENNESSEE | 47 | 788 | 2.6% | 2.6% | 543 | 2.6% | 2.6% |
| TEXAS | 48 | 2004 | 6.7% | 6.7% | 1422 | 6.8% | 6.8% |
| UTAH | 49 | 280 | 0.9% | 0.9% | 226 | 1.1% | 1.1% |
| VERMONT | 50 | 282 | 0.9% | 0.9% | 222 | 1.1% | 1.1% |

SECTION 4: GEOGRAPHIC VARIABLES**Variable: STATE Type: Numeric****Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)****Notes:**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|------------------|
| | | | | Reserve Codes | Provider Data | | Reserve Codes |
| VIRGINIA | 51 | 403 | 1.3% | 1.3% | 280 | 1.3% | 1.3% |
| WASHINGTON | 53 | 858 | 2.9% | 2.9% | 666 | 3.2% | 3.2% |
| WEST VIRGINIA | 54 | 342 | 1.1% | 1.1% | 248 | 1.2% | 1.2% |
| WISCONSIN | 55 | 637 | 2.1% | 2.1% | 495 | 2.4% | 2.4% |
| WYOMING | 56 | 372 | 1.2% | 1.2% | 283 | 1.3% | 1.3% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES**Variable: D6R Type: Numeric****Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE)****Notes:**

Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. | |
|------------------------|-------|-------|--------|------------------|------------------|-----------|------------------|
| | | | | Reserve Codes | Provider Data | PCT | Reserve Codes |
| 0 | 0 | 63 | 0.2% | 0.2% | 32 | 0.2% | 0.2% |
| 1 | 1 | 20134 | 67.4% | 69.7% | 14532 | 69.1% | 69.1% |
| 2 | 2 | 6952 | 23.3% | 24.1% | 5225 | 24.8% | 24.8% |
| 3+ | 3 | 1735 | 5.8% | 6.0% | 1255 | 6.0% | 6.0% |
| SUBTOTALS: | | 28884 | 96.7% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 996 | 3.3% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: D7 Type: Numeric**Label:****CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS**

Notes: A blank value means consent was not obtained because of an interview break-off.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. | |
|------------------------|-------|-------|--------|------------------|------------------|-----------|------------------|
| | | | | Reserve Codes | Provider Data | PCT | Reserve Codes |
| YES | 1 | 24193 | 81.0% | 99.5% | 21012 | 99.8% | 100.0% |
| NO | 2 | 110 | 0.4% | 0.5% | 0 | 0.0% | 0.0% |
| SUBTOTALS: | | 24303 | 81.3% | 100.0% | 21012 | 99.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 5577 | 18.7% | n/a | 32 | 0.2% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 6: NUMBER OF RESPONDING PROVIDER VARIABLES

Variable: DISPCODE **Type:** Numeric

Label: NIS PROVIDER RECORD-CHECK DISPOSITION CODE

Notes: See User's Guide for definition of codes. Children with DISPCODE = 7 have inadequate provider data (PDAT = 2) to determine up-to-date status of child.

These children should not be used in the calculation of vaccination coverage rates.

| LABEL | VALUE | COUNT | PCT | PCT | Adequate | PCT | PCT |
|---|-------|-------|--------|---------------------------|------------------|--------|--------|
| | | | | Excl. Reserve Codes | Provider Data | | |
| COMPLETE PROVIDER INFO, NO PROBLEMS | 1 | 8165 | 27.3% | 38.8% | 8165 | 38.8% | 39.0% |
| COMPLETE PROVIDER INFO, NO SHOT CARD | 2 | 11567 | 38.7% | 54.9% | 11567 | 55.0% | 55.3% |
| COMPLETE PROVIDER INFO, POOR HISTORY | 3 | 460 | 1.5% | 2.2% | 460 | 2.2% | 2.2% |
| COMPLETE PROVIDER INFO, POOR HIST/OTHER | 4 | 40 | 0.1% | 0.2% | 40 | 0.2% | 0.2% |
| INCOMPLETE PROVIDER RESP, BUT 4:3:1:3:3 INDICATED | 5 | 504 | 1.7% | 2.4% | 504 | 2.4% | 2.4% |
| INCOMPLETE PROVIDER RESP, INFO MATCHES | 6 | 9 | 0.0% | 0.0% | 9 | 0.0% | 0.0% |
| INCOMPLETE PROVIDER RESP, HISTORY UNKNOWN | 7 | 136 | 0.5% | 0.6% | 0 | 0.0% | 0.0% |
| INCOMPLETE PROVIDER RESP, 4:3:1:3:3 WITH RDD | 8 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| INCOMPLETE PROVIDER RESP, MATCHES RDD | 9 | 27 | 0.1% | 0.1% | 27 | 0.1% | 0.1% |
| INCOMPLETE PROVIDER RESP, RDD NOT EXACT | 10 | 114 | 0.4% | 0.5% | 114 | 0.5% | 0.5% |
| INCOMPLETE PROVIDER RESP, RDD WITHOUT SHOT CARD | 11 | 33 | 0.1% | 0.2% | 33 | 0.2% | 0.2% |
| SUBTOTALS: | | 21060 | 70.5% | 100.0% | 20924 | 99.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8820 | 29.5% | n/a | 120 | 0.6% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: N_PRVR **Type:** Numeric

Label:

NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE)

Notes:

Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

| LABEL | VALUE | COUNT | PCT | PCT | Adequate | PCT | PCT |
|-------------------|-------|-------|--------|---------------------------|------------------|--------|--------|
| | | | | Excl. Reserve Codes | Provider Data | | |
| 0 | 0 | 8820 | 29.5% | 29.5% | 120 | 0.6% | 0.6% |
| 1 | 1 | 17659 | 59.1% | 59.1% | 17543 | 83.4% | 83.4% |
| 2 | 2 | 3088 | 10.3% | 10.3% | 3071 | 14.6% | 14.6% |
| 3+ | 3 | 313 | 1.0% | 1.0% | 310 | 1.5% | 1.5% |
| SUBTOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 6: NUMBER OF RESPONDING PROVIDER VARIABLES**Variable:** N_PRVR **Type:** Numeric**Label:****NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD
(TOPCODE)****Notes:**

Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| RESERVED CODES: | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES**Variable: PROV_FAC Type: Numeric****Label: PROVIDER FACILITY TYPE**

Notes: Constructed from the responses of up to five providers.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-------------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| | | | | Codes | Data | | Codes |
| ALL PUBLIC FACILITIES | 1 | 2090 | 7.0% | 9.9% | 2073 | 9.9% | 9.9% |
| ALL HOSPITAL FACILITIES | 2 | 1609 | 5.4% | 7.6% | 1598 | 7.6% | 7.6% |
| ALL PRIVATE FACILITIES | 3 | 11004 | 36.8% | 52.3% | 10955 | 52.1% | 52.4% |
| ALL MILITARY/OTHER FACILITIES | 4 | 394 | 1.3% | 1.9% | 385 | 1.8% | 1.8% |
| MIXED | 5 | 1198 | 4.0% | 5.7% | 1192 | 5.7% | 5.7% |
| TYPE OF PROVIDER UNKNOWN | 6 | 4750 | 15.9% | 22.6% | 4706 | 22.4% | 22.5% |
| ALL WIC CLINIC PROVIDERS | 7 | 15 | 0.1% | 0.1% | 15 | 0.1% | 0.1% |
| SUBTOTALS: | | 21060 | 70.5% | 100.0% | 20924 | 99.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8820 | 29.5% | n/a | 120 | 0.6% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: REGISTRY Type: Numeric**Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY**

Notes: Constructed from the responses of up to five providers.

| LABEL | VALUE | COUNT | PCT | PCT | Adequate | PCT | PCT |
|---|--------------|--------------|------------|----------------|-----------------|------------|----------------|
| | | | | Excl. | Provider | | |
| | | | | Reserve | Data | | Reserve |
| ALL PROVIDERS | 1 | 7835 | 26.2% | 37.2% | 7795 | 37.0% | 37.3% |
| SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS | 2 | 1505 | 5.0% | 7.1% | 1498 | 7.1% | 7.2% |
| NO PROVIDERS | 3 | 5087 | 17.0% | 24.2% | 5058 | 24.0% | 24.2% |
| UNKNOWN/DON'T KNOW | 4 | 6633 | 22.2% | 31.5% | 6573 | 31.2% | 31.4% |
| SUBTOTALS: | | 21060 | 70.5% | 100.0% | 20924 | 99.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8820 | 29.5% | n/a | 120 | 0.6% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES

Variable: VFC_ORDER **Type:** Numeric

Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?

Notes: Constructed from the responses of up to five providers.

| LABEL | VALUE | COUNT | PCT | PCT | Adequate | PCT | PCT |
|---|-------|-------|--------|---------------------|---------------|--------|--------|
| | | | | Excl. Reserve Codes | Provider Data | | |
| ALL PROVIDERS | 1 | 12752 | 42.7% | 60.6% | 12685 | 60.3% | 60.6% |
| SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS | 2 | 1617 | 5.4% | 7.7% | 1609 | 7.6% | 7.7% |
| NO PROVIDERS | 3 | 2092 | 7.0% | 9.9% | 2081 | 9.9% | 9.9% |
| UNKNOWN/DON'T KNOW | 4 | 4599 | 15.4% | 21.8% | 4549 | 21.6% | 21.7% |
| SUBTOTALS: | | 21060 | 70.5% | 100.0% | 20924 | 99.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8820 | 29.5% | n/a | 120 | 0.6% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: HEP_BRTH Type: Numeric****Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG**

Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.

| LABEL | VALUE | COUNT | PCT | PCT | Adequate | PCT | PCT |
|--|-------|-------|--------|---------------------------|------------------|--------|--------|
| | | | | Excl. Reserve Codes | Provider Data | | |
| AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH | 1 | 11673 | 39.1% | 56.1% | 11605 | 55.1% | 56.1% |
| NO PROVIDERS CHECKED GIVEN AT BIRTH | 2 | 9153 | 30.6% | 43.9% | 9097 | 43.2% | 43.9% |
| SUBTOTALS: | | 20826 | 69.7% | 100.0% | 20702 | 98.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9054 | 30.3% | n/a | 342 | 1.6% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: HEP_FLAG Type: Numeric**Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG**

Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.

| LABEL | VALUE | COUNT | PCT | PCT | Adequate | PCT | PCT |
|--|-------|-------|--------|---------------------------|------------------|--------|--------|
| | | | | Excl. Reserve Codes | Provider Data | | |
| HEPB BIRTH SHOT DATE IMPUTED FROM SHOTCARD | 1 | 18 | 0.1% | 24.3% | 18 | 0.1% | 24.3% |
| HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES | 2 | 56 | 0.2% | 75.7% | 56 | 0.3% | 75.7% |
| SUBTOTALS: | | 74 | 0.2% | 100.0% | 74 | 0.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29806 | 99.8% | n/a | 20970 | 99.6% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: P_NUHEPX Type: Numeric**Label:****NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 60

| LABEL | VALUE | COUNT | PCT | PCT | Adequate | PCT | PCT |
|-------|-------|-------|-------|---------------------------|------------------|-------|-------|
| | | | | Excl. Reserve Codes | Provider Data | | |
| 0 | 0 | 5565 | 18.6% | 26.3% | 5524 | 26.2% | 26.2% |
| 1 | 1 | 6503 | 21.8% | 30.7% | 6446 | 30.6% | 30.6% |
| 2 | 2 | 2004 | 6.7% | 9.5% | 1984 | 9.4% | 9.4% |
| 3 | 3 | 6626 | 22.2% | 31.3% | 6610 | 31.4% | 31.4% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHEPX **Type:** Numeric

Label:

**NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 60

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|------------------|
| | | | | Reserve Codes | Provider Data | | Reserve Codes |
| 4 | 4 | 470 | 1.6% | 2.2% | 468 | 2.2% | 2.2% |
| 5 | 5 | 12 | 0.0% | 0.1% | 12 | 0.1% | 0.1% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: P_NUHIBX **Type:** Numeric

Label: NUMBER OF HIB-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 44

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|------------------|
| | | | | Reserve Codes | Provider Data | | Reserve Codes |
| 0 | 0 | 2810 | 9.4% | 13.3% | 2778 | 13.2% | 13.2% |
| 1 | 1 | 1267 | 4.2% | 6.0% | 1237 | 5.9% | 5.9% |
| 2 | 2 | 1733 | 5.8% | 8.2% | 1702 | 8.1% | 8.1% |
| 3 | 3 | 5862 | 19.6% | 27.7% | 5829 | 27.7% | 27.7% |
| 4 | 4 | 9419 | 31.5% | 44.5% | 9409 | 44.7% | 44.7% |
| 5 | 5 | 87 | 0.3% | 0.4% | 87 | 0.4% | 0.4% |
| 6 | 6 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUHPHB **Type:** Numeric

Label:

NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 43

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 16445 | 55.0% | 77.6% | 16334 | 77.6% |
| 1 | 1 | 1234 | 4.1% | 5.8% | 1214 | 5.8% |
| 2 | 2 | 1282 | 4.3% | 6.1% | 1279 | 6.1% |
| 3 | 3 | 2175 | 7.3% | 10.3% | 2173 | 10.3% |
| 4 | 4 | 44 | 0.1% | 0.2% | 44 | 0.2% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| | | | | | | 100.0% |

Variable: P_NUMDAH **Type:** Numeric

Label:

NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 07

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 18942 | 63.4% | 89.4% | 18808 | 89.4% |
| 1 | 1 | 2140 | 7.2% | 10.1% | 2139 | 10.2% |
| 2 | 2 | 38 | 0.1% | 0.2% | 37 | 0.2% |
| 3 | 3 | 30 | 0.1% | 0.1% | 30 | 0.1% |
| 4 | 4 | 30 | 0.1% | 0.1% | 30 | 0.1% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| | | | | | | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDHB **Type:** Numeric

Label:

NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 05 or 07

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 18902 | 63.3% | 89.2% | 18768 | 89.2% |
| 1 | 1 | 2170 | 7.3% | 10.2% | 2169 | 10.3% |
| 2 | 2 | 39 | 0.1% | 0.2% | 38 | 0.2% |
| 3 | 3 | 35 | 0.1% | 0.2% | 35 | 0.2% |
| 4 | 4 | 34 | 0.1% | 0.2% | 34 | 0.2% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMDHI **Type:** Numeric

Label:

NUMBER OF DTAP/HEPB/IPV COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 08

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 12123 | 40.6% | 57.2% | 12040 | 57.2% |
| 1 | 1 | 1300 | 4.4% | 6.1% | 1276 | 6.1% |
| 2 | 2 | 1723 | 5.8% | 8.1% | 1710 | 8.1% |
| 3 | 3 | 5875 | 19.7% | 27.7% | 5859 | 27.8% |
| 4 | 4 | 151 | 0.5% | 0.7% | 151 | 0.7% |
| 5 | 5 | 7 | 0.0% | 0.0% | 7 | 0.0% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDHM **Type:** Numeric

Label:

**NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 05

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 21138 | 70.7% | 99.8% | 21002 | 99.8% |
| 1 | 1 | 32 | 0.1% | 0.2% | 32 | 0.2% |
| 2 | 2 | 1 | 0.0% | 0.0% | 1 | 0.0% |
| 3 | 3 | 7 | 0.0% | 0.0% | 7 | 0.0% |
| 4 | 4 | 2 | 0.0% | 0.0% | 2 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMDTA **Type:** Numeric

Label: NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 04

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 2853 | 9.5% | 13.5% | 2800 | 13.3% |
| 1 | 1 | 5037 | 16.9% | 23.8% | 5008 | 23.8% |
| 2 | 2 | 1678 | 5.6% | 7.9% | 1652 | 7.9% |
| 3 | 3 | 2766 | 9.3% | 13.1% | 2743 | 13.0% |
| 4 | 4 | 8772 | 29.4% | 41.4% | 8767 | 41.7% |
| 5 | 5 | 73 | 0.2% | 0.3% | 73 | 0.3% |
| 6 | 6 | 1 | 0.0% | 0.0% | 1 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMDTM **Type:** Numeric

Label: NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 01

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 21168 | 70.8% | 99.9% | 21032 | 99.9% |
| 1 | 1 | 8 | 0.0% | 0.0% | 8 | 0.0% |
| 2 | 2 | 1 | 0.0% | 0.0% | 1 | 0.0% |
| 3 | 3 | 3 | 0.0% | 0.0% | 3 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMDTP **Type:** Numeric

Label:

NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 01, 02, 03, 04, 05, 07, 08, or DH

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 348 | 1.2% | 1.6% | 325 | 1.5% |
| 1 | 1 | 255 | 0.9% | 1.2% | 230 | 1.1% |
| 2 | 2 | 351 | 1.2% | 1.7% | 330 | 1.6% |
| 3 | 3 | 2126 | 7.1% | 10.0% | 2076 | 9.9% |
| 4 | 4 | 17849 | 59.7% | 84.3% | 17832 | 84.7% |
| 5 | 5 | 240 | 0.8% | 1.1% | 240 | 1.1% |
| 6 | 6 | 9 | 0.0% | 0.0% | 9 | 0.0% |
| 7 | 7 | 2 | 0.0% | 0.0% | 2 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

| Variable: P_NUMFLU | | Type: Numeric | | | | | | |
|------------------------|-------|--|--------|-------------------------|------------------------|--------|-------------------------|--|
| Label: | | NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. | | | | | | |
| Notes: Vaccine type FL | | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes | |
| 0 | 0 | 10749 | 36.0% | 50.8% | 10643 | 50.6% | 50.6% | |
| 1 | 1 | 3888 | 13.0% | 18.4% | 3876 | 18.4% | 18.4% | |
| 2 | 2 | 4308 | 14.4% | 20.3% | 4292 | 20.4% | 20.4% | |
| 3 | 3 | 2102 | 7.0% | 9.9% | 2100 | 10.0% | 10.0% | |
| 4 | 4 | 127 | 0.4% | 0.6% | 127 | 0.6% | 0.6% | |
| 5 | 5 | 6 | 0.0% | 0.0% | 6 | 0.0% | 0.0% | |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% | |
| RESERVED CODES: | | | | | | | | |
| MISSING | | . | 29.1% | n/a | 0 | 0.0% | n/a | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% | |

| Variable: P_NUMHEA | | Type: Numeric | | | | | | | | | | | | | |
|--|-------|---------------|--------|-------------------------------|------------------------------|--------|-------------------------------|--|--|--|--|--|--|--|--|
| Label: | | | | | | | | | | | | | | | |
| NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. | | | | | | | | | | | | | | | |
| Notes: Vaccine type HA | | | | | | | | | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes | | | | | | | | |
| 0 | 0 | 16332 | 54.7% | 77.1% | 16207 | 77.0% | 77.0% | | | | | | | | |
| 1 | 1 | 4253 | 14.2% | 20.1% | 4243 | 20.2% | 20.2% | | | | | | | | |
| 2 | 2 | 592 | 2.0% | 2.8% | 591 | 2.8% | 2.8% | | | | | | | | |
| 3 | 3 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% | | | | | | | | |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% | | | | | | | | |
| RESERVED CODES: | | | | | | | | | | | | | | | |
| MISSING | | . | 29.1% | n/a | 0 | 0.0% | n/a | | | | | | | | |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% | | | | | | | | |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHEN **Type:** Numeric

Label:

NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type HB or DH

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| Codes | Data | Codes | | | | | |
| 0 | 0 | 20991 | 70.3% | 99.1% | 20856 | 99.1% | 99.1% |
| 1 | 1 | 97 | 0.3% | 0.5% | 97 | 0.5% | 0.5% |
| 2 | 2 | 60 | 0.2% | 0.3% | 59 | 0.3% | 0.3% |
| 3 | 3 | 30 | 0.1% | 0.1% | 30 | 0.1% | 0.1% |
| 4 | 4 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: P_NUMHEP **Type:** Numeric

Label:

NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 08, 43, 60, HB, or DH

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| Codes | Data | Codes | | | | | |
| 0 | 0 | 361 | 1.2% | 1.7% | 349 | 1.7% | 1.7% |
| 1 | 1 | 400 | 1.3% | 1.9% | 364 | 1.7% | 1.7% |
| 2 | 2 | 779 | 2.6% | 3.7% | 748 | 3.6% | 3.6% |
| 3 | 3 | 14576 | 48.8% | 68.8% | 14535 | 69.1% | 69.1% |
| 4 | 4 | 4849 | 16.2% | 22.9% | 4833 | 23.0% | 23.0% |
| 5 | 5 | 206 | 0.7% | 1.0% | 206 | 1.0% | 1.0% |
| 6 | 6 | 8 | 0.0% | 0.0% | 8 | 0.0% | 0.0% |
| 8 | 8 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMHIB **Type:** Numeric

Label:

**NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 05, 07, 43, 44, or HI

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 412 | 1.4% | 1.9% | 390 | 1.9% |
| 1 | 1 | 328 | 1.1% | 1.5% | 298 | 1.4% |
| 2 | 2 | 702 | 2.3% | 3.3% | 668 | 3.2% |
| 3 | 3 | 6816 | 22.8% | 32.2% | 6784 | 32.2% |
| 4 | 4 | 12749 | 42.7% | 60.2% | 12731 | 60.5% |
| 5 | 5 | 169 | 0.6% | 0.8% | 169 | 0.8% |
| 6 | 6 | 3 | 0.0% | 0.0% | 3 | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMHIN **Type:** Numeric

Label:

**NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type HI

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 20861 | 69.8% | 98.5% | 20725 | 98.5% |
| 1 | 1 | 167 | 0.6% | 0.8% | 167 | 0.8% |
| 2 | 2 | 44 | 0.1% | 0.2% | 44 | 0.2% |
| 3 | 3 | 70 | 0.2% | 0.3% | 70 | 0.3% |
| 4 | 4 | 38 | 0.1% | 0.2% | 38 | 0.2% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_NUMIPV** Type: Numeric**Label:** NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**Notes:** Vaccine type 21

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| 0 | 0 | 6905 | 23.1% | 32.6% | 6842 | 32.5% |
| 1 | 1 | 1968 | 6.6% | 9.3% | 1943 | 9.2% |
| 2 | 2 | 1677 | 5.6% | 7.9% | 1646 | 7.8% |
| 3 | 3 | 10233 | 34.2% | 48.3% | 10219 | 48.6% |
| 4 | 4 | 386 | 1.3% | 1.8% | 383 | 1.8% |
| 5 | 5 | 9 | 0.0% | 0.0% | 9 | 0.0% |
| 6 | 6 | 2 | 0.0% | 0.0% | 2 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMMCN Type: Numeric**Label:**
NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED
FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**Notes:** Vaccine type MM

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| 0 | 0 | 20991 | 70.3% | 99.1% | 20855 | 99.1% |
| 1 | 1 | 186 | 0.6% | 0.9% | 186 | 0.9% |
| 2 | 2 | 3 | 0.0% | 0.0% | 3 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMMR **Type:** Numeric

Label:

NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 30, 31, 32, 33, MM or VM

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 1491 | 5.0% | 7.0% | 1403 | 6.7% |
| 1 | 1 | 19279 | 64.5% | 91.0% | 19231 | 91.4% |
| 2 | 2 | 408 | 1.4% | 1.9% | 408 | 1.9% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMMMRX **Type:** Numeric

Label: NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 30

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 2133 | 7.1% | 10.1% | 2045 | 9.7% |
| 1 | 1 | 18693 | 62.6% | 88.3% | 18645 | 88.6% |
| 2 | 2 | 353 | 1.2% | 1.7% | 353 | 1.7% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMMX **Type:** Numeric

Label:

**NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 30 or VM

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| 0 | 0 | 1721 | 5.8% | 8.1% | 1633 | 7.8% | 7.8% |
| 1 | 1 | 19086 | 63.9% | 90.1% | 19038 | 90.5% | 90.5% |
| 2 | 2 | 372 | 1.2% | 1.8% | 372 | 1.8% | 1.8% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: P_NUMMP **Type: Numeric**

**Label: NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type MP

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 21161 | 70.8% | 99.9% | 21025 | 99.9% |
| 1 | 1 | 19 | 0.1% | 0.1% | 19 | 0.1% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMMPR Type: Numeric

**Label: NUMBER OF
(MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type MB

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMPR **Type:** Numeric

Label: NUMBER OF
(MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type MB

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|----------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMMRV **Type:** Numeric

Label:
NUMBER OF MMR/VARICELLA COMBO SHOTS DETERMINED FROM PROVIDER
INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VM

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 20753 | 69.5% | 98.0% | 20617 | 98.0% |
| 1 | 1 | 423 | 1.4% | 2.0% | 423 | 2.0% |
| 2 | 2 | 4 | 0.0% | 0.0% | 4 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMMS **Type:** Numeric

Label:
NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 31

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 21106 | 70.6% | 99.7% | 20970 | 99.6% |
| 1 | 1 | 72 | 0.2% | 0.3% | 72 | 0.3% |
| 2 | 2 | 2 | 0.0% | 0.0% | 2 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMMSM **Type:** Numeric

Label:

NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 32

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMMSR **Type:** Numeric

Label:

NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 33

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMOLN **Type:** Numeric

Label:

NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 22

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-------|-------|-------|-------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 20948 | 70.1% | 98.9% | 20813 | 98.9% |
| 1 | 1 | 101 | 0.3% | 0.5% | 100 | 0.5% |
| 2 | 2 | 44 | 0.1% | 0.2% | 44 | 0.2% |
| 3 | 3 | 83 | 0.3% | 0.4% | 83 | 0.4% |
| 4 | 4 | 3 | 0.0% | 0.0% | 3 | 0.0% |
| 8 | 8 | 1 | 0.0% | 0.0% | 1 | 0.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMOLN **Type:** Numeric

Label:

NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 22

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMOPV **Type:** Numeric

Label: **NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 20

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 20930 | 70.0% | 98.8% | 20798 | 98.8% |
| 1 | 1 | 41 | 0.1% | 0.2% | 40 | 0.2% |
| 2 | 2 | 39 | 0.1% | 0.2% | 38 | 0.2% |
| 3 | 3 | 154 | 0.5% | 0.7% | 152 | 0.7% |
| 4 | 4 | 12 | 0.0% | 0.1% | 12 | 0.1% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMPCC **Type:** Numeric

Label:

NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 70

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-------|-------|-------|-------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 2285 | 7.6% | 10.8% | 2251 | 10.7% |
| 1 | 1 | 665 | 2.2% | 3.1% | 634 | 3.0% |
| 2 | 2 | 1085 | 3.6% | 5.1% | 1060 | 5.0% |
| 3 | 3 | 3884 | 13.0% | 18.3% | 3856 | 18.3% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCC **Type:** Numeric

Label:

NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 70

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 4 | 4 | 13139 | 44.0% | 62.0% | 13122 | 62.4% |
| 5 | 5 | 120 | 0.4% | 0.6% | 119 | 0.6% |
| 6 | 6 | 2 | 0.0% | 0.0% | 2 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMPCN **Type:** Numeric

Label:

NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER
INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 72

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 19640 | 65.7% | 92.7% | 19509 | 92.7% |
| 1 | 1 | 522 | 1.7% | 2.5% | 522 | 2.5% |
| 2 | 2 | 154 | 0.5% | 0.7% | 152 | 0.7% |
| 3 | 3 | 269 | 0.9% | 1.3% | 269 | 1.3% |
| 4 | 4 | 590 | 2.0% | 2.8% | 587 | 2.8% |
| 5 | 5 | 4 | 0.0% | 0.0% | 4 | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPCP **Type:** Numeric

Label:

NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 71

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 20868 | 69.8% | 98.5% | 20734 | 98.5% |
| 1 | 1 | 52 | 0.2% | 0.2% | 51 | 0.2% |
| 2 | 2 | 27 | 0.1% | 0.1% | 27 | 0.1% |
| 3 | 3 | 62 | 0.2% | 0.3% | 61 | 0.3% |
| 4 | 4 | 170 | 0.6% | 0.8% | 170 | 0.8% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMPCV **Type:** Numeric

Label:

**NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 70, 71, or 72

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 1176 | 3.9% | 5.6% | 1149 | 5.5% |
| 1 | 1 | 563 | 1.9% | 2.7% | 531 | 2.5% |
| 2 | 2 | 1024 | 3.4% | 4.8% | 997 | 4.7% |
| 3 | 3 | 3811 | 12.8% | 18.0% | 3782 | 18.0% |
| 4 | 4 | 14424 | 48.3% | 68.1% | 14404 | 68.4% |
| 5 | 5 | 177 | 0.6% | 0.8% | 176 | 0.8% |
| 6 | 6 | 4 | 0.0% | 0.0% | 4 | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMPOL **Type:** Numeric

Label:

NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 08, 20, 21, or 22

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 484 | 1.6% | 2.3% | 458 | 2.2% |
| 1 | 1 | 288 | 1.0% | 1.4% | 261 | 1.2% |
| 2 | 2 | 835 | 2.8% | 3.9% | 805 | 3.8% |
| 3 | 3 | 18555 | 62.1% | 87.6% | 18505 | 87.9% |
| 4 | 4 | 976 | 3.3% | 4.6% | 973 | 4.6% |
| 5 | 5 | 33 | 0.1% | 0.2% | 33 | 0.2% |
| 6 | 6 | 7 | 0.0% | 0.0% | 7 | 0.0% |
| 7 | 7 | 1 | 0.0% | 0.0% | 1 | 0.0% |
| 8 | 8 | 1 | 0.0% | 0.0% | 1 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| | | | | | | 100.0% |

Variable: P_NUMRB **Type:** Numeric

Label:

NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type RB

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 21163 | 70.8% | 99.9% | 21027 | 99.9% |
| 1 | 1 | 17 | 0.1% | 0.1% | 17 | 0.1% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| | | | | | | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMROT **Type:** Numeric

Label:

NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type RO

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 21175 | 70.9% | 100.0% | 21039 | 100.0% |
| 1 | 1 | 1 | 0.0% | 0.0% | 1 | 0.0% |
| 3 | 3 | 4 | 0.0% | 0.0% | 4 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_NUMTPM **Type:** Numeric

Label: NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type 02

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| 0 | 0 | 20529 | 68.7% | 96.9% | 20399 | 96.9% |
| 1 | 1 | 150 | 0.5% | 0.7% | 148 | 0.7% |
| 2 | 2 | 78 | 0.3% | 0.4% | 77 | 0.4% |
| 3 | 3 | 160 | 0.5% | 0.8% | 157 | 0.7% |
| 4 | 4 | 261 | 0.9% | 1.2% | 261 | 1.2% |
| 5 | 5 | 2 | 0.0% | 0.0% | 2 | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMTPN **Type:** Numeric

Label:

**NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO,
EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.**

Notes: Vaccine type 03 or DH

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| 0 | 0 | 20919 | 70.0% | 98.8% | 20784 | 98.8% | 98.8% |
| 1 | 1 | 151 | 0.5% | 0.7% | 150 | 0.7% | 0.7% |
| 2 | 2 | 30 | 0.1% | 0.1% | 30 | 0.1% | 0.1% |
| 3 | 3 | 47 | 0.2% | 0.2% | 47 | 0.2% | 0.2% |
| 4 | 4 | 32 | 0.1% | 0.2% | 32 | 0.2% | 0.2% |
| 5 | 5 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: P_NUMVRC **Type:** Numeric

Label:

NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VA, VO, or VM

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| 0 | 0 | 2266 | 7.6% | 10.7% | 2176 | 10.3% | 10.3% |
| 1 | 1 | 18791 | 62.9% | 88.7% | 18745 | 89.1% | 89.1% |
| 2 | 2 | 121 | 0.4% | 0.6% | 121 | 0.6% | 0.6% |
| 3 | 3 | 2 | 0.0% | 0.0% | 2 | 0.0% | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_NUMVRN **Type:** Numeric

Label:

NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VA

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| 0 | 0 | 20635 | 69.1% | 97.4% | 20500 | 97.4% | 97.4% |
| 1 | 1 | 544 | 1.8% | 2.6% | 543 | 2.6% | 2.6% |
| 2 | 2 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: P_NUMVRX **Type:** Numeric

Label:

NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE.

Notes: Vaccine type VO

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| 0 | 0 | 3218 | 10.8% | 15.2% | 3127 | 14.9% | 14.9% |
| 1 | 1 | 17863 | 59.8% | 84.3% | 17818 | 84.7% | 84.7% |
| 2 | 2 | 98 | 0.3% | 0.5% | 98 | 0.5% | 0.5% |
| 3 | 3 | 1 | 0.0% | 0.0% | 1 | 0.0% | 0.0% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_U12VRC **Type:** Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS

Notes: Vaccine type VA, VO, or VM

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| NOT UTD | 0 | 2492 | 8.3% | 11.8% | 2402 | 11.4% | 11.4% |
| UTD | 1 | 18688 | 62.5% | 88.2% | 18642 | 88.6% | 88.6% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: P_UTD331 **Type:** Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1

Notes: 3+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22) and 1+ Measles-containing (30,31,32,33,MM,VM)

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| NOT UTD | 0 | 2266 | 7.6% | 10.7% | 2155 | 10.2% | 10.2% |
| UTD | 1 | 18914 | 63.3% | 89.3% | 18889 | 89.8% | 89.8% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: P_UTD431 **Type:** Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22) and 1+ Measles-containing (30,31,32,33,MM,VM)

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| NOT UTD | 0 | 3546 | 11.9% | 16.7% | 3419 | 16.2% | 16.2% |
| UTD | 1 | 17634 | 59.0% | 83.3% | 17625 | 83.8% | 83.8% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDFL1 Type: Numeric****Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1****Notes:** For interviews conducted during year X(defined using the year variable associated with the quarter),
child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year
(X-1), and received at least one influenza vaccine during this period.

(VACCINATED) For interviews conducted during year X

(defined using the year variable associated with the quarter),
child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year
(X-1), and received no influenza vaccine during this period.

(NOT VACCINATED) Child falls into neither of the preceding categories.

(NOT ELIGIBLE).

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| VACCINATED | 1 | 4766 | 16.0% | 22.5% | 4756 | 22.6% |
| NOT VACCINATED | 2 | 8881 | 29.7% | 41.9% | 8790 | 41.8% |
| NOT ELIGIBLE | 3 | 7533 | 25.2% | 35.6% | 7498 | 35.6% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_UTDFL2 Type: Numeric**Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2****Notes:** For interviews conducted during year X(defined using the year variable associated with the quarter),
child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year
(X-1), and either(received no doses of influenza prior to 9/1/X-1, but then received two between 9/1/(X-1)
and whichever is earlier, date of interview or 1/31/X) OR(received at least one dose of influenza vaccine prior to 9/1/X-1 and then received one during
the period 9/1/X-1 and 12/31/X-1)

(VACCINATED). For interviews conducted during year X

(defined using the year variable associated with the quarter),
child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year
(X-1), but does not qualify for the above definition.

(NOT VACCINATED). For interviews conducted during year X

(defined using the year variable associated with the quarter),
child's age fell outside the span of 6 and 23 months at any point between 9/1/X-1 and
12/31/X-1. (NOT ELIGIBLE).

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-------------------|-------|-------|-------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| VACCINATED | 1 | 3219 | 10.8% | 15.2% | 3214 | 15.3% |
| NOT VACCINATED | 2 | 10428 | 34.9% | 49.2% | 10332 | 49.1% |
| NOT ELIGIBLE | 3 | 7533 | 25.2% | 35.6% | 7498 | 35.6% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDFL2 **Type:** Numeric

Label: UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2

Notes: For interviews conducted during year X
 (defined using the year variable associated with the quarter),
 child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year
 (X-1), and either
 (received no doses of influenza prior to 9/1/X-1, but then received two between 9/1/(X-1)
 and whichever is earlier, date of interview or 1/31/X) OR
 (received at least one dose of influenza vaccine prior to 9/1/X-1 and then received one during
 the period 9/1/X-1 and 12/31/X-1)
 (VACCINATED). For interviews conducted during year X
 (defined using the year variable associated with the quarter),
 child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year
 (X-1), but does not qualify for the above definition.
 (NOT VACCINATED). For interviews conducted during year X
 (defined using the year variable associated with the quarter),
 child's age fell outside the span of 6 and 23 months at any point between 9/1/X-1 and
 12/31/X-1. (NOT ELIGIBLE).

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. | Codes |
|------------------------|-------|-------|--------|-----------|----------|-----------|--------|
| | | | | Reserve | Provider | PCT | |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: P_UTDHEP **Type:** Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS

Notes: 3+ Hepatitis B-containing (08,43,60,HB,DH)

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. | Codes |
|------------------------|-------|-------|--------|-----------|----------|-----------|--------|
| | | | | Reserve | Provider | PCT | |
| NOT UTD | 0 | 1540 | 5.2% | 7.3% | 1461 | 6.9% | 6.9% |
| UTD | 1 | 19640 | 65.7% | 92.7% | 19583 | 93.1% | 93.1% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDHIB Type: Numeric****Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS****Notes: 3+ HIB-containing (05,07,43,44,HI)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NOT UTD | 0 | 1442 | 4.8% | 6.8% | 1356 | 6.4% |
| UTD | 1 | 19738 | 66.1% | 93.2% | 19688 | 93.6% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_UTDMCV Type: Numeric**Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT****Notes: 1+ Measles-containing (30,31,32,33,MM,VM)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NOT UTD | 0 | 1491 | 5.0% | 7.0% | 1403 | 6.7% |
| UTD | 1 | 19689 | 65.9% | 93.0% | 19641 | 93.3% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_UTDMMX Type: Numeric**Label: UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT****Notes: 1+ MMR combo shot (30)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NOT UTD | 0 | 1721 | 5.8% | 8.1% | 1633 | 7.8% |
| UTD | 1 | 19459 | 65.1% | 91.9% | 19411 | 92.2% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Variable: P_UTDPC3 Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS

Notes: 3+ Pneumococcal-containing (70,71,72)

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NOT UTD | 0 | 2763 | 9.2% | 13.0% | 2677 | 12.7% |
| UTD | 1 | 18417 | 61.6% | 87.0% | 18367 | 87.3% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_UTDPCV Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS

Notes: 4+ Pneumococcal-containing (70,71,72)

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NOT UTD | 0 | 6574 | 22.0% | 31.0% | 6459 | 30.7% |
| UTD | 1 | 14606 | 48.9% | 69.0% | 14585 | 69.3% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_UTDPOL Type: Numeric

Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS

Notes: 3+ Polio-containing (08,20,21,22)

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NOT UTD | 0 | 1607 | 5.4% | 7.6% | 1524 | 7.2% |
| UTD | 1 | 19573 | 65.5% | 92.4% | 19520 | 92.8% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: P_UTDTP3 Type: Numeric****Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS****Notes: 3+ DT-containing (01,02,03,04,05,07,08,DH)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NOT UTD | 0 | 954 | 3.2% | 4.5% | 885 | 4.2% |
| UTD | 1 | 20226 | 67.7% | 95.5% | 20159 | 95.8% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: P_UTDTP4 Type: Numeric**Label: UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS****Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH)**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NOT UTD | 0 | 3080 | 10.3% | 14.5% | 2961 | 14.1% |
| UTD | 1 | 18100 | 60.6% | 85.5% | 18083 | 85.9% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: PU431331 Type: Numeric**Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1****(INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)****Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (05,07,43,44,HI), 3+ Hepatitis B-containing (08,43,60,HB,DH), and 1+ Varicella-containing (VA,VO,VM) at age 12+ months**

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NOT UTD | 0 | 4963 | 16.6% | 23.4% | 4827 | 22.9% |
| UTD | 1 | 16217 | 54.3% | 76.6% | 16217 | 77.1% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**Variable: PUT43133 Type: Numeric****Label: UTD FLAG FOR PROVIDER 4:3:1:3:3**

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (05,07,43,44,HI), and 3+ Hepatitis B-containing (08,43,60,HB,DH)

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NOT UTD | 0 | 4091 | 13.7% | 19.3% | 3955 | 18.8% |
| UTD | 1 | 17089 | 57.2% | 80.7% | 17089 | 81.2% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: PUTD4313 Type: Numeric**Label: UTD FLAG FOR PROVIDER 4:3:1:3**

Notes: 4+ DT-containing (01,02,03,04,05,07,08,DH), 3+ Polio-containing (08,20,21,22), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (05,07,43,44,HI)

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| NOT UTD | 0 | 3736 | 12.5% | 17.6% | 3606 | 17.1% |
| UTD | 1 | 17444 | 58.4% | 82.4% | 17438 | 82.9% |
| SUBTOTALS: | | 21180 | 70.9% | 100.0% | 21044 | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 8700 | 29.1% | n/a | 0 | 0.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1**

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 20836 | 69.7% | 100.0% | | 20723 | 98.5% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9044 | 30.3% | n/a | | 321 | 1.5% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DDTP1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|------|------|-----|-------|------|
| All | 74.8 | 64.0 | 0.0 | 982.0 | 54.6 |
| Adequate Provider Data | 74.7 | 64.0 | 0.0 | 982.0 | 54.1 |

Variable: DDTP2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 20587 | 68.9% | 100.0% | | 20499 | 97.4% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9293 | 31.1% | n/a | | 545 | 2.6% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DDTP2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|------|--------|------|
| All | 145.0 | 128.0 | 42.0 | 1255.0 | 66.1 |
| Adequate Provider Data | 144.9 | 128.0 | 42.0 | 1255.0 | 65.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 20270 | 67.8% | 100.0% | | 20203 | 96.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9610 | 32.2% | n/a | | 841 | 4.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DDTP3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|------|
| All | 220.4 | 192.0 | 94.0 | 1169.0 | 88.1 |
| Adequate Provider Data | 220.4 | 192.0 | 101.0 | 1169.0 | 88.1 |

Variable: DDTP4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 18362 | 61.5% | 100.0% | | 18345 | 87.2% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11518 | 38.5% | n/a | | 2699 | 12.8% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DDTP4 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|------|
| All | 519.2 | 495.0 | 159.0 | 1109.0 | 97.6 |
| Adequate Provider Data | 519.2 | 495.0 | 159.0 | 1109.0 | 97.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 266 | 0.9% | 100.0% | | 266 | 1.3% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29614 | 99.1% | n/a | 20778 | 98.7% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DDTP5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 601.6 | 563.5 | 370.0 | 1132.0 | 148.7 |
| Adequate Provider Data | 601.6 | 563.5 | 370.0 | 1132.0 | 148.7 |

Variable: DDTP6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6**

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 11 | 0.0% | 100.0% | | 11 | 0.1% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29869 | 100.0% | n/a | 21033 | 99.9% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DDTP6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| All | 671.2 | 648.0 | 458.0 | 864.0 | 148.5 |
| Adequate Provider Data | 671.2 | 648.0 | 458.0 | 864.0 | 148.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DDTP7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7**

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 2 | 0.0% | 100.0% | | 2 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29878 | 100.0% | n/a | 21042 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DDTP7 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| All | 671.0 | 671.0 | 558.0 | 784.0 | 159.8 |
| Adequate Provider Data | 671.0 | 671.0 | 558.0 | 784.0 | 159.8 |

Variable: DDTP8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8**

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DDTP9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9**

Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DFLU1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #1**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 10637 | 35.6% | 100.0% | | 10606 | 50.4% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 19243 | 64.4% | n/a | | 10438 | 49.6% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DFLU1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-----|--------|-------|
| All | 379.1 | 366.0 | 0.0 | 1204.0 | 175.7 |
| Adequate Provider Data | 379.2 | 366.0 | 0.0 | 1204.0 | 175.5 |

Variable: DFLU2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #2**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 6777 | 22.7% | 100.0% | | 6758 | 32.1% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23103 | 77.3% | n/a | | 14286 | 67.9% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DFLU2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|------|--------|-------|
| All | 470.9 | 455.0 | 42.0 | 1174.0 | 190.5 |
| Adequate Provider Data | 471.0 | 455.0 | 42.0 | 1174.0 | 190.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DFLU3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #3****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 2570 | 8.6% | 100.0% | | 2567 | 12.2% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27310 | 91.4% | n/a | 18477 | 87.8% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DFLU3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 690.9 | 678.0 | 184.0 | 1152.0 | 150.8 |
| Adequate Provider Data | 690.9 | 678.0 | 184.0 | 1152.0 | 150.8 |

Variable: DFLU4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #4****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 221 | 0.7% | 100.0% | | 220 | 1.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29659 | 99.3% | n/a | 20824 | 99.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DFLU4 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 919.2 | 940.0 | 253.0 | 1168.0 | 155.2 |
| Adequate Provider Data | 918.4 | 940.0 | 253.0 | 1168.0 | 155.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DFLU5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #5****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 8 | 0.0% | 100.0% | | 8 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29872 | 100.0% | n/a | 21036 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DFLU5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 854.3 | 934.5 | 472.0 | 1042.0 | 204.0 |
| Adequate Provider Data | 854.3 | 934.5 | 472.0 | 1042.0 | 204.0 |

Variable: DFLU6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #6****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DFLU7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #7****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DFLU8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #8****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DFLU9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #9****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DHEPA1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 5605 | 18.8% | 100.0% | 5592 | 26.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 24275 | 81.2% | n/a | 15452 | 73.4% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DHEPA1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|-----|--------|--------|
| All | 707.4 | 735.0 | 4.0 | 1194.0 | 144.1 |
| Adequate Provider Data | 707.4 | 735.0 | 4.0 | 1194.0 | 144.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPA2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 1012 | 3.4% | 100.0% | | 1009 | 4.8% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 28868 | 96.6% | n/a | 20035 | 95.2% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DHEPA2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 881.7 | 922.0 | 122.0 | 1185.0 | 156.9 |
| Adequate Provider Data | 881.3 | 922.0 | 122.0 | 1185.0 | 156.9 |

Variable: DHEPA3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 7 | 0.0% | 100.0% | | 7 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29873 | 100.0% | n/a | 21037 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DHEPA3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 898.0 | 928.0 | 551.0 | 1142.0 | 204.8 |
| Adequate Provider Data | 898.0 | 928.0 | 551.0 | 1142.0 | 204.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPA4 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DHEPA5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DHEPA6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPA7** Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DHEPA8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DHEPA9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB1** Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| Codes | | Data | PCT | Codes | | |
| SUBTOTALS: | | 20826 | 69.7% | 100.0% | 20702 | 98.4% |
| RESERVED CODES: | | | | | | 100.0% |
| MISSING | . | 9054 | 30.3% | n/a | 342 | 1.6% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: DHEPB1 Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|-----|-----|--------|------|
| All | 32.3 | 2.0 | 0.0 | 1180.0 | 63.8 |
| Adequate Provider Data | 32.3 | 2.0 | 0.0 | 1180.0 | 63.7 |

Variable: DHEPB2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| Codes | | Data | PCT | Codes | | |
| SUBTOTALS: | | 20431 | 68.4% | 100.0% | 20343 | 96.7% |
| RESERVED CODES: | | | | | | 100.0% |
| MISSING | . | 9449 | 31.6% | n/a | 701 | 3.3% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: DHEPB2 Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-------|------|------|--------|------|
| All | 103.2 | 72.0 | 17.0 | 1255.0 | 81.5 |
| Adequate Provider Data | 103.2 | 72.0 | 17.0 | 1255.0 | 81.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 19685 | 65.9% | 100.0% | | 19628 | 93.3% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10195 | 34.1% | n/a | | 1416 | 6.7% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DHEPB3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|------|--------|-------|
| All | 249.5 | 200.0 | 53.0 | 1169.0 | 127.9 |
| Adequate Provider Data | 249.6 | 200.0 | 53.0 | 1169.0 | 128.0 |

Variable: DHEPB4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 5091 | 17.0% | 100.0% | | 5075 | 24.1% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 24789 | 83.0% | n/a | | 15969 | 75.9% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DHEPB4 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|------|--------|-------|
| All | 266.6 | 199.0 | 97.0 | 1145.0 | 135.5 |
| Adequate Provider Data | 266.7 | 199.0 | 97.0 | 1145.0 | 135.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 219 | 0.7% | 100.0% | | 219 | 1.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29661 | 99.3% | n/a | 20825 | 99.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DHEPB5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 464.4 | 461.0 | 166.0 | 1059.0 | 158.8 |
| Adequate Provider Data | 464.4 | 461.0 | 166.0 | 1059.0 | 158.8 |

Variable: DHEPB6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 10 | 0.0% | 100.0% | | 10 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29870 | 100.0% | n/a | 21034 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DHEPB6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| All | 583.3 | 568.0 | 265.0 | 879.0 | 189.0 |
| Adequate Provider Data | 583.3 | 568.0 | 265.0 | 879.0 | 189.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | | 1 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DHEPB7 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|---|
| All | 473.0 | 473.0 | 473.0 | 473.0 | . |
| Adequate Provider Data | 473.0 | 473.0 | 473.0 | 473.0 | . |

Variable: DHEPB8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | | 1 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DHEPB8 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|---|
| All | 530.0 | 530.0 | 530.0 | 530.0 | . |
| Adequate Provider Data | 530.0 | 530.0 | 530.0 | 530.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHEPB9** Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9**

Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DHIB1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1**

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 20770 | 69.5% | 100.0% | 20656 | 98.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9110 | 30.5% | n/a | 388 | 1.8% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DHIB1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|-------|--------|
| All | 75.8 | 64.0 | 0.0 | 993.0 | 57.0 |
| Adequate Provider Data | 75.6 | 64.0 | 0.0 | 993.0 | 56.4 |

Variable: DHIB2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 20452 | 68.4% | 100.0% | 20368 | 96.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9428 | 31.6% | n/a | 676 | 3.2% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|------|--------|--------|
| All | 145.7 | 128.0 | 42.0 | 1255.0 | 65.8 |
| Adequate Provider Data | 145.6 | 128.0 | 42.0 | 1255.0 | 65.3 |

Variable: DHIB3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 19788 | 66.2% | 100.0% | | 19738 | 93.8% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10092 | 33.8% | n/a | | 1306 | 6.2% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DHIB3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|-------|--------|--------|
| All | 281.1 | 207.0 | 102.0 | 1175.0 | 128.8 |
| Adequate Provider Data | 281.2 | 207.0 | 102.0 | 1175.0 | 128.9 |

Variable: DHIB4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 13055 | 43.7% | 100.0% | | 13037 | 62.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 16825 | 56.3% | n/a | | 8007 | 38.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DHIB4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|-------|--------|--------|
| All | 479.3 | 464.0 | 146.0 | 1191.0 | 99.9 |
| Adequate Provider Data | 479.4 | 464.0 | 146.0 | 1191.0 | 100.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 181 | 0.6% | 100.0% | | 181 | 0.9% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29699 | 99.4% | n/a | 20863 | 99.1% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DHIB5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 564.9 | 547.0 | 366.0 | 1097.0 | 153.2 |
| Adequate Provider Data | 564.9 | 547.0 | 366.0 | 1097.0 | 153.2 |

Variable: DHIB6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6**

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 5 | 0.0% | 100.0% | | 5 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29875 | 100.0% | n/a | 21039 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DHIB6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| All | 687.0 | 747.0 | 481.0 | 879.0 | 157.4 |
| Adequate Provider Data | 687.0 | 747.0 | 481.0 | 879.0 | 157.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DHIB7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7**

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | | 1 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DHIB7 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|---|
| All | 547.0 | 547.0 | 547.0 | 547.0 | . |
| Adequate Provider Data | 547.0 | 547.0 | 547.0 | 547.0 | . |

Variable: DHIB8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8**

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DHIB9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9**

Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1**

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 19794 | 66.2% | 100.0% | | 19746 | 93.8% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10086 | 33.8% | n/a | | 1298 | 6.2% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DMMR1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-----|--------|------|
| All | 426.0 | 387.0 | 0.0 | 1169.0 | 86.7 |
| Adequate Provider Data | 426.0 | 387.0 | 0.0 | 1169.0 | 86.7 |

Variable: DMMR2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 451 | 1.5% | 100.0% | | 451 | 2.1% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29429 | 98.5% | n/a | | 20593 | 97.9% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DMMR2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 637.7 | 604.0 | 249.0 | 1140.0 | 169.9 |
| Adequate Provider Data | 637.7 | 604.0 | 249.0 | 1140.0 | 169.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 2 | 0.0% | 100.0% | | 2 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29878 | 100.0% | n/a | 21042 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DMMR3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| All | 550.0 | 550.0 | 448.0 | 652.0 | 144.2 |
| Adequate Provider Data | 550.0 | 550.0 | 448.0 | 652.0 | 144.2 |

Variable: DMMR4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DMMR5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6**

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DMMR7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7**

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DMMR8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8**

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMMR9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9**

Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DMP1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1**

Notes: The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 23 | 0.1% | 100.0% | 23 | 0.1% 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29857 | 99.9% | n/a | 21021 | 99.9% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% 100.0% |

Variable: DMP1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 641.3 | 590.0 | 366.0 | 1116.0 | 197.2 |
| Adequate Provider Data | 641.3 | 590.0 | 366.0 | 1116.0 | 197.2 |

Variable: DMP2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2**

Notes: The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMP3** Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DMP4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DMP5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMP6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DMP7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DMP8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMP9** Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DMPRB1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DMPRB1 Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-------|-------|-------|-------|---|
| All | 729.0 | 729.0 | 729.0 | 729.0 | . |
| Adequate Provider Data | 729.0 | 729.0 | 729.0 | 729.0 | . |

Variable: DMPRB2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMPRB3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DMPRB4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DMPRB5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DMPRB6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DMPRB7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DMPRB8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DMPRB9 **Type:** Numeric

Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DPCV1 **Type:** Numeric

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPCV. The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 20014 | 67.0% | 100.0% | 19905 | 94.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9866 | 33.0% | n/a | 1139 | 5.4% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DPCV1 **Type:** Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|--------|------|
| All | 87.8 | 65.0 | 0.0 | 1110.0 | 83.3 |
| Adequate Provider Data | 87.5 | 65.0 | 0.0 | 1110.0 | 82.6 |

Variable: DPCV2 **Type:** Numeric

Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMPCV. The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 19470 | 65.2% | 100.0% | 19393 | 92.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10410 | 34.8% | n/a | 1651 | 7.8% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPCV2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|------|--------|--------|
| All | 160.6 | 130.0 | 58.0 | 1255.0 | 90.5 |
| Adequate Provider Data | 160.5 | 130.0 | 58.0 | 1255.0 | 90.3 |

Variable: DPCV3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| SUBTOTALS: | | 18474 | 61.8% | 100.0% | 18424 | 87.5% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 11406 | 38.2% | n/a | 2620 | 12.5% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: DPCV3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|-------|--------|--------|
| All | 261.2 | 202.0 | 112.0 | 1107.0 | 121.7 |
| Adequate Provider Data | 261.2 | 202.0 | 112.0 | 1107.0 | 121.7 |

Variable: DPCV4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| SUBTOTALS: | | 14753 | 49.4% | 100.0% | 14732 | 70.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 15127 | 50.6% | n/a | 6312 | 30.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: DPCV4 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|-------|--------|--------|
| All | 468.4 | 459.0 | 180.0 | 1140.0 | 109.4 |
| Adequate Provider Data | 468.5 | 459.0 | 180.0 | 1140.0 | 109.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPCV5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| Codes | | Data | PCT | Codes | | |
| SUBTOTALS: | | 193 | 0.6% | 100.0% | 192 | 0.9% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29687 | 99.4% | n/a | 20852 | 99.1% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: DPCV5 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 586.1 | 552.0 | 273.0 | 1132.0 | 163.7 |
| Adequate Provider Data | 586.7 | 552.5 | 273.0 | 1132.0 | 163.8 |

Variable: DPCV6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6**

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| Codes | | Data | PCT | Codes | | |
| SUBTOTALS: | | 6 | 0.0% | 100.0% | 6 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29874 | 100.0% | n/a | 21038 | 100.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: DPCV6 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| All | 633.7 | 559.5 | 494.0 | 888.0 | 158.0 |
| Adequate Provider Data | 633.7 | 559.5 | 494.0 | 888.0 | 158.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPCV7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7**

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | | 1 |
| | | | | | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| | | | | | | 100.0% |

Variable: DPCV7 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|---|
| All | 558.0 | 558.0 | 558.0 | 558.0 | . |
| Adequate Provider Data | 558.0 | 558.0 | 558.0 | 558.0 | . |

Variable: DPCV8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8**

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| | | | | | | n/a |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| | | | | | | n/a |

Variable: DPCV9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9**

Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| | | | | | | n/a |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| | | | | | | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPOLIO1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 20700 | 69.3% | 100.0% | | 20590 | 97.8% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9180 | 30.7% | n/a | | 454 | 2.2% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DPOLIO1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|------|------|-----|-------|------|
| All | 75.2 | 64.0 | 0.0 | 982.0 | 52.6 |
| Adequate Provider Data | 75.1 | 64.0 | 0.0 | 982.0 | 52.4 |

Variable: DPOLIO2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 20421 | 68.3% | 100.0% | | 20338 | 96.6% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9459 | 31.7% | n/a | | 706 | 3.4% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DPOLIO2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|------|--------|------|
| All | 147.3 | 128.0 | 38.0 | 1255.0 | 69.7 |
| Adequate Provider Data | 147.2 | 128.0 | 42.0 | 1255.0 | 69.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO3 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 19679 | 65.9% | 100.0% | | 19626 | 93.3% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10201 | 34.1% | n/a | | 1418 | 6.7% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DPOLIO3 Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-------|-------|------|--------|-------|
| All | 300.0 | 213.0 | 66.0 | 1169.0 | 155.2 |
| Adequate Provider Data | 300.2 | 213.0 | 72.0 | 1169.0 | 155.2 |

Variable: DPOLIO4 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 1038 | 3.5% | 100.0% | | 1035 | 4.9% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 28842 | 96.5% | n/a | | 20009 | 95.1% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: DPOLIO4 Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 494.2 | 477.5 | 94.0 | 1112.0 | 151.3 |
| Adequate Provider Data | 494.8 | 479.0 | 106.0 | 1112.0 | 151.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPOLIO5** Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 42 | 0.1% | 100.0% | | 42 | 0.2% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29838 | 99.9% | n/a | 21002 | 99.8% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DPOLIO5 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|-------|-------|--------|
| All | 546.4 | 552.5 | 223.0 | 867.0 | 141.0 |
| Adequate Provider Data | 546.4 | 552.5 | 223.0 | 867.0 | 141.0 |

Variable: DPOLIO6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 10 | 0.0% | 100.0% | | 10 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29870 | 100.0% | n/a | 21034 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DPOLIO6 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|-------|-------|--------|
| All | 611.7 | 572.5 | 266.0 | 899.0 | 184.0 |
| Adequate Provider Data | 611.7 | 572.5 | 266.0 | 899.0 | 184.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DPOLIO7 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 2 | 0.0% | 100.0% | | 2 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29878 | 100.0% | n/a | 21042 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DPOLIO7 Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| All | 556.0 | 556.0 | 308.0 | 804.0 | 350.7 |
| Adequate Provider Data | 556.0 | 556.0 | 308.0 | 804.0 | 350.7 |

Variable: DPOLIO8 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | | 1 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DPOLIO8 Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-------|-------|-------|-------|---|
| All | 583.0 | 583.0 | 583.0 | 583.0 | . |
| Adequate Provider Data | 583.0 | 583.0 | 583.0 | 583.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DPOLIO9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9**

Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DRB1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1**

Notes: The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 18 | 0.1% | 100.0% | 18 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29862 | 99.9% | n/a | 21026 | 99.9% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DRB1 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| All | 581.4 | 569.0 | 184.0 | 894.0 | 161.0 |
| Adequate Provider Data | 581.4 | 569.0 | 184.0 | 894.0 | 161.0 |

Variable: DRB2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2**

Notes: The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DRB3 **Type:** Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DRB4 **Type:** Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DRB5 **Type:** Numeric

Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DRB6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DRB7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DRB8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DRB9** Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DROT1 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 5 | 0.0% | 100.0% | | 5 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29875 | 100.0% | n/a | 21039 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DROT1 Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-------|------|------|-------|-------|
| All | 182.8 | 64.0 | 59.0 | 605.0 | 237.6 |
| Adequate Provider Data | 182.8 | 64.0 | 59.0 | 605.0 | 237.6 |

Variable: DROT2 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2**

Notes: The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 4 | 0.0% | 100.0% | | 4 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29876 | 100.0% | n/a | 21040 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DROT2 Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|------|-------|--------|
| All | 132.8 | 126.0 | 92.0 | 187.0 | 40.0 |
| Adequate Provider Data | 132.8 | 126.0 | 92.0 | 187.0 | 40.0 |

Variable: DROT3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3**

Notes: The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| SUBTOTALS: | | 4 | 0.0% | 100.0% | | 4 |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29876 | 100.0% | n/a | 21040 | 100.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: DROT3 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|-------|-------|--------|
| All | 233.5 | 191.0 | 134.0 | 418.0 | 126.0 |
| Adequate Provider Data | 233.5 | 191.0 | 134.0 | 418.0 | 126.0 |

Variable: DROT4 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4**

Notes: The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DROT5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DROT6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DROT7 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DROT8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DROT9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9****Notes:** The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: DTP1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1****Notes:** See section 8 notes for P_NUMDTP. Calculated as exact age in months.**The "age in months"**

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 20836 | 69.7% | 100.0% | 20723 | 98.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9044 | 30.3% | n/a | 321 | 1.5% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DTP1_AGE Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 2.1 | 2.0 | 0.0 | 32.0 | 1.8 |
| Adequate Provider Data | 2.1 | 2.0 | 0.0 | 32.0 | 1.8 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 20587 | 68.9% | 100.0% | 20499 | 97.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9293 | 31.1% | n/a | 545 | 2.6% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DTP2_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 4.4 | 4.0 | 1.0 | 41.0 | 2.2 |
| Adequate Provider Data | 4.4 | 4.0 | 1.0 | 41.0 | 2.2 |

Variable: DTP3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 20270 | 67.8% | 100.0% | 20203 | 96.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9610 | 32.2% | n/a | 841 | 4.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DTP3_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 6.9 | 6.0 | 3.0 | 38.0 | 2.9 |
| Adequate Provider Data | 6.9 | 6.0 | 3.0 | 38.0 | 2.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| Codes | | | | Codes | | | |
| SUBTOTALS: | | 18362 | 61.5% | 100.0% | 18345 | 87.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11518 | 38.5% | n/a | 2699 | 12.8% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DTP4_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 16.7 | 16.0 | 5.0 | 36.0 | 3.2 |
| Adequate Provider Data | 16.7 | 16.0 | 5.0 | 36.0 | 3.2 |

Variable: DTP5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| | | | | Codes | | Codes | |
| SUBTOTALS: | | 266 | 0.9% | 100.0% | 266 | 1.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29614 | 99.1% | n/a | 20778 | 98.7% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DTP5_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|-----|
| All | 19.3 | 18.0 | 12.0 | 37.0 | 4.9 |
| Adequate Provider Data | 19.3 | 18.0 | 12.0 | 37.0 | 4.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 11 | 0.0% | 100.0% | | 11 | 0.1% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29869 | 100.0% | n/a | 21033 | 99.9% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DTP6_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|-----|
| All | 21.6 | 21.0 | 15.0 | 28.0 | 4.9 |
| Adequate Provider Data | 21.6 | 21.0 | 15.0 | 28.0 | 4.9 |

Variable: DTP7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 2 | 0.0% | 100.0% | | 2 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29878 | 100.0% | n/a | 21042 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DTP7_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|-----|
| All | 21.5 | 21.5 | 18.0 | 25.0 | 4.9 |
| Adequate Provider Data | 21.5 | 21.5 | 18.0 | 25.0 | 4.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: DTP8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DTP9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DVRC1 Type: Numeric

Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMVRC. The "age in days"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 19051 | 63.8% | 100.0% | 19005 | 90.3% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 10829 | 36.2% | n/a | 2039 | 9.7% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: DVRC1 Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|-------|--------|-----|--------|--------|
| All | 427.7 | 384.0 | 0.0 | 1169.0 | 97.4 |
| Adequate Provider Data | 427.6 | 384.0 | 0.0 | 1169.0 | 97.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DVRC2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 135 | 0.5% | 100.0% | | 135 | 0.6% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29745 | 99.5% | n/a | 20909 | 99.4% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DVRC2 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|--------|-------|
| All | 612.6 | 563.0 | 218.0 | 1138.0 | 182.3 |
| Adequate Provider Data | 612.6 | 563.0 | 218.0 | 1138.0 | 182.3 |

Variable: DVRC3 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 2 | 0.0% | 100.0% | | 2 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29878 | 100.0% | n/a | 21042 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: DVRC3 Type: Numeric**CASES MEAN MEDIAN MIN MAX STDDev**

| | | | | | |
|------------------------|-------|-------|-------|-------|-------|
| All | 649.5 | 649.5 | 554.0 | 745.0 | 135.1 |
| Adequate Provider Data | 649.5 | 649.5 | 554.0 | 745.0 | 135.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DVRC4 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4**

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DVRC5 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5**

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DVRC6 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6**

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: DVRC7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7**

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DVRC8 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8**

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: DVRC9 Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9**

Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 10637 | 35.6% | 100.0% | | 10606 | 50.4% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 19243 | 64.4% | n/a | | 10438 | 49.6% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: FLU1_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 12.1 | 12.0 | 0.0 | 39.0 | 5.8 |
| Adequate Provider Data | 12.1 | 12.0 | 0.0 | 39.0 | 5.7 |

Variable: FLU2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 6777 | 22.7% | 100.0% | | 6758 | 32.1% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 23103 | 77.3% | n/a | | 14286 | 67.9% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: FLU2_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 15.0 | 14.0 | 1.0 | 38.0 | 6.2 |
| Adequate Provider Data | 15.1 | 14.0 | 1.0 | 38.0 | 6.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 2570 | 8.6% | 100.0% | | 2567 | 12.2% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 27310 | 91.4% | n/a | 18477 | 87.8% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: FLU3_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 22.3 | 22.0 | 6.0 | 37.0 | 4.9 |
| Adequate Provider Data | 22.3 | 22.0 | 6.0 | 37.0 | 4.9 |

Variable: FLU4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 221 | 0.7% | 100.0% | | 220 | 1.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29659 | 99.3% | n/a | 20824 | 99.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: FLU4_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 29.7 | 30.0 | 8.0 | 38.0 | 5.1 |
| Adequate Provider Data | 29.7 | 30.0 | 8.0 | 38.0 | 5.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 8 | 0.0% | 100.0% | | 8 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29872 | 100.0% | n/a | 21036 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: FLU5_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|-----|
| All | 27.5 | 30.5 | 15.0 | 34.0 | 6.7 |
| Adequate Provider Data | 27.5 | 30.5 | 15.0 | 34.0 | 6.7 |

Variable: FLU6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: FLU7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: FLU8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: FLU9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: HEA1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 5605 | 18.8% | 100.0% | 5592 | 26.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 24275 | 81.2% | n/a | 15452 | 73.4% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: HEA1_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 22.9 | 24.0 | 0.0 | 39.0 | 4.7 |
| Adequate Provider Data | 22.9 | 24.0 | 0.0 | 39.0 | 4.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|---------------|
| | | | | Reserve | Provider | Reserve |
| Codes | | Data | PCT | Codes | | |
| SUBTOTALS: | | 1012 | 3.4% | 100.0% | 1009 | 4.8% 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 28868 | 96.6% | n/a | 20035 | 95.2% n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% 100.0% |

Variable: HEA2_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 28.6 | 30.0 | 3.0 | 38.0 | 5.1 |
| Adequate Provider Data | 28.5 | 30.0 | 3.0 | 38.0 | 5.1 |

Variable: HEA3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|---------------|
| | | | | Reserve | Provider | Reserve |
| Codes | | Data | PCT | Codes | | |
| SUBTOTALS: | | 7 | 0.0% | 100.0% | 7 | 0.0% 100.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29873 | 100.0% | n/a | 21037 | 100.0% n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% 100.0% |

Variable: HEA3_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|-----|
| All | 29.0 | 30.0 | 18.0 | 37.0 | 6.5 |
| Adequate Provider Data | 29.0 | 30.0 | 18.0 | 37.0 | 6.5 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: HEA5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: HEA6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEA7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: HEA8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: HEA9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|-----------|
| | | | | Reserve Codes | Provider Data | PCT |
| SUBTOTALS: | | 20826 | 69.7% | 100.0% | 20702 | 98.4% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 9054 | 30.3% | n/a | 342 | 1.6% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: HEP1_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 0.9 | 0.0 | 0.0 | 38.0 | 2.0 |
| Adequate Provider Data | 0.9 | 0.0 | 0.0 | 38.0 | 2.0 |

Variable: HEP2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|-----------|
| | | | | Reserve Codes | Provider Data | PCT |
| SUBTOTALS: | | 20431 | 68.4% | 100.0% | 20343 | 96.7% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 9449 | 31.6% | n/a | 701 | 3.3% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: HEP2_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 3.1 | 2.0 | 0.0 | 41.0 | 2.7 |
| Adequate Provider Data | 3.1 | 2.0 | 0.0 | 41.0 | 2.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| Codes | | | | Codes | | | |
| SUBTOTALS: | | 19685 | 65.9% | 100.0% | | 19628 | 93.3% |
| RESERVED CODES: | | | | | | | 100.0% |
| MISSING | . | 10195 | 34.1% | n/a | | 1416 | 6.7% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: HEP3_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 7.8 | 6.0 | 1.0 | 38.0 | 4.2 |
| Adequate Provider Data | 7.8 | 6.0 | 1.0 | 38.0 | 4.2 |

Variable: HEP4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| | | | | Codes | Codes | | |
| SUBTOTALS: | | 5091 | 17.0% | 100.0% | | 5075 | 24.1% |
| RESERVED CODES: | | | | | | | 100.0% |
| MISSING | . | 24789 | 83.0% | n/a | | 15969 | 75.9% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: HEP4_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 8.4 | 6.0 | 3.0 | 37.0 | 4.4 |
| Adequate Provider Data | 8.4 | 6.0 | 3.0 | 37.0 | 4.4 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| Codes Data Codes | | | | | | | |
| SUBTOTALS: | | 219 | 0.7% | 100.0% | | 219 | 1.0% |
| RESERVED CODES: | | | | | | | 100.0% |
| MISSING | . | 29661 | 99.3% | n/a | 20825 | 99.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: HEP5_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 14.9 | 15.0 | 5.0 | 34.0 | 5.2 |
| Adequate Provider Data | 14.9 | 15.0 | 5.0 | 34.0 | 5.2 |

Variable: HEP6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| Codes Data Codes | | | | | | | |
| SUBTOTALS: | | 10 | 0.0% | 100.0% | | 10 | 0.0% |
| RESERVED CODES: | | | | | | | 100.0% |
| MISSING | . | 29870 | 100.0% | n/a | 21034 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: HEP6_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 18.7 | 18.5 | 8.0 | 28.0 | 6.2 |
| Adequate Provider Data | 18.7 | 18.5 | 8.0 | 28.0 | 6.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | | 1 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: HEP7_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|---|
| All | 15.0 | 15.0 | 15.0 | 15.0 | . |
| Adequate Provider Data | 15.0 | 15.0 | 15.0 | 15.0 | . |

Variable: HEP8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | | 1 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: HEP8_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|---|
| All | 17.0 | 17.0 | 17.0 | 17.0 | . |
| Adequate Provider Data | 17.0 | 17.0 | 17.0 | 17.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HEP9_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: HIB1_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 20770 | 69.5% | 100.0% | 20656 | 98.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9110 | 30.5% | n/a | 388 | 1.8% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: HIB1_AGE **Type:** Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 2.2 | 2.0 | 0.0 | 32.0 | 1.9 |
| Adequate Provider Data | 2.2 | 2.0 | 0.0 | 32.0 | 1.9 |

Variable: HIB2_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 20452 | 68.4% | 100.0% | 20368 | 96.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 9428 | 31.6% | n/a | 676 | 3.2% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: HIB2_AGE Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 4.4 | 4.0 | 1.0 | 41.0 | 2.1 |
| Adequate Provider Data | 4.4 | 4.0 | 1.0 | 41.0 | 2.1 |

Variable: HIB3_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3****Notes:** See section 8 notes for P_NUMHIB. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 19788 | 66.2% | 100.0% | | 19738 | 93.8% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10092 | 33.8% | n/a | | 1306 | 6.2% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |
| | | | | | | | 100.0% |

Variable: HIB3_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 8.9 | 6.0 | 3.0 | 38.0 | 4.2 |
| Adequate Provider Data | 8.9 | 6.0 | 3.0 | 38.0 | 4.2 |

Variable: HIB4_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4****Notes:** See section 8 notes for P_NUMHIB. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 13055 | 43.7% | 100.0% | | 13037 | 62.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 16825 | 56.3% | n/a | | 8007 | 38.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |
| | | | | | | | 100.0% |

Variable: HIB4_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 15.4 | 15.0 | 4.0 | 39.0 | 3.2 |
| Adequate Provider Data | 15.4 | 15.0 | 4.0 | 39.0 | 3.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 181 | 0.6% | 100.0% | | 181 | 0.9% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29699 | 99.4% | n/a | 20863 | 99.1% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: HIB5_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|-----|
| All | 18.2 | 17.0 | 12.0 | 36.0 | 5.0 |
| Adequate Provider Data | 18.2 | 17.0 | 12.0 | 36.0 | 5.0 |

Variable: HIB6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 5 | 0.0% | 100.0% | | 5 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29875 | 100.0% | n/a | 21039 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: HIB6_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|-----|
| All | 21.8 | 24.0 | 15.0 | 28.0 | 5.2 |
| Adequate Provider Data | 21.8 | 24.0 | 15.0 | 28.0 | 5.2 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: HIB7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: HIB7_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|---|
| All | 18.0 | 18.0 | 18.0 | 18.0 | . |
| Adequate Provider Data | 18.0 | 18.0 | 18.0 | 18.0 | . |

Variable: HIB8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: HIB9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR1_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| Codes | | | | Codes | | | |
| SUBTOTALS: | | 19794 | 66.2% | 100.0% | 19746 | 93.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10086 | 33.8% | n/a | 1298 | 6.2% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: MMR1_AGE **Type:** Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 13.7 | 12.0 | 0.0 | 38.0 | 2.8 |
| Adequate Provider Data | 13.7 | 12.0 | 0.0 | 38.0 | 2.8 |

Variable: MMR2_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| | | | | Codes | | | |
| SUBTOTALS: | | 451 | 1.5% | 100.0% | 451 | 2.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29429 | 98.5% | n/a | 20593 | 97.9% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: MMR2_AGE **Type:** Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 20.6 | 19.0 | 8.0 | 37.0 | 5.6 |
| Adequate Provider Data | 20.6 | 19.0 | 8.0 | 37.0 | 5.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR3_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | | | | | | |
| MISSING | . | 29878 | 100.0% | n/a | 21042 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: MMR3_AGE **Type:** Numeric

CASES **MEAN** **MEDIAN** **MIN** **MAX** **STDDev**

| | | | | | |
|------------------------|------|------|------|------|-----|
| All | 17.5 | 17.5 | 14.0 | 21.0 | 4.9 |
| Adequate Provider Data | 17.5 | 17.5 | 14.0 | 21.0 | 4.9 |

Variable: MMR4_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: MMR5_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR6_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: MMR7_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: MMR8_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MMR9_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: MP1_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 23 | 0.1% | 100.0% | 23 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29857 | 99.9% | n/a | 21021 | 99.9% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: MP1_AGE **Type:** Numeric

CASES **MEAN** **MEDIAN** **MIN** **MAX** **STDDev**

| | | | | | |
|------------------------|------|------|------|------|-----|
| All | 20.7 | 19.0 | 12.0 | 36.0 | 6.4 |
| Adequate Provider Data | 20.7 | 19.0 | 12.0 | 36.0 | 6.4 |

Variable: MP2_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2

Notes: Calculated as exact age in months. The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP3_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: MP4_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: MP5_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MP6_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: MP7_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: MP8_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: MP9_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9**

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: MPR1_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1**

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: MPR1_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|------|------|--------|
| All | 23.0 | 23.0 | 23.0 | 23.0 | . |
| Adequate Provider Data | 23.0 | 23.0 | 23.0 | 23.0 | . |

Variable: MPR2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2**

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR3_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | n/a |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: MPR4_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | n/a |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: MPR5_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | n/a |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: MPR7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: MPR8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: MPR9_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: PCV1_AGE **Type:** Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 20014 | 67.0% | 100.0% | 19905 | 94.6% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 9866 | 33.0% | n/a | 1139 | 5.4% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: PCV1_AGE **Type:** Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 2.5 | 2.0 | 0.0 | 36.0 | 2.7 |
| Adequate Provider Data | 2.5 | 2.0 | 0.0 | 36.0 | 2.7 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV2_AGE **Type:** Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. | |
|------------------------|-------|-------|--------|------------------|------------------|-----------|------------------|
| | | | | Reserve Codes | Provider Data | PCT | Reserve Codes |
| SUBTOTALS: | | 19470 | 65.2% | 100.0% | | 19393 | 92.2% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 10410 | 34.8% | n/a | | 1651 | 7.8% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: PCV2_AGE **Type:** Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 4.9 | 4.0 | 1.0 | 41.0 | 3.0 |
| Adequate Provider Data | 4.9 | 4.0 | 1.0 | 41.0 | 2.9 |

Variable: PCV3_AGE **Type:** Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. | |
|------------------------|-------|-------|--------|------------------|------------------|-----------|------------------|
| | | | | Reserve Codes | Provider Data | PCT | Reserve Codes |
| SUBTOTALS: | | 18474 | 61.8% | 100.0% | | 18424 | 87.5% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 11406 | 38.2% | n/a | | 2620 | 12.5% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: PCV3_AGE **Type:** Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 8.2 | 6.0 | 3.0 | 36.0 | 4.0 |
| Adequate Provider Data | 8.2 | 6.0 | 3.0 | 36.0 | 4.0 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV4_AGE **Type:** Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|-------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 14753 | 49.4% | 100.0% | | 14732 | 70.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 15127 | 50.6% | n/a | | 6312 | 30.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: PCV4_AGE **Type:** Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 15.0 | 15.0 | 5.0 | 37.0 | 3.6 |
| Adequate Provider Data | 15.0 | 15.0 | 5.0 | 37.0 | 3.5 |

Variable: PCV5_AGE **Type:** Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|-------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 193 | 0.6% | 100.0% | | 192 | 0.9% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29687 | 99.4% | n/a | | 20852 | 99.1% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: PCV5_AGE **Type:** Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 18.8 | 18.0 | 8.0 | 37.0 | 5.3 |
| Adequate Provider Data | 18.8 | 18.0 | 8.0 | 37.0 | 5.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV6_AGE **Type:** Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 6 | 0.0% | 100.0% | | 6 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29874 | 100.0% | n/a | 21038 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: PCV6_AGE **Type:** Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|------|------|--------|
| All | 20.5 | 18.0 | 16.0 | 29.0 | 5.2 |
| Adequate Provider Data | 20.5 | 18.0 | 16.0 | 29.0 | 5.2 |

Variable: PCV7_AGE **Type:** Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | | 1 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: PCV7_AGE **Type:** Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|------|------|--------|
| All | 18.0 | 18.0 | 18.0 | 18.0 | . |
| Adequate Provider Data | 18.0 | 18.0 | 18.0 | 18.0 | . |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: PCV8_AGE **Type:** Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: PCV9_AGE **Type:** Numeric

Label:

AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: POL1_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 20700 | 69.3% | 100.0% | 20590 | 97.8% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 9180 | 30.7% | n/a | 454 | 2.2% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: POL1_AGE Type: Numeric**

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 2.1 | 2.0 | 0.0 | 32.0 | 1.7 |
| Adequate Provider Data | 2.1 | 2.0 | 0.0 | 32.0 | 1.7 |

Variable: POL2_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| SUBTOTALS: | | 20421 | 68.3% | 100.0% | 20338 | 96.6% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 9459 | 31.7% | n/a | 706 | 3.4% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| | | | | | | 100.0% |

Variable: POL2_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 4.5 | 4.0 | 1.0 | 41.0 | 2.3 |
| Adequate Provider Data | 4.5 | 4.0 | 1.0 | 41.0 | 2.3 |

Variable: POL3_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3**

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| SUBTOTALS: | | 19679 | 65.9% | 100.0% | 19626 | 93.3% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 10201 | 34.1% | n/a | 1418 | 6.7% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| | | | | | | 100.0% |

Variable: POL3_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 9.5 | 7.0 | 2.0 | 38.0 | 5.1 |
| Adequate Provider Data | 9.5 | 7.0 | 2.0 | 38.0 | 5.1 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 1038 | 3.5% | 100.0% | | 1035 | 4.9% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 28842 | 96.5% | n/a | 20009 | 95.1% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: POL4_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 15.8 | 15.0 | 3.0 | 36.0 | 5.0 |
| Adequate Provider Data | 15.8 | 15.0 | 3.0 | 36.0 | 4.9 |

Variable: POL5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 42 | 0.1% | 100.0% | | 42 | 0.2% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29838 | 99.9% | n/a | 21002 | 99.8% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: POL5_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 17.5 | 18.0 | 7.0 | 28.0 | 4.6 |
| Adequate Provider Data | 17.5 | 18.0 | 7.0 | 28.0 | 4.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 10 | 0.0% | 100.0% | | 10 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29870 | 100.0% | n/a | 21034 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: POL6_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 19.6 | 18.5 | 8.0 | 29.0 | 6.0 |
| Adequate Provider Data | 19.6 | 18.5 | 8.0 | 29.0 | 6.0 |

Variable: POL7_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 2 | 0.0% | 100.0% | | 2 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29878 | 100.0% | n/a | 21042 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: POL7_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|------|
| All | 18.0 | 18.0 | 10.0 | 26.0 | 11.3 |
| Adequate Provider Data | 18.0 | 18.0 | 10.0 | 26.0 | 11.3 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: POL8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | | 1 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29879 | 100.0% | n/a | 21043 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: POL8_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|---|
| All | 19.0 | 19.0 | 19.0 | 19.0 | . |
| Adequate Provider Data | 19.0 | 19.0 | 19.0 | 19.0 | . |

Variable: POL9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: RB1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1

Notes: Calculated as exact age in months. The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 18 | 0.1% | 100.0% | | 18 | 0.1% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29862 | 99.9% | n/a | 21026 | 99.9% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

| Variable: RB1_AGE Type: Numeric | | | | | |
|--|------|--------|-----|------|--------|
| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
| All | 18.6 | 18.0 | 6.0 | 29.0 | 5.2 |
| Adequate Provider Data | 18.6 | 18.0 | 6.0 | 29.0 | 5.2 |

| Variable: RB2_AGE Type: Numeric | | | | | | | |
|--|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2 | | | | | | | |
| Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date. | | | | | | | |
| | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

| Variable: RB3_AGE Type: Numeric | | | | | | | |
|--|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3 | | | | | | | |
| Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date. | | | | | | | |
| | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

| Variable: RB4_AGE Type: Numeric | | | | | | | |
|--|-------|-------|--------|-------------------------------|------------------------------|--------|-------------------------------|
| Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4 | | | | | | | |
| Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date. | | | | | | | |
| | | | | | | | |
| LABEL | VALUE | COUNT | PCT | PCT Excl. Reserve Codes | Adequate Provider Data | PCT | PCT Excl. Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: RB5_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5**

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: RB6_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6**

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: RB7_AGE Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7**

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: RB8_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: RB9_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: ROT1_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29875 | 100.0% | n/a | 21039 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: ROT1_AGE Type: Numeric

| CASES | MEAN | MEDIAN | MIN | MAX | STDDev |
|------------------------|------|--------|-----|------|--------|
| All | 5.6 | 2.0 | 1.0 | 19.0 | 7.6 |
| Adequate Provider Data | 5.6 | 2.0 | 1.0 | 19.0 | 7.6 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT2_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 4 | 0.0% | 100.0% | | 4 |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29876 | 100.0% | n/a | 21040 | 100.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: ROT2_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|-----|-----|
| All | 4.0 | 3.5 | 3.0 | 6.0 | 1.4 |
| Adequate Provider Data | 4.0 | 3.5 | 3.0 | 6.0 | 1.4 |

Variable: ROT3_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 4 | 0.0% | 100.0% | | 4 |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29876 | 100.0% | n/a | 21040 | 100.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: ROT3_AGE Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|-----|-----|-----|------|-----|
| All | 7.3 | 6.0 | 4.0 | 13.0 | 3.9 |
| Adequate Provider Data | 7.3 | 6.0 | 4.0 | 13.0 | 3.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT4_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: ROT5_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: ROT6_AGE Type: Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: ROT7_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | n/a |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: ROT8_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | n/a |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: ROT9_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9

Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | n/a |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC1_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| Codes | | | | Codes | | | |
| SUBTOTALS: | | 19051 | 63.8% | 100.0% | | 19005 | 90.3% |
| RESERVED CODES: | | | | | | | 100.0% |
| MISSING | . | 10829 | 36.2% | n/a | | 2039 | 9.7% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: VRC1_AGE **Type:** Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 13.7 | 12.0 | 0.0 | 38.0 | 3.2 |
| Adequate Provider Data | 13.7 | 12.0 | 0.0 | 38.0 | 3.2 |

Variable: VRC2_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|-------|-----------|
| | | | | Reserve | Provider | | |
| | | | | Codes | | Codes | |
| SUBTOTALS: | | 135 | 0.5% | 100.0% | | 135 | 0.6% |
| RESERVED CODES: | | | | | | | 100.0% |
| MISSING | . | 29745 | 99.5% | n/a | | 20909 | 99.4% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: VRC2_AGE **Type:** Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|-----|------|-----|
| All | 19.7 | 18.0 | 7.0 | 37.0 | 5.9 |
| Adequate Provider Data | 19.7 | 18.0 | 7.0 | 37.0 | 5.9 |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC3_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| Codes Data Codes | | | | | | | |
| SUBTOTALS: | | 2 | 0.0% | 100.0% | | 2 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29878 | 100.0% | n/a | 21042 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: VRC3_AGE **Type:** Numeric

CASES MEAN MEDIAN MIN MAX STDDev

| | | | | | |
|------------------------|------|------|------|------|-----|
| All | 21.0 | 21.0 | 18.0 | 24.0 | 4.2 |
| Adequate Provider Data | 21.0 | 21.0 | 18.0 | 24.0 | 4.2 |

Variable: VRC4_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| Codes Data Codes | | | | | | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: VRC5_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| Codes Data Codes | | | | | | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC6_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: VRC7_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: VRC8_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: VRC9_AGE **Type:** Numeric

Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months.

The "age in months"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | . | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: XDTPTY1 **Type:** Character

Label: DT-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code"

variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| DT | 01 | 7 | 0.0% | 0.0% | 7 | 0.0% | 0.0% |
| DTP | 02 | 478 | 1.6% | 2.3% | 473 | 2.2% | 2.3% |
| DTP-UNKNOWN | 03 | 138 | 0.5% | 0.7% | 137 | 0.7% | 0.7% |
| DTAP | 04 | 12184 | 40.8% | 58.5% | 12121 | 57.6% | 58.5% |
| DTP-HIB | 05 | 10 | 0.0% | 0.0% | 10 | 0.0% | 0.0% |
| DTAP-HIB | 07 | 83 | 0.3% | 0.4% | 82 | 0.4% | 0.4% |
| DTAP-HEPB-IPV | 08 | 7936 | 26.6% | 38.1% | 7893 | 37.5% | 38.1% |
| SUBTOTALS: | | 20836 | 69.7% | 100.0% | 20723 | 98.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 9044 | 30.3% | n/a | 321 | 1.5% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XDTPTY2 Type: Character****Label: DT-CONTAINING VACCINATION #2 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| Codes | Data | Codes | | | | | |
| DT | 01 | 5 | 0.0% | 0.0% | 5 | 0.0% | 0.0% |
| DTP | 02 | 489 | 1.6% | 2.4% | 484 | 2.3% | 2.4% |
| DTP-UNKNOWN | 03 | 117 | 0.4% | 0.6% | 117 | 0.6% | 0.6% |
| DTAP | 04 | 12660 | 42.4% | 61.5% | 12604 | 59.9% | 61.5% |
| DTP-HIB | 05 | 11 | 0.0% | 0.1% | 11 | 0.1% | 0.1% |
| DTAP-HIB | 07 | 100 | 0.3% | 0.5% | 99 | 0.5% | 0.5% |
| DTAP-HEPB-IPV | 08 | 7205 | 24.1% | 35.0% | 7179 | 34.1% | 35.0% |
| SUBTOTALS: | | 20587 | 68.9% | 100.0% | 20499 | 97.4% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 9293 | 31.1% | n/a | 545 | 2.6% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XDTPTY3 Type: Character**Label: DT-CONTAINING VACCINATION #3 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| Codes | Data | Codes | | | | | |
| DT | 01 | 3 | 0.0% | 0.0% | 3 | 0.0% | 0.0% |
| DTP | 02 | 458 | 1.5% | 2.3% | 455 | 2.2% | 2.3% |
| DTP-UNKNOWN | 03 | 93 | 0.3% | 0.5% | 93 | 0.4% | 0.5% |
| DTAP | 04 | 12105 | 40.5% | 59.7% | 12070 | 57.4% | 59.7% |
| DTP-HIB | 05 | 11 | 0.0% | 0.1% | 11 | 0.1% | 0.1% |
| DTAP-HIB | 07 | 111 | 0.4% | 0.5% | 111 | 0.5% | 0.5% |
| DTAP-HEPB-IPV | 08 | 7489 | 25.1% | 36.9% | 7460 | 35.4% | 36.9% |
| SUBTOTALS: | | 20270 | 67.8% | 100.0% | 20203 | 96.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 9610 | 32.2% | n/a | 841 | 4.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XDTPTY4 Type: Character****Label: DT-CONTAINING VACCINATION #4 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|----------------|------------------|
| | | | | Reserve | Provider | | |
| Codes | | | | Data | | Reserve | |
| DT | 01 | 4 | 0.0% | 0.0% | 4 | 0.0% | 0.0% |
| DTP | 02 | 418 | 1.4% | 2.3% | 418 | 2.0% | 2.3% |
| DTP-UNKNOWN | 03 | 138 | 0.5% | 0.8% | 138 | 0.7% | 0.8% |
| DTAP | 04 | 15264 | 51.1% | 83.1% | 15248 | 72.5% | 83.1% |
| DTP-HIB | 05 | 31 | 0.1% | 0.2% | 31 | 0.1% | 0.2% |
| DTAP-HIB | 07 | 2125 | 7.1% | 11.6% | 2124 | 10.1% | 11.6% |
| DTAP-HEPB-IPV | 08 | 382 | 1.3% | 2.1% | 382 | 1.8% | 2.1% |
| SUBTOTALS: | | 18362 | 61.5% | 100.0% | 18345 | 87.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 11518 | 38.5% | n/a | 2699 | 12.8% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XDTPTY5 Type: Character**Label: DT-CONTAINING VACCINATION #5 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|--------------|------------------|
| | | | | Reserve | Provider | | |
| | | | | Codes | Data | Codes | |
| DTP | 02 | 5 | 0.0% | 1.9% | 5 | 0.0% | 1.9% |
| DTP-UNKNOWN | 03 | 5 | 0.0% | 1.9% | 5 | 0.0% | 1.9% |
| DTAP | 04 | 205 | 0.7% | 77.1% | 205 | 1.0% | 77.1% |
| DTAP-HIB | 07 | 26 | 0.1% | 9.8% | 26 | 0.1% | 9.8% |
| DTAP-HEPB-IPV | 08 | 25 | 0.1% | 9.4% | 25 | 0.1% | 9.4% |
| SUBTOTALS: | | 266 | 0.9% | 100.0% | 266 | 1.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29614 | 99.1% | n/a | 20778 | 98.7% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XDTPTY6 Type: Character****Label: DT-CONTAINING VACCINATION #6 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | Reserve |
| | | | | Codes | Data | | |
| DTP | 02 | 1 | 0.0% | 9.1% | 1 | 0.0% | 9.1% |
| DTAP | 04 | 4 | 0.0% | 36.4% | 4 | 0.0% | 36.4% |
| DTAP-HIB | 07 | 1 | 0.0% | 9.1% | 1 | 0.0% | 9.1% |
| DTAP-HEPB-IPV | 08 | 5 | 0.0% | 45.5% | 5 | 0.0% | 45.5% |
| SUBTOTALS: | | 11 | 0.0% | 100.0% | 11 | 0.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29869 | 100.0% | n/a | 21033 | 99.9% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XDTPTY7 Type: Character**Label: DT-CONTAINING VACCINATION #7 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | Reserve |
| | | | | Codes | Data | | |
| DTAP | 04 | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| SUBTOTALS: | | 2 | 0.0% | 100.0% | 2 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29878 | 100.0% | n/a | 21042 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XDTPTY8 Type: Character**Label: DT-CONTAINING VACCINATION #8 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | Reserve |
| | | | | Codes | Data | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XDTPTY9 Type: Character

Label: DT-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: XHEPTY1 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| DTAP-HEPB-IPV | 08 | 3390 | 11.3% | 16.3% | 3372 | 16.0% |
| HEPB-HIB | 43 | 2426 | 8.1% | 11.6% | 2413 | 11.5% |
| HEPB ONLY | 60 | 14949 | 50.0% | 71.8% | 14857 | 70.6% |
| HEPB-UNKNOWN | HB | 61 | 0.2% | 0.3% | 60 | 0.3% |
| SUBTOTALS: | | 20826 | 69.7% | 100.0% | 20702 | 98.4% |
| RESERVED CODES: | | | | | | |
| MISSING | | 9054 | 30.3% | n/a | 342 | 1.6% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: XHEPTY2 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHEPTY2 Type: Character****Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|----------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| MISSING | | 9449 | 31.6% | n/a | 701 | 3.3% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XHEPTY3 Type: Character**Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| DTAP-HEPB-IPV | 08 | 7917 | 26.5% | 40.2% | 7887 | 37.5% | 40.2% |
| HEPB-HIB | 43 | 3505 | 11.7% | 17.8% | 3499 | 16.6% | 17.8% |
| HEPB ONLY | 60 | 8165 | 27.3% | 41.5% | 8144 | 38.7% | 41.5% |
| HEPB-UNKNOWN | HB | 98 | 0.3% | 0.5% | 98 | 0.5% | 0.5% |
| SUBTOTALS: | | 19685 | 65.9% | 100.0% | 19628 | 93.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10195 | 34.1% | n/a | 1416 | 6.7% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XHEPTY4 Type: Character**Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| DTAP-HEPB-IPV | 08 | 3634 | 12.2% | 71.4% | 3623 | 17.2% | 71.4% |
| HEPB-HIB | 43 | 624 | 2.1% | 12.3% | 623 | 3.0% | 12.3% |
| HEPB ONLY | 60 | 806 | 2.7% | 15.8% | 802 | 3.8% | 15.8% |
| HEPB-UNKNOWN | HB | 27 | 0.1% | 0.5% | 27 | 0.1% | 0.5% |
| SUBTOTALS: | | 5091 | 17.0% | 100.0% | 5075 | 24.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 24789 | 83.0% | n/a | 15969 | 75.9% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY5 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| DTAP-HEPB-IPV | 08 | 121 | 0.4% | 55.3% | 121 | 0.6% | 55.3% |
| HEPB-HIB | 43 | 32 | 0.1% | 14.6% | 32 | 0.2% | 14.6% |
| HEPB ONLY | 60 | 65 | 0.2% | 29.7% | 65 | 0.3% | 29.7% |
| HEPB-UNKNOWN | HB | 1 | 0.0% | 0.5% | 1 | 0.0% | 0.5% |
| SUBTOTALS: | | 219 | 0.7% | 100.0% | 219 | 1.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29661 | 99.3% | n/a | 20825 | 99.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XHEPTY6 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| DTAP-HEPB-IPV | 08 | 7 | 0.0% | 70.0% | 7 | 0.0% | 70.0% |
| HEPB-HIB | 43 | 2 | 0.0% | 20.0% | 2 | 0.0% | 20.0% |
| HEPB ONLY | 60 | 1 | 0.0% | 10.0% | 1 | 0.0% | 10.0% |
| SUBTOTALS: | | 10 | 0.0% | 100.0% | 10 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29870 | 100.0% | n/a | 21034 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XHEPTY7 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHEPTY7 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| MISSING | | 29879 | 100.0% | n/a | 21043 | 100.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: XHEPTY8 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| DTAP-HEPB-IPV | 08 | 1 | 0.0% | 100.0% | 1 | 0.0% |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29879 | 100.0% | n/a | 21043 | 100.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: XHEPTY9 Type: Character

Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHIBTY1 Type: Character****Label: HIB-CONTAINING VACCINATION #1 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|----------------|------------------|
| | | | | Reserve | Provider | | |
| Codes | | | | Data | | Reserve | Codes |
| DTP-HIB | 05 | 10 | 0.0% | 0.0% | 10 | 0.0% | 0.0% |
| DTAP-HIB | 07 | 90 | 0.3% | 0.4% | 89 | 0.4% | 0.4% |
| HEPB-HIB | 43 | 4004 | 13.4% | 19.3% | 3982 | 18.9% | 19.3% |
| HIB ONLY | 44 | 16484 | 55.2% | 79.4% | 16393 | 77.9% | 79.4% |
| HIB-UNKNOWN | HI | 182 | 0.6% | 0.9% | 182 | 0.9% | 0.9% |
| SUBTOTALS: | | 20770 | 69.5% | 100.0% | 20656 | 98.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 9110 | 30.5% | n/a | 388 | 1.8% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XHIBTY2 Type: Character**Label: HIB-CONTAINING VACCINATION #2 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|----------------|------------------|
| | | | | Reserve | Provider | | |
| | | | | Codes | Data | Reserve | Codes |
| DTP-HIB | 05 | 11 | 0.0% | 0.1% | 11 | 0.1% | 0.1% |
| DTAP-HIB | 07 | 109 | 0.4% | 0.5% | 108 | 0.5% | 0.5% |
| HEPB-HIB | 43 | 2949 | 9.9% | 14.4% | 2944 | 14.0% | 14.5% |
| HIB ONLY | 44 | 17222 | 57.6% | 84.2% | 17144 | 81.5% | 84.2% |
| HIB-UNKNOWN | HI | 161 | 0.5% | 0.8% | 161 | 0.8% | 0.8% |
| SUBTOTALS: | | 20452 | 68.4% | 100.0% | 20368 | 96.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 9428 | 31.6% | n/a | 676 | 3.2% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHIBTY3 Type: Character****Label: HIB-CONTAINING VACCINATION #3 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| Codes | | | | | | | Reserve |
| DTP-HIB | 05 | 17 | 0.1% | 0.1% | | 17 | 0.1% |
| DTAP-HIB | 07 | 393 | 1.3% | 2.0% | | 393 | 1.9% |
| HEPB-HIB | 43 | 3219 | 10.8% | 16.3% | | 3215 | 15.3% |
| HIB ONLY | 44 | 16022 | 53.6% | 81.0% | | 15976 | 75.9% |
| HIB-UNKNOWN | HI | 137 | 0.5% | 0.7% | | 137 | 0.7% |
| SUBTOTALS: | | 19788 | 66.2% | 100.0% | | 19738 | 93.8% |
| RESERVED CODES: | | | | | | | 100.0% |
| MISSING | | 10092 | 33.8% | n/a | | 1306 | 6.2% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

Variable: XHIBTY4 Type: Character**Label: HIB-CONTAINING VACCINATION #4 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| Codes | | | | | | | Reserve |
| DTP-HIB | 05 | 25 | 0.1% | 0.2% | | 25 | 0.1% |
| DTAP-HIB | 07 | 1825 | 6.1% | 14.0% | | 1824 | 8.7% |
| HEPB-HIB | 43 | 333 | 1.1% | 2.6% | | 332 | 1.6% |
| HIB ONLY | 44 | 10735 | 35.9% | 82.2% | | 10719 | 50.9% |
| HIB-UNKNOWN | HI | 137 | 0.5% | 1.0% | | 137 | 0.7% |
| SUBTOTALS: | | 13055 | 43.7% | 100.0% | | 13037 | 62.0% |
| RESERVED CODES: | | | | | | | 100.0% |
| MISSING | | 16825 | 56.3% | n/a | | 8007 | 38.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XHIBTY5 Type: Character

Label: HIB-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| DTAP-HIB | 07 | 28 | 0.1% | 15.5% | 28 | 0.1% | 15.5% |
| HEPB-HIB | 43 | 8 | 0.0% | 4.4% | 8 | 0.0% | 4.4% |
| HIB ONLY | 44 | 141 | 0.5% | 77.9% | 141 | 0.7% | 77.9% |
| HIB-UNKNOWN | HI | 4 | 0.0% | 2.2% | 4 | 0.0% | 2.2% |
| SUBTOTALS: | | 181 | 0.6% | 100.0% | 181 | 0.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29699 | 99.4% | n/a | 20863 | 99.1% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XHIBTY6 Type: Character

Label: HIB-CONTAINING VACCINATION #6 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| DTAP-HIB | 07 | 1 | 0.0% | 20.0% | 1 | 0.0% | 20.0% |
| HEPB-HIB | 43 | 1 | 0.0% | 20.0% | 1 | 0.0% | 20.0% |
| HIB ONLY | 44 | 3 | 0.0% | 60.0% | 3 | 0.0% | 60.0% |
| SUBTOTALS: | | 5 | 0.0% | 100.0% | 5 | 0.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29875 | 100.0% | n/a | 21039 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XHIBTY7 Type: Character

Label: HIB-CONTAINING VACCINATION #7 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| HEPB-HIB | 43 | 1 | 0.0% | 100.0% | 1 | 0.0% |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% |
| RESERVED CODES: | | | | | | |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XHIBTY7 Type: Character****Label: HIB-CONTAINING VACCINATION #7 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| MISSING | | 29879 | 100.0% | n/a | 21043 | 100.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |
| | | | | | | 100.0% |

Variable: XHIBTY8 Type: Character**Label: HIB-CONTAINING VACCINATION #8 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | n/a |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| | | | | | | n/a |

Variable: XHIBTY9 Type: Character**Label: HIB-CONTAINING VACCINATION #9 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | n/a |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| | | | | | | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XMMRTY1 Type: Character****Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| MMR | 30 | 19104 | 63.9% | 96.5% | 19056 | 90.6% | 96.5% |
| MEASLES ONLY | 31 | 77 | 0.3% | 0.4% | 77 | 0.4% | 0.4% |
| MCV-UNKNOWN | MM | 182 | 0.6% | 0.9% | 182 | 0.9% | 0.9% |
| MMR-VARICELLA | VM | 431 | 1.4% | 2.2% | 431 | 2.0% | 2.2% |
| SUBTOTALS: | | 19794 | 66.2% | 100.0% | 19746 | 93.8% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10086 | 33.8% | n/a | 1298 | 6.2% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XMMRTY2 Type: Character**Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| MMR | 30 | 412 | 1.4% | 91.4% | 412 | 2.0% | 91.4% |
| MEASLES ONLY | 31 | 2 | 0.0% | 0.4% | 2 | 0.0% | 0.4% |
| MCV-UNKNOWN | MM | 15 | 0.1% | 3.3% | 15 | 0.1% | 3.3% |
| MMR-VARICELLA | VM | 22 | 0.1% | 4.9% | 22 | 0.1% | 4.9% |
| SUBTOTALS: | | 451 | 1.5% | 100.0% | 451 | 2.1% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29429 | 98.5% | n/a | 20593 | 97.9% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XMMRTY3 Type: Character****Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| MMR | 30 | 2 | 0.0% | 100.0% | | 2 | 0.0% |
| SUBTOTALS: | | 2 | 0.0% | 100.0% | | 2 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29878 | 100.0% | n/a | 21042 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XMMRTY4 Type: Character**Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: XMMRTY5 Type: Character**Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XMMRTY6 Type: Character****Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: XMMRTY7 Type: Character**Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: XMMRTY8 Type: Character**Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XMMRTY9 Type: Character****Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| Codes | | Data | Codes | | | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: XPCVTY1 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| Codes | | Data | Codes | | | | |
| CONJUGATE | 70 | 18679 | 62.5% | 93.3% | 18577 | 88.3% | 93.3% |
| POLYSACCHARIDE | 71 | 267 | 0.9% | 1.3% | 265 | 1.3% | 1.3% |
| PCV-UNKNOWN | 72 | 1068 | 3.6% | 5.3% | 1063 | 5.1% | 5.3% |
| SUBTOTALS: | | 20014 | 67.0% | 100.0% | 19905 | 94.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 9866 | 33.0% | n/a | 1139 | 5.4% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XPCVTY2 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|-----------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| Codes | | Data | Codes | | | | |
| CONJUGATE | 70 | 18194 | 60.9% | 93.4% | 18123 | 86.1% | 93.5% |
| POLYSACCHARIDE | 71 | 259 | 0.9% | 1.3% | 258 | 1.2% | 1.3% |
| PCV-UNKNOWN | 72 | 1017 | 3.4% | 5.2% | 1012 | 4.8% | 5.2% |
| SUBTOTALS: | | 19470 | 65.2% | 100.0% | 19393 | 92.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10410 | 34.8% | n/a | 1651 | 7.8% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XPCVTY3 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| CONJUGATE | 70 | 17278 | 57.8% | 93.5% | 17232 | 81.9% | 93.5% |
| POLYSACCHARIDE | 71 | 249 | 0.8% | 1.3% | 248 | 1.2% | 1.3% |
| PCV-UNKNOWN | 72 | 947 | 3.2% | 5.1% | 944 | 4.5% | 5.1% |
| SUBTOTALS: | | 18474 | 61.8% | 100.0% | 18424 | 87.5% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 11406 | 38.2% | n/a | 2620 | 12.5% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XPCVTY4 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|--------|-----------|
| | | | | Reserve Codes | Provider Data | | |
| CONJUGATE | 70 | 13576 | 45.4% | 92.0% | 13558 | 64.4% | 92.0% |
| POLYSACCHARIDE | 71 | 195 | 0.7% | 1.3% | 195 | 0.9% | 1.3% |
| PCV-UNKNOWN | 72 | 982 | 3.3% | 6.7% | 979 | 4.7% | 6.6% |
| SUBTOTALS: | | 14753 | 49.4% | 100.0% | 14732 | 70.0% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 15127 | 50.6% | n/a | 6312 | 30.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XPCVTY5 Type: Character

Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPCVTY5 Type: Character****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|----------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| MISSING | | 29687 | 99.4% | n/a | 20852 | 99.1% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: XPCVTY6 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| CONJUGATE | 70 | 4 | 0.0% | 66.7% | 4 | 0.0% |
| PCV-UNKNOWN | 72 | 2 | 0.0% | 33.3% | 2 | 0.0% |
| SUBTOTALS: | | 6 | 0.0% | 100.0% | 6 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29874 | 100.0% | n/a | 21038 | 100.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: XPCVTY7 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|-----------|
| | | | | Reserve | Provider | Reserve |
| | | | | Codes | Data | Codes |
| PCV-UNKNOWN | 72 | 1 | 0.0% | 100.0% | 1 | 0.0% |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | 1 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29879 | 100.0% | n/a | 21043 | 100.0% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPCVTY8 Type: Character****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: XPCVTY9 Type: Character**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: XPOLTY1 Type: Character**Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| DTAP-HEPB-IPV | 08 | 7962 | 26.6% | 38.5% | 7918 | 37.6% |
| OPV | 20 | 211 | 0.7% | 1.0% | 207 | 1.0% |
| IPV | 21 | 12361 | 41.4% | 59.7% | 12299 | 58.4% |
| POLIO-UNKNOWN | 22 | 166 | 0.6% | 0.8% | 166 | 0.8% |
| SUBTOTALS: | | 20700 | 69.3% | 100.0% | 20590 | 97.8% |
| RESERVED CODES: | | | | | | |
| MISSING | | 9180 | 30.7% | n/a | 454 | 2.2% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPOLTY2 Type: Character****Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| DTAP-HEPB-IPV | 08 | 7285 | 24.4% | 35.7% | 7258 | 34.5% | 35.7% |
| OPV | 20 | 216 | 0.7% | 1.1% | 213 | 1.0% | 1.0% |
| IPV | 21 | 12783 | 42.8% | 62.6% | 12731 | 60.5% | 62.6% |
| POLIO-UNKNOWN | 22 | 137 | 0.5% | 0.7% | 136 | 0.6% | 0.7% |
| SUBTOTALS: | | 20421 | 68.3% | 100.0% | 20338 | 96.6% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 9459 | 31.7% | n/a | 706 | 3.4% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XPOLTY3 Type: Character**Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| DTAP-HEPB-IPV | 08 | 7513 | 25.1% | 38.2% | 7486 | 35.6% | 38.1% |
| OPV | 20 | 196 | 0.7% | 1.0% | 194 | 0.9% | 1.0% |
| IPV | 21 | 11857 | 39.7% | 60.3% | 11833 | 56.2% | 60.3% |
| POLIO-UNKNOWN | 22 | 113 | 0.4% | 0.6% | 113 | 0.5% | 0.6% |
| SUBTOTALS: | | 19679 | 65.9% | 100.0% | 19626 | 93.3% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 10201 | 34.1% | n/a | 1418 | 6.7% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPOLTY4 Type: Character****Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| DTAP-HEPB-IPV | 08 | 267 | 0.9% | 25.7% | 267 | 1.3% | 25.8% |
| OPV | 20 | 22 | 0.1% | 2.1% | 22 | 0.1% | 2.1% |
| IPV | 21 | 713 | 2.4% | 68.7% | 710 | 3.4% | 68.6% |
| POLIO-UNKNOWN | 22 | 36 | 0.1% | 3.5% | 36 | 0.2% | 3.5% |
| SUBTOTALS: | | 1038 | 3.5% | 100.0% | 1035 | 4.9% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 28842 | 96.5% | n/a | 20009 | 95.1% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XPOLTY5 Type: Character**Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| DTAP-HEPB-IPV | 08 | 15 | 0.1% | 35.7% | 15 | 0.1% | 35.7% |
| OPV | 20 | 4 | 0.0% | 9.5% | 4 | 0.0% | 9.5% |
| IPV | 21 | 19 | 0.1% | 45.2% | 19 | 0.1% | 45.2% |
| POLIO-UNKNOWN | 22 | 4 | 0.0% | 9.5% | 4 | 0.0% | 9.5% |
| SUBTOTALS: | | 42 | 0.1% | 100.0% | 42 | 0.2% | 100.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29838 | 99.9% | n/a | 21002 | 99.8% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPOLTY6 Type: Character****Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| DTAP-HEPB-IPV | 08 | 3 | 0.0% | 30.0% | | 3 | 0.0% |
| OPV | 20 | 1 | 0.0% | 10.0% | | 1 | 0.0% |
| IPV | 21 | 5 | 0.0% | 50.0% | | 5 | 0.0% |
| POLIO-UNKNOWN | 22 | 1 | 0.0% | 10.0% | | 1 | 0.0% |
| SUBTOTALS: | | 10 | 0.0% | 100.0% | | 10 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29870 | 100.0% | n/a | 21034 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XPOLTY7 Type: Character**Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| DTAP-HEPB-IPV | 08 | 1 | 0.0% | 50.0% | | 1 | 0.0% |
| POLIO-UNKNOWN | 22 | 1 | 0.0% | 50.0% | | 1 | 0.0% |
| SUBTOTALS: | | 2 | 0.0% | 100.0% | | 2 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29878 | 100.0% | n/a | 21042 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XPOLTY8 Type: Character**Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|--------------|--------------|------------|------------------|-----------------|------------|------------------|
| | | | | Reserve | Provider | | |
| POLIO-UNKNOWN | 22 | 1 | 0.0% | 100.0% | | 1 | 0.0% |
| SUBTOTALS: | | 1 | 0.0% | 100.0% | | 1 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29879 | 100.0% | n/a | 21043 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XPOLTY9 Type: Character****Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

Variable: XVRCTY1 Type: Character**Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| VARICELLA-UNKNOWN | VA | 550 | 1.8% | 2.9% | 549 | 2.6% |
| MMR-VARICELLA | VM | 436 | 1.5% | 2.3% | 436 | 2.1% |
| VARICELLA-ONLY | VO | 18065 | 60.5% | 94.8% | 18020 | 85.6% |
| SUBTOTALS: | | 19051 | 63.8% | 100.0% | 19005 | 90.3% |
| RESERVED CODES: | | | | | | |
| MISSING | | 10829 | 36.2% | n/a | 2039 | 9.7% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

Variable: XVRCTY2 Type: Character**Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|---------------|---------------|---------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| VARICELLA-UNKNOWN | VA | 5 | 0.0% | 3.7% | 5 | 0.0% |
| MMR-VARICELLA | VM | 17 | 0.1% | 12.6% | 17 | 0.1% |
| VARICELLA-ONLY | VO | 113 | 0.4% | 83.7% | 113 | 0.5% |
| SUBTOTALS: | | 135 | 0.5% | 100.0% | 135 | 0.6% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29745 | 99.5% | n/a | 20909 | 99.4% |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XVRCTY3 Type: Character****Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| VARICELLA-ONLY | VO | 2 | 0.0% | 100.0% | | 2 | 0.0% |
| SUBTOTALS: | | 2 | 0.0% | 100.0% | | 2 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29878 | 100.0% | n/a | 21042 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | 100.0% | 21044 | 100.0% | 100.0% |

Variable: XVRCTY4 Type: Character**Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: XVRCTY5 Type: Character**Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | | 0 | 0.0% |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**Variable: XVRCTY6 Type: Character****Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: XVRCTY7 Type: Character**Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

Variable: XVRCTY8 Type: Character**Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE**

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT | PCT Excl. |
|------------------------|-------|-------|--------|-----------|----------|--------|-----------|
| | | | | Reserve | Provider | | |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% | n/a |
| RESERVED CODES: | | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% | n/a |

SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

Variable: XVRCTY9 **Type:** Character

Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the RDD interview date.

| LABEL | VALUE | COUNT | PCT | PCT Excl. | Adequate | PCT Excl. |
|------------------------|-------|-------|--------|------------------|------------------|------------------|
| | | | | Reserve Codes | Provider Data | Reserve Codes |
| SUBTOTALS: | | 0 | 0.0% | n/a | 0 | 0.0% |
| RESERVED CODES: | | | | | | |
| MISSING | | 29880 | 100.0% | n/a | 21044 | 100.0% |
| TOTALS: | | 29880 | 100.0% | n/a | 21044 | 100.0% |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| AGECPOXR | 55 | 55 | 2 | AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE) |
| AGEGRP | 89 | 89 | 3 | AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE) |
| BFENDFL06 | 114 | 114 | 3 | DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER |
| BFFORMFL06 | 115 | 115 | 3 | AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER |
| BF_ENDR06 | 90 | 97 | 3 | DURATION OF BREAST FEEDING IN DAYS (TOPCODE) |
| BF_EXCLR06 | 98 | 105 | 3 | DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (TOPCODE) |
| BF_FORMR06 | 106 | 113 | 3 | AGE IN DAYS WHEN CHILD FIRST FED FORMULA (TOPCODE) |
| C1R | 116 | 116 | 3 | NUMBER OF PEOPLE IN HOUSEHOLD (TOPCODE) |
| C5R | 117 | 118 | 3 | RELATIONSHIP OF RESPONDENT TO CHILD (RECODE) |
| CBF_01 | 119 | 120 | 3 | WAS CHILD EVER BREAST FED OR FED BREAST MILK? |
| CEN_REG | 121 | 121 | 3 | CENSUS REGION BASED ON TRUE STATE OF RESIDENCE |
| CHILDNM | 122 | 122 | 3 | NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE) |
| CWIC_01 | 123 | 124 | 3 | CHILD EVER RECEIVED WIC BENEFITS? |
| CWIC_02 | 125 | 125 | 3 | CHILD CURRENTLY RECEIVING WIC BENEFITS? |
| D6R | 162 | 162 | 5 | NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (TOPCODE) |
| D7 | 163 | 163 | 5 | CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS |
| DDTP1 | 230 | 232 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1 |
| DDTP2 | 233 | 236 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2 |
| DDTP3 | 237 | 240 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3 |
| DDTP4 | 241 | 244 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4 |
| DDTP5 | 245 | 248 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5 |
| DDTP6 | 249 | 251 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6 |
| DDTP7 | 252 | 254 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7 |
| DDTP8 | 255 | 255 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8 |
| DDTP9 | 256 | 256 | 9 | AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9 |
| DFLU1 | 257 | 260 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #1 |
| DFLU2 | 261 | 264 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #2 |
| DFLU3 | 265 | 268 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #3 |
| DFLU4 | 269 | 272 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #4 |
| DFLU5 | 273 | 276 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #5 |
| DFLU6 | 277 | 277 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #6 |
| DFLU7 | 278 | 278 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #7 |
| DFLU8 | 279 | 279 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #8 |
| DFLU9 | 280 | 280 | 9 | AGE IN DAYS OF PROV-REPTD FLU-CONTAINING SHOT #9 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| DHEPA1 | 281 | 284 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1 |
| DHEPA2 | 285 | 288 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2 |
| DHEPA3 | 289 | 292 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3 |
| DHEPA4 | 293 | 293 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4 |
| DHEPA5 | 294 | 294 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5 |
| DHEPA6 | 295 | 295 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6 |
| DHEPA7 | 296 | 296 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7 |
| DHEPA8 | 297 | 297 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8 |
| DHEPA9 | 298 | 298 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9 |
| DHEPB1 | 299 | 302 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1 |
| DHEPB2 | 303 | 306 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2 |
| DHEPB3 | 307 | 310 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3 |
| DHEPB4 | 311 | 314 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4 |
| DHEPB5 | 315 | 318 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5 |
| DHEPB6 | 319 | 321 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6 |
| DHEPB7 | 322 | 324 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7 |
| DHEPB8 | 325 | 327 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8 |
| DHEPB9 | 328 | 328 | 9 | AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9 |
| DHIB1 | 329 | 331 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1 |
| DHIB2 | 332 | 335 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2 |
| DHIB3 | 336 | 339 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3 |
| DHIB4 | 340 | 343 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4 |
| DHIB5 | 344 | 347 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5 |
| DHIB6 | 348 | 350 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6 |
| DHIB7 | 351 | 353 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7 |
| DHIB8 | 354 | 354 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8 |
| DHIB9 | 355 | 355 | 9 | AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9 |
| DISPCODE | 164 | 165 | 6 | NIS PROVIDER RECORD-CHECK DISPOSITION CODE |
| DMMR1 | 356 | 359 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1 |
| DMMR2 | 360 | 363 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2 |
| DMMR3 | 364 | 366 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3 |
| DMMR4 | 367 | 367 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4 |
| DMMR5 | 368 | 368 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5 |
| DMMR6 | 369 | 369 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6 |
| DMMR7 | 370 | 370 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7 |
| DMMR8 | 371 | 371 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8 |
| DMMR9 | 372 | 372 | 9 | AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9 |
| DMP1 | 373 | 376 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| DMP2 | 377 | 377 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2 |
| DMP3 | 378 | 378 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3 |
| DMP4 | 379 | 379 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4 |
| DMP5 | 380 | 380 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5 |
| DMP6 | 381 | 381 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6 |
| DMP7 | 382 | 382 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7 |
| DMP8 | 383 | 383 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8 |
| DMP9 | 384 | 384 | 9 | AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9 |
| DMPRB1 | 385 | 387 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1 |
| DMPRB2 | 388 | 388 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2 |
| DMPRB3 | 389 | 389 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3 |
| DMPRB4 | 390 | 390 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4 |
| DMPRB5 | 391 | 391 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5 |
| DMPRB6 | 392 | 392 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6 |
| DMPRB7 | 393 | 393 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7 |
| DMPRB8 | 394 | 394 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8 |
| DMPRB9 | 395 | 395 | 9 | AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9 |
| DPCV1 | 396 | 399 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1 |
| DPCV2 | 400 | 403 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2 |
| DPCV3 | 404 | 407 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3 |
| DPCV4 | 408 | 411 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4 |
| DPCV5 | 412 | 415 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5 |
| DPCV6 | 416 | 418 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6 |
| DPCV7 | 419 | 421 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7 |
| DPCV8 | 422 | 422 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8 |
| DPCV9 | 423 | 423 | 9 | AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9 |
| DPOLIO1 | 424 | 426 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1 |
| DPOLIO2 | 427 | 430 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2 |
| DPOLIO3 | 431 | 434 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3 |
| DPOLIO4 | 435 | 438 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4 |
| DPOLIO5 | 439 | 441 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5 |
| DPOLIO6 | 442 | 444 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6 |
| DPOLIO7 | 445 | 447 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7 |
| DPOLIO8 | 448 | 450 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8 |
| DPOLIO9 | 451 | 451 | 9 | AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9 |
| DRB1 | 452 | 454 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1 |
| DRB2 | 455 | 455 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2 |
| DRB3 | 456 | 456 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| DRB4 | 457 | 457 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4 |
| DRB5 | 458 | 458 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5 |
| DRB6 | 459 | 459 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6 |
| DRB7 | 460 | 460 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7 |
| DRB8 | 461 | 461 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8 |
| DRB9 | 462 | 462 | 9 | AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9 |
| DROT1 | 463 | 465 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1 |
| DROT2 | 466 | 468 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2 |
| DROT3 | 469 | 471 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3 |
| DROT4 | 472 | 472 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4 |
| DROT5 | 473 | 473 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5 |
| DROT6 | 474 | 474 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6 |
| DROT7 | 475 | 475 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7 |
| DROT8 | 476 | 476 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8 |
| DROT9 | 477 | 477 | 9 | AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9 |
| DTP1_AGE | 478 | 479 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1 |
| DTP2_AGE | 480 | 481 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2 |
| DTP3_AGE | 482 | 483 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3 |
| DTP4_AGE | 484 | 485 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4 |
| DTP5_AGE | 486 | 487 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5 |
| DTP6_AGE | 488 | 489 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6 |
| DTP7_AGE | 490 | 491 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7 |
| DTP8_AGE | 492 | 492 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8 |
| DTP9_AGE | 493 | 493 | 9 | AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9 |
| DVRC1 | 494 | 497 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1 |
| DVRC2 | 498 | 501 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2 |
| DVRC3 | 502 | 504 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3 |
| DVRC4 | 505 | 505 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4 |
| DVRC5 | 506 | 506 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5 |
| DVRC6 | 507 | 507 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6 |
| DVRC7 | 508 | 508 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7 |
| DVRC8 | 509 | 509 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8 |
| DVRC9 | 510 | 510 | 9 | AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9 |
| EDUC1 | 126 | 126 | 3 | EDUCATION OF MOTHER CATEGORIES (RECODE) |
| ESTIAP06 | 157 | 159 | 4 | ESTIMATION IAP AREA OF RESIDENCE |
| FLU1_AGE | 511 | 512 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #1 |
| FLU2_AGE | 513 | 514 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #2 |
| FLU3_AGE | 515 | 516 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #3 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| FLU4_AGE | 517 | 518 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #4 |
| FLU5_AGE | 519 | 520 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #5 |
| FLU6_AGE | 521 | 521 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #6 |
| FLU7_AGE | 522 | 522 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #7 |
| FLU8_AGE | 523 | 523 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #8 |
| FLU9_AGE | 524 | 524 | 9 | AGE IN MONTHS OF PROV-REPTD FLU-CONTAINING SHOT #9 |
| FRSTBRN | 127 | 127 | 3 | FIRST BORN STATUS OF CHILD |
| HAD_CPOX | 86 | 87 | 2 | CHILD EVER HAD CHICKEN POX DISEASE? |
| HEA1_AGE | 525 | 526 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1 |
| HEA2_AGE | 527 | 528 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2 |
| HEA3_AGE | 529 | 530 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3 |
| HEA4_AGE | 531 | 531 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4 |
| HEA5_AGE | 532 | 532 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5 |
| HEA6_AGE | 533 | 533 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6 |
| HEA7_AGE | 534 | 534 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7 |
| HEA8_AGE | 535 | 535 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8 |
| HEA9_AGE | 536 | 536 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9 |
| HEP1_AGE | 537 | 538 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1 |
| HEP2_AGE | 539 | 540 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2 |
| HEP3_AGE | 541 | 542 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3 |
| HEP4_AGE | 543 | 544 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4 |
| HEP5_AGE | 545 | 546 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5 |
| HEP6_AGE | 547 | 548 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6 |
| HEP7_AGE | 549 | 550 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7 |
| HEP8_AGE | 551 | 552 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8 |
| HEP9_AGE | 553 | 553 | 9 | AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9 |
| HEP_BRTH | 170 | 170 | 8 | HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG |
| HEP_FLAG | 171 | 171 | 8 | HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG |
| HH_DTP | 74 | 75 | 2 | HH REPORT OF NUMBER OF DT-CONTAINING SHOTS RECEIVED |
| HH_HEPB | 76 | 77 | 2 | HH REPORT OF NUMBER OF HEPATITIS B-CONTAINING SHOTS RECEIVED |
| HH_HIB | 78 | 79 | 2 | HH REPORT OF NUMBER OF HIB-CONTAINING SHOTS RECEIVED |
| HH_MCV | 80 | 81 | 2 | HH REPORT OF NUMBER OF MEASLES-CONTAINING SHOTS RECEIVED |
| HH_POL | 82 | 83 | 2 | HH REPORT OF NUMBER OF POLIO-CONTAINING SHOTS RECEIVED |
| HH_VRC | 84 | 85 | 2 | HH REPORT OF NUMBER OF VARICELLA-CONTAINING SHOTS RECEIVED |
| HIB1_AGE | 554 | 555 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1 |
| HIB2_AGE | 556 | 557 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2 |
| HIB3_AGE | 558 | 559 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3 |
| HIB4_AGE | 560 | 561 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| HIB5_AGE | 562 | 563 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5 |
| HIB6_AGE | 564 | 565 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6 |
| HIB7_AGE | 566 | 567 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7 |
| HIB8_AGE | 568 | 569 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8 |
| HIB9_AGE | 569 | 570 | 9 | AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9 |
| INCPORAR | 129 | 144 | 3 | INCOME TO POVERTY RATIO (TOP- AND BOTTOMCODE) |
| INCPOV1 | 145 | 146 | 3 | POVERTY STATUS |
| INCQ298A | 146 | 147 | 3 | FAMILY INCOME CATEGORIES (RECODE) |
| INOPHONR | 148 | 149 | 3 | LENGTH OF INTERRUPTION IN TELEPHONE SERVICE IN DAYS (RECODE) |
| INTRP | 149 | 150 | 3 | PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR? |
| I_HISP_K | 128 | 129 | 3 | HISPANIC ORIGIN OF CHILD |
| LANGUAGE | 150 | 151 | 3 | LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED |
| MARITAL | 152 | 153 | 3 | MARITAL STATUS OF MOTHER CATEGORIES (RECODE) |
| MMR1_AGE | 570 | 571 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1 |
| MMR2_AGE | 572 | 573 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2 |
| MMR3_AGE | 574 | 575 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3 |
| MMR4_AGE | 576 | 577 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4 |
| MMR5_AGE | 577 | 578 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5 |
| MMR6_AGE | 578 | 579 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6 |
| MMR7_AGE | 579 | 580 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7 |
| MMR8_AGE | 580 | 581 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8 |
| MMR9_AGE | 581 | 582 | 9 | AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9 |
| MOBIL_I | 153 | 154 | 3 | GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE |
| MP1_AGE | 582 | 583 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1 |
| MP2_AGE | 584 | 585 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2 |
| MP3_AGE | 585 | 586 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3 |
| MP4_AGE | 586 | 587 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4 |
| MP5_AGE | 587 | 588 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5 |
| MP6_AGE | 588 | 589 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6 |
| MP7_AGE | 589 | 590 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7 |
| MP8_AGE | 590 | 591 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8 |
| MP9_AGE | 591 | 592 | 9 | AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9 |
| MPR1_AGE | 592 | 593 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1 |
| MPR2_AGE | 594 | 595 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2 |
| MPR3_AGE | 595 | 596 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3 |
| MPR4_AGE | 596 | 597 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4 |
| MPR5_AGE | 597 | 598 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| MPR6_AGE | 598 | 598 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6 |
| MPR7_AGE | 599 | 599 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7 |
| MPR8_AGE | 600 | 600 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8 |
| MPR9_AGE | 601 | 601 | 9 | AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9 |
| M_AGEGRP | 151 | 151 | 3 | AGE OF MOTHER CATEGORIES |
| N_PRVR | 166 | 166 | 6 | NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (TOPCODE) |
| PCV1_AGE | 602 | 603 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1 |
| PCV2_AGE | 604 | 605 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2 |
| PCV3_AGE | 606 | 607 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3 |
| PCV4_AGE | 608 | 609 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4 |
| PCV5_AGE | 610 | 611 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5 |
| PCV6_AGE | 612 | 613 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6 |
| PCV7_AGE | 614 | 615 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7 |
| PCV8_AGE | 616 | 616 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8 |
| PCV9_AGE | 617 | 617 | 9 | AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9 |
| PDAT | 12 | 12 | 1 | CHILD HAS ADEQUATE PROVIDER DATA |
| POL1_AGE | 618 | 619 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1 |
| POL2_AGE | 620 | 621 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2 |
| POL3_AGE | 622 | 623 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3 |
| POL4_AGE | 624 | 625 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4 |
| POL5_AGE | 626 | 627 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5 |
| POL6_AGE | 628 | 629 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6 |
| POL7_AGE | 630 | 631 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7 |
| POL8_AGE | 632 | 633 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8 |
| POL9_AGE | 634 | 634 | 9 | AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9 |
| PROVWT | 13 | 31 | 1 | WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA AND UNVACCINATED CHILDREN |
| PROV_FAC | 167 | 167 | 7 | PROVIDER FACILITY TYPE |
| PU431331 | 227 | 227 | 8 | UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) |
| PUT43133 | 228 | 228 | 8 | UTD FLAG FOR PROVIDER 4:3:1:3:3 |
| PUTD4313 | 229 | 229 | 8 | UTD FLAG FOR PROVIDER 4:3:1:3 |
| P_NUHEPX | 172 | 172 | 8 | NUMBER OF HEPATITIS B-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUHIBX | 173 | 173 | 8 | NUMBER OF HIB-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUHPHB | 174 | 174 | 8 | NUMBER OF HEPATITIS B/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| P_NUMDAH | 175 | 175 | 8 | NUMBER OF DTAP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDHB | 176 | 176 | 8 | NUMBER OF DTP/HIB CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDHI | 177 | 177 | 8 | NUMBER OF DTAP/HEPB/IPV COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDHM | 178 | 178 | 8 | NUMBER OF DTP/HIB COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDTA | 179 | 179 | 8 | NUMBER OF DTAP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDTM | 180 | 180 | 8 | NUMBER OF DT-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMDTP | 181 | 181 | 8 | NUMBER OF DT-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMFLU | 182 | 182 | 8 | NUMBER OF FLU-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEA | 183 | 183 | 8 | NUMBER OF HEPATITIS A-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEN | 184 | 184 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHEP | 185 | 185 | 8 | NUMBER OF HEPATITIS B-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHIB | 186 | 186 | 8 | NUMBER OF HIB-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMHIN | 187 | 187 | 8 | NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMIPV | 188 | 188 | 8 | NUMBER OF IPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMCN | 189 | 189 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMR | 190 | 190 | 8 | NUMBER OF MEASLES-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMRX | 191 | 191 | 8 | NUMBER OF MMR-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMMX | 192 | 192 | 8 | NUMBER OF MMR-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|--|
| P_NUMMP | 193 | 193 | 8 | NUMBER OF MUMPS-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMPR | 194 | 194 | 8 | NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMRV | 195 | 195 | 8 | NUMBER OF MMR/VARICELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMS | 196 | 196 | 8 | NUMBER OF MEASLES-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMSM | 197 | 197 | 8 | NUMBER OF MEASLES/MUMPS COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMMSR | 198 | 198 | 8 | NUMBER OF MEASLES/RUBELLA COMBO SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMOLN | 199 | 199 | 8 | NUMBER OF POLIO SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMOPV | 200 | 200 | 8 | NUMBER OF OPV-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCC | 201 | 201 | 8 | NUMBER OF PCV CONJUGATE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCN | 202 | 202 | 8 | NUMBER OF PCV SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCP | 203 | 203 | 8 | NUMBER OF PCV POLYSACCHARIDE SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPCV | 204 | 204 | 8 | NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMPOL | 205 | 205 | 8 | NUMBER OF POLIO-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMRB | 206 | 206 | 8 | NUMBER OF RUBELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMROT | 207 | 207 | 8 | NUMBER OF ROTAVIRUS-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTPM | 208 | 208 | 8 | NUMBER OF DTP-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMTPN | 209 | 209 | 8 | NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRC | 210 | 210 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_NUMVRN | 211 | 211 | 8 | NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| P_NUMVRX | 212 | 212 | 8 | NUMBER OF VARICELLA-ONLY SHOTS DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE RDD INTERVIEW DATE. |
| P_U12VRC | 213 | 213 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS |
| P_UTD331 | 214 | 214 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 |
| P_UTD431 | 215 | 215 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 |
| P_UTDFL1 | 216 | 216 | 8 | UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 1 |
| P_UTDFL2 | 217 | 217 | 8 | UTD FLAG FOR PROVIDER INFLUENZA VARIABLE 2 |
| P_UTDHEP | 218 | 218 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS |
| P_UTDHIB | 219 | 219 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS |
| P_UTDMCV | 220 | 220 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT |
| P_UTDMMX | 221 | 221 | 8 | UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT |
| P_UTDPC3 | 222 | 222 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS |
| P_UTDPCV | 223 | 223 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS |
| P_UTDPOL | 224 | 224 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS |
| P_UTDTP3 | 225 | 225 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS |
| P_UTDTP4 | 226 | 226 | 8 | UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS |
| RACEETHK | 155 | 155 | 3 | RACE/ETHNICITY OF CHILD (RECODE) |
| RACE_K | 154 | 154 | 3 | RACE OF CHILD (RECODE) |
| RB1_AGE | 635 | 636 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1 |
| RB2_AGE | 637 | 637 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2 |
| RB3_AGE | 638 | 638 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3 |
| RB4_AGE | 639 | 639 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4 |
| RB5_AGE | 640 | 640 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5 |
| RB6_AGE | 641 | 641 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6 |
| RB7_AGE | 642 | 642 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7 |
| RB8_AGE | 643 | 643 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8 |
| RB9_AGE | 644 | 644 | 9 | AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9 |
| RDDWT | 32 | 50 | 1 | RDD CHILD INTERVIEW WEIGHT |
| REGISTRY | 168 | 168 | 7 | CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY |
| ROT1_AGE | 645 | 646 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1 |
| ROT2_AGE | 647 | 647 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2 |
| ROT3_AGE | 648 | 649 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3 |
| ROT4_AGE | 650 | 650 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4 |
| ROT5_AGE | 651 | 651 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5 |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|---|
| ROT6_AGE | 652 | 652 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6 |
| ROT7_AGE | 653 | 653 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7 |
| ROT8_AGE | 654 | 654 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8 |
| ROT9_AGE | 655 | 655 | 9 | AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9 |
| SC_431 | 56 | 57 | 2 | HH SHOT CARD REPORT OF 4:3:1 UP-TO-DATE |
| SC_4313 | 58 | 59 | 2 | HH SHOT CARD REPORT OF 4:3:1:3 UP-TO-DATE |
| SC_43133 | 60 | 61 | 2 | HH SHOT CARD REPORT OF 4:3:1:3:3 UP-TO-DATE |
| SC_DTP | 62 | 63 | 2 | HH SHOT CARD REPORT OF 4+ DT-CONTAINING UP-TO-DATE |
| SC_HEPB | 64 | 65 | 2 | HH SHOT CARD REPORT OF 3+ HEPATITIS B-CONTAINING UP-TO-DATE |
| SC_HIB | 66 | 67 | 2 | HH SHOT CARD REPORT OF 3+ HIB-CONTAINING UP-TO-DATE |
| SC_MCV | 68 | 69 | 2 | HH SHOT CARD REPORT OF 1+ MEASLES-CONTAINING UP-TO-DATE |
| SC_POL | 70 | 71 | 2 | HH SHOT CARD REPORT OF 3+ POLIO-CONTAINING UP-TO-DATE |
| SC_VRC | 72 | 73 | 2 | HH SHOT CARD REPORT OF 1+ VARICELLA-CONTAINING UP-TO-DATE |
| SEQNUMC | 1 | 6 | 1 | UNIQUE CHILD IDENTIFIER |
| SEQNUMHH | 7 | 11 | 1 | UNIQUE HOUSEHOLD IDENTIFIER |
| SEX | 156 | 156 | 3 | GENDER OF CHILD |
| SHOTCARD | 88 | 88 | 2 | SHOT CARD USE FLAG |
| STATE | 160 | 161 | 4 | TRUE STATE OF RESIDENCE (STATE FIPS CODE) |
| VFC_ORDER | 169 | 169 | 7 | DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT? |
| VRC1_AGE | 656 | 657 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1 |
| VRC2_AGE | 658 | 659 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2 |
| VRC3_AGE | 660 | 661 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3 |
| VRC4_AGE | 662 | 662 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4 |
| VRC5_AGE | 663 | 663 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5 |
| VRC6_AGE | 664 | 664 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6 |
| VRC7_AGE | 665 | 665 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7 |
| VRC8_AGE | 666 | 666 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8 |
| VRC9_AGE | 667 | 667 | 9 | AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9 |
| XDTPTY1 | 668 | 669 | 9 | DT-CONTAINING VACCINATION #1 TYPE CODE |
| XDTPTY2 | 670 | 671 | 9 | DT-CONTAINING VACCINATION #2 TYPE CODE |
| XDTPTY3 | 672 | 673 | 9 | DT-CONTAINING VACCINATION #3 TYPE CODE |
| XDTPTY4 | 674 | 675 | 9 | DT-CONTAINING VACCINATION #4 TYPE CODE |
| XDTPTY5 | 676 | 677 | 9 | DT-CONTAINING VACCINATION #5 TYPE CODE |
| XDTPTY6 | 678 | 679 | 9 | DT-CONTAINING VACCINATION #6 TYPE CODE |
| XDTPTY7 | 680 | 681 | 9 | DT-CONTAINING VACCINATION #7 TYPE CODE |
| XDTPTY8 | 682 | 682 | 9 | DT-CONTAINING VACCINATION #8 TYPE CODE |
| XDTPTY9 | 683 | 683 | 9 | DT-CONTAINING VACCINATION #9 TYPE CODE |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|---------------|----------------|--------------|---------|--|
| XHEPTY1 | 684 | 685 | 9 | HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE |
| XHEPTY2 | 686 | 687 | 9 | HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE |
| XHEPTY3 | 688 | 689 | 9 | HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE |
| XHEPTY4 | 690 | 691 | 9 | HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE |
| XHEPTY5 | 692 | 693 | 9 | HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE |
| XHEPTY6 | 694 | 695 | 9 | HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE |
| XHEPTY7 | 696 | 697 | 9 | HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE |
| XHEPTY8 | 698 | 699 | 9 | HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE |
| XHEPTY9 | 700 | 700 | 9 | HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE |
| XHIBTY1 | 701 | 702 | 9 | HIB-CONTAINING VACCINATION #1 TYPE CODE |
| XHIBTY2 | 703 | 704 | 9 | HIB-CONTAINING VACCINATION #2 TYPE CODE |
| XHIBTY3 | 705 | 706 | 9 | HIB-CONTAINING VACCINATION #3 TYPE CODE |
| XHIBTY4 | 707 | 708 | 9 | HIB-CONTAINING VACCINATION #4 TYPE CODE |
| XHIBTY5 | 709 | 710 | 9 | HIB-CONTAINING VACCINATION #5 TYPE CODE |
| XHIBTY6 | 711 | 712 | 9 | HIB-CONTAINING VACCINATION #6 TYPE CODE |
| XHIBTY7 | 713 | 714 | 9 | HIB-CONTAINING VACCINATION #7 TYPE CODE |
| XHIBTY8 | 715 | 715 | 9 | HIB-CONTAINING VACCINATION #8 TYPE CODE |
| XHIBTY9 | 716 | 716 | 9 | HIB-CONTAINING VACCINATION #9 TYPE CODE |
| XMMRTY1 | 717 | 718 | 9 | MEASLES-CONTAINING VACCINATION #1 TYPE CODE |
| XMMRTY2 | 719 | 720 | 9 | MEASLES-CONTAINING VACCINATION #2 TYPE CODE |
| XMMRTY3 | 721 | 722 | 9 | MEASLES-CONTAINING VACCINATION #3 TYPE CODE |
| XMMRTY4 | 723 | 723 | 9 | MEASLES-CONTAINING VACCINATION #4 TYPE CODE |
| XMMRTY5 | 724 | 724 | 9 | MEASLES-CONTAINING VACCINATION #5 TYPE CODE |
| XMMRTY6 | 725 | 725 | 9 | MEASLES-CONTAINING VACCINATION #6 TYPE CODE |
| XMMRTY7 | 726 | 726 | 9 | MEASLES-CONTAINING VACCINATION #7 TYPE CODE |
| XMMRTY8 | 727 | 727 | 9 | MEASLES-CONTAINING VACCINATION #8 TYPE CODE |
| XMMRTY9 | 728 | 728 | 9 | MEASLES-CONTAINING VACCINATION #9 TYPE CODE |
| XPCVTY1 | 729 | 730 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE |
| XPCVTY2 | 731 | 732 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE |
| XPCVTY3 | 733 | 734 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE |
| XPCVTY4 | 735 | 736 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE |
| XPCVTY5 | 737 | 738 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE |
| XPCVTY6 | 739 | 740 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE |
| XPCVTY7 | 741 | 742 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE |
| XPCVTY8 | 743 | 743 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE |
| XPCVTY9 | 744 | 744 | 9 | PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE |
| XPOLTY1 | 745 | 746 | 9 | POLIO-CONTAINING VACCINATION #1 TYPE CODE |
| XPOLTY2 | 747 | 748 | 9 | POLIO-CONTAINING VACCINATION #2 TYPE CODE |

ALPHABETIC INDEX OF VARIABLES

| Variable Name | Begin Position | End Position | Section | Variable Label |
|----------------------|-----------------------|---------------------|----------------|---|
| XPOLTY3 | 749 | 750 | 9 | POLIO-CONTAINING VACCINATION #3 TYPE CODE |
| XPOLTY4 | 751 | 752 | 9 | POLIO-CONTAINING VACCINATION #4 TYPE CODE |
| XPOLTY5 | 753 | 754 | 9 | POLIO-CONTAINING VACCINATION #5 TYPE CODE |
| XPOLTY6 | 755 | 756 | 9 | POLIO-CONTAINING VACCINATION #6 TYPE CODE |
| XPOLTY7 | 757 | 758 | 9 | POLIO-CONTAINING VACCINATION #7 TYPE CODE |
| XPOLTY8 | 759 | 760 | 9 | POLIO-CONTAINING VACCINATION #8 TYPE CODE |
| XPOLTY9 | 761 | 761 | 9 | POLIO-CONTAINING VACCINATION #9 TYPE CODE |
| XVRCTY1 | 762 | 763 | 9 | VARICELLA-CONTAINING VACCINATION #1 TYPE CODE |
| XVRCTY2 | 764 | 765 | 9 | VARICELLA-CONTAINING VACCINATION #2 TYPE CODE |
| XVRCTY3 | 766 | 767 | 9 | VARICELLA-CONTAINING VACCINATION #3 TYPE CODE |
| XVRCTY4 | 768 | 768 | 9 | VARICELLA-CONTAINING VACCINATION #4 TYPE CODE |
| XVRCTY5 | 769 | 769 | 9 | VARICELLA-CONTAINING VACCINATION #5 TYPE CODE |
| XVRCTY6 | 770 | 770 | 9 | VARICELLA-CONTAINING VACCINATION #6 TYPE CODE |
| XVRCTY7 | 771 | 771 | 9 | VARICELLA-CONTAINING VACCINATION #7 TYPE CODE |
| XVRCTY8 | 772 | 772 | 9 | VARICELLA-CONTAINING VACCINATION #8 TYPE CODE |
| XVRCTY9 | 773 | 773 | 9 | VARICELLA-CONTAINING VACCINATION #9 TYPE CODE |
| YEAR | 51 | 54 | 1 | YEAR OF INTERVIEW |