

# **National Immunization Survey – Child**

**A Codebook for the  
2013 Public-Use Data File**

**Centers for Disease Control and Prevention**

**National Center for Immunization  
and Respiratory Diseases**

**and**

**National Center for Health Statistics**

**Presented by:**

**NORC at the University of Chicago**

**September 2014**

## NOTE:

The codebook presents unweighted frequencies (counts of children) for each categorical variable and summary statistics – mean, median, minimum, maximum, and standard deviation – for each continuous variable.

The codebook also includes unweighted frequencies for the reserve codes (missing, don't know, and refused) for each variable.

## TABLE OF CONTENTS

<a href="#">Section Index of Variables</a> .....	1
<a href="#">Section 1: ID, Weight, and Flag Variables</a> .....	18
<a href="#">Section 2: Household-Reported Vaccination and Health Information</a> .....	22
<a href="#">Section 3: Demographic, Socio-Economic and Other Household/Teen Information</a> ....	23
<a href="#">Section 4: Geographic Variables</a> .....	36
<a href="#">Section 5: Number of Providers Identified and Consent Variables</a> .....	42
<a href="#">Section 6: Number of Responding Provider Variables</a> .....	43
<a href="#">Section 7: Characteristics of Provider Variables</a> .....	44
<a href="#">Section 8: Provider-Reported Up-to-Date Vaccination Variables</a> .....	46
<a href="#">Section 9: Provider-Reported Age-at-Vaccination Variables</a> .....	91
<a href="#">Section 10: Health Insurance Module Variables</a> .....	217
<a href="#">Alphabetic Index of Variables</a> .....	221



**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
PROVWT_D	13	32	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES U.S. VIRGIN ISLANDS AND GUAM)
PROVWTVIGU_D	33	52	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT INCLUDING U.S. VIRGIN ISLANDS AND GUAM
RDDWT_D	53	71	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES U.S. VIRGIN ISLANDS AND GUAM)
RDDWTVIGU_D	72	90	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT INCLUDING U.S. VIRGIN ISLANDS AND GUAM
STRATUM	91	94	1	STRATUM VARIABLE FOR DUAL-FRAME VARIANCE ESTIMATION
YEAR	95	98	1	YEAR OF INTERVIEW
AGECPOXR	99	99	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
HAD_CPOX	100	101	2	CHILD EVER HAD CHICKEN POX DISEASE?
SHOTCARD	102	102	2	SHOT CARD USE FLAG
AGEGRP	103	103	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BF_ENDR06	104	111	3	DURATION OF BREAST FEEDING IN DAYS (RECODE)
BF_EXCLR06	112	119	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR08	120	127	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
BFENDFL06	128	128	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	129	129	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
C1R	130	130	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	131	132	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	133	134	3	WAS CHILD EVER BREAST FED OR FED BREAST MILK?
CEN_REG	135	135	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	136	136	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	137	138	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	139	140	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
EDUC1	141	141	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
FRSTBRN	142	142	3	FIRST BORN STATUS OF CHILD
I_HISP_K	143	143	3	HISPANIC ORIGIN OF CHILD
INCPORAR	144	159	3	INCOME TO POVERTY RATIO (RECODE)
INCPOV1	160	160	3	POVERTY STATUS
INCQ298A	161	162	3	FAMILY INCOME CATEGORIES (RECODE)
INTRP	163	163	3	PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
LANGUAGE	164	164	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
M_AGEGRP	165	165	3	AGE OF MOTHER CATEGORIES (RECODE)
MARITAL2	166	166	3	MARITAL STATUS OF MOTHER (RECODE)
MOBIL_I	167	167	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
NUM_PHONE	168	169	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)
NUM_CELLS_HH	170	171	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	172	173	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
RACE_K	174	174	3	RACE OF CHILD (RECODE)
RACEETHK	175	175	3	RACE/ETHNICITY OF CHILD (RECODE)
RENT_OWN	176	177	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
SEX	178	178	3	GENDER OF CHILD
ESTIAP13	179	181	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	182	183	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
STATE	184	185	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
D6R	186	186	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	187	187	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
N_PRVR	188	188	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PROV_FAC	189	189	7	PROVIDER FACILITY TYPES
REGISTRY	190	190	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
VFC_ORDER	191	191	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
HEP_BRTH	192	192	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	193	193	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
P_NUHEPX	194	194	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	195	195	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	196	196	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	197	197	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMDHI	198	198	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	199	199	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDTA	200	200	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	201	201	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	202	202	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	203	203	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	204	204	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUN	205	205	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	206	206	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	207	207	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	208	208	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIB	209	209	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	210	210	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	211	211	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	212	212	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMHG	213	213	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	214	214	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMIPV	215	215	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	216	216	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	217	217	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	218	218	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	219	219	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMP	220	220	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	221	221	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	222	222	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	223	223	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	224	224	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	225	225	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	226	226	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	227	227	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCV	228	228	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMPCP	229	229	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC	230	230	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	231	231	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	232	232	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	233	233	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	234	234	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	235	235	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	236	236	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	237	237	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	238	238	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	239	239	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	240	240	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	241	241	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	242	242	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMVRN	243	243	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	244	244	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	245	245	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	246	246	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	247	247	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDFL1	248	248	8	UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDFL2	249	249	8	UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 2 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDFL3	250	250	8	UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	251	251	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	252	252	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 19-35 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD INTERVIEW DATE AND ELIGIBILITY DATE.
P_UTDHEPA2	253	253	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	254	254	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_ROUT_S	255	255	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	256	256	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_UTDMCV	257	257	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	258	258	8	UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	259	259	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	261	261	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	263	263	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	265	265	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431331	266	266	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_31	268	268	8	UTD FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	269	269	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_UTD431H313_ROUT_S	270	270	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	271	271	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H314_ROUT_S	272	272	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_314	273	273	8	UTD FLAG FOR PROVIDER 4:3:1::3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	274	274	8	UTD FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	275	275	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	276	276	8	UTD FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	277	277	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
U1D_HEP	278	278	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U2D_HEP	279	279	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	280	280	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
DDTP1	281	284	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	285	288	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	289	292	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	293	296	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	297	300	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	301	303	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	304	306	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	307	310	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	311	311	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DFLU1	312	315	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	316	319	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	320	323	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	324	327	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	328	331	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
DFLU6	332	332	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
DFLU7	333	333	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	334	334	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	335	335	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	336	339	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	340	343	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	344	347	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	348	350	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	351	351	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	352	352	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	353	353	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	354	354	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	355	355	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	356	359	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	360	363	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	364	367	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	368	371	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	372	375	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	376	378	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	379	379	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	380	380	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	381	381	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	382	385	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	386	389	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	390	393	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	394	397	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	398	401	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DHIB6	402	404	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	405	407	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	408	411	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	412	412	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	413	416	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	417	420	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	421	423	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	424	424	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	425	425	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	426	426	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
DMMR7	427	427	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	428	428	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	429	429	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	430	430	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	431	431	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	432	432	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	433	433	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	434	434	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	435	435	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	436	436	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	437	437	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	438	438	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	439	439	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	440	440	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	441	441	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	442	442	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	443	443	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	444	444	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	445	445	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	446	446	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	447	447	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	448	451	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	452	455	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	456	459	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	460	463	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	464	467	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	468	470	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	471	473	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DPCV8	474	476	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	477	477	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	478	481	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	482	485	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	486	489	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	490	493	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	494	496	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	497	499	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	500	502	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	503	503	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8
DPOLIO9	504	504	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	505	505	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	506	506	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	507	507	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	508	508	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	509	509	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	510	510	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	511	511	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	512	512	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	513	513	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	514	516	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	517	519	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	520	522	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	523	525	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	526	528	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	529	531	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	532	532	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	533	533	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	534	534	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DVRC1	535	538	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	539	542	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	543	543	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	544	544	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	545	545	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	546	546	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	547	547	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	548	548	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DVRC9	549	549	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
DTP1_AGE	550	551	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	552	553	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	554	555	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	556	557	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	558	559	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	560	561	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	562	563	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	564	565	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	566	566	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
FLU1_AGE	567	568	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	569	570	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	571	572	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	573	574	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	575	576	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	577	577	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	578	578	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	579	579	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	580	580	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
HEA1_AGE	581	582	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	583	584	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	589	589	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	590	590	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	591	591	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	592	592	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	593	593	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	594	595	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	596	597	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	598	599	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	600	601	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
HEP5_AGE	602	603	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	604	605	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	606	606	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	607	607	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
HEP9_AGE	608	608	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HIB1_AGE	609	610	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	611	612	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	613	614	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	615	616	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	617	618	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	619	620	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	621	622	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	623	624	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	625	625	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
MMR1_AGE	626	627	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	628	629	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	632	632	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	633	633	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
MMR6_AGE	634	634	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	635	635	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	636	636	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	637	637	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MP1_AGE	638	638	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	639	639	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	640	640	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	641	641	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	642	642	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	643	643	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	644	644	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	645	645	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	646	646	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	647	647	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	648	648	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	649	649	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	650	650	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	651	651	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
MPR6_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
PCV1_AGE	656	657	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	658	659	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	660	661	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	662	663	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	664	665	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	666	667	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	668	669	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	670	671	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	672	672	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
POL1_AGE	673	674	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	675	676	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	677	678	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	679	680	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	681	682	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	683	684	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	685	686	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	687	687	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	688	688	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
RB1_AGE	689	689	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	690	690	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	691	691	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	692	692	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	693	693	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	694	694	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	695	695	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	696	696	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	697	697	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
ROT1_AGE	698	699	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	700	701	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	702	703	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	704	705	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	706	707	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	708	709	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6

## SECTION INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
ROT7_AGE	710	710	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	711	711	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	712	712	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
VRC1_AGE	713	714	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	715	716	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	717	717	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	718	718	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	719	719	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	720	720	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	721	721	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	722	722	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	723	723	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	724	725	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	726	727	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	728	729	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	730	731	9	DT-CONTAINING VACCINATION #4 TYPE CODE
XDTPTY5	732	733	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	734	735	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	736	737	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	738	739	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	740	740	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	741	742	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	743	744	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	745	746	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	747	748	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	749	750	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	751	751	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	752	752	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	753	753	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	754	754	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	755	756	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	757	758	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	759	760	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	761	762	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	763	764	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	765	766	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	767	767	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	768	768	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XHEPTY9	769	769	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	770	771	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	772	773	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	774	775	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	776	777	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	778	779	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	780	781	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	782	783	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	784	785	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	786	786	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	787	788	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	789	790	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	791	792	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	793	793	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	794	794	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	795	795	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE
XMMRTY7	796	796	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	797	797	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	798	798	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	799	800	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	801	802	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	803	804	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	805	806	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	807	808	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	809	810	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	811	812	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	813	814	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	815	815	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	816	817	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	818	819	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	820	821	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	822	823	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	824	825	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	826	827	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	828	829	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	830	830	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	831	831	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	832	833	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE

**SECTION INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XROTTY2	834	835	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	836	837	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	838	839	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	840	841	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	842	843	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	844	844	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	845	845	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	846	846	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	847	848	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	849	850	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	851	851	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	852	852	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	853	853	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	854	854	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	855	855	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	856	856	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE
XVRCTY9	857	857	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
INS_1	858	859	10	IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?
INS_2	860	861	10	IS CHILD COVERED BY ANY MEDICAID PLAN?
INS_3	862	863	10	IS CHILD COVERED BY S-CHIP?
INS_3A	864	865	10	IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?
INS_4_5	866	867	10	IS CHILD COVERED BY INDIAN HEALTH SERVICE, MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?
INS_6	868	869	10	IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?
INS_11	870	871	10	ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: SEQNUMC Type: Character

Label: UNIQUE CHILD IDENTIFIER

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		23248	100.0%	100.0%	14060	100.0%	100.0%
RESERVED CODES:							
TOTALS:		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: SEQNUMHH Type: Character

Label: UNIQUE HOUSEHOLD IDENTIFIER

Notes: Each household contains one or more children age 19 - 35 months.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
SUBTOTALS:		23248	100.0%	100.0%	14060	100.0%	100.0%
RESERVED CODES:							
TOTALS:		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: PDAT Type: Numeric

Label: CHILD HAS ADEQUATE PROVIDER DATA

Notes: Use PDAT = 1 to identify children with adequate provider data (includes unvaccinated children).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CHILD HAS ADEQUATE PROVIDER DATA OR ZERO VACCINATIONS	1	14060	60.5%	60.5%	14060	100.0%	100.0%
CHILD DOES NOT HAVE ADEQUATE PROVIDER DATA	2	9188	39.5%	39.5%	0	0.0%	0.0%
SUBTOTALS:		23248	100.0%	100.0%	14060	100.0%	100.0%
RESERVED CODES:							
TOTALS:		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 1: ID, WEIGHT AND FLAG VARIABLES****Variable: PROVWT\_D Type: Numeric****Label: FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT  
(EXCLUDES U.S. VIRGIN ISLANDS AND GUAM)****Notes:****Final child weight to use for the dual-frame calculation of vaccination coverage rates for children with adequate provider data (PDAT = 1). Missing for the U.S. Virgin Islands and Guam.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13611	58.5%	100.0%	13611	96.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9637	41.5%	n/a	449	3.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: PROVWT\_D Type: Numeric**

<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	420.5	221.3	1.4	11497.5	686.8
Adequate Provider Data	420.5	221.3	1.4	11497.5	686.8

**Variable: PROVTVIGU\_D Type: Numeric****Label: FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT INCLUDING U.S.  
VIRGIN ISLANDS AND GUAM****Notes:****Final child weight to use for the dual-frame calculation of vaccination coverage rates for all children with adequate provider data (PDAT = 1), including from the U.S. Virgin Islands and Guam.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: PROVTVIGU\_D Type: Numeric**

<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	407.6	211.1	1.3	11497.5	679.5
Adequate Provider Data	407.6	211.1	1.3	11497.5	679.5

## SECTION 1: ID, WEIGHT AND FLAG VARIABLES

Variable: RDDWT\_D Type: Numeric

Label: FINAL DUAL-FRAME RDD-PHASE WEIGHT  
(EXCLUDES U.S. VIRGIN ISLANDS AND GUAM)Notes: Final dual-frame household interview weight for child.  
Use this weight for estimates based on children with completed household interviews.  
Missing for the U.S. Virgin Islands and Guam.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		22462	96.6%	100.0%	13611	96.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	786	3.4%	n/a	449	3.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: RDDWT\_D Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

All	254.8	142.9	1.1	7280.5	402.8
Adequate Provider Data	252.4	142.5	2.8	7188.9	395.7

Variable: RDDWTVIGU\_D Type: Numeric

Label: FINAL DUAL-FRAME RDD-PHASE WEIGHT INCLUDING U.S.  
VIRGIN ISLANDS AND GUAMNotes: Final dual-frame household interview weight for child.  
Use this weight for estimates based on all children with completed household interviews,  
including from the U.S. Virgin Islands and Guam

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: RDDWTVIGU\_D Type: Numeric

CASES MEAN MEDIAN MIN MAX STDDev

All	246.5	134.9	1.1	7280.5	398.4
Adequate Provider Data	244.7	134.8	1.2	7188.9	391.7

**SECTION 1: ID, WEIGHT AND FLAG VARIABLES****Variable: STRATUM Type: Numeric****Label: STRATUM VARIABLE FOR DUAL-FRAME VARIANCE ESTIMATION****Notes:**

Use STRATUM as the stratum variable for variance estimation when calculating dual-frame estimates.

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: YEAR Type: Numeric****Label: YEAR OF INTERVIEW****Notes: Sampling year.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
2013	2013	23248	100.0%	100.0%	14060	100.0%	100.0%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 2: HOUSEHOLD VACCINATION VARIABLES**

<b>Variable: AGECP0XR    Type: Numeric</b>							
<b>Label: AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)</b>							
<b>Notes:</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0 TO 6 MONTHS OLD	1	71	0.3%	19.3%	38	0.3%	17.8%
7 TO 12 MONTHS OLD	2	104	0.4%	28.3%	70	0.5%	32.9%
13 TO 18 MONTHS OLD	3	97	0.4%	26.4%	57	0.4%	26.8%
19+ MONTHS OLD	4	95	0.4%	25.9%	48	0.3%	22.5%
<b>SUBTOTALS:</b>		367	1.6%	100.0%	213	1.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22881	98.4%	n/a	13847	98.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: HAD_CPOX    Type: Numeric</b>							
<b>Label: CHILD EVER HAD CHICKEN POX DISEASE?</b>							
<b>Notes:</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
YES	1	377	1.6%	1.6%	219	1.6%	1.6%
NO	2	22812	98.1%	98.4%	13806	98.2%	98.4%
<b>SUBTOTALS:</b>		23189	99.7%	100.0%	14025	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	56	0.2%	n/a	35	0.2%	n/a
REFUSED	99	2	0.0%	n/a	0	0.0%	n/a
MISSING	.	1	0.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: SHOTCARD    Type: Numeric</b>							
<b>Label: SHOT CARD USE FLAG</b>							
<b>Notes:</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
SHOTCARD	1	141	0.6%	0.6%	109	0.8%	0.8%
NO SHOTCARD	2	23107	99.4%	99.4%	13951	99.2%	99.2%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

<b>Variable: AGEGRP Type: Numeric</b>							
<b>Label: AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)</b>							
<b>Notes:</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
19 - 23 MONTHS	1	6565	28.2%	28.2%	4037	28.7%	28.7%
24 - 29 MONTHS	2	7033	30.3%	30.3%	4341	30.9%	30.9%
30 - 35 MONTHS	3	9650	41.5%	41.5%	5682	40.4%	40.4%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: BF_ENDR06 Type: Numeric</b>							
<b>Label: DURATION OF BREAST FEEDING IN DAYS (RECODE)</b>							
<b>Notes: See User's Guide for more information.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		18036	77.6%	100.0%	11025	78.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	5212	22.4%	n/a	3035	21.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: BF_ENDR06 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	250.2	213.1	0.0	730.5	180.1
Adequate Provider Data	248.6	213.1	0.0	730.5	180.6

<b>Variable: BF_EXCLR06 Type: Numeric</b>							
<b>Label: DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)</b>							
<b>Notes: See User's Guide for more information.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		18191	78.2%	100.0%	11164	79.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	5057	21.8%	n/a	2896	20.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: BF\_EXCLR06 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	163.4	182.6	0.0	273.9	66.7
Adequate Provider Data	162.0	182.6	0.0	273.9	65.2

**Variable: BF\_FORMR08 Type: Numeric**

**Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)**

**Notes:**

**BF\_FORMR08 replaces BF\_FORMR06 and includes a code of 888 for children never fed formula. See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		12979	55.8%	100.0%	7874	56.0%	100.0%
<b>RESERVED CODES:</b>							
NEVER FED FORMULA	888	3816	16.4%	n/a	2375	16.9%	n/a
MISSING	.	6453	27.8%	n/a	3811	27.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: BF\_FORMR08 Type: Numeric**

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	115.8	91.3	0.0	730.5	113.5
Adequate Provider Data	112.1	91.3	0.0	730.5	110.8

**Variable: BFENDFL06 Type: Numeric**

**Label: DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

**Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	2	0.0%	100.0%	0	0.0%	n/a
<b>SUBTOTALS:</b>		2	0.0%	100.0%	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23246	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	n/a

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: BFFORMFL06 Type: Numeric**

**Label: AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER**

**Notes: See User's Guide for more information.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: C1R Type: Numeric**

**Label: NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)**

**Notes:**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
2	2	630	2.7%	2.7%	358	2.5%	2.5%
3	3	5206	22.4%	22.4%	3111	22.1%	22.1%
4	4	8202	35.3%	35.3%	4967	35.3%	35.3%
5	5	4820	20.7%	20.7%	2965	21.1%	21.1%
6	6	2369	10.2%	10.2%	1457	10.4%	10.4%
7	7	981	4.2%	4.2%	606	4.3%	4.3%
8+	8	1040	4.5%	4.5%	596	4.2%	4.2%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: C5R Type: Numeric**

**Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)**

**Notes:**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE GUARDIAN	1	16181	69.6%	69.6%	10592	75.3%	75.4%
FATHER (STEP, FOSTER, ADOPTIVE) OR MALE GUARDIAN	2	5716	24.6%	24.6%	2932	20.9%	20.9%
GRANDPARENT	3	997	4.3%	4.3%	432	3.1%	3.1%
OTHER FAMILY MEMBER/FRIEND	4	343	1.5%	1.5%	99	0.7%	0.7%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: C5R Type: Numeric

Label: RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		23237	100.0%	100.0%	14055	100.0%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	8	0.0%	n/a	5	0.0%	n/a
REFUSED	99	3	0.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: CBF\_01 Type: Numeric

Label: WAS CHILD EVER BREAST FED OR FED BREAST MILK?

Notes: See User's Guide for more information.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	18916	81.4%	81.6%	11557	82.2%	82.3%
NO	2	4259	18.3%	18.4%	2478	17.6%	17.7%
<b>SUBTOTALS:</b>		23175	99.7%	100.0%	14035	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	69	0.3%	n/a	25	0.2%	n/a
REFUSED	99	3	0.0%	n/a	0	0.0%	n/a
MISSING	.	1	0.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: CEN\_REG Type: Numeric

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NORTHEAST	1	4648	20.0%	20.7%	2694	19.2%	19.8%
MIDWEST	2	4778	20.6%	21.3%	2955	21.0%	21.7%
SOUTH	3	7811	33.6%	34.8%	4668	33.2%	34.3%
WEST	4	5225	22.5%	23.3%	3294	23.4%	24.2%
<b>SUBTOTALS:</b>		22462	96.6%	100.0%	13611	96.8%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: CEN\_REG Type: Numeric

Label: CENSUS REGION BASED ON TRUE STATE OF RESIDENCE

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	786	3.4%	n/a	449	3.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: CHILDNM Type: Numeric

Label: NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ONE	1	6515	28.0%	28.0%	3863	27.5%	27.5%
TWO OR THREE	2	13658	58.7%	58.7%	8319	59.2%	59.2%
FOUR OR MORE	3	3075	13.2%	13.2%	1878	13.4%	13.4%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: CWIC\_01 Type: Numeric

Label: CHILD EVER RECEIVED WIC BENEFITS?

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	10712	46.1%	46.2%	6767	48.1%	48.2%
NO	2	12417	53.4%	53.6%	7245	51.5%	51.6%
NEVER HEARD OF WIC	3	46	0.2%	0.2%	24	0.2%	0.2%
<b>SUBTOTALS:</b>		23175	99.7%	100.0%	14036	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	65	0.3%	n/a	24	0.2%	n/a
REFUSED	99	7	0.0%	n/a	0	0.0%	n/a
MISSING	.	1	0.0%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

<b>Variable: CWIC_02 Type: Numeric</b>							
<b>Label: CHILD CURRENTLY RECEIVING WIC BENEFITS?</b>							
<b>Notes:</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
YES	1	6203	26.7%	58.1%	4036	28.7%	59.8%
NO	2	4471	19.2%	41.9%	2716	19.3%	40.2%
<b>SUBTOTALS:</b>		10674	45.9%	100.0%	6752	48.0%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	37	0.2%	n/a	15	0.1%	n/a
REFUSED	99	1	0.0%	n/a	0	0.0%	n/a
MISSING	.	12536	53.9%	n/a	7293	51.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: EDUC1 Type: Numeric</b>								
<b>Label: EDUCATION OF MOTHER CATEGORIES (RECODE)</b>								
<b>Notes: Variable contains some imputed values.</b>								
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	
< 12 YEARS	1	2582	11.1%	11.1%	1682	12.0%	12.0%	
12 YEARS	2	4273	18.4%	18.4%	2527	18.0%	18.0%	
> 12 YEARS, NON-COLLEGE GRAD	3	6234	26.8%	26.8%	3783	26.9%	26.9%	
COLLEGE GRAD	4	10159	43.7%	43.7%	6068	43.2%	43.2%	
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%	
<b>RESERVED CODES:</b>								
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%	

<b>Variable: FRSTBRN Type: Numeric</b>							
<b>Label: FIRST BORN STATUS OF CHILD</b>							
<b>Notes: Variable contains some imputed values.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NO	1	13879	59.7%	59.7%	8506	60.5%	60.5%
YES	2	9369	40.3%	40.3%	5554	39.5%	39.5%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: I\_HISP\_K Type: Numeric

Label: HISPANIC ORIGIN OF CHILD

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HISPANIC	1	4454	19.2%	19.2%	2778	19.8%	19.8%
NON-HISPANIC	2	18794	80.8%	80.8%	11282	80.2%	80.2%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: INCPORAR Type: Numeric

Label: INCOME TO POVERTY RATIO (RECODE)

Notes: Determined from family income, number of persons in the household, number of children in the household, and the 2012 Census poverty thresholds. If any of the first three variables are missing then INCPORAR will be missing.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		21505	92.5%	100.0%	13329	94.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	1743	7.5%	n/a	731	5.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: INCPORAR Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	2.0	2.2	0.5	3.0	1.0
Adequate Provider Data	2.0	2.2	0.5	3.0	1.0

Variable: INCPOV1 Type: Numeric

Label: POVERTY STATUS

Notes: Based on 2012 Census poverty thresholds.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ABOVE POVERTY, > \$75K	1	7955	34.2%	35.8%	4832	34.4%	35.4%
ABOVE POVERTY, <= \$75K	2	8532	36.7%	38.4%	5062	36.0%	37.1%
BELOW POVERTY	3	5704	24.5%	25.7%	3753	26.7%	27.5%
<b>SUBTOTALS:</b>		22191	95.5%	100.0%	13647	97.1%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: INCPOV1 Type: Numeric

Label: POVERTY STATUS

Notes: Based on 2012 Census poverty thresholds.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
UNKNOWN	4	1057	4.5%	n/a	413	2.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: INCQ298A Type: Numeric

Label: FAMILY INCOME CATEGORIES (RECODE)

Notes: Family income in 2012.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
\$0 - \$7500	3	1199	5.2%	5.6%	808	5.7%	6.1%
\$7501 - \$10000	4	901	3.9%	4.2%	615	4.4%	4.6%
\$10001 - \$17500	5	1457	6.3%	6.8%	958	6.8%	7.2%
\$17501 - \$20000	6	990	4.3%	4.6%	634	4.5%	4.8%
\$20001 - \$25000	7	1054	4.5%	4.9%	684	4.9%	5.1%
\$25001 - \$30000	8	1207	5.2%	5.6%	754	5.4%	5.7%
\$30001 - \$35000	9	789	3.4%	3.7%	486	3.5%	3.6%
\$35001 - \$40000	10	1109	4.8%	5.2%	656	4.7%	4.9%
\$40001 - \$50000	11	1598	6.9%	7.4%	983	7.0%	7.4%
\$50001 - \$60000	12	1350	5.8%	6.3%	784	5.6%	5.9%
\$60001 - \$75000	13	1896	8.2%	8.8%	1135	8.1%	8.5%
\$75001+	14	7955	34.2%	37.0%	4832	34.4%	36.3%
<b>SUBTOTALS:</b>		21505	92.5%	100.0%	13329	94.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	916	3.9%	n/a	468	3.3%	n/a
REFUSED	99	827	3.6%	n/a	263	1.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: INTRP Type: Numeric**  
**Label: PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?**  
**Notes: Variable contains some imputed values.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
YES	1	951	4.1%	8.4%	584	4.2%	8.5%
NO	2	10384	44.7%	91.6%	6310	44.9%	91.5%
<b>SUBTOTALS:</b>		11335	48.8%	100.0%	6894	49.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	11913	51.2%	n/a	7166	51.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: LANGUAGE Type: Numeric**  
**Label: LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED**  
**Notes:**  
**Interviews conducted in other languages were administered using the AT&T language line.**  
**This variable was constructed from call outcome codes.**  
**While these outcome codes are considered accurate,**  
**there is no independent check to determine the language in which the interview was actually**  
**conducted.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ENGLISH	1	21314	91.7%	91.7%	12783	90.9%	90.9%
SPANISH	2	1557	6.7%	6.7%	1054	7.5%	7.5%
OTHER	3	377	1.6%	1.6%	223	1.6%	1.6%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: M\_AGEGRP Type: Numeric**  
**Label: AGE OF MOTHER CATEGORIES (RECODE)**  
**Notes: Variable contains some imputed values.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<= 19 YEARS	1	276	1.2%	1.2%	157	1.1%	1.1%
20 - 29 YEARS	2	8853	38.1%	38.1%	5298	37.7%	37.7%
>= 30 YEARS	3	14119	60.7%	60.7%	8605	61.2%	61.2%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

**Variable: MARITAL2 Type: Numeric**  
**Label: MARITAL STATUS OF MOTHER (RECODE)**  
**Notes: Variable contains some imputed values.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MARRIED	1	16431	70.7%	70.7%	9987	71.0%	71.0%
NEVER MARRIED/WIDOWED/DIVORCED/SEPARATED/DECEASED	2	6817	29.3%	29.3%	4073	29.0%	29.0%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: MOBIL\_I Type: Numeric**  
**Label: GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE**  
**Notes: Variable contains some imputed values.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MOVED FROM DIFFERENT STATE	1	2711	11.7%	11.7%	1482	10.5%	10.5%
DID NOT MOVE FROM DIFFERENT STATE	2	20537	88.3%	88.3%	12578	89.5%	89.5%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: NUM\_PHONE Type: Numeric**  
**Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)**  
**Notes:**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ONE	1	5050	21.7%	98.2%	3215	22.9%	98.4%
TWO	2	81	0.3%	1.6%	48	0.3%	1.5%
THREE OR MORE	3	9	0.0%	0.2%	3	0.0%	0.1%
<b>SUBTOTALS:</b>		5140	22.1%	100.0%	3266	23.2%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	4	0.0%	n/a	0	0.0%	n/a
REFUSED	99	19	0.1%	n/a	4	0.0%	n/a

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM\_PHONE Type: Numeric

Label: NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD  
(EXCLUDING CELL PHONES)

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING	.	18085	77.8%	n/a	10790	76.7%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: NUM\_CELLS\_HH Type: Numeric

Label: NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE  
AVAILABLE FOR PERSONAL USE

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ONE	1	3588	15.4%	15.6%	2129	15.1%	15.2%
TWO	2	14265	61.4%	61.8%	8843	62.9%	63.0%
THREE OR MORE	3	4760	20.5%	20.6%	2802	19.9%	20.0%
NONE	4	456	2.0%	2.0%	263	1.9%	1.9%
<b>SUBTOTALS:</b>		23069	99.2%	100.0%	14037	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	12	0.1%	n/a	4	0.0%	n/a
REFUSED	99	130	0.6%	n/a	19	0.1%	n/a
MISSING	.	37	0.2%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: NUM\_CELLS\_PARENTS Type: Numeric

Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR  
GUARDIANS

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
ONE	1	5264	22.6%	22.9%	3175	22.6%	22.6%
TWO	2	15823	68.1%	68.8%	9808	69.8%	69.9%
THREE OR MORE	3	1291	5.6%	5.6%	684	4.9%	4.9%
NONE	4	620	2.7%	2.7%	356	2.5%	2.5%
<b>SUBTOTALS:</b>		22998	98.9%	100.0%	14023	99.7%	100.0%
<b>RESERVED CODES:</b>							

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: NUM\_CELLS\_PARENTS Type: Numeric

Label: NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
DON'T KNOW	77	45	0.2%	n/a	19	0.1%	n/a
REFUSED	99	135	0.6%	n/a	18	0.1%	n/a
MISSING	.	70	0.3%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: RACE\_K Type: Numeric

Label: RACE OF CHILD (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
WHITE ONLY	1	16464	70.8%	70.8%	10141	72.1%	72.1%
BLACK ONLY	2	2945	12.7%	12.7%	1585	11.3%	11.3%
OTHER + MULTIPLE RACE	3	3839	16.5%	16.5%	2334	16.6%	16.6%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: RACEETHK Type: Numeric

Label: RACE/ETHNICITY OF CHILD (RECODE)

Notes: Variable contains some imputed values. Reflects backcoding of open-ended "other" responses.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
HISPANIC	1	4454	19.2%	19.2%	2778	19.8%	19.8%
NON-HISPANIC WHITE ONLY	2	13033	56.1%	56.1%	7946	56.5%	56.5%
NON-HISPANIC BLACK ONLY	3	2468	10.6%	10.6%	1329	9.5%	9.5%
NON-HISPANIC OTHER + MULTIPLE RACE	4	3293	14.2%	14.2%	2007	14.3%	14.3%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

## SECTION 3: DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Variable: RENT\_OWN Type: Numeric

Label: IS HOME OWNED/BEING BOUGHT, RENTED,  
OR OCCUPIED BY SOME OTHER ARRANGEMENT?

Notes:

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
OWNED OR BEING BOUGHT	1	13443	57.8%	58.1%	8100	57.6%	57.7%
RENTED	2	8860	38.1%	38.3%	5404	38.4%	38.5%
OTHER ARRANGMENT	3	817	3.5%	3.5%	522	3.7%	3.7%
<b>SUBTOTALS:</b>		23120	99.4%	100.0%	14026	99.8%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	34	0.1%	n/a	17	0.1%	n/a
REFUSED	99	94	0.4%	n/a	17	0.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: SEX Type: Numeric

Label: GENDER OF CHILD

Notes: Variable contains some imputed values.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MALE	1	12004	51.6%	51.6%	7251	51.6%	51.6%
FEMALE	2	11244	48.4%	48.4%	6809	48.4%	48.4%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP13 Type: Numeric

Label: ESTIMATION AREA OF RESIDENCE

Notes: For dual-frame variance estimation, use STRATUM.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CT	1	355	1.5%	1.5%	213	1.5%	1.5%
MA	2	406	1.7%	1.7%	241	1.7%	1.7%
ME	4	334	1.4%	1.4%	209	1.5%	1.5%
NH	5	346	1.5%	1.5%	226	1.6%	1.6%
RI	6	360	1.5%	1.5%	207	1.5%	1.5%
VT	7	436	1.9%	1.9%	280	2.0%	2.0%
NJ	8	474	2.0%	2.0%	265	1.9%	1.9%
NY-REST OF STATE	10	404	1.7%	1.7%	226	1.6%	1.6%
NY-CITY OF NEW YORK	11	480	2.1%	2.1%	242	1.7%	1.7%
DC	12	390	1.7%	1.7%	223	1.6%	1.6%
DE	13	385	1.7%	1.7%	242	1.7%	1.7%
MD	14	472	2.0%	2.0%	287	2.0%	2.0%
PA-REST OF STATE	16	547	2.4%	2.4%	318	2.3%	2.3%
PA-PHILADELPHIA COUNTY	17	506	2.2%	2.2%	267	1.9%	1.9%
VA	18	495	2.1%	2.1%	274	1.9%	1.9%
WV	19	366	1.6%	1.6%	213	1.5%	1.5%
AL	20	312	1.3%	1.3%	166	1.2%	1.2%
FL	22	388	1.7%	1.7%	228	1.6%	1.6%
GA	25	288	1.2%	1.2%	178	1.3%	1.3%
KY	27	305	1.3%	1.3%	190	1.4%	1.4%
MS	28	322	1.4%	1.4%	180	1.3%	1.3%
NC	29	430	1.8%	1.8%	262	1.9%	1.9%
SC	30	350	1.5%	1.5%	207	1.5%	1.5%
TN	31	392	1.7%	1.7%	260	1.8%	1.8%
IL-REST OF STATE	34	544	2.3%	2.3%	327	2.3%	2.3%
IL-CITY OF CHICAGO	35	295	1.3%	1.3%	168	1.2%	1.2%
IN	36	418	1.8%	1.8%	243	1.7%	1.7%
MI	38	342	1.5%	1.5%	212	1.5%	1.5%
MN	40	315	1.4%	1.4%	195	1.4%	1.4%
OH	41	420	1.8%	1.8%	249	1.8%	1.8%
WI	44	341	1.5%	1.5%	221	1.6%	1.6%
AR	46	319	1.4%	1.4%	188	1.3%	1.3%
LA	47	414	1.8%	1.8%	224	1.6%	1.6%
NM	49	399	1.7%	1.7%	255	1.8%	1.8%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: ESTIAP13 Type: Numeric

Label: ESTIMATION AREA OF RESIDENCE

Notes: For dual-frame variance estimation, use STRATUM.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
OK	50	478	2.1%	2.1%	301	2.1%	2.1%
TX-REST OF STATE	51	599	2.6%	2.6%	372	2.6%	2.6%
TX-EL PASO COUNTY	53	364	1.6%	1.6%	241	1.7%	1.7%
TX-CITY OF HOUSTON	54	348	1.5%	1.5%	204	1.5%	1.5%
TX-BEXAR COUNTY	55	394	1.7%	1.7%	228	1.6%	1.6%
IA	56	333	1.4%	1.4%	214	1.5%	1.5%
KS	57	312	1.3%	1.3%	205	1.5%	1.5%
MO	58	310	1.3%	1.3%	188	1.3%	1.3%
NE	59	356	1.5%	1.5%	241	1.7%	1.7%
CO	60	442	1.9%	1.9%	267	1.9%	1.9%
MT	61	325	1.4%	1.4%	220	1.6%	1.6%
ND	62	502	2.2%	2.2%	303	2.2%	2.2%
SD	63	290	1.2%	1.2%	189	1.3%	1.3%
UT	64	372	1.6%	1.6%	249	1.8%	1.8%
WY	65	317	1.4%	1.4%	196	1.4%	1.4%
AZ	66	441	1.9%	1.9%	254	1.8%	1.8%
CA	68	511	2.2%	2.2%	283	2.0%	2.0%
HI	72	402	1.7%	1.7%	243	1.7%	1.7%
NV	73	478	2.1%	2.1%	298	2.1%	2.1%
AK	74	460	2.0%	2.0%	299	2.1%	2.1%
ID	75	345	1.5%	1.5%	233	1.7%	1.7%
OR	76	393	1.7%	1.7%	275	2.0%	2.0%
WA	77	340	1.5%	1.5%	222	1.6%	1.6%
US VIRGIN ISLANDS	95	397	1.7%	1.7%	201	1.4%	1.4%
GUAM	105	389	1.7%	1.7%	248	1.8%	1.8%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST\_GRANT Type: Numeric

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For dual-frame variance estimation, use STRATUM.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
CT	1	355	1.5%	1.6%	213	1.5%	1.6%
MA	2	406	1.7%	1.8%	241	1.7%	1.8%
ME	4	334	1.4%	1.5%	209	1.5%	1.5%
NH	5	346	1.5%	1.5%	226	1.6%	1.7%
RI	6	360	1.5%	1.6%	207	1.5%	1.5%
VT	7	436	1.9%	1.9%	280	2.0%	2.1%
NJ	8	474	2.0%	2.1%	265	1.9%	1.9%
NY-REST OF STATE	10	404	1.7%	1.8%	226	1.6%	1.7%
NY-CITY OF NEW YORK	11	480	2.1%	2.1%	242	1.7%	1.8%
DC	12	390	1.7%	1.7%	223	1.6%	1.6%
DE	13	385	1.7%	1.7%	242	1.7%	1.8%
MD	14	472	2.0%	2.1%	287	2.0%	2.1%
PA-REST OF STATE	16	547	2.4%	2.4%	318	2.3%	2.3%
PA-PHILADELPHIA COUNTY	17	506	2.2%	2.3%	267	1.9%	2.0%
VA	18	495	2.1%	2.2%	274	1.9%	2.0%
WV	19	366	1.6%	1.6%	213	1.5%	1.6%
AL	20	312	1.3%	1.4%	166	1.2%	1.2%
FL	22	388	1.7%	1.7%	228	1.6%	1.7%
GA	25	288	1.2%	1.3%	178	1.3%	1.3%
KY	27	305	1.3%	1.4%	190	1.4%	1.4%
MS	28	322	1.4%	1.4%	180	1.3%	1.3%
NC	29	430	1.8%	1.9%	262	1.9%	1.9%
SC	30	350	1.5%	1.6%	207	1.5%	1.5%
TN	31	392	1.7%	1.7%	260	1.8%	1.9%
IL-REST OF STATE	34	544	2.3%	2.4%	327	2.3%	2.4%
IL-CITY OF CHICAGO	35	295	1.3%	1.3%	168	1.2%	1.2%
IN	36	418	1.8%	1.9%	243	1.7%	1.8%
MI	38	342	1.5%	1.5%	212	1.5%	1.6%
MN	40	315	1.4%	1.4%	195	1.4%	1.4%
OH	41	420	1.8%	1.9%	249	1.8%	1.8%
WI	44	341	1.5%	1.5%	221	1.6%	1.6%
AR	46	319	1.4%	1.4%	188	1.3%	1.4%
LA	47	414	1.8%	1.8%	224	1.6%	1.6%
NM	49	399	1.7%	1.8%	255	1.8%	1.9%

## SECTION 4: GEOGRAPHIC VARIABLES

Variable: EST\_GRANT Type: Numeric

Label: AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS

Notes: For dual-frame variance estimation, use STRATUM.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
OK	50	478	2.1%	2.1%	301	2.1%	2.2%
TX-REST OF STATE	51	963	4.1%	4.3%	613	4.4%	4.5%
TX-CITY OF HOUSTON	54	348	1.5%	1.5%	204	1.5%	1.5%
TX-BEXAR COUNTY	55	394	1.7%	1.8%	228	1.6%	1.7%
IA	56	333	1.4%	1.5%	214	1.5%	1.6%
KS	57	312	1.3%	1.4%	205	1.5%	1.5%
MO	58	310	1.3%	1.4%	188	1.3%	1.4%
NE	59	356	1.5%	1.6%	241	1.7%	1.8%
CO	60	442	1.9%	2.0%	267	1.9%	2.0%
MT	61	325	1.4%	1.4%	220	1.6%	1.6%
ND	62	502	2.2%	2.2%	303	2.2%	2.2%
SD	63	290	1.2%	1.3%	189	1.3%	1.4%
UT	64	372	1.6%	1.7%	249	1.8%	1.8%
WY	65	317	1.4%	1.4%	196	1.4%	1.4%
AZ	66	441	1.9%	2.0%	254	1.8%	1.9%
CA	68	511	2.2%	2.3%	283	2.0%	2.1%
HI	72	402	1.7%	1.8%	243	1.7%	1.8%
NV	73	478	2.1%	2.1%	298	2.1%	2.2%
AK	74	460	2.0%	2.0%	299	2.1%	2.2%
ID	75	345	1.5%	1.5%	233	1.7%	1.7%
OR	76	393	1.7%	1.7%	275	2.0%	2.0%
WA	77	340	1.5%	1.5%	222	1.6%	1.6%
<b>SUBTOTALS:</b>		22462	96.6%	100.0%	13611	96.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	786	3.4%	n/a	449	3.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 4: GEOGRAPHIC VARIABLES****Variable: STATE Type: Numeric****Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)****Notes:**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
ALABAMA	1	312	1.3%	1.3%	166	1.2%	1.2%
ALASKA	2	460	2.0%	2.0%	299	2.1%	2.1%
ARIZONA	4	441	1.9%	1.9%	254	1.8%	1.8%
ARKANSAS	5	319	1.4%	1.4%	188	1.3%	1.3%
CALIFORNIA	6	511	2.2%	2.2%	283	2.0%	2.0%
COLORADO	8	442	1.9%	1.9%	267	1.9%	1.9%
CONNECTICUT	9	355	1.5%	1.5%	213	1.5%	1.5%
DELAWARE	10	385	1.7%	1.7%	242	1.7%	1.7%
DISTRICT OF COLUMBIA	11	390	1.7%	1.7%	223	1.6%	1.6%
FLORIDA	12	388	1.7%	1.7%	228	1.6%	1.6%
GEORGIA	13	288	1.2%	1.2%	178	1.3%	1.3%
HAWAII	15	402	1.7%	1.7%	243	1.7%	1.7%
IDAHO	16	345	1.5%	1.5%	233	1.7%	1.7%
ILLINOIS	17	839	3.6%	3.6%	495	3.5%	3.5%
INDIANA	18	418	1.8%	1.8%	243	1.7%	1.7%
IOWA	19	333	1.4%	1.4%	214	1.5%	1.5%
KANSAS	20	312	1.3%	1.3%	205	1.5%	1.5%
KENTUCKY	21	305	1.3%	1.3%	190	1.4%	1.4%
LOUISIANA	22	414	1.8%	1.8%	224	1.6%	1.6%
MAINE	23	334	1.4%	1.4%	209	1.5%	1.5%
MARYLAND	24	472	2.0%	2.0%	287	2.0%	2.0%
MASSACHUSETTS	25	406	1.7%	1.7%	241	1.7%	1.7%
MICHIGAN	26	342	1.5%	1.5%	212	1.5%	1.5%
MINNESOTA	27	315	1.4%	1.4%	195	1.4%	1.4%
MISSISSIPPI	28	322	1.4%	1.4%	180	1.3%	1.3%
MISSOURI	29	310	1.3%	1.3%	188	1.3%	1.3%
MONTANA	30	325	1.4%	1.4%	220	1.6%	1.6%
NEBRASKA	31	356	1.5%	1.5%	241	1.7%	1.7%
NEVADA	32	478	2.1%	2.1%	298	2.1%	2.1%
NEW HAMPSHIRE	33	346	1.5%	1.5%	226	1.6%	1.6%
NEW JERSEY	34	474	2.0%	2.0%	265	1.9%	1.9%
NEW MEXICO	35	399	1.7%	1.7%	255	1.8%	1.8%
NEW YORK	36	884	3.8%	3.8%	468	3.3%	3.3%
NORTH CAROLINA	37	430	1.8%	1.8%	262	1.9%	1.9%

## SECTION 4: GEOGRAPHIC VARIABLES

<b>Variable: STATE Type: Numeric</b>							
<b>Label: TRUE STATE OF RESIDENCE (STATE FIPS CODE)</b>							
<b>Notes:</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NORTH DAKOTA	38	502	2.2%	2.2%	303	2.2%	2.2%
OHIO	39	420	1.8%	1.8%	249	1.8%	1.8%
OKLAHOMA	40	478	2.1%	2.1%	301	2.1%	2.1%
OREGON	41	393	1.7%	1.7%	275	2.0%	2.0%
PENNSYLVANIA	42	1053	4.5%	4.5%	585	4.2%	4.2%
RHODE ISLAND	44	360	1.5%	1.5%	207	1.5%	1.5%
SOUTH CAROLINA	45	350	1.5%	1.5%	207	1.5%	1.5%
SOUTH DAKOTA	46	290	1.2%	1.2%	189	1.3%	1.3%
TENNESSEE	47	392	1.7%	1.7%	260	1.8%	1.8%
TEXAS	48	1705	7.3%	7.3%	1045	7.4%	7.4%
UTAH	49	372	1.6%	1.6%	249	1.8%	1.8%
VERMONT	50	436	1.9%	1.9%	280	2.0%	2.0%
VIRGINIA	51	495	2.1%	2.1%	274	1.9%	1.9%
WASHINGTON	53	340	1.5%	1.5%	222	1.6%	1.6%
WEST VIRGINIA	54	366	1.6%	1.6%	213	1.5%	1.5%
WISCONSIN	55	341	1.5%	1.5%	221	1.6%	1.6%
WYOMING	56	317	1.4%	1.4%	196	1.4%	1.4%
GUAM	66	389	1.7%	1.7%	248	1.8%	1.8%
U.S. VIRGIN ISLANDS	78	397	1.7%	1.7%	201	1.4%	1.4%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 5: NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES****Variable: D6R Type: Numeric****Label: NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)****Notes:****Number of vaccination providers identified for the child in questions D6 and D6AA during the household interview.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	76	0.3%	0.4%	55	0.4%	0.4%
1	1	14374	61.8%	66.7%	9383	66.7%	66.7%
2	2	5553	23.9%	25.8%	3717	26.4%	26.4%
3+	3	1552	6.7%	7.2%	904	6.4%	6.4%
<b>SUBTOTALS:</b>		21555	92.7%	100.0%	14059	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	1693	7.3%	n/a	1	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: D7 Type: Numeric****Label:****CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS****Notes: A blank value means consent was not obtained because of an interview break-off.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
YES	1	15784	67.9%	99.2%	14016	99.7%	100.0%
NO	2	133	0.6%	0.8%	0	0.0%	0.0%
<b>SUBTOTALS:</b>		15917	68.5%	100.0%	14016	99.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	7331	31.5%	n/a	44	0.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 6: NUMBER OF RESPONDING PROVIDERS VARIABLES**

Variable: N\_PRVR Type: Numeric

**Label:****NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)****Notes:****Total number of vaccination providers responding with vaccination information for the child. Range: 0 to 5 providers.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	9344	40.2%	40.2%	156	1.1%	1.1%
1	1	11007	47.3%	47.3%	11007	78.3%	78.3%
2	2	2569	11.1%	11.1%	2569	18.3%	18.3%
3+	3	328	1.4%	1.4%	328	2.3%	2.3%
<b>SUBTOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES****Variable: PROV\_FAC** Type: Numeric**Label: PROVIDER FACILITY TYPES****Notes: Constructed from the responses of up to five providers.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
ALL PUBLIC FACILITIES	1	1629	7.0%	11.7%	1629	11.6%	11.7%
ALL HOSPITAL FACILITIES	2	2112	9.1%	15.2%	2112	15.0%	15.2%
ALL PRIVATE FACILITIES	3	7517	32.3%	54.1%	7517	53.5%	54.1%
ALL MILITARY/OTHER FACILITIES	4	397	1.7%	2.9%	397	2.8%	2.9%
MIXED	5	2247	9.7%	16.2%	2247	16.0%	16.2%
9	9	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		13904	59.8%	100.0%	13904	98.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9344	40.2%	n/a	156	1.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: REGISTRY** Type: Numeric**Label: CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY****Notes: Constructed from the responses of up to five providers.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
ALL PROVIDERS	1	8927	38.4%	64.2%	8927	63.5%	64.2%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1201	5.2%	8.6%	1201	8.5%	8.6%
NO PROVIDERS	3	2125	9.1%	15.3%	2125	15.1%	15.3%
UNKNOWN/DON'T KNOW	4	1651	7.1%	11.9%	1651	11.7%	11.9%
<b>SUBTOTALS:</b>		13904	59.8%	100.0%	13904	98.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9344	40.2%	n/a	156	1.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 7: CHARACTERISTICS OF PROVIDER VARIABLES****Variable: VFC\_ORDER** Type: Numeric**Label: DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?****Notes: Constructed from the responses of up to five providers.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
ALL PROVIDERS	1	10573	45.5%	76.0%	10573	75.2%	76.0%
SOME BUT POSSIBLY OR DEFINITELY NOT ALL PROVIDERS	2	1087	4.7%	7.8%	1087	7.7%	7.8%
NO PROVIDERS	3	1249	5.4%	9.0%	1249	8.9%	9.0%
UNKNOWN/DON'T KNOW	4	995	4.3%	7.2%	995	7.1%	7.2%
<b>SUBTOTALS:</b>		13904	59.8%	100.0%	13904	98.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9344	40.2%	n/a	156	1.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: HEP\_BRTH** Type: Numeric**Label: HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG****Notes: Constructed from the responses of up to five providers. See User's Guide for more information on this variable.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
AT LEAST ONE PROVIDER CHECKED GIVEN AT BIRTH	1	10636	45.8%	77.9%	10636	75.6%	77.9%
NO PROVIDERS CHECKED GIVEN AT BIRTH	2	3025	13.0%	22.1%	3025	21.5%	22.1%
<b>SUBTOTALS:</b>		13661	58.8%	100.0%	13661	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9587	41.2%	n/a	399	2.8%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: HEP\_FLAG** Type: Numeric**Label: HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG****Notes: Imputation flag for Hepatitis B birth dose date. See User's Guide for more information on this variable.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
HEPB BIRTH SHOT DATE IMPUTED FROM DISTRIBUTION OF BIRTH DOSE DATES	2	66	0.3%	100.0%	66	0.5%	100.0%
<b>SUBTOTALS:</b>		66	0.3%	100.0%	66	0.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23182	99.7%	n/a	13994	99.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUHEPX** Type: Numeric**Label:  
NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED  
FROM PROVIDER INFO,  
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 60**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	1396	6.0%	9.9%	1396	9.9%	9.9%
1	1	2935	12.6%	20.9%	2935	20.9%	20.9%
2	2	1404	6.0%	10.0%	1404	10.0%	10.0%
3	3	7886	33.9%	56.1%	7886	56.1%	56.1%
4	4	418	1.8%	3.0%	418	3.0%	3.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUHEPX Type: Numeric

**Label:****NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 60

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
5	5	19	0.1%	0.1%	19	0.1%	0.1%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUHIBX Type: Numeric

**Label:****NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 44, HM, HG or HS

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	3924	16.9%	27.9%	3924	27.9%	27.9%
1	1	4642	20.0%	33.0%	4642	33.0%	33.0%
2	2	1170	5.0%	8.3%	1170	8.3%	8.3%
3	3	2312	9.9%	16.4%	2312	16.4%	16.4%
4	4	1990	8.6%	14.2%	1990	14.2%	14.2%
5	5	21	0.1%	0.1%	21	0.1%	0.1%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUHPHB Type: Numeric

**Label:****NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 43

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13995	60.2%	99.5%	13995	99.5%	99.5%
1	1	45	0.2%	0.3%	45	0.3%	0.3%
2	2	10	0.0%	0.1%	10	0.1%	0.1%
3	3	10	0.0%	0.1%	10	0.1%	0.1%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUMDAH Type: Numeric

**Label:****NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 07

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13975	60.1%	99.4%	13975	99.4%	99.4%
1	1	76	0.3%	0.5%	76	0.5%	0.5%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
3	3	4	0.0%	0.0%	4	0.0%	0.0%
4	4	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

**Variable: P\_NUMDHI Type: Numeric**

**Label:**  
**NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

**Notes: Vaccine type 08**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	9509	40.9%	67.6%	9509	67.6%	67.6%
1	1	1011	4.3%	7.2%	1011	7.2%	7.2%
2	2	929	4.0%	6.6%	929	6.6%	6.6%
3	3	2538	10.9%	18.1%	2538	18.1%	18.1%
4	4	72	0.3%	0.5%	72	0.5%	0.5%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMDIH Type: Numeric**

**Label:**  
**NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: Vaccine type D3**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	4925	21.2%	35.0%	4925	35.0%	35.0%
1	1	1092	4.7%	7.8%	1092	7.8%	7.8%
2	2	1144	4.9%	8.1%	1144	8.1%	8.1%
3	3	4865	20.9%	34.6%	4865	34.6%	34.6%
4	4	2006	8.6%	14.3%	2006	14.3%	14.3%
5	5	27	0.1%	0.2%	27	0.2%	0.2%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

**Variable: P\_NUMDTA Type: Numeric**

**Label:**  
**NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

**Notes: Vaccine type 04**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	4242	18.2%	30.2%	4242	30.2%	30.2%
1	1	7476	32.2%	53.2%	7476	53.2%	53.2%
2	2	709	3.0%	5.0%	709	5.0%	5.0%
3	3	447	1.9%	3.2%	447	3.2%	3.2%
4	4	1171	5.0%	8.3%	1171	8.3%	8.3%
5	5	14	0.1%	0.1%	14	0.1%	0.1%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMDTP Type: Numeric**

**Label:**  
**NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

**Notes: Vaccine type 03, 04, 07, 08, or D3**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	397	1.7%	2.8%	397	2.8%	2.8%
1	1	161	0.7%	1.1%	161	1.1%	1.1%
2	2	225	1.0%	1.6%	225	1.6%	1.6%
3	3	1431	6.2%	10.2%	1431	10.2%	10.2%
4	4	11617	50.0%	82.6%	11617	82.6%	82.6%
5	5	213	0.9%	1.5%	213	1.5%	1.5%
6	6	13	0.1%	0.1%	13	0.1%	0.1%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: P\_NUMDTP Type: Numeric****Label:****NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 03, 04, 07, 08, or D3**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMFLU Type: Numeric****Label:****NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type FM, FN, or FL**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	3840	16.5%	27.3%	3840	27.3%	27.3%
1	1	1962	8.4%	14.0%	1962	14.0%	14.0%
2	2	3234	13.9%	23.0%	3234	23.0%	23.0%
3	3	3958	17.0%	28.2%	3958	28.2%	28.2%
4	4	1025	4.4%	7.3%	1025	7.3%	7.3%
5	5	41	0.2%	0.3%	41	0.3%	0.3%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUMFLUL Type: Numeric

**Label:****NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type FL**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13699	58.9%	97.4%	13699	97.4%	97.4%
1	1	214	0.9%	1.5%	214	1.5%	1.5%
2	2	93	0.4%	0.7%	93	0.7%	0.7%
3	3	46	0.2%	0.3%	46	0.3%	0.3%
4	4	8	0.0%	0.1%	8	0.1%	0.1%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUMFLUM Type: Numeric

**Label:****NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type FM**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13185	56.7%	93.8%	13185	93.8%	93.8%
1	1	768	3.3%	5.5%	768	5.5%	5.5%
2	2	69	0.3%	0.5%	69	0.5%	0.5%
3	3	37	0.2%	0.3%	37	0.3%	0.3%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUMFLUN Type: Numeric

**Label:****NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type FN

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	4237	18.2%	30.1%	4237	30.1%	30.1%
1	1	1947	8.4%	13.8%	1947	13.8%	13.8%
2	2	3340	14.4%	23.8%	3340	23.8%	23.8%
3	3	3769	16.2%	26.8%	3769	26.8%	26.8%
4	4	751	3.2%	5.3%	751	5.3%	5.3%
5	5	16	0.1%	0.1%	16	0.1%	0.1%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUMHEA Type: Numeric

**Label:****NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type HA

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	2379	10.2%	16.9%	2379	16.9%	16.9%
1	1	3747	16.1%	26.7%	3747	26.7%	26.7%
2	2	7882	33.9%	56.1%	7882	56.1%	56.1%
3	3	51	0.2%	0.4%	51	0.4%	0.4%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

**Variable: P\_NUMHEN Type: Numeric**

**Label:**  
**NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

**Notes: Vaccine type HB**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13863	59.6%	98.6%	13863	98.6%	98.6%
1	1	92	0.4%	0.7%	92	0.7%	0.7%
2	2	83	0.4%	0.6%	83	0.6%	0.6%
3	3	20	0.1%	0.1%	20	0.1%	0.1%
4	4	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMHEP Type: Numeric**

**Label:**  
**NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

**Notes: Vaccine type 08, 43, 60, or HB**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	409	1.8%	2.9%	409	2.9%	2.9%
1	1	375	1.6%	2.7%	375	2.7%	2.7%
2	2	570	2.5%	4.1%	570	4.1%	4.1%
3	3	10082	43.4%	71.7%	10082	71.7%	71.7%
4	4	2507	10.8%	17.8%	2507	17.8%	17.8%
5	5	115	0.5%	0.8%	115	0.8%	0.8%
6	6	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

**Variable: P\_NUMHIB Type: Numeric**

**Label:**  
**NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

**Notes: Vaccine type 07, 43, 44, D3, HI, HM, HG or HS**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	445	1.9%	3.2%	445	3.2%	3.2%
1	1	201	0.9%	1.4%	201	1.4%	1.4%
2	2	346	1.5%	2.5%	346	2.5%	2.5%
3	3	2764	11.9%	19.7%	2764	19.7%	19.7%
4	4	10110	43.5%	71.9%	10110	71.9%	71.9%
5	5	179	0.8%	1.3%	179	1.3%	1.3%
6	6	12	0.1%	0.1%	12	0.1%	0.1%
7	7	2	0.0%	0.0%	2	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMHIN Type: Numeric**

**Label:**  
**NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

**Notes: Vaccine type HI**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13003	55.9%	92.5%	13003	92.5%	92.5%
1	1	471	2.0%	3.3%	471	3.3%	3.3%
2	2	180	0.8%	1.3%	180	1.3%	1.3%
3	3	241	1.0%	1.7%	241	1.7%	1.7%
4	4	164	0.7%	1.2%	164	1.2%	1.2%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

**Variable: P\_NUMHION Type: Numeric**

**Label:**  
**NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: Vaccine type 44**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	14002	60.2%	99.6%	14002	99.6%	99.6%
1	1	38	0.2%	0.3%	38	0.3%	0.3%
2	2	8	0.0%	0.1%	8	0.1%	0.1%
3	3	11	0.0%	0.1%	11	0.1%	0.1%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMHM Type: Numeric**

**Label:**  
**NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: Vaccine type HM**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	10673	45.9%	75.9%	10673	75.9%	75.9%
1	1	1118	4.8%	8.0%	1118	8.0%	8.0%
2	2	483	2.1%	3.4%	483	3.4%	3.4%
3	3	1538	6.6%	10.9%	1538	10.9%	10.9%
4	4	243	1.0%	1.7%	243	1.7%	1.7%
5	5	5	0.0%	0.0%	5	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUMHG Type: Numeric

**Label:****NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Vaccine type HG**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13742	59.1%	97.7%	13742	97.7%	97.7%
1	1	239	1.0%	1.7%	239	1.7%	1.7%
2	2	25	0.1%	0.2%	25	0.2%	0.2%
3	3	20	0.1%	0.1%	20	0.1%	0.1%
4	4	34	0.1%	0.2%	34	0.2%	0.2%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUMHS Type: Numeric

**Label:****NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Vaccine type HS**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	7051	30.3%	50.1%	7051	50.1%	50.1%
1	1	3968	17.1%	28.2%	3968	28.2%	28.2%
2	2	823	3.5%	5.9%	823	5.9%	5.9%
3	3	779	3.4%	5.5%	779	5.5%	5.5%
4	4	1429	6.1%	10.2%	1429	10.2%	10.2%
5	5	9	0.0%	0.1%	9	0.1%	0.1%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUMIPV Type: Numeric

**Label:****NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 21

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	11593	49.9%	82.5%	11593	82.5%	82.5%
1	1	913	3.9%	6.5%	913	6.5%	6.5%
2	2	371	1.6%	2.6%	371	2.6%	2.6%
3	3	1085	4.7%	7.7%	1085	7.7%	7.7%
4	4	97	0.4%	0.7%	97	0.7%	0.7%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUMMCN Type: Numeric

**Label:****NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type MM

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13993	60.2%	99.5%	13993	99.5%	99.5%
1	1	65	0.3%	0.5%	65	0.5%	0.5%
2	2	2	0.0%	0.0%	2	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUMMMR Type: Numeric

**Label:****NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 30, 31, 32, 33, MM or VM**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	1142	4.9%	8.1%	1142	8.1%	8.1%
1	1	12694	54.6%	90.3%	12694	90.3%	90.3%
2	2	223	1.0%	1.6%	223	1.6%	1.6%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUMMMRX Type: Numeric

**Label:****NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 30**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	1531	6.6%	10.9%	1531	10.9%	10.9%
1	1	12338	53.1%	87.8%	12338	87.8%	87.8%
2	2	191	0.8%	1.4%	191	1.4%	1.4%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUMMMX Type: Numeric

**Label:****NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 30 or VM**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	1226	5.3%	8.7%	1226	8.7%	8.7%
1	1	12628	54.3%	89.8%	12628	89.8%	89.8%
2	2	206	0.9%	1.5%	206	1.5%	1.5%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUMMP Type: Numeric

**Label:****NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type MP**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	14060	60.5%	100.0%	14060	100.0%	100.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUMMPR Type: Numeric

**Label: NUMBER OF  
(MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM  
PROVIDER INFO,  
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type MB

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	14060	60.5%	100.0%	14060	100.0%	100.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUMMRV Type: Numeric

**Label:  
NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE  
DETERMINED FROM PROVIDER INFO,  
EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type VM

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13743	59.1%	97.7%	13743	97.7%	97.7%
1	1	314	1.4%	2.2%	314	2.2%	2.2%
2	2	3	0.0%	0.0%	3	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

**Variable: P\_NUMMS** Type: Numeric

**Label:**  
NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

**Notes: Vaccine type 31**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	14026	60.3%	99.8%	14026	99.8%	99.8%
1	1	34	0.1%	0.2%	34	0.2%	0.2%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMMSM** Type: Numeric

**Label:**  
NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

**Notes: Vaccine type 32**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	14060	60.5%	100.0%	14060	100.0%	100.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMMSR** Type: Numeric

**Label:**  
NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

**Notes: Vaccine type 33**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	14060	60.5%	100.0%	14060	100.0%	100.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUMMSR Type: Numeric

**Label:****NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 33

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUMOLN Type: Numeric

**Label:****NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 22

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13686	58.9%	97.3%	13686	97.3%	97.3%
1	1	133	0.6%	0.9%	133	0.9%	0.9%
2	2	79	0.3%	0.6%	79	0.6%	0.6%
3	3	140	0.6%	1.0%	140	1.0%	1.0%
4	4	21	0.1%	0.1%	21	0.1%	0.1%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

**Variable: P\_NUMOPV Type: Numeric**

**Label:**  
**NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

**Notes: Vaccine type 20**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	14010	60.3%	99.6%	14010	99.6%	99.6%
1	1	14	0.1%	0.1%	14	0.1%	0.1%
2	2	12	0.1%	0.1%	12	0.1%	0.1%
3	3	13	0.1%	0.1%	13	0.1%	0.1%
4	4	10	0.0%	0.1%	10	0.1%	0.1%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMPCV Type: Numeric**

**Label:**  
**NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: Vaccine type 70, 71, 72, 73, or 74**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	490	2.1%	3.5%	490	3.5%	3.5%
1	1	222	1.0%	1.6%	222	1.6%	1.6%
2	2	317	1.4%	2.3%	317	2.3%	2.3%
3	3	1282	5.5%	9.1%	1282	9.1%	9.1%
4	4	11560	49.7%	82.2%	11560	82.2%	82.2%
5	5	179	0.8%	1.3%	179	1.3%	1.3%
6	6	9	0.0%	0.1%	9	0.1%	0.1%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

**Variable: P\_NUMPCP Type: Numeric**

**Label:**  
**NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: Vaccine type 71**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	14025	60.3%	99.8%	14025	99.8%	99.8%
1	1	19	0.1%	0.1%	19	0.1%	0.1%
2	2	5	0.0%	0.0%	5	0.0%	0.0%
3	3	2	0.0%	0.0%	2	0.0%	0.0%
4	4	9	0.0%	0.1%	9	0.1%	0.1%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMPCC Type: Numeric**

**Label:**  
**NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: Vaccine type 70, 73, or 74**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	705	3.0%	5.0%	705	5.0%	5.0%
1	1	331	1.4%	2.4%	331	2.4%	2.4%
2	2	375	1.6%	2.7%	375	2.7%	2.7%
3	3	1334	5.7%	9.5%	1334	9.5%	9.5%
4	4	11158	48.0%	79.4%	11158	79.4%	79.4%
5	5	151	0.6%	1.1%	151	1.1%	1.1%
6	6	5	0.0%	0.0%	5	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: P\_NUMPCC7 Type: Numeric****Label:****NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Vaccine type 73**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	12940	55.7%	92.0%	12940	92.0%	92.0%
1	1	413	1.8%	2.9%	413	2.9%	2.9%
2	2	199	0.9%	1.4%	199	1.4%	1.4%
3	3	247	1.1%	1.8%	247	1.8%	1.8%
4	4	260	1.1%	1.8%	260	1.8%	1.8%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMPCC13 Type: Numeric****Label:****NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Vaccine type 74**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	1050	4.5%	7.5%	1050	7.5%	7.5%
1	1	532	2.3%	3.8%	532	3.8%	3.8%
2	2	565	2.4%	4.0%	565	4.0%	4.0%
3	3	1540	6.6%	11.0%	1540	11.0%	11.0%
4	4	10247	44.1%	72.9%	10247	72.9%	72.9%
5	5	120	0.5%	0.9%	120	0.9%	0.9%
6	6	5	0.0%	0.0%	5	0.0%	0.0%
8	8	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUMPCCN Type: Numeric

**Label:****NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 70

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	14059	60.5%	100.0%	14059	100.0%	100.0%
3	3	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUMPCN Type: Numeric

**Label:****NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: Vaccine type 72

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13526	58.2%	96.2%	13526	96.2%	96.2%
1	1	169	0.7%	1.2%	169	1.2%	1.2%
2	2	91	0.4%	0.6%	91	0.6%	0.6%
3	3	128	0.6%	0.9%	128	0.9%	0.9%
4	4	145	0.6%	1.0%	145	1.0%	1.0%
5	5	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: P\_NUMPOL Type: Numeric****Label:****NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type 08, 20, 21, 22, or D3**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	471	2.0%	3.3%	471	3.3%	3.3%
1	1	174	0.7%	1.2%	174	1.2%	1.2%
2	2	343	1.5%	2.4%	343	2.4%	2.4%
3	3	10076	43.3%	71.7%	10076	71.7%	71.7%
4	4	2934	12.6%	20.9%	2934	20.9%	20.9%
5	5	54	0.2%	0.4%	54	0.4%	0.4%
6	6	7	0.0%	0.0%	7	0.0%	0.0%
7	7	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMRB Type: Numeric****Label:****NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.****Notes: Vaccine type RB**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	14060	60.5%	100.0%	14060	100.0%	100.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: P\_NUMRG Type: Numeric****Label:****NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Vaccine type RG**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	11266	48.5%	80.1%	11266	80.1%	80.1%
1	1	407	1.8%	2.9%	407	2.9%	2.9%
2	2	2283	9.8%	16.2%	2283	16.2%	16.2%
3	3	103	0.4%	0.7%	103	0.7%	0.7%
4	4	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMRM Type: Numeric****Label:****NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Vaccine type RM**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	5068	21.8%	36.0%	5068	36.0%	36.0%
1	1	566	2.4%	4.0%	566	4.0%	4.0%
2	2	1145	4.9%	8.1%	1145	8.1%	8.1%
3	3	7270	31.3%	51.7%	7270	51.7%	51.7%
4	4	11	0.0%	0.1%	11	0.1%	0.1%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

**Variable: P\_NUMRO Type: Numeric**

**Label:**  
**NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: Vaccine type RO**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13557	58.3%	96.4%	13557	96.4%	96.4%
1	1	181	0.8%	1.3%	181	1.3%	1.3%
2	2	161	0.7%	1.1%	161	1.1%	1.1%
3	3	161	0.7%	1.1%	161	1.1%	1.1%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_NUMROT Type: Numeric**

**Label:**  
**NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

**Notes: Vaccine type RG, RM, or RO**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	2291	9.9%	16.3%	2291	16.3%	16.3%
1	1	519	2.2%	3.7%	519	3.7%	3.7%
2	2	3312	14.2%	23.6%	3312	23.6%	23.6%
3	3	7917	34.1%	56.3%	7917	56.3%	56.3%
4	4	18	0.1%	0.1%	18	0.1%	0.1%
5	5	2	0.0%	0.0%	2	0.0%	0.0%
6	6	1	0.0%	0.0%	1	0.0%	0.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUMTPN Type: Numeric

**Label:****NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type 03

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13801	59.4%	98.2%	13801	98.2%	98.2%
1	1	129	0.6%	0.9%	129	0.9%	0.9%
2	2	38	0.2%	0.3%	38	0.3%	0.3%
3	3	52	0.2%	0.4%	52	0.4%	0.4%
4	4	40	0.2%	0.3%	40	0.3%	0.3%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUMVRC Type: Numeric

**Label:****NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type VA, VO, or VM

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	1313	5.6%	9.3%	1313	9.3%	9.3%
1	1	12541	53.9%	89.2%	12541	89.2%	89.2%
2	2	206	0.9%	1.5%	206	1.5%	1.5%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_NUMVRN Type: Numeric

**Label:****NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type VA

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	13979	60.1%	99.4%	13979	99.4%	99.4%
1	1	81	0.3%	0.6%	81	0.6%	0.6%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_NUMVRX Type: Numeric

**Label:****NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.**

Notes: Vaccine type VO

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	1694	7.3%	12.0%	1694	12.0%	12.0%
1	1	12180	52.4%	86.6%	12180	86.6%	86.6%
2	2	186	0.8%	1.3%	186	1.3%	1.3%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: P\_U12VRC Type: Numeric****Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Vaccine type VO, VM, or VA, excluding shots before 12 months of age**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	1377	5.9%	9.8%	1377	9.8%	9.8%
UTD	1	12683	54.6%	90.2%	12683	90.2%	90.2%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_UTD331 Type: Numeric****Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 3+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3) and 1+ Measles-containing (30,31,32,33,MM,VM)**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	1474	6.3%	10.5%	1474	10.5%	10.5%
UTD	1	12586	54.1%	89.5%	12586	89.5%	89.5%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: P\_UTD431 Type: Numeric****Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3) and 1+ Measles-containing (30,31,32,33,MM,VM)**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	2483	10.7%	17.7%	2483	17.7%	17.7%
UTD	1	11577	49.8%	82.3%	11577	82.3%	82.3%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_UTDFL1 Type: Numeric****Label:****UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received at least one influenza vaccine during this period. (VACCINATED) For interviews conducted during year X (defined using the year variable associated with the quarter), child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and received no influenza vaccine during this period. (NOT VACCINATED) Child falls into neither of the preceding categories. (NOT ELIGIBLE).**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
VACCINATED	1	4445	19.1%	31.6%	4445	31.6%	31.6%
NOT VACCINATED	2	3986	17.1%	28.3%	3986	28.3%	28.3%
NOT ELIGIBLE	3	5629	24.2%	40.0%	5629	40.0%	40.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_UTDFL2 Type: Numeric

**Label:**

**UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 2 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: For interviews conducted during year X**

**(defined using the year variable associated with the quarter),**

**child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), and either**

**(received no doses of influenza prior to 9/1/X-1, but then received two between 9/1/(X-1) and whichever is earlier, date of interview or 1/31/X ) OR**

**(received at least one dose of influenza vaccine prior to 9/1/X-1 and then received one during the period 9/1/X-1 and 12/31/X-1)**

**(VACCINATED). For interviews conducted during year X**

**(defined using the year variable associated with the quarter),**

**child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year (X-1), but does not qualify for the above definition.**

**(NOT VACCINATED). For interviews conducted during year X**

**(defined using the year variable associated with the quarter),**

**child's age fell outside the span of 6 and 23 months at any point between 9/1/X-1 and 12/31/X-1. (NOT ELIGIBLE).**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
VACCINATED	1	3639	15.7%	25.9%	3639	25.9%	25.9%
NOT VACCINATED	2	4792	20.6%	34.1%	4792	34.1%	34.1%
NOT ELIGIBLE	3	5629	24.2%	40.0%	5629	40.0%	40.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: P\_UTDFL3 Type: Numeric****Label:****UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: Definition same as P\_UTDFL2 with one exception:****For interviews conducted during year X****(defined using the year variable associated with the quarter),****if child was of age between 6 and 23 months during the entire span of 9/1 through 12/31, year****(X-1) and child received no doses of influenza prior to 9/1/X-2,****received 1 dose of varicella between 9/1/X-2 and 9/1/X-1,****and received 1 dose of varicella between 9/1/X-1 and whichever is earlier,****date of interview or 1/31/X, then NOT VACCINATED.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
VACCINATED	1	3137	13.5%	22.3%	3137	22.3%	22.3%
NOT VACCINATED	2	5294	22.8%	37.7%	5294	37.7%	37.7%
NOT ELIGIBLE	3	5629	24.2%	40.0%	5629	40.0%	40.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_UTDHEP Type: Numeric****Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 3+****HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE,****EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 3+ Hepatitis B-containing (08,43,60,HB)**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	1354	5.8%	9.6%	1354	9.6%	9.6%
UTD	1	12706	54.7%	90.4%	12706	90.4%	90.4%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_UTDHEPA1 Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 1+

HEPATITIS A-CONTAINING SHOTS BY 19-35 MONTHS OF AGE,  
EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD  
INTERVIEW DATE AND ELIGIBILITY DATE.

Notes: 1+ Hepatitis A-containing (HA)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	2379	10.2%	16.9%	2379	16.9%	16.9%
1	1	11681	50.2%	83.1%	11681	83.1%	83.1%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_UTDHEPA2 Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 2+

HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE,  
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 2+ Hepatitis A-containing (HA)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	6126	26.4%	43.6%	6126	43.6%	43.6%
UTD	1	7934	34.1%	56.4%	7934	56.4%	56.4%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_UTDHIB Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	992	4.3%	7.1%	992	7.1%	7.1%
UTD	1	13068	56.2%	92.9%	13068	92.9%	92.9%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_UTDHIB\_ROUT\_S Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ HIB-containing (07,43,44,D3,HI,HM,HG,HS), or 2 Hib-Merck (HM,43) followed by 1 Hib of any type (07,43,44,D3,HI,HM,HG,HS)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2368	10.2%	16.8%	2368	16.8%	16.8%
UTD	1	11692	50.3%	83.2%	11692	83.2%	83.2%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_UTDHIB\_SHORT\_S Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS) or 2+ Hib-Merck (HM,43)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	871	3.7%	6.2%	871	6.2%	6.2%
UTD	1	13189	56.7%	93.8%	13189	93.8%	93.8%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_UTDMCV Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ Measles-containing (30,31,32,33,MM,VM)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1142	4.9%	8.1%	1142	8.1%	8.1%
UTD	1	12918	55.6%	91.9%	12918	91.9%	91.9%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_UTDMMX Type: Numeric

Label: UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ MMR combo shot (30)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	1226	5.3%	8.7%	1226	8.7%	8.7%
UTD	1	12834	55.2%	91.3%	12834	91.3%	91.3%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: P\_UTDMMX Type: Numeric****Label: UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 1+ MMR combo shot (30)**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_UTDPC3 Type: Numeric****Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 3+ Pneumococcal-containing (70,71,72,73,74)**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	1029	4.4%	7.3%	1029	7.3%	7.3%
UTD	1	13031	56.1%	92.7%	13031	92.7%	92.7%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_UTDPCV Type: Numeric****Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 4+ Pneumococcal-containing (70,71,72,73,74)**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	2311	9.9%	16.4%	2311	16.4%	16.4%
UTD	1	11749	50.5%	83.6%	11749	83.6%	83.6%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_UTDPCVB13 Type: Numeric

Label: UTD

(UP-TO-DATE) INDICATOR FOR PROVIDER 1+

PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 1+ dose of PCV Conjugate 13 (vaccine type code 74), given 4+ doses of PCV Conjugate 7 (vaccine type code 73)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
4+ PCV7 PLUS 1+ PCV13	1	11	0.0%	0.1%	11	0.1%	0.1%
4+ PCV7, NO FOLLOWING PCV13, WITH TYPE OF ALL VACCINES (IF ANY) FOLLOWING THE 4 PCV7 KNOWN	2	250	1.1%	1.8%	250	1.8%	1.8%
ALL OTHERS WITH ADEQUATE PROVIDER DATA	3	13799	59.4%	98.1%	13799	98.1%	98.1%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_UTDPOL Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+

POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Polio-containing (08,20,21,22,D3)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	988	4.2%	7.0%	988	7.0%	7.0%
UTD	1	13072	56.2%	93.0%	13072	93.0%	93.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_UTDROT\_S Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+  
 ROTAVIRUS DOSES BY 36 MONTHS OF AGE,  
 BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF  
 UNKNOWN TYPE,  
 EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ Rotavirus-containing (RG,RM,RO) or 2+ Rotarix (RG)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3950	17.0%	28.1%	3950	28.1%	28.1%
UTD	1	10110	43.5%	71.9%	10110	71.9%	71.9%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: P\_UTDTP3 Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 3+  
 DT-CONTAINING SHOTS BY 36 MONTHS OF AGE,  
 EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 3+ DT-containing (03,04,07,08,D3)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	783	3.4%	5.6%	783	5.6%	5.6%
UTD	1	13277	57.1%	94.4%	13277	94.4%	94.4%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: P\_UTDTP4 Type: Numeric****Label: UTD****(UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 4+ DT-containing (03,04,07,08,D3)**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	2214	9.5%	15.7%	2214	15.7%	15.7%
UTD	1	11846	51.0%	84.3%	11846	84.3%	84.3%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: PU431331 Type: Numeric****Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1****(INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS), 3+ Hepatitis B-containing (08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	3151	13.6%	22.4%	3151	22.4%	22.4%
UTD	1	10909	46.9%	77.6%	10909	77.6%	77.6%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_UTD431H31\_ROUT\_S Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE  
(INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS)  
USING THE ROUTINE, STRICT DEFINITION OF HIB UTD,  
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing  
(08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB  
(routine, strict definition), 3+ Hepatitis B-containing  
(08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3622	15.6%	25.8%	3622	25.8%	25.8%
UTD	1	10438	44.9%	74.2%	10438	74.2%	74.2%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: PU431\_31 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1::3:1

(4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS)  
BY 36 MONTHS OF AGE,  
EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing  
(08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ Hepatitis B-containing  
(08,43,60,HB), and 1+ Varicella-containing (VO,VM,VA) at age 12+ months

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3107	13.4%	22.1%	3107	22.1%	22.1%
UTD	1	10953	47.1%	77.9%	10953	77.9%	77.9%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: PU4313313 Type: Numeric****Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3****(INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74).**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	3237	13.9%	23.0%	3237	23.0%	23.0%
UTD	1	10823	46.6%	77.0%	10823	77.0%	77.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_UTD431H313\_ROUT\_S Type: Numeric****Label: UTD**

**(UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 3+ Pneumococcal-containing (70,71,72,73,74).**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	3692	15.9%	26.3%	3692	26.3%	26.3%
UTD	1	10368	44.6%	73.7%	10368	73.7%	73.7%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: PU4313314 Type: Numeric****Label: UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4****(INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	3717	16.0%	26.4%	3717	26.4%	26.4%
UTD	1	10343	44.5%	73.6%	10343	73.6%	73.6%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: P\_UTD431H314\_ROUT\_S Type: Numeric****Label: UTD**

**(UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

**Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	4044	17.4%	28.8%	4044	28.8%	28.8%
UTD	1	10016	43.1%	71.2%	10016	71.2%	71.2%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES****Variable: PU431\_314 Type: Numeric****Label: UTD FLAG FOR PROVIDER 4:3:1::3:1:4****(4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ Hepatitis B-containing (08,43,60,HB), 1+ Varicella-containing (VO,VM,VA) at age 12+ months, and 4+ Pneumococcal-containing (70,71,72,73,74).**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	3700	15.9%	26.3%	3700	26.3%	26.3%
UTD	1	10360	44.6%	73.7%	10360	73.7%	73.7%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: PUT43133 Type: Numeric****Label: UTD FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE,****EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.****Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS), and 3+ Hepatitis B-containing (08,43,60,HB)**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
NOT UTD	0	2939	12.6%	20.9%	2939	20.9%	20.9%
UTD	1	11121	47.8%	79.1%	11121	79.1%	79.1%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_UTD431H3\_ROUT\_S Type: Numeric

Label: UTD

(UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), HIB (routine, strict definition), and 3+ Hepatitis B-containing (08,43,60,HB).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3432	14.8%	24.4%	3432	24.4%	24.4%
UTD	1	10628	45.7%	75.6%	10628	75.6%	75.6%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: PUTD4313 Type: Numeric

Label: UTD FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and 3+ HIB-containing (07,43,44,D3,HI,HM,HG,HS)

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	2537	10.9%	18.0%	2537	18.0%	18.0%
UTD	1	11523	49.6%	82.0%	11523	82.0%	82.0%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: P\_UTD431H\_ROUT\_S Type: Numeric

Label: UTD

**(UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.**

Notes: 4+ DT-containing (03,04,07,08,D3), 3+ Polio-containing (08,20,21,22,D3), 1+ Measles-containing (30,31,32,33,MM,VM), and HIB (routine, strict definition).

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
NOT UTD	0	3059	13.2%	21.8%	3059	21.8%	21.8%
UTD	1	11001	47.3%	78.2%	11001	78.2%	78.2%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: UID\_HEP Type: Numeric

Label:

**BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG**

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or 1st day following birth.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	5180	22.3%	36.8%	5180	36.8%	36.8%
1	1	8880	38.2%	63.2%	8880	63.2%	63.2%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: U2D\_HEP Type: Numeric

Label:

**BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG**

Notes: 1+ Hepatitis B-containing (08,43,60,HB) on date of birth or the 1st or 2nd day following birth.

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
0	0	4045	17.4%	28.8%	4045	28.8%	28.8%
1	1	10015	43.1%	71.2%	10015	71.2%	71.2%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							

**SECTION 8: PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES**

Variable: U2D\_HEP Type: Numeric

**Label:****BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG****Notes: 1+ Hepatitis B-containing****(08,43,60,HB) on date of birth or the 1st or 2nd day following birth.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

Variable: U3D\_HEP Type: Numeric

**Label:****BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG****Notes: 1+ Hepatitis B-containing****(08,43,60,HB) on date of birth or the 1st, 2nd or 3rd day following birth.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
0	0	3758	16.2%	26.7%	3758	26.7%	26.7%
1	1	10302	44.3%	73.3%	10302	73.3%	73.3%
<b>SUBTOTALS:</b>		14060	60.5%	100.0%	14060	100.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9188	39.5%	n/a	0	0.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DDTP1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13666	58.8%	100.0%	13666	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9582	41.2%	n/a	394	2.8%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DDTP1 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	75.9	64.0	0.0	1133.0	60.4
Adequate Provider Data	75.9	64.0	0.0	1133.0	60.4

**Variable: DDTP2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13514	58.1%	100.0%	13514	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9734	41.9%	n/a	546	3.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DDTP2 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	146.7	128.0	43.0	1144.0	72.3
Adequate Provider Data	146.7	128.0	43.0	1144.0	72.3

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DDTP3 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3</b>							
<b>Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13303	57.2%	100.0%	13303	94.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9945	42.8%	n/a	757	5.4%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DDTP3 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	221.3	192.0	71.0	1135.0	90.8
Adequate Provider Data	221.3	192.0	71.0	1135.0	90.8

<b>Variable: DDTP4 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4</b>							
<b>Notes: See section 8 notes for P_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		11991	51.6%	100.0%	11991	85.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	11257	48.4%	n/a	2069	14.7%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DDTP4 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	519.3	488.0	102.0	1226.0	100.4
Adequate Provider Data	519.3	488.0	102.0	1226.0	100.4

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DDTP5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		239	1.0%	100.0%	239	1.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23009	99.0%	n/a	13821	98.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DDTP5 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	611.4	568.0	203.0	1324.0	166.4
Adequate Provider Data	611.4	568.0	203.0	1324.0	166.4

**Variable: DDTP6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		18	0.1%	100.0%	18	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23230	99.9%	n/a	14042	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DDTP6 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	648.4	643.0	280.0	933.0	152.8
Adequate Provider Data	648.4	643.0	280.0	933.0	152.8

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DDTP7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23245	100.0%	n/a	14057	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DDTP7 Type: Numeric**

<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	675.7	726.0	560.0	741.0	100.5
Adequate Provider Data	675.7	726.0	560.0	741.0	100.5

**Variable: DDTP8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DDTP8 Type: Numeric**

<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	1000.0	1000.0	1000.0	1000.0	.
Adequate Provider Data	1000.0	1000.0	1000.0	1000.0	.

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DDTP9** Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMDTP. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DFLU1** Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1****Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		10320	44.4%	100.0%	10320	73.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12928	55.6%	n/a	3740	26.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DFLU1** Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	335.0	282.0	1.0	1270.0	172.3
Adequate Provider Data	335.0	282.0	1.0	1270.0	172.3

**Variable: DFLU2** Type: Numeric**Label: AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2****Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		8414	36.2%	100.0%	8414	59.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14834	63.8%	n/a	5646	40.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DFLU2 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	405.7	368.0	122.0	1228.0	180.8
Adequate Provider Data	405.7	368.0	122.0	1228.0	180.8

<b>Variable: DFLU3 Type: Numeric</b>							
<b>Label:</b>							
<b>AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3</b>							
<b>Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		5362	23.1%	100.0%	5362	38.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17886	76.9%	n/a	8698	61.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DFLU3 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	634.2	602.0	194.0	1348.0	154.7
Adequate Provider Data	634.2	602.0	194.0	1348.0	154.7

<b>Variable: DFLU4 Type: Numeric</b>							
<b>Label:</b>							
<b>AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4</b>							
<b>Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1422	6.1%	100.0%	1422	10.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	21826	93.9%	n/a	12638	89.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DFLU4 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	895.7	911.0	364.0	1240.0	149.5
Adequate Provider Data	895.7	911.0	364.0	1240.0	149.5

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DFLU5    Type: Numeric</b>							
<b>Label:</b>							
<b>AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5</b>							
<b>Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		78	0.3%	100.0%	78	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23170	99.7%	n/a	13982	99.4%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DFLU5    Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	986.7	978.5	572.0	1292.0	166.1
Adequate Provider Data	986.7	978.5	572.0	1292.0	166.1

<b>Variable: DFLU6    Type: Numeric</b>							
<b>Label:</b>							
<b>AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6</b>							
<b>Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

<b>Variable: DFLU7    Type: Numeric</b>							
<b>Label:</b>							
<b>AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7</b>							
<b>Notes: See section 8 notes for P_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DFLU8 Type: Numeric****Label:****AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8****Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DFLU9 Type: Numeric****Label:****AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9****Notes: See section 8 notes for P\_NUMFLU. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DHEPA1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		11782	50.7%	100.0%	11782	83.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	11466	49.3%	n/a	2278	16.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DHEPA1 Type: Numeric**

<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	444.4	386.0	0.0	1325.0	118.4
Adequate Provider Data	444.4	386.0	0.0	1325.0	118.4

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DHEPA2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		8440	36.3%	100.0%	8440	60.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14808	63.7%	n/a	5620	40.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DHEPA2 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	662.1	617.0	62.0	1270.0	117.8
Adequate Provider Data	662.1	617.0	62.0	1270.0	117.8

**Variable: DHEPA3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		62	0.3%	100.0%	62	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23186	99.7%	n/a	13998	99.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DHEPA3 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	775.6	754.5	366.0	1123.0	164.5
Adequate Provider Data	775.6	754.5	366.0	1123.0	164.5

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DHEPA4 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4</b>							
<b>Notes: The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DHEPA4 Type: Numeric</b>						
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	598.0	598.0	598.0	598.0	.	
Adequate Provider Data	598.0	598.0	598.0	598.0	.	

<b>Variable: DHEPA5 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5</b>							
<b>Notes: The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

<b>Variable: DHEPA6 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6</b>							
<b>Notes: The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: DHEPA7 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DHEPA8 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DHEPA9 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DHEPB1 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1</b>							
<b>Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13661	58.8%	100.0%	13661	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9587	41.2%	n/a	399	2.8%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DHEPB1 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	20.6	1.0	0.0	1106.0	73.7
Adequate Provider Data	20.6	1.0	0.0	1106.0	73.7

<b>Variable: DHEPB2 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2</b>							
<b>Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13291	57.2%	100.0%	13291	94.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9957	42.8%	n/a	769	5.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DHEPB2 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	90.4	64.0	17.0	1144.0	87.7
Adequate Provider Data	90.4	64.0	17.0	1144.0	87.7

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DHEPB3 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3</b>							
<b>Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		12737	54.8%	100.0%	12737	90.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10511	45.2%	n/a	1323	9.4%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DHEPB3 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	231.6	196.0	56.0	1148.0	110.7
Adequate Provider Data	231.6	196.0	56.0	1148.0	110.7

<b>Variable: DHEPB4 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4</b>							
<b>Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		2633	11.3%	100.0%	2633	18.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	20615	88.7%	n/a	11427	81.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DHEPB4 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	258.5	196.0	102.0	1136.0	140.1
Adequate Provider Data	258.5	196.0	102.0	1136.0	140.1

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DHEPB5 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5</b>							
<b>Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		119	0.5%	100.0%	119	0.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23129	99.5%	n/a	13941	99.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DHEPB5 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	495.7	467.0	182.0	1124.0	171.1
Adequate Provider Data	495.7	467.0	182.0	1124.0	171.1

<b>Variable: DHEPB6 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6</b>							
<b>Notes: See section 8 notes for P_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23245	100.0%	n/a	14057	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DHEPB6 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	728.3	726.0	636.0	823.0	93.5
Adequate Provider Data	728.3	726.0	636.0	823.0	93.5

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: DHEPB7 Type: Numeric**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DHEPB8 Type: Numeric**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DHEPB9 Type: Numeric**

**Label: AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9**

**Notes: See section 8 notes for P\_NUMHEP. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DHIB1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13617	58.6%	100.0%	13617	96.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9631	41.4%	n/a	443	3.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DHIB1 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	76.5	64.0	0.0	1133.0	60.7
Adequate Provider Data	76.5	64.0	0.0	1133.0	60.7

**Variable: DHIB2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13424	57.7%	100.0%	13424	95.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9824	42.3%	n/a	636	4.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DHIB2 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	146.8	128.0	34.0	1081.0	69.1
Adequate Provider Data	146.8	128.0	34.0	1081.0	69.1

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DHIB3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13090	56.3%	100.0%	13090	93.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10158	43.7%	n/a	970	6.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DHIB3 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	245.9	195.0	70.0	1101.0	111.9
Adequate Provider Data	245.9	195.0	70.0	1101.0	111.9

**Variable: DHIB4 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		10397	44.7%	100.0%	10397	73.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12851	55.3%	n/a	3663	26.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DHIB4 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	486.6	467.0	102.0	1152.0	100.1
Adequate Provider Data	486.6	467.0	102.0	1152.0	100.1

## SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES

<b>Variable: DHIB5 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5</b>							
<b>Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		199	0.9%	100.0%	199	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23049	99.1%	n/a	13861	98.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DHIB5 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	560.2	549.0	200.0	1106.0	158.1
Adequate Provider Data	560.2	549.0	200.0	1106.0	158.1

<b>Variable: DHIB6 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6</b>							
<b>Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		15	0.1%	100.0%	15	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23233	99.9%	n/a	14045	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DHIB6 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	626.8	626.0	273.0	978.0	214.4
Adequate Provider Data	626.8	626.0	273.0	978.0	214.4

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DHIB7 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7</b>							
<b>Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23245	100.0%	n/a	14057	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DHIB7 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	646.3	711.0	502.0	726.0	125.2
Adequate Provider Data	646.3	711.0	502.0	726.0	125.2

<b>Variable: DHIB8 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8</b>							
<b>Notes: See section 8 notes for P_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DHIB8 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	1000.0	1000.0	1000.0	1000.0	.
Adequate Provider Data	1000.0	1000.0	1000.0	1000.0	.

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DHIB9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMHIB. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMMR1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		12983	55.8%	100.0%	12983	92.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10265	44.2%	n/a	1077	7.7%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DMMR1 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	422.7	382.0	0.0	1324.0	91.2
Adequate Provider Data	422.7	382.0	0.0	1324.0	91.2

**Variable: DMMR2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		259	1.1%	100.0%	259	1.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22989	98.9%	n/a	13801	98.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DMMR2</b>		<b>Type: Numeric</b>				
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	665.8	610.0	381.0	1226.0	206.6	
Adequate Provider Data	665.8	610.0	381.0	1226.0	206.6	

<b>Variable: DMMR3</b>		<b>Type: Numeric</b>					
<b>Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3</b>							
<b>Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23246	100.0%	n/a	14058	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DMMR3</b>		<b>Type: Numeric</b>				
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	724.5	724.5	713.0	736.0	16.3	
Adequate Provider Data	724.5	724.5	713.0	736.0	16.3	

<b>Variable: DMMR4</b>		<b>Type: Numeric</b>					
<b>Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4</b>							
<b>Notes: See section 8 notes for P_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: DMMR5 Type: Numeric**

**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5**

**Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMMR6 Type: Numeric**

**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6**

**Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMMR7 Type: Numeric**

**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: DMMR8 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8**  
**Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMMR9 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9**  
**Notes: See section 8 notes for P\_NUMMMR. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMP1 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DMP2 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMP3 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMP4 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DMP5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMP6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMP7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: DMP8 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMP9 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMPRB1 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: DMPRB2 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMPRB3 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMPRB4 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: DMPRB5 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMPRB6 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMPRB7 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DMPRB8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DMPRB9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DPCV1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13576	58.4%	100.0%	13576	96.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9672	41.6%	n/a	484	3.4%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DPCV1 Type: Numeric**

<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	80.1	64.0	0.0	1159.0	71.2
Adequate Provider Data	80.1	64.0	0.0	1159.0	71.2

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DPCV2 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2</b>							
<b>Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13369	57.5%	100.0%	13369	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9879	42.5%	n/a	691	4.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DPCV2 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	151.3	128.0	44.0	1129.0	79.8
Adequate Provider Data	151.3	128.0	44.0	1129.0	79.8

<b>Variable: DPCV3 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3</b>							
<b>Notes: See section 8 notes for P_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13055	56.2%	100.0%	13055	92.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10193	43.8%	n/a	1005	7.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DPCV3 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	226.5	193.0	101.0	1324.0	93.5
Adequate Provider Data	226.5	193.0	101.0	1324.0	93.5

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DPCV4 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		11823	50.9%	100.0%	11823	84.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	11425	49.1%	n/a	2237	15.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DPCV4 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	441.1	399.0	182.0	1152.0	97.9
Adequate Provider Data	441.1	399.0	182.0	1152.0	97.9

**Variable: DPCV5 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		201	0.9%	100.0%	201	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23047	99.1%	n/a	13859	98.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DPCV5 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	579.6	553.0	211.0	1109.0	166.1
Adequate Provider Data	579.6	553.0	211.0	1109.0	166.1

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DPCV6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		10	0.0%	100.0%	10	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23238	100.0%	n/a	14050	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DPCV6 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	595.8	574.5	365.0	823.0	127.7
Adequate Provider Data	595.8	574.5	365.0	823.0	127.7

**Variable: DPCV7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DPCV7 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	726.0	726.0	726.0	726.0	.
Adequate Provider Data	726.0	726.0	726.0	726.0	.

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DPCV8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DPCV8 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	908.0	908.0	908.0	908.0	.
Adequate Provider Data	908.0	908.0	908.0	908.0	.

**Variable: DPCV9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMPCV. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DPOLIO1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13592	58.5%	100.0%	13592	96.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9656	41.5%	n/a	468	3.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DPOLIO1</b>		<b>Type: Numeric</b>				
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	77.1	64.0	0.0	1133.0	62.3	
Adequate Provider Data	77.1	64.0	0.0	1133.0	62.3	

<b>Variable: DPOLIO2</b>		<b>Type: Numeric</b>					
<b>Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2</b>							
<b>Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13428	57.8%	100.0%	13428	95.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9820	42.2%	n/a	632	4.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DPOLIO2</b>		<b>Type: Numeric</b>				
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	148.5	128.0	43.0	1144.0	75.2	
Adequate Provider Data	148.5	128.0	43.0	1144.0	75.2	

<b>Variable: DPOLIO3</b>		<b>Type: Numeric</b>					
<b>Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3</b>							
<b>Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13107	56.4%	100.0%	13107	93.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10141	43.6%	n/a	953	6.8%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DPOLIO3</b>		<b>Type: Numeric</b>				
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	233.1	193.0	71.0	1324.0	108.6	
Adequate Provider Data	233.1	193.0	71.0	1324.0	108.6	

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DPOLIO4 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4</b>							
<b>Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		3009	12.9%	100.0%	3009	21.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	20239	87.1%	n/a	11051	78.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DPOLIO4 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	491.9	469.0	102.0	1054.0	99.5
Adequate Provider Data	491.9	469.0	102.0	1054.0	99.5

<b>Variable: DPOLIO5 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5</b>							
<b>Notes: See section 8 notes for P_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		63	0.3%	100.0%	63	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23185	99.7%	n/a	13997	99.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DPOLIO5 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	528.2	514.0	168.0	978.0	161.7
Adequate Provider Data	528.2	514.0	168.0	978.0	161.7

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DPOLIO6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6****Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23240	100.0%	n/a	14052	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DPOLIO6 Type: Numeric**

<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	577.5	561.0	398.0	823.0	141.2
Adequate Provider Data	577.5	561.0	398.0	823.0	141.2

**Variable: DPOLIO7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DPOLIO7 Type: Numeric**

<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	726.0	726.0	726.0	726.0	.
Adequate Provider Data	726.0	726.0	726.0	726.0	.

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: DPOLIO8 Type: Numeric**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DPOLIO9 Type: Numeric**

**Label: AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9**

**Notes: See section 8 notes for P\_NUMPOL. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DRB1 Type: Numeric**

**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: DRB2 Type: Numeric**

**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DRB3 Type: Numeric**

**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DRB4 Type: Numeric**

**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4**

**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: DRB5 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DRB6 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DRB7 Type: Numeric**  
**Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7**  
**Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DRB8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DRB9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9****Notes: The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DROT1 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		11769	50.6%	100.0%	11769	83.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	11479	49.4%	n/a	2291	16.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DROT1 Type: Numeric**

<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	68.7	64.0	0.0	506.0	21.8
Adequate Provider Data	68.7	64.0	0.0	506.0	21.8

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DROT2 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2</b>							
<b>Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		11251	48.4%	100.0%	11251	80.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	11997	51.6%	n/a	2809	20.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DROT2 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	134.2	127.0	54.0	861.0	25.5
Adequate Provider Data	134.2	127.0	54.0	861.0	25.5

<b>Variable: DROT3 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3</b>							
<b>Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		7938	34.1%	100.0%	7938	56.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	15310	65.9%	n/a	6122	43.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DROT3 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	196.3	190.0	102.0	797.0	29.3
Adequate Provider Data	196.3	190.0	102.0	797.0	29.3

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DROT4 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4</b>							
<b>Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		21	0.1%	100.0%	21	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23227	99.9%	n/a	14039	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DROT4 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	345.1	277.0	186.0	618.0	148.6
Adequate Provider Data	345.1	277.0	186.0	618.0	148.6

<b>Variable: DROT5 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5</b>							
<b>Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23245	100.0%	n/a	14057	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DROT5 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	467.7	528.0	211.0	664.0	232.4
Adequate Provider Data	467.7	528.0	211.0	664.0	232.4

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DROT6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6****Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DROT6 Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	726.0	726.0	726.0	726.0	.
Adequate Provider Data	726.0	726.0	726.0	726.0	.

**Variable: DROT7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DROT8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DR0T9 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9</b>							
<b>Notes: See section 8 notes for P_NUMROT. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

<b>Variable: DVRC1 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1</b>							
<b>Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		12811	55.1%	100.0%	12811	91.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10437	44.9%	n/a	1249	8.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DVRC1 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	421.5	381.0	36.0	1324.0	92.5
Adequate Provider Data	421.5	381.0	36.0	1324.0	92.5

<b>Variable: DVRC2 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2</b>							
<b>Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		239	1.0%	100.0%	239	1.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23009	99.0%	n/a	13821	98.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DVRC2 Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	693.3	665.0	365.0	1226.0	183.9
Adequate Provider Data	693.3	665.0	365.0	1226.0	183.9

<b>Variable: DVRC3 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3</b>							
<b>Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

<b>Variable: DVRC4 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4</b>							
<b>Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

<b>Variable: DVRC5 Type: Numeric</b>							
<b>Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5</b>							
<b>Notes: See section 8 notes for P_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DVRC6 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DVRC7 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DVRC8 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: DVRC9 Type: Numeric****Label: AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMVRC. The "age in days" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: DTP1\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13666	58.8%	100.0%	13666	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9582	41.2%	n/a	394	2.8%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: DTP1\_AGE Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	2.2	2.0	0.0	37.0	2.0
Adequate Provider Data	2.2	2.0	0.0	37.0	2.0

**Variable: DTP2\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13514	58.1%	100.0%	13514	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9734	41.9%	n/a	546	3.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DTP2_AGE Type: Numeric</b>						
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	4.5	4.0	1.0	37.0	2.3	
Adequate Provider Data	4.5	4.0	1.0	37.0	2.3	

<b>Variable: DTP3_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3</b>							
<b>Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13303	57.2%	100.0%	13303	94.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9945	42.8%	n/a	757	5.4%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DTP3_AGE Type: Numeric</b>						
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	6.9	6.0	2.0	37.0	2.9	
Adequate Provider Data	6.9	6.0	2.0	37.0	2.9	

<b>Variable: DTP4_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4</b>							
<b>Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		11991	51.6%	100.0%	11991	85.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	11257	48.4%	n/a	2069	14.7%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DTP4_AGE Type: Numeric</b>						
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	16.7	16.0	3.0	40.0	3.3	
Adequate Provider Data	16.7	16.0	3.0	40.0	3.3	

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DTP5_AGE    Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5</b>							
<b>Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		239	1.0%	100.0%	239	1.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23009	99.0%	n/a	13821	98.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DTP5_AGE    Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	19.6	18.0	6.0	43.0	5.4
Adequate Provider Data	19.6	18.0	6.0	43.0	5.4

<b>Variable: DTP6_AGE    Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6</b>							
<b>Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		18	0.1%	100.0%	18	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23230	99.9%	n/a	14042	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DTP6_AGE    Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	20.8	20.5	9.0	30.0	5.0
Adequate Provider Data	20.8	20.5	9.0	30.0	5.0

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: DTP7_AGE    Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7</b>							
<b>Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23245	100.0%	n/a	14057	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DTP7_AGE    Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	21.7	23.0	18.0	24.0	3.2
Adequate Provider Data	21.7	23.0	18.0	24.0	3.2

<b>Variable: DTP8_AGE    Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8</b>							
<b>Notes: See section 8 notes for P_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: DTP8_AGE    Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	32.0	32.0	32.0	32.0	.
Adequate Provider Data	32.0	32.0	32.0	32.0	.

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: DTP9\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9**

**Notes: See section 8 notes for P\_NUMDTP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: FLU1\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1**

**Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		10320	44.4%	100.0%	10320	73.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12928	55.6%	n/a	3740	26.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: FLU1\_AGE Type: Numeric**

<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	10.6	9.0	0.0	41.0	5.6
Adequate Provider Data	10.6	9.0	0.0	41.0	5.6

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: FLU2\_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		8414	36.2%	100.0%	8414	59.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14834	63.8%	n/a	5646	40.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: FLU2\_AGE Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All 12.9 12.0 4.0 40.0 5.9

Adequate Provider Data 12.9 12.0 4.0 40.0 5.9

**Variable: FLU3\_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		5362	23.1%	100.0%	5362	38.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	17886	76.9%	n/a	8698	61.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: FLU3\_AGE Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All 20.4 19.0 6.0 44.0 5.1

Adequate Provider Data 20.4 19.0 6.0 44.0 5.1

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: FLU4_AGE    Type: Numeric</b>							
<b>Label:</b>							
<b>AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4</b>							
<b>Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1422	6.1%	100.0%	1422	10.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	21826	93.9%	n/a	12638	89.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: FLU4_AGE    Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	28.9	29.0	11.0	40.0	4.9
Adequate Provider Data	28.9	29.0	11.0	40.0	4.9

<b>Variable: FLU5_AGE    Type: Numeric</b>							
<b>Label:</b>							
<b>AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5</b>							
<b>Notes: See section 8 notes for P_NUMFLU. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		78	0.3%	100.0%	78	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23170	99.7%	n/a	13982	99.4%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: FLU5_AGE    Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	31.9	31.5	18.0	42.0	5.5
Adequate Provider Data	31.9	31.5	18.0	42.0	5.5

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: FLU6\_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: FLU7\_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: FLU8\_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: FLU9\_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9****Notes: See section 8 notes for P\_NUMFLU. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: HEA1\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1****Notes: Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		11782	50.7%	100.0%	11782	83.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	11466	49.3%	n/a	2278	16.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: HEA1\_AGE Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	14.3	12.0	0.0	43.0	3.8
Adequate Provider Data	14.3	12.0	0.0	43.0	3.8

**Variable: HEA2\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2****Notes: Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		8440	36.3%	100.0%	8440	60.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	14808	63.7%	n/a	5620	40.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: HEA2_AGE Type: Numeric</b>						
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	21.4	20.0	2.0	41.0	3.9	
Adequate Provider Data	21.4	20.0	2.0	41.0	3.9	

<b>Variable: HEA3_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3</b>							
<b>Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		62	0.3%	100.0%	62	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23186	99.7%	n/a	13998	99.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: HEA3_AGE Type: Numeric</b>						
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	25.1	24.0	12.0	36.0	5.3	
Adequate Provider Data	25.1	24.0	12.0	36.0	5.3	

<b>Variable: HEA4_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4</b>							
<b>Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: HEA4_AGE Type: Numeric</b>						
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	19.0	19.0	19.0	19.0	.	
Adequate Provider Data	19.0	19.0	19.0	19.0	.	

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: HEA5\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: HEA6\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: HEA7\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: HEA8\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: HEA9\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: HEP1\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1**

**Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		13661	58.8%	100.0%	13661	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9587	41.2%	n/a	399	2.8%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: HEP1\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	0.6	0.0	0.0	36.0	2.4
Adequate Provider Data	0.6	0.0	0.0	36.0	2.4

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: HEP2\_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13291	57.2%	100.0%	13291	94.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9957	42.8%	n/a	769	5.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: HEP2\_AGE** Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All 2.7 2.0 0.0 37.0 2.9

Adequate Provider Data 2.7 2.0 0.0 37.0 2.9

**Variable: HEP3\_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3****Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		12737	54.8%	100.0%	12737	90.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10511	45.2%	n/a	1323	9.4%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: HEP3\_AGE** Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All 7.3 6.0 1.0 37.0 3.6

Adequate Provider Data 7.3 6.0 1.0 37.0 3.6

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: HEP4\_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4****Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		2633	11.3%	100.0%	2633	18.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	20615	88.7%	n/a	11427	81.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: HEP4\_AGE** Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All 8.1 6.0 3.0 37.0 4.6

Adequate Provider Data 8.1 6.0 3.0 37.0 4.6

**Variable: HEP5\_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5****Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		119	0.5%	100.0%	119	0.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23129	99.5%	n/a	13941	99.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: HEP5\_AGE** Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All 15.9 15.0 6.0 36.0 5.6

Adequate Provider Data 15.9 15.0 6.0 36.0 5.6

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: HEP6_AGE    Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6</b>							
<b>Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23245	100.0%	n/a	14057	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: HEP6_AGE    Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	23.3	23.0	20.0	27.0	3.5
Adequate Provider Data	23.3	23.0	20.0	27.0	3.5

<b>Variable: HEP7_AGE    Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7</b>							
<b>Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

<b>Variable: HEP8_AGE    Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8</b>							
<b>Notes: See section 8 notes for P_NUMHEP. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: HEP9\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMHEP. Calculated as exact age in months.  
The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: HIB1\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months.  
The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13617	58.6%	100.0%	13617	96.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9631	41.4%	n/a	443	3.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: HIB1\_AGE Type: Numeric**

<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	2.2	2.0	0.0	37.0	2.0
Adequate Provider Data	2.2	2.0	0.0	37.0	2.0

**Variable: HIB2\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months.  
The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13424	57.7%	100.0%	13424	95.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9824	42.3%	n/a	636	4.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: HIB2_AGE Type: Numeric</b>						
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	4.5	4.0	1.0	35.0	2.2	
Adequate Provider Data	4.5	4.0	1.0	35.0	2.2	

<b>Variable: HIB3_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3</b>							
<b>Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13090	56.3%	100.0%	13090	93.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10158	43.7%	n/a	970	6.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: HIB3_AGE Type: Numeric</b>						
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	7.7	6.0	2.0	36.0	3.6	
Adequate Provider Data	7.7	6.0	2.0	36.0	3.6	

<b>Variable: HIB4_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4</b>							
<b>Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		10397	44.7%	100.0%	10397	73.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	12851	55.3%	n/a	3663	26.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: HIB4_AGE Type: Numeric</b>						
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>	
All	15.6	15.0	3.0	37.0	3.2	
Adequate Provider Data	15.6	15.0	3.0	37.0	3.2	

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: HIB5_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5</b>							
<b>Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		199	0.9%	100.0%	199	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23049	99.1%	n/a	13861	98.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: HIB5_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	18.0	18.0	6.0	36.0	5.2
Adequate Provider Data	18.0	18.0	6.0	36.0	5.2

<b>Variable: HIB6_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6</b>							
<b>Notes: See section 8 notes for P_NUMHIB. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		15	0.1%	100.0%	15	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23233	99.9%	n/a	14045	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: HIB6_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	20.2	20.0	9.0	32.0	7.0
Adequate Provider Data	20.2	20.0	9.0	32.0	7.0

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: HIB7\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7****Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23245	100.0%	n/a	14057	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: HIB7\_AGE Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	20.7	23.0	16.0	23.0	4.0
Adequate Provider Data	20.7	23.0	16.0	23.0	4.0

**Variable: HIB8\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: HIB8\_AGE Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	32.0	32.0	32.0	32.0	.
Adequate Provider Data	32.0	32.0	32.0	32.0	.

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: HIB9\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMHIB. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MMR1\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		12983	55.8%	100.0%	12983	92.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10265	44.2%	n/a	1077	7.7%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: MMR1\_AGE Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	13.5	12.0	0.0	43.0	2.9
Adequate Provider Data	13.5	12.0	0.0	43.0	2.9

**Variable: MMR2\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2****Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		259	1.1%	100.0%	259	1.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	22989	98.9%	n/a	13801	98.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: MMR2_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	21.5	19.0	12.0	40.0	6.8
Adequate Provider Data	21.5	19.0	12.0	40.0	6.8

<b>Variable: MMR3_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3</b>							
<b>Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23246	100.0%	n/a	14058	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: MMR3_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	23.5	23.5	23.0	24.0	0.7
Adequate Provider Data	23.5	23.5	23.0	24.0	0.7

<b>Variable: MMR4_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4</b>							
<b>Notes: See section 8 notes for P_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: MMR5\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5**

**Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MMR6\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6**

**Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MMR7\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: MMR8\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8**

**Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MMR9\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9**

**Notes: See section 8 notes for P\_NUMMMR. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MP1\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: MP2\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MP3\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MP4\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: MP5\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MP6\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MP7\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: MP8\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MP9\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MPR1\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: MPR2\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MPR3\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MPR4\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: MPR5\_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MPR6\_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MPR7\_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: MPR8\_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: MPR9\_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9****Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: PCV1\_AGE** Type: Numeric**Label: AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1****Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13576	58.4%	100.0%	13576	96.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9672	41.6%	n/a	484	3.4%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: PCV1\_AGE** Type: Numeric

<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	2.3	2.0	0.0	38.0	2.3
Adequate Provider Data	2.3	2.0	0.0	38.0	2.3

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: PCV2_AGE Type: Numeric</b>							
<b>Label:</b>							
<b>AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2</b>							
<b>Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.</b>							
<b>The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13369	57.5%	100.0%	13369	95.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9879	42.5%	n/a	691	4.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: PCV2_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	4.6	4.0	1.0	37.0	2.6
Adequate Provider Data	4.6	4.0	1.0	37.0	2.6

<b>Variable: PCV3_AGE Type: Numeric</b>							
<b>Label:</b>							
<b>AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3</b>							
<b>Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.</b>							
<b>The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13055	56.2%	100.0%	13055	92.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10193	43.8%	n/a	1005	7.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: PCV3_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	7.1	6.0	3.0	43.0	3.0
Adequate Provider Data	7.1	6.0	3.0	43.0	3.0

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: PCV4\_AGE** Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4****Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months.**The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		11823	50.9%	100.0%	11823	84.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	11425	49.1%	n/a	2237	15.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: PCV4\_AGE** Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	14.1	13.0	6.0	37.0	3.2
Adequate Provider Data	14.1	13.0	6.0	37.0	3.2

**Variable: PCV5\_AGE** Type: Numeric**Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5****Notes:** See section 8 notes for P\_NUMPCV. Calculated as exact age in months.**The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		201	0.9%	100.0%	201	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23047	99.1%	n/a	13859	98.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: PCV5\_AGE** Type: Numeric**CASES** MEAN MEDIAN MIN MAX STDDev

All	18.6	18.0	6.0	36.0	5.4
Adequate Provider Data	18.6	18.0	6.0	36.0	5.4

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: PCV6_AGE Type: Numeric</b>							
<b>Label:</b>							
<b>AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6</b>							
<b>Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.</b>							
<b>The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		10	0.0%	100.0%	10	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23238	100.0%	n/a	14050	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: PCV6_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	19.3	18.5	12.0	27.0	4.1
Adequate Provider Data	19.3	18.5	12.0	27.0	4.1

<b>Variable: PCV7_AGE Type: Numeric</b>							
<b>Label:</b>							
<b>AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7</b>							
<b>Notes: See section 8 notes for P_NUMPCV. Calculated as exact age in months.</b>							
<b>The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: PCV7_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	23.0	23.0	23.0	23.0	.
Adequate Provider Data	23.0	23.0	23.0	23.0	.

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: PCV8\_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8****Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: PCV8\_AGE Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All	29.0	29.0	29.0	29.0	.
Adequate Provider Data	29.0	29.0	29.0	29.0	.

**Variable: PCV9\_AGE Type: Numeric****Label:****AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9****Notes: See section 8 notes for P\_NUMPCV. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: POL1_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1</b>							
<b>Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13592	58.5%	100.0%	13592	96.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9656	41.5%	n/a	468	3.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: POL1_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	2.2	2.0	0.0	37.0	2.0
Adequate Provider Data	2.2	2.0	0.0	37.0	2.0

<b>Variable: POL2_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2</b>							
<b>Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13428	57.8%	100.0%	13428	95.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	9820	42.2%	n/a	632	4.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: POL2_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	4.6	4.0	1.0	37.0	2.4
Adequate Provider Data	4.6	4.0	1.0	37.0	2.4

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: POL3\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3****Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13107	56.4%	100.0%	13107	93.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10141	43.6%	n/a	953	6.8%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: POL3\_AGE Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All 7.3 6.0 2.0 43.0 3.5

Adequate Provider Data 7.3 6.0 2.0 43.0 3.5

**Variable: POL4\_AGE Type: Numeric****Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4****Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months.****The "age in months"****variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		3009	12.9%	100.0%	3009	21.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	20239	87.1%	n/a	11051	78.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: POL4\_AGE Type: Numeric****CASES MEAN MEDIAN MIN MAX STDDev**

All 15.8 15.0 3.0 34.0 3.2

Adequate Provider Data 15.8 15.0 3.0 34.0 3.2

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: POL5_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5</b>							
<b>Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		63	0.3%	100.0%	63	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23185	99.7%	n/a	13997	99.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: POL5_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	16.9	16.0	5.0	32.0	5.3
Adequate Provider Data	16.9	16.0	5.0	32.0	5.3

<b>Variable: POL6_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6</b>							
<b>Notes: See section 8 notes for P_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23240	100.0%	n/a	14052	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: POL6_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	18.6	18.0	13.0	27.0	4.7
Adequate Provider Data	18.6	18.0	13.0	27.0	4.7

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: POL7\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: POL7\_AGE** Type: Numeric

CASES	MEAN	MEDIAN	MIN	MAX	STDDev
All	23.0	23.0	23.0	23.0	.
Adequate Provider Data	23.0	23.0	23.0	23.0	.

**Variable: POL8\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8**

**Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: POL9\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9**

**Notes: See section 8 notes for P\_NUMPOL. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: RB1\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: RB2\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: RB3\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: RB4\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: RB5\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: RB6\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: RB7\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: RB8\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: RB9\_AGE Type: Numeric**

**Label: AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9**

**Notes: Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: ROT1_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1</b>							
<b>Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		11769	50.6%	100.0%	11769	83.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	11479	49.4%	n/a	2291	16.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: ROT1_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	2.0	2.0	0.0	16.0	0.7
Adequate Provider Data	2.0	2.0	0.0	16.0	0.7

<b>Variable: ROT2_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2</b>							
<b>Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		11251	48.4%	100.0%	11251	80.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	11997	51.6%	n/a	2809	20.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: ROT2_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	4.1	4.0	1.0	28.0	0.8
Adequate Provider Data	4.1	4.0	1.0	28.0	0.8

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: ROT3_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3</b>							
<b>Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		7938	34.1%	100.0%	7938	56.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	15310	65.9%	n/a	6122	43.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: ROT3_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	6.1	6.0	3.0	26.0	0.9
Adequate Provider Data	6.1	6.0	3.0	26.0	0.9

<b>Variable: ROT4_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4</b>							
<b>Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		21	0.1%	100.0%	21	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23227	99.9%	n/a	14039	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: ROT4_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	11.0	9.0	6.0	20.0	4.9
Adequate Provider Data	11.0	9.0	6.0	20.0	4.9

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: ROT5_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5</b>							
<b>Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23245	100.0%	n/a	14057	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: ROT5_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	14.7	17.0	6.0	21.0	7.8
Adequate Provider Data	14.7	17.0	6.0	21.0	7.8

<b>Variable: ROT6_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6</b>							
<b>Notes: See section 8 notes for P_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: ROT6_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	23.0	23.0	23.0	23.0	.
Adequate Provider Data	23.0	23.0	23.0	23.0	.

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: ROT7\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: ROT8\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8**

**Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: ROT9\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9**

**Notes: See section 8 notes for P\_NUMROT. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: VRC1_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1</b>							
<b>Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		12811	55.1%	100.0%	12811	91.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	10437	44.9%	n/a	1249	8.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: VRC1_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	13.5	12.0	1.0	43.0	3.0
Adequate Provider Data	13.5	12.0	1.0	43.0	3.0

<b>Variable: VRC2_AGE Type: Numeric</b>							
<b>Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2</b>							
<b>Notes: See section 8 notes for P_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		239	1.0%	100.0%	239	1.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING	.	23009	99.0%	n/a	13821	98.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: VRC2_AGE Type: Numeric</b>					
<b>CASES</b>	<b>MEAN</b>	<b>MEDIAN</b>	<b>MIN</b>	<b>MAX</b>	<b>STDDev</b>
All	22.4	21.0	12.0	40.0	6.1
Adequate Provider Data	22.4	21.0	12.0	40.0	6.1

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: VRC3\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3**

**Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: VRC4\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4**

**Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: VRC5\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5**

**Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: VRC6\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6**

**Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: VRC7\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7**

**Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: VRC8\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8**

**Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: VRC9\_AGE** Type: Numeric

**Label: AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9**

**Notes: See section 8 notes for P\_NUMVRC. Calculated as exact age in months. The "age in months" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING	.	23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XDTPTY1** Type: Character

**Label: DT-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTP-UNKNOWN	03	156	0.7%	1.1%	156	1.1%	1.1%
DTAP	04	1940	8.3%	14.2%	1940	13.8%	14.2%
DTAP-HIB	07	9	0.0%	0.1%	9	0.1%	0.1%
DTAP-HEPB-IPV	08	3779	16.3%	27.7%	3779	26.9%	27.7%
DTAP-IPV-HIB	D3	7782	33.5%	56.9%	7782	55.3%	56.9%
<b>SUBTOTALS:</b>		13666	58.8%	100.0%	13666	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		9582	41.2%	n/a	394	2.8%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XDTPTY2** Type: Character

**Label: DT-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTP-UNKNOWN	03	133	0.6%	1.0%	133	0.9%	1.0%
DTAP	04	1958	8.4%	14.5%	1958	13.9%	14.5%
DTAP-HIB	07	10	0.0%	0.1%	10	0.1%	0.1%
DTAP-HEPB-IPV	08	3134	13.5%	23.2%	3134	22.3%	23.2%
DTAP-IPV-HIB	D3	8279	35.6%	61.3%	8279	58.9%	61.3%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XDTPTY2 Type: Character****Label: DT-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		13514	58.1%	100.0%	13514	96.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		9734	41.9%	n/a	546	3.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XDTPTY3 Type: Character****Label: DT-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTP-UNKNOWN	03	117	0.5%	0.9%	117	0.8%	0.9%
DTAP	04	2045	8.8%	15.4%	2045	14.5%	15.4%
DTAP-HIB	07	12	0.1%	0.1%	12	0.1%	0.1%
DTAP-HEPB-IPV	08	3649	15.7%	27.4%	3649	26.0%	27.4%
DTAP-IPV-HIB	D3	7480	32.2%	56.2%	7480	53.2%	56.2%
<b>SUBTOTALS:</b>		13303	57.2%	100.0%	13303	94.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		9945	42.8%	n/a	757	5.4%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XDTPTY4 Type: Character****Label: DT-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTP-UNKNOWN	03	114	0.5%	1.0%	114	0.8%	1.0%
DTAP	04	9025	38.8%	75.3%	9025	64.2%	75.3%
DTAP-HIB	07	73	0.3%	0.6%	73	0.5%	0.6%
DTAP-HEPB-IPV	08	219	0.9%	1.8%	219	1.6%	1.8%
DTAP-IPV-HIB	D3	2560	11.0%	21.3%	2560	18.2%	21.3%
<b>SUBTOTALS:</b>		11991	51.6%	100.0%	11991	85.3%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XDTPTY4 Type: Character****Label: DT-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>RESERVED CODES:</b>							
MISSING		11257	48.4%	n/a	2069	14.7%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XDTPTY5 Type: Character****Label: DT-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>RESERVED CODES:</b>							
DTP-UNKNOWN	03	4	0.0%	1.7%	4	0.0%	1.7%
DTAP	04	178	0.8%	74.5%	178	1.3%	74.5%
DTAP-HIB	07	1	0.0%	0.4%	1	0.0%	0.4%
DTAP-HEPB-IPV	08	10	0.0%	4.2%	10	0.1%	4.2%
DTAP-IPV-HIB	D3	46	0.2%	19.2%	46	0.3%	19.2%
<b>SUBTOTALS:</b>		239	1.0%	100.0%	239	1.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23009	99.0%	n/a	13821	98.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XDTPTY6 Type: Character****Label: DT-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>RESERVED CODES:</b>							
DTAP	04	10	0.0%	55.6%	10	0.1%	55.6%
DTAP-HEPB-IPV	08	2	0.0%	11.1%	2	0.0%	11.1%
DTAP-IPV-HIB	D3	6	0.0%	33.3%	6	0.0%	33.3%
<b>SUBTOTALS:</b>		18	0.1%	100.0%	18	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23230	99.9%	n/a	14042	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XDTPTY7 Type: Character****Label: DT-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP	04	2	0.0%	66.7%	2	0.0%	66.7%
DTAP-IPV-HIB	D3	1	0.0%	33.3%	1	0.0%	33.3%
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23245	100.0%	n/a	14057	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XDTPTY8 Type: Character****Label: DT-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP	04	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XDTPTY9 Type: Character****Label: DT-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: XFLUTY1 Type: Character**  
**Label: SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE**  
**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
SEASONAL FLU-UNKNOWN	FL	283	1.2%	2.7%	283	2.0%	2.7%
SEASONAL FLU SPRAY	FM	232	1.0%	2.2%	232	1.7%	2.2%
SEASONAL FLU INJECTED	FN	9805	42.2%	95.0%	9805	69.7%	95.0%
<b>SUBTOTALS:</b>		10320	44.4%	100.0%	10320	73.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		12928	55.6%	n/a	3740	26.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XFLUTY2 Type: Character**  
**Label: SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE**  
**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
SEASONAL FLU-UNKNOWN	FL	178	0.8%	2.1%	178	1.3%	2.1%
SEASONAL FLU SPRAY	FM	233	1.0%	2.8%	233	1.7%	2.8%
SEASONAL FLU INJECTED	FN	8003	34.4%	95.1%	8003	56.9%	95.1%
<b>SUBTOTALS:</b>		8414	36.2%	100.0%	8414	59.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		14834	63.8%	n/a	5646	40.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XFLUTY3 Type: Character**  
**Label: SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE**  
**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
SEASONAL FLU-UNKNOWN	FL	89	0.4%	1.7%	89	0.6%	1.7%
SEASONAL FLU SPRAY	FM	423	1.8%	7.9%	423	3.0%	7.9%
SEASONAL FLU INJECTED	FN	4850	20.9%	90.5%	4850	34.5%	90.5%
<b>SUBTOTALS:</b>		5362	23.1%	100.0%	5362	38.1%	100.0%
<b>RESERVED CODES:</b>							

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XFLUTY3 Type: Character****Label: SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
MISSING		17886	76.9%	n/a	8698	61.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XFLUTY4 Type: Character****Label: SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
SEASONAL FLU-UNKNOWN	FL	27	0.1%	1.9%	27	0.2%	1.9%
SEASONAL FLU SPRAY	FM	356	1.5%	25.0%	356	2.5%	25.0%
SEASONAL FLU INJECTED	FN	1039	4.5%	73.1%	1039	7.4%	73.1%
<b>SUBTOTALS:</b>		1422	6.1%	100.0%	1422	10.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		21826	93.9%	n/a	12638	89.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XFLUTY5 Type: Character****Label: SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
SEASONAL FLU-UNKNOWN	FL	15	0.1%	19.2%	15	0.1%	19.2%
SEASONAL FLU SPRAY	FM	23	0.1%	29.5%	23	0.2%	29.5%
SEASONAL FLU INJECTED	FN	40	0.2%	51.3%	40	0.3%	51.3%
<b>SUBTOTALS:</b>		78	0.3%	100.0%	78	0.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23170	99.7%	n/a	13982	99.4%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: XFLUTY6 Type: Character**  
**Label: SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE**  
**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XFLUTY7 Type: Character**  
**Label: SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE**  
**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XFLUTY8 Type: Character**  
**Label: SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE**  
**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XFLUTY9 Type: Character****Label: SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XHEPTY1 Type: Character****Label: HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HEPB-IPV	08	1078	4.6%	7.9%	1078	7.7%	7.9%
HEPB-HIB	43	15	0.1%	0.1%	15	0.1%	0.1%
HEPB ONLY	60	12540	53.9%	91.8%	12540	89.2%	91.8%
HEPB-UNKNOWN	HB	28	0.1%	0.2%	28	0.2%	0.2%
<b>SUBTOTALS:</b>		13661	58.8%	100.0%	13661	97.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		9587	41.2%	n/a	399	2.8%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XHEPTY2 Type: Character****Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HEPB-IPV	08	3788	16.3%	28.5%	3788	26.9%	28.5%
HEPB-HIB	43	22	0.1%	0.2%	22	0.2%	0.2%
HEPB ONLY	60	9338	40.2%	70.3%	9338	66.4%	70.3%
HEPB-UNKNOWN	HB	143	0.6%	1.1%	143	1.0%	1.1%
<b>SUBTOTALS:</b>		13291	57.2%	100.0%	13291	94.5%	100.0%
<b>RESERVED CODES:</b>							

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: XHEPTY2    Type: Character</b>							
<b>Label: HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
MISSING		9957	42.8%	n/a	769	5.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: XHEPTY3    Type: Character</b>							
<b>Label: HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HEPB-IPV	08	3859	16.6%	30.3%	3859	27.4%	30.3%
HEPB-HIB	43	41	0.2%	0.3%	41	0.3%	0.3%
HEPB ONLY	60	8715	37.5%	68.4%	8715	62.0%	68.4%
HEPB-UNKNOWN	HB	122	0.5%	1.0%	122	0.9%	1.0%
<b>SUBTOTALS:</b>		12737	54.8%	100.0%	12737	90.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		10511	45.2%	n/a	1323	9.4%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: XHEPTY4    Type: Character</b>							
<b>Label: HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HEPB-IPV	08	1995	8.6%	75.8%	1995	14.2%	75.8%
HEPB-HIB	43	20	0.1%	0.8%	20	0.1%	0.8%
HEPB ONLY	60	585	2.5%	22.2%	585	4.2%	22.2%
HEPB-UNKNOWN	HB	33	0.1%	1.3%	33	0.2%	1.3%
<b>SUBTOTALS:</b>		2633	11.3%	100.0%	2633	18.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		20615	88.7%	n/a	11427	81.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XHEPTY5 Type: Character****Label: HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HEPB-IPV	08	71	0.3%	59.7%	71	0.5%	59.7%
HEPB-HIB	43	1	0.0%	0.8%	1	0.0%	0.8%
HEPB ONLY	60	47	0.2%	39.5%	47	0.3%	39.5%
<b>SUBTOTALS:</b>		119	0.5%	100.0%	119	0.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23129	99.5%	n/a	13941	99.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XHEPTY6 Type: Character****Label: HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HEPB-IPV	08	1	0.0%	33.3%	1	0.0%	33.3%
HEPB ONLY	60	2	0.0%	66.7%	2	0.0%	66.7%
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23245	100.0%	n/a	14057	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XHEPTY7 Type: Character****Label: HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XHEPTY8 Type: Character****Label: HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XHEPTY9 Type: Character****Label: HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XHIBTY1 Type: Character****Label: HIB-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HIB	07	10	0.0%	0.1%	10	0.1%	0.1%
HEPB-HIB	43	28	0.1%	0.2%	28	0.2%	0.2%
HIB ONLY-UNKNOWN	44	38	0.2%	0.3%	38	0.3%	0.3%
DTAP-IPV-HIB	D3	7803	33.6%	57.3%	7803	55.5%	57.3%
HIB (GLAXOSMITHKLINE)	HG	85	0.4%	0.6%	85	0.6%	0.6%
HIB-UNKNOWN	HI	705	3.0%	5.2%	705	5.0%	5.2%
HIB (MERCK)	HM	2173	9.3%	16.0%	2173	15.5%	16.0%
HIB (SANOFI)	HS	2775	11.9%	20.4%	2775	19.7%	20.4%
<b>SUBTOTALS:</b>		13617	58.6%	100.0%	13617	96.8%	100.0%
<b>RESERVED CODES:</b>							

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XHIBTY1 Type: Character****Label: HIB-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
MISSING		9631	41.4%	n/a	443	3.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XHIBTY2 Type: Character****Label: HIB-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HIB	07	9	0.0%	0.1%	9	0.1%	0.1%
HEPB-HIB	43	15	0.1%	0.1%	15	0.1%	0.1%
HIB ONLY-UNKNOWN	44	26	0.1%	0.2%	26	0.2%	0.2%
DTAP-IPV-HIB	D3	8284	35.6%	61.7%	8284	58.9%	61.7%
HIB (GLAXOSMITHKLINE)	HG	71	0.3%	0.5%	71	0.5%	0.5%
HIB-UNKNOWN	HI	570	2.5%	4.2%	570	4.1%	4.2%
HIB (MERCK)	HM	2069	8.9%	15.4%	2069	14.7%	15.4%
HIB (SANOFI)	HS	2380	10.2%	17.7%	2380	16.9%	17.7%
<b>SUBTOTALS:</b>		13424	57.7%	100.0%	13424	95.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		9824	42.3%	n/a	636	4.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XHIBTY3 Type: Character****Label: HIB-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HIB	07	14	0.1%	0.1%	14	0.1%	0.1%
HEPB-HIB	43	21	0.1%	0.2%	21	0.1%	0.2%
HIB ONLY-UNKNOWN	44	23	0.1%	0.2%	23	0.2%	0.2%
DTAP-IPV-HIB	D3	7483	32.2%	57.2%	7483	53.2%	57.2%
HIB (GLAXOSMITHKLINE)	HG	101	0.4%	0.8%	101	0.7%	0.8%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XHIBTY3 Type: Character****Label: HIB-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
HIB-UNKNOWN	HI	520	2.2%	4.0%	520	3.7%	4.0%
HIB (MERCK)	HM	2097	9.0%	16.0%	2097	14.9%	16.0%
HIB (SANOFI)	HS	2831	12.2%	21.6%	2831	20.1%	21.6%
<b>SUBTOTALS:</b>		13090	56.3%	100.0%	13090	93.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		10158	43.7%	n/a	970	6.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XHIBTY4 Type: Character****Label: HIB-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HIB	07	67	0.3%	0.6%	67	0.5%	0.6%
HEPB-HIB	43	31	0.1%	0.3%	31	0.2%	0.3%
HIB ONLY-UNKNOWN	44	2	0.0%	0.0%	2	0.0%	0.0%
DTAP-IPV-HIB	D3	2508	10.8%	24.1%	2508	17.8%	24.1%
HIB (GLAXOSMITHKLINE)	HG	225	1.0%	2.2%	225	1.6%	2.2%
HIB-UNKNOWN	HI	479	2.1%	4.6%	479	3.4%	4.6%
HIB (MERCK)	HM	1362	5.9%	13.1%	1362	9.7%	13.1%
HIB (SANOFI)	HS	5723	24.6%	55.0%	5723	40.7%	55.0%
<b>SUBTOTALS:</b>		10397	44.7%	100.0%	10397	73.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		12851	55.3%	n/a	3663	26.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: XHIBTY5 Type: Character</b>							
<b>Label: HIB-CONTAINING VACCINATION #5 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HIB	07	5	0.0%	2.5%	5	0.0%	2.5%
HEPB-HIB	43	4	0.0%	2.0%	4	0.0%	2.0%
HIB ONLY-UNKNOWN	44	1	0.0%	0.5%	1	0.0%	0.5%
DTAP-IPV-HIB	D3	69	0.3%	34.7%	69	0.5%	34.7%
HIB (GLAXOSMITHKLINE)	HG	5	0.0%	2.5%	5	0.0%	2.5%
HIB-UNKNOWN	HI	16	0.1%	8.0%	16	0.1%	8.0%
HIB (MERCK)	HM	24	0.1%	12.1%	24	0.2%	12.1%
HIB (SANOFI)	HS	75	0.3%	37.7%	75	0.5%	37.7%
<b>SUBTOTALS:</b>		199	0.9%	100.0%	199	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23049	99.1%	n/a	13861	98.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: XHIBTY6 Type: Character</b>							
<b>Label: HIB-CONTAINING VACCINATION #6 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
HIB ONLY-UNKNOWN	44	1	0.0%	6.7%	1	0.0%	6.7%
DTAP-IPV-HIB	D3	5	0.0%	33.3%	5	0.0%	33.3%
HIB-UNKNOWN	HI	3	0.0%	20.0%	3	0.0%	20.0%
HIB (MERCK)	HM	2	0.0%	13.3%	2	0.0%	13.3%
HIB (SANOFI)	HS	4	0.0%	26.7%	4	0.0%	26.7%
<b>SUBTOTALS:</b>		15	0.1%	100.0%	15	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23233	99.9%	n/a	14045	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: XHIBTY7 Type: Character**  
**Label: HIB-CONTAINING VACCINATION #7 TYPE CODE**  
**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-IPV-HIB	D3	2	0.0%	66.7%	2	0.0%	66.7%
HIB (SANOFI)	HS	1	0.0%	33.3%	1	0.0%	33.3%
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23245	100.0%	n/a	14057	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XHIBTY8 Type: Character**  
**Label: HIB-CONTAINING VACCINATION #8 TYPE CODE**  
**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
HIB (SANOFI)	HS	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XHIBTY9 Type: Character**  
**Label: HIB-CONTAINING VACCINATION #9 TYPE CODE**  
**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: XMMRTY1 Type: Character</b>							
<b>Label: MEASLES-CONTAINING VACCINATION #1 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
MMR	30	12574	54.1%	96.8%	12574	89.4%	96.8%
MEASLES ONLY	31	32	0.1%	0.2%	32	0.2%	0.2%
MCV-UNKNOWN	MM	63	0.3%	0.5%	63	0.4%	0.5%
MMR-VARICELLA	VM	314	1.4%	2.4%	314	2.2%	2.4%
<b>SUBTOTALS:</b>		12983	55.8%	100.0%	12983	92.3%	100.0%
<b>RESERVED CODES:</b>							
MISSING		10265	44.2%	n/a	1077	7.7%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: XMMRTY2 Type: Character</b>							
<b>Label: MEASLES-CONTAINING VACCINATION #2 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
MMR	30	229	1.0%	88.4%	229	1.6%	88.4%
MEASLES ONLY	31	2	0.0%	0.8%	2	0.0%	0.8%
MCV-UNKNOWN	MM	6	0.0%	2.3%	6	0.0%	2.3%
MMR-VARICELLA	VM	22	0.1%	8.5%	22	0.2%	8.5%
<b>SUBTOTALS:</b>		259	1.1%	100.0%	259	1.8%	100.0%
<b>RESERVED CODES:</b>							
MISSING		22989	98.9%	n/a	13801	98.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XMMRTY3 Type: Character****Label: MEASLES-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
MMR	30	1	0.0%	50.0%	1	0.0%	50.0%
MMR-VARICELLA	VM	1	0.0%	50.0%	1	0.0%	50.0%
<b>SUBTOTALS:</b>		2	0.0%	100.0%	2	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23246	100.0%	n/a	14058	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XMMRTY4 Type: Character****Label: MEASLES-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XMMRTY5 Type: Character****Label: MEASLES-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: XMMRTY6 Type: Character**

**Label: MEASLES-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XMMRTY7 Type: Character**

**Label: MEASLES-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XMMRTY8 Type: Character**

**Label: MEASLES-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XMMRTY9 Type: Character****Label: MEASLES-CONTAINING VACCINATION #9 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XPCVTY1 Type: Character****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
PCV CONJUGATE-UNKNOWN	70	1	0.0%	0.0%	1	0.0%	0.0%
PCV POLYSACCHARIDE	71	17	0.1%	0.1%	17	0.1%	0.1%
PCV-UNKNOWN	72	436	1.9%	3.2%	436	3.1%	3.2%
PCV CONJUGATE-7	73	968	4.2%	7.1%	968	6.9%	7.1%
PCV CONJUGATE-13	74	12154	52.3%	89.5%	12154	86.4%	89.5%
<b>SUBTOTALS:</b>		13576	58.4%	100.0%	13576	96.6%	100.0%
<b>RESERVED CODES:</b>							
MISSING		9672	41.6%	n/a	484	3.4%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XPCVTY2 Type: Character****Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
PCV CONJUGATE-UNKNOWN	70	1	0.0%	0.0%	1	0.0%	0.0%
PCV POLYSACCHARIDE	71	18	0.1%	0.1%	18	0.1%	0.1%
PCV-UNKNOWN	72	370	1.6%	2.8%	370	2.6%	2.8%
PCV CONJUGATE-7	73	728	3.1%	5.4%	728	5.2%	5.4%
PCV CONJUGATE-13	74	12252	52.7%	91.6%	12252	87.1%	91.6%
<b>SUBTOTALS:</b>		13369	57.5%	100.0%	13369	95.1%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: XPCVTY2 Type: Character**

**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>RESERVED CODES:</b>							
MISSING		9879	42.5%	n/a	691	4.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XPCVTY3 Type: Character**

**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>RESERVED CODES:</b>							
PCV CONJUGATE-UNKNOWN	70	1	0.0%	0.0%	1	0.0%	0.0%
PCV POLYSACCHARIDE	71	13	0.1%	0.1%	13	0.1%	0.1%
PCV-UNKNOWN	72	309	1.3%	2.4%	309	2.2%	2.4%
PCV CONJUGATE-7	73	568	2.4%	4.4%	568	4.0%	4.4%
PCV CONJUGATE-13	74	12164	52.3%	93.2%	12164	86.5%	93.2%
<b>SUBTOTALS:</b>		13055	56.2%	100.0%	13055	92.9%	100.0%
<b>RESERVED CODES:</b>							
MISSING		10193	43.8%	n/a	1005	7.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XPCVTY4 Type: Character**

**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>RESERVED CODES:</b>							
PCV POLYSACCHARIDE	71	14	0.1%	0.1%	14	0.1%	0.1%
PCV-UNKNOWN	72	202	0.9%	1.7%	202	1.4%	1.7%
PCV CONJUGATE-7	73	334	1.4%	2.8%	334	2.4%	2.8%
PCV CONJUGATE-13	74	11273	48.5%	95.3%	11273	80.2%	95.3%
<b>SUBTOTALS:</b>		11823	50.9%	100.0%	11823	84.1%	100.0%
<b>RESERVED CODES:</b>							

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: XPCVTY4 Type: Character**  
**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE**  
**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
MISSING		11425	49.1%	n/a	2237	15.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XPCVTY5 Type: Character**  
**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE**  
**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
PCV POLYSACCHARIDE	71	11	0.0%	5.5%	11	0.1%	5.5%
PCV-UNKNOWN	72	9	0.0%	4.5%	9	0.1%	4.5%
PCV CONJUGATE-7	73	1	0.0%	0.5%	1	0.0%	0.5%
PCV CONJUGATE-13	74	180	0.8%	89.6%	180	1.3%	89.6%
<b>SUBTOTALS:</b>		201	0.9%	100.0%	201	1.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23047	99.1%	n/a	13859	98.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XPCVTY6 Type: Character**  
**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE**  
**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

LABEL	VALUE	COUNT	PCT	PCT Excl. Reserve Codes	Adequate Provider Data	PCT	PCT Excl. Reserve Codes
PCV-UNKNOWN	72	2	0.0%	20.0%	2	0.0%	20.0%
PCV CONJUGATE-13	74	8	0.0%	80.0%	8	0.1%	80.0%
<b>SUBTOTALS:</b>		10	0.0%	100.0%	10	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23238	100.0%	n/a	14050	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: XPCVTY7 Type: Character**

**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
PCV CONJUGATE-13	74	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XPCVTY8 Type: Character**

**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
PCV CONJUGATE-13	74	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XPCVTY9 Type: Character**

**Label: PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: XPOLTY1 Type: Character</b>							
<b>Label: POLIO-CONTAINING VACCINATION #1 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HEPB-IPV	08	3794	16.3%	27.9%	3794	27.0%	27.9%
OPV	20	39	0.2%	0.3%	39	0.3%	0.3%
IPV	21	1664	7.2%	12.2%	1664	11.8%	12.2%
POLIO-UNKNOWN	22	285	1.2%	2.1%	285	2.0%	2.1%
DTAP-IPV-HIB	D3	7810	33.6%	57.5%	7810	55.5%	57.5%
<b>SUBTOTALS:</b>		13592	58.5%	100.0%	13592	96.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		9656	41.5%	n/a	468	3.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: XPOLTY2 Type: Character</b>							
<b>Label: POLIO-CONTAINING VACCINATION #2 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HEPB-IPV	08	3151	13.6%	23.5%	3151	22.4%	23.5%
OPV	20	34	0.1%	0.3%	34	0.2%	0.3%
IPV	21	1693	7.3%	12.6%	1693	12.0%	12.6%
POLIO-UNKNOWN	22	250	1.1%	1.9%	250	1.8%	1.9%
DTAP-IPV-HIB	D3	8300	35.7%	61.8%	8300	59.0%	61.8%
<b>SUBTOTALS:</b>		13428	57.8%	100.0%	13428	95.5%	100.0%
<b>RESERVED CODES:</b>							
MISSING		9820	42.2%	n/a	632	4.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: XPOLTY3    Type: Character</b>							
<b>Label: POLIO-CONTAINING VACCINATION #3 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HEPB-IPV	08	3651	15.7%	27.9%	3651	26.0%	27.9%
OPV	20	31	0.1%	0.2%	31	0.2%	0.2%
IPV	21	1675	7.2%	12.8%	1675	11.9%	12.8%
POLIO-UNKNOWN	22	209	0.9%	1.6%	209	1.5%	1.6%
DTAP-IPV-HIB	D3	7541	32.4%	57.5%	7541	53.6%	57.5%
<b>SUBTOTALS:</b>		13107	56.4%	100.0%	13107	93.2%	100.0%
<b>RESERVED CODES:</b>							
MISSING		10141	43.6%	n/a	953	6.8%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: XPOLTY4    Type: Character</b>							
<b>Label: POLIO-CONTAINING VACCINATION #4 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HEPB-IPV	08	190	0.8%	6.3%	190	1.4%	6.3%
OPV	20	17	0.1%	0.6%	17	0.1%	0.6%
IPV	21	290	1.2%	9.6%	290	2.1%	9.6%
POLIO-UNKNOWN	22	53	0.2%	1.8%	53	0.4%	1.8%
DTAP-IPV-HIB	D3	2459	10.6%	81.7%	2459	17.5%	81.7%
<b>SUBTOTALS:</b>		3009	12.9%	100.0%	3009	21.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		20239	87.1%	n/a	11051	78.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

<b>Variable: XPOLTY5    Type: Character</b>							
<b>Label: POLIO-CONTAINING VACCINATION #5 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HEPB-IPV	08	6	0.0%	9.5%	6	0.0%	9.5%
OPV	20	1	0.0%	1.6%	1	0.0%	1.6%
IPV	21	11	0.0%	17.5%	11	0.1%	17.5%
POLIO-UNKNOWN	22	6	0.0%	9.5%	6	0.0%	9.5%
DTAP-IPV-HIB	D3	39	0.2%	61.9%	39	0.3%	61.9%
<b>SUBTOTALS:</b>		63	0.3%	100.0%	63	0.4%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23185	99.7%	n/a	13997	99.6%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

<b>Variable: XPOLTY6    Type: Character</b>							
<b>Label: POLIO-CONTAINING VACCINATION #6 TYPE CODE</b>							
<b>Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.</b>							
<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-HEPB-IPV	08	1	0.0%	12.5%	1	0.0%	12.5%
IPV	21	1	0.0%	12.5%	1	0.0%	12.5%
POLIO-UNKNOWN	22	2	0.0%	25.0%	2	0.0%	25.0%
DTAP-IPV-HIB	D3	4	0.0%	50.0%	4	0.0%	50.0%
<b>SUBTOTALS:</b>		8	0.0%	100.0%	8	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23240	100.0%	n/a	14052	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: XPOLTY7 Type: Character**

**Label: POLIO-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
DTAP-IPV-HIB	D3	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XPOLTY8 Type: Character**

**Label: POLIO-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XPOLTY9 Type: Character**

**Label: POLIO-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: XROTTY1 Type: Character**

**Label: ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
ROTARIX (GSK)	RG	2603	11.2%	22.1%	2603	18.5%	22.1%
ROTATEQ (MERCK)	RM	8733	37.6%	74.2%	8733	62.1%	74.2%
ROTAVIRUS-UNKNOWN	RO	433	1.9%	3.7%	433	3.1%	3.7%
<b>SUBTOTALS:</b>		11769	50.6%	100.0%	11769	83.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		11479	49.4%	n/a	2291	16.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XROTTY2 Type: Character**

**Label: ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
ROTARIX (GSK)	RG	2443	10.5%	21.7%	2443	17.4%	21.7%
ROTATEQ (MERCK)	RM	8467	36.4%	75.3%	8467	60.2%	75.3%
ROTAVIRUS-UNKNOWN	RO	341	1.5%	3.0%	341	2.4%	3.0%
<b>SUBTOTALS:</b>		11251	48.4%	100.0%	11251	80.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		11997	51.6%	n/a	2809	20.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XROTTY3 Type: Character**

**Label: ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
ROTARIX (GSK)	RG	239	1.0%	3.0%	239	1.7%	3.0%
ROTATEQ (MERCK)	RM	7491	32.2%	94.4%	7491	53.3%	94.4%
ROTAVIRUS-UNKNOWN	RO	208	0.9%	2.6%	208	1.5%	2.6%
<b>SUBTOTALS:</b>		7938	34.1%	100.0%	7938	56.5%	100.0%
<b>RESERVED CODES:</b>							

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: XROTTY3 Type: Character**

**Label: ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
MISSING		15310	65.9%	n/a	6122	43.5%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XROTTY4 Type: Character**

**Label: ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
ROTARIX (GSK)	RG	2	0.0%	9.5%	2	0.0%	9.5%
ROTATEQ (MERCK)	RM	15	0.1%	71.4%	15	0.1%	71.4%
ROTAVIRUS-UNKNOWN	RO	4	0.0%	19.0%	4	0.0%	19.0%
<b>SUBTOTALS:</b>		21	0.1%	100.0%	21	0.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23227	99.9%	n/a	14039	99.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XROTTY5 Type: Character**

**Label: ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
ROTATEQ (MERCK)	RM	3	0.0%	100.0%	3	0.0%	100.0%
<b>SUBTOTALS:</b>		3	0.0%	100.0%	3	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23245	100.0%	n/a	14057	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: XROTTY6 Type: Character**

**Label: ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
ROTATEQ (MERCK)	RM	1	0.0%	100.0%	1	0.0%	100.0%
<b>SUBTOTALS:</b>		1	0.0%	100.0%	1	0.0%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23247	100.0%	n/a	14059	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XROTTY7 Type: Character**

**Label: ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XROTTY8 Type: Character**

**Label: ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

**Variable: XROTTY9 Type: Character**

**Label: ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XVRCTY1 Type: Character**

**Label: VARICELLA-CONTAINING VACCINATION #1 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
VARICELLA-UNKNOWN	VA	80	0.3%	0.6%	80	0.6%	0.6%
MMR-VARICELLA	VM	313	1.3%	2.4%	313	2.2%	2.4%
VARICELLA-ONLY	VO	12418	53.4%	96.9%	12418	88.3%	96.9%
<b>SUBTOTALS:</b>		12811	55.1%	100.0%	12811	91.1%	100.0%
<b>RESERVED CODES:</b>							
MISSING		10437	44.9%	n/a	1249	8.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: XVRCTY2 Type: Character**

**Label: VARICELLA-CONTAINING VACCINATION #2 TYPE CODE**

**Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
VARICELLA-UNKNOWN	VA	2	0.0%	0.8%	2	0.0%	0.8%
MMR-VARICELLA	VM	24	0.1%	10.0%	24	0.2%	10.0%
VARICELLA-ONLY	VO	213	0.9%	89.1%	213	1.5%	89.1%
<b>SUBTOTALS:</b>		239	1.0%	100.0%	239	1.7%	100.0%
<b>RESERVED CODES:</b>							
MISSING		23009	99.0%	n/a	13821	98.3%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XVRCTY3 Type: Character****Label: VARICELLA-CONTAINING VACCINATION #3 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XVRCTY4 Type: Character****Label: VARICELLA-CONTAINING VACCINATION #4 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XVRCTY5 Type: Character****Label: VARICELLA-CONTAINING VACCINATION #5 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES****Variable: XVRCTY6 Type: Character****Label: VARICELLA-CONTAINING VACCINATION #6 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XVRCTY7 Type: Character****Label: VARICELLA-CONTAINING VACCINATION #7 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**Variable: XVRCTY8 Type: Character****Label: VARICELLA-CONTAINING VACCINATION #8 TYPE CODE****Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

**SECTION 9: PROVIDER-REPORTED AGE-AT-VACCINATION VARIABLES**

Variable: XVRCTY9 Type: Character

Label: VARICELLA-CONTAINING VACCINATION #9 TYPE CODE

Notes: See User's Guide for more information. The "type code" variables reflect shots given both before and after the HH interview date.

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
<b>SUBTOTALS:</b>		0	0.0%	n/a	0	0.0%	n/a
<b>RESERVED CODES:</b>							
MISSING		23248	100.0%	n/a	14060	100.0%	n/a
<b>TOTALS:</b>		23248	100.0%	n/a	14060	100.0%	n/a

## SECTION 10: HEALTH INSURANCE MODULE VARIABLES

**Variable: INS\_1 Type: Numeric**

**Label:**  
IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?

**Notes:** See User's Guide for more information.

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
YES	1	9134	39.3%	57.2%	7894	56.1%	57.5%
NO	2	6839	29.4%	42.8%	5830	41.5%	42.5%
<b>SUBTOTALS:</b>		15973	68.7%	100.0%	13724	97.6%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	98	0.4%	n/a	80	0.6%	n/a
REFUSED	99	34	0.1%	n/a	18	0.1%	n/a
MISSING	.	7143	30.7%	n/a	238	1.7%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: INS\_2 Type: Numeric**

**Label:** IS CHILD COVERED BY ANY MEDICAID PLAN?

**Notes:** Question not asked of cases sampled in the U.S. Virgin Islands.  
See User's Guide for more information.

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
YES	1	3106	13.4%	35.2%	2707	19.3%	35.4%
NO	2	5730	24.6%	64.8%	4950	35.2%	64.6%
<b>SUBTOTALS:</b>		8836	38.0%	100.0%	7657	54.5%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	72	0.3%	n/a	58	0.4%	n/a
REFUSED	99	13	0.1%	n/a	9	0.1%	n/a
MISSING	.	14327	61.6%	n/a	6336	45.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 10: HEALTH INSURANCE MODULE VARIABLES**

**Variable: INS\_3 Type: Numeric**  
**Label: IS CHILD COVERED BY S-CHIP?**  
**Notes: Question not asked of cases sampled in the U.S. Virgin Islands.**  
**See User's Guide for more information.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
YES	1	1440	6.2%	16.7%	1258	8.9%	16.9%
NO	2	7172	30.8%	83.3%	6206	44.1%	83.1%
<b>SUBTOTALS:</b>		8612	37.0%	100.0%	7464	53.1%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	293	1.3%	n/a	247	1.8%	n/a
REFUSED	99	11	0.0%	n/a	8	0.1%	n/a
MISSING	.	14332	61.6%	n/a	6341	45.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: INS\_3A Type: Numeric**  
**Label: IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?**  
**Notes: Question not asked of cases sampled in the U.S. Virgin Islands.**  
**See User's Guide for more information.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
YES	1	2674	11.5%	41.3%	2301	16.4%	41.2%
NO	2	3802	16.4%	58.7%	3280	23.3%	58.8%
<b>SUBTOTALS:</b>		6476	27.9%	100.0%	5581	39.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	54	0.2%	n/a	38	0.3%	n/a
REFUSED	99	7	0.0%	n/a	5	0.0%	n/a
MISSING	.	16711	71.9%	n/a	8436	60.0%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 10: HEALTH INSURANCE MODULE VARIABLES****Variable: INS\_4\_5** Type: Numeric**Label: IS CHILD COVERED BY INDIAN HEALTH SERVICE,  
MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?****Notes: INS\_4 not asked of cases sampled in the U.S. Virgin Islands.  
See User's Guide for more information.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
YES	1	1206	5.2%	7.9%	976	6.9%	7.4%
NO	2	14028	60.3%	92.1%	12198	86.8%	92.6%
<b>SUBTOTALS:</b>		15234	65.5%	100.0%	13174	93.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	245	1.1%	n/a	187	1.3%	n/a
REFUSED	99	21	0.1%	n/a	16	0.1%	n/a
MISSING	.	7748	33.3%	n/a	683	4.9%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**Variable: INS\_6** Type: Numeric**Label:  
IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE  
PLAN?****Notes: See User's Guide for more information.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
YES	1	1233	5.3%	7.7%	1035	7.4%	7.5%
NO	2	14733	63.4%	92.3%	12698	90.3%	92.5%
<b>SUBTOTALS:</b>		15966	68.7%	100.0%	13733	97.7%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	35	0.2%	n/a	22	0.2%	n/a
REFUSED	99	15	0.1%	n/a	11	0.1%	n/a
MISSING	.	7232	31.1%	n/a	294	2.1%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**SECTION 10: HEALTH INSURANCE MODULE VARIABLES****Variable: INS\_11 Type: Numeric****Label:****ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?****Notes: See User's Guide for more information.**

<b>LABEL</b>	<b>VALUE</b>	<b>COUNT</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>	<b>Adequate Provider Data</b>	<b>PCT</b>	<b>PCT Excl. Reserve Codes</b>
YES	1	1177	5.1%	7.8%	1023	7.3%	7.8%
NO	2	14003	60.2%	92.2%	12110	86.1%	92.2%
<b>SUBTOTALS:</b>		15180	65.3%	100.0%	13133	93.4%	100.0%
<b>RESERVED CODES:</b>							
DON'T KNOW	77	69	0.3%	n/a	45	0.3%	n/a
REFUSED	99	12	0.1%	n/a	10	0.1%	n/a
MISSING	.	7987	34.4%	n/a	872	6.2%	n/a
<b>TOTALS:</b>		23248	100.0%	100.0%	14060	100.0%	100.0%

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
AGECPOXR	99	99	2	AGE IN MONTHS AT CHICKEN POX DISEASE (RECODE)
AGEGRP	103	103	3	AGE CATEGORY OF CHILD (19-23, 24-29, 30-35 MO) (RECODE)
BFENDFL06	128	128	3	DURATION OF BREAST FEEDING EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BFFORMFL06	129	129	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA EXCEEDS CHILD AGE IN DAYS, WITH BUFFER
BF_ENDR06	104	111	3	DURATION OF BREAST FEEDING IN DAYS (RECODE)
BF_EXCLR06	112	119	3	DURATION OF EXCLUSIVE BREAST/FORMULA FEEDING IN DAYS (RECODE)
BF_FORMR08	120	127	3	AGE IN DAYS WHEN CHILD FIRST FED FORMULA (RECODE)
C1R	130	130	3	NUMBER OF PEOPLE IN HOUSEHOLD (RECODE)
C5R	131	132	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CBF_01	133	134	3	WAS CHILD EVER BREAST FED OR FED BREAST MILK?
CEN_REG	135	135	3	CENSUS REGION BASED ON TRUE STATE OF RESIDENCE
CHILDNM	136	136	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
CWIC_01	137	138	3	CHILD EVER RECEIVED WIC BENEFITS?
CWIC_02	139	140	3	CHILD CURRENTLY RECEIVING WIC BENEFITS?
D6R	186	186	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	187	187	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM PROVIDERS
DDTP1	281	284	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #1
DDTP2	285	288	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #2
DDTP3	289	292	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #3
DDTP4	293	296	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #4
DDTP5	297	300	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #5
DDTP6	301	303	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #6
DDTP7	304	306	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #7
DDTP8	307	310	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #8
DDTP9	311	311	9	AGE IN DAYS OF PROV-REPTD DT-CONTAINING SHOT #9
DFLU1	312	315	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
DFLU2	316	319	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
DFLU3	320	323	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
DFLU4	324	327	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
DFLU5	328	331	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
DFLU6	332	332	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DFLU7	333	333	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
DFLU8	334	334	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
DFLU9	335	335	9	AGE IN DAYS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
DHEPA1	336	339	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
DHEPA2	340	343	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
DHEPA3	344	347	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
DHEPA4	348	350	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
DHEPA5	351	351	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
DHEPA6	352	352	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
DHEPA7	353	353	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
DHEPA8	354	354	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
DHEPA9	355	355	9	AGE IN DAYS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
DHEPB1	356	359	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
DHEPB2	360	363	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
DHEPB3	364	367	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
DHEPB4	368	371	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
DHEPB5	372	375	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
DHEPB6	376	378	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
DHEPB7	379	379	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
DHEPB8	380	380	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8
DHEPB9	381	381	9	AGE IN DAYS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
DHIB1	382	385	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #1
DHIB2	386	389	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #2
DHIB3	390	393	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #3
DHIB4	394	397	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #4
DHIB5	398	401	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #5
DHIB6	402	404	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #6
DHIB7	405	407	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #7
DHIB8	408	411	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #8
DHIB9	412	412	9	AGE IN DAYS OF PROV-REPTD HIB-CONTAINING SHOT #9
DMMR1	413	416	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
DMMR2	417	420	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
DMMR3	421	423	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
DMMR4	424	424	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
DMMR5	425	425	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #5
DMMR6	426	426	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #6

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DMMR7	427	427	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
DMMR8	428	428	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
DMMR9	429	429	9	AGE IN DAYS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
DMP1	430	430	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #1
DMP2	431	431	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #2
DMP3	432	432	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #3
DMP4	433	433	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #4
DMP5	434	434	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #5
DMP6	435	435	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #6
DMP7	436	436	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #7
DMP8	437	437	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #8
DMP9	438	438	9	AGE IN DAYS OF PROV-REPTD MUMPS-ONLY SHOT #9
DMPRB1	439	439	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
DMPRB2	440	440	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
DMPRB3	441	441	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
DMPRB4	442	442	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
DMPRB5	443	443	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
DMPRB6	444	444	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
DMPRB7	445	445	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
DMPRB8	446	446	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
DMPRB9	447	447	9	AGE IN DAYS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
DPCV1	448	451	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
DPCV2	452	455	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
DPCV3	456	459	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
DPCV4	460	463	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
DPCV5	464	467	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
DPCV6	468	470	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
DPCV7	471	473	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
DPCV8	474	476	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
DPCV9	477	477	9	AGE IN DAYS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
DPOLIO1	478	481	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #1
DPOLIO2	482	485	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #2
DPOLIO3	486	489	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #3
DPOLIO4	490	493	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #4
DPOLIO5	494	496	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #5
DPOLIO6	497	499	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #6
DPOLIO7	500	502	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #7
DPOLIO8	503	503	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #8

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
DPOLIO9	504	504	9	AGE IN DAYS OF PROV-REPTD POLIO-CONTAINING SHOT #9
DRB1	505	505	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #1
DRB2	506	506	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #2
DRB3	507	507	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #3
DRB4	508	508	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #4
DRB5	509	509	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #5
DRB6	510	510	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #6
DRB7	511	511	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #7
DRB8	512	512	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #8
DRB9	513	513	9	AGE IN DAYS OF PROV-REPTD RUBELLA-ONLY SHOT #9
DROT1	514	516	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
DROT2	517	519	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
DROT3	520	522	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
DROT4	523	525	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
DROT5	526	528	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
DROT6	529	531	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
DROT7	532	532	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
DROT8	533	533	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
DROT9	534	534	9	AGE IN DAYS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
DTP1_AGE	550	551	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #1
DTP2_AGE	552	553	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #2
DTP3_AGE	554	555	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #3
DTP4_AGE	556	557	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #4
DTP5_AGE	558	559	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #5
DTP6_AGE	560	561	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #6
DTP7_AGE	562	563	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #7
DTP8_AGE	564	565	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #8
DTP9_AGE	566	566	9	AGE IN MONTHS OF PROV-REPTD DT-CONTAINING SHOT #9
DVRC1	535	538	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
DVRC2	539	542	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
DVRC3	543	543	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
DVRC4	544	544	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
DVRC5	545	545	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
DVRC6	546	546	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
DVRC7	547	547	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
DVRC8	548	548	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
DVRC9	549	549	9	AGE IN DAYS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
EDUC1	141	141	3	EDUCATION OF MOTHER CATEGORIES (RECODE)
ESTIAP13	179	181	4	ESTIMATION AREA OF RESIDENCE
EST_GRANT	182	183	4	AREA OF RESIDENCE ACCORDING TO THE 56 ORIGINAL CORE GRANTEE AREAS
FLU1_AGE	567	568	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #1
FLU2_AGE	569	570	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #2
FLU3_AGE	571	572	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #3
FLU4_AGE	573	574	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #4
FLU5_AGE	575	576	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #5
FLU6_AGE	577	577	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #6
FLU7_AGE	578	578	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #7
FLU8_AGE	579	579	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #8
FLU9_AGE	580	580	9	AGE IN MONTHS OF PROV-REPTD SEASONAL FLU-CONTAINING VACCINATION #9
FRSTBRN	142	142	3	FIRST BORN STATUS OF CHILD
HAD_CPOX	100	101	2	CHILD EVER HAD CHICKEN POX DISEASE?
HEA1_AGE	581	582	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #1
HEA2_AGE	583	584	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #2
HEA3_AGE	585	586	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #3
HEA4_AGE	587	588	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #4
HEA5_AGE	589	589	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #5
HEA6_AGE	590	590	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #6
HEA7_AGE	591	591	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #7
HEA8_AGE	592	592	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #8
HEA9_AGE	593	593	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS A-CONTAINING SHOT #9
HEP1_AGE	594	595	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #1
HEP2_AGE	596	597	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #2
HEP3_AGE	598	599	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #3
HEP4_AGE	600	601	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #4
HEP5_AGE	602	603	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #5
HEP6_AGE	604	605	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #6
HEP7_AGE	606	606	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #7
HEP8_AGE	607	607	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #8

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
HEP9_AGE	608	608	9	AGE IN MONTHS OF PROV-REPTD HEPATITIS B-CONTAINING SHOT #9
HEP_BRTH	192	192	8	HEPATITIS B-CONTAINING SHOT GIVEN AT BIRTH FLAG
HEP_FLAG	193	193	8	HEPATITIS B BIRTH SHOT DATE IMPUTATION FLAG
HIB1_AGE	609	610	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #1
HIB2_AGE	611	612	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #2
HIB3_AGE	613	614	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #3
HIB4_AGE	615	616	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #4
HIB5_AGE	617	618	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #5
HIB6_AGE	619	620	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #6
HIB7_AGE	621	622	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #7
HIB8_AGE	623	624	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #8
HIB9_AGE	625	625	9	AGE IN MONTHS OF PROV-REPTD HIB-CONTAINING SHOT #9
INCPORAR	144	159	3	INCOME TO POVERTY RATIO (RECODE)
INCPOV1	160	160	3	POVERTY STATUS
INCQ298A	161	162	3	FAMILY INCOME CATEGORIES (RECODE)
INS_1	858	859	10	IS CHILD COVERED BY HEALTH INSURANCE PROVIDED THROUGH EMPLOYER OR UNION?
INS_11	870	871	10	ANY TIME WHEN CHILD WAS NOT COVERED BY ANY HEALTH INSURANCE?
INS_2	860	861	10	IS CHILD COVERED BY ANY MEDICAID PLAN?
INS_3	862	863	10	IS CHILD COVERED BY S-CHIP?
INS_3A	864	865	10	IS CHILD COVERED BY ANY MEDICAID PLAN OR S-CHIP?
INS_4_5	866	867	10	IS CHILD COVERED BY INDIAN HEALTH SERVICE, MILITARY HEALTH CARE, TRICARE, CHAMPUS, OR CHAMP-VA?
INS_6	868	869	10	IS CHILD COVERED BY ANY OTHER HEALTH INSURANCE OR HEALTH CARE PLAN?
INTRP	163	163	3	PHONE INTERRUPTION OF 7 DAYS OR MORE IN PAST YEAR?
I_HISP_K	143	143	3	HISPANIC ORIGIN OF CHILD
LANGUAGE	164	164	3	LANGUAGE IN WHICH INTERVIEW WAS CONDUCTED
MARITAL2	166	166	3	MARITAL STATUS OF MOTHER (RECODE)
MMR1_AGE	626	627	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #1
MMR2_AGE	628	629	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #2
MMR3_AGE	630	631	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #3
MMR4_AGE	632	632	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #4
MMR5_AGE	633	633	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #5

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
MMR6_AGE	634	634	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #6
MMR7_AGE	635	635	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #7
MMR8_AGE	636	636	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #8
MMR9_AGE	637	637	9	AGE IN MONTHS OF PROV-REPTD MEASLES-CONTAINING SHOT #9
MOBIL_I	167	167	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE
MP1_AGE	638	638	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #1
MP2_AGE	639	639	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #2
MP3_AGE	640	640	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #3
MP4_AGE	641	641	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #4
MP5_AGE	642	642	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #5
MP6_AGE	643	643	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #6
MP7_AGE	644	644	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #7
MP8_AGE	645	645	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #8
MP9_AGE	646	646	9	AGE IN MONTHS OF PROV-REPTD MUMPS-ONLY SHOT #9
MPR1_AGE	647	647	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #1
MPR2_AGE	648	648	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #2
MPR3_AGE	649	649	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #3
MPR4_AGE	650	650	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #4
MPR5_AGE	651	651	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #5
MPR6_AGE	652	652	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #6
MPR7_AGE	653	653	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #7
MPR8_AGE	654	654	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #8
MPR9_AGE	655	655	9	AGE IN MONTHS OF PROV-REPTD (MUMPS/RUBELLA)-ONLY SHOT #9
M_AGEGRP	165	165	3	AGE OF MOTHER CATEGORIES (RECODE)
NUM_CELLS_HH	170	171	3	NUMBER OF WORKING CELL PHONES HOUSEHOLD MEMBERS HAVE AVAILABLE FOR PERSONAL USE
NUM_CELLS_PARENTS	172	173	3	NUMBER OF WORKING CELL PHONES USUALLY USED BY PARENTS OR GUARDIANS
NUM_PHONE	168	169	3	NUMBER OF RESIDENTIAL TELEPHONE NUMBERS IN HOUSEHOLD (EXCLUDING CELL PHONES)

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
N_PRVR	188	188	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
PCV1_AGE	656	657	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #1
PCV2_AGE	658	659	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #2
PCV3_AGE	660	661	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #3
PCV4_AGE	662	663	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #4
PCV5_AGE	664	665	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #5
PCV6_AGE	666	667	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #6
PCV7_AGE	668	669	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #7
PCV8_AGE	670	671	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #8
PCV9_AGE	672	672	9	AGE IN MONTHS OF PROV-REPTD PNEUMOCOCCAL-CONTAINING SHOT #9
PDAT	12	12	1	CHILD HAS ADEQUATE PROVIDER DATA
POL1_AGE	673	674	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #1
POL2_AGE	675	676	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #2
POL3_AGE	677	678	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #3
POL4_AGE	679	680	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #4
POL5_AGE	681	682	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #5
POL6_AGE	683	684	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #6
POL7_AGE	685	686	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #7
POL8_AGE	687	687	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #8
POL9_AGE	688	688	9	AGE IN MONTHS OF PROV-REPTD POLIO-CONTAINING SHOT #9
PROVWTVIGU_D	33	52	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT INCLUDING U.S. VIRGIN ISLANDS AND GUAM
PROVWT_D	13	32	1	FINAL DUAL-FRAME PROVIDER-PHASE WEIGHT (EXCLUDES U.S. VIRGIN ISLANDS AND GUAM)
PROV_FAC	189	189	7	PROVIDER FACILITY TYPES
PU431331	266	266	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313313	269	269	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:3 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU4313314	271	271	8	UTD FLAG FOR PROVIDER 4:3:1:3:3:1:4 (INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
PU431_31	268	268	8	UTD FLAG FOR PROVIDER 4:3:1::3:1 (4:3:1:3:3:1 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PU431_314	273	273	8	UTD FLAG FOR PROVIDER 4:3:1::3:1:4 (4:3:1:3:3:1:4 EXCLUDING HIB; INCLUDES 1+ VARICELLA AT AGE 12+ MTHS) BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUT43133	274	274	8	UTD FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
PUTD4313	276	276	8	UTD FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUHEPX	194	194	8	NUMBER OF HEPATITIS B-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHIBX	195	195	8	NUMBER OF HIB-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUHPHB	196	196	8	NUMBER OF HEPATITIS B/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDAH	197	197	8	NUMBER OF DTAP/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDHI	198	198	8	NUMBER OF DTAP/HEPB/IPV COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDIH	199	199	8	NUMBER OF DTAP/IPV/HIB COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMDTA	200	200	8	NUMBER OF DTAP-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMDTP	201	201	8	NUMBER OF DT-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLU	202	202	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUL	203	203	8	NUMBER OF SEASONAL FLU-CONTAINING VACCINATIONS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMFLUM	204	204	8	NUMBER OF SEASONAL FLU SPRAY VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMFLUN	205	205	8	NUMBER OF INJECTED SEASONAL FLU VACCINATIONS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEA	206	206	8	NUMBER OF HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEN	207	207	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHEP	208	208	8	NUMBER OF HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHG	213	213	8	NUMBER OF HIB-GLAXOSMITHKLINE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHIB	209	209	8	NUMBER OF HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHIN	210	210	8	NUMBER OF HIB-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMHION	211	211	8	NUMBER OF HIB-ONLY SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHM	212	212	8	NUMBER OF HIB-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMHS	214	214	8	NUMBER OF HIB-SANOFI SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMIPV	215	215	8	NUMBER OF IPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMCN	216	216	8	NUMBER OF MEASLES-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMR	217	217	8	NUMBER OF MEASLES-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMRX	218	218	8	NUMBER OF MMR-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMMX	219	219	8	NUMBER OF MMR-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_NUMMP	220	220	8	NUMBER OF MUMPS-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMPR	221	221	8	NUMBER OF (MUMPS/RUBELLA)-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMRV	222	222	8	NUMBER OF MMR/VARICELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMS	223	223	8	NUMBER OF MEASLES-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSM	224	224	8	NUMBER OF MEASLES/MUMPS COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMMSR	225	225	8	NUMBER OF MEASLES/RUBELLA COMBO SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOLN	226	226	8	NUMBER OF POLIO SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMOPV	227	227	8	NUMBER OF OPV-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMPCC	230	230	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC13	232	232	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-13 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCC7	231	231	8	NUMBER OF PNEUMOCOCCAL CONJUGATE-7 SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCCN	233	233	8	NUMBER OF PNEUMOCOCCAL CONJUGATE SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCN	234	234	8	NUMBER OF PNEUMOCOCCAL SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPCP	229	229	8	NUMBER OF PNEUMOCOCCAL POLYSACCHARIDE SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_NUMPCV	228	228	8	NUMBER OF PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMPOL	235	235	8	NUMBER OF POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRB	236	236	8	NUMBER OF RUBELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMRG	237	237	8	NUMBER OF ROTARIX-GSK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRM	238	238	8	NUMBER OF ROTATEQ-MERCK SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMRO	239	239	8	NUMBER OF ROTAVIRUS SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_NUMROT	240	240	8	NUMBER OF ROTAVIRUS-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMTPN	241	241	8	NUMBER OF DT-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRC	242	242	8	NUMBER OF VARICELLA-CONTAINING SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRN	243	243	8	NUMBER OF VARICELLA-CONTAINING SHOTS OF UNKNOWN TYPE BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_NUMVRX	244	244	8	NUMBER OF VARICELLA-ONLY SHOTS BY 36 MONTHS OF AGE DETERMINED FROM PROVIDER INFO, EXCLUDING ANY VACCINATIONS AFTER THE HH INTERVIEW DATE.
P_U12VRC	245	245	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA-CONTAINING SHOT AT 12+ MONTHS OF AGE, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD331	246	246	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431	247	247	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H313_ROUT_S	270	270	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:3 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

## ALPHABETIC INDEX OF VARIABLES

Variable Name	Begin Position	End Position	Section	Variable Label
P_UTD431H314_ROUT_S	272	272	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1:4 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H31_ROUT_S	267	267	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3:1 BY 36 MONTHS OF AGE (INCLUDES 1+ VARICELLA-CONTAINING AT AGE 12+ MTHS) USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H3_ROUT_S	275	275	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTD431H_ROUT_S	277	277	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3 BY 36 MONTHS OF AGE, USING THE ROUTINE, STRICT DEFINITION OF HIB UTD, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDFL1	248	248	8	UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 1 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDFL2	249	249	8	UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 2 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDFL3	250	250	8	UTD FLAG FOR PROVIDER SEASONAL INFLUENZA VARIABLE 3 BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEP	251	251	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHEPA1	252	252	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ HEPATITIS A-CONTAINING SHOTS BY 19-35 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE MAX OF HOUSEHOLD INTERVIEW DATE AND ELIGIBILITY DATE.
P_UTDHEPA2	253	253	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 2+ HEPATITIS A-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB	254	254	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_ROUT_S	255	255	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE ROUTINE (NON-SHORTAGE) HIB RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDHIB_SHORT_S	256	256	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB DOSES BY 36 MONTHS OF AGE, BASED ON THE HIB SHORTAGE RECOMMENDATIONS AND A STRICT TREATMENT OF HIB SHOTS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
P_UTDMCV	257	257	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MEASLES-CONTAINING SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDMMX	258	258	8	UTD FLAG FOR PROVIDER 1+ MMR COMBO SHOT BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPC3	259	259	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCV	260	260	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ PNEUMOCOCCAL-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPCVB13	261	261	8	UTD (UP-TO-DATE) INDICATOR FOR PROVIDER 1+ PNEUMOCOCCAL VACCINATIONS OF TYPE CONJUGATE-13, GIVEN 4+ DOSES OF TYPE CONJUGATE-7, BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDPOL	262	262	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDROT_S	263	263	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ ROTAVIRUS DOSES BY 36 MONTHS OF AGE, BASED ON A STRICT TREATMENT OF ROTAVIRUS VACCINATIONS OF UNKNOWN TYPE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP3	264	264	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
P_UTDTP4	265	265	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DT-CONTAINING SHOTS BY 36 MONTHS OF AGE, EXCLUDING ANY VACCINATIONS AFTER THE HOUSEHOLD INTERVIEW DATE.
RACEETHK	175	175	3	RACE/ETHNICITY OF CHILD (RECODE)
RACE_K	174	174	3	RACE OF CHILD (RECODE)
RB1_AGE	689	689	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #1
RB2_AGE	690	690	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #2
RB3_AGE	691	691	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #3
RB4_AGE	692	692	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #4
RB5_AGE	693	693	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #5
RB6_AGE	694	694	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #6
RB7_AGE	695	695	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #7
RB8_AGE	696	696	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #8
RB9_AGE	697	697	9	AGE IN MONTHS OF PROV-REPTD RUBELLA-ONLY SHOT #9
RDDWTVIGU_D	72	90	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT INCLUDING U.S. VIRGIN ISLANDS AND GUAM
RDDWT_D	53	71	1	FINAL DUAL-FRAME RDD-PHASE WEIGHT (EXCLUDES U.S. VIRGIN ISLANDS AND GUAM)

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
REGISTRY	190	190	7	CHILD'S PROVIDERS REPORTED CHILD'S VACCINATIONS TO IMMUNIZATION REGISTRY
RENT_OWN	176	177	3	IS HOME OWNED/BEING BOUGHT, RENTED, OR OCCUPIED BY SOME OTHER ARRANGEMENT?
ROT1_AGE	698	699	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #1
ROT2_AGE	700	701	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #2
ROT3_AGE	702	703	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #3
ROT4_AGE	704	705	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #4
ROT5_AGE	706	707	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #5
ROT6_AGE	708	709	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #6
ROT7_AGE	710	710	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #7
ROT8_AGE	711	711	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #8
ROT9_AGE	712	712	9	AGE IN MONTHS OF PROV-REPTD ROTAVIRUS-CONTAINING SHOT #9
SEQNUMC	1	6	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	7	11	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	178	178	3	GENDER OF CHILD
SHOTCARD	102	102	2	SHOT CARD USE FLAG
STATE	184	185	4	TRUE STATE OF RESIDENCE (STATE FIPS CODE)
STRATUM	91	94	1	STRATUM VARIABLE FOR DUAL-FRAME VARIANCE ESTIMATION
U1D_HEP	278	278	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 1 FLAG
U2D_HEP	279	279	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 2 FLAG
U3D_HEP	280	280	8	BIRTH DOSE HEPATITIS B-CONTAINING GIVEN FROM BIRTH TO DAY 3 FLAG
VFC_ORDER	191	191	7	DO CHILD'S PROVIDERS ORDER VACCINES FROM STATE/LOCAL HEALTH DEPT?
VRC1_AGE	713	714	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #1
VRC2_AGE	715	716	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #2
VRC3_AGE	717	717	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #3
VRC4_AGE	718	718	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #4
VRC5_AGE	719	719	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #5
VRC6_AGE	720	720	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #6
VRC7_AGE	721	721	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #7
VRC8_AGE	722	722	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #8
VRC9_AGE	723	723	9	AGE IN MONTHS OF PROV-REPTD VARICELLA-CONTAINING SHOT #9
XDTPTY1	724	725	9	DT-CONTAINING VACCINATION #1 TYPE CODE
XDTPTY2	726	727	9	DT-CONTAINING VACCINATION #2 TYPE CODE
XDTPTY3	728	729	9	DT-CONTAINING VACCINATION #3 TYPE CODE
XDTPTY4	730	731	9	DT-CONTAINING VACCINATION #4 TYPE CODE

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XDTPTY5	732	733	9	DT-CONTAINING VACCINATION #5 TYPE CODE
XDTPTY6	734	735	9	DT-CONTAINING VACCINATION #6 TYPE CODE
XDTPTY7	736	737	9	DT-CONTAINING VACCINATION #7 TYPE CODE
XDTPTY8	738	739	9	DT-CONTAINING VACCINATION #8 TYPE CODE
XDTPTY9	740	740	9	DT-CONTAINING VACCINATION #9 TYPE CODE
XFLUTY1	741	742	9	SEASONAL FLU-CONTAINING VACCINATION #1 TYPE CODE
XFLUTY2	743	744	9	SEASONAL FLU-CONTAINING VACCINATION #2 TYPE CODE
XFLUTY3	745	746	9	SEASONAL FLU-CONTAINING VACCINATION #3 TYPE CODE
XFLUTY4	747	748	9	SEASONAL FLU-CONTAINING VACCINATION #4 TYPE CODE
XFLUTY5	749	750	9	SEASONAL FLU-CONTAINING VACCINATION #5 TYPE CODE
XFLUTY6	751	751	9	SEASONAL FLU-CONTAINING VACCINATION #6 TYPE CODE
XFLUTY7	752	752	9	SEASONAL FLU-CONTAINING VACCINATION #7 TYPE CODE
XFLUTY8	753	753	9	SEASONAL FLU-CONTAINING VACCINATION #8 TYPE CODE
XFLUTY9	754	754	9	SEASONAL FLU-CONTAINING VACCINATION #9 TYPE CODE
XHEPTY1	755	756	9	HEPATITIS B-CONTAINING VACCINATION #1 TYPE CODE
XHEPTY2	757	758	9	HEPATITIS B-CONTAINING VACCINATION #2 TYPE CODE
XHEPTY3	759	760	9	HEPATITIS B-CONTAINING VACCINATION #3 TYPE CODE
XHEPTY4	761	762	9	HEPATITIS B-CONTAINING VACCINATION #4 TYPE CODE
XHEPTY5	763	764	9	HEPATITIS B-CONTAINING VACCINATION #5 TYPE CODE
XHEPTY6	765	766	9	HEPATITIS B-CONTAINING VACCINATION #6 TYPE CODE
XHEPTY7	767	767	9	HEPATITIS B-CONTAINING VACCINATION #7 TYPE CODE
XHEPTY8	768	768	9	HEPATITIS B-CONTAINING VACCINATION #8 TYPE CODE
XHEPTY9	769	769	9	HEPATITIS B-CONTAINING VACCINATION #9 TYPE CODE
XHIBTY1	770	771	9	HIB-CONTAINING VACCINATION #1 TYPE CODE
XHIBTY2	772	773	9	HIB-CONTAINING VACCINATION #2 TYPE CODE
XHIBTY3	774	775	9	HIB-CONTAINING VACCINATION #3 TYPE CODE
XHIBTY4	776	777	9	HIB-CONTAINING VACCINATION #4 TYPE CODE
XHIBTY5	778	779	9	HIB-CONTAINING VACCINATION #5 TYPE CODE
XHIBTY6	780	781	9	HIB-CONTAINING VACCINATION #6 TYPE CODE
XHIBTY7	782	783	9	HIB-CONTAINING VACCINATION #7 TYPE CODE
XHIBTY8	784	785	9	HIB-CONTAINING VACCINATION #8 TYPE CODE
XHIBTY9	786	786	9	HIB-CONTAINING VACCINATION #9 TYPE CODE
XMMRTY1	787	788	9	MEASLES-CONTAINING VACCINATION #1 TYPE CODE
XMMRTY2	789	790	9	MEASLES-CONTAINING VACCINATION #2 TYPE CODE
XMMRTY3	791	792	9	MEASLES-CONTAINING VACCINATION #3 TYPE CODE
XMMRTY4	793	793	9	MEASLES-CONTAINING VACCINATION #4 TYPE CODE
XMMRTY5	794	794	9	MEASLES-CONTAINING VACCINATION #5 TYPE CODE
XMMRTY6	795	795	9	MEASLES-CONTAINING VACCINATION #6 TYPE CODE

**ALPHABETIC INDEX OF VARIABLES**

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XMMRTY7	796	796	9	MEASLES-CONTAINING VACCINATION #7 TYPE CODE
XMMRTY8	797	797	9	MEASLES-CONTAINING VACCINATION #8 TYPE CODE
XMMRTY9	798	798	9	MEASLES-CONTAINING VACCINATION #9 TYPE CODE
XPCVTY1	799	800	9	PNEUMOCOCCAL-CONTAINING VACCINATION #1 TYPE CODE
XPCVTY2	801	802	9	PNEUMOCOCCAL-CONTAINING VACCINATION #2 TYPE CODE
XPCVTY3	803	804	9	PNEUMOCOCCAL-CONTAINING VACCINATION #3 TYPE CODE
XPCVTY4	805	806	9	PNEUMOCOCCAL-CONTAINING VACCINATION #4 TYPE CODE
XPCVTY5	807	808	9	PNEUMOCOCCAL-CONTAINING VACCINATION #5 TYPE CODE
XPCVTY6	809	810	9	PNEUMOCOCCAL-CONTAINING VACCINATION #6 TYPE CODE
XPCVTY7	811	812	9	PNEUMOCOCCAL-CONTAINING VACCINATION #7 TYPE CODE
XPCVTY8	813	814	9	PNEUMOCOCCAL-CONTAINING VACCINATION #8 TYPE CODE
XPCVTY9	815	815	9	PNEUMOCOCCAL-CONTAINING VACCINATION #9 TYPE CODE
XPOLTY1	816	817	9	POLIO-CONTAINING VACCINATION #1 TYPE CODE
XPOLTY2	818	819	9	POLIO-CONTAINING VACCINATION #2 TYPE CODE
XPOLTY3	820	821	9	POLIO-CONTAINING VACCINATION #3 TYPE CODE
XPOLTY4	822	823	9	POLIO-CONTAINING VACCINATION #4 TYPE CODE
XPOLTY5	824	825	9	POLIO-CONTAINING VACCINATION #5 TYPE CODE
XPOLTY6	826	827	9	POLIO-CONTAINING VACCINATION #6 TYPE CODE
XPOLTY7	828	829	9	POLIO-CONTAINING VACCINATION #7 TYPE CODE
XPOLTY8	830	830	9	POLIO-CONTAINING VACCINATION #8 TYPE CODE
XPOLTY9	831	831	9	POLIO-CONTAINING VACCINATION #9 TYPE CODE
XROTTY1	832	833	9	ROTAVIRUS-CONTAINING VACCINATION #1 TYPE CODE
XROTTY2	834	835	9	ROTAVIRUS-CONTAINING VACCINATION #2 TYPE CODE
XROTTY3	836	837	9	ROTAVIRUS-CONTAINING VACCINATION #3 TYPE CODE
XROTTY4	838	839	9	ROTAVIRUS-CONTAINING VACCINATION #4 TYPE CODE
XROTTY5	840	841	9	ROTAVIRUS-CONTAINING VACCINATION #5 TYPE CODE
XROTTY6	842	843	9	ROTAVIRUS-CONTAINING VACCINATION #6 TYPE CODE
XROTTY7	844	844	9	ROTAVIRUS-CONTAINING VACCINATION #7 TYPE CODE
XROTTY8	845	845	9	ROTAVIRUS-CONTAINING VACCINATION #8 TYPE CODE
XROTTY9	846	846	9	ROTAVIRUS-CONTAINING VACCINATION #9 TYPE CODE
XVRCTY1	847	848	9	VARICELLA-CONTAINING VACCINATION #1 TYPE CODE
XVRCTY2	849	850	9	VARICELLA-CONTAINING VACCINATION #2 TYPE CODE
XVRCTY3	851	851	9	VARICELLA-CONTAINING VACCINATION #3 TYPE CODE
XVRCTY4	852	852	9	VARICELLA-CONTAINING VACCINATION #4 TYPE CODE
XVRCTY5	853	853	9	VARICELLA-CONTAINING VACCINATION #5 TYPE CODE
XVRCTY6	854	854	9	VARICELLA-CONTAINING VACCINATION #6 TYPE CODE
XVRCTY7	855	855	9	VARICELLA-CONTAINING VACCINATION #7 TYPE CODE
XVRCTY8	856	856	9	VARICELLA-CONTAINING VACCINATION #8 TYPE CODE

***ALPHABETIC INDEX OF VARIABLES***

<b>Variable Name</b>	<b>Begin Position</b>	<b>End Position</b>	<b>Section</b>	<b>Variable Label</b>
XVRCTY9	857	857	9	VARICELLA-CONTAINING VACCINATION #9 TYPE CODE
YEAR	95	98	1	YEAR OF INTERVIEW