

**CASEID** (1 - 12)

Case identification number

<u>Value</u>	<u>Label</u>	<u>Total</u>
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**pregordr** (13 - 14)

Pregnancy order (number)

<u>Value</u>	<u>Label</u>	<u>Total</u>
01	1ST PREGNANCY	5033
02	2ND PREGNANCY	3766
03	3RD PREGNANCY	2334
04	4TH PREGNANCY	1224
05	5TH PREGNANCY	613
06	6TH PREGNANCY	308
07	7TH PREGNANCY	158
08	8TH PREGNANCY	78
09	9TH PREGNANCY	38
10	10TH PREGNANCY	17
11	11TH PREGNANCY	8
12	12TH PREGNANCY	5
13	13TH PREGNANCY	3
14	14TH PREGNANCY	3
15	15TH PREGNANCY	1
16	16TH PREGNANCY	1
17	17TH PREGNANCY	1
18	18TH PREGNANCY	1
19	19TH PREGNANCY	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**HOWPREG\_N** (15 - 16)

**BB-2:** How many weeks or months pregnant are you now? (NUMBER)

Value	Label	Total
.	inapplicable	13241
0-50	0-50	349
98	REFUSED	0
99	DON'T KNOW	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a current pregnancy ([prgoutcome=3](#))

**HOWPREG\_P** (17 - 17)

**BB-2:** How many weeks or months pregnant are you now? (UNITS)

Value	Label	Total
.	inapplicable	13244
1	WEEKS	229
2	MONTHS	120
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a current pregnancy ([prgoutcome=3](#))

**moscurrp** (18 - 18)

Number of Months Currently Pregnant (computed)

Value	Label	Total
.	inapplicable	13241
0-12	0-12 MONTHS	352
97	NOT ASCERTAINED	0
98	REFUSED	0
99	DON'T KNOW	0

NSFG Cycle 6 Female Pregnancy File

Total 13593

**Universe:**

Applicable if pregnancy is a current pregnancy ([prgoutcome=3](#))

***NOWPRGDK*** (19 - 19)

**BB-3:** Are you in your first trimester, in your second trimester, or in your third trimester?

Value	Label	Total
.	inapplicable	13590
1	FIRST TRIMESTER	2
2	SECOND TRIMESTER	0
3	THIRD TRIMESTER	0
9	Don't know	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a current pregnancy ([prgoutcome=3](#)) and R did not know or refused to answer current gestational length (BB-2 [HOWPREG\\_N](#) = DK/RF).

***PREGEND1*** (20 - 20)

**BC-1:** In which of the ways shown on Card 13 did the pregnancy end? (1st mention)

Value	Label	Total
.	inapplicable	352
1	MISCARRIAGE	1921
2	STILLBIRTH	120
3	ABORTION	1831
4	ECTOPIC OR TUBAL	187
5	LIVE BIRTH BY CESAREAN SECTION	2015
6	LIVE BIRTH BY VAGINAL DELIVERY	7129
8	Refused	20
9	Don't know	18
	<b>Total</b>	<b>13593</b>

NSFG Cycle 6 Female Pregnancy File

**Universe:**

Applicable if pregnancy is a completed pregnancy ([prgoutcome](#)= 1 or 2)

**PREGEND2** (21 - 21)

**BC-1:** In which of the ways shown on Card 13 did the pregnancy end? (2nd mention)

Value	Label	Total
.	inapplicable	13575
1	MISCARRIAGE	2
2	STILLBIRTH	0
3	ABORTION	6
4	ECTOPIC OR TUBAL	3
5	LIVE BIRTH BY CESAREAN SECTION	1
6	LIVE BIRTH BY VAGINAL DELIVERY	6
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if more than 1 pregnancy outcome reported for this completed pregnancy (see BC-1 [PREGEND1](#))

**NBRNALIV** (22 - 22)

**BC-2:** (With your (nth) pregnancy,) How many babies did you have that were born alive? Please include babies that may have died shortly after birth and babies that you placed for adoption.

Value	Label	Total
.	INAPPLICABLE	4445
1	1 BABY	8981
2	2 BABIES	138
3-6	3 OR MORE BABIES	25
8	REFUSED	0
9	DON'T KNOW	4
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in live birth (BC-1 [PREGEND1](#) or [PREGEND2](#) included codes 5 or 6)

**MULTBRTH** (23 - 23)

**BC-3:** Did you have (twins/triplets/all of these babies with this [nth] pregnancy)?

Value	Label	Total
.	inapplicable	13430
1	YES	129
5	NO	34
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if more than 1 baby reported from this pregnancy (BC-2 [NBRNALIV](#) > 1)

**cmotpreg** (24 - 27)

Century Month for Pregnancy End Date (if nonlivebirth) (computed)

Value	Label	Total
.	inapplicable	9539
301-1164	BEFORE 1997	2640
1165-1239	JANUARY 1997 OR LATER	1292
9998	Refused	19
9999	Don't know	103
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy did not end in live birth (BC-1 [PREGEND1](#) and [PREGEND2](#) did not include codes 5 or 6)

**prgoutcome** (28 - 28)

Outcome of Pregnancy (based on priority ordering) (computed)

NSFG Cycle 6 Female Pregnancy File

Value	Label	Total
.	inapplicable	38
1	LIVE BIRTH	9148
2	PREGNANCY LOSS OR ABORTION	4055
3	CURRENT PREGNANCY	352
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if this is a current pregnancy or R reported any pregnancy outcome for this pregnancy (BC-1 [PREGEND1](#)= . or 1-6)

***cmprgend*** (29 - 32)

Century Month for Pregnancy End Date (regardless of outcome) (computed)

Value	Label	Total
.	inapplicable	390
301-1164	BEFORE 1997	8578
1165-1239	JANUARY 1997 OR LATER	4484
9997	Not ascertained	1
9998	Refused	24
9999	Don't know	116
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a completed pregnancy ([prgoutcome](#)= 1 or 2)

***flgdkmo1*** (33 - 33)

Flag indicating season/DK/RF for BC-4a DATPRGEN\_M (computed)

Value	Label	Total
.	INAPPLICABLE	9537
0	EXACT MONTH & YEAR REPORTED	2929
1	SEASON REPORTED FOR MONTH	850
2	MONTH REPORTED AS DK/RF	274

NSFG Cycle 6 Female Pregnancy File

7 NOT ASCERTAINED 3  
**Total 13593**

**Universe:**

Applicable if pregnancy is a completed pregnancy but did not end in live birth ([prgoutcome=2](#))

**cmprgbeg** (34 - 37)

Century Month for Pregnancy End Date (regardless of outcome) (computed)

Value	Label	Total
.	inapplicable	180
301-1164	BEFORE 1997	9061
1165-1239	JANUARY 1997 OR LATER	4350
9997	Not ascertained	2
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R reported an end date for this completed pregnancy ([cmprgend](#) ne .) and reported a gestational length, either for this completed or current pregnancy ([mosgest](#) ne . and [moscurrp](#) ne .)

**AGEATEND** (38 - 39)

**BC-4b:** How old were you when this pregnancy ended?

Value	Label	Total
.	inapplicable	12462
5-19	UNDER 20 YEARS	384
20-24	20-24 YEARS	381
25-29	25-29 YEARS	203
30-44	30-44 YEARS	107
98	REFUSED	12
99	DON'T KNOW	44
	<b>Total</b>	<b>13593</b>

**Universe:**

## NSFG Cycle 6 Female Pregnancy File

Applicable if R did not know or refused to answer the month/year when this pregnancy ended ([cmotpreg](#) = DK/RF) or she reported season/DK/RF on the month when this pregnancy ended ([flgdkmo1](#)=1 or 2)

### **HPAGEEND** (40 - 41)

**BC-4c:** How old was the father when this pregnancy ended?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	9539
LOW-19	UNDER 20 YEARS	620
20-24	20-24 YEARS	1109
25-29	25-29 YEARS	922
30-44	30-44 YEARS	1156
45-95	45 YEARS OR OLDER	68
98	REFUSED	20
99	DON'T KNOW	159
	<b>Total</b>	<b>13593</b>

#### **Universe:**

Applicable if pregnancy did not end in live birth (BC-1 [PREGEND1](#) and [PREGEND2](#) did not include codes 5 or 6)

### **GESTASUN\_M** (42 - 43)

**BC-5:** How many months or weeks had you been pregnant when (the baby was born/the [twins/triplets] were born/that pregnancy ended)? (MONTHS)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	390
0-12	0-12 MONTHS	13073
97	NOT ASCERTAINED	1
98	REFUSED	17
99	DON'T KNOW	112
	<b>Total</b>	<b>13593</b>

#### **Universe:**



NSFG Cycle 6 Female Pregnancy File

Applicable if pregnancy is a completed pregnancy ([prgoutcome](#)= 1 or 2)

**GESTASUN\_W** (44 - 45)

**BC-5:** How many months or weeks had you been pregnant when (the baby was born/the [twins/triplets] were born/that pregnancy ended)? (WEEKS)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	390
0-50	0-50 WEEKS	13056
97	Not ascertained	1
98	Refused	16
99	Don't know	130
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a completed pregnancy ([prgoutcome](#)= 1 or 2)

**wksgest** (46 - 47)

Gestational length of completed pregnancy (in weeks) (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	542
0-50	0-50 WEEKS	13049
97	Not ascertained	2
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a completed pregnancy ([prgoutcome](#) ne 3) and R reported gestational length in months and weeks (BC-5 [GESTASUN\\_M](#) NE DK/RF and [GESTASUN\\_W](#) NE DK/RF)

**mosgest** (48 - 49)

Gestational length of completed pregnancy (in months) (computed)

**NSFG Cycle 6 Female Pregnancy File**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	408
0-12	0-12 MONTHS	13183
97	NOT ASCERTAINED	2
98	REFUSED	0
99	DON'T KNOW	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a completed pregnancy ([prgoutcome](#) ne 3) and (R reported gestational length in months and weeks (BC-5 [GESTASUN\\_M](#) NE DK/RF and [GESTASUN\\_W](#) NE DK/RF) or R gave valid answers to the DK/RF followup questions based on pregnancy outcome (BC-6 [DK1GEST](#) NE DK/RF or BC-7 [DK2GEST](#) NE DK/RF or BC-8 [DK3GEST](#) NE DK/RF))

**DK1GEST** (50 - 50)

**BC-6:** Was it less than 6 months, or 6 months or more?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	13592
1	LESS THAN 6 MONTHS	0
2	6 MONTHS OR MORE	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if this pregnancy ended only in stillbirth (BC-1 [PREGEND1](#) and [PREGEND2](#) only included code 2) and R did not know or refused to answer gestational length (BC-5 [GESTASUN\\_M](#)=DK/RF or [GESTASUN\\_W](#)=DK/RF)

**DK2GEST** (51 - 51)

**BC-7:** A preterm delivery is one that occurs at 36 weeks or earlier in pregnancy. As far as you know, did you have a pretermdelivery?

NSFG Cycle 6 Female Pregnancy File

Value	Label	Total
.	inapplicable	13558
1	YES	3
5	NO	32
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if this pregnancy ended in live birth (BC-1 [PREGEND1](#) or [PREGEND2](#) included codes 5 or 6) and R did not know or refused to answer gestational length (BC-5 [GESTASUN\\_M](#)=DK/RF or [GESTASUN\\_W](#)=DK/RF)

**DK3GEST** (52 - 52)

**BC-8:** Was it less than 3 months, 3 months or more but less than 6 months, or 6 months or more?

Value	Label	Total
.	inapplicable	13472
1	LESS THAN 3 MONTHS	89
2	3 MONTHS OR MORE, BUT LESS THAN 6 MONTHS	10
3	6 MONTHS OR MORE	0
8	Refused	13
9	Don't know	9
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if this pregnancy ended only in miscarriage, abortion, or ectopic (BC-1 [PREGEND1](#) and [PREGEND2](#) only included codes 1, 3, or 4) and R did not know or refused to answer gestational length (BC-5 [GESTASUN\\_M](#)=DK/RF or [GESTASUN\\_W](#)=DK/RF)

**bpa\_bdscheck1** (53 - 53)

Whether 1st liveborn baby from this pregnancy was unnamed and either placed for adoption or died shortly after birth (computed)

Value	Label	Total
.	INAPPLICABLE	4445

NSFG Cycle 6 Female Pregnancy File

0	NEITHER BPA NOR BDS	9132
1	BPA	10
2	BDS	6
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if this pregnancy ended in live birth ([prgoutcome=1](#))

***bpa\_bdscheck2*** (54 - 54)

Whether 2nd liveborn baby from this pregnancy was unnamed and either placed for adoption or died shortly after birth(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	13464
0	NEITHER BPA NOR BDS	129
1	BPA	0
2	BDS	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy ended in live birth ([prgoutcome=1](#)) and there were 2 or more liveborn babies from this pregnancy (BC-2 [NBRNALIV](#) >1 and BC-3 [MULTBRTH=1](#))

***bpa\_bdscheck3*** (55 - 55)

Whether 3rd liveborn baby from this pregnancy was unnamed and either placed for adoption or died shortly after birth(computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	13586
0	NEITHER BPA NOR BDS	7
1	BPA	0
2	BDS	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy ended in live birth ([prgoutcome=1](#)) and

NSFG Cycle 6 Female Pregnancy File

there were 3 or more liveborn babies from this pregnancy (BC-2 [NBRNALIV](#) >2 and BC-3 [MULTBRTH](#)=1)

**BABYSEX** (56 - 56)

**BD-2:** ((Is/Was) (BABY'S NAME/the 1st baby) male or female?)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4449
1	MALE	4641
2	FEMALE	4500
7	Not ascertained	1
9	Don't know	2
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in live birth (BC-1 [PREGEND1](#) or [PREGEND2](#) included codes 5 or 6)

**BIRTHWGT\_LB** (57 - 58)

**BD-3:** How much did (BABY'S NAME/this 1st baby) weigh at birth? (pounds)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4449
0-5	UNDER 6 POUNDS	1125
6	6 POUNDS	2223
7	7 POUNDS	3049
8	8 POUNDS	1889
9-95	9 POUNDS OR MORE	799
97	Not ascertained	1
98	REFUSED	1
99	DON'T KNOW	57
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in live birth (BC-1 [PREGEND1](#) or [PREGEND2](#) included codes 5 or 6)

**BIRTHWGT\_OZ** (59 - 60)

**BD-3:** How much did (BABY'S NAME/this 1st baby) weigh at birth?  
(ounces)

Value	Label	Total
.	inapplicable	4506
0-15	0-15 OUNCES	9039
97	Not ascertained	1
98	REFUSED	1
99	DON'T KNOW	46
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in live birth (BC-1 [PREGEND1](#) or [PREGEND2](#) included codes 5 or 6) and R did not say "don't know" or "refused" on the pounds question (BD-3 BIRTHSWGT\_LB NE DK/RF)

**LOBTHWGT** (61 - 61)

**BD-4:** Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (1st child from this pregnancy)

Value	Label	Total
.	inapplicable	13526
1	5 1/2 POUNDS OR MORE	40
2	LESS THAN 5 1/2 POUNDS	19
7	Not ascertained	1
8	Refused	1
9	Don't know	6
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R did not know or refused to answer the baby's birthweight (BD-3 [BIRTHWGT\\_LB](#)=DK/RF or ([BIRTHWGT\\_LB](#) < 6 and [BIRTHWGT\\_OZ](#)=DK/RF)

**BABYSEX2** (62 - 62)

NSFG Cycle 6 Female Pregnancy File

**BD-2:** ((Is/Was) (BABY'S NAME/the 2nd baby) male or female?)

Value	Label	Total
.	inapplicable	13430
1	MALE	85
2	FEMALE	75
9	Don't know	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy ended in more than 1 liveborn baby (BC-2 [NBRNALIV](#) > 1 and BC-3 [MULTBRTH](#)=1)

**BIRTHWGT\_LB2** (63 - 64)

**BD-3:** How much did (BABY'S NAME/this 2nd baby) weigh at birth? (pounds)

Value	Label	Total
.	inapplicable	13430
0-5	UNDER 6 POUNDS	91
6	6 POUNDS	40
7	7 POUNDS	13
8	8 POUNDS	10
9-95	9 POUNDS OR MORE	5
98	REFUSED	0
99	DON'T KNOW	4
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy ended in more than 1 liveborn baby (BC-2 [NBRNALIV](#) > 1 and BC-3 [MULTBRTH](#)=1)

**BIRTHWGT\_OZ2** (65 - 66)

**BD-3:** How much did (BABYNAME/this 2nd baby) weigh at birth? (ounces)

NSFG Cycle 6 Female Pregnancy File

Value	Label	Total
.	inapplicable	13434
0-15	0-15 OUNCES	158
98	REFUSED	0
99	DON'T KNOW	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy ended in more than 1 liveborn baby (BC-2 [NBRNALIV](#) > 1 and BC-3 [MULTBRTH](#)=1)

**LOBTHWGT2** (67 - 67)

**BD-4:** Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (2nd child from this pregnancy)

Value	Label	Total
.	inapplicable	13588
1	5 1/2 POUNDS OR MORE	0
2	LESS THAN 5 1/2 POUNDS	2
9	Don't know	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R did not know or refused to answer the baby's birthweight (BD-3 [BIRTHWGT\\_LB2](#)=DK/RF or ([BIRTHWGT\\_LB2](#) < 6 and [BIRTHWGT\\_OZ2](#)=DK/RF)

**BABYSEX3** (68 - 68)

**BD-2:** ((Is/Was) (BABY'S NAME/the 3rd baby) male or female?)

Value	Label	Total
.	inapplicable	13568
1	MALE	12
2	FEMALE	11
8	Refused	1
9	Don't know	1



NSFG Cycle 6 Female Pregnancy File

Total 13593

**Universe:**

Applicable if pregnancy ended in more than 2 liveborn babies (BC-2 [NBRNALIV](#) > 2 and BC-3 [MULTBRTH](#)=1)

**BIRTHWGT\_LB3** (69 - 70)

**BD-3:** How much did (BABY'S NAME/this 3rd baby) weigh at birth? (pounds)

Value	Label	Total
.	inapplicable	13568
0-5	UNDER 6 POUNDS	5
6	6 POUNDS	8
7	7 POUNDS	3
8	8 POUNDS	4
9-95	9 POUNDS OR MORE	3
98	REFUSED	1
99	DON'T KNOW	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy ended in more than 2 liveborn babies (BC-2 [NBRNALIV](#) > 2 and BC-3 [MULTBRTH](#)=1)

**BIRTHWGT\_OZ3** (71 - 72)

**BD-3:** How much did (BABY'S NAME/this 3rd baby) weigh at birth? (ounces)

Value	Label	Total
.	inapplicable	13569
0-15	0-15 OUNCES	23
98	REFUSED	1
99	DON'T KNOW	0
	<b>Total</b>	<b>13593</b>

**Universe:**

**NSFG Cycle 6 Female Pregnancy File**

Applicable if pregnancy ended in more than 2 liveborn babies (BC-2 [NBRNALIV](#) > 2 and BC-3 [MULTBRTH](#)=1)

**LOBTHWGT3** (73 - 73)

**BD-4:** Did (she/he) weigh 5 1/2 pounds or more, or less than 5 1/2 pounds? (3rd child from this pregnancy)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	13591
1	5 1/2 POUNDS OR MORE	0
2	LESS THAN 5 1/2 POUNDS	0
8	Refused	1
9	Don't know	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R did not know or refused to answer the baby's birthweight (BD-3 [BIRTHWGT\\_LB3](#)=DK/RF or ([BIRTHWGT\\_LB3](#) < 6 and [BIRTHWGT\\_OZ3](#)=DK/RF)

**cmbabdob** (74 - 77)

Century Month for baby's or babies' date of birth (delivery date) (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	4445
301-1164	BEFORE 1997	5938
1165-1239	JANUARY 1997 OR LATER	3191
9997	Not ascertained	1
9998	Refused	5
9999	Don't know	13
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in live birth (BC-1 [PREGEND1](#) or [PREGEND2](#) included codes 5 or 6)

**kidage** (78 - 81)

Current Age (in months) of R's child(ren) from this pregnancy (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4463
0-994	0-994	9129
998	REFUSED	0
999	DON'T KNOW	0
9997	Not ascertained	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in live birth (BC-1 [PREGEND1](#) or [PREGEND2](#) included codes 5 or 6)

**HPAGELB** (82 - 83)

**BD-6:** How old was the father when (he/she/the [twins/triplets]) (was/were) born?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4445
LOW-19	UNDER 20 YEARS	858
20-24	20-24 YEARS	2382
25-29	25-29 YEARS	2516
30-44	30-44 YEARS	3055
45-95	45 YEARS OR OLDER	223
97	Not ascertained	1
98	REFUSED	5
99	DON'T KNOW	108
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in live birth (BC-1 [PREGEND1](#) or [PREGEND2](#) included codes 5 or 6)

**BIRTHPLC** (84 - 84)

**NSFG Cycle 6 Female Pregnancy File**

**BD-7:** Where did you give birth? Was it in a hospital, in a birthing center, in your home, or some other place?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	10383
1	IN A HOSPITAL	3127
2	IN A BIRTHING CENTER	57
3	IN YOUR HOME	21
4	SOME OTHER PLACE	3
7	Not ascertained	1
8	Refused	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in live birth (BC-1 [PREGEND1](#) or [PREGEND2](#) included codes 5 or 6) and delivery occurred in January 1997 or later ([cmbabdob](#) ge cmjan97)

**PAYBIRTH1** (85 - 85)

**BD-8:** When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (1st mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	10383
1	INSURANCE	1722
2	CO-PAYMENT OR OUT-OF-POCKET PAYMENT	149
3	MEDICAID	1263
4	NO PAYMENT REQUIRED	26
5	SOME OTHER WAY	46
7	Not ascertained	1
8	Refused	2
9	Don't know	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in live birth (BC-1 [PREGEND1](#) or

NSFG Cycle 6 Female Pregnancy File

[PREGEND2](#) included codes 5 or 6) and delivery occurred in January 1997 or later ([cmbabdob](#) ge cmjan97)

**PAYBIRTH2** (86 - 86)

**BD-8:** When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (2nd mention)

Value	Label	Total
.	inapplicable	12856
1	INSURANCE	41
2	CO-PAYMENT OR OUT-OF-POCKET PAYMENT	627
3	MEDICAID	52
4	NO PAYMENT REQUIRED	2
5	SOME OTHER WAY	15
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if more than 1 form of payment reported for this delivery (see BD-8 [PAYBIRTH1](#))

**PAYBIRTH3** (87 - 87)

**BD-8:** When ([BABY'S NAME] was born/your [twins/triplets] were born,) in which of the ways on Card 16 was the delivery bill paid? (3rd mention)

Value	Label	Total
.	inapplicable	13584
1	INSURANCE	0
2	CO-PAYMENT OR OUT-OF-POCKET PAYMENT	2
3	MEDICAID	6
4	NO PAYMENT REQUIRED	0
5	SOME OTHER WAY	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if more than 2 forms of payment reported for this

delivery (see BD-8 [PAYBIRTH1](#))

**KNEWPREG** (88 - 89)

**BE-1:** How many weeks pregnant were you when you learned that you were pregnant this (nth) time?

Value	Label	Total
.	INAPPLICABLE	9581
0-13	13 WEEKS OR LESS	3862
14-26	14-26 WEEKS	113
27-50	27 WEEKS OR LONGER	8
98	Refused	2
99	Don't know	27
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if this is a completed pregnancy ending in January 1997 or later ([cmbabdob](#) or [cmotpreg](#) ge cmjan97) and it did not end in induced abortion (BC-1 [PREGEND1](#) and [PREGEND2](#) did not include code 3)

**TRIMESTR** (90 - 90)

**BE-2a:** Was it less than 3 months, at least 3 months but less than 6 months, or six or more months?

Value	Label	Total
.	inapplicable	13580
1	LESS THAN 3 MONTHS	9
2	AT LEAST 3 MONTHS BUT LESS THAN 6 MONTHS	4
3	6 OR MORE MONTHS	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R did not know or refused to answer when she learned she was pregnant (BE-1 [KNEWPREG](#)=DK/RF) and gestational length was 6 months or longer ([mosgest](#) ge 6)

**LTRIMEST** (91 - 91)

**BE-2b:** Was it less than 3 months or more than 3 months?

Value	Label	Total
.	inapplicable	13591
1	LESS THAN 3 MONTHS	1
2	MORE THAN 3 MONTHS	1
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if R did not know or refused to answer when she learned she was pregnant (BE-1 [KNEWPREG](#)=DK/RF) and gestational length was between 3 and 6 months (3 le [mosgest](#) lt 6)

**PRIORSMK** (92 - 92)

**BE-3:** Please look at Card 17. In the 6 months before you found out you were pregnant this (nth) time, how many cigarettes did you smoke a day, on the average?

Value	Label	Total
.	inapplicable	9581
0	NONE	2994
1	ABOUT ONE CIGARETTE A DAY OR LESS	86
2	JUST A FEW CIGARETTES A DAY (2-4)	178
3	ABOUT HALF A PACK A DAY (5-14)	382
4	ABOUT A PACK A DAY (15-24)	296
5	ABOUT 1 1/2 PACKS A DAY (25-34)	49
6	ABOUT 2 PACKS A DAY (35-44)	24
7	MORE THAN 2 PACKS A DAY (45 OR MORE)	2
8	Refused	1
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if this is a completed pregnancy ending in January 1997 or later ([cmbabdob](#) or [cmotpreg](#) ge cmjan97) and it did not end in induced abortion (BC-1 [PREGEND1](#) and [PREGEND2](#) did not include code 3)

**POSTSMKS** (93 - 93)

**BE-4:** After you found out you were pregnant this (nth) time, did you smoke cigarettes at all during the pregnancy?

Value	Label	Total
.	inapplicable	9581
1	YES	568
5	NO	3442
8	Refused	1
9	Don't know	1
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if this is a completed pregnancy ending in January 1997 or later ([cmbabdob](#) or [cmotpreg](#) ge cmjan97) and it did not end in induced abortion (BC-1 [PREGEND1](#) and [PREGEND2](#) did not include code 3)

**NPOSTSMK** (94 - 94)

**BE-5:** Looking at Card 18, on the average, how many cigarettes did you smoke per day after you found out that you were pregnant this (nth) time?

Value	Label	Total
.	inapplicable	13025
1	ABOUT ONE CIGARETTE A DAY OR LESS	83
2	JUST A FEW CIGARETTES A DAY (2-4)	168
3	ABOUT HALF A PACK A DAY (5-14)	199
4	ABOUT A PACK A DAY (15-24)	91
5	ABOUT 1 1/2 PACKS A DAY (25-34)	14
6	ABOUT 2 PACKS A DAY (35-44)	12
7	MORE THAN 2 PACKS A DAY (45 OR MORE)	0
9	Don't know	1
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if R reported any cigarette smoking during this



pregnancy (BE-4 [POSTSMKS=1](#))

**GETPRENA** (95 - 95)

**BE-6:** During this (nth) pregnancy, did you ever visit a doctor or other medical care provider for prenatal care, that is, for one or more pregnancy check-ups?

Value	Label	Total
.	inapplicable	9581
1	YES	3679
5	NO	332
8	Refused	1
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if this is a completed pregnancy ending in January 1997 or later ([cmbabdob](#) or [cmotpreg](#) ge cmjan97) and it did not end in induced abortion (BC-1 [PREGEND1](#) and [PREGEND2](#) did not include code 3)

**BGNPRENA** (96 - 97)

**BE-7:** How many weeks pregnant were you at the time of your first prenatal care visit?

Value	Label	Total
.	INAPPLICABLE	9914
0-13	13 WEEKS OR LESS	3381
14-26	14-26 WEEKS	247
27-50	27 WEEKS OR LONGER	31
99	Don't know	20
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if R reported any prenatal care during this pregnancy (BE-6 [GETPRENA=1](#))

**PNCTRIM** (98 - 98)

NSFG Cycle 6 Female Pregnancy File

**BE-8a:** Was it less than 3 months, at least 3 months but less than 6 months, or 6 or more months?

Value	Label	Total
.	inapplicable	13582
1	LESS THAN 3 MONTHS	6
2	AT LEAST 3 MONTHS BUT LESS THAN 6 MONTHS	5
3	6 OR MORE MONTHS	0
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if R did not know or refused to answer when she began prenatal care (BE-7 [BGNPRENA](#)=DK/RF) and gestational length was 6 months or longer ([mosgest](#) ge 6)

**LPNCTRI** (99 - 99)

**BE-8b:** Was it less than 3 months or 3 months or more?

Value	Label	Total
.	inapplicable	13584
1	LESS THAN 3 MONTHS	7
2	MORE THAN 3 MONTHS	1
9	Don't know	1
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if R did not know or refused to answer when she began prenatal care (BE-7 [BGNPRENA](#)=DK/RF) and gestational length was between 3 and 6 months (3 le [mosgest](#) lt 6)

**WORKPREG** (100 - 100)

**BF-1:** Maternity leave is any leave, paid or unpaid, due to pregnancy and childbirth that a woman takes from a job to which she expects to return, at least when she starts the leave. At any time while you were pregnant with ([BABY'S NAME]/this baby/your [twins/triplets]), were you employed at a job for pay?

**NSFG Cycle 6 Female Pregnancy File**

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	10407
1	YES	1836
5	NO	1329
6	R VOLUNTEERED SHE WORKED DURING PREGNANCY, BUT QUIT JOB BEFORE DELIVERY	19
7	Not ascertained	1
9	Don't know	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in live birth (BC-1 [PREGEND1](#) or [PREGEND2](#) included codes 5 or 6) and delivery occurred in January 1997 or later ([cmbabdob](#) ge cmjan97)

**WORKBORN** (101 - 101)

**BF-2:** Did you ever take maternity leave, paid or unpaid, from a job you held when you were pregnant with ([BABY'S NAME]/this baby/your[twins/triplets])?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	11756
1	YES	1244
5	NO	591
7	Not ascertained	1
9	Don't know	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R reported working at all during this pregnancy (BF-1 [WORKPREG=1](#))

**DIDWORK** (102 - 102)

**BF-3:** Was this because you did not need to take maternity leave, you were not offered or allowed to take leave, or for some other reason?

NSFG Cycle 6 Female Pregnancy File

Value	Label	Total
.	inapplicable	13000
1	DID NOT NEED TO TAKE MATERNITY LEAVE	146
2	WERE NOT OFFERED OR ALLOWED TO TAKE MATERNITY LEAVE	93
3	SOME OTHER REASON	353
7	Not ascertained	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R did not take maternity leave with this pregnancy (BF-2 [WORKBORN](#)=5) (need to verify with ISR how DK/RF answers were routed here)

**MATWEEKS** (103 - 104)

**BF-4:** In total, how many weeks of maternity leave, paid or unpaid, did you take?

Value	Label	Total
.	INAPPLICABLE	12348
0-13	13 WEEKS OR LESS	1021
14-95	14 WEEKS OR LONGER	216
97	Not ascertained	1
99	Don't know	7
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R took maternity leave with this pregnancy (BF-2 [WORKBORN](#)=1)

**WEEKSDK** (105 - 105)

**BF-5:** Did you take 4 weeks or less or longer than 4 weeks?

Value	Label	Total
.	inapplicable	13585
1	4 WEEKS OR LESS	0

NSFG Cycle 6 Female Pregnancy File

2	LONGER THAN 4 WEEKS	5
7	Not ascertained	1
9	Don't know	2
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R did not know or refused to answer how many weeks of maternity leave she took for this pregnancy (BF-4 [MATWEEKS](#)=DK/RF)

**MATLEAVE** (106 - 107)

**BF-6:** Some women receive pay from their jobs during their maternity leave, through vacation pay, sick pay, maternity benefits, and other kinds of paid leave. In total, how many weeks of paid leave did you receive from your job while you were on maternity leave?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	12348
0-13	13 WEEKS OR LESS	1183
14-95	14 WEEKS OR LONGER	58
97	Not ascertained	1
99	Don't know	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R took maternity leave with this pregnancy (BF-2 [WORKBORN](#)=1)

**matchfound** (108 - 108)

Check on whether child matches bio child in HH roster - 1st (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5390
1	YES	5648
5	NO	2554

NSFG Cycle 6 Female Pregnancy File

7	Not ascertained	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in live birth (BC-1 [PREGEND1](#) or [PREGEND2](#) included codes 5 or 6)

**LIVEHERE** (109 - 109)

**BG-1:** Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (1st child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	11038
1	YES	1852
5	NO	699
7	Not ascertained	1
8	Refused	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child did not match any biological child reported in the household roster ([matchfound](#)=5)

**ALIVENOW** (110 - 110)

**BG-2:** Is (she/he) still living? (1st child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	12890
1	YES	613
5	NO	87
7	Not ascertained	1
8	Refused	2
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child not living with R (BG-1 [LIVEHERE](#)=5/DK/RF)

**cmkidied** (111 - 114)

Century Month for child's date of death - 1st from this pregnancy  
(computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	13505
301-1164	BEFORE 1997	52
1165-1239	JANUARY 1997 OR LATER	29
9997	Not ascertained	1
9998	Refused	3
9999	Don't know	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child died (BG-2 [ALIVENOW=5](#))

**cmkidlft** (115 - 118)

Century Month for date child's stopped living w/R - 1st from this  
pregnancy (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	12977
301-1164	BEFORE 1997	196
1165-1239	JANUARY 1997 OR LATER	393
9997	Not ascertained	1
9998	Refused	11
9999	Don't know	15
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child stopped living with R (BG-2 [ALIVENOW=1/DK/RF](#))

**lastage** (119 - 121)

Age (in months) when child last lived w/R-1st from this pregnancy  
(computed)

NSFG Cycle 6 Female Pregnancy File

Value	Label	Total
.	inapplicable	12925
0-994	0-994	664
997	Not ascertained	4
998	REFUSED	0
999	DON'T KNOW	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child no longer lives with R (BG-1 [LIVEHERE](#)=5/DK/RF)

**WHERE NOW** (122 - 122)

**BG-5:** Please look at Card 19. Where does (BABY'S NAME) now live? (1st child from this pregnancy)

Value	Label	Total
.	inapplicable	12977
1	WITH BIOLOGICAL FATHER	219
2	WITH OTHER RELATIVES	236
3	WITH ADOPTIVE FAMILY	68
4	AWAY AT SCHOOL/COLLEGE	15
5	LIVING ON OWN	27
6	OTHER	46
7	Not ascertained	1
8	Refused	3
9	Don't know	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child stopped living with R (BG-2 [ALIVENOW](#)=1/DK/RF)

**LEGAL AGREEMENT** (123 - 123)

**BG-6:** Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child's support, alimony, custody, visitation, or where the child lives? (1st child from this pregnancy)



NSFG Cycle 6 Female Pregnancy File

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13373
1	YES	153
5	NO	64
7	Not ascertained	1
9	Don't know	2
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child lives with biological father (BG-5 [WHERE NOW=1](#))

**PARENEND** (124 - 124)

**BG-7:** Are you still the legal mother of (BABY'S NAME)? (1st child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13060
1	YES	488
5	NO	40
7	Not ascertained	1
8	Refused	3
9	Don't know	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 [WHERE NOW=1, 2, 5, 6, DK, or RF](#))

**ANYNURSE** (125 - 125)

**BH-1:** (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (1st child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5488

NSFG Cycle 6 Female Pregnancy File

1	YES	4691
5	NO	3412
7	Not ascertained	1
9	Don't know	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in live birth (BC-1 [PREGEND1](#) or [PREGEND2](#) included codes 5 or 6), child lived with R for at least 2 months ([lastage](#) ge 2), and child is currently 18 years or younger ([kidage](#) lt 228)

**FEDSOLID** (126 - 126)

**BH-2:** Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (1st child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13166
1	YES	357
5	NO	67
7	Not ascertained	1
9	Don't know	2
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child is younger than 1 year ([lastage](#)=blank and [kidage](#) < 12) or child stopped living with R at age younger than 1 year ([lastage](#) < 12)

**FRSTEATD\_N** (127 - 129)

**BH-3:** How old was (she/he) when you first fed (her/him) something other than breast milk? (1st child from this pregnancy; NUMBER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	8970

NSFG Cycle 6 Female Pregnancy File

0-994	0-994	4610
997	Not ascertained	1
998	REFUSED	0
999	DON'T KNOW	12
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE](#)=1) and child was ever fed something other than breastmilk (BH-2 [FEDSOLID](#)=blank or 1)

**FRSTEATD\_P** (130 - 130)

**BH-3:** How old was (she/he) when you first fed (her/him) something other than breast milk? (1st child from this pregnancy; UNITS)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	8982
1	MONTHS	3121
2	WEEKS	978
3	DAYS	511
7	Not ascertained	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE](#)=1) and child was ever fed something other than breastmilk (BH-2 [FEDSOLID](#)=blank or 1)

**FRSTEATD** (131 - 133)

Age (in months) when 1st supplemented - 1st from this preg (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	8982
0	LESS THAN 1 MONTH	956
1	1 MONTH	754
2	2 MONTHS	501

NSFG Cycle 6 Female Pregnancy File

3	3 MONTHS	639
4	4 MONTHS	588
5	5 MONTHS	286
6	6 MONTHS	561
7-95	7 OR MORE MONTHS	325
997	Not ascertained	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE](#)=1) and child was ever fed something other than breastmilk (BH-2 [FEDSOLID](#)=blank or 1)

**QUITNURS** (134 - 134)

**BH-4:** (Have/Had) you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	12832
1	YES	566
5	NO	194
7	Not ascertained	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE](#)=1), child was ever fed something other than breastmilk (BH-2 [FEDSOLID](#)=blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger ([lastage](#) le 24 or ([lastage](#)=blank and [kidage](#) le 24))

**AGEQTNUR\_N** (135 - 137)

**BH-5:** How old was (she/he) when you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy; NUMBER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	9164

**NSFG Cycle 6 Female Pregnancy File**

0-994	0-994	4425
997	Not ascertained	1
998	REFUSED	0
999	DON'T KNOW	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE](#)=1) and R has stopped breastfeeding child altogether (BH-4 [QUITNURS](#)=blank or 1)

**AGEQTNUR\_P** (138 - 138)

**BH-5:** How old was (she/he) when you stopped breast-feeding (her/him) altogether? (1st child from this pregnancy; UNITS)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	9167
1	MONTHS	3582
2	WEEKS	731
3	DAYS	112
7	Not ascertained	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE](#)=1) and R has stopped breastfeeding child altogether (BH-4 [QUITNURS](#)=blank or 1)

**AGEQTNUR** (139 - 141)

Age (in months) when R'stopped nursing child - 1st from this preg (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	9167
0	LESS THAN 1 MONTH OLD	372
1	1 MONTH OLD	571
2	2 MONTHS OLD	416
3	3 MONTHS OLD	470
4-6	4-6 MONTHS OLD	926

NSFG Cycle 6 Female Pregnancy File

7-12	7-12 MONTHS OLD	1149
13-24	13-24 MONTHS OLD	437
25-95	25 MONTHS OR OLDER	84
997	Not ascertained	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE](#)=1) and R has stopped breastfeeding child altogether (BH-4 [QUITNURS](#)=blank or 1)

**matchfound2** (142 - 142)

Check on whether child matches bio child in HH roster - 2nd (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13446
1	YES	81
5	NO	66
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy ended with more than 1 liveborn baby (BC-2 [NBRNALIV](#) > 1 and BC-3 [MULTBRTH](#)=1)

**LIVEHERE2** (143 - 143)

**BG-1:** Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (2nd child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13527
1	YES	36
5	NO	30
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child did not match any biological child reported in

the household roster ([matchfound2=5](#))

**ALIVENOW2** (144 - 144)

**BG-2:** Is (she/he) still living? (2nd child from this pregnancy)

Value	Label	Total
.	inapplicable	13563
1	YES	19
5	NO	11
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if child not living with R (BG-1 [LIVEHERE2=5/DK/RF](#))

**cmkidied2** (145 - 148)

Century Month for child's date of death - 2nd from this pregnancy (computed)

Value	Label	Total
.	inapplicable	13582
301-1164	BEFORE 1997	8
1165-1239	JANUARY 1997 OR LATER	3
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if child died (BG-2 [ALIVENOW2=5](#))

**cmkidlft2** (149 - 152)

Century Month for date child's stopped living w/R - 2nd from this pregnancy (computed)

Value	Label	Total
.	inapplicable	13574
301-1164	BEFORE 1997	7
1165-1239	JANUARY 1997 OR LATER	8

NSFG Cycle 6 Female Pregnancy File

9998	Refused	1
9999	Don't know	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child stopped living with R (BG-2 [ALIVENOW2=1/DK/RF](#))

**lastage2** (153 - 155)

Age (in months) when child last lived w/R - 2nd from this pregnancy (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13568
0-994	0-994	25
998	REFUSED	0
999	DON'T KNOW	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child no longer lives with R (BG-1 [LIVEHERE2=5/DK/RF](#))

**WHEREHOW2** (156 - 156)

**BG-5:** Please look at Card 19. Where does (BABY'S NAME) now live? (2nd child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13574
1	WITH BIOLOGICAL FATHER	7
2	WITH OTHER RELATIVES	8
3	WITH ADOPTIVE FAMILY	1
4	AWAY AT SCHOOL/COLLEGE	0
5	LIVING ON OWN	0
6	OTHER	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child stopped living with R (BG-2 [ALIVENOW2=1/DK/RF](#))



**LEGAGREE2** (157 - 157)

**BG-6:** Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child's support, alimony, custody, visitation, or where the child lives? (2nd child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13586
1	YES	4
5	NO	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child lives with biological father (BG-5 [WHERENOW2=1](#))

**PARENEND2** (158 - 158)

**BG-7:** Are you still the legal mother of (BABY'S NAME)? (2nd child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13575
1	YES	15
5	NO	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 [WHERENOW2=1, 2, 5, 6, DK, or RF](#))

**ANYNURSE2** (159 - 159)

**BH-1:** (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (2nd child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

NSFG Cycle 6 Female Pregnancy File

.	inapplicable	13459
1	YES	71
5	NO	62
9	Don't know	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy resulted in more than 1 liveborn baby (BC-2 [NBRNALIV](#) > 1 and BC-3 [MULTBRTH](#)=1), child lived with R for at least 2 months ([lastage2](#) ge 2), and child is currently 18 years or younger ([kidage](#) lt 228)

**FEDSOLID2** (160 - 160)

**BH-2:** Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (2nd child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13579
1	YES	13
5	NO	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child is younger than 1 year ([lastage2](#)=blank and [kidage](#) < 12) or child stopped living with R at age younger than 1 year ([lastage2](#) < 12)

**FRSTEATD\_N2** (161 - 162)

**BH-3:** How old was (she/he) when you first fed (her/him) something other than breast milk? (2nd child from this pregnancy; NUMBER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13523
0-994	0-994	70
998	REFUSED	0

NSFG Cycle 6 Female Pregnancy File

999 DON'T KNOW 0  
**Total 13593**

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE2](#)=1) and child was ever fed something other than breastmilk (BH-2 [FEDSOLID2](#)=blank or 1)

**FRSTEATD\_P2** (163 - 163)

**BH-3:** How old was (she/he) when you first fed (her/him) something other than breast milk? (2nd child from this pregnancy; UNITS)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13523
1	MONTHS	42
2	WEEKS	12
3	DAYS	16
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE2](#)=1) and child was ever fed something other than breastmilk (BH-2 [FEDSOLID2](#)=blank or 1)

**FRSTEATD2** (164 - 165)

Age (in months) when 1st supplemented - 2nd from this preg (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	13523
0	LESS THAN 1 MONTH	20
1	1 MONTH	18
2	2 MONTHS	5
3	3 MONTHS	9
4	4 MONTHS	6
5	5 MONTHS	4
6	6 MONTHS	6

NSFG Cycle 6 Female Pregnancy File

7-95 7 OR MORE MONTHS 2  
**Total 13593**

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE2](#)=1) and child was ever fed something other than breastmilk (BH-2 [FEDSOLID2](#)=blank or 1)

**QUITNURS2** (166 - 166)

**BH-4:** (Have/Had) you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy)

Value	Label	Total
.	inapplicable	13573
1	YES	17
5	NO	3
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE2](#)=1), child was ever fed something other than breastmilk (BH-2 [FEDSOLID2](#)=blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger ([lastage2](#) le 24 or ([lastage2](#)=blank and [kidage](#) le 24))

**AGEQTNUR\_N2** (167 - 168)

**BH-5:** How old was (she/he) when you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy; NUMBER)

Value	Label	Total
.	inapplicable	13526
0-994	0-994	67
998	REFUSED	0
999	DON'T KNOW	0
<b>Total</b>		<b>13593</b>

**Universe:**

**NSFG Cycle 6 Female Pregnancy File**

Applicable if child was ever breastfed (BH-1 [ANYNURSE2](#)=1) and R has stopped breastfeeding child altogether (BH-4 [QUITNURS2](#)=blank or 1)

**AGEQTNUR\_P2** (169 - 169)

**BH-5:** How old was (she/he) when you stopped breast-feeding (her/him) altogether? (2nd child from this pregnancy; UNITS)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	13526
1	MONTHS	55
2	WEEKS	11
3	DAYS	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE2](#)=1) and R has stopped breastfeeding child altogether (BH-4 [QUITNURS2](#)=blank or 1)

**AGEQTNUR2** (170 - 171)

Age (in months) when R'stopped nursing child - 2nd from this preg (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	INAPPLICABLE	13526
0	LESS THAN 1 MONTH OLD	3
1	1 MONTH OLD	14
2	2 MONTHS OLD	8
3	3 MONTHS OLD	9
4-6	4-6 MONTHS OLD	14
7-12	7-12 MONTHS OLD	15
13-24	13-24 MONTHS OLD	3
25-95	25 MONTHS OR OLDER	1
	<b>Total</b>	<b>13593</b>

**Universe:**

## NSFG Cycle 6 Female Pregnancy File

Applicable if child was ever breastfed (BH-1 [ANYNURSE2](#)=1) and R has stopped breastfeeding child altogether (BH-4 [QUITNURS2](#)=blank or 1)

### ***matchfound3*** (172 - 172)

Check on whether child matches bio child in HH roster - 3rd from this pregnancy (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13574
1	YES	8
5	NO	11
	<b>Total</b>	<b>13593</b>

#### **Universe:**

Applicable if pregnancy ended with more than 2 liveborn babies (BC-2 [NBRNALIV](#) > 2 and BC-3 [MULTBRTH](#)=1)

### ***LIVEHERE3*** (173 - 173)

**BG-1:** Earlier I don't think you mentioned (BABY'S NAME) when you told me who lives with you. Does (BABY'S NAME) still live with you? (3rd child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13582
1	YES	4
5	NO	7
	<b>Total</b>	<b>13593</b>

#### **Universe:**

Applicable if child did not match any biological child reported in the household roster ([matchfound3](#)=5)

### ***ALIVENOW3*** (174 - 174)

**BG-2:** Is (she/he) still living? (3rd child from this pregnancy)

NSFG Cycle 6 Female Pregnancy File

Value	Label	Total
.	inapplicable	13586
1	YES	3
5	NO	4
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child not living with R (BG-1 [LIVEHERE3](#)=5/DK/RF)

**cmkidied3** (175 - 178)

Century Month for child's date of death - 3rd from this pregnancy (computed)

Value	Label	Total
.	inapplicable	13589
301-1164	BEFORE 1997	2
1165-1239	JANUARY 1997 OR LATER	2
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child died (BG-2 [ALIVENOW3](#)=5)

**cmkidlft3** (179 - 182)

Century Month for date child's stopped living w/R - 3rd from this pregnancy (computed)

Value	Label	Total
.	inapplicable	13590
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	1
9999	Don't know	2
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child stopped living with R (BG-2 [ALIVENOW3](#)=1/DK/RF)

**lastage3** (183 - 185)

Age (in months) when child last lived w/R - 3rd from this pregnancy (computed)

Value	Label	Total
.	inapplicable	13588
0-994	0-994	5
998	REFUSED	0
999	DON'T KNOW	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child no longer lives with R (BG-1 [LIVEHERE3](#)=5/DK/RF)

**WHEREHOW3** (186 - 186)

**BG-5:** Please look at Card 19. Where does (BABY'S NAME) now live? (3rd child from this pregnancy)

Value	Label	Total
.	inapplicable	13590
1	WITH BIOLOGICAL FATHER	1
2	WITH OTHER RELATIVES	0
3	WITH ADOPTIVE FAMILY	0
4	AWAY AT SCHOOL/COLLEGE	0
5	LIVING ON OWN	0
6	OTHER	1
9	Don't know	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child stopped living with R (BG-2 [ALIVENOW3](#)=1/DK/RF)

**LEGAGREE3** (187 - 187)

**BG-6:** Do you and (BABY'S NAME)'s father have a legal agreement about (BABY'S NAME) regarding child's support, alimony, custody, visitation, or where the child lives? (3rd child from this



pregnancy)

Value	Label	Total
.	inapplicable	13592
1	YES	1
5	NO	0
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if child lives with biological father (BG-5 [WHEREINOW3=1](#))

**PARENEND3** (188 - 188)

**BG-7:** Are you still the legal mother of (BABY'S NAME)? (3rd child from this pregnancy)

Value	Label	Total
.	inapplicable	13590
1	YES	3
5	NO	0
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if child lives with biological father, other relatives, on own, or somewhere else, or if R did not know or refused to answer where child lives (BG-5 [WHEREINOW3=1, 2, 5, 6, DK, or RF](#))

**ANYNURSE3** (189 - 189)

**BH-1:** (When (BABY'S NAME) was an infant,) (Have/did) you breastfeed (him/her) at all? (3rd child from this pregnancy)

Value	Label	Total
.	inapplicable	13579
1	YES	1
5	NO	13
<b>Total</b>		<b>13593</b>

**Universe:**

## NSFG Cycle 6 Female Pregnancy File

Applicable if pregnancy ended with more than 2 liveborn babies (BC-2 [NBRNALIV](#) > 2 and BC-3 [MULTBRTH](#)=1), child lived with R for at least 2 months ([lastage3](#) ge 2), and child is currently 18 years or younger ([kidage](#) lt 228)

### **FEDSOLID3** (190 - 190)

**BH-2:** Besides breastmilk, babies are sometimes given formula, baby food, or other liquid or solid foods. (Did you feed/Have you fed) [BABY'S NAME] something other than breast milk yet? (3rd child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13593
1	YES	0
5	NO	0
	<b>Total</b>	<b>13593</b>

#### **Universe:**

Applicable if child is younger than 1 year ([lastage3](#)=blank and [kidage](#) < 12) or child stopped living with R at age younger than 1 year ([lastage3](#) < 12)

### **FRSTEATD\_N3** (191 - 191)

**BH-3:** How old was (she/he) when you first fed (her/him) something other than breast milk? (3rd child from this pregnancy; NUMBER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13592
0-994	0-994	1
998	REFUSED	0
999	DON'T KNOW	0
	<b>Total</b>	<b>13593</b>

#### **Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE3](#)=1) and child was ever fed something other than breastmilk (BH-2 [FEDSOLID3](#)=blank or 1)

**FRSTEATD\_P3** (192 - 192)

**BH-3:** How old was (she/he) when you first fed (her/him) something other than breast milk? (3rd child from this pregnancy; UNITS)

Value	Label	Total
.	inapplicable	13592
1	MONTHS	1
2	WEEKS	0
3	DAYS	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE3](#)=1) and child was ever fed something other than breastmilk (BH-2 [FEDSOLID3](#)=blank or 1)

**FRSTEATD3** (193 - 193)

**BH-3:** Age (in months) when 1st supplemented - 3rd from this preg (computed)

Value	Label	Total
.	INAPPLICABLE	13592
0	LESS THAN 1 MONTH	0
1	1 MONTH	0
2	2 MONTHS	1
3	3 MONTHS	0
4	4 MONTHS	0
5	5 MONTHS	0
6	6 MONTHS	0
7-95	7 OR MORE MONTHS	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE3](#)=1) and child was ever fed something other than breastmilk (BH-2 [FEDSOLID3](#)=blank or 1)

**QUITNURS3** (194 - 194)

**BH-4:** (Have/Had) you stopped breast-feeding (her/him) altogether?  
(3rd child from this pregnancy)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13593
1	YES	0
5	NO	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE3](#)=1), child was ever fed something other than breastmilk (BH-2 [FEDSOLID3](#)=blank or 1), and child is either 2 years or younger or last lived with R at age 2 years or younger ([lastage3](#) le 24 or ([lastage3](#)=blank and [kidage](#) le 24))

**AGEQTNUR\_N3** (195 - 195)

**BH-5:** How old was (she/he) when you stopped breast-feeding (her/him) altogether? (3rd child from this pregnancy; NUMBER)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13592
0-994	0-994	1
998	REFUSED	0
999	DON'T KNOW	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE3](#)=1) and R has stopped breastfeeding child altogether (BH-4 [QUITNURS3](#)=blank or 1)

**AGEQTNUR\_P3** (196 - 196)

**BH-5:** How old was (she/he) when you stopped breast-feeding (her/

NSFG Cycle 6 Female Pregnancy File

him) altogether? (3rd child from this pregnancy; UNITS)

Value	Label	Total
.	inapplicable	13592
1	MONTHS	1
2	WEEKS	0
3	DAYS	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE3](#)=1) and R has stopped breastfeeding child altogether (BH-4 [QUITNURS3](#)=blank or 1)

**AGEQTNUR3** (197 - 197)

Age (in months) when R'stopped nursing child - 3rd from this preg (computed)

Value	Label	Total
.	INAPPLICABLE	13592
0	LESS THAN 1 MONTH OLD	0
1	1 MONTH OLD	0
2	2 MONTHS OLD	1
3	3 MONTHS OLD	0
4-6	4-6 MONTHS OLD	0
7-12	7-12 MONTHS OLD	0
13-24	13-24 MONTHS OLD	0
25-95	25 MONTHS OR OLDER	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if child was ever breastfed (BH-1 [ANYNURSE3](#)=1) and R has stopped breastfeeding child altogether (BH-4 [QUITNURS3](#)=blank or 1)

**cmlastlb** (198 - 201)

Century Month for R's most recent live birth (computed variable

NSFG Cycle 6 Female Pregnancy File

from respondent file)

Value	Label	Total
.	inapplicable	955
301-1164	BEFORE 1997	5845
1165-1239	JANUARY 1997 OR LATER	6776
9998	Refused	5
9999	Don't know	12
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R has ever had a live birth (hasbabes=1) (respondent variable)

**cmfstprg** (202 - 205)

Century Month for R's first completed pregnancy (computed variable from respondent file)

Value	Label	Total
.	inapplicable	90
301-1164	BEFORE 1997	11300
1165-1239	JANUARY 1997 OR LATER	2181
9998	Refused	14
9999	Don't know	8
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R has ever had a completed pregnancy ((BB-1 NUMPREGS=1 and currpreg=5) or (BB-1 NUMPREGS > 1)) (respondent variable)

**cmlstprg** (206 - 209)

Century Month for R's most recent completed pregnancy (computed variable from respondent file)

Value	Label	Total
.	inapplicable	90

NSFG Cycle 6 Female Pregnancy File

301-1164	BEFORE 1997	5442
1165-1239	JANUARY 1997 OR LATER	7979
9998	Refused	14
9999	Don't know	68
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R has ever had a completed pregnancy ((BB-1 NUMPREGS=1 and currpreg=5) or (BB-1 NUMPREGS > 1)) (respondent variable)

***cmintstr*** (210 - 213)

Century Month for date of beginning of pregnancy interval (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	9
301-1164	BEFORE 1997	11035
1165-1239	JANUARY 1997 OR LATER	2333
9998	Refused	56
9999	Don't know	160
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies with any reported pregnancy outcome ([prgoutcome](#) NE .)

***cmintfin*** (214 - 217)

Century Month for date of end of pregnancy interval (computed)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	399
301-1164	BEFORE 1997	8576
1165-1239	JANUARY 1997 OR LATER	4478
9998	Refused	24
9999	Don't know	116
	<b>Total</b>	<b>13593</b>

NSFG Cycle 6 Female Pregnancy File

**Universe:**

Applicable if pregnancy is a completed pregnancy ([prgoutcome](#)= 1 or 2)

***cmintstrop*** (218 - 221)

Open interval: Century Month of date of beginning (computed)

Value	Label	Total
.	inapplicable	8950
301-1164	BEFORE 1997	1981
1165-1239	JANUARY 1997 OR LATER	2630
9998	Refused	7
9999	Don't know	25
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is R's highest-order completed pregnancy ((BB-1 NUMPREGS=[pregordr](#) and currpreg=5) or (BB-1 NUMPREGS=[pregordr](#)-1) and currpreg=1))

***cmintfinop*** (222 - 225)

Open interval: Century Month of date of end (month of interview) (computed)

Value	Label	Total
.	inapplicable	8950
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	4643
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is R's highest-order completed pregnancy ((BB-1 NUMPREGS=[pregordr](#) and currpreg=5) or (BB-1 NUMPREGS=[pregordr](#)-1) and currpreg=1))

***cmintstrcr*** (226 - 229)



NSFG Cycle 6 Female Pregnancy File

Currently pregnant: Century Month of date of beginning of interval (computed)

Value	Label	Total
.	inapplicable	13243
301-1164	BEFORE 1997	81
1165-1239	JANUARY 1997 OR LATER	266
9998	Refused	1
9999	Don't know	2
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a current pregnancy ([prgoutcome=3](#))

**cmintfincr** (230 - 233)

Currently pregnant: Century Month of date of end of interval (month of interview) (computed)

Value	Label	Total
.	inapplicable	13241
301-1164	BEFORE 1997	0
1165-1239	JANUARY 1997 OR LATER	352
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a current pregnancy ([prgoutcome=3](#))

**EVUSEINT** (234 - 234)

**EG-1:** Did you ever use any method of birth control between (your first intercourse/[BABY NAME's] birth in [DATE]/your [Nth] pregnancy which ended in [DATE]) and (DATE OF Nth+1 pregnancy end)/[BABY NAME's] birth)? Remember to include methods men use--that is condoms, vasectomy, and withdrawal--in your answer.

Value	Label	Total
.	inapplicable	3029

NSFG Cycle 6 Female Pregnancy File

1	YES	7557
5	NO	2951
8	Refused	34
9	Don't know	22
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy began prior to Jan 1999 ([cmprgbeg](#)<cmjan99) and date of first method use was unknown/refused or date of first sex was unknown/refused (cmfirsm=DK/RF or cminstr=DK/RF) or if first method use preceded start of pregnancy interval ([cmfirsm](#)<[cmintstr](#))

**STOPDUSE** (235 - 235)

**EG-2:** Before you became pregnant (with your (NTH) pregnancy which ended in [DATE of Nth pregnancy end]/this time), had you stopped using all methods of birth control?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	5759
1	YES	4503
5	NO	3311
8	Refused	4
9	Don't know	16
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if [pregnancy began prior to Jan 1999 ([cmprgbeg](#)<cmjan99) and first method use was within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) ([cmintstr](#)<=[cmfirsm](#)<=[cmintfin](#))] or [pregnancy began on or after Jan 1999 ([cmprgbeg](#)>=cmjan99) and R used a method in month pregnancy began (ED-6 METHHIST011 through METHHIST514 corresponding to [cmprgbeg](#) NE 1) and did not use a method in month after pregnancy began (ED-6 METHHIST011 through METHHIST514 corresponding to [cmprgbeg](#)+1 = 1) ] or R used a method within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) (EG-1 [EVUSEINT](#)=1)

**WHYSTOPD** (236 - 236)

**EG-3:** Was the reason you stopped using all methods of birth control because you yourself wanted to become pregnant?

Value	Label	Total
.	inapplicable	9090
1	YES	2796
5	NO	1704
9	Don't know	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R stopped using all methods before becoming pregnant (EG-2 [STOPDUSE](#)=1)

**WHATMETH01** (237 - 238)

**EG-4:** You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (1st mention)

Value	Label	Total
.	inapplicable	9432
1	NO METHOD USED	428
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	1500
4	CONDOM	1215
5	PARTNER S VASECTOMY	4
6	STERILIZING OPERATION/TUBAL LIGATION	38
7	WITHDRAWAL, PULLING OUT	406
8	DEPO-PROVERA, INJECTABLES (SHOT)	113
9	NORPLANT (TM) IMPLANTS	11
10	RHYTHM OR SAFE PERIOD BY CALENDAR	140
11	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY PLANNING	33
12	DIAPHRAGM	78
13	FEMALE CONDOM, VAGINAL POUCH	2
14	FOAM	43

**NSFG Cycle 6 Female Pregnancy File**

15	JELLY OR CREAM	12
16	CERVICAL CAP	3
17	SUPPOSITORY, INSERT	32
18	TODAY (TM) SPONGE	23
19	IUD, COIL, OR LOOP	55
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	7
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	2
24	LUNELLE INJECTABLE (MONTHLY SHOT)	2
25	CONTRACEPTIVE PATCH	1
98	Refused	3
99	Don't know	10
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if (pregnancy began on or after Jan 1999 ([cmprgbeg](#) >= cmjan99) and R used a method in the month pregnancy began (ED-6 METHHIST011 through METHHIST514 corresponding to [cmprgbeg](#) NE 1) and also in the month after pregnancy began (ED-6 METHHIST011 through METHHIST514 corresponding to [cmprgbeg](#)+1 NE 1) or R had not stopped using all methods before becoming pregnant, or responded "don't know" or "refused" (EG-2 [STOPDUSE](#)=5 / DK/ RF)

**WHATMETH02** (239 - 240)

**EG-4:** You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	12851
1	NO METHOD USED	2
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	28
4	CONDOM	252
5	PARTNER S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	6
7	WITHDRAWAL, PULLING OUT	239

**NSFG Cycle 6 Female Pregnancy File**

8	DEPO-PROVERA, INJECTABLES (SHOT)	10
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	55
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	13
12	DIAPHRAGM	25
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	44
15	JELLY OR CREAM	17
16	CERVICAL CAP	1
17	SUPPOSITORY, INSERT	20
18	TODAY (TM) SPONGE	17
19	IUD, COIL, OR LOOP	7
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	5
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if more than 1 method was being used before R became pregnant this time (see EG-4 [WHATMETH01](#))

**WHATMETH03** (241 - 242)

**EG-4:** You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (3rd mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13465
1	NO METHOD USED	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	4
4	CONDOM	8
5	PARTNER S VASECTOMY	0
6	STERILIZING OPERATION/TUBAL LIGATION	0

**NSFG Cycle 6 Female Pregnancy File**

7	WITHDRAWAL, PULLING OUT	34
8	DEPO-PROVERA, INJECTABLES (SHOT)	4
9	NORPLANT (TM) IMPLANTS	1
10	RHYTHM OR SAFE PERIOD BY CALENDAR	23
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	5
12	DIAPHRAGM	4
13	FEMALE CONDOM, VAGINAL POUCH	0
14	FOAM	11
15	JELLY OR CREAM	15
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	7
18	TODAY (TM) SPONGE	5
19	IUD, COIL, OR LOOP	3
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	1
21	OTHER METHOD	3
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if more than 2 methods were being used before R became pregnant this time (see EG-4 [WHATMETH01](#))

**WHATMETH04** (243 - 244)

**EG-4:** You may have already told me, but looking at Card 38, what methods were you using at the time you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time)? (4th mention)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13578
1	NO METHOD USED	0
2	OFFICE USE ONLY	0
3	BIRTH CONTROL PILLS	0
4	CONDOM	0
5	PARTNER S VASECTOMY	0

**NSFG Cycle 6 Female Pregnancy File**

6	STERILIZING OPERATION/TUBAL LIGATION	0
7	WITHDRAWAL, PULLING OUT	5
8	DEPO-PROVERA, INJECTABLES (SHOT)	0
9	NORPLANT (TM) IMPLANTS	0
10	RHYTHM OR SAFE PERIOD BY CALENDAR	1
	SAFE PERIOD BY TEMPERATURE OR CERVICAL MUCUS TEST, NATURAL FAMILY	
11	PLANNING	1
12	DIAPHRAGM	0
13	FEMALE CONDOM, VAGINAL POUCH	1
14	FOAM	2
15	JELLY OR CREAM	3
16	CERVICAL CAP	0
17	SUPPOSITORY, INSERT	0
18	TODAY (TM) SPONGE	1
19	IUD, COIL, OR LOOP	0
20	"MORNING AFTER" PILLS OR EMERGENCY CONTRACEPTION	0
21	OTHER METHOD	1
22	RESPONDENT WAS STERILE	0
23	RESPONDENT'S PARTNER WAS STERILE	0
24	LUNELLE INJECTABLE (MONTHLY SHOT)	0
25	CONTRACEPTIVE PATCH	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if more than 3 methods were being used before R became pregnant this time (see EG-4 [WHATMETH01](#))

**RESNOUSE** (245 - 245)

**EG-5:** (IF R NEVER USED A METHOD:)

Before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time), was the reason you did not use any birth control methods because you, yourself, wanted to become pregnant?

(IF USED A METHOD BETWEEN FIRST SEX/LAST PREGNANCY AND THIS ONE:)

You told me you had stopped using a birth control method before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time). Was the reason you had stopped using any methods because you yourself wanted to become pregnant?

(IF DID NOT USE A METHOD BETWEEN FIRST SEX/LAST PREGNANCY AND THIS ONE:)

## NSFG Cycle 6 Female Pregnancy File

You did not use any method of birth control from (your first intercourse/[BABY NAME's] birth in [DATE]/your [Nth] pregnancy which ended in [DATE]) until you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time). Was the reason you were not using any methods because you yourself wanted to become pregnant?

Value	Label	Total
.	inapplicable	8664
1	YES	2354
5	NO	2497
8	Refused	46
9	Don't know	32
<b>Total</b>		<b>13593</b>

### Universe:

Applicable if [pregnancy began before Jan 1999 ([cmprgbeg](#)<cmjan99) and R has never used a method of birth control (everused=5) or R's first method use was after the end of the pregnancy ([cmintfin](#)<cmfirm)] or [pregnancy began on or after Jan 1999 ([cmprgbeg](#)>=cmjan99) and R did not use a method in the month pregnancy began (ED-6 METHHIST011 through METHHIST514 corresponding to [cmprgbeg](#) = 1) or R did not use a method within pregnancy interval (between 1st sex/previous pregnancy end and end of this pregnancy) or responded "don't know" or "refused" (EG-1 [EVUSEINT](#)=5,DK,RF)]

**WANTBOLD** (246 - 246)

**EG-6:** Right before you became pregnant (with your (NTH) pregnancy which ended in (DATE)/this time), did you yourself want to have a (nother) baby at any time in the future?

Value	Label	Total
.	inapplicable	5150
1	YES	5551
5	NO	2597
6	NOT SURE, DON'T KNOW	230
8	Refused	46



NSFG Cycle 6 Female Pregnancy File

9	Don't know	19
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R responded "no" to whether she stopped using all methods of birth control because she wanted to become pregnant (EG-3 [WHYSTOPD=5](#)) or R responded "no" to whether the reason she did not use a method in the pregnancy interval was because she wanted to become pregnant (EG-5 [RESNOUSE=5](#))

**PROBBABE** (247 - 247)

**EG-7:** It is sometimes difficult to recall these things but, right before (this/that) pregnancy began, would you say you probably wanted a(nother) baby at some time in the future or probably not?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13344
1	PROBABLY YES	135
5	PROBABLY NOT	66
6	DIDN'T CARE	29
9	Don't know	19
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R responded "not sure, don't know" about wanting a (nother) baby at any time in the future (EG-6 [WANTBOLD=6](#))

**CNFRMNO** (248 - 248)

**EG-8:** So right before you became pregnant (this time/that time), you thought you did not want to have (any children/a Nth child from this pregnancy) at any time in the future, is that correct?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13545
1	CORRECT	46
2	INCORRECT	2
	<b>Total</b>	<b>13593</b>

## NSFG Cycle 6 Female Pregnancy File

### Universe:

Applicable if R is younger than 20 years (`age_r < 20`) and R responded "no" about wanting a(nother) baby at any time in the future (EG-6 [WANTBOLD](#)=6) or R responded "probably not" about whether she probably wanted or didn't want a(nother) baby at some time in the future (EG=7 [PROBBABE](#)=5)

### **WANTBLD2** (249 - 249)

**EG-9:** Right before you became pregnant (with your (Nth) pregnancy (which ended in (DATE)/this time), did you yourself want to have a (nother) baby at any time in the future?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	13591
1	YES	2
5	NO	0
6	NOT SURE, DON'T KNOW	0
7	DIDN'T CARE	0
	<b>Total</b>	<b>13593</b>

### Universe:

Applicable if question confirming that R did not want to have a (nother) child at any time was answered "incorrect" or "don't know" or "refused" (EG-8 [CNFRMNO](#)=5)

### **TIMINGOK** (250 - 250)

**EG-10:** So would you say you became pregnant too soon, at about the right time, or later than you wanted?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	2757
1	TOO SOON	3889
2	RIGHT TIME	5835
3	LATER	791
4	DIDN'T CARE	177
7	Not ascertained	131

NSFG Cycle 6 Female Pregnancy File

8	Refused	4
9	Don't know	9
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R responded "yes" to whether she stopped using all methods of birth control because she wanted to become pregnant (EG-3 [WHYSTOPD](#)=1) or R responded "yes" to whether the reason she did not use a method in the pregnancy interval was because she wanted to become pregnant (EG-5 [RESNOUSE](#)=5) or R responded "yes" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 [WANTBOLD](#)=1) or R responded "probably yes" to whether, right before pregnancy, she probably wanted to have a baby at some time in the future (EG-7 [PROBBABE](#)=1) or R responded "yes" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 [WANTBLD2](#)=1)

**TOOSOON\_N** (251 - 253)

**EG-11:** How much sooner than you wanted did you become pregnant?  
(number of months or years)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	9704
1-100	1-100	3756
998	REFUSED	8
999	DON'T KNOW	125
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R said she became pregnant "too soon" (EG-10 [TIMINGOK](#)=1)

**TOOSOON\_P** (254 - 254)

**EG-11:** (How much sooner than you wanted did you become pregnant?)  
(units -- months or years)

NSFG Cycle 6 Female Pregnancy File

Value	Label	Total
.	inapplicable	9704
1	MONTHS	421
2	YEARS	3378
8	Refused	8
9	Don't know	82
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R said she became pregnant "too soon" (EG-10 [TIMINGOK=1](#))

**WTHPART1** (255 - 255)

**EG-12a:** Right before (the/this/that) pregnancy, did you want to have a(nother) baby with that partner? Would you say definitely yes, probably yes, probably no, or definitely no?

Value	Label	Total
.	inapplicable	6938
1	DEFINITELY YES	5755
2	PROBABLY YES	522
3	PROBABLY NO	174
4	DEFINITELY NO	201
9	Don't know	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R responded that she became pregnant at the "right time" or "later" than she wanted (EG-10 [TIMINGOK=2](#) or [3](#)) or R responded "didn't care " to whether she probably wanted a(nother) baby at some time in the future (EG-7 [PROBBABE=6](#))

**WTHPART2** (256 - 256)

**EG-12b:** Right before (the/this/that) pregnancy, did you think you might ever want to have a(nother) baby with that partner? Would you say definitely yes, probably yes, probably no, or definitely no?

NSFG Cycle 6 Female Pregnancy File

Value	Label	Total
.	inapplicable	6655
1	DEFINITELY YES	2399
2	PROBABLY YES	1290
3	PROBABLY NO	886
4	DEFINITELY NO	2284
8	Refused	47
9	Don't know	32
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R responded that she became pregnant "too soon" or "didn't care" about the timing or "don't know" or "refused" (EG-10 [TIMINGOK](#)=1 or 4 or DK/RF) or R responded "no" or "don't know" or "refused" to whether she probably wanted a(nother) baby at some time in the future (EG-7 [PROBBABE](#)=6) or R responded "no", "not sure", "don't know" or "refused" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 [WANTBOLD](#) NE 1) or R responded "probably not", "didn't care", "Don't know" or "refused" to whether she probably wanted a(nother) baby at some time in the future (EG-7 [PROBBABE](#) NE 1) or R responded "no", "not sure", "didn't care", "don't know" or "refused" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 [WANTBLD2](#) NE 1)

**FEELINPG** (257 - 258)

**EG-13:** Please look at the scale on Card 39. On this scale, a one means that you were very unhappy to be pregnant and a ten means that you were very happy to be pregnant. Tell me which number on the card best describes how you felt when you found out you were pregnant.

Value	Label	Total
.	inapplicable	10154
1	VERY UNHAPPY	493
2	2	83
3	3	105

NSFG Cycle 6 Female Pregnancy File

4	4	91
5	5	291
6	6	127
7	7	155
8	8	289
9	9	144
10	VERY HAPPY	1630
98	REFUSED	18
99	DON'T KNOW	13
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy ended on or after Jan 1999  
 ([cmintfin](#) >= cmjan99)

**HPWNOLD** (259 - 259)

**EG-16:** Right before you became pregnant (this time/that (Nth) time,) did the father want you to have a(nother) baby at any time in the future?

Value	Label	Total
1	YES	9910
5	NO	2819
6	NOT SURE, DON'T KNOW	786
8	Refused	49
9	Don't know	29
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**TIMOKHP** (260 - 260)

**EG-17:** So would you say you became pregnant sooner than he wanted, at about the right time, or later than he wanted?

Value	Label	Total
.	inapplicable	3683

**NSFG Cycle 6 Female Pregnancy File**

1	TOO SOON	2623
2	RIGHT TIME	6264
3	LATER	772
4	DIDN'T CARE	221
8	Refused	5
9	Don't know	25
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if r responded "yes" to whether father of pregnancy wanted her to have baby at any time in the future (EG-16 [HPWNOLD=1](#))

**COHPBEG** (261 - 261)

**EG-18a:** Were you living with the father of (the pregnancy/this pregnancy/your (Nth) pregnancy which ended in (DATE)) at the beginning of the pregnancy?

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	inapplicable	4615
1	YES	4879
5	NO	4029
8	Refused	48
9	Don't know	22
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R has never been married or marital status is unknown (fmarit=5 or 0) or if [R is not currently married (AB-1 MARSTAT NE 1) and has been married more than once (CA-1 TIMESMAR>1 or DK/RF) or marriage began later than 2 months before pregnancy began (cmmarrhx>cmprgbegx-2) or date is unknown (cmmarrhx=DK/RF) or marriage ended before pregnancy ended (cmstphsbx<=cmprgendx) or is unknown (cmstphsbx=DK/RF)] or [R is currently married (AB-1 MARSTAT=1) and marriage began later than 2 months before pregnancy began (cmmarrhx>cmprgbegx-2) or date is unknown (cmmarrhx=DK/RF)]

**COHPEND** (262 - 262)

**EG-18b:** (When [BABY NAME] was born, were you living with (his/her)

**NSFG Cycle 6 Female Pregnancy File**

father? / Were you living with the father of (the/that) pregnancy when ([BABY NAME] was born/the pregnancy ended))?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	4750
1	YES	4617
5	NO	4088
8	Refused	49
9	Don't know	89
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is not current ([prgoutcome](#) NE 3) and conditions for EG-18a [COHPBEG](#) are met

**TELLFATH** (263 - 263)

**EG-19:** Did you tell the father of (the pregnancy/that (Nth) pregnancy/your current pregnancy) that you (were/are) pregnant?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	3333
1	YES	9625
5	NO	562
8	Refused	50
9	Don't know	23
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy did not result in a live birth ([prgoutcome](#) NE 1) or R was not living with the father of the pregnancy when the pregnancy ended (EG-18 [COHPEND](#) NE 1) or responded "don't know/refused" (EG-18 [COHPEND](#)=DK/RF)

**WHENTELL** (264 - 264)

**EG-20:** When did you tell him that you were pregnant - during the pregnancy or after the baby was born/after the pregnancy ended?



NSFG Cycle 6 Female Pregnancy File

Value	Label	Total
.	inapplicable	4315
1	DURING THE PREGNANCY	9044
2	AFTER THE (PREGNANCY ENDED/BABY WAS BORN)	229
9	Don't know	5
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if R told the father of the pregnancy that she was pregnant (EG-19 [TELLFATH=1](#)) and if pregnancy is not current ([prgoutcome](#) NE 3)

**TRYSCALE** (265 - 266)

**EG-21:** Look at the scale on Card 40, where a 0 means trying hard not to get pregnant, and a 10 means trying hard to get pregnant. If you had to rate how much you were trying to get pregnant or avoid pregnancy right before you got pregnant (this time/that time), how would you rate yourself?

Value	Label	Total
.	inapplicable	10234
0	0	731
1	1	116
2	2	152
3	3	159
4	4	134
5	5	592
6	6	115
7	7	164
8	8	203
9	9	85
10	10	882
98	REFUSED	19
99	DON'T KNOW	7
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy ended on or after Jan 1999

([cmprgend](#)>=cmjan99)

### **WANTSCAL** (267 - 268)

**EG-22:** Look at the scale on Card 41, where a 0 means you wanted to avoid a pregnancy and a 10 means you wanted to get pregnant. If you had to rate how much you wanted or didn't want a pregnancy right before you got pregnant (this time/that time), how would you rate yourself?

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	10234
0	0	870
1	1	95
2	2	109
3	3	116
4	4	98
5	5	405
6	6	81
7	7	93
8	8	157
9	9	97
10	10	1212
98	REFUSED	19
99	DON'T KNOW	7
	<b>Total</b>	<b>13593</b>

#### **Universe:**

Applicable if pregnancy ended on or after Jan 1999  
 ([cmprgend](#)>=cmjan99)

### **WHYPRG1** (269 - 269)

**EG-23:** Please look at Card 42. (Earlier you told me (your/this/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in DATE))? Your birth control method failed, or you did not use your birth control method properly?

NSFG Cycle 6 Female Pregnancy File

(1st mention)

Value	Label	Total
.	inapplicable	12804
1	YOUR BIRTH CONTROL METHOD FAILED	310
2	YOU DID NOT USE YOUR BIRTH CONTROL METHOD PROPERLY	368
3	RESPONDENT WASN'T USING A METHOD	105
8	Refused	1
9	Don't know	5
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy ended in or after Jan 1999 ([cmprgend](#) >= cmjan99) and R responded that she became pregnant "too soon" (EG-10 [TIMINGOK](#)=1) or R responded "no" to whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-6 [WANTBOLD](#)=5) or R responded "probably not" to whether she probably wanted a(nother) baby at some time in the future (EG-7 [PROBBABE](#)=5) or R responded "no" to the second time she was asked whether, right before pregnancy, she wanted to have a baby at any time in the future (EG-9 [WANTBLD2](#)=5) and R used a method in month pregnancy began (ED-6 METHHIST011 through METHHIST514 corresponding to [cmprgbeg](#) NE 1)

**WHYPRG2** (270 - 270)

**EG-23:** Please look at Card 42. (Earlier you told me (your/this/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in DATE))? Your birth control method failed, or you did not use your birth control method properly?  
(2nd mention)

Value	Label	Total
.	inapplicable	13578
1	YOUR BIRTH CONTROL METHOD FAILED	0
2	YOU DID NOT USE YOUR BIRTH CONTROL METHOD PROPERLY	15

NSFG Cycle 6 Female Pregnancy File

3	RESPONDENT WASN'T USING A METHOD	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if more than one reason became pregnant with unintended pregnancy (see EG-23 [WHYPRG1](#))

**WHYNOUSE1** (271 - 271)

**EG-24:** Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in DATE))? You did not use birth control because... (1st mention)

Value	Label	Total
.	inapplicable	12886
1	YOU DID NOT EXPECT TO HAVE SEX	166
2	YOU DID NOT THINK YOU COULD GET PREGNANT	291
3	YOU DIDN T REALLY MIND IF YOU GOT PREGNANT	80
4	YOU WERE WORRIED ABOUT THE SIDE EFFECTS OF BIRTH CONTROL	46
5	YOUR MALE PARTNER DID NOT WANT YOU TO USE A BIRTH CONTROL METHOD	30
6	YOUR MALE PARTNER DID NOT WANT TO USE A BIRTH CONTROL METHOD	38
7	RESPONDENT WAS USING A METHOD	7
8	Refused	1
9	Don't know	48
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if conditions met for EG-23 WHYPRG and R did not use a method in month pregnancy began? (ED-6 METHHIST011 through METHHIST514 corresponding to [cmpgrbeg](#) = 1)

**WHYNOUSE2** (272 - 272)

**EG-24:** Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future

**NSFG Cycle 6 Female Pregnancy File**

pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in DATE))? You did not use birth control because... (2nd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	13517
1	YOU DID NOT EXPECT TO HAVE SEX	6
2	YOU DID NOT THINK YOU COULD GET PREGNANT	22
3	YOU DIDN T REALLY MIND IF YOU GOT PREGNANT	14
4	YOU WERE WORRIED ABOUT THE SIDE EFFECTS OF BIRTH CONTROL	11
5	YOUR MALE PARTNER DID NOT WANT YOU TO USE A BIRTH CONTROL METHOD	9
6	YOUR MALE PARTNER DID NOT WANT TO USE A BIRTH CONTROL METHOD	13
7	RESPONDENT WAS USING A METHOD	1
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if more than one reason R didn't use a method before unintended pregnancy began (see EG-24 [WHYNOUSE1](#))

**WHYNOUSE3** (273 - 273)

**EG-24:** Please look at Card 43. (Earlier you told me (your/that) pregnancy occurred too soon / Earlier you told me that (your/this/that) pregnancy occurred at a time when you wanted no future pregnancies.) Which of the following statements applies to you right before you became pregnant (this time/that time (that is, with the pregnancy that ended in DATE))? You did not use birth control because... (3rd mention)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	13584
1	YOU DID NOT EXPECT TO HAVE SEX	1
2	YOU DID NOT THINK YOU COULD GET PREGNANT	1
3	YOU DIDN T REALLY MIND IF YOU GOT PREGNANT	0
4	YOU WERE WORRIED ABOUT THE SIDE EFFECTS OF BIRTH CONTROL	0
5	YOUR MALE PARTNER DID NOT WANT YOU TO USE A BIRTH CONTROL METHOD	2
6	YOUR MALE PARTNER DID NOT WANT TO USE A BIRTH CONTROL METHOD	5
7	RESPONDENT WAS USING A METHOD	0

Total

13593

**Universe:**

Applicable if more than 2 reasons R didn't use a method before unintended pregnancy began (see EG-24 [WHYNOUSE1](#))

***anyusint*** (274 - 274)

Any method used in pregnancy interval? (computed)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	2141
5	NO	11452
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable for all pregnancies

***PRGLNGTH*** (275 - 276)

Duration of completed pregnancy in weeks (recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
0-13	13 WEEKS OR LESS	3522
14-26	14-26 WEEKS	793
27-50	27 WEEKS OR LONGER	9278
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable for all pregnancies

***OUTCOME*** (277 - 277)

Pregnancy outcome (recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	LIVE BIRTH	9148
2	INDUCED ABORTION	1862

NSFG Cycle 6 Female Pregnancy File

3	STILLBIRTH	120
4	MISCARRIAGE	1921
5	ECTOPIC PREGNANCY	190
6	CURRENT PREGNANCY	352
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**BIRTHORD** (278 - 279)

Birth order (recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	4445
01	1ST BIRTH	4413
02	2ND BIRTH	2874
03	3RD BIRTH	1234
04	4TH BIRTH	421
05	5TH BIRTH	126
06	6TH BIRTH	50
07	7TH BIRTH	20
08	8TH BIRTH	7
09	9TH BIRTH	2
10	10TH BIRTH	1
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies that resulted in live birth  
([OUTCOME](#)=1)

**DATEND** (280 - 283)

Century month for date pregnancy ended (recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	352
301-1164	BEFORE 1997	8652
1165-1239	JANUARY 1997 OR LATER	4589

NSFG Cycle 6 Female Pregnancy File

Total 13593

**Universe:**

Applicable if pregnancy is a completed pregnancy ([OUTCOME](#) NE 6)

**AGEPREG** (284 - 287)

Age at pregnancy outcome (recode)

Value	Label	Total
.	INAPPLICABLE	352
0-1999	UNDER 20 YEARS	3182
2000-2499	20-24 YEARS	4246
2500-2999	25-29 YEARS	3178
3000-4499	30-44 YEARS	2635
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a completed pregnancy ([OUTCOME](#) NE 6)

**DATECON** (288 - 291)

Century month for date of conception (recode)

Value	Label	Total
301-1164	BEFORE 1997	9137
1165-1239	JANUARY 1997 OR LATER	4456
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**AGECON** (292 - 295)

Age at time of conception (recode)

Value	Label	Total
0-1999	UNDER 20 YEARS	3744



NSFG Cycle 6 Female Pregnancy File

2000-2499	20-24 YEARS	4259
2500-2999	25-29 YEARS	3147
3000-4499	30-44 YEARS	2443
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable for all pregnancies

**FMAROUT5** (296 - 296)

Formal marital status at pregnancy outcome (recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	353
1	MARRIED	6409
2	DIVORCED	735
3	WIDOWED	31
4	SEPARATED	219
5	NEVER MARRIED	5846
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if pregnancy is a completed pregnancy ([OUTCOME](#) NE 6)

**PMARPREG** (297 - 297)

Whether pregnancy ended before R's 1st marriage (premaritally)  
(recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	352
1	YES	5846
2	NO	7395
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if pregnancy is a completed pregnancy ([OUTCOME](#) NE 6)

**RMAROUT6** (298 - 298)

NSFG Cycle 6 Female Pregnancy File

Informal marital status at pregnancy outcome - 6 categories  
(recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	352
1	MARRIED	6349
2	DIVORCED	533
3	WIDOWED	23
4	SEPARATED	182
5	COHABITING	2022
6	NEVER MARRIED, NOT COHABITING	4132
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a completed pregnancy ([OUTCOME](#) NE 6)

**FMARCON5** (299 - 299)

Formal marital status at conception - 5 categories (recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	MARRIED	5974
2	DIVORCED	793
3	WIDOWED	28
4	SEPARATED	202
5	NEVER MARRIED	6596
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**LEARNPRG** (300 - 301)

Number of weeks pregnant when R learned she was pregnant (recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
.	INAPPLICABLE	9541

**NSFG Cycle 6 Female Pregnancy File**

0-13	13 WEEKS OR LESS	3930
14-50	14 WEEKS OR LATER	122
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a completed pregnancy that ended in Jan 1997 or later ([cmbabdob](#) or [cmotpreg](#) GE cmjan97), but not in induced abortion ([OUTCOME](#) NE 2 or 6) and not with an unnamed baby placed for adoption

**PNCAREWK** (302 - 303)

Number of weeks pregnant at first prenatal care (recode)

<u>Value Label</u>	<u>Total</u>
. INAPPLICABLE	9541
0-13 13 WEEKS OR LESS	3416
14-50 14 WEEKS OR LATER	287
95 NO PRENATAL CARE FOR THIS PREGNANCY	349
<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy is a completed pregnancy that ended in Jan 1997 or later ([cmbabdob](#) or [cmotpreg](#) GE cmjan97), but not in induced abortion ([OUTCOME](#) NE 2 or 6) and not with an unnamed baby placed for adoption

**PAYDELIV** (304 - 304)

Payment for delivery (recode)

<u>Value Label</u>	<u>Total</u>
. INAPPLICABLE	10383
1 OWN INCOME ONLY	102
2 INSURANCE ONLY	1046
3 OWN INCOME & INSURANCE ONLY	651
4 MEDICAID/GOVT ASSISTANCE MENTIONED AT ALL	1322
5 ALL OTHER COMBINATIONS OF PAYMENT METHODS	89
<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy ended in live birth in Jan 1997 or later  
([OUTCOME](#)=1 and [cmbabdob](#) GE cmjan97)

**LBW1** (305 - 305)

Low birthweight - Baby 1 (recode)

Value	Label	Total
.	INAPPLICABLE	4445
1	YES, LOW BIRTH WEIGHT	778
2	NO, NOT LOW BIRTH WEIGHT	8370
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if pregnancy ended in live birth ([OUTCOME](#)=1)

**BFEEDWKS** (306 - 308)

Duration of breastfeeding in weeks (recode)

Value	Label	Total
.	INAPPLICABLE	5595
0	LESS THAN 1 WEEK	65
1-52	1 TO 52 WEEKS	3805
53-993	53 WEEKS OR LONGER	516
994	STILL BREASTFEEDING THIS CHILD	257
995	NEVER BREAST-FED THIS CHILD	3355
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable if pregnancy ended in single live birth ([OUTCOME](#)=1 and  
(BC-2 [NBRNALIV](#)=1 or (BC-1 [NBRNALIV](#) > 1 and BC-3 [MULTBRTH](#)=5)) and  
child currently under age 19 lived with R at least 2 months  
([lastage](#) ge 2 and [kidage](#) lt 228)

**MATERNLV** (309 - 309)

NSFG Cycle 6 Female Pregnancy File

Use of maternity leave (recode)

Value	Label	Total
.	INAPPLICABLE	10402
0	NOT EMPLOYED DURING THIS PREGNANCY	1355
1	TOOK MATERNITY LEAVE FROM JOB HELD DURING THIS PREGNANCY	1244
2	DID NOT TAKE -- NOT NEEDED DUE TO JOB SCHEDULE OR SELF-EMPLOYMENT	146
3	DID NOT TAKE -- NOT OFFERED OR ALLOWED BY EMPLOYER	93
4	DID NOT TAKE -- OTHER REASONS	353
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable if pregnancy ended in live birth in Jan 1997 or later ([OUTCOME](#)=1 and [cmbabdob](#) GE cmjan97) and child was named by R (not placed for adoption or died shortly after birth without being named)

**OLDWANTR** (310 - 310)

Wantedness of pregnancy - respondent - Cycle 4 version (recode)

Value	Label	Total
1	LATER, OVERDUE	811
2	RIGHT TIME	5889
3	TOO SOON, MISTIMED	3960
4	DIDN'T CARE, INDIFFERENT	208
5	UNWANTED	2675
6	DON'T KNOW, NOT SURE	50
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**OLDWANTP** (311 - 311)

Wantedness of preg - R's partner (father of pregnancy) - Cycle 4 version (recode)

NSFG Cycle 6 Female Pregnancy File

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	LATER, OVERDUE	783
2	RIGHT TIME	6271
3	TOO SOON, MISTIMED	2652
4	DIDN'T CARE, INDIFFERENT	239
5	UNWANTED	2830
6	DON'T KNOW, NOT SURE	818
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**WANTRESP** (312 - 312)

Wantedness of pregnancy - respondent - Cycle 5 version (recode)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	LATER, OVERDUE	811
2	RIGHT TIME	5889
3	TOO SOON, MISTIMED	3962
4	DIDN'T CARE, INDIFFERENT	208
5	UNWANTED	2673
6	DON'T KNOW, NOT SURE	50
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**WANTPART** (313 - 313)

Wantedness of preg - R's partner (father of pregnancy) - Cycle 5 version (recode)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	LATER, OVERDUE	785
2	RIGHT TIME	6274
3	TOO SOON, MISTIMED	2667
4	DIDN'T CARE, INDIFFERENT	247
5	UNWANTED	2831

NSFG Cycle 6 Female Pregnancy File

6 DON'T KNOW, NOT SURE 789  
**Total 13593**

**Universe:**

Applicable for all pregnancies

***cmbirth*** (314 - 317)

Century month of R's birth (computed; respondent variable)

<u>Value</u>	<u>Label</u>	<u>Total</u>
301-1164	BEFORE 1997	13593
1165-1239	JANUARY 1997 OR LATER	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***AGER*** (318 - 319)

Age at interview (respondent recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
15	15 YEARS	7
16	16 YEARS	16
17	17 YEARS	36
18	18 YEARS	76
19	19 YEARS	111
20	20 YEARS	140
21	21 YEARS	187
22	22 YEARS	277
23	23 YEARS	345
24	24 YEARS	359
25	25 YEARS	416
26	26 YEARS	453
27	27 YEARS	502
28	28 YEARS	493
29	29 YEARS	586
30	30 YEARS	577

NSFG Cycle 6 Female Pregnancy File

31	31 YEARS	618
32	32 YEARS	665
33	33 YEARS	640
34	34 YEARS	636
35	35 YEARS	638
36	36 YEARS	740
37	37 YEARS	695
38	38 YEARS	657
39	39 YEARS	575
40	40 YEARS	679
41	41 YEARS	636
42	42 YEARS	594
43	43 YEARS	650
44	44 YEARS	589
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***agescrn*** (320 - 321)

R's age at screener (computed; respondent variable)

<u>Value</u>	<u>Label</u>	<u>Total</u>
15	15 YEARS	7
16	16 YEARS	16
17	17 YEARS	36
18	18 YEARS	76
19	19 YEARS	111
20	20 YEARS	140
21	21 YEARS	187
22	22 YEARS	277
23	23 YEARS	345
24	24 YEARS	359
25	25 YEARS	416
26	26 YEARS	453
27	27 YEARS	502
28	28 YEARS	493
29	29 YEARS	586



NSFG Cycle 6 Female Pregnancy File

30	30 YEARS	577
31	31 YEARS	618
32	32 YEARS	665
33	33 YEARS	640
34	34 YEARS	636
35	35 YEARS	638
36	36 YEARS	740
37	37 YEARS	695
38	38 YEARS	657
39	39 YEARS	575
40	40 YEARS	679
41	41 YEARS	636
42	42 YEARS	594
43	43 YEARS	650
44	44 YEARS	589
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**FMARITAL** (322 - 322)

Formal marital status (respondent recode)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	MARRIED	7252
2	WIDOWED	153
3	DIVORCED	1782
4	SEPARATED	1005
5	NEVER MARRIED	3401
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**RMARITAL** (323 - 323)

Informal Marital Status (respondent recode)

NSFG Cycle 6 Female Pregnancy File

Value	Label	Total
1	CURRENTLY MARRIED	7252
2	NOT MARRIED BUT LIVING WITH OPP SEX PARTNER	1458
3	WIDOWED	148
4	DIVORCED	1396
5	SEPARATED FOR REASONS OF MARITAL DISCORD	875
6	NEVER BEEN MARRIED	2464
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**EDUCAT** (324 - 325)

Education (completed years of schooling) (respondent recode)

Value	Label	Total
9	9TH GRADE OR LESS	2033
10	10TH GRADE	939
11	11TH GRADE	969
12	12TH GRADE	3577
13	1 YEAR OF COLLEGE/GRAD SCHOOL	1563
14	2 YEARS OF COLLEGE/GRAD SCHOOL	1413
15	3 YEARS OF COLLEGE/GRAD SCHOOL	713
16	4 YEARS OF COLLEGE/GRAD SCHOOL	1394
17	5 YEARS OF COLLEGE/GRAD SCHOOL	368
18	6 YEARS OF COLLEGE/GRAD SCHOOL	331
19	7+ YEARS OF COLLEGE/GRAD SCHOOL	293
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**HIEDUC** (326 - 327)

Highest completed year of school or degree (respondent recode)

Value	Label	Total
5	9TH GRADE OR LESS	1535

NSFG Cycle 6 Female Pregnancy File

6	10TH GRADE	694
7	11TH GRADE	601
8	12TH GRADE, NO DIPLOMA (NOR GED)	70
9	HIGH SCHOOL GRADUATE (DIPLOMA OR GED)	4611
10	SOME COLLEGE BUT NO DEGREE	2691
11	ASSOCIATE DEGREE IN COLLEGE/UNIVERSITY	1089
12	BACHELOR'S DEGREE	1712
13	MASTER'S DEGREE	387
14	DOCTORATE DEGREE	40
15	PROFESSIONAL DEGREE	163
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**RACE** (328 - 328)

Race (respondent recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	BLACK	3711
2	WHITE	8708
3	OTHER	1174
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**HISPANIC** (329 - 329)

Hispanic origin (respondent recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	3298
2	NO	10295
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**HISPRACE** (330 - 330)

Race and Hispanic Origin (respondent recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	HISPANIC	3298
2	NON-HISPANIC WHITE	6382
3	NON-HISPANIC BLACK	3355
4	NON-HISPANIC OTHER	558
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**RCURPREG** (331 - 331)

Pregnant at time of interview (respondent recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	YES	949
2	NO	12644
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**PREGNUM** (332 - 333)

CAPI-based total number of pregnancies (respondent recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
01	1 PREGNANCY	1267
02	2 PREGNANCIES	2864
03	3 PREGNANCIES	3330
04	4 PREGNANCIES	2444
05	5 PREGNANCIES	1525
06	6 PREGNANCIES	900

**NSFG Cycle 6 Female Pregnancy File**

07-95 7 OR MORE PREGNANCIES 1263  
**Total 13593**

**Universe:**

Applicable for all pregnancies (respondent variable)

**PARITY** (334 - 335)

Total number of live births (respondent recode)

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	0 BABIES	960
1	1 BABY	2636
2	2 BABIES	4394
3	3 BABIES	3118
4	4 BABIES	1510
5-95	5 OR MORE BIRTHS	975
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**INSURANC** (336 - 336)

Health insurance coverage status (respondent recode)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	NOT COVERED BY ANY HEALTH INSURANCE	2664
2	COVERED BY A PRIVATE HEALTH INSURANCE PLAN ONLY	7339
3	COVERED BY MEDICAID (MENTIONED AT ALL)	2583
4	COVERED BY PUBLIC/GOVERNMENT/STATE/MILITARY HEALTH CARE (MENTIONED AT ALL)	1007
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**PUBASSIS** (337 - 337)

NSFG Cycle 6 Female Pregnancy File

Whether R received public assistance in 2001 (respondent recode)

Value	Label	Total
.	INAPPLICABLE	0
1	YES (R RECEIVED PUBLIC ASSISTANCE IN 2001)	5303
2	NO (R DID NOT RECEIVE PUBLIC ASSISTANCE IN 2001)	8290
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**POVERTY** (338 - 340)

Poverty level income (respondent recode)

Value	Label	Total
000-099	0-99 PERCENT OF POVERTY LEVEL	3841
100-199	100-199 PERCENT OF POVERTY LEVEL	3326
200-299	200-299 PERCENT OF POVERTY LEVEL	2244
300-399	300-399 PERCENT OF POVERTY LEVEL	1926
400-499	400-499 PERCENT OF POVERTY LEVEL	1423
500	500 PERCENT OF POVERTY LEVEL OR GREATER	833
<b>Total</b>		<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**LABORFOR** (341 - 341)

Labor force status (respondent recode)

Value	Label	Total
1	WORKING FULL-TIME	5848
2	WORKING PART-TIME	1982
3	WORKING-TEMP ILL/ETC	577
4	WORKING-MATERNITY OR FAMILY LEAVE	172
5	NOT WORKING BUT LOOKING FOR WORK	613
6	SCHOOL	94

NSFG Cycle 6 Female Pregnancy File

7	KEEPING HOUSE	3843
8	CARING FOR FAMILY	237
9	OTHER	227
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**RELIGION** (342 - 342)

Current religious affiliation (respondent recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	NO RELIGION	1791
2	CATHOLIC	4017
3	PROTESTANT	7104
4	OTHER RELIGIONS	681
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**METRO** (343 - 343)

Place of residence (Metropolitan / Nonmetropolitan) (respondent recode)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1	MSA, CENTRAL CITY	6430
2	MSA, OTHER	5288
3	NOT MSA	1875
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**BRNOUT** (344 - 344)

**IB-8:** Were you born outside of the United States? (respondent

variable)

<b>Value</b>	<b>Label</b>	<b>Total</b>
1	YES	2557
5	NO	10988
8	Refused	33
9	Don't know	15
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***yrstrus*** (345 - 348)

Year R came to the U.S. to stay (computed; respondent variable)

<b>Value</b>	<b>Label</b>	<b>Total</b>
.	inapplicable	11036
1950-2003	1950-2003	2510
9998	REFUSED	34
9999	DON'T KNOW	13
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable) (This variable has been recoded for the Public Use File)

***PRGLNGTH\_I*** (349 - 349)

PRGLNGTH Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13438
1	MULTIPLE REGRESSION IMPUTATION	61
2	LOGICAL IMPUTATION	94
	<b>Total</b>	<b>13593</b>

**Universe:**



Applicable for all pregnancies

**OUTCOME\_I** (350 - 350)

OUTCOME Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13555
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	38
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**BIRTHORD\_I** (351 - 351)

BIRTHORD Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13555
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	38
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**DATEND\_I** (352 - 352)

DATEND Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13412
1	MULTIPLE REGRESSION IMPUTATION	156
2	LOGICAL IMPUTATION	25
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**AGEPREG\_I** (353 - 353)

AGEPREG Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13380
1	MULTIPLE REGRESSION IMPUTATION	175
2	LOGICAL IMPUTATION	38
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**DATECON\_I** (354 - 354)

DATECON Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13409
1	MULTIPLE REGRESSION IMPUTATION	156
2	LOGICAL IMPUTATION	28
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**AGECON\_I** (355 - 355)

AGECON Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13377
1	MULTIPLE REGRESSION IMPUTATION	216
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

***FMAROUT5\_I*** (356 - 356)

FMAROUT5 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12501
1	MULTIPLE REGRESSION IMPUTATION	1092
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

***PMARPREG\_I*** (357 - 357)

PMARPREG Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13354
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	239
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

***RMAROUT6\_I*** (358 - 358)

RMAROUT6 Imputation Flag

<b>Value</b>	<b>Label</b>	<b>Total</b>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12569
1	MULTIPLE REGRESSION IMPUTATION	1024
2	LOGICAL IMPUTATION	0

Total 13593

**Universe:**

Applicable for all pregnancies

***FMARCON5\_I*** (359 - 359)

FMARCON5 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12575
1	MULTIPLE REGRESSION IMPUTATION	1009
2	LOGICAL IMPUTATION	9
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

***LEARNPRG\_I*** (360 - 360)

LEARNPRG Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13422
1	MULTIPLE REGRESSION IMPUTATION	87
2	LOGICAL IMPUTATION	84
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

***PNCAREWK\_I*** (361 - 361)

PNCAREWK Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13480
1	MULTIPLE REGRESSION IMPUTATION	74

NSFG Cycle 6 Female Pregnancy File

2	LOGICAL IMPUTATION	39
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**PAYDELIV\_I** (362 - 362)

PAYDELIV Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13552
1	MULTIPLE REGRESSION IMPUTATION	3
2	LOGICAL IMPUTATION	38
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**LBW1\_I** (363 - 363)

LBW1 Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13543
1	MULTIPLE REGRESSION IMPUTATION	10
2	LOGICAL IMPUTATION	40
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**BFEEDWKS\_I** (364 - 364)

BFEEDWKS Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13533

NSFG Cycle 6 Female Pregnancy File

1	MULTIPLE REGRESSION IMPUTATION	22
2	LOGICAL IMPUTATION	38
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**MATERNLV\_I** (365 - 365)

MATERNLV Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13537
1	MULTIPLE REGRESSION IMPUTATION	18
2	LOGICAL IMPUTATION	38
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**OLDWANTR\_I** (366 - 366)

OLDWANTR Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13401
1	MULTIPLE REGRESSION IMPUTATION	192
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**OLDWANTP\_I** (367 - 367)

OLDWANTP Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
--------------	--------------	--------------

NSFG Cycle 6 Female Pregnancy File

0	QUESTIONNAIRE DATA (NOT IMPUTED)	13514
1	MULTIPLE REGRESSION IMPUTATION	79
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**WANTRESP\_I** (368 - 368)

WANTRESP Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13401
1	MULTIPLE REGRESSION IMPUTATION	192
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**WANTPART\_I** (369 - 369)

WANTPART Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13485
1	MULTIPLE REGRESSION IMPUTATION	108
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies

**AGER\_I** (370 - 370)

AGER Imputation Flag

NSFG Cycle 6 Female Pregnancy File

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13593
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***FMARITAL\_I*** (371 - 371)

FMARITAL Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13593
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***RMARITAL\_I*** (372 - 372)

RMARITAL Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13593
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***EDUCAT\_I*** (373 - 373)

EDUCAT Imputation Flag



NSFG Cycle 6 Female Pregnancy File

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13591
1	MULTIPLE REGRESSION IMPUTATION	2
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***HIEDUC\_I*** (374 - 374)

HIEDUC Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13586
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	7
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***RACE\_I*** (375 - 375)

RACE Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13593
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***HISPANIC\_I*** (376 - 376)

HISPANIC Imputation Flag

NSFG Cycle 6 Female Pregnancy File

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13588
1	MULTIPLE REGRESSION IMPUTATION	5
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***HISPRACE\_I*** (377 - 377)

HISPRACE Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13593
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***RCURPREG\_I*** (378 - 378)

RCURPREG Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13593
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***PREGNUM\_I*** (379 - 379)

## PREGNUM Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13593
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**PARITY\_I** (380 - 380)

## PARITY Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13414
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	179
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**INSURANC\_I** (381 - 381)

## INSURANC Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13561
1	MULTIPLE REGRESSION IMPUTATION	17
2	LOGICAL IMPUTATION	15
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**PUBASSIS\_I** (382 - 382)

## PUBASSIS Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13427
1	MULTIPLE REGRESSION IMPUTATION	166
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**POVERTY\_I** (383 - 383)

## POVERTY Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	12867
1	MULTIPLE REGRESSION IMPUTATION	726
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**LABORFOR\_I** (384 - 384)

## LABORFOR Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13582
1	MULTIPLE REGRESSION IMPUTATION	11
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**RELIGION\_I** (385 - 385)

RELIGION Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13555
1	MULTIPLE REGRESSION IMPUTATION	35
2	LOGICAL IMPUTATION	3
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**METRO\_I** (386 - 386)

METRO Imputation Flag

<u>Value</u>	<u>Label</u>	<u>Total</u>
0	QUESTIONNAIRE DATA (NOT IMPUTED)	13593
1	MULTIPLE REGRESSION IMPUTATION	0
2	LOGICAL IMPUTATION	0
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**BASEWGT** (387 - 404)

Base weight

<u>Value</u>	<u>Label</u>	<u>Total</u>
MIN	64.5771007	
MAX	99707.83	
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**ADJ\_MOD\_BASEWGT** (405 - 422)

Adjusted modified base weight

<u>Value Label</u>	<u>Total</u>
MIN 71.2011939	
MAX 157143.69	
<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**FINALWGT** (423 - 440)

Final post-stratified and adjusted weight

<u>Value Label</u>	<u>Total</u>
MIN 118.6567897	
MAX 261879.95	
<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**SECU\_P** (441 - 441)

Scrambled version of the sampling error computational unit

<u>Value Label</u>	<u>Total</u>
1	6969
2	6624
<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

**SEST** (442 - 443)

Scrambled version of the stratum

NSFG Cycle 6 Female Pregnancy File

<u>Value</u>	<u>Label</u>	<u>Total</u>
MIN	1	
MAX	84	
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)

***cmintvw*** (444 - 447)

Century month of interview date (computed; respondent variable)

<u>Value</u>	<u>Label</u>	<u>Total</u>
1225-1239	JAN 2002 - MAR 2003	13593
	<b>Total</b>	<b>13593</b>

**Universe:**

Applicable for all pregnancies (respondent variable)