HA 201
XC 3m
1911

DEPARTMENT OF COMMERCE
BUREAU OF THE CENSUS
WM. J. HARRIS, DIRECTOR

MORTALITY STATISTICS
1911

TWELFTH ANNUAL REPORT

PREPARED UNDER THE SUPERVISION OF CRESSY L. WILBUR, M. D.,
CHIEF STATISTICIAN FOR VITAL STATISTICS

WASHINGTON
GOVERNMENT PRINTING OFFICE
1913

CONTENTS.

	Page.
DEATHS AND CRUDE DEATH RATES	9–14
Growth of the registration area	9
Extent of the registration area in 1911	10
Deaths, by color and age of decedent	11
Death rates of the registration area	11
Death rates of registration states	12
Death rates of large cities	13
Death rates of foreign countries and cities	13
SPECIFIC AND STANDARDIZED DEATH RATES	14–24
Specific death rates	15
Standardized (or corrected) death rates	20
Standardized death rates, by color and nativity	22
INFANT AND CHILD MORTALITY	24–28
Importance of reporting all deaths of infants born alive	26
CAUSES OF DEATH	28–36
Detailed and abridged International Lists	28
Typhoid fever	29
Measles	30
Scarlet fever	30
Whooping cough	31
Diphtheria and croup	31
Other epidemic diseases	31
Pellagra	31
Tuberculosis (all forms)	32
Cancer	33
Acute anterior poliomyelitis (infantile paralysis)	34
Organic diseases of the heart	34
Pneumonia (all forms)	35
Diarrhea and enteritis (under 2 years)	35
Suicide	35
Violent deaths (excluding suicide)	36
ACCURACY OF STATISTICS OF CAUSES OF DEATH	36–38
INDEX	569

SUMMARY AND RATE TABLES.

Table I.—Population, deaths (exclusive of stillbirths), and death rates per 1,000 population in the registration area and its subdivisions by color of decedent: 1911 41

Table II.—Deaths (exclusive of stillbirths) and death rates per 100,000 population, by causes, according to the detailed International List, for the registration area: 1908 to 1911 59

Table III.—Death rates per 100,000 population in the registration area and its subdivisions, by color of decedent and cause of death: 1911 64

Table IV.—Death rates per 100,000 population in cities and rural districts of each registration state from each cause and class of causes: 1911 132

GENERAL TABLES.

Table 1.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color and age of decedent: 1911 150

Table 2.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, each registration state, and each city of 100,000 population or over in 1910, by age and by sex, color, general nativity, and parent nativity of decedent: 1911 174

Table 3.—Deaths (exclusive of stillbirths) in the registration area and its subdivisions, by color of decedent and cause of death: 1911. 258

Table 4.—Deaths (exclusive of stillbirths) in the registration area, its main subdivisions, and in cities and rural districts of each registration state from each cause and class of causes: 1911 326

Table 5.—Deaths (exclusive of stillbirths) in the registration area from each cause and class of causes, by sex and age of decedent: 1911 342

Table 6.—Deaths (exclusive of stillbirths) in the registration area, all registration states, and each registration state from each cause and class of causes, by age of decedent: 1911 354

Table 7.—Deaths (exclusive of stillbirths) in each city of 100,000 population or over in 1910, by cause of death (abridged International List) and by age of decedent: 1911 466

Table 8.—Deaths (exclusive of stillbirths) from certain important causes, by months, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1911 513

Table 9.—Deaths (exclusive of stillbirths) from important causes, during each of the first three days of life, the remainder of the first week, weeks of the first month, months of the first quarter, and the remaining quarters of the first year, for the registration area, registration states, and cities of 100,000 population or over in 1910: 1911 537

MAP.

Growth of the registration area for deaths: 1880 to 1911 8

LETTER OF TRANSMITTAL.

DEPARTMENT OF COMMERCE,
BUREAU OF THE CENSUS,
Washington, D. C., September 25, 1913.

SIR:

I transmit herewith the twelfth annual report on mortality statistics, which is based on the transcripts of deaths received from the registration area for deaths for the year 1911. This area is increasing yearly. For 1911 it included 63.1 per cent of the total estimated population of the United States. Kentucky and Missouri are now registration states; new laws of excellent character have recently been enacted in Arkansas, North Carolina, Mississippi, Tennessee, and Virginia; and efforts to obtain such legislation have been made in Georgia, Illinois, Iowa, and other states. The Bureau of the Census desires to aid in securing the extension of proper legislation and especially to urge the necessity of more thorough enforcement of existing laws for the registration of births.

To be of the greatest service these reports should be published as soon as possible after the close of the year to which they relate. They have been somswhat delayed during the period of the Thirteenth Census and, in order to avoid further delay, the present report has been condensed and no special text has been prepared, that of the annual bulletin being reprinted practically without change.

The report was prepared under the direction of Dr. Cressy L. Wilbur, chief statistician for vital statistics of this bureau.

Very respectfully,

Wm J. Harris
Director of the Census.

Hon. WILLIAM C. REDFIELD,
Secretary of Commerce.

MORTALITY STATISTICS

1911

GROWTH OF THE REGISTRATION AREA FOR DEATHS: 1880 TO 1911.

1880



1890



1900



1911



NOTE.—In addition to the registration states (shaded in the cartograms), the registration area includes certain cities in nonregistration states.

MORTALITY STATISTICS: 1911.

DEATHS AND CRUDE DEATH RATES.

The total number of deaths returned for the registration area of the United States for the year 1911 was 839,284. The estimated midyear population of this area was 59,275,977, or 63.1 per cent of the total population of the United States, and the death rate for the year was 14.2 per 1,000. This is the lowest death rate ever recorded for the registration area, as appears from the following statement:

YEAR.	Death rate per 1,000 population.	YEAR.	Death rate per 1,000 population.
1911	14.2	1903	16.0
1910	15.0	1902	15.9
1909	14.4	1901	16.5
1908	14.8	1900	17.6
1907	16.0	1900[1]	17.8
1906	15.7	1890[1]	19.6
1905	16.0	1880[1]	19.8
1904	16.5		

[1] Census year ending May 31.

GROWTH OF THE REGISTRATION AREA.

The series of annual reports began with the calendar year 1900, following the series of decennial reports, which began with that of the Seventh Census for 1850 and terminated with the Twelfth Census report for the year ending May 31, 1900. The earlier decennial reports on mortality were based upon an enumeration of deaths at the time of the enumeration of the population, hence the rates were far from accurate and can not be compared with rates based upon the immediate registration of deaths. The "registration area," which comprises those states and cities in which the registration of deaths is returned as fairly complete (at least 90 per cent of the total) and from which transcripts of the deaths recorded under the state laws or municipal ordinances are obtained by the Bureau of the Census, was established by the Tenth Census (1880). For that year it consisted of only 2 states—Massachusetts and New Jersey—and certain cities in other states, the aggregate population of the area being only 8,538,366, or 17 per cent of the total population of the United States. The land area represented formed an insignificant fraction (six-tenths of 1 per cent), and the rates can not be considered representative of the country as a whole.

The growth of the registration area, with respect to the population included and the extent of land area, is shown in the following table:

YEAR.	UNITED STATES.		REGISTRATION AREA FOR DEATHS.			
			Population.		Land area.	
	Population.	Land area (square miles).	Number.	Per cent of total.	Square miles.	Per cent of total.
Calendar year 1911	93,927,342	[1] 2,973,890	59,275,977	63.1	1,106,734	37.2
Calendar year 1910	92,309,348	[1] 2,973,890	53,843,896	58.3	997,978	33.6
Calendar year 1909	90,691,354	2,974,159	50,870,518	56.1	765,738	25.7
Calendar year 1908	89,073,360	2,974,159	46,789,913	52.5	725,117	24.4
Calendar year 1907	87,455,366	2,974,159	43,016,990	49.2	603,151	20.3
Calendar year 1906	85,837,372	2,974,159	41,983,419	48.9	603,066	20.3
Calendar year 1905	84,219,378	2,974,159	34,052,201	40.4	212,744	7.2
Calendar year 1904	82,601,384	2,974,159	33,345,163	40.4	212,744	7.2
Calendar year 1903	80,983,390	2,974,159	32,701,033	40.4	212,762	7.2
Calendar year 1902	79,365,396	2,974,159	32,029,815	40.4	212,762	7.2
Calendar year 1901	77,747,402	2,974,159	31,370,952	40.3	212,770	7.2
Calendar year 1900	75,994,575	2,974,159	30,765,618	40.5	212,621	7.1
Census year 1900[2]			28,807,269	37.9	176,878	5.9
Census year 1890[2]	62,622,250	2,973,965	19,659,440	31.4	90,695	3.0
Census year 1880[2]	50,155,783	2,973,965	8,538,366	17.0	16,481	0.6

[1] Net reduction of 269 square miles as compared with area stated by Census of 1900, due to drainage of lakes and swamps in Illinois and Indiana, building of the Roosevelt and Laguna Reservoirs, and overflow of the Colorado River into the Salton Sea in California.
[2] Ending May 31.

While a large proportion of the population and a still larger proportion of the land area of the United States are still without effective registration of deaths, and hence are not included in the annual compilations of mortality statistics made by the Bureau of the Census, the registration area has grown until it may be considered representative in many respects of the country as a whole. Birth registration is in a much less satisfactory state; it is probable that not much more than 25 per cent of the population of the country is represented by records of births even approximately complete. The remedy for this condition, which is the extension of effective registration of both births and deaths throughout the entire United States, depends primarily upon the enactment and thorough enforcement of adequate laws by the states. The Bureau of the Census has long been cooperating to this end, with the active support of many national organizations, notably the American Medical Association, the American Public Health Association, and the National Federation of Women's Clubs. The recently organized

Children's Bureau of the Department of Commerce[1] will bring additional support to the movement for better vital statistics and especially for the registration of births, inasmuch as that bureau is charged with the investigation of infant mortality and the birth rate.

EXTENT OF THE REGISTRATION AREA IN 1911.

The states included in the registration area for deaths for 1911 are the following:

California.
Colorado.
Connecticut.
Indiana.
Kentucky.
Maine.
Maryland.
Massachusetts.
Michigan.
Minnesota.
Missouri.
Montana.
New Hampshire.
New Jersey.
New York.
North Carolina (municipalities of 1,000 population or over in 1900).
Ohio.
Pennsylvania.
Rhode Island.
Utah.
Vermont.
Washington.
Wisconsin.

Of these 23 states, or 22 states if the partial registration in North Carolina be disregarded, Kentucky and Missouri appear in the returns for the first time. The registration states formed less than one-half of the total number of states in the Union. Together with the District of Columbia, which is included in totals for the group of registration states but is elsewhere treated as a registration city, they comprised (including the North Carolina municipalities referred to) somewhat more than one-half of the total estimated midyear population in 1911 (54,385,234, or 57.9 per cent).

Following is a list of the registration cities in nonregistration states:

Alabama:
- Birmingham.
- Mobile.
- Montgomery.

Delaware:
- Wilmington.

Florida:
- Jacksonville.
- Key West.

Georgia:
- Atlanta.
- Savannah.

Illinois:
- Aurora.
- Belleville.
- Chicago.
- Decatur.

Illinois—Continued.
- Evanston.
- Jacksonville.
- Quincy.
- Springfield.

Kansas:
- Kansas City.
- Leavenworth.
- Wichita.

Louisiana.
- New Orleans.

Nebraska:
- Lincoln.
- Omaha.

Oregon:
- Portland.

South Carolina:
- Charleston.

Tennessee.
- Knoxville.
- Memphis.
- Nashville.

Texas:
- El Paso.
- Galveston.
- San Antonio.

Virginia.
- Alexandria.
- Danville.
- Lynchburg.
- Norfolk.
- Petersburg.
- Richmond.
- Roanoke.

West Virginia:
- Wheeling.

These registration cities in nonregistration states may be regarded as forerunners of effective registration. They will in time, doubtless, be brought under state laws instead of the local ordinances or regulations now, for the most part, in force. Delaware has a law that would be effective if a sufficient number of local registration districts were provided, a matter entirely within the control of the state board of health. In a similar way the insufficient number of local registrars cripples the operation of the otherwise excellent laws of Kansas[2] and Nebraska. Laws of the type of the "Model Bill" have recently gone into effect in Idaho, Mississippi, and Virginia, and are now undergoing the test of practical experience under the diverse conditions in those states affecting the administration of registration laws. The "Model Bill," a generalized draft of a bill for the registration of births and deaths based on the practical experience of registration officials in this country, has been thoroughly revised recently by a special committee of the Council on Health and Public Instruction of the American Medical Association, in consultation with committees or representatives of the American Public Health Association, the American Bar Association, the Conference of Commissioners on Uniform State Laws, the Children's Bureau, and the Bureau of the Census.[3]

This bill has been introduced in the legislatures of several states, among them Illinois, Iowa, North Carolina (to extend the present system of death registration to the entire state and to provide for the registration of births),[4] and Tennessee.[4] Other states are in need of such legislation. In some the state authorities are not yet prepared to cooperate and time is being wasted in experimenting with fundamentally defective laws, which can never be expected, however faithfully administered, to afford satisfactory results. On the whole, however, the prospects were never brighter, nor was there ever before as much genuine public interest in the registration of vital statistics or as full recognition of the important practical uses subserved by such registration. Looking back upon the long history of registration, or rather attempted registration, in the United States and remembering that the direct control of the collection of births and deaths is entirely in the hands of the states, and that 48 separate and, in this respect, entirely independent state legislatures must be brought to see the wisdom of such registration and to provide adequate and uniform means therefor, including reasonable financial support, it would perhaps seem that if uniform and accurate vital statistics that shall cover the entire country and be comparable with those of other civilized nations are to be obtained, at least within the lifetime of the present generation, some means must be adopted whereby more effective cooperation may become possible, not only among the numerous national organizations[5] now actively engaged in promoting the extension of adequate laws, but also among the state sanitary and registration authorities charged with their enforcement.

[1] Transferred to the Department of Labor on its organization March 5, 1913.

[2] This defect in the Kansas law has been removed by an amendment (1913).

[3] Pamphlet on "Why Should Births and Deaths be Registered;" published by the American Medical Association, 535 Dearborn Avenue, Chicago, Ill.

[4] Passed (1913).

[5] A conference to consider the coordination of the work of national organizations engaged in various phases of health and welfare work was held in New York on April 12, 1913.

DEATHS, BY COLOR AND AGE OF DECEDENT.

Table 2 gives for the registration area, its main subdivisions, the registration states, and cities of 100,000 population or over in 1910, the number of deaths of white persons, of negroes, and of Indians, Chinese, and Japanese, and the deaths of persons in certain age groups. Out of the total of 839,284 decedents, 779,770, or 92.9 per cent, were whites and 56,431 were negroes (the latter including all mixtures of white and negro blood), while only 1,359 were Indians, 1,060 Chinese, and 664 Japanese. The percentage of deaths of white persons and that of white population are higher in the registration area than in the United States as a whole, because none of the Southern States, where the greatest proportions of negroes are found, is as yet included as a whole in the registration area.

The age groups shown in this table comprise individual years for the first five years of life and quinquennial periods for the subsequent years up to the age of 99, all decedents of 100 years and over being given in one group. Out of the total of 839,284 all ages, 1,296—an unnecessarily large number—were of unknown or unstated age. No less than 1,054 of these were reported from the rural part of the registration states, a condition suggestive of carelessness on the part of local registrars in rural districts in accepting certificates of death without the statement of the ages of the decedents. Deducting the unknown or unstated ages, there remain 837,988 deaths at known ages, of which 149,322, or 17.8 per cent, were of infants under 1 year of age, 209,482, or 25 per cent, were of children under 5 years of age, and 222,579, or 26.6 per cent, were of persons 65 years of age or over.

The percentage which deaths of infants under 1 year of age formed of the total deaths at known ages for the year (17.8) was somewhat less than that for 1910 (19.2). This ratio, however, is not a reliable one for the comparison of infant mortality.

DEATH RATES OF THE REGISTRATION AREA.

Direct comparison can not be satisfactorily made, as a rule, of the numbers of deaths registered from year to year for a given area, owing to the fact that there are changes in population. It is therefore necessary to reduce the data to the form of death rates, or the number of deaths, from all causes or individual causes, in a selected unit of population. Usually death rates for all causes are stated as rates per 1,000 inhabitants and death rates from individual causes as rates per 100,000 inhabitants. Of course a death rate of 158.9 per 100,000 population from tuberculosis (all forms), which was the rate shown for 1911, is practically the same as the rate of 1.59 per 1,000, according to the other mode of expression. It might be preferable to state rates for all causes and for individual diseases upon a uniform basis per 10,000 population without a decimal; the decimal portion of a rate per 100,000 and even the last integral figure are of doubtful validity. Computed in this way the death rate of the registration area from all causes in 1911 would be 142 per 10,000 inhabitants, the rate for tuberculosis (all forms) would be 16, and that for typhoid fever would be 2 (instead of 21 per 100,000), etc. But it is difficult to become accustomed to changes in conventional modes of expression, so for the present the usual methods of statement will be employed.

The following table shows the death rates of the registration area and its main subdivisions for the years 1908 to 1911, inclusive, and also for the periods 1901 to 1905 and 1906 to 1910:

AREA.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1911	1910	1909	1908	Annual average 1906–1910	Annual average 1901–1905
The registration area	14.2	15.0	14.4	14.8	15.1	16.2
Registration states [2]	13.9	14.7	14.2	14.7	15.0	15.9
Cities in registration states [2]	15.1	15.9	15.4	15.9	16.3	17.4
Rural part of registration states	12.7	13.4	13.0	13.3	13.4	14.1
Registration cities in other states	16.9	16.9	15.6	15.4	15.9	16.6
All registration cities [2]	15.3	16.1	15.4	15.7	16.2	17.0

[1] Exclusive of stillbirths. [2] Includes District of Columbia.

For the registration area as a whole and also for each of its main subdivisions, except the registration cities in nonregistration states, the death rates for 1911 were lower than the rates for any other year or period shown in the table. The rate for the period 1906 to 1910 showed a decrease as compared with that for the preceding quinquennial period for each group. It should be remembered, however, that the registration area has not remained constant in its composition nor in the distribution of its population among the main subdivisions. The states of Kentucky and Missouri were added to the group of registration states for 1911, and the cities of those states from which returns were received prior to the operation of the present state laws were transferred from the group of registration cities in other states to the group of cities in registration states. These subdivisions are therefore of a temporary character, being employed merely as headings under which to summarize the distribution of the returns for the current bulletin or report. The increased proportion of rural population due to the admission of new registration states tends to reduce the death rate for the registration area as a whole. Hence it is desirable

to examine the changes in death rates for a large portion of the registration area, embracing both urban and rural, in which no changes occurred except those due to natural increase and balance of migration.

The following table shows the changes in death rates for the group of registration states as constituted for the calendar year 1900:

AREA.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1911	1910	1909	1908	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Registration states [2] (1900)	14.9	15.6	14.9	15.1	15.5	15.9
Cities [2] (of 8,000 or more inhabitants in 1900)	15.4	16.2	15.6	15.9	16.4	17.4
Rural	14.3	14.7	13.9	14.0	14.2	14.1

[1] Exclusive of stillbirths.
[2] Includes District of Columbia (city of Washington).

The states included in the registration area for the calendar year 1900 were Connecticut, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont. The District of Columbia was also included. This group differs from the registration area of the Twelfth Census (year ending May 31, 1900) by the addition of Indiana. As constituted for the calendar year 1900 the group comprised a population of 19,960,742, or 26.3 per cent of the total for the United States in that year, and in 1911 a population of 24,627,761, or 26.2 per cent of the total. Thus the population is sufficiently large to give a good idea of the movement of the death rate in an area not affected by additions of new registration territory.

The death rate of this group of registration states (14.9) was slightly higher than that of the registration area as a whole (14.2) for the year 1911. A reduction from 15.9 to 15.5, or 2.5 per cent, is shown between the periods 1901 to 1905 and 1906 to 1910; the corresponding reduction in the registration area as a whole was from 16.2 to 15.1, or 6.8 per cent, and of the group of registration states, without regard to additions, from 15.9 to 15, or 5.7 per cent. In the original registration states of 1900 the death rate for the urban population (places of 8,000 inhabitants or more in 1900) shows a regular decrease of 1 per 1,000 through the two 5-year periods to the final year of registration, while the death rate for the rural population shows a much smaller increase (one-tenth of 1 per 1,000). The increase in the rural death rate may be due to greater accuracy of registration.

DEATH RATES OF REGISTRATION STATES.

The following table presents the general or crude death rates for the states that were included in the registration area for 1911, with comparative figures, as far as available, for the three years preceding and for the quinquennial periods 1901 to 1905 and 1906 to 1910:

STATE.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1911	1910	1909	1908	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Registration states [2]	13.9	14.7	14.2	14.7	15.0	15.9
California	13.7	13.5	13.4	14.1	13.9	(3)
Colorado	12.9	13.8	14.2	14.5	14.3	(3)
Connecticut	15.4	15.6	15.0	14.8	15.6	15.7
Indiana	12.9	13.5	12.9	12.8	13.0	13.2
Kentucky	13.2	(3)	(3)	(3)	(3)	(3)
Maine	16.1	17.1	15.6	15.7	16.2	15.9
Maryland	15.8	16.0	15.5	15.8	16.0	(3)
Massachusetts	15.3	16.1	15.4	15.9	16.1	16.6
Michigan	13.2	14.1	13.1	13.4	13.6	13.3
Minnesota	10.5	10.9	(3)	(3)	(4)	(3)
Missouri	13.1	(3)	(3)	(3)	(3)	(3)
Montana	10.2	10.6	(3)	(3)	(4)	(3)
New Hampshire	17.1	17.3	16.9	16.8	17.2	16.6
New Jersey	14.7	15.5	14.7	14.8	15.4	16.1
New York	15.5	16.1	15.7	15.9	16.4	17.1
North Carolina [5]	18.3	18.7	(3)	(3)	(4)	(3)
Ohio	13.1	13.7	12.9	(3)	(4)	(3)
Pennsylvania	14.2	15.6	14.7	15.1	15.5	(3)
Rhode Island	15.5	17.1	15.6	15.9	16.7	17.8
Utah	10.3	10.8	(3)	(3)	(4)	(3)
Vermont	15.8	16.0	15.7	15.9	16.1	16.2
Washington	8.9	10.0	9.8	9.3	(4)	(3)
Wisconsin	11.5	12.0	11.8	11.7	(4)	(3)

[1] Exclusive of stillbirths.
[2] Includes District of Columbia.
[3] Not admitted to registration area until a later date.
[4] Figures for deaths not available for the entire period 1906 to 1910.
[5] Figures relate only to municipalities having a population of 1,000 or over in 1900.

In all the states for which comparisons can be made, except California, the death rate for 1911 was lower than those for the preceding year, and for the period 1906 to 1910, and in all but two (Maine and New Hampshire) it was lower than that for the period 1901 to 1905. It should be remembered that these are crude rates, which make no allowance for differences in the sex and age distribution of the population, and that variations in the proportion of colored population and possible deficiencies of registration in certain states may also affect comparisons between the states. For North Carolina the rates are based on figures derived from municipalities of 1,000 population and represent a high proportion of colored population. It is possible that the registration of deaths is less complete in Washington [1] and perhaps in certain other

[1] The following extracts from the Ninth Biennial Report of the State Board of Health of Washington relate to the completeness of registration in that state: "The vital statistics situation in this state in the past four years is extremely interesting. After giving the subject a great deal of careful thought and study, it is the belief of the state registrar that the state of Washington has, in all probability, one of the lowest death rates of any civilized country or state in the world * * *. The mortality statistics published by the Census Bureau for 1909 comment at some length upon the extremely low death rate of Washington and some other Western states, and also make the statement that rates under 7 per thousand, when they continue for several years and relate to inhabitants of several thousand, unless the population consists almost entirely of young adults, may safely be taken as indicating deficiency in the registration of deaths. There are several counties in the state of Washington which will consistently give rates well under 7 per thousand, but it is the belief of the state registrar that, after making all possible allowance for any incompleteness, these rates represent as high a proportionate completeness of death returns as the rates in many Eastern states which may be twice as high. One reason is that this important exception 'unless the population is composed almost entirely of young adults' really obtains in several of our counties."

states than in the older states of the registration area. Hence the inference that one state is far more healthful than another should not be drawn without more thorough investigation.

DEATH RATES OF LARGE CITIES.

A similar statement of the death rates of the large cities of the United States—those having 100,000 or more inhabitants at the census of 1910—is given in the following table:

CITY.	DEATH RATE FROM ALL CAUSES [1] PER 1,000 POPULATION.					
	1911	1910	1909	1908	Annual average. 1906 to 1910	Annual average. 1901 to 1905
Birmingham, Ala	18.2	19.5	18.2	17.8	(2)	(3)
Los Angeles, Cal	14.5	14.0	13.7	13.8	14.8	16.4
Oakland, Cal	12.7	12.7	14.2	14.9	15.4	13.3
San Francisco, Cal	15.2	15.1	15.0	15.5	16.1	20.3
Denver, Colo	15.5	16.4	17.0	18.3	17.5	17.2
Bridgeport, Conn	13.9	15.2	14.4	14.5	15.5	16.0
New Haven, Conn	16.7	16.5	16.9	16.4	17.3	17.3
Washington, D. C	18.7	19.6	19.0	19.1	19.6	20.5
Atlanta, Ga	19.8	18.9	17.2	18.1	19.4	21.1
Chicago, Ill	14.5	15.1	14.6	14.5	14.9	14.5
Indianapolis, Ind	14.7	16.3	14.3	14.2	15.2	15.4
Louisville, Ky	16.1	16.7	15.5	17.0	17.4	19.0
New Orleans, La	20.4	21.3	20.2	22.3	21.7	22.4
Baltimore, Md	18.4	19.2	18.7	19.0	19.5	20.0
Boston, Mass	17.1	17.2	16.8	18.3	17.9	18.8
Cambridge, Mass	15.2	15.0	14.7	16.0	15.1	15.1
Fall River, Mass	17.4	18.4	19.1	20.5	19.7	20.3
Lowell, Mass	17.7	19.7	18.0	19.2	19.4	20.2
Worcester, Mass	15.7	16.9	15.5	16.7	17.1	16.8
Detroit, Mich	14.4	15.9	14.0	13.7	14.8	15.1
Grand Rapids, Mich	13.6	14.6	11.9	12.7	13.3	13.5
Minneapolis, Minn.[4]	11.5	12.3	10.7	10.7	11.0	10.2
St. Paul, Minn	10.9	11.9	11.4	10.5	11.0	10.0
Kansas City, Mo	15.4	15.9	14.4	14.1	14.6	15.9
St. Louis, Mo	15.4	15.8	15.8	14.7	15.6	17.9
Omaha, Nebr	14.3	15.1	14.7	13.2	13.8	11.5
Jersey City, N. J	15.8	16.3	16.8	17.4	17.7	19.3
Newark, N. J	14.8	16.5	16.5	16.2	17.2	18.7
Paterson, N. J	14.6	14.7	15.3	15.5	15.7	16.9
Albany, N. Y	20.4	19.4	17.6	18.6	18.6	18.4
Buffalo, N. Y	14.5	16.3	15.2	15.3	16.0	15.5
New York, N. Y	15.2	16.0	16.0	16.3	16.9	19.0
Bronx Borough	13.3	15.9	15.9	17.0	17.4	20.9
Brooklyn Borough	14.8	15.6	15.4	15.6	16.3	18.2
Manhattan Borough	16.0	16.5	16.6	16.8	17.4	19.5
Queens Borough	13.7	13.8	14.2	14.1	14.9	16.1
Richmond Borough	16.7	17.0	18.1	18.4	18.6	19.0
Rochester, N. Y.[4]	14.4	14.6	14.4	13.7	14.7	14.6
Syracuse, N. Y	14.3	15.4	14.5	15.7	15.2	14.5
Cincinnati, Ohio	16.5	17.4	16.5	18.0	18.1	19.1
Cleveland, Ohio	13.8	14.3	12.9	13.3	14.1	14.9
Columbus, Ohio	14.3	15.4	14.0	15.2	15.1	15.4
Dayton, Ohio	13.7	14.8	15.4	14.8	15.5	15.1
Toledo, Ohio	14.9	14.6	14.6	14.6	14.9	14.3
Portland, Oreg	10.9	11.0	9.8	9.9	10.3	10.2
Philadelphia, Pa	16.6	17.4	16.4	17.3	17.7	18.1
Pittsburgh, Pa	14.9	17.9	15.8	17.3	18.0	19.9
Scranton, Pa.[4]	14.8	16.4	16.3	16.4	16.3	16.2
Providence, R. I	15.6	17.7	16.1	16.6	17.6	18.8
Memphis, Tenn.[4]	21.3	21.4	20.1	20.1	20.6	19.4
Nashville, Tenn	20.5	18.7	18.1	19.4	19.3	21.5
Richmond, Va	21.0	22.6	20.7	21.7	22.5	23.4
Seattle, Wash	8.8	10.0	10.0	9.3	9.8	9.3
Spokane, Wash	11.6	13.0	12.6	13.4	12.8	11.3
Milwaukee, Wis	11.9	13.8	13.7	12.7	13.7	13.2

[1] Exclusive of stillbirths.
[2] Figures for deaths not available for the entire period 1906 to 1910.
[3] Not admitted to registration area until 1908.
[4] Rates too low, some deaths of infants being omitted; see p. 26.

For 41 of the 50 registration cities that had 100,000 or more inhabitants in 1910, the rate for 1911 was lower than that for the preceding year, and for 28 of the 49 for which comparisons between the two five-year periods can be made, the rate for the later period, 1906 to 1910, was lower than that for the earlier period. As in the case of the states, allowance must be made for unlike sex and age distribution, but there should be no uncertainty as to completeness of registration in such large cities. The proportion of colored population is a factor in the higher rates shown for certain cities (see relative rates in Table III), and as the death rates are based upon the total deaths occurring in each city, without regard to duration of residence or the place where the disease that caused death was contracted, it should be remembered that the apparent mortality of some cities may be unduly increased by the inclusion of deaths of persons who have come to them as invalids. In the hospitals of all large cities many deaths occur among persons who have come from the surrounding country for treatment or operation, and such deaths are represented in the death rate of the city.

DEATH RATES OF FOREIGN COUNTRIES AND CITIES.

For comparison with the death rates of American states and cities shown in the two tables preceding, international statistics published by the Registrar-General of England and Wales in his latest Annual Report (1910) and Summary (1911) are presented in the following tables:

COUNTRY.	ANNUAL CRUDE DEATH RATE PER 1,000 PERSONS LIVING.								Decrease per cent between 1881 to 1885 and 1906 to 1910.
	1910	1909	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890	1881 to 1885	
United States (registration area)	15.0	14.4	15.1	16.2	(1)	(1)	(1)	(1)	(1)
Australian Commonwealth	10.4	10.3	10.7	11.7	12.7	13.3	14.8	15.7	31.8
Austria	21.2	22.9	22.3	24.2	25.6	27.9	28.9	30.1	25.9
Belgium	(1)	15.8	(1)	17.0	18.1	20.1	20.2	20.6	(1)
Bulgaria	(1)	26.6	(1)	22.5	23.9	27.8	18.9	17.7	(1)
Ceylon	27.3	31.0	30.8	26.7	27.0	28.3	25.1	(1)	(1)
Chile	32.5	31.5	31.3	30.2	28.8	32.6	35.2	26.9	[2] 16.4
Denmark	12.9	13.2	13.7	14.8	16.4	18.6	18.7	18.4	25.5
England and Wales	13.5	14.6	14.7	16.0	17.7	18.7	18.9	19.4	24.2
Finland	16.6	16.7	17.4	18.6	19.0	20.5	20.0	22.2	21.6
France	17.9	19.3	19.2	19.6	20.7	22.3	22.0	22.2	13.5
German Empire	(1)	17.2	(1)	19.9	21.2	23.3	24.4	25.3	(1)
Hungary	23.6	25.6	25.0	26.4	27.9	31.8	32.1	33.1	24.5
Ireland	17.1	17.1	17.3	17.6	18.1	18.5	17.9	18.0	3.9
Italy	19.6	21.5	21.0	21.9	22.9	25.5	27.2	27.3	23.1
Jamaica	23.1	21.7	24.4	22.6	22.1	22.0	23.5	(1)	(1)
Japan	(1)	22.0	(1)	20.9	20.7	21.1	20.6	(1)	(1)
Netherlands	13.6	13.7	14.3	16.0	17.2	19.6	20.5	21.4	33.2
New Zealand	9.7	9.2	9.7	9.9	9.6	10.1	9.9	10.9	11.0
Norway	13.5	13.4	13.8	14.5	15.6	16.8	17.0	17.2	19.8
Ontario, Province of	14.0	14.6	14.0	13.0	11.6	10.6	11.0	11.4	[2] 22.8
Prussia	16.0	17.0	17.3	19.6	21.0	22.8	24.0	25.4	31.9
Roumania	25.2	27.8	26.0	25.5	27.4	31.0	28.7	26.2	0.8
Russia (European)	(1)	(1)	(1)	30.9	31.9	35.8	33.2	35.4	(1)
Scotland	15.3	15.9	16.1	17.0	18.0	19.0	18.8	19.6	17.9
Servia	(1)	29.3	(1)	22.4	24.8	28.9	25.9	24.5	(1)
Spain	23.3	24.0	24.3	26.0	28.8	30.1	30.9	32.6	25.5
Sweden	14.0	13.7	14.3	15.5	16.1	16.6	16.4	17.5	18.3
Switzerland	(1)	16.1	(1)	17.5	18.1	19.8	20.4	21.3	(1)

[1] Figures not available. [2] Increase.

City.	Annual crude death rate per 1,000 persons living.								Decrease per cent between 1881 to 1885 and 1906 to 1910.
	1911	1910	1906 to 1910	1901 to 1905	1896 to 1900	1891 to 1895	1886 to 1890	1881 to 1885	
London	15.0	13.7	14.9	16.4	18.5	19.8	19.7	20.9	28.7
Edinburgh	16.0	15.7	16.8	17.8	19.0	19.7	19.7	19.6	14.3
Glasgow	17.7	17.1	19.0	20.1	21.2	22.8	23.1	26.0	26.9
Dublin (registration area)	21.4	19.9	21.6	23.3	25.6	25.7	26.6	27.5	21.5
Belfast	17.2	18.6	19.6	20.8	23.4	25.1	24.4	24.7	20.6
Melbourne	12.8	12.7	12.9	14.0	15.5	16.7	21.0	20.1	35.8
Sydney	10.9	10.4	10.5	11.4	12.1	14.3	17.9	20.8	49.5
Montreal	(1)	22.4	22.6	23.3	23.1	25.3	26.7	31.0	27.1
Toronto	(1)	21.3	18.2	16.3	14.6	15.2	20.1	20.7	12.1
Paris	17.2	16.7	17.5	17.9	19.1	21.1	22.9	24.4	28.3
Brussels	13.9	13.6	14.1	15.2	17.2	20.2	21.2	23.4	39.7
Amsterdam	12.4	12.2	13.1	14.7	16.7	19.2	22.4	25.1	47.8
Rotterdam	12.1	12.2	13.4	15.6	18.0	20.8	22.0	24.2	44.6
The Hague	12.7	12.5	13.2	14.4	16.2	18.7	20.8	23.3	43.3
Copenhagen	14.8	14.2	15.1	16.1	17.6	20.2	22.3	22.3	32.3
Stockholm	12.7	14.6	15.1	16.1	18.2	20.0	21.2	24.3	37.9
Christiania	13.5	11.9	12.9	15.3	17.5	19.0	22.3	19.9	35.2
St. Petersburg	20.8	24.1	25.6	23.7	25.8	25.6	27.0	32.9	22.2
Moscow	27.2	26.9	27.6	26.6	28.7	29.2	33.6	33.3	17.1
Berlin	15.6	14.7	15.5	17.0	18.1	20.5	22.5	26.6	41.7
Hamburg	14.7	14.2	14.8	16.3	17.3	24.2	25.3	25.2	41.3
Dresden	14.6	13.8	14.7	17.6	19.0	20.6	22.1	25.0	41.2
Breslau	19.5	19.1	20.8	23.7	26.3	27.8	28.8	31.3	33.5
Munich	15.8	15.9	17.5	21.0	23.9	25.8	28.3	30.4	42.4
Vienna	16.4	16.6	17.1	19.1	21.1	24.1	25.1	28.2	39.4
Prague	16.3	15.5	16.1	18.6	19.8	22.7	26.1	28.9	44.3
Budapest	19.4	18.4	19.5	19.8	21.6	25.5	30.8	31.5	38.1
Trieste	24.0	22.9	24.5	26.3	27.5	29.8	30.4	31.1	21.2
Milan	20.1	17.1	19.3	22.1	23.2	27.4	30.4	30.3	36.3
Turin	(1)	14.9	17.5	19.6	19.8	21.6	23.5	27.2	35.7
Venice	22.8	19.0	22.9	24.2	25.8	27.8	30.2	29.1	21.3
Bucharest	26.1	25.6	24.7	23.3	24.6	(1)	(1)	(1)	(1)
New York	15.1	16.0	17.0	18.9	20.3	24.6	25.8	27.5	38.2
Chicago	14.6	15.1	14.5	14.2	15.2	20.6	19.5	21.5	32.6
Philadelphia	16.5	[2] 16.8	[2] 17.7	18.1	19.2	21.1	20.6	22.3	[2] 20.6
Boston	17.1	17.2	17.9	18.8	21.1	23.5	23.4	24.7	27.5
Rio de Janeiro	20.4	20.6	22.5	26.3	29.2	38.2	33.1	30.5	26.2

[1] Figures not available. [2] Furnished by the Bureau of the Census.

Between the earliest quinquennial period shown (1881 to 1885) and the most recent (1906 to 1910) a marked reduction in the general death rate took place in nearly all countries and in all the cities included in the tables, the percentages of decrease for most of the cities being considerably greater than those for the majority of the countries. In the case of the two countries for which increased death rates are shown (Chile and the Province of Ontario) it is possible that defective registration during the earlier period may have been responsible for the apparently lower rates as compared with the later ones. The Netherlands and Prussia showed the largest percentages of decrease between the two periods (33.2 per cent and 31.9 per cent, respectively), followed closely by the Australian Commonwealth (31.8 per cent), where the rate for the period 1881 to 1885 (15.7) was lower than that of any other country except New Zealand (10.9) and Ontario (11.4). The rate of the latter may be disregarded on account of admittedly defective registration. The cities showing the greatest relative decrease in the death rate are Sydney (49.5 per cent), Amsterdam (47.8 per cent), Rotterdam (44.6 per cent), Prague (44.3 per cent), The Hague (43.3 per cent), and Munich (42.4 per cent).

The lowest percentages of reduction for any of the cities are for Toronto (12.1 per cent) and Edinburgh (14.3 per cent). For the American cities given in this table, the rates for which are based chiefly upon municipal reports, the percentage of decrease ranges from 38.2 per cent for New York to 20.6 per cent for Philadelphia.

In comparing the rates for these foreign countries and cities it should be borne in mind that the figures, like the rates given for American states and cities, are crude rates only, uncorrected for differences in the composition of the population with respect to sex and age. The population of certain cities is favorably affected by large accessions of persons in early or middle life, which would tend to make the rates of such cities lower than those of cities dependent to a greater extent upon natural increase. The proportion of aged persons in the population has usually a greater influence in raising the general death rate than the proportion of young children, and rapidly growing cities have comparatively small populations at advanced ages.

SPECIFIC AND STANDARDIZED DEATH RATES.

All the death rates given in the preceding text and also in Tables I to IV, and in the annual reports and bulletins published for previous years, are general, gross, or crude death rates. These terms do not signify that the rates were computed without due care, or that they may not properly be used for many important purposes, but indicate simply that the rates are based upon the total deaths and the total population, without regard to the age and sex constitution of the latter. For populations similarly constituted, the crude rates afford valuable comparisons. The total loss by death in proportion to population is correctly shown by such rates, and the difference between the crude birth rate and the crude death rate represents the natural increase of population. Crude rates will always be used, at least as a first step to the more refined analysis of mortality statistics.

There may be unfairness, however, in the comparison of crude death rates derived from populations very differently constituted. It is known that the death rate of females is much lower than the death rate of males, and that the death rates of children under 5 years of age and of elderly persons are much higher than those of children over 5 years of age and of persons in early and middle adult life. Thus, if two populations are numerically equal and the death rates are the same for each age group, by sex, the population with a larger proportion of males, of

young children (under 5 years of age), and of elderly persons, will have a larger number of deaths and hence will show a higher crude death rate. In some cases the sanitary conditions might be precisely the same and yet the difference in the crude death rates might lead to the conclusion that one area was much more healthful than the other. Therefore it is desirable to study the mortality by means of more precise ratios than the crude death rates.

SPECIFIC DEATH RATES.

A "specific death rate" may be technically defined as a death rate based upon a specified or limited group of population. As the age is the most important single factor affecting mortality, specific rates are primarily those of certain age groups. Sex should also be taken into consideration, and the most useful specific rates are those showing the relation of the deaths, by sex, of certain age groups to the corresponding population.

In the table on pages 16 to 17 specific death rates for 1911 are shown, by sex, for the 11 age groups employed in the annual reports of the Registrar-General of England and Wales, beginning with that comprising children under 5 years of age and ending with that comprising persons 75 years of age and over. The crude death rate at all ages is also shown, and the specific death rates of infants under 1 year of age (not the true infantile mortality) and of children from 1 to 4 years of age. The areas for which rates are given are the registration states for 1911, with aggregates for the group and also for the group of states included in the registration area in the calendar year 1900, and the cities having 100,000 population or more in 1910.

The death rates in the table on pages 16 and 17, except those for all ages, are specific rates based upon the deaths, by sex, in each age group and the population estimated as of July 1, 1911, distributed in each age group according to the proportions shown by the census of 1910. As usual, population of unknown ages is distributed according to proportions shown for known ages.

The group of registration states for the year 1911 includes the District of Columbia (shown as the city of Washington in the list of cities) and does not include the municipalities of North Carolina, population data not being available for the latter. Specific rates, like general rates, are affected, in some cases to a marked extent, by the inclusion of deaths of nonresidents and, perhaps, by incompleteness of registration. The rates shown for the state of Washington,[1] and, perhaps, for some other states, may be somewhat below the truth, owing to the difficulty of procuring complete returns of deaths from very sparsely settled territory. The rates for the cities, however, should be accurate. There is no reason why all deaths should not be registered in a city of considerable size.

The instructions under which the returns are made to this bureau require the reporting of all deaths, even those occurring during the first few days of life, whether the children were prematurely born or not. Unfortunately deaths of children prematurely born were not returned for Rochester, and the absence or small number of deaths of infants under 1 day old in Scranton and Memphis indicates that some deaths of infants were not reported. Hence the death rates of children under 1 year of age for these cities, and to a less extent those of children under 5 years of age, and the total death rates, are not comparable with those of cities for which all deaths are returned.[2]

In this preliminary study of specific rates no attempt is made to differentiate the mortality by color. Reference to the subject is made upon another page, and in a subsequent report it will be possible to present extended comparisons of the specific death rates of the white and colored population. The death rate of the colored is much higher than that of the white. In the tables of this section of the report states and cities in which the colored population formed as much as 10 per cent of the total are designated by asterisks (*). The rates shown relate to the total population and indicate the effect of the incidence of mortality upon each age and sex group of the population as a whole.

For some years past, among other valuable tables of international statistics in the annual reports of the Registrar-General of England and Wales, there have been included tables showing the specific death rates of males and females in certain countries for 11 age groups. These data, which as a rule are based on the mean of the deaths registered for a period of three years, of which the median year is that of the latest available census (1900 or 1901), are reproduced in the table on pages 18 and 19, with similar specific rates computed by the Bureau of the Census for the registration area of the United States, its main subdivisions, and the registration states for the calendar year 1900.

[1] See note on p. 12. [2] See p. 28.

CRUDE DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES FOR 11 AGE GROUPS (WITH SUBDIVISION OF OVER IN

[States or cities in which 10 per cent or more of the inhabitants

	AREA.	DEATH RATE [1] PER 1,000 POPULATION: 1911																
		Both sexes.														Males.		
		All ages.	Under 1 year.	1 to 4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 years and over.	All ages.	Under 1 year.	1 to 4 years.
	REGISTRATION STATES [2]	13.9	112.9	11.8	32.9	3.1	2.2	3.6	5.2	6.4	8.9	13.6	26.2	55.2	138.9	14.7	124.6	12.2
1	California	13.7	83.2	8.7	24.2	2.8	2.3	3.9	5.8	6.9	10.0	14.5	27.0	53.8	130.0	15.2	90.9	8.8
2	Colorado	12.9	101.8	10.0	29.1	3.1	2.7	3.6	7.2	9.1	9.9	13.6	24.3	52.0	134.3	14.5	112.1	10.0
3	Connecticut	15.4	130.9	13.3	38.6	3.3	2.4	3.2	4.8	6.0	9.2	14.7	29.6	59.3	140.7	16.2	145.9	13.2
4	Indiana	12.9	94.7	9.6	26.9	2.8	2.2	3.9	5.6	6.0	7.8	10.8	22.2	51.4	137.2	13.4	104.7	10.1
5	Kentucky*	13.2	87.2	12.6	28.1	3.0	2.4	5.3	7.3	8.1	9.3	12.7	22.3	49.7	131.7	13.3	94.1	12.7
6	Maine	16.1	110.9	9.6	30.7	2.5	2.1	3.9	5.5	6.1	7.9	11.6	24.4	50.5	142.6	16.6	129.6	10.5
7	Maryland*	15.8	142.1	14.1	40.0	3.2	2.5	4.5	6.2	7.9	10.0	15.8	29.1	59.8	154.5	16.8	150.3	15.0
8	Massachusetts	15.3	143.3	13.1	41.1	2.9	2.1	3.3	4.4	5.9	8.9	14.2	29.8	60.5	141.2	16.2	158.8	13.6
9	Michigan	13.2	111.4	9.4	30.6	3.0	2.4	3.3	5.0	5.7	6.9	11.4	21.8	50.8	137.1	14.0	126.8	9.7
10	Minnesota	10.5	83.4	6.9	22.4	2.5	2.0	3.3	4.5	5.6	6.9	10.8	20.6	44.3	122.7	11.2	93.6	7.5
11	Missouri	13.1	95.7	12.2	29.3	3.1	2.2	3.9	5.7	6.8	8.7	13.4	24.2	51.8	134.0	13.9	106.7	12.4
12	Montana	10.2	86.4	8.6	24.6	3.1	2.8	3.6	4.2	5.6	8.8	13.3	23.7	45.1	122.4	11.1	93.1	9.7
13	New Hampshire	17.1	150.3	12.0	41.1	3.3	2.4	3.6	4.6	5.8	7.9	12.9	24.5	51.2	144.8	17.6	160.9	11.7
14	New Jersey	14.7	131.5	14.2	38.9	3.5	2.1	3.3	5.2	6.3	9.6	15.0	30.7	61.8	141.8	15.6	145.5	14.8
15	New York	15.5	128.8	14.6	38.9	3.6	2.2	3.5	5.0	6.8	10.7	16.7	31.9	62.4	147.2	16.6	140.1	15.3
16	Ohio	13.1	99.0	9.9	28.2	3.0	2.2	3.4	5.1	6.0	7.9	12.0	22.5	50.6	135.9	13.7	108.8	10.3
17	Pennsylvania	14.2	124.8	13.5	37.3	3.3	2.1	3.6	5.2	6.2	8.8	13.7	26.9	58.1	144.9	15.0	138.6	14.1
18	Rhode Island	15.5	138.6	13.7	40.8	3.6	2.0	3.1	4.9	6.3	9.7	15.5	31.7	65.0	152.2	16.4	156.1	14.5
19	Utah	10.3	72.9	7.7	21.2	2.8	2.3	2.9	3.8	5.7	8.1	11.7	20.9	48.3	122.9	11.1	82.5	8.5
20	Vermont	15.8	102.0	7.9	27.8	2.4	1.6	3.8	4.5	5.8	7.3	12.3	25.9	54.2	141.1	16.2	109.8	8.4
21	Washington	8.9	64.6	6.9	18.6	2.4	2.2	3.5	4.3	4.8	6.3	10.3	19.0	43.6	109.8	9.3	72.1	7.1
22	Wisconsin	11.5	98.4	7.6	26.1	2.4	1.9	2.8	4.2	5.3	6.4	10.1	19.6	45.7	126.9	12.3	108.8	8.1
23	States included in registration area in 1900.[3]	14.9	125.5	12.8	36.6	3.2	2.2	3.5	5.0	6.3	9.4	14.5	28.4	58.3	143.0	15.8	138.6	13.3
	CITIES OF 100,000 POPULATION OR OVER IN 1910.																	
24	Birmingham, Ala.*	18.2	136.1	24.2	47.4	4.8	3.4	7.4	11.3	12.2	16.6	23.3	37.6	72.3	183.0	18.9	146.6	26.9
25	Los Angeles, Cal	14.5	100.1	11.5	30.1	2.8	2.8	4.2	6.7	8.1	10.6	16.2	27.1	57.1	131.9	16.7	112.0	11.3
26	Oakland, Cal	12.7	87.2	10.2	26.6	3.1	1.7	2.6	5.1	5.1	7.7	12.7	27.0	55.7	138.1	13.3	96.4	10.8
27	San Francisco, Cal	15.2	104.8	11.4	31.1	3.2	2.7	3.3	5.0	6.5	11.7	21.2	38.9	69.4	169.8	16.8	116.2	12.4
28	Denver, Colo	15.5	131.9	12.7	37.0	3.5	3.0	3.5	7.2	10.3	12.3	16.4	31.7	63.2	158.6	18.1	143.7	13.4
29	Bridgeport, Conn	13.9	138.4	12.5	40.5	2.5	2.0	3.4	3.9	5.7	9.6	18.4	29.3	65.2	148.2	14.4	155.4	13.7
30	New Haven, Conn	16.7	133.9	14.9	41.0	3.5	2.6	3.8	5.0	7.9	11.6	16.7	39.7	74.6	140.0	17.2	136.6	14.9
31	Washington, D. C.*	18.7	170.0	15.9	47.6	3.6	3.3	5.0	8.1	8.7	13.3	19.3	36.1	71.6	163.4	21.2	187.2	14.7
32	Atlanta, Ga.*	19.8	138.1	24.2	48.7	4.9	3.7	8.8	11.4	12.0	17.3	26.9	39.6	79.4	158.3	19.8	135.0	26.2
33	Chicago, Ill	14.5	123.3	16.0	39.5	4.7	2.6	3.7	5.3	6.9	11.4	19.3	35.1	63.6	144.2	16.4	142.7	17.1
34	Indianapolis, Ind	14.7	105.8	11.1	30.5	3.2	3.5	5.0	6.6	7.1	10.4	16.7	31.1	66.7	151.3	16.0	116.6	13.0
35	Louisville, Ky.*	16.1	115.5	16.4	36.2	3.7	2.6	5.4	7.0	9.1	13.0	19.2	35.4	65.3	141.3	18.0	135.5	16.6
36	New Orleans, La.*	20.4	152.6	17.9	46.7	3.7	3.2	5.9	10.2	12.5	18.9	27.5	48.4	72.4	149.1	23.1	166.4	18.6
37	Baltimore, Md.*	18.4	189.2	18.2	51.8	4.0	2.8	4.7	6.4	9.4	12.4	21.0	35.9	71.9	161.4	20.3	199.4	19.7
38	Boston, Mass	17.1	160.9	16.9	47.6	3.7	2.1	3.8	4.7	7.5	12.1	19.6	37.9	71.0	141.7	18.4	177.3	18.2
39	Cambridge, Mass	15.2	125.6	15.4	39.1	4.3	3.5	4.6	3.8	5.5	9.0	16.0	29.4	64.0	148.8	15.9	156.9	16.4
40	Fall River, Mass	17.4	239.5	23.2	74.0	2.8	2.3	2.7	4.6	5.3	9.5	12.3	32.0	61.2	123.9	18.6	264.9	21.4
41	Lowell, Mass	17.7	203.4	19.6	60.6	3.3	2.0	3.5	4.8	6.8	10.6	16.2	34.6	75.4	150.5	18.6	228.6	20.0
42	Worcester, Mass	15.7	136.0	11.5	38.9	3.4	3.0	3.2	4.8	5.8	10.2	16.3	33.4	73.6	167.0	16.8	154.3	10.8
43	Detroit, Mich	14.4	168.8	14.6	47.7	4.5	2.5	3.6	5.3	6.2	8.0	15.7	27.7	59.3	144.8	15.2	188.6	14.8
44	Grand Rapids, Mich	13.6	107.2	11.6	32.3	3.3	2.6	2.5	4.9	5.8	7.2	12.7	28.1	60.4	152.0	14.6	122.7	12.3
45	Minneapolis, Minn	11.5	106.4	9.6	30.0	3.3	2.1	4.2	4.5	5.5	8.4	13.5	26.9	49.1	133.5	12.3	120.9	9.9
46	St. Paul, Minn	10.9	115.5	9.2	31.2	3.4	2.0	2.9	4.0	5.3	7.9	13.1	25.7	59.8	122.8	11.9	127.9	11.0
47	Kansas City, Mo	15.4	145.7	11.1	38.9	3.8	2.8	5.0	6.9	8.2	12.3	17.6	35.2	64.4	154.4	16.8	158.7	9.8
48	St. Louis, Mo	15.4	123.8	16.0	38.3	4.6	2.7	4.0	5.8	7.7	10.8	20.6	35.4	68.1	148.1	17.5	139.6	16.6
49	Omaha, Nebr	14.3	103.3	9.5	28.2	4.3	4.2	4.8	6.0	7.9	11.4	18.5	35.4	66.1	164.0	16.2	131.0	10.9
50	Jersey City, N. J	15.8	143.4	18.0	44.5	4.0	2.4	3.6	5.5	8.6	12.3	19.9	39.8	67.2	132.6	17.3	161.4	18.0
51	Newark, N. J	14.8	122.3	14.9	38.7	3.5	1.6	3.5	4.9	6.3	11.7	18.1	37.8	70.3	137.7	16.4	137.9	16.0
52	Paterson, N. J	14.6	117.7	12.2	33.9	4.4	3.0	3.1	5.6	6.7	11.0	17.6	39.2	67.1	138.7	16.0	123.2	12.8
53	Albany, N. Y	20.4	162.9	11.1	41.6	6.2	2.6	5.0	5.8	9.9	14.6	23.3	45.0	74.7	173.6	22.5	178.3	11.5
54	Buffalo, N. Y	14.5	140.6	11.9	39.2	3.0	2.5	3.8	5.3	6.3	10.1	16.9	34.4	66.1	142.4	15.9	159.2	12.4
55	New York, N. Y	15.2	130.6	17.4	42.0	3.8	2.1	3.5	4.8	7.1	12.3	19.9	38.6	72.0	145.3	16.6	140.1	18.2
56	Rochester, N. Y	14.4	105.5	16.2	35.0	4.3	2.7	3.1	4.7	5.4	8.6	16.3	29.1	68.7	161.4	15.2	125.5	16.4
57	Syracuse, N. Y	14.3	146.9	13.4	41.9	3.7	2.7	2.5	3.7	5.9	8.7	14.0	29.3	58.0	140.0	15.1	181.0	13.5
58	Cincinnati, Ohio	16.5	113.1	15.1	35.6	4.7	2.3	4.2	7.6	8.7	13.0	20.4	33.7	61.9	152.0	19.2	125.7	15.4
59	Cleveland, Ohio	13.8	123.7	14.7	38.8	4.5	2.4	3.2	4.6	6.3	10.6	16.1	31.8	60.4	135.9	15.0	136.8	15.6
60	Columbus, Ohio	14.3	121.8	9.0	31.3	4.4	3.5	5.2	5.6	7.3	10.8	16.7	29.5	67.2	130.0	15.0	136.6	9.9
61	Dayton, Ohio	13.7	118.3	7.7	30.7	2.2	1.8	5.0	5.7	5.5	8.8	15.2	29.1	57.8	155.4	14.4	120.8	7.3
62	Toledo, Ohio	14.9	119.3	10.6	32.6	3.9	3.0	3.5	5.2	8.1	10.9	15.6	34.7	68.1	148.6	16.8	131.8	12.2
63	Portland, Oreg	10.9	101.9	8.7	29.0	4.5	1.4	3.9	4.0	5.4	7.3	11.2	27.0	58.2	132.5	11.5	120.7	9.8
64	Philadelphia, Pa	16.6	141.9	18.8	45.3	4.3	2.2	3.7	5.9	7.4	11.4	18.2	35.0	68.4	150.0	17.9	155.8	19.9
65	Pittsburgh, Pa	14.9	141.4	17.3	44.3	4.3	2.4	3.7	6.0	6.8	10.4	17.6	33.0	70.8	145.9	16.3	152.7	17.7
66	Scranton, Pa	14.8	112.4	13.7	35.2	2.6	2.6	4.7	6.1	7.9	12.2	20.0	40.0	73.1	138.4	16.7	128.9	12.3
67	Providence, R. I	15.6	137.5	14.0	40.9	3.8	2.0	3.4	5.4	6.7	10.6	17.0	34.2	66.9	139.8	16.8	165.6	15.5
68	Memphis, Tenn.*	21.3	152.6	21.4	48.6	6.8	4.7	9.6	13.6	14.2	19.8	28.9	49.4	66.6	155.2	23.2	158.1	22.7
69	Nashville, Tenn.*	20.5	158.3	30.8	57.6	4.9	4.5	7.5	10.6	13.0	14.6	23.7	37.6	74.3	157.2	21.6	150.2	35.1
70	Richmond, Va.*	21.0	197.6	20.4	61.5	3.9	2.6	7.0	9.2	11.5	16.4	26.7	50.5	76.0	155.4	22.9	216.0	21.7
71	Seattle, Wash	8.8	78.6	8.1	22.4	2.5	1.9	3.2	3.8	4.6	6.4	11.8	22.5	47.9	106.9	9.6	101.2	9.5
72	Spokane, Wash	11.6	97.8	8.3	28.6	2.4	3.4	3.6	6.5	6.3	7.5	13.8	27.4	62.8	141.5	11.5	104.6	8.3
73	Milwaukee, Wis	11.9	143.2	11.1	38.9	3.0	2.0	2.5	4.4	5.3	6.9	11.9	24.5	52.2	126.3	13.1	154.9	12.5

[1] Exclusive of stillbirths.

[2] Includes District of Columbia, but excludes North Carolina.

THE FIRST QUINQUENNIUM), BY SEX, FOR THE REGISTRATION STATES AND CITIES OF 100,000 POPULATION OR 1910: 1911.

in 1910 were colored are indicated by asterisks (*).]

DEATH RATE [1] PER 1,000 POPULATION: 1911—continued.

Males—Continued.											Females.														
Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 years and over.	All ages.	Under 1 year.	1 to 4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years	20 to 24 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 years and over.	
35.8	3.2	2.3	3.8	5.4	6.7	9.8	15.1	28.5	58.3	142.0	13.0	100.9	11.3	30.0	3.0	2.1	3.5	5.0	6.0	7.9	12.0	23.7	52.0	136.1	
26.0	2.8	2.5	3.9	6.2	7.6	11.5	16.6	30.7	58.1	138.7	11.7	75.2	8.7	22.4	2.8	2.2	3.8	5.2	6.0	7.9	11.5	22.0	48.2	118.5	1
31.3	3.0	2.7	4.0	8.1	10.6	11.2	15.8	28.5	57.1	136.6	11.0	91.1	10.1	26.8	3.3	2.8	3.1	6.1	7.2	8.3	10.5	18.4	45.3	131.6	2
42.0	3.3	2.8	3.6	5.2	6.4	10.2	16.4	32.6	62.8	145.4	14.6	115.4	13.3	35.2	3.3	2.1	2.8	4.4	5.5	8.2	12.8	26.6	56.1	137.1	3
29.3	2.8	2.4	3.8	5.4	5.8	7.8	11.1	23.7	52.8	138.1	12.4	84.5	9.1	24.5	2.7	2.0	4.0	5.8	6.1	7.7	10.5	20.5	49.8	136.2	4
29.5	3.0	2.3	4.5	7.1	7.7	9.2	13.3	23.2	51.0	128.5	13.0	80.1	12.5	26.6	3.0	2.5	6.0	7.5	8.6	9.5	12.1	21.3	48.3	134.8	5
35.2	2.5	2.5	4.3	5.9	6.0	7.7	12.2	24.8	50.9	145.0	15.5	92.1	8.7	26.2	2.5	1.8	3.6	5.2	6.2	8.1	10.9	24.0	50.1	140.4	6
42.7	3.3	2.7	4.5	6.4	8.7	10.9	17.2	31.6	64.7	159.5	14.9	133.4	13.1	37.2	3.0	2.3	4.6	5.9	7.2	9.2	14.2	26.5	55.1	150.7	7
44.9	3.0	2.1	3.4	5.1	6.2	9.9	15.7	32.7	68.2	148.6	14.5	127.4	12.5	37.2	2.8	2.1	3.2	3.8	5.7	8.0	12.8	27.1	54.2	136.1	8
34.0	3.2	2.6	3.6	4.8	5.6	7.0	12.0	23.2	53.1	143.8	12.4	95.6	9.0	27.0	2.8	2.1	2.9	5.1	6.0	6.8	10.7	20.1	48.3	130.1	9
25.0	2.6	2.0	3.5	4.7	5.8	7.1	11.4	22.6	48.9	128.8	9.6	72.9	6.2	19.9	2.3	2.0	3.1	4.2	5.3	6.6	10.0	18.2	38.9	116.4	10
31.7	3.2	2.4	3.8	5.6	6.8	9.3	14.7	26.5	54.0	134.9	12.2	84.4	12.1	26.9	3.0	2.1	3.9	5.7	6.7	8.0	11.8	21.5	49.4	133.0	11
27.2	3.4	2.6	3.5	4.2	5.8	9.8	15.5	24.9	47.0	129.3	8.9	79.2	7.4	22.0	2.8	3.0	3.7	4.3	5.1	6.9	8.7	21.1	41.6	110.5	12
43.5	3.4	2.3	3.9	4.8	5.4	7.9	12.8	27.0	56.8	156.5	16.6	139.6	12.2	38.7	3.1	2.4	3.4	4.4	6.2	7.9	12.9	22.0	46.3	135.0	13
42.4	3.6	2.1	3.6	5.7	6.9	11.0	16.8	33.6	65.1	144.8	13.7	117.0	13.5	35.2	3.4	2.1	3.1	4.7	5.8	8.1	13.0	27.8	58.6	139.5	14
42.1	3.8	2.4	3.9	5.4	7.4	12.3	19.1	35.3	65.6	151.1	14.4	117.1	13.9	35.8	3.3	2.1	3.2	4.6	6.1	9.0	14.3	28.6	59.4	144.1	15
30.5	3.2	2.2	3.4	5.3	6.4	8.7	13.4	24.2	53.0	135.1	12.4	88.9	9.5	25.9	2.8	2.1	3.4	4.9	5.6	7.0	10.6	20.6	48.1	136.7	16
40.9	3.4	2.3	3.9	5.5	6.5	9.9	15.6	30.1	62.1	147.9	13.3	110.6	12.9	33.7	3.3	2.0	3.2	5.0	5.8	7.5	11.6	23.6	54.3	142.4	17
45.6	4.3	1.9	3.0	5.2	6.6	10.8	17.9	33.6	69.2	164.3	14.7	120.9	13.0	36.0	3.0	2.1	3.2	4.7	6.0	8.7	13.2	29.9	61.3	143.6	18
23.8	2.9	2.3	3.3	4.4	5.9	9.3	13.9	23.1	47.0	128.5	9.4	63.2	6.8	18.5	2.7	2.2	2.5	3.1	5.6	6.5	9.0	18.3	49.5	117.6	19
29.4	2.8	1.6	3.5	4.6	5.6	7.9	12.3	27.9	56.5	142.6	15.5	94.2	7.5	26.2	2.0	1.5	4.2	4.4	5.9	6.5	12.4	23.9	51.8	139.8	20
20.3	2.5	2.1	3.6	4.3	4.6	6.6	11.0	20.3	44.4	116.8	8.3	56.8	6.7	16.9	2.3	2.2	3.4	4.4	5.1	5.8	9.2	16.8	42.5	100.8	21
28.6	2.5	1.9	3.1	4.5	5.5	6.9	11.2	21.3	50.1	130.2	10.5	87.8	7.2	23.5	2.4	2.0	2.5	3.9	5.0	5.9	8.9	17.7	40.9	123.4	22
39.8	3.4	2.4	3.7	5.3	6.7	10.4	16.1	30.9	61.6	147.4	14.0	112.1	12.2	33.3	3.1	2.1	3.3	4.7	6.0	8.3	12.9	26.0	55.1	139.2	23
52.1	5.0	4.1	7.2	11.9	11.7	16.9	25.1	38.4	75.4	170.6	17.5	124.9	21.5	42.5	4.6	2.7	7.6	10.7	12.8	16.4	21.0	36.7	69.7	191.5	24
33.0	2.2	3.6	4.7	7.7	9.8	13.6	18.8	30.6	64.0	147.1	12.3	87.4	11.6	27.1	3.3	2.0	3.8	5.8	6.2	7.5	13.4	23.5	50.2	117.8	25
28.6	4.0	2.2	3.2	5.6	6.2	7.8	13.5	25.3	57.5	147.1	11.9	78.1	9.7	24.5	2.3	1.3	2.1	4.7	3.7	7.5	11.7	28.9	53.9	129.6	26
34.6	3.9	2.6	3.0	5.7	6.8	13.2	24.8	46.4	76.9	184.2	13.2	92.6	10.3	27.5	2.4	2.8	3.5	4.0	6.1	9.3	15.8	28.9	61.0	155.4	27
41.0	2.9	3.3	3.7	7.7	13.2	14.3	19.5	40.2	76.4	172.1	12.9	119.2	12.0	33.1	4.0	2.8	3.4	6.7	7.3	10.2	12.7	22.6	50.7	147.2	28
45.2	1.7	2.1	3.8	3.2	5.3	10.8	21.4	32.8	68.9	149.5	13.3	121.2	11.3	35.8	3.2	1.8	3.0	4.5	6.1	8.2	15.0	25.9	62.3	147.3	29
42.1	4.0	3.6	4.6	4.5	9.0	13.4	17.3	40.4	79.5	132.9	16.2	131.0	14.8	39.9	3.1	1.5	3.0	5.5	6.7	9.6	16.1	39.1	70.3	145.2	30
49.8	3.3	4.0	5.0	8.5	10.6	16.8	23.2	41.2	86.5	175.3	16.4	153.1	17.2	45.4	3.9	2.6	5.1	7.8	7.0	10.2	15.8	31.8	58.0	154.1	31
50.4	4.6	3.7	7.7	10.3	10.4	18.2	31.0	37.6	91.6	162.2	19.7	141.4	22.2	47.0	5.3	3.7	9.7	12.3	13.4	16.3	23.3	41.4	69.6	155.6	32
44.6	4.9	2.8	4.2	6.0	7.6	13.8	23.4	41.8	72.2	147.7	12.5	103.6	14.9	34.3	4.4	2.4	3.2	4.7	6.0	8.6	14.6	28.0	55.6	141.6	33
34.3	4.0	3.5	4.2	6.6	7.7	11.3	19.8	34.8	77.7	151.1	13.4	94.7	9.0	26.6	2.4	3.5	5.8	6.6	6.5	9.5	13.5	27.3	56.3	151.4	34
40.2	3.8	3.0	4.9	7.4	10.1	15.9	23.2	42.9	75.5	147.8	14.3	95.5	16.3	32.1	3.7	2.2	5.9	6.7	8.1	10.2	15.5	28.8	57.3	136.7	35
50.4	4.1	3.9	6.1	11.8	15.6	22.3	33.6	58.2	85.5	163.1	17.9	138.6	17.1	43.0	3.4	2.5	5.8	8.8	9.6	15.6	21.5	40.1	62.9	141.0	36
55.2	4.4	3.3	4.4	7.3	11.0	14.2	24.7	41.6	82.9	176.1	16.7	178.7	16.6	48.4	3.6	2.3	5.0	5.7	8.0	10.7	17.5	30.9	63.4	152.2	37
52.4	3.9	2.1	3.8	5.3	8.5	14.5	22.1	41.0	81.1	147.6	15.8	143.8	15.7	42.7	3.6	2.1	3.9	4.1	6.6	9.8	17.2	35.2	63.4	138.1	38
45.9	5.3	2.9	4.3	2.6	5.4	10.3	16.6	32.4	73.0	154.5	14.5	94.4	14.3	32.0	3.2	4.1	4.9	4.8	5.7	7.8	15.6	27.0	57.5	145.7	39
79.8	3.8	2.0	2.7	4.6	5.2	9.5	11.3	36.8	67.8	126.7	16.3	212.5	25.0	68.1	1.8	2.7	2.8	4.6	5.4	9.5	13.2	27.8	55.9	121.6	40
65.7	3.4	3.2	3.9	5.8	7.2	11.9	16.8	33.8	87.2	162.6	16.7	178.5	19.1	55.3	3.3	0.9	3.0	3.9	6.3	9.3	15.8	35.3	66.5	143.6	41
42.7	2.7	2.9	3.8	5.0	6.2	11.6	17.7	41.0	77.0	202.9	14.6	116.6	12.2	34.9	4.1	3.0	2.7	4.5	5.3	8.7	14.9	26.3	70.7	142.9	42
52.0	4.8	2.8	4.2	5.1	5.9	9.0	18.1	29.3	64.7	162.8	13.6	148.7	14.4	43.2	4.2	2.3	3.0	5.4	6.5	6.9	13.1	26.0	54.7	131.1	43
36.5	3.3	2.7	2.9	4.0	5.2	8.0	13.7	29.0	68.5	171.0	12.7	91.6	11.0	28.2	3.3	2.5	2.1	5.6	6.5	6.4	11.6	27.2	52.7	135.7	44
32.8	3.4	2.1	5.6	4.0	5.6	8.6	13.8	31.2	59.7	145.1	10.6	92.1	9.3	27.1	3.1	2.1	3.0	5.0	5.5	8.3	13.2	21.8	38.5	123.9	45
35.6	3.7	1.8	2.7	4.7	5.9	8.6	14.0	28.5	68.5	134.3	9.7	102.0	7.5	26.7	3.0	2.2	3.1	3.4	4.5	7.2	11.9	22.5	51.3	113.4	46
40.7	4.4	3.5	5.3	7.0	9.0	14.0	18.6	41.6	70.7	154.6	13.9	132.2	12.4	37.0	3.1	2.0	4.8	6.9	7.4	10.4	16.4	27.8	58.4	154.2	47
42.0	4.9	2.8	4.4	6.5	8.7	13.2	25.2	42.7	79.6	164.9	13.2	107.7	15.3	34.5	4.2	2.6	3.6	5.2	6.6	8.3	15.6	28.1	58.0	135.3	48
34.8	3.7	4.9	5.5	8.1	7.2	11.5	20.9	44.2	79.6	175.6	12.2	75.6	8.0	21.6	4.9	3.5	4.1	3.8	8.7	11.3	15.4	25.2	50.6	153.6	49
48.2	4.6	2.4	3.6	5.9	9.6	14.7	23.1	43.5	78.0	129.9	14.3	124.8	18.0	40.7	3.4	2.5	3.5	5.1	7.6	9.6	16.4	36.2	57.7	134.5	50
43.5	3.7	1.9	3.7	4.9	7.3	13.9	21.7	44.7	74.6	141.3	13.3	105.9	13.8	33.9	3.2	1.2	3.3	4.9	5.2	9.4	14.2	31.4	66.8	135.3	51
35.5	4.8	2.5	3.6	5.8	7.5	12.4	21.3	47.4	73.2	150.5	13.3	112.1	11.6	32.4	4.0	3.5	2.7	4.6	5.9	9.5	13.9	31.9	61.7	129.6	52
44.6	5.3	3.2	6.1	7.0	11.7	17.3	27.3	51.6	89.3	171.9	18.5	147.3	10.7	38.5	7.0	2.1	4.0	4.6	8.4	12.1	19.7	39.1	62.6	174.8	53
43.8	3.2	3.0	4.6	5.9	7.1	11.6	19.9	41.1	67.8	146.4	13.0	121.5	11.3	34.5	2.7	2.0	3.1	4.6	5.3	8.5	13.7	27.8	64.7	139.7	54
44.9	4.1	2.2	3.9	5.1	7.8	14.5	23.3	43.8	77.0	149.4	13.8	120.7	16.5	39.1	3.6	2.1	3.1	4.5	6.2	10.0	16.2	33.6	67.6	142.3	55
39.9	4.9	3.0	3.2	4.6	5.9	8.9	19.8	31.4	72.9	179.8	13.6	84.6	15.9	30.2	3.7	2.4	3.0	4.8	4.9	8.3	12.9	27.1	65.4	148.4	56
49.9	3.2	2.5	2.4	3.9	6.7	9.6	15.8	31.5	57.7	157.9	13.4	110.4	13.3	33.6	4.2	2.9	2.5	3.5	5.2	7.7	12.3	27.4	58.3	128.6	57
38.2	5.1	2.7	4.5	9.1	11.1	17.3	26.2	40.9	78.4	162.5	13.9	100.4	14.8	33.0	4.2	2.0	3.8	6.3	6.4	8.9	14.8	27.3	49.3	145.5	58
42.2	4.6	2.3	3.7	4.9	6.9	12.0	19.3	36.4	67.4	156.3	12.6	110.3	13.8	35.3	4.5	2.4	2.9	4.2	5.7	9.0	12.5	27.2	54.5	121.4	59
34.4	4.9	3.9	5.5	5.5	7.8	11.6	17.3	31.7	73.3	150.7	13.6	107.3	8.1	28.0	3.9	3.1	5.0	5.6	6.8	9.9	16.0	27.3	62.1	116.0	60
30.9	2.3	2.5	6.3	5.9	5.7	10.2	16.3	30.2	66.6	171.1	13.0	115.7	8.1	30.6	2.1	1.1	3.8	5.4	5.4	7.2	14.1	28.0	49.9	144.0	61
36.6	5.0	3.0	3.9	6.3	9.4	12.6	18.4	39.0	79.7	148.4	13.0	106.1	9.0	28.5	2.9	2.9	3.2	4.2	6.9	9.0	12.6	30.3	56.8	148.9	62
34.3	4.2	1.2	3.7	4.7	5.1	7.7	12.9	30.2	62.3	132.4	10.0	82.0	7.5	23.5	4.7	1.5	4.0	3.2	5.8	6.5	8.3	22.0	53.5	132.7	63
49.3	4.5	2.3	4.3	6.0	7.8	13.3	21.4	40.1	75.4	155.8	15.4	127.7	17.7	41.2	4.1	2.1	3.2	5.9	6.9	9.5	15.0	30.4	62.9	146.4	64
47.3	4.7	2.4	4.4	6.7	7.5	12.5	21.2	37.7	77.7	152.3	13.5	129.5	16.9	41.2	4.0	2.4	3.1	5.2	6.0	8.0	13.5	28.6	64.7	141.6	65
38.0	3.0	2.0	7.1	7.4	9.7	14.5	22.9	50.1	79.4	123.1	12.9	95.5	15.0	32.5	2.3	3.2	2.3	4.8	6.0	9.7	16.6	29.8	67.5	149.8	66
48.3	4.6	2.0	3.2	6.5	7.5	11.7	19.9	36.4	70.7	149.0	14.4	109.8	12.4	33.7	3.1	2.0	3.7	4.4	5.9	9.5	14.3	32.1	63.9	134.1	67
50.9	7.4	4.1	9.1	13.9	15.8	21.9	33.7	51.7	73.1	190.7	19.4	146.8	20.0	46.2	6.3	5.2	10.0	13.4	12.4	17.3	23.4	47.1	61.0	128.5	68
60.2	5.4	4.1	7.3	11.7	13.4	14.6	24.3	41.2	78.1	166.3	19.6	167.3	26.6	55.0	4.3	4.8	7.7	9.6	12.6	14.6	23.0	34.2	71.1	150.1	69
67.1	3.5	2.6	6.8	9.7	12.4	17.6	26.9	62.9	93.0	196.9	19.3	179.1	19.2	55.9	4.3	2.7	7.1	8.7	10.7	15.3	26.5	40.4	62.8	129.3	70
27.9	2.4	1.7	2.3	3.6	4.3	7.3	13.5	26.6	52.4	122.5	7.8	55.9	6.6	16.8	2.6	2.1	4.1	4.0	5.0	5.0	9.0	16.5	42.6	91.8	71
30.0	2.8	3.9	4.0	6.8	6.1	6.5	15.8	24.7	63.2	127.3	11.6	90.8	8.3	27.1	1.9	3.0	3.1	6.1	6.6	9.0	10.8	31.4	62.4	156.2	72
43.5	2.9	2.2	2.9	5.0	5.8	8.6	13.7	27.3	62.1	118.5	10.8	130.5	9.6	34.1	3.1	1.8	2.1	3.8	4.9	5.1	10.1	21.7	43.5	132.3	73

[2] Includes Connecticut, the District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.

STANDARDIZED OR CORRECTED DEATH RATES AT ALL AGES AND SPECIFIC DEATH RATES IN 11 AGE GROUPS, MAIN SUBDIVISIONS, AND THE REGISTRATION STATES, FOR THE YEAR

[Data for foreign countries chiefly from annual report of the Registrar-General of England and Wales, 1910;

	AREA AND YEAR OR PERIOD OF YEARS.[1]	DEATH RATE PER 1,000 POPULATION.[2] Both sexes.											
		All ages.[3]	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 years and over.
1	Russia (European) (1896–1898)	28.61	134.50	12.74	5.42	5.82	7.59	8.48	11.13	17.21	32.40	66.06	116.65
2	Spain (1900–1902)	26.53	104.14	8.60	4.31	7.13	9.35	9.23	11.16	15.93	32.45	78.33	210.71
3	Hungary (1899–1901)	24.87	91.96	11.26	5.57	6.87	8.99	8.70	11.07	16.83	34.04	72.52	170.58
4	Austria (1899–1901)	23.12	86.71	7.15	3.92	5.23	7.46	8.26	10.85	16.75	32.76	72.46	167.84
5	Bulgaria (1899–1901)	20.92	76.87	12.53	6.26	7.12	10.59	10.12	11.57	15.13	23.12	42.43	89.65
6	Italy (1900–1902)	20.23	74.84	6.25	3.45	5.05	6.82	7.26	8.65	12.38	25.51	65.55	179.50
7	Prussia (1899–1901)	19.70	73.95	5.00	2.81	3.95	5.24	6.18	9.23	14.91	29.01	65.41	159.56
8	Germany (1901)	19.52	74.19	4.52	2.67	3.89	5.21	6.29	9.15	14.57	28.53	63.71	157.79
9	Finland (1899–1901)	19.12	63.77	11.05	5.58	5.69	7.09	7.36	9.02	12.47	24.54	59.73	146.11
10	Scotland (1900–1902)	17.61	48.04	4.56	3.02	4.66	5.86	7.39	10.83	17.44	33.84	64.96	148.98
11	France (1900–1902)	17.50	47.64	4.75	3.28	5.18	7.48	7.97	10.31	15.07	27.80	63.79	172.35
12	England and Wales (1900–1902)	17.16	53.52	4.11	2.34	3.35	4.33	5.89	9.86	16.38	30.89	64.01	149.58
13	Switzerland (1899–1901)	16.86	46.07	3.84	2.55	4.17	5.68	6.60	9.41	15.67	31.09	69.74	160.56
14	Belgium (1899–1901)	16.78	54.77	4.08	2.34	3.90	5.56	6.20	8.45	13.76	26.28	60.39	155.34
15	Ireland (1900–1902)	16.59	37.22	4.35	3.38	5.41	6.91	8.77	10.72	15.29	29.59	65.09	168.58
16	Western Australia (1900–1902)	15.83	48.03	2.24	2.05	3.53	6.78	7.30	10.39	15.49	28.40	57.41	154.90
17	Netherlands (1898–1900)	15.40	51.24	3.59	2.39	3.84	5.11	5.79	7.71	11.58	23.48	55.68	140.58
18	Sweden (1899–1901)	13.88	37.48	5.68	3.87	5.10	6.49	6.72	7.88	11.02	19.47	45.53	129.97
19	Denmark (1900–1902)	13.63	38.31	3.69	2.89	3.89	4.93	5.53	7.59	11.76	21.62	50.68	140.52
20	Queensland (1900–1902)	13.29	29.92	2.09	1.96	3.96	6.38	7.66	9.93	14.54	26.20	56.98	126.21
21	New South Wales (1900–1902)	13.10	32.52	2.10	1.87	2.99	4.30	5.57	8.33	12.94	24.63	55.09	144.48
22	Victoria (1900–1902)	13.08	31.66	2.68	2.02	3.03	4.49	6.15	8.61	13.53	25.81	54.20	133.69
23	South Australia (1900–1902)	11.73	29.68	2.42	1.74	3.18	4.17	5.27	7.48	10.77	21.10	48.96	120.22
24	Tasmania (1900–1902)	11.44	24.41	1.98	1.99	3.32	4.41	4.53	7.49	10.28	20.90	52.09	148.37
25	New Zealand (1900–1902)	10.80	23.25	2.13	1.76	2.94	3.81	4.65	6.73	11.16	20.83	48.47	131.44
	United States (1900):												
26	The registration area	18.05	51.86	5.08	3.25	5.19	7.36	8.74	11.21	16.58	29.58	60.22	146.82
27	Registration states	17.04	50.02	4.66	2.99	4.85	6.84	8.23	10.32	15.03	27.35	56.61	142.61
28	Connecticut	17.37	52.76	4.53	2.92	4.91	6.34	7.62	9.68	15.35	29.12	57.79	148.46
29	District of Columbia	24.36	80.73	6.48	5.23	8.09	9.99	10.55	12.70	20.21	37.55	77.20	167.08
30	Indiana	14.37	37.18	4.20	3.03	5.43	7.34	7.34	8.23	11.49	21.83	51.34	139.09
31	Maine	14.85	44.07	4.06	2.91	5.60	7.04	7.00	8.30	10.73	21.89	48.22	135.13
32	Massachusetts	18.13	57.55	5.20	2.97	4.83	6.51	7.74	10.15	15.44	29.29	59.89	145.70
33	Michigan	13.90	38.27	3.68	2.79	4.61	6.24	7.02	7.61	10.92	20.94	49.58	136.64
34	New Hampshire	16.31	52.20	4.61	3.61	4.68	6.74	7.11	8.54	12.24	24.09	53.48	137.56
35	New Jersey	18.20	54.76	4.85	3.09	4.58	6.55	8.53	10.94	15.97	30.31	61.53	149.05
36	New York	18.26	53.30	4.98	2.94	4.54	6.96	9.15	11.96	17.57	30.21	59.12	142.77
37	Rhode Island	20.87	68.83	5.75	3.07	5.46	7.67	8.42	11.40	18.34	32.72	68.33	160.41
38	Vermont	13.80	36.01	3.19	2.61	5.11	6.03	6.90	8.97	10.86	22.74	47.57	137.42
39	Cities in registration states	20.14	60.66	5.43	3.13	5.02	7.20	9.19	12.37	18.94	34.45	68.22	155.04
40	Rural part of registration states	13.79	37.12	3.79	2.84	4.68	6.35	6.84	7.72	10.97	21.36	48.85	135.96
41	Registration cities in other states	20.14	55.33	5.83	3.73	5.80	8.25	9.58	12.77	19.69	34.80	69.82	160.61
42	All registration cities	20.15	58.04	5.63	3.44	5.42	7.73	9.39	12.57	19.31	34.62	69.00	157.60

[1] Foreign countries arranged in the order of their standardized or corrected death rates for persons of both sexes.

[2] The rates for foreign countries are based on the mean of the deaths registered for a period of three years (specified for each country in the stub) of which the median year is that of the latest available census and the population as enumerated at that census; the rates for the United States are based on the number of deaths returned for the calendar year 1900 and the population enumerated June 1, 1900.

BY SEX, FOR CERTAIN FOREIGN COUNTRIES AND FOR THE REGISTRATION AREA OF THE UNITED STATES, ITS 1900 OR NEAREST YEAR FOR WHICH DATA ARE AVAILABLE.

rates for the United States and specific rates for foreign countries (both sexes) added by the Bureau of the Census.]

DEATH RATE PER 1,000 POPULATION[2]—continued.

Males.												Females.												
All ages.[3]	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 years and over.	All ages.[3]	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 34 years.	35 to 44 years.	45 to 54 years.	55 to 64 years.	65 to 74 years.	75 years and over.	
29.80	144.25	12.88	5.37	5.59	7.45	8.14	11.18	18.44	32.31	65.66	116.59	27.49	125.05	12.61	5.48	6.04	7.74	8.81	11.10	16.07	32.54	66.52	116.88	1
27.37	109.85	8.49	4.03	6.93	10.07	9.07	11.76	18.04	35.07	80.43	210.22	25.74	98.29	8.70	4.60	7.31	8.70	9.38	10.60	13.99	30.02	76.36	211.06	2
24.96	98.40	11.13	4.90	5.98	8.55	7.61	10.78	17.80	34.00	70.69	169.05	24.79	85.54	11.40	6.25	7.73	9.42	9.75	11.36	15.86	34.11	74.36	172.10	3
23.86	93.95	6.88	3.52	4.89	7.47	7.85	11.10	18.68	34.54	72.53	170.53	22.42	79.59	7.43	4.33	5.57	7.46	8.66	10.62	14.96	31.18	72.51	165.83	4
20.89	80.45	12.74	5.94	6.67	10.15	8.67	10.55	16.06	23.87	41.35	85.58	20.96	73.19	12.31	6.60	7.58	11.04	11.53	12.61	14.18	22.12	43.75	93.80	5
20.09	76.86	5.98	3.15	4.68	6.73	6.73	8.44	13.59	26.99	65.56	177.30	20.36	72.93	6.55	3.76	5.43	6.92	7.77	8.87	11.24	24.13	65.72	182.17	6
21.03	79.84	4.94	2.69	4.19	5.74	6.13	10.38	18.32	33.28	69.47	164.11	18.45	68.08	5.06	2.94	3.71	4.76	6.23	8.11	11.79	25.37	62.16	156.19	7
20.78	80.33	4.47	2.59	4.06	5.57	6.16	10.10	17.69	32.49	67.56	161.97	18.34	68.07	4.58	2.75	3.72	4.86	6.43	8.24	11.73	25,13	60.60	154.67	8
19.98	68.02	11.18	5.24	5.45	7.48	7.34	9.27	14.30	27.96	64.28	152.00	18.32	59.44	10.97	5.93	5.95	6.69	7.37	8.78	10.74	21.54	56.07	141.87	9
18.56	52.13	4.34	2.82	4.64	6.14	7.55	11.68	19.50	37.95	71.61	159.22	16.73	43.91	4.77	3.23	4.69	5.59	7.25	10.04	15.56	30.47	60.17	142.78	10
18.56	51.74	4.69	3.00	5.08	8.10	8.19	11.56	17.54	31.50	69.50	183.78	16.51	43.55	4.81	3.55	5.27	6.88	7.75	9.08	12.72	24.35	58.81	163.58	11
18.37	58.29	4.06	2.28	3.49	4.77	6.38	10.94	18.67	34.80	70.25	158.18	16.04	48.76	4.16	2.40	3.21	3.94	5.44	8.84	14.26	27.45	59.03	143.48	12
17.57	50.62	3.80	2.39	3.90	5.75	6.58	10.40	18.83	34.30	70.79	160.83	16.20	41.50	3.87	2.71	4.45	5.62	6.61	8.46	12.80	28.32	68.85	160.35	13
17.80	59.39	4.02	2.19	3.72	5.64	6.17	9.14	16.37	30.11	66.52	162.40	15.82	50.11	4.14	2.49	4.08	5.49	6.24	7.76	11.25	22.70	54.98	149.89	14
16.25	39.36	3.90	2.86	4.83	7.19	8.96	10.62	15.63	29.52	63.07	169.19	16.90	35.01	4.82	3.92	5.99	6.65	8.58	10.81	14.98	29.65	67.15	168.01	15
17.80	53.81	2.47	2.00	3.66	7.24	7.54	10.93	17.82	32.03	65.07	169.16	14.00	42.38	2.03	2.05	3.42	6.18	6.88	9.29	10.44	21.56	41.18	126.17	16
16.03	55.43	3.59	2.28	3.96	5.82	5.70	7.60	12.92	25.40	59.15	142.15	14.81	47.01	3.59	2.52	3.71	4.42	5.86	7.82	10.29	21.69	52.22	139.31	17
14.45	40.30	5.62	3.52	4.96	6.93	6.91	8.28	12.42	21.95	48.98	134.95	13.36	34.58	5.75	4.21	5.24	6.00	6.52	7.51	9.78	17.35	42.71	126.30	18
14.41	42.13	3.67	2.52	3.55	5.34	5.52	8.10	13.54	24.71	55.43	148.53	12.90	34.21	3.69	3.25	4.21	4.52	5.53	7.09	10.05	18.74	46.36	133.97	19
14.88	31.84	2.21	2.11	5.24	8.55	8.95	10.83	16.49	29.31	61.97	132.06	11.80	27.69	1.92	1.76	2.55	3.75	5.83	8.32	10.98	20.60	47.81	117.25	20
13.79	34.23	2.18	2.02	3.46	4.76	5.62	8.36	14.71	27.86	60.82	151.02	12.44	30.58	2.01	1.69	2.51	3.84	5.48	7.58	10.43	20.15	46.49	135.63	21
13.99	34.01	2.69	2.10	3.11	4.90	6.27	8.82	15.38	29.88	61.58	141.57	12.22	29.06	2.63	1.92	2.92	4.10	6.00	8.33	11.46	21.50	44.64	122.82	22
12.33	32.18	2.81	1.85	2.90	4.21	5.24	7.61	11.96	24.76	54.71	122.31	11.16	27.25	2.03	1.62	3.47	4.16	5.30	7.35	9.34	17.03	43.33	118.06	23
11.55	26.50	1.71	2.34	2.66	4.11	4.23	7.36	11.27	23.32	52.52	156.07	11.33	22.13	2.30	1.62	3.97	4.78	4.86	7.74	9.13	18.28	51.52	136.03	24
11.12	25.02	2.35	1.72	2.89	3.90	4.55	6.88	11.94	22.04	51.34	137.86	10.51	21.36	1.93	1.80	2.97	3.74	4.74	6.56	10.11	18.95	43.48	122.87	25
18.91	56.26	5.18	3.29	5.28	7.74	9.05	12.05	18.15	31.95	64.27	151.44	17.16	47.39	4.98	3.21	5.11	7.02	8.42	10.31	14.92	27.26	56.44	142.87	26
17.60	54.19	4.70	2.91	4.87	7.01	8.29	10.83	15.80	28.89	59.61	146.12	16.47	45.78	4.62	3.06	4.84	6.68	8.18	9.79	14.23	25.84	53.77	139.50	27
18.08	57.59	4.30	2.74	4.69	6.48	7.93	10.42	16.26	31.54	59.80	156.52	16.65	47.90	4.76	3.10	5.12	6.21	7.28	8.89	14.43	26.95	56.02	142.23	28
26.12	86.18	5.80	4.19	8.26	11.31	11.71	13.87	23.67	42.36	88.95	185.19	22.64	75.28	7.15	6.19	7.95	8.96	9.56	11.62	17.09	32.57	66.26	154.64	29
14.15	39.74	4.17	2.87	4.67	6.72	6.43	7.67	11.67	22.59	54.36	141.02	14.55	34.53	4.24	3.19	6.20	7.96	8.29	8.83	11.28	21.00	48.12	137.09	30
14.69	47.26	4.03	2.46	5.39	6.49	6.24	7.43	9.96	22.36	50.82	140.49	15.00	40.86	4.10	3.42	5.82	7.56	7.77	9.20	11.56	21.41	45.51	130.33	31
19.00	63.18	5.27	2.85	5.20	7.09	7.80	10.46	16.26	31.28	64.14	150.35	17.30	51.84	5.13	3.08	4.48	6.02	7.68	9.86	14.67	27.55	56.46	142.27	32
13.98	41.72	3.79	2.83	4.70	6.06	6.23	7.20	10.84	22.04	51.50	139.15	13.80	34.73	3.56	2.74	4.53	6.42	7.85	8.07	11.01	19.71	47.40	133.77	33
16.38	57.24	4.64	3.60	3.55	6.75	6.35	7.64	11.58	24.97	57.00	137.06	16.26	47.16	4.58	3.68	5.78	6.74	7.89	9.48	12.93	23.21	50.16	138.00	34
19.34	59.71	4.99	3.07	5.13	7.23	8.94	11.93	17.54	33.68	65.95	157.49	17.03	49.75	4.71	3.11	4.08	5.91	8.12	9.85	14.33	27.04	57.51	142.14	35
19.11	57.37	5.06	2.90	4.71	7.38	9.79	13.24	19.04	31.92	62.18	146.36	17.39	49.17	4.90	2.98	4.39	6.59	8.51	10.59	16.07	28.58	56.31	139.63	36
21.57	75.33	5.87	3.34	5.57	7.23	8.47	12.17	18.62	35.26	69.85	153.51	20.19	62.32	5.57	2.80	5.30	8.11	8.38	10.64	18.06	30.42	67.05	165.56	37
13.71	41.22	3.04	2.66	4.62	5.39	5.18	8.07	10.20	22.75	52.65	139.51	13.90	30.79	3.29	2.49	5.69	6.75	8.72	9.87	11.52	22.73	42.43	135.67	38
21.32	65.95	5.52	3.12	5.31	7.80	9.75	13.47	20.80	37.57	73.65	160.90	18.99	55.31	5.34	3.14	4.75	6.68	8.64	11.22	17.09	31.58	63.82	150.85	39
13.77	40.02	3.79	2.69	4.42	6.04	6.25	7.53	10.85	22.02	51.46	138.40	13.77	34.15	3.80	2.99	4.94	6.67	7.48	7.93	11.10	20.69	46.19	132.29	40
21.62	60.17	6.04	4.00	6.04	8.98	10.31	14.10	22.78	39.10	77.14	170.32	18.61	50.42	5.62	3.46	5.59	7.60	8.82	11.25	16.34	30.59	63.34	153.20	41
21.48	63.11	5.79	3.58	5.68	8.41	10.04	13.79	21.80	38.32	75.38	165.39	18.81	52.91	5.48	3.31	5.18	7.14	8.73	11.24	16.73	31.11	63.59	151.91	42

[3] The standardized or corrected death rate is the death rate at all ages that would have resulted from the rates for the various age groups if the sex and age constitution of the population of the given area had been identical with that of England and Wales, as enumerated at the census of 1901.

It will be observed that in the table on pages 18 and 19 the rates for the total population are standardized or "corrected" rates instead of general or crude death rates. The following table, based upon that in the report of the Registrar-General for 1910, presents standardized or corrected rates for various foreign countries and for the registration area, its main subdivisions, and the registration states of the United States for 1900.

AREA AND YEAR OR PERIOD OF YEARS.[1]	DEATH RATE PER 1,000 POPULATION.						Ratio corrected death rate (both sexes) of specified area bears to that of England and Wales taken as 1000.	Mean age[3] of population (both sexes).
	Both sexes.		Males.		Females.			
	Corrected rate.[2]	Crude rate.	Corrected rate.[2]	Crude rate.	Corrected rate.[2]	Crude rate.		
Russia (European) (1896–1898)	28.61	32.80	29.80	34.59	27.49	31.09	1667	25.50
Spain (1900–1902)	26.53	27.63	27.37	28.97	25.74	26.36	1546	28.48
Hungary (1899–1901)	24.87	26.34	24.96	26.87	24.79	25.81	1449	26.98
Austria (1899–1901)	23.12	24.83	23.86	25.80	22.42	23.90	1347	27.50
Bulgaria (1899–1901)	20.92	23.26	20.89	23.47	20.96	23.03	1219	25.72
Italy (1900–1902)	20.23	22.72	20.09	23.13	20.36	22.31	1179	28.53
Prussia (1899–1901)	19.70	21.08	21.03	22.42	18.45	19.77	1148	26.84
Germany (1901)	19.52	20.84	20.78	22.10	18.34	19.61	1138	27.14
Finland (1899–1901)	19.12	20.54	19.98	21.26	18.32	19.84	1114	27.58
Scotland (1900–1902)	17.61	17.91	18.56	18.50	16.73	17.36	1026	27.20
France (1900–1902)	17.50	20.80	18.56	21.95	16.51	19.69	1020	32.28
England and Wales (1900–1902)	17.16	17.16	18.37	18.37	16.04	16.04	1000	27.50
Switzerland (1899–1901)	16.86	18.22	17.57	18.99	16.20	17.48	983	28.90
Belgium (1899–1901)	16.78	18.53	17.80	19.55	15.82	17.52	978	28.69
Ireland (1900–1902)	16.59	18.27	16.25	18.31	16.90	18.23	967	29.22
Western Australia (1900–1902)	15.83	13.72	17.80	14.68	14.00	12.21	922	26.42
Netherlands (1898–1900)	15.40	17.32	16.03	18.06	14.81	16.60	897	27.74
Sweden (1899–1901)	13.88	16.78	14.45	17.24	13.36	16.35	809	29.83
Denmark (1900–1902)	13.63	15.80	14.41	16.66	12.90	14.98	794	28.38
Queensland (1900–1902)	13.29	11.89	14.88	13.61	11.80	9.74	774	25.08
New South Wales (1900–1902)	13.10	11.72	13.79	13.01	12.44	10.29	763	25.59
Victoria (1900–1902)	13.08	13.12	13.99	14.80	12.22	11.43	762	26.98
South Australia (1900–1902)	11.73	11.02	12.33	11.78	11.16	10.23	684	26.01
Tasmania (1900–1902)	11.44	10.88	11.55	11.59	11.33	10.11	667	25.29
New Zealand (1900–1902)	10.80	10.01	11.12	11.05	10.51	8.86	629	26.41
United States (1900):[4]								26.33
The registration area	18.05	17.55	18.91	18.57	17.16	16.53	1052	28.19
Registration states	17.04	17.19	17.60	17.93	16.47	16.46	993	28.66
Connecticut	17.37	18.02	18.08	18.59	16.65	17.44	1012	29.41
District of Columbia	24.36	22.25	26.12	24.63	22.64	20.11	1420	29.52
Indiana	14.37	14.19	14.15	14.34	14.55	14.04	837	27.51
Maine	14.85	17.11	14.69	17.11	15.00	17.11	865	31.25
Massachusetts	18.13	18.25	19.00	19.05	17.30	17.49	1057	29.24
Michigan	13.90	14.03	13.98	14.52	13.80	13.52	810	28.01
New Hampshire	16.31	18.55	16.38	18.41	16.26	18.68	950	31.52
New Jersey	18.20	17.75	19.34	19.01	17.03	16.49	1061	27.85
New York	18.26	18.21	19.11	19.28	17.39	17.15	1064	28.60
Rhode Island	20.87	20.45	21.57	21.06	20.19	19.87	1216	28.77
Vermont	13.80	16.56	13.71	16.56	13.90	16.56	804	31.25
Cities in registration states	20.14	18.93	21.32	20.17	18.99	17.74	1174	27.72
Rural part of registration states	13.79	15.20	13.77	15.45	13.77	14.93	804	29.74
Registration cities in other states	20.14	18.21	21.62	19.76	18.61	16.65	1174	27.31
All registration cities	20.15	18.57	21.48	19.96	18.81	17.20	1174	27.52

[1] Foreign countries arranged in the order of their standardized or corrected death rates for persons of both sexes.

[2] The standardized or corrected death rate is the death rate at all ages that would have resulted from the rates for the various age groups if the sex and age constitution of the population of the given area had been identical with that of England and Wales as enumerated at the census of 1901.

[3] In this computation persons whose age was not stated were excluded.

[4] Corrected rates for the United States added by the Bureau of the Census.

STANDARDIZED (OR CORRECTED) DEATH RATES.

In the English tables and in those of similar form for American areas presented in this report, the term "corrected rate," is employed to signify a rate in the computation of which allowance has been made for differences in age and sex constitution of the population. Specific death rates are exceedingly useful, but on account of their number and the complexity of the relations sometimes shown by them, it is difficult to obtain from them a general idea of the mortality of a given country, state, or city. Hence there has long been a demand for some statistical expression which, while not ignoring the dissimilarities of the constitution of different populations, might reduce them to a common denominator as it were and thus render comparisons readily possible.

In obtaining "corrected" death rates the usual method is to select a standard population, definitely distributed into certain groups with respect to age, or age and sex; the specific death rates of any area as computed for the same groups are then applied to corresponding subdivisions of the standard population, the result being the number of deaths which would have occurred in each group of the standard population had its death rate been the same as that of the same group of the given area. The summation of the deaths that would have occurred in all the groups of the standard population gives the total number of deaths in the standard population corresponding to the observed specific death rates in the given area, and the division of this total by the standard population yields the corrected death rate.

The term "corrected death rate" might be understood to imply that the crude rate was incorrect and that allowance had been made for defects in the returns. A better designation would be *standardized death rate*, signifying a rate based upon a standard population. The standardized or corrected rate based upon the population of Sweden in 1890, recommended by the International Statistical Institute in 1895, is known as the "index of mortality." The population of Sweden for 1890 was divided into only five groups, without distinction of sex, as follows: Under 1 year (25.5 per 1,000), 1 to 19 years (398), 20 to 39 years (269.6), 40 to 59 years (192.3), and 60 years and over (114.6). The eleven age groups, by sex, as used for many years in the English reports, afford greater precision; moreover, the frequently unreliable rate for infants under 1 year and the objectionable divisions upon years ending with a cipher—years upon which population and deaths are prone unduly to concentrate—render the English grouping preferable, at least for this preliminary study designed to bring the advisability of standardized rates for this country into serious consideration.

An additional advantage in the use of the English basis for corrected or standardized rates is the fact, as shown in the preceding table computed on this basis, that the rate for the registration area in 1900, and more particularly for the group of registration states, shows little change in passing from the crude to the

corrected form. The crude rate of the group of registration states in 1900 (17.19) was practically identical with the rate of England and Wales (17.16), the population of which in 1901 is the standard population upon which all these corrections are based. The corrected rate shows only a slight reduction (17.04), while the crude rate for the registration states in 1911 (13.9) would be reduced to a corrected rate of 13.7 on the English standard or raised to 14.1 if compared with the constitution of the registration states in 1900. It is not so important what standard population shall be used as that some standard shall be adopted for all countries publishing mortality statistics, since, otherwise, corrected rates would be as incomparable as crude rates. The chief objection to the general use of the English standard population is that heretofore it has been the practice of the Registrar-General to use the proportions of population shown by the latest census, which necessitated the revision of the corrected rates every 10 years. With the discontinuance of this plan and the adoption of the standard million of 1901 as the permanent basis of standardized or corrected rates, as now contemplated by him, it may be deemed advisable to adjust American rates so that they will be comparable with the statistics for England and the other countries prepared by the Registrar-General, whose recent adoption of the International List of Causes of Death has been of great service in promoting the uniformity of mortality statistics throughout the world.

It will therefore be of special interest to examine the corrected and crude death rates of the registration states and great cities of the United States as obtained by the application to the standard population of their specific death rates, by sex, according to the age groups shown in the table on pages 16 to 17.

[States or cities in which 10 per cent or more of the inhabitants in 1910 were colored are indicated by asterisks (*).]

AREA.	DEATH RATE PER 1,000 POPULATION: 1911						PER CENT CORRECTED [1] DEATH RATE REPRESENTS OF CRUDE DEATH RATE.		
	Both sexes.		Males.		Females.				
	Corrected [1] rate.	Crude rate.	Corrected [1] rate.	Crude rate.	Corrected [1] rate.	Crude rate.	Both sexes.	Males.	Females.
REGISTRATION STATES [2]	13.7	13.9	14.4	14.7	13.1	13.0	99	98	101
California	12.8	13.7	13.9	15.2	11.8	11.7	93	91	101
Colorado	13.6	12.9	14.9	14.5	12.4	11.0	105	103	113
Connecticut	14.8	15.4	15.7	16.2	14.0	14.6	96	97	96
Indiana	12.3	12.9	12.4	13.4	12.2	12.4	95	93	98
Kentucky*	13.4	13.2	13.1	13.3	13.6	13.0	102	98	105
Maine	13.0	16.1	13.3	16.6	12.6	15.5	81	80	81
Maryland*	15.9	15.8	16.6	16.8	15.2	14.9	101	99	102
Massachusetts	15.0	15.3	16.0	16.2	14.1	14.5	98	99	97
Michigan	12.4	13.2	12.9	14.0	12.0	12.4	94	92	97
Minnesota	10.8	10.5	11.3	11.2	10.2	9.6	103	101	106
Missouri	13.1	13.1	13.5	13.9	12.7	12.2	100	97	104
Montana	11.6	10.2	12.5	11.1	10.8	8.9	114	113	121
New Hampshire	14.2	17.1	14.7	17.6	13.8	16.6	83	84	83
New Jersey	15.1	14.7	16.1	15.6	14.3	13.7	103	103	104
New York	15.7	15.5	16.7	16.6	14.8	14.4	101	101	103
Ohio	12.4	13.1	12.9	13.7	12.0	12.4	95	94	97
Pennsylvania	14.4	14.2	15.3	15.0	13.6	13.3	101	102	102
Rhode Island	15.7	15.5	16.8	16.4	14.8	14.7	101	102	101
Utah	11.0	10.3	11.7	11.1	10.3	9.4	107	105	110
Vermont	12.6	15.8	12.7	16.2	12.5	15.5	80	78	81
Washington	9.8	8.9	10.1	9.3	9.6	8.3	110	109	116
Wisconsin	11.0	11.5	11.6	12.3	10.5	10.5	96	94	100
States included in registration area in 1900 [2]	14.6	14.9	15.3	15.8	13.9	14.0	98	97	99
CITIES OF 100,000 POPULATION OR OVER IN 1910.									
Birmingham, Ala.*	21.3	18.2	21.6	18.9	20.9	17.5	117	114	119
Los Angeles, Cal	14.3	14.5	16.0	16.7	12.7	12.3	99	96	103
Oakland, Cal	12.5	12.7	13.0	13.3	12.0	11.9	98	98	101
San Francisco, Cal	15.9	15.2	17.7	16.8	14.2	13.2	105	105	108
Denver, Colo	16.5	15.5	18.8	18.1	14.4	12.9	106	104	112
Bridgeport, Conn	15.4	13.9	16.2	14.4	14.7	13.3	111	113	111
New Haven, Conn	17.1	16.7	17.6	17.2	16.6	16.2	102	102	102
Washington, D. C.*	18.9	18.7	20.8	21.2	17.2	16.4	101	98	105
Atlanta, Ga.*	22.0	19.8	22.1	19.8	22.0	19.7	111	112	112
Chicago, Ill	16.4	14.5	18.4	16.4	14.5	12.5	113	112	116
Indianapolis, Ind	15.3	14.7	16.4	16.0	14.2	13.4	104	103	106
Louisville, Ky.*	17.0	16.1	18.8	18.0	15.3	14.3	106	104	107
New Orleans, La.*	21.8	20.4	24.6	23.1	19.1	17.9	107	106	107
Baltimore, Md.*	19.4	18.4	21.1	20.3	17.7	16.7	105	104	106
Boston, Mass	17.9	17.1	19.4	18.4	16.5	15.8	105	105	104
Cambridge, Mass	15.4	15.2	16.5	15.9	14.5	14.5	101	104	100
Fall River, Mass	18.4	17.4	19.4	18.6	17.5	16.3	106	104	107
Lowell, Mass	18.8	17.7	20.0	18.6	17.6	16.7	106	108	105
Worcester, Mass	16.2	15.7	17.5	16.8	14.9	14.6	103	104	102
Detroit, Mich	16.0	14.4	17.1	15.2	14.9	13.6	111	113	110
Grand Rapids, Mich	13.7	13.6	14.4	14.6	13.0	12.7	101	99	102
Minneapolis, Minn	12.9	11.5	13.9	12.3	12.0	10.6	112	113	113
St. Paul, Minn	12.9	10.9	14.0	11.9	11.8	9.7	118	118	122
Kansas City, Mo	16.9	15.4	18.0	16.8	15.9	13.9	110	107	114
St. Louis, Mo	16.8	15.4	18.9	17.5	14.8	13.2	109	108	112
Omaha, Nebr	15.8	14.3	17.8	16.2	13.9	12.2	110	110	114
Jersey City, N. J	17.6	15.8	19.1	17.3	16.2	14.3	111	110	113
Newark, N. J	16.2	14.8	17.9	16.4	14.7	13.3	109	109	111
Paterson, N. J	15.9	14.6	17.2	16.0	14.6	13.3	109	108	110
Albany, N. Y	19.7	20.4	21.6	22.5	18.0	18.5	97	96	97
Buffalo, N. Y	15.8	14.5	17.3	15.9	14.4	13.0	109	109	111
New York, N. Y	17.2	15.2	18.5	16.6	16.0	13.8	113	111	116
Rochester, N. Y	15.1	14.4	16.2	15.2	14.0	13.6	105	107	103
Syracuse, N. Y	14.9	14.3	16.2	15.1	13.7	13.4	104	107	102
Cincinnati, Ohio	16.9	16.5	19.5	19.2	14.4	13.9	102	102	104
Cleveland, Ohio	15.3	13.8	16.8	15.0	14.0	12.6	111	112	111
Columbus, Ohio	15.2	14.3	16.1	15.0	14.3	13.6	106	107	105
Dayton, Ohio	14.0	13.7	14.7	14.4	13.4	13.0	102	102	103
Toledo, Ohio	15.6	14.9	17.2	16.8	14.0	13.0	105	102	108
Portland, Oreg	12.6	10.9	13.5	11.5	11.7	10.0	116	117	117
Philadelphia, Pa	17.4	16.6	18.7	17.9	16.1	15.4	105	104	105
Pittsburgh, Pa	16.9	14.9	18.3	16.3	15.5	13.5	113	112	115
Scranton, Pa	16.7	14.8	18.5	16.7	15.1	12.9	113	111	117
Providence, R. I	16.2	15.6	17.7	16.8	14.8	14.4	104	105	103
Memphis, Tenn.*	23.4	21.3	25.1	23.2	21.9	19.4	110	108	113
Nashville, Tenn.*	22.1	20.5	22.7	21.6	21.6	19.6	108	105	110
Richmond, Va.*	23.2	21.0	25.4	22.9	21.2	19.3	110	111	110
Seattle, Wash	10.4	8.8	11.6	9.6	9.3	7.8	118	121	119
Spokane, Wash	13.7	11.6	13.3	11.5	14.1	11.6	118	116	122
Milwaukee, Wis	13.3	11.9	14.5	13.1	12.1	10.8	112	111	112

[1] Corrected on basis of standard million of England and Wales, 1901.
[2] Includes District of Columbia, but excludes North Carolina.

[1] Corrected on basis of standard million of England and Wales, 1901.
[2] Includes Connecticut, the District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.

The actual amount of difference between the standardized and the crude rate is not of special importance. For states or cities with populations more favorably constituted than the standard population, the corrected rates are higher than the crude rates. For states or cities less favorably constituted, the corrected rates are lower than the crude rates. There is thus a tendency to equalization of rates.

For the group of registration states, 1911, the difference between the crude rate (13.9) and the corrected rate (13.7) is slight. That the low crude death rates of California, Indiana, Michigan, Ohio, and Wis-

consin are not due to unusually favorable age and sex distribution of population is evident from the fact that their standardized rates are even lower. In other states, namely, Colorado, Kentucky, Minnesota, Montana, Utah, and Washington, low crude rates are only slightly raised by correction for age and sex distribution; and yet the specific death rates for Washington, even if no allowance be made for possibly incomplete registration, differ little from those of New Zealand (1900 to 1902) over 10 years ago, before the period of phenomenally low death rates began. Not a death rate in the table, except those for a few cities with large colored populations, would have been regarded as even remotely credible by vital statisticians a quarter of a century ago, and the highest rates shown are only about the average rates at that time.

For states like Maine, New Hampshire, and Vermont, in which are unusually large proportions of persons at the more advanced ages, the corrected rates are far more representative of the true sanitary conditions, as compared with those of other states, than the crude rates. Cities have usually a large proportion of population at the more favorable ages, hence nearly all cities show standardized rates higher than the crude rates. The only exceptions in the list are the cities of Los Angeles, Oakland, and Albany, in which the population is less favorably constituted than the standard.

The following table shows the changes in mortality that have occurred in the 11 years from 1900 to 1911 in the group of registration states as constituted in 1900. This area embraced about one-fourth of the total population of the United States in 1911 and hence the results are of much significance as showing the general tendency of mortality for the country as a whole.

AGE GROUP.	DEATH RATE[1] PER 1,000 POPULATION FOR STATES INCLUDED IN REGISTRATION AREA IN 1900.[2]						PER CENT DEATH RATE IN 1911 REPRESENTS OF THAT IN 1900.		
	1911			1900					
	Both sexes.	Males.	Females.	Both sexes.	Males.	Females.	Both sexes.	Males.	Females
All ages:									
Crude rate	14.9	15.8	14.0	17.2	17.9	16.5	87	88	85
Corrected rate[3]	14.6	15.3	13.9	17.0	17.6	16.5	86	87	84
Under 5 years	36.6	39.8	33.3	49.9	54.1	45.7	73	74	73
Under 1 year	125.5	138.6	112.1	161.9	173.4	145.0	78	78	77
1 to 4 years	12.8	13.3	12.2	19.8	20.4	19.1	65	65	64
5 to 9 years	3.2	3.4	3.1	4.7	4.7	4.6	68	72	67
10 to 14 years	2.2	2.4	2.1	3.0	2.9	3.1	73	83	68
15 to 19 years	3.5	3.7	3.3	4.8	4.9	4.8	73	76	69
20 to 24 years	5.0	5.3	4.7	6.8	7.0	6.7	74	76	70
25 to 34 years	6.3	6.7	6.0	8.2	8.3	8.2	77	81	73
35 to 44 years	9.4	10.4	8.3	10.3	10.8	9.8	91	96	85
45 to 54 years	14.5	16.1	12.9	15.0	15.8	14.2	97	102	91
55 to 64 years	28.4	30.9	26.0	27.3	28.8	25.8	104	107	101
65 to 74 years	58.3	61.6	55.1	56.5	59.5	53.7	103	104	103
75 years and over	143.0	147.4	139.2	142.4	145.9	139.3	100	101	100

[1] Exclusive of stillbirths.
[2] Group includes Connecticut, the District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.
[3] Based on the standard million of England and Wales, 1901.

In both 1900 and 1911 the population was slightly less favorable than the standard population with respect to age and sex constitution, hence the corrected rates are somewhat lower than the crude rates. The difference is so small, however, that the crude rates for this group, though not for the individual states composing it, may safely be used in comparing changes in mortality from 1900 to 1911. A comparison of the corrected rates for 1911 and 1900 for the group shows a decrease during the 11 years of 14 per cent for both sexes, 13 per cent for males, and 16 per cent for females. The relative female mortality (the percentage which the corrected death rate of females represented of the corrected death rate of males) declined from 94 in 1900 to 91 in 1911.

The specific death rates for both males and females of all age groups under 45 decreased between 1900 and 1911, the greatest relative decrease being that for females 1 to 4 years of age (35 per cent). The death rate of male infants under 1 year of age decreased 22 per cent and that of female infants under 1 year 23 per cent. For both sexes the greatest percentage of decrease was for the age group 1 to 4 years, the percentages of decrease being less for each succeeding group of ages until, for the age groups 55 to 64 years and 65 to 74 years, small percentages of increase are shown. The mortality above 75 years was practically the same in 1911 and 1900, although a slight increase (1 per cent) is shown for males.

Similar comparisons may be made of the changes in the specific death rates and of the relative male or female mortality in each of the states for which rates are available for the years 1900 and 1911. The following table shows the corrected death rates of these states, by sex, for 1900 and 1911.

AREA.	CORRECTED[1] DEATH RATE PER 1,000 POPULATION.						PER CENT DEATH RATE IN 1911 REPRESENTS OF THAT IN 1900.		
	1911			1900					
	Both sexes.	Males.	Females.	Both sexes.	Males.	Females.	Both sexes.	Males.	Females.
States included in registration area in 1900	14.6	15.3	13.9	17.0	17.6	16.5	86	87	84
Connecticut	14.8	15.7	14.0	17.4	18.1	16.7	85	87	84
District of Columbia	18.9	20.8	17.2	24.4	26.1	22.6	77	80	76
Indiana	12.3	12.4	12.2	14.4	14.2	14.6	85	87	84
Maine	13.0	13.3	12.6	14.9	14.7	15.0	87	90	84
Massachusetts	15.0	16.0	14.1	18.1	19.0	17.3	83	84	82
Michigan	12.4	12.9	12.0	13.9	14.0	13.8	89	92	87
New Hampshire	14.2	14.7	13.8	16.3	16.4	16.3	87	90	85
New Jersey	15.1	16.1	14.3	18.2	19.3	17.0	83	83	84
New York	15.7	16.7	14.8	18.3	19.1	17.4	86	87	85
Rhode Island	15.7	16.8	14.8	20.9	21.6	20.2	75	78	73
Vermont	12.6	12.7	12.5	13.8	13.7	13.9	91	93	90

[1] Corrected on basis of standard million of England and Wales, 1901.

STANDARDIZED DEATH RATES, BY COLOR AND NATIVITY.

A difficulty that does not enter into the treatment of European statistics affects the comparability of American death rates, namely, the differences in the

populations of states and cities with respect to color, nativity, and parent nativity. How such differences may affect the crude and corrected death rates for the aggregate population may be inferred from the following table:

SEX AND AGE GROUP.[1]	DEATH RATE[2] PER 1,000 POPULATION, REGISTRATION STATES: 1900					
	Total population.	Native white.			Foreign-born white.	Colored.
		Total.	Native parents.	One or both parents foreign born.		
Both sexes (all ages)	17.2	16.5	15.7	17.8	18.9	25.0
Under 5 years	49.9	49.1	42.8	55.8	40.2	106.4
5 to 9 years	4.7	4.5	4.2	4.9	5.7	8.9
10 to 14 years	3.0	2.9	2.9	2.9	2.9	9.0
15 to 19 years	4.8	4.7	4.7	4.8	4.5	11.4
20 to 24 years	6.8	6.8	6.2	7.7	6.2	11.6
25 to 34 years	8.2	8.2	6.4	10.7	7.9	12.2
35 to 44 years	10.3	9.6	7.7	12.8	11.4	15.0
45 to 54 years	15.0	12.7	11.6	16.2	18.6	24.5
55 to 64 years	27.3	22.6	22.0	27.0	34.4	42.5
65 to 74 years	56.5	50.4	49.6	60.8	66.4	69.5
75 years and over	142.4	138.5	136.1	175.8	151.1	143.3
Males (all ages)	17.9	17.3	16.0	19.4	19.2	25.6
Under 5 years	54.1	53.3	46.5	60.5	42.7	114.6
5 to 9 years	4.7	4.6	4.3	4.9	6.2	8.9
10 to 14 years	2.9	2.8	2.8	2.9	3.0	6.5
15 to 19 years	4.9	4.7	4.5	5.0	4.8	11.3
20 to 24 years	7.0	6.9	6.1	8.2	6.6	12.3
25 to 34 years	8.3	8.3	5.9	12.0	7.8	12.6
35 to 44 years	10.8	10.1	7.5	14.6	11.8	14.3
45 to 54 years	15.8	13.1	11.7	17.6	19.8	24.9
55 to 64 years	28.8	24.1	23.4	28.7	35.9	42.5
65 to 74 years	59.5	54.9	53.9	66.2	66.9	72.3
75 years and over	145.9	143.2	140.6	181.2	151.3	156.3
Females (all ages)	16.5	15.6	15.3	16.2	18.6	24.4
Under 5 years	45.7	44.9	39.1	51.1	37.8	98.5
5 to 9 years	4.6	4.5	4.2	4.8	5.3	8.8
10 to 14 years	3.1	2.9	3.0	2.9	2.8	11.3
15 to 19 years	4.8	4.8	4.9	4.6	4.2	11.4
20 to 24 years	6.7	6.8	6.3	7.3	5.9	11.1
25 to 34 years	8.2	8.1	7.0	9.6	8.0	11.8
35 to 44 years	9.8	9.0	7.7	11.1	11.0	15.7
45 to 54 years	14.2	12.2	11.4	14.9	17.3	24.1
55 to 64 years	25.8	21.3	20.6	25.2	32.8	42.4
65 to 74 years	53.7	46.3	45.5	55.7	66.0	66.9
75 years and over	139.3	134.5	132.2	171.0	151.0	134.3

[1] Population and deaths at unknown age not distributed.
[2] Exclusive of stillbirths.

Among the colored population, which is chiefly negro, higher death rates are shown for both sexes and for all age groups than among the white population, except in the case of females 75 years of age and over. The death rates of the foreign-born whites are in the majority of cases higher than those of the native whites born of either native or foreign parents, although important exceptions will be noted, some of which may be due to transfer of deaths from one class to another. The low death rate of foreign-born children under 5 years is almost certainly understated. On the basis of an assumed death rate of 85 per 1,000 for foreign-born males under 5 years of age and 75 for foreign-born females under that age—rates which are probably lower than those for the countries from which the immigration during the years 1896–1900 was chiefly derived—the corrected death rates would be as follows:

SEX.	DEATH RATE[1] PER 1,000 POPULATION, REGISTRATION STATES: 1900					
	Total population.	Native white.			Foreign-born white.	Colored.
		Total.	Native parents.	One or both parents foreign born.		
Both sexes:						
Crude rate	17.2	16.5	15.7	17.8	18.9	25.0
Corrected rate[2]	17.0	16.0	14.5	19.1	17.2 / [3] 21.7	29.1
Males:						
Crude rate	17.9	17.3	16.0	19.4	19.2	25.6
Corrected rate[2]	17.6	16.7	14.8	20.3	17.5 / [3] 22.4	29.9
Females:						
Crude rate	16.5	15.6	15.3	16.2	18.6	24.4
Corrected rate[2]	16.5	15.4	14.2	18.1	16.9 / [3] 21.0	28.3

[1] Exclusive of stillbirths.
[2] Based on standard million of England and Wales, 1901, for each element of the population.
[3] In computing this corrected death rate an assumed death rate of 85 per 1,000 for foreign-born males under 5 years of age and of 75 per 1,000 for foreign-born females under that age was used.

The differences between the death rates of the native white population of native and foreign parentage and the foreign-born white population should not be interpreted as essential racial differences, but rather as due to economic and other social causes. The same reasons may explain the higher death rate of the colored or negro population as compared with the white population. The death rate of the colored population of the registration area as a whole in 1911 (23.7 per 1,000), although much higher than that of the white population (13.7), is lower than the rates of the great majority of European countries up to the last quarter of the nineteenth century and could undoubtedly be reduced to a figure which would more closely approximate, if not equal, the death rate of the white population. Death rates based on total population (white and colored) afford evidence as to the gross effect of sanitary conditions on mortality. The death rate of the white population alone for an area containing a considerable proportion of colored population, is a selected rate, just as a death rate exclusive of the mortality of the foreign born would be, and hence can not be compared with rates based upon the total population.

It is of great importance from a sanitary point of view, however, to study the mortality of the negro population in detail, as contrasted with that of the white population. The following table shows the specific death rates of the whites and negroes, by sex, in three cities having large proportions of colored population.

CITY AND AGE GROUP.	DEATH RATE PER 1,000 POPULATION: 1911					
	White.			Negro.		
	Both sexes.	Males.	Females.	Both sexes.	Males.	Females.
WASHINGTON, D. C.						
All ages	15.5	17.8	13.4	26.6	30.3	23.5
Under 5 years	32.5	35.1	29.8	88.0	90.3	85.7
Under 1 year	119.3	136.2	102.7	310.8	327.1	294.4
1 to 4 years	9.7	9.3	10.1	32.3	29.5	35.0
5 to 9 years	2.6	2.2	3.0	6.1	6.2	6.1
10 to 14 years	2.2	2.9	1.5	6.0	6.9	5.1
15 to 19 years	2.9	2.9	2.9	9.9	10.5	9.4
20 to 24 years	5.9	6.3	5.5	12.7	13.7	12.0
25 to 34 years	5.8	7.1	4.6	15.0	19.1	11.7
35 to 44 years	9.6	12.5	6.9	22.6	27.9	18.0
45 to 54 years	14.7	18.3	11.2	32.3	37.8	27.9
55 to 64 years	30.1	35.8	25.2	57.1	60.6	54.3
65 to 74 years	67.1	81.4	53.9	90.7	113.8	72.0
75 years and over	161.0	174.7	150.0	173.3	180.2	168.9
NEW ORLEANS, LA.						
All ages	16.6	18.7	14.5	31.2	36.2	26.9
Under 5 years	37.8	40.9	34.6	75.1	81.1	69.3
Under 1 year	123.3	135.9	110.5	247.7	265.9	229.7
1 to 4 years	14.5	15.0	14.0	28.8	30.7	27.1
5 to 9 years	2.6	2.8	2.4	7.3	8.2	6.3
10 to 14 years	1.8	2.5	1.2	7.3	8.4	6.3
15 to 19 years	3.2	4.0	2.5	13.9	13.0	14.5
20 to 24 years	5.6	6.6	4.7	21.7	26.9	18.0
25 to 34 years	8.9	10.5	7.3	20.9	28.6	14.6
35 to 44 years	13.9	17.9	9.9	31.5	33.6	29.5
45 to 54 years	22.7	28.6	16.8	42.5	49.9	35.7
55 to 64 years	41.1	49.9	33.6	73.1	88.1	61.7
65 to 74 years	69.0	79.0	61.6	83.2	106.2	67.1
75 years and over	148.0	154.5	144.2	151.6	186.6	131.3
BALTIMORE, MD.						
All ages	16.2	17.9	14.6	30.9	34.3	27.6
Under 5 years	43.2	46.1	40.1	111.2	119.5	103.2
Under 1 year	159.3	167.5	150.8	386.4	408.4	363.6
1 to 4 years	14.9	16.6	13.1	41.1	42.6	39.6
5 to 9 years	3.3	3.7	2.8	8.8	9.4	8.2
10 to 14 years	2.1	2.7	1.6	7.4	7.9	7.0
15 to 19 years	3.4	3.3	3.5	12.8	12.5	13.1
20 to 24 years	4.7	5.3	4.1	14.8	17.7	12.6
25 to 34 years	7.3	8.7	6.0	18.7	21.5	16.3
35 to 44 years	9.8	11.7	8.0	24.6	26.2	23.1
45 to 54 years	18.1	22.0	14.4	37.1	39.6	34.7
55 to 64 years	32.6	38.5	27.3	60.9	65.2	57.1
65 to 74 years	70.1	79.7	62.6	87.8	109.2	70.5
75 years and over	160.6	175.4	151.2	168.5	183.0	160.7

The specific death rates of the negro population are higher than those of the white population for practically every age period. The net result is shown in the following table presenting corrected death rates, in which the differences of age and sex constitution between the white and negro population of these cities have been eliminated by the application of the specific rates to the standard population:

CITY AND COLOR.	DEATH RATE [1] PER 1,000 POPULATION: 1911					
	Corrected.[2]			Crude.		
	Both sexes.	Males.	Females.	Both sexes.	Males.	Females.
Washington, D. C.	18.9	20.8	17.2	18.7	21.2	16.4
White	14.6	16.4	13.0	15.5	17.8	13.4
Negro	30.5	33.3	27.9	26.6	30.3	23.5
New Orleans, La.	21.8	24.6	19.1	20.4	23.1	17.9
White	17.5	19.9	15.3	16.6	18.7	14.5
Negro	34.0	38.8	29.6	31.2	36.2	26.9
Baltimore, Md.	19.4	21.1	17.7	18.4	20.3	16.7
White	16.7	18.4	15.1	16.2	17.9	14.6
Negro	35.4	38.4	32.6	30.9	34.3	27.9

[1] Exclusive of stillbirths.
[2] The corrected death rates are the death rates at all ages that would have resulted from the rates prevailing at the various age groups if the sex and age constitution of the population in the several areas had been identical with that of the population of England and Wales as enumerated at the census of 1901.

For Washington the crude death rate of the white inhabitants fell from 15.5 to a corrected figure of 14.6, which indicates that the sex and age constitution of the white population of this city was somewhat less favorable with respect to the production of a low death rate than that of the standard population. The death rates of the negro population showed a much greater change in the reverse direction, the crude rate of 26.6 becoming a corrected rate of 30.5. For New Orleans and Baltimore the corrected death rates of the white population are slightly higher than the crude rates, but the corrected death rates of the colored population are markedly higher than the crude rates. It would seem that owing to the more favorable sex and age constitution of the colored population, the ordinary crude death rates of the colored, although high, do not fully express the large difference in the mortality of the white and colored.

INFANT AND CHILD MORTALITY.

The mortality of infants and children under 1 year of age, from 1 to 4 years, and for the total under 5 years of age may be studied in the table showing specific death rates for the registration states and large cities in 1911 (pp. 16–17). For the group of registration states as a whole the death rate of infants under 1 year of age per 1,000 infants under 1 year in the population was 112.9, or about eight times the death rate at all ages. The death rate of children from 1 to 4 years of age (11.8 per 1,000) was equal to about one-tenth of that of infants under 1 year. The death rate of children in the first 5 years of life (32.9) was about ten times that of children in the second 5 years (3.1), and was greater than that for any age group until we reach that of 65 to 74 years (55.2). These figures show the great preponderance of infant and child mortality and a study of the death rates of infants and children for individual areas will show where special efforts may be made to restrict the causes to which such deaths are chiefly due.

There has been a marked reduction in the infant death rate in recent years. The following table shows for the calendar year 1911 and the census year 1900[1] the death rates per 1,000 population under 1 year of age as computed for the states included in the registration area in 1900 and for cities of 100,000 population and over in 1910, with the percentage of decrease or increase. It will be noted that the death rate of infants under 1 year of age decreased nearly one-fifth (19 per cent) in the group of registration states during the period of 11½ years.

[1] Figures from report on Vital Statistics, Part I, Twelfth Census, p. lxxx.

AREA.	DEATH RATE[1] PER 1,000 POPULATION UNDER 1 YEAR OF AGE.		
	1911	Census year: 1900	Per cent of decrease, 1900 to 1911.[2]
States included in registration area in 1900[3]	129.5	159.3	19
Connecticut	130.9	156.8	17
Maine	110.9	144.1	23
Massachusetts	143.3	177.8	19
Michigan	111.4	121.3	8
New Hampshire	150.3	172.0	13
New Jersey	131.5	167.4	21
New York	128.8	159.8	19
Rhode Island	138.6	197.9	30
Vermont	102.0	122.1	16
CITIES OF 100,000 POPULATION OR OVER IN 1910.			
Birmingham, Ala	136.1	(4)	(5)
Los Angeles, Cal	100.1	175.1	43
Oakland, Cal	87.2	116.4	25
San Francisco, Cal	104.8	152.2	31
Denver, Colo	131.9	162.3	19
Bridgeport, Conn	138.4	172.2	20
New Haven, Conn	133.9	154.0	13
Washington, D. C	170.0	274.5	38
Atlanta, Ga	138.1	306.0	55
Chicago, Ill	123.3	146.6	16
Indianapolis, Ind	105.8	173.5	39
Louisville, Ky	115.5	173.5	33
New Orleans, La	152.6	229.2	33
Baltimore, Md	189.2	235.1	20
Boston, Mass	160.9	194.1	17
Cambridge, Mass	125.6	186.5	33
Fall River, Mass	239.5	304.7	21
Lowell, Mass	203.4	275.5	26
Worcester, Mass	136.0	164.7	17
Detroit, Mich	168.8	201.2	16
Grand Rapids, Mich	107.2	146.1	27
Minneapolis, Minn	106.4	102.0	+ 4
St. Paul, Minn	115.5	96.9	+19
Kansas City, Mo	145.7	186.8	22
St. Louis, Mo	123.8	162.4	24
Omaha, Nebr	103.3	151.9	32
Jersey City, N. J	143.4	196.4	27
Newark, N. J	122.3	182.0	33
Paterson, N. J	117.7	190.5	38
Albany, N. Y	162.9	199.6	18
Buffalo, N. Y	140.6	150.9	7
New York, N. Y	130.6	189.4	31
Rochester, N. Y	105.5	108.7	3
Syracuse, N. Y	146.9	132.5	+11
Cincinnati, Ohio	113.1	174.3	35
Cleveland, Ohio	123.7	185.5	33
Columbus, Ohio	121.8	141.3	14
Dayton, Ohio	118.3	124.6	5
Toledo, Ohio	119.3	157.4	24
Portland, Oreg	101.9	92.3	+10
Philadelphia, Pa	141.9	201.9	30
Pittsburgh, Pa	141.4	179.8	21
Scranton, Pa	112.4	170.9	34
Providence, R. I	137.5	214.9	36
Memphis, Tenn	152.6	247.1	38
Nashville, Tenn	158.3	228.9	31
Richmond, Va	197.6	300.7	34
Seattle, Wash	78.6	102.6	23
Spokane, Wash	97.8	136.1	28
Milwaukee, Wis	143.2	190.2	25

[1] Exclusive of stillbirths.
[2] A plus sign (+) denotes increase.
[3] Includes District of Columbia.
[4] Not admitted to registration area until a later date.
[5] Figures for deaths not available for both years.

The largest percentage of decrease in the death rate of infants under 1 year of age shown for any of the states compared was that for Rhode Island (30 per cent) and the smallest that for Michigan (8 per cent). In all the large cities included in that table, except Minneapolis, St. Paul, Syracuse, and Portland, the infant death rate was lower in 1911 than in the census year 1900. The largest relative decrease was in Atlanta (55 per cent), followed by those for Los Angeles (43), Indianapolis (39), and Washington, Paterson, and Memphis (each 38). It must be remembered that this comparison relates only to two individual years and that the data may be vitiated, in certain cases, by failure to return all deaths of infants under 1 year of age.

Even if it were justifiable to assume that all deaths of infants under 1 year of age were reported, the number of deaths of infants under 1 year of age per 1,000 population under 1 year of age (infant death rate) would not be a satisfactory basis for the study of infant mortality. This is best measured by the ratio of deaths of infants under 1 year of age to every 1,000 living births, designated *infantile mortality*, as recommended in the recent Report of the Special Committee on Infantile Mortality of the Royal Statistical Society. (Journal of the Royal Statistical Society, December, 1912, p. 44.)

Infantile mortality.—For the purposes of this report, infantile mortality has been defined as the ratio of deaths during the first year of life to births. Such is the usual basis of calculation, but in a few countries the estimated number living at ages under 1 year replaces the births. The ratio so obtained can only be described as most unsatisfactory and even illusory. The proper estimation of numbers living is laborious and the results unreliable.

Unfortunately, owing to the generally incomplete registration of births in the United States, it is impossible to present satisfactory rates of infantile mortality for the great majority of the states and cities. Even for the registration states—that is, the states in which the registration of deaths is regarded as at least approximately complete—and for many of the cities of 100,000 population and over this can not be done:

[Births for provisional birth registration area, which comprised Connecticut, Maine, Massachusetts, Michigan, New Hampshire, Pennsylvania, Rhode Island, Vermont, District of Columbia (city of Washington), and New York City, based on transcripts returned to the Bureau of the Census; for other areas, state or city compilations or official statements were used.]

AREA.	Population under 1 year of age, Apr. 15, 1910.	Births (exclusive of stillbirths): 1910[1]	Deaths (exclusive of stillbirths) under 1 year of age: 1910	Death rate of infants under 1 year of age per 1,000 population of same age: 1910	Deaths of infants under 1 year of age per 1,000 births (infantile mortality): 1910
Registration states[2]	1,156,256	1,187,616	147,543	127.6	124
California	40,336	*32,133*	3,720	92.2	*116*
Colorado	17,124	*12,164*	1,789	104.5	*147*
Connecticut	24,197	27,291	3,476	143.7	127
Indiana	56,098	56,309	5,996	106.9	106
Kentucky	61,106	[3] *60,732*	[3] 5,373	[3] 87.9	[3] *88*
Maine	15,010	15,578	2,108	140.4	135
Maryland	27,864	*20,563*	4,239	152.1	*206*
Massachusetts	70,734	86,766	11,377	160.8	131
Michigan	62,050	63,566	7,912	127.5	124
Minnesota	46,111	*43,840*	4,261	92.4	*97*

[1] Registration of births incomplete for all areas. The most incomplete returns (cases where the reported number of births was less than the population under 1 year of age and consequently the ratio of infantile mortality shown greater than the specific death rate) denoted by *italics;* best returns (cases where the reported number of births exceeded the population under 1 year of age by 10 per cent or more and consequently the ratio of infantile mortality given is probably approximately correct) in **bold face.**
[2] Includes District of Columbia (city of Washington, see below) and excludes North Carolina, where there is no state law governing birth registration.
[3] Figures for births and deaths are for 1911, the first calendar year of operation of the state law.

AREA.	Population under 1 year of age, Apr. 15, 1910.	Births (exclusive of stillbirths): 1910[1]	Deaths (exclusive of stillbirths) under 1 year of age: 1910	Death rate of infants under 1 year of age per 1,000 population of same age: 1910	Deaths of infants under 1 year of age per 1,000 births (infantile mortality): 1910
Missouri	73,929	[2] 74,130	[2] 7,150	[2] 96.7	[2] 96
Montana	7,902	[3] *6,124*	714	90.4	*117*
New Hampshire	8,325	**9,385**	1,373	164.9	**146**
New Jersey	56,198	*53,942*	8,363	148.8	*155*
New York	191,553	**213,235**	27,503	143.6	**129**
Ohio	98,776	100,969	11,445	115.9	113
Pennsylvania	189,502	202,643	28,377	149.7	140
Rhode Island	11,728	**13,439**	2,129	181.5	**158**
Utah	10,885	*10,372*	896	82.3	*86*
Vermont	7,233	7,351	791	109.4	108
Washington	22,079	*19,211*	1,862	84.3	*97*
Wisconsin	52,027	*50,847*	5,621	108.0	*111*
CITIES OF 100,000 POPULATION OR OVER IN 1910.					
Birmingham, Ala	2,939	*2,777*	391	133.0	*141*
Los Angeles, Cal	4,798	**5,458**	531	110.7	**97**
Oakland, Cal	2,669	*2,407*	253	94.8	*105*
San Francisco, Cal	6,153	6,482	699	113.6	108
Denver, Colo	3,445	*2,844*	464	134.7	*163*
Bridgeport, Conn	2,360	**2,976**	367	155.5	**123**
New Haven, Conn	3,009	**3,772**	406	134.9	**108**
Washington, D. C	5,489	**7,016**	1,068	194.6	**152**
Atlanta, Ga	3,355	*2,450*	521	155.3	*213*
Chicago, Ill	49,073	[4] *24,368*	6,844	139.5	*281*
Indianapolis, Ind	3,846	**4,522**	557	144.8	**123**
Louisville, Ky	3,754	[5] *3,458*	503	134.0	*145*
New Orleans, La	6,848	[6] *6,581*	1,061	154.9	*162*
Baltimore, Md	10,239	*9,858*	2,146	209.6	*218*
Boston, Mass	13,570	**17,758**	2,246	165.5	**126**
Cambridge, Mass	2,323	2,462	293	126.1	119
Fall River, Mass	3,291	**4,591**	854	259.5	**186**
Lowell, Mass	2,326	**2,631**	607	261.0	**231**
Worcester, Mass	3,190	**3,921**	536	168.0	**137**
Detroit, Mich	10,442	**11,960**	2,138	204.8	**179**
Grand Rapids, Mich	2,440	**2,693**	329	134.8	**122**
Minneapolis, Minn	5,435	5,686	[7] 621	[7] 114.3	[7] 109
St. Paul, Minn	3,808	*3,778*	498	130.8	*132*
Kansas City, Mo	3,839	**4,234**	654	170.4	**154**
St. Louis, Mo	12,439	**14,712**	1,689	135.8	**115**
Omaha, Nebr	2,093	**2,330**	293	140.0	**126**
Jersey City, N. J	6,229	*4,681*	954	153.2	*204*
Newark, N. J	8,519	**10,023**	1,242	145.8	**124**
Paterson, N. J	2,584	*2,557*	379	146.7	*148*
Albany, N. Y	1,529	*1,369*	249	162.9	*182*
Buffalo, N. Y	8,973	**10,008**	1,623	180.9	**162**
New York, N. Y	110,524	**129,355**	16,159	146.2	**125**
Rochester, N. Y	4,032	**4,999**	[7] 443	[7] 109.9	[7] **89**
Syracuse, N. Y	2,534	**2,797**	447	176.4	**160**
Cincinnati, Ohio	6,120	**7,003**	917	149.8	**131**
Cleveland, Ohio	13,814	*13,596*	2,033	147.2	*150*
Columbus, Ohio	2,827	**3,281**	397	140.4	**121**
Dayton, Ohio	2,214	**2,521**	325	146.8	**129**
Toledo, Ohio	3,216	3,289	402	125.0	122
Portland, Oreg	3,086	3,249	325	105.3	100
Philadelphia, Pa	32,889	**38,667**	5,334	162.2	**138**
Pittsburgh, Pa	12,578	**15,059**	2,259	179.6	**150**
Scranton, Pa	3,355	3,512	[7] 520	[7] 155.0	[7] 148
Providence, R. I	4,760	**5,727**	827	173.7	**144**
Memphis, Tenn	2,234	*1,881*	[7] 345	[7] 154.4	[7] *183*
Nashville, Tenn	2,139	*1,669*	289	135.1	*173*
Richmond, Va	2,687	2,734	616	229.3	225
Seattle, Wash	3,466	**4,220**	348	100.4	**82**
Spokane, Wash	2,051	**2,284**	292	142.4	**128**
Milwaukee, Wis	7,955	**9,414**	1,368	172.0	**145**

[1] Registration of births incomplete for all areas. The most incomplete returns (cases where the reported number of births was less than the population under 1 year of age and consequently the ratio of infantile mortality shown greater than the specific death rate) denoted by *italics;* best returns (cases where the reported number of births exceeded the population under 1 year of age by 10 per cent or more and consequently the ratio of infantile mortality given is probably approximately correct) in **bold face.**

[2] Figures for births and deaths are for 1911, the first calendar year of operation of the state law.

[3] Includes stillbirths.

[4] Estimated as 95 per cent of returns from Cook County.

[5] Whether or not stillbirths are excluded is not known.

[6] Figure represents number of births reported during 1911. A new law was enacted Mar. 16, 1911. In 1910 only 3,733 births were recorded; this number included several hundred births which occurred prior to that year.

[7] Returns to the Bureau of the Census incomplete, a considerable number of deaths of infants under 1 year of age having been omitted.

The preceding table shows the population under 1 year of age enumerated at the Thirteenth Census, which was taken as of April 15, 1910; the living births for the year 1910 as returned to the Bureau of the Census from the provisional birth registration area, which comprised the states of Connecticut, Maine, Massachusetts, Michigan, New Hampshire, Pennsylvania, Rhode Island, and Vermont and the cities of New York and Washington; births, exclusive of stillbirths as far as ascertainable, for the other states and large cities on the basis of official reports or statements by registration offices; and the deaths of infants, exclusive of stillbirths, under 1 year of age as published for each area in the annual bulletin on mortality statistics for 1910. Upon the basis of these figures have been computed (*a*) the infant death rate, or number of deaths of infants under 1 year of age per 1,000 population of the same age, and (*b*) the infantile mortality, or ratio of deaths of infants under 1 year of age to 1,000 living births.

As the number of children under 1 year of age in the population represents the difference between the number born during the year preceding the census and the number born and dying during that year, it is evident, assuming that the number of births in the census year was substantially the same as in the calendar year, that the number of births should always considerably exceed the population under 1 year of age, and hence that the infant death rate based on population should considerably exceed the true infantile mortality. Where this is not so, as in the births and infantile mortality rates printed in italics in the table, it is certain that the deficiency in the registration of births is so great as to render the figures for infantile mortality valueless; and even where the births and population under 1 year of age are approximately equal, the rates of infantile mortality are probably considerably above the truth.

IMPORTANCE OF REPORTING ALL DEATHS OF INFANTS BORN ALIVE.

Comparability of statistics of infant mortality, whether based upon the ratios to population or living births, requires that all deaths of infants under 1 year of age that were born alive should be included. This demands a distinct line of demarcation between stillbirths and children born alive and dying soon after birth, such as is provided in the Rules of Statistical Practice adopted by American registration officials in 1908 and prescribed in the instructions for making returns to the Bureau of the Census:

STILLBIRTHS (AS RELATED TO DEATHS).

Rule No. 4.—Stillbirths should not be included in deaths.

Rule No. 5.—Children born alive and *living for any time whatever*, no matter how brief, after birth, should not be classed as stillbirths, even though reported by the attending physicians or midwives as "stillborn."[2]

Rule No. 6.—Whenever age, in days, hours, or minutes, is reported for a "stillborn" child, or indicated by a difference between dates of birth and death, the registrar should secure a statement that will enable the case to be classed with certainty either as a stillbirth or as a death. If no additional information can be obtained, the statement of age should govern, and the case be compiled as a death, not as a stillbirth.

PREMATURE BIRTHS.

Rule No. 7.—Premature births (not stillborn) should be included in total deaths (classified under International Title No. 151).

Rule No. 8.—Premature births (stillborn) should be classed under stillbirths, and should not be included in total deaths.

Rule No. 9.—When a premature birth is reported as "stillborn" and an inconsistent statement of age (days, hours, minutes) is also given, the registrar should endeavor to secure a statement that will enable the case to be classed with certainty either as a stillbirth or as a death. If no additional information can be obtained, the statement of age should govern, and the case be compiled as a death, not as a stillbirth.

Rule No. 10.—When a premature birth is reported with no statement of age (space left blank), the local registrar should endeavor to obtain a statement of age, or at least that the child was born alive; but, in the absence of any further data, the case should be compiled as a stillbirth.

The Special Committee on Infantile Mortality of the Royal Statistical Society recommended "That the infantile mortality rate should be calculated from (*a*) the births of children born alive, including, *if necessary*, those born alive but registered dead, and (*b*) the number of deaths of children born alive during the first year of life, including, *if necessary*, the children 'presented dead.'" These recommendations are in accordance with the accepted practice of American registration officials, so far as the registration of births is complete enough to permit any rates of infantile mortality to be calculated. The deaths of infants returned to the Bureau of the Census should include, and for practically all areas do include, the deaths of all infants that were born alive. Deaths of infants that were prematurely born alive are, of course, included, even though they may have survived only a moment after birth. There were 23,539 deaths of infants from premature birth in the registration area in 1911, of which 10,794 (45.9 per cent) were of infants less than a day old and 18,606 (79 per cent) were of infants less than a week old.

In presenting the report of the Special Committee on Infantile Mortality to the Royal Statistical Society Dr. Reginald Dudfield, chairman of the committee, commented upon the lack of comparability of the data relating to infantile mortality on account of the varying practices with respect to stillbirths and the exclusion of certain deaths, and added, in a footnote, the following statement as to the United States:

> I have been informed quite recently that in certain of the states within the Union (North America) the deaths of children aged under one week are excluded from the data used in calculating infantile mortality rates. I have not had time to verify that statement, but I have no reason to doubt the accuracy of my informant.

Concerning which, in the discussion that followed, Sir Athelstane Baines very naturally observed that—

> Our country was undoubtedly at a disadvantage on this point [registration of stillbirths], but he did not think that Dr. Dudfield was handicapped more heavily than France, Holland, and the United States, as to which last a footnote to the paper conveyed information regarding the basis of calculation of infantile mortality which astounded him.

The statement quoted by Dr. Dudfield is incorrect not only as regards the states, but also the individual cities (with few exceptions) in the United States. All returns to the Bureau of the Census are certified to be complete and correct, according to the rules of statistical practice previously stated, and replies from the registration officials of all the states in the Union that possess systems of registration, including some that are not yet embraced in the registration area, deny that deaths of infants under one week of age are now or have at any time been excluded from the number of deaths in making up the state compilations. The same is true for the great majority of cities, although in a few instances deaths that occurred soon after birth have been excluded from the local reports:

> MINNEAPOLIS: "The monthly reports of this department [department of health] issued during 1910 and prior showed a death rate based on all deaths, excluding only stillbirths, as well as a rate based upon deaths after nonresidents, infants under a week old, and such deaths as were caused by accidents or violence were deducted. This practice has not been continued since 1910, however."
>
> NEW YORK: "In calculating infantile mortality rates we do not exclude the deaths of children under one week. This statement is correct for our latest report with this exception, if it might be called an exception, that on page 3 of the weekly report there is a footnote which reads: 'If the deaths under 1 month be deducted from the total deaths under 1 year, the resultant rate would be ———.' In 1902, we began to print in our weekly report, in addition to the actual deaths occurring in the city, a table showing the weekly mortality with the deaths of children under 1 week and nonresidents of the city excluded; the practice was discontinued in 1911. Deaths of children born alive, even though the duration of life may be 1 second, are included in our compilation of deaths."
>
> ROCHESTER: "In calculating our mortality rates we include the death of every child born alive at term. We have not departed from this custom in many years. Permature births are not included in our infant deaths. A statement of the number of premature births is published in both the monthly and annual reports. No other deaths are excluded from our records."

No matter what the local practice may be in this respect, it should not lead to the omission of the deaths of any children born alive from the transcripts returned to the Bureau of the Census. As shown in Table 9, out of 149,322 deaths of infants under 1 year of age in 1911, no less than 18,074, or 12.1 per cent, were aged less than 1 day. When the ratio of deaths of infants under 1 day of age is markedly less than 10 per cent of the number under 1 year, it is suggestive that either some deaths of infants have been omitted from the returns or possibly, as was more likely to be the case before the

adoption of the revised standard certificate of death, with its provision for precise statement of age in hours or minutes for infants dying under 1 day of age, that some deaths of infants under 1 day of age have been reported as aged 1 day. For this reason attention was called to the returns for certain cities as shown in the following table:

City.	1911		1910	
	Deaths under 1 year.	Deaths under 1 day.	Deaths under 1 year.	Deaths under 1 day.
Minneapolis, Minn	601	91	621	30
Rochester, N. Y	443	31	443	3
Scranton, Pa.	387	.....	520	2
Memphis, Tenn	348	11	345	.....

Marked improvement is shown in the returns from Minneapolis for 1911 as compared with the preceding year. The deaths of infants under 1 year of age for 1910 and previous years, together with all rates based upon them, as published for that city in the annual reports and bulletins of the Bureau of the Census, must be accounted as incomplete. The same is true for the figures shown for Rochester, Scranton, and Memphis for 1911 and previous years.[1]

[1] Since the present report was compiled supplemental reports for 1911 have been received from the state authorities of New York and Pennsylvania, from which it appears that 136 deaths of infants under 1 year of age (68 under 1 day) should be added to the number of deaths originally returned for Rochester, and 69 deaths under 1 year of age (47 under 1 day) should be added to the number of deaths originally returned for Scranton. These additional returns increase the total number of deaths in Rochester from 3,271 to 3,407; the death rate from 14.4 to 15; the death rate of infants under 1 year of age per 1,000 population under 1 year of age from 105.5 to 137.8; and the infantile mortality per 1,000 births from 84 to 109. For Scranton the corresponding changes would be as follows: Deaths, 1,974 to 2,043; death rate, 14.8 to 15.3; death rate of infants under 1 year of age, 112.7 to 132.8; infantile mortality per 1,000 births, 99 to 116.

CAUSES OF DEATH.

The data on causes of death are shown in the summary and rate tables (Tables II to IV) and in the general tables (Tables 3 to 9) as follows:

Table II gives the number of deaths and death rates for each of the years 1908 to 1911 and the two periods 1901 to 1905 and 1906 to 1910 from each cause and class of causes of the detailed International List.

Table III shows the death rates by color, according to a short list of important causes, for the main and minor subdivisions of the registration area.

Table IV gives the death rates of the urban and rural population of each registration state according to the detailed list of causes of death.

Table 3 presents the number of deaths, classified by cause and by color of decedent, for the same areas shown in Table III.

Table 4 shows the number of deaths, according to the detailed list of causes, for the urban and rural population of each registration state.

In Table 5 the deaths from each cause shown in the detailed International List are distributed by age and sex of decedent for the registration area as a whole.

Table 6 gives the distribution of deaths by age of decedent and according to the detailed list of causes for the registration states.

Table 7 presents data for the same age periods employed in Table 6 for cities having a population of 100,000 or over in 1910. The list of causes of death is much condensed.

Table 8 shows the distribution by month of occurrence of deaths from all causes and from several important causes for the registration area, registration states, and cities of 100,000 population or over in 1910.

Table 9 is of special interest for the study of infant mortality. Deaths during the first year of life are shown with considerable detail of age according to the most important causes of death at that age period, for the registration area, registration states, and cities of 100,000 population or over in 1910.

DETAILED AND ABRIDGED INTERNATIONAL LISTS.

In examining the statistics of causes of death compiled according to the International classification, it is necessary to bear in mind the distinction between the detailed International List and the abridged International List. In the latter, for example, tuberculosis of the lungs includes acute miliary tuberculosis, which is shown separately in the extended list. The condensed tables shown in this report, and also the short list employed by the Registrar-General of England and Wales, are based on the abridged list, to which reference is made by numbers in the tables. The following table shows the abridged International List in full, with the title numbers of the detailed International List included in each title of the abridged list, together with the number of deaths from each cause, the death rates per 100,000 population, and the percentages which deaths from each of these causes formed of the deaths from all causes, for the registration area in 1911.

The small number of deaths returned or the somewhat indefinite character of certain titles will explain why they were omitted from the more condensed list of causes given in certain tables, thus permitting terms of greater importance to be included. In the condensed list deaths from pneumonia of all forms, including bronchopneumonia, are entered under the heading of "Pneumonia" in agreement with the short list adopted by the Registrar-General. In general, differences from the strict form of the abridged International List are indicated in the tables by placing the reference numbers in parentheses, this

method of expression being equivalent to the statement that the causes are segregated from the international title of which the number is given.

Abridged International List No.	CAUSE OF DEATH.[1]	DEATHS IN REGISTRATION AREA: 1911		
		Number.	Rate per 100,000 population.	Per cent deaths from specified cause form of deaths from all causes.
	All causes[2]	839,284	1,415.9	100.0
1	Typhoid fever (1)	12,451	21.0	1.5
2	Typhus fever (2)	5	(3)	(4)
3	Malaria (4)	1,802	3.0	0.2
4	Smallpox (5)	130	0.2	(4)
5	Measles (6)	5,922	10.0	0.7
6	Scarlet fever (7)	5,243	8.8	0.6
7	Whooping cough (8)	6,682	11.3	0.8
8	Diphtheria and croup (9)	11,174	18.9	1.3
9	Influenza (10)	9,294	15.7	1.1
10	Asiatic cholera (12)	2	(3)	(4)
11	Cholera nostras (13)	350	0.6	(4)
12	Other epidemic diseases (3, 11, 14, 15, 16, 17, 18, 19)	5,775	9.7	0.7
13	Tuberculosis of the lungs (28, 29)	81,796	138.0	9.7
14	Tuberculous meningitis (30)	5,237	8.8	0.6
15	Other forms of tuberculosis (31, 32, 33, 34, 35)	7,172	12.1	0.9
16	Cancer and other malignant tumors (39, 40, 41, 42, 43, 44, 45)	44,024	74.3	5.2
17	Simple meningitis (61)	7,285	12.3	0.9
18	Cerebral hemorrhage and softening (64, 65)	45,309	76.4	5.4
19	Organic diseases of the heart (79)	83,525	140.9	10.0
20	Acute bronchitis (89)	6,482	10.9	0.8
21	Chronic bronchitis (90)	5,077	8.6	0.6
22	Pneumonia (92)	52,868	89.2	6.3
23	Other diseases of the respiratory system (tuberculosis excepted) (86, 87, 88, 91, 93, 94, 95, 96, 97, 98)	35,223	59.4	4.2
24	Diseases of the stomach (cancer excepted) (102, 103)	10,917	18.4	1.3
25	Diarrhea and enteritis (under 2 years) (104)	45,868	77.4	5.5
26	Appendicitis and typhlitis (108)	6,896	11.6	0.8
27	Hernia, intestinal obstruction (109)	7,061	11.9	0.8
28	Cirrhosis of the liver (113)	8,310	14.0	1.0
29	Acute nephritis and Bright's disease (119, 120)	57,803	97.5	6.9
30	Noncancerous tumors and other diseases of the female genital organs (128, 129, 130, 131, 132)	3,767	6.4	0.4
31	Puerperal septicemia (puerperal fever, peritonitis) (137)	4,376	7.4	0.5
32	Other puerperal accidents of pregnancy and labor (134, 135, 136, 138, 139, 140, 141)	5,080	8.6	0.6
33	Congenital debility and malformations (150, 151)	46,899	79.1	5.6
34	Senility (154)	13,974	23.6	1.7
35	Violent deaths (suicide excepted) (164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186)	54,028	91.1	6.4
36	Suicide (155, 156, 157, 158, 159, 160, 161, 162, 163)	9,622	16.2	1.1
37	Other diseases (20, 21, 22, 23, 24, 25, 26, 27, 36, 37, 38, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 62, 63, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 80, 81, 82, 83, 84, 85, 99, 100, 101, 105, 106, 107, 110, 111, 112, 114, 115, 116, 117, 118, 121, 122, 123, 124, 125, 126, 127, 133, 142, 143, 144, 145, 146, 147, 148, 149, 152, 153)	124,642	210.3	14.9
38	Unknown or ill-defined diseases (187, 188, 189)	7,213	12.2	0.9

[1] Abridged International List of Causes of Death. The title or titles of the "Detailed International List" that are included under each heading are shown by number in parentheses.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.
[4] Less than one-tenth of 1 per cent.

The International Classification was revised in 1909 for use beginning with the year 1910, and there are numerous differences, some of considerable importance, between the systems in use for 1900 to 1909 and for 1910 and subsequent years. Some of these changes involve differences in classification according to the ages of decedents. It is unfortunate that the annoying distinctions of assignment according to age should have been retained, and even extended, but for the most part the causes affected are in themselves indefinite and little would be lost by regarding them as ill-defined. In the following table, which illustrates some of the changes in classification that must be taken into account, the first column shows the titles of the second revision under which these causes are now assigned; the second column shows, in terms of the *second* revision, the classification of these causes under the first revision 1900 to 1909; the third column gives the titles of the first revision under which these causes were formerly included.

CAUSE OF DEATH. [Titles in roman; terms in italics.]	TITLE OR CLASS (SECOND REVISION) UNDER WHICH INCLUDED—		Title of first revision under which formerly included.
	1910	1900-1909	
Tetanus	24	[1] 24	72
Beriberi (new title)	27	19	19
Tuberculosis of the larynx (old title discontinued)	28	[2] I	26
Acute miliary tuberculosis (new title)	29	28	27
Scrofula (old title discontinued)	34	[3] I	35
Rickets (new title)	36	146	146
Rheumatism (unqualified)	47	48	48
Purpura hemorrhagica	55	85	85
Hemophilia	55	85	85
Neuralgia and neuritis (new title)	73	74	74
Endocarditis (unqualified, 60 years of age and over)	79	78	78
Myocarditis (unqualified, 60 years of age and over)	79	78	78
Ankylostomiasis (new title)	106	107	107
Chyluria (new title)	121	122	122
Placenta praevia	135	136	136
Childbirth, parturition, etc., (not otherwise defined)	136	140	140
Puerperal hemorrhage	[4] 135	.....	.....
Other accidents of labor	[4] 136	.....	.....
Puerperal phlegmasia alba dolens, embolus, sudden death	[4] 139	.....	.....
Following childbirth (not otherwise defined)	[4] 140	.....	.....
"Inanition" (from disease, under 1 year)	[5] 151	.....	.....
(under 3 months); 1900 to 1904	.....	153	153
(under 3 months); 1905 to 1909	.....	151	151
(3 months and over); 1900 to 1909	.....	189	179
(from disease, 1 to 69 years)	189	189	179
(from disease, 70 years and over)	[5] 154	189	179
"Asthenia", *"Atrophy"*, *"Debility"*, *"Exhaustion"*, *"Malnutrition"*, *"Marasmus"*, *"Weakness"* (under 1 year)	[5] 151	.....	.....
(under 3 months)	.....	151	151
(3 months and over)	.....	189	179
(1 to 69 years)	189	189	179
(70 years and over)	[5] 154	189	179
Atelectasis (under 3 months)	152	151	151
Injury at birth (various forms)	152	(6)	176
"Asthenia", *"Atrophy"*, *"Debility"*, *"Exhaustion"*, *"Inanition"*, *"Malnutrition"*, *"Marasmus"*, *"Weakness"* (70 years and over)	[5] 154	189	179
Poisoning by food (new title)	164	165	175
Conflagration (new title; separately compiled by Bureau of the Census since 1903)	166	168	174
Traumatism by cutting or piercing instruments (new title)	171	(7)	166
Traumatism by fall (new title)	172	(7)	166
Traumatism by other crushing (new title)	175	(7)	166
Injuries by animals (new title)	176	(7)	166
Electricity (lightning excepted) (new title)	181	186	176
Homicide by firearms (new title)	182	(6)	176
Homicide by cutting or piercing instruments (new title)	183	(6)	176
Homicide by other means (new title)	184	(6)	176

[1] Transferred from Diseases of nervous system (Class II) to General diseases Class I), beginning with 1910.
[2] Discontinued as a separate title and included with Tuberculosis of the lungs beginning with 1910.
[3] Discontinued as a separate title and included with Tuberculosis of other organs beginning with 1910.
[4] In addition to the changes specified in the table, it should be noted that in the case of the causes classified under titles 135, 136, 139, and 140, numerous changes were made from one title to another in 1910, as the result of which, statistics entered under these titles for 1910 and 1911 are not comparable with those for earlier years.
[5] Changes not effective until 1911.
[6] Formerly included under old title 176 (other external violence). In effect, the title—not title-heading or name—has been discontinued, since the present title 186, although bearing the same title-heading, bears little resemblance to the former title; three out of the four subtitles of the old "Other external violence" are now classified under titles other than the present "Other external violence."
[7] Title under which formerly included (see next column) discontinued.

TYPHOID FEVER.

There were 12,451 deaths from typhoid fever in the registration area of the United States during the year 1911, a slight decrease from the number for the pre-

ceding year. The death rate for 1911 was 21 per 100,000 population, somewhat less than the rate for 1910 (23.5) and slightly less than that for 1909 (21.1), being the lowest death rate from typhoid fever since the institution of the annual reports and probably the lowest on record. This fact and the progressive reduction in the mortality from this disease, from 32 per 100,000 population for the period 1901 to 1905 to 25.6 for the period 1906 to 1910, indicate that the public health officials of the country and the people who support their efforts are awakening to the necessity of wiping out this filth disease. The mortality from this cause in the United States is still far in excess of that of progressive European countries; if it could be reduced by three-fourths, so that it would be only 5 per 100,000 as in England and Wales, the Netherlands, and Prussia, for 1910, it would represent a saving of nearly ten thousand lives, at the period of their greatest usefulness as a rule, in the registration area alone.

Dr. Allen W. Freeman, assistant commissioner of health of Virginia, in a recent paper[1] before the Southern Medical Association, forcefully says:

> We have learned by sad experience that the measure of typhoid fever in any community is the measure of the distribution of human filth in that community, and that the dissemination of human excrement will inevitably result in the spread of typhoid fever * * *. The problem [of the prevention of typhoid fever] is no longer an investigative or scientific problem, but a problem of administration. When the people of the United States wish to pay for absolute protection against typhoid fever it can be bought with the full assurance that the goods can be delivered. As physicians and sanitarians, we are most interested in the practical question, Can typhoid fever be prevented? We know that it can. We know that our methods are certain, that they will yield the desired result in every case where they are properly applied. The problem remaining for solution is how to convince the American people that protection from typhoid fever is something worth spending money for.

Dr. Freeman estimates that in the northern part of the United States the purification of water supplies would result in the reduction of the annual typhoid rate to a figure usually less than 20 per 1,000, while in the South, the purification of the water supply alone would seldom reduce the rate to less than 50 per 1,000, other measures, such as perfect sewering or rigid screening and supervision of dry closets, being required to bring down the rate to the point which could be reached in the North by water purification alone. Below this point, in North and South alike, reduction must be attained by the thorough supervision of cases of illness, which means the requirement of morbidity returns and the prompt notification of all suspicious cases, protection of milk and other foods from typhoid contamination, elimination of flies and their breeding places, control of typhoid carriers, and the use of antityphoid vaccine wherever feasible.

The necessity for more effective action in many localities is clearly shown by examination of the death rates and especially the death rates of the colored population, as given in Table III. Thus the death rate of the colored population of the registration area (44.9 per 100,000) was more than double that of the white population (19.9), and in states with considerable proportions of negro population (Kentucky, Maryland, Missouri and the North Carolina municipalities) the rates were high for both white and colored.

The cities of 100,000 population and over having the highest death rates from typhoid fever in 1911 were Atlanta (66.1), Memphis (65.4), Nashville (53.9), Birmingham (45.5), and Spokane (35.6)—all but the last cities of the South; while the lowest rates, valuable as evidence that the typhoid mortality of American cities need not exceed that of the well-regulated European cities, are recorded for Cambridge (2.8) and Bridgeport (3.8). Chicago and New York had the same rates for the year (10.9), and several cities, besides Cambridge and Bridgeport, had rates under 10 per 100,000, namely, Worcester (6), Paterson (7), Jersey City (7.2), Lowell (7.3), and Boston (8.7).

MEASLES.

Measles caused 5,922 deaths in the registration area during 1911, equivalent to a death rate of 10 per 100,000. The number of deaths from measles was seven-tenths of 1 per cent of the total number of deaths from all causes. The death rate was somewhat less than that of the preceding year (12.3), but exceeded those for 1909 (9.6) and 1908 (9.9). The average annual rate for the period 1906 to 1910 (10.8) was somewhat higher than that for the preceding quinquennial period 1901 to 1905 (9). Undoubtedly sufficient attention is not given by the health authorities and by the public to the restriction of this disease. The death rate of the colored (11.1) slightly exceeded that of the white population (9.9) in 1911.

Kentucky had the highest death rate from measles (19.7) of all the registration states, Missouri the next highest (18.7), the North Carolina municipalities (15.5) coming next in order. Of the large (100,000) cities, Nashville had the highest rate from this disease (53), followed by Fall River (37.5), Memphis (27.8), Louisville (25.5), and Atlanta (25).

SCARLET FEVER.

Scarlet fever, with 5,243 deaths, or 8.8 per 100,000 population, was considerably less fatal than during the preceding years, in which (1908 to 1910) the death rates ranged from 11.4 to 11.9. This disease shows a low mortality among the colored population, that for

[1] The Present Status of Our Knowledge Regarding the Transmission of Typhoid Fever, Public Health Reports issued by the United States Public Health Service, Jan. 10, 1913.

the year being only 1.6, as compared with a rate of 9.2 for the white population.

The states reporting the highest mortality from scarlet fever in 1911 were Utah (14.5 per 100,000 population), New York (12.6), Rhode Island (10.4), and Ohio (10.3). Among the large cities, Cleveland had the highest death rate (33), followed by St. Louis (27.7), Syracuse (26), Rochester (22), and Chicago (21.9).

WHOOPING COUGH.

Of the three children's diseases—measles, scarlet fever, and whooping cough—the last mentioned caused more deaths during the period 1906 to 1910 than either of the others. For 1911 there were returned for the registration area 6,682 deaths, corresponding to a death rate of 11.3 per 100,000 population. This disease has an earlier age incidence than either of the other children's diseases, 3,687 of the 6,682 deaths (55.2 per cent) being of children under 1 year of age; the corresponding percentages for measles and scarlet fever were respectively 22.3 and 4.6. This indicates the importance of more effective measures for the restriction of whooping cough as a means of reducing the infant mortality. The death rate of the colored (31.5) was over three times that of the white population (10.4) from this disease.

The states showing the highest death rates from whooping cough in 1911 were Rhode Island (21.7), and Kentucky (19). The North Carolina municipalities had a high rate (46.2), and of the cities of 100,000 population and over in 1910, the highest rates for 1911 were those of Nashville (33.2), Richmond (31.7), New Orleans (28.1), Atlanta (24.3) and Cambridge (22.5)—all except the last being southern cities with large negro population.

DIPHTHERIA AND CROUP.

To some extent a children's disease, but with a wider range of age incidence than measles, scarlet fever, or whooping cough, diphtheria caused nearly twice as many deaths in 1911 as any of the other three. The death rate was 18.9 per 100,000 population, the lowest since the beginning of the series of annual reports in 1900. The rate for that year was 43.3, but it has fallen steadily, with only slight interruptions, until it is now less than one-half its height at the beginning of the last decade. This is as it should be, for diphtheria, which term includes the comparatively few deaths from "croup," is a preventable and curable disease. High mortality from this cause indicates lack of efficient sanitary supervision or failure to make timely use of antitoxin.

Among the states with the highest death rates from diphtheria in 1911 were Pennsylvania (27), Rhode Island (25.6), Kentucky (24.8), Utah (22.1), and Connecticut (21.9). The cities of 100,000 population and over having the highest mortality were Rochester (41), Cambridge (39.4), Chicago (38.2), Detroit (33.9), and St. Paul (32.9).

OTHER EPIDEMIC DISEASES.

Among the epidemic diseases shown as separate titles in the Detailed International List are some which are represented by only small numbers of deaths. Typhus fever caused 5 deaths in the registration area during 1911, all of which occurred in the city of El Paso, Tex.; relapsing fever, 2 deaths (1 in Andrew County, Mo., and 1 in New London County, Conn.); Asiatic cholera, 2 (1 in Boston, Mass., and 1 in Auburn, N. Y.);[1] bubonic plague, 1 (Contra Costa County, Cal.); and leprosy, 7 (3 in Alameda County, Cal., and 1 each in San Francisco, Minneapolis, Freeborn County, Minn., and Manhattan Borough, N. Y.). Of the persons who died from leprosy, 5 were whites, 1 was Chinese, and 1 was Japanese. Beriberi was returned as the cause of 7 deaths, distributed as follows: 1 each in the city of Sacramento, Marin County, and San Joaquin County, Cal., Brooklyn Borough, N. Y., and Seattle, Wash., and 2 in Charleston, S. C.

One hundred and ninety-three deaths were returned as due to the various affections classified under "Other epidemic diseases," as represented by title No. 19 of the Detailed International List. These deaths were ascribed to the following causes: Chicken pox, 83; mumps, 61; German measles, 35; filariasis, 1; milk sickness, 1; dengue fever, 2 (1 in Savannah, Ga., and 1 in Leslie County, Ky.); glandular fever, 2 (1 in Whitley County, Ind., and 1 in Otsego County, N. Y.); Rocky Mountain spotted fever, 8 (1 in Garfield County, Colo.; 1 in Carbon County, Mont.; 4 in Ravalli County, Mont.; and 2 in Missoula City, Mont.).

PELLAGRA.

A large increase in the mortality from this disease was shown for 1911, 659 deaths being reported as having been caused by pellagra in the registration area during that year. During the early part of the decade 1900 to 1909 the reported mortality from this disease was insignificant, two deaths being returned for 1900, two for 1903, and one for 1904. For 1908, 23 deaths were returned, all of which occurred in southern cities. A large increase was shown for 1909, during which 116 deaths were returned, and a still greater increase for 1910, when 368 deaths were reported as due to this disease. The mortality for 1911

[1] In addition, there were 10 deaths from Asiatic cholera at Swinburne Island (New York Quarantine Station) of persons who arrived on steamships from infected ports. These deaths are not included among the deaths in New York City.

(659), as compared with that for 1910 (368), indicates an increase of 79 per cent. It is questionable, however, if this should be considered as representative of the actual increase in the mortality. Undoubtedly this disease has for years caused many deaths in certain parts of the country, but it has escaped recognition and such deaths have not been reported as due to pellagra. Moreover, the fact that the registration area does not include the greater part of the territory in which this disease prevails should be taken into consideration in the study of pellagra statistics. It is probable that, as the registration area is extended and the disease becomes more familiar to physicians in general, the number of deaths returned will increase from year to year, unless the disease is stamped out.

As in previous years the excess of deaths of females over those of males was very large, 464, or 70.4 per cent, of the deaths being of females.

The distribution of the deaths from pellagra was as follows in the registration states: California, 12; Colorado, 6; Connecticut, 1; District of Columbia, 1; Indiana, 3; Kentucky, 65; Maine, 1; Maryland, 11; Massachusetts, 1; Michigan, 3; Missouri, 18; New Jersey, 2; New York, 2; North Carolina, 177 (representing only the returns of municipalities of 1,000 population or over in 1900); Ohio, 2; Pennsylvania, 5; Rhode Island, 7; and Wisconsin, 5. In registration cities in nonregistration states the mortality was as follows: Birmingham, Ala., 21; Mobile, Ala., 16; and Montgomery, Ala., 25; Jacksonville, Fla., 8; Atlanta, Ga., 106, and Savannah, Ga., 13; Chicago, Ill., 9, and Decatur, Ill., 1; New Orleans, La., 28; Charleston, S. C., 30; Knoxville, Tenn., 12; Memphis, Tenn., 13; and Nashville, Tenn., 12; El Paso, Tex., 1; Galveston, Tex., 6; and San Antonio, Tex., 7; Danville, Va., 4; Lynchburg, Va., 3; Norfolk, Va., 5; Petersburg, Va., 3; Richmond, Va., 12; and Roanoke, Va., 2.

TUBERCULOSIS (ALL FORMS).

The total number of deaths from all forms of tuberculosis in the registration area during 1911 was 94,205, the death rate being 158.9 per 100,000—slightly lower than the rates for the preceding years (160.3 and 160.8 for 1910 and 1909, respectively). The rates for the past three years are considerably lower than the annual averages for the quinquennial periods 1901 to 1905 (192.6) and 1906 to 1910 (168.7). There would appear to be a marked reduction in the death rate from this disease, although the rate for the past three years has remained practically unchanged.

Comparison of the death rates from tuberculosis for the registration area as a whole is affected by the additions to the area, with possible changes in the composition of the population. It will therefore be of interest to examine the specific and standardized rates for the original group of registration states (as constituted in 1900) for 1911 and 1901:

AGE PERIOD.	DEATH RATE FROM TUBERCULOSIS (ALL FORMS) PER 100,000 POPULATION OF THE STATES INCLUDED IN THE REGISTRATION AREA IN 1900.[1]						PER CENT WHICH RATE IN 1911 REPRESENTS OF THAT IN 1901.		
	1911			1901					
	Both sexes.	Males.	Females.	Both sexes.	Males.	Females.	Both sexes.	Males.	Females.
All ages:									
Crude rate	158.9	179.4	138.0	188.8	199.9	177.6	84	90	78
Corrected rate [2]	150.1	167.0	134.4	181.3	189.3	173.8	83	88	77
Under 5 years	126.7	133.3	120.0	138.2	147.7	128.6	92	90	93
5 to 9 years	31.1	31.4	30.9	31.0	31.6	30.4	100	99	102
10 to 14 years	35.6	27.6	43.7	39.4	26.5	52.4	90	104	83
15 to 19 years	115.3	99.9	130.4	144.2	118.1	169.1	80	85	77
20 to 24 years	188.0	190.9	185.2	251.9	247.3	256.2	75	77	72
25 to 34 years	217.8	230.4	204.6	282.6	287.0	278.2	77	80	74
35 to 44 years	228.4	278.5	175.5	254.7	285.9	221.6	90	97	79
45 to 54 years	191.0	253.5	124.6	208.8	256.5	159.0	91	99	78
55 to 64 years	193.6	253.0	133.4	220.2	267.3	173.9	88	95	77
65 to 74 years	194.3	229.9	160.6	253.5	284.3	224.3	77	81	72
75 years and over	158.6	177.1	143.1	241.0	256.3	227.5	66	69	63
25 years and over:									
Crude rate	209.3	249.1	168.1	251.0	277.7	223.7	83	90	75
Corrected rate [2]	206.5	248.8	168.6	249.1	277.6	223.6	83	90	75

[1] Includes Connecticut, the District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.

[2] Corrected on basis of standard million of England and Wales, 1901.

The specific death rates from tuberculosis (all forms), as shown in the above table, for a population comprising about one-fourth (26.2 per cent) of the total population of the United States, were less in 1911 than in 1901 for each sex and age group, except those of girls aged 5 to 9 years and boys aged 10 to 14 years. The largest percentages of reduction occurred at ages of 75 years and over, both for males (31 per cent) and females (37 per cent), next in order coming those for males aged 20 to 24 years (23 per cent) and females aged 20 to 24 years and 65 to 74 years (each 28 per cent). The corrected death rate at all ages decreased 12 per cent for males and 23 per cent for females, although the initial rate for females in 1901 (173.8 per 100,000) was considerably lower than the corresponding rate for males (189.3). The marked relative decrease of the death rates of females above the age of 35 years may be compared with the increase at those ages of the death rates of females from cancer, as presented in a table of like form on page 31.

The most important form under which deaths from tuberculosis were reported was tuberculosis of the lungs. In the abridged International List, which is taken as the basis of Tables III and 3, deaths from miliary tuberculosis are included under tuberculosis of the lungs, the total number of deaths charged to the abridged title being 81,796 or 138 per 100,000. Tuberculous meningitis caused 5,237 deaths (8.8 per 100,000) and other forms of tuberculosis, 7,172 (12.1 per 100,000). Tuberculosis (all forms) caused 11.2 per cent of deaths from all causes.

The incidence of mortality from tuberculosis is vastly higher upon the colored than upon the white

population, the death rates per 100,000 from tuberculosis of the lungs in the registration area being 405.3 and 126.2, respectively. In other words, the death rate of the colored population from this disease was more than three times the death rate of the white population. The apparent death rate of the colored from tuberculous meningitis (15.4) was not quite twice that of the white population (8.5), owing probably to the less careful diagnosis of causes of death of the colored persons. For other forms of tuberculosis the death rate of the colored (30.1) was nearly three times that of the white population (11.3). The high mortality of the colored population should be borne in mind in considering the death rates of states and cities in which there is a large proportion of colored population. In the case of certain states and cities with high death rates from tuberculosis, it should be remembered that the returns include deaths of nonresidents who went to such places for climatic advantages.

The highest death rates from tuberculosis (all forms) shown for the states in the registration area were those of Kentucky (229.3), Colorado (218), California (206.8), Maryland (203.3), and the lowest rates were those of Utah (46.7), Michigan (96.1), Wisconsin (103.8), Washington (106.7), and Montana (107.1). The high death rate for the group of North Carolina municipalities (256.8 per 100,000) was due to urban conditions and the large colored population.

The cities of 100,000 population or over in 1910 having the highest death rates from tuberculosis of all forms were Denver (292.7), Los Angeles (277.5), Albany (269.4), Cincinnati (265.3), and New Orleans (260.5); while those with the lowest rates were Milwaukee (106.4), Portland, Oreg. (106.9), Spokane (109.4), Grand Rapids (110.3), and Scranton (112.7).

CANCER.

Cancer, which term includes malignant neoplasms of all kinds, caused 44,024 deaths in the registration area in 1911. The death rate (74.3 per 100,000) was slightly lower than that for 1910 (76.2), but higher than that for any earlier year for which records are available. A comparison of the death rate for the periods 1901 to 1905 and 1906 to 1910, as shown in Table II, indicates an increase in the registration area for each form of cancer reported, except "Cancer of other organs or organs not specified." The decrease in the latter is due to more definite specification in recent years of the seat of the disease. Although cancer is generally found to be increasing, as measured by the total number of deaths and the crude death rates, definite conclusions should not be drawn as to the amount of the increase until careful study has been made of the incidence by sex and age. It should be remembered also, in considering the rates for cities, that the mortality is affected by deaths of persons going to city hospitals for surgical operations.

The following table presents specific and corrected death rates from cancer for the group of registration states of 1900, the two years 1911 and 1901 being compared:

AGE PERIOD.	DEATH RATE FROM CANCER (ALL FORMS) PER 100,000 POPULATION OF THE STATES INCLUDED IN THE REGISTRATION AREA IN 1900.[1]						PER CENT WHICH RATE IN 1911 REPRESENTS OF THAT IN 1901.		
	1911			1901					
	Both sexes.	Males.	Females.	Both sexes.	Males.	Females.	Both sexes.	Males.	Females.
All ages:									
Crude rate	83.9	64.2	104.0	65.8	48.7	83.0	128	132	125
Corrected rate[2]	77.6	56.7	97.2	62.2	43.6	79.7	125	130	122
Under 5 years	3.0	3.1	3.0	3.4	3.8	3.1	88	82	97
5 to 9 years	1.2	1.3	1.1	1.0	1.3	0.8	120	100	138
10 to 14 years	1.3	1.0	1.5	0.9	0.9	0.9	144	111	167
15 to 19 years	2.3	2.9	1.7	2.1	1.9	2.2	110	153	77
20 to 24 years	4.8	4.9	4.6	3.9	3.3	4.5	123	148	102
25 to 34 years	13.9	8.7	19.4	13.4	9.4	17.5	104	93	111
35 to 44 years	61.0	31.1	92.5	60.2	32.5	89.6	101	96	103
45 to 54 years	166.3	109.2	227.0	146.5	90.0	205.4	114	121	111
55 to 64 years	352.4	283.4	422.3	268.3	203.8	331.8	131	139	127
65 to 74 years	566.7	512.8	617.8	418.8	366.0	468.9	135	140	132
75 years and over	794.7	730.5	848.7	557.6	520.8	589.8	143	140	144
25 years and over:									
Crude rate	155.7	117.7	195.0	124.5	90.9	158.7	125	129	123
Corrected rate[2]	159.0	117.9	195.9	127.2	90.4	160.3	125	130	122

[1] Includes Connecticut, the District of Columbia, Indiana, Maine, Massachusetts, Michigan, New Hampshire, New Jersey, New York, Rhode Island, and Vermont.
[2] Corrected on basis of standard million of England and Wales, 1901.

Employing the corrected rates based upon a standard distribution of population by sex and age, cancer increased just one-fourth (25 per cent) from 1901 to 1911. The increase for males (30 per cent) was somewhat greater than the increase for females (22 per cent). Up to the age of 25 years the mortality from cancer and other malignant tumors is slight and fluctuations of the rates have little significance. Above that age it is notable that the death rates increased for each sex and age group, except those for males aged 25 to 34 years and 35 to 44 years. Possibly the increase of a selected class of recent immigrants chiefly male, at those ages may contribute to this exceptional reduction. The corrected cancer rate at all ages for 1911 (78, taken to the nearest integer) may be compared with the rates corrected on the same basis for certain foreign countries in 1910, as given in the last report of the Registrar-General of England and Wales: The Netherlands, 93; England and Wales, 97; Austria, 73; Ireland, 68; New Zealand, 84; Prussia, 77; Australian Commonwealth, 87; Spain, 45; Hungary, 45. The accuracy of cancer rates depends not only upon complete registration of deaths but also upon the degree of care with which the medical certificate of cause of death is made out.

The highest crude death rate from cancer among the registration states was for Vermont (101 per 100,000 population), a condition due to the relatively high age distribution of the population and the negligible

amount of immigration. Other states with high rates were Maine (98.6), New Hampshire (96.8), Massachusetts (94.4), and Rhode Island (88); while the lowest rates are shown for Montana (40), Kentucky (42.7), Washington (46.1), Utah (51.9), and North Carolina municipalities (54.8).

Among the cities of 100,000 population and over in 1910, in which many deaths from cancer occur in hospitals of patients brought there for operation, those having the highest death rates from this disease were Albany (122.8), Boston (111.2), San Francisco (110.6), Oakland (105.3), and Cambridge (104.1); those with the lowest rates were Memphis (51.9), Seattle (57.4), Atlanta (61.2), Detroit (65.1), and Jersey City (65.5).

The mortality of the colored population of the registration area from this disease (57) was much lower than that of the white population (75), a difference due in part perhaps to less efficient diagnosis of the disease causing death.

Many deaths from cancer, especially in rural districts, are reported as due to "tumor" of various organs or unqualified, or the deaths may be hidden under such terms as "chronic stomach trouble," "hemorrhage," "debility," and the like. Such returns are sometimes due to a disinclination on the part of physicians to report cancer as the cause of death.

ACUTE ANTERIOR POLIOMYELITIS (INFANTILE PARALYSIS).

There were 1,060 deaths from acute anterior poliomyelitis in the registration area during 1911 as compared with 1,459 in 1910 and 569 in 1909. Prior to 1909 this disease was not segregated from other diseases of the spinal cord (International title 63). The death rate for 1911 was 1.8, a decrease from that of 1910 (2.7), but greater than that for 1909 (1.1).

The deaths from acute anterior poliomyelitis in the registration area in 1911 were distributed as follows: California, 31 (including 3 in Los Angeles, 4 in Oakland, and 2 in San Francisco); Colorado, 6 (Denver, 2); Connecticut, 15 (New Haven, 3); District of Columbia, 5; Indiana, 69 (4 in Indianapolis); Kentucky, 61 (1 in Louisville); Maine, 13; Maryland, 34 (10 in Baltimore); Massachusetts, 55 (2 in Boston, 3 in Cambridge, 4 in Fall River, 4 in Lowell, and 2 in Worcester); Michigan, 46 (6 in Detroit); Minnesota, 59 (4 in Minneapolis and 8 in St. Paul); Missouri, 60 (4 in Kansas City and 5 in St. Louis); Montana, 5; New Hampshire, 11; New Jersey, 46 (9 in Jersey City, 4 in Newark, and 3 in Paterson); New York, 166 (3 in Albany, 2 in Buffalo, 101 in New York, 2 in Rochester, and 1 in Syracuse); North Carolina, 15; Ohio, 137 (41 in Cincinnati, 15 in Cleveland, 4 in Columbus, 2 in Dayton, and 3 in Toledo); Pennsylvania, 93 (11 in Philadelphia, 6 in Pittsburgh, and 2 in Scranton); Rhode Island, 14 (2 in Providence); Utah, 3; Vermont, 11; Washington, 19 (3 in Seattle and 2 in Spokane); Wisconsin, 31 (3 in Milwaukee).

The deaths from this disease in registration cities in the nonregistration states were as follows: Birmingham, Ala., 8 and Montgomery, Ala., 3; Wilmington, Del., 2; Atlanta, Ga., 2 and Savannah, Ga., 1; Chicago, Ill., 13; Decatur, Ill., 1 and Springfield, Ill., 2; Kansas City, Kans., 4; New Orleans, La., 3; Omaha, Nebr., 2; Charleston, S. C., 1; Memphis, Tenn., 2 and Nashville, Tenn., 1; El Paso, Tex., 1 and San Antonio, Tex., 2; Lynchburg, Va., 2; Norfolk, Va., 1; Petersburg, Va., 1; Richmond, Va., 1; and Roanoke, Va., 1; and Wheeling, W. Va., 1.

ORGANIC DISEASES OF THE HEART.

Organic diseases of the heart caused more deaths (83,525) than any other disease or group of diseases shown in the Abridged International List (see table on p. 29), although the number of deaths from tuberculosis of all forms (94,205) was considerably greater. The title "Organic diseases of the heart" includes a somewhat miscellaneous collection of affections, and the tendency to increase has been more marked in recent years. The death rate for 1911 (140.9) was slightly lower than that for the preceding year (141.5), but the rate for each of these years was much higher than the rate for 1909 (129.7), and the rates for the quinquennial periods 1901 to 1905 (124.2) and 1906 to 1910 (133.2).

The excess of the rates for 1910 and 1911 over those for earlier years is explained in part by the fact that, beginning with 1910, deaths of persons 60 years of age or over from endocarditis and myocarditis, when these terms were unqualified, have been assigned to this group of diseases instead of to acute endocarditis, as formerly. This fact, however, does not account entirely for the increase shown in the rates for these two years as compared with earlier years or for the excess of the rate for the later five-year period over that for the earlier five-year period. However, it will be noted that there has been a marked increase in the general death rates from the group of diseases of the circulatory system, as shown in Table II. It is probable that there is some degree of inexactness in the assignment of heart disease as the cause of death in many cases, although the terms most questionable, such as heart failure, cardiac paralysis, and the like, are not included under this head at all, but are classed among the ill-defined causes.

The mortality from heart disease is largely that of persons of middle and advanced age; hence the age distribution of population is an important factor in the rate.

The death rate of the colored population (211.8 per 100,000) was much higher than that of the white population (137.8).

Among the registration states those least affected by immigration and with the largest proportion of elderly persons would naturally show the highest death rates. The states with the highest rates are Vermont (211.8), New Hampshire (197), Massachusetts (183.5), Maine (179.8), and California (178.7), while the lowest rates are shown for Montana (80.8), Utah and Washington (each 82.8), Kentucky (86.5), and Colorado (89.4).

Among the large cities the highest rates were shown for Albany (237.7), Worcester (228.8), San Francisco (227.9), Nashville (220.8), and Washington (214.5). The lowest rates are shown for Scranton (93.9), Minneapolis (95.1), Milwaukee (95.6), Seattle (96.9), and Spokane (99.6).

PNEUMONIA (ALL FORMS).

The total number of deaths from pneumonia of all forms in the registration area in 1911 was 79,233, the death rate per 100,000 population being 133.7. The death rate of the white population (128.4) was about one-half that of the colored (252.2). The figures for pneumonia (all forms) shown in Tables III and 3 differ from those for "pneumonia" in the table giving the distribution of deaths according to titles of the abridged International List, because, in agreement with the Medical Superintendent of the Registrar-General's Office, it was deemed advisable to unite bronchopneumonia and pneumonia in the list shown in Tables III and 3. The total number of deaths from pneumonia of all forms in 1911 included, as shown in Table II, 26,365 deaths caused by bronchopneumonia (44.5 per 100,000 population), 28,553 caused by lobar pneumonia (48.2 per 100,000) and 24,315 reported as due to "pneumonia" without qualification (41 per 100,000).

On account of the large number of deaths returned as due to "pneumonia" (undefined), which forms about one-third of the total from all forms of pneumonia, it is better to treat the deaths from this group of causes as a total. As shown by partial investigation, about one-third of the deaths reported as due to "pneumonia" (undefined) proved to be deaths from bronchopneumonia, and a considerable proportion of the deaths reported from the various forms of pneumonia is actually due to infectious diseases, in the course of which pneumonia appears as a complication or terminal condition.

Among the death rates from pneumonia (all forms) in the registration states in 1911, the highest were those of New York (177.8), Massachusetts (153.8), Connecticut (153.5), Rhode Island (152.1), and New Jersey (151.4), and the lowest those of Washington (64.8), Wisconsin (85.7), Montana (90.2), Michigan (90.4), and Minnesota (96.1).

The large cities showing the highest death rates from this cause were Atlanta (227.8), Nashville (222.6), New Haven (212.1), New York (209.6), and Pittsburgh (207.2).

DIARRHEA AND ENTERITIS (UNDER 2 YEARS).

The most important preventable cause of infant mortality is represented by the group of affections summarized under the International title "Diarrhea and enteritis." In 1911 there were, in the registration area, 45,868 deaths from this cause of infants under 2 years of age and 8,108 deaths of persons above this age limit. The death rate from diarrhea and enteritis (under 2 years) was 77.4 per 100,000 population of all ages, a rate nearly one-fourth lower than that for the preceding year (100.8) and lower than that shown for any previous year since the annual mortality reports were instituted.

The low mortality from infantile diarrhea indicates a generally favorable condition of infant health during the year. Of course, the comparison of the deaths of children under 2 years of age with the total population, as in the computation of the general death rate, is not satisfactory, although it shows the influence of the mortality of the selected group of children upon the general death rate. To some extent the relative general death rates of various areas from diarrhea and enteritis (under 2 years) depend upon the birth rates and the number of children under 2 years of age in the population.

The death rate of the white population from this cause (75.9) was considerably lower than that of the colored population (111), which fact should also be taken into consideration in comparing the death rates shown for different areas.

Among the registration states in 1911 the highest death rate from diarrhea and enteritis (under 2 years) per 100,000 population at all ages was in the municipalities of North Carolina (150.1), followed by Pennsylvania (104.1), Massachusetts (103.2), New Jersey (99.7), and Maryland (98.4). The lowest rates were for Washington (25.4), Montana (36.2), California (36.4), Utah (37.4), and Minnesota (40.1).

Among the large cities maximum rates appear for Fall River (318.9), Lowell (201.8), Scranton (173.5), Richmond (158.6), and New Orleans (136.9).

SUICIDE.

The total number of deaths from suicide in the registration area for 1911 was 9,622, an increase of 1,032 over the preceding year. The death rate, however, increased only from 16 to 16.2 per 100,000 and was lower than that for 1909 (16.5) or 1908 (17.8).

As the registration of deaths improves the statement of the causes of deaths increases in precision and thus deaths may be transferred to suicide from the titles included under "Accidental or undefined violence." There is, therefore, a tendency to apparent increase in the death rate from suicide, even though the actual

rate may have remained stationary; also in comparing the rates for various states and cities it should be noted that the precision of statement varies to a considerable degree and hence, the state or city in which the statement of the accidental, suicidal, or homicidal character of violence is most precise, unfortunately, may appear to have a higher death rate from suicide than other states or cities in which the causes are less accurately returned.

The death rate of the white population in the registration area from suicide (16.5) was higher than that of the colored population (10.3). Among the registration states the highest death rates from this cause were in California (30.1), Montana (27.8), Colorado (21.7), Washington (20.7), and Vermont (20.1), and among the cities of 100,000 population and over, San Francisco (39.4), St. Louis (37.7), Los Angeles (37.2), Denver (35.6) and Oakland (35.1).

VIOLENT DEATHS (EXCLUDING SUICIDE).

Under the heading of "Violent deaths (suicide excepted)" are included all deaths from external causes which were not reported as caused by suicide. Of the total number of deaths in the registration area in 1911 classified in this group (54,028), more than nine-tenths (50,121) were of an accidental or undefined character, the remainder being due to homicide. The death rate from accidental and unspecified violence was 84.6 per 100,000 population, which is slightly higher than the rate for the preceding year (84.3), but lower than the averages for the consecutive periods 1901 to 1905 (84.9) and 1906 to 1910 (86). Homicide was reported as the cause of 3,907 deaths in 1911, the rate being 6.6 per 100,000 population. Statistics as to deaths from various forms of violence are given in Table II, with comparable figures for each year from 1908 to 1911 in cases where the changes in classification permit.

Of the death rates from violence (exclusive of suicide) shown for the registration states, the highest were those of Montana (126.9), California (110.5), Pennsylvania (106.2), Colorado (102.2), and Washington (96). The cities of 100,000 population and over having the highest rates were Memphis (191.7), Scranton (177.3), Birmingham (151.9), Albany (131.7), and Boston (125.3). The lowest rates among the states were in Wisconsin (64.3), Minnesota (70.6), and Missouri (74.6), and among the cities, Fall River (46.5), Grand Rapids (54.3), and St. Paul (58).

ACCURACY OF STATISTICS OF CAUSES OF DEATH.

The difficulties inherent in the task of reducing to compact statistical tables the vast number of statements of causes of death received by a large registration office are seldom fully appreciated by those who have not engaged in the work of compilation. Even if each certificate of death out of the 839,284 that constituted the material of the present bulletin bore only a single cause of death, the process of classifying the thousands of different terms—some of them of a very indefinite or unsatisfactory character—under the 189 titles of the revised International List of Causes of Death would present many difficulties. Condensation is necessary and unrelated terms must, to a certain extent, be grouped, because it is quite impracticable to present statistical tables giving all the original forms of statement. The labor of compilation would be greatly reduced and the statistics as compiled would more nearly represent the actual causes of death if physicians would use only accepted terms in describing causes of death, especially the definite terms of the International List.[1]

But many certificates of death bear statements of two or more causes instead of one, and a system of selection, according to methods which should be as uniform and as well adapted to the character of the terms as possible, must be adopted. Practically all statistical compilations of causes of death are based upon the selection of a preferred term. It would greatly complicate tabular presentation to attempt to show all primary and secondary terms in relation, although it might be possible to do this for a limited list of the most important terms. For example, the number of deaths from the combination "Measles-bronchopneumonia" might be given separately, so that the number might be added to either the number of deaths compiled from "Measles" or the number compiled from "Bronchopneumonia." It is evident that there would still be a wide margin of error because in many deaths reported only one of the terms would be used. At present all deaths from "Measles-bronchopneumonia" are compiled under "Measles," which is regarded as the primary cause.

Some degree of uncertainty attaches to the statistics of causes of death because of the possibility that the statement of cause by the attending physician was incorrect. Of course, if a large proportion of deaths were not certified by medical men, as in some countries, the probability of error would be still greater, but in the United States, where physicians are numerous, comparatively few deaths are certified except by physicians. Even so, however, the accuracy of statement must depend upon the ability of the average physician to make a correct clinical diagnosis, unassisted, as a rule, by the results of a post-mortem examination by means of which the diagnosis could be confirmed or a different cause established. The general ability of physicians to make correct diagnoses of diseases must be based, to a considerable extent, upon their medical training and experience.

[1] Copy of the Physicians' Pocket Reference to the International List of Causes of Death will be sent upon request to any physician in the United States.

A study has recently been made by Dr. Richard C. Cabot,[1] of 3,000 clinical diagnoses in an up-to-date American hospital that were subjected to the test of subsequent post-mortem examinations. While the results were confirmatory of the original diagnoses to a high degree in certain classes of causes, such as diabetes mellitus (95 per cent), typhoid fever (92 per cent), aortic regurgitation (84 per cent), in others the percentages of correct diagnoses were very low: Acute nephritis (16 per cent), chronic myocarditis (22 per cent), bronchopneumonia (33 per cent), acute endocarditis (39 per cent), chronic interstitial nephritis (50 per cent), miliary tuberculosis (52 per cent), and active phthisis (59 per cent). According to these figures, assuming that the diagnoses thus tested were at least not inferior to those made by the average medical practitioner, there is only an even chance that a death reported as due to chronic interstitial nephritis was actually caused by that disease, about three chances to two that a death ascribed to active phthisis was due to that cause, and more than five chances to one that a decedent reported to have died from acute nephritis did not have acute nephritis at all. And even if he had, for statistical purposes the cause of the acute nephritis should be stated, as for example, scarlet fever.

Assuming, however, that the physicians who sign the medical certificates of causes of death are informed as to the nature of those causes, some inquiry may be made as to the possibility of securing more precise statements in place of indefinite returns and the effect that such additional information would have upon the causes of death as compiled. It should be understood, of course, that each definite cause of death as compiled stands for a minimum number, and that this number would be increased if deaths from such cause that were not properly reported, and hence were classified under various ill-defined titles, could be included. Circular letters were sent to physicians in various parts of the country requesting more precise statements of causes of death in cases reported by them as due to "meningitis," "paralysis," "convulsions," "pneumonia," and "peritonitis," together with copies of the Physicians' Pocket Reference to the International List of Causes of Death, which calls attention to the unsatisfactory nature of such returns. It is not feasible to make such inquiry for all indefinite returns, nor is the number of cases specially investigated sufficient to warrant absolute conclusions, but some light was thrown on the nature of the errors incident to these unsatisfactory returns.

Inquiry as to "pneumonia" (not otherwise defined) resulted in a change of assignment in 416 out of 1,013 cases (41.1 per cent), and confirmed the diagnosis of lobar pneumonia in 518 cases (51.1 per cent), leaving only 79 deaths still undefined. The fact that bronchopneumonia is a separate title of the International List implies that deaths from "pneumonia" are chiefly due to lobar pneumonia, but the large proportion of deaths credited to bronchopneumonia through the additional information contained in the replies from physicians (319 or 31.5 per cent) show that this assumption is not entirely justified. Other causes increased by transfer of deaths from "pneumonia" are influenza (29), measles (15), and whooping cough (11).

"Peritonitis" is not accepted as a cause of death by some registration offices without explanation. Out of 102 cases investigated the assignment was changed in 79 (77.5 per cent), additions being made more particularly to appendicitis (18), diarrhea and enteritis (11), puerperal septicemia (8), intestinal obstruction (7), salpingitis (5), gonococcus infection (4), and ulcer of the stomach (4).

As the result of 354 replies relating to "meningitis" the assignment of cause was changed, or made more definite, in 304 instances (85.9 per cent), the chief additions being to cerebrospinal fever (104), tuberculous meningitis (54), diarrhea and enteritis (36), traumatism, by various means (14), and lobar pneumonia (11).

For "paralysis," the assignment was changed in 176 cases out of 235 (74.9 per cent), the chief increments being to cerebral hemorrhage, apoplexy (113), other diseases of the spinal cord (30), general paralysis of the insane (10), syphilis (6), and Bright's disease (5).

Inquiry into 268 deaths from "convulsions" resulted in 151 changes (56.3 per cent), 69 deaths being added to diarrhea and enteritis, 17 to injuries at birth, 12 to puerperal albuminuria, and the remainder to other causes.

If the percentages of change resulting from this investigation, which, though limited, may prove to be fairly representative, be applied to the numbers of deaths compiled from the various causes for the registration area for 1911, the deaths classified under "meningitis" and "cerebrospinal meningitis" (both unqualified) will be reduced from 6,745 to 951, or 85.9 per cent; "paralysis" from 6,359 to 1,596, or 74.9 per cent; "convulsions" from 4,417 to 1,930, or 56.3 per cent; "pneumonia" from 52,868 to 31,139, or 41.1 per cent, and "peritonitis" from 2,349 to 529, or 77.5 per cent. At the same time, some of the definite causes would be increased as follows: Typhoid fever from 12,451 to 12,588, or 1.1 per cent; smallpox from 130 to 178, or 36.9 per cent; measles from 5,922 to 6,319, or 6.7 per cent; whooping cough from 6,682 to 7,016, or 5 per cent; influenza from 9,294 to 10,103, or 8.7 per cent; tuberculous meningitis from 5,237 to 6,284, or 20 per cent; syphilis from 3,821 to 4,092, or 7.1 per cent; gonococcus infection from 222 to 314, or 41.4 per cent; cerebrospinal fever from 540 to 2,522, or 367 per cent; cerebral hemorrhage, apoplexy

[1] Diagnostic Pitfalls Identified during a Study of Three Thousand Autopsies, Journal of the American Medical Association, Dec. 28, 1912.

from 44,274 to 47,373, or 7 per cent; bronchopneumonia from 26,365 to 34,011, or 29 per cent; diarrhea and enteritis (under 2 years) from 45,868 to 47,703, or 4 per cent; appendicitis and typhlitis from 6,896 to 7,337, or 6.4 per cent; salpingitis and other diseases of female genital organs from 1,401 to 1,535, or 9.6 per cent; puerperal septicemia from 4,376 to 4,560, or 4.2 per cent; puerperal albuminuria and convulsions from 2,094 to 2,293, or 9.5 per cent; injuries at birth from 4,573 to 4,975, or 8.8 per cent.

SUMMARY AND RATE TABLES

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911.

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums are designated by asterisks (*). Areas with very low rates in one or more years, due possibly to incomplete registration, are designated by daggers (†). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed at least 10 per cent of the total or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910.]

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
SUMMARY.						
The registration area (total)	57,934,575	59,275,977	839,284	14.2	[1] 15.1	[1] 16.2
White	55,480,695	56,763,765	779,770	13.7	(2)	(2)
Colored	2,453,880	2,512,212	59,514	23.7	(2)	(2)
Registration states [3] (total)	53,193,765	54,385,234	756,777	13.9	[1] 15.0	[1] 15.9
White	51,395,856	52,549,780	716,763	13.6	(2)	(2)
Colored	1,797,909	1,835,454	40,014	21.8	(2)	(2)
Cities in registration states [3] (total)	26,601,836	27,485,457	413,920	15.1	[1] 16.3	[1] 17.4
White	25,622,440	26,477,859	389,554	14.7	(2)	(2)
Colored	979,396	1,007,598	24,366	24.2	(2)	(2)
Rural part of registration states (total)	26,591,929	26,899,777	342,857	12.7	[1] 13.4	[1] 14.1
White	25,773,416	26,071,921	327,209	12.6	(2)	(2)
Colored	818,513	827,856	15,648	18.9	(2)	(2)
Registration cities in other states (total)	4,740,810	4,890,743	82,507	16.9	[1] 15.9	[1] 16.6
White	4,084,839	4,213,985	63,007	15.0	(2)	(2)
Colored	655,971	676,758	19,500	28.8	(2)	(2)
All registration cities [3] (total)	31,342,646	32,376,200	496,427	15.3	[1] 16.2	[1] 17.0
White	29,707,279	30,691,844	452,561	14.7	(2)	(2)
Colored	1,635,367	1,684,356	43,866	26.0	(2)	(2)
REGISTRATION STATES.						
California (total)	2,377,549	2,486,757	34,010	13.7	13.9	(4)
White	2,259,815	2,363,622	32,205	13.6	(2)	(4)
Colored	117,734	123,135	1,805	14.7	(2)	(4)
Colorado (total)	799,024	830,755	10,740	12.9	14.3	(4)
White	783,539	814,655	10,427	12.8	(2)	(4)
Colored	15,485	16,100	313	19.4	(2)	(4)
Connecticut (total)	1,114,756	1,140,003	17,552	15.4	15.6	15.7
White	1,098,932	1,123,821	17,153	15.3	(2)	(2)
Colored	15,824	16,182	399	24.7	(2)	(2)
Indiana (total)	2,700,876	2,723,441	35,210	12.9	13.0	13.2
White	2,640,034	2,662,090	33,877	12.7	(2)	(2)
Colored	60,842	61,351	1,333	21.7	(2)	(2)
Kentucky (total)	2,289,905	2,307,369	30,407	13.2	(4)	(4)
White	2,027,951	2,043,824	24,580	12.0	(4)	(4)
Colored	261,954	263,545	5,827	22.1	(4)	(4)
Maine (total)	742,371	748,233	12,031	16.1	16.2	15.9
White	740,017	745,860	12,014	16.1	(2)	(2)
Colored	2,354	2,373	17	7.2	(2)	(2)
Maryland (total)	1,295,346	1,308,476	20,694	15.8	16.0	(4)
White	1,062,645	1,074,098	15,147	14.1	14.4	(4)
Colored	232,701	234,378	5,547	23.7	22.9	(4)
Massachusetts (total)	3,366,416	3,454,813	53,003	15.3	16.1	16.6
White	3,325,087	3,412,364	52,122	15.3	(2)	(2)
Colored	41,329	42,449	881	20.8	(2)	(2)
Michigan (total)	2,810,173	2,867,794	37,993	13.2	13.6	13.3
White	2,785,258	2,842,368	37,417	13.2	(2)	(2)
Colored	24,915	25,426	576	22.7	(2)	(2)
Minnesota (total)	2,075,708	2,099,451	21,988	10.5	(5)	(4)
White	2,059,253	2,082,808	21,662	10.4	(5)	(4)
Colored	16,455	16,643	326	19.6	(5)	(4)
Missouri (total)	3,293,335	3,321,094	43,434	13.1	(4)	(4)
White	3,134,932	3,161,369	39,794	12.6	(4)	(4)
Colored	158,403	159,725	3,640	22.8	(4)	(4)
Montana (total)	376,053	392,293	4,009	10.2	(5)	(4)
White	360,587	376,159	3,658	9.7	(5)	(4)
Colored	15,466	16,134	351	21.8	(5)	(4)
New Hampshire (total)	430,572	432,894	7,391	17.1	17.2	16.6
White	429,909	432,227	7,380	17.1	(2)	(2)
Colored	663	667	11	16.5	(2)	(2)
New Jersey (total)	2,537,167	2,634,583	38,617	14.7	15.4	16.1
White	2,445,927	2,539,840	36,636	14.4	(2)	(2)
Colored	91,240	94,743	1,981	20.9	(2)	(2)
REGISTRATION STATES—Con.						
New York (total)	9,113,614	9,372,954	145,654	15.5	16.4	17.1
White	8,966,921	9,222,087	142,024	15.4	(2)	(2)
Colored	146,693	150,867	3,630	24.1	(2)	(2)
North Carolina [6] (total)	359,832	374,314	6,859	18.3	(5)	(4)
White	233,199	242,479	3,519	14.5	(5)	(4)
Colored	126,633	131,835	3,340	25.3	(5)	(4)
Ohio (total)	4,767,121	4,841,710	63,402	13.1	(5)	(4)
White	4,654,914	4,727,740	61,024	12.9	(5)	(4)
Colored	112,207	113,970	2,378	20.9	(5)	(4)
Pennsylvania (total)	7,665,111	7,831,890	111,292	14.2	15.5	(4)
White	7,467,761	7,630,245	107,220	14.1	(2)	(4)
Colored	197,350	201,645	4,072	20.2	(2)	(4)
Rhode Island (total)	542,610	558,108	8,671	15.5	16.7	17.8
White	532,498	547,707	8,422	15.4	(2)	(2)
Colored	10,112	10,401	249	23.9	(2)	(2)
Utah (total)	373,351	385,171	3,960	10.3	(5)	(4)
White	366,602	378,208	3,894	10.3	(5)	(4)
Colored	6,749	6,963	66	9.5	(5)	(4)
Vermont (total)	355,956	357,463	5,661	15.8	16.1	16.2
White	354,298	355,798	5,631	15.8	(2)	(2)
Colored	1,658	1,665	30	18.0	(2)	(2)
Washington (total)	1,141,990	1,218,330	10,845	8.9	(5)	(4)
White	1,109,092	1,183,302	10,323	8.7	(5)	(4)
Colored	32,898	35,028	522	14.9	(5)	(4)
Wisconsin (total)	2,333,860	2,359,863	27,050	11.5	(5)	(4)
White	2,320,557	2,346,412	26,895	11.5	(5)	(4)
Colored	13,303	13,451	155	11.5	(5)	(4)
REGISTRATION CITIES.						
ALABAMA.[7]						
Registration cities (total)	222,342	227,414	4,711	20.7	(5)	[1] 24.8
White	127,910	130,895	2,045	15.6	(5)	[1] 19.7
Colored	94,432	96,519	2,666	27.6	(5)	[1] 31.2
Birmingham (total)	132,685	136,253	2,480	18.2	(5)	(4)
White	80,369	82,530	1,172	14.2	(5)	(4)
Colored	52,316	53,723	1,308	24.3	(5)	(4)
Mobile (total)	51,521	52,684	1,267	24.0	23.6	24.8
White	28,738	29,394	553	18.8	18.7	19.7
Colored	22,783	23,290	714	30.7	29.7	31.2
Montgomery (total)	38,136	38,477	964	25.1	(5)	(4)
White	18,803	18,971	320	16.9	(5)	(4)
Colored	19,333	19,506	644	33.0	(5)	(4)
CALIFORNIA.						
Registration cities (total)	1,266,930	1,331,061	19,627	14.7	[1] 15.6	[1] 18.0
White	1,211,582	1,272,931	18,538	14.6	(2)	(2)
Colored	55,348	58,130	1,089	18.7	(2)	(2)
Alameda	23,383	24,229	265	10.9	14.8	13.3
Bakersfield	12,727	13,296	307	23.1	(5)	(4)
Berkeley	40,434	43,743	375	8.6	11.3	(4)
Eureka	11,845	12,397	211	17.0	(5)	(4)
Fresno	24,892	26,007	354	13.6	16.2	16.9
Long Beach	17,809	19,712	301	15.3	(5)	(4)
Los Angeles (total)	319,198	343,819	5,001	14.5	14.8	16.4
White	305,342	328,894	4,745	14.4	14.6	16.2
Colored	13,856	14,925	256	17.2	19.8	19.6
Oakland	150,174	156,684	1,984	12.7	15.4	13.3
Pasadena	30,291	32,342	429	13.3	14.3	(4)
Pomona	10,207	10,779	152	14.1	(5)	(4)
Redlands	10,449	11,140	152	13.6	(5)	(4)
Riverside (total)	15,212	16,097	260	16.2	(5)	(4)
White	13,506	14,292	238	16.7	(5)	(4)
Colored	1,706	1,805	22	12.2	(5)	(4)
Sacramento	44,696	46,581	828	17.8	16.6	18.0
San Bernardino	12,779	13,589	266	19.6	(5)	(4)

[1] Based on figures for area as constituted in each year.
[2] Not computed.
[3] Including District of Columbia.
[4] Not admitted to registration area until a later date.
[5] Figures for deaths not available for the entire period.
[6] Includes only municipalities having a population of 1,000 or over in 1900.
[7] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION. Census of Apr. 15, 1910.	POPULATION. Estimated as of July 1, 1911.	Deaths, 1911.	DEATH RATE PER 1,000 POPULATION. 1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
REGISTRATION CITIES—Continued.						
CALIFORNIA—contd.						
San Diego	39,578	42,254	817	19.3	18.2	16.8
San Francisco (total)	416,912	425,982	6,495	15.2	16.1	20.3
White	400,034	408,737	6,142	15.0	16.1	19.8
Colored	16,878	17,245	353	20.5	15.9	30.1
San Jose	28,946	32,607	413	12.7	14.9	15.2
Santa Barbara	11,659	12,279	215	17.5	(1)	(2)
Santa Cruz	11,146	11,816	178	15.1	(1)	(2)
Stockton *	23,253	23,956	488	20.4	21.9	(2)
Vallejo	11,340	11,752	136	11.6	(1)	(2)
COLORADO.						
Registration cities (total)	297,058	308,991	4,652	15.1	[3] 17.3	[3] 18.3
White	287,722	299,285	4,452	14.9	(4)	(4)
Colored	9,336	9,706	200	20.6	(4)	(4)
Colorado Springs	29,078	29,835	483	16.2	17.7	(2)
Denver	213,381	222,088	3,441	15.5	17.5	17.2
Pueblo	44,395	46,320	602	13.0	15.4	23.2
Trinidad	10,204	10,798	126	11.7	(1)	(2)
CONNECTICUT.						
Registration cities (total)	752,224	773,180	12,024	15.6	[3] 16.0	[3] 16.1
White	740,652	761,303	11,706	15.4	(4)	(4)
Colored	11,572	11,877	318	26.8	(4)	(4)
Ansonia	15,152	15,454	211	13.7	15.0	14.1
Bridgeport	102,054	105,854	1,472	13.9	15.5	16.0
Bristol	13,502	13,974	180	12.9	12.6	14.4
Danbury town	23,502	23,995	336	14.0	15.6	15.6
Greenwich town	16,463	16,988	258	15.2	16.8	15.2
Hartford	98,915	101,247	1,849	18.3	16.8	16.6
Manchester town	13,641	14,012	165	11.8	11.0	11.8
Meriden town	32,066	32,478	535	16.5	14.2	13.7
Middletown town*	20,749	21,147	476	22.5	22.7	20.0
Naugatuck	12,722	12,988	118	9.1	12.9	14.6
New Britain	43,916	45,838	593	12.9	14.3	14.4
New Haven	133,605	136,734	2,281	16.7	17.3	17.3
New London	19,659	19,916	337	16.9	18.4	19.7
Norwalk town	24,211	24,734	383	15.5	15.6	14.9
Norwich town	28,219	28,436	484	17.0	16.6	16.9
Orange town	11,272	11,795	141	12.0	(1)	(5)
Stamford town	28,836	30,058	508	16.9	17.3	17.9
Torrington town	16,840	17,376	174	10.0	11.6	12.1
Wallingford town	11,155	11,418	123	10.8	13.0	12.9
Waterbury	73,141	75,833	1,134	15.0	15.7	15.9
Windham town	12,604	12,905	266	20.6	16.8	16.8
DELAWARE.[6]						
Wilmington (total)	87,411	88,745	1,446	16.3	17.0	17.0
White	78,309	79,504	1,217	15.3	15.9	15.7
Colored	9,102	9,241	229	24.8	26.5	27.2
DISTRICT OF COLUMBIA.						
Washington (total)	331,069	337,475	6,304	18.7	19.6	20.5
White	236,128	240,697	3,739	15.5	15.9	16.5
Colored	94,941	96,778	2,565	26.5	28.7	29.5
FLORIDA.[6]						
Registration cities (total)	77,644	83,152	1,819	21.9	22.0	25.3
White	42,741	45,413	803	17.7	18.7	21.9
Colored	34,903	37,739	1,016	26.9	25.9	29.0
Jacksonville (total)	57,699	63,346	1,367	21.6	22.1	27.5
White	28,331	31,104	524	16.8	17.9	23.3
Colored	29,368	32,242	843	26.1	25.8	30.5
Key West (total)	19,945	19,806	452	22.8	22.0	21.7
White	14,410	14,309	279	19.5	20.1	20.4
Colored	5,535	5,497	173	31.5	26.3	24.4
GEORGIA.[6]						
Registration cities (total)	219,903	225,785	5,091	22.5	21.2	23.3
White	134,646	138,470	2,296	16.6	16.2	17.1
Colored	85,257	87,315	2,795	32.0	28.7	31.8
Atlanta (total)	154,839	160,255	3,172	19.8	19.4	21.1
White	102,862	106,458	1,677	15.8	15.6	16.1
Colored	51,977	53,797	1,495	27.8	26.8	29.6
REGISTRATION CITIES—Continued.						
GEORGIA—contd.						
Savannah (total)	65,064	65,530	1,919	29.3	24.8	27.1
White	31,784	32,012	619	19.3	17.9	19.2
Colored	33,280	33,518	1,300	38.8	31.3	34.5
ILLINOIS.[6]						
Registration cities (total)	2,395,921	2,465,009	35,852	14.5	[3] 14.9	[3] 14.6
White	2,341,357	2,408,917	34,605	14.4	(4)	(4)
Colored	54,564	56,092	1,247	22.2	(4)	(4)
Aurora	29,807	31,250	413	13.2	14.0	12.9
Belleville	21,122	21,126	310	14.7	15.6	17.7
Chicago (total)	2,185,283	2,249,265	32,531	14.5	14.9	14.5
White	2,139,057	2,201,686	31,478	14.3	14.7	14.3
Colored	46,226	47,579	1,053	22.1	23.1	24.5
Decatur	31,140	32,426	400	12.3	11.7	12.9
Evanston	24,978	25,677	281	10.9	(1)	(2)
Jacksonville *	15,326	15,356	380	24.7	21.0	22.7
Quincy	36,587	36,627	660	18.0	15.3	15.5
Springfield	51,678	53,282	877	16.5	17.0	17.4
INDIANA.						
Registration cities (total)	819,067	843,390	11,838	14.0	[3] 14.4	[3] 15.0
White	777,984	801,367	10,911	13.6	(4)	(4)
Colored	41,083	42,023	927	22.1	(4)	(4)
Anderson	22,476	22,756	306	13.4	13.0	14.8
East Chicago	19,098	21,016	294	14.0	(1)	(5)
Elkhart	19,282	19,782	208	10.5	13.0	12.4
Elwood	11,028	10,779	106	9.8	12.5	13.4
Evansville	69,647	70,886	1,087	15.3	13.2	13.1
Fort Wayne	63,933	66,015	815	12.3	13.2	13.5
Gary	16,802	[7] 16,802	290	[7] 17.3	(1)	(5)
Hammond	20,925	21,900	275	12.6	14.0	14.0
Huntington	10,272	10,330	126	12.2	11.3	14.0
Indianapolis (total)	233,650	240,080	3,530	14.7	15.2	15.4
White	211,789	217,617	3,029	13.9	14.2	14.6
Colored	21,861	22,463	501	22.3	24.0	23.1
Jeffersonville (total)	10,412	10,369	186	17.9	17.1	19.9
White	8,875	8,838	156	17.7	16.3	18.1
Colored	1,537	1,531	30	19.6	21.8	29.4
Kokomo	17,010	17,701	210	11.9	14.2	14.5
Lafayette	20,081	20,320	330	16.2	16.9	17.7
Laporte	10,525	10,941	169	15.4	(1)	(5)
Logansport	19,050	19,398	249	12.8	15.9	17.4
Marion	19,359	19,459	254	13.1	13.2	14.9
Michigan City	19,027	19,500	251	12.9	13.5	13.0
Mishawaka	11,886	12,659	157	12.4	(1)	(5)
Muncie	24,005	24,269	314	12.9	14.5	16.7
New Albany	20,629	20,629	317	15.4	16.4	17.3
Peru	10,910	11,049	151	13.7	11.7	12.3
Richmond	22,324	22,776	285	12.5	13.5	16.0
South Bend	53,684	59,250	758	12.8	13.6	13.1
Terre Haute	58,157	59,317	913	15.4	15.6	17.3
Vincennes	14,895	15,407	257	16.7	16.5	16.1
KANSAS.[6]						
Registration cities (total)	154,144	163,372	2,393	14.6	(1)	[3] 15.1
White	139,824	148,170	2,008	13.6	(1)	(4)
Colored	14,320	15,202	385	25.3	(1)	(4)
Kansas City (total)	82,331	[8] 85,679	1,405	16.4	(1)	(2)
White	72,997	75,965	1,145	15.1	(1)	(2)
Colored	9,334	9,714	260	26.8	(1)	(2)
Leavenworth (total)	19,363	[8] 22,110	315	14.2	15.7	14.8
White	16,880	19,275	238	12.3	14.5	13.4
Colored	2,483	2,835	77	27.2	23.9	22.5
Wichita	52,450	[8] 55,583	673	12.1	12.9	15.4
KENTUCKY.						
Registration cities (total)	403,294	409,402	6,934	16.9	[3] 17.1	[3] 18.9
White	333,219	338,094	4,937	14.6	(4)	(4)
Colored	70,075	71,308	1,997	28.0	(4)	(4)
Covington (total)	53,270	53,535	809	15.1	16.1	18.6
White	50,358	50,611	716	14.1	(4)	(4)
Colored [9]	2,912	2,924	93	31.8	(4)	(4)
Frankfort (total)	10,465	10,584	206	19.5	(2)	(2)
White	7,614	7,701	138	17.9	(2)	(2)
Colored	2,851	2,883	68	23.6	(2)	(2)

[1] Figures for deaths not available for the entire period.
[2] Not admitted to registration area until a later date.
[3] Based on figures for area as constituted in each year.
[4] Not computed.
[5] Included in rural.
[6] Nonregistration state; cities shown below only those with effective local ordinances.
[7] No data available for estimate of population; that of April 15, 1910, used.
[8] Population at state census, March 1, 1911.
[9] Colored population less than 10 per cent of total.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
REGISTRATION CITIES—Continued.						
KENTUCKY—continued.						
Henderson (total)	11,452	11,595	229	19.8	(1)	(1)
White	8,436	8,541	133	15.6	(1)	(1)
Colored	3,016	3,054	96	31.4	(1)	(1)
Lexington (total)	35,099	36,167	827	22.9	(1)	(1)
White	24,076	24,809	459	18.5	(1)	(1)
Colored	11,023	11,358	368	32.4	(1)	(1)
Louisville (total)	223,928	227,448	3,661	16.1	17.4	19.0
White	183,390	186,273	2,597	13.9	15.1	16.9
Colored	40,538	41,175	1,064	25.8	27.7	28.1
Newport (total)	30,309	30,554	383	12.5	15.6	16.0
White	29,740	29,980	364	12.1	(2)	(2)
Colored [3]	569	574	19	33.1	(2)	(2)
Owensboro (total)	16,011	16,355	352	21.5	(1)	(1)
White	12,895	13,172	260	19.7	(1)	(1)
Colored	3,116	3,183	92	28.9	(1)	(1)
Paducah (total)	22,760	23,164	467	20.2	17.5	22.2
White	16,710	17,007	270	15.9	13.5	19.3
Colored	6,050	6,157	197	32.0	28.4	29.2
LOUISIANA. [4]						
New Orleans (total)	339,075	345,433	7,055	20.4	21.7	22.4
White	249,435	254,112	4,208	16.6	18.0	19.2
Colored	89,640	91,321	2,847	31.2	32.1	31.0
MAINE.						
Registration cities (total)	166,433	168,926	3,114	18.4	[5] 18.5	[5] 18.6
White	165,750	168,234	3,103	18.4	(2)	(2)
Colored	683	692	11	15.9	(2)	(2)
Auburn	15,064	15,322	203	13.2	14.9	(6)
Augusta *	13,211	13,397	342	25.5	23.0	23.5
Bangor *	24,803	25,164	519	20.6	18.1	17.8
Biddeford	17,079	17,192	317	18.4	20.4	19.3
Lewiston	26,247	26,550	508	19.1	19.9	(6)
Portland	58,571	59,602	1,062	17.8	18.2	18.1
Waterville	11,458	11,699	163	13.9	16.7	(6)
MARYLAND.						
Registration cities (total)	607,242	614,368	11,355	18.5	[5] 19.4	[5] 20.0
White	518,478	524,610	8,567	16.3	[5] 17.3	[5] 17.7
Colored	88,764	89,758	2,788	31.1	[5] 31.7	[5] 32.2
Baltimore (total)	558,485	564,544	10,407	18.4	19.5	20.0
White	473,390	478,526	7,757	16.2	17.3	17.8
Colored	85,095	86,018	2,650	30.8	31.5	32.0
Cumberland (total)	21,839	22,415	416	18.6	18.7	(1)
White	20,772	21,320	375	17.6	17.9	(1)
Colored [3]	1,067	1,095	41	37.4	33.2	(1)
Frederick (total)	10,411	10,546	219	20.8	20.1	22.0
White	8,941	9,057	168	18.5	17.8	18.4
Colored	1,470	1,489	51	34.3	34.0	41.1
Hagerstown (total)	16,507	16,863	313	18.6	17.5	(1)
White	15,375	15,707	267	17.0	16.7	(1)
Colored [3]	1,132	1,156	46	39.8	28.6	(1)
MASSACHUSETTS.						
Registration cities (total)	2,606,380	2,683,475	41,010	15.3	[5] 16.2	[5] 16.9
White	2,572,008	2,647,999	40,293	15.2	(2)	(2)
Colored	34,372	35,476	717	20.2	(2)	(2)
Adams town	13,026	13,158	186	14.1	14.2	16.7
Arlington town	11,187	11,557	147	12.7	12.2	12.1
Attleborough town	16,215	17,071	187	11.0	12.5	13.3
Beverly	18,650	19,485	262	13.4	13.7	14.4
Boston (total)	670,585	688,911	11,765	17.1	17.9	18.8
White	655,770	673,615	11,393	16.9	17.7	18.6
Colored	14,815	15,296	372	24.3	24.3	26.0
Brockton	56,878	59,093	640	10.8	12.0	12.2
Brookline town	27,792	28,853	342	11.9	11.4	10.9
Cambridge	104,839	106,643	1,617	15.2	15.1	15.1
Chelsea	32,452	31,276	622	19.9	17.6	18.1
Chicopee	25,401	26,669	389	14.6	16.2	18.6
Clinton town	13,075	13,068	183	14.0	14.4	15.9
Everett	33,484	34,549	377	10.9	12.0	13.5
REGISTRATION CITIES—Continued.						
MASSACHUSETTS—contd.						
Fall River	119,295	122,592	2,134	17.4	19.7	20.3
Fitchburg	37,826	38,996	498	12.8	13.7	13.9
Framingham town	12,948	13,288	185	13.9	16.1	14.8
Gardner town	14,699	15,352	193	12.6	14.7	15.0
Gloucester	24,398	24,006	347	14.5	14.4	17.5
Greenfield town	10,427	10,736	155	14.4	(7)	(6)
Haverhill	44,115	45,646	653	14.3	15.6	15.4
Holyoke	57,730	59,598	902	15.1	17.8	17.2
Hyde Park town	15,507	15,749	191	12.1	13.2	13.1
Lawrence	85,892	89,752	1,405	15.7	17.7	17.8
Leominster town	17,580	18,379	220	12.0	12.0	12.9
Lowell	106,294	108,999	1,925	17.7	19.4	20.2
Lynn	89,336	92,331	1,152	12.5	14.1	15.0
Malden	44,404	45,955	551	12.0	13.1	13.7
Marlborough	14,579	14,702	223	15.2	13.5	14.3
Medford	23,150	23,993	275	11.5	11.6	12.5
Melrose	15,715	16,060	178	11.1	12.3	12.7
Methuen town	11,448	12,123	141	11.6	(7)	(6)
Milford town	13,055	13,285	214	16.1	16.9	14.8
New Bedford	96,652	102,098	1,741	17.1	17.8	19.8
Newburyport	14,949	15,015	280	18.6	17.4	19.1
Newton	39,806	40,531	463	11.4	11.7	12.5
North Adams	22,019	21,988	317	14.4	14.8	15.6
Northampton *	19,431	19,335	375	19.4	18.6	15.9
Peabody town	15,721	16,360	227	13.9	13.8	14.1
Pittsfield	32,121	33,856	552	16.3	15.4	15.8
Plymouth town	12,141	12,390	204	16.5	13.5	14.2
Quincy	32,642	33,754	395	11.7	12.3	13.7
Revere town	18,219	19,573	192	9.8	11.6	12.5
Salem	43,697	45,177	745	16.5	17.3	18.8
Somerville	77,236	79,177	1,031	13.0	13.2	13.9
Southbridge town	12,592	12,979	131	10.1	14.0	16.6
Springfield	88,926	92,675	1,417	15.3	15.5	15.5
Taunton *	34,259	35,061	715	20.4	21.4	19.9
Wakefield town	11,404	11,680	144	12.3	12.2	13.1
Waltham	27,834	28,212	389	13.8	13.5	13.7
Watertown town	12,875	13,268	137	10.3	11.3	12.2
Webster town	11,509	11,871	156	13.1	13.5	15.5
Westfield town	16,044	16,636	284	17.1	16.2	16.4
Weymouth town	12,895	13,214	187	14.2	15.2	14.8
Winthrop town	10,132	10,886	114	10.5	[8] 11.5	[8] 11.3
Woburn	15,308	15,528	193	12.4	15.2	15.1
Worcester	145,986	150,336	2,362	15.7	17.1	16.8
MICHIGAN.						
Registration cities (total)	1,043,746	1,090,282	15,355	14.1	[5] 14.6	[5] 14.5
White	1,032,902	1,078,909	15,108	14.0	(2)	(2)
Colored	10,844	11,373	247	21.7	(2)	(2)
Adrian	10,763	10,780	152	14.1	15.0	(6)
Alpena	12,706	12,768	215	16.8	16.0	(6)
Ann Arbor	14,817	14,861	338	22.7	19.3	15.3
Battle Creek	25,267	25,894	399	15.4	15.4	16.0
Bay City	45,166	46,096	563	12.2	13.5	[9] 13.0
Detroit	465,766	493,040	7,110	14.4	14.8	15.1
Escanaba	13,194	13,624	182	13.4	17.3	18.7
Flint	38,550	43,417	401	9.2	10.9	13.3
Grand Rapids	112,571	116,036	1,580	13.6	13.3	13.5
Holland	10,490	10,803	115	10.6	(7)	(6)
Ironwood	12,821	13,396	113	8.4	13.5	14.1
Ishpeming	12,448	12,617	124	9.8	14.2	13.4
Jackson	31,433	32,694	410	12.5	14.4	14.3
Kalamazoo *	39,437	41,422	719	17.4	17.9	16.9
Lansing	31,229	33,481	343	10.2	11.4	12.0
Manistee	12,381	12,315	158	12.8	12.0	(6)
Marquette	11,503	11,674	201	17.2	16.2	15.2
Menominee	10,507	10,387	136	13.1	14.4	12.9
Muskegon	24,062	24,712	365	14.8	13.1	12.5
Pontiac *	14,532	15,179	316	20.8	19.3	17.2

[1] Not admitted to registration area until a later date.
[2] Not computed.
[3] Colored population less than 10 per cent of total.
[4] Nonregistration state; cities shown below only those with effective local ordinances.
[5] Based on figures for area as constituted in each year.
[6] Included in rural.
[7] Figures for deaths not available for the entire period.
[8] Returns for 1901 to 1909 shown under the head of Suffolk County rural in reports for those years.
[9] Including for 1901 to 1904 West Bay City, annexed to Bay City in 1905.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION. Census of Apr. 15, 1910.	POPULATION. Estimated as of July 1, 1911.	Deaths, 1911.	DEATH RATE PER 1,000 POPULATION. 1911	DEATH RATE PER 1,000 POPULATION. Annual average: 1906 to 1910.	DEATH RATE PER 1,000 POPULATION. Annual average: 1901 to 1905.
REGISTRATION CITIES—Continued.						
MICHIGAN—continued.						
Port Huron	18,863	18,624	300	16.1	14.2	12.8
Saginaw	50,510	51,312	704	13.7	14.0	13.0
Sault Ste. Marie	12,615	12,855	162	12.6	14.1	17.9
Traverse City *	12,115	12,295	249	20.3	21.0	18.4
MINNESOTA.						
Registration cities (total)	654,837	672,598	7,732	11.5	(1)	[2] 10.6
White	648,272	665,875	7,611	11.4	(1)	(3)
Colored	6,565	6,723	121	18.0	(1)	(3)
Duluth	78,466	81,817	960	11.7	13.1	13.0
Mankato	10,365	10,210	155	15.2	14.6	13.7
Minneapolis	301,408	311,182	3,572	11.5	11.0	10.2
St. Cloud	10,600	10,891	136	12.5	(1)	(4)
St. Paul	214,744	219,136	2,386	10.9	11.0	10.0
Stillwater	10,198	9,645	123	12.8	(1)	(4)
Virginia	10,473	11,567	154	13.3	(1)	(4)
Winona	18,583	18,150	246	13.6	12.6	12.4
MISSOURI.						
Registration cities (total)	1,150,840	1,179,141	17,874	15.2	[2] 15.2	[2] 16.9
White	1,068,828	1,095,029	15,775	14.4	(3)	(3)
Colored	82,012	84,112	2,099	25.0	(3)	(3)
Hannibal	18,341	19,031	263	13.8	(4)	(4)
Jefferson City	11,850	12,117	158	13.0	(4)	(4)
Joplin	32,073	32,261	465	14.4	(4)	(4)
Kansas City (total)	248,381	257,512	3,961	15.4	14.6	15.9
White	224,677	232,940	3,340	14.3	13.5	14.6
Colored	23,704	24,572	621	25.3	24.9	27.1
Moberly	10,923	11,278	148	13.1	(4)	(4)
St. Joseph *	77,403	[5] 78,926	1,001	12.7	(6)	(6)
St. Louis (total)	687,029	700,707	10,765	15.4	15.6	17.9
White	642,488	655,287	9,591	14.6	14.8	17.1
Colored	44,541	45,420	1,174	25.8	26.7	30.3
Sedalia	17,822	18,138	306	16.9	(4)	(4)
Springfield	35,201	36,660	619	16.9	(4)	(4)
Webb City	11,817	12,511	188	15.0	(4)	(4)
MONTANA.						
Registration cities (total)	98,662	101,394	1,470	14.5	(1)	(4)
White	96,506	99,176	1,417	14.3	(1)	(4)
Colored	2,156	2,218	53	23.9	(1)	(4)
Anaconda	10,134	10,217	124	12.1	(1)	(4)
Billings	10,031	10,863	149	13.7	(1)	(4)
Butte	39,165	39,849	635	15.9	(1)	(4)
Great Falls	13,948	13,829	211	15.3	(1)	(4)
Helena	12,515	12,727	184	14.5	(1)	(4)
Missoula	12,869	13,909	167	12.0	(1)	(4)
NEBRASKA.[7]						
Registration cities (total)	168,069	171,219	2,425	14.2	13.3	11.2
White	162,802	165,848	2,301	13.9	(3)	(3)
Colored	5,267	5,371	124	23.1	(3)	(3)
Lincoln	43,973	44,488	613	13.8	12.0	10.5
Omaha	124,096	126,731	1,812	14.3	13.8	11.5
NEW HAMPSHIRE.						
Registration cities (total)	174,112	177,001	3,156	17.8	[2] 17.7	[2] 17.1
White	173,789	176,676	3,151	17.8	(3)	(3)
Colored	323	325	5	15.4	(3)	(3)
Berlin	11,780	12,134	187	15.4	15.2	15.5
Concord *	21,497	21,724	436	20.1	20.3	17.2
Dover	13,247	13,251	248	18.7	18.6	17.4
Keene	10,068	10,178	181	17.8	16.7	15.6
Laconia	10,183	10,444	154	14.7	17.6	17.1
Manchester	70,063	71,662	1,302	18.2	18.1	17.9
Nashua	26,005	26,262	428	16.3	17.1	16.3
Portsmouth	11,269	11,346	220	19.4	16.8	18.0
REGISTRATION CITIES—Continued.						
NEW JERSEY.						
Registration cities (total)	1,635,863	1,702,736	25,821	15.2	[2] 16.6	[2] 17.9
White	1,580,235	1,644,826	24,477	14.9	(3)	(3)
Colored	55,628	57,910	1,344	23.2	(3)	(3)
Asbury Park (total)	10,150	11,172	146	13.1	(1)	(3)
White	8,209	9,036	112	12.4	(1)	(3)
Colored	1,941	2,136	34	15.9	(1)	(3)
Atlantic City (total)	46,150	48,270	796	16.5	16.5	16.2
White	36,231	37,895	630	16.6	16.6	16.8
Colored	9,919	10,375	166	16.0	16.1	14.3
Bayonne	55,545	58,836	815	13.9	14.8	16.8
Bloomfield	15,070	15,912	146	9.2	11.5	(3)
Bridgeton	14,209	14,354	247	17.2	14.8	14.7
Camden	94,538	97,307	1,626	16.7	16.9	17.3
East Orange	34,371	36,650	332	9.1	9.9	(3)
Elizabeth	73,409	76,543	1,202	15.7	16.4	16.7
Garfield	10,213	11,481	136	11.8	(1)	(3)
Hackensack	14,050	14,781	217	14.7	15.3	(3)
Harrison	14,498	14,912	194	13.0	16.4	18.2
Hoboken	70,324	71,527	1,266	17.7	19.9	19.7
Irvington	11,877	13,040	159	12.2	(1)	(3)
Jersey City	267,779	276,474	4,381	15.8	17.7	19.3
Kearny	18,659	19,912	266	13.4	14.0	(3)
Long Branch	13,298	13,573	284	20.9	20.2	(3)
Millville	12,451	12,591	166	13.2	13.5	14.4
Montclair (total)	21,550	22,833	314	13.8	14.1	17.6
White	19,046	20,180	270	13.4	(3)	(3)
Colored	2,504	2,653	44	16.6	(3)	(3)
Morristown	12,507	12,596	293	23.3	22.1	18.5
New Brunswick	23,388	23,451	475	20.3	19.9	18.4
Newark	347,469	363,376	5,395	14.8	17.2	18.7
Orange	29,630	30,503	535	17.5	18.2	20.2
Passaic	54,773	58,970	830	14.1	15.8	18.3
Paterson	125,600	129,087	1,890	14.6	15.7	16.9
Perth Amboy	32,121	33,664	468	13.9	14.0	12.9
Phillipsburg	13,903	14,039	183	13.0	12.7	13.0
Plainfield	20,550	21,065	297	14.1	16.5	16.0
Trenton *	96,815	99,945	1,843	18.4	18.1	17.1
Union	21,023	22,018	233	10.6	14.4	16.7
West Hoboken	35,403	36,969	404	10.9	11.8	(3)
West New York	13,560	15,136	176	11.6	(1)	(3)
West Orange	10,980	11,749	106	9.0	(1)	(3)
NEW YORK.						
Registration cities (total)	6,771,142	7,019,013	108,488	15.5	[2] 16.7	[2] 18.1
White	6,652,637	6,896,543	105,442	15.3	(3)	(3)
Colored	118,505	122,470	3,046	24.9	(3)	(3)
Albany	100,253	100,967	2,063	20.4	18.6	18.4
Amsterdam	31,267	33,115	437	13.2	15.4	15.5
Auburn	34,668	35,198	633	18.0	15.5	15.4
Batavia	11,613	11,959	205	17.1	15.3	(3)
Binghamton *	48,443	49,767	939	18.9	18.2	17.2
Buffalo	423,715	435,315	6,294	14.5	16.0	15.5
Cohoes	24,709	24,868	481	19.3	19.6	19.5
Corning	13,730	13,801	186	13.5	16.1	14.6
Cortland	11,504	11,580	206	17.8	15.3	12.3
Dunkirk	17,221	17,722	268	15.1	15.0	16.1
Elmira	37,176	37,535	562	15.0	15.0	15.0
Fulton	10,480	10,890	173	15.9	(1)	(3)
Geneva	12,446	12,516	161	12.9	14.2	14.1
Glens Falls	15,243	15,389	295	19.2	15.5	15.3
Gloversville	20,642	21,153	335	15.8	15.6	13.9
Hornell	13,617	13,733	213	15.5	14.0	(3)
Hudson	11,417	11,678	220	18.8	17.7	18.9
Ithaca	14,802	14,877	285	19.2	15.8	15.6
Jamestown	31,297	32,608	414	12.7	11.2	12.0

[1] Figures for deaths not available for the entire period.
[2] Based on figures for area as constituted in each year.
[3] Not computed.
[4] Not admitted to registration until a later date.
[5] Estimate based on enumerated populations of 1890 and 1910.
[6] Population not estimated.
[7] Nonregistration state; cities shown below only those with effective local ordinances.
[8] Included in rural.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION. Census of Apr. 15, 1910.	POPULATION. Estimated as of July 1, 1911.	Deaths, 1911.	DEATH RATE PER 1,000 POPULATION. 1911	DEATH RATE PER 1,000 POPULATION. Annual average: 1906 to 1910.	DEATH RATE PER 1,000 POPULATION. Annual average: 1901 to 1905.
REGISTRATION CITIES—Continued.						
NEW YORK—continued.						
Johnstown	10,447	10,615	152	14.3	13.8	13.3
Kingston	25,908	26,031	502	19.3	18.6	17.6
Lackawanna	14,549	15,349	380	24.8	(1)	(2)
Little Falls	12,273	12,578	210	16.7	14.1	(2)
Lockport	17,970	18,104	315	17.4	15.0	15.6
Middletown *	15,313	15,222	388	25.5	21.7	19.3
Mount Vernon	30,919	32,403	416	12.8	14.1	14.3
New Rochelle	28,867	30,968	337	10.9	13.0	13.5
New York (total)	4,766,883	4,956,864	75,329	15.2	16.9	19.0
Bronx Borough	430,980	470,486	6,251	13.3	17.4	20.9
Brooklyn Borough	1,634,351	1,703,567	25,174	14.8	16.3	18.2
Manhattan Borough	2,331,542	2,388,207	38,236	16.0	17.4	19.5
Queens Borough	284,041	305,407	4,182	13.7	14.9	16.1
Richmond Borough	85,969	89,197	1,436	16.7	18.6	19.0
White	4,669,224	4,855,923	72,799	15.0	16.7	18.8
Bronx Borough	426,660	465,770	6,153	13.2	17.0	20.5
Brooklyn Borough	1,610,499	1,678,705	24,528	14.6	16.2	18.1
Manhattan Borough	2,266,617	2,321,704	36,588	15.8	17.2	19.2
Queens Borough	280,692	301,806	4,076	13.5	14.8	15.9
Richmond Borough	84,756	87,938	1,454	16.5	18.5	18.9
Colored	97,659	100,941	2,530	25.1	26.5	30.0
Bronx Borough	4,320	4,716	98	20.8	42.0	46.5
Brooklyn Borough	23,852	24,862	646	26.0	23.0	24.5
Manhattan Borough	64,925	66,503	1,648	24.8	26.9	32.2
Queens Borough	3,349	3,601	106	29.4	25.1	23.5
Richmond Borough	1,213	1,259	32	25.4	24.3	25.9
Newburgh	27,805	28,173	549	19.5	18.1	18.7
Niagara Falls	30,445	31,440	590	18.8	16.7	16.2
North Tonawanda	11,955	12,406	156	12.6	13.2	(2)
Ogdensburg *	15,933	16,210	399	24.6	26.6	23.3
Olean	14,743	15,155	209	13.8	13.2	11.5
Ossining	11,480	12,249	193	15.8	(1)	(2)
Oswego	23,368	23,612	359	15.2	15.9	(2)
Peekskill	15,245	15,751	259	16.4	17.3	17.7
Plattsburg	11,138	11,391	182	16.0	14.2	(2)
Port Chester	12,809	13,207	204	15.4	(1)	(2)
Poughkeepsie	27,936	28,627	562	19.6	18.4	18.3
Rensselaer	10,711	10,711	149	13.9	(1)	(2)
Rochester	218,149	227,103	3,271	14.4	14.7	14.6
Rome	20,497	21,281	493	23.2	19.9	17.4
Saratoga Springs	12,693	12,618	270	21.4	20.8	21.5
Schenectady	72,826	76,447	946	12.4	14.2	14.9
Syracuse	137,249	142,110	2,027	14.3	15.2	14.5
Troy	76,813	76,947	1,621	21.1	20.3	20.5
Utica *	74,419	77,088	1,442	18.7	19.2	17.8
Watertown	26,730	27,090	451	16.6	17.3	14.9
Watervliet	15,074	15,220	263	17.3	16.7	16.7
White Plains	15,949	17,012	290	17.0	(1)	(2)
Yonkers	79,803	84,360	1,204	14.3	15.3	16.3
NORTH CAROLINA.						
Registration cities (total)	149,045	155,772	3,246	20.8	(1)	3 25.4
White	92,025	96,004	1,585	16.5	(1)	3 20.4
Colored	57,020	59,768	1,661	27.8	(1)	3 31.2
Asheville (total)	18,762	19,136	338	17.7	(1)	(4)
White	13,401	13,668	233	17.0	(1)	(4)
Colored	5,361	5,468	105	19.2	(1)	(4)
Charlotte (total)	34,014	34,737	517	14.9	(1)	(4)
White	22,259	22,732	273	12.0	(1)	(4)
Colored	11,755	12,005	244	20.3	(1)	(4)
Durham (total)	18,241	19,567	351	17.9	(1)	(4)
White	11,372	12,199	155	12.7	(1)	(4)
Colored	6,869	7,368	196	26.6	(1)	(4)
Greensboro (total)	15,895	16,611	297	17.9	(1)	(4)
White	10,184	10,643	157	14.8	(1)	(4)
Colored	5,711	5,968	140	23.5	(1)	(4)
REGISTRATION CITIES—Continued.						
NORTH CAROLINA—contd.						
Raleigh * (total)	19,218	19,348	606	31.3	26.8	25.0
White	11,846	11,926	328	27.5	22.7	21.2
Colored	7,372	7,422	278	37.5	33.3	30.5
Wilmington (total)	25,748	26,331	778	29.5	22.7	25.6
White	13,627	13,936	306	22.0	17.4	19.9
Colored	12,121	12,395	472	38.1	28.7	31.6
Winston (total)	17,167	20,042	359	17.9	(1)	(4)
White	9,336	10,900	133	12.2	(1)	(4)
Colored	7,831	9,142	226	24.7	(1)	(4)
OHIO.						
Registration cities (total)	2,145,194	2,216,747	31,293	14.1	(1)	3 15.7
White	2,078,009	2,147,397	29,713	13.8	(1)	(5)
Colored	67,185	69,350	1,580	22.8	(1)	(5)
Akron	69,067	72,289	958	13.3	(1)	(4)
Alliance	15,083	15,857	163	10.3	(1)	(4)
Ashtabula	18,266	18,929	242	12.8	15.2	14.9
Bellaire	12,946	13,193	165	12.5	15.8	18.5
Cambridge	11,327	11,704	132	11.3	(1)	(4)
Canton	50,217	51,996	569	10.9	10.3	10.3
Chillicothe	14,508	14,695	229	15.6	16.2	15.6
Cincinnati (total)	363,591	378,063	6,225	16.5	18.1	19.1
White	343,922	357,611	5,627	15.7	17.3	18.3
Colored	19,669	20,452	598	29.2	31.4	34.8
Cleveland	560,663	579,013	7,999	13.8	14.1	14.9
Columbus (total)	181,511	187,255	2,671	14.3	15.1	15.4
White	168,711	174,050	2,415	13.9	14.5	14.8
Colored	12,800	13,205	256	19.4	23.1	24.0
Dayton	116,577	118,301	1,624	13.7	15.5	15.1
East Liverpool	20,387	20,802	309	14.9	(1)	(4)
Elyria	14,825	15,563	163	10.5	(1)	(4)
Findlay	14,858	14,521	229	15.8	13.3	13.0
Hamilton	35,279	36,668	468	12.8	14.0	13.5
Ironton	13,147	13,302	230	17.3	15.2	16.4
Lakewood	15,181	16,627	190	11.4	(1)	(4)
Lancaster	13,093	13,594	149	11.0	(1)	(4)
Lima	30,508	31,309	388	12.4	11.9	13.9
Lorain	28,883	30,455	337	11.1	(1)	(4)
Mansfield	20,768	21,150	258	12.2	(1)	(4)
Marietta	12,923	12,871	187	14.5	12.5	15.0
Marion	18,232	19,011	230	12.1	(1)	(4)
Massillon	13,879	14,114	137	9.7	11.3	11.9
Middletown	13,152	13,633	175	12.8	12.0	11.4
Newark	25,404	26,192	311	11.9	12.3	14.0
Norwood	16,185	17,371	157	9.0	(1)	(4)
Piqua	13,388	13,536	165	12.2	(1)	(4)
Portsmouth	23,481	25,667	404	15.7	14.8	15.1
Sandusky	19,989	20,027	289	14.4	(1)	(4)
Springfield (total)	46,921	47,784	620	13.0	(1)	(4)
White	41,976	42,748	541	12.7	(1)	(4)
Colored	4,945	5,036	79	15.7	(1)	(4)
Steubenville	22,391	23,374	325	13.9	(1)	(4)
Tiffin	11,894	12,004	157	13.1	12.0	13.2
Toledo	168,497	172,983	2,578	14.9	14.9	14.3
Warren	11,081	11,356	150	13.2	(1)	(4)
Youngstown	79,066	82,960	1,206	14.5	14.9	15.9
Zanesville	28,026	28,578	504	17.6	(1)	(4)
OREGON.[6]						
Portland (total)	207,214	219,915	2,390	10.9	10.3	10.2
White	198,953	211,148	2,300	10.9	10.3	10.3
Colored [7]	8,261	8,767	90	10.3	9.3	9.2

[1] Figures for deaths not available for the entire period.
[2] Included in rural.
[3] Based on figures for area as constituted in each year.
[4] Not admitted to registration area until a later date.
[5] Not computed.
[6] Nonregistration state; cities shown below only those with effective local ordinances.
[7] Colored population less than 10 per cent of total.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION. Census of Apr. 15, 1910.	POPULATION. Estimated as of July 1, 1911.	Deaths, 1911.	DEATH RATE PER 1,000 POPULATION. 1911	DEATH RATE PER 1,000 POPULATION. Annual average: 1906 to 1910.	DEATH RATE PER 1,000 POPULATION. Annual average: 1901 to 1905.
REGISTRATION CITIES—Continued.						
PENNSYLVANIA.						
Registration cities (total)	3,653,461	3,739,670	57,909	15.5	[1] 17.0	[1] 17.9
White	3,507,665	3,590,611	54,769	15.3	(2)	(2)
Colored	145,796	149,059	3,140	21.1	(2)	(2)
Allentown	51,913	53,653	824	15.4	15.9	16.1
Altoona	52,127	53,285	621	11.7	13.2	16.7
Beaver Falls	12,191	12,452	166	13.3	13.0	(3)
Bethlehem	12,837	13,090	181	13.8	(4)	(3)
Braddock	19,357	19,810	352	17.8	22.9	(3)
Bradford	14,544	14,485	212	14.6	13.3	(3)
Butler	20,728	22,055	241	10.9	14.6	(3)
Carbondale	17,040	17,467	294	16.8	17.3	17.2
Carlisle (total)	10,303	10,385	171	16.5	15.7	16.3
White	9,181	9,254	143	15.5	14.5	15.3
Colored	1,122	1,131	28	24.8	25.0	23.7
Carnegie	10,009	10,336	92	8.9	(4)	(3)
Chambersburg	11,800	11,890	195	16.4	16.5	(3)
Chester (total)	38,537	39,092	603	15.4	16.1	(3)
White	33,725	34,211	511	14.9	14.4	(3)
Colored	4,812	4,881	92	18.8	27.5	(3)
Coatesville (total)	11,084	11,740	127	10.8	(4)	(3)
White	9,562	10,130	104	10.3	(4)	(3)
Colored	1,522	1,610	23	14.3	(4)	(3)
Columbia	11,454	11,341	144	12.7	13.8	15.4
Connellsville	12,845	13,352	189	14.2	(4)	(3)
Dubois	12,623	13,019	133	10.2	11.5	14.4
Dunmore	17,615	18,230	319	17.5	15.9	(3)
Duquesne	15,727	16,545	181	10.9	15.8	(3)
Easton	28,523	28,912	486	16.8	15.9	(3)
Erie	66,525	68,211	1,102	16.2	15.1	14.8
Greensburg	13,012	13,232	208	15.7	(4)	(3)
Harrisburg	64,186	65,650	990	15.1	14.4	15.6
Hazleton	25,452	25,831	337	13.0	13.8	14.3
Homestead	18,713	19,423	230	11.8	16.3	(3)
Johnstown	55,482	57,758	830	14.4	15.2	15.4
Lancaster	47,227	47,932	694	14.5	14.6	14.6
Lebanon	19,240	19,437	307	15.8	15.8	(3)
McKees Rocks	14,702	15,723	165	10.5	(4)	(3)
McKeesport	42,694	43,607	634	14.5	19.6	19.4
Mahanoy City	15,936	16,233	278	17.1	17.5	21.7
Meadville	12,780	12,961	174	13.4	15.1	14.0
Monessen	11,775	12,947	139	10.7	(4)	(3)
Mount Carmel	17,532	18,063	191	10.6	13.9	18.1
Nanticoke	18,877	19,703	286	14.5	15.5	(3)
New Castle	36,280	37,189	534	14.4	15.3	14.9
Norristown*	27,875	28,561	624	21.8	23.2	23.5
North Braddock	11,824	12,470	142	11.4	(4)	(3)
Oil City	15,657	17,666	213	12.1	12.3	(3)
Old Forge	11,324	12,020	167	13.9	(4)	(3)
Philadelphia (total)	1,549,008	1,580,248	26,276	16.6	17.7	18.1
White	1,463,384	1,492,897	24,251	16.2	17.2	17.5
Colored	85,624	87,351	2,025	23.2	27.8	30.1
Phoenixville	10,743	10,931	192	17.6	18.0	(3)
Pittsburgh (total)	533,905	542,480	8,099	14.9	[5] 18.0	[5] 19.9
White	508,010	516,169	7,656	14.8	[6] 17.5	[6] 19.5
Colored	25,895	26,311	443	16.8	[6] 24.9	[6] 31.0
Pittston	16,267	16,720	280	16.7	18.9	(3)
Plymouth	16,996	17,404	252	14.5	15.3	15.6
Pottstown	15,599	15,831	211	13.3	14.8	14.7
Pottsville	20,236	20,789	387	18.6	18.3	16.9
Reading	96,071	98,163	1,408	14.3	14.9	15.9
Scranton	129,867	133,126	1,974	14.8	16.3	16.2
Shamokin	19,588	20,057	251	12.5	13.7	(3)
Sharon	15,270	15,801	190	12.0	16.5	(3)
Shenandoah	25,774	26,441	506	19.1	19.3	(3)
South Bethlehem	19,973	20,796	308	14.8	15.9	14.5
South Sharon	10,190	10,190	112	11.0	(4)	(3)
Steelton	14,246	14,497	188	13.0	16.0	17.1
Sunbury	13,770	14,254	181	12.7	12.6	(3)
Uniontown	13,344	16,577	217	13.1	(4)	(3)
Warren	11,080	11,414	102	8.9	12.1	(3)
REGISTRATION CITIES—Continued.						
PENNSYLVANIA—continued.						
Washington	18,778	19,182	260	13.6	(4)	(3)
West Chester (total)	11,767	12,041	237	19.7	19.9	(3)
White	9,888	10,118	192	19.0	17.9	(3)
Colored	1,879	1,923	45	23.4	30.3	(3)
Wilkes-Barre	67,105	68,986	1,072	15.5	15.8	(3)
Wilkinsburg	18,924	19,656	252	12.8	14.2	(3)
Williamsport	31,860	32,239	519	16.1	16.3	13.8
York	44,750	46,091	659	14.3	14.7	(3)
RHODE ISLAND.						
Registration cities (total)	437,627	450,869	7,052	15.6	[1] 16.8	[1] 17.9
White	429,094	442,103	6,832	15.5	(2)	(2)
Colored	8,533	8,766	220	25.1	(2)	(2)
Central Falls	22,754	23,573	328	13.9	16.1	16.6
Cranston	[7] 21,107	[7] 21,983	[8] 537	[7] 24.4	[9] 25.0	(10)
Cumberland town	10,107	10,287	138	13.4	13.7	(10)
East Providence town	15,808	16,317	206	12.6	14.6	(10)
Newport	27,149	27,671	364	13.2	13.8	15.9
Pawtucket	51,622	53,664	830	15.5	15.9	16.6
Providence	224,326	230,692	3,599	15.6	17.6	18.8
Warwick town	26,629	27,088	475	17.5	16.7	(10)
Woonsocket	38,125	39,594	575	14.5	14.4	16.1
SOUTH CAROLINA.[11]						
Charleston (total)	58,833	59,202	1,770	29.9	27.5	29.7
White	27,764	27,938	518	18.5	17.2	19.3
Colored	31,069	31,264	1,252	40.0	36.5	38.2
TENNESSEE.[11]						
Registration cities (total)	277,815	281,226	5,787	20.6	[1] 19.8	[1] 20.3
White	181,128	183,331	2,963	16.2	(4)	[1] 16.7
Colored	96,687	97,895	2,824	28.8	(4)	[1] 25.5
Knoxville (total)	36,346	36,799	666	18.1	(4)	(3)
White	28,706	29,064	440	15.1	(4)	(3)
Colored	7,640	7,735	226	29.2	(4)	(3)
Memphis (total)	131,105	133,036	2,836	21.3	20.6	19.4
White	78,590	79,748	1,330	16.7	16.1	16.5
Colored	52,515	53,288	1,506	28.3	27.0	22.9
Nashville (total)	110,364	111,391	2,285	20.5	19.3	21.5
White	73,832	74,519	1,193	16.0	15.2	17.0
Colored	36,532	36,872	1,092	29.6	27.2	29.6
TEXAS.[11]						
Registration cities (total)	172,874	181,759	4,097	22.5	[1] 19.6	[1] 21.4
White	152,282	160,273	3,600	22.5	(2)	[1] 21.5
Colored	20,592	21,486	497	23.1	(2)	[1] 20.7
El Paso	39,279	41,918	1,248	29.8	(3)	(3)
Galveston (total)	36,981	37,930	704	18.6	(12)	(3)
White	28,895	29,636	509	17.2	(12)	(3)
Colored	8,086	8,294	195	23.5	(12)	(3)
San Antonio (total)	96,614	101,911	2,145	21.0	20.7	21.4
White	85,801	90,505	1,897	21.0	20.8	21.5
Colored	10,813	11,406	248	21.7	19.9	20.7
UTAH.						
Registration cities (total)	118,357	123,627	1,461	11.8	(4)	[1] 16.0
White	116,415	121,597	1,424	11.7	(4)	(2)
Colored	1,942	2,030	37	18.2	(4)	(2)
Ogden	25,580	26,713	316	11.8	(4)	(3)
Salt Lake City	92,777	96,914	1,145	11.8	14.2	16.0
VERMONT.						
Registration cities (total)	44,748	45,500	813	17.9	[1] 17.5	[1] 17.5
White	44,605	45,356	808	17.8	(2)	(2)
Colored	143	144	5	34.7	(2)	(2)
Barre	10,734	11,013	158	14.3	13.3	15.2
Burlington	20,468	20,691	426	20.6	21.0	19.0
Rutland	13,546	13,796	229	16.6	16.3	17.8

[1] Based on figures for area as constituted in each year.
[2] Not computed.
[3] Not admitted to registration area until a later date.
[4] Figures for deaths not available for the entire period.
[5] Including Allegheny for the years 1901 to 1907.
[6] Excluding Allegheny for the years 1901 to 1907.
[7] Including state institutions.
[8] Including 317 deaths from state institutions.
[9] Including state institutions for the years 1907 to 1910.
[10] Included in rural.
[11] Nonregistration state; cities shown below only those with effective local ordinances.
[12] Population not estimated.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
REGISTRATION CITIES—Continued.						
VIRGINIA.[1]						
Registration cities (total)	317,924	336,534	6,934	20.6	[2]22.1	[2]22.0
White	207,255	219,206	3,429	15.6	(3)	[2]17.1
Colored	110,669	117,328	3,505	29.9	(3)	[2]29.6
Alexandria (total)	15,329	15,426	309	20.0	21.4	21.9
White	11,132	11,202	178	15.9	17.4	18.4
Colored	4,197	4,224	131	31.0	31.6	30.0
Danville (total)	19,020	19,202	395	20.6	(3)	(4)
White	12,811	12,934	238	18.4	(3)	(4)
Colored	6,209	6,268	157	25.0	(3)	(4)
Lynchburg (total)	29,494	29,996	567	18.9	17.5	20.3
White	20,023	20,364	307	15.1	13.2	15.3
Colored	9,471	9,632	260	27.0	25.9	28.1
Norfolk (total)	67,452	81,701	1,756	21.5	23.2	19.2
White	42,353	51,300	721	14.1	16.9	14.4
Colored	25,099	30,401	1,035	34.0	33.4	26.3
Petersburg (total)	24,127	24,409	628	25.7	27.0	25.5
White	13,112	13,265	274	20.7	19.7	19.9
Colored	11,015	11,144	354	31.8	35.5	31.6
Richmond (total)	127,628	129,290	2,718	21.0	[5]22.5	23.4
White	80,879	81,932	1,372	16.7	[6]17.4	18.5
Colored	46,749	47,358	1,346	28.4	[6]29.9	31.7
Roanoke (total)	34,874	36,510	561	15.4	(4)	(4)
White	26,945	28,209	339	12.0	(4)	(4)
Colored	7,929	8,301	222	26.7	(4)	(4)
WASHINGTON.						
Registration cities (total)	521,557	557,171	5,451	9.8	(3)	[2]10.2
White	507,436	542,112	5,293	9.8	(3)	(7)
Colored	14,121	15,059	158	10.5	(3)	(7)
Aberdeen	13,660	14,872	114	7.7	(3)	(4)
Bellingham	24,298	25,917	239	9.2	(3)	(4)
Everett	24,814	26,891	240	8.9	(3)	(4)
North Yakima	14,082	15,418	212	13.8	(3)	(4)
Seattle	237,194	252,782	2,234	8.8	9.8	9.3
Spokane	104,402	112,433	1,299	11.6	12.8	11.3
Tacoma	83,743	88,455	893	10.1	11.5	10.9
Walla Walla	19,364	20,403	220	10.8	(3)	(4)
WEST VIRGINIA.[1]						
Wheeling (total)	41,641	41,978	737	17.6	17.5	16.6
White	40,433	40,760	714	17.5	(7)	(7)
Colored [8]	1,208	1,218	23	18.9	(7)	(7)
WISCONSIN.						
Registration cities (total)	752,948	783,668	9,941	12.7	(3)	[2]12.7
White	750,499	781,125	9,903	12.7	(3)	(7)
Colored	2,449	2,543	38	14.9	(3)	(7)
Appleton	16,773	16,718	216	12.9	(3)	11.5
Ashland	11,594	10,869	209	19.2	(3)	(4)
Beloit	15,125	15,687	164	10.5	11.3	13.2
Eau Claire	18,310	18,205	283	15.5	13.4	11.3
Fond du Lac	18,797	19,171	273	14.2	(3)	(4)
Green Bay	25,236	25,825	524	20.3	17.8	13.8
Janesville	13,894	13,924	219	15.7	(3)	(4)
Kenosha	21,371	22,600	301	13.3	(3)	(4)
La Crosse	30,417	30,748	419	13.6	(3)	(4)
Madison	25,531	25,835	305	11.8	11.1	10.6
Manitowoc	13,027	13,099	155	11.8	(3)	13.2
Marinette	14,610	14,427	194	13.4	11.5	11.7
Milwaukee	373,857	395,567	4,727	12.0	13.7	13.2
Oshkosh	33,062	33,678	462	13.7	(3)	(4)
Racine	38,002	41,917	459	11.0	(3)	(4)
Sheboygan	26,398	26,985	308	11.4	(3)	(4)
Superior	40,384	41,333	472	11.4	10.7	10.6
Wausau	16,560	17,080	251	14.7	(3)	(4)
RURAL PART OF REGISTRATION STATES.[9]						
CALIFORNIA.						
Total	1,110,619	1,155,696	14,383	12.4	[2]12.4	(4)
White	1,048,233	1,090,691	13,667	12.5	(7)	(4)
Colored	62,386	65,005	716	11.0	(7)	(4)
Alameda County	32,140	35,661	629	17.6	15.5	(4)
Alpine County †	309	285	3	10.5	7.5	(4)
Amador County	9,086	8,839	153	17.3	10.1	(4)
Butte County	27,301	28,547	399	14.0	17.5	(4)
Calaveras County	9,171	8,924	95	10.6	13.4	(4)
Colusa County †	7,732	7,777	107	13.8	10.1	(4)
Contra Costa County	31,674	33,342	326	9.8	11.3	(4)
Del Norte County †	2,417	2,419	18	7.4	10.8	(4)
Eldorado County	7,492	7,310	132	18.1	16.7	(4)
Fresno County	50,765	54,275	595	11.0	10.6	(4)
Glenn County †	7,172	7,419	69	9.3	6.6	(4)
Humboldt County †	22,012	22,286	174	7.8	8.5	(4)
Imperial County †	13,591	14,479	142	9.8	(3)	(4)
Inyo County †	6,974	7,292	27	3.7	3.8	(4)
Kern County	24,988	27,018	195	7.2	10.8	(4)
Kings County	16,230	17,008	183	10.8	10.3	(4)
Lake County	5,526	5,467	82	15.0	13.5	(4)
Lassen County †	4,802	4,838	22	4.5	6.2	(4)
Los Angeles County	126,626	138,327	1,869	13.5	12.7	(4)
Madera County †	8,368	8,613	72	8.4	8.8	(4)
Marin County	25,114	26,266	234	8.9	10.7	(4)
Mariposa County	3,956	3,863	28	7.2	11.0	(4)
Mendocino County *	23,929	24,353	330	13.6	12.6	(4)
Merced County	15,148	15,874	130	8.2	9.1	(4)
Modoc County †	6,191	6,327	37	5.8	6.5	(4)
Mono County †	2,042	2,028	11	5.4	2.2	(4)
Monterey County	24,146	24,729	270	10.9	11.6	(4)
Napa County *	19,800	20,210	547	27.1	24.8	(4)
Nevada County	14,955	14,609	226	15.5	15.9	(4)
Orange County	34,436	36,239	466	12.9	10.8	(4)
Placer County †	18,237	18,537	271	14.6	8.6	(4)
Plumas County	5,259	5,332	52	9.8	14.6	(4)
Riverside County	19,484	20,655	213	10.3	11.8	(4)
Sacramento County	23,110	23,903	337	14.1	18.2	(4)
San Benito County	8,041	8,213	94	11.4	10.9	(4)
San Bernardino County *	33,478	35,499	507	14.3	16.2	(4)
San Diego County †	22,087	23,439	249	10.6	[10]5.6	(4)
San Joaquin County	27,478	28,645	485	16.9	16.4	(4)
San Luis Obispo County	19,383	19,719	204	10.3	11.4	(4)
San Mateo County	26,585	28,358	258	9.1	10.3	(4)
Santa Barbara County	16,079	16,536	115	7.0	12.9	(4)
Santa Clara County *	54,593	53,785	904	16.8	15.6	(4)
Santa Cruz County	14,994	14,889	179	12.0	14.5	(4)
Shasta County	18,920	19,115	223	11.7	15.6	(4)
Sierra County	4,098	4,107	42	10.2	12.2	(4)
Siskiyou County	18,801	19,025	166	8.7	10.5	(4)
Solano County	16,219	16,225	179	11.0	12.6	(4)
Sonoma County	48,394	49,607	692	14.0	13.5	(4)
Stanislaus County	22,522	24,108	242	10.0	9.1	(4)
Sutter County	6,328	6,381	67	10.5	9.8	(4)
Tehama County	11,401	11,450	145	12.7	14.5	(4)
Trinity County	3,301	3,170	52	16.4	12.7	(4)
Tulare County †	35,440	37,528	349	9.3	8.3	(4)
Tuolumne County †	9,979	9,834	140	14.2	10.2	(4)
Ventura County	18,347	18,833	265	14.1	11.6	(4)
Yolo County	13,926	13,963	204	14.6	13.0	(4)
Yuba County	10,042	10,216	178	17.4	16.9	(4)
COLORADO.						
Total	501,966	521,764	6,088	11.7	[2]12.6	(4)
White	495,817	515,370	5,975	11.6	(7)	(4)
Colored	6,149	6,394	113	17.7	(7)	(4)

[1] Nonregistration state; cities shown below only those with effective local ordinances.
[2] Based on figures for area as constituted in each year.
[3] Figures for deaths not available for the entire period.
[4] Not admitted to registration area until a later date.
[5] Including Manchester for the years 1908 to 1910.
[6] Excluding Manchester for the years 1908 to 1910.
[7] Not computed.
[8] Colored population less than 10 per cent of total.
[9] Exclusive of municipalities having a population of 10,000 or over in 1910.
[10] Including Imperial County.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION. Census of Apr. 15, 1910.	POPULATION. Estimated as of July 1, 1911.	Deaths, 1911.	DEATH RATE PER 1,000 POPULATION. 1911	DEATH RATE PER 1,000 POPULATION. Annual average: 1906 to 1910.	DEATH RATE PER 1,000 POPULATION. Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
COLORADO—continued.						
Adams County †	8,892	9,498	65	6.8	12.0	(2)
Arapahoe County †	10,263	11,002	131	11.9	10.1	(2)
Archuleta County	3,302	3,448	30	8.7	10.2	(2)
Baca County †	2,516	2,732	25	9.2	4.9	(2)
Bent County	5,043	5,288	85	16.1	15.8	(2)
Boulder County	30,330	31,405	340	10.8	15.1	(2)
Chaffee County	7,622	7,688	111	14.4	18.5	(2)
Cheyenne County †	3,687	4,077	21	5.2	3.2	(2)
Clear Creek County	5,001	4,748	67	14.1	16.1	(2)
Conejos County †	11,285	11,590	64	5.5	6.0	(2)
Costilla County †	5,498	5,604	12	2.1	0.8	(2)
Custer County	1,947	1,827	23	12.6	13.2	(2)
Delta County	13,688	14,692	110	7.5	8.9	(2)
Dolores County †	642	583	6	10.3	6.8	(2)
Douglas County	3,192	3,201	32	10.0	8.5	(2)
Eagle County	2,985	2,983	33	11.1	13.6	(2)
El Paso County	14,243	14,920	253	17.0	17.1	(2)
Elbert County †	5,331	5,604	37	6.6	4.5	(2)
Fremont County	18,181	18,492	253	13.7	14.4	(2)
Garfield County	10,144	10,671	120	11.2	14.7	(2)
Gilpin County	4,131	3,819	50	13.1	13.4	(2)
Grand County †	1,862	1,999	4	2.0	9.9	(2)
Gunnison County	5,897	5,966	52	8.7	11.4	(2)
Hinsdale County †	646	529	6	11.3	13.4	(2)
Huerfano County	13,320	13,922	203	14.6	17.0	(2)
Jackson County †	1,013	1,081	6	5.6	(3)	(2)
Jefferson County	14,231	14,833	281	18.9	17.4	(2)
Kiowa County †	2,899	3,168	19	6.0	5.6	(2)
Kit Carson County †	7,483	8,205	43	5.2	5.1	(2)
La Plata County	10,812	11,277	138	12.2	12.2	(2)
Lake County	10,600	9,689	219	22.6	20.1	(2)
Larimer County	25,270	26,929	238	8.8	[4] 13.1	(2)
Las Animas County	23,439	24,288	365	15.0	18.7	(2)
Lincoln County †	5,917	6,527	33	5.1	5.0	(2)
Logan County †	9,549	10,314	99	9.6	7.4	(2)
Mesa County	22,197	23,778	215	9.0	10.8	(2)
Mineral County †	1,239	1,157	13	11.2	11.0	(2)
Montezuma County †	5,029	5,269	25	4.7	6.2	(2)
Montrose County	10,291	10,994	90	8.2	10.6	(2)
Morgan County	9,577	10,348	89	8.6	9.3	(2)
Otero County	20,201	[5] 21,262	[5] 364	[5] 17.1	16.9	(2)
Ouray County	3,514	3,366	38	11.3	15.8	(2)
Park County †	2,492	2,431	30	12.3	8.0	(2)
Phillips County †	3,179	3,373	18	5.3	8.3	(2)
Pitkin County	4,566	4,267	49	11.5	12.0	(2)
Prowers County	9,520	10,223	139	13.6	13.7	(2)
Pueblo County *	7,828	8,078	354	43.8	29.4	(2)
Rio Blanco County †	2,332	2,410	23	9.5	6.6	(2)
Rio Grande County	6,563	6,866	113	16.5	13.6	(2)
Routt County †	7,561	[6] 8,037	[6] 65	[6] 8.1	6.1	(2)
Saguache County †	4,160	4,197	56	13.3	9.1	(2)
San Juan County	3,063	3,151	54	17.1	23.1	(2)
San Miguel County	4,700	4,618	69	14.9	17.1	(2)
Sedgwick County †	3,061	3,316	19	5.7	7.2	(2)
Summit County	2,003	1,913	16	8.4	11.8	(2)
Teller County	14,351	12,559	219	17.4	12.9	(2)
Washington County †	6,002	6,489	33	5.1	4.8	(2)
Weld County	39,177	41,913	362	8.6	9.9	(2)
Yuma County †	8,499	9,150	61	6.7	4.6	(2)
CONNECTICUT.						
Total	362,532	366,823	5,528	15.1	[7] 14.9	[7] 15.1
White	358,280	362,518	5,447	15.0	(8)	(8)
Colored	4,252	4,305	81	18.8	(8)	(8)
Fairfield County	50,256	51,172	825	16.1	15.4	15.6
Hartford County	80,208	81,805	1,158	14.2	13.5	14.3
Litchfield County	53,420	53,691	828	15.4	15.4	15.1
Middlesex County	24,888	24,904	340	13.6	14.6	15.0
RURAL PART OF REGISTRATION STATES [1]—Continued.						
CONNECTICUT—continued.						
New Haven County	48,169	48,918	727	14.9	14.2	14.4
New London County *	43,375	43,940	739	16.8	16.5	15.8
Tolland County	26,459	26,695	373	14.0	14.1	15.4
Windham County	35,757	35,638	538	15.1	16.0	15.9
INDIANA.						
Total	1,881,809	1,880,051	23,372	12.4	[7] 12.4	[7] 12.6
White	1,862,050	1,860,723	22,966	12.3	(8)	(8)
Colored	19,759	19,328	406	21.0	(8)	(8)
Adams County	21,840	21,793	183	8.4	10.1	11.0
Allen County	29,453	29,342	298	10.2	9.4	9.3
Bartholomew County	24,813	24,838	336	13.5	13.1	13.5
Benton County	12,688	12,635	112	8.9	8.9	9.5
Blackford County	15,820	15,650	195	12.5	11.1	13.1
Boone County	24,673	24,473	281	11.5	12.3	12.2
Brown County	7,975	7,762	76	9.8	12.2	12.7
Carroll County	17,970	17,729	186	10.5	12.6	10.9
Cass County *	17,318	17,191	261	15.2	14.2	11.9
Clark County	19,848	19,699	259	13.1	13.5	12.9
Clay County	32,535	32,322	423	13.1	12.3	11.7
Clinton County	26,674	26,488	297	11.2	12.9	13.8
Crawford County	12,057	11,885	156	13.1	12.7	13.4
Daviess County	27,747	27,483	329	12.0	11.8	13.8
Dearborn County	21,396	21,300	270	12.7	13.3	14.1
Decatur County	18,793	18,705	262	14.0	14.0	14.9
Dekalb County	25,054	24,975	270	10.8	11.9	11.3
Delaware County	27,409	27,362	298	10.9	10.1	11.2
Dubois County	19,843	19,781	233	11.8	10.9	12.5
Elkhart County	29,726	29,708	371	12.5	13.0	11.9
Fayette County	14,415	14,526	208	14.3	12.5	13.7
Floyd County	9,664	9,683	126	13.0	11.8	10.9
Fountain County	20,439	20,316	250	12.3	12.6	12.3
Franklin County	15,335	15,207	197	13.0	12.7	14.3
Fulton County	16,879	16,809	202	12.0	11.7	12.4
Gibson County	30,137	30,139	399	13.2	12.8	13.2
Grant County	32,067	31,569	519	16.4	15.5	15.7
Greene County	36,873	37,892	437	11.5	12.8	13.8
Hamilton County	27,026	26,674	339	12.7	12.0	12.5
Hancock County	19,030	19,011	251	13.2	14.0	13.8
Harrison County	20,232	20,053	199	9.9	11.9	12.4
Hendricks County	20,840	20,786	233	11.2	13.1	12.4
Henry County	29,758	30,327	404	13.3	12.5	13.6
Howard County	16,167	16,038	175	10.9	10.5	10.9
Huntington County	18,710	18,660	192	10.3	12.0	10.4
Jackson County	24,727	24,494	311	12.7	14.1	14.5
Jasper County	13,044	12,892	135	10.5	10.6	9.0
Jay County	24,961	24,734	311	12.6	12.4	12.5
Jefferson County *	20,483	20,186	348	17.2	16.4	15.9
Jennings County	14,203	14,014	182	13.0	13.4	13.9
Johnson County	20,394	20,413	244	12.0	13.1	13.3
Knox County	24,288	24,561	280	11.4	11.5	11.5
Kosciusko County	27,936	27,794	365	13.1	11.6	11.6
Lagrange County	15,148	15,133	194	12.8	12.4	12.7
Lake County	26,039	28,647	309	10.8	12.5	9.8
Laporte County	16,245	16,261	209	12.9	12.9	13.1
Lawrence County	30,625	31,222	445	14.3	13.8	13.6
Madison County	31,720	31,048	378	12.2	11.3	11.8
Marion County *	30,011	31,708	364	11.5	13.9	15.6
Marshall County	24,175	24,061	282	11.7	11.5	11.6
Martin County	12,950	12,735	143	11.2	12.4	13.4
Miami County	18,440	18,422	220	11.9	12.8	12.5
Monroe County	23,426	23,736	287	12.1	13.2	12.8
Montgomery County	29,296	29,286	352	12.0	12.6	13.5
Morgan County	21,182	21,269	277	13.0	13.7	13.0
Newton County	10,504	10,509	90	8.6	9.3	11.0
Noble County	24,009	24,067	266	11.1	11.7	11.5
Ohio County	4,329	4,281	53	12.4	14.0	13.7
Orange County	17,192	17,233	221	12.8	12.7	12.7
Owen County	14,053	13,919	167	12.0	11.0	12.3

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period.
[4] Including Jackson County.
[5] Including Crowley County, organized May 29, 1911.
[6] Including Moffat County, organized Mar. 27, 1911.
[7] Based on figures for area as constituted in each year.
[8] Not computed.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
INDIANA—continued.						
Parke County	22,214	22,119	260	11.8	12.5	12.7
Perry County	18,078	17,994	231	12.8	11.3	13.5
Pike County	19,684	19,587	249	12.7	14.0	16.0
Porter County	20,540	20,706	230	11.1	11.8	13.1
Posey County	21,670	21,590	289	13.4	12.9	14.8
Pulaski County	13,312	13,224	148	11.2	10.4	9.7
Putnam County	20,520	20,403	250	12.3	12.8	13.0
Randolph County	29,013	29,056	326	11.2	11.7	12.6
Ripley County	19,452	19,400	285	14.7	12.0	12.0
Rush County	19,349	19,253	232	12.1	11.7	12.4
St. Joseph County	18,742	15,514	216	13.9	11.8	13.4
Scott County	8,323	8,324	120	14.4	13.0	14.1
Shelby County	26,802	26,839	352	13.1	13.1	13.3
Spencer County	20,676	20,465	267	13.0	11.4	12.4
Starke County	10,567	10,582	125	11.8	11.9	12.6
Steuben County	14,274	14,160	182	12.9	12.8	11.9
Sullivan County	32,439	33,225	410	12.3	12.1	13.6
Switzerland County	9,914	9,679	123	12.7	15.2	13.1
Tippecanoe County	19,982	19,914	279	14.0	12.4	11.2
Tipton County	17,459	17,258	196	11.4	12.3	12.2
Union County	6,260	6,201	79	12.7	12.0	13.2
Vanderburg County *	7,791	7,245	234	32.3	27.1	18.0
Vermilion County	18,865	19,306	279	14.5	13.5	14.4
Vigo County	29,773	31,781	412	13.0	11.1	9.6
Wabash County	26,926	26,767	320	12.0	11.6	11.7
Warren County	10,899	10,843	131	12.1	11.2	10.0
Warrick County	21,911	21,861	293	13.4	12.3	12.6
Washington County	17,445	17,206	214	12.4	12.7	13.1
Wayne County *	21,433	21,566	355	16.5	15.5	14.7
Wells County	22,418	22,293	210	9.4	11.4	11.5
White County	17,602	17,415	211	12.1	9.8	10.8
Whitley County	16,892	16,839	204	12.1	10.9	11.4
KENTUCKY.						
Total	1,886,611	1,897,967	23,473	12.4	(2)	(2)
White	1,694,732	1,705,730	19,643	11.5	(2)	(2)
Colored	191,879	192,237	3,830	19.9	(2)	(2)
Adair County (total)	16,503	16,701	213	12.8	(2)	(2)
White	15,028	15,208	179	11.8	(2)	(2)
Colored [3]	1,475	1,493	34	22.8	(2)	(2)
Allen County (total)	14,882	14,909	209	14.0	(2)	(2)
White	13,972	13,997	181	12.9	(2)	(2)
Colored [3]	910	912	28	30.7	(2)	(2)
Anderson County (total)	10,146	10,158	114	11.2	(2)	(2)
White	9,412	9,423	96	10.2	(2)	(2)
Colored [3]	734	735	18	24.5	(2)	(2)
Ballard County (total)	12,690	12,926	133	10.3	(2)	(2)
White	11,105	11,312	118	10.4	(2)	(2)
Colored	1,585	1,614	15	9.3	(2)	(2)
Barren County (total)	25,293	25,550	347	13.6	(2)	(2)
White	21,703	21,924	277	12.6	(2)	(2)
Colored	3,590	3,626	70	19.3	(2)	(2)
Bath County (total)	13,988	13,898	173	12.4	(2)	(2)
White	12,652	12,571	143	11.4	(2)	(2)
Colored [3]	1,336	1,327	30	22.6	(2)	(2)
Bell County (total)	28,447	30,006	290	9.7	(2)	(2)
White	25,527	26,926	241	9.0	(2)	(2)
Colored	2,920	3,080	49	15.9	(2)	(2)
Boone County (total)	9,420	9,207	129	14.0	(2)	(2)
White	8,942	8,740	121	13.8	(2)	(2)
Colored [3]	478	467	8	17.1	(2)	(2)
Bourbon County (total)	17,462	17,389	283	16.3	(2)	(2)
White	11,819	11,770	158	13.4	(2)	(2)
Colored	5,643	5,619	125	22.2	(2)	(2)
Boyd County (total)	23,444	24,008	373	15.5	(2)	(2)
White	22,609	23,153	356	15.4	(2)	(2)
Colored [3]	835	855	17	19.9	(2)	(2)
Boyle County (total)	14,668	14,772	205	13.9	(2)	(2)
White	10,515	10,590	125	11.8	(2)	(2)
Colored	4,153	4,182	80	19.1	(2)	(2)

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
KENTUCKY—continued.						
Bracken County (total)	10,308	10,085	149	14.8	(2)	(2)
White	9,969	9,753	144	14.8	(2)	(2)
Colored [3]	339	332	5	15.1	(2)	(2)
Breathitt County † (total)	17,540	17,933	124	6.9	(2)	(2)
White	17,279	17,666	124	7.0	(2)	(2)
Colored [3]	261	267	.....	.....	(2)	(2)
Breckinridge County (total)	21,034	21,095	258	12.2	(2)	(2)
White	19,452	19,508	227	11.6	(2)	(2)
Colored [3]	1,582	1,587	31	19.5	(2)	(2)
Bullitt County (total)	9,487	9,474	170	17.9	(2)	(2)
White	8,808	8,796	151	17.2	(2)	(2)
Colored [3]	679	678	19	28.0	(2)	(2)
Butler County (total)	15,805	15,795	135	8.5	(2)	(2)
White	15,244	15,234	126	8.3	(2)	(2)
Colored [3]	561	561	9	16.0	(2)	(2)
Caldwell County (total)	14,063	14,009	170	12.1	(2)	(2)
White	11,543	11,499	123	10.7	(2)	(2)
Colored	2,520	2,510	47	18.7	(2)	(2)
Calloway County (total)	19,867	20,141	258	12.8	(2)	(2)
White	18,798	19,057	242	12.7	(2)	(2)
Colored [3]	1,069	1,084	16	14.8	(2)	(2)
Campbell County (total)	29,060	29,445	382	13.0	(2)	(2)
White	28,886	29,269	373	12.7	(2)	(2)
Colored [3]	174	176	9	51.1	(2)	(2)
Carlisle County (total)	9,048	8,908	104	11.7	(2)	(2)
White	8,655	8,521	100	11.7	(2)	(2)
Colored [3]	393	387	4	10.3	(2)	(2)
Carroll County (total)	8,110	7,901	126	15.9	(2)	(2)
White	7,580	7,385	119	16.1	(2)	(2)
Colored [3]	530	516	7	13.6	(2)	(2)
Carter County (total)	21,966	22,179	202	9.1	(2)	(2)
White	21,856	22,068	199	9.0	(2)	(2)
Colored [3]	110	111	3	27.0	(2)	(2)
Casey County (total)	15,479	15,521	176	11.3	(2)	(2)
White	15,201	15,242	173	11.4	(2)	(2)
Colored [3]	278	279	3	10.8	(2)	(2)
Christian County *(total)	38,845	38,953	733	18.8	(2)	(2)
White	22,888	22,952	385	16.8	(2)	(2)
Colored	15,957	16,001	348	21.7	(2)	(2)
Clark County (total)	17,987	18,146	253	13.9	(2)	(2)
White	13,519	13,639	173	12.7	(2)	(2)
Colored	4,468	4,507	80	17.8	(2)	(2)
Clay County (total)	17,789	18,086	166	9.2	(2)	(2)
White	17,295	17,584	164	9.3	(2)	(2)
Colored [3]	494	502	2	4.0	(2)	(2)
Clinton County (total)	8,153	8,187	78	9.5	(2)	(2)
White	8,059	8,093	78	9.6	(2)	(2)
Colored [3]	94	94	.....	.....	(2)	(2)
Crittenden County (total)	13,296	13,066	137	10.5	(2)	(2)
White	12,708	12,488	127	10.2	(2)	(2)
Colored [3]	588	578	10	17.3	(2)	(2)
Cumberland County (total)	9,846	9,954	104	10.4	(2)	(2)
White	8,822	8,919	83	9.3	(2)	(2)
Colored	1,024	1,035	21	20.3	(2)	(2)
Daviess County (total)	25,009	24,953	282	11.3	(2)	(2)
White	22,929	22,904	264	11.5	(2)	(2)
Colored [3]	2,080	2,049	18	8.8	(2)	(2)
Edmonson County (total)	10,469	10,517	92	8.7	(2)	(2)
White	10,030	10,076	73	7.2	(2)	(2)
Colored [3]	439	441	19	43.1	(2)	(2)
Elliott County (total)	9,814	9,744	122	12.5	(2)	(2)
White	9,809	9,739	122	12.5	(2)	(2)
Colored [3]	5	5	.....	.....	(2)	(2)
Estill County (total)	12,273	12,347	103	8.3	(2)	(2)
White	12,167	12,240	100	8.2	(2)	(2)
Colored [3]	106	107	3	28.0	(2)	(2)
Fayette County (total)	12,616	12,239	159	13.0	(2)	(2)
White	8,745	8,487	93	11.0	(2)	(2)
Colored	3,871	3,752	66	17.6	(2)	(2)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Not admitted to registration area until a later date.
[3] Colored population less that 10 per cent of total.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
KENTUCKY—continued.						
Fleming County (total)	16,066	15,943	220	13.8	(2)	(2)
White	15,039	14,924	200	13.4	(2)	(2)
Colored [3]	1,027	1,019	20	19.6	(2)	(2)
Floyd County† (total)	18,623	18,999	126	6.6	(2)	(2)
White	18,478	18,851	125	6.6	(2)	(2)
Colored [3]	145	148	1	6.8	(2)	(2)
Franklin County (total)	10,670	10,585	101	9.5	(2)	(2)
White	9,775	9,716	84	8.6	(2)	(2)
Colored [3]	895	869	17	19.6	(2)	(2)
Fulton County (total)	14,114	14,429	233	16.1	(2)	(2)
White	10,758	10,998	166	15.1	(2)	(2)
Colored	3,356	3,431	67	19.5	(2)	(2)
Gallatin County (total)	4,697	4,641	51	11.0	(2)	(2)
White	4,423	4,370	50	11.4	(2)	(2)
Colored [3]	274	271	1	3.7	(2)	(2)
Gerrard County (total)	11,894	11,876	190	16.0	(2)	(2)
White	9,610	9,595	140	14.6	(2)	(2)
Colored	2,284	2,281	50	21.9	(2)	(2)
Grant County (total)	10,581	10,256	122	11.9	(2)	(2)
White	10,289	9,973	120	12.0	(2)	(2)
Colored [3]	292	283	2	7.1	(2)	(2)
Graves County (total)	33,539	33,581	487	14.5	(2)	(2)
White	30,638	30,676	421	13.7	(2)	(2)
Colored [3]	2,901	2,905	66	22.7	(2)	(2)
Grayson County (total)	19,958	19,968	253	12.7	(2)	(2)
White	19,625	19,635	247	12.6	(2)	(2)
Colored [3]	333	333	6	18.0	(2)	(2)
Green County (total)	11,871	11,825	157	13.3	(2)	(2)
White	10,528	10,487	128	12.2	(2)	(2)
Colored	1,343	1,338	29	21.7	(2)	(2)
Greenup County (total)	18,475	18,848	258	13.7	(2)	(2)
White	18,208	18,576	255	13.7	(2)	(2)
Colored [3]	267	272	3	11.0	(2)	(2)
Hancock County (total)	8,512	8,464	107	12.6	(2)	(2)
White	7,946	7,901	102	12.9	(2)	(2)
Colored [3]	566	563	5	8.9	(2)	(2)
Hardin County (total)	22,696	22,667	328	14.5	(2)	(2)
White	20,870	20,843	278	13.3	(2)	(2)
Colored [3]	1,826	1,824	50	27.4	(2)	(2)
Harlan County† (total)	10,566	10,655	70	6.6	(2)	(2)
White	10,002	10,086	65	6.4	(2)	(2)
Colored [3]	564	569	5	8.8	(2)	(2)
Harrison County (total)	16,873	16,667	259	15.5	(2)	(2)
White	15,122	14,937	208	13.9	(2)	(2)
Colored	1,751	1,730	51	29.5	(2)	(2)
Hart County (total)	18,173	18,147	236	13.0	(2)	(2)
White	16,182	16,159	192	11.9	(2)	(2)
Colored	1,991	1,988	44	22.1	(2)	(2)
Henderson County (total)	17,900	17,322	218	12.6	(2)	(2)
White	14,098	13,659	152	11.1	(2)	(2)
Colored	3,802	3,663	66	18.0	(2)	(2)
Henry County (total)	13,716	13,606	182	13.4	(2)	(2)
White	11,924	11,828	138	11.7	(2)	(2)
Colored	1,792	1,778	44	24.7	(2)	(2)
Hickman County (total)	11,750	11,751	174	14.8	(2)	(2)
White	9,984	9,985	136	13.6	(2)	(2)
Colored	1,766	1,766	38	21.5	(2)	(2)
Hopkins County (total)	34,291	34,694	491	14.2	(2)	(2)
White	27,718	28,044	354	12.6	(2)	(2)
Colored	6,573	6,650	137	20.6	(2)	(2)
Jackson County (total)	10,734	10,754	77	7.2	(2)	(2)
White	10,712	10,732	77	7.2	(2)	(2)
Colored [3]	22	22	.....	.....	(2)	(2)
Jefferson County *(total)	38,992	39,187	539	13.8	(2)	(2)
White	33,719	33,905	432	12.7	(2)	(2)
Colored	5,273	5,282	107	20.3	(2)	(2)
Jessamine County (total)	12,613	12,696	167	13.2	(2)	(2)
White	9,650	9,714	107	11.0	(2)	(2)
Colored	2,963	2,982	60	20.1	(2)	(2)
Johnson County (total)	17,482	17,941	237	13.2	(2)	(2)
White	17,435	17,893	236	13.2	(2)	(2)
Colored [3]	47	48	1	20.8	(2)	(2)
RURAL PART OF REGISTRATION STATES [1]—Continued.						
KENTUCKY—continued.						
Kenton County (total)	17,085	17,646	182	10.3	(2)	(2)
White	16,755	17,292	178	10.3	(2)	(2)
Colored [3]	330	354	4	11.3	(2)	(2)
Knott County † (total)	10,791	11,046	74	6.7	(2)	(2)
White	10,632	10,883	71	6.5	(2)	(2)
Colored [3]	159	163	3	18.4	(2)	(2)
Knox County (total)	22,116	22,696	291	12.8	(2)	(2)
White	21,050	21,602	270	12.5	(2)	(2)
Colored [3]	1,066	1,094	21	19.2	(2)	(2)
Larue County (total)	10,701	10,694	134	12.5	(2)	(2)
White	9,916	9,910	119	12.0	(2)	(2)
Colored [3]	785	784	15	19.1	(2)	(2)
Laurel County † (total)	19,872	20,150	129	6.4	(2)	(2)
White	19,210	19,479	123	6.3	(2)	(2)
Colored [3]	662	671	6	8.9	(2)	(2)
Lawrence County (total)	20,067	20,122	190	9.4	(2)	(2)
White	19,904	19,959	186	9.3	(2)	(2)
Colored [3]	163	163	4	24.5	(2)	(2)
Lee County (total)	9,531	9,719	70	7.2	(2)	(2)
White	9,297	9,480	68	7.2	(2)	(2)
Colored [3]	234	239	2	8.4	(2)	(2)
Leslie County† (total)	8,976	9,247	63	6.8	(2)	(2)
White	8,844	9,111	62	6.8	(2)	(2)
Colored [3]	132	136	1	7.4	(2)	(2)
Letcher County (total)	10,623	10,799	85	7.9	(2)	(2)
White	10,606	10,782	75	7.0	(2)	(2)
Colored [3]	17	17	10	(4)	(2)	(2)
Lewis County (total)	16,887	16,768	260	15.5	(2)	(2)
White	16,746	16,628	253	15.2	(2)	(2)
Colored [3]	141	140	7	50.0	(2)	(2)
Lincoln County (total)	17,897	17,998	260	14.4	(2)	(2)
White	14,942	15,026	198	13.2	(2)	(2)
Colored	2,955	2,972	62	20.9	(2)	(2)
Livingston County (total)	10,627	10,539	152	14.4	(2)	(2)
White	9,957	9,875	135	13.7	(2)	(2)
Colored [3]	670	664	17	25.6	(2)	(2)
Logan Couny (total)	24,977	24,853	344	13.8	(2)	(2)
White	19,623	19,526	239	12.2	(2)	(2)
Colored	5,354	5,327	105	19.7	(2)	(2)
Lyon County (total)	9,423	9,435	122	12.9	(2)	(2)
White	7,623	7,633	78	10.2	(2)	(2)
Colored	1,800	1,802	44	24.4	(2)	(2)
McCracken County (total)	12,304	12,674	149	11.8	(2)	(2)
White	10,417	10,719	122	11.4	(2)	(2)
Colored	1,887	1,955	27	13.8	(2)	(2)
McLean County (total)	13,241	13,337	197	14.8	(2)	(2)
White	12,491	12,582	183	14.5	(2)	(2)
Colored [3]	750	755	14	18.5	(2)	(2)
Madison County (total)	26,951	27,115	310	11.4	(2)	(2)
White	21,248	21,377	207	9.7	(2)	(2)
Colored	5,703	5,738	103	18.0	(2)	(2)
Magoffin County (total)	13,654	13,854	186	13.4	(2)	(2)
White	13,508	13,706	183	13.4	(2)	(2)
Colored [3]	146	148	3	20.3	(2)	(2)
Marion County (total)	16,330	16,334	235	14.4	(2)	(2)
White	14,064	14,067	174	12.4	(2)	(2)
Colored	2,266	2,267	61	26.9	(2)	(2)
Marshall County (total)	15,771	16,024	193	12.0	(2)	(2)
White	15,636	15,887	192	12.1	(2)	(2)
Colored [3]	135	137	1	7.3	(2)	(2)
Martin County (total)	7,291	7,475	69	9.2	(2)	(2)
White	7,287	7,471	69	9.2	(2)	(2)
Colored [3]	4	4	.....	.....	(2)	(2)
Mason County (total)	18,611	18,388	318	17.3	(2)	(2)
White	15,741	15,552	250	16.1	(2)	(2)
Colored	2,870	2,836	68	24.0	(2)	(2)
Meade County (total)	9,783	9,693	112	11.6	(2)	(2)
White	9,128	9,044	101	11.2	(2)	(2)
Colored [3]	655	649	11	16.9	(2)	(2)
Menifee County† (total)	6,153	6,072	34	5.6	(2)	(2)
White	6,113	6,033	33	5.5	(2)	(2)
Colored [3]	40	39	1	25.6	(2)	(2)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Not admitted to registration area until a later date.
[3] Colored population less than 10 per cent of total.
[4] Not computed, basis of population being too small.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION. Census of Apr. 15, 1910.	POPULATION. Estimated as of July 1, 1911.	Deaths, 1911.	DEATH RATE PER 1,000 POPULATION. 1911	DEATH RATE PER 1,000 POPULATION. Annual average: 1906 to 1910.	DEATH RATE PER 1,000 POPULATION. Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
KENTUCKY—continued.						
Mercer County (total)	14,063	14,020	194	13.8	(2)	(2)
White	11,892	11,856	140	11.8	(2)	(2)
Colored	2,171	2,164	54	25.0	(2)	(2)
Metcalfe County (total)	10,453	10,509	136	12.9	(2)	(2)
White	9,659	9,711	116	11.9	(2)	(2)
Colored [3]	794	798	20	25.1	(2)	(2)
Monroe County (total)	13,663	13,736	183	13.3	(2)	(2)
White	12,938	13,007	170	13.1	(2)	(2)
Colored [3]	725	729	13	17.8	(2)	(2)
Montgomery County (total)	12,868	12,871	164	12.7	(2)	(2)
White	9,674	9,676	98	10.1	(2)	(2)
Colored	3,194	3,195	66	20.7	(2)	(2)
Morgan County (total)	16,259	16,683	191	11.4	(2)	(2)
White	16,225	16,648	191	11.5	(2)	(2)
Colored [3]	34	35	.....	.....	(2)	(2)
Muhlenberg County (total)	28,598	29,558	396	13.4	(2)	(2)
White	25,687	26,549	338	12.7	(2)	(2)
Colored	2,911	3,009	58	19.3	(2)	(2)
Nelson County (total)	16,830	16,859	268	15.9	(2)	(2)
White	13,895	13,919	184	13.2	(2)	(2)
Colored	2,935	2,940	84	28.6	(2)	(2)
Nicholas County (total)	10,601	10,437	146	14.0	(2)	(2)
White	9,705	9,555	121	12.7	(2)	(2)
Colored [3]	896	882	25	28.3	(2)	(2)
Ohio County (total)	27,642	27,685	351	12.7	(2)	(2)
White	26,354	26,395	329	12.5	(2)	(2)
Colored [3]	1,288	1,290	22	17.1	(2)	(2)
Oldham County (total)	7,248	7,268	111	15.3	(2)	(2)
White	6,170	6,187	91	14.7	(2)	(2)
Colored	1,078	1,081	20	18.5	(2)	(2)
Owen County (total)	14,248	13,845	149	10.8	(2)	(2)
White	13,305	12,929	131	10.1	(2)	(2)
Colored [3]	943	916	18	19.7	(2)	(2)
Owsley County (total)	7,979	8,113	68	8.4	(2)	(2)
White	7,904	8,037	66	8.2	(2)	(2)
Colored [3]	75	76	2	26.3	(2)	(2)
Pendleton County (total)	11,985	11,623	158	13.6	(2)	(2)
White	11,724	11,370	146	12.8	(2)	(2)
Colored [3]	261	253	12	47.4	(2)	(2)
Perry County (total)	11,255	11,618	121	10.4	(2)	(2)
White	11,041	11,397	105	9.2	(2)	(2)
Colored [3]	214	221	16	72.4	(2)	(2)
Pike County (total)	31,679	32,778	355	10.8	(2)	(2)
White	31,347	32,434	346	10.7	(2)	(2)
Colored [3]	332	344	9	26.2	(2)	(2)
Powell County † (total)	6,268	6,248	40	6.4	(2)	(2)
White	5,931	5,912	36	6.1	(2)	(2)
Colored [3]	337	336	4	11.9	(2)	(2)
Pulaski County (total)	35,986	36,560	413	11.3	(2)	(2)
White	34,799	35,354	390	11.0	(2)	(2)
Colored [3]	1,187	1,206	23	19.1	(2)	(2)
Robertson County (total)	4,121	4,027	59	14.7	(2)	(2)
White	4,051	3,959	57	14.4	(2)	(2)
Colored [3]	70	68	2	29.4	(2)	(2)
Rockcastle County (total)	14,473	14,724	169	11.5	(2)	(2)
White	14,348	14,597	168	11.5	(2)	(2)
Colored [3]	125	127	1	7.9	(2)	(2)
Rowan County (total)	9,438	9,579	122	12.7	(2)	(2)
White	9,379	9,519	120	12.6	(2)	(2)
Colored [3]	59	60	2	33.3	(2)	(2)
Russell County (total)	10,861	11,003	143	13.0	(2)	(2)
White	10,654	10,793	139	12.9	(2)	(2)
Colored [3]	207	210	4	19.0	(2)	(2)
Scott County (total)	16,956	16,820	221	13.1	(2)	(2)
White	12,912	12,808	153	11.9	(2)	(2)
Colored	4,044	4,012	68	16.9	(2)	(2)
Shelby County (total)	18,041	18,005	261	14.5	(2)	(2)
White	14,050	14,022	176	12.6	(2)	(2)
Colored	3,991	3,983	85	21.3	(2)	(2)
Simpson County (total)	11,460	11,441	149	13.0	(2)	(2)
White	9,295	9,280	102	11.0	(2)	(2)
Colored	2,165	2,161	47	21.7	(2)	(2)
RURAL PART OF REGISTRATION STATES [1]—Continued.						
KENTUCKY—continued.						
Spencer County (total)	7,567	7,586	94	12.4	(2)	(2)
White	6,809	6,826	86	12.6	(2)	(2)
Colored	758	760	8	10.5	(2)	(2)
Taylor County (total)	11,961	12,068	150	12.4	(2)	(2)
White	10,532	10,626	118	11.1	(2)	(2)
Colored	1,429	1,442	32	22.2	(2)	(2)
Todd County (total)	16,488	16,381	256	15.6	(2)	(2)
White	11,145	11,073	167	15.1	(2)	(2)
Colored	5,343	5,308	89	16.8	(2)	(2)
Trigg County † (total)	14,539	14,595	84	5.8	(2)	(2)
White	11,217	11,260	55	4.9	(2)	(2)
Colored	3,322	3,335	29	8.7	(2)	(2)
Trimble County (total)	6,512	6,419	78	12.2	(2)	(2)
White	6,370	6,279	73	11.6	(2)	(2)
Colored [3]	142	140	5	35.7	(2)	(2)
Union County (total)	19,886	19,711	258	13.1	(2)	(2)
White	17,472	17,318	209	12.1	(2)	(2)
Colored	2,414	2,393	49	20.5	(2)	(2)
Warren County (total)	30,579	30,652	437	14.3	(2)	(2)
White	24,466	24,524	319	13.0	(2)	(2)
Colored	6,113	6,128	118	19.3	(2)	(2)
Washington County (total)	13,940	13,911	170	12.2	(2)	(2)
White	12,161	12,136	131	10.8	(2)	(2)
Colored	1,779	1,775	39	22.0	(2)	(2)
Wayne County (total)	17,518	17,838	175	9.8	(2)	(2)
White	16,779	17,086	154	9.0	(2)	(2)
Colored [3]	739	752	21	27.9	(2)	(2)
Webster County (total)	20,974	21,080	256	12.1	(2)	(2)
White	18,331	18,424	217	11.8	(2)	(2)
Colored	2,643	2,656	39	14.7	(2)	(2)
Whitley County (total)	31,982	32,833	285	8.7	(2)	(2)
White	30,859	31,680	271	8.6	(2)	(2)
Colored [3]	1,123	1,153	14	12.1	(2)	(2)
Wolfe County (total)	9,864	9,998	85	8.5	(2)	(2)
White	9,808	9,941	84	8.5	(2)	(2)
Colored [3]	56	57	1	17.5	(2)	(2)
Woodford County (total)	12,571	12,503	183	14.6	(2)	(2)
White	8,847	8,799	106	12.0	(2)	(2)
Colored	3,724	3,704	77	20.8	(2)	(2)
MAINE.						
Total	575,938	579,307	8,917	15.4	[4] 15.4	[4] 15.4
White	574,267	577,626	8,911	15.4	(5)	(5)
Colored	1,671	1,681	6	3.6	(5)	(5)
Androscoggin County	18,511	18,633	261	14.0	15.7	14.9
Aroostook County	74,664	76,367	913	12.0	13.4	12.3
Cumberland County	53,443	53,797	834	15.5	15.4	15.9
Franklin County	19,119	19,202	261	13.6	15.7	15.2
Hancock County	35,575	35,372	551	15.6	15.0	14.1
Kennebec County	38,194	38,226	623	16.3	16.7	17.1
Knox County	28,981	28,807	561	19.5	16.4	16.2
Lincoln County	18,216	18,039	345	19.1	16.0	15.4
Oxford County	36,256	36,747	606	16.5	16.3	16.4
Penobscot County	60,482	61,227	952	15.5	15.6	16.1
Piscataquis County	19,887	20,245	275	13.6	12.9	13.6
Sagadahoc County	18,574	18,360	299	16.3	16.4	16.1
Somerset County	36,301	36,600	539	14.7	14.5	15.8
Waldo County	23,383	23,286	438	18.8	16.6	16.2
Washington County	42,905	42,621	621	14.6	14.8	14.2
York County	51,447	51,778	838	16.2	17.3	17.9
MARYLAND.						
Total	688,104	694,108	9,339	13.5	[4] 12.8	(2)
White	544,167	549,488	6,580	12.0	[4] 11.6	(2)
Colored	143,937	144,620	2,759	19.1	[4] 17.3	(2)
Allegany County (total)	40,572	41,062	311	7.6	8.4	(2)
White	40,121	40,613	299	7.4	8.3	(2)
Colored [3]	451	449	12	26.7	16.1	(2)
Anne Arundel County (total)	39,553	39,546	723	18.3	15.0	(2)
White	25,396	25,392	387	15.2	11.8	(2)
Colored	14,157	14,154	336	23.7	20.6	(2)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Not admitted to registration area until a later date.
[3] Colored population less than 10 per cent of total.
[4] Based on figures for area as constituted in each year.
[5] Not computed.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION. Census of Apr. 15, 1910.	POPULATION. Estimated as of July 1, 1911.	Deaths, 1911.	DEATH RATE PER 1,000 POPULATION. 1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
MARYLAND—continued.						
Baltimore County* (total)	122,349	126,215	1,836	14.5	14.7	(2)
White	109,733	113,200	1,617	14.3	14.3	(2)
Colored	12,616	13,015	219	16.8	18.3	(2)
Calvert County (total)	10,325	10,338	145	14.0	14.6	(2)
White	5,279	5,286	50	9.5	11.9	(2)
Colored	5,046	5,052	95	18.8	17.5	(2)
Caroline County (total)	19,216	19,579	277	14.1	13.2	(2)
White	14,427	14,700	176	12.0	11.1	(2)
Colored	4,789	4,879	101	20.7	19.5	(2)
Carroll County* (total)	33,934	33,943	485	14.3	14.3	(2)
White	31,921	31,929	436	13.7	14.0	(2)
Colored [3]	2,013	2,014	49	24.3	19.6	(2)
Cecil County (total)	23,759	23,649	336	14.2	13.6	(2)
White	20,426	20,331	269	13.2	12.5	(2)
Colored	3,333	3,318	67	20.2	20.0	(2)
Charles County (total)	16,386	16,231	282	17.4	15.2	(2)
White	7,813	7,739	101	13.1	12.2	(2)
Colored	8,573	8,492	181	21.3	17.8	(2)
Dorchester County (total)	28,669	28,755	491	17.1	15.3	(2)
White	19,247	19,305	255	13.2	12.8	(2)
Colored	9,422	9,450	236	25.0	20.4	(2)
Frederick County (total)	42,262	42,219	483	11.4	11.6	(2)
White	38,331	38,298	416	10.9	10.9	(2)
Colored	3,931	3,921	67	17.1	18.7	(2)
Garrett County † (total)	20,105	20,399	144	7.1	6.4	(2)
White	19,998	20,290	144	7.1	6.4	(2)
Colored [3]	107	109	.....	.....	10.9	(2)
Harford County (total)	27,965	27,929	356	12.7	13.3	(2)
White	22,849	22,820	266	11.7	12.3	(2)
Colored	5,116	5,109	90	17.6	17.6	(2)
Howard County (total)	16,106	16,033	216	13.5	14.3	(2)
White	12,332	12,276	155	12.6	12.8	(2)
Colored	3,774	3,757	61	16.2	19.4	(2)
Kent County (total)	16,957	16,734	287	17.2	16.2	(2)
White	10,795	10,653	147	13.8	13.0	(2)
Colored	6,162	6,081	140	23.0	21.7	(2)
Montgomery County (total)	32,089	32,289	332	10.3	10.9	(2)
White	22,847	22,989	204	8.9	9.3	(2)
Colored	9,242	9,300	128	13.8	14.8	(2)
Prince Georges County (total)	36,147	36,911	507	13.7	14.2	(2)
White	24,644	25,165	299	11.9	11.6	(2)
Colored	11,503	11,746	208	17.7	19.4	(2)
Queen Annes County (total)	16,839	16,653	305	18.3	15.4	(2)
White	11,023	10,901	143	13.1	12.7	(2)
Colored	5,816	5,752	162	28.2	20.5	(2)
St. Marys County † (total)	17,030	17,012	115	6.8	4.8	(2)
White	9,726	9,716	66	6.8	5.0	(2)
Colored	7,304	7,296	49	6.7	4.6	(2)
Somerset County (total)	26,455	26,519	336	12.7	10.3	(2)
White	16,978	17,019	177	10.4	9.2	(2)
Colored	9,477	9,500	159	16.7	12.2	(2)
Talbot County (total)	19,620	19,532	342	17.5	15.9	(2)
White	12,841	12,783	175	13.7	12.1	(2)
Colored	6,779	6,749	167	24.7	22.8	(2)
Washington County (total)	33,110	33,302	388	11.7	12.0	(2)
White	32,122	32,315	371	11.5	11.7	(2)
Colored [3]	988	987	17	17.2	21.4	(2)
Wicomico County (total)	26,815	27,299	346	12.7	11.7	(2)
White	20,504	20,874	267	12.8	11.0	(2)
Colored	6,311	6,425	79	12.3	13.8	(2)
Worcester County (total)	21,841	21,959	296	13.5	11.9	(2)
White	14,814	14,894	160	10.7	10.2	(2)
Colored	7,027	7,065	136	19.3	15.6	(2)
MASSACHUSETTS.						
Total	760,036	771,338	11,993	15.5	[4] 15.9	[4] 16.0
White	753,079	764,365	11,829	15.5	(5)	(5)
Colored	6,957	6,973	164	23.5	(5)	(5)
Barnstable County	27,542	27,715	516	18.6	17.6	18.6
Berkshire County	38,093	37,946	549	14.5	14.8	14.6
Bristol County	52,152	53,770	741	13.8	15.5	15.1
Dukes County	4,504	4,494	82	18.2	18.6	19.0
Essex County *	88,271	90,058	1,382	15.3	16.4	16.5
RURAL PART OF REGISTRATION STATES [1]—Continued.						
MASSACHUSETTS—contd.						
Franklin County	33,173	32,923	488	14.8	14.5	15.4
Hampden County	43,268	44,407	630	14.2	15.7	15.8
Hampshire County	43,896	44,259	585	13.2	14.7	14.4
Middlesex County *	118,852	120,739	2,233	18.5	18.9	18.7
Nantucket County	2,962	2,969	52	17.5	23.1	21.2
Norfolk County *	98,670	100,802	1,349	13.4	13.9	14.5
Plymouth County *	75,318	76,851	1,205	15.7	15.9	15.5
Worcester County *	133,335	134,405	2,181	16.2	15.9	16.1
MICHIGAN.						
Total	1,766,427	1,777,512	22,638	12.7	[4] 13.1	[4] 12.7
White	1,752,356	1,763,459	22,309	12.7	(5)	(5)
Coored	14,071	14,053	329	23.4	(5)	(5)
Alcona County	5,703	5,707	63	11.0	11.5	10.0
Alger County	7,675	7,910	68	8.6	12.0	11.2
Allegan County	39,819	39,998	509	12.7	13.7	12.9
Alpena County	7,259	7,242	70	9.7	10.1	11.4
Antrim County	15,692	15,700	204	13.0	13.6	13.0
Arenac County	9,640	9,529	104	10.9	11.1	10.1
Baraga County	6,127	6,338	67	10.6	12.7	11.3
Barry County	22,633	22,758	296	13.0	12.8	12.4
Bay County	23,072	23,127	250	10.8	10.7	10.7
Benzie County	10,638	10,608	143	13.5	12.8	12.6
Berrien County	53,622	54,493	679	12.5	13.4	12.4
Branch County	25,605	25,443	353	13.9	14.7	13.9
Calhoun County	31,371	31,500	446	14.2	13.6	13.6
Cass County	20,624	20,746	309	14.9	14.3	13.8
Charlevoix County	19,157	19,749	238	12.1	12.5	12.7
Cheboygan County	17,872	17,998	215	11.9	13.4	11.8
Chippewa County	11,857	12,099	99	8.2	9.5	10.5
Clare County	9,240	9,249	97	10.5	12.1	10.5
Clinton County	23,129	22,702	300	13.2	12.8	12.3
Crawford County	3,934	3,949	48	12.2	12.3	11.8
Delta County	16,914	17,116	167	9.8	11.1	9.9
Dickinson County	20,524	20,850	206	9.9	12.0	13.0
Eaton County	30,499	30,457	441	14.5	14.3	13.9
Emmet County	18,561	18,697	216	11.6	13.0	13.8
Genesee County	26,005	25,622	399	15.6	14.9	13.7
Gladwin County †	8,413	8,375	91	10.9	9.8	7.6
Gogebic County	10,512	11,178	130	11.6	16.0	17.6
Grand Traverse County	11,669	11,608	121	10.4	13.3	11.8
Gratiot County	28,820	28,468	320	11.2	12.4	11.9
Hillsdale County	29,673	29,641	441	14.9	13.9	13.3
Houghton County	88,098	91,691	1,001	10.9	12.4	13.3
Huron County	34,758	34,721	384	11.1	10.8	10.4
Ingham County	22,081	21,824	295	13.5	13.0	14.1
Ionia County *	33,550	33,329	430	12.9	13.6	13.1
Iosco County	9,753	9,593	89	9.3	12.0	11.1
Iron County	15,164	16,447	187	11.4	12.0	10.9
Isabella County	23,029	22,808	215	9.4	11.8	10.7
Jackson County	21,993	22,028	307	13.9	14.3	13.2
Kalamazoo County	20,990	21,198	249	11.7	13.2	13.3
Kalkaska County	8,097	8,197	94	11.5	14.8	13.0
Kent County	46,574	47,357	820	17.3	15.9	14.8
Keweenaw County	7,156	7,692	99	12.9	13.5	10.7
Lake County	4,939	4,927	60	12.2	11.3	11.0
Lapeer County	26,033	25,824	378	14.6	14.5	14.3
Leelanau County	10,608	10,564	144	13.6	14.8	12.2
Lenawee County	37,144	36,883	473	12.8	13.8	13.9
Livingston County	17,736	17,549	242	13.8	14.0	13.2
Luce County *	4,004	4,028	84	20.9	25.0	20.0
Mackinac County	9,249	9,454	99	10.5	12.4	10.6
Macomb County	32,606	32,506	484	14.9	14.7	13.8
Manistee County	14,307	14,274	172	12.1	11.8	12.0
Marquette County	22,788	23,831	312	13.1	11.5	11.8
Mason County	21,832	22,288	241	10.8	12.0	11.6
Mecosta County	19,466	19,313	249	12.9	13.9	12.8
Menominee County	15,141	15,094	134	8.9	9.5	9.5
Midland County	14,005	13,876	167	12.0	12.4	11.2
Missaukee County	10,606	10,676	88	8.2	11.4	10.9
Monroe County	32,917	32,917	452	13.7	12.8	12.4
Montcalm County	32,069	31,825	448	14.1	13.6	12.4
Montmorency County	3,755	3,804	35	9.2	13.4	11.6

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Not admitted to registration area until a later date.
[3] Colored population less than 10 per cent of total.
[4] Based on figures for area as constituted in each year.
[5] Not computed.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
MICHIGAN—continued.						
Muskegon County	16,515	16,523	194	11.7	11.6	11.9
Newaygo County	19,220	19,384	222	11.5	12.3	12.0
Oakland County	35,044	35,184	490	13.9	14.6	13.2
Oceana County	18,379	18,514	204	11.0	12.6	12.3
Ogemaw County	8,907	8,864	91	10.3	12.2	10.9
Ontonagon County	8,650	8,954	100	11.2	12.2	13.4
Osceola County	17,889	17,737	194	10.9	11.1	11.8
Oscoda County †	2,027	2,054	16	7.8	11.1	5.9
Otsego County	6,552	6,411	92	14.4	12.8	12.7
Ottawa County	34,811	35,136	449	12.8	11.8	11.7
Presque Isle County	11,249	11,326	134	11.8	13.1	10.1
Roscommon County †	2,274	2,385	21	8.8	10.1	13.6
Saginaw County	38,780	38,722	429	11.1	11.3	11.5
St. Clair County	33,478	33,040	388	11.7	13.6	13.1
St. Joseph County	25,499	25,965	379	14.6	13.9	13.8
Sanilac County	33,930	33,738	384	11.4	10.9	11.3
Schoolcraft County	8,681	8,691	73	8.4	12.2	11.8
Shiawassee County	33,246	33,151	421	12.7	13.4	13.0
Tuscola County	34,913	34,698	438	12.6	11.9	12.2
Van Buren County	33,185	32,819	485	14.8	13.5	13.6
Washtenaw County	29,897	29,429	363	12.3	12.9	13.6
Wayne County	65,825	68,324	1,280	18.7	17.8	16.3
Wexford County	20,769	21,088	269	12.8	13.5	12.7
MINNESOTA.						
Total	1,420,871	1,426,853	14,256	10.0	(2)	(3)
White	1,410,981	1,416,933	14,051	9.9	(2)	(3)
Colored	9,890	9,920	205	20.7	(2)	(3)
Aitkin County	10,371	10,576	83	7.8	(2)	(3)
Anoka County *	12,493	12,586	162	12.9	(2)	(3)
Becker County	18,840	18,853	214	11.4	(2)	(3)
Beltrami County	19,337	20,580	255	12.4	(2)	(3)
Benton County	10,435	10,485	97	9.3	(2)	(3)
Big Stone County	9,367	9,341	112	12.0	(2)	(3)
Blue Earth County	18,972	18,660	199	10.7	(2)	(3)
Brown County	20,134	20,039	234	11.7	(2)	(3)
Carlton County	17,559	17,901	158	8.8	(2)	(3)
Carver County	17,455	17,391	150	8.6	(2)	(3)
Cass County †	11,620	11,766	87	7.4	(2)	(3)
Chippewa County	13,458	13,481	132	9.8	(2)	(3)
Chisago County	13,537	13,338	161	12.1	(2)	(3)
Clay County	19,640	19,683	174	8.8	(2)	(3)
Clearwater County	6,870	6,988	64	9.2	(2)	(3)
Cook County †	1,336	1,306	11	8.4	(2)	(3)
Cottonwood County	12,651	12,668	133	10.5	(2)	(3)
Crow Wing County	16,861	16,891	197	11.7	(2)	(3)
Dakota County *	25,171	25,590	272	10.6	(2)	(3)
Dodge County	12,094	11,930	136	11.4	(2)	(3)
Douglas County	17,669	17,394	164	9.4	(2)	(3)
Faribault County	19,949	19,826	191	9.6	(2)	(3)
Fillmore County	25,680	25,300	278	11.0	(2)	(3)
Freeborn County	22,282	22,245	201	9.0	(2)	(3)
Goodhue County	31,637	31,637	393	12.4	(2)	(3)
Grant County	9,114	8,981	85	9.5	(2)	(3)
Hennepin County	32,072	32,379	274	8.5	(2)	(3)
Houston County	14,297	14,101	127	9.0	(2)	(3)
Hubbard County	9,831	10,034	85	8.5	(2)	(3)
Isanti County	12,615	12,536	128	10.2	(2)	(3)
Itasca County	17,208	19,325	183	9.5	(2)	(3)
Jackson County	14,491	14,406	147	10.2	(2)	(3)
Kanabec County	6,461	6,526	61	9.3	(2)	(3)
Kandiyohi County	18,969	18,810	191	10.2	(2)	(3)
Kittson County	9,669	9,619	85	8.8	(2)	(3)
Koochiching County	6,431	7,222	77	10.7	(2)	(3)
Lac qui Parle County	15,435	15,496	147	9.5	(2)	(3)
Lake County	8,011	8,441	95	11.3	(2)	(3)
Le Sueur County	18,609	18,197	171	9.4	(2)	(3)
Lincoln County †	9,874	9,847	61	6.2	(2)	(3)
RURAL PART OF REGISTRATION STATES [1]—Continued.						
MINNESOTA—continued.						
Lyon County	15,722	15,611	165	10.6	(2)	(3)
McLeod County	18,691	18,537	170	9.2	(2)	(3)
Mahnomen County †	3,249	3,171	38	12.0	(2)	(3)
Marshall County	16,338	15,992	155	9.7	(2)	(3)
Martin County	17,518	17,502	144	8.2	(2)	(3)
Meeker County	17,022	16,792	185	11.0	(2)	(3)
Mille Lacs County	10,705	10,910	100	9.2	(2)	(3)
Morrison County	24,053	23,923	203	8.5	(2)	(3)
Mower County	22,640	22,712	228	10.0	(2)	(3)
Murray County	11,755	11,764	88	7.5	(2)	(3)
Nicollet County *	14,125	13,922	209	15.0	(2)	(3)
Nobles County	15,210	15,247	146	9.6	(2)	(3)
Norman County	13,446	13,122	103	7.8	(2)	(3)
Olmsted County *	22,497	22,518	514	22.8	(2)	(3)
Otter Tail County *	46,036	45,494	587	12.9	(2)	(3)
Pennington County	(4)	9,374	88	9.4	(2)	(3)
Pine County	15,878	16,128	159	9.9	(2)	(3)
Pipestone County	9,553	9,527	74	7.8	(2)	(3)
Polk County	36,001	35,702	277	7.8	(2)	(3)
Pope County	12,746	12,594	123	9.8	(2)	(3)
Ramsey County	8,931	8,838	100	11.3	(2)	(3)
Red Lake County	[5] 15,940	6,563	46	7.0	(2)	(3)
Redwood County	18,425	18,274	147	8.0	(2)	(3)
Renville County	23,123	22,899	189	8.3	(2)	(3)
Rice County	25,911	25,828	343	13.3	(2)	(3)
Rock County	10,222	10,344	97	9.4	(2)	(3)
Roseau County	11,338	11,374	102	9.0	(2)	(3)
St. Louis County	74,335	81,068	769	9.5	(2)	(3)
Scott County	14,888	14,838	143	9.6	(2)	(3)
Sherburne County	7,327	7,350	85	11.6	(2)	(3)
Sibley County	15,540	15,339	147	9.6	(2)	(3)
Stearns County	39,122	39,038	313	8.0	(2)	(3)
Steele County	16,146	16,036	170	10.6	(2)	(3)
Stevens County	8,293	8,065	66	8.2	(2)	(3)
Swift County	12,949	12,795	127	9.9	(2)	(3)
Todd County	23,407	23,103	198	8.6	(2)	(3)
Traverse County †	8,049	8,064	47	5.8	(2)	(3)
Wabasha County	18,554	18,516	201	10.9	(2)	(3)
Wadena County	8,652	8,488	67	7.9	(2)	(3)
Waseca County	13,466	13,425	108	8.0	(2)	(3)
Washington County	15,815	15,658	172	11.0	(2)	(3)
Watonwan County	11,382	11,356	92	8.1	(2)	(3)
Wilken County	9,063	9,010	65	7.2	(2)	(3)
Winona County	14,815	14,644	148	10.1	(2)	(3)
Wright County	28,082	27,739	265	9.6	(2)	(3)
Yellow Medicine County	15,406	15,284	118	7.7	(2)	(3)
MISSOURI.						
Total	2,142,495	2,141,953	25,560	11.9	(3)	(3)
White	2,066,104	2,066,340	24,019	11.6	(3)	(3)
Colored	76,391	75,613	1,541	20.4	(3)	(3)
Adair County	22,700	22,817	265	11.6	(3)	(3)
Andrew County	15,282	15,032	165	11.0	(3)	(3)
Atchison County	13,604	13,250	107	8.1	(3)	(3)
Audrain County	21,687	21,750	193	8.9	(3)	(3)
Barry County	23,869	23,666	259	10.9	(3)	(3)
Barton County	16,747	16,564	139	8.4	(3)	(3)
Bates County	25,869	25,347	291	11.5	(3)	(3)
Benton County	14,881	14,677	188	12.8	(3)	(3)
Bollinger County	14,576	14,568	127	8.7	(3)	(3)
Boone County	30,533	30,762	344	11.2	(3)	(3)
Buchanan County	15,617	[6] 15,487	169	10.9	(3)	(3)
Butler County	20,624	21,094	475	22.5	(3)	(3)
Caldwell County	14,605	14,355	155	10.8	(3)	(3)
Callaway County*	24,400	24,207	379	15.7	(3)	(3)
Camden County	11,582	11,395	89	7.8	(3)	(3)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Figures for deaths not available for the entire period.
[3] Not admitted to regitsration area until a later date.
[4] Included in Red Lake County.
[5] Including Pennington County, which was organized Nov. 23, 1910.
[6] Estimate based on enumerated populations of 1890 and 1910.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
MISSOURI—continued.						
Cape Girardeau County	27,621	28,023	416	14.8	(2)	(2)
Carroll County	23,098	22,688	287	12.7	(2)	(2)
Carter County	5,504	5,358	60	11.2	(2)	(2)
Cass County	22,973	22,893	265	11.6	(2)	(2)
Cedar County	16,080	15,978	161	10.1	(2)	(2)
Chariton County	23,503	23,097	249	10.8	(2)	(2)
Christian County	15,832	15,697	170	10.8	(2)	(2)
Clark County	12,811	12,497	150	12.0	(2)	(2)
Clay County	20,302	20,472	361	17.6	(2)	(2)
Clinton County	15,297	15,045	181	12.0	(2)	(2)
Cole County	10,107	10,007	90	9.0	(2)	(2)
Cooper County	20,311	20,041	212	10.6	(2)	(2)
Crawford County	13,576	13,650	142	10.4	(2)	(2)
Dade County	15,613	15,306	141	9.2	(2)	(2)
Dallas County†	13,181	13,093	89	6.8	(2)	(2)
Daviess County	17,605	17,151	179	10.4	(2)	(2)
Dekalb County	12,531	12,301	112	9.1	(2)	(2)
Dent County	13,245	13,275	125	9.4	(2)	(2)
Douglas County†	16,664	16,649	93	5.6	(2)	(2)
Dunklin County	30,328	31,381	721	23.0	(2)	(2)
Franklin County	29,830	29,739	353	11.9	(2)	(2)
Gasconade County	12,847	12,912	158	12.2	(2)	(2)
Gentry County	16,820	16,364	159	9.7	(2)	(2)
Greene County	28,630	28,529	267	9.4	(2)	(2)
Grundy County	16,744	16,612	181	10.9	(2)	(2)
Harrison County	20,466	19,986	229	11.5	(2)	(2)
Henry County	27,242	27,143	318	11.7	(2)	(2)
Hickory County	8,741	8,589	77	9.0	(2)	(2)
Holt County	14,539	14,229	158	11.1	(2)	(2)
Howard County	15,653	15,326	204	13.3	(2)	(2)
Howell County	21,065	20,972	251	12.0	(2)	(2)
Iron County	8,563	8,545	128	15.0	(2)	(2)
Jackson County	35,141	36,816	433	11.8	(2)	(2)
Jasper County	45,783	45,591	576	12.6	(2)	(2)
Jefferson County	27,878	28,141	373	13.3	(2)	(2)
Johnson County	26,297	26,109	287	11.0	(2)	(2)
Knox County	12,403	12,272	133	10.8	(2)	(2)
Laclede County	17,363	17,464	152	8.7	(2)	(2)
Lafayette County	30,154	29,968	379	12.6	(2)	(2)
Lawrence County	26,583	25,962	310	11.9	(2)	(2)
Lewis County	15,514	15,367	202	13.1	(2)	(2)
Lincoln County	17,033	16,873	174	10.3	(2)	(2)
Linn County	25,253	25,223	277	11.0	(2)	(2)
Livingston County	19,453	19,105	223	11.7	(2)	(2)
McDonald County	13,539	13,535	96	7.1	(2)	(2)
Macon County	30,868	30,606	338	11.0	(2)	(2)
Madison County	11,273	11,430	158	13.8	(2)	(2)
Maries County	10,088	10,143	109	10.7	(2)	(2)
Marion County	12,231	12,058	176	14.6	(2)	(2)
Mercer County	12,335	12,045	123	10.2	(2)	(2)
Miller County	16,717	16,902	185	10.9	(2)	(2)
Mississippi County	14,557	14,888	233	15.7	(2)	(2)
Moniteau County	14,375	14,186	161	11.3	(2)	(2)
Monroe County	18,304	18,132	184	10.1	(2)	(2)
Montgomery County	15,604	15,487	166	10.7	(2)	(2)
Morgan County	12,863	12,945	141	10.9	(2)	(2)
New Madrid County	19,488	20,491	311	15.2	(2)	(2)
Newton County	27,136	27,150	337	12.4	(2)	(2)
Nodaway County	28,833	28,332	316	11.2	(2)	(2)
Oregon County	14,681	14,774	112	7.6	(2)	(2)
Osage County	14,283	14,304	147	10.3	(2)	(2)
Ozark County†	11,926	11,899	68	5.7	(2)	(2)
Pemiscot County	19,559	20,469	367	17.9	(2)	(2)
Perry County	14,898	14,871	192	12.9	(2)	(2)
Pettis County	16,091	15,955	132	8.3	(2)	(2)
Phelps County	15,796	15,991	179	11.2	(2)	(2)
Pike County	22,556	22,167	323	14.6	(2)	(2)
Platte County	14,429	14,214	139	9.8	(2)	(2)
Polk County	21,561	21,355	250	11.7	(2)	(2)
Pulaski County	11,438	11,565	139	12.0	(2)	(2)
Putnam County	14,308	14,017	125	8.9	(2)	(2)
Ralls County	12,913	12,989	134	10.3	(2)	(2)
Randolph County	15,259	15,116	175	11.6	(2)	(2)
Ray County	21,451	21,042	252	12.0	(2)	(2)
Reynolds County	9,592	9,767	79	8.1	(2)	(2)
Ripley County	13,099	13,090	177	13.5	(2)	(2)
St. Charles County	24,695	24,721	318	12.9	(2)	(2)
St. Clair County	16,412	16,230	153	9.4	(2)	(2)
St. Francois County*	35,738	37,167	525	14.1	(2)	(2)
St. Louis County	82,417	86,378	1,275	14.8	(2)	(2)
Ste. Genevieve County	10,607	10,637	128	12.0	(2)	(2)
Saline County	29,448	28,929	327	11.3	(2)	(2)
Schuyler County	9,062	8,845	92	10.4	(2)	(2)
Scotland County	11,869	11,703	109	9.3	(2)	(2)
Scott County	22,372	23,506	393	16.7	(2)	(2)
Shannon County	11,443	11,466	94	8.2	(2)	(2)
Shelby County	14,864	14,705	179	12.2	(2)	(2)
Stoddard County	27,807	28,190	554	19.7	(2)	(2)
Stone County†	11,559	11,762	69	5.9	(2)	(2)
Sullivan County	18,598	18,393	192	10.4	(2)	(2)
Taney County	9,134	9,014	69	7.7	(2)	(2)
Texas County	21,458	21,369	200	9.4	(2)	(2)
Vernon County*	28,827	28,487	424	14.9	(2)	(2)
Warren County	9,123	9,027	113	12.5	(2)	(2)
Washington County	13,378	13,271	144	10.9	(2)	(2)
Wayne County	15,181	15,166	212	14.0	(2)	(2)
Webster County	17,377	17,466	184	10.5	(2)	(2)
Worth County†	8,007	7,785	47	6.0	(2)	(2)
Wright County	18,315	18,411	184	10.0	(2)	(2)
MONTANA.						
Total	277,391	290,899	2,539	8.7	(3)	(2)
White	264,081	276,983	2,241	8.1	(3)	(2)
Colored	13,310	13,916	298	21.4	(3)	(2)
Beaverhead County	6,446	6,548	58	8.9	(3)	(2)
Broadwater County	3,491	3,595	35	9.7	(3)	(2)
Carbon County	13,962	14,749	133	9.0	(3)	(2)
Cascade County†	14,885	15,378	93	6.0	(3)	(2)
Chouteau County†	17,191	17,953	121	6.7	(3)	(2)
Custer County†	14,123	15,078	110	7.3	(3)	(2)
Dawson County	12,725	13,983	100	7.2	(3)	(2)
Deer Lodge County*	2,854	2,897	97	33.5	(3)	(2)
Fergus County† [4]	34,488	37,105	257	6.9	(3)	(2)
Flathead County	18,785	20,123	142	7.1	(3)	(2)
Gallatin County	14,079	14,633	131	9.0	(3)	(2)
Granite County	2,942	2,773	22	7.9	(3)	(2)
Jefferson County	5,601	5,634	44	7.8	(3)	(2)
Lewis and Clark County†	9,338	9,454	58	6.1	(3)	(2)
Lincoln County	3,638	3,898	33	8.5	(3)	(2)
Madison County	7,229	7,173	85	11.9	(3)	(2)
Missoula County†	10,727	11,098	112	10.1	(3)	(2)
Park County	10,731	11,145	92	8.3	(3)	(2)
Powell County	5,904	5,961	47	7.9	(3)	(2)
Ravalli County	11,666	12,136	98	8.1	(3)	(2)
Rosebud County†	7,985	8,525	114	13.4	(3)	(2)
Sanders County†	3,713	3,935	24	6.1	(3)	(2)
Silver Bow County	17,683	18,126	238	13.1	(3)	(2)
Sweet Grass County†	4,029	4,143	27	6.5	(3)	(2)
Teton County†	9,546	10,092	118	11.7	(3)	(2)
Valley County†	13,630	14,764	150	10.2	(3)	(2)
NEW HAMPSHIRE.						
Total	256,460	255,893	4,235	16.6	[5] 16.9	[5] 16.2
White	256,120	255,551	4,229	16.5	(6)	(6)
Colored	340	342	6	17.5	(6)	(6)
Belknap County	11,126	11,083	171	15.4	17.9	17.4
Carroll County	16,316	16,246	297	18.3	16.4	15.2
Cheshire County	20,591	20,401	281	13.8	16.4	15.9
Coos County	18,973	18,777	267	14.2	14.3	12.9
Grafton County	41,652	41,750	687	16.5	16.7	15.6

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Not admitted to registration area until a later date.
[3] Figures for deaths not available for the entire period.
[4] Including Meagher, Yellowstone, and Musselshell Counties, the last of which was formed from part of each of the other three, Mar. 1, 1911.
[5] Based on figures for area as constituted in each year.
[6] Not computed.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
NEW HAMPSHIRE—contd.						
Hillsborough County	30,004	29,791	521	17.5	18.2	18.3
Merrimack County	31,838	31,721	604	19.0	18.0	17.0
Rockingham County	40,919	40,972	706	17.2	16.9	16.8
Strafford County	25,704	25,653	380	14.8	16.1	16.2
Sullivan County	19,337	19,499	321	16.5	16.4	16.0
NEW JERSEY.						
Total	901,304	931,847	12,796	13.7	[2] 13.3	[2] 13.7
White	865,692	895,014	12,159	13.6	(3)	(3)
Colored	35,612	36,833	637	17.3	(3)	(3)
Atlantic County	25,744	26,607	417	15.7	14.9	13.9
Bergen County	113,739	121,158	1,299	10.7	11.7	13.4
Burlington County	66,565	67,686	1,043	15.4	15.9	15.1
Camden County	47,491	49,796	655	13.2	14.7	15.2
Cape May County	19,745	20,329	255	12.5	12.5	12.6
Cumberland County	28,493	28,963	481	16.6	13.2	13.1
Essex County	41,939	44,342	698	15.7	12.0	11.9
Gloucester County	37,368	38,085	540	14.2	13.0	12.6
Hudson County	40,440	43,099	909	21.1	17.0	17.4
Hunterdon County	33,569	33,646	508	15.1	14.2	13.9
Mercer County	28,842	29,466	333	11.3	11.7	10.8
Middlesex County	58,917	61,622	779	12.6	12.2	13.6
Monmouth County	71,286	71,679	1,027	14.3	13.4	14.6
Morris County *	62,197	63,786	961	15.1	15.1	14.6
Ocean County	21,318	21,426	279	13.0	13.6	13.1
Passaic County	35,529	37,771	400	10.6	10.0	11.2
Salem County	26,999	27,175	355	13.1	12.6	13.9
Somerset County	38,820	39,451	535	13.6	12.4	12.9
Sussex County	26,731	27,637	371	13.4	13.7	10.8
Union County	46,238	48,236	518	10.7	11.9	12.4
Warren County	29,284	29,837	433	14.5	14.3	14.1
NEW YORK.						
Total	2,342,472	2,353,941	37,166	15.8	[2] 15.4	[2] 14.8
White	2,314,284	2,325,544	36,582	15.7	(3)	(3)
Colored	28,188	28,397	584	20.6	(3)	(3)
Albany County	33,630	33,370	552	16.5	15.0	15.0
Allegany County	41,412	40,997	648	15.8	13.9	13.1
Broome County	30,366	30,403	585	19.2	16.4	15.4
Cattaraugus County	51,176	50,760	699	13.8	13.2	12.5
Cayuga County	32,438	32,095	554	17.3	16.0	15.5
Chautauqua County	56,608	56,926	879	15.4	14.4	13.5
Chemung County	17,486	17,642	297	16.8	16.6	15.6
Chenango County	35,575	35,273	596	16.9	17.1	16.1
Clinton County*	37,092	36,786	473	12.9	12.2	11.2
Columbia County	32,241	32,179	536	16.7	16.0	16.0
Cortland County	17,745	17,639	298	16.9	15.8	16.5
Delaware County	45,575	45,323	662	14.6	14.2	12.3
Dutchess County *	59,725	59,932	1,236	20.6	19.2	19.0
Erie County *	90,721	91,967	1,224	13.3	14.5	13.1
Essex County	33,458	33,706	517	15.3	15.5	14.3
Franklin County	45,717	45,432	792	17.4	15.7	15.5
Fulton County	13,445	13,358	233	17.4	15.4	15.0
Genesee County	26,002	26,092	310	11.9	14.0	14.3
Greene County	30,214	30,020	515	17.2	17.1	16.9
Hamilton County	4,373	4,241	57	13.4	10.3	9.8
Herkimer County	44,083	44,451	640	14.4	14.1	12.6
Jefferson County	53,652	53,352	803	15.1	14.7	13.8
Lewis County	24,849	24,430	362	14.8	14.3	13.6
Livingston County	38,037	38,217	642	16.8	15.6	14.6
Madison County	39,289	39,242	641	16.3	16.4	15.6
Monroe County	65,063	66,938	935	14.0	13.3	13.8
Montgomery County	26,300	26,399	418	15.8	15.2	13.8
Nassau County	83,930	87,548	1,122	12.8	13.6	13.8
Niagara County	31,666	31,978	424	13.3	13.5	13.5
Oneida County	59,241	59,181	866	14.6	14.9	14.4
RURAL PART OF REGISTRATION STATES [1]—Continued.						
NEW YORK—continued.						
Onondaga County	63,049	63,668	964	15.1	14.9	14.8
Ontario County	39,840	39,742	663	16.7	14.6	14.7
Orange County	72,883	74,355	1,158	15.6	15.5	15.2
Orleans County	32,000	32,149	466	14.5	14.3	14.0
Oswego County	37,816	37,629	645	17.1	15.9	15.6
Otsego County	47,216	47,018	796	16.9	16.5	16.3
Putnam County	14,665	14,804	243	16.4	16.9	15.9
Rensselaer County	34,752	34,736	518	14.9	15.4	15.8
Rockland County	46,873	47,360	669	14.1	14.0	14.0
St. Lawrence County	73,072	72,200	1,011	14.0	13.9	12.8
Saratoga County	49,224	49,198	788	16.0	15.6	16.1
Schenectady County	15,409	16,029	186	11.6	11.8	15.2
Schoharie County	23,855	23,520	388	16.5	16.2	16.1
Schuyler County	14,004	13,752	266	19.3	16.2	14.8
Seneca County *	26,972	26,854	578	21.5	20.4	19.5
Steuben County	56,015	55,949	1,034	18.5	17.6	14.9
Suffolk County *	96,138	98,173	1,988	20.3	19.2	17.5
Sullivan County	33,808	33,602	650	19.3	18.3	16.6
Tioga County	25,624	25,341	432	17.0	17.2	16.2
Tompkins County	18,845	18,690	275	14.7	15.5	15.7
Ulster County	65,861	67,011	969	14.5	14.9	14.9
Warren County	16,980	16,937	271	16.0	14.9	14.0
Washington County	47,778	47,919	834	17.4	15.7	15.3
Wayne County	50,179	50,491	736	14.6	15.0	14.9
Westchester County	87,983	90,421	1,399	15.5	16.0	15.9
Wyoming County	31,880	32,036	446	13.9	13.8	14.3
Yates County	18,642	18,480	277	15.0	14.3	15.1
NORTH CAROLINA.[4]						
Total	210,787	218,542	3,613	16.5	(5)	(6)
White	141,174	146,475	1,934	13.2	(5)	(6)
Colored	69,613	72,067	1,679	23.3	(5)	(6)
OHIO.						
Total	2,621,927	2,624,963	32,109	12.2	(5)	(6)
White	2,576,905	2,580,343	31,311	12.1	(5)	(6)
Colored	45,022	44,620	798	17.9	(5)	(6)
Adams County	24,755	24,563	253	10.3	(5)	(6)
Allen County	26,072	26,324	316	12.0	(5)	(6)
Ashland County	22,975	23,194	291	12.5	(5)	(6)
Ashtabula County	41,281	41,609	571	13.7	(5)	(6)
Athens County *	47,798	48,908	700	14.3	(5)	(6)
Auglaize County	31,246	31,253	339	10.8	(5)	(6)
Belmont County	63,910	65,619	857	13.1	(5)	(6)
Brown County	24,832	24,417	314	12.9	(5)	(6)
Butler County	21,840	21,610	291	13.5	(5)	(6)
Carroll County	15,761	15,633	166	10.6	(5)	(6)
Champaign County	26,351	26,316	348	13.2	(5)	(6)
Clark County	19,514	19,568	268	13.7	(5)	(6)
Clermont County	29,551	29,300	385	13.1	(5)	(6)
Clinton County	23,680	23,617	303	12.8	(5)	(6)
Columbiana County	56,232	56,799	661	11.6	(5)	(6)
Coshocton County	30,121	30,216	339	11.2	(5)	(6)
Crawford County	34,036	34,050	416	12.2	(5)	(6)
Cuyahoga County	61,581	66,049	808	12.2	(5)	(6)
Darke County	42,933	42,981	456	10.6	(5)	(6)
Defiance County	24,498	24,268	293	12.1	(5)	(6)
Delaware County	27,182	27,277	300	11.0	(5)	(6)
Erie County	18,338	18,382	364	19.8	(5)	(6)
Fairfield County	26,108	26,211	278	10.6	(5)	(6)
Fayette County	21,744	21,745	274	12.6	(5)	(6)
Franklin County	40,056	41,299	543	13.1	(5)	(6)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Based on figures for area as constituted in each year.
[3] Not computed.
[4] Including only municipalities having a population of 1,000 or over in 1900 and less than 10,000 in 1910.
[5] Figures for deaths not available for the entire period.
[6] Not admitted to registration area until a later date.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
OHIO—continued.						
Fulton County	23,914	24,049	274	11.4	(2)	(3)
Gallia County	25,745	25,480	442	17.3	(2)	(3)
Geauga County	14,670	14,662	213	14.5	(2)	(3)
Greene County	29,733	29,504	394	13.4	(2)	(3)
Guernsey County	31,389	32,025	407	12.7	(2)	(3)
Hamilton County	80,956	71,569	893	12.5	(2)	(3)
Hancock County	23,002	22,834	194	8.5	(2)	(3)
Hardin County	30,407	30,312	369	12.2	(2)	(3)
Harrison County	19,076	18,905	239	12.6	(2)	(3)
Henry County	25,119	24,855	280	11.3	(2)	(3)
Highland County	28,711	28,435	364	12.8	(2)	(3)
Hocking County	23,650	23,560	267	11.3	(2)	(3)
Holmes County	17,909	17,714	215	12.1	(2)	(3)
Huron County	34,206	34,435	449	13.0	(2)	(3)
Jackson County	30,791	30,369	403	13.3	(2)	(3)
Jefferson County	43,032	44,626	510	11.4	(2)	(3)
Knox County	30,181	30,475	364	11.9	(2)	(3)
Lake County	22,927	23,079	364	15.8	(2)	(3)
Lawrence County	26,341	26,181	372	14.2	(2)	(3)
Licking County	30,186	30,439	345	11.3	(2)	(3)
Logan County	30,084	30,043	383	12.7	(2)	(3)
Lorain County	32,329	32,609	355	10.9	(2)	(3)
Lucas County	24,231	24,537	301	12.3	(2)	(3)
Madison County	19,902	19,819	248	12.5	(2)	(3)
Mahoning County	37,085	38,820	471	12.1	(2)	(3)
Marion County	15,739	15,607	160	10.3	(2)	(3)
Medina County	23,598	23,798	289	12.1	(2)	(3)
Meigs County	25,594	25,225	312	12.4	(2)	(3)
Mercer County	27,536	27,477	300	10.9	(2)	(3)
Miami County	31,659	31,747	408	12.9	(2)	(3)
Monroe County	24,244	23,904	259	10.8	(2)	(3)
Montgomery County	47,186	49,575	683	13.8	(2)	(3)
Morgan County	16,097	15,876	191	12.0	(2)	(3)
Morrow County	16,815	16,686	202	12.1	(2)	(3)
Muskingum County	29,462	29,435	364	12.4	(2)	(3)
Noble County	18,601	18,496	168	9.1	(2)	(3)
Ottawa County	22,360	22,377	267	11.9	(2)	(3)
Paulding County	22,730	22,144	221	10.0	(2)	(3)
Perry County	35,396	35,831	342	9.5	(2)	(3)
Pickaway County	26,158	26,054	366	14.0	(2)	(3)
Pike County	15,723	15,424	171	11.1	(2)	(3)
Portage County	30,307	30,436	401	13.2	(2)	(3)
Preble County	23,834	23,848	263	11.0	(2)	(3)
Putnam County	29,972	29,661	322	10.9	(2)	(3)
Richland County	26,899	26,930	322	12.0	(2)	(3)
Ross County	25,561	25,268	334	13.2	(2)	(3)
Sandusky County	35,171	35,276	380	10.8	(2)	(3)
Scioto County	24,982	23,710	308	13.0	(2)	(3)
Seneca County	30,527	30,570	365	11.9	(2)	(3)
Shelby County	24,663	24,666	279	11.3	(2)	(3)
Stark County *	43,808	44,474	642	14.4	(2)	(3)
Summit County	39,186	40,434	563	13.9	(2)	(3)
Trumbull County	41,685	42,165	547	13.0	(2)	(3)
Tuscarawas County	57,035	57,436	572	10.0	(2)	(3)
Union County	21,871	21,815	267	12.2	(2)	(3)
Van Wert County	29,119	28,964	279	9.6	(2)	(3)
Vinton County	13,096	12,823	148	11.5	(2)	(3)
Warren County	24,497	24,365	308	12.6	(2)	(3)
Washington County	32,499	32,207	380	11.8	(2)	(3)
Wayne County	38,058	38,080	465	12.2	(2)	(3)
Williams County	25,198	25,227	285	11.3	(2)	(3)
Wood County	46,330	45,691	488	10.7	(2)	(3)
Wyandot County	20,760	20,717	238	11.5	(2)	(3)
PENNSYLVANIA.						
Total	4,011,650	4,092,220	53,383	13.0	[4] 14.2	(3)
White	3,960,096	4,039,634	52,451	13.0	(5)	(3)
Colored	51,554	52,586	932	17.7	(5)	(3)

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
PENNSYLVANIA—continued.						
Adams County	34,319	34,299	448	13.1	12.7	(3)
Allegheny County	332,608	348,197	4,628	13.3	16.4	(3)
Armstrong County	67,880	69,756	841	12.1	12.8	(3)
Beaver County	66,162	68,583	900	13.1	13.8	(3)
Bedford County	38,879	38,808	427	11.0	12.7	(3)
Berks County*	87,151	87,948	1,213	13.8	14.8	(3)
Blair County	56,731	58,481	687	11.7	13.4	(3)
Bradford County	54,526	53,931	877	16.3	15.3	(3)
Bucks County	76,530	77,183	1,060	13.7	14.6	(3)
Butler County	51,961	52,558	560	10.7	11.5	(3)
Cambria County	119,649	115,874	1,362	11.8	14.0	(3)
Cameron County	7,644	7,717	78	10.1	13.3	(3)
Carbon County	52,846	53,866	734	13.6	15.3	(3)
Center County	43,424	43,489	514	11.8	13.4	(3)
Chester County	75,619	76,155	1,143	15.0	15.2	(3)
Clarion County	36,638	36,926	408	11.0	11.7	(3)
Clearfield County	81,145	82,359	846	10.3	12.2	(3)
Clinton County	31,545	31,832	394	12.4	13.3	(3)
Columbia County	48,467	49,515	576	11.6	12.7	(3)
Crawford County	48,785	48,351	664	13.7	14.3	(3)
Cumberland County	44,176	44,600	591	13.3	13.7	(3)
Dauphin County *	57,720	58,662	800	13.6	15.3	(3)
Delaware County	79,369	81,646	1,016	12.4	13.0	(3)
Elk County	35,871	36,234	403	11.1	11.9	(3)
Erie County	48,992	49,392	686	13.9	14.0	(3)
Fayette County	141,260	144,499	1,952	13.5	15.3	(3)
Forest County	9,435	9,240	74	8.0	9.3	(3)
Franklin County	47,975	48,481	868	17.9	14.5	(3)
Fulton County	9,703	9,677	171	17.7	13.3	(3)
Greene County	28,882	28,954	306	10.6	12.4	(3)
Huntingdon County	38,304	38,751	480	12.4	12.4	(3)
Indiana County	66,210	69,104	884	12.8	13.7	(3)
Jefferson County	63,090	63,575	765	12.0	13.0	(3)
Juniata County	15,013	14,887	198	13.3	13.7	(3)
Lackawanna County	83,724	86,770	1,391	16.0	17.2	(3)
Lancaster County	108,348	108,708	1,375	12.6	13.2	(3)
Lawrence County	33,752	34,432	369	10.7	12.1	(3)
Lebanon County	40,325	40,830	497	12.2	13.7	(3)
Lehigh County	62,447	63,635	1,001	15.7	16.3	(3)
Luzerne County	198,489	205,072	2,875	14.0	15.6	(3)
Lycoming County	48,953	49,203	520	10.6	11.1	(3)
McKean County	33,324	32,959	378	11.5	12.1	(3)
Mercer County	52,239	54,192	666	12.3	13.9	(3)
Mifflin County	27,785	28,350	357	12.6	14.4	(3)
Monroe County	22,941	23,158	317	13.7	13.5	(3)
Montgomery County	126,116	128,941	1,637	12.7	13.2	(3)
Montour County *	14,868	14,789	294	19.9	18.7	(3)
Northampton County	70,806	72,887	981	13.5	14.7	(3)
Northumberland County	60,530	61,554	740	12.0	12.9	(3)
Perry County	24,136	23,877	302	12.6	13.4	(3)
Pike County	8,033	7,944	110	13.8	15.2	(3)
Potter County	29,729	29,621	419	14.1	12.2	(3)
Schuylkill County	145,948	148,708	2,229	15.0	16.2	(3)
Snyder County	16,800	16,739	207	12.4	12.6	(3)
Somerset County	67,717	69,950	923	13.2	13.5	(3)
Sullivan County	11,293	11,191	140	12.5	10.8	(3)
Susquehanna County	37,746	37,466	543	14.5	15.4	(3)
Tioga County	42,829	42,064	530	12.6	13.4	(3)
Union County	16,249	16,085	203	12.6	13.1	(3)
Venango County	40,702	39,513	462	11.7	12.8	(3)
Warren County*	28,493	28,235	414	14.7	15.5	(3)
Washington County	124,902	130,799	1,859	14.2	15.4	(3)
Wayne County	29,236	29,123	377	12.9	13.7	(3)
Westmoreland County	206,517	213,827	2,471	11.6	14.4	(3)
Wyoming County	15,509	15,309	195	12.7	13.6	(3)
York County	91,655	92,759	1,047	11.3	11.4	(3)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Figures for deaths not available for the entire period.
[3] Not admitted to registration area until a later date.
[4] Based on figures for area as constituted in each year.
[5] Not computed.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
RHODE ISLAND.						
Total	104,983	107,239	1,619	15.1	[2] 16.2	[2] 17.6
White	103,404	105,604	1,590	15.1	(3)	(3)
Colored	1,579	1,635	29	17.7	(3)	(3)
Bristol County	17,602	18,236	301	16.5	16.0	18.5
Kent County	9,749	9,839	153	15.6	17.1	17.6
Newport County	12,186	12,473	197	15.8	16.2	15.9
Providence County	40,504	41,700	600	14.4	[4] 16.2	[5] 18.3
Washington County	24,942	24,991	368	14.7	15.2	15.6
UTAH.						
Total	254,994	261,544	2,499	9.6	(6)	(7)
White	250,187	256,611	2,470	9.6	(6)	(7)
Colored	4,807	4,933	29	5.9	(6)	(7)
Beaver County	4,717	4,852	42	8.7	(6)	(7)
Boxelder County	13,894	14,369	107	7.4	(6)	(7)
Cache County	23,062	23,664	201	8.5	(6)	(7)
Carbon County	8,624	9,067	99	10.9	(6)	(7)
Davis County	10,191	10,460	97	9.3	(6)	(7)
Emery County †	6,750	7,007	68	9.7	(6)	(7)
Garfield County	3,660	3,692	26	7.0	(6)	(7)
Grand County	1,595	1,650	15	9.1	(6)	(7)
Iron County	3,933	3,981	45	11.3	(6)	(7)
Juab County	10,702	10,778	88	8.2	(6)	(7)
Kane County †	1,652	1,633	10	6.1	(6)	(7)
Millard County	6,118	6,172	51	8.3	(6)	(7)
Morgan County †	2,467	2,518	20	7.9	(6)	(7)
Piute County †	1,734	1,708	18	10.5	(6)	(7)
Rich County	1,883	1,876	21	11.2	(6)	(7)
Salt Lake County	38,649	41,083	386	9.4	(6)	(7)
San Juan County †	2,377	2,543	6	2.4	(6)	(7)
Sanpete County	16,704	16,752	158	9.4	(6)	(7)
Sevier County	9,775	9,937	109	11.0	(6)	(7)
Summit County	8,200	8,049	106	13.2	(6)	(7)
Tooele County	7,924	7,993	82	10.3	(6)	(7)
Uinta County	7,050	7,122	66	9.3	(6)	(7)
Utah County *	37,942	38,612	405	10.5	(6)	(7)
Wasatch County	8,920	9,431	99	10.5	(6)	(7)
Washington County	5,123	5,184	55	10.6	(6)	(7)
Wayne County †	1,749	1,730	13	7.5	(6)	(7)
Weber County	9,599	9,681	106	10.9	(6)	(7)
VERMONT.						
Total	311,208	311,963	4,848	15.5	[2] 15.9	[2] 15.9
White	309,693	310,442	4,823	15.5	(3)	(3)
Colored	1,515	1,521	25	16.4	(3)	(3)
Addison County	20,010	19,778	264	13.3	15.0	15.1
Bennington County	21,378	21,338	333	15.6	15.6	16.1
Caledonia County	26,031	26,233	425	16.2	15.9	16.1
Chittenden County	21,979	22,105	355	16.1	15.7	15.5
Essex County	7,384	7,302	99	13.6	15.0	14.1
Franklin County	29,866	29,826	485	16.3	14.8	15.3
Grand Isle County	3,761	3,677	41	11.2	13.2	12.2
Lamoille County	12,585	12,621	179	14.2	15.3	13.5
Orange County	18,703	18,630	289	15.5	17.0	17.3
Orleans County	23,337	23,497	332	14.1	15.5	15.7
Rutland County	34,593	34,822	496	14.2	15.6	15.3
Washington County *	30,968	31,312	549	17.5	16.2	17.1
Windham County	26,932	26,964	458	17.0	18.1	17.1
Windsor County	33,681	33,858	543	16.0	16.2	17.1
WASHINGTON.						
Total	620,433	661,159	5,394	8.2	(6)	(7)
White	601,656	641,190	5,030	7.8	(6)	(7)
Colored	18,777	19,969	364	18.2	(6)	(7)
Adams County †	10,920	11,664	69	5.9	(6)	(7)
Asotin County †	5,831	6,133	53	8.6	(6)	(7)
Benton County	7,937	8,586	61	7.1	(6)	(7)
Chehalis County	21,930	23,222	189	8.1	(6)	(7)
Chelan County	15,104	16,471	151	9.2	(6)	(7)
RURAL PART OF REGISTRATION STATES [1]—Continued.						
WASHINGTON—continued.						
Clallam County	6,755	6,896	70	10.2	(6)	(7)
Clarke County	26,115	27,668	254	9.2	(6)	(7)
Columbia County	7,042	7,033	50	7.1	(6)	(7)
Cowlitz County †	12,561	13,134	84	6.4	(6)	(7)
Douglas County †	9,227	10,046	46	4.6	(6)	(7)
Ferry County †	4,800	4,830	44	9.1	(6)	(7)
Franklin County †	5,153	5,724	25	4.4	(6)	(7)
Garfield County †	4,199	4,233	26	6.1	(6)	(7)
Grant County †	8,698	9,471	46	4.9	(6)	(7)
Island County †	4,704	5,051	29	5.7	(6)	(7)
Jefferson County	8,337	8,658	85	9.8	(6)	(7)
King County	47,444	53,219	385	7.2	(6)	(7)
Kitsap County †	17,647	18,978	179	9.4	(6)	(7)
Kittitas County	18,561	19,644	195	9.9	(6)	(7)
Klickitat County †	10,180	11,013	71	6.4	(6)	(7)
Lewis County	32,127	34,204	321	9.4	(6)	(7)
Lincoln County	17,539	18,221	139	7.6	(6)	(7)
Mason County	5,156	5,321	60	11.3	(6)	(7)
Okanogan County †	12,887	13,890	116	8.4	(6)	(7)
Pacific County †	12,532	13,334	97	7.3	(6)	(7)
Pierce County *	37,069	40,347	486	12.0	(6)	(7)
San Juan County	3,603	3,686	26	7.1	(6)	(7)
Skagit County	29,241	31,072	258	8.3	(6)	(7)
Skamania County †	2,887	3,034	16	5.3	(6)	(7)
Snohomish County	34,395	36,632	259	7.1	(6)	(7)
Spokane County *	35,002	36,988	350	9.5	(6)	(7)
Stevens County † [3]	25,297	27,102	169	6.2	(6)	(7)
Thurston County	17,581	18,517	171	9.2	(6)	(7)
Wahkiakum County †	3,285	3,341	2	0.6	(6)	(7)
Walla Walla County †	12,567	13,148	68	5.2	(6)	(7)
Whatcom County	25,213	26,700	193	7.2	(6)	(7)
Whitman County	33,280	34,249	245	7.2	(6)	(7)
Yakima County	27,627	29,699	306	10.3	(6)	(7)
WISCONSIN.						
Total	1,580,912	1,576,195	17,109	10.9	(6)	(7)
White	1,570,058	1,565,287	16,992	10.9	(6)	(7)
Colored	10,854	10,908	117	10.7	(6)	(7)
Adams County	8,604	8,491	92	10.8	(6)	(7)
Ashland County	10,371	10,608	91	8.6	(6)	(7)
Barren County	29,114	29,297	276	9.4	(6)	(7)
Bayfield County	15,987	16,008	140	8.7	(6)	(7)
Brown County	28,862	28,787	284	9.9	(6)	(7)
Buffalo County	16,006	15,878	151	9.5	(6)	(7)
Burnett County	9,026	8,968	86	9.6	(6)	(7)
Calumet County	16,701	16,655	161	9.7	(6)	(7)
Chippewa County	32,103	32,129	392	12.2	(6)	(7)
Clark County	30,074	30,255	236	7.8	(6)	(7)
Columbia County	31,129	31,115	357	11.5	(6)	(7)
Crawford County	16,288	16,130	166	10.3	(6)	(7)
Dane County *	51,904	52,090	600	11.5	(6)	(7)
Dodge County	47,436	47,849	530	11.1	(6)	(7)
Door County	18,711	18,484	203	11.0	(6)	(7)
Douglas County †	7,038	7,061	33	4.7	(6)	(7)
Dunn County	25,260	25,059	252	10.1	(6)	(7)
Eau Claire County †	14,411	14,319	98	6.8	(6)	(7)
Florence County †	3,381	3,346	26	7.8	(6)	(7)
Fond du Lac County	32,813	32,634	374	11.5	(6)	(7)
Forest County	6,782	6,984	74	10.6	(6)	(7)
Grant County	39,007	38,854	421	10.8	(6)	(7)
Green County	21,641	21,456	250	11.7	(6)	(7)
Green Lake County	15,491	15,406	163	10.6	(6)	(7)
Iowa County	22,497	22,380	205	9.2	(6)	(7)
Iron County	8,306	8,739	83	9.5	(6)	(7)
Jackson County	17,075	16,951	161	9.5	(6)	(7)
Jefferson County	34,306	34,309	383	11.2	(6)	(7)
Juneau County	19,569	19,275	198	10.3	(6)	(7)
Kenosha County	11,558	11,706	112	9.6	(6)	(7)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Based on figures for area as constituted in each year.
[3] Not computed.
[4] Including state institutions for 1906
[5] Including state institutions.
[6] Figures for deaths not available for the entire period.
[7] Not admitted to registration area until a later date.
[8] Including Pend Oreille County, which was organized June 10, 1911.

TABLE I.—POPULATION, DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 1,000 POPULATION IN THE REGISTRATION AREA AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT: 1911—Continued.

[See note at head of this table.]

AREA AND COLOR.	POPULATION.		Deaths, 1911.	DEATH RATE PER 1,000 POPULATION.		
	Census of Apr. 15, 1910.	Estimated as of July 1, 1911.		1911	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
RURAL PART OF REGISTRATION STATES [1]—Continued.						
WISCONSIN—continued.						
Kewaunee County	16,784	16,730	218	13.0	(2)	(3)
La Crosse County	13,579	13,532	155	11.5	(2)	(3)
Lafayette County	20,075	20,026	201	10.0	(2)	(3)
Langlade County	17,062	17,389	164	9.4	(2)	(3)
Lincoln County	19,064	19,050	179	9.4	(2)	(3)
Manitowoc County	31,951	31,923	304	9.5	(2)	(3)
Marathon County	38,494	39,164	374	9.6	(2)	(3)
Marinette County †	19,202	19,404	130	6.7	(2)	(3)
Marquette County	10,741	10,685	121	11.3	(2)	(3)
Milwaukee County	59,330	54,837	1,236	22.5	(2)	(3)
Monroe County	28,881	28,787	342	11.9	(2)	(3)
Oconto County	25,657	25,923	244	9.4	(2)	(3)
Oneida County	11,433	11,481	118	10.3	(2)	(3)
Outagamie County	32,329	32,404	324	10.0	(2)	(3)
Ozaukee County	17,123	17,036	158	9.3	(2)	(3)
Pepin County	7,577	7,578	83	11.0	(2)	(3)
Pierce County	22,079	21,745	253	11.6	(2)	(3)
Polk County	21,367	21,485	206	9.6	(2)	(3)
Portage County	30,945	30,965	349	11.3	(2)	(3)
Price County †	13,795	14,151	110	7.8	(2)	(3)
Racine County	19,422	17,290	224	13.0	(2)	(3)
RURAL PART OF REGISTRATION STATES [1]—Continued.						
WISCONSIN—continued.						
Richland County	18,809	18,678	198	10.6	(2)	(3)
Rock County	26,519	26,397	303	11.5	(2)	(3)
Rusk County	11,160	11,509	94	8.2	(2)	(3)
St. Croix County	25,910	25,711	279	10.9	(2)	(3)
Sauk County	32,869	32,879	376	11.4	(2)	(3)
Sawyer County	6,227	6,519	62	9.5	(2)	(3)
Shawano County	31,884	32,093	297	9.3	(2)	(3)
Sheboygan County	28,490	28,601	315	11.0	(2)	(3)
Taylor County	13,641	13,927	102	7.3	(2)	(3)
Trempealeau County	22,928	22,699	229	10.1	(2)	(3)
Vernon County	28,116	27,858	291	10.4	(2)	(3)
Vilas County †	6,019	6,162	54	8.8	(2)	(3)
Walworth County	29,614	29,381	371	12.6	(2)	(3)
Washburn County	8,196	8,372	72	8.6	(2)	(3)
Washington County	23,784	23,860	228	9.6	(2)	(3)
Waukesha County	37,100	37,416	524	14.0	(2)	(3)
Waupaca County	32,782	32,613	392	12.0	(2)	(3)
Waushara County	18,886	19,193	154	8.0	(2)	(3)
Winnebago County *	29,054	28,887	390	13.5	(2)	(3)
Wood County	30,583	30,632	287	9.4	(2)	(3)

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.
[2] Figures for deaths not available for the entire period.
[3] Not admitted to registration area until a later date.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1908 TO 1911.

[The causes of death originally classified according to the first revision of the International List, which was in effect for the years 1900 to 1909, are rearranged, as far as practicable, to correspond with the second revision, in effect January 1, 1910. Changes depending upon new titles or markedly affecting the comparability of the figures, are indicated by asterisks (*) following the titles, and reference should be made to the statements in the text (p. 29) relative to changes in classification.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1911	1910	1909	1908	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.	1911	1910	1909	1908	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
	All causes	839,284	805,412	732,538	691,574	714,933	529,630	1,415.9	1,495.8	1,440.0	1,478.0	1,511.5	1,619.7
	I.—General diseases*	228,602	215,692	194,161	187,433	191,161	146,137	385.7	400.6	381.7	400.6	404.1	446.9
1	Typhoid fever	12,451	12,673	10,722	11,375	12,120	10,458	21.0	23.5	21.1	24.3	25.6	32.0
2	Typhus fever	5	2	3	.....	1	3	(1)	(1)	(1)	.....	(1)	(1)
3	Relapsing fever	2	1	.....	1	1	2	(1)	(1)	.....	(1)	(1)	(1)
4	Malaria	1,802	1,167	1,175	1,109	1,206	1,568	3.0	2.2	2.3	2.4	2.6	4.8
5	Smallpox	130	202	79	92	108	1,119	0.2	0.4	0.2	0.2	0.2	3.4
6	Measles	5,922	6,598	4,860	4,611	5,092	2,951	10.0	12.3	9.6	9.9	10.8	9.0
7	Scarlet fever	5,243	6,255	5,781	5,577	5,030	3,608	8.8	11.6	11.4	11.9	10.6	11.0
8	Whooping cough	6,682	6,146	4,906	4,969	5,440	3,572	11.3	11.4	9.6	10.6	11.5	10.9
9	Diphtheria and croup	11,174	11,521	10,358	10,052	10,576	9,674	18.9	21.4	20.4	21.5	22.4	29.6
10	Influenza	9,294	7,774	6,649	9,989	7,760	6,506	15.7	14.4	13.1	21.3	16.4	19.9
11	Miliary fever	.....	.....	.....	1	(2)	3	.....	.....	.....	(1)	(1)	(1)
12	Asiatic cholera	2	.....	.....	.....	.....	.....	(1)	.....	.....	.....	.....	.....
13	Cholera nostras	350	563	415	492	485	460	0.6	1.0	0.8	1.1	1.0	1.4
14	Dysentery	3,062	3,446	2,871	2,930	3,076	2,810	5.2	6.4	5.6	6.3	6.5	8.6
15	Plague	1	1	2	5	19	18	(1)	(1)	(1)	(1)	(1)	0.1
16	Yellow fever	.....	.....	.....	2	1	92	.....	.....	.....	(1)	(1)	0.3
17	Leprosy	7	10	9	11	8	5	(1)	(1)	(1)	(1)	(1)	(1)
18	Erysipelas	2,510	2,442	2,004	1,815	1,977	1,455	4.2	4.5	3.9	3.9	4.2	4.5
19	Other epidemic diseases*	193	198	154	133	156	76	0.3	0.4	0.3	0.3	0.3	0.2
20	Purulent infection and septicemia	1,913	1,877	1,657	1,727	1,798	1,998	3.2	3.5	3.3	3.7	3.8	6.1
21	Glanders	11	7	8	3	7	5	(1)	(1)	(1)	(1)	(1)	(1)
22	Anthrax	14	22	14	22	21	23	(1)	(1)	(1)	(1)	(1)	0.1
23	Rabies	83	64	55	82	72	42	0.1	0.1	0.1	0.2	0.2	0.1
24	Tetanus*	1,336	1,373	1,373	1,169	1,276	1,150	2.3	2.5	2.7	2.5	2.7	3.5
25	Mycoses	37	32	38	35	29	14	0.1	0.1	0.1	0.1	0.1	(1)
26	Pellagra	659	368	116	23	101	1	1.1	0.7	0.2	(1)	0.2	(1)
27	Beriberi*	7	10	(3)	(3)	(4)	(3)	(1)	(1)	(3)	(3)	(4)	(3)
	Tuberculosis (total)	94,205	86,309	81,835	78,409	79,792	62,978	158.9	160.3	160.8	167.6	168.7	192.6
28	Tuberculosis of the lungs*	78,514	73,214	70,844	68,074	69,436	55,809	132.5	136.0	139.3	145.5	146.8	170.7
29	Acute miliary tuberculosis*	3,282	1,997	(3)	(3)	(4)	(3)	5.5	3.7	(3)	(3)	(4)	(3)
30	Tuberculous meningitis	5,237	4,654	4,575	4,218	4,289	2,905	8.8	8.6	9.0	9.0	9.1	8.9
31	Abdominal tuberculosis	3,680	3,159	3,041	2,723	2,843	1,946	6.2	5.9	6.0	5.8	6.0	6.0
32	Pott's disease	853	764	740	746	692	492	1.4	1.4	1.5	1.6	1.5	1.5
33	White swellings	438	422	379	356	348	234	0.7	0.8	0.7	0.8	0.7	0.7
34	Tuberculosis of other organs*	1,308	1,118	1,072	992	988	666	2.2	2.1	2.0	2.2	2.1	2.0
35	Disseminated tuberculosis	893	981	1,184	1,300	1,195	926	1.5	1.8	2.3	2.8	2.5	2.8
36	Rickets*	508	455	(3)	(3)	(4)	(3)	0.9	0.8	(3)	(3)	(4)	(3)
37	Syphilis	3,821	3,221	2,858	2,432	2,550	1,335	6.4	6.0	5.6	5.2	5.4	4.1
38	Gonococcus infection	222	197	141	111	121	41	0.4	0.4	0.2	0.2	0.3	0.1
	Cancer and other malignant tumors (total)	44,024	41,039	37,562	33,465	34,320	22,214	74.3	76.2	73.8	71.5	72.6	67.9
	Of the buccal cavity	1,727	1,576	1,427	1,148	1,212	677	2.9	2.9	2.8	2.5	2.6	2.1
39	Of the stomach, liver	17,365	16,475	14,915	13,044	13,395	8,091	29.3	30.6	29.3	27.9	28.3	24.7
40	Of the peritoneum, intestines, rectum	5,824	5,258	4,676	3,963	4,148	2,332	9.8	9.8	9.2	8.5	8.8	7.1
41	Of the female genital organs	6,707	6,147	5,714	5,250	5,118	3,263	11.3	11.4	11.2	11.2	10.8	10.0
42	Of the breast	4,264	3,730	3,585	3,023	3,070	1,845	7.2	6.9	7.0	6.5	6.5	5.6
43	Of the skin	1,619	1,459	1,492	1,282	1,268	740	2.7	2.7	2.9	2.7	2.7	2.3
44	Of other organs or of organs not specified	6,518	6,394	5,753	5,755	6,110	5,266	11.0	11.9	11.3	12.3	12.9	16.1
45	Other tumors (tumors of the female genital organs excepted)	455	553	458	458	489	488	0.8	1.0	0.9	1.0	1.0	1.5
46	Acute articular rheumatism*	3,545	3,328	2,470	2,432	2,551	1,698	6.0	6.2	4.9	5.2	5.4	5.2
47	Chronic rheumatism and gout*	781	676	1,163	1,109	1,039	1,191	1.3	1.3	2.3	2.4	2.2	3.6
48	Scurvy	56	68	84	59	67	48	0.1	0.1	0.2	0.1	0.1	0.1
49	Diabetes	8,805	8,040	7,024	6,274	6,494	3,772	14.9	14.9	13.8	13.4	13.7	11.5
50	Exophthalmic goiter	787	687	636	500	512	218	1.3	1.3	1.3	1.1	1.1	0.7
51	Addison's disease	235	220	234	199	200	149	0.4	0.4	0.5	0.4	0.4	0.5
62	Leukemia	933	864	832	689	728	394	1.6	1.6	1.6	1.5	1.5	1.2
53	Anemia, chlorosis	2,813	2,614	2,421	2,152	2,293	1,578	4.7	4.9	4.8	4.6	4.8	4.8
54	Other general diseases*	1,182	1,359	263	252	476	158	2.0	2.5	0.5	0.5	1.0	0.5
55	Alcoholism (acute or chronic)	2,875	2,909	2,578	2,348	2,734	2,002	4.9	5.4	5.1	5.0	5.8	6.1
56	Chronic lead poisoning	145	136	86	95	101	87	0.2	0.3	0.2	0.2	0.2	0.3
57	Other chronic occupation poisonings	11	6	5	4	5	5	(1)	(1)	(1)	(1)	(1)	(1)
58	Other chronic poisonings	309	259	262	220	233	166	0.5	0.5	0.5	0.5	0.5	0.5
59	II.—Diseases of the nervous system and of the organs of special sense*	81,428	77,991	73,283	69,921	72,470	58,890	137.4	144.8	144.1	149.4	153.2	180.1
60	Encephalitis	792	761	355	452	517	630	1.3	1.4	0.7	1.0	1.1	1.9
61	Meningitis (total)	7,285	7,619	7,853	8,904	9,197	10,366	12.3	14.2	15.4	19.0	19.4	31.7
	Simple meningitis	4,690	5,347	5,662	6,304	6,384	7,601	7.9	9.9	11.1	13.5	13.5	23.2
	Cerebrospinal meningitis (undefined)	2,055	2,052	2,191	2,600	2,813	2,765	3.5	3.8	4.3	5.6	5.9	8.5
	Cerebrospinal fever	540	220					0.9	0.4				
62	Locomotor ataxia	1,624	1,435	1,386	1,198	1,249	786	2.7	2.7	2.7	2.6	2.6	2.4
63	Other diseases of the spinal cord (total)	3,932	4,101	2,905	2,412	2,736	1,589	6.6	7.6	5.7	5.2	5.8	4.9
	Acute anterior poliomyelitis	1,060	1,459	569	2,412	2,736	1,589	1.8	2.7	1.1	5.2	5.8	4.9
	Other diseases of the spinal cord[5]	2,872	2,642	2,336				4.8	4.9	4.6			
64	Cerebral hemorrhage, apoplexy	44,274	39,701	36,463	32,467	33,913	22,756	74.7	73.7	71.7	69.4	71.7	69.6

[1] Less than one-tenth of 1 per 100,000.
[2] Less than 1.
[3] Not compiled separately prior to 1910.
[4] Figures for deaths not available for the entire period.
[5] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1908 TO 1911—Continued.

[The causes of death originally classified according to the first revision of the International List, which was in effect for the years 1900 to 1909, are rearranged, as far as practicable, to correspond with the second revision, in effect January 1, 1910. Changes depending upon new titles or markedly affecting the comparability of the figures, are indicated by asterisks (*) following the titles, and reference should be made to the statements in the text (p. 29) relative to changes in classification.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1911	1910	1909	1908	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.	1911	1910	1909	1908	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
	II.—Diseases of the nervous system and of the organs of special sense*—Con.												
65	Softening of the brain	1,035	1,066	1,126	1,087	1,163	1,198	1.7	2.0	2.2	2.3	2.5	3.7
66	Paralysis without specified cause[1]	6,359	7,756	7,669	7,544	7,606	6,583	10.7	14.4	15.1	16.1	16.1	20.1
67	General paralysis of the insane[1]	3,988	2,944	2,584	2,387	2,588	2,234	6.7	5.5	5.1	5.1	5.5	6.8
68	Other forms of mental alienation	1,371	1,761	1,717	1,723	1,719	1,170	2.3	3.3	3.4	3.7	3.6	3.6
69	Epilepsy	2,329	2,287	2,066	1,824	1,981	1,452	3.9	4.2	4.1	3.9	4.2	4.4
70	Convulsions (nonpuerperal)	186	200	191	273	256	364	0.3	0.4	0.4	0.6	0.5	1.1
71	Convulsions of infants	4,231	4,802	5,340	6,177	6,038	7,000	7.1	8.9	10.5	13.2	12.8	21.4
72	Chorea	116	123	117	102	103	87	0.2	0.2	0.2	0.2	0.2	0.3
73	Neuralgia and neuritis*	440	362	2,693	2,579	2,599	2,240	0.7	0.7	5.2	5.5	5.5	6.9
74	Other diseases of the nervous system*	2,273	2,069					3.8	3.8				
75	Diseases of the eyes and their annexa	55	37	29	27	29	22	0.1	0.1	0.1	0.1	0.1	0.1
76	Diseases of the ears	1,138	967	789	765	776	413	1.9	1.8	1.6	1.6	1.6	1.3
	III.—Diseases of the circulatory system	109,830	100,106	90,456	80,607	84,040	52,696	185.3	185.9	177.8	172.3	177.7	161.2
77	Pericarditis	747	650	660	585	638	677	1.3	1.2	1.3	1.3	1.3	2.1
78	Acute endocarditis*	4,489	4,792	6,906	5,994	5,790	3,665	7.6	8.9	13.6	12.8	12.2	11.2
79	Organic diseases of the heart*	83,525	76,178	65,971	60,038	62,985	40,612	140.9	141.5	129.7	128.3	133.2	124.2
80	Angina pectoris	4,212	3,869	3,481	2,997	3,204	2,143	7.1	7.2	6.8	6.4	6.8	6.6
81	Diseases of the arteries, atheroma, aneurism, etc.	13,789	11,657	10,174	7,935	8,394	3,066	23.3	21.6	20.0	17.0	17.7	9.4
82	Embolism and thrombosis	2,016	1,990	1,981	1,907	1,866	1,367	3.4	3.7	3.9	4.1	3.9	4.2
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	352	349	320	251	284	187	0.6	0.6	0.6	0.5	0.6	0.6
84	Diseases of the lymphatic system (lymphangitis, etc.)	326	255	154	126	144	65	0.5	0.5	0.3	0.3	0.3	0.2
85	Hemorrhage; other diseases of the circulatory system*	374	366	809	774	736	915	0.6	0.7	1.6	1.7	1.6	2.8
	IV.—Diseases of the respiratory system	99,650	100,835	90,868	81,758	88,976	72,091	168.1	187.3	178.6	174.7	188.1	220.5
86	Diseases of the nasal fossae	133	135	109	85	99	71	0.2	0.3	0.2	0.2	0.2	0.2
87	Diseases of the larynx	824	746	770	770	781	756	1.4	1.4	1.5	1.6	1.7	2.3
88	Diseases of the thyroid body	266	224	194	185	183	97	0.4	0.4	0.4	0.4	0.4	0.3
89	Acute bronchitis	6,482	7,229	6,939	7,089	7,206	6,996	10.9	13.4	13.6	15.2	15.2	21.4
90	Chronic bronchitis	5,077	5,391	5,188	5,043	5,239	5,031	8.6	10.0	10.2	10.8	11.1	15.4
91	Bronchopneumonia	26,365	25,337	21,026	16,758	19,130	10,768	44.5	47.1	41.3	35.8	40.4	32.9
92	Pneumonia (total)	52,868	54,187	49,007	44,501	48,713	41,044	89.2	100.6	96.3	95.1	103.0	125.5
	Lobar pneumonia	28,553	24,972	18,350	44,501	48,713	41,044	48.2	46.4	36.1	95.1	103.0	125.5
	Pneumonia (undefined)	24,315	29,215	30,657				41.0	54.3	60.3			
93	Pleurisy	2,160	2,150	2,082	1,848	1,955	1,520	3.6	4.0	4.1	3.9	4.1	4.6
94	Pulmonary congestion, pulmonary apoplexy	2,341	2,499	2,550	2,596	2,636	2,802	3.9	4.6	5.0	5.5	5.6	8.6
95	Gangrene of the lung	187	138	221	146	177	166	0.3	0.3	0.4	0.3	0.4	0.5
96	Asthma	1,578	1,454	1,419	1,313	1,386	1,220	2.7	2.7	2.8	2.8	2.9	3.7
97	Pulmonary emphysema	163	166	137	175	169	227	0.3	0.3	0.3	0.4	0.4	0.7
98	Other diseases of the respiratory system (tuberculosis excepted)	1,206	1,179	1,226	1,249	1,302	1,393	2.0	2.2	2.4	2.7	2.8	4.3
	V.—Diseases of the digestive system	98,601	104,801	91,863	89,513	91,377	63,834	166.3	194.6	180.6	191.3	193.2	195.2
99	Diseases of the mouth and annexa	366	423	356	324	349	242	0.6	0.8	0.7	0.7	0.7	0.7
100	Diseases of the pharynx	952	840	792	690	735	473	1.6	1.6	1.6	1.5	1.6	1.4
101	Diseases of the esophagus	142	120	129	137	132	113	0.2	0.2	0.3	0.3	0.3	0.3
102	Ulcer of the stomach	2,143	2,203	1,770	1,523	1,680	964	3.6	4.1	3.5	3.3	3.6	2.9
103	Other diseases of the stomach (cancer excepted)	8,774	8,403	8,171	7,830	7,939	5,786	14.8	15.6	16.1	16.7	16.8	17.7
104	Diarrhea and enteritis (under 2 years)	45,868	54,266	44,648	44,521	45,516	29,094	77.4	100.8	87.8	95.2	96.2	89.0
105	Diarrhea and enteritis (2 years and over)	8,108	8,914	7,868	7,692	7,891	6,610	13.7	16.6	15.5	16.4	16.7	20.2
106	Ankylostomiasis*	15	9	62	65	67	38	(2)	(2)	0.1	0.1	0.1	0.1
107	Intestinal parasites*	90	76					0.2	0.1				
108	Appendicitis and typhlitis	6,896	6,128	5,768	5,289	5,306	3,589	11.6	11.4	11.3	11.3	11.2	11.0
109	Hernia, intestinal obstruction (total)	7,061	6,678	6,371	5,976	6,089	4,256	11.9	12.4	12.6	12.8	12.9	13.0
	Hernia	2,369	2,192	2,018	1,867	1,927	1,364	4.0	4.1	4.0	4.0	4.1	4.2
	Intestinal obstruction	4,692	4,486	4,353	4,109	4,162	2,892	7.9	8.3	8.6	8.8	8.8	8.8
110	Other diseases of the intestines	1,785	1,571	1,411	1,248	1,311	945	3.0	2.9	2.8	2.7	2.8	2.9
111	Acute yellow atrophy of the liver	302	224	211	187	189	131	0.5	0.4	0.4	0.4	0.4	0.4
112	Hydatid tumor of the liver	24	24	19	13	16	11	(2)	(2)	(2)	(2)	(2)	(2)
113	Cirrhosis of the liver	8,310	7,485	7,045	6,709	6,784	4,694	14.0	13.9	13.8	14.3	14.3	14.4
114	Biliary calculi	1,749	1,501	1,486	1,275	1,301	736	3.0	2.8	2.9	2.7	2.8	2.2
115	Other diseases of the liver	3,076	3,092	2,829	2,746	2,865	2,443	5.2	5.7	5.6	5.9	6.1	7.5
116	Diseases of the spleen	124	96	97	94	95	85	0.2	0.2	0.2	0.2	0.2	0.3
117	Simple peritonitis (nonpuerperal)	2,349	2,419	2,611	2,978	2,899	3,537	4.0	4.5	5.1	6.4	6.1	10.8
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	467	329	219	216	214	88	0.8	0.6	0.4	0.5	0.5	0.3
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	67,348	62,559	57,070	51,717	54,171	37,584	113.6	116.2	112.2	110.5	114.5	114.9
119	Acute nephritis	5,956	5,665	5,018	4,632	4,773	3,138	10.0	10.5	9.9	9.9	10.1	9.6
120	Bright's disease	51,847	47,665	43,412	39,203	41,339	28,565	87.5	88.5	85.3	83.8	87.4	87.4
121	Chyluria*	1	1	1,318	1,280	1,247	926	(2)	(2)	2.6	2.7	2.6	2.8
122	Other diseases of the kidneys and annexa*	1,343	1,389					2.3	2.6				
123	Calculi of the urinary passages	361	329	292	250	265	155	0.6	0.6	0.6	0.5	0.6	0.5

[1] Paresis (unqualified) transferred from List No. 66 to No. 67 beginning with 1911.

[2] Less than one-tenth of 1 per 100,000.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1908 TO 1911—Continued.

[The causes of death originally classified according to the first revision of the International List, which was in effect for the years 1900 to 1909, are rearranged, as far as practicable, to correspond with the second revision, in effect January 1, 1910. Changes depending upon new titles or markedly affecting the comparability of the figures, are indicated by asterisks (*) following the titles, and reference should be made to the statements in the text (p. 29) relative to changes in classification.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1911	1910	1909	1908	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.	1911	1910	1909	1908	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Con.												
124	Diseases of the bladder	1,532	1,561	1,484	1,476	1,484	1,415	2.6	2.9	2.9	3.2	3.1	4.3
125	Diseases of the urethra, urinary abscess, etc	285	237	234	190	204	136	0.5	0.4	0.5	0.4	0.4	0.4
126	Diseases of the prostate	2,175	2,020	1,873	1,495	1,628	862	3.7	3.8	3.7	3.2	3.4	2.6
127	Nonvenereal diseases of the male genital organs	49	75	49	39	49	35	0.1	0.1	0.1	0.1	0.1	0.1
128	Uterine hemorrhage (nonpuerperal)	76	81	79	90	79	89	0.1	0.2	0.2	0.2	0.2	0.3
129	Uterine tumor (noncancerous)	892	933	862	845	837	581	1.5	1.7	1.7	1.8	1.8	1.8
130	Other diseases of the uterus	770	774	759	717	734	564	1.3	1.4	1.5	1.5	1.6	1.7
131	Cysts and other tumors of the ovary	628	500	518	454	472	430	1.1	0.9	1.0	1.0	1.0	1.3
132	Salpingitis and other diseases of the female genital organs	1,401	1,298	1,146	1,015	1,034	671	2.4	2.4	2.3	2.2	2.2	2.1
133	Nonpuerperal diseases of the breast (cancer excepted)	32	31	26	31	26	17	0.1	0.1	0.1	0.1	0.1	0.1
	VII.—The puerperal state	9,456	8,455	7,791	7,344	7,330	4,643	16.0	15.7	15.3	15.7	15.5	14.2
134	Accidents of pregnancy	908	877	834	772	800	549	1.5	1.6	1.6	1.6	1.7	1.7
135	Puerperal hemorrhage *	851	754	357	425	491	337	1.4	1.4	0.7	0.9	1.0	1.0
136	Other accidents of labor *	911	820	788	598	629	295	1.5	1.5	1.5	1.3	1.3	0.9
137	Puerperal septicemia *	4,376	3,892	3,427	3,271	3,224	2,057	7.4	7.2	6.7	7.0	6.8	6.3
138	Puerperal albuminuria and convulsions *	2,094	1,824	1,706	1,619	1,593	911	3.5	3.4	3.4	3.5	3.4	2.8
139	Puerperal phlegmasia alba dolens, embolus, sudden death *	266	230	23	13	61	4	0.4	0.4	(1)	(1)	0.1	(1)
140	Following childbirth (not otherwise defined) *	48	53	650	643	528	488	0.1	0.1	1.3	1.4	1.1	1.5
141	Puerperal diseases of the breast	2	5	6	3	3	1	(1)	(1)	(1)	(1)	(1)	(1)
	VIII.—Diseases of the skin and of the cellular tissue	3,010	3,008	2,985	2,817	2,869	2,392	5.1	5.6	5.9	6.0	6.1	7.3
142	Gangrene	1,656	1,748	1,691	1,562	1,656	1,457	2.8	3.2	3.3	3.3	3.5	4.5
143	Furuncle	285	273	257	203	221	149	0.5	0.5	0.5	0.4	0.5	0.5
144	Acute abscess	456	506	534	514	512	473	0.8	0.9	1.0	1.1	1.1	1.4
145	Other diseases of the skin and annexa	613	481	503	538	480	312	1.0	0.9	1.0	1.1	1.0	1.0
	IX.—Diseases of the bones and of the organs of locomotion	1,365	1,317	1,455	1,418	1,335	932	2.3	2.4	2.9	3.0	2.8	2.9
146	Diseases of the bones (tuberculosis excepted)*	1,187	1,145	1,325	1,296	1,190	795	2.0	2.1	2.6	2.8	2.5	2.4
147	Diseases of the joints (tuberculosis and rheumatism excepted)	121	119	88	81	97	75	0.2	0.2	0.2	0.2	0.2	0.2
148	Amputations	5	7	3	10	13	35	(1)	(1)	(1)	(1)	(1)	0.1
149	Other diseases of the organs of locomotion	52	46	39	31	36	27	0.1	0.1	0.1	0.1	0.1	0.1
	X.—Malformations	8,465	7,998	7,755	6,907	7,066	3,978	14.3	14.9	15.2	14.8	14.9	12.2
150	Congenital malformations (stillbirths not included) (total)	8,465	7,998	7,755	6,907	7,066	3,978	14.3	14.9	15.2	14.8	14.9	12.2
	Hydrocephalus	736	685	664	681	669	527	1.2	1.3	1.3	1.5	1.4	1.6
	Congenital malformations of the heart	5,069	4,821	4,766	4,179	4,272	2,190	8.6	9.0	9.4	8.9	9.0	6.7
	Other congenital malformations	2,660	2,492	2,325	2,047	2,125	1,261	4.5	4.6	4.6	4.4	4.5	3.9
	XI.—Early infancy *	46,692	39,388	36,782	35,384	35,456	24,167	78.8	73.2	72.3	75.6	75.0	73.9
151	Congenital debility, icterus and sclerema* (total)	38,434	32,350	31,770	30,890	30,526	17,646	64.8	60.1	62.4	66.0	64.5	54.0
	Premature birth	23,539	20,275	18,286	16,441	16,899	10,062	39.7	37.7	35.9	35.1	35.7	30.8
	Congenital debility, "atrophy," "marasmus," etc	14,895	12,075	13,484	14,449	13,627	7,585	25.1	22.4	26.5	30.9	28.8	23.2
152	Other causes peculiar to early infancy * (total)	8,087	6,906	4,906	4,376	4,765	2,499	13.6	12.8	9.6	9.3	10.1	7.6
	Injuries at birth	4,573	3,725	3,508	3,110	3,138	1,634	7.7	6.9	6.9	6.6	6.6	5.0
	Other causes peculiar to early infancy [2]	3,514	3,181	1,398	1,266	1,627	864	5.9	5.9	2.7	2.7	3.4	2.6
153	Lack of care *	171	132	106	118	165	4,022	0.3	0.2	0.2	0.3	0.3	12.3
	XII.—Old age *	13,974	13,604	13,456	13,807	13,715	13,400	23.6	25.3	26.5	29.5	29.0	41.0
154	Senility *	13,974	13,604	13,456	13,807	13,715	13,400	23.6	25.3	26.5	29.5	29.0	41.0
	XIII.—External causes *	63,650	57,196	52,029	49,311	51,058	33,251	107.4	106.2	102.3	105.4	107.9	101.7
	Suicide (total)	9,622	8,590	8,402	8,332	7,584	4,548	16.2	16.0	16.5	17.8	16.0	13.9
155	By poison	2,927	2,456	2,462	2,511	2,281	1,549	4.9	4.6	4.8	5.4	4.8	4.7
156	By asphyxia	1,013	941	989	878	785	365	1.7	1.7	1.9	1.9	1.7	1.1
157	By hanging or strangulation	1,373	1,265	1,215	1,171	1,085	684	2.3	2.3	2.4	2.5	2.3	2.1
158	By drowning	536	517	507	464	415	231	0.9	1.0	1.0	1.0	0.9	0.7
159	By firearms	2,859	2,561	2,395	2,468	2,233	1,108	4.8	4.8	4.7	5.3	4.7	3.4
160	By cutting or piercing instruments	623	544	536	507	472	261	1.1	1.0	1.1	1.1	1.0	0.8
161	By jumping from high places	146	137	156	157	128	55	0.2	0.3	0.3	0.3	0.3	0.2
162	By crushing	70	88	84	66	67	20	0.1	0.2	0.2	0.1	0.1	0.1
163	Other suicides	75	81	58	110	118	275	0.1	0.2	0.1	0.2	0.3	0.8
	Accidental or undefined (total)	50,121	45,416	40,773	37,976	40,702	27,753	84.6	84.3	80.2	81.2	86.0	84.9
164	Poisoning by food *	481	157	} 1,779	1,652	1,655	1,412	{ 0.8	0.3	} 3.5	3.5	3.5	4.3
165	Other acute poisonings *	1,399	1,227					2.4	2.3				
166	Conflagration *	869	745	637	687	545	.....	1.5	1.4	1.3	1.5	1.2	.....
167	Burns (conflagration excepted)	4,567	4,182	4,007	3,704	3,885	2,715	7.7	7.8	7.9	7.9	8.2	8.3
168	Absorption of deleterious gases (conflagration excepted)*	2,143	1,379	2,004	1,709	1,766	1,519	3.6	2.6	3.9	3.7	3.7	4.6
169	Accidental drowning	5,571	4,818	4,558	4,677	4,551	3,362	9.4	8.9	9.0	10.0	9.6	10.3
170	Traumatism by firearms	1,327	1,161	944	986	1,012	1,109	2.2	2.2	1.9	2.1	2.1	3.4
171	Traumatism by cutting or piercing instruments *	122	89	(3)	(3)	(4)	(3)	0.2	0.2	(3)	(3)	(4)	(3)
172	Traumatism by fall *	8,905	8,305	(3)	(3)	(4)	(3)	15.0	15.4	(3)	(3)	(4)	(3)

[1] Less than one-tenth of 1 per 100,000. [2] Exclusive of injuries at birth. [3] Not compiled separately prior to 1910. [4] Figures for deaths not available for the entire period.

TABLE II.—DEATHS (EXCLUSIVE OF STILLBIRTHS), AND DEATH RATES PER 100,000 POPULATION, BY CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL LIST, FOR THE REGISTRATION AREA: 1908 TO 1911—Continued.

[The causes of death originally classified according to the first revision of the International List, which was in effect for the years 1900 to 1909, are rearranged, as far as practicable, to correspond with the second revision, in effect January 1, 1910. Changes depending upon new titles or markedly affecting the comparability of the figures, are indicated by asterisks (*) following the titles, and reference should be made to the statements in the text (p. 29) relative to changes in classification.]

Detailed Int. List No.	CAUSE OF DEATH.	NUMBER OF DEATHS.						DEATH RATE PER 100,000 POPULATION.					
		1911	1910	1909	1908	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.	1911	1910	1909	1908.	Annual average: 1906 to 1910.	Annual average: 1901 to 1905.
	XIII.—External causes*—Continued.												
	Accidental or undefined—Continued.												
173	Traumatism in mines and quarries (total).	2,372	2,484	1,997	1,917	2,010	320	4.0	4.6	3.9	4.1	4.2	1.0
	Traumatism in mines	2,256	2,366	1,863	1,811	2,010	320	3.8	4.4	3.7	3.9	4.2	1.0
	Traumatism in quarries	116	118	134	106			0.2	0.2	0.3	0.2		
174	Traumatism by machines	1,239	1,299	1,174	901	1,002	285	2.1	2.4	2.3	1.9	2.1	0.9
175	Traumatism by other crushing* (total)	13,572	13,302	(1)	(1)	(2)	(1)	22.9	24.7	(1)	(1)	(2)	(1)
	Railroad accidents and injuries	7,696	7,877	6,659	6,080	7,076	4,977	13.0	14.6	13.1	13.0	15.0	15.2
	Street-car accidents and injuries	1,883	1,949	1,723	1,696	1,747		3.2	3.6	3.4	3.6	3.7	
	Automobile accidents and injuries	1,291	980	632	393	496	848	2.2	1.8	1.2	0.8	1.0	2.6
	Injuries by other vehicles	2,237	1,940	2,152	1,924	1,870		3.8	3.6	4.2	4.1	4.0	
	Landslide, other crushing*	465	556	(1)	(1)	(2)	(1)	0.8	1.0	(1)	(1)	(2)	(1)
176	Injuries by animals*	520	502	(1)	(1)	(2)	(1)	0.9	0.9	(1)	(1)	(2)	(1)
177	Starvation	94	38	37	34	36	33	0.2	0.1	0.1	0.1	0.1	0.1
178	Excessive cold	188	254	251	227	243	191	0.3	0.5	0.5	0.5	0.5	0.6
179	Effects of heat	3,165	826	816	829	763	1,188	5.3	1.5	1.6	1.8	1.6	3.6
180	Lightning	240	156	150	161	154	98	0.4	0.3	0.3	0.3	0.3	0.3
181	Electricity (lightning excepted)*	513	478	(1)	(1)	(2)	(1)	0.9	0.9	(1)	(1)	(2)	(1)
185	Fractures (cause not specified)	363	623	357	734	1,351	2,785	0.6	1.2	0.7	1.6	2.9	8.5
186	Other external violence*	2,471	3,391	10,896	9,665	8,554	6,527	4.2	6.3	21.4	20.6	18.1	20.0
	Homicide (total)	3,907	3,190	2,854	3,003	2,771	950	6.6	5.9	5.6	6.4	5.9	2.9
182	By firearms*	2,347	1,852	2,854	3,003	2,771	950	4.0	3.4	5.6	6.4	5.9	2.9
183	By cutting or piercing instruments*	638	452					1.1	0.8				
184	By other means*	922	886					1.6	1.6				
	XIV.—Ill-defined diseases	7,213	12,462	12,584	13,637	13,907	15,633	12.2	23.1	24.7	29.2	29.4	47.8
187	Ill-defined organic disease	611	622	725	852	842	1,311	1.0	1.2	1.4	1.8	1.8	4.0
188	Sudden death	377	271	273	202	233	123	0.6	0.5	0.5	0.4	0.5	0.4
189	Not specified or ill-defined* (total)	6,225	11,569	11,586	12,583	12,833	14,199	10.5	21.5	22.8	27.0	27.1	43.4
	Ill-defined	3,512	9,932	10,273	11,296	11,224	12,580	5.9	18.4	20.2	24.2	23.7	38.5
	Not specified or unknown	2,713	1,637	1,313	1,287	1,609	1,618	4.6	3.0	2.6	2.8	3.4	4.9

[1] Not compiled separately prior to 1910.

[2] Figures for deaths not available for the entire period.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	SUMMARY.														
1	The registration area (total)	1,415.9	21.0	3.0	0.2	10.0	8.8	11.3	18.9	15.7	4.2	138.0	8.8	12.1	7.3
2	White	1,373.7	19.9	2.3	0.2	9.9	9.2	10.4	19.3	15.3	4.3	126.2	8.5	11.3	7.2
3	Colored	2,369.0	44.9	19.8	0.6	11.1	1.6	31.5	9.8	23.9	2.9	405.3	15.4	30.1	10.5
4	Registration states[2] (total)	1,391.5	20.4	2.4	0.2	9.9	8.5	11.2	18.3	15.8	4.2	134.7	8.9	12.0	7.3
5	White	1,364.0	19.7	2.2	0.2	9.9	8.8	10.6	18.6	15.6	4.3	125.1	8.6	11.3	7.1
6	Colored	2,180.1	40.6	9.2	0.4	10.0	1.7	29.5	9.6	21.0	2.8	409.8	18.1	32.6	10.8
7	Cities in registration states[2] (total)	1,506.0	18.6	1.2	0.2	10.1	11.0	10.7	21.4	10.4	4.8	150.3	12.1	12.4	7.4
8	White	1,471.2	18.2	1.0	0.2	10.1	11.3	10.1	21.8	10.1	4.9	139.4	11.7	11.5	7.3
9	Colored	2,418.2	31.0	6.9	0.4	10.2	2.4	26.3	10.8	18.9	3.4	435.5	22.7	36.4	11.2
10	Rural part of registration states (total)	1,274.6	22.2	3.7	0.2	9.7	6.0	11.8	15.1	21.3	3.6	118.7	5.7	11.6	7.1
11	White	1,255.0	21.3	3.4	0.2	9.7	6.2	11.1	15.4	21.3	3.7	110.5	5.5	11.0	7.0
12	Colored	1,890.2	52.3	11.8	0.4	9.8	0.8	33.5	8.1	23.6	2.1	378.4	12.6	27.9	10.3
13	Registration cities in other states (total)	1,687.0	27.7	9.8	0.7	10.8	12.2	11.9	24.9	14.3	4.3	175.0	7.7	13.1	7.8
14	White	1,495.2	23.1	3.6	0.6	10.3	14.0	7.9	27.2	11.5	4.5	140.0	7.7	11.5	7.5
15	Colored	2,881.4	56.4	48.6	1.2	14.0	1.2	36.8	10.2	31.9	3.3	393.2	8.1	23.3	9.6
16	All registration cities[2] (total)	1,533.3	20.0	2.5	0.3	10.2	11.2	10.9	21.9	11.0	4.7	154.0	11.4	12.5	7.5
17	White	1,474.5	18.8	1.3	0.2	10.1	11.7	9.8	22.5	10.3	4.8	139.5	11.1	11.5	7.3
18	Colored	2,604.3	41.2	23.7	0.7	11.8	1.9	30.5	10.6	24.1	3.3	418.5	16.9	31.2	10.6
	REGISTRATION STATES.														
19	California (total)	1,367.6	17.3	4.0	0.4	3.2	3.6	6.4	6.5	8.4	2.7	180.8	10.3	15.7	6.5
20	White	1,362.5	16.7	3.9	0.3	3.2	3.8	6.4	6.8	8.7	2.7	173.5	10.0	15.0	6.3
21	Colored	1,465.9	29.2	7.3	1.6	4.1	.....	5.7	1.6	4.1	1.6	321.6	16.2	28.4	11.4
22	Colorado (total)	1,292.8	30.3	0.4	.....	15.0	9.9	6.7	11.8	12.3	3.0	202.7	6.9	8.4	7.9
23	White	1,279.9	30.0	0.4	.....	15.3	9.9	6.5	11.9	12.5	3.1	197.1	6.8	8.3	8.1
24	Colored	1,944.1	49.7	.....	.....	.....	6.2	18.6	6.2	.....	.....	484.5	12.4	12.4	.....
25	Connecticut (total)	1,539.6	13.5	1.9	.....	8.2	9.0	14.0	21.9	23.5	5.1	127.7	11.0	10.8	7.4
26	White	1,526.3	13.3	2.0	.....	8.3	9.2	13.6	21.7	23.3	5.2	123.9	10.2	10.5	7.0
27	Colored	2,465.7	24.7	.....	.....	6.2	.....	43.3	37.1	37.1	.....	395.5	61.8	30.9	30.9
28	Indiana (total)	1,292.8	26.7	4.0	0.1	9.6	6.6	10.0	14.1	18.3	4.2	131.4	7.9	15.7	7.0
29	White	1,272.6	26.7	3.9	0.1	9.7	6.7	9.6	14.0	18.2	4.2	125.2	7.7	15.0	6.8
30	Colored	2,172.7	26.1	8.1	.....	4.9	1.6	26.1	17.9	24.4	3.3	397.7	19.6	45.6	14.7
31	Kentucky (total)	1,317.8	46.3	10.3	0.2	19.7	3.7	19.0	24.8	17.8	3.3	200.4	9.6	19.3	7.5
32	White	1,202.6	43.7	8.9	0.2	19.9	4.1	17.2	26.8	16.0	3.4	170.6	9.1	17.0	6.7
33	Colored	2,211.0	66.8	20.9	.....	18.6	0.8	32.6	9.1	31.5	1.9	432.2	13.7	37.2	14.0
34	Maine (total)	1,607.9	18.0	0.4	.....	4.1	2.1	9.8	10.0	25.3	3.7	116.5	9.6	15.9	7.1
35	White	1,610.8	18.1	0.4	.....	4.2	2.1	9.8	10.1	25.3	3.8	116.8	9.7	15.8	7.1
36	Colored	716.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	42.1	.....	42.1	.....
37	Maryland (total)	1,581.5	37.5	1.1	.....	9.9	5.0	14.7	12.8	16.6	3.8	178.8	8.8	15.7	6.3
38	White	1,410.2	33.6	0.6	.....	10.0	5.9	10.1	13.0	14.0	4.1	132.4	7.9	11.8	6.0
39	Colored	2,366.7	55.5	3.4	.....	9.8	1.3	35.8	11.9	28.6	2.6	391.2	12.8	33.7	7.7
40	Massachusetts (total)	1,534.2	9.0	0.4	0.1	8.9	5.7	14.6	16.8	10.0	4.9	129.3	13.1	10.8	6.1
41	White	1,527.4	9.0	0.4	0.1	9.0	5.8	14.2	17.0	10.1	4.9	126.6	12.7	10.5	6.1
42	Colored	2,075.4	7.1	.....	.....	.....	.....	47.1	4.7	4.7	4.7	346.3	44.8	37.7	9.4
43	Michigan (total)	1,324.8	19.1	1.0	0.2	6.9	7.1	8.5	16.5	18.3	5.0	81.2	3.9	10.9	7.2
44	White	1,316.4	18.9	0.9	0.2	6.8	7.2	8.5	16.5	18.3	5.0	78.2	3.9	10.7	7.1
45	Colored	2,265.4	43.3	7.9	.....	19.7	.....	11.8	11.8	11.8	11.8	416.9	7.9	39.3	19.7
46	Minnesota (total)	1,047.3	13.5	0.1	0.3	5.3	9.0	8.2	15.0	8.5	4.6	100.4	7.7	12.1	5.9
47	White	1,040.0	13.6	0.1	0.3	5.3	9.1	8.0	15.1	8.5	4.6	96.8	7.4	12.0	5.9
48	Colored	1,958.8	.....	.....	.....	.....	.....	36.1	.....	12.0	.....	540.8	42.1	18.0	12.0
49	Missouri (total)	1,307.8	31.9	15.3	0.9	18.7	9.7	12.9	20.4	25.9	4.7	137.2	5.3	11.5	7.6
50	White	1,258.8	31.2	15.2	0.9	19.4	10.0	12.8	21.1	25.6	4.7	120.6	5.0	10.2	7.2
51	Colored	2,278.9	46.3	17.5	2.5	5.0	4.4	16.3	7.5	31.9	3.1	465.8	10.6	37.6	16.3
52	Montana (total)	1,021.9	20.4	.....	.....	12.5	9.4	6.9	7.6	3.8	3.1	91.3	5.1	10.7	6.6
53	White	972.5	19.9	.....	.....	10.1	9.8	6.4	8.0	4.0	2.9	69.1	3.5	9.8	6.4
54	Colored	2,175.5	31.0	.....	.....	68.2	.....	18.6	.....	.....	6.2	607.4	43.4	31.0	12.4
55	New Hampshire (total)	1,707.3	14.6	.....	.....	9.2	3.7	12.2	15.7	26.6	3.0	104.6	6.7	10.2	7.4
56	White	1,707.4	14.6	.....	.....	9.3	3.7	12.3	15.7	26.4	3.0	104.3	6.7	10.2	7.4
57	Colored	1,649.2	.....	.....	.....	.....	.....	.....	.....	149.9	.....	299.9	.....	.....	.....
58	New Jersey (total)	1,465.8	12.0	1.0	(3)	10.7	8.4	12.6	21.7	11.2	4.7	151.4	11.3	11.4	9.2
59	White	1,442.5	11.6	0.9	(3)	10.7	8.5	12.2	22.0	11.1	4.9	144.0	10.9	10.5	9.1
60	Colored	2,090.9	22.2	2.1	.....	11.6	4.2	21.1	11.6	13.7	1.1	349.4	22.2	35.9	11.6
61	New York (total)	1,554.0	14.1	0.7	0.1	10.6	12.6	8.4	20.9	14.4	5.4	154.9	12.8	10.0	7.7
62	White	1,540.0	14.0	0.6	0.1	10.6	12.8	8.3	21.0	14.5	5.4	149.1	12.6	9.7	7.7
63	Colored	2,406.1	18.6	2.0	.....	6.0	3.3	13.9	15.9	12.6	6.0	515.0	25.2	29.8	6.6
64	North Carolina[4] (total)	1,832.4	70.0	23.2	1.1	15.5	2.1	46.2	10.4	24.3	2.7	229.5	7.5	19.8	8.0
65	White	1,451.3	67.2	16.1	1.2	14.4	2.9	21.9	10.7	21.9	2.9	163.3	6.6	13.6	5.8
66	Colored	2,533.5	75.1	36.4	0.8	17.4	0.8	91.0	9.9	28.8	2.3	351.2	9.1	31.1	12.1

[1] Exclusive of stillbirths.

[2] Includes District of Columbia.

AND ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
74.3	14.9	12.3	76.4	140.9	19.5	133.7	14.9	77.4	11.6	11.9	14.0	97.5	7.4	8.6	79.1	91.1	16.2	242.6	12.2	1
75.0	15.2	12.0	76.1	137.8	18.9	128.4	14.3	75.9	11.6	11.7	14.0	94.3	7.1	8.4	77.8	88.7	16.5	235.7	10.2	2
57.0	7.0	17.9	84.2	211.8	33.6	252.2	28.6	111.0	11.9	16.6	13.6	170.4	13.5	13.3	108.2	146.0	10.3	398.8	55.6	3
74.0	15.0	12.0	77.8	140.5	19.9	129.6	14.7	73.6	11.1	11.6	13.6	94.1	7.1	8.4	79.2	89.8	15.9	238.2	11.6	4
74.6	15.3	11.9	77.7	138.4	19.5	125.9	14.4	72.7	11.1	11.5	13.6	92.4	7.0	8.3	78.4	88.3	16.0	234.6	10.4	5
57.0	6.8	15.3	78.4	201.3	31.8	236.2	24.2	99.6	10.0	14.2	12.0	141.2	11.4	12.3	101.7	133.1	12.0	339.9	45.5	6
81.9	17.0	12.9	75.1	148.3	22.2	153.7	15.4	91.0	14.6	13.2	16.6	112.7	8.0	8.5	86.5	93.9	19.1	238.8	5.8	7
82.4	17.3	12.9	74.7	144.5	21.5	148.6	14.9	90.1	14.7	13.1	16.7	110.3	7.9	8.3	85.1	92.3	19.3	234.0	5.2	8
68.2	8.3	14.6	87.8	248.5	40.6	287.3	30.1	113.0	13.4	16.4	13.6	175.8	11.4	13.0	123.1	137.1	13.9	365.3	20.7	9
65.9	13.0	11.0	80.5	132.5	17.6	105.0	14.0	55.8	7.4	9.9	10.5	75.0	6.2	8.4	71.7	85.6	12.6	237.5	17.6	10
66.6	13.3	10.9	80.9	132.1	17.5	102.8	13.9	55.0	7.5	9.8	10.5	74.3	6.1	8.3	71.6	84.3	12.7	235.2	15.7	11
43.4	5.0	16.1	66.9	143.9	21.1	174.1	17.0	83.2	5.9	11.6	10.1	99.1	11.5	11.5	75.7	128.3	9.7	309.0	75.7	12
77.6	12.9	15.8	61.7	145.4	14.7	178.9	17.4	119.6	18.0	15.7	18.8	135.8	10.1	10.0	78.1	106.1	20.2	291.5	18.4	13
80.9	13.8	14.3	55.5	130.2	10.9	160.2	13.6	116.0	18.1	14.5	18.9	117.5	8.7	9.1	70.4	94.0	22.5	248.7	8.0	14
56.9	7.7	25.1	100.0	240.4	38.4	295.4	40.5	141.9	17.0	23.2	17.9	249.9	18.9	16.1	125.9	181.2	5.8	558.4	83.0	15
81.3	16.4	13.3	73.1	147.9	21.1	157.5	15.7	95.3	15.1	13.6	16.9	116.2	8.3	8.7	85.2	95.7	19.3	246.8	7.7	16
82.2	16.8	13.0	72.0	142.6	20.0	150.2	14.7	93.7	15.2	13.3	17.0	111.3	8.0	8.4	83.1	92.5	19.8	236.0	5.6	17
63.6	8.1	18.8	92.7	245.3	39.7	290.5	34.3	124.6	14.8	19.1	15.3	205.5	14.4	14.2	124.2	154.8	10.6	442.9	45.8	18
82.6	16.4	13.4	72.5	178.7	13.0	101.5	14.8	36.4	11.2	12.6	20.3	92.1	5.8	7.6	47.3	110.5	30.1	233.0	2.3	19
84.3	17.0	12.7	74.1	180.7	13.2	100.8	14.6	35.9	11.3	12.3	20.5	93.0	5.8	7.4	47.5	109.1	29.7	233.5	2.2	20
48.7	6.5	26.0	41.4	139.7	9.7	115.3	19.5	45.5	8.9	17.9	16.2	75.5	5.7	10.6	43.9	137.2	38.2	222.5	4.1	21
55.3	13.5	14.1	45.3	89.4	12.5	136.0	16.5	56.6	15.6	9.8	11.1	79.9	8.8	8.9	80.2	102.2	21.7	196.6	3.6	22
55.5	13.6	14.1	45.3	88.3	12.4	135.9	16.2	57.2	15.6	9.8	11.0	77.5	8.6	8.8	79.5	100.4	21.7	194.8	3.7	23
43.5	6.2	12.4	43.5	149.1	18.6	142.9	31.1	24.8	18.6	6.2	12.4	205.0	18.6	12.4	111.8	192.5	18.6	285.7	.....	24
78.5	17.3	20.1	105.8	159.6	23.9	153.5	16.4	79.1	9.1	14.3	14.5	117.5	5.0	6.3	94.7	91.8	18.2	250.6	9.3	25
78.3	17.3	19.9	105.9	158.7	23.6	152.4	16.1	79.0	9.0	14.1	14.5	116.9	5.0	6.3	93.9	91.6	18.2	248.5	8.9	26
92.7	18.5	30.9	98.9	216.3	49.4	228.6	37.1	86.5	18.5	24.7	12.4	160.7	6.2	6.2	154.5	105.1	18.5	395.5	37.1	27
71.3	14.5	8.8	80.5	143.2	15.2	99.6	8.8	61.5	10.5	12.3	12.6	84.6	10.9	6.8	65.4	80.8	16.7	231.2	1.7	28
71.4	14.6	8.8	79.8	139.8	15.0	96.6	8.6	60.7	10.3	12.1	12.3	83.2	10.8	6.8	65.4	79.8	16.8	229.8	1.7	29
66.8	11.4	9.8	110.8	293.4	24.4	229.8	17.9	99.4	17.9	17.9	24.4	145.1	14.7	6.5	66.8	122.2	11.4	290.1	1.6	30
42.7	6.8	22.1	41.3	86.5	15.6	98.9	15.0	50.1	7.2	9.9	8.7	65.9	7.5	10.1	78.1	77.7	8.7	233.3	49.7	31
42.0	7.1	21.7	38.1	74.5	13.4	85.5	12.9	49.3	7.1	9.3	8.3	61.3	6.4	9.8	77.9	66.3	9.3	213.7	45.1	32
48.2	4.9	24.7	66.0	179.5	33.4	202.6	31.1	56.5	8.0	14.4	11.8	102.1	16.3	12.5	79.7	165.8	3.8	384.8	85.8	33
98.6	23.8	13.4	121.4	179.8	25.1	141.7	19.2	63.2	13.5	12.3	5.3	114.1	3.9	9.5	74.4	78.6	13.5	348.8	25.1	34
98.8	23.9	13.4	121.7	179.7	25.1	142.0	19.3	63.4	13.5	12.3	5.4	114.4	3.9	9.5	74.5	78.7	13.5	349.4	25.2	35
42.1	.....	.....	.....	210.7	42.1	42.1	.....	.....	.....	.....	.....	42.1	.....	.....	42.1	42.1	.....	168.6	.....	36
73.0	12.8	13.8	80.1	142.8	22.6	146.8	20.2	98.4	8.2	12.0	12.6	128.0	5.4	8.5	98.6	76.6	11.4	270.4	28.4	37
78.0	14.3	13.2	77.5	127.5	19.7	119.6	18.8	91.0	7.7	11.3	13.8	116.7	4.9	6.9	88.5	71.7	12.9	246.9	19.9	38
49.9	5.5	16.2	92.2	212.9	35.8	271.4	26.5	132.7	10.2	15.4	7.3	179.6	7.7	15.8	144.6	99.0	4.3	378.0	67.4	39
94.4	19.8	14.6	99.5	183.5	24.3	153.8	12.7	103.2	10.9	12.2	9.8	86.7	6.1	8.7	87.9	92.5	13.0	263.6	7.4	40
94.7	19.9	14.5	99.5	183.5	24.2	152.7	12.6	103.3	10.9	12.1	9.8	85.6	6.1	8.6	87.9	92.1	13.0	262.9	7.2	41
75.4	16.5	18.8	98.9	176.7	28.3	242.6	18.8	89.5	16.5	14.1	9.4	174.3	4.7	18.8	84.8	122.5	11.8	325.1	21.2	42
74.5	14.4	12.3	74.8	147.0	25.4	90.4	17.6	57.0	11.8	13.2	11.8	67.2	8.5	9.0	92.7	84.0	14.6	298.9	13.9	43
74.7	14.5	12.3	74.7	145.9	25.3	89.4	17.3	56.5	11.8	13.1	11.8	67.0	8.5	9.0	92.4	83.7	14.5	298.0	13.6	44
55.1	3.9	7.9	86.5	263.5	31.5	204.5	43.3	114.1	11.8	23.6	11.8	82.6	3.9	11.8	121.9	118.0	27.5	397.2	43.3	45
67.8	12.3	8.5	48.1	90.1	13.1	96.1	10.2	40.1	16.3	10.0	8.5	63.3	7.3	7.0	63.0	70.6	14.4	195.4	14.9	46
67.9	12.3	8.5	48.1	89.9	13.2	95.3	10.2	39.9	16.4	9.8	8.5	63.0	7.3	7.0	63.2	70.3	14.3	194.7	13.4	47
54.1	6.0	12.0	42.1	114.2	.....	198.3	6.0	60.1	6.1	24.0	6.0	102.1	.....	12.0	36.1	114.2	24.0	288.4	192.3	48
59.4	12.4	13.6	53.9	102.4	19.4	119.7	13.4	60.8	11.2	10.8	14.0	85.2	8.4	8.6	68.6	74.6	18.0	228.5	22.9	49
59.8	12.8	13.8	52.8	96.6	18.5	113.2	13.1	60.1	11.3	10.8	13.6	81.6	8.3	8.5	68.1	70.1	18.5	222.1	21.4	50
51.3	4.4	10.0	75.1	217.2	36.9	247.3	20.0	75.8	9.4	10.6	21.3	155.3	10.0	11.3	78.3	162.2	9.4	355.6	52.6	51
40.0	10.5	8.2	32.4	80.8	7.9	90.2	12.2	36.2	18.9	10.7	11.2	52.0	9.7	10.2	72.1	126.9	27.8	168.5	18.1	52
40.4	10.6	8.2	32.2	81.1	8.2	83.5	11.7	36.4	19.1	10.6	11.2	52.4	10.1	9.3	73.6	126.0	27.1	159.0	11.7	53
31.0	6.2	6.2	37.2	74.4	.....	247.9	24.8	31.0	12.4	12.4	12.4	43.4	.....	31.0	37.2	148.8	43.4	390.5	167.3	54
96.8	23.6	21.7	117.8	197.0	34.4	145.5	22.4	88.7	10.9	13.2	11.8	110.9	4.2	9.5	99.6	93.6	12.9	367.3	11.8	55
96.9	23.6	21.7	118.0	196.9	34.5	145.7	22.4	88.8	10.9	13.2	11.8	110.6	4.2	9.5	99.5	93.7	12.7	367.4	11.8	56
.....	.....	.....	.....	299.9	.....	.....	.....	.....	.....	.....	.....	299.9	.....	.....	149.9	.....	149.9	299.9	.....	57
74.6	13.3	13.8	88.4	143.3	18.4	151.4	17.2	99.7	9.0	9.3	15.1	116.5	7.7	8.4	86.9	93.6	15.8	212.1	5.6	58
74.4	13.5	13.9	88.4	141.6	18.2	148.2	16.5	99.0	9.0	9.1	15.4	115.0	7.4	8.3	85.7	92.7	16.0	208.2	5.4	59
81.3	8.4	11.6	90.8	188.9	24.3	237.5	35.9	119.3	10.6	16.9	6.3	157.3	14.8	11.6	119.3	116.1	8.4	315.6	9.5	60
86.3	19.0	10.9	86.1	165.7	22.8	177.8	13.3	81.8	11.9	12.6	18.0	132.0	6.6	8.4	82.4	91.4	16.4	235.9	1.9	61
86.6	19.2	11.0	86.2	164.9	22.5	175.2	13.3	81.2	11.9	12.6	18.1	131.0	6.5	8.3	81.5	91.2	16.5	234.5	1.8	62
68.3	8.6	8.6	77.6	218.1	42.4	342.0	16.6	119.3	13.3	13.9	12.6	194.9	17.9	11.3	138.5	107.4	12.6	322.1	5.3	63
54.8	5.9	19.5	71.3	136.0	19.8	150.7	14.4	150.1	16.6	10.7	8.3	91.9	8.5	17.1	90.3	91.1	6.1	343.6	65.5	64
59.4	7.4	19.8	64.3	96.1	11.1	84.5	13.6	130.7	20.6	9.9	7.0	74.6	4.1	14.0	86.2	66.8	8.7	291.6	32.2	65
46.3	3.0	19.0	84.2	209.4	35.7	272.3	15.9	185.8	9.1	12.1	10.6	123.6	16.7	22.8	97.8	135.8	1.5	439.2	126.7	66

[3] Less than one-tenth of 1 per 100,000 population.

[4] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION STATES—Contd.														
1	Ohio (total)	1,309.5	22.7	0.9	0.1	6.4	10.3	11.4	15.0	21.8	3.9	127.4	7.3	13.2	6.9
2	White	1,290.8	22.6	0.9	0.1	6.5	10.5	11.0	15.1	21.8	3.9	119.3	6.9	12.8	6.8
3	Colored	2,086.5	29.0	2.6	.....	4.4	1.8	29.0	11.4	22.8	3.5	462.4	24.6	29.8	9.7
4	Pennsylvania (total)	1,421.0	21.9	0.5	0.1	10.3	9.6	12.7	27.0	14.7	3.7	117.9	7.2	10.3	7.3
5	White	1,405.2	21.8	0.5	0.1	10.2	9.8	12.3	27.4	14.7	3.7	111.0	6.9	9.8	7.3
6	Colored	2,019.4	24.3	0.5	.....	11.4	1.5	28.3	8.9	11.9	2.5	377.4	21.3	29.8	6.9
7	Rhode Island (total)	1,553.6	9.5	1.1	.....	4.1	10.4	21.7	25.6	9.5	2.9	145.1	13.3	12.5	6.5
8	White	1,537.7	9.5	1.1	.....	4.2	10.4	20.3	26.1	9.7	2.7	138.4	13.1	11.7	6.2
9	Colored	2,394.0	9.6	.....	.....	.....	9.6	96.1	.....	.....	9.6	500.0	19.2	57.7	19.2
10	Utah (total)	1,028.1	19.2	.....	2.3	10.9	14.5	6.8	22.1	6.5	3.1	37.9	1.6	7.3	10.4
11	White	1,029.6	19.3	.....	2.4	11.1	14.5	6.9	22.5	6.3	3.2	36.0	1.6	7.4	10.6
12	Colored	947.9	14.4	.....	.....	.....	14.4	.....	.....	14.4	.....	143.6	.....	.....	.....
13	Vermont (total)	1,583.7	12.3	1.4	.....	10.6	1.4	7.6	6.7	43.9	3.6	97.1	8.7	12.9	7.3
14	White	1,582.6	12.4	1.4	.....	10.7	1.4	7.6	6.7	44.1	3.7	96.4	8.7	12.6	7.3
15	Colored	1,801.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	240.2	.....	60.1	.....
16	Washington (total)	890.2	18.3	0.2	0.2	5.6	4.6	5.7	8.5	9.0	2.5	84.3	10.1	12.3	4.8
17	White	872.4	17.2	0.3	0.3	5.7	4.7	5.3	8.5	9.0	2.6	75.9	9.5	11.9	4.8
18	Colored	1,490.2	57.1	.....	.....	2.9	.....	20.0	11.4	8.6	.....	368.3	25.7	25.7	2.9
19	Wisconsin (total)	1,146.3	13.2	0.2	0.1	10.7	9.4	8.7	13.6	12.9	3.9	88.0	5.4	10.4	8.7
20	White	1,146.2	13.2	0.2	0.1	10.7	9.4	8.7	13.6	13.0	3.9	87.2	5.4	10.2	8.7
21	Colored	1,152.3	14.9	.....	.....	7.4	.....	7.4	7.4	.....	7.4	230.5	14.9	37.2	14.9
	REGISTRATION CITIES.														
	ALABAMA.[2]														
22	Registration cities (total)	2,071.6	75.6	45.3	0.4	24.2	1.8	19.3	9.7	14.5	1.8	241.8	3.5	5.3	1.8
23	White	1,562.3	67.2	19.1	0.8	22.9	3.1	21.4	9.9	8.4	1.5	122.2	3.8	3.8	2.3
24	Colored	2,762.1	87.0	80.8	.....	25.9	.....	16.6	9.3	22.8	2.1	404.1	3.1	7.3	1.0
25	Birmingham (total)	1,820.1	45.5	23.5	0.7	22.0	1.5	20.5	9.5	8.8	1.5	224.6	5.1	2.2	0.7
26	White	1,420.1	42.4	10.9	1.2	24.2	2.4	24.2	10.9	4.8	1.2	107.8	4.8	1.2	.....
27	Colored	2,434.7	50.3	42.8	.....	18.6	.....	14.9	7.4	14.9	1.9	403.9	5.6	3.7	1.9
28	Mobile (total)	2,404.9	184.1	77.8	.....	11.4	3.8	20.9	11.4	20.9	1.9	318.9	.....	5.7	1.9
29	White	1,881.3	153.1	34.0	.....	17.0	6.8	20.4	10.2	17.0	3.4	166.7	.....	6.8	3.4
30	Colored	3,065.7	223.3	133.1	.....	4.3	.....	21.5	12.9	25.8	.....	510.9	.....	4.3	.....
31	Montgomery (total)	2,505.4	33.8	78.0	.....	49.4	.....	13.0	7.8	26.0	2.6	197.5	2.6	15.6	5.2
32	White	1,686.8	42.2	31.6	.....	26.4	.....	10.5	5.3	10.5	.....	116.0	5.3	10.5	10.5
33	Colored	3,301.5	25.6	123.0	.....	71.8	.....	15.4	10.3	41.0	5.1	276.8	.....	20.5	.....
	CALIFORNIA.														
34	Registration cities (total)	1,474.5	16.8	1.4	0.5	5.0	2.9	5.4	6.7	5.9	2.7	191.2	12.2	17.9	8.4
35	White	1,456.3	15.7	1.1	0.5	4.9	3.0	5.4	7.0	6.0	2.7	180.2	11.5	16.9	8.0
36	Colored	1,873.4	39.6	6.9	1.7	5.2	.....	5.2	.....	5.2	3.4	431.8	27.5	39.6	17.2
37	Alameda	1,093 7	8.3	.....	.....	4.1	.....	4.1	8.3	.....	4.1	82.5	8.3	16.5	12.4
38	Bakersfield	2,309.0	67.7	7.5	.....	.....	.....	.....	7.5	.....	.....	353.5	.....	30.1	15.0
39	Berkeley	857.3	9.1	.....	.....	.....	.....	4.6	.....	.....	.....	52.6	2.3	11.4	6.9
40	Eureka	1,702.0	32.3	.....	.....	.....	8.1	.....	8.1	16.1	8.1	209.7	8.1	40.3	16.1
41	Fresno	1,361.2	42.3	11.5	.....	3.8	.....	3.8	42.3	11.5	3.8	173.0	7.7	26.9	.....
42	Long Beach	1,527.0	15.2	10.1	.....	5.1	5.1	10.1	10.1	20.3	.....	157.3	5.1	15.2	5.1
43	Los Angeles (total)	1,454.5	11.6	1.2	1.7	2.3	2.6	5.5	6.4	6.4	1.2	248.1	10.2	19.2	10.2
44	White	1,442.7	10.6	0.9	1.5	2.4	2.7	5.2	6.7	6.4	1.2	239.9	9.7	18.2	9.4
45	Colored	1,715.2	33.5	6.7	6.7	.....	.....	13.4	.....	6.7	.....	428.8	20.1	40.2	26.8
46	Oakland	1,266.2	14.0	1.3	.....	11.5	1.3	3.8	7.0	3.8	5.7	104.7	13.4	14.7	5.7
47	Pasadena	1,326.4	6.2	.....	.....	.....	.....	3.1	12.4	12.4	.....	262.8	3.1	15.5	.....
48	Pomona	1,410.1	18.6	.....	.....	.....	.....	.....	.....	27.8	.....	139.2	18.6	18.6	9.3
49	Redlands	1,364.5	9.0	.....	.....	9.0	26.9	.....	.....	18.0	.....	412.9	9.0	26.9	9.0
50	Riverside (total)	1,615.2	62.1	.....	.....	.....	6.2	18.6	6.2	6.2	6.2	347.9	18.6	12.4	6.2
51	White	1,665.3	56.0	.....	.....	.....	7.0	21.0	7.0	7.0	7.0	349.8	14.0	7.0	7.0
52	Colored	1,218.8	110.8	.....	.....	.....	.....	.....	.....	.....	.....	332.4	55.4	55.4	.....
53	Sacramento	1,777.5	40.8	2.1	.....	4.3	.....	6.4	8.6	2.1	2.1	191.1	23.6	30.1	2.1
54	San Bernardino	1,957.5	80.9	.....	.....	.....	7.4	.....	7.4	14.7	.....	485.7	.....	36.8	22.1
55	San Diego	1,933.5	16.6	.....	2.4	2.4	4.7	.....	9.5	23.7	.....	274.5	9.5	23.7	14.2
56	San Francisco (total)	1,524.7	15.3	1.2	.....	7.7	3.5	6.8	5.2	2.8	3.5	158.5	16.9	14.6	8.7
57	White	1,502.7	13.5	0.5	.....	7.3	3.7	6.9	5.4	2.7	3.2	144.6	15.9	14.2	8.6
58	Colored	2,047.0	58.0	17.4	.....	17.4	.....	5.8	.....	5.8	11.6	487.1	40.6	23.2	11.6
59	San Jose	1,266.6	3.1	.....	.....	.....	3.1	.....	.....	3.1	3.1	153.3	6.1	21.5	6.1
60	Santa Barbara	1,751.0	24.4	.....	.....	.....	.....	.....	.....	8.1	8.1	236.2	8.1	24.4	.....
61	Santa Cruz	1,506.4	8.5	.....	.....	.....	8.5	.....	.....	16.9	.....	135.4	8.5	8.5	.....
62	Stockton*	2,037.1	20.9	.....	.....	.....	4.2	12.5	8.3	12.5	4.2	333.9	8.3	20.9	20.9
63	Vallejo	1,157.2	8.5	.....	.....	.....	.....	17.0	8.5	.....	.....	110.6	.....	17.0	.....
	COLORADO.														
64	Registration cities (total)	1,505.5	19.1	1.0	.....	18.1	6.8	8.1	15.9	9.7	3.6	279.9	12.6	12.3	8.7
65	White	1,487.5	19.4	1.0	.....	18.7	6.7	7.4	16.0	10.0	3.7	269.0	12.4	12.7	9.0
66	Colored	2,060.6	10.3	.....	.....	.....	10.3	30.9	10.3	.....	.....	618.2	20.6	.....	.....

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
76.4	14.4	9.8	89.1	145.9	19.1	101.8	10.2	59.8	10.0	10.6	14.9	77.5	7.5	7.3	65.3	90.6	16.1	229.6	6.1	1
76.7	14.4	9.7	88.8	143.4	18.6	99.8	10.3	59.7	10.0	10.7	14.9	76.5	7.5	7.3	65.3	89.3	15.9	227.8	5.9	2
65.8	16.7	14.0	100.9	246.6	37.7	185.1	8.8	63.2	8.8	7.0	14.9	117.6	9.7	8.8	67.6	144.8	22.8	301.8	13.2	3
66.4	13.2	9.0	79.6	129.0	21.3	140.0	20.2	104.1	8.7	10.9	13.7	91.9	7.3	9.2	93.0	106.2	13.2	227.3	13.8	4
66.6	13.4	9.1	80.2	127.6	20.9	137.3	19.9	103.4	8.7	10.8	13.7	90.3	7.3	9.2	92.4	105.8	13.4	225.9	13.8	5
56.5	6.0	7.9	57.5	180.5	36.7	240.0	30.7	130.4	8.9	16.4	12.9	151.8	9.4	9.4	117.5	122.0	5.5	279.7	14.9	6
88.0	21.5	13.1	95.7	158.0	27.6	152.1	14.3	88.3	13.1	12.4	14.9	124.2	5.2	10.8	89.4	85.5	11.6	255.3	10.6	7
87.3	21.7	13.1	95.9	156.1	27.6	151.2	14.1	88.9	13.0	12.6	14.8	123.8	5.1	11.0	89.3	84.0	11.3	253.6	10.0	8
125.0	9.6	9.6	86.5	259.6	28.8	201.9	28.8	57.7	19.2	.....	19.2	144.2	9.6	.....	96.1	163.4	28.8	346.1	38.5	9
51.9	11.2	10.1	37.4	82.8	18.4	110.6	16.6	37.4	16.4	13.8	5.5	59.7	5.2	10.4	77.4	85.7	18.2	199.4	17.7	10
52.6	11.4	10.0	37.8	82.8	18.5	111.0	16.9	37.8	16.4	14.0	5.6	60.0	5.0	10.6	78.5	83.0	17.5	200.9	17.5	11
14.4	.....	14.4	14.4	86.2	14.4	86.2	.....	14.4	14.4	.....	.....	43.1	14.4	.....	14.4	229.8	57.4	114.9	28.7	12
101.0	20.1	8.4	132.6	211.8	28.8	129.0	12.6	61.8	19.3	14.3	11.5	105.7	4.5	9.2	77.8	85.9	20.1	309.7	6.2	13
100.9	20.2	8.4	132.9	211.9	28.7	129.0	12.6	62.1	19.4	14.3	11.5	106.2	4.5	9.3	78.1	83.8	19.4	310.0	6.2	14
120.1	.....	.....	60.1	180.2	60.1	120.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	540.5	180.2	240.2	.....	15
46.1	10.1	4.4	49.7	82.8	6.7	64.8	7.6	25.4	12.6	9.3	6.0	55.0	5.1	9.4	52.1	96.0	20.7	146.6	13.5	16
46.8	10.3	4.3	50.5	83.5	6.5	61.8	7.4	25.5	12.9	9.5	6.0	54.8	4.8	9.6	53.3	91.9	20.4	145.4	11.4	17
22.8	2.9	8.6	22.8	60.0	14.3	165.6	11.4	22.8	2.9	.....	5.7	62.8	14.3	2.9	11.4	234.1	31.4	188.4	82.8	18
74.7	14.5	13.4	59.5	110.6	18.7	85.7	15.0	51.3	13.5	11.8	12.4	64.2	6.4	6.6	75.6	64.3	13.7	239.0	10.2	19
74.8	14.6	13.3	59.6	110.8	18.8	85.6	15.0	51.3	13.6	11.8	12.5	64.3	6.3	6.6	75.6	64.2	13.7	239.4	10.2	20
66.9	.....	29.7	44.6	74.3	.....	111.5	7.4	44.6	7.4	7.4	.....	52.0	22.3	.....	74.3	74.3	14.9	171.0	7.4	21
67.7	9.2	13.2	89.3	151.7	10.1	138.9	17.6	116.1	32.1	28.6	14.5	179.0	11.4	12.8	109.1	141.2	11.9	373.3	98.9	22
74.9	10.7	10.7	73.3	101.6	3.1	86.3	12.2	119.9	42.8	32.1	12.2	144.4	10.7	12.2	99.3	93.2	18.3	283.4	34.4	23
58.0	7.3	16.6	110.9	219.6	19.7	210.3	24.9	110.9	17.6	23.8	17.6	225.9	12.4	13.5	122.3	206.2	3.1	495.2	186.5	24
68.3	9.5	13.2	88.1	132.1	.....	160.7	11.7	135.8	34.5	25.0	13.2	103.5	13.2	16.1	105.7	151.9	12.5	251.7	107.2	25
69.1	10.9	9.7	65.4	84.8	.....	101.8	10.9	132.1	43.6	29.1	10.9	93.3	13.3	15.8	109.1	103.0	19.4	218.1	43.6	26
67.0	7.4	18.6	122.9	204.8	.....	251.3	13.0	141.5	20.5	18.6	16.8	119.1	13.0	16.8	100.5	227.1	1.9	303.4	204.8	27
77.8	9.5	11.4	100.6	170.8	17.1	77.8	28.5	68.3	28.5	32.3	15.2	315.1	9.5	5.7	110.1	108.2	13.3	495.4	51.2	28
95.3	13.6	10.2	88.5	139.5	6.8	71.4	17.0	88.5	34.0	44.2	10.2	234.7	3.4	6.8	64.6	64.6	17.0	421.9	10.2	29
55.8	4.3	12.9	115.9	210.4	30.1	85.9	42.9	42.9	21.5	17.2	21.5	416.5	17.2	4.3	167.5	163.2	8.6	588.2	103.0	30
52.0	7.8	15.6	78.0	194.9	36.4	145.5	23.4	111.8	28.6	36.4	18.2	259.9	7.8	10.4	119.6	148.1	7.8	636.7	135.1	31
68.5	5.3	15.8	84.3	116.0	10.5	42.2	10.5	116.0	52.7	26.4	21.1	226.7	10.5	5.3	110.7	94.9	15.8	353.2	31.6	32
35.9	10.3	15.4	71.8	271.7	61.5	246.1	35.9	107.7	5.1	46.1	15.4	292.2	5.1	15.4	128.2	199.9	.....	912.5	235.8	33
99.8	20.8	14.2	78.0	198.6	14.8	110.7	15.8	38.8	14.2	13.4	24.6	106.6	6.3	7.8	54.2	99.2	35.2	244.3	0.5	34
101.1	21.3	13.7	79.0	198.1	14.8	108.9	15.2	38.8	14.1	13.0	24.7	105.7	6.3	7.5	54.4	97.7	35.0	243.7	0.5	35
70.5	10.3	25.8	56.8	208.2	15.5	149.7	27.5	37.8	17.2	20.6	24.1	125.6	6.9	13.8	49.9	130.7	39.6	258.0	1.7	36
57.8	12.4	8.3	61.9	169.2	4.1	57.8	8.3	16.5	16.5	20.6	8.3	107.3	8.3	8.3	33.0	127.9	12.4	206.4	.....	37
60.2	15.0	30.1	120.3	165.5	.....	248.2	15.0	142.9	60.2	7.5	30.1	127.9	30.1	15.0	112.8	255.7	67.7	323.4	.....	38
82.3	20.6	9.1	68.6	114.3	6.9	82.3	9.1	13.7	11.4	16.0	9.1	45.7	2.3	9.1	34.3	73.2	20.6	141.7	.....	39
129.1	.....	8.1	137.1	145.2	8.1	64.5	24.2	16.1	32.3	8.1	16.1	104.9	8.1	16.1	88.7	193.6	48.4	298.5	8.1	40
42.3	11.5	15.4	69.2	130.7	3.8	80.7	23.1	88.4	26.9	19.2	23.1	53.8	15.4	11.5	84.6	76.9	26.9	230.7	.....	41
116.7	20.3	20.3	96.4	208.0	15.2	86.2	15.2	20.3	.....	15.2	15.2	197.8	5.1	10.1	60.9	96.4	25.4	243.5	.....	42
95.4	19.2	17.5	62.0	183.2	13.1	98.0	15.7	34.3	10.8	12.5	18.6	93.4	7.3	9.0	58.5	93.1	37.2	248.7	0.6	43
98.2	20.1	17.3	63.2	180.3	13.4	97.0	14.3	35.0	10.0	12.8	19.5	93.6	7.0	9.1	57.5	92.4	38.9	247.5	0.6	44
33.5	.....	20.1	33.5	247.9	6.7	120.6	46.9	20.1	26.8	6.7	.....	87.1	13.4	6.7	80.4	107.2	.....	274.7	.....	45
105.3	16.6	16.0	83.0	194.0	13.4	107.2	18.5	35.1	9.6	15.3	16.6	82.3	4.5	5.1	60.6	80.4	35.1	180.6	.....	46
117.5	3.1	9.3	80.4	160.8	9.3	80.4	21.6	12.4	15.5	12.4	27.8	123.7	.....	.....	27.8	55.7	3.1	250.4	.....	47
83.5	18.6	9.3	74.2	157.7	9.3	129.9	37.1	18.6	27.8	.....	9.3	64.9	.....	18.6	92.8	139.2	18.6	269.0	.....	48
62.8	9.0	.....	98.7	134.6	.....	26.9	9.0	44.9	9.0	9.0	9.0	44.9	.....	.....	98.7	107.7	.....	179.5	.....	49
68.3	37.3	37.3	87.0	161.5	6.2	43.5	6.2	87.0	12.4	.....	.....	105.6	6.2	6.2	68.3	80.8	12.4	298.2	.....	50
77.0	42.0	42.0	84.0	174.9	7.0	42.0	7.0	84.0	14.0	.....	.....	112.0	7.0	7.0	77.0	84.0	7.0	314.9	.....	51
.....	.....	.....	110.8	55.4	.....	55.4	.....	110.8	.....	.....	.....	55.4	.....	.....	.....	55.4	55.4	166.2	.....	52
92.3	10.7	6.4	96.6	139.5	19.3	135.2	32.2	85.9	10.7	17.2	25.8	135.2	4.3	6.4	66.6	150.3	38.6	388.6	2.1	53
95.7	7.4	22.1	66.2	228.1	14.7	147.2	14.7	80.9	14.7	29.4	14.7	103.0	.....	14.7	73.6	132.5	58.9	184.0	.....	54
113.6	42.6	18.9	111.2	215.4	11.8	97.0	42.6	45.0	21.3	14.2	14.2	170.4	7.1	7.1	52.1	123.1	56.8	388.1	.....	55
110.6	26.5	11.7	71.4	227.9	21.6	132.9	12.2	38.0	17.6	14.1	40.6	122.8	7.0	7.3	48.8	95.5	39.4	233.8	0.2	56
111.1	26.9	11.3	72.9	227.0	21.3	131.9	12.0	38.7	18.1	14.2	39.9	120.4	7.3	7.3	49.7	93.9	39.1	233.2	0.2	57
98.6	17.4	23.2	34.8	249.3	29.0	156.6	17.4	23.2	5.8	11.6	58.0	179.8	.....	5.8	29.0	133.4	46.4	249.3	.....	58
101.2	24.5	9.2	82.8	251.5	9.2	101.2	12.3	30.7	6.1	3.1	15.3	98.1	3.1	12.3	55.2	52.1	18.4	177.9	3.1	59
122.2	40.7	24.4	195.5	293.2	.....	122.2	8.1	48.9	16.3	8.1	16.3	122.2	.....	8.1	24.4	122.2	32.6	228.0	8.1	60
93.1	8.5	.....	110.0	279.3	8.5	59.2	8.5	42.3	.....	.....	42.3	101.6	.....	16.9	42.3	110.0	16.9	380.8	.....	61
96.0	8.3	16.7	167.0	221.2	20.9	129.4	.....	25.0	8.3	12.5	4.2	121.1	8.3	4.2	12.5	175.3	33.4	526.0	.....	62
42.5	8.5	8.5	102.1	263.8	.....	110.6	8.5	8.5	8.5	8.5	.....	93.6	.....	.....	8.5	187.2	25.5	110.6	.....	63
71.5	18.4	18.8	57.6	109.4	15.9	146.0	16.5	56.0	19.7	10.0	16.8	111.7	8.4	8.7	80.9	79.0	28.5	235.0	1.0	64
72.5	18.7	18.7	58.5	106.6	16.0	148.0	16.4	56.8	19.7	10.4	16.7	106.6	8.0	8.4	78.9	77.9	28.7	233.2	1.0	65
41.2	10.3	20.6	30.9	195.8	10.3	82.4	20.6	30.9	20.6	.....	20.6	267.9	20.6	20.6	144.2	113.3	20.6	288.5	.....	66

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	COLORADO—continued.														
1	Colorado Springs	1,618.9	13.4	3.4	.....	.....	10.1	3.4	6.7	20.1	.....	559.7	13.4	16.8	10.1
2	Denver	1,549.7	18.0	0.5	.....	21.2	5.0	5.4	16.7	7.2	5.0	270.2	10.8	11.7	8.1
3	Pueblo	1,299.7	28.1	2.2	.....	15.1	15.1	23.7	19.4	10.8	.....	177.0	21.6	13.0	13.0
4	Trinidad	1,166.9	18.5	.....	.....	18.5	.....	9.3	9.3	27.8	.....	148.2	9.3	9.3	.....
	CONNECTICUT.														
5	Registration cities (total)	1,555.1	16.9	2.1	.....	9.7	9.3	15.1	22.9	19.8	5.3	128.6	11.5	10.6	5.9
6	White	1,537.6	16.7	2.1	.....	9.7	9.5	14.7	22.5	19.4	5.4	124.0	10.4	75.8	5.5
7	Colored	2,677.4	33.7	.....	.....	8.4	.....	42.1	50.5	42.1	.....	421.0	84.2	42.1	33.7
8	Ansonia	1,365.3	.....	.....	.....	.....	.....	.....	12.9	12.9	.....	122.9	.....	.....	.....
9	Bridgeport	1,390.6	3.8	0.9	.....	17.9	2.8	7.6	14.2	12.3	2.8	108.6	8.5	6.6	3.8
10	Bristol	1,288.1	14.3	.....	.....	.....	.....	35.8	14.3	14.3	.....	93.0	14.3	14.3	.....
11	Danbury town	1,400.3	8.3	4.2	.....	.....	4.2	8.3	16.7	20.8	4.2	125.0	4.2	20.8	4.2
12	Greenwich town	1,518.7	5.9	.....	.....	11.8	17.7	23.5	11.8	29.4	.....	100.1	17.7	5.9	5.9
13	Hartford	1,826.2	19.8	.....	.....	3.0	22.7	16.8	42.5	11.9	9.9	117.5	8.9	11.9	5.9
14	Manchester town	1,177.6	21.4	.....	.....	21.4	7.1	14.3	42.8	14.3	7.1	114.2	.....	7.1	7.1
15	Meriden town	1,647.3	3.1	6.2	.....	12.3	6.2	21.6	21.6	43.1	6.2	403.3	21.6	3.1	6.2
16	Middletown town*	2,250.9	42.6	4.7	.....	.....	.....	9.5	42.6	14.2	23.6	175.0	14.2	14.2	4.7
17	Naugatuck	908.5	.....	.....	.....	15.4	15.4	7.7	.....	15.4	.....	53.9	.....	.....	.....
18	New Britain	1,293.7	10.9	4.4	.....	.....	.....	45.8	43.6	15.3	.....	89.4	8.7	13.1	4.4
19	New Haven	1,668.2	24.9	2.9	.....	2.2	10.2	13.2	19.0	21.2	6.6	123.6	16.8	13.2	8.0
20	New London	1,692.1	10.0	.....	.....	.....	5.0	10.0	10.0	25.1	.....	155.7	15.1	15.1	.....
21	Norwalk town	1,548.5	12.1	8.1	.....	.....	.....	24.3	.....	52.6	.....	101.1	4.0	12.1	8.1
22	Norwich town	1,702.1	10.5	3.5	.....	.....	14.1	24.6	7.0	63.3	3.5	112.5	7.0	10.5	7.0
23	Orange town	1,195.4	8.5	.....	.....	.....	.....	.....	8.5	17.0	.....	93.3	8.5	25.4	8.5
24	Stamford town	1,690.1	.....	.....	.....	23.3	.....	6.7	20.0	16.6	6.7	136.4	16.6	6.7	10.0
25	Torrington town	1,001.4	92.1	.....	.....	17.3	.....	5.8	23.0	23.0	.....	115.1	.....	5.8	5.8
26	Wallingford town	1,077.2	8.8	.....	.....	43.8	.....	.....	35.0	.....	17.5	78.8	17.5	.....	8.8
27	Waterbury	1,495.4	23.7	2.6	.....	18.5	22.4	15.8	26.4	7.9	4.0	113.4	13.2	11.9	7.9
28	Windham town	2,061.2	46.5	.....	.....	77.5	7.7	.....	15.5	31.0	15.5	193.7	31.0	15.5	7.7
	DELAWARE.[2]														
29	Wilmington (total)	1,629.4	28.2	.....	.....	13.5	7.9	9.0	22.5	10.1	4.5	135.2	6.8	14.6	13.5
30	White	1,530.7	20.1	.....	.....	13.8	7.5	8.8	20.1	10.1	5.0	114.5	5.0	13.8	11.3
31	Colored	2,478.1	97.4	.....	.....	10.8	10.8	10.8	43.3	10.8	.....	313.8	21.6	21.6	32.5
	DISTRICT OF COLUMBIA.														
32	Washington (total)	1,868.0	22.2	1.2	.....	6.5	1.2	7.4	5.6	20.1	2.4	218.1	12.4	14.8	6.2
33	White	1,553.4	19.5	.....	.....	6.6	1.7	5.4	6.6	17.4	2.9	135.4	10.8	12.0	5.0
34	Colored	2,650.4	28.9	4.1	.....	6.2	.....	12.4	3.1	26.9	1.0	423.6	16.5	21.7	9.3
	FLORIDA.[2]														
35	Registration cities (total)	2,187.6	67.3	45.7	.....	20.4	6.0	31.3	8.4	21.6	2.4	239.3	4.8	21.6	2.4
36	White	1,768.2	83.7	13.2	.....	28.6	11.0	19.8	11.0	13.2	2.2	156.3	6.6	17.6	4.4
37	Colored	2,692.2	47.7	84.8	.....	10.6	.....	45.0	5.3	31.8	2.6	339.2	2.6	26.5	.....
38	Jacksonville (total)	2,158.0	67.9	60.0	.....	23.7	7.9	4.7	7.9	25.3	1.6	238.4	4.7	17.4	3.2
39	White	1,684.7	90.0	19.3	.....	35.4	16.1	9.6	9.6	12.9	3.2	154.3	9.6	19.3	6.4
40	Colored	2,614.6	46.5	99.2	.....	12.4	.....	.....	6.2	37.2	.....	319.5	.....	15.5	.....
41	Key West (total)	2,282.1	65.6	.....	.....	10.1	.....	116.1	10.1	10.1	5.0	242.4	5.0	35.3	.....
42	White	1,949.8	69.9	.....	.....	14.0	.....	41.9	14.0	14.0	.....	160.7	.....	14.0	.....
43	Colored	3,147.2	54.6	.....	.....	.....	.....	309.3	.....	.....	18.2	454.8	18.2	91.0	.....
	GEORGIA.[2]														
44	Registration cities (total)	2,254.8	59.3	28.3	.....	20.8	3.1	34.1	15.1	18.2	4.0	188.2	6.2	13.3	5.3
45	White	1,658.1	58.5	8.7	.....	23.8	4.3	22.4	18.1	8.7	2.2	111.9	5.8	9.4	5.8
46	Colored	3,201.1	60.7	59.6	.....	16.0	1.1	52.7	10.3	33.2	6.9	309.2	6.9	19.5	4.6
47	Atlanta (total)	1,979.3	66.1	5.6	.....	25.0	4.4	24.3	15.0	11.9	5.0	172.8	6.2	14.4	6.2
48	White	1,575.3	58.2	1.9	.....	25.4	5.6	16.9	16.0	3.8	2.8	109.9	5.6	10.3	5.6
49	Colored	2,779.0	81.8	13.0	.....	24.2	1.9	39.0	13.0	27.9	9.3	297.4	7.4	22.3	7.4
50	Savannah (total)	2,928.4	42.7	83.9	.....	10.7	.....	58.0	15.3	33.6	1.5	225.8	6.1	10.7	3.1
51	White	1,933.6	59.4	31.2	.....	18.7	.....	40.6	25.0	25.0	.....	118.7	6.2	6.2	6.2
52	Colored	3,878.5	26.9	134.3	.....	3.0	.....	74.6	6.0	41.8	3.0	328.2	6.0	14.9	.....
	ILLINOIS.[2]														
53	Registration cities (total)	1,454.4	12.1	0.6	0.1	6.0	20.6	2.8	37.1	8.4	4.9	145.8	8.6	10.9	8.5
54	White	1,436.5	12.0	0.5	0.1	5.9	20.9	2.6	37.5	8.3	4.9	138.4	8.3	10.5	8.6
55	Colored	2,223.1	17.8	1.8	1.8	10.7	7.1	10.7	19.6	12.5	3.6	463.5	19.6	25.0	7.1
56	Aurora	1,321.6	22.4	.....	.....	.....	3.2	.....	22.4	9.6	.....	83.2	12.8	6.4	16.0
57	Belleville	1,467.4	28.4	9.5	.....	4.7	9.5	9.5	4.7	18.9	9.5	127.8	4.7	28.4	4.7
58	Chicago (total)	1,446.3	10.9	0.4	0.1	5.8	21.9	2.3	38.2	8.0	4.4	147.3	8.9	10.6	8.4
59	White	1,429.7	10.9	0.3	0.1	5.7	22.2	2.1	38.6	7.9	4.4	140.6	8.6	10.3	8.4
60	Colored	2,213.2	8.4	2.1	2.1	8.4	8.4	10.5	21.0	10.5	4.2	458.2	23.1	25.2	6.3

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
67.0	13.4	3.4	50.3	117.3	3.4	110.6	3.4	23.5	30.2	10.1	13.4	120.7	13.4	6.7	87.1	80.4	6.7	201.1	.....	1
77.0	19.4	22.5	61.7	121.6	18.9	151.8	21.2	41.4	20.7	11.3	18.9	122.1	8.1	8.1	77.5	79.7	35.6	251.8	0.9	2
51.8	15.1	15.1	38.9	60.4	10.8	149.0	4.3	116.6	13.0	2.2	13.0	73.4	6.5	15.1	95.0	75.6	13.0	190.0	2.2	3
55.6	27.8	.....	74.1	46.3	9.3	111.1	9.3	185.2	.....	18.5	.....	37.0	9.3	.....	74.1	74.1	9.3	176.0	.....	4
76.4	17.2	21.5	92.1	148.3	23.4	164.4	17.8	89.4	11.3	16.7	15.0	119.1	6.2	7.4	101.3	93.1	18.9	248.2	9.7	5
10.1	17.3	21.3	91.7	147.1	22.9	163.0	17.5	88.9	11.2	16.6	15.1	118.7	6.3	7.4	100.5	92.9	19.0	245.4	9.2	6
117.9	8.4	33.7	117.9	227.3	58.9	252.6	42.1	117.9	16.8	25.3	8.4	143.1	.....	8.4	151.6	109.5	8.4	429.4	42.1	7
12.9	.....	97.1	84.1	116.5	19.4	58.2	12.9	252.4	.....	25.9	12.9	12.9	.....	.....	129.4	84.1	6.5	239.4	51.8	8
68.0	15.1	13.2	50.1	120.9	18.9	143.6	19.8	123.8	10.4	14.2	20.8	137.9	7.6	5.7	89.7	89.7	22.7	224.8	3.8	9
71.6	28.6	28.6	71.6	85.9	.....	193.2	7.2	114.5	.....	7.2	14.3	57.2	7.2	14.3	93.0	78.7	14.3	186.1	14.3	10
45.8	12.5	33.3	108.4	241.7	29.2	83.3	8.3	45.8	8.3	8.3	12.5	75.0	.....	4.2	87.5	87.5	25.0	258.4	4.2	11
76.5	5.9	29.4	82.4	94.2	5.9	153.0	17.7	94.2	11.8	11.8	17.7	135.4	17.7	5.9	129.5	129.5	11.8	253.1	5.9	12
95.8	18.8	15.8	97.8	176.8	17.8	240.0	16.8	68.2	21.7	18.8	15.8	144.2	10.9	5.9	110.6	137.3	32.6	307.2	3.0	13
71.4	21.4	28.5	50.0	92.8	7.1	99.9	14.3	85.6	.....	14.3	7.1	50.0	.....	.....	71.4	71.4	21.4	214.1	.....	14
52.3	18.5	12.3	92.4	147.8	27.7	135.5	33.9	67.7	3.1	6.2	15.4	61.6	6.2	3.1	46.2	73.9	18.5	271.0	.....	15
118.2	18.9	18.9	198.6	430.3	28.4	203.3	28.4	66.2	4.7	28.4	4.7	85.1	9.5	9.5	75.7	118.2	14.2	430.3	14.2	16
15.4	.....	7.7	61.6	69.3	15.4	161.7	7.7	123.2	.....	7.7	.....	100.1	.....	.....	53.9	30.8	.....	138.6	7.7	17
52.4	8.7	17.5	74.2	67.6	19.6	106.9	26.2	106.9	6.5	28.4	15.3	74.2	4.4	13.1	161.4	82.9	13.1	168.0	10.9	18
91.4	22.7	20.5	90.7	164.6	26.3	212.1	14.6	70.2	19.0	24.1	16.1	134.6	3.7	8.8	109.7	90.0	16.8	247.2	23.4	19
120.5	5.0	10.0	155.7	175.7	25.1	150.6	25.1	95.4	15.1	15.1	25.1	185.8	10.0	10.0	85.4	80.3	5.0	251.1	.....	20
113.2	32.3	32.3	165.8	161.7	24.3	117.2	44.5	20.2	.....	.....	16.2	165.8	.....	12.1	88.9	97.0	8.1	222.4	4.0	21
109.0	35.2	38.7	123.1	179.3	38.7	109.0	17.6	87.9	7.0	28.1	10.5	126.6	7.0	7.0	102.0	87.9	3.5	313.0	7.0	22
76.3	59.3	17.0	84.8	135.7	.....	110.2	.....	33.9	.....	.....	25.4	84.8	.....	.....	25.4	50.9	50.9	237.4	33.9	23
66.5	16.6	13.3	99.8	149.7	16.6	226.2	3.3	86.5	16.6	10.0	10.0	199.6	3.3	13.3	126.4	96.5	23.3	266.2	3.3	24
63.3	11.5	11.5	69.1	80.6	17.3	80.6	5.8	28.8	.....	11.5	11.5	34.5	.....	5.8	97.8	34.5	28.8	120.9	.....	25
52.5	.....	.....	113.9	113.9	35.0	140.1	8.8	78.8	.....	.....	8.8	43.8	.....	.....	52.5	70.1	35.0	113.9	.....	26
60.7	7.9	23.7	87.0	108.1	33.0	141.1	18.5	121.3	10.5	15.8	11.9	118.7	10.5	9.2	109.5	88.4	10.5	232.1	9.2	27
62.0	23.2	62.0	108.5	178.2	77.5	193.7	15.5	116.2	7.7	7.7	15.5	131.7	7.7	7.7	100.7	108.5	23.2	371.9	.....	28
71.0	7.9	32.7	87.9	136.3	18.0	217.5	21.4	73.2	5.6	13.5	7.9	117.2	3.4	5.6	142.0	76.6	15.8	286.2	23.7	29
74.2	8.8	31.4	88.0	127.0	15.1	198.7	22.6	73.0	5.0	11.3	8.8	114.5	2.5	5.0	129.6	74.2	16.4	269.2	25.2	30
43.3	.....	43.3	86.6	216.4	43.3	378.7	10.8	75.7	10.8	32.5	.....	140.7	10.8	10.8	248.9	97.4	10.8	432.9	10.8	31
86.8	16.0	10.7	123.0	214.5	20.7	164.5	32.6	80.9	10.7	15.1	13.6	157.3	7.4	9.5	125.9	79.7	26.1	349.1	5.6	32
91.4	20.4	9.6	114.3	180.7	15.4	105.1	29.9	56.9	11.6	13.3	17.4	138.8	7.5	8.3	100.1	69.8	31.6	304.9	2.9	33
75.4	5.2	13.4	144.7	298.6	34.1	312.0	39.3	140.5	8.3	19.6	4.1	203.6	7.2	12.4	190.1	104.4	12.4	458.8	12.4	34
46.9	6.0	22.8	54.1	133.5	10.8	131.1	26.5	204.4	12.0	19.2	15.6	179.2	12.0	21.6	91.4	152.7	18.0	452.2	105.8	35
59.5	6.6	28.6	39.6	118.9	13.2	112.3	22.0	207.0	11.0	24.2	22.0	125.5	11.0	26.4	57.3	118.9	28.6	334.7	33.0	36
31.8	5.3	15.9	71.5	151.0	7.9	153.7	31.8	201.4	13.2	13.2	7.9	243.8	13.2	15.9	132.5	193.4	5.3	593.5	193.4	37
50.5	6.3	23.7	52.1	131.0	11.1	131.0	31.6	116.8	15.8	23.7	15.8	183.1	12.6	20.5	101.0	180.0	18.9	431.0	138.9	38
64.3	6.4	32.2	35.4	115.7	16.1	102.9	25.7	83.6	16.1	32.2	28.9	125.4	9.6	28.9	64.3	144.7	35.4	282.9	48.2	39
37.2	6.2	15.5	68.2	145.8	6.2	158.2	37.2	148.9	15.5	15.5	3.1	238.8	15.5	12.4	136.5	214.0	3.1	573.8	226.4	40
35.3	5.0	20.2	60.6	141.4	10.1	131.3	10.1	484.7	.....	5.0	15.1	166.6	10.1	25.2	60.6	65.6	15.1	520.0	.....	41
48.9	7.0	21.0	48.9	125.8	7.0	132.8	14.0	475.2	.....	7.0	7.0	125.8	14.0	21.0	41.9	62.9	14.0	447.3	.....	42
.....	.....	18.2	91.0	181.9	18.2	127.3	.....	509.4	.....	.....	36.4	272.9	.....	36.4	109.2	72.8	18.2	709.5	.....	43
62.4	12.0	31.9	86.4	116.0	19.0	248.9	34.1	110.3	21.7	20.4	10.2	205.9	14.6	18.2	104.5	120.0	12.4	556.7	53.1	44
73.7	15.2	19.5	73.7	94.6	9.4	132.1	20.2	88.8	22.4	18.1	7.9	179.1	10.1	15.9	88.8	85.9	19.5	381.3	22.4	45
44.7	6.9	51.5	106.5	150.0	34.4	434.1	56.1	144.3	20.6	24.1	13.7	248.5	21.8	21.8	129.4	174.1	1.1	834.9	101.9	46
61.2	8.1	11.9	79.2	101.7	16.8	227.8	23.1	101.7	25.0	19.3	8.1	197.8	15.0	19.3	90.5	115.4	13.1	459.9	27.5	47
68.6	12.2	10.3	75.1	80.8	8.5	135.3	16.0	84.5	23.5	17.8	7.5	180.4	11.3	15.0	78.0	86.4	18.8	363.5	19.7	48
46.5	.....	14.9	87.4	143.1	33.5	410.8	37.2	135.7	27.9	22.3	9.3	232.4	22.3	27.9	115.2	172.9	1.9	650.6	42.8	49
65.6	21.4	80.9	103.8	151.1	24.4	300.4	61.0	131.2	13.7	22.9	15.3	225.8	13.7	15.3	138.9	131.2	10.7	793.5	116.0	50
90.6	25.0	50.0	68.7	140.6	12.5	121.8	34.4	103.1	18.7	18.7	9.4	174.9	6.2	18.7	125.0	84.3	21.9	440.5	31.2	51
41.8	17.9	110.4	137.2	161.1	35.8	471.4	86.5	158.1	9.0	26.9	20.9	274.5	20.9	11.9	152.2	176.0	.....	1,130.7	196.9	52
81.3	13.6	11.1	45.8	138.9	8.9	193.3	11.4	125.2	16.6	12.4	20.8	110.8	9.0	6.4	58.7	93.8	21.7	206.7	1.7	53
81.6	13.5	10.9	45.3	136.2	8.8	190.2	11.4	126.7	16.5	12.2	20.8	109.8	8.7	6.4	59.1	93.3	21.7	203.5	1.6	54
71.3	16.0	17.8	64.2	256.7	12.5	328.0	12.5	64.2	23.2	17.8	19.6	153.3	21.4	5.3	44.6	117.7	21.4	347.6	7.1	55
89.6	9.6	22.4	86.4	64.0	9.6	102.4	22.4	48.0	3.2	12.8	12.8	160.0	3.2	6.4	99.2	89.6	9.6	294.4	.....	56
66.3	4.7	33.1	89.9	94.7	33.1	66.3	23.7	71.0	14.2	18.9	23.7	85.2	4.7	.....	113.6	66.3	47.3	340.8	9.5	57
80.0	14.0	10.1	42.4	140.3	7.9	200.7	10.6	132.6	16.4	11.6	20.8	109.4	9.1	6.6	56.9	94.5	21.3	193.6	0.4	58
80.3	13.9	10.0	41.9	137.6	7.8	197.6	10.7	134.0	16.2	11.4	20.8	108.5	8.8	6.6	57.2	93.9	21.4	190.6	0.4	59
67.3	18.9	14.7	67.3	264.8	10.5	346.8	8.4	69.4	23.1	21.0	21.0	151.3	21.0	4.2	42.0	119.8	16.8	334.2	2.1	60

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	ILLINOIS[2]—continued.														
1	Decatur	1,233.6	9.3				12.3	12.3	37.0	12.3	9.3	83.3	6.2	9.3	15.4
2	Evanston	1,094.4	27.3			23.4	7.8	3.9	31.2		3.9	58.4	3.9	7.8	7.8
3	Jacksonville *	2,474.6	26.0			13.0		13.0	6.5	32.6	6.5	234.4	6.5	13.0	6.5
4	Quincy	1,801.9	30.0	5.5		24.6		2.7	38.2	19.1	19.1	163.8	2.7	13.7	16.4
5	Springfield	1,646.0	28.2	3.8			11.3	11.3	22.5	7.5	13.1	167.0		18.8	1.9
	INDIANA.														
6	Registration cities (total)	1,403.6	27.2	3.4	0.1	6.6	8.4	10.3	18.6	12.0	4.0	140.0	9.4	18.6	7.1
7	White	1,361.5	27.2	3.1	0.1	6.6	8.7	9.1	18.2	11.4	4.2	127.4	9.2	16.7	6.5
8	Colored	2,205.9	26.2	9.5		7.1	2.4	33.3	26.2	23.8		380.7	11.9	54.7	19.0
9	Anderson	1,344.7	17.6			17.6	17.6	22.0	13.2	35.2		145.0	30.8	22.0	4.4
10	East Chicago	1,398.9	28.5			23.8	28.5	4.8	9.5	9.5	4.8	109.4			9.5
11	Elkhart	1,051.5	15.2			5.1	15.2	15.2	5.1	5.1	5.1	70.8		10.1	20.2
12	Elwood	983.4	46.4	9.3			18.6		46.4			83.5	18.6		9.3
13	Evansville	1,533.4	21.2	8.5		32.4	1.4	16.9	12.7	15.5	5.6	172.1	5.6	18.3	7.1
14	Fort Wayne	1,234.6	13.6	1.5			9.1	6.1	18.2	9.1	4.5	96.9	10.6	15.1	6.1
15	Gary	1,726.0	23.8			11.9	11.9	23.8	71.4	6.0		53.6		11.9	
16	Hammond	1,255.7	36.5				9.1	4.6	22.8	4.6	4.6	105.0	4.6	9.1	9.1
17	Huntington	1,219.7	19.4					9.7	29.0			116.2	9.7	19.4	9.7
18	Indianapolis (total)	1,470.3	25.8	2.9		1.2	3.7	7.5	17.1	9.6	3.7	154.1	8.3	26.2	5.4
19	White	1,391.9	25.3	3.2		1.4	4.1	5.5	15.2	8.7	4.1	130.5	7.4	22.1	4.6
20	Colored	2,230.3	31.2					26.7	35.6	17.8		382.9	17.8	66.8	13.4
21	Jeffersonville (total)	1,793.8	19.3	9.6				38.6	19.3	28.9		270.0		38.6	9.6
22	White	1,765.1	22.6	11.3				45.3	22.6	33.9		203.7		33.9	
23	Colored	1,959.5										653.2		65.3	65.3
24	Kokomo	1,186.4	28.2	11.3			11.3	5.6	22.6	11.3		146.9		22.6	
25	Lafayette	1,624.0	19.7	9.8			4.9		4.9	34.4	4.9	177.2	14.8	9.8	4.9
26	Laporte	1,544.6	9.1				9.1	27.4	18.3	9.1	9.1	109.7		18.3	18.3
27	Logansport	1,283.6	5.2		5.2	15.5	10.3	5.2	20.6	20.6		123.7	5.2	15.5	
28	Marion	1,305.3	36.0	5.1		5.1		30.8	25.7	20.6		107.9	10.3	20.6	15.4
29	Michigan City	1,287.2	20.5				46.2		5.1	10.3		159.0	10.3		10.3
30	Mishawaka	1,240.2	79.0			23.7	31.6		15.8			63.2	7.9	23.7	15.8
31	Muncie	1,293.8	24.7				4.1	41.2		8.2	4.1	119.5	12.4	20.6	12.4
32	New Albany	1,536.7	33.9	14.5		4.8	4.8	14.5	38.8	19.4	9.7	184.2	14.	19.4	
33	Peru	1,366.6	172.0						9.1	9.1	9.1	117.7	9.1	18.1	
34	Richmond	1,251.3	13.2				4.4	13.2	26.3	22.0	4.4	127.3	13.2	30.7	
35	South Bend	1,279.3	33.8			10.1	13.5	1.7	25.3	3.4	3.4	130.0	15.2	6.8	1.7
36	Terre Haute	1,539.2	30.3	6.7			8.4	10.1	13.5	11.8	8.4	155.1	10.1	21.9	15.2
37	Vincennes	1,668.1	26.0	6.5		26.0	6.5		32.5	26.0	6.5	246.6	19.5	6.5	19.5
	KANSAS.[2]														
38	Registration cities (total)	1,464.8	48.4	3.7	1.8	5.5	3.7	14.7	13.5	19.0	6.7	129.2	3.7	23.9	7.3
39	White	1,355.2	45.2	3.4	1.3	6.1	4.0	14.2	12.1	15.5	7.4	104.6	4.0	16.9	7.4
40	Colored	2,532.6	78.9	6.6	6.6			19.7	26.3	52.6		368.4		92.1	6.6
41	Kansas City (total)	1,639.8	59.5	2.3	2.3	4.7	4.7	19.8	10.5	18.7	7.0	173.9	5.8	29.2	8.2
42	White	1,507.3	55.3	1.3	1.3	5.3	5.3	19.7	7.9	15.8	7.9	142.2	6.6	19.7	9.2
43	Colored	2,676.5	92.6	10.3	10.3			20.6	30.9	41.2		422.1		102.9	
44	Leavenworth (total)	1,424.7	36.2	18.1	4.5	9.0		9.0	4.5	40.7	4.5	104.0		9.0	9.0
45	White	1,234.8	36.3	20.8	5.2	10.4		5.2		25.9	5.2	83.0		5.2	5.2
46	Colored	2,716.0	35.3					35.3	35.3	141.1		246.9		35.3	35.3
47	Wichita	1,210.8	36.0			5.4	3.6	9.0	21.6	10.8	7.2	70.2	1.8	21.6	5.4
	KENTUCKY.														
48	Registration cities (total)	1,693.7	34.0	9.5		23.9	4.6	6.8	12.0	17.3	5.1	225.7	8.8	19.5	9.8
49	White	1,460.2	29.3	4.4		21.6	5.6	5.0	13.0	11.8	5.6	181.0	8.0	14.8	7.7
50	Colored	2,800.5	56.1	33.7		35.1		15.4	7.0	43.5	2.8	437.5	12.6	42.1	19.6
51	Covington (total)	1,511.2	29.9	3.7			11.2	13.1	14.9	7.5	5.6	216.7	9.3	9.3	11.2
52	White	1,414.7	29.6	2.0			11.9	11.9	15.8	7.9	5.9	195.6	9.9	7.9	11.9
53	Colored[3]	3,180.6	34.2	34.2				34.2				581.4		34.2	
54	Frankfort (total)	1,946.3	85.0						18.9	28.3		368.5	9.4	9.4	37.8
55	White	1,792.0	90.9						26.0	39.0		272.7			13.0
56	Colored	2,358.7	69.4									624.3	34.7	34.7	104.1
57	Henderson (total)	1,975.0	86.2	43.1			8.6	8.6	8.6	17.2		319.1	8.6	17.2	34.5
58	White	1,557.2	82.0	35.1			11.7	11.7				175.6	11.7	11.7	35.1
59	Colored	3,143.4	98.2	65.5					32.7	65.5		720.4		32.7	32.7
60	Lexington * (total)	2,286.6	52.5			8.3	2.8	2.8	5.5	22.1	8.3	262.7	22.1	35.9	16.6
61	White	1,850.1	48.4			12.1	4.0	4.0	8.1	4.0	12.1	173.3	8.1	20.2	12.1
62	Colored	3,240.0	61.6							61.6		457.8	52.8	70.4	26.4
63	Louisville (total)	1,609.6	23.7	5.3		25.5	3.5	7.5	11.9	13.2	3.5	210.6	6.6	18.9	5.7
64	White	1,394.2	17.7	2.7		18.8	4.3	4.8	13.4	9.1	3.2	175.0	7.0	16.1	4.3
65	Colored	2,584.1	51.0	17.0		55.9		19.4	4.9	31.6	4.9	371.6	4.9	31.6	12.1
66	Newport (total)	1,253.5	36.0				3.3	3.3	16.4	9.8	9.8	189.8		16.4	6.5
67	White	1,214.1	33.4				3.3		16.7	6.7	10.0	183.5		16.7	6.7
68	Colored[3]	3,310.1	174.2					174.2		174.2		522.6			

[1] Exclusive of stillbirths.
[2] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
86.4	6.2	12.3	55.5	46.3	24.7	43.2	6.2	30.8	21.6	18.5	15.4	117.2	12.3	3.1	77.1	107.9	40.1	274.5	27.8	1
74.0	11.7	11.7	74.0	128.5	3.9	120.7	11.7	46.7	15.6	35.1	7.8	54.5	7.8	3.9	70.1	70.1	.....	167.5	3.9	2
169.3	19.5	.....	175.8	260.5	.....	149.8	45.6	19.5	32.6	32.6	.....	188.9	19.5	6.5	32.6	71.6	19.5	859.6	13.0	3
106.5	8.2	16.4	98.3	210.2	35.5	163.8	21.8	57.3	24.6	16.4	38.2	120.1	8.2	8.2	57.3	51.9	21.8	376.8	24.6	4
97.6	11.3	35.7	52.6	118.2	20.6	142.6	18.8	52.6	24.4	16.9	30.0	146.4	7.5	3.8	82.6	118.2	33.8	328.4	18.8	5
79.2	16.8	9.6	75.4	144.4	14.6	109.3	10.6	80.6	17.1	16.7	15.4	93.9	12.6	7.2	72.4	94.1	24.3	241.2	2.3	6
79.6	17.0	9.4	73.6	136.6	13.9	101.3	9.9	79.1	17.0	16.2	14.8	92.0	12.5	7.2	73.4	92.7	24.8	239.7	2.2	7
71.4	14.3	14.3	109.5	292.7	28.6	261.8	23.8	109.5	19.0	26.2	26.2	130.9	14.3	7.1	54.7	121.4	14.3	268.9	2.4	8
57.1	8.8	13.2	96.7	123.0	13.2	127.4	4.4	35.2	26.4	13.2	4.4	83.5	8.8	4.4	83.5	65.9	35.2	210.9	4.4	9
23.8	.....	.....	23.8	47.6	4.8	247.4	9.5	404.5	4.8	23.8	.....	23.8	4.8	.....	128.5	80.9	4.8	138.0	.....	10
65.7	25.3	.....	85.9	161.8	5.1	106.2	5.1	25.3	.....	10.1	20.2	45.5	15.2	15.2	40.4	80.9	10.1	166.8	.....	11
37.1	18.6	9.3	74.2	102.1	9.3	55.7	.....	55.7	.....	9.3	9.3	64.9	9.3	.....	111.3	37.1	18.6	129.9	.....	12
98.7	14.1	21.2	43.7	127.0	26.8	146.7	18.3	114.3	15.5	12.7	12.7	110.0	12.7	7.1	76.2	86.1	11.3	261.0	.....	13
90.9	18.2	6.1	72.7	115.1	16.7	103.0	12.1	21.2	31.8	15.1	12.1	101.5	13.6	7.6	54.5	93.9	24.2	233.3	.....	14
41.7	6.0	6.0	23.8	65.5	17.9	154.7	.....	380.9	29.8	11.9	6.0	41.7	17.9	17.9	136.9	327.3	47.6	178.6	.....	15
36.5	9.1	13.7	27.4	68.5	13.7	91.3	13.7	127.9	18.3	13.7	27.4	73.1	22.8	9.1	118.7	155.3	45.7	159.8	.....	16
96.8	67.8	.....	96.8	125.8	9.7	38.7	.....	9.7	19.4	9.7	9.7	87.1	29.0	9.7	48.4	77.4	19.4	251.7	.....	17
82.5	18.7	11.7	96.6	175.8	12.9	110.0	11.2	56.6	13.7	25.8	22.9	92.1	7.9	4.6	70.8	83.7	29.2	277.0	0.8	18
84.6	17.9	11.9	92.4	160.4	11.0	93.3	11.0	51.5	13.3	24.8	22.1	91.0	8.3	4.6	71.7	81.3	31.7	276.2	0.9	19
62.3	26.7	8.9	138.0	325.0	31.2	271.5	13.4	106.8	17.8	35.6	31.2	102.4	4.5	4.5	62.3	106.8	4.5	284.9	.....	20
96.4	9.6	.....	115.7	192.9	48.2	48.2	19.3	154.3	.....	9.6	19.3	192.9	9.6	9.6	86.8	86.8	19.3	231.5	9.6	21
101.8	11.3	.....	90.5	181.0	45.3	45.3	22.6	169.7	.....	11.3	22.6	203.7	11.3	11.3	90.5	90.5	22.6	248.9	11.3	22
65.3	.....	.....	261.3	261.3	65.3	65.3	.....	65.3	.....	.....	.....	130.6	.....	.....	65.3	65.3	.....	130.6	.....	23
90.4	11.3	5.6	67.8	124.3	16.9	67.8	5.6	50.8	11.3	.....	5.6	67.8	11.3	5.6	90.4	96.0	.....	197.7	.....	24
98.4	39.4	24.6	83.7	211.6	24.6	78.7	9.8	19.7	29.5	9.8	19.7	113.2	4.9	9.8	44.3	167.3	4.9	344.5	.....	25
164.5	18.3	.....	109.7	201.1	9.1	164.5	9.1	91.4	9.1	9.1	9.1	64.0	9.1	.....	82.3	82.3	9.1	274.2	.....	26
113.4	25.8	5.2	113.4	82.5	5.2	67.0	.....	41.2	30.9	15.5	10.3	123.7	10.3	5.2	56.7	92.8	25.8	226.8	5.2	27
61.7	20.6	20.6	97.6	164.4	15.4	71.9	15.4	61.7	20.6	5.1	20.6	51.4	15.4	15.4	56.5	66.8	10.3	221.0	15.4	28
30.8	20.5	20.5	61.5	148.7	.....	112.8	10.3	107.7	10.3	25.6	.....	82.1	5.1	5.1	30.8	112.8	25.6	215.4	.....	29
15.8	15.8	7.9	39.5	142.2	7.9	102.7	23.7	55.3	7.9	31.6	7.9	110.6	7.9	7.9	79.0	71.1	23.7	221.2	.....	30
90.7	8.2	4.1	61.8	103.0	12.4	115.4	12.4	57.7	16.5	4.1	20.6	90.7	16.5	.....	86.5	90.7	16.5	222.5	16.5	31
92.1	.....	.....	111.5	208.4	43.6	82.4	.....	72.7	14.5	9.7	4.8	121.2	9.7	14.5	33.9	97.0	33.9	227.8	.....	32
63.4	18.1	.....	81.5	162.9	27.2	63.4	.....	36.2	.....	18.1	9.1	99.6	18.1	9.1	63.4	126.7	18.1	208.2	.....	33
96.6	17.6	8.8	83.4	149.3	13.2	65.9	.....	43.9	.....	4.4	13.2	109.8	.....	4.4	52.7	74.6	35.1	219.5	4.4	34
67.5	13.5	3.4	45.6	133.3	11.8	75.9	6.8	128.3	15.2	11.8	15.2	92.8	18.6	15.2	81.0	74.3	20.3	204.2	.....	35
82.6	16.9	3.4	65.7	143.3	8.4	128.1	16.9	64.1	30.3	10.1	11.8	134.9	27.0	10.1	80.9	96.1	37.1	271.4	8.4	36
97.4	13.0	19.5	64.9	155.8	.....	175.2	19.5	51.9	32.5	45.4	19.5	64.9	26.0	.....	45.4	103.8	26.0	279.1	6.5	37
83.2	15.3	20.8	62.4	115.7	12.2	131.0	15.9	68.6	11.6	15.3	6.7	91.2	8.0	4.3	83.9	123.0	22.0	281.0	11.6	38
87.7	14.8	19.6	60.1	99.9	9.4	125.5	16.2	63.4	12.1	14.2	4.7	77.6	7.4	4.7	80.3	116.8	23.6	263.2	11.5	39
39.5	19.7	32.9	85.5	269.7	39.5	184.2	13.2	118.4	6.6	26.3	26.3	223.7	13.2	.....	118.4	184.2	6.6	453.9	13.2	40
82.9	16.3	31.5	59.5	126.1	19.8	158.7	12.8	101.5	9.3	12.8	8.2	100.4	9.3	7.0	98.0	143.6	23.3	264.9	7.0	41
89.5	17.1	30.3	57.9	101.4	15.8	152.7	11.8	96.1	9.2	11.8	3.9	84.2	9.2	7.9	97.4	134.3	26.3	244.8	7.9	42
30.9	10.3	41.2	72.1	319.1	51.5	205.9	20.6	144.1	10.3	20.6	41.2	226.5	10.3	.....	102.9	216.2	.....	422.1	.....	43
81.4	13.6	4.5	104.0	144.7	9.0	167.3	27.1	13.6	.....	18.1	4.5	85.9	.....	.....	49.8	108.5	18.1	312.1	13.6	44
77.8	15.6	5.2	93.4	124.5	5.2	166.0	31.1	5.2	.....	10.4	5.2	57.1	.....	.....	41.5	108.9	20.8	249.0	15.6	45
105.8	.....	.....	176.4	282.2	35.3	176.4	.....	70.5	.....	70.5	.....	282.2	.....	.....	105.8	105.8	.....	740.7	.....	46
84.6	14.4	10.8	50.4	88.2	1.8	73.8	16.2	39.6	19.8	18.0	5.4	79.2	9.0	1.8	75.6	97.2	21.6	293.3	18.0	47
70.3	14.4	24.9	74.3	153.1	29.3	130.9	31.3	45.7	12.9	15.1	20.0	122.9	6.1	6.4	91.6	113.1	16.1	319.7	18.3	48
72.2	15.7	24.0	66.8	122.7	21.0	100.0	25.1	41.4	14.2	13.0	21.0	118.3	5.3	4.7	91.4	91.1	18.3	273.0	13.0	49
61.7	8.4	29.4	109.4	297.3	68.7	277.7	60.3	65.9	7.0	25.2	15.4	144.4	9.8	14.0	92.6	217.4	5.6	541.3	43.5	50
59.8	13.1	14.9	61.6	192.4	20.5	123.3	14.9	35.5	14.9	9.3	20.5	158.8	11.2	5.6	95.3	93.4	13.1	209.2	11.2	51
61.3	13.8	15.8	59.3	185.7	21.7	96.8	13.8	31.6	15.8	9.9	21.7	152.1	9.9	5.9	98.8	73.1	13.8	193.6	9.9	52
34.2	.....	.....	102.6	307.8	.....	581.4	34.2	102.6	.....	.....	.....	273.6	34.2	.....	34.2	444.6	.....	478.8	34.2	53
47.2	.....	18.9	56.7	122.8	37.8	103.9	28.3	47.2	9.4	18.9	9.4	141.7	.....	.....	66.1	179.5	18.9	406.3	75.6	54
51.9	.....	26.0	26.0	103.9	39.0	90.9	39.0	51.9	13.0	26.0	13.0	168.8	.....	.....	90.9	168.8	.....	363.6	77.9	55
34.7	.....	.....	138.7	173.4	34.7	138.7	.....	34.7	.....	.....	.....	69.4	.....	.....	.....	208.1	69.4	520.3	69.4	56
60.4	.....	60.4	60.4	103.5	25.9	163.9	17.2	94.9	25.9	17.2	17.2	103.5	.....	8.6	146.6	103.5	17.2	345.0	51.7	57
58.5	.....	82.0	58.5	70.2	11.7	163.9	23.4	93.7	23.4	.....	11.7	35.1	.....	11.7	140.5	105.4	23.4	245.9	23.4	58
65.5	.....	.....	65.5	196.5	65.5	163.7	.....	98.2	32.7	65.5	32.7	294.7	.....	.....	163.7	98.2	.....	622.1	131.0	59
88.5	5.5	24.9	177.0	224.0	22.1	171.4	27.6	35.9	16.6	24.9	16.6	110.6	5.5	11.1	77.4	193.5	19.4	564.0	30.4	60
92.7	8.1	32.2	125.0	165.3	8.1	129.0	16.1	40.3	24.2	20.2	12.1	96.7	4.0	4.0	44.3	157.2	24.2	528.0	12.1	61
79.2	.....	8.8	290.5	352.2	52.8	264.1	52.8	26.4	.....	35.2	26.4	140.9	8.8	26.4	149.7	272.9	8.8	642.7	70.4	62
76.1	16.3	22.0	66.8	150.8	26.8	125.3	39.6	37.4	11.0	16.3	18.0	122.2	5.7	5.7	83.5	106.8	16.7	318.8	7.9	63
77.3	17.2	18.8	65.0	115.4	20.4	89.1	30.6	34.4	11.3	14.5	19.3	119.2	4.8	4.3	85.4	88.6	19.9	274.3	8.1	64
70.4	12.1	36.4	75.3	310.9	55.9	289.0	80.1	51.0	9.7	24.3	12.1	136.0	9.7	12.1	75.3	189.4	2.4	519.7	7.3	65
58.9	22.9	32.7	68.7	117.8	32.7	94.9	13.1	42.5	9.8	9.8	29.5	91.6	6.5	3.3	72.0	68.7	22.9	153.8	9.8	66
60.0	23.3	33.4	70.0	116.7	33.4	90.1	13.3	40.0	10.0	10.0	30.0	93.4	3.3	3.3	73.4	46.7	23.3	153.4	10.0	67
.....	.....	.....	.....	174.2	.....	348.4	.....	174.2	.....	.....	.....	.....	174.2	.....	.....	1,219.5	.....	174.2	.....	68

[3] Colored population less than 10 per cent of the total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	KENTUCKY—continued.														
1	Owensboro (total)	2,152.2	36.7	12.2	.....	207.9	6.1	.....	6.1	97.8	12.2	262.9	18.3	12.2	18.3
2	White	1,973.9	30.4	7.6	.....	242.9	7.6	.....	.....	75.9	15.2	212.6	22.8	15.2	15.2
3	Colored	2,890.4	62.8	31.4	.....	62.8	.....	.....	31.4	188.5	.....	471.3	.....	.....	31.4
4	Paducah (total)	2,016.1	60.4	77.7	.....	13.0	4.3	4.3	13.0	21.6	8.6	246.1	13.0	38.9	8.6
5	White	1,587.6	64.7	29.4	.....	17.6	5.9	.....	11.8	17.6	11.8	147.0	17.6	17.6	5.9
6	Colored	3,199.6	48.7	211.1	.....	.....	.....	16.2	16.2	32.5	.....	519.7	.....	97.4	16.2
	LOUISIANA.[2]														
7	New Orleans (total)	2,042.4	31.0	10.7	0.6	11.3	1.2	28.1	7.2	26.6	2.3	241.7	5.2	13.6	9.8
8	White	1,656.0	23.2	6.7	.....	13.8	1.6	28.7	6.7	23.6	2.8	159.0	5.1	9.1	4.3
9	Colored	3,117.6	52.6	21.9	2.2	4.4	.....	26.3	8.8	35.0	1.1	472.0	5.5	26.3	25.2
	MAINE.														
10	Registration cities (total)	1,843.4	30.8	0.6	.....	10.7	2.4	11.2	13.0	13.6	5.3	142.1	13.0	20.1	5.9
11	White	1,844.5	30.9	0.6	.....	10.7	2.4	11.3	13.1	13.7	5.3	142.7	13.1	19.6	5.9
12	Colored	1,589.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	144.5	.....
13	Auburn	1,324.9	6.5	6.5	.....	13.1	.....	6.5	26.1	32.6	6.5	84.8	.....	.....	.....
14	Augusta *	2,552.8	22.4	.....	.....	14.9	.....	.....	.....	7.5	14.9	216.5	7.5	22.4	7.5
15	Bangor *	2,062.5	83.5	.....	.....	4.0	.....	7.9	7.9	7.9	7.9	155.0	15.9	15.9	7.9
16	Biddeford	1,843.9	11.6	.....	.....	11.6	23.3	29.1	23.3	29.1	.....	180.3	11.6	34.9	5.8
17	Lewiston	1,913.4	11.3	.....	.....	3.8	.....	15.1	18.8	18.8	11.3	131.8	3.8	30.1	.....
18	Portland	1,781.8	35.2	.....	.....	10.1	.....	11.7	11.7	6.7	1.7	125.8	20.1	21.8	10.1
19	Waterville	1,393.3	8.5	.....	.....	34.2	.....	.....	.....	8.5	.....	153.9	17.1	.....	.....
	MARYLAND.														
20	Registration cities (total)	1,848.2	30.6	0.5	.....	13.8	7.2	8.8	12.4	13.5	5.0	206.9	13.7	20.0	8.3
21	White	1,633.0	29.2	0.6	.....	13.3	7.8	6.7	13.3	11.1	5.0	153.3	11.8	14.5	7.2
22	Colored	3,106.1	39.0	.....	.....	16.7	3.3	21.2	6.7	27.9	5.6	520.3	24.5	52.4	14.5
23	Baltimore (total)	1,843.4	27.6	0.5	.....	14.3	7.8	8.1	12.0	12.9	5.1	212.2	14.3	20.4	8.5
24	White	1,621.0	25.9	0.6	.....	14.0	8.6	5.9	13.2	10.2	5.0	156.5	12.3	14.8	7.5
25	Colored	3,080.8	37.2	.....	.....	16.3	3.5	20.9	5.8	27.9	5.8	522.0	25.6	51.2	14.0
26	Cumberland (total)	1,855.9	102.6	.....	.....	.....	.....	8.9	13.4	22.3	4.5	102.6	8.9	8.9	4.5
27	White	1,758.9	98.5	.....	.....	.....	.....	9.4	14.1	23.5	4.7	93.8	9.4	4.7	4.7
28	Colored [3]	3,744.3	182.6	.....	.....	.....	.....	.....	.....	.....	.....	274.0	.....	91.3	.....
29	Frederick (total)	2,076.6	47.4	.....	.....	.....	.....	19.0	19.0	19.0	.....	180.2	9.5	37.9	.....
30	White	1,854.9	44.2	.....	.....	.....	.....	22.1	22.1	11.0	.....	99.4	11.0	22.1	.....
31	Colored	3,425.1	67.2	.....	.....	.....	.....	.....	.....	67.2	.....	671.6	.....	134.3	.....
32	Hagerstown (total)	1,856.1	23.7	.....	.....	23.7	.....	23.7	17.8	17.8	5.9	183.8	.....	11.9	11.9
33	White	1,699.9	25.5	.....	.....	19.1	.....	19.1	12.7	19.1	6.4	165.5	.....	12.7	6.4
34	Colored [3]	3,979.2	.....	.....	.....	86.5	.....	86.5	86.5	.....	.....	432.5	.....	.....	86.5
	MASSACHUSETTS.														
35	Registration cities (total)	1,528.2	9.7	0.3	0.1	9.7	6.4	14.9	18.3	7.2	5.3	122.3	14.3	10.6	5.9
36	White	1,521.6	9.7	0.3	0.1	9.8	6.5	14.5	18.4	7.3	5.3	119.9	13.9	10.3	5.8
37	Colored	2,021.1	8.5	.....	.....	.....	.....	45.1	5.6	.....	2.8	298.8	47.9	33.8	11.3
38	Adams town	1,413.6	15.2	.....	.....	22.8	.....	30.4	22.8	7.6	7.6	45.6	15.2	7.6	7.6
39	Arlington town	1,272.0	.....	.....	.....	.....	8.7	.....	8.7	26.0	.....	121.1	8.7	.....	.....
40	Attleborough town	1,095.4	5.9	.....	.....	5.9	5.9	17.6	.....	11.7	.....	76.2	17.6	23.4	.....
41	Beverly	1,344.6	35.9	.....	.....	5.1	15.4	15.4	.....	.....	.....	97.5	10.3	10.3	.....
42	Boston (total)	1,707.8	8.7	0.4	0.1	10.3	11.2	14.8	19.7	4.6	7.5	152.6	19.5	10.3	4.6
43	White	1,691.3	8.6	0.4	0.1	10.5	11.4	14.3	20.0	4.8	7.6	148.0	18.4	9.8	4.5
44	Colored	2,432.0	13.1	.....	.....	.....	.....	39.2	6.5	.....	6.5	353.0	65.4	32.7	13.1
45	Brockton	1,083.0	1.7	.....	.....	.....	5.1	8.5	8.5	22.0	1.7	81.2	11.8	11.8	11.8
46	Brookline town	1,185.3	6.9	.....	.....	.....	3.5	6.9	6.9	10.4	3.5	45.1	3.5	6.9	3.5
47	Cambridge	1,516.3	2.8	0.9	.....	9.4	2.8	22.5	39.4	7.5	3.8	166.9	14.1	13.1	8.4
48	Chelsea	1,988.7	12.8	3.2	.....	3.2	19.2	16.0	12.8	3.2	16.0	137.5	3.2	16.0	.....
49	Chicopee	1,458.6	3.7	.....	.....	.....	3.7	26.2	18.7	7.5	.....	101.2	7.5	3.7	15.0
50	Clinton town	1,400.4	7.7	.....	.....	.....	.....	.....	23.0	15.3	7.7	130.1	23.0	30.6	.....
51	Everett	1,091.2	5.8	.....	.....	5.8	.....	11.6	20.3	5.8	2.9	95.5	5.8	2.9	2.9
52	Fall River	1,740.7	14.7	.....	.....	37.5	1.6	17.9	22.0	1.6	4.1	136.2	5.7	9.0	5.7
53	Fitchburg	1,277.1	7.7	.....	.....	.....	2.6	41.0	41.0	2.6	.....	82.1	5.1	10.3	10.3
54	Framingham town	1,392.2	30.1	7.5	.....	7.5	.....	22.6	7.5	7.5	.....	75.3	7.5	7.5	.....
55	Gardner town	1,257.2	6.5	.....	.....	.....	.....	26.1	13.0	.....	.....	91.2	6.5	19.5	.....
56	Gloucester	1,445.5	8.3	.....	.....	12.5	4.2	16.7	16.7	4.2	8.3	133.3	.....	8.3	8.3
57	Greenfield town	1,443.7	18.6	.....	.....	37.3	.....	.....	9.3	.....	.....	65.2	.....	9.3	.....
58	Haverhill	1,430.6	6.6	.....	.....	.....	21.9	4.4	13.1	4.4	6.6	98.6	17.5	13.1	2.2
59	Holyoke	1,513.5	8.4	1.7	.....	11.7	6.7	8.4	18.5	8.4	.....	112.4	15.1	8.4	3.4
60	Hyde Park town	1,212.8	6.3	.....	.....	.....	.....	12.7	6.3	.....	12.7	69.8	6.3	6.3	.....
61	Lawrence	1,565.4	12.3	.....	.....	26.7	3.3	15.6	20.1	7.8	3.3	139.3	12.3	18.9	5.6
62	Leominster town	1,197.0	16.3	.....	.....	.....	.....	.....	.....	10.9	.....	59.9	10.9	.....	.....
63	Lowell	1,766.1	7.3	.....	.....	11.9	4.6	15.6	15.6	3.7	5.5	114.7	27.5	11.0	11.0
64	Lynn	1,247.7	9.7	.....	.....	4.3	5.4	20.6	14.1	5.4	5.4	95.3	14.1	5.4	6.5
65	Malden	1,199.0	10.9	.....	.....	6.5	10.9	.....	19.6	6.5	4.4	84.9	8.7	8.7	4.4
66	Marlborough	1,516.8	6.8	.....	.....	.....	.....	.....	20.4	34.0	27.2	149.6	.....	6.8	13.6

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
55.0	12.2	42.8	73.4	116.2	24.5	116.2	6.1	146.7	18.3	12.2	30.6	134.5	.....	12.2	201.8	55.0	.....	379.1	24.5	1
60.7	15.2	45.6	68.3	68.3	7.6	98.7	7.6	129.1	22.8	7.6	22.8	136.7	.....	7.6	212.6	53.1	.....	334.0	30.4	2
31.4	.....	31.4	94.3	314.2	94.3	188.5	.....	219.9	.....	31.4	62.8	125.7	.....	31.4	157.1	62.8	.....	565.5	.....	3
51.8	17.3	38.9	38.9	86.3	82.0	194.3	43.2	73.4	17.3	8.6	30.2	99.3	8.6	8.6	116.6	168.4	13.0	328.1	82.0	4
64.7	17.6	29.4	41.2	41.2	29.4	176.4	41.2	52.9	23.5	5.9	41.2	88.2	11.8	5.9	117.6	141.1	17.6	258.7	35.3	5
16.2	16.2	65.0	32.5	211.1	227.4	243.6	48.7	129.9	.....	16.2	.....	129.9	.....	16.2	113.7	243.6	.....	519.7	211.1	6
79.3	13.6	15.1	84.0	202.6	26.6	161.8	13.9	136.9	14.2	18.2	34.7	243.2	12.7	15.3	61.4	114.6	13.6	390.8	0.3	7
81.9	15.0	13.4	83.4	164.9	19.7	102.3	11.4	128.7	14.6	18.1	33.4	190.5	8.7	13.8	55.5	83.8	18.1	314.4	.....	8
72.3	9.9	19.7	85.4	307.7	46.0	327.4	20.8	159.9	13.1	18.6	38.3	389.8	24.1	19.7	77.7	200.4	1.1	603.4	1.1	9
95.3	24.3	20.1	119.0	194.8	20.7	176.4	22.5	85.8	28.4	13.0	4.7	143.3	7.1	7.1	90.0	98.3	13.6	391.3	18.9	10
95.7	24.4	20.2	119.5	192.6	20.8	177.1	22.6	86.2	28.5	13.1	4.8	143.8	7.1	7.1	89.8	98.1	13.7	391.1	19.0	11
.....	.....	.....	.....	722.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	144.5	144.5	.....	433.5	.....	12
78.3	26.1	26.1	124.0	137.1	26.1	97.9	6.5	71.8	.....	.....	.....	137.1	.....	13.1	39.2	65.3	6.5	280.6	6.5	13
67.2	37.3	14.9	179.1	425.5	22.4	201.5	59.7	104.5	37.3	7.5	.....	164.2	7.5	7.5	67.2	104.5	29.9	671.8	29.9	14
127.2	27.8	23.8	79.5	238.4	7.9	166.9	15.9	31.8	51.7	19.9	4.0	115.2	19.9	.....	115.2	107.3	11.9	528.5	55.6	15
69.8	17.4	34.9	104.7	139.6	17.4	250.1	11.6	116.3	11.6	.....	17.4	116.3	.....	5.8	104.7	93.1	5.8	360.6	5.8	16
105.5	30.1	26.4	113.0	143.1	22.6	188.3	30.1	169.5	33.9	15.1	7.5	162.0	15.1	18.8	82.9	116.8	18.8	357.8	11.3	17
107.4	21.8	13.4	125.8	196.3	21.8	164.4	18.5	57.0	28.5	16.8	3.4	166.1	1.7	3.4	95.6	104.0	11.7	359.0	10.1	18
34.2	8.5	8.5	128.2	102.6	34.2	196.6	34.2	111.1	17.1	17.1	.....	68.4	8.5	8.5	94.0	51.3	17.1	205.1	25.6	19
92.6	16.8	17.6	95.4	168.5	28.5	194.8	23.0	102.9	14.5	14.6	18.6	162.6	7.3	9.3	127.3	85.5	17.7	289.2	21.0	20
97.6	18.7	17.2	90.0	144.7	24.0	151.9	20.8	97.6	13.3	13.7	19.6	146.2	6.7	7.6	113.0	78.0	19.4	260.6	18.7	21
63.5	5.6	20.1	127.0	307.5	54.6	445.6	35.7	133.7	21.2	20.1	12.3	258.5	11.1	18.9	210.6	129.2	7.8	456.8	34.5	22
93.9	17.0	18.1	95.8	167.7	28.9	198.4	22.5	104.2	14.0	14.7	18.1	162.1	6.7	9.0	125.9	79.7	17.9	284.1	20.7	23
98.8	19.0	17.6	89.7	142.3	24.2	154.6	20.1	98.0	12.7	13.8	19.0	147.3	6.3	7.3	111.6	71.3	19.6	254.7	18.4	24
66.3	5.8	20.9	130.2	309.2	54.6	441.8	36.0	138.3	20.9	19.8	12.8	244.1	9.3	18.6	205.8	126.7	8.1	447.6	33.7	25
84.8	17.8	8.9	89.2	124.9	22.3	165.1	35.7	107.1	13.4	17.8	31.2	151.7	17.8	4.5	120.5	236.4	8.9	316.8	4.5	26
89.1	18.8	9.4	89.1	122.0	18.8	131.3	37.5	112.6	14.1	18.8	32.8	107.9	18.8	4.7	112.6	239.2	9.4	309.6	.....	27
.....	.....	.....	91.3	182.6	91.3	821.9	.....	.....	.....	.....	.....	1,004.6	.....	.....	274.0	182.6	.....	456.6	91.3	28
75.9	9.5	.....	161.2	208.6	37.9	151.7	9.5	75.9	19.0	19.0	19.0	189.6	19.0	19.0	170.7	66.4	37.9	407.7	47.4	29
88.3	11.0	.....	176.7	198.7	44.2	110.4	11.0	77.3	22.1	11.0	22.1	176.7	.....	22.1	176.7	33.1	44.2	353.3	44.2	30
.....	.....	.....	67.2	268.6	.....	402.9	.....	67.2	.....	67.2	.....	268.6	134.3	.....	134.3	268.6	.....	738.8	67.2	31
71.2	11.9	23.7	47.4	225.3	17.8	142.3	29.7	71.2	29.7	5.9	17.8	177.9	5.9	17.8	154.2	89.0	11.9	349.9	35.6	32
76.4	12.7	25.5	50.9	216.5	12.7	121.0	25.5	76.4	25.5	6.4	19.1	146.4	6.4	12.7	121.0	89.1	12.7	318.3	38.2	33
.....	.....	.....	.....	346.0	86.5	432.5	86.5	.....	86.5	.....	.....	605.5	.....	86.5	605.5	86.5	.....	778.5	.....	34
92.2	19.5	15.2	91.8	175.0	24.2	159.7	12.6	114.9	12.9	12.9	9.7	86.8	7.2	9.0	91.4	94.5	13.1	253.6	7.3	35
92.4	19.4	15.2	92.0	175.1	24.1	158.6	12.5	115.2	12.8	12.8	9.7	85.4	7.2	8.8	91.5	94.2	13.1	252.8	7.1	36
81.7	19.7	16.9	78.9	163.5	33.8	245.2	19.7	95.8	19.7	16.9	8.5	186.0	5.6	19.7	87.4	115.6	14.1	318.5	19.7	37
83.6	7.6	30.4	76.0	152.0	22.8	68.4	30.4	228.0	7.6	22.8	15.2	68.4	.....	15.2	121.6	76.0	.....	205.2	.....	38
95.2	26.0	8.7	103.8	216.3	34.6	129.8	8.7	51.9	.....	8.7	.....	121.1	.....	.....	26.0	77.9	8.7	181.7	.....	39
41.0	5.9	.....	58.6	134.7	17.6	76.2	17.6	64.4	5.9	17.6	29.3	64.4	.....	23.4	82.0	76.2	5.9	205.0	5.9	40
118.0	15.4	10.3	97.5	230.9	15.4	82.1	5.1	51.3	20.5	10.3	5.1	97.5	.....	.....	92.4	128.3	15.4	159.1	.....	41
111.2	21.2	12.2	90.9	189.9	20.3	207.1	11.6	106.4	15.1	16.5	12.8	98.9	9.4	9.9	85.9	125.3	18.6	274.3	5.8	42
110.7	20.9	12.5	91.1	190.2	20.0	204.7	11.3	106.0	14.7	16.3	12.8	95.2	9.4	9.8	86.1	124.7	18.6	272.1	5.8	43
130.8	32.7	.....	78.5	176.5	32.7	313.8	26.2	124.2	32.7	26.2	13.1	261.5	13.1	13.1	78.5	150.4	19.6	372.6	6.5	44
74.5	10.2	10.2	69.4	126.9	15.2	91.4	10.2	55.8	1.7	8.5	6.8	55.8	8.5	18.6	64.3	50.8	11.8	218.3	10.2	45
169.8	34.7	3.5	117.8	214.9	20.8	69.3	3.5	13.9	13.9	3.5	6.9	55.5	3.5	3.5	55.5	52.0	3.5	242.6	.....	46
104.1	14.1	6.6	85.3	172.5	24.4	152.8	12.2	86.3	5.6	11.3	3.8	88.1	7.5	10.3	78.8	88.1	5.6	266.3	0.9	47
147.1	25.6	32.0	131.1	316.5	38.4	185.4	9.6	121.5	12.8	16.0	9.6	118.3	25.6	19.2	73.5	118.3	16.0	300.5	28.8	48
60.0	22.5	86.2	52.5	112.5	22.5	165.0	.....	258.7	.....	.....	7.5	93.7	7.5	3.7	135.0	75.0	.....	165.0	3.7	49
122.4	.....	23.0	122.4	137.7	30.6	114.8	23.0	61.2	.....	7.7	7.7	68.9	.....	7.7	68.9	130.1	15.3	183.7	38.3	50
95.5	20.3	20.3	89.7	208.4	20.3	86.8	5.8	34.7	2.9	8.7	.....	46.3	2.9	5.8	63.7	43.4	2.9	173.7	.....	51
74.2	14.7	17.9	62.8	137.9	53.0	193.3	6.5	318.9	11.4	13.1	10.6	93.8	4.1	14.7	133.0	46.5	17.9	247.2	13.1	52
74.4	23.1	33.3	61.5	156.4	20.5	138.5	18.0	71.8	7.7	15.4	2.6	53.9	7.7	15.4	100.0	79.5	15.4	169.2	10.3	53
112.9	22.6	7.5	60.2	188.1	15.1	165.6	15.1	7.5	22.6	15.1	22.6	127.9	.....	7.5	105.4	112.9	15.1	195.7	.....	54
65.1	19.5	32.6	65.1	130.3	26.1	104.2	13.0	84.7	6.5	6.5	13.0	117.2	.....	13.0	143.3	71.7	6.5	175.9	.....	55
54.2	29.2	8.3	137.5	191.6	25.0	141.6	4.2	70.8	25.0	8.3	25.0	58.3	12.5	4.2	70.8	87.5	12.5	258.3	.....	56
93.1	18.6	18.6	74.5	167.7	18.6	111.8	27.9	111.8	27.9	9.3	.....	55.9	.....	.....	55.9	102.5	.....	316.7	93.1	57
103.0	13.1	6.6	109.5	186.2	11.0	162.1	13.1	48.2	28.5	11.0	8.8	83.2	2.2	8.8	65.7	87.6	15.3	278.2	.....	58
62.1	11.7	36.9	67.1	125.8	23.5	191.3	11.7	184.6	20.1	11.7	6.7	105.7	8.4	3.4	122.5	68.8	6.7	239.9	1.7	59
127.0	12.7	.....	44.4	165.1	12.7	120.6	6.3	44.4	.....	.....	31.7	88.9	.....	6.3	57.1	120.6	12.7	209.5	31.7	60
63.5	8.9	25.6	70.2	111.4	22.3	197.2	14.5	215.0	14.5	14.5	7.8	57.9	12.3	5.6	98.0	112.5	12.3	202.8	33.4	61
59.9	32.6	5.4	97.9	119.7	21.8	163.2	5.4	27.2	5.4	5.4	27.2	130.6	5.4	5.4	81.6	87.1	.....	206.8	10.9	62
75.2	19.3	23.9	91.7	181.7	56.0	147.7	22.9	201.8	14.7	19.3	11.9	82.6	9.2	10.1	124.8	116.5	20.2	305.5	2.8	63
83.4	13.0	14.1	88.8	158.1	18.4	110.5	6.5	65.0	5.4	14.1	7.6	72.6	8.7	9.7	67.1	84.5	8.7	216.6	8.7	64
104.4	30.5	6.5	82.7	213.3	6.5	91.4	4.4	43.5	13.1	4.4	2.2	74.0	.....	8.7	65.3	91.4	10.9	180.6	.....	65
122.4	47.6	27.2	176.8	217.7	6.8	122.4	20.4	54.4	27.2	13.6	.....	74.8	6.8	.....	47.6	68.0	.....	224.5	.....	66

[3] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	MASSACHUSETTS—continued.														
1	Medford	1,146.2				4.2			25.0		4.2	87.5	4.2	12.5	
2	Melrose	1,108.3					6.2			12.5		62.3			6.2
3	Methuen town	1,163.1					8.2	8.2	8.2	8.2		115.5	8.2	8.2	
4	Milford town	1,610.8	15.1					37.6	7.5	15.1	7.5	128.0	7.5	15.1	15.1
5	New Bedford	1,705.2	22.5			11.8	1.0	32.3	9.8	6.9	3.9	134.2	22.5	9.8	9.8
6	Newburyport	1,864.8	33.3				6.7	40.0	13.3	20.0		126.5	26.6		
7	Newton	1,142.3	2.5			9.9	4.9	7.4	4.9	4.9	2.5	44.4	17.3	2.5	9.9
8	North Adams	1,441.7	18.2			4.5		9.1	13.6	22.7	4.5	91.0	4.5	22.7	
9	Northampton *	1,939.5	15.5				5.2	5.2	36.2	15.5		144.8	10.3	15.5	
10	Peabody town	1,387.5	6.1			12.2		30.6			18.3	116.1	6.1		
11	Pittsfield	1,630.4	14.8			29.5		11.8	20.7	3.0	5.9	97.5	8.9	14.8	8.9
12	Plymouth town	1,646.5	16.1				8.1	56.5	8.1			145.3	24.2		
13	Quincy	1,170.2	8.9		3.0	8.9	20.7	5.9	17.8	14.8	5.9	97.8	11.9	3.0	
14	Revere town	980.9					5.1	10.2	5.1	5.1		71.5	5.1	10.2	
15	Salem	1,649.1	6.6			11.1	4.4	24.3	26.6	11.1		117.3	15.5	8.9	8.9
16	Somerville	1,302.1	7.6		1.3	2.5	5.1	13.9	22.7	8.8	6.3	101.0	18.9	8.8	5.1
17	Southbridge town	1,009.3	7.7					15.4	15.4		7.7	30.8			15.4
18	Springfield	1,529.0	18.3	2.2		12.9	3.2	11.9	9.7	9.7	5.4	87.4	5.4	20.5	8.6
19	Taunton *	2,039.3	14.3					25.7	17.1	14.3	14.3	165.4	5.7	5.7	25.7
20	Wakefield town	1,232.9	17.1					34.2	8.6			128.4	17.1	34.2	
21	Waltham	1,378.8	7.1			17.7		3.5	10.6	17.7	7.1	74.4	24.8	49.6	
22	Watertown town	1,032.6	15.1								7.5	45.2	7.5		
23	Webster town	1,314.1				8.4			33.7	33.7		134.8		8.4	
24	Westfield town	1,707.1	6.0			6.0	12.0		42.1			498.9	6.0	12.0	
25	Weymouth town	1,415.2	7.6						22.7	15.1	7.6	121.1		22.7	
26	Winthrop town	1,047.2				9.2			18.4	18.4		36.7	9.2		
27	Woburn	1,242.9	6.4				6.4	12.9	19.3	32.2		90.2		12.9	
28	Worcester	1,571.1	6.0			3.3	8.6	7.3	23.9	6.0	5.3	115.1	19.3	6.0	8.0
	MICHIGAN.														
29	Registration cities (total)	1,408.3	22.8	1.2	0.3	7.7	9.2	8.3	23.7	7.7	6.1	93.2	6.1	11.8	7.5
30	White	1,400.3	22.6	1.1	0.3	7.7	9.3	8.2	23.6	7.8	6.0	90.6	6.1	11.6	7.2
31	Colored	2,171.8	44.0	8.8		8.8		8.8	26.4		17.6	334.1	8.8	35.2	35.2
32	Adrian	1,410.0	27.8			9.3	9.3		46.4	46.4		55.7		37.1	
33	Alpena	1,683.9	94.0				7.8	23.5	7.8			125.3		15.7	
34	Ann Arbor	2,274.4	20.2	6.7		13.5		6.7	6.7	6.7	6.7	114.4	13.5	53.8	
35	Battle Creek	1,540.9	15.4		11.6	7.7		3.9	15.4	7.7	3.9	73.4	3.9	19.3	15.4
36	Bay City	1,221.4	41.2	2.2		2.2	4.3	4.3	15.2	21.7	4.3	80.3	6.5	2.2	8.7
37	Detroit	1,442.1	15.8	0.6		9.3	13.0	5.5	33.9	4.1	5.9	98.8	6.5	8.7	8.9
38	Escanaba	1,335.9	44.0				14.7	14.7	36.7		7.3	80.7		7.3	14.7
39	Flint	923.6	18.4				4.6	9.2	11.5	2.3	6.9	53.0	9.2	9.2	6.9
40	Grand Rapids	1,361.6	26.7	1.7		15.5	5.2	5.2	10.3	4.3	5.2	87.0	7.8	15.5	9.5
41	Holland	1,064.5	18.5	9.3				9.3	9.3	9.3		74.1	9.3		
42	Ironwood	843.5	7.5				7.5	14.9	7.5	7.5		59.7	7.5	14.9	
43	Ishpeming	982.8	7.9				7.9	15.9	47.6		15.9	39.6		7.9	7.9
44	Jackson	1,254.1	27.5	3.1			6.1	3.1	15.3	21.4		85.6	3.1	9.2	
45	Kalamazoo *	1,735.8	9.7			12.1	4.8	12.1	4.8	19.3	12.1	113.5	2.4	16.9	2.4
46	Lansing	1,024.5	14.9			9.0	6.0	11.9	3.0	17.9	6.0	53.8	3.0	14.9	3.0
47	Manistee	1,283.0	8.1				40.6	32.5	16.2			138.0			16.2
48	Marquette	1,721.8	94.2				34.3	68.5	25.7		8.6	137.1	8.6	8.6	
49	Menominee	1,309.3	67.4				9.6		19.3	19.3		57.8	19.3		
50	Muskegon	1,477.0	20.2	4.0		8.1		48.6	4.0	20.2	8.1	117.4	4.0	8.1	8.1
51	Pontiac *	2,081.8	46.1				6.6		19.8	32.9	59.3	98.8	13.2	19.8	13.2
52	Port Huron	1,610.8	48.3						10.7	16.1		96.6		21.5	
53	Saginaw	1,372.0	23.4	3.9			5.8	3.9	35.1	1.9	5.8	83.8	8.0	15.6	5.8
54	Sault Ste. Marie	1,260.2	54.5	7.8					31.1	7.8		155.6			7.8
55	Traverse City *	2,025.2	32.5			32.5		24.4				170.8	8.1	56.9	8.1
	MINNESOTA.														
56	Registration cities (total)	1,149.6	13.5	0.3	0.4	1.0	10.1	11.9	24.4	4.3	5.6	125.9	8.6	14.0	5.2
57	White	1,143.0	13.7	0.3	0.5	1.1	10.2	11.9	24.6	4.2	5.7	122.1	8.4	14.0	5.3
58	Colored	1,799.8						14.9		14.9		505.7	29.7	14.9	
59	Duluth	1,173.4	23.2	1.2		1.2	7.3	1.2	17.1	6.1	8.6	143.0	9.8	18.3	17.1
60	Mankato	1,518.1	39.2				9.8		9.8	9.8	9.8	88.1	9.8	19.6	
61	Minneapolis	1,147.9	11.9	0.3	0.3	1.3	6.1	15.4	23.8	2.2	4.5	133.7	7.7	12.9	3.2
62	St. Cloud	1,248.7	18.4			18.4			18.4	9.2	9.2	110.2	18.4	18.4	
63	St. Paul	1,088.8	10.5		0.9		16.0	10.0	32.9	5.5	6.4	111.8	9.6	13.2	4.6
64	Stillwater	1,275.3	31.1					20.7		10.4		165.9	10.4	31.1	
65	Virginia	1,331.4	17.3					17.3			8.6	95.1		8.6	
66	Winona	1,355.4	5.5				38.6	27.5	5.5	11.0		115.7	5.5	11.0	5.5

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
116.7	20.8	.....	91.7	195.9	12.5	108.4	12.5	20.8	12.5	.....	8.3	75.0	.....	.....	50.0	54.2	.....	229.2	.....	1
74.7	18.7	.....	137.0	180.6	12.5	62.3	24.9	56.0	18.7	.....	6.2	105.9	.....	.....	18.7	31.1	12.5	261.5	.....	2
57.7	33.0	.....	99.0	115.5	33.0	123.7	8.2	57.7	.....	24.7	.....	57.7	.....	8.2	82.5	66.0	.....	214.5	16.5	3
105.4	7.5	15.1	143.0	90.3	15.1	255.9	15.1	22.6	15.1	.....	15.1	150.5	7.5	7.5	128.0	128.0	7.5	233.3	.....	4
65.6	16.7	25.5	81.3	140.1	46.0	180.2	21.5	257.6	8.8	8.8	10.8	62.7	10.8	6.9	123.4	60.7	18.6	268.4	26.4	5
153.2	26.6	13.3	159.8	233.1	40.0	119.9	53.3	86.6	20.0	20.0	6.7	106.6	.....	13.3	66.6	99.9	.....	373.0	6.7	6
81.4	14.8	4.9	96.2	172.7	4.9	103.6	4.9	44.4	17.3	17.3	9.9	59.2	.....	.....	91.3	74.0	17.3	217.1	.....	7
100.1	22.7	18.2	131.9	141.0	40.9	122.8	13.6	72.8	36.4	4.5	4.5	68.2	4.5	9.1	100.1	104.6	4.5	245.6	4.5	8
98.3	25.9	15.5	170.7	212.1	25.9	113.8	25.9	62.1	10.3	10.3	5.2	113.8	5.2	15.5	93.1	134.5	20.7	527.5	5.2	9
61.1	6.1	18.3	128.4	189.5	30.6	128.4	12.2	73.3	12.2	24.4	.....	79.5	6.1	6.1	67.2	103.9	.....	244.5	6.1	10
65.0	35.4	32.5	115.2	206.8	14.8	118.1	20.7	106.3	17.7	17.7	20.7	112.2	3.0	14.8	91.6	130.0	8.9	283.6	.....	11
137.2	48.4	24.2	80.7	201.8	16.1	96.8	8.1	129.1	24.2	8.1	16.1	80.7	8.1	32.3	129.1	88.8	24.2	201.8	32.3	12
71.1	11.9	5.9	65.2	127.4	17.8	71.1	17.8	88.9	14.8	8.9	3.0	65.2	5.9	8.9	74.1	80.0	8.9	225.2	.....	13
92.0	20.4	.....	66.4	137.9	5.1	132.8	.....	76.6	.....	.....	.....	61.3	5.1	5.1	46.0	76.6	20.4	122.6	.....	14
99.6	22.1	13.3	110.7	228.0	26.6	154.9	17.7	128.4	8.9	22.1	6.6	104.0	11.1	11.1	152.7	73.0	6.6	214.7	2.2	15
89.7	22.7	5.1	128.8	202.1	18.9	121.2	7.6	48.0	8.8	6.3	3.8	61.9	3.8	13.9	61.9	64.4	2.5	228.6	.....	16
61.6	46.2	30.8	61.6	100.2	.....	92.5	15.4	100.2	.....	7.7	15.4	15.4	.....	7.7	123.3	92.5	7.7	138.7	.....	17
90.6	24.8	10.8	99.3	150.0	11.9	156.5	7.6	90.6	15.1	11.9	16.2	160.8	11.9	6.5	107.9	98.2	14.0	249.3	.....	18
82.7	28.5	17.1	139.8	188.2	37.1	253.8	20.0	196.8	20.0	14.3	5.7	85.6	5.7	8.6	105.5	82.7	22.8	427.8	8.6	19
42.8	8.6	42.8	231.2	102.7	25.7	128.4	8.6	59.9	.....	8.6	.....	34.2	.....	.....	17.1	59.9	.....	214.0	8.6	20
120.5	21.3	17.7	102.8	127.6	14.2	117.0	.....	63.8	14.2	7.1	3.5	67.3	10.6	.....	70.9	109.9	10.6	283.6	3.5	21
90.4	.....	7.5	67.8	196.0	7.5	120.6	7.5	75.4	.....	15.1	.....	45.2	.....	.....	82.9	30.1	.....	203.5	7.5	22
33.7	25.3	8.4	117.9	59.0	16.8	143.2	8.4	126.4	.....	.....	16.8	101.1	.....	.....	134.8	92.7	8.4	193.7	8.4	23
78.1	18.0	6.0	78.1	180.3	30.1	126.2	6.0	150.3	.....	12.0	12.0	114.2	.....	6.0	54.1	78.1	6.0	168.3	.....	24
98.4	7.6	30.3	121.1	219.5	15.1	128.6	15.1	60.5	.....	7.6	7.6	121.1	15.1	7.6	53.0	75.7	7.6	219.5	7.6	25
101.0	27.6	9.2	128.6	110.2	.....	82.7	27.6	.....	45.9	18.4	9.2	73.5	.....	9.2	36.7	73.5	9.2	192.9	.....	26
83.7	12.9	12.9	70.8	115.9	12.9	141.7	6.4	70.8	12.9	12.9	12.9	77.3	.....	.....	77.3	96.6	12.9	231.8	.....	27
79.2	18.6	8.6	74.5	228.8	28.6	164.3	18.0	79.8	16.0	14.0	7.3	72.5	6.0	6.7	115.1	92.5	13.3	314.0	4.7	28
76.2	13.5	16.9	66.2	126.6	25.0	116.5	18.9	70.7	16.3	15.4	13.0	68.9	9.5	9.1	114.0	82.6	18.3	315.4	9.6	29
76.4	13.5	17.1	66.3	125.2	24.9	115.7	18.6	70.8	16.3	15.3	13.0	68.4	9.5	9.1	113.5	82.5	18.0	314.3	9.6	30
61.5	8.8	.....	61.5	255.0	35.2	193.4	44.0	61.5	17.6	26.4	17.6	114.3	8.8	8.8	158.3	96.7	44.0	422.1	8.8	31
102.0	18.6	37.1	55.7	194.8	18.6	111.2	27.8	9.3	37.1	18.6	9.3	37.1	.....	.....	46.4	55.7	18.6	352.5	27.8	32
94.0	7.8	15.7	86.2	94.0	70.5	86.2	31.3	117.5	7.8	15.7	7.8	7.8	23.5	15.7	203.6	54.8	23.5	422.9	23.5	33
201.9	40.4	33.6	107.7	195.1	20.2	94.2	26.9	33.6	33.6	60.6	33.6	94.2	6.7	13.5	121.1	107.7	33.6	753.7	13.5	34
96.5	42.5	19.3	81.1	200.8	15.4	42.5	27.0	34.8	19.3	23.2	23.2	104.3	7.7	7.7	104.3	100.4	15.4	390.1	7.7	35
75.9	10.8	15.2	41.2	112.8	13.0	95.5	19.5	47.7	23.9	19.5	6.5	34.7	4.3	4.3	93.3	80.3	13.0	314.6	2.2	36
65.1	10.3	22.1	52.5	113.4	29.0	140.8	19.9	98.6	14.4	13.8	15.4	65.1	11.4	9.9	140.4	88.2	20.3	292.1	8.5	37
66.1	29.4	7.3	73.4	154.1	14.7	88.1	14.7	102.8	14.7	22.0	22.0	88.1	.....	.....	88.1	73.4	22.0	205.5	29.4	38
53.0	13.8	.....	50.7	43.8	18.4	82.9	6.9	34.5	9.2	2.3	6.9	41.5	2.3	6.9	105.9	66.8	9.2	228.0	9.2	39
85.3	17.2	11.2	87.0	122.4	25.9	117.2	18.1	62.0	14.7	19.8	11.2	78.4	10.3	10.3	94.8	54.3	21.5	297.3	8.6	40
74.1	18.5	18.5	64.8	120.3	46.3	46.3	18.5	27.8	9.3	9.3	18.5	27.8	.....	.....	111.1	55.5	18.5	240.7	.....	41
44.8	.....	7.5	14.9	22.4	29.9	59.7	.....	59.7	.....	.....	.....	22.4	22.4	7.5	67.2	119.4	22.4	194.1	22.4	42
71.3	7.9	.....	87.2	103.0	31.7	95.1	15.9	63.4	15.9	7.9	15.9	23.8	.....	7.9	63.4	79.3	7.9	126.8	7.9	43
79.5	21.4	9.2	82.6	128.5	18.4	61.2	21.4	33.6	18.4	6.1	.....	128.5	3.1	12.2	79.5	48.9	15.3	302.8	9.2	44
96.6	7.2	12.1	154.5	217.3	9.7	113.5	16.9	41.0	16.9	24.1	12.1	99.0	12.1	4.8	60.4	84.5	21.7	514.2	7.2	45
71.7	11.9	3.0	50.8	164.3	14.9	44.8	17.9	35.8	14.9	3.0	9.0	41.8	3.0	14.9	53.8	71.7	9.0	221.0	23.9	46
129.9	.....	.....	40.6	170.5	8.1	56.8	8.1	40.6	24.4	8.1	32.5	105.6	.....	8.1	56.8	89.3	24.4	211.1	16.2	47
94.2	8.6	8.6	77.1	68.5	42.8	154.2	42.8	111.4	25.7	25.7	25.7	85.7	.....	8.6	119.9	85.7	17.1	334.1	.....	48
57.8	9.6	19.3	77.0	77.0	9.6	115.5	19.3	77.0	38.5	28.9	19.3	48.1	19.3	9.6	134.8	67.4	9.6	279.2	.....	49
89.0	16.2	32.4	97.1	129.5	4.0	129.5	8.1	48.6	24.3	12.1	4.0	72.8	12.1	12.1	97.1	85.0	20.2	307.5	24.3	50
65.9	19.8	6.6	79.1	210.8	19.8	98.8	46.1	46.1	26.4	6.6	.....	131.8	13.2	6.6	98.8	92.2	32.9	764.2	6.6	51
91.3	10.7	5.4	80.5	187.9	32.2	107.4	16.1	59.1	10.7	21.5	16.1	145.0	5.4	.....	145.0	123.5	5.4	349.0	5.4	52
99.4	15.6	15.6	68.2	142.3	25.3	120.8	19.5	13.6	21.4	21.4	9.7	54.6	7.8	7.8	97.4	109.1	11.7	306.0	11.7	53
23.3	23.3	31.1	15.6	101.1	31.1	124.5	.....	54.5	15.6	15.6	7.8	54.5	23.3	7.8	77.8	108.9	.....	280.0	.....	54
138.3	16.3	8.1	154.5	284.7	32.5	89.5	8.1	24.4	16.3	16.3	.....	105.7	16.3	16.3	40.7	73.2	8.1	642.5	.....	55
77.5	12.8	10.6	48.3	98.4	11.9	104.5	8.0	47.0	21.9	11.6	12.0	71.7	7.6	6.7	74.6	74.0	18.7	204.7	1.6	56
77.5	12.9	10.5	48.5	97.2	12.0	103.9	8.0	46.9	21.9	11.6	12.0	70.7	7.7	6.6	74.8	73.9	18.8	204.2	1.7	57
74.4	.....	14.9	29.7	223.1	.....	163.6	14.9	59.5	14.9	14.9	14.9	163.6	.....	14.9	59.5	89.2	14.9	252.9	.....	58
63.6	6.1	15.9	35.4	75.8	7.3	108.8	6.1	64.8	17.1	13.4	17.1	79.4	11.0	9.8	85.6	90.4	19.6	190.7	1.2	59
166.5	29.4	19.6	107.7	156.7	.....	127.3	19.6	9.8	97.9	19.6	9.8	137.1	.....	.....	29.4	127.3	19.6	244.9	.....	60
77.8	10.6	7.7	44.3	95.1	10.6	113.4	8.4	44.0	22.8	12.2	14.1	76.8	6.7	8.0	67.8	68.8	20.2	214.7	0.3	61
82.6	18.4	9.2	27.5	229.5	9.2	82.6	.....	36.7	27.5	18.4	9.2	64.3	9.2	.....	110.2	18.4	36.7	202.0	36.7	62
75.3	16.0	12.8	48.4	101.3	15.1	92.6	8.7	43.8	21.0	9.6	8.2	62.1	8.2	5.5	78.5	58.0	16.0	185.3	1.4	63
103.7	20.7	.....	93.3	114.0	10.4	62.2	20.7	10.4	.....	10.4	20.7	82.9	10.4	.....	41.5	51.8	.....	352.5	.....	64
17.3	8.6	25.9	43.2	95.1	25.9	121.0	.....	164.3	17.3	8.6	.....	25.9	.....	.....	138.3	328.5	34.6	129.7	.....	65
132.2	27.5	.....	132.2	104.7	16.5	88.1	.....	27.5	5.5	11.0	5.5	55.1	5.5	.....	77.1	137.7	11.0	281.0	11.0	66

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	MISSOURI.														
1	Registration cities (total)	1,515.8	25.5	4.8	0.8	12.0	18.5	7.0	17.5	18.5	5.1	142.1	8.2	12.6	7.8
2	White	1,440.6	24.3	4.2	0.6	12.7	19.5	7.2	17.9	18.0	5.2	118.9	7.7	10.0	7.6
3	Colored	2,495.5	41.6	13.1	3.6	3.6	5.9	4.8	11.9	25.0	3.6	444.6	15.5	47.6	10.7
4	Hannibal	1,382.0	21.0			5.3	5.3	10.5		31.5		147.1	21.0	10.5	10.5
5	Jefferson City	1,304.0	66.0			8.3			8.3			189.8		24.8	
6	Joplin	1,441.4	37.2	6.2		3.1		24.8	24.8	27.9		210.8		24.8	12.4
7	Kansas City (total)	1,538.2	29.9	1.6	3.1	3.1	5.4	10.1	12.4	22.5	8.2	149.9	5.0	13.2	5.8
8	White	1,433.8	28.8	0.4	2.1	3.4	5.6	10.7	12.4	20.2	9.0	109.9	4.3	9.4	5.6
9	Colored	2,527.3	40.7	12.2	12.2		4.1	4.1	12.2	44.8		529.1	12.2	48.8	8.1
10	Moberly	1,312.3	35.5					17.7	26.6	17.7		212.8			17.7
11	St. Joseph	1,268.3	31.7	8.9		1.3	6.3	8.9	8.9	17.7	5.1	90.0	3.8	16.5	7.6
12	St. Louis (total)	1,536.3	16.1	5.4		16.3	27.7	4.0	17.6	16.1	4.1	136.3	10.3	11.4	8.4
13	White	1,463.6	15.9	5.3		16.9	29.0	4.1	18.2	16.3	4.1	115.1	9.5	9.0	8.1
14	Colored	2,584.8	19.8	6.6		6.6	8.8	2.2	8.8	13.2	4.4	442.5	22.0	46.2	13.2
15	Sedalia	1,687.1	82.7	16.5	5.5		5.5	5.5	27.6	33.1	5.5	165.4	5.5	22.1	16.5
16	Springfield	1,688.5	109.1	8.2	2.7	38.2	5.5	16.4	60.0	21.8	10.9	171.8	10.9	5.5	2.7
17	Webb	1,502.7	24.0			16.0	8.0	24.0	40.0	16.0	8.0	223.8		24.0	
	MONTANA.														
18	Registration cities (total)	1,449.8	28.6			9.9	15.8	15.8	5.9	3.9	6.9	131.2	7.9	17.8	7.9
19	White	1,428.8	27.2			10.1	16.1	13.1	6.0	4.0	7.1	124.0	7.1	18.1	8.1
20	Colored	2,389.5	90.2					135.3				450.9	45.1		
21	Anaconda	1,213.7						48.9	29.4		9.8	39.2	9.8		
22	Billings	1,371.6	73.6				9.2	18.4	9.2	9.2	9.2	92.1		18.4	
23	Butte	1,593.5	22.6			2.5	17.6	10.0	5.0	5.0	10.0	220.8	5.0	12.5	10.0
24	Great Falls	1,525.8	36.2			14.5	21.7	7.2				50.6	7.2	36.2	
25	Helena	1,445.7	23.6			39.3	31.4	7.9				117.9	15.7	31.4	23.6
26	Missoula	1,200.7	28.8			14.4	7.2	21.6		7.2	7.2	64.7	14.4	14.4	7.2
	NEBRASKA.[2]														
27	Registration cities (total)	1,416.3	19.3			9.9	5.3	1.8	12.8	8.8	7.0	84.7	5.8	11.7	9.9
28	White	1,387.4	19.9			10.3	5.4	1.8	13.3	9.0	7.2	66.9	5.4	10.9	10.3
29	Colored	2,308.7										633.0	18.6	37.2	
30	Lincoln	1,377.9	22.5			27.0	2.2	4.5	6.7	11.2	11.2	47.2	4.5	9.0	9.0
31	Omaha	1,429.8	18.1			3.9	6.3	0.8	15.0	7.9	5.5	97.8	6.3	12.6	10.3
	NEW HAMPSHIRE.														
32	Registration cities (total)	1,783.0	15.8			9.0	2.3	15.3	21.5	15.3	4.0	115.8	10.7	10.7	7.9
33	White	1,783.5	15.8			9.1	2.3	15.3	21.5	15.3	4.0	116.0	10.8	10.8	7.9
34	Colored	1,538.5													
35	Berlin	1,541.1	49.4			8.2		33.0	90.7	8.2		57.7			
36	Concord *	2,007.0	13.8				4.6		9.2	18.4	4.6	138.1	4.6		
37	Dover	1,871.6	22.6			30.2		7.5	30.2	7.5		196.2	7.5	15.1	30.2
38	Keene	1,778.3	19.7			9.8		9.8		39.3		68.8	29.5	19.7	
39	Laconia	1,474.5	9.6					19.1	9.6	9.6		134.0	19.1		9.6
40	Manchester	1,816.9	9.8			2.8	4.2	22.3	14.0	15.3	2.8	113.0	14.0	18.1	9.8
41	Nashua	1,629.7	11.4			19.0		7.6	19.0	7.6	11.4	110.4	3.8	3.8	7.6
42	Portsmouth	1,939.0	26.4			26.4		8.8	44.1	26.4	8.8	97.0	8.8	8.8	
	NEW JERSEY.														
43	Registration cities (total)	1,516.4	12.0	1.1		11.9	9.4	14.3	22.6	8.5	5.6	156.5	12.6	12.5	9.4
44	White	1,488.1	11.8	1.1		11.9	9.5	14.1	23.0	8.3	5.8	148.3	12.2	11.3	9.4
45	Colored	2,320.8	19.0	1.7		12.1	5.2	20.7	12.1	13.8	1.7	388.5	22.4	46.6	10.4
46	Asbury Park (total)	1,306.8	17.9	9.0			17.9		9.0			134.3			17.9
47	White	1,239.5	22.1	11.1			22.1		11.1			88.5			11.1
48	Colored	1,591.8										327.7			46.8
49	Atlantic City (total)	1,649.1	16.6			2.1	4.1	16.6	20.7	2.1	4.1	128.4	2.1	14.5	8.3
50	White	1,662.5	21.1			2.6	5.3	15.8	15.8	2.6	5.3	116.1	2.6	7.9	7.9
51	Colored	1,600.0						19.3	38.6			173.5		38.6	9.6
52	Bayonne	1,385.2	8.5			17.0	18.7	13.6	25.5	3.4	8.5	96.9	13.6	3.4	10.2
53	Bloomfield	917.5	6.3				6.3	12.6	12.6	12.6		44.0	6.3	12.6	18.9
54	Bridgeton	1,720.8	27.9			7.0	7.0	7.0	20.9	20.9		222.9	7.0	27.9	13.9
55	Camden	1,671.0	9.2	1.0		13.4	4.1	14.4	38.0	6.2	3.1	177.8	7.2	15.4	12.3
56	East Orange	905.9	2.7				8.2	10.9	8.2	13.6		92.8	19.1	8.2	
57	Elizabeth	1,570.4	7.8	1.3		9.1	18.3	15.7	20.9	1.3	2.6	128.0	13.1	6.5	11.8
58	Garfield	1,184.6					69.7		26.1		8.7	95.8	17.4		
59	Hackensack	1,468.1	13.5			81.2	6.8		20.3	6.8		162.4	13.5		
60	Harrison	1,301.0				13.4		53.6	33.5	20.1	6.7	214.6	6.7	6.7	20.1
61	Hoboken	1,770.0	18.2			39.1	12.6	9.8	35.0	1.4	12.6	205.5	22.4	21.0	12.6
62	Irvington	1,219.3	7.7				7.7	7.7	30.7			176.4	15.3	23.0	15.3
63	Jersey City	1,584.6	7.2	1.1		15.2	11.6	11.2	21.0	5.8	8.7	166.4	11.2	11.9	8.0
64	Kearny	1,335.9		15.1			5.0	35.2	15.1	15.1	5.0	105.5	20.1	10.0	
65	Long Branch	2,092.4	66.3	7.4			7.4	14.7		7.4		147.4	7.4	22.1	14.7
66	Millville	1,318.4	7.9				15.9		71.5			135.0		15.9	15.9

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
82.0	16.0	12.3	61.7	138.6	25.2	142.4	16.2	75.4	17.6	13.1	23.0	125.0	9.2	6.7	72.8	102.2	32.8	257.8	5.2	1
83.7	16.8	12.8	60.2	127.9	23.8	130.9	15.4	74.9	18.3	13.6	22.7	118.6	9.2	6.4	71.6	94.3	34.4	246.8	4.5	2
59.4	5.9	5.9	80.8	277.0	42.8	292.5	26.2	82.0	9.5	5.9	26.2	208.1	9.5	10.7	89.2	204.5	11.9	401.8	14.3	3
73.6	26.3	10.5	52.5	126.1	5.3	89.3	15.8	36.8	21.0	.....	10.5	73.6	5.3	5.2	147.1	115.6	10.5	241.7	52.5	4
57.8	.....	24.8	57.8	99.0	33.0	107.3	16.5	57.8	24.8	16.5	41.3	74.3	.....	.....	8.3	140.3	.....	239.3	8.3	5
55.8	12.4	27.9	46.5	117.8	6.2	120.9	9.3	105.4	9.3	6.2	15.5	43.4	15.5	21.7	71.3	93.0	34.1	254.2	3.1	6
91.6	14.4	16.3	66.4	134.0	18.3	148.7	15.1	55.9	20.6	14.0	12.4	101.4	13.6	9.3	84.7	124.3	31.5	286.2	9.3	7
95.7	15.9	16.7	65.3	124.1	17.6	130.9	14.2	54.9	21.5	14.2	11.2	91.4	13.7	9.0	84.1	114.2	33.1	276.0	8.2	8
52.9	.....	12.2	77.3	227.9	24.4	317.4	24.4	65.1	12.2	12.2	24.4	195.3	12.2	12.2	89.5	219.8	16.3	382.5	20.3	9
70.9	17.7	8.9	106.4	53.2	17.7	106.4	8.9	62.1	26.6	8.9	17.7	44.3	.....	8.9	62.1	97.5	17.7	203.9	44.3	10
67.2	13.9	5.1	77.3	120.4	15.2	98.8	10.1	36.7	43.1	15.2	10.1	96.3	7.6	10.1	49.4	69.7	22.8	287.6	5.1	11
84.5	17.8	9.6	58.8	146.6	31.3	148.3	16.7	87.2	13.4	13.7	30.3	147.1	8.0	4.3	65.1	97.5	37.7	243.8	1.1	12
85.5	18.5	9.9	56.8	134.1	29.6	138.4	15.9	85.8	13.6	14.3	30.2	140.1	7.9	3.7	63.8	89.7	39.7	233.5	1.2	13
70.5	8.8	4.4	88.1	325.8	55.0	290.6	28.6	107.9	11.0	4.4	30.8	248.8	8.8	13.2	83.7	209.2	8.8	391.9	.....	14
60.6	11.0	33.1	66.2	176.4	5.5	170.9	22.1	38.6	16.5	5.5	.....	132.3	11.0	22.1	132.3	82.7	11.0	275.7	22.1	15
70.9	5.5	16.4	57.3	125.5	21.8	152.7	19.1	70.9	24.5	5.5	8.2	84.6	5.5	5.5	125.5	92.7	16.4	308.2	8.2	16
16.0	8.0	40.0	48.0	71.9	8.0	87.9	56.0	135.9	16.0	16.0	16.0	71.9	16.0	16.0	135.9	143.9	8.0	199.8	8.0	17
75.9	20.7	15.8	45.4	120.3	8.9	128.2	18.7	53.3	43.4	18.7	16.8	89.7	17.8	9.9	90.7	126.2	49.3	235.7	12.8	18
72.6	21.2	16.1	44.4	120.0	9.1	124.0	17.1	54.4	44.4	19.2	16.1	89.7	18.1	10.1	92.8	123.0	45.4	237.0	13.1	19
225.4	.....	.....	90.2	135.3	.....	315.6	90.2	.....	.....	.....	45.1	90.2	.....	.....	.....	270.5	225.4	180.3	.....	20
39.2	9.8	.....	58.7	68.5	29.4	195.7	29.4	29.4	48.9	.....	19.6	97.9	9.8	.....	39.2	58.7	19.6	234.9	88.1	21
9.2	9.2	.....	27.6	119.7	18.4	73.6	36.8	73.6	82.9	9.2	18.4	92.1	27.6	.....	64.4	138.1	55.2	267.0	9.2	22
90.3	27.6	27.6	42.7	125.5	10.0	148.1	12.5	57.7	40.2	20.1	22.6	87.8	27.6	15.1	82.8	138.0	67.8	228.4	.....	23
94.0	21.7	7.2	28.9	115.7	.....	130.2	14.5	50.6	28.9	21.7	14.5	115.7	7.2	14.5	231.4	130.2	28.9	282.0	14.5	24
78.6	23.6	23.6	70.7	165.0	.....	86.4	15.7	55.0	7.9	15.7	7.9	78.6	.....	15.7	102.1	133.6	31.4	235.7	7.9	25
93.5	14.4	7.2	50.3	107.8	.....	100.6	21.6	43.1	64.7	35.9	7.2	71.9	14.4	.....	21.6	122.2	50.3	186.9	.....	26
88.8	18.7	21.0	59.0	138.4	9.3	172.3	12.8	51.4	34.5	22.8	15.8	87.6	13.4	13.4	67.2	88.8	28.0	282.7	13.4	27
87.4	18.7	21.1	57.9	133.3	9.0	166.4	13.3	51.3	35.6	22.9	16.3	87.4	12.1	13.3	66.3	89.8	28.3	283.4	13.3	28
130.3	18.6	18.6	93.1	297.9	18.6	353.7	.....	55.9	.....	18.6	.....	93.1	55.9	18.6	93.1	95.9	18.6	260.7	18.6	29
89.9	13.5	13.5	53.9	116.9	2.2	173.1	24.7	60.7	31.5	22.5	4.5	71.9	.....	9.0	103.4	80.9	18.0	292.2	40.5	30
88.4	20.5	23.7	60.8	146.0	11.8	172.0	8.7	48.1	35.5	22.9	19.7	93.1	18.1	15.0	54.4	91.5	31.6	279.3	3.9	31
84.2	24.3	27.7	95.5	189.3	36.7	154.8	26.6	146.3	16.4	15.3	9.0	104.0	6.2	9.0	136.7	110.2	12.4	339.0	11.3	32
84.3	24.3	27.7	95.7	189.0	36.8	155.1	26.6	146.6	16.4	15.3	9.1	104.1	6.2	9.1	136.4	110.4	11.9	338.5	11.3	33
.....	.....	.....	.....	307.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	307.7	.....	307.7	615.4	.....	34
16.5	8.2	41.2	49.4	74.2	16.5	197.8	49.4	288.4	8.2	8.2	8.2	24.7	8.2	.....	173.1	90.7	16.5	197.8	16.5	35
115.1	23.0	4.6	124.3	354.4	36.8	142.7	32.2	23.0	13.8	18.4	18.4	165.7	9.2	18.4	55.2	105.9	4.6	529.4	18.4	36
98.1	37.7	15.1	90.6	203.8	7.5	181.1	7.5	166.0	22.6	.....	.....	143.4	.....	.....	45.3	166.0	7.5	324.5	7.5	37
157.2	39.3	19.7	167.0	176.9	9.8	127.7	19.7	29.5	19.7	.....	9.8	176.9	.....	19.7	137.6	66.8	39.3	353.7	9.8	38
95.7	19.1	9.6	86.2	114.9	19.1	67.0	9.6	57.4	9.6	.....	.....	134.0	.....	.....	76.6	67.0	38.3	430.9	28.7	39
65.6	22.3	46.0	89.3	154.9	58.6	174.4	23.7	213.5	18.1	18.1	7.0	71.2	9.8	4.2	188.4	97.7	11.2	307.0	9.8	40
87.6	15.2	19.0	83.8	175.2	30.5	144.7	45.7	99.0	15.2	26.7	11.4	91.4	.....	22.8	118.0	140.9	3.8	289.4	7.6	41
114.6	52.9	.....	105.8	308.5	8.8	105.8	8.8	79.3	17.6	17.6	17.6	167.5	8.8	8.8	132.2	158.6	8.8	361.4	.....	42
74.4	13.7	16.9	76.4	139.6	19.4	168.6	17.1	114.0	11.2	10.4	17.3	122.3	9.7	9.6	94.6	96.6	17.0	205.8	5.2	43
74.0	14.0	17.1	75.8	137.8	19.1	164.7	16.2	112.8	11.1	10.0	17.5	120.6	9.5	9.5	93.0	95.2	17.3	201.2	5.2	44
86.3	6.9	10.4	93.2	191.7	29.4	279.7	44.9	148.5	13.8	22.4	10.4	169.2	17.3	13.8	139.9	134.7	10.4	336.7	6.9	45
53.7	17.9	.....	116.4	179.0	35.8	71.6	26.9	53.7	9.0	.....	17.9	125.3	.....	.....	35.8	80.6	9.0	259.6	9.0	46
55.3	22.1	.....	143.9	177.1	33.2	77.5	22.1	33.2	11.1	.....	22.1	99.6	.....	.....	33.2	66.4	11.1	254.5	11.1	47
46.8	.....	.....	.....	187.3	46.8	46.8	46.8	140.4	.....	.....	.....	234.1	.....	.....	46.8	140.4	.....	280.9	.....	48
82.9	33.1	4.1	87.0	184.4	24.9	105.6	14.5	87.0	12.4	26.9	12.4	165.7	16.6	6.2	99.4	99.4	33.1	329.4	4.1	49
92.4	42.2	5.3	102.9	192.6	31.7	89.7	13.2	84.4	10.6	26.4	15.8	168.9	18.5	5.3	105.6	108.2	36.9	306.1	2.6	50
48.2	.....	.....	28.9	154.2	.....	163.8	19.3	96.4	19.3	28.9	.....	154.2	9.6	9.6	77.1	67.5	19.3	414.5	9.6	51
40.8	10.2	20.4	61.2	81.6	23.8	159.8	27.2	181.9	10.2	8.5	6.8	91.8	.....	11.9	125.8	107.1	20.4	171.7	5.1	52
37.7	12.6	18.9	100.6	75.4	12.6	100.5	6.3	50.3	.....	.....	18.9	69.1	.....	.....	37.7	69.1	12.6	157.1	6.3	53
97.5	7.0	20.9	167.2	236.9	20.9	83.6	20.9	97.5	7.0	13.9	7.0	167.2	.....	13.9	62.7	83.6	13.9	229.9	7.0	54
79.1	9.2	8.2	103.8	152.1	9.2	191.1	22.6	101.7	8.2	9.2	13.4	143.9	13.4	10.3	116.1	116.1	20.6	234.3	6.2	55
76.4	10.9	5.5	70.9	133.7	5.5	73.7	21.8	19.1	.....	2.7	16.4	103.7	.....	5.5	43.7	21.8	13.6	117.3	.....	56
74.5	15.7	15.7	83.6	132.0	11.8	180.3	32.7	146.3	9.1	7.8	17.0	79.7	11.8	18.3	116.3	129.3	20.9	220.8	10.5	57
34.8	17.4	8.7	34.8	61.0	17.4	165.5	8.7	217.8	.....	.....	.....	52.3	.....	8.7	130.7	52.3	8.7	130.7	17.4	58
94.7	6.8	.....	74.4	135.3	6.8	142.1	27.1	115.0	27.1	6.8	6.8	148.8	6.8	6.8	81.2	67.7	20.3	175.9	13.5	59
53.6	6.7	6.7	40.2	60.4	20.1	100.6	13.4	140.8	.....	.....	26.8	87.2	6.7	13.4	93.9	107.3	13.4	134.1	.....	60
82.5	19.6	30.8	79.7	156.6	40.5	264.2	25.2	86.7	8.4	5.6	30.8	144.0	7.0	5.6	74.1	103.5	28.0	185.9	1.4	61
92.0	.....	.....	115.0	184.0	30.7	53.7	15.3	53.7	7.7	.....	30.7	107.4	7.7	.....	61.3	30.7	30.7	115.0	.....	62
65.5	10.1	22.8	73.8	145.8	22.4	198.9	12.7	109.6	14.8	12.7	23.1	129.8	11.6	10.1	96.2	112.8	13.0	215.2	4.3	63
90.4	30.1	20.1	70.3	95.4	35.2	175.8	15.1	35.2	.....	5.0	15.1	80.4	5.0	10.0	75.3	50.2	10.0	286.3	5.0	64
162.1	22.1	22.1	154.7	147.4	14.7	176.8	29.5	103.1	14.7	36.8	14.7	176.8	7.4	14.7	58.9	169.5	7.4	464.2	.....	65
87.4	7.9	.....	47.7	158.8	7.9	95.3	31.8	71.5	7.9	.....	7.9	143.0	15.9	.....	103.2	55.6	7.9	206.5	.....	66

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	NEW JERSEY—continued.														
1	Montclair (total)	1,375.2	13.1			4.4		30.7	4.4	21.9		105.1	8.8	8.8	8.8
2	White	1,338.0	14.9					29.7	5.0	19.8		84.2	9.9	9.9	9.9
3	Colored	1,658.5				37.7		37.7		37.7		263.9			
4	Morristown	2,326.1	31.8	7.9			23.8	39.7	55.6	39.7	7.9	166.7	39.7	39.7	15.9
5	New Brunswick	2,025.5	17.1				12.8	34.1	8.5	4.3		162.0	4.3	12.8	8.5
6	Newark	1,484.7	10.5	0.6		6.9	6.6	12.1	15.7	9.1	6.9	179.7	12.4	14.9	8.0
7	Orange	1,753.9	13.1	3.3		3.3	3.3	13.1	22.9	16.4	9.8	147.5	59.0	26.2	6.6
8	Passaic	1,407.5	6.8	1.7		20.3		6.8	23.7	6.8	1.7	105.1	18.7	17.0	13.6
9	Paterson	1,464.1	7.0	0.8		1.5	10.1	12.4	16.3	10.1	3.9	168.9	7.0	7.0	9.3
10	Perth Amboy	1,390.2	11.9	5.9		5.9	17.8	23.8	59.4	8.9	5.9	89.1	5.9	5.9	3.0
11	Phillipsburg	1,303.5		7.1		71.2		35.6	14.2	42.7		57.0	7.1	7.1	21.4
12	Plainfield	1,409.9	23.7				4.7	4.7	9.5	33.2		132.9	14.2	14.2	14.2
13	Trenton*	1,844.0	44.0			31.0	7.0	21.0	27.0	11.0	5.0	192.0	17.0	15.0	11.0
14	Union	1,058.2	4.5					18.2	50.0	9.1	9.1	136.3	9.1	4.5	4.5
15	West Hoboken	1,092.8	2.7			8.1	18.9	24.3	32.5	10.8	8.1	132.5	8.1	5.4	8.1
16	West New York	1,162.8	6.6				13.2	13.2	26.4		6.6	132.1	6.6	6.6	13.2
17	West Orange	902.2	8.5					8.5	8.5			119.2			8.5
	NEW YORK.														
18	Registration cities (total)	1,545.6	14.4	0.6	0.1	11.5	14.6	8.6	25.2	8.6	5.9	165.4	15.5	9.4	7.4
19	White	1,528.9	14.4	0.6	0.1	11.6	14.8	8.5	25.3	8.6	5.9	158.7	15.3	9.0	7.4
20	Colored	2,487.1	16.3	1.6		6.5	4.1	14.7	18.0	9.8	7.3	538.1	28.6	32.7	4.9
21	Albany	2,043.2	18.8				1.0		24.8	25.8	7.9	239.7	18.8	10.9	6.9
22	Amsterdam	1,319.6	9.1				27.2	12.1	6.0	9.1	3.0	105.7	3.0	6.0	3.0
23	Auburn	1,798.4	5.7			5.7	5.7	14.2	14.2	5.7	5.7	108.0	8.5	19.9	2.8
24	Batavia	1,714.2	33.4			8.4	8.4	58.5	83.6	41.8		100.3		16.7	8.4
25	Binghamton*	1,886.8	4.0	4.0		10.0	2.0	14.1	16.1	22.1	4.0	120.6	4.0	8.0	6.0
26	Buffalo	1,445.8	25.0	0.2		1.8	17.9	9.0	25.0	5.5	3.0	121.8	9.9	10.1	7.8
27	Cohoes	1,934.2	112.6			4.0	12.1	36.2	16.1	4.0		164.9	12.1	20.1	8.0
28	Corning	1,347.7	21.7			7.2		43.5				58.0			
29	Cortland	1,778.9	43.2			8.6	8.6	25.9	8.6	8.6		34.5	17.3	25.9	17.3
30	Dunkirk	1,512.2	16.9				62.1	33.9	22.6	22.6		101.6		16.9	5.6
31	Elmira	1,497.3	13.3			18.6	5.3	5.3	16.0	21.3		55.9	5.3	16.0	2.7
32	Fulton	1,588.6	36.7				9.2	36.7			9.2	64.3			
33	Geneva	1,286.4	32.0			8.0		8.0	8.0	39.9	8.0	95.9		16.0	8.0
34	Glens Falls	1,917.0	6.5			32.5	6.5	6.5	26.0	19.5		143.0	13.0	26.0	6.5
35	Gloversville	1,583.7	4.7					9.5		4.7	4.7	108.7	9.5	4.7	14.2
36	Hornell	1,551.0	14.6					36.4	51.0	21.8		72.8	7.3		14.6
37	Hudson	1,883.9							8.6			171.3	25.7		
38	Ithaca	1,915.7	26.9	6.7		20.2	6.7	6.7	6.7	40.3	13.4	94.1	6.7	13.4	6.7
39	Jamestown	1,269.6	39.9				3.1	15.3	6.1	6.1		76.7	6.1	3.1	3.1
40	Johnstown	1,431.9								37.7	18.8	197.8	9.4	9.4	18.8
41	Kingston	1,928.5	26.9	7.7		19.2				46.1	3.8	222.8	15.4	42.3	7.7
42	Lackawanna	2,475.7	6.5			19.5	6.5	19.5	65.2	6.5		91.2		13.0	
43	Little Falls	1,669.6	31.8			8.0	8.0		8.0	31.8	15.9	159.0	15.9	8.0	
44	Lockport	1,739.9	22.1					27.6	27.6	44.2		71.8	5.5	16.6	5.5
45	Middletown*	2,548.9	59.1			6.6	6.6		13.1	19.7	13.1	256.2	13.1	39.4	13.1
46	Mount Vernon	1,283.8	18.5			6.2	9.3	3.1	24.7	15.4	3.1	64.8	12.3	21.6	3.1
47	New Rochelle	1,088.2	6.5			6.5	9.7		22.6	16.1	6.5	87.2	6.5		6.5
48	New York (total)	1,[illegible]19.7	10.9	0.7	0.1	13.2	15.1	7.5	25.6	6.9	6.5	180.9	17.7	8.5	7.7
49	Bronx Borough	1,328.6	7.9	0.4	0.2	11.5	12.5	7.9	25.5	6.8	5.7	168.5	16.8	7.4	7.0
50	Brooklyn Borough	1,477.7	12.9	0.9	0.1	7.6	17.1	5.0	23.0	9.0	4.8	159.9	14.1	9.4	9.4
51	Manhattan Borough	1,601.0	10.3	0.5	0.1	18.3	14.8	8.5	28.2	5.3	8.4	203.5	21.5	8.3	6.8
52	Queens Borough	1,369.3	8.8	1.0	0.3	3.6	10.5	8.2	21.3	5.9	2.9	143.1	9.8	6.9	5.9
53	Richmond Borough	1,666.0	10.1			28.0	12.3	22.4	23.5	14.6	3.4	172.7	14.6	6.7	9.0
54	White	1,499.2	10.9	0.7	0.1	13.3	15.3	7.4	25.8	6.8	6.4	172.9	17.5	8.0	7.7
55	Bronx Borough	1,321.0	7.9	0.4	0.2	11.4	12.5	7.7	25.8	6.9	5.8	166.6	16.7	7.1	7.1
56	Brooklyn Borough	1,461.1	12.9	0.9	0.1	7.6	17.2	5.1	23.0	8.8	4.8	155.2	14.2	8.8	9.4
57	Manhattan Borough	1,575.9	10.4	0.5	0.1	18.6	15.2	8.4	28.4	5.2	8.3	191.7	21.2	7.8	6.9
58	Queens Borough	1,350.5	8.9	1.0	0.3	3.6	10.6	7.6	21.5	6.0	3.0	137.8	8.9	6.6	6.0
59	Richmond Borough	1,653.4	10.2			27.3	12.5	22.7	22.7	14.8	3.4	168.3	14.8	6.8	9.1
60	Colored	2,506.4	7.9	1.0		7.9	5.0	11.9	18.8	10.9	7.9	565.7	28.7	32.7	5.0
61	Bronx Borough	2,078.0				21.2	21.2	21.2				360.5	21.2	42.4	
62	Brooklyn Borough	2,598.3	12.1	4.0		4.0	8.0	4.0	20.1	20.1		478.6	12.1	52.3	12.1
63	Manhattan Borough	2,478.1	7.5			7.5	3.0	12.0	19.5	9.0	12.0	613.5	33.1	25.6	3.0
64	Queens Borough	2,943.6						55.5				583.2	83.3	27.8	
65	Richmond Borough	2,541.7				79.4			79.4			476.6			
66	Newburgh	1,948.7	42.6	3.5		10.6	17.7	10.6	31.9	14.2		152.6	7.1	7.1	3.5
67	Niagara Falls	1,876.6	194.0			22.3	9.5	35.0	25.4	6.4	12.7	89.1	6.4	19.1	12.7
68	North Tonawanda	1,257.5	96.7				8.1	24.2	16.1	8.1	8.1	96.7		16.1	8.1
69	Ogdensburg*	2,461.4	30.8						74.0	37.0		283.8	12.3	24.7	
70	Olean	1,379.1	13.2			6.6			19.8	13.2		59.4	13.2		

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
70.1	8.8	8.8	109.5	122.6	4.4	113.9	21.9	61.3	35.0	17.5	21.9	100.7	8.8	17.5	92.0	87.6	17.5	245.3	4.4	1
74.3	9.9	9.9	109.0	138.8	5.0	114.0	14.9	44.6	34.7	19.8	24.8	104.1	5.0	14.9	89.2	84.2	19.8	232.9	5.0	2
37.7	.....	.....	113.1	.....	.....	113.1	75.4	188.5	37.7	.....	.....	75.4	37.7	37.7	113.1	113.1	.....	339.2	.....	3
158.8	15.9	7.9	71.5	206.4	31.8	262.0	15.9	87.3	15.9	23.8	15.9	119.1	.....	47.6	230.2	182.6	.....	349.3	15.9	4
81.0	17.1	25.6	106.6	217.5	8.5	196.2	8.5	319.8	29.8	4.3	29.8	140.7	.....	.....	110.9	127.9	17.1	311.3	8.5	5
78.2	16.5	12.4	82.3	131.8	23.4	155.5	16.2	117.8	12.7	8.5	16.5	135.4	9.9	9.6	90.0	90.5	19.8	170.9	3.6	6
95.1	19.7	16.4	78.7	157.4	22.9	222.9	9.8	137.7	22.9	16.4	32.8	134.4	16.4	16.4	118.0	101.6	13.1	193.4	3.3	7
42.4	8.5	22.0	22.0	88.2	17.0	228.9	6.8	222.1	17.0	13.6	6.8	49.2	20.3	11.9	118.7	88.2	13.6	181.4	6.8	8
87.5	10.1	24.0	64.3	192.9	13.9	137.1	17.8	70.5	10.1	10.8	13.9	131.7	10.8	7.7	75.9	96.1	17.8	209.2	7.7	9
59.4	5.9	23.8	23.8	71.3	20.8	89.1	14.9	240.6	3.0	5.9	11.9	71.3	5.9	11.9	148.5	130.7	3.0	184.2	20.8	10
49.9	21.4	14.2	85.5	121.1	7.1	192.3	7.1	99.7	.....	7.1	7.1	78.4	7.1	.....	71.2	64.1	21.4	178.1	7.1	11
147.2	19.0	4.7	94.9	118.7	.....	94.9	.....	66.5	14.2	4.7	4.7	113.9	4.7	28.5	99.7	85.4	9.5	237.4	9.5	12
73.0	16.0	13.0	77.0	156.0	12.0	217.0	23.0	131.0	10.0	16.0	17.0	149.0	16.0	5.0	113.0	112.0	11.0	292.0	3.0	13
72.7	4.5	18.2	59.0	81.8	18.2	168.0	9.1	31.8	.....	9.1	22.7	90.8	.....	.....	27.3	40.9	18.2	136.3	4.5	14
48.7	16.2	32.5	43.3	92.0	21.6	124.4	8.1	62.2	.....	10.8	13.5	110.9	5.4	5.4	67.6	13.5	10.8	140.7	5.4	15
66.1	.....	33.0	52.9	152.0	39.6	152.0	13.2	66.1	.....	6.6	39.6	33.0	6.6	13.2	59.5	59.5	19.8	125.5	.....	16
42.6	17.0	25.5	76.6	102.1	.....	144.7	.....	76.6	.....	17.0	.....	68.1	.....	.....	51.1	34.0	25.5	68.1	.....	17
83.8	18.9	10.8	69.3	151.0	22.2	192.9	13.0	94.4	13.6	12.8	19.3	136.7	7.2	8.4	85.7	88.3	16.8	211.8	1.6	18
83.9	19.1	10.9	69.3	149.6	21.9	189.8	13.0	93.8	13.6	12.8	19.4	135.5	7.0	8.3	84.5	88.1	16.9	209.9	1.6	19
75.1	9.8	7.3	69.4	228.6	40.8	364.2	16.3	130.6	14.7	13.1	10.6	205.8	18.0	13.1	149.4	96.4	13.1	323.3	4.9	20
122.8	30.7	17.8	111.9	237.7	10.9	141.6	22.8	51.5	18.8	19.8	40.6	194.1	3.0	20.8	99.0	131.7	21.8	386.3	5.0	21
72.5	9.1	12.1	84.6	141.9	42.3	123.8	3.0	126.8	15.1	6.0	12.1	99.7	15.1	3.0	54.4	87.6	12.1	214.4	.....	22
108.0	25.6	8.5	153.4	241.5	22.7	147.7	11.4	176.1	14.2	25.6	14.2	116.5	8.5	11.4	108.0	54.0	34.1	321.0	.....	23
133.8	33.4	16.7	117.1	125.4	.....	125.4	25.1	83.6	16.7	8.4	.....	117.1	8.4	.....	50.2	192.3	8.4	292.7	.....	24
108.5	24.1	16.1	124.6	241.1	18.1	186.9	22.1	74.3	18.1	18.1	20.1	196.9	12.1	12.1	62.3	120.6	20.1	369.7	6.0	25
95.6	17.2	5.7	66.4	169.8	16.5	147.5	12.6	108.7	17.7	16.8	17.0	94.9	4.6	5.5	75.1	87.5	11.5	237.5	0.7	26
40.2	12.1	24.1	112.6	176.9	20.1	245.3	52.3	209.1	8.0	8.0	20.1	124.7	.....	4.0	108.6	76.4	20.1	281.5	.....	27
115.9	21.7	.....	79.7	123.2	.....	159.4	.....	43.5	21.7	7.2	21.7	144.9	7.2	21.7	101.4	94.2	21.7	224.6	7.2	28
129.5	8.6	.....	181.3	164.1	25.9	129.5	8.6	51.8	17.3	25.9	.....	207.3	8.6	25.9	103.6	86.4	34.5	362.7	8.6	29
45.1	11.3	16.9	45.1	129.8	16.9	118.5	5.6	39.5	11.3	22.6	5.6	124.1	5.6	16.9	152.4	124.1	.....	338.6	.....	30
106.6	8.0	2.7	82.6	213.1	8.0	122.6	8.0	42.6	24.0	10.7	13.3	223.8	10.7	5.3	48.0	98.6	40.0	269.1	.....	31
101.0	.....	36.7	101.0	220.4	36.7	101.0	9.2	119.4	9.2	18.4	9.2	64.3	.....	9.2	110.2	64.3	.....	413.2	9.2	32
103.9	16.0	39.9	111.9	111.9	24.0	183.8	8.0	24.0	16.0	16.0	8.0	103.9	.....	.....	55.9	63.9	8.0	167.8	.....	33
169.0	39.0	26.0	214.4	149.5	19.5	181.9	32.5	91.0	52.0	19.5	19.5	91.0	13.0	19.5	104.0	58.5	32.5	298.9	.....	34
94.5	37.8	23.6	108.7	222.2	18.9	156.0	14.2	52.0	14.2	23.6	18.9	85.1	4.7	9.5	52.0	104.0	23.6	359.3	.....	35
123.8	7.3	21.8	58.3	211.2	29.1	131.1	7.3	43.7	.....	21.8	.....	131.1	7.3	.....	36.4	72.8	14.6	415.1	.....	36
102.8	34.3	17.1	119.9	239.8	51.4	137.0	17.1	137.0	8.6	8.6	17.1	179.8	8.6	8.6	128.4	94.2	17.1	351.1	.....	37
154.6	13.4	20.2	255.4	208.4	13.4	127.7	47.1	20.2	40.3	6.7	26.9	235.3	6.7	13.4	53.8	107.5	26.9	282.3	6.7	38
95.1	15.3	27.6	79.7	110.4	21.5	82.8	15.3	64.4	27.6	9.2	15.3	88.9	.....	12.3	98.1	107.3	36.8	202.4	.....	39
122.5	28.3	18.8	103.6	131.9	9.4	113.0	9.4	28.3	9.4	9.4	9.4	122.5	.....	9.4	113.0	37.7	.....	263.8	.....	40
142.1	23.0	26.9	149.8	226.7	15.4	111.4	19.2	57.6	15.4	34.6	26.9	111.4	11.5	3.8	92.2	146.0	23.0	295.8	3.8	41
6.5	6.5	32.6	19.5	65.2	71.7	156.4	13.0	723.2	.....	6.5	6.5	228.0	.....	6.5	273.6	104.2	19.5	508.2	.....	42
31.8	8.0	15.9	79.5	182.9	.....	167.0	.....	127.2	23.9	39.8	39.8	87.5	15.9	15.9	159.0	198.8	23.9	167.0	.....	43
165.7	33.1	11.0	104.9	243.0	22.1	160.2	22.1	22.1	16.6	33.1	5.5	66.3	5.5	16.6	93.9	149.1	22.1	320.4	5.5	44
131.4	19.7	13.1	210.2	295.6	19.7	269.3	19.7	39.4	26.3	52.6	52.6	164.2	.....	.....	59.1	164.2	19.7	551.8	.....	45
58.6	27.8	3.1	89.5	123.4	12.3	120.4	15.4	83.3	9.3	12.3	24.7	98.8	9.3	9.3	120.4	83.3	12.3	185.2	3.1	46
51.7	9.7	3.2	58.1	93.6	9.7	87.2	12.9	84.0	9.7	12.9	9.7	96.9	3.2	.....	64.6	74.3	12.9	226.0	.....	47
79.2	18.6	9.6	56.7	140.1	23.0	209.6	12.0	92.6	12.4	11.1	19.5	142.8	7.6	8.2	86.8	84.3	16.8	186.2	1.4	48
78.4	22.7	9.6	57.6	137.9	13.0	157.9	6.0	74.8	9.6	12.1	15.7	122.2	8.5	10.0	82.7	71.0	14.2	144.7	1.7	49
75.8	16.0	7.2	61.4	161.5	34.2	205.6	12.3	98.9	12.8	9.5	19.2	137.2	7.5	8.3	65.9	71.9	14.8	184.2	0.5	50
82.1	19.4	11.1	51.3	127.6	18.0	230.0	12.7	90.7	12.3	12.0	19.3	148.4	7.4	7.4	103.3	97.1	18.5	195.9	2.0	51
71.1	19.6	8.8	68.8	128.0	20.0	154.5	13.8	97.9	14.4	11.1	25.9	139.5	5.9	10.5	86.8	71.1	20.0	172.2	1.3	52
100.9	22.4	16.8	65.0	120.0	5.6	199.6	12.3	98.7	15.7	11.2	31.4	220.9	14.6	7.8	70.6	90.8	11.2	228.7	4.5	53
79.3	18.8	9.6	56.7	138.5	22.6	206.0	11.9	91.8	12.4	11.1	19.8	141.4	7.3	8.1	85.3	84.0	16.9	183.5	1.4	54
78.4	23.0	9.7	58.0	136.5	13.1	155.4	5.8	74.3	9.7	12.2	15.9	120.7	8.6	9.9	82.9	70.6	14.4	144.3	1.7	55
75.7	16.1	7.3	60.9	160.1	33.5	203.7	12.2	97.9	12.6	9.3	19.4	136.1	7.4	8.2	64.6	71.4	15.0	181.6	0.5	56
82.4	19.7	11.2	51.4	125.7	17.7	225.2	12.7	90.2	12.4	12.1	19.6	146.7	7.0	7.4	101.5	97.2	18.5	192.7	1.8	57
70.9	19.9	8.6	68.9	126.9	19.5	152.4	13.6	94.1	14.6	10.6	26.2	137.8	6.0	10.3	84.5	71.9	20.2	170.3	1.3	58
101.2	21.6	17.1	66.0	116.0	5.7	193.3	12.5	100.1	15.9	11.4	31.8	221.7	11.4	8.0	70.5	91.0	11.4	229.7	4.5	59
74.3	8.9	6.9	57.5	217.9	41.6	384.4	15.9	132.8	11.9	11.9	7.9	213.0	18.8	11.9	159.5	95.1	13.9	314.0	5.0	60
84.8	.....	.....	21.2	275.7	.....	402.9	21.2	127.2	.....	.....	.....	275.7	.....	21.2	63.6	106.0	.....	190.8	.....	61
84.5	8.0	4.0	96.5	261.4	80.4	337.9	20.1	164.9	24.1	20.1	4.0	213.2	8.0	20.1	152.8	104.6	4.0	362.0	.....	62
69.2	9.0	7.5	46.6	194.0	30.1	398.5	13.5	108.3	9.0	7.5	10.5	206.0	21.1	7.5	163.9	96.2	19.5	306.8	7.5	63
83.3	.....	27.8	55.5	222.2	55.5	333.2	27.8	416.6	.....	55.5	.....	277.7	.....	27.8	277.7	.....	.....	333.2	.....	64
79.4	79.4	.....	.....	397.1	.....	635.4	.....	.....	.....	.....	.....	158.9	238.3	.....	79.4	79.4	.....	158.9	.....	65
131.3	3.5	42.6	142.0	255.6	24.8	213.0	24.8	60.3	17.7	10.6	24.8	156.2	7.1	7.1	92.3	127.8	17.7	287.5	.....	66
70.0	9.5	31.8	57.3	101.8	9.5	162.2	6.4	229.0	12.7	19.1	15.9	82.7	12.7	12.7	136.8	139.9	35.0	276.7	22.3	67
96.7	8.1	8.1	32.2	120.9	8.1	145.1	16.1	104.8	.....	16.1	.....	40.3	.....	16.1	56.4	64.5	.....	241.8	.....	68
154.2	12.3	37.0	166.6	172.7	6.2	314.6	30.8	74.0	30.8	6.2	18.5	141.9	12.3	6.2	111.0	98.7	.....	604.6	.....	69
46.2	13.2	26.4	112.2	158.4	6.6	191.3	19.8	79.2	26.4	19.8	13.2	72.6	6.6	13.2	85.8	118.8	13.2	230.9	.....	70

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	NEW YORK—continued.														
1	Ossining	1,575.6	8.2				8.2	16.3	24.5	16.3		98.0		16.3	24.5
2	Oswego	1,520.4	12.7			16.9			21.2	8.5		110.1	16.9	4.2	
3	Peekskill	1,644.3	19.0			6.3		31.7	6.3	12.7	25.4	190.5	19.0	19.0	12.7
4	Plattsburg	1,597.8					17.6		8.8	17.6		149.2	17.6	35.1	17.6
5	Port Chester	1,544.6	22.7			30.3	15.1		22.7	30.3		98.4	15.1	7.6	
6	Poughkeepsie	1,963.2	14.0			17.5	10.5	14.0	7.0	21.0	3.5	143.2	10.5	3.5	7.0
7	Rensselaer	1,391.1	18.7					9.3	37.3	18.7	9.3	56.0			
8	Rochester	1,440.3	10.6			5.7	22.0	8.8	41.0	5.7	5.7	111.4	9.7	10.6	4.4
9	Rome	2,316.6	4.7			61.1	9.4		75.2	18.8	4.7	319.5	9.4	9.4	4.7
10	Saratoga Springs	2,139.8	47.6							47.6		261.5	23.8	15.9	7.9
11	Schenectady	1,237.5	5.2			1.3	3.9	11.8	9.2	18.3	1.3	90.3	9.2	7.8	7.8
12	Syracuse	1,426.4	16.2			11.3	26.0	12.0	25.3	4.2	4.2	95.7	11.3	6.3	3.5
13	Troy	2,106.6	27.3			2.6	29.9	22.1	18.2	19.5	6.5	232.6	5.2	10.4	16.9
14	Utica*	1,870.6	11.7			36.3	1.3	5.2	31.1	10.4	7.8	124.5	19.5	22.1	3.9
15	Watertown	1,664.8	33.2				7.4	3.7		7.4	14.8	107.1	3.7	18.5	7.4
16	Watervliet	1,728.0	72.3				19.7	26.3	26.3	46.0		151.1	6.6	6.6	
17	White Plains	1,704.7	23.5				5.9	41.1	47.0	5.9		105.8	29.4	17.6	11.8
18	Yonkers	1,427.2	9.5			8.3	21.3	13.0	21.3	3.6	5.9	116.2	16.6	7.1	5.9
	NORTH CAROLINA.														
19	Registration cities (total)	2,083.8	64.2	20.5	1.9	12.8	1.9	62.3	11.6	32.7	2.6	278.0	10.9	19.3	9.0
20	White	1,651.0	67.7	15.6	3.1	13.5	2.1	26.0	11.5	29.2	3.1	223.9	10.4	11.5	8.3
21	Colored	2,779.1	58.6	28.4		11.7	1.7	120.5	11.7	38.5	1.7	364.7	11.7	31.8	10.0
22	Asheville (total)	1,766.3	20.9			10.5			5.2	57.5		611.4	31.4	15.7	
23	White	1,704.7	21.9			14.6				51.2		695.1	29.3	21.9	
24	Colored	1,920.3	18.3						18.3	73.2		402.3	36.6		
25	Charlotte (total)	1,488.3	46.1	11.5			2.9	25.9	8.6	63.3		135.3	8.6	17.3	14.4
26	White	1,201.0	52.8	4.4			4.4	22.0	13.2	48.4		61.6	13.2		13.2
27	Colored	2,032.5	33.3	25.0				33.3		91.6		274.9		50.0	16.7
28	Durham (total)	1,793.8	51.1	20.4	5.1		5.1	20.4	15.3	20.4		296.4	5.1	35.8	10.2
29	White	1,270.6	41.0	24.6	8.2			8.2	16.4	16.4		204.9		24.6	
30	Colored	2,660.2	67.9	13.6			13.6	40.7	13.6	27.1		447.9	13.6	54.3	27.1
31	Greensboro (total)	1,788.0	60.2	6.0		6.0				18.1	6.0	264.9	6.0	6.0	18.1
32	White	1,475.1	75.2							18.8	9.4	225.5	9.4		28.2
33	Colored	2,345.8	33.5	16.8		16.8				16.8		335.1		16.8	
34	Raleigh* (total)	3,132.1	56.9	41.3	10.3	31.0		77.5	20.7	10.3	5.2	253.3	10.3	31.0	15.5
35	White	2,750.3	67.1	41.9	16.8	25.2		25.2	25.2	16.8		192.9	8.4	25.2	16.8
36	Colored	3,745.6	40.4	40.4		40.4		161.7	13.5		13.5	350.3	13.5	40.4	13.5
37	Wilmington (total)	2,954.7	125.3	57.0		41.8	3.8	239.3	19.0	26.6	7.6	212.7	11.4	19.0	
38	White	2,195.8	143.5	43.1		57.4	7.2	78.9	21.5	14.4	14.4	136.3		7.2	
39	Colored	3,808.0	104.9	72.6		24.2		419.5	16.1	40.3		298.5	24.2	32.3	
40	Winston (total)	1,791.2	79.8					29.9	10.0	10.0		309.4	5.0	10.0	5.0
41	White	1,220.2	82.6					45.9		18.3		137.6	9.2	9.2	
42	Colored	2,472.1	76.6					10.9	21.9			514.1		10.9	10.9
	OHIO.														
43	Registration cities (total)	1,411.7	22.8	0.8	0.1	5.6	16.4	12.5	19.5	14.0	4.0	148.1	9.4	14.3	7.1
44	White	1,383.7	22.6	0.8	0.1	5.6	16.9	11.8	19.6	14.1	4.0	135.8	8.9	13.9	7.0
45	Colored	2,278.3	28.8	1.4		4.3	1.4	33.2	15.9	13.0	4.3	529.2	24.5	28.8	10.1
46	Akron	1,325.2	42.9	1.4		1.4	37.3	20.7	44.3	5.5	6.9	92.7	9.7	9.7	2.8
47	Alliance	1,027.9	37.8			12.6	6.3	6.3	12.6	12.6		75.7	6.3	12.6	6.3
48	Ashtabula	1,278.5	5.3					10.6	26.4	5.3		84.5	5.3	5.3	
49	Bellaire	1,250.7	22.7				7.6	15.2	45.5	7.6		83.4	15.2	15.2	
50	Cambridge	1,127.8	25.6	17.1				8.5		17.1		102.5	17.1	25.6	
51	Canton	1,094.3	13.5			1.9		1.9	17.3	9.6		115.4	5.8	9.6	5.8
52	Chillicothe	1,558.4	40.8			13.6	13.6		34.0	6.8	13.6	204.2	20.4	34.0	
53	Cincinnati (total)	1,646.6	11.4	0.5	0.3	3.4	20.9	5.0	12.2	14.5	4.2	237.0	11.4	16.9	5.6
54	White	1,573.5	11.5	0.6	0.3	3.4	21.8	4.5	12.3	14.8	4.2	205.8	9.8	15.9	4.8
55	Colored	2,923.9	9.8			4.9	4.9	14.7	9.8	9.8	4.9	782.3	39.1	34.2	19.6
56	Cleveland	1,381.5	14.2	0.5		6.9	33.0	14.7	22.3	10.7	4.8	129.7	7.9	9.8	9.8
57	Columbus (total)	1,426.4	13.9	1.1		11.2	4.3	11.7	12.8	14.4	2.1	159.1	10.1	20.8	4.8
58	White	1,387.5	14.4	1.1		12.1	4.6	9.2	12.1	14.9	2.3	143.6	10.3	19.5	4.6
59	Colored	1,938.7	7.6					45.4	22.7	7.6		363.5	7.6	37.9	7.6
60	Dayton	1,372.8	18.6			0.8	0.8	9.3	9.3	14.4	3.4	143.7	10.1	16.9	10.1
61	East Liverpool	1,485.4	96.1	4.8	4.8	14.4	4.8	14.4	28.8	4.8	14.4	153.8	14.4	28.8	9.6
62	Elyria	1,047.4	19.3								12.9	57.8	6.4	6.4	12.9
63	Findlay	1,577.0	55.1	6.9		13.8	6.9	13.8	6.9	27.5		151.5		20.7	13.8
64	Hamilton	1,276.3	19.1				5.5	35.5	10.9	13.6	8.2	139.1	24.5	10.9	10.9
65	Ironton	1,729.1	97.7			7.5	7.5	30.1	22.6	22.6		195.5	7.5	7.5	
66	Lakewood	1,142.7				18.0	24.1	36.1	6.0	12.0		96.2	12.0	6.0	12.0
67	Lancaster	1,096.1				7.4			7.4	14.7		139.8	7.4	7.4	
68	Lima	1,239.3	25.6				3.2	19.2	6.4	16.0	3.2	150.1	9.6	25.6	3.2
69	Lorain	1,106.6	36.1			6.6	19.7	13.1	23.0	13.1		55.8	6.6	19.7	6.6
70	Mansfield	1,219.9	33.1	4.7			4.7	9.5	4.7	14.2	4.7	94.6	4.7	14.2	9.5

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
49.0	16.3	16.3	65.3	114.3	.....	195.9	.....	57.1	8.2	24.5	8.2	204.1	8.2	24.5	73.5	204.1	16.3	277.6	.....	1
97.4	42.4	12.7	160.9	190.6	12.7	80.5	25.4	29.6	4.2	4.2	21.2	114.3	8.5	12.7	114.3	114.3	12.7	271.0	.....	2
76.2	6.3	19.0	120.6	120.6	44.4	146.0	12.7	76.2	19.0	19.0	25.4	101.6	6.3	19.0	95.2	127.0	6.3	260.3	.....	3
70.2	52.7	26.3	131.7	166.8	35.1	105.3	8.8	43.9	35.1	26.3	8.8	79.0	8.8	8.8	131.7	105.3	17.6	254.6	17.6	4
68.1	15.1	15.1	75.7	106.0	68.1	159.0	7.6	181.7	.....	7.6	7.6	98.4	7.6	7.6	113.6	128.7	22.7	196.9	15.1	5
108.3	41.9	7.0	178.2	213.1	38.4	241.0	21.0	101.3	31.4	7.0	21.0	143.2	17.5	10.5	118.8	83.8	10.5	317.9	.....	6
84.0	28.0	9.3	121.4	158.7	9.3	140.0	46.7	56.0	.....	28.0	18.7	74.7	.....	18.7	74.7	56.0	9.3	308.1	.....	7
92.5	21.1	5.7	108.8	170.0	23.8	116.2	15.0	92.9	14.1	14.5	19.4	117.6	8.8	7.5	22.5	87.2	23.8	243.5	.....	8
98.7	28.2	23.5	108.1	272.5	42.3	155.1	9.4	94.0	14.1	14.1	23.5	225.6	.....	9.4	70.5	159.8	18.8	418.2	14.1	9
118.9	39.6	7.9	158.5	134.7	23.8	285.3	15.9	31.7	63.4	23.8	31.7	309.1	7.9	.....	55.5	95.1	15.9	317.0	.....	10
56.2	13.1	9.2	92.9	124.3	17.0	162.2	14.4	90.3	6.5	10.5	13.1	86.3	5.2	5.2	81.1	66.7	14.4	201.4	1.3	11
82.3	18.3	13.4	95.7	167.5	27.4	119.6	10.6	79.5	14.1	15.5	12.0	97.1	2.1	4.9	97.1	89.4	20.4	242.1	1.4	12
143.0	28.6	32.5	122.2	243.0	20.8	236.5	20.8	81.9	15.6	24.7	41.6	174.1	7.8	15.6	97.5	105.3	11.7	288.5	3.9	13
80.4	20.8	24.7	120.6	189.4	23.3	206.2	24.6	97.3	22.1	25.9	19.5	132.3	3.9	11.7	144.0	88.2	9.1	348.9	3.9	14
121.8	11.1	18.5	107.1	239.9	18.5	107.1	7.4	77.5	25.8	33.2	14.8	70.1	3.7	7.4	73.8	110.7	18.5	395.0	.....	15
78.8	32.9	26.3	144.5	157.7	46.0	295.7	32.9	92.0	6.6	.....	13.1	98.6	.....	6.6	72.3	65.7	.....	197.1	6.6	16
82.3	5.9	11.8	70.5	152.8	17.6	164.6	23.5	141.1	29.4	17.6	.....	99.9	11.8	17.6	111.7	188.1	17.6	252.8	.....	17
73.5	10.7	11.9	71.1	145.8	14.2	164.8	9.5	179.0	8.3	15.4	15.4	128.0	7.1	8.3	73.5	87.7	7.1	166.0	1.2	18
55.9	5.1	18.0	73.8	168.2	25.7	180.4	16.7	149.6	21.2	13.5	6.4	113.0	9.6	13.5	96.9	113.6	7.1	408.9	59.1	19
64.6	4.2	15.6	66.7	111.5	13.5	96.9	15.6	118.7	25.0	14.6	7.3	86.5	3.1	9.4	82.3	90.6	11.5	366.7	20.8	20
41.8	6.7	21.8	85.3	259.3	45.2	314.5	18.4	199.1	15.1	11.7	5.0	155.6	20.1	20.1	120.5	150.6	.....	476.8	120.5	21
67.9	.....	10.5	52.3	88.8	36.6	146.3	15.7	78.4	26.1	5.2	.....	83.6	5.2	5.2	31.4	67.9	5.2	245.6	41.8	22
73.2	.....	14.6	65.8	80.5	21.9	65.8	7.3	51.2	29.3	7.3	.....	65.8	.....	.....	43.9	73.2	7.3	248.8	14.6	23
54.9	.....	.....	18.3	109.7	73.2	347.5	36.6	146.3	18.3	.....	.....	128.0	18.3	18.3	.....	54.9	.....	237.7	109.7	24
37.4	2.9	8.6	31.7	120.9	28.8	132.4	11.5	86.4	14.4	2.9	2.9	72.0	.....	5.8	72.0	86.4	8.6	368.5	60.5	25
57.2	4.4	4.4	39.6	74.8	4.4	70.4	13.2	105.6	17.6	4.4	4.4	52.8	.....	.....	101.2	61.6	13.2	325.5	13.2	26
.....	.....	16.7	16.7	208.2	75.0	249.9	8.3	50.0	8.3	.....	.....	108.3	.....	16.7	16.7	133.3	.....	449.8	149.9	27
56.2	5.1	15.3	46.0	127.8	10.2	173.8	10.2	102.2	5.1	.....	.....	81.8	25.6	15.3	66.4	51.1	10.2	419.1	86.9	28
65.6	8.2	24.6	65.6	90.2	.....	73.8	8.2	106.6	.....	.....	.....	65.6	.....	8.2	49.2	32.8	16.4	295.1	16.4	29
40.7	.....	.....	13.6	190.0	27.1	339.3	13.6	95.0	13.6	.....	.....	108.6	67.9	27.1	95.0	81.4	.....	624.3	203.6	30
108.4	6.0	30.1	48.2	138.5	6.0	114.4	6.0	96.3	24.1	42.1	18.1	138.5	6.0	6.0	108.4	72.2	6.0	349.2	72.2	31
112.8	9.4	28.2	37.6	65.8	9.4	75.2	9.4	56.4	28.2	47.0	28.2	112.8	9.4	9.4	75.2	65.8	9.4	291.3	28.2	32
100.5	.....	33.5	67.0	268.1	.....	184.3	.....	167.6	16.8	33.5	.....	184.3	.....	.....	167.6	83.8	.....	452.4	150.8	33
46.5	15.5	20.7	144.7	289.4	56.9	180.9	31.0	227.4	41.3	31.0	15.5	186.1	25.8	31.0	139.5	237.8	10.3	790.8	46.5	34
50.3	.....	25.2	176.1	234.8	41.9	142.5	33.5	134.2	41.9	25.2	16.8	201.2	8.4	33.5	117.4	192.9	16.8	788.2	8.4	35
40.4	40.4	13.5	94.3	377.3	80.8	242.5	26.9	377.3	40.4	40.4	13.5	161.7	53.9	26.9	175.2	309.9	.....	794.9	107.8	36
60.8	.....	19.0	163.3	254.5	22.8	269.6	22.8	292.4	26.6	22.8	11.4	170.9	11.4	19.0	155.7	186.1	3.8	455.7	22.8	37
64.6	.....	7.2	78.9	165.0	21.5	157.9	35.9	229.6	43.1	28.7	7.2	100.5	7.2	21.5	100.5	129.2	7.2	452.1	14.4	38
56.5	.....	32.3	258.2	355.0	24.2	395.3	8.1	363.0	8.1	16.1	16.1	250.1	16.1	16.1	217.8	250.1	.....	459.9	32.3	39
34.9	10.0	29.9	29.9	159.7	15.0	239.5	20.0	154.7	15.0	.....	.....	74.8	.....	15.0	104.8	84.8	5.0	244.5	94.8	40
36.7	9.2	18.3	18.3	91.7	.....	110.1	.....	146.8	18.3	.....	.....	36.7	.....	.....	73.4	100.9	9.2	183.5	64.2	41
32.8	10.9	43.8	43.8	240.6	32.8	393.8	43.8	164.1	10.9	.....	.....	120.3	.....	32.8	142.2	65.6	.....	317.2	131.3	42
79.7	14.3	11.4	78.4	138.3	24.7	112.1	9.7	81.2	14.2	12.0	16.8	90.2	9.0	7.8	72.6	103.4	20.3	238.1	2.8	43
80.1	14.3	11.2	77.8	133.6	24.1	108.5	9.7	81.6	14.3	12.1	16.9	89.5	9.0	7.7	72.6	101.4	20.1	235.7	2.6	44
69.2	14.4	17.3	98.1	284.1	44.7	220.6	8.7	70.7	11.5	10.1	15.9	112.5	8.7	10.1	73.5	165.8	24.5	312.9	10.1	45
62.2	13.8	9.7	58.1	116.2	13.8	123.1	8.3	81.6	18.0	5.5	2.8	71.9	26.3	9.7	88.5	107.9	15.2	215.8	1.4	46
56.8	12.6	6.3	82.0	82.0	.....	88.3	.....	12.6	6.3	12.6	12.6	56.8	.....	.....	69.4	107.2	18.9	201.8	12.6	47
84.5	15.8	31.7	58.1	137.4	5.3	116.2	5.3	68.7	15.8	21.1	15.8	31.7	21.1	5.3	68.7	190.2	5.3	237.7	.....	48
75.8	7.6	22.7	83.4	197.1	7.6	151.6	.....	68.2	7.6	.....	.....	15.2	.....	.....	83.4	121.3	22.7	174.3	.....	49
51.3	25.6	.....	68.4	59.8	.....	59.8	17.1	59.8	34.2	25.6	17.1	94.0	8.5	17.1	76.9	59.8	25.6	213.6	.....	50
61.5	13.5	9.6	94.2	117.3	3.8	96.2	13.5	67.3	7.7	13.5	3.8	40.4	7.7	7.7	53.9	94.2	19.2	188.5	.....	51
88.5	13.6	6.8	95.3	204.2	20.4	74.9	13.6	34.0	27.2	6.8	.....	163.3	13.6	13.6	68.1	95.3	13.6	224.6	.....	52
97.9	14.8	10.6	84.9	185.7	37.3	125.9	10.3	64.3	13.0	14.3	26.7	144.9	8.5	6.6	60.8	112.9	20.4	260.8	2.6	53
97.9	14.8	10.6	84.4	173.9	34.1	117.7	10.3	62.1	13.1	14.8	27.7	142.9	8.9	6.4	59.3	106.0	20.7	255.6	2.5	54
97.8	14.7	9.8	92.9	391.2	92.9	268.9	9.8	102.7	9.8	4.9	9.8	180.9	.....	9.8	88.0	234.7	14.7	352.0	4.9	55
73.4	14.2	8.8	64.4	118.3	38.2	96.0	9.7	133.3	13.1	10.5	16.1	93.6	7.9	4.8	72.0	91.7	20.4	228.7	1.9	56
87.0	15.5	18.7	93.5	146.3	11.7	121.2	8.5	37.4	16.6	12.3	16.0	78.0	13.9	9.1	73.7	99.9	24.0	271.3	5.3	57
90.8	16.1	16.7	92.5	134.4	12.1	117.8	9.2	35.6	17.2	12.1	14.9	79.9	13.8	8.6	73.0	94.8	22.4	272.3	4.6	58
37.9	7.6	45.4	106.0	302.9	7.6	166.6	.....	60.6	7.6	15.1	30.3	53.0	15.1	15.1	83.3	166.6	45.4	257.5	15.1	59
93.8	13.5	12.7	84.5	168.2	12.7	121.7	5.9	55.8	16.1	13.5	22.8	71.0	7.6	13.5	82.0	83.7	27.9	228.2	.....	60
67.3	14.4	33.7	14.4	129.8	9.6	134.6	19.2	81.7	9.6	9.6	19.2	52.9	9.6	14.4	76.9	120.2	9.6	254.8	9.6	61
57.8	12.9	12.9	51.4	218.5	12.9	83.5	6.4	38.6	25.7	.....	12.9	32.1	6.4	12.9	57.8	115.7	19.3	147.8	6.4	62
172.2	27.5	27.5	130.8	137.7	6.9	96.4	41.3	27.5	6.9	27.5	20.7	48.2	.....	.....	75.8	103.3	13.8	296.1	.....	63
79.1	8.2	27.3	65.5	100.9	5.5	79.1	5.5	46.4	5.5	10.9	19.1	111.8	8.2	13.6	84.5	109.1	13.6	201.8	2.7	64
82.7	15.0	15.0	90.2	165.4	7.5	255.6	7.5	67.7	30.1	7.5	15.0	60.1	7.5	7.5	97.7	105.2	15.0	270.6	7.5	65
66.2	12.0	6.0	72.2	120.3	12.0	78.2	18.0	78.2	.....	6.0	.....	66.2	6.0	6.0	90.2	102.2	12.0	168.4	.....	66
88.3	36.8	.....	110.3	110.3	14.7	73.6	14.7	36.8	7.4	7.4	29.4	51.5	.....	.....	73.6	44.1	22.1	176.5	14.7	67
76.7	12.8	16.0	60.7	102.2	12.8	67.1	12.8	47.9	22.4	19.2	12.8	67.1	16.0	12.8	70.3	111.8	16.0	217.2	3.2	68
52.5	6.6	6.6	36.1	55.8	3.3	98.5	3.3	141.2	19.7	3.3	3.3	52.5	6.6	6.6	88.7	124.8	16.4	180.6	.....	69
85.1	9.5	4.7	132.4	141.8	18.9	99.3	9.5	37.8	4.7	23.6	14.2	89.8	.....	.....	61.5	99.3	18.9	170.2	.....	70

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	OHIO—continued.														
1	Marietta	1,452.9	46.6				46.6	31.1	15.5	77.7		93.2	7.8	7.8	7.8
2	Marion	1,209.8	15.8	5.3			5.3	5.3	10.5	36.8	5.3	94.7	5.3	26.3	5.3
3	Massillon	970.7	7.1			7.1	7.1	7.1	14.2	21.3		42.5		14.2	
4	Middletown	1,283.6	22.0			14.7	7.3	44.0	7.3	29.3	14.7	73.4	22.0	36.7	7.3
5	Newark	1,187.4	26.7	3.8		15.3		7.6	30.5	45.8	3.8	68.7	3.8	15.3	7.6
6	Norwood	903.8	5.8				11.5	11.5	5.8			109.4		5.8	11.5
7	Piqua	1,219.0	14.8			22.2		14.8		14.8		147.8		14.8	7.4
8	Portsmouth	1,574.0	74.0			31.2		39.0	42.9	23.4		175.3	35.1	27.3	3.9
9	Sandusky	1,443.1	69.9					20.0	5.0	5.0		114.8	10.0	10.0	20.0
10	Springfield (total)	1,297.5	18.8		2.1		14.6	4.2	23.0	23.0	2.1	131.8	8.4	10.5	
11	White	1,265.6	18.7		2.3		16.4	4.7	25.7	25.7	2.3	107.6	7.0	7.0	
12	Colored	1,568.7	19.9									337.6	19.9	39.7	
13	Steubenville	1,390.4	38.5				12.8		29.9	8.6	4.3	107.0	8.6	4.3	
14	Tiffin	1,307.9		8.3		8.3	8.3			66.6		141.6			25.0
15	Toledo	1,490.3	23.1	0.6			5.2	15.0	24.9	14.5	4.6	165.3	7.5	13.9	5.8
16	Warren	1,320.9	26.4	8.8			17.6	17.6				105.7	17.6		
17	Youngstown	1,453.7	44.6			7.2	4.8	19.3	48.2	9.6	6.0	102.5	9.6	14.5	7.2
18	Zanesville	1,763.6	157.5			21.0			28.0	21.0		147.0	3.5	28.0	10.5
	OREGON.[2]														
19	Portland (total)	1,086.8	19.1			8.6	5.9	2.7	12.3	8.6	3.2	85.0	8.6	13.2	3.2
20	White	1,089.3	18.5			9.0	6.2	2.8	12.8	9.0	3.3	76.7	8.1	12.8	2.8
21	Colored [3]	1,026.6	34.2									285.2	22.8	22.8	11.4
	PENNSYLVANIA.														
22	Registration cities (total)	1,548.5	23.8	0.4	0.1	12.6	11.3	10.2	30.1	11.2	3.7	140.7	10.5	12.0	7.6
23	White	1,525.3	23.9	0.4	0.1	12.6	11.7	9.6	31.0	11.2	3.8	130.8	9.9	11.2	7.7
24	Colored	2,106.5	21.5	0.7		14.1	2.0	24.2	10.1	10.1	2.7	378.4	24.2	30.2	6.7
25	Allentown	1,535.8	46.6				5.6	5.6	46.6	5.6	1.9	117.4	11.2	16.8	18.6
26	Altoona	1,165.4	28.2			5.6		7.5	7.5	13.1	3.8	82.6	5.6	9.4	5.6
27	Beaver Falls	1,333.1	72.3			48.2		24.1	40.2			80.3	16.1	8.0	8.0
28	Bethlehem	1,382.7	84.0					7.6		7.6		91.7	7.6		
29	Braddock	1,776.9	10.1			75.7	5.0	5.0	45.4	15.1		106.0	5.0	5.0	5.0
30	Bradford	1,463.6	20.7									96.7		13.8	6.9
31	Butler	1,092.7	36.3					13.6	27.2	4.5		90.7	9.1	18.1	
32	Carbondale	1,683.2	22.9				22.9		5.7	40.1	5.7	68.7	5.7	5.7	11.5
33	Carlisle (total)	1,646.6	9.6							28.9		154.1	9.6	19.3	9.6
34	White	1,545.3	10.8							32.4		129.7	10.8	21.6	10.8
35	Colored	2,475.7										353.7			
36	Carnegie	890.1					19.3	9.7	9.7	9.7		58.0	9.7	9.7	9.7
37	Chambersburg	1,640.0	25.2					8.4	8.4	33.6	8.4	168.2	8.4	16.8	
38	Chester (total)	1,542.5	17.9			2.6		2.6	15.3	15.3	5.1	212.3	5.1	12.8	
39	White	1,493.7	11.7			2.9		2.9	14.6	11.7	2.9	225.1	2.9	14.6	
40	Colored	1,884.9	61.5						20.5	41.0	20.5	122.9	20.5		
41	Coatesville (total)	1,081.8							25.6	8.5		153.3		25.6	
42	White	1,026.7							29.6	9.9		138.2		29.6	
43	Colored	1,428.6										248.4			
44	Columbia	1,269.7	17.6						35.3		8.8	88.2	26.5	35.3	
45	Connellsville	1,415.5	52.4					7.5	22.5	15.0	7.5	59.9	37.4	7.5	
46	Dubois	1,021.6	46.1			7.7			15.4			69.1		7.7	
47	Dunmore	1,749.9				32.9	11.0		43.9	11.0	11.0	82.3	5.5	5.5	
48	Duquesne	1,094.0	6.0			6.0		36.3	24.2		6.0	108.8			
49	Easton	1,681.0	34.6			34.6	3.5	6.9	20.8	6.9	6.9	100.3	6.9	24.2	17.3
50	Erie	1,615.6	190.6				2.9	7.3	16.1	11.7	5.9	118.7	11.7	5.9	2.9
51	Greensburg	1,571.9	90.7					7.6		7.6	7.6	68.0	37.8	7.6	
52	Harrisburg	1,508.0	16.8			1.5	4.6	6.1	27.4	16.8	1.5	131.0	7.6	10.7	9.1
53	Hazleton	1,304.6	3.9			3.9		7.7	27.1			61.9	3.9	7.7	11.6
54	Homestead	1,184.2				46.3		30.9	97.8	10.3		97.8	10.3	10.3	
55	Johnstown	1,437.0	24.2	1.7		10.4	22.5	29.4	22.5	1.7	3.5	112.5	15.6	17.3	3.5
56	Lancaster	1,447.9	18.8			2.1	6.3	4.2	54.2	14.6	4.2	118.9	12.5	16.7	6.3
57	Lebanon	1,579.5	25.7			20.6			87.5	15.4		92.6	5.1	10.3	
58	McKees Rocks	1,049.4	6.4					12.7	12.7	12.7	6.4	50.9	6.4	6.4	
59	McKeesport	1,453.9	32.1			6.9		9.2	11.5	4.6		91.7	6.9	11.5	9.2
60	Mahanoy City	1,712.6	6.2			49.3	49.3	49.3	73.9	12.3	18.5	49.3			18.5
61	Meadville	1,342.5	54.0					23.1		15.4	7.7	84.9	15.4	7.7	
62	Monessen	1,073.6	7.7			46.3		15.4	54.1			54.1			
63	Mount Carmel	1,057.4	5.5		5.5		22.1	27.7	16.6			22.1		5.5	11.1
64	Nanticoke	1,451.6	5.1			5.1	5.1	5.1	40.6		5.1	76.1	5.1	5.1	5.1
65	New Castle	1,435.9	48.4			2.7	13.4	40.3	64.5	10.8		80.7		16.1	13.4
66	Norristown*	2,184.8	38.5			7.0	14.0	14.0	31.5	42.0	7.0	206.6	3.5	10.5	14.0
67	North Braddock	1,138.7	24.1			32.1	16.0	8.0	40.1			128.3	16.0	8.0	8.0
68	Oil City	1,205.7	17.0					34.0	5.7			50.9		11.3	

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
116.5	.....	31.1	132.1	147.6	15.5	62.1	.....	54.4	15.5	15.5	.....	85.5	15.5	7.8	85.5	93.2	15.5	225.3	.....	1
42.1	21.0	10.5	73.6	136.8	10.5	73.6	10.5	42.1	15.8	21.0	.....	78.9	5.3	10.5	78.9	105.2	10.5	242.0	5.3	2
85.0	21.3	.....	56.7	127.5	28.3	63.8	.....	7.1	7.1	7.1	14.2	85.0	.....	7.1	85.0	70.9	14.2	163.0	7.1	3
44.0	7.3	22.0	51.3	66.0	7.3	132.0	7.3	124.7	.....	.....	7.3	102.7	7.3	.....	124.7	117.4	14.7	168.7	.....	4
53.5	3.8	11.5	118.4	106.9	38.2	34.4	15.3	38.2	11.5	15.3	7.6	72.5	7.6	19.1	72.5	72.5	30.5	213.8	15.3	5
86.4	23.0	.....	80.6	109.4	5.8	51.8	5.8	51.8	5.8	.....	11.5	86.4	.....	.....	74.8	28.8	17.3	103.6	.....	6
125.6	7.4	7.4	125.6	140.4	7.4	66.5	14.8	51.7	7.4	7.4	.....	88.7	.....	7.4	81.3	59.1	14.8	169.9	.....	7
66.2	7.8	19.5	70.1	179.2	27.3	109.1	7.8	89.6	7.8	7.8	7.8	50.6	3.9	11.7	93.5	113.0	15.6	233.8	.....	8
99.9	10.0	5.0	109.9	249.7	20.0	69.9	15.0	15.0	5.0	15.0	25.0	74.9	5.0	5.0	69.9	154.8	10.0	224.7	5.0	9
46.0	16.7	14.6	121.4	159.0	14.6	102.5	8.4	60.7	12.6	12.6	10.5	83.7	10.5	6.3	73.2	67.0	16.7	215.6	6.3	10
51.5	16.4	16.4	126.3	156.7	14.0	93.6	9.4	53.5	14.0	14.0	7.0	84.2	7.0	7.0	79.5	65.5	14.0	208.2	4.7	11
.....	19.9	.....	79.4	178.7	19.9	178.7	.....	79.4	.....	.....	39.7	79.4	39.7	.....	19.9	79.4	39.7	278.0	19.9	12
64.2	12.8	12.8	47.1	64.2	12.8	188.2	8.6	98.4	8.6	17.1	12.8	64.2	12.8	8.6	119.8	162.6	38.5	218.2	4.3	13
91.6	25.0	.....	108.3	233.3	33.3	125.0	.....	41.7	25.0	8.3	16.7	33.3	.....	.....	50.0	41.7	.....	216.6	.....	14
88.4	19.1	6.4	87.3	125.4	23.7	113.9	13.3	68.2	17.3	15.0	17.3	89.0	8.1	6.9	67.1	102.9	24.9	315.6	.....	15
88.1	.....	8.8	61.6	132.1	17.6	158.5	17.6	35.2	52.8	8.8	8.8	88.1	17.6	26.4	61.6	61.6	8.8	264.2	8.8	16
44.6	10.8	13.3	63.9	89.2	22.9	229.0	2.4	121.7	12.1	8.4	27.7	38.6	8.4	14.5	74.7	179.6	20.5	192.9	4.8	17
91.0	10.5	7.0	105.0	157.5	10.5	84.0	17.5	63.0	38.5	14.0	10.5	94.5	7.0	21.0	84.0	154.0	17.5	346.4	14.0	18
75.9	15.5	8.2	60.0	118.2	9.5	76.8	15.0	28.2	15.5	14.6	9.1	60.0	5.0	10 0	72.3	82.8	34.6	203.3	1.8	19
78.1	15.2	8.5	62.5	117.9	9.5	77.7	15.6	29.4	15.2	15.2	9.0	58.7	5.2	10.4	73.4	85.2	34.6	204.1	1.9	20
22.8	22.8	.....	.....	125.5	11.4	57.0	.....	.....	22.8	.....	11.4	91.3	.....	.....	45.6	22.8	34.2	182.5	.....	21
76.1	16.1	9.0	75.4	142.9	25.2	160.6	20.7	118.4	13.2	13.5	16.6	118.0	9.0	9.7	91.0	105.8	15.6	229.5	8.0	22
76.7	16.5	9.1	76.4	140.3	24.5	156.4	20.1	117.4	13.2	13.3	16.8	116.1	9.0	9.6	89.7	105.2	16.0	227.4	8.0	23
61.7	6.0	7.4	51.0	206.6	43.6	262.3	34.9	143.6	11.4	17.4	12.1	164.4	10.7	11.4	124.1	118.7	4.7	280.4	9.4	24
70.8	24.2	16.8	152.8	104.4	11.2	115.5	7.5	111.8	16.8	11.2	13.0	113.7	5.6	1.9	145.4	83.9	5.6	214.3	33.5	25
54.4	22.5	3.8	65.7	112.6	1.9	129.5	22.5	37.5	11.3	7.5	15.0	95.7	11.3	9.4	93.8	88.7	5.6	213.9	1.9	26
32.1	.....	.....	40.2	80.3	8.0	104.4	.....	88.3	.....	.....	48.2	72.3	16.1	24.1	128.5	160.6	.....	208.8	24.1	27
45.8	15.3	7.6	160.4	122.2	38.2	76.4	15.3	91.7	7.6	.....	22.9	122.2	7.6	.....	84.0	38.2	38.2	290.3	.....	28
35.3	10.1	10.1	30.3	65.6	20.2	383.6	15.1	307.9	.....	15.1	10.1	70.7	35.3	20.2	141.3	136.3	10.1	181.7	.....	29
110.5	41.4	13.8	117.4	186.4	.....	145.0	13.8	34.5	6.9	6.9	27.6	103.6	6.9	.....	55.2	131.2	34.5	290.0	.....	30
40.8	9.1	9.1	31.7	81.6	9.1	99.7	18.1	90.7	13.6	18.1	4.5	95.2	13.6	9.1	81.6	86.1	4.5	154.2	22.7	31
51.5	17.2	5.7	131.7	97.3	34.4	280.5	51.5	103.1	11.5	22.9	40.1	91.6	11.5	34.4	91.6	206.1	11.5	194.7	5.7	32
134.8	9.6	38.5	134.8	154.1	19.3	154.1	38.5	77.0	.....	19.3	9.6	154.1	9.6	.....	48.1	67.4	9.6	327.4	9.6	33
129.7	10.8	43.2	140.5	118.9	21.6	140.5	43.2	64.8	.....	10.8	10.8	140.5	10.8	.....	54.0	54.0	10.8	313.4	10.8	34
176.8	.....	.....	88.4	442.1	.....	265.3	.....	176.8	.....	88.4	.....	265.3	.....	.....	.....	176.8	.....	442.1	.....	35
.....	38.7	9.7	29.0	58.0	.....	96.7	.....	174.1	.....	.....	19.3	48.4	.....	.....	135.4	48.4	.....	96.7	.....	36
134.6	8.4	.....	100.9	168.2	.....	168.2	33.6	33.6	8.4	8.4	.....	168.2	.....	8.4	84.1	50.5	16.8	353.2	16.8	37
71.6	15.3	7.7	61.4	163.7	23.0	184.2	15.3	120.2	10.2	7.7	10.2	84.4	2.6	12.8	117.7	92.1	12.8	227.7	12.8	38
73.1	17.5	8.8	64.3	140.3	20.5	166.6	14.6	122.8	11.7	8.8	11.7	84.8	2.9	11.7	114.0	93.5	14.6	207.5	14.6	39
61.5	.....	.....	41.0	327.8	41.0	307.3	20.5	102.4	.....	.....	.....	82.0	.....	20.5	143.4	82.0	.....	368.8	.....	40
42.6	17.0	.....	25.6	170.4	8.5	51.1	17.0	93.7	.....	.....	.....	102.2	.....	8.5	119.3	68.1	.....	144.8	.....	41
39.5	19.7	.....	29.6	118.5	9.9	59.2	19.7	98.7	.....	.....	.....	108.6	.....	9.9	108.6	69.1	.....	128.3	.....	42
62.1	.....	.....	.....	496.9	.....	.....	.....	62.1	.....	.....	.....	62.1	.....	.....	186.3	62.1	.....	248.4	.....	43
79.4	8.8	8.8	44.1	176.4	17.6	114.6	8.8	8.8	8.8	17.6	17.6	79.4	17.6	.....	149.9	88.2	.....	194.0	17.6	44
82.4	7.5	7.5	44.9	52.4	15.0	89.9	7.5	22.5	30.0	7.5	22.5	67.4	15.0	7.5	142.3	314.6	30.0	209.7	30.0	45
38.4	7.7	7.7	38.4	69.1	7.7	84.5	15.4	61.4	7.7	15.4	7.7	38.4	15.4	7.7	107.5	107.5	7.7	230.4	.....	46
71.3	11.0	5.5	76.8	98.7	76.8	257.8	16.5	246.8	5.5	5.5	5.5	76.8	.....	5.5	137.1	87.8	16.5	340.1	5.5	47
42.3	6.0	6.0	18.1	42.3	12.1	181.3	18.1	175.3	.....	6.0	12.1	30.2	.....	6.0	139.0	66.5	.....	133.0	12.1	48
100.3	20.8	10.4	159.1	169.5	20.8	152.2	17.3	62.3	31.1	10.4	6.9	117.6	17.3	10.4	93.4	169.5	41.5	200.6	6.9	49
93.8	20.5	11.7	82.1	164.2	16.1	133.4	10.3	126.1	19.1	17.6	27.9	92.4	5.9	8.8	89.4	86.5	11.7	222.8	1.5	50
68.0	7.6	15.1	83.1	60.5	15.1	151.1	7.6	15.1	52.9	30.2	7.6	52.9	7.6	22.7	75.6	347.6	22.7	219.2	83.1	51
83.8	16.8	9.1	94.4	161.5	15.2	115.8	25.9	62.5	12.2	15.2	16.8	121.9	6.1	7.6	106.6	117.3	18.3	257.4	10.7	52
77.4	11.6	3.9	65.8	96.8	46.5	112.3	23.2	92.9	27.1	19.4	7.7	100.7	7.7	15.5	96.8	131.6	7.7	232.3	.....	53
10.3	.....	10.3	5.1	56.6	20.6	133.9	20.6	226.5	5.1	.....	15.4	51.5	10.3	5.1	82.4	30.9	10.3	164.8	20.6	54
58.9	10.4	3.5	45.0	72.7	6.9	187.0	17.3	135.0	12.1	10.4	15.6	62.3	5.2	5.2	121.2	126.4	6.9	252.8	17.3	55
91.8	18.8	16.7	118.9	189.9	16.7	83.4	8.3	50.1	6.3	12.5	6.3	137.7	10.4	6.3	75.1	77.2	12.5	248.3	2.1	56
87.5	10.3	5.1	164.6	102.9	15.4	92.6	36.0	61.7	10.3	20.6	5.1	102.9	.....	5.1	97.8	113.2	15.4	324.1	51.4	57
25.4	6.4	19.1	19.1	44.5	12.7	171.7	.....	203.5	.....	6.4	19.1	6.4	6.4	6.4	133.6	82.7	.....	159.0	12.7	58
61.9	11.5	4.6	50.5	80.3	32.1	194.9	11.5	133.0	13.8	34.4	16.1	73.4	11.5	6.9	112.4	158.2	22.9	233.9	6.9	59
49.3	.....	6.2	30.8	67.8	37.0	221.8	110.9	197.1	6.2	6.2	6.2	37.0	12.3	12.3	110.9	92.4	.....	351.1	30.8	60
61.7	15.4	.....	108.0	185.2	.....	115.7	15.4	38.6	23.1	15.4	7.7	61.7	.....	7.7	77.2	92.6	30.9	277.8	.....	61
.....	.....	7.7	23.2	69.5	30.9	108.1	15.4	254.9	.....	.....	.....	23.2	.....	.....	100.4	85.0	.....	108.1	69.5	62
33.2	.....	5.5	38.8	66.4	.....	110.7	27.7	149.5	5.5	22.1	5.5	55.4	11.1	22.1	72.0	121.8	16.6	160.5	16.6	63
60.9	10.2	5.1	45.7	40.6	50.8	233.5	20.3	197.9	15.2	20.3	10.2	101.5	.....	10.2	106.6	187.8	.....	167.5	10.2	64
75.3	10.8	16.1	67.2	83.4	16.1	145.2	13.4	48.4	24.2	21.5	5.4	48.4	16.1	13.4	107.6	91.4	13.4	266.2	61.8	65
87.5	14.0	24.5	91.0	255.6	17.5	259.1	14.0	59.5	17.5	14.0	14.0	178.6	10.5	7.0	73.5	122.5	7.0	528.7	.....	66
8.0	.....	16.0	40.1	24.1	24.1	208.5	8.0	152.4	.....	8.0	8.0	48.1	16.0	.....	72.2	104.3	16.0	96.2	8.0	67
79.2	28.3	67.9	73.6	101.9	5.7	107.5	5.7	45.3	17.0	22.6	17.0	90.6	.....	5.7	79.2	73.6	.....	243.4	22.6	68

[a] Colored population less than 10 per cent of the total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	PENNSYLVANIA—continued.														
1	Old Forge	1,389.4	8.3			8.3	25.0		66.6			66.6	16.6	8.3	8.3
2	Philadelphia (total)	1,662.8	14.6	0.7	0.1	18.3	12.3	6.9	31.1	11.6	3.9	193.5	14.0	11.6	8.0
3	White	1,624.4	14.6	0.7	0.1	18.4	12.9	6.2	32.2	11.6	4.0	177.0	13.3	10.7	8.2
4	Colored	2,318.2	13.7	1.1		17.2	3.4	18.3	12.6	11.4	3.4	476.2	25.2	27.5	5.7
5	Phoenixville	1,756.5	36.6			9.1	9.1	9.1	45.7			137.2	9.1	27.4	18.3
6	Pittsburgh (total)	1,493.0	25.6			9.4	10.7	18.8	23.4	11.8	4.6	106.0	9.0	15.9	6.6
7	White	1,483.2	25.8			8.9	11.2	17.2	24.4	12.2	4.8	99.4	8.1	14.7	6.6
8	Colored	1,683.7	22.8			19.0		49.4	3.8	3.8		235.6	26.6	38.0	7.6
9	Pittston	1,674.6	6.0			17.9	6.0		83.7	29.9		53.8		6.0	17.9
10	Plymouth	1,447.9	11.5	5.7		11.5		17.2	57.5	11.5	5.7	80.4	5.7	11.5	34.5
11	Pottstown	1,332.8	12.6				12.6	19.0	12.6	6.3	6.3	113.7		25.3	6.3
12	Pottsville	1,861.6	19.2				33.7		91.4	4.8	4.8	120.3	19.2	19.2	
13	Reading	1,434.3	23.4			14.3	15.3	8.1	38.7	8.1	1.0	102.9	7.1	12.2	7.1
14	Scranton	1,482.8	14.3			2.3	6.8	4.5	12.8	11.3	2.3	99.9	7.5	5.3	9.8
15	Shamokin	1,251.4	39.9			34.9			44.9		5.0	74.8	5.0		10.0
16	Sharon	1,202.5	19.0				38.0	12.7	19.0	12.7		75.9		12.7	6.3
17	Shenandoah	1,913.7	3.8	3.8			219.4	7.6	109.7	3.8	3.8	64.3			15.1
18	South Bethlehem	1,481.1	38.5			9.6	4.8	4.8	38.5	4.8	9.6	110.6			9.6
19	South Sharon	1,099.1	19.6				9.8	9.8	19.6			68.7	9.8	9.8	
20	Steelton	1,296.8					13.8	13.8	165.6	6.9		131.1			6.9
21	Sunbury	1,269.8	28.1			7.0	7.0	7.0	21.0	7.0		112.2		7.0	
22	Uniontown	1,309.0	120.6			18.1	6.0	6.0	12.1		6.0	66.4	12.1	6.0	
23	Warren	893.6	17.5						26.3	26.3		26.3	8.8		
24	Washington	1,355.4	67.8				5.2	41.7	20.9	20.9	5.2	114.7		15.6	5.2
25	West Chester (total)	1,968.3	49.8			8.3		16.6	16.6	16.6		99.7	8.3	24.9	16.6
26	White	1,897.6	29.7			9.9		19.8	19.8	19.8		98.8	9.9	19.8	19.8
27	Colored	2,340.1	156.0									104.0		52.0	
28	Wilkes-Barre	1,553.9	11.6	1.4		4.3	2.9	8.7	20.3	11.6	2.9	84.1	4.3	7.2	10.1
29	Wilkinsburg	1,282.1	40.7				5.1		5.1	25.4		81.4	15.3	15.3	10.2
30	Williamsport	1,609.9	46.5	3.1		6.2	3.1		9.3	18.6	3.1	108.6	9.3	15.5	9.3
31	York	1,429.8	23.9		2.2			15.2	30.4	8.7	8.7	117.2	6.5	26.0	8.7
	RHODE ISLAND.														
32	Registration cities (total)	1,564.1	10.6	0.7		2.9	9.3	21.1	26.2	8.6	2.9	155.5	13.1	13.3	6.4
33	White	1,545.3	10.6	0.7		2.9	9.3	19.2	26.7	8.8	2.9	147.9	13.1	12.2	6.3
34	Colored	2,509.7	11.4				11.4	114.1				536.2	11.4	68.4	11.4
35	Central Falls	1,391.4	8.5	4.2		4.2	4.2	21.2	12.7	4.2	4.2	127.3	8.5	12.7	4.2
36	Cranston[2]	2,442.8	18.2				4.5	4.5	9.1	4.5	18.2	391.2	13.6	27.3	18.2
37	Cumberland town	1,341.5	9.7	9.7				29.2	9.7	9.7		126.4	19.4	9.7	
38	East Providence town	1,262.5	6.1				6.1	36.8	30.6	12.3		110.3	12.3	24.5	12.3
39	Newport	1,315.5	14.5					7.2	7.2	14.5		94.0	10.8	18.1	
40	Pawtucket	1,546.7	3.7				5.6	24.2	37.3	20.5		128.6	16.8	13.0	13.0
41	Providence	1,560.1	12.1	0.4		4.3	13.4	19.5	24.7	7.4	1.7	131.8	9.5	12.6	4.3
42	Warwick town	1,753.5	7.4			3.7	14.8	25.8	11.1	7.4	7.4	383.9	14.8	11.1	18.5
43	Woonsocket	1,452.2	10.1			2.5	2.5	32.8	63.1		5.1	128.8	30.3	5.1	
	SOUTH CAROLINA.[3]														
44	Charleston (total)	2,989.8	40.5	32.1				16.9	8.4	27.0	5.1	312.5	1.7	6.8	1.7
45	White	1,854.1	35.8	17.9				3.6	14.3	14.3	3.6	125.3	3.6	3.6	3.6
46	Colored	4,004.6	44.8	44.8				28.8	3.2	38.4	6.4	479.8		9.6	
	TENNESSEE.[3]														
47	Registration cities (total)	2,057.8	58.3	45.2	0.4	37.0	2.5	22.8	12.4	28.4	5.0	212.3	10.0	20.3	6.4
48	White	1,616.2	51.3	16.9		39.3	3.3	19.1	13.1	14.2	4.9	134.7	8.7	15.8	4.9
49	Colored	2,884.7	71.5	98.1	1.0	32.7	1.0	29.6	11.2	55.2	5.1	357.5	12.3	28.6	9.2
50	Knoxville (total)	1,809.8	46.2			21.7		16.3	10.9	13.6	5.4	212.0	13.6	24.5	2.7
51	White	1,513.9	44.7			20.6		13.8	10.3	10.3	6.9	147.9	10.3	20.6	3.4
52	Colored	2,921.8	51.7			25.9		25.9	12.9	25.9		452.5	25.9	38.8	
53	Memphis (total)	2,131.8	65.4	84.2	0.8	27.8	2.3	15.8	16.5	26.3	4.5	220.2	6.0	15.0	3.0
54	White	1,667.8	53.9	32.6		28.8	3.8	12.5	16.3	3.8	3.8	129.2	7.5	10.0	2.5
55	Colored	2,826.2	82.6	161.4	1.9	26.3		20.6	16.9	60.1	5.6	356.6	3.8	22.5	3.8
56	Nashville (total)	2,051.3	53.9	13.5		53.0	3.6	33.2	8.1	35.9	5.4	202.9	13.5	25.1	11.7
57	White	1,600.9	51.0	6.7		57.7	4.0	28.2	10.7	26.8	5.4	135.5	9.4	20.1	8.1
58	Colored	2,961.6	59.7	27.1		43.4	2.7	43.4	2.7	54.2	5.4	339.0	21.7	35.3	19.0

[1] Exclusive of stillbirths.

[2] Includes state institutions.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
49.9	.....	25.0	25.0	91.5	.....	216.3	33.3	141.4	.....	.....	.....	49.9	16.6	8.3	124.8	183.0	8.3	199.7	8.3	1
87.3	17.8	6.5	73.1	181.1	26.2	159.0	22.0	118.0	12.6	13.8	16.7	164.5	8.1	9.3	80.6	89.2	17.4	230.0	3.0	2
88.1	18.6	6.4	74.6	179.3	24.7	152.2	20.8	114.3	12.5	13.3	16.9	162.6	7.8	9.0	78.2	88.3	18.2	226.4	2.8	3
73.3	5.7	8.0	48.1	211.8	52.7	274.7	42.4	179.7	14.9	22.9	13.7	196.9	13.7	13.7	122.5	105.3	4.6	291.9	5.7	4
73.2	18.3	36.6	82.3	183.0	18.3	155.5	27.4	128.1	9.1	36.6	9.1	64.0	.....	18.3	146.4	118.9	36.6	292.7	.....	5
68.4	9.4	9.6	61.2	118.2	36.3	207.2	23.0	130.3	13.5	10.5	24.1	73.7	10.3	8.8	101.0	106.5	19.0	216.6	3.3	6
69.9	9.9	9.7	61.6	117.8	36.8	202.8	22.9	131.2	13.8	10.7	24.8	71.9	10.8	8.9	101.3	105.2	19.4	217.2	3.3	7
38.0	.....	7.6	53.2	125.4	26.6	292.6	26.6	114.0	7.6	7.6	11.4	110.2	.....	7.6	95.0	133.0	11.4	205.2	3.8	8
41.9	6.0	17.9	35.9	65.8	53.8	251.2	17.9	113.6	12.0	12.0	12.0	59.8	6.0	.....	119.6	340.9	12.0	215.3	59.8	9
51.7	.....	11.5	46.0	74.7	17.2	120.7	40.2	298.8	.....	5.7	23.0	23.0	17.2	17.2	132.2	114.9	.....	183.9	17.2	10
75.8	12.6	.....	145.3	139.0	19.0	176.9	6.3	44.2	6.3	19.0	12.6	56.9	.....	6.3	126.3	56.9	6.3	202.1	6.3	11
52.9	9.6	9.6	144.3	178.0	4.8	149.1	9.6	134.7	43.3	24.1	38.5	182.8	38.5	24.1	72.2	139.5	4.8	288.6	.....	12
78.4	33.6	13.2	124.3	127.3	19.4	76.4	17.3	94.7	12.2	18.3	14.3	89.6	7.1	10.2	83.5	86.6	28.5	226.2	34.6	13
70.6	24.8	11.3	84.9	93.9	36.1	200.6	18.8	173.5	14.3	16.5	18.0	74.4	14.3	10.5	31.5	177.3	9.0	223.8	2.3	14
24.9	24.9	15.0	74.8	134.6	10.0	119.9	29.9	64.8	.....	5.0	15.0	59.8	10.0	5.0	89.7	69.8	10.0	249.3	24.9	15
44.3	.....	12.7	69.6	94.9	25.3	126.6	25.3	44.3	19.0	12.7	.....	50.6	6.3	6.3	107.6	145.6	19.0	183.5	12.7	16
30.3	18.9	18.9	68.1	34.0	41.6	166.4	41.6	295.0	.....	18.9	11.3	45.4	11.3	3.8	166.4	204.2	11.3	257.2	37.8	17
38.5	28.9	14.4	57.7	76.9	9.6	91.4	19.2	302.9	.....	.....	14.4	72.1	.....	14.4	177.9	57.7	14.4	254.9	4.8	18
68.7	.....	19.6	19.6	19.6	39.3	117.8	9.8	176.6	.....	.....	9.8	58.9	.....	9.8	137.4	49.1	19.6	176.6	19.6	19
27.6	6.9	6.9	41.4	124.2	.....	103.5	13.8	213.8	.....	13.8	13.8	13.8	.....	.....	186.2	55.2	6.9	131.1	.....	20
42.1	14.0	14.0	140.3	147.3	14.0	35.1	14.0	70.2	28.1	21.0	.....	98.2	14.0	14.0	84.2	84.2	7.0	231.5	.....	21
12.1	.....	12.1	12.1	78.4	6.0	120.6	18.1	48.3	30.2	18.1	12.1	78.4	12.1	42.2	114.6	235.3	18.1	181.0	6.0	22
61.3	26.3	17.5	43.8	122.7	8.8	26.3	26.3	17.5	.....	.....	17.5	35.0	8.8	.....	61.3	70.1	8.8	227.8	8.8	23
130.3	26.1	5.2	26.1	93.8	15.6	140.7	5.2	52.1	15.6	5.2	.....	62.6	10.4	5.2	83.4	125.1	15.6	234.6	5.2	24
157.8	16.6	8.3	132.9	199.3	16.6	132.9	33.2	33.2	24.9	33.2	.....	182.7	24.9	16.6	116.3	191.0	33.2	348.8	8.3	25
158.1	19.8	9.9	138.4	207.6	19.8	108.7	29.7	39.5	29.7	39.5	.....	187.8	9.9	19.8	89.0	197.7	39.5	306.4	.....	26
156.0	.....	.....	104.0	156.0	.....	260.0	52.0	.....	.....	.....	.....	156.0	104.0	.....	260.0	156.0	.....	572.0	52.0	27
63.8	14.5	11.6	76.8	98.6	34.8	156.6	26.1	131.9	31.9	18.8	13.0	118.9	14.5	14.5	91.3	207.3	4.3	239.2	15.9	28
137.4	20.4	15.3	101.8	137.4	5.1	132.3	10.2	45.8	5.1	.....	15.3	56.0	10.2	20.4	81.4	76.3	20.4	178.1	15.3	29
83.7	15.5	6.2	148.9	152.0	27.9	164.4	15.5	52.7	27.9	18.6	12.4	117.9	15.5	18.6	74.4	111.7	9.3	297.8	6.2	30
91.1	28.2	8.7	128.0	123.7	26.0	93.3	8.7	80.3	8.7	10.8	17.4	125.8	2.2	19.5	99.8	73.8	8.7	227.8	.....	31
87.6	21.7	14.0	90.3	157.3	26.8	151.3	14.9	87.2	14.9	14.0	14.6	125.1	4.9	11.1	90.9	87.2	11.8	258.2	10.0	32
86.4	21.9	14.0	90.5	155.2	26.7	149.5	14.5	88.2	14.7	14.3	14.5	124.4	4.8	11.3	90.5	86.4	11.3	256.0	9.5	33
148.3	11.4	11.4	79.9	262.4	34.2	239.6	34.2	34.2	22.8	.....	22.8	159.7	11.4	.....	114.1	125.5	34.2	365.0	34.2	34
63.6	17.0	63.6	84.8	106.1	50.9	144.2	12.7	140.0	8.5	8.5	8.5	106.1	.....	8.5	127.3	46.7	.....	169.7	8.5	35
182.0	22.7	4.5	122.8	263.8	18.2	163.8	18.2	63.7	4.5	4.5	13.6	122.8	.....	4.5	77.3	68.2	13.6	755.1	9.1	36
87.5	9.7	29.2	97.2	184.7	9.7	126.4	.....	48.6	9.7	9.7	.....	68.0	.....	9.7	106.9	48.6	.....	243.0	29.2	37
73.5	30.6	12.3	55.2	190.0	24.5	104.2	.....	67.4	.....	6.1	6.1	91.9	.....	.....	85.8	42.9	18.4	202.2	.....	38
68.7	32.5	14.5	122.9	140.9	25.3	126.5	18.1	39.8	10.8	14.5	18.1	101.2	10.8	7.2	65.1	61.4	3.6	260.2	7.2	39
67.1	16.8	13.0	121.1	164.0	39.1	137.9	11.2	72.7	13.0	9.3	16.8	137.9	3.7	3.7	109.9	100.6	9.3	229.2	7.5	40
95.4	19.5	9.1	83.7	155.2	23.8	166.0	16.9	77.6	19.1	18.6	14.3	137.4	6.9	15.2	86.7	98.8	15.2	246.6	12.1	41
59.1	11.1	29.5	107.1	162.4	18.5	96.0	25.8	147.7	3.7	3.7	11.1	107.1	.....	11.1	96.0	114.4	3.7	228.9	11.1	42
70.7	42.9	5.1	50.5	118.7	30.3	161.6	7.6	154.1	20.2	12.6	25.3	106.1	2.5	10.1	88.4	63.1	12.6	186.9	2.5	43
81.1	8.4	30.4	158.8	351.3	18.6	207.8	28.7	153.7	13.5	23.6	15.2	356.4	6.8	32.1	270.3	114.9	5.1	608.1	52.4	44
85.9	17.9	10.7	118.1	175.4	21.5	96.6	21.5	35.9	25.1	10.7	14.3	236.2	3.6	32.2	107.4	82.3	10.7	461.7	10.7	45
76.8	.....	48.0	195.1	508.6	16.0	307.1	35.2	214.3	3.2	35.2	16.0	463.8	9.6	32.0	415.8	143.9	.....	738.9	89.6	46
66.8	8.2	25.2	60.8	161.1	25.2	199.8	30.2	98.5	28.1	21.7	12.8	120.9	18.5	12.8	83.6	155.4	16.4	407.1	43.7	47
73.6	10.4	22.4	56.7	111.3	12.0	124.9	15.3	100.9	27.8	17.5	13.6	105.8	10.4	8.7	79.1	103.1	20.7	351.3	24.5	48
54.1	4.1	30.6	68.4	254.4	50.1	340.2	58.2	94.0	28.6	29.6	11.2	149.1	33.7	20.4	91.9	253.3	8.2	511.8	79.7	49
95.1	13.6	16.3	65.2	106.0	40.8	138.6	24.5	51.6	32.6	19.0	24.5	111.4	21.7	19.0	65.2	125.0	16.3	423.9	32.6	50
99.8	17.2	20.6	61.9	86.0	13.8	106.7	17.2	37.8	37.8	17.2	24.1	106.7	17.2	6.9	58.5	113.5	13.8	350.9	17.2	51
77.6	.....	.....	77.6	181.0	142.2	258.6	51.7	103.4	12.9	25.9	25.9	129.3	38.8	64.6	90.5	168.1	25.9	698.1	90.5	52
51.9	9.8	32.3	54.1	126.3	27.8	197.7	32.3	90.2	31.6	21.0	12.0	157.1	16.5	9.8	71.4	191.7	19.5	414.2	76.7	53
52.7	12.5	27.6	56.4	99.1	15.0	127.9	17.6	110.3	31.3	15.0	15.0	140.4	11.3	8.8	72.7	119.1	27.6	361.1	41.4	54
50.7	5.6	39.4	50.7	167.0	46.9	302.1	54.4	60.1	31.9	30.0	7.5	182.0	24.4	11.3	69.4	300.3	7.5	493.5	129.5	55
75.4	4.5	19.8	67.3	220.8	17.1	222.6	29.6	123.9	22.4	23.3	9.9	80.8	19.8	14.4	104.1	122.1	12.6	393.2	8.1	56
85.9	5.4	17.4	55.0	134.2	8.1	128.8	12.1	115.4	20.1	20.1	8.1	68.4	6.7	9.4	93.9	81.9	16.1	340.9	9.4	57
54.2	2.7	24.4	92.2	396.0	35.3	412.2	65.1	141.0	27.1	29.8	13.6	105.8	46.1	24.4	124.8	203.4	5.4	499.0	5.4	58

[3] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	TEXAS.[2]														
1	Registration cities (total)	2,254.1	43.5	17.1	13.8	16.0	5.5	5.0	11.0	33.6	5.0	391.2	6.6	15.4	7.2
2	White	2,246.2	41.8	15.0	13.7	17.5	6.2	5.0	12.5	36.2	5.0	395.0	7.5	15.6	7.5
3	Colored	2,313.1	55.9	32.6	14.0	4.7	.....	4.7	.....	14.0	4.7	363.0	.....	14.0	4.7
4	El Paso	2,977.2	42.9	11.9	57.3	11.9	19.1	4.8	16.7	19.1	9.5	625.0	16.7	9.5	11.9
5	Galveston (total)	1,856.1	18.5	21.1	.....	10.5	2.6	10.5	13.2	7.9	2.6	155.5	.....	5.3	5.3
6	White	1,717.5	23.6	16.9	.....	10.1	3.4	10.1	16.9	10.1	3.4	104.6	.....	.....	3.4
7	Colored	2,351.1	.....	36.2	.....	12.1	.....	12.1	.....	.....	.....	337.6	.....	24.1	12.1
8	San Antonio (total)	2,104.8	53.0	17.7	1.0	19.6	1.0	2.9	7.8	49.1	3.9	382.7	4.9	21.6	5.9
9	White	2,096.0	47.5	15.5	.....	22.1	1.1	3.3	8.8	51.9	4.4	387.8	5.5	23.2	6.6
10	Colored	2,174.3	96.4	35.1	8.8	.....	.....	.....	.....	26.3	.....	341.9	.....	8.8	.....
	UTAH.														
11	Registration cities (total)	1,181.8	22.6	.....	1.6	21.8	22.6	7.3	23.5	7.3	1.6	58.2	4.0	14.6	12.9
12	White	1,171.1	22.2	.....	1.6	22.2	23.0	7.4	23.8	7.4	1.6	56.7	4.1	14.8	13.2
13	Colored	1,822.7	49.3	.....	.....	.....	.....	.....	.....	.....	.....	147.8	.....	.....	.....
14	Ogden	1,182.9	18.7	.....	7.5	3.7	59.9	11.2	11.2	3.7	.....	26.2	7.5	18.7	11.2
15	Salt Lake City	1,181.5	23.7	.....	.....	26.8	12.4	6.2	26.8	8.3	2.1	67.1	3.1	13.4	13.4
	VERMONT.														
16	Registration cities (total)	1,786.8	19.8	2.2	.....	8.8	2.2	8.8	15.4	22.0	4.4	158.2	11.0	13.2	13.2
17	White	1,781.5	19.8	2.2	.....	8.8	2.2	8.8	15.4	22.0	4.4	156.5	11.0	13.2	13.2
18	Colored	3,472.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	694.4	.....	.....	.....
19	Barre	1,434.7	45.4	.....	.....	18.2	.....	18.2	27.2	.....	18.2	317.8	18.2	.....	18.2
20	Burlington	2,058.9	14.5	4.8	.....	9.7	.....	.....	19.3	33.8	.....	87.0	14.5	19.3	9.7
21	Rutland	1,659.9	7.2	.....	.....	.....	7.2	14.5	.....	21.7	.....	137.7	.....	14.5	14.5
	VIRGINIA.[2]														
22	Registration cities (total)	2,060.4	37.7	12.2	.....	7.1	4.5	40.7	14.9	19.3	2.7	218.7	11.3	22.0	9.8
23	White	1,564.3	36.0	5.9	.....	7.3	6.4	18.2	18.2	13.2	3.2	129.1	11.9	19.2	6.8
24	Colored	2,987.4	40.9	23.9	.....	6.8	0.9	82.7	8.5	30.7	1.7	386.1	10.2	27.3	15.3
25	Alexandria (total)	2,003.1	19.4	6.5	.....	13.0	.....	13.0	13.0	32.4	.....	265.8	.....	25.9	6.5
26	White	1,589.0	26.8	.....	.....	17.9	.....	17.9	8.9	17.9	.....	232.1	.....	17.9	.....
27	Colored	3,101.3	.....	23.7	.....	.....	.....	.....	23.7	71.0	.....	355.1	.....	47.3	23.7
28	Danville (total)	2,057.1	57.3	26.0	.....	5.2	.....	104.2	15.6	26.0	5.2	187.5	.....	20.8	5.2
29	White	1,840.1	30.9	7.7	.....	.....	.....	38.7	15.5	23.2	.....	170.1	.....	23.2	7.7
30	Colored	2,504.8	111.7	63.8	.....	16.0	.....	239.3	16.0	31.9	16.0	223.4	.....	16.0	.....
31	Lynchburg (total)	1,890.3	40.0	6.7	.....	.....	33.3	20.0	30.0	6.7	6.7	226.7	6.7	26.7	3.3
32	White	1,507.6	39.3	4.9	.....	.....	49.1	19.6	34.4	4.9	9.8	142.4	4.9	34.4	4.9
33	Colored	2,699.3	41.5	10.4	.....	.....	.....	20.8	20.8	10.4	.....	404.9	10.4	10.4	.....
34	Norfolk (total)	2,149.3	53.9	28.2	.....	7.3	.....	52.6	7.3	15.9	3.7	231.3	8.6	20.8	9.8
35	White	1,405.5	48.7	9.7	.....	9.7	.....	13.6	9.7	15.6	5.8	93.6	13.6	21.4	5.8
36	Colored	3,404.5	62.5	59.2	.....	3.3	.....	118.4	3.3	16.4	.....	463.8	.....	19.7	16.4
37	Petersburg (total)	2,572.8	53.3	24.6	.....	4.1	.....	77.8	16.4	49.2	.....	270.4	8.2	16.4	8.2
38	White	2,065.6	75.4	22.6	.....	.....	.....	15.1	22.6	15.1	.....	241.2	15.1	22.6	.....
39	Colored	3,176.6	26.9	26.9	.....	9.0	.....	152.5	9.0	89.7	.....	305.1	.....	9.0	17.9
40	Richmond (total)	2,102.3	17.8	1.5	.....	8.5	2.3	31.7	10.1	17.8	2.3	210.4	17.8	22.4	11.6
41	White	1,674.6	19.5	1.2	.....	8.5	2.4	19.5	14.6	13.4	2.4	130.6	18.3	13.4	11.0
42	Colored	2,842.2	14.8	2.1	.....	8.4	2.1	52.8	2.1	25.3	2.1	348.4	16.9	38.0	12.7
43	Roanoke (total)	1,536.6	57.5	5.5	.....	8.2	5.5	16.4	35.6	13.7	.....	175.3	11.0	21.9	13.7
44	White	1,201.7	46.1	7.1	.....	7.1	7.1	14.2	35.4	7.1	.....	67.4	3.5	17.7	3.5
45	Colored	2,674.4	96.4	.....	.....	12.0	.....	24.1	36.1	36.1	.....	542.1	36.1	36.1	48.2
	WASHINGTON.														
46	Registration cities (total)	978.3	19.7	0.5	0.4	5.2	5.4	7.7	7.7	7.9	3.1	91.2	14.2	15.6	5.9
47	White	976.4	19.6	0.6	0.4	5.3	5.5	7.7	7.9	7.9	3.1	88.9	13.5	15.7	5.9
48	Colored	1,049.2	26.6	.....	.....	.....	.....	6.6	.....	6.6	.....	172.7	39.8	13.3	6.6
49	Aberdeen	766.5	6.7	.....	.....	6.7	33.6	26.9	.....	6.7	.....	74.0	6.7	.....	.....
50	Bellingham	922.2	23.2	.....	.....	.....	3.9	.....	.....	15.4	7.7	27.0	11.6	15.4	7.7
51	Everett	892.5	18.6	.....	.....	3.7	3.7	7.4	3.7	3.7	.....	89.2	7.4	37.2	.....
52	North Yakima	1,375.0	58.4	6.5	.....	32.4	.....	25.9	6.5	6.5	.....	129.7	13.0	19.5	25.9
53	Seattle	883.8	10.3	0.4	0.4	5.1	2.8	7.5	8.7	6.7	1.6	92.2	13.1	15.8	4.7
54	Spokane	1,155.4	35.6	.....	0.9	5.3	6.2	7.1	8.0	8.9	5.3	85.4	8.9	15.1	9.8
55	Tacoma	1,009.6	17.0	1.1	.....	3.4	9.0	4.5	10.2	10.2	5.7	113.1	28.3	6.8	3.4
56	Walla Walla	1,078.3	39.2	.....	.....	.....	4.9	9.8	4.9	4.9	.....	83.3	14.7	34.3	4.9
	WEST VIRGINIA.[2]														
57	Wheeling (total)	1,755.7	35.7	.....	.....	16.7	7.1	16.7	28.6	31.0	.....	154.8	9.5	9.5	14.3
58	White	1,751.7	34.3	.....	.....	17.2	7.4	17.2	29.4	31.9	.....	142.3	9.8	9.8	14.7
59	Colored[3]	1,888.3	82.1	.....	.....	.....	.....	.....	.....	.....	.....	574.7	.....	.....	.....

[1] Exclusive of stillbirths.

[2] Nonregistration state; cities shown below only those with effective local ordinances.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
74.3	12.1	27.0	49.0	101.2	28.6	161.2	21.5	209.6	14.3	11.0	27.0	162.9	9.4	11.6	130.4	121.6	29.2	442.9	39.1	1
78.0	13.1	29.3	47.4	93.6	29.9	162.2	20.6	225.2	16.2	10.6	26.8	142.9	10.0	12.5	137.9	114.8	32.4	429.3	34.9	2
46.5	4.7	9.3	60.5	158.2	18.6	153.6	27.9	93.1	.....	14.0	27.9	311.8	4.7	4.7	74.5	172.2	4.7	544.5	69.8	3
76.3	2.4	42.9	45.3	62.0	45.3	336.4	23.9	305.4	7.2	7.2	35.8	105.0	19.1	11.9	140.8	181.3	28.6	603.6	40.6	4
60.6	13.2	34.3	47.5	147.6	13.2	150.3	31.6	76.5	5.3	15.8	26.4	276.8	.....	15.8	76.5	131.8	26.4	416.6	36.9	5
60.7	16.9	40.5	40.5	124.8	10.1	148.5	27.0	77.6	6.7	13.5	30.4	246.3	.....	20.2	87.7	135.0	33.7	371.2	23.6	6
60.3	.....	12.1	72.3	229.1	24.1	156.7	48.2	72.3	.....	24.1	12.1	385.8	.....	.....	36.2	120.6	.....	578.7	84.4	7
78.5	15.7	17.7	51.0	100.1	27.5	93.2	16.7	219.8	20.6	10.8	23.5	144.2	8.8	9.8	146.2	93.2	30.4	386.6	39.2	8
84.0	16.6	19.9	50.8	100.5	28.7	87.3	16.6	233.1	23.2	11.0	22.1	130.4	8.8	9.9	151.4	82.9	34.3	370.1	36.5	9
35.1	8.8	.....	52.6	96.4	17.5	140.3	17.5	114.0	.....	8.8	35.1	254.3	8.8	8.8	105.2	175.3	.....	517.3	61.4	10
72.8	9.7	11.3	51.0	98.7	12.9	109.2	18.6	46.1	23.5	15.4	9.7	80.1	6.5	9.7	45.3	85.7	34.0	223.3	20.2	11
73.2	9.9	10.7	51.8	97.9	12.3	107.7	18.9	46.9	23.8	15.6	9.9	79.8	6.6	9.9	45.2	80.6	32.1	221.2	18.9	12
49.3	.....	49.3	.....	147.8	49.3	197.0	.....	.....	.....	.....	.....	98.5	.....	.....	49.3	394.1	147.8	344.8	98.5	13
44.9	15.0	18.7	63.6	131.0	11.2	131.0	18.7	33.7	15.0	26.2	3.7	63.6	.....	18.7	52.4	93.6	33.7	228.4	.....	14
80.5	8.3	9.3	47.5	89.8	13.4	103.2	18.6	49.5	25.8	12.4	11.4	84.6	8.3	7.2	43.3	83.6	34.1	221.8	25.8	15
107.7	19.8	8.8	138.5	193.4	22.0	107.7	22.0	153.8	63.7	11.0	13.2	116.5	6.6	11.0	94.5	83.5	22.0	305.5	6.6	16
108.0	19.8	8.8	136.7	191.8	22.0	105.8	22.0	154.3	63.9	11.0	13.2	116.9	6.6	11.0	94.8	81.6	22.0	306.5	6.6	17
.....	.....	.....	694.4	694.4	.....	694.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	694.4	.....	.....	.....	18
63.6	.....	.....	54.5	118.0	18.2	90.8	9.1	18.2	27.2	.....	18.2	90.8	.....	9.1	72.6	81.7	27.2	245.2	9.1	19
135.3	24.2	14.5	159.5	178.8	38.7	120.8	33.8	299.6	96.7	9.7	14.5	125.7	9.7	14.5	125.7	72.5	14.5	352.8	4.8	20
101.5	29.0	7.2	174.0	275.4	.....	101.5	14.5	43.5	43.5	21.7	7.2	123.2	7.2	7.2	65.2	101.5	29.0	282.7	7.2	21
73.1	13.1	17.5	108.5	167.9	35.1	150.9	37.7	147.1	14.6	19.3	14.3	184.8	9.8	14.9	116.8	107.9	14.6	372.6	39.2	22
82.1	16.4	19.2	89.4	134.1	13.2	83.5	18.7	106.3	14.6	16.0	15.1	146.0	8.2	15.1	94.0	84.4	20.1	293.3	19.2	23
56.3	6.8	14.5	144.0	231.0	75.9	277.0	73.3	223.3	14.5	25.6	12.8	257.4	12.8	14.5	159.4	151.7	4.3	520.8	76.7	24
84.3	19.4	13.0	90.8	168.5	71.3	149.1	51.9	103.7	6.5	6.5	13.0	207.4	.....	.....	77.8	116.7	.....	369.5	58.3	25
98.2	26.8	8.9	44.6	142.8	26.8	107.1	35.7	80.3	8.9	8.9	17.9	151.8	.....	.....	62.5	116.1	.....	276.7	35.7	26
47.3	.....	23.7	213.1	236.7	189.4	260.4	94.7	165.7	.....	.....	.....	355.1	.....	.....	118.4	118.4	.....	615.5	118.4	27
67.7	5.2	72.9	72.9	177.1	41.7	192.7	15.6	125.0	15.6	.....	5.2	104.2	5.2	20.8	98.9	88.5	15.6	442.7	36.5	28
77.3	7.7	100.5	61.9	185.6	30.9	139.2	7.7	139.2	.....	.....	7.7	85.0	7.7	30.9	116.0	77.3	23.2	394.3	30.9	29
47.9	.....	16.0	95.7	159.5	63.8	303.1	31.9	95.7	47.9	.....	.....	143.6	.....	.....	63.8	111.7	.....	542.4	47.9	30
33.3	23.3	10.0	110.0	163.4	33.3	106.7	13.3	110.0	3.3	30.0	3.3	126.7	13.3	3.3	80.0	90.0	10.0	363.4	156.7	31
24.6	34.4	9.8	103.1	117.9	9.8	83.5	4.9	88.4	4.9	39.3	.....	88.4	9.8	4.9	68.7	78.6	14.7	294.6	78.6	32
51.9	.....	10.4	124.6	259.6	83.1	155.7	31.1	155.7	.....	10.4	10.4	207.6	20.8	.....	103.8	114.2	.....	508.7	321.8	33
67.3	4.9	13.5	80.8	200.7	47.7	156.7	51.4	135.9	15.9	28.2	24.5	168.9	15.9	18.4	129.7	106.5	11.0	419.8	12.2	34
79.9	7.8	15.6	70.2	136.5	13.6	66.3	21.4	66.3	11.7	9.7	23.4	117.0	9.7	23.4	81.9	74.1	15.6	309.9	3.9	35
46.1	.....	9.9	98.7	309.2	105.3	309.2	102.0	253.3	23.0	59.2	26.3	256.6	26.3	9.9	210.5	161.2	3.3	605.2	26.3	36
69.6	8.2	28.7	159.8	172.1	24.6	172.1	36.9	204.8	12.3	20.5	20.5	454.7	4.1	20.5	147.5	81.9	16.4	360.5	28.7	37
67.8	.....	22.6	158.3	143.2	15.1	75.4	30.2	165.8	15.1	15.1	15.1	354.3	7.5	30.2	135.7	67.8	22.6	278.9	15.1	38
71.8	17.9	35.9	161.5	206.4	35.9	287.1	44.9	251.3	9.0	26.9	26.9	574.3	.....	9.0	161.5	98.7	9.0	457.6	44.9	39
87.4	17.8	10.8	147.7	170.9	31.7	158.6	43.3	158.6	13.9	17.0	11.6	193 4	10.1	18.6	128.4	114.5	19.3	369.7	24.8	40
97.6	20.7	9.8	122.1	153.8	12.2	90.3	23.2	115.9	14.6	17.1	15.9	173.3	9.8	13.4	107.4	83.0	26.9	303.9	8.5	41
69.7	12.7	12.7	192.2	200.6	65.5	276.6	78.1	232.3	12.7	16.9	4.2	228.0	10.6	27.5	164.7	168.9	6.3	483.5	52.8	42
68.5	11.0	21.9	21.9	79.4	8.2	112.3	13.7	153.4	27 4	13.7	11.0	90.4	2.7	2.7	82.2	126.0	13.7	257.5	54.8	43
85.1	14.2	24.8	17.7	53.2	3.5	63.8	3.5	131.2	35.4	17.7	10.6	88.6	3.5	3.5	78.0	109.9	17.7	198.5	24.8	44
12.0	.....	12.0	36.1	168.7	24.1	277.1	48.2	228.9	.....	.....	12.0	96.4	.....	.....	96.4	180.7	.....	457.8	156.6	45
62.3	11.7	5.0	52.6	92.4	5.6	72.1	8.1	28.4	16.5	10.1	7.7	71.3	5.9	10.6	59.4	78.8	29.3	158.1	8.1	46
63.1	11.8	4.8	52.9	93.0	5.2	70.8	7.9	28.4	16.8	10.3	7.7	70.3	5.9	10.9	60.7	77.3	29.1	159.0	8.3	47
33.2	6.6	13.3	39.8	73.0	19.9	119.5	13.3	26.6	6.6	.....	6.6	106.2	6.6	.....	13.3	132.8	33.2	126.2	.....	48
40.3	6.7	.....	40.3	67.2	.....	60.5	.....	47.1	.....	13.4	.....	33.6	6.7	.....	47.1	107.6	.....	127.8	6.7	49
81.0	7.7	11.6	54.0	108.0	15.4	46.3	15.4	11.6	15.4	19.3	19.3	92.6	.....	.....	46.3	50.2	19.3	192.9	3.9	50
74.4	7.4	.....	48.3	85.5	3.7	37.2	7.4	33.5	11.2	11.2	7.4	66.9	.....	3.7	70.7	81.8	11.2	137.6	18.6	51
32.4	6.5	.....	38.9	97.3	13.0	123.2	.....	51.9	25.9	38.9	25.9	129.7	.....	6.5	90.8	110.3	38.9	220.5	.....	52
57.4	12.7	4.4	50.2	96.9	4.7	53.0	8.3	23.7	12.3	7.1	5.5	63.3	7.1	10.7	52.6	75.2	30.1	138.1	1.2	53
67.6	13.3	6.2	55.1	99.6	4.4	123.6	10.7	40.9	27.6	10.7	9.8	80.9	5.3	13.3	78.3	79.2	29.4	194.8	8.0	54
71.2	12.4	5.7	48.6	76.9	6.8	76.9	5.7	22.6	11.3	6.8	5.7	70.1	7.9	11.3	54.3	84.8	39.6	154.9	23.7	55
53.9	4.9	9.8	107.8	68.6	4.9	53.9	4.9	24.5	44.1	19.6	9.8	83.3	4.9	24.5	49.0	83.3	24.5	176.4	24.5	56
112.0	11.9	26.2	54.8	126.3	21.4	200.1	31.0	85.8	19.1	16.7	21.4	107.2	11.9	21.4	85.8	159.6	26.2	293.0	.....	57
115.3	12.3	24.5	56.4	127.6	22.1	200.2	31.9	88.3	19.6	17.2	19.6	105.5	12.3	22.1	83.4	157.0	27.0	294.4	.....	58
.....	.....	82.1	.....	82.1	.....	164.2	.....	.....	.....	.....	82.1	164.2	.....	.....	164.2	246.3	.....	246.3	.....	59

[3] Colored population less than 10 per cent of the total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	WISCONSIN.														
1	Registration cities (total)	1,268.5	20.5	0.3	.....	10.2	12.0	7.7	20.2	8.0	4.6	99.8	7.3	11.0	8.8
2	White	1,267.8	20.5	0.3	.....	10.2	12.0	7.6	20.2	8.1	4.6	99.3	7.3	10.9	8.7
3	Colored	1,494.3	39.3	.....	.....	.....	.....	39.3	.....	.....	.....	235.9	.....	39.3	39.3
4	Appleton	1,292.0	12.0	6.0	.....	6.0	6.0	.....	.....	12.0	6.0	119.6	12.0	23.9	23.9
5	Ashland	1,922.9	82.8	.....	.....	.....	.....	.....	9.2	9.2	18.4	211.6	9.2	27.6	18.4
6	Beloit	1,045.5	.....	.....	.....	19.1	.....	6.4	.....	12.7	6.4	95.6	12.7	6.4	19.1
7	Eau Claire	1,554.5	11.0	.....	.....	5.5	.....	.....	22.0	22.0	.....	142.8	.....	22.0	5.5
8	Fond du Lac	1,424.0	10.4	.....	.....	.....	10.4	.....	46.9	10.4	.....	83.5	5.2	20.9	10.4
9	Green Bay	2,029.0	19.4	.....	.....	27.1	11.6	19.4	27.1	15.5	3.9	96.8	31.0	7.7	3.9
10	Janesville	1,572.8	7.2	.....	.....	43.1	.....	28.7	21.5	14.4	7.2	122.1	7.2	21.5	14.4
11	Kenosha	1,331.9	48.7	.....	.....	.....	22.1	22.1	8.8	8.8	4.4	79.6	17.7	4.4	4.4
12	La Crosse	1,362.7	13.0	.....	.....	.....	6.5	26.0	32.5	19.5	3.3	110.6	6.5	22.8	3.3
13	Madison	1,180.6	3.9	.....	.....	23.2	.....	7.7	.....	27.1	7.7	65.8	19.4	15.5	11.6
14	Manitowoc	1,183.3	22.9	.....	.....	.....	.....	7.6	.....	.....	.....	106.9	15.3	30.5	15.3
15	Marinette	1,344.7	69.3	.....	.....	.....	6.9	41.6	6.9	.....	13.9	110.9	20.8	13.9	6.9
16	Milwaukee	1,195.0	19.0	.....	.....	7.1	15.7	2.3	20.2	3.3	3.8	97.1	2.8	6.6	7.1
17	Oshkosh	1,371.8	14.8	.....	.....	50.5	8.9	8.9	11.9	3.0	11.9	89.1	3.0	11.9	11.9
18	Racine	1,095.0	23.9	.....	.....	2.4	9.5	2.4	19.1	26.2	2.4	114.5	11.9	7.2	14.3
19	Sheboygan	1,141.4	11.1	3.7	.....	11.1	3.7	33.4	7.4	3.7	.....	111.2	11.1	14.8	.....
20	Superior	1,141.9	33.9	.....	.....	2.4	4.8	14.5	41.1	4.8	7.3	82.3	12.1	19.4	7.3
21	Wausau	1,469.6	23.4	.....	.....	35.1	46.8	.....	58.5	17.6	5.9	87.8	5.9	11.7	29.3
	RURAL PART OF REGISTRATION STATES.[2]														
	CALIFORNIA.														
22	Total	1,244.5	17.9	7.1	0.2	1.2	4.4	7.5	6.3	11.3	2.6	168.8	8.0	13.2	4.3
23	White	1,253.1	17.8	7.1	0.1	1.1	4.7	7.6	6.5	11.8	2.8	165.6	8.2	12.8	4.2
24	Colored	1,101.5	20.0	7.7	1.5	3.1	.....	6.2	3.1	3.1	.....	223.1	6.2	18.5	6.2
25	Alameda County	1,763.8	25.2	.....	.....	.....	5.6	2.8	14.0	8.4	2.8	300.0	16.8	8.4	2.8
26	Alpine County	1,052.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
27	Amador County	1,731.0	22.6	22.6	.....	11.3	.....	.....	.....	22.6	.....	362.0	11.3	33.9	.....
28	Butte County	1,397.7	10.5	24.5	.....	.....	.....	7.0	.....	17.5	.....	112.1	10.5	14.0	7.0
29	Calaveras County	1,064.5	11.2	22.4	.....	.....	.....	.....	.....	11.2	.....	100.9	.....	.....	11.2
30	Colusa County	1,375.9	38.6	12.9	.....	.....	.....	12.9	.....	77.2	12.9	77.2	.....	12.9	.....
31	Contra Costa County	977.7	15.0	.....	.....	3.0	27.0	15.0	9.0	9.0	6.0	111.0	6.0	.....	6.0
32	Del Norte County	744.1	.....	.....	.....	.....	.....	.....	.....	.....	.....	124.0	.....	.....	.....
33	Eldorado County	1,805.7	.....	13.7	.....	.....	.....	13.7	13.7	109.4	.....	95.8	.....	13.7	13.7
34	Fresno County	1,096.3	29.5	7.4	.....	1.8	3.7	1.8	16.6	1.8	.....	141.9	16.6	18.4	.....
35	Glenn County	930.0	13.5	27.0	.....	13.5	.....	.....	13.5	.....	.....	107.8	.....	.....	.....
36	Humboldt County	780.8	.....	.....	.....	.....	4.5	.....	4.5	4.5	.....	80.8	9.0	4.5	.....
37	Imperial County	980.7	69.1	6.9	.....	.....	.....	.....	.....	20.7	6.9	151.9	6.9	20.7	.....
38	Inyo County	370.3	.....	13.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
39	Kern County	721.7	7.4	3.7	.....	.....	3.7	3.7	3.7	3.7	3.7	51.8	.....	11.1	.....
40	Kings County	1,076.0	35.3	41.2	.....	.....	5.9	23.5	5.9	5.9	5.9	88.2	5.9	29.4	5.9
41	Lake County	1,499.9	36.6	.....	.....	18.3	18.3	73.2	.....	18.3	.....	237.8	.....	36.6	18.3
42	Lassen County	454.7	41.3	20.7	.....	.....	.....	.....	.....	.....	.....	20.7	.....	.....	.....
43	Los Angeles County	1,351.1	9.4	1.4	.....	0.7	6.5	8.0	8.7	6.5	1.4	302.9	9.4	11.6	2.2
44	Madera County	835.9	.....	.....	.....	.....	.....	23.2	.....	.....	.....	69.7	.....	11.6	.....
45	Marin County	890.9	11.4	.....	.....	11.4	3.8	7.6	3.8	7.6	.....	167.5	3.8	3.8	.....
46	Mariposa County	724.8	.....	.....	.....	.....	25.9	.....	.....	.....	.....	129.4	.....	.....	.....
47	Mendocino County*	1,355.1	24.6	.....	.....	.....	.....	.....	8.2	4.1	4.1	143.7	4.1	8.2	8.2
48	Merced County	818.9	.....	18.9	.....	.....	12.6	25.2	.....	12.6	6.3	107.1	.....	6.3	.....
49	Modoc County	584.8	31.6	.....	.....	.....	15.8	.....	.....	15.8	.....	31.6	.....	15.8	.....
50	Mono County	542.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
51	Monterey County	1,091.8	8.1	.....	.....	.....	.....	8.1	4.0	12.1	4.0	121.3	12.1	12.1	4.0
52	Napa County*	2,706.6	19.8	.....	.....	.....	4.9	.....	.....	4.9	9.9	282.0	.....	24.7	4.9
53	Nevada County	1,547.0	6.8	.....	.....	6.8	6.8	20.5	.....	6.8	.....	219.0	.....	13.7	13.7
54	Orange County	1,285.9	33.1	.....	.....	2.8	2.8	8.3	11.0	22.1	5.5	110.4	24.8	30.4	2.8
55	Placer County	1,461.9	21.6	37.8	.....	.....	.....	.....	10.8	.....	5.4	172.6	5.4	10.8	16.2
56	Plumas County	975.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
57	Riverside County	1,031.2	14.5	.....	4.8	.....	14.5	9.7	14.5	14.5	4.8	242.1	4.8	14.5	4.8
58	Sacramento County	1,409.9	33.5	12.6	.....	.....	4.2	4.2	12.6	8.4	.....	196.6	4.2	20.9	.....
59	San Benito County	1,144.5	.....	.....	.....	.....	.....	.....	.....	24.4	.....	146.1	24.4	.....	.....
60	San Bernardino County*	1,428.2	22.5	.....	.....	.....	2.8	8.5	2.8	8.5	.....	245.1	19.7	16.9	2.8
61	San Diego County	1,062.3	4.3	.....	4.3	.....	.....	.....	4.3	4.3	4.3	132.3	4.3	17.1	4.3
62	San Joaquin County	1,693.1	34.9	7.0	.....	.....	3.5	10.5	14.0	14.0	3.5	223.4	7.0	14.0	10.5
63	San Luis Obispo County	1,034.5	20.3	.....	.....	.....	.....	.....	5.1	10.1	.....	182.6	.....	10.1	5.1
64	San Mateo County	909.8	7.1	.....	.....	3.5	3.5	3.5	3.5	.....	3.5	141.1	17.6	3.5	.....

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
82.7	16.5	16.3	59.6	102.7	22.1	95.1	15.2	79.4	20.9	15.6	15.6	67.8	7.5	5.6	84.6	76.9	18.9	249.2	6.1	1
82.7	16.5	16.3	59.5	102.5	22.1	95.0	15.2	79.4	21.0	15.6	15.6	67.6	7.6	5.6	84.6	76.8	18.8	249.4	6.1	2
78.6	.....	39.3	78.6	157.3	.....	118.0	.....	78.6	.....	.....	.....	118.0	.....	.....	78.6	118.0	39.3	196.6	.....	3
107.7	17.9	12.0	101.7	149.5	6.0	59.8	12.0	41.9	23.9	12.0	17.9	47.9	6.0	6.0	53.8	65.8	.....	287.1	35.9	4
92.0	18.4	64.4	110.4	165.6	27.6	147.2	46.0	55.2	.....	36.8	.....	46.0	18.4	9.2	119.6	193.2	9.2	377.2	.....	5
76.5	12.7	6.4	82.9	76.5	6.4	57.4	19.1	38.2	12.7	6.4	12.7	70.1	6.4	.....	70.1	19.1	.....	286.9	6.4	6
126.3	22.0	5.5	65.9	186.8	5.5	104.4	.....	22.0	33.0	27.5	5.5	109.9	5.5	.....	54.9	115.4	16.5	373.5	43.9	7
93.9	20.9	10.4	88.7	125.2	15.6	88.7	20.9	62.6	78.2	26.1	5.2	67.8	10.4	5.2	52.2	109.5	10.4	318.2	15.6	8
104.5	27.1	42.6	73.6	89.1	15.5	243.9	27.1	170.4	85.2	31.0	7.7	112.3	23.2	.....	193.6	108.4	19.4	371.7	19.4	9
122.1	21.5	7.2	79.0	193.9	14.4	129.3	21.5	28.7	7.2	14.4	.....	86.2	7.2	.....	57.5	143.6	28.7	323.2	.....	10
57.5	8.8	31.0	48.7	88.5	8.8	53.1	13.3	150.4	8.8	8.8	53.1	44.2	.....	8.8	110.6	115.0	26.5	269.9	4.4	11
126.8	29.3	13.0	45.5	113.8	29.3	74.8	19.5	19.5	45.5	55.3	26.0	42.3	16.3	3.3	58.5	84.6	22.8	286.2	6.5	12
112.3	15.5	19.4	69.7	96.8	11.6	61.9	15.5	27.1	7.7	19.4	.....	73.5	3.9	.....	89.0	112.3	15.5	236.1	11.6	13
99.2	15.3	7.6	61.1	99.2	15.3	53.4	22.9	15.3	45.8	7.6	7.6	68.7	15.3	.....	30.5	76.3	15.3	305.4	22.9	14
90.1	27.7	6.9	34.7	104.0	.....	90.1	6.9	62.4	.....	20.8	6.9	110.9	13.9	6.9	117.8	62.4	13.9	263.4	13.9	15
74.3	15.7	13.4	52.8	95.6	29.3	94.3	10.6	98.8	13.7	12.4	17.4	66.2	5.8	7.3	86.2	62.9	19.0	232.3	2.0	16
121.7	5.9	11.9	68.3	115.8	8.9	92.0	35.6	35.6	32.7	20.8	23.8	80.2	3.0	5.9	98.0	41.6	26.7	311.8	5.9	17
64.4	11.9	21.5	52.5	83.5	26.2	100.2	26.2	64.4	19.1	7.2	9.5	38.2	11.9	7.2	52.5	57.3	23.9	178.9	4.8	18
114.9	18.5	11.1	74.1	81.5	29.6	51.9	11.1	66.7	18.5	3.7	14.8	85.2	3.7	11.1	81.5	77.8	18.5	155.6	.....	19
31.5	7.3	24.2	50.8	104.0	7.3	91.9	16.9	58.1	19.4	12.1	12.1	58.1	7.3	.....	79.8	121.0	21.8	186.3	2.4	20
58.5	35.1	35.1	87.8	99.5	5.9	140.5	17.6	52.7	23.4	11.7	5.9	82.0	11.7	.....	82.0	117.1	23.4	251.8	5.9	21
62.7	11.4	12.5	66.1	155.8	10.9	90.9	13.7	33.6	7.8	11.7	15.2	75.5	5.1	7.3	39.4	123.5	24.3	220.0	4.4	22
64.7	11.9	11.6	68.4	160.4	11.3	91.3	13.8	32.5	8.2	11.5	15.6	78.1	5.1	7.2	39.4	122.3	23.6	221.7	4.3	23
29.2	3.1	26.2	27.7	78.5	4.6	84.6	12.3	52.3	1.5	15.4	9.2	30.8	4.6	7.7	38.5	143.1	36.9	190.8	6.2	24
112.2	14.0	16.8	92.5	201.9	5.6	221.5	39.3	44.9	11.2	11.2	14.0	201.9	5.6	14.0	44.9	95.3	16.8	213.1	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1,052.6	.....	.....	.....	26
56.6	11.3	.....	90.5	124.4	.....	124.4	33.9	45.3	.....	33.9	11.3	237.6	11.3	11.3	33.9	169.7	22.6	226.3	.....	27
87.6	24.5	14.0	52.5	126.1	3.5	119.1	21.0	56.0	17.5	24.5	10.5	70.1	.....	3.5	42.0	157.6	35.0	322.3	7.0	28
22.4	22.4	.....	44.8	112.1	22.4	89.6	11.2	44.8	.....	11.2	11.2	89.6	11.2	.....	22.4	156.9	.....	235.3	.....	29
102.9	25.7	.....	64.3	115.7	25.7	102.9	25.7	.....	.....	12.9	25.7	38.6	.....	12.9	25.7	180.0	25.7	334.3	12.9	30
30.0	3.0	6.0	54.0	93.0	3.0	96.0	9.0	33.0	9.0	6.0	12.0	54.0	6.0	9.0	51.0	141.0	27.0	126.0	3.0	31
82.7	.....	41.3	.....	82.7	.....	41.3	.....	.....	.....	.....	.....	41.3	.....	.....	.....	165.4	.....	165.4	.....	32
82.1	.....	.....	82.1	437.8	27.4	82.1	.....	13.7	13.7	.....	41.0	164.2	13.7	.....	13.7	109.4	27.4	424.1	.....	33
47.9	9.2	11.1	47.9	138.2	9.2	95.8	11.1	47.9	5.5	12.9	18.4	59.0	7.4	9.2	62.6	121.6	22.1	119.8	.....	34
40.4	13.5	13.5	40.4	107.8	13.5	80.9	13.5	27.0	13.5	13.5	13.5	80.9	.....	.....	27.0	121.3	27.0	107.8	.....	35
22.4	9.0	.....	62.8	107.7	.....	76.3	4.5	13.5	.....	4.5	.....	35.9	4.5	.....	49.4	130.1	13.5	139.1	.....	36
20.7	6.9	6.9	55.3	48.3	.....	27.6	13.8	69.1	6.9	13.8	.....	20.7	13.8	.....	13.8	227.9	34.5	103.6	13.8	37
27.4	13.7	.....	.....	13.7	.....	41.1	.....	13.7	.....	13.7	.....	27.4	.....	.....	13.7	27.4	27.4	109.7	27.4	38
3.7	3.7	7.4	37.0	59.2	3.7	74.0	3.7	25.9	.....	11.1	.....	11.1	3.7	7.4	37.0	214.7	40.7	85.1	.....	39
35.3	5.9	.....	64.7	76.4	11.8	88.2	5.9	64.7	5.9	.....	17.6	64.7	5.9	.....	100.0	100.0	17.6	152.9	5.9	40
18.3	18.3	36.6	.....	146.3	18.3	91.5	36.6	36.6	.....	.....	54.9	128.0	.....	.....	54.9	91.5	18.3	292.7	.....	41
.....	.....	20.7	.....	41.3	.....	82.7	.....	20.7	.....	.....	.....	20.7	.....	20.7	20.7	41.3	.....	62.0	41.3	42
73.7	13.0	11.6	71.6	185.1	13.0	75.9	7.2	44.1	3.6	9.4	15.2	85.3	3.6	5.8	54.2	71.6	25.3	213.3	.....	43
46.4	11.6	.....	58.1	92.9	.....	34.8	.....	23.2	.....	34.8	46.4	34.8	11.6	.....	34.8	139.3	.....	162.5	.....	44
64.7	15.2	7.6	41.9	152.3	7.6	68.5	7.6	11.4	7.6	11.4	15.2	60.9	.....	3.8	34.3	68.5	3.8	87.6	.....	45
25.9	.....	.....	25.9	103.5	.....	.....	.....	.....	.....	.....	.....	51.8	.....	.....	.....	181.2	51.8	103.5	25.9	46
20.5	8.2	12.3	61.6	156.0	24.6	110.9	8.2	20.5	12.3	12.3	8.2	94.4	12.3	20.5	24.6	168.4	24.6	340.8	8.2	47
37.8	12.6	6.3	50.4	107.1	.....	37.8	12.6	12.6	.....	.....	.....	37.8	6.3	6.3	25.2	157.5	25.2	94.5	.....	48
79.0	.....	.....	47.4	94.8	.....	47.4	.....	31.6	15.8	.....	15.8	47.4	.....	.....	.....	31.6	.....	63.2	.....	49
.....	.....	.....	.....	49.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	443.8	.....	.....	49.3	50
76.8	32.4	8.1	68.7	133.4	8.1	56.6	16.2	24.3	8.1	12.1	20.2	56.6	4.0	8.1	12.1	93.0	36.4	230.5	.....	51
163.3	29.7	34.6	153.4	410.7	9.9	168.2	24.7	24.7	4.9	29.7	59.4	148.4	.....	19.8	19.8	143.5	39.6	870.9	.....	52
95.8	6.8	6.8	123.2	184.8	20.5	89.0	34.2	20.5	13.7	20.5	20.5	123.2	6.8	27.4	41.1	157.4	6.8	253.3	.....	53
74.5	11.0	8.3	71.7	140.7	16.6	102.1	16.6	60.7	16.6	11.0	22.1	41.4	2.8	11.0	46.9	96.6	33.1	242.8	5.5	54
64.7	5.4	5.4	64.7	151.0	5.4	124.1	10.8	10.8	.....	16.2	.....	64.7	.....	10.8	37.8	269.7	16.2	302.1	21.6	55
.....	18.8	.....	56.3	150.0	.....	93.8	.....	.....	.....	.....	.....	18.8	.....	.....	18.8	412.6	18.8	131.3	56.3	56
24.2	.....	33.9	33.9	53.3	4.8	62.9	4.8	29.0	4.8	14.5	9.7	67.8	4.8	.....	38.7	135.6	9.7	154.9	.....	57
58.6	4.2	16.7	62.8	113.0	8.4	92.0	46.0	37.7	.....	8.4	33.5	113.0	.....	.....	50.2	167.3	25.1	271.9	4.2	58
85.2	12.2	12.2	60.9	170.5	12.2	48.7	12.2	60.9	12.2	.....	48.7	73.1	12.2	.....	48.7	36.5	36.5	207.0	.....	59
36.6	5.6	11.3	53.5	211.3	14.1	84.5	5.6	67.6	8.5	14.1	5.6	64.8	5.6	5.6	45.1	154.9	22.5	276.1	5.6	60
51.2	21.3	.....	81.1	174.9	17.1	68.3	.....	8.5	8.5	4.3	8.5	72.5	8.5	4.3	29.9	119.5	8.5	187.7	8.5	61
118.7	.....	14.0	52.4	213.0	7.0	118.7	17.5	14.0	20.9	14.0	24.4	206.0	17.5	17.5	38.4	160.6	41.9	247.9	7.0	62
55.8	5.1	15.2	50.7	136.9	15.2	55.8	10.1	15.2	10.1	10.1	15.2	45.6	5.1	.....	20.3	111.6	20.3	197.8	5.1	63
56.4	3.5	14.1	42.3	126.9	7.1	70.5	7.1	17.6	10.6	10.6	10.6	21.2	7.1	7.1	38.8	102.3	21.2	144.6	3.5	64

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.														
	CALIFORNIA—continued.														
1	Santa Barbara County	695.5						18.1		12.1		84.7	6.0		6.0
2	Santa Clara County	1,680.8	7.4	1.9			3.7	3.7	1.9	7.4	3.7	230.5	5.6	22.3	5.6
3	Santa Cruz County	1,202.2	6.7						6.7	6.7		114.2	13.4	26.9	
4	Shasta County	1,166.6	26.2	57.5		5.2	5.2			26.2		99.4		10.5	15.7
5	Sierra County	1,022.6	24.3							48.7				24.3	
6	Siskiyou County	872.5		15.8			5.3	10.5	10.5	10.5		73.6	5.3		5.3
7	Solano County	1,103.2	12.3	6.2			6.2	18.5	6.2	6.2	6.2	86.3		6.2	6.2
8	Sonoma County	1,395.0	18.1				2.0	6.0	2.0	12.1		171.3	8.1	18.1	6.0
9	Stanislaus County	1,003.8	24.9	12.4			4.1	4.1	8.3	4.1	8.3	112.0	12.4	8.3	
10	Sutter County	1,050.0	31.3					15.7		15.7	15.7	78.4			
11	Tehama County	1,266.4	52.4	17.5			8.7			34.9	8.7	139.7	8.7		17.5
12	Trinity County	1,640.4						31.5		31.5		94.6			31.5
13	Tulare County	930.0	32.0	10.7			5.3	8.0	13.3	13.3		109.3	2.7	13.3	10.7
14	Tuolumne County	1,423.6	81.4	10.2		10.2			10.2	61.0		132.2			10.2
15	Ventura County	1,407.1	15.9	5.3				47.8	5.3	10.6		207.1	10.6	21.2	
16	Yolo County	1,461.0		14.3				7.2		50.1	7.2	121.8		14.3	7.2
17	Yuba County	1,742.4	29.4	58.7				9.8			9.8	156.6	29.4	39.2	
	COLORADO.														
18	Total	1,166.8	37.0			13.2	11.7	5.9	9.4	13.8	2.7	157.0	3.4	6.1	7.5
19	White	1,159.4	36.1			13.4	11.8	6.0	9.5	14.0	2.7	155.4	3.5	5.8	7.6
20	Colored	1,767.3	109.5									281.5		31.3	
21	Adams County	684.4	10.5				10.5		21.1			200.0			
22	Arapahoe County	1,190.7	27.3					9.1		9.1	9.1	445.4			9.1
23	Archuleta County	870.1	29.0						29.0	29.0					
24	Baca County	915.1	73.2									73.2			
25	Bent County	1,607.4	37.8			56.7	37.8		37.8			548.4		18.9	18.9
26	Boulder County	1,082.6	25.5			15.9	3.2	6.4	3.2	12.7		184.7	12.7	9.6	6.4
27	Chaffee County	1,443.8	78.0			13.0	13.0			26.0		78.0			
28	Cheyenne County	515.1	24.5						24.5	49.1					
29	Clear Creek County	1,411.1								21.1	21.1	63.2	21.1		
30	Conejos County	552.2				17.3					17.3	69.0			8.6
31	Costilla County	214.1	17.8						17.8			17.8			
32	Custer County	1,258.9				54.7				54.7					
33	Delta County	748.7	61.3			6.8	6.8			20.4		74.9	20.4		20.4
34	Dolores County	1,029.2													
35	Douglas County	999.7								31.2		125.0		31.2	
36	Eagle County	1,106.3	100.6							33.5		33.5		33.5	
37	El Paso County	1,695.7	13.4				13.4		6.7	6.7	6.7	609.9		13.4	13.4
38	Elbert County	660.2	35.7							17.8		17.8			17.8
39	Fremont County	1,368.2	32.4			5.4			27.0	5.4	5.4	173.0		5.4	10.8
40	Garfield County	1,124.5	84.3			9.4						56.2	9.4	9.4	9.4
41	Gilpin County	1,309.2					52.4					104.7			
42	Grand County	200.1													
43	Gunnison County	871.6	33.5			16.8						50.3			
44	Hinsdale County	1,134.2										189.0			
45	Huerfano County	1,458.1	35.9			14.4	28.7		14.4			86.2		7.2	
46	Jackson County	555.0													
47	Jefferson County	1,894.4	13.5							13.5	6.7	937.1		20.2	6.7
48	Kiowa County	599.7										63.1		31.6	
49	Kit Carson County	524.1						12.2	12.2	24.4		24.4			
50	La Plata County	1,223.7	17.7					26.6		8.9		70.9	8.9		8.9
51	Lake County	2,260.3	10.3			82.6	10.3		10.3	51.6	10.3	51.6		10.3	
52	Larimer County	883.8	29.7			3.7	18.6	14.9	3.7	18.6	3.7	96.5	7.4	3.7	7.4
53	Las Animas County	1,502.8	61.8			12.4	20.6		41.2	4.1		78.2		12.4	16.5
54	Lincoln County	505.6	15.3					15.3		15.3		91.9			
55	Logan County	959.9	67.9			38.8	19.4	19.4	9.7	19.4		58.2			9.7
56	Mesa County	904.2	42.1			4.2	12.6		12.6	12.6	4.2	100.9		4.2	
57	Mineral County	1,123.6								86.4					
58	Montezuma County	474.5								38.0					
59	Montrose County	818.6	45.5			45.5	36.4					81.9		9.1	
60	Morgan County	860.1	29.0						9.7	9.7		193.3		9.7	9.7
61	Otero County [3]	1,712.0	131.7			56.4	28.2	9.4	14.1	18.8		277.5	9.4	4.7	
62	Ouray County	1,128.9				59.4						59.4			
63	Park County	1,234.1						41.1		41.1		82.3			41.1
64	Phillips County	533.6						29.6							
65	Pitkin County	1,148.3							23.4	23.4		23.4			
66	Prowers County	1,359.7	176.1			19.6			58.7	19.6		136.9	19.6		9.8
67	Pueblo County	4,382.3	86.7			61.9	99.0	49.5	12.4	61.9	12.4	594.2	12.4	12.4	12.4
68	Rio Blanco County	954.4								41.5		41.5			
69	Rio Grande County	1,645.8	14.6			14.6	14.6	29.1		14.6	14.6	116.5		14.6	29.1
70	Routt County [4]	808.8	24.9					12.4				74.7			24.9

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
24.2	18.1	6.0	24.2	72.6	.....	54.4	12.1	36.3	.....	.....	18.1	30.2	18.1	12.1	36.3	60.5	18.1	127.0	.....	1
115.3	27.9	24.2	111.6	238.0	18.6	117.1	16.7	31.6	9.3	26.0	14.9	115.3	3.7	7.4	42.8	113.4	31.6	321.7	.....	2
87.3	6.7	26.9	47.0	134.3	20.1	114.2	.....	20.1	6.7	6.7	13.4	87.3	6.7	13.4	40.3	107.5	13.4	268.7	6.7	3
57.5	.....	.....	36.6	141.3	10.5	57.5	20.9	36.6	15.7	15.7	10.5	41.9	.....	15.7	26.2	198.8	26.2	204.0	5.2	4
48.7	.....	48.7	48.7	97.4	24.3	121.7	.....	.....	.....	.....	.....	48.7	.....	.....	.....	170.4	.....	292.2	24.3	5
47.3	5.3	10.5	36.8	52.6	5.3	73.6	5.3	26.3	5.3	.....	26.3	42.0	10.5	5.3	31.5	115.6	47.3	173.5	15.8	6
43.1	12.3	12.3	104.8	141.8	12.3	104.8	.....	49.3	6.2	18.5	6.2	61.6	.....	.....	18.5	92.4	49.3	203.4	6.2	7
60.5	12.1	22.2	121.0	205.6	22.2	94.7	24.2	24.2	14.1	6.0	30.2	68.5	8.1	6.0	44.3	88.7	32.3	264.1	2.0	8
58.1	12.4	29.0	62.2	116.1	4.1	74.7	33.2	29.0	16.6	4.1	16.6	49.8	4.1	4.1	29.0	83.0	12.4	161.8	4.1	9
62.7	15.7	.....	47.0	156.7	47.0	78.4	15.7	15.7	.....	.....	15.7	15.7	.....	.....	15.7	141.0	15.7	235.1	15.7	10
69.9	.....	17.5	17.5	288.2	8.7	69.9	17.5	8.7	.....	17.5	43.7	43.7	.....	8.7	17.5	104.8	17.5	218.3	8.7	11
94.6	.....	.....	94.6	220.8	31.5	31.5	.....	31.5	.....	31.5	.....	94.6	.....	.....	31.5	315.5	157.7	315.5	.....	12
50.6	2.7	16.0	56.0	117.2	8.0	63.9	13.3	29.3	13.3	2.7	.....	48.0	.....	8.0	45.3	87.9	5.3	141.2	2.7	13
61.0	10.2	20.3	40.7	111.9	10.2	284.7	50.8	10.2	10.2	20.3	10.2	61.0	.....	10.2	10.2	50.8	50.8	274.6	10.2	14
58.4	5.3	5.3	111.5	180.5	31.9	95.6	5.3	74.3	10.6	26.5	.....	90.3	10.6	10.6	31.9	116.8	10.6	201.8	5.3	15
93.1	35.8	7.2	71.6	200.5	.....	50.1	14.3	35.8	7.2	21.5	.....	93.1	7.2	7.2	28.6	200.5	21.5	329.4	14.3	16
68.5	19.6	9.8	88.1	293.7	.....	156.6	9.8	29.4	.....	19.6	19.6	48.9	.....	.....	29.4	234.9	29.4	332.8	19.6	17
45.6	10.5	11.3	37.9	77.6	10.5	130.1	16.5	56.9	13.2	9.6	7.7	61.1	9.0	9.0	79.7	116.0	17.6	173.8	5.2	18
45.6	10.7	11.4	37.6	77.6	10.3	128.8	16.1	57.4	13.2	9.5	7.8	60.5	8.9	9.1	79.9	113.5	17.7	172.5	5.2	19
46.9	.....	.....	62.6	78.2	31.3	234.6	46.9	15.6	15.6	15.6	.....	109.5	15.6	.....	62.6	312.8	15.6	281.5	.....	20
42.1	10.5	10.5	52.6	42.1	21.1	52.6	.....	.....	.....	.....	.....	42.1	10.5	.....	10.5	52.6	31.6	63.2	.....	21
54.5	9.1	9.1	27.3	36.4	.....	127.2	9.1	9.1	.....	.....	.....	54.5	9.1	.....	45.4	72.7	36.4	181.8	.....	22
58.0	.....	.....	.....	29.0	.....	145.0	29.0	58.0	29.0	29.0	.....	29.0	.....	.....	58.0	174.0	.....	145.0	.....	23
.....	.....	.....	36.6	36.6	.....	219.6	.....	.....	.....	.....	36.6	.....	.....	.....	146.4	146.4	.....	146.4	.....	24
37.8	.....	18.9	56.7	94.6	.....	226.9	.....	37.8	.....	.....	.....	94.6	.....	18.9	94.6	56.7	18.9	94.6	.....	25
54.1	15.9	6.4	66.9	89.2	9.6	60.5	6.4	44.6	15.9	6.4	9.6	73.2	6.4	3.2	66.9	82.8	12.7	168.8	3.2	26
117.1	26.0	26.0	13.0	78.0	.....	208.1	13.0	52.0	39.0	13.0	13.0	117.1	.....	13.0	104.1	156.1	65.0	182.1	.....	27
.....	.....	.....	24.5	.....	.....	73.6	.....	73.6	24.5	.....	.....	98.1	.....	.....	24.5	.....	.....	98.1	.....	28
63.2	.....	.....	42.1	147.4	21.1	273.8	126.4	21.1	.....	.....	.....	126.4	.....	21.1	126.4	126.4	42.1	147.4	.....	29
17.3	.....	.....	8.6	34.5	.....	112.2	8.6	25.9	8.6	8.6	.....	25.9	.....	.....	43.1	43.1	34.5	69.0	.....	30
17.8	.....	.....	.....	17.8	.....	53.5	.....	.....	17.8	17.8	.....	.....	.....	.....	.....	17.8	.....	17.8	.....	31
54.7	164.2	54.7	109.5	109.5	54.7	273.7	.....	.....	.....	.....	54.7	.....	.....	.....	54.7	.....	.....	218.9	.....	32
47.6	6.8	13.6	47.6	88.5	.....	54.4	.....	47.6	6.8	.....	.....	6.8	6.8	.....	27.2	40.8	13.6	122.5	6.8	33
.....	.....	171.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	171.5	.....	.....	171.5	343.1	.....	171.5	.....	34
.....	.....	.....	.....	62.5	125.0	93.7	31.2	.....	.....	31.2	.....	93.7	.....	.....	.....	218.7	31.2	125.0	.....	35
.....	.....	.....	33.5	134.1	.....	100.6	.....	33.5	.....	.....	.....	100.6	.....	.....	33.5	234.7	100.6	134.1	.....	36
60.3	.....	13.4	73.7	107.2	13.4	120.6	20.1	53.6	6.7	.....	6.7	87.1	.....	.....	87.1	181.0	20.1	160.9	.....	37
35.7	.....	.....	17.8	35.7	.....	53.5	.....	35.7	.....	.....	.....	17.8	.....	53.5	35.7	160.6	35.7	89.2	.....	38
70.3	16.2	10.8	37.9	81.1	5.4	173.0	10.8	70.3	.....	10.8	21.6	81.1	10.8	16.2	102.7	140.6	16.2	210.9	16.2	39
56.2	18.7	.....	37.5	112.5	18.7	75.0	18.7	37.5	.....	9.4	18.7	103.1	18.7	18.7	103.1	131.2	9.4	159.3	.....	40
26.2	26.2	.....	.....	183.3	26.2	104.7	104.7	26.2	26.2	.....	.....	209.5	.....	26.2	52.4	183.3	26.2	130.9	.....	41
.....	.....	.....	.....	50.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50.0	.....	100.1	.....	42
.....	16.8	33.5	33.5	50.3	.....	100.6	16.8	16.8	.....	16.8	.....	100.6	16.8	.....	50.3	117.3	.....	201.1	.....	43
.....	.....	.....	.....	.....	.....	189.0	.....	.....	.....	.....	.....	189.0	.....	.....	.....	189.0	189.0	189.0	.....	44
35.9	14.4	14.4	14.4	57.5	7.2	215.5	7.2	186.8	7.2	7.2	.....	79.0	35.9	.....	186.8	222.7	.....	172.4	7.2	45
.....	.....	.....	.....	92.5	.....	92.5	.....	.....	.....	92.5	.....	92.5	.....	.....	92.5	.....	92.5	.....	.....	46
60.7	20.2	.....	74.2	87.6	13.5	101.1	40.5	27.0	6.7	6.7	13.5	94.4	.....	6.7	101.1	74.2	20.2	148.3	.....	47
31.6	.....	.....	31.6	31.6	.....	63.1	.....	.....	.....	.....	.....	.....	.....	.....	94.7	63.1	.....	157.8	31.6	48
12.2	.....	.....	36.6	36.6	12.2	24.4	12.2	60.9	.....	12.2	.....	12.2	24.4	.....	73.1	.....	12.2	109.7	12.2	49
88.7	8.9	17.7	17.7	124.1	.....	168.5	35.5	26.6	53.2	26.6	8.9	88.7	.....	8.9	79.8	115.3	17.7	195.1	.....	50
61.9	20.6	20.6	82.6	154.8	103.2	381.9	103.2	51.6	10.3	31.0	10.3	165.1	20.6	31.0	165.1	247.7	31.0	330.3	.....	51
40.8	11.1	3.7	33.4	55.7	7.4	85.4	.....	44.6	18.6	22.3	11.1	37.1	7.4	7.4	55.7	59.4	3.7	159.7	11.1	52
45.3	8.2	32.9	20.6	32.9	8.2	172.9	8.2	148.2	8.2	16.5	8.2	53.5	12.4	16.5	102.9	329.4	12.4	201.7	16.5	53
30.6	.....	15.3	.....	15.3	.....	46.0	15.3	15.3	.....	.....	.....	15.3	15.3	15.3	46.0	91.9	.....	46.0	.....	54
87.3	19.4	.....	.....	48.5	.....	145.4	9.7	67.9	9.7	.....	.....	29.1	.....	.....	67.9	58.2	9.7	164.8	.....	55
50.5	21.0	4.2	37.9	126.2	12.6	46.3	8.4	21.0	33.6	12.6	12.6	29.4	4.2	.....	100.9	54.7	8.4	122.0	4.2	56
.....	.....	.....	.....	.....	86.4	345.7	.....	.....	.....	.....	.....	86.4	.....	.....	86.4	259.3	.....	172.9	.....	57
.....	.....	.....	.....	56.9	.....	38.0	.....	19.0	.....	.....	.....	19.0	.....	.....	56.9	113.9	19.0	113.9	.....	58
9.1	9.1	18.2	27.3	72.8	9.1	72.8	9.1	18.2	18.2	9.1	.....	54.6	27.3	18.2	100.1	45.5	9.1	72.8	.....	59
67.6	.....	.....	29.0	38.7	.....	77.3	9.7	19.3	.....	9.7	9.7	29.0	19.3	.....	87.0	58.0	9.7	135.3	.....	60
23.5	14.1	18.8	51.7	65.8	9.4	141.1	9.4	136.4	28.2	4.7	9.4	75.3	4.7	32.9	117.6	117.6	28.2	254.0	18.8	61
59.4	.....	.....	.....	148.5	.....	178.3	118.8	.....	29.7	.....	29.7	.....	29.7	.....	59.4	89.1	89.1	178.3	.....	62
41.1	.....	.....	41.1	164.5	.....	164.5	41.1	41.1	.....	41.1	.....	164.5	.....	.....	82.3	82.3	41.1	82.3	41.1	63
.....	.....	.....	.....	88.9	.....	59.3	.....	29.6	.....	.....	.....	.....	.....	29.6	59.3	59.3	.....	177.9	.....	64
93.7	46.9	23.4	46.9	140.6	23.4	210.9	.....	46.9	.....	.....	.....	93.7	.....	23.4	70.3	70.3	46.9	140.6	.....	65
39.1	9.8	19.6	78.3	117.4	29.3	117.4	.....	88.0	29.3	.....	19.6	9.8	9.8	39.1	88.0	68.5	9.8	146.7	.....	66
74.3	12.4	74.3	111.4	235.2	12.4	371.4	37.1	173.3	37.1	37.1	12.4	111.4	12.4	12.4	185.7	507.6	61.9	1,287.4	.....	67
41.5	.....	.....	41.5	83.0	83.0	290.5	.....	41.5	41.5	.....	.....	.....	.....	.....	.....	41.5	.....	207.5	.....	68
145.6	.....	14.6	72.8	131.1	29.1	218.5	43.7	87.4	58.3	.....	14.6	102.0	14.6	.....	14.6	43.7	.....	364.1	29.1	69
24.9	.....	24.9	24.9	62.2	.....	99.5	12.4	12.4	.....	.....	.....	49.8	12.4	.....	49.8	124.4	12.4	161.8	.....	70

[3] Including Crowley County, organized May 29, 1911.

[4] Including Moffat County, organized Mar. 27, 1911.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	COLORADO—continued.														
1	Saguache County	1,334.3								47.7		47.7			
2	San Juan County	1,713.7	31.7					63.5			31.7	158.7			
3	San Miguel County	1,494.2	21.7								21.7	108.3			
4	Sedgwick County	573.0					30.2								30.2
5	Summit County	836.4								104.5					
6	Teller County	1,743.8	15.9			23.9	55.7	31.8		8.0		63.7		8.0	8.0
7	Washington County	508.6	30.8							15.4		61.6		15.4	
8	Weld County	863.7	33.4			9.5	9.5		9.5	9.5		107.4	2.4	4.8	14.3
9	Yuma County	666.7								10.9		21.9		21.9	
	CONNECTICUT.														
10	Total	1,507.0	6.3	1.6		5.2	8.5	11.7	19.9	31.4	4.6	125.9	9.8	11.2	10.4
11	White	1,502.5	6.3	1.7		5.2	8.6	11.3	20.1	31.4	4.7	123.6	9.9	11.3	10.2
12	Colored	1,881.5						46.5		23.2		325.2			23.2
13	Fairfield County	1,612.2	3.9	2.0		2.0	3.9	5.9	9.8	21.5	3.9	226.7	11.7	11.7	13.7
14	Hartford County	1,415.6	1.2	1.2		8.6	11.0	7.3	26.9	22.0	3.7	132.0	12.2	12.2	8.6
15	Litchfield County	1,542.2	11.2	1.9		11.2	5.6	24.2	11.2	31.7	1.9	102.4	11.2	18.6	13.0
16	Middlesex County	1,362.0	4.0				8.0		28.0	40.1	8.0	88.1	12.0	12.0	4.0
17	New Haven County	1,486.2	12.3	4.1		2.0	4.1	12.3	16.4	47.0	2.0	89.9	12.3	8.2	12.3
18	New London County	1,681.8	9.1			4.6	22.8	18.2	15.9	22.8	11.4	136.5	4.6	9.1	6.8
19	Tolland County	1,397.3		3.7		3.7	3.7	3.7	56.2	52.4	3.7	67.4	3.7	11.2	11.2
20	Windham County	1,509.6	8.4			2.8	5.6	16.8	8.4	33.7	5.6	109.4	5.6	2.8	11.2
	INDIANA.														
21	Total	1,243.2	26.5	4.3	0.1	11.0	5.7	9.8	12.1	21.2	4.3	127.5	7.3	14.4	6.9
22	White	1,234.3	26.5	4.3	0.1	11.1	5.8	9.8	12.3	21.1	4.2	124.3	7.0	14.2	6.9
23	Colored	2,100.6	25.9	5.2				10.3		25.9	10.3	434.6	36.2	25.9	5.2
24	Adams County	839.7	22.9			4.6			4.6	22.9		87.2	4.6		9.2
25	Allen County	1,015.6	17.0			3.4	3.4	6.8	6.8	6.8	3.4	119.3	6.8	10.2	13.6
26	Bartholomew County	1,352.8	36.2				4.0	4.0	32.2	8.1	8.1	185.2	16.1	20.1	20.1
27	Benton County	886.4	7.9					7.9			15.8	47.5		7.9	
28	Blackford County	1,246.0	12.8							44.7	19.2	102.2	6.4	6.4	12.8
29	Boone County	1,148.2	16.3			4.1		16.3		36.8	4.1	147.1		20.4	20.4
30	Brown County	979.1	38.6			12.9		38.6	38.6	38.6		154.6		12.9	
31	Carroll County	1,049.1	28.2	5.6			11.3			5.6	5.6	95.9	5.6	28.2	5.6
32	Cass County	1,518.2	23.3			5.8	52.4	5.8	11.6	17.5	5.8	174.5		29.1	11.6
33	Clark County	1,314.8	15.2	5.1			5.1		5.1	40.6	5.1	162.4	10.2	10.2	
34	Clay County	1,308.7	12.4	9.3		21.7		9.3	27.8	18.6	12.4	142.3		15.5	6.2
35	Clinton County	1,121.3	11.3	7.6			3.8	3.8	15.1	34.0	3.8	113.3		15.1	3.8
36	Crawford County	1,312.6	42.1	25.2		25.2	25.2	42.1	8.4	33.7		227.2	16.8	8.4	8.4
37	Daviess County	1,197.1	40.0			3.6	18.2	14.6	10.9	21.8	7.3	156.5	7.3	7.3	
38	Dearborn County	1,267.6	9.4			4.7			9.4	14.1		117.4	14.1	4.7	
39	Decatur County	1,400.7	42.8	10.7				5.3	21.4	26.7		144.3	10.7	26.7	5.3
40	Dekalb County	1,081.1	8.0			12.0	8.0		12.0	20.0	8.0	92.1		16.0	4.0
41	Delaware County	1,089.1	36.5	3.7		11.0	11.0	3.7	3.7	18.3		120.6	7.3	11.0	7.3
42	Dubois County	1,177.9	30.3	5.1		10.1		25.3	30.3	15.2		136.5	5.1	20.2	5.1
43	Elkhart County	1,248.8	20.2			37.0	20.2	10.1	10.1	10.1		77.4	3.4	10.1	10.1
44	Fayette County	1,431.9	20.7	6.9		68.8	6.9				6.9	144.6		13.8	13.8
45	Floyd County	1,301.2	20.7				20.7	72.3	10.3	20.7		134.3	10.3	10.3	
46	Fountain County	1,230.6	14.8	9.8	4.9	14.8	9.8			19.7		113.2	4.9	19.7	4.9
47	Franklin County	1,295.5	32.9	6.6		39.5	13.2			39.5	6.6	151.2	6.6	13.2	6.6
48	Fulton County	1,201.7		11.9			5.9	5.9		17.8		113.0	17.8	11.9	5.9
49	Gibson County	1,323.9	29.9	16.6		13.3	3.3	13.3	19.9	36.5		185.8	6.6	16.6	6.6
50	Grant County	1,644.0	28.5			9.5	9.5	9.5	6.3	15.8	6.3	136.2	12.7	6.3	3.2
51	Greene County	1,153.3	34.3	7.9		7.9	2.6	5.3	18.5	18.5	2.6	121.4	5.3	10.6	
52	Hamilton County	1,270.9	22.5	3.7			3.7	18.7	3.7	26.2	3.7	153.7	7.5	7.5	
53	Hancock County	1,320.3	31.6			10.5		21.0	5.3	26.3	10.5	121.0	10.5	31.6	5.3
54	Harrison County	992.4	29.9	5.0			5.0	34.9	19.9	10.0	5.0	114.7		10.0	5.0
55	Hendricks County	1,120.9	19.2					14.4		24.1	4.8	129.9	4.8	19.2	28.9
56	Henry County	1,332.1	23.1				9.9	13.2	13.2	16.5	3.3	128.6	6.6	9.9	
57	Howard County	1,091.2	6.2				6.2		6.2	6.2		118.5		12.5	6.2
58	Huntington County	1,028.9	21.4				10.7			10.7	16.1	112.5	16.1		
59	Jackson County	1,269.7	32.7	8.2		20.4	4.1		12.2	4.1		130.6	8.2	16.3	4.1
60	Jasper County	1,047.2	31.0	23.3				7.8				85.3	15.5	7.8	
61	Jay County	1,257.4	36.4	4.0		4.0		12.1	4.0	28.3		109.2	8.1	32.3	8.1
62	Jefferson County	1,724.0	34.7			5.0		19.8	5.0	14.9	5.0	257.6	5.0	9.9	19.8
63	Jennings County	1,298.7	71.4	7.1		7.1		7.1		14.3		149.9			7.1
64	Johnson County	1,195.3	19.6	4.9				19.6	19.6	14.7	4.9	147.0	19.6	19.6	14.7
65	Knox County	1,140.0	48.9	8.1		24.4	4.1	12.2	24.4	28.5		89.6	4.1	8.1	8.1
66	Kosciusko County	1,313.2	3.6			18.0	3.6	7.2	10.8	21.6		125.9	3.6	7.2	7.2
67	Lagrange County	1,282.0	6.6			19.8	6.6			26.4	6.6	112.3		26.4	26.4
68	Lake County	1,078.6	20.9			3.5	3.5	7.0	7.0	14.0	3.5	115.2			3.5

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
47.7	.....	23.8	.....	119.1	.....	524.2	.....	71.5	23.8	23.8	.....	23.8	.....	23.8	95.3	95.3	.....	143.0	23.8	1
31.7	.....	.....	.....	126.9	.....	190.4	31.7	126.9	.....	.....	63.5	95.2	31.7	.....	.....	380.8	95.2	253.9	.....	2
21.7	21.7	.....	21.7	129.9	.....	411.4	43.3	21.7	.....	21.7	43.3	43.3	21.7	21.7	43.3	346.5	43.3	86.6	.....	3
60.3	.....	.....	60.3	30.2	.....	30.2	.....	.....	.....	.....	.....	.....	.....	.....	60.3	90.5	30.2	150.8	.....	4
.....	.....	.....	104.5	.....	.....	104.5	.....	.....	.....	52.3	.....	209.1	.....	.....	52.3	156.8	.....	52.3	.....	5
47.8	8.0	8.0	63.7	103.5	.....	326.4	63.7	119.4	47.8	8.0	8.0	87.6	23.9	8.0	135.4	222.9	23.9	215.0	8.0	6
.....	.....	.....	.....	.....	.....	46.2	30.8	46.2	.....	.....	.....	46.2	.....	.....	30.8	30.8	15.4	123.3	15.4	7
42.9	7.2	9.5	35.8	62.0	7.2	81.1	9.5	66.8	4.8	7.2	4.8	50.1	11.9	7.2	71.6	54.9	7.2	121.7	.....	8
32.8	21.9	10.9	21.9	43.7	10.9	65.6	.....	32.8	.....	21.9	.....	76.5	.....	.....	65.6	54.6	.....	142.1	10.9	9
82.9	17.4	17.2	134.7	183.2	25.1	130.6	13.4	57.5	4.6	9.3	13.4	114.2	2.5	4.1	81.0	88.9	16.6	255.7	8.5	10
83.6	17.1	17.1	135.7	183.2	25.1	130.2	13.2	58.2	4.4	9.1	13.2	113.1	2.2	4.1	80.0	88.8	16.3	255.2	8.3	11
23.2	46.5	23.2	46.5	185.8	23.2	162.6	23.2	.....	23.2	23.2	23.2	209.1	23.2	.....	162.6	92.9	46.5	302.0	23.2	12
93.8	19.5	19.5	140.7	207.1	19.5	113.3	7.8	48.9	5.9	9.8	25.4	121.2	2.0	2.0	84.0	80.1	21.5	271.6	2.0	13
80.7	13.4	15.9	112.5	171.1	28.1	129.6	7.3	81.9	6.1	8.6	8.6	84.3	2.4	2.4	92.9	88.0	11.0	215.1	8.6	14
83.8	18.6	14.9	136.0	167.6	18.6	134.1	13.0	46.6	5.6	7.5	11.2	160.2	3.7	3.7	70.8	72.6	16.8	294.3	18.6	15
104.1	8.0	8.0	128.2	144.2	24.0	120.2	24.0	40.1	.....	8.0	16.0	112.2	4.0	8.0	60.1	88.1	20.0	232.3	8.0	16
71.5	24.5	10.2	177.8	116.5	24.5	149.2	14.3	65.4	8.2	10.2	12.3	118.6	2.0	4.1	87.9	116.5	14.3	226.9	8.2	17
79.7	15.9	6.8	143.4	284.5	27.3	145.6	15.9	41.0	2.3	18.2	4.6	134.3	.....	4.6	72.8	88.8	9.1	323.2	2.3	18
78.7	11.2	18.7	108.6	198.5	45.0	119.9	18.7	48.7	.....	3.7	30.0	78.7	.....	3.7	78.7	74.9	45.0	202.3	11.2	19
78.6	25.3	47.7	129.1	182.4	19.6	123.5	19.6	58.9	2.8	5.6	8.4	101.0	5.6	8.4	81.4	101.0	11.2	280.6	8.4	20
67.8	13.5	8.5	82.8	142.7	15.5	95.3	8.1	53.0	7.5	10.3	11.3	80.4	10.1	6.6	62.3	74.8	13.3	226.7	1.5	21
67.9	13.6	8.6	82.5	141.1	15.5	94.6	8.1	52.7	7.4	10.4	11.2	79.4	10.0	6.6	62.0	74.3	13.4	225.6	1.5	22
56.9	5.2	.....	113.8	294.9	15.5	160.4	5.2	77.6	15.5	.....	20.7	175.9	15.5	5.2	93.1	124.2	5.2	336.3	.....	23
50.5	13.8	4.6	91.8	91.8	.....	59.6	.....	36.7	4.6	.....	9.2	41.3	9.2	18.4	68.8	64.2	4.6	114.7	.....	24
61.3	10.2	10.2	75.0	88.6	6.8	129.5	6.8	47.7	10.2	3.4	10.2	88.6	13.6	.....	51.1	75.0	10.2	119.3	.....	25
68.4	20.1	8.1	76.5	161.0	16.1	100.6	20.1	40.3	.....	12.1	8.1	48.3	.....	20.1	52.3	56.4	20.1	289.9	.....	26
63.3	23.7	7.9	55.4	87.1	7.9	87.1	.....	15.8	7.9	23.7	7.9	47.5	15.8	7.9	39.6	63.3	15.8	221.6	.....	27
51.1	6.4	6.4	76.7	172.5	.....	108.6	19.2	57.5	.....	19.2	.....	89.5	25.6	12.8	70.3	76.7	12.8	236.4	.....	28
53.1	16.3	8.2	57.2	159.4	20.4	65.4	.....	20.4	4.1	4.1	16.3	77.6	8.2	4.1	69.5	53.1	16.3	228.8	.....	29
.....	.....	.....	12.9	141.7	.....	38.6	.....	51.5	.....	.....	38.6	38.6	.....	12.9	25.8	12.9	.....	257.7	12.9	30
56.4	16.9	11.3	118.4	90.2	11.3	79.0	5.6	11.3	5.6	5.6	11.3	79.0	11.3	16.9	79.0	39.5	5.6	203.1	.....	31
104.7	5.8	23.3	122.2	174.5	.....	87.3	.....	40.7	11.6	17.5	17.5	87.3	.....	.....	64.0	75.6	11.6	331.6	5.8	32
91.4	10.2	5.1	55.8	116.8	20.3	96.4	10.2	55.8	25.4	5.1	.....	132.0	5.1	.....	106.6	126.9	15.2	172.6	5.1	33
52.6	6.2	9.3	40.2	136.1	6.2	83.5	18.6	105.2	9.3	6.2	12.4	102.1	27.8	9.3	58.8	89.7	15.5	244.4	.....	34
90.6	11.3	11.3	120.8	120.8	18.9	94.4	3.8	30.2	3.8	7.6	3.8	60.4	18.9	11.3	56.6	64.2	15.1	166.1	.....	35
92.6	.....	16.8	33.7	151.5	8.4	101.0	8.4	58.9	.....	16.8	8.4	58.9	8.4	.....	33.7	58.9	8.4	185.1	.....	36
32.7	18.2	18.2	80.0	145.5	21.8	94.6	25.5	58.2	7.3	18.2	.....	76.4	.....	3.6	69.1	69.1	7.3	163.7	.....	37
103.3	23.5	.....	122.1	178.4	14.1	122.1	14.1	18.8	14.1	14.1	18.8	56.3	9.4	18.8	37.6	65.7	28.2	234.7	.....	38
74.8	37.4	.....	106.9	208.5	37.4	96.2	26.7	5.3	5.3	5.3	21.4	69.5	5.3	5.3	48.1	48.1	10.7	294.0	.....	39
88.1	4.0	16.0	72.1	120.1	24.0	52.1	16.0	32.0	4.0	12.0	8.0	68.1	8.0	8.0	28.0	68.1	12.0	260.3	.....	40
29.2	11.0	7.3	106.0	102.3	11.0	80.4	11.0	43.9	3.7	3.7	11.0	65.8	11.0	7.3	69.4	51.2	18.3	212.0	.....	41
20.2	10.1	.....	60.7	136.5	15.2	131.4	15.2	65.7	.....	20.2	5.1	70.8	20.2	10.1	60.7	60.7	.....	192.1	.....	42
77.4	26.9	.....	134.6	171.7	10.1	47.1	10.1	33.7	10.1	3.4	6.7	84.2	16.8	6.7	50.5	87.5	3.4	259.2	.....	43
110.1	6.9	27.5	48.2	220.3	13.8	48.2	.....	48.2	6.9	6.9	13.8	130.8	.....	.....	41.3	62.0	13.8	351.1	.....	44
82.6	10.3	.....	20.7	289.2	.....	72.3	20.7	51.6	.....	20.7	10.3	31.0	.....	10.3	72.3	31.0	41.3	237.5	.....	45
59.1	34.5	14.8	88.6	162.4	14.8	73.8	4.9	64.0	14.8	24.6	14.8	73.8	4.9	.....	49.2	78.8	19.7	216.6	.....	46
59.2	13.2	6.6	98.6	118.4	13.2	111.8	13.2	39.5	6.6	13.2	6.6	65.8	.....	.....	59.2	85.5	6.6	256.5	6.6	47
71.4	11.9	11.9	71.4	148.7	5.9	77.3	5.9	53.5	23.8	17.8	11.9	65.4	17.8	.....	59.5	59.5	23.8	273.7	.....	48
66.4	.....	3.3	102.9	82.9	19.9	102.9	.....	82.9	16.6	16.6	6.6	79.6	16.6	6.6	73.0	76.3	10.0	212.3	.....	49
91.9	15.8	3.2	139.4	291.4	19.0	79.2	9.5	50.7	3.2	15.8	19.0	148.9	3.2	3.2	57.0	66.5	9.5	373.8	.....	50
42.2	7.9	10.6	42.2	68.6	13.2	139.9	5.3	108.2	.....	10.6	13.2	39.6	31.7	7.9	84.5	79.2	31.7	182.1	.....	51
86.2	11.2	7.5	112.5	131.2	30.0	101.2	3.7	37.5	11.2	3.7	7.5	78.7	7.5	15.0	67.5	56.2	11.2	239.9	.....	52
57.9	15.8	.....	63.1	105.2	31.6	99.9	10.5	52.6	.....	15.8	26.3	110.5	10.5	15.8	94.7	84.2	5.3	247.2	.....	53
54.9	10.0	15.0	44.9	169.6	5.0	89.8	5.0	39.9	10.0	.....	19.9	59.8	5.0	.....	54.9	29.9	10.0	129.7	.....	54
52.9	24.1	14.4	72.2	110.7	28.9	96.2	9.6	19.2	14.4	.....	4.8	91.4	.....	9.6	33.7	77.0	9.6	206.9	.....	55
69.2	9.9	9.9	95.6	145.1	23.1	95.6	6.6	52.8	13.2	9.9	13.2	72.5	6.6	3.3	72.5	105.5	13.2	290.2	.....	56
68.6	24.9	12.5	93.5	199.5	12.5	49.9	6.2	31.2	18.7	.....	12.5	81.1	12.5	.....	68.6	49.9	.....	187.1	.....	57
48.2	16.1	5.4	101.8	171.5	5.4	69.7	5.4	16.1	16.1	10.7	10.7	75.0	.....	5.4	48.2	58.9	5.4	171.5	.....	58
53.1	12.2	.....	40.8	151.1	16.3	110.2	8.2	53.1	4.1	8.2	20.4	89.8	4.1	12.2	85.7	81.7	16.3	253.1	8.2	59
124.1	7.8	.....	62.1	108.6	7.8	85.3	.....	38.8	15.5	.....	7.8	93.1	.....	.....	85.3	38.8	.....	193.9	7.8	60
97.0	20.2	12.1	101.1	153.6	8.1	72.8	4.0	44.5	8.1	24.3	8.1	76.8	12.1	8.1	60.6	64.7	12.1	222.4	.....	61
128.8	29.7	5.0	74.3	257.6	14.9	168.4	9.9	39.6	5.0	5.0	9.9	94.1	5.0	.....	34.7	59.4	24.8	371.5	9.9	62
99.9	21.4	.....	71.4	92.8	7.1	157.0	7.1	50.0	.....	7.1	21.4	149.9	7.1	7.1	78.5	78.5	7.1	171.3	.....	63
73.5	9.8	9.8	53.9	88.2	19.6	122.5	9.8	49.0	9.8	4.9	19.6	58.8	4.9	9.8	68.6	49.0	39.2	210.6	.....	64
32.6	12.2	12.2	81.4	101.8	16.3	122.1	12.2	77.4	8.1	24.4	8.1	24.4	8.1	4.1	77.4	81.4	12.2	162.9	.....	65
86.3	14.4	3.6	118.7	205.1	14.4	100.7	10.8	28.8	.....	7.2	14.4	89.9	14.4	7.2	43.2	93.5	7.2	244.7	.....	66
72.7	19.8	13.2	66.1	185.0	19.8	85.9	6.6	39.6	19.8	13.2	.....	85.9	19.8	13.2	92.5	46.3	.....	251.1	.....	67
38.4	14.0	7.0	31.4	101.2	14.0	94.2	7.0	139.6	7.0	14.0	7.0	90.8	.....	10.5	41.9	101.2	17.5	160.6	3.5	68

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	INDIANA—continued.														
1	Laporte County	1,285.3	6.1			6.1	18.4	6.1	24.6	6.1	6.1	73.8		6.1	18.4
2	Lawrence County	1,425.3	67.3	12.8				28.8	19.2	41.6	12.8	153.7	22.4	22.4	3.2
3	Madison County	1,217.5	16.1			22.5	6.4	6.4	25.8	9.7	3.2	157.8	9.7	16.1	12.9
4	Marion County	1,148.0	12.6			3.2		22.1	6.3	3.2	6.3	85.2		25.2	3.2
5	Marshall County	1,172.0	29.1	4.2		20.8	8.3	16.6	12.5	45.7	4.2	91.4		8.3	8.3
6	Martin County	1,122.9	55.0					15.7	15.7	62.8		133.5	7.9	15.7	
7	Miami County	1,194.2	65.1	5.4		5.4	10.9			38.0		103.1	10.9	5.4	10.9
8	Monroe County	1,209.1	12.6	4.2		4.2			4.2	21.1	16.9	168.5	4.2	4.2	8.4
9	Montgomery County	1,201.9	20.5				3.4	3.4	6.8	23.9		85.4	13.7	6.8	6.8
10	Morgan County	1,302.4	28.2			4.7			18.8	23.5		122.2	37.6	18.8	9.4
11	Newton County	856.4					9.5	9.5	9.5	9.5		104.7	9.5	9.5	9.5
12	Noble County	1,105.2	12.5			4.2	8.3		4.2	29.1	4.2	62.3	4.2	16.6	4.2
13	Ohio County	1,238.0	23.4							23.4		140.2	23.4	23.4	
14	Orange County	1,282.4	23.2	17.4		81.2	5.8	17.4	29.0	17.4		133.5		58.0	5.8
15	Owen County	1,199.8	21.6			14.4			14.4	28.7		129.3	7.2	14.4	
16	Parke County	1,175.5	40.7	4.5		27.1		9.0	22.6	13.6		99.5		27.1	9.0
17	Perry County	1,283.8	61.1					11.1	77.8	27.8	5.6	133.4		16.7	11.1
18	Pike County	1,271.3	30.6	5.1		5.1		15.3	56.2	40.8	5.1	173.6	25.5	25.5	5.1
19	Porter County	1,110.8	29.0			4.8	14.5	9.7	9.7			67.6		4.8	19.3
20	Posey County	1,338.6	18.5	13.9		13.9		23.2	13.9	37.1	4.6	180.6	4.6	9.3	
21	Pulaski County	1,119.2	37.8	30.2		7.6	7.6			7.6	7.6	75.6		15.1	7.6
22	Putnam County	1,225.3	29.4			4.9		9.8	19.6	19.6		132.3	19.6	19.6	19.6
23	Randolph County	1,122.0	10.3					3.4	3.4	6.9	3.4	120.5	10.3	24.1	10.3
24	Ripley County	1,469.1	72.2				20.6		20.6	41.2		185.6	5.2	10.3	15.5
25	Rush County	1,205.0	26.0	10.4		5.2	5.2		15.6	10.4	5.2	88.3			
26	St. Joseph County	1,392.3	12.9			19.3	6.4	12.9	19.3	19.3		128.9	19.3	6.4	
27	Scott County	1,441.6		12.0		36.0		48.1				228.3	12.0	36.0	24.0
28	Shelby County	1,311.5	26.1					18.6	7.5	3.7	3.7	204.9	11.2	3.7	3.7
29	Spencer County	1,304.7	39.1	14.7		58.6	4.9	14.7	14.7	34.2	14.7	131.9		24.4	4.9
30	Starke County	1,181.3	28.4	9.5			9.5		9.5	18.9	9.5	85.1		9.5	9.5
31	Steuben County	1,285.3	14.1							42.4	7.1	56.5		28.2	
32	Sullivan County	1,234.0	24.1			6.0	9.0	24.1	27.1	18.1	12.0	150.5	3.0	6.0	9.0
33	Switzerland County	1,270.8	20.7			10.3					10.3	134.3		20.7	
34	Tippecanoe County	1,401.0	10.0			5.0				35.2	5.0	130.6	10.0	5.0	5.0
35	Tipton County	1,135.7	5.8				34.8		5.8	11.6	11.6	127.5	11.6	11.6	5.8
36	Union County	1,274.0	16.1							48.4	16.1	80.6	16.1	16.1	
37	Vanderburg County	3,229.8	41.4	27.6	13.8	96.6	13.8			41.4	41.4	427.9		27.6	13.8
38	Vermilion County	1,445.1	10.4	15.5			10.4	15.5	10.4	46.6		114.0	5.2	31.1	15.5
39	Vigo County	1,296.4	62.9	9.4		31.5		18.9	18.9	22.0	3.1	125.9	9.4	9.4	3.1
40	Wabash County	1,195.5	14.9			7.5		11.2	7.5	22.4	3.7	108.3	3.7	7.5	3.7
41	Warren County	1,208.2	46.1			18.4		18.4		27.7		73.8	27.7	9.2	
42	Warrick County	1,340.3	59.5	18.3		50.3	4.6	9.1	27.4	36.6		137.2	27.4	27.4	
43	Washington County	1,243.8	58.1			40.7	5.8		17.4	29.1		116.2	5.8	23.2	5.8
44	Wayne County	1,646.1	9.3	4.6		4.6				18.5		92.7	4.6	18.5	
45	Wells County	942.0	31.4			9.0	4.5	13.5		9.0		89.7	9.0	13.5	4.5
46	White County	1,211.6	17.2	11.5		23.0		5.7	11.5	17.2	5.7	126.3	5.7	11.5	
47	Whitley County	1,211.5	23.8				41.6	5.9		11.9	5.9	89.1		17.8	
	KENTUCKY.														
48	Total	1,236.7	49.0	10.4	0.2	18.8	3.5	21.6	27.6	17.9	2.8	195.0	9.8	19.3	7.0
49	White	1,151.6	46.5	9.8	0.2	19.5	3.8	19.6	29.5	16.8	3.0	168.5	9.3	17.5	6.4
50	Colored	1,992.3	70.7	16.1		12.5	1.0	39.0	9.9	27.0	1.6	430.2	14.0	35.4	12.0
51	Adair County (total)	1,275.4	65.9	6.0			6.0	29.9	71.9	24.0		251.5	6.0	29 9	6.0
52	White	1,177.0	59.2	6.6			6.6	32.9	65.8	26.3		223.6		26.3	
53	Colored[3]	2,277.3	134.0						134.0			535.8	67.0	67.0	67.0
54	Allen County (total)	1,401.8	40.2	6.7		20.1		6.7	13.4	47.0		254.9		40.2	6.7
55	White	1,293.1	28.6	7.1		21.4		7.1	7.1	50.0		200.0		35.7	7.1
56	Colored[3]	3,070.2	219.3						109.6			1,096.5		109.6	
57	Anderson County (total)	1,122.3	19.7	9.8		9.8		29.5	9.8	19.7	9.8	187.0	29.5	19.7	9.8
58	White	1,018.8	21.2			10.6		10.6	10.6	21.2	10.6	148.6	31.8	10.6	10.6
59	Colored[3]	2,449.0		136.1				272.1				680.3		136.1	
60	Ballard County (total)	1,028.9	30.9	46.4		54.2	7.7	46.4	30.9	30.9		139.3		15.5	
61	White	1,043.1	35.4	53.0		61.9	8.8	44.2	26.5	26.5		141.4			
62	Colored	929.4						62.0	62.0	62.0		123.9		123.9	
63	Barren County (total)	1,358.1	39.1	15.7		23.5	7.8	19.6	15.7	39.1	3.9	215.3	11.7	31.3	11.7
64	White	1,263.5	31.9	13.7		18.2	9.1	22.8	18.2	41.1	4.6	173.3	9.1	31.9	9.1
65	Colored	1,930.5	82.7	27.6		55.2				27.6		468.8	27.6	27.6	27.6
66	Bath County (total)	1,244.8	50.4				7.2	7.2	21.6			244.6		21.6	7.2
67	White	1,137.5	47.7				8.0	8.0	23.9			222.7		23.9	8.0
68	Colored[3]	2,260.7	75.4									452.1			

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the ootnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
98.4	24.6	12.3	98.4	147.6	18.4	147.6	12.3	79.9	6.1	18.4	12.3	92.2	6.1	6.1	30.7	79.9	6.1	215.2	.....	1
35.2	6.4	12.8	60.9	144.1	12.8	140.9	12.8	89.7	3.2	6.4	6.4	70.5	28.8	3.2	73.7	128.1	.....	201.8	3.2	2
58.0	9.7	22.5	67.6	125.6	25.8	83.7	12.9	45.1	.....	6.4	3.2	80.5	19.3	6.4	51.5	67.6	16.1	228.7	.....	3
78.8	12.6	3.2	41.0	119.8	9.5	107.2	9.5	28.4	6.3	6.3	3.2	94.6	12.6	6.3	56.8	94.6	15.8	274.4	.....	4
58.2	4.2	4.2	91.4	116.4	12.5	62.3	8.3	45.7	.....	20.8	20.8	95.6	4.2	16.6	54.0	66.5	8.3	232.7	.....	5
78.5	7.9	7.9	70.7	125.6	15.7	55.0	.....	39.3	7.9	7.9	7.9	47.1	23.6	.....	94.2	78.5	.....	149.2	.....	6
54.3	21.7	5.4	97.7	114.0	32.6	65.1	.....	54.3	.....	5.4	5.4	108.6	5.4	10.9	32.6	103.1	5.4	217.1	.....	7
37.9	.....	8.4	101.1	134.8	4.2	88.5	12.6	88.5	12.6	4.2	12.6	67.4	29.5	4.2	63.2	113.8	.....	168.5	8.4	8
75.1	6.8	10.2	109.3	181.0	17.1	92.2	6.8	34.1	13.7	10.2	20.5	47.8	6.8	.....	44.4	64.9	13.7	276.6	.....	9
47.0	9.4	4.7	79.9	178.7	.....	126.9	4.7	84.6	9.4	9.4	9.4	98.7	4.7	23.5	84.6	61.1	9.4	192.8	.....	10
47.6	9.5	9.5	57.1	38.1	19.0	57.1	9.5	57.1	.....	.....	.....	66.6	.....	9.5	57.1	57.1	19.0	171.3	.....	11
91.4	20.8	.....	149.6	199.4	16.6	37.4	8.3	16.6	8.3	8.3	4.2	58.2	.....	.....	24.9	95.6	8.3	207.8	.....	12
116.8	.....	23.4	116.8	210.2	23.4	163.5	.....	.....	.....	.....	.....	46.7	.....	.....	46.7	23.4	70.1	163.5	.....	13
46.4	.....	5.8	52.2	191.5	17.4	63.8	5.8	58.0	.....	17.4	5.8	75.4	11.6	5.8	104.5	52.2	5.8	174.1	.....	14
115.0	14.4	.....	79.0	143.7	21.6	143.7	21.6	43.1	7.2	21.6	14.4	43.1	.....	21.6	28.7	35.9	14.4	194.0	7.2	15
58.8	.....	18.1	81.4	108.5	4.5	108.5	13.6	54.3	9.0	4.5	22.6	45.2	13.6	4.5	99.5	72.3	9.0	194.4	.....	16
66.7	11.1	11.1	77.8	66.7	11.1	144.5	.....	83.4	5.6	22.2	16.7	88.9	5.6	5.6	72.2	50.0	.....	200.1	.....	17
35.7	.....	20.4	61.3	112.3	40.8	76.6	.....	91.9	10.2	10.2	20.4	45.9	15.3	15.3	76.6	71.5	10.2	163.4	5.1	18
101.4	9.7	4.8	96.6	183.5	.....	82.1	.....	58.0	9.7	9.7	9.7	101.4	.....	.....	33.8	101.4	14.5	125.6	9.7	19
74.1	9.3	.....	74.1	101.9	23.2	129.7	4.6	106.5	.....	9.3	9.3	78.7	.....	4.6	46.3	69.5	23.2	250.1	4.6	20
68.1	22.7	7.6	68.1	75.6	30.2	143.7	7.6	22.7	22.7	7.6	15.1	60.5	22.7	.....	45.4	75.6	15.1	211.7	.....	21
63.7	4.9	19.6	78.4	122.5	24.5	147.0	.....	24.5	4.9	.....	14.7	122.5	4.9	.....	34.3	88.2	9.8	186.2	.....	22
75.7	17.2	20.6	117.0	148.0	10.3	48.2	3.4	20.6	13.8	13.8	10.3	58.5	3.4	10.3	82.6	48.2	24.1	203.1	.....	23
97.9	15.5	5.2	97.9	185.6	25.8	97.9	5.2	56.7	5.2	.....	20.6	103.1	10.3	5.2	67.0	36.1	20.6	237.1	5.2	24
77.9	10.4	.....	103.9	77.9	41.6	114.3	10.4	26.0	5.2	10.4	.....	109.1	10.4	.....	114.3	67.5	36.4	218.1	5.2	25
77.3	12.9	.....	103.1	277.2	19.3	77.3	6.4	51.6	12.9	19.3	6.4	83.8	12.9	12.9	12.9	64.5	32.2	264.3	.....	26
132.1	.....	.....	48.1	144.2	.....	96.1	12.0	48.1	.....	24.0	24.0	108.1	12.0	12.0	60.1	12.0	36.0	276.3	.....	27
63.3	22.4	11.2	104.3	137.9	29.8	85.7	7.5	26.1	3.7	14.9	14.9	82.0	7.5	7.5	41.0	100.6	22.4	242.2	3.7	28
48.9	14.7	4.9	29.3	73.3	24.4	117.3	4.9	78.2	4.9	14.7	4.9	97.7	14.7	4.9	48.9	88.0	9.8	263.9	.....	29
66.2	9.5	.....	75.6	113.4	.....	75.6	9.5	47.3	9.5	9.5	18.9	75.6	9.5	18.9	113.4	37.8	.....	302.4	.....	30
105.9	28.2	14.1	155.4	218.9	.....	56.5	14.1	14.1	14.1	7.1	7.1	56.5	14.1	7.1	84.7	70.6	14.1	254.2	.....	31
42.1	12.0	9.0	48.2	78.3	15.0	93.3	9.0	111.4	12.0	9.0	12.0	81.3	15.0	6.0	105.3	114.4	12.0	159.5	.....	32
124.0	10.3	20.7	62.0	330.6	10.3	93.0	.....	20.7	10.3	41.3	10.3	51.7	10.3	.....	72.3	31.0	20.7	155.0	.....	33
110.5	50.2	10.0	125.5	205.9	25.1	95.4	10.0	40.2	.....	15.1	5.0	60.3	.....	.....	40.2	95.4	10.0	296.3	.....	34
52.1	11.6	17.4	52.1	133.3	17.4	40.6	11.6	63.7	11.6	.....	11.6	75.3	11.6	11.6	52.1	75.3	11.6	243.4	5.8	35
129.0	.....	16.1	161.3	225.8	16.1	16.1	16.1	32.3	.....	.....	.....	16.1	16.1	.....	96.8	112.9	48.4	177.4	.....	36
96.6	.....	.....	96.6	331.3	13.8	289.9	27.6	179.4	.....	27.6	55.2	110.4	.....	27.6	151.8	220.8	.....	855.8	.....	37
62.2	15.5	10.4	77.7	124.3	36.3	139.8	10.4	103.6	.....	5.2	5.2	98.4	10.4	5.2	119.1	114.0	20.7	212.4	.....	38
59.8	9.4	.....	47.2	122.7	12.6	72.4	3.1	97.5	3.1	3.1	18.9	66.1	9.4	3.1	91.2	103.8	18.9	229.7	9.4	39
82.2	22.4	7.5	85.9	153.2	11.2	85.9	3.7	33.6	7.5	11.2	11.2	82.2	11.2	.....	59.8	93.4	14.9	224.2	3.7	40
36.9	27.7	9.2	110.7	138.3	9.2	83.0	.....	27.7	18.4	.....	27.7	46.1	18.4	.....	27.7	138.3	.....	258.2	9.2	41
68.6	18.3	18.3	50.3	118.9	22.9	86.9	9.1	91.5	13.7	.....	9.1	96.1	13.7	.....	22.9	82.3	27.4	192.1	.....	42
40.7	5.8	5.8	69.7	156.9	5.8	75.6	5.8	34.9	17.4	11.6	17.4	110.4	5.8	11.6	81.4	46.5	5.8	232.5	.....	43
74.2	23.2	13.9	190.1	194.8	4.6	97.4	.....	46.4	18.5	23.2	4.6	153.0	9.3	.....	64.9	97.4	9.3	468.3	.....	44
26.9	9.0	.....	62.8	94.2	.....	103.2	4.5	31.4	.....	9.0	13.5	130.1	9.0	.....	35.9	53.8	.....	174.9	.....	45
51.7	17.2	5.7	109.1	126.3	23.0	86.1	5.7	45.9	5.7	11.5	5.7	97.6	.....	.....	86.1	57.4	.....	241.2	.....	46
101.0	5.9	.....	77.2	124.7	11.9	160.3	5.9	11.9	.....	11.9	11.9	118.8	17.8	5.9	29.7	53.4	17.8	243.5	5.9	47
36.8	5.2	21.4	34.1	72.1	12.7	92.0	11.5	51.1	6.0	8.8	6.2	53.6	7.9	10.9	75.2	70.1	7.1	214.6	56.5	48
36.1	5.4	21.3	32.4	64.9	11.8	82.7	10.5	50.9	5.7	8.6	5.7	49.9	6.6	10.8	75.3	61.4	7.6	202.0	51.4	49
43.2	3.6	22.9	49.9	135.8	20.3	174.8	20.3	53.1	8.3	10.4	10.4	86.4	18.7	12.0	74.9	146.7	3.1	326.7	101.4	50
35.9	.....	24.0	18.0	71.9	6.0	71.9	.....	47.9	6.0	6.0	.....	18.0	24.0	35.9	24.0	41.9	.....	197.6	149.7	51
32.9	.....	26.3	19.7	72.3	6.6	72.3	.....	52.6	6.6	6.6	.....	19.7	19.7	32.9	19.7	39.5	.....	177.5	124.9	52
67.0	.....	.....	.....	67.0	.....	67.0	.....	.....	.....	.....	.....	.....	67.0	67.0	67.0	67.0	.....	401.9	401.9	53
20.1	.....	26.8	47.0	60.4	26.8	174.4	6.7	67.1	.....	.....	6.7	67.1	6.7	26.8	80.5	20.1	13.4	248.2	67.1	54
21.4	.....	28.6	50.0	64.3	28.6	171.5	7.1	57.2	.....	.....	7.1	57.2	7.1	28.6	85.7	21.4	14.3	228.6	50.0	55
.....	.....	.....	.....	.....	.....	219.3	.....	219.3	.....	.....	.....	219.3	.....	.....	.....	.....	.....	548.2	328.9	56
39.4	.....	.....	39.4	49.2	9.8	108.3	.....	19.7	9.8	9.8	.....	49.2	9.8	9.8	59.1	78.8	9.8	246.1	19.7	57
31.8	.....	.....	31.8	53.1	10.6	106.1	.....	21.2	10.6	10.6	.....	42.4	10.6	10.6	63.7	53.1	10.6	244.1	21.2	58
136.1	.....	.....	136.1	.....	.....	136.1	.....	.....	.....	.....	.....	136.1	.....	.....	.....	408.2	.....	272.1	.....	59
30.9	15.7	7.7	30.9	15.5	.....	69.6	.....	38.7	7.7	.....	7.7	61.9	.....	30.9	100.6	23.2	7.7	131.5	46.4	60
35.4	17.7	.....	35.4	.....	.....	70.7	.....	44.2	8.8	.....	8.8	70.7	.....	35.4	114.9	17.7	8.8	132.6	44.2	61
.....	.....	62.0	.....	123.9	.....	62.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	62.0	.....	123.9	62.0	62
39.1	.....	39.1	39.1	62.6	35.2	82.2	7.8	66.5	3.9	3.9	3.9	50.9	19.6	15.7	78.3	35.2	.....	270.1	70.5	63
36.5	.....	36.5	45.6	68.4	27.4	77.5	9.1	68.4	.....	4.6	.....	45.6	18.2	18.2	91.2	31.9	.....	237.2	63.9	64
55.2	.....	55.2	.....	27.6	82.7	110.3	.....	55.2	27.6	.....	27.6	82.7	27.6	.....	.....	55.2	.....	468.8	110.3	65
50.4	14.4	36.0	21.6	79.1	.....	107.9	.....	50.4	7.2	14.4	.....	64.8	21.6	7.2	64.8	64.8	.....	251.8	28.8	66
55.7	15.9	39.8	15.9	63.6	.....	95.4	.....	39.8	8.0	15.9	.....	63.6	15.9	8.0	71.6	63.6	.....	214.8	8.0	67
.....	.....	.....	75.4	226.1	.....	226.1	.....	150.7	.....	.....	.....	75.4	75.4	.....	.....	75.4	.....	602.9	226.1	68

[8] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	KENTUCKY—continued.														
1	Bell County (total)	966.5	66.7			10.0		3.3	26.7	13.3	3.3	90.0	3.3	3.3	3.3
2	White	895.0	70.6			11.1		3.7	29.7	14.9		70.6	3.7	3.7	3.7
3	Colored	1,590.9	32.5								32.5	259.7			
4	Boone County (total)	1,401.1	21.7			10.9			10.9	21.7		249.8	10.9	21.7	
5	White	1,384.4	22.9						11.4	22.9		251.7	11.4	22.9	
6	Colored [3]	1,713.1				214.1						214.1			
7	Bourbon County (total)	1,627.5	63.3			5.8		23.0	5.8			230.0		11.5	
8	White	1,342.4	76.5					8.5	8.5			152.9		8.5	
9	Colored	2,224.6	35.6			17.8		53.4				391.5		17.8	
10	Boyd County (total)	1,553.6	70.8			20.8	4.2	95.8	37.5	4.2		199.9	12.5	16.7	8.3
11	White	1,537.6	69.1			21.6	4.3	90.7	38.9	4.3		198.7	13.0	13.0	8.6
12	Colored [3]	1,988.3	117.0					233.9				233.9		117.0	
13	Boyle County (total)	1,387.8	54.2						20.3	20.3		135.4	13.5	6.8	
14	White	1,180.4	47.2						28.3			94.4	18.9		
15	Colored	1,913.0	71.7							71.7		239.1		23.9	
16	Bracken County (total)	1,477.4	9.9			19.8		9.9		59.5		247.9	19.8		
17	White	1,476.5	10.3			20.5		10.3		51.3		235.8	20.5		
18	Colored [3]	1,506.0								301.2		602.4			
19	Breathitt County (total)	691.5	44.6					16.7	11.2			66.9		22.3	
20	White	701.9	45.3					17.0	11.3			67.9		22.6	
21	Colored [3]														
22	Breckinridge County (total)	1,223.0	37.9	4.7		23.7	4.7	4.7	14.2	4.7		227.5	4.7	19.0	4.7
23	White	1,163.6	35.9	5.1		25.6	5.1	5.1	15.4	5.1		210.2		15.4	5.1
24	Colored [3]	1,953.4	63.0									441.1	63.0	63.0	
25	Bullitt County (total)	1,794.4	31.7	42.2		21.1		84.4	21.1	21.1		274.4	21.1	21.1	
26	White	1,716.7	34.1	45.5		22.7		68.2	22.7	22.7		284.2	11.4	11.4	
27	Colored [3]	2,802.4						295.0				147.5	147.5	147.5	
28	Butler County (total)	854.7	19.0	12.7		6.3	6.3	6.3		19.0		170.9		12.7	
29	White	827.1	19.7	13.1		6.6	6.6	6.6		13.1		157.5		13.1	
30	Colored [3]	1,604.3								178.3		534.8			
31	Caldwell County (total)	1,213.5	35.7	14.3		7.1		35.7	14.3	21.4	7.2	199.9	14.3	21.4	7.1
32	White	1,069.7	26.1	17.4		8.7		34.8	17.4	26.1	8.7	139.1		8.7	8.7
33	Colored	1,872.5	79.7					39.8				478.1	79.7	79.7	
34	Calloway County (total)	1,281.0	44.7	34.8		44.7	5.0	19.9	19.9	19.9		198.6	14.9	29.8	5.0
35	White	1,269.9	36.7	26.2		47.2	5.2	21.0	21.0	21.0		194.2	15.7	31.5	5.2
36	Colored [3]	1,476.0	184.5	184.5								276.8			
37	Campbell County (total)	1,297.3	30.6				10.2	17.0	17.0	17.0	3.4	180.0	3.4	23.8	
38	White	1,274.4	30.7				10.2	17.1	17.1	17.1	3.4	177.7	3.4	23.9	
39	Colored [3]	5,113.6										568.2			
40	Carlisle County (total)	1,167.5	11.2	22.5		78.6		33.7	67.4	22.5	11.2	157.2			11.2
41	White	1,173.6	11.7	23.5		82.1		23.5	70.4	23.5	11.7	164.3			11.7
42	Colored [3]	1,033.6						258.4							
43	Carroll County (total)	1,594.7	25.3			63.3			38.0	38.0	12.7	354.4	25.3	25.3	12.7
44	White	1,611.4	27.1			67.7			40.6	40.6	13.5	365.6	27.1	27.1	13.5
45	Colored [3]	1,356.6										193.8			
46	Carter County (total)	910.8	27.1			27.1	4.5	4.5	45.1	13.5		157.8	4.5	9.0	9.0
47	White	901.8	27.2			27.2	4.5	4.5	45.3	13.6		149.5	4.5	9.1	9.1
48	Colored [3]	2,702.7										1,801.8			
49	Casey County (total)	1,133.9	38.7	6.4		25.8	6.4	12.9	38.7	25.8		174.0	6.4	12.9	6.4
50	White	1,135.0	32.8	6.6		26.2	6.6	13.1	39.4	26.2		177.1	6.6	13.1	6.6
51	Colored [3]	1,075.3	358.4												
52	Christian County* (total)	1,881.8	69.3	7.7		35.9		23.1	7.7	25.7	7.7	403.0	12.8	28.2	7.7
53	White	1,677.4	47.9	8.7		56.6		17.4	8.7	30.5	13.1	352.9	4.4	26.1	8.7
54	Colored	2,174.9	100.0	6.2		6.2		31.2	6.2	18.7		475.0	25.0	31.2	6.2
55	Clark County (total)	1,394.2	49.6	5.5				5.5		16.5		248.0	22.0	11.0	11.0
56	White	1,268.4	51.3							14.7		212.6	14.7		14.7
57	Colored	1,775.0	44.4	22.2				22.2		22.2		355.0	44.4	44.4	
58	Clay County (total)	917.8	60.8	11.1		5.5		22.1	71.9	5.5		132.7	5.5	33.2	
59	White	932.7	62.6	11.4		5.7		22.7	73.9	5.7		136.5	5.7	34.1	
60	Colored [3]	398.4													
61	Clinton County (total)	952.7	61.1		12.2			12.2	12.2	48.9		195.4	24.4	24.4	
62	White	963.8	61.8		12.4			12.4	12.4	49.4		197.7	24.7	24.7	
63	Colored [3]														
64	Crittenden County (total)	1,048.5	61.2	23.0				7.7	15.3			114.8	7.7	30.6	15.3
65	White	1,017.0	64.1	24.0				8.0	16.0			120.1	8.0	32.0	16.0
66	Colored [3]	1,730.1													
67	Cumberland County (total)	1,044.8	60.3	10.0				10.0	90.4	20.1	20.1	150.7	10.0	10.0	10.0
68	White	930.6	56.1						100.9	22.4	22.4	112.1	11.2		
69	Colored	2,029.0	96.6	96.6				96.6				483.1		96.6	96.6
70	Daviess County (total)	1,130.1	40.1	24.0		68.1	4.0		8.0	16.0	4.0	176.3	12.0	8.0	
71	White	1,152.6	39.3	26.2		74.2	4.4		8.7	17.5	4.4	174.6	13.1	4.4	
72	Colored [3]	878.5	48.8									195.2		48.8	

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
16.7	.....	3.3	10.0	26.7	6.7	50.0	10.0	43.3	6.7	3.3	6.7	36.7	3.3	23.3	76.7	160.0	6.7	190.0	63.3	1
14.9	.....	3.7	11.1	22.3	7.4	44.6	11.1	44.6	3.7	.....	7.4	40.9	3.7	26.0	74.3	122.6	7.4	174.6	63.1	2
32.5	.....	.....	.....	64.9	.....	97.4	.....	32.5	32.5	32.5	.....	.....	.....	.....	97.4	487.0	.....	324.7	64.9	3
76.0	10.9	.....	108.6	108.6	10.9	65.2	10.9	76.0	10.9	32.6	54.3	65.2	.....	.....	76.0	43.4	21.7	228.1	54.3	4
80.1	11.4	.....	114.4	91.5	11.4	68.6	11.4	80.1	11.4	34.3	57.2	68.6	.....	.....	80.1	34.3	22.9	217.4	45.8	5
.....	.....	.....	.....	428.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	214.1	.....	428.3	214.1	6
51.8	17.3	40.3	40.3	166.8	17.3	143.8	.....	63.3	5.8	.....	5.8	138.0	.....	11.5	80.5	115.0	23.0	356.5	11.5	7
51.0	25.5	42.5	42.5	76.5	.....	101.9	.....	59.5	.....	.....	.....	127.4	.....	17.0	93.5	118.9	34.0	297.4	.....	8
53.4	.....	35.6	35.6	355.9	53.4	231.4	.....	71.2	17.8	.....	17.8	160.2	.....	.....	53.4	106.8	.....	480.5	35.6	9
58.3	.....	12.5	33.3	133.3	12.5	100.0	12.5	62.5	12.5	25.0	.....	25.0	16.7	12.5	66.6	141.6	12.5	283.2	62.5	10
60.5	.....	13.0	34.6	125.3	8.6	103.7	13.0	60.5	13.0	25.9	.....	25.9	8.6	13.0	64.8	146.8	8.6	285.1	64.8	11
.....	.....	.....	.....	350.9	117.0	.....	.....	117.0	.....	.....	.....	.....	233.9	.....	117.0	.....	117.0	233.9	.....	12
74.5	.....	6.8	67.7	128.6	20.3	162.5	13.5	40.6	6.8	6.8	.....	101.5	27.1	6.8	115.1	155.7	13.5	155.7	33.8	13
85.0	.....	9.4	56.7	85.0	9.4	113.3	9.4	47.2	9.4	.....	.....	103.9	9.4	9.4	103.9	179.4	9.4	122.8	28.3	14
47.8	.....	.....	95.6	239.1	47.8	286.9	23.9	23.9	.....	23.9	.....	95.6	71.7	.....	143.5	95.6	23.9	239.1	47.8	15
49.6	9.9	.....	59.5	128.9	.....	178.5	.....	69.4	.....	9.9	19.8	39.7	19.8	.....	89.2	89.2	50.0	287.6	9.9	16
51.3	10.3	.....	61.5	133.3	.....	184.5	.....	71.8	.....	10.3	20.5	41.0	20.5	.....	92.3	82.0	51.3	287.1	10.3	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	301.2	.....	301.2	.....	18
.....	.....	16.7	.....	16.7	5.6	50.2	5.6	16.7	5.6	5.6	.....	.....	5.6	5.6	39.0	105.9	5.6	139.4	105.9	19
.....	.....	17.0	.....	17.0	5.7	50.9	5.7	17.0	5.7	5.7	.....	.....	5.7	5.7	39.6	107.6	5.7	141.5	107.6	20
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
52.1	14.2	4.7	33.2	42.7	14.2	90.1	14.2	61.6	4.7	9.5	4.7	80.6	4.7	23.7	99.5	56.9	.....	241.8	19.0	22
51.3	15.4	.....	35.9	41.0	15.4	87.1	15.4	66.6	5.1	10.3	5.1	71.8	5.1	25.6	92.3	46.1	.....	225.5	20.5	23
63.0	.....	63.0	.....	63.0	.....	126.0	.....	.....	.....	.....	.....	189.0	.....	.....	189.0	189.0	.....	441.1	.....	24
31.7	.....	31.7	42.2	147.8	.....	126.7	31.7	31.7	.....	31.7	42.2	63.3	10.6	21.1	73.9	137.2	42.2	348.3	42.2	25
34.1	.....	34.1	45.5	125.1	.....	68.2	22.7	22.7	.....	34.1	45.5	68.2	11.4	22.7	79.6	136.4	45.5	352.4	45.5	26
.....	.....	.....	.....	442.5	.....	885.0	147.5	147.5	.....	.....	.....	.....	.....	.....	.....	147.5	.....	295.0	.....	27
31.7	.....	6.3	25.3	50.6	6.3	50.6	25.3	12.7	.....	19.0	6.3	57.0	6.3	6.3	82.3	50.6	.....	139.3	25.3	28
32.8	.....	6.6	26.3	52.5	6.6	45.9	26.3	13.1	.....	19.7	6.6	59.1	6.6	6.6	85.3	45.9	.....	131.3	19.7	29
.....	.....	.....	.....	.....	.....	178.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	178.3	.....	356.5	178.3	30
28.6	.....	42.8	21.4	42.8	.....	114.2	7.1	64.2	7.1	21.4	.....	50.0	14.3	28.6	57.1	42.8	.....	242.7	50.0	31
17.4	.....	34.8	26.1	34.8	.....	60.9	8.7	60.9	8.7	17.4	.....	34.8	17.4	26.1	60.9	43.5	.....	278.3	43.5	32
79.7	.....	79.7	.....	79.7	.....	358.6	.....	79.7	.....	39.8	.....	119.5	.....	39.8	39.8	39.8	.....	79.7	79.7	33
19.9	19.9	29.8	29.8	39.7	24.8	158.9	14.9	44.7	14.9	5.0	5.0	34.8	9.9	9.9	99.3	34.8	.....	213.5	34.8	34
21.0	21.0	26.2	31.5	42.0	26.2	152.2	15.7	47.2	15.7	5.2	5.2	36.7	5.2	10.5	104.9	21.0	.....	220.4	36.7	35
.....	.....	92.3	.....	.....	.....	276.8	.....	.....	.....	.....	.....	.....	92.3	.....	.....	276.8	.....	92.3	.....	36
95.1	6.8	27.2	57.7	105.3	17.0	105.3	10.2	37.4	20.4	3.4	17.0	74.7	3.4	3.4	81.5	88.3	17.0	203.8	20.4	37
95.7	6.8	27.3	58.1	105.9	17.1	102.5	10.2	37.6	20.5	3.4	17.1	75.2	3.4	3.4	82.0	68.3	17.1	201.6	20.5	38
.....	.....	.....	.....	.....	.....	568.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	3,409.1	.....	568.2	.....	39
11.2	11.2	22.5	78.6	44.9	.....	157.2	.....	67.4	.....	33.7	.....	89.8	.....	.....	89.8	22.5	.....	112.3	11.2	40
11.7	11.7	23.5	82.1	35.2	.....	140.8	.....	70.4	.....	35.2	.....	93.9	.....	.....	93.9	23.5	.....	117.4	11.7	41
.....	.....	.....	.....	258.4	.....	516.8	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	42
12.7	12.7	12.7	101.3	126.6	38.0	101.3	.....	50.6	25.3	12.7	25.3	.....	25.3	.....	88.6	33.0	12.7	278.4	38.0	43
13.5	13.5	13.5	108.3	108.3	40.6	81.2	.....	54.2	27.1	13.5	27.1	.....	27.1	.....	81.2	40.6	13.5	284.4	40.6	44
.....	.....	.....	.....	387.6	.....	387.6	.....	.....	.....	.....	.....	.....	.....	.....	193.8	.....	.....	193.8	.....	45
22.5	.....	27.1	4.5	58.6	4.5	36.1	4.5	58.6	9.0	9.0	4.5	36.1	9.0	13.5	45.1	45.1	4.5	184.9	31.6	46
18.1	.....	27.2	4.5	58.9	4.5	36.3	4.5	58.9	9.1	9.1	4.5	36.3	9.1	13.6	45.3	45.3	4.5	185.8	31.7	47
900.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
19.3	.....	25.8	12.9	64.4	6.4	58.0	6.4	45.1	.....	.....	.....	51.5	6.4	12.9	96.6	70.9	6.4	186.8	109.5	49
13.1	.....	26.2	13.1	65.6	6.6	59.0	6.6	45.9	.....	.....	.....	52.5	6.6	13.1	91.9	72.2	6.6	190.3	111.5	50
358.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	358.4	.....	.....	.....	.....	51
41.1	10.3	12.8	56.5	105.3	12.8	100.1	18.0	69.3	7.7	2.6	7.7	107.8	7.7	5.1	79.6	95.0	10.3	423.6	79.6	52
43.6	13.1	21.8	56.6	69.7	8.7	56.6	13.1	65.4	13.1	.....	8.7	91.5	8.7	4.4	78.4	91.5	17.4	413.9	26.1	53
37.5	6.2	.....	56.2	156.2	18.7	162.5	25.0	75.0	.....	6.2	6.2	131.2	6.2	6.2	81.2	100.0	.....	437.5	156.2	54
82.7	11.0	16.5	38.6	88.2	.....	176.3	11.0	44.1	.....	16.5	.....	71.6	11.0	11.0	121.2	71.6	5.5	225.9	22.0	55
95.3	7.3	22.0	44.0	58.7	.....	154.0	14.7	51.3	.....	14.7	.....	80.7	14.7	7.3	124.6	58.7	7.3	190.6	14.7	56
44.4	22.2	.....	22.2	177.5	.....	244.1	.....	22.2	.....	22.2	.....	44.4	.....	22.2	110.9	110.9	.....	332.8	44.4	57
22.1	.....	5.5	.....	27.6	16.6	44.2	11.1	55.3	11.1	5.5	11.1	11.1	5.5	.....	44.2	66.3	5.5	110.6	116.1	58
22.7	.....	5.7	.....	28.4	17.1	39.8	11.4	56.9	11.4	5.7	11.4	11.4	5.7	.....	45.5	62.6	5.7	113.7	119.4	59
.....	.....	.....	.....	.....	.....	199.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	199.2	.....	.....	.....	60
12.2	12.2	24.4	.....	61.1	.....	61.1	.....	24.4	12.2	12.2	.....	36.6	.....	12.2	73.3	24.4	.....	146.6	48.9	61
12.4	12.4	24.7	.....	61.8	.....	61.8	.....	24.7	12.4	12.4	.....	37.1	.....	12.4	74.1	24.7	.....	148.3	49.4	62
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	63
23.0	.....	15.3	76.5	30.6	15.3	68.9	7.7	23.0	.....	7.7	7.7	30.6	15.3	.....	107.1	45.9	.....	252.6	45.9	64
24.0	.....	16.0	72.1	32.0	16.0	72.1	8.0	16.0	.....	8.0	8.0	32.0	8.0	.....	96.1	40.0	.....	240.2	40.0	65
.....	.....	.....	173.0	.....	.....	.....	.....	173.0	.....	.....	.....	.....	173.0	.....	346.0	173.0	.....	519.0	173.0	66
50.2	10.0	30.1	20.1	50.2	10.0	30.1	20.1	40.2	10.0	20.1	20.1	40.2	.....	.....	80.4	30.1	.....	180.8	10.0	67
44.8	11.2	33.6	22.4	56.1	.....	22.4	11.2	44.8	.....	22.4	11.2	33.6	.....	.....	89.7	33.6	.....	157.0	11.2	68
96.6	.....	.....	.....	.....	96.6	96.6	96.6	.....	96.6	.....	96.6	96.6	.....	.....	.....	.....	.....	386.5	.....	69
48.1	.....	24.0	28.1	40.1	12.0	104.2	8.0	92.2	.....	8.0	8.0	36.1	8.0	4.0	88.2	20.0	4.0	200.4	36.1	70
43.7	.....	26.2	30.6	39.3	13.1	100.4	8.7	100.4	.....	8.7	4.4	39.3	4.4	4.4	87.3	21.8	4.4	209.6	39.3	71
97.6	.....	.....	.....	48.8	.....	146.4	.....	.....	.....	.....	48.8	.....	48.8	.....	97.6	.....	.....	97.6	.....	72

[3] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	KENTUCKY—continued.														
1	Edmonson County (total)	874.8	47.5	28.5				28.5	76.1	19.0		114.1			
2	White	724.5	39.7	29.8				29.8	59.5	19.8		109.2			
3	Colored[3]	4,308.4	226.8						453.5			226.8			
4	Elliott County (total)	1,252.1	82.1			92.4	20.5	71.8	51.3	30.8		143.7	10.3	10.3	
5	White	1,252.7	82.1			92.4	20.5	71.9	51.3	30.8		143.8	10.3	10.3	
6	Colored[3]														
7	Estill County (total)	834.2	64.8	8.1			8.1	8.1	8.1	8.1		113.4	24.3	24.3	8.1
8	White	817.0	65.4	8.2			8.2	8.2	8.2	8.2		114.4	24.5	24.5	8.2
9	Colored[3]	2,803.7													
10	Fayette County (total)	1,299.1	24.5			40.9			16.3	40.9		155.2	8.2	8.2	
11	White	1,095.8	11.8			58.9			23.6	23.6		117.8		11.8	
12	Colored	1,759.1	53.3							80.0		239.9	26.7		
13	Fleming County (total)	1,379.9	37.6			6.3		18.8	25.1	31.4	6.3	181.9	12.5	25.1	
14	White	1,340.1	40.2			6.7		20.1	26.8	33.5	6.7	180.9	13.4	26.8	
15	Colored[3]	1,962.7										196.3			
16	Floyd County (total)	663.2	36.8				5.3	15.8	26.3	21.1	5.3	110.5		10.5	
17	White	663.1	37.1				5.3	15.9	26.5	21.2	5.3	106.1		10.6	
18	Colored[3]	675.7										675.7			
19	Franklin County (total)	954.2	37.8			37.8			28.3	9.4		198.4	9.4	9.4	9.4
20	White	864.6	30.9			41.2			30.9			144.1	10.3	10.3	
21	Colored[3]	1,956.3	115.1							115.1		805.5			115.1
22	Fulton County (total)	1,614.8	62.4	124.7		76.2	6.9	20.8	13.9	20.8		242.6	6.9		
23	White	1,509.4	63.6	118.2		90.9		18.2	9.1	27.3		190.9	9.1		
24	Colored	1,952.8	58.3	145.7		29.1	29.1	29.1	29.1			408.0			
25	Gallatin County (total)	1,098.9	86.2						21.5			172.4		21.5	21.5
26	White	1,144.2	91.5						22.9			183.1		22.9	22.9
27	Colored[3]	369.0													
28	Garrard County (total)	1,599.9	42.1	25.3					58.9	8.4	8.4	235.8		25.3	8.4
29	White	1,459.1	41.7	31.3					73.0	10.4	10.4	145.9			10.4
30	Colored	2,192.0	43.8									613.8		131.5	
31	Grant County (total)	1,189.5	29.3	9.8		19.5		9.8		9.8		253.5	29.3	29.3	19.5
32	White	1,203.2	30.1	10.0		20.1		10.0		10.0		260.7	30.1	30.1	20.1
33	Colored[3]	706.7													
34	Graves County (total)	1,450.2	74.4	17.9	3.0	23.8	3.0	35.7	41.7	41.7	6.0	238.2	8.9	29.8	3.0
35	White	1,372.4	65.2	19.6	3.3	22.8	3.3	22.8	45.6	45.6	6.5	208.6	9.8	19.6	3.3
36	Colored[3]	2,271.9	172.1			34.4		172.1				550.8		137.7	
37	Grayson County (total)	1,267.0	85.1	5.0		10.0	5.0	15.0	70.1	10.0		220.4	5.0	30.0	
38	White	1,258.0	86.6	5.1		10.2	5.1	15.3	71.3	5.1		219.0	5.1	25.5	
39	Colored[3]	1,801.8								300.3		300.3		300.3	
40	Green County (total)	1,327.7	67.7	16.9		8.5		59.2	8.5	50.7		219.9	42.3	25.4	8.5
41	White	1,220.6	76.3	19.1		9.5		28.6	9.5	47.7		238.4	47.7	19.1	9.5
42	Colored	2,167.4						299.0		74.7		74.7		74.7	
43	Greenup County (total)	1,368.8	69.0			21.2		26.5	26.5	5.3		169.8	5.3	15.9	10.6
44	White	1,372.7	70.0			21.5		26.9	26.9	5.4		172.3	5.4	16.1	10.8
45	Colored[3]	1,102.9													
46	Hancock County (total)	1,264.2	94.5					11.8	23.6			259.9	11.8	11.8	11.8
47	White	1,291.0	101.3					12.7	25.3			253.1	12.7	12.7	12.7
48	Colored[3]	888.1										355.2			
49	Hardin County (total)	1,447.0	61.8	13.2		17.6	13.2	30.9	35.3	22.1	4.4	167.6	8.8	26.5	4.4
50	White	1,333.8	62.4	4.8		19.2	14.4	33.6	38.4	14.4	4.8	143.9	9.6	24.0	4.8
51	Colored[3]	2,741.2	54.8	109.6						109.6		438.6		54.8	
52	Harlan County (total)	657.0	46.9	18.8	18.8			9.4	9.4	18.8		46.9		9.4	
53	White	644.5	49.6	19.8	19.8			9.9	9.9	19.8		49.6		9.9	
54	Colored[3]	878.7													
55	Harrison County (total)	1,554.0	24.0	6.0				30.0	84.0	6.0		252.0	18.0	24.0	12.0
56	White	1,392.5	6.7	6.7				26.8	80.3	6.7		200.8	20.1	26.8	6.7
57	Colored	2,948.0	173.4					57.8	115.6			693.6			57.8
58	Hart County (total)	1,300.5	55.1			22.0	5.5	11.0	44.1	11.0		248.0	22.0	22.0	5.5
59	White	1,188.2	43.3			24.8	6.2	12.4	49.5	6.2		222.8	18.6	12.4	6.2
60	Colored	2,213.3	150.9							50.3		452.7	50.3	100.6	
61	Henderson County (total)	1,258.5	28.9	46.2		5.8		28.9	11.5	40.4		167.4	5.8	34.6	17.3
62	White	1,112.8	29.3	51.2		7.3		29.3	14.6	36.6		146.4	7.3	29.3	22.0
63	Colored	1,801.8	27.3	27.3				27.3		54.6		245.7		54.6	
64	Henry County (total)	1,337.6	58.8			7.3		29.4	14.7	22.0	7.3	227.8	22.0	14.7	14.7
65	White	1,166.7	59.2			8.5		16.9	16.9	16.9	8.5	160.6	16.9	8.5	8.5
66	Colored	2,474.7	56.2					112.5		56.2		674.9	56.2	56.2	56.2
67	Hickman County (total)	1,480.7	68.1	76.6		59.6		34.0	93.6	25.5		229.8	8.5	25.5	25.5
68	White	1,362.0	70.1	90.1		60.1		30.0	100.2	30.0		160.2	10.0	20.0	10.0
69	Colored	2,151.8	56.6			56.6		56.6	56.6			622.9		56.6	113.3
70	Hopkins County (total)	1,415.2	49.0	11.5		14.4	5.8	20.2	17.3	17.3	2.9	250.8	8.6	23.1	5.8
71	White	1,262.3	46.4	10.7		17.8	7.1	7.1	21.4	10.7	3.6	192.6	10.7	25.0	3.6
72	Colored	2,060.2	60.2	15.0				75.2		45.1		496.2		15.0	15.0

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
.....	9.5	19.0	19.0	57.1	.....	28.5	9.5	38.0	9.5	.....	.....	19.0	.....	19.0	47.5	28.5	.....	142.6	114.1	1
.....	9.9	19.8	19.8	29.8	.....	29.8	9.9	29.8	9.9	.....	.....	19.8	.....	9.9	49.6	19.8	.....	109.2	69.5	2
.....	.....	.....	.....	680.3	.....	.....	.....	226.8	.....	.....	.....	.....	.....	226.8	.....	226.8	.....	907.0	1,133.8	3
30.8	.....	30.8	30.8	41.1	41.1	82.1	.....	20.5	.....	10.3	.....	82.1	.....	20.5	61.6	82.1	.....	102.6	102.6	4
30.8	.....	30.8	30.8	41.1	41.1	82.1	.....	20.5	.....	10.3	.....	82.1	.....	20.5	61.6	82.1	.....	102.7	102.7	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
16.2	.....	56.7	48.6	32.4	.....	48.6	8.1	40.5	8.1	8.1	.....	48.6	.....	.....	56.7	16.2	.....	137.7	32.4	7
16.3	.....	57.2	49.0	32.7	.....	24.5	8.2	40.8	8.2	8.2	.....	49.0	.....	.....	57.2	16.3	.....	138.9	32.7	8
.....	.....	.....	.....	.....	.....	2,803.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9
32.7	32.7	16.3	81.7	98.0	8.2	155.2	16.3	24.5	.....	.....	8.2	65.4	8.2	.....	49.0	89.9	8.2	302.3	8.2	10
23.6	35.3	11.8	47.1	82.5	.....	94.3	11.8	35.3	.....	.....	11.8	70.7	.....	.....	70.7	94.3	11.8	247.4	.....	11
53.3	26.7	26.7	159.9	133.3	26.7	293.2	26.7	.....	.....	.....	.....	53.3	26.7	.....	.....	80.0	.....	426.4	26.7	12
56.5	.....	12.5	69.0	112.9	6.3	100.4	.....	31.4	12.5	6.3	.....	94.1	.....	12.5	81.5	31.4	12.5	332.4	62.7	13
60.3	.....	13.4	53.6	93.8	6.7	93.8	.....	26.8	13.4	6.7	.....	93.8	.....	13.4	80.4	26.8	13.4	328.3	60.3	14
.....	.....	.....	294.4	392.5	.....	196.3	.....	98.1	.....	.....	.....	98.1	.....	.....	98.1	98.1	.....	392.5	98.1	15
.....	.....	15.8	.....	10.5	10.5	36.8	.....	21.1	5.3	5.3	.....	15.8	.....	10.5	47.4	42.1	.....	152.6	57.9	16
.....	.....	15.9	.....	10.6	10.6	37.1	.....	21.2	5.3	5.3	.....	15.9	.....	10.6	47.7	42.4	.....	153.8	58.4	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
.....	.....	9.4	9.4	66.1	9.4	66.1	.....	47.2	.....	.....	9.4	66.1	.....	.....	9.4	28.3	9.4	207.8	75.6	19
.....	.....	10.3	10.3	61.8	10.3	51.5	.....	41.2	.....	.....	10.3	72.0	.....	.....	10.3	20.6	10.3	205.8	82.3	20
.....	.....	.....	.....	115.1	.....	230.1	.....	115.1	.....	.....	.....	.....	.....	.....	.....	115.1	.....	230.1	.....	21
13.9	.....	27.7	41.6	76.2	13.9	138.6	6.9	83.2	.....	20.8	.....	27.7	.....	34.7	83.2	124.7	13.9	256.4	76.2	22
18.2	.....	36.4	45.5	63.6	18.2	136.4	9.1	72.7	.....	27.3	.....	36.4	.....	18.2	100.0	90.9	9.1	281.9	18.2	23
.....	.....	.....	29.1	116.6	.....	145.7	.....	116.6	.....	.....	.....	.....	.....	87.4	29.1	233.2	29.1	174.9	262.3	24
43.1	.....	21.5	64.6	129.3	43.1	.....	21.5	21.5	.....	.....	.....	43.1	.....	.....	21.5	129.3	.....	215.5	21.5	25
45.8	.....	22.9	68.6	114.4	45.8	.....	22.9	22.9	.....	.....	.....	45.8	.....	.....	22.9	137.3	.....	228.8	22.9	26
.....	.....	.....	.....	369.0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
25.3	8.4	16.8	67.4	117.9	.....	143.1	8.4	33.7	16.8	33.7	.....	92.6	25.3	16.8	75.8	168.4	16.8	261.0	58.9	28
31.3	10.4	20.8	73.0	114.6	.....	104.2	10.4	41.7	10.4	.....	.....	104.2	20.8	20.8	73.0	166.8	20.8	271.0	41.7	29
.....	.....	.....	43.8	131.5	.....	306.9	.....	.....	43.8	175.4	.....	43.8	43.8	.....	87.7	175.4	.....	219.2	131.5	30
117.0	.....	9.8	58.5	126.8	.....	39.0	.....	9.8	9.8	9.8	.....	29.3	.....	.....	29.3	97.5	19.5	195.0	29.3	31
120.3	.....	10.0	60.2	120.3	.....	40.1	.....	10.0	10.0	10.0	.....	30.1	.....	.....	30.1	90.2	20.1	200.5	30.1	32
.....	.....	.....	.....	353.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	353.4	.....	.....	.....	33
50.6	6.0	23.8	29.8	47.6	11.9	181.6	8.9	80.4	3.0	14.9	6.0	62.5	3.0	14.9	116.1	44.7	3.0	196.5	17.9	34
48.9	6.5	26.1	29.3	45.6	13.0	176.0	9.8	78.2	3.3	13.0	6.5	61.9	3.3	13.0	117.4	42.4	3.3	185.8	13.0	35
68.8	.....	.....	34.4	68.8	.....	241.0	.....	103.3	.....	34.4	.....	68.8	.....	34.4	103.3	68.8	.....	309.8	68.8	36
40.1	10.0	20.0	35.1	60.1	10.0	90.1	10.0	90.1	.....	.....	.....	60.1	10.0	30.0	70.1	25.0	10.0	200.3	40.1	37
35.7	10.2	20.4	35.7	61.1	10.2	91.7	10.2	91.7	.....	.....	.....	61.1	10.2	30.6	71.3	20.4	10.2	198.6	40.7	38
300.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	300.3	.....	300.3	.....	39
50.7	.....	16.9	16.9	109.9	16.9	76.1	16.9	8.5	.....	8.5	.....	42.3	25.4	16.9	33.8	33.8	8.5	287.5	50.7	40
57.2	.....	19.1	19.1	95.4	19.1	76.3	9.5	.....	.....	9.5	.....	38.1	9.5	9.5	28.6	28.6	.....	276.5	19.1	41
.....	.....	.....	.....	224.2	.....	74.7	74.7	74.7	.....	.....	.....	74.7	149.5	74.7	74.7	74.7	74.7	373.7	299.0	42
47.8	.....	37.1	31.8	69.0	5.3	90.2	15.9	111.4	.....	15.9	.....	42.4	15.9	15.9	111.4	100.8	5.3	206.9	95.5	43
48.4	.....	37.7	32.3	70.0	.....	91.5	16.1	113.0	.....	16.1	.....	43.1	16.1	16.1	113.0	102.3	5.4	199.2	96.9	44
.....	.....	.....	.....	.....	367.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	735.3	.....	45
35.4	35.4	11.8	35.4	47.3	35.4	35.4	11.8	70.9	11.8	.....	35.4	23.6	.....	11.8	94.5	11.8	.....	295.4	35.4	46
25.3	38.0	12.7	38.0	50.6	38.0	38.0	12.7	75.9	12.7	.....	38.0	25.3	.....	12.7	88.6	12.7	.....	303.8	38.0	47
177.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	177.6	.....	.....	177.6	.....	48
26.5	13.2	8.8	70.6	88.2	26.5	70.6	17.6	75.0	.....	4.4	8.8	119.1	30.9	4.4	66.2	88.2	8.8	273.5	39.7	49
28.8	14.4	9.6	72.0	81.6	28.8	67.2	9.6	76.8	.....	4.8	9.6	91.2	24.0	4.8	67.2	72.0	9.6	249.5	38.4	50
.....	.....	.....	54.8	164.5	.....	109.6	109.6	54.8	.....	.....	.....	438.6	109.6	.....	54.8	274.1	.....	548.2	54.8	51
.....	9.4	28.2	.....	28.2	.....	18.8	.....	37.5	9.4	9.4	.....	18.8	9.4	9.4	.....	150.2	.....	65.7	84.5	52
.....	9.9	19.8	.....	29.7	.....	19.8	.....	39.7	9.9	9.9	.....	19.8	9.9	9.9	.....	138.8	.....	69.4	69.4	53
.....	.....	175.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	351.5	.....	.....	351.5	54
84.0	12.0	6.0	60.0	120.0	36.0	90.0	12.0	60.0	6.0	.....	12.0	102.0	6.0	12.0	54.0	96.0	24.0	270.0	36.0	55
80.3	13.4	6.7	33.5	107.1	40.2	73.6	6.7	66.9	6.7	.....	13.4	87.0	6.7	13.4	60.3	100.4	20.1	241.0	33.5	56
115.6	.....	.....	289.0	231.2	.....	231.2	57.8	.....	.....	.....	.....	231.2	.....	.....	.....	57.8	57.8	520.2	57.8	57
38.6	.....	44.1	44.1	77.1	11.0	104.7	16.5	27.6	11.0	5.5	.....	82.7	5.5	5.5	60.6	77.1	5.5	192.9	44.1	58
30.9	.....	30.9	43.3	80.5	12.4	92.8	18.6	30.9	12.4	6.2	.....	74.3	.....	6.2	61.9	68.1	6.2	179.5	30.9	59
100.6	.....	150.9	50.3	50.3	.....	201.2	.....	.....	.....	.....	.....	150.9	50.3	.....	50.3	150.9	.....	301.8	150.9	60
23.1	.....	5.8	17.3	57.7	5.8	98.1	17.3	46.2	5.8	23.1	23.1	40.4	5.8	23.1	132.8	63.5	.....	225.1	57.7	61
22.0	.....	7.3	14.6	58.6	7.3	80.5	14.6	51.2	.....	22.0	7.3	36.6	.....	14.6	117.1	36.6	.....	219.6	29.3	62
27.3	.....	.....	27.3	54.6	.....	163.8	27.3	27.3	27.3	27.3	81.9	54.6	27.3	54.6	191.1	163.8	.....	245.7	163.8	63
58.8	.....	29.4	51.4	117.6	14.7	51.4	22.0	7.3	7.3	22.0	7.3	80.8	.....	.....	36.7	80.8	7.3	294.0	29.4	64
67.6	.....	33.8	50.7	93.0	16.9	50.7	8.5	8.5	8.5	25.4	8.5	67.6	.....	.....	42.3	76.1	8.5	253.6	25.4	65
.....	.....	.....	56.2	281.2	.....	56.2	112.5	.....	.....	.....	.....	168.7	.....	.....	.....	112.5	.....	562.4	56.2	66
25.5	.....	17.0	34.0	76.6	8.5	178.7	17.0	.....	8.5	8.5	17.0	25.5	8.5	.....	110.6	76.6	8.5	212.7	.....	67
30.0	.....	10.0	40.1	60.1	10.0	170.3	10.0	.....	10.0	10.0	20.0	20.0	10.0	.....	130.2	40.1	10.0	200.3	.....	68
.....	.....	56.6	.....	169.9	.....	226.5	56.6	.....	.....	.....	.....	56.6	.....	.....	.....	283.1	.....	283.1	.....	69
40.4	2.9	20.2	49.0	92.2	14.4	100.9	23.1	57.6	20.2	2.9	.....	49.0	8.6	17.3	92.2	89.4	11.5	233.5	63.4	70
39.2	3.6	17.8	49.9	85.6	7.1	92.7	28.5	49.9	17.8	3.6	.....	49.9	3.6	21.4	96.3	53.5	14.3	221.1	49.9	71
45.1	.....	30.1	45.1	120.3	45.1	135.3	.....	90.2	30.1	.....	.....	45.1	30.1	.....	75.2	240.6	.....	285.7	120.3	72

[3] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	KENTUCKY—continued.														
1	Jackson County (total)	716.0	46.5						46.5			148.8		27.9	18.6
2	White	717.5	46.6						46.6			149.1		28.0	18.6
3	Colored[3]														
4	Jefferson County * (total)	1,375.5	30.6	5.1		10.2		7.7	7.7	5.1	5.1	255.2		10.2	15.3
5	White	1,274.1	26.5	5.9		11.8		8.8	8.8	5.9	5.9	209.4		11.8	17.7
6	Colored	2,025.7	56.8									549.0			
7	Jessamine County (total)	1,315.4	31.5			7.9	15.8	7.9	31.5	7.9		204.8		31.5	7.9
8	White	1,101.5	20.6			10.3	20.6	10.3	41.2	10.3		102.9		20.6	
9	Colored	2,012.1	67.1									536.6		67.1	33.5
10	Johnson County (total)	1,321.0	117.1			11.1	5.6	83.6	27.9	5.6	5.6	105.9	22.3	27.9	5.6
11	White	1,319.0	117.4			11.2	5.6	83.8	27.9	5.6	5.6	106.2	22.4	27.9	5.6
12	Colored[3]	2,083.3													
13	Kenton County (total)	1,031.4					22.7	22.7	11.3	5.7	5.7	119.0		17.0	11.3
14	White	1,029.4					23.1	23.1	11.6	5.8	5.8	115.7		17.3	11.6
15	Colored[3]	1,129.9										282.5			
16	Knott County (total)	669.9	63.4					18.1	45.3			126.7			
17	White	652.4	55.1					18.4	45.9			128.6			
18	Colored[3]	1,840.5	613.5												
19	Knox County (total)	1,282.2	79.3			4.4	4.4	44.1	35.2	22.0		176.2	4.4	22.0	8.8
20	White	1,249.9	69.4			4.6	4.6	46.3	37.0	23.1		166.7	4.6	18.5	4.6
21	Colored[3]	1,919.6	274.2									365.6		91.4	91.4
22	Larue County (total)	1,253.0	46.8			65.5		56.1	37.4	37.4		196.4	9.4	18.7	18.7
23	White	1,200.8	50.5			60.5		60.5	40.4	40.4		161.5	10.1	20.2	20.2
24	Colored[3]	1,913.3				127.6						637.8			
25	Laurel County (total)	640.2	14.9			9.9	5.0	24.8	5.0	5.0		59.6		9.9	9.9
26	White	631.4	15.4			10.3	5.1	15.4	5.1	5.1		56.5		10.3	10.3
27	Colored[3]	894.2						298.1				149.0			
28	Lawrence County (total)	944.2	29.8				9.9	34.8	24.8	9.9		178.9	5.0	14.9	9.9
29	White	931.9	30.1				10.0	25.1	25.1	10.0		180.4	5.0	15.0	10.0
30	Colored[3]	2,454.0						1,227.0							
31	Lee County (total)	720.2	10.3	10.3		20.6	10.3	20.6	20.6			133.8		10.3	
32	White	717.3	10.5	10.5		21.1	10.5	21.1	21.1			137.1		10.5	
33	Colored[3]	836.8													
34	Leslie County (total)	681.3	54.1					10.8	119.0	10.8		32.4		21.6	
35	White	680.5	54.9					11.0	120.7	11.0		32.9		22.0	
36	Colored[3]	735.3													
37	Letcher County (total)	787.1	92.6					37.0	55.6	9.3		92.6			
38	White	695.6	83.5					37.1	55.6	9.3		55.6			
39	Colored[3]	(4)													
40	Lewis County (total)	1,550.6	23.9			6.0		23.9	41.7	29.8		250.5	29.8	23.9	53.7
41	White	1,521.5	24.1			6.0		24.1	42.1	30.1		252.6	30.1	24.1	54.1
42	Colored[3]	5,000.0													
43	Lincoln County (total)	1,444.6	72.2			11.1		16.7	16.7	11.1	5.6	244.5	16.7	33.3	22.2
44	White	1,317.7	66.6					20.0	20.0	6.7	6.7	186.3	13.3	26.6	26.6
45	Colored	2,086.1	100.9			67.3				33.6		538.4	33.6	67.3	
46	Livingston County (total)	1,442.3	47.4	75.9			9.5	38.0	28.5	19.0		199.3	19.0	9.5	
47	White	1,367.1	50.6	70.9			10.1	40.5	30.4	10.1		192.4	20.3		
48	Colored[3]	2,560.2		150.6						150.6		301.2		150.6	
49	Logan County (total)	1,384.1	60.4	20.1		44.3		52.3	12.1	12.1	4.0	217.3	12.1	16.1	4.0
50	White	1,224.0	41.0			41.0		10.2	10.2	10.2	5.1	179.2	15.4	10.2	
51	Colored	1,971.1	131.4	93.9		56.3		206.5	18.8	18.8		356.7		37.5	18.8
52	Lyon County (total)	1,293.1	31.8	31.8		10.6			21.2	31.8		212.0		53.0	
53	White	1,021.9	39.3	26.2		13.1			26.2	26.2		52.4		39.3	
54	Colored	2,441.7		55.5						55.5		887.9		111.0	
55	McCracken County (total)	1,175.6	47.3	71.0		15.8			23.7	23.7		236.7	7.9		
56	White	1,138.2	56.0	65.3		18.7			28.0	28.0		205.2	9.3		
57	Colored	1,381.1		102.3								409.2			
58	McLean County (total)	1,477.1	30.0	30.0		22.5		7.5	7.5	22.5	15.0	187.4	15.0	82.5	7.5
59	White	1,454.5	31.8	31.8		23.8		7.9	7.9	23.8	15.9	166.9	15.9	87.4	7.9
60	Colored[3]	1,854.3										529.8			
61	Madison County (total)	1,143.3	33.2				3.7	3.7	14.8	3.7		254.5	14.8	7.4	3.7
62	White	968.3	37.4				4.7	4.7	18.7	4.7		173.1	18.7	9.4	4.7
63	Colored	1,795.1	17.4									557.7			
64	Magoffin County (total)	1,342.6	79.4					65.0	122.7	28.9		115.5		28.9	7.2
65	White	1,335.2	80.3					58.4	124.0	29.2		109.4		29.2	7.3
66	Colored[3]	2,027.0						675.7				675.7			
67	Marion County (total)	1,438.7	61.2			12.2		18.4	18.4	12.2	12.2	232.6		30.6	12.2
68	White	1,236.9	64.0			7.1		21.3	21.3	14.2	14.2	177.7		14.2	14.2
69	Colored	2,690.8	44.1			44.1						573.4		132.3	
70	Marshall County (total)	1,204.4	18.7	68.6		106.1		6.2	43.7	25.0		168.5	6.2	18.7	
71	White	1,208.5	18.9	69.2		100.7		6.3	44.1	25.2		170.0	6.3	18.9	
72	Colored[3]	729.9				729.9									

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
9.3	.....	9.3	.....	46.5	.....	18.6	9.3	18.6	.....	.....	.....	18.6	.....	.....	83.7	27.9	.....	102.3	83.7	1
9.3	.....	9.3	.....	46.6	.....	18.6	9.3	18.6	.....	.....	.....	18.6	.....	.....	83.9	28.0	.....	102.5	83.9	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
48.5	7.7	20.4	66.3	97.0	25.5	117.4	17.9	40.8	5.1	17.9	15.3	107.2	2.6	7.7	56.1	51.0	5.1	296.0	17.9	4
53.1	5.9	17.7	56.0	88.5	26.5	103.2	17.7	44.2	5.9	20.6	14.7	97.3	2.9	2.9	47.2	44.2	5.9	292.0	14.7	5
18.9	18.9	37.9	132.5	151.5	18.9	208.3	18.9	18.9	.....	.....	18.9	170.4	.....	37.9	113.6	94.7	.....	321.8	37.9	6
70.9	.....	23.6	31.5	102.4	31.5	118.1	23.6	39.4	15.8	7.9	.....	47.3	.....	.....	55.1	110.3	15.8	252.0	23.6	7
82.4	.....	30.9	30.9	102.9	30.9	82.4	10.3	41.2	20.6	10.3	.....	30.9	.....	.....	41.2	92.6	20.6	226.5	10.3	8
33.5	.....	.....	33.5	100.6	33.5	234.7	67.1	33.5	.....	.....	.....	100.6	.....	.....	100.6	167.7	.....	335.3	67.1	9
33.4	11.1	11.1	5.6	66.9	11.1	117.1	5.6	94.8	5.6	.....	11.1	27.9	5.6	.....	172.8	128.2	.....	156.1	39.0	10
33.5	11.2	11.2	5.6	67.1	11.2	117.4	5.6	89.4	5.6	.....	11.2	27.9	5.6	.....	173.3	128.5	.....	156.5	39.1	11
.....	.....	.....	.....	.....	.....	.....	.....	2,083.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
45.3	.....	17.0	79.3	102.0	5.7	130.3	11.3	22.7	.....	17.0	11.3	17.0	.....	.....	56.7	85.0	11.3	187.0	17.0	13
46.3	.....	17.3	81.0	104.1	5.8	127.2	11.6	23.1	.....	17.3	11.6	17.3	.....	.....	57.8	75.2	11.6	190.8	17.3	14
.....	.....	.....	.....	.....	.....	282.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	565.0	.....	.....	.....	15
9.1	.....	9.1	9.1	9.1	.....	27.2	18.1	9.1	.....	.....	.....	9.1	27.2	.....	36.2	27.2	.....	117.7	108.6	16
9.2	.....	9.2	9.2	9.2	.....	18.4	18.4	9.2	.....	.....	.....	9.2	27.6	.....	36.8	27.6	.....	119.5	101.1	17
.....	.....	.....	.....	.....	.....	613.5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	613.5	18
8.8	.....	30.8	26.4	57.3	22.0	83.7	8.8	61.7	.....	13.2	4.4	26.4	.....	8.8	123.4	110.2	4.4	220.3	70.5	19
9.3	.....	32.4	18.5	55.6	18.5	83.3	9.3	64.8	.....	13.9	4.6	27.8	.....	9.3	111.1	115.7	4.6	217.6	74.1	20
.....	.....	.....	182.8	91.4	91.4	91.4	.....	.....	.....	.....	.....	.....	.....	.....	365.6	.....	.....	274.2	.....	21
37.4	9.4	18.7	28.1	112.2	9.4	74.8	9.4	28.1	9.4	18.7	.....	112.2	9.4	9.4	84.2	46.8	18.7	130.9	.....	22
40.4	10.1	20.2	30.3	111.0	.....	60.5	10.1	30.3	10.1	10.1	.....	121.1	10.1	10.1	80.7	50.5	20.2	111.0	.....	23
.....	.....	.....	.....	127.6	127.6	255.1	.....	.....	.....	127.6	.....	.....	.....	.....	127.6	.....	.....	382.7	.....	24
14.9	.....	24.8	9.9	44.7	9.9	64.5	.....	19.9	9.9	.....	5.0	39.7	5.0	19.9	44.7	19.9	9.9	109.2	44.7	25
15.4	.....	25.7	10.3	46.2	10.3	66.7	.....	20.5	10.3	.....	5.1	41.1	5.1	20.5	46.2	20.5	10.3	102.7	41.1	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	298.1	149.0	27
19.9	5.0	24.8	19.9	49.7	.....	64.6	9.9	59.6	.....	.....	9.9	39.8	9.9	5.0	59.6	34.8	5.0	139.2	69.6	28
20.0	5.0	25.1	20.0	50.1	.....	65.1	10.0	60.1	.....	.....	10.0	40.1	10.0	5.0	55.1	35.1	5.0	135.3	70.1	29
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	613.5	.....	.....	613.5	.....	30
10.3	.....	41.2	30.9	30.9	30.9	72.0	.....	41.2	.....	.....	.....	30.9	.....	.....	41.2	20.6	.....	113.2	20.6	31
10.5	.....	42.2	31.6	21.1	31.6	73.8	.....	31.6	.....	.....	.....	31.6	.....	.....	42.2	21.1	.....	116.0	21.1	32
.....	.....	.....	.....	418.4	.....	.....	.....	418.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	33
21.6	.....	.....	10.8	54.1	10.8	10.8	10.8	21.6	.....	.....	.....	.....	.....	10.8	21.6	43.3	.....	151.4	64.9	34
22.0	.....	.....	11.0	54.9	11.0	11.0	.....	22.0	.....	.....	.....	.....	.....	11.0	22.0	43.9	.....	153.7	65.9	35
.....	.....	.....	.....	.....	.....	.....	735.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
9.3	.....	9.3	.....	46.3	18.5	64.8	9.3	46.3	.....	.....	.....	.....	9.3	18.5	27.8	55.6	.....	101.9	83.3	37
9.3	.....	9.3	.....	37.1	18.5	55.6	9.3	46.4	.....	.....	.....	.....	9.3	18.5	27.8	37.1	.....	92.7	83.5	38
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	39
23.9	.....	41.7	59.6	137.2	17.9	89.5	17.9	77.5	.....	11.9	.....	89.5	11.9	17.9	89.5	107.3	6.0	208.7	59.6	40
24.1	.....	42.1	60.1	138.3	18.0	84.2	18.0	78.2	.....	12.0	.....	90.2	12.0	18.0	90.2	72.2	6.0	210.5	60.1	41
.....	.....	.....	.....	.....	.....	714.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	4,285.7	.....	.....	.....	42
77.8	5.6	38.9	16.7	122.2	22.2	116.7	5.6	61.1	5.6	16.7	.....	66.7	.....	33.3	44.4	105.6	5.6	211.1	38.9	43
93.2	6.7	33.3	20.0	93.2	20.0	106.5	6.7	66.6	6.7	20.0	.....	73.2	.....	39.9	46.6	73.2	6.7	186.3	46.6	44
.....	.....	67.3	.....	269.2	33.6	168.2	.....	33.6	.....	.....	.....	33.6	.....	.....	33.6	269.2	.....	336.5	.....	45
28.5	.....	47.4	38.0	38.0	9.5	170.8	.....	104.4	9.5	28.5	9.5	75.9	19.0	19.0	113.9	56.9	.....	170.8	56.9	46
30.4	.....	40.5	40.5	40.5	10.1	151.9	.....	101.3	10.1	30.4	10.1	81.0	20.3	20.3	121.5	50.6	.....	172.2	10.1	47
.....	.....	150.6	.....	.....	.....	451.8	.....	150.6	.....	.....	.....	.....	.....	.....	.....	150.6	.....	150.6	753.0	48
52.3	.....	16.1	56.3	64.4	12.1	100.6	24.1	40.2	.....	24.1	16.1	44.3	12.1	8.0	68.4	60.4	4.0	289.7	36.2	49
56.3	.....	15.4	61.5	71.7	10.2	92.2	25.6	35.8	.....	25.6	15.4	46.1	10.2	10.2	51.2	61.5	5.1	281.7	25.6	50
37.5	.....	18.8	37.5	37.5	18.8	131.4	18.8	56.3	.....	18.8	18.8	37.5	18.8	.....	131.4	56.3	.....	319.1	75.1	51
21.2	.....	10.6	21.2	53.0	10.6	74.2	10.6	21.2	31.8	21.2	.....	42.4	21.2	.....	74.2	84.8	10.6	296.8	95.4	52
26.2	.....	13.1	26.2	52.4	13.1	78.6	13.1	26.2	39.3	13.1	.....	52.4	26.2	.....	65.5	13.1	13.1	248.9	78.6	53
.....	.....	.....	.....	55.5	.....	55.5	.....	.....	.....	55.5	.....	.....	.....	.....	111.0	388.5	.....	499.4	166.5	54
7.9	7.9	23.7	55.2	23.7	7.9	126.2	23.7	47.3	7.9	.....	.....	47.3	.....	.....	86.8	47.3	15.8	189.4	31.6	55
9.3	9.3	9.3	37.3	18.7	.....	130.6	28.0	37.3	9.3	.....	.....	56.0	.....	.....	102.6	46.6	18.7	177.3	37.3	56
.....	.....	102.3	153.5	51.2	51.2	102.3	.....	102.3	.....	.....	.....	.....	.....	.....	.....	51.2	.....	255.8	.....	57
52.5	30.0	30.0	22.5	37.5	22.5	164.9	22.5	97.5	.....	15.0	.....	82.5	7.5	15.0	90.0	67.5	7.5	247.4	37.5	58
47.7	31.8	31.8	23.8	31.8	23.8	166.9	23.8	87.4	.....	15.9	.....	87.4	7.9	15.9	95.4	55.6	7.9	246.4	31.8	59
132.5	.....	.....	.....	132.5	.....	132.5	.....	264.9	.....	.....	.....	.....	.....	.....	.....	264.9	.....	264.9	132.5	60
36.9	.....	18.4	36.9	55.3	3.7	59.0	11.1	33.2	3.7	18.4	7.4	114.3	7.4	25.8	55.3	59.0	7.4	210.2	40.6	61
42.1	.....	23.4	28.1	51.5	4.7	51.5	14.0	23.4	4.7	18.7	9.4	79.5	4.7	18.7	51.5	51.5	9.4	196.5	9.4	62
17.4	.....	.....	69.7	69.7	.....	87.1	.....	69.7	.....	17.4	.....	244.0	17.4	52.3	69.7	87.1	.....	261.4	156.8	63
7.2	.....	21.7	7.2	21.7	.....	57.7	21.7	79.4	7.2	.....	7.2	21.7	.....	7.2	108.3	50.5	.....	209.3	267.1	64
7.3	.....	21.9	7.3	21.9	.....	58.4	21.9	80.3	7.3	.....	7.3	21.9	.....	7.3	109.4	51.1	.....	211.6	262.7	65
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	675.7	66
42.9	12.2	30.6	67.3	104.1	36.7	116.3	12.2	42.9	6.1	12.2	.....	42.9	6.1	18.4	104.1	42.9	12.2	275.5	42.9	67
35.5	14.2	35.5	71.1	78.2	35.5	92.4	14.2	42.7	7.1	14.2	.....	35.5	7.1	14.2	92.4	35.5	14.2	220.4	28.4	68
88.2	.....	.....	44.1	264.7	44.1	264.7	.....	44.1	.....	.....	.....	88.2	.....	44.1	176.4	88.2	.....	617.6	132.3	69
31.2	.....	18.7	25.0	31.2	12.5	131.0	6.2	87.4	.....	.....	.....	37.4	.....	31.2	68.6	49.9	6.2	181.0	25.0	70
31.5	.....	18.9	25.2	31.5	12.6	132.2	6.3	88.1	.....	.....	.....	37.8	.....	31.5	69.2	50.4	6.3	182.5	25.2	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72

[3] Colored population less than 10 per cent of total.

[4] Not computed, basis of population being too small.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	KENTUCKY—continued.														
1	Martin County (total)	923.1	80.3					26.8	26.8	13.4		93.6			
2	White	923.6	80.3					26.8	26.8	13.4		93.7			
3	Colored[3]														
4	Mason County (total)	1,729.4	38.1			27.2		5.4		59.8		184.9	10.9	10.9	5.4
5	White	1,607.5	38.6			32.2		6.4		51.4		160.8	6.4	12.9	6.4
6	Colored	2,397.7	35.3							105.8		317.3	35.3		
7	Meade County (total)	1,155.5	82.5			10.3	10.3	10.3	20.6	10.3	10.3	113.5		51.6	
8	White	1,116.8	88.5			11.1	11.1	11.1	22.1		11.1	110.6		44.2	
9	Colored[3]	1,694.9								154.1		154.1		154.1	
10	Menifee County (total)	559.9		32.9			49.4			32.9		115.3		16.5	
11	White	547.0		33.2			49.7			33.2		116.0			
12	Colored[3]	2,564.1												2,564.1	
13	Mercer County (total)	1,383.7	92.7				7.1		21.4	28.5		192.6	42.8	7.1	7.1
14	White	1,180.8	42.2				8.4		25.3	16.9		151.8	33.7	8.4	
15	Colored	2,495.4	369.7							92.4		415.9	92.4		46.2
16	Metcalfe County (total)	1,294.1	47.6	19.0		19.0		38.1	28.5	28.5		218.9		38.1	9.5
17	White	1,194.5	51.5	20.6		10.3		41.2	30.9	20.6		185.4		30.9	
18	Colored[3]	2,506.3				125.3				125.3		626.6		125.3	125.3
19	Monroe County (total)	1,332.3	36.4	7.3		51.0		14.6	21.8	43.7	7.3	327.6	7.3	29.1	21.8
20	White	1,307.0	38.4	7.7		53.8		15.4	23.1	46.1	7.7	276.8	7.7	30.8	23.1
21	Colored[3]	1,783.3										1,234.6			
22	Montgomery County (total)	1,274.2	15.5						7.8	7.8		303.0	46.6	7.8	
23	White	1,012.8	10.3						10.3	10.3		217.0	51.7	10.3	
24	Colored	2,065.7	31.3									563.4	31.3		
25	Morgan County (total)	1,144.9	30.0			12.0	59.9	30.0	71.9	18.0		161.8	12.0	36.0	
26	White	1,147.3	30.0			12.0	60.1	30.0	72.1	18.0		162.2	12.0	36.0	
27	Colored[3]														
28	Muhlenberg County (total)	1,339.7	60.9	27.1		37.2		13.5	23.7	3.4	3.4	216.5	6.8	33.8	6.8
29	White	1,273.1	60.3	22.6		41.4		15.1	22.6	3.8	3.8	207.2	7.5	37.7	7.5
30	Colored	1,927.6	66.5	66.5					33.2			299.1			
31	Nelson County (total)	1,589.7	94.9	5.9		11.9		5.9		23.7		219.5		5.9	17.8
32	White	1,321.9	93.4	7.2		7.2		7.2		14.4		194.0		7.2	7.2
33	Colored	2,857.1	102.0			34.0				68.0		340.1			68.0
34	Nicholas County (total)	1,398.9		9.6				9.6	9.6	9.6	9.6	258.7	19.2	57.5	9.6
35	White	1,266.4						10.5	10.5		10.5	261.6	20.9	41.9	10.5
36	Colored[3]	2,834.5		113.4						113.4		226.8		226.8	
37	Ohio County (total)	1,267.8	72.2	14.4		50.6		7.2	39.7	18.1		195.1	18.1	32.5	3.6
38	White	1,246.4	68.2	15.2		53.0			41.7	18.9		185.6	18.9	34.1	3.8
39	Colored[3]	1,705.4	155.0					155.0				387.6			
40	Oldham County (total)	1,527.2	55.0							27.5	13.8	261.4	13.8		
41	White	1,470.8	64.7								16.2	210.1	16.2		
42	Colored	1,850.1								185.0		555.0			
43	Owen County (total)	1,076.2	43.3			14.4			21.7	21.7	14.4	195.0	14.4	36.1	
44	White	1,013.2	46.4			15.5			23.2	23.2	7.7	162.4	15.5	30.9	
45	Colored[3]	1,965.1									109.2	655.0		109.2	
46	Owsley County (total)	838.2	24.7					24.7		12.3		110.9		12.3	
47	White	821.2	24.9					24.9		12.4		87.1		12.4	
48	Colored[3]	2,631.6										2,631.6			
49	Pendleton County (total)	1,359.4	25.8						8.6	60.2		292.5	8.6		8.6
50	White	1,284.1	26.4						8.8	52.8		281.4	8.8		8.8
51	Colored[3]	4,743.1								395.3		790.5			
52	Perry County (total)	1,041.5	51.6	8.6			8.6	25.8	77.5	25.8		43.0			
53	White	921.3	43.9	8.8			8.8	26.3	79.0	26.3		35.1			
54	Colored[3]	7,239.8	452.5									452.5			
55	Pike County (total)	1,083.0	51.9			15.3	6.1	64.1	58.0		3.1	137.3		12.2	3.1
56	White	1,066.8	46.2			15.4	6.2	64.7	58.6		3.1	138.7		12.3	3.1
57	Colored[3]	2,616.3	581.4												
58	Powell County (total)	640.2	16.0						16.0	32.0		112.0		32.0	
59	White	608.9	16.9						16.9	33.8		101.5		33.8	
60	Colored[3]	1,190.5										297.6			
61	Pulaski County (total)	1,129.6	41.0	2.7		5.5	8.2	16.4	35.6	21.9	5.5	164.1	16.4	16.4	13.7
62	White	1,103.1	42.4	2.8		5.7	8.5	17.0	33.9	19.8	5.7	149.9	17.0	17.0	14.1
63	Colored[3]	1,907.1							82.9	82.9		580.4			
64	Robertson County (total)	1,465.1	24.8					24.8	24.8	24.8	24.8	322.8		24.8	24.8
65	White	1,439.8	25.3					25.3	25.3	25.3	25.3	277.8		25.3	25.3
66	Colored[3]	2,941.2										2,941.2			
67	Rockcastle County (total)	1,147.8	54.3	13.6		40.7		81.5	6.8	27.2		169.8	20.4		
68	White	1,150.9	54.8	13.7		41.1		82.2	6.9	27.4		171.3	20.6		
69	Colored[3]	787.4													
70	Rowan County (total)	1,273.6	31.3	10.4		20.9	10.4	20.9	31.3			208.8	20.9	10.4	
71	White	1,260.6	31.5	10.5		21.0	10.5	21.0	31.5			210.1	21.0	10.5	
72	Colored[3]	3,333.3													

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
26.8	.....	40.1	.....	80.3	13.4	40.1	.....	80.3	13.4	.....	.....	13.4	.....	.....	53.5	66.9	.....	200.7	53.5	1
26.8	.....	40.2	.....	80.3	13.4	40.2	.....	80.3	13.4	.....	.....	13.4	.....	.....	53.5	66.9	.....	200.8	53.5	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
65.3	16.3	10.9	54.4	244.7	21.8	157.7	10.9	38.1	10.9	16.3	.....	103.3	10.9	10.9	70.7	119.6	5.4	315.4	103.3	4
77.2	19.3	6.4	57.9	244.3	25.7	109.3	12.9	45.0	6.4	19.3	.....	90.0	12.9	6.4	70.7	90.0	6.4	327.9	64.3	5
.....	.....	35.3	35.3	246.8	.....	423.1	.....	.....	35.3	.....	.....	176.3	.....	35.3	70.5	282.1	.....	246.8	317.3	6
31.0	10.3	10.3	20.6	72.2	20.6	134.1	20.6	61.9	.....	10.3	.....	61.9	.....	.....	72.2	31.0	10.3	257.9	10.3	7
33.2	11.1	.....	11.1	66.3	22.1	121.6	22.1	66.3	.....	11.1	.....	66.3	.....	.....	66.3	11.1	11.1	276.4	11.1	8
.....	.....	154.1	154.1	154.1	.....	308.2	.....	.....	.....	.....	.....	.....	.....	.....	154.1	308.2	.....	.....	.....	9
.....	16.5	49.4	.....	.....	.....	16.5	.....	.....	.....	.....	.....	16.5	.....	16.5	32.9	16.5	.....	82.3	65.9	10
.....	16.6	49.7	.....	.....	.....	16.6	.....	.....	.....	.....	.....	16.6	.....	16.6	33.2	16.6	.....	82.9	66.3	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
71.3	14.3	14.3	49.9	114.1	35.7	57.1	28.5	28.5	7.1	21.4	14.3	85.6	7.1	.....	78.5	78.5	7.1	228.2	42.8	13
75.9	16.9	8.4	50.6	92.8	25.3	67.5	33.7	8.4	8.4	25.3	16.9	84.3	8.4	.....	67.5	67.5	8.4	185.6	42.2	14
46.2	.....	46.2	46.2	231.1	92.4	.....	.....	138.6	.....	.....	.....	92.4	.....	.....	138.6	138.6	.....	462.1	46.2	15
57.1	.....	9.5	38.1	66.6	9.5	114.2	.....	38.1	9.5	9.5	9.5	57.1	.....	.....	66.6	57.1	9.5	190.3	104.7	16
61.8	.....	10.3	41.2	61.8	10.3	113.3	.....	41.2	10.3	10.3	10.3	61.8	.....	.....	51.5	51.5	10.3	195.7	61.8	17
.....	.....	.....	.....	125.3	.....	125.3	.....	.....	.....	.....	.....	.....	.....	.....	250.6	125.3	.....	125.3	626.6	18
29.1	21.8	7.3	7.3	43.7	7.3	58.2	7.3	43.7	.....	.....	7.3	51.0	7.3	7.3	116.5	36.4	.....	254.8	58.2	19
23.1	23.1	7.7	7.7	46.1	7.7	61.5	7.7	46.1	.....	.....	7.7	53.8	7.7	7.7	123.0	30.8	.....	261.4	53.8	20
137.2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	137.2	.....	137.2	137.2	21
38.8	7.8	23.3	23.3	46.6	7.8	163.1	15.5	38.8	15.5	15.5	15.5	93.2	23.3	.....	31.1	54.4	.....	225.3	46.6	22
31.0	10.3	31.0	20.7	20.7	10.3	124.0	20.7	10.3	.....	10.3	.....	82.7	20.7	.....	31.0	51.7	.....	217.0	10.3	23
62.6	.....	.....	31.3	125.2	.....	281.7	.....	125.2	62.6	31.3	62.6	125.2	31.3	.....	31.3	62.6	.....	250.4	156.5	24
18.0	.....	42.0	.....	18.0	.....	71.9	12.0	53.9	.....	.....	.....	12.0	12.0	6.0	71.9	65.9	.....	209.8	119.9	25
18.0	.....	42.0	.....	18.0	.....	72.1	12.0	54.1	.....	.....	.....	12.0	12.0	6.0	72.1	66.1	.....	210.2	120.1	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
37.2	10.1	13.5	10.1	54.1	20.3	104.9	10.1	71.0	3.4	6.8	13.5	84.6	3.4	16.9	101.5	81.2	16.9	203.0	44.0	28
30.1	7.5	15.1	11.3	41.4	18.8	94.2	11.3	64.0	3.8	7.5	7.5	82.9	.....	15.1	101.7	67.8	15.1	207.2	41.4	29
99.7	33.2	.....	.....	166.2	33.2	199.4	.....	132.9	.....	.....	66.5	99.7	33.2	33.2	99.7	199.4	33.2	166.2	66.5	30
53.4	5.9	23.7	53.4	124.6	17.8	154.2	41.5	47.5	.....	11.9	35.6	77.1	.....	.....	112.7	77.1	11.9	284.7	71.2	31
50.3	7.2	21.6	35.9	115.0	21.6	122.1	28.7	43.1	.....	14.4	21.6	57.5	.....	.....	115.0	43.1	14.4	229.9	43.1	32
68.0	.....	34.0	136.1	170.1	.....	306.1	102.0	68.0	.....	.....	102.0	170.1	.....	.....	102.0	238.1	.....	544.2	204.1	33
28.7	28.7	47.9	95.8	86.2	38.3	115.0	.....	28.7	.....	.....	9.6	115.0	19.2	9.6	76.7	76.7	.....	210.8	19.2	34
31.4	31.4	52.3	73.3	73.3	31.4	73.3	.....	31.4	.....	.....	10.5	115.1	20.9	10.5	83.7	73.3	.....	167.5	20.9	35
.....	.....	.....	340.1	226.8	113.4	566.9	.....	.....	.....	.....	.....	113.4	.....	.....	.....	113.4	.....	680.3	.....	36
25.3	7.2	25.3	25.3	61.4	10.8	79.5	10.8	101.1	7.2	3.6	14.4	28.9	7.2	14.4	72.2	39.7	3.6	231.2	47.0	37
26.5	7.6	22.7	22.7	53.0	11.4	75.8	7.6	98.5	7.6	3.8	15.2	30.3	7.6	15.2	75.8	34.1	3.8	238.7	49.3	38
.....	.....	77.5	77.5	232.6	.....	155.0	77.5	155.0	.....	.....	.....	.....	.....	.....	.....	155.0	.....	77.5	.....	39
82.6	.....	27.5	55.0	178.9	13.8	123.8	13.8	41.3	.....	13.8	.....	123.8	.....	13.8	82.6	41.3	27.5	302.7	13.8	40
80.8	.....	16.2	64.7	177.8	16.2	145.5	16.2	48.5	.....	16.2	.....	129.3	.....	.....	80.8	32.3	32.3	290.9	16.2	41
92.5	.....	92.5	.....	185.0	.....	.....	.....	.....	.....	.....	.....	92.5	.....	92.5	92.5	92.5	.....	370.0	.....	42
57.8	14.4	21.7	43.3	108.3	7.2	43.3	14.4	43.3	7.2	14.4	.....	28.9	21.7	.....	65.0	28.9	.....	158.9	36.1	43
61.9	15.5	15.5	30.9	116.0	7.7	38.7	15.5	46.4	7.7	7.7	.....	30.9	23.2	.....	54.1	30.9	.....	154.7	30.9	44
.....	.....	109.2	218.3	.....	.....	109.2	.....	.....	.....	109.2	.....	.....	.....	.....	218.3	.....	.....	218.3	109.2	45
.....	.....	.....	37.0	49.3	24.7	24.7	37.0	37.0	.....	12.3	.....	.....	.....	12.3	86.3	61.6	.....	221.9	49.3	46
.....	.....	.....	37.3	49.8	24.9	24.9	37.3	37.3	.....	12.4	.....	.....	.....	12.4	87.1	62.2	.....	224.0	49.8	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
43.0	.....	60.2	77.4	154.9	8.6	68.8	.....	43.0	.....	17.2	17.2	60.2	.....	.....	86.0	77.4	8.6	223.7	8.6	49
44.0	.....	44.0	79.2	140.7	8.8	61.6	.....	35.2	.....	17.6	8.8	61.6	.....	.....	88.0	70.4	8.8	219.9	8.8	50
.....	.....	790.5	.....	790.5	.....	395.3	.....	395.3	.....	.....	395.3	.....	.....	.....	.....	395.3	.....	395.3	.....	51
17.2	.....	17.2	.....	.....	.....	86.1	17.2	25.8	.....	8.6	.....	.....	.....	.....	25.8	206.6	8.6	172.1	215.2	52
17.5	.....	17.5	.....	.....	.....	87.7	17.5	26.3	.....	8.8	.....	.....	.....	.....	26.3	114.1	8.8	149.2	219.4	53
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	4,977.4	.....	1,357.5	.....	54
12.2	.....	18.3	12.2	45.8	9.2	67.1	3.1	94.6	.....	6.1	.....	9.2	6.1	12.2	51.9	79.3	6.1	161.7	137.3	55
9.2	.....	18.5	12.3	43.2	9.2	67.8	3.1	95.6	.....	6.2	.....	9.2	6.2	12.3	52.4	70.9	6.2	157.2	138.7	56
290.7	.....	.....	.....	290.7	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	872.1	.....	581.4	.....	57
32.0	.....	48.0	.....	48.0	.....	32.0	.....	32.0	.....	.....	.....	32.0	16.0	16.0	16.0	32.0	16.0	96.0	16.0	58
33.8	.....	50.7	.....	33.8	.....	33.8	.....	33.8	.....	.....	.....	33.8	.....	16.9	16.9	33.8	16.9	84.6	16.9	59
.....	.....	.....	.....	297.6	.....	.....	.....	.....	.....	.....	.....	.....	297.6	.....	.....	.....	.....	297.6	.....	60
38.3	.....	13.7	21.9	76.6	8.2	71.1	13.7	46.5	5.5	5.5	2.7	38.3	.....	16.4	90.3	90.3	8.2	150.4	84.8	61
39.6	.....	14.1	22.6	76.4	8.5	70.7	11.3	45.3	2.8	5.7	2.8	36.8	.....	17.0	90.5	82.0	8.5	147.1	87.7	62
.....	.....	.....	.....	82.9	.....	82.9	82.9	82.9	82.9	.....	.....	82.9	.....	.....	82.9	331.7	.....	248.8	.....	63
49.7	.....	.....	124.2	99.3	.....	173.8	24.8	74.5	.....	24.8	.....	49.7	24.8	.....	24.8	49.7	24.8	124.2	99.3	64
50.5	.....	.....	126.3	101.0	.....	176.8	25.3	75.8	.....	25.3	.....	50.5	25.3	.....	25.3	50.5	25.3	126.3	101.0	65
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	66
34.0	.....	6.8	.....	74.7	6.8	47.5	6.8	74.7	6.8	6.8	.....	47.5	6.8	.....	88.3	88.3	.....	156.2	81.5	67
34.3	.....	6.9	.....	75.4	6.9	48.0	6.9	68.5	6.9	6.9	.....	48.0	6.9	.....	89.1	89.1	.....	157.6	82.2	68
.....	.....	.....	.....	.....	.....	.....	.....	787.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	69
41.8	.....	31.3	10.4	41.8	.....	83.5	.....	52.2	10.4	10.4	10.4	52.2	41.8	.....	104.4	41.8	.....	250.5	125.3	70
42.0	.....	31.5	10.5	42.0	.....	84.0	.....	52.5	10.5	10.5	10.5	42.0	42.0	.....	105.1	42.0	.....	241.6	126.1	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1,666.7	.....	.....	.....	.....	.....	1,666.7	.....	72

* Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	KENTUCKY—continued.														
1	Russell County (total)	1,299.6	45.4	9.1		18.2		27.3	45.4	18.2		227.2	18.2	27.3	9.1
2	White	1,287.9	46.3	9.3		18.5		27.8	46.3	18.5		213.1	18.5	27.8	9.3
3	Colored[3]	1,904.8										952.4			
4	Scott County (total)	1,313.9	77.3			5.9	5.9	41.6	5.9	29.7	5.9	291.3	17.8	5.9	5.9
5	White	1,194.6	62.5			7.8		7.8	7.8	23.4	7.8	296.7	15.6	7.8	7.8
6	Colored	1,694.9	124.6				24.9	149.6		49.9		274.2	24.9		
7	Shelby County (total)	1,449.6	50.0	5.6		5.6		94.4	16.7	44.4		216.6	11.1	16.7	22.2
8	White	1,255.2	49.9	7.1		7.1		64.2	21.4	42.8		164.0	7.1	14.3	7.1
9	Colored	2,134.1	50.2					200.9		50.2		401.7	25.1	25.1	75.3
10	Simpson County (total)	1,302.3	96.1	17.5		52.4		8.7		17.5		201.0		35.0	
11	White	1,099.1	53.9	21.6		64.7		10.8		10.8		86.2		32.3	
12	Colored	2,174.9	277.6							46.3		694.1		46.3	
13	Spencer County (total)	1,239.1	13.2			52.7			65.9	13.2		171.4	26.4		39.5
14	White	1,259.9	14.6			58.6			73.2	14.6		175.8	29.3		29.3
15	Colored	1,052.6										131.6			131.6
16	Taylor County (total)	1,243.0	24.9			41.4	8.3	8.3				265.2	24.9		8.3
17	White	1,110.5	28.2			47.1	9.4					197.6	18.8		9.4
18	Colored	2,219.1						69.3				762.8	69.3		
19	Todd County (total)	1,562.8	30.5	12.2		18.3	6.1		42.7	6.1		213.7	12.2	24.4	12.2
20	White	1,508.2	36.1	18.1		27.1	9.0		45.2	9.0		135.5		18.1	18.1
21	Colored	1,676.7	18.8						37.7			376.8	37.7	37.7	
22	Trigg County (total)	575.5	34.3			13.7		13.7		6.9		130.2		6.9	
23	White	488.5	35.5							8.9		71.0		8.9	
24	Colored	869.6	30.0			60.0		60.0				329.8			
25	Trimble County (total)	1,215.1	31.2					15.6		15.6	15.6	186.9			15.6
26	White	1,162.6	31.9					15.9		15.9	15.9	159.3			15.9
27	Colored[3]	3,571.4										1,428.6			
28	Union County (total)	1,308.9	81.2	45.7		71.0		25.4	30.4	25.4		202.9		15.2	10.1
29	White	1,206.8	75.1	40.4		75.1		28.9	34.6	17.3		190.6		11.5	5.8
30	Colored	2,047.6	125.4	83.6		41.8				83.6		292.5		41.8	41.8
31	Warren County (total)	1,425.7	65.2	3.3		26.1		3.3	26.1	6.5	13.0	261.0	19.6	13.0	6.5
32	White	1,300.8	65.2	4.1		24.5			28.5	8.2	16.3	191.6	20.4	8.2	8.2
33	Colored	1,925.6	65.3			32.6		16.3	16.3			538.5	16.3	32.6	
34	Washington County (total)	1,222.1	35.9			14.4			28.8		7.2	215.7	21.6	21.6	
35	White	1,079.4	24.7			16.5			33.0		8.2	206.0	16.5	8.2	
36	Colored	2,197.2	112.7									281.7	56.3	112.7	
37	Wayne County (total)	981.1	22.4	5.6					39.2	11.2	5.6	213.0		11.2	11.2
38	White	901.3	17.6	5.9					41.0	11.7	5.9	181.4		11.7	11.7
39	Colored[3]	2,792.6	133.0									930.8			
40	Webster County (total)	1,214.4	66.4	19.0		52.2		14.2	19.0	9.5		204.0	19.0	38.0	
41	White	1,177.8	70.6	16.3		59.7		16.3	21.7	10.9		162.8	21.7	43.4	
42	Colored	1,468.4	37.7	37.7								489.5			
43	Whitley County (total)	868.0	60.9			18.3		33.5	30.5	9.1	3.0	88.3	3.0	15.2	6.1
44	White	855.4	63.1			18.9		34.7	31.6	9.5	3.2	88.4	3.2	15.8	6.3
45	Colored[3]	1,214.2										86.7			
46	Wolfe County (total)	850.2	30.0			10.0			30.0	10.0		80.0	10.0	10.0	
47	White	845.0	30.2			10.1			30.2	10.1		80.5	10.1	10.1	
48	Colored[3]	1,754.4													
49	Woodford County (total)	1,463.6	32.0			16.0		40.0	24.0	24.0	24.0	200.0	16.0	8.0	8.0
50	White	1,204.7	34.1			11.4		56.8	11.4	22.7	22.7	159.1	22.7		
51	Colored	2,078.8	27.0			27.0			54.0	27.0	27.0	297.0		27.0	27.0
	MAINE.														
52	Total	1,539.3	14.3	0.3		2.2	2.1	9.3	9.1	28.7	3.3	109.1	8.6	14.7	7.4
53	White	1,542.7	14.4	0.3		2.3	2.1	9.3	9.2	28.7	3.3	109.2	8.7	14.7	7.4
54	Colored	356.9										59.5			
55	Androscoggin County	1,400.7	5.4					5.4	10.7	10.7		112.7	5.4	16.1	
56	Aroostook County	1,195.5	17.0				2.6	26.2	19.6	15.7	5.2	90.4	5.2	11.8	11.8
57	Cumberland County	1,550.3	9.3			5.6	1.9	1.9	9.3	26.0	3.7	117.1	5.6	5.6	7.4
58	Franklin County	1,359.2	10.4	5.2				5.2	5.2	10.4		78.1		10.4	10.4
59	Hancock County	1,557.7	5.7				11.3	2.8	5.7	56.5	2.8	115.9	5.7	14.1	8.5
60	Kennebec County	1,629.8	7.8			2.6		5.2	5.2	18.3	2.6	112.5	7.8	10.5	5.2
61	Knox County	1,947.4	13.9				3.5	17.4		31.2	3.5	201.3	3.5	31.2	
62	Lincoln County	1,912.5	27.7							77.6	5.5	127.5	11.1	5.5	5.5
63	Oxford County	1,649.1	16.3			5.4			8.2	40.8	2.7	76.2	13.6	19.0	10.9
64	Penobscot County	1,554.9	8.2			3.3	3.3	4.9	11.4	27.8	4.9	96.4	11.4	21.2	9.8
65	Piscataquis County	1,358.4	29.6					29.6	19.8	24.7	4.9	84.0	29.6	29.6	9.9
66	Sagadahoc County	1,628.5	16.3				5.4	16.3		43.6		87.1		5.4	10.9
67	Somerset County	1,472.7	16.4					2.7	2.7	30.1	5.5	84.7	10.9	10.9	2.7
68	Waldo County	1,881.0	4.3					8.6		34.4	8.6	133.1	4.3	30.1	
69	Washington County	1,457.0	16.4					7.0	18.8	23.5		147.8	16.4	14.1	2.3
70	York County	1,618.4	27.0	1.9		9.7	1.9	9.7	5.8	23.2		104.3	7.7	9.7	11.6

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
45.4	.....	54.5	18.2	27.3	27.3	109.1	.....	45.4	.....	.....	9.1	.....	.....	18.2	118.1	45.4	.....	272.7	63.6	1
46.3	.....	55.6	18.5	27.8	27.8	111.2	.....	46.3	.....	.....	9.3	.....	.....	18.5	111.2	46.3	.....	268.7	64.9	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	476.2	.....	.....	476.2	.....	3
11.9	11.9	41.6	41.6	118.9	5.9	101.1	11.9	65.4	17.8	.....	.....	59.5	.....	5.9	35.7	47.6	17.8	202.1	23.8	4
15.6	15.6	54.7	39.0	101.5	7.8	70.3	.....	62.5	15.6	.....	.....	78.1	.....	.....	23.4	39.0	23.4	179.6	23.4	5
.....	.....	.....	49.9	174.5	.....	199.4	49.9	74.8	24.9	.....	.....	.....	.....	24.9	74.8	74.8	.....	274.2	24.9	6
83.3	11.1	44.4	77.8	83.3	11.1	105.5	27.8	38.9	16.7	22.2	11.1	72.2	22.2	.....	33.3	77.8	16.7	177.7	33.3	7
71.3	7.1	49.9	71.3	64.2	7.1	78.4	28.5	28.5	7.1	28.5	7.1	78.4	14.3	.....	28.5	71.3	21.4	178.3	28.5	8
125.5	25.1	25.1	100.4	150.6	25.1	200.9	25.1	75.3	50.2	.....	25.1	50.2	50.2	.....	50.2	100.4	.....	175.7	50.2	9
35.0	.....	.....	26.2	104.9	8.7	87.4	8.7	52.4	17.5	8.7	8.7	87.4	8.7	8.7	61.2	78.7	8.7	262.2	.....	10
43.1	.....	.....	32.3	97.0	10.8	53.9	.....	64.7	21.6	10.8	10.8	86.2	.....	10.8	53.9	75.4	10.8	237.1	.....	11
.....	.....	.....	.....	138.8	.....	231.4	46.3	.....	.....	.....	.....	92.5	46.3	.....	92.5	92.5	.....	370.2	.....	12
79.1	.....	26.4	13.2	39.5	13.2	145.0	.....	13.2	.....	13.2	13.2	39.5	13.2	26.4	52.7	26.4	13.2	263.6	65.9	13
87.9	.....	29.3	14.6	43.9	14.6	161.1	.....	14.6	.....	14.6	14.6	29.3	.....	14.6	58.6	14.6	14.6	263.7	73.2	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	131.6	131.6	131.6	.....	131.6	.....	263.2	.....	15
24.9	.....	16.6	33.1	66.3	24.9	91.1	.....	33.1	8.3	16.6	.....	66.3	.....	.....	82.9	99.4	.....	223.7	74.6	16
28.2	.....	9.4	18.8	75.3	28.2	65.9	.....	37.6	9.4	18.8	.....	56.5	.....	.....	84.7	103.5	.....	197.6	65.9	17
.....	.....	69.3	138.7	.....	.....	277.4	.....	.....	.....	.....	.....	138.7	.....	.....	69.3	69.3	.....	416.1	138.7	18
42.7	18.3	36.6	91.6	85.5	12.2	116.0	12.2	73.3	18.3	12.2	12.2	73.3	18.3	.....	116.0	85.5	.....	293.0	67.2	19
45.2	18.1	27.1	99.3	99.3	.....	117.4	18.1	99.3	18.1	9.0	18.1	72.2	9.0	.....	135.5	90.3	.....	280.4	36.1	20
37.7	18.8	56.5	75.4	56.5	37.7	113.0	.....	18.8	18.8	18.8	.....	75.4	37.7	.....	75.4	75.4	.....	320.3	131.9	21
.....	.....	.....	20.6	48.0	6.9	13.7	6.9	20.6	.....	.....	.....	20.6	.....	20.6	6.9	27.4	6.9	95.9	75.4	22
.....	.....	.....	26.6	53.3	8.9	17.8	8.9	17.8	.....	.....	.....	26.6	.....	26.6	8.9	17.8	8.9	88.8	53.3	23
.....	.....	.....	.....	30.0	.....	.....	.....	30.0	.....	.....	.....	.....	.....	.....	.....	60.0	.....	119.9	149.9	24
62.3	.....	15.6	31.2	109.1	15.6	93.5	15.6	31.2	.....	.....	15.6	31.2	.....	.....	155.8	124.6	.....	171.4	62.3	25
63.7	.....	15.9	31.9	95.6	15.9	95.6	15.9	31.9	.....	.....	15.9	31.9	.....	.....	159.3	111.5	.....	175.2	47.8	26
.....	.....	.....	.....	714.3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	714.3	.....	.....	714.3	27
30.4	5.1	25.4	5.1	60.9	5.1	81.2	20.3	50.7	10.1	5.1	5.1	15.2	10.1	10.1	111.6	96.4	10.1	202.9	40.6	28
17.3	5.8	17.3	5.8	57.7	5.8	75.1	11.5	57.7	11.5	5.8	5.8	11.5	5.8	11.5	109.7	69.3	11.5	202.1	28.9	29
125.4	.....	83.6	.....	83.6	.....	125.4	83.6	.....	.....	.....	.....	41.8	41.8	.....	125.4	292.5	.....	208.9	125.4	30
55.5	.....	22.8	35.9	101.1	19.6	81.6	9.8	58.7	6.5	6.5	.....	97.9	6.5	9.8	107.7	75.0	.....	261.0	26.1	31
44.9	.....	20.4	36.7	85.6	20.4	69.3	12.2	61.2	8.2	4.1	.....	89.7	4.1	12.2	110.1	85.6	.....	248.7	12.2	32
97.9	.....	32.6	32.6	163.2	16.3	130.5	.....	49.0	.....	16.3	.....	130.5	16.3	.....	97.9	32.6	.....	310.1	81.6	33
64.7	7.2	7.2	14.4	79.1	14.4	115.0	21.6	28.8	7.2	.....	.....	43.1	7.2	7.2	86.3	64.7	.....	244.4	64.7	34
57.7	8.2	8.2	16.5	90.6	8.2	82.4	8.2	24.7	8.2	.....	.....	49.4	.....	8.2	98.9	41.2	.....	189.5	65.9	35
112.7	.....	.....	.....	.....	56.3	338.0	112.7	56.3	.....	.....	.....	.....	56.3	.....	.....	225.4	.....	619.7	56.3	36
28.0	11.2	28.0	5.6	44.8	5.6	39.2	11.2	33.6	.....	.....	5.6	28.0	.....	5.6	61.7	50.5	.....	162.6	140.2	37
29.3	11.7	29.3	.....	46.8	5.9	29.3	11.7	35.1	.....	.....	5.9	17.6	.....	5.9	64.4	46.8	.....	134.6	140.5	38
.....	.....	.....	133.0	.....	.....	266.0	.....	.....	.....	.....	.....	266.0	.....	.....	.....	133.0	.....	797.9	133.0	39
9.5	4.7	19.0	33.2	42.7	14.2	113.9	14.2	66.4	9.5	.....	19.0	19.0	14.2	9.5	99.6	56.9	23.7	166.0	38.0	40
5.4	5.4	21.7	38.0	38.0	16.3	124.8	5.4	70.6	10.9	.....	16.3	16.3	16.3	10.9	103.1	38.0	27.1	157.4	32.6	41
37.7	.....	.....	.....	75.3	.....	37.7	75.3	37.7	.....	.....	37.7	37.7	.....	.....	75.3	188.3	.....	225.9	75.3	42
15.2	6.1	24.4	9.1	27.4	3.0	73.1	15.2	42.6	3.0	3.0	.....	18.3	6.1	15.2	48.7	88.3	.....	134.0	67.0	43
12.6	6.3	22.1	9.5	28.4	3.2	69.4	15.8	37.9	3.2	3.2	.....	15.8	6.3	15.8	47.3	75.8	.....	138.9	69.4	44
86.7	.....	86.7	.....	.....	.....	173.5	.....	173.5	.....	.....	.....	86.7	.....	.....	86.7	433.7	.....	.....	.....	45
30.0	.....	30.0	10.0	40.0	10.0	50.0	10.0	30.0	.....	.....	10.0	30.0	30.0	30.0	70.0	40.0	.....	120.0	130.0	46
30.2	.....	30.2	10.1	40.2	.....	50.3	10.1	30.2	.....	.....	10.1	30.2	30.2	30.2	70.4	40.2	.....	120.7	130.8	47
.....	.....	.....	.....	.....	1,754.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
64.0	.....	8.0	80.0	96.0	24.0	80.0	24.0	72.0	8.0	16.0	.....	112.0	8.0	8.0	80.0	72.0	16.0	287.9	16.0	49
45.5	.....	11.4	68.2	45.5	.....	79.6	.....	79.6	11.4	11.4	.....	79.6	11.4	11.4	90.9	79.6	22.7	204.6	11.4	50
108.0	.....	.....	108.0	216.0	81.0	81.0	81.0	54.0	.....	27.0	.....	189.0	.....	.....	54.0	54.0	.....	486.0	27.0	51
99.6	23.6	11.4	122.0	175.4	26.4	131.5	18.3	56.6	9.1	12.1	5.5	105.6	2.9	10.2	69.9	72.8	13.5	336.4	26.9	52
99.7	23.7	11.4	122.4	175.9	26.3	131.7	18.4	56.8	9.2	12.1	5.5	105.8	2.9	10.2	70.1	73.1	13.5	337.2	27.0	53
59.5	.....	.....	.....	.....	59.5	59.5	.....	.....	.....	.....	.....	59.5	.....	.....	.....	.....	.....	59.5	.....	54
75.1	16.1	10.7	150.3	177.1	16.1	177.1	5.4	37.6	16.1	.....	16.1	96.6	.....	.....	42.9	53.7	10.7	305.9	26.8	55
35.4	10.5	5.2	48.5	68.1	18.3	82.5	15.7	209.5	11.8	5.2	2.6	58.9	2.6	11.8	77.3	48.5	6.5	197.7	73.3	56
120.8	33.5	13.0	154.3	202.6	29.7	119.0	13.0	33.5	9.3	16.7	1.9	109.7	1.9	11.2	52.0	61.3	9.3	355.0	9.3	57
72.9	10.4	10.4	125.0	109.4	36.5	151.0	10.4	41.7	5.2	26.0	15.6	125.0	.....	5.2	98.9	83.3	10.4	250.0	36.5	58
115.9	22.6	2.8	107.4	192.2	36.8	155.5	11.3	31.1	.....	11.3	.....	132.9	.....	5.7	70.7	65.0	17.0	330.8	19.8	59
120.3	26.2	23.5	143.9	238.1	41.9	120.3	13.1	39.2	7.8	13.1	5.2	86.3	5.2	7.8	57.6	73.2	20.9	392.4	15.7	60
138.9	31.2	3.5	177.0	274.2	20.8	152.7	17.4	10.4	20.8	17.4	6.9	128.4	3.5	6.9	48.6	100.7	24.3	433.9	24.3	61
199.6	61.0	11.1	227.3	210.7	27.7	94.2	16.6	.....	.....	11.1	5.5	205.1	.....	11.1	27.7	27.7	22.2	471.2	22.2	62
100.7	29.9	10.9	108.9	198.7	13.6	163.3	16.3	54.4	10.9	8.2	.....	125.2	2.7	13.6	103.4	98.0	19.0	364.7	13.6	63
104.5	21.2	9.8	104.5	156.8	32.7	124.1	27.8	49.0	14.7	14.7	6.5	93.1	3.3	11.4	76.8	93.1	19.6	369.1	19.6	64
84.0	19.8	4.9	118.5	118.5	4.9	113.6	9.9	24.7	4.9	14.8	.....	64.2	4.9	9.9	108.7	69.2	14.8	296.4	9.9	65
92.6	16.3	10.9	158.0	266.9	27.2	163.4	10.9	5.4	10.9	16.3	10.9	103.5	5.4	10.9	49.0	103.5	5.4	348.6	27.2	66
84.7	16.4	21.9	112.0	166.7	21.9	142.1	32.8	35.5	16.4	16.4	10.9	49.2	5.5	21.9	43.7	95.6	16.4	366.1	30.1	67
128.8	60.1	21.5	124.5	244.8	25.8	158.9	25.8	12.9	.....	12.9	8.6	180.4	4.3	12.9	55.8	73.0	8.6	472.4	25.8	68
77.4	7.0	14.1	110.3	161.9	23.5	159.5	14.1	56.3	2.3	9.4	7.0	98.5	4.7	7.0	91.5	42.2	2.3	302.7	18.8	69
125.5	27.0	11.6	146.8	185.4	34.8	125.5	30.9	19.3	5.8	9.7	5.8	144.8	1.9	7.7	79.2	86.9	13.5	324.5	19.3	70

[3] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.														
	MARYLAND.														
1	Total	1,345.5	43.7	1.6	.....	6.5	3.2	19.9	13.3	19.3	2.7	153.9	4.5	12.0	4.5
2	White	1,197.5	37.9	0.5	.....	6.7	4.0	13.3	12.7	16.7	3.3	112.5	4.2	9.3	4.7
3	Colored	1,907.8	65.7	5.5	.....	5.5	.....	44.9	15.2	29.0	0.7	311.2	5.5	22.1	3.5
4	Allegany County (total)	757.4	26.8	.....	.....	.....	2.4	36.5	7.3	21.9	2.4	46.3	.....	2.4	7.3
5	White	736.2	27.1	.....	.....	.....	2.5	32.0	7.4	22.2	2.5	39.4	.....	2.5	7.4
6	Colored [3]	2,672.6	.....	.....	.....	.....	.....	445.4	.....	.....	.....	668.2	.....	.....	.....
7	Anne Arundel County (total)	1,828.3	53.1	5.1	.....	10.1	7.6	17.7	25.3	17.7	.....	192.2	7.6	25.3	.....
8	White	1,524.1	51.2	.....	.....	15.8	11.8	7.9	31.5	11.8	.....	122.1	3.9	19.7	.....
9	Colored	2,373.9	56.5	14.1	.....	.....	.....	35.3	14.1	28.3	.....	317.9	14.1	35.3	.....
10	Baltimore County (total)	1,454.7	28.5	0.8	.....	15.1	6.3	5.5	14.3	16.6	3.2	162.4	5.5	14.3	4.0
11	White	1,428.4	30.0	.....	.....	16.8	7.1	3.5	14.1	17.7	3.5	159.9	5.3	14.1	4.4
12	Colored	1,682.7	15.4	7.7	.....	.....	.....	23.1	15.4	7.7	.....	184.4	7.7	15.4	.....
13	Calvert County (total)	1,402.6	38.7	19.3	.....	.....	.....	.....	9.7	29.0	9.7	145.1	.....	.....	.....
14	White	945.9	.....	18.9	.....	.....	.....	.....	18.9	.....	.....	37.8	.....	.....	.....
15	Colored	1,880.4	79.2	19.8	.....	.....	.....	.....	.....	59.4	19.8	257.3	.....	.....	.....
16	Caroline County (total)	1,414.8	71.5	.....	.....	.....	5.1	20.4	5.1	35.8	5.1	229.8	15.3	30.6	.....
17	White	1,197.3	68.0	.....	.....	.....	6.8	13.6	.....	34.0	6.8	108.8	20.4	13.6	.....
18	Colored	2,070.1	82.0	.....	.....	.....	.....	41.0	20.5	41.0	.....	594.4	.....	82.0	.....
19	Carroll County (total)	1,428.9	29.5	.....	.....	5.9	5.9	17.7	8.8	23.6	8.8	109.0	8.8	8.8	5.9
20	White	1,365.5	31.3	.....	.....	3.1	6.3	15.7	9.4	25.1	9.4	106.5	6.3	9.4	6.3
21	Colored [3]	2,433.0	.....	.....	.....	49.7	.....	49.7	.....	.....	.....	149.0	49.7	.....	.....
22	Cecil County (total)	1,420.8	25.4	.....	.....	4.2	4.2	25.4	8.5	29.6	4.2	164.9	12.7	16.9	4.2
23	White	1,323.1	24.6	.....	.....	4.9	4.9	29.5	9.8	34.4	4.9	93.5	9.8	9.8	4.9
24	Colored	2,019.3	30.1	.....	.....	.....	.....	.....	.....	.....	.....	602.8	30.1	60.3	.....
25	Charles County (total)	1,737.4	61.6	6.2	.....	6.2	.....	.....	43.1	55.4	.....	197.2	.....	6.2	6.2
26	White	1,305.1	38.8	.....	.....	.....	.....	.....	51.7	51.7	.....	90.5	.....	.....	12.9
27	Colored	2,131.4	82.4	11.8	.....	11.8	.....	.....	35.3	58.9	.....	294.4	.....	11.8	.....
28	Dorchester County (total)	1,707.5	104.3	.....	.....	.....	7.0	52.2	7.0	17.4	.....	205.2	3.5	13.9	.....
29	White	1,320.9	114.0	.....	.....	.....	10.4	25.9	5.2	5.2	.....	119.1	5.2	5.2	.....
30	Colored	2,497.4	84.7	.....	.....	.....	.....	105.8	10.6	42.3	.....	381.0	.....	31.7	.....
31	Frederick County (total)	1,144.0	42.6	.....	.....	2.4	2.4	11.8	18.9	16.6	2.4	106.6	.....	4.7	4.7
32	White	1,086.2	41.8	.....	.....	2.6	2.6	13.1	20.9	15.7	2.6	94.0	.....	5.2	5.2
33	Colored	1,708.7	51.0	.....	.....	.....	.....	.....	.....	25.5	.....	229.5	.....	.....	.....
34	Garrett County (total)	705.9	14.7	.....	.....	4.9	.....	24.5	14.7	14.7	9.8	53.9	.....	4.9	14.7
35	White	709.7	14.8	.....	.....	4.9	.....	24.6	14.8	14.8	9.9	54.2	.....	4.9	14.8
36	Colored [3]	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
37	Harford County (total)	1,274.7	28.6	.....	.....	3.6	.....	14.3	10.7	3.6	3.6	161.1	10.7	7.2	7.2
38	White	1,165.6	30.7	.....	.....	.....	.....	13.1	4.4	4.4	4.4	118.3	8.8	4.4	4.4
39	Colored	1,761.6	19.6	.....	.....	19.6	.....	19.6	39.1	.....	.....	352.3	19.6	19.6	19.6
40	Howard County (total)	1,347.2	68.6	.....	.....	.....	.....	6.2	6.2	37.4	6.2	118.5	.....	18.7	6.2
41	White	1,262.6	73.3	.....	.....	.....	.....	8.1	8.1	32.6	8.1	48.9	.....	8.1	8.1
42	Colored	1,623.6	53.2	.....	.....	.....	.....	.....	.....	53.2	.....	346.0	.....	53.2	.....
43	Kent County (total)	1,715.1	83.7	.....	.....	17.9	6.0	6.0	6.0	23.9	12.0	233.1	.....	12.0	.....
44	White	1,379.9	56.3	.....	.....	18.8	9.4	.....	9.4	18.8	18.8	131.4	.....	9.4	.....
45	Colored	2,302.3	131.6	.....	.....	16.4	.....	16.4	.....	32.9	.....	411.1	.....	16.4	.....
46	Montgomery County (total)	1,028.2	40.3	3.1	.....	.....	.....	31.0	9.3	15.5	.....	164.1	.....	9.3	.....
47	White	887.4	13.0	4.3	.....	.....	.....	17.4	8.7	4.3	.....	130.5	.....	4.3	.....
48	Colored	1,376.3	107.5	.....	.....	.....	.....	64.5	10.8	43.0	.....	247.3	.....	21.5	.....
49	Prince Georges County (total)	1,373.6	29.8	.....	.....	5.4	2.7	19.0	24.4	16.3	.....	186.9	5.4	16.3	10.8
50	White	1,188.2	19.9	.....	.....	4.0	4.0	11.9	27.8	19.9	.....	115.2	.....	7.9	11.9
51	Colored	1,770.8	51.1	.....	.....	8.5	.....	34.1	17.0	8.5	.....	340.5	17.0	34.1	8.5
52	Queen Annes County (total)	1,831.5	54.0	12.0	.....	24.0	.....	90.1	36.0	24.0	.....	276.2	.....	12.0	12.0
53	White	1,311.8	45.9	9.2	.....	9.2	.....	27.5	27.5	9.2	.....	183.5	.....	9.2	9.2
54	Colored	2,816.4	69.5	17.4	.....	52.2	.....	208.6	52.2	52.2	.....	452.0	.....	17.4	17.4
55	St. Marys County (total)	676.0	23.5	5.9	.....	.....	.....	.....	.....	5.9	.....	105.8	.....	.....	.....
56	White	679.3	10.3	.....	.....	.....	.....	.....	.....	.....	.....	102.9	.....	.....	.....
57	Colored	671.6	41.1	13.7	.....	.....	.....	.....	.....	13.7	.....	109.6	.....	.....	.....
58	Somerset County (total)	1,267.0	60.3	.....	.....	.....	.....	22.6	26.4	3.8	.....	162.1	.....	7.5	3.8
59	White	1,040.0	52.9	.....	.....	.....	.....	.....	17.6	5.9	.....	94.0	.....	11.8	.....
60	Colored	1,673.7	73.7	.....	.....	.....	.....	63.2	42.1	.....	.....	284.2	.....	.....	10.5
61	Talbot County (total)	1,751.0	66.6	5.1	.....	5.1	.....	46.1	5.1	20.5	.....	184.3	5.1	30.7	10.2
62	White	1,369.0	31.3	.....	.....	7.8	.....	.....	7.8	15.6	.....	78.2	7.8	23.5	15.6
63	Colored	2,474.4	133.4	14.8	.....	.....	.....	133.4	.....	29.6	.....	385.2	.....	44.5	.....
64	Washington County (total)	1,165.1	39.0	.....	.....	9.0	.....	30.0	.....	15.0	.....	108.1	6.0	3.0	3.0
65	White	1,148.1	40.2	.....	.....	9.3	.....	30.9	.....	15.5	.....	105.2	6.2	3.1	3.1
66	Colored [3]	1,722.4	.....	.....	.....	.....	.....	.....	.....	.....	.....	202.6	.....	.....	.....
67	Wicomico County (total)	1,267.4	80.6	.....	.....	7.3	.....	3.7	3.7	18.3	.....	146.5	3.7	14.7	.....
68	White	1,279.1	81.4	.....	.....	9.6	.....	4.8	4.8	19.2	.....	138.9	4.8	14.4	.....
69	Colored	1,229.6	77.8	.....	.....	.....	.....	.....	.....	15.6	.....	171.2	.....	15.6	.....
70	Worcester County (total)	1,348.0	27.3	.....	.....	.....	4.6	18.2	9.1	27.3	4.6	186.7	9.1	9.1	4.6
71	White	1,074.3	13.4	.....	.....	.....	6.7	6.7	6.7	.....	6.7	114.1	13.4	13.4	.....
72	Colored	1,925.0	56.6	.....	.....	.....	.....	42.5	14.2	84.9	.....	339.7	.....	.....	14.2

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
55.6	9.2	10.4	66.6	120.0	17.4	104.3	17.7	94.5	2.6	9.7	7.3	97.4	3.7	7.8	73.2	68.7	5.8	253.7	35.0	1
59.3	10.2	9.5	65.5	111.0	15.7	88.8	16.9	84.6	2.4	8.9	8.2	88.6	3.3	6.2	65.2	65.7	6.7	233.9	21.1	2
41.5	5.5	13.8	70.5	154.2	24.2	163.2	20.7	132.1	3.5	12.4	4.1	130.7	5.5	13.8	103.7	80.2	2.1	329.1	87.8	3
43.8	4.9	7.3	34.1	58.4	26.8	48.7	9.7	51.1	.....	2.4	9.7	48.7	9.7	4.9	46.3	85.2	2.4	102.3	7.3	4
41.9	4.9	7.4	34.5	59.1	27.1	46.8	9.8	51.7	.....	2.5	7.4	46.8	9.8	4.9	46.8	78.8	2.5	103.4	7.4	5
222.7	.....	.....	.....	.....	.....	222.7	.....	.....	.....	.....	222.7	222.7	.....	.....	.....	668.2	.....	.....	.....	6
55.6	10.1	15.2	131.5	116.3	27.8	139.1	22.8	174.5	2.5	10.1	2.5	164.4	.....	15.2	111.3	129.0	17.7	270.6	50.6	7
59.1	15.8	11.8	130.0	70.9	15.8	130.0	27.6	161.5	.....	11.8	3.9	153.6	.....	7.9	86.6	145.7	23.6	173.3	19.7	8
49.5	.....	21.2	134.2	197.8	49.5	155.4	14.1	197.8	7.1	7.1	.....	183.7	.....	28.3	155.4	98.9	7.1	445.1	106.0	9
79.2	19.0	15.1	64.2	136.3	28.5	126.8	19.8	84.8	1.6	16.6	15.1	110.1	4.0	7.9	79.2	81.6	9.5	266.2	12.7	10
84.8	21.2	13.3	65.4	135.2	27.4	122.8	17.7	76.9	1.8	15.9	15.0	110.4	1.8	8.0	77.7	76.0	9.7	258.8	12.4	11
30.7	.....	30.7	53.8	146.0	38.4	161.4	38.4	153.7	.....	23.1	15.4	107.6	23.1	7.7	92.2	130.6	7.7	330.4	15.4	12
77.4	.....	.....	48.4	87.1	29.0	106.4	19.3	145.1	.....	.....	9.7	67.7	9.7	9.7	116.1	106.4	.....	261.2	58.0	13
56.8	.....	.....	18.9	75.7	18.9	75.7	18.9	151.3	.....	.....	.....	56.8	.....	18.9	94.6	75.7	.....	189.2	18.9	14
99.0	.....	.....	79.2	99.0	39.6	138.6	19.8	138.6	.....	.....	19.8	79.2	19.8	.....	138.6	138.6	.....	336.5	99.0	15
56.2	5.1	.....	40.9	102.2	10.2	81.7	10.2	137.9	.....	15.3	.....	107.3	.....	10.2	76.6	40.9	.....	250.3	51.1	16
68.0	6.8	.....	54.4	68.0	13.6	68.0	.....	149.7	.....	13.6	.....	102.0	.....	.....	74.8	13.6	.....	265.3	27.2	17
20.5	.....	.....	.....	205.0	.....	123.0	41.0	102.5	.....	20.5	.....	123.0	.....	41.0	82.0	123.0	.....	205.0	123.0	18
53.0	17.7	11.8	91.3	179.7	11.8	91.3	20.6	47.1	2.9	17.7	14.7	88.4	5.9	5.9	70.7	61.9	8.8	371.2	23.6	19
50.1	18.8	12.5	90.8	172.3	9.4	78.3	21.9	43.8	3.1	18.8	12.5	84.6	6.3	6.3	59.5	59.5	9.4	360.2	18.8	20
99.3	.....	.....	99.3	297.9	49.7	297.9	.....	99.3	.....	.....	49.7	149.0	.....	.....	248.3	99.3	.....	546.2	99.3	21
88.8	25.4	8.5	93.0	131.1	12.7	93.0	8.5	55.0	4.2	8.5	12.7	139.5	.....	12.7	84.6	67.7	8.5	245.3	21.1	22
98.4	24.6	9.8	88.5	118.0	14.8	73.8	9.8	54.1	.....	9.8	14.8	152.5	.....	14.8	83.6	63.9	4.9	236.1	19.7	23
30.1	30.1	.....	120.6	211.0	.....	211.0	.....	60.3	30.1	.....	.....	60.3	.....	.....	90.4	90.4	30.1	301.4	30.1	24
30.8	12.3	18.5	98.6	147.9	12.3	147.9	24.6	184.8	.....	6.2	6.2	92.4	.....	6.2	129.4	92.4	6.2	258.8	80.1	25
51.7	12.9	12.9	103.4	116.3	.....	90.5	25.8	155.1	.....	.....	.....	64.6	.....	.....	90.5	64.6	12.9	206.7	51.7	26
11.8	11.8	23.6	94.2	176.6	23.6	200.2	23.6	212.0	.....	11.8	11.8	117.8	.....	11.8	164.9	117.8	.....	306.2	106.0	27
59.1	10.4	3.5	48.7	142.6	10.4	114.8	13.9	166.9	.....	24.3	3.5	97.4	.....	13.9	132.2	66.1	3.5	326.9	59.1	28
62.2	5.2	5.2	57.0	108.8	5.2	51.8	20.7	134.7	.....	25.9	5.2	77.7	.....	5.2	108.8	46.6	5.2	274.5	31.1	29
52.9	21.2	.....	31.7	211.6	21.2	243.4	.....	232.8	.....	21.2	.....	137.6	.....	31.7	179.9	105.8	.....	433.9	116.4	30
45.0	2.4	9.5	82.9	104.2	11.8	78.2	11.8	52.1	2.4	4.7	7.1	101.8	4.7	2.4	71.1	61.6	4.7	244.0	28.4	31
47.0	2.6	7.8	78.3	94.0	10.4	73.1	10.4	54.8	2.6	5.2	7.8	99.2	5.2	2.6	65.3	57.4	5.2	229.8	23.5	32
25.5	.....	25.5	127.5	204.0	25.5	127.5	25.5	25.5	.....	.....	.....	127.5	.....	.....	127.5	102.0	.....	382.6	76.5	33
29.4	9.8	.....	24.5	34.3	4.9	73.5	9.8	39.2	.....	4.9	.....	24.5	.....	.....	39.2	44.1	.....	161.8	49.0	34
29.6	9.9	.....	24.6	34.5	4.9	73.9	9.9	39.4	.....	4.9	.....	24.6	.....	.....	39.4	44.4	.....	162.6	49.3	35
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	36
57.3	3.6	14.3	68.0	146.8	17.9	82.3	17.9	68.0	3.6	10.7	.....	100.3	.....	.....	60.9	46.5	7.2	304.3	14.3	37
57.0	4.4	17.5	83.3	131.5	13.1	74.5	17.5	65.7	4.4	8.8	.....	100.8	.....	.....	39.4	52.6	8.8	284.8	8.8	38
53.7	.....	.....	.....	215.3	39.1	117.4	19.6	78.3	.....	19.6	.....	97.9	.....	.....	156.6	19.6	.....	391.5	39.1	39
99.8	24.9	.....	81.1	168.4	24.9	68.6	43.7	74.8	6.2	12.5	.....	87.3	.....	6.2	93.6	56.1	12.5	212.1	6.2	40
89.6	24.4	.....	97.8	187.4	24.4	57.0	40.7	48.9	8.1	8.1	.....	81.5	.....	.....	73.3	65.2	16.3	236.2	8.1	41
133.1	26.6	.....	26.6	106.5	26.6	106.5	53.2	159.7	.....	26.6	.....	106.5	.....	26.6	159.7	26.6	.....	133.1	.....	42
41.8	.....	29.9	65.7	137.4	17.9	149.4	47.8	89.6	.....	12.0	12.0	155.4	6.0	6.0	89.6	53.8	.....	328.7	71.7	43
37.5	.....	37.5	28.2	131.4	9.4	93.9	56.3	84.5	.....	9.4	18.8	103.3	9.4	9.4	84.5	65.7	.....	300.4	28.2	44
49.3	.....	16.4	131.6	148.0	32.9	246.7	32.9	98.7	.....	16.4	.....	246.7	.....	.....	98.7	32.9	.....	378.2	148.0	45
43.4	3.1	12.4	46.5	92.9	18.6	117.7	.....	49.6	.....	.....	9.3	71.2	3.1	6.2	18.6	43.4	15.5	185.8	18.6	46
47.8	4.3	17.4	43.5	87.0	21.7	100.0	.....	39.1	.....	.....	13.0	47.8	4.3	4.3	13.0	39.1	21.7	178.3	21.7	47
32.3	.....	.....	53.8	107.5	10.8	161.3	.....	75.3	.....	.....	.....	129.0	.....	10.8	32.3	53.8	.....	204.3	10.8	48
21.7	2.7	10.8	67.7	149.0	2.7	127.3	21.7	151.7	.....	.....	.....	89.4	2.7	8.1	73.1	46.1	.....	241.1	40.6	49
23.8	4.0	4.0	63.6	155.0	.....	87.4	15.9	170.9	.....	.....	.....	83.4	.....	11.9	71.5	47.7	.....	222.5	4.0	50
17.0	.....	25.5	76.6	136.2	8.5	212.8	34.1	110.7	.....	.....	.....	102.2	8.5	.....	76.6	42.6	.....	280.9	119.2	51
78.1	.....	6.0	54.0	120.1	12.0	156.1	24.0	150.1	.....	18.0	12.0	84.1	6.0	24.0	114.1	42.0	6.0	288.2	96.1	52
91.7	.....	9.2	55.0	91.7	9.2	128.4	18.3	128.4	.....	9.2	18.3	55.0	.....	9.2	73.4	55.0	9.2	192.6	27.5	53
52.2	.....	.....	52.2	173.9	17.4	208.6	34.8	191.2	.....	34.8	.....	139.1	17.4	52.2	191.2	17.4	.....	469.4	226.0	54
11.8	.....	.....	17.6	23.5	23.5	35.3	5.9	88.2	.....	.....	.....	58.8	.....	5.9	41.1	58.8	.....	164.6	.....	55
20.6	.....	.....	30.9	20.6	20.6	61.8	10.3	92.6	.....	.....	.....	41.2	.....	.....	61.8	41.2	.....	164.7	.....	56
.....	.....	.....	.....	27.4	27.4	.....	.....	82.2	.....	.....	.....	82.2	.....	13.7	13.7	82.2	.....	164.5	.....	57
41.5	11.3	7.5	64.1	101.8	7.5	71.6	18.9	116.9	3.8	7.5	3.8	113.1	.....	7.5	64.1	52.8	.....	230.0	56.6	58
41.1	11.8	.....	41.1	99.9	11.8	52.9	11.8	129.3	5.9	.....	5.9	94.0	.....	5.9	64.6	58.8	.....	188.0	35.3	59
42.1	10.5	21.1	105.3	105.3	.....	105.3	31.6	94.7	.....	21.1	.....	147.4	.....	10.5	63.2	42.1	.....	305.3	94.7	60
51.2	5.1	15.4	97.3	215.0	25.6	168.9	20.5	143.4	5.1	15.4	.....	107.5	10.2	15.4	46.1	76.8	.....	302.1	51.2	61
46.9	.....	.....	109.5	203.4	15.6	140.8	23.5	125.2	.....	7.8	.....	93.9	7.8	7.8	31.3	86.1	.....	258.2	23.5	62
59.3	14.8	44.5	74.1	237.1	44.5	222.2	14.8	177.8	14.8	29.6	.....	133.4	14.8	29.6	74.1	59.3	.....	385.2	103.7	63
42.0	.....	12.0	57.1	123.1	15.0	57.1	30.0	54.1	3.0	3.0	12.0	81.1	9.0	6.0	72.1	78.1	3.0	264.2	30.0	64
43.3	.....	12.4	55.7	111.4	15.5	58.8	30.9	46.4	3.1	3.1	12.4	80.5	9.3	6.2	71.2	80.5	3.1	263.0	27.9	65
.....	.....	.....	101.3	506.6	.....	.....	.....	304.0	.....	.....	.....	101.3	.....	.....	101.3	.....	.....	304.0	101.3	66
51.3	3.7	11.0	40.3	102.6	.....	102.6	11.0	102.6	25.6	7.3	3.7	84.3	3.7	11.0	36.6	69.6	.....	300.4	22.0	67
67.1	4.8	9.6	47.9	119.8	.....	100.6	9.6	115.0	24.0	4.8	4.8	62.3	.....	14.4	38.3	57.5	.....	297.0	24.0	68
.....	.....	15.6	15.6	46.7	.....	108.9	15.6	62.3	31.1	15.6	.....	155.6	15.6	.....	31.1	108.9	.....	311.3	15.6	69
72.9	4.6	.....	82.0	72.9	13.7	132.1	9.1	77.4	.....	4.6	.....	95.6	9.1	.....	50.1	45.5	.....	250.5	127.5	70
73.9	.....	.....	73.9	47.0	6.7	114.1	6.7	80.6	.....	6.7	.....	80.6	13.4	.....	53.7	40.3	.....	214.9	80.6	71
70.8	14.2	.....	99.1	127.4	28.3	169.8	14.2	70.8	.....	.....	.....	127.4	.....	.....	42.5	56.6	.....	325.5	226.5	72

[1] Colored population less than 10 per cent of total.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.														
	MASSACHUSETTS.														
1	Total	1,554.8	6.7	0.8	.....	6.1	3.1	13.7	11.8	19.8	3.6	153.5	8.8	11.4	7.0
2	White	1,547.6	6.8	0.8	.....	6.1	3.1	13.3	11.9	19.8	3.5	149.5	8.6	11.0	7.1
3	Colored	2,351.9	.....	.....	.....	.....	.....	57.4	.....	28.7	14.3	588.0	28.7	57.4	.....
4	Barnstable County	1,861.8	7.2	.....	.....	.....	.....	25.3	7.2	43.3	3.6	97.4	7.2	14.4	3.6
5	Berkshire County	1,446.8	10.5	2.6	.....	21.1	7.9	18.4	18.4	26.4	5.3	97.5	5.3	7.9	21.1
6	Bristol County	1,378.1	7.4	3.7	.....	11.2	11.2	20.5	11.2	20.5	1.9	91.1	7.4	13.0	.....
7	Dukes County	1,824.7	44.5	.....	.....	.....	.....	22.3	.....	22.3	.....	44.5	22.3	22.3	.....
8	Essex County	1,534.6	3.3	.....	.....	.....	3.3	17.8	6.7	14.4	1.1	99.9	8.9	16.7	5.6
9	Franklin County	1,482.2	9.1	3.0	.....	27.3	6.1	.....	27.3	21.3	.....	63.8	.....	12.1	9.1
10	Hampden County	1,418.7	6.8	.....	.....	6.8	4.5	9.0	20.3	4.5	2.3	83.3	11.3	.....	2.3
11	Hampshire County	1,321.8	6.8	.....	.....	.....	.....	9.0	13.6	31.6	2.3	81.3	9.0	2.3	13.6
12	Middlesex County	1,849.4	6.6	0.8	.....	5.8	0.8	10.8	11.6	15.7	6.6	343.7	17.4	9.1	8.3
13	Nantucket County	1,751.4	.....	.....	.....	.....	.....	33.7	.....	33.7	.....	33.7	.....	.....	.....
14	Norfolk County	1,338.3	5.0	1.0	.....	4.0	4.0	12.9	5.0	21.8	6.9	97.2	6.0	17.9	2.0
15	Plymouth County	1,568.0	9.1	.....	.....	3.9	1.3	7.8	2.6	24.7	2.6	190.0	5.2	9.1	7.8
16	Worcester County	1,622.7	6.0	.....	.....	5.2	1.5	17.1	18.6	16.4	3.0	167.4	8.2	12.6	8.9
	MICHIGAN.														
17	Total	1,273.6	16.8	0.9	0.2	6.5	5.9	8.7	12.0	24.8	4.3	73.9	2.6	10.4	7.0
18	White	1,265.1	16.6	0.9	0.2	6.3	6.0	8.6	12.1	24.8	4.3	70.7	2.6	10.2	7.0
19	Colored	2,341.1	42.7	7.1	.....	28.5	.....	14.2	.....	21.3	7.1	483.9	7.1	42.7	7.1
20	Alcona County	1,103.9	17.5	.....	.....	.....	.....	.....	.....	105.1	17.5	17.5	.....	17.5	17.5
21	Alger County	859.7	12.6	.....	.....	12.6	.....	12.6	12.6	.....	.....	50.6	12.6	.....	12.6
22	Allegan County	1,272.6	7.5	2.5	.....	7.5	2.5	10.0	7.5	25.0	5.0	75.0	.....	2.5	5.0
23	Alpena County	966.6	69.0	.....	.....	.....	.....	.....	.....	13.8	.....	69.0	.....	27.6	13.8
24	Antrim County	1,299.4	19.1	6.4	.....	44.6	.....	.....	6.4	31.8	.....	76.4	.....	19.1	6.4
25	Arenac County	1,091.4	10.5	.....	.....	21.0	31.5	10.5	10.5	.....	.....	84.0	10.5	21.0	10.5
26	Baraga County	1,057.1	31.6	.....	.....	15.8	.....	15.8	.....	15.8	.....	94.7	.....	.....	15.8
27	Barry County	1,300.6	13.2	.....	.....	13.2	.....	4.4	.....	43.9	.....	43.9	.....	17.6	4.4
28	Bay County	1,081.0	21.6	.....	.....	4.3	38.9	4.3	21.6	4.3	.....	73.5	.....	13.0	.....
29	Benzie County	1,348.0	28.3	.....	.....	.....	18.9	18.9	.....	9.4	28.3	94.3	.....	28.3	9.4
30	Berrien County	1,246.0	14.7	1.8	.....	11.0	12.8	7.3	5.5	23.9	1.8	84.4	1.8	14.7	9.2
31	Branch County	1,387.4	7.9	.....	.....	15.7	7.9	7.9	.....	31.4	7.9	62.9	.....	3.9	3.9
32	Calhoun County	1,415.9	19.0	3.2	.....	6.3	6.3	3.2	15.9	41.3	3.2	47.6	.....	6.3	.....
33	Cass County	1,489.4	9.6	.....	.....	9.6	9.6	.....	4.8	33.7	.....	62.7	4.8	28.9	14.5
34	Charlevoix County	1,205.1	15.2	.....	.....	10.1	25.3	5.1	20.3	20.3	.....	76.0	.....	10.1	5.1
35	Cheboygan County	1,194.6	11.1	.....	5.6	5.6	.....	11.1	5.6	5.6	.....	66.7	.....	5.6	.....
36	Chippewa County	818.2	.....	.....	.....	.....	.....	8.3	33.1	24.8	16.5	24.8	.....	16.5	8.3
37	Clare County	1,048.8	.....	.....	.....	.....	.....	.....	.....	10.8	10.8	32.4	.....	10.8	.....
38	Clinton County	1,321.5	4.4	.....	.....	.....	.....	.....	4.4	22.0	4.4	74.9	4.4	4.4	.....
39	Crawford County	1,215.5	25.3	.....	.....	.....	.....	.....	25.3	.....	.....	101.3	.....	25.3	.....
40	Delta County	975.7	11.7	.....	.....	.....	.....	29.2	23.4	29.2	17.5	111.0	5.8	5.8	11.7
41	Dickinson County	988.0	4.8	.....	.....	4.8	4.8	14.4	33.6	.....	.....	71.9	14.4	4.8	.....
42	Eaton County	1,447.9	23.0	.....	.....	3.3	.....	3.3	3.3	46.0	3.3	59.1	3.3	9.8	16.4
43	Emmet County	1,155.3	5.3	.....	.....	5.3	.....	10.7	5.3	10.7	5.3	101.6	5.3	16.0	16.0
44	Genesee County	1,557.3	15.6	3.9	.....	.....	.....	7.8	3.9	31.2	11.7	50.7	7.8	7.8	15.6
45	Gladwin County	1,086.6	23.9	.....	.....	11.9	11.9	11.9	.....	11.9	.....	59.7	.....	.....	11.9
46	Gogebic County	1,163.0	17.9	8.9	.....	26.8	.....	.....	17.9	.....	.....	107.4	.....	26.8	.....
47	Grand Traverse County	1,042.4	51.7	.....	.....	17.2	25.8	.....	.....	8.6	8.6	86.1	.....	.....	.....
48	Gratiot County	1,124.1	42.2	7.0	3.5	.....	.....	.....	3.5	28.1	7.0	66.7	.....	17.6	7.0
49	Hillsdale County	1,487.8	43.9	3.4	.....	.....	.....	6.7	3.4	47.2	3.4	60.7	.....	3.4	13.5
50	Houghton County	1,091.7	9.8	1.1	.....	8.7	5.5	28.4	36.0	2.2	3.3	76.3	12.0	8.7	3.3
51	Huron County	1,106.0	2.9	.....	.....	14.4	2.9	11.5	11.5	17.3	5.8	57.6	2.9	8.6	5.8
52	Ingham County	1,351.7	32.1	.....	.....	.....	.....	9.2	4.6	45.8	.....	64.1	.....	13.7	4.6
53	Ionia County	1,290.2	12.0	.....	.....	3.0	.....	21.0	.....	45.0	3.0	81.0	.....	12.0	12.0
54	Iosco County	927.8	.....	.....	.....	.....	.....	20.8	.....	20.8	.....	41.7	.....	10.4	20.8
55	Iron County	1,137.0	18.2	.....	.....	6.1	.....	12.2	6.1	6.1	6.1	48.6	18.2	12.2	.....
56	Isabella County	942.7	17.5	.....	.....	.....	13.2	4.4	.....	17.5	4.4	52.6	.....	4.4	.....
57	Jackson County	1,393.7	9.1	.....	.....	4.5	4.5	4.5	9.1	36.3	.....	72.6	.....	4.5	4.5
58	Kalamazoo County	1,174.6	9.4	.....	.....	9.4	.....	4.7	4.7	28.3	.....	84.9	.....	9.4	9.4
59	Kalkaska County	1,146.8	12.2	.....	.....	.....	12.2	.....	.....	24.4	.....	48.8	.....	.....	.....
60	Kent County	1,731.5	10.6	.....	.....	23.2	14.8	10.6	12.7	29.6	10.6	116.1	.....	12.7	8.4
61	Keweenaw County	1,287.1	.....	.....	.....	.....	.....	.....	78.0	13.0	.....	91.0	.....	26.0	.....
62	Lake County	1,217.8	.....	.....	.....	.....	.....	.....	.....	81.2	20.3	40.6	.....	.....	.....
63	Lapeer County	1,463.8	7.7	.....	3.9	.....	.....	19.4	7.7	23.2	.....	38.7	.....	7.7	7.7
64	Leelanau County	1,363.1	9.5	.....	.....	18.9	.....	.....	9.5	9.5	.....	85.2	.....	9.5	.....
65	Lenawee County	1,282.4	16.3	.....	.....	5.4	.....	.....	.....	46.1	.....	65.1	.....	8.1	2.7
66	Livingston County	1,379.0	28.5	.....	.....	.....	5.7	11.4	5.7	68.4	5.7	85.5	.....	17.1	.....
67	Luce County	2,085.4	74.5	.....	.....	.....	.....	.....	.....	.....	.....	99.3	.....	24.8	.....
68	Mackinac County	1,047.2	10.6	.....	.....	.....	.....	21.2	.....	21.2	.....	95.2	10.6	.....	.....
69	Macomb County	1,489.0	33.8	.....	.....	3.1	9.2	.....	40.0	9.2	3.1	73.8	3.1	18.5	9.2

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the foo tnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
102.0	21.1	12.2	126.4	213.0	24.6	133.1	13.2	62.2	4.1	9.6	10.1	86.6	2.2	7.6	75.5	85.6	12.7	298.4	7.9	1
102.6	21.3	12.0	125.7	212.7	24.9	132.3	13.2	62.3	4.2	9.7	10.1	86.3	2.2	7.6	75.5	84.9	12.8	297.9	7.7	2
43.0	.....	28.7	200.8	243.8	.....	229.5	14.3	57.4	.....	.....	14.3	114.7	.....	14.3	71.7	157.8	.....	358.5	28.7	3
104.6	32.5	10.8	169.6	328.3	36.1	129.9	7.2	39.7	7.2	10.8	10.8	133.5	7.2	10.8	61.3	155.2	3.6	378.9	14.4	4
68.5	26.4	10.5	110.7	245.1	7.9	97.5	29.0	58.0	2.6	10.5	18.4	87.0	.....	13.2	58.0	89.6	13.2	245.1	13.2	5
113.4	18.6	13.0	91.1	180.4	29.8	111.6	3.7	120.9	1.9	3.7	9.3	74.4	.....	14.9	67.0	85.5	9.3	219.5	11.2	6
133.5	44.5	22.3	155.8	311.5	.....	44.5	22.3	22.3	22.3	.....	22.3	66.8	.....	.....	44.5	155.8	.....	578.5	.....	7
116.6	22.2	12.2	151.0	245.4	13.3	151.0	10.0	57.7	3.3	8.9	6.7	71.1	2.2	6.7	50.0	85.5	16.7	317.6	8.9	8
109.3	27.3	21.3	145.8	206.5	27.3	142.8	18.2	54.7	21.3	9.1	12.1	75.9	6.1	9.1	69.9	72.9	15.2	246.0	12.1	9
65.3	9.0	6.8	85.6	112.6	15.8	155.4	11.3	141.9	.....	4.5	15.8	67.6	6.8	.....	126.1	99.1	6.8	335.5	2.3	10
56.5	11.3	20.3	103.9	149.1	38.4	115.2	22.6	90.4	4.5	13.6	9.0	85.9	.....	2.3	88.1	61.0	4.5	275.6	.....	11
124.2	18.2	5.8	120.9	213.7	21.5	163.2	14.1	48.9	2.5	8.3	6.6	102.7	1.7	7.5	91.1	95.2	14.9	344.5	6.6	12
101.0	.....	.....	269.5	235.8	.....	134.7	.....	67.4	.....	33.7	67.4	134.7	.....	.....	101.0	235.8	.....	269.5	.....	13
92.3	23.8	15.9	117.1	211.3	25.8	108.1	9.9	34.7	2.0	14.9	7.9	74.4	1.0	9.9	65.5	71.4	11.9	255.0	2.0	14
117.1	22.1	7.8	145.7	248.5	42.9	109.3	19.5	37.7	2.6	7.8	10.4	88.5	3.9	5.2	49.4	76.8	14.3	277.2	16.9	15
99.7	23.1	14.9	132.4	203.9	23.1	145.1	10.4	61.8	6.0	10.4	11.2	94.5	1.5	7.4	93.0	78.1	15.6	318.4	7.4	16
73.5	15.0	9.5	80.1	159.5	25.6	74.4	16.8	48.6	9.1	11.8	11.0	66.1	7.9	9.0	79.6	84.8	12.4	288.7	16.5	17
73.7	15.1	9.4	79.8	158.6	25.6	73.3	16.6	47.7	9.1	11.7	11.1	66.2	7.9	9.0	79.5	84.4	12.4	288.0	16.0	18
49.8	.....	14.2	106.7	270.4	28.5	213.5	42.7	156.6	7.1	21.3	7.1	56.9	.....	14.2	92.5	135.2	14.2	377.1	71.2	19
.....	.....	.....	35.0	140.2	.....	87.6	35.0	70.1	.....	70.1	17.5	.....	17.5	35.0	70.1	122.7	.....	140.2	70.1	20
.....	12.6	.....	12.6	12.6	50.6	50.6	37.9	139.1	.....	.....	.....	25.3	.....	12.6	151.7	50.6	.....	139.1	37.9	21
100.0	20.0	5.0	85.0	182.5	47.5	95.0	22.5	37.5	10.0	12.5	12.5	57.5	15.0	2.5	75.0	80.0	15.0	230.0	17.5	22
27.6	.....	.....	27.6	96.7	82.8	82.8	.....	13.8	.....	.....	.....	27.6	.....	.....	55.2	27.6	.....	276.2	55.2	23
44.6	6.4	.....	51.0	172.0	38.2	70.1	19.1	51.0	12.7	25.5	19.1	95.5	19.1	19.1	63.7	89.2	19.1	248.4	25.5	24
52.5	.....	.....	42.0	199.4	21.0	84.0	.....	42.0	10.5	.....	.....	.....	.....	.....	104.9	63.0	.....	241.4	21.0	25
78.9	.....	.....	31.6	31.6	31.6	31.6	15.8	15.8	15.8	.....	15.8	31.6	15.8	.....	31.6	94.7	31.6	284.0	110.4	26
65.9	22.0	8.8	123.0	215.3	30.8	79.1	8.8	39.5	8.8	22.0	13.2	61.5	8.8	8.8	65.9	52.7	13.2	312.0	.....	27
51.9	8.6	13.0	30.3	99.5	8.6	77.8	4.3	64.9	8.6	13.0	4.3	43.3	.....	8.6	95.1	108.1	.....	220.5	38.9	28
47.1	18.9	.....	47.1	113.1	37.7	94.3	47.1	66.0	9.4	28.3	9.4	122.5	.....	.....	94.3	28.3	28.3	320.5	.....	29
67.9	20.2	9.2	86.2	172.5	18.4	60.6	11.0	40.4	5.5	12.8	11.0	75.2	14.7	3.7	53.2	99.1	14.7	277.1	3.7	30
125.8	23.6	11.8	125.8	275.1	19.7	51.1	19.7	27.5	7.9	7.9	7.9	78.6	11.8	11.8	47.2	70.7	3.9	302.6	7.9	31
130.2	34.9	9.5	130.2	209.5	28.6	73.0	25.4	12.7	9.5	.....	12.7	38.1	3.2	15.9	114.3	69.8	6.3	323.8	15.9	32
81.9	14.5	4.8	139.8	241.0	28.9	115.7	14.5	67.5	4.8	14.5	9.6	33.7	9.6	4.8	91.6	62.7	9.6	351.9	9.6	33
40.5	25.3	5.1	35.4	121.5	40.5	70.9	25.3	65.8	5.1	5.1	10.1	45.6	5.1	10.1	81.0	55.7	10.1	334.2	25.3	34
38.9	11.1	11.1	55.6	144.5	22.2	88.9	22.2	72.2	11.1	5.6	11.1	38.9	.....	11.1	94.5	111.1	.....	300.0	27.8	35
33.1	16.5	.....	24.8	90.9	16.5	41.3	41.3	66.1	8.3	.....	.....	33.1	.....	33.1	82.7	74.4	.....	107.4	16.5	36
64.9	.....	.....	43.2	129.7	32.4	21.6	10.8	32.4	.....	.....	21.6	43.2	10.8	32.4	86.5	97.3	10.8	302.7	43.2	37
74.9	39.6	8.8	61.7	326.0	8.8	61.7	8.8	22.0	26.4	8.8	30.8	88.1	4.4	13.2	35.2	35.2	13.2	326.0	8.8	38
50.6	.....	.....	.....	151.9	.....	76.0	.....	101.3	25.3	25.3	.....	76.0	.....	.....	76.0	177.3	.....	253.2	25.3	39
40.9	5.8	.....	29.2	35.1	11.7	70.1	11.7	99.3	.....	5.8	.....	29.2	5.8	5.8	64.3	40.9	.....	233.7	40.9	40
33.6	9.6	9.6	24.0	91.1	4.8	52.7	14.4	124.7	4.8	19.2	.....	33.6	19.2	4.8	115.1	67.1	.....	167.9	38.4	41
111.6	13.1	23.0	114.9	298.8	19.7	75.5	23.0	19.7	3.3	26.3	6.6	91.9	3.3	9.8	62.4	85.4	13.1	256.1	19.7	42
48.1	10.7	5.3	48.1	149.8	21.4	48.1	26.7	32.1	10.7	16.0	16.0	58.8	21.4	26.7	80.2	58.8	16.0	246.0	32.1	43
93.7	35.1	7.8	109.3	148.3	42.9	50.7	27.3	46.8	3.9	23.4	19.5	85.9	3.9	11.7	113.2	82.0	19.5	452.7	23.4	44
35.8	23.9	23.9	71.6	155.2	47.8	119.4	11.9	11.9	.....	.....	.....	35.8	.....	11.9	107.5	47.8	.....	203.0	35.8	45
8.9	8.9	17.9	8.9	44.7	17.9	134.2	8.9	98.4	8.9	.....	8.9	35.8	.....	17.9	152.1	196.8	.....	152.1	35.8	46
.....	17.2	17.2	86.1	129.2	43.1	77.5	8.6	43.1	.....	17.2	8.6	94.8	.....	17.2	68.9	60.3	17.2	129.2	8.6	47
94.8	17.6	14.1	73.8	147.5	28.1	45.7	3.5	31.6	10.5	10.5	7.0	73.8	3.5	10.5	73.8	56.2	17.6	214.3	7.0	48
74.2	23.6	.....	101.2	246.3	16.9	91.1	20.2	13.5	13.5	6.7	23.6	67.5	13.5	.....	70.8	94.5	33.7	388.0	3.4	49
54.5	6.5	10.9	53.4	84.0	29.4	75.2	12.0	85.1	14.2	5.5	5.5	32.7	8.7	9.8	92.7	114.5	4.4	186.5	10.9	50
40.3	8.6	14.4	40.3	109.4	28.9	69.1	8.6	63.4	8.6	2.9	5.8	92.2	2.9	5.8	92.2	86.4	8.6	267.8	8.6	51
68.7	18.3	9.2	123.7	233.7	41.2	64.1	13.7	13.7	13.7	9.2	4.6	45.8	4.6	9.2	73.3	73.3	18.3	320.7	18.3	52
54.0	24.0	12.0	111.0	198.0	24.0	54.0	12.0	36.0	3.0	9.0	18.0	63.0	.....	9.0	51.0	69.0	21.0	312.0	21.0	53
52.1	31.3	10.4	52.1	83.4	.....	62.5	.....	73.0	.....	.....	.....	52.1	.....	20.8	62.5	135.5	.....	166.8	10.4	54
36.5	.....	6.1	30.4	73.0	66.9	54.7	6.1	109.4	6.1	6.1	6.1	30.4	12.2	6.1	145.9	255.4	12.2	127.7	12.2	55
65.8	4.4	8.8	83.3	127.1	8.8	13.2	8.8	52.6	17.5	4.4	8.8	52.6	.....	13.2	100.8	52.6	13.2	175.4	17.5	56
86.3	13.6	9.1	136.2	177.0	18.2	54.5	22.7	13.6	22.7	13.6	4.5	118.0	4.5	9.1	77.2	113.5	9.1	326.9	13.6	57
94.3	14.2	9.4	89.6	160.4	18.9	66.0	9.4	33.0	4.7	9.4	9.4	61.3	18.9	9.4	23.6	94.3	4.7	273.6	9.4	58
73.2	24.4	.....	36.6	73.2	61.0	61.0	12.2	73.2	.....	.....	.....	134.2	12.2	.....	122.0	85.4	12.2	256.2	12.2	59
101.4	19.0	42.7	128.8	310.4	40.1	92.9	29.6	31.7	8.4	12.7	19.0	133.0	6.3	4.2	69.7	78.1	19.0	359.0	6.3	60
52.0	.....	26.0	13.0	39.0	78.0	65.0	13.0	65.0	39.0	.....	.....	26.0	26.0	13.0	143.0	143.0	13.0	299.0	26.0	61
40.6	60.9	.....	.....	223.3	20.3	60.9	20.3	40.6	.....	.....	20.3	142.1	20.3	.....	40.6	142.1	40.6	182.7	20.3	62
73.6	19.4	3.9	69.7	201.4	19.4	127.8	27.1	23.2	23.2	7.7	23.2	85.2	.....	.....	54.2	62.0	19.4	495.7	11.6	63
56.8	37.9	.....	56.8	66.3	28.4	56.8	18.9	47.3	18.9	47.3	.....	75.7	9.5	18.9	94.7	85.2	28.4	444.9	28.4	64
108.5	13.6	10.8	116.6	173.5	19.0	86.8	8.1	35.2	16.3	10.8	16.3	86.8	2.7	5.4	59.6	56.9	10.8	292.8	8.1	65
102.6	17.1	5.7	96.9	170.9	11.4	62.7	28.5	28.5	.....	5.7	5.7	39.9	5.7	11.4	68.4	68.4	.....	398.9	22.9	66
149.0	.....	.....	124.1	124.1	74.5	149.0	49.7	74.5	24.8	.....	99.3	24.8	.....	.....	99.3	124.1	24.8	744.8	.....	67
10.6	.....	10.6	42.3	84.6	31.7	84.6	10.6	52.9	.....	10.6	10.6	21.2	42.3	31.7	74.0	95.2	10.6	211.6	52.9	68
98.4	18.5	15.4	83.1	156.9	24.6	104.6	18.5	52.3	.....	21.5	18.5	147.7	12.3	6.2	67.7	55.4	21.5	350.7	12.3	69

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	MICHIGAN—continued.														
1	Manistee County	1,205.0	28.0			7.0	7.0	7.0	21.0	35.0		98.1	14.0	7.0	7.0
2	Marquette County	1,309.2	21.0				16.8	29.4	33.6	4.2	8.4	96.5	8.4	25.2	4.2
3	Mason County	1,081.3	17.9				17.9	4.5	22.4	35.9	4.5	85.2	4.5	4.5	9.0
4	Mecosta County	1,289.3	25.9	5.2		15.5	5.2	5.2		20.7	10.4	46.6	5.2	10.4	20.7
5	Menominee County	887.8	6.6			13.3	6.6	6.6	13.3	26.5		53.0			6.6
6	Midland County	1,203.5	14.4						14.4	21.6		100.9			7.2
7	Missaukee County	824.3					18.7		9.4	28.1		65.6			9.4
8	Monroe County	1,373.2	27.3			6.1	3.0	3.0	18.2	15.2	6.1	91.1	3.0	27.3	6.1
9	Montcalm County	1,407.7	15.7	3.1			3.1	3.1	22.0	53.4	9.4	40.8		12.6	12.6
10	Montmorency County	920.1						26.3		26.3		26.3			
11	Muskegon County	1,174.1					24.2	18.2		18.2	18.2	60.5		6.1	6.1
12	Newaygo County	1,145.3	10.3			5.2	10.3		5.2	25.8	5.2	67.1	5.2	5.2	
13	Oakland County	1,392.7	14.2	2.8		2.8	2.8	2.8	34.1	39.8	5.7	73.9	2.8		5.7
14	Oceana County	1,101.9	10.8					10.8		32.4		43.2	5.4	5.4	10.8
15	Ogemaw County	1,026.6	11.3			11.3		11.3				33.8		11.3	
16	Ontonagon County	1,116.8	11.2				22.3	44.7	22.3	11.2		33.5			
17	Osceola County	1,093.8	22.6			5.6		11.3	5.6	11.3		73.3	5.6		11.3
18	Oscoda County	779.0								97.4		48.7		48.7	
19	Otsego County	1,435.0	46.8						46.8	31.2		62.4		15.6	31.2
20	Ottawa County	1,277.9	19.9			19.9	11.4	5.7	5.7	25.6	5.7	96.8		8.5	8.5
21	Presque Isle County	1,183.1	8.8						17.7	17.7		26.5			
22	Roscommon County	880.5						41.9				251.6			
23	Saginaw County	1,107.9	10.3				10.3	7.7	10.3		5.2	62.0		7.7	5.2
24	St. Clair County	1,174.3	21.2			3.0	3.0	9.1	9.1	18.2	3.0	48.4	3.0	6.1	9.1
25	St. Joseph County	1,459.7				7.7	3.9	3.9		46.2		53.9	3.9	7.7	7.7
26	Sanilac County	1,138.2	17.8	3.0			3.0	3.0	8.9	29.6	8.9	47.4		8.9	5.9
27	Schoolcraft County	839.9						11.5	11.5	11.5		92.0		23.0	11.5
28	Shiawassee County	1,269.9	12.1				6.0	12.1	9.0	24.1	6.0	48.3		6.0	9.0
29	Tuscola County	1,262.3	11.5	2.9			5.8	20.2	11.5	60.5		69.2		8.6	2.9
30	Van Buren County	1,477.8	33.5			15.2		6.1	3.0	12.2	6.1	73.1	3.0	21.3	9.1
31	Washtenaw County	1,233.5	17.0			17.0		3.4		20.4		68.0		17.0	10.2
32	Wayne County	1,873.4	30.7	1.5		7.3	7.3	1.5	24.9	14.6	8.8	200.5	2.9	11.7	10.2
33	Wexford County	1,275.6	28.5				4.7	9.5	4.7	28.5	4.7	28.5		19.0	4.7
	MINNESOTA.														
34	Total	999.1	13.5		0.2	7.3	8.5	6.4	10.6	10.4	4.1	88.3	7.3	11.1	6.2
35	White	991.6	13.6		0.2	7.3	8.5	6.1	10.7	10.4	4.1	85.0	7.0	11.2	6.1
36	Colored	2,066.5						50.4		10.1		564.5	50.4	20.2	20.2
37	Aitkin County	784.8	9.5			9.5			9.5	28.4		132.4	9.5		9.5
38	Anoka County	1,287.1	47.7				23.8	23.8	15.9		7.9	127.1	7.9	15.9	15.9
39	Becker County[3]	1,135.1	37.1			5.3	5.3	26.5			5.3	201.6	21.2	10.6	5.3
40	Beltrami County[4]	1,239.1	29.2			4.9	14.6		9.7	4.9		179.8	4.9	14.6	4.9
41	Benton County	925.1	9.5			9.5			9.5			66.8			9.5
42	Bigstone County	1,199.0	32.1						10.7	21.4		53.5	10.7		32.1
43	Blue Earth County	1,066.5	5.4				5.4		5.4	16.1		101.8	26.8	21.4	5.4
44	Brown County	1,167.7	10.0			5.0	29.9	5.0		5.0		79.8	25.0	25.0	5.0
45	Carlton County	882.6	5.6			16.8		5.6	33.5		5.6	89.4	5.6	11.2	16.8
46	Carver County	862.5	11.5				23.0	5.8	5.8			46.0	11.5	5.8	
47	Cass County	739.4	17.0		8.5	8.5			17.0	17.0		110.5		8.5	8.5
48	Chippewa County	979.2	14.8							7.4		66.8	22.3	7.4	
49	Chisago County	1,207.1	15.0				7.5		7.5			120.0	7.5	7.5	7.5
50	Clay County	884.0	40.6				5.1	10.2		5.1	5.1	71.1		20.3	10.2
51	Clearwater County	915.9	14.3			14.3		14.3		14.3		171.7		28.6	
52	Cook County	842.3							76.6			229.7			
53	Cottonwood County	1,049.9						7.9	47.4	31.6		39.5	7.9		
54	Crow Wing County	1,166.3	47.4					5.9	5.9			130.2	11.8	5.9	5.9
55	Dakota County	1,062.9					11.7	3.9	7.8	7.8	3.9	105.5	3.9		
56	Dodge County	1,140.0	8.4			8.4	8.4			8.4		109.0		16.8	8.4
57	Douglas County	942.9				5.7		5.7		5.7	17.2	92.0		23.0	5.7
58	Faribault County	963.4	5.0			15.1	10.1		15.1	5.0		45.4		15.1	
59	Fillmore County	1,098.8					27.7	4.0	7.9	23.7		63.2	7.9	7.9	15.8
60	Freeborn County	903.6	13.5			13.5	4.5			9.0	4.5	89.9	4.5	13.5	
61	Goodhue County	1,242.2	12.6			3.2	12.6	6.3	6.3	22.1	3.2	107.5	6.3	12.6	6.3
62	Grant County	946.4	22.3				11.1		11.1	11.1		122.5	11.1	22.3	11.1
63	Hennepin County	846.2	6.2			3.1		27.8	12.4	9.3	3.1	40.1	6.2	3.1	12.4
64	Houston County	900.6					14.2					78.0	7.1	14.2	
65	Hubbard County	847.1				10.0	10.0					69.8	10.0	29.9	
66	Isanti County	1,021.1	8.0					23.9	16.0			135.6		8.0	16.0
67	Itasca County	947.0	25.9					15.5	20.7			77.6	5.2		10.3
68	Jackson County	1,020.4				27.8	6.9		27.8	20.8	6.9	97.2	6.9	13.9	
69	Kanabec County	934.7	15.3					15.3	15.3			46.0			15.3
70	Kandiyohi County	1,015.4	5.3				15.9	21.3		5.3	10.6	90.4	5.3	10.6	21.3
71	Kittson County	883.7	10.4			52.0	10.4	10.4	10.4			52.0		10.4	10.4

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
49.0	21.0	7.0	91.1	119.1	7.0	112.1	7.0	42.0	14.0	14.0	7.0	56.0	.....	7.0	91.1	63.1	14.0	245.2	7.0	1
42.0	4.2	12.6	21.0	88.1	29.4	62.9	8.4	75.5	21.0	4.2	.....	50.4	4.2	4.2	109.1	260.2	8.4	218.2	37.8	2
71.8	13.5	26.9	76.3	103.2	22.4	44.9	17.9	22.4	17.9	9.0	.....	53.8	.....	13.5	49.4	85.2	13.5	215.4	17.9	3
103.6	10.4	.....	129.4	129.4	20.7	67.3	20.7	41.4	25.9	15.5	10.4	77.7	15.5	5.2	41.4	98.4	10.4	284.8	10.4	4
39.8	6.6	19.9	26.5	59.6	26.5	33.1	26.5	59.6	6.6	13.3	6.6	13.3	6.6	13.3	99.4	79.5	.....	185.5	33.1	5
64.9	7.2	14.4	108.1	100.9	7.2	136.9	14.4	57.7	7.2	14.4	21.6	43.2	28.8	.....	50.4	57.7	21.6	273.9	14.4	6
65.6	.....	37.5	37.5	46.8	.....	56.2	37.5	28.1	9.4	9.4	.....	37.5	.....	18.7	46.8	46.8	9.4	168.6	37.5	7
106.3	6.1	15.2	75.9	133.7	21.3	100.2	21.3	54.7	9.1	27.3	3.0	57.7	6.1	6.1	97.2	72.9	18.2	322.0	12.2	8
106.8	31.4	6.3	69.1	232.5	25.1	59.7	25.1	25.1	9.4	9.4	12.6	50.3	9.4	12.6	91.1	81.7	9.4	351.9	12.6	9
52.6	.....	.....	78.9	26.3	.....	105.2	.....	26.3	.....	.....	52.6	78.9	.....	.....	78.9	78.9	.....	236.6	26.3	10
102.9	6.1	6.1	115.0	127.1	30.3	54.5	12.1	30.3	.....	.....	6.1	54.5	18.2	18.2	66.6	42.4	12.1	302.6	18.2	11
98.0	10.3	.....	61.9	129.0	20.6	77.4	10.3	31.0	.....	15.5	10.3	36.1	5.2	20.6	61.9	72.2	25.8	304.4	15.5	12
85.3	11.4	2.8	122.2	164.8	39.8	85.3	14.2	22.7	14.2	14.2	19.9	73.9	11.4	.....	42.6	96.6	34.1	335.4	14.2	13
64.8	16.2	.....	59.4	124.2	27.0	59.4	16.2	54.0	16.2	10.8	10.8	48.6	5.4	.....	86.4	70.2	.....	313.3	.....	14
45.1	11.3	.....	67.7	79.0	.....	79.0	11.3	.....	.....	11.3	11.3	33.8	22.6	22.6	124.1	45.1	11.3	327.2	45.1	15
55.8	11.2	.....	22.3	44.7	78.2	67.0	11.2	100.5	.....	11.2	22.3	55.8	22.3	22.3	67.0	167.5	11.2	156.4	44.7	16
56.4	.....	11.3	73.3	157.9	33.8	62.0	.....	28.2	11.3	22.6	11.3	84.6	11.3	5.6	84.6	67.7	.....	219.9	5.6	17
194.7	.....	.....	.....	.....	.....	.....	.....	48.6	.....	.....	.....	.....	48.7	.....	48.7	48.7	.....	194.7	.....	18
46.8	15.6	15.6	15.6	202.8	.....	140.4	31.2	46.8	.....	.....	.....	124.8	15.6	15.6	.....	156.0	.....	312.0	62.4	19
99.6	19.9	11.4	116.7	136.6	28.5	51.2	17.1	31.3	5.7	11.4	11.4	82.5	8.5	14.2	62.6	93.9	19.9	230.5	17.1	20
44.1	8.8	8.8	17.7	106.0	8.8	79.5	8.8	158.9	8.8	26.5	17.7	26.5	17.7	17.7	123.6	106.0	17.7	238.4	70.6	21
83.9	.....	.....	41.9	209.6	.....	41.9	.....	41.9	.....	.....	.....	41.9	.....	.....	.....	.....	.....	125.8	.....	22
80.1	10.3	7.7	54.2	155.0	36.2	77.5	20.7	38.7	2.6	15.5	12.9	59.4	5.2	2.6	108.5	59.4	5.2	232.4	5.2	23
69.6	9.1	3.0	63.6	166.5	18.2	78.7	18.2	30.3	6.1	9.1	3.0	78.7	9.1	12.1	69.6	63.6	3.0	314.8	15.1	24
100.1	19.3	7.7	157.9	204.1	19.3	134.8	30.8	27.0	11.6	7.7	19.3	84.7	3.9	7.7	73.2	73.2	15.4	315.8	11.6	25
59.3	8.9	11.9	80.0	145.2	23.7	83.0	5.9	44.5	14.8	8.9	11.9	53.4	3.0	8.9	77.1	53.4	3.0	302.3	3.0	26
34.5	11.5	.....	34.5	69.0	34.5	11.5	23.0	23.0	.....	.....	11.5	46.0	11.5	11.5	69.0	92.0	.....	195.6	.....	27
75.4	18.1	6.0	78.4	214.2	21.1	66.4	9.0	30.2	6.0	9.0	12.1	57.3	.....	3.0	90.5	99.5	21.1	313.7	6.0	28
92.2	5.8	14.4	74.9	144.1	23.1	80.7	14.4	34.6	5.8	11.5	5.8	57.6	5.8	5.8	66.3	34.6	11.5	363.1	17.3	29
103.6	21.3	12.2	91.4	231.6	18.3	76.2	18.3	18.3	6.1	12.2	12.2	109.7	6.1	.....	82.3	82.3	12.2	377.8	3.0	30
47.6	20.4	3.4	139.3	234.5	6.8	44.2	20.4	10.2	6.8	10.2	10.2	85.0	6.8	6.8	40.8	95.1	10.2	261.6	20.4	31
71.7	14.6	17.6	83.4	175.6	27.8	102.5	26.3	140.5	2.9	23.4	17.6	86.4	7.3	13.2	131.7	114.2	23.4	453.7	17.6	32
80.6	19.0	14.2	123.3	128.0	9.5	66.4	9.5	80.6	14.2	19.0	4.7	66.4	19.0	9.5	104.3	104.3	9.5	251.3	9.5	33
63.2	12.1	7.5	47.9	86.1	13.7	92.2	11.2	36.8	13.7	9.2	6.9	59.4	7.1	7.1	57.5	69.0	12.3	191.0	21.1	34
63.4	12.1	7.5	47.9	86.5	13.8	91.3	11.3	36.6	13.8	9.0	6.9	59.4	7.2	7.1	57.7	68.6	12.2	190.2	19.0	35
40.3	10.1	10.1	50.4	40.3	.....	221.8	.....	60.5	.....	30.2	.....	60.5	.....	10.1	20.2	131.0	30.2	312.5	322.6	36
56.7	.....	.....	37.8	28.4	.....	28.4	9.5	9.5	9.5	9.5	9.5	56.7	18.9	9.5	37.8	94.6	9.5	113.5	37.8	37
95.3	.....	7.9	103.3	143.0	31.8	71.5	.....	23.8	.....	7.9	31.8	127.1	7.9	.....	71.5	87.4	7.9	174.8	7.9	38
58.3	15.9	10.6	21.2	58.3	.....	84.9	15.9	37.1	5.3	.....	15.9	53.0	15.9	10.6	53.0	79.6	15.9	212.2	53.0	39
38.9	9.7	14.6	24.3	72.9	29.2	72.9	.....	53.4	24.3	14.6	4.9	24.3	.....	14.6	53.4	223.5	24.3	174.9	97.2	40
76.3	.....	.....	28.6	85.8	.....	162.1	.....	57.2	19.1	9.5	.....	19.1	.....	9.5	76.3	66.8	19.1	171.7	19.1	41
53.5	32.1	10.7	32.1	64.2	10.7	128.6	21.4	85.6	10.7	10.7	.....	42.8	10.7	10.7	96.3	171.3	.....	235.5	10.7	42
91.1	26.8	5.4	37.5	91.1	21.4	80.4	.....	16.1	5.4	16.1	.....	101.8	5.4	21.4	75.0	58.9	5.4	214.4	5.4	43
59.9	10.0	20.0	89.8	94.8	15.0	124.8	5.0	39.9	10.0	10.0	.....	89.8	5.0	15.0	54.9	69.9	20.0	224.6	20.0	44
44.7	.....	27.9	50.3	67.0	.....	78.2	16.8	50.3	.....	5.6	.....	16.8	11.2	5.6	50.3	72.6	27.9	117.3	50.3	45
51.8	.....	.....	97.8	109.3	34.5	86.3	5.8	17.3	5.8	11.5	5.8	51.8	5.8	.....	46.0	74.8	5.8	132.3	11.5	46
8.5	.....	8.5	17.0	76.5	8.5	102.0	8.5	25.5	.....	.....	.....	.....	8.5	.....	42.5	76.5	.....	85.0	76.5	47
89.0	29.7	7.4	22.3	140.9	.....	118.7	.....	66.8	14.8	.....	.....	37.1	14.8	14.8	59.3	96.4	14.8	118.7	14.8	48
120.0	22.5	.....	22.5	112.5	15.0	164.9	7.5	60.0	7.5	7.5	7.5	37.5	7.5	7.5	30.0	60.0	22.5	314.9	7.5	49
61.0	5.1	5.1	40.6	55.9	5.1	61.0	10.2	35.6	20.3	.....	5.1	40.6	.....	10.2	76.2	91.4	5.1	172.7	15.2	50
57.2	.....	.....	42.9	28.6	.....	100.2	.....	28.6	.....	.....	28.6	42.9	.....	.....	100.2	42.9	28.6	114.5	42.9	51
76.6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	153.1	76.6	.....	229.7	.....	52
63.2	.....	15.8	23.7	47.4	.....	150.0	.....	86.8	7.9	15.8	7.9	47.4	15.8	15.8	63.2	63.2	23.7	236.8	31.6	53
53.3	17.8	11.8	100.6	112.5	.....	94.7	5.9	29.6	23.7	11.8	5.9	65.1	5.9	17.8	100.6	112.5	11.8	159.8	11.8	54
66.4	11.7	7.8	19.5	132.9	23.4	105.5	23.4	31.3	7.8	15.6	11.7	66.4	7.8	.....	54.7	109.4	19.5	179.8	23.4	55
67.1	8.4	8.4	142.5	150.9	.....	109.0	.....	16.8	16.8	8.4	.....	75.4	8.4	8.4	58.7	33.5	.....	226.3	33.5	56
74.7	17.2	23.0	28.7	126.5	17.2	86.2	17.2	23.0	17.2	23.0	11.5	51.7	.....	17.2	46.0	34.5	.....	149.5	23.0	57
80.7	30.3	.....	60.5	70.6	30.3	90.8	15.1	30.3	15.1	15.1	5.0	30.3	25.2	5.0	30.3	40.4	15.1	237.1	25.2	58
63.2	15.8	4.0	63.2	150.2	31.6	86.9	23.7	15.8	7.9	4.0	4.0	90.9	4.0	7.9	71.1	39.5	4.0	241.1	11.9	59
53.9	13.5	.....	53.9	67.4	13.5	53.9	4.5	40.5	.....	4.5	18.0	49.4	13.5	4.5	53.9	71.9	4.5	202.3	27.0	60
88.5	15.8	6.3	75.9	148.6	19.0	113.8	22.1	19.0	19.0	12.6	9.5	110.6	6.3	3.2	47.4	63.2	12.6	240.2	9.5	61
66.8	.....	.....	22.3	77.9	11.1	100.2	11.1	11.1	11.1	.....	.....	66.8	.....	.....	89.1	89.1	11.1	144.7	11.1	62
55.6	6.2	.....	58.7	89.6	3.1	77.2	3.1	9.3	.....	6.2	6.2	58.7	3.1	6.2	40.1	123.5	3.1	169.9	3.1	63
85.1	14.2	7.1	49.6	106.4	21.3	106.4	7.1	28.4	21.3	.....	.....	99.3	.....	7.1	21.3	14.2	7.1	170.2	21.3	64
69.8	.....	.....	49.8	99.7	.....	69.8	10.0	59.8	.....	10.0	.....	49.8	19.9	10.0	39.9	59.8	29.9	129.6	10.0	65
55.8	.....	.....	71.8	111.7	23.9	119.6	.....	55.8	16.0	23.9	31.9	23.9	39.9	.....	63.8	47.9	31.9	87.7	8.0	66
25.9	25.9	5.2	20.7	62.1	.....	62.1	10.3	88.0	5.2	10.3	5.2	25.9	10.3	5.2	62.1	196.6	20.7	113.8	36.2	67
55.5	6.9	6.9	34.7	55.5	20.8	83.3	.....	13.9	48.6	6.9	6.9	83.3	34.7	13.9	27.8	62.5	.....	243.0	6.9	68
30.6	.....	.....	30.6	91.9	.....	122.6	30.6	15.3	30.6	.....	15.3	61.3	.....	.....	61.3	61.3	30.6	168.6	76.6	69
53.2	5.3	5.3	90.4	85.1	5.3	138.2	10.6	10.6	15.9	10.6	5.3	63.8	10.6	5.3	85.1	42.5	5.3	170.1	10.6	70
104.0	.....	41.6	52.0	31.2	10.4	93.6	20.8	41.6	.....	10.4	10.4	20.8	.....	.....	72.8	31.2	.....	166.3	10.4	71

[3] Including part of White Earth Indian Reservation.

[4] Including part of Red Lake Indian Reservation.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.														
	MINNESOTA—continued.														
1	Koochiching County	1,066.2	96.9			13.8	41.5					13.8		13.8	
2	Lac qui Parle County	948.6	25.8			6.5	32.3	12.9	6.5	6.5	6.5	77.4	12.9		6.5
3	Lake County	1,125.5	82.9						11.8		23.7	106.6			
4	Le Sueur County	939.7				5.5		11.0	5.5	11.0		44.0		5.5	11.0
5	Lincoln County	619.5	10.2							40.6	10.2	20.3			
6	Lyon County	1,056.9	44.8			19.2		38.4		12.8	6.4	32.0		6.4	
7	McLeod County	917.1	5.4				10.8	5.4	5.4	27.0	16.2	59.3	5.4		5.4
8	Mahnomen County [3]	1,198.4						31.5			31.5	252.3		31.5	
9	Marshall County	969.2	18.8			6.3			12.5	12.5		131.3	6.3	12.5	
10	Martin County	822.8	5.7		5.7	17.1		5.7	22.9	5.7	5.7	34.3		22.9	
11	Meeker County	1,101.7	11.9			6.0	6.0		11.9	11.9		148.9	17.9	11.9	6.0
12	Mille Lacs County	916.6	9.2				18.3	27.5		9.2		100.8	9.2		9.2
13	Morrison County	848.6	16.7			4.2	8.4		4.2	8.4		87.8	12.5	4.2	
14	Mower County	1,003.9	13.2			13.2	13.2	4.4	8.8	26.4		88.1	4.4	17.6	13.2
15	Murray County	748.0	34.0			25.5	17.0	8.5		17.0		34.0			
16	Nicollet County	1,501.2	14.4					21.5		21.5	7.2	222.7	14.4	14.4	
17	Nobles County	957.6	6.6			78.7	19.7	6.6	6.6	26.2	6.6	19.7	6.6	6.6	
18	Norman County	784.9	7.6				7.6		15.2			106.7	7.6		
19	Olmsted County	2,282.6	4.4			4.4	40.0	8.9	26.6	13.3	17.8	159.9	4.4	44.4	8.9
20	Otter Tail County	1,290.3	19.8			6.6		2.2	17.6	28.6	6.6	158.3	4.4	28.6	6.6
21	Pennington County	938.8	21.3				10.7		42.7			106.7		10.7	21.3
22	Pine County	985.9	12.4				18.6	12.4	31.0	24.8		111.6	12.4		6.2
23	Pipestone County	776.7				10.5	10.5	10.5	21.0			42.0		10.5	
24	Polk County	775.9	19.6			2.8		2.8	8.4	5.6	2.8	123.2	8.4	8.4	2.8
25	Pope County	976.7				7.9				15.9	7.9	79.4	15.9	23.8	15.9
26	Ramsey County	1,131.5	22.6					22.6	33.9			90.5	11.3		11.3
27	Red Lake County	700.9	45.7			30.5			106.7			76.2			
28	Redwood County	804.4				5.5	16.4		38.3	5.5	5.5	38.3	5.5		5.5
29	Renville County	825.4	4.4			8.7			8.7	21.8	4.4	65.5			
30	Rice County	1,328.0	11.6			46.5	15.5		3.9	11.6	7.7	209.1	15.5	27.1	7.7
31	Rock County	937.7	19.3			29.0	19.3			9.7		58.0			
32	Roseau County	896.8	17.6				26.4		8.8		8.8	149.5	8.8	8.8	
33	St. Louis County [4]	948.6	13.6			2.5	6.2	2.5	9.9		2.5	66.6	14.8	8.6	6.2
34	Scott County	963.7					6.7	6.7	6.7	13.5	13.5	40.4	13.5	27.0	6.7
35	Sherburne County	1,156.5						13.6	27.2	13.6		81.6			
36	Sibley County	958.3				6.5	26.1		13.0	6.5	6.5	58.7		6.5	6.5
37	Stearns County	801.8	2.6				5.1	2.6	7.7	2.6	2.6	41.0	5.1	10.2	5.1
38	Steele County	1,060.1				37.4	18.7	6.2	12.5	12.5	6.2	74.8	18.7	12.5	12.5
39	Stevens County	818.4				12.4		12.4	24.8	49.6	12.4	37.2			12.4
40	Swift County	992.6	15.6							39.1	7.8	109.4		7.8	
41	Todd County	857.0	13.0				4.3	8.7	8.7	8.7	8.7	64.9	4.3	8.7	
42	Traverse County	582.8					12.4	12.4				62.0			
43	Wabasha County	1,085.5	5.4				21.6	10.8	10.8	21.6	5.4	81.0	5.4	16.2	5.4
44	Wadena County	789.3	11.8					11.8			11.8	82.5		11.8	
45	Waseca County	804.5	7.4			7.4	7.4					67.0	7.4	14.9	14.9
46	Washington County	1,098.5	6.4					6.4	19.2	12.8	6.4	76.6	6.4	19.2	6.4
47	Watonwan County	810.1	17.6		8.8			17.6	8.8	8.8	8.8	52.8	17.6	26.4	17.6
48	Wilkin County	721.4	66.6						11.1	11.1		22.2		22.2	
49	Winona County	1,010.7	13.7				6.8	6.8	13.7	13.7		34.1		6.8	13.7
50	Wright County	955.3	7.2			14.4	3.6	7.2	3.6	10.8	7.2	61.3	7.2	7.2	7.2
51	Yellow Medicine County	772.0	6.5			13.1					6.5	72.0	13.1	6.5	6.5
	MISSOURI.														
52	Total	1,193.3	35.4	21.1	1.0	22.4	4.9	16.2	22.0	29.9	4.4	134.5	3.6	10.8	7.5
53	White	1,162.4	34.8	21.0	1.0	22.9	4.9	15.7	22.7	29.6	4.5	121.6	3.6	10.3	7.0
54	Colored	2,038.0	51.6	22.5	1.3	6.6	2.6	29.1	2.6	39.7	2.6	439.3	5.3	26.5	22.5
55	Adair County	1,161.4	26.3	4.4		39.4	8.8	4.4	17.5	21.9		105.2		26.3	
56	Andrew County	1,097.7	39.9	6.7				20.0	26.6	20.0	13.3	113.1			13.3
57	Atchison County	807.5	7.5					7.5	15.1	22.6		67.9			15.1
58	Audrain County	887.4	13.8	4.6				9.2	23.0	36.8		105.7		9.2	
59	Barry County	1,094.4	76.1	12.7		25.4	29.6	16.9	59.2	16.9		93.0		12.7	8.5
60	Barton County	839.2	24.1					6.0	42.3	54.3	6.0	108.7		12.1	6.0
61	Bates County	1,148.1	39.5	15.8		3.9	7.9	7.9	11.8	23.7	7.9	110.5	3.9	19.7	15.8
62	Benton County	1,280.9	68.1	20.4		6.8	6.8	20.4	6.8	115.8	6.8	149.9		13.6	13.6
63	Bollinger County	871.8	61.8	48.1		13.7		34.3	54.9	13.7	6.9	82.4	6.9	6.9	
64	Boone County	1,118.3	29.3	9.8		3.3	6.5	3.3		32.5		152.8	3.3	6.5	9.8
65	Buchanan County	1,091.2	19.4	12.9			6.5		51.7		6.5	109.8		6.5	
66	Butler County	2,251.8	66.4	227.6		165.9	4.7	94.8	66.4	33.2		170.7	9.5	28.4	9.5
67	Caldwell County	1,079.8	27.9							13.9	7.0	118.4		13.9	
68	Callaway County	1,565.7	37.2	8.3		4.1		4.1	16.5	62.0	12.4	243.7	8.3	8.3	16.5
69	Camden County	781.0	8.8	17.6					17.6	35.1	8.8	105.3	8.8		

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
27.7	.....	.....	.....	124.6	27.7	55.4	.....	55.4	.....	.....	13.8	13.8	.....	27.7	83.1	152.3	27.7	249.2	27.7	1
51.6	19.4	.....	51.6	45.2	25.8	129.1	12.9	51.6	19.4	19.4	.....	45.2	.....	12.9	58.1	38.7	19.4	148.4	6.5	2
47.4	11.8	59.2	23.7	23.7	.....	47.4	11.8	94.8	.....	.....	11.8	47.4	.....	11.8	23.7	272.5	71.1	130.3	11.8	3
82.4	16.5	11.0	49.5	98.9	22.0	60.4	22.0	22.0	11.0	16.5	5.5	98.9	.....	11.0	38.5	60.4	.....	214.3	5.5	4
30.5	10.2	10.2	10.2	81.2	30.5	30.5	20.3	30.5	.....	.....	.....	20.3	.....	.....	71.1	30.5	20.3	142.2	.....	5
76.9	12.8	6.4	70.5	25.6	12.8	83.3	19.2	19.2	32.0	19.2	.....	76.9	12.8	6.4	102.5	57.7	6.4	237.0	19.2	6
59.3	5.4	5.4	32.4	97.1	21.6	91.7	27.0	16.2	10.8	.....	10.8	75.5	.....	5.4	64.7	59.3	21.6	161.8	10.8	7
63.1	.....	.....	31.5	31.5	.....	126.1	.....	157.7	.....	31.5	.....	31.5	31.5	31.5	.....	63.1	31.5	126.1	94.6	8
50.0	6.3	6.3	37.5	81.3	.....	118.8	18.8	37.5	25.0	12.5	6.3	43.8	12.5	6.3	31.3	62.5	.....	156.3	56.3	9
68.6	11.4	11.4	28.6	28.6	11.4	51.4	11.4	34.3	22.9	.....	.....	51.4	11.4	5.7	74.3	62.8	11.4	194.3	5.7	10
59.6	17.9	.....	59.6	65.5	17.9	148.9	17.9	53.6	6.0	6.0	17.9	59.6	.....	.....	47.6	35.7	29.8	208.4	17.9	11
18.3	.....	9.2	27.5	91.7	18.3	100.8	.....	55.0	36.7	.....	.....	55.0	18.3	9.2	27.5	45.8	.....	210.8	9.2	12
54.3	8.4	.....	29.3	71.1	8.4	96.1	20.9	29.3	4.2	8.4	4.2	50.2	8.4	4.2	71.1	29.3	4.2	175.6	25.1	13
88.1	30.8	4.4	74.9	132.1	30.8	74.9	.....	8.8	8.8	4.4	4.4	52.8	.....	4.4	44.0	39.6	13.2	184.9	.....	14
42.5	25.5	.....	17.0	85.0	8.5	102.0	8.5	8.5	8.5	.....	8.5	51.0	.....	.....	68.0	17.0	8.5	127.5	25.5	15
79.0	28.7	.....	71.8	86.2	21.5	79.0	14.4	14.4	.....	7.2	.....	466.9	7.2	.....	64.6	28.7	21.5	193.9	.....	16
59.0	19.7	26.2	26.2	98.4	.....	85.3	19.7	19.7	39.4	19.7	.....	45.9	13.1	13.1	85.3	59.0	6.6	137.7	.....	17
53.3	7.6	.....	68.6	45.7	15.2	91.4	15.2	22.9	7.6	.....	.....	30.5	7.6	.....	30.5	7.6	.....	190.5	45.7	18
373.0	13.3	8.9	93.3	164.3	8.9	115.5	35.5	17.8	53.3	26.6	13.3	164.3	.....	4.4	53.3	71.1	26.6	697.2	8.9	19
70.3	8.8	8.8	85.7	98.9	17.6	96.7	11.0	35.2	30.8	22.0	4.4	118.7	4.4	8.8	52.8	37.4	17.6	250.6	30.8	20
64.0	10.7	21.3	42.7	64.0	10.7	64.0	.....	21.3	.....	10.7	.....	10.7	32.0	.....	96.0	21.3	21.3	181.4	53.3	21
43.4	6.2	.....	37.2	37.2	.....	99.2	6.2	24.8	12.4	12.4	24.8	43.4	18.6	.....	80.6	105.4	12.4	148.8	43.4	22
84.0	10.5	21.0	63.0	31.5	21.0	52.5	10.5	21.0	10.5	.....	.....	31.5	.....	.....	84.0	10.5	10.5	167.9	42.0	23
39.2	14.0	5.6	42.0	47.6	2.8	47.6	16.8	16.8	11.2	16.8	5.6	30.8	.....	8.4	44.8	36.4	14.0	165.3	25.2	24
63.5	39.7	15.9	15.9	150.9	15.9	142.9	.....	15.9	23.8	.....	7.9	31.8	7.9	7.9	31.8	23.8	.....	174.7	39.7	25
79.2	22.6	22.6	11.3	113.1	33.9	67.9	22.6	33.9	11.3	.....	22.6	56.6	11.3	22.6	101.8	124.5	11.3	158.4	11.3	26
45.7	15.2	.....	30.5	15.2	15.2	45.7	.....	15.2	15.2	.....	.....	60.9	.....	.....	30.5	15.2	.....	106.7	30.5	27
65.7	5.5	.....	54.7	76.6	10.9	120.4	10.9	60.2	5.5	.....	.....	32.8	5.5	10.9	21.9	27.4	5.5	169.6	.....	28
78.6	21.8	8.7	21.8	83.0	21.8	69.9	8.7	43.7	4.4	4.4	4.4	26.2	.....	4.4	48.0	56.8	13.1	187.8	4.4	29
73.6	19.4	3.9	42.6	131.6	23.2	120.0	3.9	31.0	19.4	11.6	11.6	50.3	7.7	7.7	61.9	46.5	11.6	282.6	11.6	30
58.0	9.7	9.7	58.0	77.3	.....	125.7	9.7	38.7	58.0	.....	.....	38.7	19.3	.....	77.3	58.0	9.7	145.0	9.7	31
52.8	17.6	.....	8.8	61.5	8.8	96.7	8.8	8.8	8.8	8.8	8.8	44.0	.....	26.4	61.5	44.0	8.8	167.0	26.4	32
23.4	2.5	3.7	14.8	35.8	8.6	134.5	3.7	107.3	11.1	13.6	11.1	34.5	6.2	8.6	86.3	151.7	14.8	111.0	32.1	33
74.1	.....	6.7	20.2	101.1	.....	60.6	6.7	40.4	6.7	.....	6.7	47.2	20.2	13.5	27.0	80.9	20.2	269.6	27.0	34
40.8	40.8	13.6	54.4	95.2	.....	68.0	27.2	.....	54.4	.....	.....	27.2	.....	27.2	.....	149.7	.....	353.7	68.0	35
32.6	19.6	6.5	58.7	104.3	26.1	97.8	26.1	26.1	6.5	13.0	13.0	58.7	13.0	6.5	97.8	32.6	32.6	156.5	.....	36
43.5	20.5	7.7	43.5	76.8	2.6	82.0	7.7	17.9	12.8	7.7	5.1	35.9	2.6	5.1	61.5	46.1	7.7	210.1	20.5	37
81.1	.....	.....	87.3	124.7	24.9	43.7	12.5	62.4	12.5	6.2	6.2	43.7	6.2	.....	56.1	56.1	12.5	212.0	.....	38
49.6	.....	.....	62.0	24.8	12.4	148.8	.....	37.2	.....	.....	.....	24.8	.....	12.4	74.4	62.0	.....	136.4	12.4	39
46.9	23.4	31.3	46.9	109.4	7.8	54.7	23.4	70.3	31.3	7.8	.....	15.6	7.8	.....	78.2	46.9	7.8	171.9	31.3	40
77.9	8.7	13.0	26.0	103.9	8.7	86.6	.....	39.0	17.3	4.3	.....	51.9	8.7	.....	69.3	30.3	4.3	164.5	13.0	41
49.6	.....	.....	37.2	24.8	12.4	49.6	12.4	12.4	12.4	.....	.....	37.2	.....	.....	12.4	99.2	24.8	99.2	12.4	42
64.8	16.2	16.2	86.4	129.6	16.2	59.4	5.4	10.8	27.0	10.8	.....	108.0	.....	5.4	37.8	108.0	.....	183.6	16.2	43
58.9	35.3	23.6	58.9	35.3	.....	106.0	11.8	23.6	11.8	.....	11.8	58.9	.....	11.8	70.7	35.3	11.8	82.5	11.8	44
37.2	7.4	.....	59.6	67.0	37.2	22.3	14.9	59.6	7.4	22.3	7.4	29.8	7.4	22.3	44.7	14.9	7.4	208.6	.....	45
31.9	6.4	12.8	31.9	172.4	38.3	115.0	25.5	6.4	.....	6.4	19.2	95.8	6.4	6.4	31.9	95.8	25.5	204.4	6.4	46
44.0	8.8	.....	70.4	88.1	26.4	70.4	.....	26.4	8.8	.....	.....	8.8	8.8	8.8	70.4	52.8	.....	123.3	8.8	47
11.1	11.1	.....	11.1	66.6	.....	33.3	55.5	55.5	44.4	.....	.....	44.4	22.2	.....	55.5	55.5	.....	122.1	.....	48
54.6	.....	6.8	122.9	122.9	.....	95.6	6.8	34.1	.....	.....	6.8	20.5	.....	.....	20.5	34.1	20.5	307.3	47.8	49
64.9	14.4	7.2	46.9	79.3	25.2	111.8	7.2	25.2	3.6	18.0	18.0	64.9	3.6	3.6	32.4	36.1	3.6	234.3	18.0	50
32.7	6.5	.....	19.6	72.0	13.1	65.4	19.6	58.9	6.5	6.5	.....	85.1	6.5	.....	39.3	13.1	6.5	196.3	.....	51
47.0	10.5	14.4	49.6	82.5	16.2	107.2	11.9	52.8	7.6	9.6	9.1	63.2	7.9	9.7	66.2	59.3	9.9	212.3	32.6	52
47.2	10.7	14.4	48.9	80.0	15.7	103.9	11.8	52.2	7.5	9.4	8.8	62.0	7.8	9.6	66.2	57.3	10.0	209.0	30.3	53
42.3	2.6	14.5	68.8	150.8	30.4	197.0	13.2	68.8	9.3	15.9	15.9	96.5	10.6	11.9	66.1	115.1	6.6	304.2	95.2	54
96.4	.....	39.4	61.4	52.6	17.5	78.9	21.9	17.5	8.8	8.8	13.1	61.4	13.1	26.3	87.7	57.0	8.8	219.1	17.5	55
79.8	26.6	20.0	99.8	106.4	13.3	73.2	13.3	26.6	6.7	.....	.....	99.8	6.7	.....	33.3	79.8	20.0	139.7	.....	56
75.5	15.1	22.6	45.3	52.8	.....	45.3	15.1	45.3	7.5	7.5	.....	67.9	.....	7.5	22.6	75.5	.....	166.0	.....	57
41.4	13.8	13.8	69.0	82.8	4.6	36.8	4.6	18.4	.....	4.6	13.8	55.2	.....	23.0	50.6	36.8	18.4	179.3	18.4	58
50.7	4.2	16.9	38.0	59.2	4.2	114.1	8.5	38.0	8.5	4.2	8.5	33.8	4.2	16.9	50.7	54.9	8.5	181.7	38.0	59
48.3	6.0	6.0	42.3	102.6	6.0	72.4	6.0	.....	12.1	18.1	6.0	36.2	6.0	6.0	24.1	54.3	12.1	102.6	12.1	60
47.3	19.7	15.8	82.9	118.4	15.8	78.9	15.8	39.5	3.9	11.8	7.9	47.3	.....	11.8	59.2	55.2	.....	236.7	11.8	61
47.7	.....	6.8	27.3	40.9	20.4	115.8	6.8	40.9	13.6	13.6	20.4	34.1	20.4	13.6	88.6	61.3	.....	218.0	61.3	62
20.6	6.9	41.2	13.7	41.2	6.9	61.8	13.7	41.2	.....	13.7	.....	13.7	.....	13.7	48.1	34.3	.....	151.0	20.6	63
48.8	13.0	9.8	42.3	107.3	26.0	91.0	9.8	65.0	.....	9.8	9.8	58.5	9.8	.....	48.8	61.8	19.5	208.0	22.8	64
58.1	25.8	19.4	58.1	109.8	12.9	135.6	.....	38.7	.....	6.5	.....	103.3	.....	6.5	45.2	122.7	6.5	129.1	.....	65
37.9	4.7	14.2	56.9	42.7	9.5	227.6	33.2	142.2	4.7	4.7	.....	85.3	4.7	19.0	80.6	180.1	4.7	275.0	147.0	66
76.6	20.9	7.0	83.6	111.5	7.0	104.5	7.0	20.9	13.9	20.9	.....	55.7	7.0	13.9	41.8	48.8	7.0	229.9	20.9	67
57.8	33.0	12.4	41.3	74.4	28.9	78.5	4.1	24.8	12.4	4.1	37.2	82.6	12.4	8.3	49.6	66.1	24.8	454.4	37.2	68
35.1	17.6	.....	35.1	8.8	8.8	79.0	.....	.....	8.8	8.8	8.8	105.3	17.6	.....	26.3	43.9	8.8	140.4	26.3	69

[3] Including part of White Earth Indian Reservation.

[4] Including Boise Fort Indians.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.														
	MISSOURI—continued.														
1	Cape Girardeau County	1,484.5	67.8	14.3	7.1	39.3	3.6	42.8	25.0	25.0	.....	128.5	10.7	10.7	21.4
2	Carroll County	1,265.0	13.2	4.4	.....	4.4	8.8	4.4	13.2	44.1	4.4	105.8	4.4	4.4	8.8
3	Carter County	1,119.8	.....	74.7	.....	37.3	.....	18.7	18.7	18.7	37.3	112.0	18.7	.....	.....
4	Cass County	1,157.6	17.5	.....	.....	13.1	.....	17.5	8.7	34.9	8.7	78.6	4.4	4.4	4.4
5	Cedar County	1,007.6	18.8	12.5	.....	.....	.....	.....	18.8	50.1	.....	125.2	.....	6.3	6.3
6	Chariton County	1,078.1	13.0	4.3	.....	.....	4.3	21.6	.....	39.0	.....	142.9	.....	17.3	.....
7	Christian County	1,083.0	63.7	.....	.....	19.1	.....	19.1	12.7	6.4	.....	121.0	6.4	6.4	.....
8	Clark County	1,200.3	32.0	16.0	.....	.....	.....	16.0	16.0	16.0	.....	168.0	8.0	16.0	8.0
9	Clay County	1,763.4	48.8	.....	.....	14.7	4.9	19.5	14.7	29.3	9.8	107.5	.....	9.8	24.4
10	Clinton County	1,203.1	19.9	.....	.....	13.3	.....	13.3	.....	19.9	6.6	93.1	.....	26.6	.....
11	Cole County	899.4	20.0	.....	20.0	.....	.....	.....	.....	20.0	10.0	79.9	.....	10.0	.....
12	Cooper County	1,057.8	24.9	.....	5.0	.....	10.0	.....	5.0	10.0	.....	134.7	.....	10.0	5.0
13	Crawford County	1,040.3	58.6	7.3	.....	44.0	.....	7.3	36.6	29.3	.....	95.2	7.3	14.7	.....
14	Dade County	921.2	65.3	6.5	.....	.....	.....	6.5	45.7	52.3	6.5	84.9	.....	.....	13.1
15	Dallas County	679.8	45.8	15.3	.....	.....	.....	.....	38.2	7.6	7.6	61.1	7.6	7.6	.....
16	Daviess County	1,043.7	29.2	11.7	5.8	5.8	17.5	.....	11.7	29.2	.....	122.4	.....	17.5	5.8
17	Dekalb County	910.5	8.1	.....	.....	.....	.....	16.3	16.3	40.6	.....	56.9	.....	.....	8.1
18	Dent County	941.6	30.1	15.1	.....	52.7	.....	.....	22.6	60.3	.....	128.1	.....	7.5	7.5
19	Douglas County	558.6	30.0	18.0	.....	6.0	.....	12.0	48.1	6.0	6.0	30.0	.....	.....	.....
20	Dunklin County	2,297.6	44.6	334.6	3.2	137.0	6.4	229.4	25.5	25.5	.....	194.4	9.6	.....	12.7
21	Franklin County	1,187.0	30.3	3.4	.....	6.7	.....	20.2	47.1	23.5	.....	124.4	.....	10.1	10.1
22	Gasconade County	1,223.7	23.2	7.7	.....	23.2	.....	.....	15.5	46.5	.....	77.4	7.7	23.2	7.7
23	Gentry County	971.6	36.7	.....	6.1	12.2	6.1	6.1	.....	42.8	.....	67.2	.....	6.1	6.1
24	Greene County	935.9	31.5	14.0	.....	21.0	.....	21.0	31.5	17.5	7.0	73.6	3.5	24.5	.....
25	Grundy County	1,089.6	30.1	6.0	.....	.....	6.0	30.1	.....	72.2	.....	72.2	.....	12.0	.....
26	Harrison County	1,145.8	30.0	.....	.....	85.1	.....	5.0	15.0	20.0	10.0	125.1	10.0	5.0	5.0
27	Henry County	1,171.6	22.1	.....	.....	3.7	3.7	14.7	3.7	33.2	7.4	99.5	.....	3.7	.....
28	Hickory County	896.5	34.9	.....	.....	.....	.....	11.6	.....	23.3	.....	104.8	.....	.....	23.3
29	Holt County	1,110.4	35.1	.....	.....	.....	.....	7.0	14.1	35.1	.....	98.4	7.0	28.1	.....
30	Howard County	1,331.1	19.6	19.6	.....	6.5	.....	6.5	.....	13.0	6.5	221.8	.....	6.5	13.0
31	Howell County	1,196.8	66.8	14.3	.....	19.1	9.5	4.8	38.1	38.1	4.8	133.5	9.5	23.8	14.3
32	Iron County	1,498.0	70.2	23.4	11.7	35.1	11.7	.....	70.2	58.5	.....	163.8	.....	.....	.....
33	Jackson County	1,176.1	21.7	.....	2.7	2.7	13.6	13.6	8.1	38.0	5.4	65.2	2.7	10.9	.....
34	Jasper County	1,263.4	61.4	19.7	2.2	2.2	4.4	21.9	24.1	48.3	.....	149.2	6.6	8.8	15.4
35	Jefferson County	1,325.5	35.5	10.7	.....	7.1	3.6	24.9	24.9	21.3	10.7	145.7	14.2	10.7	14.2
36	Johnson County	1,099.2	15.3	7.7	.....	.....	.....	11.5	7.7	30.6	.....	72.8	.....	7.7	15.3
37	Knox County	1,083.8	40.7	8.1	.....	24.4	8.1	16.3	8.1	8.1	.....	97.8	24.4	16.3	16.3
38	Laclede County	870.4	40.1	.....	.....	.....	.....	.....	34.4	5.7	.....	103.1	.....	5.7	11.5
39	Lafayette County	1,264.7	33.4	3.3	.....	6.7	6.7	16.7	10.0	40.0	3.3	130.1	3.3	13.3	10.0
40	Lawrence County	1,194.1	57.8	3.9	.....	23.1	3.9	15.4	34.7	34.7	.....	150.2	3.9	7.7	3.9
41	Lewis County	1,314.5	19.5	13.0	.....	39.0	6.5	.....	26.0	45.6	.....	136.7	.....	19.5	19.5
42	Lincoln County	1,031.2	11.9	11.9	.....	5.9	.....	.....	17.8	65.2	.....	136.3	.....	23.7	5.9
43	Linn County	1,098.2	15.9	.....	.....	27.8	4.0	.....	23.8	7.9	4.0	122.9	.....	15.9	11.9
44	Livingston County	1,167.2	20.9	10.5	.....	.....	10.5	5.2	5.2	31.4	.....	146.6	5.2	10.5	.....
45	McDonald County	709.3	29.6	.....	.....	7.4	.....	7.4	59.1	.....	7.4	66.5	.....	.....	14.8
46	Macon County	1,104.4	45.7	3.3	.....	22.9	6.5	.....	19.6	45.7	13.1	98.0	3.3	9.8	6.5
47	Madison County	1,382.3	78.7	43.7	.....	17.5	8.7	.....	43.7	87.5	.....	201.2	.....	17.5	17.5
48	Maries County	1,074.6	78.9	.....	.....	9.9	.....	.....	98.6	29.6	.....	128.2	.....	9.9	9.9
49	Marion County	1,459.6	41.5	8.3	.....	.....	8.3	.....	16.6	41.5	.....	157.6	.....	8.3	8.3
50	Mercer County	1,021.2	16.6	.....	.....	41.5	16.6	.....	.....	33.2	.....	116.2	8.3	.....	8.3
51	Miller County	1,094.5	35.5	.....	.....	5.9	35.5	.....	59.2	47.3	.....	94.7	5.9	23.7	.....
52	Mississippi County	1,565.0	80.6	47.0	6.7	13.4	6.7	33.6	33.6	20.2	.....	154.5	6.7	13.4	.....
53	Moniteau County	1,134.9	14.1	7.0	.....	.....	.....	.....	14.1	14.1	14.1	91.6	21.1	.....	7.0
54	Monroe County	1,014.8	22.1	.....	.....	.....	.....	5.5	5.5	22.1	5.5	88.2	.....	5.5	5.5
55	Montgomery County	1,071.9	45.2	6.5	.....	38.7	6.5	.....	.....	25.8	6.5	103.3	.....	12.9	6.5
56	Morgan County	1,089.2	46.3	.....	.....	.....	23.2	7.7	23.2	54.1	.....	100.4	7.7	15.4	.....
57	New Madrid County	1,517.7	14.6	151.3	4.9	112.2	4.9	24.4	29.3	14.6	.....	102.5	4.9	19.5	.....
58	Newton County	1,241.3	29.5	11.0	.....	7.4	3.7	14.7	36.8	14.7	3.7	154.7	.....	18.4	7.4
59	Nodaway County	1,115.3	17.6	.....	.....	17.6	.....	10.6	7.1	38.8	.....	109.4	.....	7.1	7.1
60	Oregon County	758.1	47.4	20.3	.....	20.3	6.8	6.8	13.5	13.5	.....	88.0	6.8	.....	6.8
61	Osage County	1,027.7	69.9	.....	.....	35.0	7.0	35.0	41.9	48.9	.....	69.9	7.0	7.0	7.0
62	Ozark County	571.5	25.2	25.2	.....	.....	.....	16.8	8.4	25.2	8.4	109.3	.....	8.4	.....
63	Pemiscot County	1,793.0	19.5	127.0	4.9	136.8	.....	53.7	34.2	4.9	19.5	151.4	.....	9.8	19.5
64	Perry County	1,291.1	53.8	.....	.....	20.2	6.7	53.8	13.4	20.2	20.2	87.4	.....	13.4	6.7
65	Pettis County	827.3	12.5	.....	6.3	.....	6.3	6.3	12.5	56.4	.....	43.9	.....	12.5	.....
66	Phelps County	1,119.4	43.8	12.5	12.5	12.5	.....	.....	18.8	6.3	.....	131.3	.....	18.8	12.5
67	Pike County	1,457.1	36.1	27.1	.....	.....	9.0	4.5	4.5	22.6	4.5	139.8	.....	22.6	9.0
68	Platte County	977.9	35.2	14.1	.....	7.0	7.0	7.0	7.0	28.1	7.0	91.5	.....	7.0	14.1
69	Polk County	1,170.7	51.5	.....	.....	23.4	9.4	.....	51.5	18.7	4.7	135.8	.....	.....	23.4
70	Pulaski County	1,201.9	77.8	.....	.....	25.9	8.6	.....	60.5	34.6	.....	103.8	8.6	17.3	.....

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
46.4	7.1	39.3	39.3	82.1	21.4	142.7	14.3	74.9	14.3	21.4	10.7	82.1	17.8	7.1	128.5	57.1	.....	235.5	46.4	1
66.1	8.8	8.8	52.9	119.0	4.4	141.0	.....	57.3	4.4	8.8	17.6	92.6	13.2	13.2	61.7	79.3	8.8	273.3	13.2	2
18.7	.....	18.7	37.3	37.3	37.3	93.3	.....	130.6	.....	.....	.....	74.7	18.7	18.7	74.7	.....	.....	112.0	112.0	3
34.9	21.8	26.2	65.5	100.5	4.4	131.0	4.4	48.0	8.7	4.4	13.1	91.7	17.5	8.7	69.9	65.5	4.4	231.5	13.1	4
37.6	12.5	6.3	56.3	100.1	6.3	93.9	.....	25.0	6.3	6.3	25.0	75.1	6.3	12.5	68.8	25.0	6.3	187.8	12.5	5
82.3	26.0	8.7	52.0	103.9	4.3	77.9	4.3	30.3	21.6	17.3	4.3	52.0	8.7	21.6	73.6	64.9	8.7	160.2	13.0	6
38.2	6.4	6.4	25.5	44.6	6.4	197.5	19.1	19.1	.....	12.7	.....	44.6	12.7	19.1	95.6	57.3	6.4	152.9	63.7	7
96.0	32.0	8.0	72.0	128.0	24.0	120.0	24.0	24.0	16.0	16.0	.....	32.0	16.0	.....	48.0	48.0	8.0	192.0	.....	8
63.5	24.4	19.5	112.3	229.6	9.8	171.0	.....	53.7	14.7	4.9	24.4	175.8	9.8	9.8	68.4	107.5	24.4	327.3	29.3	9
86.4	33.2	19.9	79.8	126.3	19.9	33.2	6.6	39.9	19.9	13.3	6.6	93.1	13.3	.....	113.0	46.5	19.9	212.7	26.6	10
10.0	.....	.....	60.0	79.9	40.0	70.0	.....	50.0	.....	10.0	10.0	40.0	.....	.....	99.9	89.9	10.0	159.9	10.0	11
74.8	5.0	10.0	69.9	84.8	10.0	54.9	20.0	34.9	29.9	5.0	10.0	69.9	10.0	10.0	44.9	39.9	5.0	234.5	29.9	12
80.6	7.3	7.3	58.6	73.3	14.7	109.9	.....	36.6	7.3	.....	.....	29.3	14.7	7.3	80.6	29.3	7.3	161.2	14.7	13
32.7	19.6	13.1	26.1	78.4	.....	91.5	26.1	.....	.....	19.6	.....	26.1	.....	19.6	26.1	45.7	6.5	143.7	65.3	14
30.6	.....	15.3	15.3	61.1	7.6	22.9	7.6	45.8	.....	7.6	7.6	30.6	7.6	7.6	15.3	7.6	.....	145.1	53.5	15
40.8	23.3	11.7	58.3	17.5	5.8	99.1	5.8	35.0	11.7	17.5	5.8	70.0	11.7	5.8	64.1	40.8	5.8	227.4	29.2	16
24.4	.....	.....	56.9	105.7	.....	89.4	.....	32.5	16.3	.....	.....	32.5	.....	.....	65.0	24.4	.....	252.0	65.0	17
7.5	.....	15.1	22.6	52.7	.....	105.5	7.5	37.7	.....	22.6	.....	22.6	.....	7.5	105.5	22.6	7.5	143.1	37.7	18
36.0	.....	6.0	24.0	30.0	6.0	54.1	6.0	24.0	.....	.....	6.0	30.0	6.0	12.0	6.0	36.0	12.0	78.1	30.0	19
22.3	3.2	44.6	70.1	38.2	28.7	248.6	28.7	184.8	6.4	15.9	3.2	22.3	12.7	35.1	127.5	66.9	.....	213.5	102.0	20
63.9	10.1	3.4	53.8	53.8	37.0	74.0	13.5	63.9	10.1	16.8	30.3	77.3	6.7	3.4	57.2	77.3	13.5	228.7	16.8	21
54.2	31.0	23.2	69.7	46.5	23.2	139.4	23.2	92.9	23.2	7.7	15.5	62.0	7.7	15.5	77.4	69.7	31.0	170.4	7.7	22
67.2	.....	18.3	61.1	110.0	.....	85.6	.....	24.4	18.3	12.2	.....	85.6	6.1	6.1	79.4	55.0	6.1	146.7	.....	23
14.0	7.0	10.5	52.6	91.1	10.5	115.7	10.5	24.5	.....	7.0	7.0	38.6	3.5	.....	63.1	31.5	3.5	182.3	17.5	24
102.3	12.0	12.0	30.1	90.3	6.0	108.3	12.0	18.1	12.0	12.0	6.0	30.1	6.0	.....	54.2	96.3	30.1	198.7	24.1	25
55.0	15.0	10.0	75.1	50.0	15.0	130.1	5.0	55.0	.....	5.0	.....	85.1	25.0	.....	40.0	60.0	20.0	175.1	15.0	26
84.7	7.4	3.7	77.4	151.1	7.4	114.2	22.1	40.5	18.4	11.1	11.1	51.6	3.7	14.7	40.5	62.6	7.4	213.7	36.8	27
58.2	.....	.....	34.9	46.6	11.6	81.5	11.6	34.9	.....	11.6	.....	11.6	11.6	.....	116.4	69.9	11.6	163.0	23.3	28
35.1	14.1	7.0	28.1	168.7	35.1	70.3	14.1	42.2	.....	.....	21.1	77.3	.....	7.0	49.2	35.1	14.1	246.0	21.1	29
52.2	13.0	6.5	52.2	110.9	45.7	84.8	.....	45.7	.....	.....	6.5	143.5	19.6	13.0	32.6	71.8	13.0	261.0	45.7	30
33.4	.....	23.8	33.4	66.8	23.8	114.4	4.8	33.4	.....	.....	4.8	38.1	14.3	19.1	81.1	28.6	4.8	247.9	47.7	31
35.1	.....	23.4	35.1	93.6	.....	210.6	.....	81.9	.....	35.1	23.4	23.4	23.4	.....	70.2	35.1	.....	304.3	58.5	32
57.0	13.6	16.3	84.2	122.2	21.7	95.1	10.9	48.9	8.1	16.3	5.4	81.5	10.9	.....	57.0	84.2	10.9	236.3	10.9	33
35.1	17.5	24.1	32.9	120.6	28.5	79.0	28.5	54.8	4.4	2.2	6.6	65.8	2.2	2.2	92.1	68.0	19.7	199.6	15.4	34
49.7	10.7	7.1	49.7	113.7	28.4	103.0	10.7	71.1	10.7	14.2	21.3	60.4	.....	10.7	117.3	110.2	10.7	177.7	24.9	35
72.8	23.0	11.5	53.6	68.9	15.3	68.9	15.3	42.1	.....	3.8	3.8	76.6	.....	3.8	68.9	42.1	11.5	333.2	15.3	36
48.9	8.1	.....	65.2	73.3	16.3	57.0	8.1	32.6	8.1	8.1	32.6	65.2	.....	16.3	48.9	40.7	.....	252.6	32.6	37
22.9	5.7	22.9	17.2	51.5	11.5	143.1	.....	28.6	5.7	11.5	.....	34.4	.....	11.5	51.5	45.8	5.7	177.5	22.9	38
70.1	16.7	3.3	53.4	106.8	26.7	123.5	6.7	36.7	3.3	20.0	10.0	46.7	3.3	10.0	60.1	66.7	3.3	293.6	26.7	39
50.1	15.4	3.9	53.9	53.9	27.0	138.7	3.9	53.9	3.9	11.6	3.9	57.8	11.6	3.9	69.3	65.5	15.4	169.5	42.4	40
32.5	6.5	13.0	65.1	84.6	26.0	123.6	.....	39.0	.....	13.0	13.0	130.1	6.5	13.0	58.6	45.6	6.5	273.3	39.0	41
29.6	17.8	11.9	41.5	53.3	11.9	77.0	17.8	29.6	17.8	.....	.....	88.9	5.9	5.9	65.2	29.6	11.9	207.4	29.6	42
51.5	4.0	7.9	75.3	134.8	15.9	71.4	4.0	39.6	4.0	4.0	11.9	87.2	7.9	.....	51.5	43.6	23.8	214.1	11.9	43
47.1	15.7	20.9	57.6	78.5	20.9	73.3	5.2	31.4	20.9	26.2	5.2	83.7	.....	5.2	36.6	68.0	5.2	303.6	15.7	44
22.2	.....	.....	14.8	81.3	.....	51.7	.....	22.2	.....	.....	.....	29.6	.....	7.4	73.9	22.2	.....	110.8	81.3	45
68.6	13.1	3.3	62.1	58.8	3.3	94.7	3.3	45.7	3.3	3.3	9.8	68.6	9.8	16.3	62.1	55.5	13.1	199.3	35.9	46
35.0	8.7	26.2	43.7	96.2	35.0	61.2	8.7	96.2	8.7	.....	8.7	26.2	.....	.....	43.7	52.5	8.7	218.7	87.5	47
49.3	9.9	9.9	19.7	59.2	9.9	78.9	19.7	39.4	9.9	9.9	.....	39.4	19.7	.....	49.3	9.9	.....	256.3	19.7	48
91.2	8.3	.....	74.6	116.1	33.2	199.0	66.3	8.3	16.6	8.3	8.3	99.5	8.3	8.3	66.3	74.6	24.9	240.5	16.6	49
8.3	8.3	33.2	8.3	66.4	.....	199.2	16.6	66.4	.....	16.6	33.2	58.1	8.3	8.3	41.5	16.6	8.3	174.3	8.3	50
23.7	5.9	41.4	23.7	65.1	23.7	106.5	11.8	65.1	11.8	5.9	5.9	17.7	17.7	17.7	100.6	59.2	.....	153.8	29.6	51
40.3	6.7	26.9	33.6	33.6	13.4	154.5	26.9	201.5	.....	.....	13.4	40.3	13.4	20.2	114.2	60.5	6.7	248.5	94.0	52
35.2	21.1	14.1	56.4	126.9	42.3	105.7	7.0	21.1	14.1	14.1	14.1	91.6	7.0	7.0	70.5	28.2	7.0	246.7	21.1	53
49.6	16.5	5.5	44.1	66.2	5.5	77.2	11.0	33.1	11.0	27.6	5.5	115.8	5.5	5.5	93.8	44.1	.....	220.6	16.5	54
103.3	6.5	6.5	38.7	90.4	19.4	90.4	.....	58.1	.....	19.4	.....	45.2	6.5	12.9	38.7	64.6	12.9	187.3	19.4	55
54.1	7.7	38.6	61.8	30.9	30.9	108.1	23.2	54.1	.....	7.7	23.2	30.9	.....	.....	54.1	85.0	15.4	146.8	38.6	56
9.8	.....	29.3	24.4	48.8	14.6	136.6	9.8	161.0	14.6	14.6	9.8	29.3	19.5	19.5	117.1	122.0	4.9	209.8	39.0	57
44.2	.....	11.0	47.9	106.8	7.4	151.0	18.4	70.0	3.7	14.7	11.0	81.0	.....	14.7	47.9	73.7	7.4	213.6	14.7	58
74.1	10.6	17.6	60.0	120.0	7.1	123.5	14.1	31.8	14.1	3.5	3.5	70.6	3.5	3.5	74.1	45.9	14.1	190.6	17.6	59
6.8	.....	.....	27.1	47.4	.....	81.2	6.8	67.7	6.8	.....	6.8	60.9	.....	20.3	47.4	13.5	.....	108.3	27.1	60
28.0	.....	21.0	41.9	104.9	14.0	55.9	21.0	48.9	.....	.....	14.0	7.0	.....	7.0	62.9	48.9	7.0	188.8	28.0	61
16.8	.....	.....	8.4	33.6	8.4	16.8	8.4	8.4	.....	8.4	.....	.....	16.8	8.4	25.2	25.2	16.8	58.8	84.0	62
.....	.....	19.5	29.3	14.7	9.8	229.6	.....	219.8	9.8	.....	9.8	29.3	19.5	19.5	83.1	112.4	14.7	268.7	122.1	63
40.3	.....	47.1	47.1	53.8	20.2	121.0	6.7	107.6	6.7	26.9	6.7	74.0	26.9	6.7	87.4	87.4	6.7	215.2	6.7	64
31.3	6.3	6.3	43.9	68.9	6.3	81.5	12.5	6.3	6.3	12.5	.....	62.7	12.5	12.5	43.9	50.1	6.3	163.0	37.6	65
37.5	.....	37.5	43.8	87.5	25.0	50.0	12.5	62.5	6.3	25.0	6.3	118.8	.....	6.3	68.8	31.3	12.5	193.9	25.0	66
103.8	4.5	22.6	72.2	139.8	22.6	108.3	22.6	49.6	9.0	4.5	9.0	90.2	13.5	13.5	81.2	49.6	9.0	275.2	76.7	67
28.1	14.1	.....	35.2	133.7	.....	56.3	.....	7.0	7.0	7.0	.....	77.4	7.0	.....	56.3	49.2	14.1	253.3	7.0	68
32.8	4.7	4.7	37.5	79.6	4.7	117.1	9.4	42.1	.....	18.7	9.4	84.3	.....	4.7	70.2	60.9	4.7	243.5	23.4	69
25.9	.....	34.6	34.6	60.5	.....	121.0	.....	25.9	8.6	.....	.....	43.2	17.3	8.6	77.8	34.6	25.9	302.6	43.2	70

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.														
	MISSOURI—continued.														
1	Putnam County	891.8	7.1			28.5		7.1	7.1	21.4		85.6		21.4	
2	Ralls County	1,031.6	15.4						15.4		7.7	69.3		7.7	7.7
3	Randolph County	1,157.7	19.8	6.6			6.6	19.8	19.8	26.5		105.8		6.6	6.6
4	Ray County	1,197.6	42.8	4.8		28.5		19.0	9.5	23.8	4.8	133.1		28.5	19.0
5	Reynolds County	808.8	41.0	41.0		10.2			41.0	20.5		71.7			
6	Ripley County	1,352.2	45.8	99.3		84.0		7.6	99.3	22.9	7.6	160.4	7.6		7.6
7	St. Charles County	1,286.4	16.2	4.0		36.4	4.0		8.1	24.3	12.1	72.8	8.1	4.0	
8	St. Clair County	942.7	30.8			18.5				18.5	6.2	92.4		18.5	12.3
9	St. Francois County	1,412.5	32.3	5.4	5.4	40.4	8.1	2.7	21.5	16.1	13.5	164.1	10.8	32.3	10.8
10	St. Louis County	1,476.1	23.2	3.5		17.4	9.3	6.9	10.4	22.0	2.3	546.4	2.3	8.1	4.6
11	Ste. Genevieve County	1,203.3	47.0	9.4		28.2			9.4	18.8		188.0			9.4
12	Saline County	1,130.4	20.7		3.5		3.5		6.9	34.6	3.5	134.8	6.9	10.4	17.3
13	Schuyler County	1,040.1	22.6						11.3	101.8		158.3	11.3	22.6	
14	Scotland County	931.4	8.5					8.5		8.5		51.3	17.1		
15	Scott County	1,671.9	51.1	93.6		110.6	4.3	29.8	46.8	12.8	4.3	127.6	12.8	4.3	12.8
16	Shannon County	819.8	52.3	26.2		26.2	34.9	8.7	34.9	8.7		17.4			
17	Shelby County	1,217.3	13.6							40.8		149.6		27.2	6.8
18	Stoddard County	1,965.2	56.8	138.3		127.7	14.2	102.9	49.7	31.9	7.1	170.3	7.1	3.5	3.5
19	Stone County	586.6	42.5	8.5		17.0		8.5	42.5	34.0		51.0			
20	Sullivan County	1,043.9	43.5			48.9		5.4		27.2	5.4	114.2			5.4
21	Taney County	765.5		66.6					33.3			133.1			
22	Texas County	935.9	42.1	4.7		9.4	4.7	9.4	18.7	51.5	9.4	107.6	4.7	4.7	4.7
23	Vernon County	1,488.4	31.6	10.5	3.5			3.5	7.0	28.1	35.1	143.9	3.5	14.0	7.0
24	Warren County	1,251.8	44.3	11.1				22.2	11.1	11.1		77.5		11.1	22.2
25	Washington County	1,085.1	60.3	15.1			7.5	67.8	22.6	30.1		113.0	7.5	7.5	
26	Wayne County	1,397.9	52.7	52.7		85.7		26.4	52.7	79.1	19.8	151.7		6.6	6.6
27	Webster County	1,053.5	74.4	5.7		11.5		11.5	40.1	40.1		114.5	5.7	5.7	
28	Worth County	603.7				12.8				25.7		25.7	12.8		
29	Wright County	999.4	43.5	5.4		32.6		5.4	43.5	27.2		103.2		21.7	5.4
	MONTANA.														
30	Total	872.8	17.5			13.4	7.2	3.8	8.3	3.8	1.7	77.3	4.1	8.3	6.2
31	White	809.1	17.3			10.1	7.6	4.0	8.7	4.0	1.4	49.5	2.2	6.9	5.8
32	Colored	2,141.4	21.6			79.0					7.2	632.4	43.1	35.9	14.4
33	Beaverhead County	885.8					45.8					15.3			15.3
34	Broadwater County	973.6							27.8						
35	Carbon County	901.8	33.9			6.8		6.8	27.1	13.6		33.9			13.6
36	Cascade County	604.8	13.0			6.5			13.0	6.5		26.0		6.5	
37	Chouteau County	674.0	22.3				5.6		27.9			61.3			5.6
38	Custer County	729.5	46.4			26.5	13.3				6.6	26.5	6.6	13.3	6.6
39	Dawson County	715.2	35.8			7.2	7.2	7.2	21.5			28.6			
40	Deer Lodge County	3,348.3										138.1			
41	Fergus County [3]	692.6	16.2			5.4	13.5	8.1	2.7	2.7		37.7			5.4
42	Flathead County [4]	705.7	14.9			24.8				5.0		44.7		5.0	5.0
43	Gallatin County	895.2	27.3			13.7	6.8			6.8		68.3	6.8	27.3	13.7
44	Granite County	793.4				72.1						36.1			
45	Jefferson County	781.0	35.5			17.7						53.2			
46	Lewis and Clark County	613.5	10.6				10.6								
47	Lincoln County	846.6										51.3			
48	Madison County	1,185.0	13.9			41.8	13.9		13.9			97.6			13.9
49	Missoula County [4]	1,009.2	27.0			9.0				9.0		162.2	36.0		9.0
50	Park County	825.5	9.0						9.0			26.9		9.0	9.0
51	Powell County	788.5	16.8				16.8					16.8	16.8		
52	Ravalli County	807.5	8.2			24.7	8.2	16.5	8.2	16.5	8.2	57.7	8.2	8.2	
53	Rosebud County [5]	1,337.2							23.5	11.7	11.7	351.9	11.7	46.9	23.5
54	Sanders County [4]	609.9										76.2			
55	Silver Bow County	1,313.0				5.5	22.1	11.0	5.5		11.0	226.2		44.1	
56	Sweet Grass County	651.7										24.1			
57	Teton County [6]	1,169.2	19.8			109.0		9.9				138.7		9.9	19.8
58	Valley County [7]	1,016.0	20.3			6.8		6.8	13.5	6.8		189.7	20.3	6.8	6.8
	NEW HAMPSHIRE.														
59	Total	1,655.0	13.7			9.4	4.7	10.2	11.7	34.4	2.3	96.9	3.9	9.8	7.0
60	White	1,654.9	13.7			9.4	4.7	10.2	11.7	34.0	2.3	96.3	3.9	9.8	7.0
61	Colored	1,754.4								292.4		584.8			
62	Belknap County	1,542.9	18.0							45.1		63.2		27.1	
63	Carroll County	1,828.1	18.5			12.3			6.2	24.6	6.2	67.7		18.5	12.3
64	Cheshire County	1,377.4				4.9	4.9	24.5		34.3		49.0	14.7	9.8	14.7
65	Coos County	1,422.0	10.7			5.3		5.3	10.7	16.0		74.6		5.3	5.3
66	Grafton County	1,645.5	14.4			4.8		12.0	21.6	33.5		88.6	2.4	7.2	2.4

[1] Exclusive of stillbirths.
[2] Exclusive of municipalities having a population of 10,000 or over in 1910.
[3] Including Meagher, Yellowstone, and Musselshell Counties, the last named formed from part of the other three; separate estimated populations not available.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
35.7	7.1	.....	49.9	92.7	.....	85.6	.....	14.3	7.1	7.1	7.1	57.1	.....	.....	49.9	42.8	.....	199.8	57.1	1
69.3	7.7	7.7	92.4	100.1	7.7	107.8	.....	46.2	7.7	7.7	15.4	123.2	.....	7.7	61.6	30.8	.....	200.2	15.4	2
59.5	.....	.....	52.9	99.2	13.2	52.9	13.2	33.1	6.6	6.6	.....	125.7	19.8	6.6	52.9	99.2	6.6	264.6	26.5	3
47.5	9.5	19.0	57.0	99.8	4.8	109.3	.....	28.5	9.5	9.5	.....	47.5	4.8	19.0	80.8	71.3	4.8	213.9	47.5	4
20.5	.....	61.4	.....	20.5	20.5	102.4	20.5	41.0	30.7	10.2	20.5	20.5	10.2	.....	41.0	30.7	.....	102.4	30.7	5
15.3	15.3	7.6	38.2	45.8	7.6	91.7	15.3	53.5	15.3	.....	7.6	30.6	.....	38.2	107.0	45.8	7.6	206.3	61.1	6
52.6	12.1	.....	60.7	145.6	20.2	93.0	20.2	52.6	4.0	12.1	28.3	84.9	.....	4.0	97.1	101.1	24.3	271.0	12.1	7
61.6	18.5	.....	92.4	73.9	18.5	92.4	18.5	37.0	12.3	12.3	6.2	37.0	12.3	6.2	49.3	24.6	6.2	160.2	6.2	8
29.6	2.7	21.5	53.8	35.0	18.8	134.5	10.8	110.3	5.4	8.1	8.1	113.0	16.1	8.1	94.2	96.9	8.1	231.4	43.0	9
38.2	11.6	5.8	49.8	86.8	30.1	94.9	13.9	48.6	5.8	6.9	9.3	68.3	4.6	6.9	47.5	75.3	26.6	185.2	3.5	10
9.4	9.4	28.2	28.2	56.4	47.0	141.0	18.8	75.2	.....	.....	56.4	75.2	9.4	18.8	47.0	75.2	.....	188.0	9.4	11
41.5	13.8	3.5	51.9	124.4	10.4	83.0	13.8	34.6	3.5	.....	6.9	17.3	.....	6.9	69.1	55.3	3.5	318.0	31.1	12
33.9	11.3	11.3	33.9	79.1	11.3	124.4	11.3	.....	33.9	.....	33.9	33.9	.....	.....	45.2	33.9	.....	180.9	33.9	13
94.0	.....	8.5	51.3	119.6	17.1	51.3	8.5	17.1	.....	17.1	.....	25.6	.....	8.5	42.7	76.9	8.5	247.8	42.7	14
29.8	8.5	17.0	12.8	34.0	46.8	229.7	4.3	136.1	12.8	21.3	34.0	51.1	12.8	12.8	144.6	85.1	.....	208.5	59.6	15
8.7	8.7	8.7	8.7	34.9	.....	26.2	8.7	130.8	.....	.....	8.7	52.3	8.7	26.2	87.2	34.9	.....	104.7	52.3	16
61.2	13.6	6.8	20.4	142.8	6.8	95.2	13.6	6.8	13.6	6.8	6.8	88.4	13.6	6.8	88.4	47.6	13.6	272.0	54.4	17
14.2	3.5	31.9	56.8	31.9	17.7	294.4	24.8	170.3	10.6	14.2	3.5	42.6	7.1	31.9	117.1	53.2	7.1	244.8	74.5	18
8.5	8.5	.....	17.0	17.0	8.5	59.5	.....	17.0	.....	8.5	8.5	8.5	.....	8.5	25.5	25.5	8.5	93.5	59.5	19
59.8	10.9	5.4	38.1	97.9	10.9	70.7	10.9	38.1	5.4	16.3	.....	48.9	16.3	.....	92.4	43.5	10.9	190.3	27.2	20
44.4	11.1	11.1	22.2	11.1	22.2	110.9	.....	33.3	22.2	.....	.....	33.3	.....	.....	22.2	33.3	.....	66.6	88.8	21
46.8	9.4	4.7	51.5	18.7	14.0	65.5	4.7	65.5	4.7	14.0	14.0	32.8	9.4	4.7	37.4	42.1	4.7	191.9	28.1	22
56.2	17.6	14.0	94.8	108.8	35.1	122.9	45.6	17.6	10.5	3.5	7.0	98.3	17.6	7.0	66.7	59.7	10.5	396.7	10.5	23
99.7	33.2	11.1	55.4	77.5	11.1	99.7	33.2	66.5	22.2	22.2	11.1	121.9	.....	22.2	33.2	110.8	.....	188.3	22.2	24
60.3	15.1	15.1	15.1	60.3	15.1	82.9	.....	60.3	7.5	7.5	.....	45.2	15.1	.....	60.3	15.1	7.5	173.3	98.0	25
33.0	.....	26.4	19.8	79.1	26.4	118.7	6.6	105.5	6.6	26.4	.....	39.6	6.6	19.8	46.2	39.6	13.2	184.6	65.9	26
34.4	17.2	17.2	22.9	80.2	5.7	137.4	22.9	11.5	11.5	5.7	.....	63.0	5.7	11.5	22.9	45.8	17.2	183.2	28.6	27
38.5	.....	.....	51.4	51.4	.....	25.7	12.8	25.7	.....	.....	.....	64.2	.....	.....	51.4	12.8	12.8	154.1	25.7	28
32.6	10.9	21.7	27.2	65.2	16.3	108.6	21.7	21.7	5.4	5.4	.....	86.9	10.9	10.9	32.6	27.2	5.4	173.8	27.2	29
27.5	6.9	5.5	27.8	67.0	7.6	77.0	10.0	30.3	10.3	7.9	9.3	38.8	6.9	10.3	65.7	127.2	20.3	145.1	19.9	30
28.9	6.9	5.4	27.8	67.2	7.9	69.0	9.7	30.0	10.1	7.6	9.4	39.0	7.2	9.0	66.8	127.1	20.6	131.1	11.2	31
.....	7.2	7.2	28.7	64.7	.....	237.1	14.4	35.9	14.4	14.4	7.2	35.9	.....	35.9	43.1	129.3	14.4	424.0	194.0	32
76.4	.....	.....	61.1	122.2	.....	91.6	.....	.....	.....	30.5	.....	15.3	15.3	15.3	76.4	91.6	45.8	168.0	.....	33
27.8	.....	27.8	83.4	111.3	.....	55.6	.....	27.8	.....	.....	.....	.....	27.8	.....	27.8	389.4	27.8	139.1	.....	34
27.1	6.8	.....	13.6	74.6	.....	108.5	.....	61.0	6.8	20.3	.....	54.2	.....	27.1	115.3	108.5	6.8	135.6	.....	35
26.0	6.5	.....	6.5	45.5	.....	78.0	13.0	45.5	.....	.....	6.5	6.5	.....	.....	58.5	110.5	26.0	84.5	19.5	36
22.3	.....	.....	22.3	61.3	.....	83.6	5.6	16.7	5.6	5.6	.....	33.4	.....	11.1	55.7	78.0	16.7	105.8	27.9	37
26.5	.....	.....	6.6	46.4	13.3	33.2	6.6	26.5	13.3	6.6	19.9	53.1	13.3	13.3	73.0	106.1	39.8	66.3	19.9	38
14.3	.....	7.2	28.6	7.2	.....	57.2	.....	35.8	14.3	7.2	7.2	28.6	.....	7.2	93.0	93.0	21.5	128.7	57.2	39
34.5	.....	.....	310.7	276.1	.....	34.5	276.1	.....	34.5	.....	.....	103.6	34.5	.....	103.6	34.5	34.5	1,898.5	34.5	40
8.1	5.4	5.4	16.2	40.4	8.1	48.5	.....	24.3	18.9	2.7	5.4	27.0	13.5	5.4	80.9	140.1	29.6	113.2	8.1	41
34.8	.....	5.0	34.8	59.6	5.0	64.6	9.9	9.9	19.9	5.0	5.0	54.7	.....	9.9	49.7	139.1	5.0	94.4	.....	42
27.3	34.2	6.8	34.2	41.0	.....	82.0	20.5	34.2	6.8	.....	27.3	54.7	20.5	6.8	54.7	116.2	6.8	143.5	6.8	43
36.1	.....	.....	144.2	72.1	.....	108.2	.....	36.1	.....	.....	36.1	36.1	.....	.....	.....	36.1	.....	180.3	.....	44
35.5	17.7	17.7	.....	17.7	.....	71.0	35.5	.....	.....	17.7	.....	35.5	17.7	.....	71.0	230.7	17.7	88.7	.....	45
31.7	10.6	10.6	10.6	179.8	10.6	42.3	21.2	31.7	.....	.....	10.6	21.2	.....	.....	.....	105.8	.....	95.2	10.6	46
77.0	.....	.....	.....	102.6	.....	51.3	.....	.....	.....	.....	.....	51.3	.....	51.3	51.3	205.2	102.6	102.6	.....	47
55.8	69.7	27.9	41.8	153.4	.....	111.5	13.9	55.8	27.9	13.9	.....	83.6	.....	13.9	125.5	41.8	.....	111.5	41.8	48
27.0	9.0	9.0	9.0	45.1	9.0	90.1	.....	27.0	.....	.....	.....	27.0	.....	9.0	63.1	216.3	18.0	126.1	72.1	49
26.9	9.0	9.0	35.9	62.8	26.9	71.8	9.0	44.9	.....	17.9	26.9	44.9	.....	17.9	80.8	152.5	17.9	107.7	.....	50
33.6	.....	.....	117.4	134.2	.....	134.2	16.8	.....	16.8	.....	.....	.....	.....	.....	50.3	134.2	16.8	67.1	.....	51
57.7	16.5	8.2	33.0	82.4	8.2	33.0	.....	8.2	33.0	.....	8.2	24.7	16.5	.....	65.9	74.2	8.2	156.6	8.2	52
11.7	.....	.....	23.5	82.1	.....	93.8	11.7	11.7	11.7	23.5	11.7	.....	.....	58.7	.....	105.6	.....	328.4	82.1	53
.....	.....	.....	76.2	101.7	.....	25.4	25.4	.....	.....	.....	.....	.....	.....	.....	50.8	101.7	25.4	127.1	.....	54
27.6	.....	11.0	11.0	93.8	44.1	115.8	11.0	66.2	.....	16.6	38.6	99.3	16.6	5.5	66.2	226.2	22.1	115.9	.....	55
24.1	.....	.....	24.1	48.3	.....	72.4	.....	.....	.....	.....	.....	48.3	.....	48.3	96.5	96.5	24.1	144.8	.....	56
19.8	.....	.....	9.9	49.5	19.8	89.2	.....	9.9	19.8	19.8	9.9	19.8	.....	9.9	49.5	148.6	59.5	247.7	79.3	57
27.1	.....	6.8	13.5	33.9	.....	155.8	6.8	81.3	6.8	13.5	.....	47.4	6.8	.....	61.0	67.7	6.8	162.6	40.6	58
105.5	23.1	17.6	133.3	202.4	32.8	139.1	19.5	48.8	7.0	11.7	13.7	115.7	2.7	9.8	73.9	82.1	13.3	386.9	12.1	59
105.7	23.1	17.6	133.4	202.3	32.9	139.3	19.6	48.9	7.0	11.7	13.7	115.0	2.7	9.8	74.0	82.2	13.3	387.4	12.1	60
.....	.....	.....	.....	292.4	.....	.....	.....	.....	.....	.....	.....	584.8	.....	.....	.....	.....	.....	.....	.....	61
108.3	.....	18.0	126.3	243.6	36.1	126.3	9.0	9.0	.....	9.0	18.0	117.3	.....	9.0	18.0	45.1	27.1	460.2	9.0	62
117.0	18.5	.....	98.5	289.3	18.5	160.0	6.2	18.5	12.3	30.8	6.2	117.0	6.2	.....	73.9	117.0	18.5	535.5	18.5	63
186.3	24.5	19.6	117.6	122.5	34.3	132.3	29.4	34.3	.....	.....	4.9	112.7	4.9	.....	73.5	58.8	9.8	250.0	4.9	64
47.9	10.7	32.0	69.2	255.6	47.9	127.8	26.6	32.0	16.0	21.3	16.0	111.8	5.3	16.0	95.9	42.6	10.7	298.2	5.3	65
93.4	26.3	16.8	126.9	131.7	19.2	136.5	24.0	45.5	9.6	14.4	19.2	100.6	2.4	12.0	55.1	105.4	12.0	493.4	14.4	66

[4] Including part of Flathead Indian Reservation.
[5] Including part of Crow Indian Reservation.
[6] Including Blackfeet Indian Reservation.
[7] Including Fort Peck Indian Reservation.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.														
	NEW HAMPSHIRE—continued.														
1	Hillsborough County	1,748.9	10.1				3.4		10.1	40.3	6.7	124.2	3.4	20.1	10.1
2	Merrimack County	1,904.1	12.6			9.5		31.5	9.5	50.4	3.2	141.9		15.8	9.5
3	Rockingham County	1,723.1	17.1			4.9	22.0	4.9	14.6	51.3		97.6	7.3		7.3
4	Strafford County	1,481.3	19.5			19.5	3.9	7.8	19.5	7.8	7.8	105.3	3.9	7.8	
5	Sullivan County	1,646.2	15.4			41.0		5.1	5.1	20.5		102.6	5.1		10.3
	NEW JERSEY.														
6	Total	1,373.2	11.8	0.8	0.1	8.6	6.5	9.3	20.0	16.3	3.1	142.1	8.9	9.4	8.8
7	White	1,358.5	11.2	0.7	0.1	8.5	6.7	8.8	20.3	16.4	3.2	136.1	8.4	9.1	8.6
8	Colored	1,729.4	27.1	2.7		10.9	2.7	21.7	10.9	13.6		287.8	21.7	19.0	13.6
9	Atlantic County	1,567.3	22.6			7.5	3.8	18.8	22.6	22.6		131.5		15.0	7.5
10	Bergen County	1,072.2	5.8			10 7	3.3	17.3	13.2	9.1	2.5	104.8	12.4	9.9	5.0
11	Burlington County	1,540.9	14.8			14.8	10.3	7.4	13.3	14.8	4.4	135.9	7.4	19.2	11.8
12	Camden County	1,315.4	16.1			14.1	6.0	4.0	10.0	14.1	2.0	172.7	6.0	6.0	14.1
13	Cape May County	1,254.4	4.9			4.9		4.9	19.7	4.9	4.9	68.9	4.9	24.6	14.8
14	Cumberland County	1,660.7	10.4		3.5	6.9	3.5		13.8	10.4	6.9	141.6	13.8	17.3	
15	Essex County	1,574.1	6.8				58.6	15.8	76.7	13.5		214.2	24.8	13.5	6.8
16	Gloucester County	1,417.9	34.1	2.6		31.5		15.8	21.0	5.3	5.3	154.9	5.3	13.1	
17	Hudson County	2,109.1	18.6	2.3		7.0	4.6	9.3	37.1	7.0	4.6	529.0	2.3	4.6	34.8
18	Hunterdon County	1,509.8	3.0	3.0		17.8	5.9	3.0	8.9	17.8	3.0	151.6	3.0	11.9	8.9
19	Mercer County	1,130.1	10.2			6.8	3.4	3.4	17.0	20.4	6.8	101.8	3.4	6.8	3.4
20	Middlesex County	1,264.2	8.1	1.6		3.2	11.4	8.1	17.9	11.4	3.2	95.7	9.7	4.9	9.7
21	Monmouth County	1,432.8	22.3	1.4				4.2	22.3	18.1	4.2	121.4	9.8	9.8	5.6
22	Morris County	1,506.6	4.7			6.3	4.7	14.1	11.0	32.9		139.5	4.7	7.8	9.4
23	Ocean County	1,302.2	9.3	4.7		4.7		14.0	18.7	23.3	4.7	112.0		9.3	4.7
24	Passaic County	1,059.0	7.9			2.6	2.6	5.3	37.1	10.6	5.3	103.3	5.3	2.6	2.6
25	Salem County	1,306.3	22.1			14.7	3.7		14.7	22.1	3.7	117.8	11.0	7.4	14.7
26	Somerset County	1,356.1	20.3					7.6	15.2	20.3	2.5	88.7	17.7	2.5	7.6
27	Sussex County	1,342.4						3.6	3.6	36.2	3.6	101.3	7.2		3.6
28	Union County	1,072.8	4.1	2.1		4.1	4.1	10.4	16.6	24.9		99.4	16.6	6.2	6.2
29	Warren County	1,451.2	6.7			26.8		10.1	16.8	16.8	3.4	83.8	3.4	10.1	16.8
	NEW YORK.														
30	Total	1,578.9	13.1	0.9		7.6	6.6	7.8	8.2	31.9	4.0	123.9	4.5	11.8	8.8
31	White	1,573.1	12.9	0.9		7.7	6.7	7.8	8.3	31.9	4.1	120.3	4.4	11.7	8.7
32	Colored	2,056.6	28.2	3.5		3.5		10.6	7.0	24.7		415.5	10.6	17.6	14.1
33	Albany County	1,654.2	18.0			6.0	21.0	18.0	9.0	21.0		107.9		15.0	15.0
34	Allegany County	1,580.6	14.6			4.9	7.3	7.3	9.8	53.7	9.8	48.8	2.4	4.9	2.4
35	Broome County	1,924.2	3.3			16.4	3.3	6.6		32.9		72.4		6.6	9.9
36	Cattaraugus County	1,377.1	11.8			5.9	7.9	25.6	7.9	19.7	13.8	76.8		5.9	9.9
37	Cayuga County	1,726.1	21.8			15.6	3.1	9.3	6.2	28.0	3.1	99.7		12.5	9.3
38	Chautauqua County	1,544.1	7.0				5.3	15.8	12.3	49.2	8.8	86.1	3.5	10.5	12.3
39	Chemung County	1,683.5	11.3					5.7	17.0	17.0		187.1		22.7	5.7
40	Chenango County	1,689.7				11.3	5.7	5.7	8.5	22.7	2.8	68.0	5.7	22.7	2.8
41	Clinton County	1,285.8	8.2			5.4	5.4	2.7	2.7	51.6	8.2	116.9		10.9	5.4
42	Columbia County	1,665.7	21.8			6.2	3.1		18.6	31.1	3.1	118.1	3.1	12.4	
43	Cortland County	1,689.4	5.7			39.7		22.7	11.3	51.0		51.0	5.7	17.0	11.3
44	Delaware County	1,460.6	17.7	2.2		2.2	2.2	2.2	2.2	66.2	4.4	83.8	11.0	11.0	15.4
45	Dutchess County	2,062.3	20.0	1.7		11.7	15.0	18.4	8.3	33.4	3.3	267.0	1.7	20.0	10.0
46	Erie County	1,330.9	15.2				12.0	4.3	8.7	21.7	4.3	89.2	2.2	9.8	6.5
47	Essex County	1,533.9	23.7				5.9	8.9		23.7		151.3	3.0	14.8	11.9
48	Franklin County	1,743.3	24.2			8.8	2.2	11.0	4.4	26.4	4.4	427.0	8.8	19.8	6.6
49	Fulton County	1,744.3	15.0			7.5		15.0		37.4	7.5	164.7		15.0	
50	Genesee County	1,188.1	11.5				15.3		11.5	61.3	3.8	57.5		7.7	3.8
51	Greene County	1,715.5	26.6			6.7			6.7	30.0		166.6	3.3	10.0	6.7
52	Hamilton County	1,344.0						23.6				47.2	23.6		
53	Herkimer County	1,439.8	9.0			2.2		6.7	4.5	11.2	4.5	85.5	2.2	13.5	
54	Jefferson County	1,505.1	18.7	1.9		5.6	7.5	15.0	1.9	50.6	1.9	63.7	1.9	7.5	5.6
55	Lewis County	1,481.8	4.1						4.1	40.9	16.4	53.2			16.4
56	Livingston County	1,679.9	5.2			7.8	10.5	2.6	5.2	28.8		141.3		13.1	
57	Madison County	1,633.5	12.7			25.5	7.6	22.9	12.7	33.1		71.4		7.6	
58	Monroe County	1,396.8	1.5			6.0	16.4	3.0	19.4	12.0	3.0	141.9	4.5	1.5	16.4
59	Montgomery County	1,583.4	11.4			3.8	11.4	3.8	3.8	26.5		155.3	15.5	11.4	11.4
60	Nassau County	1,281.6	14.8	3.4		14.8	16.0	10.3	9.1	16.0	1.1	86.8	4.6	12.6	3.4
61	Niagara County	1,325.9	21.9				3.1		6.3	34.4		75.1	3.1	15.6	9.4
62	Oneida County	1,463.3	15.2	1.7		8.4	1.7	5.1	6.8	18.6		92.9	3.4	8.4	13.5
63	Onondaga County	1,514.1	9.4			23.6		11.0	15.7	20.4	6.3	117.8	3.1	17.3	6.3
64	Ontario County	1,668.3	12.6				10.1	2.5	2.5	32.7	2.5	93.1	7.5	10.1	10.1
65	Orange County	1,557.4	16.1			9.4	9.4	2.7	12.1	35.0	1.3	146.6	10.8	9.4	4.0
66	Orleans County	1,449.5	15.6				3.1		15.6	15.6		87.1	3.1		12.4
67	Oswego County	1,714.1	8.0			10.6		8.0	5.3	18.6	5.3	98.3	5.3	10.6	13.3

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
110.8	16.8	23.5	171.2	211.5	47.0	134.3	36.9	20.1	6.7	3.4	13.4	100.7	3.4	13.4	107.4	57.1	10.1	412.9	20.1	1
91.4	44.1	15.8	154.5	280.6	34.7	167.1	18.9	126.1	3.2	22.1	31.5	100.9	.....	3.2	53.6	85.1	3.2	372.0	12.6	2
141.6	24.4	17.1	141.6	192.8	46.4	153.8	14.6	39.1	4.9	4.9	4.9	129.4	4.9	9.8	51.3	102.5	26.8	378.3	7.3	3
62.4	19.5	11.7	105.3	202.7	11.7	124.7	.....	78.0	11.7	11.7	11.7	124.7	.....	15.6	116.9	70.2	11.7	276.8	11.7	4
87.2	20.5	20.5	184.6	169.2	30.8	102.6	20.5	35.9	5.1	5.1	5.1	159.0	.....	15.4	97.4	92.3	5.1	369.2	15.4	5
75.0	12.4	8.3	110.4	150.0	16.5	120.0	17.4	73.6	5.1	7.4	11.2	105.9	3.9	6.2	72.9	88.1	13.4	223.5	6.2	6
75.1	12.5	8.0	111.4	148.6	16.5	117.9	17.2	73.6	5.0	7.4	11.6	104.6	3.6	6.1	72.3	88.2	13.7	221.1	5.9	7
73.3	10.9	13.6	86.9	184.6	16.3	171.0	21.7	73.3	5.4	8.1	.....	138.5	10.9	8.1	86.9	86.9	5.4	282.4	13.6	8
63.9	11.3	7.5	90.2	157.9	7.5	109.0	15.0	124.0	3.8	11.3	11.3	109.0	3.8	7.5	116.5	131.5	15.0	315.7	3.8	9
57.8	6.6	7.4	74.3	130.4	12.4	105.6	12.4	53.6	7.4	6.6	12.4	72.6	2.5	4.1	57.8	86.7	21.5	143.6	2.5	10
97.5	4.4	7.4	122.6	162.5	14.8	113.8	19.2	93.1	5.9	4.4	22.2	138.9	4.4	8.9	78.3	87.2	13.3	279.2	8.9	11
60.2	22.1	4.0	88.4	130.5	10.0	106.4	22.1	68.3	.....	4.0	16.1	100.4	6.0	4.0	60.2	84.3	10.0	251.0	2.0	12
54.1	9.8	4.9	132.8	113.1	14.8	73.8	19.7	113.1	9.8	.....	9.8	177.1	4.9	4.9	44.3	68.9	4.9	236.1	.....	13
148.5	20.7	6.9	172.6	210.6	3.5	86.3	6.9	93.2	17.3	24.2	17.3	110.5	3.5	10.4	103.6	89.8	13.8	293.5	.....	14
65.4	9.0	11.3	135.3	137.6	20.3	151.1	15.8	42.8	2.3	4.5	15.8	119.5	.....	4.5	65.4	60.9	13.5	268.4	.....	15
84.0	2.6	2.6	102.4	136.5	18.4	105.0	21.0	81.4	.....	18.4	7.9	131.3	5.3	7.9	86.6	60.4	5.3	244.2	7.9	16
78.9	18.6	27.8	81.2	143.9	30.2	204.2	11.6	92.8	11.6	2.3	27.8	167.1	9.3	2.3	65.0	174.0	16.2	283.1	.....	17
95.1	8.9	5.9	208.0	169.4	8.9	104.0	23.8	44.6	5.9	5.9	3.0	124.8	.....	11.9	53.5	80.2	5.9	303.2	8.9	18
54.3	37.3	.....	98.4	169.7	17.0	115.4	20.4	27.1	3.4	.....	3.4	78.1	.....	.....	44.1	74.7	17.0	183.3	3.4	19
51.9	4.9	13.0	73.0	116.8	22.7	118.5	4.9	170.4	4.9	8.1	8.1	61.7	3.2	9.7	100.6	102.2	21.1	168.8	14.6	20
94.9	15.3	11.2	159.0	186.9	18.1	92.1	16.7	67.0	7.0	14.0	7.0	133.9	9.8	4.2	71.2	54.4	12.6	219.0	19.5	21
80.0	11.0	6.3	105.0	163.0	26.7	164.6	39.2	54.9	1.6	6.3	1.6	122.3	1.6	11.0	65.8	111.3	11.0	288.5	.....	22
93.3	9.3	4.7	154.0	168.0	9.3	98.0	28.0	14.0	4.7	9.3	18.7	130.7	.....	4.7	74.7	56.0	9.3	196.0	14.0	23
47.7	18.5	7.9	63.5	135.0	18.5	111.2	10.6	79.4	7.9	7.9	2.6	53.0	.....	2.6	95.3	98.0	15.9	92.7	5.3	24
88.3	18.4	11.0	106.7	125.1	25.8	99.3	7.4	58.9	3.7	7.4	7.4	77.3	7.4	3.7	92.0	51.5	3.7	264.9	14.7	25
81.1	17.7	2.5	83.6	164.8	20.3	134.3	17.7	73.5	2.5	5.1	5.1	103.9	2.5	10.1	73.5	76.0	12.7	278.8	7.6	26
86.8	7.2	7.2	126.6	155.6	21.7	173.7	18.1	61.5	3.6	3.6	32.6	83.2	10.9	7.2	61.5	104.9	3.6	209.9	3.6	27
72.5	14.5	10.4	111.8	136.7	8.3	101.5	14.5	62.1	2.1	6.2	2.1	95.3	.....	6.2	70.4	58.0	10.4	91.1	4.1	28
50.3	16.8	3.4	147.5	174.3	10.1	144.1	26.8	50.3	.....	6.7	6.7	90.5	6.7	3.4	77.1	144.1	16.8	274.8	6.7	29
93.9	19.5	11.3	136.1	209.7	24.7	133.0	14.1	44.3	6.8	12.1	14.2	118.0	5.1	8.3	72.7	100.8	15.2	307.6	2.5	30
94.6	19.7	11.2	136.4	210.2	24.4	131.6	14.1	43.9	6.8	12.0	14.1	117.6	4.9	8.4	72.5	100.1	15.2	307.5	2.5	31
38.7	3.5	14.1	112.7	172.6	49.3	246.5	17.6	70.4	7.0	17.6	21.1	147.9	17.6	3.5	91.6	154.9	10.6	316.9	7.0	32
98.9	15.0	27.0	128.9	212.8	12.0	179.8	12.0	47.9	6.0	15.0	18.0	155.8	15.0	6.0	68.9	158.8	9.0	236.7	.....	33
119.5	17.1	4.9	117.1	263.4	22.0	124.4	17.1	22.0	14.6	14.6	9.8	112.2	4.9	12.2	61.0	92.7	22.0	361.0	2.4	34
134.9	19.7	32.9	227.0	266.4	36.2	161.2	16.4	46.0	16.4	13.2	26.3	154.6	13.2	9.9	82.2	108.5	9.9	394.7	3.3	35
86.7	21.7	3.9	110.3	256.4	15.8	94.6	15.8	27.6	11.8	13.8	13.8	82.7	5.9	7.9	49.3	94.6	15.8	283.7	.....	36
146.4	34.3	9.3	171.4	211.9	40.5	112.2	18.7	18.7	9.3	9.3	15.6	118.4	.....	6.2	77.9	90.4	59.2	367.7	.....	37
100.1	14.1	8.8	130.0	240.7	21.1	115.9	28.1	28.1	17.6	14.1	22.8	79.0	3.5	3.5	49.2	89.6	17.6	347.8	1.8	38
130.4	28.3	11.3	141.7	249.4	11.3	170.0	17.0	22.7	5.7	5.7	17.0	141.7	5.7	5.7	90.7	73.7	17.0	272.1	.....	39
113.4	28.4	.....	181.4	314.7	25.5	127.6	5.7	19.8	5.7	11.3	17.0	136.1	8.5	8.5	59.5	73.7	14.2	379.9	2.8	40
81.6	8.2	16.3	97.9	163.1	19.0	89.7	21.7	51.6	10.9	8.2	10.9	76.1	2.7	13.6	92.4	81.6	.....	212.0	10.9	41
59.0	15.5	18.6	152.3	264.1	12.4	118.1	18.6	28.0	.....	15.5	12.4	202.0	9.3	6.2	37.3	102.6	21.8	348.1	6.2	42
147.4	22.7	5.7	130.4	215.4	51.0	119.0	22.7	22.7	17.0	17.0	22.7	130.4	.....	11.3	51.0	85.0	17.0	385.5	.....	43
94.9	24.3	11.0	125.8	220.6	28.7	97.1	8.8	26.5	6.6	2.2	15.4	97.1	13.2	11.0	66.2	112.5	8.8	269.2	.....	44
75.1	20.0	11.7	148.5	230.3	36.7	225.2	21.7	68.4	6.7	15.0	15.0	130.1	1.7	8.3	86.8	121.8	13.3	413.8	1.7	45
98.9	17.4	12.0	83.7	195.7	29.4	89.2	15.2	54.4	6.5	8.7	10.9	69.6	1.1	5.4	65.2	113.1	16.3	261.0	3.3	46
56.4	29.7	8.9	86.0	181.0	38.6	127.6	8.9	59.3	17.8	5.9	23.7	89.0	11.9	17.8	100.9	86.0	11.9	326.4	3.0	47
59.4	4.4	15.4	99.0	132.1	26.4	180.5	8.8	105.7	2.2	11.0	4.4	88.0	4.4	11.0	110.1	72.6	13.2	248.7	2.2	48
89.8	.....	22.5	119.8	187.2	37.4	179.7	.....	52.4	.....	.....	15.0	202.1	7.5	15.0	89.8	67.4	7.5	389.3	.....	49
53.7	11.5	15.3	134.1	153.3	26.8	76.7	7.7	23.0	.....	23.0	7.7	61.3	.....	3.8	69.0	69.0	23.0	253.0	3.8	50
79.9	26.6	16.7	216.5	213.2	43.3	119.9	3.3	53.3	3.3	20.0	30.0	139.9	10.0	10.0	60.0	96.6	6.7	309.8	.....	51
47.2	23.6	23.6	117.9	117.9	.....	117.9	.....	.....	23.6	.....	.....	235.8	.....	.....	.....	165.1	.....	353.7	23.6	52
76.5	18.0	13.5	150.7	200.2	27.0	148.5	22.5	36.0	9.0	9.0	13.5	112.5	.....	11.2	96.7	117.0	15.7	218.2	4.5	53
97.5	16.9	5.6	178.1	249.3	18.7	82.5	15.0	22.5	5.6	15.0	18.7	97.5	7.5	9.4	95.6	73.1	18.7	292.4	3.7	54
114.6	4.1	8.2	180.1	233.3	20.5	139.2	12.3	32.7	4.1	28.7	16.4	118.7	4.1	4.1	77.8	98.2	8.2	241.5	.....	55
91.6	26.2	5.2	128.2	238.1	23.5	198.9	7.8	54.9	10.5	2.6	10.5	130.8	2.6	13.1	34.0	125.6	15.7	342.8	2.6	56
96.8	38.2	25.5	165.6	214.1	20.4	124.9	20.4	33.1	5.1	30.6	17.8	81.5	.....	5.1	86.6	76.4	28.0	369.5	.....	57
77.7	19.4	9.0	97.1	203.2	17.9	88.1	10.5	73.2	9.0	10.5	7.5	68.7	1.5	7.5	83.7	113.5	17.9	255.5	.....	58
79.5	15.2	7.6	132.6	219.7	26.5	109.8	11.4	34.1	11.4	.....	.....	166.7	3.8	11.4	60.6	125.0	26.5	280.3	7.6	59
72.0	24.0	5.7	88.0	118.8	20.6	124.5	10.3	64.0	6.9	10.3	16.0	118.8	10.3	8.0	75.4	107.4	10.3	196.5	1.1	60
100.1	12.5	3.1	90.7	237.7	34.4	68.8	6.3	50.0	9.4	3.1	6.3	71.9	9.4	9.4	68.8	90.7	9.4	272.1	3.1	61
106.5	30.4	8.4	113.2	207.8	35.5	155.5	15.2	52.4	1.7	8.4	18.6	108.1	5.1	6.8	72.7	62.5	10.1	268.7	.....	62
103.7	17.3	11.0	131.9	215.2	20.4	117.8	4.7	40.8	3.1	14.1	4.7	97.4	7.9	11.0	73.8	117.8	9.4	279.6	1.6	63
138.4	7.5	17.6	173.6	234.0	15.1	110.7	17.6	20.1	5.0	15.1	12.6	138.4	7.5	12.6	67.9	138.4	7.5	344.7	.....	64
90.1	25.6	12.1	107.6	160.0	28.2	133.1	10.8	61.9	2.7	14.8	18.8	134.5	6.7	5.4	76.7	133.1	22.9	252.8	2.7	65
84.0	34.2	12.4	143.1	168.0	24.9	87.1	12.4	68.4	6.2	21.8	9.3	124.4	9.3	12.4	87.1	93.3	18.7	279.9	.....	66
114.3	29.2	10.6	233.9	260.4	31.9	61.1	13.3	18.6	8.0	5.3	15.9	159.5	.....	10.6	74.4	90.4	10.6	374.7	8.0	67

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.														
	NEW YORK—continued.														
1	Otsego County	1,693.0	12.8						8.5	46.8	6.4	78.7	2.1	19.1	6.4
2	Putnam County	1,641.4	13.5	20.3		13.5	20.3	6.8		47.3		94.6	13.5		
3	Rensselaer County	1,491.2	11.5			2.9	31.7		8.6	40.3		80.6		25.9	5.8
4	Rockland County	1,412.6	6.3	2.1		25.3	6.3	12.7	21.1	19.0	6.3	120.4	4.2	19.0	12.7
5	St. Lawrence County	1,400.3	26.3	1.4		1.4		5.5	2.8	42.9	4.2	99.7	8.3	9.7	4.2
6	Saratoga County	1,601.7	8.1	2.0		18.3		6.1	20.3	32.5		119.9	4.1	12.2	12.2
7	Schenectady County	1,160.4	6.2					25.0	12.5	6.2		131.0			18.7
8	Schoharie County	1,649.7	12.8	4.3					4.3	68.0		85.0		12.8	8.5
9	Schuyler County	1,934.3					7.3	7.3		43.6	14.5	80.0	7.3	7.3	7.3
10	Seneca County	2,152.4	11.2				3.7	11.2	7.4	18.6		212.3		14.9	7.4
11	Steuben County	1,848.1	10.7			1.8	7.1	12.5	3.6	23.2	3.6	76.9		14.3	21.4
12	Suffolk County	2,025.0	9.2	1.0		1.0	4.1	6.1	8.1	36.7	7.1	199.6	6.1	16.3	9.2
13	Sullivan County	1,934.4	23.8	3.0			8.9	11.9	6.0	38.7	8.9	520.8	11.9	3.0	23.8
14	Tioga County	1,704.7	15.8			3.9	3.9	11.8	3.9	47.4	3.9	118.4	7.9	11.8	11.8
15	Tompkins County	1,471.4	5.4			5.4	5.4	5.4		69.6	5.4	69.6		10.7	10.7
16	Ulster County	1,446.0	16.4	6.0		13.4	6.0	3.0	11.9	31.3	4.5	108.9	6.0	11.9	9.0
17	Warren County	1,600.0	11.8			59.0		5.9		29.5		118.1	11.8	5.9	5.9
18	Washington County	1,740.4	29.2			12.5	8.3	4.2		41.7	4.2	96.0	6.3	14.6	8.3
19	Wayne County	1,457.7	7.9	2.0			5.9	13.9	9.9	33.7	7.9	81.2	7.9	11.9	5.9
20	Westchester County	1,547.2	5.5	1.1		8.8	5.5	7.7	12.2	13.3	6.6	182.5	12.2	13.3	14.4
21	Wyoming County	1,392.2	12.5			15.6	6.2	3.1	3.1	43.7		68.7	3.1	12.5	3.1
22	Yates County	1,498.9	5.4					5.4		59.5	16.2	70.3		5.4	10.8
	NORTH CAROLINA.[3]														
23	Total	1,653.2	74.1	25.2	0.5	17.4	2.3	34.8	9.6	18.3	2.7	194.9	5.0	20.1	7.3
24	White	1,320.4	66.9	16.4		15.0	3.4	19.1	10.2	17.1	2.7	123.6	4.1	15.0	4.1
25	Colored	2,329.8	88.8	43.0	1.4	22.2		66.6	8.3	20.8	2.8	340.0	6.9	30.5	13.9
	OHIO.														
26	Total	1,223.2	22.7	1.0	(4)	7.2	5.2	10.5	11.3	28.4	3.8	109.9	5.5	12.2	6.7
27	White	1,213.4	22.6	0.9	(4)	7.2	5.2	10.3	11.4	28.3	3.8	105.6	5.2	11.8	6.7
28	Colored	1,788.4	29.1	4.5		4.5	2.2	22.4	4.5	38.1	2.2	358.6	24.7	31.4	9.0
29	Adams County	1,030.0	20.4			8.1	12.2	12.2	16.3	40.7		150.6	8.1	20.4	4.1
30	Allen County	1,200.4	26.6				3.8		7.6	19.0	3.8	167.1	7.6	11.4	11.4
31	Ashland County	1,254.6	30.2			4.3		8.6	4.3	69.0	8.6	64.7	4.3		8.6
32	Ashtabula County	1,372.3	19.2	2.4			4.8		7.2	55.3		122.6	7.2	14.4	7.2
33	Athens County	1,431.3	22.5			36.8	2.0	28.6	18.4	10.2		161.5	6.1	12.3	4.1
34	Auglaize County	1,084.7	6.4			16.0			16.0	25.6	3.2	118.4	6.4	12.8	12.8
35	Belmont County	1,306.0	25.9			6.1	6.1	9.1	30.5	22.9	6.1	117.3	3.0	9.1	10.7
36	Brown County	1,286.0	45.1	8.2		12.3			4.1	16.4	4.1	176.1	12.3	16.4	4.1
37	Butler County	1,346.6	32.4	4.6		4.6	9.3		9.3	27.8		83.3	4.6	9.3	4.6
38	Carroll County	1,061.9	6.4			6.4			19.2	12.8		57.6	19.2		6.4
39	Champaign County	1,322.4	15.2			3.8	7.6		3.8	19.0		98.8	7.6	26.6	15.2
40	Clark County	1,369.6	10.2			5.1	5.1	5.1	51.1	20.4	5.1	224.9		10.2	10.2
41	Clermont County	1,314.0	13.7				3.4	20.5	6.8	27.3	3.4	150.2	6.8	10.2	6.8
42	Clinton County	1,283.0	25.4					25.4	12.7	59.3	12.7	105.9	4.2	25.4	8.5
43	Columbiana County	1,163.8	17.6			1.8	1.8	10.6	19.4	22.9	3.5	66.9	5.3	8.8	1.8
44	Coshocton County	1,121.9	56.3			33.1	3.3	16.5	9.9	16.5	6.6	89.4	6.6	9.9	13.2
45	Crawford County	1,221.7	17.6	2.9			2.9	11.7	5.9	20.6		94.0	8.8	17.6	2.9
46	Cuyahoga County	1,223.3	9.1			4.5	15.1	13.6	7.6	18.2	1.5	75.7	6.1	6.1	10.6
47	Darke County	1,060.9	11.6			2.3	4.7	7.0	4.7	37.2	2.3	88.4	2.3	7.0	7.0
48	Defiance County	1,207.4	24.7				8.2		16.5	16.5		111.3	4.1	28.8	
49	Delaware County	1,099.8	29.3			7.3	3.7	18.3		25.7		117.3		11.0	
50	Erie County	1,980.2	10.9			5.4	5.4	5.4		16.3	21.8	190.4			5.4
51	Fairfield County	1,060.6	19.1				3.8	7.6	15.3	49.6		83.9	15.3	3.8	3.8
52	Fayette County	1,260.1	9.2			4.6		4.6	13.8	59.8		115.0	4.6	4.6	
53	Franklin County	1,314.8	16.9			16.9		9.7	2.4	29.1	4.8	184.0	2.4	21.8	14.5
54	Fulton County	1,139.3	8.3			8.3	8.3		12.5	29.1	4.2	95.6		20.8	12.5
55	Gallia County	1,734.7	43.2			19.6		7.8	15.7	43.2	7.8	200.2		7.8	7.8
56	Geauga County	1,452.7	6.8					13.6		75.0		68.2		13.6	13.6
57	Greene County	1,335.4	23.7	3.4			3.4	13.6	3.4	47.5	3.4	152.5	3.4	27.1	10.2
58	Guernsey County	1,270.9	28.1	3.1		9.4		34.3	6.2	25.0	9.4	96.8	9.4	25.0	3.1
59	Hamilton County	1,247.7	18.2	5.6			8.4	19.6	12.6	19.6	2.8	120.2	16.8	21.0	2.8
60	Hancock County	849.6	8.8				4.4	30.7		17.5		87.6			4.4
61	Hardin County	1,217.3	19.8				9.9	3.3	6.6	36.3	6.6	168.3	6.6	13.2	9.9
62	Harrison County	1,264.2	26.4					5.3		42.3	5.3	74.1		10.6	10.6
63	Henry County	1,126.5	20.1			8.0				12.1	8.0	88.5		4.0	4.0
64	Highland County	1,280.1	31.7	3.5		7.0	3.5	14.1	3.5	17.6		168.8		17.6	7.0
65	Hocking County	1,133.3	21.2			59.4	8.5	21.2	8.5	29.7	4.2	93.4		17.0	8.5
66	Holmes County	1,213.7	22.6			11.3			5.6	28.2	5.6	73.4	11.3	16.9	5.6
67	Huron County	1,303.9	20.3				2.9			40.7	14.5	92.9	5.8	11.6	
68	Jackson County	1,327.0	29.6			36.2		52.7	19.8	36.2		148.2	3.3	19.8	6.6

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
129.7	14.9	4.3	157.4	259.5	21.3	161.6	12.8	27.6	8.5	17.0	19.1	142.5	8.5	6.4	85.1	112.7	10.6	308.4	4.3	1
108.1	6.8	20.3	135.1	222.9	33.8	168.9	13.5	54.0	13.5	13.5	13.5	114.8	6.8	.....	101.3	155.4	6.8	216.2	6.8	2
83.5	28.8	17.3	161.2	213.0	14.4	135.3	20.2	34.5	5.8	2.9	5.8	132.4	5.8	2.9	66.2	138.2	14.4	198.6	2.9	3
61.2	21.1	12.7	103.5	128.8	25.3	158.4	10.6	33.8	14.8	14.8	19.0	133.0	8.4	14.8	88.7	82.3	12.7	209.0	4.2	4
70.6	9.7	13.9	139.9	191.1	19.4	112.2	5.5	36.0	.....	6.9	6.9	84.5	5.5	5.5	62.3	74.8	11.1	337.9	.....	5
83.3	24.4	10.2	136.2	207.3	20.3	146.3	12.2	58.9	4.1	6.1	4.1	128.1	2.0	6.1	85.4	119.9	12.2	296.8	2.0	6
43.7	.....	6.2	87.3	112.3	31.2	112.3	12.5	56.1	.....	.....	12.5	81.1	6.2	6.2	37.4	162.2	12.5	180.9	.....	7
136.1	21.3	.....	144.6	289.1	29.8	114.8	12.8	25.5	4.3	17.0	29.8	157.3	8.5	.....	63.8	59.5	.....	335.9	4.3	8
152.7	7.3	21.8	196.3	334.5	29.1	123.6	29.1	36.4	7.3	21.8	29.1	116.3	7.3	.....	101.8	87.3	.....	443.6	14.5	9
122.9	37.2	11.2	216.0	372.4	18.6	245.8	3.7	33.5	3.7	14.9	18.6	149.0	.....	7.4	85.6	85.6	11.2	428.2	.....	10
125.1	19.7	14.3	164.4	348.5	23.2	126.9	19.7	21.4	8.9	12.5	17.9	151.9	.....	14.3	85.8	105.5	14.3	396.8	1.8	11
98.8	23.4	8.1	144.6	188.4	23.4	186.4	20.4	53.0	4.1	13.2	15.3	198.6	.....	7.1	49.9	70.3	22.4	590.8	2.0	12
95.2	29.8	11.9	128.0	190 5	23.8	148.8	6.0	35.7	8.9	14.9	20.8	89.3	14.9	6.0	20.8	116.1	8.9	288.7	14.9	13
122.3	7.9	19.7	213.1	201.3	43.4	126.3	7.9	11.8	3.9	19.7	.....	110.5	3.9	3.9	86.8	47.4	39.5	390.7	3.9	14
85.6	16.1	5.4	181.9	214.0	.....	96.3	10.7	21.4	21.4	16.1	.....	139.1	.....	10.7	64.2	91.0	32.1	278.2	.....	15
65.7	19.4	4.5	114.9	174.6	32.8	158.2	19.4	31.3	4.5	20.9	17.9	117.9	1.5	10.4	68.6	94.0	6.0	252.2	3.0	16
106.3	11.8	5.9	159.4	206.6	29.5	147.6	11.8	41.3	.....	17.7	23.6	112.2	11.8	17.7	41.3	70.9	5.9	324.7	5.9	17
75.1	23.0	23.0	164.9	194.1	25.0	217.0	14.6	60.5	4.2	14.6	10.4	160.7	4.2	6.3	85.6	108.5	18.8	302.6	2.1	18
65.4	15.8	9.9	142.6	190.1	19.8	93.1	15.8	19.8	2.0	5.9	25.7	87.1	4.0	7.9	81.2	136.7	25.7	316.9	4.0	19
119.4	11.1	14.4	95.1	132.7	21.0	152.6	23.2	98.4	4.4	11.1	6.6	122.8	3.3	6.6	85.2	129.4	13.3	212.3	1.1	20
90.5	9.4	6.2	143.6	259.1	21.9	96.8	3.1	18.7	3.1	6.2	12.5	65.6	6.2	12.5	46.8	68.7	15.6	330.9	3.1	21
75.8	16.2	.....	173.2	259.7	10.8	129.9	21.6	32.5	16.2	5.4	27.1	97.4	5.4	5.4	75.8	70.3	16.2	286.8	.....	22
54.0	6.4	20.6	69.6	113.0	15.6	129.5	12.8	150.5	13.3	8.7	9.6	76.9	7.8	19.7	85.6	75.0	5.5	297.0	70.0	23
56.0	9.6	22.5	62.8	86.0	9.6	76.5	12.3	138.6	17.8	6.8	6.8	66.9	4.8	17.1	88.8	51.2	6.8	242.4	39.6	24
50.0	.....	16.7	83.3	167.9	27.8	237.3	13.9	174.8	4.2	12.5	15.3	97.1	13.9	25.0	79.1	123.5	2.8	408.0	131.8	25
73.6	14.5	8.5	98.1	152.3	14.3	93.2	10.7	41.7	6.4	9.5	13.3	66.7	6.3	6.9	59.2	79.8	12.6	222.4	8.9	26
73.8	14.4	8.5	98.0	151.6	14.1	92.5	10.7	41.5	6.4	9.6	13.3	65.7	6.2	6.9	59.2	79.3	12.4	221.3	8.8	27
60.5	20.2	9.0	105.3	188.3	26.9	130.0	9.0	51.5	4.5	2.2	13.4	125.5	11.2	6.7	58.3	112.1	20.2	284.6	17.9	28
48.9	12.2	4.1	65.1	89.6	8.1	101.8	16.3	28.5	8.1	8.1	12.2	48.9	.....	16.3	65.1	52.9	4.1	134.3	12.2	29
79.8	19.0	30.4	83.6	121.6	34.2	91.2	3.8	49.4	7.6	19.0	11.4	68.4	3.8	.....	34.2	72.2	.....	205.1	7.6	30
103.5	17.2	8.6	120.7	142.3	12.9	90.5	4.3	30.2	8.6	.....	4.3	94.9	4.3	4.3	34.5	94.9	17.2	250.1	8.6	31
67.3	24.0	12.0	125.0	137.0	19.2	120.2	2.4	33.6	14.4	2.4	24.0	52.9	4.8	4.8	76.9	132.2	19.2	247.5	12.0	32
75.7	10.2	10.2	118.6	141.1	8.2	83.8	14.3	69.5	2.0	18.4	12.3	61.3	2.0	8.2	94.1	124.7	4.1	263.8	6.1	33
73.6	12.8	12.8	99.2	89.6	16.0	86.4	16.0	28.8	6.4	9.6	16.0	80.0	6.4	12.8	67.2	44.8	3.2	179.2	6.4	34
76.2	1.5	16.8	64.0	102.1	10.7	160.0	12.2	93.0	6.1	4.6	12.2	56.4	6.1	13.7	73.1	134.1	12.2	193.5	10.7	35
102.4	20.5	4.1	90.1	163.8	.....	98.3	8.2	41.0	16.4	8.2	12.3	53.2	.....	4.1	45.1	65.5	20.5	225.3	8.2	36
60.2	13.9	9.3	124.9	194.4	13.9	106.4	13.9	46.3	.....	13.9	18.5	78.7	4.6	4.6	64.8	124.9	13.9	249.9	.....	37
83.2	12.8	6.4	96.0	172.7	25.6	76.8	12.8	19.2	.....	6.4	19.2	44.8	12.8	.....	44.8	76.8	6.4	211.1	6.4	38
83.6	15.2	.....	114.0	224.2	11.4	76.0	3.8	19.0	19.0	11.4	15.2	125.4	11.4	7.6	60.8	79.8	15.2	220.4	11.4	39
81.8	20.4	15.3	117.5	138.0	20.4	102.2	10.2	46.0	5.1	10.2	.....	61.3	15.3	.....	51.1	56.2	20.4	245.3	5.1	40
92.1	17.1	3.4	116.0	201.4	6.8	99.0	6.8	41.0	10.2	6.8	34.1	51.2	3.4	10.2	44.4	68.3	17.1	225.3	10.2	41
84.7	8.5	.....	135.5	152.4	4.2	63.5	8.5	25.4	4.2	8.5	12.7	76.2	8.5	.....	42.3	76.2	12.7	279.5	.....	42
65.1	10.6	10.6	77.5	119.7	15.8	100.4	17.6	59.9	5.3	5.3	10.6	107.4	7.0	14.1	45.8	59.9	15.8	243.0	12.3	43
72.8	9.9	13.2	82.7	145.6	13.2	105.9	13.2	33.1	.....	9.9	13.2	49.6	.....	6.6	56.3	66.2	3.3	145.6	19.9	44
126.3	8.8	5.9	138.0	146.8	5.9	64.6	14.7	5.9	11.7	11.7	23.5	70.5	8.8	.....	67.5	96.9	14.7	211.5	2.9	45
63.6	21.2	.....	87.8	201.4	25.7	98.4	18.2	66.6	3.0	10.6	16.7	86.3	1.5	6.1	45.4	101.4	21.2	174.1	6.1	46
76.8	14.0	2.3	81.4	148.9	14.0	48.9	18.6	30.2	7.0	9.3	7.0	51.2	9.3	4.7	65.1	67.5	7.0	211.7	11.6	47
70.1	16.5	12.4	148.3	140.1	4.1	94.8	4.1	16.5	4.1	12.4	4.1	37.1	4.1	12.4	45.3	74.2	24.7	263.7	8.2	48
77.0	3.7	3.7	139.3	121.0	29.3	84.3	18.3	14.7	7.3	11.0	11.0	51.3	11.0	7.3	51.3	51.3	11.0	183.3	.....	49
103.4	10.9	16.3	266.6	467.8	10.9	92.5	16.3	38.1	5.4	16.3	5.4	70.7	5.4	.....	16.3	152.3	32.6	380.8	10.9	50
80.1	26.7	3.8	91.6	171.7	11.4	68.7	11.4	26.7	.....	11.4	11.4	45.8	3.8	.....	64.9	30.5	7.6	183.1	7.6	51
73.6	32.2	18.4	78.2	174.8	9.2	83.0	4.6	59.8	18.4	13.8	9.2	101.2	9.2	.....	87.4	41.4	13.8	216.1	.....	52
72.6	7.3	7.3	99.3	145.3	7.3	82.3	7.3	50.8	2.4	9.7	12.1	87.2	2.4	9.7	48.4	89.6	24.2	239.7	7.3	53
74.8	29.1	4.2	104.0	133.1	12.5	124.7	8.3	16.6	4.2	4.2	.....	54.1	.....	12.5	58.2	91.5	.....	203.8	4.2	54
86.3	15.7	19.6	141.3	211.9	11.8	211.9	3.9	78.5	3.9	7.8	15.7	27.5	3.9	.....	15.7	98.1	15.7	400.3	11.8	55
122.8	13.6	6.8	136.4	238.7	13.6	163.7	6.8	61.4	13.6	6.8	20.5	81.8	6.8	.....	34.1	68.2	.....	265.0	.....	56
94.9	10.2	10.2	118.6	172.9	16.9	71.2	6.8	20.3	6.8	.....	10.2	64.4	6.8	13.6	47.5	71.2	23.7	274.5	3.4	57
78.1	6.2	9.4	90.6	121.8	9.4	84.3	15.6	90.6	9.4	6.2	15.6	56.2	12.5	12.5	71.8	106.2	6.2	199.8	18.7	58
92.2	14.0	12.6	79.6	142.5	43.3	79.6	14.0	41.9	4.2	5.6	18.2	86.6	2.8	1.4	57.3	88.0	16.8	187.2	12.6	59
78.8	4.4	4.4	96.3	61.3	.....	74.4	.....	30.7	8.8	8.8	13.1	56.9	4.4	4.4	43.8	48.2	4.4	153.3	.....	60
56.1	9.9	16.5	62.7	168.3	9.9	92.4	3.3	23.1	13.2	9.9	16.5	85.8	19.8	9.9	56.1	62.7	6.6	191.3	23.1	61
74.1	5.3	.....	100.5	179.8	21.2	100.5	.....	37.0	5.3	10.6	15.9	58.2	.....	5.3	68.8	105.8	21.2	253.9	26.4	62
76.4	24.1	4.0	124.7	116.7	12.1	120.7	20.1	32.2	4.0	16.1	16.1	28.2	8.0	20.1	64.4	60.3	8.0	217.3	8.0	63
59.8	21.1	7.0	102.0	186.4	14.1	52.8	3.5	38.7	7.0	10.6	21.1	66.8	7.0	.....	52.8	45.7	10.6	295.4	3.5	64
59.4	12.7	4.2	59.4	135.8	12.7	72.1	12.7	67.9	4.2	4.2	4.2	55.2	12.7	8.5	80.6	93.4	12.7	140.1	8.5	65
67.7	22.6	.....	90.3	186.3	11.3	79.0	11.3	56.5	22.6	11.3	22.6	73.4	.....	11.3	45.2	56.5	5.6	248.4	11.3	66
90.0	29.0	8.7	95.8	217.8	14.5	72.6	11.6	14.5	5.8	8.7	20.3	90.0	2.9	5.8	55.2	101.6	2.9	255.6	11.6	67
75.7	9.9	16.5	56.0	135.0	9.9	92.2	9.9	75.7	9.9	9.9	9.9	49.4	3.3	6.6	82.3	82.3	13.2	207.4	19.8	68

[3] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

[4] Less than one-tenth of 1 per 100,000.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	OHIO—continued.														
1	Jefferson County	1,142.8	42.6			6.7	9.0	33.6	9.0	17.9		80.7	2.2	17.9	6.7
2	Knox County	1,194.4	23.0				6.6	6.6		32.8	9.8	91.9	3.3	3.3	
3	Lake County	1,577.2	56.3			8.7	21.7	4.3	21.7	47.7	8.7	121.3	13.0		8.7
4	Lawrence County	1,420.9	49.7			19.1		22.9	3.8	22.9		156.6	3.8	34.4	3.8
5	Licking County	1,133.4	16.4			6.6	3.3	13.1		13.1	3.3	101.8		3.3	6.6
6	Logan County	1,274.8	13.3					26.6	3.3	36.6		139.8	10.0	26.6	
7	Lorain County	1,088.7	6.1			3.1	15.3		6.1	27.6		61.3		6.1	9.2
8	Lucas County	1,226.7	24.5	8.2			8.2	8.2	24.5	12.2		110.0	8.2	8.2	
9	Madison County	1,251.3	20.2			5.0	5.0		5.0	20.2	5.0	141.3	5.0	10.1	
10	Mahoning County	1,213.3	23.2				7.7	5.2	59.2	10.3	2.6	87.6	5.2	5.2	10.3
11	Marion County	1,025.2	32.0					6.4		6.4		83.3	6.4	32.0	6.4
12	Medina County	1,214.4	8.4			8.4	8.4	4.2	4.2	29.4	8.4	75.6	4.2	4.2	16.8
13	Meigs County	1,236.9	11.9			11.9		4.0	15.9	15.9	7.9	130.8	4.0	11.9	4.0
14	Mercer County	1,091.8	18.2			3.6	10.9	3.6	14.6	29.1	10.9	98.3	10.9	3.6	3.6
15	Miami County	1,285.2	12.6			3.1	3.1	3.1		15.7		151.2	25.2	9.4	9.4
16	Monroe County	1,083.5	33.5			4.2	12.6	16.7	8.4	29.3		66.9	8.4	20.9	4.2
17	Montgomery County	1,377.7	14.1			2.0	2.0	4.0		26.2	4.0	149.3	2.0	8.1	10.1
18	Morgan County	1,203.1	37.8	6.3			6.3	6.3		44.1		113.4	12.6	18.9	
19	Morrow County	1,210.6	24.0			18.0	6.0			24.0		83.9		30.0	6.0
20	Muskingum County	1,236.6	13.6			20.4	10.2		17.0	84.9	10.2	84.9	3.4	13.6	3.4
21	Noble County	908.3	16.2			16.2	5.4	16.2	27.0	21.6		97.3		16.2	10.8
22	Ottawa County	1,193.2	22.3				4.5	13.4	8.9	8.9	8.9	80.4	4.5	8.9	13.4
23	Paulding County	998.0	40.6	9.0		9.0		4.5	13.5	31.6	4.5	81.3	18.1		4.5
24	Perry County	954.5	27.9			16.7	2.8	5.6	14.0	27.9		106.1	8.4	16.7	14.0
25	Pickaway County	1,404.8	15.4			3.8	7.7	3.8	15.4	49.9	3.8	153.5		15.4	3.8
26	Pike County	1,108.7	25.9						13.0	25.9		226.9		19.5	6.5
27	Portage County	1,317.5	9.9	3.3	3.3		9.9	6.6		29.6	6.6	69.0	6.6	6.6	
28	Preble County	1,102.8	12.6	4.2		4.2		8.4		4.2		109.0		4.2	4.2
29	Putnam County	1,085.6	47.2			3.4			13.5	40.5		107.9	6.7	6.7	13.5
30	Richland County	1,195.7	29.7				7.4		3.7	18.6		89.1	3.7	14.9	7.4
31	Ross County	1,321.8	31.7			4.0	19.8		11.9	35.6		209.8	11.9	4.0	7.9
32	Sandusky County	1,077.2	36.9					2.8	19.8	34.0	2.8	85.0	2.8	11.3	5.7
33	Scioto County	1,299.0	42.2			75.9	21.1	54.8	88.6	29.5		164.5		16.9	16.9
34	Seneca County	1,194.0	16.4			3.3		9.8		26.2		94.9	6.5	16.4	3.3
35	Shelby County	1,131.1	24.3			20.3	12.2	12.2	12.2	32.4	8.1	85.1	4.1	12.2	4.1
36	Stark County	1,443.5	13.5			6.7	4.5	4.5	4.5	20.2	22.5	87.7	4.5	11.2	9.0
37	Summit County	1,392.4	27.2	2.5			17.3	22.3	27.2	22.3	7.4	111.3	4.9	7.4	14.8
38	Trumbull County	1,297.3	30.8	2.4		2.4	7.1	16.6	9.5	37.9	7.1	78.3	2.4	7.1	2.4
39	Tuscarawas County	995.9	8.7			3.5		13.9	13.9	22.6	1.7	52.2	5.2	10.4	8.7
40	Union County	1,223.9	13.8					4.6	4.6	27.5		187.9	9.2	18.3	9.2
41	Van Wert County	963.3	17.3	3.5			3.5		3.5	24.2		86.3	6.9	13.8	3.5
42	Vinton County	1,154.2	31.2			7.8		7.8		46.8		109.2		7.8	7.8
43	Warren County	1,264.1	12.3			4.1	8.2	4.1	12.3	36.9	4.1	119.0	4.1	16.4	4.1
44	Washington County	1,179.9	27.9	6.2		3.1		9.3	6.2	34.2		108.7	6.2	6.2	3.1
45	Wayne County	1,221.1	26.3			2.6	10.5	2.6	18.4	28.9	5.3	63.0	5.3	2.6	7.9
46	Williams County	1,129.7	35.7	4.0		4.0		4.0	7.9	31.7	4.0	63.4		7.9	4.0
47	Wood County	1,068.0	30.6			2.2	4.4	15.3	6.6	21.9	6.6	67.8	2.2	8.8	4.4
48	Wyandot County	1,148.8	33.8	4.8		4.8		14.5	4.8	29.0		82.1	9.7	9.7	
	PENNSYLVANIA.														
49	Total	1,304.5	20.2	0.5	(3)	8.1	7.9	15.1	24.0	17.9	3.6	97.0	4.3	8.7	6.9
50	White	1,298.4	20.0	0.5	(3)	8.1	8.0	14.8	24.3	17.9	3.6	93.4	4.2	8.5	6.9
51	Colored	1,772.3	32.3			3.8		39.9	5.7	17.1	1.9	374.6	13.3	28.5	7.6
52	Adams County	1,306.2	26.2			2.9		8.7		20.4		102.0	5.8	17.5	2.9
53	Allegheny County	1,329.1	19.8			7.2	10.1	22.1	18.7	12.9	3.2	133.0	4.9	9.8	6.3
54	Armstrong County	1,205.6	33.0			2.9	11.5	15.8	41.6	18.6	2.9	68.8	4.3	7.2	7.2
55	Beaver County	1,312.3	39.4			2.9	7.3	17.5	21.9	11.7	2.9	110.8	4.4	21.9	5.8
56	Bedford County	1,100.3	20.6			7.7		2.6	12.9	12.9	7.7	69.6	5.2	5.2	5.2
57	Berks County	1,379.2	21.6			9.1	10.2	5.7	44.3	14.8	2.3	119.4	3.4	5.7	12.5
58	Blair County	1,174.7	12.0			5.1		13.7	13.7	17.1	1.7	56.4	1.7	12.0	6.8
59	Bradford County	1,626.2	44.5			20.4	1.9	14.8	9.3	61.2		59.3	3.7	5.6	9.3
60	Bucks County	1,373.4	23.3	1.3			2.6	5.2	13.0	28.5	1.3	123.1	5.2	15.5	7.8
61	Butler County	1,065.5	24.7			11.4	3.8	20.9	19.0	11.4	3.8	68.5	3.8	9.5	3.8
62	Cambria County	1,175.4	24.2			18.1	5.2	20.7	19.8	6.0	2.6	62.1	4.3	10.4	8.6
63	Cameron County	1,010.8	13.0				25.9	25.9	13.0	64.8		38.9			
64	Carbon County	1,362.6	13.0			3.7	26.0	7.4	39.0	7.4	5.6	79.8	9.3	1.9	7.4
65	Center County	1,181.9	13.8	2.3			11.5	13.8	13.8	18.4	2.3	43.7	2.3	16.1	9.2
66	Chester County	1,500.9	23.6	1.3		6.6	1.3	13.1	9.2	23.6	1.3	135.3	5.3	14.4	2.6
67	Clarion County	1,104.9	32.5	2.7		5.4		5.4	10.8	27.1	2.7	70.4		16.2	
68	Clearfield County	1,027.2	12.1	1.2		3.6		14.6	15.8	9.7	3.6	43.7	2.4	12.1	7.3
69	Clinton County	1,237.7	15.7	3.1			3.1	6.3	6.3	6.3	3.1	81.7	12.6	9.4	6.3
70	Columbia County	1,163.3	8.1			4.0	8.1	12.1	16.2	18.2	2.0	64.6	6.1	2.0	4.0
71	Crawford County	1,373.3	18.6			4.1	4.1	6.2	8.3	31.0	10.3	66.2		14.5	4.1

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
26.9	.....	.....	42.6	73.9	9.0	138.9	15.7	136.7	.....	4.5	9.0	35.9	6.7	15.7	69.5	123.2	6.7	174.8	26.9	1
78.8	9.8	3.3	124.7	203.4	6.6	134.5	19.7	36.1	13.1	19.7	3.3	32.8	6.6	3.3	42.7	59.1	3.3	210.0	6.6	2
95.3	13.0	17.3	112.7	143.0	8.7	190.6	.....	34.7	8.7	26.0	17.3	69.3	8.7	13.0	43.3	164.7	21.7	268.6	8.7	3
64.9	34.4	11.5	72.6	99.3	26.7	137.5	19.1	76.4	7.6	11.5	11.5	53.5	22.9	15.3	76.4	72.6	.....	244.5	45.8	4
75.6	16.4	13.1	88.7	200.4	6.6	69.0	6.6	29.6	.....	9.9	13.1	59.1	6.6	3.3	49.3	85.4	9.9	216.8	6.6	5
106.5	43.3	.....	83.2	179.7	10.0	30.0	20.0	26.6	10.0	6.7	6.7	89.9	10.0	13.3	83.2	56.6	10.0	233.0	.....	6
76.7	15.3	3.1	122.7	141.1	9.2	76.7	6.1	30.7	3.1	6.1	9.2	82.8	3.1	6.1	46.0	92.0	12.3	208.5	3.1	7
44.8	16.3	12.2	89.7	134.5	24.5	142.6	20.4	32.6	.....	12.2	12.2	53.0	8.2	12.2	73.4	110.0	8.2	203.8	4.1	8
141.3	20.2	15.1	75.7	166.5	5.0	85.8	15.1	60.5	5.0	20.2	5.0	50.5	10.1	5.0	55.5	95.9	30.3	171.6	.....	9
56.7	15.5	18.0	77.3	121.1	30.9	141.7	5.2	87.6	.....	10.3	20.6	59.2	7.7	.....	92.7	79.9	20.6	146.8	5.2	10
64.1	12.8	6.4	89.7	102.5	12.8	115.3	.....	25.6	.....	44.9	25.6	44.9	.....	6.4	64.1	51.3	12.8	173.0	.....	11
50.4	21.0	8.4	151.3	218.5	12.6	88.2	8.4	21.0	.....	4.2	4.2	79.8	8.4	12.6	37.8	71.4	12.6	226.9	4.2	12
39.6	.....	7.9	111.0	158.6	27.8	75.3	11.9	35.7	.....	11.9	11.9	43.6	.....	11.9	63.4	75.3	19.8	301.3	11.9	13
61.9	14.6	10.9	87.3	109.2	3.6	65.5	21.8	36.4	10.9	10.9	18.2	72.8	7.3	7.3	83.7	58.2	3.6	192.9	7.3	14
100.8	18.9	6.3	100.8	176.4	15.7	72.4	12.6	31.5	12.6	9.4	22.0	59.8	9.4	6.3	75.6	94.5	22.0	201.6	3.1	15
46.0	8.4	8.4	71.1	133.9	16.7	96.2	12.6	41.8	16.7	12.6	12.6	37.7	4.2	4.2	66.9	37.7	12.6	209.2	29.3	16
64.5	8.1	.....	127.1	207.8	6.1	104.9	2.0	28.2	2.0	8.1	12.1	139.2	2.0	8.1	56.5	68.6	22.2	288.5	.....	17
88.2	18.9	6.3	126.0	176.4	6.3	75.6	6.3	18.9	.....	6.3	12.6	31.5	6.3	6.3	50.4	63.0	31.5	220.5	6.3	18
95.9	12.0	.....	167.8	167.8	.....	71.9	6.0	18.0	.....	6.0	24.0	65.9	.....	.....	53.9	59.9	6.0	251.7	12.0	19
67.9	13.6	.....	112.1	132.5	20.4	95.1	17.0	17.0	6.8	6.8	3.4	95.1	10.2	.....	51.0	61.2	10.2	244.6	10.2	20
54.1	.....	5.4	43.3	135.2	5.4	59.5	5.4	37.8	5.4	10.8	5.4	59.5	.....	.....	59.5	43.3	16.2	124.4	10.8	21
44.7	4.5	13.4	35.8	151.9	26.8	71.5	13.4	17.9	.....	17.9	8.9	62.6	8.9	17.9	89.4	160.9	31.3	232.4	8.9	22
45.2	.....	13.5	54.2	90.3	13.5	90.3	9.0	31.6	4.5	4.5	18.1	76.8	13.5	4.5	58.7	58.7	4.5	180.6	9.0	23
61.4	11.2	8.4	61.4	80.9	11.2	64.2	5.6	33.5	2.8	8.4	11.2	30.7	5.6	11.2	64.2	50.2	14.0	167.5	11.2	24
92.1	19.2	3.8	88.3	134.3	3.8	76.8	7.7	57.6	15.4	15.4	3.8	84.4	11.5	3.8	92.1	134.3	11.5	257.2	19.2	25
25.9	6.5	32.4	110.2	155.6	19.5	84.3	.....	38.9	.....	13.0	6.5	51.9	6.5	.....	58.4	38.9	.....	136.2	6.5	26
62.4	16.4	.....	131.4	193.8	26.3	115.0	6.6	29.6	16.4	9.9	16.4	88.7	.....	3.3	69.0	82.1	9.9	269.4	19.7	27
46.1	29.4	.....	130.0	155.1	12.6	58.7	16.8	16.8	.....	8.4	21.0	88.1	.....	8.4	50.3	37.7	8.4	255.8	8.4	28
50.6	27.0	30.3	84.3	77.5	13.5	80.9	.....	33.7	16.9	13.5	20.2	57.3	6.7	.....	80.9	67.4	6.7	175.3	3.4	29
111.4	7.4	7.4	85.4	189.4	3.7	115.1	18.6	14.9	7.4	3.7	7.4	78.0	3.7	11.1	40.8	70.6	3.7	237.7	3.7	30
87.1	7.9	23.7	110.8	178.1	27.7	87.1	7.9	55.4	4.0	4.0	4.0	91.0	7.9	7.9	39.6	51.4	15.8	154.3	19.8	31
70.9	5.7	5.7	102.1	161.6	17.0	62.4	11.3	14.2	.....	11.3	8.5	48.2	5.7	8.5	51.0	68.0	14.2	209.8	.....	32
59.0	.....	25.3	50.6	97.0	21.1	92.8	8.4	92.8	8.4	4.2	.....	33.7	16.9	.....	63.3	71.7	12.7	126.5	4.2	33
58.9	16.4	9.8	114.5	215.9	3.3	88.3	9.8	19.6	9.8	3.3	16.4	81.8	.....	3.3	75.2	101.4	6.5	183.2	.....	34
56.8	20.3	4.1	93.2	145.9	12.2	89.2	12.2	28.4	8.1	4.1	.....	85.1	8.1	8.1	56.8	68.9	.....	198.7	4.1	35
58.5	13.5	13.5	168.6	206.9	11.2	98.9	9.0	27.0	4.5	13.5	18.0	69.7	13.5	4.5	31.5	69.7	15.7	400.2	6.7	36
59.4	2.5	4.9	106.3	185.5	14.8	108.8	19.8	66.8	4.9	7.4	17.3	91.5	14.8	9.9	66.8	91.5	4.9	239.9	9.9	37
80.6	23.7	4.7	106.7	147.0	21.3	113.8	4.7	59.3	4.7	7.1	14.2	52.2	2.4	7.1	80.6	85.4	26.1	241.9	9.5	38
66.2	17.4	3.5	80.1	121.9	12.2	60.9	12.2	20.9	8.7	15.7	20.9	57.5	5.2	.....	55.7	66.2	8.7	217.6	3.5	39
91.7	4.6	9.2	91.7	146.7	4.6	87.1	9.2	36.7	4.6	4.6	4.6	82.5	4.6	.....	45.8	55.0	.....	261.3	4.6	40
41.4	6.9	.....	76.0	110.5	.....	86.3	10.4	17.3	10.4	6.9	.....	48.3	3.5	10.4	82.9	65.6	6.9	214.1	3.5	41
85.8	23.4	.....	85.8	132.6	39.0	85.8	.....	70.2	7.8	.....	.....	62.4	23.4	7.8	15.6	62.4	7.8	210.6	15.6	42
123.1	28.7	4.1	114.9	164.2	20.5	94.4	4.1	28.7	.....	12.3	8.2	57.5	8.2	4.1	41.0	69.8	8.2	233.9	12.3	43
93.1	24.8	9.3	65.2	189.4	12.4	86.9	18.6	37.3	3.1	6.2	3.1	55.9	.....	3.1	52.8	80.7	12.4	208.0	6.2	44
81.4	15.8	7.9	115.5	139.2	21.0	94.5	5.3	28.9	15.8	10.5	23.6	91.9	7.9	10.5	55.1	55.1	18.4	241.6	7.9	45
71.4	7.9	7.9	67.4	146.7	4.0	63.4	11.9	11.9	4.0	7.9	15.9	55.5	7.9	15.9	67.4	71.4	15.9	301.3	7.9	46
74.4	21.9	8.8	85.4	111.6	10.9	87.5	6.6	48.1	6.6	13.1	24.1	37.2	8.8	6.6	46.0	76.6	8.8	207.9	6.6	47
57.9	29.0	4.8	82.1	149.6	19.3	57.9	19.3	24.1	4.8	.....	24.1	48.3	4.8	9.7	57.9	82.1	33.8	236.5	9.7	48
57.5	10.6	9.0	83.5	116.3	17.7	121.1	19.7	91.1	4.7	8.6	11.0	68.0	5.7	8.8	94.9	106.6	11.0	225.2	19.1	49
57.7	10.7	9.0	83.6	116.4	17.7	120.4	19.7	91.1	4.7	8.5	10.9	67.4	5.7	8.9	94.8	106.3	11.1	224.5	18.9	50
41.8	5.7	9.5	76.1	106.5	17.1	176.9	19.0	93.2	1.9	13.3	15.2	116.0	5.7	3.8	98.9	131.2	7.6	277.6	30.4	51
78.7	20.4	8.7	212.8	163.3	11.7	96.2	8.7	75.8	.....	8.7	5.8	75.8	5.8	5.8	64.1	43.7	.....	227.4	5.8	52
46.8	4.9	9.8	56.3	89.9	21.8	155.7	21.8	127.2	3.7	8.9	18.1	55.1	6.0	6.9	98.2	104.3	9.8	230.0	6.0	53
40.1	5.7	4.3	74.5	113.3	14.3	108.9	22.9	60.2	2.9	5.7	12.9	53.0	4.3	12.9	116.1	103.2	5.7	207.9	22.9	54
61.2	7.3	13.1	68.5	115.2	17.5	122.5	13.1	71.4	5.8	10.2	11.7	42.3	5.8	8.7	122.5	128.3	13.1	218.7	8.7	55
64.4	5.2	2.6	79.9	116.0	10.3	92.8	18.0	41.2	2.6	12.9	10.3	59.3	10.3	7.7	87.6	43.8	.....	255.1	30.9	56
67.1	17.1	12.5	131.9	117.1	20.5	94.4	22.7	67.1	3.4	11.4	9.1	67.1	8.0	6.8	81.9	55.7	30.7	263.8	42.1	57
53.0	13.7	8.5	100.9	90.6	10.3	94.0	13.7	66.7	6.8	5.1	8.5	90.6	3.4	8.5	109.4	83.8	10.3	241.1	15.4	58
111.3	18.5	11.1	148.3	189.1	26 0	140.9	27.8	48.2	11.1	14.8	14.8	120.5	7.4	13.0	72.3	96.4	18.5	289.3	16.7	59
84.2	22.0	9.1	123.1	154.2	13.0	73.8	24.6	54.4	5.2	6.5	13.0	121.8	9.1	2.6	80.3	86.8	20.7	231.9	10.4	60
62.8	7.6	3.8	79.9	112.3	19.0	87.5	13.3	45.7	3.8	5.7	7.6	30.4	1.9	5.7	66.6	68.5	7.6	216.9	38.1	61
40.6	6.0	6.0	31.1	64.7	8.6	138.9	17.3	132.9	5.2	9.5	12.1	48.3	5.2	10.4	146.7	111.3	11.2	167.4	19.8	62
51.8	.....	.....	51.8	116.6	.....	90.7	.....	38.9	.....	13.0	13.0	77.8	.....	.....	51.8	129.6	.....	142.5	51.8	63
48.3	9.3	13.0	79.8	85.4	24.1	146.7	31.6	131.8	3.7	9.3	20.4	59.4	9.3	11.1	120.7	120.7	7.4	213.5	16.7	64
78.2	6.9	18.4	101.2	147.2	16.1	82.8	13.8	16.1	13.8	9.2	16.1	55.2	4.6	9.2	85.1	96.6	4.6	246.0	13.8	65
70.9	11.8	10.5	123.4	185.1	19.7	118.2	23.6	90.6	2.6	7.9	6.6	116.9	3.9	7.9	95.9	93.2	9.2	253.4	11.8	66
62.3	13.5	5.4	81.2	154.4	24.4	75.8	8.1	37.9	10.8	2.7	13.5	67.7	2.7	8.1	86.7	70.4	8.1	184.2	13.5	67
40.1	14.6	10.9	55.9	94.7	8.5	104.4	24.3	75.3	4.9	8.5	1.2	57.1	3.6	12.1	99.6	70.4	8.5	188.2	18.2	68
94.2	18.8	12.6	110.0	147.7	12.6	91.1	9.4	44.0	12.6	15.7	6.3	78.5	9.4	3.1	81.7	97.4	3.1	207.3	28.3	69
48.5	14.1	14.1	115.1	159.5	6.1	111.1	18.2	60.6	2.0	10.1	10.1	64.6	6.1	8.1	99.0	60.6	10.1	175.7	24.2	70
80.7	14.5	10.3	113.8	211.0	18.6	115.8	12.4	24.8	8.3	10.3	16.5	88.9	20.7	8.3	53.8	66.2	20.7	302.0	8.3	71

[3] Less than one-tenth of 1 per 100,000.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	PENNSYLVANIA—continued.														
1	Cumberland County	1,325.1	13.5	4.5			6.7		22.4	29.1	2.2	100.9	2.2	6.7	4.5
2	Dauphin County	1,363.7	10.2			1.7		10.2	47.7	22.2	10.2	168.8	3.4	8.5	10.2
3	Delaware County	1,244.4	6.1			6.1	2.4	8.6	19.6	9.8	2.4	137.2	11.0	15.9	6.1
4	Elk County	1,112.2	11.0			16.6	2.8	41.4	8.3	33.1	11.0	52.4	2.8	2.8	2.8
5	Erie County	1,388.9	20.2	4.0			2.0	10.1	14.2	30.4	8.1	97.2	2.0	12.1	10.1
6	Fayette County	1,350.9	33.9			36.7	2.1	24.2	36.0	6.9	2.8	76.1	3.5	5.5	9.7
7	Forest County	800.9								21.6		10.8			
8	Franklin County	1,790.4	22.7			2.1	4.1	8.3	26.8	14.4	8.3	598.2	4.1	16.5	6.2
9	Fulton County	1,767.1	41.3				10.3	41.3		10.3		144.7		10.3	
10	Greene County	1,056.8	10.4			3.5		27.6	10.4	48.4		103.6	6.9	3.5	10.4
11	Huntingdon County	1,238.7	20.6			5.2	7.7	54.2	15.5	20.6	2.6	77.4	2.6	7.7	15.5
12	Indiana County	1,279.2	27.5	1.4		8.7	5.8	40.5	24.6	15.9	1.4	83.9	8.7	7.2	4.3
13	Jefferson County	1,203.3	42.5			4.7	11.0	28.3	31.5	23.6	1.6	72.4	3.1	11.0	7.9
14	Juniata County	1,330.0	6.7	6.7		33.6	6.7			13.4		120.9	6.7		20.2
15	Lackawanna County	1,603.1	10.4			4.6	12.7	13.8	39.2	20.7	8.1	78.4	8.1	6.9	4.6
16	Lancaster County	1,264.9	12.9			3.7	5.5	9.2	11.0	23.9	3.7	105.8	5.5	5.5	7.4
17	Lawrence County	1,071.7	17.4	2.9		2.9		8.7	29.0	8.7	5.8	63.9	2.9	2.9	2.9
18	Lebanon County	1,217.2	24.5	2.4		7.3	4.9	7.3	29.4	12.2		90.6		7.3	9.8
19	Lehigh County	1,573.0	29.9			11.0	4.7	11.0	44.0	18.9	1.6	111.6	3.1	12.6	4.7
20	Luzerne County	1,401.9	7.8	1.0		10.2	5.4	13.2	44.9	13.2	5.9	96.6	3.9	2.9	5.4
21	Lycoming County	1,056.8	22.4					2.0	20.3	20.3		63.0	2.0	4.1	12.2
22	McKean County	1,146.9	21.2			9.1	3.0	18.2	6.1	18.2	6.1	63.7	3.0	12.1	6.1
23	Mercer County	1,229.0	29.5			16.6	20.3	25.8	11.1	24.0	7.4	66.4	1.8	7.4	3.7
24	Mifflin County	1,259.3	21.2				7.1	3.5	14.1	14.1	3.5	88.2	3.5	10.6	7.1
25	Monroe County	1,368.9	4.3				8.6		25.9	13.0		86.4	4.3	4.3	17.3
26	Montgomery County	1,269.6	21.7			3.9	1.6	6.2	24.0	18.6	4.7	131.1	4.7	10.9	7.0
27	Montour County	1,988.0	47.3						20.3	20.3	13.5	142.0		13.5	6.8
28	Northampton County	1,345.9	16.5			8.2	8.2	15.1	28.8	9.6	6.9	102.9	5.5	4.1	12.3
29	Northumberland County	1,202.2	14.6		1.6	13.0	17.9	6.5	27.6	19.5	1.6	81.2	1.6	6.5	1.6
30	Perry County	1,264.8	33.5				4.2		20.9	8.4		83.8		8.4	16.8
31	Pike County	1,384.7						12.6		25.2		151.1			25.2
32	Potter County	1,414.5	27.0			13.5	10.1	10.1	16.9	40.5	3.4	33.8	6.8	6.8	3.4
33	Schuylkill County	1,498.9	11.4	0.7		14.1	51.8	20.2	38.3	12.8	5.4	74.6	4.0	8.1	6.7
34	Snyder County	1,236.6	29.9					23.9		6.0		107.5		6.0	6.0
35	Somerset County	1,319.5	28.6			4.3	1.4	10.0	27.2	18.6	2.9	42.9	4.3	11.4	5.7
36	Sullivan County	1,251.0							8.9	8.9		71.5		8.9	
37	Susquehanna County	1,449.3	2.7			2.7	5.3	13.3	2.7	42.7	5.3	85.4	2.7		2.7
38	Tioga County	1,260.0	28.5					4.8	4.8	47.5	2.4	45.2	2.4		14.3
39	Union County	1,262.0	12.4				6.2			12.4		87.0	6.2	18.7	
40	Venango County	1,169.2	25.3			22.8	2.5	2.5		30.4	2.5	136.7		20.2	
41	Warren County	1,466.3	17.7			3.5	3.5	7.1	3.5	28.3	3.5	85.0	3.5		7.1
42	Washington County	1,421.3	25.2	0.8		14.5	6.1	19.1	42.0	19.9	1.5	97.9	7.6	9.2	6.9
43	Wayne County	1,294.5	20.6			6.9	6.9	6.9		51.5		109.9	6.9	10.3	10.3
44	Westmoreland County	1,155.6	19.6	0.5		8.4	15.9	14.0	29.5	9.4	3.7	63.6	4.7	8.4	7.5
45	Wyoming County	1,273.8	6.5					19.6	6.5	13.1	6.5	65.3	6.5		6.5
46	York County	1,128.7	15.1	2.2		1.1	1.1	36.7	38.8	9.7	3.2	99.2	1.1	7.5	6.5
	RHODE ISLAND.														
47	Total	1,509.7	4.7	2.8		9.3	14.9	24.2	23.3	13.1	2.8	101.6	14.0	9.3	6.5
48	White	1,505.6	4.7	2.8		9.5	15.2	24.6	23.7	13.3	1.9	98.5	13.3	9.5	5.7
49	Colored	1,773.7									61.2	305.8	61.2		61.2
50	Bristol County	1,650.6	5.5				27.4	27.4	32.9	16.5	5.5	142.6	32.9	5.5	
51	Kent County	1,555.0	20.3			10.2	40.7	40.7	30.5	10.2		81.3	10.2	10.2	10.2
52	Newport County	1,579.4				8.0		24.1	16.0			56.1	8.0	8.0	
53	Providence County	1,438.8	2.4	2.4		14.4	4.8	33.6	31.2	14.4	2.4	100.7	9.6	9.6	9.6
54	Washington County	1,472.5	4.0	8.0		8.0	20.0		4.0	16.0	4.0	104.0	12.0	12.0	8.0
	UTAH.														
55	Total	955.5	17.6		2.7	5.7	10.7	6.5	21.4	6.1	3.8	28.3	0.4	3.8	9.2
56	White	962.5	17.9		2.7	5.8	10.5	6.6	21.8	5.8	3.9	26.1	0.4	3.9	9.4
57	Colored	587.9					20.3			20.3		141.9			
58	Beaver County	865.6	41.2		20.6							61.8			
59	Boxelder County	744.7	20.9			7.0	27.8	7.0	7.0	13.9		20.9		7.0	7.0
60	Cache County	849.4	16.9		4.2	4.2	16.9	12.7	12.7	12.7	4.2	4.2			8.5
61	Carbon County	1,091.9			22.1			11.0	55.1			44.1		11.0	
62	Davis County	927.3					28.7	47.8	19.1	9.6		28.7			9.6
63	Emery County	970.5	28.5		14.3				14.3		14.3	42.8			14.3
64	Garfield County	704.2										27.1			
65	Grand County	909.1					60.6		60.6						
66	Iron County	1,130.4	50.2						25.1	25.1		50.2			
67	Juab County	816.5							9.3	9.3	9.3	46.4		9.3	18.6

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22, (23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other causes. (37)	Ill-defined and unknown. 38	
71.7	24.7	11.2	127.8	152.5	13.5	114.3	17.9	51.6	.....	6.7	9.0	69.5	.....	4.5	91.9	69.5	2.2	275.8	17.9	1
54.5	18.8	1.7	105.7	134.7	10.2	86.9	15.3	80.1	.....	11.9	6.8	66.5	6.8	11.9	76.7	76.7	10.2	276.2	18.8	2
53.9	12.2	2.4	94.3	137.2	6.1	116.4	14.7	61.2	3.7	8.6	9.8	101.7	1.2	7.3	60.0	93.1	12.2	215.6	7.3	3
55.2	8.3	19.3	77.3	77.3	13.8	118.7	19.3	77.3	11.0	2.8	11.0	41.4	8.3	16.6	121.4	93.8	.....	151.8	2.8	4
89.1	14.2	6.1	125.5	190.3	16.2	111.3	16.2	28.3	4.0	26.3	14.2	68.8	6.1	6.1	64.8	107.3	30.4	234.9	18.2	5
39.4	4.2	13.1	36.0	52.6	11.8	178.5	13.8	188.9	5.5	4.8	6.9	41.5	6.9	8.3	129.4	123.2	7.6	209.7	31.1	6
32.5	.....	.....	75.8	86.6	21.6	54.1	10.8	21.6	.....	10.8	10.8	54.1	.....	21.6	75.8	32.5	10.8	238.1	10.8	7
90.8	14.4	10.3	125.8	115.5	20.6	94.9	24.8	61.9	2.1	6.2	4.1	94.9	4.1	8.3	105.2	66.0	2.1	202.1	24.8	8
103.3	10.3	20.7	103.3	165.3	20.7	134.3	.....	93.0	10.3	.....	20.7	82.7	.....	10.3	165.3	62.0	10.3	475.4	20.7	9
76.0	6.9	.....	62.2	86.3	20.7	107.1	3.5	27.6	3.5	10.4	10.4	58.7	3.5	10.4	69.1	38.0	6.9	214.1	17.3	10
69.7	5.2	2.6	111.0	108.4	7.7	116.1	5.2	77.4	5.2	5.2	5.2	77.4	7.7	7.7	80.0	61.9	2.6	242.6	10.3	11
40.5	7.2	8.7	49.2	73.8	26.0	137.5	14.5	107.1	8.7	10.1	13.0	62.2	4.3	15.9	111.4	118.7	11.6	209.8	18.8	12
58.2	4.7	9.4	45.6	103.8	15.7	84.9	11.0	81.8	6.3	9.4	6.3	61.3	7.9	11.0	88.1	141.6	7.9	202.9	7.9	13
40.3	13.4	6.7	100.8	235.1	13.4	120.9	26.9	33.6	.....	6.7	26.9	60.5	6.7	13.4	94.0	87.3	6.7	208.2	13.4	14
27.7	12.7	10.4	77.2	92.2	31.1	194.8	30.0	206.3	1.2	11.5	16.1	70.3	8.1	6.9	103.7	258.2	5.8	225.9	5.8	15
69.9	13.8	9.2	113.1	181.2	12.0	84.6	23.9	47.8	2.8	6.4	7.4	76.4	1.8	9.2	69.0	50.6	10.1	276.9	4.6	16
49.4	8.7	2.9	20.3	81.3	20.3	92.9	14.5	95.8	5.8	8.7	11.6	78.4	8.7	14.5	69.7	104.6	14.5	180.1	40.7	17
58.8	7.3	4.9	117.6	100.4	12.2	68.6	29.4	58.8	2.4	12.2	19.6	75.9	.....	7.3	102.9	58.8	4.9	247.4	31.8	18
55.0	15.7	9.4	160.3	100.6	29.9	136.7	31.4	94.3	9.4	14.1	7.9	73.9	3.1	3.1	125.7	133.6	26.7	270.3	18.9	19
43.4	8.3	7.8	55.1	89.7	24.9	190.2	36.6	152.6	3.4	10.2	11.7	63.4	4.4	15.1	117.0	135.1	5.4	190.7	26.8	20
61.0	18.3	14.2	101.6	117.9	22.4	75.2	16.3	18.3	2.0	8.1	4.1	71.1	10.2	14.2	63.0	67.1	6.1	213.4	6.1	21
45.5	9.1	9.1	57.6	115.3	15.2	94.1	21.2	30.3	9.1	3.0	9.1	60.7	9.1	6.1	91.0	127.4	21.2	242.7	3.0	22
94.1	18.5	7.4	75.7	129.2	12.9	136.5	14.8	29.5	14.8	1.8	20.3	81.2	3.7	5.5	60.9	62.7	11.1	217.7	16.6	23
98.8	3.5	3.5	112.9	165.8	10.6	105.8	14.1	56.4	7.1	10.6	21.2	74.1	7.1	7.1	67.0	91.7	14.1	211.6	3.5	24
86.4	25.9	4.3	133.9	133.9	13.0	120.9	13.0	38.9	8.6	8.6	4.3	82.0	4.3	17.3	82.0	120.9	25.9	263.4	17.3	25
67.5	7.8	10.9	100.0	149.7	17.1	94.6	16.3	70.6	3.1	8.5	10.1	89.2	3.9	7.8	73.7	76.0	11.6	210.2	7.0	26
128.5	40.6	.....	169.0	196.1	27.0	155.5	40.6	60.9	.....	13.5	40.6	74.4	6.8	6.8	67.6	87.9	13.5	554.5	40.6	27
42.5	11.0	13.7	113.9	123.5	26.1	145.4	12.3	94.7	.....	5.5	9.6	78.2	4.1	2.7	122.1	79.6	15.1	215.4	12.3	28
35.7	8.1	6.5	84.5	128.3	11.4	126.7	26.0	73.1	.....	6.5	13.0	66.6	4.9	8.1	94.2	73.1	16.2	211.2	14.6	29
54.4	4.2	4.2	96.3	217.8	4.2	79.6	29.3	29.3	.....	4.2	4.2	113.1	12.6	8.4	67.0	88.0	16.8	242.9	12.6	30
37.8	12.6	.....	151.1	176.2	25.2	100.7	25.2	12.6	.....	12.6	37.8	201.4	.....	12.6	62.9	151.1	.....	138.5	12.6	31
64.1	20.3	10.1	67.5	118.2	16.9	111.4	16.9	30.4	6.8	.....	.....	64.1	16.9	20.3	57.4	314.0	16.9	256.6	33.8	32
46.4	13.4	8.7	80.7	107.6	22.9	125.1	35.6	138.5	10.1	10.8	14.1	76.0	8.7	8.7	122.4	186.9	10.8	205.1	18.2	33
71.7	23.9	11.9	227.0	131.4	11.9	101.6	11.9	47.8	.....	.....	23.9	77.7	.....	11.9	29.9	35.8	6.0	197.1	35.8	34
50.0	1.4	12.9	51.5	75.8	11.4	112.9	10.0	148.7	5.7	5.7	5.7	50.0	8.6	15.7	111.5	183.0	14.3	260.2	27.2	35
44.7	17.9	.....	71.5	116.2	35.7	214.5	8.9	62.6	.....	.....	.....	53.6	8.9	8.9	151.9	116.2	8.9	205.5	26.8	36
58.7	18.7	21.4	125.4	202.9	45.4	101.4	18.7	37.4	2.7	10.7	8.0	96.1	.....	10.7	74.7	120.1	13.3	306.9	10.7	37
80.8	9.5	7.1	92.7	171.2	23.8	80.8	19.0	21.4	16.6	11.9	7.1	76.1	7.1	2.4	52.3	71.3	16.6	330.4	11.9	38
93.3	24.9	18.7	99.5	242.5	24.9	74.6	12.4	12.4	.....	.....	18.7	93.3	6.2	6.2	93.3	37.3	6.2	254.9	.....	39
73.4	12.7	5.1	93.6	131.6	20.2	101.2	2.5	27.8	2.5	10.1	10.1	53.1	2.5	10.1	50.6	50.6	7.6	245.5	15.2	40
67.3	21.3	.....	95.6	127.5	17.7	92.1	10.6	14.2	.....	7.1	7.1	141.7	.....	3.5	67.3	102.7	24.8	481.7	21.3	41
47.4	6.9	7.6	39.8	99.4	28.3	143.7	20.6	151.4	1.5	8.4	7.6	42.8	6.1	6.9	113.2	212.5	9.2	198.8	18.3	42
92.7	13.7	13.7	99.6	164.8	13.7	116.7	6.9	24.0	3.4	17.2	17.2	106.4	3.4	10.3	20.6	54.9	10.3	243.8	30.9	43
46.8	6.1	8.4	44.4	56.1	14.0	102.4	15.0	144.0	4.7	5.1	8.0	36.5	7.5	7.0	98.7	127.7	10.3	162.7	65.0	44
117.6	19.6	6.5	78.4	189.4	6.5	98.0	45.7	13.1	6.5	39.2	6.5	65.3	.....	.....	39.2	84.9	6.5	307.0	13.1	45
52.8	7.5	8.6	102.4	126.1	8.6	89.5	11.9	52.8	4.3	4.3	5.4	64.7	2.2	9.7	90.6	47.4	14.0	201.6	2.2	46
89.5	20.5	9.3	118.4	161.3	30.8	155.7	12.1	93.2	5.6	5.6	15.9	120.3	6.5	9.3	83.0	78.3	11.2	243.4	13.1	47
90.9	20.8	9.5	118.4	160.0	31.2	158.1	12.3	91.9	5.7	5.7	16.1	121.2	6.6	9.5	84.3	73.9	11.4	243.4	12.3	48
.....	.....	.....	122.3	244.6	.....	.....	.....	183.5	.....	.....	.....	61.2	.....	.....	.....	367.0	.....	244.6	61.2	49
115.2	27.4	5.5	104.2	82.3	43.9	170.0	5.5	164.5	5.5	.....	11.0	142.6	5.5	16.5	109.7	71.3	.....	268.7	5.5	50
71.1	30.5	20.3	142.3	182.9	30.5	152.4	20.3	91.5	.....	.....	20.3	182.9	30.5	.....	40.7	50.8	10.2	203.3	10.2	51
72.2	32.1	8.0	136.3	208.5	8.0	136.3	16.0	104.2	8.0	8.0	8.0	72.2	.....	.....	104.2	120.3	.....	368.8	48.1	52
86.3	9.6	14.4	107.9	148.7	33.6	187.0	7.2	81.5	4.8	9.6	14.4	100.7	2.4	9.6	93.5	64.7	16.8	199.0	12.0	53
92.0	24.0	.....	128.0	208.1	28.0	104.0	20.0	56.0	8.0	4.0	24.0	136.0	8.0	12.0	52.0	96.0	16.0	252.1	4.0	54
42.1	11.9	9.6	31.0	75.3	21.0	111.3	15.7	33.3	13.0	13.0	3.4	50.1	4.6	10.7	92.5	85.6	10.7	188.1	16.4	55
42.9	12.1	9.7	31.2	75.6	21.4	112.6	16.0	33.5	12.9	13.2	3.5	50.7	4.3	10.9	94.3	84.2	10.5	191.3	16.8	56
.....	.....	.....	20.3	60.8	.....	40.5	.....	20.3	20.3	.....	.....	20.3	20.3	.....	.....	162.2	20.3	20.3	.....	57
.....	20.6	.....	20.6	82.4	.....	103.1	41.2	41.2	.....	20.6	.....	.....	.....	.....	61.8	144.3	.....	206.1	.....	58
27.8	27.8	.....	13.9	62.6	7.0	69.6	.....	41.8	7.0	20.9	.....	20.9	7.0	.....	62.6	55.7	7.0	167.0	27.8	59
50.7	12.7	12.7	12.7	63.4	.....	88.7	4.2	46.5	16.9	16.9	.....	54.9	4.2	8.5	80.3	42.3	12.7	211.3	12.7	60
.....	.....	11.0	22.1	77.2	22.1	99.3	.....	44.1	11.0	22.1	11.0	33.1	.....	22.1	143.4	242.6	33.1	143.4	11.0	61
76.5	9.6	28.7	28.7	86.0	.....	133.8	9.6	28.7	28.7	19.1	.....	38.2	.....	9.6	86.0	76.5	9.6	114.7	.....	62
42.8	.....	.....	.....	42.8	14.3	199.8	.....	14.3	.....	.....	.....	42.8	.....	42.8	114.2	57.1	28.5	228.3	14.3	63
.....	.....	54.2	.....	108 3	135.4	.....	.....	.....	27.1	.....	.....	27.1	.....	27.1	162.5	54.2	.....	81.3	.....	64
60.6	.....	60.6	.....	.....	.....	60.6	.....	.....	.....	60.6	.....	60.6	.....	.....	.....	303.0	.....	181.8	.....	65
25.1	25.1	.....	25.1	25.1	75.4	200.9	.....	25.1	25.1	.....	25.1	50.2	.....	75.4	75.4	175.8	.....	150.7	.....	66
18.6	9.3	.....	55.7	18.6	18.6	176.3	18.6	9.3	.....	9.3	9.3	27.8	.....	9.3	129.9	111.3	.....	83.5	9.3	67

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES [2]—Continued.														
	UTAH—continued.														
1	Kane County	612.4													
2	Millard County	826.3				16.2			32.4			32.4			
3	Morgan County	794.3	39.7					39.7	39.7	39.7					
4	Piute County	1,053.9							175.6						
5	Rich County	1,119.4													
6	Salt Lake County	939.6	9.7			7.3	12.2	4.9	38.9	2.4	2.4	36.5		4.9	9.7
7	San Juan County	235.9	39.3												
8	Sanpete County	943.2	23.9				11.9	11.9	17.9	6.0				6.0	11.9
9	Sevier County	1,096.9	30.2		10.1		30.2		10.1	10.1		10.1			20.1
10	Summit County	1,316.9	24.8					12.4	37.3			74.5			12.4
11	Tooele County	1,025.9	75.1						37.5			50.0	12.5		
12	Uinta County	926.7	28.1									98.3			
13	Utah County	1,048.9	15.5		2.6	12.9	5.2	2.6	12.9	2.6	5.2	20.7		7.8	15.5
14	Wasatch County	1,049.7	10.6							10.6	21.2	21.2			21.2
15	Washington County	1,061.0	38.6				19.3		57.9			38.6			
16	Wayne County	751.4													
17	Weber County	1,094.9	10.3			41.3	31.0		10.3	20.7	20.7	20.7		10.3	
	VERMONT.														
18	Total	1,554.0	11.2	1.3		10.9	1.3	7.4	5.4	47.1	3.5	88.2	8.3	12.8	6.4
19	White	1,553.6	11.3	1.3		11.0	1.3	7.4	5.5	47.4	3.5	87.6	8.4	12.6	6.4
20	Colored	1,643.7										197.2		65.7	
21	Addison County	1,334.8	20.2					5.1	10.1	35.4	5.1	60.7			
22	Bennington County	1,560.6	18.7	4.7		18.7	4.7	9.4		60.9	9.4	51.6		14.1	4.7
23	Caledonia County	1,620.1	19.1			3.8	3.8	15.2	7.6	26.7	7.6	102.9	11.4	11.4	15.2
24	Chittenden County	1,606.0	4.5	4.5				9.0		36.2	9.0	122.1	4.5	13.6	4.5
25	Essex County	1,355.8	13.7	13.7				27.4		27.4		54.8		27.4	
26	Franklin County	1,626.1	10.1			46.9		10.1	6.7	36.9		124.1	10.1	26.8	3.4
27	Grand Isle County	1,115.0	54.4							27.2		108.8			
28	Lamoille County	1,418.3							7.9	79.2		31.7		7.9	
29	Orange County	1,551.3								69.8	5.4	75.1		16.1	16.1
30	Orleans County	1,412.9	12.8			4.3		4.3	4.3	59.6		72.3	4.3	12.8	8.5
31	Rutland County	1,424.4	14.4			5.7	2.9		11.5	43.1	2.9	94.8	17.2	8.6	
32	Washington County	1,753.3	6.4	3.2				19.2	3.2	35.1		105.4	6.4	19.2	19.2
33	Windham County	1,698.6	14.8			14.8		3.7	3.7	44.5	3.7	118.7	29.7	7.4	
34	Windsor County	1,603.8	3.0			23.6	3.0	3.0	8.9	67.9	3.0	59.1	5.9	8.9	5.9
	WASHINGTON.														
35	Total	815.8	17.1		0.2	5.9	3.9	4.1	9.2	10.0	2.1	78.5	6.5	9.5	3.8
36	White	784.5	15.1		0.2	5.9	4.1	3.3	8.9	10.0	2.2	64.9	6.2	8.7	3.9
37	Colored	1,822.8	80.1			5.0		30.0	20.0	10.0		515.8	15.0	35.1	
38	Adams County	591.6	25.7			8.6	8.6			8.6		51.4	17.1	8.6	
39	Asotin County	864.2	16.3						16.3	16.3		114.1	16.3		
40	Benton County	710.5	58.2			23.3						23.3	11.6		
41	Chehalis County	813.9	21.5			4.3	4.3	4.3		12.9	4.3	56.0	21.5	4.3	
42	Chelan County [3]	916.8	36.4			42.5			6.1	6.1		54.6		12.1	6.1
43	Clallam County [4]	1,015.1					14.5		14.5	29.0		145.0			
44	Clarke County	918.0	3.6			18.1	18.1		3.6	3.6	3.6	79.5	7.2	14.5	18.1
45	Columbia County	710.9								14.2		71.1			
46	Cowlitz County	639.6							15.2	7.6		30.5	7.6		
47	Douglas County	457.9	39.8							19.9		69.7	10.0	10.0	
48	Ferry County [3]	911.0	20.7						41.4			227.7	20.7		
49	Franklin County	436.8										34.9			
50	Garfield County	614.2	47.2								23.6				
51	Grant County	485.7	21.1							21.1		10.6		10.6	21.1
52	Island County	574.1				19.8						79.2	19.8		
53	Jefferson County	981.8					11.6				11.6	115.5			
54	King County	723.4	7.5		1.9	3.8	5.6	7.5	7.5	5.6	3.8	71.4	3.8	11.3	1.9
55	Kitsap County	943.2	15.8			10.5	5.3	5.3	10.5			58.0	5.3	10.5	10.5
56	Kittitas County	992.7	35.6			10.2	10.2	5.1	5.1	5.1		86.5	30.5	5.1	5.1
57	Klickitat County	644.7	9.1						9.1			90.8		18.2	
58	Lewis County	938.5	23.4				2.9	2.9	29.2	5.8		76.0	8.8	11.7	8.8
59	Lincoln County	762.9	16.5			5.5	16.5			5.5	11.0	27.4		16.5	16.5
60	Mason County	1,127.6						18.8				263.1			18.8
61	Okanogan County [3]	835.1							36.0	14.4		180.0			
62	Pacific County	727.5	15.0			15.0			15.0	7.5		60.0	22.5	7.5	7.5
63	Pierce County	1,204.6	2.5				5.0	2.5	2.5	17.3	2.5	104.1	5.0	19.8	2.5
64	San Juan County	705.4										81.4		27.1	
65	Skagit County [5]	830.3	12.9				3.2		6.4	9.7		115.9	3.2	22.5	3.2
66	Skamania County	527.4										33.0			
67	Snohomish County	707.0	24.6			8.2		2.7	5.5	13.6	2.7	68.2	5.5	8.2	2.7

[1] Exclusive of stillbirths. [2] Exclusive of municipalities having a population of 10,000 or over in 1910. [3] Including part of Colville Indian Reservation.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
61.2	61.2											61.2		61.2	61.2	61.2		244.9		1
32.4	16.2	16.2	32.4	32.4	32.4	178.2	16.2	32.4	32.4		16.2	81.0			48.6	48.6		81.0	48.6	2
				198.6		79.4	39.7			39.7						79.4		158.9	39.7	3
58.5			58.5	117.1	58.5	117.1			58.5						58.5	117.1		234.2		4
			53.3			213.2			106.6	106.6		106.6			159.9			319.8	53.3	5
51.1	12.2	9.7	19.5	90.1	29.2	94.9	19.5	56.0	4.9	9.7	2.4	51.1	2.4	4.9	58.4	114.4	19.5	146.0	14.6	6
						39.3	39.3									78.6			39.3	7
95.5	17.9		17.9	95.5	11.9	113.4	11.9	11.9	17.9	6.0	11.9	53.7		11.9	113.4	47.8		185.1	29.8	8
50.3	10.1		30.2	120.8	40.3	150.9	30.2	30.2	10.1	10.1		60.4	10.1	10.1	130.8	100.6		161.0	20.1	9
12.4		24.8	49.7	74.5	12.4	285.7	111.8	37.3				99.4	12.4		49.7	136.7		236.1	12.4	10
12.5	12.5	12.5	50.0	62.6	12.5	25.0		12.5		12.5		50.0		25.0	150.1	162.6	25.0	200.2	25.0	11
28.1			14.0	28.1	14.0	168.5	14.0	28.1	14.0	56.2	14.0	56.2	28.1		84.2	42.1	28.1	168.5	14.0	12
51.8	15.5	7.8	62.2	101.0	25.9	69.9	12.9	28.5	20.7	10.4	2.6	46.6	10.4	7.8	95.8	62.2	7.8	290.1	15.5	13
	10.6	10.6	74.2	42.4	42.4	180.3	10.6	42.4	10.6			31.8	10.6	21.2	180.3	106.0	10.6	148.4	31.8	14
77.2		19.3	19.3	19.3		96.5	57.9	77.2	19.3			19.3			57.9		19.3	405.1	19.3	15
57.8					57.8	57.8				57.8					289.0			231.2		16
41.3	10.3	20.7	41.3	124.0	20.7	103.3		31.0	10.3	10.3		165.3		20.7	103.3	31.0	10.3	185.9		17
100.0	20.2	8.3	131.7	214.4	29.8	132.1	11.2	48.4	12.8	14.7	11.2	104.2	4.2	9.0	75.3	86.2	19.9	310.3	6.1	18
99.9	20.3	8.4	132.4	214.9	29.6	132.4	11.3	48.6	12.9	14.8	11.3	104.7	4.2	9.0	75.7	84.1	19.0	310.5	6.1	19
131.5				131.5	65.7	65.7										526.0	197.2	263.0		20
60.7			141.6	323.6	40.4	70.8	20.2	50.6	5.1	10.1	10.1	106.2	5.1	10.1	50.6	55.6	15.2	222.5		21
103.1	32.8	9.4	220.3	220.3	23.4	89.0	18.7	32.8	14.1	4.7	4.7	103.1		9.4	117.2	70.3	9.4	281.2		22
95.3	19.1	7.6	106.7	194.4	26.7	137.2	19.1	45.7	15.2	11.4	7.6	141.0	7.6	11.4	53.4	91.5	15.2	373.6	15.2	23
81.4	9.0	9.0	86.0	212.6	36.2	167.4	9.0	73.4	4.5	18.1	9.0	99.5	9.0	9.0	108.6	117.6	40.7	294.1	4.5	24
109.6	13.7	13.7	150.6	95.9		54.8	13.7	136.9			13.7	68.5	13.7		82.2	68.5		342.4	13.7	25
87.2	16.8	26.8	103.9	221.3	16.8	117.3	16.8	80.5	16.8	13.4	13.4	100.6	3.4	10.1	130.8	93.9	13.4	261.5	6.7	26
54.4			136.0	108.8	27.2	136.0					27.2	27.2	54.4		27.2	108.8		217.6		27
110.9	31.7		103.0	198.1	95.1	229.8	7.9	39.6	7.9	15.8		103.0			47.5	55.5	7.9	229.8	7.9	28
150.3	42.9	5.4	177.1	214.7	10.7	123.5	10.7	10.7	10.7	32.2	10.7	80.5	10.7	10.7	48.3	75.1	16.1	322.1	5.4	29
97.9	12.8	8.5	144.7	153.2	25.5	136.2		38.3	8.5	21.3	17.0	59.6		8.5	110.7	59.6	12.8	310.7	4.3	30
89.0	14.4	2.9	129.2	178.0	20.1	135.0	5.7	63.2	14.4	11.5	14.4	83.3		11.5	45.9	94.8	5.7	298.7	5.7	31
127.7	16.0	9.6	121.4	236.3	19.2	166.1	16.0	51.1	6.4	16.0		111.8		16.0	73.5	86.2	38.3	418.4	6.4	32
107.6	33.4	11.1	155.8	226.2	33.4	122.4	3.7	33.4	14.8	11.1	22.3	140.9	7.4	3.7	44.5	100.1	40.8	341.2	3.7	33
100.4	26.6	3.0	109.3	251.0	50.2	135.9	8.9	26.6	29.5	20.7	14.8	127.0		5.9	70.9	100.4	23.6	298.3	8.9	34
32.5	8.8	3.9	47.2	74.7	7.7	58.5	7.1	23.0	9.4	8.6	4.5	41.3	4.4	8.5	46.0	110.6	13.5	136.9	18.0	35
33.1	9.0	3.9	48.3	75.5	7.6	54.1	7.0	23.1	9.7	8.9	4.5	41.6	3.9	8.6	47.1	104.3	12.9	133.8	14.0	36
15.0		5.0	10.0	50.1	10.0	200.3	10.0	20.0			5.0	30.0	20.0	5.0	10.0	310.5	30.0	235.4	145.2	37
25.7			17.1	34.3		8.6	8.6	34.3	17.1			60.0	8.6	8.6	94.3	77.2		68.6		38
65.2			81.5	146.7	16.3	16.3		32.6				65.2		16.3		48.9		146.7	48.9	39
	23.3		34.9	69.9		23.3	11.6	23.3	11.6			11.6		11.6	69.9	81.5	23.3	174.7	23.3	40
38.8	8.6	4.3	30.1	73.2		77.5	4.3	12.9	12.9	17.2	4.3	25.8	4.3	4.3	30.1	133.5	12.9	163.6	21.5	41
30.4	6.1		30.4	115.4		24.3	12.1	24.3	24.3		12.1	36.4	12.1		42.5	97.1	6.1	248.9	30.4	42
58.0		14.5	43.5	58.0		43.5		43.5	29.0			14.5	14.5		43.5	116.0		145.0	188.5	43
54.2	14.5	3.6	65.1	90.4	7.2	61.4	7.2	39.8				39.8	3.6	7.2	43.4	112.0	14.5	169.9	14.5	44
28.4			71.1	85.3		56.9	14.2					28.4	14.2	14.2	99.5	42.7	42.7	113.7	14.2	45
15.2	15.2		45.7	60.9	15.2	68.5	15.2	7.6		15.2		7.6			38.1	190.3	7.6	60.9	15.2	46
10.0	10.0	10.0	10.0	19.9		29.9						29.9		19.9	29.9	19.9		99.5	19.9	47
62.1	20.7		41.4	20.7		186.3		20.7							20.7	41.4		82.8	103.5	48
17.5				69.9		69.9		17.5							17.5	122.3	17.5	52.4	17.5	49
47.2	23.6					47.2			23.6	23.6		94.5			94.5	47.2		94.5	47.2	50
21.1			31.7	21.1		31.7		42.2	21.1			21.1	10.6	21.1	21.1	52.8		95.0	10.6	51
59.4			39.6	79.2	19.8	39.6			19.8	19.8		19.8				99.0		39.6	19.8	52
46.2			57.8	115.5	34.7	46.2	23.1					80.9		11.6	69.3	138.6	34.7	150.2	34.7	53
24.4	1.9	3.8	37.6	78.9	5.6	47.0	3.8	24.4	5.6	7.5	5.6	33.8	5.6	7.5	47.0	142.8	22.5	86.4		54
42.2	26.3	10.5	58.0	137.0	5.3	26.3		21.1	10.5	15.8	21.1	73.8		5.3	42.2	105.4	26.3	179.2	5.3	55
40.7	5.1	20.4	30.5	96.7		61.1	5.1	76.4	15.3	5.1	5.1	25.5	15.3	15.3	66.2	173.1		122.2	15.3	56
18.2	9.1		27.2	72.6	18.2	54.5	18.2	27.2		18.2	9.1	36.3			27.2	54.5	18.2	99.9	9.1	57
40.9	17.5	2.9	49.7	70.2	11.7	64.3	8.8	26.3	23.4	8.8	5.8	49.7		14.6	55.5	143.3	17.5	149.1	8.8	58
60.4	22.0	11.0	38.4	71.3	11.0	54.9		11.0	11.0		5.5	43.9		5.5	54.9	87.8	27.4	109.8	22.0	59
18.8	37.6	18.8	75.2	75.2			18.8	18.8		37.6		56.4		18.8	75.2	281.9		75.2	18.8	60
7.2	7.2		36.0	28.8	7.2	100.8	7.2	36.0		21.6		14.4			14.4	136.8	7.2	122.4	57.6	61
22.5	7.5		22.5	60.0	7.5	52.5	22.5	22.5	15.0	7.5		45.0	7.5		52.5	150.0	7.5	67.5	7.5	62
34.7	9.9	2.5	114.0	99.1	9.9	94.2	12.4	9.9	12.4	14.9	2.5	81.8	2.5		34.7	94.2	22.3	359.4	29.7	63
	27.1			54.3	27.1	27.1		27.1		27.1		135.6				108.5		162.8		64
48.3	9.7	6.4	45.1	54.7	16.1	51.5	9.7	32.2	3.2	12.9		35.4		22.5	70.8	138.4	9.7	70.8	16.1	65
				33.0		33.0					65.9				33.0	197.8		98.9	33.0	66
40.9		2.7	43.7	54.6	13.6	51.9		24.6	2.7	10.9	2.7	24.6		10.9	38.2	120.1	19.1	101.0	2.7	67

[4] Including Makah, Ozette, Quillayute, and Hoh Indian Reservations.

[5] Including Swinomish Indian Reservation.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	WASHINGTON—continued.														
1	Spokane County	946.3	8.1			2.7	2.7		24.3	5.4		108.1	5.4	16.2	
2	Stevens County[3]	623.6	18.4			3.7	3.7	3.7	3.7	25.8	3.7	36.9			3.7
3	Thurston County	923.5	16.2			5.4	5.4	5.4	5.4	16.2	10.8	86.4	5.4		
4	Wahkiakum County	59.9													
5	Walla Walla County	517.2	15.2					7.6				53.2		15.2	
6	Whatcom County	722.8	3.7				3.7		3.7	15.0		52.4	7.5	7.5	
7	Whitman County	715.3	20.4			11.7		5.8	8.8	17.5		52.6	2.9	8.8	
8	Yakima County[4]	1,030.3	67.3			10.1		37.0	26.9	13.5	3.4	134.7	6.7	6.7	3.4
	WISCONSIN.														
9	Total	1,085.5	9.5	0.2	0.1	11.0	8.1	9.3	10.3	15.3	3.6	82.1	4.5	10.1	8.6
10	White	1,085.6	9.5	0.2	0.1	11.0	8.1	9.3	10.3	15.4	3.6	81.1	4.4	9.9	8.6
11	Colored	1,072.6	9.2			9.2			9.2		9.2	229.2	18.3	36.7	9.2
12	Adams County	1,083.5	11.8			11.8		23.6	23.6	58.9		94.2		11.8	
13	Ashland County	857.8	28.3			9.4	18.9	9.4	37.7		9.4	75.4			9.4
14	Barron County	942.1	6.8			3.4	3.4		13.7	23.9	6.8	41.0	3.4	6.8	10.2
15	Bayfield County	874.6	6.2			18.7	6.2	31.2	25.0			93.7			
16	Brown County	986.6	3.5			20.8	10.4	6.9	17.4	13.9	3.5	62.5	17.4	6.9	6.9
17	Buffalo County	951.0	12.6			6.3			12.6	37.8		56.7		12.6	12.6
18	Burnett County	959.0					11.2	22.3	44.6	22.3		111.5		33.5	11.2
19	Calumet County	966.7	18.0			18.0	12.0	12.0		6.0		18.0	12.0	18.0	
20	Chippewa County	1,220.1	15.6			3.1	12.4	3.1	31.1	15.6	3.1	133.8		12.4	
21	Clark County	780.0	9.9			13.2	16.5	13.2	13.2	6.6	3.3	23.1		9.9	
22	Columbia County	1,147.4	6.4			22.5	12.9		12.9	45.0	9.6	64.3		9.6	3.2
23	Crawford County	1,029.1		6.2			6.2	6.2		24.8	6.2	68.2		6.2	24.8
24	Dane County	1,151.9	1.9			11.5	13.4	5.8	3.8	13.4	5.8	115.2	5.8	15.4	7.7
25	Dodge County	1,107.7	6.3			14.6	4.2	2.1	6.3	10.4	4.2	54.3	4.2	2.1	8.4
26	Door County	1,098.2	5.4			27.1	10.8	10.8	5.4	10.8		113.6	5.4	10.8	10.8
27	Douglas County	467.4				14.2			28.3			70.8			14.2
28	Dunn County	1,005.6	8.0					4.0	8.0	16.0		83.8	4.0	8.0	8.0
29	Eau Claire County	684.4	7.0						7.0	7.0		34.9		7.0	7.0
30	Florence County	777.0													29.9
31	Fond du Lac County	1,146.0	6.1				9.2	6.1	3.1	21.4		88.9	3.1	3.1	9.2
32	Forest County	1,059.6	28.6			71.6		85.9	14.3			100.2	14.3	28.6	
33	Grant County	1,083.5	15.4			2.6	2.6	12.9	5.1	12.9	5.1	59.2		12.9	5.1
34	Green County	1,165.2	4.7			14.0	4.7	4.7	9.3	14.0		88.6		14.0	
35	Green Lake County	1,058.0						6.5		26.0	6.5	77.9	19.5	6.5	6.5
36	Iowa County	916.0	8.9			4.5	8.9	8.9		13.4	4.5	80.4		4.5	8.9
37	Iron County	949.8	34.3			11.4						91.5		22.9	
38	Jackson County	949.8				11.8				5.9		88.5	5.9	5.9	
39	Jefferson County	1,116.3	20.4		2.9	17.5	11.7	5.8		20.4		87.4	2.9	17.5	11.7
40	Juneau County	1,027.2	10.4			20.8		5.2	5.2	25.9		103.8	5.2		5.2
41	Kenosha County	956.8	8.5			25.6		8.5	17.1		8.5	68.3	8.5	17.1	
42	Kewaunee County	1,303.0				65.8	35.9	12.0	6.0	17.9		95.6	6.0	6.0	
43	La Crosse County	1,145.4					7.4	7.4		7.4		140.4		14.8	14.8
44	Lafayette County	1,003.7				5.0			5.0	15.0		89.9	5.0		10.0
45	Langlade County	943.1	5.8				5.8		5.8	5.8	11.5	34.5		11.5	
46	Lincoln County	939.6	26.2				21.0		15.7	5.2		47.2	5.2		10.5
47	Manitowoc County	952.3	12.5				6.3	12.5	3.1	6.3	9.4	87.7	3.1	12.5	9.4
48	Marathon County	955.0	10.2			15.3	15.3	17.9	12.8	2.6		53.6	5.1	5.1	2.6
49	Marinette County	670.0	5.2			5.2		10.3	10.3			41.2		10.3	10.3
50	Marquette County	1,132.4	18.7					28.1	18.7	65.5	9.4	102.9	9.4	9.4	
51	Milwaukee County	2,254.0	47.4			7.3	7.3	16.4	27.4	5.5	12.8	277.2	18.2	36.5	10.9
52	Monroe County	1,188.0				27.8	10.4	13.9	17.4	6.9	6.9	97.3	6.9	6.9	17.4
53	Oconto County	941.2	7.7			38.6	11.6	27.0	3.9	19.3	3.9	77.2		7.7	11.6
54	Oneida County	1,027.8	8.7			8.7		8.7		8.7		87.1		8.7	8.7
55	Outagamie County	999.9	9.3			9.3	12.3	12.3	3.1		3.1	95.7		12.3	6.2
56	Ozaukee County	927.4	5.9				5.9	5.9	11.7	5.9		82.2	5.9	11.7	5.9
57	Pepin County	1,095.3								66.0		66.0	13.2	13.2	13.2
58	Pierce County	1,163.5	4.6				4.6		4.6	18.4	4.6	59.8	4.6	13.8	32.2
59	Polk County	958.8	9.3			4.7	9.3	9.3		4.7	9.3	93.1	4.7	4.7	9.3
60	Portage County	1,127.1	6.5			9.7	9.7	29.1	25.8	9.7	6.5	125.9	12.9	12.9	22.6
61	Price County	777.3	21.2				42.4			7.1		84.8	14.1	7.1	
62	Racine County	1,295.5	5.8			5.8	5.8		11.6	17.4		75.2		11.6	
63	Richland County	1,060.1	26.8			21.4	10.7		16.1	21.4	5.4	75.0	5.4	10.7	5.4
64	Rock County	1,147.9	3.8			37.9		22.7		11.4	7.6	68.2	7.6	7.6	
65	Rusk County	816.8				26.1	8.7	8.7	8.7	17.4		26.1			8.7
66	St. Croix County	1,085.1	3.9	3.9			3.9		19.4	23.3	3.9	73.9		11.7	7.8
67	Sauk County	1,143.6	9.1			12.2		3.0	6.1	21.3	3.0	39.5		21.3	9.1
68	Sawyer County	951.1	15.3					15.3	15.3			138.1	30.7		
69	Shawano County	925.4	3.1			3.1	9.3	18.7	12.5	3.1	6.2	74.8	3.1	3.1	3.1
70	Sheboygan County	1,101.4	7.0				17.5	17.5	3.5	14.0		55.9		10.5	7.0

[1] Exclusive of stillbirths.

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
32.4	10.8	5.4	59.5	94.6	8.1	89.2	10.8	13.5	5.4	5.4	5.4	67.6	2.7	2.7	40.6	91.9	13.5	197.4	16.2	1
25.8	7.4	.....	48.0	59.0	.....	44.3	11.1	11.1	3.7	14.8	11.1	40.6	11.1	3.7	44.3	81.2	.....	95.9	7.4	2
48.6	5.4	10.8	102.6	86.4	16.2	70.2	21.6	10.8	16.2	21.6	10.8	54.0	5.4	10.8	27.0	86.4	10.8	151.2	.....	3
.....	.....	.....	.....	.....	.....	29.9	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	29.9	4
.....	7.6	.....	.....	30.4	.....	22.8	.....	.....	7.6	7.6	22.8	22.8	15.2	15.2	22.8	76.1	7.6	136.9	30.4	5
41.2	.....	3.7	56.2	67.4	7.5	82.4	3.7	11.2	18.7	7.5	3.7	26.2	.....	18.7	41.2	108.6	15.0	97.4	18.7	6
17.5	8.8	2.9	46.7	70.1	14.6	29.2	.....	38.0	14.6	2.9	.....	32.1	5.8	14.6	81.8	73.0	5.8	105.1	23.4	7
16.8	10.1	.....	26.9	107.7	.....	104.4	6.7	37.0	6.7	3.4	.....	50.5	13.5	6.7	43.8	124.6	20.2	134.7	6.7	8
70.7	13.5	11.9	59.4	114.5	17.0	81.1	14.8	37.3	9.8	10.0	10.8	62.4	5.8	7.1	71.2	58.0	11.2	233.9	12.2	9
70.8	13.6	11.8	59.6	114.9	17.1	80.9	14.9	37.3	9.8	10.0	10.9	62.6	5.6	7.2	71.2	57.9	11.2	234.4	12.3	10
64.2	.....	27.5	36.7	55.0	.....	110.0	9.2	36.7	9.2	9.2	.....	36.7	27.5	.....	73.3	64.2	9.2	165.0	9.2	11
11.8	11.8	11.8	11.8	153.1	11.8	94.2	11.8	70.7	.....	.....	.....	11.8	.....	35.3	47.1	58.9	35.3	259.1	11.8	12
18.9	9.4	18.9	37.7	84.8	.....	75.4	18.9	37.7	.....	.....	.....	9.4	9.4	.....	47.1	132.0	18.9	94.3	47.1	13
47.8	17.1	3.4	47.8	99.0	10.2	85.3	23.9	41.0	20.5	.....	.....	51.2	23.9	20.5	88.7	54.6	6.8	163.8	17.1	14
25.0	.....	18.7	18.7	37.5	6.2	93.7	.....	62.5	.....	.....	.....	18.7	.....	.....	75.0	93.7	6.2	206.1	31.2	15
86.8	10.4	13.9	55.6	72.9	20.8	72.9	13.9	45.2	3.5	10.4	20.8	59.1	3.5	3.5	69.5	10.4	3.5	222.3	17.4	16
88.2	12.6	.....	63.0	88.2	50.4	88.2	6.3	18.9	.....	12.6	12.6	56.7	.....	.....	56.7	37.8	6.3	201.5	.....	17
89.2	11.2	.....	55.8	44.6	11.2	33.5	.....	.....	22.3	33.5	.....	55.8	11.2	11.2	111.5	66.9	.....	122.7	22.3	18
96.1	6.0	6.0	54.0	132.1	12.0	84.1	12.0	12.0	24.0	12.0	12.0	90.1	.....	6.0	48.0	66.0	18.0	162.1	.....	19
84.0	18.7	18.7	40.5	149.4	9.3	90.3	18.7	34.2	31.1	3.1	15.6	37.3	6.2	3.1	84.0	56.0	9.3	264.6	15.6	20
46.3	13.2	16.5	39.7	95.9	9.9	82.6	13.2	13.2	3.3	3.3	6.6	33.1	3.3	6.6	69.4	36.4	.....	175.2	3.3	21
67.5	22.5	12.9	90.0	131.8	6.4	83.6	16.1	12.9	16.1	6.4	25.7	54.6	9.6	3.2	70.7	83.6	6.4	234.6	6.4	22
93.0	.....	12.4	62.0	148.8	31.0	24.8	18.6	18.6	6.2	12.4	18.6	80.6	6.2	6.2	68.2	18.6	6.2	229.4	18.6	23
90.2	15.4	13.4	59.5	119.0	15.4	92.1	23.0	25.0	23.0	5.8	11.5	61.4	5.8	15.4	78.7	40.3	7.7	245.7	3.8	24
104.5	25.1	20.9	77.3	135.8	27.2	48.1	25.1	31.3	6.3	14.6	14.6	77.3	2.1	2.1	64.8	35.5	14.6	255.0	8.4	25
86.6	21.6	5.4	48.7	59.5	16.2	86.6	27.1	43.3	10.8	5.4	16.2	97.4	5.4	5.4	32.5	54.1	.....	254.3	10.8	26
14.2	.....	14.2	14.2	42.5	.....	56.6	.....	14.2	.....	.....	.....	28.3	.....	.....	.....	70.8	.....	70.8	14.2	27
71.8	12.0	.....	23.9	147.7	16.0	103.8	8.0	31.9	23.9	8.0	12.0	59.9	16.0	4.0	63.8	35.9	8.0	215.5	4.0	28
62.9	21.0	.....	27.9	55.9	.....	76.8	7.0	21.0	7.0	.....	.....	55.9	.....	.....	41.9	55.9	7.0	153.6	21.0	29
89.7	.....	.....	29.9	179.3	29.9	89.7	.....	29.9	.....	.....	.....	.....	.....	.....	29.9	89.7	.....	149.4	29.9	30
91.9	6.1	15.3	73.5	131.8	24.5	91.9	18.4	42.9	15.3	12.3	3.1	64.3	6.1	.....	67.4	52.1	3.1	272.7	3.1	31
14.3	.....	28.6	.....	71.6	14.3	143.2	.....	28.6	14.3	14.3	.....	14.3	.....	.....	43.0	114.5	28.6	186.1	.....	32
59.2	25.7	10.3	54.0	175.0	23.2	87.5	2.6	20.6	15.4	7.7	7.7	41.2	10.3	7.7	72.1	51.5	12.9	247.1	18.0	33
102.5	9.3	28.0	65.2	116.5	.....	65.2	28.0	28.0	18.6	4.7	32.6	74.6	4.7	.....	37.3	46.6	28.0	316.9	4.7	34
90.9	6.5	6.5	71.4	90.9	13.0	84.4	19.5	51.9	.....	6.5	6.5	38.9	.....	26.0	64.9	51.9	6.5	272.6	.....	35
71.5	13.4	8.9	76.0	76.0	8.9	98.3	22.3	17.9	13.4	13.4	4.5	44.7	.....	4.5	26.8	40.2	4.5	210.0	17.9	36
22.9	11.4	.....	22.9	80.1	11.4	57.2	11.4	91.5	11.4	22.9	.....	34.3	11.4	.....	114.4	80.1	11.4	183.1	11.4	37
59.0	11.8	.....	88.5	147.5	47.2	64.9	29.5	.....	.....	23.6	5.9	29.5	5.9	.....	64.9	47.2	11.8	182.9	11.8	38
93.3	8.7	14.6	72.9	119.5	46.6	55.4	14.6	35.0	5.8	20.4	17.5	61.2	8.7	2.9	58.3	49.5	8.7	215.7	8.7	39
77.8	5.2	15.6	46.7	88.2	5.2	72.6	20.8	31.1	10.4	.....	5.2	46.7	.....	10.4	77.8	72.6	5.2	223.1	31.1	40
51.3	17.1	.....	51.3	102.5	.....	51.3	17.1	34.2	.....	.....	25.6	34.2	.....	8.5	51.3	128.1	25.6	179.4	17.1	41
101.6	17.9	6.0	29.9	65.8	17.9	125.5	17.9	125.5	17.9	12.0	.....	89.7	6.0	6.0	47.8	41.8	12.0	286.9	29.9	42
66.5	22.2	7.4	59.1	147.8	36.9	81.3	.....	7.4	.....	14.8	14.8	73.9	7.4	7.4	14.8	66.5	14.8	303.0	7.4	43
79.9	10.0	15.0	59.9	94.9	5.0	74.9	10.0	25.0	15.0	.....	10.0	79.9	15.0	5.0	39.9	25.0	25.0	274.6	10.0	44
46.0	23.0	17.3	51.8	86.3	11.5	86.3	11.5	57.5	28.8	5.8	11.5	34.5	.....	.....	80.5	57.5	5.8	241.5	5.8	45
47.2	5.2	10.5	84.0	73.5	5.2	73.5	15.7	68.2	.....	5.2	21.0	68.2	5.2	5.2	84.0	73.5	5.2	147.0	10.5	46
40.7	9.4	15.7	53.3	103.4	18.8	72.0	9.4	31.3	15.7	12.5	6.3	84.6	.....	6.3	50.1	28.2	6.3	216.1	9.4	47
35.7	5.1	12.8	43.4	79.2	10.2	48.5	5.1	79.2	2.6	7.7	12.8	58.7	2.6	15.3	91.9	66.4	15.3	196.6	25.5	48
20.6	10.3	10.3	25.8	72.1	10.3	20.6	.....	72.1	.....	10.3	5.2	25.8	.....	.....	97.9	36.1	.....	149.5	10.3	49
28.1	.....	.....	56.2	93.6	37.4	112.3	46.8	.....	.....	9.4	.....	56.2	.....	.....	112.3	37.4	18.7	252.7	9.4	50
116.7	12.8	20.1	91.2	187.8	27.4	186.0	27.4	109.4	12.8	10.9	47.4	171.4	3.6	7.3	147.7	93.0	16.4	494.2	3.6	51
86.8	27.8	10.4	55.6	132.0	17.4	107.7	10.4	48.6	13.9	3.5	.....	34.7	3.5	6.9	93.8	69.5	6.9	243.2	3.5	52
42.4	3.9	7.7	54.0	61.7	15.4	19.3	15.4	54.0	11.6	11.6	3.9	27.0	7.7	7.7	150.4	27.0	3.9	192.9	15.4	53
8.7	8.7	43.6	26.1	87.1	.....	87.1	17.4	69.7	8.7	.....	17.4	34.8	8.7	.....	69.7	165.5	8.7	217.8	8.7	54
58.6	15.4	18.5	37.0	101.8	12.3	95.7	12.3	40.1	6.2	15.4	3.1	52.5	6.2	6.2	74.1	40.1	12.3	203.7	24.7	55
64.6	11.7	.....	64.6	117.4	5.9	47.0	5.9	47.0	5.9	11.7	.....	58.7	.....	5.9	64.6	41.1	11.7	182.0	41.1	56
79.2	.....	.....	92.4	79.2	92.4	118.8	.....	13.2	.....	13.2	.....	79.2	.....	.....	13.2	26.4	13.2	303.5	.....	57
119.6	32.2	13.8	78.2	165.6	18.4	96.6	18.4	41.4	.....	9.2	9.2	82.8	9.2	13.8	64.4	23.0	18.4	202.3	.....	58
41.9	9.3	.....	55.9	148.9	9.3	51.2	9.3	27.9	23.3	9.3	4.7	79.1	14.0	14.0	51.2	74.5	9.3	167.6	.....	59
42.0	9.7	19.4	58.1	103.3	19.4	64.6	9.7	54.9	6.5	12.9	12.9	54.9	6.5	16.1	77.5	45.2	9.7	209.9	22.6	60
42.4	.....	.....	14.1	84.8	7.1	77.7	7.1	35.3	14.1	.....	7.1	14.1	.....	.....	120.1	63.6	.....	106.0	7.1	61
81.0	23.1	5.8	69.4	98.3	5.8	115.7	23.1	17.4	5.8	5.8	17.4	115.7	5.8	5.8	121.5	92.5	34.7	312.3	5.8	62
69.6	16.1	26.8	48.2	112.4	10.7	85.7	16.1	26.8	10.7	10.7	5.4	48.2	5.4	5.4	85.7	37.5	16.1	219.5	5.4	63
109.9	37.9	15.2	94.7	102.3	15.2	94.7	18.9	15.2	3.8	3.8	7.6	49.2	3.8	11.4	72.0	79.6	15.2	204.6	26.5	64
34.8	8.7	26.1	26.1	34.8	.....	60.8	34.8	17.4	.....	43.4	17.4	26.1	8.7	17.4	69.5	113.0	43.4	121.6	8.7	65
73.9	15.6	7.8	73.9	108.9	19.4	140.0	3.9	15.6	.....	19.4	11.7	70.0	11.7	11.7	58.3	50.6	7.8	221.7	11.7	66
100.4	18.2	12.2	82.1	161.2	15.2	60.8	15.2	45.6	6.1	6.1	9.1	76.0	9.1	.....	57.8	54.7	6.1	267.6	15.2	67
92.0	.....	.....	15.3	30.7	15.3	76.7	.....	46.0	.....	15.3	.....	15.3	.....	.....	46.0	184.1	.....	168.7	30.7	68
43.6	6.2	9.3	49.9	65.4	31.2	81.0	3.1	34.3	.....	24.9	9.3	62.3	3.1	3.1	68.6	43.6	9.3	233.7	3.1	69
97.9	10.5	20.5	69.9	143.4	35.0	73.4	17.5	35.0	24.5	14.0	7.0	42.0	.....	7.0	42.0	55.9	17.5	255.2	10.5	70

[3] Including part of Colville Indian Reservation, and Pend Oreille County, which was organized June 10, 1911.

[4] Including Yakima Indian Reservation.

TABLE III.—DEATH RATES PER 100,000 POPULATION IN THE REGISTRATION AREA AND

[All death rates are based upon the total deaths, including deaths of nonresidents and deaths in hospitals and institutions. Minor areas containing state insane asylums population of the subdivision formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities

	AREA AND COLOR.	DEATH RATE PER 100,000 POPULATION FROM—													
		All causes.[1]	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculus meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[2]—Continued.														
	WISCONSIN—continued.														
1	Taylor County	732.4	7.2	.....	.....	.....	7.2	.....	7.2	7.2	.....	28.7	.....	.....	21.5
2	Trempealeau County	1,008.9	8.8	.....	.....	.....	.....	13.2	.....	44.1	4.4	79.3	.....	8.8	4.4
3	Vernon County	1,044.6	10.8	.....	.....	28.7	.....	3.6	.....	32.3	.....	68.2	10.8	17.9	7.2
4	Vilas County	876.3	.....	.....	.....	32.5	32.5	.....	16.2	.....	.....	16.2	.....	16.2	16.2
5	Walworth County	1,262.7	3.4	.....	.....	13.6	3.4	3.4	6.8	51.1	10.2	47.6	.....	20.4	23.8
6	Washburn County	860.0	.....	.....	.....	.....	.....	23.9	47.8	11.9	11.9	71.7	.....	11.9	11.9
7	Washington County	955.6	8.4	.....	.....	.....	12.6	.....	8.4	8.4	4.2	25.1	4.2	8.4	21.0
8	Waukesha County	1,400.5	2.7	.....	.....	5.3	10.7	.....	8.0	24.1	2.7	125.6	16.0	2.7	21.4
9	Waupaca County	1,202.0	6.1	.....	.....	21.5	21.5	21.5	15.3	27.6	3.1	76.7	6.1	3.1	15.3
10	Waushara County	802.4	.....	.....	.....	10.4	.....	31.3	5.2	15.6	.....	72.9	.....	.....	.....
11	Winnebago County	1,350.1	13.8	.....	.....	3.5	.....	.....	38.1	10.4	.....	76.2	.....	6.9	6.9
12	Wood County	936.9	13.1	3.3	3.3	6.5	9.8	6.5	3.3	.....	.....	58.8	.....	3.3	6.5

[1] Exclusive of stillbirths.

ITS SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

are designated by asterisks (*). Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored of 10,000 inhabitants or over in 1910. Numbers under causes of death correspond to those of the abridged International List (see p. 29).]

DEATH RATE PER 100,000 POPULATION FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
35.9	.....	7.2	43.1	50.3	14.4	28.7	.....	64.6	.....	7.2	7.2	43.1	.....	21.5	114.9	50.3	7.2	129.2	28.7	1
57.3	17.6	.....	52.9	154.2	30.8	44.1	8.8	22.0	.....	17.6	.....	30.8	4.4	4.4	83.7	57.3	8.8	233.5	17.6	2
71.8	7.2	14.4	71.8	132.8	10.8	79.0	17.9	21.5	7.2	.....	3.6	57.4	7.2	7.2	57.4	43.1	17.9	233.3	3.6	3
16.2	.....	48.7	16.2	113.6	.....	194.7	.....	32.5	.....	.....	.....	32.5	16.2	.....	81.1	64.9	16.2	97.4	16.2	4
71.5	10.2	3.4	57.9	173.6	17.0	95.3	17.0	20.4	6.8	17.0	6.8	88.5	6.8	6.8	40.8	85.1	17.0	309.7	27.2	5
35.8	.....	.....	47.8	83.6	.....	71.7	47.8	35.8	.....	11.9	.....	47.8	23.9	11.9	107.5	47.8	.....	95.6	.....	6
79.6	12.6	8.4	58.7	113.2	12.6	83.8	16.8	16.8	16.8	21.0	21.0	83.8	4.2	4.2	54.5	33.5	8.4	192.8	12.6	7
93.5	29.4	10.7	90.9	187.1	16.0	53.5	8.0	40.1	.....	8.0	18.7	85.5	16.0	16.0	64.1	117.6	21.4	296.7	8.0	8
85.9	9.2	18.4	95.1	122.7	18.4	79.7	18.4	18.4	.....	6.1	.....	107.3	6.1	3.1	46.0	61.3	18.4	263.7	6.1	9
36.5	15.6	.....	26.1	88.6	5.2	57.3	10.4	41.7	5.2	10.4	.....	72.9	.....	.....	93.8	20.8	5.2	177.1	.....	10
93.5	20.8	20.8	117.7	114.2	10.4	96.9	24.2	27.7	10.4	10.4	10.4	58.8	.....	.....	38.1	107.3	13.8	408.5	10.4	11
52.2	3.3	6.5	39.2	94.7	16.3	68.5	13.1	19.6	26.1	16.3	19.6	62.0	9.8	26.1	84.9	58.8	6.5	176.3	22.9	12

[2] Exclusive of municipalities having a population of 10,000 or over in 1910.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KENTUCKY.					
										Total.		White.		Colored.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes [1]	1,474.5	1,244.5	1,505.5	1,166.8	1,555.1	1,507.0	1,403.6	1,243.2	1,693.7	1,236.7	1,460.2	1,151.6	2,800.5	1,992.3
	I.—General diseases	440.2	366.7	532.7	352.6	387.1	378.9	404.0	367.1	511.7	464.7	436.6	427.7	868.1	792.8
1	Typhoid fever	16.8	17.9	19.1	37.0	16.9	6.3	27.2	26.5	34.0	49.0	29.3	46.5	56.1	70.7
2	Typhus fever														
3	Relapsing fever						0.3								
4	Malaria	1.4	7.1	1.0		2.1	1.6	3.4	4.3	9.5	10.4	4.4	9.8	33.7	16.1
5	Smallpox	0.5	0.2					0.1	0.1		0.2		0.2		
6	Measles	5.0	1.2	18.1	13.2	9.7	5.2	6.6	11.0	23.9	18.8	21.6	19.5	35.1	12.5
7	Scarlet fever	2.9	4.4	6.8	11.7	9.3	8.5	8.4	5.7	4.6	3.5	5.6	3.8		1.0
8	Whooping cough	5.4	7.5	8.1	5.9	15.1	11.7	10.3	9.8	6.8	21.6	5.0	19.6	15.4	39.0
9	Diphtheria and croup	6.7	6.3	15.9	9.4	22.9	19.9	18.6	12.1	12.0	27.6	13.0	29.5	7.0	9.9
10	Influenza	5.9	11.3	9.7	13.8	19.8	31.4	12.0	21.2	17.3	17.9	11.8	16.8	43.5	27.0
11	Miliary fever														
12	Asiatic cholera														
13	Cholera nostras		0.4	0.6	0.2	0.5		0.4	0.4	0.2	1.5		1.5	1.4	1.6
14	Dysentery	3.8	4.8	1.9	3.4	4.1	5.5	6.9	8.7	11.2	15.7	9.2	15.3	21.0	19.2
15	Plague		0.1												
16	Yellow fever														
17	Leprosy	0.1	0.3												
18	Erysipelas	2.7	2.6	3.6	2.7	5.3	4.6	4.0	4.3	5.1	2.8	5.6	3.0	2.8	1.6
19	Other epidemic diseases	0.1	0.1		0.6	0.3	0.3	0.4	0.7		0.3		0.4		
20	Purulent infection and septicemia	2.9	2.3	5.2	3.6	4.4	2.7	2.1	2.7	4.4	3.2	3.3	2.9	9.8	5.2
21	Glanders					0.1									
22	Anthrax	0.1	0.1			0.1	0.3		0.1						
23	Rabies	0.2	0.1					0.4	0.1		0.1		0.1		
24	Tetanus	2.2	2.8	1.6	1.7	2.3	1.9	4.1	2.7	3.7	1.8	3.0	1.8	7.0	2.6
25	Mycoses	0.2	0.1		0.4			0.2	0.1	0.2	0.1	0.3	0.1		
26	Pellagra	0.4	0.6	1.0	0.6		0.3	0.2	0.1	4.6	2.4	5.0	2.4	2.8	2.6
27	Beriberi	0.1	0.2												
	Tuberculosis (total)	221.3	190.0	304.9	166.6	150.7	146.9	168.0	149.1	254.0	224.1	203.8	195.3	492.2	479.6
28	Tuberculosis of the lungs	185.3	163.6	278.6	154.9	121.3	119.9	132.0	123.1	214.7	189.5	174.8	164.1	403.9	415.1
29	Acute miliary tuberculosis	5.9	5.2	1.3	2.1	7.2	6.0	8.1	4.4	11.0	5.5	6.2	4.4	33.7	15.1
30	Tuberculous meningitis	12.2	8.0	12.6	3.4	11.5	9.8	9.4	7.3	8.8	9.8	8.0	9.3	12.6	14.0
31	Abdominal tuberculosis	9.1	7.4	4.9	2.9	5.3	6.0	10.9	8.4	10.7	12.0	8.9	10.7	19.6	23.4
32	Pott's disease	2.4	1.4	1.9	0.6	1.4	1.4	1.8	0.9	1.7	2.4	0.9	2.5	5.6	1.0
33	White swellings	0.9	0.5	0.6		0.8	0.5	0.7	0.7	1.7	1.0	0.9	0.8	5.6	2.6
34	Tuberculosis of other organs	3.5	1.9	2.3	1.1	2.1	1.1	3.1	3.0	2.9	2.7	1.8	2.4	8.4	5.2
35	Disseminated tuberculosis	2.0	2.0	2.6	1.5	1.0	2.2	2.1	1.4	2.4	1.3	2.4	1.1	2.8	3.1
36	Rickets	0.6	0.6	1.0		0.4	1.6	0.7	0.6	1.7	0.6	0.6	0.5	7.0	1.6
37	Syphilis	10.2	6.0	11.0	5.2	4.1	1.9	8.1	4.8	8.1	5.6	4.4	3.0	25.2	29.1
38	Gonococcus infection	0.5	0.3	0.3	0.2	0.5	0.3	0.2	0.2		0.2		0.2		0.5
	Cancer and other malignant tumors (total)	99.8	62.7	71.5	45.6	76.4	82.9	79.2	67.8	70.3	36.8	72.2	36.1	61.7	43.2
39	Of the buccal cavity	3.8	2.9	2.6	1.0	5.0	1.9	3.2	3.2	2.0	1.4	2.4	1.4		1.6
40	Of the stomach, liver	41.5	27.8	27.2	21.1	23.5	28.1	29.0	28.4	21.7	12.1	22.5	12.3	18.2	10.4
41	Of the peritoneum, intestines, rectum	14.4	7.0	11.0	5.2	10.5	13.1	10.2	7.6	11.5	3.1	11.5	2.9	11.2	5.2
42	Of the female genital organs	13.1	8.0	9.7	6.5	14.0	12.0	18.1	9.3	13.7	7.4	13.3	6.8	15.4	13.0
43	Of the breast	9.8	4.8	8.1	3.3	9.2	11.4	5.9	7.4	7.6	3.6	7.1	3.2	9.8	6.8
44	Of the skin	3.2	3.4	1.6	2.9	2.1	4.1	3.0	4.6	2.7	3.1	3.3	3.3		0.5
45	Of other organs or of organs not specified.	13.9	8.9	11.3	5.7	12.2	12.3	9.7	7.3	11.2	6.1	12.1	6.1	7.0	5.7
46	Other tumors (tumors of the female genital organs excepted).	0.8	0.5	0.3	0.4	1.0	1.4	0.7	0.6	1.5	0.7	1.2	0.6	2.8	1.6
47	Acute articular rheumatism	6.8	3.3	7.1	5.7	5.0	8.2	5.5	5.5	8.5	5.4	6.5	4.7	18.2	10.9
48	Chronic rheumatism and gout	1.7	1.0	1.6	1.7	0.9	2.2	1.7	1.4	1.2	1.6	1.2	1.7	1.4	1.0
49	Scurvy	0.2		0.3	0.2	0.4	0.3		0.1	0.2	0.1	0.3			0.5
50	Diabetes	20.8	11.4	18.4	10.5	17.2	17.4	16.8	13.5	14.4	5.2	15.7	5.4	8.4	3.6
51	Exophthalmic goiter	1.7	0.8	0.6	1.0	0.9	0.3	2.3	2.2	1.0	0.4	1.2	0.4		0.5
52	Addison's disease	0.2	0.4	0.6		0.3		0.2	0.5		0.1		0.1		
53	Leukemia	2.1	1.7	2.3	0.2	2.2	1.4	1.5	1.4	1.5	0.8	1.5	0.8	1.4	1.0
54	Anemia, chlorosis	5.2	3.4	4.5	2.5	4.7	5.5	5.7	2.9	5.6	1.6	4.4	1.5	11.2	2.6
55	Other general diseases	2.2	2.4	1.9	1.3	1.6	1.9	1.8	1.8	2.4	2.1	3.0	1.9		4.2
56	Alcoholism (acute or chronic)	7.2	10.4	12.3	6.9	7.0	6.0	4.9	3.0	3.2	1.8	3.3	1.6	2.8	3.6
57	Chronic lead poisoning	0.2	0.1	0.6		0.6	0.3	0.6	0.1	0.2	0.1	0.3	0.1		
58	Other chronic occupation poisonings														
59	Other chronic poisonings	1.7	1.2	0.6	0.4	0.1	0.3	0.7	0.9		0.5		0.5		
	II.—Diseases of the nervous system and of the organs of special sense.	134.6	127.9	117.2	85.7	160.9	203.6	129.5	137.9	173.9	104.9	157.6	99.3	251.0	154.5
60	Encephalitis	1.8	1.8	1.0	0.4	0.9		1.4	1.4	2.4	1.8	2.7	2.1	1.4	
61	Meningitis (total)	14.2	12.5	18.8	11.3	21.5	17.2	9.6	8.5	24.9	21.4	24.0	21.3	29.4	22.9
	Simple meningitis	9.9	7.9	11.3	7.5	14.7	15.5	5.8	4.5	20.5	12.7	19.5	12.5	25.2	14.0
	Cerebrospinal meningitis (undefined)	3.6	3.9	6.8	2.3	6.1	1.1	3.3	2.6	3.9	6.5	3.8	6.5	4.2	6.8
	Cerebrospinal fever	0.7	0.7	0.6	1.5	0.6	0.5	0.5	1.4	0.5	2.2	0.6	2.2		2.1
62	Locomotor ataxia	4.6	3.5	5.2	1.0	2.6	2.7	3.2	3.0	4.2	1.7	4.1	1.8	4.2	1.0
63	Other diseases of the spinal cord (total)	8.2	5.9	6.1	2.3	6.1	7.9	7.1	10.2	7.6	5.9	7.7	5.3	7.0	10.9
	Acute anterior poliomyelitis	1.1	1.4	1.0	0.6	1.3	1.4	1.8	2.9	3.2	2.5	3.8	2.3		4.7
	Other diseases of the spinal cord [3]	7.1	4.5	5.2	1.7	4.8	6.5	5.3	7.3	4.4	3.4	3.8	3.0	7.0	6.2
64	Cerebral hemorrhage, apoplexy	76.1	63.5	55.3	37.6	90.8	131.4	73.9	80.4	69.6	31.7	62.4	29.9	103.8	47.9

[1] Exclusive of stillbirths.

[2] Less than one-tenth of 1 per 100,000 population.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																
MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		Detailed Int. List No.
		Total.		White.		Colored.										
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
1,843.4	1,539.3	1,848.2	1,345.5	1,633.0	1,197.5	3,106.1	1,907.8	1,528.2	1,554.8	1,408.4	1,273.6	1,149.6	999.1	1,515.8	1,193.3	
436.9	361.8	497.9	384.7	433.1	325.2	876.8	610.6	374.6	404.8	342.0	298.0	350.1	275.3	423.8	404.5	
30.8	14.3	30.6	43.7	29.2	37.9	39.0	65.7	9.7	6.7	22.8	16.8	13.5	13.5	25.5	35.4	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	(2)	3
0.6	0.3	0.5	1.6	0.6	0.5	.....	5.5	0.3	0.8	1.2	0.9	0.3	.....	4.8	21.1	4
.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	0.3	0.2	0.4	0.2	0.8	1.0	5
10.7	2.2	13.8	6.5	13.3	6.7	16.7	5.5	9.7	6.1	7.7	6.5	1.0	7.3	12.0	22.4	6
2.4	2.1	7.2	3.2	7.8	4.0	3.3	.....	6.4	3.1	9.2	5.9	10.1	8.5	18.5	4.9	7
11.2	9.3	8.8	19.9	6.7	13.3	21.2	44.9	14.9	13.7	8.3	8.7	11.9	6.4	7.0	16.2	8
13.0	9.1	12.4	13.3	13.3	12.7	6.7	15.2	18.3	11.8	23.7	12.0	24.4	10.6	17.5	22.0	9
13.6	28.7	13.5	19.3	11.1	16.7	27.9	29.0	7.2	19.8	7.7	24.8	4.3	10.4	18.5	29.9	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	.....	.....	.....	.....	.....	.....	12
0.6	0.3	0.7	1.4	0.8	1.3	.....	2.1	0.9	0.1	0.6	0.6	0.4	0.8	0.3	0.7	13
7.1	4.3	3.9	8.5	4.0	7.8	3.3	11.1	3.4	5.3	3.1	3.2	0.9	3.3	4.2	13.4	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	0.1	.....	.....	17
5.3	3.3	5.0	2.7	5.0	3.3	5.6	0.7	5.3	3.6	6.1	4.3	5.6	4.1	5.1	4.4	18
.....	0.2	0.3	0.7	0.2	0.9	1.1	.....	0.4	0.3	0.3	0.2	0.4	0.4	0.3	0.4	19
3.6	2.9	3.1	3.2	2.9	2.5	4.5	5.5	3.9	2.7	6.0	3.8	4.8	2.5	4.1	3.5	20
.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	0.3	0.1	0.4	0.2	.....	.....	.....	0.1	0.2	0.1	.....	.....	0.3	0.1	23
1.8	1.2	4.4	3.0	3.4	2.4	10.0	5.5	1.6	0.6	1.8	1.0	1.5	1.5	2.5	1.9	24
.....	.....	.....	.....	.....	.....	.....	.....	0.1	0.1	0.1	.....	0.3	0.1	.....	.....	25
.....	0.2	0.5	1.2	0.4	1.1	1.1	1.4	(2)	.....	0.1	0.1	.....	.....	0.7	0.5	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
175.2	132.4	240.6	170.3	179.6	125.9	597.2	338.8	147.2	173.7	111.2	86.9	148.5	106.7	163.0	149.0	
138.5	105.6	197.6	147.8	147.5	108.6	490.2	236.6	116.6	148.7	89.6	71.3	118.9	83.5	137.1	130.5	28
3.6	3.5	9.3	6.1	5.7	3.8	30.1	14.5	5.7	4.8	3.6	2.6	7.0	4.8	5.0	4.0	29
13.0	8.6	13.7	4.5	11.8	4.2	24.5	5.5	14.3	8.8	6.1	2.6	8.6	7.3	8.2	3.6	30
10.7	6.9	10.4	7.2	6.7	5.3	32.3	14.5	4.9	3.6	6.1	5.1	7.4	4.7	7.7	6.0	31
0.6	1.2	2.4	0.6	2.1	0.7	4.5	.....	1.3	1.7	1.3	2.2	1.6	1.9	1.4	1.4	32
0.6	0.2	1.0	0.7	1.0	0.2	1.1	2.8	0.6	0.8	0.7	0.4	1.0	1.1	0.8	0.5	33
4.1	2.9	2.9	2.4	2.3	2.4	6.7	2.8	2.2	1.7	1.8	1.7	2.4	2.2	1.7	1.8	34
4.1	3.5	3.3	1.0	2.5	0.7	7.8	2.1	1.6	3.6	1.8	1.0	1.5	1.3	1.1	1.2	35
2.4	0.7	0.7	0.6	0.4	0.2	2.2	2.1	1.2	0.9	1.3	0.9	1.2	0.4	0.8	0.4	36
4.1	2.4	17.3	4.5	13.2	1.1	41.2	17.3	4.8	3.0	7.7	2.5	7.6	1.8	15.9	2.8	37
1.8	0.2	0.5	.....	0.6	.....	.....	.....	0.6	0.3	0.5	0.2	1.6	0.3	0.4	0.4	38
95.3	99.6	92.6	55.6	97.6	59.3	63.5	41.5	92.2	102.0	76.2	73.5	77.5	63.2	82.0	47.0	
1.8	3.8	4.1	2.0	3.4	2.0	7.8	2.1	3.5	3.9	2.5	3.7	2.2	3.4	4.0	2.5	39
34.3	39.9	38.1	22.2	40.6	24.8	23.4	12.4	31.5	32.9	31.5	31.2	29.0	30.8	28.4	18.0	40
13.6	14.2	10.6	4.9	12.0	5.6	2.2	2.1	15.0	18.9	10.1	8.5	11.3	8.2	10.4	4.3	41
22.5	14.3	12.7	9.9	12.2	8.2	15.6	16.6	14.8	13.5	11.6	8.6	12.9	5.2	14.5	6.5	42
6.5	9.7	9.4	5.5	9.5	6.4	8.9	2.1	10.1	11.3	6.6	7.0	8.8	3.9	5.9	5.7	43
1.8	3.5	2.1	2.2	2.3	2.5	1.1	0.7	2.1	5.6	2.8	4.4	2.1	1.8	3.5	3.7	44
14.8	14.3	15.6	8.9	17.5	9.8	4.5	5.5	15.2	15.9	11.3	10.2	11.2	10.1	15.4	6.3	45
1.2	1.9	1.6	0.7	1.7	0.7	1.1	0.7	0.7	0.9	1.9	1.4	0.7	0.3	1.2	0.9	46
2.4	4.5	6.5	4.2	5.7	4.4	11.1	3.5	4.7	5.6	6.2	5.4	4.3	4.4	7.0	6.1	47
3.6	2.9	1.8	0.3	1.5	0.4	3.3	.....	1.2	1.4	1.3	1.6	0.9	1.8	0.8	1.4	48
1.2	.....	0.2	0.1	0.2	0.2	.....	.....	0.1	0.1	.....	.....	.....	0.1	0.2	.....	49
24.3	23.6	16.8	9.2	18.7	10.2	5.6	5.5	19.5	21.1	13.5	15.0	12.8	12.1	16.0	10.5	50
1.2	0.7	0.8	0.4	1.0	0.2	.....	1.4	1.0	1.8	2.3	1.6	1.0	1.6	2.1	0.7	51
1.2	0.3	0.3	0.4	0.4	0.5	.....	.....	0.5	1.2	0.8	0.7	0.3	0.4	0.4	0.2	52
0.6	1.9	1.5	1.2	1.3	1.5	2.2	.....	1.7	1.0	1.5	2.0	0.9	1.7	1.2	1.3	53
8.3	7.9	5.5	3.3	5.7	3.8	4.5	1.4	7.2	8.8	10.3	9.9	5.9	4.4	3.3	1.6	54
4.1	1.0	1.1	1.2	1.1	1.1	1.1	1.4	2.2	1.4	3.7	3.9	1.5	2.2	2.0	1.8	55
8.9	2.8	4.6	3.6	4.8	3.8	3.3	2.8	6.6	5.8	3.9	2.8	4.8	4.3	3.5	1.7	56
.....	0.3	0.3	0.1	0.4	0.2	.....	.....	0.5	0.4	0.3	.....	0.1	0.1	0.8	0.1	57
.....	.....	.....	.....	.....	.....	.....	.....	(2)	.....	.....	0.1	.....	.....	.....	.....	58
0.6	.....	0.3	0.7	0.4	0.4	.....	2.1	0.6	0.1	0.5	0.8	0.3	.....	1.0	0.7	59
215.5	195.1	176.1	151.8	161.1	147.0	264.0	170.1	149.1	205.9	149.1	154.8	91.9	93.4	119.7	110.9	
1.8	2.1	0.8	0.9	0.8	0.5	1.1	2.1	1.7	1.2	2.0	1.6	1.2	0.8	1.0	1.6	60
20.1	11.4	17.6	10.4	17.2	9.5	20.1	13.8	15.2	12.2	16.9	9.5	10.6	7.5	12.3	14.4	61
15.4	7.4	10.4	6.9	10.7	5.8	8.9	11.1	11.7	9.2	11.1	6.6	6.8	3.0	7.3	9.0	
4.7	3.8	5.9	2.4	5.3	2.5	8.9	2.1	2.8	2.9	5.0	2.6	3.1	2.0	3.1	4.2	
.....	0.2	1.3	1.0	1.1	1.1	2.2	0.7	0.7	0.1	0.7	0.2	0.6	2.5	1.9	1.3	
1.2	4.1	3.3	1.4	3.6	1.8	1.1	.....	3.1	4.3	2.7	2.6	2.2	1.1	4.4	2.0	62
7.1	11.0	6.8	6.9	7.2	6.7	4.5	7.6	6.9	9.1	6.2	7.5	7.4	5.7	5.3	6.8	63
1.2	1.9	2.1	3.0	2.5	2.2	.....	6.2	1.5	1.9	1.7	1.5	2.7	2.9	0.8	2.3	
5.9	9.1	4.7	3.9	4.8	4.5	4.5	1.4	5.4	7.1	4.5	6.0	4.8	2.9	4.4	4.4	
117.2	117.2	93.9	64.4	88.4	63.1	125.9	69.1	90.8	123.2	65.2	78.2	47.0	47.0	58.8	47.4	64

[3] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KENTUCKY.					
										Total.		White.		Colored.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.														
65	Softening of the brain	1.9	2.6	2.3	0.4	1.3	3.3	1.5	2.4	4.6	2.4	4.4	2.5	5.6	2.1
66	Paralysis without specified cause	8.3	10.8	6.1	10.7	4.5	10.1	7.8	12.1	27.6	18.3	21.3	16.5	57.5	34.9
67	General paralysis of the insane	6.1	9.0	5.5	6.7	7.0	7.1	7.4	5.4	5.1	3.6	5.6	3.8	2.8	2.6
68	Other forms of mental alienation	1.5	5.1	2.3	4.0	2.5	2.7	2.0	2.8	4.2	2.4	4.4	2.2	2.8	4.2
69	Epilepsy	2.7	5.0	3.6	4.4	3.8	5.2	5.8	4.4	5.6	4.1	4.7	3.5	9.8	8.8
70	Convulsions (nonpuerperal)	0.2	.....	.....	.....	0.5	0.3	.....	0.1	1.2	0.3	1.5	0.2	.....	0.5
71	Convulsions of infants	1.7	2.2	1.6	2.3	10.1	7.1	2.0	1.0	8.5	4.7	6.2	4.0	19.6	11.4
72	Chorea	0.1	0.1	0.6	0.2	.....	0.3	0.4	0.1	0.7	0.3	0.6	0.4	1.4	.....
73	Neuralgia and neuritis	0.3	0.8	1.6	0.4	0.9	1.4	0.5	0.2	1.0	0.6	1.2	0.5	.....	1.0
74	Other diseases of the nervous system	5.0	4.4	4.2	1.7	5.6	4.4	3.3	3.2	5.9	4.0	5.9	3.8	5.6	5.7
75	Diseases of the eyes and their annexa	.....	.....	.....	.....	0.1	0.3	0.2	0.1	.....	0.2	.....	0.2	.....	.....
76	Diseases of the ears	1.9	0.7	2.9	2.3	2.8	2.5	3.3	2.7	0.7	1.5	0.9	1.6	.....	0.5
	III.—Diseases of the circulatory system.	254.4	188.0	157.9	99.7	200.0	233.6	188.2	181.5	202.2	88.5	169.5	80.6	357.6	158.1
77	Pericarditis	1.5	0.7	0.6	1.0	0.6	0.5	1.2	1.5	1.7	1.4	0.3	1.2	8.4	3.1
78	Acute endocarditis	11.2	4.9	4.2	3.4	11.8	6.8	7.5	2.1	8.1	1.3	7.1	1.3	12.6	1.0
79	Organic diseases of the heart	198.6	155.8	109.4	77.6	148.3	183.2	144.4	142.7	153.2	72.1	122.7	64.9	297.3	135.8
80	Angina pectoris	6.9	5.0	11.3	5.0	9.6	11.2	6.6	10.3	9.0	4.4	9.5	4.2	7.0	6.2
81	Diseases of the arteries, atheroma, aneurism, etc.	29.1	17.2	20.4	7.9	21.7	25.6	24.5	21.9	23.4	7.2	24.3	6.9	19.6	9.9
82	Embolism and thrombosis	5.3	3.1	9.1	3.1	6.6	4.9	2.6	2.1	3.7	0.9	3.3	1.0	5.6	0.5
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	0.5	0.4	0.6	0.8	0.3	0.5	1.1	0.2	0.7	0.5	0.9	0.5	.....	0.5
84	Diseases of the lymphatic system (lymphangitis, etc.).	0.8	0.3	0.6	0.6	0.4	0.3	0.2	0.3	0.7	0.2	0.6	0.2	1.4	.....
85	Hemorrhage; other diseases of the circulatory system.	0.6	0.6	1.6	0.4	0.6	0.5	.....	0.3	1.7	0.4	0.9	0.4	5.6	1.0
	IV.—Diseases of the respiratory system.	141.2	115.5	178.3	157.2	205.6	169.0	134.5	118.9	191.5	116.2	146.1	105.0	406.7	215.4
86	Diseases of the nasal fossæ	0.1	0.2	.....	.....	.....	.....	0.4	0.2	.....	0.6	.....	0.6	.....	0.5
87	Diseases of the larynx	1.0	0.9	1.0	0.8	1.7	1.4	1.4	1.4	2.2	1.6	2.1	1.8	2.8	.....
88	Diseases of the thyroid body	0.8	0.3	.....	.....	0.3	.....	0.5	0.6	0.5	0.3	0.3	0.4	1.4	.....
89	Acute bronchitis	5.6	4.5	11.0	5.7	11.0	15.3	6.8	7.6	7.8	6.6	4.4	6.1	23.8	11.4
90	Chronic bronchitis	9.2	6.4	4.9	4.8	12.4	9.8	7.8	8.0	21.5	6.1	16.6	5.7	44.9	8.8
91	Bronchopneumonia	29.9	20.9	33.7	33.5	38.3	27.0	39.7	29.4	27.4	25.5	21.9	23.3	53.3	44.7
92	Pneumonia (total)	80.8	70.1	112.3	96.6	126.1	103.6	69.6	65.9	103.6	66.5	78.1	59.3	224.4	130.0
	Lobar pneumonia	50.9	32.7	56.6	46.0	47.9	29.4	45.4	34.4	31.3	26.8	24.8	24.3	61.7	48.4
	Pneumonia (undefined)	29.8	37.4	55.7	50.6	78.2	74.2	24.2	31.5	72.3	39.7	53.2	35.0	162.7	81.7
93	Pleurisy	4.4	2.7	2.9	2.5	5.0	3.5	3.3	1.9	5.6	1.1	3.3	1.0	16.8	2.1
94	Pulmonary congestion, pulmonary apoplexy.	4.3	5.1	1.9	1.9	6.1	4.9	1.3	1.0	7.3	1.7	8.9	1.5	.....	4.2
95	Gangrene of the lung	0.5	0.3	.....	.....	0.6	.....	.....	0.2	.....	0.2	.....	0.2	.....	0.5
96	Asthma	3.1	2.4	6.8	3.1	2.2	2.7	2.7	1.9	10.5	3.3	6.2	2.7	30.9	8.3
97	Pulmonary emphysema	0.3	0.1	.....	0.4	0.4	.....	0.2	0.2	0.7	0.3	0.9	0.3	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted).	1.4	1.8	3.9	7.9	1.6	0.8	0.7	0.7	4.4	2.4	3.5	2.1	8.4	4.7
	V.—Diseases of the digestive system.	136.1	111.3	144.0	123.4	180.3	138.8	186.5	139.3	173.7	131.9	150.0	129.6	286.1	152.4
99	Diseases of the mouth and annexa	0.5	0.4	.....	.....	1.0	0.8	0.2	0.8	0.5	1.1	0.3	1.1	1.4	1.0
100	Diseases of the pharynx	1.7	0.9	2.3	1.9	1.6	1.9	1.2	1.6	2.0	2.3	1.2	2.5	5.6	1.0
101	Diseases of the esophagus	0.3	0.3	0.3	.....	0.3	0.3	0.2	.....	0.2	0.1	0.3	0.1	.....	.....
102	Ulcer of the stomach	5.7	4.5	6.5	3.8	4.4	1.9	4.3	3.4	4.4	2.8	2.7	2.6	12.6	4.2
103	Other diseases of the stomach (cancer excepted).	8.8	9.3	7.1	8.8	14.9	21.5	12.0	17.5	21.3	18.6	14.2	18.0	54.7	23.9
104	Diarrhea and enteritis (under 2 years)	38.8	33.6	56.0	56.9	89.4	57.5	80.6	53.0	45.7	51.1	41.4	50.9	65.9	53.1
105	Diarrhea and enteritis (2 years and over)	11.0	11.7	11.0	7.7	11.1	13.1	15.4	14.9	21.5	17.7	17.7	17.8	39.3	16.6
106	Ankylostomiasis	.....	0.1	.....	.....	.....	.....	.....	0.1	.....	0.3	.....	0.4	.....	.....
107	Intestinal parasites	0.2	0.2	.....	.....	.....	.....	.....	0.2	0.7	0.9	0.3	0.8	2.8	1.6
108	Appendicitis and typhlitis	14.2	7.8	19.7	13.2	11.3	4.6	17.1	7.5	12.9	6.0	14.2	5.7	7.0	8.3
109	Hernia, intestinal obstruction (total)	13.4	11.7	10.0	9.6	16.7	9.3	16.7	10.3	15.1	8.8	13.0	8.6	25.2	10.4
	Hernia	5.1	2.2	2.6	2.5	5.9	2.2	4.4	3.1	5.6	1.7	4.1	1.6	12.6	3.1
	Intestinal obstruction	8.3	9.4	7.4	7.1	10.7	7.1	12.3	7.2	9.5	7.1	8.9	7.0	12.6	7.3
110	Other diseases of the intestines	2.9	3.0	1.0	2.3	2.1	4.6	3.6	4.4	5.1	3.1	4.4	2.8	8.4	5.7
111	Acute yellow atrophy of the liver	0.3	0.3	0.3	0.4	.....	0.8	1.3	0.9	0.2	0.2	0.3	0.2	.....	.....
112	Hydatid tumor of the liver	.....	.....	.....	.....	0.1	.....	.....	.....	.....	0.1	.....	0.1	.....	.....
113	Cirrhosis of the liver	24.6	15.2	16.8	7.7	15.0	13.4	15.4	11.3	20.0	6.2	21.0	5.7	15.4	10.4
114	Biliary calculi	2.8	1.9	3.6	3.6	3.0	1.4	5.3	3.7	4.2	2.4	4.1	2.5	4.2	1.6
115	Other diseases of the liver	6.5	4.8	3.6	4.4	4.9	4.4	7.1	5.7	10.5	5.3	7.7	5.2	23.8	6.2
116	Diseases of the spleen	0.1	0.2	.....	.....	0.3	0.3	0.1	0.4	.....	0.2	.....	0.2	.....	.....
117	Simple peritonitis (nonpuerperal)	3.5	4.5	5.2	2.1	3.5	3.0	5.1	3.1	8.5	4.7	6.2	4.3	19.6	8.3
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	1.0	1.0	0.6	1.0	0.9	.....	0.8	0.4	0.7	0.2	0.9	0.2	.....	.....

[1] Less than one-tenth of 1 per 100,000 population.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																
MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		Detailed Int. List No.
		Total.		White.		Colored.										
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
1.8	4.8	1.5	2.2	1.5	2.4	1.1	1.4	1.0	3.2	1.0	1.9	1.3	0.9	2.9	2.2	65
17.8	18.1	21.6	32.1	17.3	30.4	46.8	38.7	6.7	10.9	14.2	24.0	3.4	6.5	8.9	16.6	66
21.3	6.2	5.7	8.4	5.3	9.8	7.8	2.8	5.6	14.1	9.9	6.4	1.6	2.5	9.9	3.8	67
9.5	2.8	1.1	3.0	0.8	3.1	3.3	2.8	1.2	4.5	2.6	1.8	1.9	2.3	2.5	2.1	68
5.9	4.5	2.9	5.2	1.3	5.1	12.3	5.5	2.4	11.3	3.9	4.8	1.9	4.2	2.9	4.7	69
.....	0.5	0.7	0.1	0.8	.....	.....	0.7	0.6	0.4	0.5	0.7	0.4	0.3	0.3	0.6	70
3.6	4.5	10.6	11.5	6.9	9.1	32.3	20.7	4.5	4.0	15.7	9.6	4.0	8.9	3.4	3.5	71
0.6	0.3	0.2	0.4	0.2	0.5	.....	.....	0.1	0.1	0.2	0.2	0.1	0.1	0.3	.....	72
2.4	2.6	0.8	0.7	1.0	0.9	.....	.....	1.3	0.4	1.0	0.7	0.6	0.4	0.6	0.7	73
4.1	4.1	6.2	3.2	6.3	3.1	5.6	3.5	4.7	5.1	5.6	3.6	5.4	3.4	4.0	3.0	74
.....	0.2	0.2	0.1	0.2	0.2	.....	.....	0.1	0.1	0.3	0.1	0.1	0.1	.....	(1)	75
1.2	0.5	2.3	0.9	2.3	0.7	2.2	1.4	3.0	1.8	1.3	1.8	2.5	1.7	2.4	1.7	76
275.9	237.2	218.4	149.0	190.6	141.8	381.0	176.3	244.5	296.0	170.7	198.0	138.4	109.8	194.1	106.5	
0.6	1.2	1.0	1.4	0.8	1.5	2.2	1.4	0.8	1.0	1.6	1.9	0.6	0.8	4.7	1.4	77
10.7	3.3	7.8	3.7	6.1	3.5	17.8	4.8	10.5	6.1	5.5	4.1	11.7	4.3	10.9	2.9	78
194.8	175.4	168.5	120.0	144.7	111.0	307.5	154.2	175.0	213.0	126.6	159.5	98.4	86.1	138.6	82.5	79
16.6	16.1	8.6	5.5	9.1	6.0	5.6	3.5	8.1	13.0	7.6	8.5	5.2	2.7	5.2	4.5	80
42.6	33.1	25.7	14.7	23.3	16.4	40.1	8.3	42.5	57.4	22.9	18.5	17.2	12.2	30.7	11.7	81
7.7	6.6	4.2	1.6	4.2	1.5	4.5	2.1	3.8	4.3	5.1	3.2	3.6	2.2	3.2	2.1	82
1.2	0.2	0.7	0.4	0.6	0.5	1.1	.....	1.2	0.4	0.2	0.2	0.6	0.6	0.6	0.4	83
.....	0.2	0.7	0.4	0.8	0.5	.....	.....	2.0	0.4	0.3	0.7	0.3	0.4	0.3	0.3	84
1.8	1.2	1.3	1.2	1.1	0.9	2.2	2.1	0.7	0.4	0.9	1.4	0.7	0.6	0.1	0.6	85
219.6	176.2	246.3	139.5	196.7	121.4	535.9	208.1	196.5	171.0	160.4	116.8	124.4	117.0	183.8	135.3	
0.6	0.2	0.3	0.1	0.4	0.2	.....	.....	0.1	.....	0.2	0.4	.....	0.3	0.4	0.1	86
1.8	0.9	0.7	2.0	0.8	1.8	.....	2.8	1.5	1.4	2.3	1.6	0.7	0.8	1.3	1.8	87
1.2	0.9	0.7	0.1	0.6	0.2	1.1	.....	0.3	0.5	0.6	0.8	0.4	0.7	0.8	0.3	88
10.7	16.4	14.6	8.8	11.1	7.3	35.7	14.5	14.0	12.4	15.3	15.0	6.5	6.4	13.3	6.3	89
10.1	10.0	13.8	8.6	13.0	8.4	18.9	9.7	10.2	12.2	9.7	10.6	5.4	7.2	11.9	9.9	90
45.6	27.4	67.5	31.1	52.8	25.3	153.7	53.2	47.4	36.8	42.2	16.8	43.1	39.5	40.4	24.3	91
130.8	104.1	127.3	73.2	99.1	63.5	291.9	109.9	112.3	96.3	74.3	57.6	61.4	52.6	102.0	82.9	92
29.0	15.5	65.1	33.3	54.9	32.6	124.8	36.0	58.0	49.4	41.6	12.5	51.0	44.1	80.0	35.5	
101.8	88.6	62.2	39.9	44.2	30.9	167.1	74.0	54.3	46.9	32.7	45.1	10.4	8.6	22.0	47.4	
1.8	3.1	6.3	2.7	5.3	2.7	12.3	2.8	3.8	3.6	3.9	3.5	3.1	2.3	4.2	1.6	93
12.4	6.2	7.7	6.2	8.0	6.6	5.6	4.8	3.5	4.0	5.0	4.3	1.6	2.0	2.6	2.4	94
.....	0.2	0.2	0.3	0.2	0.4	.....	.....	0.6	0.4	0.6	0.2	0.1	0.4	0.7	0.3	95
2.4	3.3	4.1	2.9	4.0	2.0	4.5	6.2	1.4	1.6	3.2	3.0	1.3	3.2	3.2	2.6	96
0.6	0.3	.....	0.1	.....	0.2	.....	.....	0.2	.....	0.2	0.4	0.1	0.3	1.0	0.1	97
1.8	3.3	3.1	3.2	1.5	2.9	12.3	4.1	1.2	1.7	2.8	2.6	0.4	1.3	2.0	2.6	98
206.0	151.7	208.8	167.1	196.3	149.6	281.9	233.7	194.4	129.4	182.2	140.3	127.6	101.5	187.7	135.1	
.....	0.3	0.8	1.9	0.4	0.4	3.3	7.6	0.4	0.5	1.5	0.3	0.6	0.6	0.7	1.0	99
1.2	1.6	1.6	1.6	1.5	1.1	2.2	3.5	1.6	0.5	2.5	1.8	1.6	2.0	1.4	2.3	100
0.6	0.2	0.3	0.3	0.4	0.4	.....	.....	0.5	0.4	0.7	0.2	0.3	0.1	0.3	0.2	101
3.6	3.6	2.9	1.4	3.0	0.9	2.2	3.5	3.4	3.4	4.4	2.9	4.9	2.4	4.7	2.5	102
26.0	30.4	20.7	23.6	15.4	20.2	51.2	36.6	10.3	13.5	22.4	17.9	6.8	8.6	11.5	16.7	103
85.8	56.6	102.9	94.5	97.6	84.6	133.7	132.1	114.9	62.2	70.7	48.6	47.0	36.8	75.4	52.8	104
16.6	14.2	13.3	14.0	13.2	12.9	14.5	18.0	11.9	12.1	10.9	15.5	5.9	7.5	17.3	14.8	105
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	106
.....	0.7	.....	0.9	.....	0.5	.....	2.1	.....	.....	0.1	0.2	0.1	.....	0.1	0.2	107
28.4	9.1	14.5	2.6	13.3	2.4	21.2	3.5	12.9	4.1	16.3	9.1	21.9	13.7	17.6	7.6	108
13.0	12.1	14.6	9.7	13.7	8.9	20.1	12.4	12.9	9.6	15.4	11.8	11.6	9.2	13.1	9.6	109
3.6	2.8	4.7	2.7	4.4	1.6	6.7	6.9	4.2	3.2	4.5	2.6	4.9	3.3	4.0	2.8	
9.5	9.3	9.9	6.9	9.3	7.3	13.4	5.5	8.6	6.4	10.9	9.2	6.7	5.9	9.1	6.8	
1.2	3.1	4.1	2.4	4.0	2.5	4.5	2.1	2.1	2.6	3.9	4.1	2.4	3.2	4.0	3.6	110
0.6	0.7	0.3	0.3	0.2	0.4	1.1	.....	0.2	.....	1.0	0.6	0.3	0.4	0.9	0.7	111
.....	.....	.....	.....	.....	.....	.....	.....	(1)	0.1	0.1	0.1	.....	.....	0.1	.....	112
4.7	5.5	18.6	7.3	19.6	8.2	12.3	4.1	9.7	10.1	13.0	11.0	12.0	6.9	23.0	9.1	113
7.1	1.4	4.7	1.4	5.1	1.8	2.2	.....	3.5	2.5	3.9	2.2	3.3	2.7	3.9	2.6	114
8.3	7.3	5.7	2.2	5.1	2.4	8.9	1.4	4.1	3.8	6.6	6.1	5.5	4.3	8.1	5.0	115
0.6	0.2	.....	.....	.....	.....	.....	.....	0.1	0.3	0.6	0.2	0.3	0.3	0.3	0.2	116
5.9	3.5	2.6	2.9	2.3	1.8	4.5	6.9	4.3	3.4	7.2	6.8	1.9	2.0	4.2	5.7	117
2.4	1.4	1.1	0.1	1.3	0.2	.....	.....	1.6	0.4	1.0	0.9	1.0	0.8	1.0	0.3	118

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KENTUCKY.					
										Total.		White.		Colored.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	128.2	90.9	127.8	69.6	130.9	127.6	117.3	96.1	142.9	66.5	133.4	61.9	187.9	108.2
119	Acute nephritis	9.2	5.5	14.6	8.4	14.2	12.3	12.4	6.6	10.5	5.1	7.1	4.6	26.6	9.9
120	Bright's disease	97.4	69.9	97.1	52.7	104.9	102.0	81.5	73.7	112.4	48.5	111.2	45.4	117.8	76.5
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	2.9	1.8	1.3	1.5	1.6	1.9	2.8	2.9	4.2	3.1	3.0	2.8	9.8	5.2
123	Calculi of the urinary passages	0.7	0.6	0.6	0.2	0.4	0.8	0.8	0.6	0.5	0.4	0.6	0.4	.....	0.5
124	Diseases of the bladder	2.6	3.7	1.0	1.1	1.6	4.9	1.8	2.9	2.7	2.3	2.4	2.2	4.2	3.1
125	Diseases of the urethra, urinary abscess, etc.	0.8	.....	1.0	0.6	0.4	.....	0.6	0.2	1.5	0.3	0.3	0.1	7.0	1.6
126	Diseases of the prostate	4.3	4.8	2.3	1.1	2.3	3.5	4.0	4.5	1.7	3.2	1.8	3.1	1.4	3.6
127	Nonvenereal diseases of the male genital organs.	0.2	.....	.....	.....	.....	.....	0.2	.....	0.2	0.1	0.3	.....	.....	0.5
128	Uterine hemorrhage (nonpuerperal)	0.1	.....	.....	.....	0.6	0.3	0.1	0.1	0.2	0.3	0.3	0.3	.....	0.5
129	Uterine tumor (noncancerous)	2.1	1.2	2.3	0.2	1.2	1.1	2.3	1.4	2.2	0.5	0.6	0.5	9.8	1.0
130	Other diseases of the uterus	2.2	1.0	1.3	0.6	0.9	0.3	1.8	0.6	2.2	1.5	1.8	1.4	4.2	2.6
131	Cysts and other tumors of the ovary	1.4	0.3	1.3	1.3	1.2	0.3	2.3	0.9	1.5	0.8	1.5	0.8	1.4	1.6
132	Salpingitis and other diseases of the female genital organs.	4.4	1.9	4.9	1.7	1.4	0.3	6.5	1.5	3.2	0.5	2.7	0.4	5.6	1.6
133	Nonpuerperal diseases of the breast (cancer excepted).	.....	.....	0.3	.....	0.3	.....	0.1	0.1	.....	0.1	.....	0.1	.....	.....
	VII.—The puerperal state	14.1	12.4	17.2	18.0	13.6	6.5	19.8	16.7	12.5	18.8	10.1	17.4	23.8	30.7
134	Accidents of pregnancy	1.7	1.2	1.3	1.1	1.2	0.8	1.4	1.4	0.2	2.4	0.3	2.2	.....	3.6
135	Puerperal hemorrhage	1.1	0.7	2.3	1.3	1.8	1.1	0.6	0.9	0.5	1.9	0.6	2.0	.....	1.6
136	Other accidents of labor	1.1	1.1	1.3	0.8	0.6	0.3	1.1	0.9	1.5	2.0	0.9	2.0	4.2	2.1
137	Puerperal septicemia	6.3	5.1	8.4	9.0	6.2	2.5	12.6	10.1	6.1	7.9	5.3	6.6	9.8	18.7
138	Puerperal albuminuria and convulsions	3.2	3.5	3.9	5.0	3.5	1.6	3.8	2.8	3.4	4.2	2.4	4.1	8.4	4.7
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	0.5	0.4	.....	0.8	0.3	0.3	0.4	0.4	0.2	0.3	.....	0.3	1.4	.....
140	Following childbirth (not otherwise defined).	0.2	0.3	.....	.....	.....	.....	.....	0.2	0.5	0.2	0.6	0.2	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue.	4.4	4.2	1.6	1.5	6.2	4.1	4.6	5.2	5.1	4.2	3.8	4.2	11.2	4.2
142	Gangrene	2.3	3.2	1.3	1.1	3.8	2.5	2.7	3.4	2.9	1.7	1.8	1.6	8.4	2.1
143	Furuncle	0.9	0.5	.....	0.4	0.1	0.5	0.5	0.6	.....	0.3	.....	0.4	.....	.....
144	Acute abscess	0.4	0.3	.....	.....	1.3	.....	0.7	0.3	1.0	0.2	1.2	0.2	.....	.....
145	Other diseases of the skin and annexa	0.8	0.2	0.3	.....	1.0	1.1	0.7	0.9	1.2	2.0	0.9	2.0	2.8	2.1
	IX.—Diseases of the bones and of the organs of locomotion.	2.2	1.8	2.6	1.1	1.3	1.6	1.1	1.4	2.0	1.2	1.8	1.3	2.8	.....
146	Diseases of the bones (tuberculosis excepted).	2.0	1.3	2.6	1.0	1.0	1.4	0.9	1.2	1.5	1.1	1.2	1.2	2.8	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted).	0.1	0.3	.....	0.2	0.3	.....	.....	0.1	.....	.....	.....	.....	.....	.....
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	0.5	.....	0.6	.....	.....	.....
149	Other diseases of the organs of locomotion	0.2	0.2	.....	.....	.....	0.3	0.1	0.1	.....	0.1	.....	0.1	.....	.....
	X.—Malformations	13.0	10.3	14.6	13.8	14.1	15.0	20.0	17.2	6.8	11.3	8.0	12.1	1.4	4.7
150	Congenital malformations (stillbirths not included) (total).	13.0	10.3	14.6	13.8	14.1	15.0	20.0	17.2	6.8	11.3	8.0	12.1	1.4	4.7
	Hydrocephalus	1.4	0.7	0.3	0.6	1.6	1.1	1.2	1.3	0.7	0.6	0.9	0.7	.....	.....
	Congenital malformations of the heart	8.0	6.1	12.3	8.8	8.0	9.5	13.3	10.6	4.4	5.2	5.0	5.5	1.4	2.6
	Other congenital malformations	3.7	3.5	1.9	4.4	4.5	4.4	5.6	5.3	1.7	5.5	2.1	5.9	.....	2.1
	XI.—Early infancy	50.9	36.9	76.7	77.8	109.7	84.0	66.4	58.7	92.8	74.0	91.1	73.3	101.0	80.1
151	Congenital debility, icterus, and sclerema (total).	41.2	29.1	66.3	65.9	87.2	66.0	52.4	45.1	84.8	63.9	83.4	63.2	91.2	70.2
	Premature birth	30.6	20.7	41.1	42.0	47.3	36.8	44.2	36.2	39.8	42.5	41.4	42.5	32.3	42.1
	Congenital debility, "atrophy," "marasmus," etc.	10.6	8.4	25.2	24.0	39.8	29.2	8.2	8.8	44.9	21.4	42.0	20.7	58.9	28.1
152	Other causes peculiar to early infancy (total).	9.6	7.5	10.4	11.9	22.0	17.7	13.8	13.4	7.1	9.7	7.7	9.7	4.2	9.9
	Injuries at birth	5.8	4.1	4.5	5.2	13.8	10.6	9.4	6.9	1.7	5.3	1.5	5.3	2.8	4.7
	Other causes peculiar to early infancy [2]	3.8	3.5	5.8	6.7	8.1	7.1	4.4	6.4	5.4	4.4	6.2	4.3	1.4	5.2
153	Lack of care	0.2	0.3	.....	.....	0.5	0.3	0.2	0.3	1.0	0.4	.....	0.4	5.6	.....
	XII.—Old age	20.4	26.5	26.5	27.6	23.8	30.3	11.1	13.7	31.0	21.0	29.9	18.8	36.5	40.1
154	Senility	20.4	26.5	26.5	27.6	23.8	30.3	11.1	13.7	31.0	21.0	29.9	18.8	36.5	40.1
	XIII.—External causes	134.3	147.8	107.4	133.6	112.0	105.5	118.5	88.1	129.2	77.2	109.4	69.0	223.0	149.8
	Suicide (total)	35.2	24.3	28.5	17.6	18.9	16.6	24.3	13.3	16.1	7.1	18.3	7.6	5.6	3.1
155	By poison	7.2	4.4	12.3	5.7	8.1	6.0	11.3	4.3	6.6	2.6	7.1	2.7	4.2	1.6
156	By asphyxia	5.4	0.4	0.3	0.4	2.6	.....	1.2	0.2	0.5	.....	0.6	.....	.....	.....
157	By hanging or strangulation	2.8	3.0	1.0	1.0	2.6	3.5	3.0	2.8	2.9	0.8	3.5	0.9	.....	.....
158	By drowning	1.2	1.2	0.3	1.1	1.0	2.2	2.3	1.1	1.0	0.4	1.2	0.4	.....	0.5
159	By firearms	15.0	10.6	12.3	7.5	3.1	3.3	4.9	3.8	3.7	2.4	4.1	2.6	1.4	0.5
160	By cutting or piercing instruments	2.9	3.3	1.6	1.1	1.0	0.8	1.2	0.6	1.0	0.7	1.2	0.7	.....	0.5
161	By jumping from high places	0.5	0.4	0.6	.....	0.3	0.5	0.2	0.1	0.2	0.1	0.3	0.1	.....	.....
162	By crushing	0.1	0.5	.....	0.4	0.1	0.3	0.1	0.3	.....	0.1	.....	0.1	.....	.....
163	Other suicides	0.2	0.3	.....	0.4	.....	.....	0.2	0.2	0.2	0.2	0.3	0.2	.....	.....

[1] Less than one-tenth of 1 per 100,000 population.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																
MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		Detailed Int. List No.
		Total.		White.		Colored.										
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
169.9	120.7	179.0	106.2	159.9	96.8	290.8	141.8	103.9	99.3	93.6	80.7	95.6	72.3	151.4	75.9	
20.1	8.1	21.5	9.8	15.8	8.2	54.6	15.9	7.5	6.1	10.2	6.0	6.5	4.3	9.3	4.9	119
123.1	97.5	141.1	87.6	130.4	80.4	203.9	114.8	79.2	80.5	58.7	60.1	65.1	55.2	115.7	58.4	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	.....	.....	121
3.6	1.7	2.3	1.2	2.3	0.9	2.2	2.1	2.5	1.9	3.6	2.1	3.1	2.7	3.5	2.4	122
.....	1.6	0.3	0.4	0.4	0.4	.....	0.7	0.8	0.3	1.2	0.6	1.5	0.4	0.8	0.4	123
3.6	3.5	2.1	1.7	1.7	1.8	4.5	1.4	1.9	3.5	3.4	4.3	3.1	1.7	3.2	3.2	124
.....	.....	1.1	.....	1.0	.....	2.2	.....	0.6	0.1	0.7	0.3	0.3	0.1	1.1	0.2	125
6.5	4.5	2.6	2.9	2.7	2.5	2.2	4.1	4.0	4.1	6.4	3.3	5.6	5.5	4.7	3.4	126
0.6	.....	0.2	.....	0.2	.....	.....	.....	0.1	0.1	0.1	0.1	.....	0.1	0.1	.....	127
.....	0.2	0.2	0.1	0.2	0.2	.....	.....	0.1	0.1	0.4	0.1	0.4	0.1	0.1	(1)	128
2.4	0.5	2.1	0.9	1.0	0.7	8.9	1.4	1.7	0.3	1.6	0.8	2.5	0.4	2.5	0.5	129
7.1	1.2	1.8	0.6	1.9	0.7	1.1	.....	1.4	0.9	2.2	1.2	2.5	0.8	3.0	1.0	130
.....	0.9	0.8	0.6	0.6	0.7	2.2	.....	1.4	0.5	1.7	1.0	1.3	0.5	2.4	0.6	131
3.0	1.0	2.9	0.4	1.9	0.2	8.9	1.4	2.6	0.6	3.3	0.8	3.4	0.4	5.0	0.9	132
.....	.....	.....	.....	.....	.....	.....	.....	0.1	0.1	0.1	.....	.....	.....	.....	(1)	133
14.2	13.1	16.6	11.5	14.3	9.5	30.1	19.4	16.2	9.9	18.6	16.9	14.3	14.3	15.9	17.6	
.....	1.6	1.5	1.4	1.1	1.5	3.3	1.4	1.6	0.6	2.1	1.7	0.9	1.1	1.4	1.9	134
2.4	2.1	1.6	1.4	1.5	1.3	2.2	2.1	1.0	1.2	1.5	1.3	0.9	1.6	1.1	2.0	135
1.8	2.1	1.8	1.0	1.1	0.4	5.6	3.5	1.8	1.9	1.7	2.6	0.7	1.3	0.8	1.9	136
7.1	2.9	7.3	3.7	6.7	3.3	11.1	5.5	7.2	2.2	9.5	7.9	7.6	7.1	9.2	7.9	137
3.0	4.0	3.6	3.5	3.4	2.7	4.5	6.2	3.9	2.7	3.2	2.8	3.0	2.6	2.5	3.3	138
.....	0.3	0.8	0.3	0.4	0.4	3.3	.....	0.7	0.8	0.5	0.5	0.9	0.4	0.7	0.5	139
.....	0.2	.....	0.1	.....	.....	.....	0.7	(1)	0.4	0.1	0.1	0.1	0.1	0.2	0.1	140
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	.....	.....	141
14.2	10.7	5.4	5.5	5.0	4.5	7.8	9.0	6.0	5.2	6.2	8.0	5.8	3.6	4.5	4.0	
9.5	8.1	2.8	3.7	2.3	2.9	5.6	6.9	2.5	3.2	3.6	5.6	1.5	2.2	2.3	2.6	142
1.2	0.5	0.3	0.1	0.4	0.2	.....	.....	0.7	0.4	0.3	0.5	0.9	0.2	0.8	0.1	143
0.6	0.9	1.0	0.9	1.0	0.9	1.1	0.7	1.3	0.5	1.1	0.8	1.3	0.7	0.4	0.5	144
3.0	1.2	1.3	0.7	1.3	0.5	1.1	1.4	1.6	1.0	1.3	1.2	2.1	0.6	0.9	0.8	145
2.4	1.2	3.9	1.4	3.4	1.1	6.7	2.8	3.2	1.7	2.8	2.3	3.7	2.0	2.2	1.3	
2.4	0.7	3.7	0.7	3.2	0.4	6.7	2.1	2.4	1.4	2.4	2.0	3.7	1.8	1.8	1.0	146
.....	0.3	0.2	0.4	0.2	0.4	.....	0.7	0.6	0.3	0.5	0.2	.....	0.1	0.3	0.2	147
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.1	.....	148
.....	0.2	.....	0.3	.....	0.4	.....	.....	0.1	.....	.....	.....	.....	0.1	0.1	0.1	149
7.1	7.4	14.0	10.4	14.9	11.3	8.9	6.9	17.1	13.0	16.2	16.9	15.8	12.4	13.1	10.8	
7.1	7.4	14.0	10.4	14.9	11.3	8.9	6.9	17.1	13.0	16.2	16.9	15.8	12.4	13.1	10.8	150
1.2	0.9	0.8	0.6	1.0	0.5	.....	0.7	1.9	0.6	1.4	1.7	1.5	1.3	0.8	1.0	
3.6	4.1	9.8	7.1	10.3	8.0	6.7	3.5	10.1	8.4	10.4	9.1	8.9	6.5	9.2	5.8	
2.4	2.4	3.4	2.7	3.6	2.7	2.2	2.8	5.1	3.9	4.5	6.2	5.4	4.6	3.1	4.0	
108.9	71.1	129.1	72.6	112.5	61.5	226.2	114.8	95.2	75.1	111.7	74.5	68.8	54.0	70.8	67.2	
82.9	62.5	113.3	62.8	98.2	53.9	201.7	96.8	74.3	62.5	97.8	62.7	58.9	45.1	59.7	55.4	151
42.0	34.9	48.3	29.4	41.6	28.6	88.0	32.5	48.4	37.5	49.8	37.4	43.0	27.4	39.4	39.8	
40.8	27.6	64.9	33.4	56.6	25.3	113.6	64.3	26.0	25.0	48.0	25.3	15.9	17.7	20.4	15.6	
26.0	8.6	15.5	8.8	13.9	7.5	24.5	13.8	20.7	12.1	13.6	11.8	10.0	8.6	10.9	11.5	152
7.7	4.0	9.6	4.9	10.3	5.1	5.6	4.1	13.3	6.4	6.7	6.0	5.6	5.5	6.4	5.2	
18.4	4.7	5.9	3.9	3.6	2.4	18.9	9.7	7.3	5.7	6.9	5.8	4.3	3.2	4.4	6.3	
.....	.....	0.3	1.0	0.4	0.2	.....	4.1	0.2	0.5	0.4	0.1	.....	0.4	0.3	0.3	153
42.0	79.8	28.5	36.3	29.2	34.2	24.5	44.3	12.9	37.6	44.2	52.7	18.7	41.1	8.6	22.4	
42.0	79.8	28.5	36.3	29.2	34.2	24.5	44.3	12.9	37.6	44.2	52.7	18.7	41.1	8.6	22.4	154
111.9	86.3	103.2	74.5	97.4	72.4	137.0	82.3	107.5	98.3	100.9	97.2	92.8	81.4	135.0	69.2	
13.6	13.5	17.7	5.8	19.4	6.7	7.8	2.1	13.1	12.7	18.3	12.4	18.7	12.3	32.8	9.9	
1.2	2.4	6.3	0.6	7.1	0.7	2.2	.....	2.4	2.1	8.2	4.2	4.3	2.5	18.4	3.8	155
1.8	0.3	2.9	0.1	3.2	0.2	1.1	.....	2.8	0.5	1.1	0.3	2.1	.....	1.9	.....	156
3.6	3.5	1.1	1.9	1.1	2.2	1.1	0.7	1.6	2.5	2.1	3.0	2.7	3.6	1.6	1.4	157
3.0	1.2	0.2	0.7	0.2	0.7	.....	0.7	1.5	2.2	0.9	0.6	1.2	0.8	0.8	0.6	158
3.0	4.3	4.9	1.7	5.3	2.0	2.2	0.7	3.1	3.6	4.7	3.3	5.6	4.4	8.1	3.5	159
1.2	1.4	1.0	0.1	1.0	0.2	1.1	.....	1.3	1.3	0.9	0.9	1.8	0.4	1.1	0.6	160
.....	.....	1.1	.....	1.3	.....	.....	.....	0.2	0.1	0.2	.....	0.7	0.1	0.4	.....	161
.....	0.2	0.2	0.4	0.2	0.5	.....	.....	0.1	0.4	.....	.....	0.1	0.1	0.3	.....	162
.....	0.2	.....	0.1	.....	0.2	.....	.....	0.1	.....	0.2	0.2	0.1	0.3	0.2	.....	163

[2] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		CALIFORNIA.		COLORADO.		CONNECTICUT.		INDIANA.		KENTUCKY.					
										Total.		White.		Colored.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes—Continued.														
	Accidental or undefined (total)	88.3	114.1	65.1	103.9	89.2	85.3	86.7	71.5	93.6	57.7	83.4	52.6	141.6	103.0
164	Poisoning by food	1.6	2.0	1.3	1.7	1.0	0.8	0.8	0.9	1.0	0.8	0.6	0.8	2.8	1.6
165	Other acute poisonings	3.1	2.5	4.9	3.4	2.2	2.5	3.3	2.2	2.4	2.1	2.1	2.1	4.2	1.6
166	Conflagration	1.7	3.4	0.3	1.9	0.6	0.5	0.2	0.5	0.5	1.2	0.6	1.1	.....	2.6
167	Burns (conflagration excepted)	6.3	6.4	5.8	6.9	11.3	6.0	9.6	6.8	11.5	9.2	10.1	8.4	18.2	15.6
168	Absorption of deleterious gases (conflagration excepted).	7.1	2.4	4.2	2.5	6.3	1.4	3.7	2.8	2.2	1.6	1.5	1.3	5.6	3.6
169	Accidental drowning	10.7	17.7	1.3	9.0	6.7	19.1	6.4	6.6	9.3	4.2	8.3	3.5	14.0	9.9
170	Traumatism by firearms	2.0	4.9	1.3	5.0	1.2	2.2	2.0	2.3	5.9	6.2	4.1	4.8	14.0	18.7
171	Traumatism by cutting or piercing instruments.	0.1	0.3	0.3	0.4	0.4	0.5	0.2	0.4	0.2	0.4	.....	0.4	1.4	0.5
172	Traumatism by fall	16.9	12.5	16.5	8.0	17.5	15.3	15.8	15.1	15.4	6.9	14.2	7.1	21.0	5.2
173	Traumatism in mines and quarries (total).	0.2	5.5	2.3	26.4	0.3	.....	1.3	2.1	0.5	2.7	0.6	2.4	.....	5.2
	Traumatism in mines	0.2	4.8	1.9	26.1	.....	.....	1.3	2.0	0.5	2.5	0.6	2.2	.....	5.2
	Traumatism in quarries	0.1	0.7	0.3	0.4	0.3	.....	.....	0.1	.....	0.2	.....	0.2	.....	.....
174	Traumatism by machines	2.6	4.1	2.9	2.5	1.9	0.8	2.6	1.1	1.2	1.0	0.9	0.9	2.8	1.6
175	Traumatism by other crushing (total)	28.9	36.7	20.1	25.7	26.3	22.6	31.4	19.9	25.2	12.9	22.8	11.8	36.5	21.8
	Railroad accidents and injuries	10.4	18.0	8.1	15.1	13.1	14.4	18.7	13.3	14.4	10.0	13.0	9.0	21.0	18.7
	Street-car accidents and injuries	7.5	2.5	2.9	0.2	7.1	3.8	5.7	1.8	6.4	0.4	5.3	0.4	11.2	0.5
	Automobile accidents and injuries	5.2	3.8	3.6	1.3	1.9	1.9	1.9	0.8	2.2	0.3	2.4	0.2	1.4	1.0
	Injuries by other vehicles	5.3	9.8	4.9	8.2	3.8	1.6	3.7	3.3	1.0	2.0	0.9	2.1	1.4	1.6
	Landslide, other crushing	0.5	2.6	0.6	0.8	0.4	0.8	1.4	0.7	1.2	0.2	1.2	0.2	1.4	.....
176	Injuries by animals	0.6	1.7	1.6	1.7	0.5	0.5	0.6	2.4	0.5	0.6	0.3	0.5	1.4	1.0
177	Starvation	.....	0.6	.....	0.4	0.4	.....	0.1	0.1	.....	0.1	.....	0.1	.....	0.5
178	Excessive cold	.....	0.3	0.6	1.9	0.5	0.5	0.4	0.5	0.7	0.1	0.3	.....	2.8	1.0
179	Effects of heat	0.6	2.2	.....	.....	7.0	7.6	2.5	2.1	3.7	1.1	3.8	0.9	2.8	2.6
180	Lightning	.....	0.1	.....	2.5	0.1	.....	0.1	1.1	0.2	1.1	0.3	1.1	.....	0.5
181	Electricity (lightning excepted)	1.1	1.6	0.6	0.6	0.8	0.5	1.9	1.1	0.5	0.1	0.6	0.1	.....	.....
185	Fractures (cause not specified)	1.0	0.3	.....	0.2	1.3	0.8	0.6	0.1	5.4	0.9	5.9	1.0	2.8	.....
186	Other external violence	3.8	9.0	1.0	3.1	3.0	3.5	3.1	3.3	7.3	4.7	6.5	4.2	11.2	9.4
	Homicide (total)	10.9	9.3	13.9	12.1	3.9	3.5	7.5	3.2	19.5	12.4	7.7	8.9	75.7	43.7
182	By firearms	7.7	6.6	8.7	8.2	1.8	1.9	5.3	2.5	12.5	9.5	5.3	6.9	46.3	32.3
183	By cutting or piercing instruments	1.7	1.7	3.2	1.9	0.6	0.8	0.7	0.3	5.4	0.9	1.5	0.6	23.8	3.6
184	By other means	1.5	1.0	1.9	1.9	1.4	0.8	1.4	0.4	1.7	1.9	0.9	1.3	5.6	7.8
	XIV.—Ill-defined diseases	0.5	4.4	1.0	5.2	9.7	8.5	2.3	1.5	18.3	56.5	13.0	51.4	43.5	101.4
187	Ill-defined organic disease	0.1	0.7	.....	0.6	0.3	1.1	0.1	0.1	2.0	5.5	0.6	5.1	8.4	8.8
188	Sudden death	0.2	.....	.....	.....	0.9	0.3	0.2	0.1	.....	2.1	.....	1.5	.....	7.3
189	Not specified or ill-defined (total)	0.3	3.7	1.0	4.6	8.5	7.1	1.9	1.3	16.4	48.9	12.4	44.8	35.1	85.3
	Ill-defined	0.3	2.5	1.0	3.6	6.6	3.0	0.6	0.7	13.2	13.0	9.5	12.3	30.9	19.8
	Not specified or unknown	.....	1.2	.....	1.0	1.9	4.1	1.3	0.6	3.2	35.9	3.0	32.6	4.2	65.5

[1] Less than one-tenth of 1 per 100,000 population.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.																
MAINE.		MARYLAND.						MASSACHUSETTS.		MICHIGAN.		MINNESOTA.		MISSOURI.		Detailed Int. List No.
		Total.		White.		Colored.										
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
95.9	70.4	80.2	65.8	74.2	63.5	115.9	74.7	91.3	83.6	79.9	82.5	69.6	65.4	85.7	54.2	
.....	0.9	0.3	1.0	0.4	1.1	.....	0.7	0.7	0.5	0.5	0.4	1.6	0.5	0.8	1.0	164
3.0	1.7	1.6	2.0	1.7	1.3	1.1	4.8	1.9	1.3	2.8	3.7	1.9	1.8	3.1	2.6	165
1.2	2.4	0.7	1.2	0.4	0.5	2.2	3.5	1.3	2.2	1.6	1.3	0.9	2.2	0.8	0.9	166
8.3	5.4	12.2	6.6	9.7	5.1	26.7	12.4	8.6	5.8	7.3	5.9	4.5	4.2	7.9	6.2	167
4.1	1.6	3.9	2.2	3.6	1.8	5.6	3.5	4.2	2.3	3.9	1.8	6.8	2.2	3.8	1.5	168
16.6	17.8	7.5	13.1	6.1	12.2	15.6	16.6	7.2	14.4	8.3	14.7	5.2	9.0	4.6	5.6	169
1.8	3.6	1.6	2.6	1.7	1.8	1.1	5.5	0.7	1.8	1.4	3.1	1.6	3.2	1.6	3.3	170
0.6	0.2	0.2	0.1	0.2	0.2	.....	.....	0.3	0.3	0.2	0.1	.....	0.4	0.2	0.3	171
13.6	12.8	17.1	5.9	17.3	6.6	15.6	3.5	19.8	15.9	13.6	12.2	9.8	7.5	15.6	8.4	172
.....	0.3	0.3	1.6	0.4	2.0	.....	.....	0.1	0.3	0.9	7.3	3.7	4.3	2.0	1.5	173
.....	.....	0.2	1.4	0.2	1.8	.....	.....	(1)	0.3	0.9	7.3	3.7	4.2	1.8	1.4	
.....	0.3	0.2	0.1	0.2	0.2	.....	.....	0.1	.....	.....	0.1	.....	0.1	0.3	0.1	
2.4	1.9	2.4	0.7	1.7	0.9	6.7	.....	1.8	1.2	2.5	1.5	3.1	1.4	2.4	1.1	174
20.1	11.6	19.5	15.0	19.1	16.4	22.3	9.7	18.4	18.3	23.7	16.3	21.1	18.0	28.0	13.0	175
13.6	6.0	10.9	9.1	10.7	10.2	12.3	4.8	8.5	9.9	9.2	10.1	12.3	11.8	13.2	8.9	
3.6	0.9	3.3	1.3	3.2	1.1	3.3	2.1	2.9	3.2	7.2	1.9	3.0	0.3	6.5	(1)	
1.2	0.2	1.0	0.9	1.1	1.1	.....	.....	3.3	2.3	3.5	0.6	2.1	0.8	3.1	0.2	
1.8	3.5	3.6	2.7	3.2	2.7	5.6	2.8	3.5	2.3	3.5	3.1	3.1	4.3	4.4	3.4	
.....	1.0	0.8	1.0	0.8	1.3	1.1	.....	0.3	0.5	0.3	0.7	0.6	0.8	0.8	0.6	
0.6	0.7	0.5	0.9	0.2	0.7	2.2	1.4	0.1	0.1	0.7	1.9	0.7	1.5	1.0	1.6	176
.....	.....	.....	0.3	.....	0.2	.....	0.7	0.4	0.3	.....	.....	0.1	0.1	0.4	0.1	177
.....	0.7	0.3	0.6	0.4	0.4	.....	1.4	0.1	0.8	.....	0.6	0.9	1.1	0.1	0.4	178
11.2	3.1	8.6	3.9	8.4	3.8	10.0	4.1	20.6	13.0	4.0	2.3	0.9	1.0	8.1	2.1	179
.....	0.2	0.3	0.4	0.2	0.5	1.1	.....	(1)	0.3	0.2	0.8	0.1	0.8	0.3	0.4	180
1.2	0.7	0.2	0.6	0.2	0.7	.....	.....	0.7	1.7	1.7	0.8	1.5	0.6	0.8	0.1	181
1.8	0.9	0.5	3.2	0.4	3.6	1.1	1.4	0.8	0.6	1.9	0.7	1.3	0.6	1.3	0.2	185
9.5	4.1	2.4	4.0	2.1	3.6	4.5	5.5	3.4	2.6	4.8	7.1	3.6	5.0	2.9	3.5	186
2.4	2.4	5.2	2.9	3.8	2.2	13.4	5.5	3.2	1.9	2.8	2.3	4.5	3.6	16.5	5.2	
1.2	1.2	2.3	2.2	1.7	1.5	5.6	4.8	1.2	0.4	1.3	1.1	2.7	2.0	9.2	3.5	182
0.6	0.5	2.0	0.1	1.1	0.2	6.7	.....	0.5	0.8	0.5	0.5	0.3	0.2	3.7	0.7	183
0.6	0.7	1.0	0.6	1.0	0.5	1.1	0.7	1.5	0.8	1.0	0.7	1.5	1.5	3.6	1.1	184
18.9	26.9	21.0	35.0	18.7	21.1	34.5	87.8	7.3	7.9	9.6	16.5	1.6	21.1	5.2	32.6	
.....	2.8	1.0	0.3	0.8	0.4	2.2	.....	0.1	0.3	2.1	3.1	.....	0.8	0.9	2.1	187
5.3	1.9	0.3	1.6	0.4	1.1	.....	3.5	0.5	0.6	0.5	0.8	0.1	1.3	0.2	1.8	188
13.6	22.3	19.7	33.1	17.5	19.7	32.3	84.4	6.6	7.0	7.1	12.5	1.5	18.9	4.1	28.8	189
10.7	10.9	18.9	17.6	17.0	11.6	30.1	40.1	5.7	6.2	6.4	6.8	0.6	5.0	2.0	8.7	
3.0	11.4	0.8	15.6	0.6	8.0	2.2	44.3	0.9	0.8	0.6	5.7	0.9	13.9	2.0	20.0	

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.[1]					
										Total.		White.		Colored.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.[2]	Cities.	Rural districts.[2]	Cities.	Rural districts.[2]
	All causes[3]	1,449.8	872.8	1,783.0	1,655.0	1,516.4	1,373.2	1,545.6	1,578.9	2,083.8	1,653.2	1,651.0	1,320.4	2,779.1	2,329.8
	I.—General diseases	403.4	209.0	379.7	377.5	395.4	358.1	422.7	376.8	735.0	563.7	630.2	432.2	903.5	831.2
1	Typhoid fever	28.6	17.5	15.8	13.7	12.0	11.8	14.4	13.1	64.2	74.1	67.7	66.9	58.6	88.8
2	Typhus fever														
3	Relapsing fever														
4	Malaria					1.1	0.8	0.6	0.9	20.5	25.2	15.6	16.4	28.4	43.0
5	Smallpox						0.1	0.1		1.9	0.5	3.1			1.4
6	Measles	9.9	13.4	9.0	9.4	11.9	8.6	11.5	7.6	12.8	17.4	13.5	15.0	11.7	22.2
7	Scarlet fever	15.8	7.2	2.3	4.7	9.4	6.5	14.6	6.6	1.9	2.3	2.1	3.4	1.7	
8	Whooping cough	15.8	3.8	15.3	10.2	14.3	9.3	8.6	7.8	62.3	34.8	26.0	19.1	120.5	66.6
9	Diphtheria and croup	5.9	8.3	21.5	11.7	22.6	20.0	25.2	8.2	11.6	9.6	11.5	10.2	11.7	8.3
10	Influenza	3.9	3.8	15.3	34.4	8.5	16.3	8.6	31.9	32.7	18.3	29.2	17.1	38.5	20.8
11	Miliary fever														
12	Asiatic cholera							(4)							
13	Cholera nostras		0.3	0.6	1.2	0.5	0.3	0.3	1.1	0.6	0.9	1.0	0.7		1.4
14	Dysentery	2.0	3.4	5.6	5.9	3.3	5.3	2.1	5.1	27.6	23.3	30.2	19.1	23.4	31.9
15	Plague														
16	Yellow fever														
17	Leprosy							(4)							
18	Erysipelas	6.9	1.7	4.0	2.3	5.6	3.1	5.9	4.0	2.6	2.7	3.1	2.7	1.7	2.8
19	Other epidemic diseases	2.0	2.1		0.4	0.3	0.2	0.3	0.1		0.5				1.4
20	Purulent infection and septicemia	2.0	1.0	5.1	5.5	2.1	1.2	2.4	2.7	5.8	3.7	2.1	2.7	11.7	5.6
21	Glanders				0.4			0.1			0.5		0.7		
22	Anthrax								(4)						
23	Rabies				0.4	0.5	0.4	0.2	0.1						
24	Tetanus	1.0		1.7	1.6	2.1	1.7	1.1	1.5	10.3	8.2	3.1	0.7	21.8	23.6
25	Mycoses							(4)	(4)						
26	Pellagra					0.1	0.1	(4)	(4)	67.4	32.9	70.8	30.7	61.9	37.5
27	Beriberi							(4)							
	Tuberculosis (total)	156.8	89.7	137.3	110.6	181.6	160.4	190.3	140.1	308.1	220.1	245.8	142.7	408.2	377.4
28	Tuberculosis of the lungs	125.3	76.0	108.5	93.8	145.7	135.4	157.9	118.7	269.0	187.1	215.6	120.8	354.7	321.9
29	Acute miliary tuberculosis	5.9	1.4	7.3	3.1	10.8	6.7	7.4	5.1	9.0	7.8	8.3	2.7	10.0	18.0
30	Tuberculous meningitis	7.9	4.1	10.7	3.9	12.6	8.9	15.5	4.5	10.9	5.0	10.4	4.1	11.7	6.9
31	Abdominal tuberculosis	8.9	2.8	4.5	3.9	6.3	4.8	4.1	5.7	11.6	13.7	8.3	12.3	16.7	16.7
32	Pott's disease	3.9	0.3	2.3	2.0	1.6	1.1	1.7	1.3	0.6	2.7		1.4	1.7	5.6
33	White swellings			0.6	0.8	1.2	0.6	0.9	0.8	1.3		1.0		1.7	
34	Tuberculosis of other organs	1.0	2.1	1.7	2.0	2.0	1.5	1.9	1.8	3.9	2.3	2.1	0.7	6.7	5.6
35	Disseminated tuberculosis	3.9	3.1	1.7	1.2	1.5	1.4	0.9	2.3	1.9	1.4		0.7	5.0	2.8
36	Rickets	1.0	0.7	1.1	0.8	1.1	1.3	1.0	0.5	0.6	1.4		0.7	1.7	2.8
37	Syphilis	9.9	2.1	1.7	3.1	4.5	4.2	8.5	3.0	15.4	10.5	9.4	3.4	25.1	25.0
38	Gonococcus infection		0.3			0.6		0.4	0.2	1.3	0.9			3.3	2.8
	Cancer and other malignant tumors (total)	75.9	27.5	84.2	105.5	74.4	75.0	83.8	93.9	55.9	54.0	64.6	56.0	41.8	50.0
39	Of the buccal cavity	3.0	1.7	2.8	3.9	2.1	3.2	2.8	4.5	2.6	3.7	3.1	4.8	1.7	1.4
40	Of the stomach, liver	30.6	13.4	27.7	36.3	28.2	32.2	32.4	35.9	16.7	14.6	20.8	15.7	10.0	12.5
41	Of the peritoneum, intestines, rectum	15.8	1.7	11.9	18.8	11.0	10.2	12.7	12.7	8.3	3.7	11.5	4.1	3.3	2.8
42	Of the female genital organs	6.9	2.8	12.4	17.2	12.7	8.9	12.6	13.6	12.8	14.2	11.5	12.3	15.1	18.0
43	Of the breast	7.9	2.1	12.4	9.0	7.2	8.7	7.9	10.9	5.1	6.9	5.2	6.1	5.0	8.3
44	Of the skin		1.4	3.4	5.9	1.6	2.6	1.6	4.8	2.6	0.9	3.1	1.4	1.7	
45	Of other organs or of organs not specified.	11.8	4.5	13.6	14.5	11.6	9.2	13.8	11.5	7.7	10.1	9.4	11.6	5.0	6.9
46	Other tumors (tumors of the female genital organs excepted).		0.3	0.6	1.6	0.2	0.9	0.6	1.1	2.6	0.5	1.0	0.7	5.0	
47	Acute articular rheumatism	5.9	5.2	5.1	5.9	8.6	7.1	6.4	6.5	9.0	6.9	8.3	4.1	10.0	12.5
48	Chronic rheumatism and gout	2.0	1.0	2.8	1.2	0.8	1.7	1.0	2.2		0.5				1.4
49	Scurvy					0.2	0.1	0.1	(4)						
50	Diabetes	20.7	6.9	24.3	23.1	13.7	12.4	18.9	19.5	5.1	6.4	4.2	9.6	6.7	
51	Exophthalmic goiter	2.0	0.7	2.3	1.2	0.8	0.3	1.2	1.5	0.6	0.5	1.0	0.7		
52	Addison's disease			0.6	0.4	0.3	0.2	0.5	0.6	0.6	0.5	1.0	0.7		
53	Leukemia		0.3	1.1	3.1	1.4	1.0	2.2	1.5	0.6	0.5		0.7	1.7	
54	Anemia, chlorosis	3.9	0.7	15.3	12.9	3.8	2.4	3.7	7.4	3.2	1.8	3.1	2.7	3.3	
55	Other general diseases	4.9	2.1	2.8	1.2	2.2	1.2	1.7	1.7	5.1	2.3	7.3	2.0	1.7	2.8
56	Alcoholism (acute or chronic)	18.7	7.2	4.0	5.1	6.1	4.0	5.8	5.3	3.2	1.8	3.1	2.0	3.3	1.4
57	Chronic lead posioning		0.3		0.4	0.4	0.1	0.3	0.1	0.6		1.0			
58	Other chronic occupation poisonings					0.1		0.1							
59	Other chronic poisonings	7.9	1.4	0.6		0.3	0.1	0.3	0.7	0.6	0.5	1.0	0.7		
	II.—Diseases of the nervous system and of the organs of special sense.	87.8	68.8	206.8	216.5	134.4	182.2	116.4	213.5	154.7	150.5	144.8	137.2	170.7	177.6
60	Encephalitis	1.0	1.0	4.0	2.3	1.4	1.3	0.6	1.3	1.3	2.3	2.1	2.7		1.4
61	Meningitis (total)	15.8	5.5	27.7	17.6	16.9	8.3	10.8	11.3	18.0	20.6	15.6	22.5	21.8	16.7
	Simple meningitis	6.9	2.4	20.9	12.5	10.4	5.9	5.7	8.0	10.9	8.7	9.4	8.2	13.4	9.7
	Cerebrospinal meningitis (undefined)	8.9	2.1	6.8	5.1	5.1	2.3	4.5	3.0	5.8	9.2	5.2	10.9	6.7	5.6
	Cerebrospinal fever		1.0			1.4	0.1	0.6	0.3	1.3	2.7	1.0	3.4	1.7	1.4

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														
OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		Detailed Int. List No.
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
1,411.7	1,223.2	1,548.5	1,304.5	1,564.1	1,509.7	1,181.8	955.5	1,786.8	1,554.0	978.3	815.8	1,268.5	1,085.5	
409.8	344.6	397.7	308.4	421.0	366.5	324.4	191.6	452.7	361.6	286.1	211.4	346.3	286.0	
22.8	22.7	23.8	20.2	10.6	4.7	22.6	17.6	19.8	11.2	19.7	17.1	20.5	9.5	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
0.8	1.0	0.4	0.5	0.7	2.8	.....	.....	2.2	1.3	0.5	.....	0.3	0.2	4
0.1	(4)	0.1	(4)	.....	.....	1.6	2.7	.....	.....	0.4	0.2	.....	0.1	5
5.6	7.2	12.6	8.1	2.9	9.3	21.8	5.7	8.8	10.9	5.2	5.9	10.2	11.0	6
16.4	5.2	11.3	7.9	9.3	14.9	22.6	10.7	2.2	1.3	5.4	3.9	12.0	8.1	7
12.5	10.5	10.2	15.1	21.1	24.2	7.3	6.5	8.8	7.4	7.7	4.1	7.7	9.3	8
19.5	11.3	30.1	24.0	26.2	23.3	23.5	21.4	15.4	5.4	7.7	9.2	20.2	10.3	9
14.0	28.4	11.2	17.9	8.6	13.1	7.3	6.1	22.0	47.1	7.9	10.0	8.0	15.3	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
0.4	0.5	0.6	1.1	0.7	1.9	1.6	0.4	.....	0.3	.....	0.2	0.1	0.8	13
3.1	6.4	2.5	4.5	4.7	4.7	3.2	2.7	4.4	3.2	0.2	2.1	3.2	3.4	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
4.0	3.8	3.7	3.6	2.9	2.8	1.6	3.8	4.4	3.5	3.1	2.1	4.6	3.6	18
0.3	0.3	0.3	0.5	0.7	.....	.....	0.4	.....	0.3	.....	0.2	0.1	0.6	19
3.5	2.6	3.0	2.7	3.5	0.9	6.5	4.2	4.4	2.9	3.6	2.6	4.7	3.7	20
.....	(4)	.....	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
(4)	.....	0.1	.....	.....	.....	.....	.....	.....	0.3	.....	.....	.....	.....	22
0.2	0.2	0.2	0.1	.....	.....	.....	.....	.....	.....	.....	.....	0.3	.....	23
2.5	1.7	2.0	1.5	1.6	.....	1.6	.....	2.2	1.6	0.2	0.3	2.3	1.3	24
.....	(4)	0.1	(4)	.....	.....	.....	.....	.....	.....	.....	.....	0.3	0.2	25
.....	0.1	0.1	(4)	1.6	.....	.....	.....	.....	.....	.....	.....	0.3	0.2	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2	.....	.....	.....	27
171.9	127.6	163.1	110.0	181.9	125.0	76.8	32.5	182.4	109.3	121.0	94.5	118.0	96.7	
142.8	106.5	134.0	93.3	148.6	98.8	50.2	26.8	151.6	83.7	89.4	76.5	97.2	78.3	28
5.3	3.5	6.7	3.7	6.9	2.8	8.1	1.5	6.6	4.5	1.8	2.0	2.6	3.8	29
9.4	5.5	10.5	4.3	13.1	14.0	4.0	0.4	11.0	8.3	14.2	6.5	7.3	4.5	30
7.3	6.0	6.3	4.4	6.9	2.8	4.0	2.7	6.6	4.8	8.3	4.5	5.6	4.1	31
1.3	1.4	1.1	1.1	2.2	2.8	5.7	1.1	2.2	1.3	2.2	0.8	0.5	1.1	32
0.7	0.6	0.9	0.6	1.1	.....	0.8	.....	2.2	1.3	0.5	0.5	0.6	0.6	33
2.9	2.6	2.5	1.9	2.0	0.9	3.2	.....	2.2	1.9	3.6	2.6	2.3	2.0	34
2.3	1.6	1.1	0.8	1.1	2.8	0.8	.....	.....	3.5	1.1	1.2	1.9	2.3	35
0.6	0.6	1.3	0.5	1.3	0.9	0.8	0.8	.....	1.3	0.5	0.3	1.5	0.6	36
11.1	4.4	6.2	3.1	8.6	3.7	8.9	0.4	8.8	2.6	5.0	1.8	4.2	1.5	37
0.4	0.2	0.3	0.2	0.9	.....	0.8	0.4	.....	0.6	0.4	.....	0.1	0.1	38
79.7	73.6	76.1	57.5	87.6	89.5	72.8	42.1	107.7	100.0	62.3	32.5	82.7	70.7	
2.8	3.0	2.5	2.4	4.7	1.9	4.0	2.3	6.6	5.4	1.8	1.2	1.8	2.2	39
31.3	30.6	29.1	25.0	29.5	35.4	26.7	23.3	35.2	36.5	28.4	13.3	40.1	37.2	40
10.4	8.4	10.7	6.8	12.6	7.5	4.9	4.6	13.2	13.1	7.2	3.9	11.9	8.5	41
15.1	8.2	13.9	7.6	15.5	20.5	14.6	2.7	6.6	16.3	9.5	3.8	9.6	4.4	42
7.4	8.1	6.5	5.8	10.2	7.5	5.7	2.7	17.6	9.6	4.1	3.6	5.5	5.1	43
1.6	4.5	1.7	2.9	3.3	1.9	3.2	1.5	2.2	4.5	1.3	1.4	1.3	2.6	44
11.1	10.7	11.6	7.0	11.8	14.9	13.8	5.0	26.4	14.4	10.1	5.3	12.6	10.7	45
0.3	0.8	0.6	0.4	0.4	.....	.....	0.8	.....	1.6	0.9	0.2	0.6	0.8	46
6.1	5.0	6.4	5.5	4.2	6.5	12.1	7.6	13.2	5.4	5.6	3.3	7.8	6.9	47
1.0	1.8	1.3	1.4	2.2	.....	0.8	1.5	.....	1.0	0.4	0.5	1.0	1.7	48
(4)	.....	0.3	(4)	.....	.....	.....	.....	2.2	.....	.....	.....	0.3	.....	49
14.3	14.5	16.1	10.6	21.7	20.5	9.7	11.9	19.8	20.2	11.7	8.8	16.5	13.5	50
2.3	2.3	0.9	0.9	0.2	0.9	2.4	0.8	2.2	2.6	1.1	0.5	2.3	2.0	51
0.4	0.4	0.4	0.2	0.7	.....	0.8	.....	.....	0.3	0.5	0.2	0.4	0.3	52
2.0	1.6	1.8	0.9	0.4	.....	0.8	1.1	2.2	2.2	2.7	1.2	1.7	2.0	53
4.6	4.0	4.4	4.0	6.0	3.7	5.7	2.3	11.0	9.3	2.9	2.9	5.4	6.0	54
1.5	2.1	1.6	1.9	2.9	.....	2.4	2.3	2.2	2.6	1.1	1.4	2.8	2.2	55
6.9	3.1	4.2	2.9	6.9	12.1	6.5	4.6	6.6	4.5	7.2	5.6	6.0	3.4	56
0.3	0.2	0.3	0.2	.....	.....	.....	.....	.....	0.3	0.2	.....	0.4	0.2	57
.....	(4)	(4)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
0.8	0.5	0.2	0.3	.....	0.9	1.6	0.4	.....	1.0	1.1	0.2	.....	0.1	59
135.0	153.2	130.5	151.1	153.0	158.5	97.1	73.8	186.8	193.9	81.1	85.0	127.5	124.9	
0.9	1.3	1.6	1.3	1.6	.....	2.4	0.8	.....	1.0	0.9	0.2	1.5	1.4	60
11.4	8.5	9.0	9.0	14.0	9.3	11.3	9.6	8.8	8.3	5.0	3.9	16.3	11.9	61
6.8	4.4	7.5	7.2	8.2	8.4	8.1	5.0	2.2	6.1	2.2	1.1	12.4	9.1	
2.9	3.4	1.1	1.6	5.1	0.9	1.6	3.4	6.6	2.2	2.7	2.6	3.8	2.7	
1.7	0.8	0.4	0.2	0.7	.....	1.6	1.1	.....	.....	0.2	0.3	0.1	0.1	

[3] Exclusive of stillbirths.

[4] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to muicipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.[1]					
										Total.		White.		Colored.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.[2]	Cities.	Rural districts.[2]	Cities.	Rural districts.[2]
	II.—Diseases of the nervous system and of the organs of special sense—Continued.														
62	Locomotor ataxia	2.0	0.7	3.4	6.3	2.6	3.5	2.7	3.3	0.6	2.3	.....	2.0	1.7	2.8
63	Other diseases of the spinal cord (total)	4.9	3.4	7.3	8.6	6.3	7.4	6.0	8.3	9.0	7.8	11.5	8.2	5.0	6.9
	Acute anterior poliomyelitis	.....	1.7	2.3	2.7	1.8	1.6	1.9	1.5	3.9	4.1	5.2	4.1	1.7	4.2
	Other diseases of the spinal cord [3]	4.9	1.7	5.1	5.9	4.5	5.8	4.2	6.8	5.1	3.7	6.2	4.1	3.3	2.8
64	Cerebral hemorrhage, apoplexy	45.4	27.5	93.8	129.0	75.5	106.9	68.6	132.7	70.0	67.7	62.5	60.1	82.0	83.3
65	Softening of the brain	.....	0.3	1.7	4.3	0.9	3.5	0.7	3.4	3.9	1.8	4.2	2.7	3.3	.....
66	Paralysis without specified cause	3.9	5.5	27.1	23.8	6.2	17.4	3.8	15.3	24.4	24.7	16.7	17.1	36.8	40.2
67	General paralysis of the insane	2.0	9.3	11.3	4.7	3.9	10.8	5.7	17.4	7.1	2.7	10.4	4.1	1.7	.....
68	Other forms of mental alienation	.....	3.4	3.4	2.3	0.9	6.0	1.2	2.5	5.8	2.3	8.3	0.7	1.7	5.6
69	Epilepsy	1.0	4.8	7.3	3.9	2.7	5.7	2.8	7.3	3.2	4.1	4.2	4.1	1.7	4.2
70	Convulsions (nonpuerperal)	.....	0.3	1.1	.....	0.1	.....	(4)	0.2	0.6	1.4	.....	0.7	1.7	2.8
71	Convulsions of infants	3.0	2.8	11.3	7.0	10.9	6.5	6.9	4.8	4.5	3.7	1.0	3.4	10.0	4.2
72	Chorea	.....	0.3	0.6	.....	0.5	.....	0.1	0.2	.....	.....	.....	.....	.....	.....
73	Neuralgia and neuritis	1.0	.....	0.6	1.6	0.8	0.1	0.8	1.1	0.6	0.5	1.0	.....	.....	1.4
74	Other diseases of the nervous system	3.0	2.4	3.4	3.9	3.0	4.0	3.2	3.5	5.1	5.5	6.2	6.1	3.3	4.2
75	Diseases of the eyes and their annexa	.....	.....	.....	.....	.....	.....	0.1	(4)	.....	.....	.....	.....	.....	.....
76	Diseases of the ears	4.9	1.4	2.8	1.2	1.8	0.8	2.4	0.9	0.6	3.2	1.0	2.7	.....	4.2
	III.—Diseases of the circulatory system.	159.8	93.8	246.9	272.4	180.2	190.2	203.5	278.5	214.4	126.3	161.5	99.0	299.5	181.8
77	Pericarditis	2.0	0.7	1.7	1.2	1.2	0.6	0.9	1.4	3.2	.....	2.1	.....	5.0	.....
78	Acute endocarditis	16.8	6.2	7.3	4.7	13.0	6.9	13.4	4.4	5.8	1.4	7.3	0.7	3.3	2.8
79	Organic diseases of the heart	120.3	67.0	189.3	202.4	139.6	150.0	151.0	209.7	168.2	113.0	111.5	86.0	259.3	167.9
80	Angina pectoris	4.9	2.4	9.0	14.1	4.6	7.1	5.9	14.0	10.9	1.4	10.4	1.4	11.7	1.4
81	Diseases of the arteries, atheroma, aneurism, etc.	10.8	11.3	31.6	40.6	16.3	19.6	27.2	41.8	20.5	6.9	22.9	6.8	16.7	6.9
82	Embolism and thrombosis	3.0	1.7	7.3	6.6	3.5	4.4	3.3	5.1	3.9	2.7	5.2	3.4	1.7	1.4
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	2.0	0.3	0.6	0.8	0.8	0.4	0.7	0.8	.....	0.5	.....	.....	.....	1.4
84	Diseases of the lymphatic system (lymphangitis, etc.).	.....	1.0	.....	.....	0.6	0.3	0.8	0.5	0.6	.....	1.0	.....	.....	.....
85	Hemorrhage; other diseases of the circulatory system.	.....	3.1	.....	2.0	0.6	0.8	0.4	0.8	1.3	0.5	1.0	0.7	1.7	.....
	IV.—Diseases of the respiratory system.	155.8	94.5	218.1	191.5	205.2	153.9	228.1	171.8	222.8	157.9	126.0	98.3	378.1	278.9
86	Diseases of the nasal fossæ	1.0	.....	.....	.....	0.2	0.2	0.1	(4)	.....	1.4	.....	0.7	.....	2.8
87	Diseases of the larynx	.....	0.7	2.3	2.3	1.5	1.7	0.8	1.6	1.9	1.8	2.1	1.4	1.7	2.8
88	Diseases of the thyroid body	.....	.....	0.6	0.4	0.4	.....	0.3	0.3	.....	.....	.....	.....	.....	.....
89	Acute bronchitis	3.0	4.5	25.4	13.7	11.5	8.5	15.1	13.6	10.9	8.7	2.1	3.4	25.1	19.4
90	Chronic bronchitis	5.9	3.1	11.3	19.1	7.9	8.0	7.1	11.2	14.8	6.9	11.5	6.1	20.1	8.3
91	Bronchopneumonia	38.5	18.9	42.9	21.1	59.5	29.1	82.6	39.1	45.6	30.2	34.4	15.0	63.6	61.1
92	Pneumonia (total)	89.7	58.1	111.9	118.0	109.1	90.9	110.3	93.8	134.8	99.3	62.5	61.4	251.0	176.2
	Lobar pneumonia	63.1	21.7	20.9	11.3	55.5	38.7	88.6	43.2	71.9	47.1	34.4	26.6	132.2	88.8
	Pneumonia (undefined)	26.6	36.4	91.0	106.7	53.6	52.2	21.7	50.7	62.9	52.2	28.1	34.8	118.8	87.4
93	Pleurisy	4.9	1.4	7.9	2.7	4.6	3.6	5.3	3.9	2.6	1.8	2.1	2.7	3.3	.....
94	Pulmonary congestion, pulmonary apoplexy.	3.9	4.8	10.2	9.0	5.2	6.9	2.8	5.2	6.4	2.7	8.3	2.0	3.3	4.2
95	Gangrene of the lung	1.0	.....	.....	.....	0.5	0.1	0.4	0.2	.....	.....	.....	.....	.....	.....
96	Asthma	3.9	1.0	2.8	2.0	2.5	1.9	1.7	1.6	3.2	2.3	1.0	1.4	6.7	4.2
97	Pulmonary emphysema	.....	.....	.....	0.8	0.2	0.1	0.3	0.3	.....	0.9	.....	1.4	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted).	3.9	2.1	2.8	2.3	2.0	2.8	1.3	1.1	2.6	1.8	2.1	2.7	3.3	.....
	V.—Diseases of the digestive system	191.3	80.1	254.8	141.1	194.0	140.5	177.8	139.1	282.5	259.4	235.4	241.7	358.1	295.6
99	Diseases of the mouth and annexa	1.0	.....	0.6	.....	0.4	0.4	0.5	0.6	1.9	0.9	1.0	0.7	3.3	1.4
100	Diseases of the pharynx	3.0	.....	1.1	2.3	1.2	1.3	1.3	1.6	3.9	1.4	5.2	0.7	1.7	2.8
101	Diseases of the esophagus	1.0	.....	1.1	0.4	0.1	0.1	0.2	0.4	.....	.....	.....	.....	.....	.....
102	Ulcer of the stomach	6.9	3.1	4.5	2.7	3.5	2.6	4.1	3.9	2.6	0.9	2.1	1.4	3.3	.....
103	Other diseases of the stomach (cancer excepted).	6.9	5.5	18.6	24.2	11.2	14.7	6.8	19.6	32.1	25.2	16.7	23.2	56.9	29.1
104	Diarrhea and enteritis (under 2 years)	53.3	30.3	146.3	48.8	114.0	73.6	94.4	44.3	149.6	150.5	118.7	138.6	199.1	174.8
105	Diarrhea and enteritis (2 years and over)	12.8	3.8	14.1	12.9	12.3	13.7	12.3	18.3	25.0	27.9	26.0	22.5	23.4	38.9
106	Ankylostomiasis	.....	.....	.....	.....	0.1	.....	.....	.....	0.6	0.9	.....	1.4	1.7	.....
107	Intestinal parasites	.....	.....	.....	0.4	.....	0.1	(4)	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	43.4	10.3	16.4	7.0	11.2	5.0	13.6	6.8	21.2	13.3	25.0	17.8	15.1	4.2
109	Hernia, intestinal obstruction (total)	18.7	7.9	15.3	11.7	10.4	7.4	12.8	12.1	13.5	8.7	14.6	6.8	11.7	12.5
	Hernia	3.0	3.4	5.6	4.7	5.7	3.6	5.4	3.4	6.4	2.3	6.2	0.7	6.7	5.6
	Intestinal obstruction	15.8	4.5	9.6	7.0	4.7	3.8	7.4	8.8	7.1	6.4	8.3	6.1	5.0	6.9
110	Other diseases of the intestines	5.9	1.4	4.5	1.6	3.0	2.9	2.5	2.4	5.1	3.7	3.1	3.4	8.4	4.2
111	Acute yellow atrophy of the liver	1.0	.....	1.1	1.2	0.5	0.4	0.3	0.5	1.3	.....	1.0	.....	1.7	.....
112	Hydatid tumor of the liver	.....	.....	.....	.....	0.1	0.1	0.1	(4)	.....	.....	.....	.....	.....	.....
113	Cirrhosis of the liver	16.8	9.3	9.0	13.7	17.3	11.2	19.3	14.2	6.4	9.6	7.3	6.8	5.0	15.3
114	Biliary calculi	3.9	0.7	1.1	2.7	2.2	1.9	2.9	2.0	1.3	2.7	2.1	4.1	.....	.....

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														
OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		Detailed Int. List No.
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
3.1	2.8	2.5	2.3	3.3	.....	1.6	.....	6.6	1.9	2.3	1.7	1.8	1.9	62
8.4	10.2	5.4	5.5	7.5	6.5	3.2	4.6	8.8	13.5	4.7	3.3	5.4	5.8	63
3.4	2.3	0.9	1.4	2.4	2.8	.....	1.1	4.4	2.9	1.6	1.5	1.3	1.3	
5.0	7.8	4.5	4.1	5.1	3.7	3.2	3.4	4.4	10.6	3.1	1.8	4.1	4.5	
77.0	94.6	73.9	81.8	89.6	117.5	51.0	31.0	134.1	128.5	52.6	47.2	58.7	58.4	64
1.4	3.5	1.5	1.8	0.7	0.9	.....	.....	4.4	3.2	.....	.....	0.9	1.0	65
4.2	9.8	7.0	13.4	5.5	6.5	8.1	5.4	2.2	7.1	3.4	6.8	8.2	11.3	66
11.0	5.5	5.8	6.7	11.5	3.7	1.6	3.8	2.2	6.7	1.3	8.2	2.4	4.3	67
3.3	1.8	1.7	3.3	1.3	0.9	1.6	3.1	.....	6.4	0.9	4.4	1.4	3.7	68
2.5	5.9	2.6	4.4	2.9	1.9	3.2	2.7	6.6	5.4	1.1	3.0	2.0	4.7	69
0.1	0.1	0.3	0.6	0.2	0.9	.....	0.8	.....	.....	.....	0.5	0.4	0.7	70
3.8	2.6	11.3	15.6	7.8	4.7	2.4	6.1	6.6	4.2	2.9	2.0	22.5	13.5	71
0.3	0.2	0.2	0.3	0.2	.....	0.8	0.8	.....	0.3	0.2	0.2	0.3	0.1	72
0.6	1.1	0.7	0.5	0.7	0.9	0.8	0.8	.....	1.9	0.7	0.5	0.5	0.5	73
4.5	3.6	4.2	3.0	5.1	2.8	5.7	2.3	2.2	3.2	2.3	1.4	3.3	4.4	74
0.1	0.1	0.3	(4)	.....	.....	.....	0.4	2.2	.....	0.2	.....	.....	.....	75
2.4	1.6	2.5	1.5	1.1	1.9	3.2	1.9	2.2	2.2	2.7	2.0	1.9	1.3	76
185.7	193.2	186.9	146.6	212.5	208.9	127.8	91.0	259.3	293.9	111.6	91.7	142.3	147.3	
1.4	1.5	1.3	1.1	2.0	1.9	.....	.....	2.2	1.9	0.4	0.8	1.0	1.1	77
9.5	2.2	9.2	3.5	10.0	5.6	6.5	5.4	4.4	4.5	3.1	2.7	7.9	3.6	78
138.3	152.3	142.9	116.3	157.3	161.3	98.7	75.3	193.4	214.4	92.4	74.7	102.7	114.5	79
7.1	9.1	6.2	7.9	6.2	7.5	8.1	4.2	19.8	21.2	3.4	5.3	4.2	4.6	80
24.7	23.4	21.6	14.4	31.1	28.9	11.3	4.2	30.8	46.8	10.1	6.4	20.3	19.7	81
2.9	2.9	4.0	2.0	4.7	2.8	0.8	0.8	8.8	4.2	1.3	1.1	4.3	2.5	82
0.6	0.7	0.8	0.3	0.2	.....	.....	0.4	.....	.....	0.4	0.2	0.5	0.5	83
0.7	0.2	0.5	0.4	0.7	0.9	1.6	0.4	.....	0.3	0.5	.....	0.8	0.3	84
0.5	0.8	0.5	0.7	0.4	.....	0.8	0.4	.....	0.6	0.2	0.6	0.5	0.4	85
146.5	118.2	206.5	158.5	193.0	198.6	140.7	148.0	151.6	173.1	85.8	73.4	132.3	112.9	
0.1	0.3	0.2	0.5	0.2	0.9	0.8	0.4	.....	.....	0.7	.....	0.1	0.1	86
0.9	1.1	1.6	2.7	1.8	1.9	0.8	2.7	.....	.....	0.7	0.8	1.0	1.7	87
0.3	0.4	0.4	0.5	0.2	0.9	.....	0.4	2.2	.....	1.1	0.6	0.4	0.4	88
14.3	6.7	16.4	10.8	15.7	24.2	5.7	16.4	19.8	17.0	3.1	3.6	11.4	8.2	89
10.5	7.6	8.8	6.9	11.1	6.5	7.3	4.6	2.2	12.8	2.5	4.1	10.7	8.8	90
45.4	37.3	65.0	41.8	43.0	44.8	29.9	26.8	17.6	33.3	25.7	22.8	24.2	18.0	91
66.7	55.9	95.6	79.3	108.2	111.0	79.3	84.5	90.1	98.7	46.5	35.7	70.8	63.1	92
59.0	45.6	56.0	28.2	47.9	27.0	55.8	18.7	17.6	26.0	45.9	33.0	17.1	18.1	
7.7	10.3	39.6	51.1	60.3	83.9	23.5	65.8	72.5	72.8	0.5	2.7	53.7	45.0	
3.0	1.7	5.7	3.0	2.9	1.9	8.1	3.8	2.2	3.2	2.5	1.8	3.2	2.8	93
1.4	2.7	6.5	5.5	4.0	5.6	2.4	1.1	6.6	1.9	0.7	1.2	3.8	4.7	94
0.2	0.2	0.3	0.2	.....	.....	0.8	.....	2.2	.....	0.4	.....	0.9	0.3	95
1.8	2.5	3.2	3.9	2.9	0.9	3.2	1.1	4.4	2.6	0.9	2.3	2.6	2.7	96
0.5	0.4	0.2	0.3	0.7	.....	0.8	.....	2.2	0.3	0.4	0.2	0.4	0.3	97
1.3	1.3	2.6	3.2	2.2	.....	1.6	6.1	2.2	3.2	0.7	0.3	2.8	1.8	98
174.4	121.4	217.9	171.5	175.9	169.7	137.5	94.1	294.5	145.5	100.1	72.4	180.6	107.5	
0.9	0.5	0.7	0.8	0.4	.....	1.6	.....	.....	.....	.....	0.3	0.8	0.2	99
1.8	2.1	1.5	1.5	0.9	1.9	1.6	1.5	2.2	0.6	2.2	1.2	1.8	1.9	100
0.2	0.3	0.2	0.3	.....	.....	.....	.....	.....	0.3	.....	0.2	0.1	0.1	101
4.9	2.8	4.0	2.1	4.2	3.7	3.2	2.7	6.6	4.5	3.6	2.1	3.2	1.9	102
12.8	15.1	18.6	22.7	12.0	22.4	6.5	9.6	17.6	17.0	5.7	7.0	15.7	11.2	103
81.2	41.7	118.4	91.1	87.2	93.2	46.1	33.3	153.8	48.4	28.4	23.0	79.4	37.3	104
11.8	12.3	15.0	13.3	12.2	9.3	8.1	6.1	2.2	18.6	9.5	7.4	9.7	10.3	105
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	0.2	.....	.....	106
0.1	0.4	0.1	0.2	.....	.....	.....	.....	.....	.....	.....	.....	0.1	0.3	107
14.2	6.4	13.2	4.7	14.9	5.6	23.5	13.0	63.7	12.8	16.5	9.4	20.9	9.8	108
12.0	9.5	13.5	8.6	14.0	5.6	15.4	13.0	11.0	14.7	10.1	8.6	15.6	10.0	109
4.2	2.6	5.0	2.3	6.4	.....	3.2	1.5	2.2	5.8	2.9	2.3	5.1	3.1	
7.8	6.9	8.5	6.3	7.5	5.6	12.1	11.5	8.8	9.0	7.2	6.4	10.5	6.9	
3.0	2.9	3.0	2.5	2.9	1.9	4.0	1.1	4.4	4.8	5.2	2.1	2.2	4.1	110
0.8	0.8	0.4	0.7	0.2	1.9	.....	.....	.....	1.0	0.2	0.2	0.5	0.4	111
(4)	.....	(4)	.....	0.2	.....	.....	.....	.....	.....	.....	.....	0.1	.....	112
16.8	13.3	16.6	11.0	14.6	15.9	9.7	3.4	13.2	11.2	7.7	4.5	15.6	10.8	113
4.4	3.7	3.5	1.9	3.3	1.9	2.4	1.1	13.2	2.6	4.3	0.8	3.7	1.9	114

[3] Exclusive of acute anterior poliomyelitis (infantile paralysis).

[4] Less than one-tenth of 1 per 100,000 population.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.[1]					
										Total.		White.		Colored.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.[2]	Cities.	Rural districts.[2]	Cities.	Rural districts.[2]
	V.—Diseases of the digestive system—Continued.														
115	Other diseases of the liver	6.9	2.4	6.2	3.9	3.6	2.5	3.7	5.7	7.1	7.8	5.2	8.9	10.0	5.6
116	Diseases of the spleen	1.0	.....	0.6	.....	0.3	0.2	0.2	0.4	0.6	.....	1.0	.....	.....	.....
117	Simple peritonitis (nonpuerperal)	6.9	5.2	13.0	7.0	1.6	1.6	2.0	5.9	9.6	5.0	5.2	4.1	16.7	6.9
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	2.0	0.3	1.1	0.4	0.9	0.6	1.0	0.5	0.6	0.9	1.0	1.4	.....	.....
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	108.5	45.0	120.3	139.1	137.4	116.2	151.8	136.3	143.8	94.3	107.3	82.6	202.4	117.9
119	Acute nephritis	7.9	6.5	10.7	6.6	15.4	11.7	13.4	12.4	14.1	5.5	8.3	4.8	23.4	6.9
120	Bright's disease	81.9	32.3	93.2	109.0	106.9	94.2	123.4	105.6	98.9	71.4	78.1	62.1	132.2	90.2
121	Chyluria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	2.0	0.3	3.4	1.2	2.5	1.3	2.2	2.4	5.1	2.3	1.0	2.7	11.7	1.4
123	Calculi of the urinary passages	.....	0.3	.....	.....	0.5	0.9	0.7	0.4	3.2	1.4	3.1	1.4	3.3	1.4
124	Diseases of the bladder	.....	0.7	1.1	10.9	2.1	1.6	1.2	5.6	3.2	1.8	4.2	1.4	1.7	2.8
125	Diseases of the urethra, urinary abscess, etc.	1.0	.....	1.1	0.8	0.6	0.2	0.6	0.2	1.3	0.9	1.0	0.7	1.7	1.4
126	Diseases of the prostate	3.9	2.1	4.0	4.7	2.2	2.7	2.7	4.8	3.2	4.1	3.1	4.8	3.3	2.8
127	Nonvenereal diseases of the male genital organs.	.....	.....	.....	.....	0.1	.....	0.1	0.1	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	1.0	0.7	.....	0.8	.....	.....	0.1	0.2	.....	.....	.....	.....	.....	.....
129	Uterine tumor (noncancerous)	1.0	0.3	1.7	2.0	2.0	1.0	2.2	2.0	2.6	3.2	2.1	1.4	3.3	6.9
130	Other diseases of the uterus	2.0	.....	2.3	1.6	1.5	0.5	1.1	0.9	3.9	1.8	3.1	1.4	5.0	2.8
131	Cysts and other tumors of the ovary	1.0	1.4	1.1	0.4	1.2	0.9	1.0	1.1	0.6	0.9	.....	0.7	1.7	1.4
132	Salpingitis and other diseases of the female genital organs.	6.9	0.3	1.7	1.2	2.5	1.3	3.1	0.6	7.7	0.9	3.1	1.4	15.1	.....
133	Nonpuerperal diseases of the breast (cancer excepted).	.....	.....	.....	.....	0.2	.....	0.1	0.1	.....	.....	.....	.....	.....	.....
	VII.—The puerperal state	27.6	17.2	15.3	12.5	19.4	10.1	15.5	13.4	23.1	27.5	12.5	21.8	40.2	38.9
134	Accidents of pregnancy	4.9	1.4	0.6	4.7	1.4	0.9	1.7	1.0	4.5	2.7	3.1	2.7	6.7	2.8
135	Peurperal hemorrhage	1.0	2.1	0.6	1.2	2.0	1.2	1.4	1.4	0.6	1.8	1.0	1.4	.....	2.8
136	Other accidents of labor	.....	1.7	0.6	0.8	1.5	1.0	1.7	1.1	1.3	5.5	1.0	4.1	1.7	8.3
137	Puerperal septicemia	17.8	6.9	6.2	2.7	9.7	3.9	7.2	5.1	9.6	7.8	3.1	4.8	20.1	13.9
138	Puerperal albuminuria and convulsions	2.0	3.4	5.6	3.1	4.1	2.8	3.0	4.2	6.4	9.6	3.1	8.9	11.7	11.1
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	1.0	1.4	1.7	.....	0.6	0.2	0.6	0.5	0.6	.....	1.0	.....	.....	.....
140	Following childbirth (not otherwise defined.)	1.0	0.3	.....	.....	.....	0.2	(3)	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	.....	.....	.....	.....	.....	.....	(3)	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue.	5.9	1.4	6.8	11.7	5.1	5.0	4.2	6.5	5.1	1.8	4.2	0.7	6.7	4.2
142	Gangrene	3.9	.....	2.8	7.4	2.5	3.4	1.7	4.5	3.9	0.5	3.1	.....	5.0	1.4
143	Furuncle	.....	.....	1.1	1.2	0.1	0.2	0.7	0.3	0.6	0.5	1.0	.....	.....	1.4
144	Acute abscess	1.0	0.7	1.7	0.4	1.2	0.5	1.1	0.6	0.6	0.5	.....	0.7	1.7	.....
145	Other diseases of the skin and annexa	1.0	0.7	1.1	2.7	1.3	0.9	0.8	1.0	.....	0.5	.....	.....	.....	1.4
	IX.—Diseases of the bones and of the organs of locomotion.	3.0	1.0	1.7	0.8	3.0	1.5	4.1	2.0	3.2	.....	4.2	.....	1.7	.....
146	Diseases of the bones (tuberculosis excepted)	2.0	1.0	1.7	0.8	2.5	1.2	3.8	1.5	1.9	.....	3.1	.....	.....	.....
147	Diseases of the joints (tuberculosis and rheumatism excepted).	.....	.....	.....	.....	0.4	0.1	0.3	0.3	.....	.....	.....	.....	.....	.....
148	Amputations	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	1.0	.....	.....	.....	0.2	0.2	(3)	0.3	1.3	.....	1.0	.....	1.7	.....
	X.—Malformations	17.8	13.8	14.1	9.4	17.0	17.4	14.9	13.9	14.1	8.7	18.7	10.2	6.7	5.6
150	Congenital malformations (stillbirths not included) (total).	17.8	13.8	14.1	9.4	17.0	17.4	14.9	13.9	14.1	8.7	18.7	10.2	6.7	5.6
	Hydrocephalus	.....	.....	2.3	0.8	1.0	1.1	1.5	1.2	1.9	0.9	3.1	0.7	.....	1.4
	Congenital malformations of the heart	13.8	10.7	7.3	4.7	9.5	11.7	8.7	8.1	7.7	3.2	9.4	4.8	5.0	.....
	Other congenital malformations	3.9	3.1	4.5	3.9	6.5	4.6	4.6	4.6	4.5	4.6	6.2	4.8	1.7	4.2
	XI.—Early infancy	93.7	62.6	139.5	76.2	94.7	67.6	89.8	69.6	91.8	87.9	67.7	81.9	130.5	99.9
151	Congenital debility, icterus, and sclerema (total).	73.0	51.9	122.6	64.5	77.6	55.5	70.8	58.8	82.8	76.9	63.5	78.5	113.8	73.5
	Premature birth	53.3	33.7	64.4	34.0	45.3	28.9	41.8	35.6	50.7	36.1	43.7	43.0	61.9	22.2
	Congenital debility, "atrophy," "marasmus," etc	19.7	18.2	58.2	30.5	32.3	26.6	29.0	23.1	32.1	40.7	19.8	35.5	51.9	51.3
152	Other causes peculiar to early infancy (total)	20.7	10.3	16.4	11.7	16.9	11.9	18.9	10.4	8.3	10.5	4.2	3.4	15.1	25.0
	Injuries at birth	11.8	3.8	6.2	4.7	10.7	7.1	10.1	6.9	7.1	2.7	3.1	1.4	13.4	5.6
	Other causes peculiar to early infancy[4]	8.9	6.5	10.2	7.0	6.1	4.8	8.8	3.5	1.3	7.8	1.0	2.0	1.7	19.4
153	Lack of care	.....	0.3	0.6	.....	0.2	0.2	0.1	0.5	0.6	0.5	.....	.....	1.7	1.4
	XII.—Old age	6.9	18.2	45.2	98.9	12.0	22.8	10.1	39.0	13.5	24.7	15.6	17.1	10.0	40.2
154	Senility	6.9	18.2	45.2	98.9	12.0	22.8	10.1	39.0	13.5	24.7	15.6	17.1	10.0	40.2

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														
OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		Detailed Int. List No.
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
5.4	5.8	4.9	5.4	4.9	3.7	5.7	4.6	2.2	6.1	3.9	3.9	7.0	3.7	115
0.2	0.3	0.2	0.1	0.2	.....	0.8	.....	.....	.....	.....	0.2	0.3	0.1	116
3.2	3.2	3.1	3.9	2.9	2.8	8.1	4.2	4.4	2.9	1.4	1.1	2.3	3.2	117
0.5	0.5	1.1	0.7	0.9	.....	0.8	0.4	.....	.....	1.4	0.5	1.7	0.4	118
108.9	80.8	135.0	79.2	143.3	130.5	104.3	61.6	160.4	118.9	87.6	49.8	83.8	73.8	
14.2	6.9	13.1	7.6	9.3	10.3	8.1	6.1	13.2	7.7	2.3	0.8	7.3	5.1	119
76.0	59.8	104.9	60.4	115.8	110.0	72.0	44.0	103.3	96.5	68.9	40.5	60.5	57.4	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
1.7	1.7	2.2	1.6	2.9	1.9	1.6	1.5	6.6	1.0	1.4	0.8	1.4	2.3	122
0.7	0.6	0.6	0.3	0.9	.....	0.8	0.8	.....	0.3	0.5	0.3	0.4	0.2	123
1.8	3.5	2.6	2.8	2.0	2.8	2.4	3.1	2.2	4.5	1.6	2.4	2.4	3.8	124
0.5	0.2	0.3	0.3	1.3	0.9	.....	0.8	.....	0.6	0.5	.....	0.1	0.2	125
4.5	4.8	3.2	3.3	5.5	3.7	7.3	1.1	8.8	4.5	3.4	2.1	4.1	3.3	126
0.2	0.2	0.1	0.1	.....	.....	.....	0.4	.....	.....	.....	.....	.....	.....	127
(3)	0.1	0.1	0.1	0.2	.....	.....	.....	2.2	.....	.....	0.2	.....	.....	128
2.3	0.7	2.0	0.5	0.7	.....	6.5	1.1	2.2	1.0	1.4	0.5	1.3	0.2	129
1.1	0.7	1.2	0.5	0.9	.....	3.2	1.9	2.2	1.0	2.7	0.8	2.9	0.7	130
1.4	0.6	1.5	0.7	1.8	0.9	.....	.....	4.4	1.3	0.7	0.5	1.3	0.4	131
4.3	0.8	3.2	1.0	2.0	.....	2.4	0.8	15.4	0.6	3.9	1.1	2.2	0.3	132
(3)	(3)	0.1	(3)	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	133
16.7	13.2	18.7	14.6	16.0	15.9	16.2	15.3	17.6	13.1	16.5	12.9	13.1	12.9	
2.1	1.6	1.4	1.1	1.8	0.9	0.8	1.9	2.2	1.9	4.3	2.3	0.9	1.0	134
1.1	1.2	1.6	2.0	2.2	1.9	1.6	0.4	2.2	0.6	1.1	1.2	1.1	1.5	135
1.1	1.3	1.6	1.8	0.4	1.9	0.8	3.4	2.2	1.0	2.0	2.1	1.0	2.3	136
9.0	6.3	9.0	5.7	4.9	6.5	6.5	4.6	6.6	4.2	5.9	4.4	7.5	5.8	137
3.1	2.6	4.6	3.6	6.2	4.7	4.0	3.4	4.4	4.5	3.2	2.7	2.2	1.6	138
0.3	0.2	0.4	0.3	0.4	.....	1.6	1.5	.....	0.6	.....	0.2	0.4	0.6	139
0.1	(3)	(3)	(3)	.....	.....	0.8	.....	.....	0.3	.....	.....	.....	0.1	140
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	141
4.8	5.5	5.2	6.8	3.8	1.9	3.2	2.7	6.6	4.5	3.6	2.4	4.2	4.8	
2.2	3.5	2.7	3.9	0.9	1.9	2.4	1.9	4.4	3.5	0.9	0.9	1.4	2.8	142
0.6	0.5	0.7	0.5	0.2	.....	.....	0.4	.....	0.3	0.7	0.6	0.6	0.3	143
0.8	0.3	1.1	1.1	1.8	.....	0.8	.....	.....	.....	0.5	0.6	0.5	0.7	144
1.2	1.1	0.7	1.3	0.9	.....	.....	0.4	2.2	0.6	1.4	0.3	1.7	1.0	145
2.9	1.1	3.2	1.3	3.1	2.8	3.2	1.5	4.4	3.2	2.7	0.6	2.3	0.8	
2.7	0.9	2.9	1.1	1.8	1.9	3.2	1.5	.....	2.6	2.7	0.6	2.3	0.8	146
0.1	(3)	0.3	0.1	1.1	.....	.....	.....	2.2	0.6	.....	.....	.....	.....	147
(3)	.....	.....	.....	.....	.....	.....	.....	2.2	.....	.....	.....	.....	.....	148
(3)	0.2	0.1	0.1	0.2	0.9	.....	.....	.....	.....	.....	.....	.....	0.1	149
15.5	15.3	15.6	18.6	15.3	18.6	8.1	16.8	11.0	16.3	9.7	10.1	9.4	9.9	
15.5	15.3	15.6	18.6	15.3	18.6	8.1	16.8	11.0	16.3	9.7	10.1	9.4	9.9	150
1.1	1.1	1.3	1.5	1.3	0.9	.....	0.4	.....	0.6	0.5	0.9	1.7	1.2	
8.6	9.6	10.5	11.9	8.6	10.3	6.5	11.1	6.6	10.6	7.4	6.4	4.2	4.8	
5.8	4.6	3.8	5.1	5.3	7.5	1.6	5.4	4.4	5.1	1.8	2.9	3.6	3.9	
74.7	55.0	88.9	88.5	100.9	84.9	49.3	90.6	98.9	69.6	59.2	42.0	89.6	70.9	
57.1	43.8	75.4	76.3	75.6	64.3	37.2	75.7	83.5	59.0	49.7	35.8	75.2	61.3	151
45.9	30.2	44.4	42.4	41.9	35.4	27.5	60.8	74.7	44.9	30.7	22.7	41.7	35.5	
11.2	13.7	31.0	33.8	33.7	28.9	9.7	14.9	8.8	14.1	19.0	13.2	33.4	25.8	
17.4	10.6	13.4	11.7	24.4	20.5	12.1	14.1	15.4	10.3	9.3	6.2	14.2	9.4	152
10.6	6.6	7.6	6.5	18.9	14.9	7.3	7.3	13.2	7.7	4.7	3.3	8.8	5.4	
6.7	4.0	5.8	5.1	5.5	5.6	4.9	6.9	2.2	2.6	4.7	2.9	5.4	4.0	
0.3	0.5	0.1	0.5	0.9	.....	.....	0.8	.....	0.3	0.2	.....	0.3	0.2	153
10.3	20.4	12.9	22.6	17.5	50.4	29.9	55.8	30.8	48.1	18.1	22.1	35.1	52.3	
10.3	20.4	12.9	22.6	17.5	50.4	29.9	55.8	30.8	48.1	18.1	22.1	35.1	52.3	154

[3] Less than one-tenth of 1 per 100,000 population.

[4] Exclusive of injuries at birth.

TABLE IV.—DEATH RATES PER 100,000 POPULATION IN CITIES AND RURAL DISTRICTS

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	DEATH RATE PER 100,000 POPULATION.													
		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.		NORTH CAROLINA.[1]					
										Total.		White.		Colored.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.[2]	Cities.	Rural districts.[2]	Cities.	Rural districts.[2]
	XIII.—External causes	175.6	147.5	122.6	95.4	113.6	101.5	105.1	115.9	120.7	80.5	102.1	58.0	150.6	126.3
	Suicide (total)	49.3	20.3	12.4	13.3	17.0	13.4	16.8	15.2	7.1	5.5	11.5	6.8	.....	2.8
155	By poison	19.7	3.1	1.7	2.3	5.1	1.6	3.8	4.4	3.2	1.8	5.2	2.7	.....	.....
156	By asphyxia	.....	.....	0.6	.....	3.8	1.3	4.5	0.4	.....	.....	.....	.....	.....	.....
157	By hanging or strangulation	3.9	1.0	2.8	3.5	2.6	3.1	1.7	4.2	.....	.....	.....	.....	.....	.....
158	By drowning	.....	1.7	1.1	2.3	0.5	1.4	0.6	1.1	.....	1.4	.....	2.0	.....	.....
159	By firearms	18.7	12.7	3.4	3.5	3.9	4.7	4.2	3.9	3.2	0.9	5.2	1.4	.....	.....
160	By cutting or piercing instruments	6.9	1.0	2.3	1.6	0.7	1.0	1.1	0.8	0.6	.....	1.0	.....	.....	.....
161	By jumping from high places	.....	0.3	.....	.....	0.2	.....	0.7	0.1	.....	.....	.....	.....	.....	.....
162	By crushing	.....	.....	.....	.....	0.2	0.1	0.1	0.1	.....	.....	.....	.....	.....	.....
163	Other suicides	.....	0.3	0.6	.....	.....	0.2	0.1	0.2	.....	1.4	.....	0.7	.....	2.8
	Accidental or undefined (total)	109.5	115.5	108.5	80.5	92.2	85.5	82.4	97.1	91.8	62.7	81.2	46.4	108.8	95.7
164	Poisoning by food	1.0	1.0	0.6	0.8	0.9	1.3	0.6	0.8	1.3	1.8	2.1	2.7	.....	.....
165	Other acute poisonings	6.9	3.1	1.1	2.3	2.5	1.7	2.0	2.7	2.6	4.1	2.1	4.1	3.3	4.2
166	Conflagration	3.0	2.8	2.3	2.3	0.9	1.8	2.7	1.6	1.9	2.3	3.1	.....	.....	6.9
167	Burns (conflagration excepted)	3.0	3.4	13.6	3.1	10.7	7.5	8.6	4.7	9.6	12.8	11.5	6.8	6.7	25.0
168	Absorption of deleterious gases (conflagration excepted).	2.0	3.1	4.5	0.8	6.3	3.2	5.4	1.9	3.9	3.2	5.2	2.7	1.7	4.2
169	Accidental drowning	3.9	17.5	11.9	14.8	10.2	17.4	9.1	17.0	8.3	5.0	5.2	3.4	13.4	8.3
170	Traumatism by firearms	3.0	4.8	1.7	0.8	0.8	1.3	0.5	2.0	7.1	5.0	.....	0.7	18.4	13.9
171	Traumatism by cutting or piercing instruments.	.....	0.7	.....	.....	0.1	.....	0.1	0.1	.....	.....	.....	.....	.....	.....
172	Traumatism by fall	4.9	5.5	19.8	16.0	16.4	11.9	19.3	20.9	10.3	3.7	14.6	5.5	3.3	.....
173	Traumatism in mines and quarries (total).	27.6	15.8	0.6	.....	0.1	1.2	0.1	0.5	.....	.....	.....	.....	.....	.....
	Traumatism in mines	27.6	15.8	.....	.....	.....	1.1	0.1	0.3	.....	.....	.....	.....	.....	.....
	Traumatism in quarries	.....	.....	0.6	.....	0.1	0.1	(3)	0.2	.....	.....	.....	.....	.....	.....
174	Traumatism by machines	.....	1.0	3.4	3.1	1.7	1.8	1.8	1.8	1.9	3.2	1.0	1.4	3.3	6.9
175	Traumatism by other crushing (total)	33.5	40.6	19.8	17.2	24.6	23.1	19.8	31.3	23.8	13.3	19.8	13.0	30.1	13.9
	Railroad accidents and injuries	19.7	28.5	10.7	8.6	15.1	15.1	6.9	23.0	14.1	10.5	10.4	9.6	20.1	12.5
	Street-car accidents and injuries	3.9	.....	0.6	0.4	2.8	2.7	3.8	1.2	3.2	0.9	3.1	1.4	3.3	.....
	Automobile accidents and injuries	2.0	0.3	4.0	1.6	3.3	1.9	3.2	2.5	1.9	0.9	3.1	1.4	.....	.....
	Injuries by other vehicles	7.9	10.0	4.0	6.3	3.2	2.8	5.3	3.8	2.6	0.9	1.0	0.7	5.0	1.4
	Landslide, other crushing	.....	1.7	0.6	0.4	0.1	0.5	0.7	0.8	1.9	.....	2.1	.....	1.7	.....
176	Injuries by animals	2.0	2.8	1.1	0.4	0.5	0.9	0.3	1.1	1.3	1.4	1.0	0.7	1.7	2.8
177	Starvation	2.0	0.3	0.6	.....	0.2	0.2	(3)	0.2	.....	.....	.....	.....	.....	.....
178	Excessive cold	.....	2.8	.....	0.4	0.3	0.2	(3)	0.5	0.6	0.5	.....	.....	1.7	1.4
179	Effects of heat	.....	.....	22.0	12.9	11.3	7.6	7.3	3.1	2.6	0.9	3.1	.....	1.7	2.8
180	Lightning	.....	2.8	0.6	.....	0.1	0.3	0.1	1.1	.....	1.8	.....	2.0	.....	1.4
181	Electricity (lightning excepted)	2.0	0.3	1.1	1.2	1.0	0.8	0.8	1.3	.....	0.5	.....	0.7	.....	.....
185	Fractures (cause not specified)	.....	.....	.....	.....	0.4	0.3	0.8	(3)	2.6	.....	2.1	.....	3.3	.....
186	Other external violence	14.8	7.2	4.0	4.3	3.2	3.0	2.8	4.4	14.1	3.2	10.4	2.7	20.1	4.2
	Homicide (total)	16.8	11.7	1.7	1.6	4.3	2.6	5.9	3.7	21.8	12.4	9.4	4.8	41.8	27.8
182	By firearms	11.8	7.2	.....	1.6	2.2	1.7	2.9	2.2	18.0	7.8	7.3	3.4	35.1	16.7
183	By cutting or piercing instuments	3.0	1.0	0.6	.....	0.6	.....	1.1	0.6	1.9	2.7	2.1	0.7	1.7	6.9
184	By other means	2.0	3.4	1.1	.....	1.6	0.9	1.9	0.9	1.9	1.8	.....	0.7	5.0	4.2
	XIV.—Ill-defined diseases	12.8	19.9	11.3	12.1	5.2	6.2	1.6	2.5	59.1	70.0	20.8	39.6	120.5	131.8
187	Ill-defined organic disease	.....	.....	2.3	3.1	0.2	.....	0.1	0.2	1.3	3.2	.....	1.4	3.3	6.9
188	Sudden death	.....	1.4	0.6	1.2	0.1	.....	(3)	0.2	2.6	1.4	1.0	0.7	5.0	2.8
189	Not specified or ill-defined (total)	12.8	18.6	8.5	7.8	4.9	6.2	1.5	2.2	55.2	65.4	19.8	37.5	112.1	122.1
	Ill-defined	10.8	8.9	7.3	7.8	4.5	6.1	1.5	2.0	16.7	27.0	12.5	15.0	23.4	51.3
	Not specified or unknown	2.0	9.6	1.1	.....	0.4	0.1	0.1	0.2	38.5	38.4	7.3	22.5	88.7	70.8

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[3] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

DEATH RATE PER 100,000 POPULATION.														
OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		Detailed Int. List No.
Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
123.7	92.4	121.3	117.6	98.9	89.5	119.7	96.4	105.5	106.1	108.0	124.0	95.8	69.2	
20.3	12.6	15.6	11.0	11.8	11.2	34.0	10.7	22.0	19.9	29.3	13.5	18.9	11.2	
9.1	4.2	5.5	2.6	1.3	0.9	9.7	3.4	4.4	5.4	9.0	3.5	5.1	1.9	155
0.5	(3)	2.6	0.3	4.0	.....	2.4	.....	2.2	0.6	1.8	0.3	0.6	0.1	156
2.5	2.4	1.6	2.9	1.3	2.8	.....	2.7	4.4	5.4	2.3	2.6	4.7	3.4	157
1.3	0.9	0.6	0.5	0.9	3.7	.....	0.4	4.4	1.6	1.1	0.9	1.9	0.7	158
5.5	4.0	3.9	3.8	3.3	2.8	17.8	4.2	2.2	5.8	12.2	4.7	5.0	3.6	159
1.1	0.6	1.0	0.8	0.9	0.9	2.4	.....	4.4	1.0	2.2	1.2	0.6	1.0	160
0.2	0.1	0.3	0.1	.....	.....	1.6	.....	.....	.....	0.4	0.2	0.4	.....	161
0.1	0.1	0.1	0.1	.....	.....	.....	.....	.....	.....	0.2	.....	0.1	0.3	162
(3)	0.2	0.1	0.1	.....	.....	.....	.....	.....	.....	0.2	0.2	0.4	0.2	163
94.4	77.4	100.8	102.7	83.0	77.4	74.4	80.7	79.1	80.8	71.4	103.5	73.2	56.3	
0.9	0.8	0.2	0.6	.....	1.9	0.8	0.4	2.2	1.0	1.3	0.5	0.3	0.8	164
2.6	2.4	2.0	2.3	2.0	1.9	4.0	1.1	6.6	2.2	2.7	3.5	1.9	1.0	165
1.9	1.0	0.9	1.5	1.6	3.7	.....	.....	2.2	0.3	1.3	2.7	1.5	0.8	166
8.3	5.1	11.6	8.6	10.4	3.7	4.0	4.2	8.8	5.4	4.3	5.3	4.1	3.3	167
3.4	2.0	4.0	2.0	8.2	.....	1.6	1.5	4.4	1.6	5.4	2.3	2.0	1.0	168
8.7	6.6	5.6	11.1	9.3	18.6	4.0	9.2	11.0	9.9	9.5	20.3	10.8	9.1	169
1.5	2.6	1.3	2.2	0.7	0.9	3.2	5.0	2.2	3.5	1.6	4.4	1.7	3.7	170
0.2	0.3	0.3	0.1	0.2	.....	.....	.....	.....	0.3	0.4	0.2	0.3	0.1	171
18.9	16.6	19.5	13.6	16.9	20.5	9.7	8.0	13.2	21.8	10.8	7.9	14.7	10.6	172
0.9	3.8	11.6	26.5	.....	4.7	6.5	18.4	.....	2.9	0.9	3.3	0.3	0.3	173
0.6	3.7	11.3	22.5	.....	4.7	6.5	18.0	.....	.....	0.9	3.3	0.1	0.2	
0.2	0.1	0.3	1.0	.....	.....	.....	0.4	.....	2.9	.....	.....	0.1	0.1	
3.5	1.4	3.2	2.2	1.3	1.9	.....	1.5	.....	3.8	3.6	2.7	2.8	1.1	174
32.5	24.0	26.8	24.3	18.4	11.2	31.5	21.8	24.2	15.1	21.4	29.5	24.5	15.7	175
18.9	17.6	15.8	18.9	4.9	3.7	22.6	9.2	13.2	8.3	10.4	17.1	14.2	11.4	
5.9	1.9	4.4	1.6	5.1	4.7	4.0	0.8	4.4	.....	3.4	1.2	3.6	0.4	
3.6	1.0	2.7	1.0	4.9	2.8	3.2	1.9	2.2	1.3	3.2	0.9	1.9	0.6	
3.1	2.8	3.6	2.4	3.5	.....	1.6	7.3	2.2	4.8	2.2	5.3	3.6	2.6	
1.0	0.6	0.3	0.4	.....	.....	.....	2.7	2.2	0.6	2.2	5.0	1.3	0.6	
1.0	1.3	0.5	0.7	.....	.....	1.6	0.8	2.2	1.3	1.8	1.5	1.5	1.3	176
0.1	0.1	0.1	0.2	.....	.....	.....	.....	.....	0.6	.....	0.3	0.1	0.1	177
0.1	0.3	.....	0.2	.....	.....	.....	0.8	.....	0.6	0.4	1.1	0.5	0.6	178
3.9	3.1	7.8	3.4	11.8	5.6	.....	0.4	.....	4.8	.....	0.2	1.7	1.8	179
.....	0.6	0.1	0.9	.....	0.9	.....	0.4	.....	0.6	0.2	0.2	.....	1.1	180
1.1	0.4	1.1	0.7	.....	.....	1.6	1.9	.....	1.3	0.9	1.2	0.8	0.2	181
0.7	0.6	0.2	(3)	0.2	.....	0.8	0.4	.....	.....	0.5	.....	.....	0.2	185
4.2	4.5	3.8	4.5	2.0	1.9	4.9	5.0	2.2	3.5	4.7	16.6	3.8	3.6	186
9.0	2.5	4.9	4.0	4.2	0.9	11.3	5.0	4.4	5.4	7.4	7.1	3.7	1.7	
5.2	1.2	2.5	2.1	1.8	0.9	7.3	4.2	4.4	3.5	5.0	4.8	1.1	1.0	182
1.3	0.4	0.9	0.7	0.9	.....	1.6	.....	.....	0.3	0.9	0.8	1.0	0.3	183
2.5	0.9	1.6	1.2	1.6	.....	2.4	0.8	.....	1.6	1.4	1.5	1.5	0.4	184
2.8	8.9	8.0	19.1	10.0	13.1	20.2	16.4	6.6	6.1	8.1	18.0	6.1	12.2	
.....	0.7	0.6	1.6	.....	0.9	.....	0.8	.....	0.3	0.5	0.8	0.8	3.0	187
0.3	0.5	0.2	2.1	1.6	.....	.....	0.4	.....	0.3	0.4	1.4	0.3	0.3	188
2.5	7.7	7.2	15.3	8.4	12.1	20.2	15.3	6.6	5.4	7.2	15.9	5.1	9.0	189
1.4	3.4	6.3	12.5	5.1	7.5	19.4	8.0	2.2	1.9	5.0	6.8	4.7	8.2	
1.1	4.3	0.9	2.8	3.3	4.7	0.8	7.3	4.4	3.5	2.2	9.1	0.4	0.8	

[3] Less than one-tenth of 1 per 100,000 population.

GENERAL TABLES

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision
rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SUMMARY.												
1	The registration area (total)	839,284	149,322	31,362	13,580	8,928	6,290	209,482	18,112	12,337	21,154	32,306	34,249
2	White	779,770	139,429	28,705	12,386	8,245	5,805	194,570	16,789	11,115	18,591	28,328	30,122
3	Colored	59,514	9,893	2,657	1,194	683	485	14,912	1,323	1,222	2,563	3,978	4,127
4	Registration states [1] (total)	756,777	134,949	27,933	12,003	7,875	5,599	188,359	16,138	11,020	18,646	28,018	29,694
5	White	716,763	128,108	26,051	11,210	7,434	5,260	178,063	15,214	10,188	16,959	25,539	27,142
6	Colored	40,014	6,841	1,882	793	441	339	10,296	924	832	1,687	2,479	2,552
7	Cities in registration states [1] (total)	413,920	77,419	16,468	6,953	4,525	3,280	108,645	8,939	5,596	9,655	15,909	17,674
8	White	389,554	73,293	15,384	6,509	4,274	3,086	102,546	8,449	5,190	8,773	14,390	15,963
9	Colored	24,366	4,126	1,084	444	251	194	6,099	490	406	882	1,519	1,711
10	Rural part of registration states (total).	342,857	57,530	11,465	5,050	3,350	2,319	79,714	7,199	5,424	8,991	12,109	12,020
11	White	327,209	54,815	10,667	4,701	3,160	2,174	75,517	6,765	4,998	8,186	11,149	11,179
12	Colored	15,648	2,715	798	349	190	145	4,197	434	426	805	960	841
13	Registration cities in other states (total).	82,507	14,373	3,429	1,577	1,053	691	21,123	1,974	1,317	2,508	4,288	4,555
14	White	63,007	11,321	2,654	1,176	811	545	16,507	1,575	927	1,632	2,789	2,980
15	Colored	19,500	3,052	775	401	242	146	4,616	399	390	876	1,499	1,575
16	All registration cities [1] (total)	496,427	91,792	19,897	8,530	5,578	3,971	129,768	10,913	6,913	12,163	20,197	22,229
17	White	452,561	84,614	18,038	7,685	5,085	3,631	119,053	10,024	6,117	10,405	17,179	18,943
18	Colored	43,866	7,178	1,859	845	493	340	10,715	889	796	1,758	3,018	3,286
	REGISTRATION STATES.												
19	California (total)	34,010	3,524	687	337	234	145	4,927	525	427	800	1,415	1,650
20	White	32,205	3,307	649	308	221	134	4,619	509	405	761	1,312	1,514
21	Colored	1,805	217	38	29	13	11	308	16	22	39	103	136
22	Colorado (total)	10,740	1,818	372	143	106	64	2,503	248	199	264	591	715
23	White	10,427	1,782	368	139	104	63	2,456	245	192	257	579	678
24	Colored	313	36	4	4	2	1	47	3	7	7	12	37
25	Connecticut (total)	17,552	3,243	630	274	171	121	4,439	338	236	327	534	570
26	White	17,153	3,167	613	268	160	121	4,329	330	226	318	517	549
27	Colored	399	76	17	6	11	.....	110	8	10	9	17	21
28	Indiana (total)	35,210	5,362	1,103	484	314	229	7,492	745	563	1,018	1,425	1,302
29	White	33,877	5,181	1,062	460	305	222	7,230	721	539	965	1,342	1,232
30	Colored	1,333	181	41	24	9	7	262	24	24	53	83	70
31	Kentucky (total)	30,407	5,373	1,546	650	455	326	8,350	831	608	1,283	1,595	1,446
32	White	24,580	4,554	1,280	534	393	267	7,028	669	469	908	1,183	1,078
33	Colored	5,827	819	266	116	62	59	1,322	162	139	375	412	368
34	Maine (total)	12,031	1,681	285	122	83	59	2,230	167	139	257	345	341
35	White	12,014	1,678	284	122	83	59	2,226	167	139	257	344	341
36	Colored	17	3	1	.....	.....	.....	4	.....	.....	.....	1	.....
37	Maryland (total)	20,694	4,003	877	342	188	154	5,564	426	328	587	769	860
38	White	15,147	2,797	589	214	124	104	3,828	278	204	342	454	538
39	Colored	5,547	1,206	288	128	64	50	1,736	148	124	245	315	322
40	Massachusetts (total)	53,003	10,412	1,899	732	483	354	13,880	878	605	994	1,486	1,776
41	White	52,122	10,276	1,851	715	472	343	13,657	860	589	968	1,448	1,718
42	Colored	881	136	48	17	11	11	223	18	16	26	38	58
43	Michigan (total)	37,993	7,065	1,142	518	341	259	9,325	838	624	899	1,343	1,378
44	White	37,417	6,979	1,122	512	335	256	9,204	818	601	870	1,313	1,348
45	Colored	576	86	20	6	6	3	121	20	23	29	30	30
46	Minnesota (total)	21,988	3,899	615	276	229	143	5,162	550	435	726	978	994
47	White	21,662	3,849	595	273	221	142	5,080	542	427	710	958	975
48	Colored	326	50	20	3	8	1	82	8	8	16	20	19
49	Missouri (total)	43,434	7,150	1,761	845	548	382	10,686	1,059	736	1,307	1,835	1,851
50	White	39,794	6,669	1,645	790	519	355	9,978	994	656	1,142	1,595	1,567
51	Colored	3,640	481	116	55	29	27	708	65	80	165	240	284
52	Montana (total)	4,009	717	118	66	55	35	991	111	87	113	192	241
53	White	3,658	661	97	53	42	28	881	98	74	99	170	231
54	Colored	351	56	21	13	13	7	110	13	13	14	22	10
55	New Hampshire (total)	7,391	1,260	223	78	45	31	1,637	121	86	139	172	180
56	White	7,380	1,257	223	78	45	31	1,634	120	86	139	170	179
57	Colored	11	3	.....	.....	.....	.....	3	1	.....	.....	2	1
58	New Jersey (total)	38,617	7,678	1,658	671	433	341	10,781	882	501	812	1,350	1,434
59	White	36,636	7,285	1,567	628	409	323	10,212	832	461	742	1,251	1,318
60	Colored	1,981	393	91	43	24	18	569	50	40	70	99	116
61	New York (total)	145,654	25,407	5,623	2,471	1,515	1,038	36,054	2,939	1,809	3,079	4,833	5,439
62	White	142,024	24,722	5,455	2,407	1,475	1,012	35,071	2,881	1,764	2,960	4,611	5,170
63	Colored	3,630	685	168	64	40	26	983	58	45	119	222	269
64	North Carolina [2] (total)	6,859	1,313	522	186	91	58	2,170	165	122	276	432	371
65	White	3,519	656	260	73	46	22	1,057	75	50	112	181	167
66	Colored	3,340	657	262	113	45	36	1,113	90	72	164	251	204
67	Ohio (total)	63,402	9,941	1,950	876	576	421	13,764	1,335	942	1,532	2,349	2,501
68	White	61,024	9,644	1,858	838	555	404	13,299	1,284	885	1,445	2,183	2,347
69	Colored	2,378	297	92	38	21	17	465	51	57	87	166	154

[1] Including District of Columbia.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910. Minor having 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
34,416	38,570	37,522	39,457	44,130	44,023	49,651	54,306	54,898	49,019	36,108	19,564	6,761	1,518	405	1,296	1
30,695	34,437	33,939	36,031	40,626	41,237	46,982	52,200	53,007	47,799	35,234	19,034	6,441	1,345	242	1,006	2
3,721	4,133	3,583	3,426	3,504	2,786	2,669	2,106	1,891	1,220	874	530	320	173	163	290	3
30,066	33,687	32,851	34,595	39,001	39,651	45,208	50,261	51,458	46,042	34,081	18,576	6,434	1,410	341	1,240	4
27,724	31,054	30,540	32,433	36,729	37,722	43,401	48,702	50,006	45,111	33,410	18,170	6,176	1,280	226	974	5
2,342	2,633	2,311	2,162	2,272	1,929	1,807	1,559	1,452	931	671	406	258	130	115	266	6
18,747	21,466	21,067	22,126	24,031	23,243	25,140	25,559	23,742	19,134	13,279	6,870	2,304	490	118	186	7
17,125	19,603	19,446	20,614	22,463	21,964	24,011	24,714	22,991	18,721	12,999	6,711	2,211	447	77	146	8
1,622	1,863	1,621	1,512	1,568	1,279	1,129	845	751	413	280	159	93	43	41	40	9
11,319	12,221	11,784	12,469	14,970	16,408	20,068	24,702	27,716	26,908	20,802	11,706	4,130	920	223	1,054	10
10,599	11,451	11,094	11,819	14,266	15,758	19,390	23,988	27,015	26,390	20,411	11,459	3,965	833	149	828	11
720	770	690	650	704	650	678	714	701	518	391	247	165	87	74	226	12
4,350	4,883	4,671	4,862	5,129	4,372	4,443	4,045	3,440	2,977	2,027	988	327	108	64	56	13
2,971	3,383	3,399	3,598	3,897	3,515	3,581	3,498	3,001	2,688	1,824	864	265	65	16	32	14
1,379	1,500	1,272	1,264	1,232	857	862	547	439	289	203	124	62	43	48	24	15
23,097	26,349	25,738	26,988	29,160	27,615	29,583	29,604	27,182	22,111	15,306	7,858	2,631	598	182	242	16
20,096	22,986	22,845	24,212	26,360	25,479	27,592	28,212	25,992	21,409	14,823	7,575	2,476	512	93	178	17
3,001	3,363	2,893	2,776	2,800	2,136	1,991	1,392	1,190	702	483	283	155	86	89	64	18
1,788	1,964	1,961	1,952	2,086	2,097	2,350	2,481	2,500	2,221	1,656	856	249	61	24	20	19
1,671	1,831	1,827	1,817	1,945	1,949	2,202	2,406	2,425	2,188	1,643	846	236	58	22	19	20
117	133	134	135	141	148	148	75	75	33	13	10	13	3	2	1	21
690	612	591	548	630	550	565	564	529	447	289	132	37	13	2	21	22
658	587	568	518	608	532	550	553	524	440	281	130	36	13	2	20	23
32	25	23	30	22	18	15	11	5	7	8	2	1	.....	.....	1	24
607	701	814	803	899	929	1,154	1,215	1,278	1,152	835	448	190	41	4	38	25
587	676	790	780	881	901	1,130	1,198	1,254	1,147	830	445	188	40	4	33	26
20	25	24	23	18	28	24	17	24	5	5	3	2	1	.....	5	27
1,273	1,414	1,363	1,338	1,683	1,902	2,176	2,644	2,870	2,633	1,894	1,037	328	71	12	27	28
1,188	1,305	1,279	1,276	1,599	1,826	2,110	2,566	2,799	2,601	1,865	1,018	316	68	8	24	29
85	109	84	62	84	76	66	78	71	32	29	19	12	3	4	3	30
1,317	1,363	1,144	1,188	1,282	1,253	1,450	1,668	1,704	1,543	1,055	641	224	66	40	356	31
997	1,022	869	875	981	997	1,226	1,427	1,500	1,380	940	559	176	37	15	244	32
320	341	275	313	301	256	224	241	204	163	115	82	48	29	25	112	33
338	399	388	433	524	665	791	986	1,106	1,154	952	518	205	50	9	34	34
336	399	387	433	523	665	789	984	1,105	1,154	951	517	204	50	9	34	35
2	.....	1	.....	1	.....	2	2	1	.....	1	1	1	.....	.....	.....	36
790	869	862	925	1,093	1,034	1,256	1,308	1,356	1,139	838	417	148	41	15	69	37
538	599	584	669	784	804	1,012	1,115	1,120	987	746	360	122	26	3	34	38
252	270	278	256	309	230	244	193	236	152	92	57	26	15	12	35	39
1,852	2,236	2,350	2,417	2,745	2,914	3,518	3,813	3,728	3,248	2,518	1,363	524	103	18	37	40
1,803	2,173	2,300	2,361	2,688	2,865	3,465	3,779	3,694	3,227	2,498	1,353	522	100	18	36	41
49	63	50	56	57	49	53	34	34	21	20	10	2	3	.....	1	42
1,273	1,294	1,259	1,523	1,821	1,890	2,262	2,696	3,031	2,768	2,106	1,130	396	66	18	53	43
1,247	1,260	1,230	1,487	1,788	1,858	2,244	2,661	3,001	2,760	2,093	1,120	387	64	13	50	44
26	34	29	36	33	32	18	35	30	8	13	10	9	2	5	3	45
934	884	891	1,013	1,111	1,056	1,130	1,307	1,314	1,419	1,099	643	236	36	14	56	46
923	864	867	996	1,099	1,050	1,121	1,295	1,310	1,415	1,093	639	232	35	11	20	47
11	20	24	17	12	6	9	12	4	4	6	4	4	1	3	36	48
1,803	1,920	1,833	1,961	2,220	2,239	2,394	2,777	2,883	2,501	1,866	948	314	68	26	207	49
1,544	1,654	1,628	1,733	2,019	2,047	2,245	2,626	2,747	2,411	1,791	901	282	52	8	174	50
259	266	205	228	201	192	149	151	136	90	75	47	32	16	18	33	51
234	267	251	260	246	209	181	156	166	144	98	36	15	2	.....	9	52
219	256	234	241	226	198	161	143	148	137	90	33	13	1	.....	5	53
15	11	17	19	20	11	20	13	18	7	8	3	2	1	.....	4	54
203	220	256	278	350	395	451	545	611	679	527	328	136	25	6	46	55
203	219	256	278	349	395	450	545	611	679	527	327	136	25	6	46	56
.....	1	.....	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	57
1,529	1,897	1,765	1,833	2,042	2,072	2,341	2,543	2,409	2,005	1,413	695	241	53	8	11	58
1,424	1,766	1,661	1,733	1,914	1,972	2,232	2,454	2,353	1,959	1,379	674	230	51	7	11	59
105	131	104	100	128	100	109	89	56	46	34	21	11	2	1	.....	60
6,027	7,272	7,199	7,639	8,262	8,200	9,273	9,511	9,428	8,111	5,940	3,205	1,140	238	46	10	61
5,764	6,968	6,937	7,456	8,054	8,044	9,121	9,397	9,307	8,045	5,894	3,177	1,124	229	40	10	62
263	304	262	183	208	156	152	114	121	66	46	28	16	9	6	.....	63
310	349	293	259	297	316	317	325	293	242	154	69	38	18	11	32	64
160	187	160	115	162	166	186	211	191	169	98	43	12	4	1	12	65
150	162	133	144	135	150	131	114	102	73	56	26	26	14	10	20	66
2,430	2,663	2,583	2,733	3,204	3,359	3,796	4,555	4,945	4,614	3,380	1,888	609	146	24	50	67
2,287	2,482	2,410	2,603	3,039	3,232	3,687	4,451	4,858	4,534	3,340	1,861	595	138	17	47	68
143	181	173	130	165	127	109	104	87	80	40	27	14	8	7	3	69

[2] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION STATES—Contd.												
1	Pennsylvania (total)	111,292	24,195	5,098	2,077	1,423	995	33,788	2,630	1,553	2,629	4,024	4,177
2	White	107,220	23,343	4,868	2,005	1,370	956	32,542	2,525	1,472	2,489	3,796	3,944
3	Colored	4,072	852	230	72	53	39	1,246	105	81	140	228	233
4	Rhode Island (total)	8,671	1,675	302	129	104	63	2,273	182	99	166	272	281
5	White	8,422	1,634	294	123	100	61	2,212	175	96	159	257	267
6	Colored	249	41	8	6	4	2	61	7	3	7	15	14
7	Utah (total)	3,960	822	147	86	57	42	1,154	132	94	114	146	199
8	White	3,894	817	146	85	57	42	1,147	130	93	113	142	191
9	Colored	66	5	1	1	.....	.....	7	2	1	1	4	8
10	Vermont (total)	5,661	741	113	36	36	30	956	79	49	120	131	155
11	White	5,631	740	112	36	35	30	953	77	49	118	128	151
12	Colored	30	1	1	.....	1	.....	3	2	.....	2	3	4
13	Washington (total)	10,845	1,531	273	171	116	81	2,172	256	216	374	567	619
14	White	10,323	1,459	254	158	106	72	2,049	233	198	353	532	587
15	Colored	522	72	19	13	10	9	123	23	18	21	35	32
16	Wisconsin (total)	27,050	5,184	780	358	236	203	6,761	608	479	685	948	941
17	White	26,895	5,160	774	357	235	202	6,728	603	474	674	935	933
18	Colored	155	24	6	1	1	1	33	5	5	11	13	8
	REGISTRATION CITIES.												
	ALABAMA.[1]												
19	Registration cities (total)	4,711	704	253	94	56	36	1,143	107	90	196	316	360
20	White	2,045	317	138	41	25	9	530	55	33	68	103	113
21	Colored	2,666	387	115	53	31	27	613	52	57	128	213	247
22	Birmingham (total)	2,480	412	164	64	30	23	693	63	40	95	187	202
23	White	1,172	216	99	29	17	6	367	37	16	34	68	72
24	Colored	1,308	196	65	35	13	17	326	26	24	61	119	130
25	Mobile (total)	1,267	150	38	11	11	6	216	30	28	58	73	101
26	White	553	56	23	5	6	2	92	12	9	21	24	33
27	Colored	714	94	15	6	5	4	124	18	19	37	49	68
28	Montgomery (total)	964	142	51	19	15	7	234	14	22	43	56	57
29	White	320	45	16	7	2	1	71	6	8	13	11	8
30	Colored	644	97	35	12	13	6	163	8	14	30	45	49
	CALIFORNIA.												
31	Registration cities (total)	19,627	2,031	403	201	124	84	2,843	271	225	430	808	963
32	White	18,538	1,925	380	182	117	78	2,682	263	215	413	744	878
33	Colored	1,089	106	23	19	7	6	161	8	10	17	64	85
34	Alameda	265	14	7	2	1	1	25	5	2	7	12	14
35	Bakersfield	307	45	2	4	2	1	54	5	5	8	15	28
36	Berkeley	375	30	8	1	3	.....	42	7	3	8	14	13
37	Eureka	211	22	3	1	.....	1	27	4	2	9	7	17
38	Fresno	354	64	3	8	3	2	80	16	6	12	18	21
39	Long Beach	301	27	7	1	1	3	39	5	4	9	9	10
40	Los Angeles (total)	5,001	518	114	43	39	27	741	61	63	117	232	289
41	White	4,745	490	106	39	39	25	699	59	60	111	214	269
42	Colored	256	28	8	4	.....	2	42	2	3	6	18	20
43	Oakland	1,984	243	51	30	17	8	349	35	19	34	81	81
44	Pasadena	429	26	7	4	1	2	40	7	5	6	15	21
45	Pomona	152	18	.....	.....	1	1	20	1	.....	6	5	4
46	Redlands	152	18	2	3	2	.....	25	1	5	6	4	9
47	Riverside (total)	260	34	10	2	.....	.....	46	2	5	11	17	22
48	White	238	31	9	2	.....	.....	42	2	3	10	12	20
49	Colored	22	3	1	.....	.....	.....	4	.....	2	1	5	2
50	Sacramento	828	113	13	10	4	2	142	8	10	22	40	42
51	San Bernardino	266	26	7	.....	1	1	35	3	2	10	13	21
52	San Diego	817	62	9	10	3	2	86	10	6	24	32	45
53	San Francisco (total)	6,495	665	136	68	38	29	936	82	70	109	238	282
54	White	6,142	642	127	60	35	26	890	78	68	104	226	254
55	Colored	353	23	9	8	3	3	46	4	2	5	12	28
56	San Jose	413	48	7	4	2	1	62	8	6	9	15	8
57	Santa Barbara	215	15	5	3	.....	.....	23	3	4	6	3	11
58	Santa Cruz	178	13	1	3	.....	.....	17	2	3	3	4	6
59	Stockton	488	21	7	4	3	3	38	4	4	11	21	16
60	Vallejo	136	9	4	.....	3	.....	16	2	1	3	13	3
	COLORADO.												
61	Registration cities (total)	4,652	704	144	51	39	25	963	89	74	104	239	316
62	White	4,452	680	141	48	39	24	932	87	70	99	230	289
63	Colored	200	24	3	3	.....	1	31	2	4	5	9	27
64	Colorado Springs	483	49	4	2	2	2	59	9	8	16	40	47
65	Denver	3,441	475	96	36	27	19	653	59	52	69	163	218
66	Pueblo	602	135	37	12	8	4	196	19	9	16	31	45
67	Trinidad	126	45	7	1	2	.....	55	2	5	3	5	6
	CONNECTICUT.												
68	Registration cities (total)	12,024	2,395	497	211	119	81	3,303	223	162	230	392	421
69	White	11,706	2,333	482	205	110	81	3,211	216	154	223	379	404
70	Colored	318	62	15	6	9	.....	92	7	8	7	13	17

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910. Minor having 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
4,154	4,812	4,429	4,711	5,294	5,407	6,212	7,054	6,907	6,015	4,264	2,274	749	164	26	19	1
3,901	4,497	4,175	4,464	5,079	5,239	6,060	6,918	6,782	5,957	4,213	2,249	725	155	19	19	2
253	315	254	247	215	168	152	136	125	58	51	25	24	9	7	.....	3
339	377	413	409	473	514	563	602	602	447	351	205	78	20	3	2	4
321	365	405	395	457	493	546	594	592	439	346	202	78	20	1	2	5
18	12	8	14	16	21	17	8	10	8	5	3	.....	.....	2	.....	6
165	171	174	160	184	156	180	181	240	215	159	89	32	6	1	8	7
155	166	167	155	178	153	178	181	237	214	159	89	32	5	1	8	8
10	5	7	5	6	3	2	.....	3	1	.....	.....	.....	1	.....	.....	9
153	171	180	225	249	344	404	497	566	556	436	254	102	28	5	1	10
151	167	180	224	249	343	402	497	563	554	436	254	101	28	5	1	11
2	4	.....	1	.....	1	2	.....	3	2	.....	.....	1	.....	.....	.....	12
585	569	555	624	678	568	610	602	658	522	359	181	55	7	9	59	13
542	530	517	594	659	553	590	587	646	515	351	175	50	6	2	54	14
43	39	38	30	19	15	20	15	12	7	8	6	5	1	7	5	15
959	893	940	1,056	1,261	1,240	1,429	1,753	1,889	1,924	1,681	1,098	343	74	14	74	16
954	891	926	1,052	1,254	1,235	1,417	1,747	1,881	1,919	1,676	1,097	341	73	14	71	17
5	2	14	4	7	5	12	6	8	5	5	1	2	1	.....	3	18
290	348	228	271	282	195	232	190	142	125	101	51	22	6	10	6	19
96	129	94	95	114	103	124	116	92	88	54	25	8	.....	.....	5	20
194	219	134	176	168	92	108	74	50	37	47	26	14	6	10	1	21
162	192	116	119	135	78	113	88	66	51	50	17	8	1	4	.....	22
59	77	48	43	59	44	62	62	45	37	30	9	3	.....	.....	.....	23
103	115	68	76	76	34	51	26	21	14	20	8	5	1	4	.....	24
77	88	66	84	76	71	79	64	46	49	28	16	7	3	3	4	25
24	30	34	33	33	39	43	31	29	36	17	8	2	.....	.....	3	26
53	58	32	51	43	32	36	33	17	13	11	8	5	3	3	1	27
51	68	46	68	71	46	40	38	30	25	23	18	7	2	3	2	28
13	22	12	19	22	20	19	23	18	15	7	8	3	.....	.....	2	29
38	46	34	49	49	26	21	15	12	10	16	10	4	2	3	.....	30
1,087	1,178	1,227	1,240	1,330	1,246	1,434	1,386	1,347	1,191	816	433	130	29	11	2	31
1,015	1,096	1,137	1,141	1,222	1,152	1,340	1,348	1,309	1,178	812	428	124	28	11	2	32
72	82	90	99	108	94	94	38	38	13	4	5	6	1	.....	.....	33
11	11	12	13	12	19	14	26	16	27	19	15	2	2	1	.....	34
26	27	23	17	9	21	15	14	16	11	6	2	3	1	1	.....	35
11	12	28	19	25	21	26	42	33	28	29	13	.....	1	.....	.....	36
13	7	9	11	13	12	18	10	13	19	12	6	1	1	.....	.....	37
15	21	23	14	21	20	18	20	19	15	9	5	.....	.....	.....	1	38
16	13	13	18	20	8	26	32	17	25	24	12	1	.....	.....	.....	39
306	320	297	329	329	307	336	347	357	260	167	98	35	6	4	.....	40
288	295	272	305	304	297	318	341	351	258	165	96	33	6	4	.....	41
18	25	25	24	25	10	18	6	6	2	2	2	2	.....	.....	.....	42
82	92	102	101	123	114	158	144	159	135	104	50	16	4	1	.....	43
23	23	31	24	27	23	33	36	34	32	27	16	5	1	.....	.....	44
6	4	9	14	9	8	10	12	15	15	9	4	1	.....	.....	.....	45
15	8	7	5	8	5	13	13	9	10	6	1	2	.....	.....	.....	46
10	22	14	12	16	8	12	17	15	14	5	6	4	1	1	.....	47
9	19	14	10	16	8	12	17	14	14	5	6	3	1	1	.....	48
1	3	.....	2	.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	49
46	68	57	44	53	49	45	49	48	46	36	15	5	3	.....	.....	50
17	22	22	15	22	12	16	15	10	14	10	7	.....	.....	.....	.....	51
41	44	36	39	49	47	82	70	66	76	33	21	8	.....	1	1	52
380	404	464	486	501	445	497	442	390	364	245	118	34	7	1	.....	53
361	381	436	445	455	400	469	430	379	361	245	118	34	7	1	.....	54
19	23	28	41	46	45	28	12	11	3	.....	.....	.....	.....	.....	.....	55
16	17	22	16	27	30	29	37	44	33	18	10	4	2	.....	.....	56
8	12	14	9	14	21	16	9	21	13	15	10	3	.....	.....	.....	57
5	9	6	6	9	14	13	16	22	21	10	8	3	.....	1	.....	58
29	30	33	41	34	53	47	28	34	24	25	13	3	.....	.....	.....	59
11	12	5	7	9	9	10	7	9	9	7	3	.....	.....	.....	.....	60
330	304	282	268	279	267	265	278	214	183	117	57	15	5	.....	3	61
307	292	264	252	265	259	257	272	211	177	111	55	15	5	.....	3	62
23	12	18	16	14	8	8	6	3	6	6	2	.....	.....	.....	.....	63
52	45	28	19	27	29	23	33	15	16	11	4	2	.....	.....	.....	64
244	219	224	213	212	206	209	207	176	152	96	50	13	5	.....	1	65
32	35	24	32	31	28	28	29	21	13	9	2	.....	.....	.....	2	66
2	5	6	4	9	4	5	9	2	2	1	1	.....	.....	.....	.....	67
472	531	614	614	669	650	807	783	780	598	430	218	94	16	4	13	68
459	509	595	593	655	629	786	767	763	596	429	216	92	15	4	11	69
13	22	19	21	14	21	21	16	17	2	1	2	2	1	.....	2	70

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only where the colored population of the subdivision rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	CONNECTICUT—continued.												
1	Ansonia	211	82	11	4	1	1	99	5	2	6	5	7
2	Bridgeport	1,472	339	63	20	14	10	446	23	17	33	46	53
3	Bristol	180	42	14	1	4	3	64	2	2	3	2	4
4	Danbury town	336	55	8	3	2	2	70	4	2	6	9	8
5	Greenwich town	258	52	13	5	4	2	76	2	3	4	10	7
6	Hartford	1,849	306	58	40	16	13	433	37	28	26	64	74
7	Manchester town	165	42	7	6	5	3	63	4	1	6	3	5
8	Meriden town	535	73	19	9	2	4	107	8	10	11	29	24
9	Middletown town	476	56	10	8	.....	3	77	8	3	14	8	17
10	Naugatuck	118	38	8	3	1	2	52	4	2	5	1	.....
11	New Britain	593	189	42	13	10	8	262	12	8	5	23	22
12	New Haven	2,281	413	91	39	24	9	576	45	31	47	68	88
13	New London	337	54	4	4	1	4	67	3	1	6	11	11
14	Norwalk town	383	46	10	6	4	2	68	8	3	8	8	9
15	Norwich town	484	86	14	7	6	1	114	8	6	7	12	10
16	Orange town	141	14	1	1	1	.....	17	2	1	2	4	6
17	Stamford town	508	95	26	7	4	.....	132	4	9	7	18	17
18	Torrington town	174	41	5	4	1	1	52	5	5	5	7	10
19	Wallingford town	123	22	9	1	1	.....	33	7	3	1	3	5
20	Waterbury	1,134	290	67	27	14	10	408	25	21	19	49	38
21	Windham town	266	60	17	3	4	3	87	7	4	9	12	6
	DELAWARE.[1]												
22	Wilmington (total)	1,446	317	77	18	24	14	450	35	18	41	50	51
23	White	1,217	269	66	16	22	13	386	27	14	24	37	34
24	Colored	229	48	11	2	2	1	64	8	4	17	13	17
	DISTRICT OF COLUMBIA.												
25	Washington (total)	6,304	955	209	75	36	25	1,300	93	83	145	286	273
26	White	3,739	491	85	34	22	11	643	48	39	58	138	119
27	Colored	2,565	464	124	41	14	14	657	45	44	87	148	154
	FLORIDA.[1]												
28	Registration cities (total)	1,819	329	96	46	22	13	506	34	31	62	110	107
29	White	803	160	41	20	14	6	241	17	10	27	36	47
30	Colored	1,016	169	55	26	8	7	265	17	21	35	74	60
31	Jacksonville (total)	1,367	183	65	30	15	10	303	25	27	46	94	95
32	White	524	66	24	11	9	5	115	12	8	16	27	42
33	Colored	843	117	41	19	6	5	188	13	19	30	67	53
34	Key West (total)	452	146	31	16	7	3	203	9	4	16	16	12
35	White	279	94	17	9	5	1	126	5	2	11	9	5
36	Colored	173	52	14	7	2	2	77	4	2	5	7	7
	GEORGIA.[1]												
37	Registration cities (total)	5,091	811	230	135	77	34	1,287	123	90	206	371	328
38	White	2,296	368	102	53	30	18	571	49	29	67	116	105
39	Colored	2,795	443	128	82	47	16	716	74	61	139	255	223
40	Atlanta (total)	3,172	480	155	85	48	19	787	70	51	139	227	208
41	White	1,677	268	79	38	20	13	418	36	19	54	87	85
42	Colored	1,495	212	76	47	28	6	369	34	32	85	140	123
43	Savannah (total)	1,919	331	75	50	29	15	500	53	39	67	144	120
44	White	619	100	23	15	10	5	153	13	10	13	29	20
45	Colored	1,300	231	52	35	19	10	347	40	29	54	115	100
	ILLINOIS.[1]												
46	Registration cities (total)	35,852	6,690	1,491	695	518	359	9,753	989	549	880	1,519	1,638
47	White	34,605	6,576	1,445	681	504	350	9,556	962	532	826	1,433	1,541
48	Colored	1,247	114	46	14	14	9	197	27	17	54	86	97
49	Aurora	413	83	7	3	3	.....	96	7	9	9	14	7
50	Belleville	310	58	10	5	3	1	77	5	7	11	10	10
51	Chicago (total)	32,531	6,252	1,416	648	485	339	9,140	923	497	790	1,383	1,501
52	White	31,478	6,155	1,373	640	473	332	8,973	899	482	748	1,310	1,425
53	Colored	1,053	97	43	8	12	7	167	24	15	42	73	76
54	Decatur	400	58	8	7	5	3	81	5	8	10	21	25
55	Evanston	281	43	9	4	.....	1	57	14	5	9	7	14
56	Jacksonville	380	14	.....	2	2	1	19	4	3	10	10	17
57	Quincy	660	64	16	11	12	1	104	13	8	13	24	26
58	Springfield	877	118	25	15	8	13	179	18	12	28	50	38
	INDIANA.												
59	Registration cities (total)	11,838	1,904	367	167	104	86	2,628	234	193	338	559	537
60	White	10,911	1,774	344	145	98	79	2,440	219	175	303	498	484
61	Colored	927	130	23	22	6	7	188	15	18	35	61	53
62	Anderson	306	45	3	9	4	2	63	10	3	10	11	8
63	East Chicago	294	146	37	6	3	3	195	6	6	4	7	11
64	Elkhart	208	24	4	3	2	1	34	3	2	11	9	10
65	Elwood	106	24	3	1	.....	.....	28	7	4	3	5	2

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910. Minor having 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
4	4	3	12	5	9	12	11	11	10	2	4					1
65	74	79	79	102	71	82	98	68	67	40	17	8	2		2	2
4	3	5	9	7	9	9	10	17	12	11	5	1	1			3
9	23	16	22	18	17	23	22	27	24	23	7	4			2	4
6	8	12	15	14	21	15	14	14	16	12	6	2			1	5
75	86	118	105	131	93	137	117	131	83	56	38	15	1		1	6
1	2	7	7	9	11	10	7	7	8	6	2	6				7
27	33	27	31	41	21	26	30	40	35	19	7	8	1			8
14	17	36	23	35	36	44	35	27	41	24	13	2	1	1		9
	2	9	6	5	4	5	5	7	6	5						10
14	23	20	21	23	22	38	16	28	22	21	9	2	1		1	11
103	118	115	113	117	139	173	167	147	102	73	37	15	6	1		12
20	13	19	22	17	19	28	30	22	15	19	6	3			5	13
5	7	17	23	16	25	33	35	47	28	24	15	3	1			14
12	19	20	22	23	38	34	45	32	35	29	13	5				15
4	6	10	8	9	11	13	13	16	6	9	2	2				16
30	21	32	25	31	30	29	43	31	14	16	14	5				17
8	9	7	8	5	3	11	6	13	10	3	3	4				18
2	4	3	2	2	7	9	10	13	10	6	3					19
57	49	51	50	53	51	57	58	63	39	25	7	9	2	2	1	20
12	10	8	11	6	13	19	11	19	15	7	10					21
52	46	56	52	87	72	80	89	91	73	64	29	10				22
42	37	46	43	65	62	66	79	87	68	62	28	10				23
10	9	10	9	22	10	14	10	4	5	2	1					24
313	370	357	307	367	342	405	478	445	343	211	121	45	13	6	1	25
151	190	183	178	194	205	277	367	358	280	170	101	38	2			26
162	180	174	129	173	137	128	111	87	63	41	20	7	11	6	1	27
142	143	92	121	94	83	77	64	53	40	26	13	6	4	3	8	28
42	42	38	42	46	43	43	41	34	29	16	6	1	1	1		29
100	101	54	79	48	40	34	23	19	11	10	7	5	3	2	8	30
121	122	75	110	74	63	61	49	40	21	14	9	5	3	2	8	31
30	29	28	39	34	33	31	28	25	14	8	4	1				32
91	93	47	71	40	30	30	21	15	7	6	5	4	3	2	8	33
21	21	17	11	20	20	16	15	13	19	12	4	1	1	1		34
12	13	10	3	12	10	12	13	9	15	8	2		1	1		35
9	8	7	8	8	10	4	2	4	4	4	2	1				36
315	320	297	290	323	224	223	222	186	123	95	48	10	2	6	2	37
115	137	115	96	132	117	141	159	141	93	75	32	5			1	38
200	183	182	194	191	107	82	63	45	30	20	16	5	2	6	1	39
192	206	163	165	193	148	151	151	128	94	58	28	6	1	5	1	40
80	106	75	65	98	85	101	112	104	81	48	20	2			1	41
112	100	88	100	95	63	50	39	24	13	10	8	4	1	5		42
123	114	134	125	130	76	72	71	58	29	37	20	4	1	1	1	43
35	31	40	31	34	32	40	47	37	12	27	12	3				44
88	83	94	94	96	44	32	24	21	17	10	8	1	1	1	1	45
1,701	1,988	2,036	2,228	2,308	1,984	1,925	1,878	1,500	1,409	915	441	160	40	5	6	46
1,587	1,865	1,930	2,125	2,219	1,913	1,873	1,843	1,475	1,395	900	428	154	39	4	5	47
114	123	106	103	89	71	52	35	25	14	15	13	6	1	1	1	48
13	13	12	23	22	24	19	32	20	40	29	16	5	1	1	1	49
13	8	13	13	9	13	12	26	21	26	27	6	1	1		1	50
1,574	1,843	1,887	2,047	2,140	1,811	1,729	1,635	1,286	1,135	683	358	130	33	4	2	51
1,470	1,735	1,789	1,958	2,060	1,746	1,690	1,608	1,270	1,126	676	350	126	32	3	2	52
104	108	98	89	80	65	39	27	16	9	7	8	4	1	1		53
12	19	14	27	24	19	18	28	22	26	23	13	3	1		1	54
12	15	11	11	20	8	13	19	13	25	19	8		1			55
10	18	25	31	12	24	27	30	40	45	40	9	5			1	56
26	32	38	30	36	35	43	58	51	52	47	14	8	2			57
41	40	36	46	45	50	64	50	47	60	47	17	8	1			58
563	611	556	563	682	691	729	816	722	638	434	232	79	22	4	7	59
492	527	494	519	623	640	682	771	678	624	418	222	75	21	1	5	60
71	84	62	44	59	51	47	45	44	14	16	10	4	1	3	2	61
11	14	8	11	20	25	25	26	15	21	11	7	7				62
17	8	8	7	9	6	4	2	1	2			1				63
5	8	7	6	8	17	17	24	11	13	13	8	2				64
1	6	1	6	6	4	8	8	5	7	1	3	1				65

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	INDIANA—continued.												
1	Evansville	1,087	189	49	18	12	6	274	18	16	28	61	41
2	Fort Wayne	815	111	9	7	8	2	137	20	6	26	45	39
3	Gary	290	106	28	6	2	4	146	5	1	5	14	21
4	Hammond	275	70	10	3	2	3	88	10	2	10	16	21
5	Huntington	126	13	3			3	19	3	4	2	8	1
6	Indianapolis (total)	3,530	419	67	48	38	16	588	59	63	105	169	160
7	White	3,029	359	54	34	32	14	493	48	53	84	140	137
8	Colored	501	60	13	14	6	2	95	11	10	21	29	23
9	Jeffersonville (total)	186	30	6	1			37	3	1	4	8	12
10	White	156	28	6	1			35	3		3	7	11
11	Colored	30	2					2		1	1	1	1
12	Kokomo	210	42	6	3	1	5	57	8	3	7	8	8
13	Lafayette	330	26	4	2	1	1	34	8	4	12	14	15
14	Laporte	169	23	7			4	34	3	2	2	2	7
15	Logansport	249	30	9	1	3	1	44	5	4	6	11	10
16	Marion	254	45	9	3	2	4	63	4	5	7	14	10
17	Michigan City	251	39	10	4	4	1	58	7	8	6	14	9
18	Mishawaka	157	31	7	2	4	3	47	5	2	3	6	8
19	Muncie	314	61	11	2	3	4	81	5	5	13	13	12
20	New Albany	317	39	8	7	1	1	56	2	7	7	12	15
21	Peru	151	19		2	1		22	2	2	6	4	10
22	Richmond	285	36	10	3	2	4	55	3	4	6	8	10
23	South Bend	758	185	27	16	5	6	239	20	15	22	41	33
24	Terre Haute	913	126	28	14	4	7	179	14	15	23	43	50
25	Vincennes	257	25	12	6	2	5	50	4	9	10	16	14
	KANSAS.[1]												
26	Registration cities (total)	2,393	415	66	28	12	19	540	50	50	80	134	119
27	White	2,008	354	61	23	9	16	463	43	39	64	113	90
28	Colored	385	61	5	5	3	3	77	7	11	16	21	29
29	Kansas City (total)	1,405	279	53	22	6	10	370	31	26	47	92	72
30	White	1,145	240	48	17	4	9	318	27	19	36	73	53
31	Colored	260	39	5	5	2	1	52	4	7	11	19	19
32	Leavenworth (total)	315	27	7	1		1	36	5	6	12	10	11
33	White	238	16	7	1			24	2	5	10	9	6
34	Colored	77	11				1	12	3	1	2	1	5
35	Wichita	673	109	6	5	6	8	134	14	18	21	32	36
	KENTUCKY.												
36	Registration cities (total)	6,934	888	252	91	76	55	1,362	147	103	246	360	346
37	White	4,937	665	172	60	53	33	983	104	68	137	223	215
38	Colored	1,997	223	80	31	23	22	379	43	35	109	137	131
39	Covington (total)	809	104	26	10	6	4	150	23	15	21	44	40
40	White	716	95	21	8	6	3	133	20	13	20	35	29
41	Colored [2]	93	9	5	2		1	17	3	2	1	9	11
42	Frankfort (total)	206	19	7	2	2	3	33	3	5	6	15	18
43	White	138	16	7	2	2	2	29	1	4	3	8	8
44	Colored	68	3				1	4	2	1	3	7	10
45	Henderson (total)	229	40	15	3		2	60	4	7	12	17	10
46	White	133	23	13	2		2	40	2	2	8	5	6
47	Colored	96	17	2	1			20	2	5	4	12	4
48	Lexington (total)	827	84	23	9	3	6	125	15	6	30	45	31
49	White	459	36	12	5	2	1	56	10	1	14	22	12
50	Colored	368	48	11	4	1	5	69	5	5	16	23	19
51	Louisville (total)	3,661	441	123	51	50	28	693	69	51	122	172	191
52	White	2,597	343	75	32	32	16	498	50	32	60	106	122
53	Colored	1,064	98	48	19	18	12	195	19	19	62	66	69
54	Newport (total)	383	55	11	4	5	5	80	3	6	17	25	19
55	White	364	51	10	4	5	5	75	3	6	14	22	17
56	Colored [2]	19	4	1				5			3	3	2
57	Owensboro (total)	352	75	25	7	5	3	115	19	7	11	12	12
58	White	260	62	20	3	4	3	92	15	6	7	10	7
59	Colored	92	13	5	4	1		23	4	1	4	2	5
60	Paducah (total)	467	70	22	5	5	4	106	11	6	27	30	25
61	White	270	39	14	4	2	1	60	3	4	11	15	14
62	Colored	197	31	8	1	3	3	46	8	2	16	15	11
	LOUISIANA.[1]												
63	New Orleans (total)	7,055	1,071	251	112	55	44	1,533	123	104	206	372	398
64	White	4,208	662	163	68	31	23	947	65	46	82	146	189
65	Colored	2,847	409	88	44	24	21	586	58	58	124	226	209
	MAINE.												
66	Registration cities (total)	3,114	520	88	31	23	20	682	48	44	76	99	117
67	White	3,103	517	88	31	23	20	679	48	44	76	99	117
68	Colored	11	3					3					
69	Auburn	203	34	6	2	4	1	47	6	2	7	3	3
70	Augusta	342	30	9			1	40	3	5	4	9	8
71	Bangor	519	62	4	3	2		71	1	9	19	27	24

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910. Minor having 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
51	64	61	56	56	45	68	74	55	52	34	23	7	3	.....	.....	1
32	51	37	45	43	53	47	61	61	50	42	18	1	1	.....	.....	2
21	19	15	8	6	6	6	2	4	2	1	3	.....	.....	.....	5	3
14	14	17	14	17	12	10	6	6	5	10	2	1	.....	.....	.....	4
3	12	6	7	4	4	9	11	14	7	7	4	1	.....	.....	.....	5
184	211	184	195	239	233	231	251	255	210	122	44	17	7	2	1	6
146	166	152	173	204	204	201	222	231	202	109	41	15	7	1	.....	7
38	45	32	22	35	29	30	29	24	8	13	3	2	.....	1	1	8
8	8	8	11	9	15	10	11	15	10	8	5	1	1	1	.....	9
6	5	5	9	7	12	8	9	14	9	7	4	1	1	.....	.....	10
2	3	3	2	2	3	2	2	1	1	1	1	.....	.....	1	.....	11
6	6	11	4	7	10	14	13	12	16	14	5	.....	1	.....	.....	12
16	17	16	19	29	19	21	27	24	25	24	3	3	.....	.....	.....	13
2	12	6	8	16	6	11	10	15	11	13	7	2	.....	.....	.....	14
15	11	11	10	13	23	17	21	15	12	6	8	5	1	.....	1	15
14	3	8	10	15	24	21	14	14	12	4	10	2	.....	.....	.....	16
20	17	10	13	13	10	16	14	13	9	8	5	1	.....	.....	.....	17
9	2	8	5	10	6	6	10	10	5	6	5	2	2	.....	.....	18
14	9	17	17	11	12	15	30	21	19	14	5	1	.....	.....	.....	19
8	11	14	11	19	18	28	25	28	26	18	6	3	3	.....	.....	20
5	7	7	4	14	12	8	11	9	18	5	5	.....	.....	.....	.....	21
12	10	9	13	20	14	17	26	21	22	16	14	5	.....	.....	.....	22
31	34	29	25	33	42	46	49	37	27	21	8	5	1	.....	.....	23
49	48	51	46	54	62	57	70	46	40	26	29	8	2	1	.....	24
15	9	7	12	11	13	17	20	15	17	10	5	3	.....	.....	.....	25
110	115	110	126	137	140	131	118	146	117	88	49	19	5	3	6	26
90	93	83	106	123	120	107	103	125	101	79	45	12	4	1	4	27
20	22	27	20	14	20	24	15	21	16	9	4	7	1	2	2	28
67	74	67	88	86	71	77	65	60	51	30	21	5	1	1	3	29
52	59	48	70	76	58	60	53	51	43	24	18	3	1	.....	3	30
15	15	19	18	10	13	17	12	9	8	6	3	2	.....	1	.....	31
14	9	12	17	13	22	23	16	35	25	26	11	8	1	1	2	32
12	6	8	16	10	17	17	14	25	18	23	10	4	.....	1	1	33
2	3	4	1	3	5	6	2	10	7	3	1	4	1	.....	1	34
29	32	31	21	38	47	31	37	51	41	32	17	6	3	1	1	35
366	429	377	419	411	424	420	422	382	335	197	104	31	9	5	39	36
232	281	232	260	284	307	339	340	322	299	174	88	24	7	.....	18	37
134	148	145	159	127	117	81	82	60	36	23	16	7	2	5	21	38
29	56	39	42	42	58	55	54	46	43	28	14	5	3	.....	2	39
24	51	36	33	33	54	51	51	44	43	26	13	4	2	.....	1	40
5	5	3	9	9	4	4	3	2	.....	2	1	1	1	.....	1	41
15	13	7	11	11	10	9	19	9	12	5	2	.....	.....	.....	3	42
8	6	4	6	7	7	7	16	6	11	4	2	.....	.....	.....	1	43
7	7	3	5	4	3	2	3	3	1	1	.....	.....	.....	.....	2	44
9	14	13	13	14	9	6	11	12	5	8	1	1	.....	1	2	45
7	8	5	8	7	3	4	9	9	4	5	.....	.....	.....	.....	1	46
2	6	8	5	7	6	2	2	3	1	3	1	1	.....	1	1	47
52	54	48	50	55	62	53	49	44	42	32	10	4	.....	1	19	48
31	28	20	21	31	39	34	32	30	31	27	7	3	.....	.....	10	49
21	26	28	29	24	23	19	17	14	11	5	3	1	.....	1	9	50
199	231	209	249	219	221	237	224	209	176	100	56	17	4	.....	12	51
125	151	126	153	148	153	194	176	184	158	92	47	14	3	.....	5	52
74	80	83	96	71	68	43	48	25	18	8	9	3	1	.....	7	53
17	12	16	22	29	27	21	21	17	28	6	13	2	2	.....	.....	54
15	11	16	20	29	27	21	20	17	28	6	13	2	2	.....	.....	55
2	1	.....	2	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	56
12	19	21	10	13	15	12	17	26	16	10	4	1	.....	.....	.....	57
7	10	13	7	9	9	9	13	19	15	7	4	1	.....	.....	.....	58
5	9	8	3	4	6	3	4	7	1	3	.....	.....	.....	.....	.....	59
33	30	24	22	28	22	27	27	19	13	8	4	1	.....	3	1	60
15	16	12	12	20	15	19	23	13	9	7	2	.....	.....	.....	.....	61
18	14	12	10	8	7	8	4	6	4	1	2	1	.....	3	1	62
390	467	478	447	440	406	427	354	314	287	175	80	23	18	10	3	63
202	230	266	258	293	266	283	261	228	218	138	61	19	6	2	2	64
188	237	212	189	147	140	144	93	86	69	37	19	4	12	8	1	65
136	142	141	144	163	184	201	241	232	194	149	68	28	13	.....	12	66
135	142	140	144	162	184	199	240	232	194	149	67	27	13	.....	12	67
1	.....	1	.....	1	.....	2	1	.....	.....	.....	1	1	.....	.....	.....	68
5	2	8	12	11	15	15	23	10	16	12	3	.....	3	.....	.....	69
16	23	17	19	25	24	31	24	33	27	18	9	2	3	.....	2	70
24	24	26	24	34	27	40	46	45	31	22	14	3	3	.....	5	71

[2] Colored population less than 10 per cent of total.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	MAINE—continued.												
1	Biddeford	317	76	22	1	4	6	109	8	6	11	6	8
2	Lewiston	508	93	12	8	6	7	126	10	9	11	17	21
3	Portland	1,062	183	24	13	6	4	230	18	10	23	29	47
4	Waterville	163	42	11	4	1	1	59	2	3	1	8	6
	MARYLAND.												
5	Registration cities (total)	11,355	2,142	457	171	108	80	2,958	217	151	291	427	532
6	White	8,567	1,583	329	120	78	55	2,165	156	102	182	268	325
7	Colored	2,788	559	128	51	30	25	793	61	49	109	159	207
8	Baltimore (total)	10,407	1,960	434	158	98	78	2,728	201	138	260	383	494
9	White	7,757	1,433	311	113	71	53	1,981	143	92	161	229	290
10	Colored	2,650	527	123	45	27	25	747	58	46	99	154	204
11	Cumberland (total)	416	81	13	7	2	.....	103	9	8	13	22	23
12	White	375	70	11	4	2	.....	87	7	7	12	22	22
13	Colored [1]	41	11	2	3	.....	.....	16	2	1	1	.....	1
14	Frederick (total)	219	38	5	1	2	.....	46	4	1	12	8	8
15	White	168	28	2	.....	1	.....	31	4	1	5	4	7
16	Colored	51	10	3	1	1	.....	15	.....	.....	7	4	1
17	Hagerstown (total)	313	63	5	5	6	2	81	3	4	6	14	7
18	White	267	52	5	3	4	2	66	2	2	4	13	6
19	Colored [1]	46	11	.....	2	2	.....	15	1	2	2	1	1
	MASSACHUSETTS.												
20	Registration cities (total)	41,010	8,720	1,645	630	410	299	11,704	726	481	765	1,161	1,429
21	White	40,293	8,603	1,602	615	400	291	11,511	710	468	744	1,133	1,385
22	Colored	717	117	43	15	10	8	193	16	13	21	28	44
23	Adams town	186	67	13	2	2	1	85	5	1	4	4	3
24	Arlington town	147	17	4	1	1	.....	23	2	2	7	4	.....
25	Attleboro town	187	50	8	3	1	1	63	3	3	4	6	8
26	Beverly	262	52	2	4	2	2	62	8	7	1	7	8
27	Boston (total)	11,765	2,246	475	179	127	93	3,120	217	120	220	325	489
28	White	11,393	2,188	452	171	124	90	3,025	208	112	208	309	460
29	Colored	372	58	23	8	3	3	95	9	8	12	16	29
30	Brockton	640	111	26	12	1	4	154	14	3	21	21	19
31	Brookline town	342	22	7	.....	3	2	34	3	3	1	9	5
32	Cambridge	1,617	297	54	36	25	18	430	41	32	42	40	51
33	Chelsea	622	100	21	5	5	7	138	12	6	13	14	22
34	Chicopee	389	144	23	9	6	5	187	4	6	8	10	13
35	Clinton town	183	23	6	1	1	.....	31	2	.....	6	6	4
36	Everett	377	53	9	8	3	3	76	7	3	7	8	15
37	Fall River	2,134	810	160	55	24	16	1,065	36	28	34	57	47
38	Fitchburg	498	112	23	12	8	6	161	5	8	8	28	14
39	Framingham town	185	31	4	2	2	.....	39	3	3	3	7	6
40	Gardner town	193	52	7	2	.....	1	62	4	2	1	6	10
41	Gloucester	347	56	10	7	2	2	77	8	6	9	13	11
42	Greenfield town	155	26	10	4	3	1	44	4	2	3	3	8
43	Haverhill	653	94	23	8	3	1	129	19	5	13	15	23
44	Holyoke	902	301	35	8	12	4	360	20	10	13	25	36
45	Hyde Park town	191	28	2	1	3	5	39	3	3	7	8	4
46	Lawrence	1,405	434	103	29	17	8	591	20	20	21	34	53
47	Leominster town	220	43	1	3	2	.....	49	4	3	3	3	6
48	Lowell	1,925	486	97	35	21	10	649	32	18	36	55	72
49	Lynn	1,152	208	41	13	7	13	282	12	9	22	33	47
50	Malden	551	85	10	11	2	2	110	13	13	13	17	19
51	Marlboro	223	26	3	3	1	.....	33	5	2	3	7	6
52	Medford	275	31	6	4	2	2	45	3	3	9	5	6
53	Melrose	178	18	1	3	.....	.....	22	.....	1	2	2	4
54	Methuen town	141	29	3	2	.....	1	35	4	1	5	2	2
55	Milford town	214	36	3	2	3	.....	44	2	6	6	5	10
56	New Bedford	1,741	603	111	20	23	17	774	31	19	22	58	49
57	Newburyport	280	33	5	.....	4	2	44	5	3	4	6	9
58	Newton	463	77	12	6	4	4	103	3	5	9	10	10
59	North Adams	317	59	10	5	5	.....	79	12	2	9	8	15
60	Northampton	375	46	8	2	2	3	61	4	.....	9	12	13
61	Peabody town	227	38	8	5	2	1	54	1	1	3	6	11
62	Pittsfield	552	99	16	11	5	3	134	7	7	12	19	18
63	Plymouth town	204	45	12	4	1	4	66	4	3	3	3	5
64	Quincy	395	89	21	6	8	1	125	7	2	7	15	12
65	Revere town	192	39	7	1	1	.....	48	4	3	3	4	6
66	Salem	745	172	40	10	7	6	235	15	3	13	17	12
67	Somerville	1,031	163	33	12	8	6	222	17	9	12	22	33
68	Southbridge town	131	36	5	4	1	3	49	2	2	2	1	3
69	Springfield	1,417	251	46	24	12	10	343	12	16	23	53	48
70	Taunton	715	157	16	9	3	.....	185	8	8	1	25	24
71	Wakefield town	144	21	4	1	.....	1	27	2	.....	2	5	2
72	Waltham	389	60	9	6	4	4	83	12	13	19	11	7
73	Watertown town	137	34	2	.....	.....	1	37	3	5	.....	.....	5
74	Webster town	156	52	3	2	1	2	60	8	2	2	5	8
75	Westfield town	284	53	3	6	1	2	65	3	3	16	21	14

[1] Colored population less than 10 per cent of total.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910. Minor having 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
17	10	11	9	9	11	17	20	25	19	17	3				1	1
26	27	31	24	27	29	20	31	35	29	22	5	3	1		4	2
44	51	39	53	52	69	70	84	75	65	51	31	18	3			3
4	5	9	3	5	9	8	13	9	7	7	3	2				4
508	520	576	584	731	634	688	691	682	505	397	178	62	17	5	1	5
352	342	392	428	538	493	575	610	588	455	368	158	53	14	2	1	6
156	178	184	156	193	141	113	81	94	50	29	20	9	3	3		7
461	474	531	538	697	580	619	627	618	468	354	158	57	16	5		8
316	303	354	392	506	446	511	553	530	419	327	140	49	13	2		9
145	171	177	146	191	134	108	74	88	49	27	18	8	3	3		10
27	25	19	20	15	21	29	21	24	10	15	8	3	1			11
25	22	17	15	15	18	27	19	24	10	15	7	3	1			12
2	3	2	5		3	2	2				1					13
10	8	11	8	5	13	19	14	18	15	14	5					14
6	7	6	4	5	12	18	11	16	14	13	4					15
4	1	5	4		1	1	3	2	1	1	1					16
10	13	15	18	14	20	21	29	22	12	14	7	2			1	17
5	10	15	17	12	17	19	27	18	12	13	7	1			1	18
5	3		1	2	3	2	2	4		1		1				19
1,465	1,821	1,912	1,939	2,160	2,273	2,689	2,834	2,627	2,159	1,596	871	315	59	9	15	20
1,426	1,771	1,869	1,891	2,110	2,232	2,646	2,808	2,602	2,141	1,585	866	314	57	9	15	21
39	50	43	48	50	41	43	26	25	18	11	5	1	2			22
4	4	6	5	5	10	5	16	11	9	7	1	1				23
5	9	4	8	10	7	19	9	12	12	9	4	1				24
8	2	3	12	9	9	11	7	10	13	9	6	1				25
5	15	10	5	13	15	23	17	19	18	16	8	5				26
505	649	685	678	743	686	811	769	665	483	356	161	68	14	1		27
486	622	658	649	718	665	794	757	653	476	351	160	68	13	1		28
19	27	27	29	25	21	17	12	12	7	5	1		1			29
23	18	30	32	40	38	52	49	37	44	28	13	4				30
5	19	17	11	24	27	26	26	41	38	32	11	8	1	1		31
57	76	68	77	94	96	91	112	100	87	72	35	12	2	2		32
30	23	28	30	32	17	41	65	54	46	28	19	2	2			33
7	13	14	16	9	16	18	15	16	16	9	8	3			1	34
12	10	8	10	6	10	17	17	16	9	10	6	2	1			35
13	17	12	22	21	23	31	34	29	25	17	12	2	2	1		36
62	75	82	64	75	100	95	111	80	57	42	16	6	1	1		37
15	18	13	15	26	26	28	38	27	28	22	14	3	1			38
8	11	7	14	8	10	11	13	17	9	12	2	2				39
5	4	6	6	11	13	10	16	10	14	6	5	2				40
11	14	10	9	22	21	29	30	24	18	18	12	4		1		41
2	5	4	5	7	5	11	16	14	8	11	1	1			1	42
23	31	30	21	40	40	42	51	52	42	47	21	8	1			43
18	32	38	33	52	38	54	52	42	48	17	9	4			1	44
3	1	8	8	9	17	15	17	15	11	13	9	1				45
53	62	74	53	61	63	62	78	64	47	29	15	5				46
6	7	11	11	12	7	16	19	20	21	11	6	5				47
63	90	80	81	100	104	111	126	119	78	51	47	11	2			48
49	41	62	62	62	74	82	73	80	69	49	30	11	3			49
13	22	21	30	34	34	33	49	43	36	29	17	5				50
5	6	12	11	12	18	18	29	14	21	13	6	1	1			51
10	7	13	12	11	19	21	23	24	17	26	18	2	1			52
7	3	8	4	6	10	17	19	30	22	10	6	4	1			53
2	4	7	3	4	6	10	8	20	12	9	5	2				54
12	8	9	14	12	12	16	17	17	15	4	5					55
47	62	72	67	67	75	71	96	77	53	54	30	14	1		2	56
11	9	8	10	15	22	14	21	30	26	23	12	6	1		1	57
11	9	19	24	16	20	34	46	37	41	39	16	9	2			58
10	11	13	13	17	22	26	22	24	13	12	8	1				59
15	20	11	10	16	22	28	28	40	43	22	17	4				60
5	6	9	13	15	16	23	19	18	11	7	5	3	1			61
18	28	20	28	26	30	32	49	39	27	28	24	4	2			62
7	13	6	9	8	8	9	12	14	14	7	9	4				63
11	13	14	18	15	23	27	20	27	27	13	10	5	2		2	64
3	2	5	12	20	12	14	17	8	11	11	4	3		1	1	65
26	33	31	22	26	45	44	55	62	44	37	19	4	2			66
38	44	42	60	41	71	87	80	93	70	51	28	9	2			67
3	3	1	8	6	11	8	7	10	6	3	4	2				68
57	81	71	70	66	74	111	108	90	86	46	42	18	2			69
22	34	25	24	33	38	58	58	51	50	43	16	9	1		2	70
6	3	5	5	7	5	9	16	15	13	11	9	1	1			71
13	12	18	18	16	19	29	23	33	24	23	11	4			1	72
2	4	6	5	11	9	15	5	11	10	2	4	2	1			73
2	4	4	2	6	6	9	10	11	8	5	3	1				74
17	13	13	12	13	10	13	17	13	17	14	6	3			1	75

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	MASSACHUSETTS—continued.												
1	Weymouth town	187	26	2	.....	.....	.....	28	3	1	1	5	11
2	Winthrop town	114	4	5	1	2	.....	12	1	4	3	2	2
3	Woburn	193	28	9	6	2	5	50	2	4	2	1	7
4	Worcester	2,362	447	68	25	25	16	581	45	37	43	73	84
	MICHIGAN.												
5	Registration cities (total)	15,355	3,235	525	215	158	129	4,262	370	226	373	635	654
6	White	15,108	3,198	519	214	156	128	4,215	364	225	357	623	638
7	Colored	247	37	6	1	2	1	47	6	1	16	12	16
8	Adrian	152	15	1	1	1	.....	18	7	3	6	4	3
9	Alpena	215	65	10	2	2	1	80	4	3	6	9	8
10	Ann Arbor	338	35	6	4	6	2	53	6	4	11	15	16
11	Battle Creek	399	44	7	.....	3	2	56	7	10	11	14	11
12	Bay City	563	121	14	7	6	4	152	15	7	22	14	28
13	Detroit	7,110	1,869	313	117	97	66	2,462	194	100	165	311	329
14	Escanaba	182	41	6	3	2	3	55	4	5	7	9	8
15	Flint	401	93	10	6	4	6	119	9	5	11	21	11
16	Grand Rapids	1,580	270	59	23	12	12	376	34	25	27	59	62
17	Holland	115	31	1	2	.....	.....	34	1	2	4	4	7
18	Ironwood	113	35	8	3	.....	.....	46	2	2	3	11	7
19	Ishpeming	124	24	6	1	1	2	34	3	6	5	5	6
20	Jackson	410	51	10	3	1	3	68	11	9	7	7	17
21	Kalamazoo	719	67	14	7	2	3	93	7	6	17	23	24
22	Lansing	343	51	6	8	2	1	68	8	5	5	21	13
23	Manistee	158	23	3	1	.....	2	29	5	4	13	7	6
24	Marquette	201	44	8	3	1	1	57	4	2	6	13	13
25	Menominee	136	35	3	1	.....	1	40	5	2	5	3	5
26	Muskegon	365	65	11	6	.....	1	83	7	4	16	17	10
27	Pontiac	316	31	3	2	.....	1	37	1	5	2	12	17
28	Port Huron	300	53	5	3	2	6	69	8	4	3	10	9
29	Saginaw	704	114	12	9	12	10	157	18	10	12	29	30
30	Sault Ste. Marie	162	38	6	3	4	1	52	5	1	9	6	5
31	Traverse City	249	20	3	.....	.....	1	24	5	2	.....	11	9
	MINNESOTA.												
32	Registration cities (total)	7,732	1,371	189	90	85	55	1,790	178	117	240	398	416
33	White	7,611	1,356	188	88	83	55	1,770	176	116	239	388	404
34	Colored	121	15	1	2	2	.....	20	2	1	1	10	12
35	Duluth	960	183	27	10	6	5	231	26	22	22	58	69
36	Mankato	155	14	1	.....	.....	1	16	4	1	4	6	7
37	Minneapolis	3,572	601	89	49	42	24	805	75	48	124	183	179
38	St. Cloud	136	26	7	1	.....	.....	34	3	1	4	8	1
39	St. Paul	2,386	449	58	24	34	22	587	60	36	66	115	130
40	Stillwater	123	15	1	.....	1	1	18	.....	2	6	8	7
41	Virginia	154	50	4	5	1	1	61	2	6	5	8	14
42	Winona	246	33	2	1	1	1	38	8	1	9	12	9
	MISSOURI.												
43	Registration cities (total)	17,874	2,627	552	277	190	146	3,792	393	252	478	805	898
44	White	15,775	2,374	494	249	173	133	3,423	353	216	396	655	714
45	Colored	2,099	253	58	28	17	13	369	40	36	82	150	184
46	Hannibal	263	50	2	5	1	2	60	5	4	7	9	9
47	Jefferson City	158	10	4	1	2	2	19	5	1	3	12	7
48	Joplin	465	78	19	17	5	2	121	5	9	9	26	22
49	Kansas City (total)	3,961	587	87	36	33	16	759	68	49	114	209	251
50	White	3,340	513	72	32	29	15	661	59	44	85	148	186
51	Colored	621	74	15	4	4	1	98	9	5	29	61	65
52	Moberly	148	20	6	1	.....	2	29	7	1	2	8	5
53	St. Joseph	1,001	110	20	11	8	2	151	14	17	33	37	39
54	St. Louis (total)	10,765	1,573	358	181	128	110	2,350	256	154	270	456	500
55	White	9,591	1,432	318	164	116	101	2,131	230	128	232	385	401
56	Colored	1,174	141	40	17	12	9	219	26	26	38	71	99
57	Sedalia	306	51	9	6	1	3	70	5	3	14	11	14
58	Springfield	619	106	38	12	8	6	170	21	10	16	31	35
59	Webb City	188	42	9	7	4	1	63	7	4	10	6	16
	MONTANA.												
60	Registration cities (total)	1,470	233	46	22	12	9	322	36	28	33	68	95
61	White	1,417	230	46	21	12	9	318	34	28	30	66	91
62	Colored	53	3	.....	1	.....	.....	4	2	.....	3	2	4
63	Anaconda	124	25	7	3	4	1	40	.....	6	2	5	2
64	Billings	149	29	5	1	2	.....	37	1	4	8	8	12
65	Butte	635	83	16	6	5	4	114	17	9	12	26	44
66	Great Falls	211	48	10	4	.....	2	64	5	3	3	13	14
67	Helena	184	30	5	4	1	2	42	5	5	5	4	12
68	Missoula	167	18	3	4	.....	.....	25	8	1	3	12	11

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910. Minor having 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
6	6	3	11	11	9	11	12	15	24	20	6	3	.....	.....	1	1
5	3	6	5	8	15	11	8	14	4	6	2	3	.....	.....	.....	2
8	5	11	8	7	10	21	13	8	11	8	9	7	.....	1	.....	3
31	107	119	123	124	130	159	171	165	153	99	49	10	8	.....	1	4
624	616	602	708	869	803	873	959	982	788	595	289	102	12	4	9	5
608	597	589	686	849	788	865	946	972	787	590	285	100	12	3	9	6
16	19	13	22	20	15	8	13	10	1	5	4	2	.....	1	.....	7
8	4	7	9	11	5	5	16	20	9	12	4	1	.....	.....	.....	8
7	6	7	8	10	8	9	14	13	8	7	6	2	.....	.....	.....	9
13	16	27	19	23	24	21	21	17	25	14	8	5	.....	.....	.....	10
15	22	16	20	29	33	29	24	43	26	20	11	2	.....	.....	.....	11
20	16	22	28	34	29	37	31	32	35	33	7	1	.....	.....	.....	12
293	290	257	341	374	318	332	382	318	289	204	105	39	4	1	2	13
9	7	8	7	9	15	7	8	9	5	5	3	1	.....	.....	1	14
15	17	13	14	18	18	30	19	24	27	19	5	5	1	.....	.....	15
61	55	59	67	86	90	107	95	135	100	87	43	9	2	1	.....	16
2	.....	3	3	4	10	7	8	10	9	6	1	.....	.....	.....	.....	17
5	7	5	2	5	4	5	1	2	3	2	1	.....	.....	.....	.....	18
5	7	3	4	10	7	2	6	10	5	3	3	.....	.....	.....	.....	19
17	16	19	18	19	24	39	34	27	36	23	13	6	.....	.....	.....	20
33	39	31	38	54	52	52	74	71	44	36	19	4	1	.....	1	21
9	9	12	10	18	20	18	38	27	27	19	9	4	1	1	1	22
7	3	6	6	8	5	9	15	13	10	8	1	1	1	1	.....	23
10	7	10	8	12	10	10	11	14	7	2	3	2	.....	.....	.....	24
6	11	3	7	11	8	8	5	10	5	1	1	.....	.....	.....	.....	25
10	14	14	12	22	18	26	37	31	12	21	9	1	1	.....	.....	26
11	15	20	10	23	30	28	22	27	25	15	4	2	.....	.....	1	27
16	10	16	10	16	19	14	20	30	19	15	8	4	.....	.....	.....	28
29	27	25	35	42	33	43	50	64	40	27	17	12	1	.....	3	29
8	9	7	9	9	8	11	6	7	5	3	2	.....	.....	.....	.....	30
15	9	12	14	22	15	24	22	28	17	13	6	1	.....	.....	.....	31
394	394	408	451	475	441	404	421	365	387	244	148	50	6	4	1	32
387	380	394	442	466	439	399	414	363	384	243	147	50	6	3	1	33
7	14	14	9	9	2	5	7	2	3	1	1	.....	.....	1	.....	34
56	67	54	54	65	55	48	39	30	26	20	12	4	.....	2	.....	35
11	6	6	11	9	12	9	8	8	19	8	7	3	.....	.....	.....	36
188	176	199	214	221	207	188	174	177	199	115	75	22	3	.....	.....	37
5	8	6	11	6	7	6	11	3	12	5	5	.....	.....	.....	.....	38
111	115	122	132	152	136	117	156	115	109	72	32	18	2	2	1	39
2	7	5	6	8	8	11	6	11	6	7	4	1	.....	.....	.....	40
16	8	8	7	5	2	4	2	4	.....	2	.....	.....	.....	.....	.....	41
5	7	8	16	9	14	21	25	17	16	15	13	2	1	.....	.....	42
957	1,021	995	1,121	1,180	1,059	1,071	1,058	1,024	783	582	280	86	18	5	16	43
769	833	859	960	1,040	945	988	994	958	751	555	264	77	14	1	10	44
188	188	136	161	140	114	83	64	66	32	27	16	9	4	4	6	45
10	11	11	11	16	17	17	11	21	21	13	5	2	2	.....	1	46
10	19	6	8	7	13	10	6	9	6	8	5	3	.....	.....	1	47
25	35	23	22	21	29	29	23	27	20	13	3	2	.....	.....	1	48
212	257	264	242	248	253	233	241	187	169	126	54	20	4	1	.....	49
156	204	213	200	217	218	205	221	171	160	119	51	18	4	.....	.....	50
56	53	51	42	31	35	28	20	16	9	7	3	2	.....	1	.....	51
7	8	10	9	6	10	9	7	14	6	6	3	.....	.....	.....	1	52
61	64	52	61	77	71	59	73	63	52	42	23	5	1	.....	6	53
577	572	586	720	741	610	671	644	625	454	337	181	48	9	3	1	54
460	466	510	624	659	546	623	612	597	441	324	172	43	6	.....	1	55
117	106	76	96	82	64	48	32	28	13	13	9	5	3	3	.....	56
18	18	10	16	22	13	17	13	25	16	12	4	1	.....	1	3	57
23	29	27	27	37	31	20	34	44	32	22	1	5	2	.....	2	58
14	8	6	5	5	12	6	6	9	7	3	1	.....	.....	.....	.....	59
103	110	118	127	99	90	57	63	42	37	27	9	4	.....	.....	2	60
96	107	114	122	92	87	55	58	41	37	27	9	4	.....	.....	1	61
7	3	4	5	7	3	2	5	1	.....	.....	.....	.....	.....	.....	1	62
3	8	10	4	16	7	3	5	3	4	4	2	.....	.....	.....	.....	63
15	7	13	7	5	7	7	5	3	1	5	4	.....	.....	.....	.....	64
58	54	71	65	45	37	21	23	18	13	5	1	1	.....	.....	1	65
13	12	5	25	13	11	5	11	5	3	3	1	2	.....	.....	.....	66
7	11	9	7	12	14	11	10	11	11	7	1	.....	.....	.....	.....	67
7	18	10	19	8	14	10	9	2	5	3	.....	1	.....	.....	1	68

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	NEBRASKA.[1]												
1	Registration cities (total)	2,425	348	53	35	27	16	479	55	52	72	111	139
2	White	2,301	338	53	33	25	16	465	53	51	68	106	118
3	Colored	124	10	.....	2	2	.....	14	2	1	4	5	21
4	Lincoln	613	127	27	9	9	5	177	13	12	16	17	27
5	Omaha	1,812	221	26	26	18	11	302	42	40	56	94	112
	NEW HAMPSHIRE.												
6	Registration cities (total)	3,156	740	139	53	23	16	971	65	34	71	89	92
7	White	3,151	738	139	53	23	16	969	64	34	71	88	92
8	Colored	5	2	.....	.....	.....	.....	2	1	.....	.....	1	.....
9	Berlin	187	75	15	6	5	2	103	8	4	5	6	5
10	Concord	436	39	4	5	.....	3	51	6	2	5	10	16
11	Dover	248	38	7	5	3	2	55	5	2	7	5	6
12	Keene	181	28	5	1	.....	1	35	2	2	6	1	1
13	Laconia	154	23	7	3	.....	.....	33	2	1	2	2	4
14	Manchester	1,302	418	72	27	9	4	530	27	14	26	41	41
15	Nashua	428	85	22	4	4	3	118	11	6	13	18	15
16	Portsmouth	220	34	7	2	2	1	46	4	3	7	6	4
	NEW JERSEY.												
17	Registration cities (total)	25,821	5,572	1,262	493	302	253	7,882	631	337	547	933	1,017
18	White	24,477	5,297	1,198	464	285	240	7,484	596	316	501	860	932
19	Colored	1,344	275	64	29	17	13	398	35	21	46	73	85
20	Asbury Park (total)	146	20	3	1	3	1	28	4	.....	5	3	3
21	White	112	12	3	1	1	1	18	3	.....	4	3	2
22	Colored	34	8	.....	.....	2	.....	10	1	.....	1	.....	1
23	Atlantic City (total)	796	125	14	11	5	4	159	13	14	19	29	26
24	White	630	97	9	10	5	4	125	7	7	13	24	15
25	Colored	166	28	5	1	.....	.....	34	6	7	6	5	11
26	Bayonne	815	270	53	29	9	6	367	21	14	26	33	32
27	Bloomfield	146	26	7	2	1	2	38	5	1	3	1	5
28	Bridgeton	247	29	5	3	3	4	44	5	3	6	7	10
29	Camden	1,626	353	81	33	19	15	501	36	27	41	64	53
30	East Orange	332	35	13	4	4	2	58	5	6	4	9	7
31	Elizabeth	1,202	286	67	26	14	14	407	28	11	22	62	53
32	Garfield	136	57	10	1	4	.....	72	10	.....	2	3	2
33	Hackensack	217	43	5	6	4	1	59	7	.....	2	9	15
34	Harrison	194	55	9	7	6	1	78	2	5	3	10	4
35	Hoboken	1,266	228	83	35	17	20	383	23	16	23	47	58
36	Irvington	159	22	2	.....	3	3	30	2	3	4	4	5
37	Jersey City	4,381	923	241	97	52	42	1,355	111	64	95	158	208
38	Kearny	266	46	13	1	1	2	63	6	1	3	6	7
39	Long Branch	284	39	5	3	2	2	51	9	3	6	11	9
40	Millville	166	25	5	.....	2	3	35	7	2	4	4	3
41	Montclair (total)	314	68	6	5	2	.....	81	6	3	6	10	11
42	White	270	56	5	4	1	.....	66	4	2	3	7	7
43	Colored	44	12	1	1	1	.....	15	2	1	3	3	4
44	Morristown	293	53	11	5	1	4	74	4	7	4	12	11
45	New Brunswick	475	135	21	7	4	2	169	9	6	9	18	18
46	Newark	5,395	1,091	272	85	53	56	1,557	120	51	119	184	207
47	Orange	535	112	31	8	7	5	163	14	14	12	22	21
48	Passaic	830	337	58	15	20	5	435	17	12	19	27	29
49	Paterson	1,890	313	60	26	20	19	438	55	36	40	68	65
50	Perth Amboy	468	169	48	9	4	6	236	16	9	11	18	16
51	Phillipsburg	183	40	9	6	.....	1	56	5	1	3	3	3
52	Plainfield	297	41	11	2	2	3	59	6	4	10	7	17
53	Trenton	1,843	443	68	34	27	12	584	49	18	33	69	87
54	Union	233	37	12	10	3	8	70	10	2	2	13	3
55	West Hoboken	404	90	22	19	5	5	141	17	2	6	16	14
56	West New York	176	36	15	2	4	3	60	4	2	2	4	11
57	West Orange	106	25	2	1	1	2	31	5	.....	3	2	4
	NEW YORK.												
58	Registration cities (total)	108,488	20,971	4,962	2,122	1,311	902	30,268	2,426	1,394	2,366	3,793	4,409
59	White	105,442	20,377	4,812	2,065	1,275	882	29,411	2,382	1,354	2,270	3,609	4,175
60	Colored	3,046	594	150	57	36	20	857	44	40	96	184	234
61	Albany	2,063	251	31	17	16	4	319	46	20	43	59	80
62	Amsterdam	437	95	17	4	6	1	123	13	4	13	23	17
63	Auburn	633	123	26	12	2	4	167	14	2	7	25	28
64	Batavia	205	35	4	6	3	2	50	.....	2	7	12	5
65	Binghamton	939	106	17	9	3	3	138	10	9	16	23	24
66	Buffalo	6,294	1,297	214	90	60	42	1,703	117	99	165	244	228
67	Cohoes	481	128	21	8	2	7	166	15	11	7	20	12
68	Corning	186	32	5	2	.....	2	41	4	4	2	3	13
69	Cortland	206	30	3	3	1	3	40	3	1	5	5	7
70	Dunkirk	268	69	10	13	2	1	95	9	3	13	8	15

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910. Minor having 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
126	125	128	132	164	164	143	149	123	122	82	46	10	2	1		1
116	111	123	121	149	158	139	146	121	117	81	45	10	2	1		2
10	14	5	11	15	6	4	3	2	5	1	1					3
24	22	19	18	37	36	42	41	31	36	29	10	4	2			4
102	103	109	114	127	128	101	108	92	86	53	36	6		1		5
106	118	108	146	139	161	179	189	184	198	161	89	40	2	2	12	6
106	118	108	146	139	161	178	189	184	198	161	89	40	2	2	12	7
						1										8
7	6	4	6	4	3	4	4	5	5	3	2	1			2	9
12	19	14	33	26	36	33	39	39	43	26	14	9	1	1	1	10
5	5	11	17	10	13	10	15	24	17	16	17	3			5	11
4	2	4	7	8	7	11	19	17	20	21	5	8		1		12
7	5	8	7	7	10	14	9	13	12	7	9	2				13
47	50	49	36	52	62	62	68	56	62	50	22	4	1		2	14
17	23	8	24	19	19	29	22	15	29	25	10	5			2	15
7	8	10	16	13	11	16	13	15	10	13	10	8				16
1,100	1,371	1,284	1,321	1,441	1,427	1,525	1,480	1,355	1,081	672	298	93	20	3	3	17
1,033	1,269	1,207	1,250	1,358	1,350	1,450	1,430	1,320	1,060	656	294	87	19	2	3	18
67	102	77	71	83	77	75	50	35	21	16	4	6	1	1		19
4	12	7	5	8	11	10	6	13	11	7	9					20
3	9	6	3	6	8	5	5	13	11	5	8					21
1	3	1	2	2	3	5	1			2	1					22
40	52	41	52	61	48	59	45	66	30	26	13	3				23
26	35	30	42	50	36	50	36	63	30	26	13	2				24
14	17	11	10	11	12	9	9	3				1				25
29	35	30	43	35	26	35	35	19	15	12	5	3				26
6	5	3	5	8	8	13	7	13	10	11	3	1				27
6	9	10	9	13	19	13	24	24	23	12	5	3	2			28
61	66	91	77	76	76	108	106	82	75	53	20	12		1		29
11	10	10	15	16	18	22	35	29	30	29	11	4	3			30
54	65	50	64	53	54	64	66	58	41	31	15	4				31
7	5	8	1	6	4	8	3	2	3							32
8	12	8	12	13	17	10	15	13	9	7	1					33
8	14	14	8	10	9	12	5	4	5	2	1					34
67	84	77	90	79	73	70	66	53	31	18	7	1				35
7	7	2	7	10	11	11	12	16	16	10	2					36
235	262	227	231	271	259	233	207	196	136	83	35	11	2		2	37
6	14	7	7	11	5	17	27	38	37	8	2	1				38
8	16	14	17	25	21	18	19	19	22	11	2	2			1	39
8	6	5	5	6	10	8	22	17	14	6	1		2	1		40
16	14	14	19	14	20	19	18	22	16	16	6	3				41
11	11	14	18	11	16	19	18	22	16	16	6	3				42
5	3		1	3	4											43
17	10	15	7	12	15	18	23	18	25	11	7	2	1			44
13	19	13	20	31	21	34	33	22	18	14	7	1				45
220	317	296	295	323	333	327	318	294	218	134	59	18	5			46
17	26	29	25	31	29	33	30	27	18	14	9	1				47
33	29	30	34	27	20	30	29	24	20	6	7	1	1			48
91	104	98	106	113	126	138	127	118	91	46	18	9	2	1		49
13	17	18	17	19	14	19	8	10	13	7	7					50
9	8	5	8	5	13	16	10	11	16	6	4		1			51
15	17	12	20	16	9	18	21	26	15	16	4	4	1			52
62	88	107	79	99	112	105	105	80	84	51	26	5				53
5	18	14	12	9	7	14	14	9	14	9	6	2				54
14	17	19	17	17	21	23	26	23	12	14	4	1				55
4	8	6	10	14	14	8	12	6	7	2	1	1				56
6	5	4	4	10	4	12	6	3	6		1					57
4,906	5,989	5,952	6,208	6,470	6,187	6,658	6,385	5,737	4,252	2,970	1,489	495	104	24	6	58
4,675	5,729	5,724	6,050	6,294	6,060	6,529	6,298	5,648	4,208	2,944	1,473	482	100	21	6	59
231	260	228	158	176	127	129	87	89	44	26	16	13	4	3		60
112	110	124	127	141	153	170	151	145	116	74	52	18	2		1	61
19	21	14	22	16	24	24	31	27	24	10	8	2	2			62
18	22	25	21	29	43	48	49	42	36	32	18	7				63
7	9	5	9	4	11	9	25	18	14	11	6	1				64
29	37	60	54	57	65	86	92	69	71	54	28	14	3			65
264	321	308	363	398	389	380	356	327	269	193	125	35	7	3		66
15	18	13	30	18	24	33	20	30	27	11	7	4				67
13	6	5	9	8	13	15	14	16	7	10	1	2				68
4	8	6	8	17	11	18	18	20	16	14	4	1				69
7	12	7	8	10	12	15	8	8	15	16	2	4	1			70

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	NEW YORK—continued.												
1	Elmira	562	60	10	5	1	3	79	13	3	17	28	23
2	Fulton	173	34	7	1	1	2	45	1	2	3	5	1
3	Geneva	161	19	3	4	.....	1	27	4	1	5	5	7
4	Glens Falls	295	44	10	3	2	2	61	9	4	9	12	14
5	Gloversville	335	30	6	2	.....	1	39	2	3	5	4	14
6	Hornell	213	23	5	2	.....	.....	30	7	5	2	4	4
7	Hudson	220	37	3	2	1	.....	43	2	.....	2	10	8
8	Ithaca	285	20	5	3	1	3	32	3	1	3	9	10
9	Jamestown	414	81	10	6	7	3	107	9	7	13	22	14
10	Johnstown	152	19	1	.....	1	1	22	5	.....	2	2	6
11	Kingston	502	52	6	2	6	2	68	12	9	17	25	20
12	Lackawanna	380	269	29	9	4	1	312	9	3	5	4	7
13	Little Falls	210	48	5	2	3	1	59	.....	1	5	15	9
14	Lockport	315	39	6	5	2	3	55	3	1	8	7	12
15	Middletown	388	34	5	2	1	1	43	5	12	4	11	13
16	Mount Vernon	416	87	25	7	5	3	127	7	6	11	10	17
17	New Rochelle	337	79	15	8	8	7	117	13	6	4	7	11
18	New York (total)	75,329	15,028	3,868	1,628	1,005	673	22,202	1,755	938	1,659	2,646	3,144
19	Bronx Borough	6,251	1,134	265	130	98	46	1,673	169	94	160	230	283
20	Brooklyn Borough	25,174	4,701	1,257	513	326	252	7,049	649	355	541	826	1,075
21	Manhattan Borough	38,236	8,083	2,163	893	502	318	11,959	804	401	832	1,387	1,580
22	Queens Borough	4,182	853	133	78	47	39	1,150	96	71	95	154	162
23	Richmond Borough	1,486	257	50	14	32	18	371	37	17	31	49	44
24	White	72,799	14,515	3,741	1,578	972	654	21,460	1,718	907	1,581	2,494	2,943
25	Bronx Borough	6,153	1,121	263	128	95	45	1,652	166	93	156	227	276
26	Brooklyn Borough	24,528	4,582	1,226	501	317	248	6,874	636	345	523	790	1,016
27	Manhattan Borough	36,588	7,737	2,077	858	482	305	11,459	785	381	783	1,280	1,448
28	Queens Borough	4,076	823	127	77	46	38	1,111	94	71	90	150	160
29	Richmond Borough	1,454	252	48	14	32	18	364	37	17	29	47	43
30	Colored	2,530	513	127	50	33	19	742	37	31	78	152	201
31	Bronx Borough	98	13	2	2	3	1	21	3	1	4	3	7
32	Brooklyn Borough	646	119	31	12	9	4	175	13	10	18	36	59
33	Manhattan Borough	1,648	346	86	35	20	13	500	19	20	49	107	132
34	Queens Borough	106	30	6	1	1	1	39	2	.....	5	4	2
35	Richmond Borough	32	5	2	.....	.....	.....	7	.....	.....	2	2	1
36	Newburgh	549	67	11	8	9	5	100	11	7	9	28	24
37	Niagara Falls	590	170	32	10	9	7	228	13	10	28	38	29
38	North Tonawanda	156	40	9	.....	4	3	56	3	4	7	7	8
39	Ogdensburg	399	36	7	5	4	3	55	9	3	11	11	16
40	Olean	209	36	11	4	3	2	56	4	3	3	8	6
41	Ossining	193	31	3	1	.....	2	37	4	4	3	7	14
42	Oswego	359	63	8	7	3	4	85	3	2	3	11	14
43	Peekskill	259	42	10	8	3	3	66	3	5	7	7	6
44	Plattsburg	182	33	2	3	2	.....	40	4	4	5	7	6
45	Port Chester	204	54	12	7	4	3	80	6	3	1	6	10
46	Poughkeepsie	562	82	15	4	4	2	107	7	7	8	12	31
47	Rensselaer	149	19	5	1	1	.....	26	3	3	4	1	5
48	Rochester	3,271	443	121	57	42	33	696	75	48	65	116	115
49	Rome	493	51	17	7	9	5	89	18	19	14	29	15
50	Saratoga Springs	270	24	4	3	2	.....	33	3	.....	6	12	10
51	Schenectady	946	201	35	15	5	6	262	26	19	17	22	39
52	Syracuse	2,027	386	66	35	20	9	516	41	30	31	57	93
53	Troy	1,621	226	50	20	11	15	322	34	18	37	48	57
54	Utica	1,442	322	71	22	11	9	435	24	13	24	29	60
55	Watertown	451	69	11	3	.....	3	86	5	1	9	14	23
56	Watervliet	263	51	13	4	4	2	74	6	2	2	7	6
57	White Plains	290	54	13	7	4	5	83	8	14	5	18	18
58	Yonkers	1,204	302	69	36	14	5	426	26	18	15	50	41
	NORTH CAROLINA.												
59	Registration cities (total)	3,246	571	216	78	45	27	937	74	54	133	227	200
60	White	1,585	247	99	35	23	8	412	39	25	46	87	78
61	Colored	1,661	324	117	43	22	19	525	35	29	87	140	122
62	Asheville (total)	338	35	13	6	1	2	57	9	4	15	29	33
63	White	233	21	6	4	1	.....	32	8	3	8	17	21
64	Colored	105	14	7	2	.....	2	25	1	1	7	12	12
65	Charlotte (total)	517	84	32	14	7	3	140	14	8	22	42	25
66	White	273	60	20	8	5	1	94	6	2	9	13	6
67	Colored	244	24	12	6	2	2	46	8	6	13	29	19
68	Durham (total)	351	55	22	8	8	3	96	6	4	24	33	26
69	White	155	21	11	3	4	1	40	2	2	7	9	7
70	Colored	196	34	11	5	4	2	56	4	2	17	24	19
71	Greensboro (total)	297	57	12	5	2	2	78	6	6	17	17	19
72	White	157	21	6	2	2	.....	31	2	4	7	8	12
73	Colored	140	36	6	3	.....	2	47	4	2	10	9	7

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910. Minor having 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
7	35	17	19	24	46	50	49	57	43	28	15	9				1
5	3	6	5	13	11	9	13	12	13	13	9	2	2			2
2	10	9	6	11	11	14	16	12	13	3	2	3				3
6	18	7	11	15	14	28	18	20	21	10	15	2	1			4
16	20	17	23	11	17	29	31	36	24	26	13	3	2			5
7	9	7	8	15	11	25	14	22	16	17	8	2				6
7	6	14	19	8	6	14	19	19	20	16	6	1				7
6	11	8	20	19	23	28	26	36	22	17	8	3				8
14	16	14	21	17	23	28	24	23	39	13	6	2	2			9
6	5	7	3	8	7	16	18	15	12	10	7		1			10
26	27	18	26	27	27	44	47	42	22	28	11	6				11
3	11	3	5	4	2	2	2	3		5						12
10	9	7	15	11	13	12	9	17	6	7	4			1		13
6	12	5	13	19	20	32	28	33	34	10	12	4	1			14
22	18	18	25	35	20	28	29	35	29	24	15	1	1			15
17	15	17	25	17	17	25	24	25	14	25	9	8				16
5	14	15	14	15	17	13	17	17	20	21	8	3				17
3,629	4,439	4,445	4,498	4,553	4,265	4,445	4,122	3,504	2,431	1,605	738	236	54	16	5	18
308	353	355	403	368	364	382	379	310	196	137	59	22	1	1	4	19
1,206	1,390	1,433	1,469	1,477	1,434	1,564	1,436	1,278	945	640	284	95	23	5		20
1,883	2,380	2,309	2,289	2,366	2,136	2,183	1,960	1,583	1,056	679	322	94	23	9	1	21
170	244	273	252	257	258	221	241	205	166	99	51	12	4	1		22
62	72	75	85	85	73	95	106	128	68	50	22	13	3			23
3,431	4,215	4,255	4,364	4,405	4,161	4,352	4,055	3,440	2,403	1,586	730	227	52	15	5	24
303	343	349	395	359	357	379	377	304	195	137	59	20	1	1	4	25
1,155	1,331	1,392	1,442	1,439	1,406	1,534	1,418	1,256	938	633	281	93	22	4		26
1,751	2,234	2,172	2,200	2,272	2,070	2,131	1,918	1,555	1,038	670	319	90	22	9	1	27
163	236	270	245	252	255	215	238	198	164	99	49	11	4	1		28
59	71	72	82	83	73	93	104	127	68	47	22	13	3			29
198	224	190	134	148	104	93	67	64	28	19	8	9	2	1		30
5	10	6	8	9	7	3	2	6	1			2				31
51	59	41	27	38	28	30	18	22	7	7	3	2	1	1		32
132	146	137	89	94	66	52	42	28	18	9	3	4	1			33
7	8	3	7	5	3	6	3	7	2		2	1				34
3	1	3	3	2		2	2	1		3						35
15	30	29	30	32	18	40	48	50	37	26	12	2	1			36
25	25	26	22	26	19	19	22	22	19	13	5	1				37
7	7	7	5	9	3	3	6	10	6	5	3					38
18	16	17	27	27	30	34	37	29	26	20	9	3	1			39
8	10	14	5	8	10	11	14	17	15	8	7	1	1			40
9	11	5	11	13	11	5	18	11	15	6	5	4				41
15	15	8	19	22	18	27	29	29	32	16	5	6				42
10	20	12	8	14	21	13	22	15	12	6	4	7	1			43
8	8	3	9	10	15	9	12	12	11	9	8	2				44
9	13	8	8	10	7	10	8	4	10	8	3					45
16	21	23	30	36	34	50	39	46	45	24	21	4		1		46
5	9	5	7	6	11	12	14	15	11	9	3					47
127	138	152	189	212	195	200	230	250	196	159	78	26	3	1		48
18	11	27	22	27	27	28	34	35	36	25	13	4	2			49
7	12	11	12	19	21	24	29	25	20	10	12	4				50
46	37	50	50	48	56	50	65	55	44	36	9	12	3			51
67	100	90	97	123	118	136	133	135	105	85	54	14	2			52
73	97	92	77	110	92	141	125	129	69	56	31	7	5	1		53
49	69	58	62	78	82	92	89	104	75	62	28	7	2			54
13	12	25	20	30	21	27	42	33	37	31	15	7				55
9	8	13	18	19	15	19	21	18	15	6	2	2	1			56
13	13	15	11	14	9	12	15	12	8	11	9	1		1		57
57	65	61	62	57	59	56	63	51	34	36	16	8	3			58
167	193	139	147	146	141	157	159	135	113	62	27	15	8	5	7	59
84	99	74	66	77	59	84	105	94	82	41	20	8	2	1	2	60
83	94	65	81	69	82	73	54	41	31	21	7	7	6	4	5	61
33	36	19	23	15	11	13	9	11	8	4	5	3		1		62
26	29	13	17	7	9	12	7	10	8	1	5					63
7	7	6	6	8	2	1	2	1		3		3		1		64
24	31	23	23	22	24	30	26	21	20	8	5	3	2	1	3	65
12	15	8	9	11	9	21	19	12	16	4	4	1		1	1	66
12	16	15	14	11	15	9	7	9	4	4	1	2	2		2	67
14	14	13	15	16	15	22	21	18	6	5					3	68
4	9	6	7	10	8	10	15	14	2	3						69
10	5	7	8	6	7	12	6	4	4	2					3	70
16	15	12	20	15	16	10	6	15	15	9	3	1	1			71
7	9	10	11	10	5	6	5	12	8	7	2	1				72
9	6	2	9	5	11	4	1	3	7	2	1		1			73

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only where the colored population of the subdivision rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	NORTH CAROLINA—continued.												
1	Raleigh (total)	606	85	28	12	7	4	136	10	12	17	40	28
2	White	328	31	15	7	2	3	58	8	7	4	17	12
3	Colored	278	54	13	5	5	1	78	2	5	13	23	16
4	Wilmington (total)	778	175	84	22	12	11	304	21	9	15	32	52
5	White	306	59	27	6	6	3	101	9	4	5	12	18
6	Colored	472	116	57	16	6	8	203	12	5	10	20	34
7	Winston (total)	359	80	25	11	8	2	126	8	11	23	34	17
8	White	133	34	14	5	3	.....	56	4	3	6	11	2
9	Colored	226	46	11	6	5	2	70	4	8	17	23	15
	OHIO.												
10	Registration cities (total)	31,293	5,390	1,080	487	332	225	7,514	770	471	783	1,366	1,483
11	White	29,713	5,197	1,019	455	319	216	7,206	735	435	727	1,245	1,366
12	Colored	1,580	193	61	32	13	9	308	35	36	56	121	117
13	Akron	958	199	34	15	21	12	281	37	21	19	56	37
14	Alliance	163	22	2	5	.....	4	33	2	2	2	6	10
15	Ashtabula	242	50	7	6	8	2	73	6	3	5	13	13
16	Bellaire	165	32	8	4	3	.....	47	6	2	5	10	4
17	Cambridge	132	23	5	2	.....	1	31	3	1	5	7	4
18	Canton	569	107	8	7	3	.....	125	13	10	16	23	28
19	Chillicothe	229	20	3	4	3	1	31	9	3	9	10	11
20	Cincinnati (total)	6,225	721	177	93	58	34	1,083	128	72	154	310	311
21	White	5,627	665	154	79	52	33	983	119	61	131	243	262
22	Colored	598	56	23	14	6	1	100	9	11	23	67	49
23	Cleveland	7,999	1,766	384	162	122	72	2,506	236	115	176	295	358
24	Columbus (total)	2,671	356	64	21	14	8	463	61	49	89	117	136
25	White	2,415	317	54	18	13	6	408	53	42	79	105	113
26	Colored	256	39	10	3	1	2	55	8	7	10	12	23
27	Dayton	1,624	266	30	13	12	11	332	21	16	53	71	63
28	East Liverpool	309	54	11	6	2	4	77	8	6	10	20	23
29	Elyria	163	28	2	1	.....	.....	31	3	2	2	5	10
30	Findlay	229	31	8	2	.....	.....	41	7	1	5	7	2
31	Hamilton	468	78	16	9	3	5	111	7	6	10	24	18
32	Ironton	230	34	18	3	1	1	57	6	3	13	14	13
33	Lakewood	190	48	10	4	.....	3	65	5	2	4	4	8
34	Lancaster	149	20	3	5	1	2	31	1	5	1	2	7
35	Lima	388	60	14	7	4	2	87	6	7	12	23	19
36	Lorain	337	106	16	5	2	1	130	11	7	5	22	22
37	Mansfield	258	38	4	1	2	1	46	4	5	8	10	14
38	Marietta	187	21	9	3	2	1	36	7	3	5	9	11
39	Marion	230	27	8	2	4	4	45	4	4	5	13	12
40	Massillon	137	21	1	.....	2	.....	24	5	.....	1	3	3
41	Middletown	175	45	17	1	3	2	68	1	4	3	5	6
42	Newark	311	56	6	5	3	1	71	5	4	6	16	16
43	Norwood	157	27	3	2	1	1	34	3	2	2	8	4
44	Piqua	165	23	6	2	2	.....	33	1	1	5	4	10
45	Portsmouth	404	81	29	11	6	5	132	14	7	15	27	13
46	Sandusky	289	35	5	1	1	.....	42	4	4	7	11	14
47	Springfield (total)	620	93	15	4	4	6	122	18	11	14	24	27
48	White	541	84	11	2	4	5	106	17	8	7	19	24
49	Colored	79	9	4	2	.....	1	16	1	3	7	5	3
50	Steubenville	325	72	15	9	3	1	100	8	4	12	15	22
51	Tiffin	157	22	.....	.....	.....	.....	22	3	2	4	4	6
52	Toledo	2,578	394	66	31	17	24	532	60	43	58	92	125
53	Warren	150	21	.....	2	2	1	26	2	2	6	6	9
54	Youngstown	1,206	315	66	37	20	10	448	41	33	23	54	73
55	Zanesville	504	78	10	2	3	5	98	14	9	14	26	21
	OREGON.[1]												
56	Portland (total)	2,390	334	37	35	18	12	436	59	18	68	107	141
57	White	2,300	328	37	32	18	12	427	57	17	68	104	135
58	Colored[2]	90	6	.....	3	.....	.....	9	2	1	.....	3	6
	PENNSYLVANIA.												
59	Registration cities (total)	57,909	11,827	2,655	1,123	780	560	16,945	1,387	767	1,378	2,248	2,362
60	White	54,769	11,154	2,480	1,066	741	526	15,967	1,304	711	1,284	2,069	2,177
61	Colored	3,140	673	175	57	39	34	978	83	56	94	179	185
62	Allentown	824	200	24	13	13	8	258	21	12	19	30	33
63	Altoona	621	125	16	11	8	3	163	11	9	9	34	22
64	Beaver Falls	166	36	12	4	2	1	55	3	2	3	6	12
65	Bethlehem	181	33	5	1	1	3	43	6	.....	7	6	8
66	Braddock	352	128	37	11	10	3	189	15	2	10	16	15
67	Bradford	212	19	3	1	.....	3	26	2	4	9	7	8
68	Butler	241	56	11	2	1	2	72	8	5	5	16	13
69	Carbondale	294	48	7	8	2	1	66	4	6	12	11	16

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910. Minor having 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
33	33	32	18	38	28	31	48	36	36	18	4	5	2	1	.....	1
16	15	18	8	26	14	18	31	23	29	16	2	5	1	.....	.....	2
17	18	14	10	12	14	13	17	13	7	2	2	.....	1	1	.....	3
27	43	27	29	27	39	43	36	26	23	13	8	1	1	1	1	4
12	16	13	10	8	14	17	21	17	17	6	5	.....	.....	.....	1	5
15	27	14	19	19	25	26	15	9	6	7	3	1	1	1	.....	6
20	21	13	19	13	8	8	13	8	5	5	2	2	2	1	.....	7
7	6	6	4	5	.....	.....	7	6	2	4	2	1	1	.....	.....	8
13	15	7	15	8	8	8	6	2	3	1	.....	1	1	1	.....	9
1,488	1,662	1,574	1,679	1,795	1,774	1,780	1,940	1,816	1,586	1,033	555	165	35	9	15	10
1,385	1,520	1,458	1,573	1,678	1,687	1,711	1,889	1,772	1,552	1,015	546	160	34	6	13	11
103	142	116	106	117	87	69	51	44	34	18	9	5	1	3	2	12
36	37	37	40	43	41	55	78	50	46	30	11	3	.....	.....	.....	13
8	11	6	7	6	10	9	11	19	7	9	5	.....	.....	.....	.....	14
16	12	6	8	16	16	11	12	11	8	12	1	.....	.....	.....	.....	15
7	4	6	8	5	9	10	9	15	7	7	3	1	.....	.....	.....	16
6	9	5	3	6	4	4	14	10	11	5	3	1	.....	.....	.....	17
32	25	32	28	34	34	26	36	40	30	22	9	6	.....	.....	.....	18
12	15	12	10	9	13	9	18	19	19	10	8	2	.....	.....	.....	19
316	363	390	451	417	399	384	373	369	336	203	119	29	11	2	5	20
277	308	344	400	379	362	359	359	356	325	198	117	28	11	1	4	21
39	55	46	51	38	37	25	14	13	11	5	2	1	.....	1	1	22
384	461	409	398	432	420	415	435	339	301	168	112	31	5	2	1	23
146	150	163	153	185	160	170	184	185	134	77	33	12	2	.....	2	24
135	128	146	140	164	146	157	172	178	130	73	32	11	2	.....	1	25
11	22	17	13	21	14	13	12	7	4	4	1	1	.....	.....	1	26
64	94	64	92	104	97	112	110	106	105	85	21	12	2	.....	.....	27
20	11	13	13	13	12	19	21	15	13	8	6	.....	.....	.....	1	28
6	8	6	8	6	12	8	12	11	7	16	7	2	1	.....	.....	29
6	7	6	11	17	13	17	18	25	25	13	5	3	.....	.....	.....	30
22	23	19	21	25	28	31	33	32	30	13	11	4	.....	.....	.....	31
6	6	9	9	11	11	9	20	14	12	11	4	1	1	.....	.....	32
8	8	7	8	5	6	13	14	10	9	6	6	2	.....	.....	.....	33
11	6	5	9	5	4	12	11	13	11	12	2	.....	1	.....	.....	34
19	22	11	21	13	25	23	20	25	28	18	6	2	.....	.....	1	35
16	20	6	15	13	12	11	12	13	12	8	2	.....	.....	.....	.....	36
7	11	4	8	9	18	19	26	20	18	19	7	2	2	.....	1	37
1	5	4	7	8	9	10	11	19	17	15	5	4	1	.....	.....	38
12	8	9	11	13	11	12	15	13	20	13	5	3	2	.....	.....	39
5	5	9	4	11	6	10	14	11	17	6	3	.....	.....	.....	.....	40
3	15	4	4	9	3	5	9	16	10	3	5	2	.....	.....	.....	41
12	13	13	14	18	23	19	22	21	17	12	7	2	.....	.....	.....	42
6	5	9	13	7	6	11	11	10	16	6	4	.....	.....	.....	.....	43
6	11	7	12	5	7	9	16	13	7	10	7	1	.....	.....	.....	44
13	15	10	21	22	19	19	14	20	17	17	5	2	1	.....	1	45
12	14	14	10	19	17	21	18	21	24	20	11	2	1	1	2	46
19	21	20	31	46	42	44	33	45	50	19	23	10	1	.....	.....	47
17	17	17	26	41	35	38	30	43	45	19	23	8	1	.....	.....	48
2	4	3	5	5	7	6	3	2	5	.....	.....	2	.....	.....	.....	49
20	13	15	17	13	18	13	16	15	11	7	5	1	.....	.....	.....	50
6	3	5	1	6	15	7	21	20	8	15	6	1	1	.....	1	51
138	122	157	137	145	176	163	179	160	128	76	64	18	3	2	.....	52
3	4	7	2	8	9	11	16	15	14	9	1	.....	.....	.....	.....	53
64	69	57	52	63	44	39	44	40	26	26	6	4	.....	.....	.....	54
20	36	18	22	28	25	20	34	36	35	27	17	2	.....	2	.....	55
145	124	147	131	149	151	166	148	146	115	87	36	11	2	.....	3	56
139	117	137	126	137	144	150	147	144	114	87	35	11	2	.....	2	57
6	7	10	5	12	7	16	1	2	1	.....	1	.....	.....	.....	1	58
2,484	2,928	2,674	2,861	3,204	3,083	3,341	3,530	3,192	2,553	1,716	890	291	61	10	4	59
2,282	2,678	2,476	2,660	3,028	2,950	3,225	3,435	3,107	2,516	1,684	871	279	56	6	4	60
202	250	198	201	176	133	116	95	85	37	32	19	12	5	4	.....	61
37	37	27	34	25	43	56	41	49	44	32	19	7	.....	.....	.....	62
32	29	30	28	37	32	35	41	40	40	17	9	3	.....	.....	.....	63
9	9	4	9	11	4	3	12	8	6	8	2	.....	.....	.....	.....	64
1	2	6	6	7	12	19	12	11	18	13	3	1	.....	.....	.....	65
10	11	16	11	14	14	8	10	7	2	2	.....	.....	.....	.....	.....	66
8	4	10	12	21	17	13	22	19	17	9	3	1	.....	.....	.....	67
9	9	11	10	7	7	16	13	13	8	7	8	4	.....	.....	.....	68
19	20	13	12	14	10	19	22	22	14	9	3	1	.....	1	.....	69

[2] Colored population less than 10 per cent of total.

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision
rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	PENNSYLVANIA—continued.												
1	Carlisle (total)	171	23	1	2	1	1	28	1	4	7	4	2
2	White	143	21	.....	2	1	.....	24	1	4	4	2	2
3	Colored	28	2	1	.....	.....	1	4	.....	.....	3	2	.....
4	Carnegie	92	46	6	.....	.....	1	53	4	1	1	1	.....
5	Chambersburg	195	24	4	1	3	4	36	5	2	2	9	4
6	Chester (total)	603	133	42	6	7	5	193	9	3	19	26	19
7	White	511	113	34	6	5	3	161	8	3	13	23	16
8	Colored	92	20	8	.....	2	2	32	1	.....	6	3	3
9	Coatesville (total)	127	34	7	3	2	.....	46	2	1	1	5	4
10	White	104	28	6	3	2	.....	39	1	1	1	4	3
11	Colored	23	6	1	.....	.....	.....	7	1	.....	.....	1	1
12	Columbia	144	26	3	2	2	2	35	5	1	5	5	5
13	Connellsville	189	34	3	2	.....	1	40	6	.....	15	9	15
14	Dubois	133	28	8	1	.....	1	38	2	5	4	10	10
15	Dunmore	319	139	25	6	5	1	176	3	2	5	5	7
16	Duquesne	181	67	27	6	2	2	104	5	5	3	5	8
17	Easton	486	74	16	8	4	2	104	8	7	18	15	21
18	Erie	1,102	215	34	13	8	7	277	13	22	45	42	49
19	Greensburg	208	26	2	.....	2	3	33	2	6	9	18	20
20	Harrisburg	990	157	22	12	9	8	208	19	12	24	42	45
21	Hazleton	337	74	8	4	5	3	94	6	8	17	12	15
22	Homestead	230	95	27	12	7	4	145	11	1	4	5	11
23	Johnstown	830	234	62	15	13	8	332	28	8	24	32	50
24	Lancaster	694	81	21	5	8	10	125	25	6	25	30	24
25	Lebanon	307	55	5	2	2	1	65	17	6	3	12	11
26	McKees Rocks	165	77	21	6	3	1	108	2	1	4	4	4
27	McKeesport	634	159	30	14	6	6	215	14	11	17	42	50
28	Mahanoy City	278	97	30	15	12	6	160	16	2	4	10	10
29	Meadville	174	20	4	1	.....	.....	25	3	6	4	4	8
30	Monessen	139	63	19	7	5	3	97	4	1	1	1	5
31	Mount Carmel	191	65	10	2	1	2	80	9	5	5	8	9
32	Nanticoke	286	93	17	8	6	5	129	6	4	6	12	4
33	New Castle	534	121	31	13	11	4	180	13	9	13	21	25
34	Norristown	624	62	13	5	4	8	92	11	3	15	25	24
35	North Braddock	142	44	15	12	5	3	79	6	3	2	4	9
36	Oil City	213	42	11	3	2	1	59	7	1	3	12	7
37	Old Forge	167	64	8	6	2	.....	80	7	5	3	5	10
38	Philadelphia (total)	26,276	4,769	1,151	530	357	273	7,080	592	298	534	960	994
39	White	24,251	4,312	1,038	493	333	253	6,429	547	262	485	846	863
40	Colored	2,025	457	113	37	24	20	651	45	36	49	114	131
41	Phoenixville	192	44	6	11	.....	3	64	5	3	3	11	9
42	Pittsburgh (total)	8,099	1,812	453	168	100	76	2,609	216	113	192	349	355
43	White	7,656	1,730	422	158	92	71	2,473	198	105	175	328	337
44	Colored	443	82	31	10	8	5	136	18	8	17	26	18
45	Pittston	280	61	19	9	3	6	98	6	2	4	12	15
46	Plymouth	252	87	22	7	5	2	123	7	3	3	10	1
47	Pottstown	211	39	9	6	5	.....	59	3	2	8	3	11
48	Pottsville	387	66	10	3	2	5	86	14	8	14	23	17
49	Reading	1,408	276	54	28	27	13	398	34	26	40	43	53
50	Scranton	1,974	387	87	33	31	17	555	37	34	63	86	96
51	Shamokin	251	55	12	4	5	.....	76	9	6	8	7	5
52	Sharon	190	42	5	4	5	1	57	5	5	7	4	6
53	Shenandoah	506	187	44	29	25	12	297	23	6	10	15	13
54	South Bethlehem	308	139	15	6	4	.....	164	5	3	6	8	10
55	South Sharon	112	52	10	.....	2	1	65	3	2	1	1	5
56	Steelton	188	74	14	3	5	2	98	9	4	2	10	4
57	Sunbury	181	31	4	2	1	1	39	5	3	3	7	6
58	Uniontown	217	40	11	3	2	1	57	4	3	13	13	18
59	Warren	102	18	2	.....	1	.....	21	2	1	5	4	2
60	Washington	260	38	7	4	3	1	53	9	4	6	7	17
61	West Chester (total)	237	35	5	8	2	.....	50	6	7	5	8	7
62	White	192	23	2	6	1	.....	32	5	5	1	7	5
63	Colored	45	12	3	2	1	.....	18	1	2	4	1	2
64	Wilkes-Barre	1,072	223	31	7	9	9	279	26	21	34	45	56
65	Wilkinsburg	252	39	4	1	2	3	49	8	4	9	13	8
66	Williamsport	519	72	13	5	4	4	98	9	9	10	20	20
67	York	659	124	20	9	6	3	162	11	9	16	28	22
	RHODE ISLAND.												
68	Registration cities (total)	7,052	1,365	239	106	81	44	1,835	147	85	145	229	233
69	White	6,832	1,328	232	100	79	42	1,781	141	82	139	215	222
70	Colored	220	37	7	6	2	2	54	6	3	6	14	11
71	Central Falls	328	102	18	1	6	3	130	4	2	6	10	11
72	Cranston	220	40	8	2	1	1	52	3	6	3	4	3
73	State institutions	317	7	1	.....	.....	.....	8	1	2	6	12	8
74	Cumberland town	138	27	4	1	2	1	35	3	.....	1	5	4
75	East Providence town	206	38	6	4	2	1	51	7	1	4	2	5

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910. Minor having 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
2	9	7	6	15	7	17	23	12	12	6	8		1			1
2	8	6	3	13	6	14	20	11	11	5	7					2
	1	1	3	2	1	3	3	1	1	1	1		1			3
3	1	8	3		2	3	6	2	3		1					4
3	4	7	6	12	6	17	30	20	19	5	3	3	2			5
26	37	27	24	24	40	40	32	28	23	24	6	2	1			6
22	32	20	19	18	34	35	26	27	23	23	6	2				7
4	5	7	5	6	6	5	6	1		1			1			8
8	4	7	4	6	10	4	5	9	7	3	1					9
7	3	6	2	4	8	3	4	8	6	3	1					10
1	1	1	2	2	2	1	1	1	1							11
5	2	3	5	11	6	12	9	14	5	5	7	4				12
13	11	9	5	8	14	10	9	8	5	4	3	4	1			13
5	4	5	6	6	5	8	4	8	7	4	2					14
10	11	10	9	15	11	13	11	6	9	11	2	3				15
4	4	9	11	5	3	1	5	2	7							16
27	22	14	26	24	32	24	28	36	32	33	13	1	1			17
44	49	50	54	44	67	49	90	83	63	36	18	5	2			18
14	17	12	15	9	9	7	4	8	11	6	5	1	2			19
45	41	50	45	57	70	66	66	69	65	41	19	6				20
12	12	20	22	19	20	17	27	11	12	9	4					21
5	8	4	4	8	6	3	6	4	1	3		1				22
29	41	28	36	36	30	32	35	25	29	14	12	6	2		1	23
22	21	29	33	39	42	38	58	47	64	36	23	5	1		1	24
9	11	9	13	17	20	21	22	27	20	12	9	3				25
4	5	8	4	2	3	6	2	1	2	1	3				1	26
41	36	26	31	29	25	19	22	27	8	10	10	1				27
6	6	7	8	9	6	8	9	7	6	1	1	2				28
6	7	8	8	12	11	19	14	12	14	5	6	2				29
6	4	3	3	1		1	3	4	4	1						30
12	8	6	4	10	4	11	8	5	2	3		2				31
14	8	14	13	18	14	11	15	8	4	3	1	1	1			32
22	23	22	25	25	16	30	29	27	28	17	4	3	2			33
22	29	46	40	52	36	47	43	49	35	35	16	4				34
5	5		5	2	6	1	7	5	3							35
6	6	7	8	15	10	19	18	17	10	4	4					36
10	6	7	2	9	4	6	6	3	1	2	1					37
1,138	1,441	1,271	1,398	1,594	1,484	1,651	1,680	1,483	1,218	821	450	147	35	6	1	38
987	1,274	1,141	1,261	1,488	1,412	1,584	1,619	1,433	1,197	805	441	140	32	4	1	39
151	167	130	137	106	72	67	61	50	21	16	9	7	3	2		40
5	7	8	3	9	13	12	8	10	8	11	3					41
376	425	394	409	454	410	423	427	410	265	167	81	22	1	1		42
359	383	369	382	422	389	403	415	396	261	166	79	20	1			43
17	42	25	27	32	21	20	12	14	4	1	2	2		1		44
18	21	16	10	17	12	4	17	13	10	4	1					45
12	10	10	10	13	5	11	13	6	8	4	3					46
6	5	2	6	13	11	18	17	12	19	12	4					47
14	20	22	15	19	22	21	32	18	16	14	10	2				48
47	56	55	67	69	84	96	100	104	62	39	18	15	1	1		49
94	101	118	121	109	118	104	119	90	56	50	16	5	2			50
7	12	12	14	11	20	18	14	10	10	8	2	1	1			51
12	7	7	7	6	5	8	8	19	10	12	2	3				52
9	16	11	22	12	13	13	12	13	11	8	1		1			53
13	12	5	11	10	8	8	14	15	6	5	3	2				54
6	8	6	2		5	1	5	1	1							55
4	6	4	3	4	5	4	11	12	6	1	1					56
8	2	7	7	7	14	14	21	18	14	4	1	1				57
21	22	10	8	3	9	9	8	8	5	1	5					58
3	5	2	2	10	3	11	8	4	6	10	3					59
20	16	13	15	14	9	14	12	22	15	8	2	4				60
5	11	9	5	5	21	10	19	21	15	17	12	3	1			61
5	8	7	5	5	18	9	17	21	13	14	11	3	1			62
	3	2			3	1	2		2	3	1					63
53	75	59	62	59	55	65	63	46	37	24	8	4	1			64
7	20	11	12	13	18	10	20	17	16	12	3	1	1			65
24	31	22	25	36	30	40	37	45	28	20	12	1	1	1		66
17	26	21	27	42	35	47	46	42	51	33	20	4				67
299	339	362	349	407	433	460	472	461	344	253	132	49	14	2	2	68
281	328	354	336	393	414	444	464	454	338	251	130	49	14		2	69
18	11	8	13	14	19	16	8	7	6	2	2			2		70
9	19	12	13	13	14	24	26	13	10	5	5	1	1			71
5	9	14	5	12	17	17	14	19	18	9	4	3	2		1	72
19	20	27	24	22	28	32	25	31	29	13	8	1			1	73
6	6	9	6	12	8	12	9	10	3	7	2					74
8	7	9	7	14	11	16	9	23	17	12	2	1				75

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	RHODE ISLAND—continued.												
1	Newport	364	50	14	2	2	.....	68	6	5	13	10	11
2	Pawtucket	830	174	20	8	10	4	216	21	13	16	18	27
3	Providence	3,599	674	119	63	38	25	919	74	38	71	127	131
4	Warwick town	475	89	20	11	3	2	125	10	13	13	19	20
5	Woonsocket	575	164	29	14	17	7	231	18	5	12	22	13
	SOUTH CAROLINA.[1]												
6	Charleston (total)	1,770	334	72	34	22	8	470	29	35	53	104	125
7	White	518	75	15	8	4	2	104	7	6	8	21	19
8	Colored	1,252	259	57	26	18	6	366	22	29	45	83	106
	TENNESSEE.[1]												
9	Registration cities (total)	5,787	776	245	114	70	51	1,256	139	101	235	405	424
10	White	2,963	437	143	60	37	27	704	69	44	100	149	149
11	Colored	2,824	339	102	54	33	24	552	70	57	135	256	275
12	Knoxville (total)	666	86	26	9	6	3	130	21	11	30	40	47
13	White	440	51	18	6	6	3	84	10	6	20	26	24
14	Colored	226	35	8	3	.....	.....	46	11	5	10	14	23
15	Memphis (total)	2,836	348	85	47	33	21	534	70	45	117	231	235
16	White	1,330	182	47	22	15	7	273	35	21	42	73	79
17	Colored	1,506	166	38	25	18	14	261	35	24	75	158	156
18	Nashville (total)	2,285	342	134	58	31	27	592	48	45	88	134	142
19	White	1,193	204	78	32	16	17	347	24	17	38	50	46
20	Colored	1,092	138	56	26	15	10	245	24	28	50	84	96
	TEXAS.[1]												
21	Registration cities (total)	4,097	775	247	84	51	23	1,180	75	66	142	256	272
22	White	3,600	716	229	79	48	23	1,095	70	55	118	228	234
23	Colored	497	59	18	5	3	.....	85	5	11	24	28	38
24	El Paso	1,248	284	98	34	18	6	440	29	18	35	85	90
25	Galveston (total)	704	90	25	14	4	4	137	10	6	18	37	47
26	White	509	69	20	10	3	4	106	9	3	9	31	35
27	Colored	195	21	5	4	1	.....	31	1	3	9	6	12
28	San Antonio (total)	2,145	401	124	36	29	13	603	36	42	89	134	135
29	White	1,897	367	113	35	27	13	555	34	34	75	117	111
30	Colored	248	34	11	1	2	.....	48	2	8	14	17	24
	UTAH.												
31	Registration cities (total)	1,461	200	51	26	19	18	314	46	27	54	62	92
32	White	1,424	196	50	26	19	18	309	46	27	53	61	89
33	Colored	37	4	1	.....	.....	.....	5	.....	.....	1	1	3
34	Ogden	316	50	14	6	4	3	77	17	10	14	12	21
35	Salt Lake City	1,145	150	37	20	15	15	237	29	17	40	50	71
	VERMONT.												
36	Registration cities (total)	813	153	22	2	4	12	193	14	10	26	27	27
37	White	808	152	21	2	3	12	190	14	10	26	27	27
38	Colored	5	1	1	.....	1	.....	3	.....	.....	.....	.....	.....
39	Barre	158	19	3	.....	.....	4	26	2	3	2	10	7
40	Burlington	426	111	14	2	3	3	133	9	6	16	9	12
41	Rutland	229	23	5	.....	1	5	34	3	1	8	8	8
	VIRGINIA.[1]												
42	Registration cities (total)	6,934	1,358	288	138	94	52	1,930	129	105	249	391	415
43	White	3,429	612	138	53	37	21	861	74	45	95	160	168
44	Colored	3,505	746	150	85	57	31	1,069	55	60	154	231	247
45	Alexandria (total)	309	51	4	3	5	3	66	3	4	9	18	11
46	White	178	29	2	1	2	3	37	2	1	3	11	7
47	Colored	131	22	2	2	3	.....	29	1	3	6	7	4
48	Danville (total)	395	84	24	18	7	5	138	8	7	14	19	24
49	White	238	55	15	6	.....	3	79	5	4	5	13	14
50	Colored	157	29	9	12	7	2	59	3	3	9	6	10
51	Lynchburg (total)	567	105	25	13	6	4	153	12	8	27	33	41
52	White	307	50	13	9	5	2	79	9	7	11	12	23
53	Colored	260	55	12	4	1	2	74	3	1	16	21	18
54	Norfolk (total)	1,756	334	62	27	24	20	467	33	33	60	112	115
55	White	721	114	21	8	5	6	154	15	5	17	32	33
56	Colored	1,035	220	41	19	19	14	313	18	28	43	80	82
57	Petersburg (total)	628	121	46	19	5	6	197	15	3	19	31	32
58	White	274	48	16	4	3	3	74	6	2	12	12	16
59	Colored	354	73	30	15	2	3	123	9	1	7	19	16
60	Richmond (total)	2,718	539	96	46	33	10	724	43	29	91	145	160
61	White	1,372	242	48	18	15	3	326	27	13	33	62	54
62	Colored	1,346	297	48	28	18	7	398	16	16	58	83	106
63	Roanoke (total)	561	124	31	12	14	4	185	15	21	29	33	32
64	White	339	74	23	7	7	1	112	10	13	14	18	21
65	Colored	222	50	8	5	7	3	73	5	8	15	15	11

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910. Minor having 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
19	12	14	22	25	23	19	28	15	31	17	19	6	1			1
28	44	34	42	51	46	57	47	74	44	28	18	4	2			2
162	171	205	193	214	238	228	257	213	146	124	53	28	5	2		3
19	32	18	16	26	20	23	32	27	20	22	16	3	1			4
24	19	20	21	18	28	32	25	36	26	16	5	2	2			5
103	129	123	111	112	76	84	63	50	42	39	14	4	2	2		6
26	29	36	29	27	32	39	38	24	30	28	12	1	2			7
77	100	87	82	85	44	45	25	26	12	11	2	3		2		8
356	380	341	333	348	285	308	248	225	194	116	49	19	10	7	8	9
138	171	164	169	184	154	173	161	149	142	91	36	10	1		5	10
218	209	177	164	164	131	135	87	76	52	25	13	9	9	7	3	11
31	44	51	42	36	39	36	33	21	26	14	9	4	1			12
20	23	27	30	23	29	29	26	18	19	14	9	3				13
11	21	24	12	13	10	7	7	3	7			1	1			14
202	214	187	163	183	132	161	102	90	78	57	13	8	4	3	7	15
75	88	88	79	102	65	84	57	55	54	41	9	5	1		4	16
127	126	99	84	81	67	77	45	35	24	16	4	3	3	3	3	17
123	122	103	128	129	114	111	113	114	90	45	27	7	5	4	1	18
43	60	49	60	59	60	60	78	76	69	36	18	2			1	19
80	62	54	68	70	54	51	35	38	21	9	9	5	5	4		20
229	278	227	230	202	197	199	160	144	100	66	31	13	8	10	12	21
183	237	186	199	164	175	166	147	127	92	65	29	10	5	7	8	22
46	41	41	31	38	22	33	13	17	8	1	2	3	3	3	4	23
76	99	65	81	50	36	46	28	24	19	11	8	1	4	2	1	24
50	53	37	42	41	46	52	38	36	23	12	6	5			8	25
28	37	19	31	26	33	38	32	29	18	12	6	3			4	26
22	16	18	11	15	13	14	6	7	5			2			4	27
103	126	125	107	111	115	101	94	84	58	43	17	7	4	8	3	28
85	107	107	94	94	108	84	87	76	56	42	16	6	1	5	3	29
18	19	18	13	17	7	17	7	8	2	1	1	1	3	3		30
74	83	81	89	67	75	81	74	78	69	56	27	10	2			31
69	79	76	87	63	73	79	74	77	68	56	27	10	1			32
5	4	5	2	4	2	2		1	1				1			33
15	18	19	9	10	10	16	18	20	16	7	5	2				34
59	65	62	80	57	65	65	56	58	53	49	22	8	2			35
33	36	30	43	36	54	50	57	60	55	31	17	9	5			36
33	36	30	43	36	53	49	57	60	55	31	17	9	5			37
					1	1										38
9	7	12	13	9	10	11	8	8	9	9	2		1			39
15	15	10	24	11	28	25	26	31	25	14	8	5	4			40
9	14	8	6	16	16	14	23	21	21	8	7	4				41
346	380	365	354	441	360	412	319	283	197	145	78	18	8	7	2	42
150	146	139	154	202	194	241	217	217	169	122	61	12	2			43
196	234	226	200	239	166	171	102	66	28	23	17	6	6	7	2	44
18	17	16	15	27	21	23	19	17	9	10	5		1			45
10	9	7	10	9	14	16	14	9	7	8	4					46
8	8	9	5	18	7	7	5	8	2	2	1		1			47
15	15	16	23	28	16	22	15	12	15	4	2			1	1	48
12	5	10	12	15	11	12	11	9	15	4	2					49
3	10	6	11	13	5	10	4	3						1	1	50
27	25	30	26	26	27	33	21	25	22	16	10	3	1	1		51
15	15	14	11	15	16	16	15	16	12	12	7	2				52
12	10	16	15	11	11	17	6	9	10	4	3	1	1	1		53
100	123	101	85	119	91	82	77	65	40	30	15	6	1	1		54
30	42	40	36	48	44	53	45	54	35	25	9	4				55
70	81	61	49	71	47	29	32	11	5	5	6	2	1	1		56
26	26	35	30	41	35	42	29	26	14	13	6	4	3		1	57
10	10	11	10	14	20	12	14	21	11	11	3	3	2			58
16	16	24	20	27	15	30	15	5	3	2	3	1	1		1	59
130	148	151	148	172	146	186	140	121	88	57	34	4		1		60
57	51	51	63	83	74	114	106	94	80	51	30	3				61
73	97	100	85	89	72	72	34	27	8	6	4	1		1		62
30	26	16	27	28	24	24	18	17	9	15	6	1	2	3		63
16	14	6	12	18	15	18	12	14	9	11	6					64
14	12	10	15	10	9	6	6	3		4		1	2	3		65

TABLE 1.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision rural subdivisions (counties, exclusive of municipalities

	AREA AND COLOR.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES—Contd.												
	WASHINGTON.												
1	Registration cities (total)	5,451	769	134	81	49	37	1,070	104	96	171	287	335
2	White	5,293	748	131	81	48	37	1,045	101	94	169	278	318
3	Colored	158	21	3	.....	1	.....	25	3	2	2	9	17
4	Aberdeen	114	26	7	3	2	.....	38	3	2	3	8	8
5	Bellingham	239	28	6	4	2	.....	40	4	3	11	6	11
6	Everett	240	36	8	4	2	4	54	4	2	12	14	5
7	North Yakima	212	32	9	4	.....	1	46	6	4	8	5	13
8	Seattle	2,234	293	50	33	22	13	411	41	29	63	114	146
9	Spokane	1,299	217	30	13	11	9	280	20	27	33	85	77
10	Tacoma	893	111	18	19	9	8	165	25	23	33	43	55
11	Walla Walla	220	26	6	1	1	2	36	1	6	8	12	20
	WEST VIRGINIA.[1]												
12	Wheeling (total)	737	111	23	9	7	10	160	27	8	18	42	38
13	White	714	109	23	9	7	9	157	27	6	17	37	38
14	Colored [2]	23	2	.....	.....	.....	1	3	.....	2	1	5	.....
	WISCONSIN.												
15	Registration cities (total)	9,941	2,136	334	150	95	92	2,807	250	182	232	411	427
16	White	9,903	2,130	333	150	95	92	2,800	249	182	230	407	424
17	Colored	38	6	1	.....	.....	.....	7	1	.....	2	4	3
18	Appleton	216	26	4	2	1	.....	33	3	2	3	13	9
19	Ashland	209	36	6	5	1	.....	48	4	10	3	13	10
20	Beloit	164	24	5	.....	.....	1	30	3	3	3	8	4
21	Eau Claire	283	25	2	1	.....	1	29	6	5	9	8	12
22	Fond du Lac	273	36	4	2	2	2	46	9	7	12	10	11
23	Green Bay	524	172	19	13	4	5	213	21	5	10	22	18
24	Janesville	219	18	4	3	1	5	31	5	4	3	5	14
25	Kenosha	301	90	10	9	3	1	113	4	6	5	11	9
26	La Crosse	419	46	11	6	6	2	71	9	7	12	17	12
27	Madison	305	40	13	4	4	2	63	10	4	5	9	8
28	Manitowoc	155	20	3	2	.....	.....	25	4	3	2	5	6
29	Marinette	194	37	10	5	2	3	57	7	3	11	10	4
30	Milwaukee	4,727	1,208	172	73	48	57	1,558	107	75	102	199	213
31	Oshkosh	462	86	16	4	2	3	111	13	12	11	10	17
32	Racine	459	85	13	9	8	1	116	10	16	11	21	19
33	Sheboygan	308	64	11	2	1	2	80	5	5	5	12	17
34	Superior	472	83	16	7	7	2	115	21	9	19	24	36
35	Wausau	251	40	15	3	5	5	68	9	6	6	14	8

[1] Nonregistration state; cities shown below only those with effective local ordinances.

AREA AND ITS SUBDIVISIONS, BY COLOR AND AGE OF DECEDENT: 1911—Continued.

formed at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities having 10,000 inhabitants or over in 1910. Minor having 10,000 inhabitants or over in 1910) are omitted.]

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
333	303	307	354	365	316	339	298	287	230	143	74	26	3	2	8	1
311	284	293	344	355	310	330	294	286	229	142	74	24	3	1	8	2
22	19	14	10	10	6	9	4	1	1	1	.....	2	.....	1	.....	3
8	6	5	6	5	3	3	5	2	5	3	.....	.....	.....	.....	1	4
11	9	9	9	21	21	24	17	13	19	5	4	1	.....	.....	1	5
8	9	16	24	21	12	12	12	15	15	4	1	.....	.....	.....	.....	6
16	14	10	10	15	15	15	6	11	6	7	4	.....	.....	.....	1	7
147	153	126	162	155	129	135	122	118	90	49	32	10	1	1	.....	8
87	53	83	82	80	68	77	65	75	44	37	14	9	1	.....	2	9
48	42	48	43	56	56	61	57	41	44	26	16	6	1	1	3	10
8	17	10	18	12	12	12	14	12	7	12	3	.....	.....	.....	.....	11
45	40	43	36	42	35	36	43	37	33	28	23	2	1	.....	.....	12
45	39	42	35	42	34	36	40	37	32	26	21	2	1	.....	.....	13
.....	1	1	1	.....	1	.....	3	.....	1	2	2	.....	.....	.....	.....	14
439	397	391	444	546	488	527	545	593	512	387	264	70	17	4	8	15
437	396	384	443	542	487	524	544	592	512	387	264	70	17	4	8	16
2	1	7	1	4	1	3	1	1	.....	.....	.....	.....	.....	.....	.....	17
6	8	11	7	12	15	11	9	19	27	14	10	4	.....	.....	.....	18
18	7	7	11	18	12	12	9	11	7	3	2	2	.....	.....	2	19
10	7	13	7	12	7	14	9	12	10	10	2	.....	.....	.....	.....	20
13	9	23	15	19	20	22	22	22	25	11	9	2	1	.....	1	21
9	10	11	10	19	20	9	16	18	19	24	7	5	.....	.....	1	22
26	17	12	20	22	16	22	28	29	17	9	14	2	1	.....	.....	23
12	8	7	9	14	9	9	18	19	20	13	16	2	.....	.....	1	24
14	13	12	11	21	7	15	11	13	14	6	7	6	2	.....	1	25
24	19	24	27	27	27	20	33	22	26	24	14	4	.....	.....	.....	26
14	17	9	14	17	23	12	21	23	20	18	12	4	2	.....	.....	27
5	8	6	12	7	4	8	10	14	12	10	11	.....	2	1	.....	28
8	5	9	10	7	8	9	13	10	12	7	3	.....	.....	.....	1	29
184	192	166	201	245	235	244	233	261	217	160	99	27	7	2	.....	30
20	19	17	23	24	20	27	29	31	26	25	24	3	.....	.....	.....	31
22	21	16	19	18	14	31	30	28	25	23	16	2	.....	1	.....	32
16	9	7	16	17	17	20	18	24	13	14	9	3	1	.....	.....	33
30	20	31	24	31	21	28	16	22	9	9	5	2	.....	.....	.....	34
8	8	10	8	16	13	14	20	15	13	7	4	2	1	.....	1	35

[2] Colored population less than 10 per cent of total.

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	THE REGISTRATION AREA.												
1	Total	839,284	149,322	31,362	13,580	8,928	6,290	209,482	18,112	12,337	21,154	32,306	34,249
2	Males	457,308	83,551	16,478	7,178	4,677	3,318	115,202	9,483	6,481	10,927	17,138	18,514
3	Females	381,976	65,771	14,884	6,402	4,251	2,972	94,280	8,629	5,856	10,227	15,168	15,735
4	White	779,770	139,429	28,705	12,386	8,245	5,805	194,570	16,789	11,115	18,591	28,328	30,122
5	Males	425,751	78,235	15,112	6,567	4,337	3,069	107,320	8,806	5,927	9,800	15,164	16,296
6	Females	354,019	61,194	13,593	5,819	3,908	2,736	87,250	7,983	5,188	8,791	13,164	13,826
7	Native	569,425	138,696	28,078	12,003	7,975	5,583	192,335	15,887	10,317	16,035	21,423	21,228
8	Males	304,380	77,814	14,782	6,341	4,184	2,960	106,081	8,299	5,481	8,267	10,822	10,785
9	Females	265,045	60,882	13,296	5,662	3,791	2,623	86,254	7,588	4,836	7,768	10,601	10,443
10	Both parents native M.	159,055	38,698	6,927	3,248	2,128	1,602	52,603	4,701	3,181	4,717	5,898	5,554
	Both parents native F.	147,137	30,106	6,333	2,811	2,003	1,338	42,591	4,300	2,780	4,518	6,265	5,860
11	One or both parents foreign M.	106,365	35,435	7,548	2,948	1,965	1,306	49,202	3,434	2,128	3,157	4,102	4,211
	One or both parents foreign F.	87,263	27,769	6,701	2,737	1,706	1,235	40,148	3,123	1,896	2,890	3,591	3,659
12	Parentage unknown M.	38,960	3,681	307	145	91	52	4,276	164	172	393	822	1,020
	Parentage unknown F.	30,645	3,007	262	114	82	50	3,515	165	160	360	745	924
13	Foreign	199,346	471	522	328	254	209	1,784	867	762	2,423	6,531	8,333
14	Males	112,844	282	278	189	143	103	995	489	421	1,443	4,042	5,046
15	Females	86,502	189	244	139	111	106	789	378	341	980	2,489	3,287
16	Unknown	10,999	262	105	55	16	13	451	35	36	133	374	561
17	Males	8,527	139	52	37	10	6	244	18	25	90	300	465
18	Females	2,472	123	53	18	6	7	207	17	11	43	74	96
19	Colored	59,514	9,893	2,657	1,194	683	485	14,912	1,323	1,222	2,563	3,978	4,127
20	Males	31,557	5,316	1,366	611	340	249	7,882	677	554	1,127	1,974	2,218
21	Females	27,957	4,577	1,291	583	343	236	7,030	646	668	1,436	2,004	1,909
22	Negro M.	29,386	5,096	1,309	584	315	236	7,540	636	515	1,074	1,848	2,070
	Negro F.	27,045	4,374	1,242	555	321	219	6,711	612	629	1,385	1,939	1,861
23	Indian M.	702	107	45	16	18	9	195	34	35	44	49	32
	Indian F.	657	110	39	18	17	15	199	29	39	48	42	23
24	Chinese M.	973	29	2	6	4	1	42	5	1	6	28	35
	Chinese F.	87	21	3	3	2	.....	29	1	.....	2	5	4
25	Japanese M.	496	84	10	5	3	3	105	2	3	3	49	81
	Japanese F.	168	72	7	7	3	2	91	4	.....	1	18	21
	REGISTRATION STATES.[1]												
26	Total	756,777	134,949	27,933	12,003	7,875	5,599	188,359	16,138	11,020	18,646	28,018	29,694
27	Males	411,493	75,442	14,664	6,320	4,116	2,940	103,482	8,458	5,790	9,689	14,880	16,067
28	Females	345,284	59,507	13,269	5,683	3,759	2,659	84,877	7,680	5,230	8,957	13,138	13,627
29	White	716,763	128,108	26,051	11,210	7,434	5,260	178,063	15,214	10,188	16,959	25,539	27,142
30	Males	390,016	71,730	13,683	5,912	3,896	2,778	97,999	7,994	5,425	8,938	13,651	14,676
31	Females	326,747	56,378	12,368	5,298	3,538	2,482	80,064	7,220	4,763	8,021	11,888	12,466
32	Native	526,142	127,453	25,485	10,865	7,188	5,062	176,053	14,418	9,458	14,650	19,399	19,163
33	Males	280,416	71,357	13,384	5,715	3,758	2,678	96,892	7,547	5,016	7,543	9,783	9,728
34	Females	245,726	56,096	12,101	5,150	3,430	2,384	79,161	6,871	4,442	7,107	9,616	9,435
35	Both parents native M.	148,908	35,930	6,327	2,968	1,938	1,478	48,641	4,350	2,972	4,361	5,448	5,084
	Both parents native F.	138,341	28,080	5,830	2,590	1,857	1,237	39,594	3,960	2,589	4,206	5,788	5,367
36	One or both parents foreign M.	96,710	32,251	6,800	2,627	1,749	1,157	44,584	3,061	1,899	2,837	3,667	3,807
	One or both parents foreign F.	79,829	25,370	6,041	2,462	1,509	1,106	36,488	2,774	1,718	2,607	3,223	3,299
37	Parentage unknown M.	34,798	3,176	257	120	71	43	3,667	136	145	345	668	837
	Parentage unknown F.	27,556	2,646	230	98	64	41	3,079	137	135	294	605	769
38	Foreign	180,598	414	468	292	230	186	1,590	763	695	2,195	5,811	7,479
39	Males	101,855	243	250	162	128	95	878	431	384	1,316	3,601	4,529
40	Females	78,743	171	218	130	102	91	712	332	311	879	2,210	2,950
41	Unknown	10,023	241	98	53	16	12	420	33	35	114	329	500
42	Males	7,745	130	49	35	10	5	229	16	25	79	267	419
43	Females	2,278	111	49	18	6	7	191	17	10	35	62	81
44	Colored	40,014	6,841	1,882	793	441	339	10,296	924	832	1,687	2,479	2,552
45	Males	21,477	3,712	981	408	220	162	5,483	464	365	751	1,229	1,391
46	Females	18,537	3,129	901	385	221	177	4,813	460	467	936	1,250	1,161
47	Negro M.	19,431	3,497	924	383	195	149	5,148	424	326	700	1,108	1,248
	Negro F.	17,630	2,929	852	357	199	160	4,497	427	428	885	1,185	1,113
48	Indian M.	698	107	45	16	18	9	195	33	35	43	49	32
	Indian F.	657	110	39	18	17	15	199	29	39	48	42	23
49	Chinese M.	867	26	2	5	4	1	38	5	1	5	25	32
	Chinese F.	85	21	3	3	2	.....	29	.....	.....	2	5	4
50	Japanese M.	481	82	10	4	3	3	102	2	3	3	47	79
	Japanese F.	165	69	7	7	3	2	88	4	.....	1	18	21

[1] Including District of Columbia.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
34,416	38,570	37,522	39,457	44,130	44,023	49,651	54,306	54,898	49,019	36,108	19,564	6,761	1,518	405	1,296	1
19,315	22,197	22,096	23,425	25,816	25,296	27,721	29,279	28,643	24,816	17,556	8,971	2,848	570	133	881	2
15,101	16,373	15,426	16,032	18,314	18,727	21,930	25,027	26,255	24,203	18,552	10,593	3,913	948	272	415	3
30,695	34,437	33,939	36,031	40,626	41,237	46,982	52,200	53,007	47,799	35,234	19,034	6,441	1,345	242	1,006	4
17,266	19,878	20,089	21,501	23,859	23,764	26,256	28,102	27,597	24,199	17,154	8,752	2,729	505	83	704	5
13,429	14,559	13,850	14,530	16,767	17,473	20,726	24,098	25,410	23,600	18,080	10,282	3,712	840	159	302	6
20,970	22,864	21,226	21,354	25,018	25,428	27,138	30,007	31,144	28,763	21,312	11,646	4,020	813	120	377	7
11,168	12,465	11,848	11,928	13,961	14,285	14,889	15,983	16,112	14,453	10,208	5,199	1,643	273	40	190	8
9,802	10,399	9,378	9,426	11,057	11,143	12,249	14,024	15,032	14,310	11,104	6,447	2,377	540	80	187	9
5,244	5,287	4,954	5,010	6,245	7,320	8,723	9,638	10,104	9,078	6,314	3,239	991	141	19	94	10
5,209	5,172	4,639	4,568	5,594	6,156	7,488	8,956	9,861	9,543	7,341	4,287	1,518	339	43	109	
4,658	5,669	5,216	5,059	5,226	4,256	2,913	2,475	1,885	1,363	787	435	138	24	7	20	11
3,638	4,058	3,560	3,641	3,891	3,289	2,533	2,242	1,907	1,430	994	535	171	48	5	14	
1,266	1,509	1,678	1,859	2,490	2,709	3,253	3,870	4,123	4,012	3,107	1,525	514	108	14	76	12
955	1,169	1,179	1,217	1,572	1,698	2,228	2,826	3,264	3,337	2,769	1,625	688	153	32	64	
9,039	10,648	11,754	13,721	14,508	15,068	19,027	21,436	21,151	18,526	13,486	7,181	2,347	510	119	125	13
5,522	6,614	7,407	8,754	8,950	8,875	10,713	11,573	11,006	9,433	6,715	3,454	1,038	222	42	90	14
3,517	4,034	4,347	4,967	5,558	6,193	8,314	9,863	10,145	9,093	6,771	3,727	1,309	288	77	35	15
686	925	959	956	1,100	741	817	757	712	510	436	207	74	22	3	504	16
576	799	834	819	948	604	654	546	479	313	231	99	48	10	1	424	17
110	126	125	137	152	137	163	211	233	197	205	108	26	12	2	80	18
3,721	4,133	3,583	3,426	3,504	2,786	2,669	2,106	1,891	1,220	874	530	320	173	163	290	19
2,049	2,319	2,007	1,924	1,957	1,532	1,465	1,177	1,046	617	402	219	119	65	50	177	20
1,672	1,814	1,576	1,502	1,547	1,254	1,204	929	845	603	472	311	201	108	113	113	21
1,905	2,181	1,835	1,761	1,766	1,369	1,282	1,098	975	583	379	206	111	61	42	149	22
1,633	1,782	1,540	1,473	1,524	1,233	1,178	902	813	587	454	300	187	102	107	93	
24	27	37	20	24	23	28	17	29	14	16	10	7	4	8	25	23
20	13	26	23	16	14	22	24	30	14	18	11	14	6	6	20	
34	47	86	111	155	133	154	61	42	20	7	3	1	.....	.....	2	24
4	7	7	6	6	7	3	2	2	2	.....	.....	.....	.....	.....	.....	
86	64	49	32	12	7	1	1	.....	.....	.....	.....	.....	.....	.....	1	25
15	12	3	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	
30,066	33,687	32,851	34,595	39,001	39,651	45,208	50,261	51,458	46,042	34,081	18,576	6,434	1,410	341	1,240	26
16,844	19,290	19,282	20,478	22,645	22,655	25,207	27,056	26,872	23,397	16,620	8,562	2,730	529	122	838	27
13,222	14,397	13,569	14,117	16,356	16,996	20,001	23,205	24,586	22,645	17,461	10,014	3,704	881	219	402	28
27,724	31,054	30,540	32,483	36,729	37,722	43,401	48,702	50,006	45,111	33,410	18,170	6,176	1,280	226	974	29
15,525	17,800	17,944	19,241	21,357	21,556	24,199	26,161	26,053	22,932	16,307	8,391	2,630	482	79	676	30
12,199	13,254	12,596	13,192	15,372	16,166	19,202	22,541	23,953	22,179	17,103	9,779	3,546	798	147	298	31
19,023	20,709	19,221	19,446	22,906	23,569	25,399	28,427	29,783	27,577	20,483	11,265	3,914	792	117	370	32
10,071	11,222	10,666	10,783	12,671	13,148	13,905	15,139	15,431	13,897	9,834	5,042	1,607	266	39	186	33
8,952	9,487	8,555	8,663	10,235	10,421	11,494	13,288	14,352	13,680	10,649	6,223	2,307	526	78	184	34
4,830	4,833	4,541	4,646	5,769	6,812	8,282	9,261	9,752	8,808	6,142	3,154	975	138	18	91	35
4,795	4,779	4,298	4,242	5,258	5,829	7,111	8,569	9,508	9,191	7,114	4,175	1,485	331	43	109	
4,196	5,141	4,702	4,595	4,772	3,941	2,704	2,329	1,802	1,295	766	423	138	24	7	20	36
3,353	3,712	3,252	3,363	3,601	3,076	2,367	2,119	1,820	1,375	951	503	164	45	5	14	
1,045	1,248	1,423	1,542	2,130	2,395	2,919	3,549	3,877	3,794	2,926	1,465	494	104	14	75	37
804	996	1,005	1,058	1,376	1,516	2,016	2,600	3,024	3,114	2,584	1,545	658	150	30	61	
8,083	9,518	10,456	12,131	12,824	13,488	17,258	19,574	19,565	17,057	12,517	6,704	2,192	469	106	123	38
4,935	5,867	6,532	7,725	7,830	7,867	9,696	10,515	10,185	8,742	6,257	3,252	978	208	39	88	39
3,148	3,651	3,924	4,406	4,994	5,621	7,562	9,059	9,380	8,315	6,260	3,452	1,214	261	67	35	40
618	827	863	856	999	665	744	701	658	477	410	201	70	19	3	481	41
519	711	746	733	856	541	598	507	437	293	216	97	45	8	1	402	42
99	116	117	123	143	124	146	194	221	184	194	104	25	11	2	79	43
2,342	2,633	2,311	2,162	2,272	1,929	1,807	1,559	1,452	931	671	406	258	130	115	266	44
1,319	1,490	1,338	1,237	1,288	1,099	1,008	895	819	465	313	171	100	47	43	162	45
1,023	1,143	973	925	984	830	799	664	633	466	358	235	158	83	72	104	46
1,184	1,364	1,186	1,078	1,120	944	843	819	752	432	291	159	92	43	35	135	47
984	1,112	937	896	961	809	773	637	601	450	340	224	144	77	66	84	
24	27	37	20	24	23	28	17	29	13	16	10	7	4	8	24	48
20	13	26	23	16	14	22	24	30	14	18	11	14	6	6	20	
28	37	69	107	132	125	136	58	38	20	6	2	1	.....	.....	2	49
4	6	7	6	6	7	3	2	2	2	.....	.....	.....	.....	.....	.....	
83	62	46	32	12	7	1	1	.....	.....	.....	.....	.....	.....	.....	1	50
15	12	3	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CITIES IN REGISTRATION STATES.[1]												
1	Total	413,920	77,419	16,468	6,953	4,525	3,280	108,645	8,939	5,596	9,655	15,909	17,674
2	Males	225,332	43,270	8,635	3,701	2,349	1,694	59,649	4,725	2,923	5,025	8,461	9,694
3	Females	188,588	34,149	7,833	3,252	2,176	1,586	48,996	4,214	2,673	4,630	7,448	7,980
4	White	389,554	73,293	15,384	6,509	4,274	3,086	102,546	8,449	5,190	8,773	14,390	15,963
5	Males	212,163	41,032	8,068	3,469	2,222	1,606	56,397	4,483	2,734	4,625	7,705	8,753
6	Females	177,391	32,261	7,316	3,040	2,052	1,480	46,149	3,966	2,456	4,148	6,685	7,210
7	Native	263,705	72,806	14,954	6,244	4,080	2,931	101,015	7,863	4,655	7,119	10,161	10,429
8	Males	142,009	40,750	7,839	3,323	2,117	1,531	55,560	4,138	2,449	3,686	5,222	5,533
9	Females	121,696	32,056	7,115	2,921	1,963	1,400	45,455	3,725	2,206	3,433	4,939	4,896
10	Both parents native M.	60,578	15,562	2,558	1,270	829	666	20,885	1,933	1,153	1,750	2,454	2,451
	Both parents native F.	55,266	12,104	2,415	1,044	818	555	16,936	1,736	1,013	1,598	2,445	2,305
11	One or both parents foreign M.	66,532	22,716	5,123	1,976	1,247	841	31,903	2,140	1,231	1,793	2,453	2,667
	One or both parents foreign F.	54,467	17,852	4,558	1,831	1,108	825	26,174	1,928	1,139	1,700	2,196	2,194
12	Parentage unknown M.	14,899	2,472	158	77	41	24	2,772	65	65	143	315	415
	Parentage unknown F.	11,963	2,100	142	46	37	20	2,345	61	54	135	298	397
13	Foreign	120,891	298	353	218	185	150	1,204	567	521	1,605	4,054	5,272
14	Males	66,268	181	191	114	100	72	658	336	276	909	2,348	3,006
15	Females	54,623	117	162	104	85	78	546	231	245	696	1,706	2,266
16	Unknown	4,958	189	77	47	9	5	327	19	14	49	175	262
17	Males	3,886	101	38	32	5	3	179	9	9	30	135	214
18	Females	1,072	88	39	15	4	2	148	10	5	19	40	48
19	Colored	24,366	4,126	1,084	444	251	194	6,099	490	406	882	1,519	1,711
20	Males	13,169	2,238	567	232	127	88	3,252	242	189	400	756	941
21	Females	11,197	1,888	517	212	124	106	2,847	248	217	482	763	770
22	Negro M.	12,195	2,173	560	225	122	86	3,166	234	184	390	700	852
	Negro F.	11,006	1,839	508	206	121	105	2,779	242	215	477	743	753
23	Indian M.	59	7	.....	1	.....	.....	8	2	2	4	7	8
	Indian F.	35	4	.....	.....	.....	.....	4	4	2	3	3	1
24	Chinese M.	645	22	2	5	3	1	33	5	1	4	20	30
	Chinese F.	67	15	3	3	2	.....	23	.....	.....	1	5	4
25	Japanese M.	270	36	5	1	2	1	45	1	2	2	29	51
	Japanese F.	89	30	6	3	1	1	41	2	.....	1	12	12
	RURAL PART OF REGISTRATION STATES.												
26	Total	342,857	57,530	11,465	5,050	3,350	2,319	79,714	7,199	5,424	8,991	12,109	12,020
27	Males	186,161	32,172	6,029	2,619	1,767	1,246	43,833	3,733	2,867	4,664	6,419	6,373
28	Females	156,696	25,358	5,436	2,431	1,583	1,073	35,881	3,466	2,557	4,327	5,690	5,647
29	White	327,209	54,815	10,667	4,701	3,160	2,174	75,517	6,765	4,998	8,186	11,149	11,179
30	Males	177,853	30,698	5,615	2,443	1,674	1,172	41,602	3,511	2,691	4,313	5,946	5,923
31	Females	149,356	24,117	5,052	2,258	1,486	1,002	33,915	3,254	2,307	3,873	5,203	5,256
32	Native	262,437	54,647	10,531	4,621	3,108	2,131	75,038	6,555	4,803	7,531	9,238	8,734
33	Males	138,407	30,607	5,545	2,392	1,641	1,147	41,332	3,409	2,567	3,857	4,561	4,195
34	Females	124,030	24,040	4,986	2,229	1,467	984	33,706	3,146	2,236	3,674	4,677	4,539
35	Both parents native M.	88,330	20,368	3,769	1,698	1,109	812	27,756	2,417	1,819	2,611	2,994	2,633
	Both parents native F.	83,075	15,976	3,415	1,546	1,039	682	22,658	2,224	1,576	2,608	3,343	3,062
36	One or both parents foreign M.	30,178	9,535	1,677	651	502	316	12,681	921	668	1,044	1,214	1,140
	One or both parents foreign F.	25,362	7,518	1,483	631	401	281	10,314	846	579	907	1,027	1,105
37	Parentage unknown M.	19,899	704	99	43	30	19	895	71	80	202	353	422
	Parentage unknown F.	15,593	546	88	52	27	21	734	76	81	159	307	372
38	Foreign	59,707	116	115	74	45	36	386	196	174	590	1,757	2,207
39	Males	35,587	62	59	48	28	23	220	95	108	407	1,253	1,523
40	Females	24,120	54	56	26	17	13	166	101	66	183	504	684
41	Unknown	5,065	52	21	6	7	7	93	14	21	65	154	238
42	Males	3,859	29	11	3	5	2	50	7	16	49	132	205
43	Females	1,206	23	10	3	2	5	43	7	5	16	22	33
44	Colored	15,648	2,715	798	349	190	145	4,197	434	426	805	960	841
45	Males	8,308	1,474	414	176	93	74	2,231	222	176	351	473	450
46	Females	7,340	1,241	384	173	97	71	1,966	212	250	454	487	391
47	Negro M.	7,236	1,324	364	158	73	63	1,982	190	142	310	408	396
	Negro F.	6,624	1,090	344	151	78	55	1,718	185	213	408	442	360
48	Indian M.	639	100	45	15	18	9	187	31	33	39	42	24
	Indian F.	622	106	39	18	17	15	195	25	37	45	39	22
49	Chinese M.	222	4	.....	.....	1	.....	5	.....	.....	1	5	2
	Chinese F.	18	6	.....	.....	.....	.....	6	.....	.....	1	.....	.....
50	Japanese M.	211	46	5	3	1	2	57	1	1	1	18	28
	Japanese F.	76	39	1	4	2	1	47	2	.....	.....	6	9

[1] Including District of Columbia. The term "cities" includes all municipalities of 10,000 population or over in 1910.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
18,747	21,466	21,067	22,126	24,031	23,243	25,140	25,559	23,742	19,134	13,279	6,870	2,304	490	118	186	1
10,841	12,607	12,654	13,345	14,072	13,191	13,763	13,478	11,886	9,012	5,890	2,897	891	166	33	129	2
7,906	8,859	8,413	8,781	9,959	10,052	11,377	12,081	11,856	10,122	7,389	3,973	1,413	324	85	57	3
17,125	19,603	19,446	20,614	22,463	21,964	24,011	24,714	22,991	18,721	12,999	6,711	2,211	447	77	146	4
9,900	11,554	11,696	12,455	13,175	12,476	13,142	12,998	11,489	8,826	5,776	2,839	860	150	24	106	5
7,225	8,049	7,750	8,159	9,288	9,488	10,869	11,716	11,502	9,895	7,223	3,872	1,351	297	53	40	6
10,872	12,153	11,128	11,084	12,440	11,696	11,272	11,318	10,505	8,870	6,349	3,346	1,147	230	26	27	7
6,048	6,943	6,484	6,368	7,033	6,528	6,127	5,964	5,237	4,117	2,706	1,347	429	68	9	13	8
4,824	5,210	4,644	4,716	5,407	5,168	5,145	5,354	5,268	4,753	3,643	1,999	718	162	17	14	9
2,405	2,458	2,198	2,207	2,640	2,870	3,250	3,400	3,152	2,521	1,688	855	258	44	3	3	10
2,110	2,076	1,856	1,817	2,244	2,415	2,776	3,115	3,334	3,144	2,398	1,366	458	108	9	7	
3,073	3,810	3,493	3,325	3,315	2,576	1,639	1,274	852	516	279	137	46	6	.....	4	11
2,309	2,624	2,298	2,374	2,465	2,042	1,527	1,234	917	635	427	192	73	13	3	3	
570	675	793	836	1,078	1,082	1,238	1,290	1,233	1,080	739	355	125	18	6	6	12
405	510	490	525	698	711	842	1,005	1,017	974	818	441	187	41	5	4	
5,924	6,976	7,801	9,032	9,450	9,893	12,362	13,082	12,238	9,696	6,558	3,313	1,039	216	51	37	13
3,573	4,213	4,767	5,658	5,648	5,636	6,707	6,805	6,084	4,617	3,027	1,466	416	81	15	22	14
2,351	2,763	3,034	3,374	3,802	4,257	5,655	6,277	6,154	5,079	3,531	1,847	623	135	36	15	15
329	474	517	498	573	375	377	314	248	155	92	52	25	1	.....	82	16
279	398	445	429	494	312	308	229	168	92	43	26	15	1	.....	71	17
50	76	72	69	79	63	69	85	80	63	49	26	10	.....	.....	11	18
1,622	1,863	1,621	1,512	1,568	1,279	1,129	845	751	413	280	159	93	43	41	40	19
941	1,053	958	890	897	715	621	480	397	186	114	58	31	16	9	23	20
681	810	663	622	671	564	508	365	354	227	166	101	62	27	32	17	21
859	985	875	784	777	619	523	447	374	179	113	58	30	16	8	22	22
669	798	652	616	662	560	504	361	349	225	166	98	61	27	32	17	
4	3	6	.....	3	1	3	1	5	.....	.....	.....	1	.....	1	.....	23
.....	1	3	2	2	1	1	1	3	.....	.....	3	1	.....	.....	.....	
25	32	52	89	108	93	95	32	18	7	1	.....	.....	.....	.....	.....	24
3	4	6	4	6	3	2	2	2	2	.....	.....	.....	.....	.....	.....	
53	33	25	17	9	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	25
9	7	2	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	
11,319	12,221	11,784	12,469	14,970	16,408	20,068	24,702	27,716	26,908	20,802	11,706	4,130	920	223	1,054	26
6,003	6,683	6,628	7,133	8,573	9,464	11,444	13,578	14,986	14,385	10,730	5,665	1,839	363	89	709	27
5,316	5,538	5,156	5,336	6,397	6,944	8,624	11,124	12,730	12,523	10,072	6,041	2,291	557	134	345	28
10,599	11,451	11,094	11,819	14,266	15,758	19,390	23,988	27,015	26,390	20,411	11,459	3,965	833	149	828	29
5,625	6,246	6,248	6,786	8,182	9,080	11,057	13,163	14,564	14,106	10,531	5,552	1,770	332	55	570	30
4,974	5,205	4,846	5,033	6,084	6,678	8,333	10,825	12,451	12,284	9,880	5,907	2,195	501	94	258	31
8,151	8,556	8,093	8,362	10,466	11,873	14,127	17,109	19,278	18,707	14,134	7,919	2,767	562	91	343	32
4,023	4,279	4,182	4,415	5,638	6,620	7,778	9,175	10,194	9,780	7,128	3,695	1,178	198	30	173	33
4,128	4,277	3,911	3,947	4,828	5,253	6,349	7,934	9,084	8,927	7,006	4,224	1,589	364	61	170	34
2,425	2,375	2,343	2,439	3,129	3,942	5,032	5,861	6,600	6,287	4,454	2,299	717	94	15	88	35
2,685	2,703	2,442	2,425	3,014	3,414	4,335	5,454	6,174	6,047	4,716	2,809	1,027	223	34	102	
1,123	1,331	1,209	1,270	1,457	1,365	1,065	1,055	950	779	487	286	92	18	7	16	36
1,044	1,088	954	989	1,136	1,034	840	885	903	740	524	311	91	32	2	11	
475	573	630	706	1,052	1,313	1,681	2,259	2,644	2,714	2,187	1,110	369	86	8	69	37
399	486	515	533	678	805	1,174	1,595	2,007	2,140	1,766	1,104	471	109	25	57	
2,159	2,542	2,655	3,099	3,374	3,595	4,896	6,492	7,327	7,361	5,959	3,391	1,153	253	55	86	38
1,362	1,654	1,765	2,067	2,182	2,231	2,989	3,710	4,101	4,125	3,230	1,786	562	127	24	66	39
797	888	890	1,032	1,192	1,364	1,907	2,782	3,226	3,236	2,729	1,605	591	126	31	20	40
289	353	346	358	426	290	367	387	410	322	318	149	45	18	3	399	41
240	313	301	304	362	229	290	278	269	201	173	71	30	7	1	331	42
49	40	45	54	64	61	77	109	141	121	145	78	15	11	2	68	43
720	770	690	650	704	650	678	714	701	518	391	247	165	87	74	226	44
378	437	380	347	391	384	387	415	422	279	199	113	69	31	34	139	45
342	333	310	303	313	266	291	299	279	239	192	134	96	56	40	87	46
325	379	311	294	343	325	320	372	378	253	178	101	62	27	27	113	47
315	314	285	280	299	249	269	276	252	225	174	126	83	50	34	67	
20	24	31	20	21	22	25	16	24	13	16	10	6	4	7	24	48
29	12	23	21	14	13	21	22	27	14	18	8	13	6	6	20	
3	5	17	18	24	32	41	26	20	13	5	2	1	.....	.....	2	49
1	2	1	2	.....	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
30	29	21	15	3	5	1	1	.....	.....	.....	.....	.....	.....	.....	.....	50
6	5	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	REGISTRATION CITIES IN OTHER STATES.												
1	Total	82,507	14,373	3,429	1,577	1,053	691	21,123	1,974	1,317	2,508	4,288	4,555
2	Males	45,815	8,109	1,814	858	561	378	11,720	1,025	691	1,238	2,258	2,447
3	Females	36,692	6,264	1,615	719	492	313	9,403	949	626	1,270	2,030	2,108
4	White	63,007	11,321	2,654	1,176	811	545	16,507	1,575	927	1,632	2,789	2,980
5	Males	35,735	6,505	1,429	655	441	291	9,321	812	502	862	1,513	1,620
6	Females	27,272	4,816	1,225	521	370	254	7,186	763	425	770	1,276	1,360
7	Native	43,283	11,243	2,593	1,138	787	521	16,282	1,469	859	1,385	2,024	2,065
8	Males	23,964	6,457	1,398	626	426	282	9,189	752	465	724	1,039	1,057
9	Females	19,319	4,786	1,195	512	361	239	7,093	717	394	661	985	1,008
10	Both parents native M.	10,147	2,768	600	280	190	124	3,962	351	209	356	450	470
	Both parents native F.	8,796	2,026	503	221	146	101	2,997	340	191	312	477	493
11	One or both parents foreign M.	9,655	3,184	748	321	216	149	4,618	373	229	320	435	404
	One or both parents foreign F.	7,434	2,399	660	275	197	129	3,660	349	178	283	368	360
12	Parentage unknown M.	4,162	505	50	25	20	9	609	28	27	48	154	183
	Parentage unknown F.	3,089	361	32	16	18	9	436	28	25	66	140	155
13	Foreign	18,748	57	54	36	24	23	194	104	67	228	720	854
14	Males	10,989	39	28	27	15	8	117	58	37	127	441	517
15	Females	7,759	18	26	9	9	15	77	46	30	101	279	337
16	Unknown	976	21	7	2	.....	1	31	2	1	19	45	61
17	Males	782	9	3	2	.....	1	15	2	.....	11	33	46
18	Females	194	12	4	.....	.....	.....	16	.....	1	8	12	15
19	Colored	19,500	3,052	775	401	242	146	4,616	399	390	876	1,499	1,575
20	Males	10,080	1,604	385	203	120	87	2,399	213	189	376	745	827
21	Females	9,420	1,448	390	198	122	59	2,217	186	201	500	754	748
22	Negro M.	9,955	1,599	385	201	120	87	2,392	212	189	374	740	822
	Negro F.	9,415	1,445	390	198	122	59	2,214	185	201	500	754	748
23	Indian M.	4	.....	.....	.....	.....	.....	.....	1	.....	1	.....	.....
	Indian F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese M.	106	3	.....	1	.....	.....	4	.....	.....	1	3	3
	Chinese F.	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
25	Japanese M.	15	2	.....	1	.....	.....	3	.....	.....	.....	2	2
	Japanese F.	3	3	.....	.....	.....	.....	3	.....	.....	.....	.....	.....
	ALL REGISTRATION CITIES.[1]												
26	Total	496,427	91,792	19,897	8,530	5,578	3,971	129,768	10,913	6,913	12,163	20,197	22,229
27	Males	271,147	51,379	10,449	4,559	2,910	2,072	71,369	5,750	3,614	6,263	10,719	12,141
28	Females	225,280	40,413	9,448	3,971	2,668	1,899	58,399	5,163	3,299	5,900	9,478	10,088
29	White	452,561	84,614	18,038	7,685	5,085	3,631	119,053	10,024	6,117	10,405	17,179	18,943
30	Males	247,898	47,537	9,497	4,124	2,663	1,897	65,718	5,295	3,236	5,487	9,218	10,373
31	Females	204,663	37,077	8,541	3,561	2,422	1,734	53,335	4,729	2,881	4,918	7,961	8,570
32	Native	306,988	84,049	17,547	7,382	4,867	3,452	117,297	9,332	5,514	8,504	12,185	12,494
33	Males	165,973	47,207	9,237	3,949	2,543	1,813	64,749	4,890	2,914	4,410	6,261	6,590
34	Females	141,015	36,842	8,310	3,433	2,324	1,639	52,548	4,442	2,600	4,094	5,924	5,904
35	Both parents native M.	70,725	18,330	3,158	1,550	1,019	790	24,847	2,284	1,362	2,106	2,904	2,921
	Both parents native F.	64,062	14,130	2,918	1,265	964	656	19,933	2,076	1,204	1,910	2,922	2,798
36	One or both parents foreign M.	76,187	25,900	5,871	2,297	1,463	990	36,521	2,513	1,460	2,113	2,888	3,071
	One or both parents foreign F.	61,901	20,251	5,218	2,106	1,305	954	29,834	2,277	1,317	1,983	2,564	2,554
37	Parentage unknown M.	19,061	2,977	208	102	61	33	3,381	93	92	191	469	598
	Parentage unknown F.	15,052	2,461	174	62	55	29	2,781	89	79	201	438	552
38	Foreign	139,639	355	407	254	209	173	1,398	671	588	1,833	4,774	6,126
39	Males	77,257	220	219	141	115	80	775	394	313	1,036	2,789	3,523
40	Females	62,382	135	188	113	94	93	623	277	275	797	1,985	2,603
41	Unknown	5,934	210	84	49	9	6	358	21	15	68	220	323
42	Males	4,668	110	41	34	5	4	194	11	9	41	168	260
43	Females	1,266	100	43	15	4	2	164	10	6	27	52	63
44	Colored	43,866	7,178	1,859	845	493	340	10,715	889	796	1,758	3,018	3,286
45	Males	23,249	3,842	952	435	247	175	5,651	455	378	776	1,501	1,768
46	Females	20,617	3,336	907	410	246	165	5,064	434	418	982	1,517	1,518
47	Negro M.	22,150	3,772	945	426	242	173	5,558	446	373	764	1,440	1,674
	Negro F.	20,421	3,284	898	404	243	164	4,993	427	416	977	1,497	1,501
48	Indian M.	63	7	.....	1	.....	.....	8	3	2	5	7	8
	Indian F.	35	4	.....	.....	.....	.....	4	4	2	3	3	1
49	Chinese M.	751	25	2	6	3	1	37	5	1	5	23	33
	Chinese F.	69	15	3	3	2	.....	23	1	.....	1	5	4
50	Japanese M.	285	38	5	2	2	1	48	1	2	2	31	53
	Japanese F.	92	33	6	3	1	1	44	2	.....	1	12	12

[1] Including District of Columbia. The term "cities" includes all municipalities of 10,000 population or over in 1910.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
4,350	4,883	4,671	4,862	5,129	4,372	4,443	4,045	3,440	2,977	2,027	988	327	108	64	56	1
2,471	2,907	2,814	2,947	3,171	2,641	2,514	2,223	1,771	1,419	936	409	118	41	11	43	2
1,879	1,976	1,857	1,915	1,958	1,731	1,929	1,822	1,669	1,558	1,091	579	209	67	53	13	3
2,971	3,383	3,399	3,598	3,897	3,515	3,581	3,498	3,001	2,688	1,824	864	265	65	16	32	4
1,741	2,078	2,145	2,260	2,502	2,208	2,057	1,941	1,544	1,267	847	361	99	23	4	28	5
1,230	1,305	1,254	1,338	1,395	1,307	1,524	1,557	1,457	1,421	977	503	166	42	12	4	6
1,947	2,155	2,005	1,908	2,112	1,859	1,739	1,580	1,361	1,186	829	381	106	21	3	7	7
1,097	1,243	1,182	1,145	1,290	1,137	984	844	681	556	374	157	36	7	1	4	8
850	912	823	763	822	722	755	736	680	630	455	224	70	14	2	3	9
414	454	413	364	476	508	441	377	352	270	172	85	16	3	1	3	10
414	393	341	326	336	327	377	387	353	352	227	112	33	8	.....	.....	
462	528	514	464	454	315	209	146	83	68	21	12	.....	.....	.....	.....	
285	346	308	278	290	213	166	123	87	55	43	32	7	3	.....	.....	11
221	261	255	317	360	314	334	321	246	218	181	60	20	4	.....	1	12
151	173	174	159	196	182	212	226	240	223	185	80	30	3	2	3	
956	1,130	1,298	1,590	1,684	1,580	1,769	1,862	1,586	1,469	969	477	155	41	13	2	13
587	747	875	1,029	1,120	1,008	1,017	1,058	821	691	458	202	60	14	3	2	14
369	383	423	561	564	572	752	804	765	778	511	275	95	27	10	.....	15
68	98	96	100	101	76	73	56	54	33	26	6	4	3	.....	23	16
57	88	88	86	92	63	56	39	42	20	15	2	3	2	.....	22	17
11	10	8	14	9	13	17	17	12	13	11	4	1	1	.....	1	18
1,379	1,500	1,272	1,264	1,232	857	862	547	439	289	203	124	62	43	48	24	19
730	829	669	687	669	433	457	282	227	152	89	48	19	18	7	15	20
649	671	603	577	563	424	405	265	212	137	114	76	43	25	41	9	21
721	817	649	683	646	425	439	279	223	151	88	47	19	18	7	14	22
649	670	603	577	563	424	405	265	212	137	114	76	43	25	41	9	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	1	23
6	10	17	4	23	8	18	3	4	.....	1	1	.....	.....	.....	.....	24
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	2	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
23,097	26,349	25,738	26,988	29,160	27,615	29,583	29,604	27,182	22,111	15,306	7,858	2,631	598	182	242	26
13,312	15,514	15,468	16,292	17,243	15,832	16,277	15,701	13,657	10,431	6,826	3,306	1,009	207	44	172	27
9,785	10,835	10,270	10,696	11,917	11,783	13,306	13,903	13,525	11,680	8,480	4,552	1,622	391	138	70	28
20,096	22,986	22,845	24,212	26,360	25,479	27,592	28,212	25,992	21,409	14,823	7,575	2,476	512	93	178	29
11,641	13,632	13,841	14,715	15,677	14,684	15,199	14,939	13,033	10,093	6,623	3,200	959	173	28	134	30
8,455	9,354	9,004	9,497	10,683	10,795	12,393	13,273	12,959	11,316	8,200	4,375	1,517	339	65	44	31
12,819	14,308	13,133	12,992	14,552	13,555	13,011	12,898	11,866	10,056	7,178	3,727	1,253	251	29	34	32
7,145	8,186	7,666	7,513	8,323	7,665	7,111	6,808	5,918	4,673	3,080	1,504	465	75	10	17	33
5,674	6,122	5,467	5,479	6,229	5,890	5,900	6,090	5,948	5,383	4,098	2,223	788	176	19	17	34
2,819	2,912	2,611	2,571	3,116	3,378	3,691	3,777	3,504	2,791	1,860	940	274	47	4	6	35
2,524	2,469	2,197	2,143	2,580	2,742	3,153	3,502	3,687	3,496	2,625	1,478	491	116	9	7	
3,535	4,338	4,007	3,789	3,769	2,891	1,848	1,420	935	584	300	149	46	6	.....	4	36
2,594	2,970	2,606	2,652	2,755	2,255	1,693	1,357	1,004	690	470	224	80	16	3	3	
791	936	1,048	1,153	1,438	1,396	1,572	1,611	1,479	1,298	920	415	145	22	6	7	37
556	683	664	684	894	893	1,054	1,231	1,257	1,197	1,003	521	217	44	7	7	
6,880	8,106	9,099	10,622	11,134	11,473	14,131	14,944	13,824	11,165	7,527	3,790	1,194	257	64	39	38
4,160	4,960	5,642	6,687	6,768	6,644	7,724	7,863	6,905	5,308	3,485	1,668	476	95	18	24	39
2,720	3,146	3,457	3,935	4,366	4,829	6,407	7,081	6,919	5,857	4,042	2,122	718	162	46	15	40
397	572	613	598	674	451	450	370	302	188	118	58	29	4	.....	105	41
336	486	533	515	586	375	364	268	210	112	58	28	18	3	.....	93	42
61	86	80	83	88	76	86	102	92	76	60	30	11	1	.....	12	43
3,001	3,363	2,893	2,776	2,800	2,136	1,991	1,392	1,190	702	483	283	155	86	89	64	44
1,671	1,882	1,627	1,577	1,566	1,148	1,078	762	624	338	203	106	50	34	16	38	45
1,330	1,481	1,266	1,199	1,234	988	913	630	566	364	280	177	105	52	73	26	46
1,580	1,802	1,524	1,467	1,423	1,044	962	726	597	330	201	105	49	34	15	36	47
1,318	1,468	1,255	1,193	1,225	984	909	626	561	362	280	174	104	52	73	26	
4	3	6	.....	3	1	3	1	5	1	.....	.....	1	.....	1	1	48
.....	1	3	2	2	1	1	1	3	.....	.....	3	1	.....	.....	.....	
31	42	69	93	131	101	113	35	22	7	2	1	.....	.....	.....	.....	49
3	5	6	4	6	3	2	2	2	2	.....	.....	.....	.....	.....	.....	
56	35	28	17	9	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	50
9	7	2	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CALIFORNIA.												
1	Total	34,010	3,524	687	337	234	145	4,927	525	427	800	1,415	1,650
2	Males	21,063	1,971	350	163	115	90	2,689	265	232	422	854	998
3	Females	12,947	1,553	337	174	119	55	2,238	260	195	378	561	652
4	White	32,205	3,307	649	308	221	134	4,619	509	405	761	1,312	1,514
5	Males	19,726	1,859	330	153	108	82	2,532	255	218	401	786	909
6	Females	12,479	1,448	319	155	113	52	2,087	254	187	360	526	605
7	Native	20,972	3,287	632	301	213	124	4,557	482	377	654	985	976
8	Males	12,169	1,851	321	149	102	78	2,501	240	200	337	553	532
9	Females	8,803	1,436	311	152	111	46	2,056	242	177	317	432	444
10	Both parents native M	4,970	914	146	75	59	38	1,232	130	105	186	261	219
	Both parents native F	3,928	673	122	76	60	24	955	123	99	167	214	196
11	One or both parents foreign M	3,533	797	165	68	41	34	1,105	102	82	110	177	184
	One or both parents foreign F	2,809	638	173	69	47	20	947	105	67	122	162	160
12	Parentage unknown M	3,666	140	10	6	2	6	164	8	13	41	115	129
	Parentage unknown F	2,066	125	16	7	4	2	154	14	11	28	56	88
13	Foreign	10,278	16	17	5	8	9	55	26	25	100	306	484
14	Males	6,700	7	9	3	6	4	29	15	17	60	216	333
15	Females	3,578	9	8	2	2	5	26	11	8	40	90	151
16	Unknown	955	4	.....	2	.....	1	7	1	3	7	21	54
17	Males	857	1	.....	1	.....	.....	2	.....	1	4	17	44
18	Females	98	3	.....	1	.....	1	5	1	2	3	4	10
19	Colored	1,805	217	38	29	13	11	308	16	22	39	103	136
20	Males	1,337	112	20	10	7	8	157	10	14	21	68	89
21	Females	468	105	18	19	6	3	151	6	8	18	35	47
22	Negro M	275	17	6	2	1	3	29	1	3	6	15	19
	Negro F	182	18	5	6	.....	1	30	1	4	8	9	20
23	Indian M	83	4	6	1	1	1	13	3	7	10	9	3
	Indian F	82	17	5	4	2	.....	28	3	4	7	4	4
24	Chinese M	641	24	2	5	4	1	36	4	1	3	13	17
	Chinese F	72	15	3	3	2	.....	23	.....	.....	2	5	4
25	Japanese M	338	67	6	2	1	3	79	2	3	2	31	50
	Japanese F	132	55	5	6	2	2	70	2	.....	1	17	19
	COLORADO.												
26	Total	10,740	1,818	372	143	106	64	2,503	248	199	264	591	715
27	Males	6,511	1,021	190	69	54	33	1,367	121	100	150	362	449
28	Females	4,229	797	182	74	52	31	1,136	127	99	114	229	266
29	White	10,427	1,782	368	139	104	63	2,456	245	192	257	579	678
30	Males	6,314	999	188	68	53	33	1,341	120	97	147	354	421
31	Females	4,113	783	180	71	51	30	1,115	125	95	110	225	257
32	Native	7,883	1,765	360	129	101	62	2,417	235	183	217	451	503
33	Males	4,486	990	181	63	52	33	1,319	112	92	118	255	278
34	Females	3,397	775	179	66	49	29	1,098	123	91	99	196	225
35	Both parents native M	2,279	591	104	34	31	18	778	75	57	70	151	133
	Both parents native F	1,924	447	112	44	34	16	653	67	67	60	121	142
36	One or both parents foreign M	1,159	328	68	27	19	13	455	34	29	36	63	86
	One or both parents foreign F	913	287	66	21	13	12	399	52	21	32	53	46
37	Parentage unknown M	1,048	71	9	2	2	2	86	3	6	12	41	59
	Parentage unknown F	560	41	1	1	2	1	46	4	3	7	22	37
38	Foreign	2,202	10	8	8	3	1	30	10	8	34	111	152
39	Males	1,541	5	7	5	1	.....	18	8	5	24	83	121
40	Females	661	5	1	3	2	1	12	2	3	10	28	31
41	Unknown	342	7	.....	2	.....	.....	9	.....	1	6	17	23
42	Males	287	4	.....	.....	.....	.....	4	.....	.....	5	16	22
43	Females	55	3	.....	2	.....	.....	5	.....	1	1	1	1
44	Colored	313	36	4	4	2	1	47	3	7	7	12	37
45	Males	197	22	2	1	1	.....	26	1	3	3	8	28
46	Females	116	14	2	3	1	1	21	2	4	4	4	9
47	Negro M	176	21	2	1	1	.....	25	1	3	3	7	25
	Negro F	112	14	2	3	1	1	21	1	4	4	4	9
48	Indian M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian F	1	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....
49	Chinese M	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Chinese F	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Japanese M	16	1	.....	.....	.....	.....	1	.....	.....	.....	.....	3
	Japanese F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,788	1,964	1,961	1,952	2,086	2,097	2,350	2,481	2,500	2,221	1,656	856	249	61	24	20	1
1,190	1,306	1,296	1,331	1,383	1,406	1,531	1,522	1,536	1,367	1,021	512	141	33	10	18	2
598	658	665	621	703	691	819	959	964	854	635	344	108	28	14	2	3
1,671	1,831	1,827	1,817	1,945	1,949	2,202	2,406	2,425	2,188	1,643	846	236	58	22	19	4
1,098	1,206	1,188	1,213	1,260	1,274	1,397	1,457	1,480	1,342	1,011	507	135	30	10	17	5
573	625	639	604	685	675	805	949	945	846	632	339	101	28	12	2	6
1,092	1,138	1,111	1,049	1,104	1,054	1,108	1,266	1,262	1,181	930	480	128	28	7	3	7
656	682	674	638	656	658	657	718	760	746	573	286	83	13	5	1	8
436	456	437	411	448	396	451	548	502	435	357	194	45	15	2	2	9
218	227	217	210	214	225	262	291	322	288	200	115	43	4	1	.....	10
172	176	151	157	180	165	202	266	233	183	167	94	21	5	1	1	
241	265	229	215	187	184	117	99	73	77	51	28	4	1	2	.....	11
175	166	155	147	143	102	100	77	66	51	38	17	5	3	1	.....	
197	190	228	213	255	249	278	328	365	381	322	143	36	8	2	1	12
89	114	131	107	125	129	149	205	203	201	152	83	19	7	.....	1	
500	589	630	657	713	824	1,005	1,080	1,101	981	692	356	105	30	15	4	13
366	429	431	473	486	553	655	687	667	573	422	213	49	17	5	4	14
134	160	199	184	227	271	350	393	434	408	270	143	56	13	10	.....	15
79	104	86	111	128	71	89	60	62	26	21	10	3	.....	.....	12	16
76	95	83	102	118	63	85	52	53	23	16	8	3	.....	.....	12	17
3	9	3	9	10	8	4	8	9	3	5	2	.....	.....	.....	.....	18
117	133	134	135	141	148	148	75	75	33	13	10	13	3	2	1	19
92	100	108	118	123	132	134	65	56	25	10	5	6	3	.....	1	20
25	33	26	17	18	16	14	10	19	8	3	5	7	.....	2	.....	21
19	37	32	23	13	17	18	11	16	6	3	2	4	1	.....	.....	22
6	16	16	13	11	9	9	5	12	4	1	4	4	.....	.....	.....	
2	5	5	3	6	5	3	1	2	.....	2	1	1	2	.....	.....	23
4	2	5	.....	1	2	1	2	5	2	2	1	3	.....	2	.....	
10	12	44	72	96	103	112	52	38	19	5	2	1	.....	.....	1	24
4	6	5	4	5	5	3	2	2	2	.....	.....	.....	.....	.....	.....	
61	46	27	20	8	7	1	1	.....	.....	.....	.....	.....	.....	.....	.....	25
11	9	.....	.....	1	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	
690	612	591	548	630	550	565	564	529	447	289	132	37	13	2	21	26
457	360	392	372	428	381	378	364	315	252	150	71	19	7	.....	16	27
233	252	199	176	202	169	187	200	214	195	139	61	18	6	2	5	28
658	587	568	518	608	532	550	553	524	440	281	130	36	13	2	20	29
435	347	374	353	413	368	367	357	311	249	149	70	19	7	.....	15	30
223	240	194	165	195	164	183	196	213	191	132	60	17	6	2	5	31
457	420	370	306	382	338	357	341	328	280	186	82	18	8	2	2	32
278	222	227	185	245	229	226	210	183	157	94	43	9	4	.....	.....	33
179	198	143	121	137	109	131	131	145	123	92	39	9	4	2	2	34
128	96	93	84	107	94	102	86	81	76	37	24	4	3	.....	.....	35
112	96	78	56	67	54	67	69	75	63	45	24	7	1	.....	.....	
69	62	59	51	58	49	35	25	21	8	12	5	2	.....	.....	.....	36
36	57	38	35	34	27	21	19	18	13	7	2	2	.....	.....	1	
81	64	75	50	80	86	89	99	81	73	45	14	3	1	.....	.....	37
31	45	27	30	36	28	43	43	52	47	40	13	.....	3	2	1	
171	141	165	178	192	161	172	192	177	152	85	45	15	5	.....	6	38
131	104	119	137	139	112	122	132	114	85	48	24	8	3	.....	4	39
40	37	46	41	53	49	50	60	63	67	37	21	7	2	.....	2	40
30	26	33	34	34	33	21	20	19	8	10	3	3	.....	.....	12	41
26	21	28	31	29	27	19	15	14	7	7	3	2	.....	.....	11	42
4	5	5	3	5	6	2	5	5	1	3	.....	1	.....	.....	1	43
32	25	23	30	22	18	15	11	5	7	8	2	1	.....	.....	1	44
22	13	18	19	15	13	11	7	4	3	1	1	.....	.....	.....	1	45
10	12	5	11	7	5	4	4	1	4	7	1	1	.....	.....	.....	46
20	10	15	14	13	12	11	7	4	3	1	1	.....	.....	.....	1	47
10	11	5	10	6	5	4	4	1	4	7	1	1	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49
1	3	3	4	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CONNECTICUT.												
1	Total	17,552	3,243	630	274	171	121	4,439	338	236	327	534	570
2	Males	9,341	1,832	310	140	85	67	2,434	170	135	182	289	313
3	Females	8,211	1,411	320	134	86	54	2,005	168	101	145	245	257
4	White	17,153	3,167	613	268	160	121	4,329	330	226	318	517	549
5	Males	9,127	1,788	301	139	81	67	2,376	167	130	180	280	299
6	Females	8,026	1,379	312	129	79	54	1,953	163	96	138	237	250
7	Native	11,859	3,152	590	253	153	115	4,263	306	202	246	338	308
8	Males	6,262	1,780	290	129	77	64	2,340	153	112	133	182	160
9	Females	5,597	1,372	300	124	76	51	1,923	153	90	113	156	148
10	Both parents native M.	2,510	471	63	35	24	19	612	60	36	58	70	46
	Both parents native F.	2,421	398	65	25	18	20	526	41	28	34	55	54
11	One or both parents foreign M.	2,927	1,274	224	92	51	43	1,684	88	69	68	101	102
	One or both parents foreign F.	2,414	948	233	98	58	31	1,368	106	53	73	88	78
12	Parentage unknown M.	825	35	3	2	2	2	44	5	7	7	11	12
	Parentage unknown F.	762	26	2	1			29	6	9	6	13	16
13	Foreign	5,063	11	23	15	7	6	62	23	22	69	178	230
14	Males	2,698	7	11	10	4	3	35	13	17	46	98	129
15	Females	2,365	4	12	5	3	3	27	10	5	23	80	101
16	Unknown	231	4					4	1	2	3	1	11
17	Males	167	1					1	1	1	1		10
18	Females	64	3					3		1	2	1	1
19	Colored	399	76	17	6	11		110	8	10	9	17	21
20	Males	214	44	9	1	4		58	3	5	2	9	14
21	Females	185	32	8	5	7		52	5	5	7	8	7
22	Negro M.	207	43	9	1	4		57	3	5	2	9	14
	Negro F.	185	32	8	5	7		52	5	5	7	8	7
23	Indian M.	3	1					1					
	Indian F.												
24	Chinese M.	3											
	Chinese F.												
25	Japanese M.	1											
	Japanese F.												
	INDIANA.												
26	Total	35,210	5,362	1,103	484	314	229	7,492	745	563	1,018	1,425	1,302
27	Males	18,717	2,996	604	258	162	119	4,139	387	313	505	691	633
28	Females	16,493	2,366	499	226	152	110	3,353	358	250	513	734	669
29	White	33,877	5,181	1,062	460	305	222	7,230	721	539	965	1,342	1,232
30	Males	17,997	2,904	582	242	156	115	3,999	372	298	486	643	598
31	Females	15,880	2,277	480	218	149	107	3,231	349	241	479	699	634
32	Native	29,797	5,175	1,053	460	300	220	7,208	715	527	930	1,252	1,114
33	Males	15,596	2,902	575	242	153	115	3,987	367	292	462	583	522
34	Females	14,201	2,273	478	218	147	105	3,221	348	235	468	669	592
35	Both parents native M.	10,548	2,421	483	220	128	97	3,349	334	253	391	448	401
	Both parents native F.	10,009	1,882	399	185	129	96	2,691	308	205	395	541	456
36	One or both parents foreign M.	2,263	412	81	17	15	17	542	29	31	50	92	75
	One or both parents foreign F.	1,916	354	67	26	18	7	472	35	23	50	83	81
37	Parentage unknown M.	2,785	69	11	5	10	1	96	4	8	21	43	46
	Parentage unknown F.	2,276	37	12	7		2	58	5	7	23	45	55
38	Foreign	3,745	5	8		5	2	20	4	11	31	76	104
39	Males	2,155	2	6		3		11	4	5	22	47	64
40	Females	1,590	3	2		2	2	9		6	9	29	40
41	Unknown	335	1	1				2	2	1	4	14	14
42	Males	246		1				1	1	1	2	13	12
43	Females	89	1					1	1		2	1	2
44	Colored	1,333	181	41	24	9	7	262	24	24	53	83	70
45	Males	720	92	22	16	6	4	140	15	15	19	48	35
46	Females	613	89	19	8	3	3	122	9	9	34	35	35
47	Negro M.	716	92	22	16	6	4	140	15	15	19	48	34
	Negro F.	610	89	19	8	3	3	122	9	9	34	35	35
48	Indian M.	2											
	Indian F.	3											
49	Chinese M.	2											1
	Chinese F.												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
607	701	814	803	899	929	1,154	1,215	1,278	1,152	835	448	190	41	4	38	1
341	390	475	475	510	505	629	637	610	552	398	188	63	15	1	29	2
266	311	339	328	389	424	525	578	668	600	437	260	127	26	3	9	3
587	676	790	780	881	901	1,130	1,198	1,254	1,147	830	445	188	40	4	33	4
331	378	460	458	498	491	614	632	597	549	397	188	62	14	1	25	5
256	298	330	322	383	410	516	566	657	598	433	257	126	26	3	8	6
337	385	426	413	470	494	545	614	699	711	580	334	146	34	2	6	7
186	213	239	231	259	275	296	325	332	347	273	144	46	12	1	3	8
151	172	187	182	211	219	249	289	367	364	307	190	100	22	1	3	9
54	66	73	80	103	127	163	194	202	232	190	99	37	7	1	.....	10
55	71	54	56	86	111	156	196	233	248	205	134	63	14	.....	1	
113	127	134	115	109	86	54	38	17	9	8	3	.....	.....	.....	2	11
77	84	109	99	85	68	31	26	27	15	13	9	3	.....	1	1	
19	20	32	36	47	62	79	93	113	106	75	42	9	5	.....	1	12
19	17	24	27	40	40	62	67	107	101	89	47	34	8	.....	1	
233	279	344	351	389	393	570	563	541	420	235	102	39	6	2	12	13
130	155	203	212	221	205	308	293	257	193	120	41	13	2	.....	7	14
103	124	141	139	168	188	262	270	284	227	115	61	26	4	2	5	15
17	12	20	16	22	14	15	21	14	16	15	9	3	.....	.....	15	16
15	10	18	15	18	11	10	14	8	9	4	3	3	.....	.....	15	17
2	2	2	1	4	3	5	7	6	7	11	6	.....	.....	.....	.....	18
20	25	24	23	18	28	24	17	24	5	5	3	2	1	.....	5	19
10	12	15	17	12	14	15	5	13	3	1	.....	1	1	.....	4	20
10	13	9	6	6	14	9	12	11	2	4	3	1	.....	.....	1	21
10	12	15	16	11	13	15	5	12	3	1	.....	1	1	.....	2	22
10	13	9	6	6	14	9	12	11	2	4	3	1	.....	.....	1	
.....	.....	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	25
273	1,414	1,363	1,338	1,683	1,902	2,176	2,644	2,870	2,633	1,894	1,037	328	71	12	27	26
646	729	718	735	887	1,080	1,221	1,427	1,536	1,410	989	477	139	29	5	21	27
627	685	645	603	796	822	955	1,217	1,334	1,223	905	560	189	42	7	6	28
188	1,305	1,279	1,276	1,599	1,826	2,110	2,566	2,799	2,601	1,865	1,018	316	68	8	24	29
599	676	672	695	840	1,040	1,190	1,378	1,494	1,394	972	466	134	29	3	19	30
589	629	607	581	759	786	920	1,188	1,305	1,207	893	552	182	39	5	5	31
1,063	1,172	1,148	1,108	1,427	1,609	1,778	2,091	2,233	2,005	1,368	754	237	46	6	6	32
512	577	587	580	724	891	988	1,117	1,196	1,055	704	332	96	18	2	4	33
551	595	561	528	703	718	790	974	1,037	950	664	422	141	28	4	2	34
366	357	349	328	406	516	603	637	663	560	367	167	46	6	.....	1	35
404	407	369	346	443	459	504	610	608	562	386	237	64	13	1	.....	
91	144	165	154	174	154	132	130	113	97	49	28	9	2	1	1	36
93	117	108	111	146	118	94	108	105	74	46	36	11	5	.....	.....	
55	76	73	98	144	221	253	350	420	398	288	137	41	10	1	2	37
54	71	84	71	114	141	192	256	324	314	232	149	66	10	3	2	
104	115	116	148	141	185	304	444	541	571	480	246	77	22	2	3	38
71	84	73	99	92	122	177	241	284	321	259	127	38	11	1	2	39
33	31	43	49	49	63	127	203	257	250	221	119	39	11	1	1	40
21	18	15	20	31	32	28	31	25	25	17	18	2	.....	.....	15	41
16	15	12	16	24	27	25	20	14	18	9	7	.....	.....	.....	13	42
5	3	3	4	7	5	3	11	11	7	8	11	2	.....	.....	2	43
85	109	84	62	84	76	66	78	71	32	29	19	12	3	4	3	44
47	53	46	40	47	40	31	49	42	16	17	11	5	.....	2	2	45
38	56	38	22	37	36	35	29	29	16	12	8	7	3	2	1	46
46	53	46	39	46	40	31	49	42	16	17	11	5	.....	2	2	47
38	56	38	22	37	35	34	29	28	16	12	8	7	3	2	1	
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	KENTUCKY.												
1	Total	30,407	5,373	1,546	650	455	326	8,350	831	608	1,283	1,595	1,446
2	Males	15,620	2,923	803	329	226	164	4,445	422	298	556	759	679
3	Females	14,787	2,450	743	321	229	162	3,905	409	310	727	836	767
4	White	24,580	4,554	1,280	534	393	267	7,028	669	469	908	1,183	1,078
5	Males	12,601	2,468	663	265	191	140	3,727	339	242	403	550	486
6	Females	11,979	2,086	617	269	202	127	3,301	330	227	505	633	592
7	Native	22,914	4,546	1,276	534	391	267	7,014	663	467	893	1,149	1,054
8	Males	11,670	2,462	662	265	190	140	3,719	336	241	394	523	470
9	Females	11,244	2,084	614	269	201	127	3,295	327	226	499	626	584
10	Both parents native M.	9,373	2,318	632	254	185	137	3,526	321	225	347	452	375
	Both parents native F.	9,367	1,977	590	253	192	118	3,130	314	212	462	562	517
11	One or both parents foreign M.	711	38	6	5	1	1	51	7	8	19	34	51
	One or both parents foreign F.	532	31	7	5	4	4	51	3	5	21	23	28
12	Parentage unknown M.	1,586	106	24	6	4	2	142	8	8	28	37	44
	Parentage unknown F.	1,345	76	17	11	5	5	114	10	9	16	41	39
13	Foreign	1,220		3		1		4	1	1	3	12	12
14	Males	659		1				1			2	12	7
15	Females	561		2		1		3	1	1	1		5
16	Unknown	446	8	1		1		10	5	1	12	22	12
17	Males	272	6			1		7	3	1	7	15	9
18	Females	174	2	1				3	2		5	7	3
19	Colored	5,827	819	266	116	62	59	1,322	162	139	375	412	368
20	Males	3,019	455	140	64	35	24	718	83	56	153	209	193
21	Females	2,808	364	126	52	27	35	604	79	83	222	203	175
22	Negro M.	3,019	455	140	64	35	24	718	83	56	153	209	193
	Negro F.	2,808	364	126	52	27	35	604	79	83	222	203	175
	MAINE.												
23	Total	12,031	1,681	285	122	83	59	2,230	167	139	257	345	341
24	Males	6,310	985	150	72	47	34	1,288	83	82	141	186	162
25	Females	5,721	696	135	50	36	25	942	84	57	116	159	179
26	White	12,014	1,678	284	122	83	59	2,226	167	139	257	344	341
27	Males	6,299	983	149	72	47	34	1,285	83	82	141	185	162
28	Females	5,715	695	135	50	36	25	941	84	57	116	159	179
29	Native	10,131	1,666	272	118	81	56	2,193	149	118	226	270	269
30	Males	5,275	975	143	70	47	33	1,268	69	68	123	137	126
31	Females	4,856	691	129	48	34	23	925	80	50	103	133	143
32	Both parents native M.	3,743	510	71	47	22	19	669	43	47	83	95	86
	Both parents native F.	3,563	368	77	26	14	10	495	55	27	70	91	100
33	One or both parents foreign M.	1,082	438	71	23	25	14	571	26	20	33	31	32
	One or both parents foreign F.	892	309	51	22	20	11	413	24	22	28	36	38
34	Parentage unknown M.	450	27	1				28		1	7	11	8
	Parentage unknown F.	401	14	1			2	17	1	1	5	6	5
35	Foreign	1,740	9	11	4	2	3	29	17	21	25	73	66
36	Males	927	5	5	2		1	13	13	14	13	47	30
37	Females	813	4	6	2	2	2	16	4	7	12	26	36
38	Unknown	143	3	1				4	1		6	1	6
39	Males	97	3	1				4	1		5	1	6
40	Females	46									1		
41	Colored	17	3	1				4				1	
42	Males	11	2	1				3				1	
43	Females	6	1					1					
44	Negro M.	8	2					2					
	Negro F.	5	1					1					
45	Indian M.	2		1				1				1	
	Indian F.	1											
46	Chinese M.	1											
	Chinese F.												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,317	1,363	1,144	1,188	1,282	1,253	1,450	1,668	1,704	1,543	1,055	641	224	66	40	356	1
623	688	587	649	710	713	768	870	920	765	528	315	98	26	12	189	2
694	675	557	539	572	540	682	798	784	778	527	326	126	40	28	167	3
997	1,022	869	875	981	997	1,226	1,427	1,500	1,380	940	559	176	37	15	244	4
460	480	435	491	553	569	660	751	797	689	470	282	78	16	4	119	5
537	542	434	384	428	428	566	676	703	691	470	277	98	21	11	125	6
969	964	826	820	910	896	1,056	1,216	1,253	1,146	793	471	150	31	13	160	7
442	441	407	456	501	502	567	637	663	572	404	240	67	13	3	72	8
527	523	419	364	409	394	489	579	590	574	389	231	83	18	10	88	9
352	312	265	320	320	337	392	449	471	384	275	158	40	7	.....	45	10
446	399	323	250	284	294	368	431	429	390	286	150	48	8	4	60	
55	73	65	65	91	52	49	22	25	18	10	10	4	1	.....	1	11
36	44	41	58	52	41	36	30	21	17	13	10	1	.....	.....	1	
35	56	77	71	90	113	126	166	167	170	119	72	23	5	3	26	12
45	80	55	56	73	59	85	118	140	167	90	71	34	10	6	27	
12	32	22	37	46	79	140	178	216	201	123	69	21	5	.....	6	13
9	19	14	23	34	53	77	94	114	95	56	34	9	3	.....	3	14
3	13	8	14	12	26	63	84	102	106	67	35	12	2	.....	3	15
16	26	21	18	25	22	30	33	31	33	24	19	5	1	2	78	16
9	20	14	12	18	14	16	20	20	22	10	8	2	.....	1	44	17
7	6	7	6	7	8	14	13	11	11	14	11	3	1	1	34	18
320	341	275	313	301	256	224	241	204	163	115	82	48	29	25	112	19
163	208	152	158	157	144	108	119	123	76	58	33	20	10	8	70	20
157	133	123	155	144	112	116	122	81	87	57	49	28	19	17	42	21
163	208	152	158	157	144	108	119	123	76	58	33	20	10	8	70	22
157	133	123	155	144	112	116	122	81	87	57	49	28	19	17	42	
338	399	388	433	524	665	791	986	1,106	1,154	952	518	205	50	9	34	23
174	203	192	231	293	357	407	533	546	591	444	246	98	22	2	29	24
164	196	196	202	231	308	384	453	560	563	508	272	107	28	7	5	25
336	399	387	433	523	665	789	984	1,105	1,154	951	517	204	50	9	34	26
173	203	192	231	292	357	406	531	546	591	443	245	98	22	2	29	27
163	196	195	202	231	308	383	453	559	563	508	272	106	28	7	5	28
249	303	282	315	417	538	647	816	912	955	806	440	168	37	7	14	29
119	154	136	164	223	283	336	438	461	488	370	201	82	16	2	11	30
130	149	146	151	194	255	311	378	451	467	436	239	86	21	5	3	31
80	108	84	120	157	221	269	360	374	410	296	161	62	10	2	6	32
94	106	100	111	153	200	249	309	375	372	363	207	65	16	4	1	
27	37	44	29	43	39	30	34	27	20	19	12	5	.....	.....	3	33
30	33	32	30	24	34	30	25	22	38	20	7	5	1	.....	.....	
12	9	8	15	23	23	37	44	60	58	55	28	15	6	.....	2	34
6	10	14	10	17	21	32	44	54	57	53	25	16	4	1	2	
83	86	99	112	99	121	135	159	175	186	138	68	32	10	2	4	35
50	40	51	63	64	71	64	89	77	98	68	40	13	6	.....	3	36
33	46	48	49	35	50	71	70	98	88	70	28	19	4	2	1	37
4	10	6	6	7	6	7	9	18	13	7	9	4	3	.....	16	38
4	9	5	4	5	3	6	4	8	5	5	4	3	.....	.....	15	39
.....	1	1	2	2	3	1	5	10	8	2	5	1	3	.....	1	40
2	.....	1	.....	1	.....	2	2	1	.....	1	1	1	.....	.....	.....	41
1	.....	.....	.....	1	.....	1	2	.....	.....	1	1	.....	.....	.....	.....	42
1	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	43
1	.....	.....	.....	.....	.....	1	2	.....	.....	1	1	.....	.....	.....	.....	44
.....	.....	1	.....	.....	.....	1	.....	1	.....	.....	.....	1	.....	.....	.....	
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MARYLAND.												
1	Total	20,694	4,003	877	342	188	154	5,564	426	328	587	769	860
2	Males	10,911	2,165	468	187	98	87	3,005	222	176	286	391	462
3	Females	9,783	1,838	409	155	90	67	2,559	204	152	301	378	398
4	White	15,147	2,797	589	214	124	104	3,828	278	204	342	454	538
5	Males	8,093	1,518	315	129	70	58	2,090	152	123	177	247	293
6	Females	7,054	1,279	274	85	54	46	1,738	126	81	165	207	245
7	Native	12,524	2,774	588	210	124	103	3,799	271	193	321	409	452
8	Males	6,616	1,508	315	125	70	58	2,076	149	117	162	215	235
9	Females	5,908	1,266	273	85	54	45	1,723	122	76	159	194	217
10	Both parents native M	4,191	1,073	228	98	53	38	1,490	123	85	119	145	150
	Both parents native F	3,886	877	191	67	39	28	1,202	101	57	109	147	153
11	One or both parents foreign M	1,294	257	74	19	15	19	384	22	24	28	49	52
	One or both parents foreign F	1,178	228	73	15	13	13	342	18	16	42	33	43
12	Parentage unknown M	1,131	178	13	8	2	1	202	4	8	15	21	33
	Parentage unknown F	844	161	9	3	2	4	179	3	3	8	14	21
13	Foreign	2,397	6	1	2	.....	1	10	6	9	19	41	76
14	Males	1,304	2	.....	2	.....	.....	4	2	4	13	30	50
15	Females	1,093	4	1	.....	.....	1	6	4	5	6	11	26
16	Unknown	226	17	.....	2	.....	.....	19	1	2	2	4	10
17	Males	173	8	.....	2	.....	.....	10	1	2	2	2	8
18	Females	53	9	.....	.....	.....	.....	9	.....	.....	.....	2	2
19	Colored	5,547	1,206	288	128	64	50	1,736	148	124	245	315	322
20	Males	2,818	647	153	58	28	29	915	70	53	109	144	169
21	Females	2,729	559	135	70	36	21	821	78	71	136	171	153
22	Negro M	2,814	647	153	58	28	29	915	70	53	109	144	169
	Negro F	2,727	559	135	70	36	21	821	77	71	136	170	153
23	Indian M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian F	2	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....
24	Chinese M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Japanese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	MASSACHUSETTS.												
26	Total	53,003	10,412	1,899	732	483	354	13,880	878	605	994	1,486	1,776
27	Males	27,515	5,842	986	380	271	183	7,662	461	303	503	821	886
28	Females	25,488	4,570	913	352	212	171	6,218	417	302	491	665	890
29	White	52,122	10,276	1,851	715	472	343	13,657	860	589	968	1,448	1,718
30	Males	27,027	5,770	959	367	266	176	7,538	451	295	490	800	848
31	Females	25,095	4,506	892	348	206	167	6,119	409	294	478	648	870
32	Native	34,876	10,214	1,792	680	438	318	13,442	801	516	747	903	984
33	Males	18,249	5,739	926	348	240	162	7,415	419	255	371	509	470
34	Females	16,627	4,475	866	332	198	156	6,027	382	261	376	394	514
35	Both parents native M	7,429	1,403	199	71	51	43	1,767	111	74	143	172	187
	Both parents native F	7,432	1,130	199	85	59	46	1,519	112	92	123	148	194
36	One or both parents foreign M	9,162	4,060	708	271	186	119	5,344	302	176	219	324	265
	One or both parents foreign F	7,524	3,114	654	242	135	108	4,253	267	164	249	234	295
37	Parentage unknown M	1,658	276	19	6	3	.....	304	6	5	9	13	18
	Parentage unknown F	1,671	231	13	5	4	2	255	3	5	4	12	25
38	Foreign	16,828	48	54	34	33	23	192	58	71	219	537	717
39	Males	8,477	23	30	18	25	13	109	32	38	117	284	365
40	Females	8,351	25	24	16	8	10	83	26	33	102	253	352
41	Unknown	418	14	5	1	1	2	23	1	2	2	8	17
42	Males	301	8	3	1	1	1	14	.....	2	2	7	13
43	Females	117	6	2	.....	.....	1	9	1	.....	.....	1	4
44	Colored	881	136	48	17	11	11	223	18	16	26	38	58
45	Males	488	72	27	13	5	7	124	10	8	13	21	38
46	Females	393	64	21	4	6	4	99	8	8	13	17	20
47	Negro M	452	70	27	12	5	7	121	9	8	12	20	36
	Negro F	389	64	21	4	6	4	99	8	8	13	17	20
48	Indian M	10	2	.....	1	.....	.....	3	.....	.....	.....	.....	.....
	Indian F	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
49	Chinese M	26	.....	.....	.....	.....	.....	.....	1	.....	1	1	2
	Chinese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATE; AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
790	869	862	925	1,093	1,034	1,256	1,308	1,356	1,139	838	417	148	41	15	69	1
429	479	458	519	598	578	671	704	705	531	384	199	47	14	6	47	2
361	390	404	406	495	456	585	604	651	608	454	218	101	27	9	22	3
538	599	584	669	784	804	1,012	1,115	1,120	987	746	360	122	26	3	34	4
304	341	321	389	449	459	544	587	575	457	337	172	40	8	2	26	5
234	258	263	280	335	345	468	528	545	530	409	188	82	18	1	8	6
437	490	460	521	607	631	776	796	803	699	507	237	87	12	2	14	7
240	271	240	288	327	358	416	427	415	316	221	103	28	3	1	8	8
197	219	220	233	280	273	360	369	388	383	286	134	59	9	1	6	9
145	142	119	139	154	194	246	250	277	190	139	67	13	1	.....	3	10
134	136	114	118	140	149	235	243	232	273	203	97	32	6	.....	5	
66	78	73	101	96	80	81	56	45	24	18	9	4	2	1	1	11
50	41	67	82	88	78	72	52	74	36	24	13	5	2	.....	.....	
29	51	48	48	77	84	89	121	93	102	64	27	11	.....	.....	4	12
13	42	39	33	52	46	53	74	82	74	59	24	22	1	1	1	
87	90	106	131	158	161	220	301	305	274	230	121	33	14	1	4	13
52	53	66	86	105	91	116	147	156	130	112	67	11	5	1	3	14
35	37	40	45	53	70	104	154	149	144	118	54	22	9	.....	1	15
14	19	18	17	19	12	16	18	12	14	9	2	2	.....	.....	16	16
12	17	15	15	17	10	12	13	4	11	4	2	1	.....	.....	15	17
2	2	3	2	2	2	4	5	8	3	5	.....	1	.....	.....	1	18
252	270	278	256	309	230	244	193	236	152	92	57	26	15	12	35	19
125	138	137	130	149	119	127	117	130	74	47	27	7	6	4	21	20
127	132	141	126	160	111	117	76	106	78	45	30	19	9	8	14	21
123	138	137	129	149	118	127	117	130	74	47	27	7	6	4	21	22
127	132	141	126	160	111	117	76	106	78	45	30	19	9	8	14	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
1,852	2,236	2,350	2,417	2,745	2,914	3,518	3,813	3,728	3,248	2,518	1,363	524	103	18	37	26
991	1,243	1,292	1,318	1,499	1,513	1,841	1,962	1,837	1,516	1,068	543	190	27	8	31	27
861	993	1,058	1,099	1,246	1,401	1,677	1,851	1,891	1,732	1,450	820	334	76	10	6	28
1,803	2,173	2,300	2,361	2,688	2,865	3,465	3,779	3,694	3,227	2,498	1,353	522	100	18	36	29
970	1,202	1,265	1,289	1,462	1,490	1,812	1,944	1,815	1,505	1,060	538	188	27	8	30	30
833	971	1,035	1,072	1,226	1,375	1,653	1,835	1,879	1,722	1,438	815	334	73	10	6	31
969	1,146	1,098	1,087	1,363	1,498	1,696	1,812	1,932	1,849	1,665	924	367	66	8	3	32
527	623	568	585	758	805	915	975	972	865	709	366	124	13	2	3	33
442	523	530	502	605	693	781	837	960	984	956	558	243	53	6	.....	34
176	180	192	220	308	413	586	679	714	629	518	260	88	9	2	1	35
166	192	212	216	268	371	495	561	691	726	721	417	166	36	6	.....	
325	401	342	318	371	285	201	120	78	47	26	13	4	.....	.....	1	36
250	283	278	235	269	230	155	130	84	67	45	23	12	1	.....	.....	
26	42	34	47	79	107	128	176	180	189	165	93	32	4	.....	1	37
26	48	40	51	68	92	131	146	185	191	190	118	65	16	.....	.....	
815	986	1,166	1,236	1,277	1,339	1,745	1,937	1,739	1,355	817	422	154	34	10	2	38
429	548	666	675	667	667	878	952	829	628	342	167	64	14	6	.....	39
386	438	500	561	610	672	867	985	910	727	475	255	90	20	4	2	40
19	41	36	38	48	28	24	30	23	23	16	7	1	.....	.....	31	41
14	31	31	29	37	18	19	17	14	12	9	5	.....	.....	.....	27	42
5	10	5	9	11	10	5	13	9	11	7	2	1	.....	.....	4	43
49	63	50	56	57	49	53	34	34	21	20	10	2	3	.....	1	44
21	41	27	29	37	23	29	18	22	11	8	5	2	.....	.....	1	45
28	22	23	27	20	26	24	16	12	10	12	5	.....	3	.....	.....	46
19	36	26	22	33	21	25	17	20	11	8	5	2	.....	.....	1	47
28	22	23	27	20	26	23	15	12	9	12	4	.....	3	.....	.....	
.....	1	.....	.....	1	1	1	1	2	.....	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	.....	.....	.....	1	1	.....	1	.....	1	.....	.....	.....	.....	
2	4	1	7	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	49

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MICHIGAN.												
1	Total	37,993	7,065	1,142	518	341	259	9,325	838	624	899	1,343	1,378
2	Males	20,855	4,072	603	273	169	139	5,256	450	348	504	671	703
3	Females	17,138	2,993	539	245	172	120	4,069	388	276	395	672	675
4	White	37,417	6,979	1,122	512	335	256	9,204	818	601	870	1,313	1,348
5	Males	20,525	4,020	591	268	167	139	5,185	441	334	491	653	686
6	Females	16,892	2,959	531	244	168	117	4,019	377	267	379	660	662
7	Native	26,171	6,927	1,092	488	322	245	9,074	776	560	782	1,036	953
8	Males	13,982	3,991	576	255	161	130	5,113	410	306	428	486	447
9	Females	12,189	2,936	516	233	161	115	3,961	366	254	354	550	506
10	Both parents native M	7,033	2,015	281	130	74	65	2,565	227	160	191	199	197
	Both parents native F	6,240	1,521	229	118	80	55	2,003	185	113	179	252	215
11	One or both parents foreign M	5,165	1,849	292	124	86	65	2,416	177	143	227	268	224
	One or both parents foreign F	4,472	1,307	284	114	79	59	1,843	178	134	163	268	259
12	Parentage unknown M	1,784	127	3	1	1	.....	132	6	3	10	19	26
	Parentage unknown F	1,477	108	3	1	2	1	115	3	7	12	30	32
13	Foreign	10,753	25	27	23	13	11	99	41	38	86	236	371
14	Males	6,168	14	13	13	6	9	55	31	25	61	158	220
15	Females	4,585	11	14	10	7	2	44	10	13	25	108	151
16	Unknown	493	27	3	1	.....	.....	31	1	3	2	11	24
17	Males	375	15	2	.....	.....	.....	17	.....	3	2	9	19
18	Females	118	12	1	1	.....	.....	14	1	.....	.....	2	5
19	Colored	576	86	20	6	6	3	121	20	23	29	30	30
20	Males	330	52	12	5	2	.....	71	9	14	13	18	17
21	Females	246	34	8	1	4	3	50	11	9	16	12	13
22	Negro M	240	35	8	2	1	.....	46	3	3	9	13	10
	Negro F	159	18	3	1	2	1	25	7	1	7	4	9
23	Indian M	90	17	4	3	1	.....	25	6	11	4	5	7
	Indian F	86	15	5	.....	2	2	24	4	8	9	8	4
24	Chinese M	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese F	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	MINNESOTA.												
25	Total	21,988	3,899	615	276	229	143	5,162	550	435	726	978	994
26	Males	12,578	2,210	343	149	127	80	2,909	297	223	386	544	570
27	Females	9,410	1,689	272	127	102	63	2,253	253	212	340	434	424
28	White	21,662	3,849	595	273	221	142	5,080	542	427	710	958	975
29	Males	12,412	2,187	336	148	122	80	2,873	292	220	378	533	559
30	Females	9,250	1,662	259	125	99	62	2,207	250	207	332	425	416
31	Native	12,460	3,833	585	270	214	135	5,037	514	407	650	694	662
32	Males	6,842	2,179	333	146	117	74	2,849	280	209	342	350	336
33	Females	5,618	1,654	252	124	97	61	2,188	234	198	308	344	326
34	Both parents native M	2,606	988	140	68	47	30	1,273	118	64	100	78	81
	Both parents native F	2,160	702	98	57	47	25	929	98	62	81	74	83
35	One or both parents foreign M	3,608	1,095	186	73	67	43	1,464	157	140	239	259	238
	One or both parents foreign F	2,988	890	150	64	47	36	1,187	130	127	220	259	228
36	Parentage unknown M	628	96	7	5	3	1	112	5	5	3	13	17
	Parentage unknown F	470	62	4	3	3	.....	72	6	9	7	11	15
37	Foreign	8,820	10	9	3	5	7	34	28	19	59	244	285
38	Males	5,232	5	2	2	3	6	18	12	11	36	166	195
39	Females	3,588	5	7	1	2	1	16	16	8	23	78	90
40	Unknown	382	6	1	.....	2	.....	9	.....	1	1	20	28
41	Males	338	3	1	.....	2	.....	6	.....	.....	.....	17	28
42	Females	44	3	.....	.....	.....	.....	3	.....	1	1	3	.....
43	Colored	326	50	20	3	8	1	82	8	8	16	20	19
44	Males	166	23	7	1	5	.....	36	5	3	8	11	11
45	Females	160	27	13	2	3	1	46	3	5	8	9	8
46	Negro M	73	8	.....	1	2	.....	11	1	.....	1	5	7
	Negro F	57	7	1	1	.....	.....	9	1	1	1	4	5
47	Indian M	89	15	6	.....	3	.....	24	4	3	7	6	4
	Indian F	102	19	12	1	3	1	36	2	4	7	5	3
48	Chinese M	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese F	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
49	Japanese M	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....
	Japanese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,273	1,294	1,259	1,523	1,821	1,890	2,262	2,696	3,031	2,768	2,106	1,130	396	66	18	53	1
636	656	696	845	1,034	1,080	1,285	1,498	1,650	1,534	1,133	594	203	31	5	43	2
637	638	563	678	787	810	977	1,198	1,381	1,234	973	536	193	35	13	10	3
1,247	1,260	1,230	1,487	1,788	1,858	2,244	2,661	3,001	2,760	2,093	1,120	387	64	13	50	4
620	637	679	825	1,014	1,060	1,272	1,479	1,628	1,530	1,129	590	199	30	2	41	5
627	623	551	662	774	798	972	1,182	1,373	1,230	964	530	188	34	11	9	6
861	845	748	846	1,038	1,088	1,222	1,435	1,628	1,424	1,069	559	190	27	5	5	7
402	393	385	414	563	604	667	808	860	770	537	282	93	10	2	2	8
459	452	363	432	475	484	555	627	768	654	532	277	97	17	3	3	9
161	179	160	173	248	305	409	427	474	449	298	155	52	3	.....	1	10
191	192	172	199	223	253	330	369	459	379	302	159	55	8	1	1	
204	180	183	165	200	169	112	166	147	85	57	31	9	2	.....	.....	11
229	221	145	174	172	151	127	103	123	80	63	29	6	2	.....	2	
37	34	42	76	115	130	146	215	239	236	182	96	32	5	2	1	12
39	39	46	59	80	80	98	155	186	195	167	89	36	7	2	.....	
375	390	456	605	693	746	972	1,183	1,332	1,304	1,000	547.	192	37	8	12	13
208	221	272	379	402	436	562	640	742	743	578	302	103	20	.....	10	14
167	169	184	226	291	310	410	543	590	561	422	245	89	17	8	2	15
11	25	26	36	57	24	50	43	41	32	24	14	5	.....	.....	33	16
10	23	22	32	49	20	43	31	26	17	14	6	3	.....	.....	29	17
1	2	4	4	8	4	7	12	15	15	10	8	2	.....	.....	4	18
26	34	29	36	33	32	18	35	30	8	13	10	9	2	5	3	19
16	19	17	20	20	20	13	19	22	4	4	4	4	1	3	2	20
10	15	12	16	13	12	5	16	8	4	9	6	5	1	2	1	21
13	17	12	18	17	18	12	18	18	2	3	2	3	.....	1	2	22
9	14	10	15	11	9	5	10	5	3	6	5	3	.....	1	.....	
3	2	5	2	3	2	1	1	4	2	1	2	1	1	2	.....	23
1	1	2	1	2	3	.....	6	3	1	3	1	2	1	1	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
934	884	891	1,013	1,111	1,056	1,130	1,307	1,314	1,419	1,099	643	236	36	14	56	25
552	509	521	606	679	660	680	779	774	767	613	335	116	13	6	39	26
382	375	370	407	432	396	450	528	540	652	486	308	120	23	8	17	27
923	864	867	996	1,099	1,050	1,121	1,295	1,310	1,415	1,093	639	232	35	11	20	28
544	499	509	596	673	656	674	773	771	766	610	333	115	13	5	20	29
379	365	358	400	426	394	447	522	539	649	483	306	117	22	6	.....	30
545	485	406	400	448	397	316	343	315	363	275	140	53	6	1	3	31
294	251	231	229	258	241	177	186	169	186	151	72	26	2	.....	3	32
251	234	175	171	190	156	139	157	146	177	124	68	27	4	1	.....	33
65	60	45	59	78	82	75	88	97	107	80	40	15	1	.....	.....	34
67	58	48	50	65	73	67	86	88	108	68	37	16	1	1	.....	
204	164	153	140	140	118	55	45	31	27	23	8	2	.....	.....	1	35
168	159	108	100	101	65	39	36	18	24	13	5	1	.....	.....	.....	
25	27	33	30	40	41	47	53	41	52	48	24	9	1	.....	2	36
16	17	19	21	24	18	33	35	40	45	43	26	10	3	.....	.....	
351	341	425	563	598	626	776	925	975	1,045	811	496	179	28	10	2	37
225	214	244	337	366	388	476	567	585	574	454	258	89	10	5	2	38
126	127	181	226	232	238	300	358	390	471	357	238	90	18	5	.....	39
27	38	36	33	53	27	29	27	20	7	7	3	.....	1	.....	15	40
25	34	34	30	49	27	21	20	17	6	5	3	.....	1	.....	15	41
2	4	2	3	4	.....	8	7	3	1	2	.....	.....	.....	.....	.....	42
11	20	24	17	12	6	9	12	4	4	6	4	4	1	3	36	43
8	10	12	10	6	4	6	6	3	1	3	2	1	.....	1	19	44
3	10	12	7	6	2	3	6	1	3	3	2	3	1	2	17	45
5	8	8	8	5	.....	5	4	2	1	1	1	.....	.....	.....	.....	46
1	8	9	3	5	2	2	4	.....	2	.....	.....	.....	.....	.....	.....	
2	2	3	2	.....	4	1	2	1	.....	2	1	1	.....	1	19	47
2	2	3	4	1	.....	1	2	1	1	3	2	3	1	2	17	
1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MISSOURI.												
1	Total	43,434	7,150	1,761	845	548	382	10,686	1,059	736	1,307	1,835	1,851
2	Males	23,706	4,035	886	422	289	218	5,850	554	393	643	903	926
3	Females	19,728	3,115	875	423	259	164	4,836	505	343	664	932	925
4	White	39,794	6,669	1,645	790	519	355	9,978	994	656	1,142	1,595	1,567
5	Males	21,743	3,758	830	399	273	201	5,461	525	359	567	780	773
6	Females	18,051	2,911	815	391	246	154	4,517	469	297	575	815	794
7	Native	33,192	6,638	1,634	778	514	352	9,916	977	642	1,093	1,492	1,423
8	Males	17,708	3,744	824	393	271	200	5,432	513	351	536	705	676
9	Females	15,484	2,894	810	385	243	152	4,484	464	291	557	787	747
10	Both parents native M	11,589	3,110	704	337	224	169	4,544	423	281	401	499	436
	Both parents native F	10,465	2,389	683	317	213	127	3,729	401	239	420	562	489
11	One or both parents foreign M	3,145	428	95	42	39	27	631	76	57	102	137	175
	One or both parents foreign F	2,404	344	96	55	26	23	544	52	38	90	137	147
12	Parentage unknown M	2,974	206	25	14	8	4	257	14	13	33	69	65
	Parentage unknown F	2,615	161	31	13	4	2	211	11	14	47	88	111
13	Foreign	5,712	9	8	8	5	2	32	15	11	40	79	110
14	Males	3,379	4	5	5	2		16	10	5	25	55	71
15	Females	2,333	5	3	3	3	2	16	5	6	15	24	39
16	Unknown	890	22	3	4		1	30	2	3	9	24	34
17	Males	656	10	1	1		1	13	2	3	6	20	26
18	Females	234	12	2	3			17			3	4	8
19	Colored	3,640	481	116	55	29	27	708	65	80	165	240	284
20	Males	1,963	277	56	23	16	17	389	29	34	76	123	153
21	Females	1,677	204	60	32	13	10	319	36	46	89	117	131
22	Negro M	1,948	276	55	23	16	17	387	29	34	76	122	152
	Negro F	1,677	204	60	32	13	10	319	36	46	89	117	131
23	Indian M	8	1	1				2					
	Indian F												
24	Chinese M	6										1	
	Chinese F												
25	Japanese M	1											1
	Japanese F												
	MONTANA.												
26	Total	4,009	717	118	66	55	35	991	111	87	113	192	241
27	Males	2,629	400	68	34	32	23	557	61	41	59	120	159
28	Females	1,380	317	50	32	23	12	434	50	46	54	72	82
29	White	3,658	661	97	53	42	28	881	98	74	99	170	231
30	Males	2,437	369	53	26	24	19	491	53	36	54	107	155
31	Females	1,221	292	44	27	18	9	390	45	38	45	63	76
32	Native	2,367	659	94	53	39	28	873	94	71	87	111	137
33	Males	1,448	367	51	26	21	19	484	50	35	44	68	87
34	Females	919	292	43	27	18	9	389	44	36	43	43	50
35	Both parents native M	634	215	27	15	10	8	275	27	14	21	25	39
	Both parents native F	422	144	22	14	9	3	192	19	16	24	21	26
36	One or both parents foreign M	544	143	22	11	11	11	198	22	18	22	35	32
	One or both parents foreign F	377	140	20	11	9	5	185	24	19	16	16	17
37	Parentage unknown M	270	9	2				11	1	3	1	8	16
	Parentage unknown F	120	8	1	2		1	12	1	1	3	6	7
38	Foreign	1,085	1	2		3		6	3	3	8	48	85
39	Males	802	1	1		3		5	2	1	6	31	60
40	Females	283		1				1	1	2	2	17	25
41	Unknown	206	1	1				2	1		4	11	9
42	Males	187	1	1				2	1		4	8	8
43	Females	19										3	1
44	Colored	351	56	21	13	13	7	110	13	13	14	22	10
45	Males	192	31	15	8	8	4	66	8	5	5	13	4
46	Females	159	25	6	5	5	3	44	5	8	9	9	6
47	Negro M	32	3	1	1			5			1		2
	Negro F	17	1					1	1		2		2
48	Indian M	138	28	14	7	8	4	61	8	5	4	11	2
	Indian F	138	23	6	5	5	3	42	4	8	7	9	4
49	Chinese M	14										1	
	Chinese F	4	1					1					
50	Japanese M	8										1	
	Japanese F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,803	1,920	1,833	1,961	2,220	2,239	2,394	2,777	2,883	2,501	1,866	948	314	68	26	207	1
948	1,062	1,043	1,154	1,328	1,333	1,386	1,538	1,563	1,368	948	448	135	30	11	142	2
855	858	790	807	892	906	1,008	1,239	1,320	1,133	918	500	179	38	15	65	3
1,544	1,654	1,628	1,733	2,019	2,047	2,245	2,626	2,747	2,411	1,791	901	282	52	8	174	4
804	910	922	1,019	1,209	1,221	1,306	1,450	1,498	1,328	915	425	122	22	3	124	5
740	744	706	714	810	826	939	1,176	1,249	1,083	876	476	160	30	5	50	6
1,348	1,436	1,345	1,348	1,578	1,563	1,619	1,814	1,875	1,658	1,168	581	193	38	6	79	7
679	766	724	742	900	915	909	971	1,015	898	575	260	82	15	2	42	8
669	670	621	606	678	648	710	843	860	760	593	321	111	23	4	37	9
388	381	356	337	445	490	483	549	576	511	296	127	39	6	1	20	10
433	415	356	305	347	360	401	474	509	452	329	152	56	12	1	23	
216	271	245	267	253	196	152	110	87	73	56	26	13	.....	.....	2	11
141	164	152	181	204	129	115	106	66	55	39	30	11	1	.....	2	
75	114	123	138	202	229	274	312	352	314	223	107	30	9	1	20	12
95	91	113	120	127	159	194	263	285	253	225	139	44	10	3	12	
136	165	211	329	358	420	555	742	815	697	579	309	84	12	2	11	13
84	101	149	233	239	255	340	427	444	397	320	157	36	5	1	9	14
52	64	62	96	119	165	215	315	371	300	259	152	48	7	1	2	15
60	53	72	56	83	64	71	70	57	56	44	11	5	2	.....	84	16
41	43	49	44	70	51	57	52	39	33	20	8	4	2	.....	73	17
19	10	23	12	13	13	14	18	18	23	24	3	1	.....	.....	11	18
259	266	205	228	201	192	149	151	136	90	75	47	32	16	18	33	19
144	152	121	135	119	112	80	88	65	40	33	23	13	8	8	18	20
115	114	84	93	82	80	69	63	71	50	42	24	19	8	10	15	21
143	149	119	134	119	111	79	86	65	40	33	23	13	8	8	18	22
115	114	84	93	82	80	69	63	71	50	42	24	19	8	10	15	
.....	3	2	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	23
1	.....	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
234	267	251	260	246	209	181	156	166	144	98	36	15	2	.....	9	26
165	182	193	209	190	145	129	95	120	99	61	27	9	1	.....	7	27
69	85	58	51	56	64	52	61	46	45	37	9	6	1	.....	2	28
219	256	234	241	226	198	161	143	148	137	90	33	13	1	.....	5	29
156	175	181	200	178	140	118	89	112	94	57	27	9	1	.....	4	30
63	81	53	41	48	58	43	54	36	43	33	6	4	.....	.....	1	31
116	134	100	93	102	99	77	64	69	70	45	17	5	.....	.....	3	32
72	85	67	76	78	63	52	38	53	48	30	13	3	.....	.....	2	33
44	49	33	17	24	36	25	26	16	22	15	4	2	.....	.....	1	34
23	25	23	19	22	20	16	14	23	26	16	5	1	.....	.....	.....	35
16	17	9	3	7	13	17	13	7	10	9	2	.....	.....	.....	1	
32	38	29	33	27	22	12	5	11	3	2	2	1	.....	.....	.....	36
16	20	16	10	12	14	4	3	2	1	.....	1	1	.....	.....	.....	
17	22	15	24	29	21	24	19	19	19	12	6	1	.....	.....	2	37
12	12	8	4	5	9	4	10	7	11	6	1	1	.....	.....	.....	
80	98	109	127	100	86	70	64	75	63	37	16	6	1	.....	.....	38
63	69	91	104	78	64	55	37	55	42	20	14	4	1	.....	.....	39
17	29	18	23	22	22	15	27	20	21	17	2	2	.....	.....	.....	40
23	24	25	21	24	13	14	15	4	4	8	.....	2	.....	.....	2	41
21	21	23	20	22	13	11	14	4	4	7	.....	2	.....	.....	2	42
2	3	2	1	2	.....	3	1	.....	.....	1	.....	.....	.....	.....	.....	43
15	11	17	19	20	11	20	13	18	7	8	3	2	1	.....	4	44
9	7	12	9	12	5	11	6	8	5	4	.....	.....	.....	.....	3	45
6	4	5	10	8	6	9	7	10	2	4	3	2	1	.....	1	46
3	4	3	2	3	2	1	2	3	.....	.....	.....	.....	.....	.....	1	47
3	1	1	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	
4	3	5	2	6	1	9	2	5	5	3	.....	.....	.....	.....	2	48
3	3	3	8	7	3	9	6	10	2	4	3	2	1	.....	.....	
1	.....	1	2	3	2	1	2	.....	.....	1	.....	.....	.....	.....	.....	49
.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
1	.....	3	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW HAMPSHIRE.												
1	Total	7,391	1,260	223	78	45	31	1,637	121	86	139	172	180
2	Males	3,821	678	108	39	20	16	861	63	43	75	91	78
3	Females	3,570	582	115	39	25	15	776	58	43	64	81	102
4	White	7,380	1,257	223	78	45	31	1,634	120	86	139	170	179
5	Males	3,814	677	108	39	20	16	860	62	43	75	89	78
6	Females	3,566	580	115	39	25	15	774	58	43	64	81	101
7	Native	5,784	1,238	211	67	39	26	1,581	101	78	106	113	113
8	Males	2,965	665	103	32	17	15	832	50	39	54	63	45
9	Females	2,819	573	108	35	22	11	749	51	39	52	50	68
10	Both parents native M	1,487	215	32	6	7	7	267	14	20	27	32	23
	Both parents native F	1,442	190	34	10	7	6	247	22	14	14	23	33
11	One or both parents foreign M	800	426	69	23	9	8	535	33	18	23	23	16
	One or both parents foreign F	761	359	72	24	14	5	474	27	24	32	20	29
12	Parentage unknown M	678	24	2	3	1	.....	30	3	1	4	8	6
	Parentage unknown F	616	24	2	1	1	.....	28	2	1	6	7	6
13	Foreign	1,365	17	10	10	5	4	46	15	7	31	54	59
14	Males	707	11	5	6	3	1	26	10	4	19	24	28
15	Females	658	6	5	4	2	3	20	5	3	12	30	31
16	Unknown	231	2	2	1	1	1	7	4	1	2	3	7
17	Males	142	1	.....	1	.....	.....	2	2	.....	2	2	5
18	Females	89	1	2	.....	1	1	5	2	1	.....	1	2
19	Colored	11	3	.....	.....	.....	.....	3	1	.....	.....	2	1
20	Males	7	1	.....	.....	.....	.....	1	1	.....	.....	2	.....
21	Females	4	2	.....	.....	.....	.....	2	.....	.....	.....	.....	1
22	Negro M	7	1	.....	.....	.....	.....	1	1	.....	.....	2	.....
	Negro F	4	2	.....	.....	.....	.....	2	.....	.....	.....	.....	1
	NEW JERSEY.												
23	Total	38,617	7,678	1,658	671	433	341	10,781	882	501	812	1,350	1,434
24	Males	20,811	4,305	873	375	226	166	5,945	461	251	428	742	779
25	Females	17,806	3,373	785	296	207	175	4,836	421	250	384	608	655
26	White	36,636	7,285	1,567	628	409	323	10,212	832	461	742	1,251	1,318
27	Males	19,760	4,093	820	347	214	158	5,632	430	234	389	698	718
28	Females	16,876	3,192	747	281	195	165	4,580	402	227	353	553	600
29	Native	25,783	7,245	1,531	607	401	307	10,091	772	419	578	847	840
30	Males	13,756	4,068	801	333	211	149	5,562	395	207	295	452	457
31	Females	12,027	3,177	730	274	190	158	4,529	377	212	283	395	383
32	Both parents native M	6,647	1,606	236	133	77	62	2,114	187	103	129	227	208
	Both parents native F	6,304	1,241	244	100	86	78	1,749	168	93	125	205	196
33	One or both parents foreign M	6,122	2,368	558	197	131	85	3,339	202	98	156	205	227
	One or both parents foreign F	4,988	1,859	474	167	103	77	2,680	201	114	145	172	171
34	Parentage unknown M	987	94	7	3	3	2	109	6	6	10	20	22
	Parentage unknown F	735	77	12	7	1	3	100	8	5	13	18	16
35	Foreign	10,478	30	34	20	8	16	108	60	41	158	394	461
36	Males	5,705	18	18	13	3	9	61	35	26	91	239	248
37	Females	4,773	12	16	7	5	7	47	25	15	67	155	213
38	Unknown	375	10	2	1	.....	.....	13	.....	1	6	10	17
39	Males	299	7	1	1	.....	.....	9	.....	1	3	7	13
40	Females	76	3	1	.....	.....	.....	4	.....	.....	3	3	4
41	Colored	1,981	393	91	43	24	18	569	50	40	70	99	116
42	Males	1,051	212	53	28	12	8	313	31	17	39	44	61
43	Females	930	181	38	15	12	10	256	19	23	31	55	55
44	Negro M	1,043	212	53	28	12	8	313	31	17	39	44	58
	Negro F	929	180	38	15	12	10	255	19	23	31	55	55
45	Indian M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Indian F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
46	Chinese M	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Chinese F	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
47	Japanese M	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Japanese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
203	220	256	278	350	395	451	545	611	679	527	328	136	25	6	46	1
102	122	120	136	184	221	250	289	316	355	271	153	50	9	1	31	2
101	98	136	142	166	174	201	256	295	324	256	175	86	16	5	15	3
203	219	256	278	349	395	450	545	611	679	527	327	136	25	6	46	4
102	121	120	136	184	221	249	289	316	355	271	152	50	9	1	31	5
101	98	136	142	165	174	201	256	295	324	256	175	86	16	5	15	6
129	132	171	171	239	286	319	374	479	548	410	282	116	19	5	12	7
64	66	78	77	125	157	174	201	244	289	216	134	44	7	1	5	8
65	66	93	94	114	129	145	173	235	259	194	148	72	12	4	7	9
37	27	44	48	72	98	104	123	143	184	128	69	22	4	----	1	10
32	43	53	53	66	74	83	114	151	153	126	93	42	2	2	2	
21	25	16	15	17	20	11	7	4	5	6	1	2	----	----	2	11
18	17	23	13	25	12	15	5	6	7	4	4	2	2	----	2	
6	14	18	14	36	39	59	71	97	100	82	64	20	3	1	2	12
15	6	17	28	23	43	47	54	78	99	64	51	28	8	2	3	
68	81	81	92	90	97	116	149	110	107	92	37	17	5	1	10	13
34	51	39	49	45	57	64	73	57	56	39	18	6	1	----	7	14
34	30	42	43	45	40	52	76	53	51	53	19	11	4	1	3	15
6	6	4	15	20	12	15	22	22	24	25	8	3	1	----	24	16
4	4	3	10	14	7	11	15	15	10	16	----	----	1	----	19	17
2	2	1	5	6	5	4	7	7	14	9	8	3	----	----	5	18
----	1	----	----	1	----	1	----	----	----	----	1	----	----	----	----	19
----	1	----	----	----	----	1	----	----	----	----	1	----	----	----	----	20
----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	21
----	1	----	----	----	----	1	----	----	----	----	1	----	----	----	----	22
----	----	----	----	1	----	----	----	----	----	----	----	----	----	----	----	
1,529	1,897	1,765	1,833	2,042	2,072	2,341	2,543	2,409	2,005	1,413	695	241	53	8	11	23
885	1,120	1,066	1,080	1,181	1,127	1,272	1,311	1,191	957	607	282	105	10	2	9	24
644	777	699	753	861	945	1,069	1,232	1,218	1,048	806	413	136	43	6	2	25
1,424	1,766	1,661	1,733	1,914	1,972	2,232	2,454	2,353	1,959	1,379	674	230	51	7	11	26
823	1,055	1,006	1,028	1,110	1,071	1,212	1,268	1,162	935	593	276	100	9	2	9	27
601	711	655	705	804	901	1,020	1,186	1,191	1,024	786	398	130	42	5	2	28
894	1,091	927	898	1,024	1,052	1,109	1,279	1,280	1,175	861	441	154	42	6	3	29
509	633	533	505	560	570	603	653	632	567	368	180	67	6	1	1	30
385	458	394	393	464	482	506	626	648	608	493	261	87	36	5	2	31
206	243	208	203	256	316	401	460	469	435	284	145	47	6	----	----	32
166	217	196	176	226	298	342	459	496	484	376	227	71	31	3	----	
272	355	268	250	231	179	116	85	63	40	24	9	1	----	1	1	33
191	208	172	182	197	141	108	95	86	57	52	11	2	2	----	1	
31	35	57	52	73	75	86	108	100	92	60	26	19	----	----	----	34
28	33	26	35	41	43	56	72	66	67	65	23	14	3	2	1	
511	635	689	801	846	891	1,093	1,153	1,044	771	506	231	75	8	1	1	35
299	385	431	494	510	480	585	600	509	360	220	95	32	3	1	1	36
212	250	258	307	336	411	508	553	535	411	286	136	43	5	----	----	37
19	40	45	34	44	29	30	22	29	13	12	2	1	1	----	7	38
15	37	42	29	40	21	24	15	21	8	5	1	1	----	----	7	39
4	3	3	5	4	8	6	7	8	5	7	1	----	1	----	----	40
105	131	104	100	128	100	109	89	56	46	34	21	11	2	1	----	41
62	65	60	52	71	56	60	43	29	22	14	6	5	1	----	----	42
43	66	44	48	57	44	49	46	27	24	20	15	6	1	1	----	43
62	65	58	51	70	56	59	43	29	22	14	6	5	1	----	----	44
43	66	44	48	57	44	49	46	27	24	20	15	6	1	1	----	
----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	45
----	----	1	1	1	----	1	----	----	----	----	----	----	----	----	----	46
----	----	1	----	----	----	----	----	----	----	----	----	----	----	----	----	47

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW YORK.												
1	Total	145,654	25,407	5,623	2,471	1,515	1,038	36,054	2,939	1,809	3,079	4,833	5,439
2	Males	78,368	14,039	2,993	1,320	776	536	19,664	1,577	963	1,634	2,562	2,999
3	Females	67,286	11,368	2,630	1,151	739	502	16,390	1,362	846	1,445	2,271	2,440
4	White	142,024	24,722	5,455	2,407	1,475	1,012	35,071	2,881	1,764	2,960	4,611	5,170
5	Males	76,436	13,671	2,901	1,284	754	526	19,136	1,552	949	1,577	2,462	2,851
6	Females	65,538	11,051	2,554	1,123	721	486	15,935	1,329	815	1,383	2,149	2,319
7	Native	94,986	24,558	5,265	2,283	1,404	958	34,468	2,649	1,534	2,258	2,988	3,169
8	Males	51,022	13,575	2,796	1,215	717	495	18,798	1,420	837	1,215	1,551	1,716
9	Females	43,964	10,983	2,469	1,068	687	463	15,670	1,229	697	1,043	1,437	1,453
10	Both parents M.	21,940	4,862	748	407	223	194	6,434	580	391	548	670	702
	Both parents F.	20,411	3,854	695	325	234	151	5,259	528	334	489	716	691
11	One or both parents foreign M.	24,841	7,820	2,003	782	478	295	11,378	818	431	621	821	942
	One or both parents foreign F.	20,192	6,313	1,731	733	439	308	9,524	695	355	535	678	701
12	Parentage unknown M.	4,241	893	45	26	16	6	986	22	15	46	60	72
	Parentage unknown F.	3,361	816	43	10	14	4	887	6	8	19	43	61
13	Foreign	45,743	102	125	88	62	52	429	224	227	682	1,575	1,939
14	Males	24,486	61	72	42	32	29	236	129	110	348	873	1,083
15	Females	21,257	41	53	46	30	23	193	95	117	334	702	856
16	Unknown	1,295	62	65	36	9	2	174	8	3	20	48	62
17	Males	978	35	33	27	5	2	102	3	2	14	38	52
18	Females	317	27	32	9	4		72	5	1	6	10	10
19	Colored	3,630	685	168	64	40	26	983	58	45	119	222	269
20	Males	1,882	368	92	36	22	10	528	25	14	57	100	148
21	Females	1,748	317	76	28	18	16	455	33	31	62	122	121
22	Negro M.	1,742	355	92	35	22	9	513	24	14	54	90	132
	Negro F.	1,705	309	71	28	16	14	438	33	30	58	121	120
23	Indian M.	46	11		1		1	13	1		3	4	2
	Indian F.	38	7	5		1	2	15		1	4	1	1
24	Chinese M.	76										5	9
	Chinese F.	1	1					1					
25	Japanese M.	18	2					2				1	5
	Japanese F.	4				1		1					
	NORTH CAROLINA.[1]												
26	Total	6,859	1,313	522	186	91	58	2,170	165	122	276	432	371
27	Males	3,360	702	253	88	43	29	1,115	84	50	119	187	183
28	Females	3,499	611	269	98	48	29	1,055	81	72	157	245	188
29	White	3,519	656	260	73	46	22	1,057	75	50	112	181	167
30	Males	1,778	357	122	31	27	13	550	42	19	53	71	90
31	Females	1,741	299	138	42	19	9	507	33	31	59	110	77
32	Native	3,381	653	259	73	46	22	1,053	75	49	111	174	162
33	Males	1,682	356	122	31	27	13	549	42	19	53	65	86
34	Females	1,699	297	137	42	19	9	504	33	30	58	109	76
35	Both parents native M.	1,416	333	118	31	27	13	522	39	17	48	58	77
	Both parents native F.	1,394	276	130	42	17	7	472	27	28	56	93	61
36	One or both parents foreign M.	51	6	4				10	1		3	1	1
	One or both parents foreign F.	54	6	3		1		10	1	2		4	2
37	Parentage unknown M.	215	17					17	2	2	2	6	8
	Parentage unknown F.	251	15	4		1	2	22	5		2	12	13
38	Foreign	75		1				1		1		2	5
39	Males	56										1	4
40	Females	19		1				1		1		1	1
41	Unknown	63	3					3			1	5	
42	Males	40	1					1				5	
43	Females	23	2					2			1		
44	Colored	3,340	657	262	113	45	36	1,113	90	72	164	251	204
45	Males	1,582	345	131	57	16	16	565	42	31	66	116	93
46	Females	1,758	312	131	56	29	20	548	48	41	98	135	111
47	Negro M.	1,581	345	131	57	16	16	565	42	31	66	116	93
	Negro F.	1,758	312	131	56	29	20	548	48	41	98	135	111
48	Indian M.	1											
	Indian F.												

[1] Including only municipalities having a population of 1,000 or over in 1900.

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
6,027	7,272	7,199	7,639	8,262	8,200	9,273	9,511	9,428	8,111	5,940	3,205	1,140	238	46	10	1
3,442	4,217	4,342	4,527	4,790	4,599	4,977	4,836	4,679	3,863	2,717	1,386	487	84	18	5	2
2,585	3,055	2,857	3,112	3,472	3,601	4,296	4,675	4,749	4,248	3,223	1,819	653	154	28	5	3
5,764	6,968	6,937	7,456	8,054	8,044	9,121	9,397	9,307	8,045	5,894	3,177	1,124	229	40	10	4
3,306	4,056	4,193	4,428	4,672	4,525	4,895	4,774	4,617	3,834	2,697	1,376	483	82	16	5	5
2,458	2,912	2,744	3,028	3,382	3,519	4,226	4,623	4,690	4,211	3,197	1,801	641	147	24	5	6
3,539	4,135	3,769	3,915	4,395	4,289	4,350	4,536	4,669	4,344	3,276	1,851	699	136	14	3	7
2,000	2,343	2,239	2,204	2,471	2,398	2,346	2,340	2,393	2,099	1,535	778	287	44	7	1	8
1,539	1,792	1,530	1,711	1,924	1,891	2,004	2,196	2,276	2,245	1,741	1,073	412	92	7	2	9
780	766	738	734	933	1,077	1,373	1,449	1,565	1,413	1,054	514	184	29	5	1	10
636	679	595	656	842	882	1,148	1,415	1,548	1,613	1,244	755	313	64	4		
1,138	1,460	1,371	1,318	1,326	1,097	675	523	417	254	147	69	27	7	1		11
843	1,032	860	955	969	868	630	516	412	302	189	98	21	7		2	
82	117	130	152	212	224	298	368	411	432	334	195	76	8	1		12
60	81	75	100	113	141	226	265	316	330	308	220	78	21	3		
2,152	2,720	3,039	3,431	3,544	3,687	4,680	4,781	4,568	3,650	2,576	1,305	415	90	26	3	13
1,242	1,615	1,844	2,133	2,097	2,071	2,480	2,376	2,182	1,705	1,143	585	188	37	9		14
910	1,105	1,195	1,298	1,447	1,616	2,200	2,405	2,386	1,945	1,433	720	227	53	17	3	15
73	113	129	110	115	68	91	80	70	51	42	21	10	3		4	16
64	98	110	91	104	56	69	58	42	30	19	13	8	1		4	17
9	15	19	19	11	12	22	22	28	21	23	8	2	2			18
263	304	262	183	208	156	152	114	121	66	46	28	16	9	6		19
136	161	149	99	118	74	82	62	62	29	20	10	4	2	2		20
127	143	113	84	90	82	70	52	59	37	26	18	12	7	4		21
125	147	134	88	105	67	71	56	60	29	18	8	3	2	2		22
127	141	110	84	88	80	68	52	56	35	25	18	12	5	4		
3	2	2	1	1	2	2	3	2		2	2	1				23
		2		2	2	2		3	2	1			2			
7	10	10	7	11	5	9	3									24
1	2	3	3	1												25
	2	1														
310	349	293	259	297	316	317	325	293	242	154	69	38	18	11	32	26
160	162	140	116	144	165	160	166	155	128	66	20	14	6	3	17	27
150	187	153	143	153	151	157	159	138	114	88	49	24	12	8	15	28
160	187	160	115	162	166	186	211	191	169	98	43	12	4	1	12	29
87	94	83	55	79	90	103	103	97	89	48	14	3	1	1	6	30
73	93	77	60	83	76	83	108	94	80	50	29	9	3		6	31
149	179	150	102	154	161	180	196	178	151	94	40	11	4	1	7	32
78	89	76	48	75	86	99	91	89	75	44	12	2	1	1	2	33
71	90	74	54	79	75	81	105	89	76	50	28	9	3		5	34
66	72	61	42	46	65	70	69	68	55	28	9	2			2	35
54	72	59	41	67	55	60	71	63	56	31	20	3	2		3	
2	8	6	2	3	4	4	3	1	1		1					36
4	4	4	4	2	2	2	5	4	1	2	1					
10	9	9	4	26	17	25	19	20	19	16	2		1	1		37
13	14	11	9	10	13	19	29	22	19	17	7	6	1		2	
4	6	7	7	5	2	4	9	8	9	2	1	1			1	38
4	4	4	4	4	2	4	6	7	7	2	1	1			1	39
	2	3	3	1			3	1	2							40
7	2	3	6	3	3	2	6	5	9	2	2				4	41
5	1	3	3		2		6	1	7	2	1				3	42
2	1		3	3	1	2		4	2		1				1	43
150	162	133	144	135	150	131	114	102	73	56	26	26	14	10	20	44
73	68	57	61	65	75	57	63	58	39	18	6	11	5	2	11	45
77	94	76	83	70	75	74	51	44	34	38	20	15	9	8	9	46
73	68	57	61	65	75	56	63	58	39	18	6	11	5	2	11	47
77	94	76	83	70	75	74	51	44	34	38	20	15	9	8	9	
						1										48

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	OHIO.												
1	Total	63,402	9,941	1,950	876	576	421	13,764	1,335	942	1,532	2,349	2,501
2	Males	33,980	5,524	1,018	470	331	204	7,547	723	490	777	1,242	1,369
3	Females	29,422	4,417	932	406	245	217	6,217	612	452	755	1,107	1,132
4	White	61,024	9,644	1,858	838	555	404	13,299	1,284	885	1,445	2,183	2,347
5	Males	32,614	5,360	964	447	318	196	7,285	698	470	737	1,157	1,275
6	Females	28,410	4,284	894	391	237	208	6,014	586	415	708	1,026	1,072
7	Native	48,685	9,603	1,834	823	539	389	13,188	1,228	847	1,331	1,874	1,884
8	Males	25,396	5,337	952	437	307	193	7,226	671	445	664	931	969
9	Females	23,289	4,266	882	386	232	196	5,962	557	402	667	943	915
10	Both parents native M.	15,505	3,440	589	291	207	133	4,660	470	329	462	646	618
	Both parents native F.	14,986	2,778	593	244	156	124	3,895	393	292	495	693	629
11	One or both parents foreign M.	6,675	1,706	346	135	99	59	2,345	191	103	175	222	268
	One or both parents foreign F.	5,484	1,334	277	142	67	69	1,889	155	91	143	198	218
12	Parentage unknown M.	3,216	191	17	11	1	1	221	10	13	27	63	83
	Parentage unknown F.	2,819	154	12	.....	9	3	178	9	19	29	52	68
13	Foreign	11,530	20	21	14	15	15	85	54	37	108	285	431
14	Males	6,652	12	11	9	11	3	46	27	24	68	204	280
15	Females	4,878	8	10	5	4	12	39	27	13	40	81	151
16	Unknown	809	21	3	1	1	.....	26	2	1	6	24	32
17	Males	566	11	1	1	.....	.....	13	.....	1	5	22	26
18	Females	243	10	2	.....	1	.....	13	2	.....	1	2	6
19	Colored	2,378	297	92	38	21	17	465	51	57	87	166	154
20	Males	1,366	164	54	23	13	8	262	25	20	40	85	94
21	Females	1,012	133	38	15	8	9	203	26	37	47	81	60
22	Negro M.	1,353	164	54	23	13	8	262	25	20	39	84	92
	Negro F.	1,012	133	38	15	8	9	203	26	37	47	81	60
23	Indian M.	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Indian F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese M.	8	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....
	Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Japanese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	PENNSYLVANIA.												
26	Total	111,292	24,195	5,098	2,077	1,423	995	33,788	2,630	1,553	2,629	4,024	4,177
27	Males	60,588	13,625	2,690	1,091	752	518	18,676	1,340	835	1,461	2,170	2,344
28	Females	50,704	10,570	2,408	986	671	477	15,112	1,290	718	1,168	1,854	1,833
29	White	107,220	23,343	4,868	2,005	1,370	956	32,542	2,525	1,472	2,489	3,796	3,944
30	Males	58,386	13,151	2,582	1,059	725	500	18,017	1,282	796	1,393	2,072	2,227
31	Females	48,834	10,192	2,286	946	645	456	14,525	1,243	676	1,096	1,724	1,717
32	Native	83,525	23,261	4,796	1,960	1,336	929	32,282	2,402	1,379	2,105	2,683	2,600
33	Males	44,247	13,096	2,547	1,033	711	486	17,873	1,223	741	1,117	1,310	1,314
34	Females	39,278	10,165	2,249	927	625	443	14,409	1,179	638	988	1,373	1,286
35	Both parents native M.	24,753	6,432	1,069	483	345	274	8,603	732	483	720	848	778
	Both parents native F.	23,034	4,907	984	417	317	220	6,845	721	417	632	932	832
36	One or both parents foreign M.	15,693	6,335	1,444	535	358	204	8,876	475	246	374	414	444
	One or both parents foreign F.	13,048	4,978	1,241	494	300	219	7,232	440	210	322	386	369
37	Parentage unknown M.	3,801	329	34	15	8	8	394	16	12	23	48	92
	Parentage unknown F.	3,196	280	24	16	8	4	332	18	11	34	55	85
38	Foreign	22,708	65	68	44	33	23	233	122	89	372	1,067	1,285
39	Males	13,380	45	33	26	13	13	130	58	52	269	724	863
40	Females	9,328	20	35	18	20	10	103	64	37	103	343	422
41	Unknown	987	17	4	1	1	4	27	1	4	12	46	59
42	Males	759	10	2	.....	1	1	14	1	3	7	38	50
43	Females	228	7	2	1	.....	3	13	.....	1	5	8	9
44	Colored	4,072	852	230	72	53	39	1,246	105	81	140	228	233
45	Males	2,202	474	108	32	27	18	659	58	39	68	98	117
46	Females	1,870	378	122	40	26	21	587	47	42	72	130	116
47	Negro M.	2,165	473	108	32	27	18	658	58	39	66	97	116
	Negro F.	1,868	378	122	40	26	21	587	47	42	72	129	116
48	Indian M.	3	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	.....
	Indian F.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
49	Chinese M.	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
50	Japanese M.	2	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....
	Japanese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
2,430	2,663	2,583	2,733	3,204	3,359	3,796	4,555	4,945	4,614	3,380	1,888	609	146	24	50	1
1,340	1,494	1,518	1,602	1,811	1,858	2,102	2,442	2,564	2,264	1,644	844	247	58	9	35	2
1,090	1,169	1,065	1,131	1,393	1,501	1,694	2,113	2,381	2,350	1,736	1,044	362	88	15	15	3
2,287	2,482	2,410	2,603	3,039	3,232	3,687	4,451	4,858	4,534	3,340	1,861	595	138	17	47	4
1,253	1,379	1,418	1,513	1,712	1,784	2,040	2,371	2,517	2,222	1,619	830	241	54	6	33	5
1,034	1,103	992	1,090	1,327	1,448	1,647	2,080	2,341	2,312	1,721	1,031	354	84	11	14	6
1,795	1,931	1,845	1,929	2,271	2,409	2,609	3,058	3,425	3,112	2,194	1,236	387	96	11	25	7
928	1,020	1,022	1,049	1,201	1,260	1,383	1,600	1,745	1,499	1,030	545	153	36	4	15	8
867	911	823	880	1,070	1,149	1,226	1,458	1,680	1,613	1,164	691	234	60	7	10	9
549	530	484	478	607	680	846	982	1,109	949	646	351	82	15	3	9	10
583	531	498	509	601	682	773	939	1,092	1,040	722	436	133	38	5	7	
292	384	397	421	387	349	255	282	236	181	102	58	20	4	1	2	11
214	273	236	280	319	302	244	249	256	185	129	69	25	8	1	.....	
87	106	141	150	207	231	282	336	400	369	282	136	51	17	.....	4	12
70	107	89	91	150	165	209	270	332	388	313	186	76	14	1	3	
438	486	487	609	694	757	1,015	1,340	1,370	1,381	1,101	599	201	39	5	8	13
285	307	332	412	450	474	612	738	735	707	567	276	83	17	2	6	14
153	179	155	197	244	283	403	602	635	674	534	323	118	22	3	2	15
54	65	78	65	74	66	63	53	63	41	45	26	7	3	1	14	16
40	52	64	52	61	50	45	33	37	16	22	9	5	1	.....	12	17
14	13	14	13	13	16	18	20	26	25	23	17	2	2	1	2	18
143	181	173	130	165	127	109	104	87	80	40	27	14	8	7	3	19
87	115	100	89	99	74	62	71	47	42	25	14	6	4	3	2	20
56	66	73	41	66	53	47	33	40	38	15	13	8	4	4	1	21
86	114	99	87	98	74	60	71	46	42	25	14	6	4	3	2	22
56	66	73	41	66	53	47	33	40	38	15	13	8	4	4	1	
.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	23
.....	1	1	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
4,154	4,812	4,429	4,711	5,294	5,407	6,212	7,054	6,907	6,015	4,264	2,274	749	164	26	19	26
2,358	2,850	2,689	2,888	3,070	3,106	3,451	3,757	3,451	2,907	1,910	965	284	59	7	10	27
1,796	1,962	1,740	1,823	2,224	2,301	2,761	3,297	3,456	3,108	2,354	1,309	465	105	19	9	28
3,901	4,497	4,175	4,464	5,079	5,239	6,060	6,918	6,782	5,957	4,213	2,249	725	155	19	19	29
2,205	2,677	2,522	2,738	2,958	3,005	3,366	3,679	3,385	2,875	1,886	956	275	56	6	10	30
1,696	1,820	1,653	1,726	2,121	2,234	2,694	3,239	3,397	3,082	2,327	1,293	450	99	13	9	31
2,580	2,865	2,631	2,698	3,297	3,540	3,939	4,576	4,556	4,197	2,916	1,621	526	114	13	5	32
1,324	1,572	1,434	1,527	1,790	1,957	2,129	2,425	2,254	2,013	1,313	684	203	38	4	2	33
1,256	1,293	1,197	1,171	1,507	1,583	1,810	2,151	2,302	2,184	1,603	937	323	76	9	3	34
755	795	735	779	959	1,147	1,385	1,627	1,532	1,388	882	453	130	19	3	.....	35
769	747	697	695	902	1,000	1,200	1,443	1,617	1,552	1,096	662	216	52	5	2	
460	640	538	565	604	530	396	390	292	228	114	79	23	4	.....	1	36
400	447	383	353	436	406	369	385	306	257	187	111	39	8	2	.....	
109	137	161	183	227	280	348	408	430	397	317	152	50	15	1	1	37
87	99	117	123	169	177	241	323	379	375	320	164	68	16	2	1	
1,257	1,536	1,448	1,674	1,681	1,644	2,048	2,271	2,156	1,721	1,252	609	195	40	6	2	38
825	1,026	1,002	1,132	1,085	1,002	1,180	1,202	1,086	836	553	265	69	17	2	2	39
432	510	446	542	596	642	868	1,069	1,070	885	699	344	126	23	4	.....	40
64	96	96	92	101	55	73	71	70	39	45	19	4	1	.....	12	41
56	79	86	79	83	46	57	52	45	26	20	7	3	1	.....	6	42
8	17	10	13	18	9	16	19	25	13	25	12	1	.....	.....	6	43
253	315	254	247	215	168	152	136	125	58	51	25	24	9	7	.....	44
153	173	167	150	112	101	85	78	66	32	24	9	9	3	1	.....	45
100	142	87	97	103	67	67	58	59	26	27	16	15	6	6	.....	46
150	167	162	146	104	96	85	78	66	32	23	9	9	3	1	.....	47
100	142	87	97	103	67	67	58	58	26	27	16	15	6	6	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	48
3	6	5	4	8	5	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	49
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	RHODE ISLAND.												
1	Total	8,671	1,675	302	129	104	63	2,273	182	99	166	272	281
2	Males	4,564	951	161	66	53	32	1,263	107	47	82	144	151
3	Females	4,107	724	141	63	51	31	1,010	75	52	84	128	130
4	White	8,422	1,634	294	123	100	61	2,212	175	96	159	257	267
5	Males	4,424	925	157	61	51	31	1,225	104	46	81	136	143
6	Females	3,998	709	137	62	49	30	987	71	50	78	121	124
7	Native	5,491	1,625	286	120	96	59	2,186	162	83	119	151	155
8	Males	2,918	917	152	60	48	30	1,207	96	41	58	80	90
9	Females	2,573	708	134	60	48	29	979	66	42	61	71	65
10	Both parents native M	1,274	236	36	18	12	8	310	30	9	17	29	36
	Both parents native F	1,184	172	30	12	12	5	231	20	12	17	30	16
11	One or both parents foreign M	1,501	654	115	42	35	22	868	65	31	33	45	53
	One or both parents foreign F	1,295	513	103	48	36	23	723	45	30	42	39	47
12	Parentage unknown M	143	27	1		1		29	1	1	8	6	1
	Parentage unknown F	94	23	1			1	25	1		2	2	2
13	Foreign	2,886	9	8	3	4	2	26	13	13	40	104	111
14	Males	1,466	8	5	1	3	1	18	8	5	23	55	52
15	Females	1,420	1	3	2	1	1	8	5	8	17	49	59
16	Unknown	45										2	1
17	Males	40										1	1
18	Females	5										1	
19	Colored	249	41	8	6	4	2	61	7	3	7	15	14
20	Males	140	26	4	5	2	1	38	3	1	1	8	8
21	Females	109	15	4	1	2	1	23	4	2	6	7	6
22	Negro M	137	26	4	5	2	1	38	3	1	1	8	8
	Negro F	109	15	4	1	2	1	23	4	2	6	7	6
23	Indian M												
	Indian F												
24	Chinese M	3											
	Chinese F												
	UTAH.												
25	Total	3,960	822	147	86	57	42	1,154	132	94	114	146	199
26	Males	2,250	469	86	49	29	22	655	69	49	65	90	109
27	Females	1,710	353	61	37	28	20	499	63	45	49	56	90
28	White	3,894	817	146	85	57	42	1,147	130	93	113	142	191
29	Males	2,200	468	85	49	29	22	653	69	48	65	86	103
30	Females	1,694	349	61	36	28	20	494	61	45	48	56	88
31	Native	2,563	816	144	83	55	41	1,139	127	89	101	107	129
32	Males	1,419	467	84	47	28	22	648	69	47	57	59	62
33	Females	1,144	349	60	36	27	19	491	58	42	44	48	67
34	Both parents native M	823	343	62	36	17	14	472	42	35	29	27	25
	Both parents native F	630	248	36	22	18	11	335	29	22	18	20	29
35	One or both parents foreign M	435	118	22	11	11	7	169	26	12	26	29	27
	One or both parents foreign F	442	98	24	14	9	8	153	27	18	26	27	35
36	Parentage unknown M	161	6				1	7	1		2	3	10
	Parentage unknown F	72	3					3	2	2		1	3
37	Foreign	1,245	1	2	2	2	1	8	3	3	11	34	53
38	Males	704	1	1	2	1		5		1	7	26	34
39	Females	541		1		1	1	3	3	2	4	8	19
40	Unknown	86								1	1	1	9
41	Males	77									1	1	7
42	Females	9								1			2
43	Colored	66	5	1	1			7	2	1	1	4	8
44	Males	50	1	1				2		1		4	6
45	Females	16	4		1			5	2		1		2
46	Negro M	17	1					1				1	1
	Negro F	8	3					3	1				2
47	Indian M	9								1			1
	Indian F	5		1				1	1		1		
48	Chinese M	8											
	Chinese F	3	1					1					
49	Japanese M	16		1				1				3	4
	Japanese F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
339	377	413	409	473	514	563	602	602	447	351	205	78	20	3	2	1
174	215	223	230	277	262	294	302	295	214	157	89	26	9	1	2	2
165	162	190	179	196	252	269	300	307	233	194	116	52	11	2	.....	3
321	365	405	395	457	493	546	594	592	439	346	202	78	20	1	2	4
161	206	217	222	267	252	288	298	291	210	152	88	26	9	.....	2	5
160	159	188	173	190	241	258	296	301	229	194	114	52	11	1	.....	6
189	188	189	156	213	243	237	268	285	227	231	143	53	11	1	1	7
92	118	103	82	127	128	131	139	146	107	96	58	15	3	.....	1	8
97	70	86	74	86	115	106	129	139	120	135	85	38	8	1	.....	9
28	41	38	43	59	72	92	106	117	96	84	51	14	2	.....	.....	10
29	23	24	33	47	64	78	95	121	101	123	78	33	8	1	.....	
59	73	60	36	60	46	26	23	13	4	3	2	.....	.....	.....	1	11
61	44	60	38	37	46	21	28	14	12	5	1	2	.....	.....	.....	
5	4	5	3	8	10	13	10	16	7	9	5	1	1	.....	.....	12
7	3	2	3	2	5	7	6	4	7	7	6	3	.....	.....	.....	
132	173	208	237	238	244	306	322	305	210	113	57	24	9	.....	1	13
69	84	106	138	135	119	154	155	143	101	55	28	11	6	.....	1	14
63	89	102	99	103	125	152	167	162	109	58	29	13	3	.....	.....	15
.....	4	8	2	6	6	3	4	2	2	2	2	1	.....	.....	.....	16
.....	4	8	2	5	5	3	4	2	2	1	2	.....	.....	.....	.....	17
.....	.....	.....	.....	1	1	.....	.....	.....	.....	1	.....	1	.....	.....	.....	18
18	12	8	14	16	21	17	8	10	8	5	3	.....	.....	2	.....	19
13	9	6	8	10	10	6	4	4	4	5	1	.....	.....	1	.....	20
5	3	2	6	6	11	11	4	6	4	.....	2	.....	.....	1	.....	21
13	8	5	8	9	10	6	4	4	4	5	1	.....	.....	1	.....	22
5	3	2	6	6	11	11	4	6	4	.....	2	.....	.....	1	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
165	171	174	160	184	156	180	181	240	215	159	89	32	6	1	8	25
98	110	112	111	115	99	100	84	119	121	71	39	22	3	1	8	26
67	61	62	49	69	57	80	97	121	94	88	50	10	3	.....	.....	27
155	166	167	155	178	153	178	181	237	214	159	89	32	5	1	8	28
90	105	107	108	109	96	98	84	116	120	71	39	22	2	1	8	29
65	61	60	47	69	57	80	97	121	94	88	50	10	3	.....	.....	30
99	102	95	87	93	80	69	58	68	66	34	14	6	.....	.....	.....	31
52	56	54	50	57	42	38	29	34	37	19	4	5	.....	.....	.....	32
47	46	41	37	36	38	31	29	34	29	15	10	1	.....	.....	.....	33
23	16	17	17	27	14	16	14	12	17	13	3	4	.....	.....	.....	34
16	12	11	11	17	15	17	16	26	19	10	7	.....	.....	.....	.....	
18	28	20	17	22	18	9	1	8	5	.....	.....	.....	.....	.....	.....	35
25	30	25	21	17	18	6	4	4	2	2	1	1	.....	.....	.....	
11	12	17	16	8	10	13	14	14	15	6	1	1	.....	.....	.....	36
6	4	5	5	2	5	8	9	4	8	3	2	.....	.....	.....	.....	
49	51	61	60	72	72	102	122	165	145	125	75	26	5	1	2	37
33	36	42	50	41	53	54	54	79	80	52	35	17	2	1	2	38
16	15	19	10	31	19	48	68	86	65	73	40	9	3	.....	.....	39
7	13	11	8	13	1	7	1	4	3	.....	.....	.....	.....	.....	6	40
5	13	11	8	11	1	6	1	3	3	.....	.....	.....	.....	.....	6	41
2	.....	.....	.....	2	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	42
10	5	7	5	6	3	2	.....	3	1	.....	.....	.....	1	.....	.....	43
8	5	5	3	6	3	2	.....	3	1	.....	.....	.....	1	.....	.....	44
2	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45
3	2	2	1	3	.....	1	.....	1	.....	.....	.....	.....	1	.....	.....	46
1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
2	.....	2	.....	1	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	47
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	2	3	1	.....	.....	1	.....	.....	.....	.....	.....	.....	48
.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
3	3	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	49

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	VERMONT.												
1	Total	5,661	741	113	36	36	30	956	79	49	120	131	155
2	Males	2,969	398	66	20	18	12	514	47	26	57	68	80
3	Females	2,692	343	47	16	18	18	442	32	23	63	63	75
4	White	5,631	740	112	36	35	30	953	77	49	118	128	151
5	Males	2,950	398	65	20	17	12	512	45	26	56	66	77
6	Females	2,681	342	47	16	18	18	441	32	23	62	62	74
7	Native	4,557	734	109	35	34	29	941	68	45	111	104	113
8	Males	2,362	396	63	19	17	12	507	40	25	53	50	52
9	Females	2,195	338	46	16	17	17	434	28	20	58	54	61
10	Both parents native M.	1,436	231	40	12	10	6	299	25	18	37	33	36
	Both parents native F.	1,378	203	29	12	9	9	262	20	17	39	34	40
11	One or both parents foreign M.	514	143	22	6	7	5	183	14	7	12	16	11
	One or both parents foreign F.	433	111	15	3	8	8	145	4	3	16	15	15
12	Parentage unknown M.	412	22	1	1		1	25	1		4	1	5
	Parentage unknown F.	384	24	2	1			27	4		3	5	6
13	Foreign	1,007	5	3	1	1		10	8	4	6	21	37
14	Males	554	2	2	1			5	5	1	2	13	24
15	Females	453	3	1		1		5	3	3	4	8	13
16	Unknown	67	1				1	2	1		1	3	1
17	Males	34									1	3	1
18	Females	33	1				1	2	1				
19	Colored	30	1	1		1		3	2		2	3	4
20	Males	19		1		1		2	2		1	2	3
21	Females	11	1					1			1	1	1
22	Negro M.	18		1		1		2	2		1	2	3
	Negro F.	11	1					1			1	1	1
23	Indian M.	1											
	Indian F.												
	WASHINGTON.												
24	Total	10,845	1,531	273	171	116	81	2,172	256	216	374	567	619
25	Males	6,543	872	135	87	65	50	1,209	135	108	201	336	365
26	Females	4,302	659	138	84	51	31	963	121	108	173	231	254
27	White	10,323	1,459	254	158	106	72	2,049	233	198	353	532	587
28	Males	6,228	837	123	81	59	47	1,147	125	102	190	311	341
29	Females	4,095	622	131	77	47	25	902	108	96	163	221	246
30	Native	7,041	1,453	245	153	98	69	2,018	219	183	311	391	355
31	Males	3,899	834	119	79	53	45	1,130	117	93	161	197	168
32	Females	3,142	619	126	74	45	24	888	102	90	150	194	187
33	Both parents native M.	1,894	455	75	52	32	21	635	77	50	84	111	78
	Both parents native F.	1,623	347	71	43	30	13	504	60	45	86	94	91
34	One or both parents foreign M.	1,083	316	39	25	20	22	422	36	39	61	62	56
	One or both parents foreign F.	924	233	52	27	12	11	335	39	40	55	64	65
35	Parentage unknown M.	922	63	5	2	1	2	73	4	4	16	24	34
	Parentage unknown F.	595	39	3	4	3		49	3	5	9	36	31
36	Foreign	2,753	5	9	5	8	3	30	14	11	39	125	182
37	Males	1,851	2	4	2	6	2	16	8	6	27	102	130
38	Females	902	3	5	3	2	1	14	6	5	12	23	52
39	Unknown	529	1					1		4	3	16	50
40	Males	478	1					1		3	2	12	43
41	Females	51								1	1	4	7
42	Colored	522	72	19	13	10	9	123	23	18	21	35	32
43	Males	315	35	12	6	6	3	62	10	6	11	25	24
44	Females	207	37	7	7	4	6	61	13	12	10	10	8
45	Negro M.	61	2		1			3	1		1	1	2
	Negro F.	33	1	1				2		1		1	2
46	Indian M.	153	20	10	3	4	3	40	9	6	9	13	8
	Indian F.	146	22	4	6	4	6	42	11	11	10	8	4
47	Chinese M.	27	2					2				1	
	Chinese F.												
48	Japanese M.	74	11	2	2	2		17			1	10	14
	Japanese F.	28	14	2	1			17	2			1	2

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
153	171	180	225	249	344	404	497	566	556	436	254	102	28	5	1	1
75	103	97	128	117	191	225	267	296	283	222	120	39	13	.....	1	2
78	68	83	97	132	153	179	230	270	273	214	134	63	15	5	.....	3
151	167	180	224	249	343	402	497	563	554	436	254	101	28	5	1	4
74	100	97	127	117	191	223	267	295	282	222	120	39	13	.....	1	5
77	67	83	97	132	152	179	230	268	272	214	134	62	15	5	.....	6
121	126	142	174	206	267	301	379	431	424	316	194	76	15	3	.....	7
55	72	76	94	92	145	169	204	225	213	165	94	25	6	.....	.....	8
66	54	66	80	114	122	132	175	206	211	151	100	51	9	3	.....	9
35	41	42	52	53	82	107	123	145	137	98	54	14	5	.....	.....	10
28	33	37	43	62	77	78	118	138	147	108	58	31	5	3	.....	
16	21	25	28	26	37	28	41	22	15	5	5	2	.....	.....	.....	11
29	14	15	28	30	26	20	15	20	21	10	2	4	1	.....	.....	
4	10	9	14	13	26	34	40	58	61	62	35	9	1	.....	.....	12
9	7	14	9	22	19	34	42	48	43	33	40	16	3	.....	.....	
29	39	36	48	40	71	96	114	122	124	111	55	23	11	2	.....	13
18	26	20	32	23	41	50	62	68	67	53	25	13	6	.....	.....	14
11	13	16	16	17	30	46	52	54	57	58	30	10	5	2	.....	15
1	2	2	2	3	5	5	4	10	6	9	5	2	2	.....	1	16
1	2	1	1	2	5	4	1	2	2	4	1	1	1	.....	1	17
.....	.....	1	1	1	.....	1	3	8	4	5	4	1	1	.....	.....	18
2	4	.....	1	.....	1	2	.....	3	2	.....	.....	1	.....	.....	.....	19
1	3	.....	1	.....	.....	2	.....	1	1	.....	.....	.....	.....	.....	.....	20
1	1	.....	.....	.....	1	.....	.....	2	1	.....	.....	1	.....	.....	.....	21
1	3	.....	1	.....	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	22
1	1	.....	.....	.....	1	.....	.....	2	1	.....	.....	1	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
585	569	555	624	678	568	610	602	658	522	359	181	55	7	9	59	24
351	350	372	407	458	375	405	353	390	324	214	103	27	2	7	51	25
234	219	183	217	220	193	205	249	268	198	145	78	28	5	2	8	26
542	530	517	594	659	553	590	587	646	515	351	175	50	6	2	54	27
322	320	346	389	442	364	391	346	384	322	211	99	24	2	2	48	28
220	210	171	205	217	189	199	241	262	193	140	76	26	4	.....	6	29
300	302	282	323	363	307	353	330	365	301	211	83	30	5	1	8	30
149	149	173	182	215	191	216	179	201	187	128	41	15	2	1	4	31
151	153	109	141	148	116	137	151	164	114	83	42	15	3	.....	4	32
66	56	85	58	81	89	96	70	97	78	52	26	5	.....	.....	.....	33
79	67	55	70	69	45	64	76	89	51	41	25	10	1	.....	1	
43	51	54	57	55	37	26	25	18	22	13	4	2	.....	.....	.....	34
46	49	32	35	34	32	21	24	22	14	12	3	1	.....	.....	1	
40	42	34	67	79	65	94	84	86	87	63	11	8	2	1	4	35
26	37	22	36	45	39	52	51	53	49	30	14	4	2	.....	2	
201	170	186	209	245	205	206	227	252	201	132	89	18	1	1	9	36
138	116	129	146	180	134	146	139	158	125	78	56	8	.....	1	8	37
63	54	57	63	65	71	60	88	94	76	54	33	10	1	.....	1	38
41	58	49	62	51	41	31	30	29	13	8	3	2	.....	.....	37	39
35	55	44	61	47	39	29	28	25	10	5	2	1	.....	.....	36	40
6	3	5	1	4	2	2	2	4	3	3	1	1	.....	.....	1	41
43	39	38	30	19	15	20	15	12	7	8	6	5	1	7	5	42
29	30	26	18	16	11	14	7	6	2	3	4	3	.....	5	3	43
14	9	12	12	3	4	6	8	6	5	5	2	2	1	2	2	44
9	10	7	4	9	5	4	3	.....	.....	.....	1	.....	.....	.....	1	45
3	5	2	4	2	3	1	2	1	1	2	.....	.....	.....	1	.....	
4	9	8	7	3	5	4	4	6	2	3	3	3	.....	5	2	46
7	4	8	8	1	1	5	6	5	4	3	2	2	1	1	2	
2	3	3	7	2	1	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
14	8	8	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
4	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	WISCONSIN.												
1	Total	27,050	5,184	780	358	236	203	6,761	608	479	685	948	941
2	Males	15,073	2,904	423	200	114	108	3,749	316	234	385	518	523
3	Females	11,977	2,280	357	158	122	95	3,012	292	245	300	430	418
4	White	26,895	5,160	774	357	235	202	6,728	603	474	674	935	933
5	Males	14,987	2,892	419	200	113	108	3,732	314	232	379	513	520
6	Females	11,908	2,268	355	157	122	94	2,996	289	242	295	422	413
7	Native	16,179	5,142	753	354	228	197	6,674	586	451	617	749	700
8	Males	8,792	2,880	408	200	110	107	3,705	305	218	340	393	373
9	Females	7,387	2,262	345	154	118	90	2,969	281	233	277	356	327
10	Both parents native M.	3,721	1,551	212	102	66	62	1,993	147	95	126	126	115
	Both parents native F.	3,162	1,203	167	84	68	41	1,563	130	89	89	112	88
11	One or both parents foreign M.	4,122	1,194	183	95	42	43	1,557	153	114	198	250	236
	One or both parents foreign F.	3,558	943	166	67	50	48	1,274	143	139	180	220	217
12	Parentage unknown M.	949	135	13	3	2	2	155	5	9	16	17	22
	Parentage unknown F.	667	116	12	3	.....	1	132	8	5	8	24	22
13	Foreign	10,308	9	16	2	7	5	39	17	22	54	170	214
14	Males	5,860	8	9	.....	3	1	21	9	13	36	108	132
15	Females	4,448	1	7	2	4	4	18	8	9	18	62	82
16	Unknown	408	9	5	1	.....	.....	15	.....	1	3	16	19
17	Males	335	4	2	.....	.....	.....	6	.....	1	3	12	15
18	Females	73	5	3	1	.....	.....	9	.....	.....	.....	4	4
19	Colored	155	24	6	1	1	1	33	5	5	11	13	8
20	Males	86	12	4	.....	1	.....	17	2	2	6	5	3
21	Females	69	12	2	1	.....	1	16	3	3	5	8	5
22	Negro M.	29	4	1	.....	.....	.....	5	.....	.....	2	4	.....
	Negro F.	24	5	.....	.....	.....	.....	5	1	.....	2	3	2
23	Indian M.	55	8	3	.....	1	.....	12	2	2	4	.....	3
	Indian F.	45	7	2	1	.....	1	11	2	3	3	5	3
24	Chinese M.	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....
	Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	BIRMINGHAM, ALA.												
25	Total	2,480	412	164	64	30	23	693	63	40	95	187	202
26	Males	1,304	229	91	35	17	14	386	33	24	44	95	100
27	Females	1,176	183	73	29	13	9	307	30	16	51	92	102
28	White	1,172	216	99	29	17	6	367	37	16	34	68	72
29	Males	615	124	55	18	9	3	209	20	11	19	34	29
30	Females	557	92	44	11	8	3	158	17	5	15	34	43
31	Native	1,043	216	97	29	17	6	365	37	16	32	62	61
32	Males	542	124	55	18	9	3	209	20	11	18	30	22
33	Females	501	92	42	11	8	3	156	17	5	14	32	39
34	Both parents native M.	388	100	48	14	8	3	173	20	9	13	24	15
	Both parents native F.	352	75	33	10	6	3	127	16	4	10	22	25
35	One or both parents foreign M.	52	17	4	4	1	.....	26	.....	2	3	1	2
	One or both parents foreign F.	52	14	9	1	2	.....	26	1	1	3	2	5
36	Parentage unknown M.	102	7	3	.....	.....	.....	10	.....	.....	2	5	5
	Parentage unknown F.	97	3	.....	.....	.....	.....	3	.....	.....	1	8	9
37	Foreign	97	.....	2	.....	.....	.....	2	.....	.....	2	3	8
38	Males	54	.....	.....	.....	.....	.....	.....	.....	.....	1	2	6
39	Females	43	.....	2	.....	.....	.....	2	.....	.....	1	1	2
40	Unknown	32	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	3
41	Males	19	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	1
42	Females	13	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	2
43	Colored	1,308	196	65	35	13	17	326	26	24	61	119	130
44	Males	689	105	36	17	8	11	177	13	13	25	61	71
45	Females	619	91	29	18	5	6	149	13	11	36	58	59
46	Negro M.	689	105	36	17	8	11	177	13	13	25	61	71
	Negro F.	619	91	29	18	5	6	149	13	11	36	58	59

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
959	893	940	1,056	1,261	1,240	1,429	1,753	1,889	1,924	1,681	1,098	343	74	14	74	1
517	520	524	633	751	724	832	1,049	1,042	1,051	907	556	154	27	4	57	2
442	373	416	423	510	516	597	704	847	873	774	542	189	47	10	17	3
954	891	926	1,052	1,254	1,235	1,417	1,747	1,881	1,919	1,676	1,097	341	73	14	71	4
513	519	517	631	748	720	823	1,045	1,036	1,047	905	555	154	26	4	54	5
441	372	409	421	506	515	594	702	845	872	771	542	187	47	10	17	6
658	576	548	545	649	558	534	502	498	512	437	270	88	16	3	8	7
335	330	297	296	373	297	300	278	256	271	229	143	45	4	.....	4	8
323	246	251	249	276	261	234	224	242	241	208	127	43	12	3	4	9
80	60	52	51	57	88	116	119	132	132	125	80	25	1	.....	1	10
78	45	53	57	64	81	104	114	139	145	108	70	24	7	1	1	
217	235	206	218	268	167	111	84	35	37	15	15	4	1	.....	1	11
216	187	177	172	188	149	97	62	52	33	29	17	3	2	.....	1	
38	35	39	27	48	42	73	75	89	102	89	48	16	2	.....	2	12
29	14	21	20	24	31	33	48	51	63	71	40	16	3	2	2	
271	286	338	456	574	650	860	1,223	1,364	1,393	1,221	820	249	56	11	20	13
153	164	183	290	347	402	502	750	764	767	664	409	107	22	4	13	14
118	122	155	166	227	248	358	473	600	626	557	411	142	34	7	7	15
25	29	40	51	31	27	23	22	19	14	18	7	4	1	.....	43	16
25	25	37	45	28	21	21	17	16	9	12	3	2	.....	.....	37	17
.....	4	3	6	3	6	2	5	3	5	6	4	2	1	.....	6	18
5	2	14	4	7	5	12	6	8	5	5	1	2	1	.....	3	19
4	1	7	2	3	4	9	4	6	4	2	1	.....	1	.....	3	20
1	1	7	2	4	1	3	2	2	1	3	.....	2	.....	.....	.....	21
2	1	2	.....	1	1	3	2	3	1	.....	.....	.....	.....	.....	2	22
.....	.....	4	1	2	.....	1	1	1	.....	1	.....	.....	.....	.....	.....	
2	.....	5	1	2	3	6	2	3	3	2	1	.....	1	.....	1	23
1	1	3	1	2	1	2	1	1	1	2	.....	2	.....	.....	.....	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
162	192	116	119	135	78	113	88	66	51	50	17	8	1	4	.....	25
78	100	66	76	78	42	59	44	29	21	19	7	1	1	1	.....	26
84	92	50	43	57	36	54	44	37	30	31	10	7	.....	3	.....	27
59	77	48	43	59	44	62	62	45	37	30	9	3	.....	.....	.....	28
29	42	28	29	37	25	32	27	15	13	13	3	.....	.....	.....	.....	29
30	35	20	14	22	19	30	35	30	24	17	6	3	.....	.....	.....	30
51	66	39	34	47	35	49	45	36	31	26	9	2	.....	.....	.....	31
24	36	20	24	29	19	25	17	13	12	10	3	.....	.....	.....	.....	32
27	30	19	10	18	16	24	28	23	19	16	6	2	.....	.....	.....	33
14	25	13	11	11	11	15	10	9	9	4	2	.....	.....	.....	.....	34
18	20	14	8	8	8	15	18	14	13	8	3	1	.....	.....	.....	
4	5	1	2	5	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	35
2	2	.....	.....	3	2	.....	3	1	1	.....	.....	.....	.....	.....	.....	
6	6	6	11	13	8	9	7	4	3	6	1	.....	.....	.....	.....	36
7	8	5	2	7	6	9	7	8	5	8	3	1	.....	.....	.....	
7	3	7	5	9	8	10	14	9	5	4	.....	1	.....	.....	.....	37
4	2	6	2	6	6	5	8	2	1	3	.....	.....	.....	.....	.....	38
3	1	1	3	3	2	5	6	7	4	1	.....	1	.....	.....	.....	39
1	8	2	4	3	1	3	3	.....	1	.....	.....	.....	.....	.....	.....	40
1	4	2	3	2	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	41
.....	4	.....	1	1	1	1	1	.....	1	.....	.....	.....	.....	.....	.....	42
103	115	68	76	76	34	51	26	21	14	20	8	5	1	4	.....	43
49	58	38	47	41	17	27	17	14	8	6	4	1	1	1	.....	44
54	57	30	29	35	17	24	9	7	6	14	4	4	.....	3	.....	45
49	58	38	47	41	17	27	17	14	8	6	4	1	1	1	.....	46
54	57	30	29	35	17	24	9	7	6	14	4	4	.....	3	.....	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	LOS ANGELES, CAL.												
1	Total	5,001	518	114	43	39	27	741	61	63	117	232	289
2	Males	2,923	300	55	21	19	15	410	24	40	64	132	170
3	Females	2,078	218	59	22	20	12	331	37	23	53	100	119
4	White	4,745	490	106	39	39	25	699	59	60	111	214	269
5	Males	2,752	284	49	19	19	14	385	24	40	60	119	159
6	Females	1,993	206	57	20	20	11	314	35	20	51	95	110
7	Native	3,256	484	99	39	38	24	684	52	51	88	155	163
8	Males	1,772	283	47	19	19	13	381	19	33	45	82	82
9	Females	1,484	201	52	20	19	11	303	33	18	43	73	81
10	Both parents native M.	815	143	22	9	10	8	192	12	16	32	39	44
	Both parents native F.	667	85	16	8	8	5	122	13	11	25	38	39
11	One or both parents foreign M.	479	121	24	10	9	5	169	6	15	9	29	20
	One or both parents foreign F.	412	101	32	11	9	6	159	18	5	14	26	23
12	Parentage unknown M.	478	19	1				20	1	2	4	14	18
	Parentage unknown F.	405	15	4	1	2		22	2	2	4	9	19
13	Foreign	1,337	4	7		1	1	13	6	8	20	56	96
14	Males	853	1	2			1	4	5	7	13	34	68
15	Females	484	3	5		1		9	1	1	7	22	28
16	Unknown	152	2					2	1	1	3	3	10
17	Males	127									2	3	9
18	Females	25	2					2	1	1	1		1
19	Colored	256	28	8	4		2	42	2	3	6	18	20
20	Males	171	16	6	2		1	25			4	13	11
21	Females	85	12	2	2		1	17	2	3	2	5	9
22	Negro M.	79	6	5	2		1	14			4	6	4
	Negro F.	69	6	1	2			9	1	3	2	3	8
23	Indian M.												
	Indian F.	1	1					1					
24	Chinese M.	50	4					4				1	2
	Chinese F.	2											
25	Japanese M.	42	6	1				7				6	5
	Japanese F.	13	5	1			1	7	1			2	1
	OAKLAND, CAL.												
26	Total	1,984	243	51	30	17	8	349	35	19	34	81	81
27	Males	1,088	134	31	16	6	4	191	22	12	20	44	47
28	Females	896	109	20	14	11	4	158	13	7	14	37	34
29	White	1,861	233	50	26	14	8	331	33	19	33	71	75
30	Males	1,006	128	31	16	4	4	183	20	12	19	39	43
31	Females	855	105	19	10	10	4	148	13	7	14	32	32
32	Native	1,158	231	50	25	13	7	326	32	18	26	56	52
33	Males	610	127	31	15	4	3	180	19	11	18	28	29
34	Females	548	104	19	10	9	4	146	13	7	8	28	23
35	Both parents native M.	239	61	8	3	2	2	76	8	4	8	17	11
	Both parents native F.	220	41	4	4	7	1	57	7	4	2	11	5
36	One or both parents foreign M.	265	60	23	12	2	1	98	11	7	10	11	14
	One or both parents foreign F.	227	60	15	6	2	2	85	6	3	5	15	14
37	Parentage unknown M.	106	6					6					4
	Parentage unknown F.	101	3				1	4			1	2	4
38	Foreign	679	2		1	1	1	5	1	1	7	15	22
39	Males	372	1		1		1	3	1	1	1	11	13
40	Females	307	1			1		2			6	4	9
41	Unknown	24											1
42	Males	24											1
43	Females												
44	Colored	123	10	1	4	3		18	2		1	10	6
45	Males	82	6			2		8	2		1	5	4
46	Females	41	4	1	4	1		10				5	2
47	Negro M.	30	3			1		4	1			1	2
	Negro F.	22		1	2			3				2	1
48	Chinese M.	41	1			1		2	1			1	2
	Chinese F.	11	1		1	1		3				2	
49	Japanese M.	11	2					2			1	3	
	Japanese F.	8	3		1			4				1	1

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
306	320	297	329	329	307	336	347	357	260	167	98	35	6	4		1
208	212	193	202	199	183	186	195	199	140	95	47	20	3	1		2
98	108	104	127	130	124	150	152	158	120	72	51	15	3	3		3
288	295	272	305	304	297	318	341	351	258	165	96	33	6	4		4
193	196	176	183	180	175	174	191	195	139	93	47	19	3	1		5
95	99	96	122	124	122	144	150	156	119	72	49	14	3	3		6
171	188	162	178	185	188	198	209	222	169	110	60	19	4			7
109	113	94	95	98	99	94	104	117	100	58	33	14	2			8
62	75	68	83	87	89	104	105	105	69	52	27	5	2			9
42	42	33	38	40	42	44	52	56	43	24	18	5	1			10
27	37	27	31	38	44	47	57	39	32	26	11	2	1			
40	38	27	25	19	25	15	14	9	11	3	3	1	1			11
15	19	20	23	20	15	20	10	14	4	3	2	1	1			
27	33	34	32	39	32	35	38	52	46	31	12	8				12
20	19	21	29	29	30	37	38	52	33	23	14	2				
102	88	92	112	103	102	110	123	116	85	53	32	14	2	4		13
70	65	65	74	70	69	71	81	68	36	34	12	5	1	1		14
32	23	27	38	33	33	39	42	48	49	19	20	9	1	3		15
15	19	18	15	16	7	10	9	13	4	2	4					16
14	18	17	14	12	7	9	6	10	3	1	2					17
1	1	1	1	4		1	3	3	1	1	2					18
18	25	25	24	25	10	18	6	6	2	2	2	2				19
15	16	17	19	19	8	12	4	4	1	2		1				20
3	9	8	5	6	2	6	2	2	1		2	1				21
4	11	10	7	6	4	3	1	2	1	1		1				22
2	8	8	5	5	2	6	1	2	1		2	1				
																23
		4	10	11	3	9	3	2		1						24
				1			1									
11	5	3	2	2	1											25
1	1															
82	92	102	101	123	114	158	144	159	135	104	50	16	4	1		26
60	50	58	64	68	59	76	75	82	73	51	27	6	3			27
22	42	44	37	55	55	82	69	77	62	53	23	10	1	1		28
74	86	93	92	112	104	147	135	149	134	103	50	15	4	1		29
52	46	51	56	64	52	67	67	76	72	51	27	6	3			30
22	40	42	36	48	52	80	68	73	62	52	23	9	1	1		31
49	58	57	53	63	46	65	52	68	52	53	27	4	1			32
32	28	33	29	30	21	25	22	39	25	20	17	3	1			33
17	30	24	24	33	25	40	30	29	27	33	10	1				34
7	4	12	11	12	3	13	7	16	11	9	9	1				35
4	9	4	8	16	12	16	12	14	16	17	6					
16	17	15	13	10	10	5	7	10	2	6	3					36
12	16	10	10	13	7	13	7	6		5						
9	7	6	5	8	8	7	8	13	12	5	5	2	1			37
1	5	10	6	4	6	11	11	9	11	11	4	1				
24	25	34	36	45	57	77	81	81	80	50	23	11	3	1		38
19	15	16	24	30	30	37	43	37	45	31	10	3	2			39
5	10	18	12	15	27	40	38	44	35	19	13	8	1	1		40
1	3	2	3	4	1	5	2		2							41
1	3	2	3	4	1	5	2		2							42
																43
8	6	9	9	11	10	11	9	10	1	1		1				44
8	4	7	8	4	7	9	8	6	1							45
	2	2	1	7	3	2	1	4		1		1				46
4	4	3	1	1	2	2	2	3								47
	2	2	1	2	2	2		3		1		1				
1		3	6	3	5	7	6	3	1							48
				4	1			1								
3		1	1													49
				1			1									

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SAN FRANCISCO, CAL.												
1	Total	6,495	665	136	68	38	29	936	82	70	109	238	282
2	Males	4,071	382	74	34	23	20	533	51	34	53	154	169
3	Females	2,424	283	62	34	15	9	403	31	36	56	84	113
4	White	6,142	642	127	60	35	26	890	78	68	104	226	254
5	Males	3,771	369	69	29	21	17	505	47	32	50	146	149
6	Females	2,371	273	58	31	14	9	385	31	36	54	80	105
7	Native	3,207	640	127	56	35	23	881	73	63	87	161	147
8	Males	1,884	367	69	27	21	16	500	45	29	38	99	78
9	Females	1,323	273	58	29	14	7	381	28	34	49	62	69
10	Both parents native M	599	147	31	13	8	4	203	18	7	16	36	21
	Both parents native F	431	101	20	9	7	4	141	14	10	20	26	18
11	One or both parents foreign M	891	165	35	14	13	12	239	27	21	19	48	42
	One or both parents foreign F	670	119	35	18	7	3	182	14	23	26	30	39
12	Parentage unknown M	394	55	3				58		1	3	15	15
	Parentage unknown F	222	53	3	2			58		1	3	6	12
13	Foreign	2,753	1		2		2	5	5	5	17	63	102
14	Males	1,719	1		1		1	3	2	3	12	45	66
15	Females	1,034			1		1	2	3	2	5	18	36
16	Unknown	182	1		2		1	4				2	5
17	Males	168	1		1			2				2	5
18	Females	14			1		1	2					
19	Colored	353	23	9	8	3	3	46	4	2	5	12	28
20	Males	300	13	5	5	2	3	28	4	2	3	8	20
21	Females	53	10	4	3	1		18			2	4	8
22	Negro M	26					1	1		1		2	
	Negro F	16	3					3			1	1	3
23	Chinese M	232	13	2	5	2	1	23	3	1	2	3	10
	Chinese F	28	6	2	2	1		11			1	2	3
24	Japanese M	42		3			1	4	1		1	3	10
	Japanese F	9	1	2	1			4				1	2
	DENVER, COLO.												
25	Total	3,441	475	96	36	27	19	653	59	52	69	163	218
26	Males	2,023	269	49	16	14	14	362	25	28	34	85	126
27	Females	1,418	206	47	20	13	5	291	34	24	35	78	92
28	White	3,305	460	95	34	27	18	634	58	50	66	156	198
29	Males	1,943	260	49	15	14	14	352	24	27	34	81	111
30	Females	1,362	200	46	19	13	4	282	34	23	32	75	87
31	Native	2,402	452	93	34	25	18	622	55	46	61	128	159
32	Males	1,357	255	47	15	13	14	344	21	25	30	64	85
33	Females	1,045	197	46	19	12	4	278	34	21	31	64	74
34	Both parents native M	597	121	22	9	7	8	167	11	11	18	38	37
	Both parents native F	516	100	26	14	6	1	147	13	14	14	34	46
35	One or both parents foreign M	396	87	21	6	4	5	123	10	10	8	16	33
	One or both parents foreign F	327	72	20	5	6	3	106	20	7	14	22	17
36	Parentage unknown M	364	47	4		2	1	54		4	4	10	15
	Parentage unknown F	202	25					25	1		3	8	11
37	Foreign	815	1	2		2		5	3	3	5	27	34
38	Males	527	1	2		1		4	3	2	4	16	21
39	Females	288				1		1		1	1	11	13
40	Unknown	88	7					7		1		1	5
41	Males	59	4					4				1	5
42	Females	29	3					3		1			
43	Colored	136	15	1	2		1	19	1	2	3	7	20
44	Males	80	9		1			10	1	1		4	15
45	Females	56	6	1	1		1	9		1	3	3	5
46	Negro M	74	9		1			10	1	1		4	13
	Negro F	54	6	1	1		1	9		1	3	3	5
47	Chinese M	3											
	Chinese F	2											
48	Japanese M	3											2
	Japanese F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
380	404	464	486	501	445	497	442	390	364	245	118	34	7	1	.....	1
247	276	318	347	347	308	332	270	216	204	130	63	18	1	.....	.....	2
133	128	146	139	154	137	165	172	174	160	115	55	16	6	1	.....	3
361	381	436	445	455	400	469	430	379	361	245	118	34	7	1	.....	4
231	258	292	311	301	265	304	259	207	202	130	63	18	1	.....	.....	5
130	123	144	134	154	135	165	171	172	159	115	55	16	6	1	.....	6
220	204	232	209	210	149	130	124	98	99	75	35	8	2	.....	.....	7
129	121	149	130	128	96	88	74	59	56	44	18	3	.....	.....	.....	8
91	83	83	79	82	53	42	50	39	43	31	17	5	2	.....	.....	9
25	33	30	22	31	19	31	26	26	27	16	10	2	.....	.....	.....	10
30	18	15	17	22	13	13	20	18	15	12	6	3	.....	.....	.....	
76	74	82	79	57	48	27	22	10	10	8	2	.....	.....	.....	.....	11
50	52	58	53	45	26	22	17	8	13	6	5	1	.....	.....	.....	
28	14	37	29	40	29	30	26	23	19	20	6	1	.....	.....	.....	12
11	13	10	9	15	14	7	13	13	15	13	6	1	2	.....	.....	
127	158	176	206	214	240	315	299	278	261	169	82	25	5	1	.....	13
88	120	115	155	145	159	192	179	145	145	86	44	14	1	.....	.....	14
39	38	61	51	69	81	123	120	133	116	83	38	11	4	1	.....	15
14	19	28	30	31	11	24	7	3	1	1	1	1	.....	.....	.....	16
14	17	28	26	28	10	24	6	3	1	.....	1	1	.....	.....	.....	17
.....	2	.....	4	3	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	18
19	23	28	41	46	45	28	12	11	3	.....	.....	.....	.....	.....	.....	19
16	18	26	36	46	43	28	11	9	2	.....	.....	.....	.....	.....	.....	20
3	5	2	5	.....	2	.....	1	2	1	.....	.....	.....	.....	.....	.....	21
.....	5	4	4	.....	3	1	2	2	1	.....	.....	.....	.....	.....	.....	22
.....	1	1	2	.....	1	.....	1	1	1	.....	.....	.....	.....	.....	.....	
7	7	18	30	44	40	27	9	7	1	.....	.....	.....	.....	.....	.....	23
2	3	1	3	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
9	6	4	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
244	219	224	213	212	206	209	207	176	152	96	50	13	5	.....	1	25
172	117	144	136	137	142	131	131	95	74	44	28	9	2	.....	1	26
72	102	80	77	75	64	78	76	81	78	52	22	4	3	.....	.....	27
229	212	213	201	202	201	203	203	173	146	92	49	13	5	.....	1	28
163	114	136	131	129	138	126	129	93	72	43	28	9	2	.....	1	29
66	98	77	70	73	63	77	74	80	74	49	21	4	3	.....	.....	30
165	156	153	117	123	113	113	118	91	89	53	31	6	3	.....	.....	31
114	81	99	68	76	75	63	76	48	40	27	17	3	1	.....	.....	32
51	75	54	49	47	38	50	42	43	49	26	14	3	2	.....	.....	33
40	34	39	23	29	31	23	26	21	24	15	8	2	.....	.....	.....	34
29	29	26	18	19	17	22	23	20	26	8	8	3	.....	.....	.....	
32	23	30	30	20	19	15	15	5	1	4	1	1	.....	.....	.....	35
10	30	22	19	14	14	10	4	4	10	3	1	.....	.....	.....	.....	
42	24	30	15	27	25	25	35	22	15	8	8	.....	1	.....	.....	36
12	16	6	12	14	7	18	15	19	13	15	5	.....	2	.....	.....	
60	51	53	78	69	77	84	78	73	53	38	17	4	2	.....	1	37
46	31	33	57	46	55	59	50	39	29	16	10	4	1	.....	1	38
14	20	20	21	23	22	25	28	34	24	22	7	.....	1	.....	.....	39
4	5	7	6	10	11	6	7	9	4	1	1	3	.....	.....	.....	40
3	2	4	6	7	8	4	3	6	3	.....	1	2	.....	.....	.....	41
1	3	3	.....	3	3	2	4	3	1	1	.....	1	.....	.....	.....	42
15	7	11	12	10	5	6	4	3	6	4	1	.....	.....	.....	.....	43
9	3	8	5	8	4	5	2	2	2	1	.....	.....	.....	.....	.....	44
6	4	3	7	2	1	1	2	1	4	3	1	.....	.....	.....	.....	45
9	3	7	4	7	3	5	2	2	2	1	.....	.....	.....	.....	.....	46
6	4	3	6	1	1	1	2	1	4	3	1	.....	.....	.....	.....	
.....	.....	.....	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47
.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	BRIDGEPORT, CONN.												
1	Total	1,472	339	63	20	14	10	446	23	17	33	46	53
2	Males	787	191	31	16	8	4	250	8	9	18	20	26
3	Females	685	148	32	4	6	6	196	15	8	15	26	27
4	White	1,437	332	59	20	14	10	435	23	15	32	45	51
5	Males	769	187	28	16	8	4	243	8	8	18	20	24
6	Females	668	145	31	4	6	6	192	15	7	14	25	27
7	Native	942	328	57	17	13	9	424	19	14	25	31	30
8	Males	495	185	27	13	7	4	236	5	7	15	14	14
9	Females	447	143	30	4	6	5	188	14	7	10	17	16
10	Both parents native M.	142	30	3	3			36	1	1	4	4	6
	Both parents native F.	166	40	3	3		1	47		1	2	7	7
11	One or both parents foreign M.	305	153	24	10	7	4	198	4	5	10	10	5
	One or both parents foreign F.	241	100	27	1	6	4	138	14	4	7	9	7
12	Parentage unknown M.	48	2					2		1	1		3
	Parentage unknown F.	40	3					3		2	1	1	2
13	Foreign	480	3	2	3	1	1	10	4	1	7	14	20
14	Males	263	2	1	3	1		7	3	1	3	6	9
15	Females	217	1	1			1	3	1		4	8	11
16	Unknown	15	1					1					1
17	Males	11											1
18	Females	4	1					1					
19	Colored	35	7	4				11		2	1	1	2
20	Males	18	4	3				7		1			2
21	Females	17	3	1				4		1	1	1	
22	Negro M.	17	4	3				7		1			2
	Negro F.	17	3	1				4		1	1	1	
23	Indian M.	1											
	Indian F.												
	NEW HAVEN, CONN.												
24	Total	2,281	413	91	39	24	9	576	45	31	47	68	88
25	Males	1,174	216	46	21	10	5	298	25	22	28	30	51
26	Females	1,107	197	45	18	14	4	278	20	9	19	38	37
27	White	2,173	390	86	37	21	9	543	43	27	46	61	81
28	Males	1,118	202	44	20	8	5	279	25	19	27	25	46
29	Females	1,055	188	42	17	13	4	264	18	8	19	36	35
30	Native	1,388	388	79	34	20	9	530	40	21	39	38	46
31	Males	722	201	41	17	8	5	272	25	13	23	14	23
32	Females	666	187	38	17	12	4	258	15	8	16	24	23
33	Both parents native M.	247	57	5	2	2	1	67	7	3	10	7	4
	Both parents native F.	246	53	8	4	2	2	69	3	3	6	3	7
34	One or both parents foreign M.	405	141	36	15	6	4	202	17	10	13	7	17
	One or both parents foreign F.	352	131	30	13	10	2	186	11	5	10	18	12
35	Parentage unknown M.	70	3					3	1				2
	Parentage unknown F.	68	3					3	1			3	4
36	Foreign	763	1	7	3	1		12	3	5	7	23	34
37	Males	380	1	3	3			7		5	4	11	22
38	Females	383		4		1		5	3		3	12	12
39	Unknown	22	1					1		1			1
40	Males	16								1			1
41	Females	6	1					1					
42	Colored	108	23	5	2	3		33	2	4	1	7	7
43	Males	56	14	2	1	2		19		3	1	5	5
44	Females	52	9	3	1	1		14	2	1		2	2
45	Negro M.	56	14	2	1	2		19		3	1	5	5
	Negro F.	52	9	3	1	1		14	2	1		2	2

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
65	74	79	79	102	71	82	98	68	67	40	17	8	2		2	1
34	40	52	53	58	38	45	51	26	24	19	11	4			1	2
31	34	27	26	44	33	37	47	42	43	21	6	4	2		1	3
64	69	78	78	102	70	78	96	66	66	40	17	8	2		2	4
34	39	51	53	58	38	42	50	25	23	19	11	4			1	5
30	30	27	25	44	32	36	46	41	43	21	6	4	2		1	6
37	30	32	39	44	39	32	42	29	33	25	11	5	1			7
16	19	19	27	20	23	16	21	8	13	13	7	2				8
21	11	13	12	24	16	16	21	21	20	12	4	3	1			9
7	4	6	5	7	9	8	13	5	8	10	6	2				10
6	5	2	6	10	7	10	16	13	14	7	3	2	1			
9	13	9	15	9	9	2	5	1	1							11
14	6	9	6	12	9	2	1	1		1		1				
	2	4	7	4	5	6	3	2	4	3	1					12
1		2		2		4	4	7	6	4	1					
25	39	45	38	57	31	46	50	36	33	14	5	2	1		2	13
16	20	31	25	37	15	26	27	16	10	6	3	1			1	14
9	19	14	13	20	16	20	23	20	23	8	2	1	1		1	15
2		1	1	1			4	1		1	1	1				16
2		1	1	1			2	1			1	1				17
							2			1						18
1	5	1	1		1	4	2	2	1							19
	1	1				3	1	1	1							20
1	4		1		1	1	1	1								21
	1	1				3	1		1							22
1	4		1		1	1	1	1								
								1								23
103	118	115	113	117	139	173	167	147	102	73	37	15	6	1		24
60	68	70	68	52	69	84	88	68	43	34	8	5	3			25
43	50	45	45	65	70	89	79	79	59	39	29	10	3	1		26
97	112	108	107	111	133	166	163	144	102	73	36	14	5	1		27
56	66	67	66	50	67	80	87	66	43	34	8	5	2			28
41	46	41	41	61	66	86	76	78	59	39	28	9	3	1		29
54	68	68	58	58	58	57	61	62	56	39	21	9	5			30
31	39	45	36	25	30	35	30	33	22	16	4	4	2			31
23	29	23	22	33	28	22	31	29	34	23	17	5	3			32
9	11	9	9	7	13	20	21	18	13	12	3	2	2			33
9	11	4	1	13	14	11	17	17	21	18	14	3	2			
20	26	30	20	13	10	8	4	4	2	1	1					34
14	16	17	19	16	9	5	6	3	4	1						
2	2	6	7	5	7	7	5	11	7	3		2				35
	2	2	2	4	5	6	8	9	9	4	3	2	1			
42	42	38	47	52	73	109	96	80	45	34	15	5		1		36
24	26	20	28	24	35	45	53	32	21	18	4	1				37
18	16	18	19	28	38	64	43	48	24	16	11	4		1		38
1	2	2	2	1	2		6	2	1							39
1	1	2	2	1	2		4	1								40
	1						2	1	1							41
6	6	7	6	6	6	7	4	3			1	1	1			42
4	2	3	2	2	2	4	1	2					1			43
2	4	4	4	4	4	3	3	1			1	1				44
4	2	3	2	2	2	4	1	2					1			45
2	4	4	4	4	4	3	3	1			1	1				

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	WASHINGTON, D. C.												
1	Total	6,304	955	209	75	36	25	1,300	93	83	145	286	276
2	Males	3,410	523	97	39	14	10	683	43	50	68	139	147
3	Females	2,894	432	112	36	22	15	617	50	33	77	147	126
4	White	3,739	491	85	34	22	11	643	48	39	58	138	119
5	Males	2,088	278	40	18	11	5	352	21	26	28	72	64
6	Females	1,651	213	45	16	11	6	291	27	13	30	66	55
7	Native	3,021	489	84	33	22	11	639	46	38	56	128	108
8	Males	1,655	278	40	18	11	5	352	21	26	26	66	57
9	Females	1,366	211	44	15	11	6	287	25	12	30	62	51
10	Both parents native M	1,107	197	32	13	7	3	252	15	21	24	46	38
	Both parents native F	976	153	30	12	9	4	208	18	9	22	48	36
11	One or both parents foreign M	280	46	3	4	3	1	57	5	3	2	9	10
	One or both parents foreign F	231	33	9	1	1	1	45	3	3	5	8	10
12	Parentage unknown M	268	35	5	1	1	1	43	1	2		11	9
	Parentage unknown F	159	25	5	2	1	1	34	4		3	6	5
13	Foreign	657	1		1			2	1	1	1	9	10
14	Males	392									1	5	6
15	Females	265	1		1			2	1	1		4	4
16	Unknown	61	1	1				2	1		1	1	1
17	Males	41									1	1	1
18	Females	20	1	1				2	1				
19	Colored	2,565	464	124	41	14	14	657	45	44	87	148	154
20	Males	1,322	245	57	21	3	5	331	22	24	40	67	83
21	Females	1,243	219	67	20	11	9	326	23	20	47	81	71
22	Negro M	1,318	245	57	21	3	5	331	22	24	40	67	82
	Negro F	1,241	219	67	20	11	9	326	23	20	47	81	71
23	Indian M												
	Indian F	2											
24	Chinese M	4											1
	Chinese F												
	ATLANTA, GA.												
25	Total	3,172	480	155	85	48	19	787	70	51	139	227	208
26	Males	1,530	245	86	45	24	11	411	33	25	56	94	86
27	Females	1,642	235	69	40	24	8	376	37	26	83	133	122
28	White	1,677	268	79	38	20	13	418	36	19	54	87	85
29	Males	831	151	41	20	11	7	230	16	12	27	38	35
30	Females	846	117	38	18	9	6	188	20	7	27	49	50
31	Native	1,574	266	79	38	20	12	415	35	19	51	80	80
32	Males	770	150	41	20	11	6	228	15	12	27	34	33
33	Females	804	116	38	18	9	6	187	20	7	24	46	47
34	Both parents native M	674	133	40	19	10	6	208	14	12	26	31	29
	Both parents native F	695	102	35	18	8	6	169	18	7	21	41	47
35	One or both parents foreign M	45	13	1	1	1		16	1		1	2	2
	One or both parents foreign F	58	9	3		1		13	2		3	3	
36	Parentage unknown M	51	4					4				1	2
	Parentage unknown F	51	5					5				2	
37	Foreign	87					1	1			1	7	4
38	Males	51					1	1				4	1
39	Females	36									1	3	3
40	Unknown	16	2					2	1		2		1
41	Males	10	1					1	1				1
42	Females	6	1					1			2		
43	Colored	1,495	212	76	47	28	6	369	34	32	85	140	123
44	Males	699	94	45	25	13	4	181	17	13	29	56	51
45	Females	796	118	31	22	15	2	188	17	19	56	84	72
46	Negro M	698	94	45	25	13	4	181	17	13	29	56	51
	Negro F	796	118	31	22	15	2	188	17	19	56	84	72
47	Chinese M	1											
	Chinese F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
313	370	357	307	367	342	405	478	445	343	211	121	45	13	6	1	1
190	220	216	176	208	177	213	271	262	178	97	50	17	1	3	1	2
123	150	141	131	159	165	192	207	183	165	114	71	28	12	3		3
151	190	183	178	194	205	277	367	358	280	170	101	38	2			4
95	114	120	107	118	112	151	209	213	147	82	43	14				5
56	76	63	71	76	93	126	158	145	133	88	58	24	2			6
127	164	152	142	156	172	202	263	240	179	111	71	26	1			7
78	96	96	81	93	93	111	150	133	92	50	27	7				8
49	68	56	61	63	79	91	113	107	87	61	44	19	1			9
49	53	61	52	57	60	70	95	89	62	36	21	6				10
35	45	34	31	32	54	73	82	89	64	45	34	16	1			
15	21	20	15	24	23	17	15	18	15	6	5					11
5	18	16	20	17	17	10	16	12	13	9	3	1				
14	22	15	14	12	10	24	40	26	15	8	1	1				12
9	5	6	10	14	8	8	15	6	10	7	7	2				
24	23	27	33	31	27	68	95	109	96	59	29	11	1			13
17	16	21	24	20	15	35	54	73	52	32	15	6				14
7	7	6	9	11	12	33	41	36	44	27	14	5	1			15
	3	4	3	7	6	7	9	9	5		1	1				16
	2	3	2	5	4	5	5	7	3		1	1				17
	1	1	1	2	2	2	4	2	2							18
162	180	174	129	173	137	128	111	87	63	41	20	7	11	6	1	19
95	106	96	69	90	65	62	62	49	31	15	7	3	1	3	1	20
67	74	78	60	83	72	66	49	38	32	26	13	4	10	3		21
95	106	95	68	90	64	62	62	49	31	15	7	3	1	3	1	22
67	74	78	60	83	71	66	49	38	32	26	12	4	10	3		
																23
					1						1					
		1	1		1											24
192	206	163	165	193	148	151	151	128	94	58	28	6	1	5	1	25
80	114	78	91	106	76	58	76	67	39	23	14	2		1		26
112	92	85	74	87	72	93	75	61	55	35	14	4	1	4	1	27
80	106	75	65	98	85	101	112	104	81	48	20	2			1	28
29	55	37	33	54	51	40	52	55	34	21	12					29
51	51	38	32	44	34	61	60	49	47	27	8	2			1	30
73	98	69	61	92	81	93	105	91	72	39	18	2				31
26	48	34	30	50	49	37	48	44	29	16	10					32
47	50	35	31	42	32	56	57	47	43	23	8	2				33
22	43	26	28	43	42	32	40	35	26	9	8					34
40	42	32	27	30	26	52	45	37	36	17	7	1				
3	3	3		1	2	3	3	1	2	2						35
4	4	2	2	7	3	3	5	2	2	2	1					
1	2	5	2	6	5	2	5	8	1	5	2					36
3	4	1	2	5	3	1	7	8	5	4		1				
5	7	3	4	6	3	8	7	11	9	9	2					37
2	6	1	3	4	1	3	4	9	5	5	2					38
3	1	2	1	2	2	5	3	2	4	4						39
2	1	3			1			2							1	40
1	1	2			1			2								41
1		1													1	42
112	100	88	100	95	63	50	39	24	13	10	8	4	1	5		43
51	59	41	58	52	25	18	24	12	5	2	2	2		1		44
61	41	47	42	43	38	32	15	12	8	8	6	2	1	4		45
51	59	41	58	51	25	18	24	12	5	2	2	2		1		46
61	41	47	42	43	38	32	15	12	8	8	6	2	1	4		
				1												47

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CHICAGO, ILL.												
1	Total	32,531	6,252	1,416	648	485	339	9,140	923	497	790	1,383	1,501
2	Males	18,947	3,657	762	355	258	183	5,215	487	265	433	779	860
3	Females	13,584	2,595	654	293	227	156	3,925	436	232	357	604	641
4	White	31,478	6,155	1,373	640	473	332	8,973	899	482	748	1,310	1,425
5	Males	18,344	3,600	738	352	257	182	5,129	474	257	410	740	818
6	Females	13,134	2,555	635	288	216	150	3,844	425	225	338	570	607
7	Native	18,537	6,133	1,342	615	460	317	8,867	829	433	588	814	796
8	Males	10,623	3,583	724	333	247	176	5,063	435	227	322	451	436
9	Females	7,914	2,550	618	282	213	141	3,804	394	206	266	363	360
10	Both parents native M	2,725	956	138	74	66	47	1,281	127	47	80	81	102
	Both parents native F	2,126	647	112	61	51	28	899	115	61	45	83	90
11	One or both parents foreign M	6,750	2,464	577	254	179	128	3,602	304	178	237	335	287
	One or both parents foreign F	5,069	1,798	501	219	160	111	2,789	276	144	212	252	245
12	Parentage unknown M	1,148	163	9	5	2	1	180	4	2	5	35	47
	Parentage unknown F	719	105	5	2	2	2	116	3	1	9	28	25
13	Foreign	12,665	19	28	24	13	14	98	70	48	155	484	609
14	Males	7,480	14	13	18	10	5	60	39	30	85	280	365
15	Females	5,185	5	15	6	3	9	38	31	18	70	204	244
16	Unknown	276	3	3	1		1	8		1	5	12	20
17	Males	241	3	1	1		1	6			3	9	17
18	Females	35		2				2		1	2	3	3
19	Colored	1,053	97	43	8	12	7	167	24	15	42	73	76
20	Males	603	57	24	3	1	1	86	13	8	23	39	42
21	Females	450	40	19	5	11	6	81	11	7	19	34	34
22	Negro M	569	56	24	3	1	1	85	13	8	22	36	41
	Negro F	450	40	19	5	11	6	81	11	7	19	34	34
23	Chinese M	32	1					1			1	2	
	Chinese F												
24	Japanese M	2										1	1
	Japanese F												
	INDIANAPOLIS, IND.												
25	Total	3,530	419	67	48	38	16	588	59	63	105	169	160
26	Males	1,911	235	35	33	21	12	336	37	31	43	82	80
27	Females	1,619	184	32	15	17	4	252	22	32	62	87	80
28	White	3,029	359	54	34	32	14	493	48	53	84	140	137
29	Males	1,641	206	28	21	17	10	282	29	25	37	67	68
30	Females	1,388	153	26	13	15	4	211	19	28	47	73	69
31	Native	2,489	359	54	34	31	14	492	46	50	79	133	121
32	Males	1,337	206	28	21	16	10	281	28	23	34	63	58
33	Females	1,152	153	26	13	15	4	211	18	27	45	70	63
34	Both parents native M	854	172	23	16	11	7	229	21	17	26	52	44
	Both parents native F	784	132	24	10	13	4	183	17	19	37	57	45
35	One or both parents foreign M	287	27	5	2	3	3	40	6	5	7	11	12
	One or both parents foreign F	212	18	2	3	2		25	1	6	7	7	14
36	Parentage unknown M	196	7		3	2		12	1	1	1		2
	Parentage unknown F	156	3					3		2	1	6	4
37	Foreign	511				1		1		3	5	7	15
38	Males	285				1		1		2	3	4	9
39	Females	226								1	2	3	6
40	Unknown	29							2				1
41	Males	19							1				1
42	Females	10							1				
43	Colored	501	60	13	14	6	2	95	11	10	21	29	23
44	Males	270	29	7	12	4	2	54	8	6	6	15	12
45	Females	231	31	6	2	2		41	3	4	15	14	11
46	Negro M	269	29	7	12	4	2	54	8	6	6	15	11
	Negro F	231	31	6	2	2		41	3	4	15	14	11
47	Chinese M	1											1
	Chinese F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,574	1,843	1,887	2,047	2,140	1,811	1,729	1,635	1,286	1,135	683	358	130	33	4	2	1
969	1,181	1,240	1,337	1,395	1,150	1,011	930	661	535	303	136	49	9	.....	2	2
605	662	647	710	745	661	718	705	625	600	380	222	81	24	4	.....	3
1,470	1,735	1,789	1,958	2,060	1,746	1,690	1,608	1,270	1,126	676	350	126	32	3	2	4
911	1,105	1,182	1,276	1,348	1,117	983	919	652	531	301	132	49	8	.....	2	5
559	630	607	682	712	629	707	689	618	595	375	218	77	24	3	.....	6
740	862	753	718	758	597	470	401	321	271	186	97	28	7	1	.....	7
455	516	473	456	489	392	276	229	158	124	80	31	9	1	.....	.....	8
285	346	280	262	269	205	194	172	163	147	106	66	19	6	1	.....	9
98	73	103	84	114	134	86	88	84	73	46	19	5	.....	.....	.....	10
68	81	56	55	64	77	78	82	84	80	55	40	9	4	.....	.....	
305	351	293	252	252	161	83	57	26	19	6	2	.....	.....	.....	.....	11
177	213	172	164	157	84	72	39	36	15	13	6	1	2	.....	.....	
52	92	77	120	123	97	107	84	48	32	28	10	4	1	.....	.....	12
40	52	52	43	48	44	44	51	43	52	38	20	9	.....	1	.....	
708	850	998	1,203	1,276	1,122	1,201	1,191	936	851	489	253	96	25	2	.....	13
436	566	674	786	836	701	691	678	484	403	220	101	38	7	.....	.....	14
272	284	324	417	440	421	510	513	452	448	269	152	58	18	2	.....	15
22	23	38	37	26	27	19	16	13	4	1	.....	2	.....	.....	2	16
20	23	35	34	23	24	16	12	10	4	1	.....	2	.....	.....	2	17
2	.....	3	3	3	3	3	4	3	.....	.....	.....	.....	.....	.....	.....	18
104	108	98	89	80	65	39	27	16	9	7	8	4	1	1	.....	19
58	76	58	61	47	33	28	11	9	4	2	4	.....	1	.....	.....	20
46	32	40	28	33	32	11	16	7	5	5	4	4	.....	1	.....	21
55	71	51	59	41	31	27	10	8	4	2	4	.....	1	.....	.....	22
46	32	40	28	33	32	11	16	7	5	5	4	4	.....	1	.....	
3	5	7	2	6	2	1	1	1	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
184	211	184	195	239	233	231	251	255	210	122	44	17	7	2	1	25
105	116	100	121	140	124	138	147	139	89	59	15	7	2	.....	.....	26
79	95	84	74	99	109	93	104	116	121	63	29	10	5	2	1	27
146	166	152	173	204	204	201	222	231	202	109	41	15	7	1	.....	28
82	97	83	106	118	114	123	128	125	84	50	14	7	2	.....	.....	29
64	69	69	67	86	90	78	94	106	118	59	27	8	5	1	.....	30
129	146	129	149	175	164	145	161	144	127	65	24	7	3	.....	.....	31
67	81	72	89	102	90	89	91	80	53	26	5	4	1	.....	.....	32
62	65	57	60	73	74	56	70	64	74	39	19	3	2	.....	.....	33
45	43	37	48	52	54	48	53	41	22	17	3	2	.....	.....	.....	34
40	30	32	36	47	36	37	38	44	46	28	10	2	.....	.....	.....	
17	32	21	29	31	20	17	14	13	8	3	.....	1	.....	.....	.....	35
15	28	15	17	16	20	9	13	8	4	2	4	.....	1	.....	.....	
5	6	14	12	19	16	24	24	26	23	6	2	1	1	.....	.....	36
7	7	10	7	10	18	10	19	12	24	9	5	1	1	.....	.....	
15	18	21	22	24	35	54	57	85	75	44	17	8	4	1	.....	37
13	15	11	16	12	20	32	34	45	31	24	9	3	1	.....	.....	38
2	3	10	6	12	15	22	23	40	44	20	8	5	3	1	.....	39
2	2	2	2	5	5	2	4	2	.....	.....	.....	.....	.....	.....	.....	40
2	1	.....	1	4	4	2	3	.....	.....	.....	.....	.....	.....	.....	.....	41
.....	1	2	1	1	1	.....	1	2	.....	.....	.....	.....	.....	.....	.....	42
38	45	32	22	35	29	30	29	24	8	13	3	2	.....	1	1	43
23	19	17	15	22	10	15	19	14	5	9	1	.....	.....	.....	.....	44
15	26	15	7	13	19	15	10	10	3	4	2	2	.....	1	1	45
23	19	17	15	22	10	15	19	14	5	9	1	.....	.....	.....	.....	46
15	26	15	7	13	19	15	10	10	3	4	2	2	.....	1	1	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	47

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	LOUISVILLE, KY.												
1	Total	3,661	441	123	51	50	28	693	69	51	122	172	191
2	Males	1,981	259	63	25	29	11	387	35	29	53	86	102
3	Females	1,680	182	60	26	21	17	306	34	22	69	86	89
4	White	2,597	343	75	32	32	16	498	50	32	60	106	122
5	Males	1,432	202	36	15	19	9	281	25	19	30	54	69
6	Females	1,165	141	39	17	13	7	217	25	13	30	52	53
7	Native	2,035	339	74	32	32	16	493	48	32	60	99	116
8	Males	1,120	199	35	15	19	9	277	25	19	30	47	66
9	Females	915	140	39	17	13	7	216	23	13	30	52	50
10	Both parents native M	596	160	30	12	18	9	229	23	17	20	27	35
	Both parents native F	565	114	35	13	11	7	180	21	12	22	38	34
11	One or both parents foreign M	271	21	2	3	1		27	2	2	8	14	24
	One or both parents foreign F	177	10	3	4	1		18	1	1	6	7	11
12	Parentage unknown M	253	18	3				21			2	6	7
	Parentage unknown F	173	16	1		1		18	1		2	7	5
13	Foreign	518		1				1	1			5	4
14	Males	278		1				1				5	2
15	Females	240							1				2
16	Unknown	44	4					4	1			2	2
17	Males	34	3					3				2	1
18	Females	10	1					1	1				1
19	Colored	1,064	98	48	19	18	12	195	19	19	62	66	69
20	Males	549	57	27	10	10	2	106	10	10	23	32	33
21	Females	515	41	21	9	8	10	89	9	9	39	34	36
22	Negro M	549	57	27	10	10	2	106	10	10	23	32	33
	Negro F	515	41	21	9	8	10	89	9	9	39	34	36
	NEW ORLEANS, LA.												
23	Total	7,055	1,071	251	112	55	44	1,533	123	104	206	372	398
24	Males	3,846	586	128	61	29	22	826	67	63	98	199	243
25	Females	3,209	485	123	51	26	22	707	56	41	108	173	155
26	White	4,208	662	163	68	31	23	947	65	46	82	146	189
27	Males	2,322	367	84	39	17	8	515	35	31	49	82	113
28	Females	1,886	295	79	29	14	15	432	30	15	33	64	76
29	Native	3,221	662	162	68	31	23	946	64	46	74	133	167
30	Males	1,808	367	83	39	17	8	514	34	31	45	71	99
31	Females	1,413	295	79	29	14	15	432	30	15	29	62	68
32	Both parents native M	1,091	312	71	34	12	7	436	30	27	36	58	73
	Both parents native F	870	249	70	20	10	13	362	24	11	25	51	46
33	One or both parents foreign M	651	52	12	5	5	1	75	4	4	9	11	21
	One or both parents foreign F	494	45	9	9	4	2	69	6	4	3	10	19
34	Parentage unknown M	66	3					3				2	5
	Parentage unknown F	49	1					1			1	1	3
35	Foreign	977		1				1	1		8	13	22
36	Males	504		1				1	1		4	11	14
37	Females	473									4	2	8
38	Unknown	10											
39	Males	10											
40	Females												
41	Colored	2,847	409	88	44	24	21	586	58	58	124	226	209
42	Males	1,524	219	44	22	12	14	311	32	32	49	117	130
43	Females	1,323	190	44	22	12	7	275	26	26	75	109	79
44	Negro M	1,511	218	44	22	12	14	310	32	32	49	117	129
	Negro F	1,323	190	44	22	12	7	275	26	26	75	109	79
45	Chinese M	13	1					1					1
	Chinese F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
199	231	209	249	219	221	237	224	209	176	100	56	17	4	.....	12	1
108	144	122	139	135	137	122	120	100	87	39	21	7	.....	.....	8	2
91	87	87	110	84	84	115	104	109	89	61	35	10	4	.....	4	3
125	151	126	153	148	153	194	176	184	158	92	47	14	3	.....	5	4
68	92	69	90	92	101	104	98	93	81	36	18	7	.....	.....	5	5
57	59	57	63	56	52	90	78	91	77	56	29	7	3	.....	.....	6
119	134	113	136	126	121	126	89	74	79	38	20	9	2	.....	1	7
63	83	61	83	74	77	64	51	37	39	13	5	5	.....	.....	1	8
56	51	52	53	52	44	62	38	37	40	25	15	4	2	.....	.....	9
31	30	19	29	20	30	28	18	10	17	5	4	3	.....	.....	1	10
33	25	25	19	16	15	33	18	23	22	17	10	2	.....	.....	.....	
24	37	23	28	26	18	16	9	6	4	2	.....	1	.....	.....	.....	11
14	15	20	22	18	13	16	4	2	5	1	3	.....	.....	.....	.....	
8	16	19	26	28	29	20	24	21	18	6	1	1	.....	.....	.....	12
9	11	7	12	18	16	13	16	12	13	7	2	2	2	.....	.....	
4	16	9	15	17	30	65	83	107	78	52	25	5	1	.....	.....	13
3	8	5	6	14	23	37	44	53	41	22	12	2	.....	.....	.....	14
1	8	4	9	3	7	28	39	54	37	30	13	3	1	.....	.....	15
2	1	4	2	5	2	3	4	3	1	2	2	.....	.....	.....	4	16
2	1	3	1	4	1	3	3	3	1	1	1	.....	.....	.....	4	17
.....	.....	1	1	1	1	.....	1	.....	.....	1	1	.....	.....	.....	.....	18
74	80	83	96	71	68	43	48	25	18	8	9	3	1	.....	7	19
40	52	53	49	43	36	18	22	7	6	3	3	.....	.....	.....	3	20
34	28	30	47	28	32	25	26	18	12	5	6	3	1	.....	4	21
40	52	53	49	43	36	18	22	7	6	3	3	.....	.....	.....	3	22
34	28	30	47	28	32	25	26	18	12	5	6	3	1	.....	4	
390	467	478	447	440	406	427	354	314	287	175	80	23	18	10	3	23
231	266	285	269	267	233	226	184	149	119	77	31	2	7	1	3	24
159	201	193	178	173	173	201	170	165	168	98	49	21	11	9	.....	25
202	230	266	258	293	266	283	261	228	218	138	61	19	6	2	2	26
115	148	171	165	182	154	155	135	103	84	62	19	2	1	1	2	27
87	82	95	95	111	112	128	126	125	134	76	42	17	5	1	.....	28
183	204	241	214	226	194	160	135	84	89	38	16	5	2	.....	.....	29
100	130	151	131	138	116	90	63	40	37	16	2	.....	.....	.....	.....	30
83	74	90	83	88	78	70	72	44	52	22	14	5	2	.....	.....	31
60	69	58	44	49	51	37	19	20	14	8	2	.....	.....	.....	.....	32
51	46	40	36	37	22	25	29	17	29	12	5	2	.....	.....	.....	
40	59	91	83	86	57	44	33	17	15	2	.....	.....	.....	.....	.....	33
31	28	48	43	47	56	38	35	22	17	7	7	3	1	.....	.....	
.....	2	2	4	3	8	9	11	3	8	6	.....	.....	.....	.....	.....	34
1	.....	2	4	4	.....	7	8	5	6	3	2	.....	1	.....	.....	
19	25	24	43	65	72	121	126	144	128	100	45	14	4	2	.....	35
15	17	19	31	42	38	63	72	63	46	46	17	2	1	1	.....	36
4	8	5	12	23	34	58	54	81	82	54	28	12	3	1	.....	37
.....	1	1	1	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....	2	38
.....	1	1	1	2	.....	2	.....	.....	1	.....	.....	.....	.....	.....	2	39
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
188	237	212	189	147	140	144	93	86	69	37	19	4	12	8	1	41
116	118	114	106	85	79	71	49	46	35	15	12	.....	6	.....	1	42
72	119	98	83	62	61	73	44	40	34	22	7	4	6	8	.....	43
116	116	113	106	83	78	69	48	45	35	15	11	.....	6	.....	1	44
72	119	98	83	62	61	73	44	40	34	22	7	4	6	8	.....	
.....	2	1	.....	2	1	2	1	1	.....	.....	1	.....	.....	.....	.....	45

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	BALTIMORE, MD.												
1	Total	10,407	1,960	434	158	98	78	2,728	201	138	260	383	494
2	Males	5,495	1,044	237	85	53	45	1,464	110	79	113	201	278
3	Females	4,912	916	197	73	45	33	1,264	91	59	147	182	216
4	White	7,757	1,433	311	113	71	53	1,981	143	92	161	229	290
5	Males	4,138	761	167	69	41	32	1,070	81	57	74	123	167
6	Females	3,619	672	144	44	30	21	911	62	35	87	106	123
7	Native	5,925	1,420	316	109	71	52	1,962	138	84	150	196	235
8	Males	3,153	756	167	65	41	32	1,061	79	52	68	100	131
9	Females	2,772	664	143	44	30	20	901	59	32	82	96	104
10	Both parents native M	1,552	399	89	44	28	17	577	59	29	45	57	75
	Both parents native F	1,440	343	78	30	18	8	477	42	18	45	60	67
11	One or both parents foreign M	919	196	67	13	12	14	302	16	17	19	30	32
	One or both parents foreign F	832	172	57	12	10	9	260	15	12	32	24	24
12	Parentage unknown M	682	161	11	8	1	1	182	4	6	4	15	24
	Parentage unknown F	500	149	8	2	2	3	164	2	2	5	12	13
13	Foreign	1,738	6	1	2		1	10	4	7	11	31	53
14	Males	918	2		2			4	1	4	6	22	35
15	Females	820	4	1			1	6	3	3	5	9	18
16	Unknown	94	7		2			9	1	1		2	2
17	Males	67	3		2			5	1	1		1	1
18	Females	27	4					4				1	1
19	Colored	2,650	527	123	45	27	25	747	58	46	99	154	204
20	Males	1,357	283	70	16	12	13	394	29	22	39	78	111
21	Females	1,293	244	53	29	15	12	353	29	24	60	76	93
22	Negro M	1,353	283	70	16	12	13	394	29	22	39	78	111
	Negro F	1,291	244	53	29	15	12	353	28	24	60	75	93
23	Indian M												
	Indian F	2							1			1	
24	Chinese M	2											
	Chinese F												
25	Japanese M	2											
	Japanese F												
	BOSTON, MASS.												
26	Total	11,765	2,246	475	179	127	93	3,120	217	120	220	325	489
27	Males	6,234	1,266	254	87	75	57	1,739	114	59	106	178	248
28	Females	5,531	980	221	92	52	36	1,381	103	61	114	147	241
29	White	11,393	2,188	452	171	124	90	3,025	208	112	208	309	460
30	Males	6,039	1,235	241	81	73	54	1,684	109	55	102	170	230
31	Females	5,354	953	211	90	51	36	1,341	99	57	106	139	230
32	Native	6,857	2,176	439	162	115	83	2,975	196	91	146	181	251
33	Males	3,687	1,228	232	77	66	50	1,653	103	46	65	105	119
34	Females	3,170	948	207	85	49	33	1,322	93	45	81	76	132
35	Both parents native M	1,204	291	42	11	12	12	368	23	16	26	34	41
	Both parents native F	1,134	245	49	20	18	15	347	24	12	25	25	43
36	One or both parents foreign M	2,157	823	182	64	54	38	1,161	79	30	39	68	75
	One or both parents foreign F	1,731	608	152	64	31	18	873	68	32	54	50	85
37	Parentage unknown M	326	114	8	2			124	1			3	3
	Parentage unknown F	305	95	6	1			102	1	1	2	1	4
38	Foreign	4,372	5	13	9	9	7	43	11	21	62	125	200
39	Males	2,233	3	9	4	7	4	27	6	9	37	63	104
40	Females	2,139	2	4	5	2	3	16	5	12	25	62	96
41	Unknown	164	7					7	1			3	9
42	Males	119	4					4				2	7
43	Females	45	3					3	1			1	2
44	Colored	372	58	23	8	3	3	95	9	8	12	16	29
45	Males	195	31	13	6	2	3	55	5	4	4	8	18
46	Females	177	27	10	2	1		40	4	4	8	8	11
47	Negro M	178	31	13	6	2	3	55	4	4	3	7	17
	Negro F	177	27	10	2	1		40	4	4	8	8	11
48	Indian M	1											
	Indian F												
49	Chinese M	16							1		1	1	1
	Chinese F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
461	474	531	538	697	580	619	627	618	468	354	158	57	16	5	.....	1
261	270	289	312	394	317	337	317	309	199	149	79	11	4	2	.....	2
200	204	242	226	303	263	282	310	309	269	205	79	46	12	3	.....	3
316	303	354	392	506	446	511	553	530	419	327	140	49	13	2	.....	4
185	180	200	233	297	246	286	275	261	182	138	68	11	3	1	.....	5
131	123	154	159	209	200	225	278	269	237	189	72	38	10	1	.....	6
247	230	257	288	363	315	342	325	307	229	166	59	28	3	1	.....	7
146	139	139	165	202	174	197	169	149	93	64	21	4	.....	.....	.....	8
101	91	118	123	161	141	145	156	158	136	102	38	24	3	1	.....	9
73	60	47	52	64	73	85	74	85	45	38	13	1	.....	.....	.....	10
55	44	46	38	58	60	71	86	83	87	69	25	8	1	.....	.....	
52	49	56	78	77	54	56	34	24	13	8	2	.....	.....	.....	.....	11
38	24	50	65	70	55	49	33	40	16	13	6	5	1	.....	.....	
21	30	36	35	61	47	56	61	40	35	18	6	3	.....	.....	.....	12
8	23	22	20	33	26	25	37	35	33	20	7	11	1	1	.....	
63	66	87	98	128	123	164	219	217	186	159	81	20	10	1	.....	13
35	35	54	63	81	64	86	101	110	86	73	47	7	3	1	.....	14
28	31	33	35	47	59	78	118	107	100	86	34	13	7	.....	.....	15
6	7	10	6	15	8	5	9	6	4	2	.....	1	.....	.....	.....	16
4	6	7	5	14	8	3	5	2	3	1	.....	.....	.....	.....	.....	17
2	1	3	1	1	.....	2	4	4	1	1	.....	1	.....	.....	.....	18
145	171	177	146	191	134	108	74	88	49	27	18	8	3	3	.....	19
76	90	89	79	97	71	51	42	48	17	11	11	.....	1	1	.....	20
69	81	88	67	94	63	57	32	40	32	16	7	8	2	2	.....	21
74	90	89	78	97	70	51	42	48	17	11	11	.....	1	1	.....	22
69	81	88	67	94	63	57	32	40	32	16	7	8	2	2	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
505	649	685	678	743	686	811	769	665	483	356	161	68	14	1	.....	26
305	377	418	380	420	359	400	377	328	211	126	60	26	2	1	.....	27
200	272	267	298	323	327	411	392	337	272	230	101	42	12	.....	.....	28
486	622	658	649	718	665	794	757	653	476	351	160	68	13	1	.....	29
295	362	405	366	404	351	393	371	321	207	126	59	26	2	1	.....	30
191	260	253	283	314	314	401	386	332	269	225	101	42	11	.....	.....	31
242	290	282	253	320	290	304	301	238	192	179	82	35	9	.....	.....	32
152	169	162	133	180	164	171	153	117	88	63	29	14	1	.....	.....	33
90	121	120	120	140	126	133	148	121	104	116	53	21	8	.....	.....	34
46	44	45	45	62	62	81	99	79	60	44	18	10	1	.....	.....	35
25	29	30	35	47	50	72	82	72	83	82	34	13	4	.....	.....	
102	113	107	77	104	77	63	28	19	9	5	.....	1	.....	.....	.....	36
58	85	79	75	76	60	40	45	24	7	14	3	2	1	.....	.....	
4	12	10	11	14	25	27	26	19	19	14	11	3	.....	.....	.....	37
7	7	11	10	17	16	21	21	25	14	20	16	6	3	.....	.....	
230	305	356	375	376	368	480	445	411	281	169	76	33	4	1	.....	38
134	174	227	219	207	181	214	211	200	116	62	28	12	1	1	.....	39
96	131	129	156	169	187	266	234	211	165	107	48	21	3	.....	.....	40
14	27	20	21	22	7	10	11	4	3	3	2	.....	.....	.....	.....	41
9	19	16	14	17	6	8	7	4	3	1	2	.....	.....	.....	.....	42
5	8	4	7	5	1	2	4	.....	.....	2	.....	.....	.....	.....	.....	43
19	27	27	29	25	21	17	12	12	7	5	1	.....	1	.....	.....	44
10	15	13	14	16	8	7	6	7	4	.....	1	.....	.....	.....	.....	45
9	12	14	15	9	13	10	6	5	3	5	.....	.....	1	.....	.....	46
8	13	12	11	14	6	6	6	7	4	.....	1	.....	.....	.....	.....	47
9	12	14	15	9	13	10	6	5	3	5	.....	.....	1	.....	.....	
.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
2	2	1	3	2	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	49

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CAMBRIDGE, MASS.												
1	Total	1,617	297	54	36	25	18	430	41	32	42	40	51
2	Males	812	185	30	22	15	6	258	26	13	19	13	27
3	Females	805	112	24	14	10	12	172	15	19	23	27	24
4	White	1,518	280	50	32	21	18	401	40	31	39	37	47
5	Males	758	173	28	18	14	6	239	25	12	17	12	25
6	Females	760	107	22	14	7	12	162	15	19	22	25	22
7	Native	972	279	48	29	19	16	391	37	28	33	28	32
8	Males	509	172	27	15	12	6	232	23	11	14	10	17
9	Females	463	107	21	14	7	10	159	14	17	19	18	15
10	Both parents native M	157	37	4	3	1	3	48	2	3	2	5	5
	Both parents native F	168	23	4	3	1	3	34	3	4	5	4	6
11	One or both parents foreign M	317	131	21	11	11	3	177	21	8	12	5	11
	One or both parents foreign F	264	80	17	11	6	7	121	11	12	14	14	9
12	Parentage unknown M	35	4	2	1			7					1
	Parentage unknown F	31	4					4		1			
13	Foreign	536	1	2	2	2	2	9	3	3	6	9	15
14	Males	240	1	1	2	2		6	2	1	3	2	8
15	Females	296		1			2	3	1	2	3	7	7
16	Unknown	10			1			1					
17	Males	9			1			1					
18	Females	1											
19	Colored	99	17	4	4	4		29	1	1	3	3	4
20	Males	54	12	2	4	1		19	1	1	2	1	2
21	Females	45	5	2		3		10			1	2	2
22	Negro M	54	12	2	4	1		19	1	1	2	1	2
	Negro F	45	5	2		3		10			1	2	2
	FALL RIVER, MASS.												
23	Total	2,134	810	160	55	24	16	1,065	36	28	34	57	47
24	Males	1,103	462	72	29	12	5	580	24	12	16	26	19
25	Females	1,031	348	88	26	12	11	485	12	16	18	31	28
26	White	2,131	809	160	55	24	16	1,064	36	28	34	57	46
27	Males	1,101	461	72	29	12	5	579	24	12	16	26	18
28	Females	1,030	348	88	26	12	11	485	12	16	18	31	28
29	Native	1,388	802	154	51	20	16	1,043	31	24	25	31	18
30	Males	755	455	69	27	9	5	565	22	11	12	14	8
31	Females	633	347	85	24	11	11	478	9	13	13	17	10
32	Both parents native M	115	46	8	2	2	1	59	1	1	1	2	2
	Both parents native F	104	41	11	3	2	1	58		1	1	2	1
33	One or both parents foreign M	616	394	60	25	7	4	490	20	10	11	12	6
	One or both parents foreign F	514	298	73	20	9	9	409	9	12	12	15	9
34	Parentage unknown M	24	15	1				16	1				
	Parentage unknown F	15	8	1	1		1	11					
35	Foreign	739	6	6	4	4		20	5	4	9	26	28
36	Males	342	5	3	2	3		13	2	1	4	12	10
37	Females	397	1	3	2	1		7	3	3	5	14	18
38	Unknown	4	1					1					
39	Males	4	1					1					
40	Females												
41	Colored	3	1					1					1
42	Males	2	1					1					1
43	Females	1											
44	Negro M	2	1					1					1
	Negro F	1											

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
57	76	68	77	94	96	91	112	100	87	72	35	12	2	2		1
23	47	32	35	49	52	39	57	44	38	28	6	4		2		2
34	29	36	42	45	44	52	55	56	49	44	29	8	2			3
53	71	62	67	83	91	83	110	96	86	71	34	12	2	2		4
22	44	29	30	43	50	35	56	42	38	28	5	4		2		5
31	27	33	37	40	41	48	54	54	48	43	29	8	2			6
30	37	27	28	43	42	30	42	35	45	36	23	4	1			7
11	24	16	10	21	27	13	25	18	18	14	4	1				8
19	13	11	18	22	15	17	17	17	27	22	19	3	1			9
4	5	4	3	7	12	7	16	7	12	13	1	1				10
7	3	2	9	6	7	9	11	8	16	17	15	1	1			
7	17	12	6	14	11	5	3	7	1							11
12	8	9	8	16	6	5	4	6	7	1		1				
	2		1		4	1	6	4	5	1	3					12
	2		1		2	3	2	3	4	4	4	1				
23	34	34	37	39	46	52	68	61	41	34	11	8	1	2		13
11	20	12	18	21	21	21	31	24	20	13	1	3		2		14
12	14	22	19	18	25	31	37	37	21	21	10	5	1			15
		1	2	1	3	1				1						16
		1	2	1	2	1				1						17
					1											18
4	5	6	10	11	5	8	2	4	1	1	1					19
1	3	3	5	6	2	4	1	2			1					20
3	2	3	5	5	3	4	1	2	1	1						21
1	3	3	5	6	2	4	1	2			1					22
3	2	3	5	5	3	4	1	2	1	1						
62	75	82	64	75	100	95	111	80	57	42	16	6	1	1		23
32	36	41	35	26	47	59	57	37	24	20	7	4	1			24
30	39	41	29	49	53	36	54	43	33	22	9	2		1		25
62	75	82	64	75	99	95	111	80	57	42	16	6	1	1		26
32	36	41	35	26	47	59	57	37	24	20	7	4	1			27
30	39	41	29	49	52	36	54	43	33	22	9	2		1		28
26	28	20	16	15	24	17	15	15	17	17	4	1		1		29
15	12	12	11	7	16	10	8	11	10	7	3	1				30
11	16	8	5	8	8	7	7	4	7	10	1			1		31
1	1	3	4	2	5	1	6	10	7	5	3	1				32
1	3	2	1	2	1	5	7	3	5	9	1			1		
14	11	9	7	5	11	5	1		3	1						33
10	13	6	3	6	7			1	1	1						
						4	1	1		1						34
			1			2			1							
36	47	62	47	58	75	78	96	65	40	25	12	5	1			35
17	24	29	23	17	31	49	49	26	14	13	4	3	1			36
19	23	33	24	41	44	29	47	39	26	12	8	2				37
			1	2												38
			1	2												39
																40
					1											41
																42
					1											43
					1											44

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	LOWELL, MASS.												
1	Total	1,925	486	97	35	21	10	649	32	18	36	55	72
2	Males	985	272	39	24	16	6	357	16	14	20	31	34
3	Females	940	214	58	11	5	4	292	16	4	16	24	38
4	White	1,921	486	97	35	21	10	649	32	18	36	55	72
5	Males	982	272	39	24	16	6	357	16	14	20	31	34
6	Females	939	214	58	11	5	4	292	16	4	16	24	38
7	Native	1,169	485	92	34	19	9	639	31	16	22	31	35
8	Males	624	271	38	24	14	5	352	16	13	14	22	14
9	Females	545	214	54	10	5	4	287	15	3	8	9	21
10	Both parents native M	140	44	3	3	3		53	1	2		4	2
	Both parents native F	150	32	4	1		1	38	4		1	2	8
11	One or both parents foreign M	435	215	33	21	11	5	285	15	11	13	18	12
	One or both parents foreign F	360	178	50	9	5	3	245	11	3	7	6	12
12	Parentage unknown M	49	12	2				14			1		
	Parentage unknown F	35	4					4				1	1
13	Foreign	745	1	5	1	2	1	10	1	2	14	24	36
14	Males	355	1	1		2	1	5		1	6	9	20
15	Females	390		4	1			5	1	1	8	15	16
16	Unknown	7											1
17	Males	3											
18	Females	4											1
19	Colored	4											
20	Males	3											
21	Females	1											
22	Negro M	3											
	Negro F	1											
	WORCESTER, MASS.												
23	Total	2,362	447	68	25	25	16	581	45	37	43	73	84
24	Males	1,269	261	28	13	13	10	325	18	18	25	39	43
25	Females	1,093	186	40	12	12	6	256	27	19	18	34	41
26	White	2,343	445	67	25	25	15	577	44	36	43	73	84
27	Males	1,257	259	27	13	13	9	321	18	18	25	39	43
28	Females	1,086	186	40	12	12	6	256	26	18	18	34	41
29	Native	1,437	443	64	22	23	15	567	41	32	31	44	42
30	Males	772	259	25	11	12	9	316	16	15	17	23	20
31	Females	665	184	39	11	11	6	251	25	17	14	21	22
32	Both parents native M	267	68	4	4		1	77	7	6	4	5	9
	Both parents native F	266	50	11	3	1	2	67	9	6	2	8	3
33	One or both parents foreign M	423	182	21	7	12	8	230	9	9	12	17	11
	One or both parents foreign F	322	128	28	8	9	4	177	15	11	12	12	15
34	Parentage unknown M	82	9					9			1	1	
	Parentage unknown F	77	6			1		7	1			1	4
35	Foreign	889	1	3	3	2		9	3	3	12	28	42
36	Males	475		2	2	1		5	2	2	8	15	23
37	Females	414	1	1	1	1		4	1	1	4	13	19
38	Unknown	17	1					1		1		1	
39	Males	10								1		1	
40	Females	7	1					1					
41	Colored	19	2	1			1	4	1	1			
42	Males	12	2	1			1	4					
43	Females	7							1	1			
44	Negro M	12	2	1			1	4					
	Negro F	7							1	1			

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
63	90	80	81	100	104	111	126	119	78	51	47	11	2			1
37	55	39	42	48	45	52	71	50	36	20	15	3				2
26	35	41	39	52	59	59	55	69	42	31	32	8	2			3
63	90	80	81	99	104	109	126	119	77	51	47	11	2			4
37	55	39	42	47	45	51	71	50	35	20	15	3				5
26	35	41	39	52	59	58	55	69	42	31	32	8	2			6
28	37	27	27	31	44	23	38	38	39	24	31	7	1			7
17	19	12	16	16	26	10	20	22	14	7	12	2				8
11	18	15	11	15	18	13	18	16	25	17	19	5	1			9
1	1		4	5	11	8	10	14	9	4	9	2				10
4	3	3	2	4	9	4	9	11	16	14	14	3	1			
15	17	12	10	8	8	1	4	2	2	1	1					11
7	15	11	7	7	9	6	4	3	3	2	2					
1	1		2	3	7	1	6	6	3	2	2					12
		1	2	4		3	5	2	6	1	3	2				
35	53	53	54	67	58	86	87	80	38	27	15	4	1			13
20	36	27	26	30	19	41	50	27	21	13	3	1				14
15	17	26	28	37	39	45	37	53	17	14	12	3	1			15
				1	2		1	1			1					16
				1			1	1								17
					2						1					18
				1		2			1							19
				1		1			1							20
						1										21
				1		1			1							22
						1										
81	107	119	123	124	130	159	171	165	153	99	49	10	8		1	23
48	71	61	66	69	75	96	76	83	76	52	19	7	2			24
33	36	58	57	55	55	63	95	82	77	47	30	3	6		1	25
80	105	118	123	123	130	156	170	164	152	98	49	10	7		1	26
47	70	61	66	69	75	93	76	82	75	51	19	7	2			27
33	35	57	57	54	55	63	94	82	77	47	30	3	5		1	28
39	56	55	49	60	64	56	76	68	65	59	25	6	2			29
24	40	26	29	33	38	29	37	30	30	33	12	4				30
15	16	29	20	27	26	27	39	38	35	26	13	2	2			31
6	6	5	8	9	17	13	25	15	19	25	8	3				32
5	6	14	8	7	13	17	22	29	22	19	7	1	1			
17	28	18	19	22	12	8	4	4	2	1						33
10	7	13	7	14	11	4	8	3	2	1						
1	6	3	2	2	9	8	8	11	9	7	4	1				34
	3	2	5	6	2	6	9	6	11	6	6	1	1			
41	46	59	73	62	65	100	92	95	87	39	24	4	5			35
23	27	32	36	35	37	64	39	52	45	18	7	3	2			36
18	19	27	37	27	28	36	53	43	42	21	17	1	3			37
	3	4	1	1	1		2	1							1	38
	3	3	1	1												39
		1			1		2	1							1	40
1	2	1		1		3	1	1	1	1			1			41
1	1					3		1	1	1						42
	1	1		1			1						1			43
1	1					3		1	1	1						44
	1	1		1			1						1			

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	DETROIT, MICH.												
1	Total	7,110	1,869	313	117	97	66	2,462	194	100	165	311	329
2	Males	3,861	1,052	159	67	51	27	1,356	104	54	97	160	168
3	Females	3,249	817	154	50	46	39	1,106	90	46	68	151	161
4	White	6,972	1,848	309	116	95	65	2,433	190	100	160	304	322
5	Males	3,777	1,037	156	67	50	27	1,337	103	54	94	155	164
6	Females	3,195	811	153	49	45	38	1,096	87	46	66	149	158
7	Native	4,457	1,818	298	108	86	61	2,371	173	87	126	205	191
8	Males	2,360	1,019	148	63	45	24	1,299	90	47	73	101	96
9	Females	2,097	799	150	45	41	37	1,072	83	40	53	104	95
10	Both parents native M	760	332	35	18	12	8	405	37	15	22	23	25
	Both parents native F	692	253	30	11	13	12	319	31	7	22	24	30
11	One or both parents foreign M	1,384	616	113	44	33	16	822	52	31	48	72	65
	One or both parents foreign F	1,228	476	120	34	27	25	682	51	31	30	72	56
12	Parentage unknown M	216	71		1			72	1	1	3	6	6
	Parentage unknown F	177	70			1		71	1	2	1	8	9
13	Foreign	2,405	9	10	8	9	4	40	16	12	33	96	121
14	Males	1,333	6	7	4	5	3	25	13	6	20	51	60
15	Females	1,072	3	3	4	4	1	15	3	6	13	45	61
16	Unknown	110	21	1				22	1	1	1	3	10
17	Males	84	12	1				13		1	1	3	8
18	Females	26	9					9	1				2
19	Colored	138	21	4	1	2	1	29	4		5	7	7
20	Males	84	15	3		1		19	1		3	5	4
21	Females	54	6	1	1	1	1	10	3		2	2	3
22	Negro M	83	15	3		1		19			3	5	4
	Negro F	54	6	1	1	1	1	10	3		2	2	3
23	Indian M	1							1				
	Indian F												
	GRAND RAPIDS, MICH.												
24	Total	1,580	270	59	23	12	12	376	34	25	27	59	62
25	Males	834	155	31	8	6	10	210	17	13	15	23	28
26	Females	746	115	28	15	6	2	166	17	12	12	36	34
27	White	1,558	265	59	23	12	12	371	34	25	25	59	61
28	Males	823	152	31	8	6	10	207	17	13	14	23	28
29	Females	735	113	28	15	6	2	164	17	12	11	36	33
30	Native	1,076	264	58	22	12	12	368	31	23	23	50	48
31	Males	559	151	31	7	6	10	205	15	12	12	15	22
32	Females	517	113	27	15	6	2	163	16	11	11	35	26
33	Both parents native M	276	74	13	3	3	4	97	10	5	6	6	7
	Both parents native F	250	44	11	5	2	2	64	5	2	3	17	15
34	One or both parents foreign M	227	69	17	4	3	6	99	5	7	6	9	15
	One or both parents foreign F	226	65	16	10	4		95	10	9	7	17	10
35	Parentage unknown M	56	8	1				9					
	Parentage unknown F	41	4					4	1		1	1	1
36	Foreign	481	1	1	1			3	3	2	2	9	12
37	Males	263	1		1			2	2	1	2	8	5
38	Females	218		1				1	1	1		1	7
39	Unknown	1											1
40	Males	1											1
41	Females												
42	Colored	22	5					5			2		1
43	Males	11	3					3			1		
44	Females	11	2					2			1		1
45	Negro M	11	3					3			1		
	Negro F	10	1					1			1		1
46	Chinese M												
	Chinese F	1	1					1					

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
293	290	257	341	374	318	332	382	318	289	204	105	39	4	1	2	1
154	169	155	218	210	162	182	200	157	149	93	51	19	1		2	2
139	121	102	123	164	156	150	182	161	140	111	54	20	3	1		3
283	277	251	327	358	309	327	375	314	289	203	105	38	4	1	2	4
146	162	152	209	199	158	178	197	154	149	93	51	19	1		2	5
137	115	99	118	159	151	149	178	160	140	110	54	19	3	1		6
161	155	108	132	154	130	98	110	89	79	50	29	9				7
77	82	65	72	84	61	47	59	42	37	12	12	4				8
84	73	43	60	70	69	51	51	47	42	38	17	5				9
17	27	18	21	26	23	23	29	18	15	6	8	2				10
27	20	13	22	17	27	22	24	22	23	28	11	3				
53	44	41	37	39	26	15	15	13	6	1	3	1				11
52	48	24	33	45	35	22	15	12	13	3	3	1				
7	11	6	14	19	12	9	15	11	16	5	1	1				12
5	5	6	5	8	7	7	12	13	6	7	3	1				
117	115	137	186	192	175	219	260	219	205	152	76	29	4	1		13
64	74	81	128	105	94	122	136	109	109	81	39	15	1			14
53	41	56	58	87	81	97	124	110	96	71	37	14	3	1		15
5	7	6	9	12	4	10	5	6	5	1					2	16
5	6	6	9	10	3	9	2	3	3						2	17
	1			2	1	1	3	3	2	1						18
10	13	6	14	16	9	5	7	4		1		1				19
8	7	3	9	11	4	4	3	3								20
2	6	3	5	5	5	1	4	1		1		1				21
8	7	3	9	11	4	4	3	3								22
2	6	3	5	5	5	1	4	1		1		1				
																23
61	55	59	67	86	90	107	95	135	100	87	43	9	2	1		24
26	27	36	37	48	44	57	50	77	50	45	23	6	1	1		25
35	28	23	30	38	46	50	45	58	50	42	20	3	1			26
61	54	59	65	85	89	105	92	134	100	87	40	9	2	1		27
26	27	36	36	47	44	56	48	76	50	45	22	6	1	1		28
35	27	23	29	38	45	49	44	58	50	42	18	3	1			29
50	43	40	38	52	55	52	46	68	33	33	16	5	1	1		30
21	20	26	21	30	28	24	24	41	15	14	8	5		1		31
29	23	14	17	22	27	28	22	27	18	19	8		1			32
8	8	10	10	15	18	15	12	26	11	3	6	3				33
11	12	5	8	10	14	18	15	17	13	13	7		1			
13	12	13	8	11	6	5	7	7		2	1	1				34
17	9	8	8	7	11	8	1	4	3	1	1					
		3	3	4	4	4	5	8	4	9	1	1		1		35
1	2	1	1	5	2	2	6	6	2	5						
11	11	19	27	33	34	53	46	66	67	54	24	4	1			36
5	7	10	15	17	16	32	24	35	35	31	14	1	1			37
6	4	9	12	16	18	21	22	31	32	23	10	3				38
																39
																40
																41
	1		2	1	1	2	3	1			3					42
			1	1		1	2	1			1					43
	1		1		1	1	1				2					44
					1											
			1	1		1	2	1			1					45
	1		1		1	1	1				2					
																46

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MINNEAPOLIS, MINN.												
1	Total	3,572	601	89	49	42	24	805	75	48	124	183	179
2	Males	1,992	339	41	30	20	16	446	40	24	77	82	101
3	Females	1,580	262	48	19	22	8	359	35	24	47	101	78
4	White	3,509	592	88	48	42	24	794	74	47	124	180	173
5	Males	1,959	335	41	30	20	16	442	40	24	77	81	97
6	Females	1,550	257	47	18	22	8	352	34	23	47	99	76
7	Native	2,199	585	85	48	40	23	781	68	43	115	126	106
8	Males	1,173	332	41	30	19	15	437	38	22	72	47	51
9	Females	1,026	253	44	18	21	8	344	30	21	43	79	55
10	Both parents native M	453	134	17	13	8	4	176	15	7	27	17	17
	Both parents native F	395	106	18	8	8	5	145	10	8	16	13	12
11	One or both parents foreign M	576	178	22	15	10	10	235	21	14	43	28	31
	One or both parents foreign F	502	130	26	10	13	3	182	18	12	25	63	38
12	Parentage unknown M	144	20	2	2	1	1	26	2	1	2	2	3
	Parentage unknown F	129	17					17	2	1	2	3	5
13	Foreign	1,185	2	3		2	1	8	6	4	8	46	56
14	Males	677	1			1	1	3	2	2	5	28	35
15	Females	508	1	3		1		5	4	2	3	18	21
16	Unknown	125	5					5			1	8	11
17	Males	109	2					2				6	11
18	Females	16	3					3			1	2	
19	Colored	63	9	1	1			11	1	1		3	6
20	Males	33	4					4				1	4
21	Females	30	5	1	1			7	1	1		2	2
22	Negro M	32	4					4				1	4
	Negro F	29	4	1	1			6	1	1		2	2
23	Chinese M	1											
	Chinese F	1	1					1					
	ST. PAUL, MINN.												
24	Total	2,386	449	58	24	34	22	587	60	36	66	115	130
25	Males	1,362	258	37	14	19	13	341	33	16	29	66	77
26	Females	1,024	191	21	10	15	9	246	27	20	37	49	53
27	White	2,335	443	58	23	32	22	578	60	36	65	111	126
28	Males	1,336	255	37	13	17	13	335	33	16	28	64	76
29	Females	999	188	21	10	15	9	243	27	20	37	47	50
30	Native	1,417	441	55	21	30	19	566	56	33	58	95	93
31	Males	795	255	35	12	16	11	329	31	16	25	55	52
32	Females	622	186	20	9	14	8	237	25	17	33	40	41
33	Both parents native M	291	112	11	4	4	6	137	11	8	5	8	12
	Both parents native F	237	84	8	3	6	5	106	7	1	7	10	16
34	One or both parents foreign M	421	99	21	8	11	5	144	18	8	20	45	36
	One or both parents foreign F	328	84	11	5	8	3	111	17	12	25	29	25
35	Parentage unknown M	83	44	3		1		48	2			2	4
	Parentage unknown F	57	18	1	1			20	1	4	1	1	
36	Foreign	899	2	3	2	2	3	12	4	2	7	15	29
37	Males	525		2	1	1	2	6	2		3	8	20
38	Females	374	2	1	1	1	1	6	2	2	4	7	9
39	Unknown	19								1		1	4
40	Males	16										1	4
41	Females	3								1			
42	Colored	51	6		1	2		9			1	4	4
43	Males	26	3		1	2		6			1	2	1
44	Females	25	3					3				2	3
45	Negro M	25	3		1	2		6			1	2	
	Negro F	25	3					3				2	3
46	Indian M	1											1
	Indian F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
188	176	199	214	221	207	188	174	177	199	115	75	22	3			1
102	90	117	120	126	131	118	110	103	101	56	35	11	2			2
86	86	82	94	95	76	70	64	74	98	59	40	11	1			3
185	167	190	209	219	206	184	172	175	197	114	74	22	3			4
99	87	112	116	125	131	116	109	101	100	55	34	11	2			5
86	80	78	93	94	75	68	63	74	97	59	40	11	1			6
113	99	95	88	94	86	75	66	66	82	57	25	14				7
54	44	56	48	53	50	46	33	29	46	26	12	9				8
59	55	39	40	41	36	29	33	37	36	31	13	5				9
13	8	11	13	23	16	25	17	19	25	12	6	6				10
22	16	7	13	15	19	14	19	19	24	14	8	1				
37	29	34	29	21	23	9	7	3	7	3	1	1				11
31	31	26	18	20	10	6	9	6	5	2						
4	7	11	6	9	11	12	9	7	14	11	5	2				12
6	8	6	9	6	7	9	5	12	7	15	5	4				
63	60	83	111	113	105	100	95	100	113	57	47	8	2			13
36	37	45	60	61	66	62	66	64	53	29	20	2	1			14
27	23	38	51	52	39	38	29	36	60	28	27	6	1			15
9	8	12	10	12	15	9	11	9	2		2		1			16
9	6	11	8	11	15	8	10	8	1		2		1			17
	2	1	2	1		1	1	1	1							18
3	9	9	5	2	1	4	2	2	2	1	1					19
3	3	5	4	1		2	1	2	1	1	1					20
	6	4	1	1	1	2	1		1							21
2	3	5	4	1		2	1	2	1	1	1					22
	6	4	1	1	1	2	1		1							
1																23
111	115	122	132	152	136	117	156	115	109	72	32	18	2	2	1	24
73	65	73	83	85	82	69	90	63	50	42	15	8		1	1	25
38	50	49	49	67	54	48	66	52	59	30	17	10	2	1		26
107	110	117	128	145	135	116	151	115	108	72	32	18	2	2	1	27
70	62	71	81	82	82	68	88	63	50	42	15	8		1	1	28
37	48	46	47	63	53	48	63	52	58	30	17	10	2	1		29
67	68	61	57	56	58	27	39	31	29	18	3	1	1			30
42	35	36	29	35	32	16	22	17	14	7	2					31
25	33	25	28	21	26	11	17	14	15	11	1	1	1			32
11	12	8	10	10	14	7	10	10	12	6						33
6	12	7	6	5	11	6	8	11	8	7	1	1	1			
30	21	26	16	22	15	5	6	6	1	1	1					34
19	20	15	19	13	10	5	2	1	2	3						
1	2	2	3	3	3	4	6	1	1		1					35
	1	3	3	3	5		7	2	5	1						
39	41	56	67	87	77	87	111	83	79	54	29	17	1	2		36
27	26	35	48	46	50	50	66	45	36	35	13	8		1		37
12	15	21	19	41	27	37	45	38	43	19	16	9	1	1		38
1	1		4	2		2	1	1							1	39
1	1		4	1		2		1							1	40
				1			1									41
4	5	5	4	7	1	1	5		1							42
3	3	2	2	3		1	2									43
1	2	3	2	4	1		3		1							44
3	3	2	2	3		1	2									45
1	2	3	2	4	1		3		1							
																46

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	KANSAS CITY, MO.												
1	Total	3,961	587	87	36	33	16	759	68	49	114	209	251
2	Males	2,203	326	36	12	18	11	403	40	31	57	102	144
3	Females	1,758	261	51	24	15	5	356	28	18	57	107	107
4	White	3,340	513	72	32	29	15	661	59	44	85	148	186
5	Males	1,851	290	31	11	15	10	357	35	28	43	70	107
6	Females	1,489	223	41	21	14	5	304	24	16	42	78	79
7	Native	2,671	504	71	31	27	15	648	56	42	79	132	161
8	Males	1,402	285	31	11	15	10	352	33	27	38	59	87
9	Females	1,269	219	40	20	12	5	296	23	15	41	73	74
10	Both parents native M.	857	172	24	8	7	6	217	24	18	26	43	57
	Both parents native F.	779	133	27	11	10	5	186	13	13	24	51	44
11	One or both parents foreign M.	286	60	6	3	7	3	79	8	8	8	11	20
	One or both parents foreign F.	283	55	12	8	2		77	9	2	14	12	16
12	Parentage unknown M.	259	53	1		1	1	56	1	1	4	5	10
	Parentage unknown F.	207	31	1	1			33	1		3	10	14
13	Foreign	572	1	1	1	2		5	2	2	6	13	19
14	Males	368							1	1	5	10	15
15	Females	204	1	1	1	2		5	1	1	1	3	4
16	Unknown	97	8					8	1			3	6
17	Males	81	5					5	1			1	5
18	Females	16	3					3				2	1
19	Colored	621	74	15	4	4	1	98	9	5	29	61	65
20	Males	352	36	5	1	3	1	46	5	3	14	32	37
21	Females	269	38	10	3	1		52	4	2	15	29	28
22	Negro M.	348	35	5	1	3	1	45	5	3	14	32	36
	Negro F.	269	38	10	3	1		52	4	2	15	29	28
23	Indian M.	2	1					1					
	Indian F.												
24	Chinese M.	1											
	Chinese F.												
25	Japanese M.	1											1
	Japanese F.												
	ST. LOUIS, MO.												
26	Total	10,765	1,573	358	181	128	110	2,350	256	154	270	456	500
27	Males	6,172	893	174	96	76	62	1,301	137	79	143	246	278
28	Females	4,593	680	184	85	52	48	1,049	119	75	127	210	222
29	White	9,591	1,432	318	164	116	101	2,131	230	128	232	385	401
30	Males	5,537	820	153	90	68	59	1,190	123	66	123	205	225
31	Females	4,054	612	165	74	48	42	941	107	62	109	180	176
32	Native	6,404	1,419	311	155	114	98	2,097	217	122	208	331	331
33	Males	3,671	815	150	85	66	58	1,174	114	63	110	169	178
34	Females	2,733	604	161	70	48	40	923	103	59	98	162	153
35	Both parents native M.	1,592	504	79	47	44	36	710	67	31	51	82	62
	Both parents native F.	1,266	350	93	34	30	22	529	74	35	48	87	60
36	One or both parents foreign M.	1,667	258	65	35	20	20	398	43	31	54	74	103
	One or both parents foreign F.	1,177	198	62	34	18	18	330	28	23	47	66	77
37	Parentage unknown M.	412	53	6	3	2	2	66	4	1	5	13	13
	Parentage unknown F.	290	56	6	2			64	1	1	3	9	16
38	Foreign	3,063	3	5	6	2	2	18	12	6	24	50	64
39	Males	1,771	3	3	4	2		12	8	3	13	34	42
40	Females	1,292		2	2		2	6	4	3	11	16	22
41	Unknown	124	10	2	3		1	16	1			4	6
42	Males	95	2		1		1	4	1			2	5
43	Females	29	8	2	2			12				2	1
44	Colored	1,174	141	40	17	12	9	219	26	26	38	71	99
45	Males	635	73	21	6	8	3	111	14	13	20	41	53
46	Females	539	68	19	11	4	6	108	12	13	18	30	46
47	Negro M.	631	73	21	6	8	3	111	14	13	20	40	53
	Negro F.	539	68	19	11	4	6	108	12	13	18	30	46
48	Chinese M.	4										1	
	Chinese F.												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
212	257	264	242	248	253	233	241	187	169	126	54	20	4	1		1
113	154	157	142	144	160	147	133	97	93	54	20	12				2
99	103	107	100	104	93	86	108	90	76	72	34	8	4	1		3
156	204	213	200	217	218	205	221	171	160	119	51	18	4			4
81	119	122	116	126	137	127	122	92	90	50	19	10				5
75	85	91	84	91	81	78	99	79	70	69	32	8	4			6
125	170	164	150	163	157	138	151	117	103	70	29	14	2			7
57	96	86	81	85	86	81	78	59	53	24	11	9				8
68	74	78	69	78	71	57	73	58	50	46	18	5	2			9
37	55	50	45	50	49	46	44	39	31	12	9	5				10
38	45	50	38	34	45	33	46	38	34	29	13	3	2			
15	23	19	17	20	14	14	9	8	9	3		1				11
17	19	18	19	26	15	15	9	3	5	4	2	1				
5	18	17	19	15	23	21	25	12	13	9	2	3				12
13	10	10	12	18	11	9	18	17	11	13	3	1				
24	23	35	44	42	51	57	66	53	54	48	22	4	2			13
20	13	25	29	29	41	37	40	32	35	26	8	1				14
4	10	10	15	13	10	20	26	21	19	22	14	3	2			15
7	11	14	6	12	10	10	4	1	3	1						16
4	10	11	6	12	10	9	4	1	2							17
3	1	3				1			1	1						18
56	53	51	42	31	35	28	20	16	9	7	3	2		1		19
32	35	35	26	18	23	20	11	5	3	4	1	2				20
24	18	16	16	13	12	8	9	11	6	3	2			1		21
32	35	34	26	18	22	20	11	5	3	4	1	2				22
24	18	16	16	13	12	8	9	11	6	3	2			1		
		1														23
					1											24
																25
577	572	586	720	741	610	671	644	625	454	337	181	48	9	3	1	26
350	355	382	477	461	369	403	363	331	223	170	78	22	2	1	1	27
227	217	204	243	280	241	268	281	294	231	167	103	26	7	2		28
460	466	510	624	659	546	623	612	597	441	324	172	43	6		1	29
281	298	337	419	415	334	381	343	320	217	167	71	20	1		1	30
179	168	173	205	244	212	242	269	277	224	157	101	23	5			31
372	358	363	403	411	289	264	194	182	121	87	45	8	1			32
227	232	233	251	245	187	160	107	99	59	39	20	4				33
145	126	130	152	166	102	104	87	83	62	48	25	4	1			34
75	49	62	66	68	57	54	49	48	29	21	9	2				35
59	37	37	39	42	32	37	30	39	33	31	15	2				
134	159	140	157	141	98	65	30	24	7	7	2					36
72	82	76	92	100	53	44	34	23	13	10	5	2				
18	24	31	28	36	32	41	28	27	23	11	9	2				37
14	7	17	21	24	17	23	23	21	16	7	5		1			
75	104	134	210	232	250	346	410	410	317	235	127	34	5			38
45	62	93	158	155	140	209	229	217	157	127	51	15	1			39
30	42	41	52	77	110	137	181	193	160	108	76	19	4			40
13	4	13	11	16	7	13	8	5	3	2		1			1	41
9	4	11	10	15	7	12	7	4	1	1		1			1	42
4		2	1	1		1	1	1	2	1						43
117	106	76	96	82	64	48	32	28	13	13	9	5	3	3		44
69	57	45	58	46	35	22	20	11	6	3	7	2	1	1		45
48	49	31	38	36	29	26	12	17	7	10	2	3	2	2		46
68	57	45	57	46	35	22	19	11	6	3	7	2	1	1		47
48	49	31	38	36	29	26	12	17	7	10	2	3	2	2		
1			1				1									48

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	OMAHA, NEBR.												
1	Total	1,812	221	26	26	18	11	302	42	40	56	94	112
2	Males	1,071	140	14	14	11	8	187	18	23	31	64	55
3	Females	741	81	12	12	7	3	115	24	17	25	30	57
4	White	1,699	212	26	24	16	11	289	40	39	52	89	93
5	Males	1,004	134	14	13	10	8	179	17	22	28	61	44
6	Females	695	78	12	11	6	3	110	23	17	24	28	49
7	Native	1,110	211	26	23	16	11	287	39	36	50	65	57
8	Males	635	134	14	12	10	8	178	17	21	27	40	20
9	Females	475	77	12	11	6	3	109	22	15	23	25	37
10	Both parents native M	276	65	5	10	7	6	93	12	10	16	14	6
	Both parents native F	212	30	6	8	3	1	48	13	7	10	11	14
11	One or both parents foreign M	169	35	7	2	2	1	47	3	7	10	13	8
	One or both parents foreign F	152	32	6	3	2	1	44	9	7	7	11	16
12	Parentage unknown M	190	34	2	.....	1	1	38	2	4	1	13	6
	Parentage unknown F	111	15	.....	.....	1	1	17	.....	1	6	3	7
13	Foreign	545	.....	.....	1	.....	.....	1	1	3	2	24	31
14	Males	335	.....	.....	1	.....	.....	1	.....	1	1	21	22
15	Females	210	.....	.....	.....	.....	.....	.....	1	2	1	3	9
16	Unknown	44	1	.....	.....	.....	.....	1	.....	.....	.....	.....	5
17	Males	34	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
18	Females	10	1	.....	.....	.....	.....	1	.....	.....	.....	.....	3
19	Colored	113	9	.....	2	2	.....	13	2	1	4	5	19
20	Males	67	6	.....	1	1	.....	8	1	1	3	3	11
21	Females	46	3	.....	1	1	.....	5	1	.....	1	2	8
22	Negro M	67	6	.....	1	1	.....	8	1	1	3	3	11
	Negro F	46	3	.....	1	1	.....	5	1	.....	1	2	8
	JERSEY CITY, N. J.												
23	Total	4,381	923	241	97	52	42	1,355	111	64	95	158	208
24	Males	2,454	529	123	54	25	18	749	65	31	47	86	116
25	Females	1,927	394	118	43	27	24	606	46	33	48	72	92
26	White	4,249	901	230	92	52	40	1,315	107	61	93	154	199
27	Males	2,381	518	116	50	25	16	725	63	30	45	84	111
28	Females	1,868	383	114	42	27	24	590	44	31	48	70	88
29	Native	2,727	897	224	91	50	40	1,302	100	52	80	99	130
30	Males	1,544	516	114	50	24	16	720	60	25	39	57	78
31	Females	1,183	381	110	41	26	24	582	40	27	41	42	52
32	Both parents native M	522	184	29	19	4	5	241	25	12	11	24	25
	Both parents native F	421	143	39	11	11	13	217	14	9	10	16	17
33	One or both parents foreign M	947	315	85	31	19	11	461	34	13	28	32	51
	One or both parents foreign F	712	225	70	28	15	10	348	26	18	29	25	35
34	Parentage unknown M	75	17	.....	.....	1	.....	18	1	.....	.....	1	2
	Parentage unknown F	50	13	1	2	.....	1	17	.....	.....	2	1	.....
35	Foreign	1,458	2	5	1	2	.....	10	7	9	13	55	67
36	Males	783	1	2	.....	1	.....	4	3	5	6	27	32
37	Females	675	1	3	1	1	.....	6	4	4	7	28	35
38	Unknown	64	2	1	.....	.....	.....	3	.....	.....	.....	.....	2
39	Males	54	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1
40	Females	10	1	1	.....	.....	.....	2	.....	.....	.....	.....	1
41	Colored	132	22	11	5	.....	2	40	4	3	2	4	9
42	Males	73	11	7	4	.....	2	24	2	1	2	2	5
43	Females	59	11	4	1	.....	.....	16	2	2	.....	2	4
44	Negro M	73	11	7	4	.....	2	24	2	1	2	2	5
	Negro F	59	11	4	1	.....	.....	16	2	2	.....	2	4

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
102	103	109	114	127	128	101	108	92	86	53	36	6		1		1
51	63	53	67	85	87	66	74	55	46	27	15	3		1		2
51	40	56	47	42	41	35	34	37	40	26	21	3				3
93	91	104	104	113	123	98	105	90	81	53	35	6		1		4
48	57	48	60	77	84	64	71	54	44	27	15	3		1		5
45	34	56	44	36	39	34	34	36	37	26	20	3				6
67	59	63	59	60	64	50	38	43	32	22	16	3				7
34	33	25	34	42	39	37	25	25	17	12	6	3				8
33	26	38	25	18	25	13	13	18	15	10	10					9
11	11	7	7	15	16	21	9	9	11	4	2	2				10
17	11	15	10	8	11	5	7	8	7	5	5					
9	10	7	13	10	13	6	4	4	2	1	2					11
7	10	13	6	8	7			4	1		2					
14	12	11	14	17	10	10	12	12	4	7	2	1				12
9	5	10	9	2	7	8	6	6	7	5	3					
22	27	37	38	48	53	46	66	46	48	29	19	3		1		13
10	20	19	20	31	40	26	45	28	27	13	9			1		14
12	7	18	18	17	13	20	21	18	21	16	10	3				15
4	5	4	7	5	6	2	1	1	1	2						16
4	4	4	6	4	5	1	1	1		2						17
	1		1	1	1	1			1							18
9	12	5	10	14	5	3	3	2	5		1					19
3	6	5	7	8	3	2	3	1	2							20
6	6		3	6	2	1		1	3		1					21
3	6	5	7	8	3	2	3	1	2							22
6	6		3	6	2	1		1	3		1					
235	262	227	231	271	259	233	207	196	136	83	35	11	2		2	23
146	161	149	147	160	139	127	123	96	60	35	10	5			2	24
89	101	78	84	111	120	106	84	100	76	48	25	6	2			25
232	250	215	224	261	252	225	202	192	135	82	35	11	2		2	26
143	156	142	142	155	136	122	120	95	60	35	10	5			2	27
89	94	73	82	106	116	103	82	97	75	47	25	6	2			28
134	155	100	110	115	104	68	53	51	40	23	6	4	1			29
82	95	65	72	67	56	43	30	25	17	10	1	2				30
52	60	35	38	48	48	25	23	26	23	13	5	2	1			31
16	18	18	23	15	20	17	18	16	12	8	1	2				32
14	14	6	8	11	17	10	10	18	15	10	3	1	1			
60	73	38	45	42	31	22	10	6	1							33
36	42	26	29	34	28	11	9	5	6	3	2					
6	4	9	4	10	5	4	2	3	4	2						34
2	4	3	1	3	3	4	4	3	2			1				
93	85	105	110	135	144	152	147	136	94	59	29	7	1			35
57	52	67	66	77	77	76	88	67	42	25	9	3				36
36	33	38	44	58	67	76	59	69	52	34	20	4	1			37
5	10	10	4	11	4	5	2	5	1						2	38
4	9	10	4	11	3	3	2	3	1						2	39
1	1				1	2		2								40
3	12	12	7	10	7	8	5	4	1	1						41
3	5	7	5	5	3	5	3	1								42
	7	5	2	5	4	3	2	3	1	1						43
3	5	7	5	5	3	5	3	1								44
	7	5	2	5	4	3	2	3	1	1						

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEWARK, N. J.												
1	Total	5,395	1,091	272	85	53	56	1,557	120	51	119	184	207
2	Males	2,977	628	153	48	24	24	877	64	31	60	89	118
3	Females	2,418	463	119	37	29	32	680	56	20	59	95	89
4	White	5,083	1,014	256	79	47	52	1,448	112	50	110	164	189
5	Males	2,810	581	144	47	21	23	816	59	30	56	83	110
6	Females	2,273	433	112	32	26	29	632	53	20	54	81	79
7	Native	3,214	1,008	253	76	46	50	1,433	102	45	79	97	112
8	Males	1,783	578	142	46	20	23	809	52	27	41	50	67
9	Females	1,431	430	111	30	26	27	624	50	18	38	47	45
10	Both parents native M	640	199	40	18	6	6	269	20	11	10	23	23
	Both parents native F	574	150	23	9	13	9	204	22	5	11	21	18
11	One or both parents foreign M	983	362	102	28	14	17	523	31	15	28	25	38
	One or both parents foreign F	743	259	88	21	13	18	399	28	13	23	23	22
12	Parentage unknown M	160	17					17	1	1	3	2	6
	Parentage unknown F	114	21					21			4	3	5
13	Foreign	1,826	6	3	3	1	2	15	10	5	31	67	76
14	Males	990	3	2	1	1		7	7	3	15	33	42
15	Females	836	3	1	2		2	8	3	2	16	34	34
16	Unknown	43											1
17	Males	37											1
18	Females	6											
19	Colored	312	77	16	6	6	4	109	8	1	9	20	18
20	Males	167	47	9	1	3	1	61	5	1	4	6	8
21	Females	145	30	7	5	3	3	48	3		5	14	10
22	Negro M	165	47	9	1	3	1	61	5	1	4	6	8
	Negro F	145	30	7	5	3	3	48	3		5	14	10
23	Chinese M	2											
	Chinese F												
	PATERSON, N. J.												
24	Total	1,890	313	60	26	20	19	438	55	36	40	68	65
25	Males	1,027	164	30	11	12	13	230	30	15	22	37	32
26	Females	863	149	30	15	8	6	208	25	21	18	31	33
27	White	1,839	303	59	24	20	19	425	55	35	38	65	62
28	Males	1,000	161	29	10	12	13	225	30	15	20	36	31
29	Females	839	142	30	14	8	6	200	25	20	18	29	31
30	Native	1,078	300	56	23	20	18	417	51	33	26	46	39
31	Males	583	159	28	10	12	12	221	28	13	16	24	21
32	Females	495	141	28	13	8	6	196	23	20	10	22	18
33	Both parents native M	198	53	6	2	5	6	72	11	2	6	9	6
	Both parents native F	186	40	9	4	4	1	58	8	7	1	8	9
34	One or both parents foreign M	342	103	21	8	7	6	145	17	10	10	13	15
	One or both parents foreign F	274	96	18	9	4	5	132	14	13	9	13	9
35	Parentage unknown M	43	3	1				4		1		2	
	Parentage unknown F	35	5	1				6	1			1	
36	Foreign	747	1	3	1		1	6	4	2	12	19	22
37	Males	408	1	1			1	3	2	2	4	12	9
38	Females	339		2	1			3	2		8	7	13
39	Unknown	14	2					2					1
40	Males	9	1					1					1
41	Females	5	1					1					
42	Colored	51	10	1	2			13		1	2	3	3
43	Males	27	3	1	1			5			2	1	1
44	Females	24	7		1			8		1		2	2
45	Negro M	27	3	1	1			5			2	1	1
	Negro F	24	7		1			8		1		2	2

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
220	317	296	295	323	333	327	318	294	218	134	59	18	5	.....	.....	1
136	194	183	191	192	185	189	158	133	102	47	23	5	.....	.....	.....	2
84	123	113	104	131	148	138	160	161	116	87	36	13	5	.....	.....	3
204	291	281	280	302	317	312	310	289	214	130	58	17	5	.....	.....	4
124	178	174	182	182	175	181	156	129	100	47	23	5	.....	.....	.....	5
80	113	107	98	120	142	131	154	160	114	83	35	12	5	.....	.....	6
121	171	152	123	139	140	115	106	96	86	55	28	10	4	.....	.....	7
74	104	93	75	78	82	68	55	40	41	17	8	2	.....	.....	.....	8
47	67	59	48	61	58	47	51	56	45	38	20	8	4	.....	.....	9
22	31	24	17	23	29	33	29	32	25	11	7	1	.....	.....	.....	10
14	30	23	14	19	28	22	33	33	33	21	17	2	4	.....	.....	
45	61	55	46	44	35	15	13	4	4	1	.....	.....	.....	.....	.....	11
28	32	32	29	36	22	19	15	8	5	7	1	1	.....	.....	.....	
7	12	14	12	11	18	20	13	4	12	5	1	1	.....	.....	.....	12
5	5	4	5	6	8	6	3	15	7	10	2	5	.....	.....	.....	
80	116	125	152	159	170	194	202	187	126	74	29	7	1	.....	.....	13
47	70	78	103	100	88	111	99	84	57	29	14	3	.....	.....	.....	14
33	46	47	49	59	82	83	103	103	69	45	15	4	1	.....	.....	15
3	4	4	5	4	7	3	2	6	2	1	1	.....	.....	.....	.....	16
3	4	3	4	4	5	2	2	5	2	1	1	.....	.....	.....	.....	17
.....	.....	1	1	.....	2	1	.....	1	.....	.....	.....	.....	.....	.....	.....	18
16	26	15	15	21	16	15	8	5	4	4	1	1	.....	.....	.....	19
12	16	9	9	10	10	8	2	4	2	.....	.....	.....	.....	.....	.....	20
4	10	6	6	11	6	7	6	1	2	4	1	1	.....	.....	.....	21
12	16	9	9	9	10	7	2	4	2	.....	.....	.....	.....	.....	.....	22
4	10	6	6	11	6	7	6	1	2	4	1	1	.....	.....	.....	
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
91	104	98	106	113	126	138	127	118	91	46	18	9	2	1	.....	24
56	55	62	70	63	72	78	61	65	51	19	7	2	.....	.....	.....	25
35	49	36	36	50	54	60	66	53	40	27	11	7	2	1	.....	26
88	99	96	101	109	125	137	121	117	90	46	18	9	2	1	.....	27
54	52	60	67	60	72	77	58	65	50	19	7	2	.....	.....	.....	28
34	47	36	34	49	53	60	63	52	40	27	11	7	2	1	.....	29
60	63	45	37	41	54	44	32	38	31	12	6	.....	2	1	.....	30
35	35	28	26	24	31	24	12	22	15	6	2	.....	.....	.....	.....	31
25	28	17	11	17	23	20	20	16	16	6	4	.....	2	1	.....	32
11	7	9	5	7	14	10	8	8	9	4	.....	.....	.....	.....	.....	33
8	9	7	4	7	6	10	14	8	14	3	3	.....	2	.....	.....	
24	26	19	20	13	9	6	3	8	3	.....	1	.....	.....	.....	.....	34
13	18	9	6	8	12	8	4	5	1	.....	.....	.....	.....	.....	.....	
.....	2	.....	1	4	8	8	1	6	3	2	1	.....	.....	.....	.....	35
4	1	1	1	2	5	2	2	3	1	3	1	.....	.....	1	.....	
26	33	50	64	67	69	93	88	79	59	33	12	9	.....	.....	.....	36
18	15	31	41	36	40	53	45	43	35	12	5	2	.....	.....	.....	37
8	18	19	23	31	29	40	43	36	24	21	7	7	.....	.....	.....	38
2	3	1	.....	1	2	.....	1	.....	.....	1	.....	.....	.....	.....	.....	39
1	2	1	.....	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	.....	40
1	1	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	41
3	5	2	5	4	1	1	6	1	1	.....	.....	.....	.....	.....	.....	42
2	3	2	3	3	.....	1	3	.....	1	.....	.....	.....	.....	.....	.....	43
1	2	.....	2	1	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	44
2	3	2	3	3	.....	1	3	.....	1	.....	.....	.....	.....	.....	.....	45
1	2	.....	2	1	1	.....	3	1	.....	.....	.....	.....	.....	.....	.....	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	ALBANY, N. Y.												
1	Total	2,063	251	31	17	16	4	319	46	20	43	59	80
2	Males	1,095	138	14	10	10	2	174	20	12	25	34	45
3	Females	968	113	17	7	6	2	145	26	8	18	25	35
4	White	2,039	248	31	16	16	4	315	45	20	43	59	78
5	Males	1,080	136	14	10	10	2	172	20	12	25	34	44
6	Females	959	112	17	6	6	2	143	25	8	18	25	34
7	Native	1,397	247	31	16	16	4	314	45	19	39	48	62
8	Males	754	135	14	10	10	2	171	20	11	21	26	33
9	Females	643	112	17	6	6	2	143	25	8	18	22	29
10	Both parents native M	339	72	5	6	5		88	13	4	10	18	20
	Both parents native F	324	67	9	4	3	2	85	21	6	12	14	15
11	One or both parents foreign M	341	54	8	3	5	1	71	6	7	10	8	12
	One or both parents foreign F	263	32	8	2	3		45	4	1	6	8	11
12	Parentage unknown M	74	9	1	1		1	12	1		1		1
	Parentage unknown F	56	13					13		1			3
13	Foreign	618								1	4	8	14
14	Males	310								1	4	7	9
15	Females	308										1	5
16	Unknown	24	1					1				3	2
17	Males	16	1					1				1	2
18	Females	8										2	
19	Colored	24	3		1			4	1				2
20	Males	15	2					2					1
21	Females	9	1		1			2	1				1
22	Negro M	15	2					2					1
	Negro F	9	1		1			2	1				1
	BUFFALO, N. Y.												
23	Total	6,294	1,297	214	90	60	42	1,703	117	99	165	244	228
24	Males	3,471	744	106	52	36	20	958	63	59	97	136	144
25	Females	2,823	553	108	38	24	22	745	54	40	68	108	84
26	White	6,234	1,291	212	90	60	42	1,695	117	98	162	242	224
27	Males	3,442	742	104	52	36	20	954	63	59	94	135	144
28	Females	2,792	549	108	38	24	22	741	54	39	68	107	80
29	Native	3,886	1,286	206	90	57	38	1,677	108	92	142	163	142
30	Males	2,191	738	102	52	33	19	944	56	57	84	90	88
31	Females	1,695	548	104	38	24	19	733	52	35	58	73	54
32	Both parents native M	753	256	32	11	8	7	314	21	20	27	39	26
	Both parents native F	617	181	30	9	6	12	238	18	15	20	29	20
33	One or both parents foreign M	1,357	444	69	41	24	12	590	35	37	54	49	61
	One or both parents foreign F	1,007	326	73	29	18	7	453	34	20	38	44	33
34	Parentage unknown M	81	38	1		1		40			3	2	1
	Parentage unknown F	71	41	1				42					1
35	Foreign	2,323	3	6		3	4	16	9	6	20	78	82
36	Males	1,229	3	2		3	1	9	7	2	10	44	56
37	Females	1,094		4			3	7	2	4	10	34	26
38	Unknown	25	2					2				1	
39	Males	22	1					1				1	
40	Females	3	1					1					
41	Colored	60	6	2				8		1	3	2	4
42	Males	29	2	2				4			3	1	
43	Females	31	4					4		1		1	4
44	Negro M	23	1	2				3			3		
	Negro F	27	3					3				1	4
45	Indian M	5	1					1				1	
	Indian F	4	1					1		1			
46	Chinese M	1											
	Chinese F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
112	110	124	127	141	153	170	151	145	116	74	52	18	2	.....	1	1
63	68	66	79	70	97	77	89	71	49	32	18	4	1	.....	1	2
49	42	58	48	71	56	93	62	74	67	42	34	14	1	.....	.....	3
111	108	123	127	138	150	168	149	144	115	74	51	18	2	.....	1	4
62	66	65	79	68	94	76	88	70	49	32	18	4	1	.....	1	5
49	42	58	48	70	56	92	61	74	66	42	33	14	1	.....	.....	6
91	84	94	88	101	87	88	67	72	42	24	21	9	2	.....	.....	7
52	50	51	55	52	54	42	44	34	18	10	6	3	1	.....	.....	8
39	34	43	33	49	33	46	23	38	24	14	15	6	1	.....	.....	9
25	15	19	10	13	17	19	22	22	10	8	2	3	1	.....	.....	10
14	7	16	12	14	9	21	13	23	14	8	14	5	1	.....	.....	
25	29	32	38	28	32	14	18	7	2	1	1	.....	.....	.....	.....	11
19	23	26	20	30	20	21	7	12	6	4	.....	.....	.....	.....	.....	
2	6	.....	7	11	5	9	4	5	6	1	3	.....	.....	.....	.....	12
6	4	1	1	5	4	4	3	3	4	2	1	1	.....	.....	.....	
19	22	29	37	35	57	78	82	71	73	49	30	9	.....	.....	.....	13
9	16	14	22	16	34	33	44	35	31	22	12	1	.....	.....	.....	14
10	6	15	15	19	23	45	38	36	42	27	13	8	.....	.....	.....	15
1	2	.....	2	2	6	2	.....	1	.....	1	.....	.....	.....	.....	1	16
1	.....	.....	2	.....	6	1	.....	1	.....	.....	.....	.....	.....	.....	1	17
.....	2	.....	.....	2	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	18
1	2	1	.....	3	3	2	2	1	1	.....	1	.....	.....	.....	.....	19
1	2	1	.....	2	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	20
.....	.....	.....	.....	1	.....	1	1	.....	1	.....	1	.....	.....	.....	.....	21
1	2	1	.....	2	3	1	1	1	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	.....	1	.....	1	1	.....	1	.....	1	.....	.....	.....	.....	
264	321	308	363	398	389	380	356	327	269	193	125	35	7	3	.....	23
144	189	182	223	239	241	216	161	156	112	83	50	13	3	2	.....	24
120	132	126	140	159	148	164	195	171	157	110	75	22	4	1	.....	25
259	316	305	357	395	389	372	354	323	267	190	124	35	7	3	.....	26
141	186	180	221	238	241	212	160	154	111	82	49	13	3	2	.....	27
118	130	125	136	157	148	160	194	169	156	108	75	22	4	1	.....	28
156	195	159	174	209	173	129	110	91	74	52	28	9	2	1	.....	29
85	110	91	107	126	107	77	49	53	24	26	12	2	2	1	.....	30
71	85	68	67	83	66	52	61	38	50	26	16	7	.....	.....	.....	31
31	38	25	27	30	27	35	22	24	18	18	7	1	2	1	.....	32
20	28	18	13	31	19	24	29	23	33	19	14	6	.....	.....	.....	
52	68	64	77	93	76	38	25	24	5	4	4	1	.....	.....	.....	33
50	54	47	50	50	47	25	30	15	11	5	1	.....	.....	.....	.....	
2	4	2	3	3	4	4	2	5	1	4	1	.....	.....	.....	.....	34
1	3	3	4	2	.....	3	2	.....	6	2	1	1	.....	.....	.....	
102	116	144	179	184	214	238	243	232	193	138	96	26	5	2	.....	35
55	71	88	110	110	133	130	110	101	87	56	37	11	1	1	.....	36
47	45	56	69	74	81	108	133	131	106	82	59	15	4	1	.....	37
1	5	2	4	2	2	5	1	.....	.....	.....	.....	.....	.....	.....	.....	38
1	5	1	4	2	1	5	1	.....	.....	.....	.....	.....	.....	.....	.....	39
.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	40
5	5	3	6	3	.....	8	2	4	2	3	1	.....	.....	.....	.....	41
3	3	2	2	1	.....	4	1	2	1	1	1	.....	.....	.....	.....	42
2	2	1	4	2	.....	4	1	2	1	2	.....	.....	.....	.....	.....	43
2	3	2	1	1	.....	3	1	1	1	1	1	.....	.....	.....	.....	44
2	2	.....	4	2	.....	3	1	2	1	2	.....	.....	.....	.....	.....	
1	.....	.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	45
.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	46
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW YORK, N. Y.												
1	Total	75,329	15,028	3,868	1,628	1,005	673	22,202	1,755	938	1,659	2,646	3,144
2	Males	41,118	8,182	2,093	861	492	346	11,974	933	474	872	1,326	1,734
3	Females	34,211	6,846	1,775	767	513	327	10,228	822	464	787	1,320	1,410
4	White	72,799	14,515	3,741	1,578	972	654	21,460	1,718	907	1,581	2,494	2,943
5	Males	39,789	7,912	2,017	832	474	338	11,573	918	462	834	1,259	1,621
6	Females	33,010	6,603	1,724	746	498	316	9,887	800	445	747	1,235	1,322
7	Native	43,265	14,418	3,591	1,479	920	624	21,032	1,550	732	1,091	1,420	1,576
8	Males	23,857	7,853	1,933	775	450	318	11,329	826	378	598	726	892
9	Females	19,408	6,565	1,658	704	470	306	9,703	724	354	493	694	684
10	Both parents native M	7,042	1,950	365	187	102	98	2,702	247	128	200	229	271
	Both parents native F	5,923	1,592	308	152	125	70	2,247	235	106	174	270	241
11	One or both parents foreign M	15,712	5,233	1,538	572	336	217	7,836	572	245	388	487	601
	One or both parents foreign F	12,637	4,346	1,322	546	333	232	6,779	487	246	316	414	432
12	Parentage unknown M	1,103	670	30	16	12	3	731	7	5	10	10	20
	Parentage unknown F	848	627	28	6	12	4	677	2	2	3	10	11
13	Foreign	29,008	56	86	66	43	28	279	163	175	486	1,063	1,347
14	Males	15,530	34	51	33	19	18	155	89	84	235	526	712
15	Females	13,478	22	35	33	24	10	124	74	91	251	537	635
16	Unknown	526	41	64	33	9	2	149	5	.....	4	11	20
17	Males	402	25	33	24	5	2	89	3	.....	1	7	17
18	Females	124	16	31	9	4	.....	60	2	.....	3	4	3
19	Colored	2,530	513	127	50	33	19	742	37	31	78	152	201
20	Males	1,329	270	76	29	18	8	401	15	12	38	67	113
21	Females	1,201	243	51	21	15	11	341	22	19	40	85	88
22	Negro M	1,236	267	76	29	18	8	398	15	12	38	61	99
	Negro F	1,196	242	51	21	14	11	339	22	19	40	85	88
23	Indian M	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
	Indian F	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese M	74	.....	.....	.....	.....	.....	.....	.....	.....	.....	5	9
	Chinese F	1	1	.....	.....	.....	.....	1	.....	.....	.....	.....	.....
25	Japanese M	18	2	.....	.....	.....	.....	2	.....	.....	.....	1	5
	Japanese F	3	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....
	NEW YORK, N. Y. (BRONX BOROUGH).												
26	Total	6,251	1,134	265	130	98	46	1,673	169	94	160	230	283
27	Males	3,334	615	147	69	56	22	909	87	47	88	102	145
28	Females	2,917	519	118	61	42	24	764	82	47	72	128	138
29	White	6,153	1,121	263	128	95	45	1,652	166	93	156	227	276
30	Males	3,280	606	145	67	54	22	894	85	46	87	101	144
31	Females	2,873	515	118	61	41	23	758	81	47	69	126	132
32	Native	3,662	1,114	259	126	93	45	1,637	157	79	122	147	145
33	Males	1,965	600	142	65	53	22	882	79	40	65	65	86
34	Females	1,697	514	117	61	40	23	755	78	39	57	82	59
35	Both parents native M	633	199	40	19	19	7	284	22	19	19	15	22
	Both parents native F	530	184	27	13	8	9	241	28	12	18	24	22
36	One or both parents foreign M	1,287	389	100	46	33	15	583	55	19	45	50	62
	One or both parents foreign F	1,135	317	89	47	32	14	499	50	25	39	58	37
37	Parentage unknown M	45	12	2	.....	1	.....	15	2	2	1	.....	2
	Parentage unknown F	32	13	1	1	.....	.....	15	.....	2	.....	.....	.....
38	Foreign	2,473	5	3	2	2	.....	12	9	14	33	80	130
39	Males	1,297	4	2	2	1	.....	9	6	6	21	36	57
40	Females	1,176	1	1	.....	1	.....	3	3	8	12	44	73
41	Unknown	18	2	1	.....	.....	.....	3	.....	.....	1	.....	1
42	Males	18	2	1	.....	.....	.....	3	.....	.....	1	.....	1
43	Females	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
44	Colored	98	13	2	2	3	1	21	3	1	4	3	7
45	Males	54	9	2	2	2	.....	15	2	1	1	1	1
46	Females	44	4	.....	.....	1	1	6	1	.....	3	2	6
47	Negro M	53	9	2	2	2	.....	15	2	1	1	1	1
	Negro F	44	4	.....	.....	1	1	6	1	.....	3	2	6
48	Chinese M	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese F	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
3,629	4,439	4,445	4,498	4,553	4,265	4,445	4,122	3,504	2,431	1,605	738	236	54	16	5	1
2,124	2,646	2,744	2,765	2,732	2,425	2,415	2,111	1,689	1,092	654	302	85	16	5	.....	2
1,505	1,793	1,701	1,733	1,821	1,840	2,030	2,011	1,815	1,339	951	436	151	38	11	5	3
3,431	4,215	4,255	4,364	4,405	4,161	4,352	4,055	3,440	2,403	1,586	730	227	52	15	5	4
2,019	2,528	2,633	2,689	2,645	2,382	2,365	2,076	1,660	1,077	646	300	83	14	5	.....	5
1,412	1,687	1,622	1,675	1,760	1,779	1,987	1,979	1,780	1,326	940	430	144	38	10	5	6
1,841	2,166	1,909	1,816	1,836	1,556	1,224	1,154	888	675	462	229	84	21	1	2	7
1,091	1,312	1,205	1,100	1,096	920	676	635	469	304	189	80	25	6	.....	.....	8
750	854	704	716	740	636	548	519	419	371	273	149	59	15	1	2	9
329	311	298	283	319	292	338	372	286	209	139	65	19	5	.....	.....	10
225	208	187	163	219	203	246	280	271	271	196	115	52	13	1	.....	
735	971	868	785	736	590	311	237	155	74	43	13	4	1	.....	.....	11
516	634	501	538	510	418	288	223	138	89	68	29	7	2	.....	2	
27	30	39	32	41	38	27	26	28	21	7	2	2	.....	.....	.....	12
9	12	16	15	11	15	14	16	10	11	9	5	.....	.....	.....	.....	
1,558	1,993	2,284	2,493	2,516	2,584	3,103	2,883	2,543	1,724	1,122	501	143	31	14	3	13
899	1,169	1,373	1,544	1,502	1,444	1,669	1,426	1,185	771	456	220	58	8	5	.....	14
659	824	911	949	1,014	1,140	1,434	1,457	1,358	953	666	281	85	23	9	3	15
32	56	62	55	53	21	25	18	9	4	2	.....	.....	.....	.....	.....	16
29	47	55	45	47	18	20	15	6	2	1	.....	.....	.....	.....	.....	17
3	9	7	10	6	3	5	3	3	2	1	.....	.....	.....	.....	.....	18
198	224	190	134	148	104	93	67	64	28	19	8	9	2	1	.....	19
105	118	111	76	87	43	50	35	29	15	8	2	2	2	.....	.....	20
93	106	79	58	61	61	43	32	35	13	11	6	7	.....	1	.....	21
97	106	98	67	76	38	41	32	29	15	8	2	2	2	.....	.....	22
93	105	73	58	60	61	43	32	35	13	11	6	7	.....	1	.....	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
7	10	10	6	10	5	9	3	.....	.....	.....	.....	.....	.....	.....	.....	24
1	2	3	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
308	353	355	403	368	364	382	379	310	196	137	59	22	1	1	4	26
171	195	221	238	221	207	196	178	148	93	59	23	6	.....	.....	.....	27
137	158	134	165	147	157	186	201	162	103	78	36	16	1	1	4	28
303	343	349	395	359	357	379	377	304	195	137	59	20	1	1	4	29
168	192	217	233	214	203	194	176	145	93	59	23	6	.....	.....	.....	30
135	151	132	162	145	154	185	201	159	102	78	36	14	1	1	4	31
192	189	159	178	164	134	89	107	59	52	32	12	5	1	.....	2	32
103	103	96	107	97	66	48	53	28	25	16	4	2	.....	.....	.....	33
89	86	63	71	67	68	41	54	31	27	16	8	3	1	.....	2	34
32	18	29	22	30	22	25	28	16	15	10	3	2	.....	.....	.....	35
22	19	14	12	10	12	17	21	22	18	8	7	2	1	.....	.....	
69	83	66	83	65	41	23	24	8	6	4	1	.....	.....	.....	.....	36
65	67	49	59	56	54	23	30	8	7	6	.....	1	.....	.....	2	
2	2	1	2	2	3	.....	1	4	4	2	.....	.....	.....	.....	.....	37
2	.....	.....	.....	1	2	1	3	1	2	2	1	.....	.....	.....	.....	
109	152	187	217	194	222	287	269	245	143	105	47	15	.....	1	2	38
63	87	118	126	116	136	143	122	117	68	43	19	4	.....	.....	.....	39
46	65	69	91	78	86	144	147	128	75	62	28	11	.....	1	2	40
2	2	3	.....	1	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	41
2	2	3	.....	1	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	42
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	43
5	10	6	8	9	7	3	2	6	1	.....	.....	2	.....	.....	.....	44
3	3	4	5	7	4	2	2	3	.....	.....	.....	.....	.....	.....	.....	45
2	7	2	3	2	3	1	.....	3	1	.....	.....	2	.....	.....	.....	46
3	3	4	5	6	4	2	2	3	.....	.....	.....	.....	.....	.....	.....	47
2	7	2	3	2	3	1	.....	3	1	.....	.....	2	.....	.....	.....	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW YORK, N. Y. (BROOKLYN BOROUGH).												
1	Total	25,174	4,701	1,257	513	326	252	7,049	649	355	541	826	1,075
2	Males	13,491	2,591	686	273	168	129	3,847	347	176	292	413	579
3	Females	11,683	2,110	571	240	158	123	3,202	302	179	249	413	496
4	White	24,528	4,582	1,226	501	317	248	6,874	636	345	523	790	1,016
5	Males	13,185	2,528	669	267	162	127	3,753	342	175	282	396	547
6	Females	11,343	2,054	557	234	155	121	3,121	294	170	241	394	469
7	Native	15,330	4,569	1,204	483	311	238	6,805	587	296	407	505	630
8	Males	8,370	2,521	656	257	161	121	3,716	316	156	223	258	341
9	Females	6,960	2,048	548	226	150	117	3,089	271	140	184	247	289
10	Both parents native M	2,821	804	153	86	46	44	1,133	106	60	74	85	123
	Both parents native F	2,554	656	139	71	56	33	955	109	51	72	119	100
11	One or both parents foreign M	5,447	1,701	500	171	115	77	2,564	209	95	148	171	214
	One or both parents foreign F	4,327	1,370	406	155	94	84	2,109	161	89	112	127	183
12	Parentage unknown M	102	16	3				19	1	1	1	2	4
	Parentage unknown F	79	22	3				25	1			1	6
13	Foreign	9,115	13	22	18	6	10	69	47	49	116	283	384
14	Males	4,748	7	13	10	1	6	37	24	19	59	136	204
15	Females	4,367	6	9	8	5	4	32	23	30	57	147	180
16	Unknown	83							2			2	2
17	Males	67							2			2	2
18	Females	16											
19	Colored	646	119	31	12	9	4	175	13	10	18	36	59
20	Males	306	63	17	6	6	2	94	5	1	10	17	32
21	Females	340	56	14	6	3	2	81	8	9	8	19	27
22	Negro M	299	63	17	6	6	2	94	5	1	10	17	28
	Negro F	339	56	14	6	3	2	81	8	9	8	19	27
23	Indian M												
	Indian F	1											
24	Chinese M	3											3
	Chinese F												
25	Japanese M	4											1
	Japanese F												
	NEW YORK, N. Y. (MANHATTAN BOROUGH).												
26	Total	38,236	8,083	2,163	893	502	318	11,959	804	401	832	1,387	1,580
27	Males	21,180	4,377	1,164	471	227	169	6,408	430	206	423	702	889
28	Females	17,056	3,706	999	422	275	149	5,551	374	195	409	685	691
29	White	36,588	7,737	2,077	858	482	305	11,459	785	381	783	1,280	1,448
30	Males	20,279	4,198	1,112	451	218	164	6,143	423	196	398	656	810
31	Females	16,309	3,539	965	407	264	141	5,316	362	185	385	624	638
32	Native	20,793	7,662	1,957	780	440	285	11,124	676	273	464	619	679
33	Males	11,623	4,154	1,046	407	198	150	5,955	363	139	258	327	396
34	Females	9,170	3,508	911	373	242	135	5,169	313	134	206	292	283
35	Both parents native M	2,810	688	135	63	28	37	951	83	30	85	105	101
	Both parents native F	2,206	550	113	51	47	18	779	78	24	64	92	104
36	One or both parents foreign M	7,916	2,828	887	331	166	113	4,325	277	107	165	216	282
	One or both parents foreign F	6,268	2,372	775	318	191	116	3,772	234	110	139	193	174
37	Parentage unknown M	897	638	24	13	4		679	3	2	8	6	13
	Parentage unknown F	696	586	23	4	4	1	618	1		3	7	5
38	Foreign	15,384	36	57	45	33	18	189	106	108	316	652	752
39	Males	8,353	21	34	20	15	12	102	59	57	140	324	400
40	Females	7,031	15	23	25	18	6	87	47	51	176	328	352
41	Unknown	411	39	63	33	9	2	146	3		3	9	17
42	Males	303	23	32	24	5	2	86	1			5	14
43	Females	108	16	31	9	4		60	2		3	4	3
44	Colored	1,648	346	86	35	20	13	500	19	20	49	107	132
45	Males	901	179	52	20	9	5	265	7	10	25	46	79
46	Females	747	167	34	15	11	8	235	12	10	24	61	53
47	Negro M	817	176	52	20	9	5	262	7	10	25	40	69
	Negro F	744	166	34	15	10	8	233	12	10	24	61	53
48	Indian M	1	1					1					
	Indian F												
49	Chinese M	69										5	6
	Chinese F	1	1					1					
50	Japanese M	14	2					2				1	4
	Japanese F	2				1		1					

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
1,206	1,390	1,433	1,469	1,477	1,434	1,564	1,436	1,278	945	640	284	95	23	5	.....	1
689	803	863	869	858	774	792	753	619	411	247	123	29	5	2	.....	2
517	587	570	600	619	660	772	683	659	534	393	161	66	18	3	.....	3
1,155	1,331	1,392	1,442	1,439	1,406	1,534	1,418	1,256	938	633	281	93	22	4	.....	4
669	775	838	857	838	765	778	746	614	407	246	122	29	4	2	.....	5
486	556	554	585	601	641	756	672	642	531	387	159	64	18	2	.....	6
697	780	730	680	677	591	492	457	354	295	200	95	40	11	1	.....	7
405	463	460	403	368	329	253	259	183	123	73	33	6	2	.....	.....	8
292	317	270	277	309	262	239	198	171	172	127	62	34	9	1	.....	9
121	120	109	99	111	98	126	161	119	85	57	29	4	1	.....	.....	10
95	85	73	59	91	92	112	116	117	121	98	49	30	9	1	.....	
271	339	343	297	248	223	122	89	56	36	16	4	1	1	.....	.....	11
193	230	190	213	214	166	122	78	51	47	26	12	4	.....	.....	.....	
13	4	8	7	9	8	5	9	8	2	.....	.....	1	.....	.....	.....	12
4	2	7	5	4	4	5	4	3	4	3	1	.....	.....	.....	.....	
454	534	652	753	752	807	1,036	956	898	640	432	186	53	11	3	.....	13
260	300	369	447	461	429	520	483	429	282	173	89	23	2	2	.....	14
194	234	283	306	291	378	516	473	469	358	259	97	30	9	1	.....	15
4	17	10	9	10	8	6	5	4	3	1	.....	.....	.....	.....	.....	16
4	12	9	7	9	7	5	4	2	2	.....	.....	.....	.....	.....	.....	17
.....	5	1	2	1	1	1	1	2	1	1	.....	.....	.....	.....	.....	18
51	59	41	27	38	28	30	18	22	7	7	3	2	1	1	.....	19
20	28	25	12	20	9	14	7	5	4	1	1	.....	1	.....	.....	20
31	31	16	15	18	19	16	11	17	2	6	2	2	.....	1	.....	21
20	27	23	12	20	9	14	7	5	4	1	1	.....	1	.....	.....	22
31	31	16	15	17	19	16	11	17	3	6	2	2	.....	1	.....	
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
1,883	2,380	2,309	2,289	2,366	2,136	2,183	1,960	1,583	1,056	679	322	94	23	9	1	26
1,131	1,477	1,433	1,430	1,448	1,267	1,253	1,007	747	488	272	124	37	6	2	.....	27
752	903	876	859	918	869	930	953	836	568	407	198	57	17	7	1	28
1,751	2,234	2,172	2,200	2,272	2,070	2,131	1,918	1,555	1,038	670	319	90	22	9	1	29
1,054	1,392	1,354	1,378	1,391	1,238	1,222	983	730	478	267	124	35	5	2	.....	30
697	842	818	822	881	832	909	935	825	560	403	195	55	17	7	1	31
815	1,026	835	789	846	686	538	483	372	259	180	95	28	6	.....	.....	32
504	651	535	480	543	445	316	269	199	125	72	32	12	2	.....	.....	33
311	375	300	309	303	241	222	214	173	134	108	63	16	4	.....	.....	34
151	149	131	138	158	145	153	146	115	86	47	25	9	2	.....	.....	35
87	90	82	79	100	79	96	117	97	101	76	45	14	2	.....	.....	
341	482	379	322	355	279	144	111	74	26	22	6	3	.....	.....	.....	36
221	276	211	222	197	155	123	89	71	31	31	15	2	2	.....	.....	
12	20	25	20	30	21	19	12	10	13	3	1	.....	.....	.....	.....	37
3	9	7	8	6	7	3	8	5	2	1	3	.....	.....	.....	.....	
911	1,173	1,291	1,367	1,389	1,372	1,578	1,423	1,178	778	489	224	62	16	9	1	38
528	710	779	862	816	783	895	704	527	353	194	92	23	3	2	.....	39
383	463	512	505	573	589	683	719	651	425	295	132	39	13	7	1	40
25	35	46	44	37	12	15	12	5	1	1	.....	.....	.....	.....	.....	41
22	31	40	36	32	10	11	10	4	.....	1	.....	.....	.....	.....	.....	42
3	4	6	8	5	2	4	2	1	1	.....	.....	.....	.....	.....	.....	43
132	146	137	89	94	66	52	42	28	18	9	3	4	1	.....	.....	44
77	85	79	52	57	29	31	24	17	10	5	.....	2	1	.....	.....	45
55	61	58	37	37	37	21	18	11	8	4	3	2	.....	.....	.....	46
70	74	68	43	47	24	22	21	17	10	5	.....	2	1	.....	.....	47
55	61	57	37	37	37	21	18	11	8	4	3	2	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
6	10	10	6	9	5	9	3	.....	.....	.....	.....	.....	.....	.....	.....	49
1	1	1	3	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	50
.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	NEW YORK, N. Y. (QUEENS BOROUGH).												
1	Total	4,182	853	133	78	47	39	1,150	96	71	95	154	162
2	Males	2,258	462	73	40	27	19	621	50	37	51	82	93
3	Females	1,924	391	60	38	20	20	529	46	34	44	72	69
4	White	4,076	823	127	77	46	38	1,111	94	71	90	150	160
5	Males	2,207	445	69	39	26	18	597	49	37	50	80	92
6	Females	1,869	378	58	38	20	20	514	45	34	40	70	68
7	Native	2,535	822	123	77	46	38	1,106	93	68	75	113	99
8	Males	1,369	444	67	39	26	18	594	49	35	40	58	57
9	Females	1,166	378	56	38	20	20	512	44	33	35	55	42
10	Both parents native M	542	203	27	18	9	8	265	28	14	16	17	21
	Both parents native F	441	157	18	14	8	7	204	15	13	15	25	12
11	One or both parents foreign M	815	240	40	21	17	10	328	21	21	24	40	36
	One or both parents foreign F	701	216	37	24	11	13	301	29	20	20	28	30
12	Parentage unknown M	12	1					1				1	
	Parentage unknown F	24	5	1		1		7				2	
13	Foreign	1,529	1	4				5	1	3	15	37	61
14	Males	826	1	2				3		2	10	22	35
15	Females	703		2				2	1	1	5	15	26
16	Unknown	12											
17	Males	12											
18	Females												
19	Colored	106	30	6	1	1	1	39	2		5	4	2
20	Males	51	17	4	1	1	1	24	1		1	2	1
21	Females	55	13	2				15	1		4	2	1
22	Negro M	51	17	4	1	1	1	24	1		1	2	1
	Negro F	55	13	2				15	1		4	2	1
	NEW YORK, N. Y. (RICHMOND BOROUGH).												
23	Total	1,486	257	50	14	32	18	371	37	17	31	49	44
24	Males	855	137	23	8	14	7	189	19	8	18	27	28
25	Females	631	120	27	6	18	11	182	18	9	13	22	16
26	White	1,454	252	48	14	32	18	364	37	17	29	47	43
27	Males	838	135	22	8	14	7	186	19	8	17	26	28
28	Females	616	117	26	6	18	11	178	18	9	12	21	15
29	Native	945	251	48	13	30	18	360	37	16	23	36	23
30	Males	530	134	22	7	12	7	182	19	8	12	18	12
31	Females	415	117	26	6	18	11	178	18	8	11	18	11
32	Both parents native M	236	56	10	1		2	69	8	5	6	7	4
	Both parents native F	192	45	11	3	6	3	68	5	6	5	10	3
33	One or both parents foreign M	247	75	11	3	5	2	96	10	3	6	10	7
	One or both parents foreign F	206	71	15	2	5	5	98	13	2	6	8	8
34	Parentage unknown M	47	3	1	3	7	3	17	1			1	1
	Parentage unknown F	17	1		1	7	3	12					
35	Foreign	507	1		1	2		4		1	6	11	20
36	Males	306	1		1	2		4			5	8	16
37	Females	201								1	1	3	4
38	Unknown	2											
39	Males	2											
40	Females												
41	Colored	32	5	2				7			2	2	1
42	Males	17	2	1				3			1	1	
43	Females	15	3	1				4			1	1	1
44	Negro M	16	2	1				3			1	1	
	Negro F	14	3	1				4			1	1	1
45	Chinese M	1											
	Chinese F												
46	Japanese M												
	Japanese F	1											

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
170	244	273	252	257	258	221	241	205	166	99	51	12	4	1		1
97	128	175	167	148	142	120	110	96	65	49	16	8	2	1		2
73	116	98	85	109	116	101	131	109	101	50	35	4	2			3
163	236	270	245	252	255	215	238	198	164	99	49	11	4	1		4
94	126	174	162	146	141	118	109	93	64	49	15	8	2	1		5
69	110	96	83	106	114	97	129	105	100	50	34	3	2			6
107	137	142	121	112	105	56	58	53	46	28	14	1	1			7
63	72	85	77	61	60	31	24	25	21	13	3	1				8
44	65	57	44	51	45	25	34	28	25	15	11		1			9
20	18	19	17	12	20	15	16	12	16	12	3	1				10
12	12	15	8	13	10	10	16	21	21	8	10		1			
43	52	63	60	49	38	16	7	12	4	1						11
32	52	40	35	38	33	11	17	6	3	5	1					
	2	3			2		1	1	1							12
	1	2	1		2	4	1	1	1	2						
56	97	126	122	135	150	158	180	145	118	71	35	10	3	1		13
31	52	87	83	80	81	86	85	68	43	36	12	7	2	1		14
25	45	39	39	55	69	72	95	77	75	35	23	3	1			15
	2	2	2	5		1										16
	2	2	2	5		1										17
																18
7	8	3	7	5	3	6	3	7	2		2	1				19
3	2	1	5	2	1	2	1	3	1		1					20
4	6	2	2	3	2	4	2	4	1		1	1				21
3	2	1	5	2	1	2	1	3	1		1					22
4	6	2	2	3	2	4	2	4	1		1	1				
62	72	75	85	85	73	95	106	128	68	50	22	13	3			23
36	43	52	61	57	35	54	63	79	35	27	16	5	3			24
26	29	23	24	28	38	41	43	49	33	23	6	8				25
59	71	72	82	83	73	93	104	127	68	47	22	13	3			26
34	43	50	59	56	35	53	62	78	35	25	16	5	3			27
25	28	22	23	27	38	40	42	49	33	22	6	8				28
30	34	43	48	37	40	49	49	50	23	22	13	10	2			29
16	23	29	33	27	20	28	30	34	10	15	8	4	2			30
14	11	14	15	10	20	21	19	16	13	7	5	6				31
5	6	10	7	8	7	19	21	24	7	13	5	3	2			32
9	2	3	5	5	10	11	10	14	10	6	4	6				
11	15	17	23	19	9	6	6	5	2		2					33
5	9	11	9	5	10	9	9	2	1		1					
	2	2	3		4	3	3	5	1	2	1	1				34
			1			1			2	1						
28	37	28	34	46	33	44	55	77	45	25	9	3	1			35
17	20	20	26	29	15	25	32	44	25	10	8	1	1			36
11	17	8	8	17	18	19	23	33	20	15	1	2				37
1		1														38
1		1														39
																40
3	1	3	3	2		2	2	1		3						41
2		2	2	1		1	1	1		2						42
1	1	1	1	1		1	1			1						43
1		2	2	1		1	1	1		2						44
1		1	1	1		1	1			1						
1																45
																46
	1															

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	ROCHESTER, N. Y.												
1	Total	3,271	443	121	57	42	33	696	75	48	65	116	115
2	Males	1,714	269	59	30	25	14	397	43	27	33	57	63
3	Females	1,557	174	62	27	17	19	299	32	21	32	59	52
4	White	3,253	441	121	57	41	33	693	75	48	65	114	113
5	Males	1,703	267	59	30	25	14	395	43	27	33	56	63
6	Females	1,550	174	62	27	16	19	298	32	21	32	58	50
7	Native	2,089	436	118	56	39	30	679	66	39	40	78	70
8	Males	1,101	264	58	30	24	14	390	37	22	17	39	34
9	Females	988	172	60	26	15	16	289	29	17	23	39	36
10	Both parents native M	469	109	15	12	7	9	152	21	11	9	15	17
	Both parents native F	428	66	19	12	8	4	109	13	10	9	16	13
11	One or both parents foreign M	553	144	42	17	17	5	225	16	11	8	23	16
	One or both parents foreign F	491	101	40	14	7	12	174	16	7	14	23	22
12	Parentage unknown M	79	11	1	1			13				1	1
	Parentage unknown F	69	5	1				6					1
13	Foreign	1,146	5	3	1	2	3	14	9	9	23	35	43
14	Males	591	3	1		1		5	6	5	14	17	29
15	Females	555	2	2	1	1	3	9	3	4	9	18	14
16	Unknown	18									2	1	
17	Males	11									2		
18	Females	7										1	
19	Colored	18	2			1		3				2	2
20	Males	11	2					2				1	
21	Females	7				1		1				1	2
22	Negro M	11	2					2				1	
	Negro F	7				1		1				1	2
	SYRACUSE, N. Y.												
23	Total	2,027	386	66	35	20	9	516	41	30	31	57	93
24	Males	1,078	246	30	20	10	6	312	18	14	15	31	55
25	Females	949	140	36	15	10	3	204	23	16	16	26	38
26	White	2,000	381	65	34	20	9	509	41	29	29	55	93
27	Males	1,064	243	30	19	10	6	308	18	14	14	30	55
28	Females	936	138	35	15	10	3	201	23	15	15	25	38
29	Native	1,423	378	62	33	20	9	502	39	28	25	38	64
30	Males	756	241	27	19	10	6	303	17	14	14	19	36
31	Females	667	137	35	14	10	3	199	22	14	11	19	28
32	Both parents native M	355	112	4	9	5	1	131	8	8	6	9	20
	Both parents native F	330	49	11	8	6		74	11	6	5	10	16
33	One or both parents foreign M	326	99	21	10	5	5	140	9	6	8	10	15
	One or both parents foreign F	282	69	24	6	4	3	106	11	7	6	9	11
34	Parentage unknown M	75	30	2				32					1
	Parentage unknown F	55	19					19		1			1
35	Foreign	564	3	3	1			7	2	1	4	17	27
36	Males	296	2	3				5	1			11	17
37	Females	268	1		1			2	1	1	4	6	10
38	Unknown	13											2
39	Males	12											2
40	Females	1											
41	Colored	27	5	1	1			7		1	2	2	
42	Males	14	3		1			4			1	1	
43	Females	13	2	1				3		1	1	1	
44	Negro M	12	2					2			1	1	
	Negro F	13	2	1				3		1	1	1	
45	Indian M	2	1		1			2					
	Indian F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
127	138	152	189	212	195	200	230	250	196	159	78	26	3	1	.....	1
72	59	92	111	127	97	102	116	104	93	77	28	15	1	.....	.....	2
55	79	60	78	85	98	98	114	146	103	82	50	11	2	1	.....	3
126	137	150	188	212	194	197	229	249	196	159	78	26	3	1	.....	4
71	58	90	111	127	96	101	115	103	93	77	28	15	1	.....	.....	5
55	79	60	77	85	98	96	114	146	103	82	50	11	2	1	.....	6
88	93	99	118	123	126	106	89	110	72	56	25	9	2	1	.....	7
47	43	60	68	77	58	46	45	43	31	30	10	4	.....	.....	.....	8
41	50	39	50	46	68	60	44	67	41	26	15	5	2	1	.....	9
16	12	18	22	23	23	24	29	26	22	19	8	2	.....	.....	.....	10
15	20	16	21	12	21	29	24	40	26	19	7	5	2	1	.....	
31	28	35	40	45	25	17	9	12	4	5	2	1	.....	.....	.....	11
22	28	21	22	29	38	24	16	20	10	2	3	.....	.....	.....	.....	
.....	3	7	6	9	10	5	7	5	5	6	.....	1	.....	.....	.....	12
4	2	2	7	5	9	7	4	7	5	5	5	.....	.....	.....	.....	
36	44	47	68	87	66	91	139	137	124	103	53	17	1	.....	.....	13
23	15	27	41	48	38	55	69	60	62	47	18	11	1	.....	.....	14
13	29	20	27	39	28	36	70	77	62	56	35	6	.....	.....	.....	15
2	.....	4	2	2	2	.....	1	2	.....	.....	.....	.....	.....	.....	.....	16
1	.....	3	2	2	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	17
1	.....	1	.....	.....	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	18
1	1	2	1	.....	1	3	1	1	.....	.....	.....	.....	.....	.....	.....	19
1	1	2	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	20
.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
1	1	2	.....	.....	1	1	1	1	.....	.....	.....	.....	.....	.....	.....	22
.....	.....	.....	1	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	
67	100	90	97	123	118	136	133	135	105	85	54	14	2	.....	.....	23
37	54	54	50	73	51	78	63	59	49	37	23	4	1	.....	.....	24
30	46	36	47	50	67	58	70	76	56	48	31	10	1	.....	.....	25
67	100	86	94	121	118	136	131	134	103	85	54	13	2	.....	.....	26
37	54	52	47	72	51	78	63	58	48	37	23	4	1	.....	.....	27
30	46	34	47	49	67	58	68	76	55	48	31	9	1	.....	.....	28
43	72	62	63	85	71	69	64	68	58	32	30	8	2	.....	.....	29
21	38	37	29	45	30	42	28	29	24	14	13	2	1	.....	.....	30
22	34	25	34	40	41	27	36	39	34	18	17	6	1	.....	.....	31
7	13	11	10	20	17	20	22	20	14	8	9	1	1	.....	.....	32
10	15	10	14	20	20	13	24	29	24	13	12	4	.....	.....	.....	
13	20	25	16	21	11	15	5	4	4	2	1	1	.....	.....	.....	33
11	15	13	16	18	17	13	9	9	5	3	1	1	1	.....	.....	
1	5	1	3	4	2	7	1	5	6	4	3	.....	.....	.....	.....	34
1	4	2	4	2	4	1	3	1	5	2	4	1	.....	.....	.....	
22	28	23	30	32	46	66	66	66	45	53	24	5	.....	.....	.....	35
14	16	14	17	23	20	35	35	29	24	23	10	2	.....	.....	.....	36
8	12	9	13	9	26	31	31	37	21	30	14	3	.....	.....	.....	37
2	.....	1	1	4	1	1	1	.....	.....	.....	.....	.....	.....	.....	.....	38
2	.....	1	1	4	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	39
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	40
.....	.....	4	3	2	.....	.....	2	1	2	.....	.....	1	.....	.....	.....	41
.....	.....	2	3	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	42
.....	.....	2	.....	1	.....	.....	2	.....	1	.....	.....	1	.....	.....	.....	43
.....	.....	2	3	1	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	44
.....	.....	2	.....	1	.....	.....	2	.....	1	.....	.....	1	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	45

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	CINCINNATI, OHIO.												
1	Total	6,225	721	177	93	58	34	1,083	128	72	154	310	311
2	Males	3,535	401	85	51	34	18	589	70	42	82	178	196
3	Females	2,690	320	92	42	24	16	494	58	30	72	132	115
4	White	5,627	665	154	79	52	33	983	119	61	131	243	262
5	Males	3,163	367	71	41	29	18	526	67	36	70	137	160
6	Females	2,464	298	83	38	23	15	457	52	25	61	106	102
7	Native	3,911	658	151	77	49	33	968	112	59	118	220	224
8	Males	2,213	363	70	40	27	18	518	63	34	63	120	140
9	Females	1,698	295	81	37	22	15	450	49	25	55	100	84
10	Both parents native M	1,046	243	50	33	17	13	356	47	25	42	76	78
	Both parents native F	899	202	61	31	14	12	320	34	17	37	67	51
11	One or both parents foreign M	977	98	19	7	10	5	139	16	9	21	40	56
	One or both parents foreign F	642	65	19	6	7	3	100	15	7	17	26	28
12	Parentage unknown M	190	22	1				23				4	6
	Parentage unknown F	157	28	1		1		30		1	1	7	5
13	Foreign	1,649	2	3	2	3		10	7	2	13	23	35
14	Males	902	2	1	1	2		6	4	2	7	17	17
15	Females	747		2	1	1		4	3		6	6	18
16	Unknown	67	5					5					3
17	Males	48	2					2					3
18	Females	19	3					3					
19	Colored	598	56	23	14	6	1	100	9	11	23	67	49
20	Males	372	34	14	10	5		63	3	6	12	41	36
21	Females	226	22	9	4	1	1	37	6	5	11	26	13
22	Negro M	370	34	14	10	5		63	3	6	11	41	35
	Negro F	226	22	9	4	1	1	37	6	5	11	26	13
23	Indian M	1											1
	Indian F												
24	Chinese M	1									1		
	Chinese F												
	CLEVELAND, OHIO.												
25	Total	7,999	1,766	384	162	122	72	2,506	236	115	176	295	358
26	Males	4,481	984	207	86	68	37	1,382	119	56	99	161	208
27	Females	3,518	782	177	76	54	35	1,124	117	59	77	134	150
28	White	7,784	1,738	373	155	121	71	2,458	231	113	172	282	342
29	Males	4,361	968	202	83	67	37	1,357	119	55	97	158	201
30	Females	3,423	770	171	72	54	34	1,101	112	58	75	124	141
31	Native	4,862	1,722	363	148	115	65	2,413	208	96	137	186	177
32	Males	2,661	958	196	80	62	35	1,331	108	46	77	98	96
33	Females	2,201	764	167	68	53	30	1,082	100	50	60	88	81
34	Both parents native M	866	247	32	21	20	12	332	41	14	23	32	36
	Both parents native F	730	190	39	13	15	5	262	32	19	16	24	26
35	One or both parents foreign M	1,604	657	159	56	41	23	936	65	30	53	61	55
	One or both parents foreign F	1,315	523	123	55	36	25	762	68	30	44	61	47
36	Parentage unknown M	191	54	5	3	1		63	2	2	1	5	5
	Parentage unknown F	156	51	5		2		58		1		3	8
37	Foreign	2,804	9	10	6	6	6	37	22	17	35	94	160
38	Males	1,608	6	6	2	5	2	21	11	9	20	58	100
39	Females	1,196	3	4	4	1	4	16	11	8	15	36	60
40	Unknown	118	7		1			8	1			2	5
41	Males	92	4		1			5				2	5
42	Females	26	3					3	1				
43	Colored	215	28	11	7	1	1	48	5	2	4	13	16
44	Males	120	16	5	3	1		25		1	2	3	7
45	Females	95	12	6	4		1	23	5	1	2	10	9
46	Negro M	115	16	5	3	1		25		1	2	3	7
	Negro F	95	12	6	4		1	23	5	1	2	10	9
47	Chinese M	4											
	Chinese F												
48	Japanese M	1											
	Japanese F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
316	363	390	451	417	399	384	373	369	336	203	119	29	11	2	5	1
197	222	270	293	255	230	216	216	190	137	85	51	9	5		2	2
119	141	120	158	162	169	168	157	179	199	118	68	20	6	2	3	3
277	308	344	400	379	362	359	359	356	325	198	117	28	11	1	4	4
173	187	236	257	231	207	204	207	186	133	82	49	8	5		2	5
104	121	108	143	148	155	155	152	170	192	116	68	20	6	1	2	6
234	273	291	300	262	209	198	143	123	95	49	25	4	2		2	7
140	163	195	182	156	110	112	76	72	37	22	10					8
94	110	96	118	106	99	86	67	51	58	27	15	4	2		2	9
62	46	55	34	42	27	44	31	41	21	13	6					10
48	43	35	39	39	36	25	27	21	32	13	9	2	2		2	
70	108	119	127	94	61	55	28	18	11	5						11
37	60	51	66	55	55	46	35	17	17	8	2					
8	9	21	21	20	22	13	17	13	5	4	4					12
9	7	10	13	12	8	15	5	13	9	6	4	2				
36	30	44	90	112	146	158	214	229	225	149	92	24	9	1		13
27	19	34	66	73	92	91	130	111	94	60	39	8	5			14
9	11	10	24	39	54	67	84	118	131	89	53	16	4	1		15
7	5	9	10	5	7	3	2	4	5						2	16
6	5	7	9	2	5	1	1	3	2						2	17
1		2	1	3	2	2	1	1	3							18
39	55	46	51	38	37	25	14	13	11	5	2	1		1	1	19
24	35	34	36	24	23	12	9	4	4	3	2	1				20
15	20	12	15	14	14	13	5	9	7	2				1	1	21
24	35	34	36	24	23	12	9	4	4	3	2	1				22
15	20	12	15	14	14	13	5	9	7	2				1	1	
																23
																24
384	461	409	398	432	420	415	435	339	301	168	112	31	5	2	1	25
228	269	263	257	268	242	234	233	166	148	81	57	8	1	1		26
156	192	146	141	164	178	181	202	173	153	87	55	23	4	1	1	27
363	440	388	388	418	413	408	429	330	295	166	110	31	5	1	1	28
211	255	247	249	258	240	231	228	162	145	81	57	8	1	1		29
152	185	141	139	160	173	177	201	168	150	85	53	23	4		1	30
191	219	201	155	174	176	129	117	104	96	43	33	5	1	1		31
107	126	124	97	93	98	56	70	46	46	21	19	1		1		32
84	93	77	58	81	78	73	47	58	50	22	14	4	1			33
40	47	37	28	32	41	33	43	25	31	16	13	1		1		34
38	39	32	20	34	30	37	27	33	32	15	11	2	1			
59	71	77	52	47	49	10	15	13	7	3	1					35
40	44	42	34	39	38	24	13	15	10	2	1	1				
8	8	10	17	14	8	13	12	8	8	2	5					36
6	10	3	4	8	10	12	7	10	8	5	2	1				
162	206	174	217	225	230	273	306	222	196	122	75	26	4		1	37
99	122	111	139	148	136	169	152	113	97	59	36	7	1			38
63	84	63	78	77	94	104	154	109	99	63	39	19	3		1	39
10	15	13	16	19	7	6	6	4	3	1	2					40
5	7	12	13	17	6	6	6	3	2	1	2					41
5	8	1	3	2	1			1	1							42
21	21	21	10	14	7	7	6	9	6	2	2			1		43
17	14	16	8	10	2	3	5	4	3							44
4	7	5	2	4	5	4	1	5	3	2	2			1		45
16	14	15	8	9	2	1	5	4	3							46
4	7	5	2	4	5	4	1	5	3	2	2			1		
		1		1		2										47
1																48

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	COLUMBUS, OHIO.												
1	Total	2,671	356	64	21	14	8	463	61	49	89	117	136
2	Males	1,411	198	38	14	7	1	258	34	27	46	60	75
3	Females	1,260	158	26	7	7	7	205	27	22	43	57	61
4	White	2,415	317	54	18	13	6	408	53	42	79	105	113
5	Males	1,266	175	29	12	6	1	223	28	25	44	53	60
6	Females	1,149	142	25	6	7	5	185	25	17	35	52	53
7	Native	2,019	314	54	17	13	6	404	52	42	75	94	105
8	Males	1,042	173	29	11	6	1	220	28	25	41	46	59
9	Females	977	141	25	6	7	5	184	24	17	34	48	46
10	Both parents native M	616	118	23	8	4	1	154	23	18	29	27	37
	Both parents native F	636	103	19	2	7	4	135	17	15	26	35	32
11	One or both parents foreign M	207	33	5	2	2		42	4	5	5	4	12
	One or both parents foreign F	192	27	6	4		1	38	5	1	6	11	9
12	Parentage unknown M	219	22	1	1			24	1	2	7	15	10
	Parentage unknown F	149	11					11	2	1	2	2	5
13	Foreign	370	1		1			2	1		4	8	7
14	Males	205	1		1			2			3	4	1
15	Females	165							1		1	4	6
16	Unknown	26	2					2				3	1
17	Males	19	1					1				3	
18	Females	7	1					1					1
19	Colored	256	39	10	3	1	2	55	8	7	10	12	23
20	Males	145	23	9	2	1		35	6	2	2	7	15
21	Females	111	16	1	1		2	20	2	5	8	5	8
22	Negro M	144	23	9	2	1		35	6	2	2	7	15
	Negro F	111	16	1	1		2	20	2	5	8	5	8
23	Chinese M	1											
	Chinese F												
	DAYTON, OHIO.												
24	Total	1,624	266	30	13	12	11	332	21	16	53	71	63
25	Males	860	138	18	6	5	3	170	11	11	33	37	31
26	Females	764	128	12	7	7	8	162	10	5	20	34	32
27	White	1,523	246	29	12	10	10	307	18	14	47	64	57
28	Males	797	127	18	6	4	2	157	10	10	28	34	27
29	Females	726	119	11	6	6	8	150	8	4	19	30	30
30	Native	1,206	245	28	12	10	8	303	18	13	43	59	50
31	Males	616	127	18	6	4	2	157	10	9	25	30	22
32	Females	590	118	10	6	6	6	146	8	4	18	29	28
33	Both parents native M	400	100	11	2	2	1	116	9	7	19	25	18
	Both parents native F	362	82	8	2	4	5	101	8	3	7	25	22
34	One or both parents foreign M	148	24	6	3	2	1	36	1	2	4	4	3
	One or both parents foreign F	151	31	2	4	2	1	40		1	10	4	5
35	Parentage unknown M	68	3	1	1			5			2	1	1
	Parentage unknown F	77	5					5			1		1
36	Foreign	308		1			2	3		1	4	5	7
37	Males	173								1	3	4	5
38	Females	135		1			2	3			1	1	2
39	Unknown	9	1					1					
40	Males	8											
41	Females	1	1					1					
42	Colored	101	20	1	1	2	1	25	3	2	6	7	6
43	Males	63	11			1	1	13	1	1	5	3	4
44	Females	38	9	1	1	1		12	2	1	1	4	2
45	Negro M	62	11			1	1	13	1	1	5	2	4
	Negro F	38	9	1	1	1		12	2	1	1	4	2
46	Chinese M	1										1	
	Chinese F												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
146	150	163	153	185	160	170	184	185	134	77	33	12	2		2	1
79	79	93	82	97	84	91	85	99	67	34	14	6			1	2
67	71	70	71	88	76	79	99	86	67	43	19	6	2		1	3
135	128	146	140	164	146	157	172	178	130	73	32	11	2		1	4
72	65	84	75	87	77	83	77	96	66	31	14	6				5
63	63	62	65	77	69	74	95	82	64	42	18	5	2		1	6
121	112	119	120	140	115	115	119	130	86	39	23	6	2			7
62	55	67	62	70	60	61	46	71	40	16	9	4				8
59	57	52	58	70	55	54	73	59	46	23	14	2	2			9
37	33	31	33	27	34	31	27	39	22	9	3	2				10
39	31	30	38	41	34	26	41	40	30	18	7		1			
16	9	20	17	21	15	13	7	6	7	2	2					11
13	13	14	12	16	12	10	14	9	5	1	2	1				
9	13	16	12	22	11	17	12	26	11	5	4	2				12
7	13	8	8	13	9	18	18	10	11	4	5	1	1			
14	12	21	20	20	29	41	52	48	42	34	9	5			1	13
10	8	11	13	13	15	21	31	25	26	15	5	2				14
4	4	10	7	7	14	20	21	23	16	19	4	3			1	15
	4	6		4	2	1	1		2							16
	2	6		4	2	1										17
	2						1		2							18
11	22	17	13	21	14	13	12	7	4	4	1	1			1	19
7	14	9	7	10	7	8	8	3	1	3					1	20
4	8	8	6	11	7	5	4	4	3	1	1	1				21
7	13	9	7	10	7	8	8	3	1	3					1	22
4	8	8	6	11	7	5	4	4	3	1	1	1				
	1															23
64	94	64	92	104	97	112	110	106	105	85	21	12	2			24
36	59	37	49	58	52	55	60	57	50	39	7	6	2			25
28	35	27	43	46	45	57	50	49	55	46	14	6				26
58	86	57	90	93	92	108	105	105	104	84	20	12	2			27
31	54	34	47	50	47	53	56	56	49	39	7	6	2			28
27	32	23	43	43	45	55	49	49	55	45	13	6				29
48	67	50	78	75	72	77	65	66	67	38	9	7	1			30
25	41	30	39	37	35	37	35	34	31	13	2	3	1			31
23	26	20	39	38	37	40	30	32	36	25	7	4				32
18	28	14	15	14	18	24	24	19	17	10	1	3	1			33
18	11	7	19	16	22	28	16	18	19	16	5	1				
6	11	9	20	17	13	6	3	6	6	1						34
4	11	9	17	13	9	8	5	8	4	2		1				
1	2	7	4	6	4	7	8	9	8	2	1					35
1	4	4	3	9	6	4	9	6	13	7	2	2				
10	17	6	12	17	18	31	40	37	37	46	11	5	1			36
6	11	3	8	12	10	16	21	20	18	26	5	3	1			37
4	6	3	4	5	8	15	19	17	19	20	6	2				38
	2	1		1	2			2								39
	2	1		1	2			2								40
																41
6	8	7	2	11	5	4	5	1	1	1	1					42
5	5	3	2	8	5	2	4	1	1							43
1	3	4		3		2	1			1	1					44
5	5	3	2	8	5	2	4	1	1							45
1	3	4		3		2	1			1	1					
																46

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	TOLEDO, OHIO.												
1	Total	2,578	394	66	31	17	24	532	60	43	58	92	125
2	Males	1,463	223	37	18	8	17	303	38	22	31	54	68
3	Females	1,115	171	29	13	9	7	229	22	21	27	38	57
4	White	2,532	392	63	31	17	24	527	58	42	57	89	120
5	Males	1,436	222	36	18	8	17	301	36	22	30	53	63
6	Females	1,096	170	27	13	9	7	226	22	20	27	36	57
7	Native	1,784	392	62	30	17	23	524	56	42	50	72	91
8	Males	993	222	36	17	8	16	299	34	22	25	40	49
9	Females	791	170	26	13	9	7	225	22	20	25	32	42
10	Both parents native M	474	115	20	7	8	7	157	14	12	13	19	27
	Both parents native F	429	95	12	7	2	4	120	14	13	16	10	23
11	One or both parents foreign M	395	97	16	10		9	132	20	10	12	18	19
	One or both parents foreign F	278	71	14	6	6	3	100	8	7	7	20	15
12	Parentage unknown M	124	10					10				3	3
	Parentage unknown F	84	4			1		5			2	2	4
13	Foreign	655		1	1		1	3	2		6	15	25
14	Males	387			1		1	2	2		4	11	12
15	Females	268		1				1			2	4	13
16	Unknown	93									1	2	4
17	Males	56									1	2	2
18	Females	37											2
19	Colored	46	2	3				5	2	1	1	3	5
20	Males	27	1	1				2	2		1	1	5
21	Females	19	1	2				3		1		2	
22	Negro M	26	1	1				2	2		1	1	4
	Negro F	19	1	2				3		1		2	
23	Japanese M	1											1
	Japanese F												
	PORTLAND, OREG.												
24	Total	2,390	334	37	35	18	12	436	59	18	68	107	141
25	Males	1,457	203	23	17	10	8	261	28	8	32	68	77
26	Females	933	131	14	18	8	4	175	31	10	36	39	64
27	White	2,300	328	37	32	18	12	427	57	17	68	104	135
28	Males	1,381	200	23	14	10	8	255	27	8	32	66	72
29	Females	919	128	14	18	8	4	172	30	9	36	38	63
30	Native	1,572	324	37	31	17	12	421	50	17	59	75	103
31	Males	872	196	23	14	10	8	251	25	8	26	41	47
32	Females	700	128	14	17	7	4	170	25	9	33	34	56
33	Both parents native M	349	101	11	5	7	3	127	14	4	15	17	18
	Both parents native F	323	68	9	11	4	3	95	15	5	15	14	26
34	One or both parents foreign M	258	67	12	7	3	4	93	11	3	10	14	14
	One or both parents foreign F	198	51	5	5	3	1	65	10	3	14	13	14
35	Parentage unknown M	265	28		2		1	31		1	1	10	15
	Parentage unknown F	179	9		1			10		1	4	7	16
36	Foreign	669	4		1	1		6	7		7	27	31
37	Males	456	4					4	2		5	24	24
38	Females	213			1	1		2	5		2	3	7
39	Unknown	59									2	2	1
40	Males	53									1	1	1
41	Females	6									1	1	
42	Colored	90	6		3			9	2	1		3	6
43	Males	76	3		3			6	1			2	5
44	Females	14	3					3	1	1		1	1
45	Negro M	17	1		1			2				1	2
	Negro F	9							1			1	1
46	Indian M	2							1				
	Indian F												
47	Chinese M	48	1		1			2				1	2
	Chinese F	2								1			
48	Japanese M	9	1		1			2					1
	Japanese F	3	3					3					

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
138	122	157	137	145	176	163	179	160	128	76	64	18	3	2		1
84	70	96	94	80	107	86	103	92	64	38	25	5	2	1		2
54	52	61	43	65	69	77	76	68	64	38	39	13	1	1		3
133	116	153	134	140	174	161	178	160	128	75	64	18	3	2		4
82	64	95	92	77	107	85	102	92	64	38	25	5	2	1		5
51	52	58	42	63	67	76	76	68	64	37	39	13	1	1		6
92	81	105	93	87	109	89	94	64	59	35	29	9	3			7
52	41	65	60	44	68	44	53	38	31	17	7	2	2			8
40	40	40	33	43	41	45	41	26	28	18	22	7	1			9
23	15	20	29	19	34	21	31	14	15	9	2					10
21	15	25	15	19	21	25	25	19	19	10	16	3				
25	20	36	22	16	21	8	12	9	9	2	3		1			11
15	19	12	12	15	13	12	12	3	1	3	1	3				
4	6	9	9	9	13	15	10	15	7	6	2	2	1			12
4	6	3	6	9	7	8	4	4	8	5	5	1	1			
34	27	34	37	44	54	61	77	89	65	39	34	7		2		13
26	16	23	29	26	32	34	45	51	32	21	18	2		1		14
8	11	11	8	18	22	27	32	38	33	18	16	5		1		15
7	8	14	4	9	11	11	7	7	4	1	1	2				16
4	7	7	3	7	7	7	4	3	1			1				17
3	1	7	1	2	4	4	3	4	3	1	1	1				18
5	6	4	3	5	2	2	1			1						19
2	6	1	2	3		1	1									20
3		3	1	2	2	1				1						21
2	6	1	2	3		1	1									22
3		3	1	2	2	1				1						
																23
145	124	147	131	149	151	166	148	146	115	87	36	11	2		3	24
89	76	102	91	114	101	113	86	82	54	45	19	7	1		3	25
56	48	45	40	35	50	53	62	64	61	42	17	4	1			26
139	117	137	126	137	144	150	147	144	114	87	35	11	2		2	27
84	71	92	87	102	95	97	85	80	54	45	19	7	1		2	28
55	46	45	39	35	49	53	62	64	60	42	16	4	1			29
88	84	85	67	81	77	77	78	69	63	49	21	7	1			30
47	47	52	48	55	47	45	42	30	23	20	13	5				31
41	37	33	19	26	30	32	36	39	40	29	8	2	1			32
12	18	16	11	21	17	15	14	12	8	4	5	1				33
19	14	13	8	6	12	10	18	15	20	14	2	2				
13	14	21	14	9	7	12	9	6	5	1	2					34
10	11	12	6	11	6	8	6	3	1	4	1					
22	15	15	23	25	23	18	19	12	10	15	6	4				35
12	12	8	5	9	12	14	12	21	19	11	5		1			
48	27	38	54	50	66	68	66	69	50	37	13	4	1			36
34	18	26	34	41	48	48	40	45	31	24	5	2	1			37
14	9	12	20	9	18	20	26	24	19	13	8	2				38
3	6	14	5	6	1	5	3	6	1	1	1				2	39
3	6	14	5	6		4	3	5		1	1				2	40
					1	1		1	1							41
6	7	10	5	12	7	16	1	2	1		1				1	42
5	5	10	4	12	6	16	1	2							1	43
1	2		1		1				1		1					44
1	1	2	2	1	2	3										45
1	1		1		1				1		1					
															1	46
2	2	6	2	11	4	13	1	2								47
	1															
2	2	2														48

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	PHILADELPHIA, PA.												
1	Total	26,276	4,769	1,151	530	357	273	7,080	592	298	534	960	994
2	Males	13,895	2,650	610	298	177	143	3,878	312	156	294	466	517
3	Females	12,381	2,119	541	232	180	130	3,202	280	142	240	494	477
4	White	24,251	4,312	1,038	493	333	253	6,429	547	262	485	846	863
5	Males	12,827	2,397	558	281	167	133	3,536	291	136	270	416	455
6	Females	11,424	1,915	480	212	166	120	2,893	256	126	215	430	408
7	Native	16,875	4,290	1,018	481	318	245	6,352	516	238	401	633	609
8	Males	9,041	2,382	549	275	163	131	3,500	272	123	218	311	321
9	Females	7,834	1,908	469	206	155	114	2,852	244	115	183	322	288
10	Both parents native M.	4,156	1,173	200	99	75	62	1,609	147	58	114	160	140
	Both parents native F.	3,704	866	188	79	67	48	1,248	127	52	77	174	134
11	One or both parents foreign M.	3,901	1,072	337	166	87	66	1,728	123	61	100	136	153
	One or both parents foreign F.	3,363	928	269	119	86	64	1,466	111	61	97	135	119
12	Parentage unknown M.	984	137	12	10	1	3	163	2	4	4	15	28
	Parentage unknown F.	767	114	12	8	2	2	138	6	2	9	13	35
13	Foreign	7,131	20	18	11	15	8	72	31	23	83	206	242
14	Males	3,609	13	8	6	4	2	33	19	13	51	100	126
15	Females	3,522	7	10	5	11	6	39	12	10	32	106	116
16	Unknown	245	2	2	1	.....	.....	5	.....	1	1	7	12
17	Males	177	2	1	.....	.....	.....	3	.....	.....	1	5	8
18	Females	68	.....	1	1	.....	.....	2	.....	1	.....	2	4
19	Colored	2,025	457	113	37	24	20	651	45	36	49	114	131
20	Males	1,068	253	52	17	10	10	342	21	20	24	50	62
21	Females	957	204	61	20	14	10	309	24	16	25	64	69
22	Negro M.	1,049	252	52	17	10	10	341	21	20	24	49	62
	Negro F.	956	204	61	20	14	10	309	24	16	25	64	69
23	Indian M.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Indian F.	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
24	Chinese M.	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
25	Japanese M.	2	1	.....	.....	.....	.....	1	.....	.....	.....	1	.....
	Japanese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	PITTSBURGH, PA.												
26	Total	8,099	1,812	453	168	100	76	2,609	216	113	192	349	355
27	Males	4,520	1,004	231	96	57	29	1,417	117	56	110	196	202
28	Females	3,579	808	222	72	43	47	1,192	99	57	82	153	153
29	White	7,656	1,730	422	158	92	71	2,473	198	105	175	323	337
30	Males	4,268	954	213	92	53	27	1,339	106	52	98	188	190
31	Females	3,388	776	209	66	39	44	1,134	92	53	77	135	147
32	Native	5,240	1,718	416	154	90	70	2,448	186	101	135	206	205
33	Males	2,844	949	211	89	52	27	1,328	98	48	68	106	107
34	Females	2,396	769	205	65	38	43	1,120	88	53	67	100	98
35	Both parents native M.	1,098	351	59	37	17	13	477	41	25	33	44	45
	Both parents native F.	981	302	59	20	17	16	414	35	27	31	51	41
36	One or both parents foreign M.	1,568	560	150	51	34	13	808	57	23	34	59	59
	One or both parents foreign F.	1,273	430	145	45	20	27	667	51	25	34	41	49
37	Parentage unknown M.	178	38	2	1	1	1	43	.....	.....	1	3	3
	Parentage unknown F.	142	37	1	.....	1	.....	39	2	1	2	8	8
38	Foreign	2,333	5	6	4	2	.....	17	11	4	38	109	128
39	Males	1,355	2	2	3	1	.....	8	7	4	28	75	79
40	Females	978	3	4	1	1	.....	9	4	.....	10	34	49
41	Unknown	83	7	.....	.....	.....	1	8	1	.....	2	8	4
42	Males	69	3	.....	.....	.....	.....	3	1	.....	2	7	4
43	Females	14	4	.....	.....	.....	1	5	.....	.....	.....	1	.....
44	Colored	443	82	31	10	8	5	136	18	8	17	26	18
45	Males	252	50	18	4	4	2	78	11	4	12	8	12
46	Females	191	32	13	6	4	3	58	7	4	5	18	6
47	Negro M.	241	50	18	4	4	2	78	11	4	12	8	11
	Negro F.	191	32	13	6	4	3	58	7	4	5	18	6
48	Chinese M.	11	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1
	Chinese F.	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
1,138	1,441	1,271	1,398	1,594	1,484	1,651	1,680	1,483	1,218	821	450	147	35	6	1	1
614	825	752	838	914	851	862	842	702	527	315	175	46	8	.....	1	2
524	616	519	560	680	633	789	838	781	691	506	275	101	27	6	.....	3
987	1,274	1,141	1,261	1,488	1,412	1,584	1,619	1,433	1,197	805	441	140	32	4	1	4
529	736	671	747	865	808	828	808	676	516	312	174	44	8	.....	1	5
458	538	470	514	623	604	756	811	757	681	493	267	96	24	4	.....	6
657	816	678	713	875	795	810	792	665	599	389	237	78	19	3	.....	7
350	471	397	422	514	457	435	405	317	254	155	90	24	5	.....	.....	8
307	345	281	291	361	338	375	387	348	345	234	147	54	14	3	.....	9
146	180	159	148	188	199	214	215	189	144	77	51	13	5	.....	.....	10
138	139	120	125	143	146	178	206	199	228	135	98	27	9	1	.....	
168	240	182	210	241	177	127	106	56	48	24	16	5	.....	.....	.....	11
149	173	128	125	175	140	139	110	87	63	47	22	14	1	1	.....	
36	51	56	64	85	81	94	84	72	62	54	23	6	.....	.....	.....	12
20	33	33	41	43	52	58	71	62	54	52	27	13	4	1	.....	
320	434	446	522	576	601	743	798	753	589	414	201	62	13	1	1	13
170	249	260	305	324	337	371	384	347	256	156	84	20	3	.....	1	14
150	185	186	217	252	264	372	414	406	333	258	117	42	10	1	.....	15
10	24	17	26	37	16	31	29	15	9	2	3	.....	.....	.....	.....	16
9	16	14	20	27	14	22	19	12	6	1	.....	.....	.....	.....	.....	17
1	8	3	6	10	2	9	10	3	3	1	3	.....	.....	.....	.....	18
151	167	130	137	106	72	67	61	50	21	16	9	7	3	2	.....	19
85	89	81	91	49	43	34	34	26	11	3	1	2	.....	.....	.....	20
66	78	49	46	57	29	33	27	24	10	13	8	5	3	2	.....	21
83	87	80	88	44	39	34	34	26	11	3	1	2	.....	.....	.....	22
66	78	49	46	57	29	33	27	23	10	13	8	5	3	2	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	23
.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	
2	2	1	3	5	4	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	24
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	
376	425	394	409	454	410	423	427	410	265	167	81	22	1	1	.....	26
230	263	263	260	287	241	224	234	193	118	72	34	3	.....	.....	.....	27
146	162	131	149	167	169	199	193	217	147	95	47	19	1	1	.....	28
359	383	369	382	422	389	403	415	396	261	166	79	20	1	.....	.....	29
218	240	244	246	271	228	216	226	183	115	72	33	3	.....	.....	.....	30
141	143	125	136	151	161	187	189	213	146	94	46	17	1	.....	.....	31
216	219	213	193	209	210	165	178	155	104	54	34	8	1	.....	.....	32
115	138	131	124	127	127	83	88	74	47	17	16	2	.....	.....	.....	33
101	81	82	69	82	83	82	90	81	57	37	18	6	1	.....	.....	34
43	57	43	44	52	45	41	35	41	14	10	8	.....	.....	.....	.....	35
36	39	27	22	41	33	36	35	48	32	18	12	2	1	.....	.....	
63	70	80	66	60	70	29	42	21	21	2	4	.....	.....	.....	.....	36
56	36	47	38	37	44	42	44	22	17	14	6	3	.....	.....	.....	
9	11	8	14	15	12	13	11	12	12	5	4	2	.....	.....	.....	37
9	6	8	9	4	6	4	11	11	8	5	.....	1	.....	.....	.....	
138	158	144	184	203	171	234	232	239	156	111	44	12	.....	.....	.....	38
98	98	101	117	135	94	129	134	107	68	55	17	1	.....	.....	.....	39
40	60	43	67	68	77	105	98	132	88	56	27	11	.....	.....	.....	40
5	6	12	5	10	8	4	5	2	1	1	1	.....	.....	.....	.....	41
5	4	12	5	9	7	4	4	2	.....	.....	.....	.....	.....	.....	.....	42
.....	2	.....	.....	1	1	.....	1	.....	1	1	1	.....	.....	.....	.....	43
17	42	25	27	32	21	20	12	14	4	1	2	2	.....	1	.....	44
12	23	19	14	16	13	8	8	10	3	.....	1	.....	.....	.....	.....	45
5	19	6	13	16	8	12	4	4	1	1	1	2	.....	1	.....	46
12	20	16	13	13	13	8	8	10	3	.....	1	.....	.....	.....	.....	47
5	19	6	13	16	8	12	4	4	1	1	1	2	.....	1	.....	
.....	3	3	1	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SCRANTON, PA.												
1	Total	1,974	387	87	33	31	17	555	37	34	63	86	96
2	Males	1,126	225	42	10	13	11	301	21	13	47	51	61
3	Females	848	162	45	23	18	6	254	16	21	16	35	35
4	White	1,961	386	87	33	30	17	553	37	34	63	84	95
5	Males	1,117	224	42	10	12	11	299	21	13	47	51	60
6	Females	844	162	45	23	18	6	254	16	21	16	33	35
7	Native	1,192	386	86	32	28	16	548	31	31	51	52	53
8	Males	653	224	41	10	11	10	296	17	12	38	28	33
9	Females	539	162	45	22	17	6	252	14	19	13	24	20
10	Both parents native M.	225	65	14	2	4	3	88	11	3	13	9	9
	Both parents native F.	185	47	12	8	8	4	79	7	5	5	9	7
11	One or both parents foreign M.	406	157	27	8	7	7	206	6	9	24	19	23
	One or both parents foreign F.	334	114	33	14	9	2	172	7	13	8	14	13
12	Parentage unknown M.	22	2					2			1		1
	Parentage unknown F.	20	1					1		1		1	
13	Foreign	747		1	1	2	1	5	6	3	9	30	40
14	Males	443		1		1	1	3	4	1	7	21	25
15	Females	304			1	1		2	2	2	2	9	15
16	Unknown	22									3	2	2
17	Males	21									2	2	2
18	Females	1									1		
19	Colored	13	1			1		2				2	1
20	Males	9	1			1		2					1
21	Females	4										2	
22	Negro M.	9	1			1		2					1
	Negro F.	4										2	
	PROVIDENCE, R. I.												
23	Total	3,599	674	119	63	38	25	919	74	38	71	127	131
24	Males	1,911	403	66	35	19	15	538	44	19	32	75	69
25	Females	1,688	271	53	28	19	10	381	30	19	39	52	62
26	White	3,456	647	115	58	36	24	880	70	37	69	117	123
27	Males	1,833	388	63	31	18	14	514	42	18	32	70	65
28	Females	1,623	259	52	27	18	10	366	28	19	37	47	58
29	Native	2,202	644	113	57	35	22	871	66	31	46	67	76
30	Males	1,201	385	62	31	18	13	509	39	17	21	42	42
31	Females	1,001	259	51	26	17	9	362	27	14	25	25	34
32	Both parents native M.	451	99	14	8	4	4	129	11	2	5	15	15
	Both parents native F.	423	57	10	7	5	2	81	8		8	8	11
33	One or both parents foreign M.	693	267	48	23	14	9	361	27	15	16	25	27
	One or both parents foreign F.	530	185	40	19	12	6	262	18	14	16	16	22
34	Parentage unknown M.	57	19					19	1			2	
	Parentage unknown F.	48	17	1			1	19	1		1	1	1
35	Foreign	1,240	3	2	1	1	2	9	4	6	23	49	47
36	Males	619	3	1			1	5	3	1	11	27	23
37	Females	621		1	1	1	1	4	1	5	12	22	24
38	Unknown	14										1	
39	Males	13										1	
40	Females	1											
41	Colored	143	27	4	5	2	1	39	4	1	2	10	8
42	Males	78	15	3	4	1	1	24	2	1		5	4
43	Females	65	12	1	1	1		15	2		2	5	4
44	Negro M.	77	15	3	4	1	1	24	2	1		5	4
	Negro F.	65	12	1	1	1		15	2		2	5	4
45	Chinese M.	1											
	Chinese F.												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
94	101	118	121	109	118	104	119	90	56	50	16	5	2			1
59	66	71	71	69	75	65	58	49	21	20	5	3				2
35	35	47	50	40	43	39	61	41	35	30	11	2	2			3
93	100	116	120	107	118	104	118	90	56	50	16	5	2			4
58	66	69	70	68	75	65	57	49	21	20	5	3				5
35	34	47	50	39	43	39	61	41	35	30	11	2	2			6
41	52	54	59	47	38	35	29	23	22	21	3	1	1			7
22	28	25	37	28	23	18	15	10	11	10	1	1				8
19	24	29	22	19	15	17	14	13	11	11	2		1			9
9	6	11	7	10	10	10	7	4	9	8		1				10
8	1	7	5	5	6	9	7	8	10	5	1		1			
13	22	12	27	16	11	6	8	3			1					11
10	23	21	17	11	8	6	6	1		3	1					
		2	3	2	2	2		3	2	2						12
1		1		3	1	2	1	4	1	3						
49	44	60	59	58	80	69	87	67	34	29	13	4	1			13
33	34	42	31	38	52	47	40	39	10	10	4	2				14
16	10	18	28	20	28	22	47	28	24	19	9	2	1			15
3	4	2	2	2			2									16
3	4	2	2	2			2									17
																18
1	1	2	1	2			1									19
1		2	1	1			1									20
	1			1												21
1		2	1	1			1									22
	1			1												
162	171	205	193	214	238	228	257	213	146	124	53	28	5	2		23
94	99	108	107	126	124	112	128	90	62	53	20	9	1	1		24
68	72	97	86	88	114	116	129	123	84	71	33	19	4	1		25
147	166	200	183	209	226	217	251	208	145	123	52	28	5			26
83	96	105	101	123	119	107	126	88	62	52	20	9	1			27
64	70	95	82	86	107	110	125	120	83	71	32	19	4			28
81	88	101	73	103	109	84	114	93	67	76	31	21	4			29
47	56	57	38	64	58	45	61	38	21	31	10	4	1			30
34	32	44	35	39	51	39	53	55	46	45	21	17	3			31
13	22	19	16	21	24	29	42	29	19	26	9	4	1			32
7	8	7	16	14	27	29	41	45	38	39	17	16	3			
33	34	36	21	39	30	11	13	4		1						33
23	22	36	19	24	22	9	10	8	6	2	1					
1		2	1	4	4	5	6	5	2	4	1					34
4	2	1		1	2	1	2	2	2	4	3	1				
66	76	98	110	104	114	132	137	113	77	47	20	7	1			35
36	38	47	63	57	59	61	65	48	40	21	9	5				36
30	38	51	47	47	55	71	72	65	37	26	11	2	1			37
	2	1		2	3	1		2	1		1					38
	2	1		2	2	1		2	1		1					39
					1											40
15	5	5	10	5	12	11	6	5	1	1	1			2		41
11	3	3	6	3	5	5	2	2		1				1		42
4	2	2	4	2	7	6	4	3	1		1			1		43
11	3	2	6	3	5	5	2	2		1				1		44
4	2	2	4	2	7	6	4	3	1		1			1		
		1														45

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	MEMPHIS, TENN.												
1	Total	2,836	348	85	47	33	21	534	70	45	117	231	235
2	Males	1,557	185	46	28	18	9	286	37	19	53	115	128
3	Females	1,279	163	39	19	15	12	248	33	26	64	116	107
4	White	1,330	182	47	22	15	7	273	35	21	42	73	79
5	Males	756	95	28	13	7	2	145	19	9	20	39	45
6	Females	574	87	19	9	8	5	128	16	12	22	34	34
7	Native	1,089	177	47	21	15	7	267	34	21	38	64	69
8	Males	600	94	28	12	7	2	143	18	9	18	31	39
9	Females	489	83	19	9	8	5	124	16	12	20	33	30
10	Both parents native M	363	50	21	7	5	2	85	16	8	13	22	26
	Both parents native F	333	51	15	8	5	4	83	13	10	17	24	22
11	One or both parents foreign M	90	19	5	5	2		31			2	3	5
	One or both parents foreign F	57	10	4	1	3	1	19	3	1	1	4	3
12	Parentage unknown M	147	25	2				27	2	1	3	6	8
	Parentage unknown F	99	22					22		1	2	5	5
13	Foreign	154									1	5	6
14	Males	89										4	3
15	Females	65									1	1	3
16	Unknown	87	5		1			6	1		3	4	4
17	Males	67	1		1			2	1		2	4	3
18	Females	20	4					4			1		1
19	Colored	1,506	166	38	25	18	14	261	35	24	75	158	156
20	Males	801	90	18	15	11	7	141	18	10	33	76	83
21	Females	705	76	20	10	7	7	120	17	14	42	82	73
22	Negro M	801	90	18	15	11	7	141	18	10	33	76	83
	Negro F	705	76	20	10	7	7	120	17	14	42	82	73
	NASHVILLE, TENN.												
23	Total	2,285	342	134	58	31	27	592	48	45	88	134	142
24	Males	1,136	170	81	28	14	19	312	27	20	40	67	66
25	Females	1,149	172	53	30	17	8	280	21	25	48	67	76
26	White	1,193	204	78	32	16	17	347	24	17	38	50	46
27	Males	611	101	48	17	7	10	183	12	10	21	30	23
28	Females	582	103	30	15	9	7	164	12	7	17	20	23
29	Native	1,105	202	78	32	16	17	345	23	17	38	48	44
30	Males	568	100	48	17	7	10	182	11	10	21	29	22
31	Females	537	102	30	15	9	7	163	12	7	17	19	22
32	Both parents native M	407	88	43	14	6	8	159	10	10	18	22	20
	Both parents native F	397	82	29	14	8	6	139	10	7	13	17	16
33	One or both parents foreign M	41	2	3	2		2	9			2	2	1
	One or both parents foreign F	37	6					6			1		1
34	Parentage unknown M	120	10	2	1	1		14	1		1	5	1
	Parentage unknown F	103	14	1	1	1	1	18	2		3	2	5
35	Foreign	74							1			2	1
36	Males	32							1			1	
37	Females	42										1	1
38	Unknown	14	2					2					1
39	Males	11	1					1					1
40	Females	3	1					1					
41	Colored	1,092	138	56	26	15	10	245	24	28	50	84	96
42	Males	525	69	33	11	7	9	129	15	10	19	37	43
43	Females	567	69	23	15	8	1	116	9	18	31	47	53
44	Negro M	525	69	33	11	7	9	129	15	10	19	37	43
	Negro F	567	69	23	15	8	1	116	9	18	31	47	53

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
202	214	187	163	183	132	161	102	90	78	57	13	8	4	3	7	1
123	125	113	90	125	75	80	54	43	41	30	10	3	1	1	5	2
79	89	74	73	58	57	81	48	47	37	27	3	5	3	2	2	3
75	88	88	79	102	65	84	57	55	54	41	9	5	1	.....	4	4
48	51	60	47	72	43	46	30	25	26	20	7	.....	.....	.....	4	5
27	37	28	32	30	22	38	27	30	28	21	2	5	1	.....	.....	6
63	70	76	62	78	43	58	34	42	31	28	7	3	.....	.....	1	7
39	37	49	34	52	26	35	20	19	14	11	5	.....	.....	.....	1	8
24	33	27	28	26	17	23	14	23	17	17	2	3	.....	.....	.....	9
21	18	26	18	29	17	17	10	15	8	8	5	.....	.....	.....	1	10
17	21	19	18	17	8	16	8	13	15	10	1	1	.....	.....	.....	
7	5	10	7	11	2	3	2	.....	1	1	.....	.....	.....	.....	.....	11
3	6	2	4	2	3	2	1	.....	1	.....	1	1	.....	.....	.....	
11	14	13	9	12	7	15	8	4	5	2	.....	.....	.....	.....	.....	12
4	6	6	6	7	6	5	5	10	1	7	.....	1	.....	.....	.....	
6	8	9	15	13	10	15	18	12	19	12	2	2	1	.....	.....	13
4	4	8	11	11	6	5	8	5	10	8	2	.....	.....	.....	.....	14
2	4	1	4	2	4	10	10	7	9	4	.....	2	1	.....	.....	15
6	10	3	2	11	12	11	5	1	4	1	.....	.....	.....	.....	3	16
5	10	3	2	9	11	6	2	1	2	1	.....	.....	.....	.....	3	17
1	.....	.....	.....	2	1	5	3	.....	2	.....	.....	.....	.....	.....	.....	18
127	126	99	84	81	67	77	45	35	24	16	4	3	3	3	3	19
75	74	53	43	53	32	34	24	18	15	10	3	3	1	1	1	20
52	52	46	41	28	35	43	21	17	9	6	1	.....	2	2	2	21
75	74	53	43	53	32	34	24	18	15	10	3	3	1	1	1	22
52	52	46	41	28	35	43	21	17	9	6	1	.....	2	2	2	
123	122	103	128	129	114	111	113	114	90	45	27	7	5	4	1	23
57	65	40	62	68	64	55	57	52	44	19	12	3	3	2	1	24
66	57	63	66	61	50	56	56	62	46	26	15	4	2	2	.....	25
43	60	49	60	59	60	60	78	76	69	36	18	2	.....	.....	1	26
19	36	21	25	29	36	29	41	38	33	15	9	.....	.....	.....	1	27
24	24	28	35	30	24	31	37	38	36	21	9	2	.....	.....	.....	28
43	59	48	54	56	50	53	61	66	56	29	14	1	.....	.....	.....	29
19	35	20	23	27	30	26	33	33	26	13	8	.....	.....	.....	.....	30
24	24	28	31	29	20	27	28	33	30	16	6	1	.....	.....	.....	31
11	24	13	17	15	19	17	16	17	9	6	4	.....	.....	.....	.....	32
21	15	21	20	17	15	21	17	19	16	10	2	1	.....	.....	.....	
3	5	3	3	5	2	2	1	1	1	.....	1	.....	.....	.....	.....	33
2	6	4	2	3	1	2	4	3	.....	1	1	.....	.....	.....	.....	
5	6	4	3	7	9	7	16	15	16	7	3	.....	.....	.....	.....	34
1	3	3	9	9	4	4	7	11	14	5	3	.....	.....	.....	.....	
.....	.....	1	5	2	7	6	15	10	13	6	4	1	.....	.....	.....	35
.....	.....	1	1	1	3	2	7	5	7	2	1	.....	.....	.....	.....	36
.....	.....	.....	4	1	4	4	8	5	6	4	3	1	.....	.....	.....	37
.....	1	.....	1	1	3	1	2	.....	.....	1	.....	.....	.....	.....	1	38
.....	1	.....	1	1	3	1	1	.....	.....	.....	.....	.....	.....	.....	1	39
.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	40
80	62	54	68	70	54	51	35	38	21	9	9	5	5	4	.....	41
38	29	19	37	39	28	26	16	14	11	4	3	3	3	2	.....	42
42	33	35	31	31	26	25	19	24	10	5	6	2	2	2	.....	43
38	29	19	37	39	28	26	16	14	11	4	3	3	3	2	.....	44
42	33	35	31	31	26	25	19	24	10	5	6	2	2	2	.....	

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	RICHMOND, VA.												
1	Total	2,718	539	96	46	33	10	724	43	29	91	145	160
2	Males	1,412	295	51	24	19	3	392	19	14	41	71	86
3	Females	1,306	244	45	22	14	7	332	24	15	50	74	74
4	White	1,372	242	48	18	15	3	326	27	13	33	62	54
5	Males	746	141	26	10	10	1	188	12	7	17	37	28
6	Females	626	101	22	8	5	2	138	15	6	16	25	26
7	Native	1,248	241	48	18	15	3	325	26	12	32	56	51
8	Males	668	140	26	10	10	1	187	11	7	16	32	26
9	Females	580	101	22	8	5	2	138	15	5	16	24	25
10	Both parents native M	454	110	23	8	9	1	151	11	6	13	27	20
	Both parents native F	413	79	18	8	3	2	110	14	4	15	17	20
11	One or both parents foreign M	39	6	3	1			10		1	1	3	4
	One or both parents foreign F	31	4	3		1		8			1	1	
12	Parentage unknown M	175	24		1	1		26			2	2	2
	Parentage unknown F	136	18	1		1		20	1	1		6	5
13	Foreign	101							1	1		5	2
14	Males	63							1			4	1
15	Females	38								1		1	1
16	Unknown	23	1					1			1	1	1
17	Males	15	1					1			1	1	1
18	Females	8											
19	Colored	1,346	297	48	28	18	7	398	16	16	58	83	106
20	Males	666	154	25	14	9	2	204	7	7	24	34	58
21	Females	680	143	23	14	9	5	194	9	9	34	49	48
22	Negro M	666	154	25	14	9	2	204	7	7	24	34	58
	Negro F	680	143	23	14	9	5	194	9	9	34	49	48
	SEATTLE, WASH.												
23	Total	2,234	293	50	33	22	13	411	41	29	63	114	146
24	Males	1,395	189	28	19	13	11	260	20	13	23	63	85
25	Females	839	104	22	14	9	2	151	21	16	40	51	61
26	White	2,142	279	49	33	22	13	396	40	28	63	108	136
27	Males	1,333	181	28	19	13	11	252	20	13	23	58	77
28	Females	809	98	21	14	9	2	144	20	15	40	50	59
29	Native	1,374	278	48	33	19	13	391	34	24	51	70	76
30	Males	768	180	27	19	11	11	248	18	11	16	33	32
31	Females	606	98	21	14	8	2	143	16	13	35	37	44
32	Both parents native M	350	69	14	11	6	3	103	14	7	8	13	15
	Both parents native F	283	49	10	8	5		72	7	7	16	16	14
33	One or both parents foreign M	271	98	11	7	5	7	128	4	4	7	16	12
	One or both parents foreign F	208	40	11	4	1	2	58	8	6	17	13	23
34	Parentage unknown M	147	13	2	1		1	17			1	4	5
	Parentage unknown F	115	9		2	2		13	1		2	8	7
35	Foreign	655		1		3		4	6	3	11	31	45
36	Males	467		1		2		3	2	2	6	21	34
37	Females	188				1		1	4	1	5	10	11
38	Unknown	113	1					1		1	1	7	15
39	Males	98	1					1			1	4	11
40	Females	15								1		3	4
41	Colored	92	14	1				15	1	1		6	10
42	Males	62	8					8				5	8
43	Females	30	6	1				7	1	1		1	2
44	Negro M	15											1
	Negro F	18								1			2
45	Indian M	1											
	Indian F												
46	Chinese M	17	2					2				1	
	Chinese F												
47	Japanese M	29	6					6				4	7
	Japanese F	12	6	1				7	1			1	

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	
130	148	151	148	172	146	186	140	121	88	57	34	4		1		1
65	77	78	72	82	79	106	73	67	47	26	14	3				2
65	71	73	76	90	67	80	67	54	41	31	20	1		1		3
57	51	51	63	83	74	114	106	94	80	51	30	3				4
27	24	27	39	45	40	63	58	53	41	25	13	2				5
30	27	24	24	38	34	51	48	41	39	26	17	1				6
56	48	44	60	79	63	102	88	79	62	39	23	3				7
27	22	20	36	41	33	56	49	44	32	18	9	2				8
29	26	24	24	38	30	46	39	35	30	21	14	1				9
23	18	15	23	24	23	42	22	13	11	6	6					10
24	22	17	17	19	20	24	30	22	21	9	8					
1	2	2	3	4	2		2	3	1							11
	1	3	2	3	1	4	2	3	1	1						
3	2	3	10	13	8	14	25	28	20	12	3	2				12
5	3	4	5	16	9	18	7	10	8	11	6	1				
1	3	5	2	4	9	8	15	11	16	11	7					13
	2	5	2	4	6	6	8	6	8	6	4					14
1	1				3	2	7	5	8	5	3					15
		2	1		2	4	3	4	2	1						16
		2	1		1	1	1	3	1	1						17
					1	3	2	1	1							18
73	97	100	85	89	72	72	34	27	8	6	4	1		1		19
38	53	51	33	37	39	43	15	14	6	1	1	1				20
35	44	49	52	52	33	29	19	13	2	5	3			1		21
38	53	51	33	37	39	43	15	14	6	1	1	1				22
35	44	49	52	52	33	29	19	13	2	5	3			1		
147	153	126	162	155	129	135	122	118	90	49	32	10	1	1		23
85	103	91	113	110	100	84	70	72	55	24	20	4				24
62	50	35	49	45	29	51	52	46	35	25	12	6	1	1		25
132	140	121	157	149	126	130	119	118	89	48	32	9	1			26
75	93	87	109	105	98	80	69	72	55	24	20	3				27
57	47	34	48	44	28	50	50	46	34	24	12	6	1			28
68	73	58	79	88	65	75	61	55	49	35	15	6	1			29
31	40	38	48	57	47	39	29	27	30	15	6	3				30
37	33	20	31	31	18	36	32	28	19	20	9	3	1			31
12	15	19	17	23	25	18	17	15	13	10	5	1				32
18	14	11	14	13	5	16	17	14	7	13	7	2				
11	16	12	14	17	10	5	2	4	6	2		1				33
16	14	5	7	8	7	8	7	6	3	2						
8	9	7	17	17	12	16	10	8	11	3	1	1				34
3	5	4	10	10	6	12	8	8	9	5	2	1	1			
57	49	52	63	46	54	49	54	61	38	12	17	3				35
40	36	38	46	34	45	35	37	43	23	8	14					36
17	13	14	17	12	9	14	17	18	15	4	3	3				37
7	18	11	15	15	7	6	4	2	2	1						38
4	17	11	15	14	6	6	3	2	2	1						39
3	1			1	1		1									40
15	13	5	5	6	3	5	3		1	1		1		1		41
10	10	4	4	5	2	4	1					1				42
5	3	1	1	1	1	1	2		1	1				1		43
2	4	1	1	2	2	1	1									44
2	3	1	1	1	1	1	2		1	1				1		
												1				45
2	2	2	3	2		3										46
6	4	1		1												47
3																

TABLE 2.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, EACH GENERAL NATIVITY, AND PARENT

	AREA AND SEX, COLOR, AND NATIVITY.	All deaths.	DEATHS AT AGE OF—										
			Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	SPOKANE, WASH.												
1	Total	1,299	217	30	13	11	9	280	20	27	33	85	77
2	Males	713	118	13	8	5	6	150	12	15	18	48	41
3	Females	586	99	17	5	6	3	130	8	12	15	37	36
4	White	1,280	217	30	13	11	9	280	19	27	33	85	75
5	Males	698	118	13	8	5	6	150	11	15	18	48	39
6	Females	582	99	17	5	6	3	130	8	12	15	37	36
7	Native	889	217	28	12	11	9	277	18	23	27	58	46
8	Males	438	118	12	8	5	6	149	11	12	13	24	21
9	Females	451	99	16	4	6	3	128	7	11	14	34	25
10	Both parents native M.	195	59	9	4	2	4	78	5	5	5	15	5
	Both parents native F.	221	49	12	2	5	2	70	4	6	6	16	11
11	One or both parents foreign M.	125	38	3	3	2	2	48	5	6	4	7	10
	One or both parents foreign F.	128	37	3	2	1	1	44	2	5	7	8	7
12	Parentage unknown M.	118	21		1	1		23	1	1	4	2	6
	Parentage unknown F.	102	13	1				14	1		1	10	7
13	Foreign	330		2	1			3	1	3	6	24	25
14	Males	211		1				1		2	5	21	16
15	Females	119		1	1			2	1	1	1	3	9
16	Unknown	61								1		3	4
17	Males	49								1		3	2
18	Females	12											2
19	Colored	19							1				2
20	Males	15							1				2
21	Females	4											
22	Negro M.	10							1				1
	Negro F.	3											
23	Indian M.	1											
	Indian F.												
24	Chinese M.	1											
	Chinese F.												
25	Japanese M.	3											1
	Japanese F.	1											
	MILWAUKEE, WIS.												
26	Total	4,727	1,208	172	73	48	57	1,558	107	75	102	199	213
27	Males	2,617	683	96	48	28	26	881	51	41	57	112	117
28	Females	2,110	525	76	25	20	31	677	56	34	45	87	96
29	White	4,712	1,205	172	73	48	57	1,555	107	75	101	198	212
30	Males	2,610	682	96	48	28	26	880	51	41	57	112	117
31	Females	2,102	523	76	25	20	31	675	56	34	44	86	95
32	Native	2,860	1,198	166	71	44	54	1,533	100	69	86	152	150
33	Males	1,590	676	91	48	27	26	868	48	36	48	85	81
34	Females	1,270	522	75	23	17	28	665	52	33	38	67	69
35	Both parents native M.	471	245	23	17	15	8	308	16	12	14	22	17
	Both parents native F.	391	192	18	10	6	7	233	25	10	9	15	12
36	One or both parents foreign M.	1,036	402	66	31	12	17	528	31	24	34	61	61
	One or both parents foreign F.	791	305	55	12	11	21	404	24	22	28	48	51
37	Parentage unknown M.	83	29	2			1	32	1			2	3
	Parentage unknown F.	88	25	2	1			28	3	1	1	4	6
38	Foreign	1,797	7	6	1	4	3	21	7	6	15	44	61
39	Males	972	6	5		1		12	3	5	9	26	35
40	Females	825	1	1	1	3	3	9	4	1	6	18	26
41	Unknown	55			1			1				2	1
42	Males	48										1	1
43	Females	7			1			1				1	
44	Colored	15	3					3			1	1	1
45	Males	7	1					1					
46	Females	8	2					2			1	1	1
47	Negro M.	6	1					1					
	Negro F.	7	2					2			1	1	1
48	Indian M.												
	Indian F.	1											
49	Chinese M.	1											
	Chinese F.												

REGISTRATION STATE, AND EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY AGE AND BY SEX, COLOR, NATIVITY OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
87	53	83	82	80	68	77	65	75	44	37	14	9	1		2	1
51	18	50	56	56	31	46	39	32	25	12	7	4			2	2
36	35	33	26	24	37	31	26	43	19	25	7	5	1			3
84	52	77	80	79	67	76	65	74	44	37	14	9	1		2	4
49	17	46	55	55	30	45	39	31	25	12	7	4			2	5
35	35	31	25	24	37	31	26	43	19	25	7	5	1			6
49	37	40	42	45	41	47	35	47	25	21	6	4	1			7
21	8	22	23	26	20	25	21	17	16	6	2	1				8
28	29	18	19	19	21	22	14	30	9	15	4	3	1			9
8	2	8	7	13	7	13	8	9	4	1	2					10
16	13	6	10	5	5	9	7	18	4	10	2	3				
5	1	6	6	7	7	2	5	2	3	1						11
5	9	6	7	8	9	5	2	4								
8	5	8	10	6	6	10	8	6	9	4		1				12
7	7	6	2	6	7	8	5	8	5	5	2		1			
30	11	31	28	28	20	27	25	23	18	15	8	4				13
23	7	20	22	24	5	18	13	11	9	6	5	3				14
7	4	11	6	4	15	9	12	12	9	9	3	1				15
5	4	6	10	6	6	2	5	4	1	1		1			2	16
5	2	4	10	5	5	2	5	3							2	17
	2	2		1	1			1	1	1		1				18
3	1	6	2	1	1	1		1								19
2	1	4	1	1	1	1		1								20
1		2	1													21
1	1	3	1	1	1											22
1		1	1													
								1								23
						1										24
1		1														25
		1														
184	192	166	201	245	235	244	233	261	217	160	99	27	7	2		26
109	129	102	122	142	136	131	141	135	85	74	45	7				27
75	63	64	79	103	99	113	92	126	132	86	54	20	7	2		28
183	192	164	200	243	234	242	233	261	217	160	99	27	7	2		29
108	129	101	121	141	135	130	141	135	85	74	45	7				30
75	63	63	79	102	99	112	92	126	132	86	54	20	7	2		31
113	114	76	85	98	85	60	36	33	26	28	13	2	1			32
64	74	50	47	54	49	31	20	12	8	11	3	1				33
49	40	26	38	44	36	29	16	21	18	17	10	1	1			34
11	12	3	6	7	9	9	6	5	5	7	1	1				35
13	4	1	3	8	8	7	5	12	8	8	9		1			
42	59	45	38	43	34	15	12	6	1	1	1					36
31	34	23	33	32	25	18	7	5	3	3						
11	3	2	3	4	6	7	2	1	2	3	1					37
5	2	2	2	4	3	4	4	4	7	6	1	1				
67	66	79	105	140	145	179	194	228	191	130	86	25	6	2		38
41	45	42	64	82	83	96	119	123	77	62	42	6				39
26	21	37	41	58	62	83	75	105	114	68	44	19	6	2		40
3	12	9	10	5	4	3	3			2						41
3	10	9	10	5	3	3	2			1						42
	2				1		1			1						43
1		2	1	2	1	2										44
1		1	1	1	1	1										45
		1		1		1										46
1		1		1	1	1										47
		1				1										
																48
				1												
			1													49

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed causes of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	SUMMARY.														
1	The registration area (total)	839,284	12,451	1,802	130	5,922	5,243	6,682	11,174	9,294	2,510	81,796	5,237	7,172	4,326
2	White	779,770	11,324	1,305	115	5,643	5,204	5,891	10,929	8,693	2,437	71,614	4,849	6,416	4,063
3	Colored	59,514	1,127	497	15	279	39	791	245	601	73	10,182	388	756	263
4	Registration states [1] (total)	756,777	11,096	1,322	95	5,395	4,646	6,102	9,958	8,595	2,298	73,237	4,858	6,529	3,945
5	White	716,763	10,351	1,154	88	5,211	4,615	5,560	9,782	8,210	2,247	65,716	4,525	5,931	3,747
6	Colored	40,014	745	168	7	184	31	542	176	385	51	7,521	333	598	198
7	Cities in registration states [1] (total)	413,920	5,122	328	46	2,776	3,024	2,939	5,883	2,854	1,322	41,300	3,315	3,419	2,041
8	White	389,554	4,810	258	42	2,673	3,000	2,674	5,774	2,664	1,288	36,912	3,086	3,052	1,928
9	Colored	24,366	312	70	4	103	24	265	109	190	34	4,388	229	367	113
10	Rural part of registration states (total)	342,857	5,974	994	49	2,619	1,622	3,163	4,075	5,741	976	31,937	1,543	3,110	1,904
11	White	327,209	5,541	896	46	2,538	1,615	2,886	4,008	5,546	959	28,804	1,439	2,879	1,819
12	Colored	15 648	433	98	3	81	7	277	67	195	17	3,133	104	231	85
13	Registration cities in other states (total)	82,507	1,355	480	35	527	597	580	1,216	699	212	8,559	379	643	381
14	White	63,007	973	151	27	432	589	331	1,147	483	190	5,898	324	485	316
15	Colored	19,500	382	329	8	95	8	249	69	216	22	2,661	55	158	65
16	All registration cities [1] (total)	496,427	6,477	808	81	3,303	3,621	3,519	7,099	3,553	1,534	49,859	3,694	4,062	2,422
17	White	452,561	5,783	409	69	3,105	3,589	3,005	6,921	3,147	1,478	42,810	3,410	3,537	2,244
18	Colored	43,866	694	399	12	198	32	514	178	406	56	7,049	284	525	178
	REGISTRATION STATES.														
19	California (total)	34,010	430	100	9	80	89	159	162	210	66	4,496	256	390	162
20	White	32,205	394	91	7	75	89	152	160	205	64	4,100	236	355	148
21	Colored	1,805	36	9	2	5	.....	7	2	5	2	396	20	35	14
22	Colorado (total)	10,740	252	3	.....	125	82	56	98	102	25	1,684	57	70	66
23	White	10,427	244	3	.....	125	81	53	97	102	25	1,606	55	68	66
24	Colored	313	8	.....	.....	.....	1	3	1	.....	.....	78	2	2	.....
25	Connecticut (total)	17,552	154	22	.....	94	103	160	250	268	58	1,456	125	123	84
26	White	17,153	150	22	.....	93	103	153	244	262	58	1,392	115	118	79
27	Colored	399	4	.....	.....	1	.....	7	6	6	.....	64	10	5	5
28	Indiana (total)	35,210	728	110	3	262	179	272	385	499	115	3,578	216	427	190
29	White	33,877	712	105	3	259	178	256	374	484	113	3,334	204	399	181
30	Colored	1,333	16	5	.....	3	1	16	11	15	2	244	12	28	9
31	Kentucky (total)	30,407	1,069	237	4	455	86	438	572	410	75	4,625	222	446	173
32	White	24,580	893	182	4	406	84	352	548	327	70	3,486	186	348	136
33	Colored	5,827	176	55	.....	49	2	86	24	83	5	1,139	36	98	37
34	Maine (total)	12,031	135	3	.....	31	16	73	75	189	28	872	72	119	53
35	White	12,014	135	3	.....	31	16	73	75	189	28	871	72	118	53
36	Colored	17	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....
37	Maryland (total)	20,694	491	14	.....	130	66	192	168	217	50	2,339	115	206	82
38	White	15,147	361	6	.....	107	63	108	140	150	44	1,422	85	127	64
39	Colored	5,547	130	8	.....	23	3	84	28	67	6	917	30	79	18
40	Massachusetts (total)	53,003	311	15	3	306	197	506	581	345	169	4,466	452	373	211
41	White	52,122	308	15	3	306	197	486	579	343	167	4,319	433	357	207
42	Colored	881	3	.....	.....	.....	.....	20	2	2	2	147	19	16	4
43	Michigan (total)	37,993	547	29	6	199	205	244	472	524	144	2,330	113	314	206
44	White	37,417	536	27	6	194	205	241	469	521	141	2,224	111	304	201
45	Colored	576	11	2	.....	5	.....	3	3	3	3	106	2	10	5
46	Minnesota (total)	21,988	283	2	6	111	189	172	315	178	96	2,107	162	253	124
47	White	21,662	283	2	6	111	189	166	315	176	96	2,017	155	250	122
48	Colored	326	.....	.....	.....	.....	.....	6	.....	2	.....	90	7	3	2
49	Missouri (total)	43,434	1,059	508	31	621	322	430	678	859	155	4,558	175	381	253
50	White	39,794	985	480	27	613	315	404	666	808	150	3,814	158	321	227
51	Colored	3,640	74	28	4	8	7	26	12	51	5	744	17	60	26
52	Montana (total)	4,009	80	.....	.....	49	37	27	30	15	12	358	20	42	26
53	White	3,658	75	.....	.....	38	37	24	30	15	11	260	13	37	24
54	Colored	351	5	.....	.....	11	.....	3	.....	.....	1	98	7	5	2
55	New Hampshire (total)	7,391	63	.....	.....	40	16	53	68	115	13	453	29	44	32
56	White	7,380	63	.....	.....	40	16	53	68	114	13	451	29	44	32
57	Colored	11	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....
58	New Jersey (total)	38,617	315	26	1	283	221	331	571	296	125	3,989	297	301	242
59	White	36,636	294	24	1	272	217	311	560	283	124	3,658	276	267	231
60	Colored	1,981	21	2	.....	11	4	20	11	13	1	331	21	34	11
61	New York (total)	145,654	1,320	62	5	989	1,181	791	1,960	1,354	509	14,523	1,196	936	722
62	White	142,024	1,292	59	5	980	1,176	770	1,936	1,335	500	13,746	1,158	891	712
63	Colored	3,630	28	3	.....	9	5	21	24	19	9	777	38	45	10
64	North Carolina [2] (total)	6,859	262	87	4	58	8	173	39	91	10	859	28	74	30
65	White	3,519	163	39	3	35	7	53	26	53	7	396	16	33	14
66	Colored	3,340	99	48	1	23	1	120	13	38	3	463	12	41	16

[1] Includes District of Columbia.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
44,024	8,805	7,285	45,309	83,525	11,559	79,233	8,858	45,868	6,896	7,061	8,310	57,803	4,376	5,080	46,899	54,028	9,622	143,791	7,213	1
42,593	8,628	6,835	43,193	78,203	10,715	72,898	8,140	43,080	6,597	6,643	7,968	53,521	4,038	4,745	44,180	50,359	9,363	133,773	5,815	2
1,431	177	450	2,116	5,322	844	6,335	718	2,788	299	418	342	4,282	338	335	2,719	3,669	259	10,018	1,398	3
40,229	8,173	6,514	42,293	76,413	10,838	70,481	8,009	40,018	6,018	6,291	7,392	51,162	3,880	4,589	43,081	48,841	8,635	129,532	6,312	4
39,183	8,048	6,234	40,854	72,718	10,254	66,145	7,565	38,190	5,834	6,030	7,171	48,571	3,670	4,363	41,214	46,398	8,415	123,293	5,476	5
1,046	125	280	1,439	3,695	584	4,336	444	1,828	184	261	221	2,591	210	226	1,867	2,443	220	6,239	836	6
22,515	4,674	3,550	20,651	40,772	6,095	42,238	4,246	25,002	4,025	3,628	4,564	30,974	2,202	2,341	23,781	25,807	5,256	65,643	1,587	7
21,828	4,590	3,403	19,766	38,268	5,686	39,343	3,943	23,863	3,890	3,463	4,427	29,203	2,087	2,210	22,541	24,426	5,116	61,962	1,378	8
687	84	147	885	2,504	409	2,895	303	1,139	135	165	137	1,771	115	131	1,240	1,381	140	3,681	209	9
17,714	3,499	2,964	21,642	35,641	4,743	28,243	3,763	15,016	1,993	2,663	2,828	20,188	1,678	2,248	19,300	23,034	3,379	63,889	4,725	10
17,355	3,458	2,831	21,088	34,450	4,568	26,802	3,622	14,327	1,944	2,567	2,744	19,368	1,583	2,153	18,673	21,972	3,299	61,331	4,098	11
359	41	133	554	1,191	175	1,441	141	689	49	96	84	820	95	95	627	1,062	80	2,558	627	12
3,795	632	771	3,016	7,112	721	8,752	849	5,850	878	770	918	6,641	496	491	3,818	5,187	987	14,259	901	13
3,410	580	601	2,339	5,485	461	6,753	575	4,890	763	613	797	4,950	368	382	2,966	3,961	948	10,480	339	14
385	52	170	677	1,627	260	1,999	274	960	115	157	121	1,691	128	109	852	1,226	39	3,779	562	15
26,310	5,306	4,321	23,667	47,884	6,816	50,990	5,095	30,852	4,903	4,398	5,482	37,615	2,698	2,832	27,599	30,994	6,243	79,902	2,488	16
25,238	5,170	4,004	22,105	43,753	6,147	46,096	4,518	28,753	4,653	4,076	5,224	34,153	2,455	2,592	25,507	28,387	6,064	72,442	1,717	17
1,072	136	317	1,562	4,131	669	4,894	577	2,099	250	322	258	3,462	243	240	2,092	2,607	179	7,460	771	18
2,053	409	333	1,802	4,443	323	2,524	368	904	279	313	504	2,291	143	188	1,176	2,747	749	5,794	58	19
1,993	401	301	1,751	4,271	311	2,382	344	848	268	291	484	2,198	136	175	1,122	2,578	702	5,520	53	20
60	8	32	51	172	12	142	24	56	11	22	20	93	7	13	54	169	47	274	5	21
459	112	117	376	743	104	1,130	137	470	130	81	92	664	73	74	666	849	180	1,633	30	22
452	111	115	369	719	101	1,107	132	466	127	80	90	631	70	72	648	818	177	1,587	30	23
7	1	2	7	24	3	23	5	4	3	1	2	33	3	2	18	31	3	46	.....	24
895	197	229	1,206	1,819	273	1,750	187	902	104	163	165	1,340	57	72	1,080	1,046	207	2,857	106	25
880	194	224	1,190	1,784	265	1,713	181	888	101	159	163	1,314	56	71	1,055	1,029	204	2,793	100	26
15	3	5	16	35	8	37	6	14	3	4	2	26	1	1	25	17	3	64	6	27
1,943	396	241	2,193	3,901	415	2,714	241	1,676	285	334	343	2,303	296	185	1,782	2,200	455	6,296	47	28
1,902	389	235	2,125	3,721	400	2,573	230	1,615	274	323	328	2,214	287	181	1,741	2,125	448	6,118	46	29
41	7	6	68	180	15	141	11	61	11	11	15	89	9	4	41	75	7	178	1	30
986	158	509	952	1,995	361	2,282	346	1,157	166	229	200	1,521	174	233	1,803	1,793	201	5,382	1,147	31
859	145	444	778	1,522	273	1,748	264	1,008	145	191	169	1,252	131	200	1,593	1,356	191	4,368	921	32
127	13	65	174	473	88	534	82	149	21	38	31	269	43	33	210	437	10	1,014	226	33
738	178	100	908	1,345	188	1,060	144	473	101	92	40	854	29	71	557	588	101	2,610	188	34
737	178	100	908	1,340	187	1,059	144	473	101	92	40	853	29	71	556	587	101	2,606	188	35
1	.....	.....	.....	5	1	1	.....	.....	.....	.....	.....	1	.....	.....	1	1	.....	4	.....	36
955	167	180	1,048	1,868	296	1,921	264	1,288	107	157	165	1,675	71	111	1,290	1,002	149	3,538	372	37
838	154	142	832	1,369	212	1,285	202	977	83	121	148	1,254	53	74	951	770	139	2,652	214	38
117	13	38	216	499	84	636	62	311	24	36	17	421	18	37	339	232	10	886	158	39
3,262	685	503	3,438	6,338	839	5,313	439	3,564	378	420	339	2,996	210	300	3,036	3,195	449	9,108	256	40
3,230	678	495	3,396	6,263	827	5,210	431	3,526	371	414	335	2,922	208	292	3,000	3,143	444	8,970	247	41
32	7	8	42	75	12	103	8	38	7	6	4	74	2	8	36	52	5	138	9	42
2,137	413	352	2,145	4,215	728	2,593	504	1,634	339	378	338	1,926	244	259	2,658	2,408	420	8,571	398	43
2,123	412	350	2,123	4,148	720	2,541	493	1,605	336	372	335	1,905	243	256	2,627	2,378	413	8,470	387	44
14	1	2	22	67	8	52	11	29	3	6	3	21	1	3	31	30	7	101	11	45
1,423	258	178	1,009	1,891	275	2,018	214	841	343	209	179	1,330	153	147	1,322	1,483	302	4,103	312	46
1,414	257	176	1,002	1,872	275	1,985	213	831	342	205	178	1,313	153	145	1,316	1,464	298	4,055	280	47
9	1	2	7	19	.....	33	1	10	1	4	1	17	.....	2	6	19	4	48	32	48
1,974	413	453	1,789	3,402	644	3,975	445	2,020	371	360	465	2,828	278	287	2,277	2,476	599	7,588	760	49
1,892	406	437	1,669	3,055	585	3,580	413	1,899	356	343	431	2,580	262	269	2,152	2,217	584	7,020	676	50
82	7	16	120	347	59	395	32	121	15	17	34	248	16	18	125	259	15	568	84	51
157	41	32	127	317	31	354	43	142	74	42	44	204	38	40	283	498	109	661	71	52
152	40	31	121	305	31	314	44	137	72	40	42	197	38	35	277	474	102	598	44	53
5	1	1	6	12	.....	40	4	5	2	2	2	7	.....	5	6	24	7	63	27	54
419	102	94	510	853	149	630	97	384	47	57	51	480	18	41	431	405	56	1,590	51	55
419	102	94	510	851	149	630	97	384	47	57	51	478	18	41	430	405	55	1,588	51	56
.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	1	.....	1	2	.....	57
1,966	350	364	2,330	3,775	485	3,989	454	2,627	238	246	398	3,069	202	222	2,289	2,465	415	5,588	147	58
1,889	342	353	2,244	3,596	462	3,764	420	2,514	228	230	392	2,920	188	211	2,176	2,355	407	5,289	138	59
77	8	11	86	179	23	225	34	113	10	16	6	149	14	11	113	110	8	299	9	60
8,091	1,784	1,025	8,067	15,533	2,141	16,669	1,247	7,671	1,113	1,184	1,689	12,375	622	783	7,724	8,568	1,537	22,109	174	61
7,988	1,771	1,012	7,950	15,204	2,077	16,153	1,222	7,491	1,093	1,163	1,670	12,081	595	766	7,515	8,406	1,518	21,623	166	62
103	13	13	117	329	64	516	25	180	20	21	19	294	27	17	209	162	19	486	8	63
205	22	73	267	509	74	564	54	562	62	40	31	344	32	64	338	341	23	1,286	245	64
144	18	48	156	233	27	205	33	317	50	24	17	181	10	34	209	162	21	707	78	65
61	4	25	111	276	47	359	21	245	12	16	14	163	22	30	129	179	2	579	167	66

[2] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed causes of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever.	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION STATES—Continued.														
1	Ohio (total)	63,402	1,101	44	4	312	500	552	728	1,057	188	6,169	353	637	334
2	White	61,024	1,068	41	4	307	498	519	715	1,031	184	5,642	325	603	323
3	Colored	2,378	33	3		5	2	33	13	26	4	527	28	34	11
4	Pennsylvania (total)	111,292	1,716	37	5	804	749	998	2,111	1,149	287	9,233	567	804	569
5	White	107,220	1,667	36	5	781	746	941	2,093	1,125	282	8,472	524	744	555
6	Colored	4,072	49	1		23	3	57	18	24	5	761	43	60	14
7	Rhode Island (total)	8,671	53	6		23	58	121	143	53	16	810	74	70	36
8	White	8,422	52	6		23	57	111	143	53	15	758	72	64	34
9	Colored	249	1				1	10			1	52	2	6	2
10	Utah (total)	3,960	74		9	42	56	26	85	25	12	146	6	28	40
11	White	3,894	73		9	42	55	26	85	24	12	136	6	28	40
12	Colored	66	1				1			1		10			
13	Vermont (total)	5,661	44	5		38	5	27	24	157	13	347	31	46	26
14	White	5,631	44	5		38	5	27	24	157	13	343	31	45	26
15	Colored	30										4		1	
16	Washington (total)	10,845	223	3	3	68	56	70	104	110	31	1,027	122	150	58
17	White	10,323	203	3	3	67	56	63	100	107	31	898	113	141	57
18	Colored	522	20			1		7	4	3		129	9	9	1
19	Wisconsin (total)	27,050	311	5	2	253	221	206	320	304	93	2,076	128	245	205
20	White	26,895	309	5	2	252	221	205	319	304	92	2,045	126	240	203
21	Colored	155	2			1		1	1		1	31	2	5	2
	REGISTRATION CITIES.														
	ALABAMA.[1]														
22	Registration cities (total)	4,711	172	103	1	55	4	44	22	33	4	550	8	12	4
23	White	2,045	88	25	1	30	4	28	13	11	2	160	5	5	3
24	Colored	2,666	84	78		25		16	9	22	2	390	3	7	1
25	Birmingham (total)	2,480	62	32	1	30	2	28	13	12	2	306	7	3	1
26	White	1,172	35	9	1	20	2	20	9	4	1	89	4	1	
27	Colored	1,308	27	23		10		8	4	8	1	217	3	2	1
28	Mobile (total)	1,267	97	41		6	2	11	6	11	1	168		3	1
29	White	553	45	10		5	2	6	3	5	1	49		2	1
30	Colored	714	52	31		1		5	3	6		119		1	
31	Montgomery (total)	964	13	30		19		5	3	10	1	76	1	6	2
32	White	320	8	6		5		2	1	2		22	1	2	2
33	Colored	644	5	24		14		3	2	8	1	54		4	
	CALIFORNIA.														
34	Registration cities (total)	19,627	223	18	7	66	38	72	89	79	36	2,545	163	238	112
35	White	18,538	200	14	6	63	38	69	89	76	34	2,294	147	215	102
36	Colored	1,089	23	4	1	3		3		3	2	251	16	23	10
37	Alameda	265	2			1		1	2		1	20	2	4	3
38	Bakersfield	307	9	1					1			47		4	2
39	Berkeley	375	4					2				23	1	5	3
40	Eureka	211	4				1		1	2	1	26	1	5	2
41	Fresno	354	11	3		1		1	11	3	1	45	2	7	
42	Long Beach	301	3	2		1	1	2	2	4		31	1	3	1
43	Los Angeles (total)	5,001	40	4	6	8	9	19	22	22	4	853	35	66	35
44	White	4,745	35	3	5	8	9	17	22	21	4	789	32	60	31
45	Colored	256	5	1	1			2		1		64	3	6	4
46	Oakland	1,984	22	2		18	2	6	11	6	9	164	21	23	9
47	Pasadena	429	2					1	4	4		85	1	5	
48	Pomona	152	2							3		15	2	2	1
49	Redlands	152	1			1	3			2		46	1	3	1
50	Riverside (total)	260	10				1	3	1	1	1	56	3	2	1
51	White	238	8				1	3	1	1	1	50	2	1	1
52	Colored	22	2									6	1	1	
53	Sacramento	828	19	1		2		3	4	1	1	89	11	14	1
54	San Bernardino	266	11				1		1	2		66		5	3
55	San Diego	817	7		1	1	2		4	10		116	4	10	6
56	San Francisco (total)	6,495	65	5		33	15	29	22	12	15	675	72	62	37
57	White	6,142	55	2		30	15	28	22	11	13	591	65	58	35
58	Colored	353	10	3		3		1		1	2	84	7	4	2
59	San Jose	413	1				1			1	1	50	2	7	2
60	Santa Barbara	215	3							1	1	29	1	3	
61	Santa Cruz	178	1				1			2		16	1	1	
62	Stockton	488	5				1	3	2	3	1	80	2	5	5
63	Vallejo	136	1					2	1			13		2	

[1] Nonregistration state; cities shown below only those with effective local ordinances.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
3,699	698	476	4,314	7,062	924	4,930	495	2,896	483	515	722	3,750	365	353	3,162	4,389	779	11,115	296	1
3,624	679	460	4,199	6,781	881	4,719	485	2,824	473	507	705	3,616	354	343	3,085	4,224	753	10,771	281	2
75	19	16	115	281	43	211	10	72	10	8	17	134	11	10	77	165	26	344	15	3
5,197	1,036	707	6,236	10,103	1,667	10,962	1,581	8,156	684	855	1,070	7,195	573	723	7,287	8,318	1,033	17,799	1,081	4
5,083	1,024	691	6,120	9,739	1,593	10,478	1,519	7,893	666	822	1,044	6,889	554	704	7,050	8,072	1,022	17,235	1,051	5
114	12	16	116	364	74	484	62	263	18	33	26	306	19	19	237	246	11	564	30	6
491	120	73	534	882	154	849	80	493	73	69	83	693	29	60	499	477	65	1,425	59	7
478	119	72	525	855	151	828	77	487	71	69	81	678	28	60	489	460	62	1,389	55	8
13	1	1	9	27	3	21	3	6	2	.....	2	15	1	.....	10	17	3	36	4	9
200	43	39	144	319	71	426	64	144	63	53	21	230	20	40	298	330	70	768	68	10
199	43	38	143	313	70	420	64	143	62	53	21	227	19	40	297	314	66	760	66	11
1	.....	1	1	6	1	6	.....	1	1	.....	.....	3	1	.....	1	16	4	8	2	12
361	72	30	474	757	103	461	45	221	69	51	41	378	16	33	278	307	72	1,107	22	13
359	72	30	473	754	102	459	45	221	69	51	41	378	16	33	278	298	69	1,103	22	14
2	.....	.....	1	3	1	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	3	4	.....	15
562	123	54	605	1,009	82	789	92	310	154	113	73	670	62	115	635	1,170	252	1,786	164	16
554	122	51	597	988	77	731	88	302	153	113	71	648	57	114	631	1,088	241	1,720	135	17
8	1	3	8	21	5	58	4	8	1	.....	2	22	5	1	4	82	11	66	29	18
1,763	342	316	1,404	2,610	441	2,023	353	1,210	319	279	293	1,515	150	156	1,785	1,517	324	5,640	241	19
1,754	342	312	1,398	2,600	441	2,008	352	1,204	318	278	293	1,508	147	156	1,775	1,507	322	5,617	240	20
9	.....	4	6	10	.....	15	1	6	1	1	.....	7	3	.....	10	10	2	23	1	21
154	21	30	203	345	23	316	40	264	73	65	33	407	26	29	248	321	27	849	225	22
98	14	14	96	133	4	113	16	157	56	42	16	189	14	16	130	122	24	371	45	23
56	7	16	107	212	19	203	24	107	17	23	17	218	12	13	118	199	3	478	180	24
93	13	18	120	180	.....	219	16	185	47	34	18	141	18	22	144	207	17	343	146	25
57	9	8	54	70	.....	84	9	109	36	24	9	77	11	13	90	85	16	180	36	26
36	4	10	66	110	.....	135	7	76	11	10	9	64	7	9	54	122	1	163	110	27
41	5	6	53	90	9	41	15	36	15	17	8	166	5	3	58	57	7	261	27	28
28	4	3	26	41	2	21	5	26	10	13	3	69	1	2	19	19	5	124	3	29
13	1	3	27	49	7	20	10	10	5	4	5	97	4	1	39	38	2	137	24	30
20	3	6	30	75	14	56	9	43	11	14	7	100	3	4	46	57	3	245	52	31
13	1	3	16	22	2	8	2	22	10	5	4	43	2	1	21	18	3	67	6	32
7	2	3	14	53	12	48	7	21	1	9	3	57	1	3	25	39	.....	178	46	33
1,328	277	189	1,038	2,643	197	1,473	210	516	189	178	328	1,419	84	104	721	1,320	468	3,252	7	34
1,287	271	174	1,005	2,522	188	1,386	194	494	179	166	314	1,346	80	96	692	1,244	445	3,102	6	35
41	6	15	33	121	9	87	16	22	10	12	14	73	4	8	29	76	23	150	1	36
14	3	2	15	41	1	14	2	4	4	5	2	26	2	2	8	31	3	50	.....	37
8	2	4	16	22	.....	33	2	19	8	1	4	17	4	2	15	34	9	43	.....	38
36	9	4	30	50	3	36	4	6	5	7	4	20	1	4	15	32	9	62	.....	39
16	.....	1	17	18	1	8	3	2	4	1	2	13	1	2	11	24	6	37	1	40
11	3	4	18	34	1	21	6	23	7	5	6	14	4	3	22	20	7	60	.....	41
23	4	4	19	41	3	17	3	4	.....	3	3	39	1	2	12	19	5	48	.....	42
328	66	60	213	630	45	337	54	118	37	43	64	321	25	31	201	320	128	855	2	43
323	66	57	208	593	44	319	47	115	33	42	64	308	23	30	189	304	128	814	2	44
5	.....	3	5	37	1	18	7	3	4	1	.....	13	2	1	12	16	.....	41	.....	45
165	26	25	130	304	21	168	29	55	15	24	26	129	7	8	95	126	55	283	.....	46
38	1	3	26	52	3	26	7	4	5	4	9	40	.....	.....	9	18	1	81	.....	47
9	2	1	8	17	1	14	4	2	3	.....	1	7	.....	2	10	15	2	29	.....	48
7	1	.....	11	15	.....	3	1	5	1	1	1	5	.....	.....	11	12	.....	20	.....	49
11	6	6	14	26	1	7	1	14	2	.....	.....	17	1	1	11	13	2	48	.....	50
11	6	6	12	25	1	6	1	12	2	.....	.....	16	1	1	11	12	1	45	.....	51
.....	.....	.....	2	1	.....	1	.....	2	.....	.....	.....	1	.....	.....	.....	1	1	3	.....	52
43	5	3	45	65	9	63	15	40	5	8	12	63	2	3	31	70	18	181	1	53
13	1	3	9	31	2	20	2	11	2	4	2	14	.....	2	10	18	8	25	.....	54
48	18	8	47	91	5	41	18	19	9	6	6	72	3	3	22	52	24	164	.....	55
471	113	50	304	971	92	566	52	162	75	60	173	523	30	31	208	407	168	996	1	56
454	110	46	298	928	87	539	49	158	74	58	163	492	30	30	203	384	160	953	1	57
17	3	4	6	43	5	27	3	4	1	2	10	31	.....	1	5	23	8	43	.....	58
33	8	3	27	82	3	33	4	10	2	1	5	32	1	4	18	17	6	58	1	59
15	5	3	24	36	.....	15	1	6	2	1	2	15	.....	1	3	15	4	28	1	60
11	1	.....	13	33	1	7	1	5	.....	.....	5	12	.....	2	5	13	2	45	.....	61
23	2	4	40	53	5	31	.....	6	2	3	1	29	2	1	3	42	8	126	.....	62
5	1	1	12	31	.....	13	1	1	1	1	.....	11	.....	.....	1	22	3	13	.....	63

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed causes of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Continued.														
	COLORADO.														
1	Registration cities (total)	4,652	59	3		56	21	25	49	30	11	865	39	38	27
2	White	4,452	58	3		56	20	22	48	30	11	805	37	38	27
3	Colored	200	1				1	3	1			60	2		
4	Colorado Springs	483	4	1			3	1	2	6		167	4	5	3
5	Denver	3,441	40	1		47	11	12	37	16	11	600	24	26	18
6	Pueblo	602	13	1		7	7	11	9	5		82	10	6	6
7	Trinidad	126	2			2		1	1	3		16	1	1	
	CONNECTICUT.														
8	Registration cities (total)	12,024	131	16		75	72	117	177	153	41	994	89	82	46
9	White	11,706	127	16		74	72	112	171	148	41	944	79	77	42
10	Colored	318	4			1		5	6	5		50	10	5	4
11	Ansonia	211							2	2		19			
12	Bridgeport	1,472	4	1		19	3	8	15	13	3	115	9	7	4
13	Bristol	180	2					5	2	2		13	2	2	
14	Danbury town	336	2	1			1	2	4	5	1	30	1	5	1
15	Greenwich town	258	1			2	3	4	2	5		17	3	1	1
16	Hartford	1,849	20			3	23	17	43	12	10	119	9	12	6
17	Manchester town	165	3			3	1	2	6	2	1	16		1	1
18	Meriden town	535	1	2		4	2	7	7	14	2	131	7	1	2
19	Middletown town	476	9	1				2	9	3	5	37	3	3	1
20	Naugatuck	118				2	2	1		2		7			
21	New Britain	593	5	2				21	20	7		41	4	6	2
22	New Haven	2,281	34	4		3	14	18	26	29	9	169	23	18	11
23	New London	337	2				1	2	2	5		31	3	3	
24	Norwalk town	383	3	2				6		13		25	1	3	2
25	Norwich town	484	3	1			4	7	2	18	1	32	2	3	2
26	Orange town	141	1						1	2		11	1	3	1
27	Stamford town	508				7		2	6	5	2	41	5	2	3
28	Torrington town	174	16			3		1	4	4		20		1	1
29	Wallingford town	123	1			5			4		2	9	2		1
30	Waterbury	1,134	18	2		14	17	12	20	6	3	86	10	9	6
31	Windham town	266	6			10	1		2	4	2	25	4	2	1
	DELAWARE.[1]														
32	Wilmington (total)	1,446	25			12	7	8	20	9	4	120	6	13	12
33	White	1,217	16			11	6	7	16	8	4	91	4	11	9
34	Colored	229	9			1	1	1	4	1		29	2	2	3
	DISTRICT OF COLUMBIA.														
35	Washington (total)	6,304	75	4		22	4	25	19	68	8	736	42	50	21
36	White	3,739	47			16	4	13	16	42	7	326	26	29	12
37	Colored	2,565	28	4		6		12	3	26	1	410	16	21	9
	FLORIDA.[1]														
38	Registration cities (total)	1,819	56	38		17	5	26	7	18	2	199	4	18	2
39	White	803	38	6		13	5	9	5	6	1	71	3	8	2
40	Colored	1,016	18	32		4		17	2	12	1	128	1	10	
41	Jacksonville (total)	1,367	43	38		15	5	3	5	16	1	151	3	11	2
42	White	524	28	6		11	5	3	3	4	1	48	3	6	2
43	Colored	843	15	32		4			2	12		103		5	
44	Key West (total)	452	13			2		23	2	2	1	48	1	7	
45	White	279	10			2		6	2	2		23		2	
46	Colored	173	3					17			1	25	1	5	
	GEORGIA.[1]														
47	Registration cities (total)	5,091	134	64		47	7	77	34	41	9	425	14	30	12
48	White	2,296	81	12		33	6	31	25	12	3	155	8	13	8
49	Colored	2,795	53	52		14	1	46	9	29	6	270	6	17	4
50	Atlanta (total)	3,172	106	9		40	7	39	24	19	8	277	10	23	10
51	White	1,677	62	2		27	6	18	17	4	3	117	6	11	6
52	Colored	1,495	44	7		13	1	21	7	15	5	160	4	12	4
53	Savannah (total)	1,919	28	55		7		38	10	22	1	148	4	7	2
54	White	619	19	10		6		13	8	8		38	2	2	2
55	Colored	1,300	9	45		1		25	2	14	1	110	2	5	
	ILLINOIS.[1]														
56	Registration cities (total)	35,852	298	14	3	148	507	68	915	206	120	3,593	211	268	210
57	White	34,605	288	13	2	142	503	62	904	199	118	3,333	200	254	206
58	Colored	1,247	10	1	1	6	4	6	11	7	2	260	11	14	4

[1] Nonregistration state; cities shown below only those with effective local ordinances.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
221	57	58	178	338	49	451	51	173	61	31	52	345	26	27	250	244	88	726	3	1
217	56	56	175	319	48	443	49	170	59	31	50	319	24	25	236	233	86	698	3	2
4	1	2	3	19	1	8	2	3	2	.....	2	26	2	2	14	11	2	28	.....	3
20	4	1	15	35	1	33	1	7	9	3	4	36	4	2	26	24	2	60	.....	4
171	43	50	137	270	42	337	47	92	46	25	42	271	18	18	172	177	79	559	2	5
24	7	7	18	28	5	69	2	54	6	1	6	34	3	7	44	35	6	88	1	6
6	3	.....	8	5	1	12	1	20	.....	2	.....	4	1	.....	8	8	1	19	.....	7
591	133	166	712	1,147	181	1,271	138	691	87	129	116	921	48	57	783	720	146	1,919	75	8
577	132	162	698	1,120	174	1,241	133	677	85	126	115	904	48	56	765	707	145	1,868	70	9
14	1	4	14	27	7	30	5	14	2	3	1	17	.....	1	18	13	1	51	5	10
2	.....	15	13	18	3	9	2	39	.....	4	2	2	.....	.....	20	13	1	37	8	11
72	16	14	53	128	20	152	21	131	11	15	22	146	8	6	95	95	24	238	4	12
10	4	4	10	12	.....	27	1	16	.....	1	2	8	1	2	13	11	2	26	2	13
11	3	8	26	58	7	20	2	11	2	2	3	18	.....	1	21	21	6	62	1	14
13	1	5	14	16	1	26	3	16	2	2	3	23	3	1	22	22	2	43	1	15
97	19	16	99	179	18	243	17	69	22	19	16	146	11	6	112	139	33	311	3	16
10	3	4	7	13	1	14	2	12	.....	2	1	7	.....	.....	10	10	3	30	.....	17
17	6	4	30	48	9	44	11	22	1	2	5	20	2	1	15	24	6	88	.....	18
25	4	4	42	91	6	43	6	14	1	6	1	18	2	2	16	25	3	91	3	19
2	.....	1	8	9	2	21	1	16	.....	1	.....	13	.....	.....	7	4	.....	18	1	20
24	4	8	34	31	9	49	12	49	3	13	7	34	2	6	74	38	6	77	5	21
125	31	28	124	225	36	290	20	96	26	33	22	184	5	12	150	123	23	338	32	22
24	1	2	31	35	5	30	5	19	3	3	5	37	2	2	17	16	1	50	.....	23
28	8	8	41	40	6	29	11	5	.....	.....	4	41	.....	3	22	24	2	55	1	24
31	10	11	35	51	11	31	5	25	2	8	3	36	2	2	29	25	1	89	2	25
9	7	2	10	16	.....	13	.....	4	.....	.....	3	10	.....	.....	3	6	6	28	4	26
20	5	4	30	45	5	68	1	26	5	3	3	60	1	4	38	29	7	80	1	27
11	2	2	12	14	3	14	1	5	.....	2	2	6	.....	1	17	6	5	21	.....	28
6	.....	.....	13	13	4	16	1	9	.....	.....	1	5	.....	.....	6	8	4	13	.....	29
46	6	13	66	82	25	107	14	92	8	12	9	90	8	7	83	67	8	176	7	30
8	3	8	14	23	10	25	2	15	1	1	2	17	1	1	13	14	3	48	.....	31
63	7	29	78	121	16	193	19	65	5	12	7	104	3	5	126	68	14	254	21	32
59	7	25	70	101	12	158	18	58	4	9	7	91	2	4	103	59	13	214	20	33
4	.....	4	8	20	4	35	1	7	1	3	.....	13	1	1	23	9	1	40	1	34
293	54	36	415	724	70	555	110	273	36	51	46	531	25	32	425	269	88	1,178	19	35
220	49	23	275	435	37	253	72	137	28	32	42	334	18	20	241	168	76	734	7	36
73	5	13	140	289	33	302	38	136	8	19	4	197	7	12	184	101	12	444	12	37
39	5	19	45	111	9	109	22	170	10	16	13	149	10	18	76	127	15	376	88	38
27	3	13	18	54	6	51	10	94	5	11	10	57	5	12	26	54	13	152	15	39
12	2	6	27	57	3	58	12	76	5	5	3	92	5	6	50	73	2	224	73	40
32	4	15	33	83	7	83	20	74	10	15	10	116	8	13	64	114	12	273	88	41
20	2	10	11	36	5	32	8	26	5	10	9	39	3	9	20	45	11	88	15	42
12	2	5	22	47	2	51	12	48	5	5	1	77	5	4	44	69	1	185	73	43
7	1	4	12	28	2	26	2	96	.....	1	3	33	2	5	12	13	3	103	.....	44
7	1	3	7	18	1	19	2	68	.....	1	1	18	2	3	6	9	2	64	.....	45
.....	.....	1	5	10	1	7	.....	28	.....	.....	2	15	.....	2	6	4	1	39	.....	46
141	27	72	195	262	43	562	77	249	49	46	23	465	33	41	236	271	28	1,257	120	47
102	21	27	102	131	13	183	28	123	31	25	11	248	14	22	123	119	27	528	31	48
39	6	45	93	131	30	379	49	126	18	21	12	217	19	19	113	152	1	729	89	49
98	13	19	127	163	27	365	37	163	40	31	13	317	24	31	145	185	21	737	44	50
73	13	11	80	86	9	144	17	90	25	19	8	192	12	16	83	92	20	387	21	51
25	.....	8	47	77	18	221	20	73	15	12	5	125	12	15	62	93	1	350	23	52
43	14	53	68	99	16	197	40	86	9	15	10	148	9	10	91	86	7	520	76	53
29	8	16	22	45	4	39	11	33	6	6	3	56	2	6	40	27	7	141	10	54
14	6	37	46	54	12	158	29	53	3	9	7	92	7	4	51	59	.....	379	66	55
2,005	335	273	1,128	3 424	220	4,765	281	3,087	410	305	513	2,731	222	158	1,448	2,313	534	5,096	43	56
1,965	326	263	1,092	3,280	213	4,581	274	3,051	397	295	502	2,645	210	155	1,423	2,247	522	4,901	39	57
40	9	10	36	144	7	184	7	36	13	10	11	86	12	3	25	66	12	195	4	58

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed causes of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Continued.														
	ILLINOIS—continued.														
1	Aurora	413	7				1		7	3		26	4	2	5
2	Belleville	310	6	2		1	2	2	1	4	2	27	1	6	1
3	Chicago (total)	32,531	245	8	3	130	492	52	860	179	99	3,313	201	238	189
4	White	31,478	241	7	2	126	488	47	850	174	97	3,095	190	226	186
5	Colored	1,053	4	1	1	4	4	5	10	5	2	218	11	12	3
6	Decatur	400	3				4	4	12	4	3	27	2	3	5
7	Evanston	281	7			6	2	1	8		1	15	1	2	2
8	Jacksonville	380	4			2		2	1	5	1	36	1	2	1
9	Quincy	660	11	2		9		1	14	7	7	60	1	5	6
10	Springfield	877	15	2			6	6	12	4	7	89		10	1
	INDIANA.														
11	Registration cities (total)	11,838	229	29	1	56	71	87	157	101	34	1,181	79	157	60
12	White	10,911	218	25	1	53	70	73	146	91	34	1,021	74	134	52
13	Colored	927	11	4		3	1	14	11	10		160	5	23	8
14	Anderson	306	4			4	4	5	3	8		33	7	5	1
15	East Chicago	294	6			5	6	1	2	2	1	23			2
16	Elkhart	208	3			1	3	3	1	1	1	14		2	4
17	Elwood	106	5	1			2		5			9	2		1
18	Evansville	1,087	15	6		23	1	12	9	11	4	122	4	13	5
19	Fort Wayne	815	9	1			6	4	12	6	3	64	7	10	4
20	Gary	290	4			2	2	4	12	1		9		2	
21	Hammond	275	8				2	1	5	1	1	23	1	2	2
22	Huntington	126	2					1	3			12	1	2	1
23	Indianapolis (total)	3,530	62	7		3	9	18	41	23	9	370	20	63	13
24	White	3,029	55	7		3	9	12	33	19	9	284	16	48	10
25	Colored	501	7					6	8	4		86	4	15	3
26	Jeffersonville (total)	186	2	1				4	2	3		28		4	1
27	White	156	2	1				4	2	3		18		3	
28	Colored	30										10		1	1
29	Kokomo	210	5	2			2	1	4	2		26		4	
30	Lafayette	330	4	2			1		1	7	1	36	3	2	1
31	Laporte	169	1				1	3	2	1	1	12		2	2
32	Logansport	249	1		1	3	2	1	4	4		24	1	3	
33	Marion	254	7	1		1		6	5	4		21	2	4	3
34	Michigan City	251	4				9		1	2		31	2		2
35	Mishawaka	157	10			3	4		2			8	1	3	2
36	Muncie	314	6				1	10		2	1	29	3	5	3
37	New Albany	317	7	3		1	1	3	8	4	2	38	3	4	
38	Peru	151	19						1	1	1	13	1	2	
39	Richmond	285	3				1	3	6	5	1	29	3	7	
40	South Bend	758	20			6	8	1	15	2	2	77	9	4	1
41	Terre Haute	913	18	4			5	6	8	7	5	92	6	13	9
42	Vincennes	257	4	1		4	1		5	4	1	38	3	1	3
	KANSAS.[1]														
43	Registration cities (total)	2,393	79	6	3	9	6	24	22	31	11	211	6	39	12
44	White	2,008	67	5	2	9	6	21	18	23	11	155	6	25	11
45	Colored	385	12	1	1			3	4	8		56		14	1
46	Kansas City (total)	1,405	51	2	2	4	4	17	9	16	6	149	5	25	7
47	White	1,145	42	1	1	4	4	15	6	12	6	108	5	15	7
48	Colored	260	9	1	1			2	3	4		41		10	
49	Leavenworth (total)	315	8	4	1	2		2	1	9	1	23		2	2
50	White	238	7	4	1	2		1		5	1	16		1	1
51	Colored	77	1					1	1	4		7		1	1
52	Wichita	673	20			3	2	5	12	6	4	39	1	12	3
	KENTUCKY.														
53	Registration cities (total)	6,934	139	39		98	19	28	49	71	21	924	36	80	40
54	White	4,937	99	15		73	19	17	44	40	19	612	27	50	26
55	Colored	1,997	40	24		25		11	5	31	2	312	9	30	14
56	Covington (total)	809	16	2			6	7	8	4	3	116	5	5	6
57	White	716	15	1			6	6	8	4	3	99	5	4	6
58	Colored[2]	93	1	1				1				17		1	
59	Frankfort (total)	206	9						2	3		39	1	1	4
60	White	138	7						2	3		21			1
61	Colored	68	2									18	1	1	3
62	Henderson (total)	229	10	5			1	1	1	2		37	1	2	4
63	White	133	7	3			1	1				15	1	1	3
64	Colored	96	3	2					1	2		22		1	1
65	Lexington (total)	827	19			3	1	1	2	8	3	95	8	13	6
66	White	459	12			3	1	1	2	1	3	43	2	5	3
67	Colored	368	7							7		52	6	8	3

[1] Nonregistration state; cities shown below only those with effective local ordinances.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other causes. (37)	Ill-defined and unknown. 38	
28	3	7	27	20	3	32	7	15	1	4	4	50	1	2	31	28	3	92	.....	1
14	1	7	19	20	7	14	5	15	3	4	5	18	1	.....	24	14	10	72	2	2
1,799	314	227	954	3,156	177	4,515	239	2,983	368	262	467	2,460	204	148	1,280	2,125	479	4,355	10	3
1,767	305	220	922	3,030	172	4,350	235	2,950	357	252	457	2,388	194	146	1,260	2,068	471	4,196	9	4
32	9	7	32	126	5	165	4	33	11	10	10	72	10	2	20	57	8	159	1	5
28	2	4	18	15	8	14	2	10	7	6	5	38	4	1	25	35	13	89	9	6
19	3	3	19	33	1	31	3	12	4	9	2	14	2	1	18	18	.....	43	1	7
26	3	.....	27	40	.....	23	7	3	5	5	.....	29	3	1	5	11	3	132	2	8
39	3	6	36	77	13	60	8	21	9	6	14	44	3	3	21	19	8	138	9	9
52	6	19	28	63	11	76	10	28	13	9	16	78	4	2	44	63	18	175	10	10
668	142	81	636	1,218	123	922	89	680	144	141	130	792	106	61	611	794	205	2,034	19	11
638	136	75	590	1,095	111	812	79	634	136	130	119	737	100	58	588	743	199	1,921	18	12
30	6	6	46	123	12	110	10	46	8	11	11	55	6	3	23	51	6	113	1	13
13	2	3	22	28	3	29	1	8	6	3	1	19	2	1	19	15	8	48	1	14
5	.....	.....	5	10	1	52	2	85	1	5	.....	5	1	.....	27	17	1	29	.....	15
13	5	.....	17	32	1	21	1	5	.....	2	4	9	3	3	8	16	2	33	.....	16
4	2	1	8	11	1	6	.....	6	.....	1	1	7	1	.....	12	4	2	14	.....	17
70	10	15	31	90	19	104	13	81	11	9	9	78	9	5	54	61	8	185	.....	18
60	12	4	48	76	11	68	8	14	21	10	8	67	9	5	36	62	16	154	.....	19
7	1	1	4	11	3	26	.....	64	5	2	1	7	3	3	23	55	8	30	.....	20
8	2	3	6	15	3	20	3	28	4	3	6	16	5	2	26	34	10	35	.....	21
10	7	.....	10	13	1	4	.....	1	2	1	1	9	3	1	5	8	2	26	.....	22
198	45	28	232	422	31	264	27	136	33	62	55	221	19	11	170	201	70	665	2	23
184	39	26	201	349	24	203	24	112	29	54	48	198	18	10	156	177	69	601	2	24
14	6	2	31	73	7	61	3	24	4	8	7	23	1	1	14	24	1	64	.....	25
10	1	.....	12	20	5	5	2	16	.....	1	2	20	1	1	9	9	2	24	1	26
9	1	.....	8	16	4	4	2	15	.....	1	2	18	1	1	8	8	2	22	1	27
1	.....	.....	4	4	1	1	.....	1	.....	.....	.....	2	.....	.....	1	1	.....	2	.....	28
16	2	1	12	22	3	12	1	9	2	.....	1	12	2	1	16	17	.....	35	.....	29
20	8	5	17	43	5	16	2	4	6	2	4	23	1	2	9	34	1	70	.....	30
18	2	.....	12	22	1	18	1	10	1	1	1	7	1	.....	9	9	1	30	.....	31
22	5	1	22	16	1	13	.....	8	6	3	2	24	2	1	11	18	5	44	1	32
12	4	4	19	32	3	14	3	12	4	1	4	10	3	3	11	13	2	43	3	33
6	4	4	12	29	.....	22	2	21	2	5	.....	16	1	1	6	22	5	42	.....	34
2	2	1	5	18	1	13	3	7	1	4	1	14	1	1	10	9	3	28	.....	35
22	2	1	15	25	3	28	3	14	4	1	5	22	4	.....	21	22	4	54	4	36
19	.....	.....	23	43	9	17	.....	15	3	2	1	25	2	3	7	20	7	47	.....	37
7	2	.....	9	18	3	7	.....	4	.....	2	1	11	2	1	7	14	2	23	.....	38
22	4	2	19	34	3	15	.....	10	.....	1	3	25	.....	1	12	17	8	50	1	39
40	8	2	27	79	7	45	4	76	9	7	9	55	11	9	48	44	12	121	.....	40
49	10	2	39	85	5	76	10	38	18	6	7	80	16	6	48	57	22	161	5	41
15	2	3	10	24	.....	27	3	8	5	7	3	10	4	.....	7	16	4	43	1	42
136	25	34	102	189	20	214	26	112	19	25	11	149	13	7	137	201	36	459	19	43
130	22	29	89	148	14	186	24	94	18	21	7	115	11	7	119	173	35	390	17	44
6	3	5	13	41	6	28	2	18	1	4	4	34	2	.....	18	28	1	69	2	45
71	14	27	51	108	17	136	11	87	8	11	7	86	8	6	84	123	20	227	6	46
68	13	23	44	77	12	116	9	73	7	9	3	64	7	6	74	102	20	186	6	47
3	1	4	7	31	5	20	2	14	1	2	4	22	1	.....	10	21	.....	41	.....	48
18	3	1	23	32	2	37	6	3	.....	4	1	19	.....	.....	11	24	4	69	3	49
15	3	1	18	24	1	32	6	1	.....	2	1	11	.....	.....	8	21	4	48	3	50
3	.....	.....	5	8	1	5	.....	2	.....	2	.....	8	.....	.....	3	3	.....	21	.....	51
47	8	6	28	49	1	41	9	22	11	10	3	44	5	1	42	54	12	163	10	52
288	59	102	304	627	120	536	128	187	53	62	82	503	25	26	375	463	66	1,309	75	53
244	53	81	226	415	71	338	85	140	48	44	71	400	18	16	309	308	62	923	44	54
44	6	21	78	212	49	198	43	47	5	18	11	103	7	10	66	155	4	386	31	55
32	7	8	33	103	11	66	8	19	8	5	11	85	6	3	51	50	7	112	6	56
31	7	8	30	94	11	49	7	16	8	5	11	77	5	3	50	37	7	98	5	57
1	.....	.....	3	9	.....	17	1	3	.....	.....	.....	8	1	.....	1	13	.....	14	1	58
5	.....	2	6	13	4	11	3	5	1	2	1	15	.....	.....	7	19	2	43	8	59
4	.....	2	2	8	3	7	3	4	1	2	1	13	.....	.....	7	13	.....	28	6	60
1	.....	.....	4	5	1	4	.....	1	.....	.....	.....	2	.....	.....	.....	6	2	15	2	61
7	.....	7	7	12	3	19	2	11	3	2	2	12	.....	1	17	12	2	40	6	62
5	.....	7	5	6	1	14	2	8	2	.....	1	3	.....	1	12	9	2	21	2	63
2	.....	.....	2	6	2	5	.....	3	1	2	1	9	.....	.....	5	3	.....	19	4	64
32	2	9	64	81	8	62	10	13	6	9	6	40	2	4	28	70	7	204	11	65
23	2	8	31	41	2	32	4	10	6	5	3	24	1	1	11	39	6	131	3	66
9	.....	1	33	40	6	30	6	3	.....	4	3	16	1	3	17	31	1	73	8	67

[1] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed causes of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	KENTUCKY—continued.														
1	Louisville (total)	3,661	54	12		58	8	17	27	30	8	479	15	43	13
2	White	2,597	33	5		35	8	9	25	17	6	326	13	30	8
3	Colored	1,064	21	7		23		8	2	13	2	153	2	13	5
4	Newport (total)	383	11				1	1	5	3	3	58		5	2
5	White	364	10				1		5	2	3	55		5	2
6	Colored[1]	19	1					1		1		3			
7	Owensboro (total)	352	6	2		34	1		1	16	2	43	3	2	3
8	White	260	4	1		32	1			10	2	28	3	2	2
9	Colored	92	2	1		2			1	6		15			1
10	Paducah (total)	467	14	18		3	1	1	3	5	2	57	3	9	2
11	White	270	11	5		3	1		2	3	2	25	3	3	1
12	Colored	197	3	13				1	1	2		32		6	1
	LOUISIANA.[2]														
13	New Orleans (total)	7,055	107	37	2	39	4	97	25	92	8	835	18	47	34
14	White	4,208	59	17		35	4	73	17	60	7	404	13	23	11
15	Colored	2,847	48	20	2	4		24	8	32	1	431	5	24	23
	MAINE.														
16	Registration cities (total)	3,114	52	1		18	4	19	22	23	9	240	22	34	10
17	White	3,103	52	1		18	4	19	22	23	9	240	22	33	10
18	Colored	11												1	
19	Auburn	203	1	1		2		1	4	5	1	13			
20	Augusta	342	3			2				1	2	29	1	3	1
21	Bangor	519	21			1		2	2	2	2	39	4	4	2
22	Biddeford	317	2			2	4	5	4	5		31	2	6	1
23	Lewiston	508	3			1		4	5	5	3	35	1	8	
24	Portland	1,062	21			6		7	7	4	1	75	12	13	6
25	Waterville	163	1			4				1		18	2		
	MARYLAND.														
26	Registration cities (total)	11,355	188	3		85	44	54	76	83	31	1,271	84	123	51
27	White	8,567	153	3		70	41	35	70	58	26	804	62	76	38
28	Colored	2,788	35			15	3	19	6	25	5	467	22	47	13
29	Baltimore (total)	10,407	156	3		81	44	46	68	73	29	1,198	81	115	48
30	White	7,757	124	3		67	41	28	63	49	24	749	59	71	36
31	Colored	2,650	32			14	3	18	5	24	5	449	22	44	12
32	Cumberland (total)	416	23					2	3	5	1	23	2	2	1
33	White	375	21					2	3	5	1	20	2	1	1
34	Colored[1]	41	2									3		1	
35	Frederick (total)	219	5					2	2	2		19	1	4	
36	White	168	4					2	2	1		9	1	2	
37	Colored	51	1							1		10		2	
38	Hagerstown (total)	313	4			4		4	3	3	1	31		2	2
39	White	267	4			3		3	2	3	1	26		2	1
40	Colored[1]	46				1		1	1			5			1
	MASSACHUSETTS.														
41	Registration cities (total)	41,010	259	9	3	259	173	400	490	192	141	3,282	384	285	157
42	White	40,293	256	9	3	259	173	384	488	192	140	3,176	367	273	153
43	Colored	717	3					16	2		1	106	17	12	4
44	Adams town	186	2			3		4	3	1	1	6	2	1	1
45	Arlington town	147					1		1	3		14	1		
46	Attleborough town	187	1			1	1	3		2		13	3	4	
47	Beverly	262	7			1	3	3				19	2	2	
48	Boston (total)	11,765	60	3	1	71	77	102	136	32	52	1,051	134	71	32
49	White	11,393	58	3	1	71	77	96	135	32	51	997	124	66	30
50	Colored	372	2					6	1		1	54	10	5	2
51	Brockton	640	1				3	5	5	13	1	48	7	7	7
52	Brookline town	342	2				1	2	2	3	1	13	1	2	1
53	Cambridge	1,617	3	1		10	3	24	42	8	4	178	15	14	9
54	Chelsea	622	4	1		1	6	5	4	1	5	43	1	5	
55	Chicopee	389	1				1	7	5	2		27	2	1	4
56	Clinton town	183	1						3	2	1	17	3	4	
57	Everett	377	2			2		4	7	2	1	33	2	1	1
58	Fall River	2,134	18			46	2	22	27	2	5	167	7	11	7
59	Fitchburg	498	3				1	16	16	1		32	2	4	4
60	Framingham town	185	4	1		1		3	1	1		10	1	1	
61	Gardner town	193	1					4	2			14	1	3	
62	Gloucester	347	2			3	1	4	4	1	2	32		2	2
63	Greenfield town	155	2			4			1			7		1	
64	Haverhill	653	3				10	2	6	2	3	45	8	6	1
65	Holyoke	902	5	1		7	4	5	11	5		67	9	5	2
66	Hyde Park town	191	1					2	1		2	11	1	1	
67	Lawrence	1,405	11			24	3	14	18	7	3	125	11	17	5

[1] Colored population less than 10 per cent of total.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
173	37	50	152	343	61	285	90	85	25	37	41	278	13	13	190	243	38	725	18	1
144	32	35	121	215	38	166	57	64	21	27	36	222	9	8	159	165	37	511	15	2
29	5	15	31	128	23	119	33	21	4	10	5	56	4	5	31	78	1	214	3	3
18	7	10	21	36	10	29	4	13	3	3	9	28	2	1	22	21	7	47	3	4
18	7	10	21	35	10	27	4	12	3	3	9	28	1	1	22	14	7	46	3	5
.....	.....	.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	1	.....	.....	7	.....	1	.....	6
9	2	7	12	19	4	19	1	24	3	2	5	22	.....	2	33	9	.....	62	4	7
8	2	6	9	9	1	13	1	17	3	1	3	18	.....	1	28	7	.....	44	4	8
1	.....	1	3	10	3	6	.....	7	.....	1	2	4	.....	1	5	2	.....	18	.....	9
12	4	9	9	20	19	45	10	17	4	2	7	23	2	2	27	39	3	76	19	10
11	3	5	7	7	5	30	7	9	4	1	7	15	2	1	20	24	3	44	6	11
1	1	4	2	13	14	15	3	8	.....	1	.....	8	.....	1	7	15	.....	32	13	12
274	47	52	290	700	92	559	48	473	49	63	120	840	44	53	212	396	47	1.350	1	13
208	38	34	212	419	50	260	29	327	37	46	85	484	22	35	141	213	46	799	.....	14
66	9	18	78	281	42	299	19	146	12	17	35	356	22	18	71	183	1	551	1	15
161	41	34	201	329	35	298	38	145	48	22	8	242	12	12	152	166	23	661	32	16
161	41	34	201	324	35	298	38	145	48	22	8	242	12	12	151	165	23	658	32	17
.....	.....	.....	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	.....	3	.....	18
12	4	4	19	21	4	15	1	11	.....	.....	.....	21	.....	2	6	10	1	43	1	19
9	5	2	24	57	3	27	8	14	5	1	.....	22	1	1	9	14	4	90	4	20
32	7	6	20	60	2	42	4	8	13	5	1	29	5	.....	29	27	3	133	14	21
12	3	6	18	24	3	43	2	20	2	.....	3	20	.....	1	18	16	1	62	1	22
28	8	7	30	38	6	50	8	45	9	4	2	43	4	5	22	31	5	95	3	23
64	13	8	75	117	13	98	11	34	17	10	2	99	1	2	57	62	7	214	6	24
4	1	1	15	12	4	23	4	13	2	2	.....	8	1	1	11	6	2	24	3	25
569	103	108	586	1,035	175	1,197	141	632	89	90	114	999	45	57	782	525	109	1,777	129	26
512	98	90	472	759	126	797	109	512	70	72	103	767	35	40	593	409	102	1,367	98	27
57	5	18	114	276	49	400	32	120	19	18	11	232	10	17	189	116	7	410	31	28
530	96	102	541	947	163	1,120	127	588	79	83	102	915	38	51	711	450	101	1,604	117	29
473	91	84	429	681	116	740	96	469	61	66	91	705	30	35	534	341	94	1,219	88	30
57	5	18	112	266	47	380	31	119	18	17	11	210	8	16	177	109	7	385	29	31
19	4	2	20	28	5	37	8	24	3	4	7	34	4	1	27	53	2	71	1	32
19	4	2	19	26	4	28	8	24	3	4	7	23	4	1	24	51	2	66	.....	33
.....	.....	.....	1	2	1	9	.....	.....	.....	.....	.....	11	.....	.....	3	2	.....	5	1	34
8	1	.....	17	22	4	16	1	8	2	2	2	20	2	2	18	7	4	43	5	35
8	1	.....	16	18	4	10	1	7	2	1	2	16	.....	2	16	3	4	32	4	36
.....	.....	.....	1	4	.....	6	.....	1	.....	1	.....	4	2	.....	2	4	.....	11	1	37
12	2	4	8	38	3	24	5	12	5	1	3	30	1	3	26	15	2	59	6	38
12	2	4	8	34	2	19	4	12	4	1	3	23	1	2	19	14	2	50	6	39
.....	.....	.....	.....	4	1	5	1	.....	1	.....	.....	7	.....	1	7	1	.....	9	.....	40
2,475	522	409	2,463	4,695	649	4,286	337	3,084	346	346	261	2,328	193	241	2,454	2,535	351	6,806	195	41
2,446	515	403	2,435	4,637	637	4,199	330	3,050	339	340	258	2,262	191	234	2,423	2,494	346	6,693	188	42
29	7	6	28	58	12	87	7	34	7	6	3	66	2	7	31	41	5	113	7	43
11	1	4	10	20	3	9	4	30	1	3	2	9	.....	2	16	10	.....	27	.....	44
11	3	1	12	25	4	15	1	6	.....	1	.....	14	.....	.....	3	9	1	21	.....	45
7	1	.....	10	23	3	13	3	11	1	3	5	11	.....	4	14	13	1	35	1	46
23	3	2	19	45	3	16	1	10	4	2	1	19	.....	.....	18	25	3	31	.....	47
766	146	84	626	1,308	140	1,427	80	733	104	114	88	681	65	68	592	863	128	1,890	40	48
746	141	84	614	1,281	135	1,379	76	714	99	110	86	641	63	66	580	840	125	1,833	39	49
20	5	.....	12	27	5	48	4	19	5	4	2	40	2	2	12	23	3	57	1	50
44	6	6	41	75	9	54	6	33	1	5	4	33	5	11	38	30	7	129	6	51
49	10	1	34	62	6	20	1	4	4	1	2	16	1	1	16	15	1	70	.....	52
111	15	7	91	184	26	163	13	92	6	12	4	94	8	11	84	94	6	284	1	53
46	8	10	41	99	12	58	3	38	4	5	3	37	8	6	23	37	5	94	9	54
16	6	23	14	30	6	44	.....	69	.....	.....	2	25	2	1	36	20	.....	44	1	55
16	.....	3	16	18	4	15	3	8	.....	1	1	9	.....	1	9	17	2	24	5	56
33	7	7	31	72	7	30	2	12	1	3	.....	16	1	2	22	15	1	60	.....	57
91	18	22	77	169	65	237	8	391	14	16	13	115	5	18	163	57	22	303	16	58
29	9	13	24	61	8	54	7	28	3	6	1	21	3	6	39	31	6	66	4	59
15	3	1	8	25	2	22	2	1	3	2	3	17	.....	1	14	15	2	26	.....	60
10	3	5	10	20	4	16	2	13	1	1	2	18	.....	2	22	11	1	27	.....	61
13	7	2	33	46	6	34	1	17	6	2	6	14	3	1	17	21	3	62	.....	62
10	2	2	8	18	2	12	3	12	3	1	.....	6	.....	.....	6	11	.....	34	10	63
47	6	3	50	85	5	74	6	22	13	5	4	38	1	4	30	40	7	127	.....	64
37	7	22	40	75	14	114	7	110	12	7	4	63	5	2	73	41	4	143	1	65
20	2	.....	7	26	2	19	1	7	.....	.....	5	14	.....	1	9	19	2	33	5	66
57	8	23	63	100	20	177	13	193	13	13	7	52	11	5	88	101	11	182	30	67

[2] Nonregistration state; cities shown below only those with effective local ordinances.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed causes of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Continued.														
	MASSACHUSETTS—continued.														
1	Leominster town	220	3							2		11	2		
2	Lowell	1,925	8			13	5	17	17	4	6	125	30	12	12
3	Lynn	1,152	9			4	5	19	13	5	5	88	13	5	6
4	Malden	551	5			3	5		9	3	2	39	4	4	2
5	Marlborough	223	1						3	5	4	22		1	2
6	Medford	275				1			6		1	21	1	3	
7	Melrose	178					1			2		10			1
8	Methuen town	141					1	1	1	1		14	1	1	
9	Milford town	214	2					5	1	2	1	17	1	2	2
10	New Bedford	1,741	23			12	1	33	10	7	4	137	23	10	10
11	Newburyport	280	5				1	6	2	3		19	4		
12	Newton	463	1			4	2	3	2	2	1	18	7	1	4
13	North Adams	317	4			1		2	3	5	1	20	1	5	
14	Northampton	375	3				1	1	7	3		28	2	3	
15	Peabody town	227	1			2		5			3	19	1		
16	Pittsfield	552	5			10		4	7	1	2	33	3	5	3
17	Plymouth town	204	2				1	7	1			18	3		
18	Quincy	395	3		1	3	7	2	6	5	2	33	4	1	
19	Revere town	192					1	2	1	1		14	1	2	
20	Salem	745	3			5	2	11	12	5		53	7	4	4
21	Somerville	1,031	6		1	2	4	11	18	7	5	80	15	7	4
22	Southbridge town	131	1					2	2		1	4			2
23	Springfield	1,417	17	2		12	3	11	9	9	5	81	5	19	8
24	Taunton	715	5					9	6	5	5	58	2	2	9
25	Wakefield town	144	2					4	1			15	2	4	
26	Waltham	389	2			5		1	3	5	2	21	7	14	
27	Watertown town	137	2								1	6	1		
28	Webster town	156				1			4	4		16		1	
29	Westfield town	284	1			1	2		7			83	1	2	
30	Weymouth town	187	1						3	2	1	16		3	
31	Winthrop town	114				1			2	2		4	1		
32	Woburn	193	1				1	2	3	5		14		2	
33	Worcester	2,362	9			5	13	11	36	9	8	173	29	9	12
	MICHIGAN.														
34	Registration cities (total)	15,355	249	13	3	84	100	90	258	84	67	1,016	67	129	82
35	White	15,108	244	12	3	83	100	89	255	84	65	978	66	125	78
36	Colored	247	5	1		1		1	3		2	38	1	4	4
37	Adrian	152	3			1	1		5	5		6		4	
38	Alpena	215	12				1	3	1			16		2	
39	Ann Arbor	338	3	1		2		1	1	1	1	17	2	8	
40	Battle Creek	399	4		3	2		1	4	2	1	19	1	5	4
41	Bay City	563	19	1		1	2	2	7	10	2	37	3	1	4
42	Detroit	7,110	78	3		46	64	27	167	20	29	487	32	43	44
43	Escanaba	182	6				2	2	5		1	11		1	2
44	Flint	401	8				2	4	5	1	3	23	4	4	3
45	Grand Rapids	1,580	31	2		18	6	6	12	5	6	101	9	18	11
46	Holland	115	2	1				1	1	1		8	1		
47	Ironwood	113	1				1	2	1	1		8	1	2	
48	Ishpeming	124	1				1	2	6		2	5		1	1
49	Jackson	410	9	1			2	1	5	7		28	1	3	
50	Kalamazoo	719	4			5	2	5	2	8	5	47	1	7	1
51	Lansing	343	5			3	2	4	1	6	2	18	1	5	1
52	Manistee	158	1				5	4	2			17			2
53	Marquette	201	11				4	8	3		1	16	1	1	
54	Menominee	136	7				1		2	2		6	2		
55	Muskegon	365	5	1		2		12	1	5	2	29	1	2	2
56	Pontiac	316	7				1		3	5	9	15	2	3	2
57	Port Huron	300	9						2	3		18		4	
58	Saginaw	704	12	2			3	2	18	1	3	43	4	8	3
59	Sault Ste. Marie	162	7	1					4	1		20			1
60	Traverse City	249	4			4		3				21	1	7	1
	MINNESOTA.														
61	Registration cities (total)	7,732	91	2	3	7	68	80	164	29	38	847	58	94	35
62	White	7,611	91	2	3	7	68	79	164	28	38	813	56	93	35
63	Colored	121						1		1		34	2	1	
64	Duluth	960	19	1		1	6	1	14	5	7	117	8	15	14
65	Mankato	155	4				1		1	1	1	9	1	2	
66	Minneapolis	3,572	37	1	1	4	19	48	74	7	14	416	24	40	10
67	St. Cloud	136	2			2			2	1	1	12	2	2	
68	St. Paul	2,386	23		2		35	22	72	12	14	245	21	29	10
69	Stillwater	123	3					2		1		16	1	3	
70	Virginia	154	2					2			1	11		1	
71	Winona	246	1				7	5	1	2		21	1	2	1

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
11	6	1	18	22	4	30	1	5	1	1	5	24	1	1	15	16	.....	33	2	1
82	21	26	100	198	61	161	25	220	16	21	13	90	10	11	136	127	22	333	3	2
77	12	13	82	146	17	102	6	60	5	13	7	67	8	9	62	78	8	200	8	3
48	14	3	38	98	3	42	2	20	6	2	1	34	.....	4	30	42	5	83	.....	4
18	7	4	26	32	1	18	3	8	4	2	.....	11	1	.....	7	10	.....	33	.....	5
28	5	.....	22	47	3	26	3	5	3	.....	2	18	.....	.....	12	13	.....	55	.....	6
12	3	.....	22	29	2	10	4	9	3	.....	1	17	.....	.....	3	5	2	42	.....	7
7	4	.....	12	14	4	15	1	7	.....	3	.....	7	.....	1	10	8	.....	26	2	8
14	1	2	19	12	2	34	2	3	2	.....	2	20	1	1	17	17	1	31	.....	9
67	17	26	83	143	47	184	22	263	9	9	11	64	11	7	126	62	19	274	27	10
23	4	2	24	35	6	18	8	13	3	3	1	16	.....	2	10	15	.....	56	1	11
33	6	2	39	70	2	42	2	18	7	7	4	24	.....	.....	37	30	7	88	.....	12
22	5	4	29	31	9	27	3	16	8	1	1	15	1	2	22	23	1	54	1	13
19	5	3	33	41	5	22	5	12	2	2	1	22	1	3	18	26	4	102	1	14
10	1	3	21	31	5	21	2	12	2	4	.....	13	1	1	11	17	.....	40	1	15
22	12	11	39	70	5	40	7	36	6	6	7	38	1	5	31	44	3	96	.....	16
17	6	3	10	25	2	12	1	16	3	1	2	10	1	4	16	11	3	25	4	17
24	4	2	22	43	6	24	6	30	5	3	1	22	2	3	25	27	3	76	.....	18
18	4	.....	13	27	1	26	.....	15	.....	.....	.....	12	1	1	9	15	4	24	.....	19
45	10	6	50	103	12	70	8	58	4	10	3	47	5	5	69	33	3	97	1	20
71	18	4	102	160	15	96	6	38	7	5	3	49	3	11	49	51	2	181	.....	21
8	6	4	8	13	.....	12	2	13	.....	1	2	2	.....	1	16	12	1	18	.....	22
84	23	10	92	139	11	145	7	84	14	11	15	149	11	6	100	91	13	231	.....	23
29	10	6	49	66	13	89	7	69	7	5	2	30	2	3	37	29	8	150	3	24
5	1	5	27	12	3	15	1	7	.....	1	.....	4	.....	.....	2	7	.....	25	1	25
34	6	5	29	36	4	33	.....	18	4	2	1	19	3	.....	20	31	3	80	1	26
12	.....	1	9	26	1	16	1	10	.....	2	.....	6	.....	.....	11	4	.....	27	1	27
4	3	1	14	7	2	17	1	15	.....	.....	2	12	.....	.....	16	11	1	23	1	28
13	3	1	13	30	5	21	1	25	.....	2	2	19	.....	1	9	13	1	28	.....	29
13	1	4	16	29	2	17	2	8	.....	1	1	16	2	1	7	10	1	29	1	30
11	3	1	14	12	.....	9	3	.....	5	2	1	8	.....	1	4	8	1	21	.....	31
13	2	2	11	18	2	22	1	11	2	2	2	12	.....	.....	12	15	2	36	.....	32
119	28	13	112	344	43	247	27	120	24	21	11	109	9	10	173	139	20	472	7	33
831	147	184	722	1,380	273	1,270	206	771	178	168	142	751	104	99	1,243	901	199	3,439	105	34
824	146	184	715	1,351	269	1,248	201	764	176	165	140	738	103	98	1,225	890	194	3,391	104	35
7	1	.....	7	29	4	22	5	7	2	3	2	13	1	1	18	11	5	48	1	36
11	2	4	6	21	2	12	3	1	4	2	1	4	.....	.....	5	6	2	38	3	37
12	1	2	11	12	9	11	4	15	1	2	1	1	3	2	26	7	3	54	3	38
30	6	5	16	29	3	14	4	5	5	9	5	14	1	2	18	16	5	112	2	39
25	11	5	21	52	4	11	7	9	5	6	6	27	2	2	27	26	4	101	2	40
35	5	7	19	52	6	44	9	22	11	9	3	16	2	2	43	37	6	145	1	41
321	51	109	259	559	143	694	98	486	71	68	76	321	56	49	692	435	100	1,440	42	42
9	4	1	10	21	2	12	2	14	2	3	3	12	.....	.....	12	10	3	28	4	43
23	6	.....	22	19	8	36	3	15	4	1	3	18	1	3	46	29	4	99	4	44
99	20	13	101	142	30	136	21	72	17	23	13	91	12	12	110	63	25	345	10	45
8	2	2	7	13	5	5	2	3	1	1	2	3	.....	.....	12	6	2	26	.....	46
6	.....	1	2	3	4	8	.....	8	.....	.....	.....	3	3	1	9	16	3	26	3	47
9	1	.....	11	13	4	12	2	8	2	1	2	3	.....	1	8	10	1	16	1	48
26	7	3	27	42	6	20	7	11	6	2	.....	42	1	4	26	16	5	99	3	49
40	3	5	64	90	4	47	7	17	7	10	5	41	5	2	25	35	9	213	3	50
24	4	1	17	55	5	15	6	12	5	1	3	14	1	5	18	24	3	74	8	51
16	.....	.....	5	21	1	7	1	5	3	1	4	13	.....	1	7	11	3	26	2	52
11	1	1	9	8	5	18	5	13	3	3	3	10	.....	1	14	10	2	39	.....	53
6	1	2	8	8	1	12	2	8	4	3	2	5	2	1	14	7	1	29	.....	54
22	4	8	24	32	1	32	2	12	6	3	1	18	3	3	24	21	5	76	6	55
10	3	1	12	32	3	15	7	7	4	1	.....	20	2	1	15	14	5	116	1	56
17	2	1	15	35	6	20	3	11	2	4	3	27	1	.....	27	23	1	65	1	57
51	8	8	35	73	13	62	10	7	11	11	5	28	4	4	50	56	6	157	6	58
3	3	4	2	13	4	16	.....	7	2	2	1	7	3	1	10	14	.....	36	.....	59
17	2	1	19	35	4	11	1	3	2	2	.....	13	2	2	5	9	1	79	.....	60
521	86	71	325	662	80	703	54	316	147	78	81	482	51	45	502	498	126	1,377	11	61
516	86	70	323	647	80	692	53	312	146	77	80	471	51	44	498	492	125	1,360	11	62
5	.....	1	2	15	.....	11	1	4	1	1	1	11	.....	1	4	6	1	17	.....	63
52	5	13	29	62	6	89	5	53	14	11	14	65	9	8	70	74	16	156	1	64
17	3	2	11	16	.....	13	2	1	10	2	1	14	.....	.....	3	13	2	25	.....	65
242	33	24	138	296	33	353	26	137	71	38	44	239	21	25	211	214	63	668	1	66
9	2	1	3	25	1	9	.....	4	3	2	1	7	1	.....	12	2	4	22	4	67
165	35	28	106	222	33	203	19	96	46	21	18	136	18	12	172	127	35	406	3	68
10	2	.....	9	11	1	6	2	1	.....	1	2	8	1	.....	4	5	.....	34	.....	69
2	1	3	5	11	3	14	.....	19	2	1	.....	3	.....	.....	16	38	4	15	.....	70
24	5	.....	24	19	3	16	.....	5	1	2	1	10	1	.....	14	25	2	51	2	71

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed causes of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Continued.														
	MISSOURI.														
1	Registration cities (total)	17,874	301	57	10	142	218	83	206	218	60	1,676	97	149	92
2	White	15,775	266	46	7	139	213	79	196	197	57	1,302	84	109	83
3	Colored	2,099	35	11	3	3	5	4	10	21	3	374	13	40	9
4	Hannibal	263	4			1	1	2		6		28	4	2	2
5	Jefferson City	158	8			1			1			23		3	
6	Joplin	465	12	2		1		8	8	9		68		8	4
7	Kansas City (total)	3,961	77	4	8	8	14	26	32	58	21	386	13	34	15
8	White	3,340	67	1	5	8	13	25	29	47	21	256	10	22	13
9	Colored	621	10	3	3		1	1	3	11		130	3	12	2
10	Moberly	148	4					2	3	2		24			2
11	St. Joseph	1,001	25	7		1	5	7	7	14	4	71	3	13	6
12	St. Louis (total)	10,765	113	38		114	194	28	123	113	29	955	72	80	59
13	White	9,591	104	35		111	190	27	119	107	27	754	62	59	53
14	Colored	1,174	9	3		3	4	1	4	6	2	201	10	21	6
15	Sedalia	306	15	3	1		1	1	5	6	1	30	1	4	3
16	Springfield	619	40	3	1	14	2	6	22	8	4	63	4	2	1
17	Webb	188	3			2	1	3	5	2	1	28		3	
	MONTANA.														
18	Registration cities (total)	1,470	29			10	16	16	6	4	7	133	8	18	8
19	White	1,417	27			10	16	13	6	4	7	123	7	18	8
20	Colored	53	2					3				10	1		
21	Anaconda	124						5	3		1	4	1		
22	Billings	149	8				1	2	1	1	1	10		2	
23	Butte	635	9			1	7	4	2	2	4	88	2	5	4
24	Great Falls	211	5			2	3	1				7	1	5	
25	Helena	184	3			5	4	1				15	2	4	3
26	Missoula	167	4			2	1	3		1	1	9	2	2	1
	NEBRASKA.[1]														
27	Registration cities (total)	2,425	33			17	9	3	22	15	12	145	10	20	17
28	White	2,301	33			17	9	3	22	15	12	111	9	18	17
29	Colored	124										34	1	2	
30	Lincoln	613	10			12	1	2	3	5	5	21	2	4	4
31	Omaha	1,812	23			5	8	1	19	10	7	124	8	16	13
	NEW HAMPSHIRE.														
32	Registration cities (total)	3,156	28			16	4	27	38	27	7	205	19	19	14
33	White	3,151	28			16	4	27	38	27	7	205	19	19	14
34	Colored	5													
35	Berlin	187	6			1		4	11	1		7			
36	Concord	436	3				1		2	4	1	30	1		
37	Dover	248	3			4		1	4	1		26	1	2	4
38	Keene	181	2			1		1		4		7	3	2	
39	Laconia	154	1					2	1	1		14	2		1
40	Manchester	1,302	7			2	3	16	10	11	2	81	10	13	7
41	Nashua	428	3			5		2	5	2	3	29	1	1	2
42	Portsmouth	220	3			3		1	5	3	1	11	1	1	
	NEW JERSEY.														
43	Registration cities (total)	25,821	205	19		203	160	244	385	144	96	2,665	214	213	160
44	White	24,477	194	18		196	157	232	378	136	95	2,440	201	186	154
45	Colored	1,344	11	1		7	3	12	7	8	1	225	13	27	6
46	Asbury Park (total)	146	2	1			2		1			15			2
47	White	112	2	1			2		1			8			1
48	Colored	34										7			1
49	Atlantic City (total)	796	8			1	2	8	10	1	2	62	1	7	4
50	White	630	8			1	2	6	6	1	2	44	1	3	3
51	Colored	166						2	4			18		4	1
52	Bayonne	815	5			10	11	8	15	2	5	57	8	2	6
53	Bloomfield	146	1				1	2	2	2		7	1	2	3
54	Bridgeton	247	4			1	1	1	3	3		32	1	4	2
55	Camden	1,626	9	1		13	4	14	37	6	3	173	7	15	12
56	East Orange	332	1				3	4	3	5		34	7	3	
57	Elizabeth	1,202	6	1		7	14	12	16	1	2	98	10	5	9
58	Garfield	136					8		3		1	11	2		
59	Hackensack	217	2			12	1		3	1		24	2		
60	Harrison	194				2		8	5	3	1	32	1	1	3
61	Hoboken	1,266	13			28	9	7	25	1	9	147	16	15	9
62	Irvington	159	1				1	1	4			23	2	3	2
63	Jersey City	4,381	20	3		42	32	31	58	16	24	460	31	33	22
64	Kearny	266		3			1	7	3	3	1	21	4	2	
65	Long Branch	284	9	1			1	2		1		20	1	3	2
66	Millville	166	1				2		9			17		2	2

[1] Nonregistration state; cities shown below only those with effective local ordinances.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
967	189	145	727	1,634	297	1,679	191	889	208	154	271	1,474	109	79	859	1,205	387	3,040	61	1
917	184	140	659	1,401	261	1,433	169	820	200	149	249	1,299	101	70	784	1,033	377	2,702	49	2
50	5	5	68	233	36	246	22	69	8	5	22	175	8	9	75	172	10	338	12	3
14	5	2	10	24	1	17	3	7	4	.....	2	14	1	1	28	22	2	46	10	4
7	.....	3	7	12	4	13	2	7	3	2	5	9	.....	.....	1	17	.....	29	1	5
18	4	9	15	38	2	39	3	34	3	2	5	14	5	7	23	30	11	82	1	6
236	37	42	171	345	47	383	39	144	53	36	32	261	35	24	218	320	81	737	24	7
223	37	39	152	289	41	305	33	128	50	33	26	213	32	21	196	266	77	643	19	8
13	.....	3	19	56	6	78	6	16	3	3	6	48	3	3	22	54	4	94	5	9
8	2	1	12	6	2	12	1	7	3	1	2	5	.....	1	7	11	2	23	5	10
53	11	4	61	95	12	78	8	29	34	12	8	76	6	8	39	55	18	227	4	11
592	125	67	412	1,027	219	1,039	117	611	94	96	212	1,031	56	30	456	683	264	1,708	8	12
560	121	65	372	879	194	907	104	562	89	94	198	918	52	24	418	588	260	1,530	8	13
32	4	2	40	148	25	132	13	49	5	2	14	113	4	6	38	95	4	178	.....	14
11	2	6	12	32	1	31	4	7	3	1	.....	24	2	4	24	15	2	50	4	15
26	2	6	21	46	8	56	7	26	9	2	3	31	2	2	46	34	6	113	3	16
2	1	5	6	9	1	11	7	17	2	2	2	9	2	2	17	18	1	25	1	17
77	21	16	46	122	9	130	19	54	44	19	17	91	18	10	92	128	50	239	13	18
72	21	16	44	119	9	123	17	54	44	19	16	89	18	10	92	122	45	235	13	19
5	.....	.....	2	3	.....	7	2	.....	.....	.....	1	2	.....	.....	.....	6	5	4	.....	20
4	1	.....	6	7	3	20	3	3	5	.....	2	10	1	.....	4	6	2	24	9	21
1	1	.....	3	13	2	8	4	8	9	1	2	10	3	.....	7	15	6	29	1	22
36	11	11	17	50	4	59	5	23	16	8	9	35	11	6	33	55	27	91	.....	23
13	3	1	4	16	.....	18	2	7	4	3	2	16	1	2	32	18	4	39	2	24
10	3	3	9	21	.....	11	2	7	1	2	1	10	.....	2	13	17	4	30	1	25
13	2	1	7	15	.....	14	3	6	9	5	1	10	2	.....	3	17	7	26	.....	26
152	32	36	101	237	16	295	22	88	59	39	27	150	23	23	115	152	48	484	23	27
145	31	35	96	221	15	276	22	85	59	38	27	145	20	22	110	149	47	470	22	28
7	1	1	5	16	1	19	.....	3	.....	1	.....	5	3	1	5	3	1	14	1	29
40	6	6	24	52	1	77	11	27	14	10	2	32	.....	4	46	36	8	130	18	30
112	26	30	77	185	15	218	11	61	45	29	25	118	23	19	69	116	40	354	5	31
149	43	49	169	335	65	274	47	259	29	27	16	184	11	16	242	195	22	600	20	32
149	43	49	169	334	65	274	47	259	29	27	16	184	11	16	241	195	21	598	20	33
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	2	.....	34
2	1	5	6	9	2	24	6	35	1	1	1	3	1	.....	21	11	2	24	2	35
25	5	1	27	77	8	31	7	5	3	4	4	36	2	4	12	23	1	115	4	36
13	5	2	12	27	1	24	1	22	3	.....	.....	19	.....	.....	6	22	1	43	1	37
16	4	2	17	18	1	13	2	3	2	.....	1	18	.....	2	14	7	4	36	1	38
10	2	1	9	12	2	7	1	6	1	.....	.....	14	.....	.....	8	7	4	45	3	39
47	16	33	64	111	42	125	17	153	13	13	5	51	7	3	135	70	8	220	7	40
23	4	5	22	46	8	38	12	26	4	7	3	24	.....	6	31	37	1	76	2	41
13	6	.....	12	35	1	12	1	9	2	2	2	19	1	1	15	18	1	41	.....	42
1,267	234	287	1,301	2,377	331	2,871	292	1,941	191	177	294	2,082	166	164	1,610	1,644	290	3,505	89	43
1,217	230	281	1,247	2,266	314	2,709	266	1,855	183	164	288	1,984	156	156	1,529	1,566	284	3,310	85	44
50	4	6	54	111	17	162	26	86	8	13	6	98	10	8	81	78	6	195	4	45
6	2	.....	13	20	4	8	3	6	1	.....	2	14	.....	.....	4	9	1	29	1	46
5	2	.....	13	16	3	7	2	3	1	.....	2	9	.....	.....	3	6	1	23	1	47
1	.....	.....	.....	4	1	1	1	3	.....	.....	.....	5	.....	.....	1	3	.....	6	.....	48
40	16	2	42	89	12	51	7	42	6	13	6	80	8	3	48	48	16	159	2	49
35	16	2	39	73	12	34	5	32	4	10	6	64	7	2	40	41	14	116	1	50
5	.....	.....	3	16	.....	17	2	10	2	3	.....	16	1	1	8	7	2	43	1	51
24	6	12	36	48	14	94	16	107	6	5	4	54	.....	7	74	63	12	101	3	52
6	2	3	16	12	2	16	1	8	.....	.....	3	11	.....	.....	6	11	2	25	1	53
14	1	3	24	34	3	12	3	14	1	2	1	24	.....	2	9	12	2	33	1	54
77	9	8	101	148	9	186	22	99	8	9	13	140	13	10	113	113	20	228	6	55
28	4	2	26	49	2	27	8	7	.....	1	6	38	.....	2	16	8	5	43	.....	56
57	12	12	64	101	9	138	25	112	7	6	13	61	9	14	89	99	16	169	8	57
4	2	1	4	7	2	19	1	25	.....	.....	.....	6	.....	1	15	6	1	15	2	58
14	1	.....	11	20	1	21	4	17	4	1	1	22	1	1	12	10	3	26	2	59
8	1	1	6	9	3	15	2	21	.....	.....	4	13	1	2	14	16	2	20	.....	60
59	14	22	57	112	29	139	18	62	6	4	22	103	5	4	53	74	20	133	1	61
12	.....	.....	15	24	4	7	2	7	1	.....	4	14	1	.....	8	4	4	15	.....	62
181	28	63	204	403	62	550	35	303	41	35	64	359	32	28	266	312	36	595	12	63
18	6	4	14	19	7	35	3	7	.....	1	3	16	1	2	15	10	2	57	1	64
22	3	3	21	20	2	24	4	14	2	5	2	24	1	2	8	23	1	63	.....	65
11	1	.....	6	20	1	12	4	9	1	.....	1	18	2	.....	13	7	1	26	.....	66

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
causes of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	NEW JERSEY—continued.														
1	Montclair (total)	314	3			1		7	1	5		24	2	2	2
2	White	270	3					6	1	4		17	2	2	2
3	Colored	44				1		1		1		7			
4	Morristown	293	4	1			3	5	7	5	1	21	5	5	2
5	New Brunswick	475	4				3	8	2	1		38	1	3	2
6	Newark	5,395	38	2		25	24	44	57	33	25	653	45	54	29
7	Orange	535	4	1		1	1	4	7	5	3	45	18	8	2
8	Passaic	830	4	1		12		4	14	4	1	62	11	10	8
9	Paterson	1,890	9	1		2	13	16	21	13	5	218	9	9	12
10	Perth Amboy	468	4	2		2	6	8	20	3	2	30	2	2	1
11	Phillipsburg	183		1		10		5	2	6		8	1	1	3
12	Plainfield	297	5				1	1	2	7		28	3	3	3
13	Trenton	1,843	44			31	7	21	27	11	5	192	17	15	11
14	Union	233	1					4	11	2	2	30	2	1	1
15	West Hoboken	404	1			3	7	9	12	4	3	49	3	2	3
16	West New York	176	1				2	2	4		1	20	1	1	2
17	West Orange	106	1					1	1			14			1
	NEW YORK.														
18	Registration cities (total)	108,488	1,011	40	5	809	1,026	607	1,766	604	414	11,607	1,091	658	516
19	White	105,442	991	38	5	801	1,021	589	1,744	592	405	10,948	1,056	618	510
20	Colored	3,046	20	2		8	5	18	22	12	9	659	35	40	6
21	Albany	2,063	19				1		25	26	8	242	19	11	7
22	Amsterdam	437	3				9	4	2	3	1	35	1	2	1
23	Auburn	633	2			2	2	5	5	2	2	38	3	7	1
24	Batavia	205	4			1	1	7	10	5		12		2	1
25	Binghamton	939	2	2		5	1	7	8	11	2	60	2	4	3
26	Buffalo	6,294	109	1		8	78	39	109	24	13	530	43	44	34
27	Cohoes	481	28			1	3	9	4	1		41	3	5	2
28	Corning	186	3			1		6				8			
29	Cortland	206	5			1	1	3	1	1		4	2	3	2
30	Dunkirk	268	3				11	6	4	4		18		3	1
31	Elmira	562	5			7	2	2	6	8		21	2	6	1
32	Fulton	173	4				1	4			1	7			
33	Geneva	161	4			1		1	1	5	1	12		2	1
34	Glens Falls	295	1			5	1	1	4	3		22	2	4	1
35	Gloversville	335	1					2		1	1	23	2	1	3
36	Hornell	213	2					5	7	3		10	1		2
37	Hudson	220							1			20	3		
38	Ithaca	285	4	1		3	1	1	1	6	2	14	1	2	1
39	Jamestown	414	13				1	5	2	2		25	2	1	1
40	Johnstown	152								4	2	21	1	1	2
41	Kingston	502	7	2		5				12	1	58	4	11	2
42	Lackawanna	380	1			3	1	3	10	1		14		2	
43	Little Falls	210	4			1	1		1	4	2	20	2	1	
44	Lockport	315	4					5	5	8		13	1	3	1
45	Middletown	388	9			1	1		2	3	2	39	2	6	2
46	Mount Vernon	416	6			2	3	1	8	5	1	21	4	7	1
47	New Rochelle	337	2			2	3		7	5	2	27	2		2
48	New York (total)	75,329	538	33	5	655	747	372	1,270	343	321	8,967	877	421	381
49	Bronx Borough	6,251	37	2	1	54	59	37	120	32	27	793	79	35	33
50	Brooklyn Borough	25,174	219	16	1	129	291	86	391	153	81	2,724	241	160	160
51	Manhattan Borough	38,236	246	12	2	436	354	204	673	127	201	4,859	514	199	162
52	Queens Borough	4,182	27	3	1	11	32	25	65	18	9	437	30	21	18
53	Richmond Borough	1,486	9			25	11	20	21	13	3	154	13	6	8
54	White	72,799	530	32	5	647	742	360	1,251	332	313	8,396	848	388	376
55	Bronx Borough	6,153	37	2	1	53	58	36	120	32	27	776	78	33	33
56	Brooklyn Borough	24,528	216	15	1	128	289	85	386	148	81	2,605	238	147	157
57	Manhattan Borough	36,588	241	12	2	431	352	196	660	121	193	4,451	492	182	160
58	Queens Borough	4,076	27	3	1	11	32	23	65	18	9	416	27	20	18
59	Richmond Borough	1,454	9			24	11	20	20	13	3	148	13	6	8
60	Colored	2,530	8	1		8	5	12	19	11	8	571	29	33	5
61	Bronx Borough	98				1	1	1				17	1	2	
62	Brooklyn Borough	646	3	1		1	2	1	5	5		119	3	13	3
63	Manhattan Borough	1,648	5			5	2	8	13	6	8	408	22	17	2
64	Queens Borough	106						2				21	3	1	
65	Richmond Borough	32				1			1			6			
66	[Hoffman Island[1]]	67				25	14		16			5			
67	[Swinburne Island[1]]	60	1		1	1	2					5	1	2	

[1] These deaths are chiefly of immigrants sent from quarantine who had not entered the United States; they are not included in any total.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
16	2	2	25	28	1	26	5	14	8	4	5	23	2	4	21	20	4	56	1	1
15	2	2	22	28	1	23	3	9	7	4	5	21	1	3	18	17	4	47	1	2
1	.....	.....	3	.....	.....	3	2	5	1	.....	.....	2	1	1	3	3	.....	9	.....	3
20	2	1	9	26	4	33	2	11	2	3	2	15	.....	6	29	23	.....	44	2	4
19	4	6	25	51	2	46	2	75	7	1	7	33	.....	.....	26	30	4	73	2	5
284	60	45	299	479	85	565	59	428	46	31	60	492	36	35	327	329	72	621	13	6
29	6	5	24	48	7	68	3	42	7	5	10	41	5	5	36	31	4	59	1	7
25	5	13	13	52	10	135	4	131	10	8	4	29	12	7	70	52	8	107	4	8
113	13	31	83	249	18	177	23	91	13	14	18	170	14	10	98	124	23	270	10	9
20	2	8	8	24	7	30	5	81	1	2	4	24	2	4	50	44	1	62	7	10
7	3	2	12	17	1	27	1	14	.....	1	1	11	1	.....	10	9	3	25	1	11
31	4	1	20	25	.....	20	.....	14	3	1	1	24	1	6	21	18	2	50	2	12
73	16	13	77	156	12	217	23	131	10	16	17	149	16	5	113	112	11	292	3	13
16	1	4	13	18	4	37	2	7	.....	2	5	20	.....	.....	6	9	4	30	1	14
18	6	12	16	34	8	46	3	23	.....	4	5	41	2	2	25	5	4	52	2	15
10	.....	5	8	23	6	23	2	10	.....	1	6	5	1	2	9	9	3	19	.....	16
5	2	3	9	12	.....	17	.....	9	.....	2	.....	8	.....	.....	6	4	3	8	.....	17
5,881	1,326	760	4,863	10,596	1,559	13,539	915	6,629	954	899	1,354	9,598	502	587	6,013	6,196	1,180	14,869	114	18
5,789	1,314	751	4,778	10,316	1,509	13,093	895	6,469	936	883	1,341	9,346	480	571	5,830	6,078	1,164	14,473	108	19
92	12	9	85	280	50	446	20	160	18	16	13	252	22	16	183	118	16	396	6	20
124	31	18	113	240	11	143	23	52	19	20	41	196	3	21	100	133	22	390	5	21
24	3	4	28	47	14	41	1	42	5	2	4	33	5	1	18	29	4	71	.....	22
38	9	3	54	85	8	52	4	62	5	9	5	41	3	4	38	19	12	113	.....	23
16	4	2	14	15	.....	15	3	10	2	1	.....	14	1	.....	6	23	1	35	.....	24
54	12	8	62	120	9	93	11	37	9	9	10	98	6	6	31	60	10	184	3	25
416	75	25	289	739	72	642	55	473	77	73	74	413	20	24	327	381	50	1,034	3	26
10	3	6	28	44	5	61	13	52	2	2	5	31	.....	1	27	19	5	70	.....	27
16	3	.....	11	17	.....	22	.....	6	3	1	3	20	1	3	14	13	3	31	1	28
15	1	.....	21	19	3	15	1	6	2	3	.....	24	1	3	12	10	4	42	1	29
8	2	3	8	23	3	21	1	7	2	4	1	22	1	3	27	22	.....	60	.....	30
40	3	1	31	80	3	46	3	16	9	4	5	84	4	2	18	37	15	101	.....	31
11	.....	4	11	24	4	11	1	13	1	2	1	7	.....	1	12	7	.....	45	1	32
13	2	5	14	14	3	23	1	3	2	2	1	13	.....	.....	7	8	1	21	.....	33
26	6	4	33	23	3	28	5	14	8	3	3	14	2	3	16	9	5	46	.....	34
20	8	5	23	47	4	33	3	11	3	5	4	18	1	2	11	22	5	76	.....	35
17	1	3	8	29	4	18	1	6	.....	3	.....	18	1	.....	5	10	2	57	.....	36
12	4	2	14	28	6	16	2	16	1	1	2	21	1	1	15	11	2	41	.....	37
23	2	3	38	31	2	19	7	3	6	1	4	35	1	2	8	16	4	42	1	38
31	5	9	26	36	7	27	5	21	9	3	5	29	.....	4	32	35	12	66	.....	39
13	3	2	11	14	1	12	1	3	1	1	1	13	.....	1	12	4	.....	28	.....	40
37	6	7	39	59	4	29	5	15	4	9	7	29	3	1	24	38	6	77	1	41
1	1	5	3	10	11	24	2	111	.....	1	1	35	.....	1	42	16	3	78	.....	42
4	1	2	10	23	.....	21	.....	16	3	5	5	11	2	2	20	25	3	21	.....	43
30	6	2	19	44	4	29	4	4	3	6	1	12	1	3	17	27	4	58	1	44
20	3	2	32	45	3	41	3	6	4	8	8	25	.....	.....	9	25	3	84	.....	45
19	9	1	29	40	4	39	5	27	3	4	8	32	3	3	39	27	4	60	1	46
16	3	1	18	29	3	27	4	26	3	4	3	30	1	.....	20	23	4	70	.....	47
3,927	924	474	2,809	6,946	1,141	10,390	593	4,590	615	549	969	7,079	375	404	4,305	4,177	833	9,228	71	48
369	107	45	271	649	61	743	28	352	45	57	74	575	40	47	389	334	67	681	8	49
1,291	273	123	1,046	2,752	583	3,503	209	1,685	218	161	327	2,337	127	142	1,122	1,225	252	3,138	8	50
1,960	464	264	1,224	3,047	431	5,494	303	2,166	294	287	461	3,544	177	176	2,456	2,320	443	4,679	47	51
217	60	27	210	391	61	472	42	299	44	34	79	426	18	32	265	217	61	526	4	52
90	20	15	58	107	5	178	11	88	14	10	28	197	13	7	63	81	10	204	4	53
3,852	915	467	2,751	6,726	1,099	10,002	577	4,456	603	537	961	6,864	356	392	4,144	4,081	819	8,911	66	54
365	107	45	270	636	61	724	27	346	45	57	74	562	40	46	386	329	67	672	8	55
1,270	271	122	1,022	2,687	563	3,419	204	1,644	212	156	326	2,284	125	137	1,084	1,199	251	3,048	8	56
1,914	458	259	1,193	2,918	411	5,229	294	2,094	288	282	454	3,407	163	171	2,357	2,256	430	4,475	42	57
214	60	26	208	383	59	460	41	284	44	32	79	416	18	31	255	217	61	514	4	58
89	19	15	58	102	5	170	11	88	14	10	28	195	10	7	62	80	10	202	4	59
75	9	7	58	220	42	388	16	134	12	12	8	215	19	12	161	96	14	317	5	60
4	.....	.....	1	13	.....	19	1	6	.....	.....	.....	13	.....	1	3	5	.....	9	.....	61
21	2	1	24	65	20	84	5	41	6	5	1	53	2	5	38	26	1	90	.....	62
46	6	5	31	129	20	265	9	72	6	5	7	137	14	5	109	64	13	204	5	63
3	.....	1	2	8	2	12	1	15	.....	2	.....	10	.....	1	10	.....	.....	12	.....	64
1	1	.....	.....	5	.....	8	.....	.....	.....	.....	.....	2	3	.....	1	1	.....	2	.....	65
.....	.....	1	.....	1	.....	1	.....	3	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	66
1	.....	26	.....	.....	.....	6	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	13	.....	67

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
causes of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Continued.														
	NEW YORK—continued.														
1	Newburgh	549	12	1		3	5	3	9	4		43	2	2	1
2	Niagara Falls	590	61			7	3	11	8	2	4	28	2	6	4
3	North Tonawanda	156	12				1	3	2	1	1	12		2	1
4	Ogdensburg	399	5						12	6		46	2	4	
5	Olean	209	2			1			3	2		9	2		
6	Ossining	193	1				1	2	3	2		12		2	3
7	Oswego	359	3			4			5	2		26	4	1	
8	Peekskill	259	3			1		5	1	2	4	30	3	3	2
9	Plattsburg	182					2		1	2		17	2	4	2
10	Port Chester	204	3			4	2		3	4		13	2	1	
11	Poughkeepsie	562	4			5	3	4	2	6	1	41	3	1	2
12	Rensselaer	149	2					1	4	2	1	6			
13	Rochester	3,271	24			13	50	20	93	13	13	253	22	24	10
14	Rome	493	1			13	2		16	4	1	68	2	2	1
15	Saratoga Springs	270	6							6		33	3	2	1
16	Schenectady	946	4			1	3	9	7	14	1	69	7	6	6
17	Syracuse	2,027	23			16	37	17	36	6	6	136	16	9	5
18	Troy	1,621	21			2	23	17	14	15	5	179	4	8	13
19	Utica	1,442	9			28	1	4	24	8	6	96	15	17	3
20	Watertown	451	9				2	1		2	4	29	1	5	2
21	Watervliet	263	11				3	4	4	7		23	1	1	
22	White Plains	290	4				1	7	8	1		18	5	3	2
23	Yonkers	1,204	8			7	18	11	18	3	5	98	14	6	5
	NORTH CAROLINA.														
24	Registration cities (total)	3,246	100	32	3	20	3	97	18	51	4	433	17	30	14
25	White	1,585	65	15	3	13	2	25	11	28	3	215	10	11	8
26	Colored	1,661	35	17		7	1	72	7	23	1	218	7	19	6
27	Asheville (total)	338	4			2			1	11		117	6	3	
28	White	233	3			2				7		95	4	3	
29	Colored	105	1						1	4		22	2		
30	Charlotte (total)	517	16	4			1	9	3	22		47	3	6	5
31	White	273	12	1			1	5	3	11		14	3		3
32	Colored	244	4	3				4		11		33		6	2
33	Durham (total)	351	10	4	1		1	4	3	4		58	1	7	2
34	White	155	5	3	1			1	2	2		25		3	
35	Colored	196	5	1			1	3	1	2		33	1	4	2
36	Greensboro (total)	297	10	1		1				3	1	44	1	1	3
37	White	157	8							2	1	24	1		3
38	Colored	140	2	1		1				1		20		1	
39	Raleigh (total)	606	11	8	2	6		15	4	2	1	49	2	6	3
40	White	328	8	5	2	3		3	3	2		23	1	3	2
41	Colored	278	3	3		3		12	1		1	26	1	3	1
42	Wilmington (total)	778	33	15		11	1	63	5	7	2	56	3	5	
43	White	306	20	6		8	1	11	3	2	2	19		1	
44	Colored	472	13	9		3		52	2	5		37	3	4	
45	Winston (total)	359	16					6	2	2		62	1	2	1
46	White	133	9					5		2		15	1	1	
47	Colored	226	7					1	2			47		1	1
	OHIO.														
48	Registration cities (total)	31,293	506	18	3	124	364	277	432	311	88	3,283	209	318	157
49	White	29,713	486	17	3	121	363	254	421	302	85	2,916	192	298	150
50	Colored	1,580	20	1		3	1	23	11	9	3	367	17	20	7
51	Akron	958	31	1		1	27	15	32	4	5	67	7	7	2
52	Alliance	163	6			2	1	1	2	2		12	1	2	1
53	Ashtabula	242	1					2	5	1		16	1	1	
54	Bellaire	165	3				1	2	6	1		11	2	2	
55	Cambridge	132	3	2				1		2		12	2	3	
56	Canton	569	7			1		1	9	5		60	3	5	3
57	Chillicothe	229	6			2	2		5	1	2	30	3	5	
58	Cincinnati (total)	6,225	43	2	1	13	79	19	46	55	16	896	43	64	21
59	White	5,627	41	2	1	12	78	16	44	53	15	736	35	57	17
60	Colored	598	2			1	1	3	2	2	1	160	8	7	4
61	Cleveland	7,999	82	3		40	191	85	129	62	28	751	46	57	57
62	Columbus (total)	2,671	26	2		21	8	22	24	27	4	298	19	39	9
63	White	2,415	25	2		21	8	16	21	26	4	250	18	34	8
64	Colored	256	1					6	3	1		48	1	5	1
65	Dayton	1,624	22			1	1	11	11	17	4	170	12	20	12
66	East Liverpool	309	20	1	1	3	1	3	6	1	3	32	3	6	2
67	Elyria	163	3								2	9	1	1	2
68	Findlay	229	8	1		2	1	2	1	4		22		3	2
69	Hamilton	468	7				2	13	4	5	3	51	9	4	4
70	Ironton	230	13			1	1	4	3	3		26	1	1	

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
37	1	12	40	72	7	60	7	17	5	3	7	44	2	2	26	36	5	81	.....	1
22	3	10	18	32	3	51	2	72	4	6	5	26	4	4	43	44	11	87	7	2
12	1	1	4	15	1	18	2	13	.....	2	.....	5	.....	2	7	8	.....	30	.....	3
25	2	6	27	28	1	51	5	12	5	1	3	23	2	1	18	16	.....	98	.....	4
7	2	4	17	24	1	29	3	12	4	3	2	11	1	2	13	18	2	35	.....	5
6	2	2	8	14	.....	24	.....	7	1	3	1	25	1	3	9	25	2	34	.....	6
23	10	3	38	45	3	19	6	7	1	1	5	27	2	3	27	27	3	64	.....	7
12	1	3	19	19	7	23	2	12	3	3	4	16	1	3	15	20	1	41	.....	8
8	6	3	15	19	4	12	1	5	4	3	1	9	1	1	15	12	2	29	2	9
9	2	2	10	14	9	21	1	24	.....	1	1	13	1	1	15	17	3	26	2	10
31	12	2	51	61	11	69	6	29	9	2	6	41	5	3	34	24	3	91	.....	11
9	3	1	13	17	1	15	5	6	.....	3	2	8	.....	2	8	6	1	33	.....	12
210	48	13	247	386	54	264	34	211	32	33	44	267	20	17	51	198	54	553	.....	13
21	6	5	23	58	9	33	2	20	3	3	5	48	.....	2	15	34	4	89	3	14
15	5	1	20	17	3	36	2	4	8	3	4	39	1	.....	7	12	2	40	.....	15
43	10	7	71	95	13	124	11	69	5	8	10	66	4	4	62	51	11	154	1	16
117	26	19	136	238	39	170	15	113	20	22	17	138	3	7	138	127	29	344	2	17
110	22	25	94	187	16	182	16	63	12	19	32	134	6	12	75	81	9	222	3	18
62	16	19	93	146	18	159	19	75	17	20	15	102	3	9	111	68	7	269	3	19
33	3	5	29	65	5	29	2	21	7	9	4	19	1	2	20	30	5	107	.....	20
12	5	4	22	24	7	45	5	14	1	.....	2	15	.....	1	11	10	.....	30	1	21
14	1	2	12	26	3	28	4	24	5	3	.....	17	2	3	19	32	3	43	.....	22
62	9	10	60	123	12	139	8	151	7	13	13	108	6	7	62	74	6	140	1	23
87	8	28	115	262	40	281	26	233	33	21	10	176	15	21	151	177	11	637	92	24
62	4	15	64	107	13	93	15	114	24	14	7	83	3	9	79	87	11	352	20	25
25	4	13	51	155	27	188	11	119	9	7	3	93	12	12	72	90	.....	285	72	26
13	.....	2	10	17	7	28	3	15	5	1	.....	16	1	1	6	13	1	47	8	27
10	.....	2	9	11	3	9	1	7	4	1	.....	9	.....	.....	6	10	1	34	2	28
3	.....	.....	1	6	4	19	2	8	1	.....	.....	7	1	1	.....	3	.....	13	6	29
13	1	3	11	42	10	46	4	30	5	1	1	25	.....	2	25	30	3	128	21	30
13	1	1	9	17	1	16	3	24	4	1	1	12	.....	.....	23	14	3	74	3	31
.....	.....	2	2	25	9	30	1	6	1	.....	.....	13	.....	2	2	16	.....	54	18	32
11	1	3	9	25	2	34	2	20	1	.....	.....	16	5	3	13	10	2	82	17	33
8	1	3	8	11	.....	9	1	13	.....	.....	.....	8	.....	1	6	4	2	36	2	34
3	.....	.....	1	14	2	25	1	7	1	.....	.....	8	5	2	7	6	.....	46	15	35
18	1	5	8	23	1	19	1	16	4	7	3	23	1	1	18	12	1	58	12	36
12	1	3	4	7	1	8	1	6	3	5	3	12	1	1	8	7	1	31	3	37
6	.....	2	4	16	.....	11	.....	10	1	2	.....	11	.....	.....	10	5	.....	27	9	38
9	3	4	28	56	11	35	6	44	8	6	3	36	5	6	27	46	2	153	9	39
6	.....	3	21	28	5	17	4	16	5	3	2	24	1	4	14	23	2	94	1	40
3	3	1	7	28	6	18	2	28	3	3	1	12	4	2	13	23	.....	59	8	41
16	.....	5	43	67	6	71	6	77	7	6	3	45	3	5	41	49	1	120	6	42
9	.....	1	11	23	3	22	5	32	6	4	1	14	1	3	14	18	1	63	2	43
7	.....	4	32	44	3	49	1	45	1	2	2	31	2	2	27	31	.....	57	4	44
7	2	6	6	32	3	48	4	31	3	.....	.....	15	.....	3	21	17	1	49	19	45
4	1	2	2	10	.....	12	.....	16	2	.....	.....	4	.....	.....	8	11	1	20	7	46
3	1	4	4	22	3	36	4	15	1	.....	.....	11	.....	3	13	6	.....	29	12	47
1,767	317	252	1,739	3,065	548	2,484	215	1,801	315	266	373	1,999	199	172	1,609	2,293	449	5,278	62	48
1,719	307	240	1,671	2,868	517	2,331	209	1,752	307	259	362	1,921	193	165	1,558	2,178	432	5,061	55	49
48	10	12	68	197	31	153	6	49	8	7	11	78	6	7	51	115	17	217	7	50
45	10	7	42	84	10	89	6	59	13	4	2	52	19	7	64	78	11	156	1	51
9	2	1	13	13	.....	14	.....	2	1	2	2	9	.....	.....	11	17	3	32	2	52
16	3	6	11	26	1	22	1	13	3	4	3	6	4	1	13	36	1	45	.....	53
10	1	3	11	26	1	20	.....	9	1	.....	.....	2	.....	.....	11	16	3	23	.....	54
6	3	.....	8	7	.....	7	2	7	4	3	2	11	1	2	9	7	3	25	.....	55
32	7	5	49	61	2	50	7	35	4	7	2	21	4	4	28	49	10	98	.....	56
13	2	1	14	30	3	11	2	5	4	1	.....	24	2	2	10	14	2	33	.....	57
370	56	40	321	702	141	476	39	243	49	54	101	548	32	25	230	427	77	986	10	58
350	53	38	302	622	122	421	37	222	47	53	99	511	32	23	212	379	74	914	9	59
20	3	2	19	80	19	55	2	21	2	1	2	37	.....	2	18	48	3	72	1	60
425	82	51	373	685	221	556	56	772	76	61	93	542	46	28	417	531	118	1,324	11	61
163	29	35	175	274	22	227	16	70	31	23	30	146	26	17	138	187	45	508	10	62
158	28	29	161	234	21	205	16	62	30	21	26	139	24	15	127	165	39	474	8	63
5	1	6	14	40	1	22	.....	8	1	2	4	7	2	2	11	22	6	34	2	64
111	16	15	100	199	15	144	7	66	19	16	27	84	9	16	97	99	33	270	.....	65
14	3	7	3	27	2	28	4	17	2	2	4	11	2	3	16	25	2	53	2	66
9	2	2	8	34	2	13	1	6	4	.....	2	5	1	2	9	18	3	23	1	67
25	4	4	19	20	1	14	6	4	1	4	3	7	.....	.....	11	15	2	43	.....	68
29	3	10	24	37	2	29	2	17	2	4	7	41	3	5	31	40	5	74	1	69
11	2	2	12	22	1	34	1	9	4	1	2	8	1	1	13	14	2	36	1	70

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
causes of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	OHIO—continued.														
1	Lakewood	190				3	4	6	1	2		16	2	1	2
2	Lancaster	149				1			1	2		19	1	1	
3	Lima	388	8				1	6	2	5	1	47	3	8	1
4	Lorain	337	11			2	6	4	7	4		17	2	6	2
5	Mansfield	258	7	1			1	2	1	3	1	20	1	3	2
6	Marietta	187	6				6	4	2	10		12	1	1	1
7	Marion	230	3	1			1	1	2	7	1	18	1	5	1
8	Massillon	137	1			1	1	1	2	3		6		2	
9	Middletown	175	3			2	1	6	1	4	2	10	3	5	1
10	Newark	311	7	1		4		2	8	12	1	18	1	4	2
11	Norwood	157	1				2	2	1			19		1	2
12	Piqua	165	2			3		2		2		20		2	1
13	Portsmouth	404	19			8		10	11	6		45	9	7	1
14	Sandusky	289	14					4	1	1		23	2	2	4
15	Springfield (total)	620	9		1		7	2	11	11	1	63	4	5	
16	White	541	8		1		7	2	11	11	1	46	3	3	
17	Colored	79	1									17	1	2	
18	Steubenville	325	9				3		7	2	1	25	2	1	
19	Tiffin	157		1		1	1			8		17			3
20	Toledo	2,578	40	1			9	26	43	25	8	286	13	24	10
21	Warren	150	3	1			2	2				12	2		
22	Youngstown	1,206	37			6	4	16	40	8	5	85	8	12	6
23	Zanesville	504	45			6			8	6		42	1	8	3
	OREGON.[1]														
24	Portland (total)	2,390	42			19	13	6	27	19	7	187	19	29	7
25	White	2,300	39			19	13	6	27	19	7	162	17	27	6
26	Colored[2]	90	3									25	2	2	1
	PENNSYLVANIA.														
27	Registration cities (total)	57,909	891	16	4	473	424	380	1,127	417	139	5,262	392	447	286
28	White	54,769	859	15	4	452	421	344	1,112	402	135	4,698	356	402	276
29	Colored	3,140	32	1		21	3	36	15	15	4	564	36	45	10
30	Allentown	824	25				3	3	25	3	1	63	6	9	10
31	Altoona	621	15			3		4	4	7	2	44	3	5	3
32	Beaver Falls	166	9			6		3	5			10	2	1	1
33	Bethlehem	181	11					1		1		12	1		
34	Braddock	352	2			15	1	1	9	3		21	1	1	1
35	Bradford	212	3									14		2	1
36	Butler	241	8					3	6	1		20	2	4	
37	Carbondale	294	4				4		1	7	1	12	1	1	2
38	Carlisle (total)	171	1							3		16	1	2	1
39	White	143	1							3		12	1	2	1
40	Colored	28										4			
41	Carnegie	92					2	1	1	1		6	1	1	1
42	Chambersburg	195	3					1	1	4	1	20	1	2	
43	Chester (total)	603	7			1		1	6	6	2	83	2	5	
44	White	511	4			1		1	5	4	1	77	1	5	
45	Colored	92	3						1	2	1	6	1		
46	Coatesville (total)	127							3	1		18		3	
47	White	104							3	1		14		3	
48	Colored	23										4			
49	Columbia	144	2						4		1	10	3	4	
50	Connellsville	189	7					1	3	2	1	8	5	1	
51	Dubois	133	6			1			2			9		1	
52	Dunmore	319				6	2		8	2	2	15	1	1	
53	Duquesne	181	1			1		6	4		1	18			
54	Easton	486	10			10	1	2	6	2	2	29	2	7	5
55	Erie	1,102	130				2	5	11	8	4	81	8	4	2
56	Greensburg	208	12					1		1	1	9	5	1	
57	Harrisburg	990	11			1	3	4	18	11	1	86	5	7	6
58	Hazleton	337	1			1		2	7			16	1	2	3
59	Homestead	230				9		6	19	2		19	2	2	
60	Johnstown	830	14	1		6	13	17	13	1	2	65	9	10	2
61	Lancaster	694	9			1	3	2	26	7	2	57	6	8	3
62	Lebanon	307	5			4			17	3		18	1	2	
63	McKees Rocks	165	1					2	2	2	1	8	1	1	
64	McKeesport	634	14			3		4	5	2		40	3	5	4
65	Mahanoy City	278	1			8	8	8	12	2	3	8			3
66	Meadville	174	7					3		2	1	11	2	1	
67	Monessen	139	1			6		2	7			7			
68	Mount Carmel	191	1		1		4	5	3			4		1	2

[1] Nonregistration state; cities shown below only those with effective local ordinances.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20,21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other causes. (37)	Ill-defined and unknown. 38	
11	2	1	12	20	2	13	3	13	.....	1	.....	11	1	1	15	17	2	28	.....	1
12	5	.....	15	15	2	10	2	5	1	1	4	7	.....	.....	10	6	3	24	2	2
24	4	5	19	32	4	21	4	15	7	6	4	21	5	4	22	35	5	68	1	3
16	2	2	11	17	1	30	1	43	6	1	1	16	2	2	27	38	5	55	.....	4
18	2	1	28	30	4	21	2	8	1	5	3	19	.....	.....	13	21	4	36	.....	5
15	.....	4	17	19	2	8	.....	7	2	2	.....	11	2	1	11	12	2	29	.....	6
8	4	2	14	26	2	14	2	8	3	4	.....	15	1	2	15	20	2	46	1	7
12	3	.....	8	18	4	9	.....	1	1	1	2	12	.....	1	12	10	2	23	1	8
6	1	3	7	9	1	18	1	17	.....	.....	1	14	1	.....	17	16	2	23	.....	9
14	1	3	31	28	10	9	4	10	3	4	2	19	2	5	19	19	8	56	4	10
15	4	.....	14	19	1	9	1	9	1	.....	2	15	.....	.....	13	5	3	18	.....	11
17	1	1	17	19	1	9	2	7	1	1	.....	12	.....	1	11	8	2	23	.....	12
17	2	5	18	46	7	28	2	23	2	2	2	13	1	3	24	29	4	60	.....	13
20	2	1	22	50	4	14	3	3	1	3	5	15	1	1	14	31	2	45	1	14
22	8	7	58	76	7	49	4	29	6	6	5	40	5	3	35	32	8	103	3	15
22	7	7	54	67	6	40	4	25	6	6	3	36	3	3	34	28	6	89	2	16
.....	1	.....	4	9	1	9	.....	4	.....	.....	2	4	2	.....	1	4	2	14	1	17
15	3	3	11	15	3	44	2	23	2	4	3	15	3	2	28	38	9	51	1	18
11	3	.....	13	28	4	15	.....	5	3	1	2	4	.....	.....	6	5	.....	26	.....	19
153	33	11	151	217	41	197	23	118	30	26	30	154	14	12	116	178	43	546	.....	20
10	.....	1	7	15	2	18	2	4	6	1	1	10	2	3	7	7	1	30	1	21
37	9	11	53	74	19	190	2	101	10	7	23	32	7	12	62	149	17	160	4	22
26	3	2	30	45	3	24	5	18	11	4	3	27	2	6	24	44	5	99	4	23
167	34	18	132	260	21	169	33	62	34	32	20	132	11	22	159	182	76	447	4	24
165	32	18	132	249	20	164	33	62	32	32	19	124	11	22	155	180	73	431	4	25
2	2	.....	.....	11	1	5	.....	.....	2	.....	1	8	.....	.....	4	2	3	16	.....	26
2,845	602	338	2,818	5,344	943	6,005	775	4,428	492	504	620	4,413	338	361	3,404	3,955	582	8,584	300	27
2,753	593	327	2,742	5,036	878	5,614	723	4,214	475	478	602	4,168	322	344	3,219	3,778	575	8,166	286	28
92	9	11	76	308	65	391	52	214	17	26	18	245	16	17	185	177	7	418	14	29
38	13	9	82	56	6	62	4	60	9	6	7	61	3	1	78	45	3	115	18	30
29	12	2	35	60	1	69	12	20	6	4	8	51	6	5	50	43	3	114	1	31
4	.....	.....	5	10	1	13	.....	11	.....	.....	6	9	2	3	16	20	.....	26	3	32
6	2	1	21	16	5	10	2	12	1	.....	3	16	1	.....	11	5	5	38	.....	33
7	2	2	6	13	4	76	3	61	.....	3	2	14	7	4	28	27	2	36	.....	34
16	6	2	17	27	.....	21	2	5	1	1	4	15	1	.....	8	19	5	42	.....	35
9	2	2	7	18	2	22	4	20	3	4	1	21	3	2	18	19	1	34	5	36
9	3	1	23	17	6	49	9	18	2	4	7	16	2	6	16	36	2	34	1	37
14	1	4	14	16	2	16	4	8	.....	2	1	16	1	.....	5	7	1	34	1	38
12	1	4	13	11	2	13	4	6	.....	1	1	13	1	.....	5	5	1	29	1	39
2	.....	.....	1	5	.....	3	.....	2	.....	1	.....	3	.....	.....	.....	2	.....	5	.....	40
.....	4	1	3	6	.....	10	.....	18	.....	.....	2	5	.....	.....	14	5	.....	10	.....	41
16	1	.....	12	20	.....	20	4	4	1	1	.....	20	.....	1	10	6	2	42	2	42
28	6	3	24	64	9	72	6	47	4	3	4	33	1	5	46	36	5	89	5	43
25	6	3	22	48	7	57	5	42	4	3	4	29	1	4	39	32	5	71	5	44
3	.....	.....	2	16	2	15	1	5	.....	.....	.....	4	.....	1	7	4	.....	18	.....	45
5	2	.....	3	20	1	6	2	11	.....	.....	.....	12	.....	1	14	8	.....	17	.....	46
4	2	.....	3	12	1	6	2	10	.....	.....	.....	11	.....	1	11	7	.....	13	.....	47
1	.....	.....	.....	8	.....	.....	.....	1	.....	.....	.....	1	.....	.....	3	1	.....	4	.....	48
9	1	1	5	20	2	13	1	1	1	2	2	9	2	.....	17	10	.....	22	2	49
11	1	1	6	7	2	12	1	3	4	1	3	9	2	1	19	42	4	28	4	50
5	1	1	5	9	1	11	2	8	1	2	1	5	2	1	14	14	1	30	.....	51
13	2	1	14	18	14	47	3	45	1	1	1	14	.....	1	25	16	3	62	1	52
7	1	1	3	7	2	30	3	29	.....	1	2	5	.....	1	23	11	.....	22	2	53
29	6	3	46	49	6	44	5	18	9	3	2	34	5	3	27	49	12	58	2	54
64	14	8	56	112	11	91	7	86	13	12	19	63	4	6	61	59	8	152	1	55
9	1	2	11	8	2	20	1	2	7	4	1	7	1	3	10	46	3	29	11	56
55	11	6	62	106	10	76	17	41	8	10	11	80	4	5	70	77	12	169	7	57
20	3	1	17	25	12	29	6	24	7	5	2	26	2	4	25	34	2	60	.....	58
2	.....	2	1	11	4	26	4	44	1	.....	3	10	2	1	16	6	2	32	4	59
34	6	2	26	42	4	108	10	78	7	6	9	36	3	3	70	73	4	146	10	60
44	9	8	57	91	8	40	4	24	3	6	3	66	5	3	36	37	6	119	1	61
17	2	1	32	20	3	18	7	12	2	4	1	20	.....	1	19	22	3	63	10	62
4	1	3	3	7	2	27	.....	32	.....	1	3	1	1	1	21	13	.....	25	2	63
27	5	2	22	35	14	85	5	58	6	15	7	32	5	3	49	69	10	102	3	64
8	.....	1	5	11	6	36	18	32	1	1	1	6	2	2	18	15	.....	57	5	65
8	2	.....	14	24	.....	15	2	5	3	2	1	8	.....	1	10	12	4	36	.....	66
.....	.....	1	3	9	4	14	2	33	.....	.....	.....	3	.....	.....	13	11	.....	14	9	67
6	.....	1	7	12	.....	20	5	27	1	4	1	10	2	4	13	22	3	29	3	68

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed
causes of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	REGISTRATION CITIES—Continued.														
	PENNSYLVANIA—continued.														
1	Nanticoke	286	1			1	1	1	8		1	15	1	1	1
2	New Castle	534	18			1	5	15	24	4		30		6	5
3	Norristown	624	11			2	4	4	9	12	2	59	1	3	4
4	North Braddock	142	3			4	2	1	5			16	2	1	1
5	Oil City	213	3					6	1			9		2	
6	Old Forge	167	1			1	3		8			8	2	1	1
7	Philadelphia (total)	26,276	230	11	2	289	195	109	491	183	62	3,058	221	184	127
8	White	24,251	218	10	2	274	192	93	480	173	59	2,642	199	160	122
9	Colored	2,025	12	1		15	3	16	11	10	3	416	22	24	5
10	Phoenixville	192	4			1	1	1	5			15	1	3	2
11	Pittsburgh (total)	8,099	139			51	58	102	127	64	25	575	49	86	36
12	White	7,656	133			46	58	89	126	63	25	513	42	76	34
13	Colored	443	6			5		13	1	1		62	7	10	2
14	Pittston	280	1			3	1		14	5		9		1	3
15	Plymouth	252	2	1		2		3	10	2	1	14	1	2	6
16	Pottstown	211	2				2	3	2	1	1	18		4	1
17	Pottsville	387	4				7		19	1	1	25	4	4	
18	Reading	1,408	23			14	15	8	38	8	1	101	7	12	7
19	Scranton	1,974	19			3	9	6	17	15	3	133	10	7	13
20	Shamokin	251	8			7			9		1	15	1		2
21	Sharon	190	3				6	2	3	2		12		2	1
22	Shenandoah	506	1	1			58	2	29	1	1	17			4
23	South Bethlehem	308	8			2	1	1	8	1	2	23			2
24	South Sharon	112	2				1	1	2			7	1	1	
25	Steelton	188					2	2	24	1		19			1
26	Sunbury	181	4			1	1	1	3	1		16		1	
27	Uniontown	217	20			3	1	1	2		1	11	2	1	
28	Warren	102	2						3	3		3	1		
29	Washington	260	13				1	8	4	4	1	22		3	1
30	West Chester (total)	237	6			1		2	2	2		12	1	3	2
31	White	192	3			1		2	2	2		10	1	2	2
32	Colored	45	3									2		1	
33	Wilkes-Barre	1,072	8	1		3	2	6	14	8	2	58	3	5	7
34	Wilkinsburg	252	8				1		1	5		16	3	3	2
35	Williamsport	519	15	1		2	1		3	6	1	35	3	5	3
36	York	659	11		1			7	14	4	4	54	3	12	4
	RHODE ISLAND.														
37	Registration cities (total)	7,052	48	3		13	42	95	118	39	13	701	59	60	29
38	White	6,832	47	3		13	41	85	118	39	13	654	58	54	28
39	Colored	220	1				1	10				47	1	6	1
40	Central Falls	328	2	1		1	1	5	3	1	1	30	2	3	1
41	Cranston	220	1				1	1	2	1	2	12	3	1	2
42	State institutions	317	3								2	74		5	2
43	Cumberland town	138	1	1				3	1	1		13	2	1	
44	East Providence town	206	1				1	6	5	2		18	2	4	2
45	Newport	364	4					2	2	4		26	3	5	
46	Pawtucket	830	2				3	13	20	11		69	9	7	7
47	Providence	3,599	28	1		10	31	45	57	17	4	304	22	29	10
48	Warwick town	475	2			1	4	7	3	2	2	104	4	3	5
49	Woonsocket	575	4			1	1	13	25		2	51	12	2	
	SOUTH CAROLINA.[1]														
50	Charleston (total)	1,770	24	19				10	5	16	3	185	1	4	1
51	White	518	10	5				1	4	4	1	35	1	1	1
52	Colored	1,252	14	14				9	1	12	2	150		3	
	TENNESSEE.[1]														
53	Registration cities (total)	5,787	164	127	1	104	7	64	35	80	14	597	28	57	18
54	White	2,963	94	31		72	6	35	24	26	9	247	16	29	9
55	Colored	2,824	70	96	1	32	1	29	11	54	5	350	12	28	9
56	Knoxville (total)	666	17			8		6	4	5	2	78	5	9	1
57	White	440	13			6		4	3	3	2	43	3	6	1
58	Colored	226	4			2		2	1	2		35	2	3	
59	Memphis (total)	2,836	87	112	1	37	3	21	22	35	6	293	8	20	4
60	White	1,330	43	26		23	3	10	13	3	3	103	6	8	2
61	Colored	1,506	44	86	1	14		11	9	32	3	190	2	12	2
62	Nashville (total)	2,285	60	15		59	4	37	9	40	6	226	15	28	13
63	White	1,193	38	5		43	3	21	8	20	4	101	7	15	6
64	Colored	1,092	22	10		16	1	16	1	20	2	125	8	13	7

[1] Nonregistration state; cities shown below only those with effective local ordinances.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
12	2	1	9	8	10	46	4	39	3	4	2	20	.....	2	21	37	.....	33	2	1
28	4	6	25	31	6	54	5	18	9	8	2	18	6	5	40	34	5	99	23	2
25	4	7	26	73	5	74	4	17	5	4	4	51	3	2	21	35	2	151	.....	3
1	.....	2	5	3	3	26	1	19	.....	1	1	6	2	.....	9	13	2	12	1	4
14	5	12	13	18	1	19	1	8	3	4	3	16	.....	1	14	13	.....	43	4	5
6	.....	3	3	11	.....	26	4	17	.....	.....	.....	6	2	1	15	22	1	24	1	6
1,379	282	102	1,155	2,862	414	2,512	348	1,864	199	218	264	2,599	128	147	1,274	1,410	275	3,635	47	7
1,315	277	95	1,113	2,677	368	2,272	311	1,707	186	198	252	2,427	116	135	1,167	1,318	271	3,380	42	8
64	5	7	42	185	46	240	37	157	13	20	12	172	12	12	107	92	4	255	5	9
8	2	4	9	20	2	17	3	14	1	4	1	7	.....	2	16	13	4	32	.....	10
371	51	52	332	641	197	1,124	125	707	73	57	131	400	56	48	548	578	103	1,175	18	11
361	51	50	318	608	190	1,047	118	677	71	55	128	371	56	46	523	543	100	1,121	17	12
10	.....	2	14	33	7	77	7	30	2	2	3	29	.....	2	25	35	3	54	1	13
7	1	3	6	11	9	42	3	19	2	2	2	10	1	.....	20	57	2	36	10	14
9	.....	2	8	13	3	21	7	52	.....	1	4	4	3	3	23	20	.....	32	3	15
12	2	.....	23	22	3	28	1	7	1	3	2	9	.....	1	20	9	1	32	1	16
11	2	2	30	37	1	31	2	28	9	5	8	38	8	5	15	29	1	60	.....	17
77	33	13	122	125	19	75	17	93	12	18	14	88	7	10	82	85	28	222	34	18
94	33	15	113	125	48	267	25	231	19	22	24	99	19	14	42	236	12	298	3	19
5	5	3	15	27	2	24	6	13	.....	1	3	12	2	1	18	14	2	50	5	20
7	.....	2	11	15	4	20	4	7	3	2	.....	8	1	1	17	23	3	29	2	21
8	5	5	18	9	11	44	11	78	.....	5	3	12	3	1	44	54	3	68	10	22
8	6	3	12	16	2	19	4	63	.....	.....	3	15	.....	3	37	12	3	53	1	23
7	.....	2	2	2	4	12	1	18	.....	.....	1	6	.....	1	14	5	2	18	2	24
4	1	1	6	18	.....	15	2	31	.....	2	2	2	.....	.....	27	8	1	19	.....	25
6	2	2	20	21	2	5	2	10	4	3	.....	14	2	2	12	12	1	33	.....	26
2	.....	2	2	13	1	20	3	8	5	3	2	13	2	7	19	39	3	30	1	27
7	3	2	5	14	1	3	3	2	.....	.....	2	4	1	.....	7	8	1	26	1	28
25	5	1	5	18	3	27	1	10	3	1	.....	12	2	1	16	24	3	45	1	29
19	2	1	16	24	2	16	4	4	3	4	.....	22	3	2	14	23	4	42	1	30
16	2	1	14	21	2	11	3	4	3	4	.....	19	1	2	9	20	4	31	.....	31
3	.....	.....	2	3	.....	5	1	.....	.....	.....	.....	3	2	.....	5	3	.....	11	1	32
44	10	8	53	68	24	108	18	91	22	13	9	82	10	10	63	143	3	165	11	33
27	4	3	20	27	1	26	2	9	1	.....	3	11	2	4	16	15	4	35	3	34
27	5	2	48	49	9	53	5	17	9	6	4	38	5	6	24	36	3	96	2	35
42	13	4	59	57	12	43	4	37	4	5	8	58	1	9	46	34	4	105	.....	36
395	98	63	407	709	121	682	67	393	67	63	66	564	22	50	410	393	53	1,164	45	37
382	97	62	400	686	118	661	64	390	65	63	64	550	21	50	400	382	50	1,132	42	38
13	1	1	7	23	3	21	3	3	2	.....	2	14	1	.....	10	11	3	32	3	39
15	4	15	20	25	12	34	3	33	2	2	2	25	.....	2	30	11	.....	40	2	40
27	4	.....	15	28	2	23	2	13	.....	1	2	14	.....	1	14	10	2	34	2	41
13	1	1	12	30	2	13	2	1	1	.....	1	13	.....	.....	3	5	1	132	.....	42
9	1	3	10	19	1	13	.....	5	1	1	.....	7	.....	1	11	5	.....	25	3	43
12	5	2	9	31	4	17	.....	11	.....	1	1	15	.....	.....	14	7	3	33	.....	44
19	9	4	34	39	7	35	5	11	3	4	5	28	3	2	18	17	1	72	2	45
36	9	7	65	88	21	74	6	39	7	5	9	74	2	2	59	54	5	123	4	46
220	45	21	193	358	55	383	39	179	44	43	33	317	16	35	200	228	35	569	28	47
16	3	8	29	44	5	26	7	40	1	1	3	29	.....	3	26	31	1	62	3	48
28	17	2	20	47	12	64	3	61	8	5	10	42	1	4	35	25	5	74	1	49
48	5	18	94	208	11	123	17	91	8	14	9	211	4	19	160	68	3	360	31	50
24	5	3	33	49	6	27	6	24	7	3	4	66	1	9	30	23	3	129	3	51
24	.....	15	61	159	5	96	11	67	1	11	5	145	3	10	130	45	.....	231	28	52
188	23	71	171	453	71	562	85	277	79	61	36	340	52	36	235	437	46	1,145	123	53
135	19	41	104	204	22	229	28	185	51	32	25	194	19	16	145	189	38	644	45	54
53	4	30	67	249	49	333	57	92	28	29	11	146	33	20	90	248	8	501	78	55
35	5	6	24	39	15	51	9	19	12	7	9	41	8	7	24	46	6	156	12	56
29	5	6	18	25	4	31	5	11	11	5	7	31	5	2	17	33	4	102	5	57
6	.....	.....	6	14	11	20	4	8	1	2	2	10	3	5	7	13	2	54	7	58
69	13	43	72	168	37	263	43	120	42	28	16	209	22	13	95	255	26	551	102	59
42	10	22	45	79	12	102	14	88	25	12	12	112	9	7	58	95	22	288	33	60
27	3	21	27	89	25	161	29	32	17	16	4	97	13	6	37	160	4	263	69	61
84	5	22	75	246	19	248	33	138	25	26	11	90	22	16	116	136	14	438	9	62
64	4	13	41	100	6	96	9	86	15	15	6	51	5	7	70	61	12	254	7	63
20	1	9	34	146	13	152	24	52	10	11	5	39	17	9	46	75	2	184	2	64

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed causes of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Continued.														
	TEXAS.[1]														
1	Registration cities (total)	4,097	79	31	25	29	10	9	20	61	9	711	12	28	13
2	White	3,600	67	24	22	28	10	8	20	58	8	633	12	25	12
3	Colored	497	12	7	3	1		1		3	1	78		3	1
4	El Paso	1,248	18	5	24	5	8	2	7	8	4	262	7	4	5
5	Galveston (total)	704	7	8		4	1	4	5	3	1	59		2	2
6	White	509	7	5		3	1	3	5	3	1	31			1
7	Colored	195		3		1		1				28		2	1
8	San Antonio (total)	2,145	54	18	1	20	1	3	8	50	4	390	5	22	6
9	White	1,897	43	14		20	1	3	8	47	4	351	5	21	6
10	Colored	248	11	4	1					3		39		1	
	UTAH.														
11	Registration cities (total)	1,461	28		2	27	28	9	29	9	2	72	5	18	16
12	White	1,424	27		2	27	28	9	29	9	2	69	5	18	16
13	Colored	37	1									3			
14	Ogden	316	5		2	1	16	3	3	1		7	2	5	3
15	Salt Lake City	1,145	23			26	12	6	26	8	2	65	3	13	13
	VERMONT.														
16	Registration cities (total)	813	9	1		4	1	4	7	10	2	72	5	6	6
17	White	808	9	1		4	1	4	7	10	2	71	5	6	6
18	Colored	5										1			
19	Barre	158	5			2		2	3		2	35	2		2
20	Burlington	426	3	1		2			4	7		18	3	4	2
21	Rutland	229	1				1	2		3		19		2	2
	VIRGINIA.[1]														
22	Registration cities (total)	6,934	127	41		24	15	137	50	65	9	736	38	74	33
23	White	3,429	79	13		16	14	40	40	29	7	283	26	42	15
24	Colored	3,505	48	28		8	1	97	10	36	2	453	12	32	18
25	Alexandria (total)	309	3	1		2		2	2	5		41		4	1
26	White	178	3			2		2	1	2		26		2	
27	Colored	131		1					1	3		15		2	1
28	Danville (total)	395	11	5		1		20	3	5	1	36		4	1
29	White	238	4	1				5	2	3		22		3	1
30	Colored	157	7	4		1		15	1	2	1	14		1	
31	Lynchburg (total)	567	12	2			10	6	9	2	2	68	2	8	1
32	White	307	8	1			10	4	7	1	2	29	1	7	1
33	Colored	260	4	1				2	2	1		39	1	1	
34	Norfolk (total)	1,756	44	23		6		43	6	13	3	189	7	17	8
35	White	721	25	5		5		7	5	8	3	48	7	11	3
36	Colored	1,035	19	18		1		36	1	5		141		6	5
37	Petersburg (total)	628	13	6		1		19	4	12		66	2	4	2
38	White	274	10	3				2	3	2		32	2	3	
39	Colored	354	3	3		1		17	1	10		34		1	2
40	Richmond (total)	2,718	23	2		11	3	41	13	23	3	272	23	29	15
41	White	1,372	16	1		7	2	16	12	11	2	107	15	11	9
42	Colored	1,346	7	1		4	1	25	1	12	1	165	8	18	6
43	Roanoke (total)	561	21	2		3	2	6	13	5		64	4	8	5
44	White	339	13	2		2	2	4	10	2		19	1	5	1
45	Colored	222	8			1		2	3	3		45	3	3	4
	WASHINGTON.														
46	Registration cities (total)	5,451	110	3	2	29	30	43	43	44	17	508	79	87	33
47	White	5,293	106	3	2	29	30	42	43	43	17	482	73	85	32
48	Colored	158	4					1		1		26	6	2	1
49	Aberdeen	114	1			1	5	4		1		11	1		
50	Bellingham	239	6				1			4	2	7	3	4	2
51	Everett	240	5			1	1	2	1	1		24	2	10	
52	North Yakima	212	9	1		5		4	1	1		20	2	3	4
53	Seattle	2,234	26	1	1	13	7	19	22	17	4	233	33	40	12
54	Spokane	1,299	40		1	6	7	8	9	10	6	96	10	17	11
55	Tacoma	893	15	1		3	8	4	9	9	5	100	25	6	3
56	Walla Walla	220	8				1	2	1	1		17	3	7	1
	WEST VIRGINIA.[1]														
57	Wheeling (total)	737	15			7	3	7	12	13		65	4	4	6
58	White	714	14			7	3	7	12	13		58	4	4	6
59	Colored[2]	23	1									7			

[1] Nonregistration state; cities shown below only those with effective local ordinances.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under abridged International List (see p. 29).]

DEATHS FROM—																			
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20,21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
135	22	49	89	184	52	293	39	381	26	20	49	296	17	21	237	221	53	805	71	1
125	21	47	76	150	48	260	33	361	26	17	43	229	16	20	221	184	52	688	56	2
10	1	2	13	34	4	33	6	20	.....	3	6	67	1	1	16	37	1	117	15	3
32	1	18	19	26	19	141	10	128	3	3	15	44	8	5	59	76	12	253	17	4
23	5	13	18	56	5	57	12	29	2	6	10	105	.....	6	29	50	10	158	14	5
18	5	12	12	37	3	44	8	23	2	4	9	73	.....	6	26	40	10	110	7	6
5	.....	1	6	19	2	13	4	6	.....	2	1	32	.....	.....	3	10	.....	48	7	7
80	16	18	52	102	28	95	17	224	21	11	24	147	9	10	149	95	31	394	40	8
76	15	18	46	91	26	79	15	211	21	10	20	118	8	9	137	75	31	335	33	9
4	1	.....	6	11	2	16	2	13	.....	1	4	29	1	1	12	20	.....	59	7	10
90	12	14	63	122	16	135	23	57	29	19	12	99	8	12	56	106	42	276	25	11
89	12	13	63	119	15	131	23	57	29	19	12	97	8	12	55	98	39	269	23	12
1	.....	1	.....	3	1	4	.....	.....	.....	.....	.....	2	.....	.....	1	8	3	7	2	13
12	4	5	17	35	3	35	5	9	4	7	1	17	.....	5	14	25	9	61	.....	14
78	8	9	46	87	13	100	18	48	25	12	11	82	8	7	42	81	33	215	25	15
49	9	4	63	88	10	49	10	70	29	5	6	53	3	5	43	38	10	139	3	16
49	9	4	62	87	10	48	10	70	29	5	6	53	3	5	43	37	10	139	3	17
.....	.....	.....	1	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	18
7	.....	.....	6	13	2	10	1	2	3	.....	2	10	.....	1	8	9	3	27	1	19
28	5	3	33	37	8	25	7	62	20	2	3	26	2	3	26	15	3	73	1	20
14	4	1	24	38	.....	14	2	6	6	3	1	17	1	1	9	14	4	39	1	21
246	44	59	365	565	118	508	127	495	49	65	48	622	33	50	393	363	49	1,254	132	22
180	36	42	196	294	29	183	41	233	32	35	33	320	18	33	206	185	44	643	42	23
66	8	17	169	271	89	325	86	262	17	30	15	302	15	17	187	178	5	611	90	24
13	3	2	14	26	11	23	8	16	1	1	2	32	.....	.....	12	18	.....	57	9	25
11	3	1	5	16	3	12	4	9	1	1	2	17	.....	.....	7	13	.....	31	4	26
2	.....	1	9	10	8	11	4	7	.....	.....	.....	15	.....	.....	5	5	.....	26	5	27
13	1	14	14	34	8	37	3	24	3	.....	1	20	1	4	19	17	3	85	7	28
10	1	13	8	24	4	18	1	18	.....	.....	1	11	1	4	15	10	3	51	4	29
3	.....	1	6	10	4	19	2	6	3	.....	.....	9	.....	.....	4	7	.....	34	3	30
10	7	3	33	49	10	32	4	33	1	9	1	38	4	1	24	27	3	109	47	31
5	7	2	21	24	2	17	1	18	1	8	.....	18	2	1	14	16	3	60	16	32
5	.....	1	12	25	8	15	3	15	.....	1	1	20	2	.....	10	11	.....	49	31	33
55	4	11	66	164	39	128	42	111	13	23	20	138	13	15	106	87	9	343	10	34
41	4	8	36	70	7	34	11	34	6	5	12	60	5	12	42	38	8	159	2	35
14	.....	3	30	94	32	94	31	77	7	18	8	78	8	3	64	49	1	184	8	36
17	2	7	39	42	6	42	9	50	3	5	5	111	1	5	36	20	4	88	7	37
9	.....	3	21	19	2	10	4	22	2	2	2	47	1	4	18	9	3	37	2	38
8	2	4	18	23	4	32	5	28	1	3	3	64	.....	1	18	11	1	51	5	39
113	23	14	191	221	41	205	56	205	18	22	15	250	13	24	166	148	25	478	32	40
80	17	8	100	126	10	74	19	95	12	14	13	142	8	11	88	68	22	249	7	41
33	6	6	91	95	31	131	37	110	6	8	2	108	5	13	78	80	3	229	25	42
25	4	8	8	29	3	41	5	56	10	5	4	33	1	1	30	46	5	94	20	43
24	4	7	5	15	1	18	1	37	10	5	3	25	1	1	22	31	5	56	7	44
1	.....	1	3	14	2	23	4	19	.....	.....	1	8	.....	.....	8	15	.....	38	13	45
347	65	28	293	515	31	402	45	158	92	56	43	397	33	59	331	439	163	881	45	46
342	64	26	287	504	28	384	43	154	91	56	42	381	32	59	329	419	158	862	45	47
5	1	2	6	11	3	18	2	4	1	.....	1	16	1	.....	2	20	5	19	.....	48
6	1	.....	6	10	.....	9	.....	7	.....	2	.....	5	1	.....	7	16	.....	19	1	49
21	2	3	14	28	4	12	4	3	4	5	5	24	.....	.....	12	13	5	50	1	50
20	2	.....	13	23	1	10	2	9	3	3	2	18	.....	1	19	22	3	37	5	51
5	1	.....	6	15	2	19	.....	8	4	6	4	20	.....	1	14	17	6	34	.....	52
145	32	11	127	245	12	134	21	60	31	18	14	160	18	27	133	190	76	349	3	53
76	15	7	62	112	5	139	12	46	31	12	11	91	6	15	88	89	33	219	9	54
63	11	5	43	68	6	68	5	20	10	6	5	62	7	10	48	75	35	137	21	55
11	1	2	22	14	1	11	1	5	9	4	2	17	1	5	10	17	5	36	5	56
47	5	11	23	53	9	84	13	36	8	7	9	45	5	9	36	67	11	123	.....	57
47	5	10	23	52	9	82	13	36	8	7	8	43	5	9	34	64	11	120	.....	58
.....	.....	1	.....	1	.....	2	.....	.....	.....	.....	1	2	.....	.....	2	3	.....	3	.....	59

[2] Colored population less than 10 per cent of the total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	REGISTRATION CITIES—Continued.														
	WISCONSIN.														
1	Registration cities (total)	9,941	161	2		80	94	60	158	63	36	782	57	86	69
2	White	9,903	160	2		80	94	59	158	63	36	776	57	85	68
3	Colored	38	1					1				6		1	1
4	Appleton	216	2	1		1	1			2	1	20	2	4	4
5	Ashland	209	9						1	1	2	23	1	3	2
6	Beloit	164				3		1		2	1	15	2	1	3
7	Eau Claire	283	2			1			4	4		26		4	1
8	Fond du Lac	273	2				2		9	2		16	1	4	2
9	Green Bay	524	5			7	3	5	7	4	1	25	8	2	1
10	Janesville	219	1			6		4	3	2	1	17	1	3	2
11	Kenosha	301	11				5	5	2	2	1	18	4	1	1
12	La Crosse	419	4				2	8	10	6	1	34	2	7	1
13	Madison	305	1			6		2		7	2	17	5	4	3
14	Manitowoc	155	3					1				14	2	4	2
15	Marinette	194	10				1	6	1		2	16	3	2	1
16	Milwaukee	4,727	75			28	62	9	80	13	15	384	11	26	28
17	Oshkosh	462	5			17	3	3	4	1	4	30	1	4	4
18	Racine	459	10			1	4	1	8	11	1	48	5	3	6
19	Sheboygan	308	3	1		3	1	9	2	1		30	3	4	
20	Superior	472	14			1	2	6	17	2	3	34	5	8	3
21	Wausau	251	4			6	8		10	3	1	15	1	2	5
	RURAL PART OF REGISTRATION STATES.[1]														
	CALIFORNIA.														
22	Total	14,383	207	82	2	14	51	87	73	131	30	1,951	93	152	50
23	White	13,667	194	77	1	12	51	83	71	129	30	1,806	89	140	46
24	Colored	716	13	5	1	2		4	2	2		145	4	12	4
25	Alameda County	629	9				2	1	5	3	1	107	6	3	1
26	Alpine County	3													
27	Amador County	153	2	2		1				2		32	1	3	
28	Butte County	399	3	7				2		5		32	3	4	2
29	Calaveras County	95	1	2						1		9			1
30	Colusa County	107	3	1				1		6	1	6		1	
31	Contra Costa County	326	5			1	9	5	3	3	2	37	2		2
32	Del Norte County	18										3			
33	Eldorado County	132		1				1	1	8		7		1	1
34	Fresno County	595	16	4		1	2	1	9	1		77	9	10	
35	Glenn County	69	1	2		1			1			8			
36	Humboldt County	174					1		1	1		18	2	1	
37	Imperial County	142	10	1						3	1	22	1	3	
38	Inyo County	27		1											
39	Kern County	195	2	1			1	1	1	1	1	14		3	
40	Kings County	183	6	7			1	4	1	1	1	15	1	5	1
41	Lake County	82	2			1	1	4		1		13		2	1
42	Lassen County	22	2	1								1			
43	Los Angeles County	1,869	13	2		1	9	11	12	9	2	419	13	16	3
44	Madera County	72						2				6		1	
45	Marin County	234	3			3	1	2	1	2		44	1	1	
46	Mariposa County	28					1					5			
47	Mendocino County	330	6						2	1	1	35	1	2	2
48	Merced County	130		3			2	4		2	1	17		1	
49	Modoc County	37	2				1			1		2		1	
50	Mono County	11													
51	Monterey County	270	2					2	1	3	1	30	3	3	1
52	Napa County	547	4				1			1	2	57		5	1
53	Nevada County	226	1			1	1	3		1		32		2	2
54	Orange County	466	12			1	1	3	4	8	2	40	9	11	1
55	Placer County	271	4	7					2		1	32	1	2	3
56	Plumas County	52													
57	Riverside County	213	3		1		3	2	3	3	1	50	1	3	1
58	Sacramento County	337	8	3			1	1	3	2		47	1	5	
59	San Benito County	94								2		12	2		
60	San Bernardino County	507	8				1	3	1	3		87	7	6	1
61	San Diego County	249	1		1				1	1	1	31	1	4	1
62	San Joaquin County	485	10	2			1	3	4	4	1	64	2	4	3
63	San Luis Obispo County	204	4						1	2		36		2	1
64	San Mateo County	258	2			1	1	1	1		1	40	5	1	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
648	129	128	467	805	173	745	119	622	164	122	122	531	59	44	663	603	148	1,953	48	1
646	129	127	465	801	173	742	119	620	164	122	122	528	59	44	661	600	147	1,948	48	2
2	.....	1	2	4	.....	3	.....	2	.....	.....	.....	3	.....	.....	2	3	1	5	.....	3
18	3	2	17	25	1	10	2	7	4	2	3	8	1	1	9	11	.....	48	6	4
10	2	7	12	18	3	16	5	6	.....	4	.....	5	2	1	13	21	1	41	.....	5
12	2	1	13	12	1	9	3	6	2	1	2	11	1	.....	11	3	.....	45	1	6
23	4	1	12	34	1	19	.....	4	6	5	1	20	1	.....	10	21	3	68	8	7
18	4	2	17	24	3	17	4	12	15	5	1	13	2	1	10	21	2	61	3	8
27	7	11	19	23	4	63	7	44	22	8	2	29	6	.....	50	28	5	96	5	9
17	3	1	11	27	2	18	3	4	1	2	.....	12	1	.....	8	20	4	45	.....	10
13	2	7	11	20	2	12	3	34	2	2	12	10	.....	2	25	26	6	61	1	11
39	9	4	14	35	9	23	6	6	14	17	8	13	5	1	18	26	7	88	2	12
29	4	5	18	25	3	16	4	7	2	5	.....	19	1	.....	23	29	4	61	3	13
13	2	1	8	13	2	7	3	2	6	1	1	9	2	.....	4	10	2	40	3	14
13	4	1	5	15	.....	13	1	9	.....	3	1	16	2	1	17	9	2	38	2	15
294	62	53	209	378	116	373	42	391	54	49	69	262	23	29	341	249	75	919	8	16
41	2	4	23	39	3	31	12	12	11	7	8	27	1	2	33	14	9	105	2	17
27	5	9	22	35	11	42	11	27	8	3	4	16	5	3	22	24	10	75	2	18
31	5	3	20	22	8	14	3	18	5	1	4	23	1	3	22	21	5	42	.....	19
13	3	10	21	43	3	38	7	24	8	5	5	24	3	.....	33	50	9	77	1	20
10	6	6	15	17	1	24	3	9	4	2	1	14	2	.....	14	20	4	43	1	21
725	132	144	764	1,800	126	1,051	158	388	90	735	176	872	59	84	455	1,427	281	2,542	51	22
706	130	127	746	1,749	123	996	150	354	89	125	170	852	56	79	430	1,334	257	2,418	47	23
19	2	17	18	51	3	55	8	34	1	10	6	20	3	5	25	93	24	124	4	24
40	5	6	33	72	2	79	14	16	4	4	5	72	2	5	16	34	6	76	.....	25
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	.....	.....	26
5	1	.....	8	11	.....	11	3	4	.....	3	1	21	1	1	3	15	2	20	.....	27
25	7	4	15	36	1	34	6	16	5	7	3	20	.....	1	12	45	10	92	2	28
2	2	.....	4	10	2	8	1	4	.....	1	1	8	1	.....	2	14	.....	21	.....	29
8	2	.....	5	9	2	8	2	.....	.....	1	2	3	.....	1	2	14	2	26	1	30
10	1	2	18	31	1	32	3	11	3	2	4	18	2	3	17	47	9	42	1	31
2	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	4	.....	4	.....	32
6	.....	.....	6	32	2	6	.....	1	1	.....	3	12	1	.....	1	8	2	31	.....	33
26	5	6	26	75	5	52	6	26	3	7	10	32	4	5	34	66	12	65	.....	34
3	1	1	3	8	1	6	1	2	1	1	1	6	.....	.....	2	9	2	8	.....	35
5	2	.....	14	24	.....	17	1	3	.....	1	.....	8	1	.....	11	29	3	31	.....	36
3	1	1	8	7	.....	4	2	10	1	2	.....	3	2	.....	2	33	5	15	2	37
2	1	.....	.....	1	.....	3	.....	1	.....	1	.....	2	.....	.....	1	2	2	8	2	38
1	1	2	10	16	1	20	1	7	.....	3	.....	3	1	2	10	58	11	23	.....	39
6	1	.....	11	13	2	15	1	11	1	.....	3	11	1	.....	17	17	3	26	1	40
1	1	2	.....	8	1	5	2	2	.....	.....	3	7	.....	.....	3	5	1	16	.....	41
.....	.....	1	.....	2	.....	4	.....	1	.....	.....	.....	1	.....	1	1	2	.....	3	2	42
102	18	16	99	256	18	105	10	61	5	13	21	118	5	8	75	99	35	295	.....	43
4	1	.....	5	8	.....	3	.....	2	.....	3	4	3	1	.....	3	12	.....	14	.....	44
17	4	2	11	40	2	18	2	3	2	3	4	16	.....	1	9	18	1	23	.....	45
1	.....	.....	1	4	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	7	2	4	1	46
5	2	3	15	38	6	27	2	5	3	3	2	23	3	5	6	41	6	83	2	47
6	2	1	8	17	.....	6	2	2	.....	.....	.....	6	1	1	4	25	4	15	.....	48
5	.....	.....	3	6	.....	3	.....	2	1	.....	1	3	.....	.....	.....	2	.....	4	.....	49
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9	.....	.....	1	50
19	8	2	17	33	2	14	4	6	2	3	5	14	1	2	3	23	9	57	.....	51
33	6	7	31	83	2	34	5	5	1	6	12	30	.....	4	4	29	8	176	.....	52
14	1	1	18	27	3	13	5	3	2	3	3	18	1	4	6	23	1	37	.....	53
27	4	3	26	51	6	37	6	22	6	4	8	15	1	4	17	35	12	88	2	54
12	1	1	12	28	1	23	2	2	.....	3	.....	12	.....	2	7	50	3	56	4	55
.....	1	.....	3	8	.....	5	.....	.....	.....	.....	.....	1	.....	.....	1	22	1	7	3	56
5	.....	7	7	11	1	13	1	6	1	3	2	14	1	.....	8	28	2	32	.....	57
14	1	4	15	27	2	22	11	9	.....	2	8	27	.....	.....	12	40	6	65	1	58
7	1	1	5	14	1	4	1	5	1	.....	4	6	1	.....	4	3	3	17	.....	59
13	2	4	19	75	5	30	2	24	3	5	2	23	2	2	16	55	8	98	2	60
12	5	.....	19	41	4	16	.....	2	2	1	2	17	2	1	7	28	2	44	2	61
34	.....	4	15	61	2	34	5	4	6	4	7	59	5	5	11	46	12	71	2	62
11	1	3	10	27	3	11	2	3	2	2	3	9	1	.....	4	22	4	39	1	63
16	1	4	12	36	2	20	2	5	3	3	3	6	2	2	11	29	6	41	1	64

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	CALIFORNIA—continued.														
1	Santa Barbara County	115						3		2		14	1		1
2	Santa Clara County	904	4	1			2	2	1	4	2	124	3	12	3
3	Santa Cruz County	179	1						1	1		17	2	4	
4	Shasta County	223	5	11		1	1			5		19		2	3
5	Sierra County	42	1							2				1	
6	Siskiyou County	166		3			1	2	2	2		14	1		1
7	Solano County	179	2	1			1	3	1	1	1	14		1	1
8	Sonoma County	692	9				1	3	1	6		85	4	9	3
9	Stanislaus County	242	6	3			1	1	2	1	2	27	3	2	
10	Sutter County	67	2					1		1	1	5			
11	Tehama County	145	6	2			1			4	1	16	1		2
12	Trinity County	52						1		1		3			1
13	Tulare County	349	12	4			2	3	5	5		41	1	5	4
14	Tuolumne County	140	8	1		1			1	6		13			1
15	Ventura County	265	3	1				9	1	2		39	2	4	
16	Yolo County	204		2				1		7	1	17		2	1
17	Yuba County	178	3	6				1			1	16	3	4	
	COLORADO.														
18	Total	6,088	193			69	61	31	49	72	14	819	18	32	39
19	White	5,975	186			69	61	31	49	72	14	801	18	30	39
20	Colored	113	7									18		2	
21	Adams County	65	1				1		2			19			
22	Arapahoe County	131	3					1		1	1	49			1
23	Archuleta County	30	1						1	1					
24	Baca County	25	2									2			
25	Bent County	85	2			3	2		2			29		1	1
26	Boulder County	340	8			5	1	2	1	4		58	4	3	2
27	Chaffee County	111	6			1	1			2		6			
28	Cheyenne County	21	1						1	2					
29	Clear Creek County	67								1	1	3	1		
30	Conejos County	64				2					2	8			1
31	Costilla County	12	1						1			1			
32	Crowley County [2]	21	4									1			
33	Custer County	23				1				1					
34	Delta County	110	9			1	1			3		11	3		3
35	Dolores County	6													
36	Douglas County	32								1		4		1	
37	Eagle County	33	3							1		1		1	
38	El Paso County	253	2				2		1	1	1	91		2	2
39	Elbert County	37	2							1		1			1
40	Fremont County	253	6			1			5	1	1	32		1	2
41	Garfield County	120	9			1						6	1	1	1
42	Gilpin County	50					2					4			
43	Grand County	4													
44	Gunnison County	52	2			1						3			
45	Hinsdale County	6										1			
46	Huerfano County	203	5			2	4		2			12		1	
47	Jackson County	6													
48	Jefferson County	281	2							2	1	139		3	1
49	Kiowa County	19										2		1	
50	Kit Carson County	43						1	1	2		2			
51	La Plata County	138	2					3		1		8	1		1
52	Lake County	219	1			8	1		1	5	1	5		1	
53	Larimer County	238	8			1	5	4	1	5	1	26	2	1	2
54	Las Animas County	365	15			3	5		10	1		19		3	4
55	Lincoln County	33	1					1		1		6			
56	Logan County	99	7			4	2	2	1	2		6			1
57	Mesa County	215	10			1	3		3	3	1	24		1	
58	Mineral County	13								1					
59	Moffat County [3]	12										1			
60	Montezuma County	25								2					
61	Montrose County	90	5			5	4					9		1	
62	Morgan County	89	3						1	1		20		1	1
63	Otero County [4]	343	24			12	6	2	3	4		58	2	1	
64	Ouray County	38				2						2			
65	Park County	30						1		1		2			1
66	Phillips County	18						1							
67	Pitkin County	49							1	1		1			
68	Prowers County	139	18			2			6	2		14	2		1
69	Pueblo County	354	7			5	8	4	1	5	1	48	1	1	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Organized from part of Otero County, May 29, 1911.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other causes. (37)	Ill-defined and unknown. 38	
4	3	1	4	12		9	2	6			3	5	3	2	6	10	3	21		1
62	15	13	60	128	10	63	9	17	5	14	8	62	2	4	23	61	17	173		2
13	1	4	7	20	3	17		3	1	1	2	13	1	2	6	16	2	40	1	3
11			7	27	2	11	4	7	3	3	2	8		3	5	38	5	39	1	4
2		2	2	4	1	5						2				7		12	1	5
9	1	2	7	10	1	14	1	5	1		5	8	2	1	6	22	9	33	3	6
7	2	2	17	23	2	17		8	1	3	1	10			3	15	8	33	1	7
30	6	11	60	102	11	47	12	12	7	3	15	34	4	3	22	44	16	131	1	8
14	3	7	15	28	1	18	8	7	4	1	4	12	1	1	7	20	3	39	1	9
4	1		3	10	3	5	1	1			1	1			1	9	1	15	1	10
8		2	2	33	1	8	2	1		2	5	5		1	2	12	2	25	1	11
3			3	7	1	1		1		1		3			1	10	5	10		12
19	1	6	21	44	3	24	5	11	5	1		18		3	17	33	2	53	1	13
6	1	2	4	11	1	28	5	1	1	2	1	6		1	1	5	5	27	1	14
11	1	1	21	34	6	18	1	14	2	5		17	2	2	6	22	2	38	1	15
13	5	1	10	28		7	2	5	1	3		13	1	1	4	28	3	46	2	16
7	2	1	9	30		16	1	3		2	2	5			3	24	3	34	2	17
238	55	59	198	405	55	679	86	297	69	50	40	319	47	47	416	605	92	907	27	18
235	55	59	194	400	53	664	83	296	68	49	40	312	46	47	412	585	91	889	27	19
3			4	5	2	15	3	1	1	1		7	1		4	20	1	18		20
4	1	1	5	4	2	5						4	1		1	5	3	6		21
6	1	1	3	4		14	1	1				6	1		5	8	4	20		22
2				1		5	1	2	1	1		1			2	6		5		23
			1	1		6					1				4	4		4		24
2		1	3	5		12		2				5		1	5	3	1	5		25
17	5	2	21	28	3	19	2	14	5	2	3	23	2	1	21	26	4	53	1	26
9	2	2	1	6		16	1	4	3	1	1	9		1	8	12	5	14		27
			1			3		3	1			4			1			4		28
3			2	7	1	13	6	1				6		1	6	6	2	7		29
2			1	4		13	1	3	1	1		3			5	5	4	8		30
1				1		3			1	1						1		1		31
					1	1		4	1					1	2			6		32
1	3	1	2	2	1	5					1				1			4		33
7	1	2	7	13		8		7	1			1	1		4	6	2	18	1	34
		1										1			1	2		1		35
				2	4	3	1			1		3				7	1	4		36
			1	4		3		1				3			1	7	3	4		37
9		2	11	16	2	18	3	8	1		1	13			13	27	3	24		38
2			1	2		3		2				1		3	2	9	2	5		39
13	3	2	7	15	1	32	2	13		2	4	15	2	3	19	26	3	39	3	40
6	2		4	12	2	8	2	4		1	2	11	2	2	11	14	1	17		41
1	1			7	1	4	4	1	1			8		1	2	7	1	5		42
				1												1		2		43
	1	2	2	3		6	1	1		1		6	1		3	7		12		44
						1						1				1	1	1		45
5	2	2	2	8	1	30	1	26	1	1		11	5		26	31		24	1	46
				1		1				1		1			1		1			47
9	3		11	13	2	15	6	4	1	1	2	14		1	15	11	3	22		48
1			1	1		2									3	2		5	1	49
1			3	3	1	2	1	5		1		1	2		6		1	9	1	50
10	1	2	2	14		19	4	3	6	3	1	10		1	9	13	2	22		51
6	2	2	8	15	10	37	10	5	1	3	1	16	2	3	16	24	3	32		52
11	3	1	9	15	2	23		12	5	6	3	10	2	2	15	16	1	43	3	53
11	2	8	5	8	2	42	2	36	2	4	2	13	3	4	25	80	3	49	4	54
2		1		1		3	1	1				1	1	1	3	6		3		55
9	2			5		15	1	7	1			3			7	6	1	17		56
12	5	1	9	30	3	11	2	5	8	3	3	7	1		24	13	2	29	1	57
					1	4						1			1	3		2		58
		2	1	1			1					1				1		4		59
				3		2		1				1			3	6	1	6		60
1	1	2	3	8	1	8	1	2	2	1		6	3	2	11	5	1	8		61
7			3	4		8	1	2		1	1	3	2		9	6	1	14		62
5	3	4	11	14	1	29	2	25	5	1	2	16	1	6	23	25	6	48	4	63
2				5		6	4		1		1		1		2	3	3	6		64
1			1	4		4	1	1		1		4			2	2	1	2	1	65
				3		2		1						1	2	2		6		66
4	2	1	2	6	1	9		2				4		1	3	3	2	6		67
4	1	2	8	12	3	12		9	3		2	1	1	4	9	7	1	15		68
6	1	6	9	19	1	30	3	14	3	3	1	9	1	1	15	41	5	104		69

[3] Organized from part of Routt County, Mar. 27, 1911.

[4] Part taken to form Crowley County, May 29, 1911.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	COLORADO—continued.														
1	Rio Blanco County	23								1		1			
2	Rio Grande County	113	1			1	1	2		1	1	8		1	2
3	Routt County [2]	53	2					1				5			2
4	Saguache County	56								2		2			
5	San Juan County	54	1					2			1	5			
6	San Miguel County	69	1								1	5			
7	Sedgwick County	19					1								1
8	Summit County	16								2					
9	Teller County	219	2			3	7	4		1		8		1	1
10	Washington County	33	2							1		4		1	
11	Weld County	362	14			4	4		4	4		45	1	2	6
12	Yuma County	61								1		2		2	
	CONNECTICUT.														
13	Total	5,528	23	6		19	31	43	73	115	17	462	36	41	38
14	White	5,447	23	6		19	31	41	73	114	17	448	36	41	37
15	Colored	81						2		1		14			1
16	Fairfield County	825	2	1		1	2	3	5	11	2	116	6	6	7
17	Hartford County	1,158	1	1		7	9	6	22	18	3	108	10	10	7
18	Litchfield County	828	6	1		6	3	13	6	17	1	55	6	10	7
19	Middlesex County	340	1				2		7	10	2	22	3	3	1
20	New Haven County	727	6	2		1	2	6	8	23	1	44	6	4	6
21	New London County	739	4			2	10	8	7	10	5	60	2	4	3
22	Tolland County	373		1		1	1	1	15	14	1	18	1	3	3
23	Windham County	538	3			1	2	6	3	12	2	39	2	1	4
	INDIANA.														
24	Total	23,372	499	81	2	206	108	185	228	398	81	2,397	137	270	130
25	White	22,966	494	80	2	206	108	183	228	393	79	2,313	130	265	129
26	Colored	406	5	1				2		5	2	84	7	5	1
27	Adams County	183	5			1			1	5		19	1		2
28	Allen County	298	5			1	1	2	2	2	1	35	2	3	4
29	Bartholomew County	336	9				1	1	8	2	2	46	4	5	5
30	Benton County	112	1					1			2	6		1	
31	Blackford County	195	2							7	3	16	1	1	2
32	Boone County	281	4			1		4		9	1	36		5	5
33	Brown County	76	3			1		3	3	3		12		1	
34	Carroll County	186	5	1			2			1	1	17	1	5	1
35	Cass County	261	4			1	9	1	2	3	1	30		5	2
36	Clark County	259	3	1			1		1	8	1	32	2	2	
37	Clay County	423	4	3		7		3	9	6	4	46		5	2
38	Clinton County	297	3	2			1	1	4	9	1	30		4	1
39	Crawford County	156	5	3		3	3	5	1	4		27	2	1	1
40	Daviess County	329	11			1	5	4	3	6	2	43	2	2	
41	Dearborn County	270	2			1			2	3		25	3	1	
42	Decatur County	262	8	2				1	4	5		27	2	5	1
43	Dekalb County	270	2			3	2		3	5	2	23		4	1
44	Delaware County	298	10	1		3	3	1	1	5		33	2	3	2
45	Dubois County	233	6	1		2		5	6	3		27	1	4	1
46	Elkhart County	371	6			11	6	3	3	3		23	1	3	3
47	Fayette County	208	3	1		10	1				1	21		2	2
48	Floyd County	126	2				2	7	1	2		13	1	1	
49	Fountain County	250	3	2	1	3	2			4		23	1	4	1
50	Franklin County	197	5	1		6	2			6	1	23	1	2	1
51	Fulton County	202		2			1	1		3		19	3	2	1
52	Gibson County	399	9	5		4	1	4	6	11		56	2	5	2
53	Grant County	519	9			3	3	3	2	3	2	43	4	2	1
54	Greene County	437	13	3		3	1	2	7	7	1	46	2	4	
55	Hamilton County	339	6	1			1	5	1	7	1	41	2	2	
56	Hancock County	251	6			2		4	1	5	2	23	2	6	1
57	Harrison County	199	6	1			1	7	4	2	1	23		2	1
58	Hendricks County	233	4					3		5	1	27	1	4	6
59	Henry County	404	7				3	4	4	5	1	39	2	3	
60	Howard County	175	1				1		1	1		19		2	1
61	Huntington County	192	4				2			2	3	21	3		
62	Jackson County	311	8	2		5	1		3	1		32	2	4	1
63	Jasper County	135	4	3				1				11	2	1	
64	Jay County	311	9	1		1		3	1	7		27	2	8	2
65	Jefferson County	348	7			1		4	1	3	1	52	1	2	4
66	Jennings County	182	10	1		1		1		2		21			1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
1			1	2	2	7		1	1							1		5		1
10		1	5	9	2	15	3	6	4		1	7	1		1	3		25	2	2
2			1	4		8		1				3	1		4	9	1	9		3
2		1		5		22		3	1	1		1		1	4	4		6	1	4
1				4		6	1	4			2	3	1			12	3	8		5
1	1		1	6		19	2	1		1	2	2	1	1	2	16	2	4		6
2			2	1		1									2	3	1	5		7
			2			2				1		4			1	3		1		8
6	1	1	8	13		41	8	15	6	1	1	11	3	1	17	28	3	27	1	9
						3	2	3				3			2	2	1	8	1	10
18	3	4	15	26	3	34	4	28	2	3	2	21	5	3	30	23	3	51		11
3	2	1	2	4	1	6		3		2		7			6	5		13	1	12
304	64	63	494	672	92	479	49	211	17	34	49	419	9	15	297	326	61	938	31	13
303	62	62	492	664	91	472	48	211	16	33	48	410	8	15	290	322	59	925	30	14
1	2	1	2	8	1	7	1		1	1	1	9	1		7	4	2	13	1	15
48	10	10	72	106	10	58	4	25	3	5	13	62	1	1	43	41	11	139	1	16
66	11	13	92	140	23	106	6	67	5	7	7	69	2	2	76	72	9	176	7	17
45	10	8	73	90	10	72	7	25	3	4	6	86	2	2	38	39	9	158	10	18
26	2	2	32	36	6	30	6	10		2	4	28	1	2	15	22	5	58	2	19
35	12	5	87	57	12	73	7	32	4	5	6	58	1	2	43	57	7	111	4	20
35	7	3	63	125	12	64	7	18	1	8	2	59		2	32	39	4	142	1	21
21	3	5	29	53	12	32	5	13		1	8	21		1	21	20	12	54	3	22
28	9	17	46	65	7	44	7	21	1	2	3	36	2	3	29	36	4	100	3	23
1,275	254	160	1,557	2,683	292	1,792	152	996	141	193	213	1,511	190	124	1,171	1,406	250	4,262	28	24
1,264	253	160	1,535	2,626	289	1,761	151	981	138	193	209	1,477	187	123	1,153	1,382	249	4,197	28	25
11	1		22	57	3	31	1	15	3		4	34	3	1	18	24	1	65		26
11	3	1	20	20		13		8	1		2	9	2	4	15	14	1	25		27
18	3	3	22	26	2	38	2	14	3	1	3	26	4		15	22	3	35		28
17	5	2	19	40	4	25	5	10		3	2	12		5	13	14	5	72		29
8	3	1	7	11	1	11		2	1	3	1	6	2	1	5	8	2	28		30
8	1	1	12	27		17	3	9		3		14	4	2	11	12	2	37		31
13	4	2	14	39	5	16		5	1	1	4	19	2	1	17	13	4	56		32
			1	11		3		4			3	3		1	2	1		20	1	33
10	3	2	21	16	2	14	1	2	1	1	2	14	2	3	14	7	1	36		34
18	1	4	21	30		15		7	2	3	3	15			11	13	2	57	1	35
18	2	1	11	23	4	19	2	11	5	1		26	1		21	25	3	34	1	36
17	2	3	13	44	2	27	6	34	3	2	4	33	9	3	19	29	5	79		37
24	3	3	32	32	5	25	1	8	1	2	1	16	5	3	15	17	4	44		38
11		2	4	18	1	12	1	7		2	1	7	1		4	7	1	22		39
9	5	5	22	40	6	26	7	16	2	5		21		1	19	19	2	45		40
22	5		26	38	3	26	3	4	3	3	4	12	2	4	8	14	6	50		41
14	7		20	39	7	18	5	1	1	1	4	13	1	1	9	9	2	55		42
22	1	4	18	30	6	13	4	8	1	3	2	17	2	2	7	17	3	65		43
8	3	2	29	28	3	22	3	12	1	1	3	18	3	2	19	14	5	58		44
4	2		12	27	3	26	3	13		4	1	14	4	2	12	12		38		45
23	8		40	51	3	14	3	10	3	1	2	25	5	2	15	26	1	77		46
16	1	4	7	32	2	7		7	1	1	2	19			6	9	2	51		47
8	1		2	28		7	2	5		2	1	3		1	7	3	4	23		48
12	7	3	18	33	3	15	1	13	3	5	3	15	1		10	16	4	44		49
9	2	1	15	18	2	17	2	6	1	2	1	10			9	13	1	39	1	50
12	2	2	12	25	1	13	1	9	4	3	2	11	3		10	10	4	46		51
20		1	31	25	6	31		25	5	5	2	24	5	2	22	23	3	64		52
29	5	1	44	92	6	25	3	16	1	5	6	47	1	1	18	21	3	118		53
16	3	4	16	26	5	53	2	41		4	5	15	12	3	32	30	12	69		54
23	3	2	30	35	8	27	1	10	3	1	2	21	2	4	18	15	3	64		55
11	3		12	20	6	19	2	10		3	5	21	2	3	18	16	1	47		56
11	2	3	9	34	1	18	1	8	2		4	12	1		11	6	2	26		57
11	5	3	15	23	6	20	2	4	3		1	19		2	7	16	2	43		58
21	3	3	29	44	7	29	2	16	4	3	4	22	2	1	22	32	4	88		59
11	4	2	15	32	2	8	1	5	3		2	13	2		11	8		30		60
9	3	1	19	32	1	13	1	3	3	2	2	14		1	9	11	1	32		61
13	3		10	37	4	27	2	13	1	2	5	22	1	3	21	20	4	62	2	62
16	1		8	14	1	11		5	2		1	12			11	5		25	1	63
24	5	3	25	38	2	18	1	11	2	6	2	19	3	2	15	16	3	55		64
26	6	1	15	52	3	34	2	8	1	1	2	19	1		7	12	5	75	2	65
14	3		10	13	1	22	1	7		1	3	21	1	1	11	11	1	24		66

[2] Part taken to form Moffat County, Mar. 27, 1911.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES.[1]—Continued.														
	INDIANA—continued.														
1	Johnson County	244	4	1				4	4	3	1	30	4	4	3
2	Knox County	280	12	2		6	1	3	6	7		22	1	2	2
3	Kosciusko County	365	1			5	1	2	3	6		35	1	2	2
4	Lagrange County	194	1			3	1			4	1	17		4	4
5	Lake County	309	6			1	1	2	2	4	1	33			1
6	Laporte County	209	1			1	3	1	4	1	1	12		1	3
7	Lawrence County	445	21	4				9	6	13	4	48	7	7	1
8	Madison County	378	5			7	2	2	8	3	1	49	3	5	4
9	Marion County	364	4			1		7	2	1	2	27		8	1
10	Marshall County	282	7	1		5	2	4	3	11	1	22		2	2
11	Martin County	143	7					2	2	8		17	1	2	
12	Miami County	220	12	1		1	2			7		19	2	1	2
13	Monroe County	287	3	1		1			1	5	4	40	1	1	2
14	Montgomery County	352	6				1	1	2	7		25	4	2	2
15	Morgan County	277	6			1			4	5		26	8	4	2
16	Newton County	90					1	1	1	1		11	1	1	1
17	Noble County	266	3			1	2		1	7	1	15	1	4	1
18	Ohio County	53	1							1		6	1	1	
19	Orange County	221	4	3		14	1	3	5	3		23		10	1
20	Owen County	167	3			2			2	4		18	1	2	
21	Parke County	260	9	1		6		2	5	3		22		6	2
22	Perry County	231	11					2	14	5	1	24		3	2
23	Pike County	249	6	1		1		3	11	8	1	34	5	5	1
24	Porter County	230	6			1	3	2	2			14		1	4
25	Posey County	289	4	3		3		5	3	8	1	39	1	2	
26	Pulaski County	148	5	4		1	1			1	1	10		2	1
27	Putnam County	250	6			1		2	4	4		27	4	4	4
28	Randolph County	326	3					1	1	2	1	35	3	7	3
29	Ripley County	285	14				4		4	8		36	1	2	3
30	Rush County	232	5	2		1	1		3	2	1	17			
31	St. Joseph County	216	2			3	1	2	3	3		20	3	1	
32	Scott County	120		1		3		4				19	1	3	2
33	Shelby County	352	7					5	2	1	1	55	3	1	1
34	Spencer County	267	8	3		12	1	3	3	7	3	27		5	1
35	Starke County	125	3	1			1		1	2	1	9		1	1
36	Steuben County	182	2							6	1	8		4	
37	Sullivan County	410	8			2	3	8	9	6	4	50	1	2	3
38	Switzerland County	123	2			1					1	13		2	
39	Tippecanoe County	279	2			1				7	1	26	2	1	1
40	Tipton County	196	1				6		1	2	2	22	2	2	1
41	Union County	79	1							3	1	5	1	1	
42	Vanderburg County	234	3	2	1	7	1			3	3	31		2	1
43	Vermilion County	279	2	3			2	3	2	9		22	1	6	3
44	Vigo County	412	20	3		10		6	6	7	1	40	3	3	1
45	Wabash County	320	4			2		3	2	6	1	29	1	2	1
46	Warren County	131	5			2		2		3		8	3	1	
47	Warrick County	293	13	4		11	1	2	6	8		30	6	6	
48	Washington County	214	10			7	1		3	5		20	1	4	1
49	Wayne County	355	2	1		1				4		20	1	4	
50	Wells County	240	7			2	1	3		2		20	2	3	1
51	White County	211	3	2		4		1	2	3	1	22	1	2	
52	Whitley County	204	4				7	1		2	1	15		3	
	KENTUCKY.														
53	Total	23,473	930	198	4	357	67	410	523	339	54	3,701	186	366	133
54	White	19,643	794	167	4	333	65	335	504	287	51	2,874	159	298	110
55	Colored	3,830	136	31		24	2	75	19	52	3	827	27	68	23
56	Adair County (total)	213	11	1			1	5	12	4		42	1	5	1
57	White	179	9	1			1	5	10	4		34		4	
58	Colored [2]	34	2						2			8	1	1	1
59	Allen County (total)	209	6	1		3		1	2	7		38		6	1
60	White	181	4	1		3		1	1	7		28		5	1
61	Colored [2]	28	2						1			10		1	
62	Anderson County (total)	114	2	1		1		3	1	2	1	19	3	2	1
63	White	96	2			1		1	1	2	1	14	3	1	1
64	Colored [2]	18		1				2				5		1	
65	Ballard County (total)	133	4	6		7	1	6	4	4		18		2	
66	White	118	4	6		7	1	5	3	3		16			
67	Colored	15						1	1	1		2		2	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
15	2	2	11	18	4	25	2	10	2	1	4	12	1	2	14	10	8	43	.....	1
8	3	3	20	25	4	30	3	19	2	6	2	6	2	1	19	20	3	40	.....	2
24	4	1	33	57	4	28	3	8	.....	2	4	25	4	2	12	26	2	68	.....	3
11	3	2	10	28	3	13	1	6	3	2	.....	13	3	2	14	7	.....	38	.....	4
11	4	2	9	29	4	27	2	40	2	4	2	26	.....	3	12	29	5	46	1	5
16	4	2	16	24	3	24	2	13	1	3	2	15	1	1	5	13	1	35	.....	6
11	2	4	19	45	4	44	4	28	1	2	2	22	9	1	23	40	.....	63	1	7
18	3	7	21	39	8	26	4	14	.....	2	1	25	6	2	16	21	5	71	.....	8
25	4	1	13	38	3	34	3	9	2	2	1	30	4	2	18	30	5	87	.....	9
14	1	1	22	28	3	15	2	11	.....	5	5	23	1	4	13	16	2	56	.....	10
10	1	1	9	16	2	7	.....	5	1	1	1	6	3	.....	12	10	.....	19	.....	11
10	4	1	18	21	6	12	.....	10	.....	1	1	20	1	2	6	19	1	40	.....	12
9	.....	2	24	32	1	21	3	21	3	1	3	16	7	1	15	27	.....	40	2	13
22	2	3	32	53	5	27	2	10	4	3	6	14	2	.....	13	19	4	81	.....	14
10	2	1	17	38	.....	27	1	18	2	2	2	21	1	5	18	13	2	41	.....	15
5	1	1	6	4	2	6	1	6	.....	.....	.....	7	.....	1	6	6	2	18	.....	16
22	5	.....	36	48	4	9	2	4	2	2	1	14	.....	.....	6	23	2	50	.....	17
5	.....	1	5	9	1	7	.....	.....	.....	.....	.....	2	.....	.....	2	1	3	7	.....	18
8	.....	1	9	33	3	11	1	10	.....	3	1	13	2	1	18	9	1	30	.....	19
16	2	.....	11	20	3	20	3	6	1	3	2	6	.....	3	4	5	2	27	1	20
13	.....	4	18	24	1	24	3	12	2	1	5	10	3	1	22	16	2	43	.....	21
12	2	2	14	12	2	26	.....	15	1	4	3	16	1	1	13	9	.....	36	.....	22
7	.....	4	12	22	8	15	.....	18	2	2	4	9	3	3	15	14	2	32	1	23
21	2	1	20	38	.....	17	.....	12	2	2	2	21	.....	.....	7	21	3	26	2	24
16	2	.....	16	22	5	28	1	23	.....	2	2	17	.....	1	10	15	5	54	1	25
9	3	1	9	10	4	19	1	3	3	1	2	8	3	.....	6	10	2	28	.....	26
13	1	4	16	25	5	30	.....	5	1	.....	3	25	1	.....	7	18	2	38	.....	27
22	5	6	34	43	3	14	1	6	4	4	3	17	1	3	24	14	7	59	.....	28
19	3	1	19	36	5	19	1	11	1	.....	4	20	2	1	13	7	4	46	1	29
15	2	.....	20	15	8	22	2	5	1	2	.....	21	2	.....	22	13	7	42	1	30
12	2	.....	16	43	3	12	1	8	2	3	1	13	2	2	2	10	5	41	.....	31
11	.....	.....	4	12	.....	8	1	4	.....	2	2	9	1	1	5	1	3	23	.....	32
17	6	3	28	37	8	23	2	7	1	4	4	22	2	2	11	27	6	65	1	33
10	3	1	6	15	5	24	1	16	1	3	1	20	3	1	10	18	2	54	.....	34
7	1	.....	8	12	.....	8	1	5	1	1	2	8	1	2	12	4	.....	32	.....	35
15	4	2	22	31	.....	8	2	2	2	1	1	8	2	1	12	10	2	36	.....	36
14	4	3	16	26	5	31	3	37	4	3	4	27	5	2	35	38	4	53	.....	37
12	1	2	6	32	1	9	.....	2	1	4	1	5	1	.....	7	3	2	15	.....	38
22	10	2	25	41	5	19	2	8	.....	3	1	12	.....	.....	8	19	2	59	.....	39
9	2	3	9	23	3	7	2	11	2	.....	2	13	2	2	9	13	2	42	1	40
8	.....	1	10	14	1	1	1	2	.....	.....	.....	1	1	.....	6	7	3	11	.....	41
7	.....	.....	7	24	1	21	2	13	.....	2	4	8	.....	2	11	16	.....	62	.....	42
12	3	2	15	24	7	27	2	20	.....	1	1	19	2	1	23	22	4	41	.....	43
19	3	.....	15	39	4	23	1	31	1	1	6	21	3	1	29	33	6	73	3	44
22	6	2	23	41	3	23	1	9	2	3	3	22	3	.....	16	25	4	60	1	45
4	3	1	12	15	1	9	.....	3	2	.....	3	5	2	.....	3	15	.....	28	1	46
15	4	4	11	26	5	19	2	20	3	.....	2	21	3	.....	5	18	6	42	.....	47
7	1	1	12	27	1	13	1	6	3	2	3	19	1	2	14	8	1	40	.....	48
16	5	3	41	42	1	21	.....	10	4	5	1	33	2	.....	14	21	2	101	.....	49
6	2	.....	14	21	.....	23	1	7	.....	2	3	29	2	.....	8	12	.....	39	.....	50
9	3	1	19	22	4	15	1	8	1	2	1	17	.....	.....	15	10	.....	42	.....	51
17	1	.....	13	21	2	27	1	2	.....	2	2	20	3	1	5	9	3	41	1	52
698	99	407	648	1,368	241	1,746	218	970	113	167	118	1,018	149	207	1,428	1,330	135	4,073	1,072	53
615	92	363	552	1,107	202	1,410	179	868	97	147	98	852	113	184	1,284	1,048	129	3,445	877	54
83	7	44	96	261	39	336	39	102	16	20	20	166	36	23	144	282	6	628	195	55
6	.....	4	3	12	1	12	.....	8	1	1	.....	3	4	6	4	7	.....	33	25	56
5	.....	4	3	11	1	11	.....	8	1	1	.....	3	3	5	3	6	.....	27	19	57
1	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	1	1	1	1	.....	6	6	58
3	.....	4	7	9	4	26	1	10	.....	.....	1	10	1	4	12	3	2	37	10	59
3	.....	4	7	9	4	24	1	8	.....	.....	1	8	1	4	12	3	2	32	7	60
.....	.....	.....	.....	.....	.....	2	.....	2	.....	.....	.....	2	.....	.....	.....	.....	.....	5	3	61
4	.....	.....	4	5	1	11	.....	2	1	1	.....	5	1	1	6	8	1	25	2	62
3	.....	.....	3	5	1	10	.....	2	1	1	.....	4	1	1	6	5	1	23	2	63
1	.....	.....	1	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....	3	.....	2	.....	64
4	2	1	4	2	.....	9	.....	5	1	.....	1	8	.....	4	13	3	1	17	6	65
4	2	.....	4	.....	.....	8	.....	5	1	.....	1	8	.....	4	13	2	1	15	5	66
.....	.....	1	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	67

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES.[1]—Continued.														
	KENTUCKY—continued.														
1	Barren County (total)	347	10	4		6	2	5	4	10	1	55	3	8	3
2	White	277	7	3		4	2	5	4	9	1	38	2	7	2
3	Colored	70	3	1		2				1		17	1	1	1
4	Bath County (total)	173	7				1	1	3			34		3	1
5	White	143	6				1	1	3			28		3	1
6	Colored [2]	30	1									6			
7	Bell County (total)	290	20			3		1	8	4	1	27	1	1	1
8	White	241	19			3		1	8	4		19	1	1	1
9	Colored	49	1								1	8			
10	Boone County (total)	129	2			1			1	2		23	1	2	
11	White	121	2						1	2		22	1	2	
12	Colored [2]	8				1						1			
13	Bourbon County (total)	283	11			1		4	1			40		2	
14	White	158	9					1	1			18		1	
15	Colored	125	2			1		3				22		1	
16	Boyd County (total)	373	17			5	1	23	9	1		48	3	4	2
17	White	356	16			5	1	21	9	1		46	3	3	2
18	Colored [2]	17	1					2				2		1	
19	Boyle County (total)	205	8						3	3		20	2	1	
20	White	125	5						3			10	2		
21	Colored	80	3							3		10		1	
22	Bracken County (total)	149	1			2		1		6		25	2		
23	White	144	1			2		1		5		23	2		
24	Colored [2]	5								1		2			
25	Breathitt County (total)	124	8					3	2			12		4	
26	White	124	8					3	2			12		4	
27	Colored [2]														
28	Breckinridge County (total)	258	8	1		5	1	1	3	1		48	1	4	1
29	White	227	7	1		5	1	1	3	1		41		3	1
30	Colored [2]	31	1									7	1	1	
31	Bullitt County (total)	170	3	4		2		8	2	2		26	2	2	
32	White	151	3	4		2		6	2	2		25	1	1	
33	Colored [2]	19						2				1	1	1	
34	Butler County (total)	135	3	2		1	1	1		3		27		2	
35	White	126	3	2		1	1	1		2		24		2	
36	Colored [2]	9								1		3			
37	Caldwell County (total)	170	5	2		1		5	2	3	1	28	2	3	1
38	White	123	3	2		1		4	2	3	1	16		1	1
39	Colored	47	2					1				12	2	2	
40	Calloway County (total)	258	9	7		9	1	4	4	4		40	3	6	1
41	White	242	7	5		9	1	4	4	4		37	3	6	1
42	Colored [2]	16	2	2								3			
43	Campbell County (total)	382	9				3	5	5	5	1	53	1	7	
44	White	373	9				3	5	5	5	1	52	1	7	
45	Colored [2]	9										1			
46	Carlisle County (total)	104	1	2		7		3	6	2	1	14			1
47	White	100	1	2		7		2	6	2	1	14			1
48	Colored [2]	4						1							
49	Carroll County (total)	126	2			5			3	3	1	28	2	2	1
50	White	119	2			5			3	3	1	27	2	2	1
51	Colored [2]	7										1			
52	Carter County (total)	202	6			6	1	1	10	3		35	1	2	2
53	White	199	6			6	1	1	10	3		33	1	2	2
54	Colored [2]	3										2			
55	Casey County (total)	176	6	1		4	1	2	6	4		27	1	2	1
56	White	173	5	1		4	1	2	6	4		27	1	2	1
57	Colored [2]	3	1												
58	Christian County (total)	733	27	3		14		9	3	10	3	157	5	11	3
59	White	385	11	2		13		4	2	7	3	81	1	6	2
60	Colored	348	16	1		1		5	1	3		76	4	5	1
61	Clark County (total)	253	9	1				1		3		45	4	2	2
62	White	173	7							2		29	2		2
63	Colored	80	2	1				1		1		16	2	2	
64	Clay County (total)	166	11	2		1		4	13	1		24	1	6	
65	White	164	11	2		1		4	13	1		24	1	6	
66	Colored [2]	2													
67	Clinton County (total)	78	5		1			1	1	4		16	2	2	
68	White	78	5		1			1	1	4		16	2	2	
69	Colored [2]														
70	Crittenden County (total)	137	8	3				1	2			15	1	4	2
71	White	127	8	3				1	2			15	1	4	2
72	Colored [2]	10													

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
10	.....	10	10	16	9	21	2	17	1	1	1	13	5	4	20	9	.....	69	18	1
8	.....	8	10	15	6	17	2	15	.....	1	.....	10	4	4	20	7	.....	52	14	2
2	.....	2	.....	1	3	4	.....	2	1	.....	1	3	1	.....	.....	2	.....	17	4	3
7	2	5	3	11	.....	15	.....	7	1	2	.....	9	3	1	9	9	.....	35	4	4
7	2	5	2	8	.....	12	.....	5	1	2	.....	8	2	1	9	8	.....	27	1	5
.....	.....	.....	1	3	.....	3	.....	2	.....	.....	.....	1	1	.....	.....	1	.....	8	3	6
5	.....	1	3	8	2	15	3	13	2	1	2	11	1	7	23	48	2	57	19	7
4	.....	1	3	6	2	12	3	12	1	.....	2	11	1	7	20	33	2	47	17	8
1	.....	.....	.....	2	.....	3	.....	1	1	1	.....	.....	.....	.....	3	15	.....	10	2	9
7	1	.....	10	10	1	6	1	7	1	3	5	6	.....	.....	7	4	2	21	5	10
7	1	.....	10	8	1	6	1	7	1	3	5	6	.....	.....	7	3	2	19	4	11
.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	12
9	3	7	7	29	3	25	.....	11	1	.....	1	24	.....	2	14	20	4	62	2	13
6	3	5	5	9	.....	12	.....	7	.....	.....	.....	15	.....	2	11	14	4	35	.....	14
3	.....	2	2	20	3	13	.....	4	1	.....	1	9	.....	.....	3	6	.....	27	2	15
14	.....	3	8	32	3	24	3	15	3	6	.....	6	4	3	16	34	3	68	15	16
14	.....	3	8	29	2	24	3	14	3	6	.....	6	2	3	15	34	2	66	15	17
.....	.....	.....	.....	3	1	.....	.....	1	.....	.....	.....	.....	2	.....	1	.....	1	2	.....	18
11	.....	1	10	19	3	24	2	6	1	1	.....	15	4	1	17	23	2	23	5	19
9	.....	1	6	9	1	12	1	5	1	.....	.....	11	1	1	11	19	1	13	3	20
2	.....	.....	4	10	2	12	1	1	.....	1	.....	4	3	.....	6	4	1	10	2	21
5	1	.....	6	13	.....	18	.....	7	.....	1	2	4	2	.....	9	9	1	29	1	22
5	1	.....	6	13	.....	18	.....	7	.....	1	2	4	2	.....	9	8	5	28	1	23
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	.....	24
.....	.....	3	.....	3	1	9	1	3	1	1	.....	.....	1	1	7	19	1	25	19	25
.....	.....	3	.....	3	1	9	1	3	1	1	.....	.....	1	1	7	19	1	25	19	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	27
11	3	1	7	9	3	19	3	13	1	2	1	17	1	5	21	12	.....	51	4	28
10	3	.....	7	8	3	17	3	13	1	2	1	14	1	5	18	9	.....	44	4	29
1	.....	1	.....	1	.....	2	.....	.....	.....	.....	.....	3	.....	.....	3	3	.....	7	.....	30
3	.....	3	4	14	.....	12	3	3	.....	3	4	6	1	2	7	13	4	33	4	31
3	.....	3	4	11	.....	6	2	2	.....	3	4	6	1	2	7	12	4	31	4	32
.....	.....	.....	.....	3	.....	6	1	1	.....	.....	.....	.....	.....	.....	.....	1	.....	2	.....	33
5	.....	1	4	8	1	8	4	2	.....	3	1	9	1	1	13	8	.....	22	4	34
5	.....	1	4	8	1	7	4	2	.....	3	1	9	1	1	13	7	.....	20	3	35
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	2	1	36
4	.....	6	3	6	.....	16	1	9	1	3	.....	7	2	4	8	6	.....	34	7	37
2	.....	4	3	4	.....	7	1	7	1	2	.....	4	2	3	7	5	.....	32	5	38
2	.....	2	.....	2	.....	9	.....	2	.....	1	.....	3	.....	1	1	1	.....	2	2	39
4	4	6	6	8	5	32	3	9	3	1	1	7	2	2	20	7	.....	43	7	40
4	4	5	6	8	5	29	3	9	3	1	1	7	1	2	20	4	.....	42	7	41
.....	.....	1	.....	.....	.....	3	.....	.....	.....	.....	.....	.....	1	.....	.....	3	.....	1	.....	42
28	2	8	17	31	5	31	3	11	6	1	5	22	1	1	24	26	5	60	6	43
28	2	8	17	31	5	30	3	11	6	1	5	22	1	1	24	20	5	59	6	44
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	6	.....	1	.....	45
1	1	2	7	4	.....	14	.....	6	.....	3	.....	8	.....	.....	8	2	.....	10	1	46
1	1	2	7	3	.....	12	.....	6	.....	3	.....	8	.....	.....	8	2	.....	10	1	47
.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	48
1	1	1	8	10	3	8	.....	4	2	1	2	.....	2	.....	7	3	1	22	3	49
1	1	1	8	8	3	6	.....	4	2	1	2	.....	2	.....	6	3	1	21	3	50
.....	.....	.....	.....	2	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	1	.....	51
5	.....	6	1	13	1	8	1	13	2	2	1	8	2	3	10	10	1	41	7	52
4	.....	6	1	13	1	8	1	13	2	2	1	8	2	3	10	10	1	41	7	53
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	54
3	.....	4	2	10	1	9	1	7	.....	.....	.....	8	1	2	15	11	1	29	17	55
2	.....	4	2	10	1	9	1	7	.....	.....	.....	8	1	2	14	11	1	29	17	56
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	57
16	4	5	22	41	5	39	7	27	3	1	3	42	3	2	31	37	4	165	31	58
10	3	5	13	16	2	13	3	15	3	.....	2	21	2	1	18	21	4	95	6	59
6	1	.....	9	25	3	26	4	12	.....	1	1	21	1	1	13	16	.....	70	25	60
15	2	3	7	16	.....	32	2	8	.....	3	.....	13	2	2	22	13	1	41	4	61
13	1	3	6	8	.....	21	2	7	.....	2	.....	11	2	1	17	8	1	26	2	62
2	1	.....	1	8	.....	11	.....	1	.....	1	.....	2	.....	1	5	5	.....	15	2	63
4	.....	1	.....	5	3	8	2	10	2	1	2	2	1	.....	8	12	1	20	21	64
4	.....	1	.....	5	3	7	2	10	2	.....	2	2	1	.....	8	11	1	20	21	65
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	66
1	1	2	.....	5	.....	5	.....	2	1	1	.....	3	.....	1	6	2	.....	12	4	67
1	1	2	.....	5	.....	5	.....	2	1	1	.....	3	.....	1	6	2	.....	12	4	68
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	69
3	.....	2	10	4	2	9	1	3	.....	1	1	4	2	.....	14	6	.....	33	6	70
3	.....	2	9	4	2	9	1	2	.....	1	1	4	1	.....	12	5	.....	30	5	71
.....	.....	.....	1	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	2	1	.....	3	1	72

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	KENTUCKY—continued.														
1	Cumberland County (total)	104	6	1				1	9	2	2	15	1	1	1
2	White	83	5						9	2	2	10	1		
3	Colored	21	1	1				1				5		1	1
4	Daviess County (total)	232	10	6		17	1		2	4	1	44	3	2	
5	White	264	9	6		17	1		2	4	1	40	3	1	
6	Colored [2]	18	1									4		1	
7	Edmonson County (total)	92	5	3				3	8	2		12			
8	White	73	4	3				3	6	2		11			
9	Colored [2]	19	1						2			1			
10	Elliott County (total)	122	8			9	2	7	5	3		14	1	1	
11	White	122	8			9	2	7	5	3		14	1	1	
12	Colored [2]														
13	Estill County (total)	103	8	1			1	1	1	1		14	3	3	1
14	White	100	8	1			1	1	1	1		14	3	3	1
15	Colored [2]	3													
16	Fayette County (total)	159	3			5			2	5		19	1	1	
17	White	93	1			5			2	2		10		1	
18	Colored	66	2							3		9	1		
19	Fleming County (total)	220	6			1		3	4	5	1	29	2	4	
20	White	200	6			1		3	4	5	1	27	2	4	
21	Colored [2]	20										2			
22	Floyd County (total)	126	7				1	3	5	4	1	21		2	
23	White	125	7				1	3	5	4	1	20		2	
24	Colored [2]	1										1			
25	Franklin County (total)	101	4			4			3	1		21	1	1	1
26	White	84	3			4			3			14	1	1	
27	Colored [2]	17	1							1		7			1
28	Fulton County (total)	233	9	18		11	1	3	2	3		35	1		
29	White	166	7	13		10		2	1	3		21	1		
30	Colored	67	2	5		1	1	1	1			14			
31	Gallatin County (total)	51	4						1			8		1	1
32	White	50	4						1			8		1	1
33	Colored [2]	1													
34	Garrard County (total)	190	5	3					7	1	1	28		3	1
35	White	140	4	3					7	1	1	14			1
36	Colored	50	1									14		3	
37	Grant County (total)	122	3	1		2		1		1		26	3	3	2
38	White	120	3	1		2		1		1		26	3	3	2
39	Colored [2]	2													
40	Graves County (total)	487	25	6	1	8	1	12	14	14	2	80	3	10	1
41	White	421	20	6	1	7	1	7	14	14	2	64	3	6	1
42	Colored [2]	66	5			1		5				16		4	
43	Grayson County (total)	253	17	1		2	1	3	14	2		44	1	6	
44	White	247	17	1		2	1	3	14	1		43	1	5	
45	Colored [2]	6								1		1		1	
46	Green County (total)	157	8	2		1		7	1	6		26	5	3	1
47	White	128	8	2		1		3	1	5		25	5	2	1
48	Colored	29						4		1		1		1	
49	Greenup County (total)	258	13			4		5	5	1		32	1	3	2
50	White	255	13			4		5	5	1		32	1	3	2
51	Colored [2]	3													
52	Hancock County (total)	107	8					1	2			22	1	1	1
53	White	102	8					1	2			20	1	1	1
54	Colored [2]	5										2			
55	Hardin County (total)	328	14	3		4	3	7	8	5	1	38	2	6	1
56	White	278	13	1		4	3	7	8	3	1	30	2	5	1
57	Colored [2]	50	1	2						2		8		1	
58	Harlan County (total)	70	5	2	2			1	1	2		5		1	
59	White	65	5	2	2			1	1	2		5		1	
60	Colored [2]	5													
61	Harrison County (total)	259	4	1				5	14	1		42	3	4	2
62	White	208	1	1				4	12	1		30	3	4	1
63	Colored	51	3					1	2			12			1
64	Hart County (total)	236	10			4	1	2	8	2		45	4	4	1
65	White	192	7			4	1	2	8	1		36	3	2	1
66	Colored	44	3							1		9	1	2	
67	Henderson County (total)	218	5	8		1		5	2	7		29	1	6	3
68	White	152	4	7		1		4	2	5		20	1	4	3
69	Colored	66	1	1				1		2		9		2	
70	Henry County (total)	182	8			1		4	2	3	1	31	3	2	2
71	White	138	7			1		2	2	2	1	19	2	1	1
72	Colored	44	1					2		1		12	1	1	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
5	1	3	2	5	1	3	2	4	1	2	2	4			8	3		18	1	1
4	1	3	2	5		2	1	4		2	1	3			8	3		14	1	2
1					1	1	1		1		1	1						4		3
12		6	7	10	3	26	2	23		2	2	9	2	1	22	5	1	50	9	4
10		6	7	9	3	23	2	23		2	1	9	1	1	20	5	1	48	9	5
2				1		3					1		1		2			2		6
	1	2	2	6		3	1	4	1			2		2	5	3		15	12	7
	1	2	2	3		3	1	3	1			2		1	5	2		11	7	8
				3				1						1		1		4	5	9
3		3	3	4	4	8		2		1		8		2	6	8		10	10	10
3		3	3	4	4	8		2		1		8		2	6	8		10	10	11
																				12
2		7	6	4		6	1	5	1	1		6			7	2		17	4	13
2		7	6	4		3	1	5	1	1		6			7	2		17	4	14
						3														15
4	4	2	10	12	1	19	2	3			1	8	1		6	11	1	37	1	16
2	3	1	4	7		8	1	3			1	6			6	8	1	21		17
2	1	1	6	5	1	11	1					2	1			3		16	1	18
9		2	11	18	1	16		5	2	1		15		2	13	5	2	53	10	19
9		2	8	14	1	14		4	2	1		14		2	12	4	2	49	9	20
			3	4		2		1				1			1	1		4	1	21
		3		2	2	7		4	1	1		3		2	9	8		29	11	22
		3		2	2	7		4	1	1		3		2	9	8		29	11	23
																				24
		1	1	7	1	7		5			1	7			1	3	1	22	8	25
		1	1	6	1	5		4			1	7			1	2	1	20	8	26
				1		2		1								1		2		27
2		4	6	11	2	20	1	12		3		4		5	12	18	2	37	11	28
2		4	5	7	2	15	1	8		3		4		2	11	10	1	31	2	29
			1	4		5		4						3	1	8	1	6	9	30
2		1	3	6	2		1	1				2			1	6		10	1	31
2		1	3	5	2		1	1				2			1	6		10	1	32
				1																33
3	1	2	8	14		17	1	4	2	4		11	3	2	9	20	2	31	7	34
3	1	2	7	11		10	1	4	1			10	2	2	7	16	2	26	4	35
			1	3		7			1	4		1	1		2	4		5	3	36
12		1	6	13		4		1	1	1		3			3	10	2	20	3	37
12		1	6	12		4		1	1	1		3			3	9	2	20	3	38
				1												1				39
17	2	8	10	16	4	61	3	27	1	5	2	21	1	5	39	15	1	66	6	40
15	2	8	9	14	4	54	3	24	1	4	2	19	1	4	36	13	1	57	4	41
2			1	2		7		3		1		2		1	3	2		9	2	42
8	2	4	7	12	2	18	2	18				12	2	6	14	5	2	40	8	43
7	2	4	7	12	2	18	2	18				12	2	6	14	4	2	39	8	44
1																1		1		45
6		2	2	13	2	9	2	1		1		5	3	2	4	4	1	34	6	46
6		2	2	10	2	8	1			1		4	1	1	3	3		29	2	47
				3		1	1	1				1	2	1	1	1	1	5	4	48
9		7	6	13	1	17	3	21		3		8	3	3	21	19	1	39	18	49
9		7	6	13		17	3	21		3		8	3	3	21	19	1	37	18	50
					1													2		51
3	3	1	3	4	3	3	1	6	1		3	2		1	8	1		25	3	52
2	3	1	3	4	3	3	1	6	1		3	2		1	7	1		24	3	53
1															1			1		54
6	3	2	16	20	6	16	4	17		1	2	27	7	1	15	20	2	62	9	55
6	3	2	15	17	6	14	2	16		1	2	19	5	1	14	15	2	52	8	56
			1	3		2	2	1				8	2		1	5		10	1	57
	1	3		3		2		4	1	1		2	1	1		16		7	9	58
	1	2		3		2		4	1	1		2	1	1		14		7	7	59
		1														2			2	60
14	2	1	10	20	6	15	2	10	1		2	17	1	2	9	16	4	45	6	61
12	2	1	5	16	6	11	1	10	1		2	13	1	2	9	15	3	36	5	62
2			5	4		4	1					4				1	1	9	1	63
7		8	8	14	2	19	3	5	2	1		15	1	1	11	14	1	35	8	64
5		5	7	13	2	15	3	5	2	1		12		1	10	11	1	29	5	65
2		3	1	1		4						3	1		1	3		6	3	66
4		1	3	10	1	17	3	8	1	4	4	7	1	4	23	11		39	10	67
3		1	2	8	1	11	2	7		3	1	5		2	16	5		30	4	68
1			1	2		6	1	1	1	1	3	2	1	2	7	6		9	6	69
8		4	7	16	2	7	3	1	1	3	1	11			5	11	1	40	4	70
8		4	6	11	2	6	1	1	1	3	1	8			5	9	1	30	3	71
			1	5		1	2					3				2		10	1	72

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	KENTUCKY—continued.														
1	Hickman County (total)	174	8	9		7		4	11	3		27	1	3	3
2	White	136	7	9		6		3	10	3		16	1	2	1
3	Colored	38	1			1		1	1			11		1	2
4	Hopkins County (total)	491	17	4		5	2	7	6	6	1	87	3	8	2
5	White	354	13	3		5	2	2	6	3	1	54	3	7	1
6	Colored	137	4	1				5		3		33		1	1
7	Jackson County (total)	77	5						5			16		3	2
8	White	77	5						5			16		3	2
9	Colored [2]														
10	Jefferson County (total)	539	12	2		4		3	3	2	2	100		4	6
11	White	432	9	2		4		3	3	2	2	71		4	6
12	Colored	107	3									29			
13	Jessamine County (total)	167	4			1	2	1	4	1		26		4	1
14	White	107	2			1	2	1	4	1		10		2	
15	Colored	60	2									16		2	1
16	Johnson County (total)	237	21			2	1	15	5	1	1	19	4	5	1
17	White	236	21			2	1	15	5	1	1	19	4	5	1
18	Colored [2]	1													
19	Kenton County (total)	182					4	4	2	1	1	21		3	2
20	White	178					4	4	2	1	1	20		3	2
21	Colored [2]	4										1			
22	Knott County (total)	74	7					2	5			14			
23	White	71	6					2	5			14			
24	Colored [2]	3	1												
25	Knox County (total)	291	18			1	1	10	8	5		40	1	5	2
26	White	270	15			1	1	10	8	5		36	1	4	1
27	Colored [2]	21	3									4		1	1
28	Larue County (total)	134	5			7		6	4	4		21	1	2	2
29	White	119	5			6		6	4	4		16	1	2	2
30	Colored [2]	15				1						5			
31	Laurel County (total)	129	3			2	1	5	1	1		12		2	2
32	White	123	3			2	1	3	1	1		11		2	2
33	Colored [2]	6						2				1			
34	Lawrence County (total)	190	6				2	7	5	2		36	1	3	2
35	White	186	6				2	5	5	2		36	1	3	2
36	Colored [2]	4						2							
37	Lee County (total)	70	1	1		2	1	2	2			13		1	
38	White	68	1	1		2	1	2	2			13		1	
39	Colored [2]	2													
40	Leslie County (total)	63	5					1	11	1		3		2	
41	White	62	5					1	11	1		3		2	
42	Colored [2]	1													
43	Letcher County (total)	85	10					4	6	1		10			
44	White	75	9					4	6	1		6			
45	Colored [2]	10	1									4			
46	Lewis County (total)	260	4			1		4	7	5		42	5	4	9
47	White	253	4			1		4	7	5		42	5	4	9
48	Colored [2]	7													
49	Lincoln County (total)	260	13			2		3	3	2	1	44	3	6	4
50	White	198	10					3	3	1	1	28	2	4	4
51	Colored	62	3			2				1		16	1	2	
52	Livingston County (total)	152	5	8			1	4	3	2		21	2	1	
53	White	135	5	7			1	4	3	1		19	2		
54	Colored [2]	17		1						1		2		1	
55	Logan County (total)	344	15	5		11		13	3	3	1	54	3	4	1
56	White	239	8			8		2	2	2	1	35	3	2	
57	Colored	105	7	5		3		11	1	1		19		2	1
58	Lyon County (total)	122	3	3		1			2	3		20		5	
59	White	78	3	2		1			2	2		4		3	
60	Colored	44		1						1		16		2	
61	McCracken County (total)	149	6	9		2			3	3		30	1		
62	White	122	6	7		2			3	3		22	1		
63	Colored	27		2								8			
64	McLean County (total)	197	4	4		3		1	1	3	2	25	2	11	1
65	White	183	4	4		3		1	1	3	2	21	2	11	1
66	Colored [2]	14										4			
67	Madison County (total)	310	9				1	1	4	1		69	4	2	1
68	White	207	8				1	1	4	1		37	4	2	1
69	Colored	103	1									32			
70	Magoffin County (total)	186	11					9	17	4		16		4	1
71	White	183	11					8	17	4		15		4	1
72	Colored [2]	3						1				1			

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
3		2	4	9	1	21	2		1	1	2	3	1		13	9	1	25		1
3		1	4	6	1	17	1		1	1	2	2	1		13	4	1	20		2
		1		3		4	1					1				5		5		3
14	1	7	17	32	5	35	8	20	7	1		17	3	6	32	31	4	81	22	4
11	1	5	14	24	2	26	8	14	5	1		14	1	6	27	15	4	62	14	5
3		2	3	8	3	9		6	2			3	2		5	16		19	8	6
1		1		5		2	1	2				2			9	3		11	9	7
1		1		5		2	1	2				2			9	3		11	9	8
																				9
19	3	8	26	38	10	46	7	16	2	7	6	42	1	3	22	20	2	116	7	10
18	2	6	19	30	9	35	6	15	2	7	5	33	1	1	16	15	2	99	5	11
1	1	2	7	8	1	11	1	1			1	9		2	6	5		17	2	12
9		3	4	13	4	15	3	5	2	1		6			7	14	2	32	3	13
8		3	3	10	3	8	1	4	2	1		3			4	9	2	22	1	14
1			1	3	1	7	2	1				3			3	5		10	2	15
6	2	2	1	12	2	21	1	17	1		2	5	1		31	23		28	7	16
6	2	2	1	12	2	21	1	16	1		2	5	1		31	23		28	7	17
								1												18
8		3	14	18	1	23	2	4		3	2	3			10	15	2	33	3	19
8		3	14	18	1	22	2	4		3	2	3			10	13	2	33	3	20
						1										2				21
1		1	1	1		3	2	1				1	3		4	3		13	12	22
1		1	1	1		2	2	1				1	3		4	3		13	11	23
						1													1	24
2		7	6	13	5	19	2	14		3	1	6		2	28	25	1	50	16	25
2		7	4	12	4	18	2	14		3	1	6		2	24	25	1	47	16	26
			2	1	1	1									4			3		27
4	1	2	3	12	1	8	1	3	1	2		12	1	1	9	5	2	14		28
4	1	2	3	11		6	1	3	1	1		12	1	1	8	5	2	11		29
				1	1	2				1					1			3		30
3		5	2	9	2	13		4	2		1	8	1	4	9	4	2	22	9	31
3		5	2	9	2	13		4	2		1	8	1	4	9	4	2	20	8	32
																		2	1	33
4	1	5	4	10		13	2	12			2	8	2	1	12	7	1	28	14	34
4	1	5	4	10		13	2	12			2	8	2	1	11	7	1	27	14	35
															1			1		36
1		4	3	3	3	7		4				3			4	2		11	2	37
1		4	3	2	3	7		3				3			4	2		11	2	38
				1				1												39
2			1	5	1	1	1	2						1	2	4		14	6	40
2			1	5	1	1		2						1	2	4		14	6	41
							1													42
1		1		5	2	7	1	5					1	2	3	6		11	9	43
1		1		4	2	6	1	5					1	2	3	4		10	9	44
				1		1										2		1		45
4		7	10	23	3	15	3	13		2		15	2	3	15	18	1	35	10	46
4		7	10	23	3	14	3	13		2		15	2	3	15	12	1	35	10	47
						1										6				48
14	1	7	3	22	4	21	1	11	1	3		12		6	8	19	1	38	7	49
14	1	5	3	14	3	16	1	10	1	3		11		6	7	11	1	28	7	50
		2		8	1	5		1				1			1	8		10		51
3		5	4	4	1	18		11	1	3	1	8	2	2	12	6		18	6	52
3		4	4	4	1	15		10	1	3	1	8	2	2	12	5		17	1	53
		1				3		1								1		1	5	54
13		4	14	16	3	25	6	10		6	4	11	3	2	17	15	1	72	9	55
11		3	12	14	2	18	5	7		5	3	9	2	2	10	12	1	55	5	56
2		1	2	2	1	7	1	3		1	1	2	1		7	3		17	4	57
2		1	2	5	1	7	1	2	3	2		4	2		7	8	1	28	9	58
2		1	2	4	1	6	1	2	3	1		4	2		5	1	1	19	6	59
				1		1				1					2	7		9	3	60
1	1	3	7	3	1	16	3	6	1			6			11	6	2	24	4	61
1	1	1	4	2		14	3	4	1			6			11	5	2	19	4	62
		2	3	1	1	2		2								1		5		63
7	4	4	3	5	3	22	3	13		2		11	1	2	12	9	1	33	5	64
6	4	4	3	4	3	21	3	11		2		11	1	2	12	7	1	31	4	65
1				1		1		2								2		2	1	66
10		5	10	15	1	16	3	9	1	5	2	31	2	7	15	16	2	57	11	67
9		5	6	11	1	11	3	5	1	4	2	17	1	4	11	11	2	42	2	68
1			4	4		5		4		1		14	1	3	4	5		15	9	69
1		3	1	3		8	3	11	1		1	3		1	15	7		29	37	70
1		3	1	3		8	3	11	1		1	3		1	15	7		29	36	71
																			1	72

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	KENTUCKY—continued.														
1	Marion County (total)	235	10			2		3	3	2	2	38		5	2
2	White	174	9			1		3	3	2	2	25		2	2
3	Colored	61	1			1						13		3	
4	Marshall County (total)	193	3	11		17		1	7	4		27	1	3	
5	White	192	3	11		16		1	7	4		27	1	3	
6	Colored [2]	1				1									
7	Martin County (total)	69	6					2	2	1		7			
8	White	69	6					2	2	1		7			
9	Colored [2]														
10	Mason County (total)	318	7			5		1		11		34	2	2	1
11	White	250	6			5		1		8		25	1	2	1
12	Colored	68	1							3		9	1		
13	Meade County (total)	112	8			1	1	1	2	1	1	11		5	
14	White	101	8			1	1	1	2		1	10		4	
15	Colored [2]	11								1		1		1	
16	Menifee County (total)	34		2			3			2		7		1	
17	White	33		2			3			2		7			
18	Colored [2]	1												1	
19	Mercer County (total)	194	13				1		3	4		27	6	1	1
20	White	140	5				1		3	2		18	4	1	
21	Colored	54	8							2		9	2		1
22	Metcalfe County (total)	136	5	2		2		4	3	3		23		4	1
23	White	116	5	2		1		4	3	2		18		3	
24	Colored [2]	20				1				1		5		1	1
25	Monroe County (total)	183	5	1		7		2	3	6	1	45	1	4	3
26	White	170	5	1		7		2	3	6	1	36	1	4	3
27	Colored [2]	13										9			
28	Montgomery County (total)	164	2						1	1		39	6	1	
29	White	98	1						1	1		21	5	1	
30	Colored	66	1									18	1		
31	Morgan County (total)	191	5			2	10	5	12	3		27	2	6	
32	White	191	5			2	10	5	12	3		27	2	6	
33	Colored [2]														
34	Muhlenberg County (total)	396	18	8		11		4	7	1	1	64	2	10	2
35	White	338	16	6		11		4	6	1	1	55	2	10	2
36	Colored	58	2	2					1			9			
37	Nelson County (total)	268	16	1		2		1		4		37		1	3
38	White	184	13	1		1		1		2		27		1	1
39	Colored	84	3			1				2		10			2
40	Nicholas County (total)	146		1				1	1	1	1	27	2	6	1
41	White	121						1	1		1	25	2	4	1
42	Colored [2]	25		1						1		2		2	
43	Ohio County (total)	351	20	4		14		2	11	5		54	5	9	1
44	White	329	18	4		14			11	5		49	5	9	1
45	Colored [2]	22	2					2				5			
46	Oldham County (total)	111	4							2	1	19	1		
47	White	91	4								1	13	1		
48	Colored	20								2		6			
49	Owen County (total)	149	6			2			3	3	2	27	2	5	
50	White	131	6			2			3	3	1	21	2	4	
51	Colored [2]	18									1	6		1	
52	Owsley County (total)	68	2					2		1		9		1	
53	White	66	2					2		1		7		1	
54	Colored [2]	2										2			
55	Pendleton County (total)	158	3						1	7		34	1		1
56	White	146	3						1	6		32	1		1
57	Colored [2]	12								1		2			
58	Perry County (total)	121	6	1			1	3	9	3		5			
59	White	105	5	1			1	3	9	3		4			
60	Colored [2]	16	1									1			
61	Pike County (total)	355	17			5	2	21	19		1	45		4	1
62	White	346	15			5	2	21	19		1	45		4	1
63	Colored [2]	9	2												
64	Powell County (total)	40	1						1	2		7		2	
65	White	36	1						1	2		6		2	
66	Colored [2]	4										1			
67	Pulaski County (total)	413	15	1		2	3	6	13	8	2	60	6	6	5
68	White	390	15	1		2	3	6	12	7	2	53	6	6	5
69	Colored [2]	23							1	1		7			
70	Robertson County (total)	59	1					1	1	1	1	13		1	1
71	White	57	1					1	1	1	1	11		1	1
72	Colored [2]	2										2			

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
7	2	5	11	17	6	19	2	7	1	2	.....	7	1	3	17	7	2	45	7	1
5	2	5	10	11	5	13	2	6	1	2	.....	5	1	2	13	5	2	31	4	2
2	.....	.....	1	6	1	6	.....	1	.....	.....	.....	2	.....	1	4	2	.....	14	3	3
5	.....	3	4	5	2	21	1	14	.....	.....	.....	6	.....	5	11	8	1	29	4	4
5	.....	3	4	5	2	21	1	14	.....	.....	.....	6	.....	5	11	8	1	29	4	5
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	6
2	.....	3	.....	6	1	3	.....	6	1	.....	.....	1	.....	.....	4	5	.....	15	4	7
2	.....	3	.....	6	1	3	.....	6	1	.....	.....	1	.....	.....	4	5	.....	15	4	8
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	9
12	3	2	10	45	4	29	2	7	2	3	.....	19	2	2	13	22	1	58	19	10
12	3	1	9	38	4	17	2	7	1	3	.....	14	2	1	11	14	1	51	10	11
.....	.....	1	1	7	.....	12	.....	.....	1	.....	.....	5	.....	1	2	8	.....	7	9	12
3	1	1	2	7	2	13	2	6	.....	1	.....	6	.....	.....	7	3	1	25	1	13
3	1	.....	1	6	2	11	2	6	.....	1	.....	6	.....	.....	6	1	1	25	1	14
.....	.....	1	1	1	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	2	.....	.....	.....	15
.....	1	3	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	2	1	.....	5	4	16
.....	1	3	.....	.....	.....	1	.....	.....	.....	.....	.....	1	.....	1	2	1	.....	5	4	17
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	18
10	2	2	7	16	5	8	4	4	1	3	2	12	1	.....	11	11	1	32	6	19
9	2	1	6	11	3	8	4	1	1	3	2	10	1	.....	8	8	1	22	5	20
1	.....	1	1	5	2	.....	.....	3	.....	.....	.....	2	.....	.....	3	3	.....	10	1	21
6	.....	1	4	7	1	12	.....	4	1	1	1	6	.....	.....	7	6	1	20	11	22
6	.....	1	4	6	1	11	.....	4	1	1	1	6	.....	.....	5	5	1	19	6	23
.....	.....	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	2	1	.....	1	5	24
4	3	1	1	6	1	8	1	6	.....	.....	1	7	1	1	16	5	.....	35	8	25
3	3	1	1	6	1	8	1	6	.....	.....	1	7	1	1	16	4	.....	34	7	26
1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	27
5	1	3	3	6	1	21	2	5	2	2	2	12	3	.....	4	7	.....	29	6	28
3	1	3	2	2	1	12	2	1	.....	1	.....	8	2	.....	3	5	.....	21	1	29
2	.....	.....	1	4	.....	9	.....	4	2	1	2	4	1	.....	1	2	.....	8	5	30
3	.....	7	.....	8	.....	12	2	9	.....	.....	.....	2	2	1	12	11	.....	35	20	31
3	.....	7	.....	3	.....	12	2	9	.....	.....	.....	2	2	1	12	11	.....	35	20	32
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	33
11	3	4	3	16	6	31	3	21	1	2	4	25	1	5	30	24	5	60	13	34
8	2	4	3	11	5	25	3	17	1	2	2	22	.....	4	27	18	4	55	11	35
3	1	.....	.....	5	1	6	.....	4	.....	.....	2	3	1	1	3	6	1	5	2	36
9	1	4	9	21	3	26	7	8	.....	2	6	13	.....	.....	19	13	2	48	12	37
7	1	3	5	16	3	17	4	6	.....	2	3	8	.....	.....	16	6	2	32	6	38
2	.....	1	4	5	.....	9	3	2	.....	.....	3	5	.....	.....	3	7	.....	16	6	39
3	3	5	10	9	4	12	.....	3	.....	.....	1	12	2	1	8	8	.....	22	2	40
3	3	5	7	7	3	7	.....	3	.....	.....	1	11	2	1	8	7	.....	16	2	41
.....	.....	.....	3	2	1	5	.....	.....	.....	.....	.....	1	.....	.....	.....	1	.....	6	.....	42
7	2	7	7	17	3	22	3	28	2	1	4	8	2	4	20	11	1	64	13	43
7	2	6	6	14	3	20	2	26	2	1	4	8	2	4	20	9	1	63	13	44
.....	.....	1	1	3	.....	2	1	2	.....	.....	.....	.....	.....	.....	.....	2	.....	1	.....	45
6	.....	2	4	13	1	9	1	3	.....	1	.....	9	.....	1	6	3	2	22	1	46
5	.....	1	4	11	1	9	1	3	.....	1	.....	8	.....	.....	5	2	2	18	1	47
1	.....	1	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	1	1	1	.....	4	.....	48
8	2	3	6	15	1	6	2	6	1	2	.....	4	3	.....	9	4	.....	22	5	49
8	2	2	4	15	1	5	2	6	1	1	.....	4	3	.....	7	4	.....	20	4	50
.....	.....	1	2	.....	.....	1	.....	.....	.....	1	.....	.....	.....	.....	2	.....	.....	2	1	51
.....	.....	.....	3	4	2	2	3	3	.....	1	.....	.....	.....	1	7	5	.....	18	4	52
.....	.....	.....	3	4	2	2	3	3	.....	1	.....	.....	.....	1	7	5	.....	18	4	53
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	54
5	.....	7	9	18	1	8	.....	5	.....	2	2	7	.....	.....	10	9	1	26	1	55
5	.....	5	9	16	1	7	.....	4	.....	2	1	7	.....	.....	10	8	1	25	1	56
.....	.....	2	.....	2	.....	1	.....	1	.....	.....	1	.....	.....	.....	.....	1	.....	1	.....	57
2	.....	2	.....	.....	.....	10	2	3	.....	1	.....	.....	.....	.....	3	24	1	20	25	58
2	.....	2	.....	.....	.....	10	2	3	.....	1	.....	.....	.....	.....	3	13	1	17	25	59
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11	.....	3	.....	60
4	.....	6	4	15	3	22	1	31	.....	2	.....	3	2	4	17	26	2	53	45	61
3	.....	6	4	14	3	22	1	31	.....	2	.....	3	2	4	17	23	2	51	45	62
1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3	.....	2	.....	63
2	.....	3	.....	3	.....	2	.....	2	.....	.....	.....	2	1	1	1	2	1	6	1	64
2	.....	3	.....	2	.....	2	.....	2	.....	.....	.....	2	.....	1	1	2	1	5	1	65
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	.....	66
14	.....	5	8	28	3	26	5	17	2	2	1	14	.....	6	33	33	3	55	31	67
14	.....	5	8	27	3	25	4	16	1	2	1	13	.....	6	32	29	3	52	31	68
.....	.....	.....	.....	1	.....	1	1	1	1	.....	.....	1	.....	.....	1	4	.....	3	.....	69
2	.....	.....	5	4	.....	7	1	3	.....	1	.....	2	1	.....	1	2	1	5	4	70
2	.....	.....	5	4	.....	7	1	3	.....	1	.....	2	1	.....	1	2	1	5	4	71
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	72

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	KENTUCKY—continued.														
1	Rockcastle County (total)	169	8	2		6		12	1	4		25	3		
2	White	168	8	2		6		12	1	4		25	3		
3	Colored [2]	1													
4	Rowan County (total)	122	3	1		2	1	2	3			20	2	1	
5	White	120	3	1		2	1	2	3			20	2	1	
6	Colored [2]	2													
7	Russell County (total)	143	5	1		2		3	5	2		25	2	3	1
8	White	139	5	1		2		3	5	2		23	2	3	1
9	Colored [2]	4										2			
10	Scott County (total)	221	13			1	1	7	1	5	1	49	3	1	1
11	White	153	8			1		1	1	3	1	38	2	1	1
12	Colored	68	5				1	6		2		11	1		
13	Shelby County (total)	261	9	1		1		17	3	8		39	2	3	4
14	White	176	7	1		1		9	3	6		23	1	2	1
15	Colored	85	2					8		2		16	1	1	3
16	Simpson County (total)	149	11	2		6		1		2		23		4	
17	White	102	5	2		6		1		1		8		3	
18	Colored	47	6							1		15		1	
19	Spencer County (total)	94	1			4			5	1		13	2		3
20	White	86	1			4			5	1		12	2		2
21	Colored	8										1			1
22	Taylor County (total)	150	3			5	1	1				32	3		1
23	White	118	3			5	1					21	2		1
24	Colored	32						1				11	1		
25	Todd County (total)	256	5	2		3	1		7	1		35	2	4	2
26	White	167	4	2		3	1		5	1		15		2	2
27	Colored	89	1						2			20	2	2	
28	Trigg County (total)	84	5			2		2		1		19		1	
29	White	55	4							1		8		1	
30	Colored	29	1			2		2				11			
31	Trimble County (total)	78	2					1		1	1	12			1
32	White	73	2					1		1	1	10			1
33	Colored [2]	5										2			
34	Union County (total)	258	16	9		14		5	6	5		40		3	2
35	White	209	13	7		13		5	6	3		33		2	1
36	Colored	49	3	2		1				2		7		1	1
37	Warren County (total)	437	20	1		8		1	8	2	4	80	6	4	2
38	White	319	16	1		6			7	2	4	47	5	2	2
39	Colored	118	4			2		1	1			33	1	2	
40	Washington County (total)	170	5			2			4		1	30	3	3	
41	White	131	3			2			4		1	25	2	1	
42	Colored	39	2									5	1	2	
43	Wayne County (total)	175	4	1					7	2	1	38		2	2
44	White	154	3	1					7	2	1	31		2	2
45	Colored [2]	21	1									7			
46	Webster County (total)	256	14	4		11		3	4	2		43	4	8	
47	White	217	13	3		11		3	4	2		30	4	8	
48	Colored	39	1	1								13			
49	Whitley County (total)	285	20			6		11	10	3	1	29	1	5	2
50	White	271	20			6		11	10	3	1	28	1	5	2
51	Colored [2]	14										1			
52	Wolfe County (total)	85	3			1			3	1		8	1	1	
53	White	84	3			1			3	1		8	1	1	
54	Colored [2]	1													
55	Woodford County (total)	183	4			2		5	3	3	3	25	2	1	1
56	White	106	3			1		5	1	2	2	14	2		
57	Colored	77	1			1			2	1	1	11		1	1
	MAINE.														
58	Total	8,917	83	2		13	12	54	53	166	19	632	50	85	43
59	White	8,911	83	2		13	12	54	53	166	19	631	50	85	43
60	Colored	6										1			
61	Androscoggin County	261	1					1	2	2		21	1	3	
62	Aroostook County	913	13				2	20	15	12	4	69	4	9	9
63	Cumberland County	834	5			3	1	1	5	14	2	63	3	3	4
64	Franklin County	261	2	1				1	1	2		15		2	2
65	Hancock County	551	2				4	1	2	20	1	41	2	5	3
66	Kennebec County	623	3			1		2	2	7	1	43	3	4	2
67	Knox County	561	4				1	5		9	1	58	1	9	
68	Lincoln County	345	5							14	1	23	2	1	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide.) 35	Suicide. 36	All other causes. (37)	Ill-defined and unknown. 38	
5		1		11	1	7	1	11	1	1		7	1		13	13		23	12	1
5		1		11	1	7	1	10	1	1		7	1		13	13		23	12	2
								1												3
4		3	1	4		8		5	1	1	1	5	4		10	4		24	12	4
4		3	1	4		8		5	1	1	1	4	4		10	4		23	12	5
												1						1		6
5		6	2	3	3	12		5			1			2	13	5		30	7	7
5		6	2	3	3	12		5			1			2	12	5		29	7	8
															1			1		9
2	2	7	7	20	1	17	2	11	3			10		1	6	8	3	34	4	10
2	2	7	5	13	1	9		8	2			10			3	5	3	23	3	11
			2	7		8	2	3	1					1	3	3		11	1	12
15	2	8	14	15	2	19	5	7	3	4	2	13	4		6	14	3	32	6	13
10	1	7	10	9	1	11	4	4	1	4	1	11	2		4	10	3	25	4	14
5	1	1	4	6	1	8	1	3	2		1	2	2		2	4		7	2	15
4			3	12	1	10	1	6	2	1	1	10	1	1	7	9	1	30		16
4			3	9	1	5		6	2	1	1	8		1	5	7	1	22		17
				3		5	1					2	1		2	2		8		18
6		2	1	3	1	11		1		1	1	3	1	2	4	2	1	20	5	19
6		2	1	3	1	11		1		1	1	2		1	4	1	1	18	5	20
												1	1	1		1		2		21
3		2	4	8	3	11		4	1	2		8			10	12		27	9	22
3		1	2	8	3	7		4	1	2		6			9	11		21	7	23
		1	2			4						2			1	1		6	2	24
7	3	6	15	14	2	19	2	12	3	2	2	12	3		19	14		48	11	25
5	2	3	11	11		13	2	11	2	1	2	8	1		15	10		31	4	26
2	1	3	4	3	2	6		1	1	1		4	2		4	4		17	7	27
			3	7	1	2	1	3				3		3	1	4	1	14	11	28
			3	6	1	2	1	2				3		3	1	2	1	10	6	29
				1				1								2		4	5	30
4		1	2	7	1	6	1	2			1	2			10	8		11	4	31
4		1	2	6	1	6	1	2			1	2			10	7		11	3	32
				1												1			1	33
6	1	5	1	12	1	16	4	10	2	1	1	3	2	2	22	19	2	40	8	34
3	1	3	1	10	1	13	2	10	2	1	1	2	1	2	19	12	2	35	5	35
3		2		2		3	2					1	1		3	7		5	3	36
17		7	11	31	6	25	3	18	2	2		30	2	3	33	23		80	8	37
11		5	9	21	5	17	3	15	2	1		22	1	3	27	21		61	3	38
6		2	2	10	1	8		3		1		8	1		6	2		19	5	39
9	1	1	2	11	2	16	3	4	1			6	1	1	12	9		34	9	40
7	1	1	2	11	1	10	1	3	1			6		1	12	5		23	8	41
2					1	6	2	1					1			4		11	1	42
5	2	5	1	8	1	7	2	6			1	5		1	11	9		29	25	43
5	2	5		8	1	5	2	6			1	3		1	11	8		23	24	44
			1			2						2				1		6	1	45
2	1	4	7	9	3	24	3	14	2		4	4	3	2	21	12	5	35	8	46
1	1	4	7	7	3	23	1	13	2		3	3	3	2	19	7	5	29	6	47
1				2		1	2	1			1	1			2	5		6	2	48
5	2	8	3	9	1	24	5	14	1	1		6	2	5	16	29		44	22	49
4	2	7	3	9	1	22	5	12	1	1		5	2	5	15	24		44	22	50
1		1				2		2				1			1	5				51
3		3	1	4	1	5	1	3			1	3	3	3	7	4		12	13	52
3		3	1	4		5	1	3			1	3	3	3	7	4		12	13	53
					1															54
8		1	10	12	3	10	3	9	1	2		14	1	1	10	9	2	36	2	55
4		1	6	4		7		7	1	1		7	1	1	8	7	2	18	1	56
4			4	8	3	3	3	2		1		7			2	2		18	1	57
577	137	66	707	1,016	153	762	106	328	53	70	32	612	17	59	405	422	78	1,949	156	58
576	137	66	707	1,016	152	761	106	328	53	70	32	611	17	59	405	422	78	1,948	156	59
1					1	1						1						1		60
14	3	2	28	33	3	33	1	7	3		3	18			8	10	2	57	5	61
27	8	4	37	52	14	63	12	160	9	4	2	45	2	9	59	37	5	151	56	62
65	18	7	83	109	16	64	7	18	5	9	1	59	1	6	28	33	5	191	5	63
14	2	2	24	21	7	29	2	8	1	5	3	24		1	19	16	2	48	7	64
41	8	1	38	68	13	55	4	11		4		47		2	25	23	6	117	7	65
46	10	9	55	91	16	46	5	15	3	5	2	33	2	3	22	28	8	150	6	66
40	9	1	51	79	6	44	5	3	6	5	2	37	1	2	14	29	7	125	7	67
36	11	2	41	38	5	17	3			2	1	37		2	5	5	4	85	4	68

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MAINE—continued.														
1	Oxford County	606	6			2			3	15	1	28	5	7	4
2	Penobscot County	952	5			2	2	3	7	17	3	59	7	13	6
3	Piscataquis County	275	6					6	4	5	1	17	6	6	2
4	Sagadahoc County	299	3				1	3		8		16		1	2
5	Somerset County	539	6					1	1	11	2	31	4	4	1
6	Waldo County	438	1					2		8	2	31	1	7	
7	Washington County	621	7					3	8	10		63	7	6	1
8	York County	838	14	1		5	1	5	3	12		54	4	5	6
	MARYLAND.														
9	Total	9,339	303	11		45	22	138	92	134	19	1,068	31	83	31
10	White	6,580	208	3		37	22	73	70	92	18	618	23	51	26
11	Colored	2,759	95	8		8		65	22	42	1	450	8	32	5
12	Allegany County (total)	311	11				1	15	3	9	1	19		1	3
13	White	299	11				1	13	3	9	1	16		1	3
14	Colored [2]	12						2				3			
15	Anne Arundel County (total)	723	21	2		4	3	7	10	7		76	3	10	
16	White	387	13			4	3	2	8	3		31	1	5	
17	Colored	336	8	2				5	2	4		45	2	5	
18	Baltimore County (total)	1,836	36	1		19	8	7	18	21	4	205	7	18	5
19	White	1,617	34			19	8	4	16	20	4	181	6	16	5
20	Colored	219	2	1				3	2	1		24	1	2	
21	Calvert County (total)	145	4	2					1	3	1	15			
22	White	50		1					1			2			
23	Colored	95	4	1						3	1	13			
24	Caroline County (total)	277	14				1	4	1	7	1	45	3	6	
25	White	176	10				1	2		5	1	16	3	2	
26	Colored	101	4					2	1	2		29		4	
27	Carroll County (total)	485	10			2	2	6	3	8	3	37	3	3	2
28	White	436	10			1	2	5	3	8	3	34	2	3	2
29	Colored [2]	49				1		1				3	1		
30	Cecil County (total)	336	6			1	1	6	2	7	1	39	3	4	1
31	White	269	5			1	1	6	2	7	1	19	2	2	1
32	Colored	67	1									20	1	2	
33	Charles County (total)	282	10	1		1			7	9		32		1	1
34	White	101	3						4	4		7			1
35	Colored	181	7	1		1			3	5		25		1	
36	Dorchester County (total)	491	30				2	15	2	5		59	1	4	
37	White	255	22				2	5	1	1		23	1	1	
38	Colored	236	8					10	1	4		36		3	
39	Frederick County (total)	483	18			1	1	5	8	7	1	45		2	2
40	White	416	16			1	1	5	8	6	1	36		2	2
41	Colored	67	2							1		9			
42	Garrett County (total)	144	3			1		5	3	3	2	11		1	3
43	White	144	3			1		5	3	3	2	11		1	3
44	Colored [2]														
45	Harford County (total)	356	8			1		4	3	1	1	45	3	2	2
46	White	266	7					3	1	1	1	27	2	1	1
47	Colored	90	1			1		1	2			18	1	1	1
48	Howard County (total)	216	11					1	1	6	1	19		3	1
49	White	155	9					1	1	4	1	6		1	1
50	Colored	61	2							2		13		2	
51	Kent County (total)	287	14			3	1	1	1	4	2	39		2	
52	White	147	6			2	1		1	2	2	14		1	
53	Colored	140	8			1		1		2		25		1	
54	Montgomery County (total)	332	13	1				10	3	5		53		3	
55	White	204	3	1				4	2	1		30		1	
56	Colored	128	10					6	1	4		23		2	
57	Prince Georges County (total)	507	11			2	1	7	9	6		69	2	6	4
58	White	299	5			1	1	3	7	5		29		2	3
59	Colored	208	6			1		4	2	1		40	2	4	1
60	Queen Annes County (total)	305	9	2		4		15	6	4		46		2	2
61	White	143	5	1		1		3	3	1		20		1	1
62	Colored	162	4	1		3		12	3	3		26		1	1
63	St. Marys County (total)	115	4	1						1		18			
64	White	66	1									10			
65	Colored	49	3	1						1		8			
66	Somerset County (total)	336	16					6	7	1		43		2	1
67	White	177	9						3	1		16		2	
68	Colored	159	7					6	4			27			1
69	Talbot County (total)	342	13	1		1		9	1	4		36	1	6	2
70	White	175	4			1			1	2		10	1	3	2
71	Colored	167	9	1				9		2		26		3	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide.)	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
37	11	4	40	73	5	60	6	20	4	3	.....	46	1	5	38	36	7	134	5	1
64	13	6	64	96	20	76	17	30	9	9	4	57	2	7	47	57	12	226	12	2
17	4	1	24	24	1	23	2	5	1	3	.....	13	1	2	22	14	3	60	2	3
17	3	2	29	49	5	30	2	1	2	3	2	19	1	2	9	19	1	64	5	4
31	6	8	41	61	8	52	12	13	6	6	4	18	2	8	16	35	6	134	11	5
30	14	5	29	57	6	37	6	3	.....	3	2	42	1	3	13	17	2	110	6	6
33	3	6	47	69	10	68	6	24	1	4	3	42	2	3	39	18	1	129	8	7
65	14	6	76	96	18	65	16	10	3	5	3	75	1	4	41	45	7	168	10	8
386	64	72	462	833	121	724	123	656	18	67	51	676	26	54	508	477	40	1,761	243	9
326	56	52	360	610	86	488	93	465	13	49	45	487	18	34	358	361	37	1,285	116	10
60	8	20	102	223	35	236	30	191	5	18	6	189	8	20	150	116	3	476	127	11
18	2	3	14	24	11	20	4	21	.....	1	4	20	4	2	19	35	1	42	3	12
17	2	3	14	24	11	19	4	21	.....	1	3	19	4	2	19	32	1	42	3	13
1	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	1	1	.....	.....	.....	3	.....	.....	.....	14
22	4	6	52	46	11	55	9	69	1	4	1	65	.....	6	44	51	7	107	20	15
15	4	3	33	18	4	33	7	41	.....	3	1	39	.....	2	22	37	6	44	5	16
7	.....	3	19	28	7	22	2	28	1	1	.....	26	.....	4	22	14	1	63	15	17
100	24	19	81	172	36	160	25	107	2	21	19	139	5	10	100	103	12	336	16	18
96	24	15	74	153	31	139	20	87	2	18	17	125	2	9	88	86	11	293	14	19
4	.....	4	7	19	5	21	5	20	.....	3	2	14	3	1	12	17	1	43	2	20
8	.....	.....	5	9	3	11	2	15	.....	.....	1	7	1	1	12	11	.....	27	6	21
3	.....	.....	1	4	1	4	1	8	.....	.....	.....	3	.....	1	5	4	.....	10	1	22
5	.....	.....	4	5	2	7	1	7	.....	.....	1	4	1	.....	7	7	.....	17	5	23
11	1	.....	8	20	2	16	2	27	.....	3	.....	21	.....	2	15	8	.....	49	10	24
10	1	.....	8	10	2	10	.....	22	.....	2	.....	15	.....	.....	11	2	.....	39	4	25
1	.....	.....	.....	10	.....	6	2	5	.....	1	.....	6	.....	2	4	6	.....	10	6	26
18	6	4	31	61	4	31	7	16	1	6	5	30	2	2	24	21	3	126	8	27
16	6	4	29	55	3	25	7	14	1	6	4	27	2	2	19	19	3	115	6	28
2	.....	.....	2	6	1	6	.....	2	.....	.....	1	3	.....	.....	5	2	.....	11	2	29
21	6	2	22	31	3	22	2	13	1	2	3	33	.....	3	20	16	2	58	5	30
20	5	2	18	24	3	15	2	11	.....	2	3	31	.....	3	17	13	1	48	4	31
1	1	.....	4	7	.....	7	.....	2	1	.....	.....	2	.....	.....	3	3	1	10	1	32
5	2	3	16	24	2	24	4	30	.....	1	1	15	.....	1	21	15	1	42	13	33
4	1	1	8	9	.....	7	2	12	.....	.....	.....	5	.....	.....	7	5	1	16	4	34
1	1	2	8	15	2	17	2	18	.....	1	1	10	.....	1	14	10	.....	26	9	35
17	3	1	14	41	3	33	4	48	.....	7	1	28	.....	4	38	19	1	94	17	36
12	1	1	11	21	1	10	4	26	.....	5	1	15	.....	1	21	9	1	53	6	37
5	2	.....	3	20	2	23	.....	22	.....	2	.....	13	.....	3	17	10	.....	41	11	38
19	1	4	35	44	5	33	5	22	1	2	3	43	2	1	30	26	2	103	12	39
18	1	3	30	36	4	28	4	21	1	2	3	38	2	1	25	22	2	88	9	40
1	.....	1	5	8	1	5	1	1	.....	.....	.....	5	.....	.....	5	4	.....	15	3	41
6	2	.....	5	7	1	15	2	8	.....	1	.....	5	.....	.....	8	9	.....	33	10	42
6	2	.....	5	7	1	15	2	8	.....	1	.....	5	.....	.....	8	9	.....	33	10	43
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	44
16	1	4	19	41	5	23	5	19	1	3	.....	28	.....	.....	17	13	2	85	4	45
13	1	4	19	30	3	17	4	15	1	2	.....	23	.....	.....	9	12	2	65	2	46
3	.....	.....	.....	11	2	6	1	4	.....	1	.....	5	.....	.....	8	1	.....	20	2	47
16	4	.....	13	27	4	11	7	12	1	2	.....	14	.....	1	15	9	2	34	1	48
11	3	.....	12	23	3	7	5	6	1	1	.....	10	.....	.....	9	8	2	29	1	49
5	1	.....	1	4	1	4	2	6	.....	1	.....	4	.....	1	6	1	.....	5	.....	50
7	.....	5	11	23	3	25	8	15	.....	2	2	26	1	1	15	9	.....	55	12	51
4	.....	4	3	14	1	10	6	9	.....	1	2	11	1	1	9	7	.....	32	3	52
3	.....	1	8	9	2	15	2	6	.....	1	.....	15	.....	.....	6	2	.....	23	9	53
14	1	4	15	30	6	38	.....	16	.....	.....	3	23	1	2	6	14	5	60	6	54
11	1	4	10	20	5	23	.....	9	.....	.....	3	11	1	1	3	9	5	41	5	55
3	.....	.....	5	10	1	15	.....	7	.....	.....	.....	12	.....	1	3	5	.....	19	1	56
8	1	4	25	55	1	47	8	56	.....	.....	.....	33	1	3	27	17	.....	89	15	57
6	1	1	16	39	.....	22	4	43	.....	.....	.....	21	.....	3	18	12	.....	56	1	58
2	.....	3	9	16	1	25	4	13	.....	.....	.....	12	1	.....	9	5	.....	33	14	59
13	.....	1	9	20	2	26	4	25	.....	3	2	14	1	4	19	7	1	48	16	60
10	.....	1	6	10	1	14	2	14	.....	1	2	6	.....	1	8	6	1	21	3	61
3	.....	.....	3	10	1	12	2	11	.....	2	.....	8	1	3	11	1	.....	27	13	62
2	.....	.....	3	4	4	6	1	15	.....	.....	.....	10	.....	1	7	10	.....	28	.....	63
2	.....	.....	3	2	2	6	1	9	.....	.....	.....	4	.....	.....	6	4	.....	16	.....	64
.....	.....	.....	.....	2	2	.....	.....	6	.....	.....	.....	6	.....	1	1	6	.....	12	.....	65
11	3	2	17	27	2	19	5	31	1	2	1	30	.....	2	17	14	.....	61	15	66
7	2	.....	7	17	2	9	2	22	1	.....	1	16	.....	1	11	10	.....	32	6	67
4	1	2	10	10	.....	10	3	9	.....	2	.....	14	.....	1	6	4	.....	29	9	68
10	1	3	19	42	5	33	4	28	1	3	.....	21	2	3	9	15	.....	59	10	69
6	.....	.....	14	26	2	18	3	16	.....	1	.....	12	1	1	4	11	.....	33	3	70
4	1	3	5	16	3	15	1	12	1	2	.....	9	1	2	5	4	.....	26	7	71

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MARYLAND—continued.														
1	Washington County (total)	388	13			3		10		5		36	2	1	1
2	White	371	13			3		10		5		34	2	1	1
3	Colored [2]	17										2			
4	Wicomico County (total)	346	22			2		1	1	5		40	1	4	
5	White	267	17			2		1	1	4		29	1	3	
6	Colored	79	5							1		11		1	
7	Worcester County (total)	296	6				1	4	2	6	1	41	2	2	1
8	White	160	2				1	1	1		1	17	2	2	
9	Colored	136	4					3	1	6		24			1
	MASSACHUSETTS.														
10	Total	11,993	52	6		47	24	106	91	153	28	1,184	68	88	54
11	White	11,829	52	6		47	24	102	91	151	27	1,143	66	84	54
12	Colored	164						4		2	1	41	2	4	
13	Barnstable County	516	2					7	2	12	1	27	2	4	1
14	Berkshire County	549	4	1		8	3	7	7	10	2	37	2	3	8
15	Bristol County	741	4	2		6	6	11	6	11	1	49	4	7	
16	Dukes County	82	2					1		1		2	1	1	
17	Essex County	1,382	3				3	16	6	13	1	90	8	15	5
18	Franklin County	488	3	1		9	2		9	7		21		4	3
19	Hampden County	630	3			3	2	4	9	2	1	37	5		1
20	Hampshire County	585	3					4	6	14	1	36	4	1	6
21	Middlesex County	2,233	8	1		7	1	13	14	19	8	415	21	11	10
22	Nantucket County	52						1		1		1			
23	Norfolk County	1,349	5	1		4	4	13	5	22	7	98	6	18	2
24	Plymouth County	1,205	7			3	1	6	2	19	2	146	4	7	6
25	Worcester County	2,181	8			7	2	23	25	22	4	225	11	17	12
	MICHIGAN.														
26	Total	22,638	298	16	3	115	105	154	214	440	77	1,314	46	185	124
27	White	22,309	292	15	3	111	105	152	214	437	76	1,246	45	179	123
28	Colored	329	6	1		4		2		3	1	68	1	6	1
29	Alcona County	63	1							6	1	1		1	1
30	Alger County	68	1			1		1	1			4	1		1
31	Allegan County	509	3	1		3	1	4	3	10	2	30		1	2
32	Alpena County	70	5							1		5		2	1
33	Antrim County	204	3	1		7			1	5		12		3	1
34	Arenac County	104	1			2	3	1	1			8	1	2	1
35	Baraga County	67	2			1		1		1		6			1
36	Barry County	296	3			3		1		10		10		4	1
37	Bay County	250	5			1	9	1	5	1		17		3	
38	Benzie County	143	3				2	2		1	3	10		3	1
39	Berrien County	679	8	1		6	7	4	3	13	1	46	1	8	5
40	Branch County	353	2			4	2	2		8	2	16		1	1
41	Calhoun County	446	6	1		2	2	1	5	13	1	15		2	
42	Cass County	309	2			2	2		1	7		13	1	6	3
43	Charlevoix County	238	3			2	5	1	4	4		15		2	1
44	Cheboygan County	215	2		1	1		2	1	1		12		1	
45	Chippewa County	99						1	4	3	2	3		2	1
46	Clare County	97								1	1	3		1	
47	Clinton County	300	1						1	5	1	17	1	1	
48	Crawford County	48	1						1			4		1	
49	Delta County	167	2					5	4	5	3	19	1	1	2
50	Dickinson County	206	1			1	1	3	7			15	3	1	
51	Eaton County	441	7			1		1	1	14	1	18	1	3	5
52	Emmet County	216	1			1		2	1	2	1	19	1	3	3
53	Genesee County	399	4	1				2	1	8	3	13	2	2	4
54	Gladwin County	91	2			1	1	1		1		5			1
55	Gogebic County	130	2	1		3			2			12		3	
56	Grand Traverse County	121	6			2	3			1	1	10			
57	Gratiot County	320	12	2	1				1	8	2	19		5	2
58	Hillsdale County	441	13	1				2	1	14	1	18		1	4
59	Houghton County	1,001	9	1		8	5	26	33	2	3	70	11	8	3
60	Huron County	384	1			5	1	4	4	6	2	20	1	3	2
61	Ingham County	295	7					2	1	10		14		3	1
62	Ionia County	430	4			1		7		15	1	27		4	4
63	Iosco County	89						2		2		4		1	2
64	Iron County	187	3			1		2	1	1	1	8	3	2	
65	Isabella County	215	4				3	1		4	1	12		1	
66	Jackson County	307	2			1	1	1	2	8		16		1	1
67	Kalamazoo County	249	2			2		1	1	6		18		2	2
68	Kalkaska County	94	1				1			2		4			

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
14	.....	4	19	41	5	19	10	18	1	1	4	27	3	2	24	26	1	88	10	1
14	.....	4	18	36	5	19	10	15	1	1	4	26	3	2	23	26	1	85	9	2
.....	.....	.....	1	5	.....	.....	.....	3	.....	.....	.....	1	.....	.....	1	.....	.....	3	1	3
14	1	3	11	28	.....	28	3	28	7	2	1	23	1	3	10	19	.....	82	6	4
14	1	2	10	25	.....	21	2	24	5	1	1	13	.....	3	8	12	.....	62	5	5
.....	.....	1	1	3	.....	7	1	4	2	1	.....	10	1	.....	2	7	.....	20	1	6
16	1	.....	18	16	3	29	2	17	.....	1	.....	21	2	.....	11	10	.....	55	28	7
11	.....	.....	11	7	1	17	1	12	.....	1	.....	12	2	.....	8	6	.....	32	12	8
5	1	.....	7	9	2	12	1	5	.....	.....	.....	9	.....	.....	3	4	.....	23	16	9
787	163	94	975	1,643	190	1,027	102	480	32	74	78	668	17	59	582	660	98	2,302	61	10
784	163	92	961	1,626	190	1,011	101	476	32	74	77	660	17	58	577	649	98	2,277	59	11
3	.....	2	14	17	.....	16	1	4	.....	.....	1	8	.....	1	5	11	.....	25	2	12
29	9	3	47	91	10	36	2	11	2	3	3	37	2	3	17	43	1	105	4	13
26	10	4	42	93	3	37	11	22	1	4	7	33	.....	5	22	34	5	93	5	14
61	10	7	49	97	16	60	2	65	1	2	5	40	.....	8	36	46	5	118	6	15
6	2	1	7	14	.....	2	1	1	1	.....	1	3	.....	.....	2	7	.....	26	.....	16
105	20	11	136	221	12	136	9	52	3	8	6	64	2	6	45	77	15	286	8	17
36	9	7	48	68	9	47	6	18	7	3	4	25	2	3	23	24	5	81	4	18
29	4	3	38	50	7	69	5	63	.....	2	7	30	3	.....	56	44	3	149	1	19
25	5	9	46	66	17	51	10	40	2	6	4	38	.....	1	39	27	2	122	.....	20
150	22	7	146	258	26	197	17	59	3	10	8	124	2	9	110	115	18	416	8	21
3	.....	.....	8	7	.....	4	.....	2	.....	1	2	4	.....	.....	3	7	.....	8	.....	22
93	24	16	118	213	26	109	10	35	2	15	8	75	1	10	66	72	12	257	2	23
90	17	6	112	191	33	84	15	29	2	6	8	68	3	4	38	59	11	213	13	24
134	31	20	178	274	31	195	14	83	8	14	15	127	2	10	125	105	21	428	10	25
1,306	266	168	1,423	2,835	455	1,323	298	863	161	210	196	1,175	140	160	1,415	1,507	221	5,132	293	26
1,299	266	166	1,408	2,797	451	1,293	292	841	160	207	195	1,167	140	158	1,402	1,488	219	5,079	283	27
7	.....	2	15	38	4	30	6	22	1	3	1	8	.....	2	13	19	2	53	10	28
.....	.....	.....	2	8	.....	5	2	4	.....	4	1	.....	1	2	4	7	.....	8	4	29
.....	1	.....	1	1	4	4	3	11	.....	.....	.....	2	.....	1	12	4	.....	11	3	30
40	8	2	34	73	19	38	9	15	4	5	5	23	6	1	30	32	6	92	7	31
2	.....	.....	2	7	6	6	.....	1	.....	.....	.....	2	.....	.....	4	2	.....	20	4	32
7	1	.....	8	27	6	11	3	8	2	4	3	15	3	3	10	14	3	39	4	33
5	.....	.....	4	19	2	8	.....	4	1	.....	.....	.....	.....	.....	10	6	.....	23	2	34
5	.....	.....	2	2	2	2	1	1	1	.....	1	2	1	.....	2	6	2	18	7	35
15	5	2	28	49	7	18	2	9	2	5	3	14	2	2	15	12	3	71	.....	36
12	2	3	7	23	2	18	1	15	2	3	1	10	.....	2	22	25	.....	51	9	37
5	2	.....	5	12	4	10	5	7	1	3	1	13	.....	.....	10	3	3	34	.....	38
37	11	5	47	94	10	33	6	22	3	7	6	41	8	2	29	54	8	151	2	39
32	6	3	32	70	5	13	5	7	2	2	2	20	3	3	12	18	1	77	2	40
41	11	3	41	66	9	23	8	4	3	.....	4	12	1	5	36	22	2	102	5	41
17	3	1	29	50	6	24	3	14	1	3	2	7	2	1	19	13	2	73	2	42
8	5	1	7	24	8	14	5	13	1	1	2	9	1	2	16	11	2	66	5	43
7	2	2	10	26	4	16	4	13	2	1	2	7	.....	2	17	20	.....	54	5	44
4	2	.....	3	11	2	5	5	8	1	.....	.....	4	.....	4	10	9	.....	13	2	45
6	.....	.....	4	12	3	2	1	3	.....	.....	2	4	1	3	8	9	1	28	4	46
17	9	2	14	74	2	14	2	5	6	2	7	20	1	3	8	8	3	74	2	47
2	.....	.....	.....	6	.....	3	.....	4	1	1	.....	3	.....	.....	3	7	.....	10	1	48
7	1	.....	5	6	2	12	2	17	.....	1	.....	5	1	1	11	7	.....	40	7	49
7	2	2	5	19	1	11	3	26	1	4	.....	7	4	1	24	14	.....	35	8	50
34	4	7	35	91	6	23	7	6	1	8	2	28	1	3	19	26	4	78	6	51
9	2	1	9	28	4	9	5	6	2	3	3	11	4	5	15	11	3	46	6	52
24	9	2	28	38	11	13	7	12	1	6	5	22	1	3	29	21	5	116	6	53
3	2	2	6	13	4	10	1	1	.....	.....	.....	3	.....	1	9	4	.....	17	3	54
1	1	2	1	5	2	15	1	11	1	.....	1	4	.....	2	17	22	.....	17	4	55
.....	2	2	10	15	5	9	1	5	.....	2	1	11	.....	2	8	7	2	15	1	56
27	5	4	21	42	8	13	1	9	3	3	2	21	1	3	21	16	5	61	2	57
22	7	.....	30	73	5	27	6	4	4	2	7	20	4	.....	21	28	10	115	1	58
50	6	10	49	77	27	69	11	78	13	5	5	30	8	9	85	105	4	171	10	59
14	3	5	14	38	10	24	3	22	3	1	2	32	1	2	32	30	3	93	3	60
15	4	2	27	51	9	14	3	3	3	2	1	10	1	2	16	16	4	70	4	61
18	8	4	37	66	8	18	4	12	1	3	6	21	.....	3	17	23	7	104	7	62
5	3	1	5	8	.....	6	.....	7	.....	.....	.....	5	.....	2	6	13	.....	16	1	63
6	.....	1	5	12	11	9	1	18	1	1	1	5	2	1	24	42	2	21	2	64
15	1	2	19	29	2	3	2	12	4	1	2	12	.....	3	23	12	3	40	4	65
19	3	2	30	39	4	12	5	3	5	3	1	26	1	2	17	25	2	72	3	66
20	3	2	19	34	4	14	2	7	1	2	2	13	4	2	5	20	1	58	2	67
6	2	.....	3	6	5	5	1	6	.....	.....	.....	11	1	.....	10	7	1	21	1	68

[2] Colored population less than 10 per cent of total.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	MICHIGAN—continued.														
1	Kent County	820	5			11	7	5	6	14	5	55		6	4
2	Keweenaw County	99							6	1		7		2	
3	Lake County	60								4	1	2			
4	Lapeer County	378	2		1			5	2	6		10		2	2
5	Leelanau County	144	1			2			1	1		9		1	
6	Lenawee County	473	6			2				17		24		3	1
7	Livingston County	242	5				1	2	1	12	1	15		3	
8	Luce County	84	3									4		1	
9	Mackinac County	99	1					2		2		9	1		
10	Macomb County	484	11			1	3		13	3	1	24	1	6	3
11	Manistee County	172	4			1	1	1	3	5		14	2	1	1
12	Marquette County	312	5				4	7	8	1	2	23	2	6	1
13	Mason County	241	4				4	1	5	8	1	19	1	1	2
14	Mecosta County	249	5	1		3	1	1		4	2	9	1	2	4
15	Menominee County	134	1			2	1	1	2	4		8			1
16	Midland County	167	2						2	3		14			1
17	Missaukee County	88					2		1	3		7			1
18	Monroe County	452	9			2	1	1	6	5	2	30	1	9	2
19	Montcalm County	448	5	1			1	1	7	17	3	13		4	4
20	Montmorency County	35						1		1		1			
21	Muskegon County	194					4	3		3	3	10		1	1
22	Newaygo County	222	2			1	2		1	5	1	13	1	1	
23	Oakland County	490	5	1		1	1	1	12	14	2	26	1		2
24	Oceana County	204	2					2		6		8	1	1	2
25	Ogemaw County	91	1			1		1				3		1	
26	Ontonagon County	100	1				2	4	2	1		3			
27	Osceola County	194	4			1		2	1	2		13	1		2
28	Oscoda County	16								2		1		1	
29	Otsego County	92	3						3	2		4		1	2
30	Ottawa County	449	7			7	4	2	2	9	2	34		3	3
31	Presque Isle County	134	1						2	2		3			
32	Roscommon County	21						1				6			
33	Saginaw County	429	4				4	3	4		2	24		3	2
34	St. Clair County	388	7			1	1	3	3	6	1	16	1	2	3
35	St. Joseph County	379				2	1	1		12		14	1	2	2
36	Sanilac County	384	6	1			1	1	3	10	3	16		3	2
37	Schoolcraft County	73						1	1	1		8		2	1
38	Shiawassee County	421	4				2	4	3	8	2	16		2	3
39	Tuscola County	438	4	1			2	7	4	21		24		3	1
40	Van Buren County	485	11			5		2	1	4	2	24	1	7	3
41	Washtenaw County	363	5			5		1		6		20		5	3
42	Wayne County	1,280	21	1		5	5	1	17	10	6	137	2	8	7
43	Wexford County	269	6				1	2	1	6	1	6		4	1
	MINNESOTA.														
44	Total	14,256	192		3	104	121	92	151	149	58	1,260	104	159	89
45	White	14,051	192		3	104	121	87	151	148	58	1,204	99	157	87
46	Colored	205						5		1		56	5	2	2
47	Aitkin County	83	1			1			1	3		14	1		1
48	Anoka County	162	6				3	3	2		1	16	1	2	2
49	Becker County	214	7			1	1	5			1	38	4	2	1
50	Beltrami County	255	6			1	3		2	1		37	1	3	1
51	Benton County	97	1			1			1			7			1
52	Big Stone County	112	3						1	2		5	1		3
53	Blue Earth County	199	1				1		1	3		19	5	4	1
54	Brown County	234	2			1	6	1		1		16	5	5	1
55	Carlton County	158	1			3		1	6		1	16	1	2	3
56	Carver County	150	2				4	1	1			8	2	1	
57	Cass County	87	2		1	1			2	2		13		1	1
58	Chippewa County	132	2							1		9	3	1	
59	Chisago County	161	2				1		1			16	1	1	1
60	Clay County	174	8				1	2		1	1	14		4	2
61	Clearwater County	64	1			1		1		1		12		2	
62	Cook County	11							1			3			
63	Cottonwood County	133						1	6	4		5	1		
64	Crow Wing County	197	8					1	1			22	2	1	1
65	Dakota County	272					3	1	2	2	1	27	1		
66	Dodge County	136	1			1	1			1		13		2	1
67	Douglas County	164				1		1		1	3	16		4	1
68	Faribault County	191	1			3	2		3	1		9		3	
69	Fillmore County	278					7	1	2	6		16	2	2	4
70	Freeborn County	201	3			3	1			2	1	20	1	3	
71	Goodhue County	393	4			1	4	2	2	7	1	34	2	4	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
48	9	6	61	147	19	44	14	15	4	6	9	63	3	2	33	37	9	170	3	1
4		2	1	3	6	5	1	5	3			2	2	1	11	11	1	23	2	2
2	3			11	1	3	1	2			1	7	1		2	7	2	9	1	3
19	5	1	18	52	5	33	7	6	6	2	6	22			14	16	5	128	3	4
6	4		6	7	3	6	2	5	2	5		8	1	2	10	9	3	47	3	5
40	5	4	43	64	7	32	3	13	6	4	6	32	1	2	22	21	4	108	3	6
18	3	1	17	30	2	11	5	5		1	1	7	1	2	12	12		70	4	7
6			5	5	3	6	2	3	1		4	1			4	5	1	30		8
1		1	4	8	3	8	1	5		1	1	2	4	3	7	9	1	20	5	9
32	6	5	27	51	8	34	6	17		7	6	48	4	2	22	18	7	114	4	10
7	3	1	13	17	1	16	1	6	2	2	1	8		1	13	9	2	35	1	11
10	1	3	5	21	7	15	2	18	5	1		12	1	1	26	62	2	52	9	12
16	3	6	17	23	5	10	4	5	4	2		12		3	11	19	3	48	4	13
20	2		25	25	4	13	4	8	5	3	2	15	3	1	8	19	2	55	2	14
6	1	3	4	9	4	5	4	9	1	2	1	2	1	2	15	12		28	5	15
9	1	2	15	14	1	19	2	8	1	2	3	6	4		7	8	3	38	2	16
7		4	4	5		6	4	3	1	1		4		2	5	5	1	18	4	17
35	2	5	25	44	7	33	7	18	3	9	1	19	2	2	32	24	6	106	4	18
34	10	2	22	74	8	19	8	8	3	3	4	16	3	4	29	26	3	112	4	19
2			3	1		4		1			2	3			3	3		9	1	20
17	1	1	19	21	5	9	2	5			1	9	3	3	11	7	2	50	3	21
19	2		12	25	4	15	2	6		3	2	7	1	4	12	14	5	59	3	22
30	4	1	43	58	14	30	5	8	5	5	7	26	4		15	34	12	118	5	23
12	3		11	23	5	11	3	10	3	2	2	9	1		16	13		58		24
4	1		6	7		7	1			1	1	3	2	2	11	4	1	29	4	25
5	1		2	4	7	6	1	9		1	2	5	2	2	6	15	1	14	4	26
10		2	13	28	6	11		5	2	4	2	15	2	1	15	12		39	1	27
4								1					1		1	1		4		28
3	1	1	1	13		9	2	3				8	1	1		10		20	4	29
35	7	4	41	48	10	18	6	11	2	4	4	29	3	5	22	33	7	81	6	30
5	1	1	2	12	1	9	1	18	1	3	2	3	2	2	14	12	2	27	8	31
2			1	5		1		1				1						3		32
31	4	3	21	60	14	30	8	15	1	6	5	23	2	1	42	23	2	90	2	33
23	3	1	21	55	6	26	6	10	2	3	1	26	3	4	23	21	1	104	5	34
26	5	2	41	53	5	35	8	7	3	2	5	22	1	2	19	19	4	82	3	35
20	3	4	27	49	8	28	2	15	5	3	4	18	1	3	26	18	1	102	1	36
3	1		3	6	3	1	2	2			1	4	1	1	6	8		17		37
25	6	2	26	71	7	22	3	10	2	3	4	19		1	30	33	7	104	2	38
32	2	5	26	50	8	28	5	12	2	4	2	20	2	2	23	12	4	126	6	39
34	7	4	30	76	6	25	6	6	2	4	4	36	2		27	27	4	124	1	40
14	6	1	41	69	2	13	6	3	2	3	3	25	2	2	12	28	3	77	6	41
49	10	12	57	120	19	70	18	96	2	16	12	59	5	9	90	78	16	310	12	42
17	4	3	26	27	2	14	2	17	3	4	1	14	4	2	22	22	2	53	2	43
902	172	107	684	1,229	195	1,315	160	525	196	131	98	848	102	102	820	985	176	2,726	301	44
898	171	106	679	1,225	195	1,293	160	519	196	128	98	842	102	101	818	972	173	2,695	269	45
4	1	1	5	4		22		6		3		6		1	2	13	3	31	32	46
6			4	3		3	1	1	1	1	1	6	2	1	4	10	1	12	4	47
12		1	13	18	4	9		3		1	4	16	1		9	11	1	22	1	48
11	3	2	4	11		16	3	7	1		3	10	3	2	10	15	3	40	10	49
8	2	3	5	15	6	15		11	5	3	1	5		3	11	46	5	36	20	50
8			3	9		17		6	2	1		2		1	8	7	2	18	2	51
5	3	1	3	6	1	12	2	8	1	1		4	1	1	9	16		22	1	52
17	5	1	7	17	4	15		3	1	3		19	1	4	14	11	1	40	1	53
12	2	4	18	19	3	25	1	8	2	2		18	1	3	11	14	4	45	4	54
8		5	9	12		14	3	9		1		3	2	1	9	13	5	21	9	55
9			17	19	6	15	1	3	1	2	1	9	1		8	13	1	23	2	56
1		1	2	9	1	12	1	3					1		5	9		10	9	57
12	4	1	3	19		16		9	2			5	2	2	8	13	2	16	2	58
16	3		3	15	2	22	1	8	1	1	1	5	1	1	4	8	3	42	1	59
12	1	1	8	11	1	12	2	7	4		1	8		2	15	18	1	34	3	60
4			3	2		7		2			2	3			7	3	2	8	3	61
1															2	1		3		62
8		2	3	6		19		11	1	2	1	6	2	2	8	8	3	30	4	63
9	3	2	17	19		16	1	5	4	2	1	11	1	3	17	19	2	27	2	64
17	3	2	5	34	6	27	6	8	2	4	3	17	2		14	28	5	46	6	65
8	1	1	17	18		13		2	2	1		9	1	1	7	4		27	4	66
13	3	4	5	22	3	15	3	4	3	4	2	9		3	8	6		26	4	67
16	6		12	14	6	18	3	6	3	3	1	6	5	1	6	8	3	47	5	68
16	4	1	16	38	3	22	6	4	2	1	1	23	1	2	18	10	1	61	3	69
12	3		12	15	3	12	1	9		1	4	11	3	1	12	16	1	45	6	70
28	5	2	24	47	6	36	7	6	6	4	3	35	2	1	15	20	4	76	3	71

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	MINNESOTA—continued.														
1	Grant County	85	2				1		1	1		11	1	2	1
2	Hennepin County	274	2			1		9	4	3	1	13	2	1	4
3	Houston County	127					2					11	1	2	
4	Hubbard County	85				1	1					7	1	3	
5	Isanti County	128	1					3	2			17		1	2
6	Itasca County	183	5					3	4			15	1		2
7	Jackson County	147				4	1		4	3	1	14	1	2	
8	Kanabec County	61	1					1	1			3			1
9	Kandiyohi County	191	1				3	4		1	2	17	1	2	4
10	Kittson County	85	1			5	1	1	1			5		1	1
11	Koochiching County	77	7			1	3					1		1	
12	Lac qui Parle County	147	4			1	5	2	1	1	1	12	2		1
13	Lake County	95	7						1		2	9			
14	Le Sueur County	171				1		2	1	2		8		1	2
15	Lincoln County	61	1							4	1	2			
16	Lyon County	165	7			3		6		2	1	5		1	
17	McLeod County	170	1				2	1	1	5	3	11	1		1
18	Mahnomen County	38						1			1	8		1	
19	Marshall County	155	3			1			2	2		21	1	2	
20	Martin County	144	1		1	3		1	4	1	1	6		4	
21	Meeker County	185	2			1	1		2	2		25	3	2	1
22	Mille Lacs County	100	1				2	3		1		11	1		1
23	Morrison County	203	4			1	2		1	2		21	3	1	
24	Mower County	228	3			3	3	1	2	6		20	1	4	3
25	Murray County	88	4			3	2	1		2		4			
26	Nicollet County	209	2					3		3	1	31	2	2	
27	Nobles County	146	1			12	3	1	1	4	1	3	1	1	
28	Norman County	103	1				1		2			14	1		
29	Olmsted County	514	1			1	9	2	6	3	4	36	1	10	2
30	Otter Tail County	587	9			3		1	8	13	3	72	2	13	3
31	Pennington County	88	2				1		4			10		1	2
32	Pine County	159	2				3	2	5	4		18	2		1
33	Pipestone County	74				1	1	1	2			4		1	
34	Polk County	277	7			1		1	3	2	1	44	3	3	1
35	Pope County	123				1				2	1	10	2	3	2
36	Ramsey County	100	2					2	3			8	1		1
37	Red Lake County	46	3			2			7			5			
38	Redwood County	147				1	3		7	1	1	7	1		1
39	Renville County	189	1			2			2	5	1	15			
40	Rice County	343	3			12	4		1	3	2	54	4	7	2
41	Rock County	97	2			3	2			1		6			
42	Roseau County	102	2				3		1		1	17	1	1	
43	St. Louis County	769	11			2	5	2	8		2	54	12	7	5
44	Scott County	143					1	1	1	2	2	6	2	4	1
45	Sherburne County	85						1	2	1		6			
46	Sibley County	147				1	4		2	1	1	9		1	1
47	Stearns County	313	1				2	1	3	1	1	16	2	4	2
48	Steele County	170				6	3	1	2	2	1	12	3	2	2
49	Stevens County	66				1		1	2	4	1	3			1
50	Swift County	127	2							5	1	14		1	
51	Todd County	198	3				1	2	2	2	2	15	1	2	
52	Traverse County	47					1	1				5			
53	Wabasha County	201	1				4	2	2	4	1	15	1	3	1
54	Wadena County	67	1					1			1	7		1	
55	Waseca County	108	1			1	1					9	1	2	2
56	Washington County	172	1					1	3	2	1	12	1	3	1
57	Watonwan County	92	2		1			2	1	1	1	6	2	3	2
58	Wilkin County	65	6						1	1		2		2	
59	Winona County	148	2				1	1	2	2		5		1	2
60	Wright County	265	2			4	1	2	1	3	2	17	2	2	2
61	Yellow Medicine County	118	1			2					1	11	2	1	1
	MISSOURI.														
62	Total	25,560	758	451	21	479	104	347	472	641	95	2,882	78	232	161
63	White	24,019	719	434	20	474	102	325	470	611	93	2,512	74	212	144
64	Colored	1,541	39	17	1	5	2	22	2	30	2	370	4	20	17
65	Adair County	265	6	1		9	2	1	4	5		24		6	
66	Andrew County	165	6	1				3	4	3	2	17			2
67	Atchison County	107	1					1	2	3		9			2
68	Audrain County	193	3	1				2	5	8		23		2	
69	Barry County	259	18	3		6	7	4	14	4		22		3	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
6	.....	.....	2	7	1	9	1	1	1	.....	.....	6	.....	.....	8	8	1	13	1	1
18	2	.....	19	29	1	25	1	3	.....	2	2	19	1	2	13	40	1	55	1	2
12	2	1	7	15	3	15	1	4	3	.....	.....	14	.....	1	3	2	1	24	3	3
7	.....	.....	5	10	.....	7	1	6	.....	1	.....	5	2	1	4	6	3	13	1	4
7	.....	.....	9	14	3	15	.....	7	2	3	4	3	5	.....	8	6	4	11	1	5
5	5	1	4	12	.....	12	2	17	1	2	1	5	2	1	12	38	4	22	7	6
8	1	1	5	8	3	12	.....	2	7	1	1	12	5	2	4	9	.....	35	1	7
2	.....	.....	2	6	.....	8	2	1	2	.....	1	4	.....	.....	4	4	2	11	5	8
10	1	1	17	16	1	26	2	2	3	2	1	12	2	1	16	8	1	32	2	9
10	.....	4	5	3	1	9	2	4	.....	1	1	2	.....	.....	7	3	.....	16	1	10
2	.....	.....	.....	9	2	4	.....	4	.....	.....	1	1	.....	2	6	11	2	18	2	11
8	3	.....	8	7	4	20	2	8	3	3	.....	7	.....	2	9	6	3	23	1	12
4	1	5	2	2	.....	4	1	8	.....	.....	1	4	.....	1	2	23	6	11	1	13
15	3	2	9	18	4	11	4	4	2	3	1	18	.....	2	7	11	.....	39	1	14
3	1	1	1	8	3	3	2	3	.....	.....	.....	2	.....	.....	7	3	2	14	.....	15
12	2	1	11	4	2	13	3	3	5	3	.....	12	2	1	16	9	1	37	3	16
11	1	1	6	18	4	17	5	3	2	.....	2	14	.....	1	12	11	4	30	2	17
2	.....	.....	1	1	.....	4	.....	5	.....	1	.....	1	1	1	.....	2	1	4	3	18
8	1	1	6	13	.....	19	3	6	4	2	1	7	2	1	5	10	.....	25	9	19
12	2	2	5	5	2	9	2	6	4	.....	.....	9	2	1	13	11	2	34	1	20
10	3	.....	10	11	3	25	3	9	1	1	3	10	.....	.....	8	6	5	35	3	21
2	.....	1	3	10	2	11	.....	6	4	.....	.....	6	2	1	3	5	.....	23	1	22
13	2	.....	7	17	2	23	5	7	1	2	1	12	2	1	17	7	1	42	6	23
20	7	1	17	30	7	17	.....	2	2	1	1	12	.....	1	10	9	3	42	.....	24
5	3	.....	2	10	1	12	1	1	1	.....	1	6	.....	.....	8	2	1	15	3	25
11	4	.....	10	12	3	11	2	2	.....	1	.....	65	1	.....	9	4	3	27	.....	26
9	3	4	4	15	.....	13	3	3	6	3	.....	7	2	2	13	9	1	21	.....	27
7	1	.....	9	6	2	12	2	3	1	.....	.....	4	1	.....	4	1	.....	25	6	28
84	3	2	21	37	2	26	8	4	12	6	3	37	.....	1	12	16	6	157	2	29
32	4	4	39	45	8	44	5	16	14	10	2	54	2	4	24	17	8	114	14	30
6	1	2	4	6	1	6	.....	2	.....	1	.....	1	3	.....	9	2	2	17	5	31
7	1	.....	6	6	.....	16	1	4	2	2	4	7	3	.....	13	17	2	24	7	32
8	1	2	6	3	2	5	1	2	1	.....	.....	3	.....	.....	8	1	1	16	4	33
14	5	2	15	17	1	17	6	6	4	6	2	11	.....	3	16	13	5	59	9	34
8	5	2	2	19	2	18	.....	2	3	.....	1	4	1	1	4	3	.....	22	5	35
7	2	2	1	10	3	6	2	3	1	.....	2	5	1	2	9	11	1	14	1	36
3	1	.....	2	1	1	3	.....	1	1	.....	.....	4	.....	.....	2	1	.....	7	2	37
12	1	.....	10	14	2	22	2	11	1	.....	.....	6	1	2	4	5	1	31	.....	38
18	5	2	5	19	5	16	2	10	1	1	1	6	.....	1	11	13	3	43	1	39
19	5	1	11	34	6	31	1	8	5	3	3	13	2	2	16	12	3	73	3	40
6	1	1	6	8	.....	13	1	4	6	.....	.....	4	2	.....	8	6	1	15	1	41
6	2	.....	1	7	1	11	1	1	1	1	1	5	.....	3	7	5	1	19	3	42
19	2	3	12	29	7	109	3	87	9	11	9	28	5	7	70	123	12	90	26	43
11	.....	1	3	15	.....	9	1	6	1	.....	1	7	3	2	4	12	3	40	4	44
3	3	1	4	7	.....	5	2	.....	4	.....	.....	2	.....	2	.....	11	.....	26	5	45
5	3	1	9	16	4	15	4	4	1	2	2	9	2	1	15	5	5	24	.....	46
17	8	3	17	30	1	32	3	7	5	3	2	14	1	2	24	18	3	82	8	47
13	.....	.....	14	20	4	7	2	10	2	1	1	7	1	.....	9	9	2	34	.....	48
4	.....	.....	5	2	1	12	.....	3	.....	.....	.....	2	.....	1	6	5	.....	11	1	49
6	3	4	6	14	1	7	3	9	4	1	.....	2	1	.....	10	6	1	22	4	50
18	2	3	6	24	2	20	.....	9	4	1	.....	12	2	.....	16	7	1	38	3	51
4	.....	.....	3	2	1	4	1	1	1	.....	.....	3	.....	.....	1	8	2	8	1	52
12	3	3	16	24	3	11	1	2	5	2	.....	20	.....	1	7	20	.....	34	3	53
5	3	2	5	3	.....	9	1	2	1	.....	1	5	.....	1	6	3	1	7	1	54
5	1	.....	8	9	5	3	2	8	1	3	1	4	1	3	6	2	1	28	.....	55
5	1	2	5	27	6	18	4	1	.....	1	3	15	1	1	5	15	4	32	1	56
5	1	.....	8	10	3	8	.....	3	1	.....	.....	1	1	1	8	6	.....	14	1	57
1	1	.....	1	6	.....	3	5	5	4	.....	.....	4	2	.....	5	5	.....	11	.....	58
8	.....	1	18	18	.....	14	1	5	.....	.....	1	3	.....	.....	3	5	3	45	7	59
18	4	2	13	22	7	31	2	7	1	5	5	18	1	1	9	10	1	65	5	60
5	1	.....	3	11	2	10	3	9	1	1	.....	13	1	.....	6	2	1	30	.....	61
1,007	224	308	1,062	1,768	347	2,296	254	1,131	163	206	194	1,354	169	208	1,418	1,271	212	4,548	699	62
975	222	297	1,010	1,654	324	2,147	244	1,079	156	194	182	1,281	161	199	1,368	1,184	207	4,318	627	63
32	2	11	52	114	23	149	10	52	7	12	12	73	8	9	50	87	5	230	72	64
22	.....	9	14	12	4	18	5	4	2	2	3	14	3	6	20	13	2	50	4	65
12	4	3	15	16	2	11	2	4	1	.....	.....	15	1	.....	5	12	3	21	.....	66
10	2	3	6	7	.....	6	2	6	1	1	.....	9	.....	1	3	10	.....	22	.....	67
9	3	3	15	18	1	8	1	4	.....	1	3	12	.....	5	11	8	4	39	4	68
12	1	4	9	14	1	27	2	9	2	1	2	8	1	4	12	13	2	43	9	69

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MISSOURI—continued.														
1	Barton County	139	4					1	7	9	1	18		2	1
2	Bates County	291	10	4		1	2	2	3	6	2	28	1	5	4
3	Benton County	188	10	3		1	1	3	1	17	1	22		2	2
4	Bollinger County	127	9	7		2		5	8	2	1	12	1	1	
5	Boone County	344	9	3		1	2	1		10		47	1	2	3
6	Buchanan County	169	3	2			1		8		1	17		1	
7	Butler County	475	14	48		35	1	20	14	7		36	2	6	2
8	Caldwell County	155	4							2	1	17		2	
9	Callaway County	379	9	2		1		1	4	15	3	59	2	2	4
10	Camden County	89	1	2					2	4	1	12	1		
11	Cape Girardeau County	416	19	4	2	11	1	12	7	7		36	3	3	6
12	Carroll County	287	3	1		1	2	1	3	10	1	24	1	1	2
13	Carter County	60		4		2		1	1	1	2	6	1		
14	Cass County	265	4			3		4	2	8	2	18	1	1	1
15	Cedar County	161	3	2					3	8		20		1	1
16	Chariton County	249	3	1			1	5		9		33		4	
17	Christian County	170	10			3		3	2	1		19	1	1	
18	Clark County	150	4	2				2	2	2		21	1	2	1
19	Clay County	361	10			3	1	4	3	6	2	22		2	5
20	Clinton County	181	3			2		2		3	1	14		4	
21	Cole County	90	2		2					2	1	8		1	
22	Cooper County	212	5		1		2		1	2		27		2	1
23	Crawford County	142	8	1		6		1	5	4		13	1	2	
24	Dade County	141	10	1				1	7	8	1	13			2
25	Dallas County	89	6	2					5	1	1	8	1	1	
26	Daviess County	179	5	2	1	1	3		2	5		21		3	1
27	Dekalb County	112	1					2	2	5		7			1
28	Dent County	125	4	2		7			3	8		17		1	1
29	Douglas County	93	5	3		1		2	8	1	1	5			
30	Dunklin County	721	14	105	1	43	2	72	8	8		61	3		4
31	Franklin County	353	9	1		2		6	14	7		37		3	3
32	Gasconade County	158	3	1		3			2	6		10	1	3	1
33	Gentry County	159	6		1	2	1	1		7		11		1	1
34	Greene County	267	9	4		6		6	9	5	2	21	1	7	
35	Grundy County	181	5	1			1	5		12		12		2	
36	Harrison County	229	6			17		1	3	4	2	25	2	1	1
37	Henry County	318	6			1	1	4	1	9	2	27		1	
38	Hickory County	77	3					1		2		9			2
39	Holt County	158	5					1	2	5		14	1	4	
40	Howard County	204	3	3		1		1		2	1	34		1	2
41	Howell County	251	14	3		4	2	1	8	8	1	28	2	5	3
42	Iron County	128	6	2	1	3	1		6	5		14			
43	Jackson County	433	8		1	1	5	5	3	14	2	24	1	4	
44	Jasper County	576	28	9	1	1	2	10	11	22		68	3	4	7
45	Jefferson County	373	10	3		2	1	7	7	6	3	41	4	3	4
46	Johnson County	287	4	2				3	2	8		19		2	4
47	Knox County	133	5	1		3	1	2	1	1		12	3	2	2
48	Laclede County	152	7						6	1		18		1	2
49	Lafayette County	379	10	1		2	2	5	3	12	1	39	1	4	3
50	Lawrence County	310	15	1		6	1	4	9	9		39	1	2	1
51	Lewis County	202	3	2		6	1		4	7		21		3	3
52	Lincoln County	174	2	2		1			3	11		23		4	1
53	Linn County	277	4			7	1		6	2	1	31		4	3
54	Livingston County	223	4	2			2	1	1	6		28	1	2	
55	McDonald County	96	4			1		1	8		1	9			2
56	Macon County	338	14	1		7	2		6	14	4	30	1	3	2
57	Madison County	158	9	5		2	1		5	10		23		2	2
58	Maries County	109	8			1			10	3		13		1	1
59	Marion County	176	5	1			1		2	5		19		1	1
60	Mercer County	123	2			5	2			4		14	1		1
61	Miller County	185	6			1	6		10	8		16	1	4	
62	Mississippi County	233	12	7	1	2	1	5	5	3		23	1	2	
63	Moniteau County	161	2	1					2	2	2	13	3		1
64	Monroe County	184	4					1	1	4	1	16		1	1
65	Montgomery County	166	7	1		6	1			4	1	16		2	1
66	Morgan County	141	6				3	1	3	7		13	1	2	
67	New Madrid County	311	3	31	1	23	1	5	6	3		21	1	4	
68	Newton County	337	8	3		2	1	4	10	4	1	42		5	2
69	Nodaway County	316	5			5		3	2	11		31		2	2
70	Oregon County	112	7	3		3	1	1	2	2		13	1		1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22,(23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
8	1	1	7	17	1	12	1	-------	2	3	1	6	1	1	4	9	2	17	2	1
12	5	4	21	30	4	20	4	10	1	3	2	12	-------	3	15	14	-------	60	3	2
7	-------	1	4	6	3	17	1	6	2	2	3	5	3	2	13	9	-------	32	9	3
3	1	6	2	6	1	9	2	6	-------	2	-------	2	-------	2	7	5	-------	22	3	4
15	4	3	13	33	8	28	3	20	-------	3	3	18	3	-------	15	19	6	64	7	5
9	4	3	9	17	2	21	-------	6	-------	1	-------	16	-------	1	7	19	1	20	-------	6
8	1	3	12	9	2	48	7	30	1	1	-------	18	1	4	17	38	1	58	31	7
11	3	1	12	16	1	15	1	3	2	3	-------	8	1	2	6	7	1	33	3	8
14	8	3	10	18	7	19	1	6	3	1	9	20	3	2	12	16	6	110	9	9
4	2	-------	4	1	1	9	-------	-------	1	1	1	12	2	-------	3	5	1	16	3	10
13	2	11	11	23	6	40	4	21	4	6	3	23	5	2	36	16	-------	66	13	11
15	2	2	12	27	1	32	-------	13	1	2	4	21	3	3	14	18	2	62	3	12
1	-------	1	2	2	2	5	-------	7	-------	-------	-------	4	1	1	4	-------	-------	6	6	13
8	5	6	15	23	1	30	1	11	2	1	3	21	4	2	16	15	1	53	3	14
6	2	1	9	16	1	15	-------	4	1	1	4	12	1	2	11	4	1	30	2	15
19	6	2	12	24	1	18	1	7	5	4	1	12	2	5	17	15	2	37	3	16
6	1	1	4	7	1	31	3	3	-------	2	-------	7	2	3	15	9	1	24	10	17
12	4	1	9	16	3	15	3	3	2	2	-------	4	2	-------	6	6	1	24	-------	18
13	5	4	23	47	2	35	-------	11	3	1	5	36	2	2	14	22	5	67	6	19
13	5	3	12	19	3	5	1	6	3	2	1	14	2	-------	17	7	3	32	4	20
1	-------	-------	6	8	4	7	-------	5	-------	1	1	4	-------	-------	10	9	1	16	1	21
15	1	2	14	17	2	11	4	7	6	1	2	14	2	2	9	8	1	47	6	22
11	1	1	8	10	2	15	-------	5	1	-------	-------	4	2	1	11	4	1	22	2	23
5	3	2	4	12	-------	14	4	-------	-------	3	-------	4	-------	3	4	7	1	22	10	24
4	-------	2	2	8	1	3	1	6	-------	1	1	4	1	1	2	1	-------	19	7	25
7	4	2	10	3	1	17	1	6	2	3	1	12	2	1	11	7	1	39	5	26
3	-------	-------	7	13	-------	11	-------	4	2	-------	-------	4	-------	-------	8	3	-------	31	8	27
1	-------	2	3	7	-------	14	1	5	-------	3	-------	3	-------	1	14	3	1	19	5	28
6	-------	1	4	5	1	9	1	4	-------	-------	1	5	1	2	1	6	2	13	5	29
7	1	14	22	12	9	78	9	58	2	5	1	7	4	11	40	21	-------	67	32	30
19	3	1	16	16	11	22	4	19	3	5	9	23	2	1	17	23	4	68	5	31
7	4	3	9	6	3	18	3	12	3	1	2	8	1	2	10	9	4	22	1	32
11	-------	3	10	18	-------	14	-------	4	3	2	-------	14	1	1	13	9	1	24	-------	33
4	2	3	15	26	3	33	3	7	-------	2	2	11	1	-------	18	9	1	52	5	34
17	2	2	5	15	1	18	2	3	2	2	1	5	1	-------	9	16	5	33	4	35
11	3	2	15	10	3	26	1	11	-------	1	-------	17	5	-------	8	12	4	35	3	36
23	2	1	21	41	2	31	6	11	5	3	3	14	1	4	11	17	2	58	10	37
5	-------	-------	3	4	1	7	1	3	-------	1	-------	1	1	-------	10	6	1	14	2	38
5	2	1	4	24	5	10	2	6	-------	-------	3	11	-------	1	7	5	2	35	3	39
8	2	1	8	17	7	13	-------	7	-------	-------	1	22	3	2	5	11	2	40	7	40
7	-------	5	7	14	5	24	1	7	-------	-------	1	8	3	4	17	6	1	52	10	41
3	-------	2	3	8	-------	18	-------	7	-------	3	2	2	2	-------	6	3	-------	26	5	42
21	5	6	31	45	8	35	4	18	3	6	2	30	4	-------	21	31	4	87	4	43
16	8	11	15	55	13	36	13	25	2	1	3	30	1	1	42	31	9	91	7	44
14	3	2	14	32	8	29	3	20	3	4	6	17	-------	3	33	31	3	50	7	45
19	6	3	14	18	4	18	4	11	-------	1	1	20	-------	1	18	11	3	87	4	46
6	1	-------	8	9	2	7	1	4	1	1	4	8	-------	2	6	5	-------	31	4	47
4	1	4	3	9	2	25	-------	5	1	2	-------	6	-------	2	9	8	1	31	4	48
21	5	1	16	32	8	37	2	11	1	6	3	14	1	3	18	20	1	88	8	49
13	4	1	14	14	7	36	1	14	1	3	1	15	3	1	18	17	4	44	11	50
5	1	2	10	13	4	19	-------	6	-------	2	2	20	1	2	9	7	1	42	6	51
5	3	2	7	9	2	13	3	5	3	-------	-------	15	1	1	11	5	2	35	5	52
13	1	2	19	34	4	18	1	10	1	1	3	22	2	-------	13	11	6	54	3	53
9	3	4	11	15	4	14	1	6	4	5	1	16	-------	1	7	13	1	58	3	54
3	-------	-------	2	11	-------	7	-------	3	-------	-------	-------	4	-------	1	10	3	-------	15	11	55
21	4	1	19	18	1	29	1	14	1	1	3	21	3	5	19	17	4	61	11	56
4	1	3	5	11	4	7	1	11	1	-------	1	3	-------	-------	5	6	1	25	10	57
5	1	1	2	6	1	8	2	4	1	1	-------	4	2	-------	5	1	-------	26	2	58
11	1	-------	9	14	4	24	8	1	2	1	1	12	1	1	8	9	3	29	2	59
1	1	4	1	8	-------	24	2	8	-------	2	4	7	1	1	5	2	1	21	1	60
4	1	7	4	11	4	18	2	11	2	1	1	3	3	3	17	10	-------	26	5	61
6	1	4	5	5	2	23	4	30	-------	-------	2	6	2	3	17	9	1	37	14	62
5	3	2	8	18	6	15	1	3	2	2	2	13	1	1	10	4	1	35	3	63
9	3	1	8	12	1	14	2	6	2	5	1	21	1	1	17	8	-------	40	3	64
16	1	1	6	14	3	14	-------	9	-------	3	-------	7	1	2	6	10	2	29	3	65
7	1	5	8	4	4	14	3	7	-------	1	3	4	-------	-------	7	11	2	19	5	66
2	-------	6	5	10	3	28	2	33	3	3	2	6	4	4	24	25	1	43	8	67
12	-------	3	13	29	2	41	5	19	1	4	3	22	-------	4	13	20	2	58	4	68
21	3	5	17	34	2	35	4	9	4	1	1	20	1	1	21	13	4	54	5	69
1	-------	-------	4	7	-------	12	1	10	1	-------	1	9	-------	3	7	2	-------	16	4	70

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MISSOURI—continued.														
1	Osage County	147	10			5	1	5	6	7		10	1	1	1
2	Ozark County	68	3	3				2	1	3	1	13		1	
3	Pemiscot County	367	4	26	1	28		11	7	1	4	31		2	4
4	Perry County	192	8			3	1	8	2	3	3	13		2	1
5	Pettis County	132	2		1		1	1	2	9		7		2	
6	Phelps County	179	7	2	2	2			3	1		21		3	2
7	Pike County	323	8	6			2	1	1	5	1	31		5	2
8	Platte County	139	5	2		1	1	1	1	4	1	13		1	2
9	Polk County	250	11			5	2		11	4	1	29			5
10	Pulaski County	139	9			3	1		7	4		12	1	2	
11	Putnam County	125	1			4		1	1	3		12		3	
12	Ralls County	134	2						2		1	9		1	1
13	Randolph County	175	3	1			1	3	3	4		16		1	1
14	Ray County	252	9	1		6		4	2	5	1	28		6	4
15	Reynolds County	79	4	4		1			4	2		7			
16	Ripley County	177	6	13		11		1	13	3	1	21	1		1
17	St. Charles County	318	4	1		9	1		2	6	3	18	2	1	
18	St. Clair County	153	5			3				3	1	15		3	2
19	St. Francois County	525	12	2	2	15	3	1	8	6	5	61	4	12	4
20	St. Louis County	1,275	20	3		15	8	6	9	19	2	472	2	7	4
21	Ste. Genevieve County	128	5	1		3			1	2		20			1
22	Saline County	327	6		1		1		2	10	1	39	2	3	5
23	Schuyler County	92	2						1	9		14	1	2	
24	Scotland County	109	1					1		1		6	2		
25	Scott County	393	12	22		26	1	7	11	3	1	30	3	1	3
26	Shannon County	94	6	3		3	4	1	4	1		2			
27	Shelby County	179	2							6		22		4	1
28	Stoddard County	554	16	39		36	4	29	14	9	2	48	2	1	1
29	Stone County	69	5	1		2		1	5	4		6			
30	Sullivan County	192	8			9		1		5	1	21			1
31	Taney County	69		6					3			12			
32	Texas County	200	9	1		2	1	2	4	11	2	23	1	1	1
33	Vernon County	424	9	3	1			1	2	8	10	41	1	4	2
34	Warren County	113	4	1				2	1	1		7		1	2
35	Washington County	144	8	2			1	9	3	4		15	1	1	
36	Wayne County	212	8	8		13		4	8	12	3	23		1	1
37	Webster County	184	13	1		2		2	7	7		20	1	1	
38	Worth County	47				1				2		2	1		
39	Wright County	184	8	1		6		1	8	5		19		4	1
	MONTANA.														
40	Total	2,539	51			39	21	11	24	11	5	225	12	24	18
41	White	2,241	48			28	21	11	24	11	4	137	6	19	16
42	Colored	298	3			11					1	88	6	5	2
43	Beaverhead County	58					3					1			1
44	Broadwater County	35							1						
45	Carbon County	133	5			1		1	4	2		5			2
46	Cascade County	93	2			1			2	1		4		1	
47	Chouteau County	121	4				1		5			11			1
48	Custer County	110	7			4	2				1	4	1	2	1
49	Dawson County	100	5			1	1	1	3			4			
50	Deer Lodge County	97										4			
51	Fergus County [2]	112	2			2	4			1		9			
52	Flathead County	142	3			5				1		9		1	1
53	Gallatin County	131	4			2	1			1		10	1	4	2
54	Granite County	22				2						1			
55	Jefferson County	44	2			1						3			
56	Lewis and Clark County	58	1				1								
57	Lincoln County	33										2			
58	Madison County	85	1			3	1		1			7			1
59	Meagher County [2]	31										1			1
60	Missoula County	112	3			1				1		18	4		1
61	Musselshell County [2]	40	1				1					2			
62	Park County	92	1						1			3		1	1
63	Powell County	47	1				1					1	1		
64	Ravalli County	98	1			3	1	2	1	2	1	7	1	1	
65	Rosebud County	114							2	1	1	30	1	4	2
66	Sanders County	24										3			
67	Silver Bow County	238				1	4	2	1		2	41		8	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Part taken from part of Musselshell County, Mar. 1, 1911.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
4		3	6	15	2	8	3	7			2	1		1	9	7	1	27	4	1
2			1	4	1	2	1	1		1			2	1	3	3	2	7	10	2
		4	6	3	2	47		45	2		2	6	4	4	17	23	3	55	25	3
6		7	7	8	3	18	1	16	1	4	1	11	4	1	13	13	1	32	1	4
5	1	1	7	11	1	13	2	1	1	2		10	2	2	7	8	1	26	6	5
6		6	7	14	4	8	2	10	1	4	1	19		1	11	5	2	31	4	6
23	1	5	16	31	5	24	5	11	2	1	2	20	3	3	18	11	2	61	17	7
4	2		5	19		8		1	1	1		11	1		8	7	2	36	1	8
7	1	1	8	17	1	25	2	9		4	2	18		1	15	13	1	52	5	9
3		4	4	7		14		3	1			5	2	1	9	4	3	35	5	10
5	1		7	13		12		2	1	1	1	8			7	6		28	8	11
9	1	1	12	13	1	14		6	1	1	2	16		1	8	4		26	2	12
9			8	15	2	8	2	5	1	1		19	3	1	8	15	1	40	4	13
10	2	4	12	21	1	23		6	2	2		10	1	4	17	15	1	45	10	14
2		6		2	2	10	2	4	3	1	2	2	1		4	3		10	3	15
2	2	1	5	6	1	12	2	7	2		1	4		5	14	6	1	27	8	16
13	3		15	36	5	23	5	13	1	3	7	21		1	24	25	6	67	3	17
10	3		15	12	3	15	3	6	2	2	1	6	2	1	8	4	1	26	1	18
11	1	8	20	13	7	50	4	41	2	3	3	42	6	3	35	36	3	86	16	19
33	10	5	43	75	26	82	12	42	5	6	8	59	4	6	41	65	23	160	3	20
1	1	3	3	6	5	15	2	8			6	8	1	2	5	8		20	1	21
12	4	1	15	36	3	24	4	10	1		2	5		2	20	16	1	92	9	22
3	1	1	3	7	1	11	1		3		3	3			4	3		16	3	23
11		1	6	14	2	6	1	2		2		3		1	5	9	1	29	5	24
7	2	4	3	8	11	54	1	32	3	5	8	12	3	3	34	20		49	14	25
1	1	1	1	4		3	1	15			1	6	1	3	10	4		12	6	26
9	2	1	3	21	1	14	2	1	2	1	1	13	2	1	13	7	2	40	8	27
4	1	9	16	9	5	33	7	48	3	4	1	12	2	9	33	15	2	69	21	28
1	1		2	2	1	7		2		1	1	1		1	3	3	1	11	7	29
11	2	1	7	18	2	13	2	7	1	3		9	3		17	8	2	35	5	30
4	1	1	2	1	2	10		3	2			3			2	3		6	8	31
10	2	1	11	4	3	14	1	14	1	3	3	7	2	1	8	9	1	41	6	32
16	5	4	27	31	10	35	13	5	3	1	2	28	5	2	19	17	3	113	3	33
9	3	1	5	7	1	9	3	6	2	2	1	11		2	3	10		17	2	34
8	2	2	2	8	2	11		8	1	1		6	2		8	2	1	23	13	35
5		4	3	12	4	18	1	16	1	4		6	1	3	7	6	2	28	10	36
6	3	3	4	14	1	24	4	2	2	1		11	1	2	4	8	3	32	5	37
3			4	4		2	1	2				5			4	1	1	12	2	38
6	2	4	5	12	3	20	4	4	1	1		16	2	2	6	5	1	32	5	39
80	20	16	81	195	22	224	29	88	30	23	27	113	20	30	191	370	59	422	58	40
80	19	15	77	186	22	191	27	83	28	21	26	108	20	25	185	352	57	363	31	41
	1	1	4	9		33	2	5	2	2	1	5		5	6	18	2	59	27	42
5			4	8		6				2		1	1	1	5	6	3	11		43
1		1	3	4		2		1					1		1	14	1	5		44
4	1		2	11		16		9	1	3		8		4	17	16	1	20		45
4	1		1	7		12	2	7			1	1			9	17	4	13	3	46
4			4	11		15	1	3	1	1		6		2	10	14	3	19	5	47
4			1	7	2	5	1	4	2	1	3	8	2	2	11	16	6	10	3	48
2		1	4	1		8		5	2	1	1	4		1	13	13	3	18	8	49
1			9	8		1	8		1			3	1		3	1	1	55	1	50
1		1	5	5	2	9		2	5		2	7		1	12	15	3	23	1	51
7		1	7	12	1	13	2	2	4	1	1	11		2	10	28	1	19		52
4	5	1	5	6		12	3	5	1		4	8	3	1	8	17	1	21	1	53
1			4	2		3		1			1	1				1		5		54
2	1	1		1		4	2			1		2	1		4	13	1	5		55
3	1	1	1	17	1	4	2	3			1	2				10		9	1	56
3				4		2						2		2	2	8	4	4		57
4	5	2	3	11		8	1	4	2	1		6		1	9	3		8	3	58
	1			4		3						2		1	4	7		7		59
3	1	1	1	5	1	10		3				3		1	7	24	2	14	8	60
1				1		1		3	1	1		1	1		5	14	4	3		61
3	1	1	4	7	3	8	1	5		2	3	5		2	9	17	2	12		62
2			7	8		8	1		1						3	8	1	4		63
7	2	1	4	10	1	4		1	4		1	3	2		8	9	1	19	1	64
1			2	7		8	1	1	1	2	1			5		9		28	7	65
			3	4		1	1								2	4	1	5		66
5		2	2	17	8	21	2	12		3	7	18	3	1	12	41	4	21		67

[3] Organized from part of Fergus, Meagher, and Yellowstone Counties, Mar. 1, 1911.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	MONTANA—continued.														
1	Sweet Grass County	27										1			
2	Teton County	118	2			11		1				14		1	2
3	Valley County	150	3			1		1	2	1		28	3	1	1
4	Yellowstone County [2]	74	3					3	1			2			1
	NEW HAMPSHIRE.														
5	Total	4,235	35			24	12	26	30	88	6	248	10	25	18
6	White	4,229	35			24	12	26	30	87	6	246	10	25	18
7	Colored	6								1		2			
8	Belknap County	171	2							5		7		3	
9	Carroll County	297	3			2			1	4	1	11		3	2
10	Cheshire County	281				1	1	5		7		10	3	2	3
11	Coos County	267	2			1		1	2	3		14		1	1
12	Grafton County	687	6			2		5	9	14		37	1	3	1
13	Hillsborough County	521	3				1		3	12	2	37	1	6	3
14	Merrimack County	604	4			3		10	3	16	1	45		5	3
15	Rockingham County	706	7			2	9	2	6	21		40	3		3
16	Strafford County	380	5			5	1	2	5	2	2	27	1	2	
17	Sullivan County	321	3			8		1	1	4		20	1		2
	NEW JERSEY.														
18	Total	12,796	110	7	1	80	61	87	186	152	29	1,324	83	88	82
19	White	12,159	100	6	1	76	60	79	182	147	29	1,218	75	81	77
20	Colored	637	10	1		4	1	8	4	5		106	8	7	5
21	Atlantic County	417	6			2	1	5	6	6		35		4	2
22	Bergen County	1,299	7			13	4	21	16	11	3	127	15	12	6
23	Burlington County	1,043	10			10	7	5	9	10	3	92	5	13	8
24	Camden County	655	8			7	3	2	5	7	1	86	3	3	7
25	Cape May County	255	1			1		1	4	1	1	14	1	5	3
26	Cumberland County	481	3		1	2	1		4	3	2	41	4	5	
27	Essex County	698	3				26	7	34	6		95	11	6	3
28	Gloucester County	540	13	1		12		6	8	2	2	59	2	5	
29	Hudson County	909	8	1		3	2	4	16	3	2	228	1	2	15
30	Hunterdon County	508	1	1		6	2	1	3	6	1	51	1	4	3
31	Mercer County	333	3			2	1	1	5	6	2	30	1	2	1
32	Middlesex County	779	5	1		2	7	5	11	7	2	59	6	3	6
33	Monmouth County	1,027	16	1				3	16	13	3	87	7	7	4
34	Morris County	961	3			4	3	9	7	21		89	3	5	6
35	Ocean County	279	2	1		1		3	4	5	1	24		2	1
36	Passaic County	400	3			1	1	2	14	4	2	39	2	1	1
37	Salem County	355	6			4	1		4	6	1	32	3	2	4
38	Somerset County	535	8					3	6	8	1	35	7	1	3
39	Sussex County	371						1	1	10	1	28	2		1
40	Union County	518	2	1		2	2	5	8	12		48	8	3	3
41	Warren County	433	2			8		3	5	5	1	25	1	3	5
	NEW YORK.														
42	Total	37,166	309	22		180	155	184	194	750	95	2,916	105	278	206
43	White	36,582	301	21		179	155	181	192	743	95	2,798	102	273	202
44	Colored	584	8	1		1		3	2	7		118	3	5	4
45	Albany County	552	6			2	7	6	3	7		36		5	5
46	Allegany County	648	6			2	3	3	4	22	4	20	1	2	1
47	Broome County	585	1			5	1	2		10		22		2	3
48	Cattaraugus County	699	6			3	4	13	4	10	7	39		3	5
49	Cayuga County	554	7			5	1	3	2	9	1	32		4	3
50	Chautauqua County	879	4				3	9	7	28	5	49	2	6	7
51	Chemung County	297	2					1	3	3		33		4	1
52	Chenango County	596				4	2	2	3	8	1	24	2	8	1
53	Clinton County	473	3			2	2	1	1	19	3	43		4	2
54	Columbia County	536	7			2	1		6	10	1	38	1	4	
55	Cortland County	298	1			7		4	2	9		9	1	3	2
56	Delaware County	662	8	1		1	1	1	1	30	2	38	5	5	7
57	Dutchess County	1,236	12	1		7	9	11	5	20	2	160	1	12	6
58	Erie County	1,224	14				11	4	8	20	4	82	2	9	6
59	Essex County	517	8				2	3		8		51	1	5	4
60	Franklin County	792	11			4	1	5	2	12	2	194	4	9	3
61	Fulton County	233	2			1		2		5	1	22		2	
62	Genesee County	310	3				4		3	16	1	15		2	1
63	Greene County	515	8			2			2	9		50	1	3	2
64	Hamilton County	57						1				2	1		

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
1	.....	.....	1	2	.....	3	.....	.....	.....	.....	.....	2	.....	2	4	4	1	6	.....	1
2	.....	.....	1	5	2	9	.....	1	2	2	1	2	.....	1	5	15	6	25	8	2
4	.....	1	2	5	.....	23	1	12	1	2	.....	7	1	.....	9	10	1	24	6	3
1	1	1	1	5	1	5	.....	4	1	.....	.....	.....	4	.....	9	16	4	9	2	4
270	59	45	341	518	84	356	50	125	18	30	35	296	7	25	189	210	34	990	31	5
270	59	45	341	517	84	356	50	125	18	30	35	294	7	25	189	210	34	990	31	6
.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	7
12	.....	2	14	27	4	14	1	1	.....	1	2	13	.....	1	2	5	3	51	1	8
19	3	.....	16	47	3	26	1	3	2	5	1	19	1	.....	12	19	3	87	3	9
38	5	4	24	25	7	27	6	7	.....	.....	1	23	1	.....	15	12	2	51	1	10
9	2	6	13	48	9	24	5	6	3	4	3	21	1	3	18	8	2	56	1	11
39	11	7	53	55	8	57	10	19	4	6	8	42	1	5	23	44	5	206	6	12
33	5	7	51	63	14	40	11	6	2	1	4	30	1	4	32	17	3	123	6	13
29	14	5	49	89	11	53	6	40	1	7	10	32	.....	1	17	27	1	118	4	14
58	10	7	58	79	19	63	6	16	2	2	2	53	2	4	21	42	11	155	3	15
16	5	3	27	52	3	32	.....	20	3	3	3	32	.....	4	30	18	3	71	3	16
17	4	4	36	33	6	20	4	7	1	1	1	31	.....	3	19	18	1	72	3	17
699	116	77	1,029	1,398	154	1,118	162	686	47	69	104	987	36	58	679	821	125	2,083	58	18
672	112	72	997	1,330	148	1,055	154	659	45	66	104	936	32	55	647	789	123	1,979	53	19
27	4	5	32	68	6	63	8	27	2	3	.....	51	4	3	32	32	2	104	5	20
17	3	2	24	42	2	29	4	33	1	3	3	29	1	2	31	35	4	84	1	21
70	8	9	90	158	15	128	15	65	9	8	15	88	3	5	70	105	26	174	3	22
66	3	5	83	110	10	77	13	63	4	3	15	94	3	6	53	59	9	189	6	23
30	11	2	44	65	5	53	11	34	.....	2	8	50	3	2	30	42	5	125	1	24
11	2	1	27	23	3	15	4	23	2	.....	2	36	1	1	9	14	1	48	.....	25
43	6	2	50	61	1	25	2	27	5	7	5	32	1	3	30	26	4	85	.....	26
29	4	5	60	61	9	67	7	19	1	2	7	53	.....	2	29	27	6	119	.....	27
32	1	1	39	52	7	40	8	31	.....	7	3	50	2	3	33	23	2	93	3	28
34	8	12	35	62	13	88	5	40	5	1	12	72	4	1	28	75	7	122	.....	29
32	3	2	70	57	3	35	8	15	2	2	1	42	.....	4	18	27	2	102	3	30
16	11	.....	29	50	5	34	6	8	1	.....	1	23	.....	.....	13	22	5	54	1	31
32	3	8	45	72	14	73	3	105	3	5	5	38	2	6	62	63	13	104	9	32
68	11	8	114	134	13	66	12	48	5	10	5	96	7	3	51	39	9	157	14	33
51	7	4	67	104	17	105	25	35	1	4	1	78	1	7	42	71	7	184	.....	34
20	2	1	33	36	2	21	6	3	1	2	4	28	.....	1	16	12	2	42	3	35
18	7	3	24	51	7	42	4	30	3	3	1	20	.....	1	36	37	6	35	2	36
24	5	3	29	34	7	27	2	16	1	2	2	21	2	1	25	14	1	72	4	37
32	7	1	33	65	8	53	7	29	1	2	2	41	1	4	29	30	5	110	3	38
24	2	2	35	43	6	48	5	17	1	1	9	23	3	2	17	29	1	58	1	39
35	7	5	54	66	4	49	7	30	1	3	1	46	.....	3	34	28	5	44	2	40
15	5	1	44	52	3	43	8	15	.....	2	2	27	2	1	23	43	5	82	2	41
2,210	458	265	3,204	4,937	582	3,130	332	1,042	159	285	335	2,777	120	196	1,711	2,372	357	7,240	60	42
2,199	457	261	3,172	4,888	568	3,060	327	1,022	157	280	329	2,735	115	195	1,685	2,328	354	7,150	58	43
11	1	4	32	49	14	70	5	20	2	5	6	42	5	1	26	44	3	90	2	44
33	5	9	43	71	4	60	4	16	2	5	6	52	5	2	23	53	3	79	.....	45
49	7	2	48	108	9	51	7	9	6	6	4	46	2	5	25	38	9	148	1	46
41	6	10	69	81	11	49	5	14	5	4	8	47	4	3	25	33	3	120	1	47
44	11	2	56	120	8	48	8	14	6	7	7	42	3	4	25	48	8	144	.....	48
47	11	3	55	68	13	36	6	6	3	3	5	38	.....	2	25	29	19	118	.....	49
57	8	5	74	137	12	66	16	16	10	8	13	45	2	2	28	51	10	198	1	50
23	5	2	25	44	2	30	3	4	1	1	3	25	1	1	16	13	3	48	.....	51
40	10	.....	64	111	9	45	2	7	2	4	6	48	3	3	21	26	5	134	1	52
30	3	6	36	60	7	33	8	19	4	3	4	28	1	5	34	30	.....	78	4	53
19	5	6	49	85	4	38	6	9	.....	5	4	65	3	2	12	33	7	112	2	54
26	4	1	23	38	9	21	4	4	3	3	4	23	.....	2	9	15	3	68	.....	55
43	11	5	57	100	13	44	4	12	3	1	7	44	6	5	30	51	4	122	.....	56
45	12	7	89	138	22	135	13	41	4	9	9	78	1	5	52	73	8	248	1	57
91	16	11	77	180	27	82	14	50	6	8	10	64	1	5	60	104	15	240	3	58
19	10	3	29	61	13	43	3	20	6	2	8	30	4	6	34	29	4	110	1	59
27	2	7	45	60	12	82	4	48	1	5	2	40	2	5	50	33	6	113	1	60
12	.....	3	16	25	5	24	.....	7	.....	.....	2	27	1	2	12	9	1	52	.....	61
14	3	4	35	40	7	20	2	6	.....	6	2	16	.....	1	18	18	6	66	1	62
24	8	5	65	64	13	36	1	16	1	6	9	42	3	3	18	29	2	93	.....	63
2	1	1	5	5	.....	5	.....	.....	1	.....	.....	10	.....	.....	.....	7	.....	15	1	64

[2] Part taken to form part of Musselshell County, Mar. 1, 1911.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15[1]	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	NEW YORK—continued.														
1	Herkimer County	640	4			1		3	2	5	2	38	1	6	
2	Jefferson County	803	10	1		3	4	8	1	27	1	34	1	4	3
3	Lewis County	362	1						1	10	4	13			4
4	Livingston County	642	2			3	4	1	2	11		54		5	
5	Madison County	641	5			10	3	9	5	13		28		3	
6	Monroe County	935	1			4	11	2	13	8	2	95	3	1	11
7	Montgomery County	418	3			1	3	1	1	7		41	4	3	3
8	Nassau County	1,122	13	3		13	14	9	8	14	1	76	4	11	3
9	Niagara County	424	7				1		2	11		24	1	5	3
10	Oneida County	866	9	1		5	1	3	4	11		55	2	5	8
11	Onondaga County	964	6			15		7	10	13	4	75	2	11	4
12	Ontario County	663	5				4	1	1	13	1	37	3	4	4
13	Orange County	1,158	12			7	7	2	9	26	1	109	8	7	3
14	Orleans County	466	5				1		5	5		28	1		4
15	Oswego County	645	3			4		3	2	7	2	37	2	4	5
16	Otsego County	796	6						4	22	3	37	1	9	3
17	Putnam County	243	2	3		2	3	1		7		14	2		
18	Rensselaer County	518	4			1	11		3	14		28		9	2
19	Rockland County	669	3	1		12	3	6	10	9	3	57	2	9	6
20	St. Lawrence County	1,011	19	1		1		4	2	31	3	72	6	7	3
21	Saratoga County	788	4	1		9		3	10	16		59	2	6	6
22	Schenectady County	186	1					4	2	1		21			3
23	Schoharie County	388	3	1					1	16		20		3	2
24	Schuyler County	266					1	1		6	2	11	1	1	1
25	Seneca County	578	3				1	3	2	5		57		4	2
26	Steuben County	1,034	6			1	4	7	2	13	2	43		8	12
27	Suffolk County	1,988	9	1		1	4	6	8	36	7	196	6	16	9
28	Sullivan County	650	8	1			3	4	2	13	3	175	4	1	8
29	Tioga County	432	4			1	1	3	1	12	1	30	2	3	3
30	Tompkins County	275	1			1	1	1		13	1	13		2	2
31	Ulster County	969	11	4		9	4	2	8	21	3	73	4	8	6
32	Warren County	271	2			10		1		5		20	2	1	1
33	Washington County	834	14			6	4	2		20	2	46	3	7	4
34	Wayne County	736	4	1			3	7	5	17	4	41	4	6	3
35	Westchester County	1,399	5	1		8	5	7	11	12	6	165	11	12	13
36	Wyoming County	446	4			5	2	1	1	14		22	1	4	1
37	Yates County	277	1					1		11	3	13		1	2
	NORTH CAROLINA.[2]														
38	Total	3,613	162	55	1	38	5	76	21	40	6	426	11	44	16
39	White	1,934	98	24		22	5	28	15	25	4	181	6	22	6
40	Colored	1,679	64	31	1	16		48	6	15	2	245	5	22	10
	OHIO.														
41	Total	32,109	595	26	1	188	136	275	296	746	100	2,886	144	319	177
42	White	31,311	582	24	1	186	135	265	294	729	99	2,726	133	305	173
43	Colored	798	13	2		2	1	10	2	17	1	160	11	14	4
44	Adams County	253	5			2	3	3	4	10		37	2	5	1
45	Allen County	316	7				1		2	5	1	44	2	3	3
46	Ashland County	291	7			1		2	1	16	2	15	1		2
47	Ashtabula County	571	8	1			2		3	23		51	3	6	3
48	Athens County	700	11			18	1	14	9	5		79	3	6	2
49	Auglaize County	339	2			5			5	8	1	37	2	4	4
50	Belmont County	857	17			4	4	6	20	15	4	77	2	6	7
51	Brown County	314	11	2		3			1	4	1	43	3	4	1
52	Butler County	291	7	1		1	2		2	6		18	1	2	1
53	Carroll County	166	1			1			3	2		9	3		1
54	Champaign County	348	4			1	2		1	5		26	2	7	4
55	Clark County	268	2			1	1	1	10	4	1	44		2	2
56	Clermont County	385	4				1	6	2	8	1	44	2	3	2
57	Clinton County	303	6					6	3	14	3	25	1	6	2
58	Columbiana County	661	10			1	1	6	11	13	2	38	3	5	1
59	Coshocton County	339	17			10	1	5	3	5	2	27	2	3	4
60	Crawford County	416	6	1			1	4	2	7		32	3	6	1
61	Cuyahoga County	808	6			3	10	9	5	12	1	50	4	4	7
62	Darke County	456	5			1	2	3	2	16	1	38	1	3	3
63	Defiance County	293	6				2		4	4		27	1	7	
64	Delaware County	300	8			2	1	5		7		32		3	
65	Erie County	364	2			1	1	1		3	4	35			1
66	Fairfield County	278	5				1	2	4	13		22	4	1	1
67	Fayette County	274	2			1		1	3	13		25	1	1	
68	Franklin County	543	7			7		4	1	12	2	76	1	9	6

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
34	8	6	67	89	12	66	10	16	4	4	6	50	.....	5	43	52	7	97	2	1
52	9	3	95	133	10	44	8	12	3	8	10	52	4	5	51	39	10	156	2	2
28	1	2	44	57	5	34	3	8	1	7	4	29	1	1	19	24	2	59	.....	3
35	10	2	49	91	9	76	3	21	4	1	4	50	1	5	13	48	6	131	1	4
38	15	10	65	84	8	49	8	13	2	12	7	32	.....	2	34	30	11	145	.....	5
52	13	6	65	136	12	59	7	49	6	7	5	46	1	5	56	76	12	171	.....	6
21	4	2	35	58	7	29	3	9	3	.....	.....	44	1	3	16	33	7	74	2	7
63	21	5	77	104	18	109	9	56	6	9	14	104	9	7	66	94	9	172	1	8
32	4	1	29	76	11	22	2	16	3	1	2	23	3	3	22	29	3	87	1	9
63	18	5	67	123	21	92	9	31	1	5	11	64	3	4	43	37	6	159	.....	10
66	11	7	84	137	13	75	3	26	2	9	3	62	5	7	47	75	6	178	1	11
55	3	7	69	93	6	44	7	8	2	6	5	55	3	5	27	55	3	137	.....	12
67	19	9	80	119	21	99	8	46	2	11	14	100	5	4	57	99	17	188	2	13
27	11	4	46	54	8	28	4	22	2	7	3	40	3	4	28	30	6	90	.....	14
43	11	4	88	98	12	23	5	7	3	2	6	60	.....	4	28	34	4	141	3	15
61	7	2	74	122	10	76	6	13	4	8	9	67	4	3	40	53	5	145	2	16
16	1	3	20	33	5	25	2	8	2	2	2	17	1	.....	15	23	1	32	1	17
29	10	6	56	74	5	47	7	12	2	1	2	46	2	1	23	48	5	69	1	18
29	10	6	49	61	12	75	5	16	7	7	9	63	4	7	42	39	6	99	2	19
51	7	10	101	138	14	81	4	26	.....	5	5	61	4	4	45	54	8	244	.....	20
41	12	5	67	102	10	72	6	29	2	3	2	63	1	3	42	59	6	146	1	21
7	.....	1	14	18	5	18	2	9	.....	.....	2	13	1	1	6	26	2	29	.....	22
32	5	.....	34	68	7	27	3	6	1	4	7	37	2	.....	15	14	.....	79	1	23
21	1	3	27	46	4	17	4	5	1	3	4	16	1	.....	14	12	.....	61	2	24
33	10	3	58	100	5	66	1	9	1	4	5	40	.....	2	23	23	3	115	.....	25
70	11	8	92	195	13	71	11	12	5	7	10	85	.....	8	48	59	8	222	1	26
97	23	8	142	185	23	183	20	52	4	13	15	195	.....	7	49	69	22	580	2	27
32	10	4	43	64	8	50	2	12	3	5	7	30	5	2	7	39	3	97	5	28
31	2	5	54	51	11	32	2	3	1	5	.....	28	1	1	22	12	10	99	1	29
16	3	1	34	40	.....	18	2	4	4	3	.....	26	.....	2	12	17	6	52	.....	30
44	13	3	77	117	22	106	13	21	3	14	12	79	1	7	46	63	4	169	2	31
18	2	1	27	35	5	25	2	7	.....	3	4	19	2	3	7	12	1	55	1	32
36	11	11	79	93	12	104	7	29	2	7	5	77	2	3	41	52	9	145	1	33
33	8	5	72	96	10	47	8	10	1	3	13	44	2	4	41	69	13	160	2	34
108	10	13	86	120	19	138	21	89	4	10	6	111	3	6	77	117	12	192	1	35
29	3	2	46	83	7	31	1	6	1	2	4	21	2	4	15	22	5	106	1	36
14	3	.....	32	48	2	24	4	6	3	1	5	18	1	1	14	13	3	53	.....	37
118	14	45	152	247	34	283	28	329	29	19	21	168	17	43	187	164	12	649	153	38
82	14	33	92	126	14	112	18	203	26	10	10	98	7	25	130	75	10	355	58	39
36	.....	12	60	121	20	171	10	126	3	9	11	70	10	18	57	89	2	294	95	40
1,932	381	224	2,575	3,997	376	2,446	280	1,095	168	249	349	1,751	166	181	1,553	2,096	330	5,837	234	41
1,905	372	220	2,528	3,913	364	2,388	276	1,072	166	248	343	1,695	161	178	1,527	2,046	321	5,710	226	42
27	9	4	47	84	12	58	4	23	2	1	6	56	5	3	26	50	9	127	8	43
12	3	1	16	22	2	25	4	7	2	2	3	12	.....	4	16	13	1	33	3	44
21	5	8	22	32	9	24	1	13	2	5	3	18	1	.....	9	19	.....	54	2	45
24	4	2	28	33	3	21	1	7	2	.....	1	22	1	1	8	22	4	58	2	46
28	10	5	52	57	8	50	1	14	6	1	10	22	2	2	32	55	8	103	5	47
37	5	5	58	69	4	41	7	34	1	9	6	30	1	4	46	61	2	129	3	48
23	4	4	31	28	5	27	5	9	2	3	5	25	2	4	21	14	1	56	2	49
50	1	11	42	67	7	105	8	61	4	3	8	37	4	9	48	88	8	127	7	50
25	5	1	22	40	.....	24	2	10	4	2	3	13	.....	1	11	16	5	55	2	51
13	3	2	27	42	3	23	3	10	.....	3	4	17	1	1	14	27	3	54	.....	52
13	2	1	15	27	4	12	2	3	.....	1	3	7	2	.....	7	12	1	33	1	53
22	4	.....	30	59	3	20	1	5	5	3	4	33	3	2	16	21	4	58	3	54
16	4	3	23	27	4	20	2	9	1	2	.....	12	3	.....	10	11	4	48	1	55
27	5	1	34	59	2	29	2	12	3	2	10	15	1	3	13	20	5	66	3	56
20	2	.....	32	36	1	15	2	6	1	2	3	18	2	.....	10	18	3	66	.....	57
37	6	6	44	68	9	57	10	34	3	3	6	61	4	8	26	34	9	138	7	58
22	3	4	25	44	4	32	4	10	.....	3	4	15	.....	2	17	20	1	44	6	59
43	3	2	47	50	2	22	5	2	4	4	8	24	3	.....	23	33	5	72	1	60
42	14	.....	58	133	17	65	12	44	2	7	11	57	1	4	30	67	14	115	4	61
33	6	1	35	64	6	21	8	13	3	4	3	22	4	2	28	29	3	91	5	62
17	4	3	36	34	1	23	1	4	1	3	1	9	1	3	11	18	6	64	2	63
21	1	1	38	33	8	23	5	4	2	3	3	14	3	2	14	14	3	50	.....	64
19	2	3	49	86	2	17	3	7	1	3	1	13	1	.....	3	28	6	70	2	65
21	7	1	24	45	3	18	3	7	.....	3	3	12	1	.....	17	8	2	48	2	66
16	7	4	17	38	2	18	1	13	4	3	2	22	2	.....	19	9	3	47	.....	67
30	3	3	41	60	3	34	3	21	1	4	5	36	1	4	20	37	10	99	3	68

[2] Including only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	OHIO—continued.														
1	Fulton County	274	2			2	2		3	7	1	23		5	3
2	Gallia County	442	11			5		2	4	11	2	51		2	2
3	Geauga County	213	1					2		11		10		2	2
4	Greene County	394	7	1			1	4	1	14	1	45	1	8	3
5	Guernsey County	407	9	1		3		11	2	8	3	31	3	8	1
6	Hamilton County	893	13	4			6	14	9	14	2	86	12	15	2
7	Hancock County	194	2				1	7		4		20			1
8	Hardin County	369	6				3	1	2	11	2	51	2	4	3
9	Harrison County	239	5					1		8	1	14		2	2
10	Henry County	280	5			2				3	2	22		1	1
11	Highland County	364	9	1		2	1	4	1	5		48		5	2
12	Hocking County	267	5			14	2	5	2	7	1	22		4	2
13	Holmes County	215	4			2			1	5	1	13	2	3	1
14	Huron County	449	7				1			14	5	32	2	4	
15	Jackson County	403	9			11		16	6	11		45	1	6	2
16	Jefferson County	510	19			3	4	15	4	8		36	1	8	3
17	Knox County	364	7				2	2		10	3	28	1	1	
18	Lake County	364	13			2	5	1	5	11	2	28	3		2
19	Lawrence County	372	13			5		6	1	6		41	1	9	1
20	Licking County	345	5			2	1	4		4	1	31		1	2
21	Logan County	383	4					8	1	11		42	3	8	
22	Lorain County	355	2			1	5		2	9		20		2	3
23	Lucas County	301	6	2			2	2	6	3		27	2	2	
24	Madison County	248	4			1	1		1	4	1	28	1	2	
25	Mahoning County	471	9				3	2	23	4	1	34	2	2	4
26	Marion County	160	5					1		1		13	1	5	1
27	Medina County	289	2			2	2	1	1	7	2	18	1	1	4
28	Meigs County	312	3			3		1	4	4	2	33	1	3	1
29	Mercer County	300	5			1	3	1	4	8	3	27	3	1	1
30	Miami County	408	4			1	1	1		5		48	8	3	3
31	Monroe County	259	8			1	3	4	2	7		16	2	5	1
32	Montgomery County	683	7			1	1	2		13	2	74	1	4	5
33	Morgan County	191	6	1			1	1		7		18	2	3	
34	Morrow County	202	4			3	1			4		14		5	1
35	Muskingum County	364	4			6	3		5	25	3	25	1	4	1
36	Noble County	168	3			3	1	3	5	4		18		3	2
37	Ottawa County	267	5				1	3	2	2	2	18	1	2	3
38	Paulding County	221	9	2		2		1	3	7	1	18	4		1
39	Perry County	342	10			6	1	2	5	10		38	3	6	5
40	Pickaway County	366	4			1	2	1	4	13	1	40		4	1
41	Pike County	171	4						2	4		35		3	1
42	Portage County	401	3	1	1		3	2		9	2	21	2	2	
43	Preble County	263	3	1		1		2		1		26		1	1
44	Putnam County	322	14			1			4	12		32	2	2	4
45	Richland County	322	8				2		1	5		24	1	4	2
46	Ross County	334	8			1	5		3	9		53	3	1	2
47	Sandusky County	380	13					1	7	12	1	30	1	4	2
48	Scioto County	308	10			18	5	13	21	7		39		4	4
49	Seneca County	365	5			1		3		8		29	2	5	1
50	Shelby County	279	6			5	3	3	3	8	2	21	1	3	1
51	Stark County	642	6			3	2	2	2	9	10	39	2	5	4
52	Summit County	563	11	1			7	9	11	9	3	45	2	3	6
53	Trumbull County	547	13	1		1	3	7	4	16	3	33	1	3	1
54	Tuscarawas County	572	5			2		8	8	13	1	30	3	6	5
55	Union County	267	3					1	1	6		41	2	4	2
56	Van Wert County	279	5	1			1		1	7		25	2	4	1
57	Vinton County	148	4			1		1		6		14		1	1
58	Warren County	308	3			1	2	1	3	9	1	29	1	4	1
59	Washington County	380	9	2		1		3	2	11		35	2	2	1
60	Wayne County	465	10			1	4	1	7	11	2	24	2	1	3
61	Williams County	285	9	1		1		1	2	8	1	16		2	1
62	Wood County	488	14			1	2	7	3	10	3	31	1	4	2
63	Wyandot County	238	7	1		1		3	1	6		17	2	2	
	PENNSYLVANIA.														
64	Total	53,383	825	21	1	331	325	618	984	732	148	3,971	175	357	283
65	White	52,451	808	21	1	329	325	597	981	723	147	3,774	168	342	279
66	Colored	932	17			2		21	3	9	1	197	7	15	4
67	Adams County	448	9			1		3		7		35	2	6	1
68	Allegheny County	4,628	69			25	35	77	65	45	11	463	17	34	22
69	Armstrong County	841	23			2	8	11	29	13	2	48	3	5	5
70	Beaver County	900	27			2	5	12	15	8	2	76	3	15	4
71	Bedford County	427	8			3		1	5	5	3	27	2	2	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
18	7	1	25	32	3	30	2	4	1	1	.....	13	.....	3	14	22	.....	49	1	1
22	4	5	36	54	3	54	1	20	1	2	4	7	1	.....	4	25	4	102	3	2
18	2	1	20	35	2	24	1	9	2	1	3	12	1	.....	5	10	.....	39	.....	3
28	3	3	35	51	5	21	2	6	2	.....	3	19	2	4	14	21	7	81	1	4
25	2	3	29	39	3	27	5	29	3	2	5	18	4	4	23	34	2	64	6	5
66	10	9	57	102	31	57	10	30	3	4	13	62	2	1	41	63	12	134	9	6
18	1	1	22	14	.....	17	.....	7	2	2	3	13	1	1	10	11	1	35	.....	7
17	3	5	19	51	3	28	1	7	4	3	5	26	6	3	17	19	2	58	7	8
14	1	.....	19	34	4	19	.....	7	1	2	3	11	.....	1	13	20	4	48	5	9
19	6	1	31	29	3	30	5	8	1	4	4	7	2	5	16	15	2	54	2	10
17	6	2	29	53	4	15	1	11	2	3	6	19	2	.....	15	13	3	84	1	11
14	3	1	14	32	3	17	3	16	1	1	1	13	3	2	19	22	3	33	2	12
12	4	.....	16	33	2	14	2	10	4	2	4	13	.....	2	8	10	1	44	2	13
31	10	3	33	75	5	25	4	5	2	3	7	31	1	2	19	35	1	88	4	14
23	3	5	17	41	3	28	3	23	3	3	3	15	1	2	25	25	4	63	6	15
12	.....	.....	19	33	4	62	7	61	.....	2	4	16	3	7	31	55	3	78	12	16
24	3	1	38	62	2	41	6	11	4	6	1	10	2	1	13	18	1	64	2	17
22	3	4	26	33	2	44	.....	8	2	6	4	16	2	3	10	38	5	62	2	18
17	9	3	19	26	7	36	5	20	2	3	3	14	6	4	20	19	.....	64	12	19
23	5	4	27	61	2	21	2	9	.....	3	4	18	2	1	15	26	3	66	2	20
32	13	.....	25	54	3	9	6	8	3	2	2	27	3	4	25	17	3	70	.....	21
25	5	1	40	46	3	25	2	10	1	2	3	27	1	2	15	30	4	68	1	22
11	4	3	22	33	6	35	5	8	.....	3	3	13	2	3	18	27	2	50	1	23
28	4	3	15	33	1	17	3	12	1	4	1	10	2	1	11	19	6	34	.....	24
22	6	7	30	47	12	55	2	34	.....	4	8	23	3	.....	36	31	8	57	2	25
10	2	1	14	16	2	18	.....	4	.....	7	4	7	.....	1	10	8	2	27	.....	26
12	5	2	36	52	3	21	2	5	.....	1	1	19	2	3	9	17	3	54	1	27
10	.....	2	28	40	7	19	3	9	.....	3	3	11	.....	3	16	19	5	76	3	28
17	4	3	24	30	1	18	6	10	3	3	5	20	2	2	23	16	1	53	2	29
32	6	2	32	56	5	23	4	10	4	3	7	19	3	2	24	30	7	64	1	30
11	2	2	17	32	4	23	3	10	4	3	3	9	1	1	16	9	3	50	7	31
32	4	.....	63	103	3	52	1	14	1	4	6	69	1	4	28	34	11	143	.....	32
14	3	1	20	28	1	12	1	3	.....	1	2	5	1	1	8	10	5	35	1	33
16	2	.....	28	28	.....	12	1	3	.....	1	4	11	.....	.....	9	10	1	42	2	34
20	4	.....	33	39	6	28	5	5	2	2	1	28	3	.....	15	18	3	72	3	35
10	.....	1	8	25	1	11	1	7	1	2	1	11	.....	.....	11	8	3	23	2	36
10	1	3	8	34	6	16	3	4	.....	4	2	14	2	4	20	36	7	52	2	37
10	.....	3	12	20	3	20	2	7	1	1	4	17	3	1	13	13	1	40	2	38
22	4	3	22	29	4	23	2	12	1	3	4	11	2	4	23	18	5	60	4	39
24	5	1	23	35	1	20	2	15	4	4	1	22	3	1	24	35	3	67	5	40
4	1	5	17	24	3	13	.....	6	.....	2	1	8	1	.....	9	6	.....	21	1	41
19	5	.....	40	59	8	35	2	9	5	3	5	27	.....	1	21	25	3	82	6	42
11	7	.....	31	37	3	14	4	4	.....	2	5	21	.....	2	12	9	2	61	2	43
15	8	9	25	23	4	24	.....	10	5	4	6	17	2	.....	24	20	2	52	1	44
30	2	2	23	51	1	31	5	4	2	1	2	21	1	3	11	19	1	64	1	45
22	2	6	28	45	7	22	2	14	1	1	1	23	2	2	10	13	4	39	5	46
25	2	2	36	57	6	22	4	5	.....	4	3	17	2	3	18	24	5	74	.....	47
14	.....	6	12	23	5	22	2	22	2	1	.....	8	4	.....	15	17	3	30	1	48
18	5	3	35	66	1	27	3	6	3	1	5	25	.....	1	23	31	2	56	.....	49
14	5	1	23	36	3	22	3	7	2	1	.....	21	2	2	14	17	.....	49	1	50
26	6	6	75	92	5	44	4	12	2	6	8	31	6	2	14	31	7	178	3	51
24	1	2	43	75	6	44	8	27	2	3	7	37	6	4	27	37	2	97	4	52
34	10	2	45	62	9	48	2	25	2	3	6	22	1	3	34	36	11	102	4	53
38	10	2	46	70	7	35	7	12	5	9	12	33	3	.....	32	38	5	125	2	54
20	1	2	20	32	1	19	2	8	1	1	1	18	1	.....	10	12	.....	57	1	55
12	2	.....	22	32	.....	25	3	5	3	2	.....	14	1	3	24	19	2	62	1	56
11	3	.....	11	17	5	11	.....	9	1	.....	.....	8	3	1	2	8	1	27	2	57
30	7	1	28	40	5	23	1	7	.....	3	2	14	2	1	10	17	2	57	3	58
30	8	3	21	61	4	28	6	12	1	2	1	18	.....	1	17	26	4	67	2	59
31	6	3	44	53	8	36	2	11	6	4	9	35	3	4	21	21	7	92	3	60
18	2	2	17	37	1	16	3	3	1	2	4	14	2	4	17	18	4	76	2	61
34	10	4	39	51	5	40	3	22	3	6	11	17	4	3	21	35	4	95	3	62
12	6	1	17	31	4	12	4	5	1	.....	5	10	1	2	12	17	7	49	2	63
2,352	434	369	3,418	4,759	724	4,957	806	3,728	192	351	450	2,782	235	362	3,883	4,363	451	9,215	781	64
2,330	431	364	3,378	4,703	715	4,864	796	3,679	191	344	442	2,721	232	360	3,831	4,294	447	9,069	765	65
22	3	5	40	56	9	93	10	49	1	7	8	61	3	2	52	69	4	146	16	66
27	7	3	73	56	4	33	3	26	.....	3	2	26	2	2	22	15	.....	78	2	67
163	17	34	196	313	76	542	76	443	13	31	63	192	21	24	342	363	34	801	21	68
28	4	3	52	79	10	76	16	42	2	4	9	37	3	9	81	72	4	145	16	69
42	5	9	47	79	12	84	9	49	4	7	8	29	4	6	84	88	9	150	6	70
25	2	1	31	45	4	36	7	16	1	5	4	23	4	3	34	17	.....	99	12	71

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	PENNSYLVANIA—continued.														
1	Berks County	1,213	19			8	9	5	39	13	2	105	3	5	11
2	Blair County	687	7			3		8	8	10	1	33	1	7	4
3	Bradford County	877	24			11	1	8	5	33		32	2	3	5
4	Bucks County	1,060	18	1			2	4	10	22	1	95	4	12	6
5	Butler County	560	13			6	2	11	10	6	2	36	2	5	2
6	Cambria County	1,362	28			21	6	24	23	7	3	72	5	12	10
7	Cameron County	78	1				2	2	1	5		3			
8	Carbon County	734	7			2	14	4	21	4	3	43	5	1	4
9	Center County	514	6	1			5	6	6	8	1	19	1	7	4
10	Chester County	1,143	18	1		5	1	10	7	18	1	103	4	11	2
11	Clarion County	408	12	1		2		2	4	10	1	26		6	
12	Clearfield County	846	10	1		3		12	13	8	3	36	2	10	6
13	Clinton County	394	5	1			1	2	2	2	1	26	4	3	2
14	Columbia County	576	4			2	4	6	8	9	1	32	3	1	2
15	Crawford County	664	9			2	2	3	4	15	5	32		7	2
16	Cumberland County	591	6	2			3		10	13	1	45	1	3	2
17	Dauphin County	800	6			1		6	28	13	6	99	2	5	6
18	Delaware County	1,016	5			5	2	7	16	8	2	112	9	13	5
19	Elk County	403	4			6	1	15	3	12	4	19	1	1	1
20	Erie County	686	10	2			1	5	7	15	4	48	1	6	5
21	Fayette County	1,952	49			53	3	35	52	10	4	110	5	8	14
22	Forest County	74								2		1			
23	Franklin County	868	11			1	2	4	13	7	4	290	2	8	3
24	Fulton County	171	4				1	4		1		14		1	
25	Greene County	306	3			1		8	3	14		30	2	1	3
26	Huntingdon County	480	8			2	3	21	6	8	1	30	1	3	6
27	Indiana County	884	19	1		6	4	28	17	11	1	58	6	5	3
28	Jefferson County	765	27			3	7	18	20	15	1	46	2	7	5
29	Juniata County	198	1	1		5	1			2		18	1		3
30	Lackawanna County	1,391	9			4	11	12	34	18	7	68	7	6	4
31	Lancaster County	1,375	14			4	6	10	12	26	4	115	6	6	8
32	Lawrence County	369	6	1		1		3	10	3	2	22	1	1	1
33	Lebanon County	497	10	1		3	2	3	12	5		37		3	4
34	Lehigh County	1,001	19			7	3	7	28	12	1	71	2	8	3
35	Luzerne County	2,875	16	2		21	11	27	92	27	12	198	8	6	11
36	Lycoming County	520	11					1	10	10		31	1	2	6
37	McKean County	378	7			3	1	6	2	6	2	21	1	4	2
38	Mercer County	666	16			9	11	14	6	13	4	36	1	4	2
39	Mifflin County	357	6				2	1	4	4	1	25	1	3	2
40	Monroe County	317	1				2		6	3		20	1	1	4
41	Montgomery County	1,637	28			5	2	8	31	24	6	169	6	14	9
42	Montour County	294	7						3	3	2	21		2	1
43	Northampton County	981	12			6	6	11	21	7	5	75	4	3	9
44	Northumberland County	740	9		1	8	11	4	17	12	1	50	1	4	1
45	Perry County	302	8				1		5	2		20		2	4
46	Pike County	110						1		2		12			2
47	Potter County	419	8			4	3	3	5	12	1	10	2	2	1
48	Schuylkill County	2,229	17	1		21	77	30	57	19	8	111	6	12	10
49	Snyder County	207	5					4		1		18		1	1
50	Somerset County	923	20			3	1	7	19	13	2	30	3	8	4
51	Sullivan County	140							1	1		8		1	
52	Susquehanna County	543	1			1	2	5	1	16	2	32	1		1
53	Tioga County	530	12					2	2	20	1	19	1		6
54	Union County	203	2				1			2		14	1	3	
55	Venango County	462	10			9	1	1		12	1	54		8	
56	Warren County	414	5			1	1	2	1	8	1	24	1		2
57	Washington County	1,859	33	1		19	8	25	55	26	2	128	10	12	9
58	Wayne County	377	6			2	2	2		15		32	2	3	3
59	Westmoreland County	2,471	42	1		18	34	30	63	20	8	136	10	18	16
60	Wyoming County	195	1					3	1	2	1	10	1		1
61	York County	1,047	14	2		1	1	34	36	9	3	92	1	7	6
	RHODE ISLAND.														
62	Total	1,619	5	3		10	16	26	25	14	3	109	15	10	7
63	White	1,590	5	3		10	16	26	25	14	2	104	14	10	6
64	Colored	29									1	5	1		1
65	Bristol County	301	1				5	5	6	3	1	26	6	1	
66	Kent County	153	2			1	4	4	3	1		8	1	1	1
67	Newport County	197				1		3	2			7	1	1	
68	Providence County	600	1	1		6	2	14	13	6	1	42	4	4	4
69	Washington County	368	1	2		2	5		1	4	1	26	3	3	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
59	15	11	116	103	18	83	20	59	3	10	8	59	7	6	72	49	27	232	37	1
31	8	5	59	53	6	55	8	39	4	3	5	53	2	5	64	49	6	141	9	2
60	10	6	80	102	14	76	15	26	6	8	8	65	4	7	39	52	10	156	9	3
65	17	7	95	119	10	57	19	42	4	5	10	94	7	2	62	67	16	179	8	4
33	4	2	42	59	10	46	7	24	2	3	4	16	1	3	35	36	4	114	20	5
47	7	7	36	75	10	161	20	154	6	11	14	56	6	12	170	129	13	194	23	6
4	.....	.....	4	9	.....	7	.....	3	.....	1	1	6	.....	.....	4	10	.....	11	4	7
26	5	7	43	46	13	79	17	71	2	5	11	32	5	6	65	65	4	115	9	8
34	3	8	44	64	7	36	6	7	6	4	7	24	2	4	37	42	2	107	6	9
54	9	8	94	141	15	90	18	69	2	6	5	89	3	6	73	71	7	193	9	10
23	5	2	30	57	9	28	3	14	4	1	5	25	1	3	32	26	3	68	5	11
33	12	9	46	78	7	86	20	62	4	7	1	47	3	10	82	58	7	155	15	12
30	6	4	35	47	4	29	3	14	4	5	2	25	3	1	26	31	1	66	9	13
24	7	7	57	79	3	55	9	30	1	5	5	32	3	4	49	30	5	87	12	14
39	7	5	55	102	9	56	6	12	4	5	8	43	10	4	26	32	10	146	4	15
32	11	5	57	68	6	51	8	23	.....	3	4	31	.....	2	41	31	1	123	8	16
32	11	1	62	79	6	51	9	47	.....	7	4	39	4	7	45	45	6	162	11	17
44	10	2	77	112	5	95	12	50	3	7	8	83	1	6	49	76	10	176	6	18
20	3	7	28	28	5	43	7	28	4	1	4	15	3	6	44	34	.....	55	1	19
44	7	3	62	94	8	55	8	14	2	13	7	34	3	3	32	53	15	116	9	20
57	6	19	52	76	17	258	20	273	8	7	10	60	10	12	187	178	11	303	45	21
3	.....	.....	7	8	2	5	1	2	.....	1	1	5	.....	2	7	3	1	22	1	22
44	7	5	61	56	10	46	12	30	1	3	2	46	2	4	51	32	1	98	12	23
10	1	2	10	16	2	13	.....	9	1	.....	2	8	.....	1	16	6	1	46	2	24
22	2	.....	18	25	6	31	1	8	1	3	3	17	1	3	20	11	2	62	5	25
27	2	1	43	42	3	45	2	30	2	2	2	30	3	3	31	24	1	94	4	26
28	5	6	34	51	18	95	10	74	6	7	9	43	3	11	77	82	8	145	13	27
37	3	6	29	66	10	54	7	52	4	6	4	39	5	7	56	90	5	129	5	28
6	2	1	15	35	2	18	4	5	.....	1	4	9	1	2	14	13	1	31	2	29
24	11	9	67	80	27	169	26	179	1	10	14	61	7	6	90	224	5	196	5	30
76	15	10	123	197	13	92	26	52	3	7	8	83	2	10	75	55	11	301	5	31
17	3	1	7	28	7	32	5	33	2	3	4	27	3	5	24	36	5	62	14	32
24	3	2	48	41	5	28	12	24	1	5	8	31	.....	3	42	24	2	101	13	33
35	10	6	102	64	19	87	20	60	6	9	5	47	2	2	80	85	17	172	12	34
89	17	16	113	184	51	390	75	313	7	21	24	130	9	31	240	277	11	391	55	35
30	9	7	50	58	11	37	8	9	1	4	2	35	5	7	31	33	3	105	3	36
15	3	3	19	38	5	31	7	10	3	1	3	20	3	2	30	42	7	80	1	37
51	10	4	41	70	7	74	8	16	8	1	11	44	2	3	33	34	6	118	9	38
28	1	1	32	47	3	30	4	16	2	3	6	21	2	2	19	26	4	60	1	39
20	6	1	31	31	3	28	3	9	2	2	1	19	1	4	19	28	6	61	4	40
87	10	14	129	193	22	122	21	91	4	11	13	115	5	10	95	98	15	271	9	41
19	6	.....	25	29	4	23	6	9	.....	2	6	11	1	1	10	13	2	82	6	42
31	8	10	83	90	19	106	9	69	.....	4	7	57	3	2	89	58	11	157	9	43
22	5	4	52	79	7	78	16	45	.....	4	8	41	3	5	58	45	10	130	9	44
13	1	1	23	52	1	19	7	7	.....	1	1	27	3	2	16	21	4	58	3	45
3	1	.....	12	14	2	8	2	1	.....	1	3	16	.....	1	5	12	.....	11	1	46
19	6	3	20	35	5	33	5	9	2	.....	.....	19	5	6	17	93	5	76	10	47
69	20	13	120	160	34	186	53	206	15	16	21	113	13	13	182	278	16	305	27	48
12	4	2	38	22	2	17	2	8	.....	.....	4	13	.....	2	5	6	1	33	6	49
35	1	9	36	53	8	79	7	104	4	4	4	35	6	11	78	128	10	182	19	50
5	2	.....	8	13	4	24	1	7	.....	.....	.....	6	1	1	17	13	1	23	3	51
22	7	8	47	76	17	38	7	14	1	4	3	36	.....	4	28	45	5	115	4	52
34	4	3	39	72	10	34	8	9	7	5	3	32	3	1	22	30	7	139	5	53
15	4	3	16	39	4	12	2	2	.....	.....	3	15	1	1	15	6	1	41	.....	54
29	5	2	37	52	8	40	1	11	1	4	4	21	1	4	20	20	3	97	6	55
19	6	.....	27	36	5	26	3	4	.....	2	2	40	.....	1	19	29	7	136	6	56
62	9	10	52	130	37	188	27	198	2	11	10	56	8	9	148	278	12	260	24	57
27	4	4	29	48	4	34	2	7	1	5	5	31	1	3	6	16	3	71	9	58
100	13	18	95	120	30	219	32	308	10	11	17	78	16	15	211	273	22	348	139	59
18	3	1	12	29	1	15	7	2	1	6	1	10	.....	.....	6	13	1	47	2	60
49	7	8	95	117	8	83	11	49	4	4	5	60	2	9	84	44	13	187	2	61
96	22	10	127	173	33	167	13	100	6	6	17	129	7	10	89	84	12	261	14	62
96	22	10	125	169	33	167	13	97	6	6	17	128	7	10	89	78	12	257	13	63
.....	.....	.....	2	4	.....	.....	.....	3	.....	.....	.....	1	.....	.....	.....	6	.....	4	1	64
21	5	1	19	15	8	31	1	30	1	.....	2	26	1	3	20	13	.....	49	1	65
7	3	2	14	18	3	15	2	9	.....	.....	2	18	3	.....	4	5	1	20	1	66
9	4	1	17	26	1	17	2	13	1	1	1	9	.....	.....	13	15	.....	46	6	67
36	4	6	45	62	14	78	3	34	2	4	6	42	1	4	39	27	7	83	5	68
23	6	.....	32	52	7	26	5	14	2	1	6	34	2	3	13	24	4	63	1	69

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	UTAH.														
1	Total	2,499	46		7	15	28	17	56	16	10	74	1	10	24
2	White	2,470	46		7	15	27	17	56	15	10	67	1	10	24
3	Colored	29					1			1		7			
4	Beaver County	42	2		1							3			
5	Boxelder County	107	3			1	4	1	1	2		3		1	1
6	Cache County	201	4		1	1	4	3	3	3	1	1			2
7	Carbon County	99			2			1	5			4		1	
8	Davis County	97					3	5	2	1		3			1
9	Emery County	68	2		1				1		1	3			1
10	Garfield County	26										1			
11	Grand County	15					1		1						
12	Iron County	45	2						1	1		2			
13	Juab County	88							1	1	1	5		1	2
14	Kane County	10													
15	Millard County	51				1			2			2			
16	Morgan County	20	1					1	1	1					
17	Piute County	18							3						
18	Rich County	21													
19	Salt Lake County	386	4			3	5	2	16	1	1	15		2	4
20	San Juan County	6	1												
21	Sanpete County	158	4				2	2	3	1				1	2
22	Sevier County	109	3		1		3		1	1		1			2
23	Summit County	106	2					1	3			6			1
24	Tooele County	82	6						3			4	1		
25	Uinta County	66	2									7			
26	Utah County	405	6		1	5	2	1	5	1	2	8		3	6
27	Wasatch County	99	1							1	2	2			2
28	Washington County	55	2				1		3			2			
29	Wayne County	13													
30	Weber County	106	1			4	3		1	2	2	2		1	
	VERMONT.														
31	Total	4,848	35	4		34	4	23	17	147	11	275	26	40	20
32	White	4,823	35	4		34	4	23	17	147	11	272	26	39	20
33	Colored	25										3		1	
34	Addison County	264	4					1	2	7	1	12			
35	Bennington County	333	4	1		4	1	2		13	2	11		3	1
36	Caledonia County	425	5			1	1	4	2	7	2	27	3	3	4
37	Chittenden County	355	1	1				2		8	2	27	1	3	1
38	Essex County	99	1	1				2		2		4		2	
39	Franklin County	485	3			14		3	2	11		37	3	8	1
40	Grand Isle County	41	2							1		4			
41	Lamoille County	179							1	10		4		1	
42	Orange County	289								13	1	14		3	3
43	Orleans County	332	3			1		1	1	14		17	1	3	2
44	Rutland County	496	5			2	1		4	15	1	33	6	3	
45	Washington County	549	2	1				6	1	11		33	2	6	6
46	Windham County	458	4			4		1	1	12	1	32	8	2	
47	Windsor County	543	1			8	1	1	3	23	1	20	2	3	2
	WASHINGTON.														
48	Total	5,394	113		1	39	26	27	61	66	14	519	43	63	25
49	White	5,030	97		1	38	26	21	57	64	14	416	40	56	25
50	Colored	364	16			1		6	4	2		103	3	7	
51	Adams County	69	3			1	1			1		6	2	1	
52	Asotin County	53	1						1	1		7	1		
53	Benton County	61	5			2						2	1		
54	Chehalis County	189	5			1	1	1		3	1	13	5	1	
55	Chelan County	151	6			7			1	1		9		2	1
56	Clallam County	70					1		1	2		10			
57	Clarke County	254	1			5	5		1	1	1	22	2	4	5
58	Columbia County	50								1		5			
59	Cowlitz County	84							2	1		4	1		
60	Douglas County	46	4							2		7	1	1	
61	Ferry County	44	1						2			11	1		
62	Franklin County	25										2			
63	Garfield County	26	2								1				
64	Grant County	46	2							2		1		1	2
65	Island County	29				1						4	1		
66	Jefferson County	85					1				1	10			
67	King County	385	4		1	2	3	4	4	3	2	38	2	6	1
68	Kitsap County	179	3			2	1	1	2			11	1	2	2
69	Kittitas County	195	7			2	2	1	1	1		17	6	1	1
70	Klickitat County	71	1						1			10		2	

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
110	31	25	81	197	55	291	41	87	34	34	9	131	12	28	242	224	28	492	43	1
110	31	25	80	194	55	289	41	86	33	34	9	130	11	28	242	216	27	491	43	2
			1	3		2		1	1			1	1			8	1	1		3
	1		1	4		5	2	2		1					3	7		10		4
4	4		2	9	1	10		6	1	3		3	1		9	8	1	24	4	5
12	3	3	3	15		21	1	11	4	4		13	1	2	19	10	3	50	3	6
		1	2	7	2	9		4	1	2	1	3		2	13	22	3	13	1	7
8	1	3	3	9		14	1	3	3	2		4		1	9	8	1	12		8
3				3	1	14		1				3		3	8	4	2	16	1	9
		2		4	5				1			1		1	6	2		3		10
1		1				1				1		1				5		3		11
1	1		1	1	3	8		1	1		1	2		3	3	7		6		12
2	1		6	2	2	19	2	1		1	1	3		1	14	12		9	1	13
1	1											1		1	1	1		4		14
2	1	1	2	2	2	11	1	2	2		1	5			3	3		5	3	15
				5		2	1			1						2		4	1	16
1			1	2	1	2			1						1	2		4		17
			1			4			2	2		2			3			6	1	18
21	5	4	8	37	12	39	8	23	2	4	1	21	1	2	24	47	8	60	6	19
						1	1									2			1	20
16	3		3	16	2	19	2	2	3	1	2	9		2	19	8		31	5	21
5	1		3	12	4	15	3	3	1	1		6	1	1	13	10		16	2	22
1		2	4	6	1	23	9	3				8	1		4	11		19	1	23
1	1	1	4	5	1	2		1		1		4		2	12	13	2	16	2	24
2			1	2	1	12	1	2	1	4	1	4	2		6	3	2	12	1	25
20	6	3	24	39	10	27	5	11	8	4	1	18	4	3	37	24	3	112	6	26
	1	1	7	4	4	17	1	4	1			3	1	2	17	10	1	14	3	27
4		1	1	1		5	3	4	1			1			3		1	21	1	28
1					1	1				1					5			4		29
4	1	2	4	12	2	10		3	1	1		16		2	10	3	1	18		30
312	63	26	411	669	93	412	35	151	40	46	35	325	13	28	235	269	62	968	19	31
310	63	26	411	667	92	411	35	151	40	46	35	325	13	28	235	261	59	964	19	32
2				2	1	1										8	3	4		33
12			28	64	8	14	4	10	1	2	2	21	1	2	10	11	3	44		34
22	7	2	47	47	5	19	4	7	3	1	1	22		2	25	15	2	60		35
25	5	2	28	51	7	36	5	12	4	3	2	37	2	3	14	24	4	98	4	36
18	2	2	19	47	8	37	2	16	1	4	2	22	2	2	24	26	9	65	1	37
8	1	1	11	7		4	1	10			1	5	1		6	5		25	1	38
26	5	8	31	66	5	35	5	24	5	4	4	30	1	3	39	28	4	78	2	39
2			5	4	1	5					1	1	2		1	4		8		40
14	4		13	25	12	29	1	5	1	2		13			6	7	1	29	1	41
28	8	1	33	40	2	23	2	2	2	6	2	15	2	2	9	14	3	60	1	42
23	3	2	34	36	6	32		9	2	5	4	14		2	26	14	3	73	1	43
31	5	1	45	62	7	47	2	22	5	4	5	29		4	16	33	2	104	2	44
40	5	3	38	74	6	52	5	16	2	5		35		5	23	27	12	131	2	45
29	9	3	42	61	9	33	1	9	4	3	6	38	2	1	12	27	11	92	1	46
34	9	1	37	85	17	46	3	9	10	7	5	43		2	24	34	8	101	3	47
215	58	26	312	494	51	387	47	152	62	57	30	273	29	56	304	731	89	905	119	48
212	58	25	310	484	49	347	45	148	62	57	29	267	25	55	302	669	83	858	90	49
3		1	2	10	2	40	2	4			1	6	4	1	2	62	6	47	29	50
3			2	4		1	1	4	2			7	1	1	11	9		8		51
4			5	9	1	1		2				4		1		3		9	3	52
	2		3	6		2	1	2	1			1		1	6	7	2	15	2	53
9	2	1	7	17		18	1	3	3	4	1	6	1	1	7	31	3	38	5	54
5	1		5	19		4	2	4	4		2	6	2		7	16	1	41	5	55
4		1	3	4		3		3	2			1	1		3	8		10	13	56
15	4	1	18	25	2	17	2	11				11	1	2	12	31	4	47	4	57
2			5	6		4	1					2	1	1	7	3	3	8	1	58
2	2		6	8	2	9	2	1		2		1			5	25	1	8	2	59
1	1	1	1	2		3						3		2	3	2		10	2	60
3	1		2	1		9		1							1	2		4	5	61
1				4		4		1							1	7	1	3	1	62
2	1					2			1	1		4			4	2		4	2	63
2			3	2		3		4	2			2	1	2	2	5		9	1	64
3			2	4	1	2			1	1		1				5		2	1	65
4			5	10	3	4	2					7		1	6	12	3	13	3	66
13	1	2	20	42	3	25	2	13	3	4	3	18	3	4	25	76	12	46		67
8	5	2	11	26	1	5		4	2	3	4	14		1	8	20	5	34	1	68
8	1	4	6	19		12	1	15	3	1	1	5	3	3	13	34		24	3	69
2	1		3	8	2	6	2	3		2	1	4			3	6	2	11	1	70

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM— All causes.	Typhoid fever. 1	Malaria. 3	Smallpox. 4	Measles. 5	Scarlet fever. 6	Whooping cough. 7	Diphtheria and croup. 8	Influenza. 9	Erysipelas. (12)	Tuberculosis of the lungs. 13	Tuberculous meningitis. 14	Other forms of tuberculosis. 15	Rheumatism. (37)
	RURAL PART OF REGISTRATION STATES [1]—Continued.														
	WASHINGTON—continued.														
1	Lewis County	321	8				1	1	10	2		26	3	4	3
2	Lincoln County	139	3			1	3			1	2	5		3	3
3	Mason County	60						1				14			1
4	Okanogan County	116							5	2		25			
5	Pacific County	97	2			2			2	1		8	3	1	1
6	Pend Oreille County [2]	15										1			
7	Pierce County	486	1				2	1	1	7	1	42	2	8	1
8	San Juan County	26										3		1	
9	Skagit County	258	4				1		2	3		36	1	7	1
10	Skamania County	16										1			
11	Snohomish County	259	9			3		1	2	5	1	25	2	3	1
12	Spokane County	350	3			1	1		9	2		40	2	6	
13	Stevens County [3]	154	5			1	1	1	1	7	1	9			1
14	Thurston County	171	3			1	1	1	1	3	2	16	1		
15	Wahkiakum County	2													
16	Walla Walla County	68	2					1				7		2	
17	Whatcom County	193	1				1		1	4		14	2	2	
18	Whitman County	245	7			4		2	3	6		18	1	3	
19	Yakima County	306	20			3		11	8	4	1	40	2	2	1
	WISCONSIN.														
20	Total	17,109	150	3	2	173	127	146	162	241	57	1,294	71	159	136
21	White	16,992	149	3	2	172	127	146	161	241	56	1,269	69	155	135
22	Colored	117	1			1			1		1	25	2	4	1
23	Adams County	92	1			1		2	2	5		8		1	
24	Ashland County	91	3			1	2	1	4		1	8			1
25	Barron County	276	2			1	1		4	7	2	12	1	2	3
26	Bayfield County	140	1			3	1	5	4			15			
27	Brown County	284	1			6	3	2	5	4	1	18	5	2	2
28	Buffalo County	151	2			1			2	6		9		2	2
29	Burnett County	86					1	2	4	2		10		3	1
30	Calumet County	161	3			3	2	2		1		3	2	3	
31	Chippewa County	392	5			1	4	1	10	5	1	43		4	
32	Clark County	236	3			4	5	4	4	2	1	7		3	
33	Columbia County	357	2			7	4		4	14	3	20		3	1
34	Crawford County	166		1			1	1		4	1	11		1	4
35	Dane County	600	1			6	7	3	2	7	3	60	3	8	4
36	Dodge County	530	3			7	2	1	3	5	2	26	2	1	4
37	Door County	203	1			5	2	2	1	2		21	1	2	2
38	Douglas County	33				1			2			5			1
39	Dunn County	252	2					1	2	4		21	1	2	2
40	Eau Claire County	98	1						1	1		5		1	1
41	Florence County	26													1
42	Fond du Lac County	374	2				3	2	1	7		29	1	1	3
43	Forest County	74	2			5		6	1			7	1	2	
44	Grant County	421	6			1	1	5	2	5	2	23		5	2
45	Green County	250	1			3	1	1	2	3		19		3	
46	Green Lake County	163						1		4	1	12	3	1	1
47	Iowa County	205	2			1	2	2		3	1	18		1	2
48	Iron County	83	3			1						8		2	
49	Jackson County	161				2				1		15	1	1	
50	Jefferson County	383	7		1	6	4	2		7		30	1	6	4
51	Juneau County	198	2			4		1	1	5		20	1		1
52	Kenosha County	112	1			3		1	2		1	8	1	2	
53	Kewanee County	218				11	6	2	1	3		16	1	1	
54	La Crosse County	155					1	1		1		19		2	2
55	Lafayette County	201				1			1	3		18	1		2
56	Langlade County	164	1				1		1	1	2	6		2	
57	Lincoln County	179	5				4		3	1		9	1		2
58	Manitowoc County	304	4				2	4	1	2	3	28	1	4	3
59	Marathon County	374	4			6	6	7	5	1		21	2	2	1
60	Marinette County	130	1			1		2	2			8		2	2
61	Marquette County	121	2					3	2	7	1	11	1	1	
62	Milwaukee County	1,236	26			4	4	9	15	3	7	152	10	20	6
63	Monroe County	342				8	3	4	5	2	2	28	2	2	5
64	Oconto County	244	2			10	3	7	1	5	1	20		2	3
65	Oneida County	118	1			1		1		1		10		1	1
66	Outagamie County	324	3			3	4	4	1		1	31		4	2
67	Ozaukee County	158	1				1	1	2	1		14	1	2	1

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

[2] Organized from part of Stevens County, June 10, 1911.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911[3]—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer.	Diabetes.	Meningitis.	Cerebral hemorrhage and softening.	Organic diseases of the heart.	Bronchitis.	Pneumonia (all forms).	Other respiratory diseases.	Diarrhea and enteritis (under 2 years).	Appendicitis.	Hernia, intestinal obstruction.	Cirrhosis of the liver.	Nephritis, Bright's disease.	Puerperal fever.	Other puerperal affections.	Congenital debility and malformations.	Violent deaths (excluding suicide).	Suicide.	All other causes.	Ill-defined and unknown.	
16	(37)	17	18	19	20, 21	22, (23)	(23)	25	26	27	28	29	31	32	33	35	36	(37)	38	
14	6	1	17	24	4	22	3	9	8	3	2	17		5	19	49	6	51	3	1
11	4	2	7	13	2	10		2	2		1	8		1	10	16	5	20	4	2
1	2	1	4	4			1	1		2		3		1	4	15		4	1	3
1	1		5	4	1	14	1	5		3		2			2	19	1	17	8	4
3	1		3	8	1	7	3	3	2	1		6	1		7	20	1	9	1	5
2			3	1		2		1							2	2		1		6
14	4	1	46	40	4	38	5	4	5	6	1	33	1		14	38	9	145	12	7
	1			2	1	1		1		1		5				4		6		8
15	3	2	14	17	5	16	3	10	1	4		11		7	22	43	3	22	5	9
				1		1					2				1	6		3	1	10
15		1	16	20	5	19		9	1	4	1	9		4	14	44	7	37	1	11
12	4	2	22	35	3	33	4	5	2	2	2	25	1	1	15	34	5	73	6	12
5	2		10	15		10	3	2	1	4	3	11	3	1	10	20		25	2	13
9	1	2	19	16	3	13	4	2	3	4	2	10	1	2	5	16	2	28		14
						1													1	15
	1			4		3			1	1	3	3	2	2	3	10	1	18	4	16
11		1	15	18	2	22	1	3	5	2	1	7		5	11	29	4	26	5	17
6	3	1	16	24	5	10		13	5	1		11	2	5	28	25	2	36	8	18
5	3		8	32		31	2	11	2	1		15	4	2	13	37	6	40	2	19
1,115	213	188	937	1,805	268	1,278	234	588	155	157	171	984	91	112	1,122	914	176	3,687	193	20
1,108	213	185	933	1,799	268	1,266	233	584	154	156	171	980	88	112	1,114	907	175	3,669	192	21
7		3	4	6		12	1	4	1	1		4	3		8	7	1	18	1	22
1	1	1	1	13	1	8	1	6				1		3	4	5	3	22	1	23
2	1	2	4	9		8	2	4				1	1		5	14	2	10	5	24
14	5	1	14	29	3	25	7	12	6			15	7	6	26	16	2	48	5	25
4		3	3	6	1	15		10				3			12	15	1	33	5	26
25	3	4	16	21	6	21	4	13	1	3	6	17	1	1	20	3	1	64	5	27
14	2		10	14	8	14	1	3		2	2	9			9	6	1	32		28
8	1		5	4	1	3			2	3		5	1	1	10	6		11	2	29
16	1	1	9	22	2	14	2	2	4	2	2	15		1	8	11	3	27		30
27	6	6	13	48	3	29	6	11	10	1	5	12	2	1	27	18	3	85	5	31
14	4	5	12	29	3	25	4	4	1	1	2	10	1	2	21	11		53	1	32
21	7	4	28	41	2	26	5	4	5	2	8	17	3	1	22	26	2	73	2	33
15		2	10	24	5	4	3	3	1	2	3	13	1	1	11	3	1	37	3	34
47	8	7	31	62	8	48	12	13	12	3	6	32	3	8	41	21	4	128	2	35
50	12	10	37	65	13	23	12	15	3	7	7	37	1	1	31	17	7	122	4	36
16	4	1	9	11	3	16	5	8	2	1	3	18	1	1	6	10		47	2	37
1		1	1	3		4		1				2				5		5	1	38
18	3		6	37	4	26	2	8	6	2	3	15	4	1	16	9	2	54	1	39
9	3		4	8		11	1	3	1			8			6	8	1	22	3	40
3			1	6	1	3		1							1	3		5	1	41
30	2	5	24	43	8	30	6	14	5	4	1	21	2		22	17	1	89	1	42
1		2		5	1	10		2	1	1		1			3	8	2	13		43
23	10	4	21	68	9	34	1	8	6	3	3	16	4	3	28	20	5	96	7	44
22	2	6	14	25		14	6	6	4	1	7	16	1		8	10	6	68	1	45
14	1	1	11	14	2	13	3	8		1	1	6		4	10	8	1	42		46
16	3	2	17	17	2	22	5	4	3	3	1	10		1	6	9	1	47	4	47
2	1		2	7	1	5	1	8	1	2		3	1		10	7	1	16	1	48
10	2		15	25	8	11	5			4	1	5	1		11	8	2	31	2	49
32	3	5	25	41	16	19	5	12	2	7	6	21	3	1	20	17	3	74	3	50
15	1	3	9	17	1	14	4	6	2		1	9		2	15	14	1	43	6	51
6	2		6	12		6	2	4			3	4		1	6	15	3	21	2	52
17	3	1	5	11	3	21	3	21	3	2		15	1	1	8	7	2	48	5	53
9	3	1	8	20	5	11		1		2	2	10	1	1	2	9	2	41	1	54
16	2	3	12	19	1	15	2	5	3		2	16	3	1	8	5	5	55	2	55
8	4	3	9	15	2	15	2	10	5	1	2	6			14	10	1	42	1	56
9	1	2	16	14	1	14	3	13		1	4	13	1	1	16	14	1	28	2	57
13	3	5	17	33	6	23	3	10	5	4	2	27		2	16	9	2	69	3	58
14	2	5	17	31	4	19	2	31	1	3	5	23	1	6	36	26	6	77	10	59
4	2	2	5	14	2	4		14		2	1	5			19	7		29	2	60
3			6	10	4	12	5			1		6			12	4	2	27	1	61
64	7	11	50	103	15	102	15	60	7	6	26	94	2	4	81	51	9	271	2	62
25	8	3	16	38	5	31	3	14	4	1		10	1	2	27	20	2	70	1	63
11	1	2	14	16	4	5	4	14	3	3	1	7	2	2	39	7	1	50	4	64
1	1	5	3	10		10	2	8	1		2	4	1		8	19	1	25	1	65
19	5	6	12	33	4	31	4	13	2	5	1	17	2	2	24	13	4	66	8	66
11	2		11	20	1	8	1	8	1	2		10		1	11	7	2	31	7	67

[3] Part taken to form Pend Oreille County, June 10, 1911.

TABLE 3.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA AND ITS

[Figures for white and colored are shown separately for minor subdivisions (except as indicated in the footnotes) only when the colored population of the subdivision formed of death correspond to those of the

	AREA AND COLOR.	DEATHS FROM—													
		All causes.	Typhoid fever.	Malaria.	Smallpox.	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Influenza.	Erysipelas.	Tuberculosis of the lungs.	Tuberculous meningitis.	Other forms of tuberculosis.	Rheumatism.
			1	3	4	5	6	7	8	9	(12)	13	14	15	(37)
	RURAL PART OF REGISTRATION STATES[1]—Continued.														
	WISCONSIN—continued.														
1	Pepin County	83								5		5	1	1	1
2	Pierce County	253	1				1		1	4	1	13	1	3	7
3	Polk County	206	2			1	2	2		1	2	20	1	1	2
4	Portage County	349	2			3	3	9	8	3	2	39	4	4	7
5	Price County	110	3				6			1		12	2	1	
6	Racine County	224	1			1	1		2	3		13		2	
7	Richland County	198	5			4	2		3	4	1	14	1	2	1
8	Rock County	303	1			10		6		3	2	18	2	2	
9	Rusk County	94				3	1	1	1	2		3			1
10	St. Croix County	279	1	1			1		5	6	1	19		3	2
11	Sauk County	376	3			4		1	2	7	1	13		7	3
12	Sawyer County	62	1					1	1			9	2		
13	Shawano County	297	1			1	3	6	4	1	2	24	1	1	1
14	Sheboygan County	315	2				5	5	1	4		16		3	2
15	Taylor County	102	1				1		1	1		4			3
16	Trempealeau County	229	2					3		10	1	18		2	1
17	Vernon County	291	3			8		1		9		19	3	5	2
18	Vilas County	54				2	2		1			1		1	1
19	Walworth County	371	1			4	1	1	2	15	3	14		6	7
20	Washburn County	72						2	4	1	1	6		1	1
21	Washington County	228	2				3		2	2	1	6	1	2	5
22	Waukesha County	524	1			2	4		3	9	1	47	6	1	8
23	Waupaca County	392	2			7	7	7	5	9	1	25	2	1	5
24	Waushara County	154				2		6	1	3		14			
25	Winnebago County	390	4			1			11	3		22		2	2
26	Wood County	287	4	1	1	2	3	2	1			18		1	2

[1] Exclusive of municipalities having a population of 10,000 or over in 1910.

SUBDIVISIONS, BY COLOR OF DECEDENT AND CAUSE OF DEATH: 1911—Continued.

at least 10 per cent of the total, or numbered 10,000 or over in 1910. The term "cities" indicates municipalities of 10,000 inhabitants or over in 1910. Numbers under causes abridged International List (see p. 29).]

DEATHS FROM—																				
Cancer. 16	Diabetes. (37)	Meningitis. 17	Cerebral hemorrhage and softening. 18	Organic diseases of the heart. 19	Bronchitis. 20, 21	Pneumonia (all forms). 22,(23)	Other respiratory diseases. (23)	Diarrhea and enteritis (under 2 years). 25	Appendicitis. 26	Hernia, intestinal obstruction. 27	Cirrhosis of the liver. 28	Nephritis, Bright's disease. 29	Puerperal fever. 31	Other puerperal affections. 32	Congenital debility and malformations. 33	Violent deaths (excluding suicide). 35	Suicide. 36	All other causes. (37)	Ill-defined and unknown. 38	
6	.....	.....	7	6	7	9	.....	1	.....	1	.....	6	.....	.....	1	2	1	23	.....	1
26	7	3	17	36	4	21	4	9	.....	2	2	18	2	3	14	5	4	44	.....	2
9	2	.....	12	32	2	11	2	6	5	2	1	17	3	3	11	16	2	36	.....	3
13	3	6	18	32	6	20	3	17	2	4	4	17	2	5	24	14	3	65	7	4
6	.....	.....	2	12	1	11	1	5	2	.....	1	2	.....	.....	17	9	.....	15	1	5
14	4	1	12	17	1	20	4	3	1	1	3	20	1	1	21	16	6	54	1	6
13	3	5	9	21	2	16	3	5	2	2	1	9	1	1	16	7	3	41	1	7
29	10	4	25	27	4	25	5	4	1	1	2	13	1	3	19	21	4	54	7	8
4	1	3	3	4	.....	7	4	2	.....	5	2	3	1	2	8	13	5	14	1	9
19	4	2	19	28	5	36	1	4	.....	5	3	18	3	3	15	13	2	57	3	10
33	6	4	27	53	5	20	5	15	2	2	3	25	3	.....	19	18	2	88	5	11
6	.....	.....	1	2	1	5	.....	3	.....	1	.....	1	.....	.....	3	12	.....	11	2	12
14	2	3	16	21	10	26	1	11	.....	8	3	20	1	1	22	14	3	75	1	13
28	3	3	20	41	10	21	5	10	7	4	2	12	.....	2	12	16	5	73	3	14
5	.....	1	6	7	2	4	.....	9	.....	1	1	6	.....	3	16	7	1	18	4	15
13	4	.....	12	35	7	10	2	5	.....	4	.....	7	1	1	19	13	2	53	4	16
20	2	4	20	37	3	22	5	6	2	.....	1	16	2	2	16	12	5	65	1	17
1	.....	3	1	7	.....	12	.....	2	.....	.....	.....	2	1	.....	5	4	1	6	1	18
21	3	1	17	51	5	28	5	6	2	5	2	26	2	2	12	25	5	91	8	19
3	.....	.....	4	7	.....	6	4	3	.....	1	.....	4	2	1	9	4	.....	8	.....	20
19	3	2	14	27	3	20	4	4	4	5	5	20	1	1	13	8	2	46	3	21
35	11	4	34	70	6	20	3	15	.....	3	7	32	6	6	24	44	8	111	3	22
28	3	6	31	40	6	26	6	6	.....	2	.....	35	2	1	15	20	6	86	2	23
7	3	.....	5	17	1	11	2	8	1	2	.....	14	.....	.....	18	4	1	34	.....	24
27	6	6	34	33	3	28	7	8	3	3	3	17	.....	.....	11	31	4	118	3	25
16	1	2	12	29	5	21	4	6	8	5	6	19	3	8	26	18	2	54	7	26

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND IN

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES. Total.[1]	Cities.[1]	Rural districts.	Registration cities in other states.	All registration cities.[1]	CALIFORNIA. Cities.	Rural districts.	COLORADO. Cities.	Rural districts.	CONNECTICUT. Cities.	Rural districts.	DIST. COLUMBIA. Total.	White.	Colored.
	All causes	839,284	756,777	413,920	342,857	82,507	496,427	19,627	14,383	4,652	6,088	12,024	5,528	6,304	3,739	2,565
	I.—General diseases	228,602	205,498	111,924	93,574	23,104	135,028	5,859	4,238	1,646	1,840	2,993	1,390	1,593	905	688
1	Typhoid fever	12,451	11,096	5,122	5,974	1,355	6,477	223	207	59	193	131	23	75	47	28
2	Typhus fever	5	.....	.....	.....	5	5	.....	.....	.....	.....	.....	.....	.....	.....	.....
3	Relapsing fever	2	2	.....	2	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
4	Malaria	1,802	1,322	328	994	480	808	18	82	3	.....	16	6	4	.....	4
5	Smallpox	130	95	46	49	35	81	7	2	.....	.....	.....	.....	.....	.....	.....
6	Measles	5,922	5,395	2,776	2,619	527	3,303	66	14	56	69	75	19	22	16	6
7	Scarlet fever	5,243	4,646	3,024	1,622	597	3,621	38	51	21	61	72	31	4	4	.....
8	Whooping cough	6,682	6,102	2,939	3,163	580	3,519	72	87	25	31	117	43	25	13	12
9	Diphtheria and croup	11,174	9,958	5,883	4,075	1,216	7,099	89	73	49	49	177	73	19	16	3
10	Influenza	9,294	8,595	2,854	5,741	699	3,553	79	131	30	72	153	115	68	42	26
11	Miliary fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
12	Asiatic cholera	2	2	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
13	Cholera nostras	350	321	117	204	29	146	.....	5	2	1	4	.....	2	.....	2
14	Dysentery	3,062	2,650	893	1,757	412	1,305	50	55	6	18	32	20	13	7	6
15	Plague	1	1	.....	1	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....
16	Yellow fever	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
17	Leprosy	7	7	3	4	.....	3	1	3	.....	.....	.....	.....	.....	.....	.....
18	Erysipelas	2,510	2,298	1,322	976	212	1,534	36	30	11	14	41	17	8	7	1
19	Other epidemic diseases	193	179	76	103	14	90	1	1	.....	3	2	1	.....	.....	.....
20	Purulent infection and septicemia	1,913	1,678	897	781	235	1,132	38	27	16	19	34	10	5	3	2
21	Glanders	11	11	7	4	.....	7	.....	.....	.....	.....	1	.....	.....	.....	.....
22	Anthrax	14	11	6	5	3	9	1	1	.....	.....	1	1	.....	.....	.....
23	Rabies	83	69	45	24	14	59	2	1	.....	.....	.....	.....	1	.....	1
24	Tetanus	1,336	1,001	544	457	335	879	29	32	5	9	18	7	15	5	10
25	Mycoses	37	30	17	13	7	24	2	1	.....	2	.....	.....	.....	.....	.....
26	Pellagra	659	322	163	159	337	500	5	7	3	3	.....	1	1	.....	1
27	Beriberi	7	5	3	2	2	5	1	2	.....	.....	.....	.....	.....	.....	.....
	Tuberculosis (total)	94,205	84,624	48,034	36,590	9,581	57,615	2,946	2,196	942	869	1,165	539	828	381	447
28	Tuberculosis of the lungs	78,514	70,273	39,463	30,810	8,241	47,704	2,466	1,891	861	808	938	440	693	315	378
29	Acute miliary tuberculosis	3,282	2,964	1,837	1,127	318	2,155	79	60	4	11	56	22	43	11	32
30	Tuberculous meningitis	5,237	4,858	3,315	1,543	379	3,694	163	93	39	18	89	36	42	26	16
31	Abdominal tuberculosis	3,680	3,306	1,714	1,592	374	2,088	121	85	15	15	41	22	23	13	10
32	Pott's disease	853	798	427	371	55	482	32	16	6	3	11	5	8	5	3
33	White swellings	438	401	231	170	37	268	12	6	2	.....	6	2	3	1	2
34	Tuberculosis of other organs	1,308	1,203	645	558	105	750	47	22	7	6	16	4	12	8	4
35	Disseminated tuberculosis	893	821	402	419	72	474	26	23	8	8	8	8	4	2	2
36	Rickets	508	452	286	166	56	342	8	7	3	.....	3	6	7	2	5
37	Syphilis	3,821	3,153	2,219	934	668	2,887	136	69	34	27	32	7	43	21	22
38	Gonococcus infection	222	192	135	57	30	165	7	4	1	1	4	1	5	2	3
	Cancer and other malignant tumors (total)	44,024	40,229	22,515	17,714	3,795	26,310	1,328	725	221	238	591	304	293	220	73
39	Of the buccal cavity	1,727	1,576	803	773	151	954	51	33	8	5	39	7	11	9	2
40	Of the stomach, liver	17,365	15,896	8,557	7,339	1,469	10,026	553	321	84	110	182	103	98	74	24
41	Of the peritoneum, intestines, rectum	5,824	5,385	3,233	2,152	439	3,672	192	81	34	27	81	48	33	26	7
42	Of the female genital organs	6,707	5,997	3,701	2,296	710	4,411	174	92	30	34	108	44	56	36	20
43	Of the breast	4,264	3,923	2,139	1,784	341	2,480	131	56	25	17	71	42	37	30	7
44	Of the skin	1,619	1,496	557	939	123	680	42	39	5	15	16	15	16	14	2
45	Of other organs or of organs not specified.	6,518	5,956	3,525	2,431	562	4,087	185	103	35	30	94	45	42	31	11
46	Other tumors (tumors of the female genital organs excepted).	455	395	189	206	60	249	11	6	1	2	8	5	1	.....	1
47	Acute articular rheumatism	3,545	3,210	1,723	1,487	335	2,058	90	38	22	30	39	30	13	7	6
48	Chronic rheumatism and gout	781	735	318	417	46	364	22	12	5	9	7	8	8	5	3
49	Scurvy	56	54	43	11	2	45	2	.....	1	1	3	1	.....	.....	.....
50	Diabetes	8,805	8,173	4,674	3,499	632	5,306	277	132	57	55	133	64	54	49	5
51	Exophthalmic goiter	787	701	365	336	86	451	23	9	2	5	7	1	5	3	2
52	Addison's disease	235	220	123	97	15	138	3	5	2	.....	2	.....	2	2	.....
53	Leukemia	933	859	495	364	74	569	28	20	7	1	17	5	8	8	.....
54	Anemia, chlorosis	2,813	2,590	1,365	1,225	223	1,588	69	39	14	13	36	20	19	14	5
55	Other general diseases	1,182	1,075	537	538	107	644	29	28	6	7	12	7	9	5	4
56	Alcoholism (acute or chronic)	2,875	2,625	1,595	1,030	250	1,845	96	120	38	36	54	22	34	24	10
57	Chronic lead poisoning	145	133	94	39	12	106	3	1	2	.....	5	1	1	1	.....
58	Other chronic occupation poisonings	11	11	9	2	.....	9	.....	.....	.....	.....	.....	.....	.....	.....	.....
59	Other chronic poisonings	309	271	138	133	38	176	23	14	2	2	1	1	1	1	.....
	II.—Diseases of the nervous system and of the organs of special sense.	81,428	75,333	36,336	38,997	6,095	42,431	1,792	1,478	362	447	1,244	747	659	426	233
60	Encephalitis	792	696	336	360	96	432	24	21	3	2	7	.....	2	.....	2
61	Meningitis (total)	7,285	6,514	3,550	2,964	771	4,321	189	144	58	59	166	63	36	23	13
	Simple meningitis	4,690	4,251	2,319	1,932	439	2,758	132	91	35	39	114	57	22	13	9
	Cerebrospinal meningitis (undefined)	2,055	1,835	1,014	821	220	1,234	48	45	21	12	47	4	11	7	4
	Cerebrospinal fever	540	428	217	211	112	329	9	8	2	8	5	2	3	3	.....
62	Locomotor ataxia	1,624	1,471	808	663	153	961	61	40	16	5	20	10	14	9	5
63	Other diseases of the spinal cord (total)	3,932	3,704	1,767	1,937	228	1,995	109	68	19	12	47	29	20	13	7
	Acute anterior poliomyelitis	1,060	1,005	476	529	55	531	15	16	3	3	10	5	5	.....	5
	Other diseases of the spinal cord [2]	2,872	2,699	1,291	1,408	173	1,464	94	52	16	9	37	24	15	13	2
64	Cerebral hemorrhage, apoplexy	44,274	41,336	20,310	21,026	2,938	23,248	1,013	734	171	196	702	482	411	272	139

[1] Includes District of Columbia.

CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES: 1911.

more inhabitants in 1910, smaller places being included with the "rural districts."]

INDIANA.		KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		Detailed List No.
		Cities.			Rural districts.					Cities.			Rural districts.					
Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	
11,838	23,372	6,934	4,937	1,997	23,473	19,643	3,830	3,114	8,917	11,355	8,567	2,788	9,339	6,580	2,759	41,010	11,993	
3,407	6,901	2,095	1,476	619	8,819	7,295	1,524	738	2,096	3,059	2,272	787	2,670	1,787	883	10,052	3,122	
229	499	139	99	40	930	794	136	52	83	188	153	35	303	208	95	259	52	1
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	2
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	3
29	81	39	15	24	198	167	31	1	2	3	3	...	11	3	8	9	6	4
1	2	...	...	...	4	4	...	...	...	...	...	...	...	...	...	3	...	5
56	206	98	73	25	357	333	24	18	13	85	70	15	45	37	8	259	47	6
71	108	19	19	...	67	65	2	4	12	44	41	3	22	22	...	173	24	7
87	185	28	17	11	410	335	75	19	54	54	35	19	138	73	65	400	106	8
157	228	49	44	5	523	504	19	22	53	76	70	6	92	70	22	490	91	9
101	398	71	40	31	339	287	52	23	166	83	58	25	134	92	42	192	153	10
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	11
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	12
3	8	1	...	1	29	26	3	1	2	4	4	...	10	7	3	23	1	13
58	163	46	31	15	298	261	37	12	25	24	21	3	59	43	16	90	41	14
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	15
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	16
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	17
34	81	21	19	2	54	51	3	9	19	31	26	5	19	18	1	141	28	18
3	13	...	...	...	6	6	...	...	1	2	1	1	5	5	...	10	2	19
18	51	18	11	7	60	50	10	6	17	19	15	4	22	14	8	105	21	20
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	21
...	1	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	22
3	1	...	...	...	1	1	...	...	...	2	2	...	1	1	...	...	1	23
35	51	15	10	5	35	30	5	3	7	27	18	9	21	13	8	42	5	24
2	1	1	1	...	1	1	...	...	...	...	...	...	...	...	...	2	1	25
2	1	19	17	2	46	41	5	...	1	3	2	1	8	6	2	1	...	26
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	27
1,417	2,804	1,040	689	351	4,253	3,331	922	296	767	1,478	942	536	1,182	692	490	3,951	1,340	
1,113	2,314	879	591	288	3,597	2,799	798	234	612	1,214	774	440	1,026	597	429	3,129	1,147	28
68	83	45	21	24	104	75	29	6	20	57	30	27	42	21	21	153	37	29
79	137	36	27	9	186	159	27	22	50	84	62	22	31	23	8	384	68	30
92	158	44	30	14	227	182	45	18	40	64	35	29	50	29	21	131	28	31
15	17	7	3	4	45	43	2	1	7	15	11	4	4	4	...	35	13	32
6	13	7	3	4	19	14	5	1	1	6	5	1	5	1	4	16	6	33
26	56	12	6	6	51	41	10	7	17	18	12	6	17	13	4	59	13	34
18	26	10	8	2	24	18	6	7	20	20	13	7	7	4	3	44	28	35
6	12	7	2	5	12	9	3	4	4	4	2	2	4	1	3	33	7	36
68	91	33	15	18	107	51	56	7	14	106	69	37	31	6	25	130	23	37
2	3	...	...	...	4	3	1	3	1	3	3	...	...	...	...	17	2	38
668	1,275	288	244	44	698	615	83	161	577	569	512	57	386	326	60	2,475	787	
27	61	8	8	...	27	24	3	3	22	25	18	7	14	11	3	93	30	39
245	533	89	76	13	230	210	20	58	231	234	213	21	154	136	18	845	254	40
86	142	47	39	8	59	49	10	23	82	65	63	2	34	31	3	402	146	41
153	175	56	45	11	141	116	25	38	83	78	64	14	69	45	24	398	104	42
50	140	31	24	7	68	55	13	11	56	58	50	8	38	35	3	272	87	43
25	86	11	11	...	58	57	1	3	20	13	12	1	15	14	1	56	43	44
82	138	46	41	5	115	104	11	25	83	96	92	4	62	54	8	409	123	45
6	12	6	4	2	13	10	3	2	11	10	9	1	5	4	1	18	7	46
46	104	35	22	13	102	81	21	4	26	40	30	10	29	24	5	125	43	47
14	26	5	4	1	31	29	2	6	17	11	8	3	2	2	...	32	11	48
...	2	1	1	...	1	...	1	2	...	1	1	...	1	1	...	2	1	49
142	254	59	53	6	99	92	7	41	137	103	98	5	64	56	8	522	163	50
19	42	4	4	...	7	6	1	2	4	5	5	...	3	1	2	26	14	51
2	9	...	...	...	2	2	...	2	2	2	2	...	3	3	...	14	9	52
13	26	6	5	1	16	14	2	1	11	9	7	2	8	8	...	46	8	53
48	55	23	15	8	31	26	5	14	46	34	30	4	23	21	2	193	68	54
15	33	10	10	...	40	32	8	7	6	7	6	1	8	6	2	60	11	55
41	56	13	11	2	34	27	7	15	16	28	25	3	25	21	4	177	45	56
5	2	1	1	...	2	2	...	...	2	2	2	...	1	1	...	13	3	57
...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	1	...	58
6	17	...	...	...	9	9	...	1	...	2	2	...	5	2	3	15	1	59
1,092	2,592	712	533	179	1,991	1,694	297	364	1,130	1,082	845	237	1,054	808	246	4,000	1,588	
12	27	10	9	1	35	35	...	3	12	5	4	1	6	3	3	46	9	60
81	160	102	81	21	407	363	44	34	66	108	90	18	72	52	20	409	94	61
49	85	84	66	18	241	214	27	26	43	64	56	8	48	32	16	315	71	
28	49	16	13	3	124	111	13	8	22	36	28	8	17	14	3	74	22	
4	26	2	2	...	42	38	4	...	1	8	6	2	7	6	1	20	1	
27	57	17	14	3	32	30	2	2	24	20	19	1	10	10	...	84	33	62
60	192	31	26	5	112	91	21	12	64	42	38	4	48	37	11	185	70	63
15	54	13	13	...	48	39	9	2	11	13	13	...	21	12	9	40	15	
45	138	18	13	5	64	52	12	10	53	29	25	4	27	25	2	145	55	
623	1,512	285	211	74	602	510	92	198	679	577	464	113	447	347	100	2,436	950	64

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND CAUSES:

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES. Total.[1]	Cities.[1]	Rural districts.	Registration cities in other states.	All registration cities.[1]	CALIFORNIA. Cities.	Rural districts.	COLORADO. Cities.	Rural districts.	CONNECTICUT. Cities.	Rural districts.	DIST. COLUMBIA. Total.	White.	Colored.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.															
65	Softening of the brain	1,035	957	341	616	78	419	25	30	7	2	10	12	4	3	1
66	Paralysis without specified cause	6,359	5,747	1,941	3,806	612	2,553	111	125	19	56	35	37	34	23	11
67	General paralysis of the insane	3,988	3,691	1,792	1,899	297	2,089	81	104	17	35	54	26	55	40	15
68	Other forms of mental alienation	1,371	1,290	488	802	81	569	20	59	7	21	19	10	7	6	1
69	Epilepsy	2,329	2,176	806	1,370	153	959	36	58	11	23	29	19	19	7	12
70	Convulsions (nonpuerperal)	186	160	67	93	26	93	3	.....	.....	.....	4	1	.....	.....	.....
71	Convulsions of infants	4,231	3,902	2,048	1,854	329	2,377	23	26	5	12	78	26	18	2	16
72	Chorea	116	106	55	51	10	65	1	1	2	1	.....	1	.....	.....	.....
73	Neuralgia and neuritis	440	408	216	192	32	248	4	9	5	2	7	5	3	3	.....
74	Other diseases of the nervous system	2,273	2,074	1,140	934	199	1,339	67	51	13	9	43	16	31	22	9
75	Diseases of the eyes and their annexa	55	49	31	18	6	37	.....	.....	.....	.....	1	1	.....	.....	.....
76	Diseases of the ears	1,138	1,052	640	412	86	726	25	8	9	12	22	9	5	3	2
	III.—Diseases of the circulatory system.	109,830	100,220	54,572	45,648	9,610	64,182	3,386	2,173	488	520	1,546	857	927	593	334
77	Pericarditis	747	672	342	330	75	417	20	8	2	5	5	2	2	2	.....
78	Acute endocarditis	4,489	3,850	2,884	966	639	3,523	149	57	13	18	91	25	34	23	11
79	Organic diseases of the heart	83,525	76,413	40,772	35,641	7,112	47,884	2,643	1,800	338	405	1,147	672	724	435	289
80	Angina pectoris	4,212	3,931	1,816	2,115	281	2,097	92	58	35	26	74	41	26	22	4
81	Diseases of the arteries, atheroma, aneurism, etc.	13,789	12,587	7,150	5,437	1,202	8,352	387	199	63	41	168	94	108	88	20
82	Embolism and thrombosis	2,016	1,820	1,065	755	196	1,261	71	36	28	16	51	18	23	17	6
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	352	314	195	119	38	233	6	5	2	4	2	2	5	4	1
84	Diseases of the lymphatic system (lymphangitis, etc.).	326	295	202	93	31	233	10	3	2	3	3	1	2	.....	2
85	Hemorrhage; other diseases of the circulatory system.	374	338	146	192	36	182	8	7	5	2	5	2	3	2	1
	IV.—Diseases of the respiratory system.	99,650	89,328	52,579	36,749	10,322	62,901	1,880	1,335	551	820	1,590	620	735	362	373
86	Diseases of the nasal fossae	133	124	52	72	9	61	1	2	.....	.....	.....	.....	1	1	.....
87	Diseases of the larynx	824	770	340	430	54	394	13	10	3	4	13	5	5	4	1
88	Diseases of the thyroid body	266	231	120	111	35	155	10	3	.....	.....	2	.....	3	3	.....
89	Acute bronchitis	6,482	6,129	3,620	2,509	353	3,973	74	52	34	30	85	56	45	17	28
90	Chronic bronchitis	5,077	4,709	2,475	2,234	368	2,843	123	74	15	25	96	36	25	20	5
91	Bronchopneumonia	26,365	23,717	15,410	8,307	2,648	18,058	398	241	104	175	296	99	168	84	84
92	Pneumonia (total)	52,868	46,764	26,828	19,936	6,104	32,932	1,075	810	347	504	975	380	387	169	218
	Lobar pneumonia	28,553	25,903	17,122	8,781	2,650	19,772	678	378	175	240	370	108	182	88	94
	Pneumonia (undefined)	24,315	20,861	9,706	11,155	3,454	13,160	397	432	172	264	605	272	205	81	124
93	Pleurisy	2,160	1,936	1,243	693	224	1,467	59	31	9	13	39	13	15	8	7
94	Pulmonary congestion, pulmonary apoplexy.	2,341	2,133	1,107	1,026	208	1,315	57	59	6	10	47	18	46	31	15
95	Gangrene of the lung	187	166	111	55	21	132	6	3	.....	.....	5	.....	3	2	1
96	Asthma	1,578	1,412	690	722	166	856	41	28	21	16	17	10	15	12	3
97	Pulmonary emphysema	163	155	87	68	8	95	4	1	.....	2	3	.....	.....	.....	.....
98	Other diseases of the respiratory system (tuberculosis excepted).	1,206	1,082	496	586	124	620	19	21	12	41	12	3	22	11	11
	V.—Diseases of the digestive system.	98,601	86,910	50,471	36,439	11,691	62,162	1,811	1,286	445	644	1,394	509	678	395	283
99	Diseases of the mouth and annexa	366	331	164	167	35	199	6	5	.....	.....	8	3	2	.....	2
100	Diseases of the pharynx	952	879	420	459	73	493	22	10	7	10	12	7	4	1	3
101	Diseases of the esophagus	142	128	72	56	14	86	4	3	1	.....	2	1	.....	.....	.....
102	Ulcer of the stomach	2,143	1,902	1,148	754	241	1,389	76	52	20	20	34	7	17	11	6
103	Other diseases of the stomach (cancer excepted).	8,774	7,932	3,393	4,539	842	4,235	117	108	22	46	115	79	113	54	59
104	Diarrhea and enteritis (under 2 years)	45,868	40,018	25,002	15,016	5,850	30,852	516	388	173	297	691	211	273	137	136
105	Diarrhea and enteritis (2 years and over)	8,108	7,145	3,508	3,637	963	4,471	146	135	34	40	86	48	64	45	19
106	Ankylostomiasis	15	15	2	13	.....	2	.....	1	.....	.....	.....	.....	.....	.....	.....
107	Intestinal parasites	90	82	16	66	8	24	3	2	.....	.....	.....	.....	.....	.....	.....
108	Appendicitis and typhlitis	6,896	6,018	4,025	1,993	878	4,903	189	90	61	69	87	17	36	28	8
109	Hernia, intestinal obstruction (total)	7,061	6,291	3,628	2,663	770	4,398	178	135	31	50	129	34	51	32	19
	Hernia	2,369	2,090	1,349	741	279	1,628	68	26	8	13	46	8	20	12	8
	Intestinal obstruction	4,692	4,201	2,279	1,922	491	2,770	110	109	23	37	83	26	31	20	11
110	Other diseases of the intestines	1,785	1,634	799	835	151	950	38	35	3	12	16	17	12	7	5
111	Acute yellow atrophy of the liver	302	273	128	145	29	157	4	3	1	2	.....	3	3	2	1
112	Hydatid tumor of the liver	24	21	15	6	3	18	.....	.....	.....	.....	1	.....	.....	.....	.....
113	Cirrhosis of the liver	8,310	7,392	4,564	2,828	918	5,482	328	176	52	40	116	49	46	42	4
114	Biliary calculi	1,749	1,576	941	635	173	1,114	37	22	11	19	23	5	12	10	2
115	Other diseases of the liver	3,076	2,728	1,383	1,345	348	1,731	87	56	11	23	38	16	22	16	6
116	Diseases of the spleen	124	113	58	55	11	69	1	2	.....	.....	2	1	1	1	.....
117	Simple peritonitis (nonpuerperal)	2,349	2,002	920	1,082	347	1,267	46	52	16	11	27	11	21	9	12
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	467	430	285	145	37	322	13	11	2	5	7	.....	1	.....	1

[1] Includes District of Columbia.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

INDIANA.		KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		Detailed Int. List No.
		Cities.			Rural districts.					Cities.			Rural districts.					
Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	
13	45	19	15	4	46	42	4	3	28	9	8	1	15	13	2	27	25	65
66	227	113	72	41	348	281	67	30	105	133	91	42	223	167	56	181	84	66
62	101	21	19	2	69	64	5	36	36	35	28	7	58	54	4	150	109	67
17	52	17	15	2	45	37	8	16	16	7	4	3	21	17	4	33	35	68
49	83	23	16	7	77	60	17	10	26	18	7	11	36	28	8	64	87	69
.....	1	5	5	.....	5	4	1	.....	3	4	4	.....	1	.....	1	15	3	70
17	18	35	21	14	90	68	22	6	26	65	36	29	80	50	30	122	31	71
3	2	3	2	1	6	6	.....	1	2	1	1	.....	3	3	.....	3	1	72
4	3	4	4	.....	11	9	2	4	15	5	5	.....	5	5	.....	34	3	73
28	60	24	20	4	75	64	11	7	24	38	33	5	22	17	5	127	39	74
2	2	.....	.....	.....	3	3	.....	.....	1	1	1	.....	1	1	.....	4	1	75
28	50	3	3	.....	28	27	1	2	3	14	12	2	6	4	2	80	14	76
1,587	3,412	828	573	255	1,679	1,375	304	466	1,374	1,342	1,000	342	1,034	779	255	6,560	2,283	
10	29	7	1	6	27	21	6	1	7	6	4	2	10	8	2	22	8	77
63	40	33	24	9	25	23	2	18	19	48	32	16	26	19	7	281	47	78
1,218	2,683	627	415	212	1,368	1,107	261	329	1,016	1,035	759	276	833	610	223	4,695	1,643	79
56	193	37	32	5	84	72	12	28	93	53	48	5	38	33	5	217	100	80
207	412	96	82	14	137	118	19	72	192	158	122	36	102	90	12	1,140	443	81
22	39	15	11	4	18	17	1	13	38	26	22	4	11	8	3	103	33	82
9	4	3	3	.....	9	8	1	2	1	4	3	1	3	3	.....	31	3	83
2	6	3	2	1	3	3	.....	.....	1	4	4	.....	3	3	.....	53	3	84
.....	6	7	3	4	8	6	2	3	7	8	6	2	8	5	3	18	3	85
1,134	2,236	784	494	290	2,205	1,791	414	371	1,021	1,513	1,032	481	968	667	301	5,272	1,319	
3	4	.....	.....	.....	11	10	1	1	1	2	2	.....	1	1	.....	4	.....	86
12	26	9	7	2	31	31	.....	3	5	4	4	.....	14	10	4	40	11	87
4	12	2	1	1	6	6	.....	2	5	4	3	1	1	1	.....	8	4	88
57	142	32	15	17	126	104	22	18	95	90	58	32	61	40	21	375	96	89
66	150	88	56	32	115	98	17	17	58	85	68	17	60	46	14	274	94	90
335	553	112	74	38	484	398	86	77	159	415	277	138	216	139	77	1,273	284	91
587	1,239	424	264	160	1,262	1,012	250	221	603	782	520	262	508	349	159	3,013	743	92
383	647	128	84	44	508	415	93	49	90	400	288	112	231	179	52	1,557	381	
204	592	296	180	116	754	597	157	172	513	382	232	150	277	170	107	1,456	362	
28	36	23	11	12	21	17	4	3	18	39	28	11	19	15	4	101	28	93
11	18	30	30	.....	33	25	8	21	36	47	42	5	43	36	7	94	31	94
.....	3	.....	.....	.....	4	3	1	.....	1	1	1	.....	2	2	.....	16	3	95
23	36	43	21	22	62	46	16	4	19	25	21	4	20	11	9	37	12	96
2	3	3	3	.....	5	5	.....	1	2	.....	.....	.....	1	1	.....	6	.....	97
6	14	18	12	6	45	36	9	3	19	19	8	11	22	16	6	31	13	98
1,573	2,618	711	507	204	2,504	2,211	293	348	879	1,283	1,030	253	1,160	822	338	5,217	998	
2	16	2	1	1	20	18	2	.....	2	5	2	3	13	2	11	12	4	99
10	31	8	4	4	44	42	2	2	9	10	8	2	11	6	5	43	4	100
2	.....	1	1	.....	2	2	.....	1	1	2	2	.....	2	2	.....	14	3	101
36	64	18	9	9	53	45	8	6	21	18	16	2	10	5	5	90	26	102
101	329	87	48	39	353	307	46	44	176	127	81	46	164	111	53	277	104	103
680	996	187	140	47	970	868	102	145	328	632	512	120	656	465	191	3,084	480	104
130	281	88	60	28	335	303	32	28	82	82	69	13	97	71	26	318	93	105
.....	1	.....	.....	.....	6	6	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	106
.....	3	3	1	2	17	14	3	.....	4	.....	.....	.....	6	3	3	.....	.....	107
144	141	53	48	5	113	97	16	48	53	89	70	19	18	13	5	346	32	108
141	193	62	44	18	167	147	20	22	70	90	72	18	67	49	18	346	74	109
37	58	23	14	9	33	27	6	6	16	29	23	6	19	9	10	114	25	
104	135	39	30	9	134	120	14	16	54	61	49	12	48	40	8	232	49	
30	83	21	15	6	59	48	11	2	18	25	21	4	17	14	3	56	20	110
11	17	1	1	.....	4	4	.....	1	4	2	1	1	2	2	.....	6	.....	111
.....	.....	.....	.....	.....	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	1	112
130	213	82	71	11	118	98	20	8	32	114	103	11	51	45	6	261	78	113
45	70	17	14	3	45	42	3	12	8	29	27	2	10	10	.....	93	19	114
60	107	43	26	17	100	88	12	14	42	35	27	8	15	13	2	110	29	115
1	7	.....	.....	.....	3	3	.....	1	1	.....	.....	.....	.....	.....	.....	2	2	116
43	58	35	21	14	89	73	16	10	20	16	12	4	20	10	10	116	26	117
7	8	3	3	.....	4	4	.....	4	8	7	7	.....	1	1	.....	42	3	118

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND CAUSES:

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES. Total.[1]	Cities.[1]	Rural districts.	Registration cities in other states.	All registration cities.[1]	CALIFORNIA. Cities.	Rural districts.	COLORADO. Cities.	Rural districts.	CONNECTICUT. Cities.	Rural districts.	DIST. COLUMBIA. Total.	White.	Colored.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	67,348	59,676	35,923	23,753	7,672	43,595	1,707	1,051	395	363	1,012	468	615	380	235
119	Acute nephritis	5,956	5,200	3,318	1,882	756	4,074	123	64	45	44	110	45	78	37	41
120	Bright's disease	51,847	45,962	27,656	18,306	5,885	33,541	1,296	808	300	275	811	374	453	297	156
121	Chyluria	1	1	1	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....
122	Other diseases of the kidneys and annexa	1,343	1,215	668	547	128	796	39	21	4	8	12	7	13	10	3
123	Calculi of the urinary passages	361	328	200	128	33	233	9	7	2	1	3	3	6	6	.....
124	Diseases of the bladder	1,[illegible]82	1,429	549	880	103	652	35	43	3	6	12	18	6	4	2
125	Diseases of the urethra, urinary abscess, etc.	285	227	169	58	58	227	10	.....	3	3	3	.....	7	1	6
126	Diseases of the prostate	2,175	2,007	988	1,019	168	1,156	57	56	7	6	18	13	17	11	6
127	Nonvenereal diseases of the male genital organs.	49	45	30	15	4	34	3	.....	.....	.....	.....	.....	.....	.....	.....
128	Uterine hemorrhage (nonpuerperal)	76	66	34	32	10	44	1	.....	.....	.....	5	1	1	1	.....
129	Uterine tumor (noncancerous)	892	774	557	217	118	675	28	14	7	1	9	4	9	4	5
130	Other diseases of the uterus	770	664	436	228	106	542	29	12	4	3	7	1	7	6	1
131	Cysts and other tumors of the ovary	628	564	367	197	64	431	18	4	4	7	9	1	5	1	4
132	Salpingitis and other diseases of the female genital organs.	1,401	1,165	930	235	236	1,166	59	22	15	9	11	1	13	2	11
133	Nonpuerperal diseases of the breast (cancer excepted).	32	29	20	9	3	23	.....	.....	1	.....	2	.....	.....	.....	.....
	VII.—The puerperal state	9,456	8,469	4,543	3,926	987	5,530	188	143	53	94	105	24	57	38	19
134	Accidents of pregnancy	908	829	442	387	79	521	22	14	4	6	9	3	2	.....	2
135	Puerperal hemorrhage	851	773	370	403	78	448	15	8	7	7	14	4	6	3	3
136	Other accidents of labor	911	829	391	438	82	473	15	13	4	4	5	1	3	1	2
137	Puerperal septicemia	4,376	3,880	2,202	1,678	496	2,698	84	59	26	47	48	9	25	18	7
138	Puerperal albuminuria and convulsions	2,094	1,860	980	880	234	1,214	42	40	12	26	27	6	20	15	5
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	266	251	140	111	15	155	7	5	.....	4	2	1	1	1	.....
140	Following childbirth (not otherwise defined).	48	45	16	29	3	19	3	4	.....	.....	.....	.....	.....	.....	.....
141	Puerperal diseases of the breast	2	2	2	.....	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	.....
	VIII.—Diseases of the skin and of the cellular tissue.	3,010	,797	1,353	1,444	213	1,566	58	48	5	8	48	15	17	8	9
142	Gangrene	1,656	1,545	635	910	111	746	31	37	4	6	29	9	11	6	5
143	Furuncle	285	266	159	107	19	178	12	6	.....	2	1	2	.....	.....	.....
144	Acute abscess	456	423	271	152	33	304	5	3	.....	.....	10	.....	5	2	3
145	Other diseases of the skin and annexa	613	563	288	275	50	338	10	2	1	.....	8	4	1	.....	1
	IX.—Diseases of the bones and of the organs of locomotion.	1,365	1,246	854	392	119	973	29	21	8	6	10	6	9	6	3
146	Diseases of the bones (tuberculosis excepted).	1,187	1,079	755	324	108	863	26	15	8	5	8	5	8	5	3
147	Diseases of the joints (tuberculosis and rheumatism excepted).	121	114	75	39	7	82	1	4	.....	1	2	.....	1	1	.....
148	Amputations	5	5	5	.....	.....	5	.....	.....	.....	.....	.....	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	52	48	19	29	4	23	2	2	.....	.....	.....	1	.....	.....	.....
	X.—Malformations	8,465	7,866	4,083	3,783	599	4,682	173	119	45	72	109	55	27	20	7
150	Congenital malformations (stillbirths not included) (total).	8,465	7,866	4,083	3,783	599	4,682	173	119	45	72	109	55	27	20	7
	Hydrocephalus	736	667	368	299	69	437	18	8	1	3	12	4	5	3	2
	Congenital malformations of the heart	5,069	4,736	2,488	2,248	333	2,821	106	71	38	46	62	35	14	12	2
	Other congenital malformations	2,660	2,463	1,227	1,236	197	1,424	49	40	6	23	35	16	8	5	3
	XI.—Early infancy	46,692	42,692	24,173	18,519	4,000	28,173	678	426	237	406	848	308	447	254	193
151	Congenital debility, icterus, and sclerema (total).	38,434	35,215	19,698	15,517	3,219	22,917	548	336	205	344	674	242	398	221	177
	Premature birth	23,539	21,639	12,009	9,630	1,900	13,909	407	239	127	219	366	135	229	121	108
	Congenital debility, "atrophy," "marasmus," etc.	14,895	13,576	7,689	5,887	1,319	9,008	141	97	78	125	308	107	169	100	69
152	Other causes peculiar to early infancy (total).	8,087	7,324	4,417	2,907	763	5,180	128	87	32	62	170	65	49	33	16
	Injuries at birth	4,573	4,176	2,566	1,610	397	2,963	77	47	14	27	107	39	26	20	6
	Other causes peculiar to early infancy[2]	3,514	3,148	1,851	1,297	366	2,217	51	40	18	35	63	26	23	13	10
153	Lack of care	171	153	58	95	18	76	2	3	.....	.....	4	1	.....	.....	.....
	XII.—Old age	13,974	12,954	4,459	8,495	1,020	5,479	271	306	82	144	184	111	164	101	63
154	Senility	13,974	12,954	4,459	8,495	1,020	5,479	271	306	82	144	184	111	164	101	63
	XIII.—External causes	63,650	57,476	31,063	26,413	6,174	37,237	1,788	1,708	332	697	866	387	357	244	113
	Suicide (total)	9,622	8,635	5,256	3,379	987	6,243	468	281	88	92	146	61	88	76	12
155	By poison	2,927	2,576	1,685	891	351	2,036	96	51	38	30	63	22	25	20	5
156	By asphyxia	1,013	859	798	61	154	952	72	5	1	2	20	.....	22	22	.....
157	By hanging or strangulation	1,373	1,291	559	732	82	641	37	35	3	5	20	13	2	1	1
158	By drowning	536	502	262	240	34	296	16	14	1	6	8	8	6	4	2
159	By firearms	2,859	2,566	1,451	1,115	293	1,744	199	123	38	39	24	12	27	23	4
160	By cutting or piercing instruments	623	570	336	234	53	389	38	38	5	6	8	3	6	6	.....
161	By jumping from high places	146	131	109	22	15	124	7	5	2	.....	2	2	.....	.....	.....
162	By crushing	70	68	29	39	2	31	1	6	.....	2	1	1	.....	.....	.....
163	Other suicides	75	72	27	45	3	30	2	4	.....	2	.....	.....	.....	.....	.....

[1] Includes District of Columbia.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

INDIANA.		KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		Detailed List No.
		Cities.			Rural districts.					Cities.			Rural districts.					
Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	
989	1,806	585	451	134	1,263	1,055	208	287	699	1,100	839	261	737	532	205	2,787	766	
105	125	43	24	19	97	78	19	34	47	132	83	49	68	45	23	202	47	119
687	1,386	460	376	84	921	774	147	208	565	867	684	183	608	442	166	2,126	621	120
																		121
24	55	17	10	7	58	48	10	6	10	14	12	2	8	5	3	67	15	122
7	12	2	2		7	6	1		9	2	2		3	2	1	20	2	123
15	54	11	8	3	43	37	6	6	20	13	9	4	12	10	2	50	27	124
5	4	6	1	5	5	2	3			7	5	2				16	1	125
34	84	7	6	1	60	53	7	11	26	16	14	2	20	14	6	107	32	126
2		1	1		1		1	1		1	1					4	1	127
1	2	1	1		6	5	1		1	1	1		1	1		4	1	128
19	26	9	2	7	10	8	2	4	8	13	5	8	6	4	2	46	2	129
15	12	9	6	3	29	24	5	12	7	11	10	1	4	4		37	7	130
19	17	6	5	1	16	13	3		5	5	3	2	4	4		37	4	131
55	28	13	9	4	9	6	3	5	6	18	10	8	3	1	2	69	5	132
1	1				1	1										2	1	133
167	314	51	34	17	356	297	59	24	76	102	75	27	80	52	28	434	76	
12	26	1	1		45	38	7		9	9	6	3	10	8	2	43	5	134
5	17	2	2		37	34	3	4	12	10	8	2	10	7	3	26	9	135
9	17	6	3	3	38	34	4	3	12	11	6	5	7	2	5	48	15	136
106	190	25	18	7	149	113	36	12	17	45	35	10	26	18	8	193	17	137
32	52	14	8	6	79	70	9	5	23	22	18	4	24	15	9	104	21	138
3	8	1		1	5	5			2	5	2	3	2	2		19	6	139
	4	2	2		3	3			1				1		1	1	3	140
																		141
39	98	21	13	8	80	72	8	24	62	33	26	7	38	25	13	162	40	
23	63	12	6	6	32	28	4	16	47	17	12	5	26	16	10	66	25	142
4	12				6	6		2	3	2	2		1	1		19	3	143
6	6	4	4		4	4		1	5	6	5	1	6	5	1	35	4	144
6	17	5	3	2	38	34	4	5	7	8	7	1	5	3	2	42	8	145
9	27	8	6	2	22	22		4	7	24	18	6	10	6	4	86	13	
8	23	6	4	2	21	21		4	4	23	17	6	5	2	3	65	11	146
	2								2	1	1		3	2	1	17	2	147
		2	2															148
1	2				1	1			1				2	2		4		149
169	324	28	27	1	215	206	9	12	43	86	78	8	72	62	10	459	100	
169	324	28	27	1	215	206	9	12	43	86	78	8	72	62	10	459	100	150
10	25	3	3		12	12		2	5	5	5		4	3	1	52	5	
112	200	18	17	1	99	94	5	6	24	60	54	6	49	44	5	271	65	
47	99	7	7		104	100	4	4	14	21	19	2	19	15	4	136	30	
560	1,103	380	308	72	1,404	1,250	154	184	412	793	590	203	504	338	166	2,555	579	
442	847	347	282	65	1,213	1,078	135	140	362	696	515	181	436	296	140	1,995	482	151
373	681	163	140	23	806	725	81	71	202	297	218	79	204	157	47	1,298	289	
69	166	184	142	42	407	353	54	69	160	399	297	102	232	139	93	697	193	
116	251	29	26	3	184	165	19	44	50	95	73	22	61	41	20	555	93	152
79	130	7	5	2	100	91	9	13	23	59	54	5	34	28	6	358	49	
37	121	22	21	1	84	74	10	31	27	36	19	17	27	13	14	197	44	
2	5	4		4	7	7				2	2		7	1	6	5	4	153
94	257	127	101	26	398	321	77	71	462	175	153	22	252	188	64	345	290	
94	257	127	101	26	398	321	77	71	462	175	153	22	252	188	64	345	290	154
999	1,656	529	370	159	1,465	1,177	288	189	500	634	511	123	517	398	119	2,886	758	
205	250	66	62	4	135	129	6	23	78	109	102	7	40	37	3	351	98	
95	80	27	24	3	49	46	3	2	14	39	37	2	4	4		65	16	155
10	3	2	2					3	2	18	17	1	1	1		74	4	156
25	53	12	12		15	15		6	20	7	6	1	13	12	1	42	19	157
19	20	4	4		8	7	1	5	7	1	1		5	4	1	41	17	158
41	72	15	14	1	45	44	1	5	25	30	28	2	12	11	1	83	28	159
10	12	4	4		13	12	1	2	8	6	5	1	1	1		36	10	160
2	2	1	1		1	1				7	7					5	1	161
1	5				1	1			1	1	1		3	3		2	3	162
2	3	1	1		3	3			1				1	1		3		163

[2] Exclusive of injuries at birth.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND CAUSES:

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed Int. List No.	CAUSE OF DEATH.	Registration area.	REGISTRATION STATES. Total.[1]	Cities.[1]	Rural districts.	Registration cities in other states.	All registration cities.[1]	CALIFORNIA. Cities.	Rural districts.	COLORADO. Cities.	Rural districts.	CONNECTICUT. Cities.	Rural districts.	DIST. COLUMBIA. Total.	White.	Colored.
	XIII.—External causes—Continued.															
	Accidental or undefined (total)	50,121	45,802	24,008	21,794	4,319	28,327	1,175	1,319	201	542	690	313	238	155	83
164	Poisoning by food	481	424	196	228	57	253	21	23	4	9	8	3	2	1	1
165	Other acute poisonings	1,399	1,266	633	633	133	766	41	29	15	18	17	9	4	4	.....
166	Conflagration	869	825	432	393	44	476	23	39	1	10	5	2	2	2	.....
167	Burns (conflagration excepted)	4,567	4,114	2,431	1,683	453	2,884	84	74	18	36	87	22	35	16	19
168	Absorption of deleterious gases (conflagration excepted).	2,143	1,859	1,329	530	284	1,613	94	28	13	13	49	5	36	23	13
169	Accidental drowning	5,571	5,203	2,219	2,984	368	2,587	142	204	4	47	52	70	34	21	13
170	Traumatism by firearms	1,327	1,169	334	835	158	492	27	57	4	26	9	8	3	3	.....
171	Traumatism by cutting or piercing instruments.	122	113	56	57	9	65	1	3	1	2	3	2	.....	.....	.....
172	Traumatism by fall	8,905	8,203	4,814	3,389	702	5,516	225	144	51	42	135	56	37	33	4
173	Traumatism in mines and quarries (total).	2,372	2,338	591	1,747	34	625	3	63	7	138	2	.....	.....	.....	.....
	Traumatism in mines	2,256	2,224	560	1,664	32	592	2	55	6	136	.....	.....	.....	.....	.....
	Traumatism in quarries	116	114	31	83	2	33	1	8	1	2	2	.....	.....	.....	.....
174	Traumatism by machines	1,239	1,104	646	458	135	781	35	47	9	13	15	3	5	3	2
175	Traumatism by other crushing (total).	13,572	12,249	6,528	5,721	1,323	7,851	385	424	62	134	203	83	46	31	15
	Railroad accidents and injuries	7,696	7,068	3,180	3,888	628	3,808	138	208	25	79	101	53	5	4	1
	Street-car accidents and injuries	1,883	1,590	1,235	355	293	1,528	100	29	9	1	55	14	22	14	8
	Automobile accidents and injuries.	1,291	1,150	844	306	141	985	69	44	11	7	15	7	7	3	4
	Injuries by other vehicles	2,237	2,048	1,096	952	189	1,285	71	113	15	43	29	6	9	7	2
	Landslide, other crushing	465	393	173	220	72	245	7	30	2	4	3	3	3	3	.....
176	Injuries by animals	520	497	162	335	23	185	8	20	5	9	4	2	3	2	1
177	Starvation	94	80	36	44	14	50	.....	7	.....	2	3	.....	.....	.....	.....
178	Excessive cold	188	180	44	136	8	52	.....	4	2	10	4	2	2	.....	2
179	Effects of heat	3,165	2,892	2,082	810	273	2,355	8	25	.....	.....	54	28	18	11	7
180	Lightning	240	235	26	209	5	31	.....	1	.....	13	1	.....	.....	.....	.....
181	Electricity (lightning excepted)	513	450	254	196	63	317	15	19	2	3	6	2	1	.....	1
185	Fractures (cause not specified)	363	330	220	110	33	253	13	4	.....	1	10	3	1	.....	1
186	Other external violence	2,471	2,271	975	1,296	200	1,175	50	104	3	16	23	13	9	5	4
	Homicide (total)	3,907	3,039	1,799	1,240	868	2,667	145	108	43	63	30	13	31	13	18
182	By firearms	2,347	1,788	991	797	559	1,550	103	76	27	43	14	7	13	6	7
183	By cutting or piercing instruments	638	487	323	164	151	474	22	20	10	10	5	3	6	1	5
184	By other means	922	764	485	279	158	643	20	12	6	10	11	3	12	6	6
	XIV.—Ill-defined diseases	7,213	6,312	1,587	4,725	901	2,488	7	51	3	27	75	31	19	7	12
187	Ill-defined organic disease	611	517	104	413	94	198	1	8	.....	3	2	4	1	1	.....
188	Sudden death	377	349	78	271	28	106	2	.....	.....	.....	7	1	.....	.....	.....
189	Not specified or ill-defined (total)	6,225	5,446	1,405	4,041	779	2,184	4	43	3	24	66	26	18	6	12
	Ill-defined	3,512	3,078	1,127	1,951	434	1,561	4	29	3	19	51	11	17	5	12
	Not specified or unknown	2,713	2,368	278	2,090	345	623	.....	14	.....	5	15	15	1	1	.....

[1] Includes District of Columbia.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

INDIANA.		KENTUCKY.						MAINE.		MARYLAND.						MASSACHUSETTS.		List
		Cities.			Rural districts.					Cities.			Rural districts.					
Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Detailed Int. No.
731	1,345	383	282	101	1,095	897	198	162	408	493	389	104	457	349	108	2,449	645	
7	17	4	2	2	16	13	3	.....	5	2	2	.....	7	6	1	19	4	164
28	42	10	7	3	39	36	3	5	10	10	9	1	14	7	7	50	10	165
2	10	2	2	.....	23	18	5	2	14	4	2	2	8	3	5	36	17	166
81	127	47	34	13	174	144	30	14	31	75	51	24	46	28	18	230	45	167
31	53	9	5	4	30	23	7	7	9	24	19	5	15	10	5	114	18	168
54	125	38	28	10	79	60	19	28	103	46	32	14	91	67	24	193	111	169
17	43	24	14	10	118	82	36	3	21	10	9	1	18	10	8	18	14	170
2	8	1	.....	1	8	7	1	1	1	1	1	.....	1	1	.....	9	2	171
133	284	63	48	15	131	121	10	23	74	105	91	14	41	36	5	532	123	172
11	39	2	2	.....	51	41	10	.....	2	2	2	.....	11	11	.....	3	2	173
11	38	2	2	.....	48	38	10	.....	.....	1	1	.....	10	10	.....	1	2	
.....	1	.....	.....	.....	3	3	.....	.....	2	1	1	.....	1	1	.....	2	.....	
22	21	5	3	2	19	16	3	4	11	15	9	6	5	5	.....	48	9	174
265	374	103	77	26	244	202	42	34	67	120	100	20	104	90	14	495	141	175
158	250	59	44	15	190	154	36	23	35	67	56	11	63	56	7	228	76	
48	34	26	18	8	7	6	1	6	5	20	17	3	9	6	3	79	25	
16	15	9	8	1	6	4	2	2	1	6	6	.....	6	6	.....	88	18	
31	62	4	3	1	38	35	3	3	20	22	17	5	19	15	4	93	18	
12	13	5	4	1	3	3	.....	.....	6	5	4	1	7	7	.....	7	4	
5	46	2	1	1	11	9	2	1	4	3	1	2	6	4	2	3	1	176
1	2	.....	.....	.....	2	1	1	.....	.....	.....	.....	.....	2	1	1	10	2	177
3	9	3	1	2	2	.....	2	.....	4	2	2	.....	4	2	2	3	6	178
21	40	15	13	2	21	16	5	19	18	53	44	9	27	21	6	554	100	179
1	20	1	1	.....	20	19	1	.....	1	2	1	1	3	3	.....	1	2	180
16	21	2	2	.....	1	1	.....	2	4	1	1	.....	4	4	.....	18	13	181
5	2	22	20	2	17	17	.....	3	5	3	2	1	22	20	2	22	5	185
26	62	30	22	8	89	71	18	16	24	15	11	4	28	20	8	91	20	186
63	61	80	26	54	235	151	84	4	14	32	20	12	20	12	8	86	15	
45	47	51	18	33	180	118	62	2	7	14	9	5	15	8	7	33	3	182
6	6	22	5	17	18	11	7	1	3	12	6	6	1	1	.....	14	6	183
12	8	7	3	4	37	22	15	1	4	6	5	1	4	3	1	39	6	184
19	28	75	44	31	1,072	877	195	32	156	129	98	31	243	116	127	195	61	
1	2	8	2	6	104	87	17	.....	16	6	4	2	2	2	.....	4	2	187
2	1	.....	.....	.....	39	25	14	9	11	2	2	.....	11	6	5	13	5	188
16	25	67	42	25	929	765	164	23	129	121	92	29	230	108	122	178	54	189
5	13	54	32	22	247	209	38	18	63	116	89	27	122	64	58	154	48	
11	12	13	10	3	682	556	126	5	66	5	3	2	108	44	64	24	6	

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND CAUSES:

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed List Int. No.	CAUSE OF DEATH.	MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	All causes	15,355	22,638	7,732	14,256	17,874	25,560	1,470	2,539	3,156	4,235	25,821	12,796	108,488	37,166
	I.—General diseases	3,729	5,297	2,355	3,928	4,997	8,664	409	608	672	966	6,733	3,337	29,671	8,870
1	Typhoid fever	249	298	91	192	301	758	29	51	28	35	205	110	1,011	309
2	Typhus fever														
3	Relapsing fever						1								
4	Malaria	13	16	2		57	451					19	7	40	22
5	Smallpox	3	3	3	3	10	21						1	5	
6	Measles	84	115	7	104	142	479	10	39	16	24	203	80	809	180
7	Scarlet fever	100	105	68	121	218	104	16	21	4	12	160	61	1,026	155
8	Whooping cough	90	154	80	92	83	347	16	11	27	26	244	87	607	184
9	Diphtheria and croup	258	214	164	151	206	472	6	24	38	30	385	186	1,766	194
10	Influenza	84	440	29	149	218	641	4	11	27	88	144	152	604	750
11	Miliary fever														
12	Asiatic cholera														
13	Cholera nostras													1	
14	Dysentery	6	10	3	11	3	16		1	1	3	8	3	18	26
15	Plague	34	56	6	47	49	288	2	10	10	15	56	49	148	119
16	Yellow fever														
17	Leprosy			1	1										
18	Erysipelas	67	77	38	58	60	95	7	5	7	6	96	29	1	
19	Other epidemic diseases	3	4	3	5	4	8	2	6		1	5	2	414	95
20	Purulent infection and septicemia	65	68	32	36	48	74	2	3	9	14	35	11	19	3
21	Glanders										1			165	63
22	Anthrax													5	
23	Rabies	2	1			3	3				1	9	4	11	1 2
24	Tetanus	20	18	10	22	30	41	1		3	4	36	16	80	36
25	Mycoses	1		2	1									3	1
26	Pellagra	1	2			8	10					1	1	1	1
27	Beriberi													1	
	Tuberculosis (total)	1,212	1,545	999	1,523	1,922	3,192	159	261	243	283	3,092	1,495	13,356	3,299
28	Tuberculosis of the lungs	977	1,268	800	1,192	1,617	2,796	127	221	192	240	2,481	1,262	11,085	2,795
29	Acute miliary tuberculosis	39	46	47	68	59	86	6	4	13	8	184	62	522	121
30	Tuberculous meningitis	67	46	58	104	97	78	8	12	19	10	214	83	1,091	105
31	Abdominal tuberculosis	67	91	50	67	91	128	9	8	8	10	107	45	291	133
32	Pott's disease	14	39	11	27	16	29	4	1	4	5	27	10	116	31
33	White swellings	8	7	7	15	9	11			1	2	20	6	60	19
34	Tuberculosis of other organs	20	31	16	32	20	38	1	6	3	5	34	14	130	42
35	Disseminated tuberculosis	20	17	10	18	13	26	4	9	3	3	25	13	61	53
36	Rickets	14	16	8	5	9	9	1	2	2	2	19	12	73	12
37	Syphilis	84	45	51	25	188	59	10	6	3	8	77	39	598	70
38	Gonococcus infection	5	3	11	4	5	8		1			11		31	4
	Cancer and other malignant tumors (total)	831	1,306	521	902	967	1,007	77	80	149	270	1,267	699	5,881	2,210
39	Of the buccal cavity	27	66	15	48	47	54	3	5	5	10	35	30	194	107
40	Of the stomach, liver	343	554	195	439	335	386	31	39	49	93	480	300	2,272	845
41	Of the peritoneum, intestines, rectum	110	151	76	117	123	92	16	5	21	48	188	95	890	298
42	Of the female genital organs	126	152	87	74	171	139	7	8	22	44	217	83	887	319
43	Of the breast	72	124	59	55	69	122	8	6	22	23	122	81	558	256
44	Of the skin	30	78	14	25	41	80		4	6	15	27	24	111	114
45	Of other organs or of organs not specified.	123	181	75	144	181	134	12	13	24	37	198	86	969	271
46	Other tumors (tumors of the female genital organs excepted).	21	25	5	4	14	20		1	1	4	3	8	39	25
47	Acute articular rheumatism	68	96	29	63	83	131	6	15	9	15	146	66	449	154
48	Chronic rheumatism and gout	14	28	6	26	9	30	2	3	5	3	14	16	67	52
49	Scurvy				1	2						3	1	10	1
50	Diabetes	147	266	86	172	189	224	21	20	43	59	234	116	1,326	458
51	Exophthalmic goiter	25	29	7	23	25	15	2	2	4	3	13	3	84	35
52	Addison's disease	9	13	2	6	5	5			1	1	5	2	37	14
53	Leukemia	16	35	6	24	14	28		1	2	8	23	9	154	35
54	Anemia, chlorosis	112	176	40	63	39	34	4	2	27	33	65	22	261	175
55	Other general diseases	40	69	10	32	24	39	5	6	5	3	38	11	116	41
56	Alcoholism (acute or chronic)	43	49	32	61	41	37	19	21	7	13	104	37	408	124
57	Chronic lead poisoning	3		1	1	9	3		1		1	6	1	21	3
58	Other chronic occupation poisonings		1									2		5	
59	Other chronic poisonings	5	14	2		12	14	8	4	1		5	1	20	17
	II.—Diseases of the nervous system and of the organs of special sense.	1,626	2,752	618	1,333	1,412	2,376	89	200	366	554	2,288	1,698	8,168	5,026
60	Encephalitis	22	29	8	11	12	35	1	3	7	6	23	12	41	31
61	Meningitis (total)	184	168	71	107	145	308	16	16	49	45	287	77	760	265
	Simple meningitis	121	118	46	43	86	192	7	7	37	32	177	55	400	188
	Cerebrospinal meningitis (undefined)	55	47	21	29	37	89	9	6	12	13	86	21	315	71
	Cerebrospinal fever	8	3	4	35	22	27		3			24	1	45	6
62	Locomotor ataxia	29	46	15	16	52	42	2	2	6	16	44	33	188	77
63	Other diseases of the spinal cord (total)	68	133	50	82	62	145	5	10	13	22	108	69	424	195
	Acute anterior poliomyelitis	19	27	18	41	10	50		5	4	7	31	15	130	36
	Other diseases of the spinal cord [3]	49	106	32	41	52	95	5	5	9	15	77	54	294	159
64	Cerebral hemorrhage, apoplexy	711	1,390	316	671	693	1,015	46	80	166	330	1,286	996	4,816	3,124

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		List Detailed Int. No.
Cities.			Rural districts.[2]			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
Total.	White.	Colored.	Total.	White.	Colored.															
3,246	1,585	1,661	3,613	1,934	1,679	31,293	32,109	57,909	53,383	7,052	1,619	1,461	2,499	813	4,848	5,451	5,394	9,941	17,109	
1,145	605	540	1,232	633	599	9,085	9,046	14,873	12,622	1,898	393	401	501	206	1,128	1,594	1,398	2,714	4,508	
100	65	35	162	98	64	506	595	891	825	48	5	28	46	9	35	110	113	161	150	1
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	2
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	3
32	15	17	55	24	31	18	26	16	21	3	3	.....	.....	1	4	3	.....	2	3	4
3	3	.....	1	.....	1	3	1	4	1	.....	.....	2	7	.....	.....	2	1	.....	2	5
20	13	7	38	22	16	124	188	473	331	13	10	27	15	4	34	29	39	80	173	6
3	2	1	5	5	.....	364	136	424	325	42	16	28	28	1	4	30	26	94	127	7
97	25	72	76	28	48	277	275	380	618	95	26	9	17	4	23	43	27	60	146	8
18	11	7	21	15	6	432	296	1,127	984	118	25	29	56	7	17	43	61	158	162	9
51	28	23	40	25	15	311	746	417	732	39	14	9	16	10	147	44	66	63	241	10
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	11
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	12
1	1	.....	2	1	1	8	14	23	45	3	2	2	1	.....	1	.....	1	1	12	13
43	29	14	51	28	23	68	168	93	186	21	5	4	7	2	10	1	14	25	53	14
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	15
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	16
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	17
4	3	1	6	4	2	88	100	139	148	13	3	2	10	2	11	17	14	36	57	18
.....	.....	.....	1	.....	1	6	9	12	19	3	.....	.....	1	.....	1	.....	1	1	10	19
9	2	7	8	4	4	78	69	112	111	16	1	8	11	2	9	20	17	37	59	20
.....	.....	.....	1	1	.....	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	21
.....	.....	.....	.....	.....	.....	1	.....	2	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	22
.....	.....	.....	.....	.....	.....	4	4	6	4	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	23
16	3	13	18	1	17	56	45	74	63	7	.....	2	.....	1	5	1	2	18	20	24
.....	.....	.....	.....	.....	.....	.....	1	2	1	.....	.....	.....	.....	.....	.....	.....	.....	2	3	25
105	68	37	72	45	27	.....	2	4	1	7	.....	.....	.....	.....	.....	.....	.....	2	3	26
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	27
480	236	244	481	209	272	3,810	3,349	6,101	4,503	820	134	95	85	83	341	674	625	925	1,524	
419	207	212	409	177	232	3,165	2,795	5,012	3,820	670	106	62	70	69	261	498	506	762	1,234	28
14	8	6	17	4	13	118	91	250	151	31	3	10	4	3	14	10	13	20	60	29
17	10	7	11	6	5	209	144	392	175	59	15	5	1	5	26	79	43	57	71	30
18	8	10	30	18	12	161	157	234	179	31	3	5	7	3	15	46	30	44	64	31
1	.....	1	6	2	4	28	37	42	44	10	3	7	3	1	4	12	5	4	17	32
2	1	1	.....	.....	.....	15	17	35	25	5	.....	1	.....	1	4	3	3	5	9	33
6	2	4	5	1	4	64	67	95	76	9	1	4	.....	1	6	20	17	18	32	34
3	.....	3	3	1	2	50	41	41	33	5	3	1	.....	.....	11	6	8	15	37	35
1	.....	1	3	1	2	13	15	49	20	6	1	1	2	.....	4	3	2	12	9	36
24	9	15	23	5	18	247	115	233	127	39	4	11	1	4	8	28	12	33	23	37
2	.....	2	2	.....	2	9	6	11	9	4	.....	1	1	.....	2	2	.....	1	1	38
87	62	25	118	82	36	1,767	1,932	2,845	2,352	395	96	90	110	49	312	347	215	648	1,115	
4	3	1	8	7	1	63	79	92	100	21	2	5	6	3	17	10	8	14	34	39
26	20	6	32	23	9	694	804	1,090	1,023	133	38	33	61	16	114	158	88	314	587	40
13	11	2	8	6	2	231	220	400	278	57	8	6	12	6	41	40	26	93	134	41
20	11	9	31	18	13	334	216	520	313	70	22	18	7	3	51	53	25	75	70	42
8	5	3	15	9	6	164	213	244	236	46	8	7	7	8	30	23	24	43	80	43
4	3	1	2	2	.....	36	119	64	117	15	2	4	4	1	14	7	9	10	41	44
12	9	3	22	17	5	245	281	435	285	53	16	17	13	12	45	56	35	99	169	45
4	1	3	1	1	.....	6	21	21	15	2	.....	.....	2	.....	5	5	1	5	13	46
14	8	6	15	6	9	135	130	238	225	19	7	15	20	6	17	31	22	61	109	47
.....	.....	.....	1	.....	1	22	47	48	58	10	.....	1	4	.....	3	2	3	8	27	48
.....	.....	.....	.....	.....	.....	1	.....	12	1	.....	.....	.....	.....	1	.....	.....	.....	2	.....	49
8	4	4	14	14	.....	317	381	602	434	98	22	12	31	9	63	65	58	129	213	50
1	1	.....	1	1	.....	50	60	32	35	1	1	3	2	1	8	6	3	18	31	51
1	1	.....	1	1	.....	8	10	16	9	3	.....	1	.....	.....	1	3	1	3	4	52
1	.....	1	1	1	.....	45	43	67	35	2	.....	1	3	1	7	15	8	13	32	53
5	3	2	4	4	.....	101	105	164	164	27	4	7	6	5	29	16	19	42	94	54
8	7	1	5	3	2	33	56	58	79	13	.....	3	6	1	8	6	9	22	34	55
5	3	2	4	3	1	154	81	157	120	31	13	8	12	3	14	40	37	47	53	56
1	1	.....	.....	.....	.....	6	5	11	8	.....	.....	.....	.....	.....	1	1	.....	3	3	57
.....	.....	.....	.....	.....	.....	.....	1	1	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	58
1	1	.....	1	1	.....	17	13	8	12	.....	1	2	1	.....	3	6	1	.....	2	59
241	139	102	329	201	128	2,993	4,021	4,882	6,182	690	170	120	193	85	605	452	562	999	1,969	
2	2	.....	5	4	1	21	33	60	55	7	.....	3	2	.....	3	5	1	12	22	60
28	15	13	45	33	12	252	224	338	369	63	10	14	25	4	26	28	26	128	188	61
17	9	8	19	12	7	150	115	280	296	37	9	10	13	1	19	12	7	97	144	
9	5	4	20	16	4	65	88	43	66	23	1	2	9	3	7	15	17	30	42	
2	1	1	6	5	1	37	21	15	7	3	.....	2	3	.....	.....	1	2	1	2	
1	.....	1	5	3	2	68	73	95	95	15	.....	2	.....	3	6	13	11	14	30	62
14	11	3	17	12	5	187	267	201	227	34	7	4	12	4	42	26	22	42	92	63
6	5	1	9	6	3	76	61	34	59	11	3	.....	3	2	9	9	10	10	21	
8	6	2	8	6	2	111	206	167	168	23	4	4	9	2	33	17	12	32	71	
109	60	49	148	88	60	1,708	2,483	2,762	3,346	404	126	63	81	61	401	293	312	460	921	64

[3] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS AND CAUSES:

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed List No.	CAUSE OF DEATH.	MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.														
65	Softening of the brain	11	33	9	13	34	47	.....	1	3	11	15	33	47	80
66	Paralysis without specified cause	155	427	23	93	105	355	4	16	48	61	106	162	269	361
67	General paralysis of the insane	108	113	11	36	117	82	2	27	20	12	67	101	403	409
68	Other forms of mental alienation	28	32	13	33	29	44	.....	10	6	6	16	56	82	60
69	Epilepsy	43	85	13	60	34	100	1	14	13	10	46	53	199	172
70	Convulsions (nonpuerperal)	5	12	3	4	3	12	.....	1	2	.....	1	.....	2	4
71	Convulsions of infants	171	170	27	127	40	74	3	8	20	18	186	61	485	112
72	Chorea	2	3	1	1	4	.....	.....	1	1	.....	8	.....	6	5
73	Neuralgia and neuritis	11	13	4	6	7	16	1	.....	1	4	14	1	54	27
74	Other diseases of the nervous system	61	64	36	48	47	64	3	7	6	10	51	37	223	82
75	Diseases of the eyes and their annexa	3	2	1	1	.....	1	.....	.....	.....	.....	.....	.....	4	1
76	Diseases of the ears	14	32	17	24	28	36	5	4	5	3	30	7	165	21
	III.—Diseases of the circulatory system.	1,861	3,519	931	1,566	2,289	2,281	162	273	437	697	3,068	1,772	14,283	6,555
77	Pericarditis	17	34	4	11	55	31	2	2	3	3	20	6	61	34
78	Acute endocarditis	60	73	79	62	128	63	17	18	13	12	221	64	940	104
79	Organic diseases of the heart	1,380	2,835	662	1,229	1,634	1,768	122	195	335	518	2,377	1,398	10,596	4,937
80	Angina pectoris	83	151	35	38	61	96	5	7	16	36	78	66	414	329
81	Diseases of the arteries, atheroma, aneurism, etc.	250	328	116	174	362	251	11	33	56	104	278	183	1,908	983
82	Embolism and thrombosis	56	57	24	31	38	45	3	5	13	17	60	41	233	119
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	2	4	4	8	7	8	2	1	1	2	13	4	50	18
84	Diseases of the lymphatic system (lymphangitis, etc.).	3	12	2	5	3	6	.....	3	.....	.....	11	3	56	12
85	Hemorrhage; other diseases of the circulatory system.	10	25	5	8	1	13	.....	9	.....	5	10	7	25	19
	IV.—Diseases of the respiratory system.	1,749	2,076	837	1,670	2,167	2,897	158	275	386	490	3,494	1,434	16,013	4,044
86	Diseases of the nasal fossae	2	7	.....	4	5	3	1	.....	.....	.....	4	2	10	1
87	Diseases of the larynx	25	28	5	11	15	38	.....	2	4	6	26	16	59	38
88	Diseases of the thyroid body	7	14	3	10	9	7	.....	.....	1	1	7	.....	24	6
89	Acute bronchitis	167	267	44	92	157	134	3	13	45	35	196	79	1,058	319
90	Chronic bronchitis	106	188	36	103	140	213	6	9	20	49	135	75	501	263
91	Bronchopneumonia	460	299	290	564	476	520	39	55	76	54	1,013	271	5,798	921
92	Pneumonia (total)	810	1,024	413	751	1,203	1,776	91	169	198	302	1,858	847	7,741	2,209
	Lobar pneumonia	454	222	343	629	943	761	64	63	37	29	945	361	6,218	1,016
	Pneumonia (undefined)	356	802	70	122	260	1,015	27	106	161	273	913	486	1,523	1,193
93	Pleurisy	43	63	21	33	50	34	5	4	14	7	78	34	369	91
94	Pulmonary congestion, pulmonary apoplexy.	55	76	11	29	31	52	4	14	18	23	89	64	196	122
95	Gangrene of the lung	7	3	1	5	8	6	1	.....	.....	.....	9	1	26	5
96	Asthma	35	54	9	46	38	56	4	3	5	5	42	18	122	37
97	Pulmonary emphysema	2	7	1	4	12	3	.....	.....	.....	2	3	1	21	7
98	Other diseases of the respiratory system (tuberculosis excepted).	30	46	3	18	23	55	4	6	5	6	34	26	88	25
	V.—Diseases of the digestive system.	1,986	2,493	858	1,448	2,213	2,894	194	233	451	361	3,303	1,309	12,480	3,274
99	Diseases of the mouth and annexa	16	5	4	8	8	21	1	.....	1	.....	6	4	32	14
100	Diseases of the pharynx	27	32	11	29	17	49	3	.....	2	6	21	12	88	38
101	Diseases of the esophagus	8	3	2	1	4	5	1	.....	2	1	2	1	13	9
102	Ulcer of the stomach	48	52	33	34	56	54	7	9	8	7	60	24	288	91
103	Other diseases of the stomach (cancer excepted).	244	318	46	123	136	358	7	16	33	62	190	137	478	462
104	Diarrhea and enteritis (under 2 years)	771	863	316	525	889	1,131	54	88	259	125	1,941	686	6,629	1,042
105	Diarrhea and enteritis (2 years and over)	119	275	40	107	204	316	13	11	25	33	210	128	865	430
106	Ankylostomiasis	.....	2	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....
107	Intestinal parasites	1	4	1	.....	1	5	.....	.....	.....	1	.....	1	2	.....
108	Appendicitis and typhlitis	178	161	147	196	208	163	44	30	29	18	191	47	954	159
109	Hernia, intestinal obstruction (total)	168	210	78	131	154	206	19	23	27	30	177	69	899	285
	Hernia	49	47	33	47	47	61	3	10	10	12	97	34	379	79
	Intestinal obstruction	119	163	45	84	107	145	16	13	17	18	80	35	520	206
110	Other diseases of the intestines	43	73	16	46	47	78	6	4	8		51	27	173	56
111	Acute yellow atrophy of the liver	11	10	2	6	11	15	1	.....	2	3	8	4	23	11
112	Hydatid tumor of the liver	1	1	.....	.....	1	.....	.....	.....	.....	.....	2	1	5	1
113	Cirrhosis of the liver	142	196	81	98	271	194	17	27	16	35	294	104	1,354	335
114	Biliary calculi	42	39	22	38	46	56	4	2	2	7	38	18	201	47
115	Other diseases of the liver	72	108	37	62	95	108	7	7	11	10	62	23	259	133
116	Diseases of the spleen	6	4	2	4	4	5	1	.....	1	.....	5	2	12	10
117	Simple peritonitis (nonpuerperal)	78	121	13	29	49	123	7	15	23	18	28	15	138	140
118	Other diseases of the digestive system (cancer and tuberculosis excepted).	11	16	7	11	12	7	2	1	2	1	16	6	67	11

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		List
Cities.			Rural districts.[2]			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Detailed Int. No.
Total.	White.	Colored.	Total.	White.	Colored.															
6	4	2	4	4	.....	31	92	56	72	3	1	.....	.....	2	10	.....	.....	7	16	65
38	16	22	54	25	29	92	256	260	550	25	7	10	14	1	22	19	45	64	178	66
11	10	1	6	6	.....	244	144	217	274	52	4	2	10	1	21	7	54	19	68	67
9	8	1	5	1	4	74	48	64	133	6	1	2	8	.....	20	5	29	11	58	68
5	4	1	9	6	3	55	156	96	182	13	2	4	7	3	17	6	20	16	74	69
1	.....	1	3	1	2	3	3	12	23	1	1	.....	2	.....	.....	.....	3	3	11	70
7	1	6	8	5	3	84	69	423	639	35	5	3	16	3	13	16	13	176	212	71
.....	.....	.....	.....	.....	.....	6	6	8	12	1	.....	1	2	.....	1	1	1	2	2	72
1	1	.....	1	.....	1	13	29	28	22	3	1	1	2	.....	6	4	3	4	8	73
8	6	2	12	9	3	99	95	158	122	23	3	7	6	1	10	13	9	26	69	74
.....	.....	.....	.....	.....	.....	3	2	10	1	.....	.....	.....	1	1	.....	1	.....	.....	.....	75
1	1	.....	7	4	3	53	41	94	60	5	2	4	5	1	7	15	13	15	20	76
334	155	179	276	145	131	4,116	5,071	6,990	5,999	958	224	158	238	118	917	622	606	1,115	2,322	
5	2	3	.....	.....	.....	31	39	49	43	9	2	.....	.....	1	6	2	5	8	18	77
9	7	2	3	1	2	210	58	343	144	45	6	8	14	2	14	17	18	62	56	78
262	107	155	247	126	121	3,065	3,997	5,344	4,759	709	173	122	197	38	669	515	494	805	1,805	79
17	10	7	3	2	1	158	240	232	323	28	8	10	11	9	66	19	35	33	73	80
32	22	10	15	10	5	547	615	808	590	140	31	14	11	14	146	56	42	159	311	81
6	5	1	6	5	1	65	77	148	83	21	3	1	2	4	13	7	7	34	40	82
.....	.....	.....	1	.....	1	14	18	31	14	1	.....	.....	1	.....	.....	2	1	4	8	83
1	1	.....	.....	.....	.....	15	6	18	16	3	1	2	1	.....	1	3	.....	6	4	84
2	1	1	1	1	.....	11	21	17	27	2	.....	1	1	.....	2	1	4	4	7	85
347	121	226	345	144	201	3,247	3,102	7,723	6,487	870	213	174	387	69	540	478	485	1,037	1,780	
.....	.....	.....	3	1	2	3	8	8	22	1	1	1	1	.....	.....	4	.....	1	1	86
3	2	1	4	2	2	21	30	59	110	8	2	1	7	.....	.....	4	5	8	27	87
.....	.....	.....	.....	.....	.....	7	10	16	19	1	1	.....	1	1	.....	6	4	3	7	88
17	2	15	19	5	14	316	177	614	440	71	26	7	43	9	53	17	24	89	130	89
23	11	12	15	9	6	232	199	329	284	50	7	9	12	1	40	14	27	84	138	90
71	33	38	66	22	44	1,006	978	2,431	1,712	194	48	37	70	8	104	143	151	190	283	91
210	60	150	217	90	127	1,478	1,468	3,574	3,245	488	119	98	221	41	308	259	236	555	995	92
112	33	79	103	39	64	1,308	1,198	2,093	1,153	216	29	69	49	8	81	256	218	134	286	
98	27	71	114	51	63	170	270	1,481	2,092	272	90	29	172	33	227	3	18	421	709	
4	2	2	4	4	.....	67	45	213	121	13	2	10	10	1	10	14	12	25	44	93
10	8	2	6	3	3	32	71	244	224	18	6	3	3	3	6	4	8	30	74	94
.....	.....	.....	.....	.....	.....	5	5	12	10	.....	.....	1	.....	1	.....	2	.....	7	4	95
5	1	4	5	2	3	41	66	119	159	13	1	4	3	2	8	5	15	20	43	96
.....	.....	.....	2	2	.....	11	10	8	11	3	.....	1	.....	1	1	2	1	3	5	97
4	2	2	4	4	.....	28	35	96	130	10	.....	2	16	1	10	4	2	22	29	98
440	226	214	567	354	213	3,866	3,188	8,150	7,018	793	182	170	246	134	454	558	479	1,415	1,695	
3	1	2	2	1	1	21	13	25	32	2	.....	2	.....	.....	.....	.....	2	6	3	99
6	5	1	3	1	2	39	55	55	63	4	2	2	4	1	2	12	8	14	30	100
.....	.....	.....	.....	.....	.....	5	7	7	13	.....	.....	.....	.....	.....	1	.....	1	1	2	101
4	2	2	2	2	.....	108	73	150	86	19	4	4	7	3	14	20	14	25	30	102
50	16	34	55	34	21	284	397	697	928	54	24	8	25	8	53	32	46	123	176	103
233	114	119	329	203	126	1,801	1,095	4,428	3,728	393	100	57	87	70	151	158	152	622	588	104
39	25	14	61	33	28	262	324	560	545	55	10	10	16	1	58	53	49	76	163	105
1	.....	1	2	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	106
.....	.....	.....	.....	.....	.....	2	10	2	9	.....	.....	.....	.....	.....	.....	.....	.....	1	4	107
33	24	9	29	26	3	315	168	492	192	67	6	29	34	29	40	92	62	164	155	108
21	14	7	19	10	9	266	249	504	351	63	6	19	34	5	46	56	57	122	157	109
10	6	4	5	1	4	93	68	187	94	29	.....	4	4	1	18	16	15	40	49	
11	8	3	14	9	5	173	181	317	257	34	6	15	30	4	28	40	42	82	108	
8	3	5	8	5	3	66	76	112	104	13	2	5	3	2	15	29	14	17	64	110
2	1	1	.....	.....	.....	18	20	15	29	1	2	.....	.....	.....	3	1	1	4	6	111
.....	.....	.....	.....	.....	.....	1	.....	1	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	112
10	7	3	21	10	11	373	349	620	450	66	17	12	9	6	35	43	30	122	171	113
2	2	.....	6	6	.....	98	98	130	78	15	2	3	3	6	8	24	5	29	30	114
11	5	6	17	13	4	119	151	183	219	22	4	7	12	1	19	22	26	55	58	115
1	1	.....	.....	.....	.....	5	7	9	5	1	.....	1	.....	.....	.....	.....	1	2	1	116
15	5	10	11	6	5	71	84	117	159	13	3	10	11	2	9	8	7	18	50	117
1	1	.....	2	2	.....	12	12	43	27	4	.....	1	1	.....	.....	8	3	13	7	118

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND CAUSES:

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed List Int. No.	CAUSE OF DEATH.	MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	1,020	1,434	643	1,031	1,785	1,625	110	131	213	356	2,340	1,083	10,655	3,208
119	Acute nephritis	111	106	44	61	110	104	8	19	19	17	262	109	939	292
120	Bright's disease	640	1,069	438	787	1,364	1,250	83	94	165	279	1,820	878	8,659	2,485
121	Chyluria	1													
122	Other diseases of the kidneys and annexa	39	38	21	39	41	51	2	1	6	3	42	12	155	57
123	Calculi of the urinary passages	13	10	10	6	10	9		1			8	8	52	10
124	Diseases of the bladder	37	76	21	24	38	69		2	2	28	36	15	83	131
125	Diseases of the urethra, urinary abscess, etc.	8	6	2	2	13	4	1		2	2	10	2	42	4
126	Diseases of the prostate	70	58	38	79	56	72	4	6	7	12	37	25	190	112
127	Nonvenereal diseases of the male genital organs.	1	1		1	1						1		8	2
128	Uterine hemorrhage (nonpuerperal)	4	2	3	2	1	1	1	2		2			6	4
129	Uterine tumor (noncancerous)	17	14	17	5	29	11	1	1	3	5	34	9	151	46
130	Other diseases of the uterus	24	21	17	12	35	21	2		4	4	25	5	77	21
131	Cysts and other tumors of the ovary	18	18	9	7	28	13	1	4	2	1	20	8	73	27
132	Salpingitis and other diseases of the female genital organs.	36	15	23	6	59	19	7	1	3	3	42	12	215	15
133	Nonpuerperal diseases of the breast (cancer excepted).	1					1					3		5	2
	VII.—The puerperal state	203	300	96	204	188	377	28	50	27	32	330	94	1,089	316
134	Accidents of pregnancy	23	31	6	16	17	41	5	4	1	12	23	8	117	24
135	Puerperal hemorrhage	16	23	6	23	13	43	1	6	1	3	34	11	98	34
136	Other accidents of labor	19	46	5	18	9	40		5	1	2	26	9	117	27
137	Puerperal septicemia	104	140	51	102	109	169	18	20	11	7	166	36	502	120
138	Puerperal albuminuria and convulsions	35	50	20	37	30	71	2	10	10	8	70	26	214	100
139	Puerperal phlegmasia alba dolens, embolus, sudden death.	5	8	6	6	8	11	1	4	3		11	2	39	11
140	Following childbirth (not otherwise defined).	1	2	1	2	2	2	1	1				2	1	
141	Puerperal diseases of the breast			1										1	
	VIII.—Diseases of the skin and of of the cellular tissue.	68	143	39	52	53	86	6	4	12	30	86	47	298	152
142	Gangrene	39	99	10	31	27	55	4		5	19	42	32	120	106
143	Furuncle	3	8	6	3	10	3			2	3	2	2	46	8
144	Acute abscess	12	14	9	10	5	10	1	2	3	1	20	5	74	15
145	Other diseases of the skin and annexa	14	22	14	8	11	18	1	2	2	7	22	8	58	23
	IX.—Diseases of the bones and of the organs of locomotion.	31	40	25	28	26	28	3	3	3	2	51	14	285	47
146	Diseases of the bones (tuberculosis excepted).	26	36	25	25	21	22	2	3	3	2	42	11	264	35
147	Diseases of the joints (tuberculosis and rheumatism excepted).	5	4		2	3	4					6	1	20	6
148	Amputations					1									
149	Other diseases of the organs of locomotion				1	1	2	1				3	2	1	6
	X.—Malformations	177	301	106	177	155	231	18	40	25	24	289	162	1,044	328
150	Congenital malformations (stillbirths not included) (total).	177	301	106	177	155	231	18	40	25	24	289	162	1,044	328
	Hydrocephalus	15	30	10	19	10	22			4	2	17	10	106	29
	Congenital malformations of the heart.	113	161	60	93	109	124	14	31	13	12	161	109	612	191
	Other congenital malformations	49	110	36	65	36	85	4	9	8	10	111	43	326	108
	XI.—Early infancy	1,218	1,325	463	771	835	1,439	95	182	247	195	1,612	630	6,303	1,639
151	Congenital debility, icterus, and sclerema (total).	1,066	1,114	396	643	704	1,187	74	151	217	165	1,321	517	4,969	1,383
	Premature birth	543	665	289	391	464	852	54	98	114	87	771	269	2,931	839
	Congenital debility, "atrophy," "marasmus," etc.	523	449	107	252	240	335	20	53	103	78	550	248	2,038	544
152	Other causes peculiar to early infancy (total).	148	210	67	123	128	246	21	30	29	30	287	111	1,324	245
	Injuries at birth	73	107	38	78	76	111	12	11	11	12	183	66	707	163
	Other causes peculiar to early infancy [3]	75	103	29	45	52	135	9	19	18	18	104	45	617	82
153	Lack of care	4	1		5	3	6		1	1		4	2	10	11
	XII.—Old age	482	937	126	586	101	480	7	53	80	253	204	212	709	918
154	Senility	482	937	126	586	101	480	7	53	80	253	204	212	709	918
	XIII.—External causes	1,100	1,728	624	1,161	1,592	1,483	178	429	217	244	1,934	946	7,376	2,729
	Suicide (total)	199	221	126	176	387	212	50	59	22	34	290	125	1,180	357
155	By poison	89	74	29	36	217	81	20	9	3	6	87	15	267	104
156	By asphyxia	12	5	14		22				1		64	12	319	9
157	By hanging or strangulation	23	54	18	52	19	30	4	3	5	9	45	29	120	100
158	By drowning	10	10	8	12	10	12		5	2	6	9	13	44	25
159	By firearms	51	58	38	63	96	76	19	37	6	9	67	44	295	91
160	By cutting or piercing instruments	10	16	12	6	13	13	7	3	4	4	12	9	75	19
161	By jumping from high places	2		5	1	5			1			3		47	2
162	By crushing			1	2	3						3	1	8	3
163	Other suicides	2	4	1	4	2			1	1			2	5	4

[1] Includes only municipalities having a population of 1,000 or over in 1900.
[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		List
Cities.			Rural districts.[2]																	Int. No.
Total.	White.	Colored.	Total.	White.	Colored.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Detailed
224	103	121	206	121	85	2,413	2,120	5,050	3,242	646	140	129	161	73	371	488	329	657	1,163	
22	8	14	12	7	5	314	180	489	309	42	11	10	16	6	24	13	5	57	80	119
154	75	79	156	91	65	1,685	1,571	3,924	2,473	522	118	89	115	47	301	384	268	474	904	120
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	121
8	1	7	5	4	1	38	45	83	64	13	2	2	4	3	3	8	5	11	36	122
5	3	2	3	2	1	16	16	24	13	4	.....	1	2	.....	1	3	2	3	3	123
5	4	1	4	2	2	39	93	96	114	9	3	3	8	1	14	9	16	19	60	124
2	1	1	2	1	1	11	4	11	11	6	1	.....	2	.....	2	3	.....	1	3	125
5	3	2	9	7	2	100	127	118	135	25	4	9	3	4	14	19	14	32	52	126
.....	.....	.....	.....	.....	.....	4	5	3	3	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	127
.....	.....	.....	.....	.....	.....	1	2	2	4	1	.....	.....	.....	1	.....	.....	1	.....	.....	128
4	2	2	7	2	5	52	19	75	22	3	.....	8	3	1	3	8	3	10	3	129
6	3	3	4	2	2	24	19	44	22	4	.....	4	5	1	3	15	5	23	11	130
1	.....	1	2	1	1	32	17	56	28	8	1	.....	.....	2	4	4	3	10	6	131
12	3	9	2	2	.....	96	21	121	42	9	.....	3	2	7	2	22	7	17	5	132
.....	.....	.....	.....	.....	.....	1	1	4	2	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	133
36	12	24	60	32	28	371	347	699	597	72	17	20	40	8	41	92	85	103	203	
7	3	4	6	4	2	47	41	53	44	8	1	1	5	1	6	24	15	7	15	134
1	1	.....	4	2	2	24	32	59	83	10	2	2	1	1	2	6	8	9	24	135
2	1	1	12	6	6	25	34	60	74	2	2	1	9	1	3	11	14	8	36	136
15	3	12	17	7	10	199	166	338	235	22	7	8	12	3	13	33	29	59	91	137
10	3	7	21	13	8	68	67	173	147	28	5	5	9	2	14	18	18	17	26	138
1	1	.....	.....	.....	.....	6	6	15	13	2	.....	2	4	.....	2	.....	1	3	10	139
.....	.....	.....	.....	.....	.....	2	1	1	1	.....	.....	1	.....	.....	1	.....	.....	.....	1	140
.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	141
8	4	4	4	1	3	106	144	193	279	17	2	4	7	3	14	20	16	33	75	
6	3	3	1	.....	1	48	93	100	161	4	2	3	5	2	11	5	6	11	44	142
1	1	.....	1	.....	1	14	14	25	19	1	.....	.....	1	.....	1	4	4	5	5	143
1	.....	1	1	1	.....	17	7	41	44	3	.....	1	.....	.....	.....	3	4	4	11	144
.....	.....	.....	1	.....	1	27	30	27	55	4	.....	.....	1	1	2	8	2	13	15	145
5	4	1	.....	.....	.....	64	29	121	55	14	3	4	4	2	10	15	4	18	13	
3	3	.....	.....	.....	.....	60	24	108	47	8	2	4	4	.....	8	15	4	18	12	146
.....	.....	.....	.....	.....	.....	2	1	11	5	5	.....	.....	.....	1	2	.....	.....	.....	.....	147
.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	.....	.....	1	.....	.....	.....	.....	.....	148
2	1	1	.....	.....	.....	1	4	2	3	1	1	.....	.....	.....	.....	.....	.....	.....	1	149
22	18	4	19	15	4	343	402	584	761	69	20	10	44	5	51	54	67	74	156	
22	18	4	19	15	4	343	402	584	761	69	20	10	44	5	51	54	67	74	156	150
3	3	.....	2	1	1	24	28	49	62	6	1	.....	1	.....	2	3	6	13	19	
12	9	3	7	7	.....	191	252	392	489	39	11	8	29	3	33	41	42	33	75	
7	6	1	10	7	3	128	122	143	210	24	8	2	14	2	16	10	19	28	62	
143	65	78	192	120	72	1,657	1,443	3,325	3,621	455	91	61	237	45	217	330	278	702	1,117	
129	61	68	168	115	53	1,266	1,151	2,820	3,122	341	69	46	198	38	184	277	237	589	966	151
79	42	37	79	63	16	1,018	792	1,660	1,737	189	38	34	159	34	140	171	150	327	559	
50	19	31	89	52	37	248	359	1,160	1,385	152	31	12	39	4	44	106	87	262	407	
13	4	9	23	5	18	385	279	502	477	110	22	15	37	7	32	52	41	111	148	152
11	3	8	6	2	4	236	173	284	268	85	16	9	19	6	24	26	22	69	85	
2	1	1	17	3	14	149	106	218	209	25	6	6	18	1	8	26	19	42	63	
1	.....	1	1	.....	1	6	13	3	22	4	.....	.....	2	.....	1	1	.....	2	3	153
21	15	6	54	25	29	228	536	482	925	79	54	37	146	14	150	101	146	275	825	
21	15	6	54	25	29	228	536	482	925	79	54	37	146	14	150	101	146	275	825	154
188	98	90	176	85	91	2,742	2,426	4,537	4,814	446	96	148	252	48	331	602	820	751	1,090	
11	11	.....	12	10	2	449	330	582	451	53	12	42	28	10	62	163	89	148	176	
5	5	.....	4	4	.....	202	111	206	105	6	1	12	9	2	17	50	23	40	30	155
.....	.....	.....	.....	.....	.....	11	1	96	11	18	.....	3	.....	1	2	10	2	5	2	156
.....	.....	.....	.....	.....	.....	55	64	58	120	6	3	.....	7	2	17	13	17	37	54	157
.....	.....	.....	3	3	.....	28	23	23	19	4	4	.....	1	2	5	6	6	15	11	158
5	5	.....	2	2	.....	121	105	146	154	15	3	22	11	1	18	68	31	39	57	159
1	1	.....	.....	.....	.....	24	15	37	31	4	1	3	.....	2	3	12	8	5	15	160
.....	.....	.....	.....	.....	.....	4	3	10	3	.....	.....	2	.....	.....	.....	2	1	3	.....	161
.....	.....	.....	.....	.....	.....	3	2	3	5	.....	.....	.....	.....	.....	.....	1	.....	1	4	162
.....	.....	.....	3	1	2	1	6	3	3	.....	.....	.....	.....	.....	.....	1	1	3	3	163

[1] Exclusive of injuries at birth.

TABLE 4.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ITS MAIN SUBDIVISIONS, AND CAUSES:

[The term "cities" as here used is restricted to municipalities having 10,000 or

Detailed List Int. No.	CAUSE OF DEATH.	MICHIGAN.		MINNESOTA.		MISSOURI.		MONTANA.		NEW HAMPSHIRE.		NEW JERSEY.		NEW YORK.	
		Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.
	XIII.—External causes—Continued.														
	Accidental or undefined (total)	871	1,467	468	933	1,011	1,160	111	336	192	206	1,570	797	5,783	2,285
164	Poisoning by food	5	7	11	7	10	22	1	3	1	2	16	12	44	19
165	Other acute poisonings	30	66	13	26	37	56	7	9	2	6	42	16	138	64
166	Conflagration	17	23	6	32	10	20	3	8	4	6	15	17	193	37
167	Burns (conflagration excepted)	80	105	30	60	93	133	3	10	24	8	182	70	604	111
168	Absorption of deleterious gases (conflagration excepted).	42	32	46	31	45	32	2	9	8	2	108	30	382	44
169	Accidental drowning	91	261	35	128	54	121	4	51	21	38	174	162	642	400
170	Traumatism by firearms	15	55	11	46	19	71	3	14	3	2	14	12	32	47
171	Traumatism by cutting or piercing instruments.	2	1	.....	5	2	6	.....	2	.....	.....	1	.....	10	3
172	Traumatism by fall	148	216	66	107	184	180	5	16	35	41	280	111	1,357	492
173	Traumatism in mines and quarries (total).	10	130	25	62	24	32	28	46	1	.....	1	11	6	11
	Traumatism in mines	10	129	25	60	21	30	28	46	.....	.....	.....	10	4	6
	Traumatism in quarries	.....	1	.....	2	3	2	.....	.....	1	.....	1	1	2	5
174	Traumatism by machines	27	27	21	20	28	24	.....	3	6	8	29	17	128	43
175	Traumatism by other crushing (total).	258	290	142	257	330	279	34	118	35	44	419	215	1,391	737
	Railroad accidents and injuries	100	180	83	168	156	190	20	83	19	22	257	141	484	542
	Street-car accidents and injuries	79	33	20	4	77	1	4	.....	1	1	48	25	265	28
	Automobile accidents and injuries.	38	10	14	12	36	4	2	1	7	4	57	18	224	58
	Injuries by other vehicles	38	55	21	62	52	72	8	29	7	16	55	26	370	89
	Landslide, other crushing	3	12	4	11	9	12	.....	5	1	1	2	5	48	20
176	Injuries by animals	8	34	5	22	12	35	2	8	2	1	8	8	24	26
177	Starvation	.....	.....	1	1	5	3	2	1	1	.....	3	2	3	4
178	Excessive cold	.....	11	6	15	1	9	.....	8	.....	1	5	2	3	11
179	Effects of heat	44	40	6	14	95	45	.....	.....	39	33	193	71	514	74
180	Lightning	2	15	1	11	3	8	.....	8	1	.....	2	3	5	26
181	Electricity (lightning excepted)	19	15	10	8	10	3	2	1	2	3	17	7	53	31
185	Fractures (cause not specified)	21	12	9	9	15	5	.....	.....	.....	.....	7	3	56	1
186	Other external violence	52	127	24	72	34	76	15	21	7	11	54	28	198	104
	Homicide (total)	30	40	30	52	194	111	17	34	3	4	74	24	413	87
182	By firearms	14	19	18	28	108	74	12	21	.....	4	37	16	206	52
183	By cutting or piercing instruments	5	8	2	3	44	14	3	3	1	.....	10	.....	77	14
184	By other means	11	13	10	21	42	23	2	10	2	.....	27	8	130	21
	XIV.—Ill-defined diseases	105	293	11	301	61	699	13	58	20	31	89	58	114	60
187	Ill-defined organic disease	23	55	.....	12	11	44	.....	.....	4	8	4	.....	4	5
188	Sudden death	5	15	1	19	2	39	.....	4	1	3	2	.....	2	4
189	Not specified or ill-defined (total)	77	223	10	270	48	616	13	54	15	20	83	58	108	51
	Ill-defined	70	121	4	72	24	187	11	26	13	20	77	57	102	47
	Not specified or unknown	7	102	6	198	24	429	2	28	2	.....	6	1	6	4

[1] Includes only municipalities having a population of 1,000 or over in 1900.

IN CITIES AND RURAL DISTRICTS OF EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF 1911—Continued.

more inhabitants in 1910, smaller places being included with the "rural districts."]

NORTH CAROLINA.[1]						OHIO.		PENNSYLVANIA.		RHODE ISLAND.		UTAH.		VERMONT.		WASHINGTON.		WISCONSIN.		List Detailed Int. No.
Cities.			Rural districts.[2]			Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	Cities.	Rural districts.	
Total.	White.	Colored.	Total.	White.	Colored.															
143	78	65	137	68	69	2,093	2,031	3,770	4,201	374	83	92	211	36	252	398	684	574	887	
2	2	.....	4	4	.....	19	21	9	25	.....	2	1	1	1	3	7	3	2	13	164
4	2	2	9	6	3	57	63	76	96	9	2	5	3	3	7	15	23	15	16	165
3	3	.....	5	.....	5	42	25	35	61	7	4	.....	.....	1	1	7	18	12	13	166
15	11	4	28	10	18	184	133	433	351	47	4	5	11	4	17	24	35	32	52	167
6	5	1	7	4	3	76	52	150	81	37	.....	2	4	2	5	30	15	16	15	168
13	5	8	11	5	6	193	174	211	455	42	20	5	24	5	31	53	134	85	144	169
11	.....	11	11	1	10	34	68	47	91	3	1	4	13	1	11	9	29	13	59	170
.....	.....	.....	.....	.....	.....	4	7	13	3	1	.....	.....	.....	.....	1	2	1	2	1	171
16	14	2	8	8	.....	419	437	731	556	76	22	12	21	6	68	60	52	115	167	172
.....	.....	.....	.....	.....	.....	19	100	432	961	.....	5	8	48	.....	9	5	22	2	4	173
.....	.....	.....	.....	.....	.....	14	97	421	920	.....	5	8	47	.....	.....	5	22	1	3	
.....	.....	.....	.....	.....	.....	5	3	11	41	.....	.....	.....	1	.....	9	.....	.....	1	1	
3	1	2	7	2	5	77	36	121	91	6	2	.....	4	.....	12	20	18	22	18	174
37	19	18	29	19	10	721	629	1,004	994	83	12	39	57	11	47	119	195	192	247	175
22	10	12	23	14	9	420	463	590	775	22	4	28	24	6	26	58	113	111	180	
5	3	2	2	2	.....	130	51	164	64	23	5	5	2	2	.....	19	8	28	7	
3	3	.....	2	2	.....	79	25	101	41	22	3	4	5	1	4	18	6	15	9	
4	1	3	2	1	1	69	74	136	98	16	.....	2	19	1	15	12	35	28	41	
3	2	1	.....	.....	.....	23	16	13	16	.....	.....	.....	7	1	2	12	33	10	10	
2	1	1	3	1	2	23	35	17	28	.....	.....	2	2	1	4	10	10	12	20	176
.....	.....	.....	.....	.....	.....	3	3	3	8	.....	.....	.....	.....	.....	2	.....	2	1	1	177
1	.....	1	1	.....	1	3	7	.....	10	.....	.....	.....	2	.....	2	2	7	4	9	178
4	3	1	2	.....	2	86	81	293	140	53	6	.....	1	.....	15	.....	1	13	28	179
.....	.....	.....	4	3	1	.....	17	5	35	.....	1	.....	1	.....	2	1	1	.....	17	180
.....	.....	.....	1	1	.....	25	10	40	30	.....	.....	2	5	.....	4	5	8	6	3	181
4	2	2	.....	.....	.....	16	16	8	1	1	.....	1	1	.....	.....	3	.....	.....	3	185
22	10	12	7	4	3	92	117	142	184	9	2	6	13	1	11	26	110	30	57	186
34	9	25	27	7	20	200	65	185	162	19	1	14	13	2	17	41	47	29	27	
28	7	21	17	5	12	116	31	94	86	8	1	9	11	2	11	28	32	9	16	182
3	2	1	6	1	5	29	11	32	28	4	.....	2	.....	.....	1	5	5	8	4	183
3	.....	3	4	1	3	55	23	59	48	7	.....	3	2	.....	5	8	10	12	7	184
92	20	72	153	58	95	62	234	300	781	45	14	25	43	3	19	45	119	48	193	
2	.....	2	7	2	5	.....	19	24	66	.....	1	.....	2	.....	1	3	5	6	47	187
4	1	3	3	1	2	7	14	8	87	7	.....	.....	1	.....	1	2	9	2	4	188
86	19	67	143	55	88	55	201	268	628	38	13	25	40	3	17	40	105	40	142	189
26	12	14	59	22	37	30	88	235	513	23	8	24	21	1	6	28	45	37	129	
60	7	53	84	33	51	25	113	33	115	15	5	1	19	2	11	12	60	3	13	

[2] Includes only municipalities having a population of 1,000 or over in 1900, and less than 10,000 in 1910.

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA,

Detailed List No.	CAUSE OF DEATH AND SEX.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	All causes		839,284	149,322	31,362	13,580	8,928	6,290	209,482	18,112	12,337	21,154	32,306	34,249
	Males		457,308	83,551	16,478	7,178	4,677	3,318	115,202	9,483	6,481	10,927	17,138	18,514
	Females		381,976	65,771	14,884	6,402	4,251	2,972	94,280	8,629	5,856	10,227	15,168	15,735
	I.—General diseases		228,602	14,791	8,923	5,725	4,315	3,127	36,881	8,789	5,433	10,305	16,037	16,096
	Males		117,533	7,880	4,590	2,954	2,274	1,596	19,294	4,380	2,436	4,672	8,111	8,449
	Females		111,069	6,911	4,333	2,771	2,041	1,531	17,587	4,409	2,997	5,633	7,926	7,647
1	Typhoid fever	M.	7,414	45	62	79	71	81	338	337	420	885	1,184	1,052
		F.	5,037	40	65	80	65	87	337	410	512	734	732	534
2	Typhus fever	M.	3										1	1
		F.	2		1				1					
3	Relapsing fever	M.	1											
		F.	1								1			
4	Malaria	M.	890	76	53	44	26	19	218	51	39	38	49	52
		F.	912	76	66	40	27	18	227	53	38	51	67	49
5	Smallpox	M.	71	14	2	1	2	2	21	2	2	3	6	5
		F.	59	17	3	4			24	4	5	3	2	5
6	Measles	M.	3,004	728	913	408	232	118	2,399	253	69	80	60	29
		F.	2,918	591	848	399	208	119	2,165	248	75	79	59	47
7	Scarlet fever	M.	2,691	134	299	414	373	288	1,508	753	197	86	59	32
		F.	2,552	109	269	346	329	236	1,289	732	236	101	72	55
8	Whooping cough	M.	3,112	1,796	726	254	133	69	2,978	104	12	2	4	1
		F.	3,570	1,891	885	344	184	90	3,394	139	7	11	5	1
9	Diphtheria and croup	M.	5,784	495	976	897	822	612	3,802	1,364	310	100	51	41
		F.	5,390	392	793	785	699	584	3,253	1,414	356	117	67	45
10	Influenza	M.	4,165	373	106	58	32	17	586	39	45	79	82	75
		F.	5,129	287	88	51	33	26	485	60	44	64	84	103
11	Miliary fever	M.												
		F.												
12	Asiatic cholera	M.	1									1		
		F.	1											
13	Cholera nostras	M.	193	43	6	3	1	2	55	9	2	2	3	4
		F.	157	33	8	5	3	3	52	2	1	1	8	4
14	Dysentery	M.	1,527	341	195	73	39	22	670	34	4	5	12	17
		F.	1,535	285	137	65	28	14	529	21	5	9	16	23
15	Plague	M.	1							1				
		F.												
16	Yellow fever	M.												
		F.												
17	Leprosy	M.	7									1		2
		F.												
18	Erysipelas	M.	1,398	346	18	5	6		375	12	12	17	39	37
		F.	1,112	398	31	10	8	2	449	8	10	15	24	24
19	Other epidemic diseases	M.	102	36	15	8	2	4	65	15	4	4	3	
		F.	91	23	20	7	5	2	57	11	8	2	3	2
20	Purulent infection and septicemia	M.	1,189	144	24	14	17	13	212	55	46	44	59	53
		F.	724	100	24	14	11	5	154	37	19	37	60	53
21	Glanders	M.	10											2
		F.	1		1				1					
22	Anthrax	M.	12											1
		F.	2											
23	Rabies	M.	62			2	1	3	6	18	8	7	2	4
		F.	21			2	4	1	7	7	1		1	
24	Tetanus	M.	940	219	9	10	14	16	268	118	117	64	61	53
		F.	396	179	5	4	1	7	196	33	24	6	12	12
25	Mycoses	M.	27									2	1	1
		F.	10								1		2	
26	Pellagra	M.	195	1		1		1	3	4	3	3	13	10
		F.	464	2	4	1			7	7	3	15	36	44
27	Beriberi	M.	6										1	3
		F.	1											
	Tuberculosis (total)	M.	52,607	1,425	954	560	379	241	3,559	787	725	2,789	5,799	6,157
		F.	41,598	1,175	859	485	346	256	3,121	826	1,234	3,931	6,089	5,810
28	Tuberculosis of the lungs	M.	44,411	474	266	163	104	59	1,066	238	358	2,299	5,134	5,502
		F.	34,103	391	238	135	95	69	928	341	855	3,303	5,381	5,202
29	Acute miliary tuberculosis	M.	1,706	64	45	29	15	13	166	47	47	153	254	229
		F.	1,576	52	38	28	16	16	150	59	86	258	291	202
30	Tuberculous meningitis	M.	2,810	640	506	285	196	125	1,752	312	139	104	104	104
		F.	2,427	526	470	260	173	129	1,558	294	133	114	87	61
31	Abdominal tuberculosis	M.	1,660	121	73	45	28	25	292	84	58	96	138	140
		F.	2,020	104	63	29	23	21	240	58	71	149	216	201
32	Pott's disease	M.	487	13	12	13	14	9	66	37	43	34	53	47
		F.	366	22	13	11	19	7	72	30	29	22	22	24
33	White swellings	M.	269	4	3	8	3	4	22	24	25	24	26	23
		F.	169	3	3	2	4	7	19	20	16	9	17	12
34	Tuberculosis of other organs	M.	768	67	32	10	12	4	125	30	38	43	49	52
		F.	540	53	21	8	11	6	99	11	18	39	38	50
35	Disseminated tuberculosis	M.	496	37	17	7	7	2	70	15	17	36	41	60
		F.	397	24	13	12	5	1	55	13	26	37	37	58
36	Rickets	M.	284	174	52	22	15	5	268	5	1	2	1	2
		F.	224	115	51	18	8	5	197	3	1	2	1	1
37	Syphilis	M.	2,387	1,014	44	15	10	6	1,089	11	8	19	79	132
		F.	1,434	773	60	15	5	4	857	17	5	29	64	83
38	Gonococcus infection	M.	106	45	3	1			49		1	3	16	8
		F.	116	43	3	1			47	2		10	16	13
	Cancer and other malignant tumors (total)	M.	17,525	22	20	23	23	12	100	47	27	84	130	207
		F.	26,499	21	16	25	14	14	90	33	42	58	134	311
39	Of the buccal cavity	M.	1,402	1	3				4	3		3	5	4
		F.	325	1				1	2	1	2	3	5	3
40	Of the stomach, liver	M.	8,698	7	8	3	2	2	22	7	4	13	25	54
		F.	8,667	5		5	2	3	15	2	8	6	20	52
41	Of the peritoneum, intestines, rectum	M.	2,464	1	1	2	3	3	10	6	6	10	28	58
		F.	3,360	2	1		2	1	6	4	4	11	26	45
42	Of the female genital organs	F.	6,707		1	3			4	3	2	10	35	109
43	Of the breast	M.	74							1		2	2	1
		F.	4,190							1		1	6	36
44	Of the skin	M.	1,011	1	1	1	1		4	4	2	7	6	6
		F.	608	1	1	2			4	1	2		4	4
45	Of other organs or of organs not specified.	M.	3,876	12	7	17	17	7	60	26	15	49	64	84
		F.	2,642	12	13	15	10	9	59	21	24	27	38	62

FROM EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1911.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed List No. Int.
34,416	38,570	37,522	39,457	44,130	44,023	49,651	54,306	54,898	49,019	36,108	19,564	6,761	1,518	405	1,296	
19,315	22,197	22,096	23,425	25,816	25,296	27,721	29,279	28,643	24,816	17,556	8,971	2,848	570	133	881	
15,101	16,373	15,426	16,032	18,314	18,727	21,930	25,027	26,255	24,203	18,552	10,593	3,913	948	272	415	
15,142	15,687	13,995	13,665	14,013	12,953	12,812	11,956	10,053	7,467	4,269	1,956	597	139	29	328	
8,330	8,806	7,817	7,439	7,363	6,759	6,565	5,795	4,738	3,436	1,818	857	230	49	14	175	
6,812	6,881	6,178	6,226	6,650	6,194	6,247	6,161	5,315	4,031	2,451	1,099	367	90	15	153	
795	650	482	342	304	205	170	113	76	32	6	2				21	1
349	354	227	194	180	140	108	95	62	33	14	7	2			13	
				1												2
								1								3
46	48	45	56	34	51	31	38	32	32	13	6	1	1		9	4
43	57	29	46	33	37	33	52	33	35	22	3				4	
	7	5	2	4	2	2	4	2	1	1	2					5
5	3	2	1			2	2			1						
20	15	11	17	9	11	11	5	5	7	1	1				1	6
51	48	36	38	8	14	10	15	12	5	4	2				2	
26	11	9	3	3	2	2										7
33	24	3	2	1	1	1		1							1	
1						2	1	1			2	1			3	8
2		1		1	1	1		2	2						3	
25	32	18	12	8	4	6	4	1	2	1					3	9
41	31	22	10	8	6	7	1	4	3	1					4	
78	102	141	146	172	200	279	363	429	510	432	273	108	20	4	2	10
79	97	117	161	218	266	310	460	639	709	664	363	146	49	5	6	
																11
																12
		1														
7	2	13	5	9	6	9	14	16	14	10	11		1		1	13
	3	1	2	7	9	5	12	18	9	13	6	3	1			
22	21	25	33	41	58	73	86	110	122	105	60	18	4	2	5	14
21	25	22	31	45	49	89	104	141	150	140	82	23	6	2	2	
																15
																16
	2	2														17
48	66	112	83	95	82	77	82	101	59	58	31	7	1	1	3	18
39	36	42	38	48	56	70	56	65	55	34	31	11	1			
5	2	1	1	2												19
3	1		1				2					1				
46	79	85	82	86	69	69	62	50	48	23	10	3	2	1	5	20
35	43	31	26	34	30	33	32	34	28	22	8	5	1	1	1	
1	2	1		3		1										21
1	4	1	1			1		1	1				1			22
		1		1												
6	3	2	2	1	1	1	1									23
1							2		1	1						
29	43	29	43	26	31	24	14	8	5	3	1	1			2	24
21	19	20	20	7	9	5	8	2		1					1	
3	3	1	4	2	2	2	5	1								25
1		1		1		1		1	1	1						
13	14	20	21	23	19	22	11	9	3	2	1				1	26
61	64	55	43	41	25	27	10	16	6	2	1				1	
1	1															27
1																
6,093	6,131	5,007	4,130	3,422	2,644	2,051	1,492	963	540	168	71	8	3	1	67	
4,788	4,119	2,853	2,053	1,689	1,322	1,107	1,039	792	488	172	68	11	6	2	78	
5,550	5,626	4,602	3,775	3,141	2,368	1,815	1,334	853	482	140	57	7	3	1	60	28
4,338	3,643	2,535	1,782	1,446	1,113	942	909	681	410	153	54	9	5	2	71	
197	169	135	113	72	54	40	10	10	6	2					2	29
141	137	76	47	45	32	25	8	8	7	1	2				1	
61	65	52	41	28	18	13	6	4	5	1					1	30
39	39	33	22	20	11	7	2	7								
121	115	95	101	79	98	90	75	40	21	12	5					31
168	189	124	114	111	117	80	71	53	36	13	4	1	1		3	
43	31	27	18	22	18	17	15	5	5	3	1				2	32
20	21	22	21	17	14	15	14	13	7	2	1					
20	16	8	11	14	15	17	8	11	2	1	2					33
9	11	8	8	8	8	2	6	7	4	1	3				1	
56	63	55	49	35	49	41	31	26	15	4	5	1			1	34
40	46	37	35	25	19	20	18	20	18	1	3	1			2	
45	46	33	22	31	24	18	13	14	4	5	1				1	35
33	33	18	24	17	8	16	11	3	6	1	1					
1			1				1		1						1	36
	3		4	1	1	2	3	2	1	2						
134	188	170	142	130	94	91	43	34	11	5	5				2	37
62	75	55	61	46	29	17	9	10	9	2					4	
9	4	2	2	1	4	4	1	2								38
8	3	3	5	2	1			1								
286	502	764	1,355	1,920	2,215	2,515	2,537	2,121	1,555	766	303	62	10	2	17	
667	1,320	2,062	2,787	3,308	3,180	3,302	3,119	2,589	1,889	1,033	403	126	19	3	24	
13	26	54	104	181	168	198	181	159	155	85	47	8	3		1	39
7	6	15	15	29	23	35	40	44	39	29	16	6	2		3	
108	221	399	715	1,058	1,229	1,319	1,333	1,059	701	317	88	15	2	2		
129	232	447	728	974	1,149	1,249	1,281	1,083	762	373	118	31	3			
74	92	109	200	250	301	377	343	295	188	88	26	2				
72	147	216	259	378	373	452	454	427	296	129	46	13	1			
268	499	750	1,010	1,060	808	747	575	391	268	120	33	9	1			
1	2	2	8	7	6	8	16	6	6	4	1					
98	274	428	533	544	499	451	428	342	270	171	78	22				
2	16	25	39	68	94	105	124	141	167	107	70	16				
4	7	16	20	28	35	58	74	68	86	92	69	26				
88	145	175	289	356	417	508	540	461	338	165	71	21				
89	155	190	222	295	293	310	267	234	168	119	43	19				

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No.	CAUSE OF DEATH AND SEX.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	I.—General diseases—Continued.													
46	Other tumors (tumors of the female genital organs excepted).	M	116	1	4	2	3	1	21	2	1	4	1	4
		F	339	9		1	3	1	14		3	2	8	10
47	Acute articular rheumatism	M	1,717	19	17	14	18	26	94	205	194	121	86	65
		F	1,828	11	9	19	22	21	82	214	183	129	97	90
48	Chronic rheumatism and gout	M	291			2	1		3	3	1	3	9	11
		F	490								2	5	3	8
49	Scurvy	M	27	16	2	2	1		21		1	1	1	
		F	29	19	5				24		1			
50	Diabetes	M	4,241	17	5	12	20	12	66	80	119	124	149	144
		F	4,564	7	9	13	8	9	46	73	116	105	94	114
51	Exophthalmic goiter	M	85								1	1	5	3
		F	702							2	5	32	61	59
52	Addison's disease	M	108								2		5	4
		F	127									5	3	10
53	Leukemia	M	548	14	13	3	7	7	44	24	33	35	39	42
		F	385	7	7	6	7	5	32	17	13	20	26	24
54	Anemia, chlorosis	M	1,211	103	34	13	6	7	163	14	16	25	26	31
		F	1,602	85	36	7	4	5	137	15	30	35	55	62
55	Other general diseases	M	593	229	38	14	20	12	313	30	16	22	20	16
		F	589	223	30	24	19	17	313	21	16	23	12	17
56	Alcoholism (acute or chronic)	M	2,579							1		10	45	130
		F	296									1	7	24
57	Chronic lead poisoning	M	138									2	4	10
		F	7											2
58	Other chronic occupation poisonings	M	10										1	1
		F	1											
59	Other chronic poisonings	M	155									4	5	7
		F	154									1	6	8
	II.—Diseases of the nervous system and of the organs of special sense.		81,428	7,334	2,002	1,013	630	435	11,414	1,272	781	959	1,123	1,156
	Males		43,520	4,188	1,073	545	333	227	6,366	691	394	553	664	656
	Females		37,908	3,146	929	468	297	208	5,048	581	387	406	459	500
60	Encephalitis	M	458	75	23	10	14	12	134	29	11	28	26	30
		F	334	64	16	11	10	8	109	13	16	16	20	13
61	Meningitis (total)	M	4,066	1,259	569	324	187	119	2,458	365	161	158	162	114
		F	3,219	998	481	257	170	111	2,017	309	156	116	90	64
	Simple meningitis	M	2,587	868	343	212	109	68	1,600	202	82	68	86	62
		F	2,103	693	298	151	104	70	1,316	166	91	61	58	45
	Cerebrospinal meningitis (undefined)	M	1,152	320	192	92	61	39	704	126	56	65	43	38
		F	903	246	159	84	48	35	572	114	50	46	22	18
	Cerebrospinal fever	M	327	71	34	20	17	12	154	37	23	25	33	14
		F	213	59	24	22	18	6	129	29	15	9	10	1
62	Locomotor ataxia	M	1,271							1	1	1	4	4
		F	353							1	1	1	2	6
63	Other diseases of the spinal cord (total)	M	2,087	138	113	72	60	37	420	89	40	53	49	32
		F	1,845	117	124	70	50	27	388	83	53	32	24	27
	Acute anterior poliomyelitis	M	532	109	103	63	49	35	359	72	17	32	14	4
		F	528	101	112	66	49	22	350	76	40	13	10	6
	Other diseases of the spinal cord [1]	M	1,555	29	10	9	11	2	61	17	23	21	35	28
		F	1,317	16	12	4	1	5	38	7	13	19	14	21
64	Cerebral hemorrhage, apoplexy	M	22,711	267	35	21	12	8	343	25	29	59	105	139
		F	21,563	194	34	13	13	14	268	22	28	39	76	120
65	Softening of the brain	M	542					1	1	3	2		2	3
		F	493			1		1	2	2		2	3	3
66	Paralysis without specified cause	M	3,007	26	11	5	7	2	51	13	5	11	18	21
		F	3,352	18	6	5	3	4	36	7	6	13	11	23
67	General paralysis of the insane	M	2,819							1	2	2	10	47
		F	1,169									2	12	17
68	Other forms of mental alienation	M	637							1		13	29	45
		F	734			1			1		2	8	25	42
69	Epilepsy	M	1,336	34	14	9	7	6	70	50	65	123	155	120
		F	993	29	14	9	5	7	64	32	53	78	92	83
70	Convulsions (nonpuerperal)	M	49							14	2	3		1
		F	137							23	6	15	26	17
71	Convulsions of infants	M	2,440	2,184	208	57	26	15	2,440					
		F	1,791	1,509	183	60	22	17	1,791					
72	Chorea	M	40	2	1	2			5	5	5	7	5	
		F	76	4	2	1			7	5	13	18	5	1
73	Neuralgia and neuritis	M	183	1	1				2	3	1		4	9
		F	257	1				1	2		2	5	6	12
74	Other diseases of the nervous system	M	1,201	106	31	14	6	16	173	43	33	60	56	55
		F	1,072	83	29	8	9	8	137	37	17	35	41	47
75	Diseases of the eyes and their annexa	M	29	9		3			12	2			1	
		F	26	9	2	2	2	2	17					1
76	Diseases of the ears	M	644	137	67	28	14	11	257	47	37	35	38	36
		F	494	120	38	30	13	8	209	47	34	26	26	24

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed List No. Int.
3	4	8	7	8	10	8	8	15	7	3	2					46
10	29	27	39	29	25	22	28	32	28	18	9	3	2		1	
90	89	83	93	92	94	95	89	85	74	44	15	6	1		2	47
74	78	78	87	100	91	119	108	99	103	53	27	11		2	3	
8	12	8	17	22	23	27	35	50	31	17	10	1				48
14	5	18	21	36	51	52	65	66	72	42	20	7	2		1	
	1	1			1											49
1		2				1										
145	189	201	252	370	460	594	497	418	264	114	37	9	2	3	4	50
128	144	186	235	431	534	655	676	520	300	154	40	10	1		2	
7	10	15	8	7	14	3	5	1	3							51
68	74	68	73	81	68	35	35	18	12	8	2	1				
8	14	15	10	14	9	11	10	5	1							52
15	9	17	20	18	11	9	5	4	1							
30	29	39	42	41	39	47	31	25	5	2					1	53
35	27	33	32	35	23	22	19	17	7	2	1					
36	54	69	105	138	116	132	120	78	56	21	6	3			2	54
80	90	95	125	189	158	149	172	97	61	27	18	5	2			
17	14	11	14	17	17	11	13	20	14	14	6	2	3		3	55
15	20	18	17	15	24	17	14	19	13	7	7	1				
264	426	382	372	326	246	168	85	67	31	5	2				19	56
55	57	41	38	21	17	14	9	6	1	3	1				1	
9	20	17	17	15	17	12	12	2	1							57
		2	1	1		1										
	1	1	1	1	1	2	1									58
	1															
17	11	21	17	17	12	12	12	9	6	4					1	59
6	17	9	15	14	16	21	9	13	9	8		1			1	
1,670	2,393	2,941	3,873	5,016	5,743	7,236	8,720	9,127	8,346	5,830	2,822	720	147	37	102	
995	1,460	1,750	2,193	2,761	3,155	3,987	4,586	4,782	4,131	2,773	1,214	277	53	9	68	
675	933	1,191	1,680	2,255	2,588	3,249	4,134	4,345	4,215	3,055	1,608	443	94	28	34	
23	23	36	23	27	8	17	16	12	7	2	2	3			1	60
14	9	19	19	15	16	16	9	11	10	6	2				1	
100	101	94	92	67	50	48	40	24	18	9	2	1			2	61
58	78	44	65	43	49	30	40	27	17	12	2			1	1	
63	67	76	64	49	36	45	36	22	17	8	2	1			1	
38	58	33	53	35	38	24	34	23	15	11	2			1	1	
29	26	13	21	10	12	1	3	2	1	1					1	
15	17	10	9	7	7	3	6	4	2	1						
8	8	5	7	8	2	2	1									
5	3	1	3	1	4	3										
28	58	116	128	187	206	191	137	117	66	21	3	2				62
13	12	29	36	48	51	43	49	28	20	9	3			1		
41	66	73	82	130	134	184	213	217	155	75	31	2			1	63
48	56	80	81	129	98	172	189	163	114	72	24	10	1		1	
3	3	1	4	5	6	2	4	4	1						1	
4	2	5	4	4	1	7	3		1	1	1					
38	63	72	78	125	128	182	209	213	154	75	31	2				
44	54	75	77	125	97	165	186	163	113	71	23	10	1		1	
284	488	666	1,044	1,568	2,035	2,779	3,356	3,484	3,057	2,057	908	202	39	8	36	64
197	351	579	975	1,486	1,788	2,313	3,066	3,271	3,103	2,294	1,168	321	70	15	13	
7	12	10	18	32	29	60	71	85	105	61	31	9	1			65
6	9	3	14	20	30	48	52	68	99	70	47	14	1			
32	52	74	112	154	195	288	410	497	456	379	176	41	12	1	9	66
32	47	72	128	155	213	320	427	503	581	407	265	75	17	9	5	
188	358	385	437	358	258	196	155	163	129	88	23	12			7	67
58	93	104	98	104	106	93	106	108	120	80	49	10	4	1	4	
48	46	55	55	57	60	57	52	47	39	19	10	1			3	68
37	68	75	65	83	69	71	50	48	41	24	15	5			5	
136	116	106	75	55	69	55	38	41	34	18	5				5	69
95	88	69	65	59	53	42	45	30	24	14	3	2			2	
3	8	5	4		1		4	1	1	1	1					70
16	10	4	3	3	1	1	1	4	4	2					1	
																71
1				4	1	2	2		1	1					1	72
	1	3	3	1	3	2	2	3	4	4			1			
7	15	12	15	12	25	21	15	21	9	9	2	1				73
15	23	18	19	18	23	16	23	24	21	20	8	2				
74	90	101	82	84	65	69	60	61	42	34	15	1	1		2	74
66	75	79	95	78	70	66	62	54	48	37	22	4		1	1	
		2	1			2	2		2	1	1	2			1	75
			1				4	2	1							
23	27	15	25	26	19	18	15	12	10		4					76
20	13	13	13	13	18	16	9	1	8	4						

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No.	CAUSE OF DEATH AND SEX.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	III.—Diseases of the circulatory system.		109,830	1,407	200	141	145	157	2,050	1,116	1,313	1,471	1,785	2,121
	Males		58,910	827	96	77	66	74	1,140	507	596	732	829	1,055
	Females		50,920	580	104	64	79	83	910	609	717	739	956	1,066
77	Pericarditis	M.	425	6	1	2		6	15	17	13	21	14	20
		F.	322	6	7	1	4	5	23	14	15	7	12	14
78	Acute endocarditis	M.	2,403	107	17	18	22	17	181	89	100	101	99	144
		F.	2,086	71	13	16	17	22	139	125	103	109	128	130
79	Organic diseases of the heart	M.	43,886	486	57	43	40	39	665	376	460	569	645	773
		F.	39,639	367	62	38	48	51	566	454	577	585	721	819
80	Angina pectoris	M.	2,575	2		1	1		4	2		10	22	29
		F.	1,637	2	1		1		4	2	9	6	19	24
81	Diseases of the arteries, atheroma, aneurism, etc.	M.	8,122	11				1	12	1	4	8	11	31
		F.	5,667	5					5	1	3	7	8	14
82	Embolism and thrombosis	M.	935	30	4	2		5	41	5	11	12	19	38
		F.	1,081	12	2	3	1	2	20	5	5	10	51	53
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).	M.	151	1					1	2		2	4	7
		F.	201	4		1			5		1	3	11	7
84	Diseases of the lymphatic system (lymphangitis, etc.).	M.	205	100	17	11	3	5	136	10	6	7	6	3
		F.	121	52	15	5	7	3	82	4	2	7	2	
85	Hemorrhage; other diseases of the circulatory system.	M.	208	84				1	85	5	2	2	9	10
		F.	166	61	4		1		66	4	2	5	4	5
	IV.—Diseases of the respiratory system.		99,650	22,629	8,419	3,193	1,626	977	36,844	2,038	994	1,599	2,191	2,452
	Males		54,379	12,767	4,463	1,700	837	516	20,283	1,042	475	938	1,363	1,512
	Females		45,271	9,862	3,956	1,493	789	461	16,561	996	519	661	828	940
86	Diseases of the nasal fossae	M.	72	30	6	3	2	1	42	7	2	1	2	2
		F.	61	20	5	4	1		30	8	2	1	2	1
87	Diseases of the larynx	M.	488	123	73	50	37	25	308	47	10	8	5	8
		F.	336	86	47	39	33	15	220	38	10	4	5	5
88	Diseases of the thyroid body	M.	60	10	1			1	12	1	3	6	5	3
		F.	206	2		1			3	2	4	3	10	9
89	Acute bronchitis	M.	3,310	2,018	397	148	46	36	2,645	44	14	9	3	6
		F.	3,172	1,571	385	143	55	41	2,195	44	7	11	11	13
90	Chronic bronchitis	M.	2,329	56	12	6	5	2	81	19	9	18	30	25
		F.	2,748	39	23	15	2	2	81	23	12	10	37	43
91	Bronchopneumonia	M.	13,609	5,970	2,230	729	343	192	9,464	305	80	82	103	113
		F.	12,756	4,682	1,970	662	328	162	7,804	317	88	86	89	87
92	Pneumonia (total)	M.	30,167	4,163	1,633	680	376	235	7,087	571	324	738	1,093	1,193
		F.	22,701	3,148	1,435	593	337	217	5,730	512	362	485	581	687
	Lobar pneumonia	M.	16,990	1,425	718	328	172	117	2,760	294	185	438	718	789
		F.	11,563	1,040	614	272	159	109	2,194	236	189	259	336	417
	Pneumonia (undefined)	M.	13,177	2,738	915	352	204	118	4,327	277	139	300	375	404
		F.	11,138	2,108	821	321	178	108	3,536	276	173	226	245	270
93	Pleurisy	M.	1,280	58	60	49	18	12	197	19	20	43	72	68
		F.	880	41	51	22	19	13	146	35	17	29	36	45
94	Pulmonary congestion, pulmonary apoplexy.	M.	1,190	263	35	20	4	5	327	15	7	9	12	21
		F.	1,151	220	24	6	6	7	263	4	9	9	18	11
95	Gangrene of the lung	M.	139	1	2	1	2	2	8	2	2	5	4	15
		F.	48	1		1	2		4	1	1	3	5	2
96	Asthma	M.	837	16	5	6	1		28	5	1	1	3	8
		F.	741	6	6	3	6	2	23	4		2	9	12
97	Pulmonary emphysema	M.	98	3	2	2		1	8	2	1	2	4	2
		F.	65	3		1		1	5	2	1	1		1
98	Other diseases of the respiratory system (tuberculosis excepted).	M.	800	56	7	6	3	4	76	5	2	16	27	48
		F.	406	43	10	3		1	57	6	6	17	25	24
	V.—Diseases of the digestive system		98,601	42,711	9,051	1,851	865	597	55,075	1,652	1,208	1,485	1,883	2,104
	Males		52,990	23,766	4,751	981	451	339	30,288	829	681	805	918	1,008
	Females		45,611	18,945	4,300	870	414	258	24,787	823	527	680	965	1,096
99	Diseases of the mouth and annexa	M.	191	120	18	5	2	1	146	6	2	2	2	3
		F.	175	104	18	5		2	129	10	3	3		3
100	Diseases of the pharynx	M.	539	82	45	32	28	27	214	70	33	21	28	25
		F.	413	42	19	16	32	15	124	72	29	19	23	27
101	Diseases of the esophagus	M.	81	5	4	5	1	2	17	2	1		2	1
		F.	61	7	2	4	2		15	2		2		2
102	Ulcer of the stomach	M.	1,222	6	2	1		3	12	3	3	11	31	63
		F.	921	10	2	2	3	2	19	4	9	26	66	71
103	Other diseases of the stomach (cancer excepted).	M.	4,431	1,624	160	62	32	27	1,905	67	31	30	40	81
		F.	4,343	1,268	175	61	34	24	1,562	54	15	49	69	89
104	Diarrhea and enteritis (under 2 years)	M.	25,140	20,797	4,343				25,140					
		F.	20,728	16,782	3,946				20,728					
105	Diarrhea and enteritis (2 years and over)	M.	3,810			759	263	164	1,186	190	47	37	57	86
		F.	4,298			664	248	134	1,046	223	40	55	104	84
106	Ankylostomiasis	M.	8				1		1	1	1			
		F.	7							3	2	1		
107	Intestinal parasites	M.	39	5	6	5	8	5	29	4			2	
		F.	51	9	9	12	5	4	39	3	2	2		1
108	Appendicitis and typhlitis	M.	4,049	15	14	19	39	48	135	297	407	483	462	391
		F.	2,847	17	13	12	26	36	104	291	314	327	310	307
109	Hernia, intestinal obstruction (total)	M.	3,629	666	88	50	41	32	877	92	57	85	130	103
		F.	3,432	355	50	39	33	20	497	58	32	36	96	128
	Hernia	M.	1,265	133	16	7	6	3	165	8	4	18	28	35
		F.	1,104	45	1	1			47			2	14	20
	Intestinal obstruction	M.	2,364	533	72	43	35	29	712	84	53	67	102	68
		F.	2,328	310	49	38	33	20	450	58	32	34	82	108
110	Other diseases of the intestines	M.	834	215	23	8	7	7	260	14	10	18	23	25
		F.	951	209	25	14	3	6	257	15	7	14	32	45
111	Acute yellow atrophy of the liver	M.	134	16	1	1	1	1	20	2	1	2	6	8
		F.	168	10	1	1			12	4	2	5	16	22
112	Hydatid tumor of the liver	M.	11										1	1
		F.	13					2	2		1			2
113	Cirrhosis of the liver	M.	5,652	9	8	3	5	1	26	11	9	19	30	95
		F.	2,658	12	3	7	2	1	25	12	11	13	24	45
114	Biliary calculi	M.	510									2	4	6
		F.	1,239									1	12	24

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—																
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Deaths at unknown age.	Detailed List No. Int.
2,752	3,642	4,496	5,478	7,158	8,398	11,004	13,542	14,450	13,101	9,397	4,686	1,424	281	58	107	
1,439	1,886	2,439	3,092	4,093	4,793	6,161	7,505	7,738	7,017	4,788	2,288	626	107	22	57	
1,313	1,756	2,057	2,386	3,065	3,605	4,843	6,037	6,712	6,084	4,609	2,398	798	174	36	50	
25	18	22	18	33	30	43	29	49	35	15	5	1			2	77
13	12	18	18	26	19	27	25	30	17	19	11	2				
175	192	226	272	335	344	37	43	26	26	7	4				2	78
135	182	168	228	238	266	30	29	23	29	13	8	1	1		1	
1,088	1,439	1,874	2,360	3,034	3,559	4,889	5,913	5,916	5,095	3,277	1,474	358	64	10	48	79
1,014	1,378	1,666	1,867	2,421	2,836	4,072	4,987	5,371	4,692	3,312	1,642	483	107	25	44	
32	52	85	144	241	305	402	395	362	270	149	53	15	1		2	80
50	54	63	82	112	145	204	217	270	186	126	53	8	1	1	1	
66	125	162	216	343	451	678	990	1,262	1,490	1,269	706	244	38	12	3	81
15	41	53	86	158	244	386	660	875	1,067	1,052	637	284	60	8	3	
39	42	49	59	82	87	89	103	95	73	49	32	6	4			82
67	57	72	78	84	76	101	99	115	71	62	34	14	4	2	1	
4	8	12	17	18	11	11	15	12	10	13	4					83
9	23	11	23	17	9	15	10	20	13	14	6	3	1			
5	2	4	2		2	4	5	2	4	5	1	1				84
3	3	3	1	1	2	3	3		1	4						
5	8	5	4	7	4	8	12	14	14	4	9	1				85
7	6	3	3	8	8	5	7	8	8	7	7	3				
2,759	3,436	3,527	3,883	4,332	4,389	4,969	5,824	6,109	5,753	4,690	2,615	899	208	44	95	
1,753	2,260	2,276	2,544	2,717	2,613	2,701	2,931	2,831	2,524	2,053	1,083	351	69	12	48	
1,006	1,176	1,251	1,339	1,615	1,776	2,268	2,893	3,278	3,229	2,637	1,532	548	139	32	47	
2			1	1	1		1	2	2	3		2	1			86
	1				1		1	3		6	3	1	1			
12	10	12	8	7	10	6	5	12	8	5	3		1		3	87
4	7	4	5	4	4	4	4	4	5	4	4	1				
2	2	2	5	2	2	5	5	1	1	1	2					88
9	15	22	25	20	18	17	16	12	10	5	5	1				
12	13	17	19	22	34	38	47	72	91	118	72	30	2	2		89
14	18	10	19	23	31	54	82	119	160	164	117	50	24	5	1	
27	39	52	73	96	150	168	236	315	349	344	204	76	13	3	2	90
34	39	54	51	78	99	175	288	399	435	447	287	119	30	6	1	
136	147	166	215	237	256	314	413	454	439	391	224	50	16	2	2	91
83	101	131	147	202	281	411	523	645	699	563	337	122	29	5	6	
1,383	1,865	1,774	1,946	2,027	1,855	1,863	1,889	1,635	1,311	953	445	147	28	4	36	92
745	892	889	956	1,112	1,170	1,407	1,713	1,806	1,569	1,194	613	184	44	12	38	
951	1,254	1,196	1,295	1,342	1,203	1,167	1,127	915	645	443	190	61	7		10	
482	554	560	599	684	700	822	970	967	738	508	244	74	12	6	12	
432	611	578	651	685	652	696	762	720	666	510	255	86	21	4	26	
263	338	329	357	428	470	585	743	839	831	686	369	110	32	6	26	
67	81	89	102	105	85	69	81	76	59	34	8	2	3			93
56	41	38	51	62	61	50	50	50	51	35	20	4	2	1		
29	24	29	38	30	55	63	68	106	115	116	82	35	5	1	3	94
21	17	30	27	31	37	46	70	106	139	143	110	51	8	1		
7	4	10	15	12	13	17	13	6	5	1						95
2	3	6	1	1	4	3	2	1	3	1	1	1				
20	16	48	43	81	67	86	113	104	106	63	37	7				96
18	20	37	30	58	50	61	109	103	112	56	24	10		2	1	
2	7	4	4	3	7	11	13	10	10	7		1				97
	4	3	3	1	5	7	7	5	13	3	3	1				
54	52	73	75	94	78	61	47	38	28	17	6	1			2	98
20	18	27	24	23	15	30	28	25	33	16	8	3	1			
2,219	2,755	2,907	3,193	3,476	3,327	3,557	3,572	3,566	3,001	2,055	1,062	358	75	18	53	
1,177	1,457	1,574	1,865	2,011	1,871	1,918	1,869	1,749	1,389	928	457	137	24	5	30	
1,042	1,298	1,333	1,328	1,465	1,456	1,639	1,703	1,817	1,612	1,127	605	221	51	13	23	
2	2	2	1	3	4	4	2	2	3	2	2			1		99
1	1	2	3		2	4	4	4	2	1	2	1				
17	15	12	15	20	15	8	9	11	9	10	5	2				100
14	12	13	6	10	6	9	10	8	7	14	6	2	1		1	
1	2	2	7	4	4	6	13	7	7	5						101
1	3	3	1	6	5		3	7	5	2	3	1				
65	102	129	134	123	132	122	108	88	57	22	14	1	2			102
68	88	69	66	66	56	73	72	78	46	31	8	4			1	
76	104	150	143	172	171	232	253	268	281	243	122	44	3	2	13	103
98	113	118	146	136	170	223	247	329	364	286	181	75	15	2	2	
																104
99	113	116	138	136	188	186	225	285	292	235	132	47	11	1	3	105
84	119	134	121	152	159	233	303	403	400	325	207	77	15	8	6	
	2		1		1		1									106
					1											
1	1			2												107
1		1	1				1									
366	345	295	219	219	143	115	76	47	26	15	3				5	108
204	212	175	146	124	102	79	58	45	26	15	2	1	2	1	2	
114	150	157	180	229	217	252	276	259	203	141	79	21	2		5	109
140	177	198	190	242	259	271	314	292	256	143	70	20	10	1	2	
37	49	59	71	96	86	119	130	124	104	70	49	8	1		4	
22	54	67	88	121	125	117	150	119	83	48	20	3	4			
77	101	98	109	133	131	133	146	135	99	71	30	13	1		1	
118	123	131	102	121	134	154	164	173	173	95	50	17	6	1	2	
29	31	38	37	39	46	52	49	46	53	34	21	6	3			
42	61	46	40	41	36	51	45	60	62	52	28	13	2		2	
3	4	8	10	14	8	11	15	10	7	3	1	1				111
13	13	11	10	11	10	16	7	8	4	2	2					
2	3	1		1				2								112
	1	2	1	1		1	1	1								
230	381	466	720	767	705	669	593	495	274	115	38	7			2	113
100	187	238	249	295	263	276	302	254	198	115	33	10	3	1	4	
11	29	32	54	62	55	65	59	57	43	21	8	2				114
53	74	94	108	150	160	180	133	110	85	39	10	5			1	

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No.	Cause of death and sex.	All deaths.	Deaths at age of— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	V.—Diseases of the digestive system—Continued.												
115	Other diseases of the liver M	1,459	98	13	9	9	7	136	16	19	26	43	50
	F	1,617	52	9	11	6	2	80	13	12	22	50	59
116	Diseases of the spleen M	56	1	1	1	1		4			2	3	4
	F	68	2		2	1		5		1	1	4	3
117	Simple peritonitis (nonpuerperal) M	952	100	24	19	11	11	165	52	58	58	47	54
	F	1,397	62	28	20	18	10	138	56	43	95	150	174
118	Other diseases of the digestive system (cancer and tuberculosis excepted). M	243	7	1	2	2	3	15	2	2	9	7	12
	F	224	4			1		5	3	4	9	9	10
	VI.—Nonvenereal diseases of the genito-urinary system and annexa.	67,348	954	273	220	165	131	1,743	507	430	785	1,508	2,115
	Males	37,362	569	131	128	84	83	995	259	196	303	550	850
	Females	29,986	385	142	92	81	48	748	248	234	482	958	1,265
119	Acute nephritis M	3,176	242	74	73	48	41	478	125	55	85	131	186
	F	2,780	182	73	55	45	28	383	128	70	110	159	175
120	Bright's disease M	29,444	206	46	48	32	38	370	126	132	203	370	594
	F	22,403	126	56	35	33	18	268	113	145	227	385	564
121	Chyluria M												
	F	1											1
122	Other diseases of the kidneys and annexa. M	771	75	8	5	2	3	93	3	6	5	21	31
	F	572	48	10	1	2	1	62	6	4	11	15	25
123	Calculi of the urinary passages M	260	2		1	1	1	5	4	3	5	8	7
	F	101	1			1		2		1	1	2	3
124	Diseases of the bladder M	1,233	19	1	1			21	1		3	6	11
	F	299	14	1			1	16		1		3	7
125	Diseases of the urethra, urinary abscess, etc. M	250	3	2				5			2	8	13
	F	35	2					2	1		1	2	2
126	Diseases of the prostate M	2,175										4	6
127	Nonvenereal diseases of the male genital organs. M	49	20			1		21				2	2
128	Uterine hemorrhage (nonpuerperal) F	76									4	5	8
129	Uterine tumor (noncancerous) F	892		1				1			1	14	38
130	Other diseases of the uterus F	770								5	41	89	92
131	Cysts and other tumors of the ovary F	628		1				1		2	7	35	46
132	Salpingitis and other diseases of the female genital organs. F	1,401	3		1			4		6	77	248	302
133	Nonpuerperal diseases of the breast (cancer excepted). M	4	2					2					
	F	28	9					9			2	1	2
	VII.—The puerperal state	9,456								13	772	2,031	2,285
134	Accidents of pregnancy F	908								1	32	144	236
135	Puerperal hemorrhage F	851									36	111	187
136	Other accidents of labor F	911									39	151	224
137	Puerperal septicemia F	4,376								5	397	1,045	1,098
138	Puerperal albuminuria and convulsions F	2,094								7	256	518	463
139	Puerperal phlegmasia alba dolens, embolus, sudden death. F	266									10	50	65
140	Following childbirth (not otherwise defined). F	48									1	12	11
141	Puerperal diseases of the breast F	2									1		1
	VIII.—Diseases of the skin and of the cellular tissue.	3,010	548	59	21	15	11	654	30	23	28	42	38
	Males	1,691	311	29	12	6	5	363	12	11	16	30	22
	Females	1,319	237	30	9	9	6	291	18	12	12	12	16
142	Gangrene M	916	23	6	4	2	2	37	6	1	3	11	6
	F	740	26	5	4	3	5	43	7	1	1	2	4
143	Furuncle M	195	35	3	2	1		41		1	3	6	7
	F	90	29	3		1		33	2	1	2	3	2
144	Acute abscess M	272	94	13	4	2	1	114	6	5	9	11	4
	F	184	63	12	3	3	1	82	6	5	7	5	6
145	Other diseases of the skin and annexa M	308	159	7	2	1	2	171		4	1	2	5
	F	305	119	10	2	2		133	3	5	2	2	4
	IX.—Diseases of the bones and of the organs of locomotion.	1,365	128	57	47	29	19	280	126	121	84	63	70
	Males	817	71	35	22	14	10	152	60	72	67	44	42
	Females	548	57	22	25	15	9	128	66	49	17	19	28
146	Diseases of the bones (tuberculosis excepted). M	725	66	34	22	13	10	145	55	70	64	38	37
	F	462	52	22	21	15	8	118	63	49	17	16	26
147	Diseases of the joints (tuberculosis and rheumatism excepted). M	60	5	1		1		7	4	1	3	6	4
	F	61	4		4		1	9	3			2	2
148	Amputations M	4											
	F	1											
149	Other diseases of the organs of locomotion. M	28							1	1			1
	F	24	1					1				1	
	X.—Malformations	8,465	7,879	239	65	45	27	8,255	77	48	34	18	12
	Males	4,708	4,387	132	34	27	17	4,597	37	34	16	9	5
	Females	3,757	3,492	107	31	18	10	3,658	40	14	18	9	7
150	Congenital malformations (stillbirths not included) (total). M	4,708	4,387	132	34	27	17	4,597	37	34	16	9	5
	F	3,757	3,492	107	31	18	10	3,658	40	14	18	9	7
	Hydrocephalus M	397	287	47	9	10	9	362	17	12	2	1	2
	F	339	261	43	8	3	5	320	10	3	4	2	
	Congenital malformations of the heart M	2,908	2,764	53	13	10	5	2,845	17	19	13	5	2
	F	2,161	2,037	41	14	9	3	2,104	23	7	11	4	5
	Other congenital malformations M	1,403	1,336	32	12	7	3	1,390	3	3	1	3	1
	F	1,257	1,194	23	9	6	2	1,234	7	4	3	3	2

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
80	87	95	122	134	102	118	126	128	83	61	26	5	2			115
60	91	115	127	139	161	145	143	159	113	78	38	9	2		1	
2	4	2	5	9	4	6	5	3	2	1						116
2	9	6	7	4	3	4	9	4	1	2	3					
64	56	41	58	49	54	55	42	33	39	16	6	1	1	1	2	117
145	118	84	81	63	46	56	43	39	33	19	10	3	1			
15	26	28	21	28	22	17	17	8	10	4						118
16	19	24	25	25	17	18	8	16	10	3	2				1	
2,485	3,418	3,880	4,653	5,534	5,675	6,609	7,289	7,441	6,416	4,109	1,973	572	111	25	70	
1,027	1,564	1,892	2,410	3,110	3,327	3,853	4,388	4,527	3,938	2,529	1,198	335	54	11	46	
1,458	1,854	1,988	2,243	2,424	2,348	2,756	2,901	2,914	2,478	1,580	775	237	57	14	24	
187	236	226	248	235	194	194	164	171	134	83	33	8	2		1	119
172	206	182	181	204	174	155	138	145	89	58	36	11	2	1	1	
776	1,231	1,558	2,033	2,686	2,911	3,317	3,660	3,561	2,980	1,800	820	229	39	8	40	120
738	1,037	1,250	1,556	1,886	1,963	2,423	2,614	2,606	2,254	1,421	671	200	50	12	20	
																121
32	40	38	40	44	48	60	74	71	73	59	24	7	2			122
25	38	42	46	58	34	43	34	37	35	25	22	10				
11	10	17	18	25	23	25	30	29	22	12	5	1				123
8	11	7	9	8	11	6	9	10	8	4	1					
8	18	17	15	48	42	60	128	207	242	220	138	39	6	2	1	124
11	4	8	11	12	18	14	13	39	44	44	36	13	4	1		
11	21	21	35	17	26	25	17	18	19	5	7					125
3	4	6	4	4	2		1	1	1	1						
	7	12	18	54	81	170	313	466	464	350	170	50	5	1	4	126
2	1	3	3	1	1	2	2	4	3		1	1				127
15	8	18	6	3		1	4	1	2						1	128
70	131	164	181	105	50	44	36	29	14	12	1		1			129
101	106	101	91	64	31	19	6	7	8	4	2	1			2	130
65	70	68	70	55	52	45	41	34	20	10	5	2				131
249	236	142	86	24	12	5	3	4	2		1					132
					1				1							133
1	3		2	1	1	1	2	1	1	1						
1,949	1,644	661	80	9											12	
212	222	57	3	1												134
212	192	101	11												1	135
184	209	88	13	1											2	136
873	664	252	31	6											5	137
398	302	127	19												4	138
56	52	30	3													139
14	3	6		1												140
																141
50	59	66	90	127	139	157	251	289	341	308	197	94	19	2	6	
37	31	44	55	72	80	85	139	167	194	179	97	43	8	1	5	
13	28	22	35	55	59	72	112	122	147	129	100	51	11	1	1	
12	6	17	20	33	34	52	90	133	168	153	88	33	8	1	4	142
3	7	8	13	30	34	47	83	98	118	106	82	40	11	1	1	
10	4	13	10	22	17	14	16	12	10	6	2	1				143
2	5	3	4	5	5	5	7	2	3	3	1	2				
12	10	7	17	10	20	10	16	10	3	4	1	3				144
4	7	3	8	7	6	8	12	4	4	5	4	1				
3	11	7	8	7	9	9	17	12	13	16	6	6			1	145
4	9	8	10	13	14	12	10	18	22	15	13	8				
64	60	71	63	83	46	53	59	49	37	20	9	5			2	
40	41	51	42	52	28	27	37	27	20	10	2	1			2	
24	19	20	21	31	18	26	22	22	17	10	7	4				
35	40	44	38	43	26	20	28	19	14	7					2	146
21	13	16	1[illegible]	26	14	17	16	12	11	3	4	2				
3	1	6	[illegible]	8	1	2	4	4	1		1	1				147
2	6	3	[illegible]	3	3	6	3	4	4	4	2	2				
		1	[illegible]			1			1							148
			[illegible]			1										
2			[illegible]	1	1	4	5	4	4	3	1					149
1		1	[illegible]	2	1	2	3	6	2	3	1					
7	[illegible]	[illegible]	62	1		2									2	
5	43	92	6													
2	181	15	55												2	
	43	98	11	1		2										
5	14	10	87													
2	3	9	9												2	150
	29	2	22	1		2										
	8	39	1													
4		1	35													
1		1													2	
1	2		1	1		2										
1			3													

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No.	Int. No.	CAUSE OF DEATH AND SEX.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
		XI.—Early infancy		46,692	46,692					46,692					
		Males		26,427	26,427					26,427					
		Females		20,265	20,265					20,265					
151		Congenital debility, icterus, and sclerema (total).	M.	21,485	21,485					21,485					
			F.	16,949	16,949					16,949					
		Premature birth	M.	13,148	13,148					13,148					
			F.	10,391	10,391					10,391					
		Congenital debility, "atrophy," "marasmus," etc.	M.	8,337	8,337					8,337					
			F.	6,558	6,558					6,558					
152		Other causes peculiar to early infancy (total).	M.	4,848	4,848					4,848					
			F.	3,239	3,239					3,239					
		Injuries at birth	M.	2,790	2,790					2,790					
			F.	1,783	1,783					1,783					
		Other causes peculiar to early infancy[1]	M.	2,058	2,058					2,058					
			F.	1,456	1,456					1,456					
153		Lack of care	M.	94	94					94					
			F.	77	77					77					
		XII.—Old age		13,974											
		Males		6,125											
		Females		7,849											
154		Senility	M.	6,125											
			F.	7,849											
		XIII.—External causes		63,650	1,935	1,413	1,139	1,028	771	6,286	2,415	1,925	3,553	5,510	5,658
		Males		48,849	1,046	812	638	557	427	3,480	1,626	1,560	2,787	4,569	4,836
		Females		14,801	889	601	501	471	344	2,806	789	365	766	941	822
		Suicide (total)	M.	7,389								12	168	579	676
			F.	2,233								11	207	327	301
155		By poison	M.	1,833								2	46	180	183
			F.	1,094								3	128	227	174
156		By asphyxia	M.	682									10	41	61
			F.	331								1	21	34	36
157		By hanging or strangulation	M.	1,148								4	24	52	72
			F.	225									4	6	14
158		By drowning	M.	355								1	4	21	32
			F.	181								3	14	15	20
159		By firearms	M.	2,620								5	76	258	266
			F.	239								4	35	34	39
160		By cutting or piercing instruments	M.	548									3	18	48
			F.	75										4	8
161		By jumping from high places	M.	103									1	5	9
			F.	43									1	3	6
162		By crushing	M.	55									2	3	2
			F.	15									4	1	1
163		Other suicides	M.	45									2	1	3
			F.	30										3	3
		Accidental or undefined (total)	M.	38,335	976	803	633	553	417	3,382	1,608	1,500	2,447	3,510	3,578
			F.	11,786	824	597	496	466	340	2,723	776	345	466	483	399
164		Poisoning by food	M.	262	34	13	13	19	2	81	23	13	13	13	14
			F.	219	38	18	12	10	9	87	21	9	11	6	14
165		Other acute poisonings	M.	789	58	117	69	32	26	302	32	7	17	44	42
			F.	610	38	105	57	34	17	251	19	7	29	56	49
166		Conflagration	M.	486	17	14	18	16	20	85	28	16	16	34	18
			F.	383	16	15	9	16	9	65	30	14	72	52	18
167		Burns (conflagration excepted)	M.	1,891	92	304	283	245	129	1,053	117	36	46	61	67
			F.	2,676	85	226	275	285	204	1,075	324	81	98	100	102
168		Absorption of deleterious gases (conflagration excepted).	M.	1,472	267	14	7	8	2	298	25	23	60	87	115
			F.	671	239	7	4	3	2	255	12	15	25	34	35
169		Accidental drowning	M.	4,972	20	96	58	51	55	280	408	444	640	634	460
			F.	599	17	68	21	19	13	138	62	62	78	61	29
170		Traumatism by firearms	M.	1,166	2	6	12	11	14	45	78	206	231	157	103
			F.	161	4	5	10	4	4	27	23	29	28	12	7
171		Traumatism by cutting or piercing instruments.	M.	98	2	4		3	2	11	5	8	8	8	6
			F.	24		4	2	1	1	8	4	1	1		
172		Traumatism by fall	M.	5,603	69	102	64	58	40	333	166	119	169	278	334
			F.	3,302	62	54	29	30	21	196	82	34	25	29	47
173		Traumatism in mines and quarries (total).	M.	2,368							4	15	174	383	416
			F.	4							1			1	
		Traumatism in mines	M.	2,252							3	15	162	361	397
			F.	4							1			1	
		Traumatism in quarries	M.	116							1		12	22	19
			F.												
174		Traumatism by machines	M.	1,200		1		1	1	3	[illegible]	29	134	171	152
			F.	39			2		1	3	[illegible]	4	6	7	1
175		Traumatism by other crushing (total).	M.	12,185	23	42	59	81	100	305	[illegible]	412	695	1,244	1,359
			F.	1,387	20	25	37	45	35	162	[illegible]	65	57	93	65
		Railroad accidents and injuries	M.	7,217	5	15	13	8	15	56	[illegible]	145	469	918	970
			F.	479	4	10	5	3	5	27	[illegible]	28	30	43	26
		Street-car accidents and injuries	M.	1,570		6	18	16	16	56	[illegible]	62	[illegible]	106	134
			F.	313	4	2	8	18	8	40	2	4	[illegible]	18	12
		Automobile accidents and injuries	M.	1,026	2	4	4	15	16	41	[illegible]	[illegible]	[illegible]	68	70
			F.	265	2	2	5	3	4	16	1	1	2	20	17
		Injuries by other vehicles	M.	1,918	15	17	24	40	52	148	1	3	[illegible]	101	129
			F.	319	10	11	18	20	18	77	[illegible]	[illegible]	1	12	7
		Landslide (other crushing)	M.	454	1			2	1	4	1	1	2	51	56
			F.	11		1	1			2	1	3			1
176		Injuries by animals	M.	486	1	3	10	3	7	24	[illegible]	1	[illegible]	36	38
			F.	34	2		3		2	7	[illegible]	[illegible]	[illegible]	[illegible]	2
177		Starvation	M.	61	22	1	2			25	1	[illegible]	[illegible]	1	
			F.	33	17	2			1	20	[illegible]	3	[illegible]	[illegible]	
178		Excessive cold	M.	170			1			1	[illegible]	[illegible]	2	7	8
			F.	18							1	[illegible]	[illegible]	1	1

[1] Exclusive of injuries at birth.

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed Int. List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
																151
																152
																153
2	1	1	2	26	46	200	457	1,473	2,554	3,754	3,183	1,653	441	163	18	
	1			9	18	88	208	655	1,132	1,705	1,365	705	175	54	10	
2		1	2	17	28	112	249	818	1,422	2,049	1,818	948	266	109	8	
	1			9	18	88	208	655	1,132	1,705	1,365	705	175	54	10	154
2		1	2	17	28	112	249	818	1,422	2,049	1,818	948	266	109	8	
5,163	5,287	4,728	4,237	4,086	3,009	2,664	2,192	1,993	1,694	1,434	919	387	80	17	413	
4,436	4,584	4,113	3,633	3,447	2,470	2,099	1,573	1,248	871	643	345	124	23	2	380	
727	703	615	604	639	539	565	619	745	823	791	574	263	57	15	33	
753	820	807	788	801	631	491	359	224	135	79	20	5	2		39	155
255	248	178	192	151	114	85	78	42	26	10	5	1			2	
199	226	196	191	182	155	117	69	46	19	11	1	3			7	
135	111	65	87	47	39	28	27	12	10		1					
56	73	81	75	86	71	51	45	17	6	9						156
32	42	36	36	29	24	16	14	6	2		2					
92	86	137	100	135	120	103	86	70	30	19	6	1	2		9	157
26	20	26	21	23	24	17	17	10	9	6	1				1	
25	33	41	35	44	29	33	23	11	15	3	2	1			3	158
19	17	16	10	23	14	8	11	7	2	1					1	
295	309	259	287	278	203	137	99	60	41	29	5				13	159
26	34	19	18	16	6	4	1	2			1					
60	66	67	69	59	45	39	26	18	17	6	5				2	160
8	10	6	13	9	2	7	3	3	1	1						
14	14	15	27	7	1	9	6		2	2	1					161
6	6	3	4	2	3	1	4	1		2		1				
7	9	7	7	7	4	1		1	2						3	162
1	5		1			1			1							
5	4	4	7	3	4	1	5	1	3						2	163
2	3	7	2	2	2	3	1	1	1							
3,222	3,371	3,029	2,638	2,482	1,771	1,557	1,185	1,008	726	562	323	119	21	2	294	
380	[illegible]	379	385	465	401	473	537	698	794	780	569	262	57	15	28	
9	17	15	16	12	9	6	4	6	5	3	2				1	164
13	8	7	8	7	6	3	6	5	5	2	1					
37	57	55	36	50	31	34	17	15	6	2	2				3	165
40	37	23	16	17	23	12	8	8	9	1	1				4	
28	32	29	42	28	26	29	19	15	14	9	4	1		1	12	166
14	10	11	12	9	10	10	11	18	9	13	3				2	
83	70	62	69	55	31	32	30	26	26	18	4	1	1	1	2	167
[illegible]	78	84	91	96	78	68	92	71	72	35	23	5	2	4	6	
[illegible]	122	117	78	103	97	71	53	46	37	31	6	2			4	168
[illegible]	31	19	33	31	14	30	26	33	21	24	9	4				
65	384	328	278	260	166	96	70	43	14	13	9				80	169
35	21	28	25	15	7	9	6	7	3	4					9	
72	78	59	40	33	24	8	16	3	3		1				9	170
8	7	6	2	6	3	1		2								
9	9	9	6	8	2	4	2	2	1							171
1	1	2		1	2	1			1			1				
333	397	419	423	459	312	361	310	320	269	301	187	91	13		9	172
44	58	62	66	97	102	162	214	356	501	550	437	200	45	8	1	
357	317	252	195	113	72	31	23	8	4						4	173
1		1														
342	307	243	185	106	70	28	21	6	3						3	
1		1														
15	10	9	10	7	2	3	2	2	1						1	
159	134	108	97	73	49	33	25	13	3						4	174
4	2	3	2	1				1								
[illegible]	1,263	1,066	[illegible]	863	634	569	365	293	202	78	40	5	3		124	175
69	71	77	74	109	81	97	74	68	35	20	8	5			2	
841	847	682	543	480	316	293	159	115	100	36	15	3	1		115	
34	27	29	[illegible]	28	31	34	29	30	14	7	3	1			1	
133	135	142	116	131	110	94	69	49	31	14	13	2			1	
10	14	13	19	34	22	23	22	16	8	4	2	1				
79	73	[illegible]	76	60	55	51	39	35	14	5	5				1	
10	16	16	19	24	13	18	8	10	4	3	1	1				
103	153	128	128	150	126	115	89	91	55	22	7		2		5	
15	14	19	8	22	15	22	15	12	8	6	2	2			1	
52	55	53	36	42	27	16	9	3	2	1					2	
				1					1							
25	28	28	33	27	37	22	25	30	17	8		2			3	176
1	1	2	1	2		1	1	5	1	1						
2	2	2	2	5	3	3	6	5		1	2				1	177
1	2	1		1		2			3	2						
9	11	16	13	19	13	19	18	10	5	4	5	1			6	178
		1	1	1	1		4	2	2	1	1	2				

TABLE 5.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, FROM

Detailed List No.	CAUSE OF DEATH AND SEX.		All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	Under 5 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
	XIII.—External causes—Continued.													
	Accidental or undefined—Continued.													
179	Effects of heat	M	2,101	250	42	6	8	3	309	15	6	17	52	88
		F	1,064	198	28	15	2	5	248	9	3	9	16	12
180	Lightning	M	198	.....	.....	.....	.....	.....	.....	10	18	24	12	31
		F	42	1	.....	.....	.....	.....	1	3	5	4	2	4
181	Electricity (lightning excepted)	M	500	.....	.....	.....	1	.....	1	13	25	45	97	99
		F	13	.....	.....	.....	.....	2	2	1	2	1	1	2
185	Fractures (cause not specified)	M	235	3	.....	1	.....	1	5	2	8	6	16	13
		F	128	1	2	.....	.....	.....	3	.....	.....	.....	1	.....
186	Other external violence	M	2,092	116	44	30	16	15	221	80	75	114	175	215
		F	379	86	38	20	17	14	175	31	13	21	11	11
	Homicide (total)	M	3,125	70	9	5	4	10	98	18	48	172	480	582
		F	782	65	4	5	5	4	83	13	9	93	131	122
182	By firearms	M	1,928	3	1	2	.....	2	8	4	23	112	334	399
		F	419	1	2	.....	3	3	9	3	3	59	75	72
183	By cutting or piercing instruments	M	526	2	.....	.....	1	1	4	2	8	38	92	110
		F	112	3	.....	1	.....	.....	4	1	.....	10	22	22
184	By other means	M	671	65	8	3	3	7	86	12	17	22	54	73
		F	251	61	2	4	2	1	70	9	6	24	34	28
	XIV.—Ill-defined diseases		7,213	2,314	726	165	65	38	3,308	90	48	79	115	142
	Males		3,997	1,312	366	87	28	24	1,817	40	26	38	51	79
	Females		3,216	1,002	360	78	37	14	1,491	50	22	41	64	63
187	Ill-defined organic diseases	M	291	3	2	4	.....	3	12	3	3	7	2	5
		F	320	7	2	2	2	.....	13	3	3	6	8	8
188	Sudden death	M	225	46	5	4	1	.....	56	1	1	.....	6	8
		F	152	43	1	2	.....	.....	46	5	1	.....	.....	6
189	Not specified or ill-defined (total)	M	3,481	1,263	359	79	27	21	1,749	36	22	31	43	66
		F	2,744	952	357	74	35	14	1,432	42	18	35	56	49
	Ill-defined	M	1,968	377	317	54	24	11	783	21	14	18	19	44
		F	1,544	272	295	55	24	9	655	21	13	19	35	30
	Not specified or unknown	M	1,513	886	42	25	3	10	966	15	8	13	24	22
		F	1,200	680	62	19	11	5	777	21	5	16	21	19

EACH CAUSE AND CLASS OF CAUSES, BY SEX AND AGE OF DECEDENT: 1911—Continued.

DEATHS AT AGE OF—															Deaths at unknown age.	Detailed List No.
30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.		
121	165	224	204	180	144	132	121	111	83	67	43	11	3		5	179
29	29	29	33	56	53	61	80	96	95	95	64	33	8	2	4	
10	16	15	18	15	12	3	3	4		2					5	180
1	7	5	2	1	2	1	1	1		1	1					
85	42	39	20	18	4	8		2	1						1	181
			1		1	1			1							
18	23	26	16	19	14	15	10	14	8	7	7	5	1		2	185
1	1	5	3	2	5	5	7	20	20	28	16	9	1	1		
195	204	160	153	142	91	81	68	42	28	18	11				19	186
7	7	13	15	13	13	9	7	5	16	3	5	3	1			
461	393	277	207	164	68	51	29	16	10	2	2				47	
92	84	58	27	23	24	7	4	5	3	1					3	
296	246	163	126	98	39	28	14	8	3	2	1				24	182
57	49	38	19	14	13	4	1		1						2	
85	75	39	28	12	6	8	5	3	2						9	183
12	15	10	3	4	4	1	1	2	1							
80	72	75	53	54	23	15	10	5	5		1				14	184
23	20	10	5	5	7	2	2	3	1	1					1	
154	186	245	237	269	298	388	444	348	309	242	142	52	17	12	88	
76	106	139	151	181	182	237	248	181	164	128	[illegible]				58	
78	80	106	86	88	116	151	196	167	145	114	[illegible]	19	8	3		
											77	33	9	9	30	
3	5	13	16	17	20	21	26	36	37	33					2	187
6	15	18	16	9	11	30	25	50	40	25	20	7	3		2	
6	9	7	15	20	15	9	20	18	12		13	9	3	2	1	
8	5	8	6	5	5		12	13	7	4	5	1			1	188
67	92	119	120	144	100	196	202	127		5	7	2		3	55	
64	60	80	64	74	115	114	159	104	115	91	40	11	5	3	27	189
46	55	72	84	104	183	151	166	91	76	60	32	22	6	4	13	
36	42	57	51	47	[illegible]	88	131	70	68	48	30	5	1		5	
21	37	47	36	40	37	45	36	36	39	31	28	13	2	2	42	
28	18	23	13	27	1	26	28	34	30	36	10	6	4	3	22	
											24	9	4	2		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years	100 years and over.	Deaths at unknown age.
	THE REGISTRATION AREA.																		
	All causes	839,284	149,322	31,362	13,580	8,928	6,290	18,112	33,491	66,555	72,986	76,979	88,153	103,957	103,917	55,672	8,279	405	1,296
	I.—General diseases	228,602	14,791	8,923	5,725	4,315	3,127	8,789	15,738	32,133	30,829	27,660	26,966	24,768	17,520	6,225	736	29	328
1	Typhoid fever	12,451	85	127	159	136	168	747	2,551	3,502	2,148	1,245	829	486	203	29	2		34
2	Typhus fever	5		1						2		1	1						
3	Relapsing fever	2							1						1				
4	Malaria	1,802	152	119	84	53	37	104	166	217	194	176	155	154	132	44	2		13
5	Smallpox	130	31	5	5	2	2	6	13	18	15	10	6	10	3	4			
6	Measles	5,922	1,319	1,761	807	440	237	501	303	195	134	102	42	41	29	8			3
7	Scarlet fever	5,243	243	568	760	702	524	1,485	620	218	94	17	7	3	1				1
8	Whooping cough	6,682	3,687	1,611	598	317	159	243	32	11	3	1	2	4	5	2	1		6
9	Diphtheria and croup	11,174	887	1,769	1,682	1,521	1,196	2,778	883	204	129	62	26	18	10	2			7
10	Influenza	9,294	660	194	109	65	43	99	232	344	356	565	856	1,412	2,287	1,732	323	9	8
11	Miliary fever																		
12	Asiatic cholera								1			1							
13	Cholera nostras	1																	1
14	Dysentery	1,302	76	14	6	4	5	11	6	19	12	21	31	40	57	40	5		1
15	Plague	3	626	332	133	67	36	55	23	68	89	111	193	352	523	387	51	4	7
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	7			15	14	2	20	54	124	2	2							
19	Other epidemic diseases	2,510	744	49	15	7	6	20	18	8	189	275	281	285	280	154	20	1	3
		193	59	35	10						1	3	2	2			1		
20	Purulent infection and septicemia	1,913			3	28	18	92	146	225	209	224	219	196	160	63	11	2	6
21	Glanders	11		1						2	3								
22	Anthrax	14								1		1	3	1					
23	Rabies	83			4	5	4	25		7	10	3	1	1	2		1		
24	Tetanus	1,336	398	14	14	15	23	151	211	138	12	4	2	4	1	1			
25	Mycoses	37							3	4	12	112	73	51	15	5	1		3
26	Pellagra	659	3	4	2		1	11	24	103	152	139	108	70	34	6			2
27	Beriberi	7								4	3								
	Tuberculosis (total)	94,205	2,600	1,813	1,045	725	497	1,613	8,679	23,855	21,121	14,043	9,077	5,639	2,783	479	28	3	145
28	Tuberculosis of the lungs	78,514	365	504	298	199	128	579	6,815	21,219	19,157	12,694	8,063	5,030	2,426	404	24	3	131
29	Acute miliary tuberculosis	3,282	116	83	57	31	29	106	544	976	644	371	203	83	31	5			3
30	Tuberculosis meningitis	5,237	1,166	976	545	369	254	606	490	356	204	148	77	25	16	1			1
31	Abdominal tuberculosis	3,680	225	136	74	51	46	142	374	695	593	434	405	276	150	34	2		3
32	Pott's disease	853	40	25	24	33	16	67	128	146	115	88	71	61	30	7			2
33	White swellings	438	7	6	10	7	11	44	74	78	56	35	45	33	24	7			1
34	Tuberculosis of other organs	1,308	120	53	18	23	10	41	138	189	205	176	128	110	79	13	2		3
35	Disseminated tuberculosis	893	61	30	19	12	3	28	116	196	157	97	80	58	27	8			1
36	Rickets	508	289	103	40	23	10	8	6	5	4	5	2	6	4	2			6
37	Syphilis	3,821	1,787	104	30	15	10	28	61	358	459	428	299	160	64	12			
38	Gonococcus infection	222	88	6	2			2	14	53	29	12	8	5	3				
	Cancer and other malignant tumors (total)	44,024	43	36	48	37	26	80	211	782	2,775	6,968	10,623	11,473	8,154	2,505	217	5	41
39	Of the buccal cavity	1,727	2	3			1	4	8	17	52	188	401	454	397	177	19	2	4
40	Of the stomach, liver	17,365	12	8	8	4	5	9	31	151	690	2,289	4,410	5,182	3,005	896	51		12
41	Of the peritoneum, intestines, rectum	5,824	3	2	2	5	4	10	31	157	385	784	1,302	1,626	1,206	289	16		2
42	Of the female genital organs	6,707		1	3			3	12	144	767	1,760	1,868	1,322	659	153	10	1	5
43	Of the breast	4,264						2	3	45	375	971	1,056	903	624	254	25	2	5
44	Of the skin	1,619	2	2	3	1		5	11	20	29	100	225	361	462	338	53		
45	Of other organs or of organs not specified	6,518	24	20	32	27	16	47	115	248	477	876	1,361	1,625	1,201	398	43		8
46	Other tumors (tumors of the female genital organs excepted)	455	20	4	3	6	2	2	10	23	46	81	72	66	82	32	5	2	1
47	Acute articular rheumatism	3,545	30	26	33	40	47	419	627	338	331	341	377	411	361	139	13		5
48	Chronic rheumatism and gout	781			2	1		3	11	31	39	64	132	179	219	89	10		1
49	Scurvy	56	35	7	2	1			3	1	2	3	1	1				3	6
50	Diabetes	8,805	24	14	25	28	21	153	464	501	606	874	1,795	2,422	1,502	345	22		
51	Exophthalmic goiter	787						4	39	128	159	164	170	78	34	10	1		
52	Addison's disease	235							7	22	46	62	52	35	11				1
53	Leukemia	933	21	20	9	14	12	41	101	131	121	146	138	119	54	5			2
54	Anemia, chlorosis	2,813	188	70	20	10	12	29	106	174	260	394	601	573	292	72	10		3
55	Other general diseases	1,182	452	68	38	39	29	51	77	65	66	60	73	55	66	34	6		
56	Alcoholism (acute or chronic)	2,875						1	11	206	802	833	610	276	105	11			20
57	Chronic lead poisoning	145							2	16	29	37	33	25	3				
58	Other chronic occupation poisonings	11								2	2	2	2	3					2
59	Other chronic poisonings	309							5	26	51	62	59	54	37	12	1		
	II.—Diseases of the nervous system and of the organs of special sense	81,428	7,334	2,002	1,013	630	435	1,272	1,740	2,279	4,063	6,814	10,759	15,956	17,473	8,652	867	3	102
60	Encephalitis	792	139	39	21	24	20	42	71	89	69	97	66	58	40	12	3		2
61	Meningitis (total)	7,285	2,257	1,050	581	357	230	674	591	430	337	295	209	158	86	25	1		3
	Simple meningitis	4,690	1,561	641	363	213	138	368	302	251	226	226	158	139	77	23	1	1	2
	Cerebrospinal meningitis (undefined)	2,055	566	351	176	109	74	240	217	121	87	53	36	13	9	2			1
	Cerebrospinal fever	540	130	58	42	35	18	66	72	58	24	16	15	6					
62	Locomotor ataxia	1,624						2	4	16	111	309	492	420	231	36	2		
63	Other diseases of the spinal cord (total)	3,932	255	237	142	110	64	172	178	132	211	316	491	758	649	202	13		2
	Acute anterior poliomyelitis	1,060	210	215	129	98	57	148	102	34	12	14	16	16	6	2			1
	Other diseases of the spinal cord [1]	2,872	45	22	13	12	7	24	76	98	199	302	475	742	643	200	13		1
64	Cerebral hemorrhage, apoplexy	44,274	461	69	34	25	22	47	155	440	1,320	3,264	6,877	11,514	12,915	6,427	632	3	49

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

THE REGISTRATION AREA—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	[illegible]	[illegible]	90 to 99 years.	100 years and over.	Deaths at unknown age.
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
65	Softening of the brain	1,035			1		2	5	4	11	34	45	111	231	357	209	25		
66	Paralysis without specified cause	6,359	44	17	10	10	6	20	35	73	163	386	717	1,445	2,037	1,227	145	10	14
67	General paralysis of the insane	3,988						1	6	86	697	1,024	826	550	520	240	26	1	11
68	Other forms of mental alienation	1,371			1			1	23	141	199	250	269	230	175	68	6		8
69	Epilepsy	2,329	63	28	18	12	13	82	319	450	435	315	236	180	129	40	2		7
70	Convulsions (nonpuerperal)	186						37	26	44	37	16	5	6	10	4			1
71	Convulsions of infants	4,231	3,643	391	117	48	32												
72	Chorea	116	6	3	3			10	43	11	2	6	9	8	8	5	1		1
73	Neuralgia and neuritis	440	2	1				3	8	31	60	64	78	75	75	39	3		
74	Other diseases of the nervous system	2,273	189	60	22	15	24	80	145	199	305	357	297	257	205	108	6	1	3
75	Diseases of the eyes and their annexa	55	18	2	5	2	2	2		2		4		8	5	2	2		1
76	Diseases of the ears	1,138	257	105	58	27	19	9	132	124	83	66	76	58	31	8			
	III.—Diseases of the circulatory system	109,830	1,407	200	141	145	157	1,116	2,784	3,906	6,394	9,974	15,556	24,546	27,551	14,083	1,705	58	107
77	Pericarditis	747	12	8	3	4	11	31	56	60	68	76	108	124	131	50	3		2
78	Acute endocarditis	4,489	178	30	34	39	39	214	413	501	684	894	1,183	139	104	32	2		3
79	Organic diseases of the heart	83,525	853	119	81	88	90	830	2,191	2,958	4,919	7,767	11,850	19,861	21,074	9,705	1,012	35	92
80	Angina pectoris	4,212	4	1	1	2		4	25	94	188	374	803	1,218	1,088	381	25	1	3
81	Diseases of the arteries, atheroma, aneurism, etc.	13,789	16				1	2	22	64	247	517	1,196	2,714	4,694	3,664	626	20	6
82	Embolism and thrombosis	2,016	42	6	5	1	7	10	38	161	205	258	329	392	354	177	28	2	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	352	5		1			2	6	29	44	63	55	51	55	37	4		
84	Diseases of the lymphatic system (lymphangitis, etc.)	326	152	32	16	10	8	14	22	11	13	10	5	15	7	10	1		
85	Hemorrhage; other diseases of the cirulatory system	374	145	4		1	1	9	11	28	26	15	27	32	44	27	4		
	IV.—Diseases of the respiratory system	99,650	22,629	8,419	3,193	1,626	977	2,038	2,593	4,643	6,195	7,410	8,721	10,793	11,862	7,305	1,107	44	95
86	Diseases of the nasal fossae	133	50	11	7	3	1	15	6	7	3	1	3	2	7	12	5		
87	Diseases of the larynx	824	209	120	89	70	40	85	32	23	33	29	25	19	29	16	2		3
88	Diseases of the thyroid body	266	12	1	1		1	3	16	27	28	54	42	43	24	13	1		
89	Acute bronchitis	6,482	3,589	782	291	101	77	88	41	33	57	65	110	221	442	471	106	7	1
90	Chronic bronchitis	5,077	95	35	21	7	4	42	49	135	139	230	423	867	1,498	1,282	238	9	3
91	Bronchopneumonia	26,365	10,652	4,200	1,391	671	354	622	336	392	467	659	976	1,661	2,237	1,515	217	7	8
92	Pneumonia (total)	52,868	7,311	3,068	1,273	713	452	1,083	1,909	3,554	4,885	5,565	6,164	[illegible]	6,321	3,205	403	16	74
	Lobar pneumonia	28,553	2,465	1,332	600	331	226	530	1,071	2,260	3,241	3,650	3,929	4,080	3,265	1,385	154	6	22
	Pneumonia (undefined)	24,315	4,846	1,736	673	382	226	553	838	1,294	1,644	1,915	2,235	2,786	[illegible]	1,820	249	10	52
93	Pleurisy	2,160	99	111	71	37	25	54	109	221	245	280	313	250	236	97	11	1	
94	Pulmonary congestion, pulmonary apoplexy	2,341	483	59	26	10	12	19	34	62	91	124	153	247	466	451	99	2	3
95	Gangrene of the lung	187	2	2	2	4	2	3	11	26	16	32	30	38	15	3			
96	Asthma	1,578	22	11	9	7	2	9	4	32	74	158	256	369	425	180	17	2	1
97	Pulmonary emphysema	163	6	2	3		2	4	5	7	13	14	16	38	38	13	2		
98	Other diseases of the respiratory system (tuberculosis excepted)	1,206	99	17	9	3	5	11	41	124	144	199	210	166	124	47	5		2
	V.—Diseases of the digestive system	98,601	42,711	9,051	1,851	865	597	1,652	2,693	3,987	4,974	6,100	6,803	7,129	6,567	3,117	433	18	53
99	Diseases of the mouth and annexa	366	224	36	10	2	3	16	10	8	6	8	9	14	11	7	1	1	
100	Diseases of the pharynx	952	124	64	48	60	42	142	102	103	58	46	51	36	35	35	5		1
101	Diseases of the esophagus	142	12	6	9	3	2	4	3	5	7	13	19	22	26	10	1		
102	Ulcer of the stomach	2,143	16	4	3	3	5	7	49	231	323	398	377	375	269	75	7		1
103	Other diseases of the stomach (cancer excepted)	8,774	2,892	335	123	66	51	121	125	279	391	557	649	955	1,242	832	137	4	15
104	Diarrhea and enteritis (under 2 years)	45,868	37,579	8,289															
105	Diarrhea and enteritis (2 years and over)	8,108			1,423	511	298	413	179	331	415	509	635	947	1,380	899	150	9	9
106	Ankylostomiasis	15				1		4	4		2	1	2	1					
107	Intestinal parasites	90	14	15	17	13	9	7	4	3	3	2	2	1					
108	Appendicitis and typhlitis	6,896	32	27	31	65	84	588	1,531	1,470	1,127	835	588	328	144	35	3	1	7
109	Hernia, intestinal obstruction (total)	7,061	1,021	138	89	74	52	150	210	457	581	725	947	1,113	1,010	433	53	1	7
	Hernia	2,369	178	17	8	6	3	8	24	97	162	285	428	516	430	187	16		4
	Intestinal obstruction	4,692	843	121	81	68	49	142	186	360	419	440	519	597	580	246	37	1	3
110	Other diseases of the intestines	1,785	424	48	22	10	13	29	49	125	163	161	162	197	221	135	24		2
111	Acute yellow atrophy of the liver	302	26	2	2	1	1	6	10	52	33	39	43	49	29	8	1		
112	Hydatid tumor of the liver	24					2		1	4	6	4	2	2	3				
113	Cirrhosis of the liver	8,310	21	11	10	7	2	23	52	194	898	1,673	2,030	1,840	1,221	301	20	1	6
114	Biliary calculi	1,749							3	46	167	288	427	437	295	78	7		1
115	Other diseases of the liver	3,076	150	22	20	15	9	29	79	202	318	459	536	532	483	203	18		1
116	Diseases of the spleen	124	3	1	3	2			4	14	17	20	20	24	10	6			
117	Simple peritonitis (nonpuerperal)	2,349	162	52	39	29	21	108	254	425	383	264	212	196	144	51	6	1	2
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	467	11	1	2	3	3	5	24	38	76	98	92	60	44	9			1
	[illegible]nvenereal diseases of the [illegible]ito-urinary system and [illegible]xa	67,348	954	273	220	165	131	507	1,215	3,623	5,903	8,533	11,209	13,898	13,857	6,082	683	25	70
	[illegible]	5,956	424	147	128	93	69	253	320	651	801	837	807	651	539	210	23	1	2
	[illegible]	51,847	332	102	83	65	56	239	707	1,913	3,782	6,397	9,446	12,014	11,401	4,712	518	20	60
	[illegible]	1								1									
	[illegible]	1,343	123	18	6	4	4	9	26	92	135	166	184	211	216	130	19		
	[illegible]	361	3		1	2	1	4	10	20	40	51	67	70	69	22	1		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	THE REGISTRATION AREA—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
124	Diseases of the bladder	1,532	33	2	1		1	1	4	27	41	51	120	215	532	438	62	3	1
125	Diseases of the urethra, urinary abscess, etc.	285	5	2				1	3	25	39	66	49	43	39	13			
126	Diseases of the prostate	2,175								10	7	30	135	483	930	520	55	1	4
127	Nonvenereal diseases of the male genital organs	49	20			1				4	3	6	2	4	7	1	1		
128	Uterine hemorrhage (nonpuerperal)	76							4	13	23	24	3	5	3				1
129	Uterine tumor (noncancerous)	892		1					1	52	201	345	155	80	43	13	1		
130	Other diseases of the uterus	770							46	181	207	192	95	25	15	6	1		2
131	Cysts and other tumors of the ovary	628		1					9	81	135	138	107	86	54	15	2		
132	Salpingitis and other diseases of the female genital organs	1,401	3		1				83	550	485	228	36	8	6	1			
133	Nonpuerperal diseases of the breast (cancer excepted)	32	11						2	3	4	2	3	3	3	1			
	VII.—The puerperal state	9,456							785	4,316	3,593	741	9						12
134	Accidents of pregnancy	908							33	330	434	60	1						1
135	Puerperal hemorrhage	851							36	298	404	112							2
136	Other accidents of labor	911							39	375	393	101	1						5
137	Puerperal septicemia	4,376							402	2,143	1,537	283	6						
138	Puerperal albuminuria and convulsions	2,094							263	981	700	146							4
139	Puerperal phlegmasia alba dolens, embolus, sudden death	266							10	115	108	33							
140	Following childbirth (not otherwise defined)	48							1	23	17	6	1						
141	Puerperal diseases of the breast	2							1	1									
	VIII.—Diseases of the skin and of the cellular tissue	3,010	518	59	21	15	11	30	51	80	109	156	266	408	630	505	113	2	6
142	Gangrene	1,656	49	11	8	5	7	13	6	23	28	58	131	272	517	429	92	2	5
143	Furuncle	285	64	6	2	2		2	7	18	21	30	49	42	27	12	3		
144	Acute abscess	456	157	25	7	5	2	12	26	26	33	35	43	46	21	14	4		
145	Other diseases of the skin and annexa	613	278	17	4	3	2	3	12	13	27	33	43	48	65	50	14		1
	IX.—Diseases of the bones and of the organs of locomotion	1,365	128	57	47	29	19	126	205	133	124	134	129	112	86	29	5		2
146	Diseases of the bones (tuberculosis excepted)	1,187	118	56	43	28	18	118	200	117	109	116	109	81	56	14	2		2
147	Diseases of the joints (tuberculosis and rheumatism excepted)	121	9	1	4	1	1	7	4	14	12	15	15	15	13	7	3		
148	Amputations	5										2		2	1				
149	Other diseases of the organs of locomotion	52	1					1	1	2	3	1	5	14	16	8			
	X.—Malformations	8,465	7,879	239	65	45	27	77	82	30	9	7	1	2					2
150	Congenital malformations (stillbirths not included) (total)	8,465	7,879	239	65	45	27	77	82	30	9	7	1	2					2
	Hydrocephalus	736	548	90	17	13	14	27	21	5		1							
	Congenital malformations of the heart	5,069	4,801	94	27	19	8	40	50	16	6	3	1	2					2
	Other congenital malformations	2,660	2,530	55	21	13	5	10	11	9	3	3							
	XI.—Early infancy	46,692	46,692																
151	Congenital debility, icterus, and sclerema (total)	38,434	38,434																
	Premature birth	23,539	23,539																
	Congenital debility, "atrophy," "marasmus," etc.	14,895	14,895																
152	Other causes peculiar to early infancy (total)	8,087	8,087																
	Injuries at birth	4,573	4,573																
	Other causes peculiar to early infancy [1]	3,514	3,514																
153	Lack of care	171	171																
	XII.—Old age	13,974									3	3	72	657	4,027	6,937	2,094	163	18
154	Senility	13,974									3	3	72	657	4,027	6,937	2,094	163	18
	XIII.—External causes	63,650	1,935	1,413	1,139	1,028	771	2,415	5,478	11,168	10,450	8,965	7,095	4,856	3,687	2,353	467	17	413
	Suicide (total)	9,622							398	1,883	2,076	1,965	1,697	1,013	427	114	8		41
155	By poison	2,927							179	764	671	539	423	241	87	13	3		7
156	By asphyxia	1,013							32	172	203	228	210	126	31	11			
157	By hanging or strangulation	1,373							32	144	224	284	302	223	119	32	3		10
158	By drowning	536							22	88	94	102	109	75	35	6	1		4
159	By firearms	2,859							120	597	664	583	503	241	103	35			13
160	By cutting or piercing instruments	623							3	78	144	155	115	75	39	12			2
161	By jumping from high places	146							2	23	40	39	13	20	3	5	1		
162	By crushing	70							6	7	22	15	11	2	4				3
163	Other suicides	75							2	10	14	20	11	10	6				2
	Accidental or undefined (total)	50,121	1,800	1,400	1,129	1,019	757	2,384	4,758	7,970	7,344	6,431	5,119	3,752	3,226	2,234			
164	Poisoning by food	481	72	31	25	29	11	44	46	47	47	46	34	19	21	8			
165	Other acute poisonings	1,399	96	222	126	66	43	51	60	191	171	130	121	71	38				
166	Conflagration	869	33	29	27	32	29	58	118	122	84	94	73	69	56				
167	Burns (conflagration excepted)	4,567	177	530	558	530	333	441	261	330	322	306	260						

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	THE REGISTRATION AREA—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Contd.																		
168	Absorption of deleterious gases (conflagration excepted)	2,143	506	21	11	11	4	37	123	271	270	247	245	180	137	70	6		4
169	Accidental drowning	5,571	37	164	79	70	68	470	1,224	1,184	805	659	448	181	67	26			89
170	Traumatism by firearms	1,327	6	11	22	15	18	101	494	279	165	107	66	25	8	1			9
171	Traumatism by cutting or piercing instruments	122	2	8	2	4	3	9	18	14	20	17	13	7	4		1		
172	Traumatism by fall	8,905	131	156	93	88	61	234	347	688	832	970	970	1,047	1,446	1,475	349	8	10
173	Traumatism in mines and quarries (total)	2,372						5	189	800	675	448	185	54	12				4
	Traumatism in mines	2,256						4	177	759	650	429	176	49	9				3
	Traumatism in quarries	116						1	12	41	25	19	9	5	3				1
174	Traumatism by machines	1,239		1	2	1	2	18	173	331	299	210	123	58	17				4
175	Traumatism by other crushing (total)	13,572	43	67	96	126	135	713	1,229	2,761	2,611	2,116	1,687	1,105	598	146	13		126
	Railroad accidents and injuries	7,696	9	25	18	11	20	142	672	1,957	1,749	1,282	855	515	259	61	5		116
	Street-car accidents and injuries	1,883	4	8	26	34	24	141	146	272	292	290	297	208	104	33	3		1
	Automobile accidents and injuries	1,291	4	6	9	18	20	189	173	175	178	172	152	116	63	14	1		1
	Injuries by other vehicles	2,237	25	28	42	60	70	224	204	249	285	283	313	241	166	37	4		6
	Landslide, other crushing	465	1		1	3	1	17	34	108	107	89	70	25	6	1			2
176	Injuries by animals	520	3	3	13	3	9	37	75	76	55	64	66	49	53	9	2		3
177	Starvation	94	39	3	2		1		2	1	7	5	9	11	8	5			1
178	Excessive cold	188			1			2	3	17	20	31	34	41	19	11	3		6
179	Effects of heat	3,165	448	70	21	10	8	24	35	168	344	490	433	394	385	269	55	2	9
180	Lightning	240	1					13	51	49	34	40	30	8	5	4			5
181	Electricity (lightning excepted)	513				1	2	14	73	199	127	60	23	9	4				1
185	Fractures (cause not specified)	363	4	2	1		1	2	14	30	43	50	40	37	62	58	16	1	2
186	Other external violence	2,471	202	82	50	33	29	111	223	412	413	341	259	165	91	37	4		19
	Homicide (total)	3,907	135	13	10	9	14	31	322	1,315	1,030	569	279	91	34	5			50
182	By firearms	2,347	4	3	2	3	5	7	197	880	648	346	164	47	12	3			26
183	By cutting or piercing instruments	638	5		1	1	1	3	56	246	187	80	26	15	8				9
184	By other means	922	126	10	7	5	8	21	69	189	195	143	89	29	14	2			15
	XIV.—Ill-defined diseases	7,213	2,314	726	165	65	38	90	127	257	340	482	567	832	657	384	69	12	88
187	Ill-defined organic disease	611	10	4	6	2	3	6	19	23	29	63	57	102	163	96	22	2	4
188	Sudden death	377	89	6	6	1		6	2	20	28	36	45	59	50	21	3	3	2
189	Not specified or ill-defined (total)	6,225	2,215	716	153	62	35	78	106	214	283	383	465	671	444	267	44	7	82
	Ill-defined	3,512	649	612	109	48	20	42	64	128	179	264	349	536	305	166	21	2	18
	Not specified or unknown	2,713	1,566	104	44	14	15	36	42	86	104	119	116	135	139	101	23	5	64
	REGISTRATION STATES.[1]																		
	All causes	756,777	134,949	27,933	12,003	7,875	5,599	16,138	29,666	57,712	63,753	67,446	78,652	95,469	97,500	52,657	7,844	341	1,240
	I.—General diseases	205,498	13,370	8,069	5,087	3,815	2,787	7,854	13,973	28,113	27,278	24,427	24,345	22,875	16,559	5,905	696	29	316
1	Typhoid fever	11,096	71	109	147	118	149	659	2,253	3,081	1,923	1,116	757	457	192	28	2		34
2	Typhus fever																		
3	Relapsing fever	2							1						1				
4	Malaria	1,322	135	98	61	40	28	84	120	120	120	115	114	124	114	34	2		13
5	Smallpox	95	27	4	4	2	2	4	7	8	9	7	5	10	2	4			
6	Measles	5,395	1,224	1,592	722	397	213	449	282	178	123	95	40	40	29	8			3
7	Scarlet fever	4,646	222	502	685	610	460	1,323	546	188	85	13	7	3	1				1
8	Whooping cough	6,102	3,393	1,486	510	284	144	221	31	9	3	1	2	4	5	2	1		6
9	Diphtheria and croup	9,958	803	1,559	1,485	1,331	1,066	2,491	814	185	115	56	21	15	8	2			7
10	Influenza	8,595	603	179	91	59	41	88	207	300	321	474	762	1,315	2,176	1,656	308	9	6
11	Miliary fever																		
12	Asiatic cholera	2							1			1							
13	Cholera nostras	321	71	14	6	4	4	10	6	18	9	15	29	38	53	39	4		1
14	Dysentery	2,650	545	292	122	62	28	47	15	49	68	78	149	298	476	363	47	4	7
15	Plague	1						1											
16	Yellow fever																		
17	Leprosy	7							1	2	2	2							
18	Erysipelas	2,298	703	46	14	10	1	19	49	111	161	248	255	261	258	142	17	1	2
19	Other epidemic diseases	179	52	33	15	7	6	23	17	8	11	3	2	1			1		
20	Purulent infection and septicemia	1,678	218	46	26	22	15	90	126	181	174	182	192	171	157	60	10	2	6
21	Glanders	11		1						2	3	1	3	1					
22	Anthrax	11									4	2	1	1	2		1		
23	Rabies	69			3	4	2	20	14	6	8	4	2	4	1	1			
24	Tetanus	1,001	239	11	11	11	21	115	168	113	86	96	62	45	15	5	1		2
25	Mycoses	30							3	3	6	5	4	5	3	1			
26	Pellagra	322	2	4	2			7	11	41	76	68	49	40	16	4			2
27	Beriberi	5								3	2								
	Tuberculosis (total)	84,624	2,443	1,696	961	665	456	1,457	7,704	21,046	18,882	12,499	8,257	5,275	2,659	452	28	3	141
28	Tuberculosis of the lungs	70,273	808	455	270	179	118	513	6,013	18,695	17,105	11,290	7,325	4,637	2,325	386	24	3	127
29	Acute miliary tuberculosis	2,964	114	81	50	27	27	92	489	868	574	338	189	76	31	5			3
30	Tuberculous meningitis	4,858	1,099	923	507	344	234	557	446	317	185	134	71	25	14	1			1
31	Abdominal tuberculosis	3,306	214	126	68	46	40	127	338	611	530	374	368	292	137	30	2		3
32	Pott's disease	798	40	25	21	31	16	65	121	132	107	80	67	57	28	6			2
33	White swellings	401	7	6	10	7	10	41	65	68	52	33	43	30	22	6			1
34	Tuberculosis of other organs	1,203	105	51	16	19	9	39	125	174	191	161	120	103	75	10	2		3
35	Disseminated tuberculosis	821	56	29	19	12	2	23	107	181	138	89	74	55	27	8			1

[1] Including District of Columbia.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	REGISTRATION STATES[1]—Continued.																		
	I.—General diseases—Continued.																		
36	Rickets	452	255	92	34	20	9	7	6	5	4	5	2	6	4	2			1
37	Syphilis	3,153	1,542	91	25	13	7	21	45	269	343	336	250	138	58	10			5
38	Gonococcus infection	192	77	5	2			2	13	43	27	9	6	5	3				
	Cancer and other malignant tumors (total)	40,229	35	31	43	32	24	72	183	669	2,433	6,156	9,604	10,608	7,701	2,388	206	5	39
39	Of the buccal cavity	1,576	2	2			1	4	7	15	46	160	352	427	373	165	18		4
40	Of the stomach, liver	15,896	7	7	7	3	5	8	26	125	602	2,013	3,985	4,773	3,417	853	51	2	12
41	Of the peritoneum, intestines, rectum	5,385	2	2	2	3	4	8	28	134	344	698	1,197	1,515	1,155	278	14		1
42	Of the female genital organs	5,997		1	2			3	8	119	654	1,539	1,680	1,208	623	147	9		4
43	Of the breast	3,923						2	2	36	340	881	965	845	580	242	24	1	5
44	Of the skin	1,496	2	2	3	1		4	10	19	24	89	198	340	427	320	50	2	5
45	Of other organs or of organs not specified	5,956	22	17	29	25	14	43	102	221	423	776	1,227	1,500	1,126	383	40		8
46	Other tumors (tumors of the female genital organs excepted)	395	19	4	3	6	1	1	10	16	29	66	65	61	77	31	5		1
47	Acute articular rheumatism	3,210	27	25	31	38	41	377	572	296	294	304	331	381	342	128	16	2	5
48	Chronic rheumatism and gout	735			1	1		3	11	29	34	56	122	169	214	84	10		1
49	Scurvy	54	34	6	2	1			3	1	2	3	1	1					
50	Diabetes	8,173	23	12	22	23	18	144	438	457	550	800	1,658	2,252	1,424	323	20	3	6
51	Exophthalmic goiter	701						3	37	108	142	148	152	70	31	9	1		
52	Addison's disease	220							5	19	42	58	50	35	11				
53	Leukemia	859	17	18	8	12	11	40	93	121	107	136	130	111	50	4			1
54	Anemia, chlorosis	2,590	178	60	18	9	12	26	91	150	245	355	547	544	273	71	9		2
55	Other general diseases	1,075	412	53	33	34	28	49	75	58	58	53	66	51	64	33	6		2
56	Alcoholism (acute or chronic)	2,625						1	9	181	714	770	561	259	101	9			20
57	Chronic lead poisoning	133							2	15	25	36	29	23	3				
58	Other chronic occupation poisonings	11								2	2	2	2	3					
59	Other chronic poisonings	271							4	22	36	53	56	50	35	12	1		2
	II.—Diseases of the nervous system and of the organs of special sense	75,333	6,755	1,845	920	570	394	1,142	1,560	1,986	3,603	6,067	9,773	14,850	16,607	8,304	829	29	99
60	Encephalitis	696	129	35	20	24	17	35	63	74	54	80	59	52	37	12	3		2
61	Meningitis (total)	6,514	2,052	957	523	319	213	597	509	356	281	254	190	152	82	25	1		3
	Simple meningitis	4,251	1,426	589	334	191	129	329	265	215	197	197	147	133	73	23	1		2
	Cerebrospinal meningitis (undefined)	1,835	510	319	151	102	67	220	191	104	68	46	32	13	9	2			1
	Cerebrospinal fever	428	116	49	38	26	17	48	53	37	16	11	11	6					
62	Locomotor ataxia	1,471						2	4	12	98	272	435	391	219	35	2	1	
63	Other diseases of the spinal cord (total)	3,704	241	222	135	105	61	159	166	122	202	288	455	718	622	193	13		2
	Acute anterior poliomyelitis	1,005	197	202	123	93	55	138	98	33	12	14	15	16	6	2			1
	Other diseases of the spinal cord [2]	2,699	44	20	12	12	6	21	68	89	190	274	440	702	616	191	13		1
64	Cerebral hemorrhage, apoplexy	41,336	430	67	32	20	19	41	135	376	1,165	2,912	6,260	10,737	12,289	6,176	609	19	49
65	Softening of the brain	957			1		2	5	4	10	28	40	92	214	338	200	23		
66	Paralysis without specified cause	5,747	41	15	6	9	5	18	33	59	122	303	610	1,294	1,910	1,168	134	7	13
67	General paralysis of the insane	3,691							4	76	639	934	765	510	498	229	24	1	11
68	Other forms of mental alienation	1,290			1				21	126	178	236	260	220	168	66	6		8
69	Epilepsy	2,176	59	26	17	11	12	82	294	419	401	295	215	173	124	40	2		6
70	Convulsions (nonpuerperal)	160						32	19	40	31	13	5	5	10	4			1
71	Convulsions of infants	3,902	3,368	361	104	43	26												
72	Chorea	106	6	3	3			9	37	11	2	6	8	6	8	5	1		1
73	Neuralgia and neuritis	408	2	1			1	2	7	24	55	57	75	71	71	39	3		
74	Other diseases of the nervous system	2,074	172	58	21	15	21	71	137	168	271	314	274	243	197	102	6	1	3
75	Diseases of the eyes and their annexa	49	16	2	5	1	1	2		2		3		8	5	2	2		
76	Diseases of the ears	1,052	239	98	52	23	16	87	127	111	76	60	70	56	29	8			
	III.—Diseases of the circulatory system	100,220	1,310	180	126	123	133	986	2,479	3,334	5,432	8,614	13,847	22,707	25,878	13,324	1,592	49	106
77	Pericarditis	672	11	7	3	3	10	26	53	48	57	64	93	119	124	49	3		2
78	Acute endocarditis	3,850	167	27	30	30	34	182	367	415	571	775	1,010	122	86	29	2		3
79	Organic diseases of the heart	76,413	796	107	74	79	74	746	1,950	2,547	4,184	6,701	10,599	18,391	19,868	9,226	950	29	92
80	Angina pectoris	3,931	4	1	1	1		3	23	82	168	343	740	1,153	1,031	352	25	1	3
81	Diseases of the arteries, atheroma, aneurism, etc	12,587	14				1	2	19	50	199	429	1,035	2,477	4,337	3,423	578	18	5
82	Embolism and thrombosis	1,820	36	6	4	1	6	8	36	138	181	224	293	357	328	173	27	1	1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	314	5		1			2	4	24	39	54	49	44	53	36	3		
84	Diseases of the lymphatic system (lymphangitis, etc.)	295	144	28	13	8	7	10	17	9	12	10	4	15	7	10	1		
85	Hemorrhage; other diseases of the circulatory system	338	133	4		1	1	7	10	21	21	14	24	29	44	26	3		
	IV.—Diseases of the respiratory system	89,328	20,457	7,525	2,792	1,411	847	1,772	2,228	3,826	5,307	6,441	7,724	9,855	11,092	6,873	1,049	38	91
86	Diseases of the nasal fossae	124	43	11	7	3	1	15	5	6	3	1	3	2	7	12	5		
87	Diseases of the larynx	770	200	112	84	65	37	77	30	22	30	25	22	18	28	15	2		3
88	Diseases of the thyroid body	231	10	1	1		1	3	13	19	25	48	33	40	24	12	1		
89	Acute bronchitis	6,129	3,421	726	262	97	72	82	33	26	49	56	101	203	424	464	106	6	1
90	Chronic bronchitis	4,709	88	34	18	6	4	38	39	95	110	198	382	808	1,423	1,225	230	8	3

[1] Including District of Columbia.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	REGISTRATION STATES[1]—Continued.																		
	IV.—Diseases of the respiratory system—Continued.																		
91	Bronchopneumonia	23,717	9,554	3,764	1,215	577	302	534	287	323	410	596	877	1,536	2,104	1,417	206	7	8
92	Pneumonia (total)	46,764	6,490	2,699	1,095	607	387	933	1,637	2,950	4,181	4,809	5,437	6,236	5,868	2,982	370	12	71
	Lobar pneumonia	25,903	2,294	1,233	558	298	207	480	959	1,950	2,844	3,253	3,530	3,751	3,082	1,291	147	4	22
	Pneumonia (undefined)	20,861	4,196	1,466	537	309	180	453	678	1,000	1,337	1,556	1,907	2,485	2,786	1,691	223	8	49
93	Pleurisy	1,936	92	95	66	34	23	49	102	187	215	244	276	230	220	91	11	1	
94	Pulmonary congestion, pulmonary apoplexy	2,133	441	54	23	10	10	18	28	53	76	107	130	220	435	428	96	2	2
95	Gangrene of the lung	166	2	2	1	4	2	3	9	22	16	31	24	33	14	3			
96	Asthma	1,412	21	11	8	7	2	7	4	24	58	137	223	338	388	166	15	2	1
97	Pulmonary emphysema	155	6	2	3		1	4	5	7	13	13	15	35	37	12	2		
98	Other diseases of the respiratory system (tuberculosis excepted)	1,082	89	14	9	1	5	9	36	92	121	176	201	156	120	46	5		2
	V.—Diseases of the digestive system	86,910	37,657	7,826	1,590	759	535	1,448	2,355	3,318	4,167	5,200	5,937	6,510	6,176	2,955	415	13	49
99	Diseases of the mouth and annexa	331	205	30	9	2	3	14	9	6	6	8	8	13	9	7	1	1	
100	Diseases of the pharynx	879	112	59	43	58	40	132	97	88	55	40	51	32	33	34	4		1
101	Diseases of the esophagus	128	11	5	8	2	2	3	1	5	7	12	19	19	25	8	1		
102	Ulcer of the stomach	1,902	14	4	3	3	5	7	40	204	280	344	331	339	248	73	6		1
103	Other diseases of the stomach (cancer excepted)	7,932	2,724	300	107	55	46	109	103	198	310	449	553	864	1,176	791	130	3	14
104	Diarrhea and enteritis (under 2 years)	40,018	32,877	7,141															
105	Diarrhea and enteritis (2 years and over)	7,145			1,207	443	261	348	152	274	344	432	552	841	1,290	842	144	7	8
106	Ankylostomiasis	15				1		4	4		2	1	2	1					
107	Intestinal parasites	82	13	14	17	12	9	6	4	2	1	1	2	1					
108	Appendicitis and typhlitis	6,018	32	27	30	56	78	519	1,358	1,251	963	717	513	295	137	33	3		6
109	Hernia, intestinal obstruction (total)	6,291	927	124	83	63	44	131	182	371	478	623	824	1,025	945	411	52	1	7
	Hernia	2,090	160	15	8	4	2	7	23	75	128	242	366	467	397	177	15		4
	Intestinal obstruction	4,201	767	109	75	59	42	124	159	296	350	381	458	558	548	234	37	1	3
110	Other diseases of the intestines	1,634	391	43	19	9	12	29	45	113	143	139	144	182	208	132	24		1
111	Acute yellow atrophy of the liver	273	25	2	2	1	1	6	9	45	28	37	34	48	27	7	1		
112	Hydatid tumor of the liver	21					2		1	4	6	2	1	2	3				
113	Cirrhosis of the liver	7,392	18	11	7	7	2	22	46	157	756	1,442	1,775	1,686	1,156	282	19		6
114	Biliary calculi	1,576							3	39	147	257	376	397	275	74	7		1
115	Other diseases of the liver	2,728	139	20	16	14	9	22	65	170	256	381	467	502	454	195	17		1
116	Diseases of the spleen	113	2	1	3	2			4	12	16	16	18	23	10	6			
117	Simple peritonitis (nonpuerperal)	2,002	156	44	34	28	18	92	210	343	304	210	183	181	139	51	6	1	2
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	430	11	1	2	3	3	4	22	36	65	89	84	59	41	9			1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	59,676	875	233	179	140	109	436	1,070	3,049	4,984	7,300	9,715	12,430	12,751	5,675	643	20	67
119	Acute nephritis	5,200	388	125	103	85	55	221	285	549	671	699	707	583	509	195	23		2
120	Bright's disease	45,962	308	84	67	49	50	203	627	1,627	3,217	5,462	8,167	10,739	10,446	4,363	480	16	57
121	Chyluria	1								1									
122	Other diseases of the kidneys and annexa	1,215	111	18	6	4	3	8	23	76	114	152	163	190	203	125	19		
123	Calculi of the urinary passages	328	2		1	1		2	10	17	36	46	61	66	64	21	1		
124	Diseases of the bladder	1,429	28	2	1		1	1	3	21	35	46	101	201	499	424	62	3	1
125	Diseases of the urethra, urinary abscess, etc	227	5	2				1	2	19	24	52	34	39	36	13			
126	Diseases of the prostate	2,007								7	6	25	119	421	871	499	54	1	4
127	Nonvenereal diseases of the male genital organs	45	19			1				4	3	6	2	2	6	1	1		
128	Uterine hemorrhage (nonpuerperal)	66							2	11	22	20	3	4	3				1
129	Uterine tumor (noncancerous)	774		1					1	43	169	295	140	74	38	12	1		
130	Other diseases of the uterus	664							41	154	170	169	84	22	15	6	1		2
131	Cysts and other tumors of the ovary	564		1					9	68	117	123	100	78	52	15	1		
132	Salpingitis and other diseases of the female genital organs	1,165	3		1				65	449	396	204	33	8	6				
133	Nonpuerperal diseases of the breast (cancer excepted)	29	11						2	3	4	1	1	3	3	1			
	VII.—The puerperal state	8,469							672	3,854	3,241	684	6						12
134	Accidents of pregnancy	829							32	345	393	58	1						
135	Puerperal hemorrhage	773							29	268	373	102							1
136	Other accidents of labor	829							32	344	355	95	1						2
137	Puerperal septicemia	3,880							344	1,894	1,370	264	3						5
138	Puerperal albuminuria and convulsions	1,860							223	875	631	127							4
139	Puerperal phlegmasia alba dolens, embolus, sudden death	251							10	106	103	32							
140	Following childbirth (not otherwise defined)	45							1	21	16	6	1						
141	Puerperal diseases of the breast	2							1	1									
	VIII.—Diseases of the skin and of the cellular tissue	2,797	510	54	20	15	8	23	46	69	90	144	237	375	603	487	108	2	6
142	Gangrene	1,545	43	10	7	5	4	9	5	18	21	54	116	250	493	416	87	2	5
143	Furuncle	266	60	6	2	2		2	7	17	20	27	43	40	27	10	3		
144	Acute abscess	423	150	23	7	5	2	10	25	23	26	31	39	43	21	14	4		
145	Other diseases of the skin and annexa	563	257	15	4	3	2	2	9	11	23	32	39	42	62	47	14		1

[1] Including District of Columbia.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	REGISTRATION STATES[1]—Continued.																		
	IX.—Diseases of the bones and of the organs of locomotion	1,246	119	52	44	27	17	118	181	118	115	118	119	102	81	28	5	.....	2
146	Diseases of the bones (tuberculosis excepted)	1,079	110	51	40	26	16	110	176	103	100	102	101	75	52	13	2	.....	2
147	Diseases of the joints (tuberculosis and rheumatism excepted)	114	8	1	4	1	1	7	4	13	12	13	13	15	12	7	3	.....	.....
148	Amputations	5	.....	.....	.....	.....	.....	.....	.....	.....	.....	2	.....	2	1	.....	.....	.....	.....
149	Other diseases of the organs of locomotion	48	1	.....	.....	.....	.....	1	1	2	3	1	5	10	16	8	.....	.....	.....
	X.—Malformations	7,866	7,324	222	56	41	27	70	77	29	9	7	.....	2	.....	.....	.....	.....	2
150	Congenital malformations (stillbirths not included) (total)	7,866	7,324	222	56	41	27	70	77	29	9	7	.....	2	.....	.....	.....	.....	2
	Hydrocephalus	667	496	84	15	11	14	22	19	5	.....	1	.....	.....	.....	.....	.....	.....	.....
	Congenital malformations of the heart	4,736	4,482	86	26	18	8	39	48	16	6	3	.....	2	.....	.....	.....	.....	2
	Other congenital malformations	2,463	2,346	52	15	12	5	9	10	8	3	3	.....	.....	.....	.....	.....	.....	.....
	XI.—Early infancy	42,692	42,692	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
151	Congenital debility, icterus, and sclerema (total)	35,215	35,215	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Premature birth	21,639	21,639	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Congenital debility, "atrophy," "marasmus," etc	13,576	13,576	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
152	Other causes peculiar to early infancy (total)	7,324	7,324	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Injuries at birth	4,176	4,176	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	Other causes peculiar to early infancy[2]	3,148	3,148	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
153	Lack of care	153	153	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
	XII.—Old age	12,954	.....	.....	.....	.....	.....	.....	.....	.....	3	3	60	569	3,673	6,508	1,985	135	18
154	Senility	12,954	.....	.....	.....	.....	.....	.....	.....	.....	3	3	60	569	3,673	6,508	1,985	135	18
	XIII.—External causes	57,476	1,767	1,310	1,055	929	711	2,209	4,921	9,825	9,280	8,054	6,418	4,441	3,470	2,227	455	15	389
	Suicide (total)	8,635	.....	.....	.....	.....	.....	.....	354	1,640	1,842	1,763	1,543	942	397	106	7	.....	41
155	By poison	2,576	.....	.....	.....	.....	.....	.....	156	651	582	484	380	223	78	12	3	.....	7
156	By asphyxia	859	.....	.....	.....	.....	.....	.....	25	141	168	200	183	106	27	9	.....	.....	.....
157	By hanging or strangulation	1,291	.....	.....	.....	.....	.....	.....	29	137	215	258	282	212	113	32	3	.....	10
158	By drowning	502	.....	.....	.....	.....	.....	.....	22	80	90	91	105	69	34	6	1	.....	4
159	By firearms	2,566	.....	.....	.....	.....	.....	.....	110	528	584	525	451	228	97	30	.....	.....	13
160	By cutting or piercing instruments	570	.....	.....	.....	.....	.....	.....	3	67	131	140	107	73	35	12	.....	.....	2
161	By jumping from high places	131	.....	.....	.....	.....	.....	.....	2	21	37	30	13	20	3	5	.....	.....	.....
162	By crushing	68	.....	.....	.....	.....	.....	.....	5	7	21	15	11	2	4	.....	.....	.....	3
163	Other suicides	72	.....	.....	.....	.....	.....	.....	2	8	14	20	11	9	6	.....	.....	.....	2
	Accidental or undefined (total)	45,802	1,656	1,300	1,045	921	698	2,180	4,324	7,225	6,643	5,828	4,638	3,420	3,044	2,116	448	15	301
164	Poisoning by food	424	66	29	21	25	9	39	42	38	40	43	29	18	19	5	.....	.....	1
165	Other acute poisonings	1,266	84	206	118	63	39	47	55	171	150	121	107	59	34	6	.....	.....	6
166	Conflagration	825	31	29	26	29	29	55	114	116	82	87	67	64	53	28	1	1	13
167	Burns (conflagration excepted)	4,114	165	484	509	475	300	395	233	289	282	273	236	197	183	74	7	4	8
168	Absorption of deleterious gases (conflagration excepted)	1,859	457	20	9	9	4	34	100	221	228	212	213	152	126	64	6	.....	4
169	Accidental drowning	5,203	36	162	78	66	68	441	1,134	1,111	746	598	424	170	64	24	.....	.....	81
170	Traumatism by firearms	1,169	6	10	21	12	17	90	451	241	127	96	59	23	8	1	.....	.....	7
171	Traumatism by cutting or piercing instruments	113	2	8	2	4	3	9	14	13	19	15	12	7	4	.....	1	.....	.....
172	Traumatism by fall	8,203	124	142	88	85	58	220	311	611	734	848	873	964	1,374	1,411	343	8	9
173	Traumatism in mines and quarries (total)	2,338	.....	.....	.....	.....	.....	5	188	787	665	442	182	54	11	.....	.....	.....	4
	Traumatism in mines	2,224	.....	.....	.....	.....	.....	4	176	747	640	423	173	49	9	.....	.....	.....	3
	Traumatism in quarries	114	.....	.....	.....	.....	.....	1	12	40	25	19	9	5	2	.....	.....	.....	1
174	Traumatism by machines	1,104	.....	1	2	1	2	16	154	289	274	190	104	50	17	.....	.....	.....	4
175	Traumatism by other crushing (total)	12,249	41	63	90	107	124	638	1,088	2,488	2,364	1,917	1,514	999	557	128	12	.....	119
	Railroad accidents and injuries	7,068	9	24	18	8	19	137	604	1,781	1,598	1,181	794	477	246	59	4	.....	109
	Street-car accidents and injuries	1,590	4	8	24	28	19	115	119	240	256	249	241	174	87	22	3	.....	1
	Automobile accidents and injuries	1,150	3	4	7	16	19	174	152	158	161	153	129	101	58	13	1	.....	1
	Injuries by other vehicles	2,048	24	27	40	52	67	197	186	219	259	259	290	224	160	34	4	.....	6
	Landslide, other crushing	393	1	.....	1	3	.....	15	27	90	90	75	60	23	6	.....	.....	.....	2
176	Injuries by animals	497	2	3	12	3	8	34	72	72	50	63	62	49	53	9	2	.....	3
177	Starvation	80	31	2	2	.....	1	.....	1	1	5	5	8	11	8	4	.....	.....	1
178	Excessive cold	180	.....	.....	1	.....	.....	2	3	17	20	30	33	36	19	10	3	.....	6
179	Effects of heat	2,892	416	65	20	9	7	22	30	137	303	443	394	363	361	258	54	1	9
180	Lightning	235	1	.....	.....	.....	.....	13	51	49	32	39	29	7	5	4	.....	.....	5
181	Electricity (lightning excepted)	450	.....	.....	.....	1	2	14	60	183	105	52	20	8	4	.....	.....	.....	1
185	Fractures (cause not specified)	330	3	2	.....	.....	1	2	12	28	37	44	36	35	58	54	15	1	2
186	Other external violence	2,271	191	74	46	32	26	104	211	363	380	310	236	154	86	36	4	.....	18
	Homicide (total)	3,039	111	10	10	8	13	29	243	960	795	463	237	79	29	5	.....	.....	47
182	By firearms	1,788	4	3	2	3	5	7	149	630	487	281	137	42	9	3	.....	.....	26
183	By cutting or piercing instruments	487	4	.....	1	1	1	3	40	176	148	61	23	13	7	.....	.....	.....	9
184	By other means	764	103	7	7	4	7	19	54	154	160	121	77	24	13	2	.....	.....	12
	XIV.—Ill-defined diseases	6,312	2,113	617	134	45	31	80	104	191	244	387	471	753	610	371	67	11	83
187	Ill-defined organic disease	517	9	3	6	2	2	6	17	12	21	43	42	92	144	92	21	2	3
188	Sudden death	349	83	6	6	1	.....	6	2	15	24	31	41	57	48	21	3	3	2
189	Not specified or ill-defined (total)	5,446	2,021	608	122	42	29	68	85	164	199	313	388	604	418	258	43	6	78
	Ill-defined	3,078	593	516	84	29	19	37	51	108	132	224	305	491	292	158	20	1	18
	Not specified or unknown	2,368	1,428	92	38	13	10	31	34	56	67	89	83	113	126	100	23	5	60

[1] Including District of Columbia.

[2] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CALIFORNIA.																		
	All causes	34,010	3,524	687	337	234	145	525	1,227	3,065	3,752	3,913	4,183	4,331	4,721	2,512	310	24	20
	I.—General diseases	10,097	443	220	134	100	55	250	616	1,493	1,667	1,427	1,379	1,232	763	287	28	2	1
1	Typhoid fever	430	6	4	8	4	4	31	62	133	83	42	32	14	5	1	1		
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	100	8	1	3	5		8	7	7	8	9	9	17	13	5			
5	Smallpox	9		2	1				1	2	1			1	1				
6	Measles	80	11	35	16	4	1	7	4	2									
7	Scarlet fever	89	2	7	13	6	6	27	20	6	1		1						
8	Whooping cough	159	96	31	12	10	2	8											
9	Diphtheria and croup	162	13	20	18	20	11	55	18	3	2	2							
10	Influenza	210	18	2	2		1	1	7	7	5	4	17	24	56	53	13		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	5	1	1	1			1									1		
14	Dysentery	105	29	14	3	1	1	2	1	3	6	3	6	10	11	14		1	
15	Plague	1						1											
16	Yellow fever																		
17	Leprosy	4							1	1	1	1							
18	Erysipelas	66	17	1					2	3	1	6	7	13	10	6			
19	Other epidemic diseases	2	1									1							
20	Purulent infection and septicemia	65	4	1	1			2	6	7	9	11	8	8	5	3			
21	Glanders																		
22	Anthrax	2									1	1							
23	Rabies	3				1			1		1								
24	Tetanus	61	5	1		1	1	9	7	12	6	8	4	5	1	1			
25	Mycoses	3							1		1			1					
26	Pellagra	12							2		4	2	1	3					
27	Beriberi	3								2	1								
	Tuberculosis (total)	5,142	136	81	46	40	23	77	393	1,176	1,259	820	552	346	157	29	7		
28	Tuberculosis of the lungs	4,357	61	19	7	6	6	20	307	1,034	1,153	745	509	317	141	26	6		
29	Acute miliary tuberculosis	139	4	5	3	1	3	4	30	38	25	14	8	4					
30	Tuberculous meningitis	256	49	44	29	27	10	35	12	19	19	10	2						
31	Abdominal tuberculosis	206	11	8	4	4	3	12	22	36	36	29	18	14	8	1			
32	Pott's disease	48		2	1	1		4	9	13	6	5	3	2	1	1			
33	White swellings	18					1		4	3	4	2	1	2	1				
34	Tuberculosis of other organs	69	5	2	1	1			5	18	8	9	8	5	5	1	1		
35	Disseminated tuberculosis	49	6	1	1			2	4	15	8	6	3	2	1				
36	Rickets	15	8	3										3		1			
37	Syphilis	205	61	9	1	2		2	8	13	27	31	28	16	6	1			
38	Gonococcus infection	11	3		1				1	3	2				1				
	Cancer and other malignant tumors (total)	2,053	2		3			2	7	35	130	310	510	561	362	123	6	1	1
39	Of the buccal cavity	84									6	8	18	23	21	7	1		
40	Of the stomach, liver	874	1		1				3	6	29	113	228	279	168	45		1	
41	Of the peritoneum, intestines, rectum	273							1	3	23	33	62	80	58	13			
42	Of the female genital organs	266							1	7	27	71	74	53	25	8			
43	Of the breast	187								4	17	36	54	39	21	15	1		
44	Of the skin	81								3		3	11	24	17	19	3		1
45	Of other organs, or of organs not specified	288	1		2			2	2	12	28	46	63	63	52	16	1		
46	Other tumors (tumors of the female genital organs excepted)	17				1			1	1	1	4	3	1	1	4			
47	Acute articular rheumatism	128		3	3		2	10	25	11	14	11	10	22	10	7			
48	Chronic rheumatism and gout	34						1		1	2	4	8	7	5	6			
49	Scurvy	2	2																
50	Diabetes	409		1		1	1	2	22	30	27	43	78	103	78	23			
51	Exophthalmic goiter	32							3	4	5	7	5	4	3	1			
52	Addison's disease	8								1	3	1	1	1	1				
53	Leukemia	48		1	1	2		2	5	9	3	6	11	5	3				
54	Anemia, chlorosis	108	2	1	1	1		1	5	3	5	25	20	31	10	3			
55	Other general diseases	57	18	1		1	2	1	6	5	3	6	4	1	5	4			
56	Alcoholism (acute or chronic)	216								10	45	57	54	32	17	1			
57	Chronic lead poisoning	4									2	1	1						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	37								3	8	11	9	3	2	1			
	II.—Diseases of the nervous system and of the organs of special sense	3,270	147	60	43	18	16	51	68	110	183	329	450	661	736	368	26	4	
60	Encephalitis	45	7	3	1	1			5	4	4	8	2	5	4	1			
61	Meningitis (total)	333	79	38	26	9	11	33	30	25	22	29	14	8	7	2			
	Simple meningitis	223	55	22	15	5	7	19	14	15	18	26	11	8	6	2			
	Cerebrospinal meningitis (undefined)	93	22	15	8	4	3	13	12	9	1	2	3		1				
	Cerebrospinal fever	17	2	1	3		1	1	4	1	3	1							
62	Locomotor ataxia	101							1		6	15	33	27	12	6	1		
63	Other diseases of the spinal cord (total)	177	4	8	6	3	1	5	6	4	12	24	28	37	25	13	1		
	Acute anterior poliomyelitis	31	3	8	5	2	1	5	5	1			1						
	Other diseases of the spinal cord [1]	146	1		1	1			1	3	12	24	27	37	25	13	1		
64	Cerebral hemorrhage, apoplexy	1,747	11	1	3	1		2	3	17	58	140	251	445	535	259	20	1	

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CALIFORNIA—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
65	Softening of the brain	55			1					1	1	3	7	11	19	12			
66	Paralysis without specified cause	236		2	1	1			1	6	3	13	26	56	75	48	3	1	
67	General paralysis of the insane	185								2	31	45	40	31	25	9	1	1	
68	Other forms of mental alienation	79							1	8	14	15	17	9	9	6			
69	Epilepsy	94		1	1	1		5	11	23	15	16	7	8	5	1			
70	Convulsions (nonpuerperal)	3									2					1			
71	Convulsions of infants	49	40	5	2	1	1												
72	Chorea	2	1												1				
73	Neuralgia and neuritis	13									2	2	3	1	5				
74	Other diseases of the nervous system	118	4	2	1		2	4	3	10	13	16	19	20	13	10		1	
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	33	1		1	1	1	2	7	10		3	3	3	1				
	III.—Diseases of the circulatory system	5,559	39	9	5	5	1	23	89	160	316	534	827	1,294	1,449	717	83	6	2
77	Pericarditis	28						1	3	3	3	3	9	2	3	1			
78	Acute endocarditis	206	8	1	1	1		6	13	22	33	44	60	7	6	4			
79	Organic diseases of the heart	4,443	21	5	1	4	1	16	69	124	244	428	648	1,100	1,193	526	58	3	2
80	Angina pectoris	150								1	3	13	25	51	39	16	2		
81	Diseases of the arteries, atheroma, aneurism, etc	586								4	17	33	65	114	174	153	23	3	
82	Embolism and thrombosis	107	2		1				2	6	13	13	17	16	29	8			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	11									3		2	2	1	3			
84	Diseases of the lymphatic system (lymphangitis, etc.)	13	6	2	2				2							1			
85	Hemorrhage; other diseases of the circulatory system	15	2	1									1	2	4	5			
	IV.—Diseases of the respiratory system	3,215	483	147	59	35	23	50	84	150	256	300	360	405	499	318	44	1	1
86	Diseases of the nasal fossae	3									1				1	1			
87	Diseases of the larynx	23	4	3	2	4	1		1		1	2	1		3	1			
88	Diseases of the thyroid body	13							1		3	4	2	2		1			
89	Acute bronchitis	126	62	15	8	1		3	2		1	2	1	5	10	12	4		
90	Chronic bronchitis	197	1	1				5	2	2	8	12	14	25	57	62	8		
91	Bronchopneumonia	639	218	65	16	12	8	10	10	10	16	26	28	54	89	67	9	1	
92	Pneumonia (total)	1,885	185	62	32	16	14	30	60	112	203	227	274	268	264	125	12		1
	Lobar pneumonia	1,056	72	24	18	10	10	13	34	69	145	144	168	167	126	53	3		
	Pneumonia (undefined)	829	113	38	14	6	4	17	26	43	58	83	106	101	138	72	9		1
93	Pleurisy	90		1		1		1	3	16	10	13	13	12	15	5			
94	Pulmonary congestion, pulmonary apoplexy	116	12		1	1		1	3	1	2	6	5	9	30	35	10		
95	Gangrene of the lung	9								1	1	2	1	3	1				
96	Asthma	69								2	5	3	10	21	24	4			
97	Pulmonary emphysema	5								1		1	1		1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	40	1						2	5	5	2	10	6	4	4	1		
	V.—Diseases of the digestive system	3,097	918	173	50	31	19	45	88	178	239	310	311	340	270	107	18		
99	Diseases of the mouth and annexa	11	5	2							1	1	1	1					
100	Diseases of the pharynx	32		2	1	3	2	4	5	9	1	3	1		1				
101	Diseases of the esophagus	7	1		1		1					1	3						
102	Ulcer of the stomach	128	1						2	11	21	15	33	19	20	6			
103	Other diseases of the stomach (cancer excepted)	225	92	10	1	1	2	5		3	10	12	14	19	31	25			
104	Diarrhea and enteritis (under 2 years)	904	758	146															
105	Diarrhea and enteritis (2 years and over)	281			41	18	10	10	7	10	29	24	27	36	43	18	8		
106	Ankylostomiasis	1										1							
107	Intestinal parasites	5	1	2			1			1									
108	Appendicitis and typhlitis	279	3	2		3	1	15	50	68	53	48	20	11	5				
109	Hernia, intestinal obstruction (total)	313	40	3	3	3		5	9	22	26	34	36	63	42	25	2		
	Hernia	94	6					1		3	8	9	15	22	19	11			
	Intestinal obstruction	219	34	3	3	3		4	9	19	18	25	21	41	23	14	2		
110	Other diseases of the intestines	73	8	3	1			2	4	8	10	4	7	12	7	4	3		
111	Acute yellow atrophy of the liver	7								3	1	1	2						
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	504		1				1		13	46	113	118	121	70	17	4		
114	Biliary calculi	59								2	3	7	14	13	17	3			
115	Other diseases of the liver	143	5	1		1		1		10	18	25	18	35	21	7	1		
116	Diseases of the spleen	3								1	1	1							
117	Simple peritonitis (nonpuerperal)	98	3	1	2	1	2	2	10	14	14	16	13	8	10	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	24	1			1			1	3	5	4	4	2	3				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CALIFORNIA—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,758	36	4	6	4	3	10	49	138	241	401	417	555	595	266	33		
119	Acute nephritis	187	13	4	4	2		6	4	21	30	38	24	17	18	5	1		
120	Bright's disease	2,104	19		2	2	3	3	37	70	144	294	351	478	487	190	24		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	60	3					1		5	6	9	6	12	9	8	1		
123	Calculi of the urinary passages	16									2	4	1	3	4	2			
124	Diseases of the bladder	78	1							1	2	2	6	16	19	27	4		
125	Diseases of the urethra, urinary abscess, etc	10								1	1	4	2	1	1				
126	Diseases of the prostate	113									2	1	3	23	50	31	3		
127	Nonvenereal diseases of the male genital organs	3								1	1				1				
128	Uterine hemorrhage (nonpuerperal)	1									1								
129	Uterine tumor (noncancerous)	42							1	3	9	16	6	1	6				
130	Other diseases of the uterus	41							2	4	11	13	9	1		1			
131	Cysts and other tumors of the ovary	22								4	4	6	4	2		2			
132	Salpingitis and other diseases of the female genital organs	81							5	28	28	14	5	1					
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	331							27	160	123	21							
134	Accidents of pregnancy	36							5	16	14	1							
135	Puerperal hemorrhage	23								9	11	3							
136	Other accidents of labor	28							1	10	11	6							
137	Puerperal septicemia	143							15	72	52	4							
138	Puerperal albuminuria and convulsions	82							5	43	28	6							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	12								7	5								
140	Following childbirth (not otherwise defined)	7							1	3	2	1							
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	106	10						1	3	4	3	12	17	26	27	3		
142	Gangrene	68	1							2	1		7	8	22	25	2		
143	Furuncle	18	5								2	1	3	3	3	1			
144	Acute abscess	8	1							1	1	1	1	3					
145	Other diseases of the skin and annexa	12	3						1			1	1	3	1	1	1		
	IX.—Diseases of the bones and of the organs of locomotion	50	1	1		2		2	5	7	5	7	7	3	9				1
146	Diseases of the bones (tuberculosis excepted)	41	1	1		2		2	5	7	4	7	6	1	4				1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5									1		1	1	2				
148	Amputations																		
149	Other diseases of the organs of locomotion	4												1	3				
	X.—Malformations	292	268	9	2	1	1	3	5	2	1								
150	Congenital malformations (stillbirths not included) (total)	292	268	9	2	1	1	3	5	2	1								
	Hydrocephalus	26	16	3			1	2	3	1									
	Congenital malformations of the heart	177	167	3	1	1		1	2	1	1								
	Other congenital malformations	89	85	3	1														
	XI.—Early infancy	1,104	1,104																
151	Congenital debility, icterus, and sclerema (total)	884	884																
	Premature birth	646	646																
	Congenital debility, "atrophy," "marasmus," etc	238	238																
152	Other causes peculiar to early infancy (total)	215	215																
	Injuries at birth	124	124																
	Other causes peculiar to early infancy [1]	91	91																
153	Lake of care	5	5																
	XII.—Old age	577											1	30	163	314	57	10	2
154	Senility	577											1	30	163	314	57	10	2
	XIII.—External causes	3,496	66	62	38	38	27	91	195	662	712	577	412	284	201	100	18	1	12
	Suicide (total)	749							14	132	172	181	121	74	37	15			3
155	By poison	147							4	33	31	43	18	14	2	2			
156	By asphyxia	77								13	11	22	14	11	4	2			
157	By hanging or strangulation	72							1	8	15	17	13	10	7	1			
158	By drowning	30								3	5	11	2	5		4			
159	By firearms	322							8	65	86	62	59	22	14	4			2
160	By cutting or piercing instruments	76								10	18	18	12	8	8	2			
161	By jumping from high places	12									5	2	1	3	1				
162	By crushing	7									1	4	1		1				

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CALIFORNIA—Continued.																		
	XIII.—External causes—Contd.																		
163	Other suicides	6							1			2	1	1					1
	Accidental or undefined (total)	2,494	64	60	38	38	27	89	160	450	471	354	267	202	162	85	18	1	8
164	Poisoning by food	44	7	2	1	4		6	3	4	5	3	2	4	2	1			
165	Other acute poisonings	70	1	7	6	2		1	4	12	17	11	6	1	2				
166	Conflagration	62	1	1	1	2	1	3	3	4	10	11	7	9	5	2	1		1
167	Burns (conflagration excepted)	158	11	10	17	16	10	14	8	15	11	11	7	8	14	5	1		
168	Absorption of deleterious gases (conflagration excepted)	122	17	2	1	1		3	5	21	19	13	14	14	7	5			
169	Accidental drowning	346	1	21	6	5	4	16	40	67	64	45	45	20	4	3			5
170	Traumatism by firearms	84						7	26	22	18	2	5	4					
171	Traumatism by cutting or piercing instruments	4								1		2			1				
172	Traumatism by fall	369	4	8	2	2	3	6	15	42	48	42	42	31	59	51	13	1	
173	Traumatism in mines and quarries (total)	66							2	17	20	16	5	6					
	Traumatism in mines	57								12	19	15	5	6					
	Traumatism in quarries	9							2	5	1	1							
174	Traumatism by machines	82						1	12	24	32	11	2						
175	Traumatism by other crushing (total)	809	3	5	2	5	7	25	31	168	171	152	107	79	43	9	2		
	Railroad accidents and injuries	346	1	2			2	4	10	87	93	59	46	23	16	2	1		
	Street-car accidents and injuries	129		1	1	1	1	4	4	13	19	33	18	22	10	1	1		
	Automobile accidents and injuries	113	1			1	1	7	6	22	24	22	10	10	7	2			
	Injuries by other vehicles	184	1	2	1	3	3	10	11	35	26	29	28	21	10	4			
	Landslide, other crushing	37								11	9	9	5	3					
176	Injuries by animals	28			1			1	2	4	3	4	2	5	5				1
177	Starvation	7									1	1	3	2					
178	Excessive cold	4								1		1	1	1					
179	Effects of heat	33	6					1		2	3	7	4	3	5	1			1
180	Lightning	1									1								
181	Electricity (lightning excepted)	34						1	2	16	11	3		1					
185	Fractures (cause not specified)	17							1	2	2		1	2	5	3	1		
186	Other external violence	154	13	4	1	1	2	4	6	28	35	19	14	12	10	5			
	Homicide (total)	253	2	2				2	21	80	69	42	24	8	2				1
182	By firearms	179		1				2	10	58	50	32	18	5	2				1
183	By cutting or piercing instruments	42							6	12	14	5	3	2					
184	By other means	32	2	1					5	10	5	5	3	1					
	XIV.—Ill-defined diseases	58	9	2						2	5	4	7	10	10	8			1
187	Ill-defined organic disease	9	1										1		3	4			
188	Sudden death	2										1			1				
189	Not specified or ill-defined (total)	47	8	2						2	5	3	6	10	6	4			1
	Ill-defined	33	5	2							2	2	4	10	4	4			
	Not specified or unknown	14	3							2	3	1	2		2				1
	COLORADO.																		
	All causes	10,740	1,818	372	143	106	64	248	463	1,306	1,302	1,139	1,180	1,129	976	421	50	2	21
	I.—General diseases	3,486	185	99	63	47	33	126	200	708	674	458	392	267	174	49	6		5
1	Typhoid fever	252	3	4	7	3	1	22	40	73	44	24	15	12	2	2			
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	3	1							1	1								
5	Smallpox																		
6	Measles	125	27	29	21	10	6	15	7	4	3	2	1						
7	Scarlet fever	82	3	7	9	15	10	24	10	4									
8	Whooping cough	56	37	13	4			2											
9	Diphtheria and croup	98	3	8	10	12	9	31	21	2	2								
10	Influenza	102	13	3	2			1	4	5	5	4	10	19	22	11	3		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	3		2						1									
14	Dysentery	24	7	3				1		1			2	1	3	6			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	25	12						1		1	2	1	2	3	2	1		
19	Other epidemic diseases	3	1	1							1								
20	Purulent infection and septicemia	35	7		1			2		4	3	5	5	1	5	1	1		
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	14		1			1	1	2	4	1	4							
25	Mycoses	2									1			1					
26	Pellagra	6						1			2	1	2						
27	Beriberi																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	COLORADO—Continued.																		
	I.—General causes—Continued.																		
	Tuberculosis (total)	1,811	30	25	7	5	3	12	86	571	525	294	157	68	21	4			3
28	Tuberculosis of the lungs	1,669	11	6			1	5	75	546	506	285	148	59	21	3			3
29	Acute miliary tuberculosis	15	1	1				1	3	2	2	2	1	2					
30	Tuberculous meningitis	57	15	16	6	3	1	3	5	4	2	2							
31	Abdominal tuberculosis	30	1				1	1	1	7	8	3	3	5					
32	Pott's disease	9		1	1	1				3	1		1	1					
33	White swellings	2							1		1								
34	Tuberculosis of other organs	13	2	1				2	1	3	1		2			1			
35	Disseminated tuberculosis	16				1				6	4	2	2	1					
36	Rickets	3	1	1					1										
37	Syphilis	61	29	1			1			10	6	3	7	3	1				
38	Gonococcus infection	2							1	1									
	Cancer and other malignant tumors (total)	459						2	3	7	37	76	135	100	78	18	1		2
39	Of the buccal cavity	13									1	2	3	3	1	2	1		
40	Of the stomach, liver	194						2		2	11	26	60	54	29	10			
41	Of the peritoneum, intestines, rectum	61							1	1	4	9	17	14	15				
42	Of th female genital organs	64									7	21	27	6	2				1
43	Of the breast	42								1	4	8	12	4	12	1			
44	Of the skin	20							1	1	1	2	2	3	9	1			
45	Of other organs or of organs not specified	65							1	2	9	8	14	16	10	4			1
46	Other tumors (tumors of the female genital organs excepted)	3								1	1	1							
47	Acute articular rheumatism	52	1				1	8	9	3	5	3	4	6	9	3			
48	Chronic rheumatism and gout	14									1	2	3	3	5				
49	Scurvy	2	1		1														
50	Diabetes	112						3	11	8	13	11	20	27	18	1			
51	Exophthalmic goiter	7							1	2	2		2						
52	Addison's disease	2									1		1						
53	Leukemia	8	1		1					1	1	2		1	1				
54	Anemia, chlorosis	27	1	1		1		1	1	1	3	5	4	5	3	1			
55	Other general diseases	13	7			1	1					1		2	1				
56	Alcoholism (acute or chronic)	74							2	4	13	17	22	15	1				
57	Chronic lead poisoning	2									1			1					
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	4									1	1	1		1				
	II.—Diseases of the nervous system and of the organs of special sense	809	78	22	7	3	2	19	28	33	58	92	115	141	154	49	5		3
60	Encephalitis	5	1						1	1	1		1						
61	Meningitis (total)	117	46	18	6	2	1	8	16	5	6	4	3	2					
	Simple meningitis	74	35	13	3		1	4	7	1	5	2	2	1					
	Cerebrospinal meningitis (undefined)	33	11	5	1	2		1	5	3	1	2	1	1					
	Cerebrospinal fever	10			2			3	4	1									
62	Locomotor ataxia	21								1	1	8	5	4	2				
63	Other diseases of the spinal cord (total)	31	1					3		2	4	5	7	5	4				
	Acute anterior poliomyelitis	6	1					3		1	1								
	Other diseases of the spinal cord [1]	25								1	3	5	7	5	4				
64	Cerebral hemorrhage, apoplexy	367	7	1				3	4	4	14	35	60	94	105	39	1		
65	Softening of the brain	9									1	2		2	3	1			
66	Paralysis without specified cause	75						2		2	4	6	13	10	26	8	4		
67	General paralysis of the insane	52								1	8	20	9	7	6				1
68	Other forms of mental alienation	28								1	7	7	5	5	1				2
69	Epilepsy	34						1	2	10	10	1	1	8	1				
70	Convulsions (nonpuerperal)																		
71	Convulsions of infants	17	15	1			1												
72	Chorea	3							3										
73	Neuralgia and neuritis	7								1	1	1		1	2	1			
74	Other diseases of the nervous system	22	2						1	4	1	2	8	2	2				
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	21	6	2	1	1		2	1	1		1	3	1	2				
	III.—Diseases of the circulatory system	1,008	18	6	2	3	3	16	41	55	72	122	160	218	216	70	5		1
77	Pericarditis	7							1	2	1	2	1						
78	Acute endocarditis	31	1	2		1	2	2	3	5	3	5	3	1	3				
79	Organic diseases of the heart	743	12	3	2	2	1	14	36	39	53	98	116	169	147	48	2		1
80	Angina pectoris	61								4	4	6	16	17	13	1			
81	Diseases of the arteries, atheroma, aneurism, etc.	104									1	6	11	21	44	18	3		
82	Embolism and thrombosis	44	1						1	4	7	4	11	8	6	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6									1		2	1	2				
84	Diseases of the lymphatic system) (lymphangitis, etc.)	5	1	1						1		1			1				
85	Hemorrhage; other diseases of the circulatory system	7	3								2			1		1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	COLORADO—Continued.																		
	IV.—Diseases of the respiratory system	1,371	339	90	32	24	10	28	37	85	96	131	151	167	119	56	5		1
86	Diseases of the nasal fossae																		
87	Diseases of the larynx	7		3		2		2											
88	Diseases of the thyroid body																		
89	Acute bronchitis	64	48	6	4		2							1	2	1			
90	Chronic bronchitis	40	3	1					1	1	1	2	5	12	12	2			
91	Bronchopneumonia	279	141	50	12	10	3	11	3	4	1	5	5	12	9	11	1		1
92	Pneumonia (total)	851	146	30	16	11	5	12	30	71	82	98	111	121	79	36	3		
	Lobar pneumonia	415	30	10	10	7	1	8	18	35	48	60	68	60	43	17			
	Pneumonia (undefined)	436	116	20	6	4	4	4	12	36	34	38	43	61	36	19	3		
93	Pleurisy	22				1		2	3	3	4	1	3	1	2	1	1		
94	Pulmonary congestion, pulmonary apoplexy	16	1					1		1	4	1	2	1	3	2			
95	Gangrene of the lung																		
96	Asthma	37									1	5	9	11	8	3			
97	Pulmonary emphysema	2												2					
98	Other diseases of the respiratory system (tuberculosis excepted)	53								5	3	19	16	6	4				
	V.—Disease of the digestive system	1,089	408	124	19	9	7	18	41	61	71	79	95	77	49	27	4		
99	Diseases of the mouth and annexa																		
100	Diseases of the pharynx	17	3	1	1	1	2	2		3			2	1		1			
101	Diseases of the esophagus	1														1			
102	Ulcer of the stomach	40		1					1	2	5	11	9	8	3				
103	Other diseases of the stomach (cancer excepted)	68	20	6	3					3	2	4	7	10	4	8	1		
104	Diarrhea and enteritis (under 2 years)	470	358	112															
105	Diarrhea and enteritis (2 years and over)	74			13	5	1	6	3	3	8	7	7	7	9	4	1		
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	130	3			1	1	8	25	32	18	19	13	5	3	1	1		
109	Hernia, intestinal obstruction (total)	81	15	1	2	2	3	1	2	6	11	8	10	9	7	4			
	Hernia	21	1							2	3	3	4	3	2	3			
	Intestinal obstruction	60	14	1	2	2	3	1	2	4	8	5	6	6	5	1			
110	Other diseases of the intestines	15	6	1					1	2				2	3				
111	Acute yellow atrophy of the liver	3	1						1					1					
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	92						1		3	9	16	28	19	12	4			
114	Biliary calculi	30									2	8	9	6	2	2	1		
115	Other diseases of the liver	34	1	1					1	1	5	4	9	6	5	1			
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	27	1	1					7	6	7	1		3		1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7									4	1	1		1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	758	12	4	4	3	2	11	17	61	60	91	132	160	139	55	6		1
119	Acute nephritis	89	3	3	3	2		4	5	10	14	10	15	9	9	2			
120	Bright's disease	575	8	1	1	1	2	7	12	32	26	66	101	148	115	50	4		1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	12	1							2	4	1	3			1			
123	Calculi of the urinary passages	3										2	1						
124	Diseases of the bladder	9										1	1	2	3		2		
125	Diseases of the uretha, urinary abscess, etc	6											2		3	1			
126	Diseases of the prostate	13										1	3		8	1			
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	8								1	1	2	4						
130	Other diseases of the uterus	7								3		3	1						
131	Cysts and other tumors of the ovary	11								4	4	1		1	1				
132	Salpingitis and other diseases of the female genital organs	24								9	11	4							
133	Nonpuerperal diseases of the breast (cancer excepted)	1											1						
	VII.—The puerperal state	147							11	69	59	8							
134	Accidents of pregnancy	10								4	5	1							
135	Puerperal hemorrhage	14							3	4	7								
136	Other accidents of labor	8								6	2								
137	Puerperal septicemia	73							3	35	31	4							
138	Puerperal albuminuria and convulsions	38							5	18	12	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4								2	2								
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	COLORADO—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	13	1									1		3	4	3	1		
142	Gangrene	10												2	4	3	1		
143	Furuncle	2										1		1					
144	Acute abscess																		
145	Other diseases of the skin and annexa	1	1																
	IX.—Diseases of the bones and of the organs of locomotion	14	1						5	2	2	1	1	2					
146	Diseases of the bones (tuberculosis excepted)	13	1						5	2	2		1	2					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1										1							
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	117	110	3	1		1		2										
150	Congenital malformations (stillbirths not included) (total)	117	110	3	1		1		2										
	Hydrocephalus	4	2				1		1										
	Congenital malformations of the heart	84	80	2	1				1										
	Other congenital malformations	29	28	1															
	XI.—Early infancy	643	643																
151	Congenital debility, icterus, and sclerema (total)	549	549																
	Premature birth	346	346																
	Congenital debility, "atrophy," "marasmus," etc.	203	203																
152	Other causes peculiar to early infancy (total)	94	94																
	Injuries at birth	41	41																
	Other causes peculiar to early infancy [1]	53	53																
153	Lack of care																		
	XII.—Old age	226											1	16	90	101	17	1	
154	Senility	226											1	16	90	101	17	1	
	XIII.—External causes	1,029	16	17	15	17	5	30	81	231	207	155	128	75	29	11	1	1	10
	Suicide (total)	180							10	39	46	33	31	12	6	1			2
155	By poison	68							6	17	17	7	10	7	3	1			
156	By asphyxia	3							1	2									
157	By hanging or strangulation	8									3	1	3	1					
158	By drowning	7								1	1	2	2		1				
159	By firearms	77							3	18	21	19	8	4	2				2
160	By cutting or piercing instruments	11								1	3		7						
161	By jumping from high places	2									1	1							
162	By crushing	2										1	1						
163	Other suicides	2										2							
	Accidental or undefined (total)	743	16	17	14	16	5	27	68	159	131	104	86	58	23	10	1	1	7
164	Poisoning by food	13	1	3		2		1	1		1	3		1					
165	Other acute poisonings	33		2	2	4			2	8	7	2	2	4					
166	Conflagration	11				1			1	2		2	1	1	2	1			
167	Burns (conflagration excepted)	54	3	7	4	4	1	5	5	8	5	4	3	3				1	1
168	Absorption of deleterious gases (conflagration excepted)	26	6	1	1			1	2	4	3	2	1	2	1	1			1
169	Accidental drowning	51	2	2	2	2	1	5	12	11	2	5	4	3					
170	Traumatism by firearms	30						1	15	9	1	1	3						
171	Traumatism by cutting or piercing instruments	3						1			1	1							
172	Traumatism by fall	93	1	1	1		1	2	6	9	10	18	12	13	12	6	1		
173	Traumatism in mines and quarries (total)	145							7	45	50	24	13	5	1				
	Traumatism in mines	142							7	44	49	24	12	5	1				
	Traumatism in quarries	3								1	1		1						
174	Traumatism by machines	22							2	9	7	2	1		1				
175	Traumatism by other crushing (total)	196	2	1	1	1	1	8	12	39	37	29	35	19	5	2			4
	Railroad accidents and injuries	104		1					3	29	23	20	14	7	3				4
	Street-car accidents and injuries	10						1		1	2		2	4					
	Automobile accidents and injuries	18						1	2	5	4	3	1	1	1				
	Injuries by other vehicles	58	2		1	1	1	6	6	3	7	5	17	6	1	2			
	Landslide, other crushing	6							1	1	1	1	1	1					
176	Injuries by animals	14			2		1		1	2	1	5	1		1				
177	Starvation	2	1											1					
178	Excessive cold	12								2		3	3	4					
179	Effects of heat																		

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	COLORADO—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
180	Lightning	13						1	1	4	3		1	2					1
181	Electricity (lightning excepted)	5								3	1		1						
185	Fractures (cause not specified)	1									1								
186	Other external violence	19			1	2		2	1	4	1	3	5						
	Homicide (total)	106			1	1		3	3	33	30	18	11	5					1
182	By firearms	70						2	2	21	20	11	10	4					
183	By cutting or piercing instruments	20			1	1		1	1	9	5	1		1					
184	By other means	16								3	5	6	1						1
	XIV.—Ill-defined diseases	30	7	7			1			1	3	1	5	3	2				
187	Ill-defined organic disease	3									1		1		1				
188	Sudden death																		
189	Not specified or ill-defined (total)	27	7	7			1			1	2	1	4	3	1				
	Ill-defined	22	5	7			1			1	2	1	4	1					
	Not specified or unknown	5	2											2	1				
	CONNECTICUT.																		
	All causes	17,552	3,243	630	274	171	121	338	563	1,104	1,308	1,617	1,828	2,369	2,430	1,283	231	4	38
	I.—General diseases	4,383	295	211	116	71	59	164	235	531	521	547	551	513	397	135	28		9
1	Typhoid fever	154	2	2	1	1	2	5	27	50	28	17	11	4	3				1
2	Typhus fever																		
3	Relapsing fever	1							1										
4	Malaria	22	2	1	5		1	1		1	1	1	5		3	1			
5	Smallpox																		
6	Measles	94	25	39	14	2	2	5	2	3	2								
7	Scarlet fever	103	8	5	19	13	12	30	8	5	3								
8	Whooping cough	160	94	41	10	9	2	3	1										
9	Diphtheria and croup	250	25	52	38	23	24	61	15	7	2	2	1						
10	Influenza	268	12	9	4	2	2	1	4	6	9	12	33	42	69	48	15		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	4	2										1	1					
14	Dysentery	52	9	5	1						1	1	3	10	11	9	2		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	58	21						1	1	5	3	10	9	7		1		
19	Other epidemic diseases	3	1	1		1													
20	Purulent infection and septicemia	44	6	1		1		1	1	6	4	8	9	4	2	1			
21	Glanders	1											1						
22	Anthrax	2											1		1				
23	Rabies																		
24	Tetanus	25	3					3		3	4	6	3	2	1				
25	Mycoses																		
26	Pellagra	1							1										
27	Beriberi																		
	Tuberculosis (total)	1,704	48	45	24	18	12	37	142	410	366	288	165	103	34	7			5
28	Tuberculosis of the lungs	1,378	9	10	3	3	2	14	113	365	327	253	150	89	29	7			4
29	Acute miliary tuberculosis	78	4	3	2	1		3	10	20	13	15	5	1					1
30	Tuberculous meningitis	125	25	27	16	10	8	16	9	6	3	4		1					
31	Abdominal tuberculosis	63	5	5	1	2	2	1	2	9	13	7	8	7	1				
32	Pott's disease	16	1		1	1			4	2		1		3	3				
33	White swellings	8	1			1		2	1	1	1	1							
34	Tuberculosis of other organs	20	2		1				1	2	5	5	2	1	1				
35	Disseminated tuberculosis	16	1					1	2	5	4	2		1					
36	Rickets	9	4	3		1					1								
37	Syphilis	39	17	1				1		6	5	3	4	2					
38	Gonococcus infection	5	3								2								
	Cancer and other malignant tumors (total)	895		1					5	10	45	132	210	236	193	55	5		3
39	Of the buccal cavity	46								2	1	5	10	15	9	2	1		1
40	Of the stomach, liver	285								2	14	40	70	87	62	9	1		
41	Of the peritoneum, intestines, rectum	129								2	3	13	24	38	36	13			
42	Of the female genital organs	152									13	28	44	36	28	3			
43	Of the breast	113							1		6	22	32	21	24	6	1		
44	Of the skin	31											2	7	12	9			1
45	Of other organs or of organs not specified	139		1					4	4	8	24	28	32	22	13	2		1
46	Other tumors (tumors of the female genital organs excepted)	13							2		1	1	3	1	4		1		
47	Acute articular rheumatism	69					2	10	10	3	4	13	8	9	5	4	1		
48	Chronic rheumatism and gout	15										2	1	5	7				
49	Scurvy	4	2	1					1										
50	Diabetes	197	1					5	8	6	13	18	39	54	46	5	2		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CONNECTICUT—Continued.																		
	I.—General diseases—Continued.																		
51	Exophthalmic goiter	8							2	1	2	1	2						
52	Addison's disease	2										1	1						
53	Leukemia	22		1				1	2		1	6	7	2	2				
54	Anemia, chlorosis	56	1	1						6	1	6	12	16	8	4	1		
55	Other general diseases	19	9	2					2	1	2			2	1				
56	Alcoholism (acute or chronic)	76								5	19	24	20	8					
57	Chronic lead poisoning	6								1		2		3					
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	2											1			1			
	II.—Diseases of the nervous system and of the organs of special sense	1,991	192	52	27	22	11	34	46	45	76	142	216	407	457	233	28		3
60	Encephalitis	7	1					1		1	1	1	1	1					
61	Meningitis (total)	229	77	23	17	19	8	23	21	8	14	5	3	6	4	1			
	Simple meningitis	171	66	15	10	15	7	14	13	4	10	3	3	6	4	1			
	Cerebrospinal meningitis (undefined)	51	8	8	6	4	1	9	8	3	4								
	Cerebrospinal fever	7	3		1					1		2							
62	Locomotor ataxia	30									3	6	9	5	7				
63	Other diseases of the spinal cord (total)	76	4	5	4	1	1	1	4	1	1	4	9	20	17	4			
	Acute anterior poliomyelitis	15	2	4	3	1	1	1	1				1	1					
	Other diseases of the spinal cord[1]	61	2	1	1				3	1	1	4	8	19	17	4			
64	Cerebral hemorrhage, apoplexy	1,184	9	1	1			1	2	6	22	75	156	316	378	189	25		3
65	Softening of the brain	22											2	5	9	4	2		
66	Paralysis without specified cause	72	2	2				1		1		3	4	14	25	19	1		
67	General paralysis of the insane	80								3	12	28	10	11	7	9			
68	Other forms of mental alienation	29								4	1	5	7	7	2	3			
69	Epilepsy	48	1	1				1	8	13	7	6	2	6	3				
70	Convulsions (nonpuerperal)	5						2		2			1						
71	Convulsions of infants	104	85	14	2	2	1												
72	Chorea	1												1					
73	Neuralgia and neuritis	12							1	2	1	1	2	3	1	1			
74	Other diseases of the nervous system	59	4	2	1		1	1	4	3	11	7	9	10	3	3			
75	Diseases of the eyes and their annexa	2			1										1				
76	Diseases of the ear	31	9	4	1			3	6	1	3	1	1	2					
	III.—Diseases of the circulatory system	2,403	27	4	3	2	3	20	55	71	131	202	334	552	630	323	43		3
77	Pericarditis	7									1	1		3		1	1		
78	Acute endocarditis	116	4	1	2		1	7	10	10	17	20	31	6	5	2			
79	Organic diseases of the heart	1,819	16	3	1	2	2	13	43	52	96	156	246	464	473	223	26		3
80	Angina pectoris	115							1	3	2	9	20	32	38	8	2		
81	Diseases of the arteries, atheroma, aneurism, etc	262							1			8	27	35	101	78	12		
82	Embolism and thrombosis	69	1							6	14	6	8	11	13	8	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	4									1		1			2			
84	Diseases of the lymphatic system (lymphangitis, etc)	4	1									1		1		1			
85	Hemorrhage; other diseases of the circulatory system	7	5									1	1						
	IV.—Diseases of the respiratory system	2,210	447	163	63	34	18	34	44	72	145	190	211	300	306	156	23	1	3
86	Diseases of the nasal fossae																		
87	Diseases of the larynx	18	5		2	4		1		1	2				1	1	1		
88	Diseases of the thyroid body	2											1	1					
89	Acute bronchitis	141	83	19	7	2	1		3				1	7	8	7	3		
90	Chronic bronchitis	132	3	1		1	1	1	1	2	2	5	11	29	41	29	5		
91	Broncho-pneumonia	395	147	69	21	8	5	9	4	5	6	9	4	46	40	19	3		
92	Pneumonia (total)	1,355	181	70	28	17	11	21	33	56	127	157	171	203	185	84	7	1	3
	Lobar pneumonia	478	26	19	7	6	2	8	14	25	55	64	75	88	63	24	2		
	Pneumonia (undefined)	877	155	51	21	11	9	13	19	31	72	93	96	115	122	60	5	1	3
93	Pleurisy	52	2	2	4	1		1	2	5	1	9	10	4	9	2			
94	Pulmonary congestion, pulmonary apoplexy	65	21	2		1		1			1	4	5	4	10	12	4		
95	Gangrene of the lung	5								2	1	1	1						
96	Asthma	27	1		1						1	3	5	4	10	2			
97	Pulmonary emphysema	3									2				1				
98	Other diseases of the respiratory system (tuberculosis excepted)	15	4						1	1	2	2	2	2	1				
	V.—Diseases of the digestive system	1,903	876	146	28	8	8	30	45	59	84	112	118	163	2 128	75	22		1
99	Diseases of the mouth and annexa	11	8					1						1	1				
100	Diseases of the pharynx	19	3	2	1		1	4	3	3	1				1				
101	Diseases of the esophagus	3												1	1	1			
102	Ulcer of the stomach	41							1	5	7	7	4	12	5				
103	Other diseases of the stomach (cancer excepted)	194	47	8	3	1	1	2	4	3	9	10	18	22	31	24	11		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CONNECTICUT—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
104	Diarrhea and enteritis (under 2 years)	902	776	126															
105	Diarrhea and enteritis (2 years and over)	134			20	3	2	8	3	4	7	10	12	10	26	24	4		1
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	104			1	1	4	6	20	26	13	10	11	8	3	1			
109	Hernia, intestinal obstruction (total)	163	30	6	1	3		5	5	6	10	21	15	30	18	9	4		
	Hernia	54	2	1				1	2	4	1	7	9	16	7	4			
	Intestinal obstruction	109	28	5	1	3		4	3	2	9	14	6	14	11	5	4		
110	Other diseases of the intestines	33	9	1					1	4	2	1	4	5	1	4	1		
111	Acute yellow atrophy of the liver	3								2				1					
112	Hydatid tumor of the liver	1										1							
113	Cirrhosis of the liver	165						1			17	32	34	43	30	6	2		
114	Biliary calculi	28								1	4	6	6	8	1	2			
115	Other diseases of the liver	54	1	2	1			1	1	1	4	11	6	14	9	3			
116	Diseases of the spleen	3									1	1	1						
117	Simple peritonitis (nonpuerperal)	38	2	1	1			2	6	4	9	2	4	5	1	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7							1				3	3					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,480	22	4	4	4	6	9	27	76	124	193	229	306	323	139	13		1
119	Acute nephritis	155	10	2	2	4	3	4	7	15	17	23	22	22	17	6	1		
120	Bright's disease	1,185	8	2	2		3	4	18	52	89	151	196	260	277	112	10		1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	19	3					1	1	1	1	4	1	2	4	1			
123	Calculi of the urinary passages	6										1		2	1	2			
124	Diseases of the bladder	30										1	2	5	9	12	1		
125	Diseases of the urethra, urinary abscess, etc.	3											1		2				
126	Diseases of the prostate	31										1	1	9	13	6	1		
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)	6								1	3	2							
129	Uterine tumor (noncancerous)	13									2	5	3	3					
130	Other diseases of the uterus	8									5	1	2						
131	Cysts and other tumors of the ovary	10									4	3	1	2					
132	Salpingitis and other diseases of the female genital organs	12							1	7	3	1							
133	Nonpuerperal diseases of the breast (cancer excepted)	2	1											1					
	VII.—The puerperal state	129							2	57	56	14							
134	Accidents of pregnancy	12							1	5	4	2							
135	Puerperal hemorrhage	18								5	10	3							
136	Other accidents of labor	6								4	1	1							
137	Puerperal septicemia	57							1	28	23	5							
138	Puerperal albuminuria and convulsions	33								14	17	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3								1	1	1							
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	63	5	2	1	1			1	1		2	9	11	15	14	1		
142	Gangrene	38	1	1						1			1	8	11	14	1		
143	Furuncle	3										1		1	1				
144	Acute abscess	10	1	1	1	1							2	1	3				
145	Other diseases of the skin and annexa	12	3						1			1	6	1					
	IX.—Diseases of the bones and of the organs of locomotion	16	2			1		1	4			3	1	1		2			1
146	Diseases of the bones (tuberculosis excepted)	13	1			1		1	4			2	1	1		1			1
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2	1									1							
148	Amputations																		
149	Other diseases of the organs of locomotion	1														1			
	X.—Malformations	164	152	4	1	4		3											
150	Congenital malformations (stillbirths not included) (total)	164	152	4	1	4		3											
	Hydrocephalus	16	11	2		1		2											
	Congenital malformations of the heart	97	90	2	1	3		1											
	Other congenital malformations	51	51																

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CONNECTICUT—Continued.																		
	XI.—Early infancy	1,156	1,156																
151	Congenital debility, icterus, and sclerema (total)	916	916																
	Premature birth	501	501																
	Congenital debility, "atrophy," "marasmus," etc	415	415																
152	Other causes peculiar to early infancy (total)	235	235																
	Injuries at birth	146	146																
	Other causes peculiar to early infancy [1]	89	89																
153	Lack of care	5	5																
	XII.—Old age	295											2	16	78	146	50	3	
154	Senility	295											2	16	78	146	50	3	
	XIII.—External causes	1,253	38	29	29	24	15	43	100	187	163	203	152	89	87	58	21		15
	Suicide (total)	207							7	37	40	59	31	19	10	1	1		2
155	By poison	85							1	19	17	22	12	9	4	1			
156	By asphyxia	20								1	2	7	8	2					
157	By hanging or strangulation	33							1	3	7	11	4	3	2		1		1
158	By drowning	16							3	3	5	1	1	2	1				
159	By firearms	36							1	9	4	12	4	3	3				
160	By cutting or piercing instruments	11								1	4	6							
161	By jumping from high places	4								1	1		2						
162	By crushing	2							1										1
163	Other suicides																		
	Accidental or undefined (total)	1,003	35	29	29	24	14	43	89	141	112	135	117	68	77	57	20		13
164	Poisoning by food	11		1	1	1		1	2	1	1	1	1	1					
165	Other acute poisonings	26	2	2	2	1		3		6	3	2	3	2					
166	Conflagration	7			1	1	1					2			2				
167	Burns (conflagration excepted)	109	3	20	14	9	6	6	5	10	9	6	8	6	5	2			
168	Absorption of deleterious gases (conflagration excepted)	54	9		1				2	11	6	5	10	3	4	2			1
169	Accidental drowning	122	1	2	2	1	2	18	25	26	16	13	9	1	1				5
170	Traumatism by firearms	17			2		1		9		2	1		1	1				
171	Traumatism by cutting or piercing instruments	5				1			2	1				1					
172	Traumatism by fall	191	1	3		3	1	3	9	12	13	19	25	18	27	40	17		
173	Traumatism in mines and quarries (total)	2							1	1									
	Traumatism in mines																		
	Traumatism in quarries	2							1	1									
174	Traumatism by machines	18							4	6	1	1	4		2				
175	Traumatism by other crushing (total)	286	2		2	5	1	9	24	56	41	59	42	18	21				6
	Railroad accidents and injuries	154	1			3		4	13	36	21	29	25	10	8				4
	Street-car accidents and injuries	69			2	2			6	12	10	19	11	2	4				1
	Automobile accidents and injuries	22					1	4		3	2	4	1	4	3				
	Injuries by other vehicles	35	1					1	4	3	8	4	5	2	6				1
	Landslide, other crushing	6							1	2		3							
176	Injuries by animals	6									1	2		2	1				
177	Starvation	3	1										1	1					
178	Excessive cold	6									1	2	2	1					
179	Effects of heat	82	13	1	1	2			2	1	10	13	8	7	9	11	3		1
180	Lightning	1							1										
181	Electricity (lightning excepted)	8								5	2	1							
185	Fractures (cause not specified)	13	1						1		2	1	1	5	2				
186	Other external violence	36	2		3		2	3	2	5	4	7	3	1	2	2			
	Homicide (total)	43	3				1		4	9	11	9	4	2					
182	By firearms	21							2	6	6	4	2	1					
183	By cutting or piercing instruments	8							1	2	2	1	1	1					
184	By other means	14	3				1		1	1	3	4	1						
	XIV.—Ill-defined diseases	106	31	15	2		1		4	5	8	9	5	11	9	2	2		2
187	Ill-defined organic disease	6	1											2	2		1		
188	Sudden death	8	3	1						1	2		1						
189	Not specified or ill-defined (total)	92	27	14	2		1		4	4	6	9	4	9	7	2	1		2
	Ill-defined	62	13	13	1		1		4	4	2	7	3	7	5	2			
	Not specified or unknown	30	14	1	1						4	2	1	2	2		1		2
	INDIANA.																		
	All causes	35,210	5,362	1,103	484	314	229	745	1,581	2,727	2,687	2,701	3,585	4,820	5,503	2,931	399	12	27
	I.—General diseases	10,308	609	319	214	162	113	404	800	1,425	1,224	1,074	1,151	1,313	1,081	367	46	2	4
1	Typhoid fever	728	2	8	16	12	13	49	153	172	119	62	48	48	25	1			
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	110	7	6	5	3	1	7	9	7	15	9	9	13	14	5			
5	Smallpox	3								1				1		1			

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	INDIANA—Continued.																		
	I.—General diseases—Continued.																		
6	Measles	262	47	62	29	19	5	29	18	17	16	7	2	8	3				
7	Scarlet fever	179	6	13	23	15	16	67	28	7	4								
8	Whooping cough	272	166	50	18	12	3	19	2		1			1					
9	Diphtheria and croup	385	26	41	54	50	54	108	43	5	3				1				
10	Influenza	499	35	11	7	6	2	9	14	20	30	25	40	73	107	107	13		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	11		1					1	1			2	2	2	2			
14	Dysentery	221	39	22	10	3	1	1		4	3	4	12	28	55	33	6		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	115	19	5					4	4	13	14	10	18	16	10	1	1	
19	Other epidemic diseases	16	4	3	2	2	1	2			1		1						
20	Purulent infection and septicemia	69	5	1		2	1	3	5	5	5	4	8	8	14	7	1		
21	Glanders																		
22	Anthrax	1												1					
23	Rabies	4			1			1					1	1					
24	Tetanus	86	20		3	1	1	10	14	10	7	8	2	7	3				
25	Mycoses	3								1				1	1				
26	Pellagra	3									2		1						
27	Beriberi																		
	Tuberculosis (total)	4,221	132	77	34	26	11	67	423	1,061	775	529	431	359	246	46	3	1	
28	Tuberculosis of the lungs	3,427	47	24	14	6	4	25	331	937	677	439	353	311	217	38	3	1	
29	Acute miliary tuberculosis	151	4	1				9	27	45	22	19	16	3	5				
30	Tuberculous miningitis	216	53	38	18	15	3	23	25	14	10	9	7		1				
31	Abdominal tuberculosis	250	15	8	1	1	2	6	20	42	35	38	30	32	16	4			
32	Pott's disease	32	3	1	1	1		2	5	5	2	6	4	2					
33	White swellings	19		1		1		1	3	2	2	3	1	3	1	1			
34	Tuberculosis of other organs	82	6	2		2	2		8	9	21	10	10	6	5	1			
35	Disseminated tuberculosis	44	4	2				1	4	7	6	5	10	2	1	2			
36	Rickets	18	8	3	3			1	1	1						1			
37	Syphilis	159	64	3		3		2	3	14	11	20	18	14	7				
38	Gonococcus infection	5	1						1	1		1		1					
	Cancer, and other malignant tumors (total)	1,943	1	3	2	1	1		10	33	110	276	416	527	428	117	14		4
39	Of the buccal cavity	88		1							1	4	19	24	28	11			
40	Of the stomach, liver	778		1		1			3	7	19	83	159	260	204	35	5		1
41	Of the peritoneum, intestines, rectum	228					1		2	6	15	22	34	73	59	16			
42	Of the female genital organs	328			1				1	8	36	87	96	62	31	4			2
43	Of the breast	190									22	49	44	35	30	7	2		1
44	Of the skin	111	1	1						1	2	5	21	20	28	27	5		
45	Of other organs or of organs not specified	220			1				4	11	15	26	43	53	48	17	2		
46	Other tumors (tumors of the female genital organs excepted)	18		1					1		2	3	3	4	3	1			
47	Acute articular rheumatism	150		2	3	4	1	15	31	7	15	11	9	20	19	11	2		
48	Chronic rheumatism and gout	40							1	3	3	3	6	9	11	3	1		
49	Scurvy	2		1										1					
50	Diabetes	396	2	2	1	3		6	23	22	28	31	66	108	88	13	3		
51	Exophthalmic goiter	61							3	12	8	10	14	13	1				
52	Addison's disease	11								1	1	3	1	4	1				
53	Leukemia	39	1	1				4	3	6	3	10	4	6	1				
54	Anemia, chlorosis	103	9	2				2	3	4	13	13	22	14	17	4			
55	Other general diseases	48	15	1	3		2	2	2	1	3	1	1	4	7	4	2		
56	Alcoholism (acute or chronic)	97							2	5	30	23	22	8	7				
57	Chronic lead poisoning	7							1		1	1	1	3					
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	23							1		2	6	1	8	4	1			
	II.—Diseases of the nervous system and of the organs of special sense	3,684	159	66	36	29	15	49	70	94	179	264	484	795	925	475	42		2
60	Encephalitis	39	8	1	2	3		3	4	5	4	1	4	1	2	1			
61	Meningitis (total)	241	66	36	14	15	7	20	17	13	14	10	11	13	5				
	Simple meningitis	134	31	17	12	7	3	8	6	8	11	9	9	11	2				
	Cerebrospinal meningitis (undefined)	77	25	19	1	7	2	7	4	4	3		1	1	3				
	Cerebrospinal fever	30	10		1	1	2	5	7	1		1	1	1					
62	Locomotor ataxia	84									4	9	27	27	16	1			
63	Other diseases of the spinal cord (total)	252	16	19	7	8	3	13	12	4	14	11	22	47	49	26	1		
	Acute anterior poliomyelitis	69	13	17	7	8	3	12	7		1		1						
	Other diseases of the spinal cord [1]	183	3	2				1	5	4	13	11	21	47	49	26	1		
64	Cerebral hemorrhage, apoplexy	2,135	7	2	2	1	1	1	5	25	48	119	317	578	661	334	34		
65	Softening of the brain	58								1	1	1	4	12	23	16			
66	Paralysis without specified cause	293	3						2	2	10	14	29	55	101	72	5		
67	General paralysis of the insane	163								3	26	31	32	23	35	13			
68	Other forms of mental alienation	69								5	9	22	7	6	16	4			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	INDIANA—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
69	Epilepsy	132	3		4		3	3	13	24	26	26	11	13	3	2			1
70	Convulsions (nonpuerperal)	1									1								
71	Convulsions of infants	35	34	1															
72	Chorea	5							2	2									1
73	Neuralgia and neuritis	7									2		3	1		1			
74	Other diseases of the nervous system	88	5	1		1			6	3	12	17	12	13	11	5	2		
75	Diseases of the eyes and their annexa	4		1								1		2					
76	Diseases of the ears	78	17	5	7	1	1	9	9	7	8	2	5	4	3				
	III.—Diseases of the circulatory system	4,999	45	8	6	2	4	31	92	124	192	314	666	1,157	1,471	798	84	3	2
77	Pericarditis	39	1				1		4	3	6		6	8	6	3	1		
78	Acute endocarditis	103	2		1			3	12	11	11	22	29	5	6	1			
79	Organic diseases of the heart	3,901	36	7	4	2	2	27	71	98	159	256	527	946	1,149	562	52	2	1
80	Angina pectoris	249							2	3	5	16	52	71	71	26	2		1
81	Diseases of the arteries, atheroma, aneurism, etc.	619	1							2	5	10	42	108	229	193	28	1	
82	Embolism and thrombosis	61	1					1	2	4	4	8	7	14	9	10	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	13									2	2	2	4	1	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	8	3	1	1		1			1				1					
85	Hemorrhage; other diseases of the circulatory system	6	1						1	2			1			1			
	IV.—Diseases of the respiratory system	3,370	711	196	84	47	40	65	102	128	159	198	276	360	540	402	58	3	1
86	Diseases of the nasal fossae	7	2	1			1	2		1									
87	Diseases of the larynx	38	6	7	1	5	4	2	4	3	1	1	2		1	1			
88	Diseases of the thyroid body	16							1	2	2	2	1	5	1	2			
89	Acute bronchitis	199	105	18	7	2	4	2		1		4		5	14	29	6	2	
90	Chronic bronchitis	216	2	2	1	1				3	3	6	8	33	63	79	15		
91	Bronchopneumonia	888	337	87	41	20	10	26	15	12	20	19	35	51	120	86	9		
92	Pneumonia (total)	1,826	248	81	31	19	19	32	80	96	114	146	209	236	309	181	23	1	1
	Lobar pneumonia	1,030	100	35	20	14	13	17	49	57	77	100	126	152	176	82	10	1	1
	Pneumonia (undefined)	796	148	46	11	5	6	15	31	39	37	46	83	84	133	99	13		
93	Pleurisy	64	3		2		1		1	7	14	9	10	10	4	3			
94	Pulmonary congestion, pulmonary apoplexy	29	6							1			1	1	5	10	5		
95	Gangrene of the lung	3			1				1			1							
96	Asthma	59	2				1			1	3	6	5	16	17	8			
97	Pulmonary emphysema	5											2		1	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	20						1		1	2	4	3	3	5	1			
	V.—Diseases of the digestive system	4,191	1,552	427	88	28	26	87	112	145	194	252	319	354	379	204	23	1	
99	Diseases of the mouth and annexa	18	13					3								1		1	
100	Diseases of the pharynx	41	3	2		3	3	7	7	5	2	2	2	2		3			
101	Diseases of the esophagus	2		1							1								
102	Ulcer of the stomach	100	3							8	11	18	14	22	21	3			
103	Other diseases of the stomach (cancer excepted)	430	165	9	8	3	3	3	3	9	17	18	31	40	62	54	5		
104	Diarrhea and enteritis (under 2 years)	1,676	1,274	402															
105	Diarrhea and enteritis (2 years and over)	411			70	13	14	21	3	14	21	22	31	58	76	59	9		
106	Ankylostomiasis	1									1								
107	Intestinal parasites	3					1	2											
108	Appendicitis and typhlitis	285		1	1	1	3	33	67	56	43	29	28	15	5	3			
109	Hernia, intestinal obstruction (total)	334	46	7	4	6	1	11	18	16	23	31	39	49	55	23	5		
	Hernia	95	11					1	1	2	6	8	12	18	24	11	1		
	Intestinal obstruction	239	35	7	4	6	1	10	17	14	17	23	27	31	31	12	4		
110	Other diseases of the intestines	113	26		2	1	1	2	3	6	4	9	12	11	14	19	3		
111	Acute yellow atrophy of the liver	28	2	1					2	2	3	4	3	3	8				
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	343	1	2		1		2	1	7	25	53	74	89	71	16	1		
114	Biliary calculi	115								3	10	15	31	27	22	7			
115	Other diseases of the liver	167	12					1	1	6	16	26	39	26	30	10			
116	Diseases of the spleen	8								1		1	2		3	1			
117	Simple peritonitis (nonpuerperal)	101	7	2	3			1	7	12	17	19	9	9	11	4			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	15						1				5	4	3	1	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,795	39	12	9	5	2	8	49	118	192	236	388	582	751	361	39	2	2
119	Acute nephritis	230	13	6	4	3	2	2	14	20	24	27	33	23	28	27	4		
120	Bright's disease	2,073	6	4	3	2		6	24	50	109	147	309	490	624	270	25	2	2
121	Chyluria																		
122	Other diseases of the kidneys and annexa	79	14	1	2				1	3	5	7	8	13	16	6	3		
123	Calculi of the urinary passages	19							1	1	3	3	2	5	2	2			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	INDIANA—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
124	Diseases of the bladder	69	4	1							2	3	5	7	22	22	3		
125	Diseases of the urethra, urinary abscess, etc	9								1	1	3		2	2				
126	Diseases of the prostate	118								1		2	9	23	46	33	4		
127	Nonvenereal diseases of the male genital organs	2	2																
128	Uterine hemorrhage (nonpuerperal)	3									1	2							
129	Uterine tumor (noncancerous)	45								1	9	13	9	8	5				
130	Other diseases of the uterus	27							3	6	6	6	2	2	1	1			
131	Cysts and other tumors of the ovary	36								5	5	6	7	9	4				
132	Salpingitis and other diseases of the female genital organs	83							5	29	27	17	4		1				
133	Nonpuerperal diseases of the breast (cancer excepted)	2							1	1									
	VII.—The puerperal state	481							54	235	159	33							
134	Accidents of pregnancy	38							2	9	25	2							
135	Puerperal hemorrhage	22							1	8	9	4							
136	Other accidents of labor	26							2	18	5	1							
137	Puerperal septicemia	296							35	145	95	21							
138	Puerperal albuminuria and convulsions	84							13	44	25	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	11							1	8		2							
140	Following childbirth (not otherwise defined)	4								3		1							
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	137	12	3	1			2	3	2	4	7	16	20	41	22	4		
142	Gangrene	86	2	1							2	3	11	12	32	20	3		
143	Furuncle	16	1					1	2		1	1	3	2	5				
144	Acute abscess	12	2	1				1		2		1	2	2	1				
145	Other diseases of the skin and annexa	23	7	1	1				1		1	2		4	3	2	1		
	IX.—Diseases of the bones and of the organs of locomotion	36	1	3				5	6	2	4	1	4	4	5	1			
146	Diseases of the bones (tuberculosis excepted)	31	1	3				5	6	2	4	1	3	3	3				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2											1	1					
148	Amputations																		
149	Other diseases of the organs of locomotion	3													2	1			
	X.—Malformations	493	470	8	2	3	3	3	4										
150	Congenital malformations (stillbirths not included) (total)	493	470	8	2	3	3	3	4										
	Hydrocephalus	35	27	3		1		2	2										
	Congenital malformations of the heart	312	304	2	1	2		1	2										
	Other congenital malformations	146	139	3	1		3												
	XI.—Early infancy	1,663	1,663																
151	Congenital debility, icterus, and sclerema (total)	1,289	1,289																
	Premature birth	1,054	1,054																
	Congenital debility, "atrophy," "marasmus," etc	235	235																
152	Other causes peculiar to early infancy (total)	367	367																
	Injuries at birth	209	209																
	Other causes peculiar to early infancy [1]	158	158																
153	Lack of care	7	7																
	XII.—Old age	351											1	14	89	173	72	1	1
154	Senility	351											1	14	89	173	72	1	1
	XIII.—External causes	2,655	83	53	43	38	26	91	289	453	380	319	278	217	216	126	30		13
	Suicide (total)	455							25	98	76	94	79	53	20	8			2
155	By poison	175							11	50	34	32	28	11	8	1			
156	By asphyxia	13							2	2	4	1	3	1					
157	By hanging or strangulation	78							2	9	8	17	18	17	3	3			1
158	By drowning	39							1	9	5	6	7	8	3				
159	By firearms	113							9	24	18	29	16	10	3	3			1
160	By cutting or piercing instruments	22								3	2	5	5	6	1				
161	By jumping from high places	4										2	1			1			
162	By crushing	6								1	2		1		2				
163	Other suicides	5									3	2							

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	INDIANA—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined (total)	2,076	83	53	43	37	25	91	251	322	268	200	190	159	195	118	30		11
164	Poisoning by food	24	2				1	2	6	1	3	5	2		2				
165	Other acute poisonings	70	8	14	5	3	2	2		7	7	5	9	6	2				
166	Conflagration	12				1	4	1		1		1	4						
167	Burns (conflagration excepted)	208	9	13	21	21	12	16	21	15	18	20	10	13	14	5			
168	Absorption of deleterious gases (conflagration excepted)	84	37	1				2	4	7	7	2	6	8	6	4			
169	Accidental drowning	179	1	5	5	2	1	10	60	44	26	7	9	6	1				2
170	Traumatism by firearms	60		3	1			1	34	11	5	3	2						
171	Traumatism by cutting or piercing instruments	10						1	1	1	2	2	2	1					
172	Traumatism by fall	417	7	8	2	3	1	14	17	20	31	26	33	40	102	87	26		
173	Traumatism in mines and quarries (total)	50							1	16	13	8	7	4	1				
	Traumatism in mines	49							1	16	13	8	6	4	1				
	Traumatism in quarries	1											1						
174	Traumatism by machines	43							7	10	7	11	6	2					
175	Traumatism by other crushing (total)	639	3	2	6	3	1	27	65	148	113	77	77	54	41	13	2		7
	Railroad accidents and injuries	408		1	2			8	33	121	81	52	50	32	15	6	1		6
	Street car accidents and injuries	82	1		1	1		4	9	8	15	10	13	10	7	3			
	Automobile accidents and injuries	31				1		5	4	3	5	5	1	3	4				
	Injuries by other vehicles	93	1	1	2		1	9	15	10	8	6	11	8	15	4	1		1
	Landslide, other crushing	25	1		1	1		1	4	6	4	4	2	1					
176	Injuries by animals	51			1	2	2	8	12	4	3	5	3	6	3	2			
177	Starvation	3	1											1					1
178	Excessive cold	12									3	1	4	3	1				
179	Effects of heat	61	1	2					2	4	8	8	4	6	17	7	2		
180	Lightning	21							5	4	2	6	3	1					
181	Electricity (lightning excepted)	37						2	8	13	10	3	1						
185	Fractures (cause not specified)	7								2		1		1	2				1
186	Other external violence	88	14	5	2	2	1	5	8	14	10	9	8	7	3				
	Homicide (total)	124				1	1		13	33	36	25	9	5	1				
182	By firearms	92				1	1		9	26	26	18	5	5	1				
183	By cutting or piercing instruments	12							2	2	3	1	4						
184	By other means	20							2	5	7	6							
	XIV.—Ill-defined diseases	47	18	8	1					1		3	2	4	5	2	1		2
187	Ill-defined organic disease	3										1			2				
188	Sudden death	3	2									1							
189	Not specified or ill defined (total)	41	16	8	1					1		1	2	4	3	2	1		2
	Ill defined	18	4	7	1									3	2	1			
	Not specified or unknown	23	12	1						1		1	2	1	1	1	1		2
	KENTUCKY (TOTAL).																		
	All causes	30,407	5,373	1,546	650	455	326	831	1,891	3,041	2,680	2,332	2,535	3,118	3,247	1,696	290	40	356
	I.—General diseases	10,914	812	554	299	220	177	450	1,110	1,876	1,404	1,095	941	888	694	250	34	4	106
1	Typhoid fever	1,069	7	10	21	14	22	95	260	261	146	99	71	35	13	3			12
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	237	30	15	8	8	6	9	28	23	24	25	19	23	13	5			1
5	Smallpox	4	2								1		1						
6	Measles	455	78	81	48	31	17	49	36	32	21	25	16	6	12	3			
7	Scarlet fever	86	6	11	11	12	9	24	10	1		2							
8	Whooping cough	438	219	118	29	22	16	21	8	1					1				3
9	Diphtheria and croup	572	93	94	84	79	65	111	30	4	3	1	1	1	1				5
10	Influenza	410	14	10	7	3	4	1	13	16	16	23	40	60	108	82	11	1	1
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	30	5		2			2		4	3	2	2	3	7				
14	Dysentery	344	54	49	19	6	2	9	3	6	8	17	23	54	47	35	8	1	3
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	75	21	2				1	5	4	7	5	9	13	5	3			
19	Other epidemic diseases	6	2	1				1	1	1									
20	Purulent infection and septicemia	78	9	3	2	2	1	3	8	10	6	8	9	5	7	5			
21	Glanders																		
22	Anthrax																		
23	Rabies	1									1								
24	Tetanus	50	17	3				6	6	6	5	2	3		2				
25	Mycoses	2											1		1				
26	Pellagra	65	1	1	1			1	2	9	22	13	7	4	2	2			
27	Beriberi																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (TOTAL)—Continued.																		
	I.—General diseases—Continued.																		
	Tuberculosis (total)	5,293	185	142	58	34	32	107	652	1,424	985	602	435	326	217	30	3	1	60
28	Tuberculosis of the lungs	4,476	89	71	23	20	13	68	549	1,281	881	549	377	282	195	24	3	1	50
29	Acute miliary tuberculosis	149	8	2	5	2	3	4	30	45	26	12	7	2	2				1
30	Tuberculous meningitis	222	52	49	20	6	13	19	24	20	10	2	1	4	1				1
31	Abdominal tuberculosis	271	12	7	4	2	1	9	25	58	44	23	41	26	11	5			3
32	Pott's disease	52	14	4	2			3	4	6	10	1	3	2	1				2
33	White swellings	26			2		1	3	5	2	3	1	4	1	3				1
34	Tuberculosis of other organs	63	6	6	1	4	1		10	8	5	10	2	4	3	1			2
35	Disseminated tuberculosis	34	4	3	1			1	5	4	6	4		5	1				
36	Rickets	19	10	3	3		1	1							1				
37	Syphilis	140	26	4		1		1	6	20	25	23	10	14	4	2			4
38	Gonococcus infection	4	2								1				1				
	Cancer and other malignant tumors (total)	986	1	1	1			2	8	13	68	176	219	239	180	60	8		10
39	Of the buccal cavity	35						1	1			3	3	16	6	3			2
40	Of the stomach, liver	319							1	1	20	50	76	85	63	16	3		4
41	Of the peritoneum, intestines, rectum	106							2	1	6	19	21	28	22	7			
42	Of the female genital organs	197							1	5	28	51	55	37	16	3			1
43	Of the breast	99								1	6	27	28	15	11	8	1		2
44	Of the skin	69								1	1	7	6	14	24	13	2		1
45	Of other organs or of organs not specified	161	1	1	1			1	3	4	7	19	30	44	38	10	2		
46	Other tumors (tumors of the female genital organs excepted)	19	2		1				1		1	3	2	6	2	1			
47	Acute articular rheumatism	137	3	1	1	3	1	2	14	12	10	16	16	31	19	6			2
48	Chronic rheumatism and gout	36							1	1	2	3	1	8	13	5	2		
49	Scurvy	2	1										1						
50	Diabetes	158		1				3	7	11	17	19	26	41	27	3		1	2
51	Exophthalmic goiter	11								2	5		4						
52	Addison's disease	2										2							
53	Leukemia	22	1			1			1	3	3	4	6	2		1			
54	Anemia, chlorosis	54	10	1	2			1	3	2	5	8	8	6	3	3	1		1
55	Other general diseases	50	13	3	1	4	1		5	6	3	3	3	2	4		1		1
56	Alcoholism (acute or chronic)	47							2	2	16	13	7	5	2				
57	Chronic lead poisoning	3								1			1	1					
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	9								1		1		3	2	1			1
	II.—Diseases of the nervous system and of the organs of special sense	2,703	397	140	58	43	32	79	79	95	142	194	282	424	457	223	28	4	26
60	Encephalitis	45	15	2	3	4	2	2	3	4	2	3	3	1	1				
61	Meningitis (total)	509	204	97	33	26	18	46	21	19	11	10	7	8	5	2			2
	Simple meningitis	325	127	63	22	16	7	32	12	13	7	5	6	7	4	2			2
	Cerebrospinal meningitis (undefined)	140	52	28	10	7	11	12	6	4	4	3	1	1	1				
	Cerebrospinal fever	44	25	6	1	3		2	3	2		2							
62	Locomotor ataxia	49						1		2	5	8	7	13	11	2			
63	Other diseases of the spinal cord (total)	143	24	15	10	5	3	9	3	1	7	5	8	21	26	5			1
	Acute anterior poliomyelitis	61	22	14	8	4	3	7	1		1	1							
	Other diseases of the spinal cord [1]	82	2	1	2	1		2	2	1	6	4	8	21	26	5			1
64	Cerebral hemorrhage, apoplexy	887	21	5	3	2	4	4	13	13	47	75	131	226	227	95	9	1	11
65	Softening of the brain	65						1	1	1	2	2	8	16	21	11	2		
66	Paralysis without specified cause	461	2	1	1	2	3	4	5	12	17	38	61	90	121	83	14	3	4
67	General paralysis of the insane	90								2	4	14	17	15	21	12	1		4
68	Other forms of mental alienation	62							1	11	8	9	17	8	5	2	1		
69	Epilepsy	100	5	4		2		4	13	13	22	11	10	6	5	2			3
70	Convulsions (nonpuerperal)	10							3	3	3				1				
71	Convulsions of infants	125	110	8	4	2	1												
72	Chorea	9			1			1	3	2					2				
73	Neuralgia and neuritis	15								2	2	2	2	3	1	3			
74	Other diseases of the nervous system	99	14	5				4	8	5	9	17	9	13	10	4			1
75	Diseases of the eyes and their annexa	3														2	1		
76	Diseases of the ears	31	2	3	3		1	3	5	5	3		2	4					
	III.—Diseases of the circulatory system	2,507	27	7	2	6	1	24	59	95	179	257	347	542	609	289	33	2	28
77	Pericarditis	34	1	1					3		4	4	4	6	6	4			1
78	Acute endocarditis	58	3	1				4	7	1	17	13	11		1				
79	Organic diseases of the heart	1,995	18	5		5	1	20	44	88	132	207	287	440	486	213	25	1	23
80	Angina pectoris	121							1	2	16	13	17	35	30	6			1
81	Diseases of the arteries, atheroma, aneurism, etc.	233								1	5	12	18	48	79	60	7	1	2
82	Embolism and thrombosis	33			1				1	1	3	3	9	9	3	1	1		1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	12			1					1	1	2	1	1	2	3			
84	Diseases of the lymphatic system (lymphangitis, etc.)	6	3			1			1						1				
85	Hemorrhage; other diseases of the circulatory system	15	2						2	1	1	3		3	1	2			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (TOTAL)—Continued.																		
	IV.—Diseases of the respiratory system	2,989	556	234	97	58	39	78	120	151	165	177	245	346	404	241	41	3	34
86	Diseases of the nasal fossae	11	4	1		1							1	1	1	1	1		
87	Diseases of the larynx	40	16	6	5	1	3	4			1	1			2	1			
88	Diseases of the thyroid body	8					1				1	1	2	1	2				
89	Acute bronchitis	158	83	17	8	7	3	4	2	2	1	1	2	6	12	8	2		
90	Chronic bronchitis	203	8	1	1		1	1	7	15	11	7	11	30	47	50	12		1
91	Bronchopneumonia	596	196	91	34	17	11	20	9	9	12	13	26	36	66	45	5	1	5
92	Pneumonia (total)	1,686	237	108	48	31	19	48	93	104	121	121	165	219	221	107	17	1	26
	Lobar pneumonia	636	59	36	11	9	4	11	41	43	58	56	77	101	77	37	5	1	10
	Pneumonia (undefined)	1,050	178	72	37	22	15	37	52	61	63	65	88	118	144	70	12		16
93	Pleurisy	44		1				1	4	4	7	7	3	9	6	2			
94	Pulmonary congestion, pulmonary apoplexy	63	6	4	1					4	3	7	5	12	10	9	2		
95	Gangrene of the lung	4				1			1	1		1							
96	Asthma	105	4	3						3	3	13	14	20	27	15	1	1	1
97	Pulmonary emphysema	8							2			1	1	2	2				
98	Other diseases of the respiratory system (tuberculosis excepted)	63	2	2			1		2	9	5	4	15	10	8	3	1		1
	V.—Diseases of the digestive system	3,215	933	477	105	54	30	79	116	143	168	164	214	287	279	120	22	3	21
99	Diseases of the mouth and annexa	22	16	3				1	2										
100	Diseases of the pharynx	52	2	5	1	7	2	12	5	3	2	4	3	3	1	1			1
101	Diseases of the esophagus	3								2		1							
102	Ulcer of the stomach	71			1		1	1	3	6	12	6	9	21	9	1	1		
103	Other diseases of the stomach (cancer excepted)	440	112	26	8	6	6	8	11	20	31	20	27	58	64	30	6	1	6
104	Diarrhea and enteritis (under 2 years)	1,157	729	428															
105	Diarrhea and enteritis (2 years and over)	423			81	24	11	16	13	17	18	18	38	59	71	44	8	1	4
106	Ankylostomiasis	6						1	3				1	1					
107	Intestinal parasites	20	3	4	1	5	2	2	2			1							
108	Appendicitis and typhlitis	166			3	2	2	18	39	33	17	26	13	6	4	1			2
109	Hernia, intestinal obstruction (total)	229	30	5	6	7	4	7	15	15	20	15	27	27	25	18	4	1	3
	Hernia	56	4					1	1	2	3	6	6	10	11	8	3		1
	Intestinal obstruction	173	26	5	6	7	4	6	14	13	17	9	21	17	14	10	1	1	2
110	Other diseases of the intestines	80	16	4	1		1	3		6	6	9	4	13	12	3	2		
111	Acute yellow atrophy of the liver	5	1		1							1	1		1				
112	Hydatid tumor of the liver	2							1		1								
113	Cirrhosis of the liver	200	3		1			1	3	4	18	24	42	43	47	10			4
114	Biliary calculi	62							1	1	8	7	16	15	12	2			
115	Other diseases of the liver	143	7	1	1	1		2	5	12	18	18	20	25	25	8			
116	Diseases of the spleen	3				1				1	1								
117	Simple peritonitis (nonpuerperal)	124	12	1			1	7	13	23	15	14	13	15	6	2	1		1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7	2			1					1			1	2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,848	24	11	9	12	6	25	43	94	125	170	253	378	444	197	30	1	26
119	Acute nephritis	140	8	3	4	4	3	13	6	12	12	18	10	21	20	4	2		
120	Bright's disease	1,381	9	8	5	7	2	12	24	43	85	116	207	324	348	146	24	1	20
121	Chyluria																		
122	Other diseases of the kidneys and annexa	75	5			1	1		5	1	5	3	15	11	17	11			
123	Calculi of the urinary passages	9							2	3			2		2				
124	Diseases of the bladder	54								5	1	3	3	8	14	16	3		1
125	Diseases of the urethra, urinary abscess, etc	11									1	4	3		1	2			
126	Diseases of the prostate	67										1	1	8	36	17	1		3
127	Nonvenereal diseases of the male genital organs	2	2																
128	Uterine hemorrhage (nonpuerperal)	7							1	2		3		1					
129	Uterine tumor (noncancerous)	19								4	3	6	2	2	2				
130	Other diseases of the uterus	38							2	9	9	12	2		2				2
131	Cysts and other tumors of the ovary	22							1	1	4	2	8	3	2	1			
132	Salpingitis and other diseases of the female genital organs	22							1	14	5	2							
133	Nonpuerperal diseases of the breast (cancer excepted)	1							1										
	VII.—The puerperal state	407							59	178	135	31							4
134	Accidents of pregnancy	46							6	25	15								
135	Puerperal hemorrhage	39							1	11	22	5							
136	Other accidents of labor	44							2	19	19	3							
137	Puerperal septicemia	174							26	78	55	13							1
138	Puerperal albuminuria and convulsions	93							24	42	19	7							2
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6								1	4	1							1
140	Following childbirth (not otherwise defined)	5								2	1	2							
141	Puerperal diseases of the breast																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	101	35	2	1	1	1		5	4	1	6	5	9	12	13	4		2
142	Gangrene	44	2		1	1			1	2		5	2	7	9	10	3		1
143	Furuncle	6							1		1		1	1	1		1		
144	Acute abcess	8	2						2	1			1	1		1			
145	Other diseases of the skin and annexa	43	31	2			1		1	1		1	1		2	2			1
	IX.—Diseases of the bones and of the organs of locomotion	30	1	3	2	1	1	5	2	2	1	2	2	6	2				
146	Diseases of the bones (tuberculosis excepted)	27	1	3	2	1	1	5	2	2	1	2	2	4	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations	2												1	1				
149	Other diseases of the organs of locomotion	1												1					
	X.—Malformations	243	222	7	5	4	1	1	1		1								1
150	Congenital malformations (stillbirths not included) (total)	243	222	7	5	4	1	1	1		1								1
	Hydrocephalus	15	11	1	2	1													
	Congenital malformations of the heart	117	109	3		2	1		1										1
	Other congenital malformations	111	102	3	3	1		1			1								
	XI.—Early infancy	1,784	1,784																
151	Congenital debility, icterus, and sclerema (total)	1,560	1,560																
	Premature birth	969	969																
	Congenital debility, "atrophy," "marasmus," etc.	591	591																
152	Other causes peculiar to early infancy (total)	213	213																
	Injuries at birth	107	107																
	Other causes peculiar to early infancy [1]	106	106																
153	Lack of care	11	11																
	XII.—Old age	525										1	7	29	166	229	68	20	5
154	Senility	525										1	7	29	166	229	68	20	5
	XIII.—External causes	1,994	92	40	45	44	31	74	256	365	321	188	178	116	88	73	12	1	70
	Suicide (total)	201							11	33	47	29	41	19	15	2			4
155	By poison	76							6	13	18	11	15	4	7				2
156	By asphixia	2							1					1					
157	By hanging or strangulation	27								2	3	3	8	7	4				
158	By drowning	12								1	2		6	1	1	1			
159	By firearms	60							4	14	17	13	8	2	2				
160	By cutting or piercing instruments	17								2	6	1	4	2	1	1			
161	By jumping from high places	2								1				1					
162	By crushing	1																	1
163	Other suicides	4									1	1		1					1
	Accidental or undefined (total)	1,478	90	40	45	44	31	74	214	227	184	121	115	92	71	71	12	1	46
164	Poisoning by food	20	5	2	1	1		1	5			1	1	1		2			
165	Other acute poisonings	49	7	3	5	3	3	5	2	4	7	3	2	3	2				
166	Conflagration	25	4	1	1		2	3	2	4	3	1		1	2	1			
167	Burns (conflagration excepted)	221	12	20	26	33	17	18	21	14	9	8	13	7	13	3	2		5
168	Absorption of deleterious gases (conflagration excepted)	39	28						1	2	2	3	2		1				
169	Accidental drowning	117	1	4	3			10	40	23	12	4	6	3		2			9
170	Traumatism by firearms	142			1		2	10	39	41	17	12	9	6					5
171	Traumatism by cutting or piercing instruments	9					1	1		2	1	1		1	1		1		
172	Traumatism by fall	194	4	4	4	3	2	3	10	10	13	15	19	32	27	40	7	1	
173	Traumatism in mines and quarries (total)	53							11	20	12	5	4						1
	Traumatism in mines	50							11	17	12	5	4						1
	Traumatism in quarries	3								3									
174	Traumatism by machines	24							9	4	4	5	1						1
175	Traumatism by other crushing (total)	347	3	2	1	1	2	9	48	77	70	38	36	22	14	6			18
	Railroad accidents and injuries	249	1	1	1		1	3	35	60	52	27	21	17	8	4			18
	Street-car accidents and injuries	33						2	5	9	9	4	1	3					
	Automobile accidents and injuries	15		1			1	1	2	1	2	2	2	1	2				
	Injuries by other vehicles	42	2			1		3	6	6	4	5	9	1	3	2			
	Landslide, other crushing	8								1	3		3		1				
176	Injuries by animals	13	1				1	2	3	2	1		2		1				
177	Starvation	2	2																
178	Excessive cold	5							1	1	2		1						
179	Effects of heat	36	5	2				1		3	3	7	4	4	2	3			2
180	Lightning	21							5	5	3	3	2	1		1			1
181	Electricity (lightning excepted)	3						1		2									
185	Fractures (cause not specified)	39					1		2	2	2	3	3	5	7	12	2		
186	Other external violence	119	18	2	3	3		10	15	11	23	12	10	6	1	1			4

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (TOTAL)—Continued.																		
	XIII.—External causes—Contd.																		
	Homicide (total)	315	2						31	105	90	38	22	5	2				20
182	By firearms	231							22	81	67	27	15	4	2				13
183	By cutting or piercing instruments	40							5	12	12	5	2	1					3
184	By other means	44	2						4	12	11	6	5						4
	XIV.—Ill-defined diseases	1,147	490	71	27	12	7	16	41	38	38	47	61	93	92	61	18	2	33
187	Ill-defined organic disease	112		1	4	2	1	4	7	4	6	12	6	15	25	16	6		3
188	Sudden death	39	13			1		1		1	4	2	3	2	5	3	1	2	1
189	Not specified or ill-defined (total)	996	477	70	23	9	6	11	34	33	28	33	52	76	62	42	11		29
	Ill-defined	301	70	35	7	5	2	2	15	12	10	22	28	44	30	13	1		5
	Not specified or unknown	695	407	35	16	4	4	9	19	21	18	11	24	32	32	29	10		24
	KENTUCKY (WHITE).																		
	All causes	24,580	4,554	1,280	534	393	267	639	1,377	2,261	2,019	1,744	1,978	2,653	2,880	1,499	213	15	244
	I.—General diseases	8,771	677	464	249	187	148	351	781	1,426	1,106	872	785	774	628	217	24	2	80
1	Typhoid fever	893	5	9	19	11	16	71	217	214	127	85	62	32	12	2			11
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	182	25	14	7	7	5	7	20	16	18	17	16	18	9	3			
5	Smallpox	4	2								1		1						
6	Measles	406	72	68	38	25	14	46	30	31	21	25	16	6	11	3			
7	Scarlet fever	84	6	11	11	12	9	23	9	1		2							
8	Whooping cough	352	182	90	26	18	13	13	6	1					1				2
9	Diphtheria and croup	548	83	93	82	76	65	106	29	4	2	1	1	1	1				4
10	Influenza	327	11	8	4	2	4	1	7	10	11	12	25	51	95	76	9		1
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	26	4		2			1		4	2	1	2	3	7				
14	Dysentery	292	45	42	17	6	2	8	2	4	7	13	19	49	39	30	5	1	3
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	70	20	2				1	5	3	5	5	8	13	5	3			
19	Other epidemic diseases	6	2	1				1	1	1									
20	Purulent infection and septicemia	61	8	3	2	2	1	2	7	8	3	7	6	3	6	3			
21	Glanders																		
22	Anthrax																		
23	Rabies	1									1								
24	Tetanus	40	11	3				6	5	4	5	1	3		2				
25	Mycoses	2											1		1				
26	Pellagra	58	1	1	1			1		8	20	11	7	4	2	2			
27	Beriberi																		
	Tuberculosis (total)	4,020	151	110	34	21	17	56	408	1,067	768	480	361	282	197	24	1		43
28	Tuberculosis of the lungs	3,390	72	47	10	12	4	29	336	961	685	440	318	244	178	18	1		35
29	Acute miliary tuberculosis	96	5	2	2	1	1	2	18	29	21	7	3	2	2				1
30	Tuberculous meningitis	186	45	45	15	4	10	14	21	15	9	2	1	4					1
31	Abdominal tuberculosis	212	10	5	2	1	1	6	15	46	36	17	33	24	9	5			2
32	Pott's disease	46	14	3	2			3	3	5	9	1	2	1	1				2
33	White swellings	17			1		1	2	3	2		1	2	1	3				1
34	Tuberculosis of other organs	47	1	5	1	3			8	7	4	8	2	3	3	1			1
35	Disseminated tuberculosis	26	4	3	1				4	2	4	4		3	1				
36	Rickets	11	7	2	1										1				
37	Syphilis	66	16	1					1	7	11	10	6	9	3				2
38	Gonococcus infection	3	2								1								
	Cancer and other malignant tumors (total)	859	1	1	1			2	5	9	54	141	190	215	169	56	6		9
39	Of the buccal cavity	32						1				3	3	15	5	3			2
40	Of the stomach, liver	286							1	1	15	39	72	78	60	14	2		4
41	Of the peritoneum, intestines, rectum	88							1	1	4	15	13	26	21	7			
42	Of the female genital organs	161								3	23	43	49	27	14	2			
43	Of the breast	79									5	19	22	14	10	7			2
44	Of the skin	68								1	1	6	6	14	24	13	2		1
45	Of other organs or of organs not specified	145	1	1	1			1	3	3	6	16	25	41	35	10	2		
46	Other tumors (tumors of the female genital organs excepted)	14	2		1				1			1	2	4	2	1			
47	Acute articular rheumatism	103	3	1	1	3	1	2	11	8	8	12	10	21	18	2			2
48	Chronic rheumatism and gout	33								1	2	3	1	8	11	5	2		
49	Scurvy	1	1																
50	Diabetes	145		1				3	6	10	15	18	24	39	25	3		1	
51	Exophthalmic goiter	10								2	4		4						
52	Addison's disease	2										2							
53	Leukemia	19	1			1			1	3	2	4	4	2		1			
54	Anemia, chlorosis	41	4		2			1	3	2	4	7	7	5	3	2			1
55	Other general diseases	42	12	3		3	1		5	6		3	2	1	4		1		1
56	Alcoholism (acute or chronic)	38							2		14	10	6	4	2				
57	Chronic lead poisoning	3								1			1	1					
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	9								1		1		3	2	1			1

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (WHITE)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense	2,227	333	116	51	41	31	66	67	75	106	144	204	356	410	196	17	2	12
60	Encephalitis	44	15	2	3	4	2	2	3	4	2	2	3	1	1				
61	Meningitis (total)	444	178	87	29	24	17	38	16	15	10	9	7	6	4	2			2
	Simple meningitis	280	110	56	18	15	7	26	8	10	6	5	6	5	4	2			2
	Cerebrospinal meningitis (undefined)	124	45	25	10	6	10	10	6	3	4	3	1	1					
	Cerebrospinal fever	40	23	6	1	3		2	2	2		1							
62	Locomotor ataxia	44						1			4	8	6	13	11	1			
63	Other diseases of the spinal cord (total)	117	22	10	8	5	3	8	2	1	4	4	6	18	22	4			
	Acute anterior poliomyelitis	52	20	9	7	4	3	6	1		1	1							
	Other diseases of the spinal cord [1]	65	2	1	1	1		2	1	1	3	3	6	18	22	4			
64	Cerebral hemorrhage, apoplexy	721	18	4	3	2	4	3	11	9	29	58	92	187	209	85	6		1
65	Softening of the brain	57						1		1	2	1	7	14	19	11	1		
66	Paralysis without specified cause	353	2	1	1	2	3	4	4	9	13	20	37	69	104	71	8	2	3
67	General paralysis of the insane	83								1	4	13	16	15	21	9			4
68	Other forms of mental alienation	52							1	11	7	7	12	7	4	2	1		
69	Epilepsy	76	5	1		2		2	12	10	16	6	9	6	4	2			1
70	Convulsions (nonpuerperal)	9							3	2	3				1				
71	Convulsions of infants	89	79	4	3	2	1												
72	Chorea	8			1			1	2	2					2				
73	Neuralgia and neuritis	13								1	2	2	1	3	1	3			
74	Other diseases of the nervous system	84	12	4				3	8	4	8	14	6	13	7	4			1
75	Diseases of the eyes and their annexa	3														2	1		
76	Diseases of the ears	30	2	3	3		1	3	5	5	2		2	4					
	III.—Diseases of the circulatory system	1,948	23	7	2	5	1	22	46	60	112	141	244	446	541	255	24		19
77	Pericarditis	22	1	1					2			1	2	5	6	4			
78	Acute endocarditis	47	2	1				4	5	1	15	11	7		1				
79	Organic diseases of the heart	1,522	17	5		5	1	18	35	56	81	107	201	352	429	181	17		17
80	Angina pectoris	104							1	1	10	10	14	33	28	6			1
81	Diseases of the arteries, atheroma, aneurism, etc.	200									2	5	12	44	72	58	6		1
82	Embolism and thrombosis	28			1				1		2	3	7	9	3	1	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	11			1					1	1	2	1	1	1	3			
84	Diseases of the lymphatic system (lymphangitis, etc.)	5	3						1						1				
85	Hemorrhage; other diseases of the circulatory system	9							1	1	1	2		2		2			
	IV.—Diseases of the respiratory system	2,285	419	160	66	45	27	58	79	97	114	118	177	291	358	217	35	2	22
86	Diseases of the nasal fossae	10	4			1							1	1	1	1	1		
87	Diseases of the larynx	38	15	6	5	1	3	3			1	1			2	1			
88	Diseases of the thyroid body	7					1				1		2	1	2				
89	Acute bronchitis	119	69	8	6	5	2	3		1	1	1	1	4	10	6	2		
90	Chronic bronchitis	154	6		1		1	1	1	5	3	2	9	25	43	45	12		
91	Bronchopneumonia	472	153	66	23	15	8	14	8	6	9	10	17	32	61	42	5	1	2
92	Pneumonia (total)	1,276	168	73	30	22	12	36	64	74	87	84	120	182	196	97	12		19
	Lobar pneumonia	499	41	26	8	7	3	8	31	29	45	45	59	85	67	33	3		9
	Pneumonia (undefined)	777	127	47	22	15	9	28	33	45	42	39	61	97	129	64	9		10
93	Pleurisy	28						1	3	2	3	3	2	7	5	2			
94	Pulmonary congestion, pulmonary apoplexy	55	2	4	1					4	3	7	4	11	8	9	2		
95	Gangrene of the lung	3				1				1		1							
96	Asthma	67		1							1	6	7	17	21	12	1	1	
97	Pulmonary emphysema	8							2			1	1	2	2				
98	Other diseases of the respiratory system (tuberculosis excepted)	48	2	2					1	4	5	2	13	9	7	2			1
	V.—Diseases of the digestive system	2,718	802	421	93	49	26	67	93	100	124	127	174	249	258	104	16		15
99	Diseases of the mouth and annexa	19	13	3				1	2										
100	Diseases of the pharynx	46	2	5	1	7	2	11	5	1	1	2	3	3	1	1			1
101	Diseases of the esophagus	3								2		1							
102	Ulcer of the stomach	54					1	1	2	6	10	4	5	15	8	1	1		
103	Other diseases of the stomach (cancer excepted)	355	90	24	7	5	5	7	10	14	22	13	23	44	60	25	2		4
104	Diarrhea and enteritis (under 2 years)	1,008	634	374															
105	Diarrhea and enteritis (2 years and over)	363			72	21	10	12	8	11	12	14	32	53	66	43	7		2
106	Ankylostomiasis	6						1	3				1	1					
107	Intestinal parasites	15	2	4	1	4		1	2			1							
108	Appendicitis and typhlitis	145			3	2	2	17	32	28	14	23	11	6	4	1			2
109	Hernia, intestinal obstruction (total)	191	26	5	5	7	4	6	13	11	14	12	20	24	24	15	3		2
	Hernia	41	3						1	1	1	4	3	9	10	6	3		
	Intestinal obstruction	150	23	5	5	7	4	6	12	10	13	8	17	15	14	9			2
110	Other diseases of the intestines	63	13	4	1		1	2		3	4	6	4	12	9	2	2		
111	Acute yellow atrophy of the liver	5	1		1							1	1		1				
112	Hydatid tumor of the liver	2							1		1								
113	Cirrhosis of the liver	169	3		1				2	2	11	21	35	41	44	5			4
114	Biliary calculi	56							1		7	7	14	14	11	2			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (WHITE)—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
115	Other diseases of the liver	114	7	1	1	1		2	3	6	13	12	16	22	22	8			
116	Diseases of the spleen	3				1				1	1								
117	Simple peritonitis (nonpuerperal)	94	9	1			1	6	9	15	13	10	9	13	6	1	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	7	2			1					1			1	2				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,506	18	10	9	10	6	20	35	70	89	122	192	316	390	177	22		20
119	Acute nephritis	102	6	3	4	3	3	9	5	8	7	11	6	15	17	4	1		
120	Bright's disease	1,150	8	7	5	6	2	11	21	35	63	87	162	272	307	131	17		16
121	Chyluria																		
122	Other diseases of the kidneys and annexa	58	3			1	1		2	1	4	1	10	10	16	9			
123	Calculi of the urinary passages	8							2	2			2		2				
124	Diseases of the bladder	45								4	1	1	2	7	12	14	3		1
125	Diseases of the urethra, urinary abscess, etc	3										1				2			
126	Diseases of the prostate	59										1	1	7	31	16	1		2
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	6							1	2		2		1					
129	Uterine tumor (noncancerous)	10									1	5	1	2	1				
130	Other diseases of the uterus	30							2	7	6	10	2		2				1
131	Cysts and other tumors of the ovary	18							1	1	4	1	6	2	2	1			
132	Salpingitis and other diseases of the female genital organs	15								10	3	2							
133	Nonpuerperal diseases of the breast (cancer excepted)	1							1										
	VII.—The puerperal state	331							41	146	113	27							4
134	Accidents of pregnancy	39							5	21	13								
135	Puerperal hemorrhage	36								11	20	5							
136	Other accidents of labor	37							1	15	17	3							1
137	Puerperal septicemia	131							17	61	42	9							2
138	Puerperal albuminuria and convulsions	78							18	35	17	7							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5								1	3	1							
140	Following childbirth (not otherwise defined)	5								2	1	2							
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	85	32	2	1	1	1		4	4	1	4	3	7	9	12	3		1
142	Gangrene	34	2		1	1				2		3	1	5	6	10	2		1
143	Furuncle	6							1		1		1	1	1		1		
144	Acute abscess	8	2						2	1			1	1		1			
145	Other diseases of the skin and annexa	37	28	2			1		1	1		1			2	1			
	IX.—Diseases of the bones and of the organs of locomotion	28	1	3	2	1	1	5	2	1	1	2	1	6	2				
146	Diseases of the bones (tuberculosis excepted)	25	1	3	2	1	1	5	2	1	1	2	1	4	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations	2												1	1				
149	Other diseases of the organs of locomotion	1												1					
	X.—Malformations	233	213	7	4	4	1	1	1		1								1
150	Congenital malformations (stillbirths not included) (total)	233	213	7	4	4	1	1	1		1								1
	Hydrocephalus	15	11	1	2	1													
	Congenital malformations of the heart	111	103	3		2	1		1										1
	Other congenital malformations	107	99	3	2	1		1			1								
	XI.—Early infancy	1,558	1,558																
151	Congenital debility, icterus, and sclerema (total)	1,360	1,360																
	Premature birth	865	865																
	Congenital debility, "atrophy," "marasmus," etc	495	495																
152	Other causes peculiar to early infancy (total)	191	191																
	Injuries at birth	96	96																
	Other causes peculiar to early infancy[1]	95	95																
153	Lack of care	7	7																
	XII.—Old age	422										1	4	23	132	202	49	8	3
154	Senility	422										1	4	23	132	202	49	8	3

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (WHITE)—Continued.																		
	XIII.—External causes	1,547	76	34	38	38	20	64	197	252	227	151	147	108	80	67	9		39
	Suicide (total)	191							10	29	44	29	41	19	14	2			3
155	By poison	70							5	11	16	11	15	4	7				1
156	By asphyxia	2							1					1					
157	By hanging or strangulation	27								2	3	3	8	7	4				
158	By drowning	11								1	1		6	1	1	1			
159	By firearms	58							4	12	17	13	8	2	2				
160	By cutting or piercing instruments	16								2	6	1	4	2		1			
161	By jumping from high places	2								1				1					
162	By crushing	1																	1
163	Other suicides	4									1	1		1					1
	Accidental or undefined (total)	1,179	74	34	38	38	20	64	169	174	134	97	88	84	64	65	9		27
164	Poisoning by food	15	4	1	1	1		1	4				1	1		1			
165	Other acute poisonings	43	6	2	5	3	2	5	2	2	7	3	1	3	2				
166	Conflagration	20	3	1			1	3	2	4	2	1		1	2				
167	Burns (conflagration excepted)	178	12	17	20	27	10	15	20	13	6	5	8	6	11	3	1		4
168	Absorption of deleterious gases (conflagration excepted)	28	22						1		2	2			1				
169	Accidental drowning	88	1	4	3			7	29	18	8	4	5	3					6
170	Traumatism by firearms	96			1		1	9	27	26	9	9	7	6					1
171	Traumatism by cutting or piercing instruments	7					1	1		2	1			1	1				
172	Traumatism by fall	169		4	4	3	2	2	7	9	8	13	17	30	26	38	6		
173	Traumatism in mines and quarries (total)	43							9	19	8	4	2						1
	Traumatism in mines	40							9	16	8	4	2						1
	Traumatism in quarries	3								3									
174	Traumatism by machines	19							9	2	3	4							1
175	Traumatism by other crushing (total)	279	3	2	1	1	1	9	38	57	58	31	32	20	10	6			10
	Railroad accidents and injuries	198	1	1	1		1	3	27	42	45	22	19	15	7	4			10
	Street-car accidents and injuries	24						2	3	7	5	3	1	3					
	Automobile accidents and injuries	12		1				1	2	1	2	1	2	1	1				
	Injuries by other vehicles	38	2			1		3	6	6	3	5	7	1	2	2			
	Landslide, other crushing	7								1	3		3						
176	Injuries by animals	10	1				1	2	2	2	1				1				
177	Starvation	1	1																
178	Excessive cold	1								1									
179	Effects of heat	29	4	2						3	2	6	4	3	2	3			
180	Lightning	20							5	4	3	3	2	1		1			1
181	Electricity (lightning excepted)	3						1		2									
185	Fractures (cause not specified)	37					1		2	2	2	2	3	4	7	12	2		
186	Other external violence	93	17	1	3	3		9	12	8	14	10	6	5	1	1			3
	Homicide (total)	177	2						18	49	49	25	18	5	2				9
182	By firearms	136							14	40	38	19	11	4	2				8
183	By cutting or piercing instruments	16							2	5	4	2	2	1					
184	By other means	25	2						2	4	7	4	5						1
	XIV.—Ill-defined diseases	921	402	56	19	12	5	15	31	30	25	35	47	77	72	52	14	1	28
187	Ill-defined organic disease	89		1	3	2	1	4	6	3	3	9	3	13	19	14	5		3
188	Sudden death	25	10			1				1	2	1	3	1	3	1		1	1
189	Not specified or ill defined (total)	807	392	55	16	9	4	11	25	26	20	25	41	63	50	37	9		24
	Ill defined	241	56	25	4	5		2	13	9	8	17	19	39	25	13	1		5
	Not specified or unknown	566	336	30	12	4	4	9	12	17	12	8	22	24	25	24	8		19
	KENTUCKY (COLORED).																		
	All causes	5,827	819	266	116	62	59	162	514	780	661	588	557	465	367	197	77	25	112
	I.—General diseases	2,143	135	90	50	33	29	99	329	450	298	223	156	114	66	33	10	2	26
1	Typhoid fever	176	2	1	2	3	6	21	43	47	19	14	9	3	1	1			1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	55	5	1	1	1	1	2	8	7	6	8	3	5	4	2			1
5	Smallpox																		
6	Measles	49	6	13	10	6	3	3	6	1					1				
7	Scarlet fever	2						1	1										
8	Whooping cough	86	37	28	3	4	3	8	2										1
9	Diphtheria and croup	24	10	1	2	3		5	1		1								1
10	Influenza	83	3	2	3	1			6	6	5	11	15	9	13	6	2	1	
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	4	1					1			1	1							
14	Dysentery	52	9	7	2			1	1	2	1	4	4	5	8	5	3		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	5	1							1	2		1						
19	Other epidemic diseases																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (COLORED)—Continued.																		
	I.—General diseases—Continued.																		
20	Purulent infection and septicemia	17	1					1	1	2	3	1	3	2	1	2			
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	10	6						1	2		1							
25	Mycoses																		
26	Pellagra	7							2	1	2	2							
27	Beriberi																		
	Tuberculosis (total)	1,273	34	32	24	13	15	51	244	357	217	122	74	44	20	6	2	1	17
28	Tuberculosis of the lungs	1,036	17	24	13	8	9	39	213	320	196	109	59	38	17	6	2	1	15
29	Acute miliary tuberculosis	53	3		3	1	2	2	12	16	5	5	4						
30	Tuberculous meningitis	36	7	4	5	2	3	5	3	5	1				1				
31	Abdominal tuberculosis	59	2	2	2	1		3	10	12	8	6	8	2	2				1
32	Pott's disease	6		1					1	1	1		1	1					
33	White swellings	9			1			1	2		3		2						
34	Tuberculosis of other organs	16	5	1		1	1		2	1	1	2		1					1
35	Disseminated tuberculosis	8						1	1	2	2			2					
36	Rickets	8	3	1	2		1	1											
37	Syphilis	74	10	3		1		1	5	13	14	13	4	5	1	2			2
38	Gonococcus infection	1													1				
	Cancer and other malignant tumors (total)	127							3	4	14	35	29	24	11	4	2		1
39	Of the buccal cavity	3							1					1	1				
40	Of the stomach, liver	33									5	11	4	7	3	2	1		
41	Of the peritoneum, intestines, rectum	18							1		2	4	8	2	1				
42	Of the female genital organs	36							1	2	5	8	6	10	2	1			1
43	Of the breast	20								1	1	8	6	1	1	1	1		
44	Of the skin	1										1							
45	Of other organs or of organs not specified	16								1	1	3	5	3	3				
46	Other tumors (tumors of the female genital organs excepted)	5									1	2		2					
47	Acute articular rheumatism	34							3	4	2	4	6	10	1	4			
48	Chronic rheumatism and gout	3							1						2				
49	Scurvy	1											1						
50	Diabetes	13							1	1	2	1	2	2	2				2
51	Exophthalmic goiter	1									1								
52	Addison's disease																		
53	Leukemia	3									1		2						
54	Anemia, chlorosis	13	6	1							1	1	1	1		1	1		
55	Other general diseases	8	1		1	1					3		1	1					
56	Alcoholism (acute or chronic)	9								2	2	3	1	1					
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings																		
59	Other chronic poisonings																		
	II.—Diseases of the nervous system and of the organs of special sense	476	64	24	7	2	1	13	12	20	36	50	78	68	47	27	11	2	14
60	Encephalitis	1										1							
61	Meningitis (total)	65	26	10	4	2	1	8	5	4	1	1		2	1				
	Simple meningitis	45	17	7	4	1		6	4	3	1			2					
	Cerebrospinal meningitis (undefined)	16	7	3		1	1	2		1					1				
	Cerebrospinal fever	4	2						1			1							
62	Locomotor ataxia	5								2	1		1			1			
63	Other diseases of the spinal cord (total)	26	2	5	2			1	1		3	1	2	3	4	1			1
	Acute anterior poliomyelitis	9	2	5	1			1											
	Other diseases of the spinal cord [1]	17			1				1		3	1	2	3	4	1			1
64	Cerebral hemorrhage, apoplexy	166	3	1				1	2	4	18	17	39	39	18	10	3	1	10
65	Softening of the brain	8							1			1	1	2	2		1		
66	Paralysis without specified cause	108							1	3	4	18	24	21	17	12	6	1	1
67	General paralysis of the insane	7								1		1	1			3	1		
68	Other forms of mental alienation	10									1	2	5	1	1				
69	Epilepsy	24		3				2	1	3	6	5	1		1				2
70	Convulsions (nonpuerperal)	1								1									
71	Convulsions of infants	36	31	4	1														
72	Chorea	1							1										
73	Neuralgia and neuritis	2								1			1						
74	Other diseases of the nervous system	15	2	1				1		1	1	3	3		3				
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	1									1								
	III.—Diseases of the circulatory system	559	4			1		2	13	35	67	116	103	96	68	34	9	2	9
77	Pericarditis	12							1		4	3	2	1					1
78	Acute endocarditis	11	1						2		2	2	4						
79	Organic diseases of the heart	473	1					2	9	32	51	100	86	88	57	32	8	1	6
80	Angina pectoris	17								1	6	3	3	2	2				
81	Diseases of the arteries, atheroma, aneurism, etc	33								1	3	7	6	4	7	2	1	1	1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (COLORED)—Continued.																		
	III.—Diseases of the circulatory system—Continued.																		
82	Embolism and thrombosis	5								1	1		2						1
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1													1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	1				1													
85	Hemorrhage; other diseases of the circulatory system	6	2						1			1		1	1				
	IV.—Diseases of the respiratory system	704	137	74	31	13	12	20	41	54	51	59	68	55	46	24	6	1	12
86	Diseases of the nasal fossae	1		1															
87	Diseases of the larynx	2	1					1											
88	Diseases of the thyroid body	1										1							
89	Acute bronchitis	39	14	9	2	2	1	1	2	1			1	2	2	2			
90	Chronic bronchitis	49	2	1					6	10	8	5	2	5	4	5			1
91	Broncho-pneumonia	124	43	25	11	2	3	6	1	3	3	3	9	4	5	3			3
92	Pneumonia (total)	410	69	35	18	9	7	12	29	30	34	37	45	37	25	10	5	1	7
	Lobar pneumonia	137	18	10	3	2	1	3	10	14	13	11	18	16	10	4	2	1	1
	Pneumonia (undefined)	273	51	25	15	7	6	9	19	16	21	26	27	21	15	6	3		6
93	Pleurisy	16		1					1	2	4	4	1	2	1				
94	Pulmonary congestion, pulmonary apoplexy	8	4										1	1	2				
95	Gangrene of the lung	1							1										
96	Asthma	38	4	2						3	2	7	7	3	6	3			1
97	Pulmonary emphysema																		
98	Other diseases of the respiratory system (tuberculosis excepted)	15					1		1	5		2	2	1	1	1	1		
	V.—Diseases of the digestive system	497	131	56	12	5	4	12	23	43	44	37	40	38	21	16	6	3	6
99	Diseases of the mouth and annexa	3	3																
100	Diseases of the pharynx	6						1		2	1	2							
101	Diseases of the esophagus																		
102	Ulcer of the stomach	17			1				1		2	2	4	6	1				
103	Other diseases of the stomach (cancer excepted)	85	22	2	1	1	1	1	1	6	9	7	4	14	4	5	4	1	2
104	Diarrhea and enteritis (under 2 years)	149	95	54															
105	Diarrhea and enteritis (2 years and over)	60			9	3	1	4	5	6	6	4	6	6	5	1	1	1	2
106	Ankylostomiasis																		
107	Intestinal parisites	5	1			1	2	1											
108	Appendicitis and typhlitis	21						1	7	5	3	3	2						
109	Hernia, intestinal obstruction (total)	38	4		1			1	2	4	6	3	7	3	1	3	1	1	1
	Hernia	15	1					1		1	2	2	3	1	1	2			1
	Intestinal obstruction	23	3		1				2	3	4	1	4	2		1	1	1	
110	Other diseases of the intestines	17	3					1		3	2	3		1	3	1			
111	Acute yellow atrophy of the liver																		
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	31						1	1	2	7	3	7	2	3	5			
114	Biliary calculi	6								1	1		2	1	1				
115	Other diseases of the liver	29							2	6	5	6	4	3	3				
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerpueral)	30	3					1	4	8	2	4	4	2		1			1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	342	6	1		2		5	8	24	36	48	61	62	54	20	8	1	6
119	Acute nephritis	38	2			1		4	1	4	5	7	4	6	3		1		
120	Bright's disease	231	1	1		1		1	3	8	22	29	45	52	41	15	7	1	4
121	Chyluria																		
122	Other diseases of the kidneys and annexa	17	2						3		1	2	5	1	1	2			
123	Calculi of the urinary passages	1								1									
124	Diseases of the bladder	9								1		2	1	1	2	2			
125	Diseases of the urethra, urinary abscess, etc	8									1	3	3		1				
126	Diseases of the prostate	8												1	5	1			1
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	9								4	2	1	1		1				
130	Other diseases of the uterus	8								2	3	2							1
131	Cysts and other tumors of the ovary	4										1	2	1					
132	Salpingitis and other diseases of the female genital organs	7							1	4	2								
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	76							18	32	22	4							
134	Accidents of pregnancy	7							1	4	2								
135	Puerperal hemorrhage	3							1		2								
136	Other accidents of labor	7							1	4	2								
137	Puerperal septicemia	43							9	17	13	4							

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (COLORED)—Continued.																		
	VII.—The puerperal state—Con.																		
138	Puerperal albuminuria and convulsions.	15							6	7	2								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1									1								
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	16	3						1			2	2	2	3	1	1		1
142	Gangrene	10							1			2	1	2	3		1		
143	Furuncle																		
144	Acute abscess																		
145	Other diseases of the skin and annexa	6	3										1			1			1
	IX.—Diseases of the bones and of the organs of locomotion	2								1			1						
146	Diseases of the bones (tuberculosis excepted)	2								1			1						
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	10	9		1														
150	Congenital malformations (stillbirths not included) (total)	10	9		1														
	Hydrocephalus																		
	Congenital malformations of the heart	6	6																
	Other congenital malformations	4	3		1														
	XI.—Early infancy	226	226																
151	Congenital debility, icterus, and sclerema (total)	200	200																
	Premature birth	104	104																
	Congenital debility, "atrophy," "marasmus," etc.	96	96																
152	Other causes peculiar to early infancy (total)	22	22																
	Injuries at birth	11	11																
	Other causes peculiar to early infancy [1]	11	11																
153	Lack of care	4	4																
	XII.—Old age	103											3	6	34	27	19	12	2
154	Senility	103											3	6	34	27	19	12	2
	XIII.—External causes	447	16	6	7	6	11	10	59	113	94	37	31	8	8	6	3	1	31
	Suicide (total)	10							1	4	3				1				1
155	By poison	6							1	2	2								1
156	By asphyxia																		
157	By hanging or strangulation																		
158	By drowning	1									1								
159	By firearms	2								2									
160	By cutting or piercing instruments	1													1				
161	By jumping from high places																		
162	By crushing																		
163	Other suicides																		
	Accidental or undefined (total)	299	16	6	7	6	11	10	45	53	50	24	27	8	7	6	3	1	19
164	Poisoning by food	5	1	1					1			1				1			
165	Other acute poisonings	6	1	1			1			2			1						
166	Conflagration	5	1		1		1				1					1			
167	Burns (conflagration excepted)	43		3	6	6	7	3	1	1	3	3	5	1	2		1		1
168	Absorption of deleterious gases (conflagration excepted)	11	6							2		1	2						
169	Accidental drowning	29						3	11	5	4		1			2			3
170	Traumatism by firearms	46					1	1	12	15	8	3	2						4
171	Traumatism by cutting or piercing instruments	2										1					1		
172	Traumatism by fall	25	4					1	3	1	5	2	2	2	1	2	1	1	
173	Traumatism in mines and quarries (total)	10							2	1	4	1	2						
	Traumatism in mines	10							2	1	4	1	2						
	Traumatism in quarries																		
174	Traumatism by machines	5								2	1	1	1						
175	Traumatism by other crushing (total)	68					1		10	20	12	7	4	2	4				8
	Railroad accidents and injuries	51							8	18	7	5	2	2	1				8
	Street-car accidents and injuries	9							2	2	4	1							
	Automobile accidents and injuries	3					1					1			1				
	Injuries by other vehicles	4									1		2		1				
	Landslide, other crushing	1													1				
176	Injuries by animals	3							1				2						
177	Starvation	1	1																
178	Excessive cold	4							1		2		1						
179	Effects of heat	7	1					1			1	1		1					2
180	Lightning	1								1									
181	Electricity (lightning excepted)																		
185	Fractures (cause not specified)	2										1		1					
186	Other external violence	26	1	1				1	3	3	9	2	4	1					1

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KENTUCKY (COLORED)—Continued.																		
	XIII.—External causes—Contd.																		
	Homicide (total)	138							13	56	41	13	4						11
182	By firearms	95							8	41	29	8	4						5
183	By cutting or piercing instruments	24							3	7	8	3							3
184	By other means	19							2	8	4	2							3
	XIV.—Ill-defined diseases	226	88	15	8		2	1	10	8	13	12	14	16	20	9	4	1	5
187	Ill-defined organic disease	23			1				1	1	3	3	3	2	6	2	1		
188	Sudden death	14	3					1			2	1		1	2	2	1	1	
189	Not specified or ill-defined (total)	189	85	15	7		2		9	7	8	8	11	13	12	5	2		5
	Ill-defined	60	14	10	3		2		2	3	2	5	9	5	5				
	Not specified or unknown	129	71	5	4				7	4	6	3	2	8	7	5	2		5
	MAINE.																		
	All causes	12,031	1,681	285	122	83	59	167	396	686	737	821	1,189	1,777	2,260	1,470	255	9	34
	I.—General diseases	2,834	142	78	41	28	31	61	172	339	326	291	363	406	395	142	14		5
1	Typhoid fever	135		1	1	2	1	7	19	42	29	8	12	9	3				1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	3										1			1	1			
5	Smallpox																		
6	Measles	31	6	13	2	2	1	1	3		1	1			1				
7	Scarlet fever	16	1		2	2	2	5	1	1	2								
8	Whooping cough	73	45	20	5	2		1											
9	Diphtheria and croup	75	6	9	8	9	8	20	11		2			1	1				
10	Influenza	189	14	4	2		1		1	5	6	8	10	21	64	42	11		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	3	1													2			
14	Dysentery	37	9	3	3	3	3	3	1		1	1	2	3	3	2			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	28	4							2	1	2	4	6	6	3			
19	Other epidemic diseases	1					1												
20	Purulent infection and septicemia	23				1		2	2	3	2	1	4	3	2	2	1		
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	10				1		2	2	2	1		2						
25	Mycoses																		
26	Pellagra	1											1						
27	Beriberi																		
	Tuberculosis (total)	1,063	33	18	17	5	9	12	108	250	221	139	107	80	50	12			2
28	Tuberculosis of the lungs	846	10	4	4	2	3	2	78	209	195	117	93	73	42	12			2
29	Acute miliary tuberculosis	26			2			1	6	7	5	3	2						
30	Tuberculous meningitis	72	14	10	10	2	5	7	8	7	2	5	1	1					
31	Abdominal tuberculosis	58	6	2	1		1		7	12	7	7	8	3	4				
32	Pott's disease	8							3	4	1								
33	White swellings	2							1						1				
34	Tuberculosis of other organs	24	2	1		1		1	1	3	6	3	1	3	2				
35	Disseminated tuberculosis	27	1	1				1	4	8	5	4	2		1				
36	Rickets	8	2	4	1										1				
37	Syphilis	21	10					1		2	4	2		2					
38	Gonococcus infection	4	3								1								
	Cancer and other malignant tumors (total)	738					1		2	7	32	89	150	204	197	53	2		1
39	Of the buccal cavity	25										2	3	5	10	5			
40	Of the stomach, liver	289							1	2	6	22	62	89	85	21	1		
41	Of the peritoneum, intestines, rectum	105								1	4	13	19	26	38	4			
42	Of the female genital organs	121								1	12	29	32	29	16	2			
43	Of the breast	67									6	13	14	15	10	9			
44	Of the skin	23										2	3	6	7	4			1
45	Of other organs or of organs not specified	108					1		1	3	4	8	17	34	31	8	1		
46	Other tumors (tumors of the female genital organs excepted)	13										3	4	1	3	2			
47	Acute articular rheumatism	30						2	5	3	1	3	2	2	9	3			
48	Chronic rheumatism and gout	23								2		3	3	5	8	2			
49	Scurvy	2								1		1							
50	Diabetes	178		2		1	1	4	11	11	9	17	31	41	36	14			
51	Exophthalmic goiter	6							1	1		1	1		2				
52	Addison's disease	4									1		1	2					
53	Leukemia	12		2			1	1				4	2	2					
54	Anemia, chlorosis	60	5	1					3	4	5	2	10	22	4	4			
55	Other general diseases	13	3	1			2		1			1	4		1				
56	Alcoholism (acute or chronic)	31							1	3	7	4	11	1	3				1
57	Chronic lead poisoning	2											2						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	1												1					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MAINE—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense	1,494	69	25	12	11	4	17	16	34	52	89	188	317	415	218	21	2	4
60	Encephalitis	15				1		1	1	4	1	1	1		2	2	1		
61	Meningitis (total)	100	28	14	10	5	3	10	4	5	6	4	5	1	4	1			
	Simple meningitis	69	22	11	5	4	1	3	4	4	3	2	5	1	3	1			
	Cerebrospinal meningitis (undefined)	30	6	3	5	1	2	6		1	3	2			1				
	Cerebrospinal fever	1						1											
62	Locomotor ataxia	26									3	2	12	5	4				
63	Other diseases of the spinal cord (total)	76	3	3		3	1	2		4	3	8	13	20	12	4			
	Acute anterior poliomyelitis	13	2	3		3	1	1		2				1					
	Other diseases of the spinal cord [1]	63	1					1		2	3	8	13	19	12	4			
64	Cerebral hemorrhage, apoplexy	877	7	2					3	9	11	46	104	212	300	163	16	2	2
65	Softening of the brain	31									1		3	7	11	9			
66	Paralysis without specified cause	135	2						1	2	1	6	15	33	48	24	2		1
67	General paralysis of the insane	72								1	9	10	10	19	14	7	2		
68	Other forms of mental alienation	32								2	5	3	8	8	4	2			
69	Epilepsy	36	1	1				1	5	5	6	1	8	3	4	1			
70	Convulsions (nonpuerperal)	3							1	1	1								
71	Convulsions of infants	32	23	5	2	2													
72	Chorea	3						1						1	1				
73	Neuralgia and neuritis	19									1	1	5	5	4	3			
74	Other diseases of the nervous system	31	2					2	1		3	7	4	3	6	2			1
75	Diseases of the eyes and their annexa	1	1																
76	Diseases of the ears	5	2							1	1				1				
	III.—Diseases of the circulatory system	1,840	18		3	2		6	24	34	53	109	200	420	580	352	34		5
77	Pericarditis	8										2	2	2	2				
78	Acute endocarditis	37				1		1	6	4	7	7	7		2	2			
79	Organic diseases of the heart	1,345	12		3	1		5	17	19	39	88	153	319	425	241	18		5
80	Angina pectoris	121								3		7	14	43	35	19			
81	Diseases of the arteries, atheroma, aneurism, etc	264							1		1	4	14	40	107	83	14		
82	Embolism and thrombosis	51	3							7	4	1	7	15	6	7	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3								1			1	1					
84	Diseases of the lymphatic system (lymphangitis, etc.)	1											1						
85	Hemorrhage; other diseases of the circulatory system	10	3								2		1		3		1		
	IV.—Diseases of the respiratory system	1,392	221	72	25	14	7	23	33	51	62	93	115	172	242	218	39	1	4
86	Diseases of the nasal fossae	2		1													1		
87	Diseases of the larynx	8	2	1	2	1		1						1					
88	Diseases of the thyroid body	7	1							1			3	1	1				
89	Acute bronchitis	113	39	7	3	1		1	1				1	7	19	28	6		
90	Chronic bronchitis	75	2							1		4	6	13	21	24	4		
91	Bronchopneumonia	236	59	22	6	2	2	5	2	5	4	6	12	20	47	39	5		
92	Pneumonia (total)	824	106	38	11	9	5	13	26	37	52	69	78	114	133	108	22	1	2
	Lobar pneumonia	139	12	2	2	3	1	2	11	9	13	10	18	22	19	13	2		
	Pneumonia (undefined)	685	94	36	9	6	4	11	15	28	39	59	60	92	114	95	20	1	2
93	Pleurisy	21			1			1	2	3	2	1	6	2	3				
94	Pulmonary congestion, pulmonary apoplexy	57	8	3	2	1		1		2	2	5	3	2	11	15			2
95	Gangrene of the lung	1													1				
96	Asthma	23	2								2	5	1	7	2	3	1		
97	Pulmonary emphysema	3						1	1						1				
98	Other diseases of the respiratory system (tuberculosis excepted)	22	2						1	2		3	5	5	3	1			
	V.—Diseases of the digestive system	1,227	494	86	23	9	10	21	52	46	47	54	74	108	140	52	11		
99	Diseases of the mouth and annexa	2	1											1					
100	Diseases of the pharynx	11	1	1	1	1		2		3	1	1							
101	Diseases of the esophagus	2											1			1			
102	Ulcer of the stomach	27								2	4	4	5	7	5				
103	Other diseases of the stomach (cancer excepted)	220	72	1	3			1	3	8	7	5	15	35	43	22	5		
104	Diarrhea and enteritis (under 2 years)	473	398	75															
105	Diarrhea and enteritis (2 years and over)	110			16	5	9	8	3	3	5	5	5	16	23	10	2		
106	Ankylostomiasis																		
107	Intestinal parasites	4	2	2															
108	Appendicitis and typhlitis	101		1	2	3	1	7	32	14	16	12	7	2	2	2			
109	Hernia, intestinal obstruction (total)	92	8	2	1			1	4	4	4	6	17	15	20	8	2		
	Hernia	22	3								2	1	3	4	7	2			
	Intestinal obstruction	70	5	2	1			1	4	4	2	5	14	11	13	6	2		
110	Other diseases of the intestines	20	7					1		1		1	1	2	6	1			
111	Acute yellow atrophy of the liver	5	1						1				2		1				
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	40									3	5	8	11	13				
114	Biliary calculi	20								1		5	3	6	4	1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MAINE—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
115	Other diseases of the liver	56	2	1				1		6	2	5	6	9	18	5	1		
116	Diseases of the spleen	2									1		1						
117	Simple peritonitis (nonpuerperal)	30	2	3					8	2	4	4		3	2	1	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	12							1	2		1	3	1	3	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	986	6	1	3	1	2	4	13	36	59	86	144	236	252	124	15		4
119	Acute nephritis	81	2	1	2		1	3	6	7	7	14	11	8	13	4	1		1
120	Bright's disease	773	2		1	1	1	1	6	15	45	55	121	206	209	96	11		3
121	Chyluria																		
122	Other diseases of the kidneys and annexa	16	1						1	3	1	4	1		2	3			
123	Calculi of the urinary passages	9										1		3	4	1			
124	Diseases of the bladder	26											2	2	8	12	2		
125	Diseases of the urethra, urinary abscess, etc																		
126	Diseases of the prostate	37											3	12	13	8	1		
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	1										1							
129	Uterine tumor (noncancerous)	7									2		3	1	1				
130	Other diseases of the uterus	19								5		9	2	2	1				
131	Cysts and other tumors of the ovary	5								1	1		1	1	1				
132	Salpingitis and other diseases of the female genital organs	11								5	3	2		1					
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	100							6	50	36	8							
134	Accidents of pregnancy	9							1	7	1								
135	Puerperal hemorrhage	16							1	4	9	2							
136	Other accidents of labor	15							1	5	8	1							
137	Puerperal septicemia	29							1	18	7	3							
138	Puerperal albuminuria and convulsions	28							2	14	11	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2								2									
140	Following childbirth (not otherwise defined)	1										1							
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	86	7							4	2	5	3	10	24	26	5		
142	Gangrene	63								1	1	1	2	8	21	24	5		
143	Furuncle	5	1							1	1	1				1			
144	Acute Abscess	6	3									2		1					
145	Other diseases of the skin and annexa	12	3							2		1	1	1	3	1			
	IX.—Diseases of the bones and of the organs of locomotion	11	1	1					2	1	1		2	3					
146	Diseases of the bones (tuberculosis excepted)	8	1	1					1	1			2	2					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2							1		1								
148	Amputations																		
149	Other diseases of the organs of locomotion	1												1					
	X.—Malformations	55	48	3	1	1			2										
150	Congenital malformations (stillbirths not included) (total)	55	48	3	1	1			2										
	Hydrocephalus	7	4	3															
	Congenital malformations of the heart	30	28			1			1										
	Other congenital malformations	18	16		1				1										
	XI.—Early infancy	596	596																
151	Congenital debility, icterus, and sclerema (total)	502	502																
	Premature birth	273	273																
	Congenital debility, "atrophy," "marasmus," etc	229	229																
152	Other causes peculiar to early infancy (total)	94	94																
	Injuries at birth	36	36																
	Other causes peculiar to early infancy [1]	58	58																
153	Lack of care																		
	XII.—Old age	533											2	16	132	274	104	5	
154	Senility	533											2	16	132	274	104	5	

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MAINE—Continued.																		
	XIII.—External causes	689	19	13	13	14	4	35	75	81	89	78	78	57	59	52	10		12
	Suicide (total)	101							6	9	16	19	19	20	10	2			
155	By poison	16							1	3	3	3	3	2	1				
156	By asphyxia	5								1	1				2	1			
157	By hanging or strangulation	26							1		3	9	6	4	2	1			
158	By drowning	12							1	2	2	3	2	2					
159	By firearms	30							2	3	5	2	7	7	4				
160	By cutting or piercing instruments	10									1	2	1	5	1				
161	By jumping from high places																		
162	By crushing	1									1								
163	Other suicides	1							1										
	Accidental or undefined (total)	570	18	13	11	14	4	33	67	70	67	57	58	37	49	50	10		12
164	Poisoning by food	5				1			2		1				1				
165	Other acute poisonings	15		3	1	4			1		1	2	2		1				
166	Conflagration	16		1	2		1		1		2	1	1	3	3	1			
167	Burns (conflagration excepted)	45	1	2	5	3	1	5	6	4	1	5	4	3	3	1			1
168	Absorption of deleterious gases (conflagration excepted)	16	6							1	1	2		2	2	2			
169	Accidental drowning	131	1	1		3		10	34	31	11	15	15	7	1	1			1
170	Traumatism by firearms	24				1	1	3	9	1	4	3	1	1					
171	Traumatism by cutting or piercing instruments	2						1			1								
172	Traumatism by fall	97	2	2		2		1	1	2	8	7	6	7	17	37	4		1
173	Traumatism in mines and quarries (total)	2									1			1					
	Traumatism in mines																		
	Traumatism in quarries	2									1			1					
174	Traumatism by machines	15							4	2	5	2	2						
175	Traumatism by other crushing (total)	101	1				1	9	4	17	20	9	16	6	10	2			6
	Railroad accidents and injuries	58	1					1	1	14	16	7	6	1	4	1			6
	Street-car accidents and injuries	11						3	2	1	2		3						
	Automobile accidents and injuries	3								2			1						
	Injuries by other vehicles	23					1	4			1	1	5	4	6	1			
	Landslide, other crushing	6						1	1		1	1	1	1					
176	Injuries by animals	5						2							3				
177	Starvation																		
178	Excessive cold	4							1	2	1								
179	Effects of heat	37	6	1				1		1	4	1	4	5	6	5	3		
180	Lightning	1										1							
181	Electricity (lightning excepted)	6							1	1	2	2							
185	Fractures (cause not specified)	8		1					1				2		1	1	2		
186	Other external violence	40	1	2	3			1	2	8	4	7	5	2	1		1		3
	Homicide (total)	18	1		2			2	2	2	6	2	1						
182	By firearms	9							2	2	3	2							
183	By cutting or piercing instruments	4									3		1						
184	By other means	5	1		2			2											
	XIV.—Ill-defined diseases	188	60	6	1	3	1		1	10	10	8	20	32	21	12	2	1	
187	Ill-defined organic disease	16										1		7	3	5			
188	Sudden death	20	1							3	2		7	3	3			1	
189	Not specified or ill-defined (total)	152	59	6	1	3	1		1	7	8	7	13	22	15	7	2		
	Ill-defined	81	12	6	1	2	1		1	4	5	4	11	16	9	7	2		
	Not specified or unknown	71	47			1				3	3	3	2	6	6				
	MARYLAND (TOTAL).																		
	All causes	20,694	4,003	877	342	188	154	426	915	1,629	1,659	1,787	2,127	2,564	2,495	1,255	189	15	69
	I.—General diseases	5,729	386	222	120	80	62	206	484	907	777	633	690	608	390	137	16	1	10
1	Typhoid fever	491	2	6	3	3	6	31	120	134	78	48	33	16	9	1			1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	14			1			2	1	2		2		3	1	2			
5	Smallpox																		
6	Measles	130	31	44	15	9		14	8	5	1	3							
7	Scarlet fever	66	3	10	12	7	7	18	7		1	1							
8	Whooping cough	192	89	47	31	8	4	11	1						1				
9	Diphtheria and croup	168	27	32	14	22	22	36	11	2			2						
10	Influenza	217	21	7	4	4	2	6	9	8	7	14	26	33	42	26	7		1
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	14		1						1		2	1	5	4				
14	Dysentery	83	9	10	1					2	2	3	9	14	24	8	1		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	50	15	1					1	2	2	6	5	9	5	3	1		
19	Other epidemic diseases	7	4	1			1							1					
20	Purulent infection and septicemia	41	6	1	2		1	2	5	7	4	3	4	3	2	1			
21	Glanders																		
22	Anthrax																		
23	Rabies	3				1		1	1										

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (TOTAL)—Continued.																		
	I.—General diseases—Continued.																		
24	Tetanus	48	17		2		3	3	8	6	2	2	3	1		1			
25	Mycoses																		
26	Pellagra	11						2			1	2	1	5					
27	Beriberi																		
	Tuberculosis (total)	2,660	62	50	30	21	14	60	281	687	564	352	285	156	78	13	1		6
28	Tuberculosis of the lungs	2,240	20	17	16	7	6	25	216	617	515	320	255	137	71	11	1		6
29	Acute miliary tuberculosis	99	5	4	1		3	3	17	30	11	11	9	3	2				
30	Tuberculous meningitis	115	28	22	11	4	4	18	14	5	4	2	2	1					
31	Abdominal tuberculosis	114	2	5	2	6		6	15	28	21	8	12	5	2	2			
32	Pott's disease	19	1			2		2	5	1	1	4		2	1				
33	White swellings	11	1				1	2	3	1	2	1							
34	Tuberculosis of other organs	35	2	2				3	6	2	3	5	4	6	2				
35	Disseminated tuberculosis	27	3			2		1	5	3	7	1	3	2					
36	Rickets	8	4	2	2														
37	Syphilis	137	88	4	1			1	4	10	12	8	5	3		1			
38	Gonococcus infection	3	1							1	1								
	Cancer and other malignant tumors (total)	955	1		1	2	1	3	4	18	63	141	232	251	166	65	6		1
39	Of the buccal cavity	39									3	5	9	14	4	4			
40	Of the stomach, liver	388				1				1	20	49	111	105	76	23	2		
41	Of the peritoneum, intestines, rectum	99					1	1	1	7	5	12	24	26	16	6			
42	Of the female genital organs	147								5	16	46	31	29	13	7			
43	Of the breast	96									9	14	23	29	13	6	2		
44	Of the skin	28										1	1	7	12	6	1		
45	Of other organs or of organs not specified	158	1		1	1		2	3	5	10	14	33	41	32	13	1		1
46	Other tumors (tumors of the female genital organs excepted)	15		1		1		1			1		3	1	5	2			
47	Acute articular rheumatism	69		1		2		6	14	7	5	3	6	12	11	1		1	
48	Chronic rheumatism and gout	13									1		3	5	4				
49	Scurvy	2	1	1															
50	Diabetes	167	1					6	2	2	7	18	36	58	27	10			
51	Exophthalmic goiter	8								1	2	1	2	1		1			
52	Addison's disease	5											3	2					
53	Leukemia	17						2	1	2	2		3	6	1				
54	Anemia, chlorosis	57	1	3					5	2	5	5	14	15	6	1			
55	Other general diseases	15	3		1		1	1	1	1	1	1	1	2	1	1			
56	Alcoholism (acute or chronic)	53								5	14	17	12	2	2				1
57	Chronic lead poisoning	3								1		1		1					
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	7								1	1		1	3	1				
	II.—Diseases of the nervous system and of the organs of special sense	2,136	221	61	30	11	11	33	46	55	97	197	271	408	453	214	19	1	8
60	Encephalitis	11	3	1			1			1		3			1	1			
61	Meningitis (total)	180	60	29	15	8	4	18	16	7	7	5	4	3	1	3			
	Simple meningitis	112	42	17	8	4	3	11	7	3	3	4	3	3	1	3			
	Cerebrospinal meningitis (undefined)	53	14	9	6	4		6	8	3	2	1							
	Cerebrospinal fever	15	4	3	1		1	1	1	1	2		1						
62	Locomotor ataxia	30							1		2	4	8	5	8	2			
63	Other diseases of the spinal cord (total)	90	14	5	7		2	4		4	5	7	12	16	10	3	1		
	Acute anterior poliomyelitis	34	14	5	7		2	3				1		1	1				
	Other diseases of the spinal cord [1]	56						1		4	5	6	12	15	9	3	1		
64	Cerebral hemorrhage, apoplexy	1,024	16	1	1	1	1		8	14	33	98	167	267	275	128	12		2
65	Softening of the brain	24							1			1	1	6	13	2			
66	Paralysis without specified cause	356	2	3				2	1	4	7	30	41	79	114	63	6	1	3
67	General paralysis of the insane	93									17	17	19	15	20	5			
68	Other forms of mental alienation	28								2	1	5	8	5	3	2			2
69	Epilepsy	54	1					2	9	11	12	11	2	2	2	1			1
70	Convulsions (nonpuerperal)	5						3	1			1							
71	Convulsions of infants	145	117	18	5	2	3												
72	Chorea	4							2				1	1					
73	Neuralgia and neuritis	10	1					1		1		2	3		2				
74	Other diseases of the nervous system	60	2					3	3	8	13	13	4	7	4	3			
75	Diseases of the eyes and their annexa	2			1									1					
76	Diseases of the ears	20	5	4	1				4	3			1	1		1			
	III.—Diseases of the circulatory system	2,376	28	10	3	3	2	19	66	99	151	226	350	543	584	252	28	2	10
77	Pericarditis	16	1					1	3			3	1	3	3	1			
78	Acute endocarditis	74		1	1		1	3	10	4	9	20	18	3	2				2
79	Organic diseases of the heart	1,868	19	8	2	3	1	12	51	82	122	176	273	439	466	187	17	2	8
80	Angina pectoris	91						1		2	2	7	14	33	28	4			
81	Diseases of the arteries, atheroma, aneurism, etc	260	1							5	7	16	37	54	73	56	11		
82	Embolism and thrombosis	37						1	1	4	6	4	6	6	7	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	7							1	2	2		1		1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	7	3	1										1	2				
85	Hemorrhage; other diseases of the circulatory system	16	4					1			3			4	2	2			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed list No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (TOTAL)—Continued.																		
	IV.—Diseases of the respiratory system	2,481	570	252	113	50	36	59	70	109	151	159	179	265	285	150	27	1	5
86	Diseases of the nasal fossae	3	1					1			1								
87	Diseases of the larynx	18	5	3	3		1	3	1				1			1			
88	Diseases of the thyroid body	5								1				4					
89	Acute bronchitis	151	75	28	10	3	2	2		1	1	3	2	6	12	5	1		
90	Chronic bronchitis	145	2	2	1			1	2		7	15	4	21	43	42	4		1
91	Bronchopneumonia	631	238	118	48	30	12	13	11	7	8	20	15	35	51	22	3		
92	Pneumonia (total)	1,290	215	93	49	17	18	36	52	97	112	97	122	167	140	62	8	1	4
	Lobar pneumonia	631	60	33	22	9	7	18	25	49	74	53	79	95	79	24	3		1
	Pneumonia (undefined)	659	155	60	27	8	11	18	27	48	38	44	43	72	61	38	5	1	3
93	Pleurisy	58	5	1	2		1	2	3	1	10	6	15	5	4	2	1		
94	Pulmonary congestion, pulmonary apoplexy	90	25	4			1				5	5	2	12	21	9	6		
95	Gangrene of the lung	3									1		1		1				
96	Asthma	45		1						2		4	11	10	9	4	4		
97	Pulmonary emphysema	1										1							
98	Other diseases of the respiratory system (tuberculosis excepted)	41	4	2			1	1	1		6	8	6	5	4	3			
	V.—Diseases of the digestive system	2,443	1,182	244	35	12	17	38	54	87	100	134	154	163	142	69	6		6
99	Diseases of the mouth and annexa	18	13	1				2				1	1						
100	Diseases of the pharynx	21	2	1	1		2	7	3	2	1		1	1					
101	Diseases of the esophagus	4	1		1										1	1			
102	Ulcer of the stomach	28						1	2	3	5	6	5	4	1	1			
103	Other diseases of the stomach (cancer excepted)	291	64	17	2	3	4	4	5	15	13	27	31	30	49	21	3		3
104	Diarrhea and enteritis (under 2 years)	1,288	1,074	214															
105	Diarrhea and enteritis (2 years and over)	179			25	6	4	10	9	7	7	8	16	28	30	26	2		1
106	Ankylostomiasis																		
107	Intestinal parasites	6		1	2	1	2												
108	Appendicitis and typhlitis	107		1	1		2	6	18	26	19	13	9	6	4	2			
109	Hernia, intestinal obstruction (total)	157	16	4	1	2	2	2	8	11	16	23	20	25	20	4	1		2
	Hernia	48	5	2					1	2	1	9	8	12	5	1			2
	Intestinal obstruction	109	11	2	1	2	2	2	7	9	15	14	12	13	15	3	1		
110	Other diseases of the intestines	42	5	2	1		1	1	2	2	6	4	4	5	4	5			
111	Acute yellow atrophy of the liver	4	3													1			
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	165							1	3	16	36	43	40	21	5			
114	Biliary calculi	39								2	3	5	10	12	6	1			
115	Other diseases of the liver	50	3						2	5	7	9	10	9	4	1			
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	36	1	3	1			5	3	9	6	2	2	1	2	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	8							1	2	1		2	2					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,837	18	9	8	2	3	13	34	93	143	239	327	409	358	158	17		6
119	Acute nephritis	200	7	9	3		2	9	17	21	21	31	37	27	14	1			1
120	Bright's disease	1,475	8		4	2	1	4	14	58	100	179	275	353	314	142	16		5
121	Chyluria																		
122	Other diseases of the kidneys and annexa	22	1		1					2	4	3	2	3	4	2			
123	Calculi of the urinary passages	5									3	1	1						
124	Diseases of the bladder	25									1	2	1	4	11	5	1		
125	Diseases of the urethra, urinary abscess, etc	7	1							2		1	1	1		1			
126	Diseases of the prostate	36									1	2	2	11	14	6			
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	2									1		1						
129	Uterine tumor (noncancerous)	19								2	3	8	1	4	1				
130	Other diseases of the uterus	15							1	2	1	6	5						
131	Cysts and other tumors of the ovary	9									2		1	5		1			
132	Salpingitis and other diseases of the female genital organs	21							2	6	6	6		1					
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	182							26	76	69	11							
134	Accidents of pregnancy	19							1	8	10								
135	Puerperal hemorrhage	20							2	4	12	2							
136	Other accidents of labor	18							1	9	7	1							
137	Puerperal septicemia	71							10	33	25	3							
138	Puerperal albuminuria and convulsions	46							11	21	11	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	7							1	1	3	2							
140	Following childbirth (not otherwise defined)	1									1								
141	Puerperal diseases of the breast																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (TOTAL)—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	71	13	3				1	1		1	5	7	9	15	12	2		2
142	Gangrene	43	2	1								1	5	6	13	11	2		2
143	Furuncle	3	2									1							
144	Acute abscess	12	4	1				1	1		1		1	3					
145	Other diseases of the skin and annexa	13	5	1								3	1		2	1			
	IX.—Diseases of the bones and of the organs of locomotion	34	3	2	5		1	4			1	5	5	3	3	2			
146	Diseases of the bones (tuberculosis excepted)	28	2	2	5		1	4			1	5	4	2	1	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	4	1										1	1	1				
148	Amputations																		
149	Other diseases of the organs of locomotion	2													1	1			
	X.—Malformations	158	148	4				3	2	1									
150	Congenital malformations (stillbirths not included) (total)	158	148	4				3	2	1									
	Hydrocephalus	9	9																
	Congenital malformations of the heart	109	100	4				2	2	1									
	Other congenital malformations	40	39					1											
	XI.—Early infancy	1,297	1,297																
151	Congenital debility, icterus, and sclerema (total)	1,132	1,132																
	Premature birth	501	501																
	Congenital debility, "atrophy," "marasmus," etc	631	631																
152	Other causes peculiar to early infancy (total)	156	156																
	Injuries at birth	93	93																
	Other causes peculiar to early infancy [1]	63	63																
153	Lack of care	9	9																
	XII.—Old age	427											2	25	137	194	58	8	3
154	Senility	427											2	25	137	194	58	8	3
	XIII.—External causes	1,151	52	31	20	22	21	44	125	188	154	148	103	74	93	48	13	1	14
	Suicide (total)	149							7	35	31	32	21	14	5	2			2
155	By poison	43							3	12	9	8	6	4	1				
156	By asphyxia	19								6	5	4	1	2	1				
157	By hanging or strangulation	20							1	4	2	6	4	1	2				
158	By drowning	6								3		1	1		1				
159	By firearms	42							2	6	12	9	7	2		2			2
160	By cutting or piercing instruments	7								3	1	2	1						
161	By jumping from high places	7									1	2		4					
162	By crushing	4							1		1		1	1					
163	Other suicides	1								1									
	Accidental or undefined (total)	950	51	31	20	22	21	44	116	138	108	105	79	57	87	46	13	1	11
164	Poisoning by food	9	1					2	1	1	1	1	1		1				
165	Other acute poisonings	24	2	5		2	2	1	2	4	2	2	1	1					
166	Conflagration	12		2	1			1	1		1		1		3	1		1	
167	Burns (conflagration excepted)	121	6	14	11	13	13	19	6	10	12	4	2	6	4	1			
168	Absorption of deleterious gases (conflagration excepted)	39	14					2	5	8	1	1	2	3	3				
169	Accidental drowning	137	1	2		2		7	31	30	19	22	13	1	3				6
170	Traumatism by firearms	28		1	2		2	1	13	6	1	1			1				
171	Traumatism by cutting or piercing instruments	2		1							1								
172	Traumatism by fall	146	6	2		3	1	2	9	11	10	18	8	14	37	19	6		
173	Traumatism in mines and quarries (total)	13							1	5	4	2							1
	Traumatism in mines	11							1	5	3	2							
	Traumatism in quarries	2									1								1
174	Traumatism by machines	20							3	5	7	3	2						
175	Traumatism by other crushing (total)	224			3	2	2	6	29	44	36	36	33	20	7	3			3
	Railroad accidents and injuries	130						4	13	32	23	23	19	10	1	2			3
	Street-car accidents and injuries	29				1			2	5	4	6	6	4	1				
	Automobile accidents and injuries	12				1			3	4	1		2		1				
	Injuries by other vehicles	41			3		2	1	10	2	3	6	4	6	3	1			
	Landslide, other crushing	12						1	1	1	5	1	2		1				
176	Injuries by animals	9							3	2	2	2							
177	Starvation	2	2																
178	Excessive cold	6								1		1	1	2			1		
179	Effects of heat	80	14	3	2			2	2	5	2	6	8	5	15	15	1		
180	Lightning	5							1	2			1			1			
181	Electricity (lightning excepted)	5					1		1	1	1				1				
185	Fractures (cause not specified)	25		1					1				2	3	10	4	4		
186	Other external violence	43	5		1			1	7	3	8	6	4	2	2	2	1		1

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (TOTAL)—Continued.																		
	XIII.—External causes—Contd.																		
	Homicide (total)	52	1						2	15	15	11	3	3	1				1
182	By firearms	29							2	10	10	4	1	1					1
183	By cutting or piercing instruments	13								3	3	4	1	1	1				
184	By other means	10	1							2	2	3	1	1					
	XIV.—Ill-defined diseases	372	85	39	8	8	1	6	7	14	15	30	39	57	35	19	3	1	5
187	Ill-defined organic disease	8							1					2	3	2			
188	Sudden death	13	1									2	2	5	3				
189	Not specified or ill-defined (total)	351	84	39	8	8	1	6	6	14	15	28	37	50	29	17	3	1	5
	Ill-defined	238	25	32	3	7	1	6	4	10	14	25	32	43	24	7	3	1	1
	Not specified or unknown	113	59	7	5	1			2	4	1	3	5	7	5	10			4
	MARYLAND (WHITE).																		
	All causes	15,147	2,797	589	214	124	104	278	546	992	1,137	1,253	1,588	2,127	2,107	1,106	148	3	34
	I.—General diseases	4,059	243	149	74	57	44	142	248	549	529	473	547	529	339	117	14		5
1	Typhoid fever	361	2	4	1	2	3	16	76	107	62	41	25	13	7	1			1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	6			1			1				2		1		1			
5	Smallpox																		
6	Measles	107	25	35	13	9		11	7	4	1	2							
7	Scarlet fever	63	3	10	11	7	6	17	7		1	1							
8	Whooping cough	108	55	26	14	5	1	7											
9	Diphtheria and croup	140	16	28	11	18	22	34	8	2			1						
10	Influenza	150	12	3	2	1	1	4	6	3	4	8	16	29	33	22	5		1
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	11		1								1	1	4	4				
14	Dysentery	64	3	7	1						2	2	5	13	23	7	1		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	44	12	1					1	2	1	6	5	8	4	3	1		
19	Other epidemic diseases	6	3	1			1							1					
20	Purulent infection and septicemia	29	4	1	2		1	1	4	5	3	1	2	2	2	1			
21	Glanders																		
22	Anthrax																		
23	Rabies	3				1		1	1										
24	Tetanus	31	8		2		1	3	4	6	2	2	2			1			
25	Mycoses																		
26	Pellagra	8						1				2	1	4					
27	Beriberi																		
	Tuberculosis (total	1,634	35	24	13	9	6	29	111	384	366	251	207	126	62	8	1		2
28	Tuberculosis of the lungs	1,371	8	4	3	1	2	5	85	343	336	225	183	111	56	6	1		2
29	Acute miliary tuberculosis	51					1	2	5	17	7	9	7	1	2				
30	Tuberculous meningitis	85	21	18	9	2	2	13	9	4	3	1	2	1					
31	Abdominal tuberculosis	64	1	1	1	2		3	4	15	11	6	11	5	2	2			
32	Pott's disease	15	1			2		2	3		1	3		2	1				
33	White swellings	6					1	1	1	1	1	1							
34	Tuberculosis of other organs	25	1	1				2	3	2	2	5	3	5	1				
35	Disseminated tuberculosis	17	3			2		1	1	2	5	1	1	1					
36	Rickets	3	2	1															
37	Syphilis	75	56	2	1					2	3	5	4	2					
38	Gonococcus infection	3	1							1	1								
	Cancer and other malignant tumors (total)	838	1		1	2	1	3	4	14	54	108	207	229	149	59	6		
39	Of the buccal cavity	29									2	4	7	9	4	3			
40	Of the stomach, liver	349				1				1	19	39	101	99	68	19	2		
41	Of the peritoneum, intestines, rectum	94					1	1	1	6	5	11	22	26	15	6			
42	Of the female genital organs	109								3	11	28	25	26	9	7			
43	Of the breast	85									9	12	21	24	11	6	2		
44	Of the skin	26										1		6	12	6	1		
45	Of other organs or of organs not specified	146	1		1	1		2	3	4	8	13	31	39	30	12	1		
46	Other tumors (tumors of the female genital organs excepted)	13		1		1		1			1		2	1	5	1			
47	Acute articular rheumatism	54				2		5	12	4	3	3	3	11	10	1			
48	Chronic rheumatism and gout	10											2	4	4				
49	Scurvy	2	1	1															
50	Diabetes	154	1					5	2	2	6	17	33	52	26	10			
51	Exophthalmic goiter	6								1	2		2	1					
52	Addison's disease	5											3	2					
53	Leukemia	15						2	1	2	1		2	6	1				
54	Anemia, chlorosis	51	1	3					3	2	4	4	13	14	6	1			
55	Other general diseases	12	2		1		1	1	1	1		1	1	1	1	1			
56	Alcoholism (acute or chronic)	46								5	11	15	10	2	2				1
57	Chronic lead poisoning	3								1		1		1					
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	4								1	1			2					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (WHITE)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense	1,653	150	41	24	7	3	24	38	41	66	135	196	329	389	190	15		5
60	Encephalitis	7	2									3			1	1			
61	Meningitis (total)	142	52	20	11	6	2	12	12	5	7	5	3	3	1	3			
	Simple meningitis	88	36	10	6	2	1	9	5	3	3	4	2	3	1	3			
	Cerebrospinal meningitis (undefined)	42	13	8	4	4		2	7	1	2	1							
	Cerebrospinal fever	12	3	2	1		1	1		1	2		1						
62	Locomotor ataxia	29							1		2	4	7	5	8	2			
63	Other diseases of the spinal cord (total)	75	9	5	6			4		3	4	4	10	16	10	3	1		
	Acute anterior poliomyelitis	25	9	5	6			3						1	1				
	Other diseases of the spinal cord [1]	50						1		3	4	4	10	15	9	3	1		
64	Cerebral hemorrhage, apoplexy	811	10		1				6	12	18	67	124	211	237	114	9		2
65	Softening of the brain	21							1			1		5	12	2			
66	Paralysis without specified cause	258	1	2				1	1	3	4	13	21	60	91	54	5		2
67	General paralysis of the insane	82									14	15	15	15	18	5			
68	Other forms of mental alienation	21								2		3	7	3	3	2			1
69	Epilepsy	35	1					2	9	6	6	6	1	1	2	1			
70	Convulsions (nonpuerperal)	4						3				1							
71	Convulsions of infants	86	69	11	4	1	1												
72	Chorea	4							2				1	1					
73	Neuralgia and neuritis	10	1					1		1		2	3		2				
74	Other diseases of the nervous system	50						1	3	7	11	11	3	7	4	3			
75	Diseases of the eyes and their annexa	2			1									1					
76	Diseases of the ears	16	5	3	1				3	2			1	1					
	III.—Diseases of the circulatory system	1,779	17	7	2	2	1	17	53	53	96	118	242	442	489	217	19		4
77	Pericarditis	12	1					1	3			3		2	2				
78	Acute endocarditis	51		1	1		1	3	7	4	7	11	10	3	2				1
79	Organic diseases of the heart	1,369	9	5	1	2		12	42	43	77	87	189	353	381	155	10		3
80	Angina pectoris	81						1				6	13	30	27	4			
81	Diseases of the arteries, atheroma, aneurism, etc.	212	1							1	5	8	24	43	67	54	9		
82	Embolism and thrombosis	30								3	4	3	6	6	6	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6							1	2	2				1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	7	3	1										1	2				
85	Hemorrhage; other diseases of the circulatory system	11	3								1			4	1	2			
	IV.—Diseases of the respiratory system	1,699	355	159	66	34	21	27	34	49	86	104	131	231	237	139	22	1	3
86	Diseases of the nasal fossae	3	1					1			1								
87	Diseases of the larynx	14	4	2	3		1	2					1			1			
88	Diseases of the thyroid body	4								1				3					
89	Acute bronchitis	98	50	14	7	3						2	1	5	10	5	1		
90	Chronic bronchitis	114		1					2		3	6	3	18	37	40	4		
91	Bronchopneumonia	416	143	79	28	21	7	5	6	2	4	15	10	31	42	20	3		
92	Pneumonia (total)	869	129	59	26	10	11	17	24	44	64	66	88	148	115	59	5	1	3
	Lobar pneumonia	467	43	26	15	6	6	8	16	24	47	41	61	86	64	22	2		
	Pneumonia (undefined)	402	86	33	11	4	5	9	8	20	17	25	27	62	51	37	3	1	3
93	Pleurisy	43	4	1	2			1	2	1	6	2	14	4	3	2	1		
94	Pulmonary congestion, pulmonary apoplexy	78	20	1			1				4	5	2	11	20	8	6		
95	Gangrene of the lung	3									1		1		1				
96	Asthma	32		1						1		2	8	7	8	3	2		
97	Pulmonary emphysema	1										1							
98	Other diseases of the respiratory system (tuberculosis excepted)	24	4	1			1	1			3	5	3	4	1	1			
	V.—Diseases of the digestive system	1,852	870	191	27	9	13	23	38	53	69	104	117	143	124	62	6		3
99	Diseases of the mouth and annexa	4	2	1				1											
100	Diseases of the pharynx	14	2		1		2	4	2	1	1			1					
101	Diseases of the esophagus	4	1		1										1	1			
102	Ulcer of the stomach	21						1	1	2	4	4	4	3	1	1			
103	Other diseases of the stomach (cancer excepted)	192	39	11		2	4	1	2	7	3	17	17	25	39	20	3		2
104	Diarrhea and enteritis (under 2 years)	977	807	170															
105	Diarrhea and enteritis (2 years and over)	140			19	5	4	7	6	6	5	5	11	23	26	21	2		
106	Ankylostomiasis																		
107	Intestinal parasites	3		1	2														
108	Appendicitis and typhlitis	83		1	1		2	3	13	19	14	9	9	6	4	2			
109	Hernia, intestinal obstruction (total)	121	11	2	1	2	1	2	6	3	12	20	15	23	17	4	1		1
	Hernia	32	1									9	6	10	4	1			1
	Intestinal obstruction	89	10	2	1	2	1	2	6	3	12	11	9	13	13	3	1		
110	Other diseases of the intestines	35	3	2	1			1	2	2	5	3	4	4	4	4			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (WHITE)—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	3	2													1			
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	148							1	2	13	31	40	35	21	5			
114	Biliary calculi	37								2	2	5	9	12	6	1			
115	Other diseases of the liver	40	2						1	3	6	9	6	8	4	1			
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	22	1	3	1			3	3	4	3	1		1	1	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	8							1	2	1		2	2					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,371	14	7	5	2	2	6	22	53	96	159	237	314	301	138	13		2
119	Acute nephritis	128	7	7	1		1	5	11	9	12	19	20	22	13	1			
120	Bright's disease	1,126	4		4	2	1	1	11	36	67	125	203	270	265	123	12		2
121	Chyluria																		
122	Other diseases of the kidneys and annexa	17	1							2	4	2	2	2	2	2			
123	Calculi of the urinary passages	4									2	1	1						
124	Diseases of the bladder	19											1	3	9	5	1		
125	Diseases of the urethra, urinary abscess, etc	5	1									1	1	1		1			
126	Diseases of the prostate	28									1		2	9	11	5			
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	2									1		1						
129	Uterine tumor (noncancerous)	9									2	3		3	1				
130	Other diseases of the uterus	14								2	1	6	5						
131	Cysts and other tumors of the ovary	7									1		1	4		1			
132	Salpingitis and other diseases of the female genital organs	11								4	5	2							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	127							14	49	55	9							
134	Accidents of pregnancy	14							1	4	9								
135	Puerperal hemorrhage	15								3	10	2							
136	Other accidents of labor	8								5	2	1							
137	Puerperal septicemia	53							5	24	21	3							
138	Puerperal albuminuria and convulsions	33							7	13	11	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	4							1		2	1							
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	51	13	2				1			1	4	2	7	10	9	2		
142	Gangrene	28	2	1									2	4	8	9	2		
143	Furuncle	3	2									1							
144	Acute abscess	10	4	1				1			1			3					
145	Other diseases of the skin and annexa	10	5									3			2				
	IX.—Diseases of the bones and of the organs of locomotion	24	3		3		1	4			1	3	3	3	1	2			
146	Diseases of the bones (tuberculosis excepted)	19	2		3		1	4			1	3	2	2		1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3	1										1	1					
148	Amputations																		
149	Other diseases of the organs of locomotion	2													1	1			
	X.—Malformations	140	132	4				3		1									
150	Congenital malformations (stillbirths not included) (total)	140	132	4				3		1									
	Hydrocephalus	8	8																
	Congenital malformations of the heart	98	91	4				2		1									
	Other congenital malformations	34	33					1											
	XI.—Early infancy	928	928																
151	Congenital debility, icterus, and sclerema (total)	811	811																
	Premature birth	375	375																
	Congenital debility, "atrophy," "marasmus," etc	436	436																
152	Other causes peculiar to early infancy (total)	114	114																
	Injuries at birth	82	82																
	Other causes peculiar to early infancy[1]	32	32																
153	Lack of care	3	3																
	XII.—Old age	341												20	109	168	42	1	
154	Senility	341											1	20	109	168	42	1	

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (WHITE)—Continued.																		
	XIII.—External causes	909	36	16	11	11	18	30	96	137	126	125	81	70	82	48	12		10
	Suicide (total)	139							7	31	28	31	19	14	5	2			2
155	By poison	41							3	11	8	8	6	4	1				
156	By asphyxia	18								6	5	3	1	2	1				
157	By hanging or strangulation	18							1	3	1	6	4	1	2				
158	By drowning	5								2		1	1		1				
159	By firearms	39							2	6	11	9	5	2		2			2
160	By cutting or piercing instruments	6								2	1	2	1						
161	By jumping from high places	7									1	2		4					
162	By crushing	4							1		1		1	1					
163	Other suicides	1								1									
	Accidental or undefined (total)	738	35	16	11	11	18	30	88	97	90	87	60	54	76	46	12		7
164	Poisoning by food	8	1					2	1	1		1	1		1				
165	Other acute poisonings	16	2	1		1	1	1	1	4	1	2	1	1					
166	Conflagration	5			1						1				2	1			
167	Burns (conflagration excepted)	79	6	8	6	6	11	10	4	4	11	4	1	5	2	1			
168	Absorption of deleterious gases (conflagration excepted)	29	7					1	4	7	1	1	2	3	3				
169	Accidental drowning	99	1	2		1		7	25	17	12	17	11	1	1				4
170	Traumatism by firearms	19		1	1		2		10	3		1			1				
171	Traumatism by cutting or piercing instruments	2		1							1								
172	Traumatism by fall	127	5			1	1	2	9	7	9	13	7	14	34	19	6		
173	Traumatism in mines and quarries (total)	13							1	5	4	2							1
	Traumatism in mines	11							1	5	3	2							
	Traumatism in quarries	2									1								1
174	Traumatism by machines	14							2	2	7	3							
175	Traumatism by other crushing (total)	190			2	2	2	5	22	35	31	33	27	19	7	3			2
	Railroad accidents and injuries	112						3	12	26	20	22	14	10	1	2			2
	Street-car accidents and injuries	23				1				4	2	5	6	4	1				
	Automobile accidents and injuries	12				1			3	4	1		2		1				
	Injuries by other vehicles	32			2		2	1	6	1	3	5	3	5	3	1			
	Landslide, other crushing	11						1	1		5	1	2		1				
176	Injuries by animals	5							1	2	2								
177	Starvation	1	1																
178	Excessive cold	4										1	1	1			1		
179	Effects of heat	65	10	2				1	2	5	2	5	5	5	12	15	1		
180	Lightning	4							1	2						1			
181	Electricity (lightning excepted)	5					1		1	1	1				1				
185	Fractures (cause not specified)	22		1									1	3	10	4	3		
186	Other external violence	31	2		1			1	4	2	7	4	3	2	2	2	1		
	Homicide (total)	32	1						1	9	8	7	2	2	1				1
182	By firearms	17							1	6	5	3		1					1
183	By cutting or piercing instruments	7								1	2	2	1		1				
184	By other means	8	1							2	1	2	1	1					
	XIV.—Ill-defined diseases	214	36	13	2	2	1	1	3	7	12	19	31	39	26	16	3	1	2
187	Ill-defined organic disease	6							1						3	2			
188	Sudden death	8	1									1	1	4	1				
189	Not specified or ill-defined (total)	200	35	13	2	2	1	1	2	7	12	18	30	35	22	14	3	1	2
	Ill-defined	153	13	11	2	2	1	1	2	6	12	16	26	30	19	7	3	1	1
	Not specified or unknown	47	22	2						1		2	4	5	3	7			1
	MARYLAND (COLORED).																		
	All causes	5,547	1,206	288	128	64	50	148	369	637	522	534	539	437	388	149	41	12	35
	I.—General diseases	1,670	143	73	46	23	18	64	236	358	248	160	143	79	51	20	2	1	5
1	Typhoid fever	130		2	2	1	3	15	44	27	16	7	8	3	2				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	8						1	1	2				2	1	1			
5	Smallpox																		
6	Measles	23	6	9	2			3	1	1		1							
7	Scarlet fever	3			1		1	1											
8	Whooping cough	84	34	21	17	3	3	4	1						1				
9	Diphtheria and croup	28	11	4	3	4		2	3				1						
10	Influenza	67	9	4	2	3	1	2	3	5	3	6	10	4	9	4	2		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	3								1		1		1					
14	Dysentery	19	6	3						2		1	4	1	1	1			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	6	3								1			1	1				
19	Other epidemic diseases	1	1																

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (COLORED)—Continued.																		
	I.—General diseases—Continued.																		
20	Purulent infection and septicemia	12	2					1	1	2	1	2	2	1					
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	17	9				2		4				1	1					
25	Mycoses																		
26	Pellagra	3						1			1			1					
27	Beriberi																		
	Tuberculosis (total)	1,026	27	26	17	12	8	31	170	303	198	101	78	30	16	5			4
28	Tuberculosis of the lungs	869	12	13	13	6	4	20	131	274	179	95	72	26	15	5			4
29	Acute miliary tuberculosis	48	5	4	1		2	1	12	13	4	2	2	2					
30	Tuberculous meningitis	30	7	4	2	2	2	5	5	1	1	1							
31	Abdominal tuberculosis	50	1	4	1	4		3	11	13	10	2	1						
32	Pott's disease	4							2	1		1							
33	White swellings	5	1					1	2		1								
34	Tuberculosis of other organs	10	1	1				1	3		1		1	1	1				
35	Disseminated tuberculosis	10							4	1	2		2	1					
36	Rickets	5	2	1	2														
37	Syphilis	62	32	2				1	4	8	9	3	1	1		1			
38	Gonococcus infection																		
	Cancer and other malignant tumors (total)	117								4	9	33	25	22	17	6			1
39	Of the buccal cavity	10									1	1	2	5		1			
40	Of the stomach, liver	39									1	10	10	6	8	4			
41	Of the peritoneum, intestines, rectum	5								1		1	2		1				
42	Of the female genital organs	38								2	5	18	6	3	4				
43	Of the breast	11										2	2	5	2				
44	Of the skin	2											1	1					
45	Of other organs or of organs not specified	12								1	2	1	2	2	2	1			1
46	Other tumors (tumors of the female genital organs excepted)	2											1			1			
47	Acute articular rheumatism	15		1				1	2	3	2		3	1	1			1	
48	Chronic rheumatism and gout	3									1		1	1					
49	Scurvy																		
50	Diabetes	13						1			1	1	3	6	1				
51	Exophthalmic goiter	2										1				1			
52	Addison's disease																		
53	Leukemia	2									1		1						
54	Anemia, chlorosis	6							2		1	1	1	1					
55	Other general diseases	3	1								1			1					
56	Alcoholism (acute or chronic)	7									3	2	2						
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	3											1	1	1				
	II.—Diseases of the nervous system and of the organs of special sense	483	71	20	6	4	8	9	8	14	31	62	75	79	64	24	4	1	3
60	Encephalitis	4	1	1			1			1									
61	Meningitis (total)	38	8	9	4	2	2	6	4	2			1						
	Simple meningitis	24	6	7	2	2	2	2	2				1						
	Cerebrospinal meningitis (undefined)	11	1	1	2			4	1	2									
	Cerebrospinal fever	3	1	1					1										
62	Locomotor ataxia	1											1						
63	Other diseases of the spinal cord (total)	15	5		1		2			1	1	3	2						
	Acute anterior poliomyelitis	9	5		1		2					1							
	Other diseases of the spinal cord [1]	6								1	1	2	2						
64	Cerebral hemorrhage, apoplexy	213	6	1		1	1		2	2	15	31	43	56	38	14	3		
65	Softening of the brain	3											1	1	1				
66	Paralysis without specified cause	98	1	1				1		1	3	17	20	19	23	9	1	1	1
67	General paralysis of the insane	11									3	2	4		2				
68	Other forms of mental alienation	7									1	2	1	2					1
69	Epilepsy	19								5	6	5	1	1					1
70	Convulsions (nonpuerperal)	1							1										
71	Convulsions of infants	59	48	7	1	1	2												
72	Chorea																		
73	Neuralgia and neuritis																		
74	Other diseases of the nervous system	10	2					2		1	2	2	1						
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	4		1					1	1						1			
	III.—Diseases of the circulatory system	597	11	3	1	1	1	2	13	46	55	108	108	101	95	35	9	2	6
77	Pericarditis	4											1	1	1	1			
78	Acute endocarditis	23							3		2	9	8						1
79	Organic diseases of the heart	499	10	3	1	1	1		9	39	45	89	84	86	85	32	7	2	5
80	Angina pectoris	10								2	2	1	1	3	1				
81	Diseases of the arteries, atheroma, aneurism, etc.	48								4	2	8	13	11	6	2	2		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (COLORED)—Continued.																		
	III.—Diseases of the circulatory system—Continued.																		
82	Embolism and thrombosis	7						1	1	1	2	1			1				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1											1						
84	Diseases of the lymphatic system (lymphangitis, etc.)																		
85	Hemorrhage; other diseases of the circulatory system	5	1					1			2				1				
	IV.—Diseases of the respiratory system	782	215	93	47	16	15	32	36	60	65	55	48	34	48	11	5		2
86	Diseases of the nasal fossae																		
87	Diseases of the larynx	4	1	1				1	1										
88	Diseases of the thyroid body	1												1					
89	Acute bronchitis	53	25	14	3		2	2		1	1	1	1	1	2				
90	Chronic bronchitis	31	2	1	1			1			4	9	1	3	6	2			1
91	Bronchopneumonia	215	95	39	20	9	5	8	5	5	4	5	5	4	9	2			
92	Pneumonia (total)	421	86	34	23	7	7	19	28	53	48	31	34	19	25	3	3		1
	Lobar pneumonia	164	17	7	7	3	1	10	9	25	27	12	18	9	15	2	1		1
	Pneumonia (undefined)	257	69	27	16	4	6	9	19	28	21	19	16	10	10	1	2		
93	Pleurisy	15	1				1	1	1		4	4	1	1	1				
94	Pulmonary congestion, pulmonary apoplexy	12	5	3							1			1	1	1			
95	Gangrene of the lung																		
96	Asthma	13								1		2	3	3	1	1	2		
97	Pulmonary emphysema																		
98	Other diseases of the respiratory system (tuberculosis excepted)	17		1					1		3	3	3	1	3	2			
	V.—Diseases of the disgestive system	591	312	53	8	3	4	15	16	34	31	30	37	20	18	7			3
99	Diseases of the mouth and annexa	14	11					1				1	1						
100	Diseases of the pharynx	7		1				3	1	1			1						
101	Diseases of the esophagus																		
102	Ulcer of the stomach	7							1	1	1	2	1	1					
103	Other diseases of the stomach (cancer excepted)	99	25	6	2	1		3	3	8	10	10	14	5	10	1			1
104	Diarrhea and enteritis (under 2 years)	311	267	44															
105	Diarrhea and enteritis (2 years and over)	39			6	1		3	3	1	2	3	5	5	4	5			1
106	Ankylostomiasis																		
107	Intestinal parasites	3				1	2												
108	Appendicitis and typhlitis	24						3	5	7	5	4							
109	Hernia, intestinal obstruction (total)	36	5	2			1		2	8	4	3	5	2	3				1
	Hernia	16	4	2					1	2	1		2	2	1				1
	Intestinal obstruction	20	1				1		1	6	3	3	3		2				
110	Other diseases of the intestines	7	2				1				1	1		1		1			
111	Acute yellow atrophy of the liver	1	1																
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	17								1	3	5	3	5					
114	Biliary calculi	2									1		1						
115	Other diseases of the liver	10	1						1	2	1		4	1					
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	14						2		5	3	1	2		1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	466	4	2	3		1	7	12	40	47	80	90	95	57	20	4		4
119	Acute nephritis	72		2	2		1	4	6	12	9	12	17	5	1				1
120	Bright's disease	349	4					3	3	22	33	54	72	83	49	19	4		3
121	Chyluria																		
122	Other diseases of the kidneys and annexa	5			1							1		1	2				
123	Calculi of the urinary passages	1									1								
124	Diseases of the bladder	6									1	2		1	2				
125	Diseases of the urethra, urinary abscess, etc	2								2									
126	Diseases of the prostate	8										2		2	3	1			
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	10								2	1	5	1	1					
130	Other diseases of the uterus	1							1										
131	Cysts and other tumors of the ovary	2									1			1					
132	Salpingitis and other diseases of the female genital organs	10							2	2	1	4		1					
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	55							12	27	14	2							
134	Accidents of pregnancy	5								4	1								
135	Puerperal hemorrhage	5							2	1	2								
136	Other accidents of labor	10							1	4	5								
137	Puerperal septicemia	18							5	9	4								

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (COLORED)—Continued.																		
	VII.—The puerperal state—Con.																		
138	Puerperal albuminuria and convulsions	13							4	8		1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3								1	1	1							
140	Following childbirth (not otherwise defined)	1									1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	20		1					1			1	5	2	5	3			2
142	Gangrene	15										1	3	2	5	2			2
143	Furuncle																		
144	Acute abscess	2							1				1						
145	Other diseases of the skin and annexa	3		1									1			1			
	IX.—Diseases of the bones and of the organs of locomotion	10		2	2							2	2		2				
146	Diseases of the bones (tuberculosis excepted)	9		2	2							2	2		1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	1													1				
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	18	16						2										
150	Congenital malformations (stillbirths not included) (total)	18	16						2										
	Hydrocephalus	1	1																
	Congenital malformations of the heart	11	9						2										
	Other congenital malformations	6	6																
	XI.—Early infancy	369	369																
151	Congenital debility, icterus, and sclerema (total)	321	321																
	Premature birth	126	126																
	Congenital debility, "atrophy," "marasmus," etc	195	195																
152	Other causes peculiar to early infancy (total)	42	42																
	Injuries at birth	11	11																
	Other causes peculiar to early infancy [1]	31	31																
153	Lack of care	6	6																
	XII.—Old age	86											1	5	28	26	16	7	3
154	Senility	86											1	5	28	26	16	7	3
	XIII.—External causes	242	16	15	9	11	3	14	29	51	28	23	22	4	11		1	1	4
	Suicide (total)	10								4	3	1	2						
155	By poison	2								1	1								
156	By asphyxia	1										1							
157	By hanging or strangulation	2								1	1								
158	By drowning	1								1									
159	By firearms	3									1		2						
160	By cutting or piercing instruments	1								1									
161	By jumping from high places																		
162	By crushing																		
163	Other suicides																		
	Accidental or undefined (total)	212	16	15	9	11	3	14	28	41	18	18	19	3	11		1	1	4
164	Poisoning by food	1									1								
165	Other acute poisonings	8		4		1	1		1		1								
166	Conflagration	7		2				1	1				1		1			1	
167	Burns (conflagration excepted)	42		6	5	7	2	9	2	6	1		1	1	2				
168	Absorption of deleterious gases (conflagration excepted)	10	7					1	1	1									
169	Accidental drowning	38				1			6	13	7	5	2		2				2
170	Traumatism by firearms	9			1			1	3	3	1								
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	19	1	2		2				4	1	5	1		3				
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines	6							1	3			2						
175	Traumatism by other crushing (total)	34			1			1	7	9	5	3	6	1					1
	Railroad accidents and injuries	18						1	1	6	3	1	5						1
	Street-car accidents and injuries	6							2	1	2	1							
	Automobile accidents and injuries																		
	Injuries by other vehicles	9			1				4	1		1	1	1					
	Landslide, other crushing	1								1									

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MARYLAND (COLORED)—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
176	Injuries by animals	4							2			2							
177	Starvation	1	1																
178	Excessive cold	2								1				1					
179	Effects of heat	15	4	1	2			1				1	3		3				
180	Lightning	1											1						
181	Electricity (lightning excepted)																		
185	Fractures (cause not specified)	3							1				1				1		
186	Other external violence	12	3						3	1	1	2	1						1
	Homicide (total)	20							1	6	7	4	1	1					
182	By firearms	12							1	4	5	1	1						
183	By cutting or piercing instruments	6								2	1	2		1					
184	By other means	2									1	1							
	XIV.—Ill-defined diseases	158	49	26	6	6		5	4	7	3	11	8	18	9	3			3
187	Ill-defined organic disease	2												2					
188	Sudden death	5										1	1	1	2				
189	Not specified or ill-defined (total)	151	49	26	6	6		5	4	7	3	10	7	15	7	3			3
	Ill-defined	85	12	21	1	5		5	2	4	2	9	6	13	5				
	Not specified or unknown	66	37	5	5	1			2	3	1	1	1	2	2	3			3
	MASSACHUSETTS.																		
	All causes	53,003	10,412	1,899	732	483	354	878	1,599	3,262	4,088	4,767	5,659	7,331	6,976	3,881	627	18	37
	I.—General diseases	13,174	1,028	588	309	239	151	385	686	1,540	1,657	1,724	1,675	1,614	1,127	404	43	1	3
1	Typhoid fever	311	2	1	2	2	4	8	47	101	57	49	19	17	2				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	15	1					2	1	3		4	2		1	1			
5	Smallpox	3		1				1				1							
6	Measles	306	87	113	46	19	13	13	4		3	4	1	1	2				
7	Scarlet fever	197	12	22	27	35	20	51	24	5	1								
8	Whooping cough	506	288	127	42	21	13	11			1		1	1		1			
9	Diphtheria and croup	581	59	98	83	83	51	144	38	9	5	9	2						
10	Influenza	345	21	9	1	1	3	3	3	6	10	17	31	67	98	55	20		
11	Miliary fever																		
12	Asiatic cholera	1										1							
13	Cholera nostras	24	9			1				1	1	1	1	1	8	1			
14	Dysentery	131	40	10	2	2	1	1		3	6	8	4	14	18	20	2		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	169	56	2	1	1		2	3	10	7	24	18	18	16	9	2		
19	Other epidemic diseases	12	3	3	1			2	1		2								
20	Purulent infection and septicemia	126	21	3	3	2	2	4	4	14	16	11	18	13	10	5			
21	Glanders	1								1									
22	Anthrax	1									1								
23	Rabies	1							1										
24	Tetanus	47	12					6	6	6	4	8	2	2		1			
25	Mycoses	3								1	1					1			
26	Pellagra	1									1								
27	Beriberi																		
	Tuberculosis (total)	5,291	223	172	92	58	31	89	456	1,211	1,173	854	478	307	120	25	1		1
28	Tuberculosis of the lungs	4,276	56	27	14	15	9	19	350	1,067	1,077	793	436	281	109	22	1		
29	Acute miliary tuberculosis	190	11	9	4	2		2	31	62	33	19	12	4					1
30	Tuberculous meningitis	452	130	102	58	26	15	47	26	28	9	5	3	2		1			
31	Abdominal tuberculosis	159	13	21	7	6	4	9	19	17	26	14	12	9	1	1			
32	Pott's disease	48		1	3	2	2	6	10	5	5	6	4		4				
33	White swellings	22			1		1	2	6	3		1	4	2	2				
34	Tuberculosis of other organs	72	7	6	1	3		1	6	12	8	12	4	9	2	1			
35	Disseminated tuberculosis	72	6	6	4	4		3	8	17	15	4	3		2				
36	Rickets	40	27	6	3			1	1	1		1							
37	Syphilis	153	93	11	1		2	1	1	9	13	12	7	2	1				
38	Gonococcus infection	19	11						2	2	2	1		1					
	Cancer and other malignant tumors (total)	3,262	5	3	3	2	1	4	5	50	175	477	774	841	682	225	14	1	
39	Of the buccal cavity	123	1								2	12	27	41	29	9	2		
40	Of the stomach, liver	1,099			1				1	8	44	138	263	323	255	62	4		
41	Of the peritoneum, intestines, rectum	548			1					8	22	61	114	158	141	41	2		
42	Of the female genital organs	502								15	48	117	158	80	67	17			
43	Of the breast	359								1	27	82	81	75	59	31	3		
44	Of the skin	99	1								3	2	15	21	27	29		1	
45	Of other organs or of organs not specified	532	3	3	1	2	1	4	4	18	29	65	116	143	104	36	3		
46	Other tumors (tumors of the female genital organs excepted)	25							1	1	1	6	5	5	4	1	1		
47	Acute articular rheumatism	168	2			3	6	19	33	16	30	12	23	11	10	3			
48	Chronic rheumatism and gout	43								3	1	1	8	12	9	9			
49	Scurvy	3	3																
50	Diabetes	685	3			4	1	16	38	38	32	54	154	209	101	35			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MASSACHUSETTS—Continued.																		
	I.—General causes—Continued.																		
51	Exophthalmic goiter	40						1	3	6	7	13	7	1	2				
52	Addison's disease	23								2	5	6	6	1	3				
53	Leukemia	54				1	2	2	6	11	7	12	5	6	2				
54	Anemia, chlorosis	261	12	3	1	1	1	1	6	15	22	47	63	49	30	8	2		
55	Other general diseases	71	38	4	1	3		3	2	3	4	3	2	1	3	4			
56	Alcoholism (acute or chronic)	222								10	61	78	37	30	4				2
57	Chronic lead poisoning	16								1	4	6	3	2					
58	Other chronic occupation poisonings	1									1								
59	Other chronic poisonings	16								1	3	4	4	2	1		1		
	II.—Diseases of the nervous system and of the organs of special sense	5,588	412	147	63	23	36	66	112	140	284	469	734	1,181	1,216	638	63		4
60	Encephalitis	55	11	3	1	2	2	1	4	5	3	9	5	3	3	2	1		
61	Meningitis (total)	503	180	77	38	17	21	36	38	23	20	24	11	16	2				
	Simple meningitis	386	152	60	30	13	14	27	20	11	12	21	9	15	2				
	Cerebrospinal meningitis (undefined)	96	24	14	7	4	6	7	13	11	4	3	2	1					
	Cerebrospinal fever	21	4	3	1		1	2	5	1	4								
62	Locomotor ataxia	117									8	24	28	33	21	3			
63	Other diseases of the spinal cord (total)	255	11	13	11	1	4	5	13	9	16	23	35	52	47	15			
	Acute anterior poliomyelitis	55	10	11	10	1	3	5	7	4	1		1	1	1				
	Other diseases of the spinal cord [1]	200	1	2	1		1		6	5	15	23	34	51	46	15			
64	Cerebral hemorrhage, apoplexy	3,386	34	5	2		4		3	29	105	235	491	908	976	538	53		3
65	Softening of the brain	52								2		1	5	12	19	11	2		
66	Paralysis without specified cause	265	3					1	4	1	3	22	32	68	82	43	6		
67	General paralysis of the insane	259								6	49	81	57	29	23	12	1		1
68	Other forms of mental alienation	68								3	9	4	17	19	11	5			
69	Epilepsy	151	4	4	2			5	25	30	27	13	15	13	11	2			
70	Convulsions (nonpuerperal)	18						1		11	6								
71	Convulsions of infants	153	123	23	6	1													
72	Chorea	4	1					1	1		1								
73	Neuralgia and neuritis	37								1	8	6	9	7	4	2			
74	Other diseases of the nervous system	166	17	7		1	4	10	10	15	24	23	24	13	13	5			
75	Diseases of the eyes and their annexa	5	3	1										1					
76	Diseases of the ears	94	25	14	3	1	1	6	14	5	5	4	5	7	4				
	III.—Diseases of the circulatory system	8,843	124	18	18	8	11	72	195	239	410	686	1,152	2,128	2,313	1,281	181	5	2
77	Pericarditis	30	1				2	4	4	2	3	2	4	5	1	2			
78	Acute endocarditis	328	13	2	4	3	2	14	28	35	46	72	92	14	3				
79	Organic diseases of the heart	6,338	61	13	10	5	6	51	150	179	321	522	865	1,639	1,643	792	78	1	2
80	Angina pectoris	317							2	1	12	20	51	91	99	40	1		
81	Diseases of the arteries, atheroma, aneurism, etc	1,583							2	1	12	33	119	342	542	429	99	4	
82	Embolism and thrombosis	136	5						2	16	7	28	18	27	20	10	3		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	34								2	5	8	3	7	5	4			
84	Diseases of the lymphatic system (lymphangitis, etc.)	56	30	3	4		1	3	6	2	3	1		2		1			
85	Hemorrhage; other diseases of the circulatory system	21	14						1	1	1			1		3			
	IV.—Diseases of the respiratory system	6,591	1,451	564	188	82	64	92	131	244	411	534	649	800	779	500	99	3	
86	Diseases of the nasal fossae	4		1	1									1	1				
87	Diseases of the larynx	51	15	6	3	1	6	6	3	3	1		5			2			
88	Diseases of the thyroid body	12									1	4	1	2	2	2			
89	Acute bronchitis	471	270	67	19	5	6	4	2	1	2	6	11	13	27	32	6		
90	Chronic bronchitis	368	8	8	2			1	2	4	10	17	35	67	121	73	19	1	
91	Bronchopneumonia	1,557	635	233	61	33	22	16	13	19	25	51	65	114	148	103	17	2	
92	Pneumonia (total)	3,756	499	235	100	42	27	62	100	192	340	415	483	552	419	244	46		
	Lobar pneumonia	1,938	140	91	51	11	18	27	59	120	191	262	304	325	230	96	13		
	Pneumonia (undefined)	1,818	359	144	49	31	9	35	41	72	149	153	179	227	189	148	33		
93	Pleurisy	129	4	6	1	1	2	2	4	12	15	25	22	13	16	5	1		
94	Pulmonary congestion, pulmonary apoplexy	125	16	4	1				3	3	4	5	13	15	21	30	10		
95	Gangrene of the lung	19		1				1	2	2	2	3	2	4	2				
96	Asthma	49		1			1				4	5	5	8	18	7			
97	Pulmonary emphysema	6	1										1	2	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	44	3	2					2	8	7	3	6	9	3	1			
	V.—Diseases of the digestive system	6,215	3,428	439	76	53	27	80	126	185	233	305	346	374	343	164	35	1	
99	Diseases of the mouth and annexa	16	11				1	1							2	1			
100	Diseases of the pharynx	47	5	1	2	3	1	6	3	5	4	1	8	2	5	1			
101	Diseases of the esophagus	17	1	3	2	1			1		3	1		4	1				
102	Ulcer of the stomach	116				1	1		2	18	11	19	20	20	14	9	1		
103	Other diseases of the stomach (cancer excepted)	381	156	11	3	2	2	3	3	7	15	25	22	34	50	36	12		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MASSACHUSETTS—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
104	Diarrhea and enteritis (under 2 years)	3,564	3,155	409															
105	Diarrhea and enteritis (2 years and over)	411			55	28	13	16	7	19	21	26	44	49	73	48	11	1	
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	378	1	3	1	4	4	39	74	71	64	42	33	23	16	2	1		
109	Hernia, intestinal obstruction (total)	420	67	5	5	4	2	6	9	20	31	34	61	73	67	33	3		
	Hernia	139	13		1	1		2	2	3	9	13	21	37	20	15	2		
	Intestinal obstruction	281	54	5	4	3	2	4	7	17	22	21	40	36	47	18	1		
110	Other diseases of the intestines	76	13	1		1	2		3	7	8	9	7	6	10	7	2		
111	Acute yellow atrophy of the liver	6	1			1				1				2	1				
112	Hydatid tumor of the liver	2								1				1					
113	Cirrhosis of the liver	339	1	1	1	1	1	1	1	4	33	74	73	84	50	11	3		
114	Biliary calculi	112								2	8	19	33	30	18	2			
115	Other diseases of the liver	139	5		2	1		1	9	8	12	24	22	21	22	10	2		
116	Diseases of the spleen	4									1	1	1	1					
117	Simple peritonitis (nonpuerperal)	142	11	5	5	6		7	13	20	14	19	13	14	11	4			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	45	1						1	2	8	11	9	10	3				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,553	50	16	9	5	6	19	64	188	324	471	611	756	712	295	25	1	1
119	Acute nephritis	249	25	8	6	2	2	6	18	32	37	28	40	23	17	4	1		
120	Bright's disease	2,747	17	6	2		3	12	39	96	216	356	518	655	590	223	13		1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	82	5	2	1	3	1	1	1	9	1	11	10	15	14	7	1		
123	Calculi of the urinary passages	22								2	4	3	6	4	1	2			
124	Diseases of the bladder	77								1	3	1	6	10	31	21	4		
125	Diseases of the urethra, urinary abscess, etc	17								2	5	2	2	3	3				
126	Diseases of the prostate	139										2	9	35	51	36	5	1	
127	Nonveneral diseases of the male genital organs	5	2									2			1				
128	Uterine hemorrhage (nonpuerperal)	5								1	3			1					
129	Uterine tumor (noncancerous)	48								2	11	27	4	3		1			
130	Other diseases of the uterus	44							2	7	11	12	6	3	2		1		
131	Cysts and other tumors of the ovary	41								5	9	14	8	2	2	1			
132	Salpingitis and other diseases of the female genital organs	74	1						4	31	24	12	2						
133	Nonpuerperal diseases of the breast (cancer excepted)	3										1		2					
	VII.—The puerperal state	510							26	235	213	35	1						
134	Accidents of pregnancy	48								19	26	3							
135	Puerperal hemorrhage	35							1	16	13	5							
136	Other accidents of labor	63							3	25	27	8							
137	Puerperal septicemia	210							15	109	78	8							
138	Puerperal albuminuria and convulsions	125							7	54	54	10							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	25								10	14	1							
140	Following childbirth (not otherwise defined)	4								2	1		1						
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	202	50	3	2	1			3	7	11	13	10	31	35	28	8		
142	Gangrene	91	4		1				1		1	4	3	22	26	24	5		
143	Furuncle	22	5			1				5	2	3	1	4		1			
144	Acute abscess	39	14	3					2	1	6	4	3	3	2	1			
145	Other diseases of the skin and annexa	50	27		1					1	2	2	3	2	7	2	3		
	IX.—Diseases of the bones and of the organs of locomotion	99	16	4	5	1	2	6	13	9	9	9	6	10	6		3		
146	Diseases of the bones (tuberculosis excepted)	76	14	4	4	1	1	3	13	7	6	6	5	7	3		2		
147	Diseases of the joints (tuberculosis and rheumatism excepted)	19	1		1		1	3		2	3	3	1	3			1		
148	Amputations																		
149	Other diseases of the organs of locomotion	4	1												3				
	X.—Malformations	559	521	18	1	2	1	7	6	1	2								
150	Congenital malformations (stillbirths not included) (total)	559	521	18	1	2	1	7	6	1	2								
	Hydrocephalus	57	47	5	1	1		1	2										
	Congenital malformations of the heart	336	317	8		1		5	3		2								
	Other congenital malformations	166	157	5			1	1	1	1									

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MASSACHUSETTS—Continued.																		
	XI.—Early infancy	3,134	3,134																
151	Congenital debility, icterus, and sclerema (total)	2,477	2,477																
	Premature birth	1,587	1,587																
	Congenital debility, "atrophy," "marasmus," etc.	890	890																
152	Other causes peculiar to early infancy (total)	648	648																
	Injuries at birth	407	407																
	Other causes peculiar to early infancy [1]	241	241																
153	Lack of care	9	9																
	XII.—Old age	635											4	33	141	340	110	6	1
154	Senility	635											4	33	141	340	110	6	1
	XIII.—External causes	3,644	124	82	57	66	55	150	236	466	516	496	448	364	283	221	58		22
	Suicide (total)	449							10	87	103	76	76	58	28	8			3
155	By poison	81							1	20	24	12	14	6	3				1
156	By asphyxia	78							1	13	14	15	16	13	4	2			
157	By hanging or strangulation	61							3	9	7	10	9	12	6	4			1
158	By drowning	58							2	17	13	6	11	6	3				
159	By firearms	111							3	20	27	18	20	13	8	2			
160	By cutting or piercing instruments	46								7	16	11	5	4	3				
161	By jumping from high places	6								1	1	2		1	1				
162	By crushing	5										2	1	1					1
163	Other suicides	3									1			2					
	Accidental or undefined (total)	3,094	115	80	56	65	55	146	212	351	395	409	363	303	254	213	58		19
164	Poisoning by food	23	4	3			1	3		2		4	2	1	3				
165	Other acute poisonings	60	3	11	1	5	3	5	1	7	12	6	3	2	1				
166	Conflagration	53	2	1			2	2	3	4	7	9	5	6	8	4			
167	Burns (conflagration excepted)	275	8	29	31	31	28	27	5	15	15	18	23	25	13	6	1		
168	Absorption of deleterious gases (conflagration excepted)	132	27	2	1				8	11	12	16	25	13	12	5			
169	Accidental drowning	304	1	2	3	8	6	33	75	61	48	30	23	4		2			8
170	Traumatism by firearms	32			1			3	13	6	3	3	2		1				
171	Traumatism by cutting or piercing instruments	11	2						1	1		2	3	2					
172	Traumatism by fall	655	2	12	6	7	4	9	21	48	56	77	76	94	90	117	36		
173	Traumatism in mines and quarries (total)	5								1	2	1	1						
	Traumatism in mines	3								1	2								
	Traumatism in quarries	2										1	1						
174	Traumatism by machines	57						1	7	15	9	10	4	7	4				
175	Traumatism by other crushing (total)	636		3	7	11	9	50	59	122	124	98	69	46	26	5			7
	Railroad accidents and injuries	304		1	2		3	11	28	77	60	57	30	18	8	2			7
	Street-car accidents and injuries	104		1		4	1	5	8	19	18	14	20	9	4	1			
	Automobile accidents and injuries	106				1	3	19	15	17	17	13	6	9	5	1			
	Injuries by other vehicles	111		1	5	6	2	15	8	9	25	11	10	9	9	1			
	Landslide, other crushing	11									4	3	3	1					
176	Injuries by animals	4			1								3						
177	Starvation	12	5	1									1	1	2	2			
178	Excessive cold	9						1			1		1	3	1				2
179	Effects of heat	654	51	13	3	3	1	4	6	27	80	104	107	89	81	63	21		1
180	Lightning	3								2		1							
181	Electricity (lightning excepted)	31							4	13	6	4	2	1	1				
185	Fractures (cause not specified)	27						1		5	3	5	2	1	5	5			
186	Other external violence	111	10	3	2		1	7	9	11	17	21	11	8	6	4			1
	Homicide (total)	101	9	2	1	1		4	14	28	18	11	9	3	1				
182	By firearms	36				1		1	6	13	5	5	5						
183	By cutting or piercing instruments	20						1	3	8	6	1	1						
184	By other means	45	9	2	1			2	5	7	7	5	3	3	1				
	XIV.—Ill-defined diseases	256	74	20	4	3	1	1	1	8	18	25	23	40	21	10	2	1	4
187	Ill-defined organic disease	6											2	2		1		1	
188	Sudden death	18	4								2	3	6	2	1				
189	Not specified or ill-defined (total)	232	70	20	4	3	1	1	1	8	16	22	15	36	20	9	2		4
	Ill-defined	202	51	19	3	2	1		1	7	16	19	15	36	20	9	2		1
	Not specified or unknown	30	19	1	1	1		1		1		3							3
	MICHIGAN.																		
	All causes	37,993	7,065	1,142	518	341	259	838	1,523	2,721	2,567	2,782	3,711	4,958	5,799	3,236	462	18	53
	I.—General diseases	9,026	566	259	181	140	118	400	652	1,179	987	928	1,125	1,146	963	323	44	3	12
1	Typhoid fever	547	4	6	9	3	13	26	100	148	95	47	58	27	9	1			1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	29	1		1	1			1	2	1	7	6	5	4				
5	Smallpox	6	1							1	2	1		1					

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MICHIGAN—Continued.																		
	I.—General diseases—Continued.																		
6	Measles	199	49	59	19	13	9	24	12	5	4	1	1	1	2				
7	Scarlet fever	205	10	22	31	34	19	54	22	6	6	1							
8	Whooping cough	244	171	37	16	7	2	7	2	1				1					
9	Diphtheria and croup	472	12	43	57	55	48	170	63	15	4	4	1						
10	Influenza	524	38	13	4	1	2	3	24	14	14	30	38	57	154	104	27	1	
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	16	7			1						1	2		3	2			
14	Dysentery	90	16	8	5	1	1	1		1	3	6	4	9	21	12	2		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	144	39	1					4	3	13	10	22	18	20	13	1		
19	Other epidemic diseases	7	4					1	1	1									
20	Purulent infection and septicemia	133	19	3		2	1	8	11	18	18	14	15	9	13		1		1
21	Glanders																		
22	Anthrax																		
23	Rabies	3			1				2										
24	Tetanus	38	10					6	5	5	3	3	3	1		1			1
25	Mycoses	1							1										
26	Pellagra	3										2	1						
27	Beriberi																		
	Tuberculosis (total)	2,757	53	39	24	15	8	48	319	808	577	332	254	174	89	14			3
28	Tuberculosis of the lungs	2,245	22	7	11	3	3	14	255	721	504	282	202	139	68	11			3
29	Acute miliary tuberculosis	85	3	5	1	1		2	13	23	14	10	9	2	2				
30	Tuberculous meningitis	113	17	18	9	11	4	22	17	8	5	1	1						
31	Abdominal tuberculosis	158	4	1	2			6	15	32	25	24	24	17	7	1			
32	Pott's disease	53		2			1	1	6	4	12	6	7	7	5	2			
33	White swellings	15	1					2	2	3	3	1		2	1				
34	Tuberculosis of other organs	51	4	4					6	5	9	4	8	6	5				
35	Disseminated tuberculosis	37	2	2	1			1	5	12	5	4	3	1	1				
36	Rickets	30	12	7	4		1	1	1	2				1					1
37	Syphilis	129	62	1				1	1	7	15	21	9	6	6				
38	Gonococcus infection	8	3	1						2	2								
	Cancer and other malignant tumors (total)	2,137	2	2	1	2	2	6	5	35	88	294	490	601	466	133	7	1	2
39	Of the buccal cavity	93									2	4	34	19	19	14	1		
40	Of the stomach, liver	897				1	1	1	3	8	20	108	208	281	214	49	2		1
41	Of the peritoneum, intestines, rectum	261								8	12	30	62	76	60	12	1		
42	Of the female genital organs	278							1	2	22	69	67	72	40	5			
43	Of the breast	196						1		2	15	40	50	49	30	9			
44	Of the skin	108			1			1		2	1	8	13	24	35	18	3	1	1
45	Of other organs or of organs not specified	304	2	2		1	1	3	1	13	16	35	56	80	68	26			
46	Other tumors (tumors of the female genital organs excepted)	46								4	4	11	6	6	12	2	1		
47	Acute articular rheumatism	164			1			25	23	12	14	17	13	16	28	11	3	1	
48	Chronic rheumatism and gout	42								2	1	3	8	16	8	4			
49	Scurvy																		
50	Diabetes	413	1		3		2	9	35	31	42	32	84	87	73	12	1		1
51	Exophthalmic goiter	54								6	12	13	13	8	1	1			
52	Addison's disease	22							1	2	4	7	3	4	1				
53	Leukemia	51	1			1	1	3	5	8	8	5	10	5	4				
54	Anemia, chlorosis	288	14	7	1	2	2	1	9	24	30	36	54	68	35	4	1		
55	Other general diseases	109	37	10	4	2	7	6	5	3	4	3	5	10	6	6			1
56	Alcoholism (acute or chronic)	92								11	20	25	20	10	5				1
57	Chronic lead poisoning	3								1	1	1							
58	Other chronic occupation poisonings	1								1									
59	Other chronic poisonings	19									2	1	5	5	3	3			
	II.—Diseases of the nervous system and of the organs of special sense	4,378	490	90	45	41	16	69	93	111	182	302	517	857	1,000	514	44	1	6
60	Encephalitis	51	9	2	2			4	5	8	4	7	4	4	2				
61	Meningitis (total)	352	108	48	25	23	11	39	28	16	16	15	13	5	4	1			
	Simple meningitis	239	75	28	14	13	8	23	22	12	13	12	13	2	3	1			
	Cerebrospinal meningitis (undefined)	102	32	18	10	8	2	14	6	4	2	3		2	1				
	Cerebrospinal fever	11	1	2	1	2	1	2			1			1					
62	Locomotor ataxia	75									4	14	22	24	9	2			
63	Other diseases of the spinal cord (total)	201	12	8	6	8	1	7	10	11	8	14	21	42	41	11	1		
	Acute anterior poliomyelitis	46	8	6	5	7	1	7	6	2	2	1			1				
	Other diseases of the spinal cord [1]	155	4	2	1	1			4	9	6	13	21	42	40	11	1		
64	Cerebral hemorrhage, apoplexy	2,101	26		3	1		3	13	18	54	119	293	560	653	327	27	1	3
65	Softening of the brain	44									1		4	12	15	10	2		
66	Paralysis without specified cause	582	3			1			2	6	11	31	52	133	193	137	11		2
67	General paralysis of the insane	221							1	5	31	51	48	39	38	8			
68	Other forms of mental alienation	60								4	7	15	11	11	7	4	1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MICHIGAN—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
69	Epilepsy	128	3	1	2			6	18	19	23	14	21	7	9	4			1
70	Convulsions (nonpuerperal)	17						4	2	6		1		2	1	1			
71	Convulsions of infants	341	308	22	4	4	3												
72	Chorea	5							1	1			2			1			
73	Neuralgia and neuritis	24							1	2	4	2	5	1	4	4	1		
74	Other diseases of the nervous system	125	12	4	2			3	7	9	14	15	19	16	19	4	1		
75	Diseases of the eyes and their annexa	5					1					1		1	2				
76	Diseases of the ears	46	9	5	1	4		3	5	6	5	3	2		3				
	III.—Diseases of the circulatory system	5,380	102	9	6	3	7	36	109	163	210	380	709	1,307	1,570	701	63	1	4
77	Pericarditis	51	1	1			1	2	1	3	1	1	7	10	19	4			
78	Acute endocarditis	133	3	1	3		2	9	21	13	17	15	34	9	5		1		
79	Organic diseases of the heart	4,215	67	4	2	2	4	23	80	127	167	300	572	1,073	1,219	531	40	1	3
80	Angina pectoris	234	1						2	6	10	26	39	59	79	10	1		1
81	Diseases of the arteries, atheroma, aneurism, etc	578						1	1		5	16	39	128	224	145	19		
82	Embolism and thrombosis	113	5		1	1		1	3	10	8	20	15	19	19	10	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	6									1		1	2	1		1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	15	8	3						1		1		2					
85	Hemorrhage; other diseases of the cirlatory system	35	17						1	3	1	1	2	5	4	1			
	IV.—Diseases of the respiratory system	3,825	934	289	106	54	38	74	100	173	195	235	311	407	542	328	37	1	1
86	Diseases of the nasal fossae	9	4	1	1	2										1			
87	Diseases of the larynx	53	16	9	2	1		7	4	1	3	3	2	2	2	1			
88	Diseases of the thyroid body	21							1	1	3	6	2	3	4	1			
89	Acute bronchitis	434	233	42	30	14	6	3		1	8	2	6	14	35	34	6		
90	Chronic bronchitis	294		1	1		1		4	8	7	12	20	53	91	86	10		
91	Bronchopneumonia	759	329	118	38	21	11	18	15	7	15	14	26	43	61	42	1		
92	Pneumonia (total)	1,884	304	110	30	13	15	44	66	131	131	170	211	225	263	108	12		1
	Lobar pneumonia	676	68	31	10	3	6	10	24	74	67	83	94	91	90	22	3		
	Pneumonia (undefined)	1,158	236	79	20	10	9	34	42	57	64	87	117	134	173	86	9		1
93	Pleurisy	106	1	2	2	3	4	2	4	8	9	7	14	15	24	10		1	
94	Pulmonary congestion, pulmonary apoplexy	131	36	4	2		1		2	3	4	4	8	12	26	24	5		
95	Gangrene of the lung	10								3	2	1		3		1			
96	Asthma	89	5	1						1	3	8	6	22	28	13	2		
97	Pulmonary emphysema	9		1							1		1	2	2	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	76	6						4	9	9	8	15	13	6	5	1		
	V.—Diseases of the digestive system	4,479	1,690	354	98	53	29	110	158	240	230	270	297	356	394	175	24		1
99	Diseases of the mouth and annexa	21	8	3	1			1	1	2	2		1		1	1			
100	Diseases of the pharynx	59	6	2	4	4	3	12	7	7	5	2	2	2	1	2			
101	Diseases of the esophagus	11	3				1					1	1	2	2		1		
102	Ulcer of the stomach	100	2					1	2	7	18	12	21	17	13	6	1		
103	Other diseases of the stomach (cancer excepted)	562	237	22	5	4	3	4	6	10	16	36	36	47	82	44	10		
104	Diarrhea and enteritis (under 2 years)	1,634	1,317	317															
105	Diarrhea and enteritis (2 years and over)	394			72	27	13	28	13	16	15	23	30	44	62	45	6		
106	Ankylostomiasis	2						2											
107	Intestinal parasites	5		1	2	2													
108	Appendicitis and typhlitis	339	1			3	1	39	93	83	47	32	18	17	5				
109	Hernia, intestinal obstruction (total)	378	60	5	7	4	2	9	8	24	22	37	52	65	61	20	2		
	Hernia	96	9	1	1				2	2	4	12	20	19	20	5	1		
	Intestinal obstruction	282	51	4	6	4	2	9	6	22	18	25	32	46	41	15	1		
110	Other diseases of the intestines	116	28		1	3		3		11	12	15	11	10	13	8	1		
111	Acute yellow atrophy of the liver	21	2				1			6	3	3	2	3	1				
112	Hydatid tumor of the liver	2					1								1				
113	Cirrhosis of the liver	338	2		1	1		1	2	6	23	54	66	86	74	22			
114	Biliary calculi	81								5	8	11	12	20	20	5			
115	Other diseases of the liver	180	5	1	1	1	1	2	5	19	21	14	21	31	38	17	3		
116	Diseases of the spleen	10			1	1						2	2	1	1	2			
117	Simple peritonitis (nonpuerperal)	199	19	3	3	3	2	7	18	41	37	24	17	8	14	3			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	27					1	1	3	3	1	4	5	3	5				1
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	2,454	50	12	9	2	7	24	46	131	191	253	370	495	587	246	30	1	
119	Acute nephritis	217	19	5	5	2	4	8	14	18	30	31	19	25	31	5	1		
120	Bright's disease	1,709	19	7	3		3	15	28	58	90	164	294	393	444	168	22	1	
121	Chyluria	1								1									
122	Other diseases of the kidneys and annexa	77	6		1				2	5	8	12	13	15	11	4			
123	Calculi of the urinary passages	23								3	2	3	7	4	3		1		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MICHIGAN—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
124	Diseases of the bladder	113	5					1		1	4	3	7	15	33	38	6		
125	Diseases of the uretha, urinary abscess, etc	14								3		4	1	3	2	1			
126	Diseases of the prostate	128									1		11	34	53	29			
127	Nonvenereal diseases of the male genital organs	2	1												1				
128	Uterine hemorrhage (nonpuerperal)	6								2	2	2							
129	Uterine tumor (noncancerous)	31								1	10	10	6	3	1				
130	Other diseases of the uterus	45							1	13	16	8	3		3	1			
131	Cysts and other tumors of the ovary	36								4	10	9	6	3	4				
132	Salpingitis and other diseases of the female genital organs	51							1	21	18	7	3		1				
133	Nonpuerperal diseases of the breast (cancer excepted)	1								1									
	VII.—The puerperal state	503							37	235	187	43							1
134	Accidents of pregnancy	54							2	23	24	5							
135	Puerperal hemorrhage	39							3	10	18	8							
136	Other accidents of labor	65							2	31	25	6							1
137	Puerperal septicemia	244							20	121	83	20							
138	Puerperal albuminuria and convulsions	85							8	42	32	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	13							2	6	4	1							
140	Following childbirth (not otherwise defined)	3								2	1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	211	31			1			7	4	8	7	23	24	44	51	11		
142	Gangrene	138	2							2	1	6	13	17	40	48	9		
143	Furuncle	11							1	1	1		4	2	1		1		
144	Acute abscess	26	10						5	1	2	1	3	1		2	1		
145	Other diseases of the skin and annexa	36	19			1			1		4		3	4	3	1			
	IX.—Diseases of the bones and of the organs of locomotion	71	11		3	1	3	4	7	5	4	7	4	11	10	1			
146	Diseases of the bones (tuberculosis excepted)	62	10		3	1	3	4	7	3	3	7	3	8	9	1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	9	1							2	1		1	3	1				
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	478	446	8	4	3	4	2	6	4		1							
150	Congenital malformations (stillbirths not included) (total)	478	446	8	4	3	4	2	6	4		1							
	Hydrocephalus	45	35	3		1	3	1	1	1									
	Congenital malformations of the heart	274	260	4	3		1	1	4	1									
	Other congenital malformations	159	151	1	1	2			1	2		1							
	XI.—Early infancy	2,543	2,543																
151	Congenital debility, icterus, and sclerema (total)	2,180	2,180																
	Premature birth	1,208	1,208																
	Congenital debility, "atrophy," "marasmus," etc	972	972																
152	Other causes peculiar to early infancy (total)	358	358																
	Injuries at birth	180	180																
	Other causes peculiar to early infancy[1]	178	178																
153	Lack of care	5	5																
	XII.—Old age	1,419											3	60	431	726	188	10	1
154	Senility	1,419											3	60	431	726	188	10	1
	XIII.—External causes	2,828	92	85	61	42	35	111	299	467	357	332	314	236	216	142	16	1	22
	Suicide (total)	420							15	74	69	84	79	61	27	8	1		2
155	By poison	163							9	42	27	21	32	21	9	1	1		
156	By asphyxia	17								5		5	5	1		1			
157	By hanging or strangulation	77							1	5	10	18	14	19	6	2			2
158	By drowning	20							1	4	2	4	6	1	1	1			
159	By firearms	109							3	16	22	29	17	13	7	2			
160	By cutting or piercing instruments	26							1		7	5	4	5	3	1			
161	By jumping from high places	2								1				1					
162	By crushing																		
163	Other suicides	6								1	1	2	1		1				

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MICHIGAN—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined (total)	2,338	89	85	61	42	33	111	278	375	272	234	230	173	186	134	15	1	19
164	Poisoning by food	12	6		1	1		1			1		1		1				
165	Other acute poisonings	96	8	20	10	7			6	8	8	6	12	6	3	1			1
166	Conflagration	40		1	2	2	4	3	3	2	2	3	6	6	2	3			1
167	Burns (conflagration excepted)	185	5	29	30	11	10	9	9	20	10	12	12	10	11	7			
168	Absorption of deleterious gases (conflagration excepted)	74	31	2		1	2	3	1	6	7	3	5	3	6	4			
169	Accidental drowning	352	3	16	8	7	5	35	112	73	29	22	17	10	5	3			7
170	Traumatism by firearms	70				1	1	6	34	14	7	3	2		2				
171	Traumatism by cutting or piercing instruments	3				1			1		1								
172	Traumatism by fall	364	4	7	3	2	3	9	13	27	21	28	34	41	77	83	11	1	
173	Traumatism in mines and quarries (total)	140							7	63	37	23	6	4					
	Traumatism in mines	139							7	62	37	23	6	4					
	Traumatism in quarries	1								1									
174	Traumatism by machines	54						1	11	11	14	7	6	3	1				
175	Traumatism by other crushing (total)	548	2	5	2	4	5	27	52	96	87	75	89	49	41	8			6
	Railroad accidents and injuries	280					2	6	27	56	59	45	34	27	15	4			5
	Street-car accidents and injuries	112		1	1			5	8	24	15	13	25	9	8	3			
	Automobile accidents and injuries	48		1				6	11	3	4	8	8	2	5				
	Injuries by other vehicles	93	2	3	1	3	3	9	5	9	5	8	19	11	13	1			1
	Landslide, other crushing	15				1		1	1	4	4	1	3						
176	Injuries by animals	42		1	1			4	6	5	3	4	6	6	4		1		1
177	Starvation																		
178	Excessive cold	11									2	3	1	1	1	2			1
179	Effects of heat	84	15	1	1	1				3	8	13	7	9	15	11			
180	Lightning	17	1					2	2	2	2	3	3	1	1				
181	Electricity (lightning excepted)	34						1	3	14	6	4	1	3	2				
185	Fractures (cause not specified)	33							1	1	2	7	3	2	3	10	3		1
186	Other external violence	179	14	3	3	4	3	10	17	30	25	18	19	19	11	2			1
	Homicide (total)	70	3				2		6	18	16	14	5	2	3				1
182	By firearms	33					1		3	12	7	5	4	1					
183	By cutting or piercing instruments	13	1				1		2	2	3	4							
184	By other means	24	2						1	4	6	5	1	1	3				1
	XIV.—Ill-defined diseases	398	110	36	5	1	2	8	9	9	16	24	38	59	42	29	5		5
187	Ill-defined organic disease	78	1						5	1	2	8	9	13	24	12	3		
188	Sudden death	20	4								1	2	5	5	2	1			
189	Not specified or ill-defined (total)	300	105	36	5	1	2	8	4	8	13	14	24	41	16	16	2		5
	Ill-defined	191	30	34	4	1	2	6	4	8	6	10	19	39	15	10	2		1
	Not specified or unknown	109	75	2	1			2			7	4	5	2	1	6			4
	MINNESOTA.																		
	All causes	21,988	3,899	615	276	229	143	550	1,161	1,972	1,818	1,904	2,167	2,437	2,733	1,742	272	14	56
	I.—General diseases	6,283	409	168	107	118	73	261	567	1,001	770	700	745	666	488	178	11	3	18
1	Typhoid fever	283	2	2	1	1	4	13	46	94	50	36	19	9	5				1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	2									1	1							
5	Smallpox	6	2										1	3					
6	Measles	111	30	19	9	8	5	11	15	7	6	1							
7	Scarlet fever	189	6	15	21	26	13	52	39	12	3	1		1					
8	Whooping cough	172	111	37	1	9	4	8	1										1
9	Diphtheria and croup	315	21	30	31	34	28	87	58	20	5	1							
10	Influenza	178	18	4	3	2	1	4	6	5	3	10	11	28	42	37	3	1	
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	14	6	1						1		1	1		1	3			
14	Dysentery	53	11	9	4	5		1	1		2	1	2	1	9	5	2		
15	Plague																		
16	Yellow fever																		
17	Leprosy	2									1	1							
18	Erysipelas	96	33	1				1	1	8	5	11	9	8	11	7	1		
19	Other epidemic diseases	8	3			1	1	1	1	1									
20	Purulent infection and septicemia	68	6	1	2		1	2	6	12	8	9	8	9		3		1	
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	32	7			1		4	7	4	3	3	3						
25	Mycoses	3										3							
26	Pellagra																		
27	Beriberi																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MINNESOTA—Continued.																		
	I.—General diseases—Continued.																		
	Tuberculosis (total)	2,522	68	41	30	22	12	47	313	749	512	296	221	127	62	10			12
28	Tuberculosis of the lungs	1,992	21	13	12	2	2	19	228	634	446	250	187	109	49	8			12
29	Acute miliary tuberculosis	115	2	2	3			3	23	40	18	10	6	7	1				
30	Tuberculous meningitis	162	36	21	14	16	8	14	22	13	7	5	3	1	2				
31	Abdominal tuberculosis	117	4	4	1	1		2	23	32	16	14	13	4	3				
32	Pott's disease	38	1			2	1	1	8	5	9	3	3	2	2	1			
33	White swellings	22					1	4	2	4	2	4	2	1	1	1			
34	Tuberculosis of other organs	48	3	1				3	5	14	7	7	4	1	3				
35	Disseminated tuberculosis	28	1			1		1	2	7	7	3	3	2	1				
36	Rickets	13	10	1		1				1									
37	Syphilis	76	36	2	1				1	4	10	9	6	4	2				1
38	Gonococcus infection	15	6	1					1	4	1	1		1					
	Cancer and other malignant tumors (total)	1,423	1	1	2	2	1	2	7	31	83	219	342	369	273	83	5	1	1
39	Of the buccal cavity	63									1	7	13	15	17	8	1		1
40	Of the stomach, liver	634							1	6	19	82	164	175	148	38		1	
41	Of the peritoneum, intestines, rectum	193							1	7	11	29	48	59	24	12	2		
42	Of the female genital organs	161		1						5	20	40	47	28	16	4			
43	Of the breast	114								2	17	29	28	18	16	4			
44	Of the skin	39				1				1		4	3	8	14	7	1		
45	Of other organs or of organs not specified	219	1		2	1	1	2	5	10	15	28	39	66	38	10	1		
46	Other tumors (tumors of the female genital organs excepted)	9									1	3	2	2	1				
47	Acute articular rheumatism	92	1			1	1	9	19	9	14	7	8	8	11	4			
48	Chronic rheumatism and gout	32			1				1		1	2	7	3	10	6			1
49	Scurvy	1	1																
50	Diabetes	258	4			1	1	8	33	17	17	27	46	55	37	12			
51	Exophthalmic goiter	30							1	6	3	7	7	5	1				
52	Addison's disease	8								1	1	2	1	1	2				
53	Leukemia	30	2		1			3	4	2	4	4	4	3	1	1			1
54	Anemia, chlorosis	103	8				1	3	3	6	12	12	21	21	11	5			
55	Other general diseases	42	16	3		4		5	3	1	2	1	1	1	3	2			
56	Alcoholism (acute or chronic)	93								4	22	31	23	7	6				
57	Chronic lead poisoning	2											2						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	2								2									
	II.—Diseases of the nervous system and of the organs of special sense	1,951	230	48	26	10	14	43	76	63	94	148	223	333	399	225	17		2
60	Encephalitis	19		1				1	5	4	1	1	3	1					2
61	Meningitis (total)	178	56	16	18	3	7	19	15	16	7	7	8	4	1	1			
	Simple meningitis	89	26	11	8	1	3	4	5	10	7	4	6	2	1	1			
	Cerebrospinal meningitis (undefined)	50	19	3	6	2	3	6	3	4		2	1	1					
	Cerebrospinal fever	39	11	2	4		1	9	7	2		1	1	1					
62	Locomotor ataxia	31								1	3	8	9	7	3				
63	Other diseases of the spinal cord (total)	132	8	13	3	3	3	10	16	4	7	12	18	11	16	7	1		
	Acute anterior poliomyelitis	59	8	13	2	3	3	10	11	2	3	3	1						
	Other diseases of the spinal cord [1]	73			1				5	2	4	9	17	11	16	7	1		
64	Cerebral hemorrhage, apoplexy	987	7	1	1	1	1	1	3	6	28	74	135	250	297	170	12		
65	Softening of the brain	22									1	3	2	2	10	4			
66	Paralysis without specified cause	116	2			1			2		2	3	10	22	38	33	3		
67	General paralysis of the insane	47									9	14	2	6	11	4	1		
68	Other forms of mental alienation	46							1	3	8	8	9	8	7	2			
69	Epilepsy	73	5	1	1			4	15	17	8	4	9	4	5				
70	Convulsions (nonpuerperal)	7						1	2	1	2	1							
71	Convulsions of infants	154	141	10	1	1	1												
72	Chorea	2						1		1									
73	Neuralgia and neuritis	10									3	2		1	3	1			
74	Other diseases of the nervous system	84	5	1			2	1	8	7	11	10	14	15	7	3			
75	Diseases of the eyes and their annexa	2						1				1							
76	Diseases of the ears	41	6	5	2	1		4	9	3	4		4	2	1				
	III.—Diseases of the circulatory system	2,497	35	3	2	2	2	40	79	123	134	212	339	492	650	346	35		3
77	Pericarditis	15		1							2		1	4	5	2			
78	Acute endocarditis	141	1		1		1	8	11	28	17	32	36	4	2				
79	Organic diseases of the heart	1,891	22	1	1	2	1	30	64	87	96	148	244	413	523	232	24		3
80	Angina pectoris	73							1	1	2	7	19	18	18	7			
81	Diseases of the arteries, atheroma, aneurism, etc	290	1						1	1	7	11	21	48	94	95	11		
82	Embolism and thrombosis	55	1					2	1	5	10	8	12	4	8	4			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	12								1		2	5			4			
84	Diseases of the lymphatic system (lymphangitis, etc.)	7	4	1												2			
85	Hemorrhage; other diseases of the circulatory system	13	6						1			4	1	1					

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE; FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MINNESOTA—Continued.																		
	IV.—Diseases of the respiratory system	2,507	620	151	67	37	19	52	95	98	115	186	207	245	346	231	30	1	7
86	Diseases of the nasal fossae	4	2	1												1			
87	Diseases of the larynx	16	4	4	4	1				1	1				1				
88	Diseases of the thyroid body	13							2	1	1	3		3	1	2			
89	Acute bronchitis	136	78	10	5	2	1	2	1		3		1	1	20	9	3		
90	Chronic bronchitis	139	2		1						2	6	9	22	47	46	4		
91	Bronchopneumonia	854	396	98	32	20	10	23	13	9	8	21	34	45	87	47	10		1
92	Pneumonia (total)	1,164	123	34	23	14	6	24	73	81	94	140	144	147	148	98	9		6
	Lobar pneumonia	972	73	29	18	13	4	21	66	68	85	127	135	129	124	74	6		
	Pneumonia (undefined)	192	50	5	5	1	2	3	7	13	9	13	9	18	24	24	3		6
93	Pleurisy	54	3	4	1		1	2	1	5	5	6	12	7	3	4			
94	Pulmonary congestion, pulmonary apoplexy	40	7						1	1		2		3	10	13	2	1	
95	Gangrene of the lung	6							2			2		1	1				
96	Asthma	55	1						1			2	4	11	25	9	2		
97	Pulmonary emphysema	5										2	1	2					
98	Other diseases of the respiratory system (tuberculosis excepted)	21	4		1		1	1	1		1	2	2	3	3	2			
	V.—Diseases of the digestive system	2,306	852	167	32	27	21	62	127	133	149	148	173	182	141	78	14		
99	Diseases of the mouth and annexa	12	5	3	2					1			1						
100	Diseases of the pharynx	40	6	4	1	3	2	8	7	4	1	1	1		1	1			
101	Diseases of the esophagus	3										1	1		1				
102	Ulcer of the stomach	67		1					3	10	10	9	11	13	8	2			
103	Other diseases of the stomach (cancer excepted)	169	77	12	1	3	3	2		1	4	2	8	11	24	17	4		
104	Diarrhea and enteritis (under 2 years)	841	705	136															
105	Diarrhea and enteritis (2 years and over)	147			26	14	6	8	2	5	8	13	10	14	18	17	6		
106	Ankylostomiasis																		
107	Intestinal parasites	1											1						
108	Appendicitis and typhlitis	343	2	2	1	2	4	32	88	78	50	29	24	21	9	1			
109	Hernia, intestinal obstruction (total)	209	31	3		2	3	3	11	11	23	27	26	25	28	13	3		
	Hernia	80	5						2	3	4	8	16	16	19	5	2		
	Intestinal obstruction	129	26	3		2	3	3	9	8	19	19	10	9	9	8	1		
110	Other diseases of the intestines	62	17	3		1			8	4	7	3	4	4	5	6			
111	Acute yellow atrophy of the liver	8						1	1	1		1	1	2	1				
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	179				1		1	1	4	18	30	47	44	26	7			
114	Biliary calculi	60								1	6	9	14	18	7	5			
115	Other diseases of the liver	99	5	2		1	2	1	1	4	13	15	14	20	12	8	1		
116	Diseases of the spleen	6									2	1	2	1					
117	Simple peritonitis (nonpuerperal)	42	3	1	1		1	6	3	6	5	4	6	4	1	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	18	1						2	3	2	3	2	5					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,674	39	6	3	4	1	13	32	83	123	179	233	332	381	215	25	1	4
119	Acute nephritis	105	11	3	3	2		8	10	8	11	11	11	15	8	4			
120	Bright's disease	1,225	16	3		2	1	5	17	45	82	127	180	279	298	147	20		3
121	Chyluria																		
122	Other diseases of the kidneys and annexa	60	7							3	5	9	11	7	10	8			
123	Calculi of the urinary passages	16	1								2	2	3	3	2	3			
124	Diseases of the bladder	45	2							2	2	1	6	1	11	17	2	1	
125	Diseases of the urethra, urinary abscess, etc	4	2						1						1				
126	Diseases of the prostate	117										1	9	20	49	36	2		
127	Nonvenereal diseases of the male genital organs	1															1		
128	Uterine hemorrhage (nonpuerperal)	5									1	2	1						1
129	Uterine tumor (noncancerous)	22								1	6	8	3	4					
130	Other diseases of the uterus	29							3	8	5	8	5						
131	Cysts and other tumors of the ovary	16									4	4	3	3	2				
132	Salpingitis and other diseases of the female genital organs	29							1	16	5	6	1						
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	300							15	130	127	28							
134	Accidents of pregnancy	22								12	8	2							
135	Puerperal hemorrhage	29							2	9	15	3							
136	Other accidents of labor	23								11	8	4							
137	Puerperal septicemia	153							9	63	65	16							
138	Puerperal albuminuria and convulsions	57							4	29	22	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	12								4	7	1							
140	Following childbirth (not otherwise defined)	3								1	2								
141	Puerperal diseases of the breast	1								1									

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MINNESOTA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	91	19	1		1			2	2		8	6	11	24	14	3		
142	Gangrene	41				1			1			2	1	4	20	9	3		
143	Furuncle	9	2							1		2	2	1	1				
144	Acute abscess	19	8	1					1	1		1	2	4	1				
145	Other diseases of the skin and annexa	22	9									3	1	2	2	5			
	IX.—Diseases of the bones and of the organs of locomotion	53		2		3		13	12	5	6	3	5	2		2			
146	Diseases of the bones (tuberculosis excepted)	50		2		3		12	11	5	6	3	5	2		1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	2						1	1										
148	Amputations																		
149	Other diseases of the organs of locomotion	1														1			
	X.—Malformations	283	245	14	3	1	1	4	6	3	3	3							
150	Congenital malformations (stillbirths not included) (total)	283	245	14	3	1	1	4	6	3	3	3							
	Hydrocephalus	29	21	6	2														
	Congenital malformations of the heart	153	135	2			1	4	5	2	3	1							
	Other congenital malformations	101	89	6	1	1			1	1		2							
	XI.—Early infancy	1,234	1,234																
151	Congenital debility, icterus, and sclerema (total)	1,039	1,039																
	Premature birth	680	680																
	Congenital debility, "atrophy," "marasmus," etc.	359	359																
152	Other causes peculiar to early infancy (total)	190	190																
	Injuries at birth	116	116																
	Other causes peculiar to early infancy [1]	74	74																
153	Lack of care	5	5																
	XII.—Old age	712											1	21	181	382	118	9	
154	Senility	712											1	21	181	382	118	9	
	XIII.—External causes	1,785	43	40	34	25	12	59	144	318	291	285	223	132	90	56	16		17
	Suicide (total)	302							5	50	64	78	58	32	11	2			2
155	By poison	65							1	13	16	15	9	7	2	1			1
156	By asphixia	14								2	4	5	2	1					
157	By hanging or strangulation	70							1	7	15	17	16	7	6	1			
158	By drowning	20									3	6	6	5					
159	By firearms	101							3	23	20	27	18	6	3				1
160	By cutting or piercing instruments	18								3	3	4	6	2					
161	By jumping from high places	6								1	2	1		2					
162	By crushing	3									1	2							
163	Other suicides	5								1		1	1	2					
	Accidental or undefined (total)	1,401	42	40	34	24	11	56	133	254	207	192	154	94	78	54	16		12
164	Poisoning by food	18	7			1		3	1		2	2		1	1				
165	Other acute poisonings	39		7	7	3	1	1	4	4	5	2	3	1					1
166	Conflagration	38	1	4	3	3	1	4	1	4	1	4	3	3	2				4
167	Burns (conflagration excepted)	90	3	13	12	7	6	10	4	6	4	8	5	6	1	5			
168	Absorption of deleterious gases (conflagration excepted)	77	12	1					9	10	10	3	12	7	6	6			1
169	Accidental drowning	163	2	7	4	3	1	12	26	47	27	16	7	3	4	3			1
170	Traumatism by firearms	57				1	1	7	20	13	3	8	3		1				
171	Traumatism by cutting or piercing instruments	5		1					1	1	2								
172	Traumatism by fall	173	1	1	1	1		2	5	13	10	19	26	19	33	29	13		
173	Traumatism in mines and quarries (total)	87							2	32	29	16	6		2				
	Traumatism in mines	85							2	32	29	16	5		1				
	Traumatism in quarries	2											1		1				
174	Traumatism by machines	41				1		1	4	11	7	9	4	3	1				
175	Traumatism by other crushing (total)	399	1	2	3	2	1	10	33	81	78	72	61	34	13	2	1		5
	Railroad accidents and injuries	251		2	2	1		2	21	60	57	44	31	16	9	1			5
	Street-car accidents and injuries	24	1		1				4	1	4	7	3	1	1	1			
	Automobile accidents and injuries	26				1		2	2	4	2	4	7	2	1		1		
	Injuries by other vehicles	83					1	6	5	11	11	15	20	12	2				
	Landslides, other crushing	15							1	5	4	2		3					
176	Injuries by animals	27			1	1		2	4	5	1	3	6	1	2	1			
177	Starvation	2									2								
178	Excessive cold	21								4	4	3	2	3	3	2			
179	Effects of heat	20	2						1	2	2	3	1	5	3	1			
180	Lightning	12						1	5	1	1	1	3						
181	Electricity (lightning excepted)	18							3	8	3	2	2						
185	Fractures (cause not specified)	18	1					1			2	3		2	4	3	2		
186	Other external violence	96	12	4	3	1		2	10	12	14	18	10	6	2	2			

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MINNESOTA—Continued.																		
	XIII.—External causes—Contd.																		
	Homicide (total)	82	1			1	1	3	6	14	20	15	11	6	1				3
182	By firearms	46					1		4	10	10	10	7	4					
183	By cutting or piercing instruments	5								1	2		1		1				
184	By other means	31	1			1		3	2	3	8	5	3	2					3
	XIV.—Ill-defined diseases	312	173	15	2	1		3	6	13	6	4	12	21	33	15	3		5
187	Ill-defined organic disease	12								1			1	2	5	3			
188	Sudden death	20	5									1	1	5	5	3			
189	Not specified or ill-defined (total)	280	168	15	2	1		3	6	12	6	3	10	14	23	9	3		5
	Ill-defined	76	19	4	1	1		1	2	7	3		7	10	15	6			
	Not specified or unknown	204	149	11	1			2	4	5	3	3	3	4	8	3	3		5
	MISSOURI.																		
	All causes	43,434	7,150	1,761	845	548	382	1,059	2,043	3,686	3,723	3,794	4,459	5,171	5,384	2,814	382	26	207
	I.—General diseases	13,661	956	635	449	318	222	594	1,033	1,853	1,655	1,448	1,475	1,381	1,113	409	49	3	68
1	Typhoid fever	1,059	16	11	23	19	16	79	268	244	149	84	57	56	21	7			9
2	Typhus fever																		
3	Relapsing fever	1													1				
4	Malaria	508	57	59	29	17	13	41	56	42	42	29	35	36	34	6	1		11
5	Smallpox	31	13						2	3	2	4	1	3	1	2			
6	Measles	621	105	123	88	57	29	62	54	38	26	19	5	7	3	2			3
7	Scarlet fever	322	12	36	55	38	35	106	32	7									1
8	Whooping cough	430	219	108	45	22	13	19	2	1									1
9	Diphtheria and croup	678	59	118	114	108	78	151	35	4	5	3		3					
10	Influenza	859	56	7	7	7	3	10	18	42	35	48	85	132	234	148	24	1	2
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	19	2					1					4	2	2	5	2		1
14	Dysentery	337	69	61	22	6	4	8	2	5	8	5	23	21	62	35	3	1	2
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	155	35	1	1	2	1	3	3	8	11	15	26	17	22	7	1		2
19	Other epidemic diseases	12	3	3	1			2	1	1	1								
20	Purulent infection and septicemia	122	6	2	5	1	1	4	16	17	9	15	10	19	12	2	2		1
21	Glanders																		
22	Anthrax																		
23	Rabies	6						1	2			1		1		1			
24	Tetanus	71	25		1			5	12	6	5	5	3	6	1		1		1
25	Mycoses																		
26	Pellagra	18								1	2	8	4	2					1
27	Beriberi																		
	Tuberculosis (total)	5,114	112	86	45	27	20	58	448	1,292	1,092	737	551	379	207	36		1	23
28	Tuberculosis of the lungs	4,413	57	34	17	9	11	26	365	1,172	994	667	483	332	190	33		1	22
29	Acute miliary tuberculosis	145		7	3	4	1	3	21	43	31	19	8	4	1				
30	Tuberculous meningitis	175	37	32	18	9	5	15	22	13	12	6	3	2	1				
31	Abdominal tuberculosis	219	5	7	2	1	2	6	17	40	34	30	38	28	8	1			
32	Pott's disease	45	3	2	2	3	1	3	5	6	9	4	3	4					
33	White swellings	20						2	4	5	1	2	4	1	1				
34	Tuberculosis of other organs	58	5	2	2	1		2	9	8	4	8	6	4	4	2			1
35	Disseminated tuberculosis	39	5	2	1			1	5	5	7	1	6	4	2				
36	Rickets	18	13	2	1	2													
37	Syphilis	247	108	5	4	3	2	4	3	25	32	30	22	5	4				
38	Gonococcus infection	13	4					1		6		1		1					
	Cancer and other malignant tumors (total)	1,974	2	4	2	1	2	5	13	33	119	316	478	492	366	125	10		6
39	Of the buccal cavity	101	1	1				2	2	1	2	9	25	19	22	16	1		
40	Of the stomach, liver	721	1				1			6	21	84	185	219	167	33	2		2
41	Of the peritoneum, intestines, rectum	215					1	1	1	6	19	29	51	46	47	14			
42	Of the female genital organs	310								7	35	82	89	65	26	5	1		
43	Of the breast	191						1		1	18	47	47	43	22	9	2		1
44	Of the skin	121		1					1	3	2	5	17	28	32	30	2		
45	Other organs or of organs not specified	315		2	2	1		1	9	9	22	60	64	72	50	18	2		3
46	Other tumors (tumors of the female genital organs excepted)	34								1	5	4	7	8	8	1			
47	Acute articular rheumatism	214	4			2	2	21	35	14	18	20	30	33	25	8	1		1
48	Chronic rheumatism and gout	39									3	2	8	7	14	4	1		
49	Scurvy	2	1								1								
50	Diabetes	413	2	2	3	1	1	9	15	35	32	47	65	105	73	18	3		2
51	Exophthalmic goiter	40							3	7	9	11	8	2					
52	Addison's disease	10								1	3	3	1	1	1				
53	Leukemia	42	1			1			5	4	7	8	4	8	4				
54	Anemia, chlorosis	73	12	2			1	1	3	2	10	8	12	19	2	1			
55	Other general diseases	63	20	5	3	4	1	3	4	6	2	3	8		3	1			
56	Alcoholism (acute or chronic)	78								4	22	18	19	8	6				1
57	Chronic lead poisoning	12								3	2	3	3	1					
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	26							1	1	3	1	6	7	7				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MISSOURI—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense	3,788	350	108	54	36	24	73	115	125	207	325	529	668	782	337	39	2	14
60	Encephalitis	47	14	5		1		2	5	1	3	7	3	4	2				
61	Meningitis (total)	453	140	62	37	19	13	37	46	28	21	17	16	8	7	2			
	Simple meningitis	278	99	29	23	8	8	18	19	17	15	16	11	7	7	1			
	Cerebrospinal meningitis (undefined)	126	27	27	11	6	3	13	21	6	6	1	3	1		1			
	Cerebrospinal fever	49	14	6	3	5	2	6	6	5			2						
62	Locomotor ataxia	94						1		1	6	23	26	23	12	2			
63	Other diseases of the spinal cord (total)	207	17	14	11	9	3	10	6	5	9	12	27	32	44	7	1		
	Acute anterior poliomyelitis	60	14	14	10	7	3	8	2	1			1						
	Other diseases of the spinal cord [1]	147	3		1	2		2	4	4	9	12	26	32	44	7	1		
64	Cerebral hemorrhage, apoplexy	1,708	44	7	2	2	1	1	13	22	66	148	285	410	474	201	25	1	6
65	Softening of the brain	81						1	1	2	6	9	9	16	25	11	1		
66	Paralysis without specified cause	460	3	1	1	1		2		5	6	17	51	118	159	81	11	1	3
67	General paralysis of the insane	199								8	29	49	56	22	23	10			2
68	Other forms of mental alienation	73							2	7	16	7	16	8	11	4			2
69	Epilepsy	134	5	2		2		2	21	22	27	16	13	9	10	5			
70	Convulsions (nonpuerperal)	15						3	1	4	2	2			1	1			1
71	Convulsions of infants	114	98	11	1	1	3												
72	Chorea	4							2	1		1							
73	Neuralgia and neuritis	23						1	1	1	3	1	4	6	1	4	1		
74	Other diseases of the nervous system	111	14	2	1	1		4	10	9	8	15	17	8	13	9			
75	Diseases of the eyes and their annexa	1	1																
76	Diseases of the ears	64	14	4	1		4	9	7	9	5	1	6	4					
	III.—Diseases of the circulatory system	4,570	47	8	7	6	8	42	129	188	293	431	677	986	1,080	579	68	4	17
77	Pericarditis	86		1				2	4	7	9	20	12	10	17	3			1
78	Acute endocarditis	191	7	2	1	2	3	8	20	23	29	32	54	5	5				
79	Organic diseases of the heart	3,402	32	4	5	4	4	31	95	142	218	309	500	786	831	379	44	3	15
80	Angina pectoris	157								2	6	19	29	46	39	15		1	
81	Diseases of the arteries, atheroma, aneurism, etc	613	1						4	6	21	38	63	117	167	171	24		1
82	Embolism and thrombosis	83	1				1		4	6	5	12	13	16	16	9			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	15							2	1	2	1	3	3	1	2			
84	Diseases of the lymphatic system (lymphangitis, etc.)	9	3	1	1						2		2						
85	Hemorrhage; other diseases of the circulatory system	14	3					1		1	1		1	3	4				
	IV.—Diseases of the respiratory system	5,064	866	302	141	64	57	113	177	284	309	388	481	671	752	392	45	5	17
86	Diseases of the nasal fossae	8	4	2					1						1				
87	Diseases of the larynx	53	5	9	10	2	4	7	1		1	2	5	1	3	2			1
88	Diseases of the thyroid body	16	1						1		2	6	3	1	1		1		
89	Acute bronchitis	291	153	32	15	3	5	4	3	3	6	3	5	7	28	21	1	1	1
90	Chronic bronchitis	353	8	2	2	1		3	6	8	7	11	29	63	116	86	10		1
91	Bronchopneumonia	996	333	130	50	26	22	26	21	20	20	35	45	85	110	60	11	2	
92	Pneumonia (total)	2,979	330	123	55	31	22	69	136	224	245	285	350	455	426	192	20	2	14
	Lobar pneumonia	1,704	119	58	30	13	10	40	67	151	156	194	234	273	253	91	11		4
	Pneumonia (undefined)	1,275	211	65	25	18	12	29	69	73	89	91	116	182	173	101	9	2	10
93	Pleurisy	84	3	1	4		1	1	3	12	7	14	11	10	9	7	1		
94	Pulmonary congestion, pulmonary apoplexy	83	21	2	3		1	1	1		3	8	9	8	13	12	1		
95	Gangrene of the lung	14	1						1	2	1	2	2	4	1				
96	Asthma	94				1				2	1	8	11	29	32	10			
97	Pulmonary emphysema	15					1	1		2	2		1	2	6				
98	Other diseases of the respiratory system (tuberculosis excepted)	78	7	1	2		1	1	3	11	14	14	10	6	6	2			
	V.—Diseases of the digestive system	5,107	1,769	580	109	56	27	96	164	245	276	311	363	441	414	217	28	1	10
99	Diseases of the mouth and annexa	29	20	2	1	1		2			1			1		1			
100	Diseases of the pharynx	66	5	6	5	8	3	13	7	5	3	2	3	3	1	2			
101	Diseases of the esophagus	9	1			1				1			1	2	1	2			
102	Ulcer of the stomach	110					1		2	12	16	19	21	17	18	2	1		1
103	Other diseases of the stomach (cancer excepted)	494	154	25	10	5	1	8	9	11	23	20	40	45	72	58	10		3
104	Diarrhea and enteritis (under 2 years)	2,020	1,491	529															
105	Diarrhea and enteritis (2 years and over)	520			81	23	12	21	12	25	31	33	32	57	114	68	10		1
106	Ankylostomiasis																		
107	Intestinal parasites	6	1	1	2	2													
108	Appendicitis and typhlitis	371	2	2		2	3	30	90	82	56	38	27	25	9	1	1		3
109	Hernia, intestinal obstruction (total)	360	44	9	4	9	5	10	9	26	30	31	44	67	42	29	1		
	Hernia	108	8	1	2	1			2	5	3	12	10	31	19	14			
	Intestinal obstruction	252	36	8	2	8	5	10	7	21	27	19	34	36	23	15	1		
110	Other diseases of the intestines	125	25	2	3		1	1	3	9	13	10	11	10	25	11	1		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MISSOURI—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	26						2		4	2	7	1	5	3	1	1		
112	Hydatid tumor of the liver	1									1								
113	Cirrhosis of the liver	465	1		1				6	14	48	81	109	113	74	18			
114	Biliary calculi	102							1	2	7	16	21	34	13	6	1		1
115	Other diseases of the liver	203	11		1	4	1	3	6	12	19	34	29	33	33	15	2		
116	Diseases of the spleen	9							1	3	1	1	1	2					
117	Simple peritonitis (nonpuerperal)	172	14	4	1	1		5	17	37	23	17	17	23	8	3		1	1
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	19						1	1	2	2	2	6	4	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,410	52	5	12	7	7	17	66	190	284	362	506	691	776	380	37	4	14
119	Acute nephritis	214	13	2	5	4	3	5	12	28	22	29	24	24	31	9	3		
120	Bright's disease	2,614	26	2	7	3	4	10	40	96	177	265	432	595	619	297	24	3	14
121	Chyluria																		
122	Other diseases of the kidneys and annexa	92	7	1				2	1	4	11	12	7	16	13	16	2		
123	Calculi of the urinary passages	19								2	1	4	4	2	4	2			
124	Diseases of the bladder	107	5							2	5	3	11	14	35	26	5	1	
125	Diseases of the urethra, urinary abscess, etc	17									2	8	2	1	2	2			
126	Diseases of the prostate	128										1	6	26	66	26	3		
127	Nonvenereal diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)	2									1				1				
129	Uterine tumor (noncancerous)	40								2	13	12	9	3		1			
130	Other diseases of the uterus	56							9	13	16	11	5	1		1			
131	Cysts and other tumors of the ovary	41								8	10	8	4	8	3				
132	Salpingitis and other diseases of the female genital organs	78							4	35	26	9	2	1	1				
133	Nonpuerperal diseases of the breast (cancer excepted)	1													1				
	VII.—The puerperal state	565							70	244	195	51							5
134	Accidents of pregnancy	58							4	16	34	4							
135	Puerperal hemorrhage	56							1	26	21	7							1
136	Other accidents of labor	49							4	21	20	4							
137	Puerperal septicemia	278							38	128	81	29							2
138	Puerperal albuminuria and convulsions	101							22	46	28	3							2
139	Puerperal phlegmasia alba dolens, embolus, sudden death	19							1	5	10	3							
140	Following childbirth (not otherwise defined)	4								2	1	1							
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	139	29	4	2	1	2		1	2	6	3	16	18	27	19	8		1
142	Gangrene	82	4	3	2	1	1			1	2	3	9	13	21	14	7		1
143	Furuncle	13	3								1		4	2	1	2			
144	Acute abscess	15	7	1			1		1		1		2	1		1			
145	Other diseases of the skin and annexa	29	15							1	2		1	2	5	2	1		
	IX.—Diseases of the bones and of the organs of locomotion	54	5	1				5	6	2	6	5	9	8	7				
146	Diseases of the bones (tuberculosis excepted)	43	5	1				5	6	1	5	2	8	4	6				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7									1	2	1	2	1				
148	Amputations	1										1							
149	Other diseases of the organs of locomotion	3								1				2					
	X.—Malformations	386	351	13	3	3	1	5	5	3		1							1
150	Congenital malformations (stillbirths not included) (total)	386	351	13	3	3	1	5	5	3		1							1
	Hydrocephalus	32	22	6			1			2		1							
	Congenital malformations of the heart	233	214	3	3	3		4	4	1									1
	Other congenital malformations	121	115	4				1	1										
	XI.—Early infancy	2,274	2,274																
151	Congenital debility, icterus, and sclerema (total)	1,891	1,891																
	Premature birth	1,316	1,316																
	Congenital debility, "atrophy," "marasmus," etc	575	575																
152	Other causes peculiar to early infancy (total)	374	374																
	Injuries at birth	187	187																
	Other causes peculiar to early infancy [1]	187	187																
153	Lack of care	9	9																

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MISSOURI—Continued.																		
	XII.—Old age	581											2	15	172	297	87	4	4
154	Senility	581											2	15	172	297	87	4	4
	XIII.—External causes	3,075	101	77	53	52	30	106	264	530	464	432	359	220	188	132	17	1	49
	Suicide (total)	599							25	130	108	129	108	64	21	6	1		7
155	By poison	298							13	84	56	65	41	26	10	1	1		1
156	By asphyxia	22							1	4	4	6	4	3					
157	By hanging or strangulation	49							1	3	9	9	11	13		1			2
158	By drowning	22									4	3	6	4	4				1
159	By firearms	172							10	35	34	34	36	15	4	3			1
160	By cutting or piercing instruments	26								1	1	8	9	2	2	1			2
161	By jumping from high places	5								2		2		1					
162	By crushing	3								1		1	1						
163	Other suicides	2										1			1				
	Accidental or undefined (total)	2,171	96	76	53	52	29	103	223	285	273	262	232	151	164	124	16	1	31
164	Poisoning by food	32	6	1	1	3		5	5		2	2	5	1	1				
165	Other acute poisonings	93	4	17	9	2		4	3	15	9	8	9	5	7				1
166	Conflagration	30	3	1	1	2		5	1	1	5	2	3		3	3			
167	Burns (conflagration excepted)	226	10	26	26	28	11	22	10	13	22	9	18	13	10	6		1	1
168	Absorption of deleterious gases (conflagration excepted)	77	37	1	1	1		2	2	4	6	5	8	6	3		1		
169	Accidental drowning	175		10		3	2	15	60	23	19	18	14	5		1			5
170	Traumatism by firearms	90		2	2		2	6	26	20	11	14	6	1					
171	Traumatism by cutting or piercing instruments	8		1		1				1	1	2	2						
172	Traumatism by fall	364	8	8	5	3	4	9	16	25	38	37	25	31	64	76	13		2
173	Traumatism in mines and quarries (total)	56							5	20	16	9	4						2
	Traumatism in mines	51							5	17	15	8	4						2
	Traumatism in quarries	5								3	1	1							
174	Traumatism by machines	52						2	4	15	14	7	8		2				
175	Traumatism by other crushing (total)	609	2	2	4	8	7	20	73	109	100	90	86	50	38	6			14
	Railroad accidents and injuries	346	1				2	1	47	78	71	53	40	22	16	1			14
	Street-car accidents and injuries	78			1	2	1	3	5	13	15	14	15	3	6				
	Automobile accidents and injuries	40		1	1	2	1	4	3	4	6	2	8	6	1	1			
	Injuries by other vehicles	124	1	1	2	3	3	12	18	12	4	14	18	17	15	4			
	Landslide, other crushing	21				1				2	4	7	5	2					
176	Injuries by animals	47		1	1		2	5	5	10	4	4	3	2	9	1			
177	Starvation	8	4						1		1				1	1			
178	Excessive cold	10			1							1	2	2	2	1			1
179	Effects of heat	140	14					1		7	3	28	24	22	15	23	1		2
180	Lightning	11						2	1	3	4	1							
181	Electricity (lightning excepted)	13							1	6		4	1						1
185	Fractures (cause not specified)	20	1							1	2	2	3	4	4	3			
186	Other external violence	110	7	6	2	1	1	5	10	12	16	19	11	9	5	3	1		2
	Homicide (total)	305	5	1			1	3	16	115	83	41	19	5	3	2			11
182	By firearms	182		1					8	78	54	23	8		1	2			7
183	By cutting or piercing instruments	58							5	22	12	6	4	4	1				4
184	By other means	65	5				1	3	3	15	17	12	7	1	1				
	XIV.—Ill-defined diseases	760	350	28	15	5	4	8	13	20	28	37	42	72	73	52	4	2	7
187	Ill-defined organic disease	55		2				1	3	3	3	6	6	6	12	11	2		
188	Sudden death	41	8		2				1	2	1	5	5	5	6	5			1
189	Not specified or ill-defined (total)	664	342	26	13	5	4	7	9	15	24	26	31	61	55	36	2	2	6
	Ill-defined	211	48	13	9	3	1	3	4	9	14	10	19	40	20	16	1		1
	Not specified or unknown	453	294	13	4	2	3	4	5	6	10	16	12	21	35	20	1	2	5
	MONTANA.																		
	All causes	4,009	717	118	66	55	35	111	200	433	501	511	455	337	310	134	17		9
	I.—General diseases	1,017	64	35	27	31	17	52	72	132	137	158	133	78	62	13	2		4
1	Typhoid fever	80					1	6	12	29	14	9	6	3					
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria																		
5	Smallpox																		
6	Measles	49	8	9	6	6	2	8	6	2	1	1							
7	Scarlet fever	37	2	4	2	7	3	8	6	3	2								
8	Whooping cough	27	17	4	2	1	1	2											
9	Diphtheria and croup	30	2	3		9	1	7	6	1									1
10	Influenza	15		1							1		1	4	5	3			
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	1													1				
14	Dysentery	12	5				1	1			1		1		2	1			
15	Plague																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MONTANA—Continued.																		
	I.—General diseases—Continued.																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	12	2		1							2	1	3	2	1			
19	Other epidemic diseases	8	1	1				3		1		1	1						
20	Purulent infection and septicemia	5	1									3	1						
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	1	1																
25	Mycoses																		
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	420	18	11	14	8	6	9	36	75	78	82	46	21	12	2	1		1
28	Tuberculosis of the lungs	348	12	8	8	5	4	3	29	63	69	75	38	20	10	2	1		1
29	Acute miliary tuberculosis	10							1	4	1	1	3						
30	Tuberculous meningitis	20	5	2	5	1		3	2	1			1						
31	Abdominal tuberculosis	17	1	1	1	1	1		3	4	2		2		1				
32	Pott's disease	5					1	1	1			2							
33	White swellings																		
34	Tuberculosis of other organs	7				1		1			3	2							
35	Disseminated tuberculosis	13						1		3	3	2	2	1	1				
36	Rickets	3	2				1												
37	Syphilis	16	2	1						1	5	3	2	1	1				
38	Gonococcus infection	1	1																
	Cancer and other malignant tumors (total)	157						1		3	12	30	47	35	25	4			
39	Of the buccal cavity	8								1		3	4						
40	Of the stomach, liver	70									3	9	23	20	13	2			
41	Of the peritoneum, intestines, rectum	21									2	4	5	4	6				
42	Of the female genital organs	15									3	7	2	1	1	1			
43	Of the breast	14									2	3	6	2	1				
44	Of the skin	4									1			1	2				
45	Of other organs or of organs not specified	25						1		2	1	4	7	7	2	1			
46	Other tumors (tumors of the female genital organs excepted)	1										1							
47	Acute articular rheumatism	21						3	5	4	1	2	4	1	1				
48	Chronic rheumatism and gout	5									2		2		1				
49	Scurvy																		
50	Diabetes	41			1			4	1	5	5	4	6	6	8	1			
51	Exophthalmic goiter	4								1	1	1					1		
52	Addison's disease																		
53	Leukemia	1					1												
54	Anemia, chlorosis	6									2	2	2						
55	Other general diseases	11	2	1	1					1	1	2	1	1	1				
56	Alcoholism (acute or chronic)	40								4	8	11	11	3	1	1			1
57	Chronic lead poisoning	1													1				
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	12								2	3	4	1		1				1
	II.—Diseases of the nervous system and of the organs of special sense	289	23	12	6	2	3	6	10	12	22	40	45	47	48	11	1		1
60	Encephalitis	4	1	1					1					1					
61	Meningitis (total)	32	6	7	4	1	2	4	4		2	1	1						
	Simple meningitis	14	4	2	1		1	1	2		1	1	1						
	Cerebrospinal meningitis (undefined)	15	1	5	1	1	1	3	2		1								
	Cerebrospinal fever	3	1		2														
62	Locomotor ataxia	4										2	2						
63	Other diseases of the spinal cord (total)	15	2	1	2	1		1	2				1	3	2				
	Acute anterior poliomyelitis	5	1		2	1		1											
	Other diseases of the spinal cord [1]	10	1	1					2				1	3	2				
64	Cerebral hemorrhage, apoplexy	126	2							4	9	17	21	30	35	6	1		1
65	Softening of the brain	1											1						
66	Paralysis without specified cause	20									1	1	4	4	7	3			
67	General paralysis of the insane	29									7	9	8	3	1	1			
68	Other forms of mental alienation	10								2	1	2	3	2					
69	Epilepsy	15							2	4	1	4	2	2					
70	Convulsions (nonpuerperal)	1														1			
71	Convulsions of infants	11	9	1			1												
72	Chorea	1						1											
73	Neuralgia and neuritis	1													1				
74	Other diseases of the nervous system	10	1	1					1	1		1	2	1	2				
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	9	2	1						1	1	3		1					

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MONTANA—Continued.																		
	III.—Diseases of the circulatory system	435	12		2	1	3	10	19	34	43	52	81	83	67	24	4		
77	Pericarditis	4						1	2	1									
78	Acute endocarditis	35	2					2	3	6	6	5	11						
79	Organic diseases of the heart	317	6		1	1	3	6	11	22	29	39	58	72	54	14	1		
80	Angina pectoris	12								2	2	2	3	3					
81	Diseases of the arteries, atheroma, aneurism, etc	44							1	1	2	2	7	6	13	9	3		
82	Embolism and thrombosis	8							1		1	2	2	2					
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3									1	1				1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	2		1														
85	Hemorrhage; other diseases of the circulatory system	9	2					1	1	2	2	1							
	IV.—Diseases of the respiratory system	433	100	23	7	6	2	7	16	22	44	54	50	37	41	22	2		
86	Diseases of the nasal fossae	1								1									
87	Diseases of the larynx	2		1		1													
88	Diseases of the thyroid body																		
89	Acute bronchitis	16	6	2	2			1			1				1	3			
90	Chronic bronchitis	15									1	2	2	3	4	3			
91	Bronchopneumonia	94	51	11	3	2			2		3	5	4	5	6	2			
92	Pneumonia (total)	260	41	8	1	3	2	6	13	21	33	38	36	26	21	10	1		
	Lobar pneumonia	127	8	2			1	2	7	14	28	23	20	16	6				
	Pneumonia (undefined)	133	33	6	1	3	1	4	6	7	5	15	16	10	15	10	1		
93	Pleurisy	9		1					1		1	3	2		1				
94	Pulmonary congestion, pulmonary apoplexy	18	1								1		4	2	6	3	1		
95	Gangrene of the lung	1									1								
96	Asthma	7									1	3		1	2				
97	Pulmonary emphysema																		
98	Other diseases of the respiratory system (tuberculosis excepted)	10	1		1						2	3	2			1			
	V.—Diseases of the digestive system	427	138	31	11	6	5	12	27	33	40	51	25	20	23	4	1		
99	Diseases of the mouth and annexa	1	1																
100	Diseases of the pharynx	3							1		1	1							
101	Diseases of the esophagus	1													1				
102	Ulcer of the stomach	16								2	3	9		1	1				
103	Other diseases of the stomach (cancer excepted)	23	6	1	1					2	2	1		6	1	2	1		
104	Diarrhea and enteritis (under 2 years)	142	114	28															
105	Diarrhea and enteritis (2 years and over)	24			10	1	2	1			1			4	5				
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	74				2	2	9	17	18	10	9	5		2				
109	Hernia, intestinal obstruction (total)	42	9	2		1	1	1	4	3	4	6	6	3	2				
	Hernia	13	2							2		3	3	2	1				
	Intestinal obstruction	29	7	2		1	1	1	4	1	4	3	3	1	1				
110	Other diseases of the intestines	10	7								2				1				
111	Acute yellow atrophy of the liver	1								1									
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	44								1	8	15	9	4	6	1			
114	Biliary calculi	6									1	1	2	1		1			
115	Other diseases of the liver	14							1	1	3	6	2		1				
116	Diseases of the spleen	1									1								
117	Simple peritonitis (nonpuerperal)	22	1			2		1	4	5	4	1		1	3				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3										2	1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	241	5	2	1		1	7	9	28	18	38	47	30	35	17	2		1
119	Acute nephritis	27	3	1				4	3	2	3	6	2	2		1			
120	Bright's disease	177	2	1	1		1	3	4	17	11	27	42	24	30	11	2		1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	3							1				2						
123	Calculi of the urinary passages	1													1				
124	Diseases of the bladder	2													1	1			
125	Diseases of the urethra, urinary abscess, etc	1										1							
126	Diseases of the prostate	10												3	3	4			
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)	3								1		1		1					
129	Uterine tumor (noncancerous)	2								1		1							
130	Other diseases of the uterus	2								2									
131	Cysts and other tumors of the ovary	5								2	1	1	1						
132	Salpingitis and other diseases of the female genital organs	8							1	3	3	1							
133	Nonpuerperal diseases of the breast (cancer excepted)																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MONTANA—Continued.																		
	VII.—The puerperal state	78							5	31	40	2							
134	Accidents of pregnancy	9							1	3	5								
135	Puerperal hemorrhage	7								1	5	1							
136	Other accidents of labor	5								3	2								
137	Puerperal septicemia	38							1	18	18	1							
138	Puerperal albuminuria and convulsions	12							2	3	7								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	5							1	2	2								
140	Following childbirth (not otherwise defined)	2								1	1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	10	3							1			2		1	3			
142	Gangrene	4											1		1	2			
143	Furuncle																		
144	Acute abscess	3	1							1			1						
145	Other diseases of the skin and annexa	3	2													1			
	IX.—Diseases of the bones and of the organs of locomotion	6				1		1		1		1		2					
146	Diseases of the bones (tuberculosis excepted)	5				1		1		1		1		1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion	1												1					
	X.—Malformations	58	54			1		1	1		1								
150	Congenital malformations (stillbirths not included) (total)	58	54			1		1	1		1								
	Hydrocephalus																		
	Congenital malformations of the heart	45	42			1		1	1										
	Other congenital malformations	13	12								1								
	XI.—Early infancy	277	277																
151	Congenital debility, icterus, and sclerema (total)	225	225																
	Premature birth	152	152																
	Congenital debility, "atrophy," "marasmus," etc.	73	73																
152	Other causes peculiar to early infancy (total)	51	51																
	Injuries at birth	23	23																
	Other causes peculiar to early infancy[1]	28	28																
153	Lack of care	1	1																
	XII.—Old age	60										1	2	5	25	23	4		
154	Senility	60										1	2	5	25	23	4		
	XIII.—External causes	607	14	10	11	7	3	14	40	135	153	107	64	29	7	10	1		2
	Suicide (total)	109							3	21	31	28	15	8	1	1	1		
155	By poison	29							2	7	7	9	2	1			1		
156	By asphyxia																		
157	By hanging or strangulation	7								2	1	2	2						
158	By drowning	5								1	1	1		2					
159	By firearms	56							1	8	20	13	10	2	1	1			
160	By cutting or piercing instruments	10								1	2	3	1	3					
161	By jumping from high places	1								1									
162	By crushing																		
163	Other suicides	1								1									
	Accidental or undefined (total)	447	12	9	11	7	3	14	36	97	108	70	45	19	6	8			2
164	Poisoning by food	4	1			1		1						1					
165	Other acute poisonings	16		3	2				1	4	4	1	1						
166	Conflagration	11								1	2	2	2	3					1
167	Burns (conflagration excepted)	13			2	4		1	1	1		3	1						
168	Absorption of deleterious gases (conflagration excepted)	11	5								5				1				
169	Accidental drowning	55	1	2	5	2	1	1	14	15	4	4	4	1	1				
170	Traumatism by firearms	17			2			1	5	2	4	1	2						
171	Traumatism by cutting or piercing instruments	2						1		1									
172	Traumatism by fall	21		1					1	4	4	4	2			5			
173	Traumatism in mines and quarries (total)	74							4	24	23	15	8						
	Traumatism in mines	74							4	24	23	15	8						
	Traumatism in quarries																		
174	Traumatism by machines	3									2	1							
175	Traumatism by other crushing (total)	152		1			1	6	7	35	40	27	21	9	3	2			
	Railroad accidents and injuries	103						1	5	28	29	22	10	5	2	1			
	Street-car accidents and injuries	4						1					1	2					
	Automobile accidents and injuries	3								2			1						
	Injuries by other vehicles	37		1			1	4	2	5	11	4	7		1	1			
	Landslide, other crushing	5										1	2	2					

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MONTANA—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
176	Injuries by animals	10								2	5	2		1					
177	Starvation	3	1									2							
178	Excessive cold	8									1	3		2	1	1			
179	Effects of heat																		
180	Lightning	8						2		2	1		2						1
181	Electricity (lightning excepted)	3									3								
185	Fractures (cause not specified)																		
186	Other external violence	36	4	2			1	1	3	6	10	5	2	2					
	Homicide (total)	51	2	1					1	17	14	9	4	2		1			
182	By firearms	33	1	1						11	10	5	3	2					
183	By cutting or piercing instruments	6								4		2							
184	By other means	12	1						1	2	4	2	1			1			
	XIV.—Ill-defined diseases	71	27	5	1		1	1	1	4	3	7	6	6	1	7			1
187	Ill-defined organic disease																		
188	Sudden death	4										1		1		2			
189	Not specified or ill-defined (total)	67	27	5	1		1	1	1	4	3	6	6	5	1	5			1
	Ill-defined	37	12	3	1		1		1	3	1	4	4	3	1	3			
	Not specified or unknown	30	15	2				1		1	2	2	2	2		2			1
	NEW HAMPSHIRE.																		
	All causes	**7,391**	**1,260**	**223**	**78**	**45**	**31**	**121**	**225**	**352**	**423**	**534**	**745**	**996**	**1,290**	**855**	**161**	**6**	**46**
	I.—General diseases	1,638	98	61	26	22	14	57	88	164	176	200	219	215	201	79	10		8
1	Typhoid fever	63						5	8	15	15	8	6	2	3	1			
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria																		
5	Smallpox																		
6	Measles	40	10	12	4	2	2	4	1	1		1	1	2					
7	Scarlet fever	16		3	2	1	1	4	3	1	1								
8	Whooping cough	53	28	21	2		1	1											
9	Diphtheria and croup	68	6	4	12	9	9	20	5	1	1			1					
10	Influenza	115	6	3		1		1	2	1	6	7	10	15	35	24	4		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	4	1										1			2			
14	Dysentery	25	6	1	2	1		2				1	1	3	5	3			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	13	1							1	1	2	1	1	4	2			
19	Other epidemic diseases	1							1										
20	Purulent infection and septicemia	23	2					2	2	1	4	3	1	3	4				1
21	Glanders	1												1					
22	Anthrax																		
23	Rabies	1						1											
24	Tetanus	7	1	1	1			1	1	1		1							
25	Mycoses																		
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	526	16	11	3	4	1	9	54	126	116	71	52	40	16	4	1		2
28	Tuberculosis of the lungs	432	5	2	2	1	1	2	46	112	105	63	39	33	15	3	1		2
29	Acute miliary tuberculosis	21		1					3	5	6		3	3					
30	Tuberculous meningitis	29	10	5	1	2		4	2	3	2								
31	Abdominal tuberculosis	18				1		1	3	1	1	3	4	3		1			
32	Pott's disease	9		1				1		3		2	2						
33	White swellings	3						1			1		1						
34	Tuberculosis of other organs	8		1						1	1	1	2	1	1				
35	Disseminated tuberculosis	6	1	1						1		2	1						
36	Rickets	4	2	1		1													
37	Syphilis	11	4								3	1	3						
38	Gonococcus infection																		
	Cancer and other malignant tumors (total)	419	1			2			1	5	10	69	82	104	101	36	4		4
39	Of the buccal cavity	15										2	3	5	4	1			
40	Of the stomach, liver	142									2	20	28	49	31	6	3		3
41	Of the peritoneum, intestines, rectum	69										9	11	22	23	4			
42	Of the female genital organs	66								2	3	22	12	9	12	6			
43	Of the breast	45								1	4	7	11	6	10	5			1
44	Of the skin	21										1	2	4	7	6	1		
45	Of other organs or of organs not specified	61	1			2			1	2	1	8	15	9	14	8			
46	Other tumors (tumors of the female genital organs excepted)	5										1		4					
47	Acute articular rheumatism	24	1					3	3		4	1	4	4	3	1			
48	Chronic rheumatism and gout	8										1		1	4	2			
49	Scurvy																		
50	Diabetes	102						2	2	5	7	14	30	25	16	1			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW HAMPSHIRE—Continued.																		
	I.—General diseases—Continued.																		
51	Exophthalmic goiter	7									2	2	1		2				
52	Addison's disease	2											2						
53	Leukemia	10						2	1	1	1		2	2	1				
54	Anemia, chlorosis	60	10	4					3	2		11	15	6	6	2	1		
55	Other general diseases	8	3			1			1	1		1			1				
56	Alcoholism (acute or chronic)	20								2	5	4	7			1			1
57	Chronic lead poisoning	1												1					
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	1										1							
	II.—Diseases of the nervous system and of the organs of special sense	920	62	19	10	9	2	14	33	13	25	54	125	165	236	132	18		3
60	Encephalitis	13	3					1				4	4		1				
61	Meningitis (total)	94	23	11	6	7		12	18	4	3	3	2	3	1	1			
	Simple meningitis	69	21	9	4	5		8	9	2	3	1	2	3	1	1			
	Cerebrospinal meningitis (undefined)	25	2	2	2	2		4	9	2		2							
	Cerebrospinal fever																		
62	Locomotor ataxia	22								1	2	2	6	6	4	1			
63	Other diseases of the spinal cord (total)	35	2	1	1	1			8	1	1	3	4	6	6	1			
	Acute anterior poliomyelitis	11	1	1	1	1			7										
	Other diseases of the spinal cord [1]	24	1						1	1	1	3	4	6	6	1			
64	Cerebral hemorrhage, apoplexy	496	2	1					1	2	9	24	82	110	167	83	12		3
65	Softening of the brain	14					1					1		4	5	3			
66	Paralysis without specified cause	109							1			4	7	21	40	30	6		
67	General paralysis of the insane	32									3	5	8	2	8	6			
68	Other forms of mental alienation	12							1			1	4	4		2			
69	Epilepsy	23	1				1	1	1	3	3	4	4	3	1	1			
70	Convulsions (nonpuerperal)	2							1		1								
71	Convulsions of infants	38	29	6	2	1													
72	Chorea	1										1							
73	Neuralgia and neuritis	5											1	2	1	1			
74	Other diseases of the nervous system	16	1							1	3	2	2	4	1	2			
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	8	1		1				2	1			1		1	1			
	III.—Diseases of the circulatory system	1,134	12	1		1	2	5	10	26	54	62	123	263	359	189	21	1	5
77	Pericarditis	6									1		1	1	2	1			
78	Acute endocarditis	25	2						4	2	2	5	7	1		1			1
79	Organic diseases of the heart	853	5			1	1	5	5	19	45	52	96	206	271	133	10		4
80	Angina pectoris	52		1					1	1	2		7	21	11	7	1		
81	Diseases of the arteries, atheroma, aneurism, etc	160								1		4	8	26	68	42	10	1	
82	Embolism and thrombosis	30	1				1			3	3	1	3	8	6	4			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	3									1				1	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)																		
85	Hemorrhage; other diseases of the circulatory system	5	4										1						
	IV.—Diseases of the respiratory system	876	168	67	28	5	4	11	19	22	34	43	70	130	134	122	12		7
86	Diseases of the nasal fossae																		
87	Diseases of the larynx	10	2		2		1				1	1		1					2
88	Diseases of the thyroid body	2							1					1					
89	Acute bronchitis	80	46	9	3		1					1	2	4	3	11			
90	Chronic bronchitis	69						1				1	5	12	19	28	3		
91	Bronchopneumonia	130	50	22	13	1	1	1	1		2	2	2	8	10	17			
92	Pneumonia (total)	500	63	34	9	3	1	8	14	19	23	30	52	95	91	48	6		4
	Lobar pneumonia	66	8	6	1	1			1	3	1	7	13	10	13	2			
	Pneumonia (undefined)	434	55	28	8	2	1	8	13	16	22	23	39	85	78	46	6		4
93	Pleurisy	21		1	1	1		1	2	1	5	4	3	1		1			
94	Pulmonary congestion, pulmonary apoplexy	41	5	1					1	1	1	2	3	4	7	13	3		
95	Gangrene of the lung																		
96	Asthma	10	1								1		2	3	2	1			
97	Pulmonary emphysema	2														2			
98	Other diseases of the respiratory system (tuberculosis excepted)	11	1							1	1	2	1	1	2	1			1
	V.—Diseases of the digestive system	812	388	55	10	4	4	10	22	29	28	44	50	57	67	36	5	1	2
99	Diseases of the mouth and annexa	1	1																
100	Diseases of the pharynx	8	2		1				1			1		2	1				
101	Diseases of the esophagus	3									1	1		1					
102	Ulcer of the stomach	15								2		2	4	3	4				
103	Other diseases of the stomach (cancer excepted)	95	39	3	1					2	6	3	5	7	15	10	3		1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW HAMPSHIRE.—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
104	Diarrhea and enteritis (under 2 years)	384	332	52															
105	Diarrhea and enteritis (2 years and over)	58			8	4	2	4	1	3	1	2	7	6	11	8		1	
106	Ankylostomiasis																		
107	Intestinal parasites	1									1								
108	Appendicitis and typhlitis	47					1	2	12	9	7	7	6	3					
109	Hernia, intestinal obstruction (total)	57	9				1	2	1	2		7	9	5	13	7	1		
	Hernia	22	2									2	4	3	6	4	1		
	Intestinal obstruction	35	7				1	2	1	2		5	5	2	7	3			
110	Other diseases of the intestines	12	4									3		1	3	1			
111	Acute yellow atrophy of the liver	5	1						1	1				1		1			
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	51									4	9	9	13	12	3			1
114	Biliary calculi	9										2	1	4	1	1			
115	Other diseases of the liver	21								1	3	2	1	7	2	4	1		
116	Diseases of the spleen	1													1				
117	Simple peritonitis (nonpuerperal)	41						2	6	9	5	3	7	4	4	1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3										2	1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	569	4	1				4	8	14	38	66	91	105	147	81	9		1
119	Acute nephritis	36	3					3	3	4	11	5	2	1	2	2			
120	Bright's disease	444		1				1	4	6	19	49	82	92	116	67	6		1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	9	1								1	1		1	4	1			
123	Calculi of the urinary passages																		
124	Diseases of the bladder	30										1	3	4	13	8	1		
125	Diseases of the urethra, urinary abscess, etc	4									1		1	2					
126	Diseases of the prostate	19												3	11	3	2		
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)	2										2							
129	Uterine tumor (noncancerous)	8									1	4	1	2					
130	Other diseases of the uterus	8								1	3	2	1		1				
131	Cysts and other tumors of the ovary	3									2		1						
132	Salpingitis and other diseases of the female genital organs	6							1	3		2							
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	59							5	28	21	5							
134	Accidents of pregnancy	13								8	2	3							
135	Puerperal hemorrhage	4							1		2	1							
136	Other accidents of labor	3								1	2								
137	Puerperal septicemia	18							1	10	6	1							
138	Puerperal albuminuria and convulsions	18							3	7	8								
139	Puerperal phlegmasia alba dolens, embolus, sudden death	3								2	1								
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	42	4	2								2	2	7	14	9	2		
142	Gangrene	24	1										2	2	10	7	2		
143	Furuncle	5										1		1	2	1			
144	Acute abscess	4	1	1								1		1					
145	Other diseases of the skin and annexa	9	2	1										3	2	1			
	IX.—Diseases of the bones and of the organs of locomotion	5	1							1		1	1		1				
146	Diseases of the bones (tuberculosis excepted)	5	1							1		1	1		1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	49	48				1												
150	Congenital malformations (stillbirths not included) (total)	49	48				1												
	Hydrocephalus	6	5				1												
	Congenital malformations of the heart	25	25																
	Other congenital malformations	18	18																

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW HAMPSHIRE—Continued.																		
	XI.—Early infancy	442	442																
151	Congenital debility, icterus, and sclerema (total)	382	382																
	Premature birth	201	201																
	Congenital debility, "atrophy," "marasmus," etc	181	181																
152	Other causes peculiar to early infancy (total)	59	59																
	Injuries at birth	23	23																
	Other causes peculiar to early infancy[1]	36	36																
153	Lack of care	1	1																
	XII.—Old age	333												6	87	162	75	3	
154	Senility	333												6	87	162	75	3	
	XIII.—External causes	461	27	13	4	3	3	19	39	53	47	50	57	38	37	44	9	1	17
	Suicide (total)	56							1	10	7	8	15	6	4	3			2
155	By poison	9								5	1		2	1					
156	By asphyxia	1											1						
157	By hanging or strangulation	14								2	1	2	7	1		1			
158	By drowning	8							1	2	1	1	1		1				1
159	By firearms	15								1	2	3	3	2	2	1			1
160	By cutting or piercing instruments	8									2	1	1	2	1	1			
161	By jumping from high places																		
162	By crushing																		
163	Other suicides	1										1							
	Accidental or undefined (total)	398	27	13	4	3	3	19	38	41	40	39	42	32	33	41	9	1	13
164	Poisoning by food	3		1											1				1
165	Other acute poisonings	8		2	1						1	1	3						
166	Conflagration	10			1			1			1	2	2		1	1			1
167	Burns (conflagration excepted)	32		2	1	1		4	4	2	2	4	4	2	3	3			
168	Absorption of deleterious gases (conflagration excepted)	10	5							1	1	1			1				1
169	Accidental drowning	59		1		1		10	16	12	7	4	3		2				3
170	Traumatism by firearms	5							1	1	2	1							
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	76	4	3	1	1		1	1	4	6	3	5	8	11	23	5		
173	Traumatism in mines and quarries (total)	1											1						
	Traumatism in mines																		
	Traumatism in quarries	1											1						
174	Traumatism by machines	14							1	4	2	1	3	3					
175	Traumatism by other crushing (total)	79		1			3	2	9	10	10	10	12	9	5	3			5
	Railroad accidents and injuries	41					1	1	5	8	5	7	3	5	1	1			4
	Street-car accidents and injuries	2					1		1										
	Automobile accidents and injuries	11					1	1	2		1	1	2	2	1				
	Injuries by other vehicles	23		1					1	2	3	1	7	2	3	2			1
	Landslide, other crushing	2									1	1							
176	Injuries by animals	3							1	1			1						
177	Starvation	1													1				
178	Excessive cold	1														1			
179	Effects of heat	72	17	3				1	1	1	4	8	6	8	8	9	4	1	1
180	Lightning	1								1									
181	Electricity (lightning excepted)	5							1	2	2								
185	Fractures (cause not specified)																		
186	Other external violence	18	1						3	2	2	4	2	2		1			1
	Homicide (total)	7								2		3							2
182	By firearms	4								1		2							1
183	By cutting or piercing instruments	1								1									
184	By other means	2										1							1
	XIV.—Ill-defined diseases	51	6	4		1	1	1	1	2		7	7	10	7	1			3
187	Ill-defined organic disease	12					1		1				2	2	5	1			
188	Sudden death	4	1									1		2					
189	Not specified or ill-defined (total)	35	5	4		1		1		2		6	5	6	2				3
	Ill-defined	33	4	4		1		1		2		5	5	6	2				3
	Not specified or unknown	2	1									1							
	NEW JERSEY.																		
	All causes	38,617	7,678	1,658	671	433	341	882	1,313	2,784	3,426	3,598	4,114	4,884	4,414	2,108	294	8	11
	I.—General diseases	10,070	713	444	280	204	158	405	575	1,349	1,495	1,246	1,203	1,087	677	213	20		1
1	Typhoid fever	315	1	1	4	1	2	10	67	91	58	36	27	12	4	1			
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	26	2	3			1	1		3	2	3	3	2	6				
5	Smallpox	1									1								

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW JERSEY—Continued.																		
	I—General diseases—Continued.																		
6	Measles	283	77	108	36	25	7	17	6	3	1	1	2						
7	Scarlet fever	221	15	23	35	23	28	64	20	9	2	1	1						
8	Whooping cough	331	169	95	31	17	9	7	1						2				
9	Diphtheria and croup	571	44	97	85	81	67	142	29	11	8	3	3	1					
10	Influenza	296	16	4	5	1	1	2	4	16	16	19	25	53	65	58	11		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	11	4	1			1			2		2		1					
14	Dysentery	105	32	9	6	3	1	1	2		3	2	3	18	15	8	2		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	125	45	1	2	1		2		8	12	18	16	10	7	3			
19	Other epidemic diseases	7	1	3	1			1	1										
20	Purulent infection and septicemia	46	8	2	1			5	4	2	4	6	4	5	4	1			
21	Glanders																		
22	Anthrax																		
23	Rabies	13						7	1	2	3								
24	Tetanus	52	12					12	10	5	3	1	7	1	1				
25	Mycoses																		
26	Pellagra	2										1		1					
27	Beriberi																		
	Tuberculosis (total)	4,587	159	75	60	44	37	88	358	1,095	1,153	701	460	236	110	9	1		1
28	Tuberculosis of the lungs	3,743	45	19	15	11	6	23	268	956	1,031	647	416	200	96	8	1		1
29	Acute miliary tuberculosis	246	9	4	4	2	2	7	34	81	65	18	11	6	3				
30	Tuberculosus meningitis	297	77	46	33	24	20	39	19	13	13	6	6		1				
31	Abdominal tuberculosis	152	16	4	6	2	5	4	17	20	23	19	13	19	4				
32	Pott's disease	37		1	1	3	2	6	5	5	5	3	4	2					
33	White swellings	26	1			1	1	5	2	5	4	1	1	3	2				
34	Tuberculosis of other organs	48	7				1	3	6	9	10	3	4	3	1	1			
35	Disseminated tuberculosis	38	4	1	1	1		1	7	6	2	4	5	3	3				
36	Rickets	31	22	4	1	3									1				
37	Syphilis	116	63	2	1		1	1		6	8	13	9	5	6	1			
38	Gonococcus infection	11	5		1			1		1	2	1							
	Cancer and other malignant tumors (total)	1,966	3		3		1	3	9	29	116	313	485	551	340	107	6		
39	Of the buccal cavity	65							1	2	1	4	15	24	16	2			
40	Of the stomach, liver	780	2		1				1	9	32	108	211	233	147	35	1		
41	Of the peritoneum, intestines, rectum	283								3	15	36	58	86	66	18	1		
42	Of the female genital organs	300			1					5	38	83	79	65	22	7			
43	Of the breast	203								2	16	48	49	46	29	13			
44	Of the skin	51						1	1			6	9	10	13	8	3		
45	Of other organs or of organs not specified	284	1		1		1	2	6	8	14	28	64	87	47	24	1		
46	Other tumors (tumors of the female genital organs excepted)	11		2					1			2	1		3	2			
47	Acute articular rheumatism	212	2	4	5	1	2	35	43	18	20	13	21	27	18	3			
48	Chronic rheumatism and gout	30								1	2	2	4	7	10	4			
49	Scurvy	4	3									1							
50	Diabetes	350		1		2		3	8	15	23	32	70	111	72	13			
51	Exophthalmic goiter	16							1	3	4	3	3	2					
52	Addison's disease	7							1	1		3	1	1					
53	Leukemia	32						1	3	5	7	8	2	5	1				
54	Anemia, chlorosis	87	7	4	2			2	2	5	4	13	22	18	6	2			
55	Other general diseases	49	23	5	1	2			4	4	1	1	3	3	2				
56	Alcoholism (acute or chronic)	141								12	36	45	29	15	4				
57	Chronic lead poisoning	7								2	3	1	1						
58	Other chronic occupation poisonings	2											1	1					
59	Other chronic poisonings	6									3	1		1		1			
	II.—Diseases of the nervous system and of the organs of special sense	3,986	374	104	53	33	26	64	64	79	172	299	555	865	854	405	38		1
60	Encephalitis	35	5			3	1	1	4	7	1	6	2	3	1	1			
61	Meningitis (total)	364	101	63	33	18	18	40	19	21	11	15	12	4	6	3			
	Simple meningitis	232	66	36	24	12	12	24	11	9	9	9	7	4	6	3			
	Cerebrospinal meningitis (undefined)	107	29	23	6	4	5	14	8	7	2	5	4						
	Cerebrospinal fever	25	6	4	3	2	1	2		5		1	1						
62	Locomotor ataxia	77									5	12	21	22	15	2			
63	Other diseases of the spinal cord (total)	177	14	10	6	5	2	7	13	4	11	15	20	43	21	5	1		
	Acute anterior poliomyelitis	46	9	10	4	5	2	5	7			1		3					
	Other diseases of the spinal cord [1]	131	5		2			2	6	4	11	14	20	40	21	5	1		
64	Cerebral hemorrhage, apoplexy	2,282	14	4		1	1	1	4	21	67	154	404	629	651	300	30		1
65	Softening of the brain	48						1			4	1	3	11	15	12	1		
66	Paralysis without specified cause	268	2		1		1	1	2	2	1	13	22	84	85	50	4		
67	General paralysis of the insane	168									26	41	28	34	21	17	1		
68	Other forms of mental alienation	72							2	7	6	19	11	14	9	3	1		
69	Epilepsy	99	3	1	2	2	1	5	13	7	20	13	14	8	10				
70	Convulsions (nonpuerperal)	1									1								
71	Convulsions of infants	247	221	18	6	1	1												
72	Chorea	8	3	1	1				1						1	1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW JERSEY—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
73	Neuralgia and neuritis	15								1	5	2	3	1	3				
74	Other diseases of the nervous system	88	6	2		2	1	4	4	4	12	7	13	9	16	8			
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	37	5	5	4	1		4	2	5	2	1	2	3		3			
	III.—Diseases of the circulatory system	4,840	60	7	2	2	11	81	154	183	309	478	713	1,075	1,128	567	68	2	
77	Pericarditis	26					3	1	2	4	5	3	1	4		2	1		
78	Acute endocarditis	285	14	1	1		2	16	31	34	37	63	69	10	4	3			
79	Organic diseases of the heart	3,775	33	6	1	2	5	60	116	128	228	365	547	916	921	407	39	1	
80	Angina pectoris	144	1						1	3	13	18	30	34	28	14	2		
81	Diseases of the arteries, atheroma, aneurism, etc.	461							1	5	13	19	39	83	146	131	23	1	
82	Embolism and thrombosis	101	3					2	2	4	9	8	19	22	22	8	2		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	17								1	1	1	6	3	4	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	14	5				1	2	1		2			1	1	1			
85	Hemorrhage; other diseases of the circulatory system	17	4							4	1	1	2	2	2		1		
	IV.—Diseases of the respiratory system	4,928	1,258	500	207	85	53	97	107	205	297	337	405	528	515	284	48	2	
86	Diseases of the nasal fossae	6	1	1				3									1		
87	Diseases of the larynx	42	13	3	5	3	2	6	1	1	1		2	1	3	1			
88	Diseases of the thyroid body	7	1	1					1	2		1	1						
89	Acute bronchitis	275	174	26	12	7	1	4	1		2	3	5	10	11	13	6		
90	Chronic bronchitis	210	5	1	3			1	1	3	3	10	14	33	72	48	15	1	
91	Bronchopneumonia	1,284	566	245	78	29	16	32	11	14	24	30	37	64	75	59	4		
92	Pneumonia (total)	2,705	460	207	94	44	29	47	80	165	238	260	302	354	281	127	17		
	Lobar pneumonia	1,306	134	73	32	15	15	23	35	115	134	177	179	189	126	54	5		
	Pneumonia (undefined)	1,399	326	134	62	29	14	24	45	50	104	83	123	165	155	73	12		
93	Pleurisy	112	6	10	10	1	3	1	5	7	11	11	10	15	14	7	1		
94	Pulmonary congestion, pulmonary apoplexy	153	24	6	4	1	1	1	2	4	6	5	10	24	39	23	3		
95	Gangrene of the lung	10							1	1		3	3	2					
96	Asthma	60	1		1			2	1	2	4	5	7	14	17	5		1	
97	Pulmonary emphysema	4											1	1	1		1		
98	Other diseases of the respiratory system (tuberculosis excepted)	60	7				1		3	6	8	9	13	10	2	1			
	V.—Diseases of the digestive system	4,612	2,387	443	61	39	34	58	86	125	185	263	254	280	266	114	17		
99	Diseases of the mouth and annexa	10	7							1		1			1				
100	Diseases of the pharynx	33	6	1	1		2	5	3	3	2	1			4	3	2		
101	Diseases of the esophagus	3											1		2				
102	Ulcer of the stomach	84					1		2	8	9	21	15	14	10	4			
103	Other diseases of the stomach (cancer excepted)	327	100	11	3	2	1	7	7	8	15	31	23	41	43	30	5		
104	Diarrhea and enteritis (under 2 years)	2,627	2,204	423															
105	Diarrhea and enteritis (2 years and over)	338			47	29	20	16	9	15	13	25	25	38	63	33	5		
106	Ankylostomiasis	1									1								
107	Intestinal parasites	1					1												
108	Appendicitis and typhlitis	238	3		1	4	4	19	48	49	41	32	20	10	6	1			
109	Hernia, intestinal obstruction (total)	246	38	3	3	2	3	8	4	11	22	25	31	40	43	12	1		
	Hernia	131	5	1		1			2	5	13	17	21	31	26	8	1		
	Intestinal obstruction	115	33	2	3	1	3	8	2	6	9	8	10	9	17	4			
110	Other diseases of the intestines	78	13	3	2	2		2	3	4	7	5	6	10	10	9	2		
111	Acute yellow atrophy of the liver	12	1							2	1	5		3					
112	Hydatid tumor of the liver	3								1	1	1							
113	Cirrhosis of the liver	398	1						2	11	46	85	97	90	53	13			
114	Biliary calculi	56								1	5	8	14	14	12	1	1		
115	Other diseases of the liver	85	7		2		1		3	3	11	9	16	14	13	5	1		
116	Diseases of the spleen	7			1				1	1	1	1		1		1			
117	Simple peritonitis (nonpuerperal)	43	7	2			1	1	3	5	5	7	2	3	5	2			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	22			1				1	2	5	6	4	2	1				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	3,423	48	7	12	15	7	28	50	175	338	491	596	745	640	250	20		1
119	Acute nephritis	371	27	5	7	13	6	19	13	39	55	56	52	32	38	8	1		
120	Bright's disease	2,698	16	1	4	1	1	8	31	96	236	368	509	669	537	205	15		1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	54	3	1					1	5	6	7	9	9	5	7	1		
123	Calculi of the urinary passages	16				1		1	1		2	1		7	2	1			
124	Diseases of the bladder	51								2	2	3	5	8	18	13			
125	Diseases of the urethra, urinary abscess, etc.	12								1	1	3	1	3	3				
126	Diseases of the prostate	62										1	6	9	27	16	3		
127	Nonveneral diseases of the male genital organs	1	1																
128	Uterine hemorrhage (nonpuerperal)																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW JERSEY—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa—Continued.																		
129	Uterine tumor (noncancerous)	43								1	8	28	3	2	1				
130	Other diseases of the uterus	30								5	9	9	3	3	1				
131	Cysts and other tumors of the ovary	28								3	5	2	8	2	8				
132	Salpingitis and other diseases of the female genital organs	54			1				4	23	12	13		1					
133	Nonpuerperal diseases of the breast (cancer excepted)	3	1								2								
	VII.—The puerperal state	424							31	208	156	29							
134	Accidents of pregnancy	31							1	13	11	6							
135	Puerperal hemorrhage	45							3	21	18	3							
136	Other accidents of labor	35							2	12	18	3							
137	Puerperal septicemia	202							17	105	70	10							
138	Puerperal albuminuria and convulsions	96							6	50	34	6							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	13							2	7	3	1							
140	Following childbirth (not otherwise defined)	2									2								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	133	24	4	1			3	3	2	3	10	9	18	32	19	5		
142	Gangrene	74	2	1				2	1			4	5	12	26	16	5		
143	Furuncle	4										2		1		1			
144	Acute abscess	25	9	2	1			1	2	2	1	1	1	3	1	1			
145	Other diseases of the skin and annexa	30	13	1							2	3	3	2	5	1			
	IX.—Diseases of the bones and of the organs of locomotion	65	4	2	3	1	1	3	11	10	6	6	5	6	4	3			
146	Diseases of the bones (tuberculosis excepted)	53	3	2	2	1	1	3	9	8	6	4	5	4	3	2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	7	1		1				1	2		1				1			
148	Amputations																		
149	Other diseases of the organs of locomotion	5							1			1		2	1				
	X.—Malformations	451	421	15	3	2	1	4	2	3									
150	Congenital malformations (stillbirths not included (total)	451	421	15	3	2	1	4	2	3									
	Hydrocephalus	27	19	6				2											
	Congenital malformations of the heart	270	258	6	1		1	1	2	1									
	Other congenital malformations	154	144	3	2	2		1		2									
	XI.—Early infancy	2,242	2,242																
151	Congenital debility, icterus, and sclerema (total)	1,838	1,838																
	Premature birth	1,040	1,040																
	Congenital debility, "atrophy," "marasmus," etc	798	798																
152	Other causes peculiar to early infancy (total)	398	398																
	Injuries at birth	249	249																
	Other causes peculiar to early infancy [1]	149	149																
153	Lack of care	6	6																
	XII.—Old age	416											3	32	149	167	62	3	
154	Senility	416											3	32	149	167	62	3	
	XIII.—External causes	2,880	127	73	41	52	49	137	230	443	463	433	355	232	142	80	15	1	7
	Suicide (total)	415							25	63	91	82	91	46	14	2			1
155	By poison	102							11	22	22	17	15	10	4	1			
156	By asphyxia	76							2	4	17	17	22	12	2				
157	By hanging or strangulation	74							5	5	12	20	16	12	3	1			
158	By drowning	22							1	4	7	2	5	1	2				
159	By firearms	111							6	24	24	19	26	8	3				1
160	By cutting or piercing instruments	21								2	6	3	7	3					
161	By jumping from high places	3									1	2							
162	By crushing	4								2	2								
163	Other suicides	2										2							
	Accidental or undefined (total)	2,367	120	73	40	52	48	137	194	353	344	336	257	185	128	78	15	1	6
164	Poisoning by food	28	2	4		2	2	2	3	4	2	4	1	1		1			
165	Other acute poisonings	58	3	4	1	3	4	4	4	8	11	6	4	4	1	1			
166	Conflagration	32	3			2	1	2	2	6	3	3	2	5	3				
167	Burns (conflagration excepted)	252	10	43	25	28	21	36	13	11	15	15	17	8	7	3			
168	Absorption of deleterious gases (conflagration excepted)	138	27					2	8	19	14	25	18	15	5	5			
169	Accidental drowning	336	3	7	2	3	4	31	60	73	51	61	27	10	2				2
170	Traumatism by firearms	26	1			1		2	11	7	2	1	1						
171	Traumatism by cutting or piercing instruments	1										1							
172	Traumatism by fall	391	8	4	5	10	6	11	11	37	39	47	58	45	49	51	10		

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW JERSEY—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
173	Traumatism in mines and quarries (total)	12								4	7		1						
	Traumatism in mines	10								3	6		1						
	Traumatism in quarries	2								1	1								
174	Traumatism by machines	46					1	2	9	9	12	7	5	1					
175	Traumatism by other crushing (total)	634	3	5	3	3	7	40	59	118	131	111	72	51	27	2			2
	Railroad accidents and injuries	398		2	1			10	41	91	99	65	44	30	12	1			2
	Street-car accidents and injuries	73		1		1	1	8	5	11	15	12	9	9	1				
	Automobile accidents and injuries	75			2	1	3	11	7	8	5	17	9	6	5	1			
	Injuries by other vehicles	81	3	2		1	3	10	4	8	9	17	10	6	8				
	Landslide, other crushing	7						1	2		3				1				
176	Injuries by animals	16			1			1	2	2		2	3	3	2				
177	Starvation	5	2							1				1		1			
178	Excessive cold	7										1	2	2	2				
179	Effects of heat	264	52	4	2		1	4	5	27	25	40	31	29	26	13	5		
180	Lightning	5							1	2	1		1						
181	Electricity (lightning excepted)	24							2	9	8	4	1						
185	Fractures (cause not specified)	10									2		3	3	1			1	
186	Other external violence	82	6	2	1		1		4	16	21	8	10	7	3	1			2
	Homicide (total)	98	7		1		1		11	27	28	15	7	1					
182	By firearms	53			1		1		6	14	18	9	3	1					
183	By cutting or piercing instruments	10							1	6	2	1							
184	By other means	35	7						4	7	8	5	4						
	XIV.—Ill-defined diseases	147	20	59	8		1	2		2	2	6	16	16	7	6	1		1
187	Ill-defined organic disease	4	1									1			1	1			
188	Sudden death	2	1											1					
189	Not specified or ill-defined (total)	141	18	59	8		1	2		2	2	5	16	15	6	5	1		1
	Ill-defined	134	14	59	7		1	2		1	2	5	16	15	5	5	1		1
	Not specified or unknown	7	4		1					1					1				
	NEW YORK.																		
	All causes	145,654	25,407	5,623	2,471	1,515	1,038	2,939	4,888	10,272	13,299	14,838	16,462	18,784	17,539	9,145	1,378	46	10
	I.—General diseases	38,541	2,383	1,690	1,038	714	502	1,329	2,167	4,844	5,674	5,262	4,947	4,226	2,751	896	116	1	1
1	Typhoid fever	1,320	7	10	7	12	11	52	244	381	266	165	90	54	18	3			
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	62	6	6	1		2	4	3	8	3	5	5	8	8	3			
5	Smallpox	5	1			1	1		1				1						
6	Measles	989	241	365	145	65	37	55	26	12	17	10	5	7	2	2			
7	Scarlet fever	1,181	51	141	195	150	121	325	114	56	23	2	2	1					
8	Whooping cough	791	438	194	74	32	22	23	3	1		1	1	1	1				
9	Diphtheria and croup	1,960	204	431	313	250	182	389	99	34	39	11	1	4	2	1			
10	Influenza	1,354	85	25	11	10	5	10	26	47	54	88	132	229	334	249	48	1	
11	Miliary fever																		
12	Asiatic cholera	1							1										
13	Cholera nostras	44	5	1	1		1	1	1	2	2	2	5	6	9	7	1		
14	Dysentery	267	51	14	5	5	4	10	1	7	9	7	17	36	58	41	2		
15	Plague																		
16	Yellow fever																		
17	Leprosy	1								1									
18	Erysipelas	509	190	13	6	2		3	10	21	44	55	61	41	36	24	3		
19	Other epidemic diseases	22	5	7	5			1	1	1	1						1		
20	Purulent infection and septicemia	228	42	8	2	6	2	10	9	22	31	26	30	20	13	6	1		
21	Glanders	5									2	1	2						
22	Anthrax	1													1				
23	Rabies	13				2	1	2	3	1	1	2		1					
24	Tetanus	116	26	2	1	1	2	7	19	11	11	17	11	6	2				
25	Mycoses	4								1			2		1				
26	Pellagra	2										1	1						
27	Beriberi	1								1									
	Tuberculosis (total)	16,655	463	385	231	146	84	301	1,318	3,780	4,092	2,860	1,682	878	386	47	2		
28	Tuberculosis of the lungs	13,880	91	54	44	28	17	81	1,027	3,382	3,790	2,633	1,560	793	339	41			
29	Acute miliary tuberculosis	643	30	21	10	8	3	17	93	184	136	85	32	14	9	1			
30	Tuberculous meningitis	1,196	268	276	143	85	55	146	84	62	29	33	12	3					
31	Abdominal tuberculosis	424	47	20	18	8	5	26	41	68	61	45	32	28	21	3	1		
32	Pott's disease	147	8	5	4	8	2	16	22	23	22	15	10	11	1				
33	White swellings	79	2		1	3		7	16	12	11	9	8	6	3	1			
34	Tuberculosis of other organs	172	14	4	6	3	2	3	23	23	28	24	18	12	11		1		
35	Disseminated tuberculosis	114	3	5	5	3		5	12	26	15	16	10	11	2	1			
36	Rickets	85	45	20	7	5	3	1			1	1		2					
37	Syphilis	668	330	27	6	1		6	6	45	51	69	50	19	7	1			
38	Gonococcus infection	35	13	3					1	8	6	2	1		1				

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK—Continued.																		
	I.—General diseases—Continued.																		
	Cancer and other malignant tumors (total)	8,091	7	5	4	6	5	11	40	135	550	1,347	2,052	2,082	1,399	403	44		1
39	Of the buccal cavity	301							1	1	11	42	69	81	64	30	2		
40	Of the stomach, liver	3,117	1	2	1		1		1	22	136	458	852	897	597	142	6		1
41	Of the peritoneum, intestines, rectum	1,188	1				1	1	10	32	80	159	298	318	242	40	6		
42	Of the female genital organs	1,206							2	18	139	305	345	254	110	31	2		
43	Of the breast	814							1	7	75	179	191	191	113	49	8		
44	Of the skin	225						2	2	5	5	11	34	54	58	44	10		
45	Of other organs or of organs not specified	1,240	5	3	3	6	3	8	23	50	104	193	263	287	215	67	10		
46	Other tumors (tumors of the female genital organs excepted)	64	9		1	2			1	5	2	9	12	8	11	3	1		
47	Acute articular rheumatism	603	3	5	9	7	8	78	111	59	52	72	59	69	51	18	2		
48	Chronic rheumatism and gout	119				1		2	3	6	6	4	17	29	36	14	1		
49	Scurvy	11	8	2							1								
50	Diabetes	1,784	4		3	2	5	19	67	74	102	191	426	537	290	59	5		
51	Exophthalmic goiter	119							6	18	29	22	25	12	7				
52	Addison's disease	51							1	5	11	14	12	7	1				
53	Leukemia	189	5	5	1	4	1	8	25	27	26	26	26	24	11				
54	Anemia, chlorosis	436	27	15	5	2	1	2	14	24	53	62	87	90	43	9	2		
55	Other general diseases	157	67	6	5	2	4	8	13	5	14	3	12	6	5	4	3		
56	Alcoholism (acute or chronic)	532						1		40	164	168	105	40	13	1			
57	Chronic lead poisoning	24									7	7	5	4	1				
58	Other chronic occupation poisonings	5								1		1	1	2					
59	Other chronic poisonings	37								5	4	11	9	3	4	1			
	II.—Diseases of the nervous system and of the organs of special sense	13,194	996	288	147	88	66	182	237	325	677	1,161	1,900	2,696	2,855	1,424	149	2	1
60	Encephalitis	72	8	1	1	1	4	1	6	10	8	11	6	8	6	1			
61	Meningitis (total)	1,025	289	144	83	48	33	103	80	62	53	43	32	32	19	3	1		
	Simple meningitis	588	181	81	47	19	14	47	31	36	29	31	21	29	18	3	1		
	Cerebrospinal meningitis (undefined)	386	99	58	30	24	17	54	42	19	22	10	8	2	1				
	Cerebrospinal fever	51	9	5	6	5	2	2	7	7	2	2	3	1					
62	Locomotor ataxia	265							1	1	19	58	73	76	35	2			
63	Other diseases of the spinal cord (total)	619	33	38	21	21	12	30	26	27	36	59	83	122	95	16			
	Acute anterior poliomyelitis	166	26	30	20	19	11	25	15	9		2	3	6					
	Other diseases of the spinal cord [1]	453	7	8	1	2	1	5	11	18	36	57	80	116	95	16			
64	Cerebral hemorrhage, apoplexy	7,940	68	7	1	2	1	3	18	56	220	590	1,308	2,101	2,298	1,151	113	2	1
65	Softening of the brain	127								1	2	2	11	24	53	28	6		
66	Paralysis without specified cause	630	4	2				3	2	3	13	21	69	133	201	161	18		
67	General paralysis of the insane	812							2	23	153	217	191	96	80	41	9		
68	Other forms of mental alienation	142							3	23	23	27	34	19	12	1			
69	Epilepsy	371	13	3	2		4	16	49	70	75	53	33	22	22	8	1		
70	Convulsions (nonpuerperal)	6						2	1		1	1			1				
71	Convulsions of infants	597	510	59	22	4	2												
72	Chorea	11		1					6	2		1			1				
73	Neuralgia and neuritis	81	1				1		1	3	15	13	12	17	13	4	1		
74	Other diseases of the nervous system	305	26	14	5	6	6	11	27	24	47	51	33	35	13	7			
75	Diseases of the eyes and their annexa	5	2		1									1	1				
76	Diseases of the ears	186	42	19	11	6	3	13	15	20	12	14	15	10	5	1			
	III.—Diseases of the circulatory system	20,838	236	43	31	24	32	235	556	701	1,189	1,977	2,913	4,693	5,089	2,769	341	8	1
77	Pericarditis	95	1	2	1		1	2	9	7	10	8	12	23	13	6			
78	Acute endocarditis	1,044	57	10	12	8	10	39	87	109	150	227	280	28	19	7	1		
79	Organic diseases of the heart	15,533	102	17	15	15	19	188	449	527	920	1,499	2,149	3,745	3,811	1,860	211	5	1
80	Angina pectoris	743							1	10	22	75	164	219	181	67	4		
81	Diseases of the arteries, atheroma, aneurism, etc	2,891	5						2	12	42	108	236	595	976	794	118	3	
82	Embolism and thrombosis	352	5	3	1		1	1	4	29	32	42	60	69	67	32	6		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	68	1					2		6	9	17	7	7	16	2	1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	68	41	10	2	1	1	2	2		3	1	1	3		1			
85	Hemorrhage; other diseases of the circulatory system	44	24	1				1	2	1	1		4	4	6				
	IV.—Diseases of the respiratory system	20,057	4,835	2,072	699	347	164	366	428	809	1,367	1,604	1,776	2,103	2,055	1,228	195	8	1
86	Diseases of the nasal fossae	11	4	1					1	2		1	1		1				
87	Diseases of the larynx	97	30	9	5	8	2	9	3	4	7	7	2	6	3	2			
88	Diseases of the thyroid body	30	3					1		5	1	9	5	4	2				
89	Acute bronchitis	1,377	832	153	52	19	10	14	8	6	10	10	26	50	75	85	25	2	
90	Chronic bronchitis	764	6	5	3	3		6	3	12	16	34	86	123	237	186	40	4	
91	Bronchopneumonia	6,719	2,809	1,243	373	161	69	145	66	84	114	175	242	439	470	286	42		
92	Pneumonia (total)	9,950	1,054	600	247	145	76	170	317	628	1,142	1,246	1,271	1,334	1,098	554	66	2	
	Lobar pneumonia	7,234	625	434	180	104	59	115	242	514	946	1,015	1,016	984	700	269	29	2	
	Pneumonia (undefined)	2,716	429	166	67	41	17	55	75	114	196	231	255	350	398	285	37		
93	Pleurisy	460	36	49	15	9	5	15	20	40	45	55	60	54	40	17			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK—Continued.																		
	IV.—Diseases of the respiratory system—Continued.																		
94	Pulmonary congestion, pulmonary apoplexy	318	44	5			2		5	10	8	13	14	36	83	78	20		
95	Gangrene of the lung	31				1		1	1	5	5	5	5	7		1			
96	Asthma	159	1	2	1	1		2	1	4	6	20	41	30	31	17	2		
97	Pulmonary emphysema	28	2	1	1					1	2	3	1	9	7	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	113	14	4	2			3	3	8	11	26	22	11	8	1			
	V.—Diseases of the digestive system	15,754	7,179	1,145	274	119	82	229	357	565	807	1,115	1,174	1,137	1,025	482	62	2	
99	Diseases of the mouth and annexa	46	26	5	3	1	1		2		2	2	1	1		2			
100	Diseases of the pharynx	126	28	8	8	6	4	13	10	11	9	6	9	6	6	2			
101	Diseases of the esophagus	22	1	1	2			1			2	6	3	2	4				
102	Ulcer of the stomach	379	2	2	1		1		9	46	62	89	60	56	37	13	1		
103	Other diseases of the stomach (cancer excepted)	940	267	16	10	6	2	14	9	22	37	65	70	111	160	130	20	1	
104	Diarrhea and enteritis (under 2 years)	7,671	6,591	1,080															
105	Diarrhea and enteritis (2 years and over)	1,295			215	86	46	57	24	58	67	87	97	141	255	137	24	1	
106	Ankylostomiasis																		
107	Intestinal parasites	2					1		1										
108	Appendicitis and typhlitis	1,113	7	4	9	9	19	92	226	219	181	142	98	70	30	7			
109	Hernia, intestinal obstruction (total)	1,184	171	16	15	3	3	25	27	70	82	141	169	211	170	75	6		
	Hernia	458	25	3		1			3	16	30	70	99	102	78	29	2		
	Intestinal obstruction	726	146	13	15	2	3	25	24	54	52	71	70	109	92	46	4		
110	Other diseases of the intestines	229	45	6	2		1	3	3	11	28	21	31	25	33	17	3		
111	Acute yellow atrophy of the liver	34	2		1					7	7	2	5	8	1	1			
112	Hydatid tumor of the liver	6								1	2		1		2				
113	Cirrhosis of the liver	1,689	2			1		3	8	38	205	391	447	343	197	49	5		
114	Biliary calculi	248							1	7	28	47	65	55	35	9	1		
115	Other diseases of the liver	392	15	1	3			2	13	26	31	68	74	75	57	26	1		
116	Diseases of the spleen	22	1	1					1	2	2	3	3	7	1	1			
117	Simple peritonitis (nonpuerperal)	278	19	4	5	7	3	19	20	40	46	23	29	17	32	13	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	78	2	1			1		3	7	16	22	12	9	5				
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	13,863	169	53	30	21	15	87	207	707	1,288	1,992	2,497	2,943	2,627	1,079	142	5	1
119	Acute nephritis	1,231	90	32	16	13	9	45	50	147	187	177	187	137	95	40	6		
120	Bright's disease	11,144	53	13	13	8	5	39	130	407	864	1,582	2,159	2,618	2,252	883	112	5	1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	212	16	7				3	5	17	27	35	27	33	25	13	4		
123	Calculi of the urinary passages	62							2	1	5	10	18	10	16				
124	Diseases of the bladder	214	4		1		1		1	4	4	7	9	34	74	66	9		
125	Diseases of the urethra, urinary abscess, etc	46								4	5	10	8	10	8	1			
126	Diseases of the prostate	302								3		3	16	74	129	66	11		
127	Nonvenereal diseases of the male genital organs	10	2							2	1	2	2	1					
128	Uterine hemorrhage (nonpuerperal)	10							1	1	2	4	1	1					
129	Uterine tumor (noncancerous)	197		1						10	43	76	39	14	9	5			
130	Other diseases of the uterus	98							6	19	35	23	9	4	2				
131	Cysts and other tumors of the ovary	100							3	15	19	20	16	7	15	5			
132	Salpingitis and other diseases of the female genital organs	230							9	76	95	43	6		1				
133	Nonpuerperal diseases of the breast (cancer excepted)	7	4							1	1				1				
	VII.—The puerperal state	1,405							79	660	564	101	1						
134	Accidents of pregnancy	141							3	60	71	7							
135	Puerperal hemorrhage	132							2	44	72	14							
136	Other accidents of labor	144							3	57	68	15	1						
137	Puerperal septicemia	622							42	330	213	37							
138	Puerperal albuminuria and convulsions	314							27	151	116	20							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	50							1	18	23	8							
140	Following childbirth (not otherwise defined)	1									1								
141	Puerperal diseases of the breast	1							1										
	VIII.—Diseases of the skin and of the cellular tissue	450	84	9	8	7	1	2	3	17	19	26	43	59	89	69	12	2	
142	Gangrene	226	6	1	3	1	1	1		2	5	6	19	42	70	55	12	2	
143	Furuncle	54	13	3	2	1			1	5	6	4	13	4	2				
144	Acute abscess	89	33	2	2	3			2	7	5	10	6	7	8	4			
145	Other diseases of the skin and annexa	81	32	3	1	2		1		3	3	6	5	6	9	10			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK—Continued.																		
	IX.—Diseases of the bones and of the organs of locomotion	332	40	17	12	7	5	33	47	34	33	41	25	15	13	8	2		
146	Diseases of the bones (tuberculosis excepted)	299	38	16	10	7	5	32	47	32	31	37	22	12	6	4			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	26	2	1	2			1		2	2	4	2	1	4	3	2		
148	Amputations																		
149	Other diseases of the organs of locomotion	7											1	2	3	1			
	X.—Malformations	1,372	1,274	43	12	9	2	12	10	5	1	2		2					
150	Congenital malformations (stillbirths not included) (total)	1,372	1,274	43	12	9	2	12	10	5	1	2		2					
	Hydrocephalus	135	100	16	5	3	1	6	3	1									
	Congenital malformations of the heart	803	765	16	4	2		5	3	4		2		2					
	Other congenital malformations	434	409	11	3	4	1	1	4		1								
	XI.—Early infancy	7,942	7,942																
151	Congenital debility, icterus, and sclerema (total)	6,352	6,352																
	Premature birth	3,770	3,770																
	Congenital debility, "atrophy," "marasmus," etc.	2,582	2,582																
152	Other causes peculiar to early infancy (total)	1,569	1,569																
	Injuries at birth	870	870																
	Other causes peculiar to early infancy [1]	699	699																
153	Lack of care	21	21																
	XII.—Old age	1,627									1		4	64	423	833	286	16	
154	Senility	1,627									1		4	64	423	833	286	16	
	XIII.—External causes	10,105	245	197	208	178	169	460	795	1,601	1,674	1,546	1,176	828	602	347	72	2	5
	Suicide (total)	1,537							59	278	347	317	287	167	67	15			
155	By poison	371							22	84	91	69	57	40	7	1			
156	By asphyxia	328							11	57	65	84	66	36	8	1			
157	By hanging or strangulation	220							5	27	37	42	46	34	26	3			
158	By drowning	69							3	11	14	13	19	6	3				
159	By firearms	386							13	71	96	72	75	39	16	4			
160	By cutting or piercing instruments	94							1	15	21	24	16	8	6	3			
161	By jumping from high places	49							2	11	17	11	3	2		3			
162	By crushing	11							2	2	4		2		1				
163	Other suicides	9									2	2	3	2					
	Accidental or undefined (total)	8,068	207	196	204	177	166	456	686	1,159	1,206	1,162	856	654	530	332	72	2	3
164	Poisoning by food	63	2	2	6	2	3	7	4	9	13	8	2	2	3				
165	Other acute poisonings	202	11	27	20	10	5	5	5	30	22	27	19	11	9	1			
166	Conflagration	230	2	1	3	1	4	6	74	67	21	17	12	9	8	4			1
167	Burns (conflagration excepted)	715	22	80	91	85	66	73	28	43	63	48	42	38	31	4	1		
168	Absorption of deleterious gases (conflagration excepted)	426	45	2	2	1	1	5	34	57	62	75	49	42	32	17	2		
169	Accidental drowning	1,042	3	7	14	9	14	89	165	214	189	160	109	47	17	4			1
170	Traumatism by firearms	79		2	3		1	7	33	13	8	7	2	3					
171	Traumatism by cutting or piercing instruments	13		2					2	2	3	2	2						
172	Traumatism by fall	1,849	19	35	34	34	21	76	68	148	221	232	201	211	250	236	61	2	
173	Traumatism in mines and quarries (total)	17							1	6	6	3	1						
	Traumatism in mines	10								2	5	2	1						
	Traumatism in quarries	7							1	4	1	1							
174	Traumatism by machines	171			1		1	3	23	48	39	30	15	9	2				
175	Traumatism by other crushing (total)	2,128	3	15	24	31	43	162	200	390	387	341	244	180	84	22	2		
	Railroad accidents and injuries	1,026		6	3	2	2	21	94	250	238	175	115	72	37	11			
	Street-car accidents and injuries	293		4	4	3	7	23	27	43	48	46	37	31	15	4	1		
	Automobile accidents and injuries	282			3	3	1	54	44	32	34	40	36	23	9	3			
	Injuries by other vehicles	459	3	5	14	23	33	63	33	47	51	63	46	51	22	4	1		
	Landslide, other crushing	68						1	2	18	16	17	10	3	1				
176	Injuries by animals	50					1	2	4	5	9	7	13	2	5	2			
177	Starvation	7	5										2						
178	Excessive cold	14								1	1	4	4	1	2	1			
179	Effects of heat	588	69	14	4		1	3	4	17	79	120	89	79	69	34	6		
180	Lightning	31							8	7	2	4	4	1	3	1			1
181	Electricity (lightning excepted)	84						2	13	35	18	9	6	1					
185	Fractures (cause not specified)	57							2	9	11	11	9	5	6	4			
186	Other external violence	302	26	9	2	4	5	16	18	58	52	57	31	13	9	2			
	Homicide (total)	500	38	1	4	1	3	4	50	164	121	67	33	7	5				2
182	By firearms	258			1	1	1	1	30	99	69	40	12	3	1				
183	By cutting or piercing instruments	91	2						7	39	28	12	1		1				1
184	By other means	151	36	1	3		2	3	13	26	24	15	20	4	3				1

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK—Continued.																		
	XIV.—Ill-defined diseases	174	24	66	12	1		4	2	4	5	11	6	18	10	10	1		
187	Ill-defined organic disease	9										1	2	1	1	4			
188	Sudden death	6	1											2	1	1	1		
189	Not specified or ill-defined (total)	159	23	66	12	1		4	2	4	5	10	4	15	8	5			
	Ill-defined	149	18	66	12	1		4	1	2	5	9	4	14	8	5			
	Not specified or unknown	10	5						1	2		1		1					
	NORTH CAROLINA[1] (TOTAL).																		
	All causes	6,859	1,313	522	186	91	58	165	398	803	659	552	613	642	535	223	56	11	32
	I.—General diseases	2,377	198	141	94	47	32	77	228	451	341	232	191	180	111	31	6	2	15
1	Typhoid fever	262	3	7	9	9	3	24	52	72	38	20	10	10	2				3
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	87	12	6	4	5	2	5	6	11	8	2	7	7	7	4			1
5	Smallpox	4								1			1	1		1			
6	Measles	58	10	13	11	4	4	4	6	3	1	1	1						
7	Scarlet fever	8	1	2		1		3		1									
8	Whooping cough	173	61	52	31	11	10	5	1	2									
9	Diphtheria and croup	39	4	9	9	4	3	7				1	2						
10	Influenza	91	6	3		2		1	4	6	7	6	13	14	18	6	3	1	1
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	3	1					1							1				
14	Dysentery	94	22	17	8	3	2			2	1	1	1	12	12	7	3	1	2
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	10	3						2		1		2	2					
19	Other epidemic diseases	1	1																
20	Purulent infection and septicemia	17				1	1	3	1	2	1	3	1	1	2				1
21	Glanders	1								1									
22	Anthrax																		
23	Rabies																		
24	Tetanus	34	25	1				1	1	2	1	2	1						
25	Mycoses																		
26	Pellagra	177	1	3	1			3	6	28	40	31	26	22	13	2			1
27	Beriberi																		
	Tuberculosis (total)	961	29	22	13	4	6	16	137	294	202	108	56	45	20	4			5
28	Tuberculosis of the lungs	828	17	14	10	2	3	10	116	266	183	96	48	37	17	4			5
29	Acute miliary tuberculosis	31	3					3	6	13	3	2	1						
30	Tuberculous meningitis	28	5	7	1	1	2	1	4	2	3	1	1						
31	Abdominal tuberculosis	48	2		2	1	1	2	4	9	8	6	5	6	2				
32	Pott's disease	7	1						3		3								
33	White swellings	2											1	1					
34	Tuberculosis of other organs	11		1					3	2	1	2		1	1				
35	Disseminated tuberculosis	6	1						1	2	1	1							
36	Rickets	4		2	1			1											
37	Syphilis	47	12	2	5		1		1	11	7	4	2	2					
38	Gonococcus infection	4	3							1									
	Cancer and other malignant tumors (total)	205				1		1	4	5	19	43	54	44	27	7			
39	Of the buccal cavity	12										2	3	4	2	1			
40	Of the stomach, liver	58							3	2	3	6	20	14	7	3			
41	Of the peritoneum, intestines, rectum	21								2	2	2	7	3	5				
42	Of the female genital organs	51								1	10	20	8	8	4				
43	Of the breast	23										9	7	5	2				
44	Of the skin	6									1		2		2	1			
45	Of other organs or of organs not specified	34				1		1	1		3	4	7	10	5	2			
46	Other tumors (tumors of the female genital organs excepted)	5									1		1		3				
47	Acute articular rheumatism	29							6	2	5	1	6	6	3				
48	Chronic rheumatism and gout	1												1					
49	Scurvy																		
50	Diabetes	22				1		1		3	2		4	9	2				
51	Exophthalmic goiter	2								1	1								
52	Addison's disease	2									1	1							
53	Leukemia	2								1			1						
54	Anemia chlorosis	9	1	1						1	3			2	1				
55	Other general diseases	13	3	1	2	1		1	1	1	1	2							
56	Alcoholism (acute or chronic)	9									1	5	1	1					1
57	Chronic lead poisoning	1											1						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	2										1		1					

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (TOTAL)—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense	570	51	20	7	7	3	15	22	20	33	44	99	102	100	38	7	1	1
60	Encephalitis	7						2	2	1	1				1				
61	Meningitis (total)	73	26	14	4	4	1	7	6	6	1	2	2						
	Simple meningitis	36	8	8	3	3	1	4	2	4		1	2						
	Cerebrospinal meningitis (undefined)	29	13	3	1	1		3	4	2	1	1							
	Cerebrospinal fever	8	5	3															
62	Locomotor ataxia	6									2	1	1	1				1	
63	Other diseases of the spinal cord (total)	31	5	3		2	1	3	1		2	1	4	2	4	3			
	Acute anterior poliomyelitis	15	5	3		2	1	2	1			1							
	Other diseases of the spinal cord [2]	16						1			2		4	2	4	3			
64	Cerebral hemorrhage, apoplexy	257	4				1		5	5	10	23	59	68	61	18	2		1
65	Softening of the brain	10									1	2	3	2	1		1		
66	Paralysis without specified cause	92		1						1	3	7	17	20	25	17	1		
67	General paralysis of the insane	17									2	1	4	4	6				
68	Other forms of mental alienation	14							1	1	2		4	2	2		2		
69	Epilepsy	14						1	3	2	5	2		1					
70	Convulsions (nonpuerperal)	4						1	1	1			1						
71	Convulsions of infants	15	13		1	1													
72	Chorea																		
73	Neuralgia and neuritis	2								1	1								
74	Other diseases of the nervous system	20		2	1				2	2	3	4	3	2			1		
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	8	3		1			1	1			1	1						
	III.—Diseases of the circulatory system	610	11	3	1	1		6	14	29	51	74	117	127	112	45	15	2	2
77	Pericarditis	5								2			1	2					
78	Acute endocarditis	12	1			1		1	1		4	2	1	1					
79	Organic diseases of the heart	509	9	1	1			2	13	25	40	65	100	109	89	38	13	2	2
80	Angina pectoris	20	1					1			1	2	7	3	5				
81	Diseases of the arteries, atheroma, aneurism, etc	47						1		1	3	1	6	11	17	6	1		
82	Embolism and thrombosis	12		1						1	2	3	1	1	1	1	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1										1							
84	Diseases of the lymphatic system (lymphangitis, etc.)	1		1															
85	Hemorrhage; other diseases of the circulatory system	3						1			1		1						
	IV.—Diseases of the respiratory system	692	151	70	21	22	10	24	32	77	54	50	54	58	37	24	5	1	2
86	Diseases of the nasal fossae	3	3																
87	Diseases of the larynx	7	2	1		3	1												
88	Diseases of the thyroid body																		
89	Acute bronchitis	36	16	12	4	1	1				1		1						
90	Chronic bronchitis	38		1				1	1	11		3	5	5	5	4	1	1	
91	Bronchopneumonia	137	56	26	8	9	3	4		2	3	2	4	4	7	8	1		
92	Pneumonia (total)	427	71	30	9	8	5	17	27	59	46	43	34	45	18	10	3		2
	Lobar pneumonia	215	25	12	4	1	2	10	13	32	25	26	14	29	12	7	1		2
	Pneumonia (undefined)	212	46	18	5	7	3	7	14	27	21	17	20	16	6	3	2		
93	Pleurisy	8							2	1	1		1		2	1			
94	Pulmonary congestion, pulmonary apoplexy	16	2					1	2	1	1	1	4	1	2	1			
95	Gangrene of the lung																		
96	Asthma	10				1					1	1	2	3	2				
97	Pulmonary emphysema	2						1					1						
98	Other diseases of the respiratory system (tuberculosis excepted)	8	1							3	1		2		1				
	V.—Diseases of the digestive system	1,007	390	238	36	7	3	17	29	42	48	52	38	43	43	16	2	1	2
99	Diseases of the mouth and annexa	5	2	2	1														
100	Disesases of the pharynx	9	1		1	1			1		2		2		1				
101	Diseases of the esophagus																		
102	Ulcer of the stomach	6								1	2		1	1	1				
103	Other diseases of the stomach (cancer excepted)	105	34	8	3	1		2	4	7	2	8	8	9	14	4			1
104	Diarrhea and enteritis (under 2 years)	562	337	225															
105	Diarrhea and enteritis (2 years and over)	100			28	5	3	4	2	2	5	8	7	14	10	9	1	1	1
106	Ankylostomiasis	3						1	1				1						
107	Intestinal parasites																		
108	Appendicitis and typhlitis	62						6	17	16	12	8	2	1					
109	Hernia, intestinal obstruction (total)	40	6		2			2		3	6	4	5	5	5	1	1		
	Hernia	15	2							1	1	2	3	2	3	1			
	Intestinal obstruction	25	4		2			2		2	5	2	2	3	2		1		
110	Other diseases of the intestines	16	9	2						1	1				2	1			
111	Acute yellow atrophy of the liver	2									1	1							
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	31		1				1		3	2	8	5	6	4	1			
114	Biliary calculi	8								1	2	1	1	2	1				

[1] Including only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (TOTAL)—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
115	Other diseases of the liver	28	1								5	7	5	5	5				
116	Diseases of the spleen	1									1								
117	Simple peritonitis (nonpuerperal)	26			1			1	4	8	5	6	1						
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3									2	1							
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	430	4	5	2		2	4	15	35	51	49	75	88	77	18	4		1
119	Acute nephritis	34	1	2			1		3	5	4	3	6	5	3	1			
120	Bright's disease	310	3	3	2		1	3	11	18	28	35	61	69	58	13	4		1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	13									2	1	1	6	3				
123	Calculi of the urinary passages	8						1	1		2			3		1			
124	Diseases of the bladder	9									1	1	1	2	4				
125	Diseases of the urethra, urinary abscess, etc	4								1	2			1					
126	Diseases of the prostate	14											4		7	3			
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	11								2	6	1	1	1					
130	Other diseases of the uterus	10								3	2	3	1		1				
131	Cysts and other tumors of the ovary	3										2		1					
132	Salpingitis and other diseases of the female genital organs	14								6	4	3			1				
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	96							14	53	22	5	1						1
134	Accidents of pregnancy	13							1	7	3	1	1						
135	Puerperal hemorrhage	5							1	3		1							
136	Other accidents of labor	14							2	8	3	1							
137	Puerperal septicemia	32							2	20	10								
138	Puerperal albuminuria and convulsions	31							8	15	6	1							1
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1										1							
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	12						1		1		4	1	3		2			
142	Gangrene	7						1				2		3		1			
143	Furuncle	2										1				1			
144	Acute abscess	2								1			1						
145	Other diseases of the skin and annexa	1										1							
	IX.—Diseases of the bones and of the organs of locomotion	5							1	1		1		1	1				
146	Diseases of the bones (tuberculosis excepted)	3							1			1		1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion	2								1					1				
	X.—Malformations	41	36	4				1											
150	Congenital malformations (stillbirths not included) (total)	41	36	4				1											
	Hydrocephalus	5	5																
	Congenital malformations of the heart	19	16	2				1											
	Other congenital malformations	17	15	2															
	XI.—Early infancy	335	335																
151	Congenital debility, icterus, and sclerema (total)	297	297																
	Premature birth	158	158																
	Congenital debility, "atrophy," "marasmus," etc	139	139																
152	Other causes peculiar to early infancy (total)	36	36																
	Injuries at birth	17	17																
	Other causes peculiar to early infancy[2]	19	19																
153	Lack of care	2	2																
	XII.—Old age	75												1	24	36	11	3	
154	Senility	75												1	24	36	11	3	

[1] Including only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (TOTAL)—Continued.																		
	XIII.—External causes	364	22	17	14	7	6	14	43	84	51	24	25	24	16	8	2		7
	Suicide (total)	23								4	7	2	4	5					1
155	By poison	9								2	3		1	3					
156	By asphyxia																		
157	By hanging or strangulation																		
158	By drowning	3									1			1					1
159	By firearms	7								1	3		2	1					
160	By cutting or piercing instruments	1											1						
161	By jumping from high places																		
162	By crushing																		
163	Other suicides	3								1		2							
	Accidental or undefined (total)	280	21	16	14	7	6	14	32	54	35	17	18	17	14	8	2		5
164	Poisoning by food	6	1	1	1	1							1	1					
165	Other acute poisonings	13	2	4	2		1			2		1		1					
166	Conflagration	8			1	1		1	1	1		3							
167	Burns (conflagration excepted)	43	4	6	8	2	3	5	3	2	3		4	1		2			
168	Absorption of deleterious gases (conflagration excepted)	13	9	1			1			1	1								
169	Accidental drowning	24		2				2	7	6	4	1	2						
170	Traumatism by firearms	22				2	1	2	5	8	1		2						1
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	24	1		1					2	3	2		2	6	6	1		
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines	10							2	3	3		1						1
175	Traumatism by other crushing (total)	66	1	1		1		4	9	19	14	4	3	6	2				2
	Railroad accidents and injuries	45		1		1		1	6	17	11	1	1	3	1				2
	Street-car accidents and injuries	7							1		2	1	1	1	1				
	Automobile accidents and injuries	5						3		2									
	Injuries by other vehicles	6	1						1			1	1	2					
	Landslide, other crushing	3							1		1	1							
176	Injuries by animals	5							2				1	1	1				
177	Starvation																		
178	Excessive cold	2										1					1		
179	Effects of heat	6	1							1			1		3				
180	Lightning	4							1			3							
181	Electricity (lightning excepted)	1							1										
185	Fractures (cause not specified)	4							1					1	2				
186	Other external violence	29	2	1	1					9	6	2	3	4					1
	Homicide (total)	61	1	1					11	26	9	5	3	2	2				1
182	By firearms	45							8	20	8	5	2	1					1
183	By cutting or piercing instruments	9							2	3	1			1	2				
184	By other means	7	1	1					1	3			1						
	XIV.—Ill-defined diseases	245	115	24	11		2	6		10	8	17	12	15	14	5	4	1	1
187	Ill-defined organic disease	9			1			1			1			2	2	2			
188	Sudden death	7	2		1							1		3					
189	Not specified or ill-defined (total)	229	113	24	9		2	5		10	7	16	12	10	12	3	4	1	1
	Ill-defined	85	21	16	4			1		6	4	9	6	7	8	2			1
	Not specified or unknown	144	92	8	5		2	4		4	3	7	6	3	4	1	4	1	
	NORTH CAROLINA[1] (WHITE).																		
	All causes	3,519	656	260	73	46	22	75	162	348	347	275	328	397	360	141	16	1	12
	I.—General diseases	1,238	76	66	40	24	13	30	83	221	191	136	125	123	80	19	2	1	8
1	Typhoid fever	163	2	3	5	3	2	10	25	53	28	17	4	8	1				2
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	39	4	3	2	2	2	1	1	4	4		4	3	6	2			1
5	Smallpox	3								1			1			1			
6	Measles	35	5	9	7	2	3	2	3	1	1	1	1						
7	Scarlet fever	7	1	2		1		2		1									
8	Whooping cough	53	22	14	10	5			1	1									
9	Diphtheria and croup	26	2	7	6	4	2	4					1						
10	Influenza	53	5	2				1	2	4	2	2	9	7	13	3	2	1	
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	2	1					1											
14	Dystentery	57	12	13	4	3	1			1			1	8	8	5			1
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	7	1						2		1		2	1					
19	Other epidemic diseases																		

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (WHITE)—Continued.																		
	I.—General diseases—Continued.																		
20	Purulent infection and septicemia	6				1	1	2						1	1				
21	Glanders	1								1									
22	Anthrax																		
23	Rabies																		
24	Tetanus	4	2								1		1						
25	Mycoses																		
26	Pellagra	113		3	1			1	2	15	23	24	20	15	8	1			
27	Beriberi																		
	Tuberculosis (total)	445	12	7	3	2	2	4	40	126	106	60	34	30	14	2			3
28	Tuberculosis of the lungs	384	6	3	1			1	35	116	100	51	32	22	12	2			3
29	Acute miliary tuberculosis	12	1					1	1	4	3	2							
30	Tuberculosis meningitis	16	4	4	1	1	1	1	1		2	1							
31	Abdominal tuberculosis	26	1		1	1	1	1	2	6		3	2	6	2				
32	Pott's disease	2							1		1								
33	White swellings	1												1					
34	Tuberculosis of other organs	3										2		1					
35	Disseminated tuberculosis	1										1							
36	Rickets	1		1															
37	Syphilis	14	3		1					3	4		2	1					
38	Gonococcus infection																		
	Cancer and other malignant tumors (total)	144				1			3	4	11	24	36	37	23	5			
39	Of the buccal cavity	10										1	2	4	2	1			
40	Of the stomach, liver	43							3	1	2	4	13	13	6	1			
41	Of the peritoneum, intestines, rectum	17								2	1	1	5	3	5				
42	Of the female genital organs	29								1	6	10	4	6	2				
43	Of the breast	14										5	5	2	2				
44	Of the skin	5											2		2	1			
45	Of other organs or of organs not specified	26				1					2	3	5	9	4	2			
46	Other tumors (tumors of the female genital organs excepted)	2													2				
47	Acute articular rheumatism	14							3	1	2		4	3	1				
48	Chronic rheumatism and gout																		
49	Scurvy																		
50	Diabetes	18						1		2	2		4	7	2				
51	Exophthalmic goiter	2								1	1								
52	Addison's disease	2									1	1							
53	Leukemia	1								1									
54	Anemia, chlorosis	7	1	1						1	2			1	1				
55	Other general diseases	10	3	1	1			1	1		1	2							
56	Alcoholism (acute or chronic)	6									1	4							1
57	Chronic lead poisoning	1											1						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	2										1		1					
	II. Diseases of the nervous system and of the organs of special sense	340	35	16	4	7		7	14	9	14	25	51	64	70	22	2		
60	Encephalitis	6						2	2		1				1				
61	Meningitis (total)	48	20	11	3	4		3	4	1		1	1						
	Simple meningitis	21	7	6	2	3		1	1				1						
	Cerebrospinal meningitis (undefined)	21	10	2	1	1		2	3	1		1							
	Cerebrospinal fever	6	3	3															
62	Locomotor ataxia	3									1		1	1					
63	Other diseases of the spinal cord (total)	23	5	2		2		1	1		1	1	2	2	3	3			
	Acute anterior poliomyelitis	11	5	2		2			1			1							
	Other diseases of the spinal cord[2]	12						1			1		2	2	3	3			
64	Cerebral hemorrhage, apoplexy	148	2						1	2	2	14	26	44	45	12			
65	Softening of the brain	8										2	2	2	1		1		
66	Paralysis without specified cause	41		1						1		1	9	8	14	7			
67	General paralysis of the insane	16									2	1	3	4	6				
68	Other forms of mental alienation	9							1	1	2		3	1			1		
69	Epilepsy	10							3	1	4	2							
70	Convulsions (nonpuerperal)	1								1									
71	Convulsions of infants	6	5			1													
72	Chorea																		
73	Neuralgia and neuritis	1								1									
74	Other diseases of the nervous system	15		2	1				2	1	1	3	3	2					
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	5	3					1					1						
	III.—Diseases of the circulatory system	300	10	3		1		3	6	5	19	26	48	69	74	32	3		1
77	Pericarditis	2												2					
78	Acute endocarditis	8	1			1		1	1		1	2		1					
79	Organic diseases of the heart	233	8	1					5	4	14	21	40	54	57	25	3		1
80	Angina pectoris	12	1										4	3	4				
81	Diseases of the arteries, atheroma, aneurism, etc	32						1			1		4	8	12	6			

[1] Including only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (WHITE)—Continued.																		
	III.—Diseases of the circulatory system—Continued.																		
82	Embolism and thrombosis	10		1						1	2	3		1	1	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)																		
84	Diseases of the lymphatic system (lymphangitis, etc.)	1		1															
85	Hemorrhage; other diseases of the circulatory system	2						1			1								
	IV.—Diseases of the respiratory system	265	50	23	3	8	4	12	13	13	24	18	23	32	27	13	2		
86	Diseases of the nasal fossae	1	1																
87	Diseases of the larynx	4	1	1		1	1												
88	Diseases of the thyroid body																		
89	Acute bronchitis	7	2	2		1	1						1						
90	Chronic bronchitis	20		1								2	3	5	4	4	1		
91	Bronchopneumonia	55	20	9	2	3	2	3			2		2	3	5	3	1		
92	Pneumonia (total)	150	23	10	1	3		7	10	10	19	16	11	21	14	5			
	Lobar pneumonia	72	7	3	1			2	4	6	10	10	4	11	11	3			
	Pneumonia (undefined)	78	16	7		3		5	6	4	9	6	7	10	3	2			
93	Pleurisy	6							2		1		1		2				
94	Pulmonary congestion, pulmonary apoplexy	11	2					1	1	1	1		2	1	1	1			
95	Gangrene of the lung																		
96	Asthma	3											1	2					
97	Pulmonary emphysema	2						1					1						
98	Other diseases of the respiratory system (tuberculosis excepted)	6	1							2	1		1		1				
	V.—Diseases of the digestive system	580	216	133	15	3	1	10	19	22	28	28	20	34	36	13	1		1
99	Diseases of the mouth and annexa	2		1	1														
100	Diseases of the pharynx	6				1			1		2		1		1				
101	Diseases of the esophagus																		
102	Ulcer of the stomach	4								1			1	1	1				
103	Other diseases of the stomach (cancer excepted)	50	16	4	1			1	1	2		2	3	5	12	3			
104	Diarrhea and enteritis (under 2 years)	317	189	128															
105	Diarrhea and enteritis (2 years and over)	58			12	2	1		1	1	3	5	4	12	9	7			1
106	Ankylostomiasis	2						1	1										
107	Intestinal parasites																		
108	Appendicitis and typhlitis	50						6	13	13	11	4	2	1					
109	Hernia, intestinal obstruction (total)	24	4		1			2		1	2	4		4	4	1	1		
	Hernia	7										2		2	2	1			
	Intestinal obstruction	17	4		1			2		1	2	2		2	2		1		
110	Other diseases of the intestines	8	6												1	1			
111	Acute yellow atrophy of the liver	1									1								
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	17								1	1	3	4	4	3	1			
114	Biliary calculi	8								1	2	1	1	2	1				
115	Other diseases of the liver	18	1								1	4	3	5	4				
116	Diseases of the spleen	1									1								
117	Simple peritonitis (nonpuerperal)	11							2	2	2	4	1						
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	3									2	1							
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	224	3	1	1			2	5	18	28	19	39	52	46	9	1		
119	Acute nephritis	15							1	3	2	1	3	3	2				
120	Bright's disease	166	3	1	1			1	3	9	16	14	33	42	36	6	1		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	5									1	1		3					
123	Calculi of the urinary passages	5						1	1		2			1					
124	Diseases of the bladder	6									1		1	1	3				
125	Diseases of the urethra, urinary abscess, etc.	2								1				1					
126	Diseases of the prostate	10											2		5	3			
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	4								1	2	1							
130	Other diseases of the uterus	5								1	2	2							
131	Cysts and other tumors of the ovary	1												1					
132	Salpingitis and other diseases of the female genital organs	5								3	2								
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	44							6	23	10	4	1						
134	Accidents of pregnancy	7							1	3	1	1	1						
135	Puerperal hemorrhage	3								2		1							
136	Other accidents of labor	7							2	3	2								
137	Puerperal septicemia	10								7	3								

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (WHITE)—Continued.																		
	VII.—The puerperal state—Con.																		
138	Puerperal albuminuria and convulsions	16							3	8	4	1							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1										1							
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	5						1		1		1		1		1			
142	Gangrene	3						1				1		1					
143	Furuncle	1														1			
144	Acute abscess	1								1									
145	Other diseases of the skin and annexa																		
	IX.—Diseases of the bones and of the organs of locomotion	4							1	1		1		1					
146	Diseases of the bones (tuberculosis excepted)	3							1			1		1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion	1								1									
	X.—Malformations	33	30	3															
150	Congenital malformations (stillbirths not included) (total)	33	30	3															
	Hydrocephalus	4	4																
	Congenital malformations of the heart	16	15	1															
	Other congenital malformations	13	11	2															
	XI.—Early infancy	185	185																
151	Congenital debility, icterus, and sclerema (total)	176	176																
	Premature birth	105	105																
	Congenital debility, "atrophy," "marasmus," etc.	71	71																
152	Other causes peculiar to early infancy (total)	9	9																
	Injuries at birth	5	5																
	Other causes peculiar to early infancy[2]	4	4																
153	Lack of care																		
	XII.—Old age	40												1	12	23	4		
154	Senility	40												1	12	23	4		
	XIII.—External causes	183	15	10	7	3	3	7	15	31	29	12	15	17	10	6	1		2
	Suicide (total)	21								3	7	1	4	5					1
155	By poison	9								2	3		1	3					
156	By asphyxia																		
157	By hanging or strangulation																		
158	By drowning	3									1			1					1
159	By firearms	7								1	3		2	1					
160	By cutting or piercing instruments	1											1						
161	By jumping from high places																		
162	By crushing																		
163	Other suicides	1										1							
	Accidental or undefined (total)	146	15	10	7	3	3	7	14	23	18	9	9	11	9	6	1		1
164	Poisoning by food	6	1	1	1	1							1	1					
165	Other acute poisonings	8	2	2	1					1		1		1					
166	Conflagration	3								1		2							
167	Burns (conflagration excepted)	21	3	3	3	1	2	1	2	2	1		2	1					
168	Absorption of deleterious gases (conflagration excepted)	9	6	1			1			1									
169	Accidental drowning	10		1				1	3	2	2		1						
170	Traumatism by firearms	1						1											
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	22	1		1					1	3	2		2	5	6	1		
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines	3							2	1									
175	Traumatism by other crushing (total)	38	1	1		1		4	5	12	9	1	1	2	1				
	Railroad accidents and injuries	24		1		1		1	3	10	7			1					
	Street-car accidents and injuries	5							1		1	1		1	1				
	Automobile accidents and injuries	5						3		2									
	Injuries by other vehicles	2	1										1						
	Landslide, other crushing	2							1		1								

[1] Including only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (WHITE)—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
176	Injuries by animals	2											1	1					
177	Starvation																		
178	Excessive cold																		
179	Effects of heat	3	1										1		1				
180	Lightning	3							1			2							
181	Electricity (lightning excepted)	1							1										
185	Fractures (cause not specified)	2													2				
186	Other external violence	14		1	1					2	3	1	2	3					1
	Homicide (total)	16							1	5	4	2	2	1	1				
182	By firearms	12								4	4	2	1	1					
183	By cutting or piercing instruments	3							1	1					1				
184	By other means	1											1						
	XIV.—Ill-defined diseases	78	36	5	3		1	3		4	4	5	6	3	5	3			
187	Ill-defined organic disease	2						1								1			
188	Sudden death	2	2																
189	Not specified or ill-defined (total)	74	34	5	3		1	2		4	4	5	6	3	5	2			
	Ill-defined	34	8	4	2					3	2	3	4	3	4	1			
	Not specified or unknown	40	26	1	1		1	2		1	2	2	2		1	1			
	NORTH CAROLINA[1] (COLORED).																		
	All causes	3,340	657	262	113	45	36	90	236	455	312	277	285	245	175	82	40	10	20
	I.—General diseases	1,139	122	75	54	23	19	47	145	230	150	96	66	57	31	12	4	1	7
1	Typhoid fever	99	1	4	4	6	1	14	27	19	10	3	6	2	1				1
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	48	8	3	2	3		4	5	7	4	2	3	4	1	2			
5	Smallpox	1												1					
6	Measles	23	5	4	4	2	1	2	3	2									
7	Scarlet fever	1						1											
8	Whooping cough	120	39	38	21	6	10	5		1									
9	Diphtheria and croup	13	2	2	3		1	3				1	1						
10	Influenza	38	1	1		2			2	2	5	4	4	7	5	3	1		1
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	1													1				
14	Dysentery	37	10	4	4		1			1	1	1		4	4	2	3	1	1
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	3	2											1					
19	Other epidemic diseases	1	1																
20	Purulent infection and septicemia	11						1	1	2	1	3	1		1				1
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	30	23	1				1	1	2		2							
25	Mycoses																		
26	Pellagra	64	1					2	4	13	17	7	6	7	5	1			1
27	Beriberi																		
	Tuberculosis (total)	516	17	15	10	2	4	12	97	168	96	48	22	15	6	2			2
28	Tuberculosis of the lungs	444	11	11	9	2	3	9	81	150	83	45	16	15	5	2			2
29	Acute miliary tuberculosis	19	2					2	5	9			1						
30	Tuberculous meningitis	12	1	3			1		3	2	1		1						
31	Abdominal tuberculosis	22	1		1			1	2	3	8	3	3						
32	Pott's disease	5	1						2		2								
33	White swellings	1											1						
34	Tuberculosis of other organs	8		1					3	2	1				1				
35	Disseminated tuberculosis	5	1						1	2	1								
36	Rickets	3		1	1			1											
37	Syphilis	33	9	2	4		1		1	8	3	4		1					
38	Gonococcus infection	4	3							1									
	Cancer and other malignant tumors (total)	61						1	1	1	8	19	18	7	4	2			
39	Of the buccal cavity	2										1	1						
40	Of the stomach, liver	15								1	1	2	7	1	1	2			
41	Of the peritoneum, intestines, rectum	4									1	1	2						
42	Of the female genital organs	22									4	10	4	2	2				
43	Of the breast	9										4	2	3					
44	Of the skin	1									1								
45	Of other organs or of organs not specified	8						1	1		1	1	2	1	1				

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (COLORED)—Continued.																		
	I.—General diseases—Continued.																		
46	Other tumors (tumors of the female genital organs excepted)	3									1		1		1				
47	Acute articular rheumatism	15							3	1	3	1	2	3	2				
48	Chronic rheumatism and gout	1												1					
49	Scurvy																		
50	Diabetes	4				1				1				2					
51	Exophthalmic goiter																		
52	Addison's disease																		
53	Leukemia	1											1						
54	Anemia, chlorosis	2									1			1					
55	Other general diseases	3			1	1				1									
56	Alcoholism (acute or chronic)	3										1	1	1					
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings																		
59	Other chronic poisonings																		
	II.—Diseases of the nervous system and of the organs of special sense	230	16	4	3		3	8	8	11	19	19	48	38	30	16	5	1	1
60	Encephalitis	1								1									
61	Meningitis (total)	25	6	3	1		1	4	2	5	1	1	1						
	Simple meningitis	15	1	2	1		1	3	1	4		1	1						
	Cerebrospinal meningitis (undefined)	8	3	1				1	1	1	1								
	Cerebrospinal fever	2	2																
62	Locomotor ataxia	3									1	1						1	
63	Other diseases of the spinal cord (total)	8		1			1	2			1		2		1				
	Acute anterior poliomyelitis	4		1			1	2											
	Other diseases of the spinal cord[2]	4									1		2		1				
64	Cerebral hemorrhage, apoplexy	109	2				1		4	3	8	9	33	24	16	6	2		1
65	Softening of the brain	2									1		1						
66	Paralysis without specified cause	51									3	6	8	12	11	10	1		
67	General paralysis of the insane	1											1						
68	Other forms of mental alienation	5											1	1	2		1		
69	Epilepsy	4						1		1	1			1					
70	Convulsions (nonpuerperal)	3						1	1				1						
71	Convulsions of infants	9	8		1														
72	Chorea																		
73	Neuralgia and neuritis	1									1								
74	Other diseases of the nervous system	5								1	2	1					1		
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	3			1				1			1							
	III.—Diseases of the circulatory system	310	1		1			3	8	24	32	48	69	58	38	13	12	2	1
77	Pericarditis	3								2			1						
78	Acute endocarditis	4									3		1						
79	Organic diseases of the heart	276	1		1			2	8	21	26	44	60	55	32	13	10	2	1
80	Angina pectoris	8						1			1	2	3		1				
81	Diseases of the arteries, atheroma, aneurism, etc.	15								1	2	1	2	3	5		1		
82	Embolism and thrombosis	2											1				1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1										1							
84	Diseases of the lymphatic system (lymphangitis, etc.)																		
85	Hemorrhage; other diseases of the circulatory system	1											1						
	IV.—Diseases of the respiratory system	427	101	47	18	14	6	12	19	64	30	32	31	26	10	11	3	1	2
86	Diseases of the nasal fossae	2	2																
87	Diseases of the larynx	3	1			2													
88	Diseases of the thyroid body																		
89	Acute bronchitis	29	14	10	4						1								
90	Chronic bronchitis	18						1	1	11		1	2		1			1	
91	Bronchopneumonia	82	36	17	6	6	1	1		2	1	2	2	1	2	5			
92	Pneumonia (total)	277	48	20	8	5	5	10	17	49	27	27	23	24	4	5	3		2
	Lobar pneumonia	143	18	9	3	1	2	8	9	26	15	16	10	18	1	4	1		2
	Pneumonia (undefined)	134	30	11	5	4	3	2	8	23	12	11	13	6	3	1	2		
93	Pleurisy	2								1						1			
94	Pulmonary congestion, pulmonary apoplexy	5							1			1	2		1				
95	Gangrene of the lung																		
96	Asthma	7				1					1	1	1	1	2				
97	Pulmonary emphysema																		
98	Other diseases of the respiratory system (tuberculosis excepted)	2								1			1						

[1] Including only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (COLORED)—Continued.																		
	V.—Diseases of the digestive system	427	174	105	21	4	2	7	10	20	20	24	18	9	7	3	1	1	1
99	Diseases of the mouth and annexa	3	2	1															
100	Diseases of the pharynx	3	1		1								1						
101	Diseases of the esophagus																		
102	Ulcer of the stomach	2									2								
103	Other diseases of the stomach (cancer excepted)	55	18	4	2	1		1	3	5	2	6	5	4	2	1			1
104	Diarrhea and enteritis (under 2 years)	245	148	97															
105	Diarrhea and enteritis (2 years and over)	42			16	3	2	4	1	1	2	3	3	2	1	2	1	1	
106	Ankylostomiasis	1											1						
107	Intestinal parasites																		
108	Appendicitis and typhlitis	12							4	3	1	4							
109	Hernia, intestinal obstruction (total)	16	2		1					2	4		5	1	1				
	Hernia	8	2							1	1		3		1				
	Intestinal obstruction	8			1					1	3		2	1					
110	Other diseases of the intestines	8	3	2						1	1				1				
111	Acute yellow atrophy of the liver	1										1							
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	14		1				1		2	1	5	1	2	1				
114	Biliary calculi																		
115	Other diseases of the liver	10									4	3	2		1				
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	15			1			1	2	6	3	2							
118	Other diseases of the digestive system (cancer and tuberculosis excepted)																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	206	1	4	1		2	2	10	17	23	30	36	36	31	9	3		1
119	Acute nephritis	19	1	2			1		2	2	2	2	3	2	1	1			
120	Bright's disease	144		2	1		1	2	8	9	12	21	28	27	22	7	3		1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	8									1		1	3	3				
123	Calculi of the urinary passages	3												2		1			
124	Diseases of the bladder	3										1		1	1				
125	Diseases of the urethra, urinary abscess, etc	2									2								
126	Diseases of the prostate	4											2		2				
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	7								1	4		1	1					
130	Other diseases of the uterus	5								2		1	1		1				
131	Cysts and other tumors of the ovary	2										2							
132	Salpingitis and other diseases of the female genital organs	9								3	2	3			1				
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	52							8	30	12	1							1
134	Accidents of pregnancy	6								4	2								
135	Puerperal hemorrhage	2							1	1									
136	Other accidents of labor	7								5	1	1							
137	Puerperal septicemia	22							2	13	7								
138	Puerperal albuminuria and convulsions	15							5	7	2								1
139	Puerperal phlegmasia alba dolens, embolus, sudden death																		
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	7										3	1	2		1			
142	Gangrene	4										1		2		1			
143	Furuncle	1										1							
144	Acute abscess	1											1						
145	Other diseases of the skin and annexa	1										1							
	IX.—Diseases of the bones, and of the organs of locomotion	1													1				
146	Diseases of the bones (tuberculosis excepted)																		
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion	1													1				

[1] Including only municipalities having a population of 1,000 or over in 1900.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NORTH CAROLINA[1] (COLORED)—Continued.																		
	X.—Malformations	8	6	1				1											
150	Congenital malformations (stillbirths not included) (total)	8	6	1				1											
	Hydrocephalus	1	1																
	Congenital malformations of the heart	3	1	1				1											
	Other congenital malformations	4	4																
	XI.—Early infancy	150	150																
151	Congenital debility, icterus, and sclerema (total)	121	121																
	Premature birth	53	53																
	Congenital debility, "atrophy," "marasmus," etc.	68	68																
152	Other causes peculiar to early infancy (total)	27	27																
	Injuries at birth	12	12																
	Other causes peculiar to early infancy[2]	15	15																
153	Lack of care	2	2																
	XII.—Old age	35													12	13	7	3	
154	Senility	35													12	13	7	3	
	XIII.—External causes	181	7	7	7	4	3	7	28	53	22	12	10	7	6	2	1		5
	Suicide (total)	2								1		1							
155	By poison																		
156	By asphyxia																		
157	By hanging or strangulation																		
158	By drowning																		
159	By firearms																		
160	By cutting or piercing instruments																		
161	By jumping from high places																		
162	By crushing																		
163	Other suicides	2								1		1							
	Accidental or undefined (total)	134	6	6	7	4	3	7	18	31	17	8	9	6	5	2	1		4
164	Poisoning by food																		
165	Other acute poisonings	5		2	1		1			1									
166	Conflagration	5			1	1		1	1			1							
167	Burns (conflagration excepted)	22	1	3	5	1	1	4	1		2		2			2			
168	Absorption of deleterious gases (conflagration excepted)	4	3								1								
169	Accidental drowning	14		1				1	4	4	2	1	1						
170	Traumatism by firearms	21				2	1	1	5	8	1		2						1
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	2								1					1				
173	Traumatism in mines and quarries (total)																		
	Traumatism in mines																		
	Traumatism in quarries																		
174	Traumatism by machines	7								2	3		1						1
175	Traumatism by other crushing (total)	28							4	7	5	3	2	4	1				2
	Railroad accidents and injuries	21							3	7	4	1	1	2	1				2
	Street-car accidents and injuries	2									1		1						
	Automobile accidents and injuries																		
	Injuries by other vehicles	4							1			1		2					
	Landslide, other crushing	1										1							
176	Injuries by animals	3							2						1				
177	Starvation																		
178	Excessive cold	2										1					1		
179	Effects of heat	3								1					2				
180	Lightning	1										1							
181	Electricity (lightning excepted)																		
185	Fractures (cause not specified)	2							1					1					
186	Other external violence	15	2							7	3	1	1	1					
	Homicide (total)	45	1	1					10	21	5	3	1	1	1				1
182	By firearms	33							8	16	4	3	1						1
183	By cutting or piercing instruments	6							1	2	1			1	1				
184	By other means	6	1	1					1	3									
	XIV.—Ill-defined diseases	167	79	19	8		1	3		6	4	12	6	12	9	2	4	1	1
187	Ill-defined organic disease	7			1						1			2	2	1			
188	Sudden death	5			1							1		3					
189	Not specified or ill-defined (total)	155	79	19	6		1	3		6	3	11	6	7	7	1	4	1	1
	Ill-defined	51	13	12	2			1		3	2	6	2	4	4	1			1
	Not specified or unknown	104	66	7	4		1	2		3	1	5	4	3	3		4	1	

[1] Including only municipalities having a population of 1,000 or over in 1900.

[2] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	OHIO.																		
	All causes	63,402	9,941	1,950	876	576	421	1,335	2,474	4,850	5,093	5,316	6,563	8,351	9,559	5,268	755	24	50
	I.—General diseases	18,131	1,094	523	400	279	212	697	1,274	2,459	2,264	2,059	2,163	2,122	1,785	710	78	4	8
1	Typhoid fever	1,101	5	14	16	12	11	70	254	281	168	100	87	48	32	2	1		
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	44	2	1	3	1		1	6	4	7	5	4	5	5				
5	Smallpox	4	2						1			1							
6	Measles	312	65	75	44	20	10	34	23	25	5	4	4	2	1				
7	Scarlet fever	500	16	44	59	58	37	177	78	15	14	1			1				
8	Whooping cough	552	305	132	51	25	13	20	1	3	1								1
9	Diphtheria and croup	728	38	72	110	96	87	211	86	14	8	3		2	1				
10	Influenza	1,057	77	28	14	7	6	10	23	32	39	42	84	155	266	236	35	2	1
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	22	7		1				2	1	1		2	3	3	2			
14	Dysentery	236	36	17	8	6		4	1	1	4	6	15	22	59	51	6		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	188	38	4	1			2	2	8	12	26	17	32	26	18	2		
19	Other epidemic diseases	15	3	1	2	2		3	1		2	1							
20	Purulent infection and septicemia	147	13	3	2			8	13	16	8	14	19	21	20	8	1	1	
21	Glanders	1		1															
22	Anthrax	1										1							
23	Rabies	8						3	1	2	1	1							
24	Tetanus	101	17		1	3	3	11	20	15	7	8	8	7		1			
25	Mycosos	1									1								
26	Pellagra	2									1		1						
27	Beriberi																		
	Tuberculosis (total)	7,159	195	109	67	38	31	94	630	1,806	1,515	1,010	728	533	333	64	3		3
28	Tuberculosis of the lungs	5,960	64	39	26	14	3	39	479	1,592	1,352	897	635	474	289	52	2		3
29	Acute miliary tuberculosis	209	5	4	3	1	4	5	38	63	38	18	15	7	4	4			
30	Tuberculous meningitis	353	73	49	28	20	17	39	35	36	21	17	10	3	5				
31	Abdominal tuberculosis	318	32	9	4	2	5	3	32	58	56	42	30	23	16	5	1		
32	Pott's disease	65	2	2	2	1	1		14	15	4	5	10	6	2	1			
33	White swellings	32		2	1		1		3	6	8	1	5	2	1	2			
34	Tuberculosis of other organs	131	14	3	2			6	11	19	24	19	12	9	12				
35	Disseminated tuberculosis	91	5	1	1			2	18	17	12	11	11	9	4				
36	Rickets	28	17	5	2		1				1		1		1				
37	Syphilis	362	206	5	2	1			3	25	36	36	27	11	7	3			
38	Gonococcus infection	15	2						4	3	3		2	1					
	Cancer and other malignant tumors (total)	3,699	3	3	7	2	2	6	17	76	213	556	824	945	788	236	21		
39	Of the buccal cavity	142							2	2	7	12	24	37	42	16			
40	Of the stomach, liver	1,498		1	1		1			20	59	187	337	434	363	91	4		
41	Of the peritoneum, intestines, rectum	451		1				1	3	18	33	60	96	137	83	19			
42	Of the female genital organs	550						1	1	13	57	139	142	116	63	14	4		
43	Of the breast	377								2	26	80	92	80	65	32			
44	Of the skin	155							2	1		14	19	28	44	37	10		
45	Of other organs or of organs not specified	526	3	1	6	2	1	4	9	20	31	64	114	113	128	27	3		
46	Other tumors (tumors of the female genital organs excepted)	27									2	3	2	8	5	7			
47	Acute articular rheumatism	265	2	1	5	5	4	22	44	29	21	28	29	24	32	16	3		
48	Chronic rheumatism and gout	69									4	8	12	14	17	11	3		
49	Scurvy	1	1																
50	Diabetes	698	1	1		1	2	11	35	40	50	62	138	192	126	35	3	1	
51	Exophthalmic goiter	110						1	5	17	26	24	24	8	3	2			
52	Addison's disease	18							1	1	1	6	6	2	1				
53	Leukemia	88	1	2	1		3	5	5	13	8	13	18	11	7	1			
54	Anemia, chlorosis	206	13	3	1		1		7	6	19	18	49	46	31	11			1
55	Other general diseases	89	29	2	3	2	1	4	10	4	3	6	7	6	9	3			
56	Alcoholism (acute or chronic)	235								17	80	69	43	16	6	2			2
57	Chronic lead poisoning	11								2		3	3	3					
58	Other chronic occupation poisonings	1										1							
59	Other chronic poisonings	30							1	3	3	3	9	5	5	1			
	II.—Diseases of the nervous system and of the organs of special sense	7,014	419	149	85	69	31	83	111	169	342	581	860	1,381	1,700	932	93	3	6
60	Encephalitis	54	10	3	4	2	2	3	4	4	5	6	6	2	2		1		
61	Meningitis (total)	476	145	82	46	35	17	33	30	26	19	18	10	10	5				
	Simple meningitis	265	86	34	26	19	10	17	21	11	14	12	4	7	4				
	Cerebrospinal meningitis (undefined)	153	46	37	14	12	4	10	7	7	3	5	5	2	1				
	Cerebrospinal fever	58	13	11	6	4	3	6	2	8	2	1	1	1					
62	Locomotor ataxia	141								1	9	18	44	45	17	6	1		
63	Other diseases of the spinal cord (total)	454	38	28	19	18	8	18	15	12	22	22	39	91	82	38	4		
	Acute anterior poliomyelitis	137	33	28	19	15	7	17	8	3	1	1	2	1	1	1			
	Other diseases of the spinal cord [1]	317	5			3	1	1	7	9	21	21	37	90	81	37	4		
64	Cerebral hemorrhage, apoplexy	4,191	46	9	5	4	1	7	8	44	110	285	564	1,020	1,298	718	64	3	5

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	OHIO—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
65	Softening of the brain	123					1			1	2	4	9	28	45	29	4		
66	Paralysis without specified cause	348	3			3			3	3	4	14	21	57	135	89	16		
67	General paralysis of the insane	388								5	84	105	84	43	42	24			1
68	Other forms of mental alienation	122							1	8	22	21	21	27	17	5			
69	Epilepsy	211	6	2	1	2		7	30	38	33	39	17	21	13	2			
70	Convulsions (nonpuerperal)	6						1					1	1	3				
71	Convulsions of infants	153	130	16	6	1													
72	Chorea	12						1	4			2	1	1	2	1			
73	Neuralgia and neuritis	42		1					1	2		7	9	6	9	7			
74	Other diseases of the nervous system	194	13	2	1	1	1	7	7	15	26	32	25	22	27	13	2		
75	Diseases of the eyes and their annexa	5	2		1									1			1		
76	Diseases of the ears	94	26	6	2	3	1	6	8	10	6	8	9	6	3				
	III.—Diseases of the circulatory system	9,187	91	14	6	8	8	76	156	259	408	679	1,207	2,071	2,676	1,344	169	4	11
77	Pericarditis	70	1		2	1	1	5	2	4	4	2	10	15	16	7			
78	Acute endocarditis	268	5	2		1	1	10	22	26	53	62	67	11	5	3			
79	Organic diseases of the heart	7,062	65	8	4	6	4	58	127	195	303	534	939	1,678	2,084	939	195	3	10
80	Angina pectoris	398							3	14	19	29	78	110	103	39	3		
81	Diseases of the arteries, atheroma, aneurism, etc.	1,162							1	2	13	30	88	222	415	333	56	1	1
82	Embolism and thrombosis	142	1	1					1	8	13	15	21	27	39	13	3		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	32	2							5	2	6	3	4	4	5	1		
84	Diseases of the lymphatic system (lymphangitis, etc.)	21	8	2			2	2		2		1		2	2				
85	Hemorrhage; other diseases of the circulatory system	32	9	1				1		3	1		1	2	8	5	1		
	IV.—Diseases of the respiratory system	6,349	1,373	421	153	85	58	138	147	254	286	351	507	725	1,039	690	117		5
86	Diseases of the nasal fossae	11	4		2			1	1				1		1	1			
87	Diseases of the larynx	51	11	7	3	5	4	7	3	2	2	4	1	1	1				
88	Diseases of the thyroid body	17	1						2	1	2	3	1	3	3	1			
89	Acute bronchitis	493	232	44	14	8	6	19	2	3	5	11	11	13	54	61	10		
90	Chronic bronchitis	431	8	3	1			2	3	3	10	10	28	75	143	117	28		
91	Bronchopneumonia	1,984	723	230	86	32	24	34	20	30	28	44	88	129	267	215	34		
92	Pneumonia (total)	2,946	346	126	44	34	23	71	102	193	221	242	327	433	492	248	39		5
	Lobar pneumonia	2,506	283	105	36	30	21	56	85	170	195	215	284	373	403	215	32		3
	Pneumonia (undefined)	440	63	21	8	4	2	15	17	23	26	27	43	60	89	33	7		2
93	Pleurisy	112	6	5	1	5	1	1	8	14	8	16	14	16	14	3			
94	Pulmonary congestion, pulmonary apoplexy	103	36	5	1	1		1	2	1	2	2	7	8	15	17	5		
95	Gangrene of the lung	10								1	1	1	4	2		1			
96	Asthma	107		1				1		4	1	7	11	30	32	20			
97	Pulmonary emphysema	21	1		1			1	1	1	1	2	2	4	5	2			
98	Other diseases of the respiratory system (tuberculosis excepted)	63	5						3	1	5	9	12	11	12	4	1		
	V.—Diseases of the digestive system	7,054	2,729	667	131	55	45	99	191	277	364	383	523	624	625	309	31		1
99	Diseases of the mouth and annexa	34	21	6					1			1		2	2	1			
100	Diseases of the pharynx	94	12	5	4	3	2	11	17	12	7	4	5	1	2	9			
101	Diseases of the esophagus	12	1					1					2	3	4	1			
102	Ulcer of the stomach	181				1		1	4	20	23	27	33	35	30	6	1		
103	Other diseases of the stomach (cancer excepted)	681	251	30	8	5	3	5	4	14	23	33	34	81	101	81	8		
104	Diarrhea and enteritis (under 2 years)	2,896	2,302	594															
105	Diarrhea and enteritis (2 years and over)	586			102	35	17	21	11	15	22	26	48	80	117	81	11		
106	Ankylostomiasis																		
107	Intestinal parasites	12	4	2	3	2		1											
108	Appendicitis and typhlitis	483	3	4	2	3	7	37	99	104	90	55	50	13	12	4			
109	Hernia, intestinal obstruction (total)	515	70	15	7	5	9	10	10	29	30	36	72	78	102	38	3		1
	Hernia	161	10	2	2		1	1	1	3	11	11	31	34	38	16			
	Intestinal obstruction	354	60	13	5	5	8	9	9	26	19	25	41	44	64	22	3		1
110	Other diseases of the intestines	142	39	2	2		3	2	6	8	12	11	11	14	20	10	2		
111	Acute yellow atrophy of the liver	38	4	1				1	1	5	3	7	4	8	4				
112	Hydatid tumor of the liver	1												1					
113	Cirrhosis of the liver	722		1				2	9	18	86	117	154	167	131	36	1		
114	Biliary calculi	196								2	17	26	40	53	44	12	2		
115	Other diseases of the liver	270	12	3	1	1	2	2	5	20	23	24	50	58	42	25	2		
116	Diseases of the spleen	12									2	2	1	4	2	1			
117	Simple peritonitis (nonpuerperal)	155	9	4	2		1	5	23	27	26	11	14	22	7	3	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	24	1				1		1	3		3	5	4	5	1			

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	OHIO—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	4,533	82	20	6	13	9	35	69	185	349	491	661	903	1,103	552	51	3	1
119	Acute nephritis	494	45	11	5	9	5	27	26	44	54	60	57	55	62	33	1		
120	Bright's disease	3,256	23	8	1	3	3	8	31	81	194	339	532	747	847	402	35	2	
121	Chyluria																		
122	Other diseases of the kidneys and annexa	83	10				1		2	4	6	9	9	11	16	12	3		
123	Calculi of the urinary passages	32								2	3	5	6	8	5	3			
124	Diseases of the bladder	132	1	1						1	1	5	10	21	52	31	8	1	
125	Diseases of the urethra, urinary abscess, etc	15							1	1	1	4	3	3	1	1			
126	Diseases of the prostate	227								2		5	11	35	105	65	3		1
127	Nonvenereal diseases of the male genital organs	9	2			1					1	2		1	1	1			
128	Uterine hemorrhage (nonpuerperal)	3								1	1				1				
129	Uterine tumor (noncancerous)	71								2	17	24	13	9	4	2			
130	Other diseases of the uterus	43							2	9	11	9	8	3	1				
131	Cysts and other tumors of the ovary	49								4	12	8	7	9	6	2	1		
132	Salpingitis and other diseases of the female genital organs	117							7	34	48	21	5	1	1				
133	Nonpuerperal diseases of the breast (cancer excepted)	2	1												1				
	VII.—The puerperal state	718							60	319	277	59	2						1
134	Accidents of pregnancy	88							3	30	47	8							
135	Puerperal hemorrhage	56							1	19	30	6							
136	Other accidents of labor	59							4	22	28	5							
137	Puerperal septicemia	365							35	173	128	26	2						1
138	Puerperal albuminuria and convulsions	135							17	68	38	12							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	12								5	5	2							
140	Following childbirth (not otherwise defined)	3								2	1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	250	41	3	1	1	1	3	5	3	5	11	16	31	65	47	17		
142	Gangrene	141	4			1	1	2		1		5	8	21	49	40	9		
143	Furuncle	28	7	2					1		1	4	4	6	3				
144	Acute abscess	24	8	1					3	1	1	2	2	1	3		2		
145	Other diseases of the skin and annexa	57	22		1			1	1	1	3		2	3	10	7	6		
	IX.—Diseases of the bones and of the organs of locomotion	93	6	6	1	4	1	5	16	8	6	9	13	8	6	4			
146	Diseases of the bones (tuberculosis excepted)	84	6	6	1	4	1	5	16	7	6	9	11	7	3	2			
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3								1					1	1			
148	Amputations	1												1					
149	Other diseases of the organs of locomotion	5											2		2	1			
	X.—Malformations	745	712	18	1	1	1	6	5	1									
150	Congenital malformations (stillbirths not included) (total)	745	712	18	1	1	1	6	5	1									
	Hydrocephalus	52	37	9		1		4	1										
	Congenital malformations of the heart	443	429	6	1		1	1	4	1									
	Other congenital malformations	250	246	3				1											
	XI.—Early infancy	3,100	3,100																
151	Congenital debility, icterus, and sclerema (total)	2,417	2,417																
	Premature birth	1,810	1,810																
	Congenital debility, "atrophy," "marasmus," etc	607	607																
152	Other causes peculiar to early infancy (total)	664	664																
	Injuries at birth	409	409																
	Other causes peculiar to early infancy[1]	255	255																
153	Lack of care	19	19																
	XII.—Old age	764										1	3	28	184	398	141	8	1
154	Senility	764										1	3	28	184	398	141	8	1
	XIII.—External causes	5,168	177	111	86	61	54	192	437	906	782	675	593	415	352	258	54	2	13
	Suicide (total)	779							38	168	172	140	134	86	30	8	2		1
155	By poison	313							21	85	76	52	52	22	4	1			
156	By asphyxia	12								4	3	2	3						
157	By hanging or strangulation	119							1	14	20	19	22	23	13	5	1		1
158	By drowning	51							3	7	7	12	7	10	4		1		
159	By firearms	226							13	55	52	42	36	21	5	2			
160	By cutting or piercing instruments	39								2	7	9	11	7	3				
161	By jumping from high places	7								1	3		1	2					
162	By crushing	5									2	3							
163	Other suicides	7									2	1	2	1	1				

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed list No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	OHIO—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined (total)	4,124	164	110	86	61	54	190	382	648	547	492	437	321	319	249	52	2	10
164	Poisoning by food	40	11	2	6	1	1		2	6	2	4	2	1	2				
165	Other acute poisonings	120	8	19	15	2	4	4	6	22	10	11	9	6	3	1			
166	Conflagration	67	7	5	3	5	3	6	4	7	5	8	7	4	2	1			
167	Burns (conflagration excepted)	317	10	39	32	35	17	27	28	28	18	23	20	13	15	10	1	1	
168	Absorption of deleterious gases (conflagration excepted)	128	47	1		2		1	3	19	13	16	14	5	4	3			
169	Accidental drowning	367	3	15	5	2	8	35	88	83	47	36	31	6	4				4
170	Traumatism by firearms	102	1		2	1		9	46	18	8	10	5	1	1				
171	Traumatism by cutting or piercing instruments	11		1	1		1	1	3	1			1	1	1				
172	Traumatism by fall	856	25	7	10	5	3	18	33	57	64	64	78	93	172	179	46	1	1
173	Traumatism in mines and quarries (total)	119						1	9	36	27	26	14	4	2				
	Traumatism in mines	111							9	34	27	23	13	4	1				
	Traumatism in quarries	8						1		2		3	1		1				
174	Traumatism by machines	113						2	13	29	26	21	16	6					
175	Traumatism by other crushing (total)	1,350	3	6	6	4	8	71	101	290	271	200	168	135	60	23	1		3
	Railroad accidents and injuries	883	1	1	2		2	17	63	227	217	148	96	70	25	11			3
	Street-car accidents and injuries	181			2	3	1	14	8	26	16	19	40	33	14	5			
	Automobile accidents and injuries	104		1	1		1	22	14	11	15	7	12	13	4	3			
	Injuries by other vehicles	143	2	4	1	1	4	14	13	16	15	20	14	18	16	4	1		
	Landslide, other crushing	39						4	3	10	8	6	6	1	1				
176	Injuries by animals	58			1		1	2	12	8	5	9	5	6	7	1			1
177	Starvation	6	2		1						1			1	1				
178	Excessive cold	10							1		1	2	1	3		1	1		
179	Effects of heat	167	24	1	1	1	2	2	3	2	15	23	27	19	30	15	2		
180	Lightning	17							4	3	1	4	2	1		1			1
181	Electricity (lightning excepted)	35					1	3	4	11	9	5	1	1					
185	Fractures (cause not specified)	32							1	2	4	7	2	1	5	9	1		
186	Other external violence	209	23	14	3	3	5	8	21	26	20	23	34	14	10	5			
	Homicide (total)	265	13	1				2	17	90	63	43	22	8	3	1			2
182	By firearms	147						1	11	61	35	26	10	2	1				
183	By cutting or piercing instruments	40	1						3	20	10	4		1					1
184	By other means	78	12	1				1	3	9	18	13	12	5	2	1			1
	XIV.—Ill-defined diseases	296	117	18	6		1	1	3	10	10	17	15	43	24	24	4		3
187	Ill-defined organic disease	19								1		1	2	3	2	7	3		
188	Sudden death	21	3	1	1					2	1		3	6	3	1			
189	Not specified or ill-defined (total)	256	114	17	5		1	1	3	7	9	16	10	34	19	16	1		3
	Ill-defined	118	30	15	4		1		1	6	4	9	6	22	12	8			
	Not specified or unknown	138	84	2	1			1	2	1	5	7	4	12	7	8	1		3
	PENNSYLVANIA.																		
	All causes	111,292	24,195	5,098	2,077	1,423	995	2,630	4,132	8,201	8,966	9,140	10,701	13,266	12,922	6,538	913	26	19
	I.—General diseases	27,495	2,008	1,315	856	683	528	1,303	1,821	3,635	3,460	3,056	3,067	2,966	2,004	711	81		1
1	Typhoid fever	1,716	4	14	9	15	24	92	315	526	331	189	113	56	25	3			
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	37	3		1		2	2	2	4	4	9	4	3	2	1			
5	Smallpox	5	2	1		1	1												
6	Measles	804	202	273	117	71	41	54	25	10	6	4			1				
7	Scarlet fever	749	46	103	113	113	85	169	71	33	11	2	3						
8	Whooping cough	998	567	259	75	42	17	34	3							1			
9	Diphtheria and croup	2,111	122	325	360	301	238	558	142	32	17	7	7		2				
10	Influenza	1,149	96	23	10	3	6	19	24	38	33	73	104	175	295	210	40		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	68	13	5	1			1	1	4	1	3	6	13	11	9			
14	Dysentery	279	68	35	10	12	4	1	2	4	8	6	13	25	39	47	5		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	287	109	10	2	1		2	8	11	15	30	23	26	34	15	1		
19	Other epidemic diseases	31	12	6	1		1	4	3	1	3								
20	Purulent infection and septicemia	223	37	11	4	3	2	15	18	17	22	20	16	19	29	9	1		
21	Glanders	1									1								
22	Anthrax	2									2								
23	Rabies	10			1		1	3	2	1	1				1				
24	Tetanus	137	26		1	3	9	21	33	8	15	9	5	6	1				
25	Mycoses	3									1		1	1					
26	Pellagra	5								2		3							
27	Beriberi																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PENNSYLVANIA—Continued.																		
	I.—General diseases—Continued.																		
	Tuberculosis (total)	10,604	352	201	109	86	73	211	944	2,602	2,319	1,531	1,043	732	333	64	4		
28	Tuberculosis of the lungs	8,832	139	59	37	32	16	78	736	2,313	2,092	1,404	922	651	292	57	4		
29	Acute miliary tuberculosis	401	20	7	6	3	5	17	70	111	84	45	27	5	1				
30	Tuberculous meningitis	567	129	103	51	38	38	66	60	37	23	12	7	3					
31	Abdominal tuberculosis	413	31	14	8	6	5	22	42	76	64	33	48	39	21	4			
32	Pott's disease	86	3	1	1	4	3	13	8	20	9	7	7	7	2	1			
33	White swellings	60	1	2	3	1	1	7	7	14	6	3	7	5	3				
34	Tuberculosis of other organs	171	21	12	1	2	3	8	12	17	25	18	23	18	11				
35	Disseminated tuberculosis	74	8	3	2		2		9	14	16	9	2	4	3	2			
36	Rickets	69	38	15	4	4	2	1	2		1	2							
37	Syphilis	360	189	9	2	2			4	37	48	28	23	15	2	1			
38	Gonococcus infection	20	10						1	5	2	1	1						
	Cancer and other malignant tumors (total)	5,197	2	6	10	8	6	13	26	96	351	785	1,250	1,419	918	285	22		
39	Of the buccal cavity	192					1	1		4	5	17	37	54	48	21	4		
40	Of the stomach, liver	2,113		2	2		1	3	5	20	87	253	539	649	439	105	8		
41	Of the peritonæum, intestines, rectum	678	1	1	1	3		1	2	22	64	107	141	192	111	31	1		
42	Of the female genital organs	833						1	1	16	87	207	246	171	84	19	1		
43	Of the breast	480								8	39	113	119	105	71	24	1		
44	Of the skin	181			1				2	1	5	14	21	52	44	36	5		
45	Of other organs or of organs not specified	720	1	3	6	5	4	7	16	25	64	74	147	196	121	49	2		
46	Other tumors (tumors of the female genital organs excepted)	36	2		1	1	1		2	1	4	3	7	4	6	3	1		
47	Acute articular rheumatism	463	6	3	4	6	7	72	35	49	41	45	41	44	47	10	2		1
48	Chronic rheumatism and gout	106							4	4	3	11	17	23	33	10	1		
49	Scurvy	13	8	1	1	1			1			1							
50	Diabetes	1,036	1	2	9	3	1	13	60	59	73	106	212	292	168	34	3		
51	Exophthalmic goiter	67							2	11	8	18	14	7	7				
52	Addison's disease	25								2	5	6	7	5					
53	Leukemia	102	4	3		1	2	2	12	18	16	15	16	8	5				
54	Anemia, chlorosis	328	30	8	5	2	3	8	17	24	28	41	69	59	27	6	1		
55	Other general diseases	137	59	2	6	4	2	8	9	8	10	7	8	4	9	1			
56	Alcoholism (acute or chronic)	277							1	25	75	89	56	24	6	1			
57	Chronic lead poisoning	19							1	2	3	8	3	2					
58	Other chronic occupation poisonings	1									1								
59	Other chronic poisonings	20							1	1	1	4	5	4	3	1			
	II.—Diseases of the nervous system and of the organs of special sense	11,064	1,357	283	132	80	49	136	181	263	463	777	1,339	2,197	2,520	1,155	124	6	2
60	Encephalitis	115	21	9	5	5	2	12	11	7	6	8	9	10	8	2			
61	Meningitis (total)	707	249	107	64	42	19	49	49	36	25	23	21	17	4	2			
	Simple meningitis	576	213	85	51	33	15	33	32	31	22	22	19	15	4	1			
	Cerebrospinal meningitis (undefined)	109	32	21	10	7	3	12	12	5	2	1	2	1		1			
	Cerebrospinal fever	22	4	1	3	2	1	4	5		1			1					
62	Locomotor ataxia	190							1	3	9	36	64	42	31	4			
63	Other diseases of the spinal cord (total)	428	20	24	10	9	11	16	16	18	27	33	59	89	75	20	1		
	Acute anterior poliomyelitis	93	15	22	9	7	8	12	9	3	2	1	3		1	1			
	Other diseases of the spinal cord [1]	335	5	2	1	2	3	4	7	15	25	32	56	89	74	19	1		
64	Cerebral hemorrhage, apoplexy	6,108	69	17	6	3	3	13	14	40	147	370	894	1,623	1,897	900	105	5	2
65	Softening of the brain	128						1	1	1	5	8	12	29	40	30	1		
66	Paralysis without specified cause	810	3	2	2		1	2	3	3	27	29	89	206	300	130	12	1	
67	General paralysis of the insane	491							1	13	82	126	80	73	81	30	5		
68	Other forms of mental alienation	197			1				4	22	19	38	30	37	35	11			
69	Epilepsy	278	4	2	2	1	2	11	27	72	45	38	29	25	13	7			
70	Convulsions (nonpuerperal)	35						7	3	6	9	6	1	1	2				
71	Convulsions of infants	1,062	908	100	30	16	8												
72	Chorea	20	1	1	1			1	9		1	1	3	1		1			
73	Neuralgia and neuritis	50							2	5	5	8	12	8	7	3			
74	Other diseases of the nervous system	280	30	6	3	1	2	9	18	24	42	44	33	30	24	14			
75	Diseases of the eyes and their annexa	11	7							2				1	1				
76	Diseases of the ears	154	45	15	8	3	1	15	22	11	14	9	3	5	2	1			
	III.—Diseases of the circulatory system	12,989	256	22	16	30	24	158	416	479	796	1,149	1,827	2,979	3,143	1,514	174	4	2
77	Pericarditis	92	1	1		2	1	4	9	6	5	9	14	16	19	5			
78	Acute endocarditis	487	28	1	2	8	6	27	51	52	75	78	134	10	10	5			
79	Organic diseases of the heart	10,103	183	17	12	16	14	125	337	379	621	922	1,417	2,429	2,432	1,099	97	1	2
80	Angina pectoris	555	1		1	1		1	6	19	33	46	94	166	141	41	5		
81	Diseases of the arteries, atheroma, aneurism, etc	1,398	1				1		1	5	29	58	115	301	488	328	69	2	
82	Embolism and thrombosis	231	4				1		7	14	27	19	42	51	36	26	3	1	
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	45	1						1	2	4	13	8	4	8	4			
84	Diseases of the lymphatic system (lymphangitis, etc.)	34	17	2	1	3	1	1	3	1	1	3		1					
85	Hemorrhage; other diseases of the circulatory system	44	20	1					1	1	1	1	3	1	9	6			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed list No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PENNSYLVANIA—Continued.																		
	IV.—Diseases of the respiratory system	14,210	3,891	1,412	509	284	147	327	319	573	795	950	1,107	1,400	1,498	862	133	3	
86	Diseases of the nasal fossae	30	11	1	2			4		2					1	7	2		
87	Diseases of the larynx	169	39	26	29	16	7	18	7	5	6	3	1	2	7	2	1		
88	Diseases of the thyroid body	35			1			1	1	3	6	5	6	5	5	2			
89	Acute bronchitis	1,054	604	155	36	20	12	18	6	5	7	8	20	28	60	64	11		
90	Chronic bronchitis	613	24	3	1		1	11	5	14	17	26	60	118	171	133	28	1	
91	Bronchopneumonia	4,143	1,764	700	220	110	61	104	58	67	79	94	154	244	275	177	36		
92	Pneumonia (total)	6,819	1,275	505	195	120	60	149	209	419	567	673	690	801	767	352	36	1	
	Lobar pneumonia	3,246	314	178	76	38	24	64	112	270	369	435	423	444	350	132	17		
	Pneumonia (undefined)	3,573	961	327	119	82	36	85	97	149	198	238	267	357	417	220	19	1	
93	Pleurisy	334	21	7	16	10	3	12	20	29	44	39	39	39	33	16	6		
94	Pulmonary congestion, pulmonary apoplexy	468	130	12	7	4	3	8	5	12	24	18	29	48	82	75	10	1	
95	Gangrene of the lung	22	1			1				2		6	4	4	4				
96	Asthma	278	2	1	2	3		1	1	2	17	36	58	71	59	23	2		
97	Pulmonary emphysema	19	2						1		3	3	1	5	3		1		
98	Other diseases of the respiratory system (tuberculosis excepted)	226	18	2				1	6	13	25	39	45	35	31	11			
	V.—Diseases of the digestive system	15,168	7,612	1,567	278	133	95	205	294	436	557	704	879	993	939	421	52	3	
99	Diseases of the mouth and annexa	57	37	3	1		1	2	2	1		1	2	4	2		1		
100	Diseases of the pharynx	118	20	10	5	13	7	12	9	8	7	7	5	6	3	6			
101	Diseases of the esophagus	20	2		2					2			4	4	5	1			
102	Ulcer of the stomach	236	5			1		2	4	28	37	43	34	40	29	13			
103	Other diseases of the stomach (cancer excepted)	1,625	565	65	28	11	13	32	30	39	57	85	113	194	242	131	19	1	
104	Diarrhea and enteritis (under 2 years)	8,156	6,710	1,446															
105	Diarrhea and enteritis (2 years and over)	1,105			204	80	51	58	20	40	42	61	86	121	193	128	19	2	
106	Ankylostomiasis																		
107	Intestinal parasites	11	2	1	6		1		1										
108	Appendicitis and typhlitis	684	4	4	4	9	8	59	155	136	111	79	67	37	11				
109	Hernia, intestinal obstruction (total)	855	134	19	12	5	4	8	21	61	75	85	108	143	122	53	5		
	Hernia	281	30	4	2		1		2	16	22	34	44	63	39	23	1		
	Intestinal obstruction	574	104	15	10	5	3	8	19	45	53	51	64	80	83	30	4		
110	Other diseases of the intestines	216	62	6	3	1	2	5	3	20	14	18	17	22	26	13	4		
111	Acute yellow atrophy of the liver	44	4					2	2	8	6	3	7	6	5	1			
112	Hydatid tumor of the liver	1					1												
113	Cirrhosis of the liver	1,070	4	2	2	1	1	7	5	18	106	204	258	255	168	36	3		
114	Biliary calculi	208								5	23	37	56	45	35	7			
115	Other diseases of the liver	402	30	6	2	3	1	5	9	17	33	40	82	78	73	23			
116	Diseases of the spleen	14	1		1					2	1	1	3	3	2				
117	Simple peritonitis (nonpuerperal)	276	31	5	7	8	5	12	31	46	37	24	24	27	14	4	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	70	1		1	1		1	2	5	8	16	13	8	9	5			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	8,292	143	35	37	30	21	84	169	449	649	970	1,388	1,789	1,706	738	82	1	1
119	Acute nephritis	798	72	19	29	19	13	42	43	84	91	90	110	94	63	28	1		
120	Bright's disease	6,397	43	14	6	11	8	41	104	240	439	754	1,156	1,541	1,403	569	66	1	1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	147	14	2	1					8	18	10	24	22	28	18	2		
123	Calculi of the urinary passages	37			1				2	3	3	3	4	8	12	1			
124	Diseases of the bladder	210	4						2	2	5	5	18	34	84	52	4		
125	Diseases of the urethra, urinary abscess, etc	22	1					1		2	2	2	3	6	3	2			
126	Diseases of the prostate	253								1	2	3	16	59	101	63	8		
127	Nonvenereal diseases of the male genital organs	6	4												2				
128	Uterine hemorrhage (nonpuerperal)	6								2	2	1			1				
129	Uterine tumor (noncancerous)	97								4	14	39	22	10	5	2	1		
130	Other diseases of the uterus	66							4	21	9	15	14	2		1			
131	Cysts and other tumors of the ovary	84							2	8	14	23	19	13	4	1			
132	Salpingitis and other diseases of the female genital organs	163	1						12	74	49	25	2						
133	Nonpuerperal diseases of the breast (cancer excepted)	6	4								1					1			
	VII.—The puerperal state	1,296							98	553	526	119							
134	Accidents of pregnancy	97								41	51	5							
135	Puerperal hemorrhage	142							5	48	68	21							
136	Other accidents of labor	134							5	45	61	23							
137	Puerperal septicemia	573							46	261	227	39							
138	Puerperal albuminuria and convulsions	320							42	144	107	27							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	28								12	12	4							
140	Following childbirth (not otherwise defined)	2								2									
141	Puerperal diseases of the breast																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PENNSYLVANIA—Continued.																		
	VIII.—Diseases of the skin and of the cellular tissue	472	102	13	2		3	9	10	9	19	21	34	62	91	85	12		
142	Gangrene	261	11	2			1	3	1	5	6	6	18	44	83	73	8		
143	Furuncle	44	16					1	1	1	3	3	5	8	3	2	1		
144	Acute abscess	85	35	6	2		1	5	5	2	6	5	7	5	1	4	1		
145	Other diseases of the skin and annexa	82	40	5			1		3	1	4	7	4	5	4	6	2		
	IX.—Diseases of the bones and of the organs of locomotion	176	19	7	8	3	3	22	29	22	16	8	16	10	12	1			
146	Diseases of the bones (tuberculosis excepted)	155	18	7	8	3	3	21	28	18	14	7	11	7	10				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	16	1					1	1	4		1	3	3	2				
148	Amputations																		
149	Other diseases of the organs of locomotion	5									2		2			1			
	X.—Malformations	1,345	1,261	37	11	3	7	12	10	4									
150	Congenital malformations (stillbirths not included) (total)	1,345	1,261	37	11	3	7	12	10	4									
	Hydrocephalus	111	84	14	3	1	5	1	3										
	Congenital malformations of the heart	881	833	19	6	2	2	10	6	3									
	Other congenital malformations	353	344	4	2			1	1	1									
	XI.—Early infancy	6,946	6,946																
151	Congenital debility, icterus, and sclerema (total)	5,942	5,942																
	Premature birth	3,397	3,397																
	Congenital debility, "atrophy," "marasmus," etc.	2,545	2,545																
152	Other causes peculiar to early infancy (total)	979	979																
	Injuries at birth	552	552																
	Other causes peculiar to early infancy[1]	427	427																
153	Lack of care	25	25																
	XII.—Old age	1,407											10	85	420	704	181	7	
154	Senility	1,407											10	85	420	704	181	7	
	XIII.—External causes	9,351	308	251	203	172	114	356	830	1,756	1,649	1,307	939	634	479	280	59	1	13
	Suicide (total)	1,033							57	196	249	187	191	97	45	10	1		
155	By poison	311							28	78	86	54	41	19	5				
156	By asphyxia	107							3	15	25	21	26	11	4	2			
157	By hanging or strangulation	178							4	16	37	34	51	18	15	2	1		
158	By drowning	42							4	9	11	4	6	6	2				
159	By firearms	300							16	63	64	53	56	33	13	2			
160	By cutting or piercing instruments	68							1	12	17	17	8	7	3	3			
161	By jumping from high places	13								1	1	4	2	3	1	1			
162	By crushing	8							1	1	5		1						
163	Other suicides	6								1	3				2				
	Accidental or undefined (total)	7,971	290	251	202	171	113	353	756	1,447	1,295	1,067	720	532	432	270	58	1	13
164	Poisoning by food	34	8	4		2		2	2	5	1	2	6	1	1				
165	Other acute poisonings	172	17	37	20	7	12	8	7	15	15	16	10	6	1	1			
166	Conflagration	96	5	6	3	4	4	14	15	6	8	11	4	10	3	3			
167	Burns (conflagration excepted)	784	35	105	123	111	54	75	38	58	49	53	27	24	27	5			
168	Absorption of deleterious gases (conflagration excepted)	231	57	4	1			6	14	23	31	22	29	19	17	6	2		
169	Accidental drowning	666	9	28	9	8	11	54	157	146	80	67	50	24	10	3			10
170	Traumatism by firearms	138			4	2	4	15	52	23	15	10	6	5	1	1			
171	Traumatism by cutting or piercing instruments	16		1	1		1	2	3		3	1	2	1	1				
172	Traumatism by fall	1,287	19	29	12	6	3	33	52	89	93	123	159	185	233	200	49	1	1
173	Traumatism in mines and quarries (total)	1,393						3	133	458	389	271	105	29	5				
	Traumatism in mines	1,341						3	125	442	375	263	103	25	5				
	Traumatism in quarries	52							8	16	14	8	2	4					
174	Traumatism by machines	212		1				1	26	54	57	47	14	8	4				
175	Traumatism by other crushing (total)	1,998	6	9	14	23	17	112	186	446	422	333	213	132	69	11	3		2
	Railroad accidents and injuries	1,365	1	6	2	1	4	32	120	366	311	254	144	73	42	5	2		2
	Street-car accidents and injuries	228	1		6	9	4	37	14	31	39	32	21	22	8	3	1		
	Automobile accidents and injuries	142	2			5	4	25	19	19	24	15	14	9	6				
	Injuries by other vehicles	234	2	3	6	8	5	17	30	19	43	26	32	27	13	3			
	Landslide, other crushing	29						1	3	11	5	6	2	1					
176	Injuries by animals	45		1					5	6	7	7	6	9	3	1			
177	Starvation	11	3	1	1		1					1	1	2	1				
178	Excessive cold	10						1			1		2	4	1	1			
179	Effects of heat	433	107	18	5	2	2	1	4	27	44	47	49	47	42	34	4		
180	Lightning	40						3	12	5	7	9	4						
181	Electricity (lightning excepted)	70				1		2	13	27	16	7	3	1					
185	Fractures (cause not specified)	9								2		3	3		1				
186	Other external violence	326	24	7	9	5	4	21	37	57	57	37	27	25	12	4			

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PENNSYLVANIA—Continued.																		
	XIII.—External causes—Contd.																		
	Homicide (total)	347	18		1	1	1	3	17	113	105	53	28	5	2				
182	By firearms	180	2						10	64	53	30	18	3					
183	By cutting or piercing instruments	60						1	1	18	33	6	1						
184	By other means	107	16		1	1	1	2	6	31	19	17	9	2	2				
	XIV.—Ill-defined diseases	1,081	292	156	25	5	4	18	5	22	36	79	95	151	110	67	15	1	
187	Ill-defined organic disease	90	3		1					2	6	7	8	18	25	13	6	1	
188	Sudden death	95	28	4	2			4		4	9	7	6	12	13	5	1		
189	Not specified or ill-defined (total)	896	261	152	22	5	4	14	5	16	21	65	81	121	72	49	8		
	Ill-defined	748	172	149	21	5	4	10	5	14	19	55	76	112	62	38	6		
	Not specified or unknown	148	89	3	1			4		2	2	10	5	9	10	11	2		
	RHODE ISLAND.																		
	All causes	8,671	1,675	302	129	104	63	182	265	553	716	822	987	1,165	1,049	556	98	3	2
	I.—General diseases	2,291	189	87	58	65	34	81	120	263	326	311	291	241	164	56	4		1
1	Typhoid fever	53	1	1		1		2	12	11	12	6	3	3	1				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	6	2					1		1			1	1					
5	Smallpox																		
6	Measles	23	7	6	4		2	1				1		1	1				
7	Scarlet fever	58	2	3	7	7	6	15	9	5	3	1							
8	Whooping cough	121	67	31	6	11	2	3	1										
9	Diphtheria and croup	143	12	20	26	26	14	34	5	2	2		1			1			
10	Influenza	53	3			2			1		6	2	4	12	10	11	2		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	5	1			1		1				1			1				
14	Dysentery	26	4		2					5		3	2	4	3	3			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	16	5							1	1	2	2	1		4			
19	Other epidemic diseases	3				1	1			1									
20	Purulent infection and septicemia	17	2					2	1	1	3	2	3	3					
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	7	1					1	1	1	1	1			1				
25	Mycoses																		
26	Pellagra	7									1	1	3	2					
27	Beriberi																		
	Tuberculosis (total)	954	36	23	13	14	9	14	79	215	224	157	97	36	32	5			
28	Tuberculosis of the lungs	776	9	2	1	3		7	57	195	208	145	89	32	24	4			
29	Acute miliary tuberculosis	34	3	2	1		1	1	5	9	6	3	2		1				
30	Tuberculous meningitis	74	21	13	8	9	8	3	5	3		3			1				
31	Abdominal tuberculosis	34	2	4	1	1		1	4	4	6	4	2	3	1	1			
32	Pott's disease	13		1	1	1		2	3	2		1		1	1				
33	White swellings	5							1	1			2		1				
34	Tuberculosis of other organs	10	1	1					1		3		1		3				
35	Disseminated tuberculosis	8			1				3	1	1	1	1						
36	Rickets	7	6	1															
37	Syphilis	43	25	1					1	2	7	3	2	2					
38	Gonococcus infection	4	3										1						
	Cancer and other malignant tumors (total)	491	1			1			1	3	38	95	127	124	73	25	2		1
39	Of the buccal cavity	23										6	7	4	2	3	1		
40	Of the stomach, liver	171	1								8	28	47	52	28	7			
41	Of the peritoneum, intestines, rectum	65								2	3	11	15	21	11	1			1
42	Of the female genital organs	92									12	21	28	19	8	4			
43	Of the breast	54									8	17	13	9	6		1		
44	Of the skin	17										1	2	3	6	5			
45	Of other organs or of organs not specified	69				1			1	1	7	11	15	16	12	5			
46	Other tumors (tumors of the female genital organs excepted)	2	1										1						
47	Acute articular rheumatism	26						4	4	3	2	2	2	3	6				
48	Chronic rheumatism and gout	10								1			2	6	1				
49	Scurvy																		
50	Diabetes	120						1	4	4	7	16	23	31	30	4			
51	Exophthalmic goiter	2									1	1							
52	Addison's disease	3										1	2						
53	Leukemia	2						1						1					
54	Anemia, chlorosis	31	5	1					1	2	5	2	6	5	2	2			
55	Other general diseases	13	5			1		1		1		4		1					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	RHODE ISLAND—Continued.																		
	I.—General diseases—Continued.																		
56	Alcoholism (acute or chronic)	44								4	13	10	9	4	3	1			
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	1												1					
	II.—Diseases of the nervous system and of the organs of special sense	860	71	17	13	4	5	13	20	19	45	77	114	201	171	79	9	1	1
60	Encephalitis	7			1	1	2		2			1							
61	Meningitis (total)	73	30	10	5	1	2	6	6	2	5	3		2	1				
	Simple meningitis	46	20	7	3			2	3	2	3	3		2	1				
	Cerebrospinal meningitis (undefined)	24	10	3	2		1	3	3		2								
	Cerebrospinal fever	3				1	1	1											
62	Locomotor ataxia	15									1	4	7	1	2				
63	Other diseases of the spinal cord (total)	41	1	2	3	1		4	2		3	4	5	9	6				1
	Acute anterior poliomyelitis	14	1	2	3	1		4	2										1
	Other diseases of the spinal cord [1]	27									3	4	5	9	6				
64	Cerebral hemorrhage, apoplexy	530	1		1	1			1	9	14	42	73	166	142	72	7	1	
65	Softening of the brain	4											1	2			1		
66	Paralysis without specified cause	32	1										6	9	11	4	1		
67	General paralysis of the insane	56								1	13	14	13	8	6	1			
68	Other forms of mental alienation	7							1		1	1	3		1				
69	Epilepsy	15	1						4	2	2	2	2	1	1				
70	Convulsions (nonpuerperal)	2						1	1										
71	Convulsions of infants	40	35	3	2														
72	Chorea	1							1										
73	Neuralgia and neuritis	4										4							
74	Other diseases of the nervous system	26	1	1	1		1	2	1	5	4	2	2	3	1	2			
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	7	1	1					1		2		2						
	III.—Diseases of the circulatory system	1,182	16		1	3		11	24	32	70	103	185	274	272	160	30	1	
77	Pericarditis	11								2	1	2	1	1	2	2			
78	Acute endorcarditis	51	5			1		4	6	4	5	10	12	1	3				
79	Organic diseases of the heart	882	9		1			7	18	24	61	81	141	222	187	109	21	1	
80	Angina pectoris	36								1		2	6	14	5	7	1		
81	Diseases of the arteries, atheroma, aneurism, etc	171									1	3	16	32	71	40	8		
82	Embolism and thrombosis	24								1	2	4	8	4	3	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1													1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	4	2			2													
85	Hemorrhage; other diseases of the circulatory system	2										1	1						
	IV.—Diseases of the respiratory system	1,083	240	100	37	17	9	19	24	46	64	75	102	133	130	75	12		
86	Diseases of the nasal fossae	2	1		1														
87	Diseases of the larynx	10	2	4	1	3													
88	Diseases of the thyroid body	2							1			1							
89	Acute bronchitis	97	59	14	2		2		1			1		8	5	4	1		
90	Chronic bronchitis	57	1	1				3		4		5	7	15	8	11	2		
91	Bronchopneumonia	242	97	36	15	8	2	7	3	1	3	4	5	20	21	16	4		
92	Pneumonia (total)	607	77	44	16	6	5	9	14	37	54	56	81	81	85	40	2		
	Lobar pneumonia	245	19	11	6	3	2	4	5	18	37	26	39	32	33	10			
	Pneumonia (undefined)	362	58	33	10	3	3	5	9	19	17	30	42	49	52	30	2		
93	Pleurisy	15		1	1				4	3	2	1	1	1	1				
94	Pulmonary congestion, pulmonary apoplexy	24	3								2	4	2	3	3	4	3		
95	Gangrene of the lung																		
96	Asthma	14											6	4	4				
97	Pulmonary emphysema	3									1				2				
98	Other diseases of the respiratory system (tuberculosis excepted)	10			1				1	1	2	3		1	1				
	V.—Diseases of the digestive system	975	475	75	7	3	6	13	24	41	37	60	67	78	57	26	6		
99	Diseases of the mouth and annexa	2							1					1					
100	Diseases of the pharynx	6					2		1	1			1		1				
101	Diseases of the esophagus																		
102	Ulcer of the stomach	23			1				1	3	3	5	4	5	1				
103	Other diseases of the stomach (cancer excepted)	78	28	3			1	1		3	1	4	9	12	8	6	2		
104	Diarrhea and enteritis (under 2 years)	493	425	68															
105	Diarrhea and enteritis (2 years and over)	65			4	2	1	5	1	2	1	3	5	15	15	8	3		
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhlitis	73		1		1	2	2	12	18	12	16	4	4	1				

[1] Exclsiuve of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	RHODE ISLAND—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
109	Hernia, intestinal obstruction (total)	69	15		2			1	2	3	4	5	11	11	10	4	1		
	Hernia	29	3								2	2	6	6	8	2			
	Intestinal obstruction	40	12		2			1	2	3	2	3	5	5	2	2	1		
110	Other diseases of the intestines	15	4					1	1	2	1	3		2	1				
111	Acute yellow atrophy of the liver	3											2			1			
112	Hydatid tumor of the liver	1								1									
113	Cirrhosis of the liver	83		2					1	5	7	16	19	19	12	2			
114	Biliary calculi	17									3	2	3	4	4	1			
115	Other diseases of the liver	26	2							2	1	4	7	3	4	3			
116	Diseases of the spleen	1							1										
117	Simple peritonitis (nonpuerperal)	16	1	1				3	2	1	3	1	1	2		1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	4							1		1	1	1						
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	786	10	3	1	2	1	7	13	37	65	102	146	161	162	66	10		
119	Acute nephritis	53	3	1	1	2		2	4	7	8	5	12	4	4				
120	Bright's disease	640	4				1	5	9	28	45	82	123	143	141	52	7		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	15	2	2						1	1	3	1	2	2		1		
123	Calculi of the urinary passages	4	1								1	1		1					
124	Diseases of the bladder	12											2	2	4	4			
125	Diseases of the urethra, urinary abscess, etc	7									1	2	3		1				
126	Diseases of the prostate	29										1	2	6	9	9	2		
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)	1									1								
129	Uterine tumor (noncancerous)	3										1		1	1				
130	Other diseases of the uterus	4								1		2	1						
131	Cysts and other tumors of the ovary	9									2	3	1	2		1			
132	Salpingitis and other diseases of the female genital organs	9									6	2	1						
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	89							6	41	32	10							
134	Accidents of pregnancy	9								5	4								
135	Puerperal hemorrhage	12								5	7								
136	Other accidents of labor	4								2	1	1							
137	Puerperal septicemia	29							2	15	7	5							
138	Puerperal albuminuria and convulsions	33							4	13	12	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2								1	1								
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	19	3	1					1		1		2	5	4	2			
142	Gangrene	6												3	2	1			
143	Furuncle	1												1					
144	Acute abscess	8	3	1					1		1		2						
145	Other diseases of the skin and annexa	4												1	2	1			
	IX.—Diseases of the bones and of the organs of locomotion	17	1					4	2		4		2	1	1	2			
146	Diseases of the bones (tuberculosis excepted)	10	1					2	2		2		1	1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)	5						1			2		1			1			
148	Amputations																		
149	Other diseases of the organs of locomotion	2						1								1			
	X.—Malformations	89	85	2	1	1													
150	Congenital malformations (stillbirths not included) (total)	89	85	2	1	1													
	Hydrocephalus	7	5	2															
	Congenital malformations of the heart	50	49		1														
	Other congenital malformations	32	31			1													
	XI.—Early infancy	546	546																
151	Congenital debility, icterus, and sclerema (total)	410	410																
	Premature birth	227	227																
	Congenital debility, "atrophy," "marasmus," etc	183	183																

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	RHODE ISLAND—Continued.																		
	XI.—Early infancy—Continued.																		
152	Other causes peculiar to early infancy (total)	132	132																
	Injuries at birth	101	101																
	Other causes peculiar to early infancy [1]	31	31																
153	Lack of care	4	4																
	XII.—Old age	133											2	4	42	66	19		
154	Senility	133											2	4	42	66	19		
	XIII.—External causes	542	20	12	9	8	8	32	31	73	70	78	69	60	42	23	7		
	Suicide (total)	65							3	11	9	16	15	7	3	1			
155	By poison	7							1	3	1		1	1					
156	By asphyxia	18								1	5	5	3	3	1				
157	By hanging or strangulation	9									1	3	4		1				
158	By drowning	8								1		2	2	2	1				
159	By firearms	18							2	6	1	4	3	1		1			
160	By cutting or piercing instruments	5									1	2	2						
161	By jumping from high places																		
162	By crushing																		
163	Other suicides																		
	Accidental or undefined (total)	457	19	12	9	7	7	32	27	55	56	58	54	53	39	22	7		
164	Poisoning by food	2				1					1								
165	Other acute poisonings	11	2	2						2	2	1	2						
166	Conflagration	11		2		1			1	1	1	1	2	1	1				
167	Burns (conflagration excepted)	51	3	3	6	4	1	6	2	1	5	5	5	5	3	1	1		
168	Absorption of deleterious gases (conflagration excepted)	37	3					3		4	8	3	7	3	5		1		
169	Accidental drowning	62		1			1	11	8	12	11	8	5	4		1			
170	Traumatism by firearms	4						1	1	1			1						
171	Traumatism by cutting or piercing instruments	1						1											
172	Traumatism by fall	98	2	2			1	3	2	7	7	7	9	18	22	14	4		
173	Traumatism in mines and quarries (total)	5								1	2	1	1						
	Traumatism in mines	5								1	2	1	1						
	Traumatism in quarries																		
174	Traumatism by machines	8							3	2		1	1	1					
175	Traumatism by other crushing (total)	95			2	1	4	7	10	20	7	20	11	11	1		1		
	Railroad accidents and injuries	26							3	6	1	9	4	3					
	Street-car accidents and injuries	28			2	1	1	2	2	5	4	5	3	3					
	Automobile accidents and injuries	25					2	3	4	4	2	3	3	4					
	Injuries by other vehicles	16					1	2	1	5		3	1	1	1		1		
	Landslide, other crushing																		
176	Injuries by animals																		
177	Starvation																		
178	Excessive cold																		
179	Effects of heat	59	9	1	1					3	8	7	9	10	5	6			
180	Lightning	1										1							
181	Electricity (lightning excepted)																		
185	Fractures (cause not specified)	1									1								
186	Other external violence	11		1						1	3	3	1		2				
	Homicide (total)	20	1			1	1		1	7	5	4							
182	By firearms	9							1	3	3	2							
183	By cutting or piercing instruments	4								2	1	1							
184	By other means	7	1			1	1			2	1	1							
	XIV.—Ill-defined diseases	59	19	5	2	1		2		1	2	6	7	7	4	1	1	1	
187	Ill-defined organic disease	1													1				
188	Sudden death	7	3					1			1	1		1					
189	Not specified or ill-defined (total)	51	16	5	2	1		1		1	1	5	7	6	3	1	1	1	
	Ill-defined	31	8	5	2			1				2	4	4	3	1	1		
	Not specified or unknown	20	8			1				1	1	3	3	2				1	
	UTAH.																		
	All causes	3,960	822	147	86	57	42	132	208	345	336	334	340	361	455	248	38	1	8
	I.—General diseases	902	64	41	34	38	24	73	71	92	93	81	98	99	64	22	4	1	3
1	Typhoid fever	74		1	3		3	5	16	29	7	5	2	3					
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria																		
5	Smallpox	9	3		1			3	2										

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	UTAH—Continued.																		
	I.—General diseases—Continued.																		
6	Measles	42	8	13	7	5	3	5	1										
7	Scarlet fever	56	2	5	6	12	4	17	8	2									
8	Whooping cough	26	14	5	4	2		1											
9	Diphtheria and croup	85	3	11	9	12	10	25	12	1	1	1							
10	Influenza	25	5	2	1			1	1	1	1	3	1	3	2	3	1		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	3	1	1				1											
14	Dysentery	11	4				1						2	1	2	1			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	12	5			2				2		1			2				
19	Other epidemic diseases	1	1																
20	Purulent infection and septicemia	19	3					3	1	3	1	2	2	1	1	1			1
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	2	1								1								
25	Mycoses																		
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	180	2		2	3	2	3	9	36	52	25	23	16	6	1			
28	Tuberculosis of the lungs	132				1			3	25	48	21	15	13	5	1			
29	Acute miliary tuberculosis	14				1		1	2	2	3	3	2						
30	Tuberculous meningitis	6	1		2	1			1	1									
31	Abdominal tuberculosis	12						1	1	4			3	2	1				
32	Pott's disease	10	1				1		1	3			3	1					
33	White swellings	1					1												
34	Tuberculosis of other organs	4						1	1	1	1								
35	Disseminated tuberculosis	1										1							
36	Rickets	3	1	2															
37	Syphilis	12	5						1	3	2		1						
38	Gonococcus infection	2							1				1						
	Cancer and other malignant tumors (total)	200				1		1		4	16	31	43	48	41	12	3		
39	Of the buccal cavity	11								1	1	2	4	2	1				
40	Of the stomach, liver	94									5	12	17	28	24	8			
41	Of the peritoneum, intestines, rectum	18									1	1	5	6	5				
42	Of the female genital organs	25									2	9	7	4	3				
43	Of the breast	14								2	3	2	4	3					
44	Of the skin	8												1	3	3	1		
45	Of other organs or of organs not specified	30				1		1		1	4	5	6	4	5	1	2		
46	Other tumors (tumors of the female genital organs excepted)	2	1											1					
47	Acute articular rheumatism	35		1				6	12	3	1	1	2	5	3	1			
48	Chronic rheumatism and gout	5									1		2	1		1			
49	Scurvy																		
50	Diabetes	43			1	1	1	2	4	2	3	4	10	6	7	1		1	
51	Exophthalmic goiter	5									2	2		1					
52	Addison's disease	1												1					
53	Leukemia	4							1	2			1						
54	Anemia, chlorosis	13	1							1	1	2	2	6					
55	Other general diseases	9	4						2	1	1	1							
56	Alcoholism (acute or chronic)	20								2	3	3	4	5		1			2
57	Chronic lead poisoning																		
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	3											2	1					
	II.—Diseases of the nervous system and of the organs of special sense	313	42	5	8	2	2	3	11	19	20	35	39	34	62	30			1
60	Encephalitis	5	2							1			1	1					
61	Meningitis (total)	39	12	5	5		2	1	3	4	2	3	1	1					
	Simple meningitis	23	6	5	3		1		2	2		3		1					
	Cerebrospinal meningitis (undefined)	11	5		2		1			2	1								
	Cerebrospinal fever	5	1					1	1		1		1						
62	Locomotor ataxia	2								1		1							
63	Other diseases of the spinal cord (total)	16	2			1				1	1	1	6	1	3				
	Acute anterior poliomyelitis	3	2			1													
	Other diseases of the spinal cord [1]	13								1	1	1	6	1	3				
64	Cerebral hemorrhage, apoplexy	144	5						1	1	10	20	19	18	42	27			1
65	Softening of the brain																		
66	Paralysis without specified cause	24										5	1	8	7	3			
67	General paralysis of the insane	12								1	1	3	1	2	4				
68	Other forms of mental alienation	10								1	1	1	1	2	4				

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	UTAH—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense—Continued.																		
69	Epilepsy	11						1	3	1	3		3						
70	Convulsions (nonpuerperal)	2											1		1				
71	Convulsions of infants	19	19																
72	Chorea	3							1	1			1						
73	Neuralgia and neuritis	3								1			1	1					
74	Other diseases of the nervous system	13	1		1				2	3	2	1	2		1				
75	Diseases of the eyes and their annexa	1				1													
76	Diseases of the ears	9	1		2			1	1	3			1						
	III.—Diseases of the circulatory system	396	6	2	1	1	3	19	30	33	33	40	50	62	87	27	2		
77	Pericarditis																		
78	Acute endocarditis	22		1			2	6	4	2	2	1	2	1		1			
79	Organic diseases of the heart	319	4	1	1	1	1	13	26	28	29	34	41	51	71	17	1		
80	Angina pectoris	21								1	1	3	3	5	4	4			
81	Diseases of the arteries, atheroma, aneurism, etc	25									1	1	2	5	10	5	1		
82	Embolism and thrombosis	3											2		1				
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	1													1				
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	2							1									
85	Hemorrhage; other diseases of the circulatory system	2								1		1							
	IV.—Diseases of the respiratory system	561	175	39	18	8	2	10	12	24	29	44	35	53	80	27	5		
86	Diseases of the nasal fossae	2	1					1											
87	Diseases of the larynx	8	4	1		2		1											
88	Diseases of the thyroid body	1							1										
89	Acute bronchitis	50	36	5	3		1							1		2	2		
90	Chronic bronchitis	21			1						1	2	2	1	8	6			
91	Bronchopneumonia	107	53	17	2	3			1	2	2		3	2	18	3	1		
92	Pneumonia (total)	319	80	14	10	3	1	8	9	18	20	31	23	46	46	10			
	Lobar pneumonia	118	13	5	3	1		1	4	9	10	18	10	27	14	3			
	Pneumonia (undefined)	201	67	9	7	2	1	7	5	9	10	13	13	19	32	7			
93	Pleurisy	20		2	2				1	2	1	4	3	1	3	1			
94	Pulmonary congestion, pulmonary apoplexy	6														4	2		
95	Gangrene of the lung	1													1				
96	Asthma	7											1	1	4	1			
97	Pulmonary emphysema	1									1								
98	Other diseases of the respiratory system (tuberculosis excepted)	18	1							2	4	7	3	1					
	V.—Diseases of the digestive system	416	148	39	9	4	3	12	27	27	25	23	32	24	26	16	1		
99	Diseases of the mouth and annexa	2	1										1						
100	Diseases of the pharynx	6	2		1			1			2								
101	Diseases of the esophagus																		
102	Ulcer of the stomach	11								2	2	1	4	1	1				
103	Other diseases of the stomach (cancer excepted)	33	13		1			1	1	1		3		2	8	3			
104	Diarrhea and enteritis (under 2 years)	144	110	34															
105	Diarrhea and enteritis (2 years and over)	26			3	1	2	4	2	1	1	1	3	1	2	5			
106	Ankylostomiasis																		
107	Intestinal parasite																		
108	Appendicitis and typhlitis	63			2	1		5	15	12	14	6	4	1	2	1			
109	Hernia, intestinal obstruction (total)	53	13	4	1	1	1	1	4	3	1	2	5	6	8	2	1		
	Hernia	8								1			1	3	3				
	Intestinal obstruction	45	13	4	1	1	1	1	4	2	1	2	4	3	5	2	1		
110	Other diseases of the intestines	8	4	1							1			1		1			
111	Acute yellow atrophy of the liver																		
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	21									1	5	7	6	2				
114	Biliary calculi	6										2	1	2		1			
115	Other diseases of the liver	19	3			1				1	1	1	5	2	3	2			
116	Diseases of the spleen	1												1					
117	Simple peritonitis (nonpuperal)	21	2		1				4	7	1	2	2	1		1			
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	2							1		1								
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	290	8	5	5	1		2	10	19	26	33	46	54	57	22	2		
119	Acute nephritis	26	2	3	2	1		1	3		2	3	2	4	3				
120	Bright's disease	204	2	2	3			1	2	12	18	24	35	44	43	17	1		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	6	2						1					1	2				
123	Calculi of the urinary passages	3							1		1		1						

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	UTAH—Continued.																		
	VI.—Nonvenereal diseases of the genito-urinary systems and annexa—Continued.																		
124	Diseases of the bladder	11	1											1	3	5	1		
125	Diseases of the uretha, urinary abscess, etc	2	1										1						
126	Disease of the prostate	12											2	4	6				
127	Nonvenereal diseases of the male genital organs	1								1									
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	11								2	1	3	5						
130	Other diseases of the uterus	9							3		3	3							
131	Cysts and other tumors of the ovary																		
132	Salpingitis and other diseases of the female genital organs	5								4	1								
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	60							2	27	22	8	1						
134	Accidents of pregnancy	6								2	3	1							
135	Puerperal hemorrhage	3								2		1							
136	Other accidents of labor	10								4	5	1							
137	Puerperal septicemia	20							1	9	7	2	1						
138	Puerperal albuminuria and convulsions	14								5	6	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	6							1	4	1								
140	Following childbirth (not otherwise defined)	1								1									
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	11	1									2	1	4	1	1	1		
142	Gangrene	8										2		3	1	1	1		
143	Furuncle	1												1					
144	Acute abscess	1											1						
145	Other diseases of the skin and annexa	1	1																
	IX.—Diseases of the bones and of the organs of locomotion	8			1				2		2		3						
146	Diseases of the bones (tuberculosis excepted)	8			1				2		2		3						
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	54	51	1			1		1										
150	Congenital malformations (stillbirths not included) (total)	54	51	1			1		1										
	Hydrocephalus	1					1												
	Congenital malformations of the heart	37	36						1										
	Other congenital malformations	16	15	1															
	XI.—Early infancy	298	298																
151	Congenital debility, icterus, and sclerema (total)	244	244																
	Premature birth	193	193																
	Congenital debility, "atrophy," "marasmus," etc	51	51																
152	Other causes peculiar to early infancy (total)	52	52																
	Injuries at birth	28	28																
	Other causes peculiar to early infancy [1]	24	24																
153	Lack of care	2	2																
	XII.—Old age	183												7	60	93	23		
154	Senility	183												7	60	93	23		
	XIII.—External causes	400	11	11	10	3	7	13	41	100	80	63	29	16	9	5			2
	Suicide (total)	70							6	20	12	15	10	5	2				
155	By poison	21							4	4	1	5	4	2	1				
156	By asphyxia	3								3									
157	By hanging or strangulation	7								2	1		2	2					
158	By drowning	1										1							
159	By firearms	33							2	11	9	7	3		1				
160	By cutting or piercing instruments	3									1	1		1					
161	By jumping from high places	2										1	1						
162	By crushing																		
163	Other suicides																		
	Accidental or undefined (total)	303	11	10	10	3	7	13	34	75	60	38	19	10	7	5			1
164	Poisoning by food	2					1					1							
165	Other acute poisonings	8	1	3	1				1	1		1							
166	Conflagration																		
167	Burns (conflagration excepted)	16	1	2	4	1	3		1	2			2						

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	UTAH—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
168	Absorption of deleterious gases (conflagration excepted)	6	4							2									
169	Accidental drowning	29		5	1		1	3	7	5	1	3	2		1				
170	Traumatism by firearms	17	2			1		2	6	5	1								
171	Traumatism by cutting or piercing instruments																		
172	Traumatism by fall	33	2				1	3	3	4	4	5	2	2	4	3			
173	Traumatism in mines and quarries (total)	56							2	22	16	13	2	1					
	Traumatism in mines	55							2	22	16	12	2	1					
	Traumatism in quarries	1										1							
174	Traumatism by machines	4									2	1		1					
175	Traumatism by other crushing (total)	96			3		1	2	9	25	27	11	9	5	2	2			
	Railroad accidents and injuries	52			3				2	15	17	9	3	1	1	1			
	Street-car accidents and injuries	7							2		3	1	1						
	Automobile accidents and injuries	9								5			1	1	1	1			
	Injuries by other vehicles	21					1	1	4	3	5	1	4	2					
	Landslide, other crushing	7						1	1	2	2			1					
176	Injuries by animals	4						1	2	1									
177	Starvation																		
178	Excessive cold	2												1					1
179	Effects of heat	1									1								
180	Lightning	1								1									
181	Electricity (lightning excepted)	7						1	1	2	3								
185	Fractures (cause not specified)	2								1			1						
186	Other external violence	19	1		1	1		1	2	4	5	3	1						
	Homicide (total)[1]	27		1					1	5	8	10		1					1
182	By firearms	20								4	5	9		1					1
183	By cutting or piercing instruments	2									2								
184	By other means	5		1					1	1	1	1							
	XIV.—Ill-defined diseases	68	18	4					1	4	6	5	6	8	9	5			2
187	Ill-defined organic disease	2										1			1				
188	Sudden death	1													1				
189	Not specified or ill-defined (total)	65	18	4					1	4	6	4	6	8	7	5			2
	Ill-defined	45	7	3					1	4	5	4	6	7	3	4			1
	Not specified or unknown	20	11	1							1			1	4	1			1
	VERMONT.																		
	All causes	5,661	741	113	36	36	30	79	169	286	324	405	593	901	1,122	690	130	5	1
	I.—General diseases	1,334	59	34	13	17	14	26	65	140	126	138	186	207	197	98	13	1	
1	Typhoid fever	44		1				4	8	12	5	4	3	3	4				
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	5										1	3		1				
5	Smallpox																		
6	Measles	38	7	13	1	1	2	3		2		4		3	1	1			
7	Scarlet fever	5	1	1		1		1		1									
8	Whooping cough	27	18	4		1	2	1	1										
9	Diphtheria and croup	24		2	5	4	5	3	3	2									
10	Influenza	157	8	1	1	1		1	4	3	3	11	13	20	46	39	6		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	1														1			
14	Dysentery	12	1			2	1			1	1		1	2	1	1	1		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	13	1								1	3	4		3	1			
19	Other epidemic diseases	1			1														
20	Purulent infection and septicemia	11	1	1						1		1	2	1	1	3			
21	Glanders																		
22	Anthrax	1															1		
23	Rabies																		
24	Tetanus	6		2				1	2	1									
25	Mycoses																		
26	Pellagra																		
27	Beriberi																		
	Tuberculosis (total)	424	11	4	3	5	3	4	36	98	75	63	53	42	23	4			
28	Tuberculosis of the lungs	330	2			1		3	24	85	63	50	43	38	18	3			
29	Acute miliary tuberculosis	17							5	2	2	4	2	2					
30	Tuberculous meningitis	31	7	4	2	4	3		2	2	1		4	1	1				
31	Abdominal tuberculosis	18	2						1	5	3	2	3		2				
32	Pott's disease	5									1	2	1		1				
33	White swellings	5							1	1	1	1				1			
34	Tuberculosis of other organs	7						1	2		1	2			1				
35	Disseminated tuberculosis	11			1				1	3	3	2		1					

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VERMONT—Continued.																		
	I.—General diseases—Continued.																		
36	Rickets	4	2			1							1						
37	Syphilis	12	3	2							2	1	2	1	1				
38	Gonococcus infection	2								1	1								
	Cancer and other malignant tumors (total)	361			1			2		4	19	30	76	99	90	34	5	1	
39	Of the buccal cavity	20										1	2	7	6	3	1		
40	Of the stomach, liver	130									5	10	27	37	34	15	2		
41	Of the peritoneum, intestines, rectum	47						1		1	2	1	13	14	11	4			
42	Of the female genital organs	54								2	4	12	14	13	8	1			
43	Of the breast	38									4	4	5	6	15	3		1	
44	Of the skin	15									1		2	2	5	4	1		
45	Of other organs or of organs not specified	57			1			1		1	3	2	13	20	11	4	1		
46	Other tumors (tumors of the female genital organs excepted)	5	1									2			1	1			
47	Acute articular rheumatism	23		2					3	2	2	1	3	5	2	3			
48	Chronic rheumatism and gout	3								1		1			1				
49	Scurvy	1	1																
50	Diabetes	72					1	3	4	6	7	5	10	16	12	8			
51	Exophthalmic goiter	9								1	1		1	4	1	1			
52	Addison's disease	1											1						
53	Leukemia	8						1	1		1	1	1	1	2				
54	Anemia, chlorosis	34	1	1					3	3	3	5	7	5	6				
55	Other general diseases	9	3		1	1		2		1		1							
56	Alcoholism (acute or chronic)	17									4	4	5	3	1				
57	Chronic lead poisoning	1									1								
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	3												2		1			
	II.—Diseases of the nervous system and of the organs of special sense	690	35	8	1	1	4	10	10	12	11	39	84	154	207	99	15		
60	Encephalitis	3					1					1		1					
61	Meningitis (total)	30	11	3	1		2	2	2		1	1	4	1	2				
	Simple meningitis	20	7	1			1	1	2			1	4	1	2				
	Cerebrospinal meningitis (undefined)	10	4	2	1		1	1			1								
	Cerebrospinal fever																		
62	Locomotor ataxia	9										2	3	3	1				
63	Other diseases of the spinal cord (total)	46	1	1		1		4	3	1	1	3	5	12	10	3	1		
	Acute anterior poliomyelitis	11	1	1		1		4	3						1				
	Other diseases of the spinal cord [1]	35								1	1	3	5	12	9	3	1		
64	Cerebral hemorrhage, apoplexy	462	2	1					1	4	3	17	55	114	166	87	12		
65	Softening of the brain	12											3	4	3	2			
66	Paralysis without specified cause	23	2								1	2	3	4	9	2			
67	General paralysis of the insane	22								1	1	3	2	8	5	2			
68	Other forms of mental alienation	20								1	1	3	4	5	4	2			
69	Epilepsy	20	2	1				2	3	3	1	4	1	1	1		1		
70	Convulsions (nonpuerperal)																		
71	Convulsions of infants	16	14	2															
72	Chorea	1															1		
73	Neuralgia and neuritis	6											1		4	1			
74	Other diseases of the nervous system	11	1				1		1	1	1	2	3		1				
75	Diseases of the eyes and their annexa	1						1											
76	Diseases of the ears	8	2					1		1	1	1		1	1				
	III.—Diseases of the circulatory system	1,035	6	1		1		4	6	13	33	59	113	253	323	197	25	1	
77	Pericarditis	7											1		4	2			
78	Acute endocarditis	16	1					1	1		1	4	6	1	1				
79	Organic diseases of the heart	757	5					3	4	12	28	40	79	191	248	133	13	1	
80	Angina pectoris	75									4	7	15	27	16	6			
81	Diseases of the arteries, atheroma, aneurism, etc	160										4	10	27	53	54	12		
82	Embolism and thrombosis	17		1					1	1		4	1	7	1	1			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)																		
84	Diseases of the lymphatic system (lymphangitis, etc.)	1														1			
85	Hemorrhage; other diseases of the circulatory system	2				1							1						
	IV.—Diseases of the respiratory system	609	85	23	8	5	4	10	14	19	28	43	58	89	124	85	13	1	
86	Diseases of the nasal fossae																		
87	Diseases of the larynx																		
88	Diseases of the thyroid body	1													1				
89	Acute bronchitis	62	26	3	1	1				1			2	9	8	8	2	1	
90	Chronic bronchitis	41							1			1	4	6	13	12	4		

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VERMONT—Continued.																		
	IV.—Diseases of the respiratory system—Continued.																		
91	Bronchopneumonia	112	28	11	4	1	1	5			2	1	5	17	18	17	2		
92	Pneumonia (total)	349	28	8	2	3	3	4	11	15	25	36	43	49	73	44	5		
	Lobar pneumonia	89	5	2	1			2	1	7	10	13	13	13	14	8			
	Pneumonia (undefined)	260	23	6	1	3	3	2	10	8	15	23	30	36	59	36	5		
93	Pleurisy	11						1	1	2	1	1	2	1	1	1			
94	Pulmonary congestion, pulmonary apoplexy	9	2							1		2			3	1			
95	Gangrene of the lung	1													1				
96	Asthma	10	1		1							1	1	2	2	2			
97	Pulmonary emphysema	2												1	1				
98	Other diseases of the respiratory system (tuberculosis excepted)	11		1					1			1	1	4	3				
	V.—Diseases of the digestive system	588	223	32	6	6	4	14	24	18	21	38	40	54	67	35	6		
99	Diseases of the mouth and annexa																		
100	Diseases of the pharynx	3						1		1	1								
101	Diseases of the esophagus	1											1						
102	Ulcer of the stomach	17								1	1	4	3	4	3	1			
103	Other diseases of the stomach (cancer excepted)	61	23		1		1	2			1	2	3	5	11	10	2		
104	Diarrhea and enteritis (under 2 years)	221	192	29															
105	Diarrhea and enteritis (2 years and over)	59			4	4	2	4	1	1	3	5	3	9	13	7	3		
106	Ankylostomiasis																		
107	Intestinal parasites																		
108	Appendicitis and typhitis	69		1		1	1	5	21	10	8	9	9	1	1	2			
109	Hernia, intestinal obstruction (total)	51	5	1	1			1		2	3	1	5	11	16	5			
	Hernia	19	1								1		3	6	7	1			
	Intestinal obstruction	32	4	1	1			1		2	2	1	2	5	9	4			
110	Other diseases of the intestines	17	2					1			2	2	1	5	2	2			
111	Acute yellow atrophy of the liver	3											2	1					
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	41		1		1				2	1	5	5	9	14	3			
114	Biliary calculi	14										4	5	3	2				
115	Other diseases of the liver	20										4	3	4	3	5	1		
116	Diseases of the spleen																		
117	Simple peritonitis (nonpuerperal)	11	1						2	1	1	2		2	2				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)																		
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	444	5	1			1	3	7	10	26	35	62	103	121	59	11		
119	Acute nephritis	30	3					1	2		3	5	2	6	5	3			
120	Bright's disease	348	1				1	2	4	4	13	24	57	89	98	45	10		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	6								1			1	1	2	1			
123	Calculi of the urinary passages	1												1					
124	Diseases of the bladder	15									2	1		1	6	4	1		
125	Diseases of the uretha, urinary abscess, etc.	2		1												1			
126	Diseases of the prostate	18												4	10	4			
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)	1									1								
129	Uterine tumor (noncancerous)	4									1	1	1			1			
130	Other diseases of the uterus	4								2	2								
131	Cysts and other tumors of the ovary	6							1		1	3		1					
132	Salpingitis and other diseases of the female genital organs	9	1							3	3	1	1						
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	49							4	21	19	5							
134	Accidents of pregnancy	7								5	1	1							
135	Puerperal hemorrhage	3									1	2							
136	Other accidents of labor	4								2	2								
137	Puerperal septicemia	16							2	9	5								
138	Puerperal albuminuria and convulsions	16							2	4	8	2							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	2								1	1								
140	Following childbirth (not otherwise defined)	1									1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	17	1							2		1		3	4	1	5		
142	Gangrene	13										1		2	4	1	5		
143	Furuncle	1								1									
144	Acute abscess																		
145	Other diseases of the skin and annexa	3	1							1				1					

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VERMONT—Continued.																		
	IX.—Diseases of the bones and of the organs of locomotion	12		1		1		2			2	1	3	1		1			
146	Diseases of the bones (tuberculosis excepted)	8		1		1		2			1		2	1					
147	Diseases of the joints (tuberculosis and rheumatism excepted)	3									1		1			1			
148	Amputations	1										1							
149	Other diseases of the organs of locomotion																		
	X.—Malformations	56	49	3	1				3										
150	Congenital malformations (stillbirths not included) (total)	56	49	3	1				3										
	Hydrocephalus	2	2																
	Congenital malformations of the heart	36	30	2	1				3										
	Other congenital malformations	18	17	1															
	XI.—Early infancy	262	262																
151	Congenital debility, icterus, and sclerema (total)	222	222																
	Premature birth	174	174																
	Congenital debility, "atrophy," "marasmus," etc	48	48																
152	Other causes peculiar to early infancy (total)	39	39																
	Injuries at birth	30	30																
	Other causes peculiar to early infancy [1]	9	9																
153	Lack of care	1	1																
	XII.—Old age	164												5	45	78	34	2	
154	Senility	164												5	45	78	34	2	
	XIII.—External causes	379	7	9	7	5	3	10	36	51	57	44	46	30	30	36	8		
	Suicide (total)	72							5	11	15	15	11	8	4	3			
155	By poison	19								3	5	3	5	2		1			
156	By asphyxia	3							1				1	1					
157	By hanging or strangulation	19								4	5	1	3	3	1	2			
158	By drowning	7							1		1	2		1	2				
159	By firearms	19							3	4	3	6	2	1					
160	By cutting or piercing instruments	5									1	3			1				
161	By jumping from high places																		
162	By crushing																		
163	Other suicides																		
	Accidental or undefined (total)	288	7	9	7	5	3	9	28	34	38	29	30	22	26	33	8		
164	Poisoning by food	4			1						2		1						
165	Other acute poisonings	10		1	2	2	1		1		1		2						
166	Conflagration	2				1							1						
167	Burns (conflagration excepted)	21		2	1	1	1		3	2	1	3	1	2		4			
168	Absorption of deleterious gases (conflagration excepted)	7	3		1						1	1	1						
169	Accidental drowning	36		2	1		1	4	12	6	3	2	3	2					
170	Traumatism by firearms	12							7	3	1	1							
171	Traumatism by cutting or piercing instruments	1				1													
172	Traumatism by fall	74	1	1				3	1		3	3	5	7	18	26	6		
173	Traumatism in mines and quarries (total)	9								3	2	3	1						
	Traumatism in mines																		
	Traumatism in quarries	9								3	2	3	1						
174	Traumatism by machines	12								3	1	3	3	2					
175	Traumatism by other crushing (total)	58		1				1	2	14	18	7	6	6	2	1			
	Railroad accidents and injuries	32						1		11	11	3	2	3		1			
	Street-car accidents and injuries	2							2										
	Automobile accidents and injuries	5									2	1			2				
	Injuries by other vehicles	16		1						2	4	3	4	2					
	Landslide, other crushing	3								1	1			1					
176	Injuries by animals	5							1			1	1	1			1		
177	Starvation	2	2																
178	Excessive cold	2								1					1				
179	Effects of heat	15		1								3	4	1	3	2	1		
180	Lightning	2								1			1						
181	Electricity (lightning excepted)	4						1		1	2								
185	Fractures (cause not specified)																		
186	Other external violence	12	1	1	1				1		3	2		1	2				
	Homicide (total)	19						1	3	6	4		5						
182	By firearms	13							3	6	2		2						
183	By cutting or piercing instruments	1											1						
184	By other means	5						1			2		2						

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	VERMONT—Continued.																		
	XIV.—Ill-defined diseases	22	9	1							1	2	1	2	4	1			1
187	Ill-defined organic disease	1												1					
188	Sudden death	1													1				
189	Not specified or ill-defined (total)	20	9	1							1	2	1	1	3	1			1
	Ill-defined	7	3	1							1				1	1			
	Not specified or unknown	13	6									2	1	1	2				1
	WASHINGTON.																		
	All causes	10,845	1,531	273	171	116	81	256	590	1,186	1,154	1,179	1,246	1,212	1,180	540	62	9	59
	I.—General diseases	2,992	154	88	60	57	34	121	262	497	416	387	349	309	177	62	6		13
1	Typhoid fever	223	2	4	3	4	3	9	37	62	54	23	11	6	1	1			3
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	3									1		1	1					
5	Smallpox	3	1		1						1								
6	Measles	68	18	17	8	5	2	9	3	2	4								
7	Scarlet fever	56	3	5	10	11	4	10	11		2								
8	Whooping cough	70	37	18	3	6	2	4											
9	Diphtheria and croup	104	10	12	7	7	8	32	21	6				1					
10	Influenza	110	7	2	4	3	1	2	6	8	5	5	8	17	23	17	2		
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	1														1			
14	Dysentery	15	3	1	2	1		1						1	2	4			
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	31	10	2						5		2	2	5	3	1	1		
19	Other epidemic diseases	1							1										
20	Purulent infection and septicemia	37	2	1	1		1	3	4	4	3	6	5	5	2				
21	Glanders																		
22	Anthrax																		
23	Rabies																		
24	Tetanus	3								2			1						
25	Mycoses																		
26	Pellagra																		
27	Beriberi	1									1								
	Tuberculosis (total)	1,299	34	21	16	16	10	33	149	358	263	184	103	73	26	6	1		6
28	Tuberculosis of the lungs	1,004	7	5	2	4	1	9	108	306	227	158	91	57	19	3	1		6
29	Acute miliary tuberculosis	23	1					1	2	9	3	5		2					
30	Tuberculous meningitis	122	23	12	11	11	5	15	24	9	5	5	1	1					
31	Abdominal tuberculosis	76	1	3	2		2	5	6	18	17	8	6	4	3	1			
32	Pott's disease	17	1				1	2	2	3	1	2	1	2	2				
33	White swellings	6			1		1			4									
34	Tuberculosis of other organs	37	1	1		1		1	4	7	8	5	1	6	2				
35	Disseminated tuberculosis	14							3	2	2	1	3	1		2			
36	Rickets	5	2	1	1	1													
37	Syphilis	40	15							8	3	6	5	3					
38	Gonococcus infection	2									1	1							
	Cancer and other malignant tumors (total)	562	2	1	2			3	1	9	38	99	143	149	91	21	2		1
39	Of the buccal cavity	18									1	3	3	5	6				
40	Of the stomach, liver	246	1							1	11	37	69	73	44	10			
41	Of the peritoneum, intestines, rectum	66						1	1	1	5	8	18	19	11	2			
42	Of the female genital organs	78								2	11	24	20	16	4	1			
43	Of the breast	47								1	2	16	10	12	6				
44	Of the skin	16			1						1		5	2	4	3			
45	Of other organs or of organs not specified	91	1	1	1			2		4	7	11	18	22	16	5	2		1
46	Other tumors (tumors of the female genital organs excepted)	6								1		3	2						
47	Acute articular rheumatism	53		1			1	10	10	10	7	3	6	3		2			
48	Chronic rheumatism and gout	5										1	2	2					
49	Scurvy																		
50	Diabetes	123	1			2		3	10	7	10	16	21	26	18	9			
51	Exophthalmic goiter	9							1		2	5	1						
52	Addison's disease	4								2		2							
53	Leukemia	23			2				6	3	2	5	1	3	1				
54	Anemia, chlorosis	35	2	1			2	1	1	3	2	10	10	1	2				
55	Other general diseases	15	5	1		1		1	1	2	1	1	2						
56	Alcoholism (acute or chronic)	77								3	14	14	22	13	8				3
57	Chronic lead poisoning	1											1						
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	7								2	2	1	2						

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WASHINGTON—Continued.																		
	II.—Diseases of the nervous system and of the organs of special sense	1,014	53	21	12	6	4	9	29	44	60	120	184	196	178	85	4	1	8
60	Encephalitis	6	1							1	1		1		1	1			
61	Meningitis (total)	54	13	6	4	2	1	6	10	4	3	2	2						1
	Simple meningitis	19	3	2	2	2	1	1	3	2	1	1	1						
	Cerebrospinal meningitis (undefined)	32	9	3	2			5	6	2	2	1	1						1
	Cerebrospinal fever	3	1	1					1										
62	Locomotor ataxia	24									2	2	8	9	2	1			
63	Other diseases of the spinal cord (total)	48	1	5	4	3	1		2	1		9	8	9	3	2			
	Acute anterior poliomyelitis	19	1	5	4	3	1		1			2	1	1					
	Other diseases of the spinal cord [1]	29							1	1		7	7	8	3	2			
64	Cerebral hemorrhage, apoplexy	605	8						6	10	24	61	129	155	138	67	3	1	3
65	Softening of the brain																		
66	Paralysis without specified cause	64	2	1					1	2		4	9	12	22	10	1		
67	General paralysis of the insane	61								1	10	21	14	6	4	3			2
68	Other forms of mental alienation	34								5	10	5	7	1	4				2
69	Epilepsy	26					1		3	8	6	5	1	1	1				
70	Convulsions (nonpuerperal)	3								1	1			1					
71	Convulsions of infants	29	24	4		1													
72	Chorea	2							1	1									
73	Neuralgia and neuritis	7								1	1	2			2	1			
74	Other diseases of the nervous system	22	2	2	1			1	1	3	1	5	4	2					
75	Diseases of the eyes and their annexa	1			1														
76	Diseases of the ears	28	2	3	2		1	2	5	6	1	4	1		1				
	III.—Diseases of the circulatory system	1,228	23	1	3	1	1	14	41	65	87	143	193	241	302	105	5	2	1
77	Pericarditis	7								1	1		2	2	1				
78	Acute endocarditis	35			1			1	1	9	7	9	6	1					
79	Organic diseases of the heart	1,009	16	1	2	1	1	13	39	50	66	121	155	209	253	75	5	1	1
80	Angina pectoris	54									3	8	12	14	15	2			
81	Diseases of the arteries, atheroma, aneurism, etc	98	3							2	7	2	15	14	30	24		1	
82	Embolism and thrombosis	14							1	2	1	3	2	1	2	2			
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc)	3								1	1					1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	3	2													1			
85	Hemorrhage; other diseases of the circulatory system	5	2								1		1		1				
	IV.—Diseases of the respiratory system	963	163	59	29	11	12	26	37	63	69	83	104	104	130	65	6	1	1
86	Diseases of the nasal fossae	4						2	1		1								
87	Diseases of the larynx	9	4	2			1		1		1								
88	Diseases of the thyroid body	10	1							1	2	2	2	2					
89	Acute bronchitis	41	20	5	2	1	2						2	2	3	3	1		
90	Chronic bronchitis	41						1		1		1	5	9	12	10	2		
91	Bronchopneumonia	294	92	36	17	5	3	9	7	8	9	7	24	21	34	22			
92	Pneumonia (total)	495	40	13	8	4	4	13	25	47	50	65	65	67	64	26	2	1	1
	Lobar pneumonia	474	35	11	7	4	3	11	24	47	50	64	64	66	61	24	2		1
	Pneumonia (undefined)	21	5	2	1		1	2	1			1	1	1	3	2		1	
93	Pleurisy	26		1			1	1	3	4	3	6	2		5				
94	Pulmonary congestion, pulmonary apoplexy	12	6	1			1				1				3				
95	Gangrene of the lung	2											1		1				
96	Asthma	20		1	1	1				1	2		2	2	6	3	1		
97	Pulmonary emphysema	3								1					2				
98	Other diseases of the respiratory system (tuberculosis excepted)	6			1							2	1	1		1			
	V.—Diseases of the digestive system	1,037	334	64	38	14	10	35	57	73	59	79	92	79	72	25	5		1
99	Diseases of the mouth and annexa	2	1							1									
100	Diseases of the pharynx	20	1	3	2	1	1	5	1		1	2	3						
101	Diseases of the esophagus	1						1											
102	Ulcer of the stomach	34						1		3	5	9	8	4	4				
103	Other diseases of the stomach (cancer excepted)	78	36	2	2			1	1	2	1	2	2	7	15	5	2		
104	Diarrhea and enteritis (under 2 years)	310	256	54															
105	Diarrhea and enteritis (2 years and over)	102			28	10	4	5	2	6	6	7	6	5	11	9	3		
106	Ankylostomiasis	1				1													
107	Intestinal parasites																		
108	Appendicitis and typhlitis	154	1		1	1	4	16	42	35	17	18	14	2	2	1			
109	Hernia, intestinal obstruction (total)	113	17	3	3	1		5	5	11	10	12	11	14	18	3			
	Hernia	31	2						1		2	3	3	6	13	1			
	Intestinal obstruction	82	15	3	3	1		5	4	11	8	9	8	8	5	2			
110	Other diseases of the intestines	43	16	1	1			1	1	4	2	3	4	7	2	1			

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WASHINGTON—Continued.																		
	V.—Diseases of the digestive system—Continued.																		
111	Acute yellow atrophy of the liver	2								1			1						
112	Hydatid tumor of the liver																		
113	Cirrhosis of the liver	73	1		1				2		6	11	26	15	6	4			1
114	Biliary calculi	29								1	2	5	7	7	7				
115	Other diseases of the liver	48	2				1		2	5	4	6	7	13	6	2			
116	Diseases of the spleen	1												1					
117	Simple peritonitis (nonpuerperal)	15	3	1						4	1	2	1	2	1				
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	11							1		4	2	2	2					
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	817	11	5	4	3	2	3	18	50	83	107	139	160	171	58	3		
119	Acute nephritis	18	1	1					5	2		5	2		1	1			
120	Bright's disease	652	8	4	4	3	2	3	11	29	60	82	127	144	129	43	3		
121	Chyluria																		
122	Other diseases of the kidneys and annexa	13	2							1		3	2	2	3				
123	Calculi of the urinary passages	5									2		2		1				
124	Diseases of the bladder	25											2	1	13	9			
125	Diseases of the urethra, urinary abscess, etc	3												2	1				
126	Diseases of the prostate	33											1	5	22	5			
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)	1									1								
129	Uterine tumor (noncancerous)	11									4	4		2	1				
130	Other diseases of the uterus	20								6	6	6	1	1					
131	Cysts and other tumors of the ovary	7							1	1		2	2	1					
132	Salpingitis and other diseases of the female genital organs	29							1	11	10	5		2					
133	Nonpuerperal diseases of the breast (cancer excepted)																		
	VII.—The puerperal state	177							13	82	71	11							
134	Accidents of pregnancy	39							1	21	17								
135	Puerperal hemorrhage	14							1	6	6	1							
136	Other accidents of labor	25								6	15	4							
137	Puerperal septicemia	62							7	30	23	2							
138	Puerperal albuminuria and convulsions	36							4	18	10	4							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	1								1									
140	Following childbirth (not otherwise defined)																		
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	36	8	1						2	2	4	7	4	6	1	1		
142	Gangrene	11										2	1	2	4	1	1		
143	Furuncle	8	1							1		1	2	1	2				
144	Acute abscess	7	3	1						1			1	1					
145	Other diseases of the skin and annexa	10	4								2	1	3						
	IX.—Diseases of the bones and of the organs of locomotion	19	3		1				3	2	1	2	4	2		1			
146	Diseases of the bones (tuberculosis excepted)	19	3		1				3	2	1	2	4	2		1			
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion																		
	X.—Malformations	121	110	2		1	1	3	3	1									
150	Congenital malformations (stillbirths not included) (total)	121	110	2		1	1	3	3	1									
	Hydrocephalus	9	4	1		1		1	2										
	Congenital malformations of the heart	83	78	1			1	1	1	1									
	Other congenital malformations	29	28					1											
	XI.—Early infancy	608	608																
151	Congenital debility, icterus, and sclerema (total)	514	514																
	Premature birth	321	321																
	Congenital debility, "atrophy," "marasmus," etc	193	193																
152	Other causes peculiar to early infancy (total)	93	93																
	Injuries at birth	48	48																
	Other causes peculiar to early infancy[1]	45	45																
153	Lack of care	1	1																
	XII.—Old age	247											4	12	85	113	29	4	
154	Senility	247											4	12	85	113	29	4	

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WASHINGTON—Continued.																		
	XIII.—External causes	1,422	32	24	22	19	16	42	123	301	294	230	150	82	37	15	3		32
	Suicide (total)	252							9	56	51	62	39	22	9				4
155	By poison	73							5	24	14	19	3	6	1				1
156	By asphyxia	12							1	4	1	3	1	2					
157	By hanging or strangulation	30							1	4	8	4	5	3	3				2
158	By drowning	12							1		1	2	5	1	1				1
159	By firearms	99							1	23	18	29	18	7	3				
160	By cutting or piercing instruments	20								1	7	5	3	3	1				
161	By jumping from high places	3									2		1						
162	By crushing	1											1						
163	Other suicides	2											2						
	Accidental or undefined (total)	1,082	32	24	22	19	16	42	109	225	215	152	99	56	26	15	3		27
164	Poisoning by food	10	1	1	1				3	1	2		1						
165	Other acute poisonings	38	3	2	3	2		1	4	11	3	6							3
166	Conflagration	25	1	2	1	1	1	3	1	1	3	1	3	2	1	1			3
167	Burns (conflagration excepted)	59	4	4	5	7	8	8	6	4	3	5	2	3					
168	Absorption of deleterious gases (conflagration excepted)	45	13			2			2	7	9	6	2	3		1			
169	Accidental drowning	187	1	9	3	3	5	11	23	44	37	26	14	7					4
170	Traumatism by firearms	38	1			2		2	14	6	5	5	3						
171	Traumatism by cutting or piercing instruments	3									2	1							
172	Traumatism by fall	112	2	2			1	2	7	10	11	18	20	13	11	10	2		3
173	Traumatism in mines and quarries (total)	27						1	2	10	7	6	1						
	Traumatism in mines	27						1	2	10	7	6	1						
	Traumatism in quarries																		
174	Traumatism by machines	38			1			1	4	10	11	4	3	2					2
175	Traumatism by other crushing (total)	314	2		4	1	1	10	18	67	86	51	36	18	7	2			11
	Railroad accidents and injuries	171	1					1	4	47	53	28	16	8	4				9
	Street-car accidents and injuries	27			3			1		5	6	5	5		1	1			
	Automobile accidents and injuries	24						3	7	2	4	2	1	3		1			1
	Injuries by other vehicles	47	1		1	1	1	3	3	6	11	7	6	5	2				
	Landslide, other crushing	45						2	4	7	12	9	8	2					1
176	Injuries by animals	20	1		1				4	7	3	1	2			1			
177	Starvation	2												1	1				
178	Excessive cold	9								2	1	1	2	1	2				
179	Effects of heat	1										1							
180	Lightning	2								1	1								
181	Electricity (lightning excepted)	13							1	8	1	2	1						
185	Fractures (cause not specified)	3								1	1	1							
186	Other external violence	136	3	4	3	1		3	20	35	29	17	9	6	4		1		1
	Homicide (total)	88							5	20	28	16	12	4	2				1
182	By firearms	60							4	15	20	9	9	1	1				1
183	By cutting or piercing instruments	10							1	3	2	2	1	1					
184	By other means	18								2	6	5	2	2	1				
	XIV.—Ill-defined diseases	164	32	8	2	4	1	3	4	6	12	13	20	23	22	10		1	3
187	Ill-defined organic disease	8										1	2	1	3	1			
188	Sudden death	11	1						1	1	1	1	2	1	3				
189	Not specified or ill-defined (total)	145	31	8	2	4	1	3	3	5	11	11	16	21	16	9		1	3
	Ill-defined	73	5	4	1	1			2	5	8	6	10	16	12	2			1
	Not specified or unknown	72	26	4	1	3	1	3	1		3	5	6	5	4	7		1	2
	WISCONSIN.																		
	All causes	27,050	5,184	780	358	236	203	608	1,164	1,889	1,852	1,996	2,501	3,182	3,813	2,779	417	14	74
	I.—General diseases	7,222	442	222	146	123	110	291	561	950	815	759	843	930	668	308	34	1	19
1	Typhoid fever	311	2	1	2		4	11	73	85	65	29	22	9	5	1			2
2	Typhus fever																		
3	Relapsing fever																		
4	Malaria	5								1	1		1		1		1		
5	Small pox	2			1						1								
6	Measles	253	70	63	29	15	13	24	22	5	5	5	1	1					
7	Scarlet fever	221	14	18	33	23	22	71	25	7	6	1		1					
8	Whooping cough	206	124	39	16	12	3	9	2								1		
9	Diptheria and croup	320	14	26	35	35	42	82	63	8	6	8							1
10	Influenza	304	33	7	2	1	1	2	8	9	6	17	17	43	66	82	9	1	
11	Miliary fever																		
12	Asiatic cholera																		
13	Cholera nostras	13	5			1	2	1	1					1		2			
14	Dysentery	78	20	4	8	2	1			2	1	3	1	7	12	15	2		
15	Plague																		
16	Yellow fever																		
17	Leprosy																		
18	Erysipelas	93	21	2		1		2	2	8	7	8	5	8	19	9	1		
19	Other epidemic diseases	11	2	2	1			2	4										

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WISCONSIN—Continued.																		
	I.—General diseases—Continued.																		
20	Purulent infection and septicemia	96	16	4		1	1	6	9	9	12	7	10	9	8	2	1		1
21	Glanders																		
22	Anthrax																		
23	Rabies	2						1					1						
24	Tetanus	38	9		1		1	3	10	1	6	5	1	1					
25	Mycoses	5							1		1	2		1					
26	Pellagra	5								1		2		1	1				
27	Beriberi																		
	Tuberculosis (total)	2,449	37	42	15	24	12	39	245	702	522	353	222	153	62	14			7
28	Tuberculosis of the lungs	1,996	12	15	3	4	5	13	186	621	457	303	189	120	51	11			6
29	Acute miliary tuberculosis	80	1	2	1	1	1	3	12	19	19	13	5	3					
30	Tuberculous meningitis	128	17	19	7	17	6	16	20	9	4	6	5	1	1				
31	Abdominal tuberculosis	108	2	3	1	1		1	12	24	22	14	10	14	4				
32	Pott's disease	21	1	1	1	1			3	4	3	3	1	2	1				
33	White swellings	14			1			3	1	1	2	2	2	1	1				
34	Tuberculosis of other organs	50	3	1	1			2	3	9	7	9	6	7		2			
35	Disseminated tuberculosis	52	1	1				1	8	15	8	3	4	5	4	1			1
36	Rickets	21	15	5		1													
37	Syphilis	56	25						1	9	6	4	7	3	1				
38	Gonococcus infection	2								2									
	Cancer and other malignant tumors (total)	1,763	1	1	1	1		5	14	24	77	203	391	513	365	149	17		1
39	Of the buccal cavity	48								1	1	3	12	8	14	7	2		
40	Of the stomach, liver	901		1				2	3	2	21	78	201	303	201	83	6		
41	Of the peritoneum, intestines, rectum	227						1	3	2	11	25	49	61	55	19	1		
42	Of the female genital organs	145						1		2	18	32	43	29	15	4	1		
43	Of the breast	123								1	10	29	35	24	13	9	2		
44	Of the skin	51							1			3	5	15	16	10	1		
45	Of other organs or of organs not specified	268	1		1	1		1	7	16	16	33	46	73	51	17	4		1
46	Other tumors (tumors of the female genital organs excepted)	18	3			1				1	2	3		1	5	1			1
47	Acute articular rheumatism	170	2			4	3	15	25	20	8	19	22	17	19	13	2		1
48	Chronic rheumatism and gout	35							1	4	1	3	6	3	15	2			
49	Scurvy	2	1						1										
50	Diabetes	342	2				1	11	37	24	21	26	52	97	60	10			1
51	Exophthalmic goiter	49							5	8	9	5	16	2	1	3			
52	Addison's disease	7									4			3					
53	Leukemia	45		3	1	1		2	7	4	4	7	6	7	2	1			
54	Anemia, chlorosis	136	3					2	2	7	12	19	36	36	18	1			
55	Other general diseases	56	23	5	1		4	3	3	2		1	4	5	2	3			
56	Alcoholism (acute or chronic)	100								7	32	26	20	7	4				4
57	Chronic lead poisoning	6										2	2	1	1				
58	Other chronic occupation poisonings																		
59	Other chronic poisonings	2										1			1				
	II.—Diseases of the nervous system and of the organs of special sense	2,968	500	84	40	21	16	67	76	87	129	208	313	456	560	376	32	1	2
60	Encephalitis	34	8	3						4	8	2	3	6					
61	Meningitis (total)	316	95	39	28	15	11	40	27	23	11	8	6	6	4	3			
	Simple meningitis	241	77	28	19	12	10	26	16	17	10	7	6	6	4	3			
	Cerebrospinal meningitis (undefined)	72	17	11	9	2	1	14	11	5	1	1							
	Cerebrospinal fever	3	1			1				1									
62	Locomotor ataxia	44									3	7	18	10	5	1			
63	Other diseases of the spinal cord (total)	134	8	4	3	1	3	7	7	8	12	9	19	21	24	8			
	Acute anterior poliomyelitis	31	5	3	3	1	3	6	4	5				1					
	Other diseases of the spinal cord [1]	103	3	1				1	3	3	12	9	19	20	24	8			
64	Cerebral hemorrhage, apoplexy	1,381	18	2				1	6	13	38	96	187	310	414	274	20	1	1
65	Softening of the brain	23						1					4	6	7	5			
66	Paralysis without specified cause	242	2						3	3	8	18	22	52	78	48	8		
67	General paralysis of the insane	87									14	17	20	8	11	14	3		
68	Other forms of mental alienation	69							3	5	7	18	15	10	3	7	1		
69	Epilepsy	90	1	2		1		3	15	18	17	11	8	6	4	4			
70	Convulsions (nonpuerperal)	14						6	2	4	1	1							
71	Convulsions of infants	388	350	29	7	2													
72	Chorea	4						2						1		1			
73	Neuralgia and neuritis	12												6	4	2			
74	Other diseases of the nervous system	95	8	3	2	1		4	10	8	7	17	9	12	5	8			1
75	Diseases of the eyes and their annexa																		
76	Diseases of the ears	35	10	2		1	2	3	3	1	3	4	2	2	1	1			
	III.—Diseases of the circulatory system	3,437	65	2	4	8	7	32	92	90	139	223	412	726	956	605	68	1	7
77	Pericarditis	26	3					3	5	1		2	3	2	4	3			
78	Acute endocarditis	118	9	1		3	1	9	12	11	14	19	33	3	3				
79	Organic diseases of the heart	2,610	40	1	3	4	3	19	67	67	108	172	323	599	730	426	41	1	6
80	Angina pectoris	106							2	3	4	5	19	30	32	10	1		
81	Diseases of the arteries, atheroma, aneurism, etc.	470	1						3		3	8	24	77	175	154	24		1

[1] Exclusive of acute anterior poliomyelitis (infantile paralysis).

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WISCONSIN—Continued.																		
	III.—Diseases of the circulatory system—Continued.																		
82	Embolism and thrombosis	74	2				2		2	6	7	16	7	11	10	10	1		
83	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	12	1							1	2		2	3	2	1			
84	Diseases of the lymphatic system (lymphangitis, etc.)	10	3		1	1			1			1		1		1	1		
85	Hemorrhage; other diseases of the circulatory system	11	6				1	1		1	1		1						
	IV.—Diseases of the respiratory system	2,817	712	190	73	29	28	55	56	121	117	155	197	274	411	352	45	1	1
86	Diseases of the nasal fossae	2	1					1											
87	Diseases of the larynx	35	14	6	4	2		3	1	1	1	1		2					
88	Diseases of the thyroid body	10	2					1		1	1	1	2		1	1			
89	Acute bronchitis	219	127	23	11		6	1	1	1		1	1	5	14	20	8		
90	Chronic bronchitis	222	3	1						2	2	5	11	37	64	84	13		
91	Bronchopneumonia	473	197	63	25	13	4	11	1	7	2	10	9	26	56	43	6		
92	Pneumonia (total)	1,550	334	96	27	12	16	32	46	92	97	118	140	158	210	157	13	1	1
	Lobar pneumonia	420	59	16	7	2	3	11	13	29	42	55	49	47	55	30	2		
	Pneumonia (undefined)	1,130	275	80	20	10	13	21	33	63	55	63	91	111	155	127	11	1	1
93	Pleurisy	69	2		3	1		2	5	6	7	4	15	11	10	3			
94	Pulmonary congestion, pulmonary apoplexy	104	25		1			1		4	1	9	2	5	25	27	4		
95	Gangrene of the lung	11		1		1	2	1		2	1	2		1					
96	Asthma	63						1			1	1	9	17	21	13			
97	Pulmonary emphysema	8			1					1			1	3	1	1			
98	Other diseases of the respiratory system (tuberculosis excepted)	51	7		1			1	2	4	4	3	7	9	9	3	1		
	V.—Diseases of the digestive system	3,110	1,299	208	57	24	21	72	120	105	151	180	240	211	240	159	19		4
99	Diseases of the mouth and annexa	9	7					1				1							
100	Diseases of the pharynx	44	4	4	2	1	1	7	5	3	2	1	3	2	4	3	2		
101	Diseases of the esophagus	3											1		2				
102	Ulcer of the stomach	55	1						2	3	9	7	10	9	10	4			
103	Other diseases of the stomach (cancer excepted)	299	155	13	2	2		3	3	3	4	12	17	21	30	33	1		
104	Diarrhea and enteritis (under 2 years)	1,210	1,038	172															
105	Diarrhea and enteritis (2 years and over)	239			45	16	15	14	4	8	9	10	7	20	41	43	7		
106	Ankylostomiasis																		
107	Intestinal parasites	5			1			1		1			1	1					
108	Appendicitis and typhlitis	319	2	1	1	3	3	32	90	50	57	33	29	9	5	3			1
109	Hernia, intestinal obstruction (total)	279	50	10	3	2		7	3	8	18	23	37	39	48	24	6		1
	Hernia	39	11							2	1	8	18	15	20	12	1		1
	Intestinal obstruction	190	39	10	3	2		7	3	6	17	15	19	24	28	12	5		
110	Other diseases of the intestines	81	22	5				1	3	3	3	6	8	14	6	9			1
111	Acute yellow atrophy of the liver	10	2							1		2		4		1			
112	Hydatid tumor of the liver	1									1								
113	Cirrhosis of the liver	293	2						3	2	23	50	84	58	54	17			
114	Biliary calculi	59								1	6	11	11	16	9	4	1		
115	Other diseases of the liver	113	8	1	2				1	9	3	19	18	11	25	14	1		1
116	Diseases of the spleen	3								1		1	1						
117	Simple peritonitis (nonpuerperal)	68	6	2	1		2	6	5	10	12	2	7	7	4	3	1		
118	Other diseases of the digestive system (cancer and tuberculosis excepted)	20	2						1	2	4	2	6		2	1			
	VI.—Nonvenereal diseases of the genito-urinary system and annexa	1,820	35	10	4	3	4	16	46	90	121	161	244	338	465	251	31		1
119	Acute nephritis	137	12	3	2	1		7	14	10	19	9	15	18	21	6			
120	Bright's disease	1,378	14	3	2	2	4	9	24	58	79	123	208	288	369	174	20		1
121	Chyluria																		
122	Other diseases of the kidneys and annexa	47	8	2					1	1	2	5	8	6	9	4	1		
123	Calculi of the urinary passages	6										1	2	1	1	1			
124	Diseases of the bladder	79	1									3		7	30	33	5		
125	Diseases of the uretha, urinary abscess, etc	4		1										1	1	1			
126	Diseases of the prostate	84											3	13	33	30	5		
127	Nonvenereal diseases of the male genital organs																		
128	Uterine hemorrhage (nonpuerperal)																		
129	Uterine tumor (noncancerous)	13								1	2	5	3	1	1				
130	Other diseases of the uterus	34							2	11	10	6	4			1			
131	Cysts and other tumors of the ovary	16		1					1	1	3	5	1	3		1			
132	Salpingitis and other diseases of the female genital organs	22							4	8	6	4							
133	Nonpuerperal diseases of the breast (cancer excepted)																		

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WISCONSIN—Continued.																		
	VII.—The puerperal state	306							15	132	116	43							
134	Accidents of pregnancy	22								6	11	5							
135	Puerperal hemorrhage	33								11	13	9							
136	Other accidents of labor	44								21	16	7							
137	Puerperal septicemia	150							12	68	55	15							
138	Puerperal albuminuria and convulsions	43							3	21	16	3							
139	Puerperal phlegmasia alba dolens, embolus, sudden death	13								5	4	4							
140	Following childbirth (not otherwise defined)	1									1								
141	Puerperal diseases of the breast																		
	VIII.—Diseases of the skin and of the cellular tissue	108	27	3	1	1		2		1	2	2	12	10	26	17	3		1
142	Gangrene	55	1								1		8	6	21	14	3		1
143	Furuncle	10	4	1						1	1		1		2				
144	Acute abscess	15	5	1	1	1		2				2		2	1				
145	Other diseases of the skin and annexa	28	17	1									3	2	2	3			
	IX.—Diseases of the bones and of the organs of locomotion	31	3	1	2			3	7	3	6	3	1	1	1				
146	Diseases of the bones (tuberculosis excepted)	30	3	1	2			3	7	3	5	3	1	1	1				
147	Diseases of the joints (tuberculosis and rheumatism excepted)																		
148	Amputations																		
149	Other diseases of the organs of locomotion	1									1								
	X.—Malformations	230	217	6	3	1			2	1									
150	Congenital malformations (stillbirths not included) (total)	230	217	6	3	1			2	1									
	Hydrocephalus	32	26	4	1				1										
	Congenital malformations of the heart	108	104	1	2				1										
	Other congenital malformations	90	87	1		1				1									
	XI.—Early infancy	1,819	1,819																
151	Congenital debility, icterus, and sclerema (total)	1,555	1,555																
	Premature birth	886	886																
	Congenital debility, "atrophy," "marasmus," etc.	669	669																
152	Other causes peculiar to early infancy (total)	259	259																
	Injuries at birth	154	154																
	Other causes peculiar to early infancy [1]	105	105																
153	Lack of care	5	5																
	XII.—Old age	1,100									2		3	25	294	596	172	8	
154	Senility	1,100									2		3	25	294	596	172	8	
	XIII.—External causes	1,841	39	47	27	26	15	70	184	304	242	237	211	161	138	91	12	2	35
	Suicide (total)	324							8	51	56	65	59	51	25	6			3
155	By poison	70							2	17	15	17	9	4	5				1
156	By asphyxia	7									4		2	1					
157	By hanging or strangulation	91							1	9	10	13	18	22	13	5			
158	By drowning	26								1	2	6	9	5	3				
159	By firearms	96							5	20	18	19	15	14	2	1			2
160	By cutting or piercing instruments	20								2	2	7	3	5	1				
161	By jumping from high places	3									2		1						
162	By crushing	5									2	2	1						
163	Other suicides	6								2	1	1	1		1				
	Accidental or undefined (total)	1,461	36	47	27	25	14	68	173	234	177	164	148	106	112	84	12	2	32
164	Poisoning by food	15	1	2	1	1		2	2	2		2		1		1			
165	Other acute poisonings	31	2	11	2		1	3	1	1	3		5		1	1			
166	Conflagration	25	2	1	2	1				4	6	2	1	1	2	2			1
167	Burns (conflagration excepted)	84	5	11	11	16	8	4	6	2	6	6	3	1	3	1		1	
168	Absorption of deleterious gases (conflagration excepted)	31	12	1				1			5	2	2		6	2			
169	Accidental drowning	229	2	11	5	2		19	56	52	30	22	9	5	7	1			8
170	Traumatism by firearms	72	1	2	1		1	3	30	11	8	9	4	1					1
171	Traumatism by cutting or piercing instruments	3		1						1	1								
172	Traumatism by fall	282	1	1	1		2	7	6	28	19	29	26	34	48	66	12	1	1
173	Traumatism in mines and quarries (total)	6								3	2		1						
	Traumatism in mines	4								3			1						
	Traumatism in quarries	2									2								
174	Traumatism by machines	40						1	6	14	9	6	2	2					

[1] Exclusive of injuries at birth.

TABLE 6.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN THE REGISTRATION AREA, ALL REGISTRATION STATES, AND EACH REGISTRATION STATE, FROM EACH CAUSE AND CLASS OF CAUSES, BY AGE OF DECEDENT: 1911—Continued.

Detailed Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WISCONSIN—Continued.																		
	XIII.—External causes—Contd.																		
	Accidental or undefined—Continued.																		
175	Traumatism by other crushing (total)	439	3	2	2	1	2	19	43	87	66	63	63	35	31	4			18
	Railroad accidents and injuries	291	1					8	30	64	49	43	39	20	18	4			15
	Street-car accidents and injuries	35	1				1	2	2	6	7	6	4	4	2				
	Automobile accidents and injuries	24						2	5	5	6	3	2	1					
	Injuries by other vehicles	69	1	2	2	1	1	6	5	5	4	9	11	10	10				2
	Landslide, other crushing	20						1	1	7		2	7		1				1
176	Injuries by animals	32			1			3	3	6	1	5	3	4	6				
177	Starvation	2										1			1				
178	Excessive cold	13								2	1	1	4	2	2				1
179	Effects of heat	41	5					1		3	3	3	6	12	3	4			1
180	Lightning	17						2	4	3	3	2	2		1				
181	Electricity (lightning excepted)	9							1	6		2							
185	Fractures (cause not specified)	3							1		1		1						
186	Other external violence	87	2	4	1	4		3	14	9	13	9	16	8	1	2			1
	Homicide (total)	56	3			1	1	2	3	19	9	8	4	4	1	1			
182	By firearms	25	1						3	9	3	2	3	3		1			
183	By cutting or piercing instruments	12								5	2	3	1		1				
184	By other means	19	2			1	1	2		5	4	3		1					
	XIV.—Ill-defined diseases	241	26	7	1		2		5	5	12	25	25	50	54	24	1		4
187	Ill-defined organic disease	53	1								2	3		15	23	9			
188	Sudden death	6	2							1		2		1					
189	Not specified or ill-defined (total)	182	23	7	1		2		5	4	10	20	25	34	31	15	1		4
	Ill-defined	166	17	6	1		2		5	3	9	16	25	34	31	14	1		2
	Not specified or unknown	16	6	1						1	1	4				1			2

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	BIRMINGHAM, ALA. (TOTAL).																		
	All causes	2,480	412	164	64	30	23	63	135	389	354	235	213	201	117	67	9	4	
1	Typhoid fever	62		1			3	3	11	23	12	7	1	1					
2	Typhus fever																		
3	Malaria	32	1	2	1				2	11	7	3		1	3	1			
4	Smallpox	1			1														
5	Measles	30	5	7	6		1	3	4	4									
6	Scarlet fever	2				2													
7	Whooping cough	28	13	7	4	1	1	2											
8	Diphtheria and croup	13	2	1	3	1	1	4		1									
9	Influenza	12							1			2		2	4	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	24	1								3	3	3	5	7	2			
13	Tuberculosis of the lungs	306	2	1	5	1	1	9	37	121	74	26	13	14	1	1			
14	Tuberculous meningitis	7	2	1		2		1						1					
15	Other forms of tuberculosis	3								1		1		1					
16	Cancer and other malignant tumors	93						2		2	16	20	24	19	6	3	1		
17	Meningitis	18	3	1	1	1	1	2	1	5	1	1	1						
18	Cerebral hemorrhage and softening	120								3	3	14	33	31	23	9	2	2	
19	Organic diseases of the heart	180	1					1	5	19	32	39	33	31	14	5			
20	Acute bronchitis																		
21	Chronic bronchitis																		
22	Pneumonia	140	10	9	1	2	2	5	11	23	18	16	14	15	7	6		1	
23a	Bronchopneumonia	79	36	19	8	7	2	3		2	1			1					
23b	Other diseases of the respiratory system	16	1	3	1				1	1	2	1		3	2	1			
24	Diseases of the stomach	5									2			2			1		
25(37)	Diarrhea and enteritis	215	98	87	16	4	1	6	1				2						
26	Appendicitis and typhlitis	47			1	1		3	8	18	4	5	5	2					
27	Hernia, intestinal obstruction	34	6	1					3	6	7	4	4	3					
28	Cirrhosis of the liver	18								1	4	4	2	4	2	1			
29	Acute nephritis and Bright's disease	141		1	3		1	2	4	8	18	17	24	31	20	12			
30	Diseases of the female genital organs	4								2	2								
31	Puerperal fever	18							5	5	6	1	1						
32	Other puerperal affections	22							3	11	6	2							
33	Congenital debility and malformations	144	143	1															
34	Senility	36											1	1	12	17	4	1	
35	Violent deaths (excluding suicide)	207	5	3	6	2	4	10	22	62	53	22	8	5	3	1	1		
36	Suicide	17								8	4	1	2	2					
(37)	Other defined diseases	260	36	14	2	6	3	4	13	39	54	30	28	18	9	4			
38	Diseases ill-defined or unknown	146	47	5	5		2	3	3	13	25	16	14	8	4	1			
	BIRMINGHAM, ALA. (WHITE).																		
	All causes	1,172	216	99	29	17	6	37	50	140	136	91	103	124	82	39	3		
1	Typhoid fever	35						1	8	14	5	5	1	1					
2	Typhus fever																		
3	Malaria	9	1						1	1	2				3	1			
4	Smallpox	1			1														
5	Measles	20	3	5	5			3	1	3									
6	Scarlet fever	2				2													
7	Whooping cough	20	11	4	1	1	1	2											
8	Diphtheria and croup	9	1	1	2	1		3		1									
9	Influenza	4													3	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	16									1		3	5	5	2			
13	Tuberculosis of the lungs	89	1		3	1	1	3	6	36	19	4	6	7	1	1			
14	Tuberculous meningitis	4	2			1		1											
15	Other forms of tuberculosis	1												1					
16	Cancer and other malignant tumors	57						2		1	6	15	14	13	3	3			
17	Meningitis	8	3	1						3		1							
18	Cerebral hemorrhage and softening	54								1	1	5	10	19	14	3	1		
19	Organic diseases of the heart	70	1						1	5	11	10	14	17	9	2			
20	Acute bronchitis																		
21	Chronic bronchitis																		
22	Pneumonia	52	5	7		1	1	3	3	4	4	4	6	6	4	4			
23a	Bronchopneumonia	32	14	8	3	3		1		2				1					
23b	Other diseases of the respiratory system	9	1	1	1					1	1			2	2				
24	Diseases of the stomach	2									1			1					
25(37)	Diarrhea and enteritis	124	54	55	7	2	1	5											
26	Appendicitis and typhlitis	36			1	1		3	6	11	3	5	4	2					
27	Hernia, intestinal obstruction	24	2	1					3	3	5	3	4	3					
28	Cirrhosis of the liver	9								1	1	1	1	3	1	1			
29	Acute nephritis and Bright's disease	77		1	2			1	1	2	6	8	13	19	17	7			
30	Diseases of the female genital organs	2								1	1								
31	Puerperal fever	11							2	2	5	1	1						
32	Other puerperal affections	13							1	7	3	2							
33	Congenital debility and malformations	90	89	1															
34	Senility	19												1	9	8	1		
35	Violent deaths (excluding suicide)	85	3	2	2			5	8	16	27	9	6	4	1	1	1		
36	Suicide	16								7	4	1	2	2					
(37)	Other defined diseases	136	18	11	1	4	1	4	8	15	23	13	13	13	8	4			
38	Diseases ill-defined or unknown	36	7	1			1		1	3	7	4	5	4	2	1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	BIRMINGHAM, ALA. (COLORED).																		
	All causes	1,308	196	65	35	13	17	26	85	249	218	144	110	77	35	28	6	4	
1	Typhoid fever	27		1			3	2	3	9	7	2							
2	Typhus fever																		
3	Malaria	23		2	1				1	10	5	3		1					
4	Smallpox																		
5	Measles	10	2	2	1		1		3	1									
6	Scarlet fever																		
7	Whooping cough	8	2	3	3														
8	Diphtheria and croup	4	1		1		1	1											
9	Influenza	8							1			2		2	1	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	8	1								2	3			2				
13	Tuberculosis of the lungs	217	1	1	2			6	31	85	55	22	7	7					
14	Tuberculous meningitis	3		1		1								1					
15	Other forms of tuberculosis	2								1		1							
16	Cancer and other malignant tumors	36								1	10	5	10	6	3		1		
17	Meningitis	10			1	1	1	2	1	2	1		1						
18	Cerebral hemorrhage and softening	66								2	2	9	23	12	9	6	1	2	
19	Organic diseases of the heart	110						1	4	14	21	29	19	14	5	3			
20	Acute bronchitis																		
21	Chronic bronchitis																		
22	Pneumonia	88	5	2	1	1	1	2	8	19	14	12	8	9	3	2		1	
23a	Bronchopneumonia	47	22	11	5	4	2	2			1								
23b	Other diseases of the respiratory system	7		2					1		1	1		1		1			
24	Diseases of the stomach	3									1			1			1		
25(37)	Diarrhea and enteritis	91	44	32	9	2		1	1				2						
26	Appendicitis and typhlitis	11							2	7	1		1						
27	Hernia, intestinal obstruction	10	4							3	2	1							
28	Cirrhosis of the liver	9									3	3	1	1	1				
29	Acute nephritis and Bright's disease	64			1		1	1	3	6	12	9	11	12	3	5			
30	Diseases of the female genital organs	2								1	1								
31	Puerperal fever	7							3	3	1								
32	Other puerperal affections	9							2	4	3								
33	Congenital debility and malformations	54	54																
34	Senility	17											1		3	9	3	1	
35	Violent deaths (excluding suicide)	122	2	1	4	2	4	5	14	46	26	13	2	1	2				
36	Suicide	1								1									
(37)	Other defined diseases	124	18	3	1	2	2		5	24	31	17	15	5	1				
38	Diseases ill-defined or unknown	110	40	4	5		1	3	2	10	18	12	9	4	2				
	LOS ANGELES, CAL.																		
	All causes	5,001	518	114	43	39	27	61	180	521	626	626	636	683	617	265	41	4	
1	Typhoid fever	40				1	1	2	5	14	11	4	1	1					
2	Typhus fever																		
3	Malaria	4								1	1			2					
4	Smallpox	6			1				1	2				1	1				
5	Measles	8	1	4		1		1	1										
6	Scarlet fever	9		1	2			3	2	1									
7	Whooping cough	19	8	5	3	1	1	1											
8	Diphtheria and croup	22	5	3	3	4	1	5				1							
9	Influenza	22	1						1				2	4	7	5	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	18	4					1		3	1	3	2		1	3			
13	Tuberculosis of the lungs	853	15	9	1	2	4	4	45	207	245	142	99	53	21	4	2		
14	Tuberculous meningitis	35	5	3	4	3	2	5	3	5	3	2							
15	Other forms of tuberculosis	66			2			3	7	12	12	12	7	4	4	2	1		
16	Cancer and other malignant tumors	328	1						1	6	30	45	86	93	53	11	2		
17	Meningitis	60	5	8	3	2	4	7	11	4	2	7	4	2	1				
18	Cerebral hemorrhage and softening	213								2	5	18	35	56	71	23	3		
19	Organic diseases of the heart	630	3	1				4	15	23	55	84	88	150	149	49	8	1	
20	Acute bronchitis	17	10	2	2											2	1		
21	Chronic bronchitis	28									1		6	5	10	5	1		
22	Pneumonia	229	27	15	5	4	3	2	11	16	18	29	21	30	33	15			
23a	Bronchopneumonia	108	51	14	4	4		1	2	2	2	2	5	3	8	8	2		
23b	Other diseases of the respiratory system	54	2	1		2				9	7	5	9	6	7	6			
24	Diseases of the stomach	49	9	3			1			2	3	8	6	5	10	2			
25(37)	Diarrhea and enteritis	157	96	22	2	3	2	2	1	2	10	3	2	3	7	1	1		
26	Appendicitis and typhlitis	37	1						5	9	10	8	2	1	1				
27	Hernia, intestinal obstruction	43	3			1		1	2	1	5	3	5	11	8	3			
28	Cirrhosis of the liver	64								2	6	10	19	16	10	1			
29	Acute nephritis and Bright's disease	321	5	1		1		1	1	18	24	56	57	75	57	19	6		
30	Diseases of the female genital organs	34							1	6	10	10	6	1					
31	Puerperal fever	25							1	13	10	1							
32	Other puerperal affections	31							2	19	7	3							
33	Congenital debility and malformations	201	192	4		1			2	2									
34	Senility	78												8	27	35	6	2	
35	Violent deaths (excluding suicide)	320	8	9	7	6	5	11	23	65	56	36	27	18	30	17	2		
36	Suicide	128							2	24	23	33	18	18	7	3			
(37)	Other defined diseases	742	66	8	4	3	3	7	35	51	69	101	129	117	94	50	4	1	
38	Diseases ill-defined or unknown	2		1												1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	OAKLAND, CAL.																		
	All causes	**1,984**	**243**	**51**	**30**	**17**	**8**	**35**	**53**	**162**	**174**	**203**	**237**	**302**	**294**	**154**	**20**	**1**	
1	Typhoid fever	22			1			1	4	5	3	3	3	2					
2	Typhus fever																		
3	Malaria	2							1				1						
4	Smallpox																		
5	Measles	18	3	6	7			1	1										
6	Scarlet fever	2						1	1										
7	Whooping cough	6	4					2											
8	Diphtheria and croup	11	1		1	2	2	4	1										
9	Influenza	6						1					1	1	1		2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	15	3	2					1		1	1	1	1	2	3			
13	Tuberculosis of the lungs	164	4	1	1			3	8	57	44	22	9	9	5	1			
14	Tuberculous meningitis	21	3	7	1	6		1	1	1	1								
15	Other forms of tuberculosis	23	3	1				4	3	5	4		1	1	1				
16	Cancer and other malignant tumors	165	1		1			1		3	6	27	48	42	31	5			
17	Meningitis	25	6	2	5	2	1			3		4	1		1				
18	Cerebral hemorrhage and softening	130						1	1	1	3	7	17	33	35	28	3	1	
19	Organic diseases of the heart	304	1	1					3	11	13	32	43	76	78	42	4		
20	Acute bronchitis	8	5	2													1		
21	Chronic bronchitis	13												3	3	7			
22	Pneumonia	124	11	6	6	2		1	4	9	10	16	12	23	19	5			
23a	Bronchopneumonia	44	16	6				1		1	2	1	2	5	4	5	1		
23b	Other diseases of the respiratory system	29	1	1						2	4	2	1	9	5	3	1		
24	Diseases of the stomach	15	3							1		1	2	4	2	2			
25(37)	Diarrhea and enteritis	67	45	10	1	2	1				1		3	2		1	1		
26	Appendicitis and typhlitis	15						1	2	7	4	1							
27	Hernia, intestinal obstruction	24	2					1			3	1	5	9	2	1			
28	Cirrhosis of the liver	26									4	3	8	7	3		1		
29	Acute nephritis and Bright's disease	129	3		2			1	2	3	13	19	19	25	33	8	1		
30	Diseases of the female genital organs	10								1	3	3	2		1				
31	Puerperal fever	7							3	4									
32	Other puerperal affections	8								4	3	1							
33	Congenital debility and malformations	95	94								1								
34	Senility	15													7	8			
35	Violent deaths (excluding suicide)	126	1	3	2		1	7	9	20	16	20	15	14	11	5	2		
36	Suicide	55								12	10	13	10	6	4				
(37)	Other defined diseases	260	33	3	2	3	3	3	8	12	25	26	33	30	46	30	3		
38	Diseases ill-defined or unknown																		
	SAN FRANCISCO, CAL.																		
	All causes	**6,495**	**665**	**136**	**68**	**38**	**29**	**82**	**179**	**520**	**784**	**950**	**946**	**939**	**754**	**363**	**41**	**1**	
1	Typhoid fever	65	1	1				2	7	27	16	6	4	1					
2	Typhus fever																		
3	Malaria	5			1						1	1	1	1					
4	Smallpox																		
5	Measles	33	5	13	6	2	1	4		2									
6	Scarlet fever	15		1	2	1	3	5	2	1									
7	Whooping cough	29	12	9	3	5													
8	Diphtheria and croup	22	2	5	1	2	1	5	5	1									
9	Influenza	12	2								1		3	2	4				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	22	6	1					1	1			5	5	3				
13	Tuberculosis of the lungs	675	17	2	4	1	1	6	30	140	204	141	77	40	11	1			
14	Tuberculous meningitis	72	12	16	13	7	2	10	3	3	2	2	2						
15	Other forms of tuberculosis	62	5	3	4		2	3	6	12	8	10	5	4					
16	Cancer and other malignant tumors	471							2	5	28	83	135	119	78	21			
17	Meningitis	50	10	5	5	2	3	3	4	4	5	3	3	1	1	1			
18	Cerebral hemorrhage and softening	304	2		1					3	13	35	55	72	82	40	1		
19	Organic diseases of the heart	971	2	1		1		2	16	37	47	118	165	248	231	95	8		
20	Acute bronchitis	38	13	8	3			1	1			2		2	5	3			
21	Chronic bronchitis	54						3		2	3	5	5	4	19	11	2		
22	Pneumonia	395	27	12	6	1	3	6	7	26	63	67	79	53	36	9			
23a	Bronchopneumonia	171	50	20	5	3	5	2	3	3	9	14	9	16	18	11	2	1	
23b	Other diseases of the respiratory system	52	1			1			4	4	3	6	6	7	15	3	2		
24	Diseases of the stomach	67	31	2	1				1	5	7	4	5	2	4	5			
25(37)	Diarrhea and enteritis	197	141	21	7	3	2	2			2	8	3	3	1	3	1		
26	Appendicitis and typhlitis	75	1	2			1	4	8	15	17	12	8	5	2				
27	Hernia, intestinal obstruction	60	10	1				2	1	6	8	9	6	11	5	1			
28	Cirrhosis of the liver	173								6	22	53	41	36	11	3	1		
29	Acute nephritis and Bright's disease	523	4					1	13	23	55	106	104	107	79	27	4		
30	Diseases of the female genital organs	43							3	11	14	10	3		1	1			
31	Puerperal fever	30							3	13	14								
32	Other puerperal affections	31							3	12	13	3							
33	Congenital debility and malformations	208	206	1					1										
34	Senility	76												2	19	44	11		
35	Violent deaths (excluding suicide)	407	9	2	3	6	4	9	24	71	88	76	55	31	17	10	2		
36	Suicide	168							3	30	45	48	23	14	5				
(37)	Other defined diseases	918	96	10	3	3	1	12	28	57	96	127	144	153	107	74	7		
38	Diseases ill-defined or unknown	1										1							

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	DENVER, COLO.																		
	All causes	3,441	475	96	36	27	19	59	121	381	463	437	418	416	328	146	18		1
1	Typhoid fever	40			1			1	7	8	14	5	3			1			
2	Typhus fever																		
3	Malaria	1									1								
4	Smallpox																		
5	Measles	47	12	10	8	4	2	4	4	1	1	1							
6	Scarlet fever	11		2	2		1	4		2									
7	Whooping cough	12	5	4	1			2											
8	Diphtheria and croup	37		2	3	9	7	11	4	1									
9	Influenza	16								2	1		1	5	5	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	14	6									2		2	1	2	1		
13	Tuberculosis of the lungs	600	3	2				3	23	168	206	120	50	18	5	1			1
14	Tuberculous meningitis	24	6	7	3	1	1	2	1	3									
15	Other forms of tuberculosis	26	1	1	1					10	4	3	4	1		1			
16	Cancer and other malignant tumors	171								2	14	37	49	32	29	7	1		
17	Meningitis	50	18	10	1	1		1	9	1	4	2	2	1					
18	Cerebral hemorrhage and softening	137	2	1					1	1	5	17	16	41	36	17			
19	Organic diseases of the heart	270	4	1				7	13	16	16	42	34	69	48	20			
20	Acute bronchitis	30	22	3			1							1	2	1			
21	Chronic bronchitis	12							1	1		1	2	3	3	1			
22	Pneumonia	262	39	12	4	3	1	2	9	9	34	34	39	35	25	14	2		
23a	Bronchopneumonia	75	32	13	4	3	1	3				2	2	5	4	5	1		
23b	Other diseases of the respiratory system	47		2		2		1	1	4	2	8	8	9	8	2			
24	Diseases of the stomach	30	4	1						2	1	7	9	4	1	1			
25(37)	Diarrhea and enteritis	112	79	13	1			2		1	1	5	2	2	5		1		
26	Appendicitis and typhlitis	46						3	10	9	8	6	7	1		1	1		
27	Hernia, intestinal obstruction	25	3				1		1	3	1	5	5	3	2	1			
28	Cirrhosis of the liver	42								3	5	9	10	10	4	1			
29	Acute nephritis and Bright's disease	271	5	1	3	1		3	6	19	19	33	60	62	44	13	2		
30	Diseases of the female genital organs	23								6	7	4	5		1				
31	Puerperal fever	18							1	8	8	1							
32	Other puerperal affections	18								10	7	1							
33	Congenital debility and malformations	172	169	1	1		1												
34	Senility	68												4	26	33	5		
35	Violent deaths (excluding suicide)	177	7	5	2	2		6	12	32	34	28	21	16	8	4			
36	Suicide	79							3	17	20	11	15	8	4	1			
(37)	Other defined diseases	476	58	5	1	1	2	4	15	42	50	53	73	84	67	17	4		
38	Diseases ill-defined or unknown	2					1						1						
	BRIDGEPORT, CONN.																		
	All causes	1,472	339	63	20	14	10	23	50	99	139	158	173	180	135	57	10		2
1	Typhoid fever	4							1	2									1
2	Typhus fever																		
3	Malaria	1	1																
4	Smallpox																		
5	Measles	19	4	6	3	2	2	1	1										
6	Scarlet fever	3	1		1	1													
7	Whooping cough	8		6			1		1										
8	Diphtheria and croup	15	2	3	2	4		2		2									
9	Influenza	13								1	1		3	3	2	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	5	2	1							1	1							
13	Tuberculosis of the lungs	115		2	1			1	11	27	30	25	14	2	1	1			
14	Tuberculous meningitis	9	3	2		1		2	1										
15	Other forms of tuberculosis	7	1						1	2	1		1	1					
16	Cancer and other malignant tumors	72							1	2	4	11	21	14	14	3	1		1
17	Meningitis	14	2	1	2	2		2	4	1									
18	Cerebral hemorrhage and softening	53								1		3	12	18	13	5	1		
19	Organic diseases of the heart	128	1	2				3	3	3	8	13	20	43	21	10	1		
20	Acute bronchitis	8	4	2			1							1					
21	Chronic bronchitis	12	2	1							1	2	1	2	2	1			
22	Pneumonia	117	22	9	1	1	3	2	3	3	13	15	15	19	10	1			
23a	Bronchopneumonia	35	18	6	2			2			1	1		2	2	1			
23b	Other diseases of the respiratory system	21	4	1		1					1	2	5	1	2	4			
24	Diseases of the stomach	15	3								5	3		2	2				
25(37)	Diarrhea and enteritis	138	119	12	2						1	1	2		1				
26	Appendicitis and typhlitis	11								5	4		2						
27	Hernia, intestinal obstruction	15	4	1					1		1	3	1	3	1				
28	Cirrhosis of the liver	22									2	7	7	4	2				
29	Acute nephritis and Bright's disease	146		1	1				6	10	16	24	25	28	28	7			
30	Diseases of the female genital organs	6									1	3	2						
31	Puerperal fever	8								4	4								
32	Other puerperal affections	6								2	3	1							
33	Congenital debility and malformations	95	95																
34	Senility	22												1	8	9	4		
35	Violent deaths (excluding suicide)	95	4	3	3	2	2	3	6	14	17	12	13	8	4	3	1		
36	Suicide	24							2	6	5	4	5	2					
(37)	Other defined diseases	206	46	3	2		1	5	8	13	19	27	24	26	21	9	2		
38	Diseases ill-defined or unknown	4	1	1						1					1				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW HAVEN, CONN.																		
	All causes	2,281	413	91	39	24	9	45	78	156	221	228	256	340	249	110	21	1	
1	Typhoid fever	34	1					2	4	14	10	3							
2	Typhus fever																		
3	Malaria	4	1							1			1		1				
4	Smallpox																		
5	Measles	3	2	1															
6	Scarlet fever	14	1	1	3	3	1	3		1	1								
7	Whooping cough	18	9	8	1														
8	Diphtheria and croup	26	3	4	5	3	2	9											
9	Influenza	29	2	3	2		1		1		1	1	5	6	4	2	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	16	4	1						1	1	1	3	2	2	1			
13	Tuberculosis of the lungs	169	2	3	2	1		2	12	32	49	33	16	13	4				
14	Tuberculous meningitis	23	4	7	4		1	2	2	2	1								
15	Other forms of tuberculosis	18				2			1	2	5	3	2	3					
16	Cancer and other malignant tumors	125							1		8	16	35	41	22	2			
17	Meningitis	28	7	2		3		4	4	3	2		2		1				
18	Cerebral hemorrhage and softening	124	1						1		4	11	16	40	33	13	5		
19	Organic diseases of the heart	225	4					3	8	6	21	20	42	61	40	19	1		
20	Acute bronchitis	16	11	3	1									1					
21	Chronic bronchitis	20	1						1	1			2	6	5	3	1		
22	Pneumonia	218	23	9	9	3		2	5	14	28	30	29	34	24	7	1		
23a	Bronchopneumonia	72	29	19	6	1			1	1	1	2	1	8	1	2			
23b	Other diseases of the respiratory system	20	1	1	1			1			3	2	4	2	5				
24	Diseases of the stomach	33	4	1				2	2	1	3	4	5	4	4	2	1		
25(37)	Diarrhea and enteritis	112	82	14		1		2		1	2	2	1	1	4	2			
26	Appendicitis and typhlitis	26					2	1	6	7	4	3	2		1				
27	Hernia, intestinal obstruction	33	6			1		1		2		6	5	12					
28	Cirrhosis of the liver	22									1	10	5	4	2				
29	Acute nephritis and Bright's disease	184	4	1				1	2	16	15	23	31	38	35	18			
30	Diseases of the female genital organs	13								3	5	3	2						
31	Puerperal fever	5							1	2	1	1							
32	Other puerperal affections	12							1	6	4	1							
33	Congenital debility and malformations	150	149	1															
34	Senility	29												1	10	12	5	1	
35	Violent deaths (excluding suicide)	123	4	2	2	4	1	6	13	17	19	17	9	9	10	9	1		
36	Suicide	23								6	6	6	1	4					
(37)	Other defined diseases	282	51	7	2	2		4	10	14	24	25	37	45	38	18	5		
38	Diseases ill-defined or unknown	32	7	3	1		1		2	3	2	5		5	3				
	WASHINGTON, D. C. (TOTAL).																		
	All causes	6,304	955	209	75	36	25	93	228	559	683	664	709	883	788	332	58	6	1
1	Typhoid fever	75			2		1	3	13	35	12	6	2	1					
2	Typhus fever																		
3	Malaria	4	1								1	2							
4	Smallpox																		
5	Measles	22	5	8	3	4		1						1					
6	Scarlet fever	4		2				1		1									
7	Whooping cough	25	13	3	2	2	3	1	1										
8	Diphtheria and croup	19		2	3	2	2	7		2				1					
9	Influenza	68	1	1		2			1	5	4	6	9	19	15	5			
10	Asiatic cholera																		
11	Cholera nostras	2									1		1						
12	Other epidemic diseases	21	2		1			1	1	3	1	1	2	3	3	3			
13	Tuberculosis of the lungs	736	2	7	2		3	10	74	207	213	105	50	42	18	2			1
14	Tuberculous meningitis	42	7	8	6	2	4	6	4	2	1		1	1					
15	Other forms of tuberculosis	50		1				6	10	11	8	6	5	2	1				
16	Cancer and other malignant tumors	293					1		1	4	24	49	74	74	52	12	2		
17	Meningitis	36	8	8	1		1	5	3	3	1	2	2	2					
18	Cerebral hemorrhage and softening	415	2		1					4	18	49	75	130	100	30	6		
19	Organic diseases of the heart	724	3	2	2			5	18	34	59	89	123	176	162	42	9		
20	Acute bronchitis	45	14	14	4					1	1		1	1	3	4	2		
21	Chronic bronchitis	25	2							1	2	1	1	3	8	4	3		
22	Pneumonia	387	47	30	10	2	1	8	21	36	44	46	55	40	35	11	1		
23a	Bronchopneumonia	168	39	43	12	4	2	5	1	1	4	3	5	16	19	11	2	1	
23b	Other diseases of the respiratory system	110	6	2	2	2		1	2	7	8	11	12	23	19	15			
24	Diseases of the stomach	130	11	1				1		6	18	22	23	23	16	9			
25(37)	Diarrhea and enteritis	337	281	42	9	4	1	3			3	8	6	9	9	11	1		
26	Appendicitis and typhlitis	36					1	2	8	6	7	5	2	5					
27	Hernia, intestinal obstruction	51	3	1		1			3	4	7	9	8	11	3	1			
28	Cirrhosis of the liver	46							1	1	5	8	13	8	9	1			
29	Acute nephritis and Bright's disease	531	3	2	1	3	1	3	6	29	57	68	104	101	104	42	6	1	
30	Diseases of the female genital organs	35							3	12	8	8	4						
31	Puerperal fever	25							3	16	6								
32	Other puerperal affections	32							4	14	10	4							
33	Congenital debility and malformations	425	423		1				1										
34	Senility	164											3	20	55	63	19	4	
35	Violent deaths (excluding suicide)	269	12	6	5	6	3	16	23	43	41	35	23	20	26	9	1		
36	Suicide	88							5	27	23	12	8	8	3	2			
(37)	Other defined diseases	845	119	13	7	2	1	8	21	44	96	109	96	141	127	55	6		
38	Diseases ill-defined or unknown	19	1	13	1								1	2	1				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WASHINGTON, D. C. (WHITE).																		
	All causes	3,739	491	85	34	22	11	48	97	257	341	361	390	644	638	271	40		
1	Typhoid fever	47					1	1	9	22	7	5	2						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	16	4	5	3	3								1					
6	Scarlet fever	4		2				1		1									
7	Whooping cough	13	5	2	1	1	2	1	1										
8	Diphtheria and croup	16		2	3	2		7		1				1					
9	Influenza	42		1		2			1	2		5	4	10	12	5			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	14	2					1			1	1	1	3	2	3			
13	Tuberculosis of the lungs	326	1	2				2	17	75	95	54	39	28	13				
14	Tuberculous meningitis	26	5	7	3	1	2	3	2		1		1	1					
15	Other forms of tuberculosis	29						3	5	6	4	3	5	2	1				
16	Cancer and other malignant tumors	220					1			2	11	40	49	58	46	12	1		
17	Meningitis	23	7	3			1	3	1	2	1	2	2	1					
18	Cerebral hemorrhage and softening	275	2							2	13	20	35	90	84	26	3		
19	Organic diseases of the heart	435	3	1	1			3	13	8	20	37	58	121	132	31	7		
20	Acute bronchitis	17	2	3	2						1		1	1	2	4	1		
21	Chronic bronchitis	20	2								1		1	3	7	4	2		
22	Pneumonia	169	15	8	1		1	4	3	12	18	20	24	27	25	10	1		
23a	Bronchopneumonia	84	15	13	3	3	1	3			3	2	3	12	15	9	2		
23b	Other diseases of the respiratory system	72	3	2	1			1	1	3	3	3	9	17	14	15			
24	Diseases of the stomach	65	4							1	8	10	8	16	11	7			
25(37)	Diarrhea and enteritis	182	113	24	6	3		1			2	7	2	6	8	10			
26	Appendicitis and typhlitis	28					1	2	7	4	5	3	1	5					
27	Hernia, intestinal obstruction	32	2	1		1			1	3	4	4	3	10	3				
28	Cirrhosis of the liver	42									5	7	13	7	9	1			
29	Acute nephritis and Bright's disease	334	2	2	1	1	1	1	1	14	26	33	55	69	87	36	5		
30	Diseases of the female genital organs	14							1	5	2	5	1						
31	Puerperal fever	18								14	4								
32	Other puerperal affections	20							2	10	7	1							
33	Congenital debility and malformations	241	239		1				1										
34	Senility	101												13	34	42	12		
35	Violent deaths (excluding suicide)	168	5	3	4	3		9	15	25	22	20	15	17	21	8	1		
36	Suicide	76							5	20	19	11	8	8	3	2			
(37)	Other defined diseases	563	59	1	4	2		2	11	25	58	68	59	115	108	46	5		
38	Diseases ill-defined or unknown	7	1	3										2	1				
	WASHINGTON, D. C. (COLORED).																		
	All causes	2,565	464	124	41	14	14	45	131	302	342	303	310	239	150	61	18	6	1
1	Typhoid fever	28			2			2	4	13	5	1		1					
2	Typhus fever																		
3	Malaria	4	1								1	2							
4	Smallpox																		
5	Measles	6	1	3		1		1											
6	Scarlet fever																		
7	Whooping cough	12	8	1	1	1	1												
8	Diphtheria and croup	3					2			1									
9	Influenza	26	1							3	4	1	5	9	3				
10	Asiatic cholera																		
11	Cholera nostras	2									1		1						
12	Other epidemic diseases	7			1				1	3			1		1				
13	Tuberculosis of the lungs	410	1	5	2		3	8	57	132	118	51	11	14	5	2			1
14	Tuberculous meningitis	16	2	1	3	1	2	3	2	2									
15	Other forms of tuberculosis	21		1				3	5	5	4	3							
16	Cancer and other malignant tumors	73							1	2	13	9	25	16	6		1		
17	Meningitis	13	1	5	1			2	2	1				1					
18	Cerebral hemorrhage and softening	140			1					2	5	29	40	40	16	4	3		
19	Organic diseases of the heart	289		1	1			2	5	26	39	52	65	55	30	11	2		
20	Acute bronchitis	28	12	11	2					1					1		1		
21	Chronic bronchitis	5								1	1	1			1		1		
22	Pneumonia	218	32	22	9	2		4	18	24	26	26	31	13	10	1			
23a	Bronchopneumonia	84	24	30	9	1	1	2	1	1	1	1	2	4	4	2		1	
23b	Other diseases of the respiratory system	38	3		1	2			1	4	5	8	3	6	5				
24	Diseases of the stomach	65	7	1				1		5	10	12	15	7	5	2			
25(37)	Diarrhea and enteritis	155	118	18	3	1	1	2			1	1	4	3	1	1	1		
26	Appendicitis and typhlitis	8							1	2	2	2	1						
27	Hernia, intestinal obstruction	19	1						2	1	3	5	5	1		1			
28	Cirrhosis of the liver	4							1	1		1		1					
29	Acute nephritis and Bright's disease	197	1			2		2	5	15	31	35	49	32	17	6	1	1	
30	Diseases of the female genital organs	21							2	7	6	3	3						
31	Puerperal fever	7							3	2	2								
32	Other puerperal affections	12							2	4	3	3							
33	Congenital debility and malformations	184	184																
34	Senility	63											3	7	21	21	7	4	
35	Violent deaths (excluding suicide)	101	7	3	1	3	3	7	8	18	19	15	8	3	5	1			
36	Suicide	12								7	4	1							
(37)	Other defined diseases	282	60	12	3		1	6	10	19	38	41	37	26	19	9	1		
38	Diseases ill-defined or unknown	12		10	1								1						

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Death at unknown age.
	ATLANTA, GA. (TOTAL).																		
	All causes	3,172	480	155	85	48	19	70	190	435	398	328	341	302	222	86	7	5	1
1	Typhoid fever	106	4	3	1	3		13	18	32	15	7	6	2	2				
2	Typhus fever																		
3	Malaria	9	1					1	1	3		2				1			
4	Smallpox																		
5	Measles	40	6	12	9	3	3	3	2	1		1							
6	Scarlet fever	7	1		1	3		2											
7	Whooping cough	39	19	10	7	2		1											
8	Diphtheria and croup	24	4	4	5	2	2	4	2	1									
9	Influenza	19							1	2	2	3	4	1	2	3	1		
10	Asiatic cholera																		
11	Cholera nostras	2												1	1				
12	Other epidemic diseases	55	8	9	5	2	2	1	2	1	4	3	3	6	5	3	1		
13	Tuberculosis of the lungs	277	4	1	1	1	1	2	50	103	53	32	18	9	1	1			
14	Tuberculous meningitis	10	2		1	1	1	1	2	1	1								
15	Other forms of tuberculosis	23	1	3					2	7	4	2	3	1					
16	Cancer and other malignant tumors	98							1	4	10	22	27	21	11	2			
17	Meningitis	19	4	2	3	1		2	2	2	2		1						
18	Cerebral hemorrhage and softening	127	4		1				1	4	15	17	31	29	16	9			
19	Organic diseases of the heart	163	4					2	5	14	20	18	32	30	30	6	1	1	
20	Acute bronchitis	8	5	1	1				1										
21	Chronic bronchitis	19								4	3	4		1	2	3	1	1	
22	Pneumonia	315	68	21	13	6	4	14	19	31	40	25	24	25	17	8			
23a	Bronchopneumonia	50	18	5	4	2		2	3	3	1	1	5	2		4			
23b	Other diseases of the respiratory system	37	3	1	2				2	7	7	5	6	3	1				
24	Diseases of the stomach	123	10	3	5	2			3	15	18	19	23	15	7	3			
25(37)	Diarrhea and enteritis	227	111	52	13	7		2	5	5	6	6	5	8	3	1	1	1	1
26	Appendicitis and typhlitis	40						2	9	10	12	4	2		1				
27	Hernia, intestinal obstruction	31	4	2		1		2		7	3	6	3	2	1				
28	Cirrhosis of the liver	13								1	4	4	3	1					
29	Acute nephritis and Bright's disease	317	4	2	2	1	2	2	5	16	35	55	56	75	51	11			
30	Diseases of the female genital organs	25								13	7	4	1						
31	Puerperal fever	24							7	10	7								
32	Other puerperal affections	31							8	13	9	1							
33	Congenital debility and malformations	145	145																
34	Senility	39											1	5	13	17	1	2	
35	Violent deaths (excluding suicide)	185	18	3	3	7		6	14	51	31	19	11	11	9	2			
36	Suicide	21							1	4	8	3	2	2	1				
(37)	Other defined diseases	460	25	11	6	2	4	7	23	67	79	61	71	48	43	12	1		
38	Diseases ill-defined or unknown	44	7	10	2	2		1	1	3	2	4	3	4	5				
	ATLANTA, GA. (WHITE).																		
	All causes	1,677	268	79	38	20	13	36	73	172	186	140	183	213	185	68	2		1
1	Typhoid fever	62	3	1				7	10	19	11	5	4		2				
2	Typhus fever																		
3	Malaria	2								1						1			
4	Smallpox																		
5	Measles	27	4	10	6	2	2	2		1									
6	Scarlet fever	6	1		1	3		1											
7	Whooping cough	18	9	5	2	1		1											
8	Diphtheria and croup	17	1	3	4	1	2	4	2										
9	Influenza	4							1						1	2			
10	Asiatic cholera																		
11	Cholera nostras	1													1				
12	Other epidemic diseases	34	3	5	3	1	2	1		1	1	2		6	5	3	1		
13	Tuberculosis of the lungs	117	2	1			1	1	10	34	27	23	11	5	1	1			
14	Tuberculous meningitis	6	2				1		1	1	1								
15	Other forms of tuberculosis	11		1						3	3	1	2	1					
16	Cancer and other malignant tumors	73								3	6	13	21	18	10	2			
17	Meningitis	11	3	1	2			2		1	1		1						
18	Cerebral hemorrhage and softening	80	4		1					1	9	8	16	20	14	7			
19	Organic diseases of the heart	86	4					1	2	5	10	2	12	20	25	5			
20	Acute bronchitis	3	2		1														
21	Chronic bronchitis	6								1				1	1	3			
22	Pneumonia	117	36	8	6	2		4	6	4	7	5	10	12	12	5			
23a	Bronchopneumonia	27	8	4	2	1			2		1		3	2		4			
23b	Other diseases of the respiratory system	17	2	1					1	3	2	1	4	2	1				
24	Diseases of the stomach	43	3	2	1	1			1	1	3	4	10	9	5	3			
25(37)	Diarrhea and enteritis	117	68	22	5	4		2	1		1		4	7	2				1
26	Appendicitis and typhlitis	25						2	6	6	7	2	1		1				
27	Hernia, intestinal obstruction	19	4	1				2		2	2	3	2	2	1				
28	Cirrhosis of the liver	8									3	2	2	1					
29	Acute nephritis and Bright's disease	192	2	1			1		1	6	16	23	34	55	44	9			
30	Diseases of the female genital organs	9								5	2	2							
31	Puerperal fever	12							1	5	6								
32	Other puerperal affections	16							4	7	5								
33	Congenital debility and malformations	83	83																
34	Senility	30												4	12	13	1		
35	Violent deaths (excluding suicide)	92	8	2	2	3		2	9	25	10	8	5	8	8	2			
36	Suicide	20							1	4	7	3	2	2	1				
(37)	Other defined diseases	265	11	7	2	1	4	4	13	32	45	31	38	35	34	8			
38	Diseases ill-defined or unknown	21	5	4					1	1		2	1	3	4				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	ATLANTA, GA. (COLORED).																		
	All causes	1,495	212	76	47	28	6	34	117	263	212	188	158	89	37	18	5	5	
1	Typhoid fever	44	1	2	1	3		6	8	13	4	2	2	2					
2	Typhus fever																		
3	Malaria	7	1					1	1	2		2							
4	Smallpox																		
5	Measles	13	2	2	3	1	1	1	2			1							
6	Scarlet fever	1						1											
7	Whooping cough	21	10	5	5	1													
8	Diphtheria and croup	7	3	1	1	1				1									
9	Influenza	15								2	2	3	4	1	1	1	1		
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	21	5	4	2	1			2		3	1	3						
13	Tuberculosis of the lungs	160	2		1	1		1	40	69	26	9	7	4					
14	Tuberculous meningitis	4			1	1		1	1										
15	Other forms of tuberculosis	12	1	2					2	4	1	1	1						
16	Cancer and other malignant tumors	25							1	1	4	9	6	3	1				
17	Meningitis	8	1	1	1	1			2	1	1								
18	Cerebral hemorrhage and softening	47							1	3	6	9	15	9	2	2			
19	Organic diseases of the heart	77						1	3	9	10	16	20	10	5	1	1	1	
20	Acute bronchitis	5	3	1					1										
21	Chronic bronchitis	13								3	3	4			1		1	1	
22	Pneumonia	198	32	13	7	4	4	10	13	27	33	20	14	13	5	3			
23a	Bronchopneumonia	23	10	1	2	1		2	1	3		1	2						
23b	Other diseases of the respiratory system	20	1		2				1	4	5	4	2	1					
24	Diseases of the stomach	80	7	1	4	1			2	14	15	15	13	6	2				
25(37)	Diarrhea and enteritis	110	43	30	8	3			4	5	5	6	1	1	1	1	1	1	
26	Appendicitis and typhlitis	15							3	4	5	2	1						
27	Hernia, intestinal obstruction	12		1		1				5	1	3	1						
28	Cirrhosis of the liver	5								1	1	2	1						
29	Acute nephritis and Bright's disease	125	2	1	2	1	1	2	4	10	19	32	22	20	7	2			
30	Diseases of the female genital organs	16								8	5	2	1						
31	Puerperal fever	12							6	5	1								
32	Other puerperal affections	15							4	6	4	1							
33	Congenital debility and malformations	62	62																
34	Senility	9											1	1	1	4		2	
35	Violent deaths (excluding suicide)	93	10	1	1	4		4	5	26	21	11	6	3	1				
36	Suicide	1									1								
(37)	Other defined diseases	195	14	4	4	1		3	10	35	34	30	33	13	9	4	1		
38	Diseases ill-defined or unknown	23	2	6	2	2		1		2	2	2	2	1	1				
	CHICAGO, ILL. (TOTAL).																		
	All causes	32,531	6,252	1,416	648	485	339	923	1,287	2,884	3,417	3,934	3,951	3,364	2,421	1,041	163	4	2
1	Typhoid fever	245	1	2		3	2	18	45	69	48	26	19	11	1				
2	Typhus fever																		
3	Malaria	8	1								2		2	3					
4	Smallpox	3							2		1								
5	Measles	130	29	50	17	10	7	9	2	4		1	1						
6	Scarlet fever	492	19	57	61	75	54	134	59	23	6	4							
7	Whooping cough	52	24	12	5	6	1	4											
8	Diphtheria and croup	860	51	170	141	140	90	196	42	8	11	4	4	3					
9	Influenza	179	8	8	4	1		4	6	14	6	25	23	26	25	24	5		
10	Asiatic cholera																		
11	Cholera nostras	11	4		1			1			1	4							
12	Other epidemic diseases	147	47	6	4	1	1	3	2	8	12	16	18	10	9	9	1		
13	Tuberculosis of the lungs	3,313	26	21	13	8	2	23	266	925	860	632	350	147	35	5			
14	Tuberculous meningitis	201	36	33	24	15	13	20	25	17	5	6	6		1				
15	Other forms of tuberculosis	238	14	4	3	5	1	13	34	52	32	34	19	15	9	3			
16	Cancer and other malignant tumors	1,799	4	2	3		1	4	13	45	164	391	491	433	191	52	5		
17	Meningitis	227	62	34	20	10	3	28	20	15	15	14	5	1					
18	Cerebral hemorrhage and softening	954	9		1	1			3	16	33	99	209	250	237	86	10		
19	Organic diseases of the heart	3,156	14	7	3	7	14	62	138	175	294	473	550	631	522	223	42	1	
20	Acute bronchitis	88	49	11	4		3	2				3	2	5	6	3			
21	Chronic bronchitis	89	1		2			1	1		5	10	12	13	26	14	4		
22	Pneumonia	3,016	362	182	85	45	29	64	98	223	349	432	414	352	247	117	17		
23a	Bronchopneumonia	1,499	679	260	88	43	33	44	12	23	19	29	47	68	86	59	9		
23b	Other diseases of the respiratory system	239	20	15	6	3	4	8	9	23	15	35	35	30	28	7	1		
24	Diseases of the stomach	211	26	1	2	2	1	1	6	20	27	37	30	28	22	6	2		
25(37)	Diarrhea and enteritis	3,245	2,566	417	72	24	16	23	8	12	19	14	16	17	26	11	4		
26	Appendicitis and typhlitis	368				5	4	29	62	81	68	58	38	19	3	1			
27	Hernia, intestinal obstruction	262	42	2	1	1	1	7	12	25	36	29	45	34	23	3	1		
28	Cirrhosis of the liver	467	3		2				2	15	75	118	137	72	31	10	1	1	
29	Acute nephritis and Bright's disease	2,460	23	17	17	11	12	29	37	132	234	405	501	483	394	147	18		
30	Diseases of the female genital organs	189							4	54	67	42	13	5	3	1			
31	Puerperal fever	204							10	108	80	6							
32	Other puerperal affections	148							5	62	69	12							
33	Congenital debility and malformations	1,280	1,255	10	5	3		4	1	1			1						
34	Senility	39											1	3	10	20	4	1	
35	Violent deaths (excluding suicide)	2,125	42	48	37	35	24	80	186	375	365	360	286	170	78	37			2
36	Suicide	479							14	104	111	110	83	39	14	3	1		
(37)	Other defined diseases	4,098	833	46	27	31	23	112	163	255	387	504	592	496	393	197	38	1	
38	Diseases ill-defined or unknown	10	2	1							1	1	1		1	3			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CHICAGO, ILL. (WHITE).																		
	All causes	31,478	6,155	1,373	640	473	332	899	1,230	2,735	3,205	3,747	3,806	3,298	2,396	1,026	158	3	2
1	Typhoid fever	241	1	2		3	2	17	44	68	48	26	18	11	1				
2	Typhus fever																		
3	Malaria	7	1								1		2	3					
4	Smallpox	2							1		1								
5	Measles	126	28	47	17	10	7	9	2	4		1	1						
6	Scarlet fever	488	19	57	61	74	53	132	59	23	6	4							
7	Whooping cough	47	23	10	5	4	1	4											
8	Diphtheria and croup	850	51	168	141	139	89	191	42	8	11	3	4	3					
9	Influenza	174	8	8	4	1		4	6	12	5	25	22	26	25	24	4		
10	Asiatic cholera																		
11	Cholera nostras	10	4					1			1	4							
12	Other epidemic diseases	144	47	6	4	1	1	3	1	7	11	16	18	10	9	9	1		
13	Tuberculosis of the lungs	3,095	25	19	12	7	2	20	238	864	800	591	336	141	35	5			
14	Tuberculous meningitis	190	35	32	23	14	13	19	23	16	3	6	5		1				
15	Other forms of tuberculosis	226	14	3	3	5	1	13	31	46	32	32	19	15	9	3			
16	Cancer and other malignant tumors	1,767	4	2	3		1	4	13	44	158	383	479	430	189	52	5		
17	Meningitis	220	61	32	20	8	3	27	20	15	14	14	5	1					
18	Cerebral hemorrhage and softening	922	9		1	1			3	16	31	94	198	242	231	86	10		
19	Organic diseases of the heart	3,030	14	7	3	6	13	61	138	166	264	441	522	619	517	217	41	1	
20	Acute bronchitis	85	49	10	4		2	2				3	2	5	6	2			
21	Chronic bronchitis	87	1		2			1	1		5	9	11	13	26	14	4		
22	Pneumonia	2,896	350	173	84	43	29	63	92	208	322	408	402	343	245	117	17		
23a	Bronchopneumonia	1,454	660	247	86	43	32	42	12	22	19	28	43	66	86	59	9		
23b	Other diseases of the respiratory system	235	20	15	6	3	4	8	8	22	15	34	35	30	27	7	1		
24	Diseases of the stomach	203	26	1	2	2	1	1	4	20	25	34	29	28	22	6	2		
25(37)	Diarrhea and enteritis	3,204	2,537	413	72	24	16	23	7	11	17	13	14	17	25	11	4		
26	Appendicitis and typhlitis	357				5	4	26	59	80	67	56	38	18	3	1			
27	Hernia, intestinal obstruction	252	41	2	1	1	1	6	12	24	34	28	41	34	23	3	1		
28	Cirrhosis of the liver	457	3		2				1	15	72	116	134	71	31	10	1	1	
29	Acute nephritis and Bright's disease	2,388	23	17	17	11	12	29	36	126	225	382	486	473	389	144	18		
30	Diseases of the female genital organs	177							3	53	61	38	13	5	3	1			
31	Puerperal fever	194							9	102	77	6							
32	Other puerperal affections	146							5	61	68	12							
33	Congenital debility and malformations	1,260	1,235	10	5	3		4	1	1			1						
34	Senility	37											1	2	10	19	4	1	
35	Violent deaths (excluding suicide)	2,068	41	47	36	35	24	79	182	362	349	349	283	167	78	34			2
36	Suicide	471							14	97	110	110	83	39	14	3	1		
(37)	Other defined diseases	3,959	823	44	26	30	21	110	163	242	353	480	560	486	390	196	35		
38	Diseases ill-defined or unknown	9	2	1								1	1		1	3			
	CHICAGO, ILL. (COLORED).																		
	All causes	1,053	97	43	8	12	7	24	57	149	212	187	145	66	25	15	5	1	
1	Typhoid fever	4						1	1	1			1						
2	Typhus fever																		
3	Malaria	1									1								
4	Smallpox	1							1										
5	Measles	4	1	3															
6	Scarlet fever	4				1	1	2											
7	Whooping cough	5	1	2		2													
8	Diphtheria and croup	10		2		1	1	5				1							
9	Influenza	5								2	1		1				1		
10	Asiatic cholera																		
11	Cholera nostras	1			1														
12	Other epidemic diseases	3							1	1	1								
13	Tuberculosis of the lungs	218	1	2	1	1		3	28	61	60	41	14	6					
14	Tuberculous meningitis	11	1	1	1	1		1	2	1	2		1						
15	Other forms of tuberculosis	12		1					3	6		2							
16	Cancer and other malignant tumors	32								1	6	8	12	3	2				
17	Meningitis	7	1	2		2		1			1								
18	Cerebral hemorrhage and softening	32									2	5	11	8	6				
19	Organic diseases of the heart	126				1	1	1		9	30	32	28	12	5	6	1		
20	Acute bronchitis	3		1			1									1			
21	Chronic bronchitis	2										1	1						
22	Pneumonia	120	12	9	1	2		1	6	15	27	24	12	9	2				
23a	Bronchopneumonia	45	19	13	2		1	2		1		1	4	2					
23b	Other diseases of the respiratory system	4							1	1		1			1				
24	Diseases of the stomach	8							2		2	3	1						
25(37)	Diarrhea and enteritis	41	29	4					1	1	2	1	2		1				
26	Appendicitis and typhlitis	11						3	3	1	1	2		1					
27	Hernia, intestinal obstruction	10	1					1		1	2	1	4						
28	Cirrhosis of the liver	10							1		3	2	3	1					
29	Acute nephritis and Bright's disease	72							1	6	9	23	15	10	5	3			
30	Diseases of the female genital organs	12							1	1	6	4							
31	Puerperal fever	10							1	6	3								
32	Other puerperal affections	2								1	1								
33	Congenital debility and malformations	20	20																
34	Senility	2												1		1			
35	Violent deaths (excluding suicide)	57	1	1	1			1	4	13	16	11	3	3		3			
36	Suicide	8								7	1								
(37)	Other defined diseases	139	10	2	1	1	2	2		13	34	24	32	10	3	1	3	1	
38	Diseases ill-defined or unknown	1									1								

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

INDIANAPOLIS, IND. (TOTAL).

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	All causes	3,530	419	67	43	38	16	59	168	329	395	379	472	482	465	166	24	2	1
1	Typhoid fever	62			1	1	1	4	14	13	14	5	4	2	3				
2	Typhus fever																		
3	Malaria	7				1		1			2	3							
4	Smallpox																		
5	Measles	3		1			1		1										
6	Scarlet fever	9	1	1		1		2	2	2									
7	Whooping cough	18	7	2	3	3	1	2											
8	Diphtheria and croup	41	4	2	8	6	7	6	7	1									
9	Influenza	23	3							3	1	3		5	4	4			
10	Asiatic cholera																		
11	Cholera nostras	1								1									
12	Other epidemic diseases	21	2			1		1		1	1	2	4	4	3	2			
13	Tuberculosis of the lungs	370	2	2	2	2		6	38	112	84	55	27	27	9	3		1	
14	Tuberculous meningitis	20	2	1	2	3		1	6	3	1				1				
15	Other forms of tuberculosis	63	1	2			1	3	9	15	6	7	12	5	2				
16	Cancer and other malignant tumors	198			1				1	4	18	40	51	44	31	7			1
17	Meningitis	28	5	3		4		2	2	1	4	1	3	2	1				
18	Cerebral hemorrhage and softening	232			1				1	10	9	15	50	58	68	20			
19	Organic diseases of the heart	422	2					3	12	18	32	31	79	109	95	34	6	1	
20	Acute bronchitis	10	5		1	1		1							1	1			
21	Chronic bronchitis	21	1			1				1		1	1	2	9	3	2		
22	Pneumonia	157	20	5	5			4	9	9	20	17	24	15	26	2	1		
23a	Bronchopneumonia	107	28	8	8	6	1	3	1	1	7	8	6	7	18	5			
23b	Other diseases of the respiratory system	27	1	2						2	5	2	5	3	3	3	1		
24	Diseases of the stomach	34	4							2	6	5	5	5	5	2			
25(37)	Diarrhea and enteritis	180	110	26	6			2	1	1	5	5	5	8	7	4			
26	Appendicitis and typhlitis	33						1	8	6	3	5	7	1	1	1			
27	Hernia, intestinal obstruction	62	6			1			3	4	8	5	7	13	11	4			
28	Cirrhosis of the liver	55		1						1	9	11	11	14	7	1			
29	Acute nephritis and Bright's disease	221	1	2				1	3	10	15	29	45	47	50	16	2		
30	Diseases of the female genital organs	36							2	8	16	2	3	3	2				
31	Puerperal fever	19							2	10	5	2							
32	Other puerperal affections	11							1	6	4								
33	Congenital debility and malformations	170	168	2															
34	Senility	22												1	5	11	5		
35	Violent deaths (excluding suicide)	201	4	3	2	4	4	9	16	33	45	25	14	20	18	4			
36	Suicide	70							7	15	11	18	12	6		1			
(37)	Other defined diseases	574	42	3	8	3		7	22	36	64	82	97	80	85	38	7		
38	Diseases ill-defined or unknown	2		1										1					

INDIANAPOLIS, IND. (WHITE).

	All causes	3,029	359	54	34	32	14	48	137	277	312	325	408	423	433	150	22	1	
1	Typhoid fever	55			1	1	1	3	10	12	14	5	4	1	3				
2	Typhus fever																		
3	Malaria	7				1		1			2	3							
4	Smallpox																		
5	Measles	3		1			1		1										
6	Scarlet fever	9	1	1		1		2	2	2									
7	Whooping cough	12	4	1	2	3	1	1											
8	Diphtheria and croup	33	2	2	6	6	5	4	7	1									
9	Influenza	19	2							2	1	2		4	4	4			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	18	2			1		1		1	1	2	4	4	1	1			
13	Tuberculosis of the lungs	284	2	1	1			3	29	87	62	44	23	22	8	1		1	
14	Tuberculous meningitis	16	2	1	1	3		1	3	3	1				1				
15	Other forms of tuberculosis	48	1	1			1	3	6	12	4	7	9	4					
16	Cancer and other malignant tumors	184			1				1	3	16	39	47	41	31	5			
17	Meningitis	26	5	2		4		2	2	1	3	1	3	2	1				
18	Cerebral hemorrhage and softening	201			1				1	8	8	12	40	50	62	19			
19	Organic diseases of the heart	349	2					3	10	15	21	20	63	94	85	30	6		
20	Acute bronchitis	7	4			1									1	1			
21	Chronic bronchitis	17	1							1				2	9	3	1		
22	Pneumonia	124	16	2	5			2	9	7	11	13	21	12	23	2	1		
23a	Bronchopneumonia	79	20	6	4	5	1	2			3	7	4	5	17	5			
23b	Other diseases of the respiratory system	24	1	2						2	4	2	5	2	3	2	1		
24	Diseases of the stomach	30	3							2	6	5	2	5	5	2			
25(37)	Diarrhea and enteritis	150	89	23	4			2			5	4	4	8	7	4			
26	Appendicitis and typhlitis	29						1	7	6	2	4	6	1	1	1			
27	Hernia, intestinal obstruction	54	5						3	3	6	4	7	11	11	4			
28	Cirrhosis of the liver	48		1						1	7	10	9	13	7				
29	Acute nephritis and Bright's disease	198	1	2				1	3	10	13	26	39	42	46	13	2		
30	Diseases of the female genital organs	28							2	7	10	2	2	3	2				
31	Puerperal fever	18							1	10	5	2							
32	Other puerperal affections	10							1	5	4								
33	Congenital debility and malformations	156	154	2															
34	Senility	20												1	4	11	4		
35	Violent deaths (excluding suicide)	177	4	2	2	3	4	9	15	31	35	21	14	15	18	4			
36	Suicide	69							6	15	11	18	12	6		1			
(37)	Other defined diseases	525	38	3	6	3		7	18	30	57	72	90	74	83	37	7		
38	Diseases ill-defined or unknown	2		1										1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	INDIANAPOLIS, IND. (COLORED).																		
	All causes	501	60	13	14	6	2	11	31	52	83	54	64	59	32	16	2	1	1
1	Typhoid fever	7						1	4	1				1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever																		
7	Whooping cough	6	3	1	1			1											
8	Diphtheria and croup	8	2		2		2	2											
9	Influenza	4	1							1		1		1					
10	Asiatic cholera																		
11	Cholera nostras	1								1									
12	Other epidemic diseases	3													2	1			
13	Tuberculosis of the lungs	86		1	1	2		3	9	25	22	11	4	5	1	2			
14	Tuberculous meningitis	4			1				3										
15	Other forms of tuberculosis	15		1					3	3	2		3	1	2				
16	Cancer and other malignant tumors	14								1	2	1	4	3		2			1
17	Meningitis	2		1							1								
18	Cerebral hemorrhage and softening	31								2	1	3	10	8	6	1			
19	Organic diseases of the heart	73							2	3	11	11	16	15	10	4		1	
20	Acute bronchitis	3	1		1			1											
21	Chronic bronchitis	4				1						1	1				1		
22	Pneumonia	33	4	3				2		2	9	4	3	3	3				
23a	Bronchopneumonia	28	8	2	4	1		1	1	1	4	1	2	2	1				
23b	Other diseases of the respiratory system	3									1			1		1			
24	Diseases of the stomach	4	1										3						
25(37)	Diarrhea and enteritis	30	21	3	2				1	1		1	1						
26	Appendicitis and typhlitis	4							1		1	1	1						
27	Hernia, intestinal obstruction	8	1			1				1	2	1		2					
28	Cirrhosis of the liver	7									2	1	2	1		1			
29	Acute nephritis and Bright's disease	23									2	3	6	5	4	3			
30	Diseases of the female genital organs	8								1	6		1						
31	Puerperal fever	1							1										
32	Other puerperal affections	1								1									
33	Congenital debility and malformations	14	14																
34	Senility	2													1		1		
35	Violent deaths (excluding suicide)	24		1		1			1	2	10	4		5					
36	Suicide	1							1										
(37)	Other defined diseases	49	4		2				4	6	7	10	7	6	2	1			
38	Diseases ill-defined or unknown																		
	LOUISVILLE, KY. (TOTAL).																		
	All causes	3,661	441	123	51	50	28	69	173	363	430	458	440	461	385	156	21		12
1	Typhoid fever	54				1		5	12	11	4	10	8	3					
2	Typhus fever																		
3	Malaria	12	1					1	2	1	1	4			2				
4	Smallpox																		
5	Measles	58	14	17	8	9	4	4		1	1								
6	Scarlet fever	8		1	1	1		4	1										
7	Whooping cough	17	7	4		1	3	2											
8	Diphtheria and croup	27	1	3	8	5	4	3	2				1						
9	Influenza	30		1	1				1	3	3	6	3	5	6	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	27	3	2	1					1	2	4	4	8	2				
13	Tuberculosis of the lungs	479	7	4	2	2		5	59	119	131	71	52	18	6	1			2
14	Tuberculous meningitis	15		4	2	1		2	1	2	2				1				
15	Other forms of tuberculosis	43	3	2		1		3	9	10	6	2	5	2					
16	Cancer and other malignant tumors	173						1		5	16	33	39	41	28	10			
17	Meningitis	50	15	10	4	3	1	7	1	4	1	1	3						
18	Cerebral hemorrhage and softening	152		1	1				1	3	12	23	30	39	24	16	1		1
19	Organic diseases of the heart	343	3					3	8	23	37	60	49	78	60	20	1		1
20	Acute bronchitis	13	3	5		1	1			2					1				
21	Chronic bronchitis	48							3	3	5	3	3	6	12	12	1		
22	Pneumonia	228	27	14	4	10	4	4	15	12	20	32	25	28	26	5			2
23a	Bronchopneumonia	57	13	13	6	1	2	2			1	2	1	2	8	1			
23b	Other diseases of the respiratory system	90	5	3			1		2	7	6	17	13	17	9	9	1		
24	Diseases of the stomach	62	6		1	1	3		1	5	11	6	10	9	4	5			
25(37)	Diarrhea and enteritis	133	60	25	3	3		2	2	3	3	6	6	8	7	4	1		
26	Appendicitis and typhlitis	25				1		5	3	4	3	7	2						
27	Hernia, intestinal obstruction	37	6						1	5	5	2	8	6	3		1		
28	Cirrhosis of the liver	41								1	6	5	14	9	5	1			
29	Acute nephritis and Bright's disease	278	1		1		2	5	2	11	23	39	46	66	60	16	2		4
30	Diseases of the female genital organs	25								14	6	3	1	1					
31	Puerperal fever	13							3	8	1	1							
32	Other puerperal affections	13							2	6	4	1							
33	Congenital debility and malformations	190	190																
34	Senility	65												4	32	21	8		
35	Violent deaths (excluding suicide)	243	6	3	4	5	1	5	26	49	44	34	30	20	7	7	1		1
36	Suicide	38							1	7	9	6	8	5	2				
(37)	Other defined diseases	556	65	6	2	3	2	6	15	43	66	77	76	84	79	27	4		1
38	Diseases ill-defined or unknown	18		5	2	1					1	3	3	2	1				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	LOUISVILLE, KY. (WHITE).																		
	All causes	2,597	343	75	32	32	16	50	92	228	276	279	301	370	342	139	17		5
1	Typhoid fever	33						3	7	7	2	6	5	3					
2	Typhus fever																		
3	Malaria	5	1					1	1	1		1							
4	Smallpox																		
5	Measles	35	11	11	2	5	2	3			1								
6	Scarlet fever	8		1	1	1		4	1										
7	Whooping cough	9	5	1			1	2											
8	Diphtheria and croup	25		3	7	5	4	3	2				1						
9	Influenza	17									2	2	2	5	5	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	22	2	1	1					1	1	4	3	7	2				
13	Tuberculosis of the lungs	326	7	3	1	1		1	27	81	98	48	38	16	4	1			
14	Tuberculous meningitis	13		4	1	1		2	1	2	2								
15	Other forms of tuberculosis	30	2	2				2	6	8	6	1	2	1					
16	Cancer and other malignant tumors	144						1		2	10	26	31	37	28	9			
17	Meningitis	35	12	6	2	2	1	4	1	3		1	3						
18	Cerebral hemorrhage and softening	121		1	1					2	9	18	18	32	23	15	1		1
19	Organic diseases of the heart	215	3					3	5	11	20	20	31	53	50	18			1
20	Acute bronchitis	4	1	1		1				1									
21	Chronic bronchitis	34								1	1	2	3	4	10	12	1		
22	Pneumonia	129	17	8	3	5	1	2	5	5	11	13	11	21	22	5			
23a	Bronchopneumonia	37	8	7	5	1	1	1			1	1	1	2	8	1			
23b	Other diseases of the respiratory system	57	3	2					2	2		7	9	15	9	7	1		
24	Diseases of the stomach	33	5				2		1	1	7	2	5	5	2	3			
25(37)	Diarrhea and enteritis	95	49	15	1	3		1		1	1	3	5	7	5	4			
26	Appendicitis and typhlitis	21				1		5	2	4	2	5	2						
27	Hernia, intestinal obstruction	27	4						1	3	3	2	5	5	3		1		
28	Cirrhosis of the liver	36								1	3	5	14	7	5	1			
29	Acute nephritis and Bright's disease	222			1		2	4	2	9	12	28	32	54	59	15	1		3
30	Diseases of the female genital organs	15								10	3	2							
31	Puerperal fever	9							1	7		1							
32	Other puerperal affections	8								4	3	1							
33	Congenital debility and malformations	159	159																
34	Senility	57												4	26	19	8		
35	Violent deaths (excluding suicide)	165	4	2	4	3	1	3	15	31	25	23	21	18	7	7	1		
36	Suicide	37							1	6	9	6	8	5	2				
(37)	Other defined diseases	399	50	3	1	2	1	5	11	24	43	49	48	67	71	21	3		
38	Diseases ill-defined or unknown	15		4	1	1					1	2	3	2	1				
	LOUISVILLE, KY. (COLORED).																		
	All causes	1,064	98	48	19	18	12	19	81	135	154	179	139	91	43	17	4		7
1	Typhoid fever	21				1		2	5	4	2	4	3						
2	Typhus fever																		
3	Malaria	7							1		1	3			2				
4	Smallpox																		
5	Measles	23	3	6	6	4	2	1		1									
6	Scarlet fever																		
7	Whooping cough	8	2	3		1	2												
8	Diphtheria and croup	2	1		1														
9	Influenza	13		1	1				1	3	1	4	1		1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	5	1	1						1			1	1					
13	Tuberculosis of the lungs	153		1	1	1		4	32	38	33	23	14	2	2				2
14	Tuberculous meningitis	2			1										1				
15	Other forms of tuberculosis	13	1			1		1	3	2		1	3	1					
16	Cancer and other malignant tumors	29								3	6	7	8	4		1			
17	Meningitis	15	3	4	2	1		3		1	1								
18	Cerebral hemorrhage and softening	31							1	1	3	5	12	7	1	1			
19	Organic diseases of the heart	128							3	12	17	40	18	25	10	2	1		
20	Acute bronchitis	9	2	4			1			1					1				
21	Chronic bronchitis	14							3	2	4	1		2	2				
22	Pneumonia	99	10	6	1	5	3	2	10	7	9	19	14	7	4				2
23a	Bronchopneumonia	20	10	6	1		1	1				1							
23b	Other diseases of the respiratory system	33	2	1			1			5	6	10	4	2		2			
24	Diseases of the stomach	29	1		1	1	1			4	4	4	5	4	2	2			
25(37)	Diarrhea and enteritis	38	11	10	2			1	2	2	2	3	1	1	2		1		
26	Appendicitis and typhlitis	4							1		1	2							
27	Hernia, intestinal obstruction	10	2							2	2		3	1					
28	Cirrhosis of the liver	5									3			2					
29	Acute nephritis and Bright's disease	56	1					1		2	11	11	14	12	1	1	1		1
30	Diseases of the female genital organs	10								4	3	1	1	1					
31	Puerperal fever	4							2	1	1								
32	Other puerperal affections	5							2	2	1								
33	Congenital debility and malformations	31	31																
34	Senility	8													6	2			
35	Violent deaths (excluding suicide)	78	2	1		2		2	11	18	19	11	9	2					1
36	Suicide	1								1									
(37)	Other defined diseases	157	15	3	1	1	1	1	4	19	23	28	28	17	8	6	1		1
38	Diseases ill-defined or unknown	3		1	1							1							

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW ORLEANS, LA. (TOTAL).																		
	All causes	7,055	1,071	251	112	55	44	123	310	770	857	925	846	781	601	255	41	10	3
1	Typhoid fever	107		6	3	2	1	3	24	37	17	8	4	1	1				
2	Typhus fever																		
3	Malaria	37		2		3			5	4	7	7	3	4	2				
4	Smallpox	2								1					1				
5	Measles	39	5	17	9	2		4	1		1								
6	Scarlet fever	4			1	1	1	1											
7	Whooping cough	97	47	32	11	2	3	2											
8	Diphtheria and croup	25	1	3	6	4	2	6	1			2							
9	Influenza	92	2	1	2	1		2	6	2	5	19	13	12	19	8			
10	Asiatic cholera																		
11	Cholera nostras	4										2	1			1			
12	Other epidemic diseases	59	3	1			1	2	3	5	6	6	15	7	7	3			
13	Tuberculosis of the lungs	835		3	1	2		4	67	269	198	173	77	28	13				
14	Tuberculous meningitis	18	1	1			2	4	2	4	1			2	1				
15	Other forms of tuberculosis	47	4	1			2	3	6	10	11	6	2	2					
16	Cancer and other malignant tumors	274			1		1	2	4	12	28	50	79	49	39	9			
17	Meningitis	52	18	9	8	2	3	2	3	4	3								
18	Cerebral hemorrhage and softening	290	3					1		4	21	32	58	81	67	19	2	2	
19	Organic diseases of the heart	700					1	1	10	25	75	91	107	172	146	64	6	2	
20	Acute bronchitis	55	22	11	5	2		1	2	1	3		1	4	2	1			
21	Chronic bronchitis	37								5	1	2	7	11	6	4	1		
22	Pneumonia	381	70	29	14	3	5	5	24	48	48	41	30	33	21	8	1	1	
23a	Bronchopneumonia	178	82	24	12	13	3	4	4	4	3	5	7	10	4	2	1		
23b	Other diseases of the respiratory system	48	9	1		1		1	2	7	4	10	3	5	2	2	1		
24	Diseases of the stomach	94	10		4	1	1	1	3	14	12	18	10	9	5	5	1		
25(37)	Diarrhea and enteritis	561	383	90	12	5	3	9	2	4	5	10	9	10	14	5			
26	Appendicitis and typhlitis	49						1	8	15	9	9	4	1	1	1			
27	Hernia, intestinal obstruction	63	6	1	1		2		2	5	6	14	11	7	5	3			
28	Cirrhosis of the liver	120			1				1	6	23	32	34	16	7				
29	Acute nephritis and Bright's disease	840	4	3	5		2	9	14	49	114	160	185	173	89	26	6	1	
30	Diseases of the female genital organs	46							1	13	16	10	3	3					
31	Puerperal fever	44							8	19	15	2							
32	Other puerperal affections	53							8	21	19	5							
33	Congenital debility and malformations	212	209	1	1			1											
34	Senility	103												3	43	42	12	3	
35	Violent deaths (excluding suicides)	396	5	5	6	9	4	26	57	89	76	48	29	17	13	10			2
36	Suicide	47							1	10	13	11	6	3	3				
(37)	Other defined diseases	1,045	187	9	9	2	7	28	41	83	117	152	148	118	90	42	10	1	1
38	Diseases ill-defined or unknown	1		1															
	NEW ORLEANS, LA. (WHITE).																		
	All causes	4,208	662	163	68	31	23	65	128	335	432	524	559	544	446	199	25	2	2
1	Typhoid fever	59		4	3	1	1		12	22	8	4	2	1	1				
2	Typhus fever																		
3	Malaria	17		2		2				2	4	3	2	2					
4	Smallpox																		
5	Measles	35	3	16	8	2		4	1		1								
6	Scarlet fever	4			1	1	1	1											
7	Whooping cough	73	36	24	8	1	2	2											
8	Diphtheria and croup	17	1	2	6	2		4				2							
9	Influenza	60	1		1			2	1		2	13	7	11	15	7			
10	Asiatic cholera																		
11	Cholera nostras	2											1			1			
12	Other epidemic diseases	42	3	1			1	2	2	1	4	3	12	4	6	3			
13	Tuberculosis of the lungs	404		3		1		2	18	101	94	100	55	19	11				
14	Tuberculous meningitis	13	1	1			1	3	2	2	1			2					
15	Other forms of tuberculosis	23	2				1	1	4	2	6	4	2	1					
16	Cancer and other malignant tumors	208					1	2	3	7	17	31	68	36	35	8			
17	Meningitis	34	14	7	5	1		1	2	2	2								
18	Cerebral hemorrhage and softening	212	2							2	15	16	38	68	55	14	2		
19	Organic diseases of the heart	419						1	4	4	30	38	63	116	104	55	4		
20	Acute bronchitis	24	8	4	2	1		1		1	1		1	2	2	1			
21	Chronic bronchitis	26								2			5	10	4	4	1		
22	Pneumonia	170	31	14	8	1	4	3	6	13	18	17	12	18	18	7			
23a	Bronchopneumonia	90	38	14	6	4		2	1	1	2	2	6	7	4	2	1		
23b	Other diseases of the respiratory system	29	3	1		1		1	2	5	3	5		4	2	2			
24	Diseases of the stomach	50	6		2	1		1		4	6	10	3	6	5	5	1		
25(37)	Diarrhea and enteritis	372	266	61	5	2	2	2	1	2	2	6	5	5	9	4			
26	Appendicitis and typhlitis	37							6	11	8	7	2	1	1	1			
27	Hernia, intestinal obstruction	46	6	1			1			4	3	10	9	5	4	3			
28	Cirrhosis of the liver	85			1					3	18	22	23	13	5				
29	Acute nephritis and Bright's disease	484	1		1		1	5	5	25	55	97	119	104	53	17	1		
30	Diseases of the female genital organs	20							1	8	3	5	1	2					
31	Puerperal fever	22							6	7	8	1							
32	Other puerperal affections	35							1	15	17	2							
33	Congenital debility and malformations	141	138	1	1			1											
34	Senility	68												2	30	27	8	1	
35	Violent deaths (excluding suicide)	213	4	3	4	8	2	14	30	39	31	28	17	15	9	7			2
36	Suicide	46							1	10	13	11	6	2	3				
(37)	Other defined diseases	628	98	4	6	2	5	10	19	40	60	87	100	88	70	31	7	1	
38	Diseases ill-defined or unknown																		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW ORLEANS, LA. (COLORED).																		
	All causes	2,847	409	88	44	24	21	58	182	435	425	401	287	237	155	56	16	8	1
1	Typhoid fever	48		2		1		3	12	15	9	4	2						
2	Typhus fever																		
3	Malaria	20				1			5	2	3	4	1	2	2				
4	Smallpox	2								1					1				
5	Measles	4	2	1	1														
6	Scarlet fever																		
7	Whooping cough	24	11	8	3	1	1												
8	Diphtheria and croup	8		1		2	2	2	1										
9	Influenza	32	1	1	1	1			5	2	3	6	6	1	4	1			
10	Asiatic cholera																		
11	Cholera nostras	2										2							
12	Other epidemic diseases	17							1	4	2	3	3	3	1				
13	Tuberculosis of the lungs	431			1	1		2	49	168	104	73	22	9	2				
14	Tuberculous meningitis	5					1	1		2					1				
15	Other forms of tuberculosis	24	2	1			1	2	2	8	5	2		1					
16	Cancer and other malignant tumors	66			1				1	5	11	19	11	13	4	1			
17	Meningitis	18	4	2	3	1	3	1	1	2	1								
18	Cerebral hemorrhage and softening	78	1					1		2	6	16	20	13	12	5		2	
19	Organic diseases of the heart	281					1		6	21	45	53	44	56	42	9	2	2	
20	Acute bronchitis	31	14	7	3	1			2		2			2					
21	Chronic bronchitis	11								3	1	2	2	1	2				
22	Pneumonia	211	39	15	6	2	1	2	18	35	30	24	18	15	3	1	1	1	
23a	Bronchopneumonia	88	44	10	6	9	3	2	3	3	1	3	1	3					
23b	Other diseases of the respiratory system	19	6							2	1	5	3	1			1		
24	Diseases of the stomach	44	4		2		1		3	10	6	8	7	3					
25(37)	Diarrhea and enteritis	189	117	29	7	3	1	7	1	2	3	4	4	5	5	1			
26	Appendicitis and typhlitis	12						1	2	4	1	2	2						
27	Hernia, intestinal obstruction	17			1		1		2	1	3	4	2	2	1				
28	Cirrhosis of the liver	35							1	3	5	10	11	3	2				
29	Acute nephritis and Bright's disease	356	3	3	4		1	4	9	24	59	63	66	69	36	9	5	1	
30	Diseases of the female genital organs	26								5	13	5	2	1					
31	Puerperal fever	22							2	12	7	1							
32	Other puerperal affections	18							7	6	2	3							
33	Congenital debility and malformations	71	71																
34	Senility	35																	
35	Violent deaths (excluding suicide)	183	1	2	2	1	2	12	27	50	45	20	12	2	4	3			
36	Suicide	1												1					
(37)	Other defined diseases	417	89	5	3		2	18	22	43	57	65	48	30	20	11	3		1
38	Diseases ill-defined or unknown	1		1															
	BALTIMORE, MD. (TOTAL).																		
	All causes	10,407	1,960	434	158	98	78	201	398	877	935	1,069	1,277	1,246	1,086	512	73	5	
1	Typhoid fever	156		1	1	2	1	9	32	44	36	14	11	4	1				
2	Typhus fever																		
3	Malaria	3			1			1				1							
4	Smallpox																		
5	Measles	81	22	27	8	7		11	4	2									
6	Scarlet fever	44	2	7	7	4	6	13	4			1							
7	Whooping cough	46	21	15	8		1	1											
8	Diphtheria and croup	68	7	18	6	10	10	13	2				2						
9	Influenza	73	1	2		1	2	1	5	3	2	7	11	13	14	9	2		
10	Asiatic cholera																		
11	Cholera nostras	4												2	2				
12	Other epidemic diseases	55	12	2					1	2	3	6	5	7	14	2	1		
13	Tuberculosis of the lungs	1,198	12	5	5	3	7	15	96	341	287	200	144	54	25	4			
14	Tuberculous meningitis	81	21	20	10	1	3	10	8	2	3	1	2						
15	Other forms of tuberculosis	115	3	2	1	8	1	8	20	25	18	8	13	6	2				
16	Cancer and other malignant tumors	530	1		1	1	1		4	14	33	84	158	129	73	28	3		
17	Meningitis	102	30	17	9	7	1	11	10	4	5	2	1	2	1	2			
18	Cerebral hemorrhage and softening	541	10				1		3	9	23	58	103	137	135	56	6		
19	Organic diseases of the heart	947	12	4		2		6	35	55	75	117	157	206	188	85	4	1	
20	Acute bronchitis	82	37	18	6	2		1		1	1	1	1	3	9	1	1		
21	Chronic bronchitis	81	1	1				1	1		6	9	3	10	24	22	3		
22	Pneumonia	728	103	55	22	9	11	20	30	64	81	59	76	93	73	28	3	1	
23a	Bronchopneumonia	392	137	77	31	21	7	10	4	4	5	14	11	19	34	17	1		
23b	Other diseases of the respiratory system	127	11	4	1		1	2	2	2	17	17	18	19	20	8	5		
24	Diseases of the stomach	132	26	7		1		2	5	12	9	14	21	13	15	6	1		
25(37)	Diarrhea and enteritis	668	488	100	12	1	2	7	4	2	3	4	11	10	13	10	1		
26	Appendicitis and typhlitis	79			1		2	2	13	21	13	10	7	5	3	2			
27	Hernia, intestinal obstruction	83	8			1		1	4	10	10	15	12	14	5	3			
28	Cirrhosis of the liver	102								2	9	30	32	19	8	2			
29	Acute nephritis and Bright's disease	915	3	3	3		1	1	15	51	80	140	201	201	157	51	8		
30	Diseases of the female genital organs	42							2	8	9	14	3	6					
31	Puerperal fever	38							6	17	13	2							
32	Other puerperal affections	51							6	22	21	2							
33	Congenital debility and malformations	711	708					2	1										
34	Senility	154											2	10	48	71	21	2	
35	Violent deaths (excluding suicide)	450	18	13	9	10	12	18	41	70	40	64	44	33	48	27	3		
36	Suicide	101							5	21	24	25	11	11	3	1			
(37)	Other defined diseases	1,310	260	24	15	5	8	33	33	64	100	135	192	198	161	73	9		
38	Diseases ill-defined or unknown	117	6	12	1	2		2	2	5	9	15	25	22	10	4	1	1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	BALTIMORE, MD. (WHITE).																		
	All causes	7,757	1,433	311	113	71	53	143	253	519	619	746	952	1,064	949	467	62	2	
1	Typhoid fever	124		1		2		7	23	38	30	13	6	4					
2	Typhus fever																		
3	Malaria	3			1			1				1							
4	Smallpox																		
5	Measles	67	17	22	7	7		8	4	2									
6	Scarlet fever	41	2	7	6	4	5	12	4			1							
7	Whooping cough	28	14	9	4			1											
8	Diphtheria and croup	63	7	15	6	9	10	13	2				1						
9	Influenza	49		1			1		4		1	2	7	11	13	7	2		
10	Asiatic cholera																		
11	Cholera nostras	4												2	2				
12	Other epidemic diseases	46	8	2					1	1	2	6	5	6	12	2	1		
13	Tuberculosis of the lungs	749	4	1			3	6	39	192	183	143	113	42	21	2			
14	Tuberculous meningitis	59	15	17	8		1	8	4	2	2		2						
15	Other forms of tuberculosis	71	2	1	1	6	1	6	7	14	12	5	9	5	2				
16	Cancer and other malignant tumors	473	1		1	1	1		4	11	28	67	141	119	70	26	3		
17	Meningitis	84	27	13	7	6		9	8	2	5	2		2	1	2			
18	Cerebral hemorrhage and softening	429	6						3	7	10	43	76	114	116	49	5		
19	Organic diseases of the heart	681	5	3		2		6	31	31	45	55	104	168	158	71	2		
20	Acute bronchitis	51	24	8	5	2							1	2	7	1	1		
21	Chronic bronchitis	65		1					1		2	4	2	9	22	21	3		
22	Pneumonia	477	63	31	14	6	8	11	12	24	42	36	53	85	63	26	2	1	
23a	Bronchopneumonia	263	88	49	18	14	4	4	2	1	3	11	8	18	27	15	1		
23b	Other diseases of the respiratory system	96	9	3	1			1	2	2	10	10	14	15	17	7	5		
24	Diseases of the stomach	86	14	4		1		1	3	5	5	10	13	11	12	6	1		
25(37)	Diarrhea and enteritis	536	384	85	9		2	5	4	2	2	3	9	8	13	9	1		
26	Appendicitis and typhlitis	61			1		2	1	10	15	8	7	7	5	3	2			
27	Hernia, intestinal obstruction	66	7			1		1	3	3	7	14	8	14	5	3			
28	Cirrhosis of the liver	91								1	8	26	30	16	8	2			
29	Acute nephritis and Bright's disease	705	2	3	3		1	1	13	28	48	99	145	167	141	47	7		
30	Diseases of the female genital organs	23								5	6	6	3	3					
31	Puerperal fever	30							4	12	12	2							
32	Other puerperal affections	35							4	14	16	1							
33	Congenital debility and malformations	534	532					2											
34	Senility	135											1	10	39	68	17		
35	Violent deaths (excluding suicide)	341	14	9	6	6	9	11	32	44	33	48	28	30	41	27	3		
36	Suicide	94							5	19	22	24	9	11	3	1			
(37)	Other defined diseases	1,009	186	18	14	4	5	28	23	41	69	95	136	169	145	69	7		
38	Diseases ill-defined or unknown	88	2	8	1				1	3	8	12	21	18	8	4	1	1	
	BALTIMORE, MD. (COLORED).																		
	All causes	2,650	527	123	45	27	25	58	145	358	316	323	325	182	137	45	11	3	
1	Typhoid fever	32			1		1	2	9	6	6	1	5		1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	14	5	5	1			3											
6	Scarlet fever	3			1		1	1											
7	Whooping cough	18	7	6	4		1												
8	Diphtheria and croup	5		3		1							1						
9	Influenza	24	1	1		1	1	1	1	3	1	5	4	2	1	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	9	4							1	1			1	2				
13	Tuberculosis of the lungs	449	8	4	5	3	4	9	57	149	104	57	31	12	4	2			
14	Tuberculous meningitis	22	6	3	2	1	2	2	4		1	1							
15	Other forms of tuberculosis	44	1	1		2		2	13	11	6	3	4	1					
16	Cancer and other malignant tumors	57								3	5	17	17	10	3	2			
17	Meningitis	18	3	4	2	1	1	2	2	2			1						
18	Cerebral hemorrhage and softening	112	4				1			2	13	15	27	23	19	7	1		
19	Organic diseases of the heart	266	7	1					4	24	30	62	53	38	30	14	2	1	
20	Acute bronchitis	31	13	10	1			1		1	1	1		1	2				
21	Chronic bronchitis	16	1					1			4	5	1	1	2	1			
22	Pneumonia	251	40	24	8	3	3	9	18	40	39	23	23	8	10	2	1		
23a	Bronchopneumonia	129	49	28	13	7	3	6	2	3	2	3	3	1	7	2			
23b	Other diseases of the respiratory system	31	2	1			1	1			7	7	4	4	3	1			
24	Diseases of the stomach	46	12	3				1	2	7	4	4	8	2	3				
25(37)	Diarrhea and enteritis	132	104	15	3	1		2			1	1	2	2		1			
26	Appendicitis and typhlitis	18						1	3	6	5	3							
27	Hernia, intestinal obstruction	17	1						1	7	3	1	4						
28	Cirrhosis of the liver	11								1	1	4	2	3					
29	Acute nephritis and Bright's disease	210	1						2	23	32	41	56	34	16	4	1		
30	Diseases of the female genital organs	19							2	3	3	8		3					
31	Puerperal fever	8							2	5	1								
32	Other puerperal affections	16							2	8	5	1							
33	Congenital debility and malformations	177	176						1										
34	Senility	19											1		9	3	4	2	
35	Violent deaths (excluding suicide)	109	4	4	3	4	3	7	9	26	7	16	16	3	7				
36	Suicide	7								2	2	1	2						
(37)	Other defined diseases	301	74	6	1	1	3	5	10	23	31	40	56	29	16	4	2		
38	Diseases ill-defined or unknown	29	4	4		2		2	1	2	1	3	4	4	2				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	BOSTON, MASS.																		
	All causes	11,765	2,246	475	179	127	93	217	340	814	1,154	1,363	1,429	1,580	1,148	517	82	1	
1	Typhoid fever	60			2				11	22	15	6	2	2					
2	Typhus fever																		
3	Malaria	3						1		1		1							
4	Smallpox	1						1											
5	Measles	71	15	25	15	8	4	3			1								
6	Scarlet fever	77	2	12	12	15	14	16	6										
7	Whooping cough	102	51	34	8	3	2	4											
8	Diphtheria and croup	136	27	25	15	12	9	28	6	6	2	4	2						
9	Influenza	32	2				1				1	4	3	13	4	3	1		
10	Asiatic cholera	1										1							
11	Cholera nostras	3										1			2				
12	Other epidemic diseases	75	26	3					1	6	2	11	9	8	5	3	1		
13	Tuberculosis of the lungs	1,051	14	10	5	6	3	8	80	245	272	201	111	79	16	1			
14	Tuberculous meningitis	134	35	29	19	9	5	15	9	8	3		1	1					
15	Other forms of tuberculosis	71	6	5	1	7	6	6	6	10	8	8	3	2	2	1			
16	Cancer and other malignant tumors	766	2	2		1			2	18	50	132	204	193	124	37	1		
17	Meningitis	84	26	14	5	3	2	5	11	6	3	3	6						
18	Cerebral hemorrhage and softening	626	8	1			1			7	38	74	110	175	144	63	5		
19	Organic diseases of the heart	1,308	5	3	3	1	1	12	37	46	94	148	203	336	288	118	13		
20	Acute bronchitis	75	41	14	2	1	1	1	2			2	2	1	5	3			
21	Chronic bronchitis	65	2	2							4	5	10	10	16	14	2		
22	Pneumonia	1,005	125	72	31	10	8	18	25	57	125	126	135	143	83	38	9		
23a	Bronchopneumonia	422	182	65	19	4	6	5	4	7	10	14	22	37	30	15	2		
23b	Other diseases of the respiratory system	80	7	5	1	1		1	2	5	11	13	10	11	6	5	2		
24	Diseases of the stomach	76	10	1	2		1	1	1	10	5	11	6	14	7	5	2		
25(37)	Diarrhea and enteritis	799	654	79	6	8		2	2	8	4	7	6	8	12		3		
26	Appendicitis and typhlitis	104	1			2	2	12	12	19	20	14	10	8	2	2			
27	Hernia, intestinal obstruction	114	25		2	2	1	2	1	7	12	7	18	13	16	6	2		
28	Cirrhosis of the liver	88								1	13	20	21	25	6	2			
29	Acute nephritis and Bright's disease	681	9	4	2		2	3	7	29	70	112	147	152	109	32	3		
30	Diseases of the female genital organs	66							4	14	16	20	12						
31	Puerperal fever	65							6	35	21	3							
32	Other puerperal affections	68							4	22	36	6							
33	Congenital debility and malformations	592	578	8		1		1	1	1	2								
34	Senility	29												2	6	16	5		
35	Violent deaths (excluding suicide)	863	22	23	13	17	14	35	46	98	141	155	129	80	49	35	6		
36	Suicide	128							3	27	37	23	21	12	5				
(37)	Other defined diseases	1,804	364	35	15	16	10	36	51	99	135	223	217	249	210	118	25	1	
38	Diseases ill-defined or unknown	40	7	4	1			1			3	8	9	6	1				
	CAMBRIDGE, MASS.																		
	All causes	1,617	297	54	36	25	18	41	74	91	133	145	190	203	187	107	14	2	
1	Typhoid fever	3						1		1		1							
2	Typhus fever																		
3	Malaria	1							1										
4	Smallpox																		
5	Measles	10	1	4	2		3												
6	Scarlet fever	3						1	2										
7	Whooping cough	24	13	5	3	3													
8	Diphtheria and croup	42	2	5	5	8	6	10	5			1							
9	Influenza	8	1							1		1	1		3	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	6	1											1		3	1		
13	Tuberculosis of the lungs	178	1					1	26	37	53	33	18	7	2				
14	Tuberculous meningitis	15	1	4	2	3	1	3		1									
15	Other forms of tuberculosis	14		2	1				5	1	2	1	2						
16	Cancer and other malignant tumors	111								1	4	23	26	27	20	9	1		
17	Meningitis	7	4	1	1							1							
18	Cerebral hemorrhage and softening	91	1							1	2	5	15	33	18	14	2		
19	Organic diseases of the heart	184	2		2			3	7	4	9	19	28	47	43	17	3		
20	Acute bronchitis	16	10	1	2	1									1	1			
21	Chronic bronchitis	10							1				1	2	3	3			
22	Pneumonia	126	21	10	5	1	2		4	4	14	11	26	12	7	9			
23a	Bronchopneumonia	37	16	8	3	1	1		1			1	1	2	3				
23b	Other diseases of the respiratory system	13	3	1						2		1	2	1	2	1			
24	Diseases of the stomach	18	7	1						1	2	2	2	1	1	1			
25(37)	Diarrhea and enteritis	101	83	9	1	1			1		1	1	1	2	1				
26	Appendicitis and typhlitis	6				1			2			2	1						
27	Hernia, intestinal obstruction	12	1			1			1			1	2	3	3				
28	Cirrhosis of the liver	4										1	2		1				
29	Acute nephritis and Bright's disease	94	1		1			3	1	4	12	9	16	18	19	9	1		
30	Diseases of the female genital organs	8								1	5	2							
31	Puerperal fever	8								6	2								
32	Other puerperal affections	11								6	4	1							
33	Congenital debility and malformations	84	82					1	1										
34	Senility	12											1	1	2	5	2	1	
35	Violent deaths (excluding suicide)	94	4	2	4	4	4	11	7	6	8	9	8	13	7	7			
36	Suicide	6								2	1		2		1				
(37)	Other defined diseases	259	41	1	4	1	1	7	9	12	14	19	35	33	50	27	4	1	
38	Diseases ill-defined or unknown	1	1																

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	FALL RIVER, MASS.																		
	All causes	2,134	810	160	55	24	16	36	62	104	137	146	175	206	137	58	7	1	
1	Typhoid fever	18		1		1		1	4	4	2	3	2						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	46	16	17	7	3	2	1											
6	Scarlet fever	2		1					1										
7	Whooping cough	22	9	7	5	1													
8	Diphtheria and cough	27	2	10	3	2	3	5	1	1									
9	Influenza	2												1		1			
10	Asiatic cholera																		
11	Cholera nostras	5	5																
12	Other epidemic diseases	7	3			1			1					1	1				
13	Tuberculosis of the lungs	167	1	2	1			1	18	44	39	28	17	12	1	3			
14	Tuberculous meningitis	7	1	1	1			4											
15	Other forms of tuberculosis	11		1					1	2	2	3	1			1			
16	Cancer and other malignant tumors	91	1							1	7	16	17	28	17	4			
17	Meningitis	22	7	6	1	1	1	2	2		1	1							
18	Cerebral hemorrhage and softening	77	1				1			1	3	12	13	20	19	7			
19	Organic diseases of the heart	169	1	5			1	1	7	4	11	18	30	55	25	10	1		
20	Acute bronchitis	43	35	4	3							1							
21	Chronic bronchitis	22	1	3	1					1	1			5	8	2			
22	Pneumonia	140	55	18	11	7	1		5	4	5	7	8	10	5	3	1		
23a	Bronchopneumonia	97	50	23	7	2	2	2			1	1	2	1	3	2		1	
23b	Other diseases of the respiratory system	8	2					1			1		2	1		1			
24	Diseases of the stomach	25	11	1		1					2		2	3	3	2			
25(37)	Diarrhea and enteritis	420	347	44	8	1	2	2			2	2	7	1	3	1			
26	Appendicitis and typhlitis	14						4	2	1	1	3	1	1	1				
27	Hernia, intestinal obstruction	16	1		1					2	1	2		7	1	1			
28	Cirrhosis of the liver	13				1					1		4	6			1		
29	Acute nephritis and Bright's disease	115	1	1				3	2	10	12	15	27	27	15	2			
30	Diseases of the female genital organs	5									5								
31	Puerperal fever	5							2	2	1								
32	Other puerperal affections	18								8	9	1							
33	Congenital debility and malformations	163	162					1											
34	Senility	16													6	8	2		
35	Violent deaths (excluding suicide)	57	6	5		2	1	5	2	5	10	5	7	3	4	1	1		
36	Suicide	22							1	4	3	6	1	4	2	1			
(37)	Other defined diseases	246	84	6	6	1	2	3	13	10	17	22	32	18	23	8	1		
38	Diseases ill-defined or unknown	16	8	4									2	2					
	LOWELL, MASS.																		
	All causes	1,925	486	97	35	21	10	32	54	127	153	161	204	237	197	98	13		
1	Typhoid fever	8							1	2	1	4							
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	13	6	3	4														
6	Scarlet fever	5		3		1		1											
7	Whooping cough	17	10	4	1		1	1											
8	Diphtheria and croup	17	1	2	3	4	2	5											
9	Influenza	4									1					3			
10	Asiatic cholera																		
11	Cholera nostras	2												1		1			
12	Other epidemic diseases	11	1	1						1	2	2	1	1		1	1		
13	Tuberculosis of the lungs	125			3				11	46	32	19	7	5	2				
14	Tuberculous meningitis	30	14	5	3	2		1	2	2	1								
15	Other forms of tuberculosis	12	2	4					1	3	1				1				
16	Cancer and other malignant tumors	82								1	6	18	25	16	14	2			
17	Meningitis	26	9	5	2		2	2	2	1	1	1		1					
18	Cerebral hemorrhage and softening	100	1							1	4	8	16	31	32	6	1		
19	Organic diseases of the heart	198					1	1	2	7	12	24	40	55	38	15	3		
20	Acute bronchitis	39	26	10	2	1													
21	Chronic bronchitis	22						1				2	2	6	8	3			
22	Pneumonia	118	14	7	2	3		5	3	6	14	13	15	16	11	8	1		
23a	Bronchopneumonia	43	19	10	4	1		1				1		5	1	1			
23b	Other diseases of the respiratory system	25	2	2			1	1	1	1	2	3	5	1	4	2			
24	Diseases of the stomach	11	5								2		2	1	1				
25(37)	Diarrhea and enteritis	243	187	33	2	3				1	2	1	4	5	3	2			
26	Appendicitis and typhlitis	16						2	5	3	3	2	1						
27	Hernia, intestinal obstruction	21	4	2				1		1	2		5	2	3		1		
28	Cirrhosis of the liver	13									2	3	5	2	1				
29	Acute nephritis and Bright's disease	90	2	2	2		1		6	5	6	11	16	18	17	4			
30	Diseases of the female genital organs	13								4	3	3	2		1				
31	Puerperal fever	10							2	4	4								
32	Other puerperal affections	11							1	4	5	1							
33	Congenital debility and malformations	136	136																
34	Senility	38												2	6	25	5		
35	Violent deaths (excluding suicide)	127	7	3	2	3	1	6	7	7	18	16	18	19	12	8			
36	Suicide	22							1	6	3	6	4	2					
(37)	Other defined diseases	274	39	1	5	3	1	4	9	21	25	23	36	47	42	17	1		
38	Diseases ill-defined or unknown	3	1								1			1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	WORCESTER, MASS.																		
	All causes	2,362	447	68	25	25	16	45	80	157	188	242	254	330	318	148	18		1
1	Typhoid fever	9							2	4	2			1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	5	1	3				1											
6	Scarlet fever	13		1	2	5		4		1									
7	Whooping cough	11	4	3	1	1	1	1											
8	Diphtheria and croup	36	3	4	4	2	4	13	5		1								
9	Influenza	9	2	1			1					1	1	1	2				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	17	7					1			2	3		1	2	1			
13	Tuberculosis of the lungs	173	4	3		1	1	2	14	39	43	34	16	8	8				
14	Tuberculous meningitis	29	8	4	4	3	1	2	1	4	1	1							
15	Other forms of tuberculosis	9	2		1				3	1	1		1						
16	Cancer and other malignant tumors	119				1				4	5	16	26	34	26	7			
17	Meningitis	13	4	2	1	1		3	2										
18	Cerebral hemorrhage and softening	112								2	4	7	15	29	38	17			
19	Organic diseases of the heart	344	3			1		2	14	11	15	34	40	83	97	41	3		
20	Acute bronchitis	20	12	1	1			1			2		1		2				
21	Chronic bronchitis	23									2	1	3	7	8	2			
22	Pneumonia	167	13	8	3	1	1	2	4	11	12	29	25	36	14	7	1		
23a	Bronchopneumonia	80	28	11	2	2			2	1	4	6	6	6	9	3			
23b	Other diseases of the respiratory system	27							1	4		2	6	4	5	5			
24	Diseases of the stomach	17	5				1				1	1	2	3	2	2			
25(37)	Diarrhea and enteritis	145	106	14	4	3	1	1			1	3	5	1	4	2			
26	Appendicitis and typhlitis	24		1					7	5	3		5	2	1				
27	Hernia, intestinal obstruction	21	5							2	1	1	4	3	4	1			
28	Cirrhosis of the liver	11	1	1				1			2	3	1		2				
29	Acute nephritis and Bright's disease	109	1					1	2	4	11	11	21	24	20	13	1		
30	Diseases of the female genital organs	12								4	2	5		1					
31	Puerperal fever	9								5	1	3							
32	Other puerperal affections	10								5	4	1							
33	Congenital debility and malformations	173	169	3					1										
34	Senility	18												1	3	12	2		
35	Violent deaths (excluding suicide)	139	5	2	1	3	2	5	10	20	19	23	15	15	10	5	4		
36	Suicide	20							1	6	3	2	1	4	3				
(37)	Other defined diseases	431	63	5	1	1	3	5	11	24	44	55	60	66	57	29	7		
38	Diseases ill-defined or unknown	7	1	1							2				1	1			1
	DETROIT, MICH.																		
	All causes	7,110	1,869	313	117	97	66	194	265	640	583	598	692	714	607	309	43	1	2
1	Typhoid fever	78		2		1		5	8	27	18	11	3	2	1				
2	Typhus fever																		
3	Malaria	3								1	1		1						
4	Smallpox																		
5	Measles	46	13	16	4	4	1	5	2	1									
6	Scarlet fever	64	3	6	10	15	9	13	5	2	1								
7	Whooping cough	27	15	6	2	3		1											
8	Diphtheria and croup	167	3	22	19	23	18	63	14	4		1							
9	Influenza	20							1	1	1	2	3	2	7	3			
10	Asiatic cholera																		
11	Cholera nostras	1										1							
12	Other epidemic diseases	43	16	2						2	2	6	5	4	4	2			
13	Tuberculosis of the lungs	487	10	4	7	3		2	56	175	108	64	36	16	6				
14	Tuberculous meningitis	32	5	4	5	2	2	4	8	1	1								
15	Other forms of tuberculosis	43	3	2	1			2	6	9	11	3	2	2	2				
16	Cancer and other malignant tumors	321				1		1		6	13	59	97	88	44	12			
17	Meningitis	109	45	14	6	6	5	9	5	7	4	5	3						
18	Cerebral hemorrhage and softening	259	7					2	2	4	7	28	44	84	60	18	3		
19	Organic diseases of the heart	559	10	1				6	15	38	44	72	102	134	89	45	3		
20	Acute bronchitis	80	43	10	4	2				1	1		2	1	9	6	1		
21	Chronic bronchitis	63							1	3	2	6	5	14	19	11	2		
22	Pneumonia	377	49	19	5	3	4	8	11	43	49	45	55	43	32	10	1		
23a	Bronchopneumonia	317	150	52	15	9	3	10	3	2	7	7	10	23	16	9	1		
23b	Other diseases of the respiratory system	98	9	7	3	2	3	1	2	6	10	10	11	12	13	9			
24	Diseases of the stomach	137	59	7	2	1		2	4	5	11	6	9	14	13	2	2		
25(37)	Diarrhea and enteritis	530	405	81	10	1	2	3	3	3	1	2	4	6	7	2			
26	Appendicitis and typhlitis	71						7	17	21	16	3	3	2	2				
27	Hernia, intestinal obstruction	68	10	1	1	1	1			4	7	10	9	10	9	4	1		
28	Cirrhosis of the liver	76								1	12	23	15	13	11	1			
29	Acute nephritis and Bright's disease	321	8	3	2		3	6	12	18	21	48	67	72	45	15	1		
30	Diseases of the female genital organs	43								16	13	8	5		1				
31	Puerperal fever	56							4	33	15	4							
32	Other puerperal affections	49							3	20	22	4							
33	Congenital debility and malformations	692	688	2		1		1											
34	Senility	212												15	79	95	22	1	
35	Violent deaths (excluding suicide)	435	21	17	11	8	6	17	44	79	53	47	59	25	28	16	2		2
36	Suicide	100							5	26	20	17	20	10	2				
(37)	Other defined diseases	1,084	294	19	7	11	9	24	33	79	110	102	120	116	107	49	4		
38	Diseases ill-defined or unknown	42	3	16	3			2	1	2	2	4	2	6	1				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	GRAND RAPIDS, MICH.																		
	All causes	1,580	270	59	23	12	12	34	52	121	116	126	176	202	235	130	11	1	
1	Typhoid fever	31					3	3	6	7	3	2	3	4					
2	Typhus fever																		
3	Malaria	2											1	1					
4	Smallpox																		
5	Measles	18	6	8			2	2											
6	Scarlet fever	6			2	1		2	1										
7	Whooping cough	6	4	1	1														
8	Diphtheria and croup	12		2	2			5	2			1							
9	Influenza	5											1	1	2	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	8	1								2	1		1	2	1			
13	Tuberculosis of the lungs	101							10	40	24	11	5	7	4				
14	Tuberculous meningitis	9	1	1			1	3	1	1	1								
15	Other forms of tuberculosis	18	2	1					1	2	6	1	1	2	2				
16	Cancer and other malignant tumors	99					1	1	1	1	7	14	24	16	29	5			
17	Meningitis	13	3	1		1	1	1	3		1	1			1				
18	Cerebral hemorrhage and softening	101			1	1			1	2	3	4	9	32	35	13			
19	Organic diseases of the heart	142							1	3	4	10	35	29	42	18			
20	Acute bronchitis	17	4	5	2	1							1		2	2			
21	Chronic bronchitis	13											2	2	2	6	1		
22	Pneumonia	96	14	9	2		3	2	4	5	9	8	9	14	12	5			
23a	Bronchopneumonia	40	17	9	3	1		2	1				1		3	3			
23b	Other diseases of the respiratory system	21	2			1		2		1	5	1	2	3	1	3			
24	Diseases of the stomach	41	13			1				2	2	5	5	5	5	2	1		
25(37)	Diarrhea and enteritis	83	57	15	3						1	1	2		1	3			
26	Appendicitis and typhlitis	17				2		1	3	3	4	2	1		1				
27	Hernia, intestinal obstruction	23	3		1				1	4	2	3	4	3	1	1			
28	Cirrhosis of the liver	13			1							1	4	3	4				
29	Acute nephritis and Bright's disease	91	5					1		4	7	14	17	24	15	4			
30	Diseases of the female genital organs	20								4	6	4	3	2	1				
31	Puerperal fever	12								7	4	1							
32	Other puerperal affections	12							1	4	5	2							
33	Congenital debility and malformations	110	110																
34	Senility	71												4	20	39	7	1	
35	Violent deaths (excluding suicide)	63	2	1	2	3	1	3	6	9	2	13	6	6	8	1			
36	Suicide	25							2	4	2	5	7	3		1	1		
(37)	Other defined diseases	231	26	4	3			6	6	17	16	20	32	38	42	20	1		
38	Diseases ill-defined or unknown	10		2					1	1		1	1	2		2			
	MINNEAPOLIS, MINN.																		
	All causes	3,572	601	89	49	42	24	75	172	362	364	413	428	362	376	190	25		
1	Typhoid fever	37	1				1		4	12	8	6	4		1				
2	Typhus fever																		
3	Malaria	1										1							
4	Smallpox	1	1																
5	Measles	4	2			1		1											
6	Scarlet fever	19	1	1	2	2	2	7	2	1	1								
7	Whooping cough	48	32	11		3	1	1											
8	Diphtheria and croup	74	2	5	12	13	5	23	10	2	2								
9	Influenza	7								1		2	1	1	1	1			
10	Asiatic cholera																		
11	Cholera nostras	1										1							
12	Other epidemic diseases	19	5	1				1		1	1	2	1	4	1	1	1		
13	Tuberculosis of the lungs	416	5	1	6	1	1	6	56	124	105	54	35	16	6				
14	Tuberculous meningitis	24	4	4	3	3	2	1	1	5	1								
15	Other forms of tuberculosis	40	2			1	1	1	5	8	10	6	3	2	1				
16	Cancer and other malignant tumers	242			1					8	19	59	65	49	31	10			
17	Meningitis	24	11	3	1			1	3	2		2	1						
18	Cerebral hemorrhage and softening	138								2	4	14	26	32	45	14	1		
19	Organic diseases of the heart	296	4					4	14	19	21	30	38	62	72	30	2		
20	Acute bronchitis	13	5	3			1								2	2			
21	Chronic bronchitis	20											1	5	5	7	2		
22	Pneumonia	189	15	4	3	3			9	19	17	27	34	26	18	14			
23a	Bronchopneumonia	164	74	15	7	2	4	6	1	1	1	7	6	11	19	8	2		
23b	Other diseases of the respiratory system	26	3	2			1	1	1	3	4	1	3	2	2	3			
24	Diseases of the stomach	38	8	1			1			1	4	3	4	5	10	1			
25(37)	Diarrhea and enteritis	159	119	18	3	1	1	1		1	1	2	2	3	3	3	1		
26	Appendicitis and typhlitis	71	1	2				3	11	17	15	9	5	6	2				
27	Hernia, intestinal obstruction	38	8						2	1	6	5	10	4	2				
28	Cirrhosis of the liver	44								2	9	6	11	9	4	3			
29	Acute nephritis and Bright's disease	239	7		1	2	1	3	3	12	18	31	40	47	52	17	5		
30	Diseases of the female genital organs	43							3	12	9	13	4	2					
31	Puerperal fever	21								11	6	4							
32	Other puerperal affections	25							2	12	8	3							
33	Congenital debility and malformations	211	204	4		1					1	1							
34	Senility	51												1	17	26	7		
35	Violent deaths (excluding suicide)	214	2	7	6	7	1	8	15	33	25	34	35	16	14	9	2		
36	Suicide	63								12	13	14	19	4	1				
(37)	Other defined diseases	551	84	7	4	2	1	7	30	40	55	76	80	55	67	41	2		
38	Diseases ill-defined or unknown	1	1																

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	ST. PAUL, MINN.																		
	All causes	2,386	449	58	24	34	22	60	102	245	226	254	288	273	224	104	20	2	1
1	Typhoid fever	23			1					7	4	6	2	2	1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox	2	1											1					
5	Measles																		
6	Scarlet fever	35	1	1	6	5	5	6	5	3	2			1					
7	Whooping cough	22	9	7		1	2	2	1										
8	Diphtheria and croup	72	7	10	4	10	7	19	12	3									
9	Influenza	12	2						1					4	4	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	15	3								1	3	5	1	2				
13	Tuberculosis of the lungs	245	2		1			1	21	83	58	32	25	16	4	2			
14	Tuberculous meningitis	21	2	3	3	3		1	3	4	1	1							
15	Other forms of tuberculosis	29				1		2	4	12	3	4	2		1				
16	Cancer and other malignant tumors	165							1	4	14	28	41	42	26	8		1	
17	Meningitis	28	9	3	2			3	1	3	1	2	2	2					
18	Cerebral hemorrhage and softening	106	1			1					3	11	11	31	33	14	1		
19	Organic diseases of the heart	222	1			1		4	6	14	18	23	53	40	40	21	1		
20	Acute bronchitis	22	16		1			1						1	2		1		
21	Chronic bronchitis	11											1	4	3	2	1		
22	Pneumonia	130	16	3	1	3	1	2		12	14	20	18	21	16	3			
23a	Bronchopneumonia	73	39	10	2	1	1	1		2		2	4	5	4	2			
23b	Other diseases of the respiratory system	19	1					1		1	2	3	4	4		3			
24	Diseases of the stomach	20	6						1	1	3	1	3	1	3	1			
25(37)	Diarrhea and enteritis	106	88	8		1	1		1	2		1	1		1	2			
26	Appendicitis and typhlitis	46				1		4	11	12	6	6	4	2					
27	Hernia, intestinal obstruction	21	5						1	1	2	4	3	2	3				
28	Cirrhosis of the liver	18									2	3	5	5	1	2			
29	Acute nephritis and Bright's disease	136	4			1			6	10	20	16	22	32	19	4	2		
30	Diseases of the female genital organs	14								4	1	4	5						
31	Puerperal fever	18							1	7	8	2							
32	Other puerperal affections	12							1	5	6								
33	Congenital debility and malformations	172	169	1				2											
34	Senility	41												1	19	15	5	1	
35	Violent deaths (excluding suicide)	127	4	3	3	1	1	3	12	21	22	24	14	10	2	3	3		1
36	Suicide	35								6	11	11	4	3					
(37)	Other defined diseases	365	62	9		4	4	8	13	28	24	47	59	40	40	21	6		
38	Diseases ill-defined or unknown	3	1											2					
	KANSAS CITY, MO. (TOTAL).																		
	All causes	3,961	587	87	36	33	16	68	163	460	469	506	501	474	356	180	24	1	
1	Typhoid fever	77				1		4	14	27	14	9	3	4	1				
2	Typhus fever																		
3	Malaria	4						1		1			1	1					
4	Smallpox	8	1						1	1	1	3		1					
5	Measles	8	5			2					1								
6	Scarlet fever	14	1	2	1	1	1	6	1	1									
7	Whooping cough	26	15	5	4	1	1												
8	Diphtheria and croup	32	1	3	5	5	3	8	5			1		1					
9	Influenza	58	3	1					1	3	4	5	11	8	11	7	3	1	
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	28	4	1	1			1			2	5	4	4	5	1			
13	Tuberculosis of the lungs	386	2	5			1	3	33	121	78	78	42	18	4	1			
14	Tuberculous meningitis	13	2	1	1			2	2	2	2	1							
15	Other forms of tuberculosis	34	1			2		1	1	9	7	8	4	1					
16	Cancer and other malignant tumors	236	1				1	1	1	10	19	49	67	49	27	11			
17	Meningitis	42	7	5	1	2		3	8	6	5	1	4						
18	Cerebral hemorrhage and softening	171	2						4	1	13	23	30	37	43	16	2		
19	Organic diseases of the heart	345	3		1	1		4	4	17	33	35	59	91	65	29	3		
20	Acute bronchitis	28	15	5	1		1	1		1	1	1			2				
21	Chronic bronchitis	19	1						1			1	2	4	5	4	1		
22	Pneumonia	311	29	10	4	7	1	4	14	34	40	45	35	39	35	12	2		
23a	Bronchopneumonia	72	27	10	2	2		1	3	2	2	2	1	5	8	7			
23b	Other diseases of the respiratory system	39	8		3	1				2	2	6	6	7	4				
24	Diseases of the stomach	55	7	3				1	3	2	6	6	8	7	8	4			
25(37)	Diarrhea and enteritis	178	125	19	5	1			1	1	3	5	2	5	8	2	1		
26	Appendicitis and typhlitis	53						3	12	17	9	7	3	2					
27	Hernia, intestinal obstruction	36	2	1		1		3		6	9	6	2	4	1	1			
28	Cirrhosis of the liver	32							1	2	5	6	8	5	4	1			
29	Acute nephritis and Bright's disease	261	3					1	5	20	21	39	53	57	42	18	2		
30	Diseases of the female genital organs	50							3	17	13	12	5						
31	Puerperal fever	35							3	15	14	3							
32	Other puerperal affections	24							4	9	10	1							
33	Congenital debility and malformations	218	218																
34	Senility	39											1	3	12	18	5		
35	Violent deaths (excluding suicide)	320	9	7	4	6	4	9	16	59	61	51	43	23	14	12	2		
36	Suicide	81							1	24	18	16	15	5	1	1			
(37)	Other defined diseases	604	87	6	2		3	11	21	49	74	79	90	90	56	33	3		
38	Diseases ill-defined or unknown	24	8	3	1					1	2	2	2	3		2			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	KANSAS CITY, MO. (WHITE).																		
	All causes	3,340	513	72	32	29	15	59	129	334	360	413	435	426	331	170	22		
1	Typhoid fever	67				1		3	11	26	11	7	3	4	1				
2	Typhus fever																		
3	Malaria	1						1											
4	Smallpox	5								1		3		1					
5	Measles	8	5			2					1								
6	Scarlet fever	13	1	2	1		1	6	1	1									
7	Whooping cough	25	15	4	4	1	1												
8	Diphtheria and croup	29	1	3	4	5	3	8	4			1							
9	Influenza	47	2	1						2	2	4	8	8	11	6	3		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	28	4	1	1			1			2	5	4	4	5	1			
13	Tuberculosis of the lungs	256	1	3				2	18	71	51	57	34	16	3				
14	Tuberculous meningitis	10	2	1	1				2	1	2	1							
15	Other forms of tuberculosis	22	1			2			1	4	3	7	3	1					
16	Cancer and other malignant tumors	223	1				1	1	1	10	17	45	63	46	27	11			
17	Meningitis	39	7	5	1	2		3	7	6	4		4						
18	Cerebral hemorrhage and softening	152	2						2	1	8	17	28	34	42	16	2		
19	Organic diseases of the heart	289	3		1	1		3	4	12	19	25	51	81	61	25	3		
20	Acute bronchitis	23	10	5	1		1	1		1	1	1			2				
21	Chronic bronchitis	18	1						1			1	1	4	5	4	1		
22	Pneumonia	246	20	5	4	4	1	2	13	22	29	35	29	35	33	12	2		
23a	Bronchopneumonia	59	22	7	2	2		1	1	2	1	1	1	4	8	7			
23b	Other diseases of the respiratory system	33	6		3	1				2	2	4	4	7	4				
24	Diseases of the stomach	45	6	3				1	2	1	5	5	6	6	6	4			
25(37)	Diarrhea and enteritis	158	112	16	3	1			1	1	3	4	2	5	7	2	1		
26	Appendicitis and typhlitis	50						3	12	17	7	7	3	1					
27	Hernia, intestinal obstruction	33	2	1		1		3		5	8	6	1	4	1	1			
28	Cirrhosis of the liver	26							1		5	4	7	5	3	1			
29	Acute nephritis and Bright's disease	213	3					1	5	14	14	32	41	47	38	17	1		
30	Diseases of the female genital organs	39							3	10	11	11	4						
31	Puerperal fever	32							3	13	13	3							
32	Other puerperal affections	21							3	8	10								
33	Congenital debility and malformations	196	196																
34	Senility	32											1	2	9	16	4		
35	Violent deaths (excluding suicide)	266	6	7	4	6	4	8	13	43	49	43	41	18	11	11	2		
36	Suicide	77							1	21	18	15	15	5	1	1			
(37)	Other defined diseases	540	79	5	2		3	11	19	39	62	67	79	85	53	33	3		
38	Diseases ill-defined or unknown	19	5	3							2	2	2	3		2			
	KANSAS CITY, MO. (COLORED).																		
	All causes	621	74	15	4	4	1	9	34	126	109	93	66	48	25	10	2	1	
1	Typhoid fever	10						1	3	1	3	2							
2	Typhus fever																		
3	Malaria	3								1			1	1					
4	Smallpox	3	1						1		1								
5	Measles																		
6	Scarlet fever	1				1													
7	Whooping cough	1		1															
8	Diphtheria and croup	3			1				1					1					
9	Influenza	11	1						1	1	2	1	3			1		1	
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases																		
13	Tuberculosis of the lungs	130	1	2			1	1	15	50	27	21	8	2	1	1			
14	Tuberculous meningitis	3						2		1									
15	Other forms of tuberculosis	12						1		5	4	1	1						
16	Cancer and other malignant tumors	13									2	4	4	3					
17	Meningitis	3							1		1	1							
18	Cerebral hemorrhage and softening	19							2		5	6	2	3	1				
19	Organic diseases of the heart	56						1		5	14	10	8	10	4	4			
20	Acute bronchitis	5	5																
21	Chronic bronchitis	1											1						
22	Pneumonia	65	9	5		3		2	1	12	11	10	6	4	2				
23a	Bronchopneumonia	13	5	3					2		1	1		1					
23b	Other diseases of the respiratory system	6	2									2	2						
24	Diseases of the stomach	10	1						1	1	1	1	2	1	2				
25(37)	Diarrhea and enteritis	20	13	3	2							1			1				
26	Appendicitis and typhlitis	3									2			1					
27	Hernia, intestinal obstruction	3								1	1		1						
28	Cirrhosis of the liver	6								2		2	1		1				
29	Acute nephritis and Bright's disease	48								6	7	7	12	10	4	1	1		
30	Diseases of the female genital organs	11								7	2	1	1						
31	Puerperal fever	3								2	1								
32	Other puerperal affections	3							1	1		1							
33	Congenital debility and malformations	22	22																
34	Senility	7												1	3	2	1		
35	Violent deaths (excluding suicide)	54	3					1	3	16	12	8	2	5	3	1			
36	Suicide	4								3		1							
(37)	Other defined diseases	64	8	1					2	10	12	12	11	5	3				
38	Diseases ill-defined or unknown	5	3		1					1									

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	ST. LOUIS, MO. (TOTAL).																		
	All causes	10,765	1,573	358	181	128	110	256	424	956	1,149	1,306	1,351	1,315	1,079	518	57	3	1
1	Typhoid fever	113	1		1			7	31	34	26	6	4	1	2				
2	Typhus fever																		
3	Malaria	38	3	2		1	1	2	2	5	6	6	5	3	2				
4	Smallpox																		
5	Measles	114	20	31	17	19	8	14		2	2		1						
6	Scarlet fever	194	5	21	33	25	26	66	15	3									
7	Whooping cough	28	11	14	1	1		1											
8	Diphtheria and croup	123	9	20	17	22	17	24	8	3	2			1					
9	Influenza	113	5		2	1	2	1	4	6	10	11	12	18	26	15			
10	Asiatic cholera																		
11	Cholera nostras	2	2																
12	Other epidemic diseases	54	16	3	1	1	1		3	1	6	5	6	2	6	3			
13	Tuberculosis of the lungs	955	7	4	1	3	1	6	77	290	288	147	88	28	14	1			
14	Tuberculous meningitis	72	12	10	10	4	4	5	8	7	4	4	1	2	1				
15	Other forms of tuberculosis	80	3	4	2	1	2	4	9	18	12	10	9	4	2				
16	Cancer and other malignant tumors	592	1	2					6	9	43	117	165	154	67	27	1		
17	Meningitis	67	15	11	4	3	2	6	5	7	4	5	3	2					
18	Cerebral hemorrhage and softening	412	9	1	1			1		8	22	45	74	111	106	29	5		
19	Organic diseases of the heart	1,027	7		1	1	2	12	46	61	84	130	192	198	180	98	14	1	
20	Acute bronchitis	115	58	11	6		1	1	1	1	4	1	5	4	13	8	1		
21	Chronic bronchitis	104	1	2				1	1	2	1	5	13	18	35	24	1		
22	Pneumonia	698	47	25	18	6	5	21	21	61	66	103	101	110	83	29	2		
23a	Bronchopneumonia	341	104	55	20	10	10	8	6	9	10	23	21	23	25	16	1		
23b	Other diseases of the respiratory system	117	3	4	4		2		2	12	8	19	16	19	20	7	1		
24	Diseases of the stomach	93	20	1	1			1	1	6	10	12	15	11	8	6	1		
25(37)	Diarrhea and enteritis	739	512	99	14	6	7	9	4	6	15	9	10	15	21	9	3		
26	Appendicitis and typhlitis	94		1			2	6	21	16	24	10	8	5	1				
27	Hernia, intestinal obstruction	96	10				3	1	1	7	5	8	19	22	16	3	1		
28	Cirrhosis of the liver	212							3	6	27	53	56	37	25	5			
29	Acute nephritis and Bright's disease	1,031	11		3	2	1	6	21	42	101	154	183	237	181	80	7	2	
30	Diseases of the female genital organs	77							2	20	32	11	8	3	1				
31	Puerperal fever	56							6	32	13	5							
32	Other puerperal affections	30							4	13	12	1							
33	Congenital debility and malformations	456	447	5	1	1		2											
34	Senility	16												1	5	8	2		
35	Violent deaths (excluding suicide)	683	21	11	13	11	7	24	54	114	113	117	82	50	38	26	1		1
36	Suicide	264							9	61	48	59	42	29	12	3	1		
(37)	Other defined diseases	1,551	212	19	10	10	5	27	53	94	151	230	210	207	187	121	15		
38	Diseases ill-defined or unknown	8	1	2			1						2		2				
	ST. LOUIS, MO. (WHITE).																		
	All causes	9,591	1,432	318	164	116	101	230	360	786	926	1,134	1,205	1,235	1,038	496	49		1
1	Typhoid fever	104	1		1			7	27	32	24	5	4	1	2				
2	Typhus fever																		
3	Malaria	35	3	2		1	1	1	2	4	6	5	5	3	2				
4	Smallpox																		
5	Measles	111	20	30	17	17	8	14		2	2		1						
6	Scarlet fever	190	5	21	33	25	25	64	14	3									
7	Whooping cough	27	11	13	1	1		1											
8	Diphtheria and croup	119	7	19	16	22	17	24	8	3	2			1					
9	Influenza	107	4		2	1	2	1	4	6	10	9	9	18	26	15			
10	Asiatic cholera																		
11	Cholera nostras	2	2																
12	Other epidemic diseases	49	16	3	1	1	1		2	1	4	5	6	2	5	2			
13	Tuberculosis of the lungs	754	6		1	3		1	57	218	227	123	80	25	13				
14	Tuberculous meningitis	62	10	10	9	3	3	4	7	6	4	4		1	1				
15	Other forms of tuberculosis	59	2	2	1	1	1	2	5	14	10	8	8	4	1				
16	Cancer and other malignant tumors	560	1	1					6	9	40	109	155	147	65	27			
17	Meningitis	65	15	10	4	3	2	6	5	7	4	4	3	2					
18	Cerebral hemorrhage and softening	372	8	1	1					5	18	39	64	101	103	28	4		
19	Organic diseases of the heart	879	7			1	1	12	42	48	57	98	157	180	172	94	10		
20	Acute bronchitis	94	48	6	4		1	1		1	3		5	3	13	8	1		
21	Chronic bronchitis	100	1	2				1			1	5	13	18	35	23	1		
22	Pneumonia	610	42	21	15	5	4	17	15	45	55	89	88	107	78	27	2		
23a	Bronchopneumonia	297	93	44	17	9	8	8	6	8	8	18	17	21	25	14	1		
23b	Other diseases of the respiratory system	104	3	3	3		2		2	11	7	16	12	17	20	7	1		
24	Diseases of the stomach	88	17	1	1			1	1	6	10	12	13	11	8	6	1		
25(37)	Diarrhea and enteritis	681	469	93	14	6	7	8	3	6	13	8	10	14	20	8	2		
26	Appendicitis and typhlitis	89		1			2	6	20	14	22	10	8	5	1				
27	Hernia, intestinal obstruction	94	10				3	1	1	7	5	8	18	22	15	3	1		
28	Cirrhosis of the liver	198							1	5	21	50	55	36	25	5			
29	Acute nephritis and Bright's disease	918	10		3	1	1	4	18	34	78	137	161	219	171	75	6		
30	Diseases of the female genital organs	61							1	17	25	10	5	3					
31	Puerperal fever	52							5	31	11	5							
32	Other puerperal affections	24							3	13	7	1							
33	Congenital debility and malformations	418	409	5	1	1		2											
34	Senility	16												1	5	8	2		
35	Violent deaths (excluding suicide)	588	19	10	11	9	7	22	48	92	83	104	72	47	37	25	1		1
36	Suicide	260							9	59	46	59	42	29	12	3	1		
(37)	Other defined diseases	1,396	192	18	8	6	4	22	48	79	123	193	192	197	181	118	15		
38	Diseases ill-defined or unknown	8	1	2			1						2		2				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	ST. LOUIS, MO. (COLORED).																		
	All causes	1,174	141	40	17	12	9	26	64	170	223	172	146	80	41	22	8	3	
1	Typhoid fever	9							4	2	2	1							
2	Typhus fever																		
3	Malaria	3						1		1		1							
4	Smallpox																		
5	Measles	3		1		2													
6	Scarlet fever	4					1	2	1										
7	Whooping cough	1		1															
8	Diphtheria and croup	4	2	1	1														
9	Influenza	6	1									2	3						
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	5							1		2				1	1			
13	Tuberculosis of the lungs	201	1	4			1	5	20	72	61	24	8	3	1	1			
14	Tuberculous meningitis	10	2		1	1	1	1	1	1			1	1					
15	Other forms of tuberculosis	21	1	2	1		1	2	4	4	2	2	1		1				
16	Cancer and other malignant tumors	32		1							3	8	10	7	2		1		
17	Meningitis	2		1								1							
18	Cerebral hemorrhage and softening	40	1					1		3	4	6	10	10	3	1	1		
19	Organic diseases of the heart	148			1		1		4	13	27	32	35	18	8	4	4	1	
20	Acute bronchitis	21	10	5	2				1		1	1		1					
21	Chronic bronchitis	4							1	2						1			
22	Pneumonia	88	5	4	3	1	1	4	6	16	11	14	13	3	5	2			
23a	Bronchopneumonia	44	11	11	3	1	2			1	2	5	4	2		2			
23b	Other diseases of the respiratory system	13		1	1					1	1	3	4	2					
24	Diseases of the stomach	5	3										2						
25(37)	Diarrhea and enteritis	58	43	6				1	1		2	1		1	1	1	1		
26	Appendicitis and typhlitis	5							1	2	2								
27	Hernia, intestinal obstruction	2											1		1				
28	Cirrhosis of the liver	14							2	1	6	3	1	1					
29	Acute nephritis and Bright's disease	113	1			1		2	3	8	23	17	22	18	10	5	1	2	
30	Diseases of the female genital organs	16							1	3	7	1	3		1				
31	Puerperal fever	4							1	1	2								
32	Other puerperal affections	6							1		5								
33	Congenital debility and malformations	38	38																
34	Senility																		
35	Violent deaths (excluding suicide)	95	2	1	2	2		2	6	22	30	13	10	3	1	1			
36	Suicide	4								2	2								
(37)	Other defined diseases	155	20	1	2	4	1	5	5	15	28	37	13	10	6	3			
38	Diseases ill-defined or unknown																		
	OMAHA, NEBR.																		
	All causes	1,812	221	26	26	18	11	42	96	206	205	223	255	209	178	89	6	1	
1	Typhoid fever	23							5	6	5	4	2	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	5	1	1		1		1			1								
6	Scarlet fever	8			1	2		4	1										
7	Whooping cough	1			1														
8	Diphtheria and croup	19		2	6	1	2	7	1										
9	Influenza	10						1	1	1	1	1		1	1	3			
10	Asiatic cholera																		
11	Cholera nostras	1													1				
12	Other epidemic diseases	8	1								1	1	1	2	1		1		
13	Tuberculosis of the lungs	124	1			1		1	14	37	30	23	12	2	3				
14	Tuberculous meningitis	8	2	2					1	1		2							
15	Other forms of tuberculosis	16					1		2	3	5	2	1	2					
16	Cancer and other malignant tumors	112							1	5	10	32	35	16	9	4			
17	Meningitis	30	7		4	2	2	4	4	4	3								
18	Cerebral hemorrhage and softening	77								3	6	7	17	24	15	4	1		
19	Organic diseases of the heart	185	5		1			2	12	14	14	21	44	27	32	13			
20	Acute bronchitis	7	3			1			1					1	1				
21	Chronic bronchitis	8	1											1	3	3			
22	Pneumonia	132							9	17	22	15	27	21	13	7	1		
23a	Bronchopneumonia	86	36	8	8	1	1	6	3	3	4		2	5	5	4			
23b	Other diseases of the respiratory system	11				1		1			1	1	3	1	2	1			
24	Diseases of the stomach	10								1	3	1	1	1	2	1			
25(37)	Diarrhea and enteritis	71	52	9	1	1				1	1	2		2		2			
26	Appendicitis and typhlitis	45					2	7	8	10	8	9		1					
27	Hernia, intestinal obstruction	29	3	1		1			1	2	5	3	2	6	4	1			
28	Cirrhosis of the liver	25									3	9	8	4	1				
29	Acute nephritis and Bright's disease	118			1			2	3	7	9	14	31	28	14	9			
30	Diseases of the female genital organs	21								2	5	9	2	1	1	1			
31	Puerperal fever	23								15	6	1	1						
32	Other puerperal affections	19								8	11								
33	Congenital debility and malformations	69	69																
34	Senility	30												1	12	15	2		
35	Violent deaths (excluding suicide)	116	3	1	1	4	3	2	7	29	12	14	16	16	4	4			
36	Suicide	40							3	12	6	6	9	2	2				
(37)	Other defined diseases	320	36	2	2	2		4	19	25	32	46	38	43	52	17	1	1	
38	Diseases ill-defined or unknown	5	1								1		3						

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	JERSEY CITY, N. J.																		
	All causes	4,381	923	241	97	52	42	111	159	366	497	458	530	440	332	118	13		2
1	Typhoid fever	20		1				2	3	5	4	2	3						
2	Typhus fever																		
3	Malaria	3						1				1		1					
4	Smallpox																		
5	Measles	42	14	16	5	2	1	3					1						
6	Scarlet fever	32	3	6	6	2	7	8											
7	Whooping cough	31	11	13	4	1	2												
8	Diphtheria and croup	58	3	15	8	8	5	14	2			2	1						
9	Influenza	16	1							2	1	2	3	3	3	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	27	10		1			1			2	6	2	4		1			
13	Tuberculosis of the lungs	460	5	2	4	2	1	1	45	102	150	84	41	17	6				
14	Tuberculous meningitis	31	6	4	3	3	4	4	4	1	2								
15	Other forms of tuberculosis	33	5				1	3	4	7	6	2	3	2					
16	Cancer and other malignant tumors	181	1						2	7	13	37	52	36	29	4			
17	Meningitis	63	11	11	7	5	3	9	2	6	2	2	5						
18	Cerebral hemorrhage and softening	204	1	2						1	5	17	53	62	44	19			
19	Organic diseases of the heart	403	6					10	15	16	31	48	80	88	77	30	2		
20	Acute bronchitis	39	24	2	3							1	1	4	3		1		
21	Chronic bronchitis	23	1	1								1	4	7	5	4			
22	Pneumonia	343	42	37	18	10	4	6	10	33	53	27	47	29	22	4	1		
23a	Bronchopneumonia	207	93	47	18	6	3	6		1	4	5	4	9	7	4			
23b	Other diseases of the respiratory system	35	5	3	2		1	1	2	4		2	3	4	4	3	1		
24	Diseases of the stomach	41	7	2				2	1	1	2	5	6	9	5	1			
25(37)	Diarrhea and enteritis	337	256	47	6	2	2	1	3	3	3	4	3	1	5	1			
26	Appendicitis and typhlitis	41	1				1	3	10	11	8	4	1	2					
27	Hernia, intestinal obstruction	35	8					1	1	2	5	3	8	4	3				
28	Cirrhosis of the liver	64	1							1	12	16	19	11	3	1			
29	Acute nephritis and Bright's disease	359	3		2	1		1	7	24	60	57	79	69	43	12	1		
30	Diseases of the female genital organs	34							2	10	6	9	4	1	2				
31	Puerperal fever	32							3	18	8	3							
32	Other puerperal affections	28							1	13	11	3							
33	Congenital debility and malformations	266	263	1		1		1											
34	Senility	26												3	11	8	4		
35	Violent deaths (excluding suicide)	312	9	9	4	6	7	17	16	54	46	61	40	26	11	3	1		2
36	Suicide	36							2	8	13	5	6	2					
(37)	Other defined diseases	507	131	13	6	3		16	24	36	50	49	60	46	49	22	2		
38	Diseases ill-defined or unknown	12	2	9									1						
	NEWARK, N. J.																		
	All causes	5,395	1,031	272	85	53	56	120	170	391	537	591	656	645	512	193	23		
1	Typhoid fever	38						1	7	11	8	5	2	3	1				
2	Typhus fever																		
3	Malaria	2								1	1								
4	Smallpox																		
5	Measles	25	5	16	1	2		1											
6	Scarlet fever	24	1	1	5		8	7	1	1									
7	Whooping cough	44	15	18	4	4	1	1	1										
8	Diphtheria and croup	57	4	13	11	6	8	14			1								
9	Influenza	33	2						1	4	1	3	2	6	10	4			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	33	16		1	2				2	1	2	4		4	1			
13	Tuberculosis of the lungs	653	9	3	1	1	4	5	48	147	182	125	92	27	9				
14	Tuberculous meningitis	45	9	14	5	2	4	6			3	1			1				
15	Other forms of tuberculosis	54	1	2	5	1	1	6	7	9	9	7	5	1					
16	Cancer and other malignant tumors	284	1						1	1	18	55	75	75	47	11			
17	Meningitis	45	13	8	6	1		7	2	4	2			1	1				
18	Cerebral hemorrhage and softening	299				1				1	17	20	60	81	80	34	5		
19	Organic diseases of the heart	479	2				2	7	16	18	34	57	82	118	107	34	2		
20	Acute bronchitis	60	36	5	1	3	1				1	2		3	4	4			
21	Chronic bronchitis	25						1		1		2	5	3	9	3	1		
22	Pneumonia	341	43	18	12	6	3	7	9	21	32	42	48	46	38	15	1		
23a	Bronchopneumonia	224	99	61	13	3	7	3	3	1	1	6	8	7	8	4			
23b	Other diseases of the respiratory system	59	6	3	3	2		3			2	6	11	9	11	1	2		
24	Diseases of the stomach	43	10	1			1		3	4	1	10	5	3	3	2			
25(37)	Diarrhea and enteritis	468	356	72	5	3	2	5			1	4	3	7	7	3			
26	Appendicitis and typhlitis	46	1			1		6	6	10	7	8	4	3					
27	Hernia, intestinal obstruction	31	6	1			1		1	3	2	3	3	5	4	2			
28	Cirrhosis of the liver	60								1	5	12	16	18	7	1			
29	Acute nephritis and Bright's disease	492	2	1	5	3	1	7	7	25	53	83	107	109	69	19	1		
30	Diseases of the female genital organs	28								3	8	13	2	2					
31	Puerperal fever	36							5	20	8	3							
32	Other puerperal affections	35							3	17	12	3							
33	Congenital debility and malformations	327	323		1			1	1	1									
34	Senility	41												3	17	18	3		
35	Violent deaths (excluding suicide)	329	23	15	5	9	7	15	23	38	55	51	29	24	18	12	5		
36	Suicide	72							3	11	15	15	14	10	3	1			
(37)	Other defined diseases	550	106	13		3	5	16	22	35	57	53	79	81	54	23	3		
38	Diseases ill-defined or unknown	13	2	7	1			1		1						1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PATERSON, N. J.																		
	All causes	**1,890**	**313**	**60**	**26**	**20**	**19**	**55**	**76**	**133**	**195**	**204**	**239**	**265**	**209**	**64**	**11**	**1**	
1	Typhoid fever	9						1	2	2	3		1						
2	Typhus fever																		
3	Malaria	1													1				
4	Smallpox																		
5	Measles	2		1		1													
6	Scarlet fever	13		3	2	1		5	2										
7	Whooping cough	16	9	3	2	1		1											
8	Diphtheria and croup	21			2	7	4	7	1										
9	Influenza	13	1					1	1	1		1	3	1	2	1	1		
10	Asiatic cholera																		
11	Cholera nostras	2		1										1					
12	Other epidemic diseases	13	4	2	1						2		1		2	1			
13	Tuberculosis of the lungs	218		1	2			1	19	53	62	44	21	10	5				
14	Tuberculous meningitis	9	2	2				3		1			1						
15	Other forms of tuberculosis	9	2			1	1				3	1	1						
16	Cancer and other malignant tumors	113						1		3	8	16	32	35	18				
17	Meningitis	31	10	4	2		1	3	3	1	3		2	1	1				
18	Cerebral hemorrhage and softening	83								1	1	4	20	29	19	8	1		
19	Organic diseases of the heart	249	2				1	3	13	10	20	21	40	62	56	18	3		
20	Acute bronchitis	7	5											1		1			
21	Chronic bronchitis	11									1	2		2	4	1	1		
22	Pneumonia	123	14	13	5	3		5	2	6	9	13	19	22	11	1			
23a	Bronchopneumonia	54	25	8	1			3			2	3	4	1	5	2			
23b	Other diseases of the respiratory system	23	4		1		1	1		2	3	2	3	4	2				
24	Diseases of the stomach	16	3	1		1					1	4		3	1	2			
25(37)	Diarrhea and enteritis	113	83	8		3	3	2	1				2	4	4	3			
26	Appendicitis and typhlitis	13							2	5	3	1	2						
27	Hernia, intestinal obstruction	14	2							1	1	1	3	3	3				
28	Cirrhosis of the liver	18							1	1	1	3	5	4	3				
29	Acute nephritis and Bright's disease	170	1				2	2	2	6	14	30	37	42	27	7			
30	Diseases of the female genital organs	9			1					1	4	2	1						
31	Puerperal fever	14								8	6								
32	Other puerperal affections	10								2	5	3							
33	Congenital debility and malformations	98	96			1		1											
34	Senility	15												1	3	9	1	1	
35	Violent deaths (excluding suicide)	124	4	4	3	1	4	8	15	13	17	17	19	8	10		1		
36	Suicide	23							2	2	4	6	5	4					
(37)	Other defined diseases	223	45	3	3		2	7	10	14	22	30	17	27	30	10	3		
38	Diseases ill-defined or unknown	10	1	6	1										2				
	ALBANY, N. Y.																		
	All causes	**2,063**	**251**	**31**	**17**	**16**	**4**	**46**	**63**	**139**	**222**	**251**	**294**	**321**	**261**	**126**	**20**		**1**
1	Typhoid fever	19							2	6	5	4	1	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles																		
6	Scarlet fever	1			1														
7	Whooping cough																		
8	Diphtheria and croup	25			2	3	2	17	1										
9	Influenza	26	2					1		2		3	1	8	2	6	1		
10	Asiatic cholera																		
11	Cholera nostras	1									1								
12	Other epidemic diseases	11	3										4	2	1	1			
13	Tuberculosis of the lungs	242	2			1	1		15	55	73	45	29	15	5	1			
14	Tuberculous meningitis	19	3	2	2	2		2	7		1								
15	Other forms of tuberculosis	11	1						1	2	4		2	1					
16	Cancer and other malignant tumors	124							1	1	4	24	32	28	29	5			
17	Meningitis	18	4	2	2			2			2	1	3	1	1				
18	Cerebral hemorrhage and softening	113	3						1		2	5	28	37	28	8	1		
19	Organic diseases of the heart	240						3	5	7	17	25	35	60	53	30	5		
20	Acute bronchitis	4	2											1		1			
21	Chronic bronchitis	7												1	4	2			
22	Pneumonia	115	12	4	1	1		1	3	6	11	16	17	24	14	5			
23a	Bronchopneumonia	28	10	5	2	2		1		1		1	1	3	1	1			
23b	Other diseases of the respiratory system	23	2			1		2		1	3	5	1	2	4	2			
24	Diseases of the stomach	18	6							1		3	3	2	2	1			
25(37)	Diarrhea and enteritis	70	43	9	1	1				2	1	1	2	4	3	1	2		
26	Appendicitis and typhlitis	19						1	3	3	4	2	3	1	2				
27	Hernia, intestinal obstruction	20	1					1	3	2	2		3	4	4				
28	Cirrhosis of the liver	41									6	13	9	9	2		2		
29	Acute nephritis and Bright's disease	196	3		1				1	9	17	25	45	45	35	13	2		
30	Diseases of the female genital organs	7								1	1	3	1		1				
31	Puerperal fever	3									3								
32	Other puerperal affections	21							1	9	9	2							
33	Congenital debility and malformations	100	97	1				1	1										
34	Senility	16													5	10	1		
35	Violent deaths (excluding suicide)	133	16	3	2	1		9	9	9	22	17	13	13	11	5	2		1
36	Suicide	22							1	4	5	4	5	2	1				
(37)	Other defined diseases	365	41	5	2	4	1	5	8	18	29	52	55	55	53	33	4		
38	Diseases ill-defined or unknown	5			1								1	2		1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	BUFFALO, N. Y.																		
	All causes	6,294	1,297	214	90	60	42	117	264	472	585	671	787	736	596	318	42	3	
1	Typhoid fever	109					2	2	30	33	22	13	4	3					
2	Typhus fever																		
3	Malaria	1								1									
4	Smallpox																		
5	Measles	8	3	1		2	1	1											
6	Scarlet fever	78	5	12	12	11	8	20	4	3	3								
7	Whooping cough	39	24	7	3	3	1	1											
8	Diphtheria and croup	109	12	26	19	9	10	18	7	2	5	1							
9	Influenza	24	1	2		1						3	2	4	4	5	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	33	16	5						2	2		2	3	2		1		
13	Tuberculosis of the lungs	530	1	1	4	1		4	62	151	123	93	57	24	7	2			
14	Tuberculous meningitis	43	11	8	5	3	2	5	4	2	2	1							
15	Other forms of tuberculosis	44	6	2		1	1	2	8	9	4	5	3	3					
16	Cancer and other malignant tumors	416		1						11	28	85	115	104	57	15			
17	Meningitis	25	3	1	4		1	1	1	5	2	3	2	2					
18	Cerebral hemorrhage and softening	239	4	1				1		5	9	32	55	82	63	33	4		
19	Organic diseases of the heart	739	3				1	9	18	26	53	76	137	176	154	73	12	1	
20	Acute bronchitis	49	26	7	1	2	1				1			2	6	2	1		
21	Chronic bronchitis	23										1		6	10	6			
22	Pneumonia	359	35	12	8	7	1	5	13	28	59	61	48	39	24	18	1		
23a	Bronchopneumonia	283	138	43	14	3	1	6	5	4	7	9	8	14	13	16	2		
23b	Other diseases of the respiratory system	55	6	1	1		1	1		5	2	9	12	5	6	6			
24	Diseases of the stomach	59	26	3					3	3	5	8	4		4	3			
25(37)	Diarrhea and enteritis	532	417	56	7	5	1	5	1	3	3	9	5	4	11	5			
26	Appendicitis and typhlitis	77	2	1	1	1	1	8	19	8	19	5	6	5	1				
27	Hernia, intestinal obstruction	73	15		2			1	1	6	8	12	10	10	5	3			
28	Cirrhosis of the liver	74								1	10	8	29	16	8	2			
29	Acute nephritis and Bright's disease	413	12	3		1		3	7	24	38	47	84	81	76	33	3	1	
30	Diseases of the female genital organs	32							2	4	10	14	1			1			
31	Puerperal fever	20							2	12	6								
32	Other puerperal affections	24								9	12	3							
33	Congenital debility and malformations	327	323	3	1														
34	Senility	14												1	3	6	4		
35	Violent deaths (excluding suicide)	381	7	6	5	4	4	10	40	66	65	65	46	35	14	12	2		
36	Suicide	50							2	8	16	7	11	5	1				
(37)	Other defined diseases	959	201	12	2	6	5	14	35	41	71	101	146	111	126	77	10	1	
38	Diseases ill-defined or unknown	3			1									1	1				
	NEW YORK, N. Y. (TOTAL).																		
	All causes	75,329	15,028	3,868	1,628	1,005	673	1,755	2,597	5,790	8,068	8,943	8,818	8,567	5,935	2,343	290	16	5
1	Typhoid fever	538	3	4	2	7	3	21	92	168	118	73	31	13	3				
2	Typhus fever																		
3	Malaria	33	2	6			1	3	1	4	1	4	2	7	1	1			
4	Smallpox	5	1			1	1		1				1						
5	Measles	655	168	268	106	46	24	32	7	3	1								
6	Scarlet fever	747	28	98	135	99	80	196	60	35	15		1						
7	Whooping cough	372	198	94	34	23	13	10											
8	Diphtheria and croup	1,270	157	339	218	174	108	196	33	22	16	4		2		1			
9	Influenza	343	26	9	7	6	4	3	9	22	29	36	52	52	62	21	4	1	
10	Asiatic cholera																		
11	Cholera nostras	9	2									2	3	1		1			
12	Other epidemic diseases	403	167	16	9	1		6	4	19	31	39	47	30	19	15			
13	Tuberculosis of the lungs	8,967	69	60	37	28	15	52	638	2,097	2,569	1,877	1,003	384	124	14			
14	Tuberculous meningitis	877	200	214	114	62	41	112	48	39	16	24	6	1					
15	Other forms of tuberculosis	421	46	17	22	13	5	38	60	58	57	45	33	16	10	1			
16	Cancer and other malignant tumors	3,927	4	2	2	3	4	6	28	78	343	791	1,087	963	505	99	11		1
17	Meningitis	474	128	72	38	29	17	56	43	26	29	17	8	7	4				
18	Cerebral hemorrhage and softening	2,809	27	1	1		1	1	4	26	125	309	604	821	615	256	17		1
19	Organic diseases of the heart	6,946	36	8	9	13	16	136	309	342	583	905	1,124	1,650	1,260	500	53	1	1
20	Acute bronchitis	806	553	96	35	16	6	8	4	2	4	6	12	20	20	18	5	1	
21	Chronic bronchitis	335	3	2	2	2		4	1	3	9	23	61	62	84	65	13	1	
22	Pneumonia	5,734	585	454	166	99	54	114	186	380	783	827	774	685	442	164	20	1	
23a	Bronchopneumonia	4,656	2,083	1,017	295	124	55	103	30	60	69	99	140	249	214	103	14		1
23b	Other diseases of the respiratory system	593	65	51	16	11	5	16	16	42	51	77	78	65	60	35	5		
34	Diseases of the stomach	396	68	5	2			6	7	36	52	67	52	46	31	20	4		
25(37)	Diarrhea and enteritis	5,095	3,950	640	122	47	26	32	8	24	37	34	35	50	69	17	4		
26	Appendicitis and typhlitis	615	2	2	5	2	15	50	127	127	105	85	51	31	10	3			
27	Hernia, intestinal obstruction	549	86	4	6	3	1	9	11	34	39	86	90	103	58	19			
28	Cirrhosis of the liver	969	1			1		1	6	25	142	270	258	174	77	14			
29	Acute nephritis and Bright's disease	7,079	67	21	19	14	11	57	108	363	729	1,208	1,448	1,570	1,069	358	34	3	
30	Diseases of the female genital organs	336		1					7	81	113	90	27	9	6	2			
31	Puerperal fever	375							24	204	126	21							
32	Other puerperal affections	404							13	179	174	37	1						
33	Congenital debility and malformations	4,305	4,249	28	9	4	1	6	5	1		1		1					
34	Senility	443									1		2	41	144	190	58	7	
35	Violent deaths (excluding suicide)	4,177	134	106	109	115	115	270	353	609	686	643	444	323	196	65	7	1	1
36	Suicide	833							28	162	200	188	154	66	28	7			
(37)	Other defined diseases	8,762	1,910	186	100	61	51	210	326	518	815	1,055	1,189	1,122	824	354	41		
38	Diseases ill-defined or unknown	71	10	47	8	1		1		1				3					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (WHITE).																		
	All causes	72,799	14,515	3,741	1,578	972	654	1,718	2,488	5,437	7,646	8,619	8,566	8,407	5,843	2,316	279	15	5
1	Typhoid fever	530	3	4	2	6	3	21	89	166	116	73	31	13	3				
2	Typhus fever																		
3	Malaria	32	2	6			1	3	1	3	1	4	2	7	1	1			
4	Smallpox	5	1			1	1		1				1						
5	Measles	647	167	265	104	44	24	32	7	3	1								
6	Scarlet fever	742	28	97	135	98	79	196	60	35	13		1						
7	Whooping cough	360	191	90	34	23	13	9											
8	Diphtheria and croup	1,251	156	331	217	171	108	195	32	22	13	4		2					
9	Influenza	332	24	8	7	6	4	2	9	21	28	35	51	50	61	21	4	1	
10	Asiatic cholera																		
11	Cholera nostras	9	2									2	3	1		1			
12	Other epidemic diseases	390	166	14	9	1		6	4	17	28	38	46	30	17	14			
13	Tuberculosis of the lungs	8,306	64	49	32	24	13	43	586	1,922	2,410	1,787	968	367	119	12			
14	Tuberculous meningitis	848	195	209	109	58	38	109	47	36	16	24	6	1					
15	Other forms of tuberculosis	388	46	17	22	11	5	34	51	51	50	44	31	15	10	1			
16	Cancer and other malignant tumors	3,852	4	2	2	3	4	6	28	76	333	770	1,066	950	500	98	9		1
17	Meningitis	467	125	71	38	27	17	56	42	26	29	17	8	7	4				
18	Cerebral hemorrhage and softening	2,751	27	1	1		1	1	4	25	121	300	583	809	606	254	17		1
19	Organic diseases of the heart	6,726	35	8	8	13	15	136	301	321	543	860	1,078	1,620	1,245	493	48	1	1
20	Acute bronchitis	774	536	90	32	15	5	7	4	2	4	5	12	19	20	17	5	1	
21	Chronic bronchitis	325	3	1	2	2		4	1	3	8	22	60	60	82	64	12	1	
22	Pneumonia	5,530	570	442	162	99	51	109	177	358	742	787	749	670	431	162	20	1	
23a	Bronchopneumonia	4,472	1,990	970	284	119	52	101	30	54	66	96	137	243	213	102	14		1
23b	Other diseases of the respiratory system	577	65	50	16	11	4	16	16	37	48	76	76	64	58	35	5		
24	Diseases of the stomach	382	66	5	2			6	7	35	50	63	51	44	30	19	4		
25(37)	Diarrhea and enteritis	4,945	3,826	630	117	46	26	31	6	23	35	33	34	49	68	17	4		
26	Appendicitis and typhlitis	603	2	2	5	2	15	50	125	122	103	84	49	31	10	3			
27	Hernia, intestinal obstruction	537	84	4	6	3	1	9	11	31	37	81	90	103	58	19			
28	Cirrhosis of the liver	961	1			1		1	5	25	141	269	256	172	76	14			
29	Acute nephritis and Bright's disease	6,864	67	21	17	12	10	54	107	347	687	1,164	1,403	1,540	1,043	355	34	3	
30	Diseases of the female genital organs	302		1					7	74	96	82	26	8	6	2			
31	Puerperal fever	356							21	193	121	21							
32	Other puerperal affections	392							10	175	170	36	1						
33	Congenital debility and malformations	4,144	4,092	24	9	4	1	6	5	1		1		1					
34	Senility	438									1		2	41	142	188	58	6	
35	Violent deaths (excluding suicide)	4,081	130	104	108	113	113	268	345	587	662	630	437	316	195	65	6	1	1
36	Suicide	819							27	161	194	186	152	64	28	7			
(37)	Other defined diseases	8,505	1,837	180	92	58	50	206	322	484	779	1,025	1,156	1,108	817	352	39		
38	Diseases ill-defined or unknown	66	10	45	6	1		1		1				2					
	NEW YORK, N. Y. (COLORED).																		
	All causes	2,530	513	127	50	33	19	37	109	353	422	324	252	160	92	27	11	1	
1	Typhoid fever	8				1			3	2	2								
2	Typhus fever																		
3	Malaria	1								1									
4	Smallpox																		
5	Measles	8	1	3	2	2													
6	Scarlet fever	5		1		1	1				2								
7	Whooping cough	12	7	4				1											
8	Diphtheria and croup	19	1	8	1	3		1	1		3					1			
9	Influenza	11	2	1				1		1	1	1	1	2	1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	13	1	2						2	3	1	1		2	1			
13	Tuberculous of the lungs	571	5	11	5	4	2	9	52	175	159	90	35	17	5	2			
14	Tuberculous meningitis	29	5	5	5	4	3	3	1	3									
15	Other forms of tuberculosis	33				2		4	9	7	7	1	2	1					
16	Cancer and other malignant tumors	75								2	10	21	21	13	5	1	2		
17	Meningitis	7	3	1		2			1										
18	Cerebral hemorrhage and softening	58								1	4	9	21	12	9	2			
19	Organic diseases of the heart	220	1		1		1		8	21	40	45	46	30	15	7	5		
20	Acute bronchitis	32	17	6	3	1	1	1				1		1		1			
21	Chronic bronchitis	10		1							1	1	1	2	2	1	1		
22	Pneumonia	204	15	12	4		3	5	9	22	41	40	25	15	11	2			
23a	Bronchopneumonia	184	93	47	11	5	3	2		6	3	3	3	6	1	1			
23b	Other diseases of the respiratory system	16		1			1			5	3	1	2	1	2				
24	Diseases of the stomach	14	2							1	2	4	1	2	1	1			
25(37)	Diarrhea and enteritis	150	124	10	5	1		1	2	1	2	1	1	1	1				
26	Appendicitis and typhlitis	12							2	5	2	1	2						
27	Hernia, intestinal obstruction	12	2							3	2	5							
28	Cirrhosis of the liver	8							1		1	1	2	2	1				
29	Acute nephritis and Bright's disease	215			2	2	1	3	1	16	42	44	45	30	26	3			
30	Diseases of the female genital organs	34								7	17	8	1	1					
31	Puerperal fever	19							3	11	5								
32	Other puerperal affections	12							3	4	4	1							
33	Congenital debility and malformations	161	157	4															
34	Senility	5													2	2		1	
35	Violent deaths (excluding suicide)	96	4	2	1	2	2	2	8	22	24	13	7	7	1		1		
36	Suicide	14							1	1	6	2	2	2					
(37)	Other defined diseases	257	73	6	8	3	1	4	4	34	36	30	33	14	7	2	2		
38	Diseases ill-defined or unknown	5		2	2									1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (BRONX BOROUGH).																		
	All causes	6,251	1,134	265	130	98	46	169	254	513	661	758	732	761	506	196	23	1	4
1	Typhoid fever	37		1	1	1		1	4	12	9	4	4						
2	Typhus fever																		
3	Malaria	2		1							1								
4	Smallpox	1											1						
5	Measles	54	15	20	8	4	1	4	2										
6	Scarlet fever	59	1	7	12	7	4	20	4	3	1								
7	Whooping cough	37	15	12	1	5	2	2											
8	Diphtheria and croup	120	9	23	17	22	7	30	4	4	1	2		1					
9	Influenza	32	1	1						1	5	5	6	5	5	3			
10	Asiatic cholera																		
11	Cholera nostras	2										1	1						
12	Other epidemic diseases	32	13	1	2					1	3	6	2	1	1	2			
13	Tuberculosis of the lungs	793	4	6	2	2	2	5	75	205	220	154	76	32	9	1			
14	Tuberculous meningitis	79	18	14	12	8	2	8	7	3	3	3	1						
15	Other forms of tuberculosis	35		4	3	1		3	2	4	4	3	6	2	3				
16	Cancer and other malignant tumors	369	1	1						6	36	77	104	82	50	11			1
17	Meningitis	45	14	8	5	1	1	3	5		5	1	1	1					
18	Cerebral hemorrhage and softening	271	2				1		1	2	14	36	49	86	57	21	1		1
19	Organic diseases of the heart	649	4				2	11	37	30	52	87	102	155	107	56	5		1
20	Acute bronchitis	44	23	3	3				2		1	1	3	2	1	4	1		
21	Chronic bronchitis	17											3	1	8	5			
22	Pneumonia	475	41	26	14	8	4	11	14	30	64	76	68	67	41	9	1	1	
23a	Bronchopneumonia	268	128	49	12	7	6	7	2	2	4	2	2	20	15	9	2		1
23b	Other diseases of the respiratory system	28	2	2				3		2	3	6		3	3	3	1		
24	Diseases of the stomach	38	4	2						2	7	5	5	5	6	1	1		
25(37)	Diarrhea and enteritis	397	298	54	11	5	4	1	1	1	3	4	5	3	5	2			
26	Appendicitis and typhlitis	45					1	5	12	8	8	6	2	3					
27	Hernia, intestinal obstruction	57	7	2	1					2	4	6	13	13	6	3			
28	Cirrhosis of the liver	74									8	19	25	13	7	2			
29	Acute nephritis and Bright's disease	575	6	4	2	2		3	13	36	60	98	111	125	86	27	2		
30	Diseases of the female genital organs	24								5	8	8	2	1					
31	Puerperal fever	40							2	27	11								
32	Other puterperal affections	47							1	24	19	3							
33	Congenital debility and malformations	389	384	2	3														
34	Senility	30												1	10	15	4		
35	Violent deaths (excluding suicide)	334	15	9	11	20	8	30	30	50	41	40	31	29	13	4	3		
36	Suicide	67							3	13	8	20	18	2	2	1			
(37)	Other defined diseases	677	128	7	9	5	1	22	33	40	58	85	91	108	71	17	2		
38	Diseases ill-defined or unknown	8	1	6	1														
	NEW YORK, N. Y. (BROOKLYN BOROUGH, TOTAL).																		
	All causes	25,174	4,701	1,257	513	326	252	649	896	1,901	2,596	2,902	2,911	3,000	2,223	924	118	5	
1	Typhoid fever	219	2	1		3	2	7	37	70	49	30	10	8					
2	Typhus fever																		
3	Malaria	16		2			1	1	1	2		2	1	5		1			
4	Smallpox	1	1																
5	Measles	129	26	51	28	5	5	13		1									
6	Scarlet fever	291	12	35	45	29	34	88	27	15	6								
7	Whooping cough	86	47	24	5	5	3	2											
8	Diphtheria and croup	391	30	98	63	58	49	68	13	6	6								
9	Influenza	153	9	3	5	1	4	1	4	12	11	19	26	20	24	9	4	1	
10	Asiatic cholera																		
11	Cholera nostras	5	1									1	1	1		1			
12	Other epidemic diseases	116	34	5	4			3	2	9	11	11	15	10	7	5			
13	Tuberculosis of the lungs	2,724	13	8	10	6	4	9	211	705	780	559	289	103	23	4			
14	Tuberculous meningitis	241	60	69	30	16	10	27	15	9	2	2	1						
15	Other forms of tuberculosis	160	20	4	11	5	2	20	18	22	23	17	8	5	4	1			
16	Cancer and other malignant tumors	1,291	2	1	1	2	1	2	9	19	102	241	360	342	174	30	5		
17	Meningitis	123	26	22	13	9	7	15	8	5	12	5		1					
18	Cerebral hemorrhage and softening	1,046	4							7	33	111	197	336	254	95	9		
19	Organic diseases of the heart	2,752	18	2	4	5	5	55	122	117	241	353	456	639	529	181	25		
20	Acute bronchitis	392	265	46	22	7	4	5	2	2	2	4	6	11	6	7	3		
21	Chronic bronchitis	191	1	2				4		1	7	11	42	35	48	33	6	1	
22	Pneumonia	1,926	198	154	64	38	24	45	76	135	254	271	216	204	168	74	5		
23a	Bronchopneumonia	1,577	672	356	105	46	17	43	10	28	34	34	47	70	70	40	5		
23b	Other diseases of the respiratory system	209	21	15	7	2	2	6	5	20	22	25	30	21	18	13	2		
24	Diseases of the stomach	138	21	1	1			1	4	13	15	29	16	21	6	8	2		
25(37)	Diarrhea and enteritis	1,883	1,448	237	35	21	12	17	3	12	14	15	10	16	33	10			
26	Appendicitis and typhlitis	218	1		1	1	7	18	52	44	38	26	17	12	1				
27	Hernia, intestinal obstruction	161	22		2	2	1	3	3	10	12	30	21	31	17	7			
28	Cirrhosis of the liver	327				1			2	9	40	97	78	67	27	6			
29	Acute nephritis and Bright's disease	2,337	23	4	7	4	7	29	42	119	244	373	481	498	370	126	9	1	
30	Diseases of the female genital organs	106							1	26	35	29	11	2	1	1			
31	Puerperal fever	127							7	70	41	9							
32	Other puerperal affections	142							3	67	60	12							
33	Congenital debility and malformations	1,122	1,099	14		2		4	3										
34	Senility	177												18	57	70	30	2	
35	Violent deaths (excluding suicide)	1,225	36	34	29	28	40	86	91	157	203	177	151	93	73	26	1		
36	Suicide	252							10	35	56	64	45	28	11	3			
(37)	Other defined diseases	2,912	587	63	21	30	11	77	115	154	243	345	376	403	302	173	12		
38	Diseases ill-defined or unknown	8	2	6															

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (BROOKLYN BOROUGH, WHITE).																		
	All causes	24,528	4,582	1,226	501	317	248	636	868	1,806	2,486	2,834	2,845	2,952	2,194	914	115	4	
1	Typhoid fever	216	2	1		3	2	7	36	68	49	30	10	8					
2	Typhus fever																		
3	Malaria	15		2			1	1	1	1		2	1	5		1			
4	Smallpox	1	1																
5	Measles	128	26	50	28	5	5	13		1									
6	Scarlet fever	289	12	34	45	29	34	88	27	15	5								
7	Whooping cough	85	46	24	5	5	3	2											
8	Diphtheria and croup	386	30	97	62	57	49	68	13	6	4								
9	Influenza	148	8	2	5	1	4	1	4	11	11	18	26	19	24	9	4	1	
10	Asiatic cholera																		
11	Cholera nostras	5	1									1	1	1		1			
12	Other epidemic diseases	115	34	4	4			3	2	9	11	11	15	10	7	5			
13	Tuberculosis of the lungs	2,605	12	8	8	5	3	7	199	667	748	539	284	99	22	4			
14	Tuberculous meningitis	238	59	68	30	16	10	27	14	9	2	2	1						
15	Other forms of tuberculosis	147	20	4	11	4	2	17	16	20	19	17	8	4	4	1			
16	Cancer and other malignant tumors	1,270	2	1	1	2	1	2	9	19	100	234	353	339	173	29	5		
17	Meningitis	122	26	21	13	9	7	15	8	5	12	5		1					
18	Cerebral hemorrhage and softening	1,022	4							6	31	108	187	332	251	94	9		
19	Organic diseases of the heart	2,687	18	2	4	5	5	55	120	112	227	349	436	627	523	180	24		
20	Acute bronchitis	382	260	43	22	7	4	4	2	2	2	3	6	11	6	7	3		
21	Chronic bronchitis	181	1	1				4		1	6	10	41	33	46	32	5	1	
22	Pneumonia	1,876	191	151	63	38	24	42	74	129	242	265	214	199	166	73	5		
23a	Bronchopneumonia	1,543	660	346	104	44	16	43	10	25	32	33	46	70	69	40	5		
23b	Other diseases of the respiratory system	204	2	15	7	2	2	6	5	17	21	25	30	21	17	13	2		
24	Diseases of the stomach	130	21	1	1			1	4	12	13	27	16	19	6	7	2		
25(37)	Diarrhea and enteritis	1,838	1,411	233	34	21	12	17	2	12	13	15	10	16	32	10			
26	Appendicitis and typhlitis	212	1		1	1	7	18	51	42	37	25	16	12	1				
27	Hernia, intestinal obstruction	156	21		2	2	1	3	3	8	11	29	21	31	17	7			
28	Cirrhosis of the liver	326				1			1	9	40	97	78	67	27	6			
29	Acute nephritis and Bright's disease	2,284	23	4	5	4	7	28	42	115	232	362	472	493	362	125	9	1	
30	Diseases of the female genital organs	96							1	24	30	27	11	1	1	1			
31	Puerperal fever	125							7	69	40	9							
32	Other puerperal affections	137							2	64	59	12							
33	Congenital debility and malformations	1,084	1,062	13		2		4	3										
34	Senility	174												18	56	69	30	1	
35	Violent deaths (excluding suicide)	1,199	36	33	28	27	38	85	88	151	197	176	149	91	73	26	1		
36	Suicide	251							10	34	56	64	45	28	11	3			
(37)	Other defined diseases	2,843	571	62	18	27	11	75	114	143	236	339	368	397	300	171	11		
38	Diseases ill-defined or unknown	8	2	6															
	NEW YORK, N. Y. (BROOKLYN BOROUGH, COLORED).																		
	All causes	646	119	31	12	9	4	13	28	95	110	68	66	48	29	10	3	1	
1	Typhoid fever	3							1	2									
2	Typhus fever																		
3	Malaria	1								1									
4	Smallpox																		
5	Measles	1		1															
6	Scarlet fever	2		1							1								
7	Whooping cough	1	1																
8	Diphtheria and croup	5		1	1	1					2								
9	Influenza	5	1	1						1		1		1					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	1		1															
13	Tuberculosis of the lungs	119	1		2	1	1	2	12	38	32	20	5	4	1				
14	Tuberculous meningitis	3	1	1					1										
15	Other forms of tuberculosis	13				1		3	2	2	4			1					
16	Cancer and other malignant tumors	21									2	7	7	3	1	1			
17	Meningitis	1		1															
18	Cerebral hemorrhage and softening	24								1	2	3	10	4	3	1			
19	Organic diseases of the heart	65							2	5	14	4	20	12	6	1	1		
20	Acute bronchitis	10	5	3				1				1							
21	Chronic bronchitis	10		1							1	1	1	2	2	1	1		
22	Pneumonia	50	7	3	1			3	2	6	12	6	2	5	2	1			
23a	Bronchopneumonia	34	12	10	1	2	1			3	2	1	1		1				
23b	Other diseases of the respiratory system	5								3	1				1				
24	Diseases of the stomach	8								1	2	2		2		1			
25(37)	Diarrhea and enteritis	45	37	4	1				1		1				1				
26	Appendicitis and typhlitis	6							1	2	1	1	1						
27	Hernia, intestinal obstruction	5	1							2	1	1							
28	Cirrhosis of the liver	1							1										
29	Acute nephritis and Bright's disease	53			2			1		4	12	11	9	5	8	1			
30	Diseases of the female genital organs	10								2	5	2		1					
31	Puerperal fever	2								1	1								
32	Other puerperal affections	5							1	3	1								
33	Congenital debility and malformations	38	37	1															
34	Senility	3													1	1		1	
35	Violent deaths (excluding suicide)	26		1	1	1	2	1	3	6	6	1	2	2					
36	Suicide	1								1									
(37)	Other defined diseases	69	16	1	3	3		2	1	11	7	6	8	6	2	2	1		
38	Diseases ill-defined or unknown																		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (MANHATTAN BOROUGH, TOTAL.)																		
	All causes	38,236	8,083	2,163	893	502	318	804	1,233	2,967	4,263	4,598	4,502	4,143	2,639	1,001	117	9	1
1	Typhoid fever	246		2	1	3		12	45	78	54	29	14	5	3				
2	Typhus fever																		
3	Malaria	12	2	2				1		1		2	1	2	1				
4	Smallpox	2				1	1												
5	Measles	436	122	188	66	26	13	13	5	2	1								
6	Scarlet fever	354	15	52	74	57	35	77	20	16	7		1						
7	Whooping cough	204	107	50	22	11	8	6											
8	Diphtheria and croup	673	113	208	127	80	43	68	11	10	9	2		1		1			
9	Influenza	127	10	4	2	5		1	5	6	9	11	15	24	26	9			
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	239	111	10	3	1		3	1	8	17	21	28	18	11	7			
13	Tuberculosis of the lungs	4,859	49	46	23	20	7	36	308	1,040	1,398	1,035	581	226	81	9			
14	Tuberculous meningitis	514	115	122	64	36	27	71	23	26	10	16	3	1					
15	Other forms of tuberculosis	199	24	9	8	6	3	15	33	29	24	22	17	6	3				
16	Cancer and other malignant tumors	1,960	1		1	1	2	3	18	49	186	409	537	461	237	50	5		
17	Meningitis	264	77	39	16	11	5	32	28	20	12	10	7	5	2				
18	Cerebral hemorrhage and softening	1,224	18	1					3	16	64	138	297	330	240	113	4		
19	Organic diseases of the heart	3,047	6	5	5	7	8	66	128	169	264	395	487	741	516	230	19	1	
20	Acute bronchitis	319	227	45	10	7	2	3			1	1	2	5	9	5	1	1	
21	Chronic bronchitis	112	2		2	2			1	2	2	11	16	20	24	24	6		
22	Pneumonia	2,953	321	258	81	48	21	47	80	189	412	427	432	365	194	67	11		
23a	Bronchopneumonia	2,541	1,164	564	166	66	28	47	16	24	28	57	80	139	111	46	5		
23b	Other diseases of the respiratory system	303	36	31	9	9	2	7	8	17	21	40	42	35	28	16	2		
24	Diseases of the stomach	171	31	1	1			3	2	16	26	28	20	18	13	11	1		
25(37)	Diarrhea and enteritis	2,382	1,866	300	62	14	7	13	3	11	17	13	19	26	22	5	4		
26	Appendicitis and typhlitis	294	1	2	3	1	6	19	54	60	52	43	30	13	7	3			
27	Hernia, intestinal obstruction	287	52	2	3	1		4	7	20	21	41	48	53	27	8			
28	Cirrhosis of the liver	461	1					1	4	14	83	125	128	67	33	5			
29	Acute nephritis and Bright's disease	3,544	32	12	10	8	3	21	39	183	376	628	728	824	503	158	17	2	
30	Diseases of the female genital organs	180		1					4	46	60	45	13	6	4	1			
31	Puerperal fever	177							12	94	60	11							
32	Other puerperal affections	176							5	76	76	18	1						
33	Congenital debility and malformations	2,466	2,440	12	5	2	1	2	2			1		1					
34	Senility	183											2	18	61	78	20	4	
35	Violent deaths (excluding suicide)	2,320	76	57	58	60	59	138	204	348	397	375	233	186	96	28	3	1	1
36	Suicide	443							13	107	121	83	73	32	11	3			
(37)	Other defined diseases	4,516	1,059	109	64	18	37	94	151	289	455	561	647	513	376	124	19		
38	Diseases ill-defined or unknown	47	4	31	7	1		1		1				2					
	NEW YORK, N. Y. (MANHATTAN BOROUGH, WHITE).																		
	All causes	36,588	7,737	2,077	858	482	305	785	1,164	2,728	3,985	4,372	4,342	4,049	2,593	989	112	9	1
1	Typhoid fever	241		2	1	2		12	43	78	52	29	14	5	3				
2	Typhus fever																		
3	Malaria	12	2	2				1		1		2	1	2	1				
4	Smallpox	2				1	1												
5	Measles	431	121	187	64	25	13	13	5	2	1								
6	Scarlet fever	352	15	52	74	56	34	77	20	16	7		1						
7	Whooping cough	196	101	48	22	11	8	6											
8	Diphtheria and croup	660	112	202	127	78	43	67	10	10	8	2		1					
9	Influenza	121	9	4	2	5			5	6	8	11	14	23	25	9			
10	Asiatic cholera																		
11	Cholera nostras	1	1																
12	Other epidemic diseases	227	110	9	3	1		3	1	6	14	20	27	18	9	6			
13	Tuberculosis of the lungs	4,451	45	35	20	17	6	31	274	915	1,286	973	552	213	77	7			
14	Tuberculous meningitis	492	112	118	60	33	24	69	23	23	10	16	3	1					
15	Other forms of tuberculosis	182	24	9	8	5	3	15	26	24	22	21	16	6	3				
16	Cancer and other malignant tumors	1,914	1		1	1	2	3	18	47	178	397	525	452	236	50	3		
17	Meningitis	259	74	39	16	10	5	32	27	20	12	10	7	5	2				
18	Cerebral hemorrhage and softening	1,193	18	1					3	16	62	132	286	323	236	112	4		
19	Organic diseases of the heart	2,918	5	5	4	7	7	66	123	153	239	362	465	727	511	227	16	1	
20	Acute bronchitis	299	216	42	7	6	1	3			1	1	2	5	9	4	1	1	
21	Chronic bronchitis	112	2		2	2			1	2	2	11	16	20	24	24	6		
22	Pneumonia	2,825	314	251	78	48	19	45	75	174	388	397	415	358	186	66	11		
23a	Bronchopneumonia	2,404	1,091	529	158	63	26	45	16	21	27	55	78	134	111	45	5		
23b	Other diseases of the respiratory system	294	36	31	9	9	2	7	8	15	19	39	40	34	27	16	2		
24	Diseases of the stomach	167	30	1	1			3	2	16	26	26	19	18	13	11	1		
25(37)	Diarrhea and enteritis	2,301	1,800	294	58	13	7	12	2	10	17	13	18	26	22	5	4		
26	Appendicitis and typhlitis	288	1	2	3	1	6	19	53	57	51	43	29	13	7	3			
27	Hernia, intestinal obstruction	282	51	2	3	1		4	7	19	20	39	48	56	27	8			
28	Cirrhosis of the liver	454	1					1	4	14	82	124	126	65	32	5			
29	Acute nephritis and Bright's disease	3,407	32	12	10	7	2	19	38	173	348	599	697	803	491	157	17	2	
30	Diseases of the female genital organs	159		1					4	42	50	39	12	6	4	1			
31	Puerperal fever	163							10	85	57	11							
32	Other puerperal affections	171							5	75	73	17	1						
33	Congenital debility and malformations	2,357	2,333	10	5	2	1	2	2			1		1					
34	Senility	182											2	18	60	78	20	4	
35	Violent deaths (excluding suicide)	2,256	72	56	58	59	59	137	199	332	382	364	229	181	95	28	3	1	1
36	Suicide	430							12	107	115	81	71	30	11	3			
(37)	Other defined diseases	4,343	1,004	104	59	18	36	92	148	268	428	537	628	507	371	124	19		
38	Diseases ill-defined or unknown	42	4	29	5	1		1		1				1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (MANHATTAN BOROUGH, COLORED).																		
	All causes	1,648	346	86	35	20	13	19	69	239	278	226	160	94	46	12	5		
1	Typhoid fever	5				1			2		2								
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	5	1	1	2	1													
6	Scarlet fever	2				1	1												
7	Whooping cough	8	6	2															
8	Diphtheria and croup	13	1	6		2		1	1		1					1			
9	Influenza	6	1					1			1		1	1	1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	12	1	1						2	3	1	1		2	1			
13	Tuberculosis of the lungs	408	4	11	3	3	1	5	34	125	112	62	29	13	4	2			
14	Tuberculous meningitis	22	3	4	4	3	3	2		3									
15	Other forms of tuberculosis	17				1			7	5	2	1	1						
16	Cancer and other malignant tumors	46								2	8	12	12	9	1		2		
17	Meningitis	5	3			1			1										
18	Cerebral hemorrhage and softening	31									2	6	11	7	4	1			
19	Organic diseases of the heart	129	1		1		1		5	16	25	33	22	14	5	3	3		
20	Acute bronchitis	20	11	3	3	1	1									1			
21	Chronic bronchitis																		
22	Pneumonia	128	7	7	3		2	2	5	15	24	30	17	7	8	1			
23a	Bronchopneumonia	137	73	35	8	3	2	2		3	1	2	2	5		1			
23b	Other diseases of the respiratory system	9								2	2	1	2	1	1				
24	Diseases of the stomach	4	1									2	1						
25(37)	Diarrhea and enteritis	81	66	6	4	1		1	1	1			1						
26	Appendicitis and typhlitis	6							1	3	1		1						
27	Hernia, intestinal obstruction	5	1							1	1	2							
28	Cirrhosis of the liver	7									1	1	2	2	1				
29	Acute nephritis and Bright's disease	137				1	1	2	1	10	28	29	31	21	12	1			
30	Diseases of the female genital organs	21								4	10	6	1						
31	Puerperal fever	14							2	9	3								
32	Other puerperal affections	5								1	3	1							
33	Congenital debility and malformations	109	107	2															
34	Senility	1													1				
35	Violent deaths (excluding suicide)	64	4	1		1		1	5	16	15	11	4	5	1				
36	Suicide	13							1		6	2	2	2					
(37)	Other defined diseases	173	55	5	5		1	2	3	21	27	24	19	6	5				
38	Diseases ill-defined or unknown	5		2	2									1					
	NEW YORK, N. Y. (QUEENS BOROUGH).																		
	All causes	4,182	853	133	78	47	39	96	166	316	414	525	515	462	371	150	16	1	
1	Typhoid fever	27	1				1	1	5	5	4	8	2						
2	Typhus fever																		
3	Malaria	3		1				1		1									
4	Smallpox	1							1										
5	Measles	11	2	5	1	3													
6	Scarlet fever	32		4	3	1	5	10	8		1								
7	Whooping cough	25	12	7	5	1													
8	Diphtheria and croup	65	3	5	10	10	7	23	5	2									
9	Influenza	18	1							3	2		5	1	6				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11	5						1	1		1	2	1					
13	Tuberculosis of the lungs	437	1		2		1	2	34	112	126	93	44	15	7				
14	Tuberculous meningitis	30	5	6	7	1		5	3			2	1						
15	Other forms of tuberculous	21	2						5	3	6	3	1	1					
16	Cancer and other malignant tumors	217					1		1	4	14	50	63	56	24	4			
17	Meningitis	27	7		4	5	3	4	2			1			1				
18	Cerebral hemorrhage and softening	210	2		1					1	11	17	51	55	51	21			
19	Organic diseases of the heart	391	8	1		1	1	3	21	22	19	56	68	84	77	26	4		
20	Acute bronchitis	49	36	2		2							1	2	4	2			
21	Chronic bronchitis	12										1		4	4	3			
22	Pneumonia	269	20	13	5	4	5	8	10	18	42	39	35	34	28	6	2		
23a	Bronchopneumonia	203	90	36	11	4	4	4	2	4	3	3	10	16	8	6	2		
23b	Other diseases of the respiratory system	42	4	3			1		3	1	4	5	5	5	8	3			
24	Diseases of the stomach	30	4	1				2	1	3	3	4	7	2	3				
25(37)	Diarrhea and enteritis	335	262	37	12	5	2	1	1		2	2	1	5	5				
26	Appendicitis and typhlitis	44			1		1	5	5	13	6	9	1	2	1				
27	Hernia, intestinal obstruction	34	3					2	1	2	2	8	6	3	6	1			
28	Cirrhosis of the liver	79								2	10	24	22	15	5	1			
29	Acute nephritis and Bright's disease	426	5				1	2	10	19	39	84	94	82	61	27	2		
30	Diseases of the female genital organs	24							2	4	10	7			1				
31	Puerperal fever	18								9	8	1							
32	Other puerperal affections	32							3	9	16	4							
33	Congenital debility and malformations	265	263		1					1									
34	Senility	39									1			3	11	22	1	1	
35	Violent deaths (excluding suicide)	217	7	4	11	5	5	13	19	39	29	38	23	13	9	2			
36	Suicide	61							2	7	13	16	15	4	4				
(37)	Other defined diseases	473	109	6	4	5	1	10	21	31	43	49	58	58	47	26	5		
38	Diseases ill-defined or unknown	4	1	2										1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NEW YORK, N. Y. (RICHMOND BOROUGH).																		
	All causes	1,486	257	50	14	32	18	37	48	93	134	160	158	201	196	72	16		
1	Typhoid fever	9							1	3	2	2	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	25	3	4	3	8	5	2											
6	Scarlet fever	11			1	5	2	1	1	1									
7	Whooping cough	20	17	1	1	1													
8	Diphtheria and croup	21	2	5	1	4	2	7											
9	Influenza	13	5	1				1			2	1		2	1				
10	Asiatic cholera																		
11	Cholera nostras	1											1						
12	Other epidemic diseases	5	4													1			
13	Tuberculosis of the lungs	154	2				1		10	35	45	36	13	8	4				
14	Tuberculous meningitis	13	2	3	1	1	2	1		1	1	1							
15	Other forms of tuberculosis	6				1			2				1	2					
16	Cancer and other malignant tumors	90						1			5	14	23	22	20	4	1		
17	Meningitis	15	4	3		3	1	2		1					1				
18	Cerebral hemorrhage and softening	58	1					1			3	7	10	14	13	6	3		
19	Organic diseases of the heart	107						1	1	4	7	14	11	31	31	7			
20	Acute bronchitis	2	2																
21	Chronic bronchitis	3												2			1		
22	Pneumonia	111	5	3	2	1		3	6	8	11	14	23	15	11	8	1		
23a	Bronchopneumonia	67	29	12	1	1		2		2		3	1	4	10	2			
23b	Other diseases of the respiratory system	11	2							2	1	1	1	1	3				
24	Diseases of the stomach	19	8							2	1	1	4		3				
25(37)	Diarrhea and enteritis	98	76	12	2	2	1				1				4				
26	Appendicitis and typhlitis	14						3	4	2	1	1	1	1	1				
27	Hernia, intestinal obstruction	10	2									1	2	3	2				
28	Cirrhosis of the liver	28									1	5	5	12	5				
29	Acute nephritis and Bright's disease	197	1	1				2	4	6	10	25	34	41	49	20	4		
30	Diseases of the female genital organs	2										1	1						
31	Puerperal fever	13							3	4	6								
32	Other puerperal affections	7							1	3	3								
33	Congenital debility and malformations	63	63																
34	Senility	14												1	5	5	3		
35	Violent deaths (excluding suicide)	81		2		2	3	3	9	15	16	13	6	2	5	5			
36	Suicide	10									2	5	3						
(37)	Other defined diseases	184	27	1	2	3	1	7	6	4	16	15	17	40	28	14	3		
38	Diseases ill-defined or unknown	4	2	2															
	ROCHESTER, N. Y.																		
	All causes	3,271	443	121	57	42	33	75	113	231	265	341	407	430	446	237	29	1	
1	Typhoid fever	24		1					5	3	7	2	5	1					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	13	2	4	2	1	1	2			1								
6	Scarlet fever	50	3	4	6	8	7	11	9	1		1							
7	Whooping cough	20	10	7	2		1												
8	Diphtheria and croup	93	5	15	13	11	16	22	9		1			1					
9	Influenza	13										3		1	6	2	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	18	5	1					1	1	1	4	1		3	1			
13	Tuberculosis of the lungs	253	5		1			3	20	86	58	38	24	12	6				
14	Tuberculous meningitis	22	2	3	4	3	1	5	1	3									
15	Other forms of tuberculosis	24	3		1	1			5	5	5	3		1					
16	Cancer and other malignant tumors	210			1				1	3	18	44	56	51	26	9	1		
17	Meningitis	13	7	3	2				1										
18	Cerebral hemorrhage and softening	247	3						1	2	6	22	38	74	73	27	1		
19	Organic diseases of the heart	386	3	1		2		2	6	12	15	31	51	103	106	49	4	1	
20	Acute bronchitis	34	16	6	1		1						2	1	4	3			
21	Chronic bronchitis	20									1		1	1	9	5	3		
22	Pneumonia	132	13	5	3	3	1	2	9	7	11	21	20	13	14	9	1		
23a	Bronchopneumonia	132	48	20	7	2		6				7	7	5	17	12	1		
23b	Other diseases of the respiratory system	34	4	1					2	2	2	4	4	4	6	5			
24	Diseases of the stomach	27	6							1	3	2	3	4	4	3	1		
25(37)	Diarrhea and enteritis	241	176	35	4	3		1	1	1	2	1	3	2	5	7			
26	Appendicitis and typhlitis	32		1				3	6	7	4	5	3	2	1				
27	Hernia, intestinal obstruction	33	6	1						2	2	3	6	4	5	3	1		
28	Cirrhosis of the liver	44	1								5	9	10	11	6	2			
29	Acute nephritis and Bright's disease	267	2	2		2		1	9	10	24	26	58	63	49	19	2		
30	Diseases of the female genital organs	29								5	11	8	3	1	1				
31	Puerperal fever	20							1	13	5	1							
32	Other puerperal affections	17							1	5	11								
33	Congenital debility and malformations	51	48	1				1	1										
34	Senility	20													7	10	3		
35	Violent deaths (excluding suicide)	198	6	5	7	3	3	8	14	28	24	28	26	13	20	11	2		
36	Suicide	54							2	14	14	10	10	3		1			
(37)	Other defined diseases	500	69	5	3	3	2	8	8	20	34	68	76	59	78	59	8		
38	Diseases ill-defined or unknown																		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	SYRACUSE, N. Y.																		
	All causes	2,027	386	66	35	20	9	41	61	150	167	187	241	269	240	139	16		
1	Typhoid fever	23			1			1	4	8	5	2	2						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	16	7	6	2			1											
6	Scarlet fever	37	5	1	6	3	5	9	5	2	1								
7	Whooping cough	17	8	8		1													
8	Diphtheria and croup	36	6	3	4	5	1	10	5	1					1				
9	Influenza	6									1			1	1	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	8	1		1	1							1	1	3				
13	Tuberculosis of the lungs	136	3					1	8	44	34	25	14	4	2	1			
14	Tuberculous meningitis	16	4	3	1	2		1		3	2								
15	Other forms of tuberculosis	9		1						2	4			2					
16	Cancer and other malignant tumors	117	1		1					1	4	21	36	31	20	2			
17	Meningitis	19	5	2				1	2	2		3	3		1				
18	Cerebral hemorrhage and softening	136							2	2	3	8	25	34	39	20	3		
19	Organic diseases of the heart	238	1		1			4	7	1	13	21	31	57	59	39	4		
20	Acute bronchitis	22	13	2	1				1						3	2			
21	Chronic bronchitis	17		1						1	1		1	5	4	3	1		
22	Pneumonia	118	12	11	1	1		1	5	13	15	19	12	18	7	3			
23a	Bronchopneumonia	52	20	6	4	1			2		2	3	2	4	7	1			
23b	Other diseases of the respiratory system	15	2		1	1		2			1	2	1	4	1				
24	Diseases of the stomach	25	4							3	1	2	5	6	2	2			
25(37)	Diarrhea and enteritis	131	100	13		2	1			1		1	6	2	1	4			
26	Appendicitis and typhlitis	20	1					1	3	5	1	3	4	2					
27	Hernia, intestinal obstruction	22	1							2	2	3	2	5	3	4			
28	Cirrhosis of the liver	17									2		6	4	5				
29	Acute nephritis and Bright's disease	138			3				1	8	6	17	31	20	38	13	1		
30	Diseases of the female genital organs	15							1		6	4	4						
31	Puerperal fever	3								2	1								
32	Other puerperal affections	7								2	4	1							
33	Congenital debility and malformations	138	136		1	1													
34	Senility	18													2	14	2		
35	Violent deaths (excluding suicide)	127	3	1	6	2		4	6	25	21	16	16	10	8	8	1		
36	Suicide	29							2	9	10	4	1	3					
(37)	Other defined diseases	297	53	6	1		2	5	7	13	27	32	38	56	33	20	4		
38	Diseases ill-defined or unknown	2		2															
	CINCINNATI, OHIO (TOTAL).																		
	All causes	6,225	721	177	93	58	34	128	226	621	679	841	816	757	705	322	40	2	5
1	Typhoid fever	43						3	9	15	6	5	3	1	1				
2	Typhus fever																		
3	Malaria	2								1	1								
4	Smallpox	1										1							
5	Measles	13	5	2	1	3		2											
6	Scarlet fever	79	1	4	6	7	8	33	15	3	2								
7	Whooping cough	19	9	6	1		2	1											
8	Diphtheria and croup	46	1	4	9	3	6	15	6	1		1							
9	Influenza	55	3	3				1	1	2		6	4	13	10	10	1	1	
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	26	4		1			1		1		3	3	4	7	2			
13	Tuberculosis of the lungs	896	4	5	2	1		4	60	251	245	182	89	40	12	1			
14	Tuberculous meningitis	43	6	8	7	3		4	5	3	4	1	2						
15	Other forms of tuberculosis	64	3		1			1	11	16	6	15	5	3	2	1			
16	Cancer and other malignant tumors	370		2	2			1	1	13	18	69	108	84	54	18			
17	Meningitis	40	4	10	3	4	3	1	4	6	5								
18	Cerebral hemorrhage and softening	321	3	1						3	10	37	52	87	78	47	3		
19	Organic diseases of the heart	702	7		2	1	1	5	13	33	57	104	128	156	135	52	8		
20	Acute bronchitis	54	22	5	2	2		3		1	1	1		4	7	5	1		
21	Chronic bronchitis	87	1	1					1			4	7	18	28	23	4		
22	Pneumonia	265	17	7	5	4	2	6	6	34	27	31	43	34	29	13	5		2
23a	Bronchopneumonia	211	52	34	10	6	4	5	5	3	7	6	11	17	24	22	5		
23b	Other diseases of the respiratory system	39	1		4				3	4	4	5	7	5	3	3			
24	Diseases of the stomach	63	15	1	1			1	1	5	4	8	7	7	9	4			
25(37)	Diarrhea and enteritis	309	190	53	11	5	1	3	1	1	1	3	7	16	12	4	1		
26	Appendicitis and typhlitis	49						2	13	15	6	4	7		2				
27	Hernia, intestinal obstruction	54	5			1		1		3	3	8	11	8	11	3			
28	Cirrhosis of the liver	101							3	4	15	27	24	15	10	3			
29	Acute nephritis and Bright's disease	548	11	3	1	4		5	4	21	48	92	91	104	115	46	3		
30	Diseases of the female genital organs	37							2	7	14	9	4			1			
31	Puerperal fever	32							2	15	12	2							1
32	Other puerperal affections	25							2	14	7	2							
33	Congenital debility and malformations	230	226	2				2											
34	Senility	14												2	3	8		1	
35	Violent deaths (excluding suicide)	427	9	7	4	6	2	11	36	78	57	88	57	30	31	9	2		
36	Suicide	77							1	17	16	21	12	7	3				
(37)	Other defined diseases	873	119	18	18	8	5	17	21	50	102	106	134	102	119	47	7		
38	Diseases ill-defined or unknown	10	3	1	2					1	1								2

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CINCINNATI, OHIO (WHITE).																		
	All causes	5,627	665	154	79	52	33	119	192	505	585	744	741	718	681	315	39	1	4
1	Typhoid fever	41						3	7	15	6	5	3	1	1				
2	Typhus fever																		
3	Malaria	2								1	1								
4	Smallpox	1										1							
5	Measles	12	5	2	1	3		1											
6	Scarlet fever	78	1	4	6	7	8	33	14	3	2								
7	Whooping cough	16	8	5	1		1	1											
8	Diphtheria and croup	44	1	4	8	3	6	14	6	1		1							
9	Influenza	53	3	2				1	1	2		6	4	12	10	10	1	1	
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	25	3		1			1		1		3	3	4	7	2			
13	Tuberculosis of the lungs	736	3	4	2	1		2	45	188	211	155	78	37	10				
14	Tuberculous meningitis	35	5	6	7	2		4	5	2	3		1						
15	Other forms of tuberculosis	57	2						10	16	6	14	5	3	1				
16	Cancer and other malignant tumors	350		2	2			1	1	13	14	64	103	79	54	17			
17	Meningitis	38	4	10	2	4	3	1	4	5	5								
18	Cerebral hemorrhage and softening	302	3	1						3	10	32	47	84	74	45	3		
19	Organic diseases of the heart	622	6		1		1	4	12	27	42	89	105	144	132	51	8		
20	Acute bronchitis	43	17	4	1	1		3		1		1		4	6	5			
21	Chronic bronchitis	79	1	1					1			4	5	15	25	23	4		
22	Pneumonia	229	15	5	5	3	2	5	4	21	25	24	42	32	27	13	5		1
23a	Bronchopneumonia	192	49	28	6	6	4	5	3	2	6	5	10	17	24	22	5		
23b	Other diseases of the respiratory system	37	1		3				3	4	4	4	7	5	3	3			
24	Diseases of the stomach	60	13	1	1			1	1	5	4	8	7	6	9	4			
25(37)	Diarrhea and enteritis	282	175	47	9	4	1	2	1	1	1	3	6	16	11	4	1		
26	Appendicitis and typhlitis	47						2	11	15	6	4	7		2				
27	Hernia, intestinal obstruction	53	5			1		1		2	3	8	11	8	11	3			
28	Cirrhosis of the liver	99							3	4	15	26	24	15	9	3			
29	Acute nephritis and Bright's disease	511	11	3	1	4		5	4	20	42	80	81	99	113	45	3		
30	Diseases of the female genital organs	30							2	4	10	9	4			1			
31	Puerperal fever	32							2	15	12	2							1
32	Other puerperal affections	23							2	13	6	2							
33	Congenital debility and malformations	212	208	2				2											
34	Senility	13												2	3	8			
35	Violent deaths (excluding suicide)	379	9	7	3	6	2	11	29	65	48	77	52	29	30	9	2		
36	Suicide	74							1	16	16	20	11	7	3				
(37)	Other defined diseases	811	114	15	17	7	5	16	20	39	87	97	125	99	116	47	7		
38	Diseases ill-defined or unknown	9	3	1	2					1									2
	CINCINNATI, OHIO (COLORED).																		
	All causes	598	56	23	14	6	1	9	34	116	94	97	75	39	24	7	1	1	1
1	Typhoid fever	2							2										
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	1						1											
6	Scarlet fever	1							1										
7	Whooping cough	3	1	1			1												
8	Diphtheria and croup	2			1			1											
9	Influenza	2		1										1					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	1	1																
13	Tuberculosis of the lungs	160	1	1				2	15	63	34	27	11	3	2	1			
14	Tuberculous meningitis	8	1	2		1				1	1	1	1						
15	Other forms of tuberculosis	7	1		1			1	1			1			1	1			
16	Cancer and other malignant tumors	20									4	5	5	5		1			
17	Meningitis	2			1					1									
18	Cerebral hemorrhage and softening	19										5	5	3	4	2			
19	Organic diseases of the heart	80	1		1	1		1	1	6	15	15	23	12	3	1			
20	Acute bronchitis	11	5	1	1	1					1				1		1		
21	Chronic bronchitis	8											2	3	3				
22	Pneumonia	36	2	2		1		1	2	13	2	7	1	2	2				1
23a	Bronchopneumonia	19	3	6	4				2	1	1	1	1						
23b	Other diseases of the respiratory system	2			1							1							
24	Diseases of the stomach	3	2											1					
25(37)	Diarrhea and enteritis	27	15	6	2	1		1					1		1				
26	Appendicitis and typhlitis	2							2										
27	Hernia, intestinal obstruction	1								1									
28	Cirrhosis of the liver	2										1			1				
29	Acute nephritis and Bright's disease	37								1	6	12	10	5	2	1			
30	Diseases of the female genital organs	7								3	4								
31	Puerperal fever																		
32	Other puerperal affections	2								1	1								
33	Congenital debility and malformations	18	18																
34	Senility	1																1	
35	Violent deaths (excluding suicide)	48			1				7	13	9	11	5	1	1				
36	Suicide	3								1		1	1						
(37)	Other defined diseases	62	5	3	1	1		1	1	11	15	9	9	3	3				
38	Diseases ill-defined or unknown	1									1								

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	CLEVELAND, OHIO.																		
	All causes	7,999	1,766	384	162	122	72	236	291	653	845	807	852	850	640	280	36	2	1
1	Typhoid fever	82			2	1	1	5	9	27	13	11	12	1					
2	Typhus fever																		
3	Malaria	3							1	2									
4	Smallpox																		
5	Measles	40	10	11	9	4	1	4	1										
6	Scarlet fever	191	3	19	24	31	15	53	35	4	6	1							
7	Whooping cough	85	44	21	12	3		4			1								
8	Diphtheria and croup	129	10	17	22	23	14	27	9	5	1				1				
9	Influenza	62	3	6	1			2	1	2	2	6	12	9	12	6			
10	Asiatic cholera																		
11	Cholera nostras	2	1								1								
12	Other epidemic diseases	42	9	2	1	2				3	1	9	5	4	4	2			
13	Tuberculosis of the lungs	751	5	5	7	1	1	8	55	212	219	121	71	35	10	1			
14	Tuberculous meningitis	46	9	4	2	3	2	6	3	6	4	5	2						
15	Other forms of tuberculosis	57	5			1	1	2	5	13	16	8	5	1					
16	Cancer and other malignant tumors	425		1	2		1	2	2	9	39	85	113	103	62	5	1		
17	Meningitis	51	14	5	4	10	2	3	3	3	3	2	1		1				
18	Cerebral hemorrhage and softening	373	3		1					10	25	41	75	94	89	32	3		
19	Organic diseases of the heart	685	9	2		2	2	14	25	28	46	78	103	171	143	57	4		1
20	Acute bronchitis	167	94	21	5	2	2	9	2	2	2	4	2	5	6	8	3		
21	Chronic bronchitis	54	4	2	1			2		2	2	3	2	10	12	10	4		
22	Pneumonia	334	35	26	8	4	2	11	14	24	39	42	40	43	36	10			
23a	Bronchopneumonia	222	93	41	15	5	4	6		3	1	7	7	16	11	11	2		
23b	Other diseases of the respiratory system	56	4	5	1	3	1	1	3	3	5	7	8	8	3	4			
24	Diseases of the stomach	91	32	3			1		2	4	7	10	8	7	12	5			
25(37)	Diarrhea and enteritis	834	632	140	21	8	5	1	2	1	3	5	2	5	4	4	1		
26	Appendicitis and typhlitis	76	1				2	6	10	22	13	10	9	3					
27	Hernia, intestinal obstruction	61	10	1	4	1	1		1	5	7	6	7	11	6	1			
28	Cirrhosis of the liver	93							2	3	15	19	27	18	7	2			
29	Acute nephritis and Bright's disease	542	13	2	1	2	1	4	12	25	66	71	101	122	88	31	3		
30	Diseases of the female genital organs	40							1	3	19	9	8						
31	Puerperal fever	46							3	21	16	5	1						
32	Other puerperal affections	28							1	13	14								
33	Congenital debility and malformations	417	415	1	1														
34	Senility	34												3	10	14	5	2	
35	Violent deaths (excluding suicide)	531	17	19	9	7	7	36	43	103	97	78	44	40	19	10	2		
36	Suicide	118							6	24	34	23	17	13	1				
(37)	Other defined diseases	1,220	288	28	7	9	6	30	40	70	127	140	170	127	103	67	8		
38	Diseases ill-defined or unknown	11	3	2	2					1	1	1		1					
	COLUMBUS, OHIO.																		
	All causes	2,671	356	64	21	14	8	61	138	253	296	316	345	354	319	110	14		2
1	Typhoid fever	26					1		6	10	5	3	1						
2	Typhus fever																		
3	Malaria	2		1								1							
4	Smallpox																		
5	Measles	21		2	1				3	14	1								
6	Scarlet fever	8			1	1		6											
7	Whooping cough	22	8	6	2	1	1	3	1										
8	Diphtheria and croup	24		1	2	1	2	10	5	1		2							
9	Influenza	27	1	1					1		1	2	2	10	4	4	1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	5	1								1			2		1			
13	Tuberculosis of the lungs	298	4				1	2	42	77	79	43	31	14	4	1			
14	Tuberculous meningitis	19	8		1			3		2	1	1	2	1					
15	Other forms of tuberculosis	39	2	1	1				9	8	6	5	3	1	3				
16	Cancer and other malignant tumors	163							2	3	7	39	40	33	34	5			
17	Meningitis	35	9	10	3		1	6				5	1						
18	Cerebral hemorrhage and softening	175	1							5	4	22	24	56	50	11	2		
19	Organic diseases of the heart	274	1					2	6	14	30	42	49	51	59	17	2		1
20	Acute bronchitis	11	4									3			4				
21	Chronic bronchitis	11												5	5	1			
22	Pneumonia	133	14	8		3	1	3	8	10	8	9	16	24	20	9			
23a	Bronchopneumonia	94	28	9	2			3	2	3	3	1	9	11	13	7	3		
23b	Other diseases of the respiratory system	16			1			1		1	1	1	4	3	2	2			
24	Diseases of the stomach	25	3			1				2	3	4	2	7	1	2			
25(37)	Diarrhea and enteritis	89	63	7	2	1				1	3	1	4	3	3		1		
26	Appendicitis and typhlitis	31						1	6	5	9	5	5						
27	Hernia, intestinal obstruction	23	4	2	2			1			3		5	3	3				
28	Cirrhosis of the liver	30							1	2	4	5	10	6	2				
29	Acute nephritis and Bright's disease	146	2				1	2	2	6	12	24	33	29	27	7	1		
30	Diseases of the female genital organs	34							2	6	14	10	1		1				
31	Puerperal fever	26							3	13	9	1							
32	Other puerperal affections	17							1	8	7	1							
33	Congenital debility and malformations	138	137	1															
34	Senility	32												1	9	19	3		
35	Violent deaths (excluding suicide)	187	10	4		3		12	15	27	28	27	21	13	17	9	1		
36	Suicide	45							2	12	8	9	8	5					1
(37)	Other defined diseases	435	54	8	2	3		6	21	23	48	48	73	76	58	15			
38	Diseases ill-defined or unknown	10	2	3	1						1	2	1						

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	DAYTON, OHIO.																		
	All causes	1,624	266	30	13	12	11	21	69	134	158	156	201	222	211	106	14		
1	Typhoid fever	22						1	6	5	3	2	3	2					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	1		1															
6	Scarlet fever	1			1														
7	Whooping cough	11	9	2															
8	Diphtheria and croup	11	1	1	2	3	1	1	1		1								
9	Influenza	17		1	1					1				6	6	2			
10	Asiatic cholera																		
11	Cholera nostras	1							1										
12	Other epidemic diseases	10	1			1						2	1	2		3			
13	Tuberculosis of the lungs	170	2	1	2	1		2	16	55	35	23	18	11	3	1			
14	Tuberculous meningitis	12	1	3			1	2	2	1	1	1							
15	Other forms of tuberculosis	20	2	1					1	3	5	5	2	1					
16	Cancer and other malignant tumors	111							1	3	6	23	28	31	15	3	1		
17	Meningitis	15	7	3	1					2			1	1					
18	Cerebral hemorrhage and softening	100	2				1			1	2	7	19	28	23	14	3		
19	Organic diseases of the heart	199	1				1	2	1	5	13	18	28	53	58	19			
20	Acute bronchitis	6	1	2												3			
21	Chronic bronchitis	9	1										2	3		3			
22	Pneumonia	103	4	3		2	2	2	6	9	9	13	16	8	18	9	2		
23a	Bronchopneumonia	41	12	4			1				2		1	3	9	9			
23b	Other diseases of the respiratory system	7							2	1		1	1	1	1				
24	Diseases of the stomach	29	10	1				1		1	3	3	2	5	2	1			
25(37)	Diarrhea and enteritis	77	62	4	1	2					3		1		3	1			
26	Appendicitis and typhlitis	19						1	6	3	4	3	1		1				
27	Hernia, intestinal obstruction	16	2					1		4		2	3	1	2	1			
28	Cirrhosis of the liver	27								1	7	3	6	6	3	1			
29	Acute nephritis and Bright's disease	84	2			1		1	1	2	7	11	20	12	18	8	1		
30	Diseases of the female genital organs	12							1	3	2	4	2						
31	Puerperal fever	9							2	2	5								
32	Other puerperal affections	16								5	10	1							
33	Congenital debility and malformations	97	97																
34	Senility	10													1	5	4		
35	Violent deaths (excluding suicide)	99	7	3	4	1	2	3	11	10	13	12	13	7	7	6			
36	Suicide	33							4	10	9	4	3	2		1			
(37)	Other defined diseases	229	42		1	1	2	4	7	7	18	18	30	39	41	16	3		
38	Diseases ill-defined or unknown																		
	TOLEDO, OHIO.																		
	All causes	2,578	394	66	31	17	24	60	101	217	260	294	321	342	288	140	21	2	
1	Typhoid fever	40			1			1	11	8	11	6	2						
2	Typhus fever																		
3	Malaria	1											1						
4	Smallpox																		
5	Measles																		
6	Scarlet fever	9	1	1	1		2	2	2										
7	Whooping cough	26	18	6	2														
8	Diphtheria and croup	43	1	4	5	4	3	16	8	1				1					
9	Influenza	25	3	1					2		2	1	4	4	6	2			
10	Asiatic cholera																		
11	Cholera nostras	3	3																
12	Other epidemic diseases	19	2		1					1	1	4	2	3	4	1			
13	Tuberculosis of the lungs	286	1	3				1	18	85	76	51	30	16	4	1			
14	Tuberculous meningitis	13	3	1		2	2	1	2		1	1							
15	Other forms of tuberculosis	24		3			1		3	5	6	3	2	1					
16	Cancer and other malignant tumors	153			1				1	6	12	26	41	39	23	3	1		
17	Meningitis	11	3	2	1		1		1	1		1		1					
18	Cerebral hemorrhage and softening	151	2	1						3	6	18	28	39	35	18	1		
19	Organic diseases of the heart	217	2			1		3	4	6	10	25	40	57	49	17	3		
20	Acute bronchitis	20	7	1	2	2		2					2		1	3			
21	Chronic bronchitis	21							1		1			5	9	2	3		
22	Pneumonia	109	14	1	3		3	2	1	7	8	13	13	23	13	6	2		
23a	Bronchopneumonia	88	28	15	6		2	1	1	3		2	4	6	14	6			
23b	Other diseases of the respiratory system	23								1	3	5	2	5	5	2			
24	Diseases of the stomach	35	5	1			1	1	1	2	3	7	2	4	5	3			
25(37)	Diarrhea and enteritis	139	102	16	4	2		1			1	1	1	3	3	5			
26	Appendicitis and typhitis	30					1	4	5	4	5	8	2	1					
27	Hernia, intestinal obstruction	26	6			1	2	1		2	1	1	2	4	4	2			
28	Cirrhosis of the liver	30									5	7	9	4	4	1			
29	Acute nephritis and Bright's disease	154	5	1			1	4	3	5	13	19	33	26	29	14	1		
30	Diseases of the female genital organs	29							2	5	10	7	3	2					
31	Puerperal fever	14							1	6	3	4							
32	Other puerperal affections	12								7	5								
33	Congenital debility and malformations	116	116																
34	Senility	38											2	6	15	14	1		
35	Violent deaths (excluding suicide)	178	3	6	2	5	3	15	16	30	22	18	26	17	5	9	1		
36	Suicide	43							1	9	10	10	7	5	1				
(37)	Other defined diseases	452	69	3	2		2	5	17	20	45	56	63	70	59	31	8	2	
38	Diseases ill-defined or unknown																		

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PORTLAND, OREG.																		
	All causes	2,390	334	37	35	18	12	59	86	248	269	278	300	314	261	123	13		3
1	Typhoid fever	42			1		1	3	7	13	9	7	1						
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	19	5	4	4	1		4		1									
6	Scarlet fever	13			1	1	2	3	2	3	1								
7	Whooping cough	6	6																
8	Diphtheria and croup	27		1	4	3	4	10	3	1	1								
9	Influenza	19	4		1				3				1	3	4	3			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	11	1					1			3	1		3	1				1
13	Tuberculosis of the lungs	187	1		1			3	21	63	35	25	17	15	4	1			1
14	Tuberculous meningitis	19	2	3	3	1	1	3		4	1	1							
15	Other forms of tuberculosis	29		2	1			4	5	4	3	5	4		1				
16	Cancer and other malignant tumors	167		1	1	2			1	3	9	29	58	39	23	1			
17	Meningitis	18	7	2					2	4	1	2							
18	Cerebral hemorrhage and softening	132								2	4	16	23	38	30	19			
19	Organic diseases of the heart	260	2	1				3	5	7	25	38	37	65	57	19	1		
20	Acute bronchitis	10	4	2										1	2	1			
21	Chronic bronchitis	11						1			2	1	1	1	4	1			
22	Pneumonia	136	17	3	4	2		4	8	8	11	24	20	17	9	6	3		
23a	Bronchopneumonia	33	14	4	4			2	1				1	2	2	3			
23b	Other diseases of the respiratory system	33	1				1	2		3	3	2	6	4	3	7	1		
24	Diseases of the stomach	38	10	1					1	3		7	7	1	5	3			
25(37)	Diarrhea and enteritis	81	55	7	1	1	1		1	1	2	3	2	2	3	2			
26	Appendicitis and typhlitis	34						4	6	7	5	4	5	2	1				
27	Hernia, intestinal obstruction	32	2						1	4	8	4	4	3	5	1			
28	Cirrhosis of the liver	20										2	5	12	1				
29	Acute nephritis and Bright's disease	132	2		1					7	12	13	24	30	29	13	1		
30	Diseases of the female genital organs	22							1	7	8	2	1	3					
31	Puerperal fever	11							2	5	4								
32	Other puerperal affections	22								7	12	3							
33	Congenital debility and malformations	159	157		1	1													
34	Senility	57												3	24	25	5		
35	Violent deaths (excluding suicide)	182	7	3	3	4	1	6	8	42	48	31	16	9	1	2			1
36	Suicide	76							1	13	31	16	10	5					
(37)	Other defined diseases	348	36	3	4	2	1	6	7	36	31	41	56	55	52	16	2		
38	Diseases ill-defined or unknown	4	1									1	1	1					
	PHILADELPHIA, PA. (TOTAL).																		
	All causes	26,276	4,769	1,151	530	357	273	592	832	1,954	2,579	2,669	3,078	3,331	2,701	1,271	182	6	1
1	Typhoid fever	230		5	1	1	8	11	37	75	45	25	12	7	3				
2	Typhus fever																		
3	Malaria	11	2		1			1			2	3			2				
4	Smallpox	2				1	1												
5	Measles	289	65	99	53	23	21	16	6	4		1			1				
6	Scarlet fever	195	7	21	39	29	27	43	14	11	3	1							
7	Whooping cough	109	46	35	10	13	3	2											
8	Diphtheria and croup	491	28	95	94	73	68	107	13	10	2		1						
9	Influenza	183	8	4	3		2	6	2	7	6	16	18	35	46	26	4		
10	Asiatic cholera																		
11	Cholera nostras	2		1									1						
12	Other epidemic diseases	83	28	4			1	1	1	5	6	11	4	11	8	2	1		
13	Tuberculosis of the lungs	3,058	38	14	11	17	2	23	215	742	854	550	338	186	58	9	1		
14	Tuberculous meningitis	221	50	45	24	15	16	30	16	12	6	3	3	1					
15	Other forms of tuberculosis	184	16	11	2	5	5	18	15	30	36	14	19	9	4				
16	Cancer and other malignant tumors	1,379	1	2	2	4	2	4	6	26	108	227	375	352	197	68	5		
17	Meningitis	102	28	14	10	6	7	8	4	5	8	4	5	3					
18	Cerebral hemorrhage and softening	1,155	18	3		1	1	2	3	10	32	92	203	304	316	142	25	3	
19	Organic diseases of the heart	2,862	44	6	7	2	4	42	100	115	236	330	431	688	571	256	30		
20	Acute bronchitis	274	158	40	11	6	4	9		1	2		6	8	14	11	4		
21	Chronic bronchitis	140	8	1	1		1	2	1	6	4	6	14	27	26	34	9		
22	Pneumonia	1,421	180	122	46	26	10	33	44	102	139	179	176	191	122	48	3		
23a	Bronchopneumonia	1,091	435	221	70	37	23	28	16	27	21	24	34	67	54	27	7		
23b	Other diseases of the respiratory system	348	47	5	19	10	2	6	9	25	41	35	47	39	43	17	3		
24	Diseases of the stomach	274	57	5	5	5	1	10	6	13	22	25	33	34	37	19	2		
25(37)	Diarrhea and enteritis	2,099	1,598	266	38	15	17	12	5	13	11	24	19	27	28	24	2		
26	Appendicitis and typhlitis	199	1	1	1	3	1	15	35	45	32	29	21	11	4				
27	Hernia, intestinal obstruction	218	26	3	3		1		4	26	16	25	31	41	30	11	1		
28	Cirrhosis of the liver	264						2	3	8	36	61	64	49	34	6	1		
29	Acute nephritis and Bright's disease	2,599	25	5	6	7	6	18	39	110	215	329	521	600	486	204	27		1
30	Diseases of the female genital organs	139							5	35	32	41	18	5	3				
31	Puerperal fever	128							7	60	51	10							
32	Other puerperal affections	147							6	61	68	12							
33	Congenital debility and malformations	1,274	1,253	12	4	2		2	1										
34	Senility	217											2	14	71	106	24		
35	Violent deaths (excluding suicide)	1,410	88	38	40	39	23	71	91	161	217	184	177	128	90	51	11	1	
36	Suicide	275							12	53	66	58	41	29	13	3			
(37)	Other defined diseases	3,156	508	52	24	17	16	70	116	156	262	347	463	459	438	205	22	1	
38	Diseases ill-defined or unknown	47	6	21	5							3	1	6	2	2		1	

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PHILADELPHIA, PA. (WHITE).																		
	All causes	24,251	4,312	1,038	493	333	253	547	747	1,709	2,261	2,402	2,900	3,203	2,630	1,246	172	4	1
1	Typhoid fever	218		5	1	1	8	11	35	71	44	20	12	7	3				
2	Typhus fever																		
3	Malaria	10	2		1			1			2	2			2				
4	Smallpox	2				1	1												
5	Measles	274	59	95	52	23	21	15	5	2		1			1				
6	Scarlet fever	192	7	20	39	29	27	42	14	10	3	1							
7	Whooping cough	93	40	28	9	12	2	2											
8	Diphtheria and croup	480	28	94	92	71	66	104	12	10	2		1						
9	Influenza	173	7	2	3		2	6	2	5	4	15	16	35	46	26	4		
10	Asiatic cholera																		
11	Cholera nostras	2		1									1						
12	Other epidemic diseases	78	27	4				1	1	4	5	11	4	10	8	2	1		
13	Tuberculosis of the lungs	2,642	33	11	7	11	1	15	180	624	721	492	312	170	56	8	1		
14	Tuberculous meningitis	199	47	41	22	14	15	26	14	9	6	3	1	1					
15	Other forms of tuberculosis	160	15	11	2	4	4	11	10	25	34	13	19	9	3				
16	Cancer and other malignant tumors	1,315	1	2	2	4	2	4	6	22	97	215	353	344	192	66	5		
17	Meningitis	95	26	14	9	6	7	8	4	4	7	4	3	3					
18	Cerebral hemorrhage and softening	1,113	18	3		1	1	2	3	9	29	85	190	295	312	139	24	2	
19	Organic diseases of the heart	2,677	42	4	7	2	4	39	97	107	203	283	405	659	547	253	25		
20	Acute bronchitis	232	130	34	9	6	2	6		1	1		6	8	14	11	4		
21	Chronic bronchitis	136	7	1	1		1	2	1	5	3	5	14	27	26	34	9		
22	Pneumonia	1,289	153	105	40	21	10	31	35	90	120	161	167	185	121	47	3		
23a	Bronchopneumonia	983	389	197	63	34	18	25	16	22	19	18	33	65	51	26	7		
23b	Other diseases of the respiratory system	311	43	5	15	10	2	5	7	23	30	27	45	36	43	17	3		
24	Diseases of the stomach	254	51	4	5	4	1	9	4	12	20	23	32	33	36	18	2		
25(37)	Diarrhea and enteritis	1,924	1,460	247	35	14	14	12	5	9	11	21	18	26	27	23	2		
26	Appendicitis and typhlitis	186	1	1	1	3	1	14	33	39	31	26	21	11	4				
27	Hernia, intestinal obstruction	198	21	3	2		1		4	22	15	21	27	40	30	11	1		
28	Cirrhosis of the liver	252						2	3	6	34	59	60	48	33	6	1		
29	Acute nephritis and Bright's disease	2,427	23	3	6	6	5	18	36	99	186	295	488	568	472	198	23		1
30	Diseases of the female genital organs	120							5	28	26	37	17	4	3				
31	Puerperal fever	116							6	55	46	9							
32	Other puerperal affections	135							4	56	65	10							
33	Congenital debility and malformations	1,167	1,146	12	4	2		2	1										
34	Senility	214											2	14	70	104	24		
35	Violent deaths (excluding suicide)	1,318	75	32	39	38	22	69	83	148	197	169	171	126	86	51	11	1	
36	Suicide	271							11	53	63	58	41	29	13	3			
(37)	Other defined diseases	2,953	457	40	23	16	15	65	110	139	237	315	440	444	429	201	22		
38	Diseases ill-defined or unknown	42	4	19	4							3	1	6	2	2		1	
	PHILADELPHIA, PA. (COLORED).																		
	All causes	2,025	457	113	37	24	20	45	85	245	318	267	178	128	71	25	10	2	
1	Typhoid fever	12							2	4	1	5							
2	Typhus fever																		
3	Malaria	1										1							
4	Smallpox																		
5	Measles	15	6	4	1			1	1	2									
6	Scarlet fever	3		1				1		1									
7	Whooping cough	16	6	7	1	1	1												
8	Diphtheria and croup	11		1	2	2	2	3	1										
9	Influenza	10	1	2						2	2	1	2						
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	5	1				1			1	1			1					
13	Tuberculosis of the lungs	416	5	3	4	6	1	8	35	118	133	58	26	16	2	1			
14	Tuberculous meningitis	22	3	4	2	1	1	4	2	3			2						
15	Other forms of tuberculosis	24	1			1	1	7	5	5	2	1			1				
16	Cancer and other malignant tumors	64								4	11	12	22	8	5	2			
17	Meningitis	7	2		1					1	1		2						
18	Cerebral hemorrhage and softening	42								1	3	7	13	9	4	3	1	1	
19	Organic diseases of the heart	185	2	2				3	3	8	33	47	26	29	24	3	5		
20	Acute bronchitis	42	28	6	2		2	3			1								
21	Chronic bronchitis	4	1							1	1	1							
22	Pneumonia	132	27	17	6	5		2	9	12	19	18	9	6	1	1			
23a	Bronchopneumonia	108	46	24	7	3	5	3		5	2	6	1	2	3	1			
23b	Other diseases of the respiratory system	37	4		4			1	2	2	11	8	2	3					
24	Diseases of the stomach	20	6	1		1		1	2	1	2	2	1	1	1	1			
25(37)	Diarrhea and enteritis	175	138	19	3	1	3			4		3	1	1	1	1			
26	Appendicitis and typhlitis	13						1	2	6	1	3							
27	Hernia, intestinal obstruction	20	5		1					4	1	4	4	1					
28	Cirrhosis of the liver	12								2	2	2	4	1	1				
29	Acute nephritis and Bright's disease	172	2	2		1	1		3	11	29	34	33	32	14	6	4		
30	Diseases of the female genital organs	19								7	6	4	1	1					
31	Puerperal fever	12							1	5	5	1							
32	Other puerperal affections	12							2	5	3	2							
33	Congenital debility and malformations	107	107																
34	Senility	3													1	2			
35	Violent deaths (excluding suicide)	92	13	6	1	1	1	2	8	13	20	15	6	2	4				
36	Suicide	4							1		3								
(37)	Other defined diseases	203	51	12	1	1	1	5	6	17	25	32	23	15	9	4		1	
38	Diseases ill-defined or unknown	5	2	2	1														

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PITTSBURGH, PA. (TOTAL).																		
	All causes	8,099	1,812	453	168	100	76	216	305	704	801	803	864	850	675	248	23	1	
1	Typhoid fever	139			1	2	3	12	22	53	25	16	3	2					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	51	8	23	7	4	1	6	1		1								
6	Scarlet fever	58	1	5	10	7	6	18	6	4			1						
7	Whooping cough	102	43	35	10	7	5	2											
8	Diphtheria and croup	127	13	14	27	18	15	28	9	2	1								
9	Influenza	64	2	1	1		1	1		6	4	2	7	15	14	10			
10	Asiatic cholera																		
11	Cholera nostras	4		1						1	1				1				
12	Other epidemic diseases	41	12	5	2				1	1	3	4	5	1	5	2			
13	Tuberculosis of the lungs	575	9	3	4		4	10	51	162	152	99	43	28	10				
14	Tuberculous meningitis	49	7	4	5	3	5	7	7	5	3	2	1						
15	Other forms of tuberculosis	86	7	4	2	1	1	6	14	19	11	8	8	4	1				
16	Cancer and other malignant tumors	371						1	1	11	33	65	99	98	55	8			
17	Meningitis	52	14	10	7	2		6	3	3	1	1	4	1					
18	Cerebral hemorrhage and softening	332	5	3					2	5	18	24	47	101	101	23	3		
19	Organic diseases of the heart	641	5			1		9	31	38	56	91	121	133	110	43	3		
20	Acute bronchitis	129	55	28	3	3	1	2	1	1	1	2	4	5	12	11			
21	Chronic bronchitis	68	2					1	2	1	1	3	6	18	26	7	1		
22	Pneumonia	596	37	21	11	3	5	5	15	62	102	88	92	74	55	23	3		
23a	Bronchopneumonia	528	194	86	31	18	6	16	4	8	15	16	36	38	40	17	3		
23b	Other diseases of the respiratory system	125	11	4	5	1	1	7	2	4	17	16	16	23	12	6			
24	Diseases of the stomach	133	34	3	1		3	2	2	5	9	12	15	21	16	9	1		
25(37)	Diarrhea and enteritis	787	555	152	21	6	3	6	1	1	6	6	3	7	13	7			
26	Appendicitis and typhlitis	73		1		1	1	9	18	17	4	11	8	2	1				
27	Hernia, intestinal obstruction	57	10	1			1		1	2	4	13	9	8	4	3	1		
28	Cirrhosis of the liver	131		1	2				1	4	13	27	32	33	15	3			
29	Acute nephritis and Bright's disease	400	11	3	2	3	1	8	10	26	39	46	78	89	69	14	1		
30	Diseases of the female genital organs	48							2	16	12	8	7	2	1				
31	Puerperal fever	56							5	16	31	4							
32	Other puerperal affections	48							3	20	19	6							
33	Congenital debility and malformations	548	542	3			2	1											
34	Senility	47											2	5	19	16	4	1	
35	Violent deaths (excluding suicide)	578	18	11	7	9	6	29	48	116	99	100	65	40	17	11	2		
36	Suicide	103							3	22	27	23	19	4	3	2			
(37)	Other defined diseases	934	214	23	8	10	5	24	39	73	93	110	130	96	75	33	1		
38	Diseases ill-defined or unknown	18	3	8	1	1							3	2					
	PITTSBURGH, PA. (WHITE).																		
	All causes	7,656	1,730	422	158	92	71	198	280	660	742	751	811	818	657	245	21		
1	Typhoid fever	133			1	2	3	10	22	49	25	16	3	2					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	46	7	21	7	4	1	5			1								
6	Scarlet fever	58	1	5	10	7	6	18	6	4			1						
7	Whooping cough	89	39	32	8	5	4	1											
8	Diphtheria and croup	126	13	13	27	18	15	28	9	2	1								
9	Influenza	63	2	1	1		1	1		6	4	2	7	15	13	10			
10	Asiatic cholera																		
11	Cholera nostras	3		1							1				1				
12	Other epidemic diseases	38	12	5	2				1	1	3	4	4	1	3	2			
13	Tuberculosis of the lungs	513	9	3	4		3	4	42	148	136	89	41	25	9				
14	Tuberculous meningitis	42	6	4	5	1	5	6	6	4	3	1	1						
15	Other forms of tuberculosis	76	7	4	2	1		5	9	17	11	8	7	4	1				
16	Cancer and other malignant tumors	361						1	1	11	31	63	95	96	55	8			
17	Meningitis	50	13	10	6	2		6	3	3	1	1	4	1					
18	Cerebral hemorrhage and softening	318	5	3					2	5	17	23	44	95	99	23	2		
19	Organic diseases of the heart	608	5			1		9	28	38	50	83	111	129	109	42	3		
20	Acute bronchitis	122	53	25	3	2	1	2	1	1	1	2	4	4	12	11			
21	Chronic bronchitis	68	2					1	2	1	1	3	6	18	26	7	1		
22	Pneumonia	554	33	20	11	3	4	5	12	56	91	83	85	73	52	23	3		
23a	Bronchopneumonia	493	182	76	26	16	6	16	4	7	14	15	34	38	40	17	2		
23b	Other diseases of the respiratory system	118	11	4	5		1	7	2	4	16	14	15	22	11	6			
24	Diseases of the stomach	129	33	3	1		3	2	2	5	9	11	14	20	16	9	1		
25(37)	Diarrhea and enteritis	754	532	145	20	6	3	6	1	1	5	5	3	7	13	7			
26	Appendicitis and typhlitis	71		1		1	1	9	18	16	4	11	7	2	1				
27	Hernia, intestinal obstruction	55	10	1			1		1	2	3	13	9	7	4	3	1		
28	Cirrhosis of the liver	128		1	2				1	3	13	27	32	31	15	3			
29	Acute nephritis and Bright's disease	371	11	3	2	3	1	8	10	23	35	40	69	86	67	12	1		
30	Diseases of the female genital organs	44							2	13	11	8	7	2	1				
31	Puerperal fever	56							5	16	31	4							
32	Other puerperal affections	46							2	19	19	6							
33	Congenital debility and malformations	523	518	3			1	1											
34	Senility	43											2	4	17	16	4		
35	Violent deaths (excluding suicide)	543	17	10	7	9	6	26	46	113	89	90	62	38	17	11	2		
36	Suicide	100							3	21	27	21	19	4	3	2			
(37)	Other defined diseases	897	206	21	7	10	5	21	39	71	89	108	122	92	72	33	1		
38	Diseases ill-defined or unknown	17	3	7	1	1							3	2					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PITTSBURGH, PA. (COLORED).																		
	All causes	443	82	31	10	8	5	18	25	44	59	52	53	32	18	3	2	1	
1	Typhoid fever	6						2		4									
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	5	1	2				1	1										
6	Scarlet fever																		
7	Whooping cough	13	4	3	2	2	1	1											
8	Diphtheria and croup	1		1															
9	Influenza	1													1				
10	Asiatic cholera																		
11	Cholera nostras	1								1									
12	Other epidemic diseases	3											1		2				
13	Tuberculosis of the lungs	62					1	6	9	14	16	10	2	3	1				
14	Tuberculous meningitis	7	1			2		1	1	1		1							
15	Other forms of tuberculosis	10					1	1	5	2			1						
16	Cancer and other malignant tumors	10									2	2	4	2					
17	Meningitis	2	1		1														
18	Cerebral hemorrhage and softening	14									1	1	3	6	2		1		
19	Organic diseases of the heart	33							3		6	8	10	4	1	1			
20	Acute bronchitis	7	2	3		1								1					
21	Chronic bronchitis																		
22	Pneumonia	42	4	1			1		3	6	11	5	7	1	3				
23a	Bronchopneumonia	35	12	10	5	2				1	1	1	2				1		
23b	Other diseases of the respiratory system	7				1					1	2	1	1	1				
24	Diseases of the stomach	4	1									1	1	1					
25(37)	Diarrhea and enteritis	33	23	7	1						1	1							
26	Appendicitis and typhlitis	2								1			1						
27	Hernia, intestinal obstruction	2									1			1					
28	Cirrhosis of the liver	3								1				2					
29	Acute nephritis and Bright's disease	29								3	4	6	9	3	2	2			
30	Diseases of the female genital organs	4								3	1								
31	Puerperal fever																		
32	Other puerperal affections	2							1	1									
33	Congenital debility and malformations	25	24				1												
34	Senility	4												1	2			1	
35	Violent deaths (excluding suicide)	35	1	1				3	2	3	10	10	3	2					
36	Suicide	3								1		2							
(37)	Other defined diseases	37	8	2	1			3		2	4	2	8	4	3				
38	Diseases ill-defined or unknown	1		1															
	SCRANTON, PA.																		
	All causes	1,974	387	87	33	31	17	37	97	182	195	239	227	223	146	66	7		
1	Typhoid fever	19		1		2	1	1	2	3	5	3			1				
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	3	1	1	1														
6	Scarlet fever	9		1	2	3	1	1	1										
7	Whooping cough	6	3	1	1			1											
8	Diphtheria and croup	17	1	6	1		3	4	2										
9	Influenza	15	2	1						1			2	3	4	1	1		
10	Asiatic cholera																		
11	Cholera nostras	4												1	1	2			
12	Other epidemic diseases	18	6	1	1						1	3	3	1		1	1		
13	Tuberculosis of the lungs	133	6	2		1		2	9	36	24	23	18	11	1				
14	Tuberculous meningitis	10	2	2	1		1	1	3										
15	Other forms of tuberculosis	7								1	2		1	2	1				
16	Cancer and other malignant tumors	94								1	12	26	20	25	8	2			
17	Meningitis	15	4	4	1	1	1		2		2								
18	Cerebral hemorrhage and softening	113	1							2	7	12	21	28	25	16	1		
19	Organic diseases of the heart	125				1	1	4	11	11	11	17	22	19	20	8			
20	Acute bronchitis	30	16	6	2		1	1			1			1	1	1			
21	Chronic bronchitis	18						2	1			1	2	4	6		2		
22	Pneumonia	152	11	6	2	1			7	21	18	27	21	19	14	5			
23a	Bronchopneumonia	115	46	6	5	6	1	4	4	1	3	7	5	18	6	2	1		
23b	Other diseases of the respiratory system	25	3			1					1	5	9	2	1	3			
24	Diseases of the stomach	50	23	2			2			2	2	3	3	5	5	3			
25(37)	Diarrhea and enteritis	255	190	41	6	4	1	2			3	2	2	2		2			
26	Appendicitis and typhlitis	19							5	2	3	7	2						
27	Hernia, intestinal obstruction	22	1	1				1	1	1		6	2	5	4				
28	Cirrhosis of the liver	24								1	3	3	4	9	4				
29	Acute nephritis and Bright's disease	99	1			3		2	2	4	8	17	20	23	14	5			
30	Diseases of the female genital organs	7								4		1	1			1			
31	Puerperal fever	19							1	9	8	1							
32	Other puerperal affections	14							1	7	5	1							
33	Congenital debility and malformations	42	42																
34	Senility	2													1	1			
35	Violent deaths (excluding suicide)	236	3	2	8	7	2	4	23	55	49	41	23	7	7	5			
36	Suicide	12							2	2	2	2	3		1				
(37)	Other defined diseases	242	25	2	2	1	2	7	20	18	25	31	43	37	21	7	1		
38	Diseases ill-defined or unknown	3		1										1		1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	PROVIDENCE, R. I.																		
	All causes	3,599	674	119	63	38	25	74	109	258	333	398	452	485	359	177	33	2	
1	Typhoid fever	28				1		2	6	6	6	3	1	2	1				
2	Typhus fever																		
3	Malaria	1								1									
4	Smallpox																		
5	Measles	10	5	1	1		1					1		1					
6	Scarlet fever	31	1	2	3	3	3	6	6	4	2	1							
7	Whooping cough	45	24	11	4	4	1	1											
8	Diphtheria and croup	57	4	10	12	9	5	11	3	1	1					1			
9	Influenza	17	1			2					4	1	1	1	2	3	2		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	14	3		2					3		3		3					
13	Tuberculosis of the lungs	304	5	2	2	3	1	4	25	76	84	51	38	8	5				
14	Tuberculous meningitis	22	4	6	2	3	2		1	1		2			1				
15	Other forms of tuberculosis	29	3	4	1	2		2	3	2	5	3	2		2				
16	Cancer and other malignant tumors	220							1	1	18	50	55	59	26	10			
17	Meningitis	21	10	1	1		2	1	2		1	3							
18	Cerebral hemorrhage and softening	193	1			1			1	3	6	14	34	64	45	24			
19	Organic diseases of the heart	358	2		1			2	8	11	20	39	58	91	67	46	12	1	
20	Acute bronchitis	27	15	8										2		1	1		
21	Chronic bronchitis	28	1					2		1		4	5	9	3	3			
22	Pneumonia	271	25	20	10	1	1	4	7	20	33	33	44	29	33	11			
23a	Bronchopneumonia	112	46	20	8	3		2	1		1	2	3	11	10	3	2		
23b	Other diseases of the respiratory system	39	3	2	2				2	3	3	5	6	5	5	3			
24	Diseases of the stomach	33	6	1	1				1	3	3	4	5	6	2	1			
25(37)	Diarrhea and enteritis	203	161	18	2		1	2		1	1	1	2	3	6	4	1		
26	Appendicitis and typhlitis	44		1		1		2	4	11	8	13	2	2					
27	Hernia, intestinal obstruction	43	7		1					2	2	5	9	6	8	2	1		
28	Cirrhosis of the liver	33		1					1	2	2	8	12	5	2				
29	Acute nephritis and Bright's disease	317	3	1				5	4	24	25	48	64	68	54	20	1		
30	Diseases of the female genital organs	18								1	6	6	2	2	1				
31	Puerperal fever	16								9	3	4							
32	Other puerperal affections	35							4	13	16	2							
33	Congenital debility and malformations	200	198	1		1													
34	Senility	32											1		13	14	4		
35	Violent deaths (excluding suicide)	228	13	6	6	2	5	15	12	30	36	26	30	26	11	7	3		
36	Suicide	35							2	8	5	9	6	5					
(37)	Other defined diseases	507	122	3	3	2	3	12	15	21	40	53	70	71	62	24	6		
38	Diseases ill-defined or unknown	28	11		1			1			2	4	2	6				1	
	MEMPHIS, TENN. (TOTAL).																		
	All causes	2,836	348	85	47	33	21	70	162	466	416	350	315	263	168	70	12	3	7
1	Typhoid fever	87	1		1		3	9	18	26	13	8	7	1					
2	Typhus fever																		
3	Malaria	112	4	2	2	2	3	6	9	23	21	17	6	10	7				
4	Smallpox	1									1								
5	Measles	37	5	5	7	10	2	2	2	1	1	2							
6	Scarlet fever	3			1		1			1									
7	Whooping cough	21	13	3	3			2											
8	Diphtheria and croup	22	8	1	3	4		4		1					1				
9	Influenza	35		1	1					3	3	12	8	3	2	2			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	27	2	1	2					3	2	4	2	6	3		2		
13	Tuberculosis of the lungs	293	2	3	3	1	1	5	35	88	82	40	18	11	2	1			1
14	Tuberculous meningitis	8		2	1			1	1	2		1							
15	Other forms of tuberculosis	20	2				1	1		3	6	2	2	2		1			
16	Cancer and other malignant tumors	69							1	2	11	17	21	13	4				
17	Meningitis	43	7	1	2			3	7	10	7	3	2	1					
18	Cerebral hemorrhage and softening	72	1			1		1	2	4	7	17	14	15	8	1	1		
19	Organic diseases of the heart	168	2		2				2	12	18	41	29	39	19	3	1		
20	Acute bronchitis	19	3	1	1				1	3	3	1		2	3	1			
21	Chronic bronchitis	18	3			1				4	2	1	1	3	1	2			
22	Pneumonia	82				1	2	1	6	24	16	10	11	10		1			
23a	Bronchopneumonia	181	31	17	6	3	2	9	10	23	19	19	17	12	11	2			
23b	Other diseases of the respiratory system	43	4	2	1	1			1	7	10	5	6	2	3	1			
24	Diseases of the stomach	57	11						2	14	6	7	8	2	5	2			
25(37)	Diarrhea and enteritis	169	95	25	6	1	1	4	4	3	2	5	6	9	5	3			
26	Appendicitis and typhlitis	42						3	11	14	9	3	2						
27	Hernia, intestinal obstruction	28				1			1	5	7	3	4	3	3	1			
28	Cirrhosis of the liver	16								1	2	4	3	4	2				
29	Acute nephritis and Bright's disease	209	1	2					3	14	27	32	45	47	28	10			
30	Diseases of the female genital organs	20							2	8	7	3							
31	Puerperal fever	22							4	11	5	2							
32	Other puerperal affections	13							2	7	3	1							
33	Congenital debility and malformations	95	95																
34	Senility	60												4	24	24	5	3	
35	Violent deaths (excluding suicide)	255	3	4	4	5	3	9	19	73	56	23	20	10	15	5	1		5
36	Suicide	26							3	10	5	2	3	3					
(37)	Other defined diseases	361	36	8		1	2	10	15	56	52	53	62	37	17	9	2		1
38	Diseases ill-defined or unknown	102	19	7	1	1			1	10	13	12	18	14	5	1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MEMPHIS, TENN. (WHITE).																		
	All causes	1,330	182	47	22	15	7	35	63	152	163	167	167	141	109	50	6		4
1	Typhoid fever	43			1		1	2	8	12	9	6	3	1					
2	Typhus fever																		
3	Malaria	26						2	3	7	4	6		2	2				
4	Smallpox																		
5	Measles	23	4	3	4	5	2	2	1			2							
6	Scarlet fever	3			1		1			1									
7	Whooping cough	10	8	1				1											
8	Diphtheria and croup	13	2	1	2	3		3		1					1				
9	Influenza	3		1									1			1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	15	1		2					1	2	4	1	3	1				
13	Tuberculosis of the lungs	103		1	2			1	8	19	34	17	11	9	1				
14	Tuberculous meningitis	6		1	1			1	1	1		1							
15	Other forms of tuberculosis	8									4	1	1	1		1			
16	Cancer and other malignant tumors	42								1	5	11	12	10	3				
17	Meningitis	22	7		1			1	3	4	2	2	1	1					
18	Cerebral hemorrhage and softening	45							1	1	4	11	9	10	7	1	1		
19	Organic diseases of the heart	79	1		2				2	2	5	18	14	18	15	1	1		
20	Acute bronchitis	6	1	1										2	1	1			
21	Chronic bronchitis	6									1		1	1	1	2			
22	Pneumonia	36					1		2	8	9	5	5	5		1			
23a	Bronchopneumonia	66	10	9	1	2		4	1	5	8	5	6	6	8	1			
23b	Other diseases of the respiratory system	14		2	1	1				3	1	2	2		1	1			
24	Diseases of the stomach	25	3						1	4	5	2	3	2	4	1			
25(37)	Diarrhea and enteritis	117	69	19	2	1	1	4	2	3		2	3	6	3	2			
26	Appendicitis and typhlitis	25						2	7	8	5	2	1						
27	Hernia, intestinal obstruction	12								1	2	3	2	2	2				
28	Cirrhosis of the liver	12								1	1	3	3	2	2				
29	Acute nephritis and Bright's disease	112	1	1					3	4	13	18	26	22	18	6			
30	Diseases of the female genital organs	9							2	2	4	1							
31	Puerperal fever	9							1	4	3	1							
32	Other puerperal affections	7								4	2	1							
33	Congenital debility and malformations	58	58																
34	Senility	39												1	16	21	1		
35	Violent deaths (excluding suicide)	95		3	2	2	1	5	8	17	13	9	11	6	9	4	1		4
36	Suicide	22							3	8	3	2	3	3					
(37)	Other defined diseases	186	11	2				7	6	27	22	29	38	23	13	6	2		
38	Diseases ill-defined or unknown	33	6	2		1				3	2	3	10	5	1				
	MEMPHIS, TENN. (COLORED).																		
	All causes	1,506	166	38	25	18	14	35	99	314	253	183	148	122	59	20	6	3	3
1	Typhoid fever	44	1				2	7	10	14	4	2	4						
2	Typhus fever																		
3	Malaria	86	4	2	2	2	3	4	6	16	17	11	6	8	5				
4	Smallpox	1									1								
5	Measles	14	1	2	3	5			1	1	1								
6	Scarlet fever																		
7	Whooping cough	11	5	2	3			1											
8	Diphtheria and croup	9	6		1	1		1											
9	Influenza	32			1					3	3	12	7	3	2	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	12	1	1						2			1	3	2		2		
13	Tuberculosis of the lungs	190	2	2	1	1	1	4	27	69	48	23	7	2	1	1			1
14	Tuberculous meningitis	2		1						1									
15	Other forms of tuberculosis	12	2				1	1		3	2	1	1	1					
16	Cancer and other malignant tumors	27							1	1	6	6	9	3	1				
17	Meningitis	21		1	1			2	4	6	5	1	1						
18	Cerebral hemorrhage and softening	27	1			1		1	1	3	3	6	5	5	1				
19	Organic diseases of the heart	89	1							10	13	23	15	21	4	2			
20	Acute bronchitis	13	2		1				1	3	3	1			2				
21	Chronic bronchitis	12	3			1				4	1	1		2					
22	Pneumonia	46				1	1	1	4	16	7	5	6	5					
23a	Bronchopneumonia	115	21	8	5	1	2	5	9	18	11	14	11	6	3	1			
23b	Other diseases of the respiratory system	29	4						1	4	9	3	4	2	2				
24	Diseases of the stomach	32	8						1	10	1	5	5		1	1			
25(37)	Diarrhea and enteritis	52	26	6	4				2		2	3	3	3	2	1			
26	Appendicitis and typhlitis	17						1	4	6	4	1	1						
27	Hernia, intestinal obstruction	16				1			1	4	5		2	1	1	1			
28	Cirrhosis of the liver	4									1	1		2					
29	Acute nephritis and Bright's disease	97		1						10	14	14	19	25	10	4			
30	Diseases of the female genital organs	11								6	3	2							
31	Puerperal fever	13							3	7	2	1							
32	Other puerperal affections	6							2	3	1								
33	Congenital debility and malformations	37	37																
34	Senility	21												3	8	3	4	3	
35	Violent deaths (excluding suicide)	160	3	1	2	3	2	4	11	56	43	14	9	4	6	1			1
36	Suicide	4								2	2								
(37)	Other defined diseases	175	25	6		1	2	3	9	29	30	24	24	14	4	3			1
38	Diseases ill-defined or unknown	69	13	5	1				1	7	11	9	8	9	4	1			

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NASHVILLE, TENN. (TOTAL).																		
	All causes	2,285	342	134	58	31	27	48	133	276	245	231	243	224	204	72	12	4	1
1	Typhoid fever	60				3		3	15	21	9	6	2	1					
2	Typhus fever																		
3	Malaria	15			2			1	3	1	2	1	3	2					
4	Smallpox																		
5	Measles	59	6	18	11	4	6	5	2	3	2	2							
6	Scarlet fever	4						3	1										
7	Whooping cough	37	15	11	4	5		2											
8	Diphtheria and croup	9	2	1		3	2		1										
9	Influenza	40	1			1				7	2	1	11	9	7		1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	43	10	8	1			1			1	3	3	7	5	4			
13	Tuberculosis of the lungs	226		2	1		1	2	37	83	48	28	16	4	4				
14	Tuberculous meningitis	15	1	1	3			4	4		2								
15	Other forms of tuberculosis	28	1		1	1	1		1	9	3	5	3	1	2				
16	Cancer and other malignant tumors	84		1						2	6	16	20	24	15				
17	Meningitis	22	6	3	2	2	2	4	1		1		1						
18	Cerebral hemorrhage and softening	75	1				1			2	5	8	18	19	17	4			
19	Organic diseases of the heart	246	1	1					8	11	24	40	46	57	40	16	1	1	
20	Acute bronchitis	4	2	2															
21	Chronic bronchitis	15							3	4		1	3	1	3				
22	Pneumonia	208	26	14	11	5	8	8	12	28	19	17	22	17	12	7	2		
23a	Bronchopneumonia	40	14	6	3	2			1		2	1	2	2	4	2	1		
23b	Other diseases of the respiratory system	33	3	1						4	1	2	11	6	4	1			
24	Diseases of the stomach	35	3	3						3		15	3	4	3	1			
25(37)	Diarrhea and enteritis	178	90	48	14	1	2		1		3	2	6	5	2	4			
26	Appendicitis and typhlitis	25							8	6	7	2	1	1					
27	Hernia, intestinal obstruction	26	3	1						2	4	6	4	3	3				
28	Cirrhosis of the liver	11									2	2	5		2				
29	Acute nephritis and Bright's disease	90	2	2					4	4	7	14	16	10	23	6	2		
30	Diseases of the female genital organs	19							3	5	6	5							
31	Puerperal fever	22							3	11	8								
32	Other puerperal affections	16							4	5	6	1							
33	Congenital debility and malformations	116	115						1										
34	Senility	42											1	5	16	14	4	2	
35	Violent deaths (excluding suicide)	136	5	3	2	3	3	11	14	43	29	7	8	4		3			1
36	Suicide	14								5	7	1	1						
(37)	Other defined diseases	283	34	4	3	1	1	4	6	17	39	43	37	41	41	10	1	1	
38	Diseases ill-defined or unknown	9	1	4								2		1	1				
	NASHVILLE, TENN. (WHITE).																		
	All causes	1,193	204	78	32	16	17	24	55	96	103	109	119	138	145	54	2		1
1	Typhoid fever	38				2		2	11	14	4	3	1	1					
2	Typhus fever																		
3	Malaria	5			2				1					2					
4	Smallpox																		
5	Measles	43	6	11	8	2	4	4	2	3	2	1							
6	Scarlet fever	3						2	1										
7	Whooping cough	21	7	7	3	3		1											
8	Diphtheria and croup	8	1	1		3	2		1										
9	Influenza	20	1								1	1	4	6	6		1		
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	29	6	5	1						1	2	2	4	4	4			
13	Tuberculosis of the lungs	101		1				2	10	32	21	18	10	3	4				
14	Tuberculous meningitis	7		1	2			2	2										
15	Other forms of tuberculosis	15			1	1				4	2	3	2		2				
16	Cancer and other malignant tumors	64								2	6	11	16	17	12				
17	Meningitis	13	3	2	2		2	2	1				1						
18	Cerebral hemorrhage and softening	41	1				1					4	6	12	13	4			
19	Organic diseases of the heart	100	1	1					3	2	5	11	19	27	24	7			
20	Acute bronchitis																		
21	Chronic bronchitis	6								1			1	1	3				
22	Pneumonia	73	9	5	2	2	4	2	3	3	6	5	8	11	7	6			
23a	Bronchopneumonia	23	10	4	1	1					1		1		3	2			
23b	Other diseases of the respiratory system	9	1										3	1	3	1			
24	Diseases of the stomach	10	3	2								2		1	1	1			
25(37)	Diarrhea and enteritis	111	58	28	8		2				2	2	1	5	1	4			
26	Appendicitis and typhlitis	15							6	1	4	2	1	1					
27	Hernia, intestinal obstruction	15	3	1						1	2	2	1	3	2				
28	Cirrhosis of the liver	6									2		3		1				
29	Acute nephritis and Bright's disease	51	1						3	1	2	5	10	9	18	2			
30	Diseases of the female genital organs	7							1	1	2	3							
31	Puerperal fever	5								3	2								
32	Other puerperal affections	7							1	1	4	1							
33	Congenital debility and malformations	70	69						1										
34	Senility	28												4	12	11	1		
35	Violent deaths (excluding suicide)	61	5	3	1	1	1	4	5	19	10	2	4	2		3			1
36	Suicide	12								4	6	1	1						
(37)	Other defined diseases	169	18	2	1	1	1	3	3	4	18	29	24	28	28	9			
38	Diseases ill-defined or unknown	7	1	4								1			1				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	NASHVILLE, TENN. (COLORED).																		
	All causes	1,092	138	56	26	15	10	24	78	180	142	122	124	86	59	18	10	4	
1	Typhoid fever	22				1		1	4	7	5	3	1						
2	Typhus fever																		
3	Malaria	10						1	2	1	2	1	3						
4	Smallpox																		
5	Measles	16		7	3	2	2	1				1							
6	Scarlet fever	1						1											
7	Whooping cough	16	8	4	1	2		1											
8	Diphtheria and croup	1	1																
9	Influenza	20				1				7	1		7	3	1				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	14	4	3				1				1	1	3	1				
13	Tuberculosis of the lungs	125		1	1		1		27	51	27	10	6	1					
14	Tuberculous meningitis	8	1		1			2	2		2								
15	Other forms of tuberculosis	13	1				1		1	5	1	2	1	1					
16	Cancer and other malignant tumors	20		1								5	4	7	3				
17	Meningitis	9	3	1		2		2			1								
18	Cerebral hemorrhage and softening	34								2	5	4	12	7	4				
19	Organic diseases of the heart	146							5	9	19	29	27	30	16	9	1	1	
20	Acute bronchitis	4	2	2															
21	Chronic bronchitis	9							3	3		1	2						
22	Pneumonia	135	17	9	9	3	4	6	9	25	13	12	14	6	5	1	2		
23a	Bronchopneumonia	17	4	2	2	1			1		1	1	1	2	1		1		
23b	Other diseases of the respiratory system	24	2	1						4	1	2	8	5	1				
24	Diseases of the stomach	25		1						3		13	3	3	2				
25(37)	Diarrhea and enteritis	67	32	20	6	1			1		1		5		1				
26	Appendicitis and typhlitis	10							2	5	3								
27	Hernia, intestinal obstruction	11								1	2	4	3		1				
28	Cirrhosis of the liver	5										2	2		1				
29	Acute nephritis and Bright's disease	39	1	2					1	3	5	9	6	1	5	4	2		
30	Diseases of the female genital organs	12							2	4	4	2							
31	Puerperal fever	17							3	8	6								
32	Other puerperal affections	9							3	4	2								
33	Congenital debility and malformations	46	46																
34	Senility	14											1	1	4	3	3	2	
35	Violent deaths (excluding suicide)	75			1	2	2	7	9	24	19	5	4	2					
36	Suicide	2								1	1								
(37)	Other defined diseases	114	16	2	2			1	3	13	21	14	13	13	13	1	1	1	
38	Diseases ill-defined or unknown	2										1		1					
	RICHMOND, VA. (TOTAL).																		
	All causes	2,718	539	96	46	33	10	43	120	305	278	299	318	326	209	91	4	1	
1	Typhoid fever	23				2		1	4	13	2	1							
2	Typhus fever																		
3	Malaria	2							1					1					
4	Smallpox																		
5	Measles	11	2	3	1	3		2											
6	Scarlet fever	3		2					1										
7	Whooping cough	41	21	9	4	5	1	1											
8	Diphtheria and croup	13	1	2	2	1	1	4	1				1						
9	Influenza	23	1		1				1		1	6	5	3	1	3	1		
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	31	4						1	4		3	4	8	5	2			
13	Tuberculosis of the lungs	272	2	1		1		1	26	108	67	34	17	12	3				
14	Tuberculous meningitis	23	7	1	3	3	1	3	1	2	2								
15	Other forms of tuberculosis	29	1		2			1	3	5	7	6	1	2		1			
16	Cancer and other malignant tumors	113				1			1	4	8	26	27	24	20	2			
17	Meningitis	14	3	2	6			1	1	1									
18	Cerebral hemorrhage and softening	191							3	3	15	26	45	44	42	13			
19	Organic diseases of the heart	221						3	3	16	20	39	41	52	32	15			
20	Acute bronchitis	21	14	3	2								1	1					
21	Chronic bronchitis	20							1	1	3	1	1	5	4	4			
22	Pneumonia	119	2	1	1	2		1	10	26	20	17	18	18	2	1			
23a	Bronchopneumonia	86	31	17	9	5	2	2	1	1	2	4	4	3	1	4			
23b	Other diseases of the respiratory system	56	4	2		1		1	2	5	7	9	13	7	3	2			
24	Diseases of the stomach	40	4	3	1	1			1	3	6	5	6	5	2	3			
25(37)	Diarrhea and enteritis	237	175	30	4	2		2		1	4	2	4	8	4	1			
26	Appendicitis and typhlitis	18						3	8	4	1	2							
27	Hernia, intestinal obstruction	22				1		1		3	2	7	6	1		1			
28	Cirrhosis of the liver	15									3	3	1	4	3	1			
29	Acute nephritis and Bright's disease	250	2	2	3	1	1	2	4	12	27	41	50	54	39	12			
30	Diseases of the female genital organs	25							2	4	9	7	3						
31	Puerperal fever	13							1	4	6	2							
32	Other puerperal affections	24							7	10	5	2							
33	Congenital debility and malformations	166	165	1															
34	Senility	31												3	13	14	1		
35	Violent deaths (excluding suicide)	148	20	7		2	1	2	15	31	19	16	9	13	6	6		1	
36	Suicide	25							2	9	3	6	2	2	1				
(37)	Other defined diseases	359	71	5	5		3	12	18	32	35	32	56	54	28	6	2		
38	Diseases ill-defined or unknown	32	9	5	2	2			1	3	4	2	3	1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	RICHMOND, VA. (WHITE).																		
	All causes	1,372	242	48	18	15	3	27	46	116	108	114	157	220	174	81	3		
1	Typhoid fever	16				2			2	9	2	1							
2	Typhus fever																		
3	Malaria	1												1					
4	Smallpox																		
5	Measles	7	1	2		3		1											
6	Scarlet fever	2		2															
7	Whooping cough	16	11	4	1														
8	Diphtheria and croup	12	1	2	2	1	1	4	1										
9	Influenza	11			1							2	1	2	1	3	1		
10	Asiatic cholera																		
11	Cholera nostras	1												1					
12	Other epidemic diseases	15	4							1			1	3	5	1			
13	Tuberculosis of the lungs	107	1						7	37	26	11	12	10	3				
14	Tuberculous meningitis	15	4	1	3	3		2	1	1									
15	Other forms of tuberculosis	11			1				1	1	1	4		2		1			
16	Cancer and other malignant tumors	80				1				2	4	14	16	22	19	2			
17	Meningitis	8	1	2	3				1	1									
18	Cerebral hemorrhage and softening	100							1	1	3	7	17	29	32	10			
19	Organic diseases of the heart	126						2	2	9	7	11	17	36	29	13			
20	Acute bronchitis	3	2	1															
21	Chronic bronchitis	7												2	2	3			
22	Pneumonia	44	1					1	4	8	6	2	7	13	1	1			
23a	Bronchopneumonia	30	10	6	2	1		1			1	1	1	3		4			
23b	Other diseases of the respiratory system	19	3			1		1		1	3	2	3	1	2	2			
24	Diseases of the stomach	18	3	2						1	2	2	2	3		3			
25(37)	Diarrhea and enteritis	113	80	15	1	1		1			2		3	5	4	1			
26	Appendicitis and typhlitis	12						2	5	3	1	1							
27	Hernia, intestinal obstruction	14				1		1		3		2	5	1		1			
28	Cirrhosis of the liver	13									1	3	1	4	3	1			
29	Acute nephritis and Bright's disease	142			1	1		2	3	5	8	19	28	31	33	11			
30	Diseases of the female genital organs	9							1	2	3	2	1						
31	Puerperal fever	8								2	5	1							
32	Other puerperal affections	11							2	4	3	2							
33	Congenital debility and malformations	88	87	1															
34	Senility	24												1	10	12	1		
35	Violent deaths (excluding suicide)	68	4	4			1	1	6	6	9	7	7	11	6	6			
36	Suicide	22							1	9	3	5	2	2					
(37)	Other defined diseases	192	29	4	3		1	8	7	9	18	14	31	37	24	6	1		
38	Diseases ill-defined or unknown	7		2					1	1		1	2						
	RICHMOND, VA. (COLORED).																		
	All causes	1,346	297	48	28	18	7	16	74	189	170	185	161	106	35	10	1	1	
1	Typhoid fever	7						1	2	4									
2	Typhus fever																		
3	Malaria	1							1										
4	Smallpox																		
5	Measles	4	1	1	1			1											
6	Scarlet fever	1							1										
7	Whooping cough	25	10	5	3	5	1	1											
8	Diphtheria and croup	1											1						
9	Influenza	12	1						1		1	4	4	1					
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	16							1	3		3	3	5		1			
13	Tuberculosis of the lungs	165	1	1		1		1	19	71	41	23	5	2					
14	Tuberculous meningitis	8	3				1	1		1	2								
15	Other forms of tuberculosis	18	1		1			1	2	4	6	2	1						
16	Cancer and other malignant tumors	33							1	2	4	12	11	2	1				
17	Meningitis	6	2		3			1											
18	Cerebral hemorrhage and softening	91							2	2	12	19	28	15	10	3			
19	Organic diseases of the heart	95						1	1	7	13	28	24	16	3	2			
20	Acute bronchitis	18	12	2	2								1	1					
21	Chronic bronchitis	13							1	1	3	1	1	3	2	1			
22	Pneumonia	75	1	1	1	2			6	18	14	15	11	5	1				
23a	Bronchopneumonia	56	21	11	7	4	2	1	1	1	1	3	3		1				
23b	Other diseases of the respiratory system	37	1	2					2	4	4	7	10	6	1				
24	Diseases of the stomach	22	1	1	1	1			1	2	4	3	4	2	2				
25(37)	Diarrhea and enteritis	124	95	15	3	1		1		1	2	2	1	3					
26	Appendicitis and typhlitis	6						1	3	1		1							
27	Hernia, intestinal obstruction	8									2	5	1						
28	Cirrhosis of the liver	2									2								
29	Acute nephritis and Bright's disease	108	2	2	2		1		1	7	19	22	22	23	6	1			
30	Diseases of the female genital organs	16							1	2	6	5	2						
31	Puerperal fever	5							1	2	1	1							
32	Other puerperal affections	13							5	6	2								
33	Congenital debility and malformations	78	78																
34	Senility	7												2	3	2			
35	Violent deaths (excluding suicide)	80	16	3		2		1	9	25	10	9	2	2				1	
36	Suicide	3							1			1			1				
(37)	Other defined diseases	167	42	1	2		2	4	11	23	17	18	25	17	4		1		
38	Diseases ill-defined or unknown	25	9	3	2	2				2	4	1	1	1					

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	SEATTLE, WASH.																		
	All causes	2,234	293	50	33	22	13	41	92	260	300	288	284	257	208	81	11	1	
1	Typhoid fever	26							2	10	9	4	1						
2	Typhus fever																		
3	Malaria	1											1						
4	Smallpox	1									1								
5	Measles	13	4	4	3			2											
6	Scarlet fever	7	1		2	1		1	1		1								
7	Whooping cough	19	10	6	1	2													
8	Diphtheria and croup	22		2	2	2	1	10	5										
9	Influenza	17			2	1				2	3	1			2	6			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	4	1							1			2						
13	Tuberculosis of the lungs	233	2						16	60	79	41	22	12	1				
14	Tuberculous meningitis	33	4	4	2	5	1	6	6	3	2								
15	Other forms of tuberculosis	40	1	2	1		1	2	6	11	7	3	1	4	1				
16	Cancer and other malignant tumors	145		1						2	8	32	46	36	18	1	1		
17	Meningitis	11	2	1	1			1	2	3	1								
18	Cerebral hemorrhage and softening	127	3						1	3	8	19	35	24	18	15	1		
19	Organic diseases of the heart	245	2			1	1	5	8	13	24	36	25	57	61	12			
20	Acute bronchitis	8	3		1	1							1	1			1		
21	Chronic bronchitis	4								1			1	1			1		
22	Pneumonia	90	9	2	2	1			5	7	12	8	17	13	11	3			
23a	Bronchopneumonia	44	14	5	2	2	1			2	3	1	4	3	4	3			
23b	Other diseases of the respiratory system	21	1	1				2	2	4	4	3	2	1	1				
24	Diseases of the stomach	19	1							1	3	2	4	3	4	1			
25(37)	Diarrhea and enteritis	79	50	10	6	1		1		2	2	1	2	2	1	1			
26	Appendicitis and typhlitis	31					2		4	11	5	6	2			1			
27	Hernia, intestinal obstruction	18	2							2	1	4	1	2	6				
28	Cirrhosis of the liver	14							1		2	3	7	1					
29	Acute nephritis and Bright's disease	160	1	1		1		1	3	13	19	22	32	36	25	5	1		
30	Diseases of the female genital organs	19								5	5	6	1	2					
31	Puerperal fever	18							2	9	7								
32	Other puerperal affections	27							1	16	8	2							
33	Congenital debility and malformations	133	131				1	1											
34	Senility	43											1	2	12	22	5	1	
35	Violent deaths (excluding suicide)	190	6	3	3	1	3	4	15	38	49	32	18	11	2	4	1		
36	Suicide	76							3	18	15	23	10	5	2				
(37)	Other defined diseases	293	43	8	5	3	2	5	9	22	22	39	48	41	39	7			
38	Diseases ill-defined or unknown	3	2							1									
	SPOKANE, WASH.																		
	All causes	1,299	217	30	13	11	9	20	60	162	140	165	148	142	119	51	10		2
1	Typhoid fever	40					1	2	4	11	13	6	1	2					
2	Typhus fever																		
3	Malaria																		
4	Smallpox	1	1																
5	Measles	6	2		2	1					1								
6	Scarlet fever	7	1		2	1		2	1										
7	Whooping cough	8	4	2				2											
8	Diphtheria and croup	9		1		2	1	1	2	2									
9	Influenza	10								2		1	3	2	2				
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	6	2	1								2					1		
13	Tuberculosis of the lungs	96	1					1	3	31	24	17	7	11	1				
14	Tuberculous meningitis	10	3	1	1	1			2		1	1							
15	Other forms of tuberculosis	17						1	3	2	6	3			2				
16	Cancer and other malignant tumors	76								3	7	14	22	17	9	4			
17	Meningitis	7	2	2					2	1									
18	Cerebral hemorrhage and softening	62							1	2	2	6	10	22	12	6	1		
19	Organic diseases of the heart	112	1						6	9	5	14	19	24	24	10			
20	Acute bronchitis	3	2													1			
21	Chronic bronchitis	2										1				1			
22	Pneumonia	97	7	2				3	2	17	11	18	8	15	7	5	2		
23a	Bronchopneumonia	42	9	6	2	1	1	1	3	2	2	1	5	2	5	2			
23b	Other diseases of the respiratory system	12	2	1			1			1	1	2	1		2	1			
24	Diseases of the stomach	15	8							1	1	2		1	1		1		
25(37)	Diarrhea and enteritis	59	39	7	1	3	1		1			1	1	3	2				
26	Appendicitis and typhlitis	31						2	8	10	2	5	3		1				
27	Hernia, intestinal obstruction	12	1	1					1	2	1	1	2	2	1				
28	Cirrhosis of the liver	11									1	4	4			1			1
29	Acute nephritis and Bright's disease	91		1			2	1	5	8	7	11	20	12	20	3	1		
30	Diseases of the female genital organs	14								5	6	3							
31	Puerperal fever	6								3	3								
32	Other puerperal affections	15							1	6	7	1							
33	Congenital debility and malformations	88	87	1															
34	Senility	19													7	8	4		
35	Violent deaths (excluding suicide)	89	5		3	1	1	2	10	18	17	15	8	4	3	1			1
36	Suicide	33							1	8	7	8	5	3	1				
(37)	Other defined diseases	184	37	2	2	1	1	2	4	17	15	27	29	22	17	8			
38	Diseases ill-defined or unknown	9	3	2						1		1			2				

TABLE 7.—DEATHS (EXCLUSIVE OF STILLBIRTHS) IN EACH CITY OF 100,000 POPULATION OR OVER IN 1910, BY CAUSE OF DEATH (ABRIDGED INTERNATIONAL LIST), AND BY AGE OF DECEDENT: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Int. List No.	CAUSE OF DEATH.	All deaths.	DEATHS AT AGE OF— Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 to 89 years.	90 to 99 years.	100 years and over.	Deaths at unknown age.
	MILWAUKEE, WIS.																		
	All causes	4,727	1,208	172	73	48	57	107	177	412	376	367	480	477	478	259	34	2	
1	Typhoid fever	75	1				3	2	15	26	14	5	6	3					
2	Typhus fever																		
3	Malaria																		
4	Smallpox																		
5	Measles	28	11	11	1		2	3											
6	Scarlet fever	62	6	2	11	8	6	20	5	1	3								
7	Whooping cough	9	3	4	1		1												
8	Diphtheria and croup	80	7	9	10	11	17	16	9	1									
9	Influenza	13						1		1		1		5	4	1			
10	Asiatic cholera																		
11	Cholera nostras																		
12	Other epidemic diseases	29	7	1				1		4	1	4		4	5	2			
13	Tuberculosis of the lungs	384	4	3	1	1		1	31	155	89	51	34	9	5				
14	Tuberculous meningitis	11		1		2	2	2	2	1			1						
15	Other forms of tuberculosis	26	2	2				1	3	7	4	3	3	1					
16	Cancer and other malignant tumors	294							3	7	16	35	76	88	59	9	1		
17	Meningitis	53	14	8	7	4	5	5	4	3	3								
18	Cerebral hemorrhage and softening	209	1						2	3	8	17	48	48	54	28			
19	Organic diseases of the heart	378	4		1	1		4	11	8	18	30	55	92	95	56	3		
20	Acute bronchitis	70	46	7	4		3							3	2	4	1		
21	Chronic bronchitis	46	2							1	1	2	1	12	13	12	2		
22	Pneumonia	246	41	20	4	3	6	6	6	24	22	30	25	29	20	8	2		
23a	Bronchopneumonia	127	62	21	11	5	2	3		3		3	1	6	6	4			
23b	Other diseases of the respiratory system	42	3		3						7	2	7	3	12	5			
24	Diseases of the stomach	83	52	7	1	2		1	2		4	2	5	1	3	3			
25(37)	Diarrhea and enteritis	428	339	52	5	2	2	3		3	1	1		7	7	4	2		
26	Appendicitis and typhlitis	54		1				4	15	13	10	5	5	1					
27	Hernia, intestinal obstruction	49	12					2		2	1	8	7	7	7	3			
28	Cirrhosis of the liver	69	1								6	16	26	8	12				
29	Acute nephritis and Bright's disease	262	6	2	2		2	5	7	12	27	22	50	56	43	27	1		
30	Diseases of the female genital organs	32							1	9	8	8	4	1		1			
31	Puerperal fever	23							2	12	7	2							
32	Other puerperal affections	29							1	13	11	4							
33	Congenital debility and malformations	341	341																
34	Senility	92												2	28	47	13	2	
35	Violent deaths (excluding suicide)	249	6	10	5	5	3	10	26	46	42	41	22	16	10	5	2		
36	Suicide	75							3	11	18	13	14	8	7	1			
(37)	Other defined diseases	751	236	10	5	4	3	17	29	45	55	62	90	67	83	38	7		
38	Diseases ill-defined or unknown	8	1	1	1					1					3	1			

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	SUMMARY.													
	THE REGISTRATION AREA.													
	All causes	839,284	79,777	72,831	81,028	74,854	70,046	60,811	73,979	67,454	62,778	63,983	64,051	67,692
1	Typhoid fever	12,451	808	734	711	638	649	787	1,176	1,572	1,533	1,616	1,327	900
3	Malaria	1,802	75	74	74	85	128	152	208	235	265	260	159	87
5	Measles	5,922	560	721	1,111	1,150	969	514	301	149	96	74	98	179
6	Scarlet fever	5,243	672	607	755	651	661	404	297	192	191	222	281	310
7	Whooping cough	6,682	488	549	790	742	811	610	641	561	450	337	338	365
8	Diphtheria and croup	11,174	1,189	956	992	838	729	585	551	606	802	1,321	1,382	1,223
9	Influenza	9,294	1,978	2,171	2,028	1,124	508	157	77	81	96	172	341	561
13	Tuberculosis of the lungs	81,796	7,698	7,258	8,377	7,885	7,438	6,707	6,564	5,913	5,583	5,892	5,992	6,489
14-15	Other forms of tuberculosis	12,409	946	1,002	1,212	1,200	1,262	1,118	1,160	993	926	915	806	869
17	Meningitis	7,285	639	602	735	728	705	625	657	628	523	516	444	483
20-21	Bronchitis	11,559	1,677	1,508	1,468	1,245	897	531	484	415	478	770	1,001	1,085
22	Pneumonia	52,868	8,591	7,165	7,688	6,364	4,286	1,837	1,528	1,456	1,667	2,696	4,186	5,404
(23)	Bronchopneumonia	26,365	3,864	3,469	3,620	2,992	2,182	1,153	1,033	958	1,041	1,420	2,023	2,610
25	Diarrhea and enteritis (under 2 years)	45,868	1,638	1,493	1,800	1,902	2,411	3,548	9,248	9,664	6,999	3,868	1,867	1,430
(37)	Diarrhea and enteritis (2 years and over)	8,108	477	375	443	464	515	721	1,200	1,314	958	733	455	453
(33)	Congenital debility [1]	14,895	1,085	957	1,123	1,075	963	1,056	1,517	1,711	1,678	1,527	1,160	1,043
35	Violent deaths (excluding suicide)	54,028	4,088	3,467	4,000	3,844	4,509	4,473	7,930	4,758	4,251	4,193	4,320	4,195
36	Suicide	9,622	726	715	801	906	939	894	820	834	788	702	768	729
	All other causes	461,913	42,578	39,008	43,300	41,021	39,484	34,939	38,587	35,414	34,453	36,749	37,103	39,277
	REGISTRATION STATES.[2]													
	All causes	756,777	72,023	66,278	73,340	67,608	62,701	54,178	66,880	61,074	56,801	57,617	57,457	60,820
1	Typhoid fever	11,096	748	680	648	584	569	649	979	1,365	1,365	1,475	1,216	818
3	Malaria	1,322	56	64	66	65	89	101	155	174	193	183	105	71
5	Measles	5,395	510	653	989	1,036	888	467	287	140	86	74	92	173
6	Scarlet fever	4,646	595	533	686	599	587	347	248	160	171	205	243	272
7	Whooping cough	6,102	456	502	724	677	724	537	570	509	416	320	321	346
8	Diphtheria and croup	9,958	1,065	864	876	753	645	516	477	515	722	1,191	1,234	1,100
9	Influenza	8,595	1,791	2,044	1,908	1,061	473	144	62	73	92	159	302	486
13	Tuberculosis of the lungs	73,237	6,911	6,541	7,509	7,107	6,655	5,988	5,901	5,315	4,992	5,185	5,346	5,787
14-15	Other forms of tuberculosis	11,387	877	918	1,109	1,096	1,170	1,033	1,075	908	854	821	738	788
17	Meningitis	6,514	575	541	635	640	620	568	599	561	474	465	395	441
20-21	Bronchitis	10,838	1,603	1,427	1,381	1,167	832	489	447	388	448	719	916	1,021
22	Pneumonia	46,764	7,587	6,437	6,856	5,627	3,801	1,638	1,333	1,261	1,456	2,380	3,648	4,740
(23)	Bronchopneumonia	23,717	3,456	3,168	3,226	2,697	1,946	1,034	929	847	942	1,300	1,806	2,366
25	Diarrhea and enteritis (under 2 years)	40,018	1,380	1,236	1,499	1,523	1,833	2,860	8,361	8,824	6,307	3,423	1,586	1,186
(37)	Diarrhea and enteritis (2 years and over)	7,145	415	329	388	400	417	610	1,071	1,209	870	650	394	392
(33)	Congenital debility [1]	13,576	1,018	868	1,017	958	835	926	1,395	1,607	1,581	1,386	1,043	942
35	Violent deaths (excluding suicide)	48,841	3,684	3,134	3,587	3,481	4,048	4,005	7,295	4,350	3,884	3,757	3,871	3,745
36	Suicide	8,635	651	631	710	829	837	807	734	755	696	630	695	660
	All other causes	418,991	38,645	35,708	39,526	37,308	35,732	31,459	34,962	32,113	31,252	33,294	33,506	35,486
	CITIES IN REGISTRATION STATES.[2]													
	All causes	413,920	38,672	35,472	39,619	37,220	34,804	29,583	37,839	33,067	30,674	31,526	31,528	33,916
1	Typhoid fever	5,122	389	373	343	281	294	306	396	572	631	613	526	398
3	Malaria	328	15	18	25	21	27	23	35	33	49	48	23	11
5	Measles	2,776	244	308	471	466	450	271	203	92	63	41	59	108
6	Scarlet fever	3,024	367	357	432	422	408	248	176	103	113	114	138	146
7	Whooping cough	2,939	205	249	359	378	358	261	281	275	205	121	107	140
8	Diphtheria and croup	5,883	604	556	551	525	457	352	303	328	406	590	610	596
9	Influenza	2,854	621	640	584	355	161	47	20	30	43	64	108	181
13	Tuberculosis of the lungs	41,300	3,916	3,675	4,134	3,971	3,733	3,338	3,226	2,974	2,823	3,023	3,094	3,393
14-15	Other forms of tuberculosis	6,734	525	534	654	652	715	618	612	545	489	476	448	466
17	Meningitis	3,550	308	291	366	345	344	321	326	306	253	242	213	235
20-21	Bronchitis	6,095	846	759	744	678	482	299	258	233	259	401	523	613
22	Pneumonia	26,828	3,979	3,374	3,748	3,281	2,320	1,094	926	818	929	1,516	2,070	2,773
(23)	Bronchopneumonia	15,410	1,961	1,808	2,076	1,786	1,385	750	707	633	691	876	1,171	1,566
25	Diarrhea and enteritis (under 2 years)	25,002	860	822	1,030	1,047	1,168	1,715	5,675	5,298	3,571	2,026	999	791
(37)	Diarrhea and enteritis (2 years and over)	3,508	218	171	203	192	205	284	569	575	383	284	205	219
(33)	Congenital debility [1]	7,689	555	459	548	508	436	550	839	974	941	777	569	533
35	Violent deaths (excluding suicide)	25,807	1,947	1,638	1,950	1,828	2,100	2,020	4,209	2,125	2,021	1,981	1,983	2,005
36	Suicide	5,256	434	415	428	508	494	480	426	437	406	361	445	422
	All other causes	223,815	20,678	19,025	20,973	19,976	19,267	16,606	18,647	16,716	16,398	17,972	18,237	19,320
	RURAL PART OF REGISTRATION STATES.													
	All causes	342,857	33,351	30,806	33,721	30,388	27,897	24,595	29,041	28,007	26,127	26,091	25,929	26,904
1	Typhoid fever	5,974	359	307	305	303	275	343	583	793	734	862	690	420
3	Malaria	994	41	46	41	44	62	78	120	141	144	135	82	60
5	Measles	2,619	266	345	518	570	438	196	84	48	23	33	33	65
6	Scarlet fever	1,622	228	176	254	177	179	99	72	57	58	91	105	126
7	Whooping cough	3,163	251	253	365	299	366	276	289	234	211	199	214	206
8	Diphtheria and croup	4,075	461	308	325	228	188	164	169	187	316	601	624	504
9	Influenza	5,741	1,170	1,404	1,324	706	312	97	42	43	49	95	194	305
13	Tuberculosis of the lungs	31,937	2,995	2,866	3,375	3,136	2,922	2,650	2,675	2,341	2,169	2,162	2,252	2,394
14-15	Other forms of tuberculosis	4,653	352	384	455	444	455	415	463	363	365	345	290	322
17	Meningitis	2,964	267	250	269	295	276	247	273	255	221	223	182	206
20-21	Bronchitis	4,743	757	668	637	489	350	190	189	155	189	318	393	403

[1] Excluding premature birth.

[2] Includes District of Columbia.

TABLE 8.--DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	SUMMARY—Continued.													
	RURAL PART OF REGISTRATION STATES—Continued.													
22	Pneumonia	19,936	3,608	3,063	3,108	2,346	1,481	544	407	443	527	864	1,578	1,967
(23)	Bronchopneumonia	8,307	1,495	1,360	1,150	911	561	284	222	214	251	424	635	800
25	Diarrhea and enteritis (under 2 years)	15,016	520	414	469	476	665	1,145	2,686	3,526	2,736	1,397	587	395
(37)	Diarrhea and enteritis (2 years and over)	3,637	197	158	185	208	212	326	502	634	487	366	189	173
(33)	Congenital debility[1]	5,887	463	409	469	450	399	376	556	633	640	609	474	409
35	Violent deaths (excluding suicide)	23,034	1,737	1,496	1,637	1,653	1,948	1,985	3,086	2,225	1,863	1,776	1,888	1,740
36	Suicide	3,379	217	216	282	321	343	327	308	318	290	269	250	238
	All other causes	195,176	17,967	16,683	18,553	17,332	16,465	14,853	16,315	15,397	14,854	15,322	15,269	16,166
	REGISTRATION CITIES IN OTHER STATES.													
	All causes	82,507	7,754	6,553	7,688	7,246	7,345	6,633	7,099	6,380	5,977	6,366	6,594	6,872
1	Typhoid fever	1,355	60	54	63	54	80	138	197	207	168	141	111	82
3	Malaria	480	19	10	8	20	39	51	53	61	72	77	54	16
5	Measles	527	50	68	122	114	81	47	14	9	10	.....	6	6
6	Scarlet fever	597	77	74	69	52	74	57	49	32	20	17	38	38
7	Whooping cough	580	32	47	66	65	87	73	71	52	34	17	17	19
8	Diphtheria and croup	1,216	124	92	116	85	84	69	74	91	80	130	148	123
9	Influenza	699	187	127	120	63	35	13	15	8	4	13	39	75
13	Tuberculosis of the lungs	8,559	787	717	868	778	783	719	663	598	591	707	646	702
14-15	Other forms of tuberculosis	1,022	69	84	103	104	92	85	85	85	72	94	68	81
17	Meningitis	771	64	61	100	88	85	57	58	67	49	51	49	42
20-21	Bronchitis	721	74	81	87	78	65	42	37	27	30	51	85	64
22	Pneumonia	6,104	1,004	728	832	737	485	199	195	195	211	316	538	664
(23)	Bronchopneumonia	2,648	408	301	394	295	236	119	104	111	99	120	217	244
25	Diarrhea and enteritis (under 2 years)	5,850	258	257	301	379	578	688	887	840	692	445	281	244
(37)	Diarrhea and enteritis (2 years and over)	963	62	46	55	64	98	111	129	105	88	83	61	61
(33)	Congenital debility[1]	1,319	67	89	106	117	128	130	122	104	97	141	117	101
35	Violent deaths (excluding suicide)	5,187	404	333	413	363	461	468	635	408	367	436	449	450
36	Suicide	987	75	84	91	77	102	87	86	79	92	72	73	69
	All other causes	42,922	3,933	3,300	3,774	3,713	3,752	3,480	3,625	3,301	3,201	3,455	3,597	3,791
	ALL REGISTRATION CITIES.[2]													
	All causes	496,427	46,426	42,025	47,307	44,466	42,149	36,216	44,938	39,447	36,651	37,892	38,122	40,788
1	Typhoid fever	6,477	449	427	406	335	374	444	593	779	799	754	637	480
3	Malaria	808	34	28	33	41	66	74	88	94	121	125	77	27
5	Measles	3,303	294	376	593	580	531	318	217	101	73	41	65	114
6	Scarlet fever	3,621	444	431	501	474	482	305	225	135	133	131	176	184
7	Whooping cough	3,519	237	296	425	443	445	334	352	327	239	138	124	159
8	Diphtheria and croup	7,099	728	648	667	610	541	421	382	419	486	720	758	719
9	Influenza	3,553	808	767	704	418	196	60	35	38	47	77	147	256
13	Tuberculosis of the lungs	49,859	4,703	4,392	5,002	4,749	4,516	4,057	3,889	3,572	3,414	3,730	3,740	4,095
14-15	Other forms of tuberculosis	7,756	594	618	757	756	807	703	697	630	561	570	516	547
17	Meningitis	4,321	372	352	466	433	429	378	384	373	302	293	262	277
20-21	Bronchitis	6,816	920	840	831	756	547	341	295	260	289	452	608	677
22	Pneumonia	32,932	4,983	4,102	4,580	4,018	2,805	1,293	1,121	1,013	1,140	1,832	2,608	3,437
(23)	Bronchopneumonia	18,058	2,369	2,109	2,470	2,081	1,621	869	811	744	790	996	1,388	1,810
25	Diarrhea and enteritis (under 2 years)	30,852	1,118	1,079	1,331	1,426	1,746	2,403	6,562	6,138	4,263	2,471	1,280	1,035
(37)	Diarrhea and enteritis (2 years and over)	4,471	280	217	258	256	303	395	698	680	471	367	266	280
(33)	Congenital debility[1]	9,008	622	548	654	625	564	680	961	1,078	1,038	918	686	634
35	Violent deaths (excluding suicide)	30,994	2,351	1,971	2,363	2,191	2,561	2,488	4,844	2,533	2,388	2,417	2,432	2,455
36	Suicide	6,243	509	499	519	585	596	567	512	516	498	433	518	491
	All other causes	266,737	24,611	22,325	24,747	23,689	23,019	20,086	22,272	20,017	19,599	21,427	21,834	23,111
	REGISTRATION STATES.													
	CALIFORNIA.													
	All causes	34,010	3,442	2,788	2,990	2,705	2,859	2,603	2,591	2,582	2,548	2,644	2,927	3,331
1	Typhoid fever	430	40	33	23	26	35	39	43	33	43	45	44	26
3	Malaria	100	8	3	4	6	5	5	12	16	15	10	13	3
5	Measles	80	3	5	5	13	13	6	10	4	3	3	11	4
6	Scarlet fever	89	18	6	17	7	12	5	3	3	4	4	5	5
7	Whooping cough	159	12	9	20	15	15	16	21	15	10	11	5	10
8	Diphtheria and croup	162	34	16	14	11	10	6	4	5	11	9	23	19
9	Influenza	210	53	44	36	20	11	6	2	2	4	7	6	19
13	Tuberculosis of the lungs	4,496	466	359	453	407	438	325	341	328	333	303	337	406
14-15	Other forms of tuberculosis	646	52	49	62	52	81	68	65	35	47	45	39	51
17	Meningitis	333	32	28	21	29	26	40	30	22	25	24	25	31
20-21	Bronchitis	323	48	33	40	20	26	18	19	17	18	24	20	40
22	Pneumonia	1,885	342	172	192	123	133	102	76	88	97	123	165	272
(23)	Bronchopneumonia	639	87	75	62	34	45	36	39	29	30	42	58	102
25	Diarrhea and enteritis (under 2 years)	904	55	35	32	44	41	94	106	125	89	106	107	70
(37)	Diarrhea and enteritis (2 years and over)	281	22	15	11	16	18	34	32	34	23	26	28	22
(33)	Congenital debility[1]	238	17	15	16	13	21	19	26	13	17	25	25	31
35	Violent deaths (excluding suicide)	2,747	214	205	211	220	214	229	270	237	216	228	262	241
36	Suicide	749	72	60	58	58	53	76	47	63	67	53	74	68
	All other causes	19,539	1,867	1,626	1,713	1,591	1,662	1,479	1,445	1,513	1,496	1,556	1,680	1,911

[1] Excluding premature birth.

[2] Includes District of Columbia.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	COLORADO.													
	All causes	10,740	1,225	957	1,091	843	867	861	864	916	758	764	774	820
1	Typhoid fever	252	18	10	8	11	8	21	32	41	30	34	28	11
3	Malaria	3	.....	.....	.....	.....	.....	.....	1	1	1	.....	.....	.....
5	Measles	125	10	23	29	29	22	6	2	.....	.....	1	1	2
6	Scarlet fever	82	17	14	14	7	10	4	4	.....	2	4	3	3
7	Whooping cough	56	2	5	5	3	7	6	5	7	3	2	3	8
8	Diphtheria and croup	98	10	5	12	6	4	5	1	6	8	13	17	11
9	Influenza	102	41	26	17	8	3	1	1	1	.....	1	1	2
13	Tuberculosis of the lungs	1,684	180	141	183	150	148	136	120	129	110	121	127	139
14–15	Other forms of tuberculosis	127	13	13	15	10	14	4	9	16	7	7	9	10
17	Meningitis	117	16	12	15	9	10	10	7	11	6	7	5	9
20–21	Bronchitis	104	19	20	11	12	4	7	3	6	5	6	8	3
22	Pneumonia	851	235	120	140	60	45	24	18	23	24	40	54	68
(23)	Bronchopneumonia	279	60	40	33	25	24	12	9	6	3	13	25	29
25	Diarrhea and enteritis (under 2 years)	470	18	11	13	8	33	86	92	100	54	32	12	11
(37)	Diarrhea and enteritis (2 years and over)	74	3	3	5	4	2	12	9	14	13	5	1	3
(33)	Congenital debility [1]	203	22	15	22	7	6	16	24	19	26	18	15	13
35	Violent deaths (excluding suicide)	849	63	58	60	62	67	86	96	92	73	61	70	61
36	Suicide	180	14	13	16	16	14	14	13	21	17	15	18	9
	All other causes	5,084	484	428	493	416	446	411	418	423	376	384	377	428
	CONNECTICUT.													
	All causes	17,552	1,760	1,556	1,692	1,678	1,435	1,176	1,635	1,448	1,284	1,345	1,194	1,349
1	Typhoid fever	154	7	12	3	4	4	4	15	23	22	37	15	8
3	Malaria	22	2	1	1	1	2	1	3	.....	5	4	1	1
5	Measles	94	7	17	16	16	11	12	7	3	.....	.....	1	4
6	Scarlet fever	103	18	10	12	14	10	6	8	6	6	2	5	6
7	Whooping cough	160	16	19	33	25	11	5	9	7	12	10	5	8
8	Diphtheria and croup	250	27	22	22	24	12	15	16	19	22	23	22	26
9	Influenza	268	73	71	53	28	14	6	2	.....	3	.....	5	13
13	Tuberculosis of the lungs	1,456	148	118	139	156	128	120	121	101	102	108	97	118
14–15	Other forms of tuberculosis	248	20	16	21	18	22	23	31	27	12	20	17	21
17	Meningitis	229	20	14	23	18	22	14	26	28	19	9	18	18
20–21	Bronchitis	273	44	28	33	41	23	9	15	11	12	21	16	20
22	Pneumonia	1,355	189	200	220	187	123	50	29	38	45	74	80	120
(23)	Bronchopneumonia	395	66	56	66	52	28	16	13	9	14	23	21	31
25	Diarrhea and enteritis (under 2 years)	902	15	26	24	22	31	44	258	239	136	56	23	28
(37)	Diarrhea and enteritis (2 years and over)	134	10	4	7	9	4	5	26	26	15	12	3	13
(33)	Congenital debility [1]	415	31	23	22	31	30	19	36	58	53	62	31	19
35	Violent deaths (excluding suicide)	1,046	95	73	61	68	77	80	189	83	80	88	64	88
36	Suicide	207	19	13	14	21	23	19	19	14	18	17	15	15
	All other causes	9,841	953	833	922	943	860	728	812	756	708	779	755	792
	INDIANA.													
	All causes	35,210	3,423	3,086	3,371	3,245	2,830	2,516	3,051	2,776	2,526	2,780	2,754	2,852
1	Typhoid fever	728	42	42	35	46	30	29	76	109	90	99	76	54
3	Malaria	110	4	9	5	6	6	12	13	16	11	12	10	6
5	Measles	262	18	27	61	90	40	13	6	4	1	1	.....	1
6	Scarlet fever	179	26	19	32	24	17	12	5	4	10	7	12	11
7	Whooping cough	272	14	19	40	31	48	25	34	19	8	3	22	9
8	Diphtheria and croup	385	42	34	25	18	9	20	13	14	34	75	52	49
9	Influenza	499	101	128	106	63	23	4	2	4	4	8	20	36
13	Tuberculosis of the lungs	3,578	341	324	377	329	315	312	305	284	214	246	261	270
14–15	Other forms of tuberculosis	643	54	51	52	65	59	44	66	51	55	59	43	44
17	Meningitis	241	22	25	29	29	31	17	17	16	16	12	10	17
20–21	Bronchitis	415	77	43	50	41	37	19	14	13	23	22	38	38
22	Pneumonia	1,826	357	293	275	221	124	35	34	36	54	75	153	169
(23)	Bronchopneumonia	888	143	139	126	115	47	24	25	29	32	45	74	89
25	Diarrhea and enteritis (under 2 years)	1,676	59	49	57	57	65	150	360	282	252	216	75	54
(37)	Diarrhea and enteritis (2 years and over)	411	22	22	20	25	19	47	55	59	49	38	21	34
(33)	Congenital debility [1]	235	14	14	23	16	16	19	26	19	23	21	24	20
35	Violent deaths (excluding suicide)	2,200	178	146	129	149	199	179	277	219	176	181	188	179
36	Suicide	455	36	35	31	40	47	37	35	48	38	42	34	32
	All other causes	20,207	1,873	1,667	1,898	1,880	1,698	1,518	1,688	1,550	1,436	1,618	1,641	1,740
	KENTUCKY.													
	All causes	30,407	2,551	2,394	3,018	2,584	2,407	2,610	2,868	2,392	2,127	2,447	2,588	2,421
1	Typhoid fever	1,069	39	41	64	43	49	83	145	167	116	133	107	82
3	Malaria	237	8	12	12	10	16	15	34	34	36	31	11	18
5	Measles	455	41	52	125	108	59	35	13	9	3	6	2	2
6	Scarlet fever	86	8	10	7	4	7	2	3	4	7	15	16	3
7	Whooping cough	438	39	28	44	44	42	43	40	26	29	23	45	35
8	Diphtheria and croup	572	54	39	30	17	10	7	10	25	61	125	113	81
9	Influenza	410	67	61	90	59	32	6	6	6	3	8	28	44
13	Tuberculosis of the lungs	4,625	416	396	525	468	413	416	423	298	292	316	324	338
14–15	Other forms of tuberculosis	668	43	54	70	55	70	71	80	44	61	45	32	43
17	Meningitis	509	39	38	55	41	40	58	48	34	44	41	30	41
20–21	Bronchitis	361	37	43	49	39	23	17	20	19	17	24	36	37

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	KENTUCKY—continued.													
22	Pneumonia	1,686	240	198	255	209	104	42	40	45	54	82	207	210
(23)	Bronchopneumonia	596	88	85	83	62	38	14	14	23	21	30	65	73
25	Diarrhea and enteritis (under 2 years)	1,157	27	17	26	25	78	279	291	147	104	102	41	20
(37)	Diarrhea and enteritis (2 years and over)	423	24	21	13	20	26	71	66	52	31	42	37	20
(33)	Congenital debility [1]	591	28	39	40	55	49	49	77	50	54	68	47	35
35	Violent deaths (excluding suicide)	1,793	151	124	180	130	141	136	173	153	124	131	191	159
36	Suicide	201	17	10	15	27	21	10	11	23	18	17	16	16
	All other causes	14,530	1,185	1,126	1,335	1,168	1,189	1,256	1,374	1,233	1,052	1,208	1,240	1,164
	MAINE.													
	All causes	12,031	1,114	1,126	1,239	1,090	1,058	823	964	986	906	912	841	972
1	Typhoid fever	135	10	11	13	12	9	8	9	11	14	12	12	14
3	Malaria	3				3								
5	Measles	31	2	2	2	3	7	4	3	1		1	1	5
6	Scarlet fever	16	6	2	4		2					1	1	
7	Whooping cough	73	12	5	5	5	6	5	5	6	13	5	4	2
8	Diphtheria and croup	75	11	6	5	3	4	4	2	7	8	8	6	11
9	Influenza	189	21	39	61	29	16	4	2			2	4	11
13	Tuberculosis of the lungs	872	82	77	89	77	90	75	58	61	64	61	64	74
14–15	Other forms of tuberculosis	191	25	15	17	20	20	19	19	12	14	13	9	8
17	Meningitis	100	10	7	8	8	10	10	8	9	6	6	10	8
20–21	Bronchitis	188	21	32	25	23	11	9	9	2	6	16	22	12
22	Pneumonia	824	104	136	155	101	81	34	15	17	16	47	43	75
(23)	Bronchopneumonia	236	38	36	45	26	16	9	5	2	14	12	10	23
25	Diarrhea and enteritis (under 2 years)	473	14	10	12	9	14	14	77	166	107	24	11	15
(37)	Diarrhea and enteritis (2 years and over)	110	3	4	3	5	7	5	14	19	24	9	12	5
(33)	Congenital debility [1]	229	20	22	19	23	11	21	20	21	18	15	16	23
35	Violent deaths (excluding suicide)	588	40	35	50	36	48	40	106	58	41	48	46	40
36	Suicide	101	5	9	5	8	11	15	11	7	8	7	6	9
	All other causes	7,597	690	678	721	699	695	547	601	587	553	625	564	637
	MARYLAND.													
	All causes	20,694	1,903	1,730	1,972	1,757	1,572	1,395	1,962	1,904	1,632	1,633	1,589	1,645
1	Typhoid fever	491	22	11	23	18	22	19	25	78	89	84	73	27
3	Malaria	14					2	2			3	3	3	1
5	Measles	130	8	14	28	39	17	8	11	2			2	1
6	Scarlet fever	66	11	9	9	5	8	4	3	1	4	1	4	7
7	Whooping cough	192	16	13	22	19	22	10	15	15	15	15	16	14
8	Diphtheria and croup	168	25	19	18	11	5	9	5	10	11	18	20	17
9	Influenza	217	43	58	44	33	12	5			2	3	7	10
13	Tuberculosis of the lungs	2,339	190	222	232	217	211	203	185	168	178	170	181	182
14–15	Other forms of tuberculosis	321	29	20	42	22	32	30	26	38	25	19	15	23
17	Meningitis	180	14	15	18	16	14	18	19	15	18	13	10	10
20–21	Bronchitis	296	48	42	23	33	30	15	16	10	14	17	15	33
22	Pneumonia	1,290	238	151	188	151	109	48	30	40	31	72	109	123
(23)	Bronchopneumonia	631	97	85	90	79	46	33	21	20	21	31	43	65
25	Diarrhea and enteritis (under 2 years)	1,288	33	20	25	23	43	64	375	330	224	97	35	14
(37)	Diarrhea and enteritis (2 years and over)	179	9	6	5	7	8	14	41	36	20	13	11	9
(33)	Congenital debility [1]	631	34	35	60	47	34	41	73	77	78	60	44	48
35	Violent deaths (excluding suicide)	1,002	74	79	73	76	68	74	140	112	66	81	83	76
36	Suicide	149	16	18	9	14	13	15	11	11	12	11	13	6
	All other causes	11,110	996	913	1,063	947	871	783	966	941	821	925	905	979
	MASSACHUSETTS.													
	All causes	53,003	4,768	4,720	5,071	4,720	4,422	3,514	5,522	4,446	4,045	3,819	3,790	4,166
1	Typhoid fever	311	12	13	20	16	15	17	18	35	49	43	42	31
3	Malaria	15	2	1	1	1	1		2	1	4		1	1
5	Measles	306	22	23	32	46	52	33	22	15	13	12	12	24
6	Scarlet fever	197	28	30	32	21	19	10	9	6	12	5	12	13
7	Whooping cough	506	37	50	64	60	63	34	38	50	33	21	28	28
8	Diphtheria and croup	581	70	62	64	56	42	38	35	28	33	48	48	57
9	Influenza	345	50	78	76	55	26	4	4	1	2	9	6	34
13	Tuberculosis of the lungs	4,466	419	430	476	428	369	342	390	315	304	320	319	354
14–15	Other forms of tuberculosis	825	61	76	80	83	79	78	86	71	47	57	49	58
17	Meningitis	503	43	46	36	46	57	31	56	53	36	39	27	33
20–21	Bronchitis	839	104	115	99	94	70	43	30	31	41	68	61	83
22	Pneumonia	3,756	482	598	436	450	384	157	130	96	115	219	256	383
(23)	Bronchopneumonia	1,557	199	220	234	165	138	68	75	56	71	62	131	138
25	Diarrhea and enteritis (under 2 years)	3,564	98	59	118	151	114	155	811	1,006	570	266	119	97
(37)	Diarrhea and enteritis (2 years and over)	411	27	19	23	27	27	29	69	78	48	29	11	24
(33)	Congenital debility [1]	890	81	65	70	76	57	50	75	99	118	80	62	57
35	Violent deaths (excluding suicide)	3,195	211	195	194	199	225	202	911	238	219	172	207	222
36	Suicide	449	32	32	34	36	49	43	28	36	44	34	41	40
	All other causes	30,287	2,790	2,608	2,932	2,710	2,635	2,180	2,733	2,231	2,286	2,335	2,358	2,489

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	MICHIGAN.													
	All causes	37,993	3,535	3,434	3,844	3,544	3,248	2,677	3,198	2,967	2,935	2,808	2,864	2,939
1	Typhoid fever	547	40	42	50	44	35	34	44	52	56	64	47	39
3	Malaria	29		2	3	1	6		6	4	3	2	1	1
5	Measles	199	21	19	33	32	27	20	23	4	3	3	5	9
6	Scarlet fever	205	22	18	23	28	28	13	11	10	10	11	23	8
7	Whooping cough	244	14	22	37	29	27	21	25	12	18	10	12	17
8	Diphtheria and croup	472	49	29	31	40	27	22	27	23	40	66	70	48
9	Influenza	524	82	125	129	85	36	8	3	4	4	10	18	20
13	Tuberculosis of the lungs	2,330	206	200	261	238	225	199	184	149	161	153	173	181
14–15	Other forms of tuberculosis	427	42	29	54	45	35	34	35	29	33	29	37	25
17	Meningitis	352	20	35	46	48	32	21	33	24	25	25	27	16
20–21	Bronchitis	728	118	106	106	68	56	26	26	20	34	42	59	67
22	Pneumonia	1,834	279	320	296	226	137	55	33	51	53	85	129	170
(23)	Bronchopneumonia	759	119	136	113	87	71	24	19	29	19	39	48	55
25	Diarrhea and enteritis (under 2 years)	1,634	72	63	67	59	95	82	248	366	322	165	60	35
(37)	Diarrhea and enteritis (2 years and over)	394	16	20	19	20	29	28	52	77	52	39	20	22
(33)	Congenital debility [1]	972	83	79	81	67	64	60	94	83	128	99	63	71
35	Violent deaths (excluding suicide)	2,408	163	152	172	163	223	229	349	238	194	179	184	162
36	Suicide	420	33	35	39	41	36	43	44	41	28	34	19	27
	All other causes	23,515	2,156	2,002	2,284	2,223	2,059	1,758	1,942	1,751	1,752	1,753	1,869	1,966
	MINNESOTA.													
	All causes	21,988	2,413	1,995	2,174	2,070	1,902	1,606	1,667	1,705	1,603	1,544	1,610	1,699
1	Typhoid fever	283	21	18	23	20	10	11	17	24	23	37	52	27
3	Malaria	2								1				1
5	Measles	111	7	7	21	22	31	15	3	1	1	1		2
6	Scarlet fever	189	32	27	33	15	19	11	7	7	8	7	6	17
7	Whooping cough	172	11	15	17	16	19	14	23	13	7	10	13	14
8	Diphtheria and croup	315	27	32	29	36	39	15	22	31	20	21	19	24
9	Influenza	178	50	62	27	11	8	1	1		2	1	5	10
13	Tuberculosis of the lungs	2,107	201	197	215	195	204	180	168	161	127	146	151	162
14–15	Other forms of tuberculosis	415	36	31	45	55	32	35	41	39	18	24	28	31
17	Meningitis	178	20	17	21	15	15	19	16	14	11	16	6	8
20–21	Bronchitis	275	63	34	32	29	23	10	9	6	17	20	20	12
22	Pneumonia	1,164	274	152	150	142	101	36	27	29	28	49	85	91
(23)	Bronchopneumonia	854	184	138	97	111	78	29	26	16	28	30	54	63
25	Diarrhea and enteritis (under 2 years)	841	49	35	66	48	32	48	93	179	153	62	39	37
(37)	Diarrhea and enteritis (2 years and over)	147	10	5	11	7	6	10	17	23	25	15	6	12
(33)	Congenital debility [1]	359	39	27	35	40	43	23	32	30	23	25	17	25
35	Violent deaths (excluding suicide)	1,483	128	91	121	98	129	150	167	134	116	115	127	107
36	Suicide	302	19	22	31	33	25	24	22	29	31	20	23	23
	All other causes	12,613	1,242	1,085	1,200	1,177	1,088	975	976	968	965	945	959	1,033
	MISSOURI.													
	All causes	43,434	4,881	3,876	4,026	3,530	3,314	3,390	3,823	3,270	3,085	3,317	3,491	3,431
1	Typhoid fever	1,059	49	40	43	37	31	63	126	177	141	160	129	63
3	Malaria	508	23	25	23	20	28	45	52	65	83	76	46	22
5	Measles	621	91	122	156	121	72	25	20	6	1	2	1	4
6	Scarlet fever	322	42	42	46	48	51	21	8	12	6	14	16	16
7	Whooping cough	430	19	18	36	32	32	54	46	45	28	52	38	30
8	Diphtheria and croup	678	76	50	40	36	42	21	14	15	43	128	127	86
9	Influenza	859	319	223	122	69	24	4	3	8	4	9	29	45
13	Tuberculosis of the lungs	4,558	448	420	469	421	384	400	373	307	300	322	362	352
14–15	Other forms of tuberculosis	556	41	43	59	59	60	49	41	40	40	31	49	44
17	Meningitis	453	49	36	39	42	43	56	47	31	33	30	20	27
20–21	Bronchitis	644	119	77	80	67	46	28	31	19	23	45	53	56
22	Pneumonia	2,979	783	442	379	286	169	54	57	69	65	101	259	315
(23)	Bronchopneumonia	996	205	140	128	98	62	22	22	19	31	44	107	118
25	Diarrhea and enteritis (under 2 years)	2,020	59	45	54	62	110	333	446	286	259	228	99	39
(37)	Diarrhea and enteritis (2 years and over)	520	28	28	32	27	42	71	95	59	39	38	24	37
(33)	Congenital debility [1]	575	53	49	43	36	33	49	65	65	43	58	50	31
35	Violent deaths (excluding suicide)	2,476	174	177	191	202	214	216	310	226	180	191	195	200
36	Suicide	599	63	38	44	53	50	50	50	68	49	38	48	48
	All other causes	22,581	2,240	1,861	2,042	1,814	1,821	1,829	2,017	1,753	1,717	1,750	1,839	1,898
	MONTANA.													
	All causes	4,009	408	335	381	341	338	290	311	338	328	314	294	331
1	Typhoid fever	80	7	3	1	5	6	7	8	9	9	14	5	6
3	Malaria													
5	Measles	49	5	4	9	10	9	4	3		3	1		1
6	Scarlet fever	37	6	2	5	6	3	2	2		1	2	2	6
7	Whooping cough	27	2	5	4	2	5	3	4			2		
8	Diphtheria and croup	30	4	3	2	2	4	1	3	2		1	4	4
9	Influenza	15	2	2	3	1	2		1			2	1	1
13	Tuberculosis of the lungs	358	39	28	29	49	30	24	27	32	22	32	19	27
14–15	Other forms of tuberculosis	62	5	4	8	3	3	5	7	4	5	7	5	6
17	Meningitis	32	5	5	3	5	1	2		2	2	3	2	2
20–21	Bronchitis	31	6	7	1	2	6	2	1	1		1	2	2
22	Pneumonia	260	46	27	29	26	26	9	8	12	15	17	24	21

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	MONTANA—continued.													
(23)	Bronchopneumonia	94	24	19	13	12	5	2	1	5	.....	3	2	8
25	Diarrhea and enteritis (under 2 years)	142	10	5	10	9	2	9	15	42	23	10	3	4
(37)	Diarrhea and enteritis (2 years and over)	24	.....	2	.....	2	.....	1	3	8	2	5	.....	1
(33)	Congenital debility [1]	73	4	10	5	5	7	10	4	9	5	7	5	2
35	Violent deaths (excluding suicide)	498	34	28	27	38	41	40	61	50	54	32	51	42
36	Suicide	109	5	9	8	11	13	8	15	7	9	7	7	10
	All other causes	2,088	204	172	224	153	175	161	148	155	178	168	162	188
	NEW HAMPSHIRE.													
	All causes	7,391	686	655	692	654	577	549	763	594	594	535	510	582
1	Typhoid fever	63	13	5	2	5	3	.....	3	4	8	8	5	7
3	Malaria	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
5	Measles	40	3	6	6	5	1	7	3	2	1	1	2	3
6	Scarlet fever	16	.....	2	1	1	2	1	2	2	4	.....	1	.....
7	Whooping cough	53	6	2	3	5	7	5	4	5	6	1	5	4
8	Diphtheria and croup	68	9	9	2	6	3	9	2	4	8	3	9	4
9	Influenza	115	13	29	41	18	.....	3	1	1	.....	4	2	3
13	Tuberculosis of the lungs	453	39	38	43	43	41	37	44	29	34	33	32	40
14–15	Other forms of tuberculosis	73	4	7	1	8	8	5	8	4	8	6	6	8
17	Meningitis	94	6	7	9	17	9	3	12	5	8	8	6	4
20–21	Bronchitis	149	16	16	25	20	10	8	8	5	6	10	5	20
22	Pneumonia	500	72	72	86	53	48	20	11	19	16	31	32	40
(23)	Bronchopneumonia	130	22	13	15	19	13	10	3	6	4	9	9	7
25	Diarrhea and enteritis (under 2 years)	384	13	8	9	10	7	11	120	119	56	18	8	5
(37)	Diarrhea and enteritis (2 years and over)	58	4	3	2	3	1	2	4	19	8	7	3	2
(33)	Congenital debility [1]	181	11	13	18	13	9	13	23	24	19	15	10	13
35	Violent deaths (excluding suicide)	405	24	22	14	30	25	31	126	27	26	25	29	28
36	Suicide	56	3	5	3	6	8	11	6	3	4	.....	3	4
	All other causes	4,553	428	398	412	392	382	373	383	316	378	356	343	392
	NEW JERSEY.													
	All causes	38,617	3,563	3,195	3,727	3,446	3,116	2,634	3,857	3,383	2,896	2,969	2,795	3,036
1	Typhoid fever	315	22	28	16	15	23	15	32	30	42	32	29	31
3	Malaria	26	2	.....	1	2	3	3	3	3	3	3	1	2
5	Measles	283	35	40	38	50	65	23	9	9	4	2	1	7
6	Scarlet fever	221	25	22	39	26	26	25	21	13	7	5	2	10
7	Whooping cough	331	26	19	49	43	42	21	27	33	29	16	7	19
8	Diphtheria and croup	571	73	52	64	56	45	34	26	29	32	54	51	55
9	Influenza	296	107	61	43	26	19	6	1	3	6	10	5	9
13	Tuberculosis of the lungs	3,989	369	351	446	411	353	300	297	296	254	314	285	313
14–15	Other forms of tuberculosis	598	33	48	44	68	54	50	63	44	59	57	38	40
17	Meningitis	364	25	20	42	33	35	45	35	36	29	29	18	17
20–21	Bronchitis	485	57	66	59	53	38	31	17	13	17	31	42	61
22	Pneumonia	2,705	415	320	439	374	188	98	66	75	82	141	218	280
(23)	Bronchopneumonia	1,284	183	151	170	164	97	55	59	56	43	91	81	134
25	Diarrhea and enteritis (under 2 years)	2,627	64	54	77	68	80	133	755	656	385	215	85	55
(37)	Diarrhea and enteritis (2 years and over)	338	18	14	20	19	19	20	59	69	46	23	18	13
(33)	Congenital debility [1]	798	40	48	60	48	37	47	79	132	105	87	65	50
35	Violent deaths (excluding suicide)	2,465	177	151	160	176	158	186	483	234	189	183	182	186
36	Suicide	415	32	28	35	54	45	37	46	26	38	22	22	30
	All other causes	20,506	1,860	1,713	1,925	1,760	1,789	1,505	1,779	1,626	1,526	1,654	1,645	1,724
	NEW YORK.													
	All causes	145,654	13,430	12,834	14,501	13,538	12,470	10,255	12,862	11,623	10,709	10,782	10,810	11,840
1	Typhoid fever	1,320	97	90	94	80	78	75	116	167	154	148	117	104
3	Malaria	62	3	3	7	5	5	1	11	10	7	5	3	2
5	Measles	989	75	89	126	152	176	127	93	51	22	17	14	47
6	Scarlet fever	1,181	126	142	210	205	184	101	54	24	20	30	36	49
7	Whooping cough	791	51	68	78	82	82	76	70	102	66	48	28	40
8	Diphtheria and croup	1,960	198	191	200	189	209	139	124	125	108	132	171	174
9	Influenza	1,354	265	328	328	168	86	30	5	8	21	29	34	52
13	Tuberculosis of the lungs	14,523	1,366	1,297	1,398	1,388	1,320	1,141	1,167	1,082	1,026	1,064	1,119	1,155
14–15	Other forms of tuberculosis	2,132	149	184	209	188	236	223	187	172	149	160	133	142
17	Meningitis	1,025	78	93	102	92	99	94	94	104	80	67	61	61
20–21	Bronchitis	2,141	292	252	267	233	174	98	99	88	86	128	201	223
22	Pneumonia	9,950	1,403	1,305	1,426	1,334	881	391	359	265	312	524	751	999
(23)	Bronchopneumonia	6,719	756	776	918	829	622	366	323	301	319	399	494	616
25	Diarrhea and enteritis (under 2 years)	7,671	277	305	404	387	399	442	1,414	1,671	1,184	617	304	267
(37)	Diarrhea and enteritis (2 years and over)	1,295	70	48	87	78	56	75	195	253	167	117	75	74
(33)	Congenital debility [1]	2,582	178	148	157	146	120	180	289	325	326	305	214	194
35	Violent deaths (excluding suicide)	8,568	594	519	681	556	718	661	1,456	792	676	655	628	632
36	Suicide	1,537	116	106	137	158	161	151	129	123	101	110	118	127
	All other causes	79,854	7,336	6,890	7,672	7,268	6,864	5,884	6,677	5,960	5,885	6,227	6,309	6,882

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	NORTH CAROLINA.[1]													
	All causes	6,859	544	494	553	510	597	724	677	575	555	596	528	506
1	Typhoid fever	262	10	4	5	1	7	33	57	40	34	38	23	10
3	Malaria	87	3	.....	1	2	3	8	9	12	10	24	10	5
5	Measles	58	3	2	8	6	11	9	5	5	2	4	1	2
6	Scarlet fever	8	2	.....	.....	.....	.....	.....	.....	.....	1	.....	2	3
7	Whooping cough	173	3	3	10	20	40	37	24	15	8	7	5	1
8	Diphtheria and croup	39	2	5	1	.....	3	2	1	.....	3	5	9	8
9	Influenza	91	17	19	20	10	8	1	2	2	3	2	5	2
13	Tuberculosis of the lungs	859	83	92	91	69	58	84	65	64	57	62	64	70
14-15	Other forms of tuberculosis	102	8	3	14	9	8	13	14	13	10	5	2	3
17	Meningitis	73	6	6	9	8	4	4	11	3	8	6	4	4
20-21	Bronchitis	74	6	9	4	8	5	4	4	5	4	11	7	7
22	Pneumonia	427	77	51	80	44	31	14	12	14	7	22	33	42
(23)	Bronchopneumonia	137	6	10	22	16	18	9	7	4	5	7	14	19
25	Diarrhea and enteritis (under 2 years)	562	6	8	5	13	76	127	93	68	72	63	19	12
(37)	Diarrhea and enteritis (2 years and over)	100	4	1	5	4	5	13	14	18	12	12	9	3
(33)	Congenital debility[2]	139	10	5	7	9	14	18	13	20	10	17	8	8
35	Violent deaths (excluding suicide)	341	32	28	17	20	31	28	37	36	24	29	21	38
36	Suicide	23	.....	.....	2	1	4	6	.....	2	3	4	1	.....
	All other causes	3,304	266	248	252	270	271	314	309	254	282	278	291	269
	OHIO.													
	All causes	63,402	5,977	5,575	6,218	5,591	5,263	4,547	5,265	4,914	4,799	5,065	5,109	5,079
1	Typhoid fever	1,101	81	59	66	58	53	52	71	108	158	174	144	77
3	Malaria	44	.....	3	1	5	3	5	6	6	5	4	3	3
5	Measles	312	36	48	62	53	51	19	6	6	9	3	6	13
6	Scarlet fever	500	41	40	60	60	59	42	39	23	29	47	36	24
7	Whooping cough	552	49	51	76	70	70	44	58	33	28	18	29	26
8	Diphtheria and croup	728	63	34	55	30	24	28	33	46	78	115	117	105
9	Influenza	1,057	158	254	280	141	61	17	6	11	17	17	42	53
13	Tuberculosis of the lungs	6,169	590	551	620	630	599	520	476	447	424	436	433	443
14-15	Other forms of tuberculosis	990	80	78	89	105	110	82	94	65	69	85	65	68
17	Meningitis	476	49	43	38	50	38	38	47	41	39	28	33	32
20-21	Bronchitis	924	136	126	120	97	62	46	39	32	42	67	85	72
22	Pneumonia	2,946	455	405	469	355	234	95	72	70	84	139	264	304
(23)	Bronchopneumonia	1,984	345	263	256	204	143	67	61	56	87	127	166	209
25	Diarrhea and enteritis (under 2 years)	2,896	106	92	110	115	145	196	583	560	488	271	116	114
(37)	Diarrhea and enteritis (2 years and over)	586	34	37	28	37	39	45	93	97	72	44	31	29
(33)	Congenital debility[2]	607	48	48	49	47	44	49	51	59	63	49	55	45
35	Violent deaths (excluding suicide)	4,389	358	251	305	294	411	377	550	372	398	399	359	315
36	Suicide	779	42	57	69	58	73	85	69	74	52	57	76	67
	All other causes	36,362	3,306	3,135	3,465	3,182	3,044	2,740	2,911	2,808	2,657	2,985	3,049	3,080
	PENNSYLVANIA.													
	All causes	111,292	10,299	9,832	10,627	10,028	8,997	7,559	9,853	9,369	8,760	8,581	8,307	9,080
1	Typhoid fever	1,716	143	176	125	101	92	89	88	174	199	223	168	138
3	Malaria	37	1	2	4	2	5	3	2	3	4	5	1	5
5	Measles	804	92	105	141	170	132	49	31	11	15	10	19	29
6	Scarlet fever	749	117	93	93	93	78	66	41	27	26	31	34	50
7	Whooping cough	998	87	106	117	117	120	75	80	78	64	47	43	64
8	Diphtheria and croup	2,111	203	188	199	150	115	98	107	81	156	272	284	258
9	Influenza	1,149	217	248	256	141	52	23	13	14	10	25	57	93
13	Tuberculosis of the lungs	9,233	850	827	939	953	825	745	732	687	627	637	643	768
14-15	Other forms of tuberculosis	1,371	90	113	118	133	148	117	120	126	121	86	100	99
17	Meningitis	707	66	50	59	68	70	48	62	72	45	58	48	61
20-21	Bronchitis	1,667	236	231	225	189	111	59	62	58	51	107	168	170
22	Pneumonia	6,819	985	940	1,025	825	566	233	210	171	244	345	610	765
(23)	Bronchopneumonia	4,143	583	549	558	438	342	177	157	149	159	229	321	481
25	Diarrhea and enteritis (under 2 years)	8,156	270	286	266	298	320	450	1,781	1,948	1,388	634	308	217
(37)	Diarrhea and enteritis (2 years and over)	1,105	76	53	69	55	82	81	143	180	137	116	60	53
(33)	Congenital debility[2]	2,545	193	127	191	175	156	162	267	348	345	251	184	146
35	Violent deaths (excluding suicide)	8,318	659	559	636	664	712	700	1,067	677	686	645	636	677
36	Suicide	1,033	55	83	90	107	104	97	100	86	91	73	85	62
	All other causes	58,631	5,376	5,096	5,516	5,359	4,967	4,287	4,790	4,479	4,392	4,787	4,638	4,944
	RHODE ISLAND.													
	All causes	8,671	757	782	817	814	740	596	868	728	669	614	615	671
1	Typhoid fever	53	1	.....	2	2	4	2	4	12	7	9	4	6
3	Malaria	6	.....	.....	1	.....	2	.....	.....	1	1	1	.....	.....
5	Measles	23	1	.....	1	.....	3	3	3	.....	.....	1	5	6
6	Scarlet fever	58	9	4	7	7	9	4	1	3	1	2	7	4
7	Whooping cough	121	6	9	11	16	20	14	14	5	16	5	4	1
8	Diphtheria and croup	143	17	17	8	19	6	7	6	6	10	15	20	12
9	Influenza	53	6	13	12	11	1	1	1	.....	2	.....	4	2
13	Tuberculosis of the lungs	810	67	74	84	67	69	61	81	56	60	51	64	76
14-15	Other forms of tuberculosis	144	21	7	14	13	15	12	10	10	12	8	11	11
17	Meningitis	73	8	7	14	7	9	2	3	5	3	5	5	5
20-21	Bronchitis	154	24	25	22	13	15	8	4	5	4	14	13	7
22	Pneumonia	607	65	86	94	103	52	24	22	17	20	31	40	53
(23)	Bronchopneumonia	242	32	41	43	28	21	16	11	4	5	12	14	15

[1] Includes only municipalities having a population of 1,000 or over in 1900.

[2] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	RHODE ISLAND—continued.													
25	Diarrhea and enteritis (under 2 years)	493	10	16	19	14	19	29	127	121	73	35	19	11
(37)	Diarrhea and enteritis (2 years and over)	65	4	3	7	1	5	7	14	11	8	3	2	
(33)	Congenital debility [1]	183	14	8	10	14	11	12	22	27	18	15	18	14
35	Violent deaths (excluding suicide)	477	30	32	38	32	43	29	115	37	32	31	27	31
36	Suicide	65	4	5	2	7	10	3	5	5	6	5	8	5
	All other causes	4,901	438	435	428	460	426	362	425	403	391	371	350	412
	UTAH.													
	All causes	3,960	509	338	395	318	320	303	280	303	311	288	282	313
1	Typhoid fever	74	9	3	4	4	4	2	3	7	10	15	9	4
3	Malaria													
5	Measles	42	5	7	18	2	1	7	1		1			
6	Scarlet fever	56	9	6	7	3	5	5	5	3	2	2	5	4
7	Whooping cough	26			4	2	6	2	3	5	2	1		1
8	Diphtheria and croup	85	8	7	9	12	8	4	7	4	8	5	6	7
9	Influenza	25	7	3	5	3	3	1				1	1	1
13	Tuberculosis of the lungs	146	20	16	14	16	21	8	13	7	5	8	3	15
14-15	Other forms of tuberculosis	34	1	4	4	8	4	4	3	1	2	2		1
17	Meningitis	39	5	2	6	5	2	5	3	4	2	4		1
20-21	Bronchitis	71	19	12	10	4	2	3		3	2	2	5	9
22	Pneumonia	319	96	40	46	15	15	13	4	10	9	16	24	31
(23)	Bronchopneumonia	107	38	23	10	8	3	2	2	1	5	3	5	7
25	Diarrhea and enteritis (under 2 years)	144	10	1	6	5	10	7	20	32	28	15	5	5
(37)	Diarrhea and enteritis (2 years and over)	26	3	4	1	1		4		3	5	4	1	
(33)	Congenital debility [1]	51	11	3	7	1	3	5	3	1	4	5	3	5
35	Violent deaths (excluding suicide)	330	32	17	23	22	31	30	37	26	30	27	30	25
36	Suicide	70	7	2	5	4	6	4	6	8	11	3	5	9
	All other causes	2,315	229	188	216	203	196	197	170	188	185	175	180	188
	VERMONT.													
	All causes	5,661	543	532	606	512	513	370	466	430	447	429	391	422
1	Typhoid fever	44	4	1	3		6	3	2	3	8	6	1	7
3	Malaria	5		2		1	1						1	
5	Measles	38	1	6	9	4	14	2		1			1	
6	Scarlet fever	5	1	1	1					1	1			
7	Whooping cough	27	7	1	4	3	2	2	1	2	1	1	1	2
8	Diphtheria and croup	24	2	3	2	3	1	2		2	1	3	3	2
9	Influenza	157	23	31	44	17	12	3	1	3	1	3	7	12
13	Tuberculosis of the lungs	347	30	34	43	30	26	34	28	25	27	21	27	22
14-15	Other forms of tuberculosis	77	7	9	11	6	7	7	5	6	4	8	4	3
17	Meningitis	30	2	2	2	2	5	1	1	4	2	3	5	1
20-21	Bronchitis	103	15	21	14	12	6	2	6	5	2	9	4	7
22	Pneumonia	349	43	55	65	39	37	14	4	5	7	21	23	36
(23)	Bronchopneumonia	112	16	19	21	14	12	5	4		3	6	5	7
25	Diarrhea and enteritis (under 2 years)	221	10	3	7	10	7	8	26	49	50	28	13	10
(37)	Diarrhea and enteritis (2 years and over)	59	2	1	2	5	4	2	10	14	8	8	2	1
(33)	Congenital debility [1]	48	4	5	4	4	3	1	3	5	8	4	3	4
35	Violent deaths (excluding suicide)	307	29	17	27	19	25	24	44	29	21	23	18	31
36	Suicide	72	3	5	3	9	7	7	8	8	5	11	3	3
	All other causes	3,636	344	316	344	334	338	253	323	268	298	274	270	274
	WASHINGTON.													
	All causes	10,845	1,098	976	1,041	903	949	830	802	883	848	839	865	811
1	Typhoid fever	223	23	14	7	5	14	22	19	25	32	22	30	10
3	Malaria	3					1			1	1			
5	Measles	68	5	11	20	14	6	4	2	2	1	1	2	
6	Scarlet fever	56	6	9	7	5	7	3	5	3	2	2	1	6
7	Whooping cough	70	7	10	13	12	7	7	4	2	4	1	1	2
8	Diphtheria and croup	104	16	8	12	5	4	9	5	9	6	11	12	7
9	Influenza	110	13	31	32	11	6	3	1	1	4	3	3	2
13	Tuberculosis of the lungs	1,027	105	100	117	92	117	78	66	74	73	66	65	74
14-15	Other forms of tuberculosis	272	21	24	25	22	34	24	22	26	23	14	21	16
17	Meningitis	54	2	5	5	7	3	7	4	5	7	5	3	1
20-21	Bronchitis	82	16	14	11	6	8	5		4	3	6	2	7
22	Pneumonia	495	81	58	55	52	45	20	26	22	18	37	40	41
(23)	Bronchopneumonia	294	62	47	41	29	20	8	9	10	9	16	14	29
25	Diarrhea and enteritis (under 2 years)	310	14	15	16	17	23	15	34	62	61	25	21	7
(37)	Diarrhea and enteritis (2 years and over)	102	9	2	5	7	6	9	11	14	18	14	4	3
(33)	Congenital debility [1]	193	21	13	11	22	13	14	17	17	22	22	11	10
35	Violent deaths (excluding suicide)	1,170	92	75	92	96	102	102	115	111	96	83	120	86
36	Suicide	252	21	22	26	18	23	14	22	19	24	15	26	22
	All other causes	5,960	584	518	546	483	510	486	440	476	444	496	489	488
	WISCONSIN.													
	All causes	27,050	2,610	2,532	2,709	2,636	2,402	1,913	2,114	2,066	1,990	2,053	2,024	2,001
1	Typhoid fever	311	32	20	14	28	23	19	21	25	24	32	48	25
3	Malaria	5		1	2			1	1					
5	Measles	253	18	24	41	49	58	30	11	4	3	4	5	6
6	Scarlet fever	221	24	24	26	20	31	10	17	8	8	13	13	27
7	Whooping cough	206	19	22	31	26	28	13	17	10	14	9	7	10
8	Diphtheria and croup	320	40	31	28	22	19	19	14	24	21	40	29	33

[1] Excluding premature births.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION STATES—Continued.													
	WISCONSIN—continued.													
9	Influenza	304	58	88	66	42	16	7	3	3		4	10	7
13	Tuberculosis of the lungs	2,076	194	189	202	211	211	188	166	162	142	127	137	147
14–15	Other forms of tuberculosis	373	33	30	47	33	34	22	37	28	29	29	21	30
17	Meningitis	316	33	25	29	43	39	23	19	17	10	27	21	30
20–21	Bronchitis	441	70	66	62	54	42	19	14	15	16	24	30	29
22	Pneumonia	1,550	268	230	242	204	145	53	40	45	51	59	117	96
(23)	Bronchopneumonia	473	75	89	61	65	46	20	15	12	12	16	34	28
25	Diarrhea and enteritis (under 2 years)	1,210	87	67	74	74	76	73	136	205	200	108	55	55
(37)	Diarrhea and enteritis (2 years and over)	239	15	10	10	18	11	18	33	37	42	23	13	9
(33)	Congenital debility[1]	669	51	50	56	48	46	44	53	75	61	56	63	66
35	Violent deaths (excluding suicide)	1,517	110	83	105	111	114	151	183	147	151	133	131	98
36	Suicide	324	28	20	29	39	33	29	31	25	19	28	27	16
	All other causes	16,242	1,455	1,463	1,584	1,549	1,430	1,174	1,303	1,224	1,187	1,321	1,263	1,289
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910.													
	LOS ANGELES, CAL.													
	All causes	5,001	511	448	458	418	406	375	363	412	367	359	402	482
1	Typhoid fever	40	4	1	2	3	3	3	2	2	6	5	6	3
3	Malaria	4	2	1	1									
5	Measles	8	1		1	1		1	3				1	
6	Scarlet fever	9	4	2			1					1	1	
7	Whooping cough	19	1	2	3	2		2	2	1	3		1	2
8	Diphtheria and croup	22	4		1	3	1		1	2	2	2	4	2
9	Influenza	22	4	4	4	3	1	1		1	1	1	1	1
13	Tuberculosis of the lungs	853	76	79	87	83	90	55	65	69	63	53	55	78
14–15	Other forms of tuberculosis	101	8	7	10	6	12	8	9	8	7	10	4	12
17	Meningitis	60	5	9	4	6	4	8	6	7	2	2	3	4
20–21	Bronchitis	45	11	3	9	2	4	3	1	3	1	3	3	2
22	Pneumonia	229	51	30	26	13	10	14	10	13	8	12	12	30
(23)	Bronchopneumonia	108	8	12	10	9	12	5	10	9	5	4	12	12
25	Diarrhea and enteritis (under 2 years)	118	7	4	3	7	5	12	19	17	12	11	15	6
(37)	Diarrhea and enteritis (2 years and over)	39	4	3		2	2	5	3	5	5	6	2	2
(33)	Congenital debility[1]	48	5		1	3	1	6	8	4	4	4	6	6
35	Violent deaths (excluding suicide)	320	35	20	21	31	22	22	28	32	23	27	29	30
36	Suicide	128	14	11	9	11	14	13	4	10	12	3	14	13
	All other causes	2,828	267	260	266	233	224	217	192	229	213	215	233	279
	SAN FRANCISCO, CAL.													
	All causes	6,495	616	505	571	501	556	502	428	470	520	540	595	691
1	Typhoid fever	65	8	5	1	3	7	6		1	11	8	10	5
3	Malaria	5					2			2		1		
5	Measles	33		3	2	2	3	1	2	3	3	3	8	3
6	Scarlet fever	15	3		4	2	3	1	1					1
7	Whooping cough	29	4	1	3	1	4	4	4	2	3	1		2
8	Diphtheria and croup	22	2	2	2	2	2	2	2	1	1		2	4
9	Influenza	12		3	1	2	1	2						3
13	Tuberculosis of the lungs	675	69	59	58	68	64	47	45	48	53	49	48	67
14–15	Other forms of tuberculosis	134	5	5	9	11	25	14	9	6	11	13	11	15
17	Meningitis	50	3	2	3	4	4	3	4	2	2	9	5	9
20–21	Bronchitis	92	8	8	10	9	8	4	5	5	10	8	8	9
22	Pneumonia	395	54	25	35	16	28	34	23	22	32	30	33	63
(23)	Bronchopneumonia	171	21	21	13	6	4	13	9	8	12	18	14	32
25	Diarrhea and enteritis (under 2 years)	162	5	3	7	9	2	14	14	14	25	32	19	18
(37)	Diarrhea and enteritis (2 years and over)	35	1	3		2	3	5	3	2	3	5	3	5
(33)	Congenital debility[1]	42	2	4	2	3	4	5	2		4	7	5	4
35	Violent deaths (excluding suicide)	407	37	40	38	23	35	32	26	18	39	36	42	41
36	Suicide	168	19	8	13	14	9	11	12	16	19	15	15	17
	All other causes	3,983	375	313	370	324	348	304	267	320	292	305	372	393
	WASHINGTON, D. C.													
	All causes	6,304	584	536	585	551	505	437	617	476	446	539	505	523
1	Typhoid fever	75	6	4	4	3	8	2	5	11	7	6	8	11
3	Malaria	4									1	3		
5	Measles	22	1		2	2	10	6						1
6	Scarlet fever	4	1	1	1								1	
7	Whooping cough	25	1	3	1		3	5	3	4	2	2		1
8	Diphtheria and croup	19	5	2	4	1		2				1	2	2
9	Influenza	68	5	22	17	12	2		1	1		1	2	5
13	Tuberculosis of the lungs	736	62	60	64	62	60	60	71	53	56	68	59	61
14–15	Other forms of tuberculosis	92	9	10	8	16	5	14	6	7	4	5	5	3
17	Meningitis	36	5	3	6	2	6	2	1	6			1	4
20–21	Bronchitis	70	12	9	13	9	4	3	1		5	4	4	6
22	Pneumonia	387	58	57	64	47	23	17	10	4	9	30	32	36
(23)	Bronchopneumonia	168	28	18	21	17	11	10	9	5	7	11	11	20
25	Diarrhea and enteritis (under 2 years)	273	4	6	2	5	8	11	100	65	29	30	9	4
(37)	Diarrhea and enteritis (2 years and over)	64	2	4	3	3	1	7	16	9	6	8	2	3
(33)	Congenital debility[1]	169	11	7	11	15	8	5	23	31	14	22	10	12
35	Violent deaths (excluding suicide)	269	22	17	20	20	32	25	33	22	16	17	22	23
36	Suicide	88	9	4	5	10	8	9	6	8	3	7	7	12
	All other causes	3,735	343	309	339	327	316	259	332	250	287	324	330	319

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
	CHICAGO, ILL.													
	All causes	32,531	3,247	2,693	3,109	2,889	2,868	2,286	2,869	2,543	2,333	2,390	2,558	2,746
1	Typhoid fever	245	16	17	15	12	20	17	25	27	25	26	19	26
3	Malaria	8	1			1		1		2		2	1	
5	Measles	130	15	8	19	29	26	8	7	5	4		4	5
6	Scarlet fever	492	59	54	55	41	66	49	46	29	19	13	31	30
7	Whooping cough	52	3	1	3	3	8	6	5	7	3	3	2	8
8	Diphtheria and croup	860	92	56	89	64	65	52	62	64	57	86	90	83
9	Influenza	179	49	47	22	14	14	3	1	1	1	4	10	13
13	Tuberculosis of the lungs	3,313	323	288	331	302	307	275	235	221	222	265	261	283
14–15	Other forms of tuberculosis	439	39	44	37	47	44	32	34	29	29	30	34	40
17	Meningitis	227	13	15	28	29	23	17	26	23	16	11	18	8
20–21	Bronchitis	177	11	23	30	22	22	13	9	8	6	7	13	13
22	Pneumonia	3,016	468	324	385	388	259	99	109	114	123	165	269	313
(23)	Bronchopneumonia	1,499	227	164	206	161	148	56	67	65	49	76	127	153
25	Diarrhea and enteritis (under 2 years)	2,983	173	156	152	169	215	182	471	523	411	224	153	154
(37)	Diarrhea and enteritis (2 years and over)	262	22	13	9	15	26	24	45	31	29	18	9	21
(33)	Congenital debility [1]	199	15	19	17	18	24	13	11	18	16	17	16	15
35	Violent deaths (excluding suicide)	2,125	156	143	167	159	198	173	337	149	158	171	164	150
36	Suicide	479	29	37	43	43	47	45	33	38	53	40	37	29
	All other causes	15,846	1,536	1,284	1,496	1,372	1,356	1,221	1,346	1,189	1,112	1,232	1,300	1,402
	NEW ORLEANS, LA.													
	All causes	7,055	557	542	670	618	643	633	535	538	530	573	581	635
1	Typhoid fever	107	7	3	11	2	9	16	17	14	6	10	6	6
3	Malaria	37	1	2	3		1	5	4	6	6	6	3	
5	Measles	39	1	6	7	10	9	3	1		1		1	
6	Scarlet fever	4					2						1	1
7	Whooping cough	97	2	6	10	13	21	14	10	8	8	3	2	
8	Diphtheria and croup	25	3	1	5	1		1	1	2	2	3	4	2
9	Influenza	92	27	12	12	3	4	1	4	3	1	4	9	12
13	Tuberculosis of the lungs	835	64	72	83	73	70	71	75	69	61	73	55	69
14–15	Other forms of tuberculosis	65	6	3	7	9	4	9	3	2	5	6	4	7
17	Meningitis	52	8	3	5	3	7	5	7	3	2	2	2	5
20–21	Bronchitis	92	6	10	15	6	8	8	4	6	3	5	14	7
22	Pneumonia	381	50	44	47	40	22	13	18	21	24	27	28	47
(23)	Bronchopneumonia	178	18	10	28	19	17	9	7	16	12	14	15	13
25	Diarrhea and enteritis (under 2 years)	473	11	27	44	53	67	74	30	35	41	32	26	33
(37)	Diarrhea and enteritis (2 years and over)	88		9	12	7	11	8	11	7	6	7	6	4
(33)	Congenital debility [1]	55	1	2	5	3	6	8	7	2	2	6	4	9
35	Violent deaths (excluding suicide)	396	28	23	40	31	32	35	31	35	27	28	51	35
36	Suicide	47	5	6	4	7	6	2	5	2	1	3	4	2
	All other causes	3,992	319	303	332	338	347	351	300	307	322	344	346	383
	BALTIMORE, MD.													
	All causes	10,407	1,002	850	1,006	944	877	720	949	849	744	811	807	848
1	Typhoid fever	156	11	3	5	8	7	8	4	27	29	27	19	8
3	Malaria	3									1	2		
5	Measles	81	6	9	22	19	11	3	9				2	
6	Scarlet fever	44	8	5	8	4	6	3			3	1	2	4
7	Whooping cough	46	1	4	2	5	7	5	5	4	5	2	3	3
8	Diphtheria and croup	68	7	9	8	1	3	7	2	2	7	6	7	9
9	Influenza	73	18	22	10	14	1	1			1	2	1	3
13	Tuberculosis of the lungs	1,198	101	110	118	118	115	106	87	73	86	91	93	100
14–15	Other forms of tuberculosis	196	23	13	24	15	20	18	13	23	12	13	7	15
17	Meningitis	102	8	5	11	8	12	16	8	9	9	6	6	4
20–21	Bronchitis	163	31	22	12	16	17	12	9	4	6	10	8	16
22	Pneumonia	728	126	61	103	86	73	29	23	23	23	45	65	71
(23)	Bronchopneumonia	392	53	40	62	51	34	19	16	17	15	20	24	41
25	Diarrhea and enteritis (under 2 years)	588	22	13	13	14	33	30	199	124	83	36	16	5
(37)	Diarrhea and enteritis (2 years and over)	80	5	3	2	2	3	7	19	12	9	7	5	6
(33)	Congenital debility [1]	379	20	23	40	32	20	30	46	40	36	28	30	34
35	Violent deaths (excluding suicide)	450	35	31	38	37	38	30	64	43	27	32	41	34
36	Suicide	101	13	10	5	12	8	11	8	7	9	6	8	4
	All other causes	5,559	514	467	523	502	469	385	437	441	383	477	470	491
	BOSTON, MASS.													
	All causes	11,765	1,068	1,024	1,141	1,063	1,053	784	1,277	902	880	848	791	934
1	Typhoid fever	60	2	3	5	3	3	3	4	6	11	8	10	2
3	Malaria	3								1	1		1	
5	Measles	71	6	4	3	7	14	12	5	3	6	2	5	4
6	Scarlet fever	77	7	12	17	11	10	5	4	1	2	1	5	2
7	Whooping cough	102	11	17	13	11	18	7	5	6	2	4	5	3
8	Diphtheria and croup	136	12	12	19	21	11	8	14	3	6	6	8	16
9	Influenza	32	3	5	8	5	5					3		3
13	Tuberculosis of the lungs	1,051	103	91	112	113	87	83	74	68	72	85	71	92
14–15	Other forms of tuberculosis	205	19	22	18	19	22	19	18	15	13	12	13	15
17	Meningitis	84	8	7	10	8	12	4	11	6	3	8	4	3
20–21	Bronchitis	140	19	16	17	19	11	9	5	3	11	7	13	10
22	Pneumonia	1,005	111	140	112	114	113	57	52	35	48	60	62	101
(23)	Bronchopneumonia	422	41	67	55	31	43	23	30	19	25	15	36	37

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
	BOSTON, MASS.—continued.													
25	Diarrhea and enteritis (under 2 years)	733	24	13	32	55	36	25	141	190	120	56	21	20
(37)	Diarrhea and enteritis (2 years and over)	66	3		8	5	6	3	12	14	6	3	2	4
(33)	Congenital debility [1]	100	5	10	10	9	8	7	11	5	15	5	4	11
35	Violent deaths (excluding suicide)	863	50	66	60	47	70	43	269	52	58	51	47	50
36	Suicide	128	11	4	8	7	20	10	7	10	11	13	12	15
	All other causes	6,487	633	535	634	578	564	466	615	465	470	509	472	546
	DETROIT, MICH.													
	All causes	7,110	679	574	658	647	654	475	649	589	526	547	525	587
1	Typhoid fever	78	4	6	2	5	5	4	12	10	9	10	5	6
3	Malaria	3					1			1		1		
5	Measels	46		3	5	3	8	6	9	1	2	1	3	5
6	Scarlet fever	64	5	7	5	8	13	3	3	5	6	5	2	2
7	Whooping cough	27	1	1	6	4		2	1		2	4	2	4
8	Diphtheria and croup	167	20	11	13	16	9	7	3	8	19	19	27	15
9	Influenza	20	6	5	1	4	1				1	1	1	
13	Tuberculosis of the lungs	487	40	42	54	49	52	38	41	31	31	30	40	39
14-15	Other forms of tuberculosis	75	8	1	9	8	6	7	6	5	6	4	9	6
17	Meningitis	109	6	9	13	10	9	8	11	10	8	7	8	10
20-21	Bronchitis	143	24	16	18	10	9	3	4	6	4	10	18	21
22	Pneumonia	377	54	53	56	50	31	20	8	10	13	23	18	41
(23)	Bronchopneumonia	317	49	48	46	28	36	8	5	10	8	22	28	29
25	Diarrhea and enteritis (under 2 years)	486	16	12	11	12	31	32	118	117	75	37	16	9
(37)	Diarrhea and enteritis (2 years and over)	44	1	1	1	2	5	1	7	7	7	3	5	4
(33)	Congenital debility [1]	307	31	24	20	18	16	21	39	37	47	21	16	17
35	Violent deaths (excluding suicide)	435	32	24	29	32	36	37	67	40	25	44	37	32
36	Suicide	100	7	9	14	12	11	9	9	2	10	8	2	7
	All other causes	3,825	375	302	355	376	375	269	306	289	253	297	288	340
	MINNEAPOLIS, MINN.													
	All causes	3,572	379	289	328	356	332	261	274	251	239	257	301	305
1	Typhoid fever	37	1	2	5	1	1	1		2	2	5	12	5
3	Malaria	1												1
5	Measles	4			1	1	1	1						
6	Scarlet fever	19	2	4	3		2	1	2		1	1	1	2
7	Whooping cough	48	3	6	5	11	9	3	4	2	2	2		1
8	Diphtheria and croup	74	3	4	8	11	14	2	3	6	4	8	5	6
9	Influenza	7	1	4		1								1
13	Tuberculosis of the lungs	416	41	34	40	35	37	39	26	29	39	26	39	31
14-15	Other forms of tuberculosis	64	6	2	7	3	9	10	7	3	2	2	5	8
17	Meningitis	24	2	1	2	2	2	3	2	4	3	1		2
20-21	Bronchitis	33	11	6	4		3			1	1	2	2	3
22	Pneumonia	189	51	21	17	25	14	4	6	6	3	5	18	19
(23)	Bronchopneumonia	164	29	22	16	26	20	3	7	3	4	7	13	14
25	Diarrhea and enteritis (under 2 years)	137	5	7	9	7	5	8	26	37	13	7	6	7
(37)	Diarrhea and enteritis (2 years and over)	22			2		1	2	5	5	4		1	2
(33)	Congenital debility [1]	30	2	2	2	3	1	4	3	4		3		6
35	Violent deaths (excluding suicide)	214	17	15	13	30	20	15	28	10	15	24	15	12
36	Suicide	63	8	4	5	6	9	4	3	2	4	6	4	8
	All other causes	2,026	197	155	189	194	184	161	152	137	142	158	180	177
	ST. LOUIS, MO.													
	All causes	10,765	1,176	897	976	925	912	849	980	839	730	724	891	866
1	Typhoid fever	113	5	4	6	3	4	8	18	23	14	11	13	4
3	Malaria	38		4	3	2	2	2	4	5	9	5	2	
5	Measles	114	23	22	30	21	11	1	5	1				
6	Scarlet fever	194	18	27	24	36	39	21	6	10	2	2	6	3
7	Whooping cough	28	1			4	2	2	1	9	5		3	1
8	Diphtheria and croup	123	11	12	18	12	20	9	5	4	6	10	9	7
9	Influenza	113	39	19	18	9	2		1	2	2	2	11	8
13	Tuberculosis of the lungs	955	93	84	96	87	90	81	72	64	59	65	71	93
14-15	Other forms of tuberculosis	152	12	8	17	20	24	12	8	13	9	6	12	11
17	Meningitis	67	6	6	11	2	8	5	5	4	8	2	5	5
20-21	Bronchitis	219	38	27	29	28	14	7	11	7	8	11	20	19
22	Pneumonia	698	133	71	84	58	53	22	19	35	22	38	79	84
(23)	Bronchopneumonia	341	60	32	49	39	37	13	11	13	13	15	37	22
25	Diarrhea and enteritis (under 2 years)	611	34	18	27	23	28	103	141	88	60	48	30	11
(37)	Diarrhea and enteritis (2 years and over)	128	5	6	5	10	16	16	27	17	5	5	6	10
(33)	Congenital debility [1]	116	12	13	4	8	4	11	20	21	8	2	6	7
35	Violent deaths (excluding suicide)	683	45	47	53	69	63	64	94	53	43	42	58	52
36	Suicide	264	32	15	20	20	22	18	23	34	18	16	21	25
	All other causes	5,808	609	482	482	474	473	454	509	436	439	444	502	504

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
	JERSEY CITY, N. J.													
	All causes	4,381	403	364	432	426	334	293	457	343	335	337	297	360
1	Typhoid fever	20	1			1		3	1	5	3	2	1	3
3	Malaria	3				1		1						1
5	Measles	42	7	10	9	5	8	1				2		
6	Scarlet fever	32	3	3	2	4	2	5	8	2	1		1	1
7	Whooping cough	31	4	2	5	8	3		3	1	1	2		2
8	Diphtheria and croup	58	8	8	8	3	5	3	2	3	6	4	5	3
9	Influenza	16	5	4	2	2	1					1		1
13	Tuberculosis of the lungs	460	37	48	39	49	47	32	41	30	30	38	26	43
14–15	Other forms of tuberculosis	64	2	7	6	6	5	5	8	10	3	5	4	3
17	Meningitis	63	2	3	7	5	8	8	10	5	6	5	1	3
20–21	Bronchitis	62	7	7	8	6	6	5	2	2	4	6	3	6
22	Pneumonia	343	37	40	59	59	20	11	10	12	17	14	26	38
(23)	Bronchopneumonia	207	31	21	25	21	15	10	10	12	7	13	13	29
25	Diarrhea and enteritis (under 2 years)	303	10	3	10	5	6	21	99	60	39	32	12	6
(37)	Diarrhea and enteritis (2 years and over)	34	1	1	1	3	2		6	5	7	4	3	1
(33)	Congenital debility [1]	92	3	5	6	3	2	8	11	17	14	7	7	9
35	Violent deaths (excluding suicide)	312	28	25	21	27	22	21	34	24	27	27	23	33
36	Suicide	36	3	5	1	3	5	1	3	3	3	3	4	2
	All other causes	2,203	214	172	223	215	177	158	209	152	167	172	168	176
	NEWARK, N. J.													
	All causes	5,395	500	426	504	480	444	359	580	453	381	405	407	456
1	Typhoid fever	38	1	3		2	2	2	4	4	6	7	3	4
3	Malaria	2				1						1		
5	Measles	25		3	1	2	3	4	5	3	1			3
6	Scarlet fever	24	5	1	6	1	7	3	1					
7	Whooping cough	44	4	1	7	3	5	1	5	8	5	1	1	3
8	Diphtheria and croup	57	5	6	4	6	7	2	5	1	5	6	6	4
9	Influenza	33	17	3	5	3	1	1		1			1	1
13	Tuberculosis of the lungs	653	76	58	69	71	58	49	51	36	36	41	50	58
14–15	Other forms of tuberculosis	99	5	5	11	14	9	9	6	8	11	6	9	6
17	Meningitis	45	3	5	3	6	2	5	4	2	4	3	5	3
20–21	Bronchitis	85	6	10	11	12	3	6	3	1	3	5	9	16
22	Pneumonia	341	50	40	53	48	26	15	7	13	8	22	24	35
(23)	Bronchopneumonia	224	27	17	34	26	24	6	9	14	12	12	10	33
25	Diarrhea and enteritis (under 2 years)	428	6	9	18	10	15	18	124	100	63	37	20	8
(37)	Diarrhea and enteritis (2 years and over)	40	1	1	1	2	3	3	13	10	2	4		
(33)	Congenital debility [1]	117	6	8	7	9	5	6	6	17	22	13	7	11
35	Violent deaths (excluding suicide)	329	27	16	20	29	14	22	99	24	20	20	21	17
36	Suicide	72	7	2	8	15	5	5	12	4	4	4	3	3
	All other causes	2,739	254	238	246	220	255	202	226	207	179	223	238	251
	BUFFALO, N. Y.													
	All causes	6,294	566	529	618	592	569	506	510	480	463	486	476	499
1	Typhoid fever	109	6	12	12	7	7	4	11	15	13	7	12	3
3	Malaria	1								1				
5	Measles	8		1	3		1	1	2					
6	Scarlet fever	78	10	6	17	7	7	3	2	2	5	14	4	1
7	Whooping cough	39	5	3	7	4	3	5	2	3	3	1	1	2
8	Diphtheria and croup	109	20	13	11	12	12	6	5	7	11	1	8	3
9	Influenza	24	2	8	4	4	2	1						3
13	Tuberculosis of the lungs	530	49	40	56	44	56	41	40	40	40	41	43	40
14–15	Other forms of tuberculosis	87	6	8	7	5	11	16	5	7	6	8	4	4
17	Meningitis	25		3	2	4	2	2		1	3	3	4	1
20–21	Bronchitis	72	12	7	8	9	7	2	6	3	3	2	6	7
22	Pneumonia	359	46	33	46	49	42	20	16	11	12	16	30	38
(23)	Bronchopneumonia	283	30	33	31	54	31	11	13	8	8	20	17	27
25	Diarrhea and enteritis (under 2 years)	473	21	31	25	30	29	59	74	75	61	31	21	16
(37)	Diarrhea and enteritis (2 years and over)	59	7	3	4	2	5	3	4	8	9	5	4	5
(33)	Congenital debility [1]	25	3	1	4		1	1	3	3	2	2	3	2
35	Violent deaths (excluding suicide)	381	30	28	23	26	38	35	44	32	23	36	35	31
36	Suicide	50	5	4	3	5	4	7	4	3	4	4	4	3
	All other causes	3,582	314	295	355	330	311	289	279	261	260	295	280	313
	NEW YORK, N. Y.													
	All causes	75,329	6,882	6,548	7,480	7,159	6,576	5,298	6,798	5,908	5,343	5,556	5,616	6,165
1	Typhoid fever	538	28	21	23	18	26	32	55	85	80	65	57	48
3	Malaria	33	1	1	7	3	3		6	2	5	4		1
5	Measles	655	38	57	73	80	119	105	75	36	16	10	11	35
6	Scarlet fever	747	65	86	126	148	135	73	36	12	10	8	14	34
7	Whooping cough	372	27	31	31	36	41	34	45	45	37	24	10	11
8	Diphtheria and croup	1,270	130	126	150	147	159	86	84	73	52	75	85	103
9	Influenza	343	105	65	60	35	22	4	2		6	10	13	21
13	Tuberculosis of the lungs	8,967	819	815	839	863	822	678	692	690	652	685	687	725
14–15	Other forms of tuberculosis	1,298	97	114	128	114	143	127	123	104	88	96	83	81
17	Meningitis	474	43	42	60	36	39	45	43	48	40	34	20	24
20–21	Bronchitis	1,141	142	134	130	128	91	62	51	49	45	73	100	136
22	Pneumonia	5,734	771	681	803	769	506	260	238	173	204	322	424	583
(23)	Bronchopneumonia	4,656	469	485	640	568	465	292	245	234	226	275	353	404

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y.—continued.													
25	Diarrhea and enteritis (under 2 years)	4,590	172	193	276	245	251	259	826	986	650	390	172	170
(37)	Diarrhea and enteritis (2 years and over)	505	32	23	25	34	27	33	101	84	55	39	24	28
(33)	Congenital debility[1]	1,565	115	97	89	78	64	120	190	200	196	181	114	121
35	Violent deaths (excluding suicide)	4,177	286	247	407	259	332	300	804	335	305	292	294	316
36	Suicide	833	65	65	74	87	86	76	68	57	48	68	68	71
	All other causes	37,431	3,477	3,265	3,539	3,511	3,245	2,712	3,114	2,695	2,628	2,905	3,087	3,253
	NEW YORK, N. Y. (BRONX BOROUGH).													
	All causes	6,251	528	528	633	580	561	425	585	516	480	460	435	520
1	Typhoid fever	37	.....	2	2	1	.....	3	3	9	7	4	4	2
3	Malaria	2	.....	.....	1	.....	.....	.....	.....	.....	1	.....	.....	.....
5	Measles	54	2	.....	3	6	15	8	7	6	4	.....	1	2
6	Scarlet fever	59	3	8	17	8	9	3	3	1	3	1	1	2
7	Whooping cough	37	2	1	6	4	4	3	3	6	6	1	.....	1
8	Diphtheria and croup	120	13	9	7	8	19	12	5	10	5	9	13	10
9	Influenza	32	10	8	6	2	.....	.....	.....	.....	.....	.....	2	4
13	Tuberculosis of the lungs	793	64	72	90	74	85	54	59	60	77	58	49	51
14–15	Other forms of tuberculosis	114	9	13	7	9	12	15	11	10	8	11	6	3
17	Meningitis	45	4	2	4	1	3	6	4	7	6	1	4	3
20–21	Bronchitis	61	11	4	4	7	6	.....	2	6	.....	9	4	8
22	Pneumonia	475	66	52	79	62	45	12	16	12	16	29	43	43
(23)	Bronchopneumonia	268	27	25	34	35	17	16	16	17	15	20	17	29
25	Diarrhea and enteritis (under 2 years)	352	15	16	22	15	21	16	75	77	40	30	7	18
(37)	Diarrhea and enteritis (2 years and over)	45	6	4	7	4	.....	3	9	5	1	3	2	1
(33)	Congenital debility[1]	121	5	5	9	6	8	5	13	19	11	15	9	16
35	Violent deaths (excluding suicide)	334	23	23	18	29	29	22	60	31	34	26	14	25
36	Suicide	67	1	2	5	5	6	5	10	5	5	10	7	6
	All other causes	3,235	267	282	312	304	282	242	289	235	241	233	252	296
	NEW YORK, N. Y. (BROOKLYN BOROUGH).													
	All causes	25,174	2,235	2,215	2,409	2,351	2,166	1,792	2,228	1,968	1,823	1,917	1,958	2,112
1	Typhoid fever	219	13	13	13	8	11	9	18	30	25	26	28	25
3	Malaria	16	1	1	2	2	1	.....	4	2	1	1	.....	1
5	Measles	129	12	18	14	24	20	14	10	6	2	2	1	6
6	Scarlet fever	291	36	40	44	50	53	26	13	3	.....	3	3	20
7	Whooping cough	86	6	6	5	7	8	6	14	12	6	6	5	5
8	Diphtheria and croup	391	35	35	45	48	45	15	29	25	23	27	26	38
9	Influenza	153	49	33	26	13	10	2	1	.....	1	2	8	8
13	Tuberculosis of the lungs	2,724	238	234	240	247	245	231	227	213	194	210	209	236
14–15	Other forms of tuberculosis	401	31	36	35	33	44	39	39	33	25	35	26	25
17	Meningitis	123	7	9	15	12	8	13	11	14	9	14	3	8
20–21	Bronchitis	583	75	72	64	72	42	31	22	20	26	41	48	70
22	Pneumonia	1,926	252	229	252	258	157	88	92	55	75	104	149	215
(23)	Bronchopneumonia	1,577	141	170	207	186	138	97	81	72	80	99	142	164
25	Diarrhea and enteritis (under 2 years)	1,685	53	60	64	67	67	100	335	357	290	168	68	56
(37)	Diarrhea and enteritis (2 years and over)	198	11	6	9	9	12	15	37	36	26	17	11	9
(33)	Congenital debility[1]	174	15	12	10	8	10	17	16	14	30	13	17	12
35	Violent deaths (excluding suicide)	1,225	71	80	88	74	108	102	220	110	88	82	104	98
36	Suicide	252	24	21	20	27	27	27	23	14	19	16	11	23
	All other causes	13,021	1,165	1,140	1,256	1,206	1,160	960	1,036	952	903	1,051	1,099	1,093
	NEW YORK, N. Y. (MANHATTAN BOROUGH).													
	All causes	38,236	3,558	3,350	3,960	3,741	3,391	2,676	3,398	2,915	2,600	2,750	2,812	3,085
1	Typhoid fever	246	14	5	6	8	13	20	31	42	41	27	23	16
3	Malaria	12	.....	.....	2	1	1	.....	2	.....	3	3	.....	.....
5	Measles	436	24	39	54	50	79	65	48	23	10	8	9	27
6	Scarlet fever	354	23	38	58	83	64	37	17	5	4	4	9	12
7	Whooping cough	204	15	20	15	20	26	23	21	17	24	16	3	4
8	Diphtheria and croup	673	76	76	93	87	90	46	45	32	16	31	37	44
9	Influenza	127	34	23	22	19	7	2	1	.....	3	8	1	7
13	Tuberculosis of the lungs	4,859	465	445	461	494	438	356	358	372	332	374	384	380
14–15	Other forms of tuberculosis	713	51	61	79	67	84	69	64	53	51	42	44	48
17	Meningitis	264	28	26	36	20	26	23	23	23	17	18	12	12
20–21	Bronchitis	431	40	51	57	43	38	29	24	21	18	18	44	48
22	Pneumonia	2,953	396	354	421	395	274	151	112	92	104	166	207	281
(23)	Bronchopneumonia	2,541	260	260	366	315	293	162	132	132	115	145	174	187
25	Diarrhea and enteritis (under 2 years)	2,166	97	105	174	151	153	124	319	458	257	158	87	83
(37)	Diarrhea and enteritis (2 years and over)	216	12	11	8	18	12	13	47	34	22	12	10	17
(33)	Congenital debility[1]	1,170	87	76	66	57	41	90	150	151	142	140	83	87
35	Violent deaths (excluding suicide)	2,320	171	133	290	136	176	152	451	165	163	149	156	178
36	Suicide	443	34	40	45	51	43	38	29	30	20	33	44	36
	All other causes	18,108	1,731	1,587	1,707	1,726	1,533	1,276	1,524	1,265	1,258	1,398	1,485	1,618

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
	NEW YORK, N. Y. (QUEENS BOROUGH).													
	All causes	4,182	387	350	362	375	341	292	426	380	333	305	298	333
1	Typhoid fever	27	1	1	1	1	1		3	2	5	6	1	5
3	Malaria	3			2		1							
5	Measles	11			1		1	3	5	1				
6	Scarlet fever	32	3		7	6	6	2	1	3	3		1	
7	Whooping cough	25	1	3	1	2	2	2	6	4	1		2	1
8	Diphtheria and croup	65	3	6	4	4	5	12	3	4	6	4	4	10
9	Influenza	18	8	1	5		2						1	1
13	Tuberculosis of the lungs	437	38	48	32	36	44	27	34	34	38	33	34	39
14–15	Other forms of tuberculosis	51	2	4	5	4	3	3	6	8	3	6	2	5
17	Meningitis	27	4	4		1	2	3	4	2	5		1	1
20–21	Bronchitis	61	15	6	4	6	5	2	3	1	1	5	4	9
22	Pneumonia	269	35	36	36	39	20	7	15	10	5	17	16	33
(23)	Bronchopneumonia	203	26	28	25	28	13	14	11	8	11	11	11	17
25	Diarrhea and enteritis (under 2 years)	299	7	7	14	11	7	13	77	78	45	23	6	11
(37)	Diarrhea and enteritis (2 years and over)	36	2	2	1	2	3	1	7	6	4	6	1	1
(33)	Congenital debility[1]	85	4	4	4	7	4	8	11	12	11	10	4	6
35	Violent deaths (excluding suicide)	217	14	8	9	16	14	13	47	27	15	27	14	13
36	Suicide	61	5	2	3	3	8	6	6	8	3	7	4	6
	All other causes	2,255	219	190	208	209	200	176	187	172	177	150	192	175
	NEW YORK, N. Y. (RICHMOND BOROUGH).													
	All causes	1,486	174	105	116	112	117	113	161	129	107	124	113	115
1	Typhoid fever	9			1		1			2	2	2	1	
3	Malaria													
5	Measles	25			1		4	15	5					
6	Scarlet fever	11				1	3	5	2					
7	Whooping cough	20	3	1	4	3	1		1	6		1		
8	Diphtheria and croup	21	3		1			1	2	2	2	4	5	1
9	Influenza	13	4		1	1	3				2		1	1
13	Tuberculosis of the lungs[2]	154	14	16	16	12	10	10	14	11	11	10	11	19
14–15	Other forms of tuberculosis	19	4		2	1		1	3		1	2	5	
17	Meningitis	15		1	5	2			1	2	3	1		
20–21	Bronchitis	5	1	1	1					1				1
22	Pneumonia	111	22	10	15	15	10	2	3	4	4	6	9	11
(23)	Bronchopneumonia	67	15	2	8	4	4	3	5	5	5		9	7
25	Diarrhea and enteritis (under 2 years)	88		5	2	1	3	6	20	16	18	11	4	2
(37)	Diarrhea and enteritis (2 years and over)	10	1			1		1	1	3	2	1		
(33)	Congenital debility[1]	15	4				1			4	2	3	1	
35	Violent deaths (excluding suicide)	81	7	3	2	4	5	11	26	2	5	8	6	2
36	Suicide	10	1		1	1	2				1	2	2	
	All other causes	812	95	66	56	66	70	58	78	71	49	73	59	71
	CINCINNATI, OHIO.													
	All causes	6,225	576	452	590	558	551	462	531	479	447	515	545	519
1	Typhoid fever	43	3	3	4	1	1	3	6	6	5	3	6	2
3	Malaria	2							1		1			
5	Measles	13	1		1	1	2	3	1	4				
6	Scarlet fever	79	4	6	7	14	11	8	11	5	5	4	3	1
7	Whooping cough	19	1		2	1	7	1	2	2	2	1		
8	Diphtheria and croup	46	5	2	6	4	2	2	1	4	4	9	3	4
9	Influenza	55	5	8	19	11	3			1	1	1	1	5
13	Tuberculosis of the lungs	896	92	62	82	88	93	82	68	71	52	68	70	68
14–15	Other forms of tuberculosis	107	10	9	8	13	11	9	9	6	10	13	3	6
17	Meningitis	40	3	3	4	2	5		5	2	7	5	3	1
20–21	Bronchitis	141	20	15	16	16	9	6	4	4	12	11	15	13
22	Pneumonia	265	42	23	32	30	28	8	7	9	8	17	37	24
(23)	Bronchopneumonia	211	25	19	31	22	15	6	10	3	15	16	21	28
25	Diarrhea and enteritis (under 2 years)	243	8	6	13	11	18	24	46	36	29	21	18	13
(37)	Diarrhea and enteritis (2 years and over)	66	4	2	4	6	6	6	12	5	9	5	5	2
(33)	Congenital debility[1]	28	4	1	5	1		5	5	2	1		2	2
35	Violent deaths (excluding suicide)	427	43	13	19	27	41	38	68	41	46	24	34	33
36	Suicide	77	6	4	7	9	7	8	8	4	6	5	6	7
	All other causes	3,467	300	276	330	301	292	253	267	274	234	312	318	310
	CLEVELAND, OHIO.													
	All causes	7,999	730	674	721	722	666	584	751	640	617	641	630	623
1	Typhoid fever	82	8	3	4	9	5	8	3	7	18	8	7	2
3	Malaria	3		1		1						1		
5	Measles	40	1	4	4	11	7		1	1	6			5
6	Scarlet fever	191	18	16	25	20	23	21	19	10	7	17	7	8
7	Whooping cough	85	6	9	17	16	6	8	5	7	4	1	4	2
8	Diphtheria and croup	129	6	9	11	9	5	11	10	10	8	17	16	17

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.													
	CLEVELAND, OHIO—continued.													
9	Influenza	62	12	12	15	7		1		2	1	3	6	3
13	Tuberculosis of the lungs	751	62	71	63	81	75	60	61	51	60	45	64	58
14–15	Other forms of tuberculosis	103	8	11	9	16	9	10	10	8	8	5	5	4
17	Meningitis	51	7	4	3	6	3	5	6	4	1	3	4	5
20–12	Bronchitis	221	33	37	27	26	13	10	8	9	10	19	14	15
22	Pneumonia	334	47	42	40	45	33	19	10	15	14	19	25	25
(23)	Bronchopneumonia	222	27	20	26	22	18	17	10	8	17	18	21	18
25	Diarrhea and enteritis (under 2 years)	772	35	29	47	43	49	62	170	127	82	61	23	44
(37)	Diarrhea and enteritis (2 years and over)	62	3	3	2	2	6	4	9	17	6	5	3	2
(33)	Congenital debility [1]	51	7	3	4	5	2	6	1	7	5	5	1	5
35	Violent deaths (excluding suicide)	531	34	33	50	34	49	47	49	43	45	60	54	33
36	Suicide	118	5	14	11	13	10	11	8	11	7	3	11	14
	All other causes	4,191	411	353	363	356	353	284	371	303	318	351	365	363
	PHILADELPHIA, PA.													
	All causes	26,276	2,354	2,315	2,666	2,442	2,182	1,817	2,424	1,938	1,820	2,037	2,013	2,268
1	Typhoid fever	230	18	16	17	15	11	10	16	30	29	23	19	26
3	Malaria	11			2	1	1	1			1	4	1	
5	Measles	289	48	45	47	64	49	16	8	2	4	1	1	4
6	Scarlet fever	195	39	30	31	24	21	16	6	6	5	2	5	10
7	Whooping cough	109	10	13	18	9	10	9	10	9	5	1	8	7
8	Diphtheria and croup	491	52	66	68	45	39	22	20	15	18	42	50	54
9	Influenza	183	21	34	55	26	9	3		3	2	4	7	19
13	Tuberculosis of the lungs	3,058	279	275	298	289	255	226	244	243	208	238	233	270
14–15	Other forms of tuberculosis	405	19	40	45	41	46	36	40	30	34	22	24	28
17	Meningitis	102	2	4	14	11	10	13	10	8	4	9	6	11
20–21	Bronchitis	414	44	41	57	51	30	20	19	12	12	26	49	53
22	Pneumonia	1,421	189	183	232	166	110	51	50	38	51	82	101	168
(23)	Bronchopneumonia	1,091	117	126	144	116	97	47	55	45	50	55	66	173
25	Diarrhea and enteritis (under 2 years)	1,864	71	67	62	86	101	163	465	325	238	139	79	68
(37)	Diarrhea and enteritis (2 years and over)	235	15	19	14	9	20	21	25	41	21	24	8	18
(33)	Congenital debility [1]	385	28	17	27	27	28	22	39	48	61	39	32	17
35	Violent deaths (excluding suicide)	1,410	117	107	107	115	93	94	265	110	83	101	106	112
36	Suicide	275	15	27	24	33	33	27	22	21	21	15	24	13
	All other causes	14,108	1,270	1,205	1,404	1,314	1,219	1,020	1,130	952	973	1,210	1,194	1,217
	PITTSBURGH, PA.													
	All causes	8,099	821	717	756	679	659	539	761	630	574	637	650	676
1	Typhoid fever	139	16	15	12	8	4	12	8	11	14	8	19	12
3	Malaria													
5	Measles	51	5	1	8	14	4	7	6	1	3	1	1	
6	Scarlet fever	58	20	11	5	4		2	6	1	3	2	2	2
7	Whooping cough	102	15	13	16	7	15	7	9	11	2	2	3	2
8	Diphtheria and croup	127	8	10	5	7	4	10	10	5	9	25	13	21
9	Influenza	64	12	20	10	5	2	1			1	2	4	7
13	Tuberculosis of the lungs	575	60	65	62	60	59	47	43	31	29	31	41	47
14–15	Other forms of tuberculosis	135	11	8	9	19	14	5	9	17	11	8	16	8
17	Meningitis	52	5	3	3	5	7	4	4	8	3	7	2	1
20–21	Bronchitis	197	33	28	31	24	10	3	11	7	5	10	21	14
22	Pneumonia	596	89	74	76	59	64	19	22	16	25	40	44	68
(23)	Bronchopneumonia	528	80	58	66	64	38	26	25	17	22	29	50	53
25	Diarrhea and enteritis (under 2 years)	707	34	34	34	33	30	31	173	125	91	60	40	22
(37)	Diarrhea and enteritis (2 years and over)	80	7	4	3	6	5	6	18	8	6	7	6	4
(33)	Congenital debility [1]	151	10	8	10	7	8	17	21	18	21	10	11	10
35	Violent deaths (excluding suicide)	578	44	24	45	35	51	58	87	47	40	56	40	51
36	Suicide	103	8	12	10	10	9	12	9	8	3	7	9	6
	All other causes	3,856	364	329	351	312	335	272	300	299	286	332	328	348
	MILWAUKEE, WIS.													
	All causes	4,727	411	390	460	464	448	323	405	390	353	374	366	343
1	Typhoid fever	75	6	4	4	8	6	3	10	8	4	3	15	4
3	Malaria													
5	Measles	28	3	1	6		5	6	4	1				2
6	Scarlet fever	62	5	11	5	5	7	4	3	2	3	3	6	8
7	Whooping cough	9		1	2	1	1		2	1				1
8	Diphtheria and croup	80	8	9	9	6	4	4	3	7	4	12	10	4
9	Influenza	13	1	5	4		2			1				
13	Tuberculosis of the lungs	384	34	24	45	39	46	30	30	24	30	36	18	28
14–15	Other forms of tuberculosis	37	2	3	4	6	3	2	2	3	4	1	3	4
17	Meningitis	53	4	4	2	8	3	6	5	7	1	4	1	8
20–21	Bronchitis	116	14	20	15	18	8	9	5	6	5	5	4	7
22	Pneumonia	246	25	23	35	36	22	9	13	11	14	16	25	17
(23)	Bronchopneumonia	127	14	19	22	20	16	5	3	4	5	2	11	6
25	Diarrhea and enteritis (under 2 years)	391	22	22	31	28	29	25	58	60	45	31	23	17
(37)	Diarrhea and enteritis (2 years and over)	37		2	2	3		4	6	2	8	2	5	3
(33)	Congenital debility [1]	157	11	10	20	11	8	12	15	15	10	14	16	15
35	Violent deaths (excluding suicide)	249	16	9	19	22	30	24	28	16	23	27	19	16
36	Suicide	75	10	5	7	8	11	3	7	3	4	6	7	4
	All other causes	2,588	236	218	228	245	247	177	211	219	193	212	203	99

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910.													
	BIRMINGHAM, ALA.													
	All causes	2,480	204	178	256	208	246	220	233	164	162	205	212	192
1	Typhoid fever	62	1	1	3	3	4	8	15	7	3	6	7	4
3	Malaria	32	2		2	1	1		6	4	5	7	4	
5	Measles	30	1	3	11	7	4	2	1	1				
6	Scarlet fever	2										1		1
7	Whooping cough	28	1		5	7	3	3	5		2		1	1
8	Diphtheria and croup	13			1	1		2		2	2	2	2	1
9	Influenza	12	2	4	2				1			1	2	
13	Tuberculosis of the lungs	306	29	30	42	23	27	19	32	9	20	38	17	20
14–15	Other forms of tuberculosis	10			4				1				2	3
17	Meningitis	18	4	2	2	2	1	1	1	4	1			
20–21	Bronchitis													
22	Pneumonia	140	29	22	25	12	7	7	4	4	7	4	11	8
(23)	Bronchopneumonia	79	3	7	7	9	5	15	5	6	3	7	2	10
25	Diarrhea and enteritis (under 2 years)	185	4	4	9	21	49	40	17	14	7	10	8	2
(37)	Diarrhea and enteritis (2 years and over)	30	4		1	3	7	4	3	1	2	5		
(33)	Congenital debility [1]	40			2	4	5	4	5	4	1	6	6	3
35	Violent deaths (excluding suicide)	207	18	13	25	20	13	15	11	14	11	15	25	27
36	Suicide	17	1	1	1		1	1	4	4	1	1	1	1
	All other causes	1,269	105	91	114	95	119	99	122	90	97	102	124	111
	OAKLAND, CAL.													
	All causes	1,984	200	157	173	170	162	157	149	133	155	158	171	199
1	Typhoid fever	22	3		2		3	1	2	3	1	2	3	2
3	Malaria	2				1		1						
5	Measles	18		1		6	6	3	2					
6	Scarlet fever	2	1	1										
7	Whooping cough	6			1	2			2				1	
8	Diphtheria and croup	11	2		1			1			2	2	1	2
9	Influenza	6	1	1	1	1	1							1
13	Tuberculosis of the lungs	164	21	13	26	10	15	10	14	6	13	9	11	16
14–15	Other forms of tuberculosis	44	4	5	2	4	5	3	5	3	6	4	2	1
17	Meningitis	25	3	3		2	2	3	3		4		1	4
20–21	Bronchitis	21	4	1	3	1	3		2					7
22	Pneumonia	124	17	12	8	14	9	3	6	7	7	13	14	14
(23)	Bronchopneumonia	44	5	2	2	3	4	4	1	2	1	3	6	11
25	Diarrhea and enteritis (under 2 years)	55	2	4	2	4	4	5	5	7	5	5	7	5
(37)	Diarrhea and enteritis (2 years and over)	12	1	1	1			5	1	1		1	1	
(33)	Congenital debility [1]	15	1		2	1		1	1		3	3	2	1
35	Violent deaths (excluding suicide)	126	11	6	10	11	10	12	14	12	8	11	12	9
36	Suicide	55	6	5	5	4	3	8	5	2	6	2	6	3
	All other causes	1,232	118	102	107	106	97	97	86	90	99	103	104	123
	DENVER, COLO.													
	All causes	3,441	385	341	369	277	285	247	248	273	242	225	277	272
1	Typhoid fever	40	1	4	1	3	3	1	7	9	1	8	1	1
3	Malaria	1									1			
5	Measles	47	3	10	16	9	8	1						
6	Scarlet fever	11	1	2	2	2	2	1			1			
7	Whooping cough	12	1	2	1		2	2	2	1				1
8	Diphtheria and croup	37		1	3	1		2		2	6	5	10	7
9	Influenza	16	7	4	2	1			1			1		
13	Tuberculosis of the lungs	600	74	53	59	44	54	42	43	34	38	43	65	51
14–15	Other forms of tuberculosis	50	6	6	5	4	6	3	2	7	5	2	2	2
17	Meningitis	50	9	8	6	2	5	9	1	5	2	1		2
20–21	Bronchitis	42	5	12	3	7	2	1	1	3	1	1	5	1
22	Pneumonia	262	73	41	37	18	10	6	5	6	11	14	25	16
(23)	Bronchopneumonia	75	12	17	11	3	4	2	2	1		5	8	10
25	Diarrhea and enteritis (under 2 years)	92	8	3	5	3	9	8	12	23	7	11	1	2
(37)	Diarrhea and enteritis (2 years and over)	20	3		2	2		6		2	3		1	1
(33)	Congenital debility [1]	49	6	1	4	2	2	4	6	11	2	4	3	4
35	Violent deaths (excluding suicide)	177	9	12	18	16	16	17	13	19	16	7	17	17
36	Suicide	79	5	10	3	7	5	6	2	10	4	8	12	7
	All other causes	1,781	162	155	191	153	157	136	151	140	144	115	127	150
	BRIDGEPORT, CONN.													
	All causes	1 472	148	122	132	128	123	112	166	125	98	96	102	120
1	Typhoid fever	4								2		1		1
3	Malaria	1												1
5	Measles	19			4	4	3	5	3					
6	Scarlet fever	3					1						1	1
7	Whooping cough	8			1	1	1		1			2		1
8	Diphtheria and croup	15	1		1			1	1	2	2	1	2	4
9	Influenza	13	8	1	1	1		1						1
13	Tuberculosis of the lungs	115	12	15	14	15	5	10	8	4	7	5	6	14
14–15	Other forms of tuberculosis	16	2	3	2	1	2	1	1			1	3	
17	Meningitis	14	1		2	2	3	1		2	1	1		1
20–21	Bronchitis	20	5	3	3	3	1			1			2	2

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	BRIDGEPORT, CONN.—continued.													
22	Pneumonia	117	17	11	18	8	16	10	4	3	2	3	10	15
(23)	Bronchopneumonia	35	6	4	8	3	4	1			2	4		3
25	Diarrhea and enteritis (under 2 years)	131	2	4		4	6	16	47	31	11	8	1	1
(37)	Diarrhea and enteritis (2 years and over)	7	1						2	2		2		
(33)	Congenital debility [1]	49	6	4	5	4	4	1	7	5	4	4	3	2
35	Violent deaths (excluding suicide)	95	4	6	5	2	3	8	24	8	10	8	8	9
36	Suicide	24	2		1	3	2	7	2		1	2	2	2
	All other causes	786	81	70	67	77	72	50	66	65	58	54	64	62
	NEW HAVEN, CONN.													
	All causes	2,281	219	191	243	207	179	171	207	192	166	177	168	161
1	Typhoid fever	34		4	1	1	1	1	5	6	6	3	4	2
3	Malaria	4					2	1	1					
5	Measles	3			1	1	1							
6	Scarlet fever	14			3	4	2					1	2	2
7	Whooping cough	18	2	1	2	3		2	1	2	2		2	1
8	Diphtheria and croup	26	4	3	1	2	1	3		2		4	3	3
9	Influenza	29	3	8	9	1	3	1						4
13	Tuberculosis of the lungs	169	19	13	10	19	13	18	15	11	10	17	13	11
14–15	Other forms of tuberculosis	41	5	3	1	1	3	3	6	6	5	3	3	2
17	Meningitis	28	3	1	2	2	1	2	3	5	4		3	2
20–21	Bronchitis	36	4	5	3	4	5	2	1	4	3	3	1	1
22	Pneumonia	218	45	30	39	29	13	9	6	3	10	10	10	14
(23)	Bronchopneumonia	72	7	7	16	14	3	2	5	3	5	5	2	3
25	Diarrhea and enteritis (under 2 years)	96		2		1	3	6	22	32	17	7	3	3
(37)	Diarrhea and enteritis (2 years and over)	16	1	1	2			3	4	2	2			1
(33)	Congenital debility [1]	50	4	2	2	3	5	1	7	3	7	8	6	2
35	Violent deaths (excluding suicide)	123	13	6	6	7	13	11	14	13	10	10	8	12
36	Suicide	23	4	1	1	3	1	1		4	3	3	1	1
	All other causes	1,281	105	104	144	112	109	105	117	96	82	103	107	97
	ATLANTA, GA.													
	All causes	3,172	274	202	265	248	329	308	279	260	227	258	263	259
1	Typhoid fever	106		2	1	1	4	15	17	21	12	17	8	8
3	Malaria	9				1		4		2		1	1	
5	Measles	40	1	3	11	9	6	7		1	1		1	
6	Scarlet fever	7	2	1	2	1		1						
7	Whooping cough	39	3	2	3	4	4	6	6	3	2	3	1	2
8	Diphtheria and croup	24	1	3	1	2	1	1		5	3	2	2	3
9	Influenza	19	2	4	10	2		1						
13	Tuberculosis of the lungs	277	22	20	32	21	17	27	26	24	23	22	21	22
14–15	Other forms of tuberculosis	33	1	8	6	1	3	2	6	2	2	2		
17	Meningitis	19	1		2	1	2	3	3	1	3	2	1	
20–21	Bronchitis	27	3	2	1	1	5	2	4	1	1	2	3	2
22	Pneumonia	315	46	29	35	35	26	10	14	6	12	23	35	44
(23)	Bronchopneumonia	50	6	3	8	6	4	4	3		2	2	7	5
25	Diarrhea and enteritis (under 2 years)	163	5	4	4	7	33	43	15	17	15	12	6	2
(37)	Diarrhea and enteritis (2 years and over)	64	4		1		9	14	10	3	9	7	5	2
(33)	Congenital debility [1]	60	4	2	5	5	9	7	4	5	5	6	3	5
35	Violent deaths (excluding suicide)	185	15	9	8	9	20	23	20	11	9	20	21	20
36	Suicide	21	5	1	1	1	3	1	1	3		1	2	2
	All other causes	1,714	153	109	134	141	183	137	150	155	128	136	146	142
	INDIANAPOLIS, IND.													
	All causes	3,530	311	302	328	322	287	257	308	292	252	288	276	307
1	Typhoid fever	62	6		2	4	2	2	9	12	9	9	2	5
3	Malaria	7	1			1		1		1	2		1	
5	Measles	3				1	1							1
6	Scarlet fever	9		4	1	2		1			1			
7	Whooping cough	18	1	2	4	1	3		3	3		1		
8	Diphtheria and croup	41	1	2		2	1	2	2	2	6	15	5	3
9	Influenza	23	5	4	4	1	3					1	1	4
13	Tuberculosis of the lungs	370	21	29	34	32	37	43	25	38	23	30	28	30
14–15	Other forms of tuberculosis	83	6	5	6	4	11	8	8	6	9	11	5	4
17	Meningitis	28	4	2	4	4	4	5	2	1	2			
20–21	Bronchitis	31	4	2	3	3	7	2	1		3	1	4	1
22	Pneumonia	157	30	24	25	19	10	5	3	4	7	9	11	10
(23)	Bronchopneumonia	107	14	10	18	17	4	4	3	7	5	8	6	11
25	Diarrhea and enteritis (under 2 years)	136	1	6	6	5	2	6	36	30	20	17	3	4
(37)	Diarrhea and enteritis (2 years and over)	44	1	3	3	4	2	5	2	7	5	6	2	4
(33)	Congenital debility [1]	16			2			3	1	4	2	3		1
35	Violent deaths (excluding suicide)	201	18	10	14	15	15	18	17	25	12	14	15	28
36	Suicide	70	6	7	6	4	6	3	10	10	5	6	2	5
	All other causes	2,124	192	192	196	203	179	149	186	142	141	157	191	196

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	LOUISVILLE, KY.													
	All causes	3,661	312	291	345	331	328	301	321	292	269	298	303	270
1	Typhoid fever	54	2		4	3	2	9	5	10	4	6	3	6
3	Malaria	12	2	1		1		2	2		1	1	2	
5	Measles	58	2	8	20	17	6	2	2		1			
6	Scarlet fever	8	1	1			2					1	3	
7	Whooping cough	17	3	1	1	1	3	2	1	2	1	1	1	
8	Diphtheria and croup	27	7	1	4	4	2			2	1	2	2	2
9	Influenza	30	3	3	3	6	7			1			4	3
13	Tuberculosis of the lungs	479	51	40	52	58	40	48	44	28	30	31	27	30
14–15	Other forms of tuberculosis	58	2	4	14	2	6	8	4	3	5	3	2	5
17	Meningitis	50	1	4	10	2	4	5	5	8	3	4	4	
20–21	Bronchitis	61	5	9	12	6	5		2	1	4	4	5	8
22	Pneumonia	228	30	17	28	36	20	7	8	10	9	13	25	25
(23)	Bronchopneumonia	57	5	8	7	14	5	1	2	3		1	8	3
25	Diarrhea and enteritis (under 2 years)	85	1	4	1	2	3	15	25	16	11	5	2	
(37)	Diarrhea and enteritis (2 years and over)	48	6	4	3	2	4	4	3	3	5	4	5	5
(33)	Congenital debility[1]	120	3	9	4	7	6	8	18	17	13	17	12	6
35	Violent deaths (excluding suicide)	243	17	15	17	19	19	25	27	13	28	21	22	20
36	Suicide	38	1	4	2	6	7	3		6	3	1	2	3
	All other causes	1,988	170	158	163	145	187	162	173	169	150	183	174	154
	CAMBRIDGE, MASS.													
	All causes	1,617	129	148	168	159	155	105	171	110	95	116	141	120
1	Typhoid fever	3			1						1	1		
3	Malaria	1									1			
5	Measles	10	1	1	1	3	3							1
6	Scarlet fever	3			2		1							
7	Whooping cough	24		1	2	4	4	3	5	3			1	1
8	Diphtheria and croup	42	3	6	1	4	4	9	1	3	3	1	6	1
9	Influenza	8	1	4	1	2								
13	Tuberculosis of the lungs	178	24	12	25	13	14	7	16	14	12	15	14	12
14–15	Other forms of tuberculosis	29	3	2	3	3	1	2	7		2	2	2	2
17	Meningitis	7				1	2	1	1			1		1
20–21	Bronchitis	26	1	4	5	2	3	1	2	2	1	3	2	
22	Pneumonia	126	14	20	18	17	16	3	6	3	4	4	9	12
(23)	Bronchopneumonia	37	4	4	7	2	6	1	1	4		2	3	3
25	Diarrhea and enteritis (under 2 years)	92	2	2	3	5	1	2	23	24	12	11	4	3
(37)	Diarrhea and enteritis (2 years and over)	9	1	1	1		1	1	3				1	
(33)	Congenital debility[1]	11		1	1	1				1	4	2	1	
35	Violent deaths (excluding suicide)	94	5	6	13	3	7	3	26	6	8	7	5	5
36	Suicide	6				2		1				2	1	
	All other causes	911	70	84	84	97	92	71	80	50	47	65	92	79
	FALL RIVER, MASS.													
	All causes	2,134	176	182	209	196	176	135	272	203	200	134	140	111
1	Typhoid fever	18	1		1		2	1	1	2	5	2	2	1
3	Malaria													
5	Measles	46	2	3	9	14	9	4	1	2	1		1	
6	Scarlet fever	2				1				1				
7	Whooping cough	22	3	1	4	5	2	1		3	1	1		1
8	Diphtheria and croup	27	8	1	3	3	1		1	3	2	1	1	3
9	Influenza	2	1				1							
13	Tuberculosis of the lungs	167	13	23	18	16	18	10	8	18	13	12	8	10
14–15	Other forms of tuberculosis	18	2	3	2			3	3	1	1	1		2
17	Meningitis	22	3	1	1		6	2	2	1	1	2		3
20–21	Bronchitis	65	9	12	7	12	6	5	3	1	2	3	2	3
22	Pneumonia	140	14	15	23	20	22	8	6		6	7	8	11
(23)	Bronchopneumonia	97	8	12	24	19	11	4	4	4	6		3	2
25	Diarrhea and enteritis (under 2 years)	391	12	7	10	9	10	26	138	88	54	21	13	3
(37)	Diarrhea and enteritis (2 years and over)	29	1	2	2	2	1	3	7	5	1	1	1	3
(33)	Congenital debility[1]	56	4	7	1	4	6	2	7	5	6	8	3	3
35	Violent deaths (excluding suicide)	57	2	6	4	6	4	4	8	5	3	3	6	6
36	Suicide	22	1	2	3	1		2	3		3	2	3	2
	All other causes	953	92	87	97	84	77	60	80	64	95	70	89	58
	LOWELL, MASS.													
	All causes	1,925	166	141	175	144	146	127	303	154	121	145	138	165
1	Typhoid fever	8		1	1					1		2	2	1
3	Malaria													
5	Measles	13									2		2	9
6	Scarlet fever	5						1			1		2	1
7	Whooping cough	17		3	2	2	2			2	1	1	2	2
8	Diphtheria and croup	17	2	2	3	1	1					1	2	5
9	Influenza	4		1	3									
13	Tuberculosis of the lungs	125	8	10	11	14	14	7	15	12	5	8	12	9
14–15	Other forms of tuberculosis	42	4	2	3	6	1	5	7	3	1	6	1	3
17	Meningitis	26	1	1	4	1	2	4	2	1	2	4	2	2
20–21	Bronchitis	61	9	6	10	5	2	1	3	4	3	2	4	12

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	LOWELL, MASS.—continued.													
22	Pneumonia	118	19	16	19	12	10	3	2	2	5	10	8	12
(23)	Bronchopneumonia	43	10	5	6	3	1	2	2	1	1	1	5	6
25	Diarrhea and enteritis (under 2 years)	220	4	2	13	4	7	16	92	41	19	12	5	5
(37)	Diarrhea and enteritis (2 years and over)	23	2	1		2	1		8	5	1	1		2
(33)	Congenital debility[1]	70	7	2	6	8	7	2	8	6	9	7	5	3
35	Violent deaths (excluding suicide)	127	10	3	3	5	2	7	60	9	8	7	9	4
36	Suicide	22		1	2	5		4		1	2		5	2
	All other causes	984	90	85	89	76	96	75	104	66	61	83	72	87
	WORCESTER, MASS.													
	All causes	2,362	221	195	236	194	200	181	239	181	186	188	172	169
1	Typhoid fever	9	1							1	4	3		
3	Malaria													
5	Measles	5			3		1				1			
6	Scarlet fever	13	1		2	2	2	2		1	3			
7	Whooping cough	11	2	1		1	3	1			1		1	1
8	Diphtheria and croup	36	2	4	1	1	5	2	2	5	2	6	3	3
9	Influenza	9		4	1	1	1						1	1
13	Tuberculosis of the lungs	173	18	23	20	7	14	16	16	11	11	10	17	10
14–15	Other forms of tuberculosis	38	2	4	6	4	2	3	1	4	3	3	3	3
17	Meningitis	13	1	2	2	4			1	1				2
20–21	Bronchitis	43	7	3	6	5	6	4	2	1	3	2	2	2
22	Pneumonia	167	22	16	23	27	20	11	9	3	8	8	9	11
(23)	Bronchopneumonia	80	12	9	11	6	4	3	7	4	5	3	9	7
25	Diarrhea and enteritis (under 2 years)	120	2	5	2	6	4	8	30	27	22	7	4	3
(37)	Diarrhea and enteritis (2 years and over)	25	1		2	1	2	4	3	2	4	2	2	2
(33)	Congenital debility[1]	51	5	3	6	3	2	3	4	6	9	4	1	5
35	Violent deaths (excluding suicide)	139	7	7	11	9	3	9	37	14	8	9	15	10
36	Suicide	20	3	2		3	2	3	3		2	1	1	
	All other causes	1,410	135	112	140	114	129	112	124	101	100	130	104	109
	GRAND RAPIDS, MICH.													
	All causes	1,580	147	159	178	165	117	92	129	124	121	109	127	112
1	Typhoid fever	31	2	2	8	2	2	3	4	2	1	3	2	
3	Malaria	2			1				1					
5	Measles	18	4	1	6	5	2							
6	Scarlet fever	6	2	2				1		1				
7	Whooping cough	6			1		1	1	1		1	1		
8	Diphtheria and croup	12	4	2							2		2	2
9	Influenza	5	1	1	1	1							1	
13	Tuberculosis of the lungs	101	8	8	19	12	9	7	9	5	3	7	7	7
14–15	Other forms of tuberculosis	27	2	1	5	4	1	2	2	1	1	5	1	2
17	Meningitis	13		3	2	1	1		2			1	3	
20–21	Bronchitis	30	3	1	4	6	5	1				2	7	1
22	Pneumonia	96	17	17	15	22	5		1	1	2	6	6	4
(23)	Bronchopneumonia	40	12	4	5	6	3	2	2	1	2	2		1
25	Diarrhea and enteritis (under 2 years)	72		3	4	4	4	4	7	15	18	8	4	1
(37)	Diarrhea and enteritis (2 years and over)	11	2	1		1		1	2	1	1	1		1
(33)	Congenital debility[1]	50	6	2	5	2	3	1	1	9	7	4	5	5
35	Violent deaths (excluding suicide)	63	7	4	6	3	6	5	11	5	5		6	5
36	Suicide	25	3	1		5	3	2	2	4	1	2	1	1
	All other causes	972	74	106	96	91	72	62	84	79	77	67	82	82
	ST. PAUL, MINN.													
	All causes	2,386	243	207	246	185	212	158	206	203	165	181	173	207
1	Typhoid fever	23	3		3	1			2	1		2	6	5
3	Malaria													
5	Measles													
6	Scarlet fever	35	7	6	5	1		1	1	2	3	2		7
7	Whooping cough	22	2	1	3	1	3	1	6	2	1		1	1
8	Diphtheria and croup	72	10	6	7	5	5	6	8	9	4	4	3	5
9	Influenza	12	4	4	3									1
13	Tuberculosis of the lungs	245	32	22	21	19	21	20	23	11	10	20	20	26
14–15	Other forms of tuberculosis	50	4	6	6	6	4	3	5	5	3	3	3	2
17	Meningitis	28	2	4	1	2	4	3	2	3	1	3	2	1
20–21	Bronchitis	33	7	1	4	7	6		2	1	2	3		
22	Pneumonia	130	27	14	20	9	14	5	8	4	4	8	9	8
(23)	Bronchopneumonia	73	12	9	7	13	10	2	3	3	2	2	3	7
25	Diarrhea and enteritis (under 2 years)	96	3	8	5	4	5	5	11	20	16	8	4	7
(37)	Diarrhea and enteritis (2 years and over)	10				2		1		2	1	1	1	2
(33)	Congenital debility[1]	46	5	2	3	4	7	5	8	3	2	3	1	3
35	Violent deaths (excluding suicide)	127	10	12	13	11	8	12	13	11	9	6	10	12
36	Suicide	35	1	1	6	1	2	2	4	2	5	2	7	2
	All other causes	1,349	114	111	139	99	123	92	110	124	102	114	103	118

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	KANSAS CITY, MO.													
	All causes	3,961	403	332	378	375	314	316	318	341	255	292	315	322
1	Typhoid fever	77	9	9	5	5	3	1	5	7	5	11	8	9
3	Malaria	4	1	1							1		1	
5	Measles	8		2	1		1	1	3					
6	Scarlet fever	14	4	1	2	3	2			1	1			
7	Whooping cough	26		3	5	5	4	4	1	2			2	
8	Diphtheria and croup	32	5	4	1	5	4	2			1	2	5	3
9	Influenza	58	19	13	3	6	5			4	1	3	2	2
13	Tuberculosis of the lungs	386	38	34	35	38	26	45	24	26	28	29	30	33
14–15	Other forms of tuberculosis	47	3	1	6	3	7	4	3	6	2	3	4	5
17	Meningitis	42	4	3	4	7	7	2	2	1	3	3	2	4
20–21	Bronchitis	47	7	4	8	3	4	2	3	2		6	4	4
22	Pneumonia	311	68	44	41	35	18	10	6	11	11	14	22	31
(23)	Bronchopneumonia	72	14	10	8	5	5	3		1	3	2	14	7
25	Diarrhea and enteritis (under 2 years)	144		1	4	7	11	22	34	20	12	15	12	6
(37)	Diarrhea and enteritis (2 years and over)	34	1	4	3	1	2	2	4	5	4	3	3	2
(33)	Congenital debility [1]	78	8	4	6	6	5	6	9	9	8	10	5	2
35	Violent deaths (excluding suicide)	320	23	19	18	32	31	23	48	34	23	26	16	27
36	Suicide	81	9	5	6	10	6	6	4	11	9	3	7	5
	All other causes	2,180	190	170	222	204	173	183	172	201	143	162	178	182
	OMAHA, NEBR.													
	All causes	1,812	233	145	174	177	134	147	151	120	130	128	140	133
1	Typhoid fever	23	5	1	1	2	1	1	4	1	3	1	2	1
3	Malaria													
5	Measles	5		1	1	2	1							
6	Scarlet fever	8	2	4		1							1	
7	Whooping cough	1				1								
8	Diphtheria and croup	19			1	1	3	1	1	1	2	2	5	2
9	Influenza	10	7	2	1									
13	Tuberculosis of the lungs	124	18	13	17	12	14	9	7	9	3	8	7	7
14–15	Other forms of tuberculosis	24	3	1	3	1		2	3	2	4	3		2
17	Meningitis	30	6		2	4	10		2	3		2	1	
20–21	Bronchitis	15	3		2	4					1	2	1	2
22	Pneumonia	132	32	18	25	14	5	10	4	2	1	6	12	3
(23)	Bronchopneumonia	86	19	18	12	11	4	2	3	4	2		5	6
25	Diarrhea and enteritis (under 2 years)	61	2	3	3	4	3	8	12	6	12	4	3	1
(37)	Diarrhea and enteritis (2 years and over)	10	3				1	1	2		1		1	1
(33)	Congenital debility [1]	21	2		3	2	2	3	5	1		1	1	1
35	Violent deaths (excluding suicide)	116	12	8	10	8	8	18	10	8	5	8	14	7
36	Suicide	40	5	2	2	4	4	3	3	5	2	4	2	4
	All other causes	1,087	114	74	91	106	78	89	95	78	94	87	85	96
	PATERSON, N. J.													
	All causes	1,890	191	151	191	160	148	140	164	168	156	136	125	160
1	Typhoid fever	9	1	1						1	2		2	2
3	Malaria	1									1			
5	Measles	2		1		1								
6	Scarlet fever	13			2		3	3	1	2	1			1
7	Whooping cough	16	1	1	4	5		3		2				
8	Diphtheria and croup	21	4	2	4	2	2	1				3	2	1
9	Influenza	13	5	4	2	1	1							
13	Tuberculosis of the lungs	218	17	12	32	29	14	15	9	12	27	17	18	16
14–15	Other forms of tuberculosis	18	1	2	1	2					3	4	2	3
17	Meningitis	31	5		4		5	4	4	1	1	2	3	2
20–21	Bronchitis	18	5	1	2	1	3	1			1	1	2	1
22	Pneumonia	123	17	12	21	25	7	6	5	1	2	6	11	10
(23)	Bronchopneumonia	54	12	10	7	7	1		1	4	2	3	1	6
25	Diarrhea and enteritis (under 2 years)	91	2	2	3	2	3	2	19	27	16	10	4	1
(37)	Diarrhea and enteritis (2 years and over)	22		1	2		1		4	8	4		1	1
(33)	Congenital debility [1]	43	2	2	3	2	2	2	9	8	2	7	2	2
35	Violent deaths (excluding suicide)	124	10	6	5	4	10	10	28	12	12	7	9	11
36	Suicide	23	3	2	3	1	3	2	2	1	2	2	1	1
	All other causes	1,050	106	92	96	78	93	91	82	89	80	74	67	102
	ALBANY, N. Y.													
	All causes	2,063	208	196	206	172	154	165	207	145	146	143	147	174
1	Typhoid fever	19	1		1	2	1	1	2	2	4	2	2	1
3	Malaria													
5	Measles													
6	Scarlet fever	1								1				
7	Whooping cough													
8	Diphtheria and croup	25	1	2				7	1	3	4	1	2	4
9	Influenza	26	9	6	5	3	1						1	1
13	Tuberculosis of the lungs	242	29	26	24	26	21	18	19	15	17	7	20	20
14–15	Other forms of tuberculosis	30	3	3	2	1	4	4	2	4		1	1	5
17	Meningitis	18	1	4	1	4		1	2	1			3	1
20–21	Bronchitis	11	3	1		1		1		2	1	2		

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	ALBANY, N. Y.—continued.													
22	Pneumonia	115	21	21	19	17	7	7		2	1	4	5	11
(23)	Bronchopneumonia	28	5	3	3	2	2	1	2	1	1	1	3	4
25	Diarrhea and enteritis (under 2 years)	52	1	1		5	4	10	18	6	4	1		2
(37)	Diarrhea and enteritis (2 years and over)	18	1	1			1	1	5	5	1		2	1
(33)	Congenital debility [1]	44	4	5	1	1	5		3	5	7	6	2	5
35	Violent deaths (excluding suicide)	133	12	8	12	5	4	12	34	9	12	8	2	15
36	Suicide	22	3	3	2	1	1	1	2		2	2	3	2
	All other causes	1,279	114	112	136	104	103	101	117	89	92	108	101	102
	ROCHESTER, N. Y.													
	All causes	3,271	280	291	317	293	299	217	292	251	288	242	233	268
1	Typhoid fever	24	1	1	1	1	2		2	3	4	4	1	4
3	Malaria													
5	Measles	13	1		1		1	3						7
6	Scarlet fever	50	1	6	10	13	10	4	2		1		1	2
7	Whooping cough	20	1		5	3		4		2	1	1	1	2
8	Diphtheria and croup	93	4	4	5	7	11	7	9	7	13	3	15	8
9	Influenza	13	4	2	5	2								
13	Tuberculosis of the lungs	253	15	31	35	23	27	19	22	17	16	16	18	14
14-15	Other forms of tuberculosis	46	2	5	2	5	5	6	2	5	7	3	2	2
17	Meningitis	13		2		1	7	1				1		1
20-21	Bronchitis	54	9	5	8	6	7	1	5	2		4	1	6
22	Pneumonia	132	15	11	18	13	21	3	7	6	3	5	17	13
(23)	Bronchopneumonia	132	24	13	15	14	10	7	4	4	11	6	10	14
25	Diarrhea and enteritis (under 2 years)	211	6	8	10	10	6	7	37	41	53	16	8	9
(37)	Diarrhea and enteritis (2 years and over)	30		1	5	1	2		5	5	5	3	1	2
(33)	Congenital debility [1]	5			1		1	1	1				1	
35	Violent deaths (excluding suicide)	198	7	13	11	18	18	15	25	20	19	22	20	10
36	Suicide	54	9	4	5	6	2	5	5	4	4	3		7
	All other causes	1,930	181	185	180	170	169	134	166	135	151	155	137	167
	SYRACUSE, N. Y.													
	All causes	2,027	160	175	157	191	183	149	187	154	161	159	178	173
1	Typhoid fever	23		3		4	4	2	2	2	1	3	1	1
3	Malaria													
5	Measles	16	1	3	4	3	4	1						
6	Scarlet fever	37	2	8	4	6	4	1	2	1		2	6	1
7	Whooping cough	17	1		1	1	5	1		2	3	1		2
8	Diphtheria and croup	36	3	6	1			4	4	4	3	1	7	3
9	Influenza	6		1	2	1				1			1	
13	Tuberculosis of the lungs	136	14	11	7	12	14	14	12	13	7	6	15	11
14-15	Other forms of tuberculosis	25	3	1	3	7	2	4	2	1			2	
17	Meningitis	19		2	1	1	2	3	2	4	2	1	1	
20-21	Bronchitis	39	4	1	7	7	3	2	2	2	2	3	2	4
22	Pneumonia	118	12	17	11	11	13	4	1	2	5	11	15	16
(23)	Bronchopneumonia	52	7	7	6	4	3	3	5	2	3	2	6	4
25	Diarrhea and enteritis (under 2 years)	113	5	3	5	7	9	6	24	17	17	11	5	4
(37)	Diarrhea and enteritis (2 years and over)	18	1		1	5	1	1	3	3	1		1	1
(33)	Congenital debility [1]	50			2	3	3	2	4	8	11	7	5	5
35	Violent deaths (excluding suicide)	127	13	10	5	8	14	13	9	10	14	13	12	6
36	Suicide	29	1	2	4	2	5	4	2	2		2	2	3
	All other causes	1,166	93	100	93	109	97	84	113	80	92	96	97	112
	COLUMBUS, OHIO.													
	All causes	2,671	257	239	247	220	216	202	231	191	192	212	213	251
1	Typhoid fever	26	2		1	2	1		1	8	4	2	2	3
3	Malaria	2				1					1			
5	Measles	21		6	11	1	2						1	
6	Scarlet fever	8	1				1	1	1			1	2	1
7	Whooping cough	22	1		3	1	1	6	2	3	2	1	1	1
8	Diphtheria and croup	24		2		2	2		2	3	1	2	6	4
9	Influenza	27	7	6	5	4						1	1	3
13	Tuberculosis of the lungs	298	38	21	28	29	28	26	22	18	21	24	20	23
14-15	Other forms of tuberculosis	58	3	8	5	6	3	5	6	2	4	6	4	6
17	Meningitis	35	5	2	2	3	5	4	4	2	1	1	2	4
20-21	Bronchitis	22	4	4	2	2	1	1	1	2	1		1	3
22	Pneumonia	133	12	19	21	14	13	4		5	2	7	15	21
(23)	Bronchopneumonia	94	15	6	16	7	6	4	5	3	4	4	13	11
25	Diarrhea and enteritis (under 2 years)	70	1	2	2	3	1	3	18	10	15	7	6	2
(37)	Diarrhea and enteritis (2 years and over)	19		1		1	2	2	7	2	1		1	2
(33)	Congenital debility [1]	43	2	3	2	3	2	2	9	5	9	1	3	2
35	Violent deaths (excluding suicide)	187	22	14	6	8	19	24	24	12	10	23	10	15
36	Suicide	45	2	7	5		5	7	4	1	3	3	3	5
	All other causes	1,537	142	138	138	133	124	113	125	115	113	129	122	145

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	DAYTON, OHIO.													
	All causes	1,624	157	126	144	152	123	117	122	128	114	143	151	147
1	Typhoid fever	22	1			1		1	2	3	1	2	9	2
3	Malaria													
5	Measles	1					1							
6	Scarlet fever	1					1							
7	Whooping cough	11							2	2	1	2	1	3
8	Diphtheria and croup	11	3	1	1	1			2			1	2	
9	Influenza	17	1	3	3	6						1	3	
13	Tuberculosis of the lungs	170	12	18	19	11	12	20	16	12	10	15	14	11
14-15	Other forms of tuberculosis	32	3	3	3	3	5	1		4	4	2	4	
17	Meningitis	15	4	1	2	2	2	1				2	1	
20-21	Bronchitis	15	1		1	3	3	2	1			2	2	
22	Pneumonia	103	14	11	17	17	8	2	3	2	1	7	6	15
(23)	Bronchopneumonia	41	5	5	3	4	2	2	1	3	3	2	6	5
25	Diarrhea and enteritis (under 2 years)	66	3	2	4	2	4	1	12	15	10	7	2	4
(37)	Diarrhea and enteritis (2 years and over)	11	1	1		1				3	3	1	1	
(33)	Congenital debility [1]	11		2	1				1	1	5	1		
35	Violent deaths (excluding suicide)	99	9	6	3	10	6	8	10	8	10	7	10	12
36	Suicide	33	6	2	5	2	3	2	3	1	2	2	3	2
	All other causes	965	94	71	82	89	76	77	69	74	64	89	87	93
	TOLEDO, OHIO.													
	All causes	2,578	245	224	216	202	206	208	220	196	234	210	225	192
1	Typhoid fever	40	3	3	2	2	1		2	4	4	5	7	7
3	Malaria	1										1		
5	Measles													
6	Scarlet fever	9	2			1	1		1		1		3	
7	Whooping cough	26				2	5	3	8	1	2		2	3
8	Diphtheria and croup	43	5	2	5	4	2		1	4	12	2	2	4
9	Influenza	25	8	2	5	5	1	1			1		2	
13	Tuberculosis of the lungs	286	24	23	28	29	26	31	20	23	21	19	23	19
14-15	Other forms of tuberculosis	37	5	4	3	4	3	4	4		3	1	3	3
17	Meningitis	11	2			1		1	1	1	1	1	2	1
20-21	Bronchitis	41	6	4	2	3	2	1	3	2	3	6	4	5
22	Pneumonia	109	16	9	13	12	6	4	4	4	8	9	14	10
(23)	Bronchopneumonia	88	11	13	12	6	7	9	1	1	7	8	5	8
25	Diarrhea and enteritis (under 2 years)	118	7	3	5	5	8	3	14	22	22	15	7	7
(37)	Diarrhea and enteritis (2 years and over)	21	2	1	1			3	2	3	3		2	4
(33)	Congenital debility [1]	10		1	3			1	1		1	1		2
35	Violent deaths (excluding suicide)	178	15	13	17	12	17	10	29	17	14	15	9	10
36	Suicide	43	1	5	1		1	8	6	4	1	6	6	4
	All other causes	1,492	138	141	119	116	126	129	123	110	130	121	134	105
	PORTLAND, OREG.													
	All causes	2,390	230	194	240	213	205	189	183	178	196	186	184	192
1	Typhoid fever	42	1	1	2	3	3	1	3	3	7	6	7	5
3	Malaria													
5	Measles	19	2		9	2	3	3						
6	Scarlet fever	13	3	4	1			1	1	3				
7	Whooping cough	6		2				1		1				2
8	Diphtheria and croup	27	3	3	3	4	2	3		1	1	1	3	3
9	Influenza	19	2	1	4	4	3		4					1
13	Tuberculosis of the lungs	187	20	16	22	23	21	18	10	10	16	15	5	11
14-15	Other forms of tuberculosis	48	6	2	5	1	9	3	3		3	13	2	1
17	Meningitis	18	4		1	3	2	2		1	1		2	2
20-21	Bronchitis	21	3	3	2	2		1			4		2	4
22	Pneumonia	136	25	15	18	17	15	9	4	3	2	5	5	18
(23)	Bronchopneumonia	33	5	3	3	8	3			1	2	3	3	2
25	Diarrhea and enteritis (under 2 years)	62	1	2	2	2	2	3	8	15	20	2	1	4
(37)	Diarrhea and enteritis (2 years and over)	19			1	1		2	2	2	3	4	2	2
(33)	Congenital debility [1]	74	7	7	6	6	4	7	5	8	9	4	8	3
35	Violent deaths (excluding suicide)	182	14	13	16	12	13	18	24	15	18	14	10	15
36	Suicide	76	11	6	9	2	7	5	8	8	4	4	6	6
	All other causes	1,408	123	116	136	123	118	112	111	107	106	115	128	113
	SCRANTON, PA.													
	All causes	1,974	161	150	163	187	154	134	228	150	170	151	164	162
1	Typhoid fever	19	2	2	1		1		1	1	4	5	1	1
3	Malaria													
5	Measles	3		2							1			
6	Scarlet fever	9			2	1	1	1	1			1	2	
7	Whooping cough	6			1	1			1		1			2
8	Diphtheria and croup	17	5	4	1	2		1		1		1	1	1
9	Influenza	15	3	4		3		1	1				3	
13	Tuberculosis of the lungs	133	15	9	11	10	15	10	10	13	11	14	8	7
14-15	Other forms of tuberculosis	17	3	1		3	1		3	3	1	1	1	
17	Meningitis	15		1	1	1	2	2	1	2	1	1		3
20-21	Bronchitis	48	6	6	8	6	2	2	2	1	2	1	7	5
22	Pneumonia	152	12	14	26	20	14	9	3	3	4	9	20	18

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	SCRANTON, PA.—continued.													
(23)	Bronchopneumonia	115	15	10	15	10	13	10	5	8	8	6	9	6
25	Diarrhea and enteritis (under 2 years)	231	3	9	8	6	6	18	78	37	31	18	11	6
(37)	Diarrhea and enteritis (2 years and over)	24	1		1	2	1	2	7	5	2		2	1
(33)	Congenital debility [1]	24		1	1	2	4		1	3	4	1	3	4
35	Violent deaths (excluding suicide)	236	18	20	10	30	23	13	18	22	21	18	20	23
36	Suicide	12	1				1	5		2	1		1	1
	All other causes	898	77	67	77	90	70	60	96	49	78	75	75	84
	PROVIDENCE, R. I.													
	All causes	3,599	321	349	341	342	302	231	359	270	261	255	276	292
1	Typhoid fever	28	1			2	1	1	2	4	5	5	4	3
3	Malaria	1								1				
5	Measles	10	1				1		2			1	2	3
6	Scarlet fever	31	3	4	3	5	2	2	1	3	1	1	4	2
7	Whooping cough	45	1	8	3	3	10	2	7	1	5	3	2	
8	Diphtheria and croup	57	8	9	3	2	1	2	4	1	3	9	8	7
9	Influenza	17	3	4	4	4					1		1	
13	Tuberculosis of the lungs	304	29	29	32	22	29	23	28	27	18	17	28	22
14–15	Other forms of tuberculosis	51	4	1	8	2	6	6	2	3	5	6	6	2
17	Meningitis	21	3	4	4	1	2		1	3	1	2		
20–21	Bronchitis	55	8	9	6	4	4	3	1	1	2	7	8	2
22	Pneumonia	271	29	36	41	48	25	9	9	6	8	15	19	26
(23)	Bronchopneumonia	112	17	17	20	7	6	10	7	3	4	7	8	6
25	Diarrhea and enteritis (under 2 years)	179	6	10	10	8	5	12	45	32	22	16	7	6
(37)	Diarrhea and enteritis (2 years and over)	24	3	2	1	1	1	3	6	1	2	3	1	
(33)	Congenital debility [1]	72	6	2	2	4	6	4	11	12	8	5	6	6
35	Violent deaths (excluding suicide)	228	11	18	18	14	21	12	60	13	18	14	14	15
36	Suicide	35	2	3	2	4	7	2	3	2	3	2	3	2
	All other causes	2,058	186	193	184	211	175	140	170	157	155	142	155	190
	MEMPHIS, TENN.													
	All causes	2,836	278	221	243	233	265	245	235	202	213	223	241	237
1	Typhoid fever	87	3		2	2	3	2	11	22	20	11	7	4
3	Malaria	112	4	1		3	9	11	8	19	19	21	12	5
5	Measles	37	12	14	7	3	1							
6	Scarlet fever	3											3	
7	Whooping cough	21	2	1	1	1	4	5	6	1				
8	Diphtheria and croup	22	4		1		1	1		3	4		5	3
9	Influenza	35	6	3	5	7	1	1	2	2		1	5	2
13	Tuberculosis of the lungs	293	32	23	30	32	31	25	24	18	18	14	21	25
14–15	Other forms of tuberculosis	28	1	4	1	3	3	3	3	2	2	2	2	2
17	Meningitis	43	3	3	8	6	5	1	2	3		6	4	2
20–21	Bronchitis	37	1	3	5	5	4	2	4	1	3	3	5	1
22	Pneumonia	82	8	5	15	10	5		3	3	3	8	4	18
(23)	Bronchopneumonia	181	40	28	33	21	12	10	5	5	2	2	12	11
25	Diarrhea and enteritis (under 2 years)	120	2	3	2	8	18	26	14	8	14	12	9	4
(37)	Diarrhea and enteritis (2 years and over)	49	3	4	1	4	8	6	4	7	3	2	1	6
(33)	Congenital debility [1]	66	5	3	6	5	8	6	6	1	5	7	11	3
35	Violent deaths (excluding suicide)	255	25	20	14	9	20	42	21	21	17	27	19	20
36	Suicide	26	5	4			1	2	5	1	4		1	3
	All other causes	1,339	122	102	112	114	131	102	117	85	99	107	120	128
	NASHVILLE, TENN.													
	All causes	2,285	192	190	230	197	260	212	208	134	152	176	157	177
1	Typhoid fever	60	1	3	2	1	3	8	13	7	10	8	3	1
3	Malaria	15	1			1	5	1	2	1	1	2	1	
5	Measles	59	11	23	16	5	2	2						
6	Scarlet fever	4	1		2								1	
7	Whooping cough	37		2	1	5	7	7	5	1	3	2	2	2
8	Diphtheria and croup	9		2		1			1	1		1	2	1
9	Influenza	40	12	7	10	4	2	1	1			1	1	1
13	Tuberculosis of the lungs	226	20	17	24	20	26	14	29	14	9	14	23	16
14–15	Other forms of tuberculosis	43		2	4	4	2	7	5	5	3	4	3	4
17	Meningitis	22	3	2	3	3	4	2		2	1	1	1	
20–21	Bronchitis	19	2	1	3	1	1	2		1		3	3	2
22	Pneumonia	208	26	27	34	32	17	3	3	4	2	11	20	29
(23)	Bronchopneumonia	40	11	5	7	1	5			1	1	2	6	1
25	Diarrhea and enteritis (under 2 years)	138		2	4	1	32	35	21	16	12	9	3	3
(37)	Diarrhea and enteritis (2 years and over)	40	1	1	1	2	4	9	2	6	2	3	5	4
(33)	Congenital debility [1]	49	1		4	6	5	6	3	2	7	9	4	2
35	Violent deaths (excluding suicide)	136	9	8	24	12	18	11	6	6	9	9	8	16
36	Suicide	14	1	3		1	3	2	1				1	2
	All other causes	1,126	92	85	91	97	124	102	116	67	92	97	70	93

[1] Excluding premature birth.

TABLE 8.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM CERTAIN IMPORTANT CAUSES, BY MONTHS, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The cities included in this table are arranged alphabetically by states.]

Abridged Internat. List No.	AREA AND CAUSE OF DEATH.	All deaths.	DEATHS OCCURRING IN— January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.													
	RICHMOND, VA.													
	All causes	2,718	221	198	251	206	228	250	273	220	198	229	228	216
1	Typhoid fever	23	1		1			3	5	3	4	2	2	2
3	Malaria	2									1		1	
5	Measles	11		1		1	3	2	2	1	1			
6	Scarlet fever	3			1							1		1
7	Whooping cough	41	3	3	9	3	5	5	6	5	1	1		
8	Diphtheria and croup	13	2		1	2			1	1	1	2	3	
9	Influenza	23	5	6	3	4		1					1	3
13	Tuberculosis of the lungs	272	26	14	27	12	28	26	24	24	21	24	23	23
14–15	Other forms of tuberculosis	52	2	2	5	9	6	6	4	4	5	3	4	2
17	Meningitis	14	1		3	1	1	2	3		2	1		
20–21	Bronchitis	41	9	6	4	4	3	3	2			3	4	3
22	Pneumonia	119	17	14	23	14	11	2	2	8		7	11	10
(23)	Bronchopneumonia	86	11	9	13	14	6	5	3	2	5	3	7	8
25	Diarrhea and enteritis (under 2 years)	205	1	3		1	6	54	50	24	33	27	3	3
(37)	Diarrhea and enteritis (2 years and over)	32	2	1	2	1	2	1	7	4	2	3	3	4
(33)	Congenital debility [1]	65		5	7	5	6	9	10	4	5	10	2	2
35	Violent deaths (excluding suicide)	148	19	12	5	11	13	13	17	9	15	11	11	12
36	Suicide	25	1	2	3	1	2	2	2	3	5	2	1	1
	All other causes	1,543	121	120	144	123	136	116	135	128	97	129	152	142
	SEATTLE, WASH.													
	All causes	2,234	214	211	233	185	194	178	155	182	185	159	167	171
1	Typhoid fever	26	3	2	2	1	3	3		3	4	2	2	1
3	Malaria	1								1				
5	Measles	13	1	2	3	2	2	1	1		1			
6	Scarlet fever	7			2	3	1	1						
7	Whooping cough	19		1	3	4	1	4	3		2	1		
8	Diphtheria and croup	22	1	2	1	2		1	2	2	5	3	2	1
9	Influenza	17	3	4	4	1	2	1			2			
13	Tuberculosis of the lungs	233	24	27	21	21	23	20	16	14	22	12	16	17
14–15	Other forms of tuberculosis	73	7	6	6	7	6	2	8	8	4	3	9	7
17	Meningitis	11	1	1	1	1		1	1	2	1		1	1
20–21	Bronchitis	12		5	4	3								
22	Pneumonia	90	12	13	13	6	10	3	5	4	4	8	7	5
(23)	Bronchopneumonia	44	9	9	9	3	3	1	1	2	2	1		4
25	Diarrhea and enteritis (under 2 years)	60		2		4	2	5	7	14	14	5	2	5
(37)	Diarrhea and enteritis (2 years and over)	19	3				1	2	1	4	2	4	2	
(33)	Congenital debility [1]	46	9	3	1	1	3	1	6	4	10	6	1	1
35	Violent deaths (excluding suicide)	190	15	18	15	19	20	16	17	16	11	12	17	14
36	Suicide	76	3	8	10	6	8	2	6	6	4	8	8	7
	All other causes	1,275	123	108	138	101	109	114	81	102	97	94	100	108
	SPOKANE, WASH.													
	All causes	1,299	133	95	114	114	127	93	88	108	107	100	115	105
1	Typhoid fever	40	6	1	2	1		1	3	3	10	4	7	2
3	Malaria													
5	Measles	6	1	1		3			1					
6	Scarlet fever	7	2	1	1		1		1		1			
7	Whooping cough	8	1	4		1	1							1
8	Diphtheria and croup	9	3			1		2				1	2	
9	Influenza	10	2	4	2			1			1			
13	Tuberculosis of the lungs	96	6	9	14	11	13	7	5	5	7	7	3	9
14–15	Other forms of tuberculosis	27	2		1	2	7	5	1	2	3	1	3	
17	Meningitis	7		2		2	1	1				1		
20–21	Bronchitis	5	2	1		1				1				
22	Pneumonia	97	18	9	11	8	8	4	5	2	3	4	13	12
(23)	Bronchopneumonia	42	8	3	3	9	3		2	4	1	4	2	3
25	Diarrhea and enteritis (under 2 years)	46	1	1	2	2	5	1	6	17	7	1	2	1
(37)	Diarrhea and enteritis (2 years and over)	13	1		1	2	2	1	1	1	1	1		2
(33)	Congenital debility [1]	23	2	1	2	2	1	1	2	3	3	2	1	3
35	Violent deaths (excluding suicide)	89	8	6	2	12	6	7	5	11	9	7	7	9
36	Suicide	33	4	3	1	3	3	1	3	4			6	5
	All other causes	741	66	49	72	54	76	61	53	55	61	67	69	58

[1] Excluding premature birth.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	SUMMARY.															
	THE REGISTRATION AREA.															
	All causes	149,322	18,074	7,641	4,863	10,305	40,883	9,401	7,024	5,584	62,892	14,483	11,767	26,320	19,134	14,726
5	Measles	1,319	7	2	1	5	15	20	25	16	76	54	46	174	420	549
6	Scarlet fever	243	.....	1	2	1	4	3	4	3	14	5	6	35	73	110
7	Whooping cough	3,687	.....	3	1	7	11	22	85	139	257	502	435	907	850	736
8	Diphtheria and croup	887	1	1	2	17	21	20	34	17	92	59	46	130	218	342
9	Influenza	660	.....	1	3	17	21	29	33	49	132	99	71	146	117	95
(12)	Dysentery	626	.....	.....	1	7	8	17	15	16	56	46	54	187	165	118
(12)	Erysipelas	744	1	.....	.....	5	6	42	88	72	208	158	88	142	101	47
(37)	Tetanus	398	2	6	16	145	169	185	20	4	378	3	4	7	5	1
13	Tuberculosis of the lungs	981	1	5	3	11	20	18	7	13	58	62	89	277	242	253
14	Tuberculous meningitis	1,166	.....	.....	1	8	9	5	10	10	34	49	60	296	373	354
15	Other forms of tuberculosis	453	2	2	.....	4	8	10	13	11	42	44	42	134	100	91
(37)	Syphilis	1,787	102	42	39	73	256	144	161	135	696	318	253	339	129	52
17	Meningitis	2,257	2	7	13	103	125	93	81	51	350	187	174	550	553	443
(37)	Convulsions	3,643	133	187	220	536	1,076	425	251	176	1,928	384	242	516	350	223
19	Organic diseases of the heart	853	107	54	62	113	336	70	58	33	497	85	71	98	57	45
20	Acute bronchitis	3,589	7	20	30	119	176	217	245	194	832	580	372	803	565	437
22	Pneumonia	7,311	14	45	77	242	378	347	326	311	1,362	808	675	1,669	1,482	1,315
(23)	Bronchopneumonia	10,652	29	53	83	263	428	465	477	446	1,816	1,220	958	2,468	2,197	1,993
24	Diseases of the stomach	2,908	11	17	42	171	241	202	184	174	801	500	361	667	376	203
25	Diarrhea and enteritis	37,579	39	51	99	546	735	1,081	1,324	1,252	4,392	4,346	4,332	11,344	7,787	5,378
(33)	Malformations	7,879	1,552	911	752	1,371	4,586	796	471	318	6,171	570	281	463	258	136
(33)	Premature birth	23,539	10,794	3,700	1,572	2,540	18,606	2,155	1,079	637	22,477	667	195	140	53	7
(33,37)	Congenital debility	18,580	2,425	1,231	857	2,018	6,531	1,709	1,213	915	10,368	2,333	1,887	2,600	946	446
(37)	Injuries at birth	4,573	2,156	790	488	727	4,161	264	75	30	4,530	31	12	.....	.....	.....
35	External causes	1,935	87	83	58	120	348	96	75	80	599	232	189	358	275	282
	All other causes	8,759	208	226	300	883	1,617	743	521	384	3,265	923	679	1,599	1,302	991
38	Diseases, ill-defined or unknown	2,314	394	203	141	253	991	223	149	98	1,461	218	145	271	140	79
	REGISTRATION STATES.[1]															
	All causes	134,949	16,611	7,018	4,415	9,248	37,292	8,410	6,371	5,048	57,121	13,097	10,582	23,624	17,175	13,350
5	Measles	1,224	7	2	.....	5	14	20	25	13	72	51	44	160	392	505
6	Scarlet fever	222	.....	1	2	1	4	2	4	3	13	5	6	33	66	99
7	Whooping cough	3,393	.....	3	1	7	11	21	79	130	241	471	405	820	774	682
8	Diphtheria and croup	803	1	1	2	15	19	20	31	16	86	51	41	118	196	311
9	Influenza	603	.....	1	2	15	18	26	28	48	120	88	62	135	110	88
(12)	Dysentery	545	.....	.....	1	6	7	13	9	15	44	35	50	168	143	105
(12)	Erysipelas	703	1	.....	.....	5	6	39	86	66	197	146	85	138	92	45
(37)	Tetanus	239	1	5	11	86	103	104	14	4	225	3	2	5	3	1
13	Tuberculosis of the lungs	922	1	4	3	9	17	17	7	13	54	62	79	263	224	240
14	Tuberculous meningitis	1,099	.....	.....	1	8	9	5	9	10	33	48	57	280	346	335
15	Other forms of tuberculosis	422	2	2	.....	4	8	9	13	10	40	40	41	118	94	89
(37)	Syphilis	1,542	87	37	32	59	215	121	131	115	582	274	226	300	115	45
17	Meningitis	2,052	2	5	12	96	115	85	75	47	322	174	162	503	499	392
(37)	Convulsions	3,368	120	180	198	490	988	381	230	164	1,763	369	222	486	320	208
19	Organic diseases of the heart	796	99	46	58	105	308	66	56	31	461	78	68	94	53	42
20	Acute bronchitis	3,421	6	19	28	108	161	208	239	185	793	551	356	773	531	417
22	Pneumonia	6,490	14	33	64	205	316	309	284	284	1,193	725	582	1,484	1,315	1,191
(23)	Bronchopneumonia	9,554	28	47	74	235	384	424	430	400	1,638	1,097	855	2,193	1,965	1,806
24	Diseases of the stomach	2,738	11	14	40	160	225	188	175	167	755	475	341	635	337	195
25	Diarrhea and enteritis	32,877	23	36	71	440	570	887	1,137	1,057	3,651	3,792	3,798	9,958	6,889	4,789
(33)	Malformations	7,324	1,438	851	710	1,270	4,269	744	442	295	5,750	526	262	426	237	123
(33)	Premature birth	21,639	9,941	3,414	1,433	2,315	17,103	1,963	1,005	593	20,664	612	176	131	50	6
(33,37)	Congenital debility	16,877	2,212	1,108	764	1,811	5,895	1,542	1,099	838	9,374	2,148	1,724	2,366	862	403
(37)	Injuries at birth	4,176	1,978	742	445	643	3,808	240	69	27	4,144	25	7	.....	.....	.....
35	External causes	1,767	76	69	49	112	306	85	68	75	534	210	175	329	253	266
	All other causes	8,040	194	211	277	811	1,493	691	489	352	3,025	850	623	1,460	1,187	895
38	Diseases, ill-defined or unknown	2,113	369	187	137	227	920	200	137	90	1,347	191	133	248	122	72
	CITIES IN REGISTRATION STATES.[1]															
	All causes	77,419	8,597	3,907	2,442	4,822	19,768	4,343	3,569	2,821	30,501	7,674	6,327	14,136	10,570	8,211
5	Measles	697	2	.....	.....	2	4	10	9	4	27	13	17	79	244	317
6	Scarlet fever	134	.....	1	1	1	3	1	3	2	9	2	2	12	41	68
7	Whooping cough	1,551	.....	.....	.....	4	4	8	19	49	80	195	177	354	376	369
8	Diphtheria and croup	464	.....	1	.....	1	2	3	11	6	22	20	21	59	122	220
9	Influenza	152	.....	.....	.....	3	3	1	5	14	23	15	17	36	31	30
(12)	Dysentery	213	.....	.....	1	.....	1	3	4	4	12	15	21	69	59	37
(12)	Erysipelas	448	1	.....	.....	1	2	21	53	44	120	98	52	83	65	30
(37)	Tetanus	126	.....	4	6	47	57	52	10	1	120	1	1	3	.....	1
13	Tuberculosis of the lungs	479	.....	2	1	3	6	7	4	7	24	22	41	137	117	138
14	Tuberculous meningitis	726	.....	.....	1	5	6	5	4	4	19	23	30	185	232	237
15	Other forms of tuberculosis	226	1	1	.....	.....	2	5	5	6	18	18	25	60	52	53
(37)	Syphilis	1,260	67	33	22	47	169	101	112	95	477	230	185	240	95	33
17	Meningitis	1,033	1	4	5	44	54	30	29	28	141	86	77	255	267	207
(37)	Convulsions	1,756	60	98	95	224	477	164	117	81	839	204	105	284	197	127
19	Organic diseases of the heart	403	48	22	24	56	150	30	27	15	222	45	36	44	34	22
20	Acute bronchitis	2,106	4	13	18	72	107	117	146	103	473	320	213	479	326	295
22	Pneumonia	3,375	8	17	37	94	156	137	132	124	549	334	266	776	730	720
(23)	Bronchopneumonia	6,352	19	32	48	150	249	233	258	248	988	660	524	1,485	1,382	1,313
24	Diseases of the stomach	1,228	1	5	19	74	99	91	75	69	334	212	153	282	164	83
25	Diarrhea and enteritis	21,142	10	21	43	232	306	519	723	660	2,208	2,570	2,537	6,409	4,448	2,970
(33)	Malformations	3,805	708	438	379	654	2,179	381	236	150	2,946	285	145	227	137	65

[1] Includes District of Columbia.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	SUMMARY—Continued.															
	CITIES IN REGISTRATION STATES[1]—Continued.															
(33)	Premature birth	12,009	5,216	1,976	845	1,292	9,329	1,096	629	366	11,420	368	112	77	28	4
(33,37)	Congenital debility	9,598	1,042	605	425	904	2,976	768	595	484	4,823	1,334	1,115	1,506	571	249
(37)	Injuries at birth	2,566	1,206	457	274	405	2,342	145	47	17	2,551	11	4	.....	.....	.....
35	External causes	944	46	46	26	56	174	48	33	40	295	114	87	170	146	132
	All other causes	4,278	102	107	143	418	770	342	261	190	1,563	449	340	773	676	477
38	Diseases, ill-defined or unknown	348	55	24	29	33	141	25	22	10	198	30	24	52	30	14
	RURAL PART OF REGISTRATION STATES.															
	All causes	57,530	8,014	3,111	1,973	4,426	17,524	4,067	2,802	2,227	26,620	5,423	4,255	9,488	6,605	5,139
5	Measles	527	5	2	.....	3	10	10	16	9	45	38	27	81	148	188
6	Scarlet fever	88	.....	.....	1	.....	1	1	1	1	4	3	4	21	25	31
7	Whooping cough	1,842	.....	3	1	3	7	13	60	81	161	276	228	466	398	313
8	Diphtheria and croup	339	1	.....	2	14	17	17	20	10	64	31	20	59	74	91
9	Influenza	451	.....	1	2	12	15	25	23	34	97	73	45	99	79	58
(12)	Dysentery	332	.....	.....	.....	6	6	10	5	11	32	20	29	99	84	68
(12)	Erysipelas	255	.....	.....	.....	4	4	18	33	22	77	48	33	55	27	15
(37)	Tetanus	113	1	1	5	39	46	52	4	3	105	2	1	2	3	.....
13	Tuberculosis of the lungs	443	1	2	2	6	11	10	3	6	30	40	38	126	107	102
14	Tuberculous meningitis	373	.....	.....	.....	3	3	.....	5	6	14	25	27	95	114	98
15	Other forms of tuberculosis	196	1	1	.....	4	6	4	8	4	22	22	16	58	42	36
(37)	Syphilis	282	20	4	10	12	46	20	19	20	105	44	41	60	20	12
17	Meningitis	1,019	1	1	7	52	61	55	46	19	181	88	85	248	232	185
(37)	Convulsions	1,612	60	82	103	266	511	217	113	83	924	165	117	202	123	81
19	Organic diseases of the heart	393	51	24	34	49	158	36	29	16	239	33	32	50	19	20
20	Acute bronchitis	1,315	2	6	10	36	54	91	93	82	320	231	143	294	205	122
22	Pneumonia	3,115	6	16	27	111	160	172	152	160	644	391	316	708	585	471
(23)	Bronchopneumonia	3,202	9	15	26	85	135	191	172	152	650	437	331	708	583	493
24	Diseases of the stomach	1,510	10	9	21	86	126	97	100	98	421	263	188	353	173	112
25	Diarrhea and enteritis	11,735	13	15	28	208	264	368	414	397	1,443	1,222	1,261	3,549	2,441	1,819
(33)	Malformations	3,519	730	413	331	616	2,090	363	206	145	2,804	241	117	199	100	58
(33)	Premature birth	9,630	4,725	1,438	588	1,023	7,774	867	376	227	9,244	244	64	54	22	2
(33,37)	Congenital debility	7,279	1,170	503	339	907	2,919	774	504	354	4,551	814	609	860	291	154
(37)	Injuries at birth	1,610	772	285	171	238	1,466	95	22	10	1,593	14	3	.....	.....	.....
35	External causes	823	30	23	23	56	132	37	35	35	239	96	88	159	107	134
	All other causes	3,762	92	104	134	393	723	349	228	162	1,462	401	283	687	511	418
38	Diseases, ill-defined or unknown	1,765	314	163	108	194	779	175	115	80	1,149	161	109	196	92	58
	REGISTRATION CITIES IN OTHER STATES.															
	All causes	14,373	1,463	623	448	1,057	3,591	991	653	536	5,771	1,386	1,185	2,696	1,959	1,376
5	Measles	95	.....	.....	1	.....	1	.....	.....	3	4	3	2	14	28	44
6	Scarlet fever	21	.....	.....	.....	.....	.....	1	.....	.....	1	.....	.....	2	7	11
7	Whooping cough	294	.....	.....	.....	.....	.....	1	6	9	16	31	30	87	76	54
8	Diphtheria and croup	84	.....	.....	.....	2	2	.....	3	1	6	8	5	12	22	31
9	Influenza	57	.....	.....	1	2	3	3	5	1	12	11	9	11	7	7
(12)	Dysentery	81	.....	.....	.....	1	1	4	6	1	12	11	4	19	22	13
(12)	Erysipelas	41	.....	.....	.....	.....	.....	3	2	6	11	12	3	4	9	2
(37)	Tetanus	159	1	1	5	59	66	81	6	.....	153	.....	2	2	2	.....
13	Tuberculosis of the lungs	59	.....	1	.....	2	3	1	.....	.....	4	.....	10	14	18	13
14	Tuberculous meningitis	67	.....	.....	.....	.....	.....	.....	1	.....	1	1	3	16	27	19
15	Other forms of tuberculosis	31	.....	.....	.....	.....	.....	1	.....	1	2	4	1	16	6	2
(37)	Syphilis	245	15	5	7	14	41	23	30	20	114	44	27	39	14	7
17	Meningitis	205	.....	2	1	7	10	8	6	4	28	13	12	47	54	51
(37)	Convulsions	275	13	7	22	46	88	44	21	12	165	15	20	30	30	15
19	Organic diseases of the heart	57	8	8	4	8	28	4	2	2	36	7	3	4	4	3
20	Acute bronchitis	168	1	1	2	11	15	9	6	9	39	29	16	30	34	20
22	Pneumonia	821	.....	12	13	37	62	38	42	27	169	83	93	185	167	124
(23)	Bronchopneumonia	1,098	1	6	9	28	44	41	47	46	178	123	103	275	232	187
24	Diseases of the stomach	170	.....	3	2	11	16	14	9	7	46	25	20	32	39	8
25	Diarrhea and enteritis	4,702	16	15	28	106	165	194	187	195	741	554	534	1,386	898	589
(33)	Malformations	555	114	60	42	101	317	52	29	23	421	44	19	37	21	13
(33)	Premature birth	1,900	853	286	139	225	1,503	192	74	44	1,813	55	19	9	3	1
(33,37)	Congenital debility	1,703	213	123	93	207	636	167	114	77	994	185	163	234	84	43
(37)	Injuries at birth	397	178	48	43	84	353	24	6	3	386	6	5	.....	.....	.....
35	External causes	168	11	14	9	8	42	11	7	5	65	22	14	29	22	16
	All other causes	719	14	15	23	72	124	52	32	32	240	73	56	139	115	96
38	Diseases, ill-defined or unknown	201	25	16	4	26	71	23	12	8	114	27	12	23	18	7
	ALL REGISTRATION CITIES.[1]															
	All causes	91,792	10,060	4,530	2,890	5,879	23,359	5,334	4,222	3,357	36,272	9,060	7,512	16,832	12,529	9,587
5	Measles	792	2	.....	1	2	5	10	9	7	31	16	19	93	272	361
6	Scarlet fever	155	.....	1	1	1	3	2	3	2	10	2	2	14	48	79
7	Whooping cough	1,845	.....	.....	.....	4	4	9	25	58	96	226	207	441	452	423
8	Diphtheria and croup	548	.....	1	.....	3	4	3	14	7	28	28	26	71	144	251
9	Influenza	209	.....	.....	1	5	6	4	10	15	35	26	26	47	38	37
(12)	Dysentery	294	.....	.....	1	1	2	7	10	5	24	26	25	88	81	50
(12)	Erysipelas	489	1	.....	.....	1	2	24	55	50	131	110	55	87	74	32
(37)	Tetanus	285	1	5	11	106	123	133	16	1	273	1	3	5	2	1
13	Tuberculosis of the lungs	538	.....	3	1	5	9	8	4	7	28	22	51	151	135	151
14	Tuberculous meningitis	793	.....	.....	1	5	6	5	5	4	20	24	33	201	259	256

[1] Includes District of Columbia.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	SUMMARY—Continued.															
	ALL REGISTRATION CITIES—Continued.															
15	Other forms of tuberculosis	257	1	1			2	6	5	7	20	22	26	76	58	55
(37)	Syphilis	1,505	82	38	29	61	210	124	142	115	591	274	212	279	109	40
17	Meningitis	1,238	1	6	6	51	64	38	35	32	169	99	39	302	321	258
(37)	Convulsions	2,031	73	105	117	270	565	208	138	93	1,004	219	125	314	227	142
19	Organic diseases of the heart	460	56	30	28	64	178	34	29	17	258	52	39	48	38	25
20	Acute bronchitis	2,274	5	14	20	83	122	126	152	112	512	349	229	509	360	315
22	Pneumonia	4,196	8	29	50	131	218	175	174	151	718	417	359	961	897	844
(23)	Bronchopneumonia	7,450	20	38	57	178	293	274	305	294	1,166	783	627	1,760	1,614	1,500
24	Diseases of the stomach	1,398	1	8	21	85	115	105	84	76	380	237	173	314	203	91
25	Diarrhea and enteritis	25,844	26	36	71	338	471	713	910	855	2,949	3,124	3,071	7,795	5,346	3,559
(33)	Malformations	4,360	822	498	421	755	2,496	433	265	173	3,367	329	164	264	158	78
(33)	Premature birth	13,909	6,069	2,262	984	1,517	10,832	1,288	703	410	13,233	423	131	86	31	5
(33,37)	Congenital debility	11,301	1,255	728	518	1,111	3,612	935	709	561	5,817	1,519	1,278	1,740	655	292
(37)	Injuries at birth	2,963	1,384	505	317	489	2,695	169	53	20	2,937	17	9			
35	External causes	1,112	57	60	35	64	216	59	40	45	360	136	101	199	168	148
	All other causes	4,997	116	122	166	490	894	394	293	222	1,803	522	396	912	791	573
38	Diseases, ill-defined or unknown	549	80	40	33	59	212	48	34	18	312	57	36	75	48	21
	REGISTRATION STATES.															
	CALIFORNIA.															
	All causes	3,524	469	191	136	283	1,079	233	176	134	1,622	368	280	616	355	283
5	Measles	11								1	1	1	1	1	2	5
6	Scarlet fever	2										1				1
7	Whooping cough	96							2	7	9	22	11	25	18	11
8	Diphtheria and croup	13								1	1	2		2	2	6
9	Influenza	18				1	1				1	2	3	5	6	1
(12)	Dysentery	29						2	1	1	4	4	4	9	5	3
(12)	Erysipelas	17							2	2	4	3	7	1	1	1
(37)	Tetanus	5				3	3	2			5					
13	Tuberculosis of the lungs	65						2	1		3	3	13	16	12	13
14	Tuberculous meningitis	49						1			1	2	7	11	16	12
15	Other forms of tuberculosis	22						2		2	4	2	1	7	7	1
(37)	Syphilis	61	4	1	1	2	8	3	4	2	17	12	9	16	4	3
17	Meningitis	79		1		4	5	6	5	2	18	12	4	18	14	13
(37)	Convulsions	40	2	2	5	8	17	8	1	3	29	2	2	1	3	3
19	Organic diseases of the heart	21	2		1	4	7	2	1		10	1	4	2	2	2
20	Acute bronchitis	62			1	2	3	1	3	2	9	14	6	24	4	5
22	Pneumonia	185		1	2	8	11	14	11	5	41	21	20	44	32	27
(23)	Bronchopneumonia	218	2		2	11	15	11	9	9	44	20	22	63	28	41
24	Diseases of the stomach	93			1	6	7	6	4	5	22	22	11	27	5	6
25	Diarrhea and enteritis	758	1	1	1	14	17	25	37	31	110	106	94	234	132	83
(33)	Malformations	268	52	28	27	47	154	23	16	12	205	24	7	10	16	6
(33)	Premature birth	646	292	92	39	68	491	53	40	27	611	20	6	6	3	
(33,37)	Congenital debility	334	59	31	20	53	163	40	21	14	238	42	27	22	3	2
(37)	Injuries at birth	124	46	29	17	21	113	6	4	1	124					
35	External causes	66	2	2	1	2	7	5	1	1	14	8	7	17	10	10
	All other causes	233	4	3	16	29	52	20	13	6	91	22	14	52	30	24
38	Diseases, ill-defined or unknown	9	3		2		5	1			6			3		
	COLORADO.															
	All causes	1,818	284	79	58	138	559	151	71	62	843	182	133	291	221	148
5	Measles	27							1		1	2	3	1	9	11
6	Scarlet fever	3													2	1
7	Whooping cough	37							2		2	4	3	7	11	10
8	Diphtheria and croup	3							1		1			1	1	
9	Influenza	13							1	2	3	2	3	2	1	2
(12)	Dysentery	7							2		2	2	1		1	1
(12)	Erysipelas	12						1	2		3	4	1	2	2	
(37)	Tetanus															
13	Tuberculosis of the lungs	12										1		8	2	1
14	Tuberculous meningitis	15						1		1	2			8	3	2
15	Other forms of tuberculosis	3							1		1			1	1	
(37)	Syphilis	29	1	1		1	3	3		3	9	4	5	6	4	1
17	Meningitis	46				2	2	3	2	1	8	3	3	15	8	9
(37)	Convulsions	15	2	1	3	4	10	3	1	1	15					
19	Organic diseases of the heart	12	1			1	2	3	1		6	2	2	2		
20	Acute bronchitis	48		1	2	5	8	3	3	3	17	4	9	9	5	4
22	Pneumonia	146		1	2	2	5	8	4	6	23	32	14	35	24	18
(23)	Bronchopneumonia	141		1		7	8	9	13	7	37	22	11	25	30	16
24	Diseases of the stomach	20		1		1	2	2			4	2	4	6	3	1
25	Diarrhea and enteritis	358	2			3	5	11	9	7	32	45	39	108	80	54
(33)	Malformations	110	25	10	11	22	68	17	4	4	93	7	1	5	3	1
(33)	Premature birth	346	193	34	14	44	285	34	3	9	331	10	2	3		
(33,37)	Congenital debility	256	43	16	18	27	104	34	14	13	165	28	27	25	8	3
(37)	Injuries at birth	41	16	6	4	6	32	7	2		41					
35	External causes	16		1		2	3		1	2	6	1		2	3	4
	All other causes	95		6	4	9	19	11	4	3	37	7	5	18	20	8
38	Diseases, ill-defined or unknown	7	1			2	3	1			4			2		1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION STATES—Continued.															
	CONNECTICUT.															
	All causes	3,243	370	208	113	210	901	172	172	125	1,370	312	272	552	391	346
5	Measles	25										1	1	4	9	10
6	Scarlet fever	8													5	3
7	Whooping cough	94						1		3	4	18	5	27	18	22
8	Diphtheria and croup	25						1	1		2	2		4	7	10
9	Influenza	12				1	1			2	3	3	2	1	3	
(12)	Dysentery	9											2	2	2	3
(12)	Erysipelas	21				1	1	2	3	1	7	6	2	2	4	
(37)	Tetanus	3				2	2			1	3					
13	Tuberculosis of the lungs	13				1	1			1	2	1		4	3	3
14	Tuberculous meningitis	25											3	5	6	11
15	Other forms of tuberculosis	10											2	2	4	2
(37)	Syphilis	17	1		1		2	2	3		7	2	3	3	2	
17	Meningitis	77			3	4	7	2	2	3	14	3	9	25	13	13
(37)	Convulsions	85	1	7	6	18	32	7	5	4	48	10	4	11	7	5
19	Organic diseases of the heart	16	4	1	1	1	7	1		2	10	2	2	1		1
20	Acute bronchitis	83		1		2	3	5	7	2	17	15	6	17	11	17
22	Pneumonia	181	1		2	6	9	10	7	6	32	16	19	34	35	45
(23)	Bronchopneumonia	147		2	2		4	6	5	3	18	13	16	38	34	28
24	Diseases of the stomach	47	1	1		1	3	3	6	1	13	6	11	10	3	4
25	Diarrhea and enteritis	776		2	3	4	9	17	34	25	85	92	88	223	163	125
(33)	Malformations	152	27	23	9	27	86	14	11	9	120	9	6	10	4	3
(33)	Premature birth	501	202	105	46	48	401	35	25	12	473	21	5	2		
(33,37)	Congenital debility	509	39	32	17	52	140	47	38	37	262	62	58	84	27	16
(37)	Injuries at birth	146	85	20	14	17	136	6	2	1	145		1			
35	External causes	38	2	5		2	9			2	11	8	1	8	6	4
	All other causes	192	3	8	7	21	39	10	19	8	76	20	22	30	23	21
38	Diseases, ill-defined or unknown	31	4	1	2	2	9	3	4	2	18	2	4	5	2	
	INDIANA.															
	All causes	5,362	731	392	213	491	1,827	429	259	212	2,727	457	358	797	559	464
5	Measles	47	1	1		1	3				3	4	2	11	11	16
6	Scarlet fever	6							1		1			2	2	1
7	Whooping cough	166				1	1	2	9	4	16	22	13	53	32	30
8	Diphtheria and croup	26				2	2			1	3	3	1	2	7	10
9	Influenza	35				4	4	2		1	7	4	2	9	8	5
(12)	Dysentery	39						1		3	4	1	3	15	9	7
(12)	Erysipelas	19						1	1	1	3	4	2	2	4	4
(37)	Tetanus	20			2	6	8	11	1		20					
13	Tuberculosis of the lungs	51				2	2	4	1		7	7	2	13	14	8
14	Tuberculous meningitis	53							1		1	1	1	11	23	16
15	Other forms of tuberculosis	28				1	1		3	1	5	4	2	6	6	5
(37)	Syphilis	64	6		3	3	12	8	5	4	29	14	7	10	4	
17	Meningitis	66		1		3	4	5	2	1	12	2	8	16	17	11
(37)	Convulsions	34	3	6	5	9	23	2		4	29	1	2	1		1
19	Organic diseases of the heart	36	5	3	1	6	15	4	3	3	25	3	3	2	1	2
20	Acute bronchitis	105	1		1	5	7	9	9	4	29	15	15	19	23	4
22	Pneumonia	248	1	1	1	18	21	21	19	11	72	27	18	47	42	42
(23)	Bronchopneumonia	337	4	1	2	16	23	25	28	28	104	44	29	64	43	53
24	Diseases of the stomach	168	2	2		14	18	12	16	12	58	28	20	32	20	10
25	Diarrhea and enteritis	1,274	3	3	5	41	52	54	44	49	199	133	145	383	222	192
(33)	Malformations	470	108	70	55	78	311	45	14	21	391	26	18	21	12	2
(33)	Premature birth	1,054	447	191	67	132	837	113	43	23	1,016	30	4	4		
(33,37)	Congenital debility	400	82	46	27	66	221	54	25	15	315	33	27	16	7	2
(37)	Injuries at birth	209	61	55	29	38	183	19	4	1	207	2				
35	External causes	83	1	4	1	4	10	5	9	4	28	15	13	12	7	8
	All other causes	306	2	7	12	39	60	32	19	21	132	32	19	44	45	34
38	Diseases, ill-defined or unknown	18	4	1	2	2	9		2		11	2	2	2		1
	KENTUCKY.															
	All causes	5,373	939	232	167	370	1,708	430	235	196	2,569	465	349	832	617	541
5	Measles	78	3				3	3	4	1	11	9	5	9	19	25
6	Scarlet fever	6							1		1			1	3	1
7	Whooping cough	219		2		1	3	3	7	10	23	33	28	46	48	41
8	Diphtheria and croup	93				4	4	8	8	2	22	9	6	19	16	21
9	Influenza	14			1		1				1	5	1	3	4	
(12)	Dysentery	54				1	1		1	1	3	1	7	12	18	13
(12)	Erysipelas	21				2	2	1		1	4	7	1	7	2	
(37)	Tetanus	17			1	3	4	11	1		16	1				
13	Tuberculosis of the lungs	97			1	1	2	2	1	1	6	9	6	28	26	22
14	Tuberculous meningitis	52				1	1		1	2	4	4	3	17	12	12
15	Other forms of tuberculosis	36		1		1	2	2	3	1	8	4	4	9	6	5
(37)	Syphilis	26	1	1	2		4	1	1		6	4	3	8	3	2
17	Meningitis	204		1	4	8	13	8	13	5	39	20	14	49	47	35
(37)	Convulsions	110	5	2	7	23	37	25	8	6	76	8	2	13	6	5
19	Organic diseases of the heart	18	3		3	3	9		1	1	11	1	2	2	1	1
20	Acute bronchitis	83		1	1	3	5	5	6	4	20	14	10	20	15	4
22	Pneumonia	237			3	9	12	12	4	13	41	19	25	52	46	54
(23)	Bronchopneumonia	196			3	5	8	12	11	7	38	23	12	48	44	31
24	Diseases of the stomach	112			2	5	7	8	5	7	27	18	14	26	15	12
25	Diarrhea and enteritis	729	1		1	10	12	24	9	21	66	60	62	227	160	154
(33)	Malformations	222	60	21	18	31	130	30	8	9	177	17	9	13	4	2
(33)	Premature birth	969	556	108	42	88	794	89	29	14	926	22	7	9	4	1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	KENTUCKY—continued.															
(33,37)	Congenital debility	708	140	33	35	76	284	86	58	43	471	65	51	75	28	18
(37)	Injuries at birth	107	60	11	10	20	101	4	1	1	107					
35	External causes	92	2	2		6	10	4	4	4	22	15	11	17	14	13
	All other causes	383	5	6	6	27	44	40	24	18	126	49	35	69	50	54
38	Diseases ill-defined or unknown	490	103	43	27	42	215	52	26	24	317	48	31	53	26	15
	MAINE.															
	All causes	1,681	103	187	80	108	478	79	64	55	676	165	161	365	181	133
5	Measles	6											1	2	2	1
6	Scarlet fever	1												1		
7	Whooping cough	45								1	1	8	7	17	3	9
8	Diphtheria and croup	6												3		3
9	Influenza	14		1			1	2	1		4	1	2	4	1	2
(12)	Dysentery	9										1		3	4	1
(12)	Erysipelas	4							1		1			2	1	
(37)	Tetanus															
13	Tuberculosis of the lungs	10										1		4	3	2
14	Tuberculous meningitis	14										2		6	3	3
15	Other forms of tuberculosis	9										1	1	3	3	1
(37)	Syphilis	10						2	1	1	4	1		5		
17	Meningitis	28			1		1		2	1	4	3	4	4	7	6
(37)	Convulsions	23		2	2	6	10		1		11	4	3	3	2	
19	Organic diseases of the heart	12						1			1		2	4	2	3
20	Acute bronchitis	39			2		2	3	1	2	8	4	9	10	6	2
22	Pneumonia	106			2	4	6	1	2	5	14	12	11	21	23	25
(23)	Bronchopneumonia	59							2	1	3	5	6	20	17	8
24	Diseases of the stomach	72				3	3	3	4	5	15	16	13	16	10	2
25	Diarrhea and enteritis	398			1	3	4	3	11	9	27	31	55	164	76	45
(33)	Malformations	48	5	9	5	7	26	5	3		34	6	2	1	4	1
(33)	Premature birth	273	63	108	26	23	220	21	9	7	257	9	4	3		
(33,37)	Congenital debility	287	17	38	20	38	113	22	14	15	164	40	27	45	8	3
(37)	Injuries at birth	36	12	10	9	2	33	1	1		35	1				
35	External causes	19		1			1	1		1	3	3	3	4	1	5
	All other causes	93	4	9	5	12	30	7	8	3	48	11	9	13	5	7
38	Diseases, ill-defined or unknown	60	2	9	7	10	28	7	3	4	42	5	2	7		4
	MARYLAND.															
	All causes	4,003	365	147	118	194	824	244	154	164	1,386	439	398	793	583	404
5	Measles	31						1	1		2		2	4	10	13
6	Scarlet fever	3														3
7	Whooping cough	89						1	1	3	5	11	14	17	28	14
8	Diphtheria and croup	27	1			1	2	3	1	3	9	2	3	2	2	9
9	Influenza	21							2	4	6	2	1	2	5	5
(12)	Dysentery	9												4	4	1
(12)	Erysipelas	15						1		3	4	3	2	5		1
(37)	Tetanus	17		1	1	5	7	9			16			1		
13	Tuberculosis of the lungs	25										2	4	6	6	7
14	Tuberculous meningitis	28				1	1		1		2		2	9	10	5
15	Other forms of tuberculosis	9										1	1	1	2	4
(37)	Syphilis	88	5	2	1	2	10	9	14	14	47	21	7	9	3	1
17	Meningitis	60				1	1	3			4	2	6	17	17	14
(37)	Convulsions	117	5		3	12	20	15	5	1	41	20	14	18	15	9
19	Organic diseases of the heart	19	3	1	2	2	8	4	2	1	15			2	2	
20	Acute bronchitis	75				2	2	7	2	1	12	16	12	19	10	6
22	Pneumonia	215			2	5	7	11	8	5	31	18	22	48	55	41
(23)	Bronchopneumonia	238			1	6	7	10	8	5	30	27	32	65	46	38
24	Diseases of the stomach	64			1	4	5	5	3	6	19	5	4	26	7	3
25	Diarrhea and enteritis	1,074		1		7	8	17	16	34	75	117	133	340	236	173
(33)	Malformations	148	23	16	25	18	82	14	11	6	113	9	8	7	7	4
(33)	Premature birth	501	229	69	42	55	395	51	15	14	475	14	7	2	2	1
(33,37)	Congenital debility	703	43	31	23	43	140	49	48	42	279	126	91	120	59	28
(37)	Injuries at birth	93	39	16	12	11	78	7	2	4	91	1	1			
35	External causes	52	1	1	1	1	4	3	1	5	13	4	7	13	8	7
	All other causes	197	6	3	3	10	22	16	10	8	56	25	16	41	43	16
38	Diseases, ill-defined or unknown	85	10	6	1	8	25	8	3	5	41	13	9	15	6	1
	MASSACHUSETTS.															
	All causes	10,412	1,304	464	269	629	2,666	445	473	368	3,952	1,026	842	1,979	1,513	1,100
5	Measles	87							1		1	3	1	13	28	41
6	Scarlet fever	12												1	4	7
7	Whooping cough	238						4	4	11	19	29	26	72	69	73
8	Diphtheria and croup	59							3		3	3	5	6	17	25
9	Influenza	21							2	3	5	3		12	1	
(12)	Dysentery	40				1	1	1	2	1	5	2	4	11	11	7
(12)	Erysipelas	56						4	4	7	15	18	7	5	10	1
(37)	Tetanus	12		2		2	4	5	3		12					
13	Tuberculosis of the lungs	67						1			1	5	3	21	22	15
14	Tuberculous meningitis	130				1	1		1		2	8	9	35	40	36
15	Other forms of tuberculosis	26							1	1	2	2		7	7	8
(37)	Syphilis	93	2	1		4	7	4	7	6	24	17	22	19	11	
17	Meningitis	180				9	9	6	5	1	21	12	16	45	46	40
(37)	Convulsions	123	3	5	6	16	30	9	11	6	56	15	5	21	17	9

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MASSACHUSETTS—continued.															
19	Organic diseases of the heart	61	6	2	2	8	18	3	4	2	27	9	6	11	4	4
20	Acute bronchitis	270	1	1		7	9	16	16	9	50	37	28	60	53	42
22	Pneumonia	499	2	5	4	12	23	15	14	13	65	39	27	137	118	113
(23)	Bronchopneumonia	635	1	1	6	14	22	11	23	20	76	76	51	145	164	123
24	Diseases of the stomach	156	1			13	14	5	11	13	43	30	24	33	16	10
25	Diarrhea and enteritis	3,155		1	5	26	32	51	104	112	299	397	392	980	674	413
(33)	Malformations	521	89	67	36	79	271	49	42	23	385	43	23	31	29	10
(33)	Premature birth	1,587	770	215	103	165	1,253	113	88	47	1,501	56	12	11	5	2
(33,37)	Congenital debility	1,140	176	78	59	124	437	89	81	54	661	148	106	155	44	26
(37)	Injuries at birth	407	230	65	25	66	386	12	4	3	405	1	1			
35	External causes	124	9	5	1	11	26	4	4	5	39	16	12	27	19	11
	All other causes	589	9	13	17	65	104	37	31	31	203	52	53	104	98	79
38	Diseases, ill-defined or unknown	74	5	3	5	6	19	6	7		32	5	9	17	6	5
	MICHIGAN.															
	All causes	7,065	1,016	383	255	590	2,244	474	362	253	3,333	687	551	1,198	771	525
5	Measles	49						3	2		5	2	2	9	12	19
6	Scarlet fever	10												2	3	5
7	Whooping cough	171				1	1		5	7	13	24	25	46	36	27
8	Diphtheria and croup	12		1			1			1	2		3		3	4
(9	Influenza	38				2	2	6	1	2	11	5	3	6	8	5
(12)	Dysentery	16								1	1	2	3	4	3	3
(12)	Erysipelas	39						4	8	2	14	7	4	8	5	1
37)	Tetanus	10		1		5	6	4			10					
13	Tuberculosis of the lungs	25								1	1	1	3	6	6	8
14	Tuberculous meningitis	17							1		1		1	4	4	7
(15	Other forms of tuberculosis	11										1	3	3	2	2
37)	Syphilis	62	1	1	3	3	8	3	1	4	16	13	11	14	5	3
(17	Meningitis	108				6	6	6	1	5	18	13	7	31	24	15
37)	Convulsions	308	11	17	22	43	93	39	25	10	167	35	24	36	26	20
19	Organic diseases of the heart	67	5	6	6	6	23	8	8	2	41	6	4	8	3	5
20	Acute bronchitis	233			2	9	11	11	18	9	49	46	22	51	35	30
(22	Pneumonia	304	1	2	2	6	11	12	9	20	52	37	29	70	66	50
23)	Bronchopneumonia	329		1	6	10	17	9	24	13	63	38	36	86	61	45
24	Diseases of the stomach	239	1	1	5	11	18	10	19	11	58	50	30	49	32	20
(25	Diarrhea and enteritis	1,317	1	3	6	28	38	46	45	30	159	132	154	439	281	152
(33)	Malformations	446	96	53	36	89	274	35	25	23	357	32	12	29	9	7
(33,33)	Premature birth	1,208	620	177	69	135	1,001	103	44	28	1,176	18	8	5	1	
(37)	Congenital debility	1,155	152	71	39	129	391	108	75	54	628	149	115	179	53	31
37)	Injuries at birth	180	82	27	25	28	162	11	5	1	179	1				
35	External causes	92	2	1	3	10	16	2	4	6	28	13	8	16	16	11
	All other causes	509	19	15	17	60	111	46	33	19	209	56	35	85	74	50
38	Diseases, ill-defined or unknown	110	25	6	14	9	54	8	9	4	75	6	9	12	3	5
	MINNESOTA.															
	All causes	3,899	585	191	163	321	1,260	306	212	173	1,951	377	314	629	366	262
5	Measles	30							2	2	4	3	2	3	8	10
6	Scarlet fever	6												1	2	3
7	Whooping cough	111							2	4	6	12	20	29	25	19
8	Diphtheria and croup	21							2	1	3	4	2	4	3	5
9	Influenza	18							1	2	3	1	3	4	3	4
(12)	Dysentery	11						1		1	2	2	1	4	1	1
(12)	Erysipelas	33						3	2	4	9	5	3	9	5	2
(37)	Tetanus	7				3	3	3			6			1		
13	Tuberculosis of the lungs	23											3	5	7	8
14	Tuberculous meningitis	36							3	1	4	2	3	9	12	6
15	Other forms of tuberculosis	9										1	1	1	3	3
(37)	Syphilis	36			2	1	3	4	1	2	10	3	8	9	6	
17	Meningitis	56				3	3	2	3	4	12	4	7	12	13	8
(37)	Convulsions	141	3	6	7	23	39	27	15	3	84	17	10	14	11	5
19	Organic diseases of the heart	22	4		3		7	2		2	11	3	3	1	2	2
20	Acute bronchitis	78				4	4	8	10	7	29	9	11	18	8	3
22	Pneumonia	123	2	1	1	8	12	7	4	6	29	13	15	34	18	14
(23)	Bronchopneumonia	396	1		7	9	17	27	20	18	82	57	45	98	62	52
24	Diseases of the stomach	77	1	1	1	5	8	8	7	6	29	10	9	16	8	5
25	Diarrhea and enteritis	705	1	1	3	20	25	34	34	33	126	99	95	209	103	73
(33)	Malformations	245	56	24	27	42	149	21	16	10	196	13	11	17	3	5
(33)	Premature birth	680	349	65	45	67	526	70	33	22	651	15	8	5	1	
(33,37)	Congenital debility	438	63	47	30	68	208	35	30	28	301	58	23	40	15	1
(37)	Injuries at birth	116	56	12	14	18	100	10	1	1	112	4				
35	External causes	43	1	2		5	8	2		1	11	2	3	12	8	7
	All other causes	265	10	9	11	27	57	27	11	7	102	26	23	57	33	24
38	Diseases, ill-defined or unknown	173	38	23	12	18	91	15	15	8	129	14	5	17	6	2
	MISSOURI.															
	All causes	7,150	1,206	304	211	543	2,264	521	303	270	3,358	658	540	1,095	818	681
5	Measles	105	1	1		2	4	3	4	3	14	6	5	12	34	34
6	Scarlet fever	12								1	1			4	2	5
7	Whooping cough	219						1	7	9	17	40	36	43	46	37
8	Diphtheria and croup	59				4	4	4	3	3	14	2	2	10	10	21
9	Influenza	56				1	1	4	2	3	10	12	5	16	6	7
(12)	Dysentery	69				1	1	3	2	1	7	4	8	14	23	13

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	MISSOURI—continued.															
(12)	Erysipelas	35							4	4	8	8	4	7	7	1
(37)	Tetanus	25			2	7	9	13	1	1	24				1	
13	Tuberculosis of the lungs	57				3	3		1	1	5	5	4	20	13	10
14	Tuberculous meningitis	37										1		7	13	16
15	Other forms of tuberculosis	18						1			1	3	1	5	2	6
(37)	Syphilis	108	4	1	3	3	11	6	1	8	26	23	22	22	8	7
17	Meningitis	140	1			9	10	12	12	3	37	10	7	38	29	19
(37)	Convulsions	98	8	4	12	16	40	10	5	1	56	9	6	12	4	11
19	Organic diseases of the heart	32	9	1	4	5	19	4	1		24		1	5	2	
20	Acute bronchitis	153		1	1	3	5	16	4	17	42	26	12	36	25	12
22	Pneumonia	330		2	5	11	18	22	15	21	76	53	27	63	66	45
(23)	Bronchopneumonia	333		2	1	11	14	22	17	8	61	48	38	73	58	55
24	Diseases of the stomach	154			1	7	8	12	12	2	34	29	20	41	15	15
25	Diarrhea and enteritis	1,491		1	5	26	32	42	35	44	153	166	177	427	307	261
(33)	Malformations	351	78	33	35	61	207	34	24	19	284	25	13	14	9	6
(33)	Premature birth	1,316	778	130	49	147	1,104	103	42	30	1,279	20	9	5	3	
(33,37)	Congenital debility	771	151	41	38	83	313	104	57	56	530	71	67	71	22	10
(37)	Injuries at birth	187	86	31	18	30	165	14	6		185	1	1			
35	External causes	101	5	1	7	7	20	4	4	2	30	15	12	15	16	13
	All other causes	543	14	14	17	59	104	50	21	20	195	51	43	103	79	72
38	Diseases, ill-defined or unknown	350	71	41	13	47	172	37	23	13	245	30	20	32	18	5
	MONTANA.															
	All causes	717	117	45	34	65	261	67	37	26	391	66	54	90	70	46
5	Measles	8										1		2	4	1
6	Scarlet fever	2											1		1	
7	Whooping cough	17							1		1	5	4	4	2	1
8	Diphtheria and croup	2						1			1				1	
9	Influenza															
(12)	Dysentery	5										1		3	1	
(12)	Erysipelas	2												1	1	
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	12		1			1				1	2	1	1	1	6
14	Tuberculous meningitis	5													1	4
15	Other forms of tuberculosis	1											1			
(37)	Syphilis	2							1		1			1		
17	Meningitis	6			1		1				1		3		1	1
(37)	Convulsions	9			1	1	2	1	2	1	6	1		2		
19	Organic diseases of the heart	6		2	1	1	4				4	2				
20	Acute bronchitis	6						3	1		4	1		1		
22	Pneumonia	41			2	2	4	2		6	12	11	2	10	4	2
(23)	Bronchopneumonia	51			1		1	3	4	1	9	7	7	12	11	5
24	Diseases of the stomach	6								1	1	2		2		1
25	Diarrhea and enteritis	114			2	4	6	2	4	6	18	12	13	31	25	15
(33)	Malformations	54	16	8	4	9	37	5	3	4	49	1	2	1	1	
(33)	Premature birth	152	70	20	5	17	112	16	10	3	141	9	1		1	
(33,37)	Congenital debility	102	21	6	9	10	46	16	9	1	72	5	12	10	3	
(37)	Injuries at birth	23	9	3	4	6	22	1			23					
35	External causes	14	1	1		1	3	1		1	5		2	3	2	2
	All other causes	49		2	2	8	12	11	2	2	27	3	1	5	8	5
38	Diseases, ill-defined or unknown	27		2	2	5	9	5			14	3	4	1	2	3
	NEW HAMPSHIRE.															
	All causes	1,260	146	76	37	94	353	52	40	36	481	135	118	238	169	119
5	Measles	10										1		1	4	4
6	Scarlet fever															
7	Whooping cough	28								1	1	6	2	6	12	1
8	Diphtheria and croup	6			1		1				1	1	1		1	2
9	Influenza	6											2		2	2
(12)	Dysentery	6										2	1		2	1
(12)	Erysipelas	1														1
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	5												4	1	
14	Tuberculous meningitis	10										1		1	3	5
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	4								1	1		1	1	1	
17	Meningitis	23				3	3				3	5	3	4	3	5
(37)	Convulsions	29	1	3	3	1	8	5	1	1	15	2	3	1	5	3
19	Organic diseases of the heart	5				3	3		1		4	1				
20	Acute bronchitis	46			3		3	2		3	8	3	2	14	10	9
22	Pneumonia	63						3	3	4	10	2	3	20	10	18
(23)	Bronchopneumonia	50				1	1	1	1	1	4	4	9	11	8	14
24	Diseases of the stomach	39			1	4	5	1	2	1	9	5	7	11	4	3
25	Diarrhea and enteritis	332				6	6	10	8	4	28	43	41	104	77	39
(33)	Malformations	48	13	5	4	11	33	3	2	2	40	2	1	4	1	
(33)	Premature birth	201	85	47	9	24	165	14	7	6	192	6	2	1		
(33,37)	Congenital debility	218	28	13	12	30	83	6	11	9	109	35	30	33	9	2
(37)	Injuries at birth	23	13	6		3	22	1			23					
35	External causes	27	1		1	1	3		1	1	5	5	2	6	5	4
	All other causes	72	4	2	2	6	14	5	3	2	24	10	8	14	10	6
38	Diseases, ill defined or unknown	6	1		1		2	1			3	1		2		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	NEW JERSEY.															
	All causes	7,678	880	268	225	422	1,795	421	355	215	2,786	711	598	1,514	1,195	874
5	Measles	77							1		1	1	2	12	22	39
6	Scarlet fever	15											2	2	3	8
7	Whooping cough	169				1	1		1	1	3	22	19	38	41	46
8	Diphtheria and croup	44				2	2		1	1	4	4	2	2	14	18
9	Influenza	16										2	3	2	3	6
(12)	Dysentery	32			1		1				1	1	3	11	10	6
(12)	Erysipelas	45						2	9		11	11	4	8	8	3
(37)	Tetanus	12				5	5	6	1		12					
13	Tuberculosis of the lungs	54						2		1	3	2	9	19	10	11
14	Tuberculous meningitis	77				1	1	1	1	2	5	4	3	20	26	19
15	Other forms of tuberculosis	28						1			1	1	4	13	6	3
(37)	Syphilis	63	8	1		2	11	8	9	5	33	5	5	12	5	3
17	Meningitis	101				3	3	2	1	1	7	10	7	27	28	22
(37)	Convulsions	221	10	9	12	31	62	18	23	5	108	26	12	39	27	9
19	Organic diseases of the heart	33	3	2	2	5	12	3	4	1	20	4	3	4	1	1
20	Acute bronchitis	174			3	6	9	8	14	11	42	31	21	32	22	26
22	Pneumonia	460	1	2	3	14	20	17	25	11	73	54	35	113	102	83
(23)	Bronchopneumonia	566	4	2	3	10	19	28	18	21	86	58	49	141	114	118
24	Diseases of the stomach	100	1		4	2	7	9	1	5	22	15	10	25	17	11
25	Diarrhea and enteritis	2,204	2	2	5	21	30	41	77	47	195	212	236	667	547	347
(33)	Malformations	421	95	35	36	76	242	50	34	10	336	32	16	19	12	6
(33)	Premature birth	1,040	485	128	87	114	814	103	42	27	986	28	10	10	6	
(33,37)	Congenital debility	953	108	33	36	67	244	68	49	38	399	128	97	197	90	42
(37)	Injuries at birth	249	142	36	18	31	227	15	3	1	246	2	1			
35	External causes	127	3	11	2	6	22	7	7	7	43	12	10	25	22	15
	All other causes	377	10	7	12	25	54	30	30	19	133	45	35	74	58	32
38	Diseases, ill-defined or unknown	20	8		1		9	2	4	1	16	1		2	1	
	NEW YORK.															
	All causes	25,407	2,630	1,412	752	1,512	6,306	1,341	1,171	960	9,778	2,669	2,024	4,547	3,519	2,870
5	Measles	241							3	2	5	1	2	20	106	107
6	Scarlet fever	51						1			1			6	12	32
7	Whooping cough	438				1	1	2	10	16	29	60	55	96	99	99
8	Diphtheria and croup	204							3		3	7	9	24	63	98
9	Influenza	85				3	3	2	2	10	17	13	12	14	18	11
(12)	Dysentery	51				1	1			2	3	3	5	17	15	8
(12)	Erysipelas	190				1	1	6	29	18	54	43	25	33	22	13
(37)	Tetanus	26		1	2	13	16	6	1		23			2	1	
13	Tuberculosis of the lungs	121	1				1		1	1	3	2	8	28	38	42
14	Tuberculous meningitis	268				2	2	1		3	6	4	13	68	88	89
15	Other forms of tuberculosis	74	1				1		2	2	5	5	7	19	19	19
(37)	Syphilis	380	16	13	2	14	45	33	37	32	147	68	58	70	25	12
17	Meningitis	289				15	15	5	4	6	30	25	16	69	88	61
(37)	Convulsions	510	23	25	25	59	132	42	34	35	243	55	31	87	52	42
19	Organic diseases of the heart	102	11	6	4	13	34	8	6	5	53	13	4	14	13	5
20	Acute bronchitis	332	2	4	9	29	44	52	76	55	227	130	80	170	114	111
22	Pneumonia	1,054	2	5	8	33	48	38	39	45	170	91	86	221	242	244
(23)	Bronchopneumonia	2,809	7	13	11	55	86	101	106	123	416	304	218	624	605	642
24	Diseases of the stomach	269			8	17	25	14	15	19	73	49	31	65	33	18
25	Diarrhea and enteritis	6,591		6	10	68	84	166	226	217	693	885	752	1,959	1,364	938
(33)	Malformations	1,274	221	142	122	223	708	111	80	43	942	110	50	102	45	25
(33)	Premature birth	3,770	1,481	733	284	404	2,902	370	196	115	3,583	117	34	27	9	
(33,37)	Congenital debility	3,302	376	236	127	302	1,041	217	195	142	1,595	500	411	526	198	72
(37)	Injuries at birth	870	424	180	89	118	811	40	11	5	867	3				
35	External causes	245	28	9	10	15	62	13	11	12	98	27	29	33	27	31
	All other causes	1,337	33	39	38	124	234	111	81	52	478	152	87	251	219	150
38	Diseases, ill-defined or unknown	24	4		3	2	9	2	3		14	2	1	2	4	1
	NORTH CAROLINA.[1]															
	All causes	1,313	118	54	25	79	276	96	51	49	472	107	98	238	207	191
5	Measles	10						1			1		1	4	1	3
6	Scarlet fever	1											1			
7	Whooping cough	61			1		1		1	1	3	4	4	12	19	19
8	Diphtheria and croup	4						1	2		3					1
9	Influenza	6							1		1			1	4	
(12)	Dysentery	22							1	1	2		1	8	5	6
(12)	Erysipelas	3											1	1	1	
(37)	Tetanus	25				9	9	13	1		23	1	1			
13	Tuberculosis of the lungs	20				1	1	1			2		1	7	4	6
14	Tuberculous meningitis	5												1	1	3
15	Other forms of tuberculosis	4												2	1	1
(37)	Syphilis	12	1	2		1	4	1	1		6	1	1	2	2	
17	Meningitis	26						1	1		2		1	10	7	6
(37)	Convulsions	13			1	2	3	5		1	9	2		1	1	
19	Organic diseases of the heart	9	1			1	2	1	1		4		2	2	1	
20	Acute bronchitis	16						1			1	4	1	5	5	
22	Pneumonia	71				3	3	5	1	4	13	10	5	20	13	10
(23)	Bronchopneumonia	56				2	2	3	4	1	10	4	2	12	19	9
24	Diseases of the stomach	34				3	3			2	5	2	3	13	8	3
25	Diarrhea and enteritis	337	1			3	4	4	7	10	25	31	39	73	72	97
(33)	Malformations	36	8	4	4	4	20	2	3		25	2	4	1	4	

[1] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	NORTH CAROLINA [1]—continued.															
(33)	Premature birth	158	67	25	8	17	117	18	7	7	149	5	1	2	1	
(33,37)	Congenital debility	160	18	10	2	18	48	21	10	12	91	20	14	15	18	2
(37)	Injuries at birth	17	8	4	3	1	16	1			17					
35	External causes	22		1		1	2	2		2	6	3	1	6		6
	All other causes	70	1	2		3	6	1	2	4	13	6	4	24	10	13
38	Diseases, ill-defined or unknown	115	13	6	6	10	35	14	8	4	61	12	10	16	10	6
	OHIO.															
	All causes	9,941	1,346	662	408	806	3,222	758	457	377	4,814	916	711	1,549	1,100	851
5	Measles	65						3	2	1	6	2	3	12	20	22
6	Scarlet fever	16			1		1			1	2			3	7	4
7	Whooping cough	305				1	1		5	14	20	41	33	75	70	66
8	Diphtheria and croup	38							3		3	1	2	6	12	14
9	Influenza	77				1	1	4		4	9	10	9	20	12	17
(12)	Dysentery	36				1	1	2		1	4	2	1	15	5	9
(12)	Erysipelas	38						4	2	5	11	8	2	9	5	3
(37)	Tetanus	17				7	7	7	1	1	16			1		
13	Tuberculosis of the lungs	69			1	1	2	1		5	8	8	2	19	13	19
14	Tuberculous meningitis	73			1	1	2				2	7	1	22	19	22
15	Other forms of tuberculosis	53								3	3	8	6	14	13	9
(37)	Syphilis	206	15	5	7	7	34	12	13	15	74	40	34	35	16	7
17	Meningitis	145		1	1	10	12	8	7	4	31	13	9	38	28	26
(37)	Convulsions	130	3	15	15	24	57	16	9	8	90	16	6	6	6	6
19	Organic diseases of the heart	65	8	8	7	6	29	3	4	2	38	10	3	8	3	3
20	Acute bronchitis	232		1		8	9	17	11	12	49	48	21	48	35	31
22	Pneumonia	346		4	5	13	22	21	17	20	80	45	38	75	66	42
(23)	Bronchopneumonia	723	2	7	12	26	47	51	32	38	168	92	74	149	149	91
24	Diseases of the stomach	251	1	2	6	13	22	32	14	17	85	53	31	46	23	13
25	Diarrhea and enteritis	2,302	3	4	7	52	66	87	86	77	316	255	279	676	448	328
(33)	Malformations	712	144	98	75	128	445	83	39	24	591	42	17	36	20	6
(33)	Premature birth	1,810	792	328	132	189	1,441	177	85	42	1,745	40	15	8	1	1
(33,37)	Congenital debility	881	175	71	47	130	423	117	58	37	635	86	59	75	14	12
(37)	Injuries at birth	409	168	69	49	79	365	35	4	2	406	2	1			
35	External causes	177	5	10	5	11	31	13	8	7	59	18	14	31	23	32
	All other causes	648	15	22	32	76	145	54	47	32	278	62	45	111	88	64
38	Diseases, ill-defined or unknown	117	15	17	5	22	59	11	10	5	85	7	6	11	4	4
	PENNSYLVANIA.															
	All causes	24,195	2,434	1,018	729	1,554	5,735	1,503	1,221	965	9,424	2,317	1,915	4,559	3,376	2,604
5	Measles	202	1			1	2	3		2	7	5	3	21	59	107
6	Scarlet fever	46			1	1	2	1	2	1	6	3	2	6	13	16
7	Whooping cough	567						5	14	26	45	80	60	131	136	115
8	Diphtheria and croup	122			1	1	2	1	2	3	8	7	3	24	28	52
9	Influenza	96				1	1	3	10	9	23	16	5	18	21	13
(12)	Dysentery	68				1	1	1		2	4	1	4	28	13	18
(12)	Erysipelas	109	1			1	2	8	12	11	33	13	15	28	11	9
(37)	Tetanus	26			2	11	13	7	3	1	24		1		1	
13	Tuberculosis of the lungs	159		2	1		3	3	2	2	10	11	17	43	35	43
14	Tuberculous meningitis	129				1	1	1		1	3	4	8	30	42	42
15	Other forms of tuberculosis	64	1			2	3	2	1		6	6	6	23	8	15
(37)	Syphilis	189	15	4	5	11	35	20	20	14	89	24	21	42	10	3
17	Meningitis	249		1	1	8	10	11	8	7	36	25	16	57	62	53
(37)	Convulsions	908	16	32	36	127	211	88	62	54	415	105	69	164	97	58
19	Organic diseases of the heart	183	23	6	15	26	70	12	14	8	104	18	19	21	11	10
20	Acute bronchitis	604	1	4	2	16	23	30	37	23	113	94	59	150	107	81
22	Pneumonia	1,275	1	8	12	36	57	63	66	55	241	143	117	306	247	221
(23)	Bronchopneumonia	1,764	4	10	14	41	69	80	72	74	295	192	157	412	364	344
24	Diseases of the stomach	570		2	5	31	38	39	37	36	150	89	68	132	88	43
25	Diarrhea and enteritis	6,710	6	9	13	73	101	171	253	227	752	715	710	2,020	1,505	1,008
(33)	Malformations	1,261	218	133	125	229	705	151	84	53	993	85	45	74	40	24
(33)	Premature birth	3,397	1,496	495	249	371	2,611	326	189	109	3,235	109	26	17	9	1
(33,37)	Congenital debility	2,997	305	155	113	300	873	290	208	162	1,533	349	328	482	205	100
(37)	Injuries at birth	552	262	96	53	86	497	36	9	5	547	4	1			
35	External causes	308	8	11	13	18	50	12	9	9	80	31	26	65	51	55
	All other causes	1,348	28	25	42	130	225	118	92	58	493	158	112	236	188	161
38	Diseases, ill-defined or unknown	292	48	25	26	31	130	21	15	13	179	30	17	29	25	12
	RHODE ISLAND.															
	All causes	1,675	202	98	53	109	462	73	81	63	679	161	146	313	203	173
5	Measles	7												1	2	4
6	Scarlet fever	2		1			1				1				1	
7	Whooping cough	67				1	1	2		4	7	5	11	13	16	15
8	Diphtheria and croup	12										2		3	4	3
9	Influenza	3													2	1
(12)	Dysentery	4										1		2	1	
(12)	Erysipelas	5						2			2	1		2		
(37)	Tetanus	1							1		1					
13	Tuberculosis of the lungs	12		1			1	1			2		1	3	3	3
14	Tuberculous meningitis	21										2		4	7	8
15	Other forms of tuberculosis	3		1			1	1			2	1				
(37)	Syphilis	25	5		1	1	7		3	1	11	4	2	5	3	
17	Meningitis	30			1	2	3		1		4	2	4	6	8	6

[1] Includes only municipalities having a population of 1,000 or over in 1900.

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	RHODE ISLAND—continued.															
(37)	Convulsions	35		1	4	1	6	6	4	1	17	3	1	3	6	5
19	Organic diseases of the heart	9	1	2			3	3			6			2	1	
20	Acute bronchitis	59		1		2	3	1	3	2	9	8	7	15	10	10
22	Pneumonia	77			1		1	3	4		8	8	9	17	12	23
(23)	Bronchopneumonia	97		1	1	1	3	2	7	4	16	7	7	26	23	18
24	Diseases of the stomach	28							1	4	5	5		11	6	1
25	Diarrhea and enteritis	425				6	6	11	19	16	52	48	62	144	68	51
(33)	Malformations	85	13	15	9	17	54	4	2	7	67	4	3	6	4	1
(33)	Premature birth	227	94	41	17	29	181	17	15	7	220	5	2			
(33, 37)	Congenital debility	218	21	18	7	25	71	10	14	8	103	42	26	31	8	8
(37)	Injuries at birth	101	62	14	9	13	98	2			100	1				
35	External causes	20	1		1		2	1			3	3	2		2	9
	All other causes	83	2	1	1	9	13	7	5	8	33	7	7	15	14	7
38	Diseases, ill-defined or unknown	19	3	1	1	2	7		2	1	10	2	2	4	1	
	UTAH.															
	All causes	822	168	40	30	68	306	51	55	50	462	75	61	89	67	68
5	Measles	8										1	1		2	4
6	Scarlet fever	2													2	
7	Whooping cough	14							2		2	3	4	3		2
8	Diphtheria and croup	3				1	1				1				1	1
9	Influenza	5								1	1		1	2		1
(12)	Dysentery	4												2	2	
(12)	Erysipelas	5								2	2		1	1		1
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1											1			
15	Other forms of tuberculosis	1							1		1					
(37)	Syphilis	5							3		3	2				
17	Meningitis	12								1	1	1	3	5	2	
(37)	Convulsions	19		2	1	4	7	2	3	1	13	3	1		2	
19	Organic diseases of the heart	4			1		1		2		3					1
20	Acute bronchitis	36						2	5	6	13	9	3	7	3	1
22	Pneumonia	80	1		1	4	6	1	8	6	21	13	15	18	3	10
(23)	Bronchopneumonia	53				1	1	2	5	4	12	11	4	9	7	10
24	Diseases of the stomach	13			1	2	3	1		2	6	2	2		2	1
25	Diarrhea and enteritis	110				3	3	4	4	6	17	10	13	19	27	24
(33)	Malformations	51	12	11	2	9	34	5	2	4	45	3		1	2	
(33)	Premature birth	193	122	19	8	16	165	13	4	5	187	4	1	1		
(33, 37)	Congenital debility	77	16	3	9	8	36	10	8	4	58	8	6	3	2	
(37)	Injuries at birth	28	13	4	2	7	26		1	1	28					
35	External causes	11	1			1	2	1			3		1	4	1	2
	All other causes	68	1		3	10	14	8	7	4	33	4	4	12	6	9
38	Diseases, ill-defined or unknown	18	2	1	2	2	7	1		3	11	1		2	3	1
	VERMONT.															
	All causes	741	118	43	20	59	240	41	28	35	344	81	65	120	74	57
5	Measles	7							1		1	1	1	1	2	1
6	Scarlet fever	1												1		
7	Whooping cough	18								1	1	3	3	6	3	2
8	Diphtheria and croup															
9	Influenza	8										1	1	4		2
(12)	Dysentery	1													1	
(12)	Erysipelas	1												1		
(37)	Tetanus															
13	Tuberculosis of the lungs	2											1	2		1
14	Tuberculous meningitis	7												1	1	3
15	Other forms of tuberculosis	2														1
(37)	Syphilis	3				1	1			1	2					1
17	Meningitis	11						1	3	1	5		1	1	2	2
(37)	Convulsions	14	2		1	2	5	1	1	2	9	1	1	2		1
19	Organic diseases of the heart	5				1	1	1		1	3		1		1	
20	Acute bronchitis	26		1		1	2	1	1	3	7	5	2	2	4	6
22	Pneumonia	28				1	1	2	2	1	6	2		8	9	3
(23)	Bronchopneumonia	28						1	1	3	5	4	1	6	7	5
24	Diseases of the stomach	23	1			3	4	2	2	2	10	7	1	4	1	
25	Diarrhea and enteritis	192				2	2	4	2	3	11	31	32	62	32	24
(33)	Malformations	49	8	3	6	9	26	5	2	3	36	2	4	4	1	2
(33)	Premature birth	174	90	24	7	17	138	10	7	4	159	11		4		
(33, 37)	Congenital debility	58	5	4	3	8	20	6	3	5	34	8	8	6		2
(37)	Injuries at birth	30	11	8	3	6	28	1	1		30					
35	External causes	7		1			1				1	1	2	1	1	1
	All other causes	37		1		7	8	4	1	5	18	4	6	1	8	
38	Diseases, ill-defined or unknown	9	1	1		1	3	2	1		6			2	1	
	WASHINGTON.															
	All causes	1,531	195	114	85	163	557	103	81	53	794	140	117	229	131	120
5	Measles	18							1		1	2	3	3	2	7
6	Scarlet fever	3										1		1	1	
7	Whooping cough	37								1	1	5	6	10	5	10
8	Diphtheria and croup	10						1			1	1	2	3		3
9	Influenza	7							1	2	3			3		1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION STATES—Continued.															
	WASHINGTON—continued.															
(12)	Dysentery	3													1	2
(12)	Erysipelas	10								2	2	3	1	2	1	1
(37)	Tetanus															
13	Tuberculosis of the lungs	8										1	1	3		3
14	Tuberculous meningitis	23										5	1	2	7	8
15	Other forms of tuberculosis	3												1	2	
(37)	Syphilis	15				1	1	2	2		5	6	3	1		
17	Meningitis	13						1	1		2	3	1		3	4
(37)	Convulsions	24		3	5	5	13	4			17		1	3	2	1
19	Organic diseases of the heart	16	2	2	1	4	9	2		1	12	1	3			
20	Acute bronchitis	20		2		1	3	1	1	1	6	2		7	2	3
22	Pneumonia	40		1		1	2	2	2	1	7	6	3	9	9	6
(23)	Bronchopneumonia	92	2	1		4	7	5	9	6	27	9	8	20	14	14
24	Diseases of the stomach	36			1	3	4	2		3	9	5	8	11	2	1
25	Diarrhea and enteritis	256			2	3	5	8	10	7	30	26	37	82	48	33
(33)	Malformations	110	24	15	13	19	71	11	4	1	87	8	2	8	3	2
(33)	Premature birth	321	126	65	28	44	263	23	18	7	311	6	3	1		
(33,37)	Congenital debility	239	25	13	11	45	94	27	18	14	153	30	23	23	8	2
(37)	Injuries at birth	48	12	7	12	10	41	2	5		48					
35	External causes	32	2		1	3	6	1	3	3	13	5	2	6	1	5
	All other causes	115		4	8	16	28	8	6	2	44	9	9	25	17	11
38	Diseases, ill-defined or unknown	32	2	1	3	4	10	3		2	15	6		5	3	3
	WISCONSIN.															
	All causes	5,184	725	355	214	394	1,688	363	275	189	2,515	494	402	823	559	391
5	Measles	70	1			1	2	3	2	1	8	5	3	13	22	19
6	Scarlet fever	14												2	3	9
7	Whooping cough	124		1			1		6	5	12	14	16	42	29	11
8	Diphtheria and croup	14							1		1	1		3	4	5
9	Influenza	33			1	1	2	3	4	3	12	6	4	7	1	3
(12)	Dysentery	20						2			2	5	2	4	6	1
(12)	Erysipelas	21							7	3	10	1	3	2	2	3
(37)	Tetanus	9	1		1	2	4	3			7	1				1
13	Tuberculosis of the lungs	13										1	1	4	4	3
14	Tuberculous meningitis	17										1		6	7	3
15	Other forms of tuberculosis	7							1		1		1		1	4
(37)	Syphilis	25	1	1	1		3		3	1	7	7	3	6	1	1
17	Meningitis	95	1			6	7	2	2	1	12	6	13	15	29	20
(37)	Convulsions	350	21	37	15	52	125	45	13	16	199	34	25	47	31	14
19	Organic diseases of the heart	40	8	4	4	8	24	1	3		28	1	4	3	3	1
20	Acute bronchitis	127	1	1	1	3	6	5	11	9	31	15	17	34	24	6
22	Pneumonia	334	2		6	8	16	17	20	18	71	50	40	73	54	46
(23)	Bronchopneumonia	197	1	5	2	5	13	4	10	5	32	26	21	36	44	38
24	Diseases of the stomach	156	2	4	3	12	21	14	14	7	56	25	18	31	16	10
25	Diarrhea and enteritis	1,038	2	2	2	17	23	47	60	41	171	125	123	310	190	119
(33)	Malformations	217	42	26	25	32	125	23	11	8	167	20	5	11	4	10
(33)	Premature birth	886	423	161	49	87	720	76	36	20	852	23	6	3	2	
(33,37)	Congenital debility	779	130	73	58	93	354	78	47	31	510	89	61	89	19	11
(37)	Injuries at birth	154	64	29	24	26	143	7	2		152	2				
35	External causes	39			1	4	5	3	1		9	3	6	5	7	9
	All other causes	379	19	11	19	35	84	30	19	19	152	32	28	70	55	42
38	Diseases, ill-defined or unknown	26	6		2	2	10		2	1	13	1	2	7	1	2
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910.															
	LOS ANGELES, CAL.															
	All causes	518	81	13	26	47	167	38	20	22	247	55	39	89	43	45
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	8								1	1		2	2	1	2
8	Diphtheria and croup	5								1	1	2				2
9	Influenza	1														1
(12)	Dysentery	3											1	1	1	
(12)	Erysipelas															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	15							1		1	3	3	2	2	4
14	Tuberculous meningitis	5						1			1		1		3	
15	Other forms of tuberculosis															
(37)	Syphilis	16	2				2	1			3	4	3	3	1	2
17	Meningitis	5												3	1	1
(37)	Convulsions	6	1	1	2	1	5	1			6					
19	Organic diseases of the heart	3			1	1	2				2					1
20	Acute bronchitis	10										2	1	6	1	
22	Pneumonia	27			1	2	3	4	1		8	3	2	9	2	3
(23)	Bronchopneumonia	51			1	3	4	3		3	10	7	6	17	4	7
24	Diseases of the stomach	9				1	1	1			2	4		2	1	
25	Diarrhea and enteritis	96			1	2	3	4	3	5	15	12	13	25	19	12
(33)	Malformations	31	4		7	5	16	1	2	4	23	1		3	2	2
(33)	Premature birth	113	59	6	4	19	88	8	6	4	106	4	1	2		
(33,37)	Congenital debility	56	5	3	3	8	19	9	6	4	38	8	4	6		
(37)	Injuries at birth	21	10	3	5	2	20	1			21					
35	External causes	8						1			1	1	1	1	1	3
	All other causes	27			1	2	3	3	1		7	4	1	7	4	4
38	Diseases, ill-defined or unknown															

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.															
	SAN FRANCISCO, CAL.															
	All causes	665	77	37	22	45	181	36	44	34	295	75	57	128	54	56
5	Measles	5								1	1		1		2	1
6	Scarlet fever															
7	Whooping cough	12							1	1	2	1	2	4	2	1
8	Diphtheria and croup	2												2		
9	Influenza	2											1		1	
(12)	Dysentery	2						1			1		1			
(12)	Erysipelas	4								2	2	1			1	
(37)	Tetanus															
13	Tuberculosis of the lungs	17											2	5	4	6
14	Tuberculous meningitis	12											1	3	4	4
15	Other forms of tuberculosis	5						2		1	3			2		
(37)	Syphilis	17	1				1		3		4	3		8	2	
17	Meningitis	10							1		1			4	2	3
(37)	Convulsions	9	1		1	1	3	3			6	1	1			1
19	Organic diseases of the heart	2											1	1		
20	Acute bronchitis	13								1	1	4	1	6		1
22	Pneumonia	27						1	2		3	3	3	4	5	9
(23)	Bronchopneumonia	50	2			2	4	3	1	1	9	2	4	14	6	15
24	Diseases of the stomach	31				2	2		1	4	7	12	1	9	2	
25	Diarrhea and entritis	141				4	4	4	10	5	23	24	24	49	12	9
(33)	Malformations	53	10	6	3	7	26	1	6	5	38	6	2	1	5	1
(33)	Premature birth	111	41	18	7	11	77	9	12	7	105	5	1			
(33,37)	Congenital debility	62	10	5	3	10	28	8	4	4	44	9	6	2	1	
(37)	Injuries at birth	32	11	6	4	8	29	1	1	1	32					
35	External causes	9		1			1				1	2	2	3	1	
	All other causes	37	1	1	4		6	3	2	1	12	2	3	11	4	5
38	Diseases, ill-defined or unknown															
	WASHINGTON, D. C.															
	All causes	955	160	55	20	46	281	57	38	18	394	89	75	168	130	99
5	Measles	5												1	2	2
6	Scarlet fever															
7	Whooping cough	13								1	1			2	8	2
8	Diphtheria and croup															
9	Influenza	1													1	
(12)	Dysentery	1														1
(12)	Erysipelas	1										1				
(37)	Tetanus	4				1	1	3			4					
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	7												2	2	3
15	Other forms of tuberculosis															
(37)	Syphilis	19	1	3		2	6		1	1	8	3	1	4	2	1
17	Meningitis	8						1			1			1	3	3
(37)	Convulsions	12	1	1	1	3	6	3	1		10			1		1
19	Organic diseases of the heart	3				1	1				1	1				1
20	Acute bronchitis	14						1			1	1	3	5		4
22	Pneumonia	47				1	1	2		2	5	3	2	9	19	9
(23)	Bronchopneumonia	39						1	1		2	6		10	13	8
24	Diseases of the stomach	11							2		2		2	2	3	2
25	Diarrhea and enteritis	231						8	3	1	12	21	27	77	52	42
(33)	Malformations	25	5	2	1	3	11	4	2		17	4	3	1		
(33)	Premature birth	229	111	34	8	14	167	15	18	8	208	14	3	2	2	
(33,37)	Congenital debility	192	19	9	4	16	48	8	8	4	68	26	30	44	14	10
(37)	Injuries at birth	26	17	4	2		23	2	1		26					
35	External causes	12	1		1	1	3	1			4	2	1	1	2	2
	All other causes	52	5	2	3	4	14	8	1	1	24	7	3	6	6	6
38	Diseases, ill-defined or unknown	1														1
	CHICAGO, ILL.															
	All causes	6,252	651	261	222	469	1,603	411	326	274	2,614	598	518	1,117	780	625
5	Measles	29			1		1			1	2			4	9	14
6	Scarlet fever	19						1			1			2	7	9
7	Whooping cough	24								1	1		4	9	5	5
8	Diphtheria and croup	51							1		1	4		5	14	27
9	Influenza	8							3		3	1		1	1	2
(12)	Dysentery	24						1	5		6	2		9	4	3
(12)	Erysipelas	22						1		5	6	6	2	2	5	1
(37)	Tetanus	5				2	2	2			4				1	
13	Tuberculosis of the lungs	26				1	1				1		4	7	4	10
14	Tuberculous meningitis	36										1		6	14	15
15	Other forms of tuberculosis	14								1	1	3		8	2	
(37)	Syphilis	109	5	2	2	7	16	16	11	6	49	28	12	14	3	3
17	Meningitis	62		1	1	2	4	4	3	2	13	3	5	3	15	23
(37)	Convulsions	49	9	2	7	10	28	2	5	5	40	2	1	4	1	1
19	Organic diseases of the heart	14	3	3	1	1	8	2	1	1	12	2				
20	Acute bronchitis	49	1	1	1	4	7	4	2	3	16	9	1	9	8	6
22	Pneumonia	362		7	9	12	28	19	25	13	85	33	43	69	68	64
(23)	Bronchopneumonia	679		4	5	21	30	29	34	31	124	73	73	156	142	111
24	Diseases of the stomach	26		1	1	4	6	1	3	1	11	7		1	6	1
25	Diarrhea and enteritis	2,566	14	12	25	77	128	140	139	134	541	325	304	707	407	282
(33)	Malformations	312	68	28	29	53	178	30	19	13	240	24	13	20	10	5
(33)	Premature birth	744	329	105	50	94	578	79	32	18	707	24	8	4		1
(33,37)	Congenital debility	411	92	53	43	82	270	42	27	17	356	19	19	10	6	1
(37)	Injuries at birth	280	123	29	34	62	248	17	4	3	272	3	5			

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.															
	CHICAGO, ILL.—continued.															
35	External causes	42	2	7	3		12	2	1	1	16	5	4	4	5	8
	All other causes	287	5	6	9	37	57	18	11	18	104	24	20	63	43	33
38	Diseases ill-defined or unknown	2			1		1	1			2					
	NEW ORLEANS, LA.															
	All causes	1,071	100	23	19	65	207	73	27	42	349	122	117	230	152	101
5	Measles	5												1	3	1
6	Scarlet fever															
7	Whooping cough	47								2	2	7	7	13	6	12
8	Diphtheria and croup	1													1	
9	Influenza	2								1	1		1			
(12)	Dysentery	1													1	
(12)	Erysipelas	1												1		
(37)	Tetanus	57	1		3	22	26	27	3		56				1	
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	4												2	1	1
(37)	Syphilis	41	2		1	1	4		4	8	16	9	4	6	5	1
17	Meningitis	18						1			1		2	7	2	6
(37)	Convulsions	22	1	1		1	3	4	2		9	2	2	2	6	1
19	Organic diseases of the heart															
20	Acute bronchitis	22				3	3			3	6	2	2	5	4	3
22	Pneumonia	70				1	1	4	1	2	8	12	11	16	17	6
(23)	Bronchopneumonia	82		2		2	4		2	1	7	10	4	30	19	12
24	Diseases of the stomach	10			1		1		1		2	1	3	1	3	
25	Diarrhea and enteritis	383	1			3	4	12	5	13	34	53	47	125	72	52
(33)	Malformations	29	6	5		2	13	4		1	18	5	1	2	3	
(33)	Premature birth	125	67	9	7	16	99	11	3	6	119	3	2	1		
(33,37)	Congenital debility	82	11	4	5	8	28	5	5	4	42	11	23	4	1	1
(37)	Injuries at birth	14	9	2	1		12	1			13	1				
35	External causes	5												3	2	
	All other causes	49	2		1	6	9	4	1	1	15	6	8	11	5	4
38	Diseases ill-defined or unknown															
	BALTIMORE, MD.															
	All causes	1,960	183	70	64	88	405	104	97	99	705	231	184	374	274	192
5	Measles	22						1			1		2	2	9	8
6	Scarlet fever	2														2
7	Whooping cough	21								1	1	3	3	5	5	4
8	Diphtheria and croup	7						1		3	4					3
9	Influenza	1							1		1					
(12)	Dysentery	2												1	1	
(12)	Erysipelas	9						1		2	3	1		4		1
(37)	Tetanus	3				1	1	2			3					
13	Tuberculosis of the lungs	12											2	3	4	3
14	Tuberculous meningitis	21				1	1		1		2		2	7	7	3
15	Other forms of tuberculosis	3											1	1		1
(37)	Syphilis	74	4	2	1	1	8	7	14	13	42	19	6	6	1	
17	Meningitis	30						2			2		1	7	12	8
(37)	Convulsions	53	1	1	2	3	7	2	4		13	8	7	13	8	4
19	Organic diseases of the heart	12	3	1		2	6	3	1	1	11				1	
20	Acute bronchitis	37				2	2	2	1	1	6	5	4	11	8	3
22	Pneumonia	103				2	2	3	4	3	12	8	7	28	26	22
(23)	Bronchopneumonia	137			1	2	3	6	6	5	20	15	17	38	26	21
24	Diseases of the stomach	26				1	1	1	1	2	5	2	4	10	3	2
25	Diarrhea and enteritis	488		1		2	3	4	8	22	37	70	53	142	103	83
(33)	Malformations	69	14	7	14	8	43	6	6	2	57	3	4	3	1	1
(33)	Premature birth	260	114	37	20	29	200	27	11	8	246	6	5	1	1	1
(33,37)	Congenital debility	414	20	15	15	18	68	27	33	28	156	82	60	74	33	9
(37)	Injuries at birth	52	23	4	9	7	43	4	1	4	52					
35	External causes	18		1			1				1	2	3	3	5	4
	All other causes	78	3	1	2	8	14	5	5	4	28	6	3	12	20	9
38	Diseases ill-defined or unknown	6	1			1	2				2	1		3		
	BOSTON, MASS.															
	All causes	2,246	246	110	44	136	536	107	101	79	823	240	202	405	325	251
5	Measles	15												2	5	8
6	Scarlet fever	2													1	1
7	Whooping cough	51						2	2	1	5	5	5	17	7	12
8	Diphtheria and croup	27							1		1	3	4	2	7	10
9	Influenza	2								1	1				1	
(12)	Dysentery	9											1	2	5	1
(12)	Erysipelas	15							1	2	3	5	2	1	4	
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	14										1		4	5	4
14	Tuberculous meningitis	35				1	1				1	3	1	8	11	11
15	Other forms of tuberculosis	6								1	1	1			2	2
(37)	Syphilis	41	1	1		1	3	3	3	2	11	7	7	11	5	
17	Meningitis	26				1	1	1	2		4		3	5	9	5
(37)	Convulsions	16		1		2	3		1	1	5	3		3	2	3
19	Organic diseases of the heart	5												2	1	2
20	Acute bronchitis	41				2	2	7	2	3	14	5	5	6	10	1
22	Pneumonia	125			1	3	4	2	3	2	11	8	5	29	33	39

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.															
	BOSTON, MASS.—continued.															
(23)	Bronchopneumonia	182				2	2	3	10	5	20	27	18	36	50	31
24	Diseases of the stomach	10				2	2		2	1	5	2	1	2		
25	Diarrhea and enteritis	654				4	4	5	16	23	48	101	95	197	122	91
(33)	Malformations	153	24	22	5	19	70	17	13	6	106	12	12	12	8	3
(33)	Premature birth	325	125	45	22	38	230	32	21	17	300	19	3	1	1	1
(33,37)	Congenital debility	158	23	12	5	20	60	18	12	4	94	17	15	24	6	2
(37)	Injuries at birth	132	70	25	8	23	126	2	1	2	131		1			
35	External causes	22		2		1	3				3	5	1	5	4	4
	All other causes	172	3	2	3	17	25	13	9	8	55	16	23	33	25	20
38	Diseases, ill-defined or unknown	7						1	2		3			3	1	
	DETROIT, MICH.															
	All causes	1,869	216	91	47	165	519	130	105	65	819	190	156	361	219	124
5	Measles	13						2			2			1	4	6
6	Scarlet fever	3												2	1	
7	Whooping cough	15								1	1	3	3	3	2	3
8	Diphtheria and croup	3													1	2
9	Influenza															
(12)	Dysentery	3								1	1		1	1		
(12)	Erysipelas	12						2	1		3	3	2	2	1	1
(37)	Tetanus	3		1		1	2	1			3					
13	Tuberculosis of the lungs	10										1	1	3	2	3
14	Tuberculous meningitis	5							1		1			2	1	1
15	Other forms of tuberculosis	3										1	1	1		
(37)	Syphilis	45	1		1	3	5	3	1	3	12	11	6	10	4	2
17	Meningitis	45				3	3	3	1	2	9	5	2	11	12	6
(37)	Convulsions	92	3	8	6	17	34	11	6	1	52	8	5	15	7	5
19	Organic diseases of the heart	10			2		2	1	2		5	1	2	1		1
20	Acute bronchitis	43			1	3	4	2	2	2	10	9	5	12	4	3
22	Pneumonia	49						1	1	2	4	6	3	13	14	9
(23)	Bronchopneumonia	150		1	3	5	9	8	16	6	39	10	8	43	29	21
24	Diseases of the stomach	59		1	1	2	4	3	5	5	17	15	4	12	7	4
25	Diarrhea and enteritis	405	1	2	1	7	11	12	20	6	49	38	55	127	96	40
(33)	Malformations	86	19	8	5	18	50	11	5	4	70	7	2	4	3	
(33)	Premature birth	295	144	47	14	43	248	22	12	6	288	5	2			
(33,37)	Congenital debility	347	23	11	3	31	68	36	21	21	146	53	43	77	16	12
(37)	Injuries at birth	46	18	7	4	10	39	2	4	1	46					
35	External causes	21			2	2	4	1	1	1	7	1	1	5	5	2
	All other causes	103	6	4	4	19	33	9	6	3	51	13	10	16	10	3
38	Diseases, ill-defined or unknown	3	1	1		1	3				3					
	MINNEAPOLIS, MINN.															
	All causes	601	91	29	25	51	196	43	28	34	301	56	40	97	57	50
5	Measles	2										1				1
6	Scarlet fever	1														1
7	Whooping cough	32										5	1	9	7	10
8	Diphtheria and croup	2										1		1		
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	5						1	1		2	1		1	1	
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	5											1	1		3
14	Tuberculous meningitis	4												2	2	
15	Other forms of tuberculosis	2													1	1
(37)	Syphilis	15			2		2	1	1		4	1		7	3	
17	Meningitis	11				2	2			1	3		1	2	2	3
(37)	Convulsions	10				6	6		2		8	1		1		
19	Organic diseases of the heart	4			1		1			1	2	1		1		
20	Acute bronchitis	5						1		1	2		1	1		1
22	Pneumonia	15	1				1	2	1	1	5	2		5	2	1
(23)	Bronchopneumonia	74			1	1	2	6	4	9	21	10	6	16	11	10
24	Diseases of the stomach	8						1	1	1	3		3	1	1	
25	Diarrhea and enteritis	119			1	3	4	2	5	4	15	16	22	35	17	14
(33)	Malformations	42	10	7	3	11	31	2	1	2	36	2	1	1	1	1
(33)	Premature birth	132	69	8	9	11	97	17	7	8	129	1	1	1		
(33,37)	Congenital debility	43	3	10	3	8	24	4	4	2	34	4	1	2	2	
(37)	Injuries at birth	20	7	1	3	3	14	2		1	17	3				
35	External causes	2										1			1	
	All other causes	46	1	2	2	5	10	4	1	3	18	6	2	10	6	4
38	Diseases, ill-defined or unknown	1		1			1				1					
	ST. LOUIS, MO.															
	All causes	1,573	202	52	46	93	393	85	55	61	594	156	144	303	206	170
5	Measles	20						1	1		2				11	7
6	Scarlet fever	5													2	3
7	Whooping cough	11										1	1	3	5	1
8	Diphtheria and croup	9													3	6
9	Influenza	5										2	1	1		1
(12)	Dysentery	9						1			1		2	2	3	1
(12)	Erysipelas	6							1	2	3			2	1	
(37)	Tetanus	12			1	4	5	6		1	12					
13	Tuberculosis of the lungs	7				1	1				1		1	2	1	2
14	Tuberculous meningitis	12										1		4	3	4
15	Other forms of tuberculosis	3													1	2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.															
	ST. LOUIS, MO.—continued.															
(37)	Syphilis	57	2	1	3	2	8	3	1	2	14	11	9	14	5	4
17	Meningitis	15						1	1		2	1		6	4	2
(37)	Convulsions	17	1	1	3	1	6	1	1		8		1	3	2	3
19	Organic diseases of the heart	7	1	1	1	1	4	2			6				1	
20	Acute bronchitis	58		1		2	3	5	1	4	13	6	7	16	10	6
22	Pneumonia	47				2	2	2		4	8	10	6	8	10	5
(23)	Bronchopneumonia	104				3	3	5	2	2	12	15	8	24	19	26
24	Diseases of the stomach	20			1		1	2	3		6	2	4	5	1	2
25	Diarrhea and enteritis	512			2	8	10	9	12	17	48	66	60	163	97	78
(33)	Malformations	76	20	8	11	9	48	8	4	2	62	6	4	2	2	
(33)	Premature birth	255	135	25	7	31	198	20	11	14	243	5	5	1	1	
(33,37)	Congenital debility	154	19	8	9	13	49	13	9	13	84	17	24	19	9	1
(37)	Injuries at birth	43	22	6	6	7	41		1		42	1				
35	External causes	21				1	1	1	1		3	5		5	5	3
	All other causes	87	2		2	8	12	5	6		23	7	11	23	10	13
38	Diseases, ill-defined or unknown	1		1			1				1					
	JERSEY CITY, N. J.															
	All causes	923	94	25	28	37	184	60	35	26	305	105	70	180	151	113
5	Measles	14										1	1	1	4	7
6	Scarlet fever	3											1		1	1
7	Whooping cough	11												2	5	4
8	Diphtheria and croup	3													1	2
9	Influenza	1														1
(12)	Dysentery															
(12)	Erysipelas	10							1		1	2	1	3	2	1
(37)	Tetanus															
13	Tuberculosis of the lungs	5											1	3		1
14	Tuberculous meningitis	6											1	2		3
15	Other forms of tuberculosis	5												2	2	1
(37)	Syphilis	10						2		2	4	2	1	2	1	
17	Meningitis	11										2		4	4	1
(37)	Convulsions	40			3	1	4	3	3	2	12	5	4	12	6	1
19	Organic diseases of the heart	6	1	1			2	1			3		1	1		1
20	Acute bronchitis	24			1		1	3	2	2	8	5	2	7	1	1
22	Pneumonia	42		1	1	2	4	1		2	7	6	3	8	11	7
(23)	Bronchopneumonia	93		1			1	3	3	4	11	13	7	20	20	22
24	Diseases of the stomach	7						1			1	1	1	3	1	
25	Diarrhea and enteritis	256				2	2	6	7	5	20	27	28	78	62	41
(33)	Malformations	56	11	3	5	9	28	9	5	3	45	5	1	1	2	2
(33)	Premature birth	115	44	9	13	15	81	14	6	3	104	7	2		2	
(33,37)	Congenital debility	120	15	5	4	4	28	8	2	3	41	20	11	23	17	8
(37)	Injuries at birth	33	22	4	1	2	29	2	2		33					
35	External causes	9						2			2	3			3	1
	All other causes	41		1		2	3	5	4		12	5	4	8	6	6
38	Diseases, ill-defined or unknown	2	1				1				1	1				
	NEWARK, N. J.															
	All causes	1,091	138	46	30	58	272	42	43	24	381	105	99	205	180	121
5	Measles	5													2	3
6	Scarlet fever	1														1
7	Whooping cough	15											4		4	7
8	Diphtheria and croup	4				1	1				1				1	2
9	Influenza	2													1	1
(12)	Dysentery	4											1	1	2	
(12)	Erysipelas	12							5		5	4	1		1	1
(37)	Tetanus															
13	Tuberculosis of the lungs	9											2	5		2
14	Tuberculous meningitis	9								1	1			1	4	3
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	5	1				1	1		1	3		1	1		
17	Meningitis	13				1	1				1	1	1	3	4	3
(37)	Convulsions	20	1	2	3	2	8	1	2		11	3	1	3	2	
19	Organic diseases of the heart	2		1			1				1	1				
20	Acute bronchitis	36				3	3		3	2	8	9	3	6	6	4
22	Pneumonia	43		1		1	2		1		3	6	1	9	12	12
(23)	Bronchopneumonia	99	1		2	2	5	9		3	17	10	11	25	18	18
24	Diseases of the stomach	10						2			2		2	2	3	1
25	Diarrhea and enteritis	356		2		2	4	3	13	4	24	43	42	116	87	44
(33)	Malformations	37	9	4	2	8	23	2	2	2	29	4	1	1	2	
(33)	Premature birth	169	88	23	11	19	141	12	4	2	159	6	4			
(33,37)	Congenital debility	135	20	5	11	12	48	6	7	1	62	14	16	23	15	5
(37)	Injuries at birth	28	16	5	1	3	25	3			28					
35	External causes	23	1	1		1	3			2	5		3	3	6	6
	All other causes	51		2		3	5	3	6	6	20	4	5	5	9	8
38	Diseases, ill-defined or unknown	2	1				1				1				1	
	BUFFALO, N. Y.															
	All causes	1,297	199	52	39	89	379	66	58	57	560	136	99	233	159	110
5	Measles	3													3	
6	Scarlet fever	5												3	1	1
7	Whooping cough	24										2	4	10	2	6
8	Diphtheria and croup	12												2	5	5

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.															
	BUFFALO, N. Y.—continued.															
9	Influenza	1													1	
(12)	Dysentery	8								1	1	1		3	3	
(12)	Erysipelas	6				1	1	1			2	2	1			1
(37)	Tetanus															
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	11										1	2	2		6
15	Other forms of tuberculosis	6											1	2	1	2
(37)	Syphilis	50	1		1	1	3	5	9	7	24	11	6	7	2	
17	Meningitis	3				1	1				1			1		1
(37)	Convulsions	14		3	1	3	7		1		8	2	1		2	1
19	Organic diseases of the heart	3			1		1				1			1	1	
20	Acute bronchitis	26	1			2	3	2	1	3	9	3	2	5	4	3
22	Pneumonia	35			1		1		2	1	4	4	4	8	7	8
(23)	Bronchopneumonia	138	2	3	1		6	7	6	9	28	16	11	22	37	24
24	Diseases of the stomach	26				5	5	2	2	2	11	5	5	4	1	
25	Diarrhea and enteritis	417			2	9	11	14	17	16	58	59	47	138	75	40
(33)	Malformations	89	25	7	11	20	63	3	2	3	71	7	3	7		1
(33)	Premature birth	209	114	25	10	20	169	13	8	9	199	6	2	2		
(33,37)	Congenital debility	44	8	1	3	9	21	8	2	1	32	7	3	2		
(37)	Injuries at birth	73	42	10	6	9	67	4	2		73					
35	External causes	7						1	1		2		2		1	2
	All other causes	86	6	3	2	9	20	6	5	5	36	10	5	14	13	8
38	Diseases, ill-defined or unknown															
	NEW YORK, N. Y.															
	All causes	15,028	1,147	873	423	820	3,263	773	675	575	5,286	1,603	1,184	2,782	2,246	1,927
5	Measles	168							1		1		1	15	73	78
6	Scarlet fever	28												1	5	22
7	Whooping cough	198				1	1		4	8	13	29	17	43	49	47
8	Diphtheria and croup	157							1		1	3	7	19	40	87
9	Influenza	26								5	5	3	5	3	6	4
(12)	Dysentery	22								1	1	1	2	6	7	5
(12)	Erysipelas	144						5	22	14	41	30	19	28	17	9
(37)	Tetanus	17		1	2	8	11	5			16			1		
13	Tuberculosis of the lungs	69										1	4	14	22	28
14	Tuberculous meningitis	200				1	1	1		1	3		7	54	69	67
15	Other forms of tuberculosis	46								2	2	3	3	13	13	12
(37)	Syphilis	228	7	11	1	12	31	19	20	14	84	35	39	45	17	8
17	Meningitis	128				3	3	1	1	2	7	10	3	30	47	31
(37)	Convulsions	322	12	13	8	22	55	23	17	28	123	44	21	66	40	28
19	Organic diseases of the heart	36	1	1		2	4	5	3	1	13	6	1	8	6	2
20	Acute bronchitis	553	1	2	7	24	34	36	58	40	168	83	49	100	71	82
22	Pneumonia	585	1	3	4	20	28	16	21	19	84	50	38	119	144	150
(23)	Bronchopneumonia	2,083	4	6	7	46	63	74	70	80	287	209	151	461	453	522
24	Diseases of the stomach	68			3	2	5	2	2	4	13	14	9	20	9	3
25	Diarrhea and enteritis	3,950		1	6	30	37	95	127	136	395	536	433	1,169	832	585
(33)	Malformations	611	79	76	59	102	316	51	38	26	431	54	29	56	27	14
(33)	Premature birth	2,073	658	472	176	238	1,544	237	123	67	1,971	65	19	13	5	
(33,37)	Congenital debility	2,064	175	151	79	181	586	109	111	95	901	346	278	353	138	48
(37)	Injuries at birth	435	176	106	45	70	397	25	9	2	433	2				
35	External causes	134	19	5	6	5	35	10	8	8	61	14	11	17	15	16
	All other causes	673	12	25	18	53	108	58	37	22	225	65	38	127	140	78
38	Diseases, ill-defined or unknown	10	2		2		4	1	2		7			1	1	1
	NEW YORK, N. Y. (BRONX BOROUGH).															
	All causes	1,134	130	80	36	70	316	67	51	36	470	118	69	186	161	130
5	Measles	15												1	10	4
6	Scarlet fever	1														1
7	Whooping cough	15										1	2	4	4	4
8	Diphtheria and croup	9													2	7
9	Influenza	1											1			
(12)	Dysentery	1												1		
(12)	Erysipelas	12							1		1	5	2	1	3	
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	4														4
14	Tuberculous meningitis	18												5	6	7
15	Other forms of tuberculosis															
(37)	Syphilis	13	1	1		1	3	1	1		5	2	2	2		2
17	Meningitis	14							1		1	3	1	2	6	1
(37)	Convulsions	10	1			1	2	2		2	6			2		2
19	Organic diseases of the heart	4		1			1	1			2	1			1	
20	Acute bronchitis	23				2	2	2	4		8	5	1	4	4	1
22	Pneumonia	41	1			1	2	3	1	1	7	3	3	9	8	11
(23)	Bronchopneumonia	128				1	1	6	5	2	14	15	7	31	33	28
24	Diseases of the stomach	4			1		1				1		1	2		
25	Diarrhea and enteritis	298				2	2	17	11	13	43	47	29	73	58	48
(33)	Malformations	47	6	7	7	7	27	5	3	2	37	5	1	4		
(33)	Premature birth	216	92	49	11	25	177	16	10	8	211	3	1		1	
(33,37)	Congenital debility	155	10	9	10	17	46	8	10	5	69	21	16	32	14	3
(37)	Injuries at birth	44	18	9	6	8	41	2			43	1				
35	External causes	15	1	1	1		3		1	2	6	2	2	1	1	3
	All other causes	44		3		5	8	3	2	1	14	4		12	10	4
38	Diseases, ill-defined or unknown	1							1		1					

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (BROOKLYN BOROUGH).															
	All causes	4,701	348	291	154	295	1,088	262	201	208	1,759	415	346	860	703	618
5	Measles	26							1		1			2	13	10
6	Scarlet fever	12													3	9
7	Whooping cough	47								3	3	5	4	13	12	10
8	Diphtheria and croup	30										1		4	7	18
9	Influenza	9								2	2			1	3	3
(12)	Dysentery	10											1	2	4	3
(12)	Erysipelas	24						1	1	5	7	6	1	7	2	1
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	13										1		4	4	4
14	Tuberculous meningitis	60						1			1		2	19	16	22
15	Other forms of tuberculosis	20										2	2	8	5	3
(37)	Syphilis	65	2	3		1	6	6	7	3	22	8	14	8	10	3
17	Meningitis	26				1	1			1	2	1		8	10	5
(37)	Convulsions	120	3	3	4	8	18	9	3	14	44	15	11	24	16	10
19	Organic diseases of the heart	18				1	1	3	1	1	6	2	1	6	3	
20	Acute bronchitis	265	1	2	3	12	18	20	31	23	92	46	22	42	32	31
22	Pneumonia	198		1	2	7	10	4	7	9	30	16	17	37	44	54
(23)	Bronchopneumonia	672		3	3	21	27	29	27	40	123	59	46	127	152	165
24	Diseases of the stomach	21			1		1	1	2	3	7	5	3	5	1	
25	Diarrhea and enteritis	1,448			4	16	20	34	37	51	142	154	164	447	308	233
(33)	Malformations	279	33	33	29	50	145	18	17	12	192	26	12	29	15	5
(33)	Premature birth	646	177	147	69	81	474	85	33	21	613	22	6	4	1	
(33,37)	Congenital debility	299	55	42	19	54	170	23	17	8	218	26	26	22	6	1
(37)	Injuries at birth	170	70	49	16	24	159	8	2	1	170					
35	External causes	36	1	1	1	2	5	8	4	3	20	4	2	8	1	1
	All other causes	183	6	7	3	16	32	10	10	8	60	16	12	33	35	27
38	Diseases ill-defined or unknown	2						1	1		2					
	NEW YORK, N. Y. (MANHATTAN BOROUGH).															
	All causes	8,083	560	429	199	394	1,582	380	373	301	2,636	960	692	1,521	1,214	1,060
5	Measles	122											1	12	48	61
6	Scarlet fever	15												1	2	12
7	Whooping cough	107							3	4	7	21	7	19	25	28
8	Diphtheria and croup	113							1		1	2	6	15	30	59
9	Influenza	10								2	2	1	3	2	2	
(12)	Dysentery	9								1	1	1	1	2	2	2
(12)	Erysipelas	101						3	19	9	31	17	15	19	11	8
(37)	Tetanus	11		1	2	5	8	2			10			1		
13	Tuberculosis of the lungs	49											3	9	17	20
14	Tuberculous meningitis	115				1	1			1	2		5	26	45	37
15	Other forms of tuberculosis	24								2	2	1	1	5	6	9
(37)	Syphilis	143	4	7	1	10	22	11	11	11	55	21	23	34	7	3
17	Meningitis	77				2	2	1		1	4	6	2	18	22	25
(37)	Convulsions	178	7	10	4	10	31	11	13	10	65	28	10	37	24	14
19	Organic diseases of the heart	6	1				1	1	2		4	1			1	
20	Acute bronchitis	227			4	8	12	12	21	15	60	25	21	44	30	47
22	Pneumonia	321		2	2	11	15	9	13	8	45	28	16	65	90	77
(23)	Bronchopneumonia	1,164	4	3	3	21	31	33	33	31	128	125	84	285	240	302
24	Diseases of the stomach	31			1	2	3	1			4	8	3	9	5	2
25	Diarrhea and enteritis	1,866		1	2	12	15	34	67	67	183	294	209	536	388	256
(33)	Malformations	230	26	29	15	38	108	21	17	11	157	21	15	19	10	8
(33)	Premature birth	1,040	331	236	82	114	763	121	70	31	985	34	12	6	3	
(33,37)	Congenital debility	1,473	95	86	48	101	330	68	72	81	551	280	224	277	106	35
(37)	Injuries at birth	174	68	39	19	30	156	10	7	1	174					
35	External causes	76	17	2	4	3	26	2	3	3	34	7	7	6	12	10
	All other causes	397	6	13	11	26	56	40	21	12	129	39	24	73	88	44
38	Diseases ill-defined or unknown	4	1		1		2				2			1		1
	NEW YORK, N. Y. (QUEENS BOROUGH).															
	All causes	853	81	60	24	54	219	53	43	24	339	85	59	164	120	86
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	12				1	1		1	1	3	1	2	1	1	4
8	Diphtheria and croup	3													1	2
9	Influenza	1													1	
(12)	Dysentery															
(12)	Erysipelas	5						1	1		2	1	1	1		
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	5												3	1	1
15	Other forms of tuberculosis	2													2	
(37)	Syphilis	6						1	1		2	3		1		
17	Meningitis	7												2	5	
(37)	Convulsions	13	1			3	4	1	1	2	8	1		2		2
19	Organic diseases of the heart	8				1	1				1	2		2	1	2
20	Acute bronchitis	36				2	2	1	2	2	7	7	5	10	5	2
22	Pneumonia	20				1	1			1	2	2	2	8	1	5
(23)	Bronchopneumonia	90			1	2	3	4	3	5	15	7	11	14	23	20
24	Diseases of the stomach	4											1	1	1	1
25	Diarrhea, and enteritis	262						8	11	4	23	34	24	87	59	35

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.															
	NEW YORK, N. Y. (QUEENS BOROUGH)—continued.															
(33)	Malformations	48	13	6	7	6	32	6	1	1	40	2	1	3	2	
(33)	Premature birth	130	41	32	9	15	97	12	8	6	123	5		2		
(33,37)	Congenital debility	117	14	12		9	35	9	11	1	56	14	10	19	11	7
(37)	Injuries at birth	37	12	8	3	8	31	5			36	1				
35	External causes	7		1			1				1	1		2	1	2
	All other causes	34		1	4	5	10	4	3	1	18	4	2	6	2	2
38	Diseases ill-defined or unknown	1													1	
	NEW YORK, N. Y. (RICHMOND BOROUGH).															
	All causes	257	28	13	10	7	58	11	7	6	82	25	18	51	48	33
5	Measles	3													1	2
6	Scarlet fever															
7	Whooping cough	17										1	2	6	7	1
8	Diphtheria and croup	2											1			1
9	Influenza	5								1	1	2	1			1
(12)	Dysentery	2												1	1	
(12)	Erysipelas	2										1			1	
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	2											1	1		
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis															
(37)	Syphilis	1										1				
17	Meningitis	4													4	
(37)	Convulsions	1												1		
19	Organic diseases of the heart															
20	Acute bronchitis	2						1			1					1
22	Pneumonia	5										1			1	3
(23)	Bronchopneumonia	29				1	1	2	2	2	7	3	3	4	5	7
24	Diseases of the stomach	8								1	1	1	1	3	2	
25	Diarrhea and enteritis	76						2	1	1	4	7	7	26	19	13
(33)	Malformations	7	1	1	1	1	4	1			5			1		1
(33)	Premature birth	41	17	8	5	3	33	3	2	1	39	1		1		
(33,37)	Congenital debility	20	1	2	2		5	1	1		7	5	2	3	1	2
(37)	Injuries at birth	10	8	1	1		10				10					
35	External causes															
	All other causes	15		1		1	2	1	1		4	2		3	5	1
38	Diseases ill-defined or unknown	2	1		1		2				2					
	CINCINNATI, OHIO.															
	All causes	721	129	37	22	50	238	49	25	24	336	70	68	120	69	58
5	Measles	5											2	1	1	1
6	Scarlet fever	1			1		1				1					
7	Whooping cough	9										1	1	1	5	1
8	Diphtheria and croup	1														1
9	Influenza	3												2		1
(12)	Dysentery	1													1	
(12)	Erysipelas	3										1	1			1
(37)	Tetanus	2						1			1			1		
13	Tuberculosis of the lungs	4								1	1					3
14	Tuberculous meningitis	6				1	1				1	1		2	2	
15	Other forms of tuberculosis	3								1	1		1			1
(37)	Syphilis	37	2		1		3	4	2	1	10	9	8	5	4	1
17	Meningitis	4				1	1				1		1	1		1
(37)	Convulsions	8		2			2	2		1	5	2				1
19	Organic diseases of the heart	7		2			2	1			3	2	1			1
20	Acute bronchitis	22							1	1	2	5	2	7	5	1
22	Pneumonia	17						1	2		3	1	2	2	3	6
(23)	Bronchopneumonia	52		1	1		2	2		4	8	1	6	11	15	11
24	Diseases of the stomach	15				1	1	2	1	2	6	4	2	3		
25	Diarrhea and enteritis	190				4	4	9	10	4	27	26	31	67	20	19
(33)	Malformations	45	12	10	4	10	36	4	1	1	42			1	2	
(33)	Premature birth	153	83	16	8	13	120	12	6	5	143	6	3	1		
(33,37)	Congenital debility	36	8	1	2	5	16	5		1	22	3	4	5		2
(37)	Injuries at birth	34	20	3	3	7	33	1			34					
35	External causes	9	1				1	1			2	1		1	3	2
	All other causes	51	2	1	2	8	13	4	2	2	21	6	3	9	8	4
38	Diseases ill-defined or unknown	3	1	1			2				2	1				
	CLEVELAND, OHIO.															
	All causes	1,766	190	85	66	120	461	129	77	65	732	175	143	320	215	181
5	Measles	10								1	1			1	2	6
6	Scarlet fever	3													3	
7	Whooping cough	44							1	1	2	4	7	8	8	15
8	Diphtheria and croup	10												3	2	5
9	Influenza	3											1	2		
(12)	Dysentery	3										1		1	1	
(12)	Erysipelas	6								1	1	2		2	1	
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	5										2		2		1
14	Tuberculous meningitis	9												5	2	2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.															
	CLEVELAND, OHIO—continued.															
15	Other forms of tuberculosis	5										2		2		1
(37)	Syphilis	78	5		1	1	7	4	5	6	22	18	15	14	5	4
17	Meningitis	14				1	1		1		2			5	5	2
(37)	Convulsions	25			1	6	7	4	3	1	15	2	3	2	1	2
19	Organic diseases of the heart	9	1		2	1	4				4	2		3		
20	Acute bronchitis	94				2	2	8	2	4	16	14	4	24	14	22
22	Pneumonia	35				1	1	1	3	1	6	5	2	7	9	6
(23)	Bronchopneumonia	93			1	4	5	5	1	3	14	11	10	25	22	11
24	Diseases of the stomach	32		1		2	3	6	2		11	4	3	8	3	3
25	Diarrhea and enteritis	632	1	2	3	12	18	25	27	22	92	83	73	185	112	87
(33)	Malformations	88	16	11	11	12	50	13	4	4	71	4	3	6	4	
(33)	Premature birth	276	106	49	20	37	212	30	16	10	268	4	4			
(33, 37)	Congenital debility	106	22	8	10	16	56	17	5	6	84	9	10	2	1	
(37)	Injuries at birth	86	36	13	15	15	79	7			86					
35	External causes	17			1	1	2	2		2	6		2	1	3	5
	All other causes	79	1		1	9	11	6	7	3	27	8	6	12	17	9
38	Diseases ill-defined or unknown	3	2	1			3				3					
	PHILADELPHIA, PA.															
	All causes	4,769	392	163	147	262	964	264	220	158	1,606	403	409	955	779	617
5	Measles	65						1			1			5	23	36
6	Scarlet fever	7							1		1				3	3
7	Whooping cough	46						1	2	2	5	3	5	6	14	13
8	Diphtheria and croup	28							1	1	2	1		6	3	16
9	Influenza	8							1	2	3			1	1	3
(12)	Dysentery	5											1	2	1	1
(12)	Erysipelas	22						1	1	3	5	3	3	6	3	2
(37)	Tetanus	5			1	2	3	1	1		5					
13	Tuberculosis of the lungs	38						1			1		3	7	12	15
14	Tuberculous meningitis	50						1			1		3	10	16	20
15	Other forms of tuberculosis	16						1			1	1	2	4	2	6
(37)	Syphilis	74	6	1	1	5	13	7	8	6	34	5	10	20	3	2
17	Meningitis	28						3	2	2	7	1	2	3	11	4
(37)	Convulsions	82	1	3	3	10	17	2	5	3	27	12	6	15	15	7
19	Organic diseases of the heart	44	3	1	4	5	13	1	4	3	21	2	8	6	3	4
20	Acute bronchitis	158			2	4	6	6	13	4	29	16	11	42	30	30
22	Pneumonia	180		1	2	4	7	6	4	2	19	12	18	40	45	46
(23)	Bronchopneumonia	435		2	6	13	21	13	15	13	62	37	33	90	99	114
24	Diseases of the stomach	57			2	6	8	4	3	1	16	7	4	12	16	2
25	Diarrhea and enteritis	1,598		2	2	18	22	33	52	46	153	171	200	510	350	214
(33)	Malformations	238	35	18	28	47	128	34	15	7	184	16	9	12	10	7
(33)	Premature birth	630	247	88	47	67	449	76	42	23	590	25	6	4	5	
(33, 37)	Congenital debility	486	49	24	25	39	137	43	30	20	230	52	50	82	46	26
(37)	Injuries at birth	110	45	16	16	20	97	8	2	1	108	2				
35	External causes	88	1	2	3	4	10	3	3	4	20	6	7	25	18	12
	All other causes	265	5	5	5	18	33	17	15	15	80	31	28	46	46	34
38	Diseases ill-defined or unknown	6						1			1			1	4	
	PITTSBURGH, PA.															
	All causes	1,812	226	61	59	101	447	105	82	70	704	169	152	337	248	202
5	Measles	8				1	1				1				4	3
6	Scarlet fever	1														1
7	Whooping cough	43								1	1	9	4	10	9	10
8	Diphtheria and croup	13							1		1		1	2	2	7
9	Influenza	2							1		1			1		
(12)	Dysentery	3													1	2
(12)	Erisipelas	9	1				1		2		3	2			3	1
(37)	Tetanus	4				2	2	1	1		4					
13	Tuberculosis of the lungs	9											1	3	3	2
14	Tuberculosis meningitis	7												2	1	4
15	Other forms of tuberculosis	7										1	1	3		2
(37)	Syphilis	24	3			3	6	1	2	1	10	5	3	6		
17	Meningitis	14				2	2				2	3	1	1	4	3
(37)	Convulsions	45	1	3	4	4	12	5	2	1	20	5	3	5	7	5
19	Organic diseases of the heart	5				1	1				1	1	1		1	1
20	Acute bronchitis	55				2	2	2	2		6	6	7	16	12	8
22	Pneumonia	37			1	1	2	2	3	1	8	2	4	6	7	10
(23)	Bronchopneumonia	194		2	1	3	6	8	5	7	26	19	21	53	42	33
24	Diseases of the stomach	34						5	3	2	10	6	2	9	3	4
25	Diarrhea and enteritis	555			4	11	15	20	14	20	69	57	56	163	121	89
(33)	Malformations	81	14	9	7	7	37	8	5	3	53	6	4	10	6	2
(33)	Premature birth	310	154	26	29	26	235	33	17	16	301	7	2			
(33, 37)	Congenital debility	192	23	12	6	20	61	8	16	14	99	27	28	23	9	6
(37)	Injuries at birth	53	28	7	3	9	47	6			53					
35	External causes	18	1	2	1	1	5				5	1	1	5	2	4
	All other causes	86	1		3	8	12	6	8	4	30	12	11	17	11	5
38	Diseases ill-defined or unknown	3											1	2		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES OF 250,000 POPULATION OR OVER IN 1910—Continued.															
	MILWAUKEE, WIS.															
	All causes	1,208	144	88	41	75	348	72	54	44	518	101	95	230	149	115
5	Measles	11						1			1			1	6	3
6	Scarlet fever	6													1	5
7	Whooping cough	3												2	1	
8	Diphtheria and croup	7							1		1			1	3	2
9	Influenza															
(12)	Dysentery	5										1		1	2	1
(12)	Erysipelas	2											1	1		
(37)	Tetanus	3						1			1	1				1
13	Tuberculosis of the lungs	4										1		1	2	
14	Tuberculous meningitis															
15	Other forms of tuberculosis	2							1		1				1	
(37)	Syphilis	9	1	1	1		3		2		5	2	1	1		
17	Meningitis	14						1			1	1	1	1	4	6
(37)	Convulsions	106	5	12	2	12	31	14	3	5	53	9	8	16	13	7
19	Organic diseases of the heart	4		1		2	3				3				1	
20	Acute bronchitis	46		1		2	3	2	2	2	9	3	8	19	5	2
22	Pneumonia	41			1	1	2	3	2	1	8	1	1	10	9	12
(23)	Bronchopneumonia	62	1	2	1	1	5	1		1	7	7	5	15	15	13
24	Diseases of the stomach	52		1	1	4	6	4	4	2	16	2	6	19	4	5
25	Diarrhea and enteritis	339	1			1	2	8	16	13	39	41	39	113	67	40
(33)	Malformations	29	4	7	4	4	19	2			21	4	1	1	1	1
(33)	Premature birth	155	72	38	7	15	132	10	3	5	150	4	1			
(33,37)	Congenital debility	192	39	17	15	24	95	13	12	10	130	18	17	19	5	3
(37)	Injuries at birth	42	17	8	8	5	38	2	2		42					
35	External causes	6				1	1	2	1		4					2
	All other causes	67	4			3	7	8	5	5	25	6	6	9	9	12
38	Diseases ill-defined or unknown	1			1		1				1					
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910.															
	BIRMINGHAM, ALA.															
	All causes	412	79	24	10	17	130	19	12	13	174	34	35	58	60	51
5	Measles	5													1	4
6	Scarlet fever															
7	Whooping cough	13										2	1	2	5	3
8	Diphtheria and croup	2												1	1	
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis															
(37)	Syphilis	13	1				1	2	1	2	6	1	2	2	2	
17	Meningitis	3												1	1	1
(37)	Convulsions	6	1	1	1		3	1	1		5		1			
19	Organic diseases of the heart	1										1				
20	Acute bronchitis															
22	Pneumonia	10							1		1	2	1		4	2
(23)	Bronchopneumonia	36						2	2		4	5	5	6	7	9
24	Diseases of the stomach															
25	Diarrhea and enteritis	98			1		1	1		1	3	4	14	23	30	24
(33)	Malformations	11	2	1	1	3	7			1	8	2				1
(33)	Premature birth	92	59	18	3	6	86	2		3	91	1				
(33,37)	Congenital debility	46	1		2	3	6	3	4	2	15	6	7	13	4	1
(37)	Injuries at birth	5	2	1	1	1	5				5					
35	External causes	5							1	1	2	1	1		1	
	All other causes	13	1				1	1			2	1	1	4	1	4
38	Diseases ill-defined or unknown	47	12	3	1	4	20	6	2	3	31	7	2	5	1	1
	OAKLAND, CAL.															
	All causes	243	42	12	12	18	84	14	12	10	120	21	20	39	26	17
5	Measles	3										1				2
6	Scarlet fever															
7	Whooping cough	4								1	1	1			2	
8	Diphtheria and croup	1														1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	3											2			1
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	4						1			1		2	1		
14	Tuberculous meningitis	3										1			1	1
15	Other forms of tuberculosis	3												2	1	
(37)	Syphilis	9		1	1		2			1	3	1	3	1	1	
17	Meningitis	6							1	1	2			1	2	1
(37)	Convulsions	1								1	1					
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	5										1		2		2

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	OAKLAND, CAL.—continued.															
22	Pneumonia	11				1	1	1		1	3	2	1	2	1	2
(23)	Bronchopneumonia	16				1	1			1	2	1	1	6	4	2
24	Diseases of the stomach	3										1		1		1
25	Diarrhea and enteritis	45				1	1	1		1	3	7	8	13	10	4
(33)	Malformations	24	7	3	1	6	17	2	1		20			2	2	
(33)	Premature birth	55	27	7	3	3	40	4	5	2	51	2		2		
(33,37)	Congenital debility	24	7		4	1	12	2	2	1	17	2	3	2		
(37)	Injuries at birth	6	1	1	2		4	1	1		6					
35	External causes	1												1		
	All other causes	14			1	3	4	2	2		8	1		3	2	
38	Diseases ill-defined or unknown															
	DENVER, COLO.															
	All causes	475	66	22	13	34	135	42	21	16	214	50	50	81	54	26
5	Measles	12							1		1	1	1		2	7
6	Scarlet fever															
7	Whooping cough	5							1		1	1	1		1	1
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery	1													1	
(12)	Erysipelas	5							1		1	3			1	
(37)	Tetanus															
13	Tuberculosis of the lungs	3												2		1
14	Tuberculous meningitis	6						1			1			4	1	
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	17		1			1	2		2	5	2	3	4	3	
17	Meningitis	18				1	1	1			2		2	11		3
(37)	Convulsions	1	1				1				1					
19	Organic diseases of the heart	4	1				1	1	1		3		1			
20	Acute bronchitis	22				3	3	2	2	1	8	3	7	1	3	
22	Pneumonia	39						1	2	1	4	6	5	12	8	4
(23)	Bronchopneumonia	32		1		1	2	2	2	1	7	8	1	7	7	2
24	Diseases of the stomach	4		1			1	1			2		1		1	
25	Diarrhea and enteritis	79	2				2	4	4	1	11	10	13	24	17	4
(33)	Malformations	32	9	2	3	9	23	3	1	1	28	1	1	2		
(33)	Premature birth	88	44	8	5	11	68	13		3	84	3	1			
(33,37)	Congenital debility	62	5	4	4	7	20	4	3	5	32	10	11	8	1	
(37)	Injuries at birth	10	4	2			6	2	2		10					
35	External causes	7		1		2	3				3			1	2	1
	All other causes	27		2	1		3	5	1	1	10	2	2	5	5	3
38	Diseases ill-defined or unknown															
	BRIDGEPORT, CONN.															
	All causes	339	34	14	19	16	83	15	21	19	138	19	33	60	51	38
5	Measles	4													2	2
6	Scarlet fever	1													1	
7	Whooping cough															
8	Diphtheria and croup	2													1	1
9	Influenza															
(12)	Dysentery	1													1	
(12)	Erysipelas	1										1				
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	3													1	2
15	Other forms of tuberculosis	1											1			
(37)	Syphilis	5	1				1	1			2		3			
17	Meningitis	2								1	1					1
(37)	Convulsions	11			2	1	3	2	2	1	8	2	1			
19	Organic diseases of the heart	1								1	1					
20	Acute bronchitis	4											1	1	1	1
22	Pneumonia	22			1		1		1		2		3	5	5	7
(23)	Bronchopneumonia	18		1			1	1		1	3	1	3	4	6	1
24	Diseases of the stomach	3										1		1		1
25	Diarrhea and enteritis	119		1	1	1	3	2	6	6	17	6	12	36	29	19
(33)	Malformations	9	1	2		2	5	1		2	8	1				
(33)	Premature birth	37	13	6	7	6	32	2	2		36	1				
(33,37)	Congenital debility	53	4	1	4	3	12	5	8	6	31	3	6	10	2	1
(37)	Injuries at birth	20	12	3	3	1	19		1		20					
35	External causes	4	1				1				1	2	1			
	All other causes	17	1		1	2	4	1	1	1	7	1	2	3	2	2
38	Diseases ill-defined or unknown	1	1				1				1					
	NEW HAVEN, CONN.															
	All causes	413	46	25	13	29	113	29	26	12	180	34	30	58	52	59
5	Measles	2														2
6	Scarlet fever	1														1
7	Whooping cough	9								1	1			3	1	4
8	Diphtheria and croup	3										1		1	1	
9	Influenza	2				1	1				1	1				
(12)	Dysentery	2											2			
(12)	Erysipelas	2								1	1				1	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	NEW HAVEN, CONN.—continued.															
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	4											1	1	1	1
15	Other forms of tuberculosis															
(37)	Syphilis	4							3		3				1	
17	Meningitis	7				1	1				1			2	1	3
(37)	Convulsions	6		1			1	1	1		3			1	1	1
19	Organic diseases of the heart	4	1	1	1		3	1			4					
20	Acute bronchitis	11						2	1		3	2		2	2	2
22	Pneumonia	23						1			1	1	1	3	6	11
(23)	Bronchopneumonia	29						2	1	2	5	1	3	5	8	7
24	Diseases of the stomach	4						2			2	1				1
25	Diarrhea and enteritis	82			1	1	2	1	4	1	8	11	7	21	16	19
(33)	Malformations	26	8	2		8	18	3	1		22		1	1	1	1
(33)	Premature birth	73	27	14	10	5	56	5	5	2	68	4	1			
(33,37)	Congenital debility	65	1	5	1	7	14	7	9	5	35	6	6	12	4	2
(37)	Injuries at birth	15	8	2		2	12	2			14		1			
35	External causes	4										2		1	1	
	All other causes	25				3	3		1		4	3	6	2	6	4
38	Diseases ill-defined or unknown	7	1				1	2			3	1	1	2		
	ATLANTA, GA.															
	All causes	480	40	22	12	38	112	22	20	14	168	41	40	98	76	57
5	Measles	6								2	2				2	2
6	Scarlet fever	1														1
7	Whooping cough	19										2	5	2	4	6
8	Diphtheria and croup	4							1		1		1	2		
9	Influenza															
(12)	Dysentery	7						1			1		1	3	1	1
(12)	Erysipelas	1												1		
(37)	Tetanus															
13	Tuberculosis of the lungs	4												3	1	
14	Tuberculous meningitis	2												1	1	
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	2												1		1
17	Meningitis	4				1	1				1			2		1
(37)	Convulsions	3						1			1			1		1
19	Organic diseases of the heart	4		1		1	2				2	1				1
20	Acute bronchitis	5						1		1	2		1	1		1
22	Pneumonia	68		1	1	5	7		3	2	12	9	7	20	13	7
(23)	Bronchopneumonia	18			1		1		2	3	6	2	2	3	5	
24	Diseases of the stomach	10						2			2		4		4	
25	Diarrhea and enteritis	111		1		3	4	2	2	2	10	7	12	29	26	27
(33)	Malformations	16	5	2	1	2	10	2	1		13	1			1	1
(33)	Premature birth	69	30	10	7	10	57	3	2	1	63	4		2		
(33,37)	Congenital debility	67	4	4	2	11	21	5	6	2	34	9	2	12	6	4
(37)	Injuries at birth	5	1			2	3	1	1		5					
35	External causes	18		2			2	2	1		5	3	2	7	1	
	All other causes	28				3	3	1	1	1	6	2	2	6	10	2
38	Diseases ill-defined or unknown	7		1			1	1			2	1	1	1	1	1
	INDIANAPOLIS, IND.															
	All causes	419	62	45	12	37	156	25	14	11	206	41	29	59	46	38
5	Measles															
6	Scarlet fever	1							1		1					
7	Whooping cough	7											2	4		1
8	Diphtheria and croup	4										1			2	1
9	Influenza	3												2	1	
(12)	Dysentery	1												1		
(12)	Erysipelas	1														1
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	2													2	
15	Other forms of tuberculosis	1											1			
(37)	Syphilis	7			1		1	1		1	3	1	2	1		
17	Meningitis	5							1		1	1		2	1	
(37)	Convulsions	1	1				1				1					
19	Organic diseases of the heart	2				1	1				1		1			
20	Acute bronchitis	5											2	1	2	
22	Pneumonia	20				3	3	1	1	1	6	1		6	3	4
(23)	Bronchopneumonia	28						1	2	2	5	1	7	4	4	7
24	Diseases of the stomach	4	1				1				1	1			1	1
25	Diarrhea and enteritis	110	1			4	5	4	2	2	13	17	6	33	23	18
(33)	Malformations	51	8	12	5	10	35	5	1	1	42	4	5			
(33)	Premature birth	101	45	23	3	11	82	8	4	2	96	4		1		
(33,37)	Congenital debility	25	4	2	1	2	9	2		2	13	5	2	1	3	1
(37)	Injuries at birth	13	2	6	1	2	11	2			13					
35	External causes	4		1		1	2				2	2				
	All other causes	21		1	1	3	5	1	2		8	3	1	2	4	3
38	Diseases ill-defined or unknown															

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	LOUISVILLE, KY.															
	All causes	441	46	21	13	30	110	32	21	20	183	34	52	91	46	35
5	Measles	14						1	1		2	1		4	2	5
6	Scarlet fever															
7	Whooping cough	7						1			1			1	2	3
8	Diphtheria and croup	1							1		1					
9	Influenza															
(12)	Dysentery	3												1	1	1
(12)	Erysipelas															
(37)	Tetanus	2						1	1		2					
13	Tuberculosis of the lungs	7											1	1	5	
14	Tuberculous meningitis															
15	Other forms of tuberculosis	3											2			1
(37)	Syphilis	6										1	2	3		
17	Meningitis	15		1	1		2		1		3	1	1	4	4	2
(37)	Convulsions	19	1	1	1	5	8	3	1	1	13		1	5		
19	Organic diseases of the heart	3	2		1		3				3					
20	Acute bronchitis	3													2	1
22	Pneumonia	27						1	2		3	3	5	6	5	5
(23)	Bronchopneumonia	18				1	1		1		2	5	3	5	2	1
24	Diseases of the stomach	6			1	1	2				2		1		1	2
25	Diarrhea and enteritis	60						1		3	4	5	7	27	13	4
(33)	Malformations	14	4	4	2	1	11	1			12	1	1			
(33)	Premature birth	56	24	8	1	8	41	6	4	3	54			1	1	
(33,37)	Congenital debility	135	13	6	4	10	33	13	7	11	64	14	21	25	6	5
(37)	Injuries at birth	3	2		1		3				3					
35	External causes	6				2	2	1			3				1	2
	All other causes	33		1	1	2	4	3	2	2	11	3	7	8	1	3
38	Diseases ill-defined or unknown															
	CAMBRIDGE, MASS.															
	All causes	297	44	20	7	14	85	14	12	7	118	24	12	59	46	38
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	13										2	1	3	4	3
8	Diphtheria and croup	2													1	1
9	Influenza	1												1		
(12)	Dysentery															
(12)	Erysipelas	1										1				
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	1														1
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis															
(37)	Syphilis	2						1			1			1		
17	Meningitis	4												1	2	1
(37)	Convulsions	5				1	1	1			2			2	1	
19	Organic diseases of the heart	2		1			1				1		1			
20	Acute bronchitis	10		1			1				1	2		2	3	2
22	Pneumonia	21			1	1	2	1	1		4	1		10	4	2
(23)	Bronchopneumonia	16				2	2				2	4	2	2	4	2
24	Diseases of the stomach	7				1	1	1			2			1	2	2
25	Diarrhea and enteritis	83						1	4	3	8	9	7	20	21	18
(33)	Malformations	10	2	2		1	5	1	1	1	8	1		1		
(33)	Premature birth	61	32	9	5	5	51	2	4	2	59	2				
(33,37)	Congenital debility	17	3	1		1	5	2	1		8	1		7	1	
(37)	Injuries at birth	15	7	4	1	1	13	1	1		15					
35	External causes	4						1			1		1	1	1	
	All other causes	18		2		1	3	1		1	5	1		7	2	3
38	Diseases ill-defined or unknown	1														1
	FALL RIVER, MASS.															
	All causes	810	59	21	16	30	126	44	41	17	228	75	64	187	147	109
5	Measles	16										1	1		5	9
6	Scarlet fever															
7	Whooping cough	9										3		1	1	4
8	Diphtheria and croup	2													1	1
9	Influenza															
(12)	Dysentery	2						1			1					1
(12)	Erysipelas	1													1	
(37)	Tetanus	2						1	1		2					
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis															
(37)	Syphilis	2								1	1		1			
17	Meningitis	7										1		2	1	3
(37)	Convulsions	15	1			2	3		1	1	5	2		2	5	1
19	Organic diseases of the heart	1													1	
20	Acute bronchitis	35				1	1		2		3	6	2	9	6	9
22	Pneumonia	55				1	1	2		1	4	1	3	15	10	22
(23)	Bronchopneumonia	50				1	1		2	3	6	2	3	16	15	8
24	Diseases of the stomach	11						1	1	1	3	5		2	1	
25	Diarrhea and enteritis	347		1	1	1	3	11	15	6	35	31	44	116	84	37
(33)	Malformations	19	5	1	2	3	11	3	1	1	16	1		1		1

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	FALL RIVER, MASS—continued.															
(33)	Premature birth	87	34	11	5	11	61	10	7		78	5	2	2		
(33,37)	Congenital debility	72	7	4	6	3	20	9	8	3	40	12	5	9	2	4
(37)	Injuries at birth	20	12	3		4	19	1			20					
35	External causes	6											2	2	1	1
	All other causes	41			1	3	4	3	2		9	3	1	9	12	7
38	Diseases ill-defined or unknown	8		1	1		2	2	1		5	2		1		
	LOWELL, MASS.															
	All causes	486	50	16	10	37	113	12	12	11	148	46	46	103	86	57
5	Measles	6												1	3	2
6	Scarlet fever															
7	Whooping cough	10								1	1			4	4	1
8	Diphtheria and croup	1														1
9	Influenza															
(12)	Dysentery	1													1	
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	14										1		7	3	3
15	Other forms of tuberculosis	2												1	1	
(37)	Syphilis															
17	Meningitis	9											1	1	3	4
(37)	Convulsions	4							1		1		1	2		
19	Organic diseases of the heart															
20	Acute bronchitis	26						1	2	1	4	2	4	4	5	7
22	Pneumonia	14				1	1				1	1		4	5	3
(23)	Bronchopneumonia	19										2	2	4	5	6
24	Diseases of the stomach	5				1	1				1	1	1	1	1	
25	Diarrhea and enteritis	187			1	3	4	1	3	4	12	24	19	61	47	24
(33)	Malformations	17	2	4	2	4	12	2	1		15			1	1	
(33)	Premature birth	49	22	5	3	12	42	2	2	2	48	1				
(33,37)	Congenital debility	89	21	5	4	12	42	6	3	2	53	10	12	10	1	3
(37)	Injuries at birth	6	3	1		1	5				5	1				
35	External causes	7	1				1				1	2	1		2	1
	All other causes	19		1		3	4			1	5	1	5	2	4	2
38	Diseases ill-defined or unknown	1	1				1				1					
	WORCESTER, MASS.															
	All causes	447	81	16	14	31	142	22	23	12	199	38	31	85	48	46
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough	4												1	1	2
8	Diphtheria and croup	3											1	1		1
9	Influenza	2										1		1		
(12)	Dysentery	1														1
(12)	Erysipelas	6							1	1	2	1		2		1
(37)	Tetanus															
13	Tuberculosis of the lungs	4												2	1	1
14	Tuberculous meningitis	8										1	1	3	2	1
15	Other forms of tuberculosis	2												1		1
(37)	Syphilis	2										1	1			
17	Meningitis	4				1	1		1		2	1				1
(37)	Convulsions	10			1		1	1		2	4	2		3		1
19	Organic diseases of the heart	3				1	1	1			2				1	
20	Acute bronchitis	12				1	1	2			3	2	2	2	2	1
22	Pneumonia	13										1		5	2	5
(23)	Bronchopneumonia	28	1		1	2	4		1	2	7	2	4	7	6	2
24	Diseases of the stomach	5											1	2		2
25	Diarrhea and enteritis	106							5		5	12	16	31	26	16
(33)	Malformations	25	4	4	2	4	14	2	2	2	20			2	1	2
(33)	Premature birth	93	53	9	8	4	74	6	5	2	87	4		2		
(33,37)	Congenital debility	62	8	3	2	10	23	6	6	1	36	7	2	12	3	2
(37)	Injuries at birth	20	15			3	18	1	1		20					
35	External causes	5				1	1			1	2			3		
	All other causes	27				3	3	3	1	1	8	3	3	5	2	6
38	Diseases ill-defined or unknown	1				1	1				1					
	GRAND RAPIDS, MICH.															
	All causes	270	22	15	11	27	75	14	15	8	112	34	23	47	35	19
5	Measles	6							1		1	1	1		1	2
6	Scarlet fever															
7	Whooping cough	4										1	1	1	1	
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1							1		1					
(37)	Tetanus															
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1														1
15	Other forms of tuberculosis	2													1	1
(37)	Syphilis	3										1		2		
17	Meningitis	3												1	2	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	GRAND RAPIDS, MICH.—continued.															
(37)	Convulsions	3				1	1	1			2	1				
19	Organic diseases of the heart															
20	Acute bronchitis	4							1	1	2	1			1	
22	Pneumonia	14								3	3	3		3	2	3
(23)	Bronchopneumonia	17										3	3	3	5	3
24	Diseases of the stomach	13				2	2	1	2		5	3	1	2	1	1
25	Diarrhea and enteritis	57				1	1	2	4		7	9	7	14	14	6
(33)	Malformations	14	2		3	4	9	1			10	1	1	2		
(33)	Premature birth	46	20	10	4	9	43	2		1	46					
(33, 37)	Congenital debility	55		4	3	7	14	5	5	2	26	7	7	13	2	
(37)	Injuries at birth	2		1			1	1			2					
35	External causes	2				1	1				1			1		
	All other causes	23			1	2	3	1	1	1	6	3	2	5	5	2
38	Diseases ill-defined or unknown															
	ST. PAUL, MINN.															
	All causes	449	53	22	17	38	130	33	30	27	220	44	52	66	41	26
5	Measles															
6	Scarlet fever	1														1
7	Whooping cough	9										3	2		3	1
8	Diphtheria and croup	7											1	2	2	2
9	Influenza	2												1	1	
(12)	Dysentery															
(12)	Erysipelas	2								1	1		1			
(37)	Tetanus															
13	Tuberculosis of the lungs	2													1	1
14	Tuberculous meningitis	2							1		1					1
15	Other forms of tuberculosis															
(37)	Syphilis	13				1	1	1		2	4	1	5	1	2	
17	Meningitis	9								1	1	2	1	1	4	
(37)	Convulsions	7		1		2	3		1		4	1		1	1	
19	Organic diseases of the heart	1								1	1					
20	Acute bronchitis	16						3	2		5	1	6	3	1	
22	Pneumonia	16			1	2	3		1		4	2	4	4	1	1
(23)	Bronchopneumonia	39				1	1	4	2		7	6	3	8	8	7
24	Diseases of the stomach	6				1	1			1	2		1	2	1	
25	Diarrhea and enteritis	88				3	3	3	4	4	14	14	15	24	11	10
(33)	Malformations	29	6	5	2	3	16	3	1	3	23	2	3	1		
(33)	Premature birth	94	39	9	3	10	61	7	13	7	88	3	1	1	1	
(33, 37)	Congenital debility	59	3	4	6	8	21	5	4	6	36	6	3	14		
(37)	Injuries at birth	12	3	2	3	3	11	1			12					
35	External causes	4				2	2				2		1	1		
	All other causes	30	2	1	2	1	6	6	1	1	14	3	5	2	4	2
38	Diseases ill-defined or unknown	1				1	1				1					
	KANSAS CITY, MO.															
	All causes	587	80	35	21	38	174	33	30	31	268	84	50	80	65	40
5	Measles	5											1	1	2	1
6	Scarlet fever	1								1	1					
7	Whooping cough	15										4	3	1	5	2
8	Diphtheria and croup	1							1		1					
9	Influenza	3										1		1	1	
(12)	Dysentery	1							1		1					
(12)	Erysipelas	3										1			1	1
(37)	Tetanus	1						1			1					
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	2														2
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	24								3	3	7	7	5	2	
17	Meningitis	7							2	1	3			2	1	1
(37)	Convulsions	7		1	2		3	1			4	1		1		1
19	Organic diseases of the heart	3			2	1	3				3					
20	Acute bronchitis	15							1	3	4	5		3	2	1
22	Pneumonia	29			1	2	3	1	3	1	8	8	1	3	4	5
(23)	Bronchopneumonia	27			1		1	1	1		3	4	2	6	11	1
24	Diseases of the stomach	7				1	1				1	3			2	1
25	Diarrhea and enteritis	125				1	1	3	2	3	9	28	18	27	25	18
(33)	Malformations	31	2	4	3	7	16	1	4	2	23	4		3	1	
(33)	Premature birth	109	52	18	4	9	83	10	4	7	104	2	1	2		
(33, 37)	Congenital debility	87	11	6	6	8	31	6	9	8	54	12	9	10	2	
(37)	Injuries at birth	22	11	4	1	3	19	1	2		22					
35	External causes	9			1		1				1		2	3	1	2
	All other causes	42	1	2		4	7	8		2	17	3	6	8	5	3
38	Diseases ill-defined or unknown	8	3			2	5				5	1		2		
	OMAHA, NEBR.															
	All causes	221	13	18	9	18	58	19	9	15	101	25	21	33	22	19
5	Measles	1													1	
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza															

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	OMAHA, NEBR.—continued.															
(12)	Dysentery															
(12)	Erysipelas	1													1	
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	2													1	1
15	Other forms of tuberculosis															
(37)	Syphilis	3		1			1				1	1	1			
17	Meningitis	7								1	1	1		3	1	1
(37)	Convulsions															
19	Organic diseases of the heart	5	1			2	3	1			4		1			
20	Acute bronchitis	3				1	1				1		1		1	
22	Pneumonia															
(23)	Bronchopneumonia	36				1	1	1	2	4	8	6	3	9	5	5
24	Diseases of the stomach															
25	Diarrhea and enteritis	52				1	1	4		1	6	5	5	19	8	9
(33)	Malformations	12	1	2		3	6	2		1	9	1	1	1		
(33)	Premature birth	36	7	13	9	4	33	2	1		36					
(33,37)	Congenital debility	40	1			4	5	6	4	6	21	10	9			
(37)	Injuries at birth	6	3	2		1	6				6					
35	External causes	3						1			1	1			1	
	All other causes	12						2	2	2	6			1	2	3
38	Diseases ill-defined or unknown	1				1	1				1					
	PATERSON, N. J.															
	All causes	313	44	15	13	18	90	18	14	6	128	36	23	53	46	27
5	Measles															
6	Scarlet fever															
7	Whooping cough	9												5	2	2
8	Diphtheria and croup															
9	Influenza	1										1				
(12)	Dysentery	2											1		1	
(12)	Erysipelas	2											1	1		
(37)	Tetanus	2				1	1	1			2					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	2												1		1
15	Other forms of tuberculosis	2										1			1	
(37)	Syphilis	1														1
17	Meningitis	10										1		3	4	2
(37)	Convulsions	6		1		1	2		2		4	1			1	
19	Organic diseases of the heart	2	1				1				1				1	
20	Acute bronchitis	5				1	1		1		2	1			1	1
22	Pneumonia	14						1			1	2	1	3	5	2
(23)	Bronchopneumonia	25				1	1	3	2	1	7	2	2	8	2	4
24	Diseases of the stomach	3						1		1	2	1				
25	Diarrhea and enteritis	83				1	1	4	4		9	11	7	22	22	12
(33)	Malformations	13	4	3		4	11	1			12	1				
(33)	Premature birth	40	18	6	7	6	37		2		39	1				
(33,37)	Congenital debility	52	6	1	3	2	12	3		3	18	11	10	8	4	1
(37)	Injuries at birth	21	13	4	3		20				20		1			
35	External causes	4						1	1		2			1		1
	All other causes	13	1			1	2	3	2	1	8	2		1	2	
38	Diseases ill-defined or unknown	1	1				1				1					
	ALBANY, N. Y.															
	All causes	251	24	9	11	23	67	11	8	15	101	26	25	45	33	21
5	Measles															
6	Scarlet fever															
7	Whooping cough															
8	Diphtheria and croup															
9	Influenza	2								1	1				1	
(12)	Dysentery	1													1	
(12)	Erysipelas	2										2				
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	3														3
15	Other forms of tuberculosis	1	1				1				1					
(37)	Syphilis	2							1	1	2					
17	Meningitis	4				1	1			1	2		1		1	
(37)	Convulsions	7		1		1	2				2		1	2	1	1
19	Organic diseases of the heart															
20	Acute bronchitis	2													1	1
22	Pneumonia	12						1			1		1	2	3	5
(23)	Bronchopneumonia	10											3	2	4	1
24	Diseases of the stomach	6								1	1	2	2	1		
25	Diarrhea and enteritis	43				1	1	2	1	2	6	5	2	13	13	4
(33)	Malformations	18	4	1		4	9		2		11	3	1	1	2	
(33)	Premature birth	35	12	4	3	3	22	4	1	3	30	3		2		
(33,37)	Congenital debility	51	3	1	3	5	12	2	3	2	19	6	9	11	4	2
(37)	Injuries at birth	11	4	1	3	3	11				11					
35	External causes	16		1		1	2			2	4	2	5	4		1
	All other causes	23			2	4	6	2		2	10	3		6	2	2
38	Diseases ill-defined or unknown															

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	ROCHESTER, N. Y.															
	All causes	443	31	12	12	30	85	21	26	13	145	50	43	82	70	53
5	Measles	2													2	
6	Scarlet fever	3														3
7	Whooping cough	10										3	2	3	2	
8	Diphtheria and croup	5													3	2
9	Influenza															
(12)	Dysentery	1											1			
(12)	Erysipelas	4							3		3	1				
(37)	Tetanus															
13	Tuberculosis of the lungs	5											1	1	1	2
14	Tuberculous meningitis	2													2	
15	Other forms of tuberculosis	3											1	1		1
(37)	Syphilis	6						3	1		4		1	1		
17	Meningitis	7								1	1	1		1	2	2
(37)	Convulsions	3							1		1		1			1
19	Organic diseases of the heart	3				2	2				2			1		
20	Acute bronchitis	16			1	1	2	1			3	5	1	2	2	3
22	Pneumonia	13				1	1			1	2	3	1	1	2	4
(23)	Bronchopneumonia	48			1		1	1	5	2	9	4	8	10	10	7
24	Diseases of the stomach	6			1		1	1	1		3	1	1	1		
25	Diarrhea and enteritis	176				3	3	4	5	6	18	25	20	54	35	24
(33)	Malformations	40	5	8	7	7	27	4	3		34	1	1	2	2	
(33)	Premature birth	3							1		1	1	1			
(33,37)	Congenital debility	25	11	1		7	19	2	2	1	24			1		
(37)	Injuries at birth	18	13	1	1	2	17	1			18					
35	External causes	6		1			1				1	1	1	1		2
	All other causes	38	2	1	1	7	11	4	4	2	21	4	2	2	7	2
38	Diseases ill-defined or unknown															
	SYRACUSE, N. Y.															
	All causes	386	56	23	10	21	110	25	19	13	167	48	23	58	55	35
5	Measles	7							1		1				3	3
6	Scarlet fever	5												2	2	1
7	Whooping cough	8												2	3	3
8	Diphtheria and croup	6										1	1		4	
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1												1		
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	3												1	2	
14	Tuberculous meningitis	4										1			3	
15	Other forms of tuberculosis															
(37)	Syphilis	7	1	1			2	1		1	4	2			1	
17	Meningitis	5				2	2				2	1		1	1	
(37)	Convulsions	5			1	2	3				3	1		1		
19	Organic diseases of the heart	1	1				1				1					
20	Acute bronchitis	13						2	1	1	4	3	3	2	1	
22	Pneumonia	12						1		2	3		1	3	2	3
(23)	Bronchopneumonia	20						1			1	4		7	6	2
24	Diseases of the stomach	4							1		1			2	1	
25	Diarrhea and enteritis	100				3	3	7	6	4	20	18	7	18	20	17
(33)	Malformations	14	1		1	2	4	3	1	1	9	3			1	1
(33)	Premature birth	72	34	14	2	8	58	5	5	1	69	2	1			
(33,37)	Congenital debility	57	8	2	1	1	12	4	3	2	21	11	8	12	3	2
(37)	Injuries at birth	19	11	4	4		19				19					
35	External causes	3		1	1		2				2			1		
	All other causes	19		1		2	3	1	1	1	6	1	2	5	2	3
38	Diseases ill-defined or unknown															
	COLUMBUS, OHIO.															
	All causes	356	44	32	19	23	118	21	17	15	171	32	23	60	36	34
5	Measles															
6	Scarlet fever															
7	Whooping cough	8				1	1				1		1	1	2	3
8	Diphtheria and croup															
9	Influenza	1								1	1					
(12)	Dysentery															
(12)	Erysipelas	1						1			1					
(37)	Tetanus	1				1	1				1					
13	Tuberculosis of the lungs	4												1	1	2
14	Tuberculous meningitis	8			1		1				1	1		2	1	3
15	Other forms of tuberculosis	2										1		1		
(37)	Syphilis	5	1				1	1			2	1		1	1	
17	Meningitis	9						1	1	1	3	1		1	1	3
(37)	Convulsions	8			1	3	4	1	2		7				1	
19	Organic diseases of the heart	1														1
20	Acute bronchitis	4							1		1		1	2		
22	Pneumonia	14		1		2	3		1	1	5	1	2	3	1	2
(23)	Bronchopneumonia	28			1		1		1	2	4	3	5	5	7	4
24	Diseases of the stomach	3										1		2		
25	Diarrhea and enteritis	63						1	4	3	8	7	6	21	10	11
(33)	Malformations	19	2	2	2	1	7	3	1	2	13	1	1	4		
(33)	Premature birth	75	31	16	7	5	59	6	4		69	3	1	2		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	COLUMBUS, OHIO—continued.															
(33,37)	Congenital debility	56	5	6	3	7	21	6	2	3	32	8	1	11	3	1
(37)	Injuries at birth	13	5	3	3	2	13				13					
35	External causes	10		2		1	3				3		3	2		2
	All other causes	21		1	1		2	1		2	5	3	2	1	8	2
38	Diseases ill-defined or unknown	2		1			1				1	1				
	DAYTON, OHIO.															
	All causes	266	59	12	16	23	110	14	9	8	141	25	21	37	26	16
5	Measles															
6	Scarlet fever															
7	Whooping cough	9							1	1	2	2	1	2	1	1
8	Diphtheria and croup	1														1
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1													1	
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1	1	
14	Tuberculous meningitis	1													1	
15	Other forms of tuberculosis	2										1			1	
(37)	Syphilis	8	1		2		3	2		1	6	1		1		
17	Meningitis	7				2	2	1			3	1		1	1	1
(37)	Convulsions	1		1			1				1					
19	Organic diseases of the heart	1	1				1				1					
20	Acute bronchitis	1											1			
22	Pneumonia	4						1			1		1	1		1
(23)	Bronchopneumonia	12			1		1		1		2	2	1	4	3	
24	Diseases of the stomach	10			2		2	1			3	3	1	1	2	
25	Diarrhea and enteritis	62				1	1		2	2	5	7	11	15	14	10
(33)	Malformations	17	2	3	2	7	14		1		15			1		1
(33)	Premature birth	69	45	7	5	2	59	5	2	2	68		1			
(33,37)	Congenital debility	16	2	1	2	2	7				7	2	2	5		
(37)	Injuries at birth	10	6		1	2	9	1			10					
35	External causes	7	1			1	2		1		3	3	1			
	All other causes	25	1		1	6	8	3	1	2	14	3	1	5	1	1
38	Diseases ill-defined or unknown															
	TOLEDO, OHIO.															
	All causes	394	74	25	13	32	144	23	16	14	197	39	28	48	44	38
5	Measles															
6	Scarlet fever	1														1
7	Whooping cough	18										2	4	2	4	6
8	Diphtheria and croup	1													1	
9	Influenza	3												2		1
(12)	Dysentery															
(12)	Erysipelas	2										1		1		
(37)	Tetanus															
13	Tuberculosis of the lungs	1											1			
14	Tuberculous meningitis	3													1	2
15	Other forms of tuberculosis															
(37)	Syphilis	3	2				2				2				1	
17	Meningitis	3						1			1			1		1
(37)	Convulsions	5	1	2	1	1	5				5					
19	Organic diseases of the heart	2						1			1	1				
20	Acute bronchitis	7		1			1		2		3	1			2	1
22	Pneumonia	14				1	1	1	1	1	4	1	4	2	1	2
(23)	Bronchopneumonia	28						3	3	1	7	6	5	1	3	6
24	Diseases of the stomach	5						1		1	2	1	2			
25	Diarrhea and enteritis	102				2	2	3	2	4	11	16	9	28	22	16
(33)	Malformations	27	9	1	2	8	20	2	2		24	2		1		
(33)	Premature birth	79	44	15	3	7	69	4	2	1	76	2	1			
(33,37)	Congenital debility	37	12	4	2	8	26	3	2	2	33	2		2		
(37)	Injuries at birth	17	6	1	3	4	14	3			17					
35	External causes	3											1		2	
	All other causes	33		1	2	1	4	1	2	4	11	4	1	8	7	2
38	Diseases ill-defined or unknown															
	PORTLAND, OREG.															
	All causes	334	54	16	9	35	114	26	12	9	161	28	26	58	41	20
5	Measles	5														5
6	Scarlet fever															
7	Whooping cough	6										2	2	1		1
8	Diphtheria and croup															
9	Influenza	4							1		1	1	1	1		
(12)	Dysentery	1													1	
(12)	Erysipelas															
(37)	Tetanus															
13	Tuberculosis of the lungs	1													1	
14	Tuberculous meningitis	2											1	1		
15	Other forms of tuberculosis															
(37)	Syphilis	4	2				2		1		3		1			
17	Meningitis	7				2	2				2	2	2	1		
(37)	Convulsions	5	1			1	2				2		1	2		

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months.
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	PORTLAND, OREG.—continued.															
19	Organic diseases of the heart	2	1	1			2				2					
20	Acute bronchitis	4								1	1			1	2	
22	Pneumonia	17				2	2		1		3	1	2	3	5	3
(23)	Bronchopneumonia	14	1				1	1	1		3	1		4	4	2
24	Diseases of the stomach	10						1		1	2	2		4	2	
25	Diarrhea and enteritis	55				1	1		2	1	4	6	5	20	16	4
(33)	Malformations	22	5	2	1	5	13	2		2	17	1		2	2	
(33)	Premature birth	61	28	9	2	6	45	8	4	2	59	1			1	
(33,37)	Congenital debility	81	11	1	5	10	27	12	2	2	43	9	9	13	4	3
(37)	Injuries at birth	10	4	3		3	10				10					
35	External causes	7				1	1	1			2		1	1	1	2
	All other causes	15	1		1	3	5	1			6	2	1	4	2	
38	Diseases ill-defined or unknown	1				1	1				1					
	SCRANTON, PA.															
	All causes	387		2	2	13	17	28	17	15	77	46	47	97	74	46
5	Measles	1														1
6	Scarlet fever															
7	Whooping cough	3												2	1	
8	Diphtheria and croup	1													1	
9	Influenza	2											1		1	
(12)	Dysentery	5												2	1	2
(12)	Erysipelas	1												1		
(37)	Tetanus															
13	Tuberculosis of the lungs	6										1	1	2	1	1
14	Tuberculous meningitis	2													1	1
15	Other forms of tuberculosis															
(37)	Syphilis	2											1		1	
17	Meningitis	4				1	1				1			2		1
(37)	Convulsions	7				1	1	1		1	3		1	1	1	1
19	Organic diseases of the heart															
20	Acute bronchitis	16						1	1	1	3	3	2	4	3	1
22	Pneumonia	11				1	1			1	2	2		4	1	2
(23)	Bronchopneumonia	46				1	1	2	1	4	8	6	3	7	14	8
24	Diseases of the stomach	23				1	1	5	1		7	3	5	7	1	
25	Diarrhea and enteritis	190		1		1	2	7	7	4	20	24	28	52	44	22
(33)	Malformations	4						1			1	1		2		
(33)	Premature birth	14		1	1	4	6	2	2	2	12	2				
(33,37)	Congenital debility	27				2	2	5	3	2	12	1	4	8		2
(37)	Injuries at birth	2			1		1	1			2					
35	External causes	3													1	2
	All other causes	17				1	1	3	2		6	3	1	3	2	2
38	Diseases ill-defined or unknown															
	PROVIDENCE, R. I.															
	All causes	674	83	32	28	45	188	32	39	34	293	72	45	112	80	72
5	Measles	5												1	1	3
6	Scarlet fever	1													1	
7	Whooping cough	24						1		1	2	3		2	8	9
8	Diphtheria and croup	4												2	1	1
9	Influenza	1														1
(12)	Dysentery															
(12)	Erysipelas	3						2			2	1				
(37)	Tetanus	1							1		1					
13	Tuberculosis of the lungs	5												2	2	1
14	Tuberculous meningitis	4													1	3
15	Other forms of tuberculosis	3		1			1	1			2	1				
(37)	Syphilis	17	4			1	5		2		7	3	2	3	2	
17	Meningitis	10				1	1		1		2	1	1	2	3	1
(37)	Convulsions	17		1	2		3	2	3	1	9	3		1	2	2
19	Organic diseases of the heart	2		1			1				1				1	
20	Acute bronchitis	15				1	1		1	1	3	3	2	3	4	
22	Pneumonia	25			1		1	1	1		3	2	2	4	5	9
(23)	Bronchopneumonia	46						1	5	2	8	3	4	13	10	8
24	Diseases of the stomach	6								1	1	1		2	1	1
25	Diarrhea and enteritis	161				3	3	7	10	10	30	23	18	48	24	18
(33)	Malformations	34	4	6	2	7	19	2		4	25	2		4	2	1
(33)	Premature birth	92	37	16	7	12	72	6	6	4	88	3	1			
(33,37)	Congenital debility	91	13	5	5	7	30	3	5	5	43	17	9	14	5	3
(37)	Injuries at birth	40	22	2	7	7	38	1			39	1				
35	External causes	13	1		1		2	1			3		2		1	7
	All other causes	43	1		2	5	8	4	2	4	18	4	4	8	5	4
38	Diseases ill-defined or unknown	11	1		1	1	3		2	1	6	1		3	1	
	MEMPHIS, TENN.															
	All causes	348	11	8	9	22	50	24	19	17	110	55	24	72	54	33
5	Measles	5										2		1		2
6	Scarlet fever															
7	Whooping cough	13							1		1	3		2	5	2
8	Diphtheria and croup	8							1		1	2	1	2	1	1
9	Influenza															
(12)	Dysentery															

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks, or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	MEMPHIS TENN.—continued.															
(12)	Erysipelas	1										1				
(37)	Tetanus	2			1		1	1			2					
13	Tuberculosis of the lungs	2											1		1	
14	Tuberculous meningitis															
15	Other forms of tuberculosis	2												1	1	
(37)	Syphilis	7		1	2	1	4		1		5				1	1
17	Meningitis	7										2	1	2		2
(37)	Convulsions	17				3	3	2		1	6	2	1	3	5	
19	Organic diseases of the heart	2										1		1		
20	Acute bronchitis	3												1	1	1
22	Pneumonia															
(23)	Bronchopneumonia	31								1	1	4	1	10	7	8
24	Diseases of the stomach	11		1			1				1	2	1	2	3	2
25	Diarrhea and enteritis	95			1	3	4	3	6	8	21	22	3	22	21	6
(33)	Malformations	2			1		1	1			2					
(33)	Premature birth	27	6	4	2	5	17	6	2		25	2				
(33,37)	Congenital debility	68	4	1	1	8	14	8	5	6	33	8	10	13	2	2
(37)	Injuries at birth	1						1			1					
35	External causes	3											1	1	1	
	All other causes	22		1	1	1	3				3	2	4	6	3	4
38	Diseases ill-defined or unknown	19	1			1	2	2	3	1	8	2		5	2	2
	NASHVILLE, TENN.															
	All causes	342	35	13	9	27	84	24	11	12	131	25	32	60	49	45
5	Measles	6											1		2	3
6	Scarlet fever															
7	Whooping cough	15						1			1		1	3	5	5
8	Diphtheria and croup	2												1		1
9	Influenza	1											1			
(12)	Dysentery	8						1	1		2	1	1	1	2	1
(12)	Erysipelas	2							1		1				1	
(37)	Tetanus	4				3	3	1			4					
13	Tuberculosis of the lungs															
14	Tuberculous meningitis	1												1		
15	Other forms of tuberculosis	1												1		
(37)	Syphilis	2		1			1				1	1				
17	Meningitis	6										1		2	2	1
(37)	Convulsions	12	1				1	2	1	1	5		2	3		2
19	Organic diseases of the heart	1				1	1				1					
20	Acute bronchitis	2			1		1				1			1		
22	Pneumonia	26				1	1	1	1		3	2	1	10	7	3
(23)	Bronchopneumonia	14						2			2	2	1	4	3	2
24	Diseases of the stomach	3						1			1		1	1		
25	Diarrhea and enteritis	90				1	1	3		5	9	6	12	18	23	22
(33)	Malformations	10	2	1	1	2	6			2	8			1	1	
(33)	Premature birth	56	25	7	5	6	43	7	2		52	3	1			
(33,37)	Congenital debility	50	5	1	2	7	15	4	5	3	27	6	8	6	1	2
(37)	Injuries at birth	5	1	2		2	5				5					
35	External causes	5	1			1	2			1	3	1		1		
	All other causes	19		1		2	3	1			4	2	2	6	2	3
38	Diseases ill-defined or unknown	1				1	1				1					
	RICHMOND, VA.															
	All causes	539	57	24	14	24	119	39	25	16	199	63	46	112	71	48
5	Measles	2													1	1
6	Scarlet fever															
7	Whooping cough	21											2	13	4	2
8	Diphtheria and croup	1														1
9	Influenza	1											1			
(12)	Dysentery	3										2			1	
(12)	Erysipelas	1													1	
(37)	Tetanus	4				2	2	2			4					
13	Tuberculosis of the lungs	2											1		1	
14	Tuberculous meningitis	7							1		1		1	3	1	1
15	Other forms of tuberculosis	1						1			1					
(37)	Syphilis	15			1		1	1	3	2	7	1	3	4		
17	Meningitis	3													2	1
(37)	Convulsions	21				2	2	3	2	1	8	5	1	1	4	2
19	Organic diseases of the heart															
20	Acute bronchitis	14						1			1	5	2	4	1	1
22	Pneumonia	2												1	1	
(23)	Bronchopneumonia	31										4	4	5	7	11
24	Diseases of the stomach	4						1			1	2				1
25	Diarrhea and enteritis	175				1	1	1	5	8	15	20	20	58	43	19
(33)	Malformations	9	1	4		1	6			1	7	2				
(33)	Premature birth	91	38	12	7	11	68	14	4		86	4	1			
(33,37)	Congenital debility	74	7	6	5	2	20	3	7	2	32	11	7	19	2	3
(37)	Injuries at birth	7	5			1	6	1			7					
35	External causes	20	6	1	1	2	10	2			12	4		1		3
	All other causes	21				2	2	9	2	2	15	1	2	1		2
38	Diseases ill-defined or unknown	5		1			1		1		2	2	1	2	2	

TABLE 9.—DEATHS (EXCLUSIVE OF STILLBIRTHS) FROM IMPORTANT CAUSES, DURING EACH OF THE FIRST THREE DAYS OF LIFE, THE REMAINDER OF THE FIRST WEEK, WEEKS OF THE FIRST MONTH, MONTHS OF THE FIRST QUARTER, AND REMAINING QUARTERS OF THE FIRST YEAR, FOR THE REGISTRATION AREA, REGISTRATION STATES, AND CITIES OF 100,000 POPULATION OR OVER IN 1910: 1911—Continued.

[The classification in this table is based on the age of the decedent in completed days, weeks or months. The cities included in this table are arranged alphabetically by states.]

Abridged International List No.	AREA AND CAUSE OF DEATH.	Total deaths under 1 year of age.	DEATHS AT AGE OF— Less than 1 day.	1 day.	2 days.	3 to 6 days.	Less than 1 week.	1 week.	2 weeks.	3 weeks but less than 1 month.	Less than 1 month.	1 month.	2 months.	3 to 5 months.	6 to 8 months.	9 to 11 months
	REGISTRATION CITIES HAVING FROM 100,000 TO 250,000 POPULATION IN 1910—Continued.															
	SEATTLE, WASH.															
	All causes	293	39	25	14	25	103	17	19	10	149	33	28	35	26	22
5	Measles	4										1				3
6	Scarlet fever	1										1				
7	Whooping cough	10										2	1	3	1	3
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	1								1	1					
(37)	Tetanus															
13	Tuberculosis of the lungs	2												1		1
14	Tuberculous meningitis	4										2			1	1
15	Other forms of tuberculosis	1													1	
(37)	Syphilis	5				1	1				1	2	1	1		
17	Meningitis	2										1				1
(37)	Convulsions	6						1			1			2	2	1
19	Organic diseases of the heart	2		1			1				1		1			
20	Acute bronchitis	3										1		1		1
22	Pneumonia	9		1		1	2				2		1	1	5	
(23)	Bronchopneumonia	14	1				1		2	1	4	1	2	4	1	2
24	Diseases of the stomach	1											1			
25	Diarrhea and enteritis	50				1	1	1	2	1	5	8	7	12	11	7
(33)	Malformations	17	5	1	1	4	11		2		13	1	1		1	1
(33)	Premature birth	68	31	14	7	5	57	4	3	1	65	1	2			
(33, 37)	Congenital debility	53	1	4	2	6	13	7	5	4	29	8	10	4	2	
(37)	Injuries at birth	14	1	3	2	3	9	2	3		14					
35	External causes	6				1	1				1	2	1	2		
	All other causes	18		1	2	2	5	2	2	2	11	1		4	1	1
38	Diseases ill-defined or unknown	2				1	1				1	1				
	SPOKANE, WASH.															
	All causes	217	27	18	18	22	85	18	7	9	119	26	11	35	18	8
5	Measles	2														2
6	Scarlet fever	1												1		
7	Whooping cough	4												4		
8	Diphtheria and croup															
9	Influenza															
(12)	Dysentery															
(12)	Erysipelas	2										1			1	
(37)	Tetanus															
13	Tuberculosis of the lungs	1												1		
14	Tuberculous meningitis	3										1			2	
15	Other forms of tuberculosis															
(37)	Syphilis	3										2	1			
17	Meningitis	2										1	1			
(37)	Convulsions	3				1	1	1			2		1			
19	Organic diseases of the heart	1	1				1				1					
20	Acute bronchitis	2												1		1
22	Pneumonia	7						1			1	2		4		
(23)	Bronchopneumonia	9						1	1		2	3		2	1	1
24	Diseases of the stomach	8						1		1	2	2	1	2	1	
25	Diarrhea and enteritis	39							2	2	4	6	4	15	7	3
(33)	Malformations	14	4	2	2	2	10	3			13	1				
(33)	Premature birth	50	15	11	10	5	41	3	3	2	49			1		
(33, 37)	Congenital debility	34	5	2	2	6	15	6	1	2	24	6	2		2	
(37)	Injuries at birth	8	2	2	1	3	8				8					
35	External causes	5			1		1			2	3				1	1
	All other causes	16			2	5	7	1			8	1	1	4	2	
38	Diseases ill-defined or unknown	3		1			1	1			2				1	

INDEX.

Abdominal tuberculosis. *See* Tuberculosis (all forms).
Abscess, acute, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Absorption of deleterious gases (conflagration excepted). *See* Accidental or undefined causes (total).
Accidental or undefined causes, (total), deaths from, 61; in cities and rural districts, 332; by sex, 350; by age, 350, 356.
—— death rate, 61; in cities and rural districts, 138.
Addison's disease, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
Age, deaths by, 11, 150, 174, 342, 354, 466.
—— death rates, 18, 23.
Alcoholism (acute or chronic), deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
Amputations, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Anemia, chlorosis, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
Aneurism. *See* Arteries, diseases of, etc.
Angina pectoris, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Ankylostomiasis, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Anthrax, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.
Apoplexy. *See* Cerebral hemorrhage, etc.
Appendicitis and typhlitis, deaths from, 60; by color, 259; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466.
—— death rate, 60; by color, 65; in cities and rural districts, 134.
Arteries, diseases of, atheroma, aneurism, etc., deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Articular rheumatism, acute. *See* Rheumatism, etc.
Asiatic cholera, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466.
—— death rate, 59; in cities and rural districts, 132.
Asthma, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Atheroma. *See* Arteries, diseases of, etc.
Atrophy. *See* Congenital debility, etc.
Automobile accidents and injuries. *See* Accidental or undefined causes (total).

Beriberi, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.
Biliary calculi, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Bladder, diseases of, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Bones, diseases of (tuberculosis excepted), deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Bones and organs of locomotion, diseases of, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Breast, nonpuerperal diseases of (cancer excepted), deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Breast, puerperal diseases of, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Bright's disease. *See* Nephritis, etc.
Bronchitis, (acute and chronic), deaths from, 60; in cities and rural districts, 328; by color, 259; by sex, 346; by age, 346, 355, 466; by months, 513; by days, weeks, and months, 537.
—— death rate, 60; by color, 65; in cities and rural districts, 134.
Bronchopneumonia, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466; by months, 513; by days, weeks, and months, 537.
—— death rate, 60; in cities and rural districts, 134.
Burns (conflagration excepted). *See* Accidental or undefined causes (total).

Calculi of the urinary passages, deaths from, 60; in cities and rural districts, 330; by sex, 348; by age, 348, 355.
—— death rate, 60; in cities and rural districts, 136.
Cancer, deaths from, 33, 59; by color, 259; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466.
Cancer, death rate, 59; by color, 65; in cities and rural districts, 132.
Causes of death, 28, 59, 64, 132, 258, 326, 342, 354, 466, 513, 537; accuracy of statistics, 36.
Cellular tissue. *See* Skin, etc.
Cerebral hemorrhage, apoplexy, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
Cerebral hemorrhage and softening, deaths from, by color, 259; by age, 466.
—— death rate, by color, 65.
Cerebrospinal fever. *See* Meningitis (total).
Cerebrospinal meningitis. *See* Meningitis (total).
Childbirth, deaths following, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Chinese, deaths of, by age and by sex, 174.
Chlorosis. *See* Anemia, etc.
Cholera nostras, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466.
—— death rate, 59; in cities and rural districts, 132.
Chorea, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.
—— death rate, 60; in cities and rural districts, 134.
Chronic rheumatism and gout. *See* Rheumatism, etc.
Chyluria, deaths from, 60; in cities and rural districts, 330; by sex, 348; by age, 348, 355.
—— death rate, 60; in cities and rural districts, 136.
Circulatory system, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Cirrhosis of the liver, deaths from, 60; by color, 259; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466.
—— death rate, 60; by color, 65; in cities and rural districts, 134.
Cities in registration states, deaths in, by sex, 18, 20, 176; by color, 41, 150, 176, 258; by age, 150, 176; by nativity, 176; by cause, 258, 326, 513; by months, 513; by days, weeks, and months, 537.
—— death rate, by color, 41, 64; by cause, 64.
Cities of 100,000 population or over, deaths in, by cause, 466, 513, 537; by age, 466; by months, 513; by days, weeks, and months, 537.
—— death rate, 13, 16, 21.
Color, deaths by, 11, 41, 64, 150, 174, 258.
—— death rates, 22, 24.
Colored population, deaths of, 41, 150, 174, 258.
—— death rates, by cause, 64.
Conflagration. *See* Accidental or undefined causes (total).
Congenital debility, deaths from, by months, 513; by days, weeks, and months, 537.
Congenital debility and malformations, deaths from, by color, 259; by age, 466.
—— death rate, by color, 65.

Congenital debility, "atrophy," "marasmus," etc., deaths from, 61; in cities and rural districts, 330; by sex, 350; by age, 350, 356.
—— death rate, 61; in cities and rural districts, 136.
Congenital debility, icterus, and sclerema, (total), deaths from, 61; in cities and rural districts, 330; by sex, 350; by age, 350, 356.
—— death rate, 61; in cities and rural districts, 136.
Congenital malformations (stillbirths not included) (total), deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Congenital malformations of the heart. *See* Congenital malformations, etc. (total).
Convulsions. *See* Puerperal albuminuria, etc.
Convulsions (nonpuerperal), deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.
—— death rate, 60; in cities and rural districts, 134.
Convulsions of infants, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355; by days, weeks, and months, 537.
—— death rate, 60; in cities and rural districts, 134.
Croup. *See* Diphtheria, etc.
Cysts and other tumors of the ovary, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.

Death rates, of registration area and its subdivisions, 11–13, 64; of foreign countries and cities, 13, 14, 18, 20; specific and standardized, 14; by sex, 16, 21, 24; by color, 22, 41, 64; by nativity, 22; by cause, 59, 64, 132; in cities and rural districts, 132.
Deaths, by color, 11, 41, 150, 174, 258; by age, 11, 150, 174, 342, 354; by cause, 28, 59, 258, 326, 342, 354, 466, 513, 537; by sex, 174, 342; by nativity, 174; by months, 513; by days, weeks, and months, 537.
Diabetes, deaths from, 59; by color, 259; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; by color, 65; in cities and rural districts, 132.
Diarrhea and enteritis (under 2 years), deaths from, 35, 60; by color, 259; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466; by months, 513; by days, weeks, and months, 537.
—— death rate, 60; by color, 65; in cities and rural districts, 134.
Diarrhea and enteritis (2 years and over), deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355; by months, 513.
—— death rate, 60; in cities and rural districts, 134.
Digestive system, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Diphtheria and croup, deaths from, 31, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513; by days, weeks, and months, 537.
—— death rate, 59; by color, 64; in cities and rural districts, 132.
Disseminated tuberculosis. *See* Tuberculosis (all forms).
Drowning, accidental. *See* Accidental or undefined causes (total).
Dysentery, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354; by days, weeks, and months, 537.
—— death rate, 59; in cities and rural districts, 132.

Early infancy, deaths in, 61; in cities and rural districts, 330; by sex, 350; by age, 350, 356.
—— death rate, 61; in cities and rural districts, 136.
Ears, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.
—— death rate, 60; in cities and rural districts, 134.
Electricity (lightning excepted). *See* Accidental or undefined causes (total).
Embolism and thrombosis, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Embolus. *See* Puerperal phlegmasia alba dolens, etc.
Encephalitis, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
Endocarditis, acute, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Epilepsy, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.
—— death rate, 60; in cities and rural districts, 134.
Erysipelas, deaths from, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354; by days, weeks, and months, 537.
—— death rate, 59; by color, 64; in cities and rural districts, 132.
Esophagus, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Excessive cold. *See* Accidental or undefined causes (total).
Exophthalmic goiter, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
External causes, deaths from, 61; in cities and rural districts, 330; by sex, 350; by age, 350, 356; by days, weeks, and months, 537.
—— death rate, 61; in cities and rural districts, 136.
Eyes and their annexa, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.
—— death rate, 60; in cities and rural districts, 134.

Female genital organs, diseases of, deaths, by age, 466. *See also* Salpingitis, etc.
Foreign countries and cities, death rates of, 13; by sex, 18, 20.
Foreign white population, deaths of, by age and by sex, 174.
Fractures (cause not specified). *See* Accidental or undefined causes (total).
Furuncle, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.

Gangrene, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
Gangrene, death rate, 61; in cities and rural districts, 136.
Gangrene of the lung, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
General diseases, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.
Genito-urinary system and annexa, nonvenereal diseases of, deaths from, 60; in cities and rural districts, 330; by sex, 348; by age, 348, 355.
—— death rate, 60; in cities and rural districts, 136.
Glanders, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.
Gonococcus infection, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.
Gout. *See* Rheumatism, etc.

Heart, organic diseases of, deaths from, 34, 60; by color, 259; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466; by days, weeks, and months, 537.
—— death rate, 60; by color, 65; in cities and rural districts, 134.
Heat, effects of. *See* Accidental or undefined causes (total).
Hemorrhage; other diseases of circulatory system, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Hemorrhoids. *See* Veins, diseases of, etc.
Hernia, intestinal obstruction (total), deaths from, 60; by color, 259; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466.
—— death rate, 60; by color, 65; in cities and rural districts, 134.
Homicide (total), deaths by, 62; in cities and rural districts, 332; by sex, 352; by age, 352, 356.
—— death rate, 62; in cities and rural districts, 138.
Hydatid tumor of the liver, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Hydrocephalus. *See* Congenital malformations, etc. (total).

Icterus. *See* Congenital debility, etc.
Ill-defined diseases, deaths from, 62; in cities and rural districts, 332; by sex, 352; by age, 352, 356, 466; by days, weeks, and months, 537.
—— death rate, 62; in cities and rural districts, 138.
Indians, deaths of, by age and by sex, 174.
Infant and child mortality, 24.
Infantile paralysis. *See* Poleomyelitis, acute anterior, etc.
Infants, deaths of, by days, weeks, and months, 537.
Influenza, deaths from, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513; by days, weeks, and months, 537.
—— death rate, 59; by color, 64; in cities and rural districts, 132.
Injuries at birth, deaths from, 61; in cities and rural districts, 330; by sex, 350; by

age, 350, 356; by days, weeks, and months, 537.
—— death rate, 61; in cities and rural districts, 136.
Injuries by animals. *See* Accidental or undefined causes (total).
Intestinal obstruction. *See* Hernia, etc.
Intestinal parasites, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.

Japanese, deaths of, by age and by sex, 174.
Joints, diseases of (tuberculosis and rheumatism excepted), deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.

Lack of care, deaths from, 61; in cities and rural districts, 330; by sex, 350; by age, 350, 356.
—— death rate, 61; in cities and rural districts, 136.
Landslide, other crushing. *See* Accidental or undefined causes (total).
Larynx, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Lead poisoning, chronic, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
Leprosy, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.
Leukemia, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
Lightning. *See* Accidental or undefined causes (total).
Locomotor ataxia, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
Lymphangitis. *See* Lymphatic system, diseases of, etc.
Lymphatic system, diseases of (lymphangitis, etc.), deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.

Malaria, deaths from, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513.
—— death rate, 59; by color, 64; in cities and rural districts, 132.
Male genital organs, nonvenereal diseases of, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Malformations, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356; by days, weeks, and months, 537.
—— death rate, 61; in cities and rural districts, 136.
Marasmus. *See* Congenital debility, etc.
Measles, deaths from, 30, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513; by days, weeks, and months, 537.
—— death rate, 59; by color, 64; in cities and rural districts, 132.
Meningitis (total), deaths from, 59; by color, 259; in cities and rural districts, 326; by sex, 344; by age, 344, 354, 466; by days, weeks, and months, 537.
—— death rate, 59; by color, 65; in cities and rural districts, 132.
Miliary fever, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.
Miliary tuberculosis, acute. *See* Tuberculosis (all forms).
Mouth and annexa, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Mycoses, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.

Nasal fossae, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Native white population, deaths of, by age and by sex, 174.
Nativity, death rates by, 22, 174.
Negroes, deaths of, by age and by sex, 174.
—— death rates, by sex, 24.
Nephritis and Bright's disease, deaths from, 60; by color, 259; in cities and rural districts, 330; by sex, 348; by age, 348, 355, 466.
—— death rate, 60; by color, 65; in cities and rural districts, 136.
Nervous system, diseases of, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
Neuralgia and neuritis, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.
—— death rate, 60; in cities and rural districts, 134.
Neuritis. *See* Neuralgia, etc.

Old age, deaths from, 61; in cities and rural districts, 330; by sex, 350; by age, 350, 356, 466.
—— death rate, 61; in cities and rural districts, 136.
Organs of locomotion. *See* Bones, etc.

Paralysis of the insane, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.
—— death rate, 60; in cities and rural districts, 134.
Paralysis without specified cause, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.
—— death rate, 60; in cities and rural districts, 134.
Pellagra, deaths from, 31, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; by color, 64; in cities and rural districts, 132.
Pericarditis, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Peritonitis, simple (nonpuerperal), deaths from, 60; in cities and rural districts, 328; by sex, 348; by age, 348, 355.
—— death rate, 60; in cities and rural districts, 134.
Pharynx, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
Pharynx, death rate, 60; in cities and rural districts, 134.
Phlebitis. *See* Veins, diseases of, etc.
Plague, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.
Pleurisy, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Pneumonia (all forms), deaths from, 35, 60; by color, 259; in cities and rural districts, 328; by sex, 346; by age, 346, 355, 466; by months, 513; by days, weeks, and months, 537.
—— death rate, 60; by color, 65; in cities and rural districts, 134.
Poisoning by food. *See* Accidental or undefined causes (total).
Poliomyelitis, acute anterior (infantile paralysis), deaths from, 34, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
Pott's disease. *See* Tuberculosis (all forms).
Pregnancy, accidents of, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Premature birth, deaths from, 61; in cities and rural districts, 330; by sex, 350; by age, 350, 356; by days, weeks, and months, 537.
—— death rate, 61; in cities and rural districts, 136.
Prostate, diseases of, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Puerperal albuminuria and convulsions, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Puerperal fever, deaths from, by color, 259; by age, 466.
—— death rate, by color, 65.
Puerperal hemorrhage, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Puerperal phlegmasia alba dolens, embolus, sudden death, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Puerperal septicemia, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Pulmonary apoplexy. *See* Pulmonary congestion, etc.
Pulmonary congestion, pulmonary apoplexy, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Pulmonary emphysema, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Purulent infection and septicemia, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.

Rabies, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.
Railroad accidents and injuries. *See* Accidental or undefined causes (total).
Registration area, growth and extent of, 9, 10; deaths in, by sex, 18, 20, 174, 342; by color, 41, 150, 174, 258; by age, 150, 174, 342, 354; by nativity, 174; by cause, 258, 326, 342, 354, 513; by months, 513; by days, weeks, and months, 537.
—— death rates, 11; by color, 41, 64; by cause, 59, 64.
Registration cities, deaths in, by sex, 18, 20, 178; by color, 41, 150, 152, 178, 258, 260; by age, 150, 178; by nativity, 178; by cause, 258, 260, 326, 514, 521, 537, 547; by months, 514, 521; by days, weeks, and months, 538, 547.
—— death rates, by color, 41, 64, 66; by cause, 64, 66.
Registration cities in nonregistration states, list of, 10.
Registration states, list of, 10; deaths in, by sex, 18, 20, 21, 174; by color, 41, 150, 174, 258; by age, 150, 174, 357; by nativity, 174; by cause, 258, 326, 357, 513, 514, 537, 539; by months, 513, 514; by days, weeks, and months, 537, 539.
—— death rates, 12; by sex, 16; by color, 41, 64; by cause, 64, 132.
Relapsing fever, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.
Respiratory system, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Rheumatism, acute articular, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
Rheumatism and gout, chronic, deaths from, 59; by color, 258; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; by color, 64; in cities and rural districts, 132.
Rickets, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.
Rural part of registration states, deaths in, by sex, 18, 20, 176; by color, 41, 150, 176, 258, 282; by age, 150, 176; by nativity, 176; by cause, 258, 282, 326, 513, 538; by months, 513; by days, weeks, and months, 538.
—— death rates, by color, 41, 64, 88; by cause, 64, 88.

Salpingitis and other diseases of the female genital organs, deaths from, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Scarlet fever, deaths from, 30, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513; by days, weeks, and months, 537.
—— death rate, 59; by color, 64; in cities and rural districts, 132.
Sclerema. *See* Congenital debility, etc.
Scurvy, deaths from, 59; in cities and rural districts, 326; by sex, 344; by age, 344, 354.
—— death rate, 59; in cities and rural districts, 132.
Senility. *See* Old age.
Septicemia. *See* Purulent infection, etc., *and* Puerperal septicemia.
Sex, deaths by, 174, 342.
—— death rates, 16, 18, 20, 21, 23.
Skin and cellular tissue, diseases of, deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Smallpox, deaths from, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466.
—— death rate, 59; by color, 64; in cities and rural districts, 132.
Softening of the brain, deaths from, 60; in cities and rural districts, 328; by sex, 344; by age, 344, 355.
—— death rate, 60; in cities and rural districts, 134.
Spleen, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 348; by age, 348, 355.
—— death rate, 60; in cities and rural districts, 134.
Starvation. *See* Accidental or undefined causes (total).
Stomach, diseases of, deaths from, 60; in cities and rural districts, 132, 326; by sex, 346; by age, 346, 354, 466; by days, weeks, and months, 537.
—— death rate, 60; in cities and rural districts, 134.
Street-car accidents and injuries. *See* Accidental or undefined causes (total).
Sudden death, deaths from, 62; in cities and rural districts, 332; by sex, 352; by age, 352, 356.
—— death rate, 62; in cities and rural districts, 138. *See also* Puerperal phlegmasia alba dolens, etc.
Suicide, deaths from, 35, 61; by color, 259; in cities and rural districts, 330; by sex, 350; by age, 350, 356, 466; by months, 513.
—— death rate, 61; by color, 65; in cities and rural districts, 136.
Syphilis, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354; by days, weeks, and months, 537.
—— death rate, 59; in cities and rural districts, 132.

Tetanus, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354; by days, weeks, and months, 537.
—— death rate, 59; in cities and rural districts, 132.
Thrombosis. *See* Embolism, etc.
Thyroid body, diseases of, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Traumatism. *See* Accidental or undefined causes (total).
Tuberculosis (all forms), deaths from, 32, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513; by days, weeks, and months, 537.
Tuberculosis, death rate, 59; in cities and rural districts, 132.
Tuberculosis of the lungs. *See* Tuberculosis (all forms).
Tuberculous meningitis. *See* Tuberculosis (all forms).
Typhlitis. *See* Appendicitis, etc.
Typhoid fever, deaths from, 29, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513.
—— death rate, 59; by color, 64; in cities and rural districts, 132.
Typhus fever, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466.
—— death rate, 59; in cities and rural districts, 132.

Ulcer of the stomach, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Urethra, diseases of, urinary abscess, etc., deaths from, 61; in cities and rural districts, 330; by sex, 348; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Urinary abscess. *See* Urethra, diseases of, etc.
Uterine hemorrhage (nonpuerperal), deaths from, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.
Uterine tumor (noncancerous), deaths from, 61; in cities and rural districts, 330; by age, 348, 356.
—— death rate, 61; in cities and rural districts, 136.

Varices. *See* Veins, diseases of, etc.
Veins, diseases of (varices, hemorrhoids, phlebitis, etc.), deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Violent deaths (excluding suicide), number of, 36; by color, 259; in cities and rural districts, 332; by sex, 352; by age, 352, 466; by months, 513.
—— death rate, by color, 65.

White population, deaths of, 41, 150, 174, 258.
—— death rates, by sex, 24; by cause, 64.
White swellings. *See* Tuberculosis (all forms).
Whooping cough, deaths from, 31, 59; by color, 258; in cities and rural districts, 326; by sex, 342; by age, 342, 354, 466; by months, 513; by days, weeks, and months, 537.
—— death rate, 59; by color, 64; in cities and rural districts, 132.

Yellow atrophy of the liver, acute, deaths from, 60; in cities and rural districts, 328; by sex, 346; by age, 346, 355.
—— death rate, 60; in cities and rural districts, 134.
Yellow fever, deaths from, 59; in cities and rural districts, 326; by sex, 342; by age, 342, 354.
—— death rate, 59; in cities and rural districts, 132.

O